Open Source Used In AppDynamics_Java_Agent 23.1.0.0

Cisco Systems, Inc.
www.cisco.com

Cisco has more than 200 offices worldwide.
Addresses, phone numbers, and fax numbers
are listed on the Cisco website at
www.cisco.com/go/offices.

Text Part Number: 78EE117C99-1545868606

This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this form.

In your requests please include the following reference number 78EE117C99-1545868606

Contents

1.1 jdom 1.0
- 1.1.1 Notifications
- 1.1.2 Available under license

1.2 java-concurrency-in-practice-book-annotations 1.0
- 1.2.1 Available under license

1.3 apache-commons-lang 2.4
- 1.3.1 Available under license

1.4 hibernate-commons-annotations 3.2.0.Final
- 1.4.1 Available under license

1.5 slf4j-api-module 1.6.1
- 1.5.1 Available under license

1.6 activemq 5.4.2
- 1.6.1 Available under license

1.7 slf4j-api-module 1.7.25

1.8 slf4j-api-module 1.6.6
- 1.8.1 Available under license

1.9 tomcat 7.0.42
- 1.9.1 Available under license

1.10 apache-commons-lang 2.6
- 1.10.1 Available under license

1.11 commons-logging 1.2
- 1.11.1 Available under license

1.12 jul-to-slf4j-bridge 1.7.12
- 1.12.1 Available under license

1.13 apache-commons-lang 3.4
- 1.13.1 Available under license

1.14 scala-xml 1.0.3
1.14.1 Available under license
1.15 jetbrains-annotations 13.0
1.15.1 Available under license
1.16 testng 6.9.10
1.16.1 Available under license
1.17 activemq 5.14.3
1.17.1 Available under license
1.18 jdom 2.0.6
1.18.1 Available under license
1.19 xml-pull 1.1.3.1
1.19.1 Available under license
1.20 apache-commons-i-o 1.3.2
1.20.1 Available under license
1.21 jsoup 1.10.2
1.21.1 Available under license
1.22 apache-commons-lang 3.3.2
1.22.1 Available under license
1.23 apache-commons-beanutils 1.9.3
1.23.1 Available under license
1.24 jsoup 1.11.2
1.24.1 Available under license
1.25 checker-qual 2.0.0
1.26 checker-qual 2.5.2
1.26.1 Available under license
1.27 bouncy-castle 1.60
1.27.1 Available under license
1.28 apache-commons-pool 2.6.0
1.28.1 Available under license
1.29 reactive-streams 1.0.2
1.30 apache-xerces2-j 2.11.0
1.30.1 Available under license
1.31 jcl-1-2-implemented-over-slf4j 1.7.25
1.31.1 Available under license
1.32 jersey-media-multipart 2.25.1
1.33 jeromq 0.3.5
1.33.1 Available under license
1.34 json-java 20160212
1.34.1 Available under license

1.35 asm-util 5.0.3
1.36 asm-debug-all 5.0.4
1.37 asm-tree 5.0.3
1.38 udunits 4.5.5
1.38.1 Available under license
1.39 javax-annotation-api 1.3.2
1.39.1 Available under license
1.40 slf4j-api-module 1.7.26
1.40.1 Available under license
1.41 findbugs-annotations 3.0.0
1.41.1 Available under license
1.42 javax-annotation-api 1.2
1.42.1 Available under license
1.43 asm 3.1
1.44 findbugs-annotations 2.0.1
1.44.1 Available under license
1.45 plexus-interpolation-api 1.13
1.45.1 Available under license
1.46 jnr-constants 0.9.8
1.47 jffi-java-foreign-function-interface 1.2.15
1.47.1 Available under license
1.48 jnr-ffi 2.1.4
1.49 jnr-x86asm 1.0.2
1.50 stax 1.0-2
1.50.1 Available under license
1.51 asm-analysis 5.0.3
1.52 asm-commons 5.0.3
1.53 java-servlet-api 3.1.0
1.53.1 Available under license
1.54 apache-httpmime 4.5.5
1.54.1 Available under license
1.55 asm-analysis 7.1
1.56 asm-commons 7.1
1.57 asm 7.1
1.58 asm-tree 7.1
1.59 beanshell 2.0b6
1.59.1 Available under license
1.60 hamcrest 1.3
1.60.1 Available under license

1.61 jcommander-library 1.72
1.61.1 Available under license
1.62 junit 4.12
1.62.1 Available under license
1.63 apache-groovy 2.4.12
1.63.1 Available under license
1.64 byte-buddy byte-buddy-1.9.10
1.64.1 Available under license
1.65 byte-buddy-agent 1.9.10
1.65.1 Available under license
1.66 jacoco v0.8.4
1.66.1 Available under license
1.67 apache-ant 1.9.2
1.67.1 Available under license
1.68 animal-sniffer-annotation 1.14
1.68.1 Available under license
1.69 apache-xml-commons 1.4.01
1.69.1 Available under license
1.70 google-guice 4.0
1.70.1 Available under license
1.71 findbugs-jsr305 1.3.9
1.71.1 Available under license
1.72 apache-http-client 3.1
1.72.1 Available under license
1.73 dom4j-flexible-xml-framework-for-java 1.6.1
1.73.1 Available under license
1.74 relaxngdatatype 20020414
1.74.1 Available under license
1.75 apache-xalan-java 2.7.2
1.75.1 Available under license
1.76 xalan-java 2.7.2
1.76.1 Available under license
1.77 apache-commons-collections 3.2.2
1.77.1 Available under license
1.78 jackson-datatype-joda 2.9.8
1.78.1 Available under license
1.79 apache-commons-discovery 0.4
1.79.1 Available under license
1.80 aop-alliance 1.0

1.80.1 Available under license
1.81 apache-commons-collections 3.2.1
1.81.1 Available under license
1.82 joda-time 2.8.1
1.82.1 Available under license
1.83 slf4j-api-module 1.7.21
1.83.1 Available under license
1.84 json-path 2.4.0
1.84.1 Available under license
1.85 google-gson 2.8.5
1.85.1 Available under license
1.86 commons-compress 1.18
1.86.1 Available under license
1.87 apache-httpcomponents-core 4.4.11
1.87.1 Available under license
1.88 beanshell 2.0b4
1.88.1 Available under license
1.89 findbugs-annotations 3.0.1
1.89.1 Available under license
1.90 scala 2.11.8
1.90.1 Available under license
1.91 apache-httpcomponents-core 4.4.10
1.91.1 Available under license
1.92 scala 2.11.12
1.92.1 Available under license
1.93 findbugs-jsr305 3.0.2
1.93.1 Available under license
1.94 apache-http-client 4.5.9
1.94.1 Available under license
1.95 junit 4.11
1.95.1 Available under license
1.96 animal-sniffer-annotation 1.18
1.96.1 Available under license
1.97 json-simple 1.1.1
1.97.1 Available under license
1.98 google-gson 2.8.6
1.98.1 Available under license
1.99 assertj-fluent-assertions 3.11.1
1.99.1 Available under license

1.100 javassist 3.18.2-GA
1.100.1 Available under license
1.101 jnr-enxio 0.16
1.101.1 Available under license
1.102 jnr-unixsocket 0.18
1.102.1 Available under license
1.103 jsoup 1.9.2
1.103.1 Available under license
1.104 google-android-annotations-library 4.1.1.4
1.104.1 Available under license
1.105 jsr311-api 1.1.1
1.105.1 Available under license
1.106 libplexus-utils 2.0.5
1.106.1 Available under license
1.107 java-servlet-api 2.3
1.107.1 Available under license
1.108 apache-commons-collections 3.1
1.108.1 Available under license
1.109 google-guice 4.1.0
1.109.1 Available under license
1.110 xpp3-xpath 1.1.4c
1.110.1 Available under license
1.111 stax-api 3.1.4
1.111.1 Available under license
1.112 apache-commons-math 3.6.1
1.112.1 Available under license
1.113 scala-parser-combinators 1.0.4
1.113.1 Available under license
1.114 stax-api 1.0.1
1.114.1 Available under license
1.115 apache-neethi 3.0.2
1.115.1 Available under license
1.116 woden-dom 1.0M9
1.116.1 Available under license
1.117 axis2-java 1.6.2
1.117.1 Available under license
1.118 google-gson 2.3
1.118.1 Available under license
1.119 axiom-api 1.2.13

1.119.1 Available under license
1.120 activation 1.1
1.120.1 Available under license
1.121 axiom-impl 1.2.13
1.121.1 Available under license
1.122 woden-commons 1.0M9
1.122.1 Available under license
1.123 woden-api 1.0M9
1.123.1 Available under license
1.124 apache-commons-math 2.1
1.124.1 Available under license
1.125 web-services-metadata 1.1.2
1.125.1 Available under license
1.126 apache-lucene 4.7.2
1.126.1 Available under license
1.127 tagsoup 1.2.1
1.127.1 Available under license
1.128 java-servlet-api 3.0.1
1.128.1 Available under license
1.129 google-guice 3.0
1.129.1 Available under license
1.130 jcl-1-2-implemented-over-slf4j 1.7.12
1.130.1 Available under license
1.131 jms 1.1.1
1.131.1 Available under license
1.132 jcommander-library 1.12
1.132.1 Available under license
1.133 junit 4.10
1.133.1 Available under license
1.134 cglib 2.2.1-v20090111
1.134.1 Available under license
1.135 juniversalchardet 1.0.3
1.135.1 Available under license
1.136 quartz-job-scheduler 2.2.0
1.136.1 Available under license
1.137 javax-ws-rs-api 2.0.1
1.137.1 Available under license
1.138 jetty-java-based-http-1-x-http-2-servlet-websocket-server 6.1.3
1.138.1 Available under license

1.139 jna 4.1.0
1.139.1 Available under license
1.140 c3p0jdbcdatasources 0.9.1.1
1.140.1 Available under license
1.141 snake-yaml 1.6
1.141.1 Available under license
1.142 j2ee-deployment 1.1
1.142.1 Available under license
1.143 apache-commons-digester 2.0
1.143.1 Available under license
1.144 jetty-orbit-servlet-api 3.0.0.v201112011016
1.144.1 Available under license
1.145 lucene-analyzers 4.7.2
1.145.1 Available under license
1.146 lucene-query-parser 4.7.2
1.146.1 Available under license
1.147 boilerpipe 1.1.0
1.147.1 Available under license
1.148 logging 1.1
1.148.1 Available under license
1.149 javassist 3.20.0-GA
1.149.1 Available under license
1.150 cglib 3.2.9
1.150.1 Available under license
1.151 apache-ant 1.7.1
1.151.1 Available under license
1.152 hamcrest 1.1
1.152.1 Available under license
1.153 msv 20020414
1.153.1 Available under license
1.154 java-architecture-for-xml-binding 2.1
1.154.1 Available under license
1.155 jetty-java-based-http-1-x-http-2-servlet-websocket-server 8.1.15.v20140411
1.155.1 Available under license
1.156 dom4j-flexible-xml-framework-for-java 1.4
1.156.1 Available under license
1.157 joda-time 2.10.1
1.157.1 Available under license
1.158 saxpath 1.0 FCS

1.158.1 Available under license
1.159 jaxb-isorelax-library 20020414
1.159.1 Available under license
1.160 apache-commons-collections 4.1
1.160.1 Available under license
1.161 xml-beans 2.6.0
1.161.1 Available under license
1.162 apache-httpcomponents-core 4.4.9
1.162.1 Available under license
1.163 apache-http-client 4.5.5
1.163.1 Available under license
1.164 apache-groovy 2.4.15
1.164.1 Available under license
1.165 xstream 1.4.10
1.165.1 Available under license
1.166 jcommander-library 1.48
1.166.1 Available under license
1.167 plexus-io-components 1.0
1.167.1 Available under license
1.168 maven-archiver 2.4.1
1.168.1 Available under license
1.169 default-plexus-container 1.0-alpha-9-stable-1
1.169.1 Available under license
1.170 jacoco 0.7.6
1.170.1 Available under license
1.171 jersey-media-json-jackson 2.22.2
1.171.1 Available under license
1.172 injectionapi 2.4.0-b34
1.172.1 Available under license
1.173 jersey-ext-entity-filtering 2.22.2
1.173.1 Available under license
1.174 objenesis 3.0.1
1.174.1 Available under license
1.175 jersey-connectors-apache 2.22.2
1.175.1 Available under license
1.176 xz-java 1.8
1.176.1 Available under license
1.177 netty-project netty-4.1.38.Final
1.177.1 Available under license

1.178 jetty-java-based-http-1-x-http-2-servlet-websocket-server 9.4.14.v20181114
1.178.1 Available under license
1.179 freemarker 2.3.28
1.179.1 Available under license
1.180 wsdl4j 1.6.3
1.180.1 Available under license
1.181 jul-to-slf4j-bridge 1.7.30
1.181.1 Available under license
1.182 checker-qual 2.10.0
1.182.1 Available under license
1.183 jackson-module-afterburner 2.9.8
1.183.1 Available under license
1.184 jaxb-xml-binding-code-generator-package 2.2.6
1.184.1 Available under license
1.185 jackson-datatype-jdk8 2.9.9
1.185.1 Available under license
1.186 maven-model 2.0.6
1.186.1 Available under license
1.187 maven-artifact 2.0.6
1.187.1 Available under license
1.188 h2 1.3.176
1.188.1 Available under license
1.189 checker-qual 2.5.5
1.189.1 Available under license
1.190 jsch 0.1.53
1.190.1 Available under license
1.191 animal-sniffer-annotation 1.17
1.191.1 Available under license
1.192 hk2-api-module 2.5.0-b32
1.192.1 Available under license
1.193 injectionapi 2.5.0-b32
1.193.1 Available under license
1.194 hk2-implementation-utilities 2.5.0-b32
1.194.1 Available under license
1.195 servicelocator-default-implementation 2.5.0-b32
1.195.1 Available under license
1.196 aopalliance-version-repackaged-as-a-module 2.5.0-b32
1.196.1 Available under license
1.197 jcl-1-2-implemented-over-slf4j 1.7.30

1.197.1 Available under license
1.198 apache-httpcomponents-core 4.4.13
1.198.1 Available under license
1.199 servlet 1.0
1.199.1 Available under license
1.200 apache-commons-exec 1.3
1.200.1 Available under license
1.201 google-gson 2.8.0
1.201.1 Available under license
1.202 apache-poi 3.17
1.202.1 Available under license
1.203 apache-poi-ooxml 3.17
1.203.1 Available under license
1.204 apache-poi-ooxml-schemas 3.17
1.204.1 Available under license
1.205 jackson-dataformat-yaml 2.10.5
1.205.1 Available under license
1.206 jackson-datatype-jsr310 2.9.9
1.206.1 Available under license
1.207 apache-log4j 2.11.0
1.207.1 Available under license
1.208 mozilla-rhino 1.7.10
1.208.1 Available under license
1.209 powermock-module-junit4 2.0.7
1.209.1 Available under license
1.210 powermock-api-support 2.0.7
1.210.1 Available under license
1.211 powermock-core 2.0.7
1.211.1 Available under license
1.212 snake-yaml 1.26
1.212.1 Available under license
1.213 powermock-reflect 2.0.7
1.213.1 Available under license
1.214 powermock-module-junit4-common 2.0.7
1.214.1 Available under license
1.215 logback-core 1.1.3
1.215.1 Available under license
1.216 scala-xml 1.0.6
1.216.1 Available under license

1.217 bean-validation-api 2.0.1
1.217.1 Available under license
1.218 jmes-path-query-library 1.0
1.218.1 Available under license
1.219 project-lombok 1.18.16
1.219.1 Available under license
1.220 apache-http-client 4.5.13
1.220.1 Available under license
1.221 jackson-core 2.10.5
1.221.1 Available under license
1.222 apache-commons-math 3.2
1.222.1 Available under license
1.223 plexus-classworlds 1.1-alpha-2
1.223.1 Available under license
1.224 jtidy r938
1.224.1 Available under license
1.225 apache-httpcomponents-asyncclient 4.1.3
1.225.1 Available under license
1.226 apache-commons-lang 3.8.1
1.226.1 Available under license
1.227 asm-based-accessors-helper-used-by-json-smart 1.2
1.227.1 Available under license
1.228 netty-project 3.10.4.Final
1.228.1 Available under license
1.229 scala-java8-compat_2.12 0.7.0
1.229.1 Available under license
1.230 apache-commons-configuration 2.2
1.230.1 Available under license
1.231 apache-commons-lang 3.6
1.231.1 Available under license
1.232 org.apache.commons.fileupload 1.3.3
1.232.1 Available under license
1.233 mail 1.7.1
1.233.1 Available under license
1.234 mime-streaming-extension 1.9.6
1.234.1 Available under license
1.235 stax-api 4.2.1
1.235.1 Available under license
1.236 jackson-xc 2.10.5

1.236.1 Available under license
1.237 jackson-core 2.12.1
1.237.1 Available under license
1.238 hk2-api-module 2.4.0-b34
1.238.1 Available under license
1.239 aopalliance-version-repackaged-as-a-module 2.4.0-b34
1.239.1 Available under license
1.240 servicelocator-default-implementation 2.4.0-b34
1.240.1 Available under license
1.241 hk2-implementation-utilities 2.4.0-b34
1.241.1 Available under license
1.242 animal-sniffer-annotation 1.19
1.242.1 Available under license
1.243 byte-buddy byte-buddy-1.10.15
1.243.1 Available under license
1.244 objenesis 3.1
1.244.1 Available under license
1.245 byte-buddy-agent 1.10.15
1.245.1 Available under license
1.246 google-api-grpc-proto-google-common-protos 1.17.0
1.246.1 Available under license
1.247 curvesapi 1.04
1.247.1 Available under license
1.248 guava-internalfuturefailureaccess-and-internalfutures 1.0.1
1.248.1 Available under license
1.249 json-p 1.0.4
1.249.1 Available under license
1.250 j2objc-annotations 1.1
1.250.1 Available under license
1.251 jersey-repackaged-guava 2.25.1
1.251.1 Available under license
1.252 apiguardian-apiguardian-api 1.1.0
1.252.1 Available under license
1.253 java-diff-utils 1.3.0
1.253.1 Available under license
1.254 junit-platform-junit-platform-commons 1.5.2
1.254.1 Available under license
1.255 j2objc-annotations 1.3
1.255.1 Available under license

1.256 io-grpc-grpc-protobuf-lite 1.30.2
1.256.1 Available under license
1.257 io-grpc-grpc-protobuf 1.30.2
1.257.1 Available under license
1.258 io-grpc-grpc-context 1.30.2
1.258.1 Available under license
1.259 io-grpc-grpc-stub 1.30.2
1.259.1 Available under license
1.260 io-grpc-grpc-api 1.30.2
1.260.1 Available under license
1.261 powermock-api-mockito2 2.0.7
1.261.1 Available under license
1.262 reflections 0.9.10
1.262.1 Available under license
1.263 opentracing-util 0.31.0
1.263.1 Available under license
1.264 config-com-typesafe-config 1.3.0
1.264.1 Available under license
1.265 opentracing-noop 0.31.0
1.265.1 Available under license
1.266 opentracing-api 0.31.0
1.266.1 Available under license
1.267 apache-commons-jexl 3.1
1.267.1 Available under license
1.268 ph-css 6.1.1
1.268.1 Available under license
1.269 dnsjava 2.1.8
1.269.1 Available under license
1.270 krysalis-jcharts 0.7.5
1.270.1 Available under license
1.271 brotli:dec 0.1.2
1.271.1 Available under license
1.272 software-amazon-ion-ion-java 1.0.2
1.272.1 Available under license
1.273 mongo-java-driver 2.11.3
1.273.1 Available under license
1.274 caffeine-cache 2.6.2
1.274.1 Available under license
1.275 mockito 1.10.19

1.275.1 Available under license

1.276 snake-yaml 1.28

1.276.1 Available under license

1.277 jul-to-slf4j-bridge 1.7.24

1.277.1 Available under license

1.278 asm 9.0

1.278.1 Available under license

1.279 spring-web-services 3.0.1.RELEASE

1.279.1 Available under license

1.280 javax-ws-rs-api 2.1.1

1.280.1 Available under license

1.281 json-smart 2.3

1.281.1 Available under license

1.282 apache-httpmime 4.5.6

1.282.1 Available under license

1.283 alpn-api 1.1.3.v20160715

1.283.1 Available under license

1.284 iterators 1.5

1.284.1 Available under license

1.285 kotson 2.5.0

1.285.1 Available under license

1.286 dmfs/optional 0.3

1.286.1 Available under license

1.287 rfc3986-uri 0.8

1.287.1 Available under license

1.288 automation 1.11-8

1.288.1 Available under license

1.289 jta 1.1

1.289.1 Available under license

1.290 jta 1.1

1.290.1 Available under license

1.291 jersey-repackaged-guava 2.22.2

1.291.1 Available under license

1.292 zt 1.14

1.292.1 Available under license

1.293 apache-httpmime 4.5.12

1.293.1 Available under license

1.294 jackson-jaxrs-base 2.10.2

1.294.1 Available under license

1.295 jackson-jaxrs 2.10.2
1.295.1 Available under license
1.296 checker-qual 3.12.0
1.296.1 Available under license
1.297 asm-commons 9.0
1.297.1 Available under license
1.298 asm-tree 9.0
1.298.1 Available under license
1.299 asm-analysis 9.0
1.299.1 Available under license
1.300 org.apache.commons.fileupload 1.4
1.300.1 Available under license
1.301 antlr 4.7.2
1.301.1 Available under license
1.302 antlr 2.7.7
1.302.1 Available under license
1.303 error_prone_annotations 2.3.4
1.303.1 Available under license
1.304 error_prone_annotations 2.1.3
1.304.1 Available under license
1.305 bean-validation-api 1.1.0
1.305.1 Available under license
1.306 jpaapi 1.0.0
1.306.1 Available under license
1.307 java-architecture-for-xml-binding 2.3.2
1.307.1 Available under license
1.308 velocity.apache.org/tools/devel 1.7
1.308.1 Available under license
1.309 apache-james-mime4j 0.7.2
1.309.1 Available under license
1.310 jackson-dataformats-binary 2.6.7
1.310.1 Available under license
1.311 jackson-dataformats-binary 2.6.6
1.311.1 Available under license
1.312 activemq 5.10.2
1.312.1 Available under license
1.313 javassist 3.27.0
1.313.1 Available under license
1.314 kotlin-reflect 1.2.51

1.314.1 Available under license
1.315 checkstyle 8.17
1.315.1 Available under license
1.316 feign-jaxrs 8.18.0
1.316.1 Available under license
1.317 maven-artifact-manager 2.0
1.317.1 Available under license
1.318 cargo-core-container-api 1.4.13
1.318.1 Available under license
1.319 pact-jvm-pact-broker 3.5.21
1.319.1 Available under license
1.320 apache-commons-validator 1.5.1
1.320.1 Available under license
1.321 pact-jvm-consumer-junit 3.5.21
1.321.1 Available under license
1.322 settings-api 2.2.2
1.322.1 Available under license
1.323 junit-foundation 9.1.2
1.323.1 Available under license
1.324 jackson-module:-guice 2.10.5
1.324.1 Available under license
1.325 cargo-core-module-api 1.4.13
1.325.1 Available under license
1.326 plexus-archiver 1.0
1.326.1 Available under license
1.327 project-lombok 1.16.8
1.327.1 Available under license
1.328 maven-wagon-api 1.0-alpha-5
1.328.1 Available under license
1.329 feign-jackson 8.18.0
1.329.1 Available under license
1.330 javax-ejb-api 3.2
1.330.1 Available under license
1.331 jackson-protobuf-support 0.9.9-jackson2.9-proto2
1.331.1 Available under license
1.332 jackson-datatype-joda jackson-datatype-joda-2.10.2
1.332.1 Available under license
1.333 docker-client 8.14.5
1.333.1 Available under license

1.334 generex 1.0.1
1.334.1 Available under license
1.335 maven-repository-metadata-model 2.0
1.335.1 Available under license
1.336 mysql-connector-j 8.0.12
1.336.1 Available under license
1.337 netty-project 4.1.9.Final
1.337.1 Available under license
1.338 byte-buddy byte-buddy-1.9.5
1.338.1 Available under license
1.339 protobuf-java-format 1.2
1.339.1 Available under license
1.340 cargo-maven-2-plugin 1.4.13
1.340.1 Available under license
1.341 json-path 0.6.9
1.341.1 Available under license
1.342 asm-util 9.0
1.342.1 Available under license
1.343 testng 6.5.1
1.343.1 Available under license
1.344 annotation-for-jdk-requirements 1.0
1.344.1 Available under license
1.345 error_prone_annotations 2.2.0
1.345.1 Available under license
1.346 java-utils 1.8.0
1.346.1 Available under license
1.347 maven-local-settings-model 2.0
1.347.1 Available under license
1.348 jackson-datatype-guava 2.10.5
1.348.1 Available under license
1.349 maven-profile-model 2.0
1.349.1 Available under license
1.350 unfiltered-netty-server 0.9.1
1.350.1 Available under license
1.351 cargo-core-util-api 1.4.13
1.351.1 Available under license
1.352 feign-httpclient 8.18.0
1.352.1 Available under license
1.353 cargo-daemon-client 1.4.13

1.353.1 Available under license
1.354 picocli 3.9.0
1.354.1 Available under license
1.355 cargo-core-uberjar 1.4.13
1.355.1 Available under license
1.356 pact-jvm-consumer 3.5.21
1.356.1 Available under license
1.357 project-lombok 1.16.14
1.357.1 Available under license
1.358 jackson-module-afterburner 2.10.2
1.358.1 Available under license
1.359 unfiltered-netty 0.9.1
1.359.1 Available under license
1.360 feign-slf4j 8.18.0
1.360.1 Available under license
1.361 jersey-server 1.18.1
1.361.1 Available under license
1.362 saxon-xslt-and-xquery-processor 9.9.0-2
1.362.1 Available under license
1.363 zip4j 1.2.3
1.363.1 Available under license
1.364 java-semver 0.9.0
1.364.1 Available under license
1.365 jackson-core 2.8.1
1.365.1 Available under license
1.366 jnr-posix 3.0.35
1.366.1 Available under license
1.367 trove-for-java 3.0.3
1.367.1 Available under license
1.368 feign-core 8.18.0
1.368.1 Available under license
1.369 pact-jvm-model 3.5.21
1.369.1 Available under license
1.370 unfiltered-util 0.9.1
1.370.1 Available under license
1.371 pact-jvm-matchers_2.11 3.5.21
1.371.1 Available under license
1.372 maven-project 2.0
1.372.1 Available under license

1.373 scala-logging_2.12 3.7.2
1.373.1 Available under license
1.374 pact-jvm-consumer-java8_2.11 3.5.21
1.374.1 Available under license
1.375 cargo-core-generic-api 1.4.13
1.375.1 Available under license
1.376 google-guice 4.2.2
1.376.1 Available under license
1.377 unfiltered 0.9.1
1.377.1 Available under license
1.378 kotlin-logging 1.4.4
1.378.1 Available under license
1.379 scala-parser-combinators 1.0.5
1.379.1 Available under license
1.380 maven-plugin-api 2.0
1.380.1 Available under license
1.381 mock-objects 0.09
1.381.1 Available under license
1.382 cargo-website-resources 1.4.13
1.382.1 Available under license
1.383 xml-schema-core 2.1.0
1.383.1 Available under license
1.384 dependency-check-ant-task 1.4.3
1.384.1 Available under license
1.385 ssl-config-akka 0.1.3
1.385.1 Available under license
1.386 dependency-check-utils 1.4.3
1.386.1 Available under license
1.387 netty-project 3.2.10.Final
1.387.1 Available under license
1.388 play-json 2.4.6
1.388.1 Available under license
1.389 blaze-client 0.20.23
1.389.1 Available under license
1.390 spray-routing 1.3.4
1.390.1 Available under license
1.391 scala-stm_2.10 0.7
1.391.1 Available under license
1.392 http4s-core 0.20.23

1.392.1 Available under license
1.393 org.apache.ws.commons:xmlschema 1.4.7
1.393.1 Available under license
1.394 play-iteratees 2.4.6
1.394.1 Available under license
1.395 spray-json 1.3.2
1.395.1 Available under license
1.396 akka-actor 2.3.13
1.396.1 Available under license
1.397 hibernate-orm 3.6.0
1.397.1 Available under license
1.398 lucene-sandbox 4.7.2
1.398.1 Available under license
1.399 twirl-api 1.1.1
1.399.1 Available under license
1.400 rxjava 2.2.10
1.400.1 Available under license
1.401 http4s-client 0.20.23
1.401.1 Available under license
1.402 ssl-config-core 0.1.3
1.402.1 Available under license
1.403 fs2-io 1.0.5
1.403.1 Available under license
1.404 play-datacommons 2.4.6
1.404.1 Available under license
1.405 cats-effect 1.4.0
1.405.1 Available under license
1.406 joda-convert 1.7
1.406.1 Available under license
1.407 aws-java-sdk 1.11.297
1.407.1 Available under license
1.408 akka-http-core 2.4.3
1.408.1 Available under license
1.409 akka-stream 2.4.3
1.409.1 Available under license
1.410 play 2.4.6
1.410.1 Available under license
1.411 easymock 4.2
1.411.1 Available under license

1.412 rxjava-core 0.19.1
1.412.1 Available under license
1.413 build-link 2.4.6
1.413.1 Available under license
1.414 jetty-java-based-http-1-x-http-2-servlet-websocket-server 9.1.1.v20140108
1.414.1 Available under license
1.415 antlr 2.7.6
1.415.1 Available under license
1.416 mime-streaming-extension 1.9.5
1.416.1 Available under license
1.417 powermock-module-testng 2.0.7
1.417.1 Available under license
1.418 play-exceptions 2.4.6
1.418.1 Available under license
1.419 mockito v2.28.2
1.419.1 Available under license
1.420 blaze-http 0.14.12
1.420.1 Available under license
1.421 dependency-check-core 1.4.3
1.421.1 Available under license
1.422 netty-http-pipelining 1.1.4
1.422.1 Available under license
1.423 javamail-api-no-providers 1.5.5
1.423.1 Available under license
1.424 scodec-bits 1.1.11
1.424.1 Available under license
1.425 parboiled 1.1.7
1.425.1 Available under license
1.426 vault 1.0.0
1.426.1 Available under license
1.427 commons-compress 1.12
1.427.1 Available under license
1.428 blaze-core 0.14.12
1.428.1 Available under license
1.429 core 1.6.1
1.429.1 Available under license
1.430 powermock-api-easymock 2.0.7
1.430.1 Available under license
1.431 play-netty-server 2.4.6

1.431.1 Available under license
1.432 shapeless-core 1.2.4
1.432.1 Available under license
1.433 fs2-core 1.0.5
1.433.1 Available under license
1.434 unique 1.0.0
1.434.1 Available under license
1.435 powermock-module-testng-common 2.0.7
1.435.1 Available under license
1.436 spring-framework 5.0.4.RELEASE
1.436.1 Available under license
1.437 blaze-core 0.20.23
1.437.1 Available under license
1.438 parboiled 1.0.1
1.438.1 Available under license
1.439 play-functional 2.4.6
1.439.1 Available under license
1.440 log4s 1.8.2
1.440.1 Available under license
1.441 rx-netty 0.3.13
1.441.1 Available under license
1.442 io.spray:spray-io 1.3.4
1.442.1 Available under license
1.443 micronaut 1.2.2
1.443.1 Available under license
1.444 play-server 2.4.6
1.444.1 Available under license
1.445 play-netty-utils 2.4.6
1.445.1 Available under license
1.446 akka-parsing 2.4.3
1.446.1 Available under license
1.447 lucene-queries 4.7.2
1.447.1 Available under license
1.448 akka-actor 2.4.3
1.448.1 Available under license
1.449 apache-cxf 2.7.14
1.449.1 Available under license
1.450 jmes-path-query-library 1.11.297
1.450.1 Available under license

1.451 machinist 0.6.6

1.451.1 Available under license

1.452 spring-commons-logging-bridge 5.0.4.RELEASE

1.452.1 Available under license

1.453 linux-kernel 1.6.1

1.453.1 Available under license

1.454 jackson-jaxrs-base 2.9.8

1.454.1 Available under license

1.455 guava-listenablefuture-only 9999.0-empty-to-avoid-conflict-with-guava

1.455.1 Available under license

1.456 jackson-annotations 2.12.1

1.456.1 Available under license

1.457 jackson-databind 2.12.1

1.457.1 Available under license

1.458 google-gson 2.8.9

1.458.1 Available under license

1.459 jakarta-mail 1.5.0-b01

1.459.1 Available under license

1.460 kotlin-stdlib-common 1.2.51

1.460.1 Available under license

1.461 jetbrains-kotlin-kotlin-stdlib-jdk8 1.2.51

1.461.1 Available under license

1.462 jetbrains-kotlin-kotlin-stdlib-jdk7 1.2.51

1.462.1 Available under license

1.463 jackson-databind 2.10.5

1.463.1 Available under license

1.464 jackson-annotations 2.10.5

1.464.1 Available under license

1.465 ph-commons 9.1.2

1.465.1 Available under license

1.466 apachejmeter-components 5.0

1.466.1 Available under license

1.467 apachejmeter-http 5.0

1.467.1 Available under license

1.468 jackcess 2.1.10

1.468.1 Available under license

1.469 rome-utils 1.5.1

1.469.1 Available under license

1.470 apache-commons-dbcp 2.4.0

1.470.1 Available under license
1.471 uima-base-uimaj-core 2.9.0
1.471.1 Available under license
1.472 pdfbox-jbig2-imageio-plugin 3.0.0
1.472.1 Available under license
1.473 uimafit---core 2.2.0
1.473.1 Available under license
1.474 jhighlight 1.0.2
1.474.1 Available under license
1.475 jodd-log 4.1.4
1.475.1 Available under license
1.476 jackcess-encrypt 2.1.4
1.476.1 Available under license
1.477 ehcache 2.6.2
1.477.1 Available under license
1.478 project-lombok 1.18.12
1.478.1 Available under license
1.479 jakarta-activation 1.2.0
1.479.1 Available under license
1.480 jorphan 5.0
1.480.1 Available under license
1.481 ogg-and-vorbis-for-java-core 0.8
1.481.1 Available under license
1.482 netcdf-4-iosp-jni-connection-to-c-library 4.5.5
1.482.1 Available under license
1.483 jodd-core 4.1.4
1.483.1 Available under license
1.484 rtext 2.6.1
1.484.1 Available under license
1.485 apache-james-mime4j-dom 0.8.1
1.485.1 Available under license
1.486 apache-james-mime4j 0.8.1
1.486.1 Available under license
1.487 jmatio 1.2
1.487.1 Available under license
1.488 okio 2.2.2
1.488.1 Available under license
1.489 apache-sis-referencing 0.8
1.489.1 Available under license

1.490 httpclient-wrappers 4.5.5
1.490.1 Available under license
1.491 jodd-lagarto 4.1.4
1.491.1 Available under license
1.492 slf4j 1.7.25
1.492.1 Available under license
1.493 opennlp-tools 1.8.4
1.493.1 Available under license
1.494 apache-cxf 2.7.18
1.494.1 Available under license
1.495 units-of-measurement-api 1.0
1.495.1 Available under license
1.496 apache-tika-plugin-for-ogg-vorbis-and-flac 0.8
1.496.1 Available under license
1.497 jackson-dataformat-xml 2.10.5
1.497.1 Available under license
1.498 apache-sis-features 0.8
1.498.1 Available under license
1.499 rome 1.5.1
1.499.1 Available under license
1.500 xmp-library-for-java 5.1.3
1.500.1 Available under license
1.501 kotlin-stdlib-common 1.3.50
1.501.1 Available under license
1.502 apache-pdfbox 2.0.9
1.502.1 Available under license
1.503 grib-decoder-api 4.5.5
1.503.1 Available under license
1.504 open-json 1.0.10
1.504.1 Available under license
1.505 cdm-core-library 4.5.5
1.505.1 Available under license
1.506 itadaki-jbzip2 0.9.1
1.506.1 Available under license
1.507 java-unrar 0.7
1.507.1 Available under license
1.508 apache-jempbox 1.8.13
1.508.1 Available under license
1.509 apache-pdfbox-tools 2.0.9

1.509.1 Available under license
1.510 apache-sis-common-storage 0.8
1.510.1 Available under license
1.511 java-advanced-imaging-image-i/o-tools-api-core-(standalone) 1.3.1
1.511.1 Available under license
1.512 sentiment-analysis-parser 0.1
1.512.1 Available under license
1.513 woodstox 6.2.1
1.513.1 Available under license
1.514 apache-xml-graphics-commons 2.2
1.514.1 Available under license
1.515 apache-sis-metadata 0.8
1.515.1 Available under license
1.516 apachejmeter-java 5.0
1.516.1 Available under license
1.517 jakarta-activation 1.1
1.517.1 Available under license
1.518 apache-tika 1.18
1.518.1 Available under license
1.519 apache-sis-netcdf-storage 0.8
1.519.1 Available under license
1.520 apache-jmeter 5.0
1.520.1 Available under license
1.521 woodstox 4.4.1
1.521.1 Available under license
1.522 apache-sis-utilities 0.8
1.522.1 Available under license
1.523 java-libpst 0.8.1
1.524 jodd-props 4.1.4
1.524.1 Available under license
1.525 mp4parser 1.1.18
1.525.1 Available under license
1.526 okhttp 4.2.2
1.526.1 Available under license
1.527 metadata-extractor 2.10.1
1.527.1 Available under license
1.528 saxon-xslt-and-xquery-processor 9.8.0-12
1.528.1 Available under license
1.529 log4j-compatibility-api 2.11.0

1.529.1 Available under license
1.530 easymock 4.0.1
1.530.1 Available under license
1.531 testng 7.2.0
1.531.1 Available under license
1.532 jackson-annotations 2.8.0
1.532.1 Available under license
1.533 project-lombok 1.18.2
1.533.1 Available under license
1.534 apache-ant 1.10.3
1.534.1 Available under license
1.535 aws-lambda-java-core-library 1.1.0
1.535.1 Available under license
1.536 protoc 3.5.0
1.536.1 Available under license
1.537 jackson-databind 2.8.1
1.537.1 Available under license
1.538 aws-java-sdk 1.11.762
1.538.1 Available under license
1.539 jackson-jaxrs 2.9.8
1.539.1 Available under license
1.540 asm 6.1
1.540.1 Available under license
1.541 javapoet 1.2.0
1.541.1 Available under license
1.542 jmes-path-query-library 1.11.762
1.542.1 Available under license
1.543 tomcat 9.0.6
1.543.1 Available under license
1.544 args4j 2.0.25
1.544.1 Available under license
1.545 spring-framework 3.2.16.RELEASE
1.545.1 Available under license
1.546 javax.inject:javax.inject 1
1.546.1 Available under license
1.547 log4j-commons-logging-bridge 2.17.1
1.547.1 Available under license
1.548 apache-log4j-api 2.17.1
1.548.1 Available under license

1.549 jaxen 1.0-FCS
1.549.1 Available under license
1.550 opentelemetry---io.opentelemetry:opentelemetry-proto 0.11.0
1.550.1 Available under license
1.551 apache-xerces2-j 2.12.2
1.551.1 Available under license
1.552 jakarta-oro 2.0.8
1.552.1 Available under license
1.553 jetbrains-kotlin-kotlin-stdlib-jdk8 1.5.31
1.553.1 Available under license
1.554 jetbrains-kotlin-kotlin-stdlib-jdk7 1.5.31
1.554.1 Available under license
1.555 error_prone_annotations 2.10.0
1.555.1 Available under license
1.556 woodstox 3.2.9
1.556.1 Available under license
1.557 apache-commons-net 3.6
1.557.1 Available under license
1.558 osgi-resource-locator-bundle 1.0.1
1.558.1 Available under license
1.559 jersey's-jersey 2.25.1
1.559.1 Available under license
1.560 jersey's-jersey 2.22.2
1.560.1 Available under license
1.561 javabeans-activation-framework-api 1.2.1
1.561.1 Available under license
1.562 javabeans-activation-framework-api 1.2.0
1.562.1 Available under license
1.563 kotlin 1.3.50
1.563.1 Available under license
1.564 perfmark-perfmark-api 0.25.0
1.564.1 Available under license
1.565 apache-commons-text 1.2
1.565.1 Available under license
1.566 kotlin 1.2.51
1.566.1 Available under license
1.567 snake-yaml 1.33
1.567.1 Available under license
1.568 io-grpc-grpc-okhttp 1.46.0

1.568.1 Available under license
1.569 io-grpc-grpc-context 1.46.0
1.569.1 Available under license
1.570 io-grpc-grpc-core 1.46.0
1.570.1 Available under license
1.571 io-grpc-grpc-api 1.46.0
1.571.1 Available under license
1.572 apache-log4j-slf4j-binding 2.11.0
1.572.1 Available under license
1.573 jta 1.2
1.573.1 Available under license
1.574 protobuf-java 2.6.0
1.574.1 Available under license
1.575 commons-jexl 2.1.1
1.575.1 Available under license
1.576 protobuf-java 3.12.0
1.576.1 Available under license
1.577 mockito v3.5.15
1.577.1 Available under license
1.578 mariadb-java-client 2.7.2
1.578.1 Available under license
1.579 protobuf-java 3.19.6
1.579.1 Available under license
1.580 jaxen 1.1.3
1.580.1 Available under license
1.581 protobuf-java 2.5.0
1.581.1 Available under license
1.582 commons-csv 1.0
1.582.1 Available under license
1.583 jersey's-jersey 1.18.1
1.583.1 Available under license
1.584 apache-log4j-api 2.11.0
1.584.1 Available under license
1.585 hpack 1.0.2
1.585.1 Available under license
1.586 macros 1.6.1
1.586.1 Available under license
1.587 apache-commons-bsf 2.4.0
1.587.1 Available under license

1.588 opentelemetry-java 1.19.0
1.588.1 Available under license
1.589 jackson-databind 2.14.1
1.589.1 Available under license
1.590 jackson-annotations 2.14.1
1.590.1 Available under license
1.591 jackson-core 2.14.1
1.591.1 Available under license
1.592 apache-commons-i-o 2.5
1.592.1 Available under license
1.593 apache-commons-i-o 2.8.0
1.593.1 Available under license
1.594 apache-commons-i-o 2.7
1.594.1 Available under license
1.595 okio 3.0.0
1.595.1 Available under license
1.596 okhttp 4.10.0
1.596.1 Available under license
1.597 apache-common-codec 1.15
1.597.1 Available under license
1.598 apache-common-codec 1.11
1.598.1 Available under license
1.599 apache-common-codec 1.10
1.599.1 Available under license
1.600 google-guava 18.0
1.600.1 Available under license
1.601 apache-commons-i-o 2.2
1.601.1 Available under license
1.602 apache-commons-i-o 2.6
1.602.1 Available under license
1.603 apache-common-codec 1.14
1.603.1 Available under license
1.604 jackson-dataformat-yaml 2.14.1
1.604.1 Available under license
1.605 aws-sdk-for-java 1.11.30
1.605.1 Available under license
1.606 google-guava v24.1.1
1.606.1 Available under license
1.607 open-telemetry/opentelemetry-java 1.19.0

1.607.1 Available under license
1.608 google-guava v23.6
1.608.1 Available under license
1.609 opengeospatial/geoapi 3.0.1
1.609.1 Available under license
1.610 aws-sdk-for-java 1.11.297
1.610.1 Available under license
1.611 aws-sdk-for-java 1.11.762
1.611.1 Available under license
1.612 kotlin-stdlib-common 1.6.20
1.612.1 Available under license
1.613 opentelemetry-java---io.opentelemetry:opentelemetry-sdk-metrics 1.19.0
1.613.1 Available under license
1.614 google-guava v25.1
1.614.1 Available under license
1.615 google-guava v28.2
1.615.1 Available under license
1.616 aws-sdk-for-java 1.11.73
1.616.1 Available under license
1.617 opentelemetry 1.19.0
1.617.1 Available under license
1.618 google-guava 31.0.1-android
1.618.1 Available under license
1.619 google-guava v27.0.1
1.619.1 Available under license
1.620 kotlin 1.6.20
1.620.1 Available under license

1.1 jdom 1.0

1.1.1 Notifications :

This product includes software developed by the JDOM Project (http://www.jdom.org/).

1.1.2 Available under license :

/*--

$Id: Comment.java,v 1.32 2004/02/11 21:12:43 jhunter Exp $

Copyright (C) 2000-2004 Jason Hunter & Brett McLaughlin.
All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions, and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions, and the disclaimer that follows
   these conditions in the documentation and/or other materials
   provided with the distribution.

3. The name "JDOM" must not be used to endorse or promote products
   derived from this software without prior written permission. For
   written permission, please contact <request_AT_jdom_DOT_org>.

4. Products derived from this software may not be called "JDOM", nor
   may "JDOM" appear in their
 name, without prior written permission
   from the JDOM Project Management <request_AT_jdom_DOT_org>.

In addition, we request (but do not require) that you include in the
end-user documentation provided with the redistribution and/or in the
software itself an acknowledgement equivalent to the following:
    "This product includes software developed by the
     JDOM Project (http://www.jdom.org/)."
Alternatively, the acknowledgment may be graphical using the logos
available at http://www.jdom.org/images/logos.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE JDOM AUTHORS OR THE PROJECT
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
USE,
 DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

This software consists of voluntary contributions made by many
individuals on behalf of the JDOM Project and was originally
created by Jason Hunter <jhunter_AT_jdom_DOT_org> and
Brett McLaughlin <brett_AT_jdom_DOT_org>. For more information
on the JDOM Project, please see <http://www.jdom.org/>.

```
*/

package org.jdom;

/**
* An XML comment. Methods allow the user to get and set the text of the
* comment.
*
* @version $Revision: 1.32 $, $Date: 2004/02/11 21:12:43 $
* @author  Brett McLaughlin
* @author  Jason Hunter
*/
public class Comment extends Content {

  private static final String CVS_ID =
    "@(#) $RCSfile: Comment.java,v $ $Revision: 1.32 $ $Date: 2004/02/11
 21:12:43 $ $Name: jdom_1_0 $";

  /** Text of the <code>Comment</code> */
  protected String text;

  /**
   * Default, no-args constructor for implementations to use if needed.
   */
  protected Comment() {}

  /**
   * This creates the comment with the supplied text.
   *
   * @param text <code>String</code> content of comment.
   */
  public Comment(String text) {
     setText(text);
  }


  /**
   * Returns the XPath 1.0 string value of this element, which is the
   * text of this comment.
   *
   * @return the text of this comment
   */
  public String getValue() {
     return text;
  }

  /**
   * This returns the textual data within the <code>Comment</code>.
```

```
   *
   * @return <code>String</code> - text of comment.
   */
  public String getText() {
     return text;
  }

  /**
   * This will set the value of the <code>Comment</code>.
   *
   * @param text <code>String</code>
 text for comment.
   * @return <code>Comment</code> - this Comment modified.
   * @throws IllegalDataException if the given text is illegal for a
   *         Comment.
   */
  public Comment setText(String text) {
     String reason;
     if ((reason = Verifier.checkCommentData(text)) != null) {
        throw new IllegalDataException(text, "comment", reason);
     }

     this.text = text;
     return this;
  }

  /**
   * This returns a <code>String</code> representation of the
   * <code>Comment</code>, suitable for debugging. If the XML
   * representation of the <code>Comment</code> is desired,
   * {@link org.jdom.output.XMLOutputter#outputString(Comment)}
   * should be used.
   *
   * @return <code>String</code> - information about the
   *         <code>Attribute</code>
   */
  public String toString() {
     return new StringBuffer()
        .append("[Comment: ")
        .append(new
 org.jdom.output.XMLOutputter().outputString(this))
        .append("]")
        .toString();
  }

}
```

1.2 java-concurrency-in-practice-book-annotations 1.0

1.2.1 Available under license :

Creative Commons Legal Code

Attribution 2.5
CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS LICENSE DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE INFORMATION PROVIDED, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM ITS USE.

License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

1. Definitions

"Collective Work" means a work, such as a
periodical issue, anthology or encyclopedia, in which the Work in its entirety in unmodified form, along with a number of other contributions, constituting separate and independent works in themselves, are assembled into a collective whole. A work that constitutes a Collective Work will not be considered a Derivative Work (as defined below) for the purposes of this License.
"Derivative Work" means a work based upon the Work or upon the Work and other pre-existing works, such as a translation, musical arrangement, dramatization, fictionalization, motion picture version, sound recording, art reproduction, abridgment, condensation, or any other form in which the Work may be recast, transformed, or adapted, except that a work that constitutes a Collective Work will not be considered a Derivative Work for the purpose of this License. For the avoidance of doubt, where the Work is a musical composition or sound recording, the synchronization of the Work in timed-relation with a moving image
("synching") will be considered a Derivative Work for the purpose of this License.
"Licensor" means the individual or entity that offers the Work under the terms of this License.
"Original Author" means the individual or entity who created the Work.
"Work" means the copyrightable work of authorship offered under the terms of this License.
"You" means an individual or entity exercising rights under this License who has not previously violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.

2. Fair Use Rights. Nothing in this license is intended to reduce, limit, or restrict any rights arising from fair use,

first sale or other limitations on the exclusive rights of the copyright owner under copyright law or other applicable laws.

3. License Grant. Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

to reproduce the Work, to incorporate the Work into one or more Collective Works, and to reproduce the Work as incorporated in the Collective Works;
to create and reproduce Derivative Works;
to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission the Work including as incorporated in Collective Works;
to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission Derivative Works.

For the avoidance of doubt, where the work is a musical composition:
Performance Royalties Under Blanket Licenses. Licensor waives the exclusive right to collect, whether individually or via a performance rights society (e.g. ASCAP, BMI, SESAC), royalties for the public performance or public digital performance (e.g. webcast) of the Work.
Mechanical Rights and Statutory Royalties. Licensor waives the exclusive right to collect, whether individually or via a music rights agency or designated agent (e.g. Harry Fox Agency), royalties for any phonorecord You create from the Work ("cover version") and distribute, subject to the compulsory license created by 17 USC Section 115 of the US Copyright Act (or the equivalent in other jurisdictions).
Webcasting Rights and Statutory Royalties. For the avoidance of doubt, where the Work is a sound recording, Licensor waives the exclusive right to collect, whether individually or via a performance-rights society (e.g. SoundExchange), royalties for the public digital performance (e.g. webcast) of the Work, subject to the compulsory license created by 17 USC Section 114 of the US Copyright Act (or the equivalent in other jurisdictions).

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. All rights not expressly granted by Licensor are hereby reserved.

4. Restrictions.The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:

You may distribute, publicly display, publicly perform, or publicly digitally perform the Work only under the terms of this License, and You must include a copy of, or the Uniform Resource Identifier for, this License with every copy or phonorecord of the Work You distribute, publicly display, publicly perform, or publicly digitally perform. You may not offer or impose any terms on the Work that alter or restrict the terms of this License or the recipients' exercise of the rights granted hereunder. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties. You may not distribute, publicly display, publicly perform, or publicly digitally perform the Work with any technological measures that control access or use of the Work in a manner inconsistent with the terms of this License Agreement. The above applies to the Work as incorporated in a Collective Work, but this does not require the Collective Work apart from the Work itself to be made subject to the terms of this License. If You create a Collective Work, upon notice from any Licensor You must, to the extent practicable, remove from the Collective Work any credit as required by clause 4(b), as requested. If You create a Derivative Work, upon notice from any

Licensor You must, to the extent practicable, remove from the Derivative Work any credit as required by clause 4(b), as requested.

If you distribute, publicly display, publicly perform, or publicly digitally perform the Work or any Derivative Works or Collective Works, You must keep intact all copyright notices for the Work and provide, reasonable to the medium or means You are utilizing: (i) the name of the Original Author (or pseudonym, if applicable) if supplied, and/or (ii) if the Original Author and/or Licensor designate another party or parties (e.g. a sponsor institute, publishing entity, journal) for attribution in Licensor's copyright notice, terms of service or by other reasonable means, the name of such party or parties; the title of the Work if supplied; to the extent reasonably practicable, the Uniform Resource Identifier, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing information for the Work; and in the case of a Derivative Work, a credit identifying the use of the Work in the Derivative Work (e.g., "French translation of the Work by Original Author," or "Screenplay based on original Work by Original Author"). Such credit may be implemented in any reasonable manner; provided, however, that in the case of a Derivative Work or Collective Work, at a minimum such credit will appear where any other comparable authorship credit appears and in a manner at least as prominent as such other comparable authorship credit.

5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTIBILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

6. Limitation on Liability. EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. Termination

This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Derivative Works or Collective Works from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.

Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this License will continue in full force and effect unless terminated as stated above.

8. Miscellaneous

Each time You distribute or publicly digitally perform the Work or a Collective Work, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License.

Each time You distribute or publicly digitally perform a Derivative Work, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You under this License.

If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent
necessary to make such provision valid and enforceable.

No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.

This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Licensor and You.

Creative Commons is not a party to this License, and makes no warranty whatsoever in connection with the Work. Creative Commons will not be liable to You or any party on any legal theory for any damages whatsoever, including without limitation any general, special, incidental or consequential damages arising in connection
to this license. Notwithstanding the foregoing two (2) sentences, if Creative Commons has expressly identified itself as the Licensor hereunder, it shall have all rights and obligations of Licensor.

Except for the limited purpose of indicating to the public that the Work is licensed under the CCPL, neither party will use the trademark "Creative Commons" or any related trademark or logo of Creative Commons without the prior written consent of Creative Commons. Any permitted use will be in compliance with Creative Commons' then-current trademark usage guidelines, as may be published on its website or otherwise made available upon request from time to time.

Creative Commons may be contacted at https://creativecommons.org/.

```
/*
* Copyright (c) 2005 Brian Goetz and Tim Peierls
* Released under the Creative Commons Attribution License
*   (http://creativecommons.org/licenses/by/2.5)
* Official home: http://www.jcip.net
*
* Any republication or derived work distributed in source code form
* must include this copyright and license notice.
*/
```

1.3 apache-commons-lang 2.4

1.3.1 Available under license :

Apache Commons Lang
Copyright 2001-2008 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source
code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the
terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the
attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications
and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor,
except as
required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License,
Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.4 hibernate-commons-annotations 3.2.0.Final

1.4.1 Available under license :

```
/*
* Hibernate, Relational Persistence for Idiomatic Java
*
* Copyright (c) 2008, Red Hat Middleware LLC or third-party contributors as
* indicated by the @author tags or express copyright attribution
* statements applied by the authors.  All third-party contributions are
* distributed under license by Red Hat Middleware LLC.
*
* This copyrighted material is made available to anyone wishing to use, modify,
* copy, or redistribute it subject to the terms and conditions of the GNU
* Lesser General Public License, as published by the Free Software Foundation.
*
* This program is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
* or FITNESS FOR A PARTICULAR PURPOSE.  See the GNU Lesser General Public License
* for more details.
*
* You should have received a copy of the GNU Lesser General Public License
* along with this distribution; if not, write to:
* Free Software Foundation,
 Inc.
* 51 Franklin Street, Fifth Floor
* Boston, MA  02110-1301  USA
*/
```

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the

Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities
for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free

library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that
the user of a program that is
linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library"
means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated

interface definition files, plus the scripts used to control compilation

and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other
than as an argument passed when the facility
is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has

a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of

Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

However, linking a "work that uses
the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless
of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may
distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit

modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception,

the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use
both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy,
modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying
the
Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations,
then as a consequence you
may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions
to the wide range of software distributed
through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised
and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free

Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE
LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library 'Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.5 slf4j-api-module 1.6.1

1.5.1 Available under license :

* Copyright (c) 2004-2007 QOS.ch
* All rights reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE
* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.6 activemq 5.4.2

1.6.1 Available under license :

Apache ActiveMQ
Copyright 2005-2008 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

==
== Spring Notice ==
==

This product includes software developed by
the Apache Software Foundation (http://www.apache.org).

This product also includes software developed by
Clinton Begin (http://www.ibatis.com).

The end-user documentation included with a redistribution, if any,
must include the following acknowledgement:

"This product includes software developed by the Spring Framework
Project (http://www.springframework.org)."

Alternately, this acknowledgement may appear in the software itself,
if and wherever such third-party acknowledgements normally appear.

The names "Spring" and "Spring
Framework" must not be used to
endorse or promote products derived from this software without
prior written permission. For written permission, please contact
rod.johnson@interface21.com or juergen.hoeller@interface21.com.

==
== MX4J Notice ==
==

This product includes software developed by the MX4J project
(http://sourceforge.net/projects/mx4j).

==
Jetty Web Container
Copyright 1995-2006 Mort Bay Consulting Pty Ltd
==

This product includes some software developed at The Apache Software
Foundation (http://www.apache.org/).

The javax.servlet package used by Jetty is copyright
Sun Microsystems, Inc and Apache Software Foundation. It is
distributed
under the Common Development and Distribution License.
You can obtain a copy of the license at
https://glassfish.dev.java.net/public/CDDLv1.0.html.

The UnixCrypt.java code ~Implements the one way cryptography used by
Unix systems for simple password protection. Copyright 1996 Aki Yoshida,
modified April 2001 by Iris Van den Broeke, Daniel Deville.

The default JSP implementation is provided by the Glassfish JSP engine
from project Glassfish http://glassfish.dev.java.net. Copyright 2005
Sun Microsystems, Inc. and portions Copyright Apache Software Foundation.

Some portions of the code are Copyright:

2006 Tim Vernum
1999 Jason Gilbert.

The jboss integration module contains some LGPL code.

```
=============================================================
==  NOTICE File for JmDNS                                  ==
=============================================================
```

Java Multicast Domain Name Server (JmDNS)

This project was originally developed
by Arthur van Hoff under the GNU
Lesser General Public License as jRendevous. It was moved to Sourceforge
by Rick Blair and renamed to JmDNS with the Arthur's kind permission.

Currently it has been re-released under the Apache License, Version 2.0.

Details of the Apache License, Version 2.0 can be found at:
http://www.apache.org/licenses/

For other details please see the README.txt file.
Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial
ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived
from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited
to
communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in
Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this
License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot
be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License
does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights
consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed
page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

-- activemq-web
==========
== For the behaviour.js library ==
==========

Copyright (c) 2005, Ben
Nolan
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.
* Neither the name of the Ben Nolan nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

==========
== For the prototype.js library ==
==========

Copyright (c) 2005 Sam Stephenson

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without
restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

==========
== Licenses for non-apache libraries included in this assembly ==
==========

jetty
jmdns
mx4j
spring
tanuki
wrapper
xmlpull
xstream

==========
== Jetty is licensed under the Apache License Version 2.0 ==
==========
==========
== jmdns is licensed under the Apache License Version 2.0 ==
==========
==========
== For the mx4j, mx4j-remote, and mx4j-tools library ==
==========

The MX4J License, Version 1.0

Copyright (c) 2001-2004 by the MX4J contributors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions

are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The end-user documentation included with the redistribution,

if any, must include the following acknowledgment:
"This product includes software developed by the
MX4J project (http://mx4j.sourceforge.net)."
Alternately, this acknowledgment may appear in the software itself,
if and wherever such third-party acknowledgments normally appear.

4. The name "MX4J" must not be used to endorse or promote
products derived from this software
without prior written
permission.
For written permission, please contact
biorn_steedom [at] users [dot] sourceforge [dot] net

5. Products derived from this software may not be called "MX4J",
nor may "MX4J" appear in their name, without prior written
permission of Simone Bordet.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE MX4J CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.
==

This software consists of voluntary contributions made by many
individuals on behalf of the MX4J project. For more information on
MX4J, please see
the MX4J website.

==
== Spring is licensed under the Apache License Version 2.0 ==
==

==
== For the Tanuki Software libraries ==
==

Copyright (c) 1999, 2004 Tanuki Software

Permission is hereby granted, free of charge, to any person
obtaining a copy of the Java Service Wrapper and associated
documentation files (the "Software"), to deal in the Software
without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sub-license,
and/or sell copies of the Software, and to permit persons to
whom the Software is furnished to do so, subject to the
following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Portions of the Software have been derived from source code
developed by Silver Egg Technology under the following license:

Copyright (c) 2001 Silver Egg Technology

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sub-license, and/or
sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

==========
== For
the xmlpull library ==
==========

XMLPULL API IS FREE

All of the XMLPULL API source code, compiled code, and documentation
contained in this distribution *except* for tests (see separate LICENSE_TESTS.txt)
are in the Public Domain.

XMLPULL API comes with NO WARRANTY or guarantee of fitness for any purpose.

Initial authors:

Stefan Haustein
Aleksander Slominski

2001-12-12

==========
== For the xstream library ==
==========

(BSD Style License)

Copyright (c) 2003-2004, Joe Walnes
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

Redistributions of source code must retain the above copyright notice, this list of
conditions and the following disclaimer. Redistributions in binary form must reproduce
the above copyright notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the distribution.

Neither the name of XStream nor the names of its contributors may be used to endorse
or promote products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY
WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

==========
== For jaxb-api and jaxb-impl (CDDL) ==
== Source code is at java.net ==
==========

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)
Version 1.0

*

1. Definitions.
   o

   1.1. ?Contributor? means each individual or entity that creates or contributes to the creation of Modifications.

   o

   1.2. ?Contributor Version? means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
   o

   1.3. ?Covered Software? means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
   o

   1.4. ?Executable? means the Covered Software in any form other than Source Code.
   o

   1.5. ?Initial Developer? means the individual or entity that first makes Original Software available under this License.
   o

   1.6. ?Larger Work? means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.
   o

   1.7. ?License? means this document.
   o

   1.8. ?Licensable? means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
   o

1.9. ?Modifications? means the Source Code and Executable form of any of the following:

+

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

+

B. Any new file that contains any part of the Original Software or previous Modification; or

+

C. Any new file that is contributed or otherwise made available under the terms of this License.

o

1.10. ?Original Software? means the Source Code and Executable form of computer software code that is originally released under this License.

o

1.11. ?Patent Claims? means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus
claims, in any patent Licensable by grantor.

o

1.12. ?Source Code? means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

o

1.13. ?You? (or ?Your?) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, ?You? includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, ?control? means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

*

2. License Grants.

o

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below
and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

+

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

+

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

+

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

+

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

o

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

+

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work;

and

+

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

+

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

+

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

*

3. Distribution Obligations.

o

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software
exchange.

o

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

o

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

o

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the
recipients? rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

o

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and
that the license for the Executable form does not attempt to limit or alter the recipient?s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and

every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

o

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

*

4. Versions of the License.

o

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

o

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to

use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

o

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

*

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN ?AS IS? BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY

AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

*

6. TERMINATION.

o

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

o

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as ?Participant?) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

o

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

*

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY?S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

*

8. U.S. GOVERNMENT END USERS.

The Covered Software is a ?commercial item,? as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of ?commercial computer software? (as that term is defined at 48 C.F.R. ' 252.227-7014(a)(1)) and ?commercial computer software documentation? as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

*

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction?s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys? fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

*

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

1.7 slf4j-api-module 1.7.25

1.8 slf4j-api-module 1.6.6

1.8.1 Available under license :

/**

* Copyright (c) 2004-2011 QOS.ch

* All rights reserved.

*

* Permission is hereby granted, free of charge, to any person obtaining

* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*
*/

1.9 tomcat 7.0.42

1.9.1 Available under license :

Apache Tomcat
Copyright 1999-2013 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

The Windows Installer is built with the Nullsoft
Scriptable Install System (NSIS), which is
open source software. The original software and
related information is available at
http://nsis.sourceforge.net.

Java compilation software for JSP pages is provided by Eclipse,
which is open source software. The original software and
related information is available at
http://www.eclipse.org.

For the bayeux implementation
The org.apache.cometd.bayeux API is derivative work originating at the Dojo Foundation
* Copyright 2007-2008 Guy Molinari
* Copyright 2007-2008 Filip Hanik
* Copyright 2007 Dojo Foundation
* Copyright 2007 Mort Bay Consulting Pty. Ltd.

The original XML Schemas for Java EE Deployment Descriptors:
- javaee_5.xsd
- javaee_web_services_1_2.xsd
- javaee_web_services_client_1_2.xsd
- javaee_6.xsd
- javaee_web_services_1_3.xsd
- javaee_web_services_client_1_3.xsd
- jsp_2_2.xsd
- web-app_3_0.xsd
- web-common_3_0.xsd
- web-fragment_3_0.xsd

may be obtained from http://java.sun.com/xml/ns/javaee/

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

APACHE TOMCAT SUBCOMPONENTS:

Apache Tomcat includes a number of subcomponents with separate copyright notices
and license terms. Your use of these subcomponents is subject to the terms and
conditions of the following licenses.

For the following XML Schemas for Java EE Deployment Descriptors:
- javaee_5.xsd
- javaee_web_services_1_2.xsd
- javaee_web_services_client_1_2.xsd
- javaee_6.xsd
- javaee_web_services_1_3.xsd
- javaee_web_services_client_1_3.xsd

- web-app_3_0.xsd
- web-common_3_0.xsd
- web-fragment_3_0.xsd

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means
each individual or entity that creates or contributes
to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software,
prior Modifications used by a Contributor (if any), and the
Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications,
or (c) the combination of files containing Original Software with files
containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source
Code.

1.5. Initial Developer. means the individual or entity that first makes
Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions
thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant,
to the maximum extent
possible, whether at the time of the initial grant or subsequently
acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the
following:

A. Any file that results from an addition to, deletion from or
modification of the contents of a file containing Original Software
or previous Modifications;

B. Any new file that contains any part of the Original Software or
previous Modification; or

C. Any new file that is contributed or otherwise made available under
the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims,
in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual
property claims, the Initial Developer hereby
grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger
Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused
by: (i) third party
modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.
Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that

Source Code form must be distributed only under the terms of this License.
You must include a copy of this License with every copy of the Source Code
form of the Covered Software You distribute or otherwise make available.
You must inform recipients of any such Covered Software in Executable form
as to how they can obtain such Covered Software in Source Code
form in a
reasonable manner on or through a medium customarily used for software
exchange.

3.2. Modifications.
The Modifications that You create or to which You contribute are governed
by the terms of this License. You represent that You believe Your
Modifications are Your original creation(s) and/or You have sufficient
rights to grant the rights conveyed by this License.

3.3. Required Notices.
You must include a notice in each of Your Modifications that identifies
You as the Contributor of the Modification. You may not remove or alter
any copyright, patent or trademark notices contained within the Covered
Software, or any notices of licensing or any descriptive text giving
attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.
You may not offer or impose any terms on any Covered Software in Source
Code form that alters or restricts the applicable
version of this License
or the recipients. rights hereunder. You may choose to offer, and to
charge a fee for, warranty, support, indemnity or liability obligations to
one or more recipients of Covered Software. However, you may do so only on
Your own behalf, and not on behalf of the Initial Developer or any
Contributor. You must make it absolutely clear that any such warranty,
support, indemnity or liability obligation is offered by You alone, and
You hereby agree to indemnify the Initial Developer and every Contributor
for any liability incurred by the Initial Developer or such Contributor as
a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.
You may distribute the Executable form of the Covered Software under the
terms of this License or under the terms of a license of Your choice,
which may contain terms different from this License, provided
that You are
in compliance with the terms of this License and that the license for the
Executable form does not attempt to limit or alter the recipient.s rights
in the Source Code form from the rights set forth in this License. If You
distribute the Covered Software in Executable form under a different
license, You must make it absolutely clear that any terms which differ
from this License are offered by You alone, not by the Initial Developer
or Contributor. You hereby agree to indemnify the Initial Developer and

every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.
You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled
for the Covered Software.

4. Versions of the License.

4.1. New Versions.
Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.
You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You

originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.
When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT

FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE,

COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE
COMMON DEVELOPMENT AND DISTRIBUTION
LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache Tomcat
Copyright 1999-@YEAR@ The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

The original XML Schemas for Java EE Deployment Descriptors:
- javaee_5.xsd
- javaee_web_services_1_2.xsd
- javaee_web_services_client_1_2.xsd
- javaee_6.xsd
- javaee_web_services_1_3.xsd
- javaee_web_services_client_1_3.xsd
- web-app_3_0.xsd
- web-common_3_0.xsd
- web-fragment_3_0.xsd

may be obtained from http://java.sun.com/xml/ns/javaee/
Apache Tomcat
Copyright 1999-@YEAR@ The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

APACHE TOMCAT SUBCOMPONENTS:

Apache Tomcat includes a number of subcomponents with separate copyright notices
and license terms. Your use of these subcomponents is subject to the terms and
conditions of the following licenses.

For the ecj-x.x.x.jar component:

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation
distributed under this
Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are
distributed by that particular Contributor. A Contribution 'originates' from a
Contributor if it was added to the Program by such Contributor itself or anyone
acting on such Contributor's behalf. Contributions do not include additions to
the Program which: (i) are separate modules of software distributed in
conjunction with the Program under their own license agreement, and (ii) are not
derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the
Program under this Agreement,
including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The
patent license shall not apply to any other combinations
which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has
sufficient copyright
rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7.
GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's
rights under this Agreement terminate,
Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject
to the version of the Agreement under which it was
received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in

any resulting litigation.

For the Windows Installer component:

* All NSIS source code, plug-ins, documentation, examples, header files and

graphics, with the exception of the compression modules and where otherwise noted, are licensed under the zlib/libpng license.
* The zlib compression module for NSIS is licensed under the zlib/libpng license.
* The bzip2 compression module for NSIS is licensed under the bzip2 license.
* The lzma compression module for NSIS is licensed under the Common Public License version 1.0.

zlib/libpng license

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

bzip2 license

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the

author may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.

jseward@acm.org
Common Public License version 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE
("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable

by a Contributor which are
necessarily infringed by the use or sale of its Contribution alone or when
combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement,
including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants
Recipient a non-exclusive, worldwide, royalty-free copyright license to
reproduce, prepare derivative works of, publicly display, publicly perform,
distribute and sublicense the Contribution of such Contributor, if any, and such
derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants
Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed
Patents to make, use, sell, offer to sell, import and otherwise transfer the
Contribution of such Contributor, if any, in source code and object
code form.
This patent license shall apply to the combination of the Contribution and the
Program if, at the time the Contribution is added by the Contributor, such
addition of the Contribution causes such combination to be covered by the
Licensed Patents. The patent license shall not apply to any other combinations
which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to
its Contributions set forth herein, no assurances are provided by any
Contributor that the Program does not infringe the patent or other intellectual
property rights of any other entity. Each Contributor disclaims any liability to
Recipient for claims brought by any other entity based on infringement of
intellectual property rights or otherwise. As a condition to exercising the
rights and licenses granted hereunder, each Recipient hereby assumes sole
responsibility to secure any other intellectual property rights needed,
if any.
For example, if a third party patent license is required to allow Recipient to
distribute the Program, it is Recipient's responsibility to acquire that license
before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright
rights in its Contribution, if any, to grant the copyright license set forth in
this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its

own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal

actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified
Contributor must: a) promptly notify the Commercial
Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS
EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any
entity
(including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted
and may only be
modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise.
All rights in the Program not
expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year

after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Special exception for LZMA compression module

Igor Pavlov and Amir Szekely, the authors of the LZMA compression module for NSIS, expressly permit you to statically or dynamically link your code (or bind by name) to the files from the LZMA compression module for NSIS without subjecting your linked code to the terms of the Common Public license version 1.0. Any modifications or additions to files from the LZMA compression module for NSIS, however, are subject to the terms of the Common Public License version 1.0.

For the following XML Schemas for Java EE Deployment Descriptors:
- javaee_5.xsd
- javaee_web_services_1_2.xsd
- javaee_web_services_client_1_2.xsd
- javaee_6.xsd
- javaee_web_services_1_3.xsd
- javaee_web_services_client_1_3.xsd
- jsp_2_2.xsd
- web-app_3_0.xsd
- web-common_3_0.xsd
- web-fragment_3_0.xsd

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions

thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to

third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and

offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property
rights (other than patent or trademark)
Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections
2.2(a) and 2.2(b) are effective on
the date Contributor first distributes or otherwise makes the
Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted:
(1) for any code that Contributor has deleted from the Contributor
Version; (2) for infringements caused by: (i) third party
modifications of Contributor Version, or (ii) the combination of
Modifications made by that Contributor with other software (except
as part of the Contributor Version) or other devices; or (3) under
Patent Claims infringed by Covered Software in the absence of
Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.
Any Covered Software that You distribute or otherwise make available in
Executable form must also be made available in Source Code form and that
Source Code
form must be distributed only under the terms of this License.
You must include a copy of this License with every copy of the Source Code
form of the Covered Software You distribute or otherwise make available.
You must inform recipients of any such Covered Software in Executable form
as to how they can obtain such Covered Software in Source Code form in a
reasonable manner on or through a medium customarily used for software
exchange.

3.2. Modifications.
The Modifications that You create or to which You contribute are governed
by the terms of this License. You represent that You believe Your
Modifications are Your original creation(s) and/or You have sufficient
rights to grant the rights conveyed by this License.

3.3. Required Notices.
You must include a notice in each of Your Modifications that identifies
You as the Contributor of the Modification. You may not remove or alter
any copyright, patent
or trademark notices contained within the Covered
Software, or any notices of licensing or any descriptive text giving
attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.
You may not offer or impose any terms on any Covered Software in Source
Code form that alters or restricts the applicable version of this License
or the recipients. rights hereunder. You may choose to offer, and to
charge a fee for, warranty, support, indemnity or liability obligations to

one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You

originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b)
otherwise make it clear that the license contains
terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply
with terms herein and fail to
cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections
2.1 and/or 2.2
of this License shall, upon 60 days notice from Participant terminate

prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY
OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the

extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions.
Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache Tomcat
Copyright 1999-@YEAR@ The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

The original XML Schemas for Java EE Deployment Descriptors:
- jsp_2_2.xsd
may be obtained from http://java.sun.com/xml/ns/javaee/

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

APACHE TOMCAT SUBCOMPONENTS:

Apache Tomcat includes a number of subcomponents with separate copyright notices
and license terms. Your use of these subcomponents is subject to the terms and
conditions of the following licenses.

For the ecj-x.x.x.jar component and the EnclosingMethod and
LocalVariableTypeTable classes in the org.apache.tomcat.util.bcel.classfile
package:

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC
LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM
CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution"
means:

a) in the case of the initial Contributor, the initial code and documentation
distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are
distributed by that particular Contributor. A Contribution 'originates' from a

Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program"
means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the
Contributor, such
addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to

acquire that license
before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that
Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the
Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control,
and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS
OR
IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY

CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF
THE PROGRAM OR THE EXERCISE OF ANY RIGHTS
GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not
cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will
be given a
distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication,

estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

For the Windows
Installer component:

* All NSIS source code, plug-ins, documentation, examples, header files and graphics, with the exception of the compression modules and where otherwise noted, are licensed under the zlib/libpng license.
* The zlib compression module for NSIS is licensed under the zlib/libpng license.
* The bzip2 compression module for NSIS is licensed under the bzip2 license.
* The lzma compression module for NSIS is licensed under the Common Public License version 1.0.

zlib/libpng license

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim

   that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

bzip2 license

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. The origin of this software must not be misrepresented; you must not claim
that you wrote the original software. If you use this software in a
product, an acknowledgment in the product documentation would be
appreciated but is not required.
3. Altered source versions must be
plainly marked as such, and must not be
misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.

jseward@acm.org
Common
Public License version 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in

conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor"
means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell,
offer to sell, import and otherwise transfer the
Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder,
each Recipient hereby assumes sole
responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright

rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii)
effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL
DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who

includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall
terminate as of the date such litigation is filed. In
addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is
permitted to copy and distribute copies of this Agreement, but in
order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to
the
intellectual property of any Contributor under this Agreement, whether

expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Special exception for LZMA compression module

Igor Pavlov and Amir Szekely, the authors of the LZMA compression module for NSIS, expressly permit you to statically or dynamically link your code (or bind by name) to the files from the LZMA compression module for NSIS without subjecting your linked code to the terms of the Common Public license version 1.0. Any modifications or additions to files from the LZMA compression module for NSIS, however, are subject
to the terms of the Common Public License version
1.0.

For the following XML Schemas for Java EE Deployment Descriptors:
- javaee_5.xsd
- javaee_web_services_1_2.xsd
- javaee_web_services_client_1_2.xsd
- javaee_6.xsd
- javaee_web_services_1_3.xsd
- javaee_web_services_client_1_3.xsd
- web-app_3_0.xsd
- web-common_3_0.xsd
- web-fragment_3_0.xsd

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions
thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or

previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes
of this
definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the

outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of

Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.
Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.
The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.
You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients. rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the

Covered
Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.
When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the

name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License
and the rights granted hereunder will terminate
automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a

Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent
applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY
FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

APACHE TOMCAT SUBCOMPONENTS:

Apache Tomcat includes a number of subcomponents with separate copyright notices
and license terms. Your use of these subcomponents is subject to the terms and
conditions of the following licenses.

For the Eclipse JDT Java compiler:

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation
distributed under
this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are
distributed by that particular Contributor. A Contribution 'originates' from a
Contributor if it was added to the Program by such Contributor itself or anyone
acting on such Contributor's behalf. Contributions do not include additions to

the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives
the Program under this Agreement,
including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents.
The patent license shall not apply to any other combinations
which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it

has sufficient copyright
rights in its Contribution, if any, to grant the copyright license set forth in
this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its
own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and
conditions, express and implied, including warranties or conditions of title and
non-infringement, and implied warranties or conditions of merchantability and
fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for
damages, including direct, indirect, special, incidental and consequential
damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by
that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from
such Contributor,
and informs licensees how to obtain it in a reasonable manner on or through a
medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the
Program.

Each Contributor must identify itself as the originator of its Contribution, if
any, in a manner that reasonably allows subsequent Recipients to identify the
originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with
respect to end users, business partners and the like. While this license is
intended to facilitate the commercial use of the Program, the Contributor who

includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7.
GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's
rights under this Agreement terminate,
Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject
to the version of the Agreement under which it was
received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

For the Windows Installer component:

* All NSIS source code, plug-ins, documentation, examples, header files and

graphics, with the exception of the compression modules and where otherwise noted, are licensed under the zlib/libpng license.
* The zlib compression module for NSIS is licensed under the zlib/libpng license.
* The bzip2 compression module for NSIS is licensed under the bzip2 license.
* The lzma compression module for NSIS is licensed under the Common Public License version 1.0.

zlib/libpng license

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the
product documentation would be
appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

bzip2 license

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be

appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the
author may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.

jseward@acm.org
Common Public License version 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE
("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims
licensable by a Contributor which are
necessarily infringed by the use or sale of its Contribution alone or when
combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement,
including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants
Recipient a non-exclusive, worldwide, royalty-free copyright license to
reproduce, prepare derivative works of, publicly display, publicly perform,
distribute and sublicense the Contribution of such Contributor, if any, and such
derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants
Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed
Patents to make, use, sell, offer to sell, import and otherwise transfer the
Contribution of such Contributor, if any, in source code and object
code form.
This patent license shall apply to the combination of the Contribution and the
Program if, at the time the Contribution is added by the Contributor, such
addition of the Contribution causes such combination to be covered by the
Licensed Patents. The patent license shall not apply to any other combinations
which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to
its Contributions set forth herein, no assurances are provided by any
Contributor that the Program does not infringe the patent or other intellectual
property rights of any other entity. Each Contributor disclaims any liability to
Recipient for claims brought by any other entity based on infringement of
intellectual property rights or otherwise. As a condition to exercising the
rights and licenses granted hereunder, each Recipient hereby assumes sole
responsibility to secure any other intellectual property rights needed,
if any.
For example, if a third party patent license is required to allow Recipient to
distribute the Program, it is Recipient's responsibility to acquire that license
before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright
rights in its Contribution, if any, to grant the copyright license set forth in
this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified
Contributor must: a) promptly notify the Commercial
Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT
AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against
any entity
(including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted
and may only be
modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise.
All rights in the Program not
expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Special exception for LZMA compression module

Igor Pavlov and Amir Szekely, the authors of the LZMA compression module for NSIS, expressly permit you to statically or dynamically link your code (or bind by name) to the files from the LZMA compression module for NSIS without subjecting your linked code to the terms of the Common Public license version 1.0. Any modifications or additions to files from the LZMA compression module for NSIS, however, are subject to the terms of the Common Public License version 1.0.

For the following XML Schemas for Java EE Deployment Descriptors:
- javaee_5.xsd
- javaee_web_services_1_2.xsd
- javaee_web_services_client_1_2.xsd
- javaee_6.xsd
- javaee_web_services_1_3.xsd
- javaee_web_services_client_1_3.xsd
- jsp_2_2.xsd
- web-app_3_0.xsd
- web-common_3_0.xsd
- web-fragment_3_0.xsd

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and

offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property
rights (other than patent or trademark)
Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or

otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.
Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.
The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.
You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients. rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.
You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.
You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.
Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.
You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You

originally received the Covered Software. If the Initial
Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.
When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and
(b) otherwise make it clear that the license contains
terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply
with terms herein and fail to
cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then

any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF

ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law
provisions. Any litigation relating to this
License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

APACHE TOMCAT SUBCOMPONENTS:

Apache Tomcat includes a number of subcomponents with separate copyright notices and license terms. Your use of these subcomponents is subject to the terms and conditions of the following licenses.

For the following XML Schemas for Java EE Deployment Descriptors:
- jsp_2_2.xsd

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor
(if any), and the
Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable
form of any of the
following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with
such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable
by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.
Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.
The Modifications that You create or to which You contribute are governed by
the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.
You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.
You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients. rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered
Software. However, you may do so only on
Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.
You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights

in the Source Code form from the rights
set forth in this License. If You
distribute the Covered Software in Executable form under a different
license, You must make it absolutely clear that any terms which differ
from this License are offered by You alone, not by the Initial Developer
or Contributor. You hereby agree to indemnify the Initial Developer and
every Contributor for any liability incurred by the Initial Developer or
such Contributor as a result of any such terms You offer.

3.6. Larger Works.
You may create a Larger Work by combining Covered Software with other code
not governed by the terms of this License and distribute the Larger Work
as a single product. In such a case, You must make sure the requirements
of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.
Sun Microsystems, Inc. is the initial license steward and may publish
revised and/or new versions of this License from time
to time. Each
version will be given a distinguishing version number. Except as provided
in Section 4.3, no one other than the license steward has the right to
modify this License.

4.2. Effect of New Versions.
You may always continue to use, distribute or otherwise make the Covered
Software available under the terms of the version of the License under
which You originally received the Covered Software. If the Initial
Developer includes a notice in the Original Software prohibiting it from
being distributed or otherwise made available under any subsequent version
of the License, You must distribute and make the Covered Software
available under the terms of the version of the License under which You
originally received the Covered Software. Otherwise, You may also choose
to use, distribute or otherwise make the Covered Software available under
the terms of any subsequent version of the License published
by the
license steward.

4.3. Modified Versions.
When You are an Initial Developer and You want to create a new license for
Your Original Software, You may create and use a modified version of this
License if You: (a) rename the license and remove any references to the
name of the license steward (except to note that the license differs from
this License); and (b) otherwise make it clear that the license contains
terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor
Version where the Participant is a
Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any

distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY

OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter

hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered

Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to
this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache Tomcat JDBC Pool
Copyright 2008-2013 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.10 apache-commons-lang 2.6

1.10.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution
of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental,
or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted
against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and

limitations under the License.
Apache Commons Lang
Copyright 2001-2011 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

1.11 commons-logging 1.2

1.11.1 Available under license :

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements.  See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License.  You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law

(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and

limitations under the License.
Apache Commons Logging
Copyright 2003-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.12 jul-to-slf4j-bridge 1.7.12

1.12.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**
* Copyright (c) 2004-2011 QOS.ch
* All rights reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN
NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*
*/

Found in path(s):
* /opt/cola/permits/100495868_1695283991.1818368/0/jul-to-slf4j-1-7-12-sources-jar/org/slf4j/bridge/SLF4JBridgeHandler.java

1.13 apache-commons-lang 3.4

1.13.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Apache Commons Lang
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

This product includes software from the Spring Framework,
under the Apache License 2.0 (see: StringUtils.containsWhitespace())

1.14 scala-xml 1.0.3

1.14.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
* Copyright 2008 Google Inc. All Rights Reserved.
* @author Burak Emir <bqe@google.com>
*/
/**
* This class represents an attribute and at the same time a linked list of
*  attributes. Every instance of this class is either
*  - an instance of `UnprefixedAttribute key,value` or
*  - an instance of `PrefixedAttribute namespace_prefix,key,value` or
*  - `Null, the empty attribute list.
*
*  Namespace URIs are obtained by using the namespace scope of the element
*  owning this attribute (see `getNamespace`).
*
```

* Copyright 2008 Google Inc. All Rights Reserved.
* @author Burak Emir <bqe@google.com>
*/

Found in path(s):
* /opt/cola/permits/120704113_1695290675.2100089/0/scala-xml-2-11-1-0-3-sources-jar/scala/xml/MetaData.scala
No license file was found, but licenses were detected in source scan.

/**
* This singleton object contains the `apply` and `unapplySeq` methods for
* convenient construction and deconstruction. It is possible to deconstruct
* any `Node` instance (that is not a `SpecialNode` or a `Group`) using the
* syntax `case Elem(prefix, label, attribs, scope, child @ _*) => ...`
*
* Copyright 2008 Google Inc. All Rights Reserved.
* @author Burak Emir <bqe@google.com>
*/

Found in path(s):
* /opt/cola/permits/120704113_1695290675.2100089/0/scala-xml-2-11-1-0-3-sources-jar/scala/xml/Elem.scala

1.15 jetbrains-annotations 13.0

1.15.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2000-2013 JetBrains s.r.o.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-jar/org/jetbrains/annotations/Contract.java
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/Flow.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2000-2009 JetBrains s.r.o.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-jar/org/jetbrains/annotations/NonNls.java
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-jar/org/jetbrains/annotations/Nullable.java
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-jar/org/jetbrains/annotations/PropertyKey.java
*
 /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-jar/org/jetbrains/annotations/Nls.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2006 Sascha Weinreuter
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-

jar/org/intellij/lang/annotations/Identifier.java
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/Language.java
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/Subst.java
*
/opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/RegExp.java
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/PrintFormat.java
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/Pattern.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2000-2012 JetBrains s.r.o.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/JdkConstants.java
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/MagicConstant.java
* /opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-jar/org/jetbrains/annotations/NotNull.java
*
/opt/cola/permits/124895697_1695291963.5274367/0/annotations-13-0-sources-jar/org/jetbrains/annotations/TestOnly.java

1.16 testng 6.9.10

1.16.1 Available under license :

Apache Version 2.0, January 2004

1.17 activemq 5.14.3

1.17.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

ActiveMQ :: Client
Copyright 2005-2016 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Copyright (c) 2007-2010, The JASYPT team (http://www.jasypt.org)

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

This distribution includes cryptographic software. The country in which you currently reside may have restrictions on the import, possession, use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check your country's laws, regulations and policies concerning the import, possession,
or use, and re-export of encryption software, to see if this is permitted. See http://www.wassenaar.org/ for more information.

The U.S. Government Department of Commerce, Bureau of Industry and Security (BIS), has classified this software as Export Commodity Control Number (ECCN) 5D002.C.1, which includes information security software using or performing cryptographic functions with asymmetric algorithms. The form and manner of this distribution makes it eligible for export under the License Exception ENC Technology Software Unrestricted (TSU) exception (see the BIS Export Administration Regulations, Section 740.13) for both object code and source code.

The following provides more details on the cryptographic software used (note that this software is not included in the distribution):

* The PBE Encryption facilities require the Java Cryptography extensions: http://java.sun.com/javase/technologies/security/.

Distributions of
this software may include software developed by
The Apache Software Foundation (http://www.apache.org/).

ICU License - ICU 1.8.1 and later

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2006 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation

the rights to use, copy, modify, merge, publish,
distribute, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so,
provided that the above copyright notice(s) and this
permission notice appear in all copies of the Software and
that both the above copyright notice(s) and this
permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright
holder shall not be used in advertising or otherwise to
promote the sale, use or other dealings in this Software
without prior written authorization of the copyright holder.

1.18 jdom 2.0.6

1.18.1 Available under license :

/*--

Copyright (C) 2000-2012 Jason Hunter & Brett McLaughlin.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions, and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions, and the disclaimer that follows
   these conditions in the documentation and/or other materials
   provided with the distribution.

3. The name "JDOM" must not be used to endorse or promote products

derived from this software without prior written permission. For
written permission, please contact <request_AT_jdom_DOT_org>.

4. Products derived from this software may not be called "JDOM", nor
may "JDOM" appear in their name, without prior written permission
from the JDOM Project Management <request_AT_jdom_DOT_org>.

In addition, we request (but do not require) that you include in the
end-user documentation provided with the redistribution and/or in the
software itself an acknowledgement equivalent to the following:
"This product includes software developed by the
JDOM Project (http://www.jdom.org/)."
Alternatively, the acknowledgment may be graphical using the logos
available at http://www.jdom.org/images/logos.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE JDOM AUTHORS OR THE PROJECT
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

This software consists of voluntary contributions made by many
individuals on behalf of the JDOM Project and was originally
created by Jason Hunter <jhunter_AT_jdom_DOT_org> and
Brett McLaughlin <brett_AT_jdom_DOT_org>. For more information
on the JDOM Project, please see <http://www.jdom.org/>.

*/

1.19 xml-pull 1.1.3.1

1.19.1 Available under license :

Public Domain
http://www.xmlpull.org/v1/download/unpacked/LICENSE.txt

1.20 apache-commons-i-o 1.3.2

1.20.1 Available under license :

Apache Jakarta Commons IO
Copyright 2001-2007 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.21 jsoup 1.10.2

1.21.1 Available under license :

The MIT License

2009-2017, Jonathan Hedley <jonathan@hedley.net>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT
OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.22 apache-commons-lang 3.3.2

1.22.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Apache Commons Lang
Copyright 2001-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

This product includes software from the Spring Framework,
under the Apache License 2.0 (see: StringUtils.containsWhitespace())

1.23 apache-commons-beanutils 1.9.3

1.23.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Apache Commons BeanUtils
Copyright 2000-2016 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.24 jsoup 1.11.2

1.24.1 Available under license :

The MIT License

Copyright (c) 2009-2017 Jonathan Hedley <jonathan@hedley.net>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.25 checker-qual 2.0.0

1.26 checker-qual 2.5.2

1.26.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2005 Brian Goetz and Tim Peierls
* Released under the Creative Commons Attribution License
* (http://creativecommons.org/licenses/by/2.5)
* Official home: http://www.jcip.net
*
* Any republication or derived work distributed in source code form
* must include this copyright and license notice.
*/

Found in path(s):
* /opt/cola/permits/182877366_1695334157.5821242/0/checker-qual-2-5-2-sources-zip/org/checkerframework/checker/lock/qual/GuardedBy.java

1.27 bouncy-castle 1.60

1.27.1 Available under license :

Copyright (c) 2000 - 2020 The Legion of the Bouncy Castle Inc. (https://www.bouncycastle.org)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT
 OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
1I)+()V<clinit><init>[Copyright (c) 2000-2017 The Legion of the Bouncy Castle Inc. (http://www.bouncycastle.org) DEALINGS IN THE SOFTWARE.XINCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR[LIABLE FOR ANY CLAIM,

DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT ORVOTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHERRPURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE^Permission is hereby granted, free of charge, to any person obtaining a copy of this software STHE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,dThe above copyright notice and this permission notice shall be included in all copies or substantialband associated documentation files (the "Software"), to deal in the Software without restriction, eand/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so,appendfincluding without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
java/io/PrintStreamjava/lang/Objectjava/lang/StringBuilderjava/lang/SystemlicenseText
lineSeparatormainorg/bouncycastle/LICENSEorg/bouncycastle/util/Stringsoutportions of the
Software.println$subject to the following conditions:toString
!"&'Ljava/io/PrintStream;Ljava/lang/String;()Ljava/lang/String;(Ljava/lang/String;)V([Ljava/lang/String;)V-
(Ljava/lang/String;)Ljava/lang/StringBuilder;(3#4$5,5*68 09 1:
->
.;
/;
/=
/?
2<Code!1. #4H*C %7H
@ABH/YDFGFGFFGF
FGFFGFFGFFGFGF FGF
FGFGFFGFFGFFGFFGFFGFFEA

1.28 apache-commons-pool 2.6.0

1.28.1 Available under license :

Apache Commons Pool
Copyright 2001-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

APACHE COMMONS POOL DERIVATIVE WORKS:

The LinkedBlockingDeque implementation is based on an implementation written by
Doug Lea with assistance from members of JCP JSR-166 Expert Group and released
to the public domain, as explained at
http://creativecommons.org/licenses/publicdomain

1.29 reactive-streams 1.0.2

1.30 apache-xerces2-j 2.11.0

1.30.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2001 World Wide Web Consortium,
* (Massachusetts Institute of Technology, Institut National de
* Recherche en Informatique et en Automatique, Keio University). All
* Rights Reserved. This program is distributed under the W3C's Software
* Intellectual Property License. This program is distributed in the
* hope that it will be useful, but WITHOUT ANY WARRANTY; without even
* the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR
* PURPOSE.
* See W3C License http://www.w3.org/Consortium/Legal/ for more details.
*/

Found in path(s):
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom3/as/ASEntityDeclaration.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom3/as/ASObject.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom3/as/ASNamedObjectMap.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom3/as/ASAttributeDeclaration.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom3/as/DocumentAS.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom3/as/DOMImplementationAS.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-

jar/org/apache/xerces/dom3/as/NodeEditAS.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom3/as/ElementEditAS.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom3/as/ASDataType.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom3/as/ASElementDeclaration.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom3/as/ASNotationDeclaration.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom3/as/CharacterDataEditAS.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom3/as/ASModel.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom3/as/ASObjectList.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom3/as/DOMASBuilder.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom3/as/ASContentModel.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom3/as/DOMASException.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom3/as/DOMASWriter.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom3/as/DocumentEditAS.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DOMImplementationListImpl.java

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more
 contributor license agreements. See the NOTICE file distributed with
 this work for additional information regarding copyright ownership.
 The ASF licenses this file to You under the Apache License, Version 2.0
 (the "License"); you may not use this file except in compliance with
 the License. You may obtain a copy of the License at

     http://www.apache.org/licenses/LICENSE
2.0

 Unless required by applicable law or agreed to in writing, software
 distributed under the License is distributed on an "AS IS" BASIS,
 WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 See the License for the specific language governing permissions and
 limitations under the License.

Found in path(s):
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-
jar/org/apache/xerces/xs/datatypes/package.html
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
// Unique Particle Attribution

Found in path(s):
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-
jar/org/apache/xerces/impl/xs/models/XSDFACM.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more

```
* contributor license agreements.  See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License.  You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
  * DOM Level 3 LS CR - Experimental.
    * Create a new <code>LSParser</code>. The newly constructed parser may
    *
 then be configured by means of its <code>DOMConfiguration</code>
    * object, and used to parse documents by means of its <code>parse</code>
    *  method.
    * @param mode  The <code>mode</code> argument is either
    *   <code>MODE_SYNCHRONOUS</code> or <code>MODE_ASYNCHRONOUS</code>, if
    *   <code>mode</code> is <code>MODE_SYNCHRONOUS</code> then the
    *   <code>LSParser</code> that is created will operate in synchronous
    *   mode, if it's <code>MODE_ASYNCHRONOUS</code> then the
    *   <code>LSParser</code> that is created will operate in asynchronous
    *   mode.
    * @param schemaType  An absolute URI representing the type of the schema
    *   language used during the load of a <code>Document</code> using the
    *   newly created <code>LSParser</code>. Note that no lexical checking
    *   is done on the absolute URI. In order to create a
    *   <code>LSParser</code> for any kind of schema types (i.e. the
    *   LSParser will be free to use any schema
 found), use the value
    *   <code>null</code>.
    * <p ><b>Note:</b>    For W3C XML Schema [<a href='http://www.w3.org/TR/2001/REC-xmlschema-1-
20010502/'>XML Schema Part 1</a>]
    *   , applications must use the value
    *   <code>"http://www.w3.org/2001/XMLSchema"</code>. For XML DTD [<a
href='http://www.w3.org/TR/2000/REC-xml-20001006'>XML 1.0</a>],
    *   applications must use the value
    *   <code>"http://www.w3.org/TR/REC-xml"</code>. Other Schema languages
    *   are outside the scope of the W3C and therefore should recommend an
    *   absolute URI in order to use this method.
    * @return  The newly created <code>LSParser</code> object. This
    *   <code>LSParser</code> is either synchronous or asynchronous
    *   depending on the value of the <code>mode</code> argument.
```

```
   * <p ><b>Note:</b>    By default, the newly created <code>LSParser</code>
   *    does not contain a <code>DOMErrorHandler</code>, i.e. the value of
   *   the "<a href='http://www.w3.org/TR/2003/WD-DOM-Level-3-Core-20030609/core.html#parameter-error-handler'>
    *   error-handler</a>" configuration parameter is <code>null</code>. However, implementations
   *   may provide a default error handler at creation time. In that case,
   *   the initial value of the <code>"error-handler"</code> configuration
   *   parameter on the new created <code>LSParser</code> contains a
   *   reference to the default error handler.
   * @exception DOMException
   *    NOT_SUPPORTED_ERR: Raised if the requested mode or schema type is
   *   not supported.
  */
```

Found in path(s):
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/CoreDOMImplementationImpl.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements.  See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License.  You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
   * Checks if this content model has had its min/maxOccurs values reduced for
   * purposes of speeding up UPA.  If
 so, this content model should not be used
   * for any purpose other than checking unique particle attribution
   *
   * @return a boolean that says whether this content has been compacted for UPA
   */
```

Found in path(s):
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/models/XSCMValidator.java

No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements.  See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License.  You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/DateDV.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/DateTimeDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/MonthDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/traversers/XSDHandler.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/traversers/XSAttributeChecker.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/YearMonthDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/XSSimpleTypeDecl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/DayDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/traversers/XSDUniqueOrKeyTraverser.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/MonthDayDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/XMLSchemaValidator.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/DurationDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/AbstractDateTimeDV.java

* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/traversers/XSDKeyrefTraverser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/TimeDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/YearDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/XSModelGroupImpl.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 2000 World Wide Web Consortium,
* (Massachusetts Institute of Technology, Institut National de
* Recherche en Informatique et en Automatique, Keio University). All
* Rights Reserved. This program is distributed under the W3C's Software
* Intellectual Property License. This program is distributed in the
* hope that it will be useful, but WITHOUT ANY WARRANTY; without even
* the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR
* PURPOSE. See W3C License http://www.w3.org/Consortium/Legal/ for more
* details.
*/
```

Found in path(s):
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/w3c/dom/html/HTMLDOMImplementation.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements.  See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License.  You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/validation/ValidationManager.java
*

/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/traversers/XSDGroupTraverser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/io/ASCIIReader.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DeferredCDATASectionImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/XML11Char.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/SecuritySupport.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/opti/TextImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLPostfieldElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLOptgroupElement.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLNoopElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/XMLSchemaFactory.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/dtd/StringDatatypeValidator.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/SymbolTable.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/StAXValidatorHelper.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/UnionDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DocumentTypeImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/ObjectFactory.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLDoElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/PSVIErrorList.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLNoopElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLFontElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/DTDGrammarBucket.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/XMLDocumentFragmentHandler.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/XSDeclarationPool.java

* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLTableCaptionElementImpl.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/SAXMessageFormatter.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/NodeIteratorImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/DOMParserImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xinclude/MultipleScopeNamespaceSupport.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/models/CMNodeFactory.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/stax/events/ElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/SecurityManager.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/SchemaDateTimeException.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DOMStringListImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/DatatypeMessageFormatter.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSAttributeGroupDefinition.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/XSSimpleType.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSFacet.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/traversers/XSDNotationTraverser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/models/CMUniOp.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/PSVIElementNSImpl.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/opti/DefaultText.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xpointer/XPointerMessageFormatter.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/AbstractXMLDocumentParser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/XMLNSDTDValidator.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLStyleElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-

jar/org/apache/xerces/dom/TextImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/IDDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLFrameElementImpl.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/PSVIProvider.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/XSDDescription.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/io/MalformedByteSequenceException.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSNamespaceItem.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/XMLDTDValidator.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLGoElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLTableCellElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLHeadElement.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/XMLEntityDescription.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xpath/XPath.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/util/ByteListImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/UnparsedEntityHandler.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLOptionElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DOMImplementationSourceImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/SAXLocatorWrapper.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/EntityResolver2Wrapper.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/ElementPSVI.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/dtd/IDDatatypeValidator.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/XMLResourceIdentifierImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLBigElementImpl.java

* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLOptgroupElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/EncodingMap.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSNamedMap.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLPreElementImpl.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xinclude/XInclude11TextReader.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLEmElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLUListElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/EntityResolverWrapper.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xml/serialize/Method.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DOMXSImplementationSourceImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLAnchorElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/BaseDVFactory.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/EntityImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLTrElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/ParserConfigurationSettings.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/HexBinaryDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/DTDParser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/parser/XMLDTDSource.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/stax/events/XMLEventImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/stax/ImmutableLocation.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xpath/regex/Token.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/IntStack.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-

jar/org/apache/xerces/xs/LSInputList.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DOMNormalizer.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/datatypes/ObjectList.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/InvalidDatatypeValueException.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xinclude/XIncludeHandler.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/traversers/XSDocumentInfo.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/parser/XMLComponentManager.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/ValidatorHelper.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xpath/regex/ParseException.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLEmElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLOneventElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLDOMImplementationImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xml/serialize/ObjectFactory.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLPElement.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/parser/XMLParserConfiguration.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/XML11EntityScanner.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/StAXEventResultBuilder.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/ExtendedSchemaDVFactoryImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLAreaElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xpath/regex/BMPattern.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/identity/FieldActivator.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/parser/XMLDocumentFilter.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/util/XSInputSource.java

* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/stax/events/EntityReferenceImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/models/MixedContentModel.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/ElementPSVImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLHeadingElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/opti/DefaultElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/XSAnnotationImpl.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DOMMessageFormatter.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/SimpleXMLSchema.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSTerm.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/AbstractSAXParser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/SubstitutionGroupHandler.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/ElementNSImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/XMLString.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/DayTimeDurationDV.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/opti/NodeImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/ObjectFactory.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/PSVIDocumentImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/XSSimpleTypeDelegate.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/datatypes/XSDateTime.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/traversers/XSAnnotationInfo.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/ReadOnlyGrammarPool.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/RangeImpl.java
*

/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/DocumentBuilderImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/XMLDTDProcessor.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/XNIException.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/XMLLocatorWrapper.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/stax/events/EndElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xpointer/ElementSchemePointer.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/NamespaceSupport.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLTrElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/HTTPInputSource.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSModelGroupDefinition.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/XMLSchemaLoader.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/AnyURIDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/SchemaGrammar.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLTableColElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/validation/EntityState.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/datatype/SerializedXMLGregorianCalendar.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xpointer/XPointerProcessor.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/XML11NSDTDValidator.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/DefaultValidationErrorHandler.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLHRElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLInputElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/XSAttributeUseImpl.java

*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/grammars/XMLGrammarPool.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/util/XSNamedMap4Types.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSAttributeUse.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/ValidationContext.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSParticle.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/validation/ConfigurableValidationState.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/XIncludeAwareParserConfiguration.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DeferredProcessingInstructionImpl.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/DOMErrorHandlerWrapper.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DeferredCommentImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/ErrorHandlerProxy.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLPElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSValue.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DeferredEntityImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/XMLErrorCode.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/XMLErrorReporter.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/ParentNode.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/CoreDocumentImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/XSGroupDecl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSIDCDefinition.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DeferredNode.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xml/serialize/XHTMLSerializer.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-

jar/org/apache/html/dom/HTMLBuilder.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/XSComplexTypeDecl.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/XMLDocumentParser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLOptionElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/SchemaValidatorConfiguration.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/datatype/SerializedDuration.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLCardElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/opti/ElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/identity/ValueStore.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/XMLSchema.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DeferredNotationImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/traversers/XSDAttributeGroupTraverser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xpath/regex/CaseInsensitiveMap.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/XML11Configurable.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLAElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xml/serialize/OutputFormat.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/util/ObjectListImpl.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSComplexTypeDefinition.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/XMLEntityDescriptionImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLBodyElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/events/UIEventImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLIElementImpl.java

* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xml/serialize/ElementState.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/io/Latin1Reader.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLBrElement.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLAccessElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/JAXPValidatorComponent.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLStrongElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/stax/events/EntityDeclarationImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/stax/events/NotationDeclarationImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/JAXPValidationMessageFormatter.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/XMLSchemaValidatorComponentManager.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLUElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSElementDeclaration.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/stax/EmptyLocation.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLSelectElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xml/serialize/TextSerializer.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/ASModelImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/XMLDocumentScannerImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLBaseElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DocumentFragmentImpl.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/XMLAttributesImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/XMLGrammarPoolImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xml/serialize/HTMLSerializer.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-

jar/org/apache/wml/dom/WMLDocumentImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DeferredAttrImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/WeakReferenceXMLSchema.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLLinkElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/DTDDVFactory.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLLegendElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLDocument.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/DocumentBuilderFactoryImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/XSMessageFormatter.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/URI.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/XMLChar.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/opti/DefaultDocument.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/NodeImpl.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLAnchorElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLMetaElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DeferredElementDefinitionImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/NameNodeListImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/LocatorProxy.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/JAXPConstants.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSLoader.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/DOMValidatorHelper.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLFrameSetElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLTableRowElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-

jar/org/apache/wml/WMLPrevElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xml/serialize/DOMSerializerImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/IntegerDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/ElementDefinitionImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLModElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSNamespaceItemList.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/models/XSCMBinOp.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/TypeValidator.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/SchemaSymbols.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/XSParticleDecl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/XMLDTDValidatorFilter.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/XSGrammarPoolContainer.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DeferredElementNSImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/datatypes/XSDouble.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/parser/XMLDocumentScanner.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/StringList.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLHeadElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xml/serialize/SerializerFactory.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/XML11NamespaceBinder.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/XMLGrammarParser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLSmallElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLIsIndexElementImpl.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/XMLStringBuffer.java

* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/InvalidDatatypeFacetException.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLBElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/stax/events/ProcessingInstructionImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/parser/XMLDocumentSource.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLBigElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xml/serialize/LineSeparator.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/util/StringListImpl.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLDOMImplementation.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/BalancedDTDGrammar.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/XMLParser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/datatype/DatatypeFactoryImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLCardElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xpointer/XPointerPart.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/models/XSCMRepeatingLeaf.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/XMLDTDLoader.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/XMLGrammarPreparser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/parser/XMLDTDContentModelFilter.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/PSVIAttrNSImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/stax/events/CommentImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xml/serialize/HTMLdtd.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/XSElementDecl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/CachingParserPool.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xpath/regex/ParserForXMLSchema.java

*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xml/serialize/BaseMarkupSerializer.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xpath/XPathException.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLLIElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DeferredAttrNSImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DOMLocatorImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSObjectList.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/ValidatorHandlerImpl.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/PrecisionDecimalDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/models/DFAContentModel.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xinclude/XIncludeNamespaceSupport.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/SAXInputSource.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/ItemPSVI.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLButtonElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/models/XSCMUniOp.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLStrongElement.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLPrevElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xml/serialize/EncodingInfo.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/stax/events/StartElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/XMLEntityDecl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/parser/XMLConfigurationException.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/NotationImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/XMLDTDDescription.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-

jar/org/apache/wml/WMLWmlElement.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/events/EventImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/dtd/XML11IDREFDatatypeValidator.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/XSElementDeclHelper.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/SoftReferenceGrammarPool.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLMetaElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/util/HexBin.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/opti/SchemaDOMParser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLMetaElement.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/TreeWalkerImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/DoubleDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/ShortList.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DOMConfigurationImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/EntityDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/parser/XMLDTDContentModelSource.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSImplementation.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DOMInputImpl.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/NonValidatingConfiguration.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLTemplateElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/dtd/XML11NMTOKENDatatypeValidator.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/DOMInputSource.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/YearMonthDurationDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/SAXParserFactoryImpl.java

* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLTdElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLIFrameElementImpl.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/XMLCatalogResolver.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/XMLSimpleType.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/dtd/ListDatatypeValidator.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xinclude/ObjectFactory.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/traversers/XSDAbstractIDConstraintTraverser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/stax/DefaultNamespaceContext.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLCollectionImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/opti/SchemaDOM.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/IntegratedParserConfiguration.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/ElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/datatype/XMLGregorianCalendarImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/SAXParserImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DeferredTextImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/DOMEntityResolverWrapper.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/JAXPNamespaceContextWrapper.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLBrElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLOListElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DOMErrorImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/QNameDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLFormControl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-

jar/org/apache/xerces/impl/dv/xs/AnySimpleDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/XMLDTDContentModelHandler.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DeferredEntityReferenceImpl.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/datatype/DurationImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/stax/events/AttributeImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/traversers/XSDAbstractTraverser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/traversers/XSDElementTraverser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLMapElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DeferredElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLInputElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSNotationDeclaration.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/datatypes/XSDecimal.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/models/SimpleContentModel.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DeferredDocumentImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/DatatypeException.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/stax/events/DTDImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/models/CMAny.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLDOMImplementationImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DocumentImpl.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/SchemaDVFactoryImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/opti/SchemaParsingConfig.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSModel.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLTitleElementImpl.java

* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/DefaultErrorHandler.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DeferredDocumentTypeImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLAnchorElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/parser/XMLInputSource.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/dtd/NMTOKENDatatypeValidator.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLSetvarElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLBaseFontElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/XMLVersionDetector.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/AttributePSVI.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/MessageFormatter.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/msg/XMLMessageFormatter.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xpointer/ShortHandPointer.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLTdElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/XML11Configuration.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/DOMResultBuilder.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/TeeXMLDocumentFilterImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/dtd/DTDDVFactoryImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/opti/SchemaDOMImplementation.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/ExternalSubsetResolver.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/models/CMBuilder.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLParagraphElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/util/XIntPool.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-

jar/org/apache/html/dom/HTMLHeadElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/stax/events/NamespaceImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/stax/XMLEventFactoryImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/AttributeMap.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/validation/ValidationState.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/traversers/XSDAbstractParticleTraverser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/AttrNSImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/SynchronizedSymbolTable.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLTableElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSWildcard.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSAnnotation.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/XMLDocumentFragmentScannerImpl.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/XSGrammarBucket.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLUElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xinclude/SecuritySupport.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xml/serialize/IndentPrinter.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xinclude/XIncludeMessageFormatter.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/LCount.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/Util.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSSimpleTypeDefinition.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/opti/NamedNodeMapImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/dtd/XML11DTDDVFactoryImpl.java

* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/opti/DefaultXMLDocumentHandler.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/traversers/SchemaContentHandler.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/util/XSObjectListImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xml/serialize/SerializerFactoryImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLDoElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/XMLEntityHandler.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLDListElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/IDREFDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/dtd/IDREFDatatypeValidator.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/stax/events/EndDocumentImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/StreamValidatorHelper.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/DatatypeValidator.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/SoftReferenceSymbolTableConfiguration.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/XSWildcardDecl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/PSVIDOMImplementationImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/RevalidationHandler.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/FloatDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLRefreshElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/XMLGrammarCachingConfiguration.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xml/serialize/Printer.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/XML11DTDScannerImpl.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLHtmlElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-

jar/org/apache/xerces/parsers/AbstractDOMParser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/ASDOMImplementationImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLWmlElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/models/XSAllCM.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/traversers/XSDSimpleTypeTraverser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/EmptyXMLSchema.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/parser/XMLPullParserConfiguration.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLFormElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/XMLLocator.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLTableElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/XSFacets.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/dtd/XML11IDDatatypeValidator.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/XML11DTDValidator.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/XSAttributeGroupDecl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/datatypes/ByteList.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/models/ContentModelValidator.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLAppletElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/dtd/NOTATIONDatatypeValidator.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/parser/XMLErrorHandler.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/util/ShortListImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/SecurityConfiguration.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/StAXLocationWrapper.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/DVFactoryException.java
*

/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSConstants.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/DOMDocumentHandler.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xml/serialize/SecuritySupport.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/BooleanDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/dtd/ENTITYDatatypeValidator.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/traversers/StAXSchemaParser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/XML11DTDConfiguration.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/DOMResultAugmentor.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLSmallElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/XMLNSDocumentScannerImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/identity/IdentityConstraint.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/util/SimpleLocator.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xml/serialize/XML11Serializer.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/events/MutationEventImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DOMOutputImpl.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/StAXDocumentHandler.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/util/Base64.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/XSLoaderImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLGoElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLImgElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLBRElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/NamespaceContext.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLQuoteElementImpl.java

*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLTimerElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/CharacterDataImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/parser/XMLComponent.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/XMLDTDScannerImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/parser/XMLDTDScanner.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/ChildNode.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLLabelElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLTimerElementImpl.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLObjectElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLFieldSetElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLInputElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/XML11DTDProcessor.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xml/serialize/Serializer.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLAccessElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xpath/regex/Match.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/XMLEntityScanner.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/ListDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/Augmentations.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/XMLSchemaException.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/events/MouseEventImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/traversers/XSDComplexTypeTraverser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/FullDVFactory.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-

jar/org/apache/xerces/impl/Version.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/io/UCSReader.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/CDATASectionImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/models/CMLeaf.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/traversers/XSDWildcardTraverser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/DOMParser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/parser/XMLDTDFilter.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xinclude/XIncludeTextReader.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/opti/AttrImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/StAXStreamResultBuilder.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xpath/regex/Op.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/SymbolHash.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/DOMASBuilderImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/io/UTF16Reader.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/XSNotationDecl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/XMLNamespaceBinder.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLFieldsetElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xml/serialize/DOMSerializer.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/XMLEntityManager.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/grammars/XMLDTDDescription.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/DecimalDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLOptGroupElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/Constants.java

* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/SoftReferenceSymbolTable.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/models/XSCMLeaf.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/identity/UniqueOrKey.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLIElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLRefreshElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xpath/regex/REUtil.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/SchemaNamespaceSupport.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/DOMUtil.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLDocumentImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/stax/events/StartDocumentImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/QName.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/RangeExceptionImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/StandardParserConfiguration.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xml/serialize/XMLSerializer.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/SecuritySupport.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/XMLContentSpec.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSObject.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/stax/events/CharactersImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/SecuritySupport.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLOneventElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/FilePathToURI.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/XSImplementationImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-

jar/org/apache/xerces/xs/datatypes/XSFloat.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/DTDConfiguration.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/grammars/XMLSchemaDescription.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xpointer/XPointerHandler.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/XMLSymbols.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xpath/regex/RegularExpression.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/BasicParserConfiguration.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/grammars/XSGrammar.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/AugmentationsImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/ObjectFactory.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/XPointerParserConfiguration.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xpath/regex/RegexParser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/parser/XMLParseException.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/traversers/XSDAttributeTraverser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/AbstractXMLSchema.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/parser/XMLEntityResolver.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/StAXInputSource.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/XMLResourceIdentifier.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/XML11NonValidatingConfiguration.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLMenuElementImpl.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLDirectoryElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/XMLDocumentHandler.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/Base64BinaryDV.java

* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/XML11DocumentScannerImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/EntityReferenceImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/models/CMStateSet.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/ValidatorImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSModelGroup.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/util/LSInputListImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/models/XSEmptyCM.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/AnyAtomicDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/io/UTF8Reader.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/XMLNotationDecl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/XMLAttributes.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/util/XInt.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/NamedNodeMapImpl.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLTemplateElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/AttributesProxy.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLOptionElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLBElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/ShadowedSymbolTable.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/SAXParser.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/grammars/Grammar.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLTextAreaElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/XSModelImpl.java
*

/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DeferredDOMImplementationImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLFieldsetElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/ObjectFactory.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DeepNodeListImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/grammars/XMLGrammarLoader.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSAttributeDeclaration.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/DTDGrammar.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/XML11NSDocumentScannerImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/parsers/XIncludeParserConfiguration.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/util/XSGrammarPool.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSMultiValueFacet.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/DOMImplementationImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/identity/XPathMatcher.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/AttributePSVImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/identity/Field.java
*
/opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLTableSectionElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xml/serialize/Encodings.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xpointer/XPointerErrorHandler.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/CommentImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLTableElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLParamElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLScriptElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/jaxp/validation/DraconianErrorHandler.java

*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/XMLElementDecl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/XMLAttributeDecl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/opti/DefaultNode.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/identity/Selector.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSException.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/XSTypeDefinition.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/models/CMNode.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/AttrImpl.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dtd/models/CMBinOp.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/XMLScanner.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLImageElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/XMLDTDHandler.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/ProcessingInstructionImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/util/ErrorHandlerWrapper.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLImgElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/util/XSNamedMapImpl.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/StringDV.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLSetvarElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xpath/regex/RangeToken.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLAElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLSelectElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/ValidatedInfo.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-

jar/org/apache/xerces/impl/xs/identity/KeyRef.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/dom/WMLSelectElementImpl.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/xs/BaseSchemaDVFactory.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/html/dom/HTMLDivElementImpl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/SchemaDVFactory.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/XSAttributeDecl.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/wml/WMLPostfieldElement.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xs/datatypes/XSQName.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/xni/grammars/XMLGrammarDescription.java
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/dom/NodeListCache.java
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/dv/SecuritySupport.java
No license file was found, but licenses were detected in source scan.

The ASF licenses this file to You under the Apache License, Version 2.0
(the "License"); you may not use this file except in compliance with
the License. You may obtain a copy of the License at
http://www.apache.org/licenses/LICENSE-2.0
distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/msg/XMLSchemaMessages.properties
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xpath/regex/message.properties
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/msg/JAXPValidationMessages.properties
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xpath/regex/message_ja.properties
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/msg/DatatypeMessages.properties
*
 /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xpath/regex/message_fr.properties
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/msg/XMLMessages.properties
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-

jar/org/apache/xerces/impl/msg/DOMMessages.properties
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/msg/XIncludeMessages.properties
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/msg/SAXMessages.properties
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/msg/XMLSerializerMessages.properties
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/msg/XPointerMessages.properties
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements.  See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License.  You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
    * used to check the 3 constraints against each complex type
    * (should be each model group):
    * Unique Particle
 Attribution, Particle Derivation (Restriction),
    * Element Declrations Consistent.
    */
```

Found in path(s):
* /opt/cola/permits/1000067752_1649800830.18/0/xercesimpl-2-11-0-sources-1-jar/org/apache/xerces/impl/xs/XSConstraints.java

1.31 jcl-1-2-implemented-over-slf4j 1.7.25

1.31.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form
shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely
link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean
Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such

Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute,
all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum
to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use
the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work

(and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor
harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.32 jersey-media-multipart 2.25.1

1.33 jeromq 0.3.5

1.33.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library.

Defining a subclass of a class defined by the
Library is deemed a mode
of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an
Application with the Library. The particular version of the Library
with which the Combined Work was made is also called the "Linked
Version".

The "Minimal Corresponding Source" for a Combined Work means the
Corresponding Source for the Combined Work, excluding any source code
for portions of the Combined Work that, considered in isolation, are
based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the
object code and/or source code for the Application, including any data
and utility programs needed for reproducing the Combined Work from the
Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License
without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a
facility refers to a function or data to be supplied by an Application
that uses the facility (other than as an argument passed when the
facility is invoked), then you may convey a copy of the modified
version:

a) under this License, provided that you make a good faith effort
to ensure that, in the event an Application does not supply the
function or data, the facility still operates, and performs
whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of
this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from
a header file that is part of the Library. You may convey such object
code under terms of your choice, provided that, if the incorporated
material is not limited to numerical parameters,
data structure
layouts and accessors, or small macros, inline functions and templates

(ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide

whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

1.34 json-java 20160212

1.34.1 Available under license :

==

Copyright (c) 2002 JSON.org

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

The Software shall be used for Good, not Evil.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.35 asm-util 5.0.3

1.36 asm-debug-all 5.0.4

1.37 asm-tree 5.0.3

1.38 udunits 4.5.5

1.38.1 Available under license :

Copyright 1999 University Corporation for Atmospheric Research/Unidata

Portions of this software were developed by the Unidata Program at the
University Corporation for Atmospheric Research.

Access and use of this software shall impose the following obligations
and understandings on the user. The user is granted the right, without
any fee or cost, to use, copy, modify, alter, enhance and distribute
this software, and any derivative works thereof, and its supporting
documentation for any purpose whatsoever, provided that this entire
notice appears in all copies of the software, derivative works and
supporting documentation. Further, UCAR requests that the user credit
UCAR/Unidata in any publications that result from the use of this
software or in any product that includes this software. The names UCAR
and/or Unidata, however, may not be used in any advertising or publicity
to endorse or promote any products or commercial entity unless specific
written permission is obtained from UCAR/Unidata.
 The user also
understands that UCAR/Unidata is not obligated to provide the user with
any support, consulting, training or assistance of any kind with regard
to the use, operation and performance of this software nor to provide
the user with any updates, revisions, new versions or "bug fixes."

THIS SOFTWARE IS PROVIDED BY UCAR/UNIDATA "AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL UCAR/UNIDATA BE LIABLE FOR ANY SPECIAL,
INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING
FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT,
NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION
WITH THE ACCESS, USE OR PERFORMANCE OF THIS SOFTWARE.

1.39 javax-annotation-api 1.3.2

1.39.1 Available under license :

/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 2005-2018 Oracle and/or its affiliates. All rights reserved.

*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://oss.oracle.com/licenses/CDDL+GPL-1.1
* or LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
*
 Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to such option by the copyright
* holder.
*/
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.
Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.
Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under

intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software
with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the
combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available
in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or

otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients. rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the
License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES
THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses
that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS
DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for
compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California
and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,
we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer
you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any
program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute
verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that
in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works
in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or
executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code
for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute
the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear
what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits
your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular
source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and

distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but
you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.40 slf4j-api-module 1.7.26

1.40.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS
IN THE SOFTWARE.

1.41 findbugs-annotations 3.0.0

1.41.1 Available under license :

Found license 'GNU Lesser General Public License' in '* This library is free software; you can redistribute it and/or * modify it under the terms of the GNU Lesser General Public * License as published by the Free Software Foundation; either * version 2.1 of the License, or (at your option) any later version. * This library is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU * Lesser General Public License for more details. * You should have received a copy of the GNU Lesser General Public'

```
/*
* FindBugs - Find bugs in Java programs
* Copyright (C) 2008, University of Maryland
*
* This library is free software; you can redistribute it and/or
* modify it under the terms of the GNU Lesser General Public
* License as published by the Free Software Foundation; either
* version 2.1 of the License, or (at your option) any later version.
*
* This library is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  See the GNU
```

* Lesser General Public License for more details.
*
* You should have received a copy of the GNU Lesser General Public
* License along with this library; if not, write to the Free Software
* Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
*/
GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use
it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations
below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis

or
for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.
^L
Finally, software patents
pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking
only if the
entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many

libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.
^L

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a

portion of it, either verbatim or with modifications and/or translated straightforwardly into another language.
(Hereinafter, translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control
compilation
and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided
that
you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this
License.

d) If a facility in the modified Library refers to a function or a

table of data to be supplied by an application program that uses
the facility, other than as an argument passed when the facility
is invoked, then you must make a good faith effort to ensure that,
in the event an application does not supply such function or
table, the facility still operates, and performs whatever part of
its purpose remains meaningful.

(For example, a function in a library to compute square roots has
a purpose that is entirely well-defined independent of the
application. Therefore, Subsection 2d requires that any
application-supplied function or table used by this function must
be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably
considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

3. You may opt to apply the terms of the ordinary GNU
General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.
^L
Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all

subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code

for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.
^L
6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the
Library is used in it and that the Library and its use are covered by
this License. You must supply a copy of this License. If the work
during execution displays copyright notices, you must include the
copyright notice for the Library among them, as well as a reference
directing the user to the copy of this License. Also, you must do one
of these things:

a) Accompany the
work with the complete corresponding
machine-readable source code for the Library including whatever
changes were used in the work (which must be distributed under
Sections 1 and 2 above); and, if the work is an executable linked
with the Library, with the complete machine-readable "work that
uses the Library", as object code and/or source code, so that the
user can modify the Library and then relink to produce a modified
executable containing the modified Library. (It is understood
that the user who changes the contents of definitions files in the
Library will not necessarily be able to recompile the application
to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (1) uses at run time a
copy of the library already present on the user's computer system,
rather than copying library functions into the executable, and (2)
will operate properly
with a modified version of the library, if
the user installs one, as long as the modified version is
interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above

specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally
distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.
^L
7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library, uncombined with any other
library
facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or

distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.
^L
11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to

be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.
^L
14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY

AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE,
BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

^L

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA
02110-1301, USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.42 javax-annotation-api 1.2

1.42.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.
Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.
Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under
intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software
with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the
combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.
Any Covered Software that You distribute or otherwise make available in Executable form must also be made available
in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.
The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.
You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices
contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients. rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES
THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses
that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS
DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not

allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,
we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer
you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any
program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute
verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that
in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works
in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or

executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code
for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute
the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives
a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-

free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear
what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR

OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License.

Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits
your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular
source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but
you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

```
/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 2005-2011 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License").  You
* may not use this file except in compliance with the License.  You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
```

* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception as provided by Oracle in the GPL Version 2 section of the License
 * file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to such option by the copyright
* holder.
*/

1.43 asm 3.1

1.44 findbugs-annotations 2.0.1

1.44.1 Available under license :

Found license 'GNU Lesser General Public License' in '* This library is free software; you can redistribute it and/or * modify it under the terms of the GNU Lesser General Public * License as published by the Free Software Foundation; either * version 2.1 of the License, or (at your option) any later version. * This library is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU * Lesser General Public License for more details. * You should have received a copy of the GNU Lesser General Public'

/*
* FindBugs - Find bugs in Java programs
* Copyright (C) 2008, University of Maryland
*
* This library is free software; you can redistribute it and/or

* modify it under the terms of the GNU Lesser General Public
* License as published by the Free Software Foundation; either
* version 2.1 of the License, or (at your option) any later version.
*
* This library is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
* Lesser General Public License for more details.
*
* You should have received a copy of the GNU Lesser General Public
* License along with this library; if not, write to the Free Software
* Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
*/
GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use
it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations
below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or
for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.
^L
Finally, software patents
pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking
only if the
entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with

the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.
^L

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data

prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language.
(Hereinafter, translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control
compilation
and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided
that
you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices

stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2,

instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.
^L
 Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding
 machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library".
  The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline

functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code
for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.
^L
6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the
work with the complete corresponding
machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly
with a modified version of the library, if
the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally
distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.
^L
7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library, uncombined with any other
library
facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or

distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you
do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.
^L
11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse
you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system
which is
implemented by public license practices. Many people have made

generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish
revised and/or new
versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.
^L
14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision
will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE,
BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

^L

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston,
MA
02110-1301, USA

Also add information on how to contact you by electronic and paper
mail.

You should also get your employer (if you work as a programmer) or
your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James
Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.45 plexus-interpolation-api 1.13

1.45.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* The MIT License
*
* Copyright (c) 2004, The Codehaus
*
* Permission is hereby granted, free of charge, to any person obtaining a copy of
* this software and associated documentation files (the "Software"), to deal in
* the Software without restriction, including without limitation the rights to
* use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is furnished to do
* so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in all
* copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-
jar/org/codehaus/plexus/interpolation/os/OperatingSystemUtils.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-
jar/org/codehaus/plexus/interpolation/PrefixedPropertiesValueSource.java
*
 /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-
jar/org/codehaus/plexus/interpolation/PrefixedObjectValueSource.java
No license file was found, but licenses were detected in source scan.

/*
* The Apache Software License, Version 1.1
*
* Copyright (c) 2002-2003 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

```
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution, if
*    any, must include the following acknowlegement:
*       "This product includes software developed by the
*        Apache Software Foundation (http://www.codehaus.org/)."
*    Alternately, this
 acknowlegement may appear in the software itself,
*    if and wherever such third-party acknowlegements normally appear.
*
* 4. The names "Ant" and "Apache Software
*    Foundation" must not be used to endorse or promote products derived
*    from this software without prior written permission. For written
*    permission, please contact codehaus@codehaus.org.
*
* 5. Products derived from this software may not be called "Apache"
*    nor may "Apache" appear in their names without prior written
*    permission of the Apache Group.
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
 OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.codehaus.org/>.
*/
```

Found in path(s):

* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/multi/MultiDelimiterInterpolatorFilterReader.java
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/InterpolatorFilterReader.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001-2009 Codehaus Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/multi/MultiDelimiterStringSearchInterpolator.java
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/multi/DelimiterSpecification.java
*
/opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/SingleResponseValueSource.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001-2008 Codehaus Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/AbstractValueSource.java
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/PropertiesBasedValueSource.java
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/SimpleRecursionInterceptor.java
*
 /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/PrefixedValueSourceWrapper.java
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/Interpolator.java
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/RecursionInterceptor.java
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/InterpolationException.java
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/QueryEnabledValueSource.java
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/object/FieldBasedObjectInterpolator.java
*
 /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/ValueSource.java
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/object/ObjectInterpolationWarning.java
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/AbstractDelegatingValueSource.java
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/StringSearchInterpolator.java
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/RegexBasedInterpolator.java
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/PrefixAwareRecursionInterceptor.java
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/object/ObjectInterpolator.java
*
 /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/FeedbackEnabledValueSource.java
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/AbstractFunctionValueSourceWrapper.java
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/InterpolationCycleException.java
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/InterpolationPostProcessor.java
No license file was found, but licenses were detected in source scan.

/* ==
*   Copyright 2001-2004 The Apache Software Foundation.

```
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at
*
*       http://www.apache.org/licenses/LICENSE-2.0
*
*   Unless required by applicable law or agreed to in writing, software
*   distributed under the License is distributed on an "AS IS" BASIS,
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
* ========================================================================
*/
```

Found in path(s):
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/reflection/MethodMap.java
*
/opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/reflection/ClassMap.java
No license file was found, but licenses were detected in source scan.

```
/* ========================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2002 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution, if
*    any, must include the following acknowlegement:
*       "This product includes software developed by the
*        Apache Software
 Foundation (http://www.codehaus.org/)."
*    Alternately, this acknowlegement may appear in the software itself,
*    if and wherever such third-party acknowlegements normally appear.
```

```
*
* 4. The names "The Jakarta Project", "Commons", and "Apache Software
*    Foundation" must not be used to endorse or promote products derived
*    from this software without prior written permission. For written
*    permission, please contact codehaus@codehaus.org.
*
* 5. Products derived from this software may not be called "Apache"
*    nor may "Apache" appear in their names without prior written
*    permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL,
 EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.codehaus.org/>.
*/
```

Found in path(s):
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/util/StringUtils.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001-2006 Codehaus Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/util/ValueSourceUtils.java
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/reflection/ReflectionValueExtractor.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2007 The Codehaus Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/ObjectBasedValueSource.java
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/EnvarBasedValueSource.java
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/MapBasedValueSource.java
No license file was found, but licenses were detected in source scan.

/*
* The Apache Software License, Version 1.1
*
* Copyright (c) 2001-2003 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.

```
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution, if
*    any, must include the following acknowlegement:
*       "This product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this
 acknowlegement may appear in the software itself,
*    if and wherever such third-party acknowlegements normally appear.
*
* 4. The names "Ant" and "Apache Software
*    Foundation" must not be used to endorse or promote products derived
*    from this software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    nor may "Apache" appear in their names without prior written
*    permission of the Apache Group.
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
 SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/
/**
    * Determines if the current OS matches the given OS
    * version.
    *
    * @param version the OS version to check for
```

* @return true if the OS matches
* @since 1.0
*/

Found in path(s):
* /opt/cola/permits/1005427167_1649200592.71/0/plexus-interpolation-1-13-sources-jar/org/codehaus/plexus/interpolation/os/Os.java

1.46 jnr-constants 0.9.8

1.47 jffi-java-foreign-function-interface 1.2.15

1.47.1 Available under license :

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

Alternatively, you can redistribute it and/or modify it under

the terms of the GNU Lesser General Public License as published by

the Free Software Foundation, either version 3 of the License, or

(at your option) any later version.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser
General Public License

version 3 for more details.

You should have received a copy of the GNU Lesser General Public License

version 3 along with this work. If not, see <http://www.gnu.org/licenses/>.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

==========

This project includes Public Suffix List copied from
<https://publicsuffix.org/list/effective_tld_names.dat>
licensed under the terms of the Mozilla Public License, v. 2.0

Full license text: <http://mozilla.org/MPL/2.0/>

Mozilla Public License Version 2.0
==========

1. Definitions

1.1. "Contributor"
means each individual or legal entity that creates, contributes to
the creation of, or owns Covered Software.

1.2. "Contributor Version"
means the combination of the Contributions of others (if any) used
by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"
means Covered Software of a particular Contributor.

1.4. "Covered Software"
means Source Code
Form to which the initial Contributor has attached
the notice in Exhibit A, the Executable Form of such Source Code
Form, and Modifications of such Source Code Form, in each case
including portions thereof.

1.5. "Incompatible With Secondary Licenses"
means

(a) that the initial Contributor has attached the notice described
in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"
means any form of the work other than Source Code Form.

1.7. "Larger Work"
means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"
means this document.

1.9. "Licensable"
means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"
means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor
means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"
means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"
means the form of the work preferred for making modifications.

1.14. "You" (or "Your")
means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)
Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its
Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

(a) for any code that a Contributor has removed from Covered Software; or

(b) for infringements caused by: (i) Your and any other third party's

modifications
of Covered Software, or (ii) the combination of its
Contributions with other software (except as part of its Contributor
Version); or

(c) under Patent Claims infringed by Covered Software in the absence of
its Contributions.

This License does not grant any rights in the trademarks, service marks,
or logos of any Contributor (except as may be necessary to comply with
the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to
distribute the Covered Software under a subsequent version of this
License (see Section 10.2) or under the terms of a Secondary License (if
permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its
Contributions are its original creation(s) or it has sufficient rights
to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have
under
applicable copyright doctrines of fair use, fair dealing, or other
equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted
in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any
Modifications that You create or to which You contribute, must be under
the terms of this License. You must inform recipients that the Source
Code Form of the Covered Software is governed by the terms of this
License, and how they can obtain a copy of this License. You may not
attempt to alter or restrict the recipients' rights in the Source Code

Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any

liability incurred by such Contributor as a result of warranty, support, indemnity or liability
terms You offer. You may include additional
disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However,
if You become
compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the
rights granted to
You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License

prior to termination shall survive termination.

```
************************************************************************
*                                                                      *
*  6. Disclaimer of Warranty                                           *
*  -------------------------                                           *
*                                                                      *
*  Covered Software is provided under this License on an "as is"       *
*  basis, without warranty of any kind, either expressed, implied, or  *
*  statutory, including, without limitation, warranties that the       *
*  Covered Software is
 free of defects, merchantable, fit for a        *
*  particular purpose or non-infringing. The entire risk as to the     *
*  quality and performance of the Covered Software is with You.        *
*  Should any Covered Software prove defective in any respect, You     *
*  (not any Contributor) assume the cost of any necessary servicing,   *
*  repair, or correction. This disclaimer of warranty constitutes an   *
*  essential part of this License. No use of any Covered Software is   *
*  authorized under this License except under this disclaimer.         *
*                                                                      *
************************************************************************

************************************************************************
*                                                                      *
*  7. Limitation of Liability                                          *
*  --------------------------                                          *
*
                                                                       *
*  Under no circumstances and under no legal theory, whether tort      *
*  (including negligence), contract, or otherwise, shall any           *
*  Contributor, or anyone who distributes Covered Software as          *
*  permitted above, be liable to You for any direct, indirect,         *
*  special, incidental, or consequential damages of any character      *
*  including, without limitation, damages for lost profits, loss of    *
*  goodwill, work stoppage, computer failure or malfunction, or any    *
*  and all other commercial damages or losses, even if such party      *
*  shall have been informed of the possibility of such damages. This   *
*  limitation of liability shall not apply to liability for death or   *
*  personal injury resulting from such party's negligence to the       *
*  extent applicable law prohibits such limitation. Some               *
*  jurisdictions do not allow the exclusion or limitation
 of          *
*  incidental or consequential damages, so this exclusion and          *
*  limitation may not apply to You.                                    *
*                                                                      *
************************************************************************
```

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

1.48 jnr-ffi 2.1.4

1.49 jnr-x86asm 1.0.2

1.50 stax 1.0-2

1.50.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
* This describes the interface to Characters events.
* All text events get reported as Characters events.
* Content, CData and whitespace are all reported as
* Characters events.  IgnorableWhitespace, in most cases,
* will be set to false unless an element declaration of element
* content is present for the current element.
```

*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/events/Characters.java
No license file was found, but licenses were detected in source scan.

/**
* An interface for comment events
*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/events/Comment.java
No license file was found, but licenses were detected in source scan.

/**
* Defines an abstract implementation of a factory for
* getting XMLEventWriters and XMLStreamWriters.
*
* The following table defines the standard properties of this specification.
* Each property varies in the level of support required by each implementation.
* The level of support required is described in the 'Required' column.
*
*   <table border="2" rules="all" cellpadding="4">
*   <thead>
*   <tr>
*   <th align="center" colspan="2">
*   Configuration parameters
*   </th>
*   </tr>
*   </thead>
*   <tbody>
*   <tr>
*   <th>Property Name</th>
*   <th>Behavior</th>
*   <th>Return type</th>
*   <th>Default Value</th>
*   <th>Required</th>
*   </tr>
*   <tr><td>javax.xml.stream.isRepairingNamespaces</td><td>defaults prefixes on the output side</td><td>Boolean</td><td>False</td><td>Yes</td></tr>

```
*      </tbody>
*
  </table>
*
* <p>The following paragraphs describe the namespace and prefix repair algorithm:</p>
*
* <p>The property can be set with the following code line:
* <code>setProperty("javax.xml.stream.isRepairingNamespaces",new Boolean(true|false));</code></p>
*
* <p>This property specifies that the writer default namespace prefix declarations.
* The default value is false. </p>
*
* <p>If a writer isRepairingNamespaces it will create a namespace declaration
* on the current StartElement for
* any attribute that does not
* currently have a namespace declaration in scope.  If the StartElement
* has a uri but no prefix specified a prefix will be assigned, if the prefix
* has not been declared in a parent of the current StartElement it will be declared
* on the current StartElement.  If the defaultNamespace is bound and in scope
* and the default namespace matches the URI of the attribute or StartElement
* QName no prefix will be assigned.</p>
*
* <p>If an element or attribute
 name has a prefix, but is not
* bound to any namespace URI, then the prefix will be removed
* during serialization.</p>
*
* <p>If element and/or attribute names in the same start or
* empty-element tag are bound to different namespace URIs and
* are using the same prefix then the element or the first
* occurring attribute retains the original prefix and the
* following attributes have their prefixes replaced with a
* new prefix that is bound to the namespace URIs of those
* attributes. </p>
*
* <p>If an element or attribute name uses a prefix that is
* bound to a different URI than that inherited from the
* namespace context of the parent of that element and there
* is no namespace declaration in the context of the current
* element then such a namespace declaration is added. </p>
*
* <p>If an element or attribute name is bound to a prefix and
* there is a namespace declaration that binds that prefix
* to a different URI then that namespace declaration
 is
* either removed if the correct mapping is inherited from
* the parent context of that element, or changed to the
* namespace URI of the element or attribute using that prefix.</p>
```

*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
* @see XMLInputFactory
* @see XMLEventWriter
* @see XMLStreamWriter
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/XMLOutputFactory.java
No license file was found, but licenses were detected in source scan.

/**
* This is the base event interface for handling markup events.
* Events are value objects that are used to communicate the
* XML 1.0 InfoSet to the Application. Events may be cached
* and referenced after the parse has completed.
*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
* @see javax.xml.stream.XMLEventReader
* @see Characters
* @see ProcessingInstruction
* @see StartElement
* @see EndElement
* @see StartDocument
* @see EndDocument
* @see EntityReference
* @see EntityDeclaration
* @see NotationDeclaration
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/events/XMLEvent.java
No license file was found, but licenses were detected in source scan.

/**
* The XMLStreamWriter interface specifies how to write XML. The XMLStreamWriter does
* not perform well formedness checking on its input. However
* the writeCharacters method is required to escape & , < and >
* For attribute values the writeAttribute method will escape the
* above characters plus " to ensure that all character content
* and attribute values are well formed.
*
* Each NAMESPACE
* and ATTRIBUTE must be individually written.

*
* If javax.xml.stream.isPrefixDefaulting is set to false it is a fatal error if an element
* is written with namespace URI that has not been bound to a prefix.
*
* If javax.xml.stream.isPrefixDefaulting is set to true the XMLStreamWriter implementation
* must write a prefix for each unbound URI that it encounters in the
* current scope.
*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
* @see XMLOutputFactory
 * @see XMLStreamReader
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/XMLStreamWriter.java
No license file was found, but licenses were detected in source scan.

/**
* An error class for reporting factory configuration errors.
*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/FactoryConfigurationError.java
No license file was found, but licenses were detected in source scan.

/**
* The StartElement interface provides access to information about
* start elements. A StartElement is reported for each Start Tag
* in the document.
*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/events/StartElement.java
No license file was found, but licenses were detected in source scan.

/**
* Defines an abstract implementation of a factory for getting streams.
*

* The following table defines the standard properties of this specification.
* Each property varies in the level of support required by each implementation.
* The level of support required is described in the 'Required' column.
*
*   <table border="2" rules="all" cellpadding="4">
*   <thead>
*   <tr>
*   <th align="center" colspan="5">
*   Configuration parameters
*   </th>
*   </tr>
*   </thead>
*   <tbody>
*   <tr>
*   <th>Property Name</th>
*   <th>Behavior</th>
*   <th>Return type</th>
*   <th>Default Value</th>
*   <th>Required</th>
*   </tr>
* <tr><td>javax.xml.stream.isValidating</td><td>Turns on/off implementation specific DTD validation</td><td>Boolean</td><td>False</td><td>No</td></tr>
* <tr><td>javax.xml.stream.isNamespaceAware</td><td>Turns on/off namespace processing for XML 1.0 support</td><td>Boolean</td><td>True</td><td>True (required) / False (optional)</td></tr>
* <tr><td>javax.xml.stream.isCoalescing</td><td>Requires the processor to coalesce adjacent character data</td><td>Boolean</td><td>False</td><td>Yes</td></tr>
* <tr><td>javax.xml.stream.isReplacingEntityReferences</td><td>replace internal entity references with their replacement text and report them as characters</td><td>Boolean</td><td>True</td><td>Yes</td></tr>
*<tr><td>javax.xml.stream.isSupportingExternalEntities</td><td>Resolve external parsed entities</td><td>Boolean</td><td>Unspecified</td><td>Yes</td></tr>
*<tr><td>javax.xml.stream.supportDTD</td><td>Use this property to request processors that do not support DTDs</td><td>Boolean</td><td>True</td><td>Yes</td></tr>
*<tr><td>javax.xml.stream.reporter</td><td>sets/gets the impl of the XMLReporter</td><td>javax.xml.stream.XMLReporter</td><td>Null</td><td>Yes</td></tr>
*<tr><td>javax.xml.stream.resolver</td><td>sets/gets the impl of the XMLResolver interface</td><td>javax.xml.stream.XMLResolver</td><td>Null</td><td>Yes</td></tr>
*<tr><td>javax.xml.stream.allocator</td><td>sets/gets the impl of the XMLEventAllocator interface</td><td>javax.xml.stream.util.XMLEventAllocator</td><td>Null</td><td>Yes</td></tr>
*   </tbody>
* </table>
*
*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
* @see XMLOutputFactory
* @see XMLEventReader

* @see XMLStreamReader
* @see EventFilter
* @see XMLReporter
* @see XMLResolver
* @see javax.xml.stream.util.XMLEventAllocator
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/XMLInputFactory.java
No license file was found, but licenses were detected in source scan.

/**
* This is the base class for deriving an XMLStreamReader filter
*
* This class is designed to sit between an XMLStreamReader and an
* application's XMLStreamReader. By default each method
* does nothing but call the corresponding method on the
* parent interface.
*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
* @see javax.xml.stream.XMLStreamReader
* @see EventReaderDelegate
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/util/StreamReaderDelegate.java
No license file was found, but licenses were detected in source scan.

/**
* This is the top level interface for events dealing with DTDs
*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/events/DTD.java
No license file was found, but licenses were detected in source scan.

/**
*
* This is the top level interface for parsing XML Events. It provides
* the ability to peek at the next event and returns configuration
* information through the property interface.
*

* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
* @see XMLInputFactory
* @see XMLEventWriter
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/XMLEventReader.java
No license file was found, but licenses were detected in source scan.

/**
* This interface is used to resolve resources during an XML parse. If an application wishes to
* perform custom entity resolution it must register an instance of this interface with
* the XMLInputFactory using the setXMLResolver method.
*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/XMLResolver.java
No license file was found, but licenses were detected in source scan.

/**
* This interface is used to report non-fatal errors.
* Only warnings should be echoed through this interface.
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/XMLReporter.java
No license file was found, but licenses were detected in source scan.

/**
* This is the base class for deriving an XMLEventReader
* filter.
*
* This class is designed to sit between an XMLEventReader and an
* application's XMLEventReader. By default each method
* does nothing but call the corresponding method on the
* parent interface.
*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.

```
* @see javax.xml.stream.XMLEventReader
* @see StreamReaderDelegate
*/
```

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/util/EventReaderDelegate.java
No license file was found, but licenses were detected in source scan.

```
/**
* A marker interface for the end of the document
*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
*/
```

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/events/EndDocument.java
No license file was found, but licenses were detected in source scan.

```
/**
*  The XMLStreamReader interface allows forward, read-only access to XML.
*  It is designed to be the lowest level and most efficient way to
*  read XML data.
*
* <p> The XMLStreamReader is designed to iterate over XML using
* next() and hasNext().  The data can be accessed using methods such as getEventType(),
* getNamespaceURI(), getLocalName() and getText();
*
* <p> The <a href="#next()">next()</a> method causes the reader to read the next parse event.
* The next() method returns an integer which identifies the type of event just read.
* <p> The event type can be determined using <a href="#getEventType()">getEventType()</a>.
* <p> Parsing events are defined as the XML Declaration, a DTD,
* start tag, character data, white space, end tag, comment,
* or processing instruction.  An attribute or namespace event may be encountered
* at the root level of a document as the result of a query operation.
 *
* <p>For XML 1.0 compliance an XML processor must pass the
* identifiers of declared unparsed entities, notation declarations and their
* associated identifiers to the application.  This information is
* provided through the property API on this interface.
* The following two properties allow access to this information:
* javax.xml.stream.notations and javax.xml.stream.entities.
* When the current event is a DTD the following call will return a
* list of Notations
*  <code>List l = (List) getProperty("javax.xml.stream.notations");</code>
* The following call will return a list of entity declarations:
```

```
* <code>List l = (List) getProperty("javax.xml.stream.entities");</code>
* These properties can only be accessed during a DTD event and
* are defined to return null if the information is not available.
*
* <p>The following table describes which methods are valid in what state.
* If a method is called in an invalid state the method will throw a
* java.lang.IllegalStateException.
 *
* <table border="2" rules="all" cellpadding="4">
*   <thead>
*     <tr>
*       <th align="center" colspan="2">
*         Valid methods for each state
*       </th>
*     </tr>
*   </thead>
*   <tbody>
*     <tr>
*       <th>Event Type</th>
*       <th>Valid Methods</th>
*     </tr>
*     <tr>
*       <td> All States  </td>
*       <td> getProperty(), hasNext(), require(), close(),
*            getNamespaceURI(), isStartElement(),
*            isEndElement(), isCharacters(), isWhiteSpace(),
*            getNamespaceContext(), getEventType(),getLocation(),
*            hasText(), hasName()
*       </td>
*     </tr>
*     <tr>
*       <td> START_ELEMENT  </td>
*       <td> next(), getName(), getLocalName(), hasName(), getPrefix(),
*            getAttributeXXX(), isAttributeSpecified(),
*            getNamespaceXXX(),
*            getElementText(), nextTag()
*       </td>
*     </tr>
*       <td> ATTRIBUTE  </td>
*       <td> next(), nextTag()
 *           getAttributeXXX(), isAttributeSpecified(),
*       </td>
*     </tr>
*     </tr>
*       <td> NAMESPACE  </td>
*       <td> next(), nextTag()
*            getNamespaceXXX()
*       </td>
```

```
*    </tr>
*    <tr>
*      <td> END_ELEMENT  </td>
*      <td> next(), getName(), getLocalName(), hasName(), getPrefix(),
*           getNamespaceXXX(), nextTag()
*     </td>
*    </tr>
*    <tr>
*      <td> CHARACTERS  </td>
*      <td> next(), getTextXXX(), nextTag() </td>
*    </tr>
*    <tr>
*      <td> CDATA  </td>
*      <td> next(), getTextXXX(), nextTag() </td>
*    </tr>
*    <tr>
*      <td> COMMENT  </td>
*      <td> next(), getTextXXX(), nextTag() </td>
*    </tr>
*    <tr>
*      <td> SPACE  </td>
*      <td> next(), getTextXXX(), nextTag() </td>
*    </tr>
*    <tr>
*      <td> START_DOCUMENT  </td>
*      <td> next(), getEncoding(), getVersion(), isStandalone(), standaloneSet(),
*           getCharacterEncodingScheme(),
 nextTag()</td>
*    </tr>
*    <tr>
*      <td> END_DOCUMENT  </td>
*      <td> close()</td>
*    </tr>
*    <tr>
*      <td> PROCESSING_INSTRUCTION  </td>
*      <td> next(), getPITarget(), getPIData(), nextTag() </td>
*    </tr>
*    <tr>
*      <td> ENTITY_REFERENCE  </td>
*      <td> next(), getLocalName(), getText(), nextTag() </td>
*    </tr>
*    <tr>
*      <td> DTD  </td>
*      <td> next(), getText(), nextTag() </td>
*    </tr>
*   </tbody>
*  </table>
*
```

* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
* @see javax.xml.stream.events.XMLEvent
* @see XMLInputFactory
* @see XMLStreamWriter
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/XMLStreamReader.java
No license file was found, but licenses were detected in source scan.

/**
*
* This is the top level interface for writing XML documents.
*
* Instances of this interface are not required to validate the
* form of the XML.
*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
* @see XMLEventReader
* @see javax.xml.stream.events.XMLEvent
* @see javax.xml.stream.events.Characters
* @see javax.xml.stream.events.ProcessingInstruction
* @see javax.xml.stream.events.StartElement
* @see javax.xml.stream.events.EndElement
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/XMLEventWriter.java
No license file was found, but licenses were detected in source scan.

/**
* An interface that contains information about a namespace.
* Namespaces are accessed from a StartElement.
*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
* @see StartElement
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/events/Namespace.java
No license file was found, but licenses were detected in source scan.

```
/**
* Provides information on the location of an event.
*
* All the information provided by a Location is optional.  For example
* an application may only report line numbers.
*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
*/
```

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/Location.java
No license file was found, but licenses were detected in source scan.

```
/**
* An interface for handling Entity events.
*
* This event reports entities that have not been resolved
* and reports their replacement text unprocessed (if
* available).  This event will be reported if javax.xml.stream.isReplacingEntityReferences
* is set to false.  If javax.xml.stream.isReplacingEntityReferences is set to true
* entity references will be resolved transparently.
*
* Entities are handled in two possible ways:
*
* (1) If javax.xml.stream.isReplacingEntityReferences is set to true
* all entity references are resolved and reported as markup transparently.
* (2) If javax.xml.stream.isReplacingEntityReferences is set to false
* Entity references are reported as an EntityReference Event.
*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
*/
```

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/events/EntityReference.java
No license file was found, but licenses were detected in source scan.

```
/**
* This interface defines a class that allows a user to register
* a way to allocate events given an XMLStreamReader.  An implementation
* is not required to use the XMLEventFactory implementation but this
* is recommended.  The XMLEventAllocator can be set on an XMLInputFactory
* using the property "javax.xml.stream.allocator"
*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
```

* @see javax.xml.stream.XMLInputFactory
* @see javax.xml.stream.XMLEventFactory
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/util/XMLEventAllocator.java
No license file was found, but licenses were detected in source scan.

/**
* An interface for the end element event. An EndElement is reported
* for each End Tag in the document.
*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
* @see XMLEvent
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/events/EndElement.java
No license file was found, but licenses were detected in source scan.

/**
* An interface for handling Entity Declarations
*
* This interface is used to record and report unparsed entity declarations.
*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/events/EntityDeclaration.java
No license file was found, but licenses were detected in source scan.

/**
* This interface defines an event consumer interface. The contract of the
* of a consumer is to accept the event. This interface can be used to
* mark an object as able to receive events. Add may be called several
* times in immediate succession so a consumer must be able to cache
* events it hasn't processed yet.
*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/util/XMLEventConsumer.java
No license file was found, but licenses were detected in source scan.

```
/**
* This interface declares a simple filter interface that one can
* create to filter XMLEventReaders
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
*/
```

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/EventFilter.java
No license file was found, but licenses were detected in source scan.

```
/**
* An interface that describes the data found in processing instructions
*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
*/
```

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/events/ProcessingInstruction.java
No license file was found, but licenses were detected in source scan.

```
/**
* This interface declares a simple filter interface that one can
* create to filter XMLStreamReaders
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
*/
```

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/StreamFilter.java
No license file was found, but licenses were detected in source scan.

```
/**
* An interface for handling Notation Declarations
*
* Receive notification of a notation declaration event.
* It is up to the application to record the notation for later reference,
* At least one of publicId and systemId must be non-null.
* There is no guarantee that the notation declaration
* will be reported before any unparsed entities that use it.
```

*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/events/NotationDeclaration.java
No license file was found, but licenses were detected in source scan.

/**
* An interface for the start document event
*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/events/StartDocument.java
No license file was found, but licenses were detected in source scan.

/**
* The base exception for unexpected processing errors. This Exception
* class is used to report well-formedness errors as well as unexpected
* processing conditions.
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/XMLStreamException.java
No license file was found, but licenses were detected in source scan.

/**
* This interface defines a utility class for creating instances of
* XMLEvents
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
* @see javax.xml.stream.events.StartElement
* @see javax.xml.stream.events.EndElement
* @see javax.xml.stream.events.ProcessingInstruction
* @see javax.xml.stream.events.Comment
* @see javax.xml.stream.events.Characters
* @see javax.xml.stream.events.StartDocument
* @see javax.xml.stream.events.EndDocument
* @see javax.xml.stream.events.DTD

*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/XMLEventFactory.java
No license file was found, but licenses were detected in source scan.

/**
* An interface that contains information about an attribute. Attributes are reported
* as a set of events accessible from a StartElement. Other applications may report
* Attributes as first-order events, for example as the results of an XPath expression.
*
* @version 1.0
* @author Copyright (c) 2003 by BEA Systems. All Rights Reserved.
* @see StartElement
*/

Found in path(s):
* /opt/cola/permits/1005661312_1609974699.31/0/stax-api-1-0-2-sources-jar/src/javax/xml/stream/events/Attribute.java

1.51 asm-analysis 5.0.3

1.52 asm-commons 5.0.3

1.53 java-servlet-api 3.1.0

1.53.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.
Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.
Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under
intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software
with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the
combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.
Any Covered Software that You distribute or otherwise make available in Executable form must also be made available
in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients. rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under

any subsequent version of the
License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES
THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses
that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING

NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS
DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for
compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California
and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,
we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer
you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any
program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute
verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that
in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works

in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program),

you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear
what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be

guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY

or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits
your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular
source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module

which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but
you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.54 apache-httpmime 4.5.5

1.54.1 Available under license :

Apache HttpClient Mime
Copyright 1999-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.55 asm-analysis 7.1

1.56 asm-commons 7.1

1.57 asm 7.1

1.58 asm-tree 7.1

1.59 beanshell 2.0b6

1.59.1 Available under license :

Copyright (c) 2000-2011 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO
EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

ASM bytecode package in under a 3-clause BSD license (OK).

BSF - check these, probably public domain.
peter jodeleit: http://commons.apache.org/proper/commons-bsf/

engine - the jsr223 engine, some files need to be removed (sun javax stuff)

peter jodeleit: these files are obsolete if java 1.5 support is dropped, the file are part of the jdk since 1.6

JUnit
Common Public License - v 1.0

Deal with docs and build files, READMEs?
BSD License

Copyright (c) 2000-2006, www.hamcrest.org
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of
conditions and the following disclaimer. Redistributions in binary form must reproduce
the above copyright notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse
or promote products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL
THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY
WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

JUnit

Common Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement,

including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient
a non-exclusive, worldwide, royalty-free patent license under
Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement
of intellectual property rights or otherwise. As a condition to
exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied,
including warranties or conditions of title
and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within
the
Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the
Indemnified Contributor to the
extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses

relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties
are such
Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of
data,
programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid

and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all
Recipient's rights under this Agreement terminate,
Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version
of
the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.
BeanShell Scripting for Java
Copyright 1997-2012 Patrick Niemeyer

Licensed under the Apache License, Version 2.0.
Granted to the Apache Software Foundation 2012

```
/*****************************************************************************
* Licensed to the Apache Software Foundation (ASF) under one             *
* or more contributor license agreements.  See the NOTICE file          *
* distributed with this work for additional information                  *
* regarding copyright ownership.  The ASF licenses this file             *
* to you under the Apache License, Version 2.0 (the                      *
* "License"); you may not use this file except in compliance             *
* with the License.  You may obtain a copy of the License at             *
*                                                                        *
*     http://www.apache.org/licenses/LICENSE-2.0                         *
*                                                                        *
* Unless required by applicable law or agreed to in writing,             *
* software distributed under the License is distributed
 on an             *
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY                 *
* KIND, either express or implied.  See the License for the              *
* specific language governing permissions and limitations                *
* under the License.                                                     *
*                                                                        *
*                                                                        *
* This file is part of the BeanShell Java Scripting distribution.        *
* Documentation and updates may be found at http://www.beanshell.org/    *
* Patrick Niemeyer (pat@pat.net)                                         *
* Author of Learning Java, O'Reilly & Associates                         *
*                                                                        *
*****************************************************************************/
```

1.60 hamcrest 1.3

1.60.1 Available under license :

Copyright (c) 2000-2003, jMock.org
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of
conditions and the following disclaimer. Redistributions in binary form must reproduce
the above copyright notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the distribution.

Neither the name of jMock nor the names of its contributors may be used to endorse
or promote products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY
WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

BSD License

Copyright (c) 2000-2006, www.hamcrest.org
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of
conditions and the following disclaimer. Redistributions in binary form must reproduce
the above copyright notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse
or promote products derived from this software without specific prior written

permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL THE COPYRIGHT OWNER
OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY
WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.61 jcommander-library 1.72

1.61.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**
* Copyright (C) 2011 the original author or authors.
* See the notice.md file distributed with this work for additional
* information regarding copyright ownership.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/validators/NoValueValidator.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/IParameterValidator.java

*
/opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/validators/PositiveInteger.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/IParameterValidator2.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/validators/NoValidator.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright (C) 2010 the original author or authors.
* See the notice.md file distributed with this work for additional
* information regarding copyright ownership.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/JCommander.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright (C) 2010 the original author or authors.
* See the notice.md file distributed with this work for additional
* information regarding copyright ownership.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/ResourceBundle.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/converters/BaseConverter.java
*
 /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/internal/Sets.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/ParameterDescription.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/converters/IntegerConverter.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/converters/ISO8601DateConverter.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/converters/StringConverter.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/ParametersDelegate.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/converters/LongConverter.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/IDefaultProvider.java
*
 /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/converters/FileConverter.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/converters/PathConverter.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/defaultprovider/PropertyFileDefaultProvider.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/Parameters.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/converters/InetAddressConverter.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/IStringConverterFactory.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/converters/BigDecimalConverter.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/ParameterException.java
*
 /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/converters/FloatConverter.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/converters/NoConverter.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/internal/Maps.java

* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/MissingCommandException.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/converters/URIConverter.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/IStringConverter.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/internal/Lists.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/converters/URLConverter.java
*
/opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/converters/BooleanConverter.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/internal/DefaultConverterFactory.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/converters/DoubleConverter.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/converters/CharArrayConverter.java
* /opt/cola/permits/1009978799_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/Parameter.java

1.62 junit 4.12

1.62.1 Available under license :

JUnit

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a

Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to

allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied
warranties or conditions of merchantability
and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution,
if
any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection
with its distribution of the Program in a commercial product
offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims
against the other
Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to

the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted
under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

1.63 apache-groovy 2.4.12

1.63.1 Available under license :

Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

This product includes/uses ANTLR (http://www.antlr2.org/)
developed by Terence Parr 1989-2006
Copyright jQuery Foundation and other contributors, https://jquery.org/

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in
collaboration with the Groovy community. The reference implementation
has a BSD-style license. Details can be found in: licenses/jsr223-license.txt
NORMALIZE.CSS LICENSE

The following file is used with documentation:

org/codehaus/groovy/tools/stylesheet.css

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

This product includes/uses ANTLR (http://www.antlr2.org/)
developed by Terence Parr 1989-2006

This product embeds the OpenBeans jar within its grooid jar artifacts
OpenBeans includes/uses files from Apache Harmony and the following notice applies
Copyright 2006, 2010 The Apache Software Foundation.
Portions of Apache Harmony were originally developed by Intel Corporation and are
licensed to the Apache Software Foundation under the "Software Grant and Corporate
Contribution License Agreement" and for which the following copyright notices apply
(C) Copyright 2005 Intel Corporation
(C) Copyright 2005-2006 Intel Corporation
(C) Copyright 2006 Intel Corporation
//

Licensed to the Apache Software Foundation (ASF) under one
or more contributor license agreements. See the NOTICE file
distributed with this work for additional information
regarding copyright ownership. The ASF licenses this file
to you under the Apache License, Version 2.0 (the
"License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing,
software distributed under the License is distributed on an
"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
KIND, either express or implied. See the License for the
specific language governing permissions and limitations
under the License.

//

= License

This work is licensed under the http://www.apache.org/licenses/LICENSE-2.0[Apache License, Version 2.0].

ASM 4 License

ASM 4 uses a 3-clause BSD license. For details, see licenses/asm-license.txt.
Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright

license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient
a non-exclusive, worldwide, royalty-free patent
license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by

any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and

conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or

alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than

one year after the cause of action arose. Each party waives its rights
to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

ANTLR 2 License

Antlr2 is released in the public domain.
See licenses/antlr2-license.txt for details.

ASM 4 License

ASM 4 uses a 3-clause BSD license. For details, see licenses/asm-license.txt.
ANTLR 2 License

Antlr2 is released in the public domain.
See licenses/antlr2-license.txt for details.
JSR166y License (optionally used by the optional GPars dependency)

This product bundles the jsr166y jar (containing works from
the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in
the public domain. For details, see licenses/jsr166y-license.
Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

This product embeds the OpenBeans jar within its grooid jar artifacts
OpenBeans includes/uses files from Apache Harmony and the following notice applies
Copyright 2006, 2010 The Apache Software Foundation.
Portions of Apache Harmony were originally developed by Intel Corporation and are licensed to the Apache Software Foundation under the "Software Grant and Corporate Contribution License Agreement" and for which the following copyright notices apply

(C) Copyright 2005 Intel Corporation
(C) Copyright 2005-2006 Intel Corporation
(C) Copyright 2006 Intel Corporation

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

ANTLR 2 License

Antlr2 is released in the public domain.
See licenses/antlr2-license.txt for details.

ASM 4 License

ASM 4 uses a 3-clause BSD license. For details, see licenses/asm-license.txt.

JLine2 Patch License

The following class within this product:

org.codehaus.groovy.tools.shell.completion.FileNameCompleter

was derived from JLine 2.12, and the following patch:
https://github.com/jline/jline2/issues/90
JLine2
is made available under a BSD License.
For details, see licenses/jline2-license.

JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in
collaboration with the Groovy community. The reference implementation
has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

---

normalize.css License

The stylesheet.css file (originally normalize.css) is used by the
groovydoc and docgenerator components for groovy-jdk/gapi documentation.
It is made available under a MIT License. Details: licenses/normalize-stylesheet-license.txt
Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

NORMALIZE.CSS LICENSE

The following file is used with documentation:

org/codehaus/groovy/tools/stylesheet.css

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject
to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Asciidoc License

This product uses the style.css from asciidoctor.org within
documentation. The file is available under the MIT License.
For details, see licenses/asciidoc-style-license.txt.

JQuery License

The following file is used within documentation:

src/spec/assets/css/jquery-2.1.1.min.js

This file is made available under the following MIT license:
licenses/jquery-js-license.txt

---

normalize.css License

The
stylesheet.css file (originally normalize.css) is used by the
groovydoc and docgenerator components for groovy-jdk/gapi documentation.
It is made available under a MIT License. Details: licenses/normalize-stylesheet-license.txt
XStream License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a
"3-clause BSD" license. For details, see licenses/xstream-license.
//

Licensed to the Apache Software Foundation (ASF) under one
or more contributor license agreements. See the NOTICE file
distributed with this work for additional information
regarding copyright ownership. The ASF licenses this file
to you under the Apache License, Version 2.0 (the
"License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing,
software distributed under the License is distributed on an
"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
KIND, either express or implied. See the License for the
specific language governing permissions and limitations
under the License.

//

= Contributors

The Groovy team would like to thank the contributors of this documentation (by alphabetical order):

* https://github.com/mojavelinux[Dan
Allen]
* https://github.com/and-dmitry[Dmitry Andreychuk]
* http://hamletdarcy.blogspot.fr/[Hamlet D'Arcy]
* https://github.com/anshbansal[Aseem Bansal]
* https://github.com/bura[Andrey Bloschetsov]
* https://github.com/JBrownVisualSpection[J Brown]
* https://github.com/jeffbrown[Jeff Scott Brown]
* http://twitter.com/CedricChampeau[Cdric Champeau]
* https://github.com/tobia[Tobia Conforto]
* https://github.com/ddimtirov[Dimitar Dimitrov]
* http://twitter.com/werdnagreb[Andrew Eisenberg]
* https://github.com/christoph-frick[Christoph Frick]
* http://twitter.com/marioggar[Mario Garca]
* https://github.com/davidmichaelkarr[David Michael Karr]
* http://twitter.com/paulk_asert[Paul King]
* http://twitter.com/glaforge[Guillaume Laforge]
* http://twitter.com/pledbrook[Peter Ledbrook]
* http://grantmcconnaughey.github.io/[Grant McConnaughey]
* https://github.com/dnahodil[David Nahodil]
* https://github.com/jnorthr[James Northrop]
* https://github.com/marcpa00[Marc Paquette]
*
https://github.com/michaelss[Michael Schuenck]
* https://github.com/PascalSchumacher[Pascal Schumacher]
* https://github.com/shils[Shil Sinha]
* https://github.com/stavytskyi[Maksym Stavytskyi]
* https://twitter.com/asteingr[Andr Steingre]
* https://github.com/keeganwitt[Keegan Witt]
* https://twitter.com/daniel_sun[Daniel Sun]
The MIT License

Copyright (C) 2012-2015 Dan Allen, Ryan Waldron and the Asciidoctor Project

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT
OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
NORMALIZE.CSS LICENSE

The following file is used with documentation:

org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/stylesheet.css

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
Asciidoc License

This product uses the style.css from asciidoctor.org within
documentation. The file is available under the MIT License.

For details, see licenses/asciidoc-style-license.txt.
Copyright (c) 2006, Sun Microsystems, Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this
  list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.

- Neither the name of the Sun Microsystems, Inc. nor the names of
  contributors may be used to endorse or promote products derived from this
  software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
 EVENT SHALL THE
COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.
Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

This product bundles icons from the famfamfam.com silk icons set
http://www.famfamfam.com/lab/icons/silk/
Licensed under the Creative Commons Attribution Licence v2.5
http://creativecommons.org/licenses/by/2.5/
Apache Groovy
Copyright 2003-2017 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (http://www.apache.org/).

This product includes/uses ANTLR (http://www.antlr2.org/)
developed by Terence Parr 1989-2006

This product bundles icons from the famfamfam.com silk icons set
http://www.famfamfam.com/lab/icons/silk/
Licensed under the Creative Commons Attribution Licence v2.5
http://creativecommons.org/licenses/by/2.5/
Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

This product includes/uses ANTLR (http://www.antlr2.org/)
developed by Terence Parr 1989-2006

This product bundles the JUnit jar (junit.org)
which is available under the terms of the Eclipse Public License v1.0

This product embeds the OpenBeans jar within its grooid jar artifacts
OpenBeans includes/uses files from Apache Harmony and the following notice applies
Copyright 2006, 2010 The Apache Software Foundation.
Portions of Apache Harmony were originally developed by Intel Corporation and are
licensed to the Apache Software Foundation under the "Software Grant and Corporate
Contribution License Agreement" and for which the following copyright notices apply
  (C) Copyright 2005 Intel Corporation
  (C) Copyright 2005-2006 Intel Corporation
  (C) Copyright 2006 Intel Corporation

This product bundles icons from the
 famfamfam.com silk icons set
http://www.famfamfam.com/lab/icons/silk/
Licensed under the Creative Commons Attribution Licence v2.5
http://creativecommons.org/licenses/by/2.5/
JLine2 License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a
BSD License. For details, see licenses/jline2-license.
Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
Hamcrest License (needed when using optional JUnit dependency)

This product bundles the Hamcrest jar, which is available under a
BSD license. For details, see licenses/hamcrest-license.
ANTLR 2 License

We reserve no legal rights to the ANTLR--it is fully in the public domain. An individual or company may do whatever they wish with source code distributed with ANTLR or the code generated by ANTLR, including the incorporation of ANTLR, or its output, into commerical software.

We encourage users to develop software with ANTLR. However, we do ask that credit is given to us for developing ANTLR. By "credit", we mean that if you use ANTLR or incorporate any source code into one of your programs (commercial product, research project, or otherwise) that you acknowledge this fact somewhere in the documentation, research report, etc... If you like ANTLR and have developed a nice tool with the output, please mention that you developed it using ANTLR. In addition, we ask that the headers remain intact in our source code. As long as these guidelines are kept, we expect to continue enhancing this system and expect to make other tools available as they are completed.

In countries
where the Public Domain status of the work may not be valid, the author grants a copyright
licence to the general public to deal in the work without restriction and permission to sublicence derivates under the terms of any (OSI approved) Open Source licence.

The Python parser generator code under antlr/actions/python/ is covered by the 3-clause BSD licence (this part is included in the binary JAR files); the run-time part under lib/python/ is covered by the GNU GPL, version 3 or later (this part is not included in the binary JAR files). See [1] for the full details.

https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=750643#80%22
JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in
collaboration with the Groovy community. The reference implementation
has a BSD-style license. Details can be found in: licenses/jsr223-license.txt
This directory contains generated LICENSE files and snippets used to generate those files.
See the assemble.gradle file (updateLicenses task) for details on how this is done.
Snippets have predefined suffix values in their name to determine which files they go into.
LICENSE (the one for source), LICENSE-DOC and LICENSE-JARJAR
get snippets containing SRC, DOC and JARJAR respectively.
LICENSE-ALLJARJAR gets JARJAR and ALLJARJAR snippets.
LICENSE-BINZIP gets JARJAR, ALLJARJAR and BINZIP snippets.
In addition, LICENSE files are generated for these subprojects:
groovy-docgenerator, groovy-groovydoc, groovy-groovysh, groovy-jsr223
Revised BSD license

This is a specific instance of the Open Source Initiative (OSI) BSD license template
http://www.opensource.org/licenses/bsd-license.php

Copyright 2004-2009 Brent Fulgham
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of "The Computer Language Benchmarks Game" nor the name of "The Computer Language Shootout Benchmarks" nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT
HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
JUnit License (optional dependency when using Groovy for testing)

This product bundles the JUnit jar, which is available under the

Eclipse Public License v1.0. For details, see licenses/junit-license.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

JLine2 Patch License

The following class within this product:

org.codehaus.groovy.tools.shell.completion.FileNameCompleter

was derived from JLine 2.12, and the following patch:
https://github.com/jline/jline2/issues/90
JLine2 is made available under a BSD License.
For details, see licenses/jline2-license.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

ANTLR 2 License

Antlr2 is released in the public domain.
See licenses/antlr2-license.txt for details.

ASM 4 License

ASM 4 uses a 3-clause BSD license. For details, see licenses/asm-license.txt.

Hamcrest License (needed when using optional JUnit dependency)

This product bundles the Hamcrest jar, which is available under a
BSD license. For details, see licenses/hamcrest-license.

JLine2
License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a
BSD License. For details, see licenses/jline2-license.

JLine2 Patch License

The following class within this product:

org.codehaus.groovy.tools.shell.completion.FileNameCompleter

was derived from JLine 2.12, and the following patch:
https://github.com/jline/jline2/issues/90
JLine2 is made available under a BSD License.
For details, see licenses/jline2-license.

JSR166y License (optionally used by the optional GPars dependency)

This product bundles the jsr166y jar (containing works from
the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in
the public domain. For details, see licenses/jsr166y-license.

JSR223
License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in
collaboration with the Groovy community. The reference implementation
has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

---

JUnit License (optional dependency when using Groovy for testing)

This product bundles the JUnit jar, which is available under the
Eclipse Public License v1.0. For details, see licenses/junit-license.

---

normalize.css License

The stylesheet.css file (originally normalize.css) is used by the
groovydoc and docgenerator components for groovy-jdk/gapi documentation.
It is made available under a MIT
License. Details: licenses/normalize-stylesheet-license.txt

XStream License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a
"3-clause BSD" license. For details, see licenses/xstream-license.
BSD License

Copyright (c) 2000-2015 www.hamcrest.org
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of
conditions and the following disclaimer. Redistributions in binary form must reproduce
the above copyright notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse
or promote products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT
SHALL THE COPYRIGHT OWNER
OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN
ANY
WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.
JLine2 Patch License

The following class within this product:

org.codehaus.groovy.tools.shell.completion.FileNameCompleter

was derived from JLine 2.12, and the following patch:
https://github.com/jline/jline2/issues/90
JLine2 is made available under a BSD License.
For details, see licenses/jline2-license.
ASM License

ASM: a very small and fast Java bytecode manipulation framework
Copyright (c) 2000-2011 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.
Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

This product includes/uses ANTLR (http://www.antlr2.org/)
developed by Terence Parr 1989-2006

This product bundles the JUnit jar (junit.org)
which is available under the terms of the Eclipse Public License v1.0

This product embeds the OpenBeans jar within its grooid jar artifacts
OpenBeans includes/uses files from Apache Harmony and the following notice applies
Copyright 2006, 2010 The Apache Software Foundation.
Portions of Apache Harmony were originally developed by Intel Corporation and are
licensed to the Apache Software Foundation under the "Software Grant and Corporate
Contribution License Agreement" and for which the following copyright notices apply
(C) Copyright 2005 Intel Corporation
(C) Copyright 2005-2006 Intel Corporation
(C) Copyright 2006 Intel Corporation

This product bundles icons from the
famfamfam.com silk icons set
http://www.famfamfam.com/lab/icons/silk/
Licensed under the Creative Commons Attribution Licence v2.5
http://creativecommons.org/licenses/by/2.5/

This convenience zip embeds Groovy's src and doc zips.
See also src/NOTICE and doc/NOTICE files for additional notice information.
Copyright (c) 2003-2006, Joe Walnes
Copyright (c) 2006-2009, 2011 XStream Committers
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of
conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of
conditions and the following disclaimer in the documentation and/or other materials provided
with the distribution.

3. Neither the name of XStream nor the names of its contributors may be used to endorse
or promote products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT
SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN
ANY
WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.
The person or persons who have associated work with this document (the
"Dedicator" or "Certifier") hereby either (a) certifies that, to the best of
his knowledge, the work of authorship identified is in the public domain of
the country from which the work is published, or (b) hereby dedicates whatever
copyright the dedicators holds in the work of authorship identified below (the
"Work") to the public domain. A certifier, moreover, dedicates any copyright
interest he may have in the associated work, and for these purposes, is
described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this
work. Certifier recognizes that his good faith efforts may not shield him from
liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this
License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Asciidoc License

This product uses the style.css from asciidoctor.org within
documentation. The file is available under the MIT License.
For details, see licenses/asciidoc-style-license.txt.

JLine2 Patch License

The following class within this product:

org.codehaus.groovy.tools.shell.completion.FileNameCompleter

was derived from JLine 2.12, and the following patch:
https://github.com/jline/jline2/issues/90
JLine2 is made available under a BSD License.
For details, see licenses/jline2-license.

JQuery
License

The following file is used within documentation:

src/spec/assets/css/jquery-2.1.1.min.js

This file is made available under the following MIT license:
licenses/jquery-js-license.txt

JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in
collaboration with the Groovy community. The reference implementation
has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

---

normalize.css License

The stylesheet.css file (originally normalize.css) is used by the
groovydoc and docgenerator components
for groovy-jdk/gapi documentation.
It is made available under a MIT License. Details: licenses/normalize-stylesheet-license.txt
JQuery License

The following file is used within documentation:

src/spec/assets/css/jquery-2.1.1.min.js

This file is made available under the following MIT license:

licenses/jquery-js-license.txt

```
/*
*  Licensed to the Apache Software Foundation (ASF) under one
*  or more contributor license agreements.  See the NOTICE file
*  distributed with this work for additional information
*  regarding copyright ownership.  The ASF licenses this file
*  to you under the Apache License, Version 2.0 (the
*  "License"); you may not use this file except in compliance
*  with the License.  You may obtain a copy of the License at
*
*    http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing,
*  software distributed under the License is distributed on an
*  "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
*  KIND, either express or implied.  See the License for the
*  specific language governing permissions and limitations
*  under the License.
*/
```

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
    incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

 Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

   "License" shall mean the terms and conditions for use, reproduction,
   and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

NORMALIZE.CSS LICENSE

The following file is used with documentation:

org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/stylesheet.css

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the
Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (c) 2002-2012, the original author or authors.
All rights reserved.

http://www.opensource.org/licenses/bsd-license.php

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the following
conditions are met:

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with
the distribution.

Neither the name of JLine nor the names of its contributors
may be used to endorse or promote products derived from this
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO
EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.
normalize.css License

The stylesheet.css file (originally normalize.css) is used by the
groovydoc and docgenerator components for groovy-jdk/gapi documentation.
It is made available under a MIT License. Details: licenses/normalize-stylesheet-license.txt

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

ANTLR 2 License

Antlr2 is released in the public domain.
See licenses/antlr2-license.txt for details.

ASM 4 License

ASM 4 uses a 3-clause BSD license. For details, see licenses/asm-license.txt.

Hamcrest License (needed when using optional JUnit dependency)

This product bundles the Hamcrest jar, which is available under a
BSD license. For details, see licenses/hamcrest-license.

JLine2
 License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a
BSD License. For details, see licenses/jline2-license.

JLine2 Patch License

The following class within this product:

  org.codehaus.groovy.tools.shell.completion.FileNameCompleter

was derived from JLine 2.12, and the following patch:
https://github.com/jline/jline2/issues/90
JLine2 is made available under a BSD License.
For details, see licenses/jline2-license.

JSR166y License (optionally used by the optional GPars dependency)

This product bundles the jsr166y jar (containing works from
the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in
the public domain. For details, see licenses/jsr166y-license.

JSR223
License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in
collaboration with the Groovy community. The reference implementation
has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

---

JUnit License (optional dependency when using Groovy for testing)

This product bundles the JUnit jar, which is available under the
Eclipse Public License v1.0. For details, see licenses/junit-license.

---

normalize.css License

The stylesheet.css file (originally normalize.css) is used by the
groovydoc and docgenerator components for groovy-jdk/gapi documentation.
It is made available under a MIT
License. Details: licenses/normalize-stylesheet-license.txt

XStream License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a
"3-clause BSD" license. For details, see licenses/xstream-license.

This convenience zip embeds Groovy's src and doc zips.
See also src/LICENSE and doc/LICENSE files for additional license information.

1.64 byte-buddy byte-buddy-1.9.10

1.64.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Maven includes a number of components and libraries with separate
copyright notices and license terms. Your use of those components are
subject to the terms and conditions of the following licenses.

AOP alliance (http://aopalliance.sourceforge.net) aopalliance:aopalliance:jar:1.0
License: Public Domain

JSR-250 Common Annotations for the JavaTM Platform
(http://jcp.org/aboutJava/communityprocess/final/jsr250/index.html) javax.annotation:jsr250-api:jar:1.0
License: COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0
https://glassfish.java.net/public/CDDLv1.0.html (lib/jsr250-api.license)

CDI APIs (http://www.seamframework.org/Weld/cdi-api)
javax.enterprise:cdi-api:jar:1.0
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0 (lib/cdi-api.license)

Maven Aether Provider (http://maven.apache.org/ref/3.2.5/maven-aether-provider) org.apache.maven:maven-aether-provider:jar:3.2.5
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/maven-aether-provider.license)

Maven Artifact (http://maven.apache.org/ref/3.2.5/maven-artifact) org.apache.maven:maven-artifact:jar:3.2.5
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/maven-artifact.license)

Maven Compat (http://maven.apache.org/ref/3.2.5/maven-compat) org.apache.maven:maven-compat:jar:3.2.5

License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/maven-compat.license)

Maven Core (http://maven.apache.org/ref/3.2.5/maven-core) org.apache.maven:maven-core:jar:3.2.5
License: Apache License,
Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/maven-core.license)

Maven Embedder (http://maven.apache.org/ref/3.2.5/maven-embedder) org.apache.maven:maven-embedder:jar:3.2.5
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/maven-embedder.license)

Maven Model (http://maven.apache.org/ref/3.2.5/maven-model) org.apache.maven:maven-model:jar:3.2.5
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/maven-model.license)

Maven Model Builder (http://maven.apache.org/ref/3.2.5/maven-model-builder) org.apache.maven:maven-model-builder:jar:3.2.5
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/maven-model-builder.license)

Maven Plugin API (http://maven.apache.org/ref/3.2.5/maven-plugin-api) org.apache.maven:maven-plugin-api:jar:3.2.5
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/maven-plugin-api.license)

Maven
Repository Metadata Model (http://maven.apache.org/ref/3.2.5/maven-repository-metadata) org.apache.maven:maven-repository-metadata:jar:3.2.5
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/maven-repository-metadata.license)

Maven Settings (http://maven.apache.org/ref/3.2.5/maven-settings) org.apache.maven:maven-settings:jar:3.2.5
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/maven-settings.license)

Maven Settings Builder (http://maven.apache.org/ref/3.2.5/maven-settings-builder) org.apache.maven:maven-settings-builder:jar:3.2.5
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/maven-settings-builder.license)

Apache Maven Wagon :: Providers :: File Provider (http://maven.apache.org/wagon/wagon-providers/wagon-file) org.apache.maven.wagon:wagon-file:jar:2.8
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/wagon-file.license)

Apache Maven Wagon :: Providers :: HTTP Provider (http://maven.apache.org/wagon/wagon-providers/wagon-http) org.apache.maven.wagon:wagon-http:jar:2.8

License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/wagon-http.license)

Apache Maven Wagon :: Providers :: HTTP Shared Library (http://maven.apache.org/wagon/wagon-providers/wagon-http-shared) org.apache.maven.wagon:wagon-http-shared:jar:2.8
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/wagon-http-shared.license)

Apache Maven Wagon :: API (http://maven.apache.org/wagon/wagon-provider-api) org.apache.maven.wagon:wagon-provider-api:jar:2.8
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/wagon-provider-api.license)

Aether API (http://www.eclipse.org/aether/aether-api/) org.eclipse.aether:aether-api:jar:1.0.0.v20140518
License: Eclipse Public License, Version
1.0 http://www.eclipse.org/legal/epl-v10.html (lib/aether-api.license)

Aether Connector Basic (http://www.eclipse.org/aether/aether-connector-basic/) org.eclipse.aether:aether-connector-basic:jar:1.0.0.v20140518
License: Eclipse Public License, Version 1.0 http://www.eclipse.org/legal/epl-v10.html (lib/aether-connector-basic.license)

Aether Implementation (http://www.eclipse.org/aether/aether-impl/) org.eclipse.aether:aether-impl:jar:1.0.0.v20140518
License: Eclipse Public License, Version 1.0 http://www.eclipse.org/legal/epl-v10.html (lib/aether-impl.license)

Aether SPI (http://www.eclipse.org/aether/aether-spi/) org.eclipse.aether:aether-spi:jar:1.0.0.v20140518
License: Eclipse Public License, Version 1.0 http://www.eclipse.org/legal/epl-v10.html (lib/aether-spi.license)

Aether Transport Wagon (http://www.eclipse.org/aether/aether-transport-wagon/) org.eclipse.aether:aether-transport-wagon:jar:1.0.0.v20140518
License: Eclipse Public License, Version 1.0 http://www.eclipse.org/legal/epl-v10.html
(lib/aether-transport-wagon.license)

Aether Utilities (http://www.eclipse.org/aether/aether-util/) org.eclipse.aether:aether-util:jar:1.0.0.v20140518
License: Eclipse Public License, Version 1.0 http://www.eclipse.org/legal/epl-v10.html (lib/aether-util.license)

org.eclipse.sisu.inject (http://www.eclipse.org/sisu/org.eclipse.sisu.inject/) org.eclipse.sisu:org.eclipse.sisu.inject:eclipse-plugin:0.3.0.M1
License: Eclipse Public License, Version 1.0 http://www.eclipse.org/legal/epl-v10.html (lib/org.eclipse.sisu.inject.license)

org.eclipse.sisu.plexus (http://www.eclipse.org/sisu/org.eclipse.sisu.plexus/) org.eclipse.sisu:org.eclipse.sisu.plexus:eclipse-plugin:0.3.0.M1
License: Eclipse Public License, Version 1.0 http://www.eclipse.org/legal/epl-v10.html (lib/org.eclipse.sisu.plexus.license)

jsoup (http://jsoup.org/) org.jsoup:jsoup:jar:1.7.2
License: The MIT License http://jsoup.com/license (lib/jsoup.license)

SLF4J API Module
(http://www.slf4j.org) org.slf4j:slf4j-api:jar:1.7.5
License: MIT License http://www.opensource.org/licenses/mit-license.php (lib/slf4j-api.license)

SLF4J Simple Binding (http://www.slf4j.org) org.slf4j:slf4j-simple:jar:1.7.5
License: MIT License http://www.opensource.org/licenses/mit-license.php (lib/slf4j-simple.license)

Plexus Cipher: encryption/decryption Component (http://spice.sonatype.org/plexus-cipher)
org.sonatype.plexus:plexus-cipher:jar:1.7
License: Apache Public License 2.0 http://www.apache.org/licenses/LICENSE-2.0 (lib/plexus-cipher.license)

Plexus Security Dispatcher Component (http://spice.sonatype.org/plexus-sec-dispatcher)
org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3
License: Apache Public License 2.0 http://www.apache.org/licenses/LICENSE-2.0 (lib/plexus-sec-dispatcher.license)
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML+RDFa 1.0//EN"
"http://www.w3.org/MarkUp/DTD/xhtml-rdfa-1.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" version="XHTML+RDFa 1.0" dir="ltr">

<head profile="http://www.w3.org/1999/xhtml/vocab">
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<link rel="shortcut icon" href="http://opensource.org/files/garland_favicon.png" type="image/png" />
<link rel="shortlink" href="/node/66" />
<link rel="canonical" href="/licenses/MIT" />
<meta name="Generator" content="Drupal 7 (http://drupal.org)" />
<title>The MIT License (MIT) | Open Source Initiative</title>
<link type="text/css" rel="stylesheet" href="http://opensource.org/files/css/css_xE-rWrJf-fncB6ztZfd2huxqgxu4WO-qwma6Xer30m4.css" media="all" />
<link type="text/css" rel="stylesheet" href="http://opensource.org/files/css/css_2ATB4XKGEvmoUk_p62PwI-o2aW47EqqS0nD2dmPZoV4.css" media="all" />
<link type="text/css" rel="stylesheet" href="http://opensource.org/files/css/css_2wI77kyP-rJKVpFW5M3KFcj7Cb99lZalmubKIwWwsmU.css"
media="all" />
<link type="text/css" rel="stylesheet"
href="http://opensource.org/files/css/css_k3snrbsthqot7V7ccRZHS9OkCZkwBv4adtNieIVlbEU.css" media="print" />

<!--[if lt IE 7]>
<link type="text/css" rel="stylesheet" href="http://opensource.org/themes/garland/fix-ie.css?nfb7pm" media="all" />
<![endif]-->
<script type="text/javascript"
src="http://opensource.org/files/js/js_xAPl0qIk9eowy_iS9tNkCWXLUVoat94SQT48UBCFkyQ.js"></script>
<script type="text/javascript">
<!--//--><![CDATA[//><!--
jQuery.extend(Drupal.settings,
{"basePath":"\/","pathPrefix":"","ajaxPageState":{"theme":"garland","theme_token":"meUjjBBfr6QFJv5kp0oKi152

l673C3xJMLGIQzbH9g0","js":{"misc\/jquery.js":1,"misc\/jquery.once.js":1,"misc\/drupal.js":1},"css":{"modules\/system\/system.base.css":1,"modules\/system\/system.menus.css":1,"modules\/system\/system.messages.css":1,"modules\/system\/system.theme.css":1,"modules\/aggregator\/aggregator.css":1,"modules\/comment\/comment.css":1,"modules\/field\/theme\/field.css":1,"sites\/all\/modules\/mollom\/mollom.css":1,"modules\/node\/node.css":1,"modules\/search\/search.css":1,"modules\/user\/user.css":1,"themes\/garland\/style.css":1,"themes\/garland\/print.css":1,"themes\/garland\/fix-ie.css":1}}});
//--><![]>
</script>
</head>
<body
 class="html not-front not-logged-in one-sidebar sidebar-first page-node page-node- page-node-66 node-type-page fluid-width" >

  Skip to main content

                 Open Source Initiative

                 <!-- /#header -->

  <h2 class="title">Search this site:</h2>

  <form action="/licenses/mit-license.php" method="post" id="search-block-form" accept-charset="UTF-8">

 <label class="element-invisible" for="edit-search-block-form--2">Search </label>
<input title="Enter the terms you wish to search for." type="text" id="edit-search-block-form--2" name="search_block_form" value="" size="15" maxlength="128" class="form-text" />

<input type="submit" id="edit-submit" name="op" value="Search" class="form-submit" /> <input
 type="hidden" name="form_build_id" value="form-MyBqFtDVdzOmaSnCHKIG9yhm0ofMr7fNMG5Vy76N_uk" />

<input type="hidden" name="form_id" value="search_block_form" />

</form>

  <h2 class="title">Navigation</h2>

  <ul class="menu"><li class="first collapsed">About the OSI
<li class="collapsed">The Open Source Definition
<li class="collapsed">Open Source Licenses
<li class="leaf">Working Groups
<li class="leaf">FAQ
<li class="collapsed">Trademark and Logo Usage
<li
 class="collapsed">Open Standards
<li class="leaf">Open Source Education
<li class="collapsed">Mailing lists
<li class="collapsed">Getting Help
<li class="collapsed">Donate to the OSI
<li class="leaf">OSI Individual Membership
<li class="leaf">OSI Store
<li class="collapsed">OSI Affiliate Membership
<li class="leaf">Contact OSI
<li class="leaf"><a href="/ToS"
 title="Rules for posting content on this site">Terms of Service
<li class="last leaf">OSI Corporate Support

        <h2 class="element-invisible">You are here</h2> Home

                               <h1 class="with-tabs">The MIT License (MIT)</h1>

<img style="float: right; margin: 1em;" width="100" height="137"
alt="[OSI Approved License]" src="/trademarks/opensource/OSI-Appro
ved-License-100x137.png"/>
<div class="field-
items"> The MIT License (MIT)
Copyright (c) <year> <copyright holders>
Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:
The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY
KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

```
 <div class="content">
   <p style="text-align:center">Help shape the future of the Open Source Initiative...<br /><a
href="http://osi.xwiki.com">visit and participate in the OSI wiki</a>.
</p>

<div>
<a href="https://twitter.com/OpenSourceOrg" class="twitter-follow-button"
 data-show-count="false" data-lang="en">Follow @OpenSourceOrg</a>
<script>
<!--//--><![CDATA[// ><!--
!function(d,s,id){var
js,fjs=d.getElementsByTagName(s)[0];if(!d.getElementById(id)){js=d.createElement(s);js.id=id;js.src="//platform.t
witter.com/widgets.js";fjs.parentNode.insertBefore(js,fjs);}}(document,"script","twitter-wjs");
//--><!]]>
</script></div>

<p>
<!-- Creative Commons License --><a rel="license" href="http://creativecommons.org/licenses/by/4.0/"><img
alt="Creative Commons License" style="border-width: 0" src="http://i.creativecommons.org/l/by/4.0/88x31.png"
/></a><br />Opensource.org site content is licensed under a <a rel="license"
href="http://creativecommons.org/licenses/by/4.0/">Creative Commons Attribution 4.0 International
License</a>.<!-- /Creative Commons License -->

<!-- <rdf:RDF xmlns="http://web.resource.org/cc/" xmlns:dc="http://purl.org/dc/elements/1.1/"
xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#" xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#">
 <Work
 rdf:about="">
  <license rdf:resource="http://creativecommons.org/licenses/by/3.0/" />
 </Work>
 <License rdf:about="http://creativecommons.org/licenses/by/3.0/"><permits
rdf:resource="http://web.resource.org/cc/Reproduction"/><permits
rdf:resource="http://web.resource.org/cc/Distribution"/><requires
rdf:resource="http://web.resource.org/cc/Notice"/><requires
rdf:resource="http://web.resource.org/cc/Attribution"/><permits
rdf:resource="http://web.resource.org/cc/DerivativeWorks"/></License></rdf:RDF>
-->

| <a href="../ToS">Terms of Service</a>

</p>
 </div>
</div>
<div id="block-block-7" class="block block-block clearfix">


 <div class="content">
   <script src="http://www.google-analytics.com/urchin.js" type="text/javascript">
```

<!--//--><![CDATA[// ><!--

//--><!]]>
</script><script type="text/javascript">
<!--//--><![CDATA[// ><!--

_uacct = "UA-3916956-1";
urchinTracker();

//--><!]]>
</script>

     <!-- /.left-corner,
 /.right-corner, /#squeeze, /#center -->

   <!-- /#container -->
  <!-- /#wrapper -->
 </body>
</html>
Copyright ${project.inceptionYear} - ${current.year} ${copyright.holder}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
==
== NOTICE file corresponding to the section 4 d of   ==
== the Apache License, Version 2.0,   ==
== in this case for the Gradle distribution.   ==
==

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

It includes the following other software:

Groovy (http://groovy-lang.org)
SLF4J (http://www.slf4j.org)

Junit (http://www.junit.org)
JCIFS (http://jcifs.samba.org)

For licenses see the LICENSE file.

If any software distributed with Gradle does not have an Apache 2 License, its license is explicitly listed in the LICENSE file.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

==========

Gradle Subcomponents:

License for the slf4j package

SLF4J License

Copyright (c) 2004-2007 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute,
sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

These terms are identical to those of the MIT License, also called the X License or the X11 License, which is a simple, permissive non-copyleft free software license. It is deemed compatible with virtually all
types of licenses, commercial or otherwise. In particular, the Free Software Foundation has declared it compatible with GNU GPL. It is also known to be approved by the Apache Software Foundation as compatible with Apache Software License.

License for the JUnit package

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that
particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license
to
reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions
set forth herein, no assurances are provided by any
Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own
license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made
available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify

every other Contributor ("Indemnified
Contributor") against any losses, damages
and costs (collectively "Losses") arising from claims, lawsuits and other legal
actions brought by a third party against the Indemnified Contributor to the
extent caused by the acts or omissions of such Commercial Contributor in
connection with its distribution of the Program in a commercial product
offering. The obligations in this section do not apply to any claims or Losses
relating to any actual or alleged intellectual property infringement. In order
to qualify, an Indemnified Contributor must: a) promptly notify the Commercial
Contributor in writing of such claim, and b) allow the Commercial Contributor to
control, and cooperate with the Commercial Contributor in, the defense and any
related settlement negotiations. The Indemnified Contributor may participate in
any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product
offering, Product X. That Contributor is then a Commercial Contributor.
If that
Commercial Contributor then makes performance claims, or offers warranties
related to Product X, those performance claims and warranties are such
Commercial Contributor's responsibility alone. Under this section, the
Commercial Contributor would have to defend claims against the other
Contributors related to those performance claims and warranties, and if a court
requires any other Contributor to pay any damages as a result, the Commercial
Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN
"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR
IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE,
NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each
Recipient is solely responsible for determining the appropriateness of using and
distributing the Program and assumes all risks associated with its exercise of
rights under this
Agreement, including but not limited to the risks and costs of
program errors, compliance with applicable laws, damage to or loss of data,
programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY
CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST
PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS
GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the

intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

License
for the JCIFS package

JCIFS License

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies
to some
specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these

rights. These restrictions translate to certain responsibilities for you
if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that
the original
author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally
speaking a
combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it

does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to
the modified work as a whole. If
identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium
does not bring the other work under
the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for

that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference
directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the
user's computer system,
rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy

from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you

permission to modify or
distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you
(whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such
claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates
the limitation as if
written in the body of this License.

13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free
Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT

HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if

necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!

License for the JGit package

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the
 following conditions are met:

  * Redistributions of source code must retain the above copyright notice,
    this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above copyright notice,
    this list of conditions and the following disclaimer in the documentation
    and/or other materials provided with the distribution.
  * Neither the name of the Eclipse Foundation, Inc. nor the names of its
    contributors may be used to endorse or promote products derived from this
    software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT
 NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
<?xml version="1.0" encoding="ISO-8859-1" ?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">

<head>
<meta http-equiv="Content-Type" content="text/html; charset=ISO-8859-1" />

```
<title>Eclipse Public License - Version 1.0</title>
<style type="text/css">
 body {
   size: 8.5in 11.0in;
   margin: 0.25in 0.5in 0.25in 0.5in;
   tab-interval: 0.5in;
   }
 p {
   margin-left: auto;
   margin-top:  0.5em;
   margin-bottom: 0.5em;
   }
 p.list {
  margin-left: 0.5in;
   margin-top:  0.05em;
   margin-bottom: 0.05em;
   }
 </style>

</head>

<body lang="EN-US">

<h2>Eclipse Public License - v 1.0</h2>

<p>THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE
PUBLIC LICENSE (&amp;quot;AGREEMENT&amp;quot;). ANY USE, REPRODUCTION OR
DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS
AGREEMENT.</p>

<p><b>1. DEFINITIONS</b></p>

<p>&amp;quot;Contribution&amp;quot;
 means:</p>

<p class="list">a) in the case of the initial Contributor, the initial
code and documentation distributed under this Agreement, and</p>
<p class="list">b) in the case of each subsequent Contributor:</p>
<p class="list">i) changes to the Program, and</p>
<p class="list">ii) additions to the Program;</p>
<p class="list">where such changes and/or additions to the Program
originate from and are distributed by that particular Contributor. A
Contribution 'originates' from a Contributor if it was added to the
Program by such Contributor itself or anyone acting on such
Contributor's behalf. Contributions do not include additions to the
Program which: (i) are separate modules of software distributed in
conjunction with the Program under their own license agreement, and (ii)
are not derivative works of the Program.</p>
```

"Contributor" means any person or entity that distributes
the Program.

"Licensed Patents" mean patent claims licensable
by a
Contributor which are necessarily infringed by the use or sale of its
Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance
with this Agreement.

"Recipient" means anyone who receives the Program under
this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each
Contributor hereby grants Recipient a non-exclusive, worldwide,
royalty-free copyright license to reproduce, prepare derivative works
of, publicly display, publicly perform, distribute and sublicense the
Contribution of such Contributor, if any, and such derivative works, in
source code and object code form.

b) Subject to the terms of this Agreement, each
Contributor hereby grants Recipient a non-exclusive, worldwide,
royalty-free patent license under Licensed Patents to make, use, sell,
offer to sell, import and otherwise
transfer the Contribution of such
Contributor, if any, in source code and object code form. This patent
license shall apply to the combination of the Contribution and the
Program if, at the time the Contribution is added by the Contributor,
such addition of the Contribution causes such combination to be covered
by the Licensed Patents. The patent license shall not apply to any other
combinations which include the Contribution. No hardware per se is
licensed hereunder.

c) Recipient understands that although each Contributor
grants the licenses to its Contributions set forth herein, no assurances
are provided by any Contributor that the Program does not infringe the
patent or other intellectual property rights of any other entity. Each
Contributor disclaims any liability to Recipient for claims brought by
any other entity based on infringement of intellectual property rights
or otherwise. As a condition to exercising the rights and licenses
granted hereunder, each Recipient
hereby assumes sole responsibility to
secure any other intellectual property rights needed, if any. For
example, if a third party patent license is required to allow Recipient

to distribute the Program, it is Recipient's responsibility to acquire
that license before distributing the Program.

d) Each Contributor represents that to its knowledge it
has sufficient copyright rights in its Contribution, if any, to grant
the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code
form under its own license agreement, provided that:

a) it complies with the terms and conditions of this
Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors
all warranties and conditions, express and implied, including warranties
or conditions of title and non-infringement, and implied
warranties or
conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors
all liability for damages, including direct, indirect, special,
incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this
Agreement are offered by that Contributor alone and not by any other
party; and

iv) states that source code for the Program is available
from such Contributor, and informs licensees how to obtain it in a
reasonable manner on or through a medium customarily used for software
exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each
copy of the Program.

Contributors may not remove or alter any copyright notices contained
within the Program.

Each

Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party
against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and
warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY

OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely
responsible for determining the appropriateness of using and
distributing the Program and assumes all risks associated with its
exercise of rights under this Agreement , including but not limited to
the risks and costs of program errors, compliance with applicable
laws,
damage to or loss of data, programs or equipment, and unavailability or
interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT
NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING
WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR
DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED
HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under
applicable law, it shall not affect the validity or enforceability of
the remainder of the terms of this Agreement, and without further action
by the parties hereto, such provision shall be reformed to the
minimum
extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity
(including a cross-claim or counterclaim in a lawsuit) alleging that the
Program itself (excluding combinations of the Program with other
software or hardware) infringes such Recipient's patent(s), then such
Recipient's rights granted under Section 2(b) shall terminate as of the
date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it
fails to comply with any of the material terms or conditions of this
Agreement and does not cure such failure in a reasonable period of time
after becoming aware of such noncompliance. If all Recipient's rights
under this Agreement terminate, Recipient agrees to cease use and
distribution of the Program as soon as reasonably practicable. However,
Recipient's obligations under this Agreement and any licenses granted by
Recipient relating to the Program shall continue and
survive.

Everyone is permitted to copy and distribute copies of this
Agreement, but in order to avoid inconsistency the Agreement is

copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections
2(a) and 2(b) above, Recipient receives no
rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

</body>

</html>
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
<meta http-equiv="content-type"
content="text/html; charset=ISO-8859-1">
<title>CDDL ver. 1.0</title>
<meta name="author" content="Cliff Allen">
</head>
<body>
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0
1.

Definitions.

1.1. Contributor means each individual or entity that creates or
contributes to the creation of Modifications.

1.2. Contributor Version
means the combination of the Original
Software, prior Modifications used by a Contributor (if any), and the
Modifications made by that particular Contributor.

1.3. Covered Software means
(a) the Original Software, or (b)
Modifications, or (c) the combination of files containing Original
Software with files containing Modifications, in each case including
portions thereof.

1.4.
Executable means the
Covered Software in any form other than
Source Code.

1.5. Initial Developer means
the individual or entity that first makes
Original Software available under this License.

1.6. Larger Work means a work
which combines Covered Software or
portions thereof with code not governed by the terms of this License.

1.7. License means this
document.

1.8. Licensable means having
the right to grant, to the maximum extent
possible, whether at the time of the initial grant or subsequently
acquired, any and all of the rights conveyed herein.

1.9. Modifications means the
Source Code and Executable form of any of
the following:
A. Any file that results from an addition to, deletion
from or
modification of the contents of a file containing Original Software or
previous Modifications;
B. Any new file that contains any part of the Original Software or
previous Modification; or

C. Any new file that is contributed or otherwise made available under
the terms of this License.

1.10. Original Software means
the Source Code and Executable form of
computer software code that is originally released under this License.

1.11. Patent Claims means any
patent claim(s), now owned or hereafter
acquired, including without limitation, method, process, and apparatus
claims, in any patent Licensable by grantor.

1.12. Source Code means (a)
the common form of computer software code
in which modifications are made and (b) associated documentation
included in or with such code.

1.13. You (or Your)
means an
individual or a legal entity exercising
rights under, and complying with all of the terms of, this License. For
legal entities, You includes any entity which controls, is controlled
by, or is under common control with You. For purposes of this
definition, control means (a) the power, direct or indirect, to
cause
the direction or management of such entity, whether by contract or
otherwise, or (b) ownership of more than fifty percent (50%) of
the
outstanding shares or beneficial ownership of such entity.

2. License Grants.

 2.1. The Initial Developer Grant.
Conditioned upon Your compliance with Section 3.1 below and subject to
third party intellectual property claims, the Initial Developer hereby
grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)
Licensable by Initial Developer, to use, reproduce, modify, display,
perform, sublicense and distribute
the Original Software (or portions
thereof), with or without Modifications, and/or as part of a Larger

Work; and

(b) under Patent Claims infringed by the making, using or selling of
Original Software, to make, have made, use, practice, sell, and offer
for sale, and/or otherwise dispose of the Original Software (or
portions thereof);

 (c) The licenses granted in Sections 2.1(a) and (b) are
effective on
the date Initial Developer first distributes or otherwise makes the
Original Software available to a third party under the terms of this
License;

 (d) Notwithstanding Section 2.1(b) above, no patent license
is granted:
(1) for code that You delete from the Original Software, or
(2) for
infringements caused by: (i) the modification of the Original
Software,
or (ii) the combination of the Original Software with other
software or
devices.

2.2. Contributor Grant.
Conditioned upon Your compliance with Section 3.1
below and subject to
third party intellectual property claims,
each Contributor hereby grants You a world-wide, royalty-free,
non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)
Licensable by Contributor to use, reproduce, modify, display, perform,
sublicense and distribute the Modifications created by such Contributor
(or portions thereof), either on an unmodified basis, with other
Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of
Modifications made by that Contributor either alone and/or in
combination with its Contributor Version (or portions of such
combination), to make, use, sell, offer for sale, have made, and/or
otherwise dispose of: (1) Modifications made by that Contributor
(or
portions thereof); and (2) the combination of Modifications made
by

that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.
Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.
The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.
You must include a notice in each of Your Modifications that identifies

You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing
or any descriptive text giving
attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.
You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.
You may distribute
the Executable form of the Covered Software under
the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form
does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.
You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute
the
Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.
Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.
You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the
terms of the version of the
License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.
When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it
clear
that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.
COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT
FOR A PARTICULAR PURPOSE OR NON-INFRINGING.
THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate
automatically if You fail to comply with terms herein and fail to cure
such breach within 30 days of becoming aware of the breach. Provisions
which, by their nature, must remain in effect beyond the termination of
this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory
judgment actions) against Initial Developer or a Contributor (the
Initial Developer or Contributor
against whom You assert such claim is
referred to as Participant) alleging that the Participant Software
(meaning the Contributor Version where the Participant is a Contributor
or the Original Software where the Participant is the Initial
Developer) directly or indirectly infringes any patent, then any and
all rights granted directly or indirectly to You by such Participant,
the Initial Developer (if the Initial Developer is not the Participant)
and all Contributors under
Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice
from
Participant terminate prospectively and automatically at the expiration
of such 60 day notice period, unless if within such 60 day period You
withdraw Your claim with respect to the Participant Software against
such Participant either unilaterally or pursuant to a written agreement
with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above,
all
end user licenses that have been validly granted by You or any
distributor
hereunder prior to termination (excluding licenses granted
to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.
UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT
(INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL
DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED
SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY
PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES
OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST
PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR
MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF

SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION
OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL
DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.
The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software
(as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48
C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.
This License represents the complete agreement concerning subject matter hereof. If any provision of this License is
held to be
unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance
with the United States export administration
regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.
As between Initial Developer and the Contributors, each party is
responsible for claims and damages arising, directly or indirectly, out
of its utilization of rights under this License and You agree to work
with Initial Developer and Contributors to distribute such
responsibility on an equitable basis. Nothing herein is intended or
shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION
LICENSE (CDDL)
The code released under the CDDL shall be governed by the
laws of the State of California (excluding conflict-of-law provisions).
Any litigation relating to this License shall be subject to the
jurisdiction of the Federal Courts of the Northern District of
California and
the state courts of the State of California, with venue
lying in Santa Clara County, California.
</body>
</html>
<!DOCTYPE html>
<html>
<head>
<title>jsoup License</title>
<meta name="keywords" content="license, open source, mit">
<meta name="description" content="jsoup is licensed under the MIT open source license">
<link type="text/css" rel="stylesheet" href="/rez/style.css">
<script type="text/javascript">
var _gaq = _gaq || [];
_gaq.push(['_setAccount', 'UA-89734-10']);
_gaq.push(['_setDomainName', 'jsoup.org']);
_gaq.push(['_trackPageview']);

(function() {
var ga = document.createElement('script'); ga.type = 'text/javascript'; ga.async = true;
ga.src = ('https:' == document.location.protocol ? 'https://ssl' : 'http://www') + '.google-analytics.com/ga.js';
var s = document.getElementsByTagName('script')[0]; s.parentNode.insertBefore(ga, s);
})();
</script>
</head>
<body class="n1-">

<li class="n1-home"><h4>jsoup</h4>

<li class="n1-news">News

<li class="n1-bugs">Bugs
<li class="n1-discussion">Discussion
<li class="n1-download">Download
<li class="n1-api">API Reference
<li class="n1-cookbook">Cookbook
<li class="n1-try">Try jsoup

jsoup
» jsoup License

<h1>jsoup License</h1>
The jsoup code-base (include source and compiled packages) are distributed under the open source MIT license as described below.
<h3>The MIT License</h3>
Copyright © 2009 - 2014 Jonathan Hedley (jonathan@hedley.net)
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:
The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

<!-- /col1 -->

<!-- /col2 -->

<!-- /content-->

jsoup HTML parser © 2009 - 2014
Jonathan Hedley

<!-- /wrap -->
<script src="/rez/prettify.js"></script>

```
 <script>prettyPrint();</script>
</body>
</html>
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html lang="en">
 <head>
  <title>Apache License, Version 2.0</title>

  <meta http-equiv="Content-Type" content="text/html;charset=UTF-8">
  <meta property="og:image" content="http://www.apache.org/images/asf_logo.gif" />

  <link rel="stylesheet" type="text/css" media="screen" href="/css/style.css">
  <link rel="stylesheet" type="text/css" media="screen" href="/css/code.css">

  <script type="text/javascript" src="/js/jquery.js"></script>
  <script type="text/javascript" src="/js/apache_boot.js"></script>




  <!-- Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements.  See
the NOTICE file distributed with this work for additional information regarding copyright ownership.  The ASF
licenses this file to you under the Apache License, Version 2.0 (the &quot;License&quot;); you may not use this file
except in compliance with the License.  You may obtain a
 copy of the License at . http://www.apache.org/licenses/LICENSE-2.0 . Unless required by applicable law or agreed
to in writing, software distributed under the License is distributed on an &quot;AS IS&quot; BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  See the License for the specific
language governing permissions and limitations under the License. -->
 </head>

 <body>
  <div id="page" class="container_16">
   <div id="header" class="grid_8">
    <img src="/images/feather-small.gif" alt="The Apache Software Foundation">
    <h1>The Apache Software Foundation</h1>
    <h2>Apache License, Version 2.0</h2>
   </div>
   <div id="nav" class="grid_8">
    <ul>
     <!-- <li><a href="/" title="Welcome!">Home</a></li> -->
     <li><a href="/foundation/" title="The Foundation">Foundation</a></li>
     <li><a href="http://projects.apache.org" title="The Projects">Projects</a></li>
     <li><a href="http://people.apache.org"
 title="The People">People</a></li>
     <li><a href="/foundation/getinvolved.html" title="Get Involved">Get Involved</a></li>
     <li><a href="/dyn/closer.cgi" title="Download">Download</a></li>
     <li><a href="/foundation/sponsorship.html" title="Support Apache">Support Apache</a></li>
    </ul>
```

Home &raquo Licenses
<form name="search" id="search" action="http://www.google.com/search" method="get">
<input value="apache.org" name="sitesearch" type="hidden"/>
<input type="text" name="q" id="query">
<input type="submit" id="submit" value="Search">
</form>

Apache License
</br>Version 2.0, January 2004
</br>
http://www.apache.org/licenses/
TERMS AND CONDITIONS FOR USE, REPRODUCTION,
AND DISTRIBUTION
1. Definitions.
"License" shall mean the terms and conditions for use, reproduction, and
distribution as defined by Sections 1 through 9 of this document.
"Licensor" shall mean the copyright owner or entity authorized by the
copyright owner that is granting the License.
"Legal Entity" shall mean the union of the acting entity and all other
entities that control, are controlled by, or are under common control with
that entity. For the purposes of this definition, "control" means (i) the
power, direct or indirect, to cause the direction or management of such
entity, whether by contract or otherwise, or (ii) ownership of fifty
percent (50%) or more of the outstanding shares, or (iii) beneficial
ownership of such entity.
"You" (or "Your") shall mean an individual or Legal Entity exercising
permissions granted by this License.
"Source" form shall mean the preferred form for making
modifications,
including but not limited to software source code, documentation source,
and configuration files.
"Object" form shall mean any form resulting from mechanical transformation
or translation of a Source form, including but not limited to compiled
object code, generated documentation, and conversions to other media types.
"Work" shall mean the work of authorship, whether in Source or Object form,
made available under the License, as indicated by a copyright notice that
is included in or attached to the work (an example is provided in the
Appendix below).
"Derivative Works" shall mean any work, whether in Source or Object form,
that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as
a whole, an original work of authorship. For the purposes of this License,
Derivative Works shall not include works that remain separable from, or
merely link (or bind by name) to the
interfaces of, the Work and Derivative
Works thereof.
"Contribution" shall mean any work of authorship, including the original
version of the Work and any modifications or additions to that Work or

Derivative Works thereof, that is intentionally submitted to Licensor for
inclusion in the Work by the copyright owner or by an individual or Legal
Entity authorized to submit on behalf of the copyright owner. For the
purposes of this definition, "submitted" means any form of electronic,
verbal, or written communication sent to the Licensor or its
representatives, including but not limited to communication on electronic
mailing lists, source code control systems, and issue tracking systems that
are managed by, or on behalf of, the Licensor for the purpose of discussing
and improving the Work, but excluding communication that is conspicuously
marked or otherwise designated in writing by the copyright owner as "Not a
Contribution."
"Contributor" shall mean Licensor and any individual
or Legal Entity on
behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.
2. Grant of Copyright License. Subject to the
terms and conditions of this License, each Contributor hereby grants to You
a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of, publicly
display, publicly perform, sublicense, and distribute the Work and such
Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms
and conditions of this License, each Contributor hereby grants to You a
perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made, use,
offer to sell, sell, import, and otherwise transfer the Work, where such
license applies only to those patent claims licensable
by such Contributor
that are necessarily infringed by their Contribution(s) alone or by
combination of their Contribution(s) with the Work to which such
Contribution(s) was submitted. If You institute patent litigation against
any entity (including a cross-claim or counterclaim in a lawsuit) alleging
that the Work or a Contribution incorporated within the Work constitutes
direct or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate as of the
date such litigation is filed.
4. Redistribution. You may reproduce and
distribute copies of the Work or Derivative Works thereof in any medium,
with or without modifications, and in Source or Object form, provided that
You meet the following conditions:
<ol style="list-style: lower-latin;">
You must give any other recipients of the Work or Derivative Works a
copy of this License; and

You must cause any
modified files to carry prominent notices stating
that You changed the files; and

You must retain, in the Source form of any Derivative Works that You
distribute, all copyright, patent, trademark, and attribution notices from
the Source form of the Work, excluding those notices that do not pertain to
any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution,
then any Derivative Works that You distribute must include a readable copy
of the attribution notices contained within such NOTICE file, excluding
those notices that do not pertain to any part of the Derivative Works, in
at least one of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or documentation,
if provided along with the Derivative Works; or, within a display generated
by the Derivative Works, if and wherever such third-party notices normally
appear. The contents of the NOTICE file are
for informational purposes only
and do not modify the License. You may add Your own attribution notices
within Derivative Works that You distribute, alongside or as an addendum to
the NOTICE text from the Work, provided that such additional attribution
notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may
provide additional or different license terms and conditions for use,
reproduction, or distribution of Your modifications, or for any such
Derivative Works as a whole, provided Your use, reproduction, and
distribution of the Work otherwise complies with the conditions stated in
this License.

5. Submission of Contributions. Unless You
explicitly state otherwise, any Contribution intentionally submitted for
inclusion in the Work by You to the Licensor shall be under the terms and
conditions of this License, without any additional terms or conditions.
Notwithstanding
the above, nothing herein shall supersede or modify the
terms of any separate license agreement you may have executed with Licensor
regarding such Contributions.
6. Trademarks. This License does not grant
permission to use the trade names, trademarks, service marks, or product
names of the Licensor, except as required for reasonable and customary use
in describing the origin of the Work and reproducing the content of the
NOTICE file.
7. Disclaimer of Warranty. Unless required by
applicable law or agreed to in writing, Licensor provides the Work (and
each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including,

without limitation, any warranties or conditions of TITLE,
NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You
are solely responsible for determining
the appropriateness of using or
redistributing the Work and assume any risks associated with Your exercise
of permissions under this License.
8. Limitation of Liability. In no event and
under no legal theory, whether in tort (including negligence), contract, or
otherwise, unless required by applicable law (such as deliberate and
grossly negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a result
of this License or out of the use or inability to use the Work (including
but not limited to damages for loss of goodwill, work stoppage, computer
failure or malfunction, or any and all other commercial damages or losses),
even if such Contributor has been advised of the possibility of such
damages.
9. Accepting Warranty or Additional Liability.
While
redistributing the Work or Derivative Works thereof, You may choose
to offer, and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this License.
However, in accepting such obligations, You may act only on Your own behalf
and on Your sole responsibility, not on behalf of any other Contributor,
and only if You agree to indemnify, defend, and hold each Contributor
harmless for any liability incurred by, or claims asserted against, such
Contributor by reason of your accepting any such warranty or additional
liability.
END OF TERMS AND CONDITIONS
<h1 id="apply">APPENDIX: How to apply the Apache License to your work</h1>
To apply the Apache License to your work, attach the following boilerplate
notice, with the fields enclosed by brackets "[]" replaced with your own
identifying information. (Don't include the brackets!) The text should be
enclosed in the appropriate comment syntax for the file format.
We also
recommend that a file or class name and description of purpose be included
on the same "printed page" as the copyright notice for easier
identification within third-party archives.
<pre>Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
</pre>

      <h4>Projects</h4>

HTTP Server
Abdera
Accumulo
ACE
ActiveMQ
Airavata
Allura
Ambari
Ant
<a
 href="http://any23.apache.org/" title="Anything to Triples">Any23
APR
Archiva
Aries
Avro
Axis
Bigtop
Bloodhound
Buildr
<a href="http://bval.apache.org/" title="Apache BVal: JSR-303 Bean Validation Implementation and
 Extensions">BVal
Camel
Cassandra
Cayenne
Chemistry
Chukwa
Clerezza
CloudStack

Cocoon
<a
href="http://commons.apache.org/" title="Reusable Java components">Commons
Continuum
Cordova
CouchDB
Creadur
Crunch
cTAKES
Curator
<a href="http://cxf.apache.org/"
title="Service Framework">CXF
DB
Deltacloud
DeltaSpike
DirectMemory
Directory
Empire-db
Etch
Felix
<a href="http://flex.apache.org/" title="Application
framework for expressive web applications that deploy to all major browsers, desktops and devices.">Flex
Flume
Forrest
Geronimo
Giraph
Gora
Gump
Hadoop
<a
href="http://hama.apache.org/" title="a Bulk Synchronous Parallel computing framework on top of Hadoop">Hama
HBase
Helix
<a href="http://hive.apache.org/" title="Data warehouse infrastructure using the Hadoop

Database">Hive
HttpComponents
Isis
Jackrabbit
James
jclouds
<a
href="http://jena.apache.org/" title="Java framework for building Semantic Web applications">Jena
JMeter
JSPWiki
jUDDI
Kafka
Karaf
Knox
Lenya
<a href="http://libcloud.apache.org/"
title="Unified interface to the cloud">Libcloud
Logging
Lucene
Lucene.Net
Lucy
Mahout
ManifoldCF
Marmotta
Maven
<a href="http://mesos.apache.org/"
title="a cluster manager that provides efficient resource isolation and sharing across distributed applications">Mesos
MINA
MRUnit
MyFaces
Nutch
ODE
OFBiz
Olingo
<a
href="http://oltu.apache.org/" title="OAuth protocol implementation in Java">Oltu
Onami

OODT
Oozie
Open Climate Workbench
OpenJPA
OpenMeetings
OpenNLP
<a href="http://openoffice.apache.org/" title="An
open-source, office-document productivity suite">OpenOffice
OpenWebBeans
PDFBox
Perl
Pig
Pivot
POI
Portals
Qpid
<a href="http://rave.apache.org/"
title="Web and social mashup engine">Rave
River
Roller
Santuario
ServiceMix
Shindig
Shiro
SIS
Sling
SpamAssassin
<a href="http://spark.apache.org/" title="Fast and general
engine for large-scale data processing">Spark
Sqoop
Stanbol
STeVe
Storm
Struts
Subversion
Synapse

Syncope
<a href="http://tajo.apache.org/"
 title="Big data warehouse system on Hadoop">Tajo
Tapestry
Tcl
Tez
Thrift
Tika
Tiles
Tomcat
TomEE
<a href="http://trafficserver.apache.org/" title="A fast, scalable and extensible
 HTTP/1.1 compliant caching proxy server">Traffic Server
Turbine
Tuscany
UIMA
VCL
Velocity
VXQuery
Web Services
Whirr
Wicket
<a
 href="http://wink.apache.org/" title="RESTful Web services Framework">Wink
Wookie
Xalan
Xerces
XMLBeans
XML Graphics
ZooKeeper

      <h4>Foundation</h4>

        FAQ
        Glossary
        <a href="/licenses/" title="Overview of the

```
 Apache Licenese">Licenses</a></li>
        <li><a href="/foundation/marks/" title="Apache marks policies and listing">Trademarks</a></li>
        <li><a href="/foundation/news.html" title="Official news feed of Foundation announcements">News</a></li>

        <li><a href="/press/" title="Press, Media, and Analyst contact">Press Inquiries</a></li>
        <li><a href="/foundation/records/" title="Formal corporate records and board meeting minutes">Public
Records</a></li>
        <li><a href="/foundation/mailinglists.html" title="Mailing lists and Apache">Mailing Lists</a></li>
        <li><a href="/foundation/sponsorship.html" title="Sponsor the Foundation">Sponsorship</a></li>
        <li><a href="/foundation/contributing.html" title="Donate to the Foundation">Donations</a></li>
        <li><a href="/foundation/buy_stuff.html" title="Buy Apache branded merchandise">Buy Stuff</a></li>
        <li><a href="/foundation/thanks.html" title="Thank you to our Sponsors">Thanks</a></li>

        <li><a href="/foundation/contact.html" title="Contact Us">Contact</a></li>
      </ul>
    </div>
    <div class="grid_3 suffix_1">
      <h4>Foundation Projects</h4>
      <ul>
        <li><a href="http://attic.apache.org/" title="Inactive projects repository">Attic</a></li>
        <li><a href="/foundation/conferences.html" title="Meetings of developers and users">Conferences</a></li>
        <li><a href="http://community.apache.org/" title="Helping newcomers to the ASF">Community
Development</a></li>
        <li><a href="http://incubator.apache.org/" title="Shepherd for new projects">Incubator</a></li>
        <li><a href="/dev/" title="ASF Infrastructure: Operations and howto documents for PMCs and
contributors">Infrastructure</a></li>
        <li><a href="http://labs.apache.org/" title="The Innovation Laboratories of the Apache Software
Foundation">Labs</a></li>
        <li><a href="/legal/" title="Legal Affairs">Legal
 Affairs</a></li>
        <li><a href="/press/" title="Public Relations">Public Relations</a></li>
        <li><a href="/security/" title="Security">Security</a></li>
        <li><a href="/travel/" title="Travel Assistance">Travel Assistance</a></li>
      </ul>
    </div>

    <div class="grid_3">
      <h4>Community</h4>
      <ul>
        <li><a href="http://people.apache.org/" title="Apache committer homepages">People</a></li>
        <li><a href="/memorials/" title="In memoriam of past committers">Memorials</a></li>
        <li><a href="http://feathercast.apache.org/" title="Apache Podcasts">Feathercast</a></li>
        <li><a href="http://blogs.apache.org/" title="Apache Project Blogs">Project Blogs</a></li>
        <li><a href="http://planet.apache.org/committers/" title="Apache Committers' Blogs">PlanetApache</a></li>

      </ul>
    </div>
    <div class="grid_3">
```

```
      <h4>How It Works</h4>
      <ul>
        <li><a href="/foundation/how-it-works.html">Introduction</a></li>

        <li><a href="/foundation/how-it-works.html#meritocracy">Meritocracy</a></li>
        <li><a href="/foundation/how-it-works.html#structure">Structure</a></li>
        <li><a href="/foundation/how-it-works.html#roles">Roles</a></li>
        <li><a href="/foundation/how-it-works.html#management">Collaboration</a></li>
        <li><a href="/foundation/how-it-works.html#incubator">Incubator</a></li>
        <li><a href="/foundation/how-it-works.html#other">Other entities</a></li>
        <li><a href="/foundation/glossary.html">Glossary</a></li>
        <li><a href="/foundation/voting.html">Voting</a></li>
      </ul>
    </div>
  </div>
  <div class="clear"></div>

  </div>
  <div id="copyright" class="container_16">
    <p>Copyright &#169; 2012 The Apache Software Foundation, Licensed under the <a
href="http://www.apache.org/licenses/LICENSE-2.0">Apache License, Version 2.0</a>.<br/>Apache
 and the Apache feather logo are trademarks of The Apache Software Foundation.</p>
  </div>
 </body>
</html>
```

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

License for the slf4j package

SLF4J License

Copyright (c) 2004-2007 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

These terms are identical to those of the MIT License, also called the X License or the X11 License, which is a simple, permissive non-copyleft free software license. It is deemed compatible with virtually all types of licenses, commercial or otherwise. In particular, the Free Software Foundation has declared it compatible with GNU GPL. It is also known to be approved by the Apache Software Foundation as compatible with Apache Software License.

License for the JUnit package

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program
by such Contributor itself or anyone
acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense
the Contribution of such Contributor, if any, and such
derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any

Contributor that the Program does not infringe
the patent or other intellectual
property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b)
its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the
Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and

distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to

publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under
which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

License for the JCIFS package

JCIFS
License

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the

Free Software Foundation and
other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies
of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser

General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License
therefore permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little
to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with

the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly
into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it,
in any medium, provided that
you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy,

and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties
under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and
can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute
the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application

to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will
operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is
normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined

with any other library
facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited
by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they
do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution
system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

13. The Free Software Foundation
may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this.
Our
decision will be guided by the two goals of preserving the free status

of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE
LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey
the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public

License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301
USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

Apache Maven Distribution
Copyright 2001-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You"
(or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations,
or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems
that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants
to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work

or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution
of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental,
or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted
against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```
=========================================================================
==  NOTICE file corresponding to the section 4 d of                    ==
==  the Apache License, Version 2.0,                                   ==
==  in this case for the Gradle distribution.                          ==
=========================================================================
```

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

It includes the following other software:

Groovy (http://groovy.codehaus.org)
SLF4J (http://www.slf4j.org)
Junit (http://www.junit.org)
JCIFS (http://jcifs.samba.org)

For licenses see the LICENSE file.

If any software distributed with Gradle does not have an Apache 2 License, its license is explicitly listed in the LICENSE file.

1.65 byte-buddy-agent 1.9.10

1.65.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form
shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely
link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute,
all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum
to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use
the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor
harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.66 jacoco v0.8.4

1.66.1 Available under license :

```
/*******************************************************************************
* Copyright (c) 2009, 2019 Mountainminds GmbH & Co. KG and Contributors
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v10.html
*
* Contributors:
*    Evgeny Mandrikov - initial API and implementation
*    Kyle Lieber - implementation of CheckMojo
*
*******************************************************************************/
```

License
=======

Copyright (c) 2009, 2019 Mountainminds GmbH & Co. KG and Contributors

The JaCoCo Java Code Coverage Library and all included documentation is made
available by Mountainminds GmbH & Co. KG, Munich. Except indicated below, the
Content is provided to you under the terms and conditions of the Eclipse Public
License Version 1.0 ("EPL"). A copy of the EPL is available at

http://www.eclipse.org/legal/epl-v10.html.

Please visit
http://www.jacoco.org/jacoco/trunk/doc/license.html
for the complete license information including third party licenses and trademarks.

1.67 apache-ant 1.9.2

1.67.1 Available under license :

```
 Apache Ant
 Copyright 1999-2013 The Apache Software Foundation

 The <sync> task is based on code Copyright (c) 2002, Landmark
 Graphics Corp that has been kindly donated to the Apache Software
 Foundation.
/*
*                                 Apache License
*                           Version 2.0, January 2004
*                        http://www.apache.org/licenses/
*
*   TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
*
*   1. Definitions.
*
*      "License" shall mean the terms and conditions for use, reproduction,
*      and distribution as defined by Sections 1 through 9 of this document.
*
*      "Licensor" shall mean the copyright owner or entity authorized by
*      the copyright owner that is granting the License.
*
*      "Legal Entity" shall mean the union of the acting entity and all
*      other entities that control, are controlled by, or are under common
*      control with that entity. For the purposes of this definition,
*      "control" means (i) the power, direct or indirect, to cause the
*      direction or management of such entity, whether by contract or
*      otherwise, or (ii) ownership of fifty percent (50%) or more of the
*
 outstanding shares, or (iii) beneficial ownership of such entity.
*
*      "You" (or "Your") shall mean an individual or Legal Entity
*      exercising permissions granted by this License.
*
*      "Source" form shall mean the preferred form for making modifications,
*      including but not limited to software source code, documentation
*      source, and configuration files.
*
*      "Object" form shall mean any form resulting from mechanical
```

* transformation or translation of a Source form, including but
* not limited to compiled object code, generated documentation,
* and conversions to other media types.
*
* "Work" shall mean the work of authorship, whether in Source or
* Object form, made available under the License, as indicated by a
* copyright notice that is included in or attached to the work
* (an example is provided in the Appendix below).
*
* "Derivative Works" shall mean any work, whether in Source or Object
*
form, that is based on (or derived from) the Work and for which the
* editorial revisions, annotations, elaborations, or other modifications
* represent, as a whole, an original work of authorship. For the purposes
* of this License, Derivative Works shall not include works that remain
* separable from, or merely link (or bind by name) to the interfaces of,
* the Work and Derivative Works thereof.
*
* "Contribution" shall mean any work of authorship, including
* the original version of the Work and any modifications or additions
* to that Work or Derivative Works thereof, that is intentionally
* submitted to Licensor for inclusion in the Work by the copyright owner
* or by an individual or Legal Entity authorized to submit on behalf of
* the copyright owner. For the purposes of this definition, "submitted"
* means any form of electronic, verbal, or written communication sent
* to the Licensor or its representatives,
including but not limited to
* communication on electronic mailing lists, source code control systems,
* and issue tracking systems that are managed by, or on behalf of, the
* Licensor for the purpose of discussing and improving the Work, but
* excluding communication that is conspicuously marked or otherwise
* designated in writing by the copyright owner as "Not a Contribution."
*
* "Contributor" shall mean Licensor and any individual or Legal Entity
* on behalf of whom a Contribution has been received by Licensor and
* subsequently incorporated within the Work.
*
* 2. Grant of Copyright License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* copyright license to reproduce, prepare Derivative Works of,
* publicly display, publicly perform, sublicense, and distribute the
*
Work and such Derivative Works in Source or Object form.
*
* 3. Grant of Patent License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable

```
*      (except as stated in this section) patent license to make, have made,
*      use, offer to sell, sell, import, and otherwise transfer the Work,
*      where such license applies only to those patent claims licensable
*      by such Contributor that are necessarily infringed by their
*      Contribution(s) alone or by combination of their Contribution(s)
*      with the Work to which such Contribution(s) was submitted. If You
*      institute patent litigation against any entity (including a
*      cross-claim or counterclaim in a lawsuit) alleging that the Work
*      or a Contribution incorporated within the Work constitutes direct
*      or contributory patent infringement, then any patent licenses
 *      granted to You under this License for that Work shall terminate
*      as of the date such litigation is filed.
*
*    4. Redistribution. You may reproduce and distribute copies of the
*      Work or Derivative Works thereof in any medium, with or without
*      modifications, and in Source or Object form, provided that You
*      meet the following conditions:
*
*      (a) You must give any other recipients of the Work or
*          Derivative Works a copy of this License; and
*
*      (b) You must cause any modified files to carry prominent notices
*          stating that You changed the files; and
*
*      (c) You must retain, in the Source form of any Derivative Works
*          that You distribute, all copyright, patent, trademark, and
*          attribution notices from the Source form of the Work,
*          excluding those notices that do not pertain to any part of
*          the Derivative Works; and
*
*      (d) If the Work includes a "NOTICE"
 text file as part of its
*          distribution, then any Derivative Works that You distribute must
*          include a readable copy of the attribution notices contained
*          within such NOTICE file, excluding those notices that do not
*          pertain to any part of the Derivative Works, in at least one
*          of the following places: within a NOTICE text file distributed
*          as part of the Derivative Works; within the Source form or
*          documentation, if provided along with the Derivative Works; or,
*          within a display generated by the Derivative Works, if and
*          wherever such third-party notices normally appear. The contents
*          of the NOTICE file are for informational purposes only and
*          do not modify the License. You may add Your own attribution
*          notices within Derivative Works that You distribute, alongside
*          or as an addendum to the NOTICE text from the Work, provided
*          that
 such additional attribution notices cannot be construed
*          as modifying the License.
```

*
* You may add Your own copyright statement to Your modifications and
* may provide additional or different license terms and conditions
* for use, reproduction, or distribution of Your modifications, or
* for any such Derivative Works as a whole, provided Your use,
* reproduction, and distribution of the Work otherwise complies with
* the conditions stated in this License.
*
* 5. Submission of Contributions. Unless You explicitly state otherwise,
* any Contribution intentionally submitted for inclusion in the Work
* by You to the Licensor shall be under the terms and conditions of
* this License, without any additional terms or conditions.
* Notwithstanding the above, nothing herein shall supersede or modify
* the terms of any separate license agreement you may have executed
* with Licensor regarding such Contributions.
 *
* 6. Trademarks. This License does not grant permission to use the trade
* names, trademarks, service marks, or product names of the Licensor,
* except as required for reasonable and customary use in describing the
* origin of the Work and reproducing the content of the NOTICE file.
*
* 7. Disclaimer of Warranty. Unless required by applicable law or
* agreed to in writing, Licensor provides the Work (and each
* Contributor provides its Contributions) on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
* implied, including, without limitation, any warranties or conditions
* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
* PARTICULAR PURPOSE. You are solely responsible for determining the
* appropriateness of using or redistributing the Work and assume any
* risks associated with Your exercise of permissions under this License.
*
* 8. Limitation of Liability.
 In no event and under no legal theory,
* whether in tort (including negligence), contract, or otherwise,
* unless required by applicable law (such as deliberate and grossly
* negligent acts) or agreed to in writing, shall any Contributor be
* liable to You for damages, including any direct, indirect, special,
* incidental, or consequential damages of any character arising as a
* result of this License or out of the use or inability to use the
* Work (including but not limited to damages for loss of goodwill,
* work stoppage, computer failure or malfunction, or any and all
* other commercial damages or losses), even if such Contributor
* has been advised of the possibility of such damages.
*
* 9. Accepting Warranty or Additional Liability. While redistributing
* the Work or Derivative Works thereof, You may choose to offer,
* and charge a fee for, acceptance of support, warranty, indemnity,
* or other

liability obligations and/or rights consistent with this
* License. However, in accepting such obligations, You may act only
* on Your own behalf and on Your sole responsibility, not on behalf
* of any other Contributor, and only if You agree to indemnify,
* defend, and hold each Contributor harmless for any liability
* incurred by, or claims asserted against, such Contributor by reason
* of your accepting any such warranty or additional liability.
*
* END OF TERMS AND CONDITIONS
*
* APPENDIX: How to apply the Apache License to your work.
*
* To apply the Apache License to your work, attach the following
* boilerplate notice, with the fields enclosed by brackets "[]"
* replaced with your own identifying information. (Don't include
* the brackets!) The text should be enclosed in the appropriate
* comment syntax for the file format. We also recommend that a
* file or class name and description of purpose
be included on the
* same "printed page" as the copyright notice for easier
* identification within third-party archives.
*
* Copyright [yyyy] [name of copyright owner]
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

W3C SOFTWARE NOTICE AND LICENSE
http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other
related items) is being provided by the copyright holders under
the following
license. By obtaining, using and/or copying this work, you (the licensee) agree
that you have read, understood, and will comply with the following terms and
conditions.

Permission to copy, modify, and distribute this software and its documentation,

with or without modification, for any purpose and without fee or royalty is
hereby granted, provided that you include the following on ALL copies of the
software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the
   redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms
   and conditions. If none exist, the W3C Software Short Notice should be
   included (hypertext is preferred, text is permitted) within the body
   of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date
   changes were made. (We recommend you provide
URIs to the location from
   which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or
publicity pertaining to the software without specific, written prior permission.
Title to copyright in this software and any associated documentation will at
all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002.
This version
 removes the copyright ownership notice such that this license can
be used with materials other than those owned by the W3C, reflects that ERCIM
is now a host of the W3C, includes references to this specific dated version of
the license, and removes the ambiguous grant of "use". Otherwise, this version
is the same as the previous version and is written so as to preserve the Free
Software Foundation's assessment of GPL compatibility and OSI's certification
under the Open Source Definition. Please see our Copyright FAQ for common
questions about using materials from our site, including specific terms and
conditions for packages like libwww, Amaya, and Jigsaw. Other questions about
this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

This license came from: http://www.megginson.com/SAX/copying.html
 However please note future versions of SAX may be covered

under http://saxproject.org/?selected=pd

SAX2 is Free!

I hereby abandon any property rights
to SAX 2.0 (the Simple API for
XML), and release all of the SAX 2.0 source code, compiled code, and
documentation contained in this distribution into the Public Domain.
SAX comes with NO WARRANTY or guarantee of fitness for any
purpose.

David Megginson, david@megginson.com
2000-05-05

1.68 animal-sniffer-annotation 1.14

1.68.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.69 apache-xml-commons 1.4.01

1.69.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```
=========================================================================
==  NOTICE file corresponding to section 4(d) of the Apache License,   ==
==  Version 2.0, in this case for the Apache xml-commons xml-apis      ==
==  distribution.                                                      ==
=========================================================================
```

Apache XML Commons XML APIs
Copyright 1999-2009 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of this software were originally based on the following:
- software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
- software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
- software copyright (c) 2000 World Wide Web Consortium, http://www.w3.org

xml-commons/java/external/LICENSE.dom-documentation.txt $Id: LICENSE.dom-documentation.txt 226215 2005-06-03 22:49:13Z mrglavas $

This license came from: http://www.w3.org/Consortium/Legal/copyright-documents-20021231

W3C DOCUMENT LICENSE
http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231

Public documents on the W3C site are provided by the copyright holders under the following license. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright [$date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved. http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231"
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright

in this document will at all
times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002.
This version removes the copyright ownership notice such that this license can
be used with materials other than those owned by the W3C, moves information on
style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is
now a host of the W3C, includes references to this specific dated version of
the license, and removes the ambiguous grant of "use". See the older
formulation for the policy prior to this date. Please see our Copyright FAQ for
common questions about using materials from our site, such as the translating
or annotating specifications. Other questions about this notice can be directed
to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

Last revised by Reagle $Date: 2005-06-03 18:49:13 -0400 (Fri, 03 Jun 2005)
$
xml-commons/java/external/LICENSE.dom-software.txt $Id: LICENSE.dom-software.txt 734314 2009-01-14
03:33:27Z mrglavas $

This license came from: http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.zip
(COPYRIGHT.html)

W3C SOFTWARE NOTICE AND LICENSE
Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology,
European Research Consortium for Informatics and Mathematics, Keio University).
All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and
License. The software license requires "Notice of any changes or modifications
to the W3C files, including the date changes were made." Consequently, modified
versions of the DOM bindings must document that they do not conform to the W3C
standard; in the case of the IDL definitions, the pragma prefix can no longer
be 'w3c.org'; in the case of the Java language binding, the package names can no
longer be in the 'org.w3c' package.

Note: The original
version of the W3C Software Copyright Notice and License could
be found at http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other
related items) is being provided by the copyright holders under the following
license. By obtaining, using and/or copying this work, you (the licensee) agree
that you have read, understood, and will comply with the following terms and
conditions.

Permission to copy, modify, and distribute this software and its documentation,
with or without modification, for any purpose and without fee or royalty is
hereby granted, provided that you include the following on ALL copies of the
software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the
   redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms

and conditions. If none exist, the W3C Software Short Notice should be
   included (hypertext is preferred, text is permitted) within the body
   of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date
   changes were made. (We recommend you provide URIs to the location from
   which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising
or
publicity pertaining to the software without specific, written prior permission.
Title to copyright in this software and any associated documentation will at
all times remain with copyright holders.
xml-commons/java/external/LICENSE.sax.txt $Id: LICENSE.sax.txt 225954 2002-01-31 23:26:48Z curcuru $

This license came from: http://www.megginson.com/SAX/copying.html
However please note future versions of SAX may be covered
under http://saxproject.org/?selected=pd

This page is now out of date -- see the new SAX site at
http://www.saxproject.org/ for more up-to-date
releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for
XML), and release all of the SAX 2.0 source code, compiled code, and

documentation contained in this distribution into the Public Domain.
SAX comes with NO WARRANTY or guarantee of fitness for any
purpose.

David Megginson, david@megginson.com
2000-05-05

1.70 google-guice 4.0

1.70.1 Available under license :

Struts 2 Core
Copyright 2000-2010 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii)
beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the
Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole
responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed
under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the

editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.
This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).
/**
* Copyright (C) 2006 Google Inc.

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
Apache Commons Lang
Copyright 2001-2008 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

XWork: Core
Copyright 2000-2010 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
FreeMarker 1.x was released under the LGPL license. Later, by community
consensus, we have switched over to a BSD-style license. As of FreeMarker
2.2pre1, the original author, Benjamin Geer, has relinquished the copyright in
behalf of Visigoth Software Society. The current copyright holder is the
Visigoth Software Society.

Copyright (c) 2003 The Visigoth Software Society. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. The end-user documentation included with the redistribution, if any, must
   include the following acknowlegement:
     "This product includes software developed by the
     Visigoth Software Society (http://www.visigoths.org/)."
   Alternately,
  this acknowlegement may appear in the software itself, if and
   wherever such third-party acknowlegements normally appear.

3. Neither the name "FreeMarker", "Visigoth", nor any of the names of the

project contributors may be used to endorse or promote products derived
from this software without prior written permission. For written
permission, please contact visigoths@visigoths.org.

4. Products derived from this software may not be called "FreeMarker" or
"Visigoth" nor may "FreeMarker" or "Visigoth" appear in their names
without prior written permission of the Visigoth Software Society.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE VISIGOTH SOFTWARE SOCIETY OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals on
behalf of the Visigoth Software Society. For more information on the Visigoth
Software Society, please see http://www.visigoths.org/
This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).
ASM: a very small and fast Java bytecode manipulation framework
Copyright (c) 2000,2002,2003 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Copyright 2001-2005 (C) MetaStuff, Ltd. All Rights Reserved.

Redistribution and use of this software and associated documentation
("Software"), with or without modification, are permitted provided
that the following conditions are met:

1. Redistributions of source code must retain copyright
statements and notices. Redistributions must also contain a
copy of this document.

2. Redistributions in binary form must reproduce the
above copyright notice, this list of conditions and the
following disclaimer in the documentation and/or other
materials provided with the distribution.

3. The name "DOM4J" must not be used to endorse or promote
products derived from this Software without prior written
permission of MetaStuff, Ltd. For written permission,
please contact dom4j-info@metastuff.com.

4. Products derived from this Software may not be called "DOM4J"
nor may "DOM4J" appear in their names without prior written
permission of MetaStuff,

Ltd. DOM4J is a registered
trademark of MetaStuff, Ltd.

5. Due credit should be given to the DOM4J Project -
http://www.dom4j.org

THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.
Specification: JSR-000220 Enterprise JavaBeans v.3.0 ("Specification")
Version: 3.0
Status: Final Release
Release: 8 May 2006
Copyright 2006 SUN MICROSYSTEMS, INC.
4150 Network Circle, Santa Clara, California 95054, U.S.A
All rights reserved.
LIMITED LICENSE GRANTS
1. _License for Evaluation Purposes_. Sun hereby grants you a fully-paid, non-exclusive, non-transferable, worldwide, limited license (without the right to sublicense), under Suns applicable intellectual property rights to view, download, use and reproduce the Specification only for the purpose of internal evaluation. This includes (i) developing applications intended to run on an implementation of the Specification, provided that such applications do not themselves implement any portion(s) of the Specification, and (ii) discussing the Specification with any third party; and (iii) excerpting brief portions of the Specification in oral or written communications which discuss the Specification provided that such excerpts do not
in the aggregate constitute a significant portion of the Specification.
2. _License for the Distribution of Compliant Implementations_. Sun also grants you a perpetual, nonexclusive, non-transferable, worldwide, fully paid-up, royalty free, limited license (without the right to sublicense) under any applicable copyrights or, subject to the provisions of subsection 4 below, patent rights it may have covering the Specification to create and/or distribute an Independent Implementation of the Specification that: (a) fully implements the Specification including all its required interfaces and functionality; (b) does not modify, subset, superset or otherwise extend the Licensor Name Space, or include any public or protected packages, classes, Java interfaces, fields or methods within the Licensor Name Space other than those required/authorized by the Specification or Specifications being implemented; and (c) passes the Technology Compatibility Kit (including satisfying the requirements of the applicable
TCK Users Guide) for such Specification ("Compliant Implementation"). In addition, the foregoing license is expressly conditioned on your not acting outside its scope. No license is granted hereunder for any other purpose (including, for example, modifying the Specification, other than to the

extent of your fair use rights, or distributing the Specification to third parties). Also, no right, title, or interest in or to any trademarks, service marks, or trade names of Sun or Suns licensors is granted hereunder. Java, and Java-related logos, marks and names are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries.

3. _Pass-through Conditions_. You need not include limitations (a)-(c) from the previous paragraph or any other particular "pass through" requirements in any license You grant concerning the use of your Independent Implementation or products derived from it. However, except with respect to Independent Implementations (and products

derived from them) that satisfy limitations (a)-(c) from the previous

paragraph, You may neither: (a) grant or otherwise pass through to your licensees any licenses under Suns applicable intellectual property rights; nor (b) authorize your licensees to make any claims concerning their implementations compliance with the Specification in question.

4. _Reciprocity Concerning Patent Licenses_.

a. With respect to any patent claims covered by the license granted under subparagraph 2 above that would be infringed by all technically feasible implementations of the Specification, such license is conditioned upon your offering on fair, reasonable and non-discriminatory terms, to any party seeking it

from You, a perpetual, non-exclusive, non-transferable, worldwide license under Your patent rights which are or would be infringed by all technically feasible implementations of the Specification to develop, distribute and use a Compliant Implementation.

b With respect to any patent claims owned

by Sun and covered by the license granted under subparagraph

2, whether or not their infringement can be avoided in a technically feasible manner when implementing the Specification, such license shall terminate with respect to such claims if You initiate a claim against Sun that it has, in the course of performing its responsibilities as the Specification Lead, induced any other entity to infringe Your patent rights.

c Also with respect to any patent claims owned by Sun and covered by the license granted under subparagraph 2 above, where the infringement of such claims can be avoided in a technically feasible manner when implementing the Specification such license, with respect to such claims, shall terminate if You initiate a claim against Sun that its making, having made, using, offering to sell, selling or importing a Compliant Implementation infringes Your patent rights.

5. _Definitions_. For the purposes of this Agreement: "Independent Implementation" shall mean an implementation of

the Specification that neither derives from any of Suns source code or binary code materials

nor, except with an appropriate and separate license from Sun, includes any of Suns source code or binary code materials; "Licensor Name Space" shall mean the public class or interface declarations whose names begin with "java", "javax", "com.sun" or their equivalents in any subsequent naming convention adopted by Sun through the Java Community Process, or any recognized successors or replacements thereof; and "Technology Compatibility Kit" or "TCK" shall mean the test suite and

accompanying TCK Users Guide provided by Sun which corresponds to the Specification and that was available either (i) from Sun 120 days before the first release of Your Independent Implementation that allows its use for commercial purposes, or (ii) more recently than 120 days from such release but against which You elect to test Your implementation of the Specification.

This Agreement will terminate immediately

without notice from Sun if you breach the Agreement or act

outside the scope of the licenses granted above.

DISCLAIMER OF WARRANTIES

THE SPECIFICATION IS PROVIDED "AS IS". SUN MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES

OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT (INCLUDING AS A CONSEQUENCE OF ANY PRACTICE OR IMPLEMENTATION OF THE SPECIFICATION), OR THAT THE CONTENTS OF THE SPECIFICATION ARE SUITABLE FOR ANY PURPOSE. This document does not represent any commitment to release or implement any portion of the Specification in any product. In addition, the Specification could include technical inaccuracies or typographical errors.

LIMITATION OF LIABILITY

TO THE EXTENT NOT PROHIBITED BY LAW, IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY DAMAGES, INCLUDING WITHOUT LIMITATION, LOST REVENUE, PROFITS OR DATA, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF OR RELATED IN ANY WAY TO YOUR HAVING, IMPLEMENTING OR OTHERWISE USING THE SPECIFICATION, EVEN IF SUN AND/OR ITS LICENSORS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

You will indemnify, hold harmless, and defend Sun and its licensors from any claims arising or resulting from: (i) your use of the Specification; (ii) the use or distribution of your Java application, applet and/or implementation; and/or (iii) any claims that later versions or releases of any Specification furnished to you are incompatible with the Specification provided to you under this license.

RESTRICTED RIGHTS LEGEND

U.S. Government: If this Specification is being acquired by or on behalf of the U.S. Government or by a U.S. Government prime contractor or subcontractor (at any tier), then the Governments rights in the Software and accompanying documentation shall be only as set forth in this license; this is in accordance with 48 C.F.R. 227.7201 through 227.7202-4 (for Department of Defense (DoD) acquisitions) and with 48 C.F.R. 2.101 and 12.212 (for non-DoD acquisitions).

REPORT

If you provide Sun with any comments or suggestions concerning the Specification ("Feedback"), you hereby: (i) agree that such Feedback is provided on a non-proprietary and non-confidential basis, and (ii) grant Sun a perpetual, non-exclusive, worldwide, fully paid-up, irrevocable license, with the right to sublicense through multiple levels of sublicensees, to incorporate, disclose, and use without limitation the Feedback for any purpose.

GENERAL TERMS

Any action related to this Agreement will be governed by California law and controlling U.S. federal law. The U.N. Convention for the International Sale of Goods and the choice of law rules of any jurisdiction will not apply.

The Specification is subject to U.S. export control laws and may be subject to export or import regulations in other countries. Licensee agrees to comply strictly with all such laws and regulations and acknowledges that it has the responsibility to obtain such licenses to export, re-export or import as may be required after delivery to Licensee.

This Agreement is the parties entire agreement relating to its subject matter. It supersedes all prior or contemporaneous oral or written communications, proposals, conditions, representations and warranties and prevails over any conflicting or additional terms of any quote, order, acknowledgment, or other communication between the parties relating to its subject matter during the term of this Agreement. No modification to this Agreement will be binding, unless in writing and signed by an authorized representative of each party.

Rev. April, 2006
Sun/Final/Full
Apache Struts
Copyright 2000-2007 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).
domTT (http://www.mojavelinux.com/projects/domtooltip/).

The binary distributions includes the following third party software:
FreeMarker (http://freemarker.org/).
OGNL (http://www.opensymphony.com/ognl/).
XWork (http://www.opensymphony.com/xwork/).
Apache Jakarta Commons IO
Copyright 2001-2007 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).
===
== NOTICE file corresponding to the section 4 d of ==
== the Apache License, Version 2.0, ==
== in this case for the Apache Ant distribution. ==
===

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

This product includes also software developed by :
- the W3C consortium (http://www.w3c.org) ,
- the SAX project (http://www.saxproject.org)

Please read the different LICENSE files present in the root directory of
this distribution.
Apache Felix Main
Copyright 2010 The Apache Software Foundation

I. Included Software

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
Licensed under the Apache License 2.0.

This product includes software developed at
The OSGi Alliance (http://www.osgi.org/).
Copyright (c) OSGi Alliance (2000, 2009).
Licensed under the Apache License 2.0.

II. Used Software

This product uses software developed at
The OSGi Alliance (http://www.osgi.org/).
Copyright (c) OSGi Alliance (2000, 2009).
Licensed under the Apache License 2.0.

This product uses software developed at
The Codehaus (http://www.codehaus.org)
Licensed under the Apache License 2.0.

III. License Summary
- Apache License 2.0

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own

copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```
/* ====================================================================
* The OpenSymphony Software License, Version 1.1
*
* (this license is derived and fully compatible with the Apache Software
* License - see http://www.apache.org/LICENSE.txt)
*
* Copyright (c) 2001-2004 The OpenSymphony Group. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
```

* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
* "This product
includes software developed by the
* OpenSymphony Group (http://www.opensymphony.com/)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "OpenSymphony" and "The OpenSymphony Group"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact license@opensymphony.com .
*
* 5. Products derived from this software may not be called "OpenSymphony"
* or "XWork", nor may "OpenSymphony" or "XWork" appear in their
* name, without prior written permission of the OpenSymphony Group.
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*/

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Apache Commons FileUpload
Copyright 2002-2008 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).
/*
* Apache License
* Version 2.0, January 2004
* http://www.apache.org/licenses/
*
* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
*
* 1. Definitions.
*
* "License" shall mean the terms and conditions for use, reproduction,
* and distribution as defined by Sections 1 through 9 of this document.
*
* "Licensor" shall mean the copyright owner or entity authorized by
* the copyright owner that is granting the License.
*
* "Legal Entity" shall mean the union of the acting entity and all
* other entities that control, are controlled by, or are under common
* control with that entity. For the purposes of this definition,
* "control" means (i) the power, direct or indirect, to cause the
* direction or management of such entity, whether by contract or
* otherwise, or (ii) ownership of fifty percent (50%) or more of the
*
 outstanding shares, or (iii) beneficial ownership of such entity.
*
* "You" (or "Your") shall mean an individual or Legal Entity
* exercising permissions granted by this License.
*
* "Source" form shall mean the preferred form for making modifications,
* including but not limited to software source code, documentation
* source, and configuration files.
*
* "Object" form shall mean any form resulting from mechanical
* transformation or translation of a Source form, including but

```
*      not limited to compiled object code, generated documentation,
*      and conversions to other media types.
*
*      "Work" shall mean the work of authorship, whether in Source or
*      Object form, made available under the License, as indicated by a
*      copyright notice that is included in or attached to the work
*      (an example is provided in the Appendix below).
*
*      "Derivative Works" shall mean any work, whether in Source or Object
*
    form, that is based on (or derived from) the Work and for which the
*      editorial revisions, annotations, elaborations, or other modifications
*      represent, as a whole, an original work of authorship. For the purposes
*      of this License, Derivative Works shall not include works that remain
*      separable from, or merely link (or bind by name) to the interfaces of,
*      the Work and Derivative Works thereof.
*
*      "Contribution" shall mean any work of authorship, including
*      the original version of the Work and any modifications or additions
*      to that Work or Derivative Works thereof, that is intentionally
*      submitted to Licensor for inclusion in the Work by the copyright owner
*      or by an individual or Legal Entity authorized to submit on behalf of
*      the copyright owner. For the purposes of this definition, "submitted"
*      means any form of electronic, verbal, or written communication sent
*      to the Licensor or its representatives,
    including but not limited to
*      communication on electronic mailing lists, source code control systems,
*      and issue tracking systems that are managed by, or on behalf of, the
*      Licensor for the purpose of discussing and improving the Work, but
*      excluding communication that is conspicuously marked or otherwise
*      designated in writing by the copyright owner as "Not a Contribution."
*
*      "Contributor" shall mean Licensor and any individual or Legal Entity
*      on behalf of whom a Contribution has been received by Licensor and
*      subsequently incorporated within the Work.
*
*    2. Grant of Copyright License. Subject to the terms and conditions of
*      this License, each Contributor hereby grants to You a perpetual,
*      worldwide, non-exclusive, no-charge, royalty-free, irrevocable
*      copyright license to reproduce, prepare Derivative Works of,
*      publicly display, publicly perform, sublicense, and distribute the
*
       Work and such Derivative Works in Source or Object form.
*
*    3. Grant of Patent License. Subject to the terms and conditions of
*      this License, each Contributor hereby grants to You a perpetual,
*      worldwide, non-exclusive, no-charge, royalty-free, irrevocable
*      (except as stated in this section) patent license to make, have made,
```

```
*      use, offer to sell, sell, import, and otherwise transfer the Work,
*      where such license applies only to those patent claims licensable
*      by such Contributor that are necessarily infringed by their
*      Contribution(s) alone or by combination of their Contribution(s)
*      with the Work to which such Contribution(s) was submitted. If You
*      institute patent litigation against any entity (including a
*      cross-claim or counterclaim in a lawsuit) alleging that the Work
*      or a Contribution incorporated within the Work constitutes direct
*      or contributory patent infringement, then any patent licenses
*       granted to You under this License for that Work shall terminate
*      as of the date such litigation is filed.
*
*    4. Redistribution. You may reproduce and distribute copies of the
*      Work or Derivative Works thereof in any medium, with or without
*      modifications, and in Source or Object form, provided that You
*      meet the following conditions:
*
*      (a) You must give any other recipients of the Work or
*          Derivative Works a copy of this License; and
*
*      (b) You must cause any modified files to carry prominent notices
*          stating that You changed the files; and
*
*      (c) You must retain, in the Source form of any Derivative Works
*          that You distribute, all copyright, patent, trademark, and
*          attribution notices from the Source form of the Work,
*          excluding those notices that do not pertain to any part of
*          the Derivative Works; and
*
*      (d) If the Work includes a "NOTICE"
 text file as part of its
*          distribution, then any Derivative Works that You distribute must
*          include a readable copy of the attribution notices contained
*          within such NOTICE file, excluding those notices that do not
*          pertain to any part of the Derivative Works, in at least one
*          of the following places: within a NOTICE text file distributed
*          as part of the Derivative Works; within the Source form or
*          documentation, if provided along with the Derivative Works; or,
*          within a display generated by the Derivative Works, if and
*          wherever such third-party notices normally appear. The contents
*          of the NOTICE file are for informational purposes only and
*          do not modify the License. You may add Your own attribution
*          notices within Derivative Works that You distribute, alongside
*          or as an addendum to the NOTICE text from the Work, provided
*          that
 such additional attribution notices cannot be construed
*          as modifying the License.
*
```

```
*      You may add Your own copyright statement to Your modifications and
*      may provide additional or different license terms and conditions
*      for use, reproduction, or distribution of Your modifications, or
*      for any such Derivative Works as a whole, provided Your use,
*      reproduction, and distribution of the Work otherwise complies with
*      the conditions stated in this License.
*
*   5. Submission of Contributions. Unless You explicitly state otherwise,
*      any Contribution intentionally submitted for inclusion in the Work
*      by You to the Licensor shall be under the terms and conditions of
*      this License, without any additional terms or conditions.
*      Notwithstanding the above, nothing herein shall supersede or modify
*      the terms of any separate license agreement you may have executed
*      with Licensor regarding such Contributions.
 *
*   6. Trademarks. This License does not grant permission to use the trade
*      names, trademarks, service marks, or product names of the Licensor,
*      except as required for reasonable and customary use in describing the
*      origin of the Work and reproducing the content of the NOTICE file.
*
*   7. Disclaimer of Warranty. Unless required by applicable law or
*      agreed to in writing, Licensor provides the Work (and each
*      Contributor provides its Contributions) on an "AS IS" BASIS,
*      WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
*      implied, including, without limitation, any warranties or conditions
*      of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
*      PARTICULAR PURPOSE. You are solely responsible for determining the
*      appropriateness of using or redistributing the Work and assume any
*      risks associated with Your exercise of permissions under this License.
*
*   8. Limitation of Liability.
 In no event and under no legal theory,
*      whether in tort (including negligence), contract, or otherwise,
*      unless required by applicable law (such as deliberate and grossly
*      negligent acts) or agreed to in writing, shall any Contributor be
*      liable to You for damages, including any direct, indirect, special,
*      incidental, or consequential damages of any character arising as a
*      result of this License or out of the use or inability to use the
*      Work (including but not limited to damages for loss of goodwill,
*      work stoppage, computer failure or malfunction, or any and all
*      other commercial damages or losses), even if such Contributor
*      has been advised of the possibility of such damages.
*
*   9. Accepting Warranty or Additional Liability. While redistributing
*      the Work or Derivative Works thereof, You may choose to offer,
*      and charge a fee for, acceptance of support, warranty, indemnity,
*      or other
```

liability obligations and/or rights consistent with this
* License. However, in accepting such obligations, You may act only
* on Your own behalf and on Your sole responsibility, not on behalf
* of any other Contributor, and only if You agree to indemnify,
* defend, and hold each Contributor harmless for any liability
* incurred by, or claims asserted against, such Contributor by reason
* of your accepting any such warranty or additional liability.
*
* END OF TERMS AND CONDITIONS
*
* APPENDIX: How to apply the Apache License to your work.
*
* To apply the Apache License to your work, attach the following
* boilerplate notice, with the fields enclosed by brackets "[]"
* replaced with your own identifying information. (Don't include
* the brackets!) The text should be enclosed in the appropriate
* comment syntax for the file format. We also recommend that a
* file or class name and description of purpose
be included on the
* same "printed page" as the copyright notice for easier
* identification within third-party archives.
*
* Copyright [yyyy] [name of copyright owner]
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000-2002 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

```
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this
 acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
 BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/
/* ====================================================================
* The OpenSymphony Software License, Version 1.1
*
* (this license is derived and fully compatible with the Apache Software
* License - see http://www.apache.org/LICENSE.txt)
```

```
*
* Copyright (c) 2001-2004 The OpenSymphony Group. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This product
 includes software developed by the
*        OpenSymphony Group (http://www.opensymphony.com/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "OpenSymphony" and "The OpenSymphony Group"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact license@opensymphony.com .
*
* 5. Products derived from this software may not be called "OpenSymphony"
*    or "OGNL", nor may "OpenSymphony" or "OGNL" appear in their
*    name, without prior written permission of the OpenSymphony Group.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS
 BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*/
```

1.71 findbugs-jsr305 1.3.9

1.71.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2005 Brian Goetz
* Released under the Creative Commons Attribution License
* (http://creativecommons.org/licenses/by/2.5)
* Official home: http://www.jcip.net
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1010092589_1591857556.34/0/jsr305-1-3-9-jar/javax/annotation/concurrent/GuardedBy.java
* /opt/ws_local/PERMITS_SQL/1010092589_1591857556.34/0/jsr305-1-3-9-jar/javax/annotation/concurrent/NotThreadSafe.java
* /opt/ws_local/PERMITS_SQL/1010092589_1591857556.34/0/jsr305-1-3-9-jar/javax/annotation/concurrent/Immutable.java

1.72 apache-http-client 3.1

1.72.1 Available under license :

Apache HttpComponents Client
Copyright 1999-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

==========

This project includes Public Suffix List copied from
<https://publicsuffix.org/list/effective_tld_names.dat>
licensed under the terms of the Mozilla Public License, v. 2.0

Full license text: <http://mozilla.org/MPL/2.0/>

Mozilla Public License Version 2.0
==========

1. Definitions

1.1. "Contributor"
means each individual or legal entity that creates, contributes to
the creation of, or owns Covered Software.

1.2. "Contributor Version"
means the combination of the Contributions of others (if any) used
by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"
means Covered Software of a particular Contributor.

1.4. "Covered Software"
means Source Code
Form to which the initial Contributor has attached
the notice in Exhibit A, the Executable Form of such Source Code
Form, and Modifications of such Source Code Form, in each case
including portions thereof.

1.5. "Incompatible With Secondary Licenses"
means

(a) that the initial Contributor has attached the notice described
in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of
version 1.1 or earlier of the License, but not also under the
terms of a Secondary License.

1.6. "Executable Form"
means any form of the work other than Source Code Form.

1.7. "Larger Work"
means a work that combines Covered Software with other material, in
a separate file or files, that is not Covered Software.

1.8. "License"
means this document.

1.9. "Licensable"
means having the right to grant, to the maximum extent possible,
whether at the time of the initial grant or subsequently,
any and
all of the rights conveyed by this License.

1.10. "Modifications"
means any of the following:

(a) any file in Source Code Form that results from an addition to,
deletion from, or modification of the contents of Covered
Software; or

(b) any new file in Source Code Form that contains any Covered
Software.

1.11. "Patent Claims" of a Contributor
means any patent claim(s), including without limitation, method,
process, and apparatus claims, in any patent Licensable by such
Contributor that would be infringed, but for the grant of the

License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"
means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those

licenses.

1.13. "Source Code Form"
means the form of the work preferred for making modifications.

1.14. "You" (or "Your")
means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)
Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its
Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

(a) for any code that a Contributor has removed from Covered Software; or

(b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted

in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices

(including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability
terms You offer. You may include additional
disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However,
if You become
compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after

Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to
You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

```
************************************************************************
*                                                                      *
*  6. Disclaimer of Warranty                                           *
*  -------------------------                                           *
*                                                                      *
*  Covered Software is provided under this License on an "as is"       *
*  basis, without warranty of any kind, either expressed, implied, or  *
*  statutory, including, without limitation, warranties that the       *
*  Covered Software is
 free of defects, merchantable, fit for a        *
*  particular purpose or non-infringing. The entire risk as to the     *
*  quality and performance of the Covered Software is with You.        *
*  Should any Covered Software prove defective in any respect, You     *
*  (not any Contributor) assume the cost of any necessary servicing,   *
*  repair, or correction. This disclaimer of warranty constitutes an   *
*  essential part of this License. No use of any Covered Software is   *
*  authorized under this License except under this disclaimer.         *
*                                                                      *
************************************************************************

************************************************************************
*                                                                      *
*  7. Limitation of Liability                                          *
*  --------------------------                                          *
*
                                                                       *
*  Under no circumstances and under no legal theory, whether tort      *
*  (including negligence), contract, or otherwise, shall any           *
*  Contributor, or anyone who distributes Covered Software as          *
*  permitted above, be liable to You for any direct, indirect,         *
*  special, incidental, or consequential damages of any character      *
*  including, without limitation, damages for lost profits, loss of    *
*  goodwill, work stoppage, computer failure or malfunction, or any    *
```

* and all other commercial damages or losses, even if such party *
* shall have been informed of the possibility of such damages. This *
* limitation of liability shall not apply to liability for death or *
* personal injury resulting from such party's negligence to the *
* extent applicable law prohibits such limitation. Some *
* jurisdictions do not allow the exclusion or limitation
of *
* incidental or consequential damages, so this exclusion and *
* limitation may not apply to You. *
* *
****

8. Litigation

Any litigation relating to this License may be brought only in the
courts of a jurisdiction where the defendant maintains its principal
place of business and such litigation shall be governed by laws of that
jurisdiction, without reference to its conflict-of-law provisions.
Nothing in this Section shall prevent a party's ability to bring
cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject
matter hereof. If any provision of this License is held to be
unenforceable, such provision shall be reformed only to the extent
necessary to make it enforceable. Any law or regulation
which provides
that the language of a contract shall be construed against the drafter
shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section
10.3, no one other than the license steward has the right to modify or
publish new versions of this License. Each version will be given a
distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version
of the License under which You originally received the Covered Software,
or under the terms of any subsequent version published by the license

steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to
create a new license for such software, you may create and use a
modified version of this License if you rename the license and remove
any references to the name of the license
 steward (except to note that
such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary
Licenses

If You choose to distribute Source Code Form that is Incompatible With
Secondary Licenses under the terms of this version of the License, the
notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

 This Source Code Form is subject to the terms of the Mozilla Public
 License, v. 2.0. If a copy of the MPL was not distributed with this
 file, You can obtain one at http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely to look
for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary
 Licenses" Notice

 This Source Code Form is "Incompatible With Secondary Licenses", as
 defined by the Mozilla Public License, v. 2.0.

1.73 dom4j-flexible-xml-framework-for-java 1.6.1

1.73.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

File: ConcurrentReaderHashMap

Written by Doug Lea. Adapted and released, under explicit
permission, from JDK1.2 HashMap.java and Hashtable.java which
carries the following copyright:

* Copyright 1997 by Sun Microsystems, Inc.,
* 901 San Antonio Road, Palo Alto, California, 94303, U.S.A.
* All rights reserved.
*
* This software is the confidential and proprietary information
* of Sun Microsystems, Inc. ("Confidential Information"). You
* shall not disclose such Confidential Information and shall use
* it only in accordance with the terms of the license agreement
* you entered into with Sun.

History:
Date   Who   What
28oct1999 dl   Created
14dec1999 dl   jmm snapshot
19apr2000 dl   use barrierLock
12jan2001 dl   public release
17nov2001 dl   Minor tunings
20may2002 dl   BarrierLock can now be serialized.
 09dec2002 dl   Fix interference checks.
*/

Found in path(s):
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/ConcurrentReaderHashMap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001-2005 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided that the
* following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and
* notices. Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice,
* this list of conditions and the following disclaimer in the documentation

* and/or other materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote products derived
* from this Software without prior written permission of MetaStuff, Ltd. For
* written permission, please contact dom4j-info@metastuff.com.
 *
* 4. Products derived from this Software may not be called "DOM4J" nor may
* "DOM4J" appear in their names without prior written permission of MetaStuff,
* Ltd. DOM4J is a registered trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project - http://www.dom4j.org
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS ``AS IS'' AND
* ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL METASTUFF, LTD. OR ITS CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN
 ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
* POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001-2005 (C) MetaStuff, Ltd. All Rights Reserved.
*/

Found in path(s):
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/util/AttributeHelper.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/tree/FlyweightComment.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/JAXPHelper.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/bean/BeanAttributeList.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/DefaultNamespace.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/dom/DOMText.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/util/UserDataElement.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/dom/DOMAttributeNodeMap.java
*
 /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/rule/NullAction.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/tree/DefaultProcessingInstruction.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/ElementHandler.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/dom/DOMComment.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/swing/XMLTableModel.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/util/NodeComparator.java

* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/IllegalAddException.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/jaxb/JAXBReader.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/STAXEventReader.java
*
 /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/tree/DefaultDocumentType.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/swing/XMLTableColumnDefinition.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/rule/pattern/NodeTypePattern.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/FlyweightEntity.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/io/DocumentInputSource.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/Text.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/SAXModifier.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/ContentListFacade.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/dom/DOMProcessingInstruction.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/dom/DOMDocumentType.java
*
 /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/XPP3Reader.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/XMLWriter.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/bean/BeanMetaData.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/swing/XMLTableDefinition.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/InvalidXPathException.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/XPPReader.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/NamespaceCache.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/tree/AbstractDocumentType.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/xpath/DefaultNamespaceContext.java
*
 /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/SAXContentHandler.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/util/XMLErrorHandler.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/DispatchHandler.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/util/NonLazyElement.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/BaseElement.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/QName.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/util/IndexedElement.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/jaxb/JAXBObjectHandler.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/io/PruningElementStack.java
*
 /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/io/SAXModifyException.java

* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/Branch.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/dom/DOMCDATA.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/xpath/XPathPattern.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/dom/DOMDocumentFactory.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/AbstractEntity.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/HTMLWriter.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/datatype/SchemaParser.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/util/UserDataAttribute.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/DocumentResult.java
*
 /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/jaxb/JAXBSupport.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/ElementStack.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/AbstractComment.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/Element.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/ElementNameIterator.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/DOMWriter.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/Visitor.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/AbstractProcessingInstruction.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/bean/BeanAttribute.java
*
 /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/CDATA.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/DefaultCDATA.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/rule/RuleSet.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/AbstractBranch.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/dom/DOMEntityReference.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/datatype/DatatypeElementFactory.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/XPath.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/PruningDispatchHandler.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/rule/Action.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/bean/BeanElement.java
*
 /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/xpath/DefaultXPath.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/SAXHelper.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/DefaultComment.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/FlyweightCDATA.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/SAXValidator.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/DefaultEntity.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/SAXWriter.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/Namespace.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/AbstractNode.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/Node.java
*

/opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/FlyweightAttribute.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/rule/Rule.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/AbstractCDATA.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/rule/RuleManager.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/rule/Stylesheet.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/DefaultAttribute.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/FlyweightText.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/util/PerThreadSingleton.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/bean/BeanDocumentFactory.java
*
/opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/dom/DOMNamespace.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/SAXReader.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/XMLResult.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/AbstractElement.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/datatype/DatatypeElement.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/datatype/NamedTypeResolver.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/datatype/DatatypeDocumentFactory.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/ElementIterator.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/SAXModifyReader.java
*
/opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/QNameCache.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/DocumentHelper.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/swing/DocumentTreeModel.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/swing/LeafTreeNode.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/DOMReader.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/Attribute.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/STAXEventWriter.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/dtd/ExternalEntityDecl.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/jaxb/JAXBRuntimeException.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/dtd/ElementDecl.java
*
/opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/io/SAXModifyElementHandler.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/dom/DOMAttribute.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/tree/FlyweightProcessingInstruction.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/DefaultElement.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-
jar/org/dom4j/rule/pattern/DefaultPattern.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/AbstractAttribute.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/dom/DOMNodeHelper.java

* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/DefaultDocument.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/jaxb/JAXBObjectModifier.java
*
 /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/OutputFormat.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/NodeFilter.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/util/UserDataDocumentFactory.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/SAXModifyContentHandler.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/VisitorSupport.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/SAXEventRecorder.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/SingleIterator.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/ElementModifier.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/DocumentType.java
*
 /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/FilterIterator.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/rule/Pattern.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/dtd/AttributeDecl.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/Entity.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/jaxb/JAXBWriter.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/DocumentFactory.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/swing/BranchTreeNode.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/AbstractText.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/util/NonLazyDocumentFactory.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/dtd/InternalEntityDecl.java
*
 /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/ElementPath.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/Document.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/AbstractCharacterData.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/datatype/InvalidSchemaException.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/Comment.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/CharacterData.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/xpp/ProxyXmlStartTag.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/DefaultText.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/rule/Mode.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/dom/DOMDocument.java
*
 /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/jaxb/JAXBModifier.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/util/SingletonStrategy.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/util/SimpleSingleton.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/io/DocumentSource.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/ProcessingInstruction.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-

jar/org/dom4j/util/IndexedDocumentFactory.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/DocumentException.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/dom/DOMElement.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/NamespaceStack.java
*
/opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/datatype/DatatypeAttribute.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/BackedList.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/AbstractDocument.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/tree/ElementQNameIterator.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/util/ProxyDocumentFactory.java
* /opt/cola/permits/1010092607_1614875665.1/0/dom4j-1-6-1-sources-3-jar/org/dom4j/XPathException.java

1.74 relaxngdatatype 20020414

1.74.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**
* Copyright (c) 2001, Thai Open Source Software Center Ltd
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* Neither the name of the Thai Open Source Software Center Ltd nor
* the names of its contributors may be used to endorse or promote
* products derived from this software without specific prior written
* permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
 * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
* A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,

```
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1010092610_1591901191.92/0/relaxngdatatype-20020414-sources-jar/org/relaxng/datatype/helpers/DatatypeLibraryLoader.java
No license file was found, but licenses were detected in source scan.

```
/**
 * Checks if the ID/IDREF semantics is associated with this
 * datatype.
 *
 * <p>
 * This method is introduced to support the RELAX NG DTD
 * compatibility spec. (Of course it's always free to use
 * this method for other purposes.)
 *
 * <p>
 * If you are implementing a datatype library and have no idea about
 * the "RELAX NG DTD compatibility" thing, just return
 * <code>ID_TYPE_NULL</code> is fine.
 *
 * @return
 *  If this datatype doesn't have any ID/IDREF semantics,
 *  it returns {@link #ID_TYPE_NULL}. If it has such a semantics
 *  (for example, XSD:ID, XSD:IDREF and comp:ID type), then
 *  it returns {@link #ID_TYPE_ID}, {@link #ID_TYPE_IDREF} or
 *  {@link #ID_TYPE_IDREFS}.
 */
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1010092610_1591901191.92/0/relaxngdatatype-20020414-sources-jar/org/relaxng/datatype/Datatype.java

1.75 apache-xalan-java 2.7.2

1.75.1 Available under license :

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean
the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name)
to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual
or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce,

prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by
combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and
You must cause any modified files to carry prominent notices stating that You changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that
such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or
product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR

CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any
Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims
asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.76 xalan-java 2.7.2

1.76.1 Available under license :

xml-commons/java/external/README.dom.txt $Id: README.dom.txt 477038 2006-11-20 04:40:36Z mrglavas $

HEAR YE, HEAR YE!

All of the .java software and associated documentation about
the DOM in this repository are distributed under the license
from the W3C, which is provided herein.

LICENSE.dom-software.txt covers all software from the W3C
including the following items in the xml-commons project:

xml-commons/java/external/src/org/w3c
and all subdirectories

(Note: SAC (The Simple API for CSS) has been published under an older
version of the W3C license. The original license file is LICENSE.sac.html.)

LICENSE.dom-documentation.txt covers all documentation from the W3C
including the following items in the xml-commons project:

xml-commons/java/external/xdocs/dom
and all subdirectories

The actual DOM Java Language Binding classes in xml-commons came from:
http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.html

The specification of DOM Level 3's various parts is at:
http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/
http://www.w3.org/TR/2004/REC-DOM-Level-3-LS-20040407/
http://www.w3.org/TR/2004/NOTE-DOM-Level-3-XPath-20040226/

The specification of DOM Level 2's various parts is at:
http://www.w3.org/TR/2000/REC-DOM-Level-2-Events-20001113/
http://www.w3.org/TR/2000/REC-DOM-Level-2-Style-20001113/
http://www.w3.org/TR/2000/REC-DOM-Level-2-Traversal-Range-20001113/
http://www.w3.org/TR/2000/REC-DOM-Level-2-Views-20001113/

The specification of DOM Level 1's various parts is at:
http://www.w3.org/TR/1998/REC-DOM-Level-1-19981001/level-one-html.html

Links to all available W3C DOM Java Bindings can be found at:
http://www.w3.org/DOM/DOMTR

The actual classes of The Simple API for CSS (SAC) came from:
http://www.w3.org/Style/CSS/SAC/
http://www.w3.org/2002/06/sacjava-1.3.zip

The actual DOM Java Language Binding
classes for SMIL came from:
http://dev.w3.org/cvsweb/java/classes/org/w3c/dom/smil/
(both ElementTimeControl.java and TimeEvent.java were taken at revision 1.1)

The actual DOM Java Language Binding classes for SVG 1.1 came from:
http://www.w3.org/TR/SVG11/java.html
===
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache xml-commons xml-apis ==
== distribution. ==
===

Apache XML Commons XML APIs
Copyright 1999-2009 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
- software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
- software copyright (c) 2000 World Wide Web Consortium, http://www.w3.org

==
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xalan Java distribution. ==
==

Apache Xalan (Xalan XSLT processor)
Copyright 1999-2014 The Apache Software Foundation

Apache Xalan (Xalan serializer)
Copyright 1999-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

==
Portions of this software was originally based on the following:
- software copyright (c) 1999-2002, Lotus Development Corporation.,
  http://www.lotus.com.
- software copyright (c) 2001-2002, Sun Microsystems.,
  http://www.sun.com.
- software copyright (c) 2003, IBM Corporation.,

  http://www.ibm.com.

==
The binary distribution package (ie. jars, samples and documentation) of
this product includes software developed by the following:

- The Apache Software Foundation
  - Xerces Java - see LICENSE.txt
  - JAXP 1.3 APIs - see LICENSE.txt
  - Bytecode Engineering Library - see LICENSE.txt
  - Regular Expression - see LICENSE.txt

- Scott Hudson, Frank Flannery, C. Scott Ananian
  - CUP Parser Generator runtime (javacup\runtime) - see LICENSE.txt

==
The source distribution package (ie. all source and tools required to build
Xalan Java) of this product includes software developed by the following:

- The Apache Software Foundation
  - Xerces Java - see LICENSE.txt
  - JAXP 1.3

APIs - see LICENSE.txt
- Bytecode Engineering Library - see LICENSE.txt
- Regular Expression - see LICENSE.txt
- Ant - see LICENSE.txt
- Stylebook doc tool - see LICENSE.txt

- Elliot Joel Berk and C. Scott Ananian
- Lexical Analyzer Generator (JLex) - see LICENSE.txt

==
Apache Xerces Java
Copyright 1999-2006 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of Apache Xerces Java in xercesImpl.jar and xml-apis.jar
were originally based on the following:
- software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
- software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
- voluntary contributions made by Paul Eng on behalf of the
Apache Software Foundation that were originally
developed at iClick, Inc.,
software copyright (c) 1999.

==
Apache xml-commons xml-apis (redistribution of xml-apis.jar)

Apache XML Commons
Copyright 2001-2003,2006 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of this software were originally based on the following:
- software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
- software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
- software copyright (c) 2000 World Wide Web Consortium, http://www.w3.org
xml-commons/java/external/LICENSE.dom-documentation.txt $Id: LICENSE.dom-documentation.txt,v 1.2
2005/06/03 22:49:13 mrglavas Exp $

This license came from: http://www.w3.org/Consortium/Legal/copyright-documents-20021231

W3C DOCUMENT LICENSE
http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231

Public documents on the W3C site are provided by the copyright holders under the following license. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright [$date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved. http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231"
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright

in this document will at all
times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002.
This version removes the copyright ownership notice such that this license can
be used with materials other than those owned by the W3C, moves information on
style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is
now a host of the W3C, includes references to this specific dated version of
the license, and removes the ambiguous grant of "use". See the older
formulation for the policy prior to this date. Please see our Copyright FAQ for
common questions about using materials from our site, such as the translating
or annotating specifications. Other questions about this notice can be directed
to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

Last revised by Reagle $Date: 2005/06/03 22:49:13 $

Apache OpenEJB
Copyright 1999-2009 The Apache OpenEJB development community

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
xml-commons/java/external/LICENSE.dom-software.txt $Id: LICENSE.dom-software.txt 734314 2009-01-14
03:33:27Z mrglavas $

This license came from: http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.zip
(COPYRIGHT.html)

W3C SOFTWARE NOTICE AND LICENSE
Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology,
European Research Consortium for Informatics and Mathematics, Keio University).
All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and
License. The software license requires "Notice of any changes or modifications
to the W3C files, including the date changes were made." Consequently, modified
versions of the DOM bindings must document that they do not conform to the W3C
standard; in the case of the IDL definitions, the pragma prefix can no longer
be 'w3c.org'; in the case of the Java language binding, the package names can no
longer be in the 'org.w3c' package.

Note: The original
version of the W3C Software Copyright Notice and License could
be found at http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms

and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising
or
publicity pertaining to the software without specific, written prior permission.
Title to copyright in this software and any associated documentation will at
all times remain with copyright holders.

```
 ========================================================================
 ==  NOTICE file corresponding to section 4(d) of the Apache License,   ==
 ==  Version 2.0, in this case for the Apache xml-commons xml-apis      ==
 ==  distribution.                                                      ==
 ========================================================================
```

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Portions of this software were originally based on the following:
- software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
- software copyright (c) 1999, Sun Microsystems., http://www.sun.com.

- software copyright (c) 2000 World Wide Web Consortium, http://www.w3.org
xml-commons/java/external/README.sax.txt $Id: README.sax.txt 225954 2002-01-31 23:26:48Z curcuru $

HEAR YE, HEAR YE!

All of the .java software and associated documentation about
SAX in this repository are distributed freely in the
public domain.

LICENSE.sax.txt covers all software and documentation from the
megginson.com including the following in the xml-commons project:

xml-commons/java/external/src/org/xml/sax
and all subdirectories
xml-commons/java/external/xdocs/sax
and all subdirectories

The actual SAX classes in xml-commons came from:
http://www.megginson.com/Software/index.html
The original versions are tagged 'SAX-2_0-r2-prerelease'
SUN PUBLIC LICENSE Version 1.0

1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the
Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to
the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code,
prior Modifications used by a Contributor, and the Modifications made
by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the
combination of the Original Code and Modifications, in each case
including portions thereof and corresponding documentation released
with the source code.

1.4. "Electronic Distribution Mechanism" means a mechanism generally
accepted in the software development community for the electronic
transfer of data.

1.5. "Executable" means Covered Code in any form other than Source

Code.

1.6. "Initial
Developer" means the individual or entity identified as
the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or
portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum
extent possible, whether at the time of the initial grant or
subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the
substance or structure of either the Original Code or any previous
Modifications. When Covered Code is released as a series of files, a
Modification is:

A. Any addition to or deletion from the contents of a file containing
Original Code or previous Modifications.

B. Any new file that contains any part of the Original Code or
previous Modifications.

1.10. "Original Code" means Source Code of computer software code
which is described in the Source Code notice required by Exhibit A as
Original Code, and which, at the time of its release under this
License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or
hereafter acquired, including without limitation, method, process, and
apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for
making modifications to it, including all modules it contains, plus
any associated documentation, interface definition files, scripts used
to control compilation and installation of an Executable, or source
code differential comparisons against either the Original Code or
another well known, available Covered Code of the Contributor's
choice. The Source Code can be in a compressed or archival
form,
provided the appropriate decompression or de-archiving software is
widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity

exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. Source Code License.

2.1 The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created

by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License

either on the same media as an Executable version or via an accepted Electronic
Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial
Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

3.4. Intellectual Property Matters.

(a) Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled

"LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists
or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

(b) Contributor APIs.

If Contributor's Modifications include an application programming interface ("API") and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

(c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a

location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as
a result of warranty,
support, indemnity or liability terms You offer.

3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the

Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this

License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

6. Versions of the License.

6.1. New Versions.

Sun Microsystems, Inc. ("Sun") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms

of any subsequent version of the License published by Sun. No one other than Sun has the right to modify the terms applicable to Covered Code created under this License.

6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must: (a) rename Your license so that the phrases "Sun," "Sun Public License," or "SPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that

Your version of the license contains terms which differ from the Sun Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly

infringes any patent, then any and all rights granted by such

Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then

any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to

termination shall survive termination.

9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN

INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO
THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions.
With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or

shall be deemed to constitute any admission of liability.

13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as ?Multiple-Licensed?. ?Multiple-Licensed? means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

Exhibit A -Sun Public License Notice.

The contents of this file are subject to the Sun Public License Version 1.0 (the "License"); you may not use this file except in compliance with the License. A copy of the License is available at http://www.sun.com/

The Original Code is _____.
The Initial Developer of the Original Code is _____. Portions created by _____ are Copyright (C)_____. All Rights Reserved.

Contributor(s): _____.

Alternatively, the contents of this file may be used under the terms of the _____ license (the ?[___] License?), in which case the provisions of [_____] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the [____] License and not to allow others to use your version of this file under the SPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [___] License. If you do not delete the provisions above, a recipient may use your version of this file under either the SPL or the [___] License."

[NOTE: The text of this Exhibit A may differ slightly from the text of the notices in the Source Code files of the Original Code. You should use the text of this Exhibit A rather than the text found in the Original Code Source Code for Your Modifications.]

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```
/*
* ====================================================================
*                 The Apache Software License, Version 1.1
* ====================================================================
*
*    Copyright (C) 2000-2002 The Apache Software Foundation. All
*    rights reserved.
*
* Redistribution and use in source and binary forms, with or without modifica-
* tion, are permitted provided that the following conditions are met:
*
* 1. Redistributions of  source code must  retain the above copyright  notice,
*    this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright notice,
*    this list of conditions and the following disclaimer in the documentation
*    and/or other materials provided with the distribution.
*
* 3. The end-user documentation included with the redistribution, if any, must
*    include  the following  acknowledgment:  "This product
 includes  software
*    developed  by the  Apache Software Foundation  (http://www.apache.org/)."
*    Alternately, this  acknowledgment may  appear in the software itself,  if
*    and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Ant" and  "Apache Software Foundation"  must not be used to
*    endorse  or promote  products derived  from this  software without  prior
*    written permission. For written permission, please contact
*    apache@apache.org.
*
* 5. Products  derived from this software may not  be called "Apache", nor may
*    "Apache" appear  in their name,  without prior written permission  of the
*    Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,
```

* INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
* APACHE SOFTWARE FOUNDATION OR ITS
CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLU-
* DING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS
* OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
* ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* This software consists of voluntary contributions made by many individuals
* on behalf of the Apache Software Foundation. For more information on the
* Apache Software Foundation, please see <http://www.apache.org/>.
*
*/

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the  "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
 ==
 == NOTICE file corresponding to section 4(d) of the Apache License,   ==
 == Version 2.0, in this case for the Apache Xerces Java distribution. ==
 ==

 Apache Xerces Java
 Copyright 1999-2010 The Apache Software Foundation

 This product includes software developed at
 The Apache Software Foundation (http://www.apache.org/).

 Portions of this software were originally based on the following:
   - software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
   - software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
   - voluntary contributions made by Paul Eng on behalf of the
     Apache Software Foundation that were originally developed at iClick, Inc.,
     software copyright (c) 1999.
xml-commons/java/external/LICENSE.dom-documentation.txt $Id: LICENSE.dom-documentation.txt 226215
2005-06-03 22:49:13Z mrglavas $

This license came from: http://www.w3.org/Consortium/Legal/copyright-documents-20021231

W3C DOCUMENT LICENSE
http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231

Public documents on the W3C site are provided by the copyright holders under
the following license. By using and/or copying this document, or the W3C
document from which this statement is linked, you (the licensee) agree that
you have read, understood, and will comply with the following terms and
conditions:

Permission to copy, and distribute the contents of this document, or the W3C
document from which this statement is linked, in any medium for any purpose
and without fee or royalty is hereby granted, provided that you include the
following on ALL copies of the document, or portions thereof, that you use:

 1. A link or URL to the original W3C document.
 2. The pre-existing copyright notice of the original author, or if it
    doesn't exist, a notice (hypertext is preferred, but a textual
    representation is permitted) of the form: "Copyright [$date-of-document]
    World Wide Web Consortium, (Massachusetts Institute of Technology,
    European Research Consortium for Informatics and Mathematics, Keio

University). All Rights Reserved.
http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231"
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be
provided. We request that authorship attribution be provided in any software,
documents, or other items or products that you create pursuant to the
implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted
pursuant to this license. However, if additional requirements (documented in
the Copyright
FAQ) are satisfied, the right to create modifications or
derivatives is sometimes granted by the W3C to individuals complying with
those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO
REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT
LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE,
NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE
FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT
INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE
PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising
or publicity pertaining to this document or its contents without specific,
written prior permission. Title to copyright
in this document will at all
times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002.
This version removes the copyright ownership notice such that this license can
be used with materials other than those owned by the W3C, moves information on
style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is
now a host of the W3C, includes references to this specific dated version of
the license, and removes the ambiguous grant of "use". See the older
formulation for the policy prior to this date. Please see our Copyright FAQ for
common questions about using materials from our site, such as the translating
or annotating specifications. Other questions about this notice can be directed
to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

Last revised by Reagle $Date: 2005-06-03 18:49:13 -0400 (Fri, 03 Jun 2005)
$
SUN MICROSYSTEMS, INC. THROUGH ITS SUN MICROSYSTEMS LABORATORIES DIVISION ("SUN") WILL LICENSE THIS SOFTWARE AND THE ACCOMPANYING DOCUMENTATION TO YOU (a "Licensee") ONLY ON YOUR ACCEPTANCE OF ALL THE TERMS SET FORTH BELOW.

Sun grants Licensee a non-exclusive, royalty-free right to download, install, compile, use, copy and distribute the Software, modify or otherwise create derivative works from the Software (each, a "Modification") and distribute any Modification in source code and/or binary code form to its customers with a license agreement containing these terms and noting that the Software has been modified. The Software is copyrighted by Sun and other third parties and Licensee shall retain and reproduce all copyright and other notices presently on the Software. As between Sun and Licensee, Sun is the sole owner of all rights in and to the Software other than the limited rights granted to Licensee herein; Licensee will own its Modifications, expressly subject to Sun's continuing
ownership of the
Software. Licensee will, at its expense, defend and indemnify Sun and its licensors from and against any third party claims, including costs and reasonable attorneys' fees, and be wholly responsible for any liabilities arising out of or related to Licensee's development, use or distribution of the Software or Modifications. Any distribution of the Software and Modifications must comply with all applicable United States export control laws.

THE SOFTWARE IS BEING PROVIDED TO LICENSEE "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED. IN NO EVENT WILL SUN BE LIABLE HEREUNDER FOR ANY DIRECT DAMAGES OR ANY INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY KIND.
xml-commons/java/external/LICENSE.dom-software.txt $Id: LICENSE.dom-software.txt,v 1.2 2005/06/03 22:49:13 mrglavas Exp $

This license came from: http://www.w3.org/Consortium/Legal/copyright-software-20021231

W3C SOFTWARE NOTICE AND LICENSE
http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and

conditions.

Permission to copy, modify, and distribute this software and its documentation,
with or without modification, for any purpose and without fee or royalty is
hereby granted, provided that you include the following on ALL copies of the
software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a
location viewable to users of the
redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms
and conditions. If none exist, the W3C Software Short Notice should be
included (hypertext is preferred, text is permitted) within the body
of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date
changes were made. (We recommend you provide URIs to the location from
which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL
DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or
publicity pertaining to the software without specific, written prior permission.
Title to copyright in this software and any associated documentation will at
all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002.
This version removes the copyright ownership notice such that this license can
be used with materials other than those owned by the W3C, reflects that ERCIM
is now a host of the W3C, includes references to this specific dated version of
the license, and removes the ambiguous grant of "use". Otherwise, this version
is the same as the previous version and is written so as to preserve the Free
Software Foundation's assessment of GPL compatibility and OSI's certification
under the Open Source Definition. Please
see our Copyright FAQ for common
questions about using materials from our site, including specific terms and
conditions for packages like libwww, Amaya, and Jigsaw. Other questions about
this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

Last revised by Reagle $Date: 2005/06/03 22:49:13 $
<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership
of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether
in Source or Object
form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor
or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission
to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence),
contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting
such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS
>>>

Xalan-Java 2 - XSLT Processor
Xalan-Java 2 - Serializer

The license above also applies to the jar files
xalan.jar and xsltc.jar - Xalan-Java 2 - XSLT Processor from
Source: http://xalan.apache.org/

The license above also applies to the jar file
serializer.jar - Xalan-Java 2 - Serializer
Source: http://xalan.apache.org/
Used by: Xalan-Java 2 and Xerces-Java 2

The license above also applies to the jar file
xercesImpl.jar
- Xerces-Java 2 XML Parser.
Source: http://xerces.apache.org/
Used by: Xalan-Java 2

The license above also applies to the jar file
xml-apis.jar - Xerces-Java 2 XML Parser.
Source: http://xerces.apache.org/
Used by: Xalan-Java 2 and release copy of Xerces-Java 2

The following license applies to the included files:
tools/ant.jar
tools/antRun
tools/antRun.bat
Source: http://ant.apache.org/
Used By: Xalan's build process: java/build.xml and test/build.xml

<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<
/*
* ==
* The Apache Software License, Version 1.1
* ==
*
* Copyright (C) 1999 The Apache Software Foundation. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without modifica-
* tion, are permitted

provided that the following conditions are met:
*
* 1. Redistributions of source code must retain the above copyright notice,
* this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright notice,
* this list of conditions and the following disclaimer in the documentation
* and/or other materials provided with the distribution.
*
* 3. The end-user documentation included with the redistribution, if any, must
* include the following acknowledgment: "This product includes software
* developed by the Apache Software Foundation (http://www.apache.org/)."
* Alternately, this acknowledgment may appear in the software itself, if
* and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Ant" and "Apache Software Foundation" must not be used to
* endorse or promote products derived from this software without prior
*
written permission. For written permission, please contact
* apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache", nor may
* "Apache" appear in their name, without prior written permission of the
* Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,
* INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
* APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLU-
* DING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS
* OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
* ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* This software consists of voluntary contributions made by many individuals
* on behalf of the Apache Software Foundation. For more information on the
* Apache Software Foundation, please see <http://www.apache.org/>.
*
*/
>>>

The following license, Apache Software License, Version 1.1,
applies to the included BCEL.jar from Apache Jakarta
(Byte Code Engineering Library).
Source: http://jakarta.apache.org/bcel
Used By: XSLTC component of xml-xalan/java

The following license, Apache Software License, Version 1.1,
also applies to the included regexp.jar,
jakarta-regexp-1.2.jar from Apache Jakarta.
Source: http://jakarta.apache.org/regexp
Used By: BCEL.jar which is used by XSLTC component of xml-xalan/java

<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<
/*
 *
* Copyright (c) 2001 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
* "This product includes software developed by the
* Apache Software Foundation (http://www.apache.org/)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments
normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation" and
* "Apache BCEL" must not be used to endorse or promote products
* derived from this software without prior written permission. For
* written permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache",
* "Apache BCEL", nor may "Apache" appear in their name, without

*   prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/
>>

The following license applies to the DOM documentation
for the org.w3c.dom.* packages:

<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<
W3C DOCUMENT LICENSE
http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231
Public documents on the W3C site are provided
 by the copyright holders
under the following license. By using and/or copying this document,
or the W3C document from which this statement is linked, you (the licensee)
agree that you have read, understood, and will comply with the following
terms and conditions:

Permission to copy, and distribute the contents of this document, or the
W3C document from which this statement is linked, in any medium for any
purpose and without fee or royalty is hereby granted, provided that you include
the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing copyright notice of the original author, or if it
doesn't exist, a notice (hypertext is preferred, but a textual representation
is permitted) of the form: "Copyright [$date-of-document] World Wide Web
Consortium, (Massachusetts Institute of Technology, European Research
Consortium for Informatics and Mathematics,
Keio University). All Rights
Reserved. http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231"
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided.
We request that authorship attribution be provided in any software, documents,
or other items or products that you create pursuant to the implementation of the
contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant
to this license. However, if additional requirements (documented in the Copyright FAQ)
are satisfied, the right to create modifications or derivatives is sometimes granted
by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS
OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR
PURPOSE, NON-INFRINGEMENT, OR TITLE;
THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE
IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS,
COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE
PERFORMANCE
OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising
or publicity pertaining to this document or its contents without specific,
written prior permission. Title to copyright in this document will at all
times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002.
This version removes the copyright ownership notice such that this license
can be used with materials other than those owned by the
W3C, moves information
on style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM
is now a host of the W3C, includes references to this specific dated version
of the license, and removes the ambiguous grant of "use". See the older

formulation for the policy prior to this date. Please see our Copyright FAQ for
common questions about using materials from our site, such as the translating
or annotating specifications. Other questions about this notice can be directed
to site-policy@w3.org.

Joseph Reagle <mailto:site-policy@w3.org
Last revised by Reagle $Date: 2005-07-19 12:33:09 -0400 (Tue, 19 Jul 2005) $
>>

The following license applies to the DOM software,
for the org.w3c.dom.* packages in jar file xml-apis.jar:

<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<
W3C SOFTWARE NOTICE AND LICENSE
http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231
This
work (and included software, documentation such as READMEs,
or other related items) is being provided by the copyright holders
under the following license. By obtaining, using and/or copying this
work, you (the licensee) agree that you have read, understood, and will
comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its
documentation, with or without modification, for any purpose and
without fee or royalty is hereby granted, provided that you include
the following on ALL copies of the software and documentation or
portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the
redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices,
or terms and conditions. If none exist, the W3C Software Short Notice
should be included (hypertext is preferred, text is permitted) within
the body
of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the
date changes were made. (We recommend you provide URIs to the location
from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at
all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

Joseph Reagle <mailto:site-policy@w3.org
Last revised by Reagle
$Date: 2005-07-19 12:33:09 -0400 (Tue, 19 Jul 2005) $
>>>

and comes with NO WARRANTY. See http://www.saxproject.org for further information.
>>>

Source: http://www.cs.princeton.edu/~appel/modern/java/CUP
Used By: XSLTC component of xml-xalan/java

<<

that both the copyright notice and this permission notice and
warranty disclaimer appear in supporting documentation, and that the
name of the authors or their employers not be used in advertising or
publicity pertaining to distribution of the software without specific,
written prior permission.

The authors and their employers disclaim all warranties with regard
to this software, including all implied warranties of merchantability and
fitness. In no event shall the authors or their employers be liable for any
special, indirect or consequential damages or any damages whatsoever resulting
from loss of use, data or profits, whether in an action of contract,
negligence or other tortious action,
 arising out of or in connection
with the use or performance of this software.

Java is a trademark of Sun Microsystems, Inc. References to the Java
programming language in relation to JLex are not meant to imply that
Sun endorses this product.
>>>

*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*   "This product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Xalan", "Xerces", and "Apache Software Foundation" must
*   not be used to endorse or promote products derived from this
*   software without prior written permission. For written
*   permission, please contact apache@apache.org.
 *
* 5. Products derived from this software may not be called "Apache",
*   nor may "Apache" appear in their name, without prior written
*   permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
 ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation and was
* originally based on software copyright (c) 1999, International
* Business Machines, Inc., http://www.apache.org. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/
>>>

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).
xml-commons/java/external/LICENSE.sax.txt $Id: LICENSE.sax.txt,v 1.1 2002/01/31 23:26:48 curcuru Exp $

This license came from: http://www.megginson.com/SAX/copying.html
However please note future versions of SAX may be covered
under http://saxproject.org/?selected=pd

This page is now out of date -- see the new SAX site at
http://www.saxproject.org/ for more up-to-date
releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for
XML), and release all of the SAX 2.0 source code, compiled code, and
documentation contained in this distribution into the Public Domain.
SAX comes with NO WARRANTY or guarantee of fitness for any
purpose.

David Megginson, david@megginson.com
2000-05-05
xml-commons/java/external/LICENSE.sax.txt $Id: LICENSE.sax.txt 225954 2002-01-31 23:26:48Z curcuru $

This license came from: http://www.megginson.com/SAX/copying.html
However please note future versions of SAX may be covered
under http://saxproject.org/?selected=pd

This page is now out of date -- see the new SAX site at
http://www.saxproject.org/ for more up-to-date
releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for
XML), and release all of the SAX 2.0 source code, compiled code, and
documentation contained in this distribution into the Public Domain.
SAX comes with NO WARRANTY or guarantee of fitness for any
purpose.

David Megginson, david@megginson.com
2000-05-05

1.77 apache-commons-collections 3.2.2

1.77.1 Available under license :

Apache Commons Collections
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.78 jackson-datatype-joda 2.9.8

1.78.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

1.79 apache-commons-discovery 0.4

1.79.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Apache Jakarta Commons Discovery
Copyright 2002-2006 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

1.80 aop-alliance 1.0

1.80.1 Available under license :

all the source code provided by AOP Alliance is Public Domain.

1.81 apache-commons-collections 3.2.1

1.81.1 Available under license :

Apache Commons Collections (for Apache Directory Studio)
Copyright 2003-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.82 joda-time 2.8.1

1.82.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

==========

= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =

==========

This product includes software developed by
Joda.org (http://www.joda.org/).

1.83 slf4j-api-module 1.7.21

1.83.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**
* Copyright (c) 2004-2011 QOS.ch
* All rights reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN
NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/impl/StaticMarkerBinder.java
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/MarkerFactory.java
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/spi/LocationAwareLogger.java
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/helpers/SubstituteLoggerFactory.java
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/helpers/BasicMDCAdapter.java
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/impl/StaticLoggerBinder.java
*
/opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/Marker.java
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/helpers/NOPMDCAdapter.java
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/Logger.java
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-

jar/org/slf4j/helpers/BasicMarker.java
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/spi/MarkerFactoryBinder.java
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/spi/LoggerFactoryBinder.java
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/ILoggerFactory.java
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/helpers/Util.java
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/helpers/MessageFormatter.java
*
/opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/spi/MDCAdapter.java
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/helpers/NOPLogger.java
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/helpers/NamedLoggerBase.java
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/helpers/SubstituteLogger.java
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/impl/StaticMDCBinder.java
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/MDC.java
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/LoggerFactory.java
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/helpers/MarkerIgnoringBase.java
*
/opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/helpers/NOPLoggerFactory.java
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/helpers/FormattingTuple.java
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/helpers/BasicMarkerFactory.java
* /opt/ws_local/PERMITS_SQL/1010620336_1591383844.85/0/slf4j-api-1-7-21-sources-jar/org/slf4j/IMarkerFactory.java

1.84 json-path 2.4.0

1.84.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form
shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely
link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean
Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute,
all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum
to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use
the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or

conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor
harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.85 google-gson 2.8.5

1.85.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form
shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely
link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously

marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean
Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute,
all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum
to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for

inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use
the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor
harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.86 commons-compress 1.18

1.86.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Commons Compress
Copyright 2002-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

The files in the package org.apache.commons.compress.archivers.sevenz
were derived from the LZMA SDK, version 9.20 (C/ and CPP/7zip/),
which has been placed in the public domain:

"LZMA SDK is placed in the public domain." (http://www.7-zip.org/sdk.html)

```
/*
*  Licensed to the Apache Software Foundation (ASF) under one or more
*  contributor license agreements.  See the NOTICE file distributed with
*  this work for additional information regarding copyright ownership.
*  The ASF licenses this file to You under the Apache License, Version 2.0
*  (the "License"); you may not use this file except in compliance with
```

```
*  the License.  You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing, software
*  distributed under the License is distributed on an "AS IS" BASIS,
*  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*  See the License for the specific language governing permissions and
*  limitations under the License.
*
*/
```

1.87 apache-httpcomponents-core 4.4.11

1.87.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS
Apache HttpComponents Core
Copyright 2005-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.88 beanshell 2.0b4

1.88.1 Available under license :

```
/*****************************************************************************
*                                                                            *
*  This file is part of the BeanShell Java Scripting distribution.          *
*  Documentation and updates may be found at http://www.beanshell.org/      *
*                                                                            *
*  Sun Public License Notice:                                                *
*                                                                            *
*  The contents of this file are subject to the Sun Public License Version  *
*  1.0 (the "License"); you may not use this file except in compliance with *
*  the License. A copy of the License is available at http://www.sun.com    *
*                                                                            *
*  The Original Code is BeanShell. The Initial Developer of the Original    *
*  Code is Pat Niemeyer. Portions created by Pat Niemeyer
 are Copyright     *
*  (C) 2000.  All Rights Reserved.                                           *
*                                                                            *
*  GNU Public License Notice:                                                *
*                                                                            *
*  Alternatively, the contents of this file may be used under the terms of  *
*  the GNU Lesser General Public License (the "LGPL"), in which case the    *
*  provisions of LGPL are applicable instead of those above. If you wish to *
*  allow use of your version of this file only under the  terms of the LGPL *
*  and not to allow others to use your version of this file under the SPL,  *
*  indicate your decision by deleting the provisions above and replace      *
*  them with the notice and other provisions required by the LGPL.  If you  *
*  do not delete the provisions above, a recipient may use your version of  *
*  this file under either
 the SPL or the LGPL.                                      *
*                                                                            *
```

* Patrick Niemeyer (pat@pat.net) *
* Author of Learning Java, O'Reilly & Associates *
* http://www.pat.net/~pat/ *
* *
**********/

Sun Public License, Version 1.0 (SPL-1.0)
View Summary of Sun Public License v1.0 (SPL-1.0) on TLDRLegal » (Disclaimer)

1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof and corresponding documentation released with the source code.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means
the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

B. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code"../ means Source Code of computer software code which is described in the Source

Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code"../ means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated documentation, interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising
rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control"../ means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. Source Code License.

2.1 The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or
as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce,

modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version;
2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to
contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in

any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

3.4. Intellectual Property Matters.

(a) Third Party Claims. If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "../LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available
as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

(b) Contributor APIs.

If Contributor's Modifications include an application programming interface ("API"../) and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

(c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License

.
3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If
it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by
the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may

distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt
to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute,
judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

6. Versions of the License.

6.1. New Versions.

Sun Microsystems, Inc. ("Sun") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.
6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue
to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Sun. No one other than Sun has the right to modify the terms applicable to Covered Code created under this License.

6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must: (a) rename Your license so that the phrases "Sun,"

"Sun Public License," or "SPL"../ or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Sun Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

7.
DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "../AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall
survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such
Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable

value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED
OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation,"../ as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable,
such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

12.
RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising,

directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

13. MULTIPLE-LICENSED CODE. Initial Developer may designate portions of the Covered Code as ?Multiple-Licensed?. ?Multiple-Licensed? means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

Exhibit A -Sun Public License Notice.

The contents of this file are subject to the Sun Public License
Version 1.0 (the License); you may not use this file except in
compliance with the License. A copy of the License is available
at
http://www.sun.com/
The Original Code is _____. The Initial Developer of the
Original Code is _____. Portions created by _____ are Copyright
(C)_____. All Rights Reserved.

Contributor(s): _____.

Alternatively, the contents of this file may be used under the terms
of the _____ license (the ?[___] License?), in which case the
provisions of [_____] License are applicable instead of those above.
If you wish to allow use of your version of this file only under the
terms of the [____] License and not to allow others to use your
version of this file under the SPL, indicate your decision by deleting
the provisions above and replace them with the notice and other
provisions required by the [___] License. If you do not delete the
provisions above, a recipient may use your version of this file under
either the SPL or the [___] License.

[NOTE: The text of this Exhibit A may differ slightly from the text of
the notices in the Source
Code files of the Original Code. You should
use the text of this Exhibit A rather than the text found in the
Original Code Source Code for Your Modifications.]

```
/**********************************************************************************
*                                                                                 *
*  This file is part of the BeanShell Java Scripting distribution.          *
*  Documentation and updates may be found at http://www.beanshell.org/      *
*                                                                                 *
*  Sun Public License Notice:                                                     *
*                                                                                 *
*  The contents of this file are subject to the Sun Public License Version  *
*  1.0 (the "License"); you may not use this file except in compliance with *
*  the License. A copy of the License is available at http://www.sun.com    *
```

```
*                                                                     *
*  The Original Code is BeanShell. The Initial Developer of the Original    *
*  Code is Pat Niemeyer. Portions created by Pat Niemeyer
 are Copyright     *
*  (C) 2000.  All Rights Reserved.                                    *
*                                                                     *
*  GNU Public License Notice:                                         *
*                                                                     *
*  Alternatively, the contents of this file may be used under the terms of  *
*  the GNU Lesser General Public License (the "LGPL"), in which case the    *
*  provisions of LGPL are applicable instead of those above. If you wish to *
*  allow use of your version of this file only under the  terms of the LGPL *
*  and not to allow others to use your version of this file under the SPL,  *
*  indicate your decision by deleting the provisions above and replace      *
*  them with the notice and other provisions required by the LGPL.  If you  *
*  do not delete the provisions above, a recipient may use your version of  *
*  this file under either
 the SPL or the LGPL.                          *
*                                                                     *
*  Patrick Niemeyer (pat@pat.net)                                     *
*  Author of Learning Java, O'Reilly & Associates                     *
*  http://www.pat.net/~pat/                                           *
*                                                                     *
*********************************************************************************/
```

1.89 findbugs-annotations 3.0.1

1.89.1 Available under license :

```
/*
* FindBugs - Find Bugs in Java programs
* Copyright (C) 2005, University of Maryland
*
* This library is free software; you can redistribute it and/or
* modify it under the terms of the GNU Lesser General Public
* License as published by the Free Software Foundation; either
* version 2.1 of the License, or (at your option) any later version.
*
* This library is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  See the GNU
* Lesser General Public License for more details.
*
* You should have received a copy of the GNU Lesser General Public
* License along with this library; if not, write to the Free Software
* Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA  02111-1307  USA
*/
```

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or
for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling

it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.
^L
Finally, software patents
pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking
only if the
entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes

a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.
^L

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for

making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation
and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this
License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably
considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU
General Public
License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.
^L
Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or

derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding
machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library".
The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may
distribute the object code
for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.
^L
6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a

work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the
work with the complete corresponding
machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly
with a modified version of the library, if
the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the

Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally
distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.
^L
7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other
library
facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you
do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying

the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.
^L
11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse
you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system
which is
implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those

countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

13. The Free Software Foundation may publish
revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.
^L
14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision
will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE,
BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A

FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

^L

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA
02110-1301, USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if

necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James
Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
Found license 'GNU Lesser General Public License' in 'This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details. You should have received a copy of the GNU Lesser General Public'

1.90 scala 2.11.8

1.90.1 Available under license :

Scala includes the Sizzle library:

Copyright (c) 2010 The Dojo Foundation

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
Scala includes the JLine library:

Copyright (c) 2002-2006, Marc Prud'hommeaux <mwp1@cornell.edu>
All rights reserved.

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the following
conditions are met:

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer

in the documentation and/or other materials provided with
the distribution.

Neither the name of JLine nor the names of its contributors
may be used to endorse or promote products derived from this
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO
EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.
The MIT License

Copyright (c) 2010 Fabrizio Balliano, Kevin Dalman

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT
OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
Copyright (c) 2011 Paul Bakaus, http://jqueryui.com/

This software consists of voluntary contributions made by many
individuals (AUTHORS.txt, http://jqueryui.com/about) For exact
contribution history, see the revision history and logs, available

at http://jquery-ui.googlecode.com/svn/

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Scala includes the ASM library.

Copyright (c) 2000-2011 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
not-a-legal-formal-parameter-tuple.scala:2: error: not a legal formal parameter.
Note: Tuples cannot be directly destructured in method or function parameters.
    Either create a single parameter accepting the Tuple2,
    or consider a pattern matching anonymous function: `{ case (a, b) => ... }
 val x: ((Int, Int) => Int) = (((a, b)) => a)
                              ^
not-a-legal-formal-parameter-tuple.scala:3: error: not a legal formal parameter.
Note: Tuples cannot be directly destructured in method or function parameters.
    Either create a single parameter accepting the Tuple2,
    or consider a pattern matching anonymous function: `{ case (param1, param2) => ... }
 val y: ((Int, Int, Int) => Int) = (((a, !!)) => a)
                                   ^
not-a-legal-formal-parameter-tuple.scala:4: error: not a legal formal parameter.
Note: Tuples cannot be directly destructured in method or function parameters.
    Either create a single parameter accepting the
 Tuple3,
    or consider a pattern matching anonymous function: `{ case (param1, ..., param3) => ... }
 val z: ((Int, Int, Int) => Int) = (((a, NotAPatternVariableName, c)) => a)
                                   ^
three errors found
```

(The MIT License)

Copyright (c) 2013 Greg Allen

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
'Software'), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
 WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2006, Ivan Sagalaev

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
* Neither the name of highlight.js nor the names of its contributors
  may be used to endorse or promote products derived from this software
  without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT
 SHALL THE REGENTS AND CONTRIBUTORS BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Scala is licensed under the [BSD 3-Clause License](http://opensource.org/licenses/BSD-3-Clause).

Scala License

Copyright (c) 2002-2016 EPFL

Copyright (c) 2011-2016 Lightbend, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.
* Neither the name of the EPFL nor the names of its contributors
  may be used to endorse or promote products derived from this software
  without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
 INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Other Licenses

This software includes projects with the following licenses,
which are also included in the `licenses/` directory:

[Apache License](http://www.apache.org/licenses/LICENSE-2.0.html)
This license is used by the following third-party libraries:

 * jansi

[BSD License](http://www.opensource.org/licenses/bsd-license.php)
This license
 is used by the following third-party libraries:

 * jline

[BSD 3-Clause License](http://opensource.org/licenses/BSD-3-Clause)
This license is used by the following third-party libraries:

 * asm

[MIT License](http://www.opensource.org/licenses/MIT)
This license is used by the following third-party libraries:

 * jquery
 * jquery-ui
 * jquery-layout
 * sizzle
 * tools tooltip

Public Domain
The following libraries are freely available in the public domain:

 * forkjoin
Scala includes the Tools Tooltip library:

Copyright (c) 2009 Tero Piirainen

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
(c) 2012-2014 GitHub

When using the GitHub logos, be sure to follow the GitHub logo guidelines (https://github.com/logos)

Font License: SIL OFL 1.1 (http://scripts.sil.org/OFL)
Applies to all font files

Code License: MIT (http://choosealicense.com/licenses/mit/)
Applies to all other files
Scala includes the jQuery library:

Copyright (c) 2010 John Resig

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
Scala includes the JLine library, which includes the Jansi library.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%)
or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is
based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of
Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such
litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution

notices contained
within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may
provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary
use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall
any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the
License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

1.91 apache-httpcomponents-core 4.4.10

1.91.1 Available under license :

Apache HttpCore
Copyright 2005-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.92 scala 2.11.12

1.92.1 Available under license :

Scala includes the Sizzle library:

Copyright (c) 2010 The Dojo Foundation

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.
Scala includes the JLine library:

Copyright (c) 2002-2006, Marc Prud'hommeaux <mwp1@cornell.edu>
All rights reserved.

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the following
conditions are met:

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with
the distribution.

Neither the name of JLine nor the names of its contributors
may be used to endorse or promote products derived from this
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO
EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.
Scala is licensed under the [BSD 3-Clause License](http://opensource.org/licenses/BSD-3-Clause).

Scala License

Copyright (c) 2002-2017 EPFL

Copyright (c) 2011-2017 Lightbend, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.
* Neither the name of the EPFL nor the names of its contributors
  may be used to endorse or promote products derived from this software
  without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
 INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Other Licenses

This software includes projects with the following licenses,
which are also included in the `licenses/` directory:

[Apache License](http://www.apache.org/licenses/LICENSE-2.0.html)
This license is used by the following third-party libraries:

 * jansi

[BSD License](http://www.opensource.org/licenses/bsd-license.php)
This license
 is used by the following third-party libraries:

 * jline

[BSD 3-Clause License](http://opensource.org/licenses/BSD-3-Clause)
This license is used by the following third-party libraries:

 * asm

[MIT License](http://www.opensource.org/licenses/MIT)
This license is used by the following third-party libraries:

 * jquery

* jquery-ui
* jquery-layout
* sizzle
* tools tooltip

Public Domain
The following libraries are freely available in the public domain:

* forkjoin
The MIT License

Copyright (c) 2010 Fabrizio Balliano, Kevin Dalman

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT
OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (c) 2011 Paul Bakaus, http://jqueryui.com/

This software consists of voluntary contributions made by many
individuals (AUTHORS.txt, http://jqueryui.com/about) For exact
contribution history, see the revision history and logs, available
at http://jquery-ui.googlecode.com/svn/

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Scala includes the ASM library.

Copyright (c) 2000-2011 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.
not-a-legal-formal-parameter-tuple.scala:2: error: not a legal formal parameter.
Note: Tuples cannot be directly destructured in method or function parameters.
    Either create a single parameter accepting the Tuple2,
    or consider a pattern matching anonymous function: `{ case (a, b) => ... }
 val x: ((Int, Int) => Int) = (((a, b)) => a)
                               ^
not-a-legal-formal-parameter-tuple.scala:3: error: not a legal formal parameter.

```
Note: Tuples cannot be directly destructured in method or function parameters.
    Either create a single parameter accepting the Tuple2,
    or consider a pattern matching anonymous function: `{ case (param1, param2) => ... }
 val y: ((Int, Int, Int) => Int) = (((a, !!)) => a)
                                    ^
not-a-legal-formal-parameter-tuple.scala:4: error: not a legal formal parameter.
Note: Tuples cannot be directly destructured in method or function parameters.
    Either create a single parameter accepting the
 Tuple3,
    or consider a pattern matching anonymous function: `{ case (param1, ..., param3) => ... }
 val z: ((Int, Int, Int) => Int) = (((a, NotAPatternVariableName, c)) => a)
                                    ^
three errors found
```

(The MIT License)
Copyright (c) 2013 Greg Allen
Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
'Software'), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:
The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.
THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
 WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (c) 2006, Ivan Sagalaev
All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright
    notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above copyright
    notice, this list of conditions and the following disclaimer in the
    documentation and/or other materials provided with the distribution.
  * Neither the name of highlight.js nor the names of its contributors
    may be used to endorse or promote products derived from this software
    without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL THE REGENTS AND CONTRIBUTORS BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Scala includes the Tools Tooltip library:

Copyright (c) 2009 Tero Piirainen

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
(c) 2012-2014 GitHub

When using the GitHub logos, be sure to follow the GitHub logo guidelines (https://github.com/logos)

Font License: SIL OFL 1.1 (http://scripts.sil.org/OFL)
Applies to all font files

Code License: MIT (http://choosealicense.com/licenses/mit/)
Applies to all other files
Scala includes the jQuery library:

Copyright (c) 2010 John Resig

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
Scala includes the JLine library, which includes the Jansi library.

Apache License
Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of
Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such
litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution
notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may
provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary
use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall
any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the
License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.93 findbugs-jsr305 3.0.2

1.93.1 Available under license :

License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

1. Definitions

1. "Collective Work" means a work, such as a periodical issue, anthology or encyclopedia, in which the Work in its entirety in unmodified form, along with a number of other contributions, constituting separate and independent works in themselves, are assembled into a collective whole. A work that constitutes a Collective Work will not be considered a Derivative Work (as defined below) for the purposes of this
License.
2. "Derivative Work" means a work based upon the Work or upon the Work and other pre-existing works, such as a translation, musical arrangement, dramatization, fictionalization, motion picture version, sound recording, art reproduction, abridgment, condensation, or any other form in which the Work may be recast, transformed, or adapted, except that a work that constitutes a Collective Work will not be considered a Derivative Work for the purpose of this License. For the avoidance of doubt, where the Work is a musical composition or sound recording, the synchronization of the Work in timed-relation with a moving image ("synching") will be considered a Derivative Work for the purpose of this License.
3. "Licensor" means the individual or entity that offers the Work under the terms of this License.

4. "Original Author" means the individual or entity who created the Work.
5. "Work" means the copyrightable work of authorship offered under the terms
of this License.
6. "You" means an individual or entity exercising rights under this License who has not previously violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.

2. Fair Use Rights. Nothing in this license is intended to reduce, limit, or restrict any rights arising from fair use, first sale or other limitations on the exclusive rights of the copyright owner under copyright law or other applicable laws.

3. License Grant. Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

1. to reproduce the Work, to incorporate the Work into one or more Collective Works, and to reproduce the Work as incorporated in the Collective
Works;
2. to create and reproduce Derivative Works;
3. to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission the Work including as incorporated in Collective Works;
4. to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission Derivative Works.
5.

For the avoidance of doubt, where the work is a musical composition:
1. Performance Royalties Under Blanket Licenses. Licensor waives the exclusive right to collect, whether individually or via a performance rights society (e.g. ASCAP, BMI, SESAC), royalties for the public performance or public digital performance (e.g. webcast) of the Work.
2. Mechanical Rights and Statutory Royalties. Licensor waives the exclusive right to collect, whether individually or via a music rights agency or designated
agent (e.g. Harry Fox Agency), royalties for any phonorecord You create from the Work ("cover version") and distribute, subject to the compulsory license created by 17 USC Section 115 of the US Copyright Act (or the equivalent in other jurisdictions).
6. Webcasting Rights and Statutory Royalties. For the avoidance of doubt, where the Work is a sound recording, Licensor waives the exclusive right to collect, whether individually or via a performance-rights society (e.g. SoundExchange), royalties for the public digital performance (e.g. webcast) of the Work, subject to the compulsory license created by 17 USC Section 114 of the US Copyright Act (or the equivalent in other jurisdictions).

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. All rights not expressly granted by Licensor
are hereby reserved.

4. Restrictions.The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:

1. You may distribute, publicly display, publicly perform, or publicly digitally perform the Work only under the

terms of this License, and You must include a copy of, or the Uniform Resource Identifier for, this License with every copy or phonorecord of the Work You distribute, publicly display, publicly perform, or publicly digitally perform. You may not offer or impose any terms on the Work that alter or restrict the terms of this License or the recipients' exercise of the rights granted hereunder. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties. You may not distribute, publicly display, publicly perform, or publicly digitally perform the Work with any technological measures that control access or use of the Work in a manner
inconsistent with the terms of this License Agreement. The above applies to the Work as incorporated in a Collective Work, but this does not require the Collective Work apart from the Work itself to be made subject to the terms of this License. If You create a Collective Work, upon notice from any Licensor You must, to the extent practicable, remove from the Collective Work any credit as required by clause 4(b), as requested. If You create a Derivative Work, upon notice from any Licensor You must, to the extent practicable, remove from the Derivative Work any credit as required by clause 4(b), as requested.

2. If you distribute, publicly display, publicly perform, or publicly digitally perform the Work or any Derivative Works or Collective Works, You must keep intact all copyright notices for the Work and provide, reasonable to the medium or means You are utilizing: (i) the name of the Original Author (or pseudonym, if applicable) if supplied, and/or (ii) if the Original Author
and/or Licensor designate another party or parties (e.g. a sponsor institute, publishing entity, journal) for attribution in Licensor's copyright notice, terms of service or by other reasonable means, the name of such party or parties; the title of the Work if supplied; to the extent reasonably practicable, the Uniform Resource Identifier, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing information for the Work; and in the case of a Derivative Work, a credit identifying the use of the Work in the Derivative Work (e.g., "French translation of the Work by Original Author," or "Screenplay based on original Work by Original Author"). Such credit may be implemented in any reasonable manner; provided, however, that in the case of a Derivative Work or Collective Work, at a minimum such credit will appear where any other comparable authorship credit appears and in a manner at least as prominent as such other
comparable authorship credit.

5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTIBILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

6. Limitation on Liability. EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

7. Termination

1. This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms

of this License. Individuals or entities who have received Derivative Works or Collective Works from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.

2. Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this

License will continue in full force and effect unless terminated as stated above.

8. Miscellaneous

1. Each time You distribute or publicly digitally perform the Work or a Collective Work, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License.

2. Each time You distribute or publicly digitally perform a Derivative Work, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You under this License.

3. If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

4. No term or provision of this

License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.

5. This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Licensor and You.

1.94 apache-http-client 4.5.9

1.94.1 Available under license :

Apache HttpComponents Client
Copyright 1999-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

==========

This project includes Public Suffix List copied from
<https://publicsuffix.org/list/effective_tld_names.dat>
licensed under the terms of the Mozilla Public License, v. 2.0

Full license text: <http://mozilla.org/MPL/2.0/>

Mozilla Public License Version 2.0
==========

1. Definitions

1.1. "Contributor"
means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"
means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"
means Covered Software of a particular Contributor.

1.4. "Covered Software"
means Source Code
Form to which the initial Contributor has attached
the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"
means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"
means any form of the work other than Source Code Form.

1.7. "Larger Work"
means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"
means this document.

1.9. "Licensable"
means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently,
any and
all of the rights conveyed by this License.

1.10. "Modifications"
means any of the following:

(a) any file in Source Code Form that results from an addition to,

deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor
means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"
means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those

licenses.

1.13. "Source Code Form"
means the form of the work preferred for making modifications.

1.14. "You" (or "Your")
means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise
exploit its
Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

(a) for any code that a Contributor has removed from Covered Software; or

(b) for infringements caused by: (i) Your and any other third party's modifications
of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have
under
applicable copyright doctrines of fair use, fair dealing, or other
equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted
in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any
Modifications that You create or to which You contribute, must be under
the terms of this License. You must inform recipients that the Source
Code Form of the Covered Software is governed by the terms of this
License, and how they can obtain a copy of this License. You may not
attempt to alter or restrict the recipients' rights in the Source Code
Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code
Form, as described in Section 3.1, and You must inform recipients of
the Executable Form how they can obtain a copy of such Source
Code
Form by reasonable means in a timely manner, at a charge no more
than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this
License, or sublicense it under different terms, provided that the
license for the Executable Form does not attempt to limit or alter
the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice,
provided that You also comply with the requirements of this License for
the Covered Software. If the Larger Work is a combination of Covered
Software with a work governed by one or more Secondary Licenses, and the
Covered Software is not Incompatible With Secondary Licenses, this

License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However,

if You become
compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the
rights granted to
You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

```
************************************************************************
*                                                                      *
*  6. Disclaimer of Warranty                                           *
*  -------------------------                                           *
*                                                                      *
*  Covered Software is provided under this License on an "as is"       *
*  basis, without warranty of any kind, either expressed, implied, or  *
*  statutory, including, without limitation, warranties that the       *
*  Covered Software is
 free of defects, merchantable, fit for a        *
*  particular purpose or non-infringing. The entire risk as to the     *
*  quality and performance of the Covered Software is with You.        *
*  Should any Covered Software prove defective in any respect, You     *
*  (not any Contributor) assume the cost of any necessary servicing,   *
*  repair, or correction. This disclaimer of warranty constitutes an   *
*  essential part of this License. No use of any Covered Software is   *
*  authorized under this License except under this disclaimer.         *
*                                                                      *
************************************************************************

************************************************************************
*                                                                      *
```

* 7. Limitation of Liability *
* ---------- *
*
*
* Under no circumstances and under no legal theory, whether tort *
* (including negligence), contract, or otherwise, shall any *
* Contributor, or anyone who distributes Covered Software as *
* permitted above, be liable to You for any direct, indirect, *
* special, incidental, or consequential damages of any character *
* including, without limitation, damages for lost profits, loss of *
* goodwill, work stoppage, computer failure or malfunction, or any *
* and all other commercial damages or losses, even if such party *
* shall have been informed of the possibility of such damages. This *
* limitation of liability shall not apply to liability for death or *
* personal injury resulting from such party's negligence to the *
* extent applicable law prohibits such limitation. Some *
* jurisdictions do not allow the exclusion or limitation
of *
* incidental or consequential damages, so this exclusion and *
* limitation may not apply to You. *
* *
****

8. Litigation

Any litigation relating to this License may be brought only in the
courts of a jurisdiction where the defendant maintains its principal
place of business and such litigation shall be governed by laws of that
jurisdiction, without reference to its conflict-of-law provisions.
Nothing in this Section shall prevent a party's ability to bring
cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject
matter hereof. If any provision of this License is held to be
unenforceable, such provision shall be reformed only to the extent
necessary to make it enforceable. Any law or regulation
which provides
that the language of a contract shall be construed against the drafter
shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as

defined by the Mozilla Public License, v. 2.0.

1.95 junit 4.11

1.95.1 Available under license :

BSD License

Copyright (c) 2000-2006, www.hamcrest.org
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of
conditions and the following disclaimer. Redistributions in binary form must reproduce
the above copyright notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse
or promote products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL
 THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY
WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and

documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor"
means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer
to sell, import and otherwise transfer the
Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses

to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder,
each Recipient hereby assumes sole
responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular
purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator
of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations
in this section do not apply to any claims or Losses
relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and
if a court
requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each

Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be

modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient
receives no rights or licenses to the
intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

1.96 animal-sniffer-annotation 1.18

1.96.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* The MIT License
*
* Copyright (c) 2008 Kohsuke Kawaguchi and codehaus.org.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT

HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1013582628_1591897522.84/0/animal-sniffer-annotations-1-18-sources-jar/org/codehaus/mojo/animal_sniffer/IgnoreJRERequirement.java
No license file was found, but licenses were detected in source scan.

The MIT License

Copyright (c) 2009 codehaus.org.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1013582628_1591897522.84/0/animal-sniffer-annotations-1-18-sources-jar/META-INF/maven/org.codehaus.mojo/animal-sniffer-annotations/pom.xml

1.97 json-simple 1.1.1

1.97.1 Available under license :

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean
the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name)
to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual
or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to

You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by
combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and
You must cause any modified files to carry prominent notices stating that You changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that
such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work

(and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any
Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims
asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.98 google-gson 2.8.6

1.98.1 Available under license :

Google Gson

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding
shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or
derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may
add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or
product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by
applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf
and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2008-2011 Google Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License

Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.99 assertj-fluent-assertions 3.11.1

1.99.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form
shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely
link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean
Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute,

all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum
to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use
the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor
harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.100 javassist 3.18.2-GA

1.100.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Javassist, a Java-bytecode translator toolkit.
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.
*
* The contents of this file are subject to the Mozilla Public License Version
* 1.1 (the "License"); you may not use this file except in compliance with
* the License. Alternatively, the contents of this file may be used under
* the terms of the GNU Lesser General Public License Version 2.1 or later,
* or the Apache License Version 2.0.
*
* Software distributed under the License is distributed on an "AS IS" basis,
* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
* for the specific language governing rights and limitations under the
* License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/scopedpool/ScopedClassPoolRepositoryImpl.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/BadBytecode.java
*
 /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/convert/TransformFieldAccess.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/Member.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/tools/web/Webserver.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/tools/reflect/Metaobject.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/Symbol.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/util/HotSwapper.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/InnerClassesAttribute.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/AnnotationsAttribute.java
*
 /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/annotation/AnnotationsWriter.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/CannotCompileException.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/util/proxy/ProxyObject.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/analysis/SubroutineScanner.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/InstructionPrinter.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/ByteArrayClassPath.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/ParameterAnnotationsAttribute.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/StringL.java
*
 /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/util/proxy/Proxy.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/CtMethod.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/tools/rmi/RemoteRef.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-

jar/javassist/ClassMap.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/expr/MethodCall.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/analysis/ControlFlow.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/CodeIterator.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/util/proxy/MethodHandler.java
*
/opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/stackmap/Tracer.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/Modifier.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/scopedpool/ScopedClassPoolFactory.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/ClassPath.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/Descriptor.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/CondExpr.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/analysis/IntQueue.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/ASTree.java
*
/opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/AccessFlag.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/CtClassType.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/Keyword.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/CtPrimitiveType.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/tools/reflect/Sample.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/tools/reflect/Compiler.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/util/proxy/RuntimeSupport.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/CtConstructor.java
*
/opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/LongVector.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/stackmap/MapMaker.java

* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/stackmap/TypeData.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/ASTList.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/util/proxy/ProxyObjectOutputStream.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/CtNewConstructor.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/CtClass.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/CtNewWrappedMethod.java
*
 /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/CtArray.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/ExceptionTable.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/ByteStream.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/Parser.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/NotFoundException.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/ClassClassPath.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/Javac.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/tools/Dump.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/CtNewClass.java
*
 /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/stackmap/BasicBlock.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/CtBehavior.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/convert/TransformNew.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/MemberResolver.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/StackMap.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/convert/TransformWriteField.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/JvstCodeGen.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/Loader.java

*
 /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/Mnemonic.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/annotation/NoSuchClassError.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/analysis/FramePrinter.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/ClassFile.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/CtField.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/expr/Instanceof.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/EnclosingMethodAttribute.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/SerialVersionUID.java
*
 /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/LineNumberAttribute.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/expr/Handler.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/tools/web/Viewer.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/FieldDecl.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/MethodDecl.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/SymbolTable.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/ArrayInit.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/tools/rmi/ObjectImporter.java
*
 /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/analysis/Frame.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/Bytecode.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/Stmnt.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/tools/web/BadHttpRequest.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/tools/rmi/Proxy.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/tools/rmi/RemoteException.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-

jar/javassist/compiler/JvstTypeChecker.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/SignatureAttribute.java
*
 /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/convert/TransformNewClass.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/BinExpr.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/LoaderClassPath.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/ClassFilePrinter.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/tools/reflect/CannotInvokeException.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/CompileError.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/tools/rmi/ObjectNotFoundException.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/TokenId.java
*
 /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/CtNewNestedClass.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/analysis/Type.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/convert/TransformBefore.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/KeywordTable.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/CodeConverter.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/scopedpool/ScopedClassPool.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/DeprecatedAttribute.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/convert/TransformCall.java
*
 /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/tools/framedump.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/tools/reflect/CannotCreateException.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/Declarator.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/MethodInfo.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/expr/FieldAccess.java

* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/IntConst.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/CtNewWrappedConstructor.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/stackmap/TypeTag.java
*
 /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/ByteArray.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/runtime/DotClass.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/Variable.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/stackmap/TypedBlock.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/AccessorMaker.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/util/proxy/MethodFilter.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/scopedpool/ScopedClassPoolFactoryImpl.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/expr/NewExpr.java
*
 /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/InstanceOfExpr.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/util/proxy/ProxyObjectInputStream.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/Expr.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/Translator.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/tools/reflect/CannotReflectException.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/CallExpr.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/DoubleConst.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/LocalVariableTypeAttribute.java
*
 /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/tools/reflect/Loader.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/expr/Cast.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/util/proxy/SecurityActions.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-

jar/javassist/tools/reflect/Metalevel.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/CtMember.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/convert/TransformAccessArrayField.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/runtime/Inner.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/SourceFileAttribute.java
*
/opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/analysis/MultiArrayType.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/scopedpool/ScopedClassPoolRepository.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/CodeAnalyzer.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/ClassFileWriter.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/tools/rmi/StubGenerator.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/CodeAttribute.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/CtNewMethod.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/CodeGen.java
*
/opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/AnnotationDefaultAttribute.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/ConstantAttribute.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/analysis/MultiType.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/SyntheticAttribute.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/util/proxy/ProxyFactory.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/NoFieldException.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/Pair.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/AssignExpr.java
*
/opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/ExceptionsAttribute.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/tools/rmi/Sample.java

* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/ClassPoolTail.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/runtime/Desc.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/expr/NewArray.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/expr/ExprEditor.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/AttributeInfo.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/expr/ConstructorCall.java
*
 /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/Visitor.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/analysis/Subroutine.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/tools/rmi/AppletServer.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/StackMapTable.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/MemberCodeGen.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/tools/reflect/ClassMetaobject.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/convert/TransformAfter.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/URLClassPath.java
*
 /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/SyntaxError.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/scopedpool/SoftValueHashMap.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/Lex.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/ClassPool.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/NewExpr.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/expr/Expr.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/TypeChecker.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/Opcode.java
*

/opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/tools/reflect/Reflection.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/convert/TransformReadField.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/LocalVariableAttribute.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/util/proxy/FactoryHelper.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ProceedHandler.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/DuplicateMemberException.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/util/proxy/SerializedProxy.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/analysis/Util.java
*
/opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/compiler/ast/CastExpr.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/annotation/AnnotationImpl.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/convert/Transformer.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/analysis/Executor.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/ConstPool.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/runtime/Cflow.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/analysis/Analyzer.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/FieldInfo.java
No license file was found, but licenses were detected in source scan.

/*
* Javassist, a Java-bytecode translator toolkit.
* Copyright (C) 2004 Bill Burke. All Rights Reserved.
*
* The contents of this file are subject to the Mozilla Public License Version
* 1.1 (the "License"); you may not use this file except in compliance with
* the License. Alternatively, the contents of this file may be used under
* the terms of the GNU Lesser General Public License Version 2.1 or later,
* or the Apache License Version 2.0.
*
* Software distributed under the License is distributed on an "AS IS" basis,
* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
* for the specific language governing rights and limitations under the

* License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/annotation/IntegerMemberValue.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/annotation/Annotation.java
*
 /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/annotation/ArrayMemberValue.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/annotation/CharMemberValue.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/annotation/EnumMemberValue.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/annotation/StringMemberValue.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/annotation/FloatMemberValue.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/annotation/LongMemberValue.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/annotation/ShortMemberValue.java
*
 /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/annotation/DoubleMemberValue.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/annotation/MemberValueVisitor.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/annotation/ByteMemberValue.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/annotation/ClassMemberValue.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/annotation/MemberValue.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/annotation/AnnotationMemberValue.java
* /opt/ws_local/PERMITS_SQL/1014221952_1591370586.83/0/javassist-3-18-2-ga-sources-jar/javassist/bytecode/annotation/BooleanMemberValue.java

1.101 jnr-enxio 0.16

1.101.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 Wayne Meissner
*

* This file is part of the JNR project.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1014297059_1591372351.24/0/jnr-enxio-0-16-sources-jar/jnr/enxio/channels/NativeDeviceChannel.java
* /opt/ws_local/PERMITS_SQL/1014297059_1591372351.24/0/jnr-enxio-0-16-sources-jar/jnr/enxio/channels/NativeServerSocketChannel.java
* /opt/ws_local/PERMITS_SQL/1014297059_1591372351.24/0/jnr-enxio-0-16-sources-jar/jnr/enxio/channels/KQSelector.java
*
 /opt/ws_local/PERMITS_SQL/1014297059_1591372351.24/0/jnr-enxio-0-16-sources-jar/jnr/enxio/channels/Native.java
* /opt/ws_local/PERMITS_SQL/1014297059_1591372351.24/0/jnr-enxio-0-16-sources-jar/jnr/enxio/channels/NativeSelectorProvider.java
* /opt/ws_local/PERMITS_SQL/1014297059_1591372351.24/0/jnr-enxio-0-16-sources-jar/jnr/enxio/channels/NativeSocketChannel.java
* /opt/ws_local/PERMITS_SQL/1014297059_1591372351.24/0/jnr-enxio-0-16-sources-jar/jnr/enxio/channels/NativeSelectableChannel.java
* /opt/ws_local/PERMITS_SQL/1014297059_1591372351.24/0/jnr-enxio-0-16-sources-jar/jnr/enxio/channels/KQSelectionKey.java
No license file was found, but licenses were detected in source scan.

/*
* This file is part of the JNR project.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and

* limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1014297059_1591372351.24/0/jnr-enxio-0-16-sources-jar/jnr/enxio/channels/PollSelectionKey.java
* /opt/ws_local/PERMITS_SQL/1014297059_1591372351.24/0/jnr-enxio-0-16-sources-jar/jnr/enxio/channels/PollSelector.java

1.102 jnr-unixsocket 0.18

1.102.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 Greg Vanore
*
* This file is part of the JNR project.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1014297050_1591897322.69/0/jnr-unixsocket-0-18-sources-jar/jnr/unixsocket/Credentials.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 Fritz Elfert
*
* This file is part of the JNR project.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1014297050_1591897322.69/0/jnr-unixsocket-0-18-sources-jar/jnr/unixsocket/Common.java
* /opt/ws_local/PERMITS_SQL/1014297050_1591897322.69/0/jnr-unixsocket-0-18-sources-jar/jnr/unixsocket/UnixDatagramSocket.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 Wayne Meissner
*
* This file is part of the JNR project.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1014297050_1591897322.69/0/jnr-unixsocket-0-18-sources-jar/jnr/unixsocket/UnixServerSocketChannel.java
* /opt/ws_local/PERMITS_SQL/1014297050_1591897322.69/0/jnr-unixsocket-0-18-sources-jar/jnr/unixsocket/Native.java
* /opt/ws_local/PERMITS_SQL/1014297050_1591897322.69/0/jnr-unixsocket-0-18-sources-jar/jnr/unixsocket/UnixServerSocket.java
*
 /opt/ws_local/PERMITS_SQL/1014297050_1591897322.69/0/jnr-unixsocket-0-18-sources-jar/jnr/unixsocket/UnixSocketAddress.java
* /opt/ws_local/PERMITS_SQL/1014297050_1591897322.69/0/jnr-unixsocket-0-18-sources-jar/jnr/unixsocket/SockAddrUnix.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2009 Wayne Meissner
* Copyright (C) 2016 Marcus Linke
*
* (ported from https://github.com/softprops/unisockets/blob/master/unisockets-core/src/main/scala/Socket.scala)
*
* This file is part of the JNR project.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*    http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1014297050_1591897322.69/0/jnr-unixsocket-0-18-sources-jar/jnr/unixsocket/UnixSocket.java
No license file was found, but licenses were detected in source scan.

```
/*
* This file is part of the JNR project.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*    http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1014297050_1591897322.69/0/jnr-unixsocket-0-18-sources-jar/jnr/unixsocket/Ucred.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2016 Marcus Linke
*
* This file is part of the JNR project.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*    http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1014297050_1591897322.69/0/jnr-unixsocket-0-18-sources-jar/jnr/enxio/channels/AbstractNativeSocketChannel.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2009 Wayne Meissner
* Copyright (C) 2016 Marcus Linke
*
* This file is part of the JNR project.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*    http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1014297050_1591897322.69/0/jnr-unixsocket-0-18-sources-jar/jnr/unixsocket/UnixSocketChannel.java
No license file was found, but licenses were detected in source scan.

```
/*
```

* Copyright (C) 2016 Fritz Elfert
*
* This file is part of the JNR project.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1014297050_1591897322.69/0/jnr-unixsocket-0-18-sources-jar/jnr/enxio/channels/AbstractNativeDatagramChannel.java
* /opt/ws_local/PERMITS_SQL/1014297050_1591897322.69/0/jnr-unixsocket-0-18-sources-jar/jnr/unixsocket/BindHandler.java
* /opt/ws_local/PERMITS_SQL/1014297050_1591897322.69/0/jnr-unixsocket-0-18-sources-jar/jnr/unixsocket/UnixSocketOptions.java
*
 /opt/ws_local/PERMITS_SQL/1014297050_1591897322.69/0/jnr-unixsocket-0-18-sources-jar/jnr/unixsocket/UnixDatagramChannel.java
* /opt/ws_local/PERMITS_SQL/1014297050_1591897322.69/0/jnr-unixsocket-0-18-sources-jar/jnr/enxio/channels/Common.java

1.103 jsoup 1.9.2

1.103.1 Available under license :

The MIT License

2009-2016, Jonathan Hedley <jonathan@hedley.net>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT
OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.104 google-android-annotations-library 4.1.1.4

1.104.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 The Android Open Source Project
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1014842714_1591897072.99/0/annotations-4-1-1-4-sources-jar/android/annotation/SuppressLint.java
* /opt/ws_local/PERMITS_SQL/1014842714_1591897072.99/0/annotations-4-1-1-4-sources-jar/android/annotation/TargetApi.java

1.105 jsr311-api 1.1.1

1.105.1 Available under license :

/*
* The contents of this file are subject to the terms
* of the Common Development and Distribution License
* (the "License"). You may not use this file except
* in compliance with the License.

*
* You can obtain a copy of the license at
* http://www.opensource.org/licenses/cddl1.php
* See the License for the specific language governing
* permissions and limitations under the License.
*/

1.106 libplexus-utils 2.0.5

1.106.1 Available under license :

Indiana University Extreme! Lab Software License

Version 1.1.1

Copyright (c) 2002 Extreme! Lab, Indiana University. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in
  the documentation and/or other materials provided with the distribution.

3. The end-user documentation included with the redistribution, if any,
  must include the following acknowledgment:

 "This product includes software developed by the Indiana University
 Extreme! Lab (http://www.extreme.indiana.edu/)."

Alternately, this acknowledgment may appear in the software itself,
if and wherever such third-party
 acknowledgments normally appear.

4. The names "Indiana Univeristy" and "Indiana Univeristy Extreme! Lab"
must not be used to endorse or promote products derived from this
software without prior written permission. For written permission,
please contact http://www.extreme.indiana.edu/.

5. Products derived from this software may not use "Indiana Univeristy"
name nor may "Indiana Univeristy" appear in their name, without prior
written permission of the Indiana University.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED

WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHORS, COPYRIGHT HOLDERS OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
This product includes software developed by the Indiana University
Extreme! Lab (http://www.extreme.indiana.edu/).

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

This product includes software developed by
ThoughtWorks (http://www.thoughtworks.com).

This product includes software developed by
javolution (http://javolution.org/).

This product includes software developed by
Rome (https://rome.dev.java.net/).
Javolution - Java(TM) Solution for Real-Time and Embedded Systems
Copyright (c) 2006, Javolution (http://javolution.org)
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS

SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

/**
* CruiseControl, a Continuous Integration Toolkit
* Copyright (c) 2001-2003, ThoughtWorks, Inc.
* 651 W Washington Ave. Suite 500
* Chicago, IL 60661 USA
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* + Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* + Redistributions in binary form must reproduce the above
* copyright notice, this list of conditions and the following
* disclaimer in the documentation and/or other materials provided
* with the distribution.
*
* + Neither the name of ThoughtWorks, Inc., CruiseControl, nor the
* names of its contributors may be used to endorse or promote
* products derived from
this software without specific prior
* written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

* A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
**********/

1.107 java-servlet-api 2.3

1.107.1 Available under license :

Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2010 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '# Copyright (c) 1997-2010 Oracle and/or its affiliates. All rights reserved. # The contents of this file are subject to the terms of either the GNU # General Public License Version 2 only ("GPL") or the Common Development # and Distribution License("CDDL") (collectively, the "License"). You # may not use this file except in compliance with the License. You can # Oracle designates this particular file as subject to the "Classpath" # exception as provided by Oracle in the GPL Version 2 section of the License # Licensed under the Apache License, Version 2.0 (the "License"); # you may not use this file except in compliance with the License. # You may obtain a copy of the License at # http://www.apache.org/licenses/LICENSE-2.0 # distributed under the License is distributed on an "AS IS" BASIS,'

Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License <bottom>Portions Copyright © 1999-2002 The Apache Software Foundation. All Rights Reserved. Portions Copyright © 2005-2011 Oracle and/or its affiliates. All Rights Reserve</bottom>'

Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2009-2010 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2008-2010 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License CONFIDENTIAL'

Found license 'General Public License 2.0' in 'Copyright (c) 2008-2010 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 1997-2010 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 1997-2010 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at http://www.apache.org/licenses/LICENSE-2.0 distributed under the License is distributed on an "AS IS" BASIS,'
Found license 'General Public License 2.0' in 'Copyright (c) 1997-2010 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at http://www.apache.org/licenses/LICENSE-2.0 distributed under the License is distributed on an "AS IS" BASIS,'
Found license 'General Public License 2.0' in '* Copyright (c) 2008-2010 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License * <tt>TransportGuarantee.CONFIDENTIAL</tt>. * <tt>TransportGuarantee.CONFIDENTIAL</tt> * <tt>TransportGuarantee.CONFIDENTIAL<tt>'
Found license 'General Public License 2.0' in '* Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License * Licensed under the Apache License, Version 2.0 (the "License"); * you may not use this file except in compliance with the License. * You may obtain a copy of the License at * http://www.apache.org/licenses/LICENSE-2.0 * distributed under the License is distributed on an "AS IS" BASIS,'
Found license 'General Public License 2.0' in 'Copyright (c) 2010 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 1997-2010 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2

only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License * Licensed under the Apache License, Version 2.0 (the "License"); * you may not use this file except in compliance with the License. * You may obtain a copy of the License at * http://www.apache.org/licenses/LICENSE-2.0 * distributed under the License is distributed on an "AS IS" BASIS,'
Found license 'General Public License 2.0' in '* Copyright (c) 2008-2010 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in 'Copyright (c) 2009-2010 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in 'Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License <bottom>Portions Copyright © 1999-2002 The Apache Software Foundation. All Rights Reserved. Portions Copyright © 2005-2011 Oracle and/or its affiliates. All Rights Reserve</bottom>'
Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2008-2010 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2009-2010 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

1.108 apache-commons-collections 3.1

1.108.1 Available under license :

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.109 google-guice 4.1.0

1.109.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Google Guice - Core Library
Copyright 2006-2016 Google, Inc.

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.110 xpp3-xpath 1.1.4c

1.110.1 Available under license :

<OWNER> = Regents of the University of California
<ORGANIZATION> = University of California, Berkeley
<YEAR> = 1998

In the original BSD license, both occurrences of the phrase "COPYRIGHT HOLDERS AND CONTRIBUTORS" in the disclaimer read "REGENTS AND CONTRIBUTORS".

Here is the license template:

Copyright (c) <YEAR>, <OWNER>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
Neither the name of the <ORGANIZATION> nor the names of its contributors may be used to endorse or promote products derived from this
software without specific prior written permission.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.111 stax-api 3.1.4

1.111.1 Available under license :

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.112 apache-commons-math 3.6.1

1.112.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Commons Math includes the following code provided to the ASF under the
Apache License 2.0:

- The inverse error function implementation in the Erf class is based on CUDA
code developed by Mike Giles, Oxford-Man Institute of Quantitative Finance,
and published in GPU Computing Gems, volume 2, 2010 (grant received on
March 23th 2013)
- The LinearConstraint, LinearObjectiveFunction, LinearOptimizer,
RelationShip, SimplexSolver and SimplexTableau classes in package
org.apache.commons.math3.optimization.linear include software developed by
Benjamin McCann (http://www.benmccann.com) and distributed with
the following

copyright: Copyright 2009 Google Inc. (grant received on
March 16th 2009)
- The class "org.apache.commons.math3.exception.util.LocalizedFormatsTest" which
is an adapted version of "OrekitMessagesTest" test class for the Orekit library
- The "org.apache.commons.math3.analysis.interpolation.HermiteInterpolator"
has been imported from the Orekit space flight dynamics library.

==========

APACHE COMMONS MATH DERIVATIVE WORKS:

The Apache commons-math library includes a number of subcomponents
whose implementation is derived from original sources written
in C or Fortran. License terms of the original sources
are reproduced below.

==========
For the lmder, lmpar and qrsolv Fortran routine from minpack and translated in
the LevenbergMarquardtOptimizer class in package
org.apache.commons.math3.optimization.general
Original source copyright
and license statement:

Minpack Copyright Notice (1999) University of Chicago. All rights reserved

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the
following conditions are met:

1. Redistributions of source code must retain the above
copyright notice, this list of conditions and the following
disclaimer.

2. Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials
provided with the distribution.

3. The end-user documentation included with the
redistribution, if any, must include the following
acknowledgment:

"This product includes software developed by the
University of Chicago, as Operator of Argonne National
Laboratory.

Alternately, this acknowledgment may appear in the software
itself, if and wherever such third-party acknowledgments
normally appear.

4. WARRANTY DISCLAIMER. THE SOFTWARE
IS SUPPLIED "AS IS"
WITHOUT WARRANTY OF ANY KIND. THE COPYRIGHT HOLDER, THE
UNITED STATES, THE UNITED STATES DEPARTMENT OF ENERGY, AND
THEIR EMPLOYEES: (1) DISCLAIM ANY WARRANTIES, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE
OR NON-INFRINGEMENT, (2) DO NOT ASSUME ANY LEGAL LIABILITY
OR RESPONSIBILITY FOR THE ACCURACY, COMPLETENESS, OR
USEFULNESS OF THE SOFTWARE, (3) DO NOT REPRESENT THAT USE OF
THE SOFTWARE WOULD NOT INFRINGE PRIVATELY OWNED RIGHTS, (4)
DO NOT WARRANT THAT THE SOFTWARE WILL FUNCTION
UNINTERRUPTED, THAT IT IS ERROR-FREE OR THAT ANY ERRORS WILL
BE CORRECTED.

5. LIMITATION OF LIABILITY. IN NO EVENT WILL THE COPYRIGHT
HOLDER, THE UNITED STATES, THE UNITED STATES DEPARTMENT OF
ENERGY, OR THEIR EMPLOYEES: BE LIABLE FOR ANY INDIRECT,
INCIDENTAL, CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES OF
ANY KIND OR NATURE, INCLUDING BUT NOT LIMITED TO LOSS OF
PROFITS OR LOSS OF DATA, FOR ANY REASON
WHATSOEVER, WHETHER
SUCH LIABILITY IS ASSERTED ON THE BASIS OF CONTRACT, TORT
(INCLUDING NEGLIGENCE OR STRICT LIABILITY), OR OTHERWISE,
EVEN IF ANY OF SAID PARTIES HAS BEEN WARNED OF THE
POSSIBILITY OF SUCH LOSS OR DAMAGES.
==========

Copyright and license statement for the odex Fortran routine developed by
E. Hairer and G. Wanner and translated in GraggBulirschStoerIntegrator class
in package org.apache.commons.math3.ode.nonstiff:

Copyright (c) 2004, Ernst Hairer

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided
with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
==========

Copyright and license statement for the original Mersenne twister C
routines translated in MersenneTwister class in package
org.apache.commons.math3.random:

Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. The names of its contributors may not be used to endorse or promote
products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING

NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

==========

The initial code for shuffling an array (originally in class
"org.apache.commons.math3.random.RandomDataGenerator", now replaced by
a method in class "org.apache.commons.math3.util.MathArrays") was
inspired from the algorithm description provided in
"Algorithms", by Ian Craw and John Pulham
(University of Aberdeen 1999).
The textbook (containing a proof that the shuffle is uniformly random) is
available here:
http://citeseerx.ist.psu.edu/viewdoc/download;?doi=10.1.1.173.1898&rep=rep1&type=pdf

==========

License statement for the direction numbers in the resource files for Sobol sequences.

Licence pertaining to sobol.cc and the accompanying sets of direction numbers

---

Copyright (c) 2008, Frances Y. Kuo and Stephen Joe
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

* Redistributions in binary
form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

* Neither the names of the copyright holders nor the names of the
University of New South Wales and the University of Waikato
and its contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS ``AS IS'' AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND

ON ANY THEORY
OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
==========

The initial commit of package "org.apache.commons.math3.ml.neuralnet" is
an adapted version of code developed in the context of the Data Processing
and Analysis Consortium (DPAC) of the "Gaia" project of the European Space
Agency (ESA).
==========

The initial commit of the class "org.apache.commons.math3.special.BesselJ" is
an adapted version of code translated from the netlib Fortran program, rjbesl
http://www.netlib.org/specfun/rjbesl by R.J. Cody at Argonne National
Laboratory (USA). There is no license or copyright statement included with the
original Fortran sources.
==========

The
BracketFinder (package org.apache.commons.math3.optimization.univariate)
and PowellOptimizer (package org.apache.commons.math3.optimization.general)
classes are based on the Python code in module "optimize.py" (version 0.5)
developed by Travis E. Oliphant for the SciPy library (http://www.scipy.org/)
Copyright © 2003-2009 SciPy Developers.

SciPy license
Copyright © 2001, 2002 Enthought, Inc.
All rights reserved.

Copyright © 2003-2013 SciPy Developers.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

* Neither the name of Enthought nor the names of the SciPy Developers may
be used to endorse or promote products derived from this software without
specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS AS IS AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
==========

Apache Commons Math
Copyright 2001-2016 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

This product includes software developed for Orekit by
CS Systmes d'Information (http://www.c-s.fr/)
Copyright 2010-2012 CS Systmes d'Information

1.113 scala-parser-combinators 1.0.4

1.113.1 Available under license :

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.114 stax-api 1.0.1

1.114.1 Available under license :

```
 ========================================================================
==  NOTICE file for use with the Apache License, Version 2.0,        ==
==  in this case for the Apache ServiceMix distribution.             ==
========================================================================
```

This product contains software developed by
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.115 apache-neethi 3.0.2

1.115.1 Available under license :

The files in this directory were downloaded directly from:
http://dev.w3.org/2006/ws/policy/interop/Round1
and
http://dev.w3.org/2006/ws/policy/interop/Round5

Copyright 27 January 2008 World Wide Web Consortium,
(Massachusetts Institute of Technology, European Research Consortium for
Informatics and Mathematics, Keio University). All Rights Reserved.
http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231
This product is tested with testcases developed at W3C under the license:
http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231

The source distribution of this product includes those testcases.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Neethi
Copyright 2004-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

This product is tested with testcases developed at W3C under the license:
http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231
The source distribution of this product includes those testcases.

1.116 woden-dom 1.0M9

1.116.1 Available under license :

Woden - DOM
Copyright 2005-2011 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.117 axis2-java 1.6.2

1.117.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. "Contributor" means each individual or entity that
creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the
Original Software, prior Modifications used by a
Contributor (if any), and the Modifications made by that
particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or
(b) Modifications, or (c) the combination of files
containing Original Software with files containing
Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form
other than Source Code.

1.5. "Initial Developer" means the individual or entity
that first makes Original Software available under this

License.

1.6. "Larger Work" means a work which combines Covered
Software or portions thereof with code not governed by the
terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes
any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original
Software, or (2) for infringements
caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an

unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used

for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the
Contributor of the Modification.
You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support,
indemnity or liability obligation is offered by
You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form

from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect
beyond the termination of
this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant

terminate prospectively
and automatically at the expiration
of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY
PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R.

252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute
or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

SOFTWARE RIGHTS

ANTLR 1989-2006 Developed by Terence Parr
Partially supported by University of San Francisco & jGuru.com

We reserve no legal rights to the ANTLR--it is fully in the public domain. An individual or company may do whatever they wish with source code distributed with ANTLR or the code generated by ANTLR, including the incorporation of ANTLR, or its output, into commerical software.

We encourage users to develop software with ANTLR. However,

we do ask that credit is given to us for developing
ANTLR. By "credit", we mean that if you use ANTLR or
incorporate any source code into one of your programs
(commercial product, research project, or otherwise) that
you acknowledge this fact somewhere in the documentation,
research report, etc... If you like ANTLR and have
developed a nice tool with the output, please mention that
you developed it using ANTLR. In addition, we ask that the
headers remain intact in our source code. As long as these
guidelines are kept, we expect to continue
enhancing this
system and expect to make other tools available as they are
completed.

The primary ANTLR guy:

Terence Parr
parrt@cs.usfca.edu
parrt@antlr.org
/*
$Id: LICENSE.txt,v 1.5 2006/02/05 21:49:04 elharo Exp $

Copyright 2003-2006 The Werken Company. All Rights Reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

* Neither the name of the Jaxen Project nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii)
beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the
Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole
responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed
under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the

* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/
<?xml version="1.0"
    encoding="iso-8859-1" ?>

<!-- Id -->

<title>The Jalopy BSD License</title>

<indexterm><primary>Software License</primary></indexterm>
<indexterm><primary>Licenses</primary><secondary>BSD</secondary></indexterm>

<para>
Copyright (c) 2001-2004, Marco Hunsicker. All rights reserved.
</para>

<para>
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
</para>

<itemizedlist>
<listitem>
<para>
Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
</para>
</listitem>

<listitem>
<para>
Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
</para>
</listitem>

<listitem>

<para>
Neither the name of the Jalopy Group nor the names of its contributors may be used
to endorse or promote products derived from this software without specific prior written permission.
</para>
</listitem>
</itemizedlist>

<para>
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
</para>

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

APACHE TOMCAT SUBCOMPONENTS:

Apache Tomcat includes a number of subcomponents with separate copyright notices
and license terms. Your use of these subcomponents is subject to the terms and
conditions of the following licenses.

For the jasper-jdt.jar component:

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under
this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives
the Program under this Agreement,
including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents.
The patent license shall not apply to any other combinations
which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it
has sufficient copyright
rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by

that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from
such Contributor,
and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for
other Contributors. Therefore, if
a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The
Indemnified Contributor may
participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such

Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY
OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7.
GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's

rights under this Agreement terminate,
Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject
to the version of the Agreement under which it was
received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

For the Windows Installer component:

* All NSIS source code, plug-ins, documentation, examples, header files and

graphics, with the exception of the compression modules and where otherwise noted, are licensed under the zlib/libpng license.
* The zlib compression module for NSIS is licensed under the zlib/libpng license.
* The bzip2 compression module for NSIS is licensed under the bzip2 license.
* The lzma compression module for NSIS is licensed under the Common Public License version 1.0.

zlib/libpng license

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of

this software.

Permission is granted to anyone to use this software for any purpose, including
commercial applications, and to alter it and redistribute it freely, subject to
the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim
   that you wrote the original software. If you use this software in a
   product, an acknowledgment in the
product documentation would be
   appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
   misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

bzip2 license

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim
   that you wrote the original software. If you use this software in a
   product, an acknowledgment in the product documentation would be
   appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be
   misrepresented as being the original software.
4. The name of
the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY
OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.

jseward@acm.org
Common Public License version 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE
("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims
licensable by a Contributor which are
necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the

Contribution of such Contributor, if any, in source code and
object code form.
This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed,
if any.
For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special,
incidental and consequential
damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor,

and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end
users, business partners and the like. While this license is
intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify,
an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial

Contributor must pay those damages.

5. NO WARRANTY

EXCEPT
AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY
OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against
any entity
(including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of

such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement
is copyrighted and may only be
modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel
or otherwise. All rights in the Program not
expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Special exception for LZMA compression module

Igor Pavlov and Amir Szekely, the authors of the LZMA compression module for NSIS, expressly permit you to statically or dynamically link your code (or bind by name) to the files from the LZMA compression module for NSIS without subjecting your linked code to the terms of the Common Public license version 1.0. Any modifications or additions to files from the LZMA compression module for NSIS, however, are subject to the terms of the Common Public License version 1.0.
Copyright (c) 2003-2007, Dennis M. Sosnoski
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
  list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.
* Neither the name of JiBX nor the names of its contributors may be used
  to endorse or promote products derived from this software without specific
  prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
 OWNER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Common Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works
 of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under
Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising
the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.
3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and
b) its license agreement:
i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability
and fitness for a particular purpose;
ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.
When the Program is made available in source code form:

a) it must be made available under this Agreement; and
b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients
to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial
product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those
performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

```
/* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2001 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment
 may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation" and
*    "Apache BCEL" must not be used to endorse or promote products
*    derived from this software without prior written permission. For
*    written permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache",
*    "Apache BCEL", nor may "Apache" appear in their name, without
*    prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED
 TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
```

* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii)
beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the
Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law

(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole
responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright 2006 Envoi Solutions LLC

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having the right
to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which
modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a)the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b)ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.
Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:
(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce,
modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and
(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use,

practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).
(c) The licenses granted in Sections2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.
(d) Notwithstanding Section2.1(b) above, no patent license is granted: (1)for code that You delete from the Original Software, or (2)for infringements caused by: (i)the modification of the Original Software, or (ii)the combination of the Original Software with other software or devices.

2.2. Contributor Grant.
Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:
(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and
(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1)Modifications made by that Contributor (or portions thereof); and (2)the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).
(c) The licenses granted in Sections2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.
(d) Notwithstanding Section2.2(b) above, no patent license is granted: (1)for any code that Contributor has deleted from the Contributor Version; (2)for infringements caused by: (i)third party modifications of Contributor Version, or (ii)the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3)under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.
You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose
any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License,
provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New
Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of
any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a)rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b)otherwise make it clear

that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR)
ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly
infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL
DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR

LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48C.F.R.2.101 (Oct. 1995), consisting of commercial computer software (as that term
is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48C.F.R.12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)
The GlassFish code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

```
========================================================================
==  NOTICE file corresponding to the section 4 d of                 ==
==  the Apache License, Version 2.0,                                ==
==  in this case for the Apache Axis2 distribution.                 ==
========================================================================
```

This product includes software developed by

The Apache Software Foundation (http://www.apache.org/).
Portions Copyright 2006 International Business Machines Corp.
Portions Copyright 2005-2007 WSO2, Inc.

This product also includes schemas and specification developed by:
- the W3C consortium (http://www.w3c.org)

This product also includes WS-* schemas developed by International
Business Machines Corporation, Microsoft Corporation, BEA Systems,
TIBCO Software, SAP AG, Sonic Software, and VeriSign

This product also includes a WSDL developed by salesforce.com
- Copyright 1999-2006 salesforce.com, inc.

Portions of the
included xmlbeans library were originally based on the following:
- software copyright (c) 2000-2003, BEA Systems, <http://www.bea.com/>.

Please read the different LICENSE files present in the lib directory of
this distribution.

1.118 google-gson 2.3

1.118.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2008 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/internal/ObjectConstructor.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/JsonDeserializationContext.java

* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/ExclusionStrategy.java
*
 /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/JsonElement.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/reflect/TypeToken.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/JsonDeserializer.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/annotations/Until.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/JsonParseException.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/FieldNamingPolicy.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/JsonArray.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-
jar/com/google/gson/FieldNamingStrategy.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/JsonPrimitive.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/JsonSerializer.java
*
 /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/JsonNull.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/InstanceCreator.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-
jar/com/google/gson/internal/$Gson$Preconditions.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/internal/Primitives.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-
jar/com/google/gson/JsonSerializationContext.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/Gson.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/JsonIOException.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/JsonObject.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/internal/Excluder.java
*
 /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/annotations/Expose.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-
jar/com/google/gson/annotations/SerializedName.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/GsonBuilder.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-
jar/com/google/gson/DefaultDateTypeAdapter.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/annotations/Since.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and

* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/JsonSyntaxException.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/internal/Streams.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright (C) 2008 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/internal/$Gson$Types.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/TreeTypeAdapter.java

* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/internal/ConstructorConstructor.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/internal/UnsafeAllocator.java
*
 /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/internal/LazilyParsedNumber.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/internal/bind/SqlDateTypeAdapter.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/internal/bind/DateTypeAdapter.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/internal/bind/TimeTypeAdapter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/JsonParser.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/LongSerializationPolicy.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/JsonStreamParser.java
*
 /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/FieldAttributes.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/internal/bind/JsonAdapterAnnotationTypeAdapterFactory.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/annotations/JsonAdapter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/stream/JsonWriter.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/stream/JsonReader.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/stream/MalformedJsonException.java
*
 /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/stream/JsonScope.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/stream/JsonToken.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*

*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-
jar/com/google/gson/internal/bind/JsonTreeReader.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-
jar/com/google/gson/internal/bind/MapTypeAdapterFactory.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/TypeAdapter.java
*
 /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-
jar/com/google/gson/internal/bind/CollectionTypeAdapterFactory.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-
jar/com/google/gson/internal/bind/ObjectTypeAdapter.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-
jar/com/google/gson/internal/bind/ReflectiveTypeAdapterFactory.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-
jar/com/google/gson/internal/bind/JsonTreeWriter.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-
jar/com/google/gson/internal/bind/TypeAdapterRuntimeTypeWrapper.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/TypeAdapterFactory.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-
jar/com/google/gson/internal/JsonReaderInternalAccess.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-
jar/com/google/gson/internal/bind/ArrayTypeAdapter.java
*
 /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-
jar/com/google/gson/internal/bind/TypeAdapters.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 The Android Open Source Project
* Copyright (C) 2012 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/internal/LinkedTreeMap.java
* /opt/cola/permits/1018922820_1611178733.82/0/gson-2-3-sources-jar/com/google/gson/internal/LinkedHashTreeMap.java

1.119 axiom-api 1.2.13

1.119.1 Available under license :

Axiom API
Copyright 2004-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.120 activation 1.1

1.120.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE Version 1.0 (CDDL-1.0) (text)

1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having
the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code
in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of
the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional
Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may
contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4.
Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered
Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT,
YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant)

alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant
is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE),
CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting
of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides
otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and

reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each
party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

1.121 axiom-impl 1.2.13

1.121.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Axiom Impl
Copyright 2004-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.122 woden-commons 1.0M9

1.122.1 Available under license :

Woden - Commons
Copyright 2005-2011 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.123 woden-api 1.0M9

1.123.1 Available under license :

Woden - API
Copyright 2005-2011 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.124 apache-commons-math 2.1

1.124.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

APACHE COMMONS MATH DERIVATIVE WORKS:

The Apache commons-math library includes a number of subcomponents
whose implementation is derived from original sources written
in C or Fortran. License terms of the original sources
are reproduced below.

==========

For the lmder, lmpar and qrsolv Fortran routine from minpack and translated in
the LevenbergMarquardtOptimizer class in package
org.apache.commons.math.optimization.general
Original source copyright and license statement:

Minpack Copyright Notice (1999) University of Chicago. All rights reserved

Redistribution
and use in source and binary forms, with or
without modification, are permitted provided that the
following conditions are met:

1. Redistributions of source code must retain the above
copyright notice, this list of conditions and the following
disclaimer.

2. Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials
provided with the distribution.

3. The end-user documentation included with the
redistribution, if any, must include the following
acknowledgment:

"This product includes software developed by the
University of Chicago, as Operator of Argonne National
Laboratory.

Alternately, this acknowledgment may appear in the software
itself, if and wherever such third-party acknowledgments
normally appear.

4. WARRANTY DISCLAIMER. THE SOFTWARE IS SUPPLIED "AS IS"
WITHOUT WARRANTY OF ANY KIND. THE COPYRIGHT HOLDER, THE
UNITED STATES, THE UNITED STATES DEPARTMENT
OF ENERGY, AND
THEIR EMPLOYEES: (1) DISCLAIM ANY WARRANTIES, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE
OR NON-INFRINGEMENT, (2) DO NOT ASSUME ANY LEGAL LIABILITY
OR RESPONSIBILITY FOR THE ACCURACY, COMPLETENESS, OR
USEFULNESS OF THE SOFTWARE, (3) DO NOT REPRESENT THAT USE OF
THE SOFTWARE WOULD NOT INFRINGE PRIVATELY OWNED RIGHTS, (4)
DO NOT WARRANT THAT THE SOFTWARE WILL FUNCTION
UNINTERRUPTED, THAT IT IS ERROR-FREE OR THAT ANY ERRORS WILL
BE CORRECTED.

5. LIMITATION OF LIABILITY. IN NO EVENT WILL THE COPYRIGHT
HOLDER, THE UNITED STATES, THE UNITED STATES DEPARTMENT OF
ENERGY, OR THEIR EMPLOYEES: BE LIABLE FOR ANY INDIRECT,
INCIDENTAL, CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES OF
ANY KIND OR NATURE, INCLUDING BUT NOT LIMITED TO LOSS OF
PROFITS OR LOSS OF DATA, FOR ANY REASON WHATSOEVER, WHETHER

SUCH LIABILITY IS ASSERTED ON THE BASIS OF CONTRACT, TORT
(INCLUDING NEGLIGENCE OR STRICT LIABILITY),
OR OTHERWISE,
EVEN IF ANY OF SAID PARTIES HAS BEEN WARNED OF THE
POSSIBILITY OF SUCH LOSS OR DAMAGES.
==========

Copyright and license statement for the odex Fortran routine developed by
E. Hairer and G. Wanner and translated in GraggBulirschStoerIntegrator class
in package org.apache.commons.math.ode.nonstiff:

Copyright (c) 2004, Ernst Hairer

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
==========

Copyright and license statement for the original lapack fortran routines
translated in EigenDecompositionImpl class in package
org.apache.commons.math.linear:

Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.

$COPYRIGHT$

Additional

copyrights may follow

$HEADER$

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer listed
 in this license in the documentation and/or other materials
 provided with the distribution.

- Neither the name of the copyright holders nor the names of its
 contributors may be used to endorse or promote products derived from
 this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
 SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
===

Copyright and license statement for the original Mersenne twister C
routines translated in MersenneTwister class in package
org.apache.commons.math.random:

 Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,
 All rights reserved.

 Redistribution and use in source and binary forms, with or without
 modification, are permitted provided that the following conditions
  are met:

   1. Redistributions of source code must retain the above copyright
      notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. The names of its contributors may not be used to endorse or promote
products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Apache Commons Math
Copyright 2001-2010 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

==========

The LinearConstraint, LinearObjectiveFunction, LinearOptimizer,
RelationShip, SimplexSolver and SimplexTableau classes in package
org.apache.commons.math.optimization.linear include software developed by
Benjamin McCann (http://www.benmccann.com) and distributed with
the following copyright: Copyright 2009 Google Inc.
==========

This product includes software developed by the
University of Chicago, as Operator of Argonne National
Laboratory.
The LevenbergMarquardtOptimizer class in package
org.apache.commons.math.optimization.general includes software
translated from the lmder, lmpar and qrsolv Fortran routines
from the Minpack package
Minpack Copyright Notice (1999) University
of Chicago. All rights reserved
==========

The GraggBulirschStoerIntegrator class in package
org.apache.commons.math.ode.nonstiff includes software translated
from the odex Fortran routine developed by E. Hairer and G. Wanner.
Original source copyright:

Copyright (c) 2004, Ernst Hairer
==========

The EigenDecompositionImpl class in package
org.apache.commons.math.linear includes software translated
from some LAPACK Fortran routines. Original source copyright:
Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.
==========

The MersenneTwister class in package org.apache.commons.math.random
includes software translated from the 2002-01-26 version of
the Mersenne-Twister generator written in C by Makoto Matsumoto and Takuji
Nishimura. Original source
 copyright:
Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,
All rights reserved
==========

The complete text of licenses and disclaimers associated with the the original
sources enumerated above at the time of code translation are in the LICENSE.txt
file.

1.125 web-services-metadata 1.1.2

1.125.1 Available under license :

Apache Geronimo
Copyright 2003-2008 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and

limitations under the License.

1.126 apache-lucene 4.7.2

1.126.1 Available under license :

H2 License - Version 1.0

1. Definitions

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a
work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

1.9.a. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

1.9.b. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation,

method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. Source Code License

2.1. The Initial Developer Grant

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

2.1.a. under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

2.1.b. under Patents Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

2.1.c. the licenses granted in this Section 2.1 (a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

2.1.d. Notwithstanding Section 2.1 (b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

2.2. Contributor Grant

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

2.2.a. under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

2.2.b. under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell,

offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

2.2.c. the licenses granted in Sections 2.2 (a) and 2.2 (b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

2.2.c. Notwithstanding Section 2.2 (b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third
party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

3. Distribution Obligations

3.1. Application of License

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional
rights described in Section 3.5.

3.2. Availability of Source Code

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

3.3. Description of Modifications

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code
and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

3.4. Intellectual Property Matters

3.4.a. Third Party Claims: If Contributor has knowledge that a license under a third party's intellectual property

rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

3.4.b. Contributor APIs: If Contributor's Modifications include an application programming interface and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the legal file.

3.4.c. Representations: Contributor represents that, except as disclosed pursuant to Section 3.4 (a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

3.5. Required Notices

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.6. Distribution of Executable Versions

You may distribute Covered Code in Executable form only if the requirements of Sections 3.1, 3.2, 3.3, 3.4 and 3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.7. Larger Works

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You
must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the legal file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

6. Versions of the License.

6.1. New Versions

The H2 Group may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

6.2. Effect of New Versions

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You
may also choose to use such Covered Code under the terms of any subsequent version of the License published by the H2 Group. No one other than the H2 Group has the right to modify the terms applicable to Covered Code created under this License.

6.3. Derivative Works

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must (a) rename Your license so that the phrases "H2 Group", "H2" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the H2 License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

7. Disclaimer of Warranty

Covered code is provided under this

license on an "as is" basis, without warranty of any kind, either expressed or implied, including, without limitation, warranties that the covered code is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the covered code is with you. Should any covered code prove defective in any respect, you (not the initial developer or any other contributor) assume the cost of any necessary servicing, repair or correction. This disclaimer of warranty constitutes an essential part of this license. No use of any covered code is authorized hereunder except under this disclaimer.

8. Termination

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

8.2.a. such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

8.2.b. any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

9. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall you, the initial developer, any other contributor, or any distributor of covered code, or any supplier of any of such parties, be liable to any person for any indirect, special, incidental, or consequential damages of any character including, without limitation, damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such

damages.
This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to you.

10. United States Government End Users

The Covered Code is a "commercial item", as that term is defined in 48 C.F.R. 2.101 (October 1995), consisting of "commercial computer software" and "commercial computer software documentation", as such terms are used in 48 C.F.R. 12.212 (September 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

11. Miscellaneous

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision
shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

12. Responsibility
for Claims

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

13. Multiple-Licensed Code

Initial Developer may designate portions of the Covered Code as "Multiple-Licensed". "Multiple-Licensed" means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of this or the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

Exhibit A

Multiple-Licensed under the H2 License, Version 1.0,
and under the Eclipse Public License, Version 1.0
(http://h2database.com/html/license.html).
Initial Developer: H2 Group
Eclipse Public License - Version 1.0
THE ACCOMPANYING

PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means
any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to
sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no

assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder,
each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii)
effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4.
COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this
section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court
requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such

provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from
time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws
of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Export Control Classification Number (ECCN)
As far as we know, the U.S. Export Control Classification Number (ECCN) for this software is 5D002. However, for legal reasons, we can make no warranty that this information is correct. For details, see also the Apache Software Foundation Export Classifications page.
The H2 database engine (http://www.h2database.com/) is dual licensed and available under a modified version of the MPL 1.1 (Mozilla Public License) or under the (unmodified) EPL 1.0 (Eclipse Public License).
An original copy of the license agreement can be found at: http://www.h2database.com/html/license.html
LICENSE
The MITRE Corporation (MITRE) hereby grants you a non-exclusive, royalty-free license to use Common Vulnerabilities and Exposures (CVE) for research, development, and commercial purposes. Any copy you make for such purposes is authorized provided that you reproduce MITREs copyright designation and this license in any such copy.

DISCLAIMERS
ALL DOCUMENTS AND THE INFORMATION CONTAINED THEREIN ARE PROVIDED ON AN "AS IS" BASIS AND THE CONTRIBUTOR, THE ORGANIZATION HE/SHE REPRESENTS OR IS SPONSORED BY (IF ANY), THE MITRE CORPORATION, ITS BOARD OF TRUSTEES, OFFICERS, AGENTS, AND

EMPLOYEES, DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION THEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.
dependency-check

Copyright (c) 2012-2013 Jeremy Long. All Rights Reserved.

The licenses for the software listed below can be found in the META-INF/licenses/[dependency name].

This product includes software developed by The Apache Software Foundation (http://www.apache.org/).

This product includes software developed by Jquery.com (http://jquery.com/).

This product includes software developed by Jonathan Hedley (jsoup.org)

This software contains unmodified binary redistributions for H2 database engine (http://www.h2database.com/), which is dual licensed and available under a modified version of the MPL 1.1 (Mozilla Public License) or under the (unmodified) EPL 1.0 (Eclipse Public License).
An original copy of the license agreement can be found at: http://www.h2database.com/html/license.html

This product includes data from the Common Weakness Enumeration (CWE): http://cwe.mitre.org/

This product downloads and utilizes data from the National Vulnerability Database hosted by NIST: http://nvd.nist.gov/download.cfm

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or

(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Copyright (c) 2012 Joseph McCullough

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
The MIT License

Copyright (c) 2009, 2010, 2011, 2012, 2013 Jonathan Hedley <jonathan@hedley.net>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

<!DOCTYPE html>
<html>
<head prefix="og: http://ogp.me/ns# fb: http://ogp.me/ns/fb# githubog: http://ogp.me/ns/fb/githubog#">

<meta charset='utf-8'>
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>jquery/MIT-LICENSE.txt at master jquery/jquery</title>
<link rel="search" type="application/opensearchdescription+xml" href="/opensearch.xml" title="GitHub" />
<link rel="fluid-icon" href="https://github.com/fluidicon.png" title="GitHub" />
<link rel="apple-touch-icon" sizes="57x57" href="/apple-touch-icon-114.png" />
<link rel="apple-touch-icon" sizes="114x114" href="/apple-touch-icon-114.png" />
<link rel="apple-touch-icon" sizes="72x72" href="/apple-touch-icon-144.png" />
<link rel="apple-touch-icon" sizes="144x144" href="/apple-touch-icon-144.png" />
<link rel="logo" type="image/svg" href="http://github-media-downloads.s3.amazonaws.com/github-logo.svg" />
<link rel="xhr-socket" href="/_sockets">
<meta
name="msapplication-TileImage" content="/windows-tile.png">
<meta name="msapplication-TileColor" content="#ffffff">

<link rel="icon" type="image/x-icon" href="/favicon.ico" />

<meta content="authenticity_token" name="csrf-param" />
<meta content="kz8sXW/szLKoclbP4Wd5qiTa5m4utG9oLQwGBBZVPXk=" name="csrf-token" />

<link href="https://a248.e.akamai.net/assets.github.com/assets/github-3dae77b1344d5de8d1c932d28c3904033713ed8b.css" media="all" rel="stylesheet" type="text/css" />
<link href="https://a248.e.akamai.net/assets.github.com/assets/github2-8700f58b37c27f7b329397f20a75deb70a514871.css" media="all" rel="stylesheet" type="text/css" />

<script src="https://a248.e.akamai.net/assets.github.com/assets/frameworks-c5555a5a962554bd1e804776ae4fd4f37380681f.js" type="text/javascript"></script>
<script src="https://a248.e.akamai.net/assets.github.com/assets/github-3eee932f7d03a83e9ea5a0f591f5db485e1abc05.js" type="text/javascript"></script>

<meta http-equiv="x-pjax-version" content="65ac304df8e204394f40f06a0ee35d0a">

<link data-pjax-transient rel='permalink' href='/jquery/jquery/blob/ebecdac24220cae4671c5a7d8dc16097077dac30/MIT-LICENSE.txt'>
<meta property="og:title" content="jquery"/>
<meta property="og:type" content="githubog:gitrepository"/>
<meta property="og:url" content="https://github.com/jquery/jquery"/>
<meta property="og:image" content="https://secure.gravatar.com/avatar/6906f317a4733f4379b06c32229ef02f?s=420&d=https://a248.e.akamai.net/assets.github.com%2Fimages%2Fgravatars%2Fgravatar-user-420.png"/>
<meta property="og:site_name" content="GitHub"/>
<meta property="og:description" content="jquery - jQuery JavaScript Library"/>
<meta property="twitter:card" content="summary"/>
<meta property="twitter:site" content="@GitHub">

```
  <meta property="twitter:title" content="jquery/jquery"/>

  <meta name="description" content="jquery
- jQuery JavaScript Library" />

 <link href="https://github.com/jquery/jquery/commits/master.atom" rel="alternate" title="Recent Commits to
jquery:master" type="application/atom+xml" />

 </head>


 <body class="logged_in page-blob windows vis-public env-production  ">
  <div id="wrapper">







    <div class="header header-logged-in true">
 <div class="container clearfix">

  <a class="header-logo-invertocat" href="https://github.com/">
 <span class="mega-icon mega-icon-invertocat"></span>
</a>

  <div class="divider-vertical"></div>

    <a href="/notifications" class="notification-indicator tooltipped downwards" title="You have no unread
notifications">
  <span class="mail-status all-read"></span>
 </a>
 <div class="divider-vertical"></div>


    <div class="command-bar js-command-bar  ">
        <form accept-charset="UTF-8" action="/search" class="command-bar-form" id="top_search_form"
method="get">
  <a href="/search/advanced" class="advanced-search-icon tooltipped downwards command-bar-search"
id="advanced_search" title="Advanced search"><span class="mini-icon mini-icon-advanced-search "></span></a>

 <input type="text" data-hotkey="/ s" name="q" id="js-command-bar-field" placeholder="Search or type a
command" tabindex="1" data-username="jeremylong" autocapitalize="off">

 <span class="mini-icon help tooltipped downwards" title="Show command bar help">
  <span class="mini-icon mini-icon-help"></span>
 </span>
```

```
 <input type="hidden" name="ref" value="cmdform">

  <input type="hidden" class="js-repository-name-with-owner" value="jquery/jquery"/>
  <input type="hidden" class="js-repository-branch" value="master"/>
  <input type="hidden" class="js-repository-tree-sha" value="52111d91a7cb51898f3548cb37c5e7dda3ac7d6f"/>

 <div class="divider-vertical"></div>
</form>
      <ul class="top-nav">
        <li class="explore"><a href="https://github.com/explore">Explore</a></li>
         <li><a href="https://gist.github.com">Gist</a></li>
        <li><a href="/blog">Blog</a></li>
       <li><a href="http://help.github.com">Help</a></li>
      </ul>
    </div>




  <ul id="user-links">
    <li>
      <a href="https://github.com/jeremylong" class="name">
        <img height="20"
src="https://secure.gravatar.com/avatar/46ac8812f5faccc721c4f198dce688be?s=140&amp;d=https://a248.e.akamai.
net/assets.github.com%2Fimages%2Fgravatars%2Fgravatar-user-420.png" width="20" /> jeremylong
      </a>
    </li>

      <li>
        <a href="/new" id="new_repo" class="tooltipped downwards" title="Create a new repo">
          <span class="mini-icon mini-icon-create"></span>
        </a>
      </li>

      <li>
        <a href="/settings/profile" id="account_settings"
          class="tooltipped downwards"
          title="Account settings ">
          <span class="mini-icon
 mini-icon-account-settings"></span>
        </a>
      </li>
      <li>
        <a class="tooltipped downwards" href="/logout" data-method="post" id="logout" title="Sign out">
          <span class="mini-icon mini-icon-logout"></span>
        </a>
```

```
      </li>

  </ul>


<div class="js-new-dropdown-contents hidden">
 <ul class="dropdown-menu">
  <li>
    <a href="/new"><span class="mini-icon mini-icon-create"></span> New repository</a>
  </li>
  <li>
     <a href="https://github.com/jquery/jquery/issues/new"><span class="mini-icon mini-icon-issue-
opened"></span> New issue</a>
  </li>
  <li>
  </li>
  <li>
    <a href="/organizations/new"><span class="mini-icon mini-icon-u-list"></span> New organization</a>
  </li>
 </ul>
</div>



 </div>
</div>









        <div class="site hfeed" itemscope itemtype="http://schema.org/WebPage">
    <div class="hentry">


   <div class="pagehead repohead instapaper_ignore readability-menu ">
       <div class="container">
         <div class="title-actions-bar">



<ul class="pagehead-actions">


  <li class="subscription">
```

```
    <form accept-charset="UTF-8" action="/notifications/subscribe" data-autosubmit="true" data-remote="true"
method="post"><div style="margin:0;padding:0;display:inline"><input name="authenticity_token" type="hidden"
value="kz8sXW/szLKoclbP4Wd5qiTa5m4utG9oLQwGBBZVPXk=" /></div>  <input id="repository_id"
name="repository_id" type="hidden" value="167174" />

  <div class="select-menu js-menu-container js-select-menu">
    <span class="minibutton select-menu-button js-menu-target">
      <span class="js-select-button">
        <span class="mini-icon mini-icon-watching"></span>
        Watch
      </span>
    </span>

    <div class="select-menu-modal-holder js-menu-content">
      <div class="select-menu-modal">

 <div class="select-menu-header">
          <span class="select-menu-title">Notification status</span>
          <span class="mini-icon mini-icon-remove-close js-menu-close"></span>
        </div> <!-- /.select-menu-header -->

        <div class="select-menu-list js-navigation-container">

          <div class="select-menu-item js-navigation-item js-navigation-target selected">
            <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
            <div class="select-menu-item-text">
              <input checked="checked" id="do_included" name="do" type="radio" value="included" />
              <h4>Not watching</h4>
              <span class="description">You only receive notifications for discussions in which you participate or are
@mentioned.</span>
              <span class="js-select-button-text hidden-select-button-text">
                <span class="mini-icon mini-icon-watching"></span>
                Watch

          </span>
            </div>
          </div> <!-- /.select-menu-item -->

          <div class="select-menu-item js-navigation-item js-navigation-target ">
            <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
            <div class="select-menu-item-text">
              <input id="do_subscribed" name="do" type="radio" value="subscribed" />
              <h4>Watching</h4>
              <span class="description">You receive notifications for all discussions in this repository.</span>
              <span class="js-select-button-text hidden-select-button-text">
                <span class="mini-icon mini-icon-unwatch"></span>
                Unwatch
              </span>
```

```
          </div>
        </div> <!-- /.select-menu-item -->

        <div class="select-menu-item js-navigation-item js-navigation-target ">
          <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>

          <div class="select-menu-item-text">
            <input id="do_ignore" name="do" type="radio" value="ignore" />
            <h4>Ignoring</h4>
            <span class="description">You do not receive any notifications for discussions in this repository.</span>
            <span class="js-select-button-text hidden-select-button-text">
              <span class="mini-icon mini-icon-mute"></span>
              Stop ignoring
            </span>
          </div>
        </div> <!-- /.select-menu-item -->

      </div> <!-- /.select-menu-list -->

    </div> <!-- /.select-menu-modal -->
  </div> <!-- /.select-menu-modal-holder -->
</div> <!-- /.select-menu -->

</form>
  </li>

  <li class="js-toggler-container js-social-container starring-container ">
    <a href="/jquery/jquery/unstar" class="minibutton js-toggler-target star-button starred upwards" title="Unstar this repo" data-remote="true" data-method="post"
 rel="nofollow">
      <span class="mini-icon mini-icon-remove-star"></span>
      <span class="text">Unstar</span>
    </a>
    <a href="/jquery/jquery/star" class="minibutton js-toggler-target star-button unstarred upwards" title="Star this repo" data-remote="true" data-method="post" rel="nofollow">
      <span class="mini-icon mini-icon-star"></span>
      <span class="text">Star</span>
    </a>
    <a class="social-count js-social-count" href="/jquery/jquery/stargazers">20,423</a>
  </li>

      <li>
        <a href="/jquery/jquery/fork_select" class="minibutton js-toggler-target fork-button lighter upwards" title="Fork this repo" rel="facebox nofollow">
          <span class="mini-icon mini-icon-branch-create"></span>
          <span class="text">Fork</span>
        </a>
        <a href="/jquery/jquery/network" class="social-count">3,768</a>
```

```
      </li>


</ul>

          <h1 itemscope itemtype="http://data-vocabulary.org/Breadcrumb"
 class="entry-title public">
            <span class="repo-label"><span>public</span></span>
            <span class="mega-icon mega-icon-public-repo"></span>
            <span class="author vcard">
              <a href="/jquery" class="url fn" itemprop="url" rel="author">
              <span itemprop="title">jquery</span>
              </a></span> /
            <strong><a href="/jquery/jquery" class="js-current-repository">jquery</a></strong>
          </h1>
        </div>


 <ul class="tabs">
    <li class="pulse-nav"><a href="/jquery/jquery/pulse" highlight="pulse" rel="nofollow"><span class="mini-icon
mini-icon-pulse"></span></a></li>
  <li><a href="/jquery/jquery" class="selected" highlight="repo_source repo_downloads repo_commits repo_tags
repo_branches">Code</a></li>
  <li><a href="/jquery/jquery/network" highlight="repo_network">Network</a></li>
  <li><a href="/jquery/jquery/pulls" highlight="repo_pulls">Pull
 Requests <span class='counter'>2</span></a></li>




  <li><a href="/jquery/jquery/graphs" highlight="repo_graphs repo_contributors">Graphs</a></li>


 </ul>

<div class="tabnav">

 <span class="tabnav-right">
  <ul class="tabnav-tabs">
       <li><a href="/jquery/jquery/tags" class="tabnav-tab" highlight="repo_tags">Tags <span class="counter
">92</span></a></li>
  </ul>

 </span>

 <div class="tabnav-widget scope">
```

```
  <div class="select-menu js-menu-container js-select-menu js-branch-menu">
    <a class="minibutton select-menu-button js-menu-target" data-hotkey="w" data-ref="master">
      <span class="mini-icon mini-icon-branch"></span>
      <i>branch:</i>
      <span class="js-select-button">master</span>
    </a>

    <div class="select-menu-modal-holder js-menu-content js-navigation-container">

      <div class="select-menu-modal">
        <div class="select-menu-header">
          <span
 class="select-menu-title">Switch branches/tags</span>
          <span class="mini-icon mini-icon-remove-close js-menu-close"></span>
        </div> <!-- /.select-menu-header -->

        <div class="select-menu-filters">
          <div class="select-menu-text-filter">
            <input type="text" id="commitish-filter-field" class="js-filterable-field js-navigation-enable"
placeholder="Filter branches/tags">
          </div>
          <div class="select-menu-tabs">
            <ul>
              <li class="select-menu-tab">
                <a href="#" data-tab-filter="branches" class="js-select-menu-tab">Branches</a>
              </li>
              <li class="select-menu-tab">
                <a href="#" data-tab-filter="tags" class="js-select-menu-tab">Tags</a>
              </li>
            </ul>
          </div><!-- /.select-menu-tabs -->
        </div><!-- /.select-menu-filters -->

        <div class="select-menu-list
 select-menu-tab-bucket js-select-menu-tab-bucket css-truncate" data-tab-filter="branches">

          <div data-filterable-for="commitish-filter-field" data-filterable-type="substring">

            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.8-stable/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-
text js-select-button-text css-truncate-target" data-name="1.8-stable" rel="nofollow" title="1.8-stable">1.8-
stable</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.9-stable/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-
text js-select-button-text css-truncate-target"
```

```
 data-name="1.9-stable" rel="nofollow" title="1.9-stable">1.9-stable</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.x-master/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-
text js-select-button-text css-truncate-target" data-name="1.x-master" rel="nofollow" title="1.x-master">1.x-
master</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/%2313388/MIT-LICENSE.txt" class="js-navigation-open select-menu-
item-text js-select-button-text css-truncate-target" data-name="#13388" rel="nofollow" title="#13388">#13388</a>
             </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/ajax-script-2.0/MIT-LICENSE.txt" class="js-navigation-open select-menu-
item-text js-select-button-text css-truncate-target" data-name="ajax-script-2.0" rel="nofollow" title="ajax-script-
2.0">ajax-script-2.0</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/ajax-unit/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-
text js-select-button-text css-truncate-target" data-name="ajax-unit" rel="nofollow" title="ajax-unit">ajax-unit</a>
            </div> <!-- /.select-menu-item
 -->
            <div class="select-menu-item js-navigation-item js-navigation-target selected">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/master/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="master" rel="nofollow" title="master">master</a>
            </div> <!-- /.select-menu-item -->
          </div>

            <div class="select-menu-no-results">Nothing to show</div>
        </div> <!-- /.select-menu-list -->


        <div class="select-menu-list select-menu-tab-bucket js-select-menu-tab-bucket css-truncate" data-tab-
filter="tags">
          <div data-filterable-for="commitish-filter-field" data-filterable-type="substring">

            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon
 mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/2.0.0-beta3/MIT-LICENSE.txt" class="js-navigation-open select-menu-
item-text js-select-button-text css-truncate-target" data-name="2.0.0-beta3" rel="nofollow" title="2.0.0-
beta3">2.0.0-beta3</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
```

2.0.0b2
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/2.0.0b1/MIT-LICENSE.txt"
class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="2.0.0b1" rel="nofollow" title="2.0.0b1">2.0.0b1
 <!-- /.select-menu-item -->

2.0.0
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.9.1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text
css-truncate-target" data-name="1.9.1" rel="nofollow" title="1.9.1">1.9.1
 <!-- /.select-menu-item -->

1.9.0rc1
 <!-- /.select-menu-item -->

1.9.0b1
 <!-- /.select-menu-item -->

1.9.0
 <!-- /.select-menu-item -->

1.8rc1
 <!-- /.select-menu-item -->
<div
class="select-menu-item js-navigation-item js-navigation-target ">

1.8b2
 <!-- /.select-menu-item -->

1.8b1
 <!-- /.select-menu-item -->

1.8.3+1
 <!-- /.select-menu-item -->

1.8.3
 <!-- /.select-menu-item -->

1.8.2
 <!-- /.select-menu-item -->

1.8.1
 <!-- /.select-menu-item -->

1.8.0
 <!-- /.select-menu-item -->

1.7rc2
 <!-- /.select-menu-item -->

1.7rc1
 <!-- /.select-menu-item -->

1.7b2
 <!-- /.select-menu-item -->

1.7b1
 <!-- /.select-menu-item -->
<div class="select-menu-item
js-navigation-item js-navigation-target ">

1.7.2rc1
 <!-- /.select-menu-item -->

1.7.2b1
 <!-- /.select-menu-item -->

<span class="select-menu-item-icon
mini-icon mini-icon-confirm">
1.7.2
 <!-- /.select-menu-item -->

1.7.1rc1
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.7.1/MIT-LICENSE.txt"
class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.7.1" rel="nofollow" title="1.7.1">1.7.1
 <!-- /.select-menu-item -->

1.7
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.6rc1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text
css-truncate-target" data-name="1.6rc1" rel="nofollow" title="1.6rc1">1.6rc1
 <!-- /.select-menu-item -->

1.6b1
 <!-- /.select-menu-item -->

```
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.6.4rc1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.6.4rc1" rel="nofollow" title="1.6.4rc1">1.6.4rc1</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.6.4/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.6.4" rel="nofollow" title="1.6.4">1.6.4</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.6.3rc1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.6.3rc1" rel="nofollow" title="1.6.3rc1">1.6.3rc1</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item
 js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.6.3/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.6.3" rel="nofollow" title="1.6.3">1.6.3</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.6.2rc1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.6.2rc1" rel="nofollow" title="1.6.2rc1">1.6.2rc1</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon
 mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.6.2/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.6.2" rel="nofollow" title="1.6.2">1.6.2</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.6.1rc1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.6.1rc1" rel="nofollow" title="1.6.1rc1">1.6.1rc1</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.6.1/MIT-LICENSE.txt"
 class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.6.1"
rel="nofollow" title="1.6.1">1.6.1</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.6/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.6" rel="nofollow" title="1.6">1.6</a>
</div> <!-- /.select-menu-item -->
```

```
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.5rc1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text
 css-truncate-target" data-name="1.5rc1" rel="nofollow" title="1.5rc1">1.5rc1</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.5b1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.5b1" rel="nofollow" title="1.5b1">1.5b1</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.5.2rc1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-
text js-select-button-text css-truncate-target" data-name="1.5.2rc1" rel="nofollow" title="1.5.2rc1">1.5.2rc1</a>
 </div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.5.2/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.5.2" rel="nofollow" title="1.5.2">1.5.2</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.5.1rc1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-
text js-select-button-text css-truncate-target" data-name="1.5.1rc1" rel="nofollow" title="1.5.1rc1">1.5.1rc1</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item
 js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.5.1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.5.1" rel="nofollow" title="1.5.1">1.5.1</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.5/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-
select-button-text css-truncate-target" data-name="1.5" rel="nofollow" title="1.5">1.5</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon
 mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.4rc1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.4rc1" rel="nofollow" title="1.4rc1">1.4rc1</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.4a2/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.4a2" rel="nofollow" title="1.4a2">1.4a2</a>
</div> <!-- /.select-menu-item -->
```

<a href="/jquery/jquery/blob/1.4a1/MIT-LICENSE.txt"
class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.4a1"
rel="nofollow" title="1.4a1">1.4a1
 <!-- /.select-menu-item -->

1.4.4rc3
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.4.4rc2/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text
css-truncate-target" data-name="1.4.4rc2" rel="nofollow" title="1.4.4rc2">1.4.4rc2
 <!-- /.select-menu-item -->

1.4.4rc1
 <!-- /.select-menu-item -->

1.4.4
 <!-- /.select-menu-item -->

1.4.3rc2
 <!-- /.select-menu-item -->

1.4.3rc1
 <!-- /.select-menu-item -->

1.4.3
 <!-- /.select-menu-item -->

1.4.2
 <!-- /.select-menu-item -->

1.4.1
 <!-- /.select-menu-item -->

1.4
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.3rc1/MIT-LICENSE.txt"
class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.3rc1" rel="nofollow" title="1.3rc1">1.3rc1
 <!-- /.select-menu-item -->

1.3b2
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.3b1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text
css-truncate-target" data-name="1.3b1" rel="nofollow" title="1.3b1">1.3b1
 <!-- /.select-menu-item -->

1.3.2
 <!-- /.select-menu-item -->

1.3.1rc1
 <!-- /.select-menu-item -->

1.3.1
 <!-- /.select-menu-item -->

1.3
 <!-- /.select-menu-item -->

```
<div class="select-menu-item js-navigation-item
 js-navigation-target ">
<span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
<a href="/jquery/jquery/blob/1.2.6/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.2.6" rel="nofollow" title="1.2.6">1.2.6</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
<span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
<a href="/jquery/jquery/blob/1.2.5/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.2.5" rel="nofollow" title="1.2.5">1.2.5</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
<span class="select-menu-item-icon mini-icon
 mini-icon-confirm"></span>
<a href="/jquery/jquery/blob/1.2.4b/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.2.4b" rel="nofollow" title="1.2.4b">1.2.4b</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
<span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
<a href="/jquery/jquery/blob/1.2.4a/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.2.4a" rel="nofollow" title="1.2.4a">1.2.4a</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
<span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
<a href="/jquery/jquery/blob/1.2.4/MIT-LICENSE.txt"
 class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.2.4"
rel="nofollow" title="1.2.4">1.2.4</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
<span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
<a href="/jquery/jquery/blob/1.2.3b/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.2.3b" rel="nofollow" title="1.2.3b">1.2.3b</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
<span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
<a href="/jquery/jquery/blob/1.2.3a/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target"
 data-name="1.2.3a" rel="nofollow" title="1.2.3a">1.2.3a</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
<span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
<a href="/jquery/jquery/blob/1.2.3/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.2.3" rel="nofollow" title="1.2.3">1.2.3</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
<span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
<a href="/jquery/jquery/blob/1.2.2b2/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-
text js-select-button-text css-truncate-target" data-name="1.2.2b2" rel="nofollow" title="1.2.2b2">1.2.2b2</a>
```

```
</div> <!-- /.select-menu-item -->
          <div class="select-menu-item js-navigation-item js-navigation-target ">
            <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
            <a href="/jquery/jquery/blob/1.2.2b/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.2.2b" rel="nofollow" title="1.2.2b">1.2.2b</a>
          </div> <!-- /.select-menu-item -->
          <div class="select-menu-item js-navigation-item js-navigation-target ">
            <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
            <a href="/jquery/jquery/blob/1.2.2/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.2.2" rel="nofollow" title="1.2.2">1.2.2</a>
          </div> <!-- /.select-menu-item -->
          <div class="select-menu-item js-navigation-item
 js-navigation-target ">
            <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
            <a href="/jquery/jquery/blob/1.2.1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.2.1" rel="nofollow" title="1.2.1">1.2.1</a>
          </div> <!-- /.select-menu-item -->
          <div class="select-menu-item js-navigation-item js-navigation-target ">
            <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
            <a href="/jquery/jquery/blob/1.2/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-
select-button-text css-truncate-target" data-name="1.2" rel="nofollow" title="1.2">1.2</a>
          </div> <!-- /.select-menu-item -->
          <div class="select-menu-item js-navigation-item js-navigation-target ">
            <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
             <a href="/jquery/jquery/blob/1.1b/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.1b" rel="nofollow" title="1.1b">1.1b</a>
          </div> <!-- /.select-menu-item -->
          <div class="select-menu-item js-navigation-item js-navigation-target ">
            <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
            <a href="/jquery/jquery/blob/1.1a/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.1a" rel="nofollow" title="1.1a">1.1a</a>
          </div> <!-- /.select-menu-item -->
          <div class="select-menu-item js-navigation-item js-navigation-target ">
            <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
            <a href="/jquery/jquery/blob/1.1.4/MIT-LICENSE.txt" class="js-navigation-open
 select-menu-item-text js-select-button-text css-truncate-target" data-name="1.1.4" rel="nofollow"
title="1.1.4">1.1.4</a>
          </div> <!-- /.select-menu-item -->
          <div class="select-menu-item js-navigation-item js-navigation-target ">
            <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
            <a href="/jquery/jquery/blob/1.1.3a/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.1.3a" rel="nofollow" title="1.1.3a">1.1.3a</a>
          </div> <!-- /.select-menu-item -->
          <div class="select-menu-item js-navigation-item js-navigation-target ">
            <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
            <a href="/jquery/jquery/blob/1.1.3.1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.1.3.1" rel="nofollow"
```

```
 title="1.1.3.1">1.1.3.1</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.1.3/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.1.3" rel="nofollow" title="1.1.3">1.1.3</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.1.2/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.1.2" rel="nofollow" title="1.1.2">1.1.2</a>
            </div> <!-- /.select-menu-item -->

           <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.1.1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.1.1" rel="nofollow" title="1.1.1">1.1.1</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-
select-button-text css-truncate-target" data-name="1.1" rel="nofollow" title="1.1">1.1</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span
 class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.0a/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.0a" rel="nofollow" title="1.0a">1.0a</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.0.4/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.0.4" rel="nofollow" title="1.0.4">1.0.4</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.0.3/MIT-LICENSE.txt"
 class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.0.3"
rel="nofollow" title="1.0.3">1.0.3</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.0.2/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.0.2" rel="nofollow" title="1.0.2">1.0.2</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.0.1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
```

```
js-select-button-text
 css-truncate-target" data-name="1.0.1" rel="nofollow" title="1.0.1">1.0.1</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.0/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-
select-button-text css-truncate-target" data-name="1.0" rel="nofollow" title="1.0">1.0</a>
            </div> <!-- /.select-menu-item -->
          </div>

          <div class="select-menu-no-results">Nothing to show</div>

        </div> <!-- /.select-menu-list -->

      </div> <!-- /.select-menu-modal -->
    </div> <!-- /.select-menu-modal-holder -->
  </div> <!-- /.select-menu -->

 </div> <!-- /.scope -->

 <ul class="tabnav-tabs">
   <li><a href="/jquery/jquery" class="selected tabnav-tab" highlight="repo_source">Files</a></li>
    <li><a href="/jquery/jquery/commits/master" class="tabnav-tab" highlight="repo_commits">Commits</a></li>
   <li><a href="/jquery/jquery/branches" class="tabnav-tab" highlight="repo_branches" rel="nofollow">Branches
<span class="counter ">7</span></a></li>
 </ul>

</div>









        </div>
      </div><!-- /.repohead -->

      <div id="js-repo-pjax-container" class="container context-loader-container" data-pjax-container>



<!-- blob contrib key: blob_contributors:v21:892613b774a95e66d3bc7f255b1465e8 -->
<!-- blob contrib frag key: views10/v8/blob_contributors:v21:892613b774a95e66d3bc7f255b1465e8 -->


<div id="slider">
  <div class="frame-meta">
```

jquery / MIT-LICENSE.txt

Show File Finder

dmethvin
<time class="js-relative-date" datetime="2013-01-03T14:41:18-08:00" title="2013-01-03 14:41:18">January 03, 2013</time>

Happy New Year! It's 2013.

3 contributors


```
  </div>
  <div id="blob_contributors_box" style="display:none">
    <h2>Users on GitHub who have contributed to this file</h2>
    <ul class="facebox-user-list">
      <li>
        <img height="24"
src="https://secure.gravatar.com/avatar/b3e04a46e85ad3e165d66f5d927eb609?s=140&amp;d=https://a248.e.akamai
.net/assets.github.com%2Fimages%2Fgravatars%2Fgravatar-user-420.png" width="24" />
        <a href="/jeresig">jeresig</a>
      </li>
      <li>
        <img height="24"
src="https://secure.gravatar.com/avatar/161a4cc619398bea1e1714036ed122cf?s=140&amp;d=https://a248.e.akamai
.net/assets.github.com%2Fimages%2Fgravatars%2Fgravatar-user-420.png"
 width="24" />
        <a href="/dmethvin">dmethvin</a>
      </li>
      <li>
        <img height="24"
src="https://secure.gravatar.com/avatar/27dacda91150eca332526bf8a8ee7e03?s=140&amp;d=https://a248.e.akamai.
net/assets.github.com%2Fimages%2Fgravatars%2Fgravatar-user-420.png" width="24" />
        <a href="/jbruni">jbruni</a>
      </li>
    </ul>
  </div>
 </div>


  </div><!-- ./.frame-meta -->

  <div class="frames">
    <div class="frame" data-permalink-
url="/jquery/jquery/blob/ebecdac24220cae4671c5a7d8dc16097077dac30/MIT-LICENSE.txt" data-
title="jquery/MIT-LICENSE.txt at master  jquery/jquery  GitHub" data-type="blob">

      <div id="files" class="bubble">
        <div class="file">
          <div class="meta">
            <div class="info">
              <span class="icon"><b class="mini-icon mini-icon-text-file"></b></span>
              <span class="mode"
 title="File Mode">file</span>
                <span>22 lines (18 sloc)</span>
              <span>1.099 kb</span>
            </div>
            <div class="actions">
              <div class="button-group">
                    <a class="minibutton tooltipped leftwards"
```

```
                title="Clicking this button will automatically fork this project so you can edit the file"
                href="/jquery/jquery/edit/master/MIT-LICENSE.txt"
                data-method="post" rel="nofollow">Edit</a>
            <a href="/jquery/jquery/raw/master/MIT-LICENSE.txt" class="button minibutton " id="raw-
url">Raw</a>
              <a href="/jquery/jquery/blame/master/MIT-LICENSE.txt" class="button minibutton ">Blame</a>
            <a href="/jquery/jquery/commits/master/MIT-LICENSE.txt" class="button minibutton "
rel="nofollow">History</a>
          </div><!-- /.button-group -->
         </div><!--
 /.actions -->

        </div>
          <div class="blob-wrapper data type-text js-blob-data">
    <table class="file-code file-blob">
      <tr class="file-code-line">
        <td class="blob-line-nums">
          <span id="L1" rel="#L1">1</span>
<span id="L2" rel="#L2">2</span>
<span id="L3" rel="#L3">3</span>
<span id="L4" rel="#L4">4</span>
<span id="L5" rel="#L5">5</span>
<span id="L6" rel="#L6">6</span>
<span id="L7" rel="#L7">7</span>
<span id="L8" rel="#L8">8</span>
<span id="L9" rel="#L9">9</span>
<span id="L10" rel="#L10">10</span>
<span id="L11" rel="#L11">11</span>
<span id="L12" rel="#L12">12</span>
<span id="L13" rel="#L13">13</span>
<span id="L14" rel="#L14">14</span>
<span id="L15" rel="#L15">15</span>
<span id="L16" rel="#L16">16</span>
<span id="L17" rel="#L17">17</span>
<span id="L18" rel="#L18">18</span>
<span id="L19" rel="#L19">19</span>
<span id="L20" rel="#L20">20</span>
<span id="L21" rel="#L21">21</span>


      </td>
        <td class="blob-line-code">
            <div class="highlight"><pre><div class='line' id='LC1'>Copyright 2013 jQuery Foundation and other
contributors</div><div class='line' id='LC2'>http://jquery.com/</div><div class='line' id='LC3'><br/></div><div
class='line' id='LC4'>Permission is hereby granted, free of charge, to any person obtaining</div><div class='line'
id='LC5'>a copy of this software and associated documentation files (the</div><div class='line'
id='LC6'>&amp;quot;Software&amp;quot;), to deal in the Software without restriction, including</div><div class='line'
id='LC7'>without limitation the rights to use, copy, modify, merge, publish,</div><div class='line'
```

id='LC8'>distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:
 The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.
 THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE. </pre>
</td>
</tr>
</table>

Jump to Line

<h2>Jump to Line</h2>
<form accept-charset="UTF-8" class="js-jump-to-line-form">
<input class="textfield js-jump-to-line-field" type="text">

<button type="submit" class="button">Go</button>

</form>

<img class="js-frame-loading-spinner" src="https://a248.e.akamai.net/assets.github.com/images/spinners/octocat-spinner-128.gif?1360648843" height="64" width="64">

```
    <div id="footer-push"></div><!-- hack for sticky
footer -->
  </div><!-- end of wrapper - hack for sticky footer -->

    <!-- footer -->
    <div id="footer">
<div class="container clearfix">

    <dl class="footer_nav">
      <dt>GitHub</dt>
      <dd><a href="https://github.com/about">About us</a></dd>
      <dd><a href="https://github.com/blog">Blog</a></dd>
      <dd><a href="https://github.com/contact">Contact &amp;amp; support</a></dd>
      <dd><a href="http://enterprise.github.com/">GitHub Enterprise</a></dd>
      <dd><a href="http://status.github.com/">Site status</a></dd>
    </dl>

    <dl class="footer_nav">
      <dt>Applications</dt>
      <dd><a href="http://mac.github.com/">GitHub for Mac</a></dd>
      <dd><a href="http://windows.github.com/">GitHub for Windows</a></dd>
      <dd><a href="http://eclipse.github.com/">GitHub for Eclipse</a></dd>
      <dd><a href="http://mobile.github.com/">GitHub mobile apps</a></dd>
    </dl>

    <dl class="footer_nav">
       <dt>Services</dt>
      <dd><a href="http://get.gaug.es/">Gauges: Web analytics</a></dd>
      <dd><a href="http://speakerdeck.com">Speaker Deck: Presentations</a></dd>
      <dd><a href="https://gist.github.com">Gist: Code snippets</a></dd>
      <dd><a href="http://jobs.github.com/">Job board</a></dd>
    </dl>

    <dl class="footer_nav">
      <dt>Documentation</dt>
      <dd><a href="http://help.github.com/">GitHub Help</a></dd>
      <dd><a href="http://developer.github.com/">Developer API</a></dd>
      <dd><a href="http://github.github.com/github-flavored-markdown/">GitHub Flavored Markdown</a></dd>
      <dd><a href="http://pages.github.com/">GitHub Pages</a></dd>
    </dl>

    <dl class="footer_nav">
      <dt>More</dt>
      <dd><a href="http://training.github.com/">Training</a></dd>
      <dd><a href="https://github.com/edu">Students &amp;amp; teachers</a></dd>
      <dd><a href="http://shop.github.com">The Shop</a></dd>
```

```
        <dd><a href="/plans">Plans &amp;amp; pricing</a></dd>
       <dd><a href="http://octodex.github.com/">The Octodex</a></dd>
     </dl>

     <hr class="footer-divider">


   <p class="right">&copy; 2013 <span title="0.07110s from fe3.rs.github.com">GitHub</span>, Inc. All rights
reserved.</p>
   <a class="left" href="https://github.com/">
     <span class="mega-icon mega-icon-invertocat"></span>
   </a>
   <ul id="legal">
       <li><a href="https://github.com/site/terms">Terms of Service</a></li>
       <li><a href="https://github.com/site/privacy">Privacy</a></li>
       <li><a href="https://github.com/security">Security</a></li>
   </ul>

 </div><!-- /.container -->

</div><!-- /.#footer -->


   <div class="fullscreen-overlay js-fullscreen-overlay" id="fullscreen_overlay">
 <div class="fullscreen-container js-fullscreen-container">
   <div class="textarea-wrap">
     <textarea name="fullscreen-contents" id="fullscreen-contents"
 class="js-fullscreen-contents" placeholder="" data-suggester="fullscreen_suggester"></textarea>
         <div class="suggester-container">
           <div class="suggester fullscreen-suggester js-navigation-container" id="fullscreen_suggester"
             data-url="/jquery/jquery/suggestions/commit">
           </div>
         </div>
   </div>
 </div>
 <div class="fullscreen-sidebar">
   <a href="#" class="exit-fullscreen js-exit-fullscreen tooltipped leftwards" title="Exit Zen Mode">
     <span class="mega-icon mega-icon-normalscreen"></span>
   </a>
   <a href="#" class="theme-switcher js-theme-switcher tooltipped leftwards"
     title="Switch themes">
     <span class="mini-icon mini-icon-brightness"></span>
   </a>
 </div>
</div>
```

Something went wrong with that request. Please try again.
<a href="#" class="mini-icon
mini-icon-remove-close ajax-error-dismiss">

</body>
</html>
LICENSE
The MITRE Corporation (MITRE) hereby grants you a non-exclusive, royalty-free license to use Common Weakness Enumeration (CWE) for research, development, and commercial purposes. Any copy you make for such purposes is authorized provided that you reproduce MITREs copyright designation and this license in any such copy.

DISCLAIMERS
ALL DOCUMENTS AND THE INFORMATION CONTAINED THEREIN ARE PROVIDED ON AN "AS IS" BASIS AND THE CONTRIBUTOR, THE ORGANIZATION HE/SHE REPRESENTS OR IS SPONSORED BY (IF ANY), THE MITRE CORPORATION, ITS BOARD OF TRUSTEES, OFFICERS, AGENTS, AND EMPLOYEES, DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION THEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

CWE is free to use by any organization or individual for any research, development, and/or commercial purposes, per these CWE Terms of Use. MITRE has copyrighted the
CWE List, Top 25, CWSS, and CWRAF for the benefit of the community in order to ensure each remains a free and open standard, as well as to legally protect the ongoing use of it and any resulting content by government, vendors, and/or users. MITRE has trademarked the CWE and related acronyms and the CWE and related logos to protect their sole and ongoing use by the CWE effort within the information security arena. Please contact cwe@mitre.org if you require further clarification on this issue.

1.127 tagsoup 1.2.1

1.127.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form
shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely
link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean
Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to

You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute,
all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum
to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use
the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR

PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor
harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.128 java-servlet-api 3.0.1

1.128.1 Available under license :

```
/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 1997-2010 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License").  You
* may not use this file except in compliance with the License.  You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt.  See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception as provided by Oracle in the GPL Version 2 section of the License
 * file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
```

* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to such option by the copyright
* holder.
*
*
* This file incorporates
 work covered by the following copyright and
* permission notice:
*
* Copyright 2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.
Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.
Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under
intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software
with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the
combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available
in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients. rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES
THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses
that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH

PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS
DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for
compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California
and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,
we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer
you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any
program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute
verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that
in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works
in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather,

the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not

responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear
what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE

PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits
your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular
source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but
you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.129 google-guice 3.0

1.129.1 Available under license :

Struts 2 Core
Copyright 2000-2010 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).
ASM: a very small and fast Java bytecode manipulation framework
Copyright (c) 2000,2002,2003 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its
  contributors may be used to endorse or promote products derived from
  this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY
 AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Copyright 2001-2005 (C) MetaStuff, Ltd. All Rights Reserved.

Redistribution and use of this software and associated documentation
("Software"), with or without modification, are permitted provided
that the following conditions are met:

1. Redistributions of source code must retain copyright
statements and notices. Redistributions must also contain a
copy of this document.

2. Redistributions in binary form must reproduce the
above copyright notice, this list of conditions and the
following disclaimer in the documentation and/or other
materials provided with the distribution.

3. The name "DOM4J" must not be used to endorse or promote
products derived from this Software without prior written
permission of MetaStuff, Ltd. For written permission,
please contact dom4j-info@metastuff.com.

4. Products derived from this Software may not be called "DOM4J"
nor may "DOM4J" appear in their names without prior written
permission of MetaStuff,
Ltd. DOM4J is a registered
trademark of MetaStuff, Ltd.

5. Due credit should be given to the DOM4J Project -
http://www.dom4j.org

THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

Specification: JSR-000220 Enterprise JavaBeans v.3.0 ("Specification")
Version: 3.0
Status: Final Release
Release: 8 May 2006
Copyright 2006 SUN MICROSYSTEMS, INC.
4150 Network Circle, Santa Clara, California 95054, U.S.A
All rights reserved.
LIMITED LICENSE GRANTS
1. _License for Evaluation Purposes_. Sun hereby grants you a fully-paid, non-exclusive, non-transferable, worldwide, limited license (without the right to sublicense), under Suns applicable intellectual property rights to view, download, use and reproduce the Specification only for the purpose of internal evaluation. This includes (i) developing applications intended to run on an implementation of the Specification, provided that such applications do not themselves implement any portion(s) of the Specification, and (ii) discussing the Specification with any third party; and (iii) excerpting brief portions of the Specification in oral or written communications which discuss the Specification provided that such excerpts do not
in the aggregate constitute a significant portion of the Specification.
2. _License for the Distribution of Compliant Implementations_. Sun also grants you a perpetual, nonexclusive, non-transferable, worldwide, fully paid-up, royalty free, limited license (without the right to sublicense) under any applicable copyrights or, subject to the provisions of subsection 4 below, patent rights it may have covering the Specification to create and/or distribute an Independent Implementation of the Specification that: (a) fully implements the Specification including all its required interfaces and functionality; (b) does not modify, subset, superset or otherwise extend the Licensor Name Space, or include any public or protected packages, classes, Java interfaces, fields or methods within the Licensor Name Space other than those required/authorized by the Specification or Specifications being implemented; and (c) passes the Technology Compatibility Kit (including satisfying the requirements of the applicable
TCK Users Guide) for such Specification ("Compliant Implementation"). In addition, the foregoing license is expressly conditioned on your not acting outside its scope. No license is granted hereunder for any other purpose (including, for example, modifying the Specification, other than to the extent of your fair use rights, or distributing the Specification to third parties). Also, no right, title, or interest in or to any trademarks, service marks, or trade names of Sun or Suns licensors is granted hereunder. Java, and Java-related logos, marks and names are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries.
3. _Pass-through Conditions_. You need not include limitations (a)-(c) from the previous paragraph or any other particular "pass through" requirements in any license You grant concerning the use of your Independent

Implementation or products derived from it. However, except with respect to Independent Implementations (and products
derived from them) that satisfy limitations (a)-(c) from the previous
paragraph, You may neither: (a) grant or otherwise pass through to your licensees any licenses under Suns applicable intellectual property rights; nor (b) authorize your licensees to make any claims concerning their implementations compliance with the Specification in question.
4. _Reciprocity Concerning Patent Licenses_.
a. With respect to any patent claims covered by the license granted under subparagraph 2 above that would be infringed by all technically feasible implementations of the Specification, such license is conditioned upon your offering on fair, reasonable and non-discriminatory terms, to any party seeking it
from You, a perpetual, non-exclusive, non-transferable, worldwide license under Your patent rights which are or would be infringed by all technically feasible implementations of the Specification to develop, distribute and use a Compliant Implementation.
b With respect to any patent claims owned
by Sun and covered by the license granted under subparagraph
2, whether or not their infringement can be avoided in a technically feasible manner when implementing the Specification, such license shall terminate with respect to such claims if You initiate a claim against Sun that it has, in the course of performing its responsibilities as the Specification Lead, induced any other entity to infringe Your patent rights.
c Also with respect to any patent claims owned by Sun and covered by the license granted under subparagraph 2 above, where the infringement of such claims can be avoided in a technically feasible manner when implementing the Specification such license, with respect to such claims, shall terminate if You initiate a claim against Sun that its making, having made, using, offering to sell, selling or importing a Compliant Implementation infringes Your patent rights.
5. _Definitions_. For the purposes of this Agreement: "Independent Implementation" shall mean an implementation of
the Specification that neither derives from any of Suns source code or binary code materials nor, except with an appropriate and separate license from Sun, includes any of Suns source code or binary code materials; "Licensor Name Space" shall mean the public class or interface declarations whose names begin with "java", "javax", "com.sun" or their equivalents in any subsequent naming convention adopted by Sun through the Java Community Process, or any recognized successors or replacements thereof; and "Technology Compatibility Kit" or "TCK" shall mean the test suite and accompanying TCK Users Guide provided by Sun which corresponds to the Specification and that was available either (i) from Sun 120 days before the first release of Your Independent Implementation that allows its use for commercial purposes, or (ii) more recently than 120 days from such release but against which You elect to test Your implementation of the Specification.
This Agreement will terminate immediately
without notice from Sun if you breach the Agreement or act
outside the scope of the licenses granted above.
DISCLAIMER OF WARRANTIES
THE SPECIFICATION IS PROVIDED "AS IS". SUN MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT (INCLUDING AS A CONSEQUENCE OF ANY PRACTICE OR IMPLEMENTATION
OF THE SPECIFICATION), OR THAT THE CONTENTS OF THE SPECIFICATION ARE SUITABLE FOR ANY PURPOSE. This document does not represent any commitment to release or implement any portion of the Specification in any product. In addition, the Specification could include technical inaccuracies or typographical errors.

LIMITATION OF LIABILITY
TO THE EXTENT NOT PROHIBITED BY LAW, IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY DAMAGES, INCLUDING WITHOUT LIMITATION, LOST REVENUE, PROFITS OR DATA, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED
AND REGARDLESS OF THE THEORY OF LIABILITY,
ARISING OUT OF OR RELATED IN ANY WAY TO YOUR HAVING, IMPLEMENTING OR OTHERWISE USING THE SPECIFICATION, EVEN IF SUN AND/OR ITS LICENSORS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.
You will indemnify, hold harmless, and defend Sun and its licensors from any claims arising or resulting from: (i) your use of the Specification; (ii) the use or distribution of your Java application, applet and/or implementation; and/or (iii) any claims that later versions or releases of any Specification furnished to you are incompatible with the Specification provided to you under this license.

RESTRICTED RIGHTS LEGEND
U.S. Government: If this Specification is being acquired by or on behalf of the U.S. Government or by a U.S. Government prime contractor or subcontractor (at any tier), then the Governments rights in the Software and accompanying documentation shall be only as set forth in this license; this is in accordance with 48 C.F.R. 227.7201 through
227.7202-4 (for Department of Defense (DoD) acquisitions) and with
48 C.F.R. 2.101 and 12.212 (for non-DoD acquisitions).
REPORT
If you provide Sun with any comments or suggestions concerning the Specification ("Feedback"), you hereby: (i) agree that such Feedback is provided on a non-proprietary and non-confidential basis, and (ii) grant Sun a perpetual, non-exclusive, worldwide, fully paid-up, irrevocable license, with the right to sublicense through multiple levels of sublicensees, to incorporate, disclose, and use without limitation the Feedback for any purpose.
GENERAL TERMS
Any action related to this Agreement will be governed by California law and controlling U.S. federal law. The U.N. Convention for the International Sale of Goods and the choice of law rules of any jurisdiction will not apply.
The Specification is subject to U.S. export control laws and may be subject to export or import regulations in other countries. Licensee agrees to comply strictly with all such laws and
regulations and acknowledges
that it has the responsibility to obtain such licenses to export, re-export or import as may be required after delivery to Licensee.
This Agreement is the parties entire agreement relating to its subject matter. It supersedes all prior or contemporaneous oral or written communications, proposals, conditions, representations and warranties and prevails over any conflicting or additional terms of any quote, order, acknowledgment, or other communication between the parties relating to its subject matter during the term of this Agreement. No modification to this Agreement will be binding, unless in writing and signed by an authorized representative of each party.
Rev. April, 2006
Sun/Final/Full
Apache Struts
Copyright 2000-2007 The Apache Software Foundation

This product includes software developed by

The Apache Software Foundation (http://www.apache.org/).
domTT (http://www.mojavelinux.com/projects/domtooltip/).

The binary distributions includes the following third party software:
FreeMarker (http://freemarker.org/).
OGNL (http://www.opensymphony.com/ognl/).
XWork (http://www.opensymphony.com/xwork/).
Apache Jakarta Commons IO
Copyright 2001-2007 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).
This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).
===
== NOTICE file corresponding to the section 4 d of ==
== the Apache License, Version 2.0, ==
== in this case for the Apache Ant distribution. ==
===

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

This product includes also software developed by :
- the W3C consortium (http://www.w3c.org) ,
- the SAX project (http://www.saxproject.org)

Please read the different LICENSE files present in the root directory of
this distribution.
Apache Felix Main
Copyright 2010 The Apache Software Foundation

I. Included Software

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
Licensed under the Apache License 2.0.

This product includes software developed at
The OSGi Alliance (http://www.osgi.org/).
Copyright (c) OSGi Alliance (2000, 2009).
Licensed under the Apache License 2.0.

II. Used Software

This product uses software developed at

The OSGi Alliance (http://www.osgi.org/).
Copyright (c) OSGi Alliance (2000, 2009).
Licensed under the Apache License 2.0.

This product uses software developed at
The Codehaus (http://www.codehaus.org)
Licensed under the Apache License 2.0.

III. License Summary
- Apache License 2.0
Apache Commons Lang
Copyright 2001-2008 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```
/* ====================================================================
* The OpenSymphony Software License, Version 1.1
*
* (this license is derived and fully compatible with the Apache Software
* License - see http://www.apache.org/LICENSE.txt)
*
* Copyright (c) 2001-2004 The OpenSymphony Group. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
```

```
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This product
 includes software developed by the
*        OpenSymphony Group (http://www.opensymphony.com/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "OpenSymphony" and "The OpenSymphony Group"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact license@opensymphony.com .
*
* 5. Products derived from this software may not be called "OpenSymphony"
*    or "XWork", nor may "OpenSymphony" or "XWork" appear in their
*    name, without prior written permission of the OpenSymphony Group.
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS
 BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*/

/**
* Copyright (C) 2007 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
```

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Commons FileUpload
Copyright 2002-2008 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

```
/*
*                                 Apache License
*                           Version 2.0, January 2004
*                        http://www.apache.org/licenses/
*
*   TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
*
*   1. Definitions.
*
*      "License" shall mean the terms and conditions for use, reproduction,
*      and distribution as defined by Sections 1 through 9 of this document.
*
*      "Licensor" shall mean the copyright owner or entity authorized by
*      the copyright owner that is granting the License.
*
*      "Legal Entity" shall mean the union of the acting entity and all
*      other entities that control, are controlled by, or are under common
```

```
*      control with that entity. For the purposes of this definition,
*      "control" means (i) the power, direct or indirect, to cause the
*      direction or management of such entity, whether by contract or
*      otherwise, or (ii) ownership of fifty percent (50%) or more of the
*
 outstanding shares, or (iii) beneficial ownership of such entity.
*
*      "You" (or "Your") shall mean an individual or Legal Entity
*      exercising permissions granted by this License.
*
*      "Source" form shall mean the preferred form for making modifications,
*      including but not limited to software source code, documentation
*      source, and configuration files.
*
*      "Object" form shall mean any form resulting from mechanical
*      transformation or translation of a Source form, including but
*      not limited to compiled object code, generated documentation,
*      and conversions to other media types.
*
*      "Work" shall mean the work of authorship, whether in Source or
*      Object form, made available under the License, as indicated by a
*      copyright notice that is included in or attached to the work
*      (an example is provided in the Appendix below).
*
*      "Derivative Works" shall mean any work, whether in Source or Object
*
    form, that is based on (or derived from) the Work and for which the
*      editorial revisions, annotations, elaborations, or other modifications
*      represent, as a whole, an original work of authorship. For the purposes
*      of this License, Derivative Works shall not include works that remain
*      separable from, or merely link (or bind by name) to the interfaces of,
*      the Work and Derivative Works thereof.
*
*      "Contribution" shall mean any work of authorship, including
*      the original version of the Work and any modifications or additions
*      to that Work or Derivative Works thereof, that is intentionally
*      submitted to Licensor for inclusion in the Work by the copyright owner
*      or by an individual or Legal Entity authorized to submit on behalf of
*      the copyright owner. For the purposes of this definition, "submitted"
*      means any form of electronic, verbal, or written communication sent
*      to the Licensor or its representatives,
 including but not limited to
*      communication on electronic mailing lists, source code control systems,
*      and issue tracking systems that are managed by, or on behalf of, the
*      Licensor for the purpose of discussing and improving the Work, but
*      excluding communication that is conspicuously marked or otherwise
*      designated in writing by the copyright owner as "Not a Contribution."
*
```

* "Contributor" shall mean Licensor and any individual or Legal Entity
* on behalf of whom a Contribution has been received by Licensor and
* subsequently incorporated within the Work.
*
* 2. Grant of Copyright License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* copyright license to reproduce, prepare Derivative Works of,
* publicly display, publicly perform, sublicense, and distribute the
*
Work and such Derivative Works in Source or Object form.
*
* 3. Grant of Patent License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* (except as stated in this section) patent license to make, have made,
* use, offer to sell, sell, import, and otherwise transfer the Work,
* where such license applies only to those patent claims licensable
* by such Contributor that are necessarily infringed by their
* Contribution(s) alone or by combination of their Contribution(s)
* with the Work to which such Contribution(s) was submitted. If You
* institute patent litigation against any entity (including a
* cross-claim or counterclaim in a lawsuit) alleging that the Work
* or a Contribution incorporated within the Work constitutes direct
* or contributory patent infringement, then any patent licenses
* granted to You under this License for that Work shall terminate
* as of the date such litigation is filed.
*
* 4. Redistribution. You may reproduce and distribute copies of the
* Work or Derivative Works thereof in any medium, with or without
* modifications, and in Source or Object form, provided that You
* meet the following conditions:
*
* (a) You must give any other recipients of the Work or
* Derivative Works a copy of this License; and
*
* (b) You must cause any modified files to carry prominent notices
* stating that You changed the files; and
*
* (c) You must retain, in the Source form of any Derivative Works
* that You distribute, all copyright, patent, trademark, and
* attribution notices from the Source form of the Work,
* excluding those notices that do not pertain to any part of
* the Derivative Works; and
*
* (d) If the Work includes a "NOTICE"
text file as part of its
* distribution, then any Derivative Works that You distribute must

```
*         include a readable copy of the attribution notices contained
*         within such NOTICE file, excluding those notices that do not
*         pertain to any part of the Derivative Works, in at least one
*         of the following places: within a NOTICE text file distributed
*         as part of the Derivative Works; within the Source form or
*         documentation, if provided along with the Derivative Works; or,
*         within a display generated by the Derivative Works, if and
*         wherever such third-party notices normally appear. The contents
*         of the NOTICE file are for informational purposes only and
*         do not modify the License. You may add Your own attribution
*         notices within Derivative Works that You distribute, alongside
*         or as an addendum to the NOTICE text from the Work, provided
*         that
 such additional attribution notices cannot be construed
*         as modifying the License.
*
*     You may add Your own copyright statement to Your modifications and
*     may provide additional or different license terms and conditions
*     for use, reproduction, or distribution of Your modifications, or
*     for any such Derivative Works as a whole, provided Your use,
*     reproduction, and distribution of the Work otherwise complies with
*     the conditions stated in this License.
*
*   5. Submission of Contributions. Unless You explicitly state otherwise,
*     any Contribution intentionally submitted for inclusion in the Work
*     by You to the Licensor shall be under the terms and conditions of
*     this License, without any additional terms or conditions.
*     Notwithstanding the above, nothing herein shall supersede or modify
*     the terms of any separate license agreement you may have executed
*     with Licensor regarding such Contributions.
 *
*   6. Trademarks. This License does not grant permission to use the trade
*     names, trademarks, service marks, or product names of the Licensor,
*     except as required for reasonable and customary use in describing the
*     origin of the Work and reproducing the content of the NOTICE file.
*
*   7. Disclaimer of Warranty. Unless required by applicable law or
*     agreed to in writing, Licensor provides the Work (and each
*     Contributor provides its Contributions) on an "AS IS" BASIS,
*     WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
*     implied, including, without limitation, any warranties or conditions
*     of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
*     PARTICULAR PURPOSE. You are solely responsible for determining the
*     appropriateness of using or redistributing the Work and assume any
*     risks associated with Your exercise of permissions under this License.
*
*   8. Limitation of Liability.
```

In no event and under no legal theory,
* whether in tort (including negligence), contract, or otherwise,
* unless required by applicable law (such as deliberate and grossly
* negligent acts) or agreed to in writing, shall any Contributor be
* liable to You for damages, including any direct, indirect, special,
* incidental, or consequential damages of any character arising as a
* result of this License or out of the use or inability to use the
* Work (including but not limited to damages for loss of goodwill,
* work stoppage, computer failure or malfunction, or any and all
* other commercial damages or losses), even if such Contributor
* has been advised of the possibility of such damages.
*
* 9. Accepting Warranty or Additional Liability. While redistributing
* the Work or Derivative Works thereof, You may choose to offer,
* and charge a fee for, acceptance of support, warranty, indemnity,
* or other
liability obligations and/or rights consistent with this
* License. However, in accepting such obligations, You may act only
* on Your own behalf and on Your sole responsibility, not on behalf
* of any other Contributor, and only if You agree to indemnify,
* defend, and hold each Contributor harmless for any liability
* incurred by, or claims asserted against, such Contributor by reason
* of your accepting any such warranty or additional liability.
*
* END OF TERMS AND CONDITIONS
*
* APPENDIX: How to apply the Apache License to your work.
*
* To apply the Apache License to your work, attach the following
* boilerplate notice, with the fields enclosed by brackets "[]"
* replaced with your own identifying information. (Don't include
* the brackets!) The text should be enclosed in the appropriate
* comment syntax for the file format. We also recommend that a
* file or class name and description of purpose
be included on the
* same "printed page" as the copyright notice for easier
* identification within third-party archives.
*
* Copyright [yyyy] [name of copyright owner]
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

```
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
*/
/* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000-2002 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this
 acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
 BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
```

* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

XWork: Core
Copyright 2000-2010 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
FreeMarker 1.x was released under the LGPL license. Later, by community
consensus, we have switched over to a BSD-style license. As of FreeMarker
2.2pre1, the original author, Benjamin Geer, has relinquished the copyright in
behalf of Visigoth Software Society. The current copyright holder is the
Visigoth Software Society.

Copyright (c) 2003 The Visigoth Software Society. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. The end-user documentation included with the redistribution, if any, must
   include the following acknowlegement:
     "This product includes software developed by the
     Visigoth Software Society (http://www.visigoths.org/)."
   Alternately,
 this acknowlegement may appear in the software itself, if and
   wherever such third-party acknowlegements normally appear.

3. Neither the name "FreeMarker", "Visigoth", nor any of the names of the
   project contributors may be used to endorse or promote products derived
   from this software without prior written permission. For written
   permission, please contact visigoths@visigoths.org.

4. Products derived from this software may not be called "FreeMarker" or
   "Visigoth" nor may "FreeMarker" or "Visigoth" appear in their names
   without prior written permission of the Visigoth Software Society.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE VISIGOTH SOFTWARE SOCIETY OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals on
behalf of the Visigoth Software Society. For more information on the Visigoth
Software Society, please see http://www.visigoths.org/

/* ==

* The OpenSymphony Software License, Version 1.1

*

* (this license is derived and fully compatible with the Apache Software

* License - see http://www.apache.org/LICENSE.txt)

*

* Copyright (c) 2001-2004 The OpenSymphony Group. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

*

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in

* the documentation and/or other materials provided with the

* distribution.

*

* 3. The end-user documentation included with the redistribution,

* if any, must include the following acknowledgment:

* "This product
 includes software developed by the

* OpenSymphony Group (http://www.opensymphony.com/)."

* Alternately, this acknowledgment may appear in the software itself,

* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "OpenSymphony" and "The OpenSymphony Group"

* must not be used to endorse or promote products derived from this

* software without prior written permission. For written

```
*    permission, please contact license@opensymphony.com .
*
* 5. Products derived from this software may not be called "OpenSymphony"
*    or "OGNL", nor may "OpenSymphony" or "OGNL" appear in their
*    name, without prior written permission of the OpenSymphony Group.
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS
 BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*/
```

1.130 jcl-1-2-implemented-over-slf4j 1.7.12

1.130.1 Available under license :

No license file was found, but licenses were detected in source scan.

2004 The Apache Software Foundation.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE
2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Found in path(s):
* /opt/cola/permits/1018976885_1649200713.63/0/jcl-over-slf4j-1-7-12-sources-
jar/org/apache/commons/logging/package.html
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001-2004 The Apache Software Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1018976885_1649200713.63/0/jcl-over-slf4j-1-7-12-sources-jar/org/apache/commons/logging/LogFactory.java
* /opt/cola/permits/1018976885_1649200713.63/0/jcl-over-slf4j-1-7-12-sources-jar/org/apache/commons/logging/impl/NoOpLog.java
* /opt/cola/permits/1018976885_1649200713.63/0/jcl-over-slf4j-1-7-12-sources-jar/org/apache/commons/logging/Log.java
*
/opt/cola/permits/1018976885_1649200713.63/0/jcl-over-slf4j-1-7-12-sources-jar/org/apache/commons/logging/impl/SLF4JLogFactory.java
* /opt/cola/permits/1018976885_1649200713.63/0/jcl-over-slf4j-1-7-12-sources-jar/org/apache/commons/logging/impl/SimpleLog.java
* /opt/cola/permits/1018976885_1649200713.63/0/jcl-over-slf4j-1-7-12-sources-jar/org/apache/commons/logging/impl/SLF4JLog.java
* /opt/cola/permits/1018976885_1649200713.63/0/jcl-over-slf4j-1-7-12-sources-jar/org/apache/commons/logging/LogConfigurationException.java
* /opt/cola/permits/1018976885_1649200713.63/0/jcl-over-slf4j-1-7-12-sources-jar/org/apache/commons/logging/impl/SLF4JLocationAwareLog.java

1.131 jms 1.1.1

1.131.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

JMS plugin
Copyright 2008-2011 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
#Licensed to the Apache Software Foundation (ASF) under one
#or more contributor license agreements. See the NOTICE file
#distributed with this work for additional information
#regarding copyright ownership. The ASF licenses this file
#to you under the Apache License, Version 2.0 (the
#"License"); you may not use this file except in compliance
#with the License. You may obtain a copy of the License at
#
http://www.apache.org/licenses/LICENSE-2.0
#
#Unless required by applicable law or agreed to in writing,
#software distributed under the License is distributed on an
#"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
#KIND, either express or implied. See the License for the
#specific language governing permissions and limitations
#under the License.
#---
The default configuration for OpenWebBeans
#
The default configuration is intended for a JDK and a simple ServletContainer
like jetty, resin or tomcat.
#
#---
/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0

*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

1.132 jcommander-library 1.12

1.132.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form
shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean
Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute,
all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the

License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum
to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use
the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor
harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within

third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.133 junit 4.10

1.133.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright 2010 Google Inc. All Rights Reserved.

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1018976869_1591372852.74/0/junit-4-10-sources-jar/org/junit/runners/model/MultipleFailureException.java

1.134 cglib 2.2.1-v20090111

1.134.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

1.135 juniversalchardet 1.0.3

1.135.1 Available under license :

Found license 'GNU Lesser General Public License' in 'The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at Software distributed under the License is distributed on an "AS IS" basis, the Initial Developer. All Rights Reserved. Alternatively, the contents of this file may be used under the terms of either the GNU General Public License Version 2 or later (the "GPL"), or the GNU Lesser General Public License Version 2.1 or later (the "LGPL"), use your version of this file under the terms of the MPL, indicate your'

1.136 quartz-job-scheduler 2.2.0

1.136.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001-2009 Terracotta, Inc. Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy
* of the License at

*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/jdbcjobstore/WebLogicDelegate.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/utils/weblogic/WeblogicConnectionProvider.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/jdbcjobstore/oracle/weblogic/WebLogicOracleDelegate.java
*
 /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/jdbcjobstore/oracle/OracleDelegate.java
No license file was found, but licenses were detected in source scan.

/*
* All content copyright Terracotta, Inc., unless otherwise indicated. All rights reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy
* of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/terracotta/quartz/wrappers/DefaultWrapperFactory.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/terracotta/quartz/UpdateChecker.java
*
 /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/terracotta/quartz/ClusteredJobStore.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-

jar/org/terracotta/quartz/collections/TimeTriggerSet.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/commonj/WorkManagerThreadExecutor.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/terracotta/quartz/wrappers/WrapperFactory.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/terracotta/quartz/wrappers/JobWrapper.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/terracotta/quartz/TerracottaJobStoreExtensions.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/utils/FindbugsSuppressWarnings.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/terracotta/quartz/wrappers/TriggerWrapper.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/terracotta/quartz/wrappers/FiredTrigger.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001-2010 Terracotta, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy
* of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/plugins/xml/XMLSchedulingDataProcessorPlugin.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/xml/XMLSchedulingDataProcessor.java
No license file was found, but licenses were detected in source scan.

/*
* All content copyright Terracotta, Inc., unless otherwise indicated. All rights reserved. Licensed under the Apache
* License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain
* a copy of the License at http://www.apache.org/licenses/LICENSE-2.0 Unless required by applicable law or agreed to in
* writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES

OR CONDITIONS
* OF ANY KIND, either express or implied. See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/terracotta/quartz/collections/SerializedToolkitStore.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/terracotta/quartz/DefaultClusteredJobStore.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001-2009 Terracotta, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy
* of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/triggers/CalendarIntervalTriggerImpl.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001-2009 Terracotta, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy
* of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/listeners/JobChainingJobListener.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/listeners/BroadcastJobListener.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/jdbcjobstore/UpdateLockRowSemaphore.java
*
 /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/listeners/BroadcastTriggerListener.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001-2009 Terracotta, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy
* of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/ee/jmx/jboss/JBoss4RMIRemoteMBeanScheduler.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/listeners/SchedulerListenerSupport.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/listeners/TriggerListenerSupport.java
*
 /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/jdbcjobstore/TablePrefixAware.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/listeners/JobListenerSupport.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/plugins/SchedulerPluginWithUserTransactionSupport.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/jdbcjobstore/AttributeRestoringConnectionInvocationHandler.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/utils/StringKeyDirtyFlagMap.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001-2009 Terracotta, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy
* of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/spi/ThreadPool.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/DirectSchedulerFactory.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/calendar/BaseCalendar.java
*
 /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/calendar/MonthlyCalendar.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/core/QuartzSchedulerThread.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/spi/JobStore.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/ee/servlet/QuartzInitializerServlet.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/calendar/WeeklyCalendar.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/StdSchedulerFactory.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/core/JobRunShell.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/utils/DirtyFlagMap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001-2012 Terracotta, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy
* of the License at
*

*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/jdbcjobstore/CacheDelegate.java
No license file was found, but licenses were detected in source scan.

/*
* All content copyright Terracotta, Inc., unless otherwise indicated. All rights reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy
* of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/CronExpression.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/matchers/EverythingMatcher.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/matchers/OrMatcher.java
*
 /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/ScheduleBuilder.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/matchers/NotMatcher.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/Matcher.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/TriggerBuilder.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/CalendarIntervalScheduleBuilder.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/CronTrigger.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/JobBuilder.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/JobExecutionContext.java

* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/SimpleTrigger.java
*
/opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/impl/matchers/GroupMatcher.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/DisallowConcurrentExecution.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/JobKey.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/CronScheduleBuilder.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/ListenerManager.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/impl/jdbcjobstore/DailyTimeIntervalTriggerPersistenceDelegate.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/impl/matchers/KeyMatcher.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/DailyTimeIntervalScheduleBuilder.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/ExecuteInJTATransaction.java
*
/opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/impl/matchers/StringMatcher.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/CalendarIntervalTrigger.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/PersistJobDataAfterExecution.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/JobDetail.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/spi/MutableTrigger.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/TriggerKey.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/SimpleScheduleBuilder.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/impl/matchers/NameMatcher.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/DateBuilder.java
*
/opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/DailyTimeIntervalTrigger.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/triggers/CoreTrigger.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/impl/matchers/AndMatcher.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/TimeOfDay.java
No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
BuildInfo-Revision: 2359
Terracotta-ProjectStatus: Supported
BuildInfo-URL: https://svn.terracotta.org/repo/quartz/tags/quartz-2.2.
0
BuildInfo-Host: kong.terracotta.lan
BuildInfo-User: cruise
Terracotta-Description: Enterprise Job Scheduler
BuildInfo-Timestamp: 20130629-140504
Terracotta-Name: quartz

License: Apache Software License, Version 2.0

Found in path(s):
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/META-INF/MANIFEST.MF
No license file was found, but licenses were detected in source scan.

```
/*
* All content copyright Terracotta, Inc., unless otherwise indicated. All rights reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy
* of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*
*/
```

Found in path(s):
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/terracotta/quartz/PlainTerracottaJobStore.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/terracotta/quartz/TerracottaJobStore.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/terracotta/quartz/AbstractTerracottaJobStore.java
*
 /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/terracotta/quartz/collections/ToolkitDSHolder.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/terracotta/quartz/wrappers/TriggerFacade.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/terracotta/quartz/TerracottaToolkitBuilder.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/terracotta/quartz/wrappers/JobFacade.java
No license file was found, but licenses were detected in source scan.

```
/**
*  Copyright Terracotta, Inc.
*
*  Licensed under the Apache License, Version 2.0 (the "License");
*  you may not use this file except in compliance with the License.
*  You may obtain a copy of the License at
*
```

```
*      http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing, software
*  distributed under the License is distributed on an "AS IS" BASIS,
*  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*  See the License for the specific language governing permissions and
*  limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/management/ManagementRESTServiceConfiguration.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/management/ManagementServer.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001-2010 Terracotta, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy
* of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*
*/
```

Found in path(s):
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/ee/servlet/QuartzInitializerListener.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001-2009 Terracotta, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy
* of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
```

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/plugins/management/ShutdownHookPlugin.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/spi/SchedulerPlugin.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/simpl/SimpleThreadPool.java
*
 /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/jdbcjobstore/DB2v8Delegate.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/triggers/AbstractTrigger.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/utils/DBConnectionManager.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/simpl/ZeroSizeThreadPool.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/simpl/PropertySettingJobFactory.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/core/QuartzScheduler.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/jdbcjobstore/FiredTriggerRecord.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/jdbcjobstore/JobStoreTX.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/RemoteScheduler.java
*
 /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/core/QuartzSchedulerResources.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/plugins/history/LoggingTriggerHistoryPlugin.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/Calendar.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/jdbcjobstore/StdRowLockSemaphore.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/simpl/CascadingClassLoadHelper.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/jdbcjobstore/HSQLDBDelegate.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/simpl/SimpleTimeBroker.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/RemoteMBeanScheduler.java
*
 /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/triggers/SimpleTriggerImpl.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-

jar/org/quartz/impl/jdbcjobstore/PostgreSQLDelegate.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/JobPersistenceException.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/impl/calendar/HolidayCalendar.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/ObjectAlreadyExistsException.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/JobDetailImpl.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/impl/jdbcjobstore/StdJDBCDelegate.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/impl/triggers/DailyTimeIntervalTriggerImpl.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/SchedulerListener.java
*
/opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/TriggerListener.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/spi/JobFactory.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/UnableToInterruptJobException.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/impl/StdJobRunShellFactory.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/impl/jdbcjobstore/DBSemaphore.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/impl/SchedulerRepository.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/impl/jdbcjobstore/JobStoreSupport.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/utils/ConnectionProvider.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/StatefulJob.java
*
/opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/utils/JNDIConnectionProvider.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/utils/Key.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/spi/SchedulerSignaler.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/JobExecutionException.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/impl/jdbcjobstore/LockException.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/spi/InstanceIdGenerator.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/Job.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/ee/jta/JTAJobRunShell.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/core/SchedulerSignalerImpl.java
*
/opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/jdbcjobstore/Util.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/JobListener.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/SchedulerMetaData.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/simpl/LoadingLoaderClassLoadHelper.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/impl/jdbcjobstore/JobStoreCMT.java

* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/ee/jta/UserTransactionHelper.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/helpers/VersionPrinter.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/Trigger.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/JobDataMap.java
*
/opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/ee/jmx/jboss/QuartzServiceMBean.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/jdbcjobstore/DB2v7Delegate.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/simpl/RAMJobStore.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/SchedulerConfigException.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/spi/TimeBroker.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/triggers/CronTriggerImpl.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/SchedulerContext.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/calendar/AnnualCalendar.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/simpl/HostnameInstanceIdGenerator.java
*
/opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/Scheduler.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/JobExecutionContextImpl.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/ee/jmx/jboss/QuartzService.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/jdbcjobstore/SimpleSemaphore.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/jdbcjobstore/Constants.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/jdbcjobstore/PointbaseDelegate.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/jdbcjobstore/DB2v6Delegate.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/jdbcjobstore/DriverDelegate.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/SchedulerException.java
*
/opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/SchedulerFactory.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/InterruptableJob.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/jdbcjobstore/SchedulerStateRecord.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/jdbcjobstore/Semaphore.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/ee/jta/JTAAnnotationAwareJobRunShellFactory.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-

jar/org/quartz/impl/jdbcjobstore/NoSuchDelegateException.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/simpl/SimpleInstanceIdGenerator.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/core/RemotableQuartzScheduler.java
*
/opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/utils/PoolingConnectionProvider.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/impl/jdbcjobstore/MSSQLDelegate.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/impl/jdbcjobstore/InvalidConfigurationException.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/core/JobRunShellFactory.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/simpl/SimpleClassLoadHelper.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/StdScheduler.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/simpl/InitThreadContextClassLoadHelper.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/simpl/SimpleJobFactory.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/impl/jdbcjobstore/StdJDBCConstants.java
*
/opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/simpl/ThreadContextClassLoadHelper.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/utils/PropertiesParser.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/plugins/history/LoggingJobHistoryPlugin.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/xml/ValidationException.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/spi/ClassLoadHelper.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/TriggerUtils.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/QuartzServer.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/impl/jdbcjobstore/TriggerStatus.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/ee/jta/JTAJobRunShellFactory.java
*
/opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/quartz/impl/jdbcjobstore/JTANonClusteredSemaphore.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/spi/TriggerFiredBundle.java
No license file was found, but licenses were detected in source scan.

/*
* All content copyright Terracotta, Inc., unless otherwise indicated. All rights reserved.
*/

Found in path(s):
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-
jar/org/terracotta/quartz/collections/TimeTrigger.java

* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/terracotta/quartz/collections/SerializationHelper.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2010 Terracotta, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy
* of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*
*/
```

Found in path(s):
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/jdbcjobstore/SybaseDelegate.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright Terracotta, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy
* of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*
*/
```

Found in path(s):
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/impl/jdbcjobstore/CUBRIDDelegate.java
No license file was found, but licenses were detected in source scan.

```
/**
*  Copyright 2003-2009 Terracotta, Inc.
*
*  Licensed under the Apache License, Version 2.0 (the "License");
*  you may not use this file except in compliance with the License.
*  You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing, software
*  distributed under the License is distributed on an "AS IS" BASIS,
*  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*  See the License for the specific language governing permissions and
*  limitations under the License.
*/
```

Found in path(s):

* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/utils/counter/sampled/SampledRateCounterImpl.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/utils/counter/sampled/SampledCounterImpl.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/utils/counter/sampled/SampledCounterConfig.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/utils/CircularLossyQueue.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/utils/counter/Counter.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/utils/counter/CounterConfig.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/utils/counter/sampled/TimeStampedCounterValue.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/utils/counter/sampled/SampledCounter.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/utils/counter/CounterManager.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/utils/counter/CounterManagerImpl.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/utils/counter/sampled/SampledRateCounterConfig.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/utils/counter/CounterImpl.java
* /opt/cola/permits/1018976879_1606382973.8/0/quartz-2-2-0-sources-jar/org/quartz/utils/counter/sampled/SampledRateCounter.java

1.137 javax-ws-rs-api 2.0.1

1.137.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)
Version 1.0

*

1. Definitions.
   o

   1.1. ?Contributor? means each individual or entity that creates or contributes to the creation of Modifications.

   o

   1.2. ?Contributor Version? means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
   o

   1.3. ?Covered Software? means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
   o

   1.4. ?Executable? means the Covered Software in any form other than Source Code.
   o

   1.5. ?Initial Developer? means the individual or entity that first makes Original Software available under this License.
   o

   1.6. ?Larger Work? means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.
   o

   1.7. ?License? means this document.
   o

   1.8. ?Licensable? means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
   o

   1.9. ?Modifications? means the Source Code and Executable form of any of the following:
      +

      A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;
      +

      B. Any new file that contains any part of the Original Software or previous Modification; or
      +

C. Any new file that is contributed
or otherwise made available under the terms of this License.

o

1.10. ?Original Software? means the Source Code and Executable form of computer software code that is originally released under this License.

o

1.11. ?Patent Claims? means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

o

1.12. ?Source Code? means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

o

1.13. ?You? (or ?Your?) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, ?You? includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, ?control?
means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

*

2. License Grants.

o

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

+

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

+

(b) under Patent Claims infringed by
the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

+

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

+

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

o

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby
grants You a world-wide, royalty-free, non-exclusive license:

+

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

+

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

+

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

+

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

*

3. Distribution Obligations.

o

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available
in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium

customarily used for software exchange.

o

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

o

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

o

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients? rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

o

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient?s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

o

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

*

4. Versions of the License.

o

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

o

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the
Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

o

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to
note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

*

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN ?AS IS? BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

*

6. TERMINATION.

o

6.1. This

License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

o

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as ?Participant?) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

o

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

*

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY?S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

*

8. U.S. GOVERNMENT END USERS.

The Covered Software is a ?commercial item,? as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of ?commercial computer software? (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and ?commercial computer software documentation? as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

*

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction?s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys? fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

*

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

1.138 jetty-java-based-http-1-x-http-2-servlet-websocket-server 6.1.3

1.138.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
//Licensed under the Apache License, Version 2.0 (the "License");
//you may not use this file except in compliance with the License.
//You may obtain a copy of the License at
//http://www.apache.org/licenses/LICENSE-2.0
//distributed under the License is distributed on an "AS IS" BASIS,
/*
   * @see org.mortbay.jetty.Connector#getConfidentialPort()
   */
/*
   * @see org.mortbay.jetty.Connector#getConfidentialScheme()
   */
/*
   * @see org.mortbay.jetty.Connector#isConfidential(org.mortbay.jetty.Request)
```

```
   */
/**
   * @param confidentialPort The confidentialPort to set.
   */
/**
   * @param confidentialScheme The confidentialScheme to set.
   */
```

Found in path(s):
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/AbstractConnector.java
No license file was found, but licenses were detected in source scan.

```
// Licensed under the Apache License, Version 2.0 (the "License");
// you may not use this file except in compliance with the License.
// You may obtain a copy of the License at
// http://www.apache.org/licenses/LICENSE-2.0
// distributed under the License is distributed on an "AS IS" BASIS,
/**
   * @return Data constrain indicator: 0=DC+NONE, 1=DC_INTEGRAL & 2=DC_CONFIDENTIAL
   */
```

Found in path(s):
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/security/Constraint.java
No license file was found, but licenses were detected in source scan.

```
//Licensed under the Apache License, Version 2.0 (the "License");
//you may not use this file except in compliance with the License.
//You may obtain a copy of the License at
//http://www.apache.org/licenses/LICENSE-2.0
//distributed under the License is distributed on an "AS IS" BASIS,
/**
   * @return The result of calling {@link #getConnector}.{@link Connector#isConfidential(Request)
isCondidential}(request), or false
   *  if there is no connector.
   */
```

Found in path(s):
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/HttpConnection.java
No license file was found, but licenses were detected in source scan.

```
// Licensed under the Apache License, Version 2.0 (the "License");
// you may not use this file except in compliance with the License.
// You may obtain a copy of the License at
// http://www.apache.org/licenses/LICENSE-2.0
// distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/io/Portable.java

* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/resource/Resource.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/io/BufferUtil.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/security/Authenticator.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/io/Connection.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/servlet/ServletHandler.java
*
/opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/InclusiveByteRange.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/servlet/ErrorPageErrorHandler.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/HttpFields.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/security/B64Code.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/bio/SocketConnector.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/resource/BadResource.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/io/AbstractBuffer.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/resource/JarFileResource.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/handler/DefaultHandler.java
*
/opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/resource/JarResource.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/servlet/ServletHolder.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/HttpVersions.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/security/DigestAuthenticator.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/webapp/WebXmlConfiguration.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/security/UserRealm.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/handler/ResourceHandler.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/servlet/HashSessionManager.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/security/HashSSORealm.java
*
/opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/security/FormAuthenticator.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/io/WriterOutputStream.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/resource/URLResource.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/io/BufferCache.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/HttpSchemes.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/security/HashUserRealm.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/xml/XmlParser.java

* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/security/Credential.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/servlet/Holder.java
*
 /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/security/Password.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/HttpHeaderValues.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/HttpParser.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/servlet/Dispatcher.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/ResourceCache.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/MimeTypes.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/webapp/WebInfConfiguration.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/HttpStatus.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/HttpMethods.java
*
 /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/servlet/PathMap.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/security/ServletSSL.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/security/JDBCUserRealm.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/servlet/Invoker.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/security/ClientCertAuthenticator.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/servlet/DefaultServlet.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/security/SSORealm.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/webapp/WebAppClassLoader.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/nio/BlockingChannelConnector.java
*
 /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/servlet/AbstractSessionManager.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/io/nio/NIOBuffer.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/nio/SelectChannelConnector.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/HttpHeaders.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/servlet/FilterHolder.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/resource/FileResource.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/xml/XmlConfiguration.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/security/PKCS12Import.java
*
 /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/handler/ErrorHandler.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/io/Buffer.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/SessionManager.java

* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/io/ByteArrayBuffer.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/security/BasicAuthenticator.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/Server.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/security/SecurityHandler.java
No license file was found, but licenses were detected in source scan.

//Licensed under the Apache License, Version 2.0 (the "License");
//you may not use this file except in compliance with the License.
//You may obtain a copy of the License at
//http://www.apache.org/licenses/LICENSE-2.0
//distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/handler/ContextHandlerCollection.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/Request.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/Main.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/handler/AbstractHandler.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/HandlerContainer.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/webapp/Configuration.java
*
 /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/handler/MovedContextHandler.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/io/bio/StreamEndPoint.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/io/nio/ChannelEndPoint.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/io/View.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/handler/HandlerCollection.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/io/SimpleBuffers.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/servlet/Context.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/handler/HandlerWrapper.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/HttpURI.java
*
 /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/handler/StatisticsHandler.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/HttpTokens.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/Connector.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/servlet/FilterMapping.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/HttpGenerator.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/io/Buffers.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/deployer/ConfigurationManager.java

* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/Handler.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/LocalConnector.java
*
/opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/HttpContent.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/io/bio/StringEndPoint.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/handler/HandlerList.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/deployer/WebAppDeployer.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/servlet/ServletMapping.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/webapp/TagLibConfiguration.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/RequestLog.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/handler/AbstractHandlerContainer.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/NCSARequestLog.java
*
/opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/Parser.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/Generator.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/io/bio/SocketEndPoint.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/EofException.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/resource/ResourceFactory.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/servlet/HashSessionIdManager.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/HttpException.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/servlet/SessionHandler.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/io/ByteArrayEndPoint.java
*
/opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/deployer/FileConfigurationManager.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/handler/RequestLogHandler.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/handler/ContextHandler.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/AbstractGenerator.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/deployer/ContextDeployer.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/webapp/JettyWebXmlConfiguration.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/Response.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/io/EndPoint.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/nio/NIOConnector.java
*
/opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/RetryRequest.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-

jar/org/mortbay/jetty/security/ConstraintMapping.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/HttpOnlyCookie.java
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/webapp/WebAppContext.java
No license file was found, but licenses were detected in source scan.

```
// Licensed under the Apache License, Version 2.0 (the "License");
// you may not use this file except in compliance with the License.
// You may obtain a copy of the License at
// http://www.apache.org/licenses/LICENSE-2.0
// distributed under the License is distributed on an "AS IS" BASIS,
/**
   * By default, we're confidential, given we speak SSL. But, if we've been told about an
   * confidential port, and said port is not our port, then we're not. This allows separation of
   * listeners providing INTEGRAL versus CONFIDENTIAL constraints, such as one SSL listener
   * configured to require client certs providing CONFIDENTIAL, whereas another SSL listener not
   * requiring client certs providing mere INTEGRAL constraints.
   */
/**
   * By default, we're integral, given we speak SSL. But, if we've been told about an integral
   * port, and said port is not our port, then we're not. This allows separation
 of listeners
   * providing INTEGRAL versus CONFIDENTIAL constraints, such as one SSL listener configured to
   * require client certs providing CONFIDENTIAL, whereas another SSL listener not requiring
   * client certs providing mere INTEGRAL constraints.
   */
```

Found in path(s):
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/security/SslSocketConnector.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)UnixCrypt.java 0.9 96/11/25
*
* Copyright (c) 1996 Aki Yoshida. All rights reserved.
*
* Permission to use, copy, modify and distribute this software
* for non-commercial or commercial purposes and without fee is
* hereby granted provided that this copyright notice appears in
* all copies.
*/
```

Found in path(s):
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-
jar/org/mortbay/jetty/security/UnixCrypt.java
No license file was found, but licenses were detected in source scan.

// Copyright (c) 2001 Deville Daniel. All rights reserved.
// Permission to use, copy, modify and distribute this software

Found in path(s):
* /opt/cola/permits/1018977243_1649800630.35/0/jetty-6-1-3-sources-jar/org/mortbay/jetty/security/HTAccessHandler.java

1.139 jna 4.1.0

1.139.1 Available under license :

Found license 'GNU Lesser General Public License' in '/* Copyright (c) 2011 Timothy Wall, All Rights Reserved This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.'
Found license 'GNU Lesser General Public License' in '/* Copyright (c) 2007 Timothy Wall, All Rights Reserved This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.'
Found license 'GNU Lesser General Public License' in '/* Copyright (c) 2007-2013 Timothy Wall, All Rights Reserved This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.'
Found license 'GNU Lesser General Public License' in '/* Copyright (c) 2007 Wayne Meissner, All Rights Reserved This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.'
/* Copyright (c) 2011 Timothy Wall, All Rights Reserved
*
* This library is free software; you can redistribute it and/or
* modify it under the terms of the GNU Lesser General Public
* License as published by the Free Software Foundation; either
* version 2.1 of the License, or (at your option) any later version.
*
* This library is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
* Lesser General Public License for more details.
*/

Found license 'GNU Lesser General Public License' in '/* Copyright (c) 2007-2012 Timothy Wall, All Rights Reserved This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.'

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully

about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you.

You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original

version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License
permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use
a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION
0. This License Agreement applies to any software library
or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with

application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.
b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.
(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution

of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy
the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library
even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce
a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as
object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
d)
If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.
For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the
Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other

library facilities. This must be distributed under the terms of the Sections above.
b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.
8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify,
sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the
Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely
from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12.
If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS
Found license 'GNU Lesser General Public License' in '/* Copyright (c) 2009 Timothy Wall, All Rights Reserved
This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.'
Found license 'GNU Lesser General Public License' in '/* This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.'

Found license 'GNU Lesser General Public License' in '/* Copyright (c) 2007 Wayne Meissner, All Rights Reserved Copyright (c) 2007-2013 Timothy Wall, All Rights Reserved This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.'
Found license 'GNU Lesser General Public License' in 'Copyright (c) 2007 Wayne Meissner, All Rights Reserved This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. <p/> This library is distributed in PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.'
Found license 'GNU Lesser General Public License' in '/* Copyright (c) 2012 Timothy Wall, All Rights Reserved This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.'
Found license 'GNU Lesser General Public License' in '/* Copyright (c) 2007-2008 Timothy Wall, All Rights Reserved This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.'
Found license 'GNU Lesser General Public License' in 'This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the PURPOSE. See the GNU Lesser General Public License for more details.'

1.140 c3p0jdbcdatasources 0.9.1.1

1.140.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <https://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser

General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version"

applies to it, you have the option of following the
terms and
conditions either of that published version or of any later version
published by the Free Software Foundation. If the Library as you
received it does not specify a version number of the GNU Lesser
General Public License, you may choose any version of the GNU Lesser
General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide
whether future versions of the GNU Lesser General Public License shall
apply, that proxy's public statement of acceptance of any version is
permanent authorization for you to choose that version for the
Library.

1.141 snake-yaml 1.6

1.141.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
* Copyright (c) 2008-2010 Andrey Somov
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/events/AliasEvent.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/tokens/FlowMappingEndToken.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/resolver/Resolver.java
*
/opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/representer/Represent.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/constructor/BaseConstructor.java

* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/Loader.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/emitter/Emitter.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/tokens/AliasToken.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/JavaBeanLoader.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/tokens/BlockMappingStartToken.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/util/Base64Coder.java
*
 /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/constructor/Constructor.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/constructor/SafeConstructor.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/composer/Composer.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/parser/Production.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/error/Mark.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/tokens/TagTuple.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/tokens/DocumentStartToken.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/emitter/EmitterException.java
*
 /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/Yaml.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/events/ImplicitTuple.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/tokens/BlockSequenceStartToken.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/nodes/Node.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/tokens/Token.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/parser/Parser.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/reader/UnicodeReader.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/constructor/AbstractConstruct.java
*

/opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/serializer/SerializerException.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/introspector/Property.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/introspector/MethodProperty.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/error/YAMLException.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/tokens/BlockEndToken.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/tokens/StreamEndToken.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/tokens/ScalarToken.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/emitter/EmitterState.java
*
/opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/composer/ComposerException.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/tokens/TagToken.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/events/NodeEvent.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/Dumper.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/scanner/Scanner.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/representer/SafeRepresenter.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/parser/ParserImpl.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/events/MappingEndEvent.java
*
/opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/tokens/FlowSequenceStartToken.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/serializer/Serializer.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/tokens/BlockEntryToken.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/parser/ParserException.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/TypeDescription.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/error/MarkedYAMLException.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/events/StreamStartEvent.java

* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/scanner/SimpleKey.java
*
 /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/tokens/AnchorToken.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/constructor/ConstructorException.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/tokens/FlowSequenceEndToken.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/tokens/DirectiveToken.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/events/SequenceStartEvent.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/introspector/FieldProperty.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/tokens/DocumentEndToken.java
*
 /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/tokens/ValueToken.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/JavaBeanParser.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/tokens/KeyToken.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/events/CollectionStartEvent.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/events/ScalarEvent.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/emitter/ScalarAnalysis.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/events/Event.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/JavaBeanDumper.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/events/CollectionEndEvent.java
*
 /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/events/DocumentEndEvent.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/util/ArrayStack.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/events/StreamEndEvent.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/DumperOptions.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/scanner/ScannerException.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-

jar/org/yaml/snakeyaml/nodes/NodeTuple.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/tokens/FlowMappingStartToken.java
*
/opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/events/MappingStartEvent.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/representer/BaseRepresenter.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/events/SequenceEndEvent.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/scanner/ScannerImpl.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/nodes/MappingNode.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/nodes/ScalarNode.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/nodes/CollectionNode.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/nodes/Tag.java
*
/opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/events/DocumentStartEvent.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/nodes/NodeId.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/constructor/CustomClassLoaderConstructor.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/tokens/StreamStartToken.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/representer/Representer.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/scanner/Constant.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/tokens/FlowEntryToken.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/reader/StreamReader.java
*
/opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/nodes/SequenceNode.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/constructor/Construct.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/resolver/ResolverTuple.java
* /opt/ws_local/PERMITS_SQL/1018976840_1591906891.29/0/snakeyaml-1-6-sources-jar/org/yaml/snakeyaml/reader/ReaderException.java

1.142 j2ee-deployment 1.1

1.142.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Apache Geronimo
Copyright 2003-2006 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

1.143 apache-commons-digester 2.0

1.143.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Apache Commons Digester
Copyright 2001-2008 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

1.144 jetty-orbit-servlet-api 3.0.0.v201112011016

1.144.1 Available under license :

No license file was found, but licenses were detected in source scan.

<tt>TransportGuarantee.CONFIDENTIAL</tt>.</TD>
Copyright © 1995-2011 Mort Bay Consulting. All Rights Reserved.

Found in path(s):
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/class-use/ServletSecurity.TransportGuarantee.html
No license file was found, but licenses were detected in source scan.

<tt>TransportGuarantee.CONFIDENTIAL</tt>.
Copyright © 1995-2011 Mort Bay Consulting. All Rights Reserved.

Found in path(s):
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/index-all.html
No license file was found, but licenses were detected in source scan.

<tt>TransportGuarantee.CONFIDENTIAL</tt>.</TD>
<tt>TransportGuarantee.CONFIDENTIAL</tt>.
<tt>TransportGuarantee.CONFIDENTIAL</tt><DD><CODE>roleNames</CODE> - the names of the roles that are to be
<tt>TransportGuarantee.CONFIDENTIAL<tt><DD><CODE>roleNames</CODE> - the names of the roles that are to be allowed
Copyright © 1995-2011 Mort Bay Consulting. All Rights Reserved.

Found in path(s):
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/HttpConstraintElement.html
No license file was found, but licenses were detected in source scan.

<TD><CODE><B><A

HREF="../../../javax/servlet/annotation/ServletSecurity.TransportGuarantee.html#CONFIDENTIAL">CONFIDENTIAL</A></B></CODE>
<A NAME="CONFIDENTIAL"><!-- --></A><H3>
CONFIDENTIAL</H3>
public static final <A HREF="../../../javax/servlet/annotation/ServletSecurity.TransportGuarantee.html" title="enum in javax.servlet.annotation">ServletSecurity.TransportGuarantee</A> <B>CONFIDENTIAL</B></PRE>
Copyright © 1995-2011 Mort Bay Consulting. All Rights Reserved.

Found in path(s):
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/ServletSecurity.TransportGuarantee.html
No license file was found, but licenses were detected in source scan.

-classpath
'/Users/jesse/src/projects/jetty/org.eclipse.jetty.orbit/javax.servlet/3.0.0.v201112011016/target/classes'
-encoding
'UTF-8'
-protected
-sourcepath
'/Users/jesse/src/projects/jetty/org.eclipse.jetty.orbit/javax.servlet/3.0.0.v201112011016/src/main/java'
-author
-bottom
'Copyright © 1995-2011 Mort Bay Consulting. All Rights Reserved.'
-charset
'UTF-8'
-d
'/Users/jesse/src/projects/jetty/org.eclipse.jetty.orbit/javax.servlet/3.0.0.v201112011016/target/site/apidocs'
-docencoding
'UTF-8'
-doctitle
'Jetty Orbit :: Servlet API 3.0.0.v201112011016 API'
-linkoffline
'http://download.oracle.com/javase/6/docs/api'
'/Users/jesse/src/projects/jetty/org.eclipse.jetty.orbit/javax.servlet/3.0.0.v201112011016/target/javadoc-bundle-options'
-use
-version
-windowtitle
'Jetty Orbit :: Servlet API 3.0.0.v201112011016 API'

Found in path(s):
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/options
No license file was found, but licenses were detected in source scan.

Copyright © 1995-2011 Mort Bay Consulting. All Rights Reserved.

Found in path(s):
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-

jar/javax/servlet/class-use/UnavailableException.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/class-use/HttpSession.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/package-tree.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/package-use.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/package-tree.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/ServletRequestEvent.html
*
/opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/class-use/HttpSessionAttributeListener.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/HttpUtils.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/HttpServletResponse.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/ServletRegistration.Dynamic.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/FilterRegistration.Dynamic.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/Filter.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/HttpConstraintElement.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/HttpSession.html
*
/opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/ServletContextAttributeEvent.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/ServletRegistration.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/MultipartConfig.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/FilterConfig.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/class-use/HandlesTypes.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/descriptor/class-use/JspConfigDescriptor.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/ServletRequestEvent.html
*
/opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/package-tree.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/WebServlet.html

* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/HttpSessionEvent.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/SessionCookieConfig.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/HttpServlet.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/class-use/WebFilter.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/HttpMethodConstraintElement.html
*
/opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/ServletContextAttributeListener.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/FilterConfig.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/class-use/WebServlet.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/ServletInputStream.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/serialized-form.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/WebInitParam.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/HttpMethodConstraintElement.html
*
/opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/ServletContextAttributeListener.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/overview-tree.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/ServletRequestAttributeListener.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/WebFilter.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/ServletContextAttributeEvent.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/Registration.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/SessionCookieConfig.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/HttpServletRequest.html
*
/opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/ServletException.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/AsyncContext.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-

jar/javax/servlet/class-use/FilterRegistration.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/ServletSecurityElement.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/Registration.Dynamic.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/HttpServletResponseWrapper.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/class-use/HttpConstraint.html
*
/opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/ServletRequestAttributeEvent.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/class-use/HttpServletResponseWrapper.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/class-use/WebInitParam.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/ServletRequestListener.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/ServletResponse.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/class-use/ServletSecurity.EmptyRoleSemantic.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/UnavailableException.html
*
/opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/ServletContextListener.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/ServletContextListener.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/HttpSessionBindingListener.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/HttpMethodConstraint.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/descriptor/package-use.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/ServletRequestWrapper.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/class-use/Part.html
*
/opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/constant-values.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/ServletRequest.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/Cookie.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/Servlet.html

* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/HttpSessionBindingEvent.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/WebListener.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/ServletContextEvent.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/class-use/HttpSessionEvent.html
*
 /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/package-use.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/package-summary.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/ServletConfig.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/HttpSessionListener.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/class-use/HttpSessionContext.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/GenericServlet.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/ServletContainerInitializer.html
*
 /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/ServletRequestListener.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/ServletRegistration.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/HttpSessionActivationListener.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/SessionTrackingMode.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/Filter.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/FilterRegistration.Dynamic.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/class-use/HttpServletRequestWrapper.html
*
 /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/class-use/HttpServlet.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/AsyncEvent.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/FilterChain.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/class-use/HttpUtils.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-

jar/javax/servlet/http/class-use/HttpServletResponse.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/descriptor/package-summary.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/HttpSessionAttributeListener.html
*
/opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/Registration.Dynamic.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/class-use/HttpServletRequest.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/ServletContainerInitializer.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/ServletSecurity.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/ServletContext.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/HttpSessionContext.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/ServletRegistration.Dynamic.html
*
/opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/FilterRegistration.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/HttpConstraint.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/ServletException.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/class-use/Cookie.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/ServletOutputStream.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/ServletResponseWrapper.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/ServletResponse.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/AsyncListener.html
*
/opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/class-use/HttpSessionBindingEvent.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/DispatcherType.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/package-summary.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/class-use/HttpMethodConstraint.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/AsyncListener.html

* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/package-use.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/Registration.html
*
 /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/SingleThreadModel.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/descriptor/TaglibDescriptor.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/descriptor/package-tree.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/SingleThreadModel.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/ServletResponseWrapper.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/class-use/HttpSessionActivationListener.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/GenericServlet.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/ServletConfig.html
*
 /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/AsyncContext.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/help-doc.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/class-use/HttpSessionListener.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/descriptor/JspConfigDescriptor.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/RequestDispatcher.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/MultipartConfigElement.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/SessionTrackingMode.html
*
 /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/class-use/ServletSecurity.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/AsyncEvent.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/RequestDispatcher.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/ServletSecurityElement.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/ServletRequestWrapper.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/ServletRequestAttributeListener.html

* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/class-use/HttpSessionBindingListener.html
*
/opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/overview-summary.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/ServletRequest.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/ServletInputStream.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/descriptor/class-use/TaglibDescriptor.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/ServletOutputStream.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/Servlet.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/MultipartConfigElement.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/package-summary.html
*
/opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/ServletContextEvent.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/descriptor/JspPropertyGroupDescriptor.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/class-use/WebListener.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/FilterChain.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/ServletContext.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/class-use/MultipartConfig.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/descriptor/class-use/JspPropertyGroupDescriptor.html
*
/opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/annotation/ServletSecurity.EmptyRoleSemantic.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/HttpServletRequestWrapper.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/ServletRequestAttributeEvent.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/deprecated-list.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/class-use/DispatcherType.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-jar/javax/servlet/http/Part.html
* /opt/cola/permits/1018976702_1609888498.14/0/javax-servlet-3-0-0-v201112011016-javadoc-

jar/javax/servlet/annotation/HandlesTypes.html

1.145 lucene-analyzers 4.7.2

1.145.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was
derived from unicode conversion examples available at
http://www.unicode.org/Public/PROGRAMS/CVTUTF. Here is the copyright
from those sources:

```
/*
* Copyright 2001-2004 Unicode, Inc.
*
* Disclaimer
*
* This source code is provided as is by Unicode, Inc. No claims are
* made as to fitness for any particular purpose. No warranties of any
* kind are expressed or implied. The recipient agrees to determine
* applicability of information provided. If this file has been
* purchased on magnetic or optical media from Unicode, Inc., the
* sole remedy for any claim
 will be exchange of defective media
* within 90 days of receipt.
*
* Limitations on Rights to Redistribute This Code
*
```

* Unicode, Inc. hereby grants the right to freely use the information
* supplied in this file in the creation of products supporting the
* Unicode Standard, and to make copies of this file in any form
* for internal or external distribution as long as this notice
* remains attached.
*/

Some code in core/src/java/org/apache/lucene/util/ArrayUtil.java was
derived from Python 2.4.2 sources available at
http://www.python.org. Full license is here:

http://www.python.org/download/releases/2.4.2/license/

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was
derived from Python 3.1.2 sources available at
http://www.python.org. Full license is here:

http://www.python.org/download/releases/3.1.2/license/

Some code in core/src/java/org/apache/lucene/util/automaton was
derived from Brics automaton sources available at
www.brics.dk/automaton/.
Here is the copyright from those sources:

/*
* Copyright (c) 2001-2009 Anders Moeller
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
*   derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

The levenshtein automata tables in core/src/java/org/apache/lucene/util/automaton
were automatically generated with the moman/finenight FSA package.
Here is the copyright for those sources:

Copyright (c) 2010, Jean-Philippe Barrette-LaPierre, <jpb@rrette.com>
#
Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including
 without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:
#
The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.
#
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was
derived from ICU (http://www.icu-project.org)
The full license is available
 here:
 http://source.icu-project.org/repos/icu/icu/trunk/license.html

/*
* Copyright (C) 1999-2010, International Business Machines
* Corporation and others. All Rights Reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, and/or sell copies of the
* Software, and to permit persons to whom the Software is furnished to do so,

* provided that the above copyright notice(s) and this permission notice appear
* in all copies of the Software and that both the above copyright notice(s) and
* this permission notice appear in supporting documentation.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR
PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.
* IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE
* LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR
* ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER
* IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
*
* Except as contained in this notice, the name of a copyright holder shall not
* be used in advertising or otherwise to promote the sale, use or other
* dealings in this Software without prior written authorization of the
* copyright holder.
*/

The following license applies to the Snowball stemmers:

Copyright (c) 2001, Dr Martin Porter
Copyright (c) 2002, Richard Boulton
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
* this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* Neither the name of the copyright holders nor the names of its contributors
* may be used to endorse or promote products derived from this software
* without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the KStemmer:

Copyright 2003,
Center for Intelligent Information Retrieval,
University of Massachusetts, Amherst.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

3. The names "Center for Intelligent
 Information Retrieval" and
"University of Massachusetts" must not be used to endorse or promote products
derived from this software without prior written permission. To obtain
permission, contact info@ciir.cs.umass.edu.

THIS SOFTWARE IS PROVIDED BY UNIVERSITY OF MASSACHUSETTS AND OTHER CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

The
 following license applies to the Morfologik project:

Copyright (c) 2006 Dawid Weiss
Copyright (c) 2007-2011 Dawid Weiss, Marcin Mikowski
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright notice,

this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

* Neither the name of Morfologik nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The dictionary comes from Morfologik project. Morfologik uses data from
Polish ispell/myspell dictionary hosted at http://www.sjp.pl/slownik/en/ and
is licenced on the terms of (inter alia) LGPL and Creative Commons
ShareAlike. The part-of-speech tags were added in Morfologik project and
are not found in the data from sjp.pl. The tagset is similar to IPI
PAN
tagset.

The following license applies to the Morfeusz project,
used by org.apache.lucene.analysis.morfologik.

BSD-licensed dictionary of Polish (SGJP)
http://sgjp.pl/morfeusz/

Copyright 2011 Zygmunt Saloni, Wodzimierz Gruszczyski,
Marcin Woliski, Robert Woosz

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the
distribution.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AS IS AND ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Apache Lucene
Copyright 2014 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Includes software from other Apache Software Foundation projects,
including, but not limited to:
- Apache Ant
- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such
as the Unicode Character Database. See http://unicode.org/copyright.html for more
details.

Brics Automaton (under core/src/java/org/apache/lucene/util/automaton) is
BSD-licensed, created by Anders Mller. See http://www.brics.dk/automaton/

The levenshtein automata tables (under core/src/java/org/apache/lucene/util/automaton) were
automatically generated with the moman/finenight FSA library, created by
Jean-Philippe Barrette-LaPierre.

This library is available under an MIT license,
see http://sites.google.com/site/rrettesite/moman and
http://bitbucket.org/jpbarrette/moman/overview/

The class org.apache.lucene.util.WeakIdentityMap was derived from
the Apache CXF project and is Apache License 2.0.

The Google Code Prettify is Apache License 2.0.
See http://code.google.com/p/google-code-prettify/

JUnit (junit-4.10) is licensed under the Common Public License v. 1.0
See http://junit.sourceforge.net/cpl-v10.html

This product includes code (JaspellTernarySearchTrie) from Java Spelling Checkin
g Package (jaspell): http://jaspell.sourceforge.net/
License: The BSD License (http://www.opensource.org/licenses/bsd-license.php)

The snowball stemmers in
analysis/common/src/java/net/sf/snowball
were developed by Martin Porter and Richard Boulton.
The snowball stopword lists in
analysis/common/src/resources/org/apache/lucene/analysis/snowball
were developed by Martin Porter and Richard Boulton.
The full snowball package
is available from
http://snowball.tartarus.org/

The KStem stemmer in
analysis/common/src/org/apache/lucene/analysis/en
was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst)
under the BSD-license.

The Arabic,Persian,Romanian,Bulgarian, and Hindi analyzers (common) come with a default
stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:
analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt
See http://members.unine.ch/jacques.savoy/clef/index.html.

The German,Spanish,Finnish,French,Hungarian,Italian,Portuguese,Russian and Swedish light stemmers
(common) are based on BSD-licensed reference implementations created
by Jacques Savoy and
Ljiljana Dolamic. These files reside in:
analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java

analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java

The Stempel analyzer (stempel) includes BSD-licensed
software developed
by the Egothor project http://egothor.sf.net/, created by Leo Galambos, Martin Kvapil,
and Edmond Nolan.

The Polish analyzer (stempel) comes with a default
stopword list that is BSD-licensed created by the Carrot2 project. The file resides
in stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt.
See http://project.carrot2.org/license.html.

The SmartChineseAnalyzer source code (smartcn) was
provided by Xiaoping Gao and copyright 2009 by www.imdict.net.

WordBreakTestUnicode_*.java (under modules/analysis/common/src/test/)
is derived from Unicode data such as the Unicode Character Database.
See http://unicode.org/copyright.html for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software
developed by Dawid Weiss and Marcin Mikowski (http://morfologik.blogspot.com/).

Morfologik uses data from Polish ispell/myspell dictionary
(http://www.sjp.pl/slownik/en/) licenced on the terms of (inter alia)
LGPL and Creative Commons ShareAlike.

Morfologic
includes data from BSD-licensed dictionary of Polish (SGJP)
(http://sgjp.pl/morfeusz/)

Servlet-api.jar and javax.servlet-*.jar are under the CDDL license, the original
source code for this can be found at http://www.eclipse.org/jetty/downloads.php

==
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration
==

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz

or

http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz

==========
mecab-ipadic-2.7.0-20070801 Notice
==========

Nara
Institute of Science and Technology (NAIST),
the copyright holders, disclaims all warranties with regard to this
software, including all implied warranties of merchantability and
fitness, in no event shall NAIST be liable for
any special, indirect or consequential damages or any damages
whatsoever resulting from loss of use, data or profits, whether in an
action of contract, negligence or other tortuous action, arising out
of or in connection with the use or performance of this software.

A large portion of the dictionary entries
originate from ICOT Free Software. The following conditions for ICOT
Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its
original form or modified, to any third party or parties, PROVIDED
that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear
on, or be attached to, the Program, which is distributed substantially
in the same form as set out herein and that such intended
distribution,
if actually made, will neither violate or otherwise
contravene any of the laws and regulations of the countries having
jurisdiction over the User or the intended distribution itself.

NO WARRANTY

The program was produced on an experimental basis in the course of the
research and development conducted during the project and is provided
to users as so produced on an experimental basis. Accordingly, the
program is provided without any warranty whatsoever, whether express,
implied, statutory or otherwise. The term "warranty" used herein
includes, but is not limited to, any warranty of the quality,
performance, merchantability and fitness for a particular purpose of
the program and the nonexistence of any infringement or violation of
any right of any third party.

Each user of the program will agree and understand, and be deemed to have agreed and understood, that there is no warranty whatsoever for the program and, accordingly, the entire risk arising from or otherwise connected
with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use, modification, copying and distribution of the program and the production of secondary
products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

1.146 lucene-query-parser 4.7.2

1.146.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was
derived from unicode conversion examples available at
http://www.unicode.org/Public/PROGRAMS/CVTUTF. Here is the copyright
from those sources:

/*
* Copyright 2001-2004 Unicode, Inc.
*
* Disclaimer
*
* This source code is provided as is by Unicode, Inc. No claims are
* made as to fitness for any particular purpose. No warranties of any
* kind are expressed or implied. The recipient agrees to determine
* applicability of information provided. If this file has been
* purchased on magnetic or optical media from Unicode, Inc., the
* sole remedy for any claim
will be exchange of defective media
* within 90 days of receipt.
*
* Limitations on Rights to Redistribute This Code
*
* Unicode, Inc. hereby grants the right to freely use the information
* supplied in this file in the creation of products supporting the
* Unicode Standard, and to make copies of this file in any form
* for internal or external distribution as long as this notice
* remains attached.
*/

Some code in core/src/java/org/apache/lucene/util/ArrayUtil.java was
derived from Python 2.4.2 sources available at
http://www.python.org. Full license is here:

http://www.python.org/download/releases/2.4.2/license/

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was
derived from Python 3.1.2 sources available at
http://www.python.org. Full license is here:

http://www.python.org/download/releases/3.1.2/license/

Some code in core/src/java/org/apache/lucene/util/automaton was
derived from Brics automaton sources available at
www.brics.dk/automaton/.
Here is the copyright from those sources:

```
/*
* Copyright (c) 2001-2009 Anders Moeller
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in the
*    documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
*    derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
```

The levenshtein automata tables in core/src/java/org/apache/lucene/util/automaton
were automatically generated with the moman/finenight FSA package.
Here is the copyright for those sources:

```
# Copyright (c) 2010, Jean-Philippe Barrette-LaPierre, <jpb@rrette.com>
#
# Permission is hereby granted, free of charge, to any person
# obtaining a copy of this software and associated documentation
# files (the "Software"), to deal in the Software without
# restriction, including
 without limitation the rights to use,
# copy, modify, merge, publish, distribute, sublicense, and/or sell
# copies of the Software, and to permit persons to whom the
# Software is furnished to do so, subject to the following
```

conditions:
#
The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.
#
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was
derived from ICU (http://www.icu-project.org)
The full license is available
 here:
 http://source.icu-project.org/repos/icu/icu/trunk/license.html

/*
* Copyright (C) 1999-2010, International Business Machines
* Corporation and others. All Rights Reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, and/or sell copies of the
* Software, and to permit persons to whom the Software is furnished to do so,
* provided that the above copyright notice(s) and this permission notice appear
* in all copies of the Software and that both the above copyright notice(s) and
* this permission notice appear in supporting documentation.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR
 PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.
* IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE
* LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR
* ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER
* IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
*
* Except as contained in this notice, the name of a copyright holder shall not
* be used in advertising or otherwise to promote the sale, use or other
* dealings in this Software without prior written authorization of the
* copyright holder.
*/

The following license applies to the Snowball stemmers:

Copyright (c) 2001, Dr Martin Porter
Copyright (c) 2002, Richard Boulton
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
* this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* Neither the name of the copyright holders nor the names of its contributors
* may be used to endorse or promote products derived from this software
* without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the KStemmer:

Copyright 2003,
Center for Intelligent Information Retrieval,
University of Massachusetts, Amherst.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

3. The names "Center for Intelligent
Information Retrieval" and
"University of Massachusetts" must not be used to endorse or promote products
derived from this software without prior written permission. To obtain
permission, contact info@ciir.cs.umass.edu.

THIS SOFTWARE IS PROVIDED BY UNIVERSITY OF MASSACHUSETTS AND OTHER CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

The
following license applies to the Morfologik project:

Copyright (c) 2006 Dawid Weiss
Copyright (c) 2007-2011 Dawid Weiss, Marcin Mikowski
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

* Neither the name of Morfologik nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The dictionary comes from Morfologik project. Morfologik uses data from Polish ispell/myspell dictionary hosted at http://www.sjp.pl/slownik/en/ and is licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike. The part-of-speech tags were added in Morfologik project and are not found in the data from sjp.pl. The tagset is similar to IPI
PAN
tagset.

The following license applies to the Morfeusz project, used by org.apache.lucene.analysis.morfologik.

BSD-licensed dictionary of Polish (SGJP)
http://sgjp.pl/morfeusz/

Copyright 2011 Zygmunt Saloni, Wodzimierz Gruszczyski,
Marcin Woliski, Robert Woosz

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE

OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Apache Lucene
Copyright 2014 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Includes software from other Apache Software Foundation projects,
including, but not limited to:
- Apache Ant
- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such
as the Unicode Character Database. See http://unicode.org/copyright.html for more
details.

Brics Automaton (under core/src/java/org/apache/lucene/util/automaton) is
BSD-licensed, created by Anders Mller. See http://www.brics.dk/automaton/

The levenshtein automata tables (under core/src/java/org/apache/lucene/util/automaton) were
automatically generated with the moman/finenight FSA library, created by
Jean-Philippe Barrette-LaPierre.
This library is available under an MIT license,
see http://sites.google.com/site/rrettesite/moman and
http://bitbucket.org/jpbarrette/moman/overview/

The class org.apache.lucene.util.WeakIdentityMap was derived from
the Apache CXF project and is Apache License 2.0.

The Google Code Prettify is Apache License 2.0.
See http://code.google.com/p/google-code-prettify/

JUnit (junit-4.10) is licensed under the Common Public License v. 1.0
See http://junit.sourceforge.net/cpl-v10.html

This product includes code (JaspellTernarySearchTrie) from Java Spelling Checkin
g Package (jaspell): http://jaspell.sourceforge.net/
License: The BSD License (http://www.opensource.org/licenses/bsd-license.php)

The snowball stemmers in
analysis/common/src/java/net/sf/snowball
were developed by Martin Porter and Richard Boulton.

The snowball stopword lists in
analysis/common/src/resources/org/apache/lucene/analysis/snowball
were developed by Martin Porter and Richard Boulton.
The full snowball package
is available from
http://snowball.tartarus.org/

The KStem stemmer in
analysis/common/src/org/apache/lucene/analysis/en
was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst)
under the BSD-license.

The Arabic,Persian,Romanian,Bulgarian, and Hindi analyzers (common) come with a default
stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:
analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt
See http://members.unine.ch/jacques.savoy/clef/index.html.

The German,Spanish,Finnish,French,Hungarian,Italian,Portuguese,Russian and Swedish light stemmers
(common) are based on BSD-licensed reference implementations created
by Jacques Savoy and
Ljiljana Dolamic. These files reside in:
analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java

The Stempel analyzer (stempel) includes BSD-licensed
software developed
by the Egothor project http://egothor.sf.net/, created by Leo Galambos, Martin Kvapil,
and Edmond Nolan.

The Polish analyzer (stempel) comes with a default
stopword list that is BSD-licensed created by the Carrot2 project. The file resides
in stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt.
See http://project.carrot2.org/license.html.

The SmartChineseAnalyzer source code (smartcn) was

provided by Xiaoping Gao and copyright 2009 by www.imdict.net.

WordBreakTestUnicode_*.java (under modules/analysis/common/src/test/)
is derived from Unicode data such as the Unicode Character Database.
See http://unicode.org/copyright.html for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software
developed by Dawid Weiss and Marcin Mikowski (http://morfologik.blogspot.com/).

Morfologik uses data from Polish ispell/myspell dictionary
(http://www.sjp.pl/slownik/en/) licenced on the terms of (inter alia)
LGPL and Creative Commons ShareAlike.

Morfologic
 includes data from BSD-licensed dictionary of Polish (SGJP)
(http://sgjp.pl/morfeusz/)

Servlet-api.jar and javax.servlet-*.jar are under the CDDL license, the original
source code for this can be found at http://www.eclipse.org/jetty/downloads.php

==
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration
==

This software includes a binary and/or source version of data from

 mecab-ipadic-2.7.0-20070801

which can be obtained from

 http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz

or

 http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz

==
mecab-ipadic-2.7.0-20070801 Notice
==

Nara
 Institute of Science and Technology (NAIST),
the copyright holders, disclaims all warranties with regard to this
software, including all implied warranties of merchantability and
fitness, in no event shall NAIST be liable for
any special, indirect or consequential damages or any damages
whatsoever resulting from loss of use, data or profits, whether in an
action of contract, negligence or other tortuous action, arising out

of or in connection with the use or performance of this software.

A large portion of the dictionary entries
originate from ICOT Free Software. The following conditions for ICOT
Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its
original form or modified, to any third party or parties, PROVIDED
that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear
on, or be attached to, the Program, which is distributed substantially
in the same form as set out herein and that such intended
distribution,
if actually made, will neither violate or otherwise
contravene any of the laws and regulations of the countries having
jurisdiction over the User or the intended distribution itself.

NO WARRANTY

The program was produced on an experimental basis in the course of the
research and development conducted during the project and is provided
to users as so produced on an experimental basis. Accordingly, the
program is provided without any warranty whatsoever, whether express,
implied, statutory or otherwise. The term "warranty" used herein
includes, but is not limited to, any warranty of the quality,
performance, merchantability and fitness for a particular purpose of
the program and the nonexistence of any infringement or violation of
any right of any third party.

Each user of the program will agree and understand, and be deemed to
have agreed and understood, that there is no warranty whatsoever for
the program and, accordingly, the entire risk arising from or
otherwise connected
with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other
organization that participated in or was otherwise related to the
development of the program and their respective officials, directors,
officers and other employees shall be held liable for any and all
damages, including, without limitation, general, special, incidental
and consequential damages, arising out of or otherwise in connection
with the use or inability to use the program or any product, material
or result produced or otherwise obtained by using the program,
regardless of whether they have been advised of, or otherwise had
knowledge of, the possibility of such damages at any time during the
project or thereafter. Each user will be deemed to have agreed to the
foregoing by his or her commencement of use of the program. The term
"use" as used herein includes, but is not limited to, the use,
modification, copying and distribution of the program and the

production of secondary
products from the program.

In the case where the program, whether in its original form or
modified, was distributed or delivered to or received by a user from
any person, organization or entity other than ICOT, unless it makes or
grants independently of ICOT any specific warranty to the user in
writing, such person, organization or entity, will also be exempted
from and not be held liable to the user for any such damages as noted
above as far as the program is concerned.

1.147 boilerpipe 1.1.0

1.147.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
* boilerpipe
*
* Copyright (c) 2009 Christian Kohlschütter
*
* The author licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License.  You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/BoilerpipeFilter.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/extractors/ArticleSentencesExtractor.java
*
/opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/extractors/NumWordsRulesExtractor.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/extractors/ExtractorBase.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/filters/simple/BoilerplateBlockFilter.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-

jar/de/l3s/boilerpipe/extractors/KeepEverythingExtractor.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/util/UnicodeTokenizer.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/filters/english/DensityRulesClassifier.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/extractors/DefaultExtractor.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/filters/english/HeuristicFilterBase.java
*
/opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/filters/english/TerminatingBlocksFinder.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/filters/simple/MinWordsFilter.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/filters/heuristics/DocumentTitleMatchClassifier.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/filters/english/MinFulltextWordsFilter.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/sax/BoilerpipeHTMLParser.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/document/TextDocument.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/document/TextBlock.java
*
/opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/filters/heuristics/KeepLargestBlockFilter.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/filters/simple/InvertedFilter.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/filters/heuristics/SimpleBlockFusionProcessor.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/sax/HTMLHighlighter.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/extractors/LargestContentExtractor.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/filters/english/KeepLargestFulltextBlockFilter.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/BoilerpipeInput.java
*
/opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/filters/heuristics/ExpandTitleToContentFilter.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/demo/UsingSAX.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/demo/Oneliner.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/labels/DefaultLabels.java

* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/filters/simple/LabelToBoilerplateFilter.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/filters/simple/SplitParagraphBlocksFilter.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/extractors/ArticleExtractor.java
*
 /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/filters/simple/MinClauseWordsFilter.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/filters/english/IgnoreBlocksAfterContentFilter.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/BoilerpipeProcessingException.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/extractors/KeepEverythingWithMinKWordsExtractor.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/filters/heuristics/BlockProximityFusion.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/filters/english/NumWordsRulesClassifier.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/filters/simple/MarkEverythingContentFilter.java
*
 /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/sax/BoilerpipeHTMLContentHandler.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/sax/BoilerpipeSAXInput.java
No license file was found, but licenses were detected in source scan.

/**
* boilerpipe
*
* Copyright (c) 2009, 2010 Christian Kohlschütter
*
* The author licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-

jar/de/l3s/boilerpipe/sax/DefaultTagActionMap.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/estimators/SimpleEstimator.java
*
 /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/extractors/CanolaExtractor.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/conditions/TextBlockCondition.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/sax/CommonTagActions.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/labels/LabelAction.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/document/TextDocumentStatistics.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/sax/TagAction.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/sax/TagActionMap.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/labels/ConditionalLabelAction.java
*
 /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/de/l3s/boilerpipe/filters/simple/LabelToContentFilter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2009 Andy Clark, Marc Guillemot
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/org/cyberneko/html/HTMLTagBalancer.java
* /opt/ws_local/PERMITS_SQL/1018976887_1591356701.98/0/boilerpipe-1-1-0-sources-jar/org/cyberneko/html/HTMLElements.java

1.148 logging 1.1

1.148.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
* Copyright © 2016 Agro-Know, Deutsches Forschungszentrum für Künstliche Intelligenz, iMinds,
* Institut für Angewandte Informatik e. V. an der Universität Leipzig,
* Istituto Superiore Mario Boella, Tilde, Vistatec, WRIPL (http://freme-project.eu)
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1019255954_1594204863.08/0/logging-1-1-sources-jar/eu/freme/bservices/filters/logging/RequestWrapper.java
*
 /opt/ws_local/PERMITS_SQL/1019255954_1594204863.08/0/logging-1-1-sources-jar/eu/freme/bservices/filters/logging/TeePrintWriter.java
* /opt/ws_local/PERMITS_SQL/1019255954_1594204863.08/0/logging-1-1-sources-jar/eu/freme/bservices/filters/logging/ResponseWrapper.java
* /opt/ws_local/PERMITS_SQL/1019255954_1594204863.08/0/logging-1-1-sources-jar/eu/freme/bservices/filters/logging/LoggingFilter.java
No license file was found, but licenses were detected in source scan.

```
project.eu)
 Licensed under the Apache License, Version 2.0 (the "License"); you may not
 use this file except in compliance with the License. You may obtain a copy
 of the License at http://www.apache.org/licenses/LICENSE
2.0 Unless required
 by applicable law or agreed to in writing, software distributed under the
 License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS
 OF ANY KIND, either express or implied. See the License for the specific
 language governing permissions and limitations under the License.
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1019255954_1594204863.08/0/logging-1-1-sources-jar/META-

INF/maven/eu.freme-project.bservices.filters/logging/pom.xml

1.149 javassist 3.20.0-GA

1.149.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Javassist, a Java-bytecode translator toolkit.
* Copyright (C) 2004 Bill Burke. All Rights Reserved.
*
* The contents of this file are subject to the Mozilla Public License Version
* 1.1 (the "License"); you may not use this file except in compliance with
* the License. Alternatively, the contents of this file may be used under
* the terms of the GNU Lesser General Public License Version 2.1 or later,
* or the Apache License Version 2.0.
*
* Software distributed under the License is distributed on an "AS IS" basis,
* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
* for the specific language governing rights and limitations under the
* License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/annotation/ShortMemberValue.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/annotation/ArrayMemberValue.java
*
 /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/annotation/DoubleMemberValue.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/annotation/EnumMemberValue.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/annotation/FloatMemberValue.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/annotation/MemberValue.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/annotation/AnnotationMemberValue.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/annotation/CharMemberValue.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/annotation/ClassMemberValue.java
*
 /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/annotation/IntegerMemberValue.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-

jar/javassist/bytecode/annotation/LongMemberValue.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/annotation/ByteMemberValue.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/annotation/StringMemberValue.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/annotation/MemberValueVisitor.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/annotation/Annotation.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/annotation/BooleanMemberValue.java
No license file was found, but licenses were detected in source scan.

/*
* Javassist, a Java-bytecode translator toolkit.
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.
*
* The contents of this file are subject to the Mozilla Public License Version
* 1.1 (the "License"); you may not use this file except in compliance with
* the License. Alternatively, the contents of this file may be used under
* the terms of the GNU Lesser General Public License Version 2.1 or later,
* or the Apache License Version 2.0.
*
* Software distributed under the License is distributed on an "AS IS" basis,
* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
* for the specific language governing rights and limitations under the
* License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/convert/Transformer.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/InstanceOfExpr.java
*
 /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/CtNewNestedClass.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/CtField.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/SyntaxError.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/convert/TransformNew.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/util/proxy/SecurityActions.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/stackmap/Tracer.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-

jar/javassist/bytecode/analysis/IntQueue.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/expr/MethodCall.java
*
 /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/expr/NewArray.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/convert/TransformCall.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/NoFieldException.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/Visitor.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/util/proxy/ProxyObjectOutputStream.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/CompileError.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/stackmap/TypedBlock.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/CtNewClass.java
*
 /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/MethodInfo.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/annotation/AnnotationsWriter.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/util/proxy/ProxyFactory.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/CodeAttribute.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/analysis/Analyzer.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/scopedpool/ScopedClassPoolFactory.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/MemberCodeGen.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/SourceFileAttribute.java
*
 /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/IntConst.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/EnclosingMethodAttribute.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/analysis/Type.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/tools/reflect/CannotReflectException.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/convert/TransformAccessArrayField.java

* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/convert/TransformFieldAccess.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/Descriptor.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/tools/reflect/ClassMetaobject.java
*
 /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/ClassPoolTail.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/MemberResolver.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/ClassPath.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/ClassFileWriter.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/Bytecode.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/tools/web/Viewer.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/scopedpool/SoftValueHashMap.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/tools/rmi/Proxy.java
*
 /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/analysis/Util.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/JvstTypeChecker.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/AttributeInfo.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/ConstPool.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/scopedpool/ScopedClassPoolFactoryImpl.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/InnerClassesAttribute.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/FieldDecl.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/annotation/NoSuchClassError.java
*
 /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/stackmap/TypeData.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/CtNewWrappedMethod.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/expr/Expr.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-

jar/javassist/util/proxy/ProxyObjectInputStream.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/CtBehavior.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/ByteArrayClassPath.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/expr/NewExpr.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/ConstantAttribute.java
*
/opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/ClassMap.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/CtNewWrappedConstructor.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/LocalVariableAttribute.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/expr/Instanceof.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/analysis/Frame.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/scopedpool/ScopedClassPool.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/util/proxy/FactoryHelper.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/tools/reflect/Reflection.java
*
/opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/Symbol.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/analysis/SubroutineScanner.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/runtime/DotClass.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/CodeAnalyzer.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/ClassClassPath.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/LocalVariableTypeAttribute.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/SymbolTable.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/StackMapTable.java
*
/opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ProceedHandler.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/convert/TransformBefore.java

* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/LineNumberAttribute.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/CondExpr.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/tools/Dump.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/tools/reflect/CannotInvokeException.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/SerialVersionUID.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/DeprecatedAttribute.java
*
 /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/AccessorMaker.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/convert/TransformReadField.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/tools/rmi/AppletServer.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/Javac.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/AnnotationsAttribute.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/analysis/MultiArrayType.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/TokenId.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/analysis/ControlFlow.java
*
 /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/util/proxy/ProxyObject.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/tools/Callback.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/util/proxy/MethodHandler.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/Loader.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/ExceptionsAttribute.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/ClassPool.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/tools/reflect/Metaobject.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/util/proxy/SerializedProxy.java
*

/opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/Pair.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/SyntheticAttribute.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/expr/ConstructorCall.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/Opcode.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/MethodDecl.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/analysis/FramePrinter.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/scopedpool/ScopedClassPoolRepositoryImpl.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/convert/TransformWriteField.java
*
/opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/util/proxy/Proxy.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/CtMethod.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/tools/rmi/Sample.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/CodeIterator.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/Expr.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/InstructionPrinter.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/CtPrimitiveType.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/ExceptionTable.java
*
/opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/tools/web/Webserver.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/Modifier.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/ASTree.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/CastExpr.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/CannotCompileException.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/tools/rmi/RemoteRef.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/tools/reflect/CannotCreateException.java

* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/JvstCodeGen.java
*
 /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/runtime/Cflow.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/ByteArray.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/SignatureAttribute.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/CtMember.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/stackmap/TypeTag.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/URLClassPath.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/tools/rmi/StubGenerator.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/convert/TransformNewClass.java
*
 /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/Lex.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/tools/framedump.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/ClassFilePrinter.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/Parser.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/CtArray.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/expr/Cast.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/BinExpr.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/AnnotationDefaultAttribute.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/CtClass.java
*
 /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/runtime/Desc.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/annotation/AnnotationImpl.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/analysis/Subroutine.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/LoaderClassPath.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-

jar/javassist/tools/rmi/ObjectNotFoundException.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/analysis/Executor.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/util/HotSwapper.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/FieldInfo.java
*
/opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/ArrayInit.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/expr/Handler.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/Keyword.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/CtConstructor.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/NotFoundException.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/Mnemonic.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/convert/TransformAfter.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/AccessFlag.java
*
/opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/tools/reflect/Metalevel.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/tools/reflect/Compiler.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/Stmnt.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/DoubleConst.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/CodeConverter.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/stackmap/MapMaker.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/DuplicateMemberException.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/CodeGen.java
*
/opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/ParameterAnnotationsAttribute.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/Declarator.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/ASTList.java

* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/runtime/Inner.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/tools/rmi/RemoteException.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/StackMap.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/CallExpr.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/util/proxy/RuntimeSupport.java
*
 /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/analysis/MultiType.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/ClassFile.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/CtNewMethod.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/StringL.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/stackmap/BasicBlock.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/LongVector.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/TypeChecker.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/NewExpr.java
*
 /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/BadBytecode.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/util/proxy/MethodFilter.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/CtNewConstructor.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/tools/rmi/ObjectImporter.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/AssignExpr.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/expr/ExprEditor.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/Translator.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/bytecode/ByteStream.java
*
 /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/expr/FieldAccess.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-

jar/javassist/tools/web/BadHttpRequest.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/scopedpool/ScopedClassPoolRepository.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/Variable.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/tools/reflect/Loader.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/KeywordTable.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/tools/reflect/Sample.java
* /opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/CtClassType.java
*
/opt/ws_local/PERMITS_SQL/1019872344_1591370595.25/0/javassist-3-20-0-ga-sources-jar/javassist/compiler/ast/Member.java

1.150 cglib 3.2.9

1.150.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

1.151 apache-ant 1.7.1

1.151.1 Available under license :

Copyright (c) 2000-2003, XDoclet Team

All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list
of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this
list of conditions and the following disclaimer in the documentation and/or
other materials provided with the distribution.

Neither the name of the XDoclet team nor the names of its contributors may be
used to endorse or promote products derived from this software without specific
prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS ``AS IS''
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS
 BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Other Licenses

Licenses of the products XDoclet depends on:

  * Jakarta Ant
  * Xerces
xml-commons/java/external/README.dom.txt $Id: README.dom.txt 477038 2006-11-20 04:40:36Z mrglavas $

HEAR YE, HEAR YE!

All of the .java software and associated documentation about
the DOM in this repository are distributed under the license
from the W3C, which is provided herein.

LICENSE.dom-software.txt covers all software from the W3C
including the following items in the xml-commons project:

xml-commons/java/external/src/org/w3c
and all subdirectories

(Note: SAC (The Simple API for CSS) has been published under an older
version of the W3C license. The original license file is LICENSE.sac.html.)

LICENSE.dom-documentation.txt covers all documentation from the W3C
including the following items in the xml-commons project:

xml-commons/java/external/xdocs/dom
and all subdirectories

The actual DOM Java Language Binding classes in xml-commons came from:
http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.html

The specification of DOM Level 3's various parts is at:
http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/
http://www.w3.org/TR/2004/REC-DOM-Level-3-LS-20040407/
http://www.w3.org/TR/2004/NOTE-DOM-Level-3-XPath-20040226/

The specification of DOM Level 2's various parts is at:
http://www.w3.org/TR/2000/REC-DOM-Level-2-Events-20001113/
http://www.w3.org/TR/2000/REC-DOM-Level-2-Style-20001113/
http://www.w3.org/TR/2000/REC-DOM-Level-2-Traversal-Range-20001113/
http://www.w3.org/TR/2000/REC-DOM-Level-2-Views-20001113/

The specification of DOM Level 1's various parts is at:
http://www.w3.org/TR/1998/REC-DOM-Level-1-19981001/level-one-html.html

Links to all available W3C DOM Java Bindings can be found at:
http://www.w3.org/DOM/DOMTR

The actual classes of The Simple API for CSS (SAC) came from:
http://www.w3.org/Style/CSS/SAC/
http://www.w3.org/2002/06/sacjava-1.3.zip

The actual DOM Java Language Binding
classes for SMIL came from:
http://dev.w3.org/cvsweb/java/classes/org/w3c/dom/smil/
(both ElementTimeControl.java and TimeEvent.java were taken at revision 1.1)

The actual DOM Java Language Binding classes for SVG 1.1 came from:
http://www.w3.org/TR/SVG11/java.html
==========
== NOTICE file corresponding to the section 4 d of ==
== the Apache License, Version 2.0, ==
== in this case for the Apache Ant distribution. ==
==========

Apache Ant
Copyright 1999-2008 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

This product includes also software developed by :
- the W3C consortium (http://www.w3c.org) ,
- the SAX project (http://www.saxproject.org)

The <sync> task is based on code Copyright (c) 2002, Landmark
Graphics Corp that has been kindly donated to the Apache Software
Foundation.

Portions of this software were originally based on the following:
- software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
- software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
- voluntary contributions made by Paul Eng on behalf of the
Apache Software Foundation that were originally developed at iClick, Inc.,
software copyright (c) 1999.

/*

==
The Apache Software License, Version 1.1
==

Copyright (C) @year@ The Apache Software Foundation. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

3. The end-user documentation included with the redistribution, if any, must
include the following acknowledgment: "This product includes software
developed by the
Apache Software Foundation (http://www.apache.org/)."
Alternately, this acknowledgment may appear in the software itself, if
and wherever such third-party acknowledgments normally appear.

4. The names "Jakarta", "Avalon", "Excalibur" and "Apache Software Foundation"
must not be used to endorse or promote products derived from this software

without prior written permission. For written permission, please contact
apache@apache.org.

5. Products derived from this software may not be called "Apache", nor may
"Apache" appear in their name, without prior written permission of the
Apache Software Foundation.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals
on behalf of the Apache Software Foundation and was originally created by
Stefano Mazzocchi <stefano@apache.org>. For more information on the Apache
Software Foundation, please see <http://www.apache.org/>.

*/
/*
* $Header: /home/cvs/jakarta-commons/LICENSE,v 1.1.1.1 2001/03/20 00:23:43 craigmcc Exp $
* $Revision: 1.1.1.1 $
* $Date: 2001/03/20 00:23:43 $
*
* ==
*
* The Apache Software License, Version 1.1
*
* Copyright (c) 1999-2001 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

```
*
* 3. The end-user documentation included with the redistribution, if
*    any, must include the following acknowlegement:

*       "This product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowlegement may appear in the software itself,
*    if and wherever such third-party acknowlegements normally appear.
*
* 4. The names "The Jakarta Project", "Commons", and "Apache Software
*    Foundation" must not be used to endorse or promote products derived
*    from this software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    nor may "Apache" appear in their names without prior written
*    permission of the Apache Group.
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION
 OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/
/*
*                          Apache License
*                      Version 2.0, January 2004
*                   http://www.apache.org/licenses/
*
*   TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
*
*   1. Definitions.
*
```

* "License" shall mean the terms and conditions for use, reproduction,
* and distribution as defined by Sections 1 through 9 of this document.
*
* "Licensor" shall mean the copyright owner or entity authorized by
* the copyright owner that is granting the License.
*
* "Legal Entity" shall mean the union of the acting entity and all
* other entities that control, are controlled by, or are under common
* control with that entity. For the purposes of this definition,
* "control" means (i) the power, direct or indirect, to cause the
* direction or management of such entity, whether by contract or
* otherwise, or (ii) ownership of fifty percent (50%) or more of the
*
outstanding shares, or (iii) beneficial ownership of such entity.
*
* "You" (or "Your") shall mean an individual or Legal Entity
* exercising permissions granted by this License.
*
* "Source" form shall mean the preferred form for making modifications,
* including but not limited to software source code, documentation
* source, and configuration files.
*
* "Object" form shall mean any form resulting from mechanical
* transformation or translation of a Source form, including but
* not limited to compiled object code, generated documentation,
* and conversions to other media types.
*
* "Work" shall mean the work of authorship, whether in Source or
* Object form, made available under the License, as indicated by a
* copyright notice that is included in or attached to the work
* (an example is provided in the Appendix below).
*
* "Derivative Works" shall mean any work, whether in Source or Object
*
form, that is based on (or derived from) the Work and for which the
* editorial revisions, annotations, elaborations, or other modifications
* represent, as a whole, an original work of authorship. For the purposes
* of this License, Derivative Works shall not include works that remain
* separable from, or merely link (or bind by name) to the interfaces of,
* the Work and Derivative Works thereof.
*
* "Contribution" shall mean any work of authorship, including
* the original version of the Work and any modifications or additions
* to that Work or Derivative Works thereof, that is intentionally
* submitted to Licensor for inclusion in the Work by the copyright owner
* or by an individual or Legal Entity authorized to submit on behalf of
* the copyright owner. For the purposes of this definition, "submitted"
* means any form of electronic, verbal, or written communication sent

```
*      to the Licensor or its representatives,
 including but not limited to
*      communication on electronic mailing lists, source code control systems,
*      and issue tracking systems that are managed by, or on behalf of, the
*      Licensor for the purpose of discussing and improving the Work, but
*      excluding communication that is conspicuously marked or otherwise
*      designated in writing by the copyright owner as "Not a Contribution."
*
*      "Contributor" shall mean Licensor and any individual or Legal Entity
*      on behalf of whom a Contribution has been received by Licensor and
*      subsequently incorporated within the Work.
*
*   2. Grant of Copyright License. Subject to the terms and conditions of
*      this License, each Contributor hereby grants to You a perpetual,
*      worldwide, non-exclusive, no-charge, royalty-free, irrevocable
*      copyright license to reproduce, prepare Derivative Works of,
*      publicly display, publicly perform, sublicense, and distribute the
*
       Work and such Derivative Works in Source or Object form.
*
*   3. Grant of Patent License. Subject to the terms and conditions of
*      this License, each Contributor hereby grants to You a perpetual,
*      worldwide, non-exclusive, no-charge, royalty-free, irrevocable
*      (except as stated in this section) patent license to make, have made,
*      use, offer to sell, sell, import, and otherwise transfer the Work,
*      where such license applies only to those patent claims licensable
*      by such Contributor that are necessarily infringed by their
*      Contribution(s) alone or by combination of their Contribution(s)
*      with the Work to which such Contribution(s) was submitted. If You
*      institute patent litigation against any entity (including a
*      cross-claim or counterclaim in a lawsuit) alleging that the Work
*      or a Contribution incorporated within the Work constitutes direct
*      or contributory patent infringement, then any patent licenses
 *      granted to You under this License for that Work shall terminate
*      as of the date such litigation is filed.
*
*   4. Redistribution. You may reproduce and distribute copies of the
*      Work or Derivative Works thereof in any medium, with or without
*      modifications, and in Source or Object form, provided that You
*      meet the following conditions:
*
*      (a) You must give any other recipients of the Work or
*          Derivative Works a copy of this License; and
*
*      (b) You must cause any modified files to carry prominent notices
*          stating that You changed the files; and
*
*      (c) You must retain, in the Source form of any Derivative Works
```

* that You distribute, all copyright, patent, trademark, and
* attribution notices from the Source form of the Work,
* excluding those notices that do not pertain to any part of
* the Derivative Works; and
*
* (d) If the Work includes a "NOTICE"
text file as part of its
* distribution, then any Derivative Works that You distribute must
* include a readable copy of the attribution notices contained
* within such NOTICE file, excluding those notices that do not
* pertain to any part of the Derivative Works, in at least one
* of the following places: within a NOTICE text file distributed
* as part of the Derivative Works; within the Source form or
* documentation, if provided along with the Derivative Works; or,
* within a display generated by the Derivative Works, if and
* wherever such third-party notices normally appear. The contents
* of the NOTICE file are for informational purposes only and
* do not modify the License. You may add Your own attribution
* notices within Derivative Works that You distribute, alongside
* or as an addendum to the NOTICE text from the Work, provided
* that
such additional attribution notices cannot be construed
* as modifying the License.
*
* You may add Your own copyright statement to Your modifications and
* may provide additional or different license terms and conditions
* for use, reproduction, or distribution of Your modifications, or
* for any such Derivative Works as a whole, provided Your use,
* reproduction, and distribution of the Work otherwise complies with
* the conditions stated in this License.
*
* 5. Submission of Contributions. Unless You explicitly state otherwise,
* any Contribution intentionally submitted for inclusion in the Work
* by You to the Licensor shall be under the terms and conditions of
* this License, without any additional terms or conditions.
* Notwithstanding the above, nothing herein shall supersede or modify
* the terms of any separate license agreement you may have executed
* with Licensor regarding such Contributions.
*
* 6. Trademarks. This License does not grant permission to use the trade
* names, trademarks, service marks, or product names of the Licensor,
* except as required for reasonable and customary use in describing the
* origin of the Work and reproducing the content of the NOTICE file.
*
* 7. Disclaimer of Warranty. Unless required by applicable law or
* agreed to in writing, Licensor provides the Work (and each
* Contributor provides its Contributions) on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

```
*      implied, including, without limitation, any warranties or conditions
*      of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
*      PARTICULAR PURPOSE. You are solely responsible for determining the
*      appropriateness of using or redistributing the Work and assume any
*      risks associated with Your exercise of permissions under this License.
*
*    8. Limitation of Liability.
 In no event and under no legal theory,
*      whether in tort (including negligence), contract, or otherwise,
*      unless required by applicable law (such as deliberate and grossly
*      negligent acts) or agreed to in writing, shall any Contributor be
*      liable to You for damages, including any direct, indirect, special,
*      incidental, or consequential damages of any character arising as a
*      result of this License or out of the use or inability to use the
*      Work (including but not limited to damages for loss of goodwill,
*      work stoppage, computer failure or malfunction, or any and all
*      other commercial damages or losses), even if such Contributor
*      has been advised of the possibility of such damages.
*
*    9. Accepting Warranty or Additional Liability. While redistributing
*      the Work or Derivative Works thereof, You may choose to offer,
*      and charge a fee for, acceptance of support, warranty, indemnity,
*      or other
 liability obligations and/or rights consistent with this
*      License. However, in accepting such obligations, You may act only
*      on Your own behalf and on Your sole responsibility, not on behalf
*      of any other Contributor, and only if You agree to indemnify,
*      defend, and hold each Contributor harmless for any liability
*      incurred by, or claims asserted against, such Contributor by reason
*      of your accepting any such warranty or additional liability.
*
*    END OF TERMS AND CONDITIONS
*
*    APPENDIX: How to apply the Apache License to your work.
*
*      To apply the Apache License to your work, attach the following
*      boilerplate notice, with the fields enclosed by brackets "[]"
*      replaced with your own identifying information. (Don't include
*      the brackets!)  The text should be enclosed in the appropriate
*      comment syntax for the file format. We also recommend that a
*      file or class name and description of purpose
 be included on the
*      same "printed page" as the copyright notice for easier
*      identification within third-party archives.
*
*    Copyright [yyyy] [name of copyright owner]
*
*    Licensed under the Apache License, Version 2.0 (the "License");
```

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

W3C SOFTWARE NOTICE AND LICENSE
http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other
related items) is being provided by the copyright holders under
 the following
license. By obtaining, using and/or copying this work, you (the licensee) agree
that you have read, understood, and will comply with the following terms and
conditions.

Permission to copy, modify, and distribute this software and its documentation,
with or without modification, for any purpose and without fee or royalty is
hereby granted, provided that you include the following on ALL copies of the
software and documentation or portions thereof, including modifications:

 1. The full text of this NOTICE in a location viewable to users of the
    redistributed or derivative work.
 2. Any pre-existing intellectual property disclaimers, notices, or terms
    and conditions. If none exist, the W3C Software Short Notice should be
    included (hypertext is preferred, text is permitted) within the body
    of any redistributed or derivative code.
 3. Notice of any changes or modifications to the files, including the date
    changes were made. (We recommend you provide
 URIs to the location from
    which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE
NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED
TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT
THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY
PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or

publicity pertaining to the software without specific, written prior permission.
Title to copyright in this software and any associated documentation will at
all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002.
This version
removes the copyright ownership notice such that this license can
be used with materials other than those owned by the W3C, reflects that ERCIM
is now a host of the W3C, includes references to this specific dated version of
the license, and removes the ambiguous grant of "use". Otherwise, this version
is the same as the previous version and is written so as to preserve the Free
Software Foundation's assessment of GPL compatibility and OSI's certification
under the Open Source Definition. Please see our Copyright FAQ for common
questions about using materials from our site, including specific terms and
conditions for packages like libwww, Amaya, and Jigsaw. Other questions about
this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

This license came from: http://www.megginson.com/SAX/copying.html
However please note future versions of SAX may be covered
under http://saxproject.org/?selected=pd

SAX2 is Free!

I hereby abandon any property rights
to SAX 2.0 (the Simple API for
XML), and release all of the SAX 2.0 source code, compiled code, and
documentation contained in this distribution into the Public Domain.
SAX comes with NO WARRANTY or guarantee of fitness for any
purpose.

David Megginson, david@megginson.com
2000-05-05
xml-commons/java/external/LICENSE.dom-software.txt $Id: LICENSE.dom-software.txt 226215 2005-06-03
22:49:13Z mrglavas $

This license came from: http://www.w3.org/Consortium/Legal/copyright-software-20021231

W3C SOFTWARE NOTICE AND LICENSE
http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other
related items) is being provided by the copyright holders under the following

license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL
DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see
our Copyright FAQ for common
questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about

this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

Last revised by Reagle $Date: 2005-06-03 18:49:13 -0400 (Fri, 03 Jun 2005) $

```
 ========================================================================
 ==  NOTICE file corresponding to the section 4 d of                 ==
 ==  the Apache License, Version 2.0                                 ==
 ========================================================================

 Apache AntUnit
 Copyright 2005-2006 The Apache Software Foundation

 This product includes software developed by
 The Apache Software Foundation (http://www.apache.org/).
 ========================================================================
 ==  NOTICE file corresponding to section 4(d) of the Apache License,   ==
 ==  Version 2.0, in this case for the Apache Xerces Java distribution. ==
 ========================================================================

 Apache Xerces Java
 Copyright 1999-2006 The Apache Software Foundation

 This product includes software developed at
 The Apache Software Foundation (http://www.apache.org/).

 Portions of this software were originally based on the following:
   - software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
   - software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
   - voluntary contributions made by Paul Eng on behalf of the
     Apache Software Foundation that were originally developed at iClick, Inc.,
     software copyright (c) 1999.
```

Copyright (c) 2000-2003, XDoclet Team
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the XDoclet team nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS
BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
 ========================================================================
 ==  NOTICE file corresponding to section 4(d) of the Apache License,   ==
 ==  Version 2.0, in this case for the Apache xml-commons xml-apis      ==
 ==  distribution.                                                      ==
 ========================================================================

  Apache XML Commons XML APIs
  Copyright 2006 The Apache Software Foundation.

  This product includes software developed at
  The Apache Software Foundation (http://www.apache.org/).

  Portions of this software were originally based on the following:
    - software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
    - software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
    - software copyright (c) 2000 World Wide Web Consortium, http://www.w3.org
```

xml-commons/java/external/README.sax.txt $Id: README.sax.txt 225954 2002-01-31 23:26:48Z curcuru $

HEAR YE, HEAR YE!

All of the .java software and associated documentation about
SAX in this repository are distributed freely in the
public domain.

LICENSE.sax.txt covers all software and documentation from the
megginson.com including the following in the xml-commons project:

  xml-commons/java/external/src/org/xml/sax
    and all subdirectories
  xml-commons/java/external/xdocs/sax
    and all subdirectories

The actual SAX classes in xml-commons came from:
http://www.megginson.com/Software/index.html
The original versions are tagged 'SAX-2_0-r2-prerelease'

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Amongst other, the following people contributed to ant:

Aleksandr Ishutin
Alexey Panchenko
Alexey Solofnenko
Andreas Ames
Andreas Mross
Andrew Everitt
Andrey Urazov
Andy Wood
Anil K. Vijendran
Anli Shundi
Anthony Goubard
Anthony Green
Antoine Baudoux
Antoine Levy-Lambert
Anton Mazkovoi
Arnaud Vandyck
Arnout J. Kuiper
Aslak Hellesy
Atsuhiko Yamanaka
Avik Sengupta
Balazs Fejes 2

Benjamin Burgess
Ben Galbraith
Benoit Moussaud
Bernd Dutkowski
Brad Clark
Brant Langer Gurganus
Brian Deitte
Brian Felder
Bruce Atherton
Cedomir Igaly
Charles Hudak
Charlie Hubbard
Chris Povirk
Christian Knorr
Christoph Wilhelms
Christophe Labouisse
Christopher A. Longo
Christopher Charlier
Conor MacNeill
Craeg Strong
Craig Cottingham
Craig R. McClanahan
Craig Ryan
Curtis White
Cyrille Morvan
D'Arcy Smith
Dale Anson
Dan Armbrust
Daniel Ribagnac
Daniel Spilker
Danno Ferrin
Davanum Srinivas
Dave Brondsema
Dave Brosius
David A. Herman
David Crossley
David Grtner
David Kavanagh
David Maclean
David Rees
Denis Hennessy
Derek
Slager
Diane Holt
dIon Gillard
Dominique Devienne
Donal Quinlan
Don Brown

Don Ferguson
Don Jeffery
Drew Sudell
Edwin Woudt
Eli Tucker
Emmanuel Bourg
Eric Olsen
Eric Pugh
Erik Hatcher
Erik Langenbach
Erik Meade
Ernst de Haan
Frank Harnack
Frank Somers
Frank Zeyda
Frederic Bothamy
Frederic Lavigne
Gary S. Weaver
Gautam Guliani
Georges-Etienne Legendre
Gero Vermaas
Gerrit Riessen
Glenn McAllister
Glenn Twiggs
Greg Nelson
Harish Prabandham
Haroon Rafique
Hiroaki Nakamura
Holger Engels
Ignacio Coloma
Ingenonsya France
Ingmar Stein
Irene Rusman
Ivan Ivanov
Jack J. Woehr
James Duncan Davidson
Jan Cumps
Jan Matrne
Jan Mynarik
Jason Hunter
Jason Pettiss
Jason Salter
Jason Yip
Jay Dickon Glanville
Jay Peck
Jay van der Meer
JC Mann
J D Glanville

Jean-Francois Brousseau
Jeff Gettle
Jeff Martin
Jeff Tulley
Jeff Turner
Jene Jasper
Jeremy Mawson
Jerome Lacoste
Jesse Glick
Jesse Stockall
Jim Allers
Joerg Wassmer
John Sisson
Jon Dickinson
Jon S. Stevens
Jose Alberto Fernandez
Joseph Walton
Josh
Lucas
Juerg Wanner
Julian Simpson
Keiron Liddle
Keith Visco
Kevin Greiner
Kevin Jackson
Kevin Ross
Kevin Z Grey
Kirk Wylie
Kyle Adams
Larry Shatzer
Larry Streepy
Les Hughes
Levi Cook
lucas
Ludovic Claude
Maarten Coene
Magesh Umasankar
Maneesh Sahu
Marcel Schutte
Marcus Börger
Mariusz Nowostawski
Mark Hecker
Mark R. Diggory
Martijn Kruithof
Martin Landers
Martin Poeschl
Martin van den Bemt
Mathieu Champlon

Mathieu Peltier
Matt Albrecht
Matt Benson
Matt Bishop
Matt Foemmel
Matt Grosso
Matt Humphrey
Matt Small
Matthew Hawthorne
Matthew Inger
Matthew Kuperus Heun
Matthew Watson
Michael Davey
Michael J. Sikorsky
Michael McCallum
Michael Montuori
Michael Newcomb
Micheal Nygard
Michael Saunders
Miha
Mike Roberts
mnowostawski
Nick Chalko
Nick Fortescue
Nick Crossley
Nick Pellow
Nicola Ken Barozzi
Nico Seessle
Nigel Magnay
Oliver Merkel
Oliver Rossmueller
Oystein Gisnas
Patrick C. Beard
Patrick Chanezon
Patrick G. Heck (Gus Heck)
Patrick Martin
Paul Austin
Paul Christmann
Paul Galbraith
Paul
King
Paulo Gaspar
Peter B. West
Peter Donald
Peter Doornbosch
Peter Hulst
Peter Reilly
Phillip Wells

Pierre Delisle
Pierre Dittgen
R Handerson
Rami Ojares
Randy Watler
Raphael Pierquin
Ray Waldin
Richard Evans
Rick Beton
Robert Anderson
Robert Shaw
Robert Watkins
Roberto Scaramuzzi
Robin Green
Rob Oxspring
Rob van Oostrum
Roger Vaughn
Roman Ivashin
Ronen Mashal
Russell Gold
Sam Ruby
Scott Carlson
Scott Ellsworth
Scott M. Stirling
Sean Egan
Sean P. Kane
Sebastien Arod
Shiraz Kanga
Sebastian Kantha
Simon Law
Stefan Bodewig
Stefano Mazzocchi
Stephan Strittmatter
Stephane Bailliez
stephan
Stephan Michels
Stephen Chin
Stephen Goetze
Steve Cohen
Steve Loughran
Steve Morin
Steve Wadsworth
Steven E. Newton
Takashi Okamoto
Taoufik Romdhane
Tariq Master
Trejkaz Xaoza
Thomas Butz

Thomas Christen
Thomas Christensen
Thomas Haas
Thomas Quas
Tim Drury
Tim Fennell
Timothy Gerard Endres
Tim Stephenson
Tom Ball
Tom Brus
Tom Cunningham
Tom Dimock
Tom Eugelink
Ulrich Schmidt
Victor Toni
Waldek Herka
Will
Wang
William Ferguson
Wolf Siberski
Wolfgang Baer
Wolfgang Frech
Wolfgang Werner
Xavier Hanin
Xavier Witdouck
Yohann Roussel
Yuji Yamano
Yves Martin
Zach Garner
Zdenek Wagner
xml-commons/java/external/LICENSE.dom-documentation.txt $Id: LICENSE.dom-documentation.txt 226215 2005-06-03 22:49:13Z mrglavas $

This license came from: http://www.w3.org/Consortium/Legal/copyright-documents-20021231

W3C DOCUMENT LICENSE
http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231

Public documents on the W3C site are provided by the copyright holders under the following license. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose

and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright [$date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved. http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231"
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, moves information on style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is

now a host of the W3C, includes references to this specific dated version of
the license, and removes the ambiguous grant of "use". See the older
formulation for the policy prior to this date. Please see our Copyright FAQ for
common questions about using materials from our site, such as the translating
or annotating specifications. Other questions about this notice can be directed
to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

Last revised by Reagle $Date: 2005-06-03 18:49:13 -0400 (Fri, 03 Jun 2005)
$
```
/*
*                              Apache License
*                        Version 2.0, January 2004
*                     http://www.apache.org/licenses/
*
*   TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
*
*   1. Definitions.
*
*      "License" shall mean the terms and conditions for use, reproduction,
*      and distribution as defined by Sections 1 through 9 of this document.
*
*      "Licensor" shall mean the copyright owner or entity authorized by
*      the copyright owner that is granting the License.
*
*      "Legal Entity" shall mean the union of the acting entity and all
*      other entities that control, are controlled by, or are under common
*      control with that entity. For the purposes of this definition,
*      "control" means (i) the power, direct or indirect, to cause the
*      direction or management of such entity, whether by contract or
*      otherwise, or (ii) ownership of fifty percent (50%) or more of the
*
 outstanding shares, or (iii) beneficial ownership of such entity.
*
*      "You" (or "Your") shall mean an individual or Legal Entity
*      exercising permissions granted by this License.
*
*      "Source" form shall mean the preferred form for making modifications,
*      including but not limited to software source code, documentation
*      source, and configuration files.
*
*      "Object" form shall mean any form resulting from mechanical
*      transformation or translation of a Source form, including but
*      not limited to compiled object code, generated documentation,
*      and conversions to other media types.
*
*      "Work" shall mean the work of authorship, whether in Source or
```

```
*      Object form, made available under the License, as indicated by a
*      copyright notice that is included in or attached to the work
*      (an example is provided in the Appendix below).
*
*      "Derivative Works" shall mean any work, whether in Source or Object
*
    form, that is based on (or derived from) the Work and for which the
*      editorial revisions, annotations, elaborations, or other modifications
*      represent, as a whole, an original work of authorship. For the purposes
*      of this License, Derivative Works shall not include works that remain
*      separable from, or merely link (or bind by name) to the interfaces of,
*      the Work and Derivative Works thereof.
*
*      "Contribution" shall mean any work of authorship, including
*      the original version of the Work and any modifications or additions
*      to that Work or Derivative Works thereof, that is intentionally
*      submitted to Licensor for inclusion in the Work by the copyright owner
*      or by an individual or Legal Entity authorized to submit on behalf of
*      the copyright owner. For the purposes of this definition, "submitted"
*      means any form of electronic, verbal, or written communication sent
*      to the Licensor or its representatives,
 including but not limited to
*      communication on electronic mailing lists, source code control systems,
*      and issue tracking systems that are managed by, or on behalf of, the
*      Licensor for the purpose of discussing and improving the Work, but
*      excluding communication that is conspicuously marked or otherwise
*      designated in writing by the copyright owner as "Not a Contribution."
*
*      "Contributor" shall mean Licensor and any individual or Legal Entity
*      on behalf of whom a Contribution has been received by Licensor and
*      subsequently incorporated within the Work.
*
*    2. Grant of Copyright License. Subject to the terms and conditions of
*      this License, each Contributor hereby grants to You a perpetual,
*      worldwide, non-exclusive, no-charge, royalty-free, irrevocable
*      copyright license to reproduce, prepare Derivative Works of,
*      publicly display, publicly perform, sublicense, and distribute the
*
     Work and such Derivative Works in Source or Object form.
*
*    3. Grant of Patent License. Subject to the terms and conditions of
*      this License, each Contributor hereby grants to You a perpetual,
*      worldwide, non-exclusive, no-charge, royalty-free, irrevocable
*      (except as stated in this section) patent license to make, have made,
*      use, offer to sell, sell, import, and otherwise transfer the Work,
*      where such license applies only to those patent claims licensable
*      by such Contributor that are necessarily infringed by their
*      Contribution(s) alone or by combination of their Contribution(s)
```

* with the Work to which such Contribution(s) was submitted. If You
* institute patent litigation against any entity (including a
* cross-claim or counterclaim in a lawsuit) alleging that the Work
* or a Contribution incorporated within the Work constitutes direct
* or contributory patent infringement, then any patent licenses
* granted to You under this License for that Work shall terminate
* as of the date such litigation is filed.
*
* 4. Redistribution. You may reproduce and distribute copies of the
* Work or Derivative Works thereof in any medium, with or without
* modifications, and in Source or Object form, provided that You
* meet the following conditions:
*
* (a) You must give any other recipients of the Work or
* Derivative Works a copy of this License; and
*
* (b) You must cause any modified files to carry prominent notices
* stating that You changed the files; and
*
* (c) You must retain, in the Source form of any Derivative Works
* that You distribute, all copyright, patent, trademark, and
* attribution notices from the Source form of the Work,
* excluding those notices that do not pertain to any part of
* the Derivative Works; and
*
* (d) If the Work includes a "NOTICE"
text file as part of its
* distribution, then any Derivative Works that You distribute must
* include a readable copy of the attribution notices contained
* within such NOTICE file, excluding those notices that do not
* pertain to any part of the Derivative Works, in at least one
* of the following places: within a NOTICE text file distributed
* as part of the Derivative Works; within the Source form or
* documentation, if provided along with the Derivative Works; or,
* within a display generated by the Derivative Works, if and
* wherever such third-party notices normally appear. The contents
* of the NOTICE file are for informational purposes only and
* do not modify the License. You may add Your own attribution
* notices within Derivative Works that You distribute, alongside
* or as an addendum to the NOTICE text from the Work, provided
* that
such additional attribution notices cannot be construed
* as modifying the License.
*
* You may add Your own copyright statement to Your modifications and
* may provide additional or different license terms and conditions
* for use, reproduction, or distribution of Your modifications, or
* for any such Derivative Works as a whole, provided Your use,

```
*      reproduction, and distribution of the Work otherwise complies with
*      the conditions stated in this License.
*
*   5. Submission of Contributions. Unless You explicitly state otherwise,
*      any Contribution intentionally submitted for inclusion in the Work
*      by You to the Licensor shall be under the terms and conditions of
*      this License, without any additional terms or conditions.
*      Notwithstanding the above, nothing herein shall supersede or modify
*      the terms of any separate license agreement you may have executed
*      with Licensor regarding such Contributions.
 *
*   6. Trademarks. This License does not grant permission to use the trade
*      names, trademarks, service marks, or product names of the Licensor,
*      except as required for reasonable and customary use in describing the
*      origin of the Work and reproducing the content of the NOTICE file.
*
*   7. Disclaimer of Warranty. Unless required by applicable law or
*      agreed to in writing, Licensor provides the Work (and each
*      Contributor provides its Contributions) on an "AS IS" BASIS,
*      WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
*      implied, including, without limitation, any warranties or conditions
*      of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
*      PARTICULAR PURPOSE. You are solely responsible for determining the
*      appropriateness of using or redistributing the Work and assume any
*      risks associated with Your exercise of permissions under this License.
*
*   8. Limitation of Liability.
 In no event and under no legal theory,
*      whether in tort (including negligence), contract, or otherwise,
*      unless required by applicable law (such as deliberate and grossly
*      negligent acts) or agreed to in writing, shall any Contributor be
*      liable to You for damages, including any direct, indirect, special,
*      incidental, or consequential damages of any character arising as a
*      result of this License or out of the use or inability to use the
*      Work (including but not limited to damages for loss of goodwill,
*      work stoppage, computer failure or malfunction, or any and all
*      other commercial damages or losses), even if such Contributor
*      has been advised of the possibility of such damages.
*
*   9. Accepting Warranty or Additional Liability. While redistributing
*      the Work or Derivative Works thereof, You may choose to offer,
*      and charge a fee for, acceptance of support, warranty, indemnity,
*      or other
 liability obligations and/or rights consistent with this
*      License. However, in accepting such obligations, You may act only
*      on Your own behalf and on Your sole responsibility, not on behalf
*      of any other Contributor, and only if You agree to indemnify,
*      defend, and hold each Contributor harmless for any liability
```

* incurred by, or claims asserted against, such Contributor by reason
* of your accepting any such warranty or additional liability.
*
* END OF TERMS AND CONDITIONS
*
* APPENDIX: How to apply the Apache License to your work.
*
* To apply the Apache License to your work, attach the following
* boilerplate notice, with the fields enclosed by brackets "[]"
* replaced with your own identifying information. (Don't include
* the brackets!) The text should be enclosed in the appropriate
* comment syntax for the file format. We also recommend that a
* file or class name and description of purpose
 be included on the
* same "printed page" as the copyright notice for easier
* identification within third-party archives.
*
* Copyright [yyyy] [name of copyright owner]
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
xml-commons/java/external/LICENSE.sax.txt $Id: LICENSE.sax.txt 225954 2002-01-31 23:26:48Z curcuru $

This license came from: http://www.megginson.com/SAX/copying.html
 However please note future versions of SAX may be covered
 under http://saxproject.org/?selected=pd

This page is now out of date -- see the new SAX site at
http://www.saxproject.org/ for more up-to-date
releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for
XML), and release all of the SAX 2.0 source code, compiled code, and

documentation contained in this distribution into the Public Domain.
SAX comes with NO WARRANTY or guarantee of fitness for any
purpose.

David Megginson, david@megginson.com
2000-05-05

1.152 hamcrest 1.1

1.152.1 Available under license :

BSD License

Copyright (c) 2000-2006, www.hamcrest.org
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of
conditions and the following disclaimer. Redistributions in binary form must reproduce
the above copyright notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse
or promote products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT
SHALL
THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN
ANY
WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.
Copyright 2002-2006 Joe Walnes and QDox Project Team

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at
http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.153 msv 20020414

1.153.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: CompAttributeState.java,v 1.4 2003/06/09 20:37:32 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/ng/comp/CompAttributeState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: Debug.java,v 1.6 2003/06/09 20:37:16 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/driver/textui/Debug.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: InterfaceStateEx.java,v 1.4 2003/06/09 20:37:37 kk122374 Exp $
*

* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/reader/relax/InterfaceStateEx.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: DTDReader.java,v 1.24 2004/03/10 18:22:23 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/dtd/DTDReader.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: AnyOtherElementState.java,v 1.4 2003/06/09 20:37:37 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/reader/relax/AnyOtherElementState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: NameClassAnyNameState.java,v 1.9 2003/09/11 19:00:18 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.

* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/NameClassAnyNameState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ElementExp.java,v 1.11 2003/12/12 21:36:38 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/ElementExp.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ElementsOfConcernCollector.java,v 1.13 2003/06/09 20:37:46 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/ElementsOfConcernCollector.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: XMLSchemaSchema.java,v 1.15 2003/06/09 20:37:22 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/xmlschema/XMLSchemaSchema.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: AttributeDeclExp.java,v 1.9 2003/06/09 20:37:22 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/xmlschema/AttributeDeclExp.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: MixedState.java,v 1.5 2003/06/09 20:37:29 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/MixedState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: AnyOtherElementVerifier.java,v 1.8 2003/06/09 20:37:38 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-

jar/com/sun/msv/relaxns/verifier/AnyOtherElementVerifier.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: DatatypeBuilderImpl.java,v 1.7 2003/06/09 20:37:20 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/relaxng/datatype/DatatypeBuilderImpl.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: IdentityConstraint.java,v 1.4 2003/06/09 20:37:22 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/xmlschema/IdentityConstraint.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ExpressionAcceptor.java,v 1.49 2006/03/06 20:34:21 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/ExpressionAcceptor.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: AnyElementToken.java,v 1.8 2003/06/09 20:37:46 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/AnyElementToken.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: DataState.java,v 1.6 2003/06/09 20:37:30 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/classic/DataState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: RELAXNGFactoryImpl.java,v 1.6 2003/06/09 20:37:43 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/jarv/RELAXNGFactoryImpl.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: XSAcceptor.java,v 1.14 2003/06/09 20:37:47 kk122374 Exp $
*
```

* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/xmlschema/XSAcceptor.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: RELAXNSReader.java,v 1.15 2003/06/09 20:37:37 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/reader/RELAXNSReader.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: StartState.java,v 1.4 2003/06/09 20:37:31 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/ng/StartState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: Exportable.java,v 1.6 2003/06/09 20:37:19 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.

* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/relax/Exportable.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: NameClassState.java,v 1.6 2003/06/09 20:37:29 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/NameClassState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: XMLSchemaGrammar.java,v 1.10 2003/06/09 20:37:22 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/xmlschema/XMLSchemaGrammar.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: PossibleNamesCollector.java,v 1.3 2003/06/09 20:37:21 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/util/PossibleNamesCollector.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: RulesAcceptor.java,v 1.12 2004/04/05 17:42:26 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/verifier/RulesAcceptor.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: AbstractVerifier.java,v 1.9 2003/09/04 20:30:05 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/AbstractVerifier.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: ElementRule.java,v 1.10 2003/06/09 20:37:18 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-

jar/com/sun/msv/grammar/relax/ElementRule.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: AttributeState.java,v 1.11 2003/06/09 20:37:26 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/core/AttributeState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: RELAXExpressionVisitor.java,v 1.7 2003/06/09 20:37:19 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/relax/RELAXExpressionVisitor.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: DataExp.java,v 1.5 2003/12/12 21:36:38 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/DataExp.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: ChoiceState.java,v 1.6 2003/06/09 20:37:23 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/ChoiceState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: RootModuleState.java,v 1.7 2003/06/09 20:37:27 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/core/RootModuleState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: ExternalAttributeExp.java,v 1.6 2003/06/09 20:37:35 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/grammar/ExternalAttributeExp.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: RELAXCoreFactoryImpl.java,v 1.9 2003/06/09 20:37:43 kk122374 Exp $
*
```

* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/jarv/RELAXCoreFactoryImpl.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ChildlessState.java,v 1.6 2003/06/09 20:37:23 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/ChildlessState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ElementRuleWithTypeState.java,v 1.12 2003/06/09 20:37:27 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/core/ElementRuleWithTypeState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: AttributeWildcard.java,v 1.4 2003/06/09 20:37:22 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.

* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/xmlschema/AttributeWildcard.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: SimpleAcceptor.java,v 1.6 2003/06/09 20:37:47 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/SimpleAcceptor.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ExpressionState.java,v 1.5 2003/06/09 20:37:23 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/ExpressionState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: IdAbuseChecker.java,v 1.13 2003/06/09 20:37:28 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/core/checker/IdAbuseChecker.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: StringRecoveryToken.java,v 1.14 2003/06/09 20:37:47 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/StringRecoveryToken.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: ElementRefState.java,v 1.5 2003/06/09 20:37:34 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/ElementRefState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: AttributePicker.java,v 1.15 2003/06/09 20:37:46 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-

jar/com/sun/msv/verifier/regexp/AttributePicker.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: FactoryImpl.java,v 1.16 2003/06/09 20:37:43 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/jarv/FactoryImpl.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: RELAXCoreReader.java,v 1.23 2004/04/05 17:42:23 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/core/RELAXCoreReader.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: NameClassComparator.java,v 1.2 2004/01/26 18:55:33 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/util/NameClassComparator.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: DocumentBuilderFactoryImpl.java,v 1.5 2004/09/20 15:08:07 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/jaxp/DocumentBuilderFactoryImpl.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: AttributeGroupExp.java,v 1.11 2003/06/09 20:37:22 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/xmlschema/AttributeGroupExp.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: FacetState.java,v 1.10 2003/06/09 20:37:25 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/datatype/xsd/FacetState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: ElementState.java,v 1.6 2003/06/09 20:37:28 kk122374 Exp $
*
```

* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/ElementState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: DefineState.java,v 1.17 2005/10/21 22:14:45 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/DefineState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: AttributeRecoveryToken.java,v 1.10 2003/06/09 20:37:46 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/AttributeRecoveryToken.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: TypedElementState.java,v 1.7 2003/06/09 20:37:32 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.

* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/typed/TypedElementState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: TypedElementPattern.java,v 1.7 2003/06/09 20:37:21 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
/**
* ElementPattern with type.
*
* Proprietary extension by MSV to support type-assignment in TREX.
*
* @author Kohsuke KAWAGUCHI
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/trex/typed/TypedElementPattern.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: AnyElementState.java,v 1.14 2003/09/11 19:00:18 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/AnyElementState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: AttPoolState.java,v 1.5 2003/06/09 20:37:26 kk122374 Exp $

*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/core/AttPoolState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ElementRuleWithHedgeState.java,v 1.6 2003/06/09 20:37:27 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/core/ElementRuleWithHedgeState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: MatcherBundle.java,v 1.4 2003/06/09 20:37:43 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/identity/MatcherBundle.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: NameClass.java,v 1.19 2004/01/26 18:55:33 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*

* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/NameClass.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: RootMergedGrammarState.java,v 1.9 2003/06/09 20:37:29 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/RootMergedGrammarState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: TypedContentHandler.java,v 1.5 2003/06/09 20:37:45 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/psvi/TypedContentHandler.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ExpressionVisitorBoolean.java,v 1.12 2003/06/09 20:37:17 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*

*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/ExpressionVisitorBoolean.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: RefState.java,v 1.13 2003/06/09 20:37:29 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/RefState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: RELAXNGCompReader.java,v 1.8 2003/06/09 20:37:32 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/ng/comp/RELAXNGCompReader.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ValueState.java,v 1.9 2003/06/09 20:37:31 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/ng/ValueState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: GroupDeclExp.java,v 1.7 2003/06/09 20:37:22 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/xmlschema/GroupDeclExp.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: StringToken.java,v 1.25 2005/10/21 23:27:53 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/StringToken.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: State.java,v 1.16 2003/08/07 17:30:20 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/State.java

No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: GrammarWriter.java,v 1.4 2003/06/09 20:37:48 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/writer/GrammarWriter.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: RedefineState.java,v 1.14 2003/06/09 20:37:34 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/RedefineState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: IDContextProvider.java,v 1.10 2003/06/09 20:31:49 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/IDContextProvider.java
No license file was found, but licenses were detected in source scan.

/*

* @(#)$Id: DivInModuleState.java,v 1.12 2003/06/09 20:37:27 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/core/DivInModuleState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: MixedState.java,v 1.4 2003/06/09 20:37:27 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/core/MixedState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: DataTypeVocabularyMap.java,v 1.8 2003/06/09 20:37:24 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/datatype/DataTypeVocabularyMap.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ExpressionVisitor.java,v 1.14 2003/06/09 20:37:17 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.

*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/ExpressionVisitor.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: Localizer.java,v 1.6 2003/06/09 20:37:20 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/trex/Localizer.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: SequenceExp.java,v 1.9 2003/12/12 21:36:38 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/SequenceExp.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: DOMBuilder.java,v 1.4 2003/06/09 20:37:41 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.

*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/util/xml/DOMBuilder.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: PathMatcher.java,v 1.5 2003/06/09 20:37:43 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/identity/PathMatcher.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: IDConstraintChecker.java,v 1.13 2003/06/09 20:37:42 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/identity/IDConstraintChecker.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ClauseState.java,v 1.6 2004/04/05 17:42:23 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/core/ClauseState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: RootIncludedSchemaState.java,v 1.6 2003/06/09 20:37:34 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/RootIncludedSchemaState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: ReferenceContainer.java,v 1.13 2004/04/05 17:42:20 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/ReferenceContainer.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: AnyState.java,v 1.17 2003/09/11 19:00:18 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/AnyState.java

No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: IgnoreState.java,v 1.7 2003/06/09 20:37:23 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/IgnoreState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ExpressionPrinter.java,v 1.18 2003/06/09 20:37:21 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/util/ExpressionPrinter.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ElementRefState.java,v 1.7 2003/06/09 20:37:26 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/ElementRefState.java
No license file was found, but licenses were detected in source scan.

/*

* @(#)$Id: NameClassNotState.java,v 1.6 2003/06/09 20:37:29 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/NameClassNotState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: TypeDetector.java,v 1.10 2003/06/09 20:37:45 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/psvi/TypeDetector.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: AnyOtherElementExp.java,v 1.8 2003/06/09 20:37:36 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/grammar/relax/AnyOtherElementExp.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ElementToken.java,v 1.8 2003/06/09 20:37:46 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.

*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/ElementToken.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: IDContextProvider2.java,v 1.1 2003/06/09 20:31:49 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/IDContextProvider2.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ExpressionVisitorExpression.java,v 1.12 2003/06/09 20:37:17 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/ExpressionVisitorExpression.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: DataParamState.java,v 1.4 2003/06/09 20:37:31 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.

*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/ng/DataParamState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: BinaryExp.java,v 1.16 2003/12/12 21:36:38 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/BinaryExp.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ElementDeclExp.java,v 1.18 2004/04/05 17:42:21 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/xmlschema/ElementDeclExp.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: RELAXNGWriter.java,v 1.21 2003/09/11 19:00:19 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/writer/relaxng/RELAXNGWriter.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: ComplexTypeDeclState.java,v 1.20 2003/06/09 20:37:34 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/ComplexTypeDeclState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: ExpressionWalker.java,v 1.8 2003/06/09 20:37:21 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/util/ExpressionWalker.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: RELAXGrammar.java,v 1.5 2004/04/05 17:42:26 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/grammar/RELAXGrammar.java

No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: TREXIslandSchema.java,v 1.9 2003/06/09 20:37:36 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/grammar/trex/TREXIslandSchema.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ValueExp.java,v 1.6 2003/12/12 21:36:38 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/ValueExp.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: XSTypeOwner.java,v 1.3 2003/01/09 21:00:06 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/datatype/xsd/XSTypeOwner.java
No license file was found, but licenses were detected in source scan.

/*

* @(#)$Id: DTDFactoryImpl.java,v 1.1 2003/06/09 20:31:52 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/jarv/DTDFactoryImpl.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: DataState.java,v 1.14 2003/06/09 20:37:31 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/ng/DataState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ExportedAttPoolGenerator.java,v 1.5 2003/06/09 20:37:36 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/grammar/relax/ExportedAttPoolGenerator.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ContentModelRefExpRemover.java,v 1.6 2003/06/09 20:37:46 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.

*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/ContentModelRefExpRemover.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: DefaultDatatypeLibraryFactory.java,v 1.2 2003/06/09 20:37:31 kk122374 Exp $
*
* Copyright 2002 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/ng/DefaultDatatypeLibraryFactory.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ComplexContentState.java,v 1.7 2003/06/09 20:37:34 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/ComplexContentState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: RunAwayExpressionChecker.java,v 1.21 2004/05/19 17:50:02 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.

*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/RunAwayExpressionChecker.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: EmptyStringType.java,v 1.15 2003/06/09 20:37:18 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/relax/EmptyStringType.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ElementRuleBaseState.java,v 1.7 2003/09/11 19:00:18 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/core/ElementRuleBaseState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ExpressionCloner.java,v 1.13 2003/06/09 20:37:17 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/ExpressionCloner.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: InterfaceState.java,v 1.4 2003/06/09 20:37:27 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/core/InterfaceState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: DatatypeRef.java,v 1.11 2003/06/09 20:37:40 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/util/DatatypeRef.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: AttributeToken.java,v 1.17 2003/06/09 20:37:46 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/AttributeToken.java

No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: Matcher.java,v 1.4 2003/06/09 20:37:43 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/identity/Matcher.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: NameClassAndExpressionState.java,v 1.16 2003/09/11 19:00:18 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/NameClassAndExpressionState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: RefExpRemover.java,v 1.5 2003/06/09 20:37:21 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/util/RefExpRemover.java
No license file was found, but licenses were detected in source scan.

```
/*
```

* @(#)$Id: NameClassWithChildState.java,v 1.12 2004/04/05 17:42:24 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/NameClassWithChildState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: AttributeWildcardComputer.java,v 1.5 2003/06/09 20:37:34 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/AttributeWildcardComputer.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: LabelRefState.java,v 1.7 2003/06/09 20:37:26 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/LabelRefState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ExpressionFinder.java,v 1.3 2003/06/09 20:37:21 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.

*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/util/ExpressionFinder.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: StartState.java,v 1.10 2003/06/09 20:37:30 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/StartState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ElementRules.java,v 1.9 2003/06/09 20:37:18 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/relax/ElementRules.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ElementState.java,v 1.4 2003/06/09 20:37:31 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.

*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/ng/ElementState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: Localizer.java,v 1.7 2003/06/09 20:37:38 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/verifier/Localizer.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: AttributeState.java,v 1.4 2003/06/09 20:37:31 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/ng/AttributeState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: HedgeRuleBaseState.java,v 1.8 2003/06/09 20:37:26 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/HedgeRuleBaseState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: ListState.java,v 1.13 2003/06/09 20:37:25 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/datatype/xsd/ListState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: DataOrValueExp.java,v 1.3 2003/06/09 20:37:17 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/DataOrValueExp.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: KeyRefConstraint.java,v 1.3 2003/06/09 20:37:22 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/xmlschema/KeyRefConstraint.java

No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: InterleaveState.java,v 1.3 2003/06/09 20:37:23 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/InterleaveState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: XSDatatypeExp.java,v 1.7 2004/04/05 17:42:23 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/datatype/xsd/XSDatatypeExp.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: Localizer.java,v 1.4 2003/06/09 20:37:25 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/dtd/Localizer.java
No license file was found, but licenses were detected in source scan.

/*

* @(#)$Id: GrammarState.java,v 1.5 2003/06/09 20:37:36 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/reader/GrammarState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: DefineState.java,v 1.3 2003/06/09 20:37:30 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/classic/DefineState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: DOMVisitor.java,v 1.4 2003/06/09 20:37:41 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/util/xml/DOMVisitor.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: TREXGrammar.java,v 1.12 2003/06/09 20:37:20 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.

*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/trex/TREXGrammar.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: StringRef.java,v 1.5 2003/06/09 20:37:41 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/util/StringRef.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: XSREDocDecl.java,v 1.5 2003/06/09 20:37:48 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/xmlschema/XSREDocDecl.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: SimpleContentExtensionState.java,v 1.4 2003/06/09 20:37:35 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.

*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/SimpleContentExtensionState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: IDContextProviderWrapper.java,v 1.1 2003/06/09 20:31:49 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/util/IDContextProviderWrapper.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: TagClause.java,v 1.8 2003/06/09 20:37:19 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/relax/TagClause.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ReportErrorHandler.java,v 1.15 2004/04/05 17:42:19 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/driver/textui/ReportErrorHandler.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: Grammar.java,v 1.4 2003/06/09 20:37:17 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/Grammar.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: RELAXNGGrammar.java,v 1.4 2003/06/09 20:37:19 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/relaxng/RELAXNGGrammar.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: GlobalDeclState.java,v 1.12 2003/06/09 20:37:34 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/GlobalDeclState.java

No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: OtherExp.java,v 1.7 2003/12/12 21:36:38 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/OtherExp.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: OneOrMoreExp.java,v 1.8 2003/12/12 21:36:38 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/OneOrMoreExp.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: SchemaIncludedState.java,v 1.11 2003/06/09 20:37:34 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/SchemaIncludedState.java
No license file was found, but licenses were detected in source scan.

/*

* @(#)$Id: LazyTypeIncubator.java,v 1.5 2003/06/09 20:37:25 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/datatype/xsd/LazyTypeIncubator.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: TopLevelState.java,v 1.4 2003/06/09 20:37:37 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/reader/TopLevelState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: AttributeState.java,v 1.9 2003/06/09 20:37:28 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/AttributeState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: DeclImpl.java,v 1.6 2003/06/09 20:37:35 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.

*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/grammar/DeclImpl.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: GrammarLoader.java,v 1.21 2003/07/23 16:27:48 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/util/GrammarLoader.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: TREXIslandVerifier.java,v 1.6 2004/04/05 17:42:27 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/verifier/TREXIslandVerifier.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: RootState.java,v 1.6 2003/06/09 20:37:34 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.

*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/RootState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: SAXParserFactoryImpl.java,v 1.4 2003/06/09 20:37:45 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/jaxp/SAXParserFactoryImpl.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: AttributeExp.java,v 1.16 2003/12/12 21:36:38 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/AttributeExp.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: SimpleContentRestrictionState.java,v 1.7 2003/06/09 20:37:35 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/SimpleContentRestrictionState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: NameClassSimplifier.java,v 1.6 2003/09/11 19:00:18 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/util/NameClassSimplifier.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: TagState.java,v 1.4 2003/06/09 20:37:27 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/core/TagState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: RootState.java,v 1.18 2005/10/21 20:39:16 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/RootState.java

No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: NameClassWithoutChildState.java,v 1.6 2003/06/09 20:37:29 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/NameClassWithoutChildState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ResidualCalculator.java,v 1.15 2003/10/20 18:21:43 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/ResidualCalculator.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ComplexAcceptorBaseImpl.java,v 1.10 2003/06/09 20:37:46 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/ComplexAcceptorBaseImpl.java
No license file was found, but licenses were detected in source scan.

/*

* @(#)$Id: UnionState.java,v 1.14 2003/06/09 20:37:25 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/datatype/xsd/UnionState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: Field.java,v 1.6 2003/06/09 20:37:22 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/xmlschema/Field.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: AttributeState.java,v 1.25 2003/06/09 20:37:33 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/AttributeState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: REDocumentDeclaration.java,v 1.26 2006/03/06 20:34:21 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.

*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/REDocumentDeclaration.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ExternalElementExp.java,v 1.8 2003/06/09 20:37:35 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/grammar/ExternalElementExp.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: IdentityConstraintState.java,v 1.6 2003/09/11 19:00:18 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/IdentityConstraintState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: IncludeMergeState.java,v 1.12 2005/10/21 22:02:08 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.

*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/IncludeMergeState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: AttributeGroupState.java,v 1.11 2003/06/09 20:37:33 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/AttributeGroupState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: RELAXExpressionVisitorBoolean.java,v 1.6 2003/06/09 20:37:19 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/relax/RELAXExpressionVisitorBoolean.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: SimpleTypeExp.java,v 1.19 2003/06/09 20:37:22 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/xmlschema/SimpleTypeExp.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: Util.java,v 1.7 2003/10/24 18:54:03 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/util/Util.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: SequenceState.java,v 1.7 2003/06/09 20:37:24 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/SequenceState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: RefState.java,v 1.2 2003/06/09 20:37:31 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/ng/RefState.java

No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: RootGrammarState.java,v 1.11 2003/06/09 20:37:37 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/reader/RootGrammarState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: Verifier.java,v 1.39 2004/02/12 00:52:00 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/Verifier.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: TypeOwner.java,v 1.8 2003/06/09 20:37:24 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/datatype/TypeOwner.java
No license file was found, but licenses were detected in source scan.

/*

* @(#)$Id: RedefinableExp.java,v 1.7 2003/06/09 20:37:22 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/xmlschema/RedefinableExp.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ExpressionWithChildState.java,v 1.9 2004/04/05 17:42:22 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/ExpressionWithChildState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ExpressionWithoutChildState.java,v 1.6 2003/06/09 20:37:23 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/ExpressionWithoutChildState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: SimpleTypeState.java,v 1.14 2003/06/09 20:37:25 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.

*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/datatype/xsd/SimpleTypeState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: HedgeRefState.java,v 1.7 2003/06/09 20:37:26 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/HedgeRefState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: FieldsMatcher.java,v 1.7 2003/06/09 20:37:42 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/identity/FieldsMatcher.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 1998 Sun Microsystems, Inc. All Rights Reserved.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/scanner/dtd/InternalEntity.java

* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/scanner/dtd/MessageCatalog.java
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/scanner/dtd/XmlReader.java
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/scanner/dtd/SimpleHashtable.java
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/scanner/dtd/Resolver.java
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/scanner/dtd/XmlNames.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: SelectorMatcher.java,v 1.6 2003/06/09 20:37:43 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/identity/SelectorMatcher.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: AbortException.java,v 1.2 2002/03/04 02:12:04 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/AbortException.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: Token.java,v 1.12 2003/06/09 20:37:47 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
```

* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/Token.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: GrammarReaderController.java,v 1.9 2003/06/09 20:37:23 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/GrammarReaderController.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ElementPattern.java,v 1.9 2003/06/09 20:37:20 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/trex/ElementPattern.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2001, 2002 Thai Open Source Software Center Ltd
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the
distribution.

Neither the name of the Thai Open Source Software Center Ltd nor
the names of its contributors may be used to endorse or promote
products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/util/Uri.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: IncludeGrammarState.java,v 1.6 2003/06/09 20:37:37 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/reader/IncludeGrammarState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: HedgeRules.java,v 1.8 2003/06/09 20:37:19 kk122374 Exp $

*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/relax/HedgeRules.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: TypeWithOneChildState.java,v 1.12 2003/06/09 20:37:25 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/datatype/xsd/TypeWithOneChildState.java
No license file was found, but licenses were detected in source scan.

<HTML><BODY>
<P> reads TREX grammar with "label annotation".</P>
<P>"label annotation" is a proprietary extension to TREX by MSV.</P>
<H1>How it works</H1>
<P>With this extension, <element> pattern in TREX pattern can have "label" attribute in http://www.sun.com/xml/msv/trex-type namespace.</P><PRE><grammar xmlns:ext="http://www.sun.com/xml/msv/trex-type">
 <start>
  <element name="root" ext:label="root">
  <choice>
  <element name="child1"><empty /></element>
  <element name="child2" ext:label="foo"><empty /></element>
  </choice>
  </element>
 </start>
</grammar></PRE>
<P>Once label is specified to <element> pattern, application can call Verifier.getCurrentElementType method to obtain a reference to TypedElementPattern object, which has label field.</P><PRE>void startElement(...) {
  Object o = verifier.getCurrentElementType();
  if(!(o instanceof TypedElementPattern))
  ... // the current element does not have 'label' attribute.
  else {
  String labelOfTheCurrentElement = ((TypedElementPattern)o).label;
  ... // do whatever useful
  }
}</PRE>
</BODY></HTML>

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/typed/package.html
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: NameClassOwner.java,v 1.6 2003/06/09 20:37:29 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/NameClassOwner.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ConcurExp.java,v 1.6 2003/12/12 21:36:38 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/ConcurExp.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: RELAXExpressionVisitorExpression.java,v 1.6 2003/06/09 20:37:19 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-

jar/com/sun/msv/grammar/relax/RELAXExpressionVisitorExpression.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ExpressionOwner.java,v 1.5 2003/06/09 20:37:23 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/ExpressionOwner.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: DifferenceNameClass.java,v 1.6 2003/06/09 20:37:17 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/DifferenceNameClass.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ModuleMergeState.java,v 1.4 2003/06/09 20:37:27 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/core/ModuleMergeState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: DataTypeVocabulary.java,v 1.9 2003/06/09 20:37:24 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/datatype/DataTypeVocabulary.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: TerminalState.java,v 1.2 2003/06/09 20:37:24 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/TerminalState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: TypeState.java,v 1.19 2005/10/21 21:39:57 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/datatype/xsd/TypeState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: IgnoreErrorHandler.java,v 1.2 2003/06/09 20:37:48 kk122374 Exp $
*
```

* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/util/IgnoreErrorHandler.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ExportedHedgeRuleChecker.java,v 1.10 2003/06/09 20:37:28 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/core/checker/ExportedHedgeRuleChecker.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: RELAXCoreIslandSchemaReader.java,v 1.9 2003/06/09 20:37:37 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/reader/relax/RELAXCoreIslandSchemaReader.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: MixedExp.java,v 1.9 2003/12/12 21:36:38 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.

* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/MixedExp.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: FieldMatcher.java,v 1.9 2003/06/09 20:37:42 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/identity/FieldMatcher.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: DefineState.java,v 1.7 2003/06/09 20:37:31 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/ng/DefineState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: DocumentFilter.java,v 1.3 2003/06/09 20:37:41 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/util/xml/DocumentFilter.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: GroupState.java,v 1.10 2003/06/09 20:37:34 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/GroupState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: AttPoolClause.java,v 1.8 2003/06/09 20:37:18 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/relax/AttPoolClause.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: ComplexContentBodyState.java,v 1.12 2003/06/09 20:37:34 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-

jar/com/sun/msv/reader/xmlschema/ComplexContentBodyState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: TypedTREXGrammarInterceptor.java,v 1.6 2003/06/09 20:37:32 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/typed/TypedTREXGrammarInterceptor.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: CombinedChildContentExpCreator.java,v 1.24 2003/06/09 20:37:46 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/CombinedChildContentExpCreator.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: Localizer.java,v 1.6 2003/06/09 20:37:36 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/grammar/relax/Localizer.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: XMLSchemaReader.java,v 1.64 2003/09/11 19:00:18 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/XMLSchemaReader.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: VerifierFilter.java,v 1.15 2003/06/09 20:37:42 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/VerifierFilter.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: TREXGrammarReader.java,v 1.15 2003/06/09 20:37:30 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/classic/TREXGrammarReader.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: SAXParserImpl.java,v 1.4 2003/06/09 20:37:45 kk122374 Exp $
*
```

* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/jaxp/SAXParserImpl.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: NoneType.java,v 1.15 2003/06/09 20:37:19 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/relax/NoneType.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: SchemaImpl.java,v 1.5 2003/09/04 20:30:58 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/jarv/SchemaImpl.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ZeroOrMoreState.java,v 1.6 2003/06/09 20:37:30 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.

* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/ZeroOrMoreState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: NameClassNameState.java,v 1.10 2003/06/09 20:37:29 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/NameClassNameState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: XPath.java,v 1.6 2003/06/09 20:37:22 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/xmlschema/XPath.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: Acceptor.java,v 1.18 2003/06/09 20:37:42 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

```
/**
* exposes the low-level validation engine interface.
*
* <p>
* represents a pseudo-automaton acceptor.
* this interface is used to validate content models.
*
*
*
* <h2>Perform Validation</h2>
* <p>
* To perform validation, call the createAcceptor method of the DocumentDeclaration
* interface to obtain an Acceptor for validating the document element.
*
* <pre>
* Acceptor a = vgm.createAcceptor();
* </pre>
*
* <p>
* One acceptor is responsible for validating one element. So you also need
* some form of stack. If you are using a "push" interface like SAX, you need
* an explicit stack. If you are validating in "pull" fashion (like DOM),
 then
* you can use a recursion instead of an explicit stack.
* The following explanation assumes SAX-like interface.
*
* <p>
* Now, get back to the story. Whenever you encounter a start tag, create a new
* acceptor, which validates the children of newly encountered element.
*
* <pre>
* stack.push(a);
* a = a.createChildAcceptor( sti, null );
* </pre>
*
* <p>
* If this tag name was unexpected, then this method returns null. See javadoc
* for more details.
*
* <p>
* Then, for every attributes, call the {@link #onAttribute} method.
* After that you call the {@link #onEndAttributes} method.
*
* <pre><xmp>
* for( int i=0; i<atts.getLength(); i++ )
*   a.onAttribute( atts.getURI(i), .... );
* a.onEndAttributes();
* </xmp></pre>
```

```
*
* <p>
* An error can occur at any method. See the method documentations for details.
*
* <p>
* If you find an end tag, make sure that the acceptor is satisfied. An acceptor
* is said to be unsatisfied when it needs more elements/text
 to complete the content
* model. For example, if the content model is (A,B,C) and it only sees (A,B), then
* the acceptor is not satisfied because it needs to see C.
*
* <pre>
* if(!a.isAcceptState(null))
*   ; // error because the acceptor is unsatisfied.
* Acceptor child = a;
* a = stack.pop();
* a.stepForward(child,null);
* </pre>
*
* <p>
* Then, call the stepForward method of the parent acceptor and pass
* the child acceptor to it.
*
* <p>
* Finally, whenever you see a text, call the onText method.
* If the text was unexpected or not allowed, then this method returns null.
* See the documentation for details.
*
* <pre>
* a.onText("text",context,null,null);
* </pre>
*
*
* <p>
* In this way, you can better control the validation process.
*
* <p>
* If you need even finer control of the validation process
* (e.g., you need to know the list of allowed elements/attributes),
* you may want to rely on the <code>regexp</code> implementation of
 VGM.
* see {@link com.sun.msv.verifier.regexp.REDocumentDeclaration} for detail.
*
*
*
* <h2>Downcasting</h2>
*
* <p>
```

* It is often useful to downcast the Acceptor interface to appropriate
* derived class. For example, if you are using
* {@link com.sun.msv.verifier.regexp.REDocumentDeclaration}, then you can always
* downcast an Acceptor to
* {@link com.sun.msv.verifier.regexp.ExpressionAcceptor}, which provides
* more predictable behaviors and some useful methods.
*
*
* @see DocumentDeclaration
* @author Kohsuke KAWAGUCHI
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/Acceptor.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: OneOrMoreState.java,v 1.6 2003/06/09 20:37:29 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/OneOrMoreState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: AnyAttributeState.java,v 1.13 2003/06/09 20:37:33 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/AnyAttributeState.java
No license file was found, but licenses were detected in source scan.

/*

* @(#)$Id: MultiSchemaReader.java,v 1.4 2003/09/04 20:30:36 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/MultiSchemaReader.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ReferenceExp.java,v 1.12 2003/12/12 21:36:38 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/ReferenceExp.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: NamespaceState.java,v 1.10 2003/06/09 20:37:37 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/reader/NamespaceState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: CompatibilityDatatypeLibrary.java,v 1.6 2003/06/09 20:37:20 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.

*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/relaxng/datatype/CompatibilityDatatypeLibrary.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: SimpleNameClass.java,v 1.11 2003/06/09 20:37:18 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/SimpleNameClass.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: IVerifier.java,v 1.9 2003/06/09 20:37:42 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/IVerifier.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: DocumentDeclaration.java,v 1.7 2003/06/09 20:37:42 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.

*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/DocumentDeclaration.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: AttributeFeeder.java,v 1.18 2003/06/09 20:37:46 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/AttributeFeeder.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: HedgeRuleState.java,v 1.4 2003/06/09 20:37:27 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/core/HedgeRuleState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: TREXSequencedStringChecker.java,v 1.16 2003/06/09 20:37:30 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/TREXSequencedStringChecker.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: TREXBaseReader.java,v 1.23 2005/10/21 22:02:08 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/TREXBaseReader.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: TREXFactoryImpl.java,v 1.13 2003/06/09 20:37:43 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/jarv/TREXFactoryImpl.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: XSDVocabulary.java,v 1.13 2003/06/09 20:37:25 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/datatype/xsd/XSDVocabulary.java

No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: IncludeState.java,v 1.7 2003/06/09 20:37:34 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/IncludeState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: InlineTagState.java,v 1.4 2003/06/09 20:37:27 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/core/InlineTagState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: RestrictionState.java,v 1.15 2003/06/09 20:37:25 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/datatype/xsd/RestrictionState.java
No license file was found, but licenses were detected in source scan.

```
/*
```

* @(#)$Id: ErrorInfo.java,v 1.2 2003/06/09 20:37:42 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/ErrorInfo.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ComplexAcceptor.java,v 1.8 2003/06/09 20:37:46 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/ComplexAcceptor.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: OccurrenceExp.java,v 1.4 2003/06/09 20:37:22 kk122374 Exp $
*
* Copyright 2002 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/xmlschema/OccurrenceExp.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: DebugController.java,v 1.20 2003/06/09 20:37:16 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.

*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/driver/textui/DebugController.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: StartTagInfo.java,v 1.13 2005/10/21 21:39:58 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/util/StartTagInfo.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: NameClassVisitor.java,v 1.5 2003/06/09 20:37:17 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/NameClassVisitor.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: Expression.java,v 1.22 2004/01/26 18:55:10 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.

*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/Expression.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: RELAXModule.java,v 1.10 2003/06/09 20:37:19 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/relax/RELAXModule.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: Driver.java,v 1.53 2004/01/26 18:54:48 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/driver/textui/Driver.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: StringPair.java,v 1.10 2003/06/09 20:37:40 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/util/StringPair.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: ForkContentHandler.java,v 1.5 2003/06/09 20:37:33 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/util/ForkContentHandler.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: IncludePatternState.java,v 1.12 2003/06/09 20:37:29 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/IncludePatternState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: LocalNameClass.java,v 1.7 2003/12/15 19:48:22 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/dtd/LocalNameClass.java

No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ComplexTypeExp.java,v 1.22 2004/04/05 17:42:21 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/xmlschema/ComplexTypeExp.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: RELAXIslandSchema.java,v 1.10 2003/06/09 20:37:36 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/grammar/relax/RELAXIslandSchema.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: AttributePruner.java,v 1.10 2003/06/09 20:37:46 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/AttributePruner.java
No license file was found, but licenses were detected in source scan.

/*

* @(#)$Id: OptimizationTag.java,v 1.9 2003/06/09 20:37:47 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/OptimizationTag.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: GrammarReader.java,v 1.58 2004/04/05 17:42:22 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/GrammarReader.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: AnyAttributeOwner.java,v 1.2 2003/06/09 20:37:33 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/AnyAttributeOwner.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ChoiceExp.java,v 1.8 2003/12/12 21:36:38 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.

*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/ChoiceExp.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: StringState.java,v 1.6 2003/06/09 20:37:30 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/classic/StringState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: Const.java,v 1.1 2001/11/19 19:57:35 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/jarv/Const.java
No license file was found, but licenses were detected in source scan.

/**
   * Adapt a SAX1 AttributeList as a SAX2 Attributes object.
   *
   * This class is in the Public Domain, and comes with NO
   * WARRANTY of any kind.
   *
   * This wrapper class is used only when Namespace support

```
   * is disabled -- it provides pretty much a direct mapping
   * from SAX1 to SAX2, except that names and types are
   * interned whenever requested.</p>
   */
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/writer/ContentHandlerAdaptor.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: UniqueConstraint.java,v 1.3 2003/06/09 20:37:22 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/xmlschema/UniqueConstraint.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: NameClassAndExpression.java,v 1.2 2003/06/09 20:37:17 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/NameClassAndExpression.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)XmlChars.java    1.1 00/08/05
*
* Copyright (c) 1998 Sun Microsystems, Inc. All Rights Reserved.
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-

jar/com/sun/msv/scanner/dtd/XmlChars.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: AttPoolRefState.java,v 1.4 2003/06/09 20:37:26 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/core/AttPoolRefState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: LightStack.java,v 1.5 2003/06/09 20:37:40 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/util/LightStack.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: AttributeRemover.java,v 1.10 2003/06/09 20:37:46 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/AttributeRemover.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: NamespaceNameClass.java,v 1.10 2003/06/09 20:37:17 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/NamespaceNameClass.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: RELAXExpressionVisitorVoid.java,v 1.6 2003/06/09 20:37:19 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/relax/RELAXExpressionVisitorVoid.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: OptionalState.java,v 1.6 2003/06/09 20:37:29 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/OptionalState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: DivInGrammarState.java,v 1.3 2003/06/09 20:37:28 kk122374 Exp $
*
```

* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/DivInGrammarState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: StringCareLevelCalculator.java,v 1.14 2006/03/06 20:52:54 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/StringCareLevelCalculator.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: IncludeModuleState.java,v 1.6 2003/06/09 20:37:27 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/core/IncludeModuleState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)XmlChars.java   1.1 00/08/05
*
* Copyright (c) 1998 Sun Microsystems, Inc. All Rights Reserved.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/scanner/dtd/DTDEventListener.java
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/scanner/dtd/DTDHandlerBase.java
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/scanner/dtd/EntityDecl.java
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/scanner/dtd/ExternalEntity.java
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/scanner/dtd/InputEntity.java
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/scanner/dtd/DTDParser.java
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/scanner/dtd/EndOfInputException.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ErrorHandlerAdaptor.java,v 1.7 2003/06/09 20:37:38 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/verifier/ErrorHandlerAdaptor.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: LaxDefaultNameClass.java,v 1.12 2004/04/05 17:42:21 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/xmlschema/LaxDefaultNameClass.java
No license file was found, but licenses were detected in source scan.

/*

* @(#)$Id: SimpleContentState.java,v 1.7 2003/06/09 20:37:35 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/SimpleContentState.java
No license file was found, but licenses were detected in source scan.

Copyright (c) 1998-1999 Sun Microsystems, Inc. All Rights Reserved.
This software is the confidential and proprietary information of Sun
Microsystems, Inc. ("Confidential Information"). You shall not
disclose such Confidential Information and shall use it only in

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/scanner/dtd/resources/Messages_en.properties
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: SchemaProviderImpl.java,v 1.11 2004/04/05 17:42:26 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/verifier/SchemaProviderImpl.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ImportState.java,v 1.9 2003/06/09 20:37:34 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/ImportState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: IgnoreController.java,v 1.8 2003/06/09 20:37:33 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/util/IgnoreController.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: ConcurState.java,v 1.2 2003/06/09 20:37:30 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/classic/ConcurState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: RootGrammarMergeState.java,v 1.5 2003/06/09 20:37:37 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-

jar/com/sun/msv/relaxns/reader/RootGrammarMergeState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: RELAXReader.java,v 1.20 2005/10/21 23:01:20 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/RELAXReader.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: XMLSchemaTypeExp.java,v 1.4 2003/06/09 20:37:22 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/xmlschema/XMLSchemaTypeExp.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: UnaryExp.java,v 1.9 2003/12/12 21:36:38 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/UnaryExp.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: DblAttrConstraintChecker.java,v 1.11 2003/06/09 20:37:28 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/core/checker/DblAttrConstraintChecker.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: NGNameState.java,v 1.5 2003/09/11 19:00:18 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/ng/NGNameState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: AttWildcardExp.java,v 1.2 2003/06/09 20:37:22 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/xmlschema/AttWildcardExp.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: ModuleState.java,v 1.4 2003/06/09 20:37:27 kk122374 Exp $
*
```

* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/core/ModuleState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: IncludeMergeState.java,v 1.5 2003/07/09 22:52:30 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/ng/IncludeMergeState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: AnyNameClass.java,v 1.12 2003/09/11 19:00:18 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/AnyNameClass.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ExpressionVisitorVoid.java,v 1.12 2003/06/09 20:37:17 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.

* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/ExpressionVisitorVoid.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: TREXIslandSchemaReader.java,v 1.7 2003/06/09 20:37:38 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/reader/trex/TREXIslandSchemaReader.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: NameClassNsNameState.java,v 1.6 2003/06/09 20:37:29 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/NameClassNsNameState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: NameClassChoiceState.java,v 1.7 2003/06/09 20:37:29 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/NameClassChoiceState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: KeyValue.java,v 1.3 2003/06/09 20:37:42 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/identity/KeyValue.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: XSDatatypeResolver.java,v 1.2 2001/11/28 01:50:42 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/datatype/xsd/XSDatatypeResolver.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: NameClassDifferenceState.java,v 1.8 2003/06/09 20:37:29 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-

jar/com/sun/msv/reader/trex/NameClassDifferenceState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ContentModelAcceptor.java,v 1.8 2003/06/09 20:37:46 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/regexp/ContentModelAcceptor.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: TheFactoryImpl.java,v 1.5 2003/06/09 20:31:52 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/jarv/TheFactoryImpl.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: SchemaState.java,v 1.8 2003/06/09 20:37:35 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/SchemaState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: SimpleState.java,v 1.13 2005/10/21 21:39:57 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/SimpleState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: RootModuleMergeState.java,v 1.4 2003/06/09 20:37:27 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/core/RootModuleMergeState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: GrammarState.java,v 1.13 2003/06/09 20:37:28 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/GrammarState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: ValidationUnrecoverableException.java,v 1.8 2003/06/09 20:37:42 kk122374 Exp $
*
```

* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/ValidationUnrecoverableException.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ElementDeclState.java,v 1.36 2004/04/05 17:42:25 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/ElementDeclState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: BuiltinDatatypeLibrary.java,v 1.7 2003/06/09 20:37:20 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/relaxng/datatype/BuiltinDatatypeLibrary.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: KeyConstraint.java,v 1.3 2003/06/09 20:37:22 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.

* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/xmlschema/KeyConstraint.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: FacetStateParent.java,v 1.8 2003/06/09 20:37:25 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/datatype/xsd/FacetStateParent.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: SkipElementExp.java,v 1.5 2003/06/09 20:37:22 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/xmlschema/SkipElementExp.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: VerifierImpl.java,v 1.17 2003/06/09 20:37:43 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/jarv/VerifierImpl.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: XSFactoryImpl.java,v 1.6 2003/06/09 20:37:43 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/jarv/XSFactoryImpl.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: ChoiceNameClass.java,v 1.11 2003/06/09 20:37:17 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/ChoiceNameClass.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: GrammarState.java,v 1.3 2003/06/09 20:37:31 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-

jar/com/sun/msv/reader/trex/ng/GrammarState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: NotNameClass.java,v 1.10 2003/06/09 20:37:17 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/NotNameClass.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ValidityViolation.java,v 1.9 2003/06/09 20:37:42 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/ValidityViolation.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ListExp.java,v 1.5 2003/12/12 21:36:38 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/ListExp.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: DocumentBuilderImpl.java,v 1.3 2003/06/09 20:37:45 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/jaxp/DocumentBuilderImpl.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: RootIncludedPatternState.java,v 1.10 2003/06/09 20:37:29 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/RootIncludedPatternState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: RestrictionChecker.java,v 1.16 2004/04/05 17:42:25 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/ng/RestrictionChecker.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: SAXEventGenerator.java,v 1.4 2003/06/09 20:37:41 kk122374 Exp $
*
```

* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/util/xml/SAXEventGenerator.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ErrorHandlerImpl.java,v 1.4 2003/06/09 20:37:48 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/verifier/util/ErrorHandlerImpl.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: IslandSchemaImpl.java,v 1.13 2003/06/09 20:37:38 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/relaxns/verifier/IslandSchemaImpl.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: NameClassCollisionChecker.java,v 1.5 2004/04/05 17:42:20 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.

* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/util/NameClassCollisionChecker.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: XSTypeIncubator.java,v 1.4 2003/01/09 21:00:06 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/datatype/xsd/XSTypeIncubator.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: RedefinableDeclState.java,v 1.9 2003/06/09 20:37:34 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/xmlschema/RedefinableDeclState.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: ExpressionPool.java,v 1.28 2004/01/26 18:55:10 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/grammar/ExpressionPool.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: ListState.java,v 1.3 2003/06/09 20:37:31 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/trex/ng/ListState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: InlineElementState.java,v 1.14 2003/06/09 20:37:27 kk122374 Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-jar/com/sun/msv/reader/relax/core/InlineElementState.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: RELAXNGReader.java,v 1.40 2004/04/05 17:42:25 kohsuke Exp $
*
* Copyright 2001 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1020251656_1591376392.3/0/msv-20020414-sources-

jar/com/sun/msv/reader/trex/ng/RELAXNGReader.java

1.154 java-architecture-for-xml-binding 2.1

1.154.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2004 Sun Microsystems, Inc. All rights reserved.
* SUN PROPRIETARY/CONFIDENTIAL. Use is subject to license terms.
*/

Found in path(s):
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlElementRefs.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/adapters/HexBinaryAdapter.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlID.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlValue.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlNs.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlElementRef.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/JAXBElement.java
*
 /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlIDREF.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlEnum.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/adapters/XmlJavaTypeAdapter.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/adapters/NormalizedStringAdapter.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlType.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlRootElement.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/JAXBIntrospector.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlTransient.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlAttribute.java
*
 /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlElement.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/adapters/XmlAdapter.java

* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlElements.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlRegistry.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlEnumValue.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlNsForm.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlSchema.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/adapters/CollapsedStringAdapter.java
*
 /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlElementDecl.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2003 Sun Microsystems, Inc. All rights reserved.
* SUN PROPRIETARY/CONFIDENTIAL. Use is subject to license terms.
*/

Found in path(s):
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/NotIdentifiableEvent.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/util/JAXBSource.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/DatatypeConverterInterface.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/Validator.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/Unmarshaller.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/Messages.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/PropertyException.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/DatatypeConverter.java
*
 /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/helpers/ParseConversionEventImpl.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/util/JAXBResult.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/helpers/AbstractUnmarshallerImpl.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/UnmarshallerHandler.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/ParseConversionEvent.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/helpers/NotIdentifiableEventImpl.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/UnmarshalException.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/Element.java

*
/opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/util/Messages.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/ContextFinder.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/JAXBException.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-
jar/javax/xml/bind/helpers/ValidationEventLocatorImpl.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-
jar/javax/xml/bind/ValidationException.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/Marshaller.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/ValidationEvent.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-
jar/javax/xml/bind/TypeConstraintException.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-
jar/javax/xml/bind/helpers/AbstractMarshallerImpl.java
*
/opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-
jar/javax/xml/bind/helpers/PrintConversionEventImpl.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-
jar/javax/xml/bind/helpers/ValidationEventImpl.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-
jar/javax/xml/bind/ValidationEventLocator.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/MarshalException.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/helpers/Messages.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/JAXBContext.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-
jar/javax/xml/bind/ValidationEventHandler.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-
jar/javax/xml/bind/helpers/DefaultValidationEventHandler.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-
jar/javax/xml/bind/PrintConversionEvent.java
*
/opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-
jar/javax/xml/bind/util/ValidationEventCollector.java
No license file was found, but licenses were detected in source scan.

@(#)package.html 1.60 98/01/27

Copyright 1998 Sun Microsystems, Inc. 901 San Antonio Road,
Palo Alto, California, 94303, U.S.A. All Rights Reserved.

This software is the confidential and proprietary information of Sun
Microsystems, Inc. ("Confidential Information"). You shall not
disclose such Confidential Information and shall use it only in
accordance with the terms of the license agreement you entered into
with Sun.

CopyrightVersion 1.2

Found in path(s):
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/package.html
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/package.html
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/util/package.html
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/attachment/package.html
*
/opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/helpers/package.html
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2005 Sun Microsystems, Inc. All rights reserved.
* SUN PROPRIETARY/CONFIDENTIAL. Use is subject to license terms.
*/

Found in path(s):
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlAccessorOrder.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlAccessType.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/Binder.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/W3CDomHandler.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlSchemaTypes.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlAnyElement.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlAccessOrder.java
*
/opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlMixed.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlAccessorType.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlMimeType.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlSchemaType.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/adapters/XmlJavaTypeAdapters.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlAnyAttribute.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/DomHandler.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlAttachmentRef.java
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/XmlInlineBinaryData.java

No license file was found, but licenses were detected in source scan.

@(#)package.html 1.60 98/01/27

Copyright 1998 Sun Microsystems, Inc. 901 San Antonio Road,
Palo Alto, California, 94303, U.S.A. All Rights Reserved.

This software is the confidential and proprietary information of Sun
Microsystems, Inc. ("Confidential Information"). You shall not
disclose such Confidential Information and shall use it only in
accordance with the terms of the license agreement you entered into
with Sun.

CopyrightVersion 1.2

Found in path(s):
* /opt/cola/permits/1020252371_1614945647.82/0/jaxb-api-2-1-sources-jar/javax/xml/bind/annotation/adapters/package.html

1.155 jetty-java-based-http-1-x-http-2-servlet-websocket-server 8.1.15.v20140411

1.155.1 Available under license :

No license file was found, but licenses were detected in source scan.

The Eclipse Foundation makes available all content in this plug-in ("Content"). The Content is dual licensed and is provided to you under the terms and conditions of the Eclipse Public License Version 1.0 ("EPL") as well as the Apache Software License Version 2.0. A copy of the EPL is available at http://www.eclipse.org/legal/epl-v10.html. A copy of the ASL is available at http://www.apache.org/licenses/LICENSE-2.0.html. For purposes of the EPL, "Program" will mean the Content.
Permission to use, copy, modify and distribute UnixCrypt
granted provided that the copyright notice appears in all copies.

Found in path(s):
* /opt/cola/permits/1020252762_1649015342.87/0/jetty-continuation-8-1-15-v20140411-jar/about.html
No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Archiver-Version: Plexus Archiver
Created-By: Apache Maven Bundle Plugin
Built-By: jesse
Build-Jdk: 1.7.0_51
Implementation-Vendor: Eclipse.org - Jetty
Implementation-Version: 8.1.15.v20140411

url: http://www.eclipse.org/jetty
Export-Package: org.eclipse.jetty.continuation;uses:="javax.servlet,or
g.mortbay.log,org.mortbay.util.ajax";version="8.1.15"
Bundle-Classpath: .
Tool: Bnd-1.15.0
Bundle-Name: Jetty :: Continuation
Bundle-RequiredExecutionEnvironment: J2SE-1.5
Bundle-Copyright: Copyright (c) 2008-2014 Mort Bay Consulting Pty. Ltd.
Bundle-Vendor: Eclipse Jetty Project
Bundle-Version: 8.1.15.v20140411
Bnd-LastModified: 1397239417602
Bundle-ManifestVersion: 2
Bundle-Description: Asynchronous API
Bundle-License: http://www.apache.org/licenses/LICENSE-2.0, http://www
.eclipse.org/org/documents/epl-v10.php
Import-Package: javax.servlet;version="2.6.0",org.mortbay.log;resoluti
 on:=optional;version="[6.1,7)",org.mortbay.util.ajax;resolution:=opti
onal;version="[6.1,7)"
Bundle-SymbolicName: org.eclipse.jetty.continuation
Bundle-DocURL: http://www.eclipse.org/jetty

Found in path(s):
* /opt/cola/permits/1020252762_1649015342.87/0/jetty-continuation-8-1-15-v20140411-jar/META-
INF/MANIFEST.MF

1.156 dom4j-flexible-xml-framework-for-java 1.4

1.156.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: NonLazyDocumentFactory.java,v 1.4 2002/05/20 08:14:13 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a

* copy of this document.
*
* 2. Redistributions in binary form must reproduce the
* above copyright notice, this list of conditions and the
* following disclaimer in the documentation and/or other
* materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
* products derived from this Software without prior
written
* permission of MetaStuff, Ltd. For written permission,
* please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
* nor may "DOM4J" appear in their names without prior written
* permission of MetaStuff, Ltd. DOM4J is a registered
* trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
* (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: NonLazyDocumentFactory.java,v 1.4 2002/05/20 08:14:13 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-
jar/org/dom4j/util/NonLazyDocumentFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*

```
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: QName.java,v 1.11 2002/10/25 14:50:14 ddlucas Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
*    permission
 of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
 WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
```

```
*
* $Id: QName.java,v 1.11 2002/10/25 14:50:14 ddlucas Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/QName.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DOMText.java,v 1.6 2002/05/24 14:41:55 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
*    permission
 of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
```

* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DOMText.java,v 1.6 2002/05/24 14:41:55 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/dom/DOMText.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: IndexedElement.java,v 1.4 2002/05/20 08:14:13 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written

* permission of MetaStuff, Ltd. DOM4J is a registered
* trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
* (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: IndexedElement.java,v 1.4 2002/05/20 08:14:13 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/util/IndexedElement.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: NodeTypePattern.java,v 1.3 2002/05/20 08:14:16 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
* statements and notices. Redistributions must also contain a
* copy of this document.
*
* 2. Redistributions in binary form must reproduce the
* above copyright notice, this list of conditions and the

```
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: NodeTypePattern.java,v 1.3 2002/05/20 08:14:16 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-
jar/org/dom4j/rule/pattern/NodeTypePattern.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: BeanMetaData.java,v 1.5 2002/05/20 08:14:12 jstrachan Exp $
*/
```

```
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
*
   permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: BeanMetaData.java,v 1.5 2002/05/20 08:14:12 jstrachan Exp $
*/
```

Found in path(s):

* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/bean/BeanMetaData.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DefaultComment.java,v 1.7 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
```

OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DefaultComment.java,v 1.7 2002/05/20 08:14:10 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/DefaultComment.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: XMLTableDefinition.java,v 1.3 2002/05/30 07:54:38 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).

*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: XMLTableDefinition.java,v 1.3 2002/05/30 07:54:38 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-
jar/org/dom4j/swing/XMLTableDefinition.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: SchemaParser.java,v 1.13 2003/02/25 00:27:54 maartenc Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote

```
*    products derived from this Software without prior written
*
  permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: SchemaParser.java,v 1.13 2003/02/25 00:27:54 maartenc Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/datatype/SchemaParser.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: ProcessingInstruction.java,v 1.5 2002/05/20 08:14:11 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
```

*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON
 ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: ProcessingInstruction.java,v 1.5 2002/05/20 08:14:11 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/ProcessingInstruction.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.

```
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: SAXHelper.java,v 1.11 2002/05/24 14:41:54 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
*
  permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
```

* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: SAXHelper.java,v 1.11 2002/05/24 14:41:54 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/io/SAXHelper.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: InvalidSchemaException.java,v 1.2 2002/05/20 08:14:12 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior
 written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND
 ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: InvalidSchemaException.java,v 1.2 2002/05/20 08:14:12 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/datatype/InvalidSchemaException.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: AbstractNode.java,v 1.24 2002/05/20 08:14:09 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*

* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: AbstractNode.java,v 1.24 2002/05/20 08:14:09 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/AbstractNode.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DocumentInputSource.java,v 1.3 2002/05/20 08:14:15 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*

* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON
 ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DocumentInputSource.java,v 1.3 2002/05/20 08:14:15 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/io/DocumentInputSource.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: OutputFormat.java,v 1.9 2002/05/20 08:14:16 jstrachan Exp $

```
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
*
  permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: OutputFormat.java,v 1.9 2002/05/20 08:14:16 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/io/OutputFormat.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: SAXValidator.java,v 1.4 2002/05/20 08:14:15 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
*
   permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
```

* HOWEVER CAUSED AND ON ANY THEORY
OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: SAXValidator.java,v 1.4 2002/05/20 08:14:15 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/io/SAXValidator.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DefaultAttribute.java,v 1.8 2002/05/20 08:14:09 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project

*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DefaultAttribute.java,v 1.8 2002/05/20 08:14:09 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/DefaultAttribute.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: ExternalEntityDecl.java,v 1.3 2002/05/20 08:14:17 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote

```
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: ExternalEntityDecl.java,v 1.3 2002/05/20 08:14:17 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/dtd/ExternalEntityDecl.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DOMAttribute.java,v 1.8 2002/05/24 14:41:55 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
```

* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*
   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DOMAttribute.java,v 1.8 2002/05/24 14:41:55 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/dom/DOMAttribute.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.

```
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DocumentFactory.java,v 1.36 2002/10/25 14:53:09 ddlucas Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
*
   permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
```

* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DocumentFactory.java,v 1.36 2002/10/25 14:53:09 ddlucas Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/DocumentFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DefaultElement.java,v 1.49 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DefaultElement.java,v 1.49 2002/05/20 08:14:10 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/DefaultElement.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DispatchHandler.java,v 1.3 2002/05/20 08:14:16 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written

* permission of MetaStuff, Ltd. DOM4J is a registered
* trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
* (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DispatchHandler.java,v 1.3 2002/05/20 08:14:16 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/io/DispatchHandler.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: XPathException.java,v 1.2 2002/05/20 08:14:11 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
* statements and notices. Redistributions must also contain a
* copy of this document.
*
* 2. Redistributions in binary form must reproduce the
* above copyright notice, this list of conditions and the

```
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: XPathException.java,v 1.2 2002/05/20 08:14:11 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/XPathException.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DOMDocumentType.java,v 1.5 2002/05/24 14:41:55 jstrachan Exp $
*/
/*
```

```
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DOMDocumentType.java,v 1.5 2002/05/24 14:41:55 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/dom/DOMDocumentType.java

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DefaultText.java,v 1.7 2002/05/20 08:14:09 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
*
   permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
```

OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DefaultText.java,v 1.7 2002/05/20 08:14:09 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/DefaultText.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DOMProcessingInstruction.java,v 1.6 2002/05/24 14:41:55 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior
 written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project

*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND
 ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DOMProcessingInstruction.java,v 1.6 2002/05/24 14:41:55 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-
jar/org/dom4j/dom/DOMProcessingInstruction.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: Stylesheet.java,v 1.6 2002/05/25 18:17:29 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*

* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*
  permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: Stylesheet.java,v 1.6 2002/05/25 18:17:29 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/rule/Stylesheet.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: SAXReader.java,v 1.43 2003/02/11 23:56:01 maartenc Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided

* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*
  permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: SAXReader.java,v 1.43 2003/02/11 23:56:01 maartenc Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/io/SAXReader.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: ElementQNameIterator.java,v 1.2 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON
 ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
```

*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: ElementQNameIterator.java,v 1.2 2002/05/20 08:14:10 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/ElementQNameIterator.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: Visitor.java,v 1.2 2002/05/20 08:14:11 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission
 of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS

* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF
 LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: Visitor.java,v 1.2 2002/05/20 08:14:11 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/Visitor.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: ProxyXmlStartTag.java,v 1.3 2002/05/20 08:14:17 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.

*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: ProxyXmlStartTag.java,v 1.3 2002/05/20 08:14:17 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/xpp/ProxyXmlStartTag.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: Namespace.java,v 1.16 2002/12/03 10:50:08 slehmann Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.

*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*
  permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: Namespace.java,v 1.16 2002/12/03 10:50:08 slehmann Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/Namespace.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.

```
*
* $Id: FlyweightCDATA.java,v 1.2 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: FlyweightCDATA.java,v 1.2 2002/05/20 08:14:10 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/FlyweightCDATA.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: LeafTreeNode.java,v 1.2 2002/05/20 08:14:13 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
*
   permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
```

* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: LeafTreeNode.java,v 1.2 2002/05/20 08:14:13 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/swing/LeafTreeNode.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: NonLazyElement.java,v 1.3 2002/05/20 08:14:13 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*

* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: NonLazyElement.java,v 1.3 2002/05/20 08:14:13 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/util/NonLazyElement.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: XMLResult.java,v 1.3 2002/05/20 08:14:16 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*

* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*
  permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: XMLResult.java,v 1.3 2002/05/20 08:14:16 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/io/XMLResult.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: Document.java,v 1.8 2002/05/20 08:14:11 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided

* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*
 permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: Document.java,v 1.8 2002/05/20 08:14:11 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/Document.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DefaultNamespace.java,v 1.10 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
```

*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DefaultNamespace.java,v 1.10 2002/05/20 08:14:10 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/DefaultNamespace.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DatatypeElement.java,v 1.4 2002/05/20 08:14:13 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DatatypeElement.java,v 1.4 2002/05/20 08:14:13 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-
jar/org/dom4j/datatype/DatatypeElement.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DocumentResult.java,v 1.2 2002/05/20 08:14:15 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*

* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DocumentResult.java,v 1.2 2002/05/20 08:14:15 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/io/DocumentResult.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: NodeComparator.java,v 1.4 2002/05/20 08:14:13 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*

* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: NodeComparator.java,v 1.4 2002/05/20 08:14:13 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/util/NodeComparator.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: FlyweightComment.java,v 1.2 2002/05/20 08:14:10 jstrachan Exp $

```
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: FlyweightComment.java,v 1.2 2002/05/20 08:14:10 jstrachan Exp $
*/
```

Found in path(s):

* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/FlyweightComment.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: NullAction.java,v 1.3 2002/05/20 08:14:12 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
*
  permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
```

OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: NullAction.java,v 1.3 2002/05/20 08:14:12 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/rule/NullAction.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: FilterIterator.java,v 1.5 2002/10/17 11:53:21 maartenc Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).

```
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: FilterIterator.java,v 1.5 2002/10/17 11:53:21 maartenc Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/FilterIterator.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: AttributeDecl.java,v 1.2 2002/05/20 08:14:17 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
```

```
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: AttributeDecl.java,v 1.2 2002/05/20 08:14:17 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/dtd/AttributeDecl.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: HTMLWriter.java,v 1.15 2002/06/01 14:57:42 laramiec Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
```

* statements and notices. Redistributions must also contain a
* copy of this document.
*
* 2. Redistributions in binary form must reproduce the
* above copyright notice, this list of conditions and the
* following disclaimer in the documentation and/or other
* materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
* products derived from this Software without prior written
* permission
of MetaStuff, Ltd. For written permission,
* please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
* nor may "DOM4J" appear in their names without prior written
* permission of MetaStuff, Ltd. DOM4J is a registered
* trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
* (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: HTMLWriter.java,v 1.15 2002/06/01 14:57:42 laramiec Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/io/HTMLWriter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*

```
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DefaultDocumentType.java,v 1.5 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON
 ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
```

* $Id: DefaultDocumentType.java,v 1.5 2002/05/20 08:14:10 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/DefaultDocumentType.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: AbstractDocumentType.java,v 1.12 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: AbstractDocumentType.java,v 1.12 2002/05/20 08:14:10 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/AbstractDocumentType.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: XMLTableModel.java,v 1.3 2002/05/30 07:54:38 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written

* permission of MetaStuff, Ltd. DOM4J is a registered
* trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
* (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: XMLTableModel.java,v 1.3 2002/05/30 07:54:38 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/swing/XMLTableModel.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: BeanAttribute.java,v 1.3 2002/05/20 08:14:12 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
* statements and notices. Redistributions must also contain a
* copy of this document.
*
* 2. Redistributions in binary form must reproduce the
* above copyright notice, this list of conditions and the

```
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: BeanAttribute.java,v 1.3 2002/05/20 08:14:12 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/bean/BeanAttribute.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: FlyweightAttribute.java,v 1.2 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
```

```
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: FlyweightAttribute.java,v 1.2 2002/05/20 08:14:10 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/FlyweightAttribute.java

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: NamedTypeResolver.java,v 1.3 2002/05/20 08:14:12 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
```

* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: NamedTypeResolver.java,v 1.3 2002/05/20 08:14:12 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/datatype/NamedTypeResolver.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: IndexedDocumentFactory.java,v 1.4 2002/05/20 08:14:13 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior
 written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).

*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND
 ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: IndexedDocumentFactory.java,v 1.4 2002/05/20 08:14:13 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/util/IndexedDocumentFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DocumentException.java,v 1.3 2002/05/20 08:14:11 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote

```
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DocumentException.java,v 1.3 2002/05/20 08:14:11 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/DocumentException.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: ElementStack.java,v 1.7 2003/02/28 19:28:28 maartenc Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
```

* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*
   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: ElementStack.java,v 1.7 2003/02/28 19:28:28 maartenc Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/io/ElementStack.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.

```
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DocumentTreeModel.java,v 1.2 2002/05/20 08:14:13 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
```

*
* $Id: DocumentTreeModel.java,v 1.2 2002/05/20 08:14:13 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/swing/DocumentTreeModel.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: Attribute.java,v 1.5 2002/05/20 08:14:11 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*
  permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: Attribute.java,v 1.5 2002/05/20 08:14:11 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/Attribute.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DOMAttributeNodeMap.java,v 1.2 2002/05/20 08:14:13 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"

```
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON
 ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DOMAttributeNodeMap.java,v 1.2 2002/05/20 08:14:13 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-
jar/org/dom4j/dom/DOMAttributeNodeMap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: XPathPattern.java,v 1.12 2002/05/20 08:14:13 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
```

* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: XPathPattern.java,v 1.12 2002/05/20 08:14:13 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/xpath/XPathPattern.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: NodeFilter.java,v 1.3 2002/05/20 08:14:11 jstrachan Exp $

```
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
*
  permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: NodeFilter.java,v 1.3 2002/05/20 08:14:11 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/NodeFilter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DatatypeAttribute.java,v 1.4 2002/05/20 08:14:12 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DatatypeAttribute.java,v 1.4 2002/05/20 08:14:12 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/datatype/DatatypeAttribute.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DOMEntityReference.java,v 1.6 2002/05/24 14:41:55 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project

*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DOMEntityReference.java,v 1.6 2002/05/24 14:41:55 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-
jar/org/dom4j/dom/DOMEntityReference.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: AbstractText.java,v 1.6 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*

* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*
   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: AbstractText.java,v 1.6 2002/05/20 08:14:10 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/AbstractText.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: SAXWriter.java,v 1.17 2002/07/22 10:50:46 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided

* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*
  permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: SAXWriter.java,v 1.17 2002/07/22 10:50:46 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/io/SAXWriter.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: AbstractProcessingInstruction.java,v 1.11 2002/05/20 08:14:09 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without
 prior written
*    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED
 AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
```

* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: AbstractProcessingInstruction.java,v 1.11 2002/05/20 08:14:09 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/AbstractProcessingInstruction.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: Text.java,v 1.3 2002/05/20 08:14:11 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission
 of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*

* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
 WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: Text.java,v 1.3 2002/05/20 08:14:11 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/Text.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DOMNamespace.java,v 1.4 2002/05/24 14:41:55 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*

permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DOMNamespace.java,v 1.4 2002/05/24 14:41:55 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/dom/DOMNamespace.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DefaultProcessingInstruction.java,v 1.8 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright

```
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without
 prior written
*    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED
 AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DefaultProcessingInstruction.java,v 1.8 2002/05/20 08:14:10 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-
jar/org/dom4j/tree/DefaultProcessingInstruction.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
```

```
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: Branch.java,v 1.25 2002/05/20 08:14:11 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
*    permission
 of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF
 LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
```

* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: Branch.java,v 1.25 2002/05/20 08:14:11 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/Branch.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: Entity.java,v 1.3 2002/05/20 08:14:11 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission
 of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF
 LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: Entity.java,v 1.3 2002/05/20 08:14:11 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/Entity.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: AbstractEntity.java,v 1.11 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"

```
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: AbstractEntity.java,v 1.11 2002/05/20 08:14:10 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/AbstractEntity.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: BeanDocumentFactory.java,v 1.9 2002/05/20 08:14:12 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
```

```
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON
 ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: BeanDocumentFactory.java,v 1.9 2002/05/20 08:14:12 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-
jar/org/dom4j/bean/BeanDocumentFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: NamespaceStack.java,v 1.8 2002/11/26 15:23:06 jstrachan Exp $
```

```
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: NamespaceStack.java,v 1.8 2002/11/26 15:23:06 jstrachan Exp $
*/
```

Found in path(s):

* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/NamespaceStack.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DocumentHelper.java,v 1.12 2002/05/20 08:14:11 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
```

THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DocumentHelper.java,v 1.12 2002/05/20 08:14:11 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/DocumentHelper.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: Pattern.java,v 1.2 2002/05/20 08:14:12 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission
 of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project

*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF
 LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: Pattern.java,v 1.2 2002/05/20 08:14:12 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/rule/Pattern.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: CDATA.java,v 1.3 2002/05/20 08:14:11 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote

```
*    products derived from this Software without prior written
*    permission
 of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF
 LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: CDATA.java,v 1.3 2002/05/20 08:14:11 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/CDATA.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: Mode.java,v 1.5 2002/05/20 08:14:12 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
```

*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission
 of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
 WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: Mode.java,v 1.5 2002/05/20 08:14:12 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/rule/Mode.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: Action.java,v 1.3 2002/05/20 08:14:12 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission
 of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF
 LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.

*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: Action.java,v 1.3 2002/05/20 08:14:12 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/rule/Action.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: AbstractCharacterData.java,v 1.8 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON
 ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: AbstractCharacterData.java,v 1.8 2002/05/20 08:14:10 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-
jar/org/dom4j/tree/AbstractCharacterData.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: UserDataElement.java,v 1.5 2002/05/20 08:14:13 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*

* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: UserDataElement.java,v 1.5 2002/05/20 08:14:13 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/util/UserDataElement.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: CharacterData.java,v 1.5 2002/05/20 08:14:11 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*

* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: CharacterData.java,v 1.5 2002/05/20 08:14:11 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/CharacterData.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: RuleSet.java,v 1.4 2002/05/20 08:14:12 jstrachan Exp $

```
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
*    permission
 of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF
 LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: RuleSet.java,v 1.4 2002/05/20 08:14:12 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/rule/RuleSet.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: VisitorSupport.java,v 1.2 2002/05/20 08:14:11 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY

OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: VisitorSupport.java,v 1.2 2002/05/20 08:14:11 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/VisitorSupport.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: XPPReader.java,v 1.2 2002/05/20 08:14:14 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*
  permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project

```
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: XPPReader.java,v 1.2 2002/05/20 08:14:14 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/io/XPPReader.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 1999-2000 by David Brownell.  All Rights Reserved.
*
* This program is open source software; you may use, copy, modify, and
* redistribute it under the terms of the LICENSE with which it was
* originally distributed.
*
* This program is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  See the
* LICENSE for more details.
*/
// retained intact.  You are free to modify AElfred for your own use and
// This program is distributed in the hope that it will be useful, but
// WITHOUT ANY WARRANTY; without even the implied warranty of
// merchantability or fitness for a particular purpose.  Please use it AT
```

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/io/aelfred/XmlParser.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
```

```
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: BaseElement.java,v 1.4 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
*
   permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
```

* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: BaseElement.java,v 1.4 2002/05/20 08:14:10 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/BaseElement.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: RuleManager.java,v 1.4 2002/05/20 08:14:12 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*
   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: RuleManager.java,v 1.4 2002/05/20 08:14:12 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/rule/RuleManager.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DocumentType.java,v 1.5 2002/05/20 08:14:11 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*
   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*

```
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DocumentType.java,v 1.5 2002/05/20 08:14:11 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/DocumentType.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: XMLTableColumnDefinition.java,v 1.3 2002/05/30 07:54:38 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
```

* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior
 written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND
 ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: XMLTableColumnDefinition.java,v 1.3 2002/05/30 07:54:38 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-
jar/org/dom4j/swing/XMLTableColumnDefinition.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.

```
*
* $Id: ContentListFacade.java,v 1.4 2002/05/20 08:14:09 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: ContentListFacade.java,v 1.4 2002/05/20 08:14:09 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/ContentListFacade.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DOMCDATA.java,v 1.6 2002/05/24 14:41:55 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
*
 permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
```

* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DOMCDATA.java,v 1.6 2002/05/24 14:41:55 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/dom/DOMCDATA.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: Comment.java,v 1.3 2002/05/20 08:14:11 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission
of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.

*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF
 LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: Comment.java,v 1.3 2002/05/20 08:14:11 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/Comment.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: PruningElementStack.java,v 1.6 2002/05/20 08:14:14 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.

*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON
 ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: PruningElementStack.java,v 1.6 2002/05/20 08:14:14 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/io/PruningElementStack.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: XMLWriter.java,v 1.60 2003/02/25 23:28:52 maartenc Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided

* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission
 of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF
 LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: XMLWriter.java,v 1.60 2003/02/25 23:28:52 maartenc Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/io/XMLWriter.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DefaultCDATA.java,v 1.7 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
*
   permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
```

* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DefaultCDATA.java,v 1.7 2002/05/20 08:14:10 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/DefaultCDATA.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: FlyweightProcessingInstruction.java,v 1.2 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without
 prior written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS

* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED
 AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: FlyweightProcessingInstruction.java,v 1.2 2002/05/20 08:14:10 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/FlyweightProcessingInstruction.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: InvalidXPathException.java,v 1.2 2002/05/20 08:14:11 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written

```
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON
 ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: InvalidXPathException.java,v 1.2 2002/05/20 08:14:11 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/InvalidXPathException.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: UserDataDocumentFactory.java,v 1.6 2002/05/20 08:14:13 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
```

```
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior
 written
*    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND
 ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: UserDataDocumentFactory.java,v 1.6 2002/05/20 08:14:13 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-
jar/org/dom4j/util/UserDataDocumentFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 1999-2000 by David Brownell.  All Rights Reserved.
```

```
*
* This program is open source software; you may use, copy, modify, and
* redistribute it under the terms of the LICENSE with which it was
* originally distributed.
*
* This program is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  See the
* LICENSE for more details.
*/
// retained intact.  You are free to modify AElfred for your own use and
// This program is distributed in the hope that it will be useful, but
// WITHOUT ANY WARRANTY; without even the implied warranty of
// merchantability or fitness for a particular purpose.  Please use it AT
/**
* An enhanced SAX2 version of Microstar's &AElig;lfred XML parser.
* The enhancements primarily relate to significant improvements in
* conformance to the XML specification,
 and SAX2 support.  Performance
* has been improved.  However, the &AElig;lfred proprietary APIs are
* no longer public.  See the package level documentation for more
* information.
*
* <table border="1" width='100%' cellpadding='3' cellspacing='0'>
* <tr bgcolor='#ccccff'>
*  <th><font size='+1'>Name</font></th>
*  <th><font size='+1'>Notes</font></th></tr>
*
* <tr><td colspan=2><center><em>Features ... URL prefix is
* <b>http://xml.org/sax/features/</b></em></center></td></tr>
*
* <tr><td>(URL)/external-general-entities</td>
*  <td>Value is fixed at <em>true</em></td></tr>
* <tr><td>(URL)/external-parameter-entities</td>
*  <td>Value is fixed at <em>true</em></td></tr>
* <tr><td>(URL)/namespace-prefixes</td>
*  <td>Value defaults to <em>false</em> (but XML 1.0 names are
*      always reported)</td></tr>
* <tr><td>(URL)/namespaces</td>
*  <td>Value defaults to <em>true</em></td></tr>
* <tr><td>(URL)/string-interning</td>
*  <td>Value is fixed at <em>true</em></td></tr>
 * <tr><td>(URL)/validation</td>
*  <td>Value is fixed at <em>false</em></td></tr>
*
* <tr><td colspan=2><center><em>Handler Properties ... URL prefix is
* <b>http://xml.org/sax/properties/</b></em></center></td></tr>
*
```

```
* <tr><td>(URL)/declaration-handler</td>
*  <td>A declaration handler may be provided.  Declaration of general
*  entities is exposed, but not parameter entities; none of the entity
*  names reported here will begin with "%". </td></tr>
* <tr><td>(URL)/lexical-handler</td>
*  <td>A lexical handler may be provided.  Entity boundaries and
*  comments are not exposed; only CDATA sections and the start/end of
*  the DTD (the internal subset is not detectible). </td></tr>
* </table>
*
* <p> Note that the declaration handler doesn't suffice for showing all
* the logical structure
* of the DTD; it doesn't expose the name of the root element, or the values
* that are permitted in a NOTATIONS attribute.  (The former is exposed as
* lexical data,
 and SAX2 beta doesn't expose the latter.)
*
* <p> Although support for several features and properties is "built in"
* to this parser, it support all others by storing the assigned values
* and returning them.
*
* <p>This parser currently implements the SAX1 Parser API, but
* it may not continue to do so in the future.
*
* @author Written by David Megginson &lt;dmeggins@microstar.com&gt;
*  (version 1.2a from Microstar)
* @author Updated by David Brownell &lt;david-b@pacbell.net&gt;
* @version $Date: 2002/05/24 14:41:55 $
* @see org.xml.sax.Parser
*/
```

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/io/aelfred/SAXDriver.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: ProxyDocumentFactory.java,v 1.8 2002/05/20 08:14:13 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
```

* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON
 ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: ProxyDocumentFactory.java,v 1.8 2002/05/20 08:14:13 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/util/ProxyDocumentFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.

```
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: ElementPath.java,v 1.2 2002/05/20 08:14:11 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
*
   permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
```

* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: ElementPath.java,v 1.2 2002/05/20 08:14:11 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/ElementPath.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DOMComment.java,v 1.6 2002/05/24 14:41:55 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*
  permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DOMComment.java,v 1.6 2002/05/24 14:41:55 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/dom/DOMComment.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: SAXContentHandler.java,v 1.45 2002/11/27 07:35:33 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"

* nor may "DOM4J" appear in their names without prior written
* permission of MetaStuff, Ltd. DOM4J is a registered
* trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
* (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: SAXContentHandler.java,v 1.45 2002/11/27 07:35:33 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/io/SAXContentHandler.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: Node.java,v 1.25 2002/05/20 08:14:11 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
* statements and notices. Redistributions must also contain a
* copy of this document.
*
* 2. Redistributions in binary form must reproduce the

* above copyright notice, this list of conditions and the
* following disclaimer in the documentation and/or other
* materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
* products derived from this Software without prior written
* permission
 of MetaStuff, Ltd. For written permission,
* please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
* nor may "DOM4J" appear in their names without prior written
* permission of MetaStuff, Ltd. DOM4J is a registered
* trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
* (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF
 LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: Node.java,v 1.25 2002/05/20 08:14:11 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/Node.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DefaultEntity.java,v 1.6 2002/05/20 08:14:10 jstrachan Exp $

```
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DefaultEntity.java,v 1.6 2002/05/20 08:14:10 jstrachan Exp $
*/
```

Found in path(s):

* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/DefaultEntity.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: JAXPHelper.java,v 1.3 2002/05/20 08:14:14 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
*
  permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
```

OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: JAXPHelper.java,v 1.3 2002/05/20 08:14:14 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/io/JAXPHelper.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DOMReader.java,v 1.9 2002/03/02 14:23:25 slehmann Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission
 of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project

*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF
 LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DOMReader.java,v 1.9 2002/03/02 14:23:25 slehmann Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/io/DOMReader.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DefaultPattern.java,v 1.2 2002/05/20 08:14:16 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote

```
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DefaultPattern.java,v 1.2 2002/05/20 08:14:16 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-
jar/org/dom4j/rule/pattern/DefaultPattern.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: AbstractBranch.java,v 1.37 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
```

*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: AbstractBranch.java,v 1.37 2002/05/20 08:14:10 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/AbstractBranch.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.

```
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: XMLErrorHandler.java,v 1.2 2002/05/20 08:14:13 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
```

*
* $Id: XMLErrorHandler.java,v 1.2 2002/05/20 08:14:13 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/util/XMLErrorHandler.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DOMNodeHelper.java,v 1.11 2002/06/30 13:57:37 maartenc Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DOMNodeHelper.java,v 1.11 2002/06/30 13:57:37 maartenc Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/dom/DOMNodeHelper.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: InternalEntityDecl.java,v 1.3 2002/05/20 08:14:17 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered

*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: InternalEntityDecl.java,v 1.3 2002/05/20 08:14:17 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/dtd/InternalEntityDecl.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: BackedList.java,v 1.5 2002/05/30 07:43:03 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other

```
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
*
  permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: BackedList.java,v 1.5 2002/05/30 07:43:03 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/BackedList.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DOMWriter.java,v 1.6 2002/05/20 08:14:14 jstrachan Exp $
*/
/*
```

* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*
  permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DOMWriter.java,v 1.6 2002/05/20 08:14:14 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/io/DOMWriter.java

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: QNameCache.java,v 1.10 2002/11/12 09:56:04 slehmann Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
*    permission
 of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF
```

LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: QNameCache.java,v 1.10 2002/11/12 09:56:04 slehmann Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/QNameCache.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DefaultXPath.java,v 1.26 2002/05/20 08:14:14 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).

```
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DefaultXPath.java,v 1.26 2002/05/20 08:14:14 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/xpath/DefaultXPath.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 1999-2000 by David Brownell.  All Rights Reserved.
*
* This program is open source software; you may use, copy, modify, and
* redistribute it under the terms of the LICENSE with which it was
* originally distributed.
*
* This program is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  See the
* LICENSE for more details.
*/
```

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/io/aelfred/DefaultHandler.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: AbstractElement.java,v 1.67 2003/02/12 23:46:43 maartenc Exp $
```

```
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: AbstractElement.java,v 1.67 2003/02/12 23:46:43 maartenc Exp $
*/
```

Found in path(s):

* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/AbstractElement.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: Element.java,v 1.36 2002/05/20 08:14:11 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
*
 permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
```

OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: Element.java,v 1.36 2002/05/20 08:14:11 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/Element.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DocumentSource.java,v 1.4 2002/05/20 08:14:15 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).

*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DocumentSource.java,v 1.4 2002/05/20 08:14:15 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/io/DocumentSource.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: FlyweightEntity.java,v 1.2 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written

```
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: FlyweightEntity.java,v 1.2 2002/05/20 08:14:10 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/FlyweightEntity.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: AbstractComment.java,v 1.9 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
```

```
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: AbstractComment.java,v 1.9 2002/05/20 08:14:10 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/AbstractComment.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
```

* See the bottom of this file for the licence.
*
* $Id: FlyweightText.java,v 1.2 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: FlyweightText.java,v 1.2 2002/05/20 08:14:10 jstrachan Exp $

*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/FlyweightText.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: AttributeHelper.java,v 1.2 2002/05/20 08:14:13 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: AttributeHelper.java,v 1.2 2002/05/20 08:14:13 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/util/AttributeHelper.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: UserDataAttribute.java,v 1.3 2002/05/20 08:14:13 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*

* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: UserDataAttribute.java,v 1.3 2002/05/20 08:14:13 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/util/UserDataAttribute.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: BeanElement.java,v 1.9 2002/05/20 08:14:12 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*

* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*
   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: BeanElement.java,v 1.9 2002/05/20 08:14:12 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/bean/BeanElement.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DOMDocumentFactory.java,v 1.14 2003/02/27 23:06:26 maartenc Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided

* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DOMDocumentFactory.java,v 1.14 2003/02/27 23:06:26 maartenc Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/dom/DOMDocumentFactory.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: AbstractCDATA.java,v 1.7 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
```

*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: AbstractCDATA.java,v 1.7 2002/05/20 08:14:10 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/AbstractCDATA.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: BeanAttributeList.java,v 1.4 2002/05/20 08:14:12 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: BeanAttributeList.java,v 1.4 2002/05/20 08:14:12 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/bean/BeanAttributeList.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: ElementDecl.java,v 1.2 2002/05/20 08:14:17 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*
   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*

* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: ElementDecl.java,v 1.2 2002/05/20 08:14:17 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/dtd/ElementDecl.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: AbstractAttribute.java,v 1.15 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*

* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: AbstractAttribute.java,v 1.15 2002/05/20 08:14:10 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/AbstractAttribute.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DatatypeElementFactory.java,v 1.4 2002/05/20 08:14:13 jstrachan Exp $

```
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON
 ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DatatypeElementFactory.java,v 1.4 2002/05/20 08:14:13 jstrachan Exp $
*/
```

Found in path(s):

* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/datatype/DatatypeElementFactory.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: SingleIterator.java,v 1.4 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
```

OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: SingleIterator.java,v 1.4 2002/05/20 08:14:10 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/SingleIterator.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DOMDocument.java,v 1.11 2002/05/24 14:41:55 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*
   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project

*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DOMDocument.java,v 1.11 2002/05/24 14:41:55 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/dom/DOMDocument.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: XPath.java,v 1.12 2002/05/20 08:14:11 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote

* products derived from this Software without prior written
* permission
of MetaStuff, Ltd. For written permission,
* please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
* nor may "DOM4J" appear in their names without prior written
* permission of MetaStuff, Ltd. DOM4J is a registered
* trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
* (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: XPath.java,v 1.12 2002/05/20 08:14:11 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/XPath.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DatatypeDocumentFactory.java,v 1.3 2002/05/20 08:14:13 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:

*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior
 written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND
 ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DatatypeDocumentFactory.java,v 1.3 2002/05/20 08:14:13 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-
jar/org/dom4j/datatype/DatatypeDocumentFactory.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: ElementIterator.java,v 1.3 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
```

*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: ElementIterator.java,v 1.3 2002/05/20 08:14:10 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/ElementIterator.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DefaultDocument.java,v 1.25 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DefaultDocument.java,v 1.25 2002/05/20 08:14:10 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/DefaultDocument.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: ElementNameIterator.java,v 1.5 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"

```
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON
 ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: ElementNameIterator.java,v 1.5 2002/05/20 08:14:10 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/ElementNameIterator.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DOMElement.java,v 1.16 2002/05/24 14:41:55 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
```

*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*
   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DOMElement.java,v 1.16 2002/05/24 14:41:55 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/dom/DOMElement.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: Rule.java,v 1.3 2002/05/20 08:14:12 jstrachan Exp $

```
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
*    permission
 of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
 WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: Rule.java,v 1.3 2002/05/20 08:14:12 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/rule/Rule.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: ElementHandler.java,v 1.4 2002/05/20 08:14:11 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY

OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: ElementHandler.java,v 1.4 2002/05/20 08:14:11 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/ElementHandler.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: BranchTreeNode.java,v 1.5 2002/08/13 17:26:16 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).

```
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
 OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: BranchTreeNode.java,v 1.5 2002/08/13 17:26:16 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/swing/BranchTreeNode.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: DefaultNamespaceContext.java,v 1.4 2002/07/29 15:07:00 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior
```

written
* permission of MetaStuff, Ltd. For written permission,
* please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
* nor may "DOM4J" appear in their names without prior written
* permission of MetaStuff, Ltd. DOM4J is a registered
* trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
* (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: DefaultNamespaceContext.java,v 1.4 2002/07/29 15:07:00 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/xpath/DefaultNamespaceContext.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: IllegalAddException.java,v 1.2 2002/05/20 08:14:11 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:

*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
 *   permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON
 ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: IllegalAddException.java,v 1.2 2002/05/20 08:14:11 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/IllegalAddException.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.

```
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: AbstractDocument.java,v 1.23 2002/05/20 08:14:10 jstrachan Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*    products derived from this Software without prior written
 *    permission of MetaStuff, Ltd.  For written permission,
*    please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*    nor may "DOM4J" appear in their names without prior written
*    permission of MetaStuff, Ltd. DOM4J is a registered
*    trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*    (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY
 THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
```

*
* $Id: AbstractDocument.java,v 1.23 2002/05/20 08:14:10 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/AbstractDocument.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*
* $Id: NamespaceCache.java,v 1.7 2002/11/12 09:56:04 slehmann Exp $
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote
*   products derived from this Software without prior written
*
  permission of MetaStuff, Ltd. For written permission,
*   please contact dom4j-info@metastuff.com.
*
* 4. Products derived from this Software may not be called "DOM4J"
*   nor may "DOM4J" appear in their names without prior written
*   permission of MetaStuff, Ltd. DOM4J is a registered
*   trademark of MetaStuff, Ltd.
*
* 5. Due credit should be given to the DOM4J Project
*   (http://dom4j.org/).
*
* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

* METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY
OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001 (C) MetaStuff, Ltd. All Rights Reserved.
*
* $Id: NamespaceCache.java,v 1.7 2002/11/12 09:56:04 slehmann Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252032_1649200932.61/0/dom4j-1-4-sources-jar/org/dom4j/tree/NamespaceCache.java

1.157 joda-time 2.10.1

1.157.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

==========

= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =

==========

This product includes software developed by
Joda.org (https://www.joda.org/).

1.158 saxpath 1.0 FCS

1.158.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/saxpath/saxpath/src/java/main/com/werken/saxpath/Token.java,v 1.3 2002/04/26 17:05:34
jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:05:34 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 werken digital.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "SAXPath" must not be used to endorse or
 promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@saxpath.org.
*
* 4. Products derived from this software may not be called "SAXPath", nor
*    may "SAXPath" appear in their name, without prior written permission
*    from the SAXPath Project Management (pm@saxpath.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      SAXPath Project (http://www.saxpath.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.saxpath.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
```

* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE
* DISCLAIMED. IN NO EVENT SHALL THE SAXPath AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the SAXPath Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* SAXPath Project, please see <http://www.saxpath.org/>.
*
* $Id: Token.java,v 1.3 2002/04/26
17:05:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252249_1649200669.52/0/saxpath-1-0-fcs-sources-jar/com/werken/saxpath/Token.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/saxpath/saxpath/src/java/main/com/werken/saxpath/XPathLexer.java,v 1.10 2002/04/26
17:05:34 jstrachan Exp $
* $Revision: 1.10 $
* $Date: 2002/04/26 17:05:34 $
*
* ==
*
* Copyright (C) 2000-2002 werken digital.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions, and the disclaimer that follows

```
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "SAXPath" must not be used to endorse
 or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@saxpath.org.
*
* 4. Products derived from this software may not be called "SAXPath", nor
*    may "SAXPath" appear in their name, without prior written permission
*    from the SAXPath Project Management (pm@saxpath.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      SAXPath Project (http://www.saxpath.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.saxpath.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE SAXPath AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the SAXPath Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* SAXPath Project, please see <http://www.saxpath.org/>.
*
* $Id: XPathLexer.java,v
 1.10 2002/04/26 17:05:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252249_1649200669.52/0/saxpath-1-0-fcs-sources-
jar/com/werken/saxpath/XPathLexer.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/saxpath/saxpath/src/java/main/com/werken/saxpath/DefaultXPathHandler.java,v 1.8 2002/04/26
17:05:34 jstrachan Exp $
* $Revision: 1.8 $
* $Date: 2002/04/26 17:05:34 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 werken digital.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "SAXPath" must not be used
 to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@saxpath.org.
*
* 4. Products derived from this software may not be called "SAXPath", nor
*    may "SAXPath" appear in their name, without prior written permission
*    from the SAXPath Project Management (pm@saxpath.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      SAXPath Project (http://www.saxpath.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.saxpath.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE SAXPath AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
```

* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the SAXPath Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* SAXPath Project, please see <http://www.saxpath.org/>.
*
* $Id: DefaultXPathHandler.java,v
 1.8 2002/04/26 17:05:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252249_1649200669.52/0/saxpath-1-0-fcs-sources-
jar/com/werken/saxpath/DefaultXPathHandler.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/saxpath/saxpath/src/java/main/com/werken/saxpath/XPathReader.java,v 1.22 2002/04/26
17:05:34 jstrachan Exp $
* $Revision: 1.22 $
* $Date: 2002/04/26 17:05:34 $
*
* ==
*
* Copyright (C) 2000-2002 werken digital.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "SAXPath" must not be used to endorse

or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@saxpath.org.
*
* 4. Products derived from this software may not be called "SAXPath", nor
*   may "SAXPath" appear in their name, without prior written permission
*   from the SAXPath Project Management (pm@saxpath.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   SAXPath Project (http://www.saxpath.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.saxpath.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE SAXPath AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the SAXPath Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* SAXPath Project, please see <http://www.saxpath.org/>.
*
* $Id: XPathReader.java,v
 1.22 2002/04/26 17:05:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252249_1649200669.52/0/saxpath-1-0-fcs-sources-
jar/com/werken/saxpath/XPathReader.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/saxpath/saxpath/src/java/main/org/saxpath/helpers/XPathReaderFactory.java,v 1.7 2002/04/26

17:05:34 jstrachan Exp $
* $Revision: 1.7 $
* $Date: 2002/04/26 17:05:34 $
*
* ==
*
* Copyright (C) 2000-2002 werken digital.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "SAXPath" must not be used
 to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@saxpath.org.
*
* 4. Products derived from this software may not be called "SAXPath", nor
*   may "SAXPath" appear in their name, without prior written permission
*   from the SAXPath Project Management (pm@saxpath.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   SAXPath Project (http://www.saxpath.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.saxpath.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE SAXPath AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,

* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the SAXPath Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* SAXPath Project, please see <http://www.saxpath.org/>.
*
* $Id: XPathReaderFactory.java,v
 1.7 2002/04/26 17:05:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252249_1649200669.52/0/saxpath-1-0-fcs-sources-
jar/org/saxpath/helpers/XPathReaderFactory.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/saxpath/saxpath/src/java/main/org/saxpath/XPathSyntaxException.java,v 1.5 2002/04/26
17:05:34 jstrachan Exp $
* $Revision: 1.5 $
* $Date: 2002/04/26 17:05:34 $
*
* ==
*
* Copyright (C) 2000-2002 werken digital.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "SAXPath" must not be used to endorse
 or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@saxpath.org.
*

* 4. Products derived from this software may not be called "SAXPath", nor
*   may "SAXPath" appear in their name, without prior written permission
*   from the SAXPath Project Management (pm@saxpath.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   SAXPath Project (http://www.saxpath.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.saxpath.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE SAXPath AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the SAXPath Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* SAXPath Project, please see <http://www.saxpath.org/>.
*
* $Id: XPathSyntaxException.java,v
 1.5 2002/04/26 17:05:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252249_1649200669.52/0/saxpath-1-0-fcs-sources-
jar/org/saxpath/XPathSyntaxException.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/saxpath/saxpath/src/java/main/org/saxpath/Axis.java,v 1.11 2002/04/26 17:05:34 jstrachan Exp
$
* $Revision: 1.11 $
* $Date: 2002/04/26 17:05:34 $
*

```
* ====================================================================
*
* Copyright (C) 2000-2002 werken digital.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "SAXPath" must not be used to endorse or promote
 products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@saxpath.org.
*
* 4. Products derived from this software may not be called "SAXPath", nor
*    may "SAXPath" appear in their name, without prior written permission
*    from the SAXPath Project Management (pm@saxpath.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      SAXPath Project (http://www.saxpath.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.saxpath.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED.  IN NO EVENT SHALL THE SAXPath AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
```

* This software consists of voluntary contributions made by many
* individuals on behalf of the SAXPath Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* SAXPath Project, please see <http://www.saxpath.org/>.
*
* $Id: Axis.java,v 1.11 2002/04/26 17:05:34
 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252249_1649200669.52/0/saxpath-1-0-fcs-sources-jar/org/saxpath/Axis.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/saxpath/saxpath/src/java/main/org/saxpath/SAXPathException.java,v 1.3 2002/04/26 17:05:34
jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:05:34 $
*
* ==
*
* Copyright (C) 2000-2002 werken digital.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "SAXPath" must not be used to endorse
 or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@saxpath.org.
*
* 4. Products derived from this software may not be called "SAXPath", nor
*   may "SAXPath" appear in their name, without prior written permission
*   from the SAXPath Project Management (pm@saxpath.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the

* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   SAXPath Project (http://www.saxpath.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.saxpath.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE SAXPath AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the SAXPath Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* SAXPath Project, please see <http://www.saxpath.org/>.
*
* $Id: SAXPathException.java,v
 1.3 2002/04/26 17:05:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252249_1649200669.52/0/saxpath-1-0-fcs-sources-jar/org/saxpath/SAXPathException.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/saxpath/saxpath/src/java/main/com/werken/saxpath/TokenTypes.java,v 1.4 2002/04/26
17:05:34 jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:05:34 $
*
* ==
*
* Copyright (C) 2000-2002 werken digital.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions

* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "SAXPath" must not be used to endorse
 or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@saxpath.org.
*
* 4. Products derived from this software may not be called "SAXPath", nor
*   may "SAXPath" appear in their name, without prior written permission
*   from the SAXPath Project Management (pm@saxpath.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   SAXPath Project (http://www.saxpath.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.saxpath.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE SAXPath AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the SAXPath Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* SAXPath Project, please see <http://www.saxpath.org/>.
*

* $Id: TokenTypes.java,v 1.4
 2002/04/26 17:05:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252249_1649200669.52/0/saxpath-1-0-fcs-sources-
jar/com/werken/saxpath/TokenTypes.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/saxpath/saxpath/src/java/main/org/saxpath/SAXPathEventSource.java,v 1.2 2002/04/26
17:05:34 jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:05:34 $
*
* ==
*
* Copyright (C) 2000-2002 werken digital.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "SAXPath" must not be used to endorse
 or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@saxpath.org.
*
* 4. Products derived from this software may not be called "SAXPath", nor
*   may "SAXPath" appear in their name, without prior written permission
*   from the SAXPath Project Management (pm@saxpath.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   SAXPath Project (http://www.saxpath.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.saxpath.org/

*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE SAXPath AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the SAXPath Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* SAXPath Project, please see <http://www.saxpath.org/>.
*
* $Id: SAXPathEventSource.java,v
 1.2 2002/04/26 17:05:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252249_1649200669.52/0/saxpath-1-0-fcs-sources-
jar/org/saxpath/SAXPathEventSource.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/saxpath/saxpath/src/java/main/org/saxpath/conformance/ConformanceXPathHandler.java,v 1.8
2002/04/26 17:05:34 jstrachan Exp $
* $Revision: 1.8 $
* $Date: 2002/04/26 17:05:34 $
*
* ==
*
* Copyright (C) 2000-2002 werken digital.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.

```
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "SAXPath" must not
 be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@saxpath.org.
*
* 4. Products derived from this software may not be called "SAXPath", nor
*    may "SAXPath" appear in their name, without prior written permission
*    from the SAXPath Project Management (pm@saxpath.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      SAXPath Project (http://www.saxpath.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.saxpath.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS
 FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE SAXPath AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the SAXPath Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* SAXPath Project, please see <http://www.saxpath.org/>.
*
* $Id: ConformanceXPathHandler.java,v
 1.8 2002/04/26 17:05:34 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1020252249_1649200669.52/0/saxpath-1-0-fcs-sources-jar/org/saxpath/conformance/ConformanceXPathHandler.java
No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/saxpath/saxpath/src/java/main/org/saxpath/XPathHandler.java,v 1.11 2002/04/26 17:05:34 jstrachan Exp $
* $Revision: 1.11 $
* $Date: 2002/04/26 17:05:34 $
*
* ============================================================================
*
* Copyright (C) 2000-2002 werken digital.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "SAXPath" must not be used to endorse
 or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@saxpath.org.
*
* 4. Products derived from this software may not be called "SAXPath", nor
*    may "SAXPath" appear in their name, without prior written permission
*    from the SAXPath Project Management (pm@saxpath.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      SAXPath Project (http://www.saxpath.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.saxpath.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
```

ARE
* DISCLAIMED. IN NO EVENT SHALL THE SAXPath AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the SAXPath Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* SAXPath Project, please see <http://www.saxpath.org/>.
*
* $Id: XPathHandler.java,v 1.11
 2002/04/26 17:05:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252249_1649200669.52/0/saxpath-1-0-fcs-sources-jar/org/saxpath/XPathHandler.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/saxpath/saxpath/src/java/main/org/saxpath/Operator.java,v 1.5 2002/04/26 17:05:34 jstrachan
Exp $
* $Revision: 1.5 $
* $Date: 2002/04/26 17:05:34 $
*
* ==
*
* Copyright (C) 2000-2002 werken digital.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.

*
* 3. The name "SAXPath" must not be used to endorse or promote
 products
*   derived from this software without prior written permission. For
*   written permission, please contact license@saxpath.org.
*
* 4. Products derived from this software may not be called "SAXPath", nor
*   may "SAXPath" appear in their name, without prior written permission
*   from the SAXPath Project Management (pm@saxpath.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   SAXPath Project (http://www.saxpath.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.saxpath.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE SAXPath AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the SAXPath Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* SAXPath Project, please see <http://www.saxpath.org/>.
*
* $Id: Operator.java,v 1.5 2002/04/26
 17:05:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252249_1649200669.52/0/saxpath-1-0-fcs-sources-jar/org/saxpath/Operator.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/saxpath/saxpath/src/java/main/org/saxpath/XPathReader.java,v 1.4 2002/04/26 17:05:34

jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:05:34 $
*
* ==
*
* Copyright (C) 2000-2002 werken digital.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "SAXPath" must not be used to endorse or
 promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@saxpath.org.
*
* 4. Products derived from this software may not be called "SAXPath", nor
*   may "SAXPath" appear in their name, without prior written permission
*   from the SAXPath Project Management (pm@saxpath.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   SAXPath Project (http://www.saxpath.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.saxpath.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE SAXPath AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,

* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the SAXPath Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* SAXPath Project, please see <http://www.saxpath.org/>.
*
* $Id: XPathReader.java,v 1.4 2002/04/26
 17:05:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252249_1649200669.52/0/saxpath-1-0-fcs-sources-jar/org/saxpath/XPathReader.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/saxpath/saxpath/src/java/main/org/saxpath/SAXPathParseException.java,v 1.3 2002/04/26
17:05:34 jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:05:34 $
*
* ==
*
* Copyright (C) 2000-2002 werken digital.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "SAXPath" must not be used to
 endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@saxpath.org.
*
* 4. Products derived from this software may not be called "SAXPath", nor

```
*    may "SAXPath" appear in their name, without prior written permission
*    from the SAXPath Project Management (pm@saxpath.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      SAXPath Project (http://www.saxpath.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.saxpath.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE SAXPath AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the SAXPath Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* SAXPath Project, please see <http://www.saxpath.org/>.
*
* $Id: SAXPathParseException.java,v
 1.3 2002/04/26 17:05:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1020252249_1649200669.52/0/saxpath-1-0-fcs-sources-
jar/org/saxpath/SAXPathParseException.java
```

1.159 jaxb-isorelax-library 20020414

1.159.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: IslandSchemaReader.java,v 1.4 2001/11/01 00:11:45 kkawa Exp $
```

*
* Copyright 2001 KAWAGUCHI Kohsuke
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be included
* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
* IN
 NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1020251404_1649200709.8/0/isorelax-20020414-sources-1-jar/org/iso_relax/dispatcher/IslandSchemaReader.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: SchemaProvider.java,v 1.6 2003/05/30 23:46:32 kkawa Exp $
*
* Copyright 2001 Kohsuke KAWAGUCHI
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be included
* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

* IN NO
 EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1020251404_1649200709.8/0/isorelax-20020414-sources-1-jar/org/iso_relax/dispatcher/SchemaProvider.java
No license file was found, but licenses were detected in source scan.

/***
 * Copyright (C) The Apache Software Foundation. All rights reserved.   *
 * --- *
 * This software is published under the terms of the Apache Software License *
 * version 1.1, a copy of which has been included with this distribution in *
 * the LICENSE file.   *
 ***/

Found in path(s):
* /opt/cola/permits/1020251404_1649200709.8/0/isorelax-20020414-sources-1-jar/org/iso_relax/verifier/VerifierFactory.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: Dispatcher.java,v 1.6 2003/05/30 23:46:32 kkawa Exp $
*
* Copyright 2001 MURATA Makoto, KAWAGUCHI Kohsuke
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be included
* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
 * IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

*/

Found in path(s):
* /opt/cola/permits/1020251404_1649200709.8/0/isorelax-20020414-sources-1-jar/org/iso_relax/dispatcher/Dispatcher.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: IgnoreVerifier.java,v 1.5 2003/05/30 23:46:32 kkawa Exp $
*
* Copyright 2001 Kohsuke KAWAGUCHI
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be included
* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
* IN NO
EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1020251404_1649200709.8/0/isorelax-20020414-sources-1-jar/org/iso_relax/dispatcher/impl/IgnoreVerifier.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: IslandVerifier.java,v 1.6 2003/05/30 23:46:32 kkawa Exp $
*
* Copyright 2001 MURATA Makoto, KAWAGUCHI Kohsuke
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to

* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be included
* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
 * IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1020251404_1649200709.8/0/isorelax-20020414-sources-1-jar/org/iso_relax/dispatcher/IslandVerifier.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: DispatcherImpl.java,v 1.5 2003/05/30 23:46:32 kkawa Exp $
*
* Copyright 2001 Kohsuke KAWAGUCHI
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be included
* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
* IN NO
 EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1020251404_1649200709.8/0/isorelax-20020414-sources-1-

jar/org/iso_relax/dispatcher/impl/DispatcherImpl.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: IgnoredSchema.java,v 1.5 2003/05/30 23:46:32 kkawa Exp $
*
* Copyright 2001 Kohsuke KAWAGUCHI
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be included
* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
* IN NO
 EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/
```

Found in path(s):
* /opt/cola/permits/1020251404_1649200709.8/0/isorelax-20020414-sources-1-
jar/org/iso_relax/dispatcher/impl/IgnoredSchema.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: AttributesDecl.java,v 1.3 2001/11/01 00:11:45 kkawa Exp $
*
* Copyright 2001 Kohsuke KAWAGUCHI
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be included
```

* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
* IN NO
EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1020251404_1649200709.8/0/isorelax-20020414-sources-1-jar/org/iso_relax/dispatcher/AttributesDecl.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: IslandSchema.java,v 1.5 2003/05/30 23:46:32 kkawa Exp $
*
* Copyright 2001 KAWAGUCHI Kohsuke
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be included
* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
* IN NO EVENT
SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1020251404_1649200709.8/0/isorelax-20020414-sources-1-jar/org/iso_relax/dispatcher/IslandSchema.java
No license file was found, but licenses were detected in source scan.

```
/*
* @(#)$Id: ElementDecl.java,v 1.3 2001/11/01 00:11:45 kkawa Exp $
*
* Copyright 2001 Kohsuke KAWAGUCHI
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be included
* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
* IN NO EVENT
 SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1020251404_1649200709.8/0/isorelax-20020414-sources-1-
jar/org/iso_relax/dispatcher/ElementDecl.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)$Id: AbstractSchemaProviderImpl.java,v 1.5 2003/05/30 23:46:32 kkawa Exp $
*
* Copyright 2001 Kohsuke KAWAGUCHI
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be included
* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
```

* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
* IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1020251404_1649200709.8/0/isorelax-20020414-sources-1-jar/org/iso_relax/dispatcher/impl/AbstractSchemaProviderImpl.java

1.160 apache-commons-collections 4.1

1.160.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Apache Commons Collections
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.161 xml-beans 2.6.0

1.161.1 Available under license :

Camel :: XMLBeans
Copyright 2007-2011 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

```
 ========================================================================
 ==  NOTICE file corresponding to the section 4 d of                   ==
 ==  the Apache License, Version 2.0,                                  ==
 ==  in this case for the Apache Camel distribution.                   ==
 ========================================================================
```

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Please read the different LICENSE files present in the licenses directory of
this distribution.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.162 apache-httpcomponents-core 4.4.9

1.162.1 Available under license :

Apache HttpCore
Copyright 2005-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.163 apache-http-client 4.5.5

1.163.1 Available under license :

Apache HttpClient
Copyright 1999-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.164 apache-groovy 2.4.15

1.164.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

ANTLR 2 License

Antlr2 is released in the public domain.
See licenses/antlr2-license.txt for details.

ASM 4 License

ASM 4 uses a 3-clause BSD license. For details, see licenses/asm-license.txt.

JLine2 Patch License

The following class within this product:

org.codehaus.groovy.tools.shell.completion.FileNameCompleter

was derived from JLine 2.12, and the following patch:
https://github.com/jline/jline2/issues/90
JLine2
is made available under a BSD License.
For details, see licenses/jline2-license.

JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in
collaboration with the Groovy community. The reference implementation
has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

---

normalize.css License

The stylesheet.css file (originally normalize.css) is used by the
groovydoc and docgenerator components for groovy-jdk/gapi documentation.
It is made available under a MIT License. Details: licenses/normalize-stylesheet-license.txt
Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
ASM License

ASM: a very small and fast Java bytecode manipulation framework
Copyright (c) 2000-2011 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions

are met:

1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its
  contributors may be used to endorse or promote products derived from
  this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES
 OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2002-2012, the original author or authors.
All rights reserved.

http://www.opensource.org/licenses/bsd-license.php

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the following
conditions are met:

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with
the distribution.

Neither the name of JLine nor the names of its contributors
may be used to endorse or promote products derived from this
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,

BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO
EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2006, Sun Microsystems, Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this
  list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.

- Neither the name of the Sun Microsystems, Inc. nor the names of
  contributors may be used to endorse or promote products derived from this
  software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL THE
COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.
ANTLR 2 License

We reserve no legal rights to the ANTLR--it is fully in the public domain. An individual or company may do

whatever they wish with source code distributed with ANTLR or the code generated by ANTLR, including the incorporation of ANTLR, or its output, into commerical software.

We encourage users to develop software with ANTLR. However, we do ask that credit is given to us for developing ANTLR. By "credit", we mean that if you use ANTLR or incorporate any source code into one of your programs (commercial product, research project, or otherwise) that you acknowledge this fact somewhere in the documentation, research report, etc... If you like ANTLR and have developed a nice tool with the output, please mention that you developed it using ANTLR. In addition, we ask that the headers remain intact in our source code. As long as these guidelines are kept, we expect to continue enhancing this system and expect to make other tools available as they are completed.

In countries
 where the Public Domain status of the work may not be valid, the author grants a copyright
licence to the general public to deal in the work without restriction and permission to sublicence derivates under the terms of any (OSI approved) Open Source licence.

The Python parser generator code under antlr/actions/python/ is covered by the 3-clause BSD licence (this part is included in the binary JAR files); the run-time part under lib/python/ is covered by the GNU GPL, version 3 or later (this part is not included in the binary JAR files). See [1] for the full details.

https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=750643#80%22
Apache Groovy
Copyright 2003-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

This product includes/uses ANTLR (http://www.antlr2.org/)
developed by Terence Parr 1989-2006

This product bundles icons from the famfamfam.com silk icons set
http://www.famfamfam.com/lab/icons/silk/
Licensed under the Creative Commons Attribution Licence v2.5
http://creativecommons.org/licenses/by/2.5/

1.165 xstream 1.4.10

1.165.1 Available under license :

<OWNER> = Regents of the University of California
<ORGANIZATION> = University of California, Berkeley
<YEAR> = 1998

In the original BSD license, both occurrences of the phrase "COPYRIGHT HOLDERS AND CONTRIBUTORS" in the disclaimer read "REGENTS AND CONTRIBUTORS".

Here is the license template:

Copyright (c) <YEAR>, <OWNER>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
Neither the name of the <ORGANIZATION> nor the names of its contributors may be used to endorse or promote products derived from this
software without specific prior written permission.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.166 jcommander-library 1.48

1.166.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**
* Copyright (C) 2011 the original author or authors.
* See the notice.md file distributed with this work for additional
* information regarding copyright ownership.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/IParameterValidator.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/validators/PositiveInteger.java
*
 /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/IParameterValidator2.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/validators/NoValidator.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/validators/NoValueValidator.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright (C) 2010 the original author or authors.
* See the notice.md file distributed with this work for additional
* information regarding copyright ownership.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/ParameterDescription.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/internal/Sets.java

*
/opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/converters/ISO8601DateConverter.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/ResourceBundle.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/converters/BaseConverter.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/converters/BooleanConverter.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/converters/URIConverter.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/defaultprovider/PropertyFileDefaultProvider.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/converters/LongConverter.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/converters/FileConverter.java
*
/opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/converters/PathConverter.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/converters/IntegerConverter.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/Parameters.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/IStringConverterFactory.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/IDefaultProvider.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/converters/BigDecimalConverter.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/ParameterException.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/converters/FloatConverter.java
*
/opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/converters/NoConverter.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/MissingCommandException.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/internal/Maps.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/internal/Lists.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/converters/URLConverter.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/IStringConverter.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-

jar/com/beust/jcommander/converters/StringConverter.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/ParametersDelegate.java
*
 /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/internal/DefaultConverterFactory.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/converters/DoubleConverter.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/JCommander.java
* /opt/cola/permits/1023050385_1649800663.83/0/jcommander-1-48-sources-1-jar/com/beust/jcommander/Parameter.java

1.167 plexus-io-components 1.0

1.167.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2007 The Codehaus Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-jar/org/codehaus/plexus/components/io/resources/PlexusIoURLResource.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-jar/org/codehaus/plexus/components/io/filemappers/AbstractFileMapper.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-jar/org/codehaus/plexus/components/io/resources/PlexusIoArchivedResourceCollection.java
*
 /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-jar/org/codehaus/plexus/components/io/resources/PlexusIoFileResourceCollection.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-jar/org/codehaus/plexus/components/io/resources/AbstractPlexusIoResource.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-

jar/org/codehaus/plexus/components/io/resources/AbstractPlexusIoArchiveResourceCollection.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-
jar/org/codehaus/plexus/components/io/resources/PlexusIoFileResource.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-
jar/org/codehaus/plexus/components/io/resources/AbstractPlexusIoResourceCollection.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-
jar/org/codehaus/plexus/components/io/attributes/FileAttributes.java
*
/opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-
jar/org/codehaus/plexus/components/io/resources/proxy/PlexusIoProxyResource.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-
jar/org/codehaus/plexus/components/io/resources/proxy/PlexusIoProxyResourceWithAttributes.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-
jar/org/codehaus/plexus/components/io/filemappers/FileMapper.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-
jar/org/codehaus/plexus/components/io/filemappers/IdentityMapper.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-
jar/org/codehaus/plexus/components/io/resources/proxy/PlexusIoProxyResourceCollection.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-
jar/org/codehaus/plexus/components/io/filemappers/PrefixFileMapper.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-
jar/org/codehaus/plexus/components/io/resources/PlexusIoZipFileResourceCollection.java
*
/opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-
jar/org/codehaus/plexus/components/io/fileselectors/FileInfo.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-
jar/org/codehaus/plexus/components/io/attributes/AttributeConstants.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-
jar/org/codehaus/plexus/components/io/resources/AbstractPlexusIoResourceWithAttributes.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-
jar/org/codehaus/plexus/components/io/filemappers/MergeFileMapper.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-
jar/org/codehaus/plexus/components/io/attributes/PlexusIoResourceAttributes.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-
jar/org/codehaus/plexus/components/io/attributes/PlexusIoResourceAttributeUtils.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-
jar/org/codehaus/plexus/components/io/fileselectors/FileSelector.java
*
/opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-
jar/org/codehaus/plexus/components/io/resources/PlexusIoResourceCollection.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-
jar/org/codehaus/plexus/components/io/filemappers/FileExtensionMapper.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-
jar/org/codehaus/plexus/components/io/resources/PlexusIOResourceCollectionWithAttributes.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-
jar/org/codehaus/plexus/components/io/fileselectors/AllFilesFileSelector.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-
jar/org/codehaus/plexus/components/io/fileselectors/IncludeExcludeFileSelector.java

* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-jar/org/codehaus/plexus/components/io/resources/PlexusIoCompressedFileResourceCollection.java
*
/opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-jar/org/codehaus/plexus/components/io/filemappers/FlattenFileMapper.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-jar/org/codehaus/plexus/components/io/attributes/SimpleResourceAttributes.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-jar/org/codehaus/plexus/components/io/resources/PlexusIoResourceWithAttributes.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-jar/org/codehaus/plexus/components/io/resources/PlexusIoResource.java
* /opt/cola/permits/1023260577_1649200672.2/0/plexus-io-1-0-sources-jar/org/codehaus/plexus/components/io/filemappers/RegExpFileMapper.java

1.168 maven-archiver 2.4.1

1.168.1 Available under license :

Maven Archiver
Copyright 2002-2010 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.169 default-plexus-container 1.0-alpha-9-stable-1

1.169.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001-2005 The Apache Software Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/composition/MapOrientedComponentComposer.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/MapOrientedComponent.java
*
 /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/DuplicateChildContainerException.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/discovery/PlexusXmlComponentDiscoverer.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/MapOrientedComponentConfigurator.java
No license file was found, but licenses were detected in source scan.

/*
* The MIT License
*
* Copyright (c) 2004-5, The Codehaus
*
* Permission is hereby granted, free of charge, to any person obtaining a copy of
* this software and associated documentation files (the "Software"), to deal in
* the Software without restriction, including without limitation the rights to
* use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is furnished to do
* so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in all
* copies or substantial portions of the Software.
*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE
FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/ConfigurationListener.java
No license file was found, but licenses were detected in source scan.

/*
* The MIT License
*
* Copyright (c) 2004, The Codehaus
*
* Permission is hereby granted, free of charge, to any person obtaining a copy of
* this software and associated documentation files (the "Software"), to deal in
* the Software without restriction, including without limitation the rights to
* use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is furnished to do
* so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in all
* copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/configuration/processor/ConfigurationResourceNotFoundException.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/discovery/DefaultComponentDiscoverer.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/basic/UrlConverter.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-

jar/org/codehaus/plexus/component/configurator/converters/basic/AbstractBasicConverter.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/AbstractComponentConfigurator.java
*
/opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/lookup/DefaultConverterLookup.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/manager/PerLookupComponentManager.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/SimplePlexusContainerManager.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/repository/DefaultComponentRepository.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/basic/DateConverter.java
*
/opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/expression/DefaultExpressionEvaluator.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/composite/MapConverter.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/basic/StringConverter.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/composite/PlexusConfigurationConverter.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/basic/CharConverter.java
*
/opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/PlexusContainerHost.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/discovery/DefaultComponentDiscovererManager.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/lifecycle/BasicLifecycleHandler.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/ConfigurationConverter.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/composition/DefaultComponentComposerManager.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/BasicComponentConfigurator.java
*
/opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/PlexusTestCase.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/expression/ExpressionEvaluator.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/basic/IntConverter.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/embed/Embedder.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-

jar/org/codehaus/plexus/DefaultPlexusContainer.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/basic/LongConverter.java
*
/opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/AbstractConfigurationConverter.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/lifecycle/DefaultLifecycleHandlerManager.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/factory/DefaultComponentFactoryManager.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/configuration/processor/FileConfigurationResourceHandler.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/composite/ArrayConverter.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/lookup/ConverterLookup.java
*
/opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/lifecycle/PassiveLifecycleHandler.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/configuration/processor/ConfigurationResourceHandler.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/expression/ExpressionEvaluationException.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/basic/ByteConverter.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/configuration/processor/DirectoryConfigurationResourceHandler.java
*
/opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/basic/FloatConverter.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/manager/KeepAliveSingletonComponentManager.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/composite/ObjectWithFieldsConverter.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/basic/BooleanConverter.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/manager/DefaultComponentManagerManager.java
*
/opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/composition/NoOpComponentComposer.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/repository/io/PlexusTools.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/configuration/processor/ConfigurationProcessor.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/configuration/processor/ConfigurationProcessingException.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-

jar/org/codehaus/plexus/component/configurator/converters/basic/FileConverter.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/basic/StringBufferConverter.java
*
 /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/composition/DefaultCompositionResolver.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/ComponentConfigurator.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/manager/ClassicSingletonComponentManager.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/configuration/processor/AbstractConfigurationResourceHandler.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/composite/PropertiesConverter.java
*
 /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/configuration/PlexusConfigurationMerger.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/context/DefaultContext.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/composite/CollectionConverter.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/basic/Converter.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/basic/DoubleConverter.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/composition/FieldComponentComposer.java
*
 /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/composition/SetterComponentComposer.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/basic/ShortConverter.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/configuration/xml/XmlPlexusConfiguration.java
No license file was found, but licenses were detected in source scan.

/* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 1997-2003 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.

```
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*    "This product includes software developed by the
*    Apache Software
 Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software
*    itself, if and wherever such third-party acknowledgments
*    normally appear.
*
* 4. The names "Jakarta", "Avalon", and "Apache Software Foundation"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache",
*    nor may "Apache" appear in their name, without prior written
*    permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY,
 OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/
```

Found in path(s):
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/context/Context.java

* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/logging/LogEnabled.java
*
/opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/context/ContextException.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/configuration/PlexusConfigurationException.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/logging/Logger.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/configuration/PlexusConfiguration.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2005 Your Corporation. All Rights Reserved.
*/

Found in path(s):
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/component/configurator/converters/ComponentValueSetter.java
* /opt/cola/permits/1023260514_1645233547.02/0/plexus-container-default-1-0-alpha-9-stable-1-sources-jar/org/codehaus/plexus/personality/plexus/lifecycle/phase/StoppingException.java

1.170 jacoco 0.7.6

1.170.1 Available under license :

License
=======

Copyright (c) 2009, 2016 Mountainminds GmbH & Co. KG and Contributors

The JaCoCo Java Code Coverage Library and all included documentation is made
available by Mountainminds GmbH & Co. KG, Munich. Except indicated below, the
Content is provided to you under the terms and conditions of the Eclipse Public
License Version 1.0 ("EPL"). A copy of the EPL is available at
http://www.eclipse.org/legal/epl-v10.html.

Please visit
http://www.eclemma.org/jacoco/trunk/doc/license.html
for the complete license information including third party licenses and trademarks.

1.171 jersey-media-json-jackson 2.22.2

1.171.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)
Version 1.0

*

1. Definitions.
   o

   1.1. ?Contributor? means each individual or entity that creates or contributes to the creation of Modifications.

   o

   1.2. ?Contributor Version? means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
   o

   1.3. ?Covered Software? means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
   o

   1.4. ?Executable? means the Covered Software in any form other than Source Code.
   o

   1.5. ?Initial Developer? means the individual or entity that first makes Original Software available under this License.
   o

   1.6. ?Larger Work? means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.
   o

   1.7. ?License? means this document.
   o

   1.8. ?Licensable? means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
   o

   1.9. ?Modifications? means the Source Code and Executable form of any of the following:
      +

      A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;
      +

      B. Any new file that contains any part of the Original Software or previous Modification; or
      +

C. Any new file that is contributed
or otherwise made available under the terms of this License.

o

1.10. ?Original Software? means the Source Code and Executable form of computer software code that is originally released under this License.

o

1.11. ?Patent Claims? means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

o

1.12. ?Source Code? means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

o

1.13. ?You? (or ?Your?) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, ?You? includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, ?control?
means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

*

2. License Grants.

o

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

+

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

+

(b) under Patent Claims infringed by
the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

+

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

+

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

o

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby
grants You a world-wide, royalty-free, non-exclusive license:

+

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

+

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

+

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

+

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

*

3. Distribution Obligations.

o

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available
in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium

customarily used for software exchange.

o

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

o

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

o

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients? rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

o

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient?s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

o

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

*

4. Versions of the License.

o

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

o

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the
Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

o

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to
note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

*

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN ?AS IS? BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

*

6. TERMINATION.

o

6.1. This

License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

o

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as ?Participant?) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

o

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

*

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY?S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

*

8. U.S. GOVERNMENT END USERS.

The Covered Software is a ?commercial item,? as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of ?commercial computer software? (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and ?commercial computer software documentation? as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

*

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction?s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys? fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

*

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

1.172 injectionapi 2.4.0-b34

1.172.1 Available under license :

Found license 'General Public License 2.0' in 'Copyright (c) 2010-2015 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a)
under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with
other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of
Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and
that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable
Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such
claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF
GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including,
without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You

agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any
admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to
make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software,

or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will
individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution
and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus
forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or

binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies
the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions
of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public
license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among

countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the
General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free
status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL
DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a

pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year>
<name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY;
for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more
useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

Certain source files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the

LICENSE file that accompanied this code."

You should also note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result. Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise
your ability to further distribute the package.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent
module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.
Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2010-2015 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
Copyright (c) 2010-2015 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU
General Public License Version 2 only ("GPL") or the Common Development
and Distribution License("CDDL") (collectively, the "License"). You
may not use this file except in compliance with the License. You can
obtain a copy of the License at
https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html

or packager/legal/LICENSE.txt. See the License for the specific
language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each
file and include the License file at packager/legal/LICENSE.txt.

GPL Classpath Exception:
Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the GPL Version 2 section of the License
file that accompanied this code.

Modifications:
If
applicable, add the following below the License Header, with the fields
enclosed by brackets [] replaced by your own identifying information:
"Portions Copyright [year] [name of copyright owner]"

Contributor(s):
If you wish your version of this file to be governed by only the CDDL or
only the GPL Version 2, indicate your decision by adding "[Contributor]
elects to include this software in this distribution under the [CDDL or GPL
Version 2] license." If you don't indicate a single choice of license, a
recipient has the option to distribute your version of this file under
either the CDDL, the GPL Version 2 or to extend the choice of license to
its licensees as provided above. However, if you add GPL Version 2 code
and therefore, elected the GPL Version 2 license, then the option applies
only if the new code is made subject to such option by the copyright
holder.

1.173 jersey-ext-entity-filtering 2.22.2

1.173.1 Available under license :

Found license 'General Public License 2.0' in '# Copyright (c) 2013 Oracle and/or its affiliates. All rights reserved. # The contents of this file are subject to the terms of either the GNU # General Public License Version 2 only ("GPL") or the Common Development # and Distribution License("CDDL") (collectively, the "License"). You # may not use this file except in compliance with the License. You can # Oracle designates this particular file as subject to the "Classpath" # exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in 'Copyright (c) 2013-2015 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2013-2015 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle

designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1
1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this

License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or

(2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form

and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not
remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a
result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to

limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it
from being distributed or otherwise made available
under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and

remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS,
WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally
or pursuant to
a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly

infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

1.174 objenesis 3.0.1

1.174.1 Available under license :

```
// ------------------------------------------------------------------
// NOTICE file corresponding to the section 4d of The Apache License,
// Version 2.0, in this case for Objenesis
// ------------------------------------------------------------------
```

Objenesis
Copyright 2006-2018 Joe Walnes, Henri Tremblay, Leonardo Mesquita

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.175 jersey-connectors-apache 2.22.2

1.175.1 Available under license :

Found license 'General Public License 2.0' in '# Copyright (c) 2013-2014 Oracle and/or its affiliates. All rights reserved. # The contents of this file are subject to the terms of either the GNU # General Public License Version 2 only ("GPL") or the Common Development # and Distribution License("CDDL") (collectively, the "License"). You # may not use this file except in compliance with the License. You can # Oracle designates this particular file as subject to the "Classpath" # exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2011-2015 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in 'Copyright (c) 2011-2015 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1
1. Definitions.

1.1. "Contributor" means each individual or entity that creates or
contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or
portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available
in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not
remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a
result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial

Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it
from being distributed or otherwise made available
under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS,
WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally
or pursuant to
a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such

jurisdiction's conflict-of-law
provisions. Any litigation relating to this License shall be subject
to the jurisdiction of the courts located in the jurisdiction and
venue specified in a notice contained within the Original Software,
with the losing party responsible for costs, including, without
limitation, court costs and reasonable attorneys' fees and expenses.
The application of the United Nations Convention on Contracts for
the International Sale of Goods is expressly excluded. Any law or
regulation which provides that the language of a contract shall be
construed against the drafter shall not apply to this License. You
agree that You alone are responsible for compliance with the United
States export administration regulations (and the export control
laws and regulation of any other countries) when You use, distribute
or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors,
each party is
responsible for claims and damages arising, directly or indirectly,
out of its utilization of rights under this License and You agree to
work with Initial Developer and Contributors to distribute such
responsibility on an equitable basis. Nothing herein is intended or
shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the
State of California (excluding conflict-of-law provisions). Any
litigation relating to this License shall be subject to the jurisdiction
of the Federal Courts of the Northern District of California and the
state courts of the State of California, with venue lying in Santa Clara
County, California.

1.176 xz-java 1.8

1.176.1 Available under license :

//opt/ws_local/PERMITS_SQL/1024750274_1585404755.89/0/xz-1-8-sources-jar/org/tukaani/xz/DeltaDecoder.java: * This file has been put into the public domain.

1.177 netty-project netty-4.1.38.Final

1.177.1 Available under license :

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The MIT License

Copyright (c) 2009 William Kinney

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2014 Cory Benfield

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

/*
* Copyright (c) 2004-2006, 2008, 2009, 2011 Apple Inc. All rights reserved.
*
* @APPLE_LICENSE_HEADER_START@
*
* This file contains Original Code and/or Modifications of Original Code
* as defined in and that are subject to the Apple Public Source License
* Version 2.0 (the 'License'). You may not use this file except in
* compliance with the License. Please obtain a copy of the License at
* https://www.opensource.apple.com/apsl/ and read it before using this
* file.
*
* The Original Code and all software distributed under the License are
* distributed on an 'AS IS' basis, WITHOUT WARRANTY OF ANY KIND, EITHER
* EXPRESS OR IMPLIED, AND APPLE HEREBY DISCLAIMS ALL SUCH WARRANTIES,
* INCLUDING WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT OR NON-INFRINGEMENT.
* Please see the License for the specific language governing rights and
* limitations under the License.
*
* @APPLE_LICENSE_HEADER_END@
*/

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity
of all present
and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

Copyright 2009-2010 Ning, Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not
use this file except in compliance with the License. You may obtain a copy of
the License at https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,WITHOUT
WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
License for the specific language governing permissions and limitations under
the License.
Copyright 2011, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2010-2011 Matthew J. Francis and Contributors of the jbzip2 Project

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The MIT License

Copyright (c) 2012, 2014, 2015, 2016 Tatsuhiro Tsujikawa
Copyright (c) 2012, 2014, 2015, 2016 nghttp2 contributors

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The person or persons who have associated work with this document (the
"Dedicator" or "Certifier") hereby either (a) certifies that, to the best of
his knowledge, the work of authorship identified is in the public domain of
the country from which the work is published, or (b) hereby dedicates whatever
copyright the dedicators holds in the work of authorship identified below (the
"Work") to the public domain. A certifier, moreover, dedicates any copyright
interest he may have in the associated work, and for these purposes, is
described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this
work. Certifier recognizes that his good faith efforts may not shield him from
liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to
the detriment of the Dedicator's heirs and successors. Dedicator intends this
dedication to be an overt act of relinquishment in perpetuate
of all present
and future rights under copyright law, whether vested or contingent, in the
Work. Dedicator understands that such relinquishment of all rights includes
the relinquishment of all rights to enforce (by lawsuit or otherwise) those
copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be
freely reproduced, distributed, transmitted, used, modified, built upon, or
otherwise exploited by anyone for any purpose, commercial or non-commercial,
and in any way, including by methods that have not yet been invented or
conceived.

The MIT License (MIT)

Copyright (c) 2000 - 2013 The Legion of the Bouncy Castle Inc.
(https://www.bouncycastle.org)

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
This copy of Aalto XML processor is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

https://www.apache.org/licenses/

A copy is also included with both the the downloadable source code package
and jar that contains class bytecodes, as file "ASL 2.0". In both cases,
that file should be located next to this file: in source distribution
the location should be "release-notes/asl"; and in jar "META-INF/"

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Protocol Buffers - Google's data interchange format
Copyright 2013 Google Inc. All rights reserved.
https://developers.google.com/protocol-buffers/

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above

copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
 AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner
of the input file used when generating it. This code is not
standalone and requires a support library to be linked with it. This
support library is itself covered by the above license.
(BSD License: https://www.opensource.org/licenses/bsd-license)

Copyright (c) 2011, Joe Walnes, Aslak Hellesy and contributors
All rights reserved.

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the
following conditions are met:

* Redistributions of source code must retain the above
 copyright notice, this list of conditions and the
 following disclaimer.

* Redistributions in binary form must reproduce the above
 copyright notice, this list of conditions and the
 following disclaimer in the documentation and/or other
 materials provided with the distribution.

* Neither the name of the Webbit nor the names of
 its contributors may be used to endorse or promote products
 derived from this software without specific prior written
 permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND

CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

The Netty Project
==========

Please visit the Netty web site for more information:

* https://netty.io/

Copyright 2014 The Netty Project

The Netty Project licenses this file to you under the Apache License,
version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
License for the specific language governing permissions and limitations
under the License.

Also, please refer to each LICENSE.<component>.txt file, which is located in
the 'license' directory of the distribution file, for the license terms of the
components that this product depends on.

This
product contains the extensions to Java Collections Framework which has
been derived from the works by JSR-166 EG, Doug Lea, and Jason T. Greene:

* LICENSE:
  * license/LICENSE.jsr166y.txt (Public Domain)
* HOMEPAGE:

  * http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/
  * http://viewvc.jboss.org/cgi-bin/viewvc.cgi/jbosscache/experimental/jsr166/

This product contains a modified version of Robert Harder's Public Domain
Base64 Encoder and Decoder, which can be obtained at:

 * LICENSE:
   * license/LICENSE.base64.txt (Public Domain)
 * HOMEPAGE:
   * http://iharder.sourceforge.net/current/java/base64/

This product contains a modified portion of 'Webbit', an event based
WebSocket and HTTP server, which can be obtained at:

 * LICENSE:
   * license/LICENSE.webbit.txt (BSD License)
 * HOMEPAGE:
   * https://github.com/joewalnes/webbit

This product contains a modified portion of 'SLF4J', a simple logging
facade for Java,
 which can be obtained at:

 * LICENSE:
   * license/LICENSE.slf4j.txt (MIT License)
 * HOMEPAGE:
   * https://www.slf4j.org/

This product contains a modified portion of 'Apache Harmony', an open source
Java SE, which can be obtained at:

 * NOTICE:
   * license/NOTICE.harmony.txt
 * LICENSE:
   * license/LICENSE.harmony.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://archive.apache.org/dist/harmony/

This product contains a modified portion of 'jbzip2', a Java bzip2 compression
and decompression library written by Matthew J. Francis. It can be obtained at:

 * LICENSE:
   * license/LICENSE.jbzip2.txt (MIT License)
 * HOMEPAGE:
   * https://code.google.com/p/jbzip2/

This product contains a modified portion of 'libdivsufsort', a C API library to construct
the suffix array and the Burrows-Wheeler transformed string for any input string of

a constant-size alphabet written by Yuta Mori. It can be obtained at:

 * LICENSE:
   * license/LICENSE.libdivsufsort.txt (MIT
 License)
 * HOMEPAGE:
   * https://github.com/y-256/libdivsufsort

This product contains a modified portion of Nitsan Wakart's 'JCTools', Java Concurrency Tools for the JVM, which can be obtained at:

 * LICENSE:
   * license/LICENSE.jctools.txt (ASL2 License)
 * HOMEPAGE:
   * https://github.com/JCTools/JCTools

This product optionally depends on 'JZlib', a re-implementation of zlib in
pure Java, which can be obtained at:

 * LICENSE:
   * license/LICENSE.jzlib.txt (BSD style License)
 * HOMEPAGE:
   * http://www.jcraft.com/jzlib/

This product optionally depends on 'Compress-LZF', a Java library for encoding and
decoding data in LZF format, written by Tatu Saloranta. It can be obtained at:

 * LICENSE:
   * license/LICENSE.compress-lzf.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/ning/compress

This product optionally depends on 'lz4', a LZ4 Java compression
and decompression library written by Adrien Grand. It can be obtained at:

 * LICENSE:
   * license/LICENSE.lz4.txt
 (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/jpountz/lz4-java

This product optionally depends on 'lzma-java', a LZMA Java compression
and decompression library, which can be obtained at:

 * LICENSE:
   * license/LICENSE.lzma-java.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/jponge/lzma-java

This product optionally depends on 'zstd-jni', a zstd-jni Java compression
and decompression library, which can be obtained at:

 * LICENSE:
   * license/LICENSE.zstd-jni.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/luben/zstd-jni

This product contains a modified portion of 'jfastlz', a Java port of FastLZ compression
and decompression library written by William Kinney. It can be obtained at:

 * LICENSE:
   * license/LICENSE.jfastlz.txt (MIT License)
 * HOMEPAGE:
   * https://code.google.com/p/jfastlz/

This product contains a modified portion of and optionally depends on 'Protocol Buffers', Google's data interchange
 format, which can be obtained at:

 * LICENSE:
   * license/LICENSE.protobuf.txt (New BSD License)
 * HOMEPAGE:
   * https://github.com/google/protobuf

This product optionally depends on 'Bouncy Castle Crypto APIs' to generate
a temporary self-signed X.509 certificate when the JVM does not provide the
equivalent functionality. It can be obtained at:

 * LICENSE:
   * license/LICENSE.bouncycastle.txt (MIT License)
 * HOMEPAGE:
   * https://www.bouncycastle.org/

This product optionally depends on 'Snappy', a compression library produced
by Google Inc, which can be obtained at:

 * LICENSE:
   * license/LICENSE.snappy.txt (New BSD License)
 * HOMEPAGE:
   * https://github.com/google/snappy

This product optionally depends on 'JBoss Marshalling', an alternative Java
serialization API, which can be obtained at:

 * LICENSE:
   * license/LICENSE.jboss-marshalling.txt (Apache License 2.0)

 * HOMEPAGE:
   * https://github.com/jboss-remoting/jboss-marshalling

This product
 optionally depends on 'Caliper', Google's micro-
benchmarking framework, which can be obtained at:

 * LICENSE:
   * license/LICENSE.caliper.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/google/caliper

This product optionally depends on 'Apache Commons Logging', a logging
framework, which can be obtained at:

 * LICENSE:
   * license/LICENSE.commons-logging.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://commons.apache.org/logging/

This product optionally depends on 'Apache Log4J', a logging framework, which
can be obtained at:

 * LICENSE:
   * license/LICENSE.log4j.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://logging.apache.org/log4j/

This product optionally depends on 'Aalto XML', an ultra-high performance
non-blocking XML processor, which can be obtained at:

 * LICENSE:
   * license/LICENSE.aalto-xml.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://wiki.fasterxml.com/AaltoHome

This product contains a modified version of 'HPACK', a
 Java implementation of
the HTTP/2 HPACK algorithm written by Twitter. It can be obtained at:

 * LICENSE:
   * license/LICENSE.hpack.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/twitter/hpack

This product contains a modified version of 'HPACK', a Java implementation of
the HTTP/2 HPACK algorithm written by Cory Benfield. It can be obtained at:

* LICENSE:
  * license/LICENSE.hyper-hpack.txt (MIT License)
* HOMEPAGE:
  * https://github.com/python-hyper/hpack/

This product contains a modified version of 'HPACK', a Java implementation of
the HTTP/2 HPACK algorithm written by Tatsuhiro Tsujikawa. It can be obtained at:

* LICENSE:
  * license/LICENSE.nghttp2-hpack.txt (MIT License)
* HOMEPAGE:
  * https://github.com/nghttp2/nghttp2/

This product contains a modified portion of 'Apache Commons Lang', a Java library
provides utilities for the java.lang API, which can be obtained at:

* LICENSE:
  * license/LICENSE.commons-lang.txt (Apache License
2.0)
* HOMEPAGE:
  * https://commons.apache.org/proper/commons-lang/

This product contains the Maven wrapper scripts from 'Maven Wrapper', that provides an easy way to ensure a user has everything necessary to run the Maven build.

* LICENSE:
  * license/LICENSE.mvn-wrapper.txt (Apache License 2.0)
* HOMEPAGE:
  * https://github.com/takari/maven-wrapper

This product contains the dnsinfo.h header file, that provides a way to retrieve the system DNS configuration on MacOS.
This private header is also used by Apple's open source
mDNSResponder (https://opensource.apple.com/tarballs/mDNSResponder/).

* LICENSE:
  * license/LICENSE.dnsinfo.txt (Apple Public Source License 2.0)
* HOMEPAGE:
  * https://www.opensource.apple.com/source/configd/configd-453.19/dnsinfo/dnsinfo.h

This product optionally depends on 'Brotli4j', Brotli compression and
decompression for Java., which can be obtained at:

* LICENSE:
  * license/LICENSE.brotli4j.txt (Apache License 2.0)
* HOMEPAGE:

* https://github.com/hyperxpro/Brotli4j
Copyright (c) 2003-2008 Yuta Mori All Rights Reserved.

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.
/*
* Copyright (c) 2004-2007 QOS.ch
* All rights reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Apache Harmony

Copyright 2006, 2010 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).
Copyright (c) 2000,2001,2002,2003,2004 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT,
INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE
BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA,
OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.178 jetty-java-based-http-1-x-http-2-servlet-websocket-server 9.4.14.v20181114

1.178.1 Available under license :

This program and the accompanying materials are made available under the
terms of the Eclipse Public License 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0, or the Apache Software License
2.0 which is available at https://www.apache.org/licenses/LICENSE-2.0.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is

added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein,
no assurances are provided by any
Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program
in object code form under
its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and
b) its license agreement:
i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a
medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and
b) a copy of this Agreement must be included with each copy of the Program.
Contributors may not remove or alter any copyright notices contained

within the Program.

Each Contributor must identify itself as the originator of its Contribution, if
any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial
product offering, such
Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:
a) promptly notify the Commercial Contributor in writing of such claim, and
b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,
a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each

Recipient is solely responsible for determining
the appropriateness of using
and distributing the Program and assumes all risks associated with its
exercise of rights under this Agreement , including but not limited to the
risks and costs of program errors, compliance with applicable laws, damage to
or loss of data, programs or equipment, and unavailability or interruption of
operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under
applicable
law, it shall not affect the validity or enforceability of the
remainder of the terms of this Agreement, and without further action by the
parties hereto, such provision shall be reformed to the minimum extent
necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Program itself
(excluding combinations of the Program with other software or hardware)
infringes such Recipient's patent(s), then such Recipient's rights granted
under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to
comply with any of the material terms or conditions of this Agreement and does
not cure such failure in a reasonable period of time after becoming aware of
such noncompliance. If all Recipient's rights under this Agreement terminate,
Recipient agrees to cease use and distribution
of the Program as soon as
reasonably practicable. However, Recipient's obligations under this Agreement
and any licenses granted by Recipient relating to the Program shall continue
and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in
order to avoid inconsistency the Agreement is copyrighted and may only be
modified in the following manner. The Agreement Steward reserves the right to
publish new versions (including revisions) of this Agreement from time to

time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after
a new version of the
Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works
that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously
marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative
Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions)
on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited
to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache
License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS
OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

==========

Jetty Web Container
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.

==========

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd
unless otherwise noted.

Jetty is dual licensed under both

 * The Apache 2.0 License
   http://www.apache.org/licenses/LICENSE-2.0.html

     and

 * The Eclipse Public 1.0 License
   http://www.eclipse.org/legal/epl-v10.html

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.
* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.
* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.
* org.eclipse.jetty.orbit:javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.
https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

* javax.servlet:javax.servlet-api
 * javax.annotation:javax.annotation-api
* javax.transaction:javax.transaction-api
* javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following
artifacts may be included in the distribution or downloaded when ALPN
module is selected.

* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications

are hosted at github and both modified and original are under GPL v2 with
classpath exceptions.
http://openjdk.java.net/legal/gplv2+ce.html

OW2

The following artifacts are licensed by the OW2 Foundation according to the
terms of http://asm.ow2.org/license.html

org.ow2.asm:asm-commons
org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec
org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from
following Apache Tomcat jars, all ASL2
 licensed.

org.mortbay.jasper:apache-jsp
 org.apache.tomcat:tomcat-jasper
 org.apache.tomcat:tomcat-juli
 org.apache.tomcat:tomcat-jsp-api
 org.apache.tomcat:tomcat-el-api
 org.apache.tomcat:tomcat-jasper-el
 org.apache.tomcat:tomcat-api
 org.apache.tomcat:tomcat-util-scan
 org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el
 org.apache.tomcat:tomcat-jasper-el
 org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by
Unix systems for simple password protection. Copyright 1996 Aki Yoshida,
modified April 2001 by Iris Van den Broeke, Daniel Deville.
Permission to use, copy, modify and distribute UnixCrypt
for non-commercial or commercial purposes and without fee is
granted provided that the copyright notice appears in all
copies.

1.179 freemarker 2.3.28

1.179.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

==========

The source code contains the following binaries,
which were created at the Apache FreeMarker project, and hence are

covered by the same license as the other source files of it:

src/main/misc/overloadedNumberRules/prices.ods
src/manual/en_US/docgen-originals/figures/overview.odg
src/manual/en_US/docgen-originals/figures/model2sketch_with_alpha.png
src/manual/en_US/docgen-originals/figures/tree_with_alpha.png
src/manual/en_US/favicon.png
src/manual/en_US/figures/model2sketch.png
src/manual/en_US/figures/overview.png
src/manual/en_US/figures/tree.png
src/manual/en_US/logo.png
src/manual/zh_CN/favicon.png
src/manual/zh_CN/figures/model2sketch.png
src/manual/zh_CN/figures/overview.png
src/manual/zh_CN/figures/tree.png
src/manual/zh_CN/logo.png
Apache FreeMarker
Copyright 2015-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.180 wsdl4j 1.6.3

1.180.1 Available under license :

Common Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed

in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object
code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other
entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must
be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor")
hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program
in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance

claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness
of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid
or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation
is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the

Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

1.181 jul-to-slf4j-bridge 1.7.30

1.181.1 Available under license :

Copyright (c) 2004-2007 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Copyright (c) 2004-2013 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2004-2017 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.182 checker-qual 2.10.0

1.182.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS
IN THE SOFTWARE.

1.183 jackson-module-afterburner 2.9.8

1.183.1 Available under license :

PK0P=spring-cloud-starter-netflix-ribbon-2.1.2.RELEASE-sources.jarg4G7C{ F-`DutCD !QG7Dwy>9u:g?{]ic`pqq
_Uh*C5!Jz`p4w{HIE'1z>O<(X
IRq8>H+Y/^*xBZ8}LX1~11_fg7s{{`n`[W_;2|csqpu9x2IETH=a~v<\.0'i>/d1!4F&U5xV~VBEGA?}\O7pk"i)K3)
.#RScs7,_D/_z,:*^+;J~lXE3.<%wt_3[5h]v7S,Dw5bZLI=C3tMDVrJLn9?l,Shthp
'sn}S`o [~ {:8@SI7R$
1f+U7L,`,$Ts,VIow^Mk0p_5S#[n.A **h"'v\NK:qvO< jRT2'eC@Br-KuY.czg]~\&VwiJ6W]Z>0E;zjs~OG_
g+8`?<$O{7@-A'QR+&Uz.+GlL8UODo9wTsV"yCYjI iWmz^'pkJ`pd^V{NjW)x|U#
&V~/Gl{JJ`ySR]gag{M)OL>0av
"nJ9${,VdS} .~E8[MNbW/
kN.Emkhuo~)SY_[3p^Pu#,`c
]Jcoig;C^CxJ6LY!sN~|~B3TKFxAi#g@Z@%glo:L$~A}rno$Opv^$C&=Ut+AU FF[7U-l7{a]Mc
bDcK*B*^HC:>kflV5fZu,Tt<j
JsmXl49y[iu"6\;`UNf&9OnF9i6h;tXhM())wb_UJqiZ_:)1&|,)P(~1wV,^dU_V+m9kmKw\.Lj c:47:@U3^>/-
lu58cxw_\?},|2^Re+ Ao\%IAIeJ02vB;iMASvF}
Ht|a8Q>}g6%2%~k{2##Hs-.7ZY%k*= 0{:_?d:#"8m"sq(DEZR#T?N%kx~IHNVjK
[Kz2n'JI.I8sX)U4vXcej),4{%tEgiF9J DL$j,Onb)cJY)A2N&-dRrE/3D2OLAHRr=*+bWQgbE_UG{Y-
$&6rX@_HA'"k /H(VO9C9O%FZEn6{F BtKDK1zD%u28J<kI+p%HJvQH|q
S.YCm<83=Fn8p $S2EDP$"u4x"ym
ZN!cS<a8,Iyz7KIw{{*xO#B\-*}mD $RGR;)Fp0o0V00B#c=4skVTYo4P@c4gqO*82myazgQ<_/],*Zm_M\e.
nKbdE ^O^yTd/$Vu|=Q

HJJ_k0YzH+;+Wb=u`xm
FFbkCs<dJ%_b ht&Sq:)?*TfEe{)E%@mUxT8W}y3 Z8BEFM}tEa7b,gKMUAU'07wm8AQ-+)
D\y:=GlmiN.rh;o$tSqmv}j^m}C>qT?<+^3g5&'Ac%/ei3hq9R = Npo<.Guc{^LmM9^o=!%7I%?^4cd9Hv!-
HN{2+t2Un{&sIBsfw<ov_I<vcfF
$XZE5zAocaf!"RUy6QRabLDkT)
Ce0K_ JW@"cEo,Z~Oru#U0NNyrnq}y56@HXl<_D 6s9/:`EZ91JFR"u:tu}/ksKanG'\X2
Nk>!wn!J'wu+,1iM7 e&V|b
XQU\3},6:BZa852ES$fk\s'F"*w<R47YXv'Z+DXsE1[5Kxcps`aK1dm!p~kSsct,Xo~j$Yn]RYA;D1y-
q/_\UP<ujCQ9/V@OiXj>].+ZV_]Mo/^]?d*NPX Ns![zEvb{P0"|5".?H3Nl}QZ{,4X{.Lvn=<n5t;1
'}7e/@q\
EF2@wr'Hs>|J{h2hI,-oIfU_bF;60EaGd/uV./+WJ(?>ttxuJJhTK^G}Hxwd*DGi"mU(QVN-
NXWUGJaSy3^JSTh#M^ngogsJ k+org]Thcr{+vlDE=kL3>Fr~"VH4~(` P/dSRA\H-mbzdkcf{`-
3amB~eQ4$WKg5F#*=Qx&%W`d
7=
2&Ka L6klnrtKG3'{hOX[D@"6??&$AZKjVBYlN.||6~k]5{W~onI=RjsvXa|YF1+~a+.Yhhj^8 A
({#.\][v!sR'5<;#.^Q~8zUFt#>]l0fvDyTV_v#,x\W
Q;
mmWfw|&+G'iR_VJ: ~B9_P6>oFX!)-u,?zPKDcPK9ZP6spring-cloud-netflix-sidecar-2.2.2.RELEASE-
sources.jarzex]9c1ffff333Cl13cq3_`}GVRTz$A`r}
AW4uo]ZDI
 #J/- QTU`er,SHrbQ%Qb;p7d
acm6}0o/Fc_H`__S!b0_lu;0K?E~s'8~D-x3sTV\f@jP=AKlgNi
}bIjw:FhPf:HJ/+rTo*WDqnG(LJ$JLj`eE#5_qfCvO}Tdn7L`T'=Brl4;yr.}#Ebsu<Eke@
O'Q#=TQ DKg!foY~i"AaL,#"m2F[C~#pj0~%K'ik^RQpUvpdWQG[Uu5Y)K(RT@yq`$-4a LlHgfBRe&9h-
e1\Fa~i%+\MtW*+Blzi-p7&Q1v'4U{roR d[g~65bSS{-dBU"7)7Enmi{K&6Lum(^)c7KU
a2mMbW+Cs(/0>"~e8@@llpu+%vgNhDxX%
Tf*"$8f'*f(a[Xn@${YQa/=HHHb,WAG
p>a66ff,iz0D)d|_7}i+{TFjCp}WX&k1v-I tst]B <)cri!!;D4+
%!F9\DaP7KF*nn >`
HOm-_/;ta?]w^JzC]`@!VaN=$ODc%*CsI
,wc#HH-
`Z7>3CrZR$qwCm'/p]R!/)r%?Z]Wg^zm{.{!HR@:,D}&k'1cU6/h}(5VtAVeE4vM.<%&<|+93UUlC2t~Ig#,=YiA9H
/-h`p^i8.UIVnF|x-&e<O?dAtHCDj"
c`c<seJMS$*jKr?q&cWAy: XsU/JB!5(yADY)@
e@Cj
J/J)-x53mNxHZi
7rxGwczU'mWl{T4CZd"zpphU`jU
=3X[UtteFhvE+}U+V;]cK?RM(,9W5A(m9jBkQ\~sN'yqg"}j9K)thHJ1NDo$z3n:IiAjh%ACWj;
-mj^
axurii1k/VVtPY]0|<
w\5g.lj-N)V<:y%t4c9 RNS|3(`#dcmlfh`fc{\,W_NTDo(%EQD2i=W_QH"_N%|IC~F+S
zj7i\AvyPrIe)7*nF4VwJuhA2,rS~$q$ywuWX(#B`D==>*/9Nt*1d{OApPd/pdPb@#@8dUd)Y-xQht-
RCU@^5'3NW{A8R
 f\"0[)=Eu\C]S$aIQ=<v8I80jHOeO.l/Y$E;Eh8%6J\~Q!:9_#h?h@/
4G&mZX3H>v. X98"MBb9 [,\B]tUhMu@EldpXM*;#C[{>n + t;1`<SjpZwNsHeV@o:peR^!@:olx?K]
t
>tc>lLD2C2H+W,D<g5E|N-Ve5 &M<Pc*80SB7Ox)Dg3#/G0f/e5
@ntau1;n{]L

.-&jzSy*q^1G!g&S
q"v{BItz4od^ZrIUq`fbo3GCp^:8x+FRC,uQriTL[xSO2'Z[0+s\4*#>SGzM]l].-">$905E]3b)8Us9y1MjLk}Gq-W|">%V
Snk87]U$Mv{m1{<\.:z;l7}W8$8UCs&SN4mc.F(@BH$K 8#G#g9GD@T3#?LYoD9
h;GyW%>5pNk;S0iyFbrS-]p[N8Aq]E3d37gkbnOy3 Q_v9\q&2{9`H*,/c]F6dyT"x>Nwb
kP\h,ho7r|7h:bR.)o=U
3jpdpjBS>6;)-k50\|!
dym:=& !#p[hz=^?*w
:bLWc-C (z$SK8OLjJ4:\e\4*U*YlEI,?"u'mKQ)|C7)bg{-sv
2#~YSR "Q]'
LZ]dJ5y;6?6Y)Q+EkkW#TN--Q3dxmg|PIlO0m"ZG%>btV\%?J,MsL^5N31):^f&05CD
8eDgKt"_U#H?E-)YE
4'v61gStI7k$vw^?dQ
g9*B,RYEC0}6I",,NY^yl/W;ji7t1-GdTyK~1mQa.#1X)ayorAMJK}#Q9M~J8$'*+LOIm#
{scW7F/[l0xxB?!(Kt?qpkuh$
o7[4.@rDQ{Bc(U[-b;zw" |($x=0@[xq:b#V65L!lEk<qOuQO%m
gDDwY#x+]C=odD?W8Hp+o'noI&?I#,{"m]z*A4/O>z5J@4Wf,h\twk3D#CM1O&ND{blCPV|P)^Ds'A&lom^TC7
C>e,O]K@.olsoR@cNR~~YKuYV~*$cw2dUCtdap/TzF

LN[pY-bFv9UJ3nbVzd8-3/:dhgqF5)#G/1>fkuV{|Hp&2Vf4NOw%FiU5.0}|4oBc Wn;'&SU2HT@Tg*42`}=mW
Yb ;hKs~MU<2 eIbaU:Lpgyc"svh>*bDW2TxiHrcBQU1;&QA`>l8
/KT?pAX;^[hmK y>7??4C[,ecg)`kkifY:
{<,mH>of>Pv9%EH4_VSaqx3S.s;l|ji2?Ci1-IH9N~F)bH8`p`|IKZ(;GB0^xt
RDS23v+iCL#F>Cvkqeq$
gcj%
<Tze"&-7$qm E6Z##.|#'k>|6S9/c3Wu+Mx44Rbl9dJ6)T=8yDl2g
fSL>5M_`<{:3S9Y%zmvRrhdE;)T>[+=|\O_-liv-65 o#wm8'c"7/cGjs(9yO5QkD(!9{/0
{m\NXAtJCi!uc"\<B<IP.DAaY/+;y9MmTJ
i>SPB2CuTR{4K$p8?V 7}"
/]dD;^ c^KI\+}?Y?T0hHDj*J{U$VA&#^N w%*MWa
XIoy9-aR.[1ep&(4nK%EEu_Yk!Y^*TuOy0 &iJ9a|?$
mUJrlf1gd<-T~~tz{^bbxTRZbTv~xNrx~JvHv|BrDV0,CE
+6=^}NrF\Rzjzjt<L7\h6RfX=;XZ2mYt
FrE|]k(!m;D;xtAK9#w<=@*>S$R*^:qD8,~3A=G*Bj(6ePy~R%
0$^I}2]>/"(sE-E:~xNEx)
;YZtk%jTp[XO5*p4,b@n)gye+S[&GF}zD!\\2r5|xR9x^XDvL xH%e(pExM}b-(4jWY#;>.r8&MJy#hD+|sF"2uQ
|H"bX9KZz<6J?~liW* Y_o|O|Fp2NEQ]c$)0D9mIhW{`[h x(v0_a|5Tqn:$k|LxPWO
P~@Ih>Zz~KE9U0sU*}l>qdF@ :%
$kf`phCU#:%aohb5h
sm7iCY/[64::w/aRM.-c4szto@`onq?J?zQANROBttpz8qp5H-g+]
+mVg-@W4MHWnv$]kCxm `qB[8eLiU0mnMy4g&`
^Qx
vd*yC5S~-+ |2 _>$Z5:xz/i.]{p8fM78m}kVO8PHeMGTi:~$0JHcFyaq2&<~
jg4ylkX"+*z9{L
o(B|7{|{h-ICc!s6zJVE.3RK`pDlL.RG6#swX+GBuRg5mlM;[lF}DJ#QZuU=G
m\06WaLh3SZh _`SA8va$/c)`6
@h1]C
.!=

"wj\5^XW6|OVo]\};^k3i^
9ws_Iq:D=g '!l'PX8{6Rh8*I|[Tv1^8!c/K1g3Nzj}_pSER"%F_B7F}mr"oS/]PPE:)VFXNk'47p4ZUK4

CA=6JjVHj2Lv[Gy(?"x
Mi0p=M=r)wO[YPUDl% rkX4yMc
k`WR/ABV+qKP?4Z~&`J5F?,/;QjxYg7!"\q8qMk&p-.Lq3aqolASrz#b"Koq3:7Ky0WZ6D+IB\UPU2j;\$LVs^m-
+ETHfF

A@i{nVl\BCS!srY rq25>rgYS3$`?kLjI>{GJwwqS<s9thIWR8_aHD]Zs },[1`uE1H4zG5.2khKPx]/g{?
k1B(,P`^%*Vmo?X,*r:;*$_`~9[B\jr~0a`F1P0ry$^Qa^?VL{ljcdPzKf: v?=oqM~@RTob(aO3i
[GJ,gNWA6La7.QcBz1" 451'cliDC`i|8[Ay0(.8{_)xO`5
4R,r]QNo >UYT<
r? =3LaAnfO"Zo;1mu?.5z+bYhX %
/"7J|C|8qoHjW7Ju~.{ fP 'ad mw7OiG|nsi
u~2r@_3v [Fg@.Nmjino$'+q$}4Wae3r\ZK
[Z6QXf+.s~Y9Wz`e9%)OnI.-VZHM^t:r*ppkMd# Y!Nn6fxs/
a23pT]sO,rpF;&gq|dL)BsZ{mtwciPt=+[5hmU$A@ 9t*bSI?@IbO_!` ?! G/qU'w><0O` aEw`?|Nlu ;~%~
WFwm0G;;_
w>Q6W>
0?yU|fI7W.~w$$8oh~*TPK'&2PK0PDc=spring-cloud-starter-netflix-ribbon-2.1.2.RELEASE-
sources.jarPK9ZP'&26spring-cloud-netflix-sidecar-2.2.2.RELEASE-sources.jarPK=

1.184 jaxb-xml-binding-code-generator-package 2.2.6

1.184.1 Available under license :

Found license 'General Public License 2.0' in '# Copyright (c) 1997-2012 Oracle and/or its affiliates. All rights reserved. # The contents of this file are subject to the terms of either the GNU # General Public License Version 2 only ("GPL") or the Common Development # and Distribution License("CDDL") (collectively, the "License"). You # may not use this file except in compliance with the License. You can # Oracle designates this particular file as subject to the "Classpath" # exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2005-2011 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '# Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved. # The contents of this file are subject to the terms of either the GNU # General Public License Version 2 only ("GPL") or the Common Development # and Distribution License("CDDL") (collectively, the "License"). You # may not use this file except in compliance with the License. You can # Oracle designates this particular file as subject to the "Classpath" # exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in 'Copyright (c) 2005-2011 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to

the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in 'Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

1.185 jackson-datatype-jdk8 2.9.9

1.185.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form
shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely
link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean
Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute,
all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices

that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum
to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use
the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor
harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.186 maven-model 2.0.6

1.186.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

// --
// NOTICE file corresponding to the section 4d of The Apache License,

// Version 2.0, in this case for Maven Model
// --

Maven Model
Copyright 2001-2007 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.187 maven-artifact 2.0.6

1.187.1 Available under license :

// --
// NOTICE file corresponding to the section 4d of The Apache License,

// Version 2.0, in this case for Maven Artifact
// --

Maven Artifact
Copyright 2001-2007 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.188 h2 1.3.176

1.188.1 Available under license :

Found license 'Eclipse Public License 1.0' in '* Copyright 2004-2013 H2 Group. Multiple-Licensed under the H2 License, * Version 1.0, and under the Eclipse Public License, Version 1.0 * This class is dual-licensed LGPL and under the H2 License. * This module is free software: you can redistribute it and/or * modify it under the terms of the GNU Lesser General Public * License as published by the Free Software Foundation, either * version 3 of the License, or (at your option) any later version. * See http://www.gnu.org/licenses/lgpl.html * This program is distributed in the hope that it will be useful, * PARTICULAR PURPOSE. See the GNU Lesser General Public * License for more details.'
Found license 'Eclipse Public License 1.0' in '* Copyright 2004-2013 H2 Group. Multiple-Licensed under the H2 License, * Version 1.0, and under the Eclipse Public License, Version 1.0'
Found license 'Eclipse Public License 1.0' in '* Copyright 2004-2013 H2 Group. Multiple-Licensed under the H2 License, * Version 1.0, and under the Eclipse Public License, Version 1.0 * Redistribution and use in source and binary forms, with or without * modification, are permitted provided that the following conditions are met: * 1. Redistributions of source code must retain the above copyright notice, * this list of conditions and the following disclaimer. * 2. Redistributions in binary form must reproduce the above copyright * notice, this list of conditions and the following disclaimer in the * documentation and/or other materials provided with the distribution. * 3. The name of the author may not be used to endorse or promote products * derived from this software without specific prior written permission.'
Found license 'Eclipse Public License 1.0' in '* Copyright 2004-2013 H2 Group. Multiple-Licensed under the H2 License, * Version 1.0, and under the Eclipse Public License, Version 1.0 * the algorithm is in the public domain: * or copyright. They are as much in the public domain as the solution to any'

1.189 checker-qual 2.5.5

1.189.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2005 Brian Goetz and Tim Peierls
* Released under the Creative Commons Attribution License
* (http://creativecommons.org/licenses/by/2.5)
* Official home: http://www.jcip.net

*
* Any republication or derived work distributed in source code form
* must include this copyright and license notice.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1046386584_1590042070.56/0/checker-qual-2-5-5-sources-jar/org/checkerframework/checker/lock/qual/GuardedBy.java

1.190 jsch 0.1.53

1.190.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2015 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
 SHALL JCRAFT,
INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA,
OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/DHEC256.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-

jar/com/jcraft/jsch/jce/ECDH256.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/SignatureECDSA.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/ECDH521.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/KeyPairGenECDSA.java
*
/opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/DHEC521.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/ECDH.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/SHA512.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/ECDHN.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/KeyPairGenECDSA.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/KeyPairECDSA.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/SignatureECDSA.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/ECDH384.java
*
/opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/DHEC384.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/SHA384.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/DHECN.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2012-2015 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL JCRAFT,
INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/LocalIdentityRepository.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/HMACSHA256.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/IdentityRepository.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/HMAC.java
*
/opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/Signature.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/HMACSHA512.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2008-2015 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL JCRAFT,
INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/AES192CTR.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/AES256CTR.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/TripleDESCTR.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/AES128CTR.java
*
/opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/ARCFOUR256.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/ARCFOUR128.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/ARCFOUR.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2004-2015 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO

EVENT SHALL JCRAFT,
INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/HostKeyRepository.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/GSSContext.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2006-2015 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL JCRAFT,
INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-

jar/com/jcraft/jsch/ProxySOCKS4.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jcraft/HMACMD596.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/RequestAgentForwarding.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/ChannelAgentForwarding.java
*
/opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jcraft/HMACSHA1.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jcraft/HMACSHA196.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/Logger.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jcraft/HMACMD5.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jgss/GSSContextKrb5.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jcraft/HMAC.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2002-2015 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL JCRAFT,
INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA,
OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,

EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/Compression.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/KeyPair.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/HASH.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/SHA256.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/SftpATTRS.java
*
 /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/KeyPairGenRSA.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/RequestWindowChange.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/KeyPairGenDSA.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/HMACSHA1.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/Channel.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/KeyPairDSA.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/RequestSignal.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/JSchAuthCancelException.java
*
 /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/HMACMD5.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/HMACMD596.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/UserAuthPublicKey.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/SignatureRSA.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/ChannelSession.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/SftpException.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/TripleDESCBC.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/Request.java

* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/UIKeyboardInteractive.java
*
 /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/UserAuthNone.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/ProxyHTTP.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/KeyExchange.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/SftpStatVFS.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/SocketFactory.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/KnownHosts.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/BlowfishCBC.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/MAC.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/RequestShell.java
*
 /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/RequestPtyReq.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/DHGEX.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/PortWatcher.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/ForwardedTCPIPDaemon.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/IdentityFile.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/ProxySOCKS5.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jcraft/Compression.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/SignatureRSA.java
*
 /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/Random.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/ChannelX11.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/Packet.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/ChannelSftp.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-

jar/com/jcraft/jsch/JSchException.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/Random.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/DHG1.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/ChannelShell.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/JSch.java
*
/opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/UserAuthKeyboardInteractive.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/RequestX11.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/SignatureDSA.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/HMACSHA196.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/KeyPairRSA.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/DHGEX256.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/KeyPairGenDSA.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/RequestEnv.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/Cipher.java
*
/opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/Buffer.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/UserInfo.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/SftpProgressMonitor.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/DH.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/SHA1.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/Util.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/ChannelForwardedTCPIP.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/RequestSftp.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/MD5.java
*
/opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/DH.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/IO.java

* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/UserAuthPassword.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/SignatureDSA.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/KeyPairGenRSA.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/ChannelExec.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/RequestExec.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/JSchPartialAuthException.java
*
/opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/DHG14.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/Identity.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/Session.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/ChannelDirectTCPIP.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/Proxy.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/ServerSocketFactory.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/HostKey.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/CipherNone.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/UserAuth.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2013-2015 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL JCRAFT,
INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/PBKDF.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/PBKDF.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/OpenSSHConfig.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/ConfigRepository.java
*
/opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/KeyPairPKCS8.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2005-2015 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO

EVENT SHALL JCRAFT,
INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/ChannelSubsystem.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/AES128CBC.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/AES256CBC.java
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/jce/AES192CBC.java
*
/opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/RequestSubsystem.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2006-2015 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL JCRAFT,
INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)HOWEVER CAUSED AND ON ANY THEORY OF

LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT(INCLUDING NEGLIGENCE OR OTHERWISE)ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1046386609_1590042132.17/0/jsch-0-1-53-sources-3-jar/com/jcraft/jsch/UserAuthGSSAPIWithMIC.java

1.191 animal-sniffer-annotation 1.17

1.191.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* The MIT License
*
* Copyright (c) 2008 Kohsuke Kawaguchi and codehaus.org.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1049165745_1591417514.84/0/animal-sniffer-annotations-1-17-sources-1-jar/org/codehaus/mojo/animal_sniffer/IgnoreJRERequirement.java
No license file was found, but licenses were detected in source scan.

The MIT License

Copyright (c) 2009 codehaus.org.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1049165745_1591417514.84/0/animal-sniffer-annotations-1-17-sources-1-jar/META-INF/maven/org.codehaus.mojo/animal-sniffer-annotations/pom.xml

1.192 hk2-api-module 2.5.0-b32

1.192.1 Available under license :

Found license 'General Public License 2.0' in '* Copyright (c) 2015-2016 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2007-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the

"Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2011-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2014-2016 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in 'Copyright (c) 2010-2016 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1
1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive

license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available
in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You
may not
remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in

Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it
from being distributed or otherwise made available
under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS,
WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR

LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to

work with Initial Developer and Contributors to distribute such
responsibility on an equitable basis. Nothing herein is intended or
shall be deemed to constitute any admission of liability.
NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)
The code released under the CDDL shall be governed by the laws of the
State of California (excluding conflict-of-law provisions). Any
litigation relating to this License shall be subject to the jurisdiction
of the Federal Courts of the Northern District of California and the
state courts of the State of California, with venue lying in Santa Clara
County, California.
Found license 'General Public License 2.0' in '* Copyright (c) 2013-2016 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2014-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2010-2016 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2007-2016 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2012-2016 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2013-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2011-2016 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2012-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

1.193 injectionapi 2.5.0-b32

1.193.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2009 The JSR-330 Expert Group
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1049166395_1614937289.23/0/javax-inject-2-5-0-b32-sources-3-jar/javax/inject/Scope.java
* /opt/cola/permits/1049166395_1614937289.23/0/javax-inject-2-5-0-b32-sources-3-jar/javax/inject/Provider.java
* /opt/cola/permits/1049166395_1614937289.23/0/javax-inject-2-5-0-b32-sources-3-jar/javax/inject/Qualifier.java
*
/opt/cola/permits/1049166395_1614937289.23/0/javax-inject-2-5-0-b32-sources-3-jar/javax/inject/Named.java
* /opt/cola/permits/1049166395_1614937289.23/0/javax-inject-2-5-0-b32-sources-3-jar/javax/inject/package-info.java
* /opt/cola/permits/1049166395_1614937289.23/0/javax-inject-2-5-0-b32-sources-3-jar/javax/inject/Inject.java
* /opt/cola/permits/1049166395_1614937289.23/0/javax-inject-2-5-0-b32-sources-3-jar/javax/inject/Singleton.java
No license file was found, but licenses were detected in source scan.

2016 Oracle and/or its affiliates. All rights reserved.

```
The contents of this file are subject to the terms of either the GNU
General Public License Version 2 only ("GPL") or the Common Development
and Distribution License("CDDL") (collectively, the "License").  You
may not use this file except in compliance with the License.  You can
obtain a copy of the License at
https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
```

or packager/legal/LICENSE.txt. See the License for the specific
language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each
file and include the License file at packager/legal/LICENSE.txt.

GPL Classpath Exception:
Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the GPL Version 2 section of the License
file that
accompanied this code.

Modifications:
If applicable, add the following below the License Header, with the fields
enclosed by brackets [] replaced by your own identifying information:
"Portions Copyright [year] [name of copyright owner]"

Contributor(s):
If you wish your version of this file to be governed by only the CDDL or
only the GPL Version 2, indicate your decision by adding "[Contributor]
elects to include this software in this distribution under the [CDDL or GPL
Version 2] license." If you don't indicate a single choice of license, a
recipient has the option to distribute your version of this file under
either the CDDL, the GPL Version 2 or to extend the choice of license to
its licensees as provided above. However, if you add GPL Version 2 code
and therefore, elected the GPL Version 2 license, then the option applies
only if the new code is made subject to such option by the copyright
holder.

Found in path(s):
*
/opt/cola/permits/1049166395_1614937289.23/0/javax-inject-2-5-0-b32-sources-3-jar/pom.xml

1.194 hk2-implementation-utilities 2.5.0-b32

1.194.1 Available under license :

Found license 'General Public License 2.0' in '* Copyright (c) 2015-2016 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2007-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2014-2016 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in 'Copyright (c) 2010-2016 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1
1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this
document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable
by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by

that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available
in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You
may not
remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section

4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it
from being distributed or otherwise made available
under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS,
WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach.

Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT

APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors,

each party is
responsible for claims and damages arising, directly or indirectly,
out of its utilization of rights under this License and You agree to
work with Initial Developer and Contributors to distribute such
responsibility on an equitable basis. Nothing herein is intended or
shall be deemed to constitute any admission of liability.
NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)
The code released under the CDDL shall be governed by the laws of the
State of California (excluding conflict-of-law provisions). Any
litigation relating to this License shall be subject to the jurisdiction
of the Federal Courts of the Northern District of California and the
state courts of the State of California, with venue lying in Santa Clara
County, California.
Found license 'General Public License 2.0' in '* Copyright (c) 2014-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2010-2016 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2012-2016 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2013-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2012-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

1.195 servicelocator-default-implementation 2.5.0-b32

1.195.1 Available under license :

Found license 'General Public License 2.0' in '* Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2014-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2010-2016 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2012-2016 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2013-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in 'Copyright (c) 2010-2016 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1
1. Definitions.

1.1. "Contributor" means each individual or entity that creates or
contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software

code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject

to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or
portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available
in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not
remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a
result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such

terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it
from being distributed or otherwise made available
under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS

IS" BASIS,
WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally
or pursuant to
a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above,

all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such

jurisdiction's conflict-of-law
provisions. Any litigation relating to this License shall be subject
to the jurisdiction of the courts located in the jurisdiction and
venue specified in a notice contained within the Original Software,
with the losing party responsible for costs, including, without
limitation, court costs and reasonable attorneys' fees and expenses.
The application of the United Nations Convention on Contracts for
the International Sale of Goods is expressly excluded. Any law or
regulation which provides that the language of a contract shall be
construed against the drafter shall not apply to this License. You
agree that You alone are responsible for compliance with the United
States export administration regulations (and the export control
laws and regulation of any other countries) when You use, distribute
or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors,
each party is
responsible for claims and damages arising, directly or indirectly,
out of its utilization of rights under this License and You agree to
work with Initial Developer and Contributors to distribute such
responsibility on an equitable basis. Nothing herein is intended or
shall be deemed to constitute any admission of liability.
NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)
The code released under the CDDL shall be governed by the laws of the
State of California (excluding conflict-of-law provisions). Any
litigation relating to this License shall be subject to the jurisdiction
of the Federal Courts of the Northern District of California and the
state courts of the State of California, with venue lying in Santa Clara
County, California.
Found license 'General Public License 2.0' in '* Copyright (c) 2012-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

1.196 aopalliance-version-repackaged-as-a-module 2.5.0-b32

1.196.1 Available under license :

No license file was found, but licenses were detected in source scan.

2016 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU
General Public License Version 2 only ("GPL") or the Common Development
and Distribution License("CDDL") (collectively, the "License"). You
may not use this file except in compliance with the License. You can
obtain a copy of the License at
https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
or packager/legal/LICENSE.txt. See the License for the specific
language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each
file and include the License file at packager/legal/LICENSE.txt.

GPL Classpath Exception:
Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the GPL Version 2 section of the License
file that
accompanied this code.

Modifications:
If applicable, add the following below the License Header, with the fields
enclosed by brackets [] replaced by your own identifying information:
"Portions Copyright [year] [name of copyright owner]"

Contributor(s):
If you wish your version of this file to be governed by only the CDDL or
only the GPL Version 2, indicate your decision by adding "[Contributor]
elects to include this software in this distribution under the [CDDL or GPL
Version 2] license." If you don't indicate a single choice of license, a
recipient has the option to distribute your version of this file under
either the CDDL, the GPL Version 2 or to extend the choice of license to
its licensees as provided above. However, if you add GPL Version 2 code
and therefore, elected the GPL Version 2 license, then the option applies
only if the new code is made subject to such option by the copyright
holder.

Found in path(s):
*
/opt/cola/permits/1049166094_1614835431.76/0/aopalliance-repackaged-2-5-0-b32-sources-jar/pom.xml

1.197 jcl-1-2-implemented-over-slf4j 1.7.30

1.197.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

Found in path(s):

* /opt/cola/permits/1049595338_1647856010.49/0/jcl-over-slf4j-1-7-30-1-jar/META-INF/maven/org.slf4j/jcl-over-slf4j/pom.xml

1.198 apache-httpcomponents-core 4.4.13

1.198.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Apache HttpComponents Core
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.199 servlet 1.0

1.199.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 2011, Harald Kuhr
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are met:
*     * Redistributions of source code must retain the above copyright
*       notice, this list of conditions and the following disclaimer.
*     * Redistributions in binary form must reproduce the above copyright
*       notice, this list of conditions and the following disclaimer in the
*       documentation and/or other materials provided with the distribution.
*     * Neither the name "TwelveMonkeys" nor the
*       names of its contributors may be used to endorse or promote products
*       derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT
 NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
* A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/StaticContentServlet.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 2013, Harald Kuhr
```

* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are met:
*   * Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*   * Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
*   * Neither the name "TwelveMonkeys" nor the
*   names of its contributors may be used to endorse or promote products
*   derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT
 NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
* A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/ServletAttributesMapAdapter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2008, Harald Kuhr
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are met:
*   * Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*   * Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
*   * Neither the name "TwelveMonkeys" nor the
*   names of its contributors may be used to endorse or promote products
*   derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT
 NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
* A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/image/ImageFilter.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/cache/CacheResponseWrapper.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/image/ImageServletResponse.java
*
 /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/image/ImageServletResponseImpl.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/image/RotateFilter.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/HttpServlet.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/fileupload/UploadedFileImpl.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/cache/WritableCachedResponse.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/ThrottleFilter.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/image/ImageServletException.java
*
 /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/gzip/GZIPResponseWrapper.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/cache/HTTPCache.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/image/CropFilter.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/GenericServlet.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/image/ComposeFilter.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/ServletResponseStreamDelegate.java

* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/ServletUtil.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/cache/WritableCachedResponseImpl.java
*
 /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/gzip/GZIPFilter.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/InitParam.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/BrowserHelperFilter.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/TimingFilter.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/GenericFilter.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/OutputStreamAdapter.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/fileupload/FileUploadFilter.java
*
 /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/fileupload/HttpFileUploadRequest.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/image/NullImageFilter.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/cache/CachedResponseImpl.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/image/BufferedImageOpAdapter.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/TrimWhiteSpaceFilter.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/fileupload/UploadedFile.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/fileupload/HttpFileUploadRequestWrapper.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/image/ColorServlet.java
*
 /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/DebugServlet.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/ProxyServlet.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/ServletConfigException.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/cache/CachedEntityImpl.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/cache/CachedEntity.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-

jar/com/twelvemonkeys/servlet/ServletConfigMapAdapter.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/image/ContentNegotiationFilter.java
*
 /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/image/ScaleFilter.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/fileupload/FileUploadException.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/cache/CacheFilter.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/cache/SerlvetCacheResponseWrapper.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/image/AWTImageFilterAdapter.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/cache/CachedResponse.java
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-
jar/com/twelvemonkeys/servlet/fileupload/FileSizeExceededException.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2012, Harald Kuhr
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are met:
*   * Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*   * Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
*   * Neither the name "TwelveMonkeys" nor the
*   names of its contributors may be used to endorse or promote products
*   derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT
 NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
* A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1050349369_1591731285.65/0/servlet-1-0-sources-1-jar/com/twelvemonkeys/servlet/image/IIOProviderContextListener.java

1.200 apache-commons-exec 1.3

1.200.1 Available under license :

Apache Commons Exec
Copyright 2005-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
/*
* Apache License
* Version 2.0, January 2004
* http://www.apache.org/licenses/
*
* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
*
* 1. Definitions.
*
* "License" shall mean the terms and conditions for use, reproduction,
* and distribution as defined by Sections 1 through 9 of this document.
*
* "Licensor" shall mean the copyright owner or entity authorized by
* the copyright owner that is granting the License.
*
* "Legal Entity" shall mean the union of the acting entity and all
* other entities that control, are controlled by, or are under common
* control with that entity. For the purposes of this definition,
* "control" means (i) the power, direct or indirect, to cause the
* direction or management of such entity, whether by contract or
* otherwise, or (ii) ownership of fifty percent (50%) or
more of the
* outstanding shares, or (iii) beneficial ownership of such entity.
*
* "You" (or "Your") shall mean an individual or Legal Entity
* exercising permissions granted by this License.
*
* "Source" form shall mean the preferred form for making modifications,
* including but not limited to software source code, documentation
* source, and configuration files.
*
* "Object" form shall mean any form resulting from mechanical
* transformation or translation of a Source form, including but
* not limited to compiled object code, generated documentation,

```
*      and conversions to other media types.
*
*      "Work" shall mean the work of authorship, whether in Source or
*      Object form, made available under the License, as indicated by a
*      copyright notice that is included in or attached to the work
*      (an example is provided in the Appendix below).
*
*      "Derivative Works" shall mean any
 work, whether in Source or Object
*      form, that is based on (or derived from) the Work and for which the
*      editorial revisions, annotations, elaborations, or other modifications
*      represent, as a whole, an original work of authorship. For the purposes
*      of this License, Derivative Works shall not include works that remain
*      separable from, or merely link (or bind by name) to the interfaces of,
*      the Work and Derivative Works thereof.
*
*      "Contribution" shall mean any work of authorship, including
*      the original version of the Work and any modifications or additions
*      to that Work or Derivative Works thereof, that is intentionally
*      submitted to Licensor for inclusion in the Work by the copyright owner
*      or by an individual or Legal Entity authorized to submit on behalf of
*      the copyright owner. For the purposes of this definition, "submitted"
*      means any form of electronic, verbal, or written communication
 sent
*      to the Licensor or its representatives, including but not limited to
*      communication on electronic mailing lists, source code control systems,
*      and issue tracking systems that are managed by, or on behalf of, the
*      Licensor for the purpose of discussing and improving the Work, but
*      excluding communication that is conspicuously marked or otherwise
*      designated in writing by the copyright owner as "Not a Contribution."
*
*      "Contributor" shall mean Licensor and any individual or Legal Entity
*      on behalf of whom a Contribution has been received by Licensor and
*      subsequently incorporated within the Work.
*
*   2. Grant of Copyright License. Subject to the terms and conditions of
*      this License, each Contributor hereby grants to You a perpetual,
*      worldwide, non-exclusive, no-charge, royalty-free, irrevocable
*      copyright license to reproduce, prepare Derivative Works of,
*
 publicly display, publicly perform, sublicense, and distribute the
*      Work and such Derivative Works in Source or Object form.
*
*   3. Grant of Patent License. Subject to the terms and conditions of
*      this License, each Contributor hereby grants to You a perpetual,
*      worldwide, non-exclusive, no-charge, royalty-free, irrevocable
*      (except as stated in this section) patent license to make, have made,
*      use, offer to sell, sell, import, and otherwise transfer the Work,
```

```
*      where such license applies only to those patent claims licensable
*      by such Contributor that are necessarily infringed by their
*      Contribution(s) alone or by combination of their Contribution(s)
*      with the Work to which such Contribution(s) was submitted. If You
*      institute patent litigation against any entity (including a
*      cross-claim or counterclaim in a lawsuit) alleging that the Work
*      or a Contribution incorporated within the Work
 constitutes direct
*      or contributory patent infringement, then any patent licenses
*      granted to You under this License for that Work shall terminate
*      as of the date such litigation is filed.
*
*    4. Redistribution. You may reproduce and distribute copies of the
*      Work or Derivative Works thereof in any medium, with or without
*      modifications, and in Source or Object form, provided that You
*      meet the following conditions:
*
*      (a) You must give any other recipients of the Work or
*          Derivative Works a copy of this License; and
*
*      (b) You must cause any modified files to carry prominent notices
*          stating that You changed the files; and
*
*      (c) You must retain, in the Source form of any Derivative Works
*          that You distribute, all copyright, patent, trademark, and
*          attribution notices from the Source form of the Work,
*          excluding those notices that do not pertain
 to any part of
*          the Derivative Works; and
*
*      (d) If the Work includes a "NOTICE" text file as part of its
*          distribution, then any Derivative Works that You distribute must
*          include a readable copy of the attribution notices contained
*          within such NOTICE file, excluding those notices that do not
*          pertain to any part of the Derivative Works, in at least one
*          of the following places: within a NOTICE text file distributed
*          as part of the Derivative Works; within the Source form or
*          documentation, if provided along with the Derivative Works; or,
*          within a display generated by the Derivative Works, if and
*          wherever such third-party notices normally appear. The contents
*          of the NOTICE file are for informational purposes only and
*          do not modify the License. You may add Your own attribution
*          notices within Derivative Works that
 You distribute, alongside
*          or as an addendum to the NOTICE text from the Work, provided
*          that such additional attribution notices cannot be construed
*          as modifying the License.
*
```

* You may add Your own copyright statement to Your modifications and
* may provide additional or different license terms and conditions
* for use, reproduction, or distribution of Your modifications, or
* for any such Derivative Works as a whole, provided Your use,
* reproduction, and distribution of the Work otherwise complies with
* the conditions stated in this License.
*
* 5. Submission of Contributions. Unless You explicitly state otherwise,
* any Contribution intentionally submitted for inclusion in the Work
* by You to the Licensor shall be under the terms and conditions of
* this License, without any additional terms or conditions.
* Notwithstanding the above, nothing herein shall supersede
or modify
* the terms of any separate license agreement you may have executed
* with Licensor regarding such Contributions.
*
* 6. Trademarks. This License does not grant permission to use the trade
* names, trademarks, service marks, or product names of the Licensor,
* except as required for reasonable and customary use in describing the
* origin of the Work and reproducing the content of the NOTICE file.
*
* 7. Disclaimer of Warranty. Unless required by applicable law or
* agreed to in writing, Licensor provides the Work (and each
* Contributor provides its Contributions) on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
* implied, including, without limitation, any warranties or conditions
* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
* PARTICULAR PURPOSE. You are solely responsible for determining the
* appropriateness of using or
redistributing the Work and assume any
* risks associated with Your exercise of permissions under this License.
*
* 8. Limitation of Liability. In no event and under no legal theory,
* whether in tort (including negligence), contract, or otherwise,
* unless required by applicable law (such as deliberate and grossly
* negligent acts) or agreed to in writing, shall any Contributor be
* liable to You for damages, including any direct, indirect, special,
* incidental, or consequential damages of any character arising as a
* result of this License or out of the use or inability to use the
* Work (including but not limited to damages for loss of goodwill,
* work stoppage, computer failure or malfunction, or any and all
* other commercial damages or losses), even if such Contributor
* has been advised of the possibility of such damages.
*
* 9. Accepting Warranty or Additional Liability. While redistributing
* the Work or Derivative Works thereof, You may choose to offer,
* and charge a fee for, acceptance of support, warranty, indemnity,
* or other liability obligations and/or rights consistent with this

```
*      License. However, in accepting such obligations, You may act only
*      on Your own behalf and on Your sole responsibility, not on behalf
*      of any other Contributor, and only if You agree to indemnify,
*      defend, and hold each Contributor harmless for any liability
*      incurred by, or claims asserted against, such Contributor by reason
*      of your accepting any such warranty or additional liability.
*
*   END OF TERMS AND CONDITIONS
*
*   APPENDIX: How to apply the Apache License to your work.
*
*      To apply the Apache License to your work, attach the following
*      boilerplate notice, with the fields enclosed by brackets "[]"
*      replaced with your own identifying information. (Don't include
*      the
 brackets!)  The text should be enclosed in the appropriate
*      comment syntax for the file format. We also recommend that a
*      file or class name and description of purpose be included on the
*      same "printed page" as the copyright notice for easier
*      identification within third-party archives.
*
*   Copyright [yyyy] [name of copyright owner]
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at
*
*       http://www.apache.org/licenses/LICENSE-2.0
*
*   Unless required by applicable law or agreed to in writing, software
*   distributed under the License is distributed on an "AS IS" BASIS,
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
*/
```

1.201 google-gson 2.8.0

1.201.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
* Copyright (C) 2008 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
```

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/internal/$Gson$Types.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/stream/JsonReader.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/stream/MalformedJsonException.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/stream/JsonScope.java
*
 /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/stream/JsonToken.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/stream/JsonWriter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/internal/UnsafeAllocator.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/internal/bind/TimeTypeAdapter.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/internal/LazilyParsedNumber.java
*
 /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/internal/bind/SqlDateTypeAdapter.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/internal/bind/DateTypeAdapter.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/internal/ConstructorConstructor.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/internal/bind/TreeTypeAdapter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/LongSerializationPolicy.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/JsonStreamParser.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/FieldAttributes.java

*
/opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/JsonParser.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 The Android Open Source Project
* Copyright (C) 2012 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/internal/LinkedTreeMap.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/internal/LinkedHashTreeMap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/internal/bind/JsonTreeWriter.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-

jar/com/google/gson/internal/bind/ReflectiveTypeAdapterFactory.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-
jar/com/google/gson/internal/JsonReaderInternalAccess.java
*
/opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-
jar/com/google/gson/internal/bind/JsonTreeReader.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-
jar/com/google/gson/internal/bind/TypeAdapterRuntimeTypeWrapper.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-
jar/com/google/gson/internal/bind/ObjectTypeAdapter.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-
jar/com/google/gson/internal/bind/TypeAdapters.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-
jar/com/google/gson/internal/bind/CollectionTypeAdapterFactory.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/TypeAdapter.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-
jar/com/google/gson/TypeAdapterFactory.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-
jar/com/google/gson/internal/bind/ArrayTypeAdapter.java
*
/opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-
jar/com/google/gson/internal/bind/MapTypeAdapterFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-
jar/com/google/gson/annotations/JsonAdapter.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-
jar/com/google/gson/internal/bind/JsonAdapterAnnotationTypeAdapterFactory.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2008 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/JsonIOException.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/JsonParseException.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/FieldNamingStrategy.java
*
/opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/annotations/Since.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/DefaultDateTypeAdapter.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/JsonSerializationContext.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/annotations/SerializedName.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/internal/Excluder.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/JsonDeserializer.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/JsonDeserializationContext.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/JsonObject.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/internal/$Gson$Preconditions.java
*
/opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/internal/Primitives.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/internal/ObjectConstructor.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/InstanceCreator.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/GsonBuilder.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/Gson.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/ExclusionStrategy.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/JsonPrimitive.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/JsonNull.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/reflect/TypeToken.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/JsonArray.java

*
/opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/annotations/Until.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/FieldNamingPolicy.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/JsonElement.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/annotations/Expose.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/JsonSerializer.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/JsonSyntaxException.java
* /opt/cola/permits/1051803203_1649200902.43/0/gson-2-8-0-sources-jar/com/google/gson/internal/Streams.java

1.202 apache-poi 3.17

1.202.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

APACHE POI SUBCOMPONENTS:

Apache POI includes subcomponents with separate copyright notices and
license terms. Your use of these subcomponents is subject to the terms
and conditions of the following licenses:

Office Open XML schemas (ooxml-schemas-1.*.jar)

The Office Open XML schema definitions used by Apache POI are
a part of the Office Open XML ECMA Specification (ECMA-376, [1]).
As defined in section 9.4 of the ECMA bylaws [2], this specification
is available to all interested parties without restriction:

9.4 All documents when approved shall be made available to
all interested parties without
restriction.

Furthermore, both Microsoft and Adobe have granted patent licenses
to this work [3,4,5].

[1] http://www.ecma-international.org/publications/standards/Ecma-376.htm
[2] http://www.ecma-international.org/memento/Ecmabylaws.htm
[3] http://www.microsoft.com/openspecifications/en/us/programs/osp/default.aspx
[4] http://www.ecma-international.org/publications/files/ECMA-ST/Ecma%20PATENT/
Patent%20statements%20ok/ECMA-376%20Edition%202%20Microsoft%20Patent%20Declaration.pdf
[5] http://www.ecma-international.org/publications/files/ECMA-ST/Ecma%20PATENT/
Patent%20statements%20ok/ECMA-376%20Adobe%20Patent%20Declaration.pdf

Bouncy Castle library (bcprov-*.jar, bcpg-*.jar, bcpkix-*.jar)

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to
deal in the Software without restriction, including without limitation the
rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

JUnit test library (junit-4.*.jar) & JaCoCo (*jacoco*)

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under

Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based
on infringement of intellectual property rights or
otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties
and
conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and

consequential damages, such as lost profits;
iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and
b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are

such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and

does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient
agrees to cease use and distribution of the Program as
soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject
to the version
of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Hamcrest library (hamcrest-*.jar) & CuvesAPI / Curve API

BSD License

Copyright (c) 2000-2006, www.hamcrest.org
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials

provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used
to endorse or promote products derived from this software without specific
prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

SLF4J library (slf4j-api-*.jar)

Copyright (c) 2004-2013 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell
copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

inbot-utils (https://github.com/Inbot/inbot-utils)

The MIT License (MIT)

Copyright (c) 2015 Inbot

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software
and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache POI
Copyright 2003-2017 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (https://www.apache.org/).

This product contains parts that were originally based on software from BEA.
Copyright (c) 2000-2003, BEA Systems, <http://www.bea.com/> (dead link),
which was acquired by Oracle Corporation in 2008.
<http://www.oracle.com/us/corporate/Acquisitions/bea/index.html>
<https://en.wikipedia.org/wiki/BEA_Systems>

This product contains W3C XML Schema documents. Copyright 2001-2003 (c)
World Wide Web Consortium (Massachusetts Institute of Technology, European
Research Consortium for Informatics and Mathematics, Keio University)

This product contains the Piccolo XML Parser for Java
(http://piccolo.sourceforge.net/). Copyright 2002 Yuval Oren.

This product contains the chunks_parse_cmds.tbl file from the vsdump program.
Copyright (C) 2006-2007 Valek Filippov (frob@df.ru)

This product contains parts of the eID Applet project
<http://eid-applet.googlecode.com>
and <https://github.com/e-Contract/eid-applet>.
Copyright (c) 2009-2014
FedICT (federal ICT department of Belgium), e-Contract.be BVBA (https://www.e-contract.be),
Bart Hanssens from FedICT

1.203 apache-poi-ooxml 3.17

1.203.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

APACHE POI SUBCOMPONENTS:

Apache POI includes subcomponents with separate copyright notices and
license terms. Your use of these subcomponents is subject to the terms
and conditions of the following licenses:

Office Open XML schemas (ooxml-schemas-1.*.jar)

The Office Open XML schema definitions used by Apache POI are
a part of the Office Open XML ECMA Specification (ECMA-376, [1]).
As defined in section 9.4 of the ECMA bylaws [2], this specification
is available to all interested parties without restriction:

9.4 All documents when approved shall be made available to
all interested parties without
restriction.

Furthermore, both Microsoft and Adobe have granted patent licenses
to this work [3,4,5].

[1] http://www.ecma-international.org/publications/standards/Ecma-376.htm
[2] http://www.ecma-international.org/memento/Ecmabylaws.htm

[3] http://www.microsoft.com/openspecifications/en/us/programs/osp/default.aspx
[4] http://www.ecma-international.org/publications/files/ECMA-ST/Ecma%20PATENT/Patent%20statements%20ok/ECMA-376%20Edition%202%20Microsoft%20Patent%20Declaration.pdf
[5] http://www.ecma-international.org/publications/files/ECMA-ST/Ecma%20PATENT/Patent%20statements%20ok/ECMA-376%20Adobe%20Patent%20Declaration.pdf

Bouncy Castle library (bcprov-*.jar, bcpg-*.jar, bcpkix-*.jar)

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to
deal in the Software without restriction, including without limitation the
rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

JUnit test library (junit-4.*.jar) & JaCoCo (*jacoco*)

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation
distributed under this Agreement, and
b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are
distributed by that particular Contributor. A Contribution 'originates' from
a Contributor if it was added to the Program by such Contributor itself or

anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person
or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under

Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based
on infringement of intellectual property rights or
otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and
b) its license agreement:
i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and
b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs

(collectively "Losses") arising from
claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor.
If
that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all
risks
associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this

Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Hamcrest library (hamcrest-*.jar) & CuvesAPI / Curve API

BSD License

Copyright (c) 2000-2006, www.hamcrest.org
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

SLF4J library (slf4j-api-*.jar)

Copyright (c) 2004-2013 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

inbot-utils (https://github.com/Inbot/inbot-utils)

The MIT License (MIT)

Copyright (c) 2015 Inbot

Permission is hereby granted, free of charge, to any person obtaining a copy of this software
and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache POI
Copyright 2003-2017 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (https://www.apache.org/).

This product contains parts that were originally based on software from BEA.
Copyright (c) 2000-2003, BEA Systems, <http://www.bea.com/> (dead link),
which was acquired by Oracle Corporation in 2008.
<http://www.oracle.com/us/corporate/Acquisitions/bea/index.html>
<https://en.wikipedia.org/wiki/BEA_Systems>

This product contains W3C XML Schema documents. Copyright 2001-2003 (c)
World Wide Web Consortium (Massachusetts Institute of Technology, European
Research Consortium for Informatics and Mathematics, Keio University)

This product contains the Piccolo XML Parser for Java
(http://piccolo.sourceforge.net/). Copyright 2002 Yuval Oren.

This product contains the chunks_parse_cmds.tbl file from the vsdump program.
Copyright (C) 2006-2007 Valek Filippov (frob@df.ru)

This product contains parts of the eID Applet project
<http://eid-applet.googlecode.com>
and <https://github.com/e-Contract/eid-applet>.
Copyright (c) 2009-2014
FedICT (federal ICT department of Belgium), e-Contract.be BVBA (https://www.e-contract.be),
Bart Hanssens from FedICT

1.204 apache-poi-ooxml-schemas 3.17

1.204.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

APACHE POI SUBCOMPONENTS:

Apache POI includes subcomponents with separate copyright notices and
license terms. Your use of these subcomponents is subject to the terms
and conditions of the following licenses:

Office Open XML schemas (ooxml-schemas-1.*.jar)

The Office Open XML schema definitions used by Apache POI are
a part of the Office Open XML ECMA Specification (ECMA-376, [1]).
As defined in section 9.4 of the ECMA bylaws [2], this specification
is available to all interested parties without restriction:

9.4 All documents when approved shall be made available to
all interested parties without
restriction.

Furthermore, both Microsoft and Adobe have granted patent licenses
to this work [3,4,5].

[1] http://www.ecma-international.org/publications/standards/Ecma-376.htm
[2] http://www.ecma-international.org/memento/Ecmabylaws.htm
[3] http://www.microsoft.com/openspecifications/en/us/programs/osp/default.aspx
[4] http://www.ecma-international.org/publications/files/ECMA-ST/Ecma%20PATENT/
Patent%20statements%20ok/ECMA-376%20Edition%202%20Microsoft%20Patent%20Declaration.pdf
[5] http://www.ecma-international.org/publications/files/ECMA-ST/Ecma%20PATENT/
Patent%20statements%20ok/ECMA-376%20Adobe%20Patent%20Declaration.pdf

Bouncy Castle library (bcprov-*.jar, bcpg-*.jar, bcpkix-*.jar)

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to
deal in the Software without restriction, including without limitation the
rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS
IN THE SOFTWARE.

JUnit test library (junit-4.*.jar) & JaCoCo (*jacoco*)

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under

Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is

added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A

PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from

time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Hamcrest library (hamcrest-*.jar) & CuvesAPI / Curve API

BSD License

Copyright (c) 2000-2006, www.hamcrest.org
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

SLF4J library (slf4j-api-*.jar)

Copyright (c) 2004-2013 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

inbot-utils (https://github.com/Inbot/inbot-utils)

The MIT License (MIT)

Copyright (c) 2015 Inbot

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache POI
Copyright 2003-2017 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (https://www.apache.org/).

This product contains parts that were originally based on software from BEA.
Copyright (c) 2000-2003, BEA Systems, <http://www.bea.com/> (dead link),
which was acquired by Oracle Corporation in 2008.
<http://www.oracle.com/us/corporate/Acquisitions/bea/index.html>
<https://en.wikipedia.org/wiki/BEA_Systems>

This product contains W3C XML Schema documents. Copyright 2001-2003 (c)
World Wide Web Consortium (Massachusetts Institute of Technology, European
Research Consortium for Informatics and Mathematics, Keio University)

This product contains the Piccolo XML Parser for Java
(http://piccolo.sourceforge.net/). Copyright 2002 Yuval Oren.

This product contains the chunks_parse_cmds.tbl file from the vsdump program.
Copyright (C) 2006-2007 Valek Filippov (frob@df.ru)

This product contains parts of the eID Applet project
<http://eid-applet.googlecode.com>
and <https://github.com/e-Contract/eid-applet>.
Copyright (c) 2009-2014
FedICT (federal ICT department of Belgium), e-Contract.be BVBA (https://www.e-contract.be),
Bart Hanssens from FedICT

1.205 jackson-dataformat-yaml 2.10.5

1.205.1 Available under license :

This copy of Jackson JSON processor YAML module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers, as well as supported
commercially by FasterXML.com.

Licensing

Jackson core and extension components may be licensed under different licenses.
To find the details that apply to this artifact see the accompanying LICENSE file.
For more information, including possible other licensing options, contact
FasterXML.com (http://fasterxml.com).

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.206 jackson-datatype-jsr310 2.9.9

1.206.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

1.207 apache-log4j 2.11.0

1.207.1 Available under license :

Apache Log4j Core
Copyright 1999-2012 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

ResolverUtil.java
Copyright 2005-2006 Tim Fennell

Apache License

Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.208 mozilla-rhino 1.7.10

1.208.1 Available under license :

The majority of Rhino is licensed under the MPL 2.0:

Mozilla Public License Version 2.0
==================================

1. Definitions

1.1. "Contributor"
means each individual or legal entity that creates, contributes to
the creation of, or owns Covered Software.

1.2. "Contributor Version"
means the combination of the Contributions of others (if any) used
by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"
means Covered Software of a particular Contributor.

1.4. "Covered Software"
means Source Code Form to which the initial Contributor has attached
the notice in Exhibit A, the Executable Form of such Source Code
Form, and Modifications of such Source Code Form, in each case
including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"
means any form of the work other than Source Code Form.

1.7. "Larger Work"
means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"
means this document.

1.9. "Licensable"
means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"
means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor
means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"
means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those

licenses.

1.13. "Source Code Form"
means the form of the work preferred for making modifications.

1.14. "You" (or "Your")
means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect,
to cause the direction or management of such entity,
whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)
Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for
each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

(a) for any code that a Contributor has removed from Covered Software; or

(b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section
3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under

the terms
of this License. You must inform recipients that the Source
Code Form of the Covered Software is governed by the terms of this
License, and how they can obtain a copy of this License. You may not
attempt to alter or restrict the recipients' rights in the Source Code
Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code
Form, as described in Section 3.1, and You must inform recipients of
the Executable Form how they can obtain a copy of such Source Code
Form by reasonable means in a timely manner, at a charge no more
than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this
License, or sublicense it under different terms, provided that the
license for the Executable Form does not attempt to limit or alter
the recipients' rights in the Source Code Form under this License.

3.3.
Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice,
provided that You also comply with the requirements of this License for
the Covered Software. If the Larger Work is a combination of Covered
Software with a work governed by one or more Secondary Licenses, and the
Covered Software is not Incompatible With Secondary Licenses, this
License permits You to additionally distribute such Covered Software
under the terms of such Secondary License(s), so that the recipient of
the Larger Work may, at their option, further distribute the Covered
Software under the terms of either this License or such Secondary
License(s).

3.4. Notices

You may not remove or alter the substance of any license notices
(including copyright notices, patent notices, disclaimers of warranty,
or limitations of liability) contained within the Source Code Form of
the Covered Software, except that You may alter any license notices to
the extent required to remedy known
factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support,

indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must:
(a) comply with
the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from
a particular
Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all
end user license agreements (excluding distributors and resellers) which
have been validly granted by You or Your distributors under this License
prior to termination shall survive termination.

```
************************************************************************
*                                                                      *
*  6. Disclaimer of Warranty                                           *
*  -------------------------                                           *
*                                                                      *
*  Covered Software is provided under this License on an "as is"       *
*  basis, without warranty of any kind, either expressed, implied, or  *
*  statutory, including, without limitation, warranties that the       *
*  Covered Software is free of defects, merchantable, fit for a        *
*  particular purpose or non-infringing. The entire risk as to the     *
*  quality and performance of the Covered Software is with You.        *
*  Should any Covered Software prove defective in any respect, You     *
*  (not any Contributor) assume the cost of any necessary servicing,   *
*  repair, or correction. This disclaimer of warranty constitutes an   *
*
  essential part of this License. No use of any Covered Software is   *
*  authorized under this License except under this disclaimer.         *
*                                                                      *
************************************************************************

************************************************************************
*                                                                      *
*  7. Limitation of Liability                                          *
*  --------------------------                                          *
*                                                                      *
*  Under no circumstances and under no legal theory, whether tort      *
*  (including negligence), contract, or otherwise, shall any           *
*  Contributor, or anyone who distributes Covered Software as          *
*  permitted above, be liable to You for any direct, indirect,         *
*  special, incidental, or consequential damages of
 any character      *
*  including, without limitation, damages for lost profits, loss of    *
*  goodwill, work stoppage, computer failure or malfunction, or any    *
*  and all other commercial damages or losses, even if such party      *
*  shall have been informed of the possibility of such damages. This   *
*  limitation of liability shall not apply to liability for death or   *
*  personal injury resulting from such party's negligence to the       *
*  extent applicable law prohibits such limitation. Some               *
*  jurisdictions do not allow the exclusion or limitation of           *
*  incidental or consequential damages, so this exclusion and          *
*  limitation may not apply to You.                                    *
```

*   *
****

8. Litigation

Any litigation relating to this License may be brought only in the
courts
 of a jurisdiction where the defendant maintains its principal
place of business and such litigation shall be governed by laws of that
jurisdiction, without reference to its conflict-of-law provisions.
Nothing in this Section shall prevent a party's ability to bring
cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject
matter hereof. If any provision of this License is held to be
unenforceable, such provision shall be reformed only to the extent
necessary to make it enforceable. Any law or regulation which provides
that the language of a contract shall be construed against the drafter
shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section
10.3, no one other than the license steward has the right to modify or
publish new versions of this License.
 Each version will be given a
distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version
of the License under which You originally received the Covered Software,
or under the terms of any subsequent version published by the license
steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to
create a new license for such software, you may create and use a
modified version of this License if you rename the license and remove
any references to the name of the license steward (except to note that

such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

1.209 powermock-module-junit4 2.0.7

1.209.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
```

* limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1088524452_1599802406.67/0/powermock-module-junit4-2-0-7-sources-jar/org/powermock/modules/junit4/internal/impl/NotificationBuilder.java
* /opt/ws_local/PERMITS_SQL/1088524452_1599802406.67/0/powermock-module-junit4-2-0-7-sources-jar/org/powermock/modules/junit4/internal/impl/PowerMockRunNotifier.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2009 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1088524452_1599802406.67/0/powermock-module-junit4-2-0-7-sources-jar/org/powermock/modules/junit4/internal/impl/PowerMockJUnit47RunnerDelegateImpl.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2008 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1088524452_1599802406.67/0/powermock-module-junit4-2-0-7-sources-jar/org/powermock/modules/junit4/internal/impl/PowerMockJUnit44RunnerDelegateImpl.java
* /opt/ws_local/PERMITS_SQL/1088524452_1599802406.67/0/powermock-module-junit4-2-0-7-sources-jar/org/powermock/modules/junit4/internal/impl/testcaseworkaround/PowerMockJUnit4MethodValidator.java
*
/opt/ws_local/PERMITS_SQL/1088524452_1599802406.67/0/powermock-module-junit4-2-0-7-sources-jar/org/powermock/modules/junit4/PowerMockRunner.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1088524452_1599802406.67/0/powermock-module-junit4-2-0-7-sources-jar/org/powermock/modules/junit4/internal/impl/DelegatingPowerMockRunner.java
* /opt/ws_local/PERMITS_SQL/1088524452_1599802406.67/0/powermock-module-junit4-2-0-7-sources-jar/org/powermock/modules/junit4/PowerMockRunnerDelegate.java

1.210 powermock-api-support 2.0.7

1.210.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 2007-2017 PowerMock Contributors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.211 powermock-core 2.0.7

1.211.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 2007-2017 PowerMock Contributors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.212 snake-yaml 1.26

1.212.1 Available under license :

```
/**
* Copyright (c) 2008, http://www.snakeyaml.org
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
```

*/
Found license 'Eclipse Public License 1.0' in '// This module is multi-licensed and may be used under the terms // EPL, Eclipse Public License, V1.0 or later, http://www.eclipse.org/legal // LGPL, GNU Lesser General Public License, V2.1 or later, http://www.gnu.org/licenses/lgpl.html // GPL, GNU General Public License, V2 or later, http://www.gnu.org/licenses/gpl.html // AL, Apache License, V2.0 or later, http://www.apache.org/licenses // BSD, BSD License, http://www.opensource.org/licenses/bsd-license.php * Multi-licensed: EPL / LGPL / GPL / AL / BSD.'
Found license 'GNU Lesser General Public License' in '// This module is multi-licensed and may be used under the terms // EPL, Eclipse Public License, V1.0 or later, http://www.eclipse.org/legal // LGPL, GNU Lesser General Public License, V2.1 or later, http://www.gnu.org/licenses/lgpl.html // GPL, GNU General Public License, V2 or later, http://www.gnu.org/licenses/gpl.html // AL, Apache License, V2.0 or later, http://www.apache.org/licenses // BSD, BSD License, http://www.opensource.org/licenses/bsd-license.php * Multi-licensed: EPL / LGPL / GPL / AL / BSD.'

1.213 powermock-reflect 2.0.7

1.213.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
    incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright 2007-2017 PowerMock Contributors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

 Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.214 powermock-module-junit4-common 2.0.7

1.214.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2008 the original author or authors.

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1088524405_1599802385.02/0/powermock-module-junit4-common-2-0-7-sources-jar/org/powermock/modules/junit4/common/internal/impl/AbstractCommonPowerMockRunner.java
* /opt/ws_local/PERMITS_SQL/1088524405_1599802385.02/0/powermock-module-junit4-common-2-0-7-sources-jar/org/powermock/modules/junit4/common/internal/JUnit4TestSuiteChunker.java
*
 /opt/ws_local/PERMITS_SQL/1088524405_1599802385.02/0/powermock-module-junit4-common-2-0-7-sources-jar/org/powermock/modules/junit4/common/internal/PowerMockJUnitRunnerDelegate.java
* /opt/ws_local/PERMITS_SQL/1088524405_1599802385.02/0/powermock-module-junit4-common-2-0-7-sources-jar/org/powermock/modules/junit4/common/internal/impl/JUnit4TestSuiteChunkerImpl.java
* /opt/ws_local/PERMITS_SQL/1088524405_1599802385.02/0/powermock-module-junit4-common-2-0-7-sources-jar/org/powermock/modules/junit4/common/internal/impl/PowerMockJUnit4RunListener.java
No license file was found, but licenses were detected in source scan.

/*
*   Copyright 2016 the original author or authors.
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
*   Unless required by applicable law or agreed to in writing, software
*   distributed under the License is distributed on an "AS IS" BASIS,
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
*
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1088524405_1599802385.02/0/powermock-module-junit4-common-2-0-7-sources-jar/org/powermock/modules/junit4/common/internal/impl/JUnit4TestMethodChecker.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1088524405_1599802385.02/0/powermock-module-junit4-common-2-0-7-sources-jar/org/powermock/modules/junit4/common/internal/impl/VersionComparator.java
* /opt/ws_local/PERMITS_SQL/1088524405_1599802385.02/0/powermock-module-junit4-common-2-0-7-sources-jar/org/powermock/modules/junit4/common/internal/impl/VersionTokenizer.java
*
 /opt/ws_local/PERMITS_SQL/1088524405_1599802385.02/0/powermock-module-junit4-common-2-0-7-sources-jar/org/powermock/modules/junit4/common/internal/impl/JUnitVersion.java

1.215 logback-core 1.1.3

1.215.1 Available under license :

/**
* Logback: the reliable, generic, fast and flexible logging framework.
* Copyright (C) 1999-2015, QOS.ch. All rights reserved.
*
* This program and the accompanying materials are dual-licensed under
* either the terms of the Eclipse Public License v1.0 as published by
* the Eclipse Foundation
*
*   or (per the licensee's choosing)
*
* under the terms of the GNU Lesser General Public License version 2.1
* as published by the Free Software Foundation.
*/
Eclipse Public License - v 1.0
THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor"
means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer
to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights

and licenses granted hereunder,
each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively
excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL
DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential

liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes

such Recipient's patent(s), then such
Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement
Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual
property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.
Found license 'Eclipse Public License 1.0' in '* Copyright (C) 1999-2015, QOS.ch. All rights reserved. * This program and the accompanying materials are dual-licensed under * either the terms of the Eclipse Public License v1.0 as published by * under the terms of the GNU Lesser General Public License version 2.1 * as published by the Free Software Foundation.'
Found license 'GNU Lesser General Public License' in '* Copyright (C) 1999-2015, QOS.ch. All rights reserved. * This program and the accompanying materials are dual-licensed under * either the terms of the Eclipse Public License v1.0 as published by * under the terms of the GNU Lesser General Public License version 2.1 * as published by the Free Software Foundation.'

1.216 scala-xml 1.0.6

1.216.1 Available under license :

Copyright (c) 2002-2013 EPFL
Copyright (c) 2011-2013 Typesafe, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.
* Neither the name of the EPFL nor the names of its contributors
  may be used to endorse or promote products derived from this software
  without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.217 bean-validation-api 2.0.1

1.217.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii)

beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the
Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2013 Cognifide Limited

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.218 jmes-path-query-library 1.0

1.218.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

Found in path(s):
* /opt/cola/permits/1104444110_1648835916.55/0/jmespath-java-1-0-jar/META-INF/maven/com.amazonaws/jmespath-java/pom.xml

1.219 project-lombok 1.18.16

1.219.1 Available under license :

Copyright (C) 2009-2020 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.220 apache-http-client 4.5.13

1.220.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

==========

This project includes Public Suffix List copied from
<https://publicsuffix.org/list/effective_tld_names.dat>
licensed under the terms of the Mozilla Public License, v. 2.0

Full license text: <http://mozilla.org/MPL/2.0/>

Mozilla Public License Version 2.0
==========

1. Definitions

1.1. "Contributor"
means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"
means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"
means Covered Software of a particular Contributor.

1.4. "Covered Software"
means Source Code
Form to which the initial Contributor has attached
the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"
means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"
means any form of the work other than Source Code Form.

1.7. "Larger Work"
means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"
means this document.

1.9. "Licensable"
means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently,
any and
all of the rights conveyed by this License.

1.10. "Modifications"
means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor
means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"
means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those

licenses.

1.13. "Source Code Form"
means the form of the work preferred for making modifications.

1.14. "You" (or "Your")
means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)
Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise
exploit its
Contributions, either on an unmodified basis, with Modifications, or

as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

(a) for any code that a Contributor has removed from Covered Software; or

(b) for infringements caused by: (i) Your and any other third party's modifications
of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have
under
applicable copyright doctrines of fair use, fair dealing, or other
equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted
in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any
Modifications that You create or to which You contribute, must be under
the terms of this License. You must inform recipients that the Source
Code Form of the Covered Software is governed by the terms of this
License, and how they can obtain a copy of this License. You may not
attempt to alter or restrict the recipients' rights in the Source Code
Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code
Form, as described in Section 3.1, and You must inform recipients of
the Executable Form how they can obtain a copy of such Source
Code
Form by reasonable means in a timely manner, at a charge no more
than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this
License, or sublicense it under different terms, provided that the
license for the Executable Form does not attempt to limit or alter
the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice,
provided that You also comply with the requirements of this License for
the Covered Software. If the Larger Work is a combination of Covered
Software with a work governed by one or more Secondary Licenses, and the

Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However,

if You become
compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the
rights granted to
You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

```
************************************************************************
*                                                                      *
*  6. Disclaimer of Warranty                                           *
*  -------------------------                                           *
*                                                                      *
*  Covered Software is provided under this License on an "as is"       *
*  basis, without warranty of any kind, either expressed, implied, or  *
*  statutory, including, without limitation, warranties that the       *
*  Covered Software is
 free of defects, merchantable, fit for a        *
*  particular purpose or non-infringing. The entire risk as to the     *
*  quality and performance of the Covered Software is with You.        *
*  Should any Covered Software prove defective in any respect, You     *
*  (not any Contributor) assume the cost of any necessary servicing,   *
*  repair, or correction. This disclaimer of warranty constitutes an   *
*  essential part of this License. No use of any Covered Software is   *
*  authorized under this License except under this disclaimer.         *
*                                                                      *
************************************************************************

************************************************************************
*                                                                      *
```

* 7. Limitation of Liability *
* ---------- *
*
*
* Under no circumstances and under no legal theory, whether tort *
* (including negligence), contract, or otherwise, shall any *
* Contributor, or anyone who distributes Covered Software as *
* permitted above, be liable to You for any direct, indirect, *
* special, incidental, or consequential damages of any character *
* including, without limitation, damages for lost profits, loss of *
* goodwill, work stoppage, computer failure or malfunction, or any *
* and all other commercial damages or losses, even if such party *
* shall have been informed of the possibility of such damages. This *
* limitation of liability shall not apply to liability for death or *
* personal injury resulting from such party's negligence to the *
* extent applicable law prohibits such limitation. Some *
* jurisdictions do not allow the exclusion or limitation
of *
* incidental or consequential damages, so this exclusion and *
* limitation may not apply to You. *
* *
****

8. Litigation

Any litigation relating to this License may be brought only in the
courts of a jurisdiction where the defendant maintains its principal
place of business and such litigation shall be governed by laws of that
jurisdiction, without reference to its conflict-of-law provisions.
Nothing in this Section shall prevent a party's ability to bring
cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject
matter hereof. If any provision of this License is held to be
unenforceable, such provision shall be reformed only to the extent
necessary to make it enforceable. Any law or regulation
which provides
that the language of a contract shall be construed against the drafter
shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as

defined by the Mozilla Public License, v. 2.0.
Apache HttpComponents Client
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.221 jackson-core 2.10.5

1.221.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers, as well as supported
commercially by FasterXML.com.

Licensing

Jackson core and extension components may licensed under different licenses.
To find the details that apply to this artifact see the accompanying LICENSE file.
For more information, including possible other licensing options, contact
FasterXML.com (http://fasterxml.com).

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.
This copy of Jackson JSON processor streaming parser/generator is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

1.222 apache-commons-math 3.2

1.222.1 Available under license :

Apache Commons Math
Copyright 2001-2013 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (http://www.apache.org/).

==

The inverse error function implementation in the Erf class is based on CUDA
code developed by Mike Giles, Oxford-Man Institute of Quantitative Finance,
and published in GPU Computing Gems, volume 2, 2010.
==

The BracketFinder (package org.apache.commons.math3.optimization.univariate)
and PowellOptimizer (package org.apache.commons.math3.optimization.general)
classes are based on the Python code in module "optimize.py" (version 0.5)
developed by Travis E. Oliphant for the SciPy library (http://www.scipy.org/)
Copyright 2003-2009 SciPy Developers.
==

The LinearConstraint, LinearObjectiveFunction,
 LinearOptimizer,
RelationShip, SimplexSolver and SimplexTableau classes in package
org.apache.commons.math3.optimization.linear include software developed by
Benjamin McCann (http://www.benmccann.com) and distributed with
the following copyright: Copyright 2009 Google Inc.
==

This product includes software developed by the
University of Chicago, as Operator of Argonne National
Laboratory.
The LevenbergMarquardtOptimizer class in package
org.apache.commons.math3.optimization.general includes software
translated from the lmder, lmpar and qrsolv Fortran routines
from the Minpack package
Minpack Copyright Notice (1999) University of Chicago. All rights reserved
==

The GraggBulirschStoerIntegrator class in package
org.apache.commons.math3.ode.nonstiff includes software translated
from the odex Fortran routine developed by E.
 Hairer and G. Wanner.
Original source copyright:
Copyright (c) 2004, Ernst Hairer
==

The EigenDecompositionImpl class in package
org.apache.commons.math3.linear includes software translated
from some LAPACK Fortran routines. Original source copyright:
Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.
==

The MersenneTwister class in package org.apache.commons.math3.random
includes software translated from the 2002-01-26 version of
the Mersenne-Twister generator written in C by Makoto Matsumoto and Takuji
Nishimura. Original source copyright:
Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,
All rights reserved
==========

The LocalizedFormatsTest class in the unit tests is an adapted version of
the OrekitMessagesTest class
from the orekit library distributed under the
terms of the Apache 2 licence. Original source copyright:
Copyright 2010 CS Systmes d'Information
==========

The HermiteInterpolator class and its corresponding test have been imported from
the orekit library distributed under the terms of the Apache 2 licence. Original
source copyright:
Copyright 2010-2012 CS Systmes d'Information
==========

The creation of the package "o.a.c.m.analysis.integration.gauss" was inspired
by an original code donated by Sbastien Brisard.
==========

The complete text of licenses and disclaimers associated with the the original
sources enumerated above at the time of code translation are in the LICENSE.txt
file.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

APACHE COMMONS MATH DERIVATIVE WORKS:

The Apache commons-math library includes a number of subcomponents
whose implementation is derived from original sources written
in C or Fortran. License terms of the original sources
are reproduced below.

==========

For the lmder, lmpar and qrsolv Fortran routine from minpack and translated in
the LevenbergMarquardtOptimizer class in package
org.apache.commons.math3.optimization.general
Original source copyright and license statement:

Minpack Copyright Notice (1999) University of Chicago. All rights reserved

Redistribution
 and use in source and binary forms, with or
without modification, are permitted provided that the
following conditions are met:

1. Redistributions of source code must retain the above
copyright notice, this list of conditions and the following
disclaimer.

2. Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials
provided with the distribution.

3. The end-user documentation included with the
redistribution, if any, must include the following
acknowledgment:

  "This product includes software developed by the
  University of Chicago, as Operator of Argonne National
  Laboratory.

Alternately, this acknowledgment may appear in the software
itself, if and wherever such third-party acknowledgments
normally appear.

4. WARRANTY DISCLAIMER. THE SOFTWARE IS SUPPLIED "AS IS"
WITHOUT WARRANTY OF ANY KIND. THE COPYRIGHT HOLDER, THE
UNITED STATES, THE UNITED STATES DEPARTMENT
 OF ENERGY, AND
THEIR EMPLOYEES: (1) DISCLAIM ANY WARRANTIES, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE
OR NON-INFRINGEMENT, (2) DO NOT ASSUME ANY LEGAL LIABILITY
OR RESPONSIBILITY FOR THE ACCURACY, COMPLETENESS, OR
USEFULNESS OF THE SOFTWARE, (3) DO NOT REPRESENT THAT USE OF
THE SOFTWARE WOULD NOT INFRINGE PRIVATELY OWNED RIGHTS, (4)
DO NOT WARRANT THAT THE SOFTWARE WILL FUNCTION
UNINTERRUPTED, THAT IT IS ERROR-FREE OR THAT ANY ERRORS WILL
BE CORRECTED.

5. LIMITATION OF LIABILITY. IN NO EVENT WILL THE COPYRIGHT
HOLDER, THE UNITED STATES, THE UNITED STATES DEPARTMENT OF
ENERGY, OR THEIR EMPLOYEES: BE LIABLE FOR ANY INDIRECT,
INCIDENTAL, CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES OF
ANY KIND OR NATURE, INCLUDING BUT NOT LIMITED TO LOSS OF
PROFITS OR LOSS OF DATA, FOR ANY REASON WHATSOEVER, WHETHER
SUCH LIABILITY IS ASSERTED ON THE BASIS OF CONTRACT, TORT
(INCLUDING NEGLIGENCE OR STRICT LIABILITY),
OR OTHERWISE,
EVEN IF ANY OF SAID PARTIES HAS BEEN WARNED OF THE
POSSIBILITY OF SUCH LOSS OR DAMAGES.
==========

Copyright and license statement for the odex Fortran routine developed by
E. Hairer and G. Wanner and translated in GraggBulirschStoerIntegrator class
in package org.apache.commons.math3.ode.nonstiff:

Copyright (c) 2004, Ernst Hairer

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,

PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
==========

Copyright and license statement for the original lapack fortran routines
translated in EigenDecompositionImpl class in package
org.apache.commons.math3.linear:

Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.

$COPYRIGHT$

Additional
 copyrights may follow

$HEADER$

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer listed
 in this license in the documentation and/or other materials
 provided with the distribution.

- Neither the name of the copyright holders nor the names of its
 contributors may be used to endorse or promote products derived from
 this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
 SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

==========

Copyright and license statement for the original Mersenne twister C
routines translated in MersenneTwister class in package
org.apache.commons.math3.random:

Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following
conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. The names of its contributors may not be used to endorse or promote
products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

==========

The class "org.apache.commons.math3.exception.util.LocalizedFormatsTest" is
an adapted version of "OrekitMessagesTest" test class for the Orekit library
The "org.apache.commons.math3.analysis.interpolation.HermiteInterpolator"
has been imported from the Orekit space flight dynamics library.

Th Orekit library is described at:
https://www.orekit.org/forge/projects/orekit
The original files are distributed under the terms of the Apache 2 license

which is: Copyright 2010 CS Communication & Systmes

1.223 plexus-classworlds 1.1-alpha-2

1.223.1 Available under license :

Indiana University Extreme! Lab Software License

Version 1.1.1

Copyright (c) 2002 Extreme! Lab, Indiana University. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright notice,
 this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer in
 the documentation and/or other materials provided with the distribution.

3. The end-user documentation included with the redistribution, if any,
 must include the following acknowledgment:

 "This product includes software developed by the Indiana University
 Extreme! Lab (http://www.extreme.indiana.edu/)."

Alternately, this acknowledgment may appear in the software itself,
if and wherever such third-party acknowledgments normally
 appear.

4. The names "Indiana University" and "Indiana University Extreme! Lab"
must not be used to endorse or promote products derived from this
software without prior written permission. For written permission,
please contact http://www.extreme.indiana.edu/.

5. Products derived from this software may not use "Indiana University"
name nor may "Indiana University" appear in their name, without prior
written permission of the Indiana University.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHORS, COPYRIGHT HOLDERS OR ITS CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER
IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
This product includes software developed by the Indiana University
Extreme! Lab (http://www.extreme.indiana.edu/).

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

This product includes software developed by
ThoughtWorks (http://www.thoughtworks.com).

This product includes software developed by
javolution (http://javolution.org/).

This product includes software developed by
Rome (https://rome.dev.java.net/).
Javolution - Java(TM) Solution for Real-Time and Embedded Systems
Copyright (c) 2006, Javolution (http://javolution.org)
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```
/********************************************************************************
* CruiseControl, a Continuous Integration Toolkit
* Copyright (c) 2001-2003, ThoughtWorks, Inc.
* 651 W Washington Ave. Suite 500
* Chicago, IL 60661 USA
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
*     + Redistributions of source code must retain the above copyright
*       notice, this list of conditions and the following disclaimer.
*
*     + Redistributions in binary form must reproduce the above
*       copyright notice, this list of conditions and the following
*       disclaimer in the documentation and/or other materials provided
*       with the distribution.
*
*     + Neither the name of ThoughtWorks, Inc., CruiseControl, nor the
*       names of its contributors may be used to endorse or promote
*       products derived from this software without
 specific prior
*       written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
* A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
```

* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
***/

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

1.224 jtidy r938

1.224.1 Available under license :

```
/**
*  Java HTML Tidy - JTidy
*  HTML parser and pretty printer
*
*  Copyright (c) 1998-2000 World Wide Web Consortium (Massachusetts
*  Institute of Technology, Institut National de Recherche en
*  Informatique et en Automatique, Keio University). All Rights
*  Reserved.
*
*  Contributing Author(s):
*
*     Dave Raggett <dsr@w3.org>
*     Andy Quick <ac.quick@sympatico.ca> (translation to Java)
*     Gary L Peskin <garyp@firstech.com> (Java development)
*     Sami Lempinen <sami@lempinen.net> (release management)
*     Fabrizio Giustina <fgiust at users.sourceforge.net>
*
*  The contributing author(s) would like to thank all those who
*  helped with testing, bug fixes, and patience.  This wouldn't
```

```
*  have been possible without all of you.
*
*  COPYRIGHT NOTICE:
*
*  This software and documentation is provided "as is," and
*  the copyright holders and contributing author(s) make no
*  representations or warranties, express or implied, including
*  but not limited to, warranties of merchantability
 or fitness
*  for any particular purpose or that the use of the software or
*  documentation will not infringe any third party patents,
*  copyrights, trademarks or other rights.
*
*  The copyright holders and contributing author(s) will not be
*  liable for any direct, indirect, special or consequential damages
*  arising out of any use of the software or documentation, even if
*  advised of the possibility of such damage.
*
*  Permission is hereby granted to use, copy, modify, and distribute
*  this source code, or portions hereof, documentation and executables,
*  for any purpose, without fee, subject to the following restrictions:
*
*  1. The origin of this source code must not be misrepresented.
*  2. Altered versions must be plainly marked as such and must
*     not be misrepresented as being the original source.
*  3. This Copyright notice may not be removed or altered from any
*     source or altered source distribution.
*
*  The copyright holders and contributing
 author(s) specifically
*  permit, without fee, and encourage the use of this source code
*  as a component for supporting the Hypertext Markup Language in
*  commercial products. If you use this source code in a product,
*  acknowledgment is not required but would be appreciated.
*
*/
```

1.225 apache-httpcomponents-asyncclient 4.1.3

1.225.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache HttpAsyncClient
Copyright 2010-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.226 apache-commons-lang 3.8.1

1.226.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Commons Lang
Copyright 2001-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.227 asm-based-accessors-helper-used-by-json-smart 1.2

1.227.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2011 JSON-SMART authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1110825652_1611250456.32/0/accessors-smart-1-2-sources-jar/net/minidev/asm/DynamicClassLoader.java
* /opt/cola/permits/1110825652_1611250456.32/0/accessors-smart-1-2-sources-jar/net/minidev/asm/Accessor.java
* /opt/cola/permits/1110825652_1611250456.32/0/accessors-smart-1-2-sources-jar/net/minidev/asm/BeansAccess.java
*
/opt/cola/permits/1110825652_1611250456.32/0/accessors-smart-1-2-sources-jar/net/minidev/asm/ASMUtil.java

1.228 netty-project 3.10.4.Final

1.228.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too,
but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give
the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is

modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.

Finally, software patents pose a constant threat to
the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the
entire combination
fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be
allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting the free library to free
software only,
so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of

free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included
without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from

such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately
publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the
modified Library refers to a function or a
table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If

identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the

source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the

copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license

restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library

specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting

redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright"
line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, 5th Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You
should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

The Netty Project
==========

Please visit the Netty web site for more information:

* http://netty.io/

Copyright 2011 The Netty Project

The Netty Project licenses this file to you under the Apache License,
version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
License for the specific language governing permissions and limitations
under the License.

Also, please refer to each LICENSE.<component>.txt file, which is located in
the 'license' directory of the distribution file, for the license terms of the
components that this product depends on.

This
 product contains the extensions to Java Collections Framework which has
been derived from the works by JSR-166 EG, Doug Lea, and Jason T. Greene:

 * LICENSE:
   * license/LICENSE.jsr166y.txt (Public Domain)
 * HOMEPAGE:
   * http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/
   * http://viewvc.jboss.org/cgi-bin/viewvc.cgi/jbosscache/experimental/jsr166/

This product contains a modified version of Robert Harder's Public Domain
Base64 Encoder and Decoder, which can be obtained at:

 * LICENSE:
   * license/LICENSE.base64.txt (Public Domain)
 * HOMEPAGE:
   * http://iharder.sourceforge.net/current/java/base64/

This product contains a modified version of 'JZlib', a re-implementation of
zlib in pure Java, which can be obtained at:

 * LICENSE:
   * license/LICENSE.jzlib.txt (BSD Style License)
 * HOMEPAGE:
   * http://www.jcraft.com/jzlib/

This product contains a modified version of 'Webbit', a Java event based
WebSocket and HTTP

server:

* LICENSE:
  * license/LICENSE.webbit.txt (BSD License)
* HOMEPAGE:
  * https://github.com/joewalnes/webbit

This product optionally depends on 'Protocol Buffers', Google's data
interchange format, which can be obtained at:

* LICENSE:
  * license/LICENSE.protobuf.txt (New BSD License)
* HOMEPAGE:
  * http://code.google.com/p/protobuf/

This product optionally depends on 'Bouncy Castle Crypto APIs' to generate
a temporary self-signed X.509 certificate when the JVM does not provide the
equivalent functionality. It can be obtained at:

* LICENSE:
  * license/LICENSE.bouncycastle.txt (MIT License)
* HOMEPAGE:
  * http://www.bouncycastle.org/

This product optionally depends on 'SLF4J', a simple logging facade for Java,
which can be obtained at:

* LICENSE:
  * license/LICENSE.slf4j.txt (MIT License)
* HOMEPAGE:
  * http://www.slf4j.org/

This product optionally depends on 'Apache Commons Logging', a logging
framework, which can be obtained at:

* LICENSE:
  * license/LICENSE.commons-logging.txt (Apache License 2.0)
* HOMEPAGE:
  * http://commons.apache.org/logging/

This product optionally depends on 'Apache Log4J', a logging framework,
which can be obtained at:

* LICENSE:
  * license/LICENSE.log4j.txt (Apache License 2.0)
* HOMEPAGE:
  * http://logging.apache.org/log4j/

This product optionally depends on 'JBoss Logging', a logging framework,
which can be obtained at:

 * LICENSE:
   * license/LICENSE.jboss-logging.txt (GNU LGPL 2.1)
 * HOMEPAGE:
   * http://anonsvn.jboss.org/repos/common/common-logging-spi/

This product optionally depends on 'Apache Felix', an open source OSGi
framework implementation, which can be obtained at:

 * LICENSE:
   * license/LICENSE.felix.txt (Apache License 2.0)
 * HOMEPAGE:
   * http://felix.apache.org/
The person or persons who have associated work with this document (the
"Dedicator" or "Certifier") hereby either (a) certifies that, to the best of
his knowledge, the work of authorship identified is in the public domain of
the country from which the work is published, or (b) hereby dedicates whatever
copyright the dedicators holds in the work of authorship identified below (the
"Work") to the public domain. A certifier, moreover, dedicates any copyright
interest he may have in the associated work, and for these purposes, is
described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this
work. Certifier recognizes that his good faith efforts may not shield him from
liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to
the detriment of the Dedicator's heirs and successors. Dedicator intends this
dedication to be an overt act of relinquishment in perpetuate
 of all present
and future rights under copyright law, whether vested or contingent, in the
Work. Dedicator understands that such relinquishment of all rights includes
the relinquishment of all rights to enforce (by lawsuit or otherwise) those
copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be
freely reproduced, distributed, transmitted, used, modified, built upon, or
otherwise exploited by anyone for any purpose, commercial or non-commercial,
and in any way, including by methods that have not yet been invented or
conceived.
The MIT License (MIT)

Copyright (c) 2000 - 2013 The Legion of the Bouncy Castle Inc.
                (http://www.bouncycastle.org)

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Copyright 2008, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner
of the input file used when generating it. This code is not
standalone and requires a support library to be linked with it. This
support library is itself covered by the above license.
The person or persons who have associated work with this document (the
"Dedicator" or "Certifier") hereby either (a) certifies that, to the best of
his knowledge, the work of authorship identified is in the public domain of
the country from which the work is published, or (b) hereby dedicates whatever
copyright the dedicators holds in the work of authorship identified below (the
"Work") to the public domain. A certifier, moreover, dedicates any copyright
interest he may have in the associated work, and for these purposes, is
described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this
work. Certifier recognizes that his good faith efforts may not shield him from
liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to
the detriment of the Dedicator's heirs and successors. Dedicator intends this
dedication to be an overt act of relinquishment in perpetuity
of all present
and future rights under copyright law, whether vested or contingent, in the
Work. Dedicator understands that such relinquishment of all rights includes
the relinquishment of all rights to enforce (by lawsuit or otherwise) those
copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be
freely reproduced, distributed, transmitted, used, modified, built upon, or
otherwise exploited by anyone for any purpose, commercial or non-commercial,
and in any way, including by methods that have not yet been invented or
conceived.

(BSD License: http://www.opensource.org/licenses/bsd-license)

Copyright (c) 2011, Joe Walnes, Aslak Hellesy and contributors
All rights reserved.

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the
following conditions are met:

* Redistributions of source code must retain the above
 copyright notice, this list of conditions and the
 following disclaimer.

* Redistributions in binary form must reproduce the above
 copyright notice, this list of conditions and the
 following disclaimer in the documentation and/or other
 materials provided with the distribution.

* Neither the name of the Webbit nor the names of
 its contributors may be used to endorse or promote products
 derived from this software without specific prior written
 permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.
/*
* Copyright (c) 2004-2007 QOS.ch
* All rights reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to

* the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/
Copyright (c) 2000,2001,2002,2003,2004 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT,
INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE
BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA,
OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.229 scala-java8-compat_2.12 0.7.0

1.229.1 Available under license :

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1

through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean
the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name)
to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual
or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section)

patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by
combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and
You must cause any modified files to carry prominent notices stating that You changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that
such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or
product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any
Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims
asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.230 apache-commons-configuration 2.2

1.230.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Apache Commons Configuration
Copyright 2001-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.231 apache-commons-lang 3.6

1.231.1 Available under license :

Apache Commons Lang
Copyright 2001-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

This product includes software from the Spring Framework,
under the Apache License 2.0 (see: StringUtils.containsWhitespace())

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.232 org.apache.commons.fileupload 1.3.3

1.232.1 Available under license :

Apache Commons FileUpload
Copyright 2002-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.233 mail 1.7.1

1.233.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Eoghan O'Brien

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.234 mime-streaming-extension 1.9.6

1.234.1 Available under license :

Found license 'General Public License 2.0' in '* Copyright (c) 1997-2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

```
/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 1997-2012 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License").  You
* may not use this file except in compliance with the License.  You can
* obtain a copy of the License at
* http://glassfish.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt.  See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception as provided by Oracle in the GPL Version 2 section of the License
* file
 that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license."  If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above.  However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to such option by the copyright
* holder.
*/
```

Found license 'General Public License 2.0' in '* Copyright (c) 1997-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use

this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 1997-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1
1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available
under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form
of computer software code that is originally released under this
License.

1.11. "Patent Claims" means any patent claim(s), now owned or
hereafter acquired, including without limitation, method, process,
and apparatus claims, in any patent Licensable
by grantor.

1.12. "Source Code" means (a) the common form of computer software
code in which modifications are made and (b) associated
documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity
exercising rights under, and complying with all of the terms of,
this License. For legal entities, "You" includes any entity which
controls, is controlled by, or is under common control with You. For
purposes of this definition, "control" means (a) the power, direct
or indirect, to cause the direction or management of such entity,
whether by contract or otherwise, or (b) ownership of more than
fifty percent (50%) of the outstanding shares or beneficial
ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject
to third party intellectual property claims, the Initial Developer
hereby grants You a world-wide, royalty-free, non-exclusive
license:

(a) under intellectual property rights (other than patent or
trademark) Licensable by Initial Developer, to use, reproduce,
modify, display, perform, sublicense and distribute the Original
Software (or portions thereof), with or without Modifications,
and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of
Original Software, to make, have made, use, practice, sell, and
offer for sale, and/or otherwise dispose of the Original Software
(or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on
the date Initial Developer first distributes or otherwise makes the

Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available
in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You
may not
remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such
Contributor as a
result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it
from being distributed or otherwise made available
under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS,
WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally

or pursuant to
a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant
alleging that the Participant Software directly or indirectly
infringes any patent where such claim is resolved (such as by
license or settlement) prior to the initiation of patent
infringement litigation, then the reasonable value of the licenses
granted by such Participant under Sections 2.1 or 2.2 shall be taken
into account in determining the amount or value of any payment or
license.

6.4. In the event of termination under Sections 6.1 or 6.2 above,
all end user licenses that have been validly granted by You or any
distributor hereunder prior to termination (excluding licenses
granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT
(INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE
INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR,
OR ANY DISTRIBUTOR OF
COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE
TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR
CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT
LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER
FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR
LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE
POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT
APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH
PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH
LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR
LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION
AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined
in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer
software" (as that term is defined
at 48 C.F.R. §
252.227-7014(a)(1)) and "commercial computer software documentation"
as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent
with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4
(June 1995), all U.S. Government End Users acquire Covered Software
with only those rights set forth herein. This U.S. Government Rights
clause is in lieu of, and supersedes, any other FAR, DFAR, or other

clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Found license 'General Public License 2.0' in '* Copyright (c) 1997-2012 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as

subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

1.235 stax-api 4.2.1

1.235.1 Available under license :

This copy of Stax2 API is licensed under the
Simplified BSD License (also known as "2-clause BSD", or "FreeBSD License")
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.opensource.org/licenses/bsd-license.php

with details of:

<COPYRIGHT HOLDER> = FasterXML.com
<YEAR> = 2010-

1.236 jackson-xc 2.10.5

1.236.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers, as well as supported
commercially by FasterXML.com.

Licensing

Jackson core and extension components may licensed under different licenses.
To find the details that apply to this artifact see the accompanying LICENSE file.
For more information, including possible other licensing options, contact
FasterXML.com (http://fasterxml.com).

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.
This copy of Jackson JSON processor `jackson-module-jaxb-annotations` module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

1.237 jackson-core 2.12.1

1.237.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.238 hk2-api-module 2.4.0-b34

1.238.1 Available under license :

Found license 'General Public License 2.0' in '* Copyright (c) 2014-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2007-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in 'Copyright (c) 2010-2015 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2011-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2010-2015 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2013-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2012-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1
1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this
document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this

License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or

(2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form

and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not
remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a
result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to

limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it
from being distributed or otherwise made available
under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and

remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS,
WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally
or pursuant to
a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly

infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such
jurisdiction's conflict-of-law
provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors,
each party is
responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

1.239 aopalliance-version-repackaged-as-a-module 2.4.0-b34

1.239.1 Available under license :

Found license 'General Public License 2.0' in 'Copyright (c) 2013-2015 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2013-2015 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

1.240 servicelocator-default-implementation 2.4.0-b34

1.240.1 Available under license :

Found license 'General Public License 2.0' in '* Copyright (c) 2014-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in 'Copyright (c) 2010-2015 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2010-2015 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2013-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2

only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1
1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this
document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form

of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is

granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make

available
in Executable form must also be made available in Source Code form
and that Source Code form must be distributed only under the terms
of this License. You must include a copy of this License with every
copy of the Source Code form of the Covered Software You distribute
or otherwise make available. You must inform recipients of any such
Covered Software in Executable form as to how they can obtain such
Covered Software in Source Code form in a reasonable manner on or
through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are
governed by the terms of this License. You represent that You
believe Your Modifications are Your original creation(s) and/or You
have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that
identifies You as the Contributor of the Modification. You
may not
remove or alter any copyright, patent or trademark notices contained
within the Covered Software, or any notices of licensing or any
descriptive text giving attribution to any Contributor or the
Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in
Source Code form that alters or restricts the applicable version of
this License or the recipients' rights hereunder. You may choose to
offer, and to charge a fee for, warranty, support, indemnity or
liability obligations to one or more recipients of Covered Software.
However, you may do so only on Your own behalf, and not on behalf of
the Initial Developer or any Contributor. You must make it
absolutely clear that any such warranty, support, indemnity or
liability obligation is offered by You alone, and You hereby agree
to indemnify the Initial Developer and every Contributor for any
liability incurred by the Initial Developer or such
Contributor as a
result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under
the terms of this License or under the terms of a license of Your
choice, which may contain terms different from this License,

provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it
from being distributed or otherwise made available
under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new

license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS,
WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally
or pursuant to
a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Found license 'General Public License 2.0' in '* Copyright (c) 2012-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

1.241 hk2-implementation-utilities 2.4.0-b34

1.241.1 Available under license :

Found license 'General Public License 2.0' in '* Copyright (c) 2014-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2007-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in 'Copyright (c) 2010-2015 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2010-2015 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2013-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1
1. Definitions.

1.1. "Contributor" means each individual or entity that creates or
contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original
Software, prior Modifications used by a Contributor (if any), and

the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or
portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available
in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not
remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a
result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it
from being distributed or otherwise made available
under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS,
WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED,

INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses

granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and

venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Found license 'General Public License 2.0' in '* Copyright (c) 2012-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

1.242 animal-sniffer-annotation 1.19

1.242.1 Available under license :

No license file was found, but licenses were detected in source scan.

The MIT License

Copyright (c) 2009 codehaus.org.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

Found in path(s):
* /opt/cola/permits/1127519953_1611825926.02/0/animal-sniffer-annotations-1-19-sources-jar/META-INF/maven/org.codehaus.mojo/animal-sniffer-annotations/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* The MIT License
*
* Copyright (c) 2008 Kohsuke Kawaguchi and codehaus.org.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*
*/

Found in path(s):

* /opt/cola/permits/1127519953_1611825926.02/0/animal-sniffer-annotations-1-19-sources-jar/org/codehaus/mojo/animal_sniffer/IgnoreJRERequirement.java

1.243 byte-buddy byte-buddy-1.10.15

1.243.1 Available under license :

Apache Maven Wagon :: Providers :: File Provider
Copyright 2003-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Maven Model
Copyright 2001-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
This product bundles ASM ${version.asm}, which is available under a "3-clause BSD" license. For details, see licenses/ASM. For more information visit ${asm.url}.

Apache XBean :: Reflect
Copyright 2005-2010 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Maven Model Builder
Copyright 2001-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
The majority of Rhino is licensed under the MPL 2.0:

Mozilla Public License Version 2.0
==================================

1. Definitions

1.1. "Contributor"
  means each individual or legal entity that creates, contributes to
  the creation of, or owns Covered Software.

1.2. "Contributor Version"
  means the combination of the Contributions of others (if any) used
  by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"
  means Covered Software of a particular Contributor.

1.4. "Covered Software"
  means Source Code Form to which the initial Contributor has attached
  the notice in Exhibit A, the Executable Form of such Source Code
  Form, and Modifications of such Source Code Form, in each case
  including portions thereof.

1.5. "Incompatible With Secondary Licenses"
  means

  (a) that the initial Contributor has attached the notice described
    in Exhibit B to the Covered Software; or

  (b) that the Covered
 Software was made available under the terms of
    version 1.1 or earlier of the License, but not also under the
    terms of a Secondary License.

1.6. "Executable Form"
  means any form of the work other than Source Code Form.

1.7. "Larger Work"
  means a work that combines Covered Software with other material, in
  a separate file or files, that is not Covered Software.

1.8. "License"
  means this document.

1.9. "Licensable"
means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"
means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor
means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"
means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"
means the form of the work preferred for making modifications.

1.14. "You" (or "Your")
means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

(a) for any code that a Contributor has removed from Covered Software; or

(b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms
of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the

license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3.
Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known
factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must:
(a) comply with
the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must

be placed in a text file included with all distributions of the Covered
Software under this License. Except to the extent prohibited by statute
or regulation, such description must be sufficiently detailed for a
recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically
if You fail to comply with any of its terms. However, if You become
compliant, then the rights granted under this License from a particular
Contributor are reinstated (a) provisionally, unless and until such
Contributor explicitly and finally terminates Your grants, and (b) on an
ongoing basis, if such Contributor fails to notify You of the
non-compliance by some reasonable means prior to 60 days after You have
come back into compliance. Moreover, Your grants from
 a particular
Contributor are reinstated on an ongoing basis if such Contributor
notifies You of the non-compliance by some reasonable means, this is the
first time You have received notice of non-compliance with this License
from such Contributor, and You become compliant prior to 30 days after
Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent
infringement claim (excluding declaratory judgment actions,
counter-claims, and cross-claims) alleging that a Contributor Version
directly or indirectly infringes any patent, then the rights granted to
You by any and all Contributors for the Covered Software under Section
2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all
end user license agreements (excluding distributors and resellers) which
have been validly granted by You or Your distributors under this License
prior to termination shall survive termination.

****
*
*
* 6. Disclaimer of Warranty   *
* ---------   *
*   *
* Covered Software is provided under this License on an "as is"   *
* basis, without warranty of any kind, either expressed, implied, or *
* statutory, including, without limitation, warranties that the   *
* Covered Software is free of defects, merchantable, fit for a   *
* particular purpose or non-infringing. The entire risk as to the   *
* quality and performance of the Covered Software is with You.   *
* Should any Covered Software prove defective in any respect, You   *

* (not any Contributor) assume the cost of any necessary servicing, *
* repair, or correction. This disclaimer of warranty constitutes an *
*
essential part of this License. No use of any Covered Software is *
* authorized under this License except under this disclaimer. *
* *
****

****
* *
* 7. Limitation of Liability *
* ---------- *
* *
* Under no circumstances and under no legal theory, whether tort *
* (including negligence), contract, or otherwise, shall any *
* Contributor, or anyone who distributes Covered Software as *
* permitted above, be liable to You for any direct, indirect, *
* special, incidental, or consequential damages of
any character *
* including, without limitation, damages for lost profits, loss of *
* goodwill, work stoppage, computer failure or malfunction, or any *
* and all other commercial damages or losses, even if such party *
* shall have been informed of the possibility of such damages. This *
* limitation of liability shall not apply to liability for death or *
* personal injury resulting from such party's negligence to the *
* extent applicable law prohibits such limitation. Some *
* jurisdictions do not allow the exclusion or limitation of *
* incidental or consequential damages, so this exclusion and *
* limitation may not apply to You. *
* *
****

8. Litigation

Any litigation relating to this License may be brought only in the
courts
of a jurisdiction where the defendant maintains its principal
place of business and such litigation shall be governed by laws of that
jurisdiction, without reference to its conflict-of-law provisions.
Nothing in this Section shall prevent a party's ability to bring
cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject
matter hereof. If any provision of this License is held to be

unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License.
Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look

for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

 This Source Code Form is "Incompatible With Secondary Licenses", as
 defined by the Mozilla Public License, v. 2.0.
Eclipse Public License - v 2.0
==========

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. Definitions

Contribution means:
* **a)** in the case of the initial Contributor, the initial content Distributed under this Agreement, and
* **b)** in the case of each subsequent Contributor:
 * **i)** changes to the Program, and
 * **ii)** additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent
 claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes,

structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of **a)** distributing or **b)** making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. Grant of Rights

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. Requirements

3.1 If a Contributor Distributes the Program in any form, then:

* **a)** the Program must also be made available as Source Code, in accordance with section 3.2, and the

Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

* **b)** the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:
 * **i)** effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 * **ii)** effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental
 and consequential damages, such as lost profits;
 * **iii)** does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and
 * **iv)** requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

* **a)** it must be made available under this Agreement, or if the Program **(i)** is combined with other material in a separate file or files made available under a Secondary License, and **(ii)** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
* **b)** a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices)
 contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such
 Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: **a)** promptly notify the Commercial Contributor in writing of such claim, and **b)** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or

offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial
Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or
interruption of operations.

6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If
Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement,

but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property
of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory)
where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Apache HttpClient
Copyright 1999-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

==========

Licenses for included components:

Eclipse Public License 1.0
https://opensource.org/licenses/EPL-1.0

junit:junit
org.sonatype.aether:aether-api
org.sonatype.aether:aether-connector-wagon
org.sonatype.aether:aether-impl
org.sonatype.aether:aether-spi
org.sonatype.aether:aether-util

3-Clause BSD

https://opensource.org/licenses/BSD-3-Clause

com.google.code.findbugs:jsr305

org.hamcrest:hamcrest-core
BSD License

Copyright (c) 2000-2015 www.hamcrest.org
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that
the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of
conditions and the following disclaimer. Redistributions in binary form must reproduce
the above copyright notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse
or promote products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT
SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN
ANY
WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

com.esotericsoftware.kryo:kryo
com.esotericsoftware.minlog:minlog
Copyright (c) 2008-2018, Nathan Sweet All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following

disclaimer.
Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
Neither the name of Esoteric Software nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

org.ow2.asm:asm
org.ow2.asm:asm-analysis
org.ow2.asm:asm-commons
org.ow2.asm:asm-tree
org.ow2.asm:asm-util
ASM: a very small and fast Java bytecode manipulation framework
Copyright (c) 2000-2011 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

MIT

com.googlecode.plist:dd-plist
dd-plist - An open source library to parse and generate property lists
Copyright (C) 2016 Daniel Dreibrodt

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

org.bouncycastle:bcpg-jdk15on
org.bouncycastle:bcprov-jdk15on
Copyright (c) 2000 - 2019 The Legion of the Bouncy Castle Inc. (https://www.bouncycastle.org)

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

org.slf4j:jcl-over-slf4j

org.slf4j:jul-to-slf4j
org.slf4j:log4j-over-slf4j
org.slf4j:slf4j-api
Copyright (c) 2004-2017 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

CDDL
https://opensource.org/licenses/CDDL-1.0

com.sun.xml.bind:jaxb-impl

LGPL 2.1
https://www.gnu.org/licenses/old-licenses/lgpl-2.1.en.html

org.samba.jcifs:jcifs

org.jetbrains.intellij.deps:trove4j

License for the GNU Trove library included by the Kotlin embeddable compiler

---

The source code for GNU Trove is licensed under the Lesser GNU Public License (LGPL).

Copyright (c) 2001, Eric D. Friedman All Rights Reserved. This library is free software; you can

redistribute it and/or modify it under
the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or
(at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without
even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.
You should have received a copy of the GNU Lesser General Public License along with this program; if not, write to the Free Software
Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

Two classes (HashFunctions and PrimeFinder) included in Trove are licensed under the following terms:

Copyright (c) 1999 CERN - European Organization for Nuclear Research. Permission to use, copy, modify, distribute and sell this software
and its documentation for any purpose is hereby granted without fee, provided
that the above copyright notice appear in all copies and
that both that copyright notice and this permission notice appear in supporting documentation. CERN makes no representations about the
suitability of this software for any purpose. It is provided "as is" without expressed or implied warranty.

The source code of modified GNU Trove library is available at
https://github.com/JetBrains/intellij-deps-trove4j (with trove4j_changes.txt describing the changes)

Eclipse Distribution License 1.0
https://www.eclipse.org/org/documents/edl-v10.php

org.eclipse.jgit:org.eclipse.jgit

BSD-style

com.jcraft:jsch
com.jcraft:jzlib

Copyright (c) 2000-2011 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

1. Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in

the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT,
INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA,
OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Eclipse Public License 2.0
https://www.eclipse.org/legal/epl-2.0/

org.junit.platform:junit-platform-launcher

Mozilla Public License 2.0
https://www.mozilla.org/en-US/MPL/2.0/

org.mozilla:rhino
// --
// NOTICE file corresponding to the section 4d of The Apache License,
// Version 2.0, in this case for Objenesis
// --

Objenesis
Copyright 2006-2017 Joe Walnes, Henri Tremblay, Leonardo Mesquita
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers, as well as supported
commercially by FasterXML.com.

Licensing

Jackson core and extension components may licensed under different licenses.
To find the details that apply to this artifact see the accompanying LICENSE file.
For more information, including possible other licensing options, contact

FasterXML.com (http://fasterxml.com).

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

Maven Plugin API
Copyright 2001-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache Maven Wagon :: API
Copyright 2003-2013 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache Maven Wagon :: Providers :: HTTP Shared Library
Copyright 2003-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
This product includes software developed by the Indiana University
Extreme! Lab (http://www.extreme.indiana.edu/).

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

This product includes software developed by
ThoughtWorks (http://www.thoughtworks.com).

This product includes software developed by
javolution (http://javolution.org/).

This product includes software developed by
Rome (https://rome.dev.java.net/).
Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

- Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.

- Neither the name of the Eclipse Foundation, Inc. nor the names of its
  contributors may be used to endorse or promote products derived
  from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache XBean
Copyright 2005-2008 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
Javolution - Java(TM) Solution for Real-Time and Embedded Systems
Copyright (c) 2006, Javolution (http://javolution.org)
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Maven Settings Builder
Copyright 2001-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
Copyright ${project.inceptionYear} - ${current.year} ${copyright.holder}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Maven Core
Copyright 2001-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
<!DOCTYPE html>
<html>
<head>
 <title>jsoup License</title>
 <meta name="keywords" content="license, open source, mit">
 <meta name="description" content="jsoup is licensed under the MIT open source license">
 <link type="text/css" rel="stylesheet" href="/rez/style.css">
 <script type="text/javascript">
    var _gaq = _gaq || [];
    _gaq.push(['_setAccount', 'UA-89734-10']);
     _gaq.push(['_setDomainName', 'jsoup.org']);
    _gaq.push(['_trackPageview']);

    (function() {
      var ga = document.createElement('script'); ga.type = 'text/javascript'; ga.async = true;
      ga.src = ('https:' == document.location.protocol ? 'https://ssl' : 'http://www') + '.google-analytics.com/ga.js';
      var s = document.getElementsByTagName('script')[0]; s.parentNode.insertBefore(ga, s);
    })();
  </script>
</head>
<body class="n1-">

    <li class="n1-home"><h4>jsoup</h4>

    <li class="n1-news">News
    <li class="n1-bugs">Bugs
    <li class="n1-discussion">Discussion
    <li class="n1-download">Download
    <li class="n1-api">API Reference
    <li class="n1-cookbook">Cookbook
    <li class="n1-try">Try jsoup

  jsoup
  » jsoup License

   <h1>jsoup License</h1>
   The jsoup code-base (include source and compiled packages) are distributed under the open source MIT license as described below.
   <h3>The MIT License</h3>
   Copyright © 2009 - 2014 Jonathan Hedley (jonathan@hedley.net)
   Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:
   The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.
   THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
 TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

  <!-- /col1 -->

  <!-- /col2 -->

 <!-- /content-->

```
 <div class="footer">
  <b>jsoup HTML parser</b> &copy; 2009 - 2014
  <a href="http://jhy.io/" rel="author"><b>Jonathan Hedley</b></a>
 </div>
</div>
<!-- /wrap -->
<script src="/rez/prettify.js"></script>
<script>prettyPrint();</script>
</body>
</html>
```


Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

This product bundles icons from the famfamfam.com silk icons set
http://www.famfamfam.com/lab/icons/silk/
Licensed under the Creative Commons Attribution Licence
 v2.5
http://creativecommons.org/licenses/by/2.5/
Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The
Apache Software Foundation (http://www.apache.org/).

Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed
at
The Apache Software Foundation (http://www.apache.org/).

Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache Groovy
Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache Groovy

Copyright 2003-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

This product includes/uses ANTLR (http://www.antlr2.org/)
developed by Terence Parr 1989-2006
ASM: a very small and fast Java bytecode manipulation framework
Copyright (c) 2000-2011 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer in the
 documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its
 contributors may be used to endorse or promote products derived from
 this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND
 FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.
xml-commons/java/external/README.sax.txt $Id: README.sax.txt 225954 2002-01-31 23:26:48Z curcuru $

HEAR YE, HEAR YE!

All of the .java software and associated documentation about
SAX in this repository are distributed freely in the
public domain.

LICENSE.sax.txt covers all software and documentation from the
megginson.com including the following in the xml-commons project:

xml-commons/java/external/src/org/xml/sax
and all subdirectories
xml-commons/java/external/xdocs/sax
and all subdirectories

The actual SAX classes in xml-commons came from:
http://www.megginson.com/Software/index.html
The original versions are tagged 'SAX-2_0-r2-prerelease'

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,

defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```
/********************************************************************************
* CruiseControl, a Continuous Integration Toolkit
* Copyright (c) 2001-2003, ThoughtWorks, Inc.
* 651 W Washington Ave. Suite 500
* Chicago, IL 60661 USA
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
*     + Redistributions of source code must retain the above copyright
*       notice, this list of conditions and the following disclaimer.
*
*     + Redistributions in binary form must reproduce the above
*       copyright notice, this list of conditions and the following
```

* disclaimer in the documentation and/or other materials provided
* with the distribution.
*
* + Neither the name of ThoughtWorks, Inc., CruiseControl, nor the
* names of its contributors may be used to endorse or promote
* products derived from this software without
specific prior
* written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
* A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
**/

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

License for the slf4j package

SLF4J License

Copyright (c) 2004-2007 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software
is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

These terms are identical to those of the MIT License, also called the X License or the X11 License,
which is a simple, permissive non-copyleft free software license. It is deemed compatible with virtually
all types of licenses, commercial or otherwise. In particular, the Free Software Foundation has declared
it
compatible with GNU GPL. It is also known to be approved by the Apache Software Foundation as compatible
with Apache Software License.

License for the JUnit package

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC
LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM
CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and
documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program
by such Contributor itself or anyone
acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense
the Contribution of such Contributor, if any, and such
derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe
the patent or other intellectual
property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole

responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b)
its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision
valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's
rights under this Agreement terminate,
Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement

under
which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

License for the JCIFS package

JCIFS
License

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and
other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies
of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using

a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License
therefore permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little
to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with
the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other

program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1

above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties
under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and
can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms
of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the
complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a
"work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be

linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute
the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2)

will
operate properly with a modified version of the library, if
the user installs one, as long as the modified version is
interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything
that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library, uncombined
with any other library
facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining

where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited
by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they
do not
excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any

such claims; this section has the sole purpose of protecting the
integrity of the free software distribution
system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

13. The Free Software Foundation
may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this.
Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO

WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE
LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey
the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU

Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301
USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

Apache Maven Distribution
Copyright 2001-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
xml-commons/java/external/LICENSE.dom-documentation.txt $Id: LICENSE.dom-documentation.txt 226215
2005-06-03 22:49:13Z mrglavas $

This license came from: http://www.w3.org/Consortium/Legal/copyright-documents-20021231

W3C DOCUMENT LICENSE
http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231

Public documents on the W3C site are provided by the copyright holders under
the following license. By using and/or copying this document, or the W3C
document from which this statement is linked, you (the licensee) agree that
you have read, understood, and will comply with the following terms and
conditions:

Permission to copy, and distribute the contents of this document, or the W3C
document from which this statement is linked, in any medium for any purpose
and without fee or royalty is hereby granted, provided that you include the
following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.

2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright [$date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved. http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231"
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, moves information on style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, such as the translating

or annotating specifications. Other questions about this notice can be directed
to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

Last revised by Reagle $Date: 2005-06-03 18:49:13 -0400 (Fri, 03 Jun 2005)
$

Apache Maven Wagon :: Providers :: HTTP Shared Library 4
Copyright 2003-2013 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Maven Embedder
Copyright 2001-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Maven includes a number of components and libraries with separate
copyright notices and license terms. Your use of those components are
subject to the terms and conditions of the following licenses.

AOP alliance (http://aopalliance.sourceforge.net) aopalliance:aopalliance:jar:1.0
License: Public Domain

JSR-250 Common Annotations for the JavaTM Platform

(http://jcp.org/aboutJava/communityprocess/final/jsr250/index.html) javax.annotation:jsr250-api:jar:1.0
License: COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0
https://glassfish.java.net/public/CDDLv1.0.html (lib/jsr250-api.license)

CDI APIs (http://www.seamframework.org/Weld/cdi-api)
javax.enterprise:cdi-api:jar:1.0
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0 (lib/cdi-api.license)

Maven Aether Provider (http://maven.apache.org/ref/3.2.5/maven-aether-provider) org.apache.maven:maven-aether-provider:jar:3.2.5
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/maven-aether-provider.license)

Maven Artifact (http://maven.apache.org/ref/3.2.5/maven-artifact) org.apache.maven:maven-artifact:jar:3.2.5
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/maven-artifact.license)

Maven Compat (http://maven.apache.org/ref/3.2.5/maven-compat) org.apache.maven:maven-compat:jar:3.2.5
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/maven-compat.license)

Maven Core (http://maven.apache.org/ref/3.2.5/maven-core) org.apache.maven:maven-core:jar:3.2.5
License: Apache License,
Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/maven-core.license)

Maven Embedder (http://maven.apache.org/ref/3.2.5/maven-embedder) org.apache.maven:maven-embedder:jar:3.2.5
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/maven-embedder.license)

Maven Model (http://maven.apache.org/ref/3.2.5/maven-model) org.apache.maven:maven-model:jar:3.2.5
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/maven-model.license)

Maven Model Builder (http://maven.apache.org/ref/3.2.5/maven-model-builder) org.apache.maven:maven-model-builder:jar:3.2.5
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/maven-model-builder.license)

Maven Plugin API (http://maven.apache.org/ref/3.2.5/maven-plugin-api) org.apache.maven:maven-plugin-api:jar:3.2.5
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/maven-plugin-api.license)

Maven
Repository Metadata Model (http://maven.apache.org/ref/3.2.5/maven-repository-metadata)
org.apache.maven:maven-repository-metadata:jar:3.2.5
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/maven-repository-

metadata.license)

Maven Settings (http://maven.apache.org/ref/3.2.5/maven-settings) org.apache.maven:maven-settings:jar:3.2.5
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/maven-settings.license)

Maven Settings Builder (http://maven.apache.org/ref/3.2.5/maven-settings-builder) org.apache.maven:maven-settings-builder:jar:3.2.5
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/maven-settings-builder.license)

Apache Maven Wagon :: Providers :: File Provider (http://maven.apache.org/wagon/wagon-providers/wagon-file) org.apache.maven.wagon:wagon-file:jar:2.8
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/wagon-file.license)

Apache Maven Wagon :: Providers :: HTTP Provider (http://maven.apache.org/wagon/wagon-providers/wagon-http) org.apache.maven.wagon:wagon-http:jar:2.8
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/wagon-http.license)

Apache Maven Wagon :: Providers :: HTTP Shared Library (http://maven.apache.org/wagon/wagon-providers/wagon-http-shared) org.apache.maven.wagon:wagon-http-shared:jar:2.8
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/wagon-http-shared.license)

Apache Maven Wagon :: API (http://maven.apache.org/wagon/wagon-provider-api) org.apache.maven.wagon:wagon-provider-api:jar:2.8
License: Apache License, Version 2.0 http://www.apache.org/licenses/LICENSE-2.0.txt (lib/wagon-provider-api.license)

Aether API (http://www.eclipse.org/aether/aether-api/) org.eclipse.aether:aether-api:jar:1.0.0.v20140518
License: Eclipse Public License, Version 1.0 http://www.eclipse.org/legal/epl-v10.html (lib/aether-api.license)

Aether Connector Basic (http://www.eclipse.org/aether/aether-connector-basic/) org.eclipse.aether:aether-connector-basic:jar:1.0.0.v20140518
License: Eclipse Public License, Version 1.0 http://www.eclipse.org/legal/epl-v10.html (lib/aether-connector-basic.license)

Aether Implementation (http://www.eclipse.org/aether/aether-impl/) org.eclipse.aether:aether-impl:jar:1.0.0.v20140518
License: Eclipse Public License, Version 1.0 http://www.eclipse.org/legal/epl-v10.html (lib/aether-impl.license)

Aether SPI (http://www.eclipse.org/aether/aether-spi/) org.eclipse.aether:aether-spi:jar:1.0.0.v20140518
License: Eclipse Public License, Version 1.0 http://www.eclipse.org/legal/epl-v10.html (lib/aether-spi.license)

Aether Transport Wagon (http://www.eclipse.org/aether/aether-transport-wagon/) org.eclipse.aether:aether-transport-wagon:jar:1.0.0.v20140518

License: Eclipse Public License, Version 1.0 http://www.eclipse.org/legal/epl-v10.html
(lib/aether-transport-wagon.license)

Aether Utilities (http://www.eclipse.org/aether/aether-util/) org.eclipse.aether:aether-util:jar:1.0.0.v20140518
License: Eclipse Public License, Version 1.0 http://www.eclipse.org/legal/epl-v10.html (lib/aether-util.license)

org.eclipse.sisu.inject (http://www.eclipse.org/sisu/org.eclipse.sisu.inject/)
org.eclipse.sisu:org.eclipse.sisu.inject:eclipse-plugin:0.3.0.M1
License: Eclipse Public License, Version 1.0 http://www.eclipse.org/legal/epl-v10.html
(lib/org.eclipse.sisu.inject.license)

org.eclipse.sisu.plexus (http://www.eclipse.org/sisu/org.eclipse.sisu.plexus/)
org.eclipse.sisu:org.eclipse.sisu.plexus:eclipse-plugin:0.3.0.M1
License: Eclipse Public License, Version 1.0 http://www.eclipse.org/legal/epl-v10.html
(lib/org.eclipse.sisu.plexus.license)

jsoup (http://jsoup.org/) org.jsoup:jsoup:jar:1.7.2
License: The MIT License http://jsoup.com/license (lib/jsoup.license)

SLF4J API Module
(http://www.slf4j.org) org.slf4j:slf4j-api:jar:1.7.5
License: MIT License http://www.opensource.org/licenses/mit-license.php (lib/slf4j-api.license)

SLF4J Simple Binding (http://www.slf4j.org) org.slf4j:slf4j-simple:jar:1.7.5
License: MIT License http://www.opensource.org/licenses/mit-license.php (lib/slf4j-simple.license)

Plexus Cipher: encryption/decryption Component (http://spice.sonatype.org/plexus-cipher)
org.sonatype.plexus:plexus-cipher:jar:1.7
License: Apache Public License 2.0 http://www.apache.org/licenses/LICENSE-2.0 (lib/plexus-cipher.license)

Plexus Security Dispatcher Component (http://spice.sonatype.org/plexus-sec-dispatcher)
org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3
License: Apache Public License 2.0 http://www.apache.org/licenses/LICENSE-2.0 (lib/plexus-sec-dispatcher.license)
Apache Ant
Copyright 1999-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

The <sync> task is based on code Copyright (c) 2002, Landmark
Graphics Corp that has been kindly donated to the Apache Software
Foundation.
Open Source Licenses
==========

This product may include a number of subcomponents with separate
copyright notices and license terms. Your use of the source code for

these subcomponents is subject to the terms and conditions of the
subcomponent's license, as noted in the LICENSE-<subcomponent>.md
files.

Maven Aether Provider
Copyright 2001-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Maven Repository Metadata Model
Copyright 2001-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You"
(or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations,
or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems
that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants
to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work
or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions
for use, reproduction, or distribution
of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental,
or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted
against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS
version 1.0

Apache Groovy is an effort undergoing incubation at The Apache Software
Foundation (ASF) sponsored by the Apache Incubator PMC. Incubation is required
of all newly accepted projects until a further review indicates that the
infrastructure, communications, and decision making process have stabilized
in a manner consistent with other successful ASF projects. While incubation
status is not necessarily a reflection of the completeness or stability of
the code, it does indicate that the project has yet to be fully endorsed by
the ASF.

Maven Model Builder
Copyright 2001-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Maven Compat
Copyright 2001-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Maven Settings
Copyright 2001-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

```
/*
*                                 Apache License
*                           Version 2.0, January 2004
*                        http://www.apache.org/licenses/
*
*   TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
*
*   1. Definitions.
*
*      "License" shall mean the terms and conditions for use, reproduction,
*      and distribution as defined by Sections 1 through 9 of this document.
```

*
* "Licensor" shall mean the copyright owner or entity authorized by
* the copyright owner that is granting the License.
*
* "Legal Entity" shall mean the union of the acting entity and all
* other entities that control, are controlled by, or are under common
* control with that entity. For the purposes of this definition,
* "control" means (i) the power, direct or indirect, to cause the
* direction or management of such entity, whether by contract or
* otherwise, or (ii) ownership of fifty percent (50%) or more of the
*
 outstanding shares, or (iii) beneficial ownership of such entity.
*
* "You" (or "Your") shall mean an individual or Legal Entity
* exercising permissions granted by this License.
*
* "Source" form shall mean the preferred form for making modifications,
* including but not limited to software source code, documentation
* source, and configuration files.
*
* "Object" form shall mean any form resulting from mechanical
* transformation or translation of a Source form, including but
* not limited to compiled object code, generated documentation,
* and conversions to other media types.
*
* "Work" shall mean the work of authorship, whether in Source or
* Object form, made available under the License, as indicated by a
* copyright notice that is included in or attached to the work
* (an example is provided in the Appendix below).
*
* "Derivative Works" shall mean any work, whether in Source or Object
*
   form, that is based on (or derived from) the Work and for which the
* editorial revisions, annotations, elaborations, or other modifications
* represent, as a whole, an original work of authorship. For the purposes
* of this License, Derivative Works shall not include works that remain
* separable from, or merely link (or bind by name) to the interfaces of,
* the Work and Derivative Works thereof.
*
* "Contribution" shall mean any work of authorship, including
* the original version of the Work and any modifications or additions
* to that Work or Derivative Works thereof, that is intentionally
* submitted to Licensor for inclusion in the Work by the copyright owner
* or by an individual or Legal Entity authorized to submit on behalf of
* the copyright owner. For the purposes of this definition, "submitted"
* means any form of electronic, verbal, or written communication sent
* to the Licensor or its representatives,

including but not limited to
* communication on electronic mailing lists, source code control systems,
* and issue tracking systems that are managed by, or on behalf of, the
* Licensor for the purpose of discussing and improving the Work, but
* excluding communication that is conspicuously marked or otherwise
* designated in writing by the copyright owner as "Not a Contribution."
*
* "Contributor" shall mean Licensor and any individual or Legal Entity
* on behalf of whom a Contribution has been received by Licensor and
* subsequently incorporated within the Work.
*
* 2. Grant of Copyright License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* copyright license to reproduce, prepare Derivative Works of,
* publicly display, publicly perform, sublicense, and distribute the
*
   Work and such Derivative Works in Source or Object form.
*
* 3. Grant of Patent License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* (except as stated in this section) patent license to make, have made,
* use, offer to sell, sell, import, and otherwise transfer the Work,
* where such license applies only to those patent claims licensable
* by such Contributor that are necessarily infringed by their
* Contribution(s) alone or by combination of their Contribution(s)
* with the Work to which such Contribution(s) was submitted. If You
* institute patent litigation against any entity (including a
* cross-claim or counterclaim in a lawsuit) alleging that the Work
* or a Contribution incorporated within the Work constitutes direct
* or contributory patent infringement, then any patent licenses
* granted to You under this License for that Work shall terminate
* as of the date such litigation is filed.
*
* 4. Redistribution. You may reproduce and distribute copies of the
* Work or Derivative Works thereof in any medium, with or without
* modifications, and in Source or Object form, provided that You
* meet the following conditions:
*
* (a) You must give any other recipients of the Work or
* Derivative Works a copy of this License; and
*
* (b) You must cause any modified files to carry prominent notices
* stating that You changed the files; and
*
* (c) You must retain, in the Source form of any Derivative Works
* that You distribute, all copyright, patent, trademark, and

```
*         attribution notices from the Source form of the Work,
*         excluding those notices that do not pertain to any part of
*         the Derivative Works; and
*
*      (d) If the Work includes a "NOTICE"
 text file as part of its
*         distribution, then any Derivative Works that You distribute must
*         include a readable copy of the attribution notices contained
*         within such NOTICE file, excluding those notices that do not
*         pertain to any part of the Derivative Works, in at least one
*         of the following places: within a NOTICE text file distributed
*         as part of the Derivative Works; within the Source form or
*         documentation, if provided along with the Derivative Works; or,
*         within a display generated by the Derivative Works, if and
*         wherever such third-party notices normally appear. The contents
*         of the NOTICE file are for informational purposes only and
*         do not modify the License. You may add Your own attribution
*         notices within Derivative Works that You distribute, alongside
*         or as an addendum to the NOTICE text from the Work, provided
*         that
 such additional attribution notices cannot be construed
*         as modifying the License.
*
*      You may add Your own copyright statement to Your modifications and
*      may provide additional or different license terms and conditions
*      for use, reproduction, or distribution of Your modifications, or
*      for any such Derivative Works as a whole, provided Your use,
*      reproduction, and distribution of the Work otherwise complies with
*      the conditions stated in this License.
*
*   5. Submission of Contributions. Unless You explicitly state otherwise,
*      any Contribution intentionally submitted for inclusion in the Work
*      by You to the Licensor shall be under the terms and conditions of
*      this License, without any additional terms or conditions.
*      Notwithstanding the above, nothing herein shall supersede or modify
*      the terms of any separate license agreement you may have executed
*      with Licensor regarding such Contributions.
 *
*   6. Trademarks. This License does not grant permission to use the trade
*      names, trademarks, service marks, or product names of the Licensor,
*      except as required for reasonable and customary use in describing the
*      origin of the Work and reproducing the content of the NOTICE file.
*
*   7. Disclaimer of Warranty. Unless required by applicable law or
*      agreed to in writing, Licensor provides the Work (and each
*      Contributor provides its Contributions) on an "AS IS" BASIS,
*      WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
*      implied, including, without limitation, any warranties or conditions
```

```
*      of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
*      PARTICULAR PURPOSE. You are solely responsible for determining the
*      appropriateness of using or redistributing the Work and assume any
*      risks associated with Your exercise of permissions under this License.
*
*   8. Limitation of Liability.
 In no event and under no legal theory,
*      whether in tort (including negligence), contract, or otherwise,
*      unless required by applicable law (such as deliberate and grossly
*      negligent acts) or agreed to in writing, shall any Contributor be
*      liable to You for damages, including any direct, indirect, special,
*      incidental, or consequential damages of any character arising as a
*      result of this License or out of the use or inability to use the
*      Work (including but not limited to damages for loss of goodwill,
*      work stoppage, computer failure or malfunction, or any and all
*      other commercial damages or losses), even if such Contributor
*      has been advised of the possibility of such damages.
*
*   9. Accepting Warranty or Additional Liability. While redistributing
*      the Work or Derivative Works thereof, You may choose to offer,
*      and charge a fee for, acceptance of support, warranty, indemnity,
*      or other
 liability obligations and/or rights consistent with this
*      License. However, in accepting such obligations, You may act only
*      on Your own behalf and on Your sole responsibility, not on behalf
*      of any other Contributor, and only if You agree to indemnify,
*      defend, and hold each Contributor harmless for any liability
*      incurred by, or claims asserted against, such Contributor by reason
*      of your accepting any such warranty or additional liability.
*
*   END OF TERMS AND CONDITIONS
*
*   APPENDIX: How to apply the Apache License to your work.
*
*      To apply the Apache License to your work, attach the following
*      boilerplate notice, with the fields enclosed by brackets "[]"
*      replaced with your own identifying information. (Don't include
*      the brackets!)  The text should be enclosed in the appropriate
*      comment syntax for the file format. We also recommend that a
*      file or class name and description of purpose
 be included on the
*      same "printed page" as the copyright notice for easier
*      identification within third-party archives.
*
*   Copyright [yyyy] [name of copyright owner]
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
```

* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

W3C SOFTWARE NOTICE AND LICENSE
https://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other
related items) is being provided by the copyright holders
 under the following
license. By obtaining, using and/or copying this work, you (the licensee) agree
that you have read, understood, and will comply with the following terms and
conditions.

Permission to copy, modify, and distribute this software and its documentation,
with or without modification, for any purpose and without fee or royalty is
hereby granted, provided that you include the following on ALL copies of the
software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the
   redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms
   and conditions. If none exist, the W3C Software Short Notice should be
   included (hypertext is preferred, text is permitted) within the body
   of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date
   changes were made. (We recommend you
provide URIs to the location from
   which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or
publicity pertaining to the software without specific, written prior permission.

Title to copyright in this software and any associated documentation will at
all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002.
This version
removes the copyright ownership notice such that this license can
be used with materials other than those owned by the W3C, reflects that ERCIM
is now a host of the W3C, includes references to this specific dated version of
the license, and removes the ambiguous grant of "use". Otherwise, this version
is the same as the previous version and is written so as to preserve the Free
Software Foundation's assessment of GPL compatibility and OSI's certification
under the Open Source Definition. Please see our Copyright FAQ for common
questions about using materials from our site, including specific terms and
conditions for packages like libwww, Amaya, and Jigsaw. Other questions about
this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

This license came from: http://www.megginson.com/SAX/copying.html
However please note future versions of SAX may be covered
under http://saxproject.org/?selected=pd

SAX2 is Free!

I hereby abandon any property rights
to SAX 2.0 (the Simple API for
XML), and release all of the SAX 2.0 source code, compiled code, and
documentation contained in this distribution into the Public Domain.
SAX comes with NO WARRANTY or guarantee of fitness for any
purpose.

David Megginson, david@megginson.com
2000-05-05
xml-commons/java/external/README.dom.txt $Id: README.dom.txt 477038 2006-11-20 04:40:36Z mrglavas $

HEAR YE, HEAR YE!

All of the .java software and associated documentation about
the DOM in this repository are distributed under the license
from the W3C, which is provided herein.

LICENSE.dom-software.txt covers all software from the W3C
including the following items in the xml-commons project:

xml-commons/java/external/src/org/w3c
and all subdirectories

(Note: SAC (The Simple API for CSS) has been published under an older
version of the W3C license. The original license file is LICENSE.sac.html.)

LICENSE.dom-documentation.txt covers all documentation from the W3C
including the following items in the xml-commons project:

xml-commons/java/external/xdocs/dom
and all subdirectories

The actual DOM Java Language Binding classes in xml-commons came from:
http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.html

The specification of DOM Level 3's various parts is at:
http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/
http://www.w3.org/TR/2004/REC-DOM-Level-3-LS-20040407/
http://www.w3.org/TR/2004/NOTE-DOM-Level-3-XPath-20040226/

The specification of DOM Level 2's various parts is at:
http://www.w3.org/TR/2000/REC-DOM-Level-2-Events-20001113/
http://www.w3.org/TR/2000/REC-DOM-Level-2-Style-20001113/
http://www.w3.org/TR/2000/REC-DOM-Level-2-Traversal-Range-20001113/
http://www.w3.org/TR/2000/REC-DOM-Level-2-Views-20001113/

The specification of DOM Level 1's various parts is at:
http://www.w3.org/TR/1998/REC-DOM-Level-1-19981001/level-one-html.html

Links to all available W3C DOM Java Bindings can be found at:
http://www.w3.org/DOM/DOMTR

The actual classes of The Simple API for CSS (SAC) came from:
http://www.w3.org/Style/CSS/SAC/
http://www.w3.org/2002/06/sacjava-1.3.zip

The actual DOM Java Language Binding
classes for SMIL came from:
http://dev.w3.org/cvsweb/java/classes/org/w3c/dom/smil/
(both ElementTimeControl.java and TimeEvent.java were taken at revision 1.1)

The actual DOM Java Language Binding classes for SVG 1.1 came from:
http://www.w3.org/TR/SVG11/java.html
==========
== NOTICE file corresponding to the section 4 d of ==
== the Apache License, Version 2.0, ==
== in this case for the Groovy Language distribution. ==

==========

Apache Groovy
Copyright 2003-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

It includes the following other software:

Antlr 2 (http://www.antlr2.org/)
ASM (http://asm.ow2.org/)
GPars (http://www.gpars.org/)
Hamcrest (https://github.com/hamcrest/JavaHamcrest)
JCommander (http://jcommander.org/)
Openbeans (https://code.google.com/p/openbeans/)
QDox (https://github.com/paul-hammant/qdox)
TestNG (http://testng.org/)
XMLPull (http://www.xmlpull.org/)
XStream (https://x-stream.github.io/)

For the following files in the groovy-jsr223 component:
src/main/org/codehaus/groovy/jsr223/GroovyCompiledScript.java
src/main/org/codehaus/groovy/jsr223/GroovyScriptEngineFactory.java
src/main/org/codehaus/groovy/jsr223/GroovyScriptEngineImpl.java

Use the JSR223 License listed in the LICENSE file.

For licenses see the LICENSE file.

If any software distributed with Apache Groovy does not have an Apache 2
License, its license is explicitly listed in the LICENSE file.

==========

== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache xml-commons xml-apis ==
== distribution. ==

==========

Apache XML Commons XML APIs
Copyright 1999-2009 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of this software were originally based on the following:
- software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
- software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
- software copyright (c) 2000 World Wide Web Consortium, http://www.w3.org

Maven Compat
Copyright 2001-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Maven Model
Copyright 2001-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
Copyright 2001-2005 (C) MetaStuff, Ltd. All Rights Reserved.

Redistribution and use of this software and associated documentation
("Software"), with or without modification, are permitted provided
that the following conditions are met:

1. Redistributions of source code must retain copyright
  statements and notices. Redistributions must also contain a
  copy of this document.

2. Redistributions in binary form must reproduce the
  above copyright notice, this list of conditions and the
  following disclaimer in the documentation and/or other
  materials provided with the distribution.

3. The name "DOM4J" must not be used to endorse or promote
  products derived from this Software without prior written
  permission of MetaStuff, Ltd. For written permission,
  please contact dom4j-info@metastuff.com.

4. Products derived from this Software may not be called "DOM4J"
  nor may "DOM4J" appear in their names without prior written
  permission of MetaStuff,
 Ltd. DOM4J is a registered
  trademark of MetaStuff, Ltd.

5. Due credit should be given to the DOM4J Project -
  http://www.dom4j.org

THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

Maven Settings
Copyright 2001-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

ANTLR 2 License

We reserve no legal rights to the ANTLR--it is fully in the public domain. An individual or company may do whatever they wish with source code distributed with ANTLR or the code generated by ANTLR, including the incorporation of ANTLR, or its output, into commerical software.

We encourage users to develop software with ANTLR. However, we do ask that credit is given to us for developing ANTLR. By "credit", we mean that if you use ANTLR or incorporate any source code into one of your programs (commercial product, research project, or otherwise) that
you acknowledge this fact somewhere in
the documentation, research report, etc... If you like ANTLR and have developed a nice tool with the output, please mention that you developed it using ANTLR. In addition, we ask that the headers remain intact in our source code. As long as these guidelines are kept, we expect to continue enhancing this system and expect to make other tools available as they are completed.

In countries where the Public Domain status of the work may not be valid, the author grants a copyright licence to the general public to deal in the work without restriction and permission to sublicence derivates

under the terms of any (OSI approved) Open Source licence.

The Python parser generator code under antlr/actions/python/ is covered by the 3-clause BSD licence (this part is included in the binary JAR files); the run-time part under lib/python/ is covered by the GNU GPL, version 3 or later (this part is not included in the binary JAR files). See [1] for the full details.

https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=750643#80%22

ASM
4 License

Copyright (c) 2000-2011 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

Hamcrest License

BSD License

Copyright (c) 2000-2015 www.hamcrest.org
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

Redistributions of source code
must retain the above copyright notice, this list of
conditions and the following disclaimer. Redistributions in binary form must reproduce
the above copyright notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse
or promote products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT
SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN
ANY
WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

JLine License

Copyright (c) 2002-2012, the original author or authors.
All rights reserved.

http://www.opensource.org/licenses/bsd-license.php

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the following
conditions are met:

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with
the distribution.

Neither the name of JLine nor the names of its contributors
may be used to
 endorse or promote products derived from this
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

JSR223 License

Copyright 2006 Sun Microsystems, Inc. All rights reserved.
Use
 is subject to license terms.

Redistribution and use in source and binary forms, with or without modification, are
permitted provided that the following conditions are met: Redistributions of source code
must retain the above copyright notice, this list of conditions and the following disclaimer.
Redistributions in binary form must reproduce the above copyright notice, this list of
conditions and the following disclaimer in the documentation and/or other materials
provided with the distribution. Neither the name of the Sun Microsystems nor the names of
is contributors may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT OWNER
OR CONTRIBUTORS BE LIABLE FOR

ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

JUnit License

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered
by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial
use of the Program,
the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes

the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT,

INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION
LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's

rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one
other than the Agreement
Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as

expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Multiverse License

Copyright (c) 2011, The Multiverse Team All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. Neither the name of the The Multiverse Team nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

xml-commons/java/external/LICENSE.dom-software.txt $Id: LICENSE.dom-software.txt 734314 2009-01-14 03:33:27Z mrglavas $

This license came from: http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.zip (COPYRIGHT.html)

W3C SOFTWARE NOTICE AND LICENSE
Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology,
European Research Consortium for Informatics and Mathematics, Keio University).
All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and
License. The software license requires "Notice of any changes or modifications
to the W3C files, including the date changes were made." Consequently, modified
versions of the DOM bindings must document that they do not conform to the W3C
standard; in the case of the IDL definitions, the pragma prefix can no longer
be 'w3c.org'; in the case of the Java language binding, the package names can no
longer be in the 'org.w3c' package.

Note: The original
version of the W3C Software Copyright Notice and License could
be found at http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other
related items) is being provided by the copyright holders under the following
license. By obtaining, using and/or copying this work, you (the licensee) agree
that you have read, understood, and will comply with the following terms and
conditions.

Permission to copy, modify, and distribute this software and its documentation,
with or without modification, for any purpose and without fee or royalty is
hereby granted, provided that you include the following on ALL copies of the
software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the
   redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms

   and conditions. If none exist, the W3C Software Short Notice should be
   included (hypertext is preferred, text is permitted) within the body
   of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date
   changes were made. (We recommend you provide URIs to the location from
   which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE
NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED
TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT
THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY
PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising
or
publicity pertaining to the software without specific, written prior permission.
Title to copyright in this software and any associated documentation will at
all times remain with copyright holders.
/*
$Id: LICENSE.txt,v 1.5 2006/02/05 21:49:04 elharo Exp $

Copyright 2003-2006 The Werken Company. All Rights Reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

* Neither the name of the Jaxen Project nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

Maven Artifact
Copyright 2001-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache HttpCore

Copyright 2005-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

This project contains annotations derived from JCIP-ANNOTATIONS
Copyright (c) 2005 Brian Goetz and Tim Peierls. See http://www.jcip.net

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Maven Wagon :: Providers :: File Provider
Copyright 2003-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers, as well as supported
commercially by FasterXML.com.

Licensing

Jackson core and extension components may be licensed under different licenses.
To find the details that apply to this artifact see the accompanying LICENSE file.
For more information, including possible other licensing options, contact
FasterXML.com (http://fasterxml.com).

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

Maven Core
Copyright 2001-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

```
/********************************************************************************
* CruiseControl, a Continuous Integration Toolkit
* Copyright (c) 2001-2003, ThoughtWorks, Inc.
* 651 W Washington Ave. Suite 500
* Chicago, IL 60661 USA
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
*     + Redistributions of source code must retain the above copyright
*       notice, this list of conditions and the following disclaimer.
*
*     + Redistributions in binary form must reproduce the above
*       copyright notice, this list of conditions and the following
*       disclaimer in the documentation and/or other materials provided
*       with the distribution.
*
*     + Neither the name of ThoughtWorks, Inc., CruiseControl, nor the
*       names of its contributors may be used to endorse or promote
*       products derived from
 this software without specific prior
*       written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
* A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
********************************************************************************/
```

Apache Maven Wagon :: API
Copyright 2003-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
xml-commons/java/external/LICENSE.sax.txt $Id: LICENSE.sax.txt 225954 2002-01-31 23:26:48Z curcuru $

This license came from: http://www.megginson.com/SAX/copying.html
However please note future versions of SAX may be covered
under http://saxproject.org/?selected=pd

This page is now out of date -- see the new SAX site at
http://www.saxproject.org/ for more up-to-date
releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for
XML), and release all of the SAX 2.0 source code, compiled code, and
documentation contained in this distribution into the Public Domain.
SAX comes with NO WARRANTY or guarantee of fitness for any
purpose.

David Megginson, david@megginson.com
2000-05-05
JUnit

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are
not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free
patent license under
Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise.

As a condition to
exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied
warranties or conditions of merchantability
and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution,

if
any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection
with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims
against the other
Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of

data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS
AGREEMENT, NEITHER RECIPIENT NOR ANY
CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any
entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program
itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves
the right to
publish new versions (including revisions) of this Agreement from time to time.
No one other than the Agreement Steward has the right to modify this Agreement.
The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of

the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted
under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Maven Settings Builder
Copyright 2001-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
==
= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =
==
This product includes software developed by
Joda.org (https://www.joda.org/).
// --
// NOTICE file corresponding to the section 4d of The Apache License,
// Version 2.0, in this case for Objenesis
// --

Objenesis
Copyright 2006-2009 Joe Walnes, Henri Tremblay, Leonardo Mesquita
/*
* Apache License
* Version 2.0, January 2004
* http://www.apache.org/licenses/
*
* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
*
* 1. Definitions.
*
* "License" shall mean the terms and conditions for use, reproduction,
* and distribution as defined by Sections 1 through 9 of this document.
*
* "Licensor" shall mean the copyright owner or entity authorized by
* the copyright owner that is granting the License.
*
* "Legal Entity" shall mean the union of the acting entity and all

* other entities that control, are controlled by, or are under common
* control with that entity. For the purposes of this definition,
* "control" means (i) the power, direct or indirect, to cause the
* direction or management of such entity, whether by contract or
* otherwise, or (ii) ownership of fifty percent (50%) or more of the
*
outstanding shares, or (iii) beneficial ownership of such entity.
*
* "You" (or "Your") shall mean an individual or Legal Entity
* exercising permissions granted by this License.
*
* "Source" form shall mean the preferred form for making modifications,
* including but not limited to software source code, documentation
* source, and configuration files.
*
* "Object" form shall mean any form resulting from mechanical
* transformation or translation of a Source form, including but
* not limited to compiled object code, generated documentation,
* and conversions to other media types.
*
* "Work" shall mean the work of authorship, whether in Source or
* Object form, made available under the License, as indicated by a
* copyright notice that is included in or attached to the work
* (an example is provided in the Appendix below).
*
* "Derivative Works" shall mean any work, whether in Source or Object
*
form, that is based on (or derived from) the Work and for which the
* editorial revisions, annotations, elaborations, or other modifications
* represent, as a whole, an original work of authorship. For the purposes
* of this License, Derivative Works shall not include works that remain
* separable from, or merely link (or bind by name) to the interfaces of,
* the Work and Derivative Works thereof.
*
* "Contribution" shall mean any work of authorship, including
* the original version of the Work and any modifications or additions
* to that Work or Derivative Works thereof, that is intentionally
* submitted to Licensor for inclusion in the Work by the copyright owner
* or by an individual or Legal Entity authorized to submit on behalf of
* the copyright owner. For the purposes of this definition, "submitted"
* means any form of electronic, verbal, or written communication sent
* to the Licensor or its representatives,
including but not limited to
* communication on electronic mailing lists, source code control systems,
* and issue tracking systems that are managed by, or on behalf of, the
* Licensor for the purpose of discussing and improving the Work, but
* excluding communication that is conspicuously marked or otherwise
* designated in writing by the copyright owner as "Not a Contribution."

```
*
*     "Contributor" shall mean Licensor and any individual or Legal Entity
*     on behalf of whom a Contribution has been received by Licensor and
*     subsequently incorporated within the Work.
*
*   2. Grant of Copyright License. Subject to the terms and conditions of
*     this License, each Contributor hereby grants to You a perpetual,
*     worldwide, non-exclusive, no-charge, royalty-free, irrevocable
*     copyright license to reproduce, prepare Derivative Works of,
*     publicly display, publicly perform, sublicense, and distribute the
*
      Work and such Derivative Works in Source or Object form.
*
*   3. Grant of Patent License. Subject to the terms and conditions of
*     this License, each Contributor hereby grants to You a perpetual,
*     worldwide, non-exclusive, no-charge, royalty-free, irrevocable
*     (except as stated in this section) patent license to make, have made,
*     use, offer to sell, sell, import, and otherwise transfer the Work,
*     where such license applies only to those patent claims licensable
*     by such Contributor that are necessarily infringed by their
*     Contribution(s) alone or by combination of their Contribution(s)
*     with the Work to which such Contribution(s) was submitted. If You
*     institute patent litigation against any entity (including a
*     cross-claim or counterclaim in a lawsuit) alleging that the Work
*     or a Contribution incorporated within the Work constitutes direct
*     or contributory patent infringement, then any patent licenses
*     granted to You under this License for that Work shall terminate
*     as of the date such litigation is filed.
*
*   4. Redistribution. You may reproduce and distribute copies of the
*     Work or Derivative Works thereof in any medium, with or without
*     modifications, and in Source or Object form, provided that You
*     meet the following conditions:
*
*     (a) You must give any other recipients of the Work or
*         Derivative Works a copy of this License; and
*
*     (b) You must cause any modified files to carry prominent notices
*         stating that You changed the files; and
*
*     (c) You must retain, in the Source form of any Derivative Works
*         that You distribute, all copyright, patent, trademark, and
*         attribution notices from the Source form of the Work,
*         excluding those notices that do not pertain to any part of
*         the Derivative Works; and
*
*     (d) If the Work includes a "NOTICE"
```

text file as part of its
* distribution, then any Derivative Works that You distribute must
* include a readable copy of the attribution notices contained
* within such NOTICE file, excluding those notices that do not
* pertain to any part of the Derivative Works, in at least one
* of the following places: within a NOTICE text file distributed
* as part of the Derivative Works; within the Source form or
* documentation, if provided along with the Derivative Works; or,
* within a display generated by the Derivative Works, if and
* wherever such third-party notices normally appear. The contents
* of the NOTICE file are for informational purposes only and
* do not modify the License. You may add Your own attribution
* notices within Derivative Works that You distribute, alongside
* or as an addendum to the NOTICE text from the Work, provided
* that
such additional attribution notices cannot be construed
* as modifying the License.
*
* You may add Your own copyright statement to Your modifications and
* may provide additional or different license terms and conditions
* for use, reproduction, or distribution of Your modifications, or
* for any such Derivative Works as a whole, provided Your use,
* reproduction, and distribution of the Work otherwise complies with
* the conditions stated in this License.
*
* 5. Submission of Contributions. Unless You explicitly state otherwise,
* any Contribution intentionally submitted for inclusion in the Work
* by You to the Licensor shall be under the terms and conditions of
* this License, without any additional terms or conditions.
* Notwithstanding the above, nothing herein shall supersede or modify
* the terms of any separate license agreement you may have executed
* with Licensor regarding such Contributions.
*
* 6. Trademarks. This License does not grant permission to use the trade
* names, trademarks, service marks, or product names of the Licensor,
* except as required for reasonable and customary use in describing the
* origin of the Work and reproducing the content of the NOTICE file.
*
* 7. Disclaimer of Warranty. Unless required by applicable law or
* agreed to in writing, Licensor provides the Work (and each
* Contributor provides its Contributions) on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
* implied, including, without limitation, any warranties or conditions
* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
* PARTICULAR PURPOSE. You are solely responsible for determining the
* appropriateness of using or redistributing the Work and assume any
* risks associated with Your exercise of permissions under this License.
*

```
*   8. Limitation of Liability.
 In no event and under no legal theory,
*      whether in tort (including negligence), contract, or otherwise,
*      unless required by applicable law (such as deliberate and grossly
*      negligent acts) or agreed to in writing, shall any Contributor be
*      liable to You for damages, including any direct, indirect, special,
*      incidental, or consequential damages of any character arising as a
*      result of this License or out of the use or inability to use the
*      Work (including but not limited to damages for loss of goodwill,
*      work stoppage, computer failure or malfunction, or any and all
*      other commercial damages or losses), even if such Contributor
*      has been advised of the possibility of such damages.
*
*   9. Accepting Warranty or Additional Liability. While redistributing
*      the Work or Derivative Works thereof, You may choose to offer,
*      and charge a fee for, acceptance of support, warranty, indemnity,
*      or other
 liability obligations and/or rights consistent with this
*      License. However, in accepting such obligations, You may act only
*      on Your own behalf and on Your sole responsibility, not on behalf
*      of any other Contributor, and only if You agree to indemnify,
*      defend, and hold each Contributor harmless for any liability
*      incurred by, or claims asserted against, such Contributor by reason
*      of your accepting any such warranty or additional liability.
*
*   END OF TERMS AND CONDITIONS
*
*   APPENDIX: How to apply the Apache License to your work.
*
*      To apply the Apache License to your work, attach the following
*      boilerplate notice, with the fields enclosed by brackets "[]"
*      replaced with your own identifying information. (Don't include
*      the brackets!)  The text should be enclosed in the appropriate
*      comment syntax for the file format. We also recommend that a
*      file or class name and description of purpose
 be included on the
*      same "printed page" as the copyright notice for easier
*      identification within third-party archives.
*
*   Copyright [yyyy] [name of copyright owner]
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at
*
*       http://www.apache.org/licenses/LICENSE-2.0
*
*   Unless required by applicable law or agreed to in writing, software
```

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

W3C SOFTWARE NOTICE AND LICENSE
http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following
license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002.
This version
 removes the copyright ownership notice such that this license can
be used with materials other than those owned by the W3C, reflects that ERCIM
is now a host of the W3C, includes references to this specific dated version of
the license, and removes the ambiguous grant of "use". Otherwise, this version
is the same as the previous version and is written so as to preserve the Free
Software Foundation's assessment of GPL compatibility and OSI's certification
under the Open Source Definition. Please see our Copyright FAQ for common
questions about using materials from our site, including specific terms and
conditions for packages like libwww, Amaya, and Jigsaw. Other questions about
this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

This license came from: http://www.megginson.com/SAX/copying.html
 However please note future versions of SAX may be covered
 under http://saxproject.org/?selected=pd

SAX2 is Free!

I hereby abandon any property rights
 to SAX 2.0 (the Simple API for
XML), and release all of the SAX 2.0 source code, compiled code, and
documentation contained in this distribution into the Public Domain.
SAX comes with NO WARRANTY or guarantee of fitness for any
purpose.

David Megginson, david@megginson.com
2000-05-05
This copy of Jackson JSON processor annotations is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0
Apache Ant
Copyright 1999-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

The <sync> task is based on code Copyright (c) 2002, Landmark
Graphics Corp that has been kindly donated to the Apache Software
Foundation.

Maven Plugin API
Copyright 2001-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
This copy of Jackson JSON processor databind module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0
This copy of Jackson JSON processor streaming parser/generator is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0
Apache Commons Lang
Copyright 2001-2011 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License

Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an
individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim
or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works
that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate
license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on

the
    same "printed page" as the copyright notice for easier
    identification within third-party archives.

 Copyright [yyyy] [name of copyright owner]

 Licensed under the Apache License, Version 2.0 (the "License");
 you may not use this file except in compliance with the License.
 You may obtain a copy of the License at

     http://www.apache.org/licenses/LICENSE-2.0

 Unless required by applicable law or agreed to in writing, software
 distributed under the License is distributed on an "AS IS" BASIS,
 WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 See the License for the specific language governing permissions and
 limitations under the License.

                                 Apache License
                           Version 2.0, January 2004
                        http://www.apache.org/licenses/

 TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

 1. Definitions.

    "License" shall mean the terms and
conditions for use, reproduction,
    and distribution as defined by Sections 1 through 9 of this document.

    "Licensor" shall mean the copyright owner or entity authorized by
    the copyright owner that is granting the License.

    "Legal Entity" shall mean the union of the acting entity and all
    other entities that control, are controlled by, or are under common
    control with that entity. For the purposes of this definition,
    "control" means (i) the power, direct or indirect, to cause the
    direction or management of such entity, whether by contract or
    otherwise, or (ii) ownership of fifty percent (50%) or more of the
    outstanding shares, or (iii) beneficial ownership of such entity.

    "You" (or "Your") shall mean an individual or Legal Entity
    exercising permissions granted by this License.

    "Source" form shall mean the preferred form for making modifications,
    including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works
a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along
with the Derivative Works; or,
within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions.
Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction,
or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work,
attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific
language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited
to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3.
Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date
such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy
of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and
customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing,
shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance
with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union
of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media

types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted
to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark,
and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License.
You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above,
nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing
the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose
to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend
that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION,
AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works
that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously
marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited
to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache
License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS
OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

NORMALIZE.CSS LICENSE

The following file is used with documentation:

org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/stylesheet.css

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE
IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity"
shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions
to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not
modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding
the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using
or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof,
You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format.
We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

NORMALIZE.CSS LICENSE

The following file is used with documentation:

org/codehaus/groovy/tools/stylesheet.css

Copyright
(c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty
percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited
to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the
date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy
of the attribution notices contained
within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications
and
may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable
and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance
with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the
union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other

media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted
to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent,
trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License.
You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the
above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing
the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may
choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend
that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION,
AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making
modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works
that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously
marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited
to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the
Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR
CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such
entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then
any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the
License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks,
or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable
law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility,
not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License,
Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright
owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to
compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated
within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form
of any Derivative Works
that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE
file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this
License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely
responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability.
While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed
in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and

limitations under the License.

JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in
collaboration with the Groovy community. The reference implementation
has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities
that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work
of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by
the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor
hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity
(including a
cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from
the Source form of the Work,
excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated
with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance

of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description
of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited
to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely
link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing
by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and
otherwise transfer the Work,
where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the
Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES

OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work
stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply
the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise,
or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work
shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement
to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except
as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent
acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor,

and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use
this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal
Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that
is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License.
Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s)
was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute,
all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness
of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative
Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for
the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS
FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean
the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative
Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication
that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent
license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet
the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of
the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor
provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided
in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic,
verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf
and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed
under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any
modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination
of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must
retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms
and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR
PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty
or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!)
The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January
2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising
permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative
Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law
or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as
a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting
any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing,
software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice
that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the

purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license
to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within
the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works;

and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License.
However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within
third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of
this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting
from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any
work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that

are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent
notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works,
if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for
inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"

replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

ANTLR
2 License

Antlr2 is released in the public domain.
See licenses/antlr2-license.txt for details.

ASM 4 License

ASM 4 uses a 3-clause BSD license. For details, see licenses/asm-license.txt.

Apache License

Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this
License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Apache Maven Wagon :: Providers :: HTTP Shared Library
Copyright 2003-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
==========
== NOTICE file corresponding to the section 4 d of ==
== the Apache License, Version 2.0, ==

== in this case for the Gradle distribution. ==
==

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

It includes the following other software:

Groovy (http://groovy-lang.org)
SLF4J (http://www.slf4j.org)
JUnit (http://www.junit.org)
JCIFS (http://jcifs.samba.org)

For licenses, see the LICENSE file.

If any software distributed with Gradle does not have an Apache 2 License, its license is explicitly listed in the LICENSE file.
Apache Geronimo
Copyright 2003-2006 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Maven Artifact
Copyright 2001-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML+RDFa 1.0//EN"
"http://www.w3.org/MarkUp/DTD/xhtml-rdfa-1.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" version="XHTML+RDFa 1.0" dir="ltr">

<head profile="http://www.w3.org/1999/xhtml/vocab">
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<link rel="shortcut icon" href="http://opensource.org/files/garland_favicon.png" type="image/png" />
<link rel="shortlink" href="/node/66" />
<link rel="canonical" href="/licenses/MIT" />
<meta name="Generator" content="Drupal 7 (http://drupal.org)" />
<title>The MIT License (MIT) | Open Source Initiative</title>
<link type="text/css" rel="stylesheet" href="http://opensource.org/files/css/css_xE-rWrJf-fncB6ztZfd2huxqgxu4WO-qwma6Xer30m4.css" media="all" />
<link type="text/css" rel="stylesheet" href="http://opensource.org/files/css/css_2ATB4XKGEvmoUk_p62PwI-o2aW47EqqS0nD2dmPZoV4.css" media="all" />
<link type="text/css" rel="stylesheet" href="http://opensource.org/files/css/css_2wI77kyP-rJKVpFW5M3KFcj7Cb99lZalmubKIwWwsmU.css"
media="all" />
<link type="text/css" rel="stylesheet"
href="http://opensource.org/files/css/css_k3snrbsthqot7V7ccRZHS9OkCZkwBv4adtNieIVlbEU.css" media="print"

/>

<!--[if lt IE 7]>
<link type="text/css" rel="stylesheet" href="http://opensource.org/themes/garland/fix-ie.css?nfb7pm" media="all"
/>
<![endif]-->
 <script type="text/javascript"
src="http://opensource.org/files/js/js_xAPl0qIk9eowy_iS9tNkCWXLUVoat94SQT48UBCFkyQ.js"></script>
<script type="text/javascript">
<!--//--><![CDATA[//><!--
jQuery.extend(Drupal.settings,
{"basePath":"\/","pathPrefix":"","ajaxPageState":{"theme":"garland","theme_token":"meUjjBBfr6QFJv5kp0oKi152l673C3xJMLGIQzbH9g0","js":{"misc\/jquery.js":1,"misc\/jquery.once.js":1,"misc\/drupal.js":1},"css":{"modules\/system\/system.base.css":1,"modules\/system\/system.menus.css":1,"modules\/system\/system.messages.css":1,"modules\/system\/system.theme.css":1,"modules\/aggregator\/aggregator.css":1,"modules\/comment\/comment.css":1,"modules\/field\/theme\/field.css":1,"sites\/all\/modules\/mollom\/mollom.css":1,"modules\/node\/node.css":1,"modules\/search\/search.css":1,"modules\/user\/user.css":1,"themes\/garland\/style.css":1,"themes\/garland\/print.css":1,"themes\/garland\/fix-ie.css":1}}});
//--><!]]>
</script>
</head>
<body
 class="html not-front not-logged-in one-sidebar sidebar-first page-node page-node- page-node-66 node-type-page fluid-width" >

  Skip to main content

                Open Source Initiative

                 <!-- /#header -->

  <h2 class="title">Search this site:</h2>

<form action="/licenses/mit-license.php" method="post" id="search-block-form" accept-charset="UTF-8">

<label class="element-invisible" for="edit-search-block-form--2">Search </label>
<input title="Enter the terms you wish to search for." type="text" id="edit-search-block-form--2" name="search_block_form" value="" size="15" maxlength="128" class="form-text" />

<input type="submit" id="edit-submit" name="op" value="Search" class="form-submit" /> <input type="hidden" name="form_build_id" value="form-MyBqFtDVdzOmaSnCHKIG9yhm0ofMr7fNMG5Vy76N_uk" />
<input type="hidden" name="form_id" value="search_block_form" />

</form>

<h2 class="title">Navigation</h2>

<ul class="menu"><li class="first collapsed">About the OSI
<li class="collapsed">The Open Source Definition
<li class="collapsed">Open Source Licenses
<li class="leaf">Working Groups
<li class="leaf">FAQ
<li class="collapsed">Trademark and Logo Usage
<li class="collapsed">Open Standards
<li class="leaf">Open Source Education
<li class="collapsed">Mailing lists
<li class="collapsed">Getting Help
<li class="collapsed">Donate to the OSI
<li class="leaf">OSI Individual Membership
<li class="leaf">OSI Store
<li class="collapsed">OSI Affiliate Membership
<li class="leaf">Contact OSI
<li class="leaf"><a href="/ToS"

title="Rules for posting content on this site">Terms of Service
<li class="last leaf">OSI Corporate Support

<h2 class="element-invisible">You are here</h2> Home

<h1 class="with-tabs">The MIT License (MIT)</h1>

<img style="float: right; margin: 1em;" width="100" height="137"
alt="[OSI Approved License]" src="/trademarks/opensource/OSI-Appro
ved-License-100x137.png"/>
The MIT License (MIT)
Copyright (c) <year> <copyright holders>
Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:
The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY
KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

```
 <div class="clearfix">
       <div class="links"></div>

    </div>

</div>
 </div>
</div>
 </div>
       </div>
              <div class="region region-footer">
  <div id="block-block-11" class="block block-block clearfix">


 <div class="content">
  <p style="text-align:center">Help shape the future of the Open Source Initiative...<br /><a
href="http://osi.xwiki.com">visit and participate in the OSI wiki</a>.
</p>

<div>
<a href="https://twitter.com/OpenSourceOrg" class="twitter-follow-button"
 data-show-count="false" data-lang="en">Follow @OpenSourceOrg</a>
<script>
<!--//--><![CDATA[// ><!--
!function(d,s,id){var
js,fjs=d.getElementsByTagName(s)[0];if(!d.getElementById(id)){js=d.createElement(s);js.id=id;js.src="//platform.t
witter.com/widgets.js";fjs.parentNode.insertBefore(js,fjs);}}(document,"script","twitter-wjs");
//--><!]]>
</script></div>

<p>
<!-- Creative Commons License --><a rel="license" href="http://creativecommons.org/licenses/by/4.0/"><img
alt="Creative Commons License" style="border-width: 0" src="http://i.creativecommons.org/l/by/4.0/88x31.png"
/></a><br />Opensource.org site content is licensed under a <a rel="license"
href="http://creativecommons.org/licenses/by/4.0/">Creative Commons Attribution 4.0 International
License</a>.<!-- /Creative Commons License -->

<!-- <rdf:RDF xmlns="http://web.resource.org/cc/" xmlns:dc="http://purl.org/dc/elements/1.1/"
xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#" xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#">
 <Work
 rdf:about="">
  <license rdf:resource="http://creativecommons.org/licenses/by/3.0/" />
 </Work>
 <License rdf:about="http://creativecommons.org/licenses/by/3.0/"><permits
rdf:resource="http://web.resource.org/cc/Reproduction"/><permits
rdf:resource="http://web.resource.org/cc/Distribution"/><requires
rdf:resource="http://web.resource.org/cc/Notice"/><requires
rdf:resource="http://web.resource.org/cc/Attribution"/><permits
```

rdf:resource="http://web.resource.org/cc/DerivativeWorks"/></License></rdf:RDF>
-->

| Terms of Service

</p>

<script src="http://www.google-analytics.com/urchin.js" type="text/javascript">
<!--//--><![CDATA[// ><!--

//--><!]]>
</script><script type="text/javascript">
<!--//--><![CDATA[// ><!--

_uacct = "UA-3916956-1";
urchinTracker();

//--><!]]>
</script>

 <!-- /.left-corner,
/.right-corner, /#squeeze, /#center -->

 <!-- /#container -->
 <!-- /#wrapper -->
</body>
</html>

Apache Maven Wagon :: Providers :: HTTP Provider
Copyright 2003-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
<meta http-equiv="content-type"
content="text/html; charset=ISO-8859-1">
<title>CDDL ver. 1.0</title>
<meta name="author" content="Cliff Allen">

</head>
<body>
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0
1.

Definitions.

1.1. Contributor means each
individual or entity that creates or
contributes to the creation of Modifications.

1.2. Contributor Version
means the combination of the Original
Software, prior Modifications used by a Contributor (if any), and the
Modifications made by that particular Contributor.

1.3. Covered Software means
(a) the Original Software, or (b)
Modifications, or (c) the combination of files containing Original
Software with files containing Modifications, in each case including
portions thereof.

1.4.
 Executable means the
Covered Software in any form other than
Source Code.

1.5. Initial Developer means
the individual or entity that first makes
Original Software available under this License.

1.6. Larger Work means a work
which combines Covered Software or
portions thereof with code not governed by the terms of this License.

1.7. License means this
document.

1.8. Licensable means having
the right to grant, to the maximum extent

possible, whether at the time of the initial grant or subsequently
acquired, any and all of the rights conveyed herein.

1.9. Modifications means the
Source Code and Executable form of any of
the following:
A. Any file that results from an addition to, deletion
 from or
modification of the contents of a file containing Original Software or
previous Modifications;
B. Any new file that contains any part of the Original Software or
previous Modification; or
C. Any new file that is contributed or otherwise made available under
the terms of this License.

1.10. Original Software means
the Source Code and Executable form of
computer software code that is originally released under this License.

1.11. Patent Claims means any
patent claim(s), now owned or hereafter
acquired, including without limitation, method, process, and apparatus
claims, in any patent Licensable by grantor.

1.12. Source Code means (a)
the common form of computer software code
in which modifications are made and (b) associated documentation
included in or with such code.

1.13. You (or Your)
 means an
individual or a legal entity exercising
rights under, and complying with all of the terms of, this License. For
legal entities, You includes any entity which controls, is controlled
by, or is under common control with You. For purposes of this
definition, control means (a) the power, direct or indirect, to
cause
the direction or management of such entity, whether by contract or
otherwise, or (b) ownership of more than fifty percent (50%) of
the
outstanding shares or beneficial ownership of such entity.

2. License Grants.

 2.1. The Initial Developer Grant.
Conditioned upon Your compliance with Section 3.1 below and subject to
third party intellectual property claims, the Initial Developer hereby
grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)
Licensable by Initial Developer, to use, reproduce, modify, display,
perform, sublicense and distribute
the Original Software (or portions
thereof), with or without Modifications, and/or as part of a Larger
Work; and

(b) under Patent Claims infringed by the making, using or selling of
Original Software, to make, have made, use, practice, sell, and offer
for sale, and/or otherwise dispose of the Original Software (or
portions thereof);

 (c) The licenses granted in Sections 2.1(a) and (b) are
effective on
the date Initial Developer first distributes or otherwise makes the
Original Software available to a third party under the terms of this
License;

 (d) Notwithstanding Section 2.1(b) above, no patent license
is granted:
(1) for code that You delete from the Original Software, or
(2) for
infringements caused by: (i) the modification of the Original
Software,
or (ii) the combination of the Original Software with other
software or
devices.

2.2. Contributor Grant.
Conditioned upon Your compliance with Section 3.1
below and subject to
third party intellectual property claims,
each Contributor hereby grants You a world-wide, royalty-free,
non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)
Licensable by Contributor to use, reproduce, modify, display, perform,

sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or
portions thereof); and (2) the combination of Modifications made by
that Contributor with its Contributor Version (or portions of such combination).

(c)
The licenses granted in Sections 2.2(a) and 2.2(b) are effective on
the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted:
(1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications
of Contributor Version, or (ii) the combination of Modifications made
by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.
Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed
only under the terms of this
License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in

Source Code form in a reasonable manner on or through a medium
customarily used for software exchange.

3.2. Modifications.
The Modifications that You create or to which You contribute are
governed by the terms of this License. You represent that You believe
Your Modifications are Your original creation(s) and/or You have
sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.
You must include a notice in each of Your Modifications that identifies
You as the Contributor of the Modification. You may not remove or alter
any copyright, patent or trademark notices contained within the Covered
Software, or any notices of licensing
or any descriptive text giving
attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.
You may not offer or impose any terms on any Covered Software in Source
Code form that alters or restricts the applicable version of this
License or the recipients rights hereunder. You may choose to offer,
and to charge a fee for, warranty, support, indemnity or liability
obligations to one or more recipients of Covered Software. However, you
may do so only on Your own behalf, and not on behalf of the Initial
Developer or any Contributor. You must make it absolutely clear that
any such warranty, support, indemnity or liability obligation is
offered by You alone, and You hereby agree to indemnify the Initial
Developer and every Contributor for any liability incurred by the
Initial Developer or such Contributor as a result of warranty, support,
indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.
You may distribute
the Executable form of the Covered Software under
the terms of this License or under the terms of a license of Your
choice, which may contain terms different from this License, provided
that You are in compliance with the terms of this License and that the
license for the Executable form
does not attempt to limit or alter the recipients rights in the Source
Code form from the rights set forth in this License. If You distribute
the Covered Software in Executable form under a different license, You
must make it absolutely clear that any terms which differ from this
License are offered by You alone, not by the Initial Developer or
Contributor. You hereby agree to indemnify the Initial Developer and
every Contributor for any liability incurred by the Initial Developer

or such Contributor as a result of any such terms You offer.

3.6. Larger Works.
You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute
the
Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.
Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.
You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the
terms of the version of the
License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.
When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it
clear
that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT
FOR A PARTICULAR PURPOSE OR NON-INFRINGING.
THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor
against whom You assert such claim is
referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under
Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from
Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all
end user licenses that have been validly granted by You or any distributor

hereunder prior to termination (excluding licenses granted
to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.
UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION
OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL
DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.
The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software
(as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48
C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.
This License represents the complete agreement concerning subject matter hereof. If any provision of this License is
held to be
unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue

specified in a notice contained within the Original Software, with the
losing party responsible for costs, including, without limitation,
court costs and reasonable attorneys fees and expenses. The application
of the United Nations Convention on Contracts for the International
Sale of Goods is expressly excluded. Any law or regulation which
provides that the language of a contract shall be construed against the
drafter shall not apply to this License. You agree that You alone are
responsible for compliance
with the United States export administration
regulations (and the export control laws and regulation of any other
countries) when You use, distribute or otherwise make available any
Covered Software.

10. RESPONSIBILITY FOR CLAIMS.
As between Initial Developer and the Contributors, each party is
responsible for claims and damages arising, directly or indirectly, out
of its utilization of rights under this License and You agree to work
with Initial Developer and Contributors to distribute such
responsibility on an equitable basis. Nothing herein is intended or
shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION
LICENSE (CDDL)
The code released under the CDDL shall be governed by the
laws of the State of California (excluding conflict-of-law provisions).
Any litigation relating to this License shall be subject to the
jurisdiction of the Federal Courts of the Northern District of
California and
the state courts of the State of California, with venue
lying in Santa Clara County, California.
</body>
</html>
Apache Commons Collections
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).
===
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
===

Apache Xerces Java
Copyright 1999-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of this software were originally based on the following:
- software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
- software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
- voluntary contributions made by Paul Eng on behalf of the
Apache Software Foundation that were originally developed at iClick, Inc.,
software copyright (c) 1999.

Indiana University Extreme! Lab Software License

Version 1.1.1

Copyright (c) 2002 Extreme! Lab, Indiana University. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the distribution.

3. The end-user documentation included with the redistribution, if any,
must include the following acknowledgment:

"This product includes software developed by the Indiana University
Extreme! Lab (http://www.extreme.indiana.edu/)."

Alternately, this acknowledgment may appear in the software itself,
if and wherever such third-party acknowledgments normally
appear.

4. The names "Indiana University" and "Indiana University Extreme! Lab"
must not be used to endorse or promote products derived from this
software without prior written permission. For written permission,
please contact http://www.extreme.indiana.edu/.

5. Products derived from this software may not use "Indiana University"
name nor may "Indiana University" appear in their name, without prior
written permission of the Indiana University.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHORS, COPYRIGHT HOLDERS OR ITS CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER
IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Apache Commons Codec
Copyright 2002-2011 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

---

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java contains
test data from http://aspell.sourceforge.net/test/batch0.tab.

Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org). Verbatim copying
and distribution of this entire article is permitted in any medium,
provided this notice is preserved.

Maven Aether Provider
Copyright 2001-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
Apache Commons Compress
Copyright 2002-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

The files in the package org.apache.commons.compress.archivers.sevenz
were derived from the LZMA SDK, version 9.20 (C/ and CPP/7zip/),
which has been placed in the public domain:

"LZMA SDK is placed in the public domain." (http://www.7-zip.org/sdk.html)
Apache Commons Codec
Copyright 2002-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java
contains test data from http://aspell.net/test/orig/batch0.tab.
Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

==========

The content of package org.apache.commons.codec.language.bm has been translated
from the original php source code available at http://stevemorse.org/phoneticinfo.htm
with permission from the original authors.
Original source copyright:
Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

Apache Maven Wagon :: Providers :: HTTP Provider
Copyright 2003-2013 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
==========
= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =
==========
This product includes software developed by
Joda.org (http://www.joda.org/).

Apache Maven Wagon :: API
Copyright 2003-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Maven Repository Metadata Model
Copyright 2001-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
Indiana University Extreme! Lab Software License

Version 1.1.1

Copyright (c) 2002 Extreme! Lab, Indiana University. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in
  the documentation and/or other materials provided with the distribution.

3. The end-user documentation included with the redistribution, if any,

must include the following acknowledgment:

"This product includes software developed by the Indiana University
Extreme! Lab (http://www.extreme.indiana.edu/)."

Alternately, this acknowledgment may appear in the software itself,
if and wherever such third-party
acknowledgments normally appear.

4. The names "Indiana Univeristy" and "Indiana Univeristy Extreme! Lab"
must not be used to endorse or promote products derived from this
software without prior written permission. For written permission,
please contact http://www.extreme.indiana.edu/.

5. Products derived from this software may not use "Indiana Univeristy"
name nor may "Indiana Univeristy" appear in their name, without prior
written permission of the Indiana University.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHORS, COPYRIGHT HOLDERS OR ITS CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
BSD License

Copyright (c) 2000-2006, www.hamcrest.org
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of
conditions and the following disclaimer. Redistributions in binary form must reproduce
the above copyright notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse
or promote products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND

ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL
THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY
WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Apache Ivy
Copyright 2007-2010 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Portions of Ivy were originally developed by
Jayasoft SARL (http://www.jayasoft.fr/)
and are licensed to the Apache Software Foundation under the
"Software Grant License Agreement"

SSH and SFTP support is provided by the JCraft JSch package,
which is open source software, available under
the terms of a BSD style license.
The original software and related information is available
at http://www.jcraft.com/jsch/.
xml-commons/java/external/LICENSE.dom-software.txt $Id: LICENSE.dom-software.txt 226215 2005-06-03 22:49:13Z mrglavas $

This license came from: http://www.w3.org/Consortium/Legal/copyright-software-20021231

W3C SOFTWARE NOTICE AND LICENSE
http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other
related items) is being provided by the copyright holders under the following
license. By obtaining, using and/or copying this work, you (the licensee) agree
that you have read, understood, and will comply with the following terms and
conditions.

Permission to copy, modify, and distribute this software and its documentation,

with or without modification, for any purpose and without fee or royalty is
hereby granted, provided that you include the following on ALL copies of the
software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location
viewable to users of the
   redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms
   and conditions. If none exist, the W3C Software Short Notice should be
   included (hypertext is preferred, text is permitted) within the body
   of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date
   changes were made. (We recommend you provide URIs to the location from
   which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL
DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or
publicity pertaining to the software without specific, written prior permission.
Title to copyright in this software and any associated documentation will at
all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002.
This version removes the copyright ownership notice such that this license can
be used with materials other than those owned by the W3C, reflects that ERCIM
is now a host of the W3C, includes references to this specific dated version of
the license, and removes the ambiguous grant of "use". Otherwise, this version
is the same as the previous version and is written so as to preserve the Free
Software Foundation's assessment of GPL compatibility and OSI's certification
under the Open Source Definition. Please see
our Copyright FAQ for common
questions about using materials from our site, including specific terms and
conditions for packages like libwww, Amaya, and Jigsaw. Other questions about
this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

Last revised by Reagle $Date: 2005-06-03 18:49:13 -0400 (Fri, 03 Jun 2005) $

ANTLR 2 License

We reserve no legal rights to the ANTLR--it is fully in the public domain. An individual or company may do whatever they wish with source code distributed with ANTLR or the code generated by ANTLR, including the incorporation of ANTLR, or its output, into commerical software.

We encourage users to develop software with ANTLR. However, we do ask that credit is given to us for developing ANTLR. By "credit", we mean that if you use ANTLR or incorporate any source code into one of your programs (commercial product, research project, or otherwise) that you acknowledge this fact somewhere in the documentation, research report, etc... If you like ANTLR and have developed a nice tool with the output, please mention that you developed it using ANTLR. In addition, we ask that the headers remain intact in our source code. As long as these guidelines are kept, we expect to continue enhancing this system and expect to make other tools available as they are completed.

In countries
 where the Public Domain status of the work may not be valid, the author grants a copyright
licence to the general public to deal in the work without restriction and permission to sublicence derivates under the terms of any (OSI approved) Open Source licence.

The Python parser generator code under antlr/actions/python/ is covered by the 3-clause BSD licence (this part is included in the binary JAR files); the run-time part under lib/python/ is covered by the GNU GPL, version 3 or later (this part is not included in the binary JAR files). See [1] for the full details.

https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=750643#80%22
<?xml version="1.0" encoding="ISO-8859-1" ?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">

<head>
<meta http-equiv="Content-Type" content="text/html; charset=ISO-8859-1" />
<title>Eclipse Public License - Version 1.0</title>
<style type="text/css">
 body {
   size: 8.5in 11.0in;
   margin: 0.25in 0.5in 0.25in 0.5in;
   tab-interval: 0.5in;
   }
 p {
   margin-left: auto;
   margin-top: 0.5em;
   margin-bottom: 0.5em;
   }
 p.list {
  margin-left: 0.5in;
   margin-top: 0.05em;
   margin-bottom: 0.05em;
   }

</style>

</head>

<body lang="EN-US">

<h2>Eclipse Public License - v 1.0</h2>

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution"
means:

a) in the case of the initial Contributor, the initial
code and documentation distributed under this Agreement, and
b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program
originate from and are distributed by that particular Contributor. A
Contribution 'originates' from a Contributor if it was added to the
Program by such Contributor itself or anyone acting on such
Contributor's behalf. Contributions do not include additions to the
Program which: (i) are separate modules of software distributed in
conjunction with the Program under their own license agreement, and (ii)
are not derivative works of the Program.

"Contributor" means any person or entity that distributes
the Program.

"Licensed Patents" mean patent claims licensable
by a
Contributor which are necessarily infringed by the use or sale of its
Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance
with this Agreement.

"Recipient" means anyone who receives the Program under
this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise
transfer the Contribution of such
Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient
hereby assumes sole responsibility to
secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors
all warranties and conditions, express and implied, including warranties
or conditions of title and non-infringement, and implied
warranties or
conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors
all liability for damages, including direct, indirect, special,
incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this
Agreement are offered by that Contributor alone and not by any other
party; and

iv) states that source code for the Program is available
from such Contributor, and informs licensees how to obtain it in a
reasonable manner on or through a medium customarily used for software
exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each
copy of the Program.

Contributors may not remove or alter any copyright notices contained
within the Program.

Each
Contributor must identify itself as the originator of its
Contribution, if any, in a manner that reasonably allows subsequent
Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain
responsibilities with respect to end users, business partners and the
like. While this license is intended to facilitate the commercial use of
the Program, the Contributor who includes the Program in a commercial
product offering should do so in a manner which does not create
potential liability for other Contributors. Therefore, if a Contributor
includes the Program in a commercial product offering, such Contributor
("Commercial Contributor") hereby agrees to defend and
indemnify every other Contributor ("Indemnified Contributor")
against any losses, damages and costs (collectively "Losses")
arising from claims, lawsuits and other legal actions brought by a third
party

against the Indemnified Contributor to the extent caused by the
acts or omissions of such Commercial Contributor in connection with its
distribution of the Program in a commercial product offering. The
obligations in this section do not apply to any claims or Losses
relating to any actual or alleged intellectual property infringement. In
order to qualify, an Indemnified Contributor must: a) promptly notify
the Commercial Contributor in writing of such claim, and b) allow the
Commercial Contributor to control, and cooperate with the Commercial
Contributor in, the defense and any related settlement negotiations. The
Indemnified Contributor may participate in any such claim at its own
expense.

For example, a Contributor might include the Program in a commercial
product offering, Product X. That Contributor is then a Commercial
Contributor. If that Commercial Contributor then makes performance
claims, or offers warranties related to Product X, those performance
claims and
warranties are such Commercial Contributor's responsibility
alone. Under this section, the Commercial Contributor would have to
defend claims against the other Contributors related to those
performance claims and warranties, and if a court requires any other
Contributor to pay any damages as a result, the Commercial Contributor
must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS
PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS
OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION,
ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY
OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely
responsible for determining the appropriateness of using and
distributing the Program and assumes all risks associated with its
exercise of rights under this Agreement , including but not limited to
the risks and costs of program errors, compliance with applicable
laws,
damage to or loss of data, programs or equipment, and unavailability or
interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT
NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING
WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR
DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED

HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under
applicable law, it shall not affect the validity or enforceability of
the remainder of the terms of this Agreement, and without further action
by the parties hereto, such provision shall be reformed to the
minimum
extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity
(including a cross-claim or counterclaim in a lawsuit) alleging that the
Program itself (excluding combinations of the Program with other
software or hardware) infringes such Recipient's patent(s), then such
Recipient's rights granted under Section 2(b) shall terminate as of the
date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it
fails to comply with any of the material terms or conditions of this
Agreement and does not cure such failure in a reasonable period of time
after becoming aware of such noncompliance. If all Recipient's rights
under this Agreement terminate, Recipient agrees to cease use and
distribution of the Program as soon as reasonably practicable. However,
Recipient's obligations under this Agreement and any licenses granted by
Recipient relating to the Program shall continue and
survive.

Everyone is permitted to copy and distribute copies of this
Agreement, but in order to avoid inconsistency the Agreement is
copyrighted and may only be modified in the following manner. The
Agreement Steward reserves the right to publish new versions (including
revisions) of this Agreement from time to time. No one other than the
Agreement Steward has the right to modify this Agreement. The Eclipse
Foundation is the initial Agreement Steward. The Eclipse Foundation may
assign the responsibility to serve as the Agreement Steward to a
suitable separate entity. Each new version of the Agreement will be
given a distinguishing version number. The Program (including
Contributions) may always be distributed subject to the version of the
Agreement under which it was received. In addition, after a new version
of the Agreement is published, Contributor may elect to distribute the
Program (including its Contributions) under the new version. Except as
expressly stated in Sections
2(a) and 2(b) above, Recipient receives no
rights or licenses to the intellectual property of any Contributor under
this Agreement, whether expressly, by implication, estoppel or
otherwise. All rights in the Program not expressly granted under this
Agreement are reserved.

This Agreement is governed by the laws of the State of New York and
the intellectual property laws of the United States of America. No party
to this Agreement will bring a legal action under this Agreement more
than one year after the cause of action arose. Each party waives its
rights to a jury trial in any resulting litigation.

</body>

</html>
This product includes software developed by the Indiana University
Extreme! Lab (http://www.extreme.indiana.edu/).

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

This product includes software developed by
ThoughtWorks (http://www.thoughtworks.com).

This product includes software developed by
javolution (http://javolution.org/).

This product includes software developed by
Rome (https://rome.dev.java.net/).
Javolution - Java(TM) Solution for Real-Time and Embedded Systems
Copyright (c) 2006, Javolution (http://javolution.org)
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache Maven Wagon :: Providers :: File Provider
Copyright 2003-2013 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
Apache Commons CLI
Copyright 2001-2009 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).
Apache Commons IO
Copyright 2002-2012 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).
 ==
 == NOTICE file corresponding to section 4(d) of the Apache License, ==
 == Version 2.0, in this case for the Apache Xerces Java distribution. ==
 ==

 Apache Xerces Java
 Copyright 1999-2007 The Apache Software Foundation

 This product includes software developed at
 The Apache Software Foundation (http://www.apache.org/).

 Portions of this software were originally based on the following:
  - software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
  - software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
  - voluntary contributions made by Paul Eng on behalf of the
    Apache Software Foundation that were originally developed at iClick, Inc.,
    software copyright (c) 1999.
                        Apache License
                  Version 2.0, January 2004
               http://www.apache.org/licenses/

 TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

 1. Definitions.

    "License" shall mean the terms and conditions for use, reproduction,
    and distribution as defined by Sections 1 through 9 of this document.

    "Licensor" shall mean the copyright owner or entity authorized by
    the copyright owner that is granting the License.

    "Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii)
beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the
Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole
responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed
under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

License for JCraft JSch package

Copyright (c) 2002,2003,2004,2005,2006,2007 Atsuhiko Yamanaka, JCraft,Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT,
INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA,
OR PROFITS;
OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License for jQuery

Copyright (c) 2007 John Resig, http://jquery.com/

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall
be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache Ivy (TM)
Copyright 2007-2013 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Portions of Ivy were originally developed by
Jayasoft SARL (http://www.jayasoft.fr/)
and are licensed to the Apache Software Foundation under the
"Software Grant License Agreement"

SSH and SFTP support is provided by the JCraft JSch package,
which is open source software, available under
the terms of a BSD style license.
The original software and related information is available
at http://www.jcraft.com/jsch/.
==
== NOTICE file corresponding to the section 4 d of ==
== the Apache License, Version 2.0, ==
== in this case for the Gradle distribution. ==
==

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

It includes the following other software:

Groovy (http://groovy.codehaus.org)
SLF4J (http://www.slf4j.org)
Junit (http://www.junit.org)
JCIFS (http://jcifs.samba.org)

For licenses see the LICENSE file.

If any software distributed with Gradle does not have an Apache 2 License, its license is explicitly listed in the LICENSE file.
Apache Commons IO
Copyright 2002-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Sisu Guice - Core Library
Copyright 2006-2014 Google, Inc.

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
ASM License

ASM: a very small and fast Java bytecode manipulation framework
Copyright (c) 2000-2011 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

Apache HttpClient
Copyright 1999-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
Notices for Eclipse Implementation of JAXB

This content is produced and maintained by the Eclipse Implementation of JAXB project.

* Project home: https://projects.eclipse.org/projects/ee4j.jaxb-impl

Trademarks

Eclipse Implementation of JAXB is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0 which is available at http://www.eclipse.org/org/documents/edl-v10.php.

SPDX-License-Identifier: BSD-3-Clause

Source Code

The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jaxb-ri
* https://github.com/eclipse-ee4j/jaxb-istack-commons
* https://github.com/eclipse-ee4j/jaxb-dtd-parser
* https://github.com/eclipse-ee4j/jaxb-fi
*
https://github.com/eclipse-ee4j/jaxb-stax-ex
* https://github.com/eclipse-ee4j/jax-rpc-ri

Third-party Content

This project leverages the following third party content.

Apache Ant (1.10.2)

* License: Apache-2.0 AND W3C AND LicenseRef-Public-Domain

Apache Ant (1.10.2)

* License: Apache-2.0 AND W3C AND LicenseRef-Public-Domain

Apache Felix (1.2.0)

* License: Apache License, 2.0

args4j (2.33)

* License: MIT License

dom4j (1.6.1)

* License: Custom license based on Apache 1.1

file-management (3.0.0)

* License: Apache-2.0
* Project: https://maven.apache.org/shared/file-management/
* Source:
  https://svn.apache.org/viewvc/maven/shared/tags/file-management-3.0.0/

JUnit (4.12)

* License: Eclipse Public License

JUnit (4.12)

* License: Eclipse Public License

maven-compat (3.5.2)

* License: Apache-2.0
* Project: https://maven.apache.org/ref/3.5.2/maven-compat/
* Source:
  https://mvnrepository.com/artifact/org.apache.maven/maven-compat/3.5.2

maven-core
(3.5.2)

* License: Apache-2.0
* Project: https://maven.apache.org/ref/3.5.2/maven-core/index.html
* Source: https://mvnrepository.com/artifact/org.apache.maven/maven-core/3.5.2

maven-plugin-annotations (3.5)

* License: Apache-2.0
* Project: https://maven.apache.org/plugin-tools/maven-plugin-annotations/
* Source:
  https://github.com/apache/maven-plugin-tools/tree/master/maven-plugin-annotations

maven-plugin-api (3.5.2)

* License: Apache-2.0

maven-resolver-api (1.1.1)

* License: Apache-2.0

maven-resolver-api (1.1.1)

* License: Apache-2.0

maven-resolver-connector-basic (1.1.1)

* License: Apache-2.0

maven-resolver-impl (1.1.1)

* License: Apache-2.0

maven-resolver-spi (1.1.1)

* License: Apache-2.0

maven-resolver-transport-file (1.1.1)

* License: Apache-2.0
* Project: https://maven.apache.org/resolver/maven-resolver-transport-file/
* Source:
  https://github.com/apache/maven-resolver/tree/master/maven-resolver-transport-file

maven-resolver-util (1.1.1)

* License: Apache-2.0

maven-settings
(3.5.2)

* License: Apache-2.0
* Source:
  https://mvnrepository.com/artifact/org.apache.maven/maven-settings/3.5.2

OSGi Service Platform Core Companion Code (6.0)

* License: Apache License, 2.0

plexus-archiver (3.5)

* License: Apache-2.0
* Project: https://codehaus-plexus.github.io/plexus-archiver/
* Source: https://github.com/codehaus-plexus/plexus-archiver

plexus-io (3.0.0)

* License: Apache-2.0

plexus-utils (3.1.0)

* License: Apache- 2.0 or Apache- 1.1 or BSD or Public Domain or Indiana
  University Extreme! Lab Software License V1.1.1 (Apache 1.1 style)

relaxng-datatype (1.0)

* License: New BSD license

Sax (0.2)

* License: SAX-PD
* Project: http://www.megginson.com/downloads/SAX/
* Source: http://sourceforge.net/project/showfiles.php?group_id=29449

testng (6.14.2)

* License: Apache-2.0 AND (MIT OR GPL-1.0+)
* Project: https://testng.org/doc/index.html
* Source: https://github.com/cbeust/testng

wagon-http-lightweight (3.0.0)

* License: Pending
*
 Project: https://maven.apache.org/wagon/
* Source:
  https://mvnrepository.com/artifact/org.apache.maven.wagon/wagon-http-lightweight/3.0.0

xz for java (1.8)

* License: LicenseRef-Public-Domain

Cryptography

Content may contain encryption software. The country in which you are currently
may have restrictions on the import, possession, and use, and/or re-export to
another country, of encryption software. BEFORE using any encryption software,
please check the country's laws, regulations and policies concerning the import,
possession, or use, and re-export of encryption software, to see if this is
permitted.

Apache Maven Wagon :: Providers :: HTTP Provider
Copyright 2003-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html lang="en">
 <head>
  <title>Apache License, Version 2.0</title>

  <meta http-equiv="Content-Type" content="text/html;charset=UTF-8">
  <meta property="og:image" content="http://www.apache.org/images/asf_logo.gif" />

  <link rel="stylesheet" type="text/css" media="screen" href="/css/style.css">
  <link rel="stylesheet" type="text/css" media="screen" href="/css/code.css">

  <script type="text/javascript" src="/js/jquery.js"></script>
  <script type="text/javascript" src="/js/apache_boot.js"></script>

  <!-- Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a
 copy of the License at . http://www.apache.org/licenses/LICENSE-2.0 . Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License. -->
 </head>

 <body>

    <img src="/images/feather-small.gif" alt="The Apache Software Foundation">
    <h1>The Apache Software Foundation</h1>
    <h2>Apache License, Version 2.0</h2>

```
    <div id="nav" class="grid_8">
      <ul>
        <!-- <li><a href="/" title="Welcome!">Home</a></li> -->
        <li><a href="/foundation/" title="The Foundation">Foundation</a></li>
        <li><a href="http://projects.apache.org" title="The Projects">Projects</a></li>
        <li><a href="http://people.apache.org"
 title="The People">People</a></li>
        <li><a href="/foundation/getinvolved.html" title="Get Involved">Get Involved</a></li>
        <li><a href="/dyn/closer.cgi" title="Download">Download</a></li>
        <li><a href="/foundation/sponsorship.html" title="Support Apache">Support Apache</a></li>
      </ul>
      <p><a href="/">Home</a> &raquo <a href="/licenses/">Licenses</a></p>
      <form name="search" id="search" action="http://www.google.com/search" method="get">
        <input value="apache.org" name="sitesearch" type="hidden"/>
        <input type="text" name="q" id="query">
        <input type="submit" id="submit" value="Search">
      </form>
    </div>
    <div class="clear"></div>
    <div id="content" class="grid_16"><div class="section-content"><p>Apache License<br></br>Version 2.0,
January 2004<br></br>
<a href="http://www.apache.org/licenses/">http://www.apache.org/licenses/</a> </p>
<p>TERMS AND CONDITIONS FOR USE, REPRODUCTION,
 AND DISTRIBUTION</p>
<p><strong><a name="definitions">1. Definitions</a></strong>.</p>
<p>"License" shall mean the terms and conditions for use, reproduction, and
distribution as defined by Sections 1 through 9 of this document.</p>
<p>"Licensor" shall mean the copyright owner or entity authorized by the
copyright owner that is granting the License.</p>
<p>"Legal Entity" shall mean the union of the acting entity and all other
entities that control, are controlled by, or are under common control with
that entity. For the purposes of this definition, "control" means (i) the
power, direct or indirect, to cause the direction or management of such
entity, whether by contract or otherwise, or (ii) ownership of fifty
percent (50%) or more of the outstanding shares, or (iii) beneficial
ownership of such entity.</p>
<p>"You" (or "Your") shall mean an individual or Legal Entity exercising
permissions granted by this License.</p>
<p>"Source" form shall mean the preferred form for making
 modifications,
including but not limited to software source code, documentation source,
and configuration files.</p>
<p>"Object" form shall mean any form resulting from mechanical transformation
or translation of a Source form, including but not limited to compiled
object code, generated documentation, and conversions to other media types.</p>
<p>"Work" shall mean the work of authorship, whether in Source or Object form,
made available under the License, as indicated by a copyright notice that
is included in or attached to the work (an example is provided in the
```

Appendix below).
"Derivative Works" shall mean any work, whether in Source or Object form,
that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as
a whole, an original work of authorship. For the purposes of this License,
Derivative Works shall not include works that remain separable from, or
merely link (or bind by name) to the
interfaces of, the Work and Derivative
Works thereof.
"Contribution" shall mean any work of authorship, including the original
version of the Work and any modifications or additions to that Work or
Derivative Works thereof, that is intentionally submitted to Licensor for
inclusion in the Work by the copyright owner or by an individual or Legal
Entity authorized to submit on behalf of the copyright owner. For the
purposes of this definition, "submitted" means any form of electronic,
verbal, or written communication sent to the Licensor or its
representatives, including but not limited to communication on electronic
mailing lists, source code control systems, and issue tracking systems that
are managed by, or on behalf of, the Licensor for the purpose of discussing
and improving the Work, but excluding communication that is conspicuously
marked or otherwise designated in writing by the copyright owner as "Not a
Contribution."
"Contributor" shall mean Licensor and any individual
or Legal Entity on
behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.
2. Grant of Copyright License. Subject to the
terms and conditions of this License, each Contributor hereby grants to You
a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of, publicly
display, publicly perform, sublicense, and distribute the Work and such
Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms
and conditions of this License, each Contributor hereby grants to You a
perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made, use,
offer to sell, sell, import, and otherwise transfer the Work, where such
license applies only to those patent claims licensable
by such Contributor
that are necessarily infringed by their Contribution(s) alone or by
combination of their Contribution(s) with the Work to which such
Contribution(s) was submitted. If You institute patent litigation against
any entity (including a cross-claim or counterclaim in a lawsuit) alleging
that the Work or a Contribution incorporated within the Work constitutes
direct or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate as of the
date such litigation is filed.
4. Redistribution. You may reproduce and

distribute copies of the Work or Derivative Works thereof in any medium,
with or without modifications, and in Source or Object form, provided that
You meet the following conditions:
<ol style="list-style: lower-latin;">
You must give any other recipients of the Work or Derivative Works a
copy of this License; and

You must cause any
modified files to carry prominent notices stating
that You changed the files; and

You must retain, in the Source form of any Derivative Works that You
distribute, all copyright, patent, trademark, and attribution notices from
the Source form of the Work, excluding those notices that do not pertain to
any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution,
then any Derivative Works that You distribute must include a readable copy
of the attribution notices contained within such NOTICE file, excluding
those notices that do not pertain to any part of the Derivative Works, in
at least one of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or documentation,
if provided along with the Derivative Works; or, within a display generated
by the Derivative Works, if and wherever such third-party notices normally
appear. The contents of the NOTICE file are
for informational purposes only
and do not modify the License. You may add Your own attribution notices
within Derivative Works that You distribute, alongside or as an addendum to
the NOTICE text from the Work, provided that such additional attribution
notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may
provide additional or different license terms and conditions for use,
reproduction, or distribution of Your modifications, or for any such
Derivative Works as a whole, provided Your use, reproduction, and
distribution of the Work otherwise complies with the conditions stated in
this License.

5. Submission of Contributions. Unless You
explicitly state otherwise, any Contribution intentionally submitted for
inclusion in the Work by You to the Licensor shall be under the terms and
conditions of this License, without any additional terms or conditions.
Notwithstanding

the above, nothing herein shall supersede or modify the
terms of any separate license agreement you may have executed with Licensor
regarding such Contributions.
6. Trademarks. This License does not grant
permission to use the trade names, trademarks, service marks, or product
names of the Licensor, except as required for reasonable and customary use
in describing the origin of the Work and reproducing the content of the
NOTICE file.
7. Disclaimer of Warranty. Unless required by
applicable law or agreed to in writing, Licensor provides the Work (and
each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including,
without limitation, any warranties or conditions of TITLE,
NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You
are solely responsible for determining
the appropriateness of using or
redistributing the Work and assume any risks associated with Your exercise
of permissions under this License.
8. Limitation of Liability. In no event and
under no legal theory, whether in tort (including negligence), contract, or
otherwise, unless required by applicable law (such as deliberate and
grossly negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a result
of this License or out of the use or inability to use the Work (including
but not limited to damages for loss of goodwill, work stoppage, computer
failure or malfunction, or any and all other commercial damages or losses),
even if such Contributor has been advised of the possibility of such
damages.
9. Accepting Warranty or Additional Liability.
While
redistributing the Work or Derivative Works thereof, You may choose
to offer, and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this License.
However, in accepting such obligations, You may act only on Your own behalf
and on Your sole responsibility, not on behalf of any other Contributor,
and only if You agree to indemnify, defend, and hold each Contributor
harmless for any liability incurred by, or claims asserted against, such
Contributor by reason of your accepting any such warranty or additional
liability.
END OF TERMS AND CONDITIONS
<h1 id="apply">APPENDIX: How to apply the Apache License to your work</h1>
To apply the Apache License to your work, attach the following boilerplate
notice, with the fields enclosed by brackets "[]" replaced with your own
identifying information. (Don't include the brackets!) The text should be
enclosed in the appropriate comment syntax for the file format.
We also
recommend that a file or class name and description of purpose be included

on the same "printed page" as the copyright notice for easier
identification within third-party archives.</p>
<pre>Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
</pre>

      <h4>Projects</h4>

HTTP Server
Abdera
Accumulo
<a href="http://ace.apache.org/" title="Centralized life cycle management and deployment of OSGi based and
related modular software artifacts for distribution.">ACE
ActiveMQ
<a href="http://airavata.apache.org/" title="Workflow and Computational Job Management
Middleware">Airavata
Allura
Ambari
Ant
<a
 href="http://any23.apache.org/" title="Anything to Triples">Any23
APR
Archiva
Aries
Avro
Axis
<a href="http://bigtop.apache.org/" title="Apache Hadoop ecosystem integration and distribution
project">Bigtop
<a href="http://bloodhound.apache.org/" title="Issue tracking, wiki and repository
browser">Bloodhound
<a href="http://buildr.apache.org/" title="Simple and intuitive build system for Java
applications">Buildr
<a href="http://bval.apache.org/" title="Apache BVal: JSR-303 Bean Validation Implementation and

Extensions">BVal
Camel
Cassandra
Cayenne
Chemistry
Chukwa
Clerezza
CloudStack
Cocoon
<a
href="http://commons.apache.org/" title="Reusable Java components">Commons
Continuum
Cordova
CouchDB
Creadur
Crunch
cTAKES
Curator
<a href="http://cxf.apache.org/"
title="Service Framework">CXF
DB
Deltacloud
DeltaSpike
DirectMemory
Directory
Empire-db
Etch
Felix
<a href="http://flex.apache.org/" title="Application
framework for expressive web applications that deploy to all major browsers, desktops and devices.">Flex
Flume
Forrest
Geronimo
<a href="http://giraph.apache.org/" title="Iterative graph processing system built for high

scalability">Giraph
Gora
Gump
Hadoop
<a
href="http://hama.apache.org/" title="a Bulk Synchronous Parallel computing framework on top of Hadoop">Hama
HBase
Helix
Hive
HttpComponents
Isis
Jackrabbit
James
jclouds
<a
href="http://jena.apache.org/" title="Java framework for building Semantic Web applications">Jena
JMeter
JSPWiki
jUDDI
Kafka
Karaf
Knox
Lenya
<a href="http://libcloud.apache.org/"
title="Unified interface to the cloud">Libcloud
Logging
Lucene
Lucene.Net
Lucy
Mahout
ManifoldCF
Marmotta
Maven
<a href="http://mesos.apache.org/"
title="a cluster manager that provides efficient resource isolation and sharing across distributed applications">Mesos
MINA
<a href="http://mrunit.apache.org/" title="Java library that helps developers unit test Apache Hadoop map

reduce jobs">MRUnit
MyFaces
Nutch
ODE
OFBiz
Olingo
<a
href="http://oltu.apache.org/" title="OAuth protocol implementation in Java">Oltu
Onami
OODT
Oozie
Open Climate Workbench
OpenJPA
OpenMeetings
OpenNLP
<a href="http://openoffice.apache.org/" title="An
open-source, office-document productivity suite">OpenOffice
OpenWebBeans
PDFBox
Perl
Pig
Pivot
POI
Portals
Qpid
<a href="http://rave.apache.org/"
title="Web and social mashup engine">Rave
River
Roller
Santuario
ServiceMix
Shindig
Shiro
SIS
Sling
SpamAssassin
<a href="http://spark.apache.org/" title="Fast and general

engine for large-scale data processing">Spark
Sqoop
Stanbol
STeVe
Storm
Struts
Subversion
Synapse
Syncope
<a href="http://tajo.apache.org/"
title="Big data warehouse system on Hadoop">Tajo
Tapestry
Tcl
Tez
Thrift
Tika
Tiles
Tomcat
TomEE
<a href="http://trafficserver.apache.org/" title="A fast, scalable and extensible
HTTP/1.1 compliant caching proxy server">Traffic Server
Turbine
Tuscany
UIMA
VCL
Velocity
VXQuery
Web Services
Whirr
Wicket
<a
href="http://wink.apache.org/" title="RESTful Web services Framework">Wink
Wookie
Xalan
Xerces

XMLBeans
XML Graphics
ZooKeeper

<h4>Foundation</h4>

FAQ
Glossary
Licenses
Trademarks
News

Press Inquiries
Public Records
Mailing Lists
Sponsorship
Donations
Buy Stuff
Thanks

Contact

<h4>Foundation Projects</h4>

Attic
Conferences
Community Development
Incubator
Infrastructure
Labs
Legal Affairs
Public Relations
Security
Travel Assistance


```
    <div class="grid_3">
      <h4>Community</h4>
      <ul>
        <li><a href="http://people.apache.org/" title="Apache committer homepages">People</a></li>
        <li><a href="/memorials/" title="In memoriam of past committers">Memorials</a></li>
        <li><a href="http://feathercast.apache.org/" title="Apache Podcasts">Feathercast</a></li>
        <li><a href="http://blogs.apache.org/" title="Apache Project Blogs">Project Blogs</a></li>
        <li><a href="http://planet.apache.org/committers/" title="Apache Committers' Blogs">PlanetApache</a></li>

      </ul>
    </div>
    <div class="grid_3">
      <h4>How It Works</h4>
      <ul>
        <li><a href="/foundation/how-it-works.html">Introduction</a></li>

        <li><a href="/foundation/how-it-works.html#meritocracy">Meritocracy</a></li>
        <li><a href="/foundation/how-it-works.html#structure">Structure</a></li>
        <li><a href="/foundation/how-it-works.html#roles">Roles</a></li>
        <li><a href="/foundation/how-it-works.html#management">Collaboration</a></li>
        <li><a href="/foundation/how-it-works.html#incubator">Incubator</a></li>
        <li><a href="/foundation/how-it-works.html#other">Other entities</a></li>
        <li><a href="/foundation/glossary.html">Glossary</a></li>
        <li><a href="/foundation/voting.html">Voting</a></li>
      </ul>
    </div>
  </div>
  <div class="clear"></div>

  </div>
  <div id="copyright" class="container_16">
    <p>Copyright &#169; 2012 The Apache Software Foundation, Licensed under the <a
href="http://www.apache.org/licenses/LICENSE-2.0">Apache License, Version 2.0</a>.<br/>Apache
 and the Apache feather logo are trademarks of The Apache Software Foundation.</p>
  </div>
 </body>
</html>
```

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

==========

This project contains annotations in the package org.apache.http.annotation
which are derived from JCIP-ANNOTATIONS
Copyright (c) 2005 Brian Goetz and Tim Peierls.
See http://www.jcip.net and the Creative Commons Attribution License
(http://creativecommons.org/licenses/by/2.5)
Full text: http://creativecommons.org/licenses/by/2.5/legalcode

License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS
AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

1. Definitions

"Collective Work" means a work, such as a periodical issue, anthology or encyclopedia, in which the Work in its entirety in unmodified form, along with a number of other contributions, constituting separate and independent works in themselves, are assembled into a collective whole. A work that constitutes a Collective Work will not be considered a Derivative Work (as defined below) for the purposes of this License.
"Derivative Work" means a work based upon the Work or upon the Work and other pre-existing works, such as a translation, musical arrangement, dramatization, fictionalization, motion picture version, sound recording, art reproduction, abridgment, condensation,
or any other form in which the Work may be recast, transformed, or adapted, except that a work that constitutes a Collective Work will not be considered a Derivative Work for the purpose of this License. For the avoidance of doubt, where the Work is a musical composition or sound recording, the synchronization of the Work in timed-relation with a moving image ("synching") will be considered a Derivative Work for the purpose of this License.
"Licensor" means the individual or entity that offers the Work under the terms of this License.
"Original Author" means the individual or entity who created the Work.
"Work" means the copyrightable work of authorship offered under the terms of this License.
"You" means an individual or entity exercising rights under this License who has not previously violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.

2.
Fair Use Rights. Nothing in this license is intended to reduce, limit, or restrict any rights arising from fair use, first sale or other limitations on the exclusive rights of the copyright owner under copyright law or other applicable laws.

3. License Grant. Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

to reproduce the Work, to incorporate the Work into one or more Collective Works, and to reproduce the Work as incorporated in the Collective Works;
to create and reproduce Derivative Works;
to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission the Work including as incorporated in Collective Works;
to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission Derivative Works.

For the avoidance of doubt, where the work is a musical composition:
Performance Royalties Under Blanket Licenses. Licensor waives the exclusive right to collect, whether individually or via a performance rights society (e.g. ASCAP, BMI, SESAC), royalties for the public performance or public digital performance (e.g. webcast) of the Work.
Mechanical Rights and Statutory Royalties. Licensor waives the exclusive right to collect, whether individually or via a music rights agency or designated agent (e.g. Harry Fox Agency), royalties for any phonorecord You create from the Work ("cover version") and distribute, subject to the compulsory license created by 17 USC Section 115 of the US Copyright Act (or the equivalent in other jurisdictions).
Webcasting Rights and Statutory Royalties. For the avoidance of doubt, where the Work is a sound recording, Licensor waives the exclusive right to collect, whether individually or via a performance-rights society (e.g. SoundExchange), royalties for the public digital performance (e.g. webcast) of the Work, subject to the compulsory license created by 17 USC Section 114 of the US Copyright Act (or the equivalent in other jurisdictions).

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. All rights not expressly granted by Licensor are hereby reserved.

4. Restrictions.The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:

You may distribute, publicly display, publicly perform, or publicly digitally perform the Work only under the terms of this License, and You must include a copy of, or the Uniform Resource Identifier for, this License with every copy or phonorecord of the Work You distribute, publicly display, publicly perform, or publicly digitally perform. You may not offer or impose any terms on the Work that alter or restrict the terms of this License or the recipients' exercise of the rights granted hereunder. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties. You may not distribute, publicly display, publicly perform, or publicly digitally perform the Work with any technological measures that control access or use of the Work in a manner inconsistent with the terms of this License Agreement. The above applies to the Work as incorporated in a Collective Work, but this does not require the Collective Work apart from the Work itself to be made subject to the terms of this License. If You create a

Collective Work, upon notice from any Licensor You must, to the extent practicable, remove from the Collective Work any credit as required by clause 4(b), as requested. If You create a Derivative Work, upon notice from any Licensor You must, to the extent practicable, remove from the Derivative Work any credit as required by clause 4(b), as requested.

If you distribute, publicly display, publicly perform, or publicly digitally perform the Work or any Derivative Works or Collective Works, You must keep intact all copyright notices for the Work and provide, reasonable to the medium or means You are utilizing: (i) the name of the Original Author (or pseudonym, if applicable) if supplied, and/or (ii) if the Original Author and/or Licensor designate another party or parties (e.g. a sponsor institute, publishing entity, journal) for attribution in Licensor's copyright notice, terms of service or by other reasonable means, the name of such party or parties; the title of the Work if supplied; to the extent reasonably practicable, the Uniform Resource Identifier, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing information for the Work; and in the case of a Derivative Work, a credit identifying the use of the Work in the Derivative Work (e.g., "French translation of the Work by Original Author," or "Screenplay based on original Work by Original Author"). Such credit may be implemented in any reasonable manner; provided, however, that in the case of a Derivative Work or Collective Work, at a minimum such credit will appear where any other comparable authorship credit appears and in a manner at least as prominent as such other comparable authorship credit.

5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTIBILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

6. Limitation on Liability. EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. Termination

This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Derivative Works or Collective Works from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.

Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this License will continue in full force and effect unless terminated as stated above.

8. Miscellaneous

Each time You distribute or publicly digitally perform the Work or a Collective Work, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License.

Each time You distribute or publicly digitally perform a Derivative Work, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You under this License.

If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.

This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Licensor and You.

Apache HttpCore
Copyright 2005-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

```
 ========================================================================
 ==  NOTICE file corresponding to section 4(d) of the Apache License,   ==
 ==  Version 2.0, in this case for the Apache xml-commons xml-apis      ==
 ==  distribution.                                                      ==
 ========================================================================
```

Apache XML Commons XML APIs
Copyright 2006 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of this software were originally based on the following:
- software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
- software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
- software copyright (c) 2000 World Wide Web Consortium, http://www.w3.org

Indiana University Extreme! Lab Software License

Version 1.1.1

Copyright (c) 2002 Extreme! Lab, Indiana University. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions

are met:

1. Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the distribution.

3. The end-user documentation included with the redistribution, if any,
must include the following acknowledgment:

"This product includes software developed by the Indiana University
Extreme! Lab (http://www.extreme.indiana.edu/)."

Alternately, this acknowledgment may appear in the software itself,
if and wherever such third-party acknowledgments normally
appear.

4. The names "Indiana Univeristy" and "Indiana Univeristy Extreme! Lab"
must not be used to endorse or promote products derived from this
software without prior written permission. For written permission,
please contact http://www.extreme.indiana.edu/.

5. Products derived from this software may not use "Indiana Univeristy"
name nor may "Indiana Univeristy" appear in their name, without prior
written permission of the Indiana University.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHORS, COPYRIGHT HOLDERS OR ITS CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER
IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.244 objenesis 3.1

1.244.1 Available under license :

Apache License
Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.245 byte-buddy-agent 1.10.15

1.245.1 Available under license :

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You"
(or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations,
or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems
that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants
to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work
or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution
of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental,
or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted
against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS
Copyright ${project.inceptionYear} - ${current.year} ${copyright.holder}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.246 google-api-grpc-proto-google-common-protos 1.17.0

1.246.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Licensed under the Apache License, Version 2.0 (the "License");
// you may not use this file except in compliance with the License.
// You may obtain a copy of the License at
//   http://www.apache.org/licenses/LICENSE-2.0
// distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/type/expr.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/rpc/status.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-

jar/google/api/annotations.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/type/postal_address.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/control.proto
*
 /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/rpc/error_details.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/type/fraction.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/http.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/type/latlng.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/quota.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/endpoint.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/consumer.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/source_info.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/cloud/audit/audit_log.proto
*
 /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/type/dayofweek.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/type/money.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/resource.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/backend.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/auth.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/monitoring.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/type/calendar_period.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/usage.proto
*
 /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/log.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/rpc/code.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/type/date.proto

* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/httpbody.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/metric.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/service.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/logging/type/http_request.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/logging.proto
*
 /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/distribution.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/type/color.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/geo/type/viewport.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/longrunning/operations.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/logging/type/log_severity.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/monitored_resource.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/client.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/billing.proto
*
 /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/type/quaternion.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/label.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/config_change.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/system_parameter.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/context.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/type/timeofday.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/field_behavior.proto
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/documentation.proto
No license file was found, but licenses were detected in source scan.

/**
 * <pre>

```
 * Early Access features are limited to a closed group of testers. To use
 * these features, you must sign up in advance and sign a Trusted Tester
 * agreement (which includes confidentiality provisions). These features may
 * be unstable, changed in backward-incompatible ways, and are not
 * guaranteed to be released.
 * </pre>
 *
 * <code>EARLY_ACCESS = 1;</code>
 */
```

Found in path(s):
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/com/google/api/LaunchStage.java
No license file was found, but licenses were detected in source scan.

```
// Licensed under the Apache License, Version 2.0 (the "License");
// you may not use this file except in compliance with the License.
// You may obtain a copy of the License at
//     http://www.apache.org/licenses/LICENSE-2.0
// distributed under the License is distributed on an "AS IS" BASIS,
// agreement (which includes confidentiality provisions). These features may
```

Found in path(s):
* /opt/cola/permits/1130187466_1668665434.91718/0/proto-google-common-protos-1-17-0-sources-jar/google/api/launch_stage.proto

1.247 curvesapi 1.04

1.247.1 Available under license :

Copyright (c) 2005, Graph Builder
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

-Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

-Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

-Neither the name of Graph Builder nor the names of its contributors may be
used to endorse or promote products derived from this software without
specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.248 guava-internalfuturefailureaccess-and-internalfutures 1.0.1

1.248.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1130987386_1612872111.26/0/failureaccess-1-0-1-sources-jar/com/google/common/util/concurrent/internal/InternalFutureFailureAccess.java
* /opt/cola/permits/1130987386_1612872111.26/0/failureaccess-1-0-1-sources-jar/com/google/common/util/concurrent/internal/InternalFutures.java

1.249 json-p 1.0.4

1.249.1 Available under license :

Found license 'General Public License 2.0' in '* Copyright (c) 2011-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in 'Copyright (c) 2011-2013 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2011-2013 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1
1. Definitions.

1.1. "Contributor" means each individual or entity that creates or
contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original
Software, prior Modifications used by a Contributor (if any), and
the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b)
Modifications, or (c) the combination of files containing Original
Software with files containing Modifications, in each case including
portions thereof.

1.4. "Executable" means the Covered Software in any form other than
Source Code.

1.5. "Initial Developer" means the individual or entity that first
makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or
portions thereof with code not governed by the terms of this License.

1.7. "License" means this
document.

1.8. "Licensable" means having the right to grant, to the maximum
extent possible, whether at the time of the initial grant or
subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce,

modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available
in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You
may not
remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software.

However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the

License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it
from being distributed or otherwise made available
under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS,
WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the

Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE

(CDDL)
The code released under the CDDL shall be governed by the laws of the
State of California (excluding conflict-of-law provisions). Any
litigation relating to this License shall be subject to the jurisdiction
of the Federal Courts of the Northern District of California and the
state courts of the State of California, with venue lying in Santa Clara
County, California.
Found license 'General Public License 2.0' in '* Copyright (c) 2012-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

1.250 j2objc-annotations 1.1

1.250.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 Google Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1130988593_1612871608.58/0/j2objc-annotations-1-1-sources-4-jar/com/google/j2objc/annotations/Weak.java
* /opt/cola/permits/1130988593_1612871608.58/0/j2objc-annotations-1-1-sources-4-jar/com/google/j2objc/annotations/AutoreleasePool.java
* /opt/cola/permits/1130988593_1612871608.58/0/j2objc-annotations-1-1-sources-4-jar/com/google/j2objc/annotations/WeakOuter.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1130988593_1612871608.58/0/j2objc-annotations-1-1-sources-4-jar/com/google/j2objc/annotations/ObjectiveCName.java
* /opt/cola/permits/1130988593_1612871608.58/0/j2objc-annotations-1-1-sources-4-jar/com/google/j2objc/annotations/RetainedLocalRef.java
* /opt/cola/permits/1130988593_1612871608.58/0/j2objc-annotations-1-1-sources-4-jar/com/google/j2objc/annotations/Property.java
*
 /opt/cola/permits/1130988593_1612871608.58/0/j2objc-annotations-1-1-sources-4-jar/com/google/j2objc/annotations/LoopTranslation.java
* /opt/cola/permits/1130988593_1612871608.58/0/j2objc-annotations-1-1-sources-4-jar/com/google/j2objc/annotations/ReflectionSupport.java
* /opt/cola/permits/1130988593_1612871608.58/0/j2objc-annotations-1-1-sources-4-jar/com/google/j2objc/annotations/RetainedWith.java
* /opt/cola/permits/1130988593_1612871608.58/0/j2objc-annotations-1-1-sources-4-jar/com/google/j2objc/annotations/J2ObjCIncompatible.java

1.251 jersey-repackaged-guava 2.25.1

1.251.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```
/*
  * This method was rewritten in Java from an intermediate step of the Murmur hash function in
  * http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
  * following header:
  *
  * MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
  * hereby
 disclaims copyright to this source code.
  */
```

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/SmallCharMatcher.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
  * This method was rewritten in Java from an intermediate step of the Murmur hash function in
  * http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
  * following header:
  *
  * MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
  * hereby
 disclaims copyright to this source code.
  */
```

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Hashing.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2014 The Guava Authors
*
```

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/MoreObjects.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ListenerCallQueue.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/escape/Escaper.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableMapEntrySet.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/SerializingExecutor.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableCollection.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/CollectPreconditions.java

* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/UnmodifiableIterator.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableMapValues.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/escape/UnicodeEscaper.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableMultimap.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Platform.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/PeekingIterator.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/Longs.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/SingletonImmutableBiMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/Shorts.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/Ints.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableListMultimap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/CheckedFuture.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Joiner.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/MultiReader.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/net/InetAddresses.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/FileBackedOutputStream.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableMultiset.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Collections2.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/StandardTable.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Stopwatch.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/Bytes.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/collect/FluentIterable.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/HashBasedTable.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableBiMap.java
*
/opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/AbstractCheckedFuture.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/TreeBasedTable.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/EmptyImmutableSortedSet.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/thirdparty/publicsuffix/TrieParser.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/CharMatcher.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/Floats.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/Doubles.java
*
/opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Tables.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ListenableFutureTask.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/StandardRowSortedTable.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableBiMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/Chars.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Range.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Serialization.java
*
/opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/Booleans.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Table.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/net/PercentEscaper.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/EmptyImmutableBiMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/EmptyImmutableListMultimap.java

* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableSortedSet.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableEntry.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Converter.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableMapKeySet.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS-IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/GenericMapMaker.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/Monitor.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/MinMaxPriorityQueue.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/SortedMapDifference.java
*
/opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ListeningExecutorService.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Strings.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/net/package-info.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingSetMultimap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Equivalence.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/annotations/package-info.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingListMultimap.java
*
/opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/RowSortedTable.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Ascii.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingSortedSetMultimap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/package-info.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingBlockingQueue.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/UnmodifiableListIterator.java
*
/opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/UncaughtExceptionHandlers.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/Atomics.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AbstractSequentialIterator.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/annotations/Beta.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingImmutableCollection.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ThreadFactoryBuilder.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/eventbus/SubscriberExceptionContext.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableMap.java
No license file was found, but licenses were detected in source scan.

/*
* Written by Doug Lea with assistance from members of JCP JSR-166
* Expert Group and released to the public domain, as explained at
* http://creativecommons.org/publicdomain/zero/1.0/

*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/Striped64.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/AtomicDoubleArray.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/LongAdder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AbstractSetMultimap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/eventbus/SynchronizedEventSubscriber.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/HashMultiset.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Multimap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Synchronized.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingCollection.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Throwables.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/NaturalOrdering.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/CountingInputStream.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/collect/LinkedHashMultimap.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingSortedMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingObject.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AbstractMapBasedMultimap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/Flushables.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Iterators.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Function.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Multiset.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AbstractSortedSetMultimap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Predicates.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AbstractListMultimap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/eventbus/EventSubscriber.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/ByteStreams.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/eventbus/AnnotatedSubscriberFinder.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/MapConstraints.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/LittleEndianDataInputStream.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/Primitives.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/CharStreams.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/OutputSupplier.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Constraints.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableList.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/FinalizableSoftReference.java
*

/opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/package-info.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Multimaps.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/TreeMultimap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/LinkedHashMultiset.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingSortedSet.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/FinalizableReference.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/NullsFirstOrdering.java
*
/opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/package-info.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ListenableFuture.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/BiMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/eventbus/AsyncEventBus.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/LexicographicalOrdering.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/AbstractFuture.java
*
/opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/EmptyImmutableSet.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Supplier.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/eventbus/AllowConcurrentEvents.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/LinkedListMultimap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/Files.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/MultiInputStream.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingSet.java
*
/opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/AbstractIterator.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/FinalizableReferenceQueue.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/base/Objects.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableSet.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Functions.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/LineBuffer.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/EnumBiMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ReverseNaturalOrdering.java
*
/opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/package-info.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ClassToInstanceMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/SingletonImmutableSet.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/EnumHashBiMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/eventbus/package-info.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingList.java
*
/opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/HashMultimap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/FinalizablePhantomReference.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Iterables.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingIterator.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Ordering.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ReverseOrdering.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/MapDifference.java
*
/opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/eventbus/Subscribe.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/eventbus/SubscriberFindingStrategy.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/SortedSetMultimap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AbstractBiMap.java

* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingConcurrentMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/eventbus/DeadEvent.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AbstractMapBasedMultiset.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ArrayListMultimap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/NullsLastOrdering.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Lists.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AbstractMapEntry.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ListMultimap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Predicate.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/MapConstraint.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Interner.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/Resources.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Suppliers.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingListIterator.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/Closeables.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ObjectArrays.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AbstractIterator.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Sets.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/FinalizableWeakReference.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/eventbus/EventBus.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/CountingOutputStream.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AbstractMultiset.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/collect/ByFunctionOrdering.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/InputSupplier.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ConcurrentHashMultiset.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableSet.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ExplicitOrdering.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/UsingToStringOrdering.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Defaults.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/CompoundOrdering.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/SetMultimap.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Constraint.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingQueue.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/TreeMultiset.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingMultimap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ExecutionList.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingMultiset.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Maps.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/LittleEndianDataOutputStream.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Charsets.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/MutableClassToInstanceMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/package-info.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ComparatorOrdering.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingMapEntry.java

*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/LineReader.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Multisets.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/package-info.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ServiceManager.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/FilteredKeySetMultimap.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/AbstractInvocationHandler.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/LongAddable.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/RangeMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/FilteredEntrySetMultimap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/AbstractByteHasher.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingImmutableSet.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/MutableTypeToInstanceMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/FilteredEntryMultimap.java

* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/DescendingImmutableSortedSet.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/ImmutableTypeToInstanceMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableAsList.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableSortedMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/html/package-info.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/ByteSink.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/SmoothRateLimiter.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AbstractMultimap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/CharSink.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/RateLimiter.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/TransformedIterator.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/TypeToInstanceMap.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/EmptyImmutableSortedMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/Element.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingDeque.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingBlockingDeque.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingNavigableSet.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/LongAddables.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/FileWriteMode.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/Closer.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/xml/package-info.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/collect/TransformedListIterator.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/DescendingMultiset.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingNavigableMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/TreeTraverser.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingImmutableList.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/Invokable.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/FilteredMultimap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/StandardSystemProperty.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/Parameter.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/ClassPath.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableEnumMap.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ListenableScheduledFuture.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/TreeRangeMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/AsyncSettableFuture.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/EvictingQueue.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AllEqualOrdering.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/FilteredKeyListMultimap.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/UnmodifiableSortedMultiset.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/ByteSource.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingImmutableMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/TypeCapture.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/FilteredSetMultimap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/CharSource.java

* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AbstractNavigableMap.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/BinaryTreeTraverser.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/escape/package-info.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/SortedMultisetBridge.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/SortedMultisets.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Queues.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/MessageDigestHashFunction.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/TreeRangeSet.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/AbstractStreamingHashFunction.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/DescendingImmutableSortedMultiset.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/EmptyImmutableSortedMultiset.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/PrimitiveSink.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/Funnels.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/Murmur3_128HashFunction.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/HashFunction.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/BloomFilterStrategies.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/Hasher.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AbstractSortedMultiset.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/BoundType.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/BloomFilter.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/HashCode.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/Hashing.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/Murmur3_32HashFunction.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/RegularContiguousSet.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/Funnel.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/AbstractHasher.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/HashingOutputStream.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/hash/Crc32cHashFunction.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
  * This following method is a modified version of one found in
  * http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30
  * which contained the following notice:
  *
  * Written by Doug Lea with assistance from members of JCP JSR-166
  * Expert Group and released
 to the public domain, as explained at
  * http://creativecommons.org/publicdomain/zero/1.0/
  * Other contributors include Andrew Wright, Jeffrey Hayes,
  * Pat Fisher, Mike Judd.
  */
```

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/MoreExecutors.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
  * This method was written by Doug Lea with assistance from members of JCP
  * JSR-166 Expert Group and released to the public domain, as explained at
  * http://creativecommons.org/licenses/publicdomain
  *
  * As of 2010/06/11, this method is identical to the (package private) hash
  * method in OpenJDK 7's java.util.HashMap
 class.
  */

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/Striped.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/hash/ChecksumHashFunction.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/io/BaseEncoding.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ImmutableRangeSet.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/FilteredKeyMultimap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/io/GwtWorkarounds.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/CartesianList.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/collect/ImmutableRangeMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/SipHashFunction.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/VerifyException.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/FilteredMultimapValues.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AbstractTable.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Utf8.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Verify.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/HashingInputStream.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the
* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing permissions and

* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/UnsignedLong.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/GeneralRange.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/ParseRequest.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableSortedMultiset.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingSortedMultiset.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/UnsignedInteger.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/UnsignedInts.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableSortedMultiset.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Count.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/RangeSet.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/UnsignedLongs.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AbstractRangeSet.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/SortedIterable.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/SortedIterables.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/DenseImmutableTable.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/MapMakerInternalMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/SparseImmutableTable.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableTable.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Cut.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/MapMaker.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/package-info.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0

*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/EnumMultiset.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Interners.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Preconditions.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/HashBiMap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the
* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableSortedAsList.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/ForwardingCache.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/WellBehavedMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/AbstractLoadingCache.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/math/DoubleUtils.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/AbstractNonStreamingHashFunction.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/AsyncFunction.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ExecutionError.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/TypeParameter.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/AbstractScheduledService.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/net/MediaType.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/CycleDetectingLockFactory.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/Types.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/Cache.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/UncheckedExecutionException.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Ticker.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/RemovalCause.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/ForwardingLoadingCache.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Present.java

* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/WrappingExecutorService.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingCheckedFuture.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingExecutorService.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/LoadingCache.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/CacheStats.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/AbstractListeningExecutorService.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/Uninterruptibles.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/math/LongMath.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Absent.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Optional.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/AbstractCompositeHashFunction.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/RemovalListener.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/RemovalListeners.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/AbstractCache.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/math/BigIntegerMath.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/net/HttpHeaders.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/CacheBuilderSpec.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/net/HostAndPort.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/FutureCallback.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/GwtTransient.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingListeningExecutorService.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/PairwiseEquivalence.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/math/IntMath.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableMultiset.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/math/package-info.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/math/DoubleMath.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/RemovalNotification.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ListeningScheduledExecutorService.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/FutureFallback.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/AtomicLongMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Enums.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/CacheLoader.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/package-info.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/UncheckedTimeoutException.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/TypeToken.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/escape/CharEscaperBuilder.java
*

/opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/CaseFormat.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/TimeLimiter.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/annotations/VisibleForTesting.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/PatternFilenameFilter.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/SimpleTimeLimiter.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/escape/CharEscaper.java
*
/opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/AppendableWriter.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/FakeTimeLimiter.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/Futures.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy
* of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/FunctionalEquivalence.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingTable.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/annotations/GwtIncompatible.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/ByteProcessor.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingListenableFuture.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/UnsignedBytes.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AbstractIndexedListIterator.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/AbstractService.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/escape/Platform.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/Callables.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingFuture.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableSortedMapFauxverideShim.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/net/HostSpecifier.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/SignedBytes.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/escape/ArrayBasedEscaperMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/net/InternetDomainName.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/SingletonImmutableTable.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/JdkFutureAdapters.java

* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableTable.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/html/HtmlEscapers.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ComputationException.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableSetMultimap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/net/UrlEscapers.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/escape/ArrayBasedUnicodeEscaper.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Splitter.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/TypeResolver.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableList.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/AbstractExecutionThreadService.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ComparisonChain.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/CacheBuilder.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableSortedSetFauxverideShim.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableEnumSet.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/ByteArrayDataOutput.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/Service.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableClassToInstanceMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/annotations/GwtCompatible.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/escape/Escapers.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/AbstractIdleService.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Platform.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/LineProcessor.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/cache/LocalCache.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ImmutableAsList.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/RegularImmutableSortedSet.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/escape/ArrayBasedCharEscaper.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/EmptyImmutableSetMultimap.java
*
/opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ImmutableSortedMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/SingletonImmutableList.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/SettableFuture.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/xml/XmlEscapers.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ArrayTable.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/io/ByteArrayDataInput.java
*
/opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/DiscreteDomain.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2005 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/reflect/Reflection.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/math/MathPreconditions.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/cache/Weigher.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/SortedMultiset.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/EmptyContiguousSet.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/SortedLists.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ComputingConcurrentHashMap.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ContiguousSet.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/internal/Finalizer.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/thirdparty/publicsuffix/PublicSuffixType.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/MultimapBuilder.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/CharSequenceReader.java
*
 /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/eventbus/SubscriberExceptionHandler.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/TypeVisitor.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/WrappingScheduledExecutorService.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/Runnables.java
* /opt/cola/permits/1130987488_1615189252.35/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableMapEntry.java

1.252 apiguardian-apiguardian-api 1.1.0

1.252.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.253 java-diff-utils 1.3.0

1.253.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1131003422_1649015566.9/0/diffutils-1-3-0-jar/META-INF/maven/com.googlecode.java-diff-utils/diffutils/pom.xml
No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Archiver-Version: Plexus Archiver
Built-By: smitterm
Created-By: Apache Maven Bundle Plugin
Bundle-License: http://www.apache.org/licenses/LICENSE-2.0.txt
Bnd-LastModified: 1362404972142
Export-Package: difflib;uses:="difflib.myers";version="1.3.0",difflib.
myers;uses:=difflib;version="1.3.0"
Bundle-Version: 1.3.0
Bundle-Description: The DiffUtils library for computing diffs, applyin
g patches, generationg side-by-side view in Java.
Bundle-Name: java-diff-utils

Build-Jdk: 1.5.0_22
Bundle-ManifestVersion: 2
Bundle-SymbolicName: com.googlecode.java-diff-utils.diffutils
Tool: Bnd-1.50.0

Found in path(s):
* /opt/cola/permits/1131003422_1649015566.9/0/diffutils-1-3-0-jar/META-INF/MANIFEST.MF

1.254 junit-platform-junit-platform-commons 1.5.2

1.254.1 Available under license :

Eclipse Public License - v 2.0
==========

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. Definitions

Contribution means:
* **a)** in the case of the initial Contributor, the initial content Distributed under this Agreement, and
* **b)** in the case of each subsequent Contributor:
 * **i)** changes to the Program, and
 * **ii)** additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent
 claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes,
structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of **a)** distributing or **b)** making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. Grant of Rights

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative
Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any
liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

###

3. Requirements

3.1 If a Contributor Distributes the Program in any form, then:

* **a)** the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

* **b)** the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:
 * **i)** effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 * **ii)** effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental
 and consequential damages, such as lost profits;
 * **iii)** does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and
 * **iv)** requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

* **a)** it must be made available under this Agreement, or if the Program **(i)** is combined with other material in a separate file or files made available under a Secondary License, and **(ii)** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
* **b)** a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices)
 contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such
 Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: **a)** promptly notify the Commercial Contributor in writing of such claim, and **b)** allow the Commercial Contributor to control, and cooperate with

the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial
Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or
interruption of operations.

6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If
Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of

such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement,
but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property
of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory)
where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.
Open Source Licenses
==========

This product may include a number of subcomponents with separate
copyright notices and license terms. Your use of the source code for
these subcomponents is subject to the terms and conditions of the
subcomponent's license, as noted in the LICENSE-<subcomponent>.md
files.

1.255 j2objc-annotations 1.3

1.255.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-jar/com/google/j2objc/annotations/RetainedWith.java
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-jar/com/google/j2objc/annotations/Property.java
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-jar/com/google/j2objc/annotations/LoopTranslation.java
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-jar/com/google/j2objc/annotations/ObjectiveCName.java
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-jar/com/google/j2objc/annotations/ReflectionSupport.java
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-jar/com/google/j2objc/annotations/RetainedLocalRef.java
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-jar/com/google/j2objc/annotations/J2ObjCIncompatible.java

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2012 Google Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
```

* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-jar/com/google/j2objc/annotations/Weak.java
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-jar/com/google/j2objc/annotations/AutoreleasePool.java
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-jar/com/google/j2objc/annotations/WeakOuter.java

1.256 io-grpc-grpc-protobuf-lite 1.30.2

1.256.1 Available under license :

/*
* Copyright 2014 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the
preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name)
to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual
or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination
of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any

medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and
You must cause any modified files to carry prominent notices stating that You changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that
such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any
Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may

choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims
asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.257 io-grpc-grpc-protobuf 1.30.2

1.257.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2016 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1131176768_1668683048.8539906/0/grpc-protobuf-1-30-2-sources-jar/io/grpc/protobuf/ProtoFileDescriptorSupplier.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
```

* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1131176768_1668683048.8539906/0/grpc-protobuf-1-30-2-sources-jar/io/grpc/protobuf/StatusProto.java
* /opt/cola/permits/1131176768_1668683048.8539906/0/grpc-protobuf-1-30-2-sources-jar/io/grpc/protobuf/ProtoServiceDescriptorSupplier.java
* /opt/cola/permits/1131176768_1668683048.8539906/0/grpc-protobuf-1-30-2-sources-jar/io/grpc/protobuf/package-info.java
*
 /opt/cola/permits/1131176768_1668683048.8539906/0/grpc-protobuf-1-30-2-sources-jar/io/grpc/protobuf/ProtoMethodDescriptorSupplier.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1131176768_1668683048.8539906/0/grpc-protobuf-1-30-2-sources-jar/io/grpc/protobuf/ProtoUtils.java

1.258 io-grpc-grpc-context 1.30.2

1.258.1 Available under license :

/*
* Copyright 2015 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
Envoy
Copyright 2016-2019 Envoy Project Authors

Licensed under Apache License 2.0. See LICENSE for terms.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner].

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

protoc-gen-validate

Copyright 2019 Envoy Project Authors

Licensed under Apache License 2.0. See LICENSE for terms.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Copyright 2014 The gRPC Authors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

This product contains a modified portion of 'OkHttp', an open source
HTTP & SPDY client for Android and Java applications, which can be obtained
at:

* LICENSE:
  * okhttp/third_party/okhttp/LICENSE (Apache License 2.0)
* HOMEPAGE:
  * https://github.com/square/okhttp
* LOCATION_IN_GRPC:
  * okhttp/third_party/okhttp

This product contains a modified portion
of 'Envoy', an open source
cloud-native high-performance edge/middle/service proxy, which can be
obtained at:

* LICENSE:
  * xds/third_party/envoy/LICENSE (Apache License 2.0)
* NOTICE:
  * xds/third_party/envoy/NOTICE
* HOMEPAGE:
  * https://www.envoyproxy.io
* LOCATION_IN_GRPC:
  * xds/third_party/envoy

This product contains a modified portion of 'protoc-gen-validate (PGV)',
an open source protoc plugin to generate polyglot message validators,
which can be obtained at:

* LICENSE:
  * xds/third_party/protoc-gen-validate/LICENSE (Apache License 2.0)
* NOTICE:
    * xds/third_party/protoc-gen-validate/NOTICE
* HOMEPAGE:
  * https://github.com/envoyproxy/protoc-gen-validate
* LOCATION_IN_GRPC:
  * xds/third_party/protoc-gen-validate

This product contains a modified portion of 'udpa',
an open source universal data plane API, which can be obtained at:

* LICENSE:
  * xds/third_party/udpa/LICENSE (Apache License 2.0)
* HOMEPAGE:
  * https://github.com/cncf/udpa
* LOCATION_IN_GRPC:
  * xds/third_party/udpa

1.259 io-grpc-grpc-stub 1.30.2

1.259.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1131176965_1668665267.225727/0/grpc-protobuf-1-30-2-sources-jar/io/grpc/protobuf/ProtoFileDescriptorSupplier.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1131176965_1668665267.225727/0/grpc-protobuf-1-30-2-sources-jar/io/grpc/protobuf/ProtoServiceDescriptorSupplier.java
* /opt/cola/permits/1131176965_1668665267.225727/0/grpc-protobuf-1-30-2-sources-jar/io/grpc/protobuf/ProtoMethodDescriptorSupplier.java
* /opt/cola/permits/1131176965_1668665267.225727/0/grpc-protobuf-1-30-2-sources-jar/io/grpc/protobuf/package-info.java
*
 /opt/cola/permits/1131176965_1668665267.225727/0/grpc-protobuf-1-30-2-sources-jar/io/grpc/protobuf/StatusProto.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1131176965_1668665267.225727/0/grpc-protobuf-1-30-2-sources-jar/io/grpc/protobuf/ProtoUtils.java

1.260 io-grpc-grpc-api 1.30.2

1.260.1 Available under license :

/*
* Copyright 2015 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
Envoy
Copyright 2016-2019 Envoy Project Authors

Licensed under Apache License 2.0. See LICENSE for terms.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner].

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

protoc-gen-validate

Copyright 2019 Envoy Project Authors

Licensed under Apache License 2.0. See LICENSE for terms.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Copyright 2014 The gRPC Authors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

This product contains a modified portion of 'OkHttp', an open source
HTTP & SPDY client for Android and Java applications, which can be obtained
at:

 * LICENSE:
   * okhttp/third_party/okhttp/LICENSE (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/square/okhttp
 * LOCATION_IN_GRPC:
   * okhttp/third_party/okhttp

This product contains a modified portion
 of 'Envoy', an open source
cloud-native high-performance edge/middle/service proxy, which can be
obtained at:

 * LICENSE:
   * xds/third_party/envoy/LICENSE (Apache License 2.0)
 * NOTICE:
   * xds/third_party/envoy/NOTICE
 * HOMEPAGE:
   * https://www.envoyproxy.io
 * LOCATION_IN_GRPC:
   * xds/third_party/envoy

This product contains a modified portion of 'protoc-gen-validate (PGV)',
an open source protoc plugin to generate polyglot message validators,
which can be obtained at:

 * LICENSE:
   * xds/third_party/protoc-gen-validate/LICENSE (Apache License 2.0)
 * NOTICE:

* xds/third_party/protoc-gen-validate/NOTICE
* HOMEPAGE:
* https://github.com/envoyproxy/protoc-gen-validate
* LOCATION_IN_GRPC:
* xds/third_party/protoc-gen-validate

This product contains a modified portion of 'udpa',
an open source universal data plane API, which can be obtained at:

* LICENSE:
* xds/third_party/udpa/LICENSE (Apache License 2.0)
* HOMEPAGE:
* https://github.com/cncf/udpa
* LOCATION_IN_GRPC:
* xds/third_party/udpa

1.261 powermock-api-mockito2 2.0.7

1.261.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
*
*   Copyright 2017 the original author or authors.
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at
*
*       http://www.apache.org/licenses/LICENSE-2.0
*
*   Unless required by applicable law or agreed to in writing, software
*   distributed under the License is distributed on an "AS IS" BASIS,
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
*
*/
```

Found in path(s):
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/internal/stubbing/MockitoRealMethodInvocation.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/internal/stubbing/PowerMockCallRealMethod.java
*
/opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/expectation/DefaultConstructorExpectationSetup.java

* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/mockmaker/MockMakerLoader.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/invocation/MockHandlerAdaptor.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/invocation/InvocationFactory.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2012 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/internal/expectation/DelegatingToConstructorsOngoingStubbing.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2009 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/expectation/WithAnyArguments.java

* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/expectation/WithOrWithoutExpectedArguments.java
*
 /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/internal/invocation/MockitoNewInvocationControl.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/expectation/ConstructorExpectationSetup.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/internal/invocation/InvocationControlAssertionError.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/expectation/WithExpectedParameterTypes.java
No license file was found, but licenses were detected in source scan.

/*
*   Copyright 2016 the original author or authors.
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
*   Unless required by applicable law or agreed to in writing, software
*   distributed under the License is distributed on an "AS IS" BASIS,
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/internal/mockcreation/DefaultMockCreator.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/expectation/ConstructorAwareExpectationSetup.java
*
 /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/verification/WithoutVerifiedArguments.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/expectation/PrivatelyExpectedArguments.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/internal/verification/VerifyNoMoreInteractions.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/mockmaker/PowerMockMaker.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/PowerMockito.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/verification/WithVerifiedArguments.java

* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/internal/configuration/PowerMockitoInjectingAnnotationEngine.java
*
/opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/extension/listener/AnnotationEnabler.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/mockpolicies/Slf4jMockPolicy.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/internal/expectation/DefaultMethodExpectationSetup.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/internal/configuration/PowerMockitoSpyAnnotationEngine.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/expectation/WithoutExpectedArguments.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/verification/ConstructorArgumentsVerification.java
*
/opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/internal/verification/DefaultPrivateMethodVerification.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/internal/verification/DefaultConstructorArgumentsVerification.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/expectation/PowerMockitoStubber.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/expectation/reporter/MockitoPowerMockReporter.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/internal/expectation/DefaultPrivatelyExpectedArguments.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/invocation/MockitoMethodInvocationControl.java
*
/opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/verification/WithOrWithoutVerifiedArguments.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/expectation/WithExpectedArguments.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/internal/PowerMockitoCore.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/powermocklistener/AnnotationEnabler.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/internal/exceptions/StackTraceCleanerProvider.java
* /opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/verification/PrivateMethodVerification.java
*
/opt/cola/permits/1131176787_1612908586.48/0/powermock-api-mockito2-2-0-7-sources-2-jar/org/powermock/api/mockito/internal/expectation/PowerMockitoStubberImpl.java

1.262 reflections 0.9.10

1.262.1 Available under license :

DO WHAT THE FUCK YOU WANT TO PUBLIC LICENSE
Version 2, December 2004

Copyright (C) 2004 Sam Hocevar <sam@hocevar.net>

Everyone is permitted to copy and distribute verbatim or modified
copies of this license document, and changing it is allowed as long
as the name is changed.

DO WHAT THE FUCK YOU WANT TO PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. You just DO WHAT THE FUCK YOU WANT TO.

1.263 opentracing-util 0.31.0

1.263.1 Available under license :

No license file was found, but licenses were detected in source scan.

2018 The OpenTracing Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
in compliance with the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE
2.0

Unless required by applicable law or agreed to in writing, software distributed under the License
is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
or implied. See the License for the specific language governing permissions and limitations under
the License.

Found in path(s):
* /opt/cola/permits/1131856545_1613029672.96/0/opentracing-util-0-31-0-sources-1-jar/META-
INF/maven/io.opentracing/opentracing-util/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016-2018 The OpenTracing Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1131856545_1613029672.96/0/opentracing-util-0-31-0-sources-1-jar/io/opentracing/util/GlobalTracer.java
* /opt/cola/permits/1131856545_1613029672.96/0/opentracing-util-0-31-0-sources-1-jar/io/opentracing/util/ThreadLocalScopeManager.java
* /opt/cola/permits/1131856545_1613029672.96/0/opentracing-util-0-31-0-sources-1-jar/io/opentracing/util/AutoFinishScope.java
*
 /opt/cola/permits/1131856545_1613029672.96/0/opentracing-util-0-31-0-sources-1-jar/io/opentracing/util/ThreadLocalScope.java
* /opt/cola/permits/1131856545_1613029672.96/0/opentracing-util-0-31-0-sources-1-jar/io/opentracing/util/AutoFinishScopeManager.java

1.264 config-com-typesafe-config 1.3.0

1.264.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

1.265 opentracing-noop 0.31.0

1.265.1 Available under license :

No license file was found, but licenses were detected in source scan.

2018 The OpenTracing Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
in compliance with the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE
2.0

Unless required by applicable law or agreed to in writing, software distributed under the License
is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
or implied. See the License for the specific language governing permissions and limitations under
the License.

Found in path(s):
* /opt/cola/permits/1131856333_1613029685.7/0/opentracing-noop-0-31-0-sources-1-jar/META-
INF/maven/io.opentracing/opentracing-noop/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016-2018 The OpenTracing Authors
*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1131856333_1613029685.7/0/opentracing-noop-0-31-0-sources-1-jar/io/opentracing/noop/NoopSpanBuilder.java
* /opt/cola/permits/1131856333_1613029685.7/0/opentracing-noop-0-31-0-sources-1-jar/io/opentracing/noop/NoopScopeManager.java
* /opt/cola/permits/1131856333_1613029685.7/0/opentracing-noop-0-31-0-sources-1-jar/io/opentracing/noop/NoopTracer.java
*
 /opt/cola/permits/1131856333_1613029685.7/0/opentracing-noop-0-31-0-sources-1-jar/io/opentracing/noop/NoopTracerFactory.java
* /opt/cola/permits/1131856333_1613029685.7/0/opentracing-noop-0-31-0-sources-1-jar/io/opentracing/noop/NoopSpan.java
* /opt/cola/permits/1131856333_1613029685.7/0/opentracing-noop-0-31-0-sources-1-jar/io/opentracing/noop/NoopSpanContext.java

1.266 opentracing-api 0.31.0

1.266.1 Available under license :

No license file was found, but licenses were detected in source scan.

2018 The OpenTracing Authors

  Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
  in compliance with the License. You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE
2.0

  Unless required by applicable law or agreed to in writing, software distributed under the License
  is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
  or implied. See the License for the specific language governing permissions and limitations under
  the License.

Found in path(s):

* /opt/cola/permits/1131856260_1613029791.21/0/opentracing-api-0-31-0-sources-3-jar/META-INF/maven/io.opentracing/opentracing-api/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016-2018 The OpenTracing Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1131856260_1613029791.21/0/opentracing-api-0-31-0-sources-3-jar/io/opentracing/tag/IntTag.java
* /opt/cola/permits/1131856260_1613029791.21/0/opentracing-api-0-31-0-sources-3-jar/io/opentracing/propagation/TextMapInjectAdapter.java
* /opt/cola/permits/1131856260_1613029791.21/0/opentracing-api-0-31-0-sources-3-jar/io/opentracing/propagation/TextMapExtractAdapter.java
*
 /opt/cola/permits/1131856260_1613029791.21/0/opentracing-api-0-31-0-sources-3-jar/io/opentracing/References.java
* /opt/cola/permits/1131856260_1613029791.21/0/opentracing-api-0-31-0-sources-3-jar/io/opentracing/Scope.java
* /opt/cola/permits/1131856260_1613029791.21/0/opentracing-api-0-31-0-sources-3-jar/io/opentracing/tag/IntOrStringTag.java
* /opt/cola/permits/1131856260_1613029791.21/0/opentracing-api-0-31-0-sources-3-jar/io/opentracing/tag/StringTag.java
* /opt/cola/permits/1131856260_1613029791.21/0/opentracing-api-0-31-0-sources-3-jar/io/opentracing/tag/AbstractTag.java
* /opt/cola/permits/1131856260_1613029791.21/0/opentracing-api-0-31-0-sources-3-jar/io/opentracing/propagation/Format.java
* /opt/cola/permits/1131856260_1613029791.21/0/opentracing-api-0-31-0-sources-3-jar/io/opentracing/Tracer.java
* /opt/cola/permits/1131856260_1613029791.21/0/opentracing-api-0-31-0-sources-3-jar/io/opentracing/Span.java
*
 /opt/cola/permits/1131856260_1613029791.21/0/opentracing-api-0-31-0-sources-3-jar/io/opentracing/tag/Tags.java
* /opt/cola/permits/1131856260_1613029791.21/0/opentracing-api-0-31-0-sources-3-jar/io/opentracing/tag/BooleanTag.java
* /opt/cola/permits/1131856260_1613029791.21/0/opentracing-api-0-31-0-sources-3-jar/io/opentracing/log/Fields.java
* /opt/cola/permits/1131856260_1613029791.21/0/opentracing-api-0-31-0-sources-3-jar/io/opentracing/propagation/TextMap.java

* /opt/cola/permits/1131856260_1613029791.21/0/opentracing-api-0-31-0-sources-3-jar/io/opentracing/ScopeManager.java
* /opt/cola/permits/1131856260_1613029791.21/0/opentracing-api-0-31-0-sources-3-jar/io/opentracing/SpanContext.java

1.267 apache-commons-jexl 3.1

1.267.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Apache Commons JEXL
Copyright 2001-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.268 ph-css 6.1.1

1.268.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii)
beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the
Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication

on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole
responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

==========

= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =

==========

This product includes Open Source Software developed by
Philip Helger - http://www.helger.com/

This product includes Open Source Software developed by phloc systems (http://www.phloc.com/)

1.269 dnsjava 2.1.8

1.269.1 Available under license :

Copyright (c) 1998-2011, Brian Wellington.
All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.270 krysalis-jcharts 0.7.5

1.270.1 Available under license :

No license file was found, but licenses were detected in source scan.

/***
**
* File Info: $Id: ScatterPlotProperties.java,v 1.2 2003/02/17 02:51:17 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"

must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/properties/ScatterPlotProperties.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: StackedAreaTestDriver.java,v 1.5 2003/03/31 00:26:42 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a

```
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "jCharts"
 or "Nathaniel G. Auvil" must not be used to
*    endorse or promote products derived from this Software without
*    prior written permission of Nathaniel G. Auvil.  For written
*    permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*    nor may "jCharts" appear in their names without prior written
*    permission of Nathaniel G. Auvil. jCharts is a registered
*    trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*    (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
 * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
********************************************************************************************
***/
```

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/test/StackedAreaTestDriver.java
No license file was found, but licenses were detected in source scan.

```
/********************************************************************************************
**
* File Info: $Id: CircleMapArea.java,v 1.3 2003/02/19 23:26:17 nathaniel_auvil Exp $
* Copyright (C) 2001
* Author: Nathaniel G. Auvil
* Contributor(s):
*
```

* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*   nor may "jCharts" appear in their names without prior written
*   permission of Nathaniel G. Auvil. jCharts is a registered
*   trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*   (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
 BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/imageMap/CircleMapArea.java

No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************************************
**
* File Info: $Id: LineTestDriver.java,v 1.12 2003/03/31 00:26:42 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to
*    endorse or promote products derived from this Software without
*    prior written permission of Nathaniel G. Auvil.  For written
*    permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*    nor may "jCharts" appear in their names without prior written
*    permission of Nathaniel G. Auvil. jCharts is a registered
*    trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*    (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
 BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
```

* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/test/LineTestDriver.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: StockChart.java,v 1.9 2003/03/31 00:26:14 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*   nor may "jCharts" appear in their names without prior written
*   permission of Nathaniel G. Auvil. jCharts is a registered
*   trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*   (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
 BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/axisChart/StockChart.java
No license file was found, but licenses were detected in source scan.

/**
**
 * File Info: $Id: TextTag.java,v 1.5 2003/03/09 22:42:11 nathaniel_auvil Exp $
 * Copyright (C) 2002
 * Author: John Thomsen
 * Contributor(s): Nathaniel G. Auvil
 *
 * Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
 *
 * Redistribution and use of this software and associated documentation ("Software"), with or
 * without modification, are permitted provided that the following conditions are met:
 *
 * 1. Redistributions of source code must retain copyright statements and notices.
 * Redistributions must also contain a copy of this document.
 *
 * 2. Redistributions in binary form must reproduce the above copyright notice, this list of
 * conditions and the following disclaimer in the documentation and/or other materials
 * provided with the distribution.
 *
 * 3. The name "jCharts" or "Nathaniel
G. Auvil" must not be used to endorse or promote
 * products derived from this Software without prior written permission of Nathaniel G.
 * Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
 *
 * 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
 * in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
 * registered trademark of Nathaniel G. Auvil.
 *
 * 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
 *

```
 * THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
 * EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
 * MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO
EVENT SHALL
 * jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
 * EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
 TO, PROCUREMENT OF
 * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
 * IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
**********************************************************************************************
***/
```

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/chartText/TextTag.java
No license file was found, but licenses were detected in source scan.

```
/**********************************************************************************************
**
* File Info: $Id: StockChartDataType.java,v 1.2 2002/10/14 20:52:05 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "jCharts" or
 "Nathaniel G. Auvil" must not be used to
*    endorse or promote products derived from this Software without
*    prior written permission of Nathaniel G. Auvil.  For written
```

```
*    permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*    nor may "jCharts" appear in their names without prior written
*    permission of Nathaniel G. Auvil. jCharts is a registered
*    trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*    (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
 BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*********************************************************************************************
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/types/StockChartDataType.java
No license file was found, but licenses were detected in source scan.

/*********************************************************************************************
**
* File Info: $Id: ChartProperties.java,v 1.8 2003/03/09 14:42:59 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
*  Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
*  conditions and the following disclaimer in the documentation and/or other materials
```

* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must
 not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/properties/ChartProperties.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: StackedAreaChart.java,v 1.7 2003/02/12 03:20:22 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:

*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*   nor may "jCharts" appear in their names without prior written
*   permission of Nathaniel G. Auvil. jCharts is a registered
*   trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*   (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
 BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/axisChart/StackedAreaChart.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: ChartFont.java,v 1.9 2003/03/09 22:42:12 nathaniel_auvil Exp $

* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not
 be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE GOODS
 OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/properties/util/ChartFont.java

No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************************
**
* File Info: $Id: AreaChart.java,v 1.7 2003/02/11 03:17:23 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
*  Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
*  conditions and the following disclaimer in the documentation and/or other materials
*  provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not
 be used to endorse or promote
*  products derived from this Software without prior written permission of Nathaniel G.
*  Auvil.  For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
*  in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
*  registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE GOODS
 OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
*****************************************************************************************
```

***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/axisChart/AreaChart.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: LegendProperties.java,v 1.6 2003/03/08 23:19:33 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s): Sandor Dornbush
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT
 OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT

LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/properties/LegendProperties.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: ServletEncoderHelper.java,v 1.1 2003/03/14 03:22:42 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
 must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,

* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/encoders/ServletEncoderHelper.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: ChartTypeProperties.java,v 1.7 2003/03/05 23:36:30 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY

* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/properties/ChartTypeProperties.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: JPEGEncoder13.java,v 1.6 2003/03/14 03:22:42 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must
 not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a

* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/encoders/JPEGEncoder13.java
No license file was found, but licenses were detected in source scan.

/**********
**
 * File Info: $Id: ChartDataException.java,v 1.4 2003/04/19 00:31:25 nathaniel_auvil Exp $
 * Copyright (C) 2002
 * Author: Nathaniel G. Auvil
 * Contributor(s):
 *
 * Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
 *
 * Redistribution and use of this software and associated documentation ("Software"), with or
 * without modification, are permitted provided that the following conditions are met:
 *
 * 1. Redistributions of source code must retain copyright statements and notices.
 * Redistributions must also contain a copy of this document.
 *
 * 2. Redistributions in binary form must reproduce the above copyright notice, this list of
 * conditions and the following disclaimer in the documentation and/or other materials
 * provided with the distribution.
 *
 * 3. The name "jCharts" or "Nathaniel

G. Auvil" must not be used to endorse or promote
 * products derived from this Software without prior written permission of Nathaniel G.
 * Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
 *
 * 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
 * in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
 * registered trademark of Nathaniel G. Auvil.
 *
 * 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
 *
 * THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
 * EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
 * MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
 * jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
 * EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
 TO, PROCUREMENT OF
 * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
 * IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/chartData/ChartDataException.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: AreaShape.java,v 1.2 2002/10/14 20:52:04 nathaniel_auvil Exp $
* Copyright (C) 2001
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a

```
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to
*    endorse or promote products derived from this Software without
*    prior written permission of Nathaniel G. Auvil.  For written
*    permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*    nor may "jCharts" appear in their names without prior written
*    permission of Nathaniel G. Auvil. jCharts is a registered
*    trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*    (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
 BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*****************************************************************************************
***/
```

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/imageMap/AreaShape.java
No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************************
**
* File Info: $Id: ScaleCalculator.java,v 1.4 2003/02/26 01:04:31 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil, Mike Lissick
* Contributor(s):
*
```

* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT
 OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/axisChart/axis/scale/ScaleCalculator.java
No license file was found, but licenses were detected in source scan.

/**********

```
**
* File Info: $Id: IData.java,v 1.2 2002/10/14 20:52:04 nathaniel_auvil Exp $
* Copyright (C) 2001
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G.
 Auvil" must not be used to
*    endorse or promote products derived from this Software without
*    prior written permission of Nathaniel G. Auvil.  For written
*    permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*    nor may "jCharts" appear in their names without prior written
*    permission of Nathaniel G. Auvil. jCharts is a registered
*    trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*    (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT
 NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
```

****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/chartData/interfaces/IData.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: StackedBarTestDriver.java,v 1.11 2003/11/02 13:22:31 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
 must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE

GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/test/StackedBarTestDriver.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File: $Id: StackedBarChartProperties.java,v 1.2 2002/10/14 20:52:05 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "jCharts"
 or "Nathaniel G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*   nor may "jCharts" appear in their names without prior written
*   permission of Nathaniel G. Auvil. jCharts is a registered
*   trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project

```
*    (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
*
 (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE
*****************************************************************************************
***/
```

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/properties/StackedBarChartProperties.java
No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************************
**
* File Info: $Id: UserDefinedScaleCalculator.java,v 1.2 2003/02/01 03:33:27 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s): Mike Lissick
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
*  Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
*  conditions and the following disclaimer in the documentation and/or other materials
*  provided with the distribution.
*
* 3. The name "jCharts" or
 "Nathaniel G. Auvil" must not be used to endorse or promote
*  products derived from this Software without prior written permission of Nathaniel G.
*  Auvil.  For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
```

* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT
 OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/axisChart/axis/scale/UserDefinedScaleCalculator.java
No license file was found, but licenses were detected in source scan.

/**
**
* File: HTMLChartTestable.java
* Last Modified: $Id: HTMLChartTestable.java,v 1.3 2003/02/09 22:59:12 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the

```
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
 *
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not be used to
*    endorse or promote products derived from this Software without
*    prior written permission of Nathaniel G. Auvil.  For written
*    permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*    nor may "jCharts" appear in their names without prior written
*    permission of Nathaniel G. Auvil. jCharts is a registered
*    trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*    (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
 OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
********************************************************************************************
***/
```

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/test/HTMLChartTestable.java
No license file was found, but licenses were detected in source scan.

```
/********************************************************************************************
**
* File Info: $Id: IDataSet.java,v 1.3 2003/02/17 02:53:21 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
```

* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not be
 used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE GOODS
 OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/chartData/interfaces/IDataSet.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File: DataAxis - derived from YAxis.java
* Last Modified: $Id: DataAxis.java,v 1.4 2003/03/09 22:42:10 nathaniel_auvil Exp $
* Copyright (C) 2000

* Author: John Thomsen
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
 *
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*   nor may "jCharts" appear in their names without prior written
*   permission of Nathaniel G. Auvil. jCharts is a registered
*   trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*   (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
 OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
****
***/

Found in path(s):

* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/axisChart/axis/DataAxis.java
No license file was found, but licenses were detected in source scan.

```
/**************************************************************************************************
**
* File Info: $Id: ValueLabelPosition.java,v 1.2 2003/03/05 23:36:30 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
*  Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
*  conditions and the following disclaimer in the documentation and/or other materials
*  provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
 must not be used to endorse or promote
*  products derived from this Software without prior written permission of Nathaniel G.
*  Auvil.  For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
*  in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
*  registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
```

* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/axisChart/customRenderers/axisValue/renderers/ValueLabelPosition.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: TestDataGenerator.java,v 1.12 2003/03/08 23:19:34 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "jCharts" or
 "Nathaniel G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*   nor may "jCharts" appear in their names without prior written
*   permission of Nathaniel G. Auvil. jCharts is a registered
*   trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*   (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
 BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/test/TestDataGenerator.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: PostAxisValueRenderListener.java,v 1.2 2003/03/08 22:49:43 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s): John Thomsen
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or
 "Nathaniel G. Auvil" must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY

* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
 OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/axisChart/customRenderers/axisValue/PostAxisValueRenderListener.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: IScatterPlotDataSeries.java,v 1.2 2003/02/17 18:21:10 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
 must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear

```
*  in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
*  registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
**********************************************************************************************
***/
```

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/chartData/interfaces/IScatterPlotDataSeries.java
No license file was found, but licenses were detected in source scan.

```
/**********************************************************************************************
**
* File Info: $Id: BarValueGroup.java,v 1.1 2002/12/05 22:07:28 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: John Thomsen
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
```

```
*    materials provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to
*    endorse or promote products derived from this Software without
*    prior written permission of Nathaniel G. Auvil.  For written
*    permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*    nor may "jCharts" appear in their names without prior written
*    permission of Nathaniel G. Auvil. jCharts is a registered
*    trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*    (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
 BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*********************************************************************************************
***/
```

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/chartText/BarValueGroup.java
No license file was found, but licenses were detected in source scan.

```
/*********************************************************************************************
**
* File Info: $Id: StockChartDataSet.java,v 1.3 2003/02/17 02:52:45 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
```

*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must
 not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/chartData/StockChartDataSet.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: AxisValueRenderEvent.java,v 1.1 2003/03/02 21:46:16 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s): John Thomsen

*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT
 OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/axisChart/customRenderers/axisValue/AxisValueRenderEvent.java
No license file was found, but licenses were detected in source scan.

```
/**************************************************************************************************
**
* File Info: $Id: ImageMapNotSupportedException.java,v 1.2 2002/10/14 20:52:05 nathaniel_auvil Exp $
* Copyright (C) 2001
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "jCharts"
 or "Nathaniel G. Auvil" must not be used to
*    endorse or promote products derived from this Software without
*    prior written permission of Nathaniel G. Auvil.  For written
*    permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*    nor may "jCharts" appear in their names without prior written
*    permission of Nathaniel G. Auvil. jCharts is a registered
*    trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*    (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
 * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
```

****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/imageMap/ImageMapNotSupportedException.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: LegendAreaProperties.java,v 1.8 2003/02/13 04:15:11 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s): Sandor Dornbush
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
 OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/properties/LegendAreaProperties.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: ScatterPlotDataSet.java,v 1.2 2003/02/17 02:52:45 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
 must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO

EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/chartData/ScatterPlotDataSet.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: StockDataProcessor.java,v 1.2 2002/10/14 20:52:04 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "jCharts" or
"Nathaniel G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"

```
*    nor may "jCharts" appear in their names without prior written
*    permission of Nathaniel G. Auvil. jCharts is a registered
*    trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*    (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
 BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*****************************************************************************************
***/
```

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/chartData/processors/StockDataProcessor.java

No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************************
**
* File Info: $Id: Properties.java,v 1.4 2002/10/22 01:54:14 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
*  Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
*  conditions and the following disclaimer in the documentation and/or other materials
*  provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not
```

be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/properties/Properties.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: IDataSeries.java,v 1.7 2003/02/17 18:21:11 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of

* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not
 be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE GOODS
 OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/chartData/interfaces/IDataSeries.java
No license file was found, but licenses were detected in source scan.

/**
**
* File: HTMLGenerator.java
* Last Modified: $Id: HTMLGenerator.java,v 1.5 2003/02/09 22:59:12 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation

* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
 * 3. The name "jCharts" or "Nathaniel G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*   nor may "jCharts" appear in their names without prior written
*   permission of Nathaniel G. Auvil. jCharts is a registered
*   trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*   (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
 CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/test/HTMLGenerator.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: BarTestDriver.java,v 1.20 2003/11/02 13:22:31 nathaniel_auvil Exp $

* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*   nor may "jCharts" appear in their names without prior written
*   permission of Nathaniel G. Auvil. jCharts is a registered
*   trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*   (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
 BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/test/BarTestDriver.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: ScatterPlotDataSeries.java,v 1.3 2003/02/21 15:48:55 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
 must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS

SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/chartData/ScatterPlotDataSeries.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: JPEGEncoder.java,v 1.6 2003/03/14 03:22:43 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not
 be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/encoders/JPEGEncoder.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: ImageMapArea.java,v 1.4 2003/02/19 23:26:17 nathaniel_auvil Exp $
* Copyright (C) 2001
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*   nor may "jCharts" appear in their names without prior written
*   permission of Nathaniel G. Auvil. jCharts is a registered
*   trademark of Nathaniel G. Auvil.
*

* 5. Due credit should be given to the jCharts Project
*   (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
 BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/imageMap/ImageMapArea.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: DataSeries.java,v 1.7 2003/03/09 22:42:10 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not
 be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*

* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS
 OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/chartData/DataSeries.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: SVGEncoder.java,v 1.6 2003/03/14 03:22:41 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not

be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE GOODS
 OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/encoders/SVGEncoder.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: StackedBarChart.java,v 1.12 2003/03/19 01:25:06 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of

* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must
not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/axisChart/StackedBarChart.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: BinaryEncoderUtil.java,v 1.5 2003/03/14 03:22:43 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:

*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must
 not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/encoders/BinaryEncoderUtil.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: PieChartDataProcessor.java,v 1.3 2002/11/08 02:07:16 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):

*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
 must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/chartData/processors/PieChartDataProcessor.java
No license file was found, but licenses were detected in source scan.

/**********

```
**
* File Info: $Id: BackgroundRenderer.java,v 1.2 2003/03/06 02:26:25 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
*  Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
*  conditions and the following disclaimer in the documentation and/or other materials
*  provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
 must not be used to endorse or promote
*  products derived from this Software without prior written permission of Nathaniel G.
*  Auvil.  For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
*  in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
*  registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
**********************************************************************************************
***/
```

Found in path(s):

* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/axisChart/customRenderers/axisValue/renderers/BackgroundRenderer.java
No license file was found, but licenses were detected in source scan.

/***
**
* File Info: $Id: AreaChartProperties.java,v 1.4 2003/02/17 02:51:18 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
 must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN

* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/properties/AreaChartProperties.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: Axis.java,v 1.11 2003/03/09 22:42:10 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not be used
 to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR

SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/axisChart/axis/Axis.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: PointTestDriver.java,v 1.6 2003/03/31 00:26:42 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*   nor may "jCharts" appear in their names without prior written
*   permission of Nathaniel G. Auvil. jCharts is a registered
*   trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*   (http://jcharts.sourceforge.net/).

*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
 BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/test/PointTestDriver.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: AxisDataSeries.java,v 1.2 2003/02/17 18:20:59 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must
 not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.

*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/chartData/AxisDataSeries.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: DataAxisProperties.java,v 1.5 2003/02/11 03:18:19 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: John Thomson, Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.

* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT
 OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/properties/DataAxisProperties.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: ScatterChartTestBase.java,v 1.1 2003/11/02 13:22:13 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of

* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/test/ScatterChartTestBase.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: RectMapArea.java,v 1.2 2002/10/14 20:52:05 nathaniel_auvil Exp $
* Copyright (C) 2001
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided

* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*   nor may "jCharts" appear in their names without prior written
*   permission of Nathaniel G. Auvil. jCharts is a registered
*   trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*   (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
 BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/imageMap/RectMapArea.java
No license file was found, but licenses were detected in source scan.

/**
**

* File Info: $Id: YAxis.java,v 1.24 2003/06/29 13:28:37 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s): John Thomsen
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
 must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/axisChart/axis/YAxis.java

No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************************
**
* File Info: $Id: ScatterPlotDataProcessor.java,v 1.3 2003/04/19 16:42:35 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
*  Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
*  conditions and the following disclaimer in the documentation and/or other materials
*  provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
 must not be used to endorse or promote
*  products derived from this Software without prior written permission of Nathaniel G.
*  Auvil.  For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
*  in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
*  registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
*
 SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
```

****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/chartData/processors/ScatterPlotDataProcessor.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: PointChart.java,v 1.9 2003/03/19 01:38:36 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*   nor may "jCharts" appear in their names without prior written
*   permission of Nathaniel G. Auvil. jCharts is a registered
*   trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*   (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/axisChart/PointChart.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: TextProcessor.java,v 1.4 2002/12/05 22:08:39 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must
not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/chartData/processors/TextProcessor.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: Type.java,v 1.2 2002/10/14 20:52:05 nathaniel_auvil Exp $
* Copyright (C) 2001
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G.
 Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net

```
*
* 4. Products derived from this Software may not be called "jCharts"
*    nor may "jCharts" appear in their names without prior written
*    permission of Nathaniel G. Auvil. jCharts is a registered
*    trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*    (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT
 NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*****************************************************************************************
***/
```

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/types/Type.java
No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************************
**
* File Info: $Id: PreAxisValueRenderListener.java,v 1.1 2003/03/02 21:46:16 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s): John Thomsen
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
*  Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
*  conditions and the following disclaimer in the documentation and/or other materials
*  provided with the distribution.
*
```

* 3. The name "jCharts" or
"Nathaniel G. Auvil" must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT
OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/axisChart/customRenderers/axisValue/PreAxisValueRenderListener.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: PieTestDriver.java,v 1.9 2003/03/31 00:26:42 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.

* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must
 not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/test/PieTestDriver.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: AxisChart.java,v 1.38 2003/04/19 01:40:33 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*

* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not
 be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE GOODS
 OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/axisChart/AxisChart.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: AxisChartDataProcessor.java,v 1.12 2003/03/09 22:42:11 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil

* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "jCharts"
 or "Nathaniel G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*   nor may "jCharts" appear in their names without prior written
*   permission of Nathaniel G. Auvil. jCharts is a registered
*   trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
 BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-

jar/org/jCharts/chartData/processors/AxisChartDataProcessor.java
No license file was found, but licenses were detected in source scan.

```
/**********************************************************************************************
**
* File Info: $Id: PNGEncoder.java,v 1.6 2003/03/14 03:22:42 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
*  Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
*  conditions and the following disclaimer in the documentation and/or other materials
*  provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not
 be used to endorse or promote
*  products derived from this Software without prior written permission of Nathaniel G.
*  Auvil.  For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
*  in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
*  registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE GOODS
 OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
```

****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/encoders/PNGEncoder.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: DataSet.java,v 1.4 2003/02/17 02:52:45 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not be
 used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE GOODS
 OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT

LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/chartData/DataSet.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: ChartTestDriver.java,v 1.21 2003/11/02 13:22:31 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must
 not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,

PROCUREMENT OF
* SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/test/ChartTestDriver.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: IntType.java,v 1.5 2002/12/11 03:32:34 nathaniel_auvil Exp $
* Copyright (C) 2001
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*   nor may "jCharts" appear in their names without prior written
*   permission of Nathaniel G. Auvil. jCharts is a registered
*   trademark of Nathaniel G. Auvil.
*

```
* 5. Due credit should be given to the jCharts Project
*    (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
 BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*********************************************************************************************
***/
```

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/types/IntType.java
No license file was found, but licenses were detected in source scan.

```
/*********************************************************************************************
**
* File Info: $Id: ImageMap.java,v 1.3 2003/02/09 23:01:07 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
*  Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
*  conditions and the following disclaimer in the documentation and/or other materials
*  provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not be
 used to endorse or promote
*  products derived from this Software without prior written permission of Nathaniel G.
*  Auvil.  For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
```

* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS
 OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/imageMap/ImageMap.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: IStockChartDataSet.java,v 1.2 2002/10/14 20:52:04 nathaniel_auvil Exp $
* Copyright (C) 2001
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.

*
* 3. The name "jCharts" or
"Nathaniel G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*   nor may "jCharts" appear in their names without prior written
*   permission of Nathaniel G. Auvil. jCharts is a registered
*   trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*   (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/chartData/interfaces/IStockChartDataSet.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: PieChartDataSet.java,v 1.3 2003/02/17 02:52:45 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*

* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must
 not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/chartData/PieChartDataSet.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: BarChartProperties.java,v 1.9 2003/04/19 00:31:01 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*

* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
 must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/properties/BarChartProperties.java
No license file was found, but licenses were detected in source scan.

/**********
**

* File Info: $Id: ChartItem.java,v 1.1 2002/11/16 19:03:24 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not
 be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE GOODS
 OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-

jar/org/jCharts/properties/util/ChartItem.java
No license file was found, but licenses were detected in source scan.

```
/**********************************************************************************************
**
* File Info: $Id: SwingTest.java,v 1.5 2003/03/04 01:10:09 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
*  Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
*  conditions and the following disclaimer in the documentation and/or other materials
*  provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not
 be used to endorse or promote
*  products derived from this Software without prior written permission of Nathaniel G.
*  Auvil.  For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
*  in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
*  registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE GOODS
 OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
```

****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/test/SwingTest.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: LineChart.java,v 1.15 2003/09/26 01:01:01 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not
 be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE GOODS
 OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT

LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/axisChart/LineChart.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: IPieChartDataSet.java,v 1.2 2002/10/14 20:52:04 nathaniel_auvil Exp $
* Copyright (C) 2001
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*   nor may "jCharts" appear in their names without prior written
*   permission of Nathaniel G. Auvil. jCharts is a registered
*   trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*   (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS

* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
 BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/chartData/interfaces/IPieChartDataSet.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: ChartType.java,v 1.4 2003/02/17 02:55:37 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not
 be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*

* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS
 OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/types/ChartType.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: ScatterPlotAxisChart.java,v 1.6 2003/06/20 01:55:19 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
 must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*

* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/axisChart/ScatterPlotAxisChart.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: NonStackedDataProcessor.java,v 1.3 2003/02/17 20:02:56 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the

```
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "jCharts"
 or "Nathaniel G. Auvil" must not be used to
*    endorse or promote products derived from this Software without
*    prior written permission of Nathaniel G. Auvil.  For written
*    permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*    nor may "jCharts" appear in their names without prior written
*    permission of Nathaniel G. Auvil. jCharts is a registered
*    trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*    (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
 * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*********************************************************************************************
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/chartData/processors/NonStackedDataProcessor.java
No license file was found, but licenses were detected in source scan.

/*********************************************************************************************
**
* File Info: $Id: PieChart2D.java,v 1.11 2003/04/19 01:55:13 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
```

*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not
 be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE GOODS
 OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/nonAxisChart/PieChart2D.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: PieChart2DProperties.java,v 1.5 2003/03/11 02:53:19 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):

```
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
*  Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
*  conditions and the following disclaimer in the documentation and/or other materials
*  provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
 must not be used to endorse or promote
*  products derived from this Software without prior written permission of Nathaniel G.
*  Auvil.  For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
*  in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
*  registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
**********************************************************************************************
***/
```

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/properties/PieChart2DProperties.java
No license file was found, but licenses were detected in source scan.

```
/**********************************************************************************************
```

```
**
* File Info: $Id: IAxisPlotDataSet.java,v 1.3 2003/02/17 02:53:21 nathaniel_auvil Exp $
* Copyright (C) 2001
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*    statements and notices.  Redistributions must also contain a
*    copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*    above copyright notice, this list of conditions and the
*    following disclaimer in the documentation and/or other
*    materials provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to
*    endorse or promote products derived from this Software without
*    prior written permission of Nathaniel G. Auvil.  For written
*    permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*    nor may "jCharts" appear in their names without prior written
*    permission of Nathaniel G. Auvil. jCharts is a registered
*    trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*    (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
 BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
```

****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/chartData/interfaces/IAxisPlotDataSet.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: PolyMapArea.java,v 1.2 2002/10/14 20:52:05 nathaniel_auvil Exp $
* Copyright (C) 2001
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*   nor may "jCharts" appear in their names without prior written
*   permission of Nathaniel G. Auvil. jCharts is a registered
*   trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*   (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/imageMap/PolyMapArea.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: StackedDataProcessor.java,v 1.3 2002/12/04 02:38:13 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY

* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/chartData/processors/StackedDataProcessor.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: ScatterPlotChart.java,v 1.3 2003/11/02 13:23:11 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must
 not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a

* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/axisChart/ScatterPlotChart.java
No license file was found, but licenses were detected in source scan.

/**
**
* File: HTMLTestable.java
* Last Modified: $Id: HTMLTestable.java,v 1.2 2002/10/14 20:52:05 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other

*   materials provided with the distribution.
*
*
 3. The name "jCharts" or "Nathaniel G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*   nor may "jCharts" appear in their names without prior written
*   permission of Nathaniel G. Auvil. jCharts is a registered
*   trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*   (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/test/HTMLTestable.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: ClusteredBarTestDriver.java,v 1.12 2003/04/19 01:40:06 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:

*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "jCharts"
 or "Nathaniel G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*   nor may "jCharts" appear in their names without prior written
*   permission of Nathaniel G. Auvil. jCharts is a registered
*   trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*   (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
 * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/test/ClusteredBarTestDriver.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: StockTestDriver.java,v 1.4 2003/03/31 00:26:42 nathaniel_auvil Exp $
* Copyright (C) 2000

* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*   nor may "jCharts" appear in their names without prior written
*   permission of Nathaniel G. Auvil. jCharts is a registered
*   trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*   (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
 BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/test/StockTestDriver.java
No license file was found, but licenses were detected in source scan.

```
/**********************************************************************************************
**
* File Info: $Id: AxisTypeProperties.java,v 1.9 2003/03/05 23:36:30 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s): John Thomson
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
*  Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
*  conditions and the following disclaimer in the documentation and/or other materials
*  provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to endorse or promote
*  products derived from this Software without prior written permission of Nathaniel G.
*  Auvil.  For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
*  in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
*  registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT
 OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
```

SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/properties/AxisTypeProperties.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: AreaProperties.java,v 1.4 2003/03/08 23:19:33 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must
 not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/properties/AreaProperties.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: ClusteredBarChartProperties.java,v 1.3 2002/10/22 01:21:18 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G.
Auvil" must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
 * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/properties/ClusteredBarChartProperties.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: ScatterPlotTestDriver.java,v 1.6 2003/11/02 13:22:31 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
 must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*

* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/test/ScatterPlotTestDriver.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: AxisChartDataSet.java,v 1.4 2003/02/17 02:52:45 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must
 not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net

*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/chartData/AxisChartDataSet.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: AxisProperties.java,v 1.17 2003/03/02 21:48:10 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.

*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must
 not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/properties/AxisProperties.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: TextTagGroup.java,v 1.6 2003/02/07 02:12:52 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.

* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not
 be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/chartText/TextTagGroup.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: Chart.java,v 1.12 2003/06/29 13:28:10 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s): Sandor Dornbush
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.

```
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
*  Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
*  conditions and the following disclaimer in the documentation and/or other materials
*  provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
 must not be used to endorse or promote
*  products derived from this Software without prior written permission of Nathaniel G.
*  Auvil.  For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
*  in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
*  registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
**********************************************************************************************
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/Chart.java
No license file was found, but licenses were detected in source scan.

/**********************************************************************************************
**
* File Info: $Id: BarChart.java,v 1.22 2003/03/19 01:25:06 nathaniel_auvil Exp $
* Copyright (C) 2002
```

* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not
 be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE GOODS
 OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/axisChart/BarChart.java
No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************************
**
* File Info: $Id: XAxis.java,v 1.20 2003/10/15 03:23:15 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s): John Thomsen
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
*  Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
*  conditions and the following disclaimer in the documentation and/or other materials
*  provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
 must not be used to endorse or promote
*  products derived from this Software without prior written permission of Nathaniel G.
*  Auvil.  For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
*  in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
*  registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
*****************************************************************************************
***/
```

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/axisChart/axis/XAxis.java
No license file was found, but licenses were detected in source scan.

```
/**********************************************************************************************
**
* File Info: $Id: LabelAxisProperties.java,v 1.2 2003/01/30 01:59:08 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s): John Thomson
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
*  Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
*  conditions and the following disclaimer in the documentation and/or other materials
*  provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to endorse or promote
*  products derived from this Software without prior written permission of Nathaniel G.
*  Auvil.  For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
*  in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
*  registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT
 OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
```

SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/properties/LabelAxisProperties.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: StopWatch.java,v 1.1 2002/11/22 03:26:17 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not
 be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/test/StopWatch.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: IAxisDataSeries.java,v 1.2 2003/02/17 18:21:11 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must
not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO

EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/chartData/interfaces/IAxisDataSeries.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: AutomaticScaleCalculator.java,v 1.3 2003/02/04 23:55:33 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil, Mike Lissick
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
G. Auvil" must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).

*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT
 OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/axisChart/axis/scale/AutomaticScaleCalculator.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: NumericTagGroup.java,v 1.5 2003/04/19 01:56:15 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s): John Thomsen
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net

*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
 * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/chartText/NumericTagGroup.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: ValueLabelRenderer.java,v 1.12 2003/04/19 13:45:45 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil, John Thomsen
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.

*
* 3. The name "jCharts" or "Nathaniel
G. Auvil" must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT
OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/axisChart/customRenderers/axisValue/renderers/ValueLabelRenderer.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: ComboTestDriver.java,v 1.5 2003/03/31 00:26:42 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:

*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*   nor may "jCharts" appear in their names without prior written
*   permission of Nathaniel G. Auvil. jCharts is a registered
*   trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*   (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
 BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/test/ComboTestDriver.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: IAxisChartDataSet.java,v 1.2 2002/10/14 20:52:04 nathaniel_auvil Exp $
* Copyright (C) 2001

* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "jCharts" or
 "Nathaniel G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*   nor may "jCharts" appear in their names without prior written
*   permission of Nathaniel G. Auvil. jCharts is a registered
*   trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
*   (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
 BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/chartData/interfaces/IAxisChartDataSet.java
No license file was found, but licenses were detected in source scan.

```
/**********************************************************************************************
**
* File Info: $Id: PieLabelType.java,v 1.1 2003/03/11 02:52:45 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
*  Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
*  conditions and the following disclaimer in the documentation and/or other materials
*  provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not
 be used to endorse or promote
*  products derived from this Software without prior written permission of Nathaniel G.
*  Auvil.  For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
*  in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
*  registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
```

SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/types/PieLabelType.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: PropertyException.java,v 1.3 2002/10/22 01:55:16 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must
 not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE

GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/properties/PropertyException.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: ChartStroke.java,v 1.6 2003/03/08 23:19:33 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not
 be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO

EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/properties/util/ChartStroke.java
No license file was found, but licenses were detected in source scan.

/**********
**
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please
contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO

EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY,
OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/Legend.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: StackedAreaChartProperties.java,v 1.3 2002/10/22 01:55:55 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G.
Auvil" must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).

*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
 * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/properties/StackedAreaChartProperties.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: ClusteredBarChart.java,v 1.14 2003/03/19 01:25:06 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
 must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*

* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/axisChart/ClusteredBarChart.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: LineChartProperties.java,v 1.5 2003/02/17 02:51:17 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*

* 3. The name "jCharts" or "Nathaniel G. Auvil"
must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/properties/LineChartProperties.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: IScatterPlotDataSet.java,v 1.1 2003/02/17 02:53:10 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s): Sandor Dornbush
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.

*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
 G. Auvil" must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT
 OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/chartData/interfaces/IScatterPlotDataSet.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: StockChartProperties.java,v 1.4 2003/02/17 02:51:17 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.

*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
 must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/properties/StockChartProperties.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: PointChartProperties.java,v 1.4 2003/02/17 02:51:17 nathaniel_auvil Exp $

* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
 must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/properties/PointChartProperties.java

No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************************
**
* File Info: $Id: AxisChartTestBase.java,v 1.22 2003/03/31 00:26:42 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
*  Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
*  conditions and the following disclaimer in the documentation and/or other materials
*  provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
 must not be used to endorse or promote
*  products derived from this Software without prior written permission of Nathaniel G.
*  Auvil.  For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
*  in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
*  registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  IN NO
EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
*****************************************************************************************
```

***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/test/AxisChartTestBase.java
No license file was found, but licenses were detected in source scan.

/**
**
* File Info: $Id: AxisChartTypeProperties.java,v 1.2 2003/03/02 21:48:10 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil"
 must not be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
*
 SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
*****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/properties/AxisChartTypeProperties.java
No license file was found, but licenses were detected in source scan.

/*****
**
* File Info: $Id: LabelAxis.java,v 1.5 2003/03/09 22:42:10 nathaniel_auvil Exp $
* Copyright (C) 2002
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation ("Software"), with or
* without modification, are permitted provided that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and notices.
* Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel G. Auvil" must not
 be used to endorse or promote
* products derived from this Software without prior written permission of Nathaniel G.
* Auvil. For written permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear
* in their names without prior written permission of Nathaniel G. Auvil. jCharts is a
* registered trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
* SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,STRICT
LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-
jar/org/jCharts/axisChart/axis/LabelAxis.java
No license file was found, but licenses were detected in source scan.

/**********
**
* File Info: $Id: AreaTestDriver.java,v 1.6 2003/03/31 00:26:42 nathaniel_auvil Exp $
* Copyright (C) 2000
* Author: Nathaniel G. Auvil
* Contributor(s):
*
* Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.
*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
*   statements and notices. Redistributions must also contain a
*   copy of this document.
*
* 2. Redistributions in binary form must reproduce the
*   above copyright notice, this list of conditions and the
*   following disclaimer in the documentation and/or other
*   materials provided with the distribution.
*
* 3. The name "jCharts" or "Nathaniel
G. Auvil" must not be used to
*   endorse or promote products derived from this Software without
*   prior written permission of Nathaniel G. Auvil. For written
*   permission, please contact nathaniel_auvil@users.sourceforge.net
*
* 4. Products derived from this Software may not be called "jCharts"
*   nor may "jCharts" appear in their names without prior written

* permission of Nathaniel G. Auvil. jCharts is a registered
* trademark of Nathaniel G. Auvil.
*
* 5. Due credit should be given to the jCharts Project
* (http://jcharts.sourceforge.net/).
*
* THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS
* ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
****
***/

Found in path(s):
* /opt/cola/permits/1137264055_1649200689.06/0/jcharts-0-7-5-sources-jar/org/jCharts/test/AreaTestDriver.java

1.271 brotli:dec 0.1.2

1.271.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Bundle-Description: Brotli is a generic-purpose lossless compression a
lgorithm.
Bundle-License: http://www.opensource.org/licenses/mit-license.php
Bundle-SymbolicName: org.brotli.dec
Archiver-Version: Plexus Archiver
Built-By: eustas
Bnd-LastModified: 1494177668482
Bundle-ManifestVersion: 2
Bundle-DocURL: http://brotli.org/dec
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.5))"
Tool: Bnd-3.0.0.201509101326
Export-Package: org.brotli.dec;version="0.1.2"
Bundle-Name: org.brotli:dec
Bundle-Version: 0.1.2
Created-By: Apache Maven Bundle Plugin
Build-Jdk: 1.8.0_112

Found in path(s):
* /opt/cola/permits/1137263470_1649015742.3/0/dec-0-1-2-jar/META-INF/MANIFEST.MF

1.272 software-amazon-ion-ion-java 1.0.2

1.272.1 Available under license :

Amazon Ion Java
Copyright 2007-2016 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.273 mongo-java-driver 2.11.3

1.273.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 2008 - 2013 10gen, Inc. <http://10gen.com>
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/
```

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/CommandFailureException.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/WriteConcernException.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/NativeAuthenticationHelper.java
*
/opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/MongoCredentialsStore.java
No license file was found, but licenses were detected in source scan.

```
/**
* Copyright (c) 2008 - 20112 10gen, Inc. <http://10gen.com>
* <p/>
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
* <p/>
* http://www.apache.org/licenses/LICENSE-2.0
* <p/>
* Unless required by applicable law or agreed to in writing, software
```

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/MongoConnectionPoolMXBean.java
No license file was found, but licenses were detected in source scan.

/**
*   Copyright (C) 2011 10gen Inc.
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
*   Unless required by applicable law or agreed to in writing, software
*   distributed under the License is distributed on an "AS IS" BASIS,
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/KeyCachingLazyBSONObject.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/EmptyBSONCallback.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright (c) 2008 - 2012 10gen, Inc. <http://10gen.com>
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*
*/

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/Java5MongoConnectionPool.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/MongoAuthority.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/MongoClientOptions.java
*
 /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/MongoInterruptedException.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/MongoClient.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/MongoCredential.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/MongoConnectionPool.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/MongoClientURI.java
No license file was found, but licenses were detected in source scan.

/**
*   Copyright (C) 2012 10gen Inc.
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
*   Unless required by applicable law or agreed to in writing, software
*   distributed under the License is distributed on an "AS IS" BASIS,
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/JSONSerializers.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/ClassMapBasedObjectSerializer.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright (C) 2011 10gen Inc.

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/DBCallbackFactory.java
No license file was found, but licenses were detected in source scan.

/**
*   Copyright (C) 2010 10gen Inc.
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
*   Unless required by applicable law or agreed to in writing, software
*   distributed under the License is distributed on an "AS IS" BASIS,
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/QueryBuilder.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/QueryOperators.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright (C) 2011, 10gen Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/BSONException.java
No license file was found, but licenses were detected in source scan.

/**
*   Copyright (C) 2010 10gen Inc.
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
*   Unless required by applicable law or agreed to in writing, software
*   distributed under the License is distributed on an "AS IS" BASIS,
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/util/StringRangeSet.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright (C) 2012 10gen Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/NewBSONDecoder.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright (c) 2008 - 2011 10gen, Inc. <http://10gen.com>
* <p/>
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
* <p/>
* http://www.apache.org/licenses/LICENSE-2.0
* <p/>
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/AbstractObjectSerializer.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright (c) 2008 - 2012 10gen, Inc. <http://10gen.com>
* <p/>
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
* <p/>
* http://www.apache.org/licenses/LICENSE-2.0
* <p/>
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-

jar/com/mongodb/MongosStatus.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/DynamicConnectionStatus.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/Java5MongoConnectionPoolMBean.java
*
/opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/ConnectionStatus.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/ConnectionPoolStatisticsBean.java
No license file was found, but licenses were detected in source scan.

/**
* from postgresql jdbc driver:
* postgresql-jdbc-9.0-801.src

Copyright (c) 1997-2008, PostgreSQL Global Development Group
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
3. Neither the name of the PostgreSQL Global Development Group nor the names
of its contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

Found in path(s):

* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/io/UTF8Encoding.java
No license file was found, but licenses were detected in source scan.

```
/**
*
*      Copyright (C) 2008 10gen Inc.
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
*   Unless required by applicable law or agreed to in writing, software
*   distributed under the License is distributed on an "AS IS" BASIS,
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/Util.java
No license file was found, but licenses were detected in source scan.

```
/**
*  See the NOTICE.txt file distributed with this work for
*  information regarding copyright ownership.
*
*  The authors license this file to you under the
*  Apache License, Version 2.0 (the "License"); you may not use
*  this file except in compliance with the License.  You may
*  obtain a copy of the License at
*
*  http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied.  See the License for the
* specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/types/Binary.java

No license file was found, but licenses were detected in source scan.

```
/**
* Copyright (c) 2010 10gen, Inc. <http://10gen.com>
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/
```

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/MapReduceCommand.java

No license file was found, but licenses were detected in source scan.

```
/**
*      Copyright (C) 2008-2011 10gen Inc.
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
*   Unless required by applicable law or agreed to in writing, software
*   distributed under the License is distributed on an "AS IS" BASIS,
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/WriteConcern.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/LazyBSONObject.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/io/BSONByteBuffer.java

No license file was found, but licenses were detected in source scan.

/**
* Copyright (c) 2008 - 2011 10gen, Inc. <http://10gen.com>
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the
* specific language governing permissions and limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/ReadPreference.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/DBEncoder.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/BSONEncoder.java
*
 /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/DefaultDBEncoder.java
No license file was found, but licenses were detected in source scan.

/**
*   Copyright (C) 2008-2012 10gen Inc.
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
*   Unless required by applicable law or agreed to in writing, software
*   distributed under the License is distributed on an "AS IS" BASIS,
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/SimplePool.java

No license file was found, but licenses were detected in source scan.

```
/**
*      Copyright (C) 2008 10gen Inc.
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
*   Unless required by applicable law or agreed to in writing, software
*   distributed under the License is distributed on an "AS IS" BASIS,
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/CommandResult.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/BSONObject.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/JSONCallback.java
*
 /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/io/OutputBuffer.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/DB.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/types/BSONTimestamp.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/ServerAddress.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/gridfs/GridFSDBFile.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/GroupCommand.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/LazyWriteableDBDecoder.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/DBTCPConnector.java
*
 /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/DBPointer.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/types/MinKey.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/util/SimplePool.java

* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/Bytes.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/BasicDBList.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/LazyWriteableDBObject.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/ServerError.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/LazyBSONCallback.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/BasicDBObject.java
*
 /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/DBPort.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/io/Bits.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/types/MaxKey.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/DBEncoderFactory.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/Mongo.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/BasicBSONDecoder.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/Response.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/DBDecoderFactory.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/DBAddress.java
*
 /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/gridfs/GridFS.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/DBCursor.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/DefaultDBDecoder.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/types/ObjectId.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/LazyDBCallback.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/MongoInternalException.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/LazyDBObject.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/BasicBSONEncoder.java
*

/opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/BasicBSONCallback.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/WriteResult.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/LazyBSONDecoder.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/DBDecoder.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/gridfs/GridFSFile.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/io/BSONInput.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/Transformer.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/ReflectionDBObject.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/BasicBSONObject.java
*
/opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/LazyDBDecoder.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/BSONCallback.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/DBRefBase.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/JSON.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/Args.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/LazyWriteableDBCallback.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/MyAsserts.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/DBCallback.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/ReplicaSetStatus.java
*
/opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/types/BasicBSONList.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/DBRef.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/DBPortPool.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/MongoException.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/DBCollection.java

* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/DBConnector.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/BSONLazyDecoder.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/JSONParseException.java
*
 /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/io/BasicOutputBuffer.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/io/PoolOutputBuffer.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/gridfs/GridFSInputFile.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/BSONDecoder.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/BasicDBObjectBuilder.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/DefaultDBCallback.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/DBApiLayer.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/gridfs/CLI.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/RawDBObject.java
*
 /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/BSON.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/MongoOptions.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/util/ClassMap.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/MapReduceOutput.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/OutMessage.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright (C) 2008 10gen Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/MongoURI.java
No license file was found, but licenses were detected in source scan.

/**
*   Copyright (C) 2008 10gen Inc.
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
*   Unless required by applicable law or agreed to in writing, software
*   distributed under the License is distributed on an "AS IS" BASIS,
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/OptionMap.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/UniqueList.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/types/Code.java
*
 /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/io/ByteBufferFactory.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/ThreadUtil.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/StringParseUtil.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/types/CodeWScope.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/ThreadPool.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/StringBuilderPool.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/io/ByteBufferInputStream.java

* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/io/ByteStream.java
*
 /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/FastStack.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/DBObject.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/Hash.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/TimeConstants.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/io/ByteBufferHolder.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/WeakBag.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/io/ByteBufferOutputStream.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/IdentitySet.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2005 Brian Goetz and Tim Peierls
* Released under the Creative Commons Attribution License
*   (http://creativecommons.org/licenses/by/2.5)
* Official home: http://www.jcip.net
*
* Any republication or derived work distributed in source code form
* must include this copyright and license notice.
*/

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/util/annotations/GuardedBy.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/util/annotations/Immutable.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/util/annotations/NotThreadSafe.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/util/annotations/ThreadSafe.java
No license file was found, but licenses were detected in source scan.

/**
*   Copyright (C) 2009 10gen Inc.
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at

*
*   http://www.apache.org/licenses/LICENSE-2.0
*
*   Unless required by applicable law or agreed to in writing, software
*   distributed under the License is distributed on an "AS IS" BASIS,
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/types/Symbol.java
No license file was found, but licenses were detected in source scan.

/**
*   Copyright (C) 2012 10gen Inc.
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
*   Unless required by applicable law or agreed to in writing, software
*   distributed under the License is distributed on an "AS IS" BASIS,
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/ObjectSerializer.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/Base64Codec.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright 2008 Atlassian Pty Ltd
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/util/Assertions.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/util/CopyOnWriteMap.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/org/bson/util/AbstractCopyOnWriteMap.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright (c) 2008 - 2011 10gen, Inc. <http://10gen.com>
* <p/>
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
* <p/>
* http://www.apache.org/licenses/LICENSE-2.0
* <p/>
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/management/jmx/JMXMBeanServer.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/management/JMException.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/management/NullMBeanServer.java
*
 /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/LazyDBEncoder.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/util/management/MBeanServer.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/InUseConnectionBean.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-jar/com/mongodb/tools/ConnectionPoolStat.java
* /opt/cola/permits/1137263624_1614042049.28/0/mongo-java-driver-2-11-3-sources-1-

jar/com/mongodb/util/management/MBeanServerFactory.java

1.274 caffeine-cache 2.6.2

1.274.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017 Ben Manes. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/Expiry.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/TimerWheel.java

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2016 Ben Manes. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/AsyncCacheLoader.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/CaffeineSpec.java
No license file was found, but licenses were detected in source scan.

// Copyright 2018 Ben Manes. All Rights Reserved.
// Licensed under the Apache License, Version 2.0 (the "License");
// you may not use this file except in compliance with the License.
// You may obtain a copy of the License at
//   http://www.apache.org/licenses/LICENSE-2.0
// distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSSMSAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSMWAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSMWWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FDAWRMS.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PWAWMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLSMSR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PDWRMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILSMSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WISMWA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLMW.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLMWAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FSAWMW.java

* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FWARMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PSAWRMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WISMWWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SISA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FWAMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILSMWW.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLSMWAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILMWAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSSAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLSMWA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILSMWA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PWARMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SISMWA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSSMSAW.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLSMWAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLSMSW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PDAMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILMSAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SISMSW.java
*

/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLSWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SISMWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILMWWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SISMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSSMSR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILMW.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIMWAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILMSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSSMWAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLSMSAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PWAMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FWAMW.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WISMWAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PSAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLMWAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLMWA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIMWAWR.java

* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILSMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SISAW.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FWAWRMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSMSAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILMWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILSMSAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILMSWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PWARMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLMSWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FDWMS.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SISMWAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FDRMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSSMWAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILMWAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PDMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLMSAW.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILMSW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILSMWAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PSRMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-

jar/com/github/benmanes/caffeine/cache/SSLAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLSMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLSMSAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FSAMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PWRMS.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLMSAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSMSWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSSMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PWWMS.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILSW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLMSAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FWWMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIMWWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSMSAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FDARMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSSMWAW.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSSMSAR.java

* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FDR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSSMWAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/NodeFactory.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FWMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FSR.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSSAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLMSW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSSMWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PWW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIMSWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLMWWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSMWAR.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SISMSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSSMWWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PWRMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FSRMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSSMSW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLMWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILAW.java

*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PWA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSMWAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLMSAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILSMSAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLMSW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILSAWR.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILSAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FSWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PDAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIMSAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PDRMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILSMWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSMWW.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSSMSWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIMSAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WISMSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-

jar/com/github/benmanes/caffeine/cache/FSAMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSSAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PWMW.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILSAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLSMWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILMWW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FWA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLSMWWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FSAWMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSSMSW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILA.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FDAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PDW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLSMSAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILMWAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PSWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PDA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PDAWRMW.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLSMSWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WISR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILSMSWR.java

* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PWAWMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PSARMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIMWWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLSMWA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FDMW.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WISAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SISMSR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WISMSWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSSMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FWRMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLSMWAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSSMSAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLSMSR.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FWW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FDAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PDWMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSSMSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WISMSR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FSWRMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FDAWMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILSMSAW.java
*

/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILSMSR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILMSAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WI.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLMWW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSSMWA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SISW.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PWAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FDAWRMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SISMWW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLMSAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLSMSAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FDMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIMSAR.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PSR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILMWA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSSW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIMSAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSSW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WISA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PWWRMS.java

* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLSMSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLSMWAWR.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLSAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILMSAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SISMSAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILMWAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SISMSWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FDAMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSA.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FDA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSSMWW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FWWRMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLSMSWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WISMWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PWAWRMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILSR.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PWAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSMSAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLMWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PWWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-

jar/com/github/benmanes/caffeine/cache/SSLSR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PSMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLSMSAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PSMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PDAWR.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLMWA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLMSWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIL.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PSAWRMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PSWMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FSWMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WISW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIMSAW.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLSMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILSMSR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLSWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIMSR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILMSR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSMSAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSMSWR.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILMSAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILAR.java

* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILSMWAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PSAWMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLSMWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSSMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLWR.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WISWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIMWA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WISMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PWAWRMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILMWA.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLMWW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLSMSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PSWRMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLMSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSSMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FSAWRMW.java

*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PSARMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PDAWRMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PWWMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FWMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FSW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSMSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PDARMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSMWAR.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FWARMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILSMWAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SISAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FWAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLSMWWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSSMSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLMSAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILMSW.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIMSR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSMWAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSMSW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PSAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSSWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-

jar/com/github/benmanes/caffeine/cache/SSLSAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PDAWMS.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WISMSAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSMSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PDWMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILMWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILSMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSSR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PSRMS.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PWWRMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLSAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLMWAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIL.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILSR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PDAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SISWR.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILSMSAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PDWRMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSMWR.java

* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FWWRMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FWAWMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLMSR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILSAR.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PDARMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLSMWAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PDWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILSMSWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLSMW.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FDAMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLMWAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WISMSW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SISMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILMWW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PSW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PSAWMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLSAR.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSSMWA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-

jar/com/github/benmanes/caffeine/cache/SSLSAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FWAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PDMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SISMSAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILMSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSSMSAWR.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PDAMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILSWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WISAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILSAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLSMWW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FD.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLSMSW.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILSMSAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSSMSWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PSAMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FSWRMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIMSW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-

jar/com/github/benmanes/caffeine/cache/FWRMS.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSMSW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FDAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILSAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILMWWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSL.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSMSAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIMSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSSR.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILMSWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILMSAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PDR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILSMWAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIMSAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIMWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SISR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLSA.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WISMWAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLMSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WISMWW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FDWMW.java

* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FDAWMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FDWRMS.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILMSR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIMSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIMSWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSSMWAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SISMWAWR.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PSAMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILSMSW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FSARMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSMSR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PWMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FWWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLSMWW.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PDRMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PSAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-

jar/com/github/benmanes/caffeine/cache/WSSMSR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILSMWWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FDARMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WISMSAWR.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSMWA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SISMSAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLSW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIMWAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FDWRMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILSMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SISAR.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FWAWMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILSMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILMSAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILSMWAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILSMWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FDRMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILMWAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLAW.java
*

/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSSMWWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SISMWAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WISMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLMWAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLMSR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLSW.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILSMWAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILSMWA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FSAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PWAMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSMWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSL.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIMWW.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PSWRMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSMWAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIMWAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WISMSAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FSAWRMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FSMW.java

* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PSWMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSSAW.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILSMSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SI.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIMWAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIMWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FSARMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SISMWWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FDW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLSMS.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLSR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FWWMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSMSAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILSMWW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILSWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSSAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PWR.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLSAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FSRMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PDAWMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLMWAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-

jar/com/github/benmanes/caffeine/cache/SSSMSAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FSWMW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FWAWRMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLSMWAW.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FWAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILSMSW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIMWA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSLSMSAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSSMWW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WISAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILSMWWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSSMWAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WILAW.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIMWW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSMSR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSMWWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FSMS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLMWWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSSWR.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSSA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FSAWR.java

* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSLA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSSAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SSMWA.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSMWW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIMWAW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILSMSAWR.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WISMWAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FDWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/LocalCacheFactory.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WIS.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FSAR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILMWAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PWAWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WSSMWR.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/PD.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SILSW.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SIMSW.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/MpscGrowableArrayQueue.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 Ben Manes. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
* Written by Doug Lea with assistance from members of JCP JSR-166
* Expert Group and released to the public domain, as explained at
* http://creativecommons.org/publicdomain/zero/1.0/
*/

Found in path(s):
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/StripedBuffer.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 Ben Manes. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and

* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/References.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WriteThroughEntry.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/SerializationProxy.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/BoundedBuffer.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/FrequencySketch.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/CacheWriter.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/stats/package-info.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/Node.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/LocalLoadingCache.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/LocalCache.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/base/package-info.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/Buffer.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/stats/GuardedStatsCounter.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/LocalAsyncLoadingCache.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/Async.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/package-info.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/LocalManualCache.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/package-info.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 Ben Manes. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/Ticker.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/AbstractLinkedDeque.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/LinkedDeque.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/BoundedLocalCache.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/base/UnsafeAccess.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/SingleConsumerQueue.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/UnboundedLocalCache.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/CacheLoader.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/LoadingCache.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/stats/DisabledStatsCounter.java
*
 /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/Policy.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/RemovalCause.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/Cache.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/WriteOrderDeque.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/stats/StatsCounter.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/RemovalListener.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-

jar/com/github/benmanes/caffeine/cache/Weigher.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/AsyncLoadingCache.java
*
/opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/AccessOrderDeque.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/stats/CacheStats.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/stats/ConcurrentStatsCounter.java
* /opt/cola/permits/1137264021_1649200939.49/0/caffeine-2-6-2-sources-jar/com/github/benmanes/caffeine/cache/Caffeine.java

1.275 mockito 1.10.19

1.275.1 Available under license :

Mockito license - MIT.

Libraries used:

Cglib - Apache License 2.0
ASM - BSD license

Mockito all distribution:

Objenesis - MIT license
Hamcrest - BSD license
Copyright (c) 2000-2005 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License

Copyright (c) 2007 Mockito contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and

limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii)
beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the
Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole
responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"

replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed
under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.276 snake-yaml 1.28

1.276.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Automatic-Module-Name: org.yaml.snakeyaml
Bnd-LastModified: 1613973356620
Build-Jdk: 11.0.10
Built-By: alex13
Bundle-Description: YAML 1.1 parser and emitter for Java
Bundle-License: http://www.apache.org/licenses/LICENSE-2.0.txt
Bundle-ManifestVersion: 2
Bundle-Name: SnakeYAML
Bundle-SymbolicName: org.yaml.snakeyaml
Bundle-Version: 1.28.0
Created-By: Apache Maven Bundle Plugin
Export-Package: org.yaml.snakeyaml;version="1.28",org.yaml.snakeyaml.c
omments;version="1.28",org.yaml.snakeyaml.composer;version="1.28",org
.yaml.snakeyaml.constructor;version="1.28",org.yaml.snakeyaml.emitter
;version="1.28",org.yaml.snakeyaml.env;version="1.28",org.yaml.snakey
aml.error;version="1.28",org.yaml.snakeyaml.events;version="1.28",org
.yaml.snakeyaml.extensions.compactnotation;version="1.28",org.yaml.sn
akeyaml.introspector;version="1.28",org.yaml.snakeyaml.nodes;version=
"1.28",org.yaml.snakeyaml.parser;version="1.28",org.yaml.snakeyaml.re

ader;version="1.28",org.yaml.snakeyaml.representer;version="1.28",org
.yaml.snakeyaml.resolver;version="1.28",org.yaml.snakeyaml.scanner;ve
rsion="1.28",org.yaml.snakeyaml.serializer;version="1.28",org.yaml.sn
akeyaml.tokens;version="1.28",org.yaml.snakeyaml.util;version="1.28"
Import-Package: org.yaml.snakeyaml;version="[1.28,2)",org.yaml.snakeya
ml.comments;version="[1.28,2)",org.yaml.snakeyaml.composer;version="[
1.28,2)",org.yaml.snakeyaml.emitter;version="[1.28,2)",org.yaml.snake
yaml.error;version="[1.28,2)",org.yaml.snakeyaml.events;version="[1.2
8,2)",org.yaml.snakeyaml.introspector;version="[1.28,2)",org.yaml.sna
keyaml.nodes;version="[1.28,2)",org.yaml.snakeyaml.parser;version="[1
.28,2)",org.yaml.snakeyaml.reader;version="[1.28,2)",org.yaml.snakeya
ml.resolver;version="[1.28,2)",org.yaml.snakeyaml.scanner;version="[1
.28,2)",org.yaml.snakeyaml.serializer;version="[1.28,2)",org.yaml.sna
keyaml.tokens;version="[1.28,2)"
Require-Capability:
osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"
Tool: Bnd-3.5.0.201709291849

Found in path(s):
* /opt/cola/permits/1140969467_1614914255.95/0/snakeyaml-1-28-jar/META-INF/MANIFEST.MF
No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>
<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1140969467_1614914255.95/0/snakeyaml-1-28-jar/META-
INF/maven/org.yaml/snakeyaml/pom.xml

1.277 jul-to-slf4j-bridge 1.7.24

1.277.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**
* Copyright (c) 2004-2011 QOS.ch
* All rights reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be

* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN
NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*
*/

Found in path(s):
* /opt/cola/permits/1145386675_1649200702.2/0/jul-to-slf4j-1-7-24-sources-zip/org/slf4j/bridge/SLF4JBridgeHandler.java

1.278 asm 9.0

1.278.1 Available under license :

No license file was found, but licenses were detected in source scan.

// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/ClassWriter.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/ConstantDynamic.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/TypePath.java
*
/opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/MethodVisitor.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/Opcodes.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/SymbolTable.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/TypeReference.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/ClassReader.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/CurrentFrame.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/Handle.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/Attribute.java

* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/signature/SignatureVisitor.java
*
/opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/signature/SignatureReader.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/Label.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/Type.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/ModuleWriter.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/signature/SignatureWriter.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/RecordComponentWriter.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/ClassTooLargeException.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/Context.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/ModuleVisitor.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/FieldVisitor.java
*
/opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/ByteVector.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/AnnotationVisitor.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/MethodWriter.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/Constants.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/Symbol.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/MethodTooLargeException.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/AnnotationWriter.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/Frame.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/RecordComponentVisitor.java
*
/opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/Edge.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/FieldWriter.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/Handler.java
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/ClassVisitor.java
No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its
*   contributors may be used to endorse or promote products derived from
*   this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/package.html
* /opt/cola/permits/1145408273_1616177247.02/0/asm-9-0-sources-3-jar/org/objectweb/asm/signature/package.html

1.279 spring-web-services 3.0.1.RELEASE

1.279.1 Available under license :

Spring Web Services ${version}
Copyright (c) 2002-${copyright} Pivotal, Inc

This product is licensed to you under the Apache License, Version 2.0
(the "License"). You may not use this product except in compliance with
the License.

This product may include a number of subcomponents with separate
copyright notices and license terms. Your use of the source code for
these subcomponents is subject to the terms and conditions of the
subcomponent's license, as noted in the license.txt file.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the

editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this
License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.280 javax-ws-rs-api 2.1.1

1.280.1 Available under license :

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2010, 2017 Oracle and/or its affiliates. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v. 2.0, which is available at * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'
Found license 'General Public License 2.0' in '* Copyright (c) 2013, 2017 Oracle and/or its affiliates. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v. 2.0, which is available at * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'
Found license 'General Public License 2.0' in '* Copyright (c) 2017 Oracle and/or its affiliates. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v. 2.0, which is available at * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'
Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2012, 2017 Oracle and/or its affiliates. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v. 2.0, which is available at * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'
Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2012, 2017 Oracle and/or its affiliates. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v. 2.0, which is available at * Eclipse Public License v. 2.0 are satisfied: GNU General Public License, * This method is reserved for future use. Proprietary JAX-RS extensions may leverage the method.'
Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2011, 2017 Oracle and/or its affiliates. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v. 2.0, which is available at * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2015, 2017 Oracle and/or its affiliates. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v. 2.0, which is available at * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'
/*
* Copyright (c) 2010, 2017 Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Public License v. 2.0, which is available at
* http://www.eclipse.org/legal/epl-2.0.
*
* This Source Code may also be made available under the following Secondary
* Licenses when the conditions for such availability set forth in the
* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
* version 2 with the GNU Classpath Exception, which is available at
* https://www.gnu.org/software/classpath/license.html.
*
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
*/
Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2013, 2017 Oracle and/or its affiliates. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v. 2.0, which is available at * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'
Found license 'General Public License 2.0' in '* Copyright (c) 2012, 2017 Oracle and/or its affiliates. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v. 2.0, which is available at * Eclipse Public License v. 2.0 are satisfied: GNU General Public License, * This method is reserved for future use. Proprietary JAX-RS extensions may leverage the method.'
Found license 'General Public License 2.0' in '* Copyright (c) 2011, 2017 Oracle and/or its affiliates. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v. 2.0, which is available at * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'
Found license 'General Public License 2.0' in '* Copyright (c) 2010, 2017 Oracle and/or its affiliates. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v. 2.0, which is available at * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'
Found license 'General Public License 2.0' in '* Copyright (c) 2012, 2017 Oracle and/or its affiliates. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v. 2.0, which is available at * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'
Found license 'General Public License 2.0' in '* Copyright (c) 2015, 2017 Oracle and/or its affiliates. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v. 2.0, which is available at * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'
Eclipse Public License - v 2.0
THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (“AGREEMENT”). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS
“Contribution” means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and
b) in the case of each subsequent Contributor:
i) changes to the Program, and

ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution “originates” from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.
“Contributor” means any person or entity that Distributes the Program.

“Licensed Patents” mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

“Program” means the Contributions Distributed in accordance with this Agreement.

“Recipient” means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

“Derivative Works” shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

“Modified Works” shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

“Distribute” means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

“Source Code” means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

“Secondary License” means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS
a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.
b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any

other entity based
on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.
e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).
3. REQUIREMENTS
3.1 If a Contributor Distributes the Program in any form, then:

a)
the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and
b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:
i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
iii) does not attempt to limit or alter the recipients' rights
in the Source Code under section 3.2; and
iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.
3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
b) a copy of this Agreement must be included with each copy of the Program.
3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (‘notices’) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4.
COMMERCIAL DISTRIBUTION
Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (“Commercial Contributor”) hereby agrees to defend and indemnify every other Contributor (“Indemnified Contributor”) against any losses, damages and costs (collectively “Losses”) arising from claims,

lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply
to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other
Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY
EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN “AS IS” BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY
EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT
NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL
If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations
of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and

distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new
versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement
are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A – Form of Secondary Licenses Notice
“This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.”

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.
Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2017 Oracle and/or its affiliates. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v. 2.0, which is available at * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

1.281 json-smart 2.3

1.281.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
*    Copyright 2011 JSON-SMART authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
```

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/parser/JSONParserMemory.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/writer/JsonReaderI.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/parser/JSONParserBase.java
*
 /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/writer/JsonReader.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/JSONUtil.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/parser/JSONParserString.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/JSONArray.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/parser/JSONParserInputStream.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/JSONStreamAware.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/parser/JSONParser.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/parser/ParseException.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/writer/DefaultMapperOrdered.java
*
 /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/writer/FakeMapper.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/writer/CompressorMapper.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/JStylerObj.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/writer/BeansMapper.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/JSONNavi.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/JSONObject.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/JSONAwareEx.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/JSONAware.java
*

/opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/writer/DefaultMapperCollection.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/parser/JSONParserReader.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/JSONStyle.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/JSONStreamAwareEx.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/parser/JSONParserStream.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/JSONValue.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/parser/JSONParserByteArray.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/writer/ArraysMapper.java
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/writer/CollectionMapper.java
No license file was found, but licenses were detected in source scan.

```
/*
*    Copyright 2011-2014 JSON-SMART authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1150838314_1617698236.45/0/json-smart-2-3-sources-3-jar/net/minidev/json/writer/DefaultMapper.java

1.282 apache-httpmime 4.5.6

1.282.1 Available under license :

Apache HttpClient Mime
Copyright 1999-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this
License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You

meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.283 alpn-api 1.1.3.v20160715

1.283.1 Available under license :

No license file was found, but licenses were detected in source scan.

// All rights reserved. This program and the accompanying materials
// are made available under the terms of the Eclipse Public License v1.0
// and Apache License v2.0 which accompanies this distribution.
// The Eclipse Public License is available at
// The Apache License v2.0 is available at
// You may elect to redistribute this code under either of these licenses.

Found in path(s):
* /opt/cola/permits/1162865313_1620924138.73/0/alpn-api-1-1-3-v20160715-sources-1-jar/org/eclipse/jetty/alpn/ALPN.java

1.284 iterators 1.5

1.284.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 dmfs GmbH
*
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/utils/SlimSet.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/FilteredIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/SerialIterator.java
*
 /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterables/UnquotedSplit.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/Filter.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/decorators/Flattened.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/filters/NoneOf.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/SerialIterableIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterables/decorators/Reverse.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterables/Repeatable.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterables/Distinct.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/filters/NonNull.java
*
 /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterables/decorators/Flattened.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/Function.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/filters/Skip.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/decorators/Serialized.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterables/CachingIterable.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/AbstractBaseIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/AbstractFilteredIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/DistinctIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterables/CsvIterable.java
*
 /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/EmptyIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-

jar/org/dmfs/iterators/SingletonIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/filters/Distinct.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/CsvIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterables/decorators/Mapped.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/decorators/Fluent.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/decorators/Filtered.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/filters/AnyOf.java
*
/opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/decorators/Mapped.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterables/decorators/Filtered.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/ArrayIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterables/Split.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/FluentIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/AbstractConvertedIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/Split.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/SerialIteratorIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-
jar/org/dmfs/iterators/ConvertedIterator.java
*
/opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/UnquotedSplit.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterables/ArrayIterable.java

1.285 kotson 2.5.0

1.285.1 Available under license :

MIT

1.286 dmfs/optional 0.3

1.286.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 dmfs GmbH
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*

```
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-jar/org/dmfs/optional/NullSafe.java
* /opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-jar/org/dmfs/optional/Absent.java
* /opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-jar/org/dmfs/optional/Present.java
* /opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-jar/org/dmfs/optional/Optional.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017 dmfs GmbH
*
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-jar/org/dmfs/optional/First.java
* /opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-jar/org/dmfs/optional/iter/OptItor.java
* /opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-jar/org/dmfs/optional/decorators/Mapped.java
*
 /opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-jar/org/dmfs/optional/iter/OptIter.java

1.287 rfc3986-uri 0.8

1.287.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
```

* Copyright 2017 dmfs GmbH
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/FluentParameterList.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/Query.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/encoding/Normalized.java
*
 /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/paths/Resolved.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/adapters/MultiParameter.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/parametertypes/BasicParameterType.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/parametersets/Removing.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/validation/CharSets.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/authorities/Text.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/valuetypes/BooleanValueType.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/encoding/utils/FormPercentEncodingOutputStream.java
*
 /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/parametersets/Fluent.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/encoding/Encoded.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/encoding/XWwwFormUrlEncoded.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/authorities/StructuredAuthority.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-

jar/org/dmfs/rfc3986/parameters/parametersets/Appending.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/ValueType.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/fragments/SimpleFragment.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/uris/RelativeUri.java
*
 /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/uris/Resolved.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/paths/StructuredPath.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/valuetypes/TextValueType.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/queries/SimpleQuery.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/encoding/IdempotentEncoded.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/UriEncoded.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/encoding/Precoded.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/adapters/XwfueParameterList.java
*
 /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/uris/OpaqueUri.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/Authority.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/adapters/TextParameter.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/uris/LazyUri.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/utils/Parsed.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/uris/EmptyUri.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/authorities/OptionalLazyAuthority.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/authorities/EncodedAuthority.java
*
 /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/Path.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/paths/LazyPath.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/Scheme.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/paths/Text.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/encoding/FormEncoded.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/paths/EncodedPath.java

* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/parametersets/EmptyParameterList.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/parametersets/Replacing.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/schemes/Schemes.java
*
 /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/validation/BitMapCharSet.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/ParameterList.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/authorities/OptionalLazyUserInfo.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/encoding/FormPrecoded.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/parameters/UrlEncodedParameter.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/paths/EmptyPath.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/validation/Validated.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/ParameterType.java
*
 /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/paths/Extended.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/fragments/OptionalLazyFragment.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/Parameter.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/schemes/StringScheme.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/encoding/utils/PercentEncodingOutputStream.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/valuetypes/IntegerValueType.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/Fragment.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/utils/Split.java
*
 /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/validation/CharSet.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/parametersets/BasicParameterList.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/uris/StructuredUri.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/queries/OptionalLazyQuery.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-

jar/org/dmfs/rfc3986/schemes/OptionalLazyScheme.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/uris/Normalized.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/Uri.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/paths/Normalized.java
*
 /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/adapters/OptionalParameter.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/uris/Text.java

1.288 automation 1.11-8

1.288.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* dk.brics.automaton
*
* Copyright (c) 2001-2011 Anders Moeller
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
*   derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY
 AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):

* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/BasicAutomata.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/TransitionComparator.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/DatatypesAutomatonProvider.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/Automaton.java
*
/opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/Datatypes.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/SpecialOperations.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/BasicOperations.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/StatePair.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/MinimizationOperations.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/State.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/ShuffleOperations.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/RunAutomaton.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/RegExp.java
*
/opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/AutomatonProvider.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/Transition.java
No license file was found, but licenses were detected in source scan.

/*
* dk.brics.automaton - AutomatonMatcher
*
* Copyright (c) 2008-2011 John Gibson
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
*   derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR

* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
*
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/AutomatonMatcher.java

1.289 jta 1.1

1.289.1 Available under license :

Found license 'Common Development and Distribution License (CDDL) 1.1' in '* The contents of this file are subject to the terms * of the Common Development and Distribution License * (the License). You may not use this file except in * Copyright 2006 Sun Microsystems, Inc. All rights reserved.'

1.290 jta 1.1

1.290.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2011 Atteo.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1162941937_1620927508.55/0/jta-1-1-sources-12-

jar/org/atteo/moonshine/jta/TransactionalInterceptor.java
* /opt/cola/permits/1162941937_1620927508.55/0/jta-1-1-sources-12-jar/org/atteo/moonshine/jta/Transaction.java
* /opt/cola/permits/1162941937_1620927508.55/0/jta-1-1-sources-12-jar/org/atteo/moonshine/jta/Transactional.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2011 Atteo.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):
* /opt/cola/permits/1162941937_1620927508.55/0/jta-1-1-sources-12-
jar/org/atteo/moonshine/jta/JtaConnectionFactoryWrapper.java
* /opt/cola/permits/1162941937_1620927508.55/0/jta-1-1-sources-12-jar/org/atteo/moonshine/jta/PoolOptions.java
* /opt/cola/permits/1162941937_1620927508.55/0/jta-1-1-sources-12-
jar/org/atteo/moonshine/jta/TransactionalService.java
*
/opt/cola/permits/1162941937_1620927508.55/0/jta-1-1-sources-12-
jar/org/atteo/moonshine/jta/JtaDataSourceWrapper.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2013 Atteo.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

* /opt/cola/permits/1162941937_1620927508.55/0/jta-1-1-sources-12-jar/org/atteo/moonshine/jta/JtaService.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2012 Atteo.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1162941937_1620927508.55/0/jta-1-1-sources-12-jar/org/atteo/moonshine/jta/TransactionalFilter.java

1.291 jersey-repackaged-guava 2.22.2

1.291.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License.  You may obtain a copy
* of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  See the
* License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/FunctionalEquivalence.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/ContiguousSet.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/ComputingConcurrentHashMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/SortedLists.java
No license file was found, but licenses were detected in source scan.

/*
* Written by Doug Lea with assistance from members of JCP JSR-166
* Expert Group and released to the public domain, as explained at
* http://creativecommons.org/publicdomain/zero/1.0/
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/cache/Striped64.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/cache/LongAdder.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/AtomicDoubleArray.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/internal/Finalizer.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS-IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/GenericMapMaker.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and

* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ListenerCallQueue.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/MoreObjects.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/SortedMultisets.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/eventbus/SubscriberExceptionContext.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/DescendingMultiset.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingImmutableList.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/TreeTraverser.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/FilteredEntrySetMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/DescendingImmutableSortedSet.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/TreeRangeMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingNavigableMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/FilteredKeySetMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/reflect/package-info.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/html/package-info.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/FilteredMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/ByteSink.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-

jar/jersey/repackaged/com/google/common/reflect/Element.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/cache/LongAddable.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/reflect/TypeCapture.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/reflect/ClassPath.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/Closer.java
*
/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/reflect/MutableTypeToInstanceMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/AllEqualOrdering.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/TransformedIterator.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/EvictingQueue.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/SmoothRateLimiter.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/reflect/ImmutableTypeToInstanceMap.java
*
/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/RangeMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingImmutableMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableSortedMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/reflect/TypeToInstanceMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/CharSource.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/EmptyImmutableSortedMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/reflect/Parameter.java
*
/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/FileWriteMode.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/reflect/Invokable.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/SortedMultisetBridge.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/FilteredKeyListMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/cache/LongAddables.java

* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/CharSink.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/reflect/AbstractInvocationHandler.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/AsyncSettableFuture.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/AbstractNavigableMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/BinaryTreeTraverser.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableAsList.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/escape/package-info.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/UnmodifiableSortedMultiset.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/ByteSource.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/AbstractMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ServiceManager.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/StandardSystemProperty.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/xml/package-info.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingBlockingDeque.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingDeque.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/FilteredEntryMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingNavigableSet.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/RateLimiter.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/hash/AbstractByteHasher.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/FilteredSetMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableEnumMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-

jar/jersey/repackaged/com/google/common/collect/TransformedListIterator.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/ListenableScheduledFuture.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/ForwardingImmutableSet.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
  * This method was rewritten in Java from an intermediate step of the Murmur hash function in
  * http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
  * following header:
  *
  * MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
  * hereby
 disclaims copyright to this source code.
  */
```

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/Hashing.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
```

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/SortedMultiset.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/EmptyContiguousSet.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the
* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-

jar/jersey/repackaged/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/SortedIterable.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableSortedMultiset.java
*
/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/primitives/ParseRequest.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/SortedIterables.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/primitives/UnsignedLongs.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/RangeSet.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/GeneralRange.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/primitives/UnsignedLong.java
*
/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/Count.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableSortedMultiset.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/primitives/UnsignedInteger.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/primitives/UnsignedInts.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/AbstractRangeSet.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingSortedMultiset.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/MultimapBuilder.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/Runnables.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/eventbus/SubscriberExceptionHandler.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableMapEntry.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/reflect/TypeVisitor.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/CharSequenceReader.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/thirdparty/publicsuffix/PublicSuffixType.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/WrappingScheduledExecutorService.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/GwtWorkarounds.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableRangeSet.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableRangeMap.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/FilteredKeyMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/BaseEncoding.java

* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/hash/ChecksumHashFunction.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/hash/SipHashFunction.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/CartesianList.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/Atomics.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/primitives/package-info.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/RowSortedTable.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/UnmodifiableListIterator.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/Strings.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ListeningExecutorService.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingSortedSetMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/MinMaxPriorityQueue.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingListMultimap.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/Monitor.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-

jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingBlockingQueue.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/net/package-info.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/ForwardingImmutableCollection.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/ThreadFactoryBuilder.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/annotations/package-info.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/base/Ascii.java
*
/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/annotations/Beta.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/ForwardingSetMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/AbstractSequentialIterator.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/SortedMapDifference.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/base/Equivalence.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/UncaughtExceptionHandlers.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/Iterators.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/SingletonImmutableSet.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-

jar/jersey/repackaged/com/google/common/io/ByteStreams.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/eventbus/DeadEvent.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/base/Predicates.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/TreeMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/ListenableFuture.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/base/package-info.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/ObjectArrays.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/ClassToInstanceMap.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/LinkedHashMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/base/FinalizableSoftReference.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/ForwardingList.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/eventbus/EventSubscriber.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/AbstractListMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/CompoundOrdering.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/eventbus/SynchronizedEventSubscriber.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/ReverseOrdering.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/LinkedListMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/Lists.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/AbstractMultiset.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/ConcurrentHashMultiset.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/ForwardingMap.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/Multisets.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-

jar/jersey/repackaged/com/google/common/io/package-info.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/AbstractMapBasedMultiset.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/Defaults.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingIterator.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/MapConstraint.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/HashMultimap.java
*
/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/FinalizableReferenceQueue.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/FinalizableReference.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/Maps.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/LineReader.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ArrayListMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/EmptyImmutableSet.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/eventbus/AnnotatedSubscriberFinder.java
*
/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/Resources.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/Synchronized.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/Interner.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/Files.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/HashMultiset.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/MapDifference.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingSortedSet.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/TreeMultiset.java
*
/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/SetMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingMultimap.java

* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/MutableClassToInstanceMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/Sets.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/Multiset.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/NullsFirstOrdering.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/Iterables.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/Charsets.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/eventbus/package-info.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/EnumBiMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/Throwables.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/Functions.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ReverseNaturalOrdering.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ExecutionList.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableSet.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/NaturalOrdering.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/Constraints.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/FinalizablePhantomReference.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingCollection.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingQueue.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingConcurrentMap.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/Closeables.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/CountingOutputStream.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingSet.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-

jar/jersey/repackaged/com/google/common/base/FinalizableWeakReference.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/AbstractIterator.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/AbstractMapBasedMultimap.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/AbstractIterator.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/LittleEndianDataInputStream.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ComparatorOrdering.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/Suppliers.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/Multimaps.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingMapEntry.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/MultiInputStream.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/primitives/Primitives.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ByFunctionOrdering.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/AbstractSortedSetMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/InputSupplier.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/eventbus/SubscriberFindingStrategy.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/CharStreams.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/Ordering.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/Flushables.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/eventbus/AllowConcurrentEvents.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/LexicographicalOrdering.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/BiMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingMultiset.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/SortedSetMultimap.java

* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableList.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/AbstractMapEntry.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/eventbus/AsyncEventBus.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/CountingInputStream.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableSet.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingListIterator.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/package-info.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/package-info.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/LinkedHashMultiset.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/NullsLastOrdering.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/AbstractSetMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/Predicate.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/Supplier.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/eventbus/EventBus.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/Multimap.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/Constraint.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/MapConstraints.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingSortedMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/eventbus/Subscribe.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ExplicitOrdering.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/LittleEndianDataOutputStream.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/Objects.java
*

/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/EnumHashBiMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/AbstractBiMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/UsingToStringOrdering.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/LineBuffer.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/AbstractFuture.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/OutputSupplier.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ListMultimap.java
*
/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingObject.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/Function.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
  * This following method is a modified version of one found in
  * http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30
  * which contained the following notice:
  *
  * Written by Doug Lea with assistance from members of JCP JSR-166
  * Expert Group and released
 to the public domain, as explained at
  * http://creativecommons.org/publicdomain/zero/1.0/
  * Other contributors include Andrew Wright, Jeffrey Hayes,
  * Pat Fisher, Mike Judd.
  */
```

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/MoreExecutors.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableEnumSet.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/html/HtmlEscapers.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/net/HostSpecifier.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/AbstractService.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/primitives/UnsignedBytes.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/annotations/GwtIncompatible.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/SingletonImmutableList.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/escape/ArrayBasedCharEscaper.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableSortedMapFauxverideShim.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/escape/Escapers.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/AbstractIndexedListIterator.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-

jar/jersey/repackaged/com/google/common/escape/ArrayBasedEscaperMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/DiscreteDomain.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/ImmutableTable.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/ComputationException.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingFuture.java
*
/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/Callables.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/EmptyImmutableSetMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/AbstractExecutionThreadService.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/ImmutableSortedSetFauxverideShim.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/base/Platform.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/ImmutableClassToInstanceMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/AbstractIdleService.java
*
/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/net/InternetDomainName.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/io/LineProcessor.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/primitives/SignedBytes.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/net/UrlEscapers.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/base/Splitter.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/escape/Platform.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/ImmutableAsList.java
*
/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/annotations/GwtCompatible.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/RegularImmutableSortedSet.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/xml/XmlEscapers.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/cache/CacheBuilder.java

* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableSortedMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/ByteProcessor.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableList.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/reflect/TypeResolver.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/ByteArrayDataOutput.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingListenableFuture.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ArrayTable.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ComparisonChain.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableSetMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingTable.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/SingletonImmutableTable.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/cache/LocalCache.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/ByteArrayDataInput.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/JdkFutureAdapters.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/Service.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/SettableFuture.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/escape/ArrayBasedUnicodeEscaper.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
 * This method was rewritten in Java from an intermediate step of the Murmur hash function in
 * http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
 * following header:
 *
 * MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
 * hereby
disclaims copyright to this source code.
 */

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/SmallCharMatcher.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/UncheckedExecutionException.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/Present.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/Enums.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/math/DoubleUtils.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-

jar/jersey/repackaged/com/google/common/net/HttpHeaders.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/cache/LoadingCache.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/AsyncFunction.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/ExecutionError.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/AbstractScheduledService.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/math/LongMath.java
*
/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/cache/RemovalCause.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/cache/AbstractCache.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/reflect/TypeParameter.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/FutureFallback.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingListeningExecutorService.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/math/package-info.java
*
/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/math/BigIntegerMath.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/GwtTransient.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/net/MediaType.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/cache/RemovalListener.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/ListeningScheduledExecutorService.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/net/HostAndPort.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/cache/CacheBuilderSpec.java
*
/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/hash/AbstractCompositeHashFunction.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/Uninterruptibles.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/base/Optional.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/WrappingExecutorService.java

* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/cache/CacheLoader.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/cache/Cache.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/math/IntMath.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/cache/RemovalListeners.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/AtomicLongMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/hash/AbstractNonStreamingHashFunction.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableMultiset.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/PairwiseEquivalence.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/reflect/Types.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/cache/CacheStats.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/Ticker.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/WellBehavedMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/FutureCallback.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/cache/ForwardingCache.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/CycleDetectingLockFactory.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/cache/package-info.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/cache/ForwardingLoadingCache.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/AbstractListeningExecutorService.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/cache/RemovalNotification.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/Absent.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingCheckedFuture.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingExecutorService.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-

jar/jersey/repackaged/com/google/common/cache/AbstractLoadingCache.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/math/DoubleMath.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/Interners.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/EnumMultiset.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/HashBiMap.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/Preconditions.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/CheckedFuture.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableCollection.java
*
/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/net/InetAddresses.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ListenableFutureTask.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/EmptyImmutableBiMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableMapValues.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/primitives/Longs.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableBiMap.java
*
/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/AbstractCheckedFuture.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/EmptyImmutableListMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/CharMatcher.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/primitives/Booleans.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/UnmodifiableIterator.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/escape/Escaper.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/SingletonImmutableBiMap.java
*
/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/Converter.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/primitives/Ints.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/primitives/Chars.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/FluentIterable.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/Serialization.java

* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/SerializingExecutor.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/StandardTable.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/Tables.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/escape/UnicodeEscaper.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/Platform.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/primitives/Doubles.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableMapKeySet.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/PeekingIterator.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/Joiner.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableEntry.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/FileBackedOutputStream.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/primitives/Bytes.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/Stopwatch.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/Range.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/MultiReader.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/EmptyImmutableSortedSet.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/StandardRowSortedTable.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/TreeBasedTable.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/HashBasedTable.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/net/PercentEscaper.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/primitives/Floats.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableBiMap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-

jar/jersey/repackaged/com/google/common/primitives/Shorts.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/Table.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/ImmutableMultiset.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/ImmutableListMultimap.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/thirdparty/publicsuffix/TrieParser.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/CollectPreconditions.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/ImmutableSortedSet.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/Collections2.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/ImmutableMapEntrySet.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/base/Verify.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/base/Utf8.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/FilteredMultimapValues.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/hash/HashingInputStream.java

* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/AbstractTable.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/VerifyException.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2011 The Guava Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/hash/package-info.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2005 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/reflect/Reflection.java
No license file was found, but licenses were detected in source scan.

```
/*
```

* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/math/MathPreconditions.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/cache/Weigher.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/Cut.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/DenseImmutableTable.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/MapMakerInternalMap.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/SparseImmutableTable.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-
jar/jersey/repackaged/com/google/common/collect/RegularImmutableTable.java

* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/MapMaker.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/hash/PrimitiveSink.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/hash/MessageDigestHashFunction.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/hash/AbstractHasher.java
*
/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/hash/BloomFilterStrategies.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/AbstractSortedMultiset.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/hash/HashFunction.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/EmptyImmutableSortedMultiset.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/BoundType.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/hash/Funnel.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/hash/Murmur3_32HashFunction.java
*
/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/hash/Hashing.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/Queues.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/RegularContiguousSet.java

* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/hash/BloomFilter.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/TreeRangeSet.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/hash/Funnels.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/hash/HashCode.java
*
 /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/DescendingImmutableSortedMultiset.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/hash/AbstractStreamingHashFunction.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/hash/HashingOutputStream.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/hash/Murmur3_128HashFunction.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/hash/Hasher.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/hash/Crc32cHashFunction.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/FakeTimeLimiter.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/escape/CharEscaperBuilder.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/AppendableWriter.java
*

/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/reflect/TypeToken.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/Futures.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/escape/CharEscaper.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/base/CaseFormat.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/TimeLimiter.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/annotations/VisibleForTesting.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/io/PatternFilenameFilter.java
*
/opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/UncheckedTimeoutException.java
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/SimpleTimeLimiter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableMap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
  * This method was written by Doug Lea with assistance from members of JCP
  * JSR-166 Expert Group and released to the public domain, as explained at
  * http://creativecommons.org/licenses/publicdomain
  *
  * As of 2010/06/11, this method is identical to the (package private) hash
  * method in OpenJDK 7's java.util.HashMap
 class.
  */

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/util/concurrent/Striped.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the
* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1125263850_1611277862.42/0/jersey-guava-2-22-2-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableSortedAsList.java

1.292 zt 1.14

1.292.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
*    Copyright (C) 2012 ZeroTurnaround LLC <support@zeroturnaround.com>
*
*    Licensed under the Apache License, Version 2.0 (the "License");
*    you may not use this file except in compliance with the License.
*    You may obtain a copy of the License at
*
*        http://www.apache.org/licenses/LICENSE-2.0
*
*    Unless required by applicable law or agreed to in writing, software
*    distributed under the License is distributed on an "AS IS" BASIS,
*    WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*    See the License for the specific language governing permissions and
*    limitations under the License.
*/
```

Found in path(s):

* /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/ByteSource.java
* /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/ZTFileUtil.java
* /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/FileSource.java
*
/opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/timestamps/PreJava8TimestampStrategy.java
* /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/timestamps/TimestampStrategyFactory.java
* /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/ZipEntryCallback.java
* /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/IdentityNameMapper.java
* /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/timestamps/Java8TimestampStrategy.java
* /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/Zips.java
* /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/ZipUtil.java
* /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/ZipInfoCallback.java
*
/opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/timestamps/TimestampStrategy.java
* /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/ZipEntrySource.java
* /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/ZipEntryUtil.java
* /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/NameMapper.java

No license file was found, but licenses were detected in source scan.

```
/*
*  Licensed to the Apache Software Foundation (ASF) under one or more
*  contributor license agreements.  See the NOTICE file distributed with
*  this work for additional information regarding copyright ownership.
*  The ASF licenses this file to You under the Apache License, Version 2.0
*  (the "License"); you may not use this file except in compliance with
*  the License.  You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing, software
*  distributed under the License is distributed on an "AS IS" BASIS,
*  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*  See the License for the specific language governing permissions and
*  limitations under the License.
*
*/
```

Found in path(s):
* /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/extra/ZipExtraField.java
*
 /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/extra/AsiExtraField.java
* /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/extra/ZipLong.java
* /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/extra/UnrecognizedExtraField.java
* /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/extra/ZipShort.java
* /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/extra/ExtraFieldUtils.java
* /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/extra/ZipConstants.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements.  See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License.  You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
```

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/commons/FileUtilsV2_2.java
*
/opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/commons/StringBuilderWriter.java
* /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/commons/IOUtils.java
* /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/commons/FileExistsException.java
* /opt/cola/permits/1166480000_1621428975.75/0/zt-zip-1-14-sources-3-jar/org/zeroturnaround/zip/commons/FilenameUtils.java

1.293 apache-httpmime 4.5.12

1.293.1 Available under license :

Apache HttpClient Mime
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.294 jackson-jaxrs-base 2.10.2

1.294.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

1.295 jackson-jaxrs 2.10.2

1.295.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers, as well as supported
commercially by FasterXML.com.

Licensing

Jackson core and extension components may be licensed under different licenses.
To find the details that apply to this artifact see the accompanying LICENSE file.
For more information, including possible other licensing options, contact
FasterXML.com (http://fasterxml.com).

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.296 checker-qual 3.12.0

1.296.1 Available under license :

Checker Framework qualifiers
Copyright 2004-present by the Checker Framework developers

MIT License:

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.297 asm-commons 9.0

1.297.1 Available under license :

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*   contributors may be used to endorse or promote products derived from
*   this software without specific prior written permission.

*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):
* /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/package.html
No license file was found, but licenses were detected in source scan.

// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
//   notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
//   notice, this list of conditions and the following disclaimer in the
//   documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
//   this software without specific prior written permission.
/**
  * Constructs a new {@link GeneratorAdapter}. Subclasses must not use this constructor.
  * Instead, they must use the {@link #GeneratorAdapter(int, MethodVisitor, int, String, String)}
  * version.
  *
  * @param methodVisitor the method visitor
 to which this adapter delegates calls.
  * @param access the method's access flags (see {@link Opcodes}).
  * @param name the method's name.
  * @param descriptor the method's descriptor (see {@link Type}).
  * @throws IllegalStateException if a subclass calls this constructor.
  */

Found in path(s):
* /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/GeneratorAdapter.java
No license file was found, but licenses were detected in source scan.

// All rights reserved.

```
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
//    notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
//    notice, this list of conditions and the following disclaimer in the
//    documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
//    this software without specific prior written permission.
/**
  * Constructs a new {@link LocalVariablesSorter}. <i>Subclasses must not use this constructor</i>.
  * Instead, they must use the {@link #LocalVariablesSorter(int, int, String, MethodVisitor)}
  * version.
  *
  * @param access access flags of the adapted
 method.
  * @param descriptor the method's descriptor (see {@link Type}).
  * @param methodVisitor the method visitor to which this adapter delegates calls.
  * @throws IllegalStateException if a subclass calls this constructor.
  */
```

Found in path(s):
* /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/LocalVariablesSorter.java
No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
//    notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
//    notice, this list of conditions and the following disclaimer in the
//    documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
//    this software without specific prior written permission.
```

Found in path(s):
* /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/ClassRemapper.java
* /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/MethodRemapper.java
*
 /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/SimpleRemapper.java
* /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-

jar/org/objectweb/asm/commons/AdviceAdapter.java
* /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/ModuleTargetAttribute.java
* /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/RecordComponentRemapper.java
* /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/ModuleHashesAttribute.java
* /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/JSRInlinerAdapter.java
* /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/Method.java
* /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/CodeSizeEvaluator.java
*
 /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/FieldRemapper.java
* /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/ModuleRemapper.java
* /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/SignatureRemapper.java
* /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/InstructionAdapter.java
* /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/AnalyzerAdapter.java
* /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/TableSwitchGenerator.java
* /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/StaticInitMerger.java
* /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/ModuleResolutionAttribute.java
*
 /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/TryCatchBlockSorter.java
* /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/AnnotationRemapper.java
* /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/Remapper.java
No license file was found, but licenses were detected in source scan.

// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
//   notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
//   notice, this list of conditions and the following disclaimer in the
//   documentation and/or other materials provided with the distribution.

```
// 3. Neither the name of the copyright holders nor the names of its
//    this software without specific prior written permission.
/**
  * Constructs a new {@link SerialVersionUIDAdder}. <i>Subclasses must not use this
  * constructor</i>. Instead, they must use the {@link #SerialVersionUIDAdder(int, ClassVisitor)}
  * version.
  *
  * @param classVisitor a {@link ClassVisitor} to which
 this visitor will delegate calls.
  * @throws IllegalStateException If a subclass calls this constructor.
  */
```

Found in path(s):
* /opt/cola/permits/1183889873_1627493666.84/0/asm-commons-9-0-sources-1-jar/org/objectweb/asm/commons/SerialVersionUIDAdder.java

1.298 asm-tree 9.0

1.298.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
//    notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
//    notice, this list of conditions and the following disclaimer in the
//    documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
//    this software without specific prior written permission.
```

Found in path(s):
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-jar/org/objectweb/asm/tree/LineNumberNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-jar/org/objectweb/asm/tree/AbstractInsnNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-jar/org/objectweb/asm/tree/ModuleProvideNode.java
*
 /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-jar/org/objectweb/asm/tree/ClassNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-jar/org/objectweb/asm/tree/InsnNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-jar/org/objectweb/asm/tree/Util.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-

jar/org/objectweb/asm/tree/ModuleExportNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-
jar/org/objectweb/asm/tree/VarInsnNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-
jar/org/objectweb/asm/tree/IntInsnNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-
jar/org/objectweb/asm/tree/ModuleRequireNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-
jar/org/objectweb/asm/tree/MultiANewArrayInsnNode.java
*
/opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-
jar/org/objectweb/asm/tree/TypeInsnNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-
jar/org/objectweb/asm/tree/ModuleOpenNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-
jar/org/objectweb/asm/tree/LdcInsnNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-
jar/org/objectweb/asm/tree/MethodNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-
jar/org/objectweb/asm/tree/RecordComponentNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-
jar/org/objectweb/asm/tree/LocalVariableNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-
jar/org/objectweb/asm/tree/FieldInsnNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-
jar/org/objectweb/asm/tree/FrameNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-
jar/org/objectweb/asm/tree/FieldNode.java
*
/opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-jar/org/objectweb/asm/tree/InsnList.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-
jar/org/objectweb/asm/tree/TableSwitchInsnNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-
jar/org/objectweb/asm/tree/JumpInsnNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-
jar/org/objectweb/asm/tree/TryCatchBlockNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-
jar/org/objectweb/asm/tree/MethodInsnNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-
jar/org/objectweb/asm/tree/InvokeDynamicInsnNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-
jar/org/objectweb/asm/tree/LabelNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-
jar/org/objectweb/asm/tree/TypeAnnotationNode.java
*
/opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-
jar/org/objectweb/asm/tree/IincInsnNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-

jar/org/objectweb/asm/tree/InnerClassNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-jar/org/objectweb/asm/tree/LookupSwitchInsnNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-jar/org/objectweb/asm/tree/LocalVariableAnnotationNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-jar/org/objectweb/asm/tree/AnnotationNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-jar/org/objectweb/asm/tree/ModuleNode.java
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-jar/org/objectweb/asm/tree/ParameterNode.java
No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*   contributors may be used to endorse or promote products derived from
*   this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):
* /opt/cola/permits/1183890427_1627494327.56/0/asm-tree-9-0-sources-1-jar/org/objectweb/asm/tree/package.html

1.299 asm-analysis 9.0

1.299.1 Available under license :

No license file was found, but licenses were detected in source scan.

// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
//   notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
//   notice, this list of conditions and the following disclaimer in the
//   documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
//   this software without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1183891330_1627493746.36/0/asm-analysis-9-0-sources-1-jar/org/objectweb/asm/tree/analysis/Frame.java
* /opt/cola/permits/1183891330_1627493746.36/0/asm-analysis-9-0-sources-1-jar/org/objectweb/asm/tree/analysis/SimpleVerifier.java
*
 /opt/cola/permits/1183891330_1627493746.36/0/asm-analysis-9-0-sources-1-jar/org/objectweb/asm/tree/analysis/BasicVerifier.java
* /opt/cola/permits/1183891330_1627493746.36/0/asm-analysis-9-0-sources-1-jar/org/objectweb/asm/tree/analysis/AnalyzerException.java
* /opt/cola/permits/1183891330_1627493746.36/0/asm-analysis-9-0-sources-1-jar/org/objectweb/asm/tree/analysis/Value.java
* /opt/cola/permits/1183891330_1627493746.36/0/asm-analysis-9-0-sources-1-jar/org/objectweb/asm/tree/analysis/BasicValue.java
* /opt/cola/permits/1183891330_1627493746.36/0/asm-analysis-9-0-sources-1-jar/org/objectweb/asm/tree/analysis/SourceValue.java
* /opt/cola/permits/1183891330_1627493746.36/0/asm-analysis-9-0-sources-1-jar/org/objectweb/asm/tree/analysis/SmallSet.java
* /opt/cola/permits/1183891330_1627493746.36/0/asm-analysis-9-0-sources-1-jar/org/objectweb/asm/tree/analysis/Subroutine.java
* /opt/cola/permits/1183891330_1627493746.36/0/asm-analysis-9-0-sources-1-jar/org/objectweb/asm/tree/analysis/Interpreter.java
*
 /opt/cola/permits/1183891330_1627493746.36/0/asm-analysis-9-0-sources-1-jar/org/objectweb/asm/tree/analysis/Analyzer.java
No license file was found, but licenses were detected in source scan.

// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
//   notice, this list of conditions and the following disclaimer.

```
// 2. Redistributions in binary form must reproduce the above copyright
//    notice, this list of conditions and the following disclaimer in the
//    documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
//    this software without specific prior written permission.
/**
  * Constructs a new {@link BasicInterpreter} for the latest ASM API version. <i>Subclasses must
  * not use this constructor</i>. Instead, they must use the {@link #BasicInterpreter(int)}
  * version.
  */
```

Found in path(s):
* /opt/cola/permits/1183891330_1627493746.36/0/asm-analysis-9-0-sources-1-jar/org/objectweb/asm/tree/analysis/BasicInterpreter.java
No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
//    notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
//    notice, this list of conditions and the following disclaimer in the
//    documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
//    this software without specific prior written permission.
/**
  * Constructs a new {@link SourceInterpreter} for the latest ASM API version. <i>Subclasses must
  * not use this constructor</i>. Instead, they must use the {@link #SourceInterpreter(int)}
  * version.
  */
```

Found in path(s):
* /opt/cola/permits/1183891330_1627493746.36/0/asm-analysis-9-0-sources-1-jar/org/objectweb/asm/tree/analysis/SourceInterpreter.java
No license file was found, but licenses were detected in source scan.

```
2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in the
```

* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):
* /opt/cola/permits/1183891330_1627493746.36/0/asm-analysis-9-0-sources-1-jar/org/objectweb/asm/tree/analysis/package.html

1.300 org.apache.commons.fileupload 1.4

1.300.1 Available under license :

Apache Commons FileUpload
Copyright 2002-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
/*\s*
*\s*Licensed to the Apache Software Foundation \(ASF\) under one or more
*\s*contributor license agreements. See the NOTICE file distributed with
*\s*this work for additional information regarding copyright ownership\.
*\s*The ASF licenses this file to You under the Apache License, Version 2\.0
\s\(the "License"\); you may not use this file except in compliance with
*\s*the License\. You may obtain a copy of the License at
\s
*\s*http://www\.apache\.org/licenses/LICENSE\-2\.0
\s
*\s*Unless required by applicable law or agreed to in writing, software
*\s*distributed under the License is distributed on an "AS IS" BASIS,
*\s*WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied\.
*\s*See the License for the specific language governing permissions and
*\s*limitations under the License\.
/\s

Apache License

Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.301 antlr 4.7.2

1.301.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

```
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

/** The definitive ANTLR v3 tree grammar to walk/visit ANTLR v4 grammars.
*  Parses trees created by ANTLRParser.g.
*
*  Rather than have multiple tree grammars, one for each visit, I'm
*  creating this generic visitor that knows about context. All of the
*  boilerplate pattern recognition is done here. Then, subclasses can
*  override the methods they care about.
 This prevents a lot of the same
*  context tracking stuff like "set current alternative for current
*  rule node" that is repeated in lots of tree filters.
*/
tree grammar GrammarTreeVisitor;
options {
 language      = Java;
 tokenVocab    = ANTLRParser;
 ASTLabelType  = GrammarAST;
}

// Include the copyright in this source and also the generated source
@header {
/*
[The "BSD license"]
Copyright (c) 2011 Terence Parr
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse
 or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
```

```
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
package org.antlr.v4.parse;
import org.antlr.v4.Tool;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
import java.lang.reflect.InvocationTargetException;
import java.lang.reflect.Method;
}

@members
 {
public String grammarName;
public GrammarAST currentRuleAST;
public String currentModeName = LexerGrammar.DEFAULT_MODE_NAME;
public String currentRuleName;
public GrammarAST currentOuterAltRoot;
public int currentOuterAltNumber = 1; // 1..n
public int rewriteEBNFLevel = 0;

public GrammarTreeVisitor() { this(null); }

// Should be abstract but can't make gen'd parser abstract;
// subclasses should implement else everything goes to stderr!
public ErrorManager getErrorManager() { return null; }

public void visitGrammar(GrammarAST t) { visit(t, "grammarSpec"); }
public void visit(GrammarAST t, String ruleName) {
 CommonTreeNodeStream nodes = new CommonTreeNodeStream(new GrammarASTAdaptor(), t);
 setTreeNodeStream(nodes);
 try {
  Method m = getClass().getMethod(ruleName);
  m.invoke(this);
 }
 catch (Throwable e) {
  ErrorManager errMgr = getErrorManager();
  if ( e instanceof InvocationTargetException ) {
   e = e.getCause();
  }
  //e.printStackTrace(System.err);
  if
 ( errMgr==null ) {
   System.err.println("can't find rule "+ruleName+
```

```
        " or tree structure error: "+t.toStringTree()
        );
  e.printStackTrace(System.err);
 }
 else errMgr.toolError(ErrorType.INTERNAL_ERROR, e);
}
}

public void discoverGrammar(GrammarRootAST root, GrammarAST ID) { }
public void finishPrequels(GrammarAST firstPrequel) { }
public void finishGrammar(GrammarRootAST root, GrammarAST ID) { }

public void grammarOption(GrammarAST ID, GrammarAST valueAST) { }
public void ruleOption(GrammarAST ID, GrammarAST valueAST) { }
public void blockOption(GrammarAST ID, GrammarAST valueAST) { }
public void defineToken(GrammarAST ID) { }
public void defineChannel(GrammarAST ID) { }
public void globalNamedAction(GrammarAST scope, GrammarAST ID, ActionAST action) { }
public void importGrammar(GrammarAST label, GrammarAST ID) { }

public void modeDef(GrammarAST m, GrammarAST ID) { }

public void discoverRules(GrammarAST rules) { }
public void finishRules(GrammarAST
 rule) { }
public void discoverRule(RuleAST rule, GrammarAST ID, List<GrammarAST> modifiers,
      ActionAST arg, ActionAST returns, GrammarAST thrws,
      GrammarAST options, ActionAST locals,
      List<GrammarAST> actions,
      GrammarAST block) { }
public void finishRule(RuleAST rule, GrammarAST ID, GrammarAST block) { }
public void discoverLexerRule(RuleAST rule, GrammarAST ID, List<GrammarAST> modifiers,
                  GrammarAST block) { }
public void finishLexerRule(RuleAST rule, GrammarAST ID, GrammarAST block) { }
public void ruleCatch(GrammarAST arg, ActionAST action) { }
public void finallyAction(ActionAST action) { }
public void discoverOuterAlt(AltAST alt) { }
public void finishOuterAlt(AltAST alt) { }
public void discoverAlt(AltAST alt) { }
public void finishAlt(AltAST alt) { }

public void ruleRef(GrammarAST ref, ActionAST arg) { }
public void tokenRef(TerminalAST ref) { }
public void elementOption(GrammarASTWithOptions t, GrammarAST ID, GrammarAST
 valueAST) { }
public void stringRef(TerminalAST ref) { }
public void wildcardRef(GrammarAST ref) { }
public void actionInAlt(ActionAST action) { }
```

```
public void sempredInAlt(PredAST pred) { }
public void label(GrammarAST op, GrammarAST ID, GrammarAST element) { }
public void lexerCallCommand(int outerAltNumber, GrammarAST ID, GrammarAST arg) { }
public void lexerCommand(int outerAltNumber, GrammarAST ID) { }

protected void enterGrammarSpec(GrammarAST tree) { }
protected void exitGrammarSpec(GrammarAST tree) { }

protected void enterPrequelConstructs(GrammarAST tree) { }
protected void exitPrequelConstructs(GrammarAST tree) { }

protected void enterPrequelConstruct(GrammarAST tree) { }
protected void exitPrequelConstruct(GrammarAST tree) { }

protected void enterOptionsSpec(GrammarAST tree) { }
protected void exitOptionsSpec(GrammarAST tree) { }

protected void enterOption(GrammarAST tree) { }
protected void exitOption(GrammarAST tree) { }

protected void enterOptionValue(GrammarAST
 tree) { }
protected void exitOptionValue(GrammarAST tree) { }

protected void enterDelegateGrammars(GrammarAST tree) { }
protected void exitDelegateGrammars(GrammarAST tree) { }

protected void enterDelegateGrammar(GrammarAST tree) { }
protected void exitDelegateGrammar(GrammarAST tree) { }

protected void enterTokensSpec(GrammarAST tree) { }
protected void exitTokensSpec(GrammarAST tree) { }

protected void enterTokenSpec(GrammarAST tree) { }
protected void exitTokenSpec(GrammarAST tree) { }

protected void enterChannelsSpec(GrammarAST tree) { }
protected void exitChannelsSpec(GrammarAST tree) { }

protected void enterChannelSpec(GrammarAST tree) { }
protected void exitChannelSpec(GrammarAST tree) { }

protected void enterAction(GrammarAST tree) { }
protected void exitAction(GrammarAST tree) { }

protected void enterRules(GrammarAST tree) { }
protected void exitRules(GrammarAST tree) { }
```

```
protected void enterMode(GrammarAST tree) { }
protected void exitMode(GrammarAST tree) { }

protected
 void enterLexerRule(GrammarAST tree) { }
protected void exitLexerRule(GrammarAST tree) { }

protected void enterRule(GrammarAST tree) { }
protected void exitRule(GrammarAST tree) { }

protected void enterExceptionGroup(GrammarAST tree) { }
protected void exitExceptionGroup(GrammarAST tree) { }

protected void enterExceptionHandler(GrammarAST tree) { }
protected void exitExceptionHandler(GrammarAST tree) { }

protected void enterFinallyClause(GrammarAST tree) { }
protected void exitFinallyClause(GrammarAST tree) { }

protected void enterLocals(GrammarAST tree) { }
protected void exitLocals(GrammarAST tree) { }

protected void enterRuleReturns(GrammarAST tree) { }
protected void exitRuleReturns(GrammarAST tree) { }

protected void enterThrowsSpec(GrammarAST tree) { }
protected void exitThrowsSpec(GrammarAST tree) { }

protected void enterRuleAction(GrammarAST tree) { }
protected void exitRuleAction(GrammarAST tree) { }

protected void enterRuleModifier(GrammarAST tree) { }
protected
 void exitRuleModifier(GrammarAST tree) { }

protected void enterLexerRuleBlock(GrammarAST tree) { }
protected void exitLexerRuleBlock(GrammarAST tree) { }

protected void enterRuleBlock(GrammarAST tree) { }
protected void exitRuleBlock(GrammarAST tree) { }

protected void enterLexerOuterAlternative(AltAST tree) { }
protected void exitLexerOuterAlternative(AltAST tree) { }

protected void enterOuterAlternative(AltAST tree) { }
protected void exitOuterAlternative(AltAST tree) { }

protected void enterLexerAlternative(GrammarAST tree) { }
```

```
protected void exitLexerAlternative(GrammarAST tree) { }

protected void enterLexerElements(GrammarAST tree) { }
protected void exitLexerElements(GrammarAST tree) { }

protected void enterLexerElement(GrammarAST tree) { }
protected void exitLexerElement(GrammarAST tree) { }

protected void enterLabeledLexerElement(GrammarAST tree) { }
protected void exitLabeledLexerElement(GrammarAST tree) { }

protected void enterLexerBlock(GrammarAST tree) { }
protected
 void exitLexerBlock(GrammarAST tree) { }

protected void enterLexerAtom(GrammarAST tree) { }
protected void exitLexerAtom(GrammarAST tree) { }

protected void enterActionElement(GrammarAST tree) { }
protected void exitActionElement(GrammarAST tree) { }

protected void enterAlternative(AltAST tree) { }
protected void exitAlternative(AltAST tree) { }

protected void enterLexerCommand(GrammarAST tree) { }
protected void exitLexerCommand(GrammarAST tree) { }

protected void enterLexerCommandExpr(GrammarAST tree) { }
protected void exitLexerCommandExpr(GrammarAST tree) { }

protected void enterElement(GrammarAST tree) { }
protected void exitElement(GrammarAST tree) { }

protected void enterAstOperand(GrammarAST tree) { }
protected void exitAstOperand(GrammarAST tree) { }

protected void enterLabeledElement(GrammarAST tree) { }
protected void exitLabeledElement(GrammarAST tree) { }

protected void enterSubrule(GrammarAST tree) { }
protected void exitSubrule(GrammarAST tree) { }

protected
 void enterLexerSubrule(GrammarAST tree) { }
protected void exitLexerSubrule(GrammarAST tree) { }

protected void enterBlockSuffix(GrammarAST tree) { }
protected void exitBlockSuffix(GrammarAST tree) { }
```

```
protected void enterEbnfSuffix(GrammarAST tree) { }
protected void exitEbnfSuffix(GrammarAST tree) { }

protected void enterAtom(GrammarAST tree) { }
protected void exitAtom(GrammarAST tree) { }

protected void enterBlockSet(GrammarAST tree) { }
protected void exitBlockSet(GrammarAST tree) { }

protected void enterSetElement(GrammarAST tree) { }
protected void exitSetElement(GrammarAST tree) { }

protected void enterBlock(GrammarAST tree) { }
protected void exitBlock(GrammarAST tree) { }

protected void enterRuleref(GrammarAST tree) { }
protected void exitRuleref(GrammarAST tree) { }

protected void enterRange(GrammarAST tree) { }
protected void exitRange(GrammarAST tree) { }

protected void enterTerminal(GrammarAST tree) { }
protected void exitTerminal(GrammarAST tree) { }

protected
 void enterElementOptions(GrammarAST tree) { }
protected void exitElementOptions(GrammarAST tree) { }

protected void enterElementOption(GrammarAST tree) { }
protected void exitElementOption(GrammarAST tree) { }

 @Override
 public void traceIn(String ruleName, int ruleIndex)  {
  System.err.println("enter "+ruleName+": "+input.LT(1));
 }

 @Override
 public void traceOut(String ruleName, int ruleIndex)  {
  System.err.println("exit "+ruleName+": "+input.LT(1));
 }
}

grammarSpec
@init {
 enterGrammarSpec($start);
}
@after {
```

```
 exitGrammarSpec($start);
}
  :   ^( GRAMMAR ID {grammarName=$ID.text;}
     {discoverGrammar((GrammarRootAST)$GRAMMAR, $ID);}
      prequelConstructs
     {finishPrequels($prequelConstructs.firstOne);}
      rules mode*
     {finishGrammar((GrammarRootAST)$GRAMMAR, $ID);}
   )
 ;

prequelConstructs returns [GrammarAST firstOne=null]
@init {
 enterPrequelConstructs($start);
}
@after {
 exitPrequelConstructs($start);
}
 : {$firstOne=$start;} prequelConstruct+
 |
 ;

prequelConstruct
@init
 {
 enterPrequelConstructs($start);
}
@after {
 exitPrequelConstructs($start);
}
 :   optionsSpec
   |   delegateGrammars
   |   tokensSpec
   |   channelsSpec
   |   action
   ;

optionsSpec
@init {
 enterOptionsSpec($start);
}
@after {
 exitOptionsSpec($start);
}
 : ^(OPTIONS option*)
   ;

option
```

```
@init {
 enterOption($start);
 boolean rule = inContext("RULE ...");
 boolean block = inContext("BLOCK ...");
}
@after {
 exitOption($start);
}
  :  ^(a=ASSIGN ID v=optionValue)
   {
   if ( block ) blockOption($ID, $v.start); // most specific first
   else if ( rule ) ruleOption($ID, $v.start);
   else grammarOption($ID, $v.start);
   }
  ;

optionValue returns [String v]
@init {
 enterOptionValue($start);
 $v = $start.token.getText();
}
@after {
 exitOptionValue($start);
}
  :  ID
  |  STRING_LITERAL
  |  INT
  ;

delegateGrammars
@init {
 enterDelegateGrammars($start);
}
@after {
 exitDelegateGrammars($start);
}
 :  ^(IMPORT
 delegateGrammar+)
 ;

delegateGrammar
@init {
 enterDelegateGrammar($start);
}
@after {
 exitDelegateGrammar($start);
}
  :  ^(ASSIGN label=ID id=ID) {importGrammar($label, $id);}
```

```
  |  id=ID      {importGrammar(null, $id);}
  ;

tokensSpec
@init {
 enterTokensSpec($start);
}
@after {
 exitTokensSpec($start);
}
 :   ^(TOKENS_SPEC tokenSpec+)
 ;

tokenSpec
@init {
 enterTokenSpec($start);
}
@after {
 exitTokenSpec($start);
}
 : ID     {defineToken($ID);}
 ;

channelsSpec
@init {
 enterChannelsSpec($start);
}
@after {
 exitChannelsSpec($start);
}
 :   ^(CHANNELS channelSpec+)
 ;

channelSpec
@init {
 enterChannelSpec($start);
}
@after {
 exitChannelSpec($start);
}
 : ID     {defineChannel($ID);}
 ;

action
@init {
 enterAction($start);
}
@after {
```

```
 exitAction($start);
}
 : ^(AT sc=ID? name=ID ACTION) {globalNamedAction($sc, $name, (ActionAST)$ACTION);}
 ;

rules
@init {
 enterRules($start);
}
@after {
 exitRules($start);
}
   : ^(RULES {discoverRules($RULES);} (rule|lexerRule)*
 {finishRules($RULES);})
   ;

mode
@init {
 enterMode($start);
}
@after {
 exitMode($start);
}
 : ^( MODE ID {currentModeName=$ID.text; modeDef($MODE, $ID);} lexerRule* )
 ;

lexerRule
@init {
 enterLexerRule($start);
 List<GrammarAST> mods = new ArrayList<GrammarAST>();
 currentOuterAltNumber=0;
}
@after {
 exitLexerRule($start);
}
 : ^( RULE TOKEN_REF
   {currentRuleName=$TOKEN_REF.text; currentRuleAST=$RULE;}
   (^(RULEMODIFIERS m=FRAGMENT {mods.add($m);}))?
      {discoverLexerRule((RuleAST)$RULE, $TOKEN_REF, mods, (GrammarAST)input.LT(1));}
      lexerRuleBlock
      {
      finishLexerRule((RuleAST)$RULE, $TOKEN_REF, $lexerRuleBlock.start);
      currentRuleName=null; currentRuleAST=null;
      }
      )
 ;

rule
```

```
@init {
 enterRule($start);
 List<GrammarAST> mods = new ArrayList<GrammarAST>();
 List<GrammarAST> actions = new ArrayList<GrammarAST>(); // track roots
 currentOuterAltNumber=0;
}
@after {
 exitRule($start);
}
 :   ^( RULE RULE_REF {currentRuleName=$RULE_REF.text;
 currentRuleAST=$RULE;}
  (^(RULEMODIFIERS (m=ruleModifier{mods.add($m.start);})+))?
  ARG_ACTION?
     ret=ruleReturns?
     thr=throwsSpec?
     loc=locals?
     ( opts=optionsSpec
    |  a=ruleAction {actions.add($a.start);}
    )*
     {discoverRule((RuleAST)$RULE, $RULE_REF, mods, (ActionAST)$ARG_ACTION,
         $ret.start!=null?(ActionAST)$ret.start.getChild(0):null,
         $thr.start, $opts.start,
         $loc.start!=null?(ActionAST)$loc.start.getChild(0):null,
         actions, (GrammarAST)input.LT(1));}
     ruleBlock exceptionGroup
     {finishRule((RuleAST)$RULE, $RULE_REF, $ruleBlock.start); currentRuleName=null; currentRuleAST=null;}
     )
  ;

exceptionGroup
@init {
 enterExceptionGroup($start);
}
@after {
 exitExceptionGroup($start);
}
  : exceptionHandler* finallyClause?
  ;

exceptionHandler
@init {
 enterExceptionHandler($start);
}
@after {
 exitExceptionHandler($start);
}
 : ^(CATCH ARG_ACTION ACTION) {ruleCatch($ARG_ACTION,
```

```
 (ActionAST)$ACTION);}
 ;

finallyClause
@init {
 enterFinallyClause($start);
}
@after {
 exitFinallyClause($start);
}
 : ^(FINALLY ACTION)    {finallyAction((ActionAST)$ACTION);}
 ;

locals
@init {
 enterLocals($start);
}
@after {
 exitLocals($start);
}
 : ^(LOCALS ARG_ACTION)
 ;

ruleReturns
@init {
 enterRuleReturns($start);
}
@after {
 exitRuleReturns($start);
}
 : ^(RETURNS ARG_ACTION)
 ;

throwsSpec
@init {
 enterThrowsSpec($start);
}
@after {
 exitThrowsSpec($start);
}
   : ^(THROWS ID+)
   ;

ruleAction
@init {
 enterRuleAction($start);
}
@after {
```

```
 exitRuleAction($start);
}
 : ^(AT ID ACTION)
 ;

ruleModifier
@init {
 enterRuleModifier($start);
}
@after {
 exitRuleModifier($start);
}
   : PUBLIC
   | PRIVATE
   | PROTECTED
   | FRAGMENT
   ;

lexerRuleBlock
@init {
 enterLexerRuleBlock($start);
}
@after {
 exitLexerRuleBlock($start);
}
   : ^( BLOCK
     ( {
      currentOuterAltRoot = (GrammarAST)input.LT(1);
    currentOuterAltNumber++;
    }
       lexerOuterAlternative
     )+
    )
   ;

ruleBlock
@init {
 enterRuleBlock($start);
}
@after {
 exitRuleBlock($start);
}
   : ^( BLOCK
     ( {
      currentOuterAltRoot = (GrammarAST)input.LT(1);
    currentOuterAltNumber++;
    }
      outerAlternative
```

```
    )+
   )
  ;

lexerOuterAlternative
@init {
 enterLexerOuterAlternative((AltAST)$start);
 discoverOuterAlt((AltAST)$start);
}
@after {
 finishOuterAlt((AltAST)$start);
 exitLexerOuterAlternative((AltAST)$start);
}
 : lexerAlternative
 ;


outerAlternative
@init {
 enterOuterAlternative((AltAST)$start);
 discoverOuterAlt((AltAST)$start);
}
@after {
 finishOuterAlt((AltAST)$start);
 exitOuterAlternative((AltAST)$start);
}
 : alternative
 ;

lexerAlternative
@init {
 enterLexerAlternative($start);
}
@after {
 exitLexerAlternative($start);
}
 : ^(LEXER_ALT_ACTION lexerElements lexerCommand+)
  |  lexerElements
  ;

lexerElements
@init {
 enterLexerElements($start);
}
@after {
 exitLexerElements($start);
}
```

```
    : ^(ALT lexerElement+)
   ;

lexerElement
@init {
 enterLexerElement($start);
}
@after {
 exitLexerElement($start);
}
 : labeledLexerElement
 | lexerAtom
 | lexerSubrule
 |   ACTION      {actionInAlt((ActionAST)$ACTION);}
 |   SEMPRED      {sempredInAlt((PredAST)$SEMPRED);}
 |   ^(ACTION elementOptions) {actionInAlt((ActionAST)$ACTION);}
 |   ^(SEMPRED elementOptions) {sempredInAlt((PredAST)$SEMPRED);}
 | EPSILON
 ;

labeledLexerElement
@init {
 enterLabeledLexerElement($start);
}
@after {
 exitLabeledLexerElement($start);
}
   :   ^((ASSIGN|PLUS_ASSIGN) ID (lexerAtom|block))
 ;

lexerBlock
@init {
 enterLexerBlock($start);
}
@after {
 exitLexerBlock($start);
}
 : ^(BLOCK optionsSpec? lexerAlternative+)
   ;

lexerAtom
@init {
 enterLexerAtom($start);
}
@after {
 exitLexerAtom($start);
}
   :   terminal
```

```
  |  ^(NOT blockSet)
  |  blockSet
  |  ^(WILDCARD elementOptions)
  |  WILDCARD
  | LEXER_CHAR_SET
  |  range
  |  ruleref
  ;

actionElement
@init {
 enterActionElement($start);
}
@after
 {
 exitActionElement($start);
}
 : ACTION
 |  ^(ACTION elementOptions)
 |  SEMPRED
 |  ^(SEMPRED elementOptions)
 ;

alternative
@init {
 enterAlternative((AltAST)$start);
 discoverAlt((AltAST)$start);
}
@after {
 finishAlt((AltAST)$start);
 exitAlternative((AltAST)$start);
}
 : ^(ALT elementOptions? element+)
 | ^(ALT elementOptions? EPSILON)
  ;

lexerCommand
@init {
 enterLexerCommand($start);
}
@after {
 exitLexerCommand($start);
}
 : ^(LEXER_ACTION_CALL ID lexerCommandExpr)
      {lexerCallCommand(currentOuterAltNumber, $ID, $lexerCommandExpr.start);}
 | ID
      {lexerCommand(currentOuterAltNumber, $ID);}
 ;
```

```
lexerCommandExpr
@init {
 enterLexerCommandExpr($start);
}
@after {
 exitLexerCommandExpr($start);
}
 : ID
 | INT
 ;

element
@init {
 enterElement($start);
}
@after {
 exitElement($start);
}
 : labeledElement
 | atom
 | subrule
 |   ACTION      {actionInAlt((ActionAST)$ACTION);}
 |   SEMPRED      {sempredInAlt((PredAST)$SEMPRED);}
 |
   ^(ACTION elementOptions) {actionInAlt((ActionAST)$ACTION);}
 |   ^(SEMPRED elementOptions) {sempredInAlt((PredAST)$SEMPRED);}
 | range
 | ^(NOT blockSet)
 | ^(NOT block)
 ;

astOperand
@init {
 enterAstOperand($start);
}
@after {
 exitAstOperand($start);
}
 : atom
 | ^(NOT blockSet)
 | ^(NOT block)
 ;

labeledElement
@init {
 enterLabeledElement($start);
}
```

```
@after {
 exitLabeledElement($start);
}
 : ^((ASSIGN|PLUS_ASSIGN) ID element) {label($start, $ID, $element.start);}
 ;

subrule
@init {
 enterSubrule($start);
}
@after {
 exitSubrule($start);
}
 : ^(blockSuffix block)
 | block
   ;

lexerSubrule
@init {
 enterLexerSubrule($start);
}
@after {
 exitLexerSubrule($start);
}
 : ^(blockSuffix lexerBlock)
 | lexerBlock
   ;

blockSuffix
@init {
 enterBlockSuffix($start);
}
@after {
 exitBlockSuffix($start);
}
   : ebnfSuffix
   ;

ebnfSuffix
@init {
 enterEbnfSuffix($start);
}
@after {
 exitEbnfSuffix($start);
}
 : OPTIONAL
  | CLOSURE
   | POSITIVE_CLOSURE
```

```
 ;

atom
@init {
 enterAtom($start);
}
@after
 {
 exitAtom($start);
}
 : ^(DOT ID terminal)
 | ^(DOT ID ruleref)
   | ^(WILDCARD elementOptions) {wildcardRef($WILDCARD);}
   | WILDCARD     {wildcardRef($WILDCARD);}
   |   terminal
   | blockSet
   |   ruleref
   ;

blockSet
@init {
 enterBlockSet($start);
}
@after {
 exitBlockSet($start);
}
 : ^(SET setElement+)
 ;

setElement
@init {
 enterSetElement($start);
}
@after {
 exitSetElement($start);
}
 : ^(STRING_LITERAL elementOptions)    {stringRef((TerminalAST)$STRING_LITERAL);}
 | ^(TOKEN_REF elementOptions)   {tokenRef((TerminalAST)$TOKEN_REF);}
 | STRING_LITERAL                 {stringRef((TerminalAST)$STRING_LITERAL);}
 | TOKEN_REF                   {tokenRef((TerminalAST)$TOKEN_REF);}
 | ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
  {
  stringRef((TerminalAST)$a);
  stringRef((TerminalAST)$b);
  }
     |      LEXER_CHAR_SET
 ;
```

```
block
@init {
 enterBlock($start);
}
@after {
 exitBlock($start);
}
   : ^(BLOCK optionsSpec? ruleAction* ACTION?
 alternative+)
   ;

ruleref
@init {
 enterRuleref($start);
}
@after {
 exitRuleref($start);
}
   : ^(RULE_REF arg=ARG_ACTION? elementOptions?)
    {
    ruleRef($RULE_REF, (ActionAST)$ARG_ACTION);
    if ( $arg!=null ) actionInAlt((ActionAST)$arg);
    }
   ;

range
@init {
 enterRange($start);
}
@after {
 exitRange($start);
}
   : ^(RANGE STRING_LITERAL STRING_LITERAL)
   ;

terminal
@init {
 enterTerminal($start);
}
@after {
 exitTerminal($start);
}
   :  ^(STRING_LITERAL elementOptions)
         {stringRef((TerminalAST)$STRING_LITERAL);}
   | STRING_LITERAL    {stringRef((TerminalAST)$STRING_LITERAL);}
   | ^(TOKEN_REF elementOptions) {tokenRef((TerminalAST)$TOKEN_REF);}
   | TOKEN_REF        {tokenRef((TerminalAST)$TOKEN_REF);}
   ;
```

```
elementOptions
@init {
 enterElementOptions($start);
}
@after {
 exitElementOptions($start);
}
   : ^(ELEMENT_OPTIONS elementOption[(GrammarASTWithOptions)$start.getParent()]*)
   ;

elementOption[GrammarASTWithOptions t]
@init {
 enterElementOption($start);
}
@after
 {
 exitElementOption($start);
}
   : ID        {elementOption(t, $ID, null);}
   |  ^(ASSIGN id=ID v=ID)   {elementOption(t, $id, $v);}
   |  ^(ASSIGN ID v=STRING_LITERAL) {elementOption(t, $ID, $v);}
   |  ^(ASSIGN ID v=ACTION)   {elementOption(t, $ID, $v);}
   |  ^(ASSIGN ID v=INT)    {elementOption(t, $ID, $v);}
   ;
```

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/parse/GrammarTreeVisitor.g
No license file was found, but licenses were detected in source scan.

~ Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/META-INF/maven/org.antlr/antlr4/pom.xml
No license file was found, but licenses were detected in source scan.

```
/*
* [The "BSD license"]
*  Copyright (c) 2012-2016 Terence Parr
*  Copyright (c) 2012-2016 Sam Harwell
*  Copyright (c) 2015 Janyou
*  All rights reserved.
*
*  Redistribution and use in source and binary forms, with or without
*  modification, are permitted provided that the following conditions
*  are met:
```

```
*
*  1. Redistributions of source code must retain the above copyright
*     notice, this list of conditions and the following disclaimer.
*  2. Redistributions in binary form must reproduce the above copyright
*     notice, this list of conditions and the following disclaimer in the
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
*  IMPLIED WARRANTIES,
 INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

SwiftTypeInitMap ::= [
 "Int":"0",
 "Int64":"0",
 "Float":"0.0",
 "Double":"0.0",
 "Bool":"false",
 default:"nil" // anything other than a primitive type is an object
]
SwiftTypeMap ::= [
 "int":"Int",
 "float":"Float",
 "long":"Int64",
 "double":"Double",
 "bool":"Bool",
 "boolean":"Bool",
 default : key
]
// args must be <object-model-object>,
 <fields-resulting-in-STs>

accessLevelOpenOK(obj) ::= "<obj.accessLevel; null=\"open\">"
accessLevelNotOpen(obj) ::= "<obj.accessLevel; null=\"public\">"

ParserFile(file, parser, namedActions,contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
```

```
<!package <file.genPackage>;!>
<endif>
<namedActions.header>
import Antlr4

<parser>
>>

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>
import Antlr4

/**
* This interface defines a complete listener for a parse tree produced by
* {@link <file.parserName>}.
*/
<accessLevelNotOpen(file)> protocol <file.grammarName>Listener: ParseTreeListener {
 <file.listenerNames:{lname |
/**
<if(file.listenerLabelRuleNames.(lname))>
* Enter a parse tree produced by the {@code <lname>\}
* labeled alternative in {@link <file.parserName>#<file.listenerLabelRuleNames.(lname)>\}.
<else>
 * Enter a parse tree produced by {@link <file.parserName>#<lname>\}.
<endif>
- Parameters:
  - ctx: the parse tree
*/
func enter<lname; format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context)
/**
<if(file.listenerLabelRuleNames.(lname))>
* Exit a parse tree produced by the {@code <lname>\}
* labeled alternative in {@link <file.parserName>#<file.listenerLabelRuleNames.(lname)>\}.
<else>
* Exit a parse tree produced by {@link <file.parserName>#<lname>\}.
<endif>
- Parameters:
  - ctx: the parse tree
*/
func exit<lname; format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context)}; separator="\n">
}
>>

BaseListenerFile(file, header, namedActions) ::= <<
```

```
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>

import Antlr4


/**
* This class provides an empty implementation of {@link <file.grammarName>Listener},
* which can be extended to create a listener which only needs to handle
 a subset
* of the available methods.
*/
<accessLevelOpenOK(file)> class <file.grammarName>BaseListener: <file.grammarName>Listener {
    <accessLevelNotOpen(file)> init() { \}
 <file.listenerNames:{lname |

/**
* {@inheritDoc\}
*
* \<p>The default implementation does nothing.\</p>
*/
<accessLevelOpenOK(file)> func enter<lname; format="cap">(_ ctx: <file.parserName>.<lname;
format="cap">Context) { \}
/**
* {@inheritDoc\}
*
* \<p>The default implementation does nothing.\</p>
*/
<accessLevelOpenOK(file)> func exit<lname; format="cap">(_ ctx: <file.parserName>.<lname;
format="cap">Context) { \}}; separator="\n">

 /**
  * {@inheritDoc\}
  *
  * \<p>The default implementation does nothing.\</p>
  */
 <accessLevelOpenOK(file)> func enterEveryRule(_ ctx: ParserRuleContext) { }
 /**
  * {@inheritDoc\}
  *
  * \<p>The default implementation does nothing.\</p>
  */
 <accessLevelOpenOK(file)> func exitEveryRule(_ ctx: ParserRuleContext) { }
 /**
  * {@inheritDoc\}
```

```
 *
 * \<p>The default
 implementation does nothing.\</p>
 */
 <accessLevelOpenOK(file)> func visitTerminal(_ node: TerminalNode) { }
 /**
 * {@inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
 <accessLevelOpenOK(file)> func visitErrorNode(_ node: ErrorNode) { }
}
>>

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>
import Antlr4

/**
* This interface defines a complete generic visitor for a parse tree produced
* by {@link <file.parserName>}.
*
* @param \<T> The return type of the visit operation. Use {@link Void} for
* operations with no return type.
*/
<accessLevelOpenOK(file)> class <file.grammarName>Visitor\<T>: ParseTreeVisitor\<T> {
 <file.visitorNames:{lname |
/**
<if(file.visitorLabelRuleNames.(lname))>
* Visit a parse tree produced by the {@code <lname>\}
* labeled alternative in {@link <file.parserName>#<file.visitorLabelRuleNames.(lname)>\}.
<else>
 * Visit a parse tree produced by {@link <file.parserName>#<lname>\}.
<endif>
- Parameters:
 - ctx: the parse tree
- returns: the visitor result
*/
<accessLevelOpenOK(file)> func visit<lname; format="cap">(_ ctx: <file.parserName>.<lname;
format="cap">Context) -> T {
 fatalError(#function + " must be overridden")
\}
}; separator="\n">
}
```

```
>>

BaseVisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>
import Antlr4

/**
* This class provides an empty implementation of {@link <file.grammarName>Visitor},
* which can be extended to create a visitor which only needs to handle a subset
* of the available methods.
*
* @param \<T> The return type of the visit operation. Use {@link Void} for
* operations with no return type.
*/
<accessLevelOpenOK(file)> class <file.grammarName>BaseVisitor\<T>: AbstractParseTreeVisitor\<T> {
 <file.visitorNames:{lname |
/**
*
 {@inheritDoc\}
*
* \<p>The default implementation returns the result of calling
* {@link #visitChildren\} on {@code ctx\}.\</p>
*/
<accessLevelOpenOK(file)> func visit<lname; format="cap">(_ ctx: <file.parserName>.<lname;
format="cap">Context) -> T? { return visitChildren(ctx) \}}; separator="\n">
}
>>

fileHeader(grammarFileName, ANTLRVersion) ::= <<
// Generated from <grammarFileName; format="java-escape"> by ANTLR <ANTLRVersion>
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
<!//@SuppressWarnings({"all", "warnings", "unchecked", "unused", "cast"})!>
<accessLevelOpenOK(parser)> class <parser.name>: <superClass; null="Parser"> {

 internal static var _decisionToDFA: [DFA] = {
        var decisionToDFA = [DFA]()
        let length = <parser.name>._ATN.getNumberOfDecisions()
        for i in 0..\<length {
```

```
        <!// decisionToDFA[i] = DFA(<parser.name>._ATN.getDecisionState(i)!,
i);!>
         decisionToDFA.append(DFA(<parser.name>._ATN.getDecisionState(i)!, i))
        }
        return decisionToDFA
    }()

internal static let _sharedContextCache = PredictionContextCache()

<if(parser.tokens)>
<accessLevelNotOpen(parser)>
enum Tokens: Int {
 case EOF = -1, <parser.tokens:{k | <k> = <parser.tokens.(k)>}; separator=", ", wrap, anchor>
}
      <endif>

<accessLevelNotOpen(parser)>
static let <parser.rules:{r | RULE_<r.name> = <r.index>}; separator=", ", wrap, anchor>

<accessLevelNotOpen(parser)>
static let ruleNames: [String] = [
 <parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
]

<vocabulary(parser.literalNames, parser.symbolicNames,
                accessLevelNotOpen(parser))>

override <accessLevelOpenOK(parser)>
func getGrammarFileName() -> String { return "<parser.grammarFileName; format="java-escape">" }

override <accessLevelOpenOK(parser)>
func getRuleNames() -> [String] { return
<parser.name>.ruleNames }

override <accessLevelOpenOK(parser)>
func getSerializedATN() -> String { return <parser.name>._serializedATN }

override <accessLevelOpenOK(parser)>
func getATN() -> ATN { return <parser.name>._ATN }

<namedActions.members>
<parser:(ctor)()>
<funcs; separator="\n">

<if(sempredFuncs)>
 override <accessLevelOpenOK(parser)>
 func sempred(_ _localctx: RuleContext?, _ ruleIndex: Int,  _ predIndex: Int)throws -> Bool {
  switch (ruleIndex) {
```

```
 <parser.sempredFuncs.values:{f|
case  <f.ruleIndex>:
 return try <f.name>_sempred(_localctx?.castdown(<f.ctxType>.self), predIndex)}; separator="\n">
    default: return true
  }
 <!return true;!>
 }
 <sempredFuncs.values; separator="\n">
<endif>

 <atn>

 <accessLevelNotOpen(parser)>
 static let _serializedATN = <parser.name>ATN().jsonString

 <accessLevelNotOpen(parser)>
 static let _ATN = ATNDeserializer().deserializeFromJson(_serializedATN)
}
>>

vocabulary(literalNames, symbolicNames, accessLevel) ::= <<
private
 static let _LITERAL_NAMES: [String?] = [
 <literalNames:{t | <t>}; null="nil", separator=", ", wrap, anchor>
]
private static let _SYMBOLIC_NAMES: [String?] = [
 <symbolicNames:{t | <t>}; null="nil", separator=", ", wrap, anchor>
]
<accessLevel>
static let VOCABULARY = Vocabulary(_LITERAL_NAMES, _SYMBOLIC_NAMES)
>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
override <accessLevelOpenOK(parser)>
func action(_ _localctx: RuleContext?,  _ ruleIndex: Int, _ actionIndex: Int) throws {
 switch (ruleIndex) {
 <recog.actionFuncs.values:{f|
case <f.ruleIndex>:
 <f.name>_action((_localctx as <f.ctxType>?), actionIndex)
  }; separator="\n">
 default: break
 }
}
<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
override <accessLevelOpenOK(parser)>
```

```
func sempred(_ _localctx: RuleContext?, _  ruleIndex: Int,_   predIndex: Int) throws -> Bool {
 switch (ruleIndex) {
 <recog.sempredFuncs.values:{f|
case <f.ruleIndex>:
 return try <f.name>_sempred(_localctx?.castdown(<f.ctxType>.self),
 predIndex)}; separator="\n">
 default: return true
 }
 <!return true;!>
}
<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(p) ::= <<

override <accessLevelOpenOK(parser)>
func getVocabulary() -> Vocabulary {
   return <p.name>.VOCABULARY
}

override <accessLevelNotOpen(parser)>
init(_ input:TokenStream) throws {
   RuntimeMetaData.checkVersion("4.7.2", RuntimeMetaData.VERSION)
 try super.init(input)
 _interp = ParserATNSimulator(self,<p.name>._ATN,<p.name>._decisionToDFA,
<parser.name>._sharedContextCache)
}

>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<
private func <r.name>_action(_ _localctx: <r.ctxType>?,  _ actionIndex: Int) {
 switch (actionIndex) {
 <actions:{index|
case <index>:
 <actions.(index)>
  }; separator="\n">
  default: break
 }
}
>>

/* This generates a private method since the predIndex
```

```
 is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
private func <r.name>_sempred(_ _localctx: <r.ctxType>!,  _ predIndex: Int) throws -> Bool {
 switch (predIndex) {
 <actions:{index|
  case <index>:return <actions.(index)>}; separator="\n">
    default: return true
 }
 <!return true;!>
}
>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<
<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">
@discardableResult
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else> <accessLevelOpenOK(parser)> func
<endif><currentRule.name>(<if(first(args))>_ <endif><args; separator=", _">) throws -> <currentRule.ctxType> {
 var _localctx: <currentRule.ctxType> = <currentRule.ctxType>(_ctx, getState()<currentRule.args:{a | ,
<a.name>}>)
 try enterRule(_localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>)
 <namedActions.init>
 <locals;
 separator="\n">
 defer {
    <finallyAction>
    try! exitRule()
  }
 do {
<if(currentRule.hasLookaheadBlock)>
 var _alt:Int
<endif>
  <code>
 <postamble; separator="\n">
  <namedActions.after>
 }
 <if(exceptions)>
 <exceptions; separator="\n">
 <else>
 catch ANTLRException.recognition(let re) {
  _localctx.exception = re
  _errHandler.reportError(self, re)
  try _errHandler.recover(self, re)
 }
 <endif>
```

```
 return _localctx
}
>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
 namedActions,finallyAction,postamble) ::=
<<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else> <accessLevelNotOpen(parser)> final <endif>
func <currentRule.name>( <if(first(args))>_ <endif><args; separator=", _">) throws -> <currentRule.ctxType>   {
 return try <currentRule.name>(0<currentRule.args:{a | , <a.name>}>)
}
@discardableResult
private func <currentRule.name>(_
 _p<args:{a | , <a>}>: Int) throws -> <currentRule.ctxType>   {
 let _parentctx: ParserRuleContext? = _ctx
 var _parentState: Int = getState()
 var _localctx: <currentRule.ctxType> = <currentRule.ctxType>(_ctx, _parentState<currentRule.args:{a | ,
<a.name>}>)
 var  _prevctx: <currentRule.ctxType> = _localctx
 var _startState: Int = <currentRule.startState>
 try enterRecursionRule(_localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>, _p)
 <namedActions.init>
 <locals; separator="\n">
 defer {
    <finallyAction>
    try! unrollRecursionContexts(_parentctx)
  }
 do {
<if(currentRule.hasLookaheadBlock)>
  var _alt: Int
<endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
 }
 catch ANTLRException.recognition(let re) {
  _localctx.exception = re
  _errHandler.reportError(self, re)
  try _errHandler.recover(self, re)
 }

 return _localctx;
}
```

```
>>

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>_localctx
 =  <currentOuterMostAltCodeBlock.altLabel; format="cap">Context(_localctx);<endif>
try enterOuterAlt(_localctx, <currentOuterMostAltCodeBlock.alt.altNum>)
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<!//{!>
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
<!//}!>
>>

LL1AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = try _input.LT(1)<endif>
<preamble; separator="\n">
switch (<parser.name>.Tokens(rawValue: try _input.LA(1))!) {
<choice.altLook,alts:{look,alt | <cases(ttypes=look)>
 <alt>
 break}; separator="\n">
default:
 <error>
}
>>

LL1OptionalBlock(choice, alts, error) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
switch (<parser.name>.Tokens(rawValue: try _input.LA(1))!) {
<choice.altLook,alts:{look,alt|
 <cases(ttypes=look)>
 <alt>
 break}; separator="\n">
default:
 break
}
>>

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
<preamble; separator="\n">
```

```
if (<expr>) {
 <alts; separator="\n">
}
<!else if ( !(<followExpr>) ) <error>!>
>>

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
<preamble; separator="\n">
while (<loopExpr>) {
 <alts; separator="\n">
 setState(<choice.loopBackStateNumber>)
 try _errHandler.sync(self)
 <iteration>
}
>>

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
setState(<choice.blockStartStateNumber>) <! alt block decision !>
try _errHandler.sync(self)
<preamble; separator="\n">
repeat {
 <alts; separator="\n">
 setState(<choice.stateNumber>); <! loopback/exit decision !>
 try _errHandler.sync(self)
 <iteration>
} while (<loopExpr>)
>>

// LL(*) stuff

AltBlock(choice,
 preamble, alts, error) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = try _input.LT(1)<endif>
<preamble; separator="\n">
switch(try getInterpreter().adaptivePredict(_input,<choice.decision>, _ctx)) {
<alts:{alt |
case <i>:
 <alt>
 break}; separator="\n">
default: break
}
>>

OptionalBlock(choice, alts, error) ::= <<
```

```
setState(<choice.stateNumber>)
try _errHandler.sync(self)
switch (try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)) {
<alts:{alt |
case <i><if(!choice.ast.greedy)>+1<endif>:
 <alt>
 break}; separator="\n">
default: break
}
>>

StarBlock(choice, alts, sync, iteration) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
_alt = try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)
while (_alt != <choice.exitAlt> && _alt != ATN.INVALID_ALT_NUMBER) {
 if ( _alt==1<if(!choice.ast.greedy)>+1<endif> ) {
  <iteration>
  <alts> <! should only be one !>
 }
 setState(<choice.loopBackStateNumber>)
 try
 _errHandler.sync(self)
 _alt = try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)
}
>>

PlusBlock(choice, alts, error) ::= <<
setState(<choice.blockStartStateNumber>); <! alt block decision !>
try _errHandler.sync(self)
_alt = 1<if(!choice.ast.greedy)>+1<endif>;
repeat {
 switch (_alt) {
 <alts:{alt|
case <i><if(!choice.ast.greedy)>+1<endif>:
 <alt>
 break}; separator="\n">
 default:
  <error>
 }
 setState(<choice.loopBackStateNumber>); <! loopback/exit decision !>
 try _errHandler.sync(self)
 _alt = try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)
} while (_alt != <choice.exitAlt> && _alt !=  ATN.INVALID_ALT_NUMBER)
>>

Sync(s) ::= "sync(<s.expecting.name>);"
```

```
ThrowNoViableAlt(t) ::= "throw ANTLRException.recognition(e: NoViableAltException(self))"

TestSetInline(s) ::= <<
<!<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator="
 || ">!>
//closure
{ () -> Bool in
    <if(rest(s.bitsets))>var<else>let<endif> testSet: Bool = <first(s.bitsets):{bits |
<if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s, bits)><endif>}>
       <rest(s.bitsets):{bits | testSet = testSet || <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s,
bits)><else><bitsetInlineComparison(s, bits)><endif>}; separator="\n">
    return testSet
}()
>>

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <<
<!(<testShiftInRange({<offsetShift(s.varName, bits.shift)>})> && ((1 \<\< <offsetShift(s.varName, bits.shift)>) &
(<bits.ttypes:{ttype | (1 \<\< <offsetShift(ttype, bits.shift)>)}; separator=" | ">)) != 0)!>
{  () -> Bool in
   <! let test: Bool =
 (<testShiftInRange({<offsetShift(s.varName, bits.shift)>})>)!>
  <!var temp: Int64 =  Int64(<offsetShift(s.varName, bits.shift)>)!>
  <!temp = (temp \< 0) ? (64 + (temp % 64 )) : (temp % 64)!>
  <!let test1: Int64 = (Int64(1) \<\< temp)!>
  <!var test2: Int64 = (<first(bits.ttypes):{ttype | Utils.bitLeftShift(<offsetShift(parserName(ttype), bits.shift)>)}>)!>
  <!<rest(bits.ttypes):{ttype | test2 = test2 | Utils.bitLeftShift(<offsetShift(parserName(ttype), bits.shift)>)};
separator="\n">!>
  let testArray: [Int] = [<s.varName>, <bits.ttypes:{ttype |<parserName(ttype)>}; separator=",">]
  <!var test2: Int64 = Utils.testBitLeftShiftArray(testArray)!>
   return  Utils.testBitLeftShiftArray(testArray, <bits.shift>)
}()
>>

isZero ::= [
"0": true,
default: false
]
parserName(ttype) ::= <%
<parser.name>.Tokens.<ttype>.rawValue
%>
offsetShift(shiftAmount, offset) ::= <%
```

```
<if(!isZero.(offset))>(<shiftAmount> - <offset>)<else><shiftAmount><endif>
%>

// produces more efficient bytecode
 when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName> == <parser.name>.Tokens.<ttype>.rawValue}; separator=" || ">
%>

cases(ttypes) ::= <<
<trunc(ttypes): {t | case .<t>:fallthrough}  ; separator="\n">
<last(ttypes): {t | case .<t>:}  ; separator="\n">
>>

InvokeRule(r, argExprsChunks) ::= <<
setState(<r.stateNumber>)
<if(r.labels)>
try {
  let assignmentValue = try
<r.name>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChunks>)
  <r.labels:{l | <labelref(l)> = assignmentValue} ; separator="\n">
    }()
<else>try
<r.name>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChunks>)<endif>
>>

MatchToken(m) ::= <<
setState(<m.stateNumber>)
<if(m.labels)>
try {
  let assignmentValue = try match(<parser.name>.Tokens.<m.name>.rawValue)
  <m.labels:{l | <labelref(l)> = assignmentValue}  ; separator="\n">
    }()
<else>try match(<parser.name>.Tokens.<m.name>.rawValue)<endif>
>>

MatchSet(m,
 expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
setState(<m.stateNumber>)
<if(m.labels)><m.labels:{l | <labelref(l)> = }>try _input.LT(1)<endif>
<capture>
if (<if(invert)><m.varName> \<= 0 || <else>!<endif>(<expr>)) {
 <if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>try _errHandler.recoverInline(self)<if(m.labels)> as
Token<endif>
```

```
}
else {
 _errHandler.reportMatch(self)
 try consume()
}
>>

Wildcard(w) ::= <<
setState(<w.stateNumber>)
<if(w.labels)><w.labels:{l | <labelref(l)> = }><endif>try matchWildcard();
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
setState(<p.stateNumber>)
if (!(<chunks>)) {
  throw ANTLRException.recognition(e:FailedPredicateException(self, <p.predicate><if(failChunks)>,
<failChunks><elseif(p.msg)>,
 <p.msg><endif>))
}
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
 <catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand()  ::= "skip()"
LexerMoreCommand()  ::= "more()"
LexerPopModeCommand() ::= "popMode()"

LexerTypeCommand(arg)      ::= "_type = <arg>"
LexerChannelCommand(arg)   ::= "_channel = <arg>"
LexerModeCommand(arg)      ::= "_mode = <arg>"
LexerPushModeCommand(arg)  ::= "pushMode(<arg>)"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "_localctx.<a.name>"
LocalRef(a) ::= "_localctx.<a.name>"
```

```
RetValueRef(a) ::= "_localctx.<a.name>"
QRetValueRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType;
 null={Token}>"

TokenPropertyRef_text(t) ::= "(<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getText()! : \"\")"
TokenPropertyRef_type(t) ::= "(<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getType() : 0)"
TokenPropertyRef_line(t) ::= "(<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getLine() : 0)"
TokenPropertyRef_pos(t) ::= "(<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getCharPositionInLine() : 0)"
TokenPropertyRef_channel(t) ::= "(<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getChannel() : 0)"
TokenPropertyRef_index(t) ::= "(<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getTokenIndex() : 0)"
TokenPropertyRef_int(t) ::= "(<ctx(t)>.<t.label> != nil ? Int(<ctx(t)>.<t.label>!.getText()!) : 0)"

RulePropertyRef_start(r) ::= "(<ctx(r)>.<r.label> != nil ? (<ctx(r)>.<r.label>!.start?.description ?? \"\") : \"\")"
RulePropertyRef_stop(r)  ::= "(<ctx(r)>.<r.label> != nil ? (<ctx(r)>.<r.label>!.stop?.description ?? \"\") : \"\")"
RulePropertyRef_text(r)  ::= "(<ctx(r)>.<r.label>
 != nil ? try _input.getText(<ctx(r)>.<r.label>!.start,<ctx(r)>.<r.label>!.stop) : \"\")"
RulePropertyRef_ctx(r)  ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r)  ::= "self"

ThisRulePropertyRef_start(r) ::= "_localctx.start"
ThisRulePropertyRef_stop(r)  ::= "_localctx.stop"
ThisRulePropertyRef_text(r)  ::= "(try _input.getText(_localctx.start, try _input.LT(-1)))"
ThisRulePropertyRef_ctx(r)  ::= "_localctx"
ThisRulePropertyRef_parser(r)  ::= "self"

NonLocalAttrRef(s)   ::= "((<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>)).<s.name>"
SetNonLocalAttr(s, rhsChunks)   ::=
 "((<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>)).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.append(<labelref(a.label)>)"

TokenDecl(t) ::= "<t.name>: <SwiftTypeMap.(TokenLabelType())>!"
TokenTypeDecl(t) ::= "var <t.name>: Int = 0"
TokenListDecl(t) ::= "<t.name>: [Token] = [Token]()"
RuleContextDecl(r) ::= "<r.name>: <r.ctxName>!"
RuleContextListDecl(rdecl)
 ::= "<rdecl.name>: [<rdecl.ctxName>] = [<rdecl.ctxName>]()"

ContextTokenGetterDecl(t) ::= <<
 <accessLevelOpenOK(parser)>
```

```
 func <t.name>() -> TerminalNode? {
  return getToken(<parser.name>.Tokens.<t.name>.rawValue, 0)
 }
>>
ContextTokenListGetterDecl(t) ::= <<
 <accessLevelOpenOK(parser)>
 func <t.name>() -> [TerminalNode] {
  return getTokens(<parser.name>.Tokens.<t.name>.rawValue)
 }
>>
ContextTokenListIndexedGetterDecl(t) ::= <<
 <accessLevelOpenOK(parser)>
 func <t.name>(_ i:Int) -> TerminalNode? {
  return getToken(<parser.name>.Tokens.<t.name>.rawValue, i)
 }
>>
ContextRuleGetterDecl(r) ::= <<
 <accessLevelOpenOK(parser)>
 func <r.name>() -> <r.ctxName>? {
  return getRuleContext(<r.ctxName>.self, 0)
 }
>>
ContextRuleListGetterDecl(r) ::= <<
 <accessLevelOpenOK(parser)>
 func <r.name>() -> [<r.ctxName>] {
  return getRuleContexts(<r.ctxName>.self)
 }
>>
ContextRuleListIndexedGetterDecl(r)   ::= <<
 <accessLevelOpenOK(parser)>
 func <r.name>(_
 i: Int) -> <r.ctxName>? {
  return getRuleContext(<r.ctxName>.self, i)
 }
>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
* r becomes rContext.
*/
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
ImplicitRuleLabel(ruleName)   ::= "_<ruleName>"
ImplicitSetLabel(id)    ::= "_tset<id>"
ListLabelName(label)    ::= "<label>"
```

```
CaptureNextToken(d) ::= "<d.varName> = try _input.LT(1)"
CaptureNextTokenType(d) ::= "<d.varName> = try _input.LA(1)"

StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers,
        superClass={ParserRuleContext}) ::= <<

<accessLevelNotOpen(parser)> class <struct.name>:
<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif><if(interfaces)>, <interfaces;
separator=", "><endif> {
 <attrs:{a | <accessLevelOpenOK(parser)> var <a>}; separator="\n">
 <getters:{g | <g>}; separator="\n">
 <! <if(ctorAttrs)> <accessLevelNotOpen(parser)>
 init(_ parent: ParserRuleContext,_ invokingState: Int) { super.init(parent, invokingState)  }<endif> !>
 <if(ctorAttrs)>
 <accessLevelNotOpen(parser)> convenience init(_ parent: ParserRuleContext?, _ invokingState: Int<ctorAttrs:{a | ,
_ <a>}>) {
  self.init(parent, invokingState)
  <struct.ctorAttrs:{a | self.<a.name> = <a.name>;}; separator="\n">
 }
 <endif>

 override <accessLevelOpenOK(parser)>
 func getRuleIndex() -> Int {
  return <parser.name>.RULE_<struct.derivedFromName>
 }
<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
 <! <accessLevelNotOpen(parser)> init() { }!>
 <accessLevelOpenOK(parser)>
 func copyFrom(_ ctx: <struct.name>) {
  super.copyFrom(ctx)
  <struct.attrs:{a | self.<a.name> = ctx.<a.name>;}; separator="\n">
 }
<endif>
 <dispatchMethods; separator="\n">
 <extensionMembers; separator="\n">
}
>>

AltLabelStructDecl(struct,attrs,getters,dispatchMethods) ::= <<
<accessLevelNotOpen(parser)> class <struct.name>: <currentRule.name;
 format="cap">Context {
 <attrs:{a | <accessLevelNotOpen(parser)> var <a>}; separator="\n">
 <getters:{g | <g>}; separator="\n">

 <accessLevelNotOpen(parser)>
 init(_ ctx: <currentRule.name; format="cap">Context) {
  super.init()
  copyFrom(ctx)
```

```
 }
 <dispatchMethods; separator="\n">
}
>>

ListenerDispatchMethod(method) ::= <<
override <accessLevelOpenOK(parser)>
func <if(method.isEnter)>enter<else>exit<endif>Rule(_ listener: ParseTreeListener) {
 if let listener = listener as? <parser.grammarName>Listener {
  listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">(self)
 }
}
>>

VisitorDispatchMethod(method) ::= <<
override <accessLevelOpenOK(parser)>
func accept\<T>(_ visitor: ParseTreeVisitor\<T>) -> T? {
 if let visitor = visitor as? <parser.grammarName>Visitor {
    return visitor.visit<struct.derivedFromName; format="cap">(self)
 }
 else if let visitor = visitor as? <parser.grammarName>BaseVisitor {
    return visitor.visit<struct.derivedFromName;
 format="cap">(self)
 }
 else {
     return visitor.visitChildren(self)
 }
}
>>

AttributeDecl(d) ::= "<d.name>: <SwiftTypeMap.(d.type)><if(d.initValue)> = <d.initValue><else>!<endif>"

/** If we don't know location of label def x, use this template (_localctx as! <x.ctx.name> */
labelref(x) ::= "<if(!x.isLocal)>_localctx.castdown(<x.ctx.name>.self).<endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr?    */
ctx(actionChunk) ::= "_localctx.castdown(<actionChunk.ctx.name>.self)"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec)  ::= "precpred(_ctx, <opPrec>)"
recRuleSetReturnAction(src,name)   ::= "$<name>=$<src>.<name>"
recRuleSetStopToken()                 ::= "_ctx!.stop = try _input.LT(-1)"

recRuleAltStartAction(ruleName, ctxName, label, isListLabel) ::= <<
_localctx = <ctxName>Context(_parentctx, _parentState);
<if(label)>
<if(isListLabel)>
_localctx.<label>.append(_prevctx)
```

```
<else>
_localctx.<label> = _prevctx
<endif>
<endif>
<if(label)>_localctx.<label>
 = _prevctx;<endif>
try pushNewRecursionContext(_localctx, _startState, <parser.name>.RULE_<ruleName>)
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
_localctx = <currentAltLabel; format="cap">Context(  <ruleName; format="cap">Context(_parentctx,
_parentState))
<if(label)>
<if(isListLabel)>
(_localctx as! <currentAltLabel; format="cap">Context).<label>.append(_prevctx)
<else>
(_localctx as! <currentAltLabel; format="cap">Context).<label> = _prevctx
<endif>
<endif>
try pushNewRecursionContext(_localctx, _startState, <parser.name>.RULE_<ruleName>)
>>

recRuleReplaceContext(ctxName) ::= <<
_localctx = <ctxName>Context(_localctx)
_ctx = _localctx
_prevctx = _localctx
>>

recRuleSetPrevCtx() ::= <<
if _parseListeners != nil {
  try triggerExitRuleEvent()
}
_prevctx = _localctx
>>


LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
<if(lexerFile.genPackage)>
<!package
 <lexerFile.genPackage>;!>
<endif>
<namedActions.header>
import Antlr4

<lexer>
>>
Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
```

```
<accessLevelOpenOK(lexer)> class <lexer.name>: <superClass; null="Lexer"> {

 internal static var _decisionToDFA: [DFA] = {
        var decisionToDFA = [DFA]()
        let length = <lexer.name>._ATN.getNumberOfDecisions()
        for i in 0..\<length {
          <! decisionToDFA[i] = DFA(<lexer.name>._ATN.getDecisionState(i)!, i);!>
            decisionToDFA.append(DFA(<lexer.name>._ATN.getDecisionState(i)!, i))
        }
         return decisionToDFA
    }()

 internal static let _sharedContextCache = PredictionContextCache()

 <accessLevelNotOpen(lexer)>
 static let <lexer.tokens:{k | <k>=<lexer.tokens.(k)>}; separator=", ", wrap, anchor>

 <if(lexer.channels)>
 <accessLevelNotOpen(lexer)>
 static let <lexer.channels:{k | <k>=<lexer.channels.(k)>}; separator=", ", wrap, anchor>
 <endif>
 <if(rest(lexer.modes))>
 <accessLevelNotOpen(lexer)>
 static
 let <rest(lexer.modes):{m| <m>=<i>}; separator=", ", wrap, anchor>
 <endif>
 <accessLevelNotOpen(lexer)>
 static let channelNames: [String] = [
  "DEFAULT_TOKEN_CHANNEL", "HIDDEN"<if (lexer.channels)>, <lexer.channels:{c| "<c>"}; separator=", ",
wrap, anchor><endif>
 ]

 <accessLevelNotOpen(lexer)>
 static let modeNames: [String] = [
  <lexer.modes:{m| "<m>"}; separator=", ", wrap, anchor>
 ]

 <accessLevelNotOpen(lexer)>
 static let ruleNames: [String] = [
  <lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
 ]

 <vocabulary(lexer.literalNames, lexer.symbolicNames,
                 accessLevelNotOpen(lexer))>

 <namedActions.members>

 override <accessLevelOpenOK(lexer)>
```

```
func getVocabulary() -> Vocabulary {
 return <lexer.name>.VOCABULARY
}

<accessLevelNotOpen(lexer)>
required init(_ input: CharStream) {
    RuntimeMetaData.checkVersion("<lexerFile.ANTLRVersion>", RuntimeMetaData.VERSION)
 super.init(input)
 _interp = LexerATNSimulator(self,
<lexer.name>._ATN, <lexer.name>._decisionToDFA, <lexer.name>._sharedContextCache)
}

override <accessLevelOpenOK(lexer)>
func getGrammarFileName() -> String { return "<lexer.grammarFileName>" }

override <accessLevelOpenOK(lexer)>
func getRuleNames() -> [String] { return <lexer.name>.ruleNames }

override <accessLevelOpenOK(lexer)>
func getSerializedATN() -> String { return <lexer.name>._serializedATN }

override <accessLevelOpenOK(lexer)>
func getChannelNames() -> [String] { return <lexer.name>.channelNames }

override <accessLevelOpenOK(lexer)>
func getModeNames() -> [String] { return <lexer.name>.modeNames }

override <accessLevelOpenOK(lexer)>
func getATN() -> ATN { return <lexer.name>._ATN }

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>
<atn>

<accessLevelNotOpen(lexer)>
static let _serializedATN: String = <lexer.name>ATN().jsonString

<accessLevelNotOpen(lexer)>
static let _ATN: ATN = ATNDeserializer().deserializeFromJson(_serializedATN)
}
>>

/**
 Don't need to define anything. The tool generates a XParserATN.swift file (and same for lexer)
*  which is referenced from static field _serializedATN.  This json string is passed to
*  deserializeFromJson(). Note this is not the "serialization as array of ints" that other targets
*  do. It is more or less the output of ATNPrinter which gets read back in.
*/
SerializedATN(model) ::= <<
```

>>

/** Using a type to init value map, try to init a type; if not in table
* must be an object, default value is "null".
*/
initValue(typeName) ::= <<
<SwiftTypeInitMap.(typeName)>
>>

codeFileExtension() ::= ".swift"

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/templates/codegen/Swift/Swift.stg
No license file was found, but licenses were detected in source scan.

/*
* [The "BSD license"]
* Copyright (c) 2015 Dan McLaughlin, Mike Lischke
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
*   derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/templates/codegen/Cpp/Cpp.stg

No license file was found, but licenses were detected in source scan.

```
/*
* [The "BSD license"]
*  Copyright (c) 2012-2016 Terence Parr
*  Copyright (c) 2012-2016 Sam Harwell
*  All rights reserved.
*
*  Redistribution and use in source and binary forms, with or without
*  modification, are permitted provided that the following conditions
*  are met:
*
*  1. Redistributions of source code must retain the above copyright
*     notice, this list of conditions and the following disclaimer.
*  2. Redistributions in binary form must reproduce the above copyright
*     notice, this list of conditions and the following disclaimer in the
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
*  IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

/** How to generate rules derived from left-recursive rules.
*  These rely on recRuleAltPredicate(),
*  recRuleArg(), recRuleSetResultAction(), recRuleSetReturnAction()
*  templates in main language.stg
*/
group LeftRecursiveRules;

recRule(ruleName, argName, primaryAlts, opAlts, setResultAction,
      userRetvals, leftRecursiveRuleRefLabels) ::=
<<
<ruleName><if(userRetvals)>
 returns [<userRetvals>]<endif>
  :  ( {} <primaryAlts:{alt | <alt.altText> }; separator="\n       | ">
     )
     (
```

```
        <opAlts; separator="\n        | ">
      )*
  ;
>>

recRuleAlt(alt, precOption, opPrec, pred) ::= <<
{<pred>}?\<<precOption>=<opPrec>\> <alt.altText>
>>
```

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/templates/LeftRecursiveRules.stg
No license file was found, but licenses were detected in source scan.

/*
[The "BSD licence"]
Copyright (c) 2006 Kay Roepke
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

/*
This file contains the actual layout of the messages emitted by ANTLR.
The text itself is coming out of the languages/*stg files, according to the chosen locale.
This file contains the format that mimicks GCC output.
*/

```
location(file, line, column) ::= "<file>:<line>:<column>:"
```

```
message(id, text) ::= "<text> [error <id>]"

report(location, message, type) ::= "<location> <type>: <message>"

wantsSingleLineMessage() ::= "true"
```

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/templates/messages/formats/gnu.stg
No license file was found, but licenses were detected in source scan.

```
/*
* [The "BSD license"]
*  Copyright (c) 2012-2016 Terence Parr
*  Copyright (c) 2012-2016 Sam Harwell
*  All rights reserved.
*
*  Redistribution and use in source and binary forms, with or without
*  modification, are permitted provided that the following conditions
*  are met:
*
*  1. Redistributions of source code must retain the above copyright
*     notice, this list of conditions and the following disclaimer.
*  2. Redistributions in binary form must reproduce the above copyright
*     notice, this list of conditions and the following disclaimer in the
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
*  IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

/** Find left-recursive rules */
tree grammar LeftRecursiveRuleWalker;

options {
 tokenVocab=ANTLRParser;
```

```
  ASTLabelType=GrammarAST;
}

@header {
package org.antlr.v4.parse;

import org.antlr.v4.misc.*;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
}

@members {
private String ruleName;
private int currentOuterAltNumber; // which outer alt of rule?
public
 int numAlts;  // how many alts for this rule total?

public void setAltAssoc(AltAST altTree, int alt) {}
public void binaryAlt(AltAST altTree, int alt) {}
public void prefixAlt(AltAST altTree, int alt) {}
public void suffixAlt(AltAST altTree, int alt) {}
public void otherAlt(AltAST altTree, int alt) {}
public void setReturnValues(GrammarAST t) {}
}

@rulecatch { }

// TODO: can get parser errors for not matching pattern; make them go away
public
rec_rule returns [boolean isLeftRec]
@init
{
 currentOuterAltNumber = 1;
}
 : ^( r=RULE id=RULE_REF {ruleName=$id.getText();}
   ruleModifier?
//   (ARG_ACTION)? shouldn't allow args, right?
   (^(RETURNS a=ARG_ACTION {setReturnValues($a);}))?
//        ( ^(THROWS .+) )? don't allow
       ( ^(LOCALS ARG_ACTION) )? // TODO: copy these to gen'd code
       ( ^(OPTIONS .*)
      |   ^(AT ID ACTION) // TODO: copy
      )*
   ruleBlock {$isLeftRec = $ruleBlock.isLeftRec;}
   exceptionGroup
  )
 ;
```

```
exceptionGroup
  : exceptionHandler* finallyClause?
   ;

exceptionHandler
 : ^(CATCH ARG_ACTION ACTION)
 ;

finallyClause
 : ^(FINALLY ACTION)
 ;

ruleModifier
  : PUBLIC
  | PRIVATE
  | PROTECTED
  ;

ruleBlock returns [boolean isLeftRec]
@init{boolean lr=false; this.numAlts = $start.getChildCount();}
 : ^( BLOCK
  (
   o=outerAlternative
   {if ($o.isLeftRec) $isLeftRec = true;}
   {currentOuterAltNumber++;}
  )+
 )
 ;

/** An alt is either prefix, suffix, binary, or ternary operation or "other" */
outerAlternative returns [boolean isLeftRec]
  :  (binary)=>          binary
                    {binaryAlt((AltAST)$start, currentOuterAltNumber); $isLeftRec=true;}
  |  (prefix)=>          prefix
                    {prefixAlt((AltAST)$start, currentOuterAltNumber);}
  |  (suffix)=>          suffix
                    {suffixAlt((AltAST)$start, currentOuterAltNumber); $isLeftRec=true;}
  |  nonLeftRecur        {otherAlt((AltAST)$start,  currentOuterAltNumber);}
  ;

binary
 : ^(
 ALT elementOptions? recurse element* recurse epsilonElement* )
     {setAltAssoc((AltAST)$ALT,currentOuterAltNumber);}
 ;

prefix
 : ^( ALT elementOptions?
```

```
  element+
  recurse epsilonElement*
  )
      {setAltAssoc((AltAST)$ALT,currentOuterAltNumber);}
;

suffix
  :  ^( ALT elementOptions? recurse element+ )
      {setAltAssoc((AltAST)$ALT,currentOuterAltNumber);}
  ;

nonLeftRecur
  :  ^(ALT elementOptions? element+)
  ;

recurse
 : ^(ASSIGN ID recurseNoLabel)
 | ^(PLUS_ASSIGN ID recurseNoLabel)
 | recurseNoLabel
 ;

recurseNoLabel : {((CommonTree)input.LT(1)).getText().equals(ruleName)}? RULE_REF;

token returns [GrammarAST t=null]
 : ^(ASSIGN ID s=token {$t = $s.t;})
 | ^(PLUS_ASSIGN ID s=token {$t = $s.t;})
 | b=STRING_LITERAL        {$t = $b;}
   | ^(b=STRING_LITERAL elementOptions)  {$t = $b;}
   | ^(c=TOKEN_REF elementOptions)   {$t = $c;}
 | c=TOKEN_REF             {$t = $c;}
 ;

elementOptions
  : ^(ELEMENT_OPTIONS elementOption*)

  ;

elementOption
  : ID
  |  ^(ASSIGN ID ID)
  |  ^(ASSIGN ID STRING_LITERAL)
  |  ^(ASSIGN ID ACTION)
  |  ^(ASSIGN ID INT)
  ;

element
 : atom
 | ^(NOT element)
```

```
 | ^(RANGE atom atom)
 | ^(ASSIGN ID element)
 | ^(PLUS_ASSIGN ID element)
   | ^(SET setElement+)
   |   RULE_REF
 | ebnf
 | epsilonElement
 ;

epsilonElement
 : ACTION
 | SEMPRED
 | EPSILON
 | ^(ACTION elementOptions)
 | ^(SEMPRED elementOptions)
 ;

setElement
 : ^(STRING_LITERAL elementOptions)
 | ^(TOKEN_REF elementOptions)
 | STRING_LITERAL
 | TOKEN_REF
 ;

ebnf:   block
   |   ^( OPTIONAL block )
   |   ^( CLOSURE block )
   |   ^( POSITIVE_CLOSURE block )
   ;

block
   : ^(BLOCK ACTION? alternative+)
   ;

alternative
 : ^(ALT elementOptions? element+)
   ;

atom
 : ^(RULE_REF ARG_ACTION? elementOptions?)
   |  ^(STRING_LITERAL elementOptions)
 | STRING_LITERAL
   | ^(TOKEN_REF elementOptions)
 | TOKEN_REF
   | ^(WILDCARD elementOptions)
 | WILDCARD
 | ^(DOT ID element)
 ;
```

Found in path(s):
*
/opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/parse/LeftRecursiveRuleWalker.g
No license file was found, but licenses were detected in source scan.

```
/*
* [The "BSD license"]
*  Copyright (c) 2012-2016 Terence Parr
*  Copyright (c) 2012-2016 Sam Harwell
*  Copyright (c) 2014 Eric Vergnaud
*  All rights reserved.
*
*  Redistribution and use in source and binary forms, with or without
*  modification, are permitted provided that the following conditions
*  are met:
*
*  1. Redistributions of source code must retain the above copyright
*     notice, this list of conditions and the following disclaimer.
*  2. Redistributions in binary form must reproduce the above copyright
*     notice, this list of conditions and the following disclaimer in the
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
*  IMPLIED
 WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

/** ANTLR tool checks output templates are compatible with tool code generation.
*  For now, a simple string match used on x.y of x.y.z scheme.
*  Must match Tool.VERSION during load to templates.
*
*  REQUIRED.
*/

javascriptTypeInitMap ::= [
 "bool":"false",
```

```
 "int":"0",
 "float":"0.0",
 "str":"",
 default:"{}" // anything
 other than a primitive type is an object
]

// args must be <object-model-object>, <fields-resulting-in-STs>

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
var antlr4 = require('antlr4/index');
<if(file.genListener)>
var <file.grammarName>Listener = require('./<file.grammarName>Listener').<file.grammarName>Listener;
<endif>
<if(file.genVisitor)>
var <file.grammarName>Visitor = require('./<file.grammarName>Visitor').<file.grammarName>Visitor;
<endif>

<namedActions.header>
<parser>
>>

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
var antlr4 = require('antlr4/index');

// This class defines a complete listener for a parse tree produced by <file.parserName>.
function <file.grammarName>Listener() {
 antlr4.tree.ParseTreeListener.call(this);
 return this;
}

<file.grammarName>Listener.prototype = Object.create(antlr4.tree.ParseTreeListener.prototype);
<file.grammarName>Listener.prototype.constructor
 = <file.grammarName>Listener;

<file.listenerNames:{lname |
// Enter a parse tree produced by <file.parserName>#<lname>.
<file.grammarName>Listener.prototype.enter<lname; format="cap"> = function(ctx) {
\};

// Exit a parse tree produced by <file.parserName>#<lname>.
<file.grammarName>Listener.prototype.exit<lname; format="cap"> = function(ctx) {
\};

}; separator="\n">
```

```
exports.<file.grammarName>Listener = <file.grammarName>Listener;
>>


VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
var antlr4 = require('antlr4/index');

// This class defines a complete generic visitor for a parse tree produced by <file.parserName>.

function <file.grammarName>Visitor() {
 antlr4.tree.ParseTreeVisitor.call(this);
 return this;
}

<file.grammarName>Visitor.prototype = Object.create(antlr4.tree.ParseTreeVisitor.prototype);
<file.grammarName>Visitor.prototype.constructor = <file.grammarName>Visitor;

<file.visitorNames:{lname
|
// Visit a parse tree produced by <file.parserName>#<lname>.
<file.grammarName>Visitor.prototype.visit<lname; format="cap"> = function(ctx) {
 return this.visitChildren(ctx);
\};

}; separator="\n">

exports.<file.grammarName>Visitor = <file.grammarName>Visitor;
>>


fileHeader(grammarFileName, ANTLRVersion) ::= <<
// Generated from <grammarFileName; format="java-escape"> by ANTLR <ANTLRVersion>
// jshint ignore: start
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<if(superClass)>
var <superClass> = require('./<superClass>').<superClass>;
<endif>

var grammarFileName = "<parser.grammarFileName; format="java-escape">";

<atn>

var atn = new antlr4.atn.ATNDeserializer().deserialize(serializedATN);

var decisionsToDFA = atn.decisionToState.map( function(ds, index) { return new antlr4.dfa.DFA(ds, index); });
```

```
var sharedContextCache = new antlr4.PredictionContextCache();

var literalNames = [ <parser.literalNames:{t | <t>}; null="null", separator=", ", wrap,
 anchor> ];

var symbolicNames = [ <parser.symbolicNames:{t | <t>}; null="null", separator=", ", wrap, anchor> ];

var ruleNames =  [ <parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor> ];

function <parser.name> (input) {
 <superClass; null="antlr4.Parser">.call(this, input);
   this._interp = new antlr4.atn.ParserATNSimulator(this, atn, decisionsToDFA, sharedContextCache);
   this.ruleNames = ruleNames;
   this.literalNames = literalNames;
   this.symbolicNames = symbolicNames;
 <namedActions.members>
   return this;
}

<parser.name>.prototype = Object.create(<superClass; null="antlr4.Parser">.prototype);
<parser.name>.prototype.constructor = <parser.name>;

Object.defineProperty(<parser.name>.prototype, "atn", {
 get : function() {
  return atn;
 }
});

<parser.name>.EOF = antlr4.Token.EOF;
<if(parser.tokens)>
<parser.tokens:{k | <parser.name>.<k> = <parser.tokens.(k)>;}; separator="\n", wrap, anchor>
<endif>

<parser.rules:{r | <parser.name>.RULE_<r.name> = <r.index>;};
 separator="\n", wrap, anchor>

<funcs; separator="\n">

<if(sempredFuncs)>
<parser.name>.prototype.sempred = function(localctx, ruleIndex, predIndex) {
 switch(ruleIndex) {
 <parser.sempredFuncs.values:{f | case <f.ruleIndex>:
  return this.<f.name>_sempred(localctx, predIndex);}; separator="\n">
   default:
       throw "No predicate with index:" + ruleIndex;
  }
};
```

```
<sempredFuncs.values; separator="\n">
<endif>

exports.<parser.name> = <parser.name>;

>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
<lexer.name>.prototype.action = function(localctx, ruleIndex, actionIndex) {
 switch (ruleIndex) {
 <recog.actionFuncs.values:{f|
case <f.ruleIndex>:
 this.<f.name>_action(localctx, actionIndex);
 break;}; separator="\n">
 default:
  throw "No registered action for:" + ruleIndex;
 }
};

<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
<lexer.name>.prototype.sempred = function(localctx, ruleIndex, predIndex) {
 switch (ruleIndex)
 {
  <recog.sempredFuncs.values:{f| case <f.ruleIndex>:
 return this.<f.name>_sempred(localctx, predIndex);}; separator="\n">
    default:
     throw "No registered predicate for:" + ruleIndex;
   }
};

<sempredFuncs.values; separator="\n">
<endif>
>>


/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<

<lexer.name>.prototype.<r.name>_action = function(localctx , actionIndex) {
 switch (actionIndex) {
 <actions:{index|
case <index>:
```

```
 <actions.(index)>
 break;}; separator="\n">
 default:
  throw "No registered action for:" + actionIndex;
 }
};
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
<if (r.factory.g.lexer)><lexer.name><else><parser.name><endif>.prototype.<r.name>_sempred = function(localctx,
predIndex) {
 switch(predIndex) {
  <actions:{index|
 case <index>:
 return <actions.(index)>;}; separator="\n">
  default:
   throw "No predicate with index:" + predIndex;
 }
};

>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<ruleCtx>

<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<! Define fields of this parser to export the context classes !>
<parser.name>.<currentRule.ctxType> = <currentRule.ctxType>;

<parser.name>.prototype.<currentRule.name> = function(<currentRule.args:{a | <a.name>}; separator=", ">) {

  var localctx = new <currentRule.ctxType>(this, this._ctx, this.state<currentRule.args:{a | , <a.name>}>);
  this.enterRule(localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>);
  <namedActions.init>
  <locals; separator="\n">
  try {
     <code>
     <postamble; separator="\n">
     <namedActions.after>
  <if(exceptions)>
  <exceptions; separator="\n">
  <else>
```

```
  } catch (re)
{
   if(re instanceof antlr4.error.RecognitionException) {
        localctx.exception = re;
        this._errHandler.reportError(this, re);
        this._errHandler.recover(this, re);
    } else {
     throw re;
    }
  }<endif> finally {
      <finallyAction>
      this.exitRule();
  }
  return localctx;
};

>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
 namedActions,finallyAction,postamble) ::=
<<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<parser.name>.prototype.<currentRule.name> = function(_p<if(currentRule.args)>, <args:{a | , <a>}><endif>) {
 if(_p===undefined) {
    _p = 0;
 }
  var _parentctx = this._ctx;
  var _parentState = this.state;
  var localctx = new <currentRule.ctxType>(this, this._ctx, _parentState<args:{a | , <a.name>}>);
  var _prevctx = localctx;
  var _startState = <currentRule.startState>;
  this.enterRecursionRule(localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>,
_p);
  <namedActions.init>
  <locals; separator="\n">
  try {
     <code>
     <postamble; separator="\n">
     <namedActions.after>
  } catch( error) {
     if(error instanceof antlr4.error.RecognitionException) {
       localctx.exception = error;
       this._errHandler.reportError(this, error);
       this._errHandler.recover(this, error);
    } else {
```

```
    throw error;
   }
  } finally {
     <finallyAction>
     this.unrollRecursionContexts(_parentctx)
  }
  return localctx;
};

>>

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>localctx = new <currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(this, localctx);<endif>
this.enterOuterAlt(localctx, <currentOuterMostAltCodeBlock.alt.altNum>);
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<locals;
 separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
>>

LL1AltBlock(choice, preamble, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = this._input.LT(1);<endif>
<preamble; separator="\n">
switch(this._input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  break;}; separator="\n">
default:
  <error>
}
>>

LL1OptionalBlock(choice, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
switch (this._input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
 <alt>
 break;}; separator="\n">
default:
 break;
```

```
}
>>

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<preamble; separator="\n">
if(<expr>) {
  <alts; separator="\n">
}
<!else if ( !(<followExpr>) ) <error>!>
>>

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble,
 iteration) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<preamble; separator="\n">
while(<loopExpr>) {
  <alts; separator="\n">
  this.state = <choice.loopBackStateNumber>;
  this._errHandler.sync(this);
  <iteration>
}
>>

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
this.state = <choice.blockStartStateNumber>; <! alt block decision !>
this._errHandler.sync(this);
<preamble; separator="\n">
do {
  <alts; separator="\n">
  this.state = <choice.stateNumber>; <! loopback/exit decision !>
  this._errHandler.sync(this);
  <iteration>
} while(<loopExpr>);
>>

// LL(*) stuff

AltBlock(choice, preamble, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
var la_ = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx);
switch(la_) {
<alts:{alt |
```

```
case <i>:
  <alt>
  break;
}; separator="\n">
}
>>

OptionalBlock(choice,
 alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
var la_ = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx);
<alts:{alt |
if(la_===<i><if(!choice.ast.greedy)>+1<endif>) {
  <alt>
}; separator="\n} else ">
}
>>

StarBlock(choice, alts, sync, iteration) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
var _alt = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx)
while(_alt!=<choice.exitAlt> && _alt!=antlr4.atn.ATN.INVALID_ALT_NUMBER) {
  if(_alt===1<if(!choice.ast.greedy)>+1<endif>) {
    <iteration>
    <alts> <! should only be one !>
  }
  this.state = <choice.loopBackStateNumber>;
  this._errHandler.sync(this);
  _alt = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx);
}

>>

PlusBlock(choice, alts, error) ::= <<
this.state = <choice.blockStartStateNumber>; <! alt block decision !>
this._errHandler.sync(this);
var
 _alt = 1<if(!choice.ast.greedy)>+1<endif>;
do {
 switch (_alt) {
 <alts:{alt|
case <i><if(!choice.ast.greedy)>+1<endif>:
 <alt>
 break;}; separator="\n">
 default:
  <error>
```

```
 }
 this.state = <choice.loopBackStateNumber>; <! loopback/exit decision !>
 this._errHandler.sync(this);
 _alt = this._interp.adaptivePredict(this._input,<choice.decision>, this._ctx);
} while ( _alt!=<choice.exitAlt> && _alt!=antlr4.atn.ATN.INVALID_ALT_NUMBER );
>>

Sync(s) ::= "sync(<s.expecting.name>)"

ThrowNoViableAlt(t) ::= "throw new antlr4.error.NoViableAltException(this);"

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" || ">
>>

// Javascript language spec - shift operators are 32 bits long max
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x1f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShiftVar(s.varName,
 bits.shift)>})> && ((1 \<\< <offsetShiftVar(s.varName, bits.shift)>) & (<bits.ttypes:{ttype | (1 \<\<
<offsetShiftType(ttype, bits.shift)>)}; separator=" | ">)) !== 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShiftVar(shiftAmount, offset) ::= <%
<if(!isZero.(offset))>(<shiftAmount> - <offset>)<else><shiftAmount><endif>
%>

offsetShiftType(shiftAmount, offset) ::= <%
<if(!isZero.(offset))>(<parser.name>.<shiftAmount> - <offset>)<else><parser.name>.<shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName>===<parser.name>.<ttype>}; separator=" || ">
%>

cases(ttypes) ::= <<
<ttypes:{t | case <parser.name>.<t>:}; separator="\n">
```

```
>>

InvokeRule(r, argExprsChunks) ::= <<
this.state = <r.stateNumber>;
<if(r.labels)><r.labels:{l | <labelref(l)> =
}><endif>this.<r.name>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChu
nks>);
>>

MatchToken(m)
 ::= <<
this.state = <m.stateNumber>;
<if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>this.match(<parser.name>.<m.name>);
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
this.state = <m.stateNumber>;
<if(m.labels)><m.labels:{l | <labelref(l)> = }>this._input.LT(1);<endif>
<capture>
<if(invert)>if(<m.varName>\<=0 || <expr>)<else>if(!(<expr>))<endif> {
  <if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>this._errHandler.recoverInline(this);
}
else {
 this._errHandler.reportMatch(this);
  this.consume();
}
>>

Wildcard(w) ::= <<
this.state = <w.stateNumber>;
<if(w.labels)><w.labels:{l | <labelref(l)> = }><endif>this.matchWildcard();
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::=
 <<
this.state = <p.stateNumber>;
if (!( <chunks>)) {
  throw new antlr4.error.FailedPredicateException(this, <p.predicate><if(failChunks)>,
```

```
<failChunks><elseif(p.msg)>, <p.msg><endif>);
}
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
 <catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand()  ::= "this.skip()"
LexerMoreCommand()  ::= "this.more()"
LexerPopModeCommand() ::= "this.popMode()"
LexerTypeCommand(arg, grammar)      ::= "this._type = <arg>"
LexerChannelCommand(arg, grammar)   ::= "this._channel = <arg>"
LexerModeCommand(arg, grammar)      ::= "this._mode = <arg>"
LexerPushModeCommand(arg, grammar)  ::= "this.pushMode(<arg>)"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "localctx.<a.name>"
LocalRef(a) ::= "localctx.<a.name>"
RetValueRef(a) ::= "localctx.<a.name>"
QRetValueRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t)
 ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "(<ctx(t)>.<t.label>===null ? null : <ctx(t)>.<t.label>.text)"
TokenPropertyRef_type(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.type)"
TokenPropertyRef_line(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.line)"
TokenPropertyRef_pos(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.column)"
TokenPropertyRef_channel(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.channel)"
TokenPropertyRef_index(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.tokenIndex)"
TokenPropertyRef_int(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : parseInt(<ctx(t)>.<t.label>.text))"

RulePropertyRef_start(r) ::= "(<ctx(r)>.<r.label>===null ? null :
 <ctx(r)>.<r.label>.start)"
RulePropertyRef_stop(r)  ::= "(<ctx(r)>.<r.label>===null ? null : <ctx(r)>.<r.label>.stop)"
RulePropertyRef_text(r)  ::= "(<ctx(r)>.<r.label>===null ? null : this._input.getText(new
```

```
antlr4.Interval(<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop)))"
RulePropertyRef_ctx(r)  ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r)  ::= "this"

ThisRulePropertyRef_start(r) ::= "localctx.start"
ThisRulePropertyRef_stop(r)  ::= "localctx.stop"
ThisRulePropertyRef_text(r)  ::= "this._input.getText(new antlr4.Interval(localctx.start, this._input.LT(-1)))"
ThisRulePropertyRef_ctx(r)  ::= "localctx"
ThisRulePropertyRef_parser(r)  ::= "this"

NonLocalAttrRef(s)     ::= "getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks)  ::= "getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.push(<labelref(a.label)>);"

TokenDecl(t) ::= "this.<t.name> = null; // <TokenLabelType()>"
TokenTypeDecl(t) ::= "var
 <t.name> = 0; // <TokenLabelType()> type"
TokenListDecl(t) ::= "this.<t.name> = []; // of <TokenLabelType()>s"
RuleContextDecl(r) ::= "this.<r.name> = null; // <r.ctxName>"
RuleContextListDecl(rdecl) ::= "this.<rdecl.name> = []; // of <rdecl.ctxName>s"

ContextTokenGetterDecl(t)      ::= <<
<t.name> = function() {
  return this.getToken(<parser.name>.<t.name>, 0);
};
>>

// should never be called
ContextTokenListGetterDecl(t)  ::= <<
def <t.name>_list(self):
  return self.getTokens(<parser.name>.<t.name>)
>>

ContextTokenListIndexedGetterDecl(t)  ::= <<
<t.name> = function(i) {
 if(i===undefined) {
  i = null;
 }
  if(i===null) {
     return this.getTokens(<parser.name>.<t.name>);
  } else {
     return this.getToken(<parser.name>.<t.name>, i);
  }
};

>>
```

```
ContextRuleGetterDecl(r)       ::= <<
<r.name> = function() {
  return this.getTypedRuleContext(<r.ctxName>,0);
};
>>

// should never be called
ContextRuleListGetterDecl(r)   ::= <<
def <r.name>_list(self):
  return
 self.getTypedRuleContexts(<parser.name>.<r.ctxName>)

>>

ContextRuleListIndexedGetterDecl(r)   ::= <<
<r.name> = function(i) {
  if(i===undefined) {
     i = null;
  }
  if(i===null) {
     return this.getTypedRuleContexts(<r.ctxName>);
  } else {
     return this.getTypedRuleContext(<r.ctxName>,i);
  }
};
>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
* r becomes rContext.
*/
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
ImplicitRuleLabel(ruleName)   ::= "_<ruleName>"
ImplicitSetLabel(id)    ::= "_tset<id>"
ListLabelName(label)    ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = self._input.LT(1)"
CaptureNextTokenType(d) ::= "<d.varName> = this._input.LA(1);"

StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers) ::= <<
function <struct.name>(parser, parent, invokingState<struct.ctorAttrs:{a | , <a.name>}>) {
 if(parent===undefined)
 {
    parent = null;
 }
```

```
 if(invokingState===undefined || invokingState===null) {
  invokingState = -1;
 }
 <if(contextSuperClass)><contextSuperClass><else>antlr4.ParserRuleContext<endif>.call(this, parent,
invokingState);
   this.parser = parser;
   this.ruleIndex = <parser.name>.RULE_<struct.derivedFromName>;
   <attrs:{a | <a>}; separator="\n">
   <struct.ctorAttrs:{a | this.<a.name> = <a.name> || null;}; separator="\n">
   return this;
}

<struct.name>.prototype =
Object.create(<if(contextSuperClass)><contextSuperClass><else>antlr4.ParserRuleContext<endif>.prototype);
<struct.name>.prototype.constructor = <struct.name>;

<getters:{g | <struct.name>.prototype.<g>}; separator="\n\n">

<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
<struct.name>.prototype.copyFrom = function(ctx) {
<if(contextSuperClass)><contextSuperClass><else>antlr4.ParserRuleContext<endif>.prototype.copyFrom.call(this,
ctx);
   <struct.attrs:{a | this.<a.name> =
 ctx.<a.name>;}; separator="\n">
};
<endif>
<dispatchMethods; separator="\n">
<extensionMembers; separator="\n">

>>

AltLabelStructDecl(struct,attrs,getters,dispatchMethods) ::= <<
function <struct.name>(parser, ctx) {
 <currentRule.name; format="cap">Context.call(this, parser);
   <attrs:{a | <a>;}; separator="\n">
   <currentRule.name; format="cap">Context.prototype.copyFrom.call(this, ctx);
   return this;
}

<struct.name>.prototype = Object.create(<currentRule.name; format="cap">Context.prototype);
<struct.name>.prototype.constructor = <struct.name>;

<! Define fields of this parser to export this struct/context class !>
<parser.name>.<struct.name> = <struct.name>;

<getters:{g | <struct.name>.prototype.<g>}; separator="\n\n">
<dispatchMethods; separator="\n">
```

```
>>

ListenerDispatchMethod(method) ::= <<
<struct.name>.prototype.<if(method.isEnter)>enter<else>exit<endif>Rule = function(listener) {
  if(listener instanceof <parser.grammarName>Listener ) {
     listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName;
 format="cap">(this);
 }
};

>>

VisitorDispatchMethod(method) ::= <<
<struct.name>.prototype.accept = function(visitor) {
  if ( visitor instanceof <parser.grammarName>Visitor ) {
     return visitor.visit<struct.derivedFromName; format="cap">(this);
  } else {
     return visitor.visitChildren(this);
  }
};

>>

AttributeDecl(d) ::= "this.<d.name> = <if(d.initValue)><d.initValue><else>null<endif>"

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>localctx.<endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "localctx"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec)  ::= "this.precpred(this._ctx, <opPrec>)"
recRuleSetReturnAction(src,name)   ::= "$<name>=$<src>.<name>"
recRuleSetStopToken()                 ::= "this._ctx.stop = this._input.LT(-1);"

recRuleAltStartAction(ruleName, ctxName,
 label) ::= <<
localctx = new <ctxName>Context(this, _parentctx, _parentState);
<if(label)>localctx.<label> = _prevctx;<endif>
this.pushNewRecursionContext(localctx, _startState, <parser.name>.RULE_<ruleName>);
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
localctx = new <currentAltLabel; format="cap">Context(this, new <ruleName; format="cap">Context(this,
_parentctx, _parentState));
<if(label)>
<if(isListLabel)>
```

```
localctx.<label>.push(_prevctx);
<else>
localctx.<label> = _prevctx;
<endif>
<endif>
this.pushNewRecursionContext(localctx, _startState, <parser.name>.RULE_<ruleName>);
>>

recRuleReplaceContext(ctxName) ::= <<
localctx = new <ctxName>Context(this, localctx);
this._ctx = localctx;
_prevctx = localctx;
>>

recRuleSetPrevCtx() ::= <<
if(this._parseListeners!==null) {
   this.triggerExitRuleEvent();
}
_prevctx = localctx;
>>


LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
var
 antlr4 = require('antlr4/index');

<namedActions.header>

<lexer>

>>

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
<if(superClass)>
var <superClass> = require('./<superClass>').<superClass>;
<endif>

<atn>

var atn = new antlr4.atn.ATNDeserializer().deserialize(serializedATN);

var decisionsToDFA = atn.decisionToState.map( function(ds, index) { return new antlr4.dfa.DFA(ds, index); });

function <lexer.name>(input) {
 <if(superClass)><superClass><else>antlr4.Lexer<endif>.call(this, input);
   this._interp = new antlr4.atn.LexerATNSimulator(this, atn, decisionsToDFA, new
antlr4.PredictionContextCache());
```

```
  return this;
}

<lexer.name>.prototype = Object.create(<if(superClass)><superClass><else>antlr4.Lexer<endif>.prototype);
<lexer.name>.prototype.constructor = <lexer.name>;

Object.defineProperty(<lexer.name>.prototype, "atn", {
      get : function() {
            return atn;
      }
});

<lexer.name>.EOF = antlr4.Token.EOF;
<lexer.tokens:{k | <lexer.name>.<k>
 = <lexer.tokens.(k)>;}; separator="\n", wrap, anchor>

<if(lexer.channels)>
<lexer.channels:{c| <lexer.name>.<c> = <lexer.channels.(c)>;}; separator="\n">

<endif>
<if(rest(lexer.modes))>
<rest(lexer.modes):{m| <lexer.name>.<m> = <i>;}; separator="\n">

<endif>
<lexer.name>.prototype.channelNames = [ "DEFAULT_TOKEN_CHANNEL", "HIDDEN"<if (lexer.channels)>,
<lexer.channels:{c| "<c>"}; separator=", ", wrap, anchor><endif> ];

<lexer.name>.prototype.modeNames = [ <lexer.modes:{m| "<m>"}; separator=", ", wrap, anchor> ];

<lexer.name>.prototype.literalNames = [ <lexer.literalNames:{t | <t>}; null="null", separator=", ", wrap, anchor> ];

<lexer.name>.prototype.symbolicNames = [ <lexer.symbolicNames:{t | <t>}; null="null", separator=", ", wrap,
anchor> ];

<lexer.name>.prototype.ruleNames = [ <lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor> ];

<lexer.name>.prototype.grammarFileName = "<lexer.grammarFileName>";

<namedActions.members>

<dumpActions(lexer, "", actionFuncs,
 sempredFuncs)>

exports.<lexer.name> = <lexer.name>;

>>

SerializedATN(model) ::= <<
```

<! only one segment, can be inlined !>

var serializedATN = ["<model.serialized; wrap={",<\n>   "}>"].join("");

>>

/** Using a type to init value map, try to init a type; if not in table
* must be an object, default value is "null".
*/
initValue(typeName) ::= <<
<javacriptTypeInitMap.(typeName)>
>>

codeFileExtension() ::= ".js"

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/templates/codegen/JavaScript/JavaScript.stg
No license file was found, but licenses were detected in source scan.

/*
[The "BSD licence"]
Copyright (c) 2006 Kay Roepke
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
/*

This file contains the actual layout of the messages emitted by ANTLR.
The text itself is coming out of the languages/*stg files, according to the chosen locale.
This file contains the default format ANTLR uses.
*/

location(file, line, column) ::= "<file>(<line>,<column>)"

message(id, text) ::= "error <id> : <text>"

report(location, message, type) ::= "<location> : <type> <message.id> : <message.text>"

wantsSingleLineMessage() ::= "true"

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/templates/messages/formats/vs2005.stg
No license file was found, but licenses were detected in source scan.

/*
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
*   derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```
javaTypeInitMap ::= [
 "int":"0",
 "long":"0",
 "float":"0.0f",
 "double":"0.0",
 "boolean":"false",
 "byte":"0",
 "short":"0",
 "char":"0",
 default:"null" // anything other than a primitive type is an object
]

// args must be <object-model-object>, <fields-resulting-in-STs>

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName,
 file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<namedActions.header>
import org.antlr.v4.runtime.atn.*;
import org.antlr.v4.runtime.dfa.DFA;
import org.antlr.v4.runtime.*;
import org.antlr.v4.runtime.misc.*;
import org.antlr.v4.runtime.tree.*;
import java.util.List;
import java.util.Iterator;
import java.util.ArrayList;

<parser>
>>

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>
import org.antlr.v4.runtime.tree.ParseTreeListener;

/**
* This interface defines a complete listener for a parse tree produced by
* {@link <file.parserName>}.
*/
public interface <file.grammarName>Listener extends ParseTreeListener {
 <file.listenerNames:{lname |
```

```
/**
<if(file.listenerLabelRuleNames.(lname))>
* Enter a parse tree produced by the {@code <lname>\}
* labeled alternative in {@link <file.parserName>#<file.listenerLabelRuleNames.(lname)>\}.
<else>
 * Enter a parse tree produced by {@link <file.parserName>#<lname>\}.
<endif>
* @param ctx the parse tree
*/
void enter<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx);
/**
<if(file.listenerLabelRuleNames.(lname))>
* Exit a parse tree produced by the {@code <lname>\}
* labeled alternative in {@link <file.parserName>#<file.listenerLabelRuleNames.(lname)>\}.
<else>
* Exit a parse tree produced by {@link <file.parserName>#<lname>\}.
<endif>
* @param ctx the parse tree
*/
void exit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx);}; separator="\n">
}
>>

BaseListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>

import org.antlr.v4.runtime.ParserRuleContext;
import org.antlr.v4.runtime.tree.ErrorNode;
import org.antlr.v4.runtime.tree.TerminalNode;

/**
* This class provides an empty implementation of {@link <file.grammarName>Listener},
 * which can be extended to create a listener which only needs to handle a subset
* of the available methods.
*/
public class <file.grammarName>BaseListener implements <file.grammarName>Listener {
 <file.listenerNames:{lname |
/**
* {@inheritDoc\}
*
* \<p>The default implementation does nothing.\</p>
*/
@Override public void enter<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx) { \}
/**
```

```
* {@inheritDoc\}
*
* \<p>The default implementation does nothing.\</p>
*/
@Override public void exit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx) { \}};
separator="\n">

 /**
  * {@inheritDoc\}
  *
  * \<p>The default implementation does nothing.\</p>
  */
 @Override public void enterEveryRule(ParserRuleContext ctx) { }
 /**
  * {@inheritDoc\}
  *
  * \<p>The default implementation does nothing.\</p>
  */
 @Override public void exitEveryRule(ParserRuleContext ctx) { }
 /**
  * {@inheritDoc\}
  *
  * \<p>The default
 implementation does nothing.\</p>
  */
 @Override public void visitTerminal(TerminalNode node) { }
 /**
  * {@inheritDoc\}
  *
  * \<p>The default implementation does nothing.\</p>
  */
 @Override public void visitErrorNode(ErrorNode node) { }
}
>>

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>
import org.antlr.v4.runtime.tree.ParseTreeVisitor;

/**
* This interface defines a complete generic visitor for a parse tree produced
* by {@link <file.parserName>}.
*
* @param \<T> The return type of the visit operation. Use {@link Void} for
```

```
* operations with no return type.
*/
public interface <file.grammarName>Visitor\<T> extends ParseTreeVisitor\<T> {
 <file.visitorNames:{lname |
/**
<if(file.visitorLabelRuleNames.(lname))>
* Visit a parse tree produced by the {@code <lname>\}
* labeled alternative in {@link <file.parserName>#<file.visitorLabelRuleNames.(lname)>\}.
<else>
 * Visit a parse tree produced by {@link <file.parserName>#<lname>\}.
<endif>
* @param ctx the parse tree
* @return the visitor result
*/
T visit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx);}; separator="\n">
}
>>

BaseVisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>
import org.antlr.v4.runtime.tree.AbstractParseTreeVisitor;

/**
* This class provides an empty implementation of {@link <file.grammarName>Visitor},
* which can be extended to create a visitor which only needs to handle a subset
* of the available methods.
*
* @param \<T> The return type of the visit operation. Use {@link Void} for
* operations with no return type.
*/
public class <file.grammarName>BaseVisitor\<T> extends AbstractParseTreeVisitor\<T> implements
<file.grammarName>Visitor\<T> {
 <file.visitorNames:{lname |
/**
* {@inheritDoc\}
*
* \<p>The default
 implementation returns the result of calling
* {@link #visitChildren\} on {@code ctx\}.\</p>
*/
@Override public T visit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx) { return
visitChildren(ctx); \}}; separator="\n">
}
>>
```

```
fileHeader(grammarFileName, ANTLRVersion) ::= <<
// Generated from <grammarFileName; format="java-escape"> by ANTLR <ANTLRVersion>
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
@SuppressWarnings({"all", "warnings", "unchecked", "unused", "cast"})
public class <parser.name> extends <superClass; null="Parser"> {
 static { RuntimeMetaData.checkVersion("<file.ANTLRVersion>", RuntimeMetaData.VERSION); }

 protected static final DFA[] _decisionToDFA;
 protected static final PredictionContextCache _sharedContextCache =
  new PredictionContextCache();
 <if(parser.tokens)>
 public static final int
  <parser.tokens:{k | <k>=<parser.tokens.(k)>};
 separator=", ", wrap, anchor>;
 <endif>
 public static final int
  <parser.rules:{r | RULE_<r.name> = <r.index>}; separator=", ", wrap, anchor>;
 private static String[] makeRuleNames() {
  return new String[] {
   <parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
  };
 }
 public static final String[] ruleNames = makeRuleNames();

 <vocabulary(parser.literalNames, parser.symbolicNames)>

 @Override
 public String getGrammarFileName() { return "<parser.grammarFileName; format="java-escape">"; }

 @Override
 public String[] getRuleNames() { return ruleNames; }

 @Override
 public String getSerializedATN() { return _serializedATN; }

 @Override
 public ATN getATN() { return _ATN; }

 <namedActions.members>
 <parser:(ctor)()>
 <funcs; separator="\n">
```

```
<if(sempredFuncs)>
 public boolean sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
  switch (ruleIndex) {
  <parser.sempredFuncs.values:{f|
case <f.ruleIndex>:
 return <f.name>_sempred((<f.ctxType>)_localctx,
 predIndex);}; separator="\n">
  }
  return true;
 }
 <sempredFuncs.values; separator="\n">
<endif>

 <atn>
}
>>

vocabulary(literalNames, symbolicNames) ::= <<
private static String[] makeLiteralNames() {
 return new String[] {
  <literalNames:{t | <t>}; null="null", separator=", ", wrap, anchor>
 };
}
private static final String[] _LITERAL_NAMES = makeLiteralNames();
private static String[] makeSymbolicNames() {
 return new String[] {
  <symbolicNames:{t | <t>}; null="null", separator=", ", wrap, anchor>
 };
}
private static final String[] _SYMBOLIC_NAMES = makeSymbolicNames();
public static final Vocabulary VOCABULARY = new VocabularyImpl(_LITERAL_NAMES,
_SYMBOLIC_NAMES);

/**
* @deprecated Use {@link #VOCABULARY} instead.
*/
@Deprecated
public static final String[] tokenNames;
static {
 tokenNames = new String[_SYMBOLIC_NAMES.length];
 for (int i = 0; i \< tokenNames.length; i++) {
  tokenNames[i] = VOCABULARY.getLiteralName(i);
  if (tokenNames[i] == null) {
   tokenNames[i]
 = VOCABULARY.getSymbolicName(i);
  }
```

```
  if (tokenNames[i] == null) {
   tokenNames[i] = "\<INVALID>";
  }
 }
}

@Override
@Deprecated
public String[] getTokenNames() {
 return tokenNames;
}

@Override

public Vocabulary getVocabulary() {
 return VOCABULARY;
}
>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
@Override
public void action(RuleContext _localctx, int ruleIndex, int actionIndex) {
 switch (ruleIndex) {
 <recog.actionFuncs.values:{f|
case <f.ruleIndex>:
 <f.name>_action((<f.ctxType>)_localctx, actionIndex);
 break;}; separator="\n">
 }
}
<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
@Override
public boolean sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
 switch (ruleIndex) {
 <recog.sempredFuncs.values:{f|
case <f.ruleIndex>:
 return <f.name>_sempred((<f.ctxType>)_localctx, predIndex);}; separator="\n">
 }
 return true;
}
<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(p) ::= <<
public
```

```
 <p.name>(TokenStream input) {
 super(input);
 _interp = new ParserATNSimulator(this,_ATN,_decisionToDFA,_sharedContextCache);
}
>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<
private void <r.name>_action(<r.ctxType> _localctx, int actionIndex) {
 switch (actionIndex) {
 <actions:{index|
case <index>:
 <actions.(index)>
 break;}; separator="\n">
 }
}
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
private boolean <r.name>_sempred(<r.ctxType> _localctx, int predIndex) {
 switch (predIndex) {
 <actions:{index|
case <index>:
 return <actions.(index)>;}; separator="\n">
 }
 return true;
}
>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<ruleCtx>
<altLabelCtxs:{l
 | <altLabelCtxs.(l)>}; separator="\n">

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public final <endif><currentRule.ctxType>
<currentRule.name>(<args; separator=",">) throws RecognitionException {
 <currentRule.ctxType> _localctx = new <currentRule.ctxType>(_ctx, getState()<currentRule.args:{a | ,
<a.name>}>);
 enterRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>);
 <namedActions.init>
 <locals; separator="\n">
```

```
 try {
<if(currentRule.hasLookaheadBlock)>
  int _alt;
<endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
 }
 <if(exceptions)>
 <exceptions; separator="\n">
 <else>
 catch (RecognitionException re) {
  _localctx.exception = re;
  _errHandler.reportError(this, re);
  _errHandler.recover(this, re);
 }
 <endif>
 finally {
  <finallyAction>
  exitRule();
 }
 return _localctx;
}
>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
 namedActions,finallyAction,postamble) ::=
<<

<ruleCtx>
<altLabelCtxs:{l
 | <altLabelCtxs.(l)>}; separator="\n">

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public final <endif><currentRule.ctxType>
<currentRule.name>(<args; separator=", ">) throws RecognitionException {
 return <currentRule.name>(0<currentRule.args:{a | , <a.name>}>);
}

private <currentRule.ctxType> <currentRule.name>(int _p<args:{a | , <a>}>) throws RecognitionException {
 ParserRuleContext _parentctx = _ctx;
 int _parentState = getState();
 <currentRule.ctxType> _localctx = new <currentRule.ctxType>(_ctx, _parentState<currentRule.args:{a | ,
<a.name>}>);
 <currentRule.ctxType> _prevctx = _localctx;
 int _startState = <currentRule.startState>;
 enterRecursionRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>, _p);
 <namedActions.init>
 <locals; separator="\n">
```

```
 try {
<if(currentRule.hasLookaheadBlock)>
  int _alt;
<endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
 }
 catch (RecognitionException re) {
  _localctx.exception
 = re;
  _errHandler.reportError(this, re);
  _errHandler.recover(this, re);
 }
 finally {
  <finallyAction>
  unrollRecursionContexts(_parentctx);
 }
 return _localctx;
}
>>

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>_localctx = new <currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(_localctx);<endif>
enterOuterAlt(_localctx, <currentOuterMostAltCodeBlock.alt.altNum>);
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
{
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
}
>>

LL1AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = _input.LT(1);<endif>
<preamble; separator="\n">
switch (_input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  break;}; separator="\n">
default:
  <error>
```

```
}
>>

LL1OptionalBlock(choice,
 alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
switch (_input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
 <alt>
 break;}; separator="\n">
default:
 break;
}
>>

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<preamble; separator="\n">
if (<expr>) {
 <alts; separator="\n">
}
<!else if ( !(<followExpr>) ) <error>!>
>>

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<preamble; separator="\n">
while (<loopExpr>) {
 <alts; separator="\n">
 setState(<choice.loopBackStateNumber>);
 _errHandler.sync(this);
 <iteration>
}
>>

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
setState(<choice.blockStartStateNumber>); <! alt block decision !>
_errHandler.sync(this);
<preamble; separator="\n">
do
 {
 <alts; separator="\n">
 setState(<choice.stateNumber>); <! loopback/exit decision !>
 _errHandler.sync(this);
 <iteration>
```

```
} while ( <loopExpr> );
>>

// LL(*) stuff

AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = _input.LT(1);<endif>
<preamble; separator="\n">
switch ( getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx) ) {
<alts:{alt |
case <i>:
 <alt>
 break;}; separator="\n">
}
>>

OptionalBlock(choice, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
switch ( getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx) ) {
<alts:{alt |
case <i><if(!choice.ast.greedy)>+1<endif>:
 <alt>
 break;}; separator="\n">
}
>>

StarBlock(choice, alts, sync, iteration) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
_alt = getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx);
while ( _alt!=<choice.exitAlt> && _alt!=org.antlr.v4.runtime.atn.ATN.INVALID_ALT_NUMBER
 ) {
 if ( _alt==1<if(!choice.ast.greedy)>+1<endif> ) {
  <iteration>
  <alts> <! should only be one !>
 }
 setState(<choice.loopBackStateNumber>);
 _errHandler.sync(this);
 _alt = getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx);
}
>>

PlusBlock(choice, alts, error) ::= <<
setState(<choice.blockStartStateNumber>); <! alt block decision !>
_errHandler.sync(this);
```

```
_alt = 1<if(!choice.ast.greedy)>+1<endif>;
do {
 switch (_alt) {
 <alts:{alt|
case <i><if(!choice.ast.greedy)>+1<endif>:
 <alt>
 break;}; separator="\n">
 default:
  <error>
 }
 setState(<choice.loopBackStateNumber>); <! loopback/exit decision !>
 _errHandler.sync(this);
 _alt = getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx);
} while ( _alt!=<choice.exitAlt> && _alt!=org.antlr.v4.runtime.atn.ATN.INVALID_ALT_NUMBER );
>>

Sync(s) ::= "sync(<s.expecting.name>);"

ThrowNoViableAlt(t) ::= "throw new NoViableAltException(this);"

TestSetInline(s) ::= <<
<s.bitsets:{bits
 | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s, bits)><endif>};
separator=" || ">
>>

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShift(s.varName, bits.shift)>})> && ((1L \<\< <offsetShift(s.varName, bits.shift)>) &
(<bits.ttypes:{ttype | (1L \<\< <offsetShift(ttype, bits.shift)>)}; separator=" | ">)) != 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShift(shiftAmount, offset) ::= <%
<if(!isZero.(offset))>(<shiftAmount> - <offset>)<else><shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
```

```
<bits.ttypes:{ttype | <s.varName>==<ttype>}; separator=" || ">
%>

cases(ttypes)
 ::= <<
<ttypes:{t | case <t>:}; separator="\n">
>>

InvokeRule(r, argExprsChunks) ::= <<
setState(<r.stateNumber>);
<if(r.labels)><r.labels:{l | <labelref(l)> =
}><endif><r.name>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChunks>
);
>>

MatchToken(m) ::= <<
setState(<m.stateNumber>);
<if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>match(<m.name>);
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
setState(<m.stateNumber>);
<if(m.labels)><m.labels:{l | <labelref(l)> = }>_input.LT(1);<endif>
<capture>
if ( <if(invert)><m.varName> \<= 0 || <else>!<endif>(<expr>) ) {
 <if(m.labels)><m.labels:{l | <labelref(l)> = (Token)}><endif>_errHandler.recoverInline(this);
}
else {
 if ( _input.LA(1)==Token.EOF ) matchedEOF = true;
 _errHandler.reportMatch(this);
 consume();
}
>>

Wildcard(w)
 ::= <<
setState(<w.stateNumber>);
<if(w.labels)><w.labels:{l | <labelref(l)> = }><endif>matchWildcard();
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"
```

```
ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
setState(<p.stateNumber>);
if (!(<chunks>)) throw new FailedPredicateException(this, <p.predicate><if(failChunks)>,
<failChunks><elseif(p.msg)>, <p.msg><endif>);
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
 <catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand()  ::= "skip();"
LexerMoreCommand()  ::= "more();"
LexerPopModeCommand() ::= "popMode();"

LexerTypeCommand(arg, grammar)      ::= "_type = <arg>;"
LexerChannelCommand(arg, grammar)   ::= "_channel = <arg>;"
LexerModeCommand(arg, grammar)      ::= "_mode = <arg>;"
LexerPushModeCommand(arg, grammar)  ::= "pushMode(<arg>);"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "_localctx.<a.name>"
LocalRef(a)
 ::= "_localctx.<a.name>"
RetValueRef(a) ::= "_localctx.<a.name>"
QRetValueRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>;"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "(<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getText():null)"
TokenPropertyRef_type(t) ::= "(<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getType():0)"
TokenPropertyRef_line(t) ::= "(<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getLine():0)"
TokenPropertyRef_pos(t) ::= "(<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getCharPositionInLine():0)"
TokenPropertyRef_channel(t) ::= "(<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getChannel():0)"
TokenPropertyRef_index(t) ::= "(<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getTokenIndex():0)"
TokenPropertyRef_int(t)
```

```
 ::= "(<ctx(t)>.<t.label>!=null?Integer.valueOf(<ctx(t)>.<t.label>.getText()):0)"

RulePropertyRef_start(r) ::= "(<ctx(r)>.<r.label>!=null?(<ctx(r)>.<r.label>.start):null)"
RulePropertyRef_stop(r)  ::= "(<ctx(r)>.<r.label>!=null?(<ctx(r)>.<r.label>.stop):null)"
RulePropertyRef_text(r)  ::=
"(<ctx(r)>.<r.label>!=null?_input.getText(<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop):null)"
RulePropertyRef_ctx(r)  ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r)  ::= "this"

ThisRulePropertyRef_start(r) ::= "_localctx.start"
ThisRulePropertyRef_stop(r)  ::= "_localctx.stop"
ThisRulePropertyRef_text(r)  ::= "_input.getText(_localctx.start, _input.LT(-1))"
ThisRulePropertyRef_ctx(r)  ::= "_localctx"
ThisRulePropertyRef_parser(r)  ::= "this"

NonLocalAttrRef(s)   ::= "((<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>)).<s.name>"
SetNonLocalAttr(s, rhsChunks)   ::=
 "((<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>)).<s.name>
 = <rhsChunks>;"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.add(<labelref(a.label)>);"

TokenDecl(t) ::= "<TokenLabelType()> <t.name>"
TokenTypeDecl(t) ::= "int <t.name>;"
TokenListDecl(t) ::= "List\<Token> <t.name> = new ArrayList\<Token>()"
RuleContextDecl(r) ::= "<r.ctxName> <r.name>"
RuleContextListDecl(rdecl) ::= "List\<<rdecl.ctxName>> <rdecl.name> = new ArrayList\<<rdecl.ctxName>>()"

ContextTokenGetterDecl(t)      ::=
   "public TerminalNode <t.name>() { return getToken(<parser.name>.<t.name>, 0); }"
ContextTokenListGetterDecl(t)  ::=
   "public List\<TerminalNode> <t.name>() { return getTokens(<parser.name>.<t.name>); }"
ContextTokenListIndexedGetterDecl(t)  ::= <<
public TerminalNode <t.name>(int i) {
 return getToken(<parser.name>.<t.name>, i);
}
>>
ContextRuleGetterDecl(r)       ::= <<
public <r.ctxName> <r.name>() {
 return getRuleContext(<r.ctxName>.class,0);
}
>>
ContextRuleListGetterDecl(r)   ::= <<
public List\<<r.ctxName>\> <r.name>()
 {
 return getRuleContexts(<r.ctxName>.class);
}
>>
```

```
ContextRuleListIndexedGetterDecl(r)   ::= <<
public <r.ctxName> <r.name>(int i) {
 return getRuleContext(<r.ctxName>.class,i);
}
>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
* r becomes rContext.
*/
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "<tokenName>"
ImplicitRuleLabel(ruleName)   ::= "<ruleName>"
ImplicitSetLabel(id)    ::= "_tset<id>"
ListLabelName(label)    ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = _input.LT(1);"
CaptureNextTokenType(d) ::= "<d.varName> = _input.LA(1);"

StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers)
 ::= <<
public static class <struct.name> extends
<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif><if(interfaces)> implements
<interfaces; separator=", "><endif> {
 <attrs:{a | public <a>;}; separator="\n">
 <getters:{g | <g>}; separator="\n">
 <if(ctorAttrs)>public
 <struct.name>(ParserRuleContext parent, int invokingState) { super(parent, invokingState); }<endif>
 public <struct.name>(ParserRuleContext parent, int invokingState<ctorAttrs:{a | , <a>}>) {
  super(parent, invokingState);
  <struct.ctorAttrs:{a | this.<a.name> = <a.name>;}; separator="\n">
 }
 @Override public int getRuleIndex() { return RULE_<struct.derivedFromName>; }
<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
 public <struct.name>() { }
 public void copyFrom(<struct.name> ctx) {
  super.copyFrom(ctx);
  <struct.attrs:{a | this.<a.name> = ctx.<a.name>;}; separator="\n">
 }
<endif>
 <dispatchMethods; separator="\n">
 <extensionMembers; separator="\n">
}
>>

AltLabelStructDecl(struct,attrs,getters,dispatchMethods) ::= <<
```

```
public static class <struct.name> extends <currentRule.name; format="cap">Context {
 <attrs:{a | public <a>;}; separator="\n">
 <getters:{g | <g>}; separator="\n">
 public <struct.name>(<currentRule.name; format="cap">Context
 ctx) { copyFrom(ctx); }
 <dispatchMethods; separator="\n">
}
>>

ListenerDispatchMethod(method) ::= <<
@Override
public void <if(method.isEnter)>enter<else>exit<endif>Rule(ParseTreeListener listener) {
 if ( listener instanceof <parser.grammarName>Listener )
((<parser.grammarName>Listener)listener).<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName;
format="cap">(this);
}
>>

VisitorDispatchMethod(method) ::= <<
@Override
public \<T> T accept(ParseTreeVisitor\<? extends T> visitor) {
 if ( visitor instanceof <parser.grammarName>Visitor ) return ((<parser.grammarName>Visitor\<? extends
T>)visitor).visit<struct.derivedFromName; format="cap">(this);
 else return visitor.visitChildren(this);
}
>>

AttributeDecl(d) ::= "<d.type> <d.name><if(d.initValue)> = <d.initValue><endif>"

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>((<x.ctx.name>)_localctx).<endif><x.name>"

/** For any action chunk, what is correctly-typed
 context struct ptr? */
ctx(actionChunk) ::= "((<actionChunk.ctx.name>)_localctx)"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec)  ::= "precpred(_ctx, <opPrec>)"
recRuleSetReturnAction(src,name)   ::= "$<name>=$<src>.<name>;"
recRuleSetStopToken()                 ::= "_ctx.stop = _input.LT(-1);"

recRuleAltStartAction(ruleName, ctxName, label, isListLabel) ::= <<
_localctx = new <ctxName>Context(_parentctx, _parentState);
<if(label)>
<if(isListLabel)>
_localctx.<label>.add(_prevctx);
<else>
_localctx.<label> = _prevctx;
```

```
<endif>
<endif>
<if(label)>_localctx.<label> = _prevctx;<endif>
pushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
_localctx = new <currentAltLabel; format="cap">Context(new <ruleName; format="cap">Context(_parentctx,
_parentState));
<if(label)>
<if(isListLabel)>
((<currentAltLabel; format="cap">Context)_localctx).<label>.add(_prevctx);
<else>
((<currentAltLabel;
 format="cap">Context)_localctx).<label> = _prevctx;
<endif>
<endif>
pushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
>>

recRuleReplaceContext(ctxName) ::= <<
_localctx = new <ctxName>Context(_localctx);
_ctx = _localctx;
_prevctx = _localctx;
>>

recRuleSetPrevCtx() ::= <<
if ( _parseListeners!=null ) triggerExitRuleEvent();
_prevctx = _localctx;
>>


LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
<if(lexerFile.genPackage)>
package <lexerFile.genPackage>;
<endif>
<namedActions.header>
import org.antlr.v4.runtime.Lexer;
import org.antlr.v4.runtime.CharStream;
import org.antlr.v4.runtime.Token;
import org.antlr.v4.runtime.TokenStream;
import org.antlr.v4.runtime.*;
import org.antlr.v4.runtime.atn.*;
import org.antlr.v4.runtime.dfa.DFA;
import org.antlr.v4.runtime.misc.*;

<lexer>
```

```
>>

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
@SuppressWarnings({"all", "warnings",
 "unchecked", "unused", "cast"})
public class <lexer.name> extends <superClass; null="Lexer"> {
 static { RuntimeMetaData.checkVersion("<lexerFile.ANTLRVersion>", RuntimeMetaData.VERSION); }

 protected static final DFA[] _decisionToDFA;
 protected static final PredictionContextCache _sharedContextCache =
  new PredictionContextCache();
 <if(lexer.tokens)>
 public static final int
  <lexer.tokens:{k | <k>=<lexer.tokens.(k)>}; separator=", ", wrap, anchor>;
 <endif>
 <if(lexer.channels)>
 public static final int
  <lexer.channels:{c | <c>=<lexer.channels.(c)>}; separator=", ", wrap, anchor>;
 <endif>
 <if(rest(lexer.modes))>
 public static final int
  <rest(lexer.modes):{m | <m>=<i>}; separator=", ", wrap, anchor>;
 <endif>
 public static String[] channelNames = {
  "DEFAULT_TOKEN_CHANNEL", "HIDDEN"<if (lexer.channels)>, <lexer.channels:{c| "<c>"}; separator=", ",
wrap, anchor><endif>
 };

 public static String[] modeNames = {
  <lexer.modes:{m| "<m>"}; separator=", ", wrap, anchor>
 };

 private
 static String[] makeRuleNames() {
  return new String[] {
   <lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
  };
 }
 public static final String[] ruleNames = makeRuleNames();

 <vocabulary(lexer.literalNames, lexer.symbolicNames)>

 <namedActions.members>

 public <lexer.name>(CharStream input) {
  super(input);
  _interp = new LexerATNSimulator(this,_ATN,_decisionToDFA,_sharedContextCache);
 }
```

```
 @Override
 public String getGrammarFileName() { return "<lexer.grammarFileName>"; }

 @Override
 public String[] getRuleNames() { return ruleNames; }

 @Override
 public String getSerializedATN() { return _serializedATN; }

 @Override
 public String[] getChannelNames() { return channelNames; }

 @Override
 public String[] getModeNames() { return modeNames; }

 @Override
 public ATN getATN() { return _ATN; }

 <dumpActions(lexer, "", actionFuncs, sempredFuncs)>
 <atn>
}
>>

SerializedATN(model) ::= <<
<if(rest(model.segments))>
<! requires segmented representation !>
private
 static final int _serializedATNSegments = <length(model.segments)>;
<model.segments:{segment|private static final String _serializedATNSegment<i0> =
 "<segment; wrap={"+<\n><\t>"}>";}; separator="\n">
public static final String _serializedATN = Utils.join(
 new String[] {
  <model.segments:{segment | _serializedATNSegment<i0>}; separator=",\n">
 },
 ""
);
<else>
<! only one segment, can be inlined !>
public static final String _serializedATN =
 "<model.serialized; wrap={"+<\n><\t>"}>";
<endif>
public static final ATN _ATN =
 new ATNDeserializer().deserialize(_serializedATN.toCharArray());
static {
 _decisionToDFA = new DFA[_ATN.getNumberOfDecisions()];
 for (int i = 0; i \< _ATN.getNumberOfDecisions(); i++) {
  _decisionToDFA[i] = new DFA(_ATN.getDecisionState(i), i);
```

```
 }
<! org.antlr.v4.tool.DOTGenerator dot = new org.antlr.v4.tool.DOTGenerator(null);!>
<! System.out.println(dot.getDOT(_ATN.decisionToState.get(0), ruleNames, false));!>
<! System.out.println(dot.getDOT(_ATN.ruleToStartState[2],
 ruleNames, false));!>
}
>>

/** Using a type to init value map, try to init a type; if not in table
* must be an object, default value is "null".
*/
initValue(typeName) ::= <<
<javaTypeInitMap.(typeName)>
>>

codeFileExtension() ::= ".java"
```

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/templates/codegen/Java/Java.stg
No license file was found, but licenses were detected in source scan.


```
/*
* [The "BSD license"]
*  Copyright (c) 2012-2016 Terence Parr
*  Copyright (c) 2012-2016 Sam Harwell
*  Copyright (c) 2014 Eric Vergnaud
*  All rights reserved.
*
*  Redistribution and use in source and binary forms, with or without
*  modification, are permitted provided that the following conditions
*  are met:
*
*  1. Redistributions of source code must retain the above copyright
*     notice, this list of conditions and the following disclaimer.
*  2. Redistributions in binary form must reproduce the above copyright
*     notice, this list of conditions and the following disclaimer in the
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
*  IMPLIED
 WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
```

```
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

/** ANTLR tool checks output templates are compatible with tool code generation.
*  For now, a simple string match used on x.y of x.y.z scheme.
*  Must match Tool.VERSION during load to templates.
*
*  REQUIRED.
*/

pythonTypeInitMap ::= [
 "bool":"False",
 "int":"0",
 "float":"0.0",
 "str":"",
 default:"None" // anything other
 than a primitive type is an object
]

// args must be <object-model-object>, <fields-resulting-in-STs>

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
# encoding: utf-8
from __future__ import print_function
from antlr4 import *
from io import StringIO
import sys

<namedActions.header>
<parser>

>>

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
from antlr4 import *
<header>

# This class defines a complete listener for a parse tree produced by <file.parserName>.
class <file.grammarName>Listener(ParseTreeListener):

   <file.listenerNames:{lname |
# Enter a parse tree produced by <file.parserName>#<lname>.
def enter<lname; format="cap">(self, ctx):
```

```
  pass

# Exit a parse tree produced by <file.parserName>#<lname>.
def exit<lname; format="cap">(self, ctx):
  pass

}; separator="\n">

>>


VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName,
 file.ANTLRVersion)>
from antlr4 import *
<header>

# This class defines a complete generic visitor for a parse tree produced by <file.parserName>.

class <file.grammarName>Visitor(ParseTreeVisitor):

  <file.visitorNames:{lname |
# Visit a parse tree produced by <file.parserName>#<lname>.
def visit<lname; format="cap">(self, ctx):
  return self.visitChildren(ctx)

}; separator="\n">

>>


fileHeader(grammarFileName, ANTLRVersion) ::= <<
# Generated from <grammarFileName> by ANTLR <ANTLRVersion>
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
<if(superClass)>
from .<superClass> import <superClass>

<endif>
<atn>

class <parser.name> ( <if(superClass)><superClass><else>Parser<endif> ):
```

```
  grammarFileName = "<parser.grammarFileName>"

  atn = ATNDeserializer().deserialize(serializedATN())

  decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState)
]

  sharedContextCache = PredictionContextCache()

  literalNames = [ <parser.literalNames:{t | u<t>}; null="u\"\<INVALID>\"", separator=", ", wrap, anchor> ]

  symbolicNames = [ <parser.symbolicNames:{t | u<t>}; null="u\"\<INVALID>\"", separator=", ", wrap, anchor> ]

  <parser.rules:{r | RULE_<r.name> = <r.index>}; separator="\n", wrap, anchor>

  ruleNames =  [ <parser.ruleNames:{r | u"<r>"}; separator=", ", wrap, anchor> ]

  EOF = <TokenLabelType()>.EOF
  <if(parser.tokens)>
  <parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator="\n", wrap, anchor>
  <endif>

  <parser:(ctor)()>

  <namedActions.members>

  <funcs; separator="\n">


<if(sempredFuncs)>
  def sempred(self, localctx, ruleIndex, predIndex):
      if self._predicates == None:
          self._predicates = dict()
<parser.sempredFuncs.values:{f |
      self._predicates[<f.ruleIndex>] = self.<f.name>_sempred}; separator="\n        ">
      pred = self._predicates.get(ruleIndex,
 None)
      if pred is None:
          raise Exception("No predicate with index:" + str(ruleIndex))
      else:
          return pred(localctx, predIndex)

  <sempredFuncs.values; separator="\n">
<endif>



>>
```

```
dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
def action(self, localctx, ruleIndex, actionIndex):
  if self._actions is None:
      actions = dict()
<recog.actionFuncs.values:{f|
      actions[<f.ruleIndex>] = self.<f.name>_action }; separator="\n">
      self._actions = actions
  action = self._actions.get(ruleIndex, None)
  if action is not None:
      action(localctx, actionIndex)
  else:
      raise Exception("No registered action for:" + str(ruleIndex))

<actionFuncs.values; separator="\n">

<endif>
<if(sempredFuncs)>
def sempred(self, localctx, ruleIndex, predIndex):
  if self._predicates is None:
      preds = dict()
<recog.sempredFuncs.values:{f|
      preds[<f.ruleIndex>] = self.<f.name>_sempred};
 separator="\n">
      self._predicates = preds
  pred = self._predicates.get(ruleIndex, None)
  if pred is not None:
      return pred(localctx, predIndex)
  else:
      raise Exception("No registered predicate for:" + str(ruleIndex))

<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(p) ::= <<
def __init__(self, input, output=sys.stdout):
  super(<parser.name>, self).__init__(input, output=output)
  self.checkVersion("<file.ANTLRVersion>")
  self._interp = ParserATNSimulator(self, self.atn, self.decisionsToDFA, self.sharedContextCache)
  self._predicates = None

>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
```

```
RuleActionFunction(r, actions) ::= <<

def <r.name>_action(self, localctx , actionIndex):
<actions:{index|
<if(first(actions))>
  if actionIndex == <index>:
      <actions.(index)>
<elseif(rest(actions))>
  elif actionIndex == <index>:

     <actions.(index)>
<endif> }; separator="\n">
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
def <r.name>_sempred(self, localctx, predIndex):
  <actions:{index|
<if(first(actions))>
  if predIndex == <index>:
      return <actions.(index)>
<elseif(rest(actions))>
  elif predIndex == <index>:
      return <actions.(index)>
<endif> }; separator="\n">

>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<ruleCtx>

<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

def <currentRule.name>(self<currentRule.args:{a | , <a.name>}>):

  localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, self.state<currentRule.args:{a | , <a.name>}>)
  self.enterRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>)
  <namedActions.init>
  <locals; separator="\n">
   try:
     <code>
     <postamble; separator="\n">
     <namedActions.after>
  <if(exceptions)>
```

```
  <exceptions; separator="\n">
  <else>
  except RecognitionException as re:
      localctx.exception = re
      self._errHandler.reportError(self, re)
      self._errHandler.recover(self, re)
  <endif>
  finally:
      <finallyAction>
      self.exitRule()
  return localctx

>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
 namedActions,finallyAction,postamble) ::=
<<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

def <currentRule.name>(self, _p=0<if(currentRule.args)>, <args:{a | , <a>}><endif>):
  _parentctx = self._ctx
  _parentState = self.state
  localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, _parentState<args:{a | , <a.name>}>)
  _prevctx = localctx
  _startState = <currentRule.startState>
  self.enterRecursionRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>,
 _p)
  <namedActions.init>
  <locals; separator="\n">
  try:
      <code>
      <postamble; separator="\n">
      <namedActions.after>
  except RecognitionException as re:
      localctx.exception = re
      self._errHandler.reportError(self, re)
      self._errHandler.recover(self, re)
  finally:
      <finallyAction>
      self.unrollRecursionContexts(_parentctx)
  return localctx

>>

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>localctx = <parser.name>.<currentOuterMostAltCodeBlock.altLabel;
```

```
format="cap">Context(self, localctx)<endif>
self.enterOuterAlt(localctx, <currentOuterMostAltCodeBlock.alt.altNum>)
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
>>

LL1AltBlock(choice, preamble,
 alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  pass}; separator="\nel">
else:
  <error>

>>

LL1OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  pass}; separator="\nel">
else:
  pass
>>

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
if <expr>:
  <alts; separator="\n">

<!else if ( !(<followExpr>) ) <error>!>
>>
```

```
LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
while <loopExpr>:
  <alts;
 separator="\n">
  self.state = <choice.loopBackStateNumber>
  self._errHandler.sync(self)
  <iteration>

>>

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
<preamble; separator="\n">
while True:
  <alts; separator="\n">
  self.state = <choice.stateNumber> <! loopback/exit decision !>
  self._errHandler.sync(self)
  <iteration>
  if not (<loopExpr>):
     break

>>

// LL(*) stuff

AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{alt |
if la_ == <i>:
  <alt>
  pass
}; separator="\nel">

>>

OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{alt
```

```
|
if la_ == <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
}; separator="\nel">

>>

StarBlock(choice, alts, sync, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
_alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
  if _alt==1<if(!choice.ast.greedy)>+1<endif>:
     <iteration>
     <alts> <! should only be one !>
  self.state = <choice.loopBackStateNumber>
  self._errHandler.sync(self)
  _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)

>>

PlusBlock(choice, alts, error) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
_alt = 1<if(!choice.ast.greedy)>+1<endif>
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
  <alts:{alt|
if _alt == <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
};
 separator="\nel">
  else:
     <error>
  self.state = <choice.loopBackStateNumber> <! loopback/exit decision !>
  self._errHandler.sync(self)
  _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)

>>

Sync(s) ::= "sync(<s.expecting.name>)"

ThrowNoViableAlt(t) ::= "raise NoViableAltException(self)"

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" or ">
>>
```

```
// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShiftVar(s.varName, bits.shift)>})> and ((1 \<\< <offsetShiftVar(s.varName,
bits.shift)>) & (<bits.ttypes:{ttype | (1 \<\< <offsetShiftType(ttype, bits.shift)>)};
 separator=" | ">)) != 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShiftVar(shiftAmount, offset) ::= <%
<if(!isZero.(offset))>(<shiftAmount> - <offset>)<else><shiftAmount><endif>
%>

offsetShiftType(shiftAmount, offset) ::= <%
<if(!isZero.(offset))>(<parser.name>.<shiftAmount> - <offset>)<else><parser.name>.<shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName>==<parser.name>.<ttype>}; separator=" or ">
%>

cases(ttypes) ::= <<
if token in [<ttypes:{t | <parser.name>.<t>}; separator=", ">]:
>>

InvokeRule(r, argExprsChunks) ::= <<
self.state = <r.stateNumber>
<if(r.labels)><r.labels:{l | <labelref(l)> =
}><endif>self.<r.name>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChu
nks>)
>>

MatchToken(m) ::= <<
self.state = <m.stateNumber>
<if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>self.match(<parser.name>.<m.name>)
>>

MatchSet(m,
```

```
 expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
self.state = <m.stateNumber>
<if(m.labels)><m.labels:{l | <labelref(l)> = }>self._input.LT(1)<endif>
<capture>
<if(invert)>if <m.varName> \<= 0 or <expr><else>if not(<expr>)<endif>:
<if(m.labels)><m.labels:{l |     <labelref(l)> = }><else>    <endif>self._errHandler.recoverInline(self)
else:
  self._errHandler.reportMatch(self)
  self.consume()
>>

Wildcard(w) ::= <<
self.state = <w.stateNumber>
<if(w.labels)><w.labels:{l | <labelref(l)> = }><endif>self.matchWildcard()
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
self.state = <p.stateNumber>
if not <chunks>:
  from antlr4.error.Errors import FailedPredicateException
  raise FailedPredicateException(self, <p.predicate><if(failChunks)>,
 <failChunks><elseif(p.msg)>, <p.msg><endif>)
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
  <catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand()  ::= "skip()"
LexerMoreCommand()  ::= "more()"
LexerPopModeCommand() ::= "popMode()"

LexerTypeCommand(arg, grammar)      ::= "_type = <arg>"
LexerChannelCommand(arg, grammar)   ::= "_channel = <arg>"
```

```
LexerModeCommand(arg, grammar)      ::= "_mode = <arg>"
LexerPushModeCommand(arg, grammar)  ::= "pushMode(<arg>)"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "localctx.<a.name>"
LocalRef(a) ::= "localctx.<a.name>"
RetValueRef(a) ::= "localctx.<a.name>"
QRetValueRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType;
 null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "(None if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.text)"
TokenPropertyRef_type(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.type()"
TokenPropertyRef_line(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.line)"
TokenPropertyRef_pos(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.column)"
TokenPropertyRef_channel(t) ::= "(0 if (<ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.channel)"
TokenPropertyRef_index(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.tokenIndex)"
TokenPropertyRef_int(t) ::= "(0 if <ctx(t)>.<t.label> is None else int(<ctx(t)>.<t.label>.text))"

RulePropertyRef_start(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.start)"
RulePropertyRef_stop(r)  ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.stop)"
RulePropertyRef_text(r)  ::=
 "(None if <ctx(r)>.<r.label> is None else self._input.getText((<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop)))"
RulePropertyRef_ctx(r)  ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r)  ::= "self"

ThisRulePropertyRef_start(r) ::= "localctx.start"
ThisRulePropertyRef_stop(r)  ::= "localctx.stop"
ThisRulePropertyRef_text(r)  ::= "self._input.getText((localctx.start, self._input.LT(-1)))"
ThisRulePropertyRef_ctx(r)  ::= "localctx"
ThisRulePropertyRef_parser(r)  ::= "self"

NonLocalAttrRef(s)     ::= "getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks)  ::= "getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.append(<labelref(a.label)>)"

TokenDecl(t) ::= "self.<t.name> = None # <TokenLabelType()>"
TokenTypeDecl(t) ::= "self.<t.name> = 0 # <TokenLabelType()> type"
TokenListDecl(t) ::= "self.<t.name> = list() # of <TokenLabelType()>s"
```

```
RuleContextDecl(r) ::= "self.<r.name> = None # <r.ctxName>"
RuleContextListDecl(rdecl)
 ::= "self.<rdecl.name> = list() # of <rdecl.ctxName>s"

ContextTokenGetterDecl(t)      ::= <<
def <t.name>(self):
  return self.getToken(<parser.name>.<t.name>, 0)
>>

// should never be called
ContextTokenListGetterDecl(t)  ::= <<
def <t.name>_list(self):
  return self.getTokens(<parser.name>.<t.name>)
>>

ContextTokenListIndexedGetterDecl(t)  ::= <<
def <t.name>(self, i=None):
  if i is None:
     return self.getTokens(<parser.name>.<t.name>)
  else:
     return self.getToken(<parser.name>.<t.name>, i)
>>

ContextRuleGetterDecl(r)       ::= <<
def <r.name>(self):
  return self.getTypedRuleContext(<parser.name>.<r.ctxName>,0)

>>

// should never be called
ContextRuleListGetterDecl(r)   ::= <<
def <r.name>_list(self):
  return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)

>>

ContextRuleListIndexedGetterDecl(r)   ::= <<
def <r.name>(self, i=None):
  if i is None:
     return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)
  else:
      return self.getTypedRuleContext(<parser.name>.<r.ctxName>,i)

>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
```

```
*  r becomes rContext.
*/
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
ImplicitRuleLabel(ruleName)   ::= "_<ruleName>"
ImplicitSetLabel(id)    ::= "_tset<id>"
ListLabelName(label)    ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = self._input.LT(1)"
CaptureNextTokenType(d) ::= "<d.varName> = self._input.LA(1)"

StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers) ::= <<
class <struct.name>(<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif>):

  def __init__(self, parser, parent=None, invokingState=-1<struct.ctorAttrs:{a | , <a.name>=None}>):
     super(<parser.name>.<struct.name>, self).__init__(parent, invokingState)
     self.parser = parser
     <attrs:{a | <a>}; separator="\n">
     <struct.ctorAttrs:{a
| self.<a.name> = <a.name>}; separator="\n">

  <getters:{g | <g>}; separator="\n\n">

  def getRuleIndex(self):
     return <parser.name>.RULE_<struct.derivedFromName>

<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
  def copyFrom(self, ctx):
     super(<parser.name>.<struct.name>, self).copyFrom(ctx)
     <struct.attrs:{a | self.<a.name> = ctx.<a.name>}; separator="\n">

<endif>
  <dispatchMethods; separator="\n">
  <extensionMembers; separator="\n">

>>

AltLabelStructDecl(struct,attrs,getters,dispatchMethods) ::= <<
class <struct.name>(<currentRule.name; format="cap">Context):

  def __init__(self, parser, ctx): # actually a <parser.name>.<currentRule.name; format="cap">Context)
     super(<parser.name>.<struct.name>, self).__init__(parser)
     <attrs:{a | <a>}; separator="\n">
     self.copyFrom(ctx)

  <getters:{g | <g>}; separator="\n">
```

```
  <dispatchMethods; separator="\n">

>>

ListenerDispatchMethod(method)
 ::= <<
def <if(method.isEnter)>enter<else>exit<endif>Rule(self, listener):
  if hasattr(listener, "<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">"):
     listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">(self)

>>

VisitorDispatchMethod(method) ::= <<
def accept(self, visitor):
  if hasattr(visitor, "visit<struct.derivedFromName; format="cap">"):
     return visitor.visit<struct.derivedFromName; format="cap">(self)
  else:
     return visitor.visitChildren(self)

>>

AttributeDecl(d) ::= "self.<d.name> = <if(d.initValue)><d.initValue><else>None<endif>"

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>localctx.<endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "localctx"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec)  ::= "self.precpred(self._ctx, <opPrec>)"
recRuleSetReturnAction(src,name)
  ::= "$<name>=$<src>.<name>"
recRuleSetStopToken()                 ::= "self._ctx.stop = self._input.LT(-1)"

recRuleAltStartAction(ruleName, ctxName, label) ::= <<
localctx = <parser.name>.<ctxName>Context(self, _parentctx, _parentState)
<if(label)>localctx.<label> = _prevctx<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
localctx = <parser.name>.<currentAltLabel; format="cap">Context(self, <parser.name>.<ruleName;
format="cap">Context(self, _parentctx, _parentState))
<if(label)>
<if(isListLabel)>
localctx.<label>.append(_prevctx)
<else>
```

```
localctx.<label> = _prevctx
<endif>
<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>


recRuleReplaceContext(ctxName) ::= <<
localctx = <parser.name>.<ctxName>Context(self, localctx)
self._ctx = localctx
_prevctx = localctx
>>

recRuleSetPrevCtx() ::= <<
if
 self._parseListeners is not None:
   self.triggerExitRuleEvent()
_prevctx = localctx
>>


LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
# encoding: utf-8
from __future__ import print_function
from antlr4 import *
from io import StringIO
import sys

<namedActions.header>

<lexer>
>>

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
<if(superClass)>
from .<superClass> import <superClass>

<endif>

<atn>

class <lexer.name>(<if(superClass)><superClass><else>Lexer<endif>):

   atn = ATNDeserializer().deserialize(serializedATN())

   decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]
```

```
<if(lexer.channels)>
  <lexer.channels:{c| <c> = <lexer.channels.(c)>}; separator="\n">

<endif>
<if(rest(lexer.modes))>
  <rest(lexer.modes):{m| <m> = <i>}; separator="\n">

<endif>
  <lexer.tokens:{k | <k> = <lexer.tokens.(k)>}; separator="\n", wrap, anchor>

  channelNames = [ u"DEFAULT_TOKEN_CHANNEL",
 u"HIDDEN"<if (lexer.channels)>, <lexer.channels:{c| u"<c>"}; separator=", ", wrap, anchor><endif> ]

  modeNames = [ <lexer.modes:{m| u"<m>"}; separator=", ", wrap, anchor> ]

  literalNames = [ u"\<INVALID>",
        <lexer.literalNames:{t | u<t>}; separator=", ", wrap, anchor> ]

  symbolicNames = [ u"\<INVALID>",
        <lexer.symbolicNames:{t | u<t>}; separator=", ", wrap, anchor> ]

  ruleNames = [ <lexer.ruleNames:{r | u"<r>"}; separator=", ", wrap, anchor> ]

  grammarFileName = u"<lexer.grammarFileName>"

  def __init__(self, input=None, output=sys.stdout):
     super(<lexer.name>, self).__init__(input, output=output)
     self.checkVersion("<lexerFile.ANTLRVersion>")
     self._interp = LexerATNSimulator(self, self.atn, self.decisionsToDFA, PredictionContextCache())
     self._actions = None
     self._predicates = None

  <namedActions.members>

  <dumpActions(lexer, "", actionFuncs, sempredFuncs)>

>>

SerializedATN(model)
 ::= <<
<! only one segment, can be inlined !>

def serializedATN():
  with StringIO() as buf:
     buf.write(u"<model.serialized; wrap={")<\n>        buf.write(u"}>")
     return buf.getvalue()

>>
```

```
/** Using a type to init value map, try to init a type; if not in table
*  must be an object, default value is "null".
*/
initValue(typeName) ::= <<
<pythonTypeInitMap.(typeName)>
>>

codeFileExtension() ::= ".py"
```

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/templates/codegen/Python2/Python2.stg
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.
* Use of this file is governed by the BSD 3-clause license that
* can be found in the LICENSE.txt file in the project root.
*/
```

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/ast/RuleRefAST.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/LL1AltBlock.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/gui/JFileChooserConfirmOverwrite.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/LL1Loop.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/ast/NotAST.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/SemPred.java
*
 /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/ast/GrammarAST.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/ThrowEarlyExitException.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/parse/ToolANTLRParser.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/CaptureNextTokenType.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/ElementFrequenciesVisitor.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/LeftRecursiveRuleFunction.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/ast/RangeAST.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-

jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef_start.java
*
 /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/LeftRecursiveRule.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/OptionalBlock.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/DispatchMethod.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef_text.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/decl/StructDecl.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/Recognizer.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef_start.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/BlankOutputModelFactory.java
*
 /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/VisitorDispatchMethod.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/GrammarInterpreterRuleContext.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/LL1OptionalBlock.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/gui/TreeTextProvider.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/ThrowRecognitionException.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef_pos.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/ast/QuantifierAST.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/MatchSet.java
*
 /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/VisitorFile.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/MatchNotSet.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/semantics/BlankActionSplitterListener.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/semantics/SymbolCollector.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/parse/GrammarASTAdaptor.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/analysis/LeftRecursiveRuleAltInfo.java

* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/decl/TokenListDecl.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/LexerFile.java
*
 /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef_int.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/semantics/SemanticPipeline.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/Parser.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/target/Python3Target.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/parse/TokenVocabParser.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/GrammarParserInterpreter.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/target/SwiftTarget.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/DefaultToolListener.java
*
 /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/ANTLRMessage.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/chunk/RetValueRef.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextTokenGetterDecl.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/automata/TailEpsilonRemover.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/ThrowNoViableAlt.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/decl/Decl.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/ast/OptionalBlockAST.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/parse/GrammarToken.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/gui/TreeLayoutAdaptor.java
*
 /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/AttributeDict.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef_channel.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/gui/Trees.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/chunk/ArgRef.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/chunk/ActionTemplate.java

* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/LL1OptionalBlockSingleAlt.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/LeftRecursionCyclesMessage.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/SrcOp.java
*
 /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/chunk/ActionText.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/Alternative.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/RuleElement.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/chunk/NonLocalAttrRef.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/AttributeResolver.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/misc/Utils.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/automata/LexerATNFactory.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/gui/TreeViewer.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/ErrorManager.java
*
 /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/ErrorType.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/CodeBlockForOuterMostAlt.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/AltBlock.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/TestSetInline.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/gui/PostScriptDocument.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/misc/EscapeSequenceParsing.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef_parser.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef_line.java
*
 /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/OutputModelObject.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/CodeBlockForAlt.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/OutputModelWalker.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/Grammar.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/gui/BasicFontMetrics.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/misc/Graph.java

* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/ast/TerminalAST.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/ErrorSeverity.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/LabeledOp.java
*
 /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/semantics/SymbolChecks.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/chunk/ActionChunk.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/BaseVisitorFile.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/ExceptionClause.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/ast/BlockAST.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextGetterDecl.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/automata/ParserATNFactory.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextRuleListGetterDecl.java
*
 /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/DOTGenerator.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef_index.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/UnicodeEscapes.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/gui/TreePostScriptGenerator.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/misc/FrequencySet.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/LexerGrammar.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextTokenListGetterDecl.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/LexerFactory.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/Wildcard.java
*
 /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/target/Python2Target.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/Action.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/Lexer.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextRuleListIndexedGetterDecl.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/gui/TestRig.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-

jar/org/antlr/v4/semantics/BasicSemanticChecks.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/semantics/UseDefAnalyzer.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/ToolMessage.java
*
 /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/target/JavaScriptTarget.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/parse/ActionSplitterListener.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/ParserFactory.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/ast/ActionAST.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/LL1StarBlockSingleAlt.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/automata/ATNOptimizer.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/misc/MutableInt.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/analysis/LeftRecursionDetector.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/decl/AltLabelStructDecl.java
*
 /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/semantics/RuleCollector.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/chunk/QRetValueRef.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/dbg.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/tool/ast/RuleElementAST.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/SerializedATN.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef_text.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef_stop.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/chunk/ListLabelRef.java
*
 /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/analysis/LeftRecursiveRuleTransformer.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/CodeGeneratorExtension.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/ast/AltAST.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/automata/ATNFactory.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/chunk/SetAttr.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-

jar/org/antlr/v4/tool/ast/GrammarASTErrorNode.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/chunk/TokenRef.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/ParserFile.java
*
/opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/ast/PredAST.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/Target.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/DefaultOutputModelFactory.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/semantics/AttributeChecks.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/tool/ast/GrammarASTVisitor.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/parse/ToolANTLRLexer.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/decl/ContextTokenListIndexedGetterDecl.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/target/CSharpTarget.java
*
/opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/analysis/LeftRecursiveRuleAnalyzer.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef_ctx.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/LL1PlusBlockSingleAlt.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/automata/ATNPrinter.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef_text.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/Loop.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/tool/ast/GrammarRootAST.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/decl/CodeBlock.java
*
/opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/misc/CharSupport.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/automata/ATNVisitor.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/tool/ast/PlusBlockAST.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/OutputModelFactory.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/tool/GrammarTransformPipeline.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/ListenerFile.java

* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/Attribute.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/Tool.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/decl/ContextRuleGetterDecl.java
*
/opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/RuleFunction.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/CodeGenerator.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/semantics/ActionSniffer.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/decl/RuleContextDecl.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/BaseListenerFile.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/target/GoTarget.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/ast/RuleAST.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef_parser.java
*
/opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/tool/GrammarSyntaxMessage.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/MatchToken.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/ActionTranslator.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/misc/OrderedHashMap.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/StarBlock.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/Sync.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/analysis/AnalysisPipeline.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/ListenerDispatchMethod.java
*
/opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/chunk/SetNonLocalAttr.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef_ctx.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/parse/ScopeParser.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/chunk/LabelRef.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/ModelElement.java

* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/ast/StarBlockAST.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/parse/v4ParserException.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/LL1Choice.java
*
 /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/decl/ElementListDecl.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/chunk/LocalRef.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/AddToLabelList.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/OutputFile.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/decl/TokenDecl.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/target/CppTarget.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/unicode/UnicodeDataTemplateController.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/ast/GrammarASTWithOptions.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/decl/TokenTypeDecl.java
*
 /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/BuildDependencyGenerator.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/OutputModelController.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/ANTLRToolListener.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/CodeGenPipeline.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/LabelType.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/decl/RuleContextListDecl.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/ast/SetAST.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/LabelElementPair.java
*
 /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/decl/AttributeDecl.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/model/InvokeRule.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/parse/v3TreeGrammarException.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-

jar/org/antlr/v4/codegen/target/JavaTarget.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/Rule.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/Choice.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef_type.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/PlusBlock.java
*
/opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/gui/SystemFontMetrics.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/ArgAction.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/tool/GrammarSemanticsMessage.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/RuleSempredFunction.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/RuleActionFunction.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/CaptureNextToken.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/parse/ResyncToEndOfRuleBlock.java
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-
jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef_stop.java
No license file was found, but licenses were detected in source scan.

/*
[The "BSD license"]
Copyright (c) 2010 Terence Parr
All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/parse/ATNBuilder.java
No license file was found, but licenses were detected in source scan.

```
/*
* [The "BSD license"]
*  Copyright (c) 2012-2016 Terence Parr
*  Copyright (c) 2012-2016 Sam Harwell
*  All rights reserved.
*
*  Redistribution and use in source and binary forms, with or without
*  modification, are permitted provided that the following conditions
*  are met:
*
*  1. Redistributions of source code must retain the above copyright
*     notice, this list of conditions and the following disclaimer.
*  2. Redistributions in binary form must reproduce the above copyright
*     notice, this list of conditions and the following disclaimer in the
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
*  IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

// File      : A3Lexer.g
// Author    : Jim Idle (jimi@temporal-wave.com)
// Copyright : Free BSD - See @header clause below
// Version   : First implemented as part of ANTLR 3.2 this is the self
//             hosting ANTLR 3 Lexer.
//
// Description
// -----------
```

```
// This is the definitive lexer grammar for parsing ANTLR V3.x.x grammars. All other
// gramnmars are
 derived from this grammar via source code control integration (perforce)
// or by the gdiff tool.
//
// This grammar and its associated grmmmars A3Parser.g and A3Walker.g exhibit the following
// traits, which are recommended for all production quality grammars:
//
// 1) They are separate grammars, not composite grammars;
// 2) They implement all supporting methods in a superclass (at least this is recommended
//    for language targets that support inheritence;
// 3) All errors are pushed as far down the parsing chain as possible, which means
//    that the lexer tries to defer error reporting to the parser, and the parser
//    tries to defer error reporting to a semantic phase consisting of a single
//    walk of the AST. The reason for this is that the error messages produced
//    from later phases of the parse will generally have better context and so
//    be more useful to the end user. Consider the message: "Syntax error at 'options'"
//    vs: "You cannot specify two options{}
 sections in a single grammar file".
// 4) The lexer is 'programmed' to catch common mistakes such as unterminated literals
//    and report them specifically and not just issue confusing lexer mismatch errors.
//

/** Read in an ANTLR grammar and build an AST.  Try not to do
*  any actions, just build the tree.
*
*  The phases are:
*
*  A3Lexer.g (this file)
*            A3Parser.g
*            A3Verify.g (derived from A3Walker.g)
*  assign.types.g
*  define.g
*  buildnfa.g
*  antlr.print.g (optional)
*  codegen.g
*
*  Terence Parr
*  University of San Francisco
*  2005
*  Jim Idle (this v3 grammar)
*  Temporal Wave LLC
*  2009
*/
lexer grammar ANTLRLexer;

// ============================================================================
// Note that while this grammar does not care about order of constructs
```

```
// that don't really matter, such as options before @header etc, it must first
// be parsed by the original v2 parser, before it replaces it. That parser
 does
// care about order of structures. Hence we are constrained by the v2 parser
// for at least the first bootstrap release that causes this parser to replace
// the v2 version.
// ============================================================================

// -------
// Options
//
// V3 option directives to tell the tool what we are asking of it for this
// grammar.
//
options {

 // Target language is Java, which is the default but being specific
 // here as this grammar is also meant as a good example grammar for
 // for users.
 //
 language      = Java;

 // The super class that this lexer should expect to inherit from, and
 // which contains any and all support routines for the lexer. This is
 // commented out in this baseline (definitive or normative grammar)
 // - see the ANTLR tool implementation for hints on how to use the super
 //   class
 //
 //superclass    = AbstractA3Lexer;
}

tokens { SEMPRED; TOKEN_REF; RULE_REF; LEXER_CHAR_SET; ARG_ACTION; }

// Include the copyright
 in this source and also the generated source
//
@lexer::header {
/*
[The "BSD licence"]
Copyright (c) 2005-2009 Terence Parr
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
```

notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
package org.antlr.v4.parse;
import org.antlr.v4.tool.*;
import org.antlr.v4.runtime.misc.Interval;
}

@members {
public static final int COMMENTS_CHANNEL = 2;

  public CommonTokenStream tokens; // track stream we push to; need for context info
  public boolean isLexerRule = false;

public void grammarError(ErrorType etype, org.antlr.runtime.Token token, Object... args) { }

/** scan backwards from current point in this.tokens list
 * looking for the start of the rule or
subrule.
 * Return token or null if for some reason we can't find the start.
 */
public Token getRuleOrSubruleStartToken() {
    if (tokens==null) return null;
 int i = tokens.index();
      int n = tokens.size();
      if (i>=n) i = n-1; // seems index == n as we lex
 while (i>=0 && i<n) {
  int ttype = tokens.get(i).getType();
  if (ttype == LPAREN || ttype == TOKEN_REF || ttype == RULE_REF) {
   return tokens.get(i);
  }
  i--;
 }

```
 return null;
 }
}

// --------
// Comments
//
// ANTLR comments can be multi or single line and we don't care
// which particularly. However we also accept Javadoc style comments
// of the form: /** ... */ and we do take care to distinguish those
// from ordinary multi-line comments
// Note how we guide the lexical PATH because we want to issue a decriptive
// error message in case of a standalone '/' character, which makes no
// sense in ANTLR source code. We alo trap unterminated multi-line comments
//
fragment DOC_COMMENT : ;
COMMENT
@init
 {

 // Record the start line and offsets as if we need to report an
 // unterminated comment, then we want to show the start of the comment
 // we think is broken, not the end, where people will have to try and work
 // it out themselves.
 //
 int startLine = $line;
 int offset    = getCharPositionInLine();
}
  : // Eat the first character only, then see if we have a comment
    // or something silly.
    //
    '/'  // Comment introducer

    (
       // Single line comment, possibly with embedded src/line directives
       // in a similar style to the C pre-processor, allowing generated
       // code to refer the programmer back to the original source code
       // in case of error.
       //
       '/'
         (
            (' $ANTLR')=> ' $ANTLR' SRC
          | ~(NLCHARS)*
         )

      | // Multi-line comment, which may be a documentation comment
        // if it starts /** (note that we protect against accidentaly
```

```
        // recognizing a comment /**/ as a documentation comment
        //
        '*' (
            { input.LA(2) != '/'}?=> '*' { $type = DOC_COMMENT; }
          | { true }?=>  // Required to cover all alts with predicates
            )

            // Should we support embedded multiline comments here?
            //
            (
                // Pick out end of multiline comment and exit the loop
                // if we find it.
                //
                {    !(input.LA(1) == '*' && input.LA(2) == '/') }?

                  // Anything else other than the non-greedy match of
                  // the comment close sequence
                  //
                  .
            )*
         (
              // Look for the comment terminator, but if it is accidentally
              // unterminated, then we will hit EOF, which will trigger the
              // epsilon alt and hence we can issue an error
message relative
              // to the start of the unterminated multi-line comment
              //
              '*/'

            | // Unterminated comment!
              //
              {
                // ErrorManager.msg(Msg.UNTERMINATED_DOC_COMMENT, startLine, offset, $pos, startLine,
offset, $pos, (Object)null);
              }
          )

      | // There was nothing that made sense following the opening '/' and so
        // we issue an error regarding the malformed comment
        //
        {
          // TODO: Insert error message relative to comment start
          //
        }
    )
    {
      // We do not wish to pass the comments in to the parser. If you are
      // writing a formatter then you will want to preserve the comments off
```

```
        // channel, but could just skip and save token space if not.
        //
        $channel=COMMENTS_CHANNEL;
      }
  ;

ARG_OR_CHARSET
options {k=1;}
  :
 {isLexerRule}?=> LEXER_CHAR_SET {$type=LEXER_CHAR_SET;}
  |   {!isLexerRule}?=> ARG_ACTION
      {
      $type=ARG_ACTION;
      // Set the token text to our gathered string minus outer [ ]
      String t = $text;
      t = t.substring(1,t.length()-1);
      setText(t);
      }
  ;

fragment
LEXER_CHAR_SET
 : '['
  ( '\\' ~('\r'|'\n')
  | ~('\r'|'\n'|'\\'|']')
  )*
  ']'
 ;

// ----------
// Argument specs
//
// Certain argument lists, such as those specifying call parameters
// to a rule invocation, or input parameters to a rule specification
// are contained within square brackets. In the lexer we consume them
// all at once and sort them out later in the grammar analysis.
//
fragment
ARG_ACTION
 : '['
        (
            ARG_ACTION

          | ('"')=>ACTION_STRING_LITERAL

          | ('\'')=>ACTION_CHAR_LITERAL

          | ~('['|']')
```

```
    )*

    ']'
;

// -------
// Actions
//
// Other than making sure to distinguish between { and } embedded
//
 within what we have assumed to be literals in the action code, the
// job of the lexer is merely to gather the code within the action
// (delimited by {}) and pass it to the parser as a single token.
// We know that this token will be asked for its text somewhere
// in the upcoming parse, so setting the text here to exclude
// the delimiting {} is no additional overhead.
//
ACTION
 : NESTED_ACTION
  ( '?' {$type = SEMPRED;}
   ( (WSNLCHARS* '=>') => WSNLCHARS* '=>' // v3 gated sempred
    {
    Token t = new CommonToken(input, state.type, state.channel, state.tokenStartCharIndex, getCharIndex()-1);
    t.setLine(state.tokenStartLine);
    t.setText(state.text);
    t.setCharPositionInLine(state.tokenStartCharPositionInLine);
    grammarError(ErrorType.V3_GATED_SEMPRED, t);
    }
   )?
  )?
 ;

// ----------------
// Action structure
//
// Many language targets use {} as block delimiters and so we
// must recursively match {} delimited blocks to balance the
// braces. Additionally, we
 must make some assumptions about
// literal string representation in the target language. We assume
// that they are delimited by ' or " and so consume these
// in their own alts so as not to inadvertantly match {}.
// This rule calls itself on matching a {
//
fragment
NESTED_ACTION
@init {
```

```
// Record the start line and offsets as if we need to report an
// unterminated block, then we want to show the start of the comment
// we think is broken, not the end, where people will have to try and work
// it out themselves.
//
int startLine = getLine();
int offset    = getCharPositionInLine();
}

  : // Action and other blocks start with opening {
    //
  '{'
    (
    // And now we can match one of a number of embedded
    // elements within the action until we find a
    // } that balances the opening {. If we do not find
    // the balanced } then we will hit EOF and can issue
    // an error message about the brace that we belive to
    // be mismatched. This won't be
foolproof but we will
    // be able to at least report an error against the
    // opening brace that we feel is in error and this will
    // guide the user to the correction as best we can.
    //


      // An embedded {} block
      //
      NESTED_ACTION

      | // What appears to be a literal
        //
        ACTION_CHAR_LITERAL

      | // We have assumed that the target language has C/Java
        // type comments.
        //
        COMMENT

      | // What appears to be a literal
        //
        ACTION_STRING_LITERAL

    | // What appears to be an escape sequence
      //
      ACTION_ESC

    | // Some other single character that is not
```

```
      // handled above
      //
      ~('\\'|''|'\''|'/'|'{'|'}')

    )*

(
    // Correctly balanced closing brace
    //
    '}'

  | // Looks like have an imblanced {} block, report
    // with respect to the opening brace.
    //
    {
       // TODO: Report imbalanced {}

  System.out.println("Block starting  at line " + startLine + " offset " + (offset+1) + " contains imbalanced {} or is missing a }");
    }
)
 ;


// Keywords
// --------
// keywords used to specify ANTLR v3 grammars. Keywords may not be used as
// labels for rules or in any other context where they would be ambiguous
// with the keyword vs some other identifier
// OPTIONS, TOKENS, and CHANNELS must also consume the opening brace that captures
// their option block, as this is the easiest way to parse it separate
// to an ACTION block, despite it using the same {} delimiters.
//
OPTIONS      : 'options'  WSNLCHARS* '{'  ;
TOKENS_SPEC  : 'tokens'   WSNLCHARS* '{'  ;
CHANNELS     : 'channels' WSNLCHARS* '{'  ;

IMPORT       : 'import'              ;
FRAGMENT     : 'fragment'            ;
LEXER        : 'lexer'               ;
PARSER       : 'parser'              ;
GRAMMAR      : 'grammar'             ;
TREE_GRAMMAR : 'tree' WSNLCHARS* 'grammar' ;
PROTECTED    : 'protected'
      ;
PUBLIC       : 'public'              ;
PRIVATE      : 'private'             ;
RETURNS      : 'returns'             ;
```

```
LOCALS      : 'locals'              ;
THROWS      : 'throws'              ;
CATCH       : 'catch'               ;
FINALLY     : 'finally'             ;
MODE        : 'mode'                ;

// -----------
// Punctuation
//
// Character sequences used as separators, delimters, operators, etc
//
COLON       : ':'
            {
            // scan backwards, looking for a RULE_REF or TOKEN_REF.
            // which would indicate the start of a rule definition.
            // If we see a LPAREN, then it's the start of the subrule.
            // this.tokens is the token string we are pushing into, so
            // just loop backwards looking for a rule definition. Then
            // we set isLexerRule.
            Token t = getRuleOrSubruleStartToken();
            if ( t!=null ) {
                if ( t.getType()==RULE_REF
 ) isLexerRule = false;
                else if ( t.getType()==TOKEN_REF ) isLexerRule = true;
                // else must be subrule; don't alter context
            }
            }
          ;
COLONCOLON  : '::'                  ;
COMMA       : ','                   ;
SEMI        : ';'                   ;
LPAREN      : '('                   ;
RPAREN      : ')'                   ;
RARROW      : '->'                  ;
LT          : '<'                   ;
GT          : '>'                   ;
ASSIGN      : '='                   ;
QUESTION    : '?'                   ;
SYNPRED     : '=>'
    {
     Token t = new CommonToken(input, state.type, state.channel,
                        state.tokenStartCharIndex, getCharIndex()-1);
   t.setLine(state.tokenStartLine);
   t.setText(state.text);
   t.setCharPositionInLine(state.tokenStartCharPositionInLine);
   grammarError(ErrorType.V3_SYNPRED, t);
            $channel=HIDDEN;
   }
```

```
        ;
STAR       : '*'                ;
PLUS       : '+'                ;
PLUS_ASSIGN  : '+='                ;
OR         : '|'                ;
DOLLAR     : '$'                ;
DOT      : '.'                ; // can be WILDCARD or DOT in qid or imported rule ref
RANGE      : '..'               ;
AT         : '@'                ;
POUND      : '#'                ;
NOT        : '~'                ;
RBRACE     : '}'                ;

/** Allow unicode rule/token names */
ID   : a=NameStartChar NameChar*
   {
   if ( Grammar.isTokenName($a.text) ) $type = TOKEN_REF;
   else $type = RULE_REF;
   }
  ;

fragment
NameChar    :   NameStartChar
        |   '0'..'9'
        |   '_'
        |   '\u00B7'
        |   '\u0300'..'\u036F'
        |   '\u203F'..'\u2040'
        ;

fragment
NameStartChar
        :   'A'..'Z' | 'a'..'z'
        |   '\u00C0'..'\u00D6'
        |   '\u00D8'..'\u00F6'
         |   '\u00F8'..'\u02FF'
        |   '\u0370'..'\u037D'
        |   '\u037F'..'\u1FFF'
        |   '\u200C'..'\u200D'
        |   '\u2070'..'\u218F'
        |   '\u2C00'..'\u2FEF'
        |   '\u3001'..'\uD7FF'
        |   '\uF900'..'\uFDCF'
        |   '\uFDF0'..'\uFEFE'
        |   '\uFF00'..'\uFFFD'
        ; // ignores | ['\u10000-'\uEFFFF] ;

// ----------------------------
```

```
// Literals embedded in actions
//
// Note that we have made the assumption that the language used within
// actions uses the fairly standard " and ' delimiters for literals and
// that within these literals, characters are escaped using the \ character.
// There are some languages which do not conform to this in all cases, such
// as by using /string/ and so on. We will have to deal with such cases if
// if they come up in targets.
//

// Within actions, or other structures that are not part of the ANTLR
// syntax, we may encounter literal characters. Within
 these, we do
// not want to inadvertantly match things like '}' and so we eat them
// specifically. While this rule is called CHAR it allows for the fact that
// some languages may use/allow ' as the string delimiter.
//
fragment
ACTION_CHAR_LITERAL
 : '\'' (('\\')=>ACTION_ESC | ~'\'' )* '\''
 ;

// Within actions, or other structures that are not part of the ANTLR
// syntax, we may encounter literal strings. Within these, we do
// not want to inadvertantly match things like '}' and so we eat them
// specifically.
//
fragment
ACTION_STRING_LITERAL
 : '"' (('\\')=>ACTION_ESC | ~'"')* '"'
 ;

// Within literal strings and characters that are not part of the ANTLR
// syntax, we must allow for escaped character sequences so that we do not
// inadvertantly recognize the end of a string or character when the terminating
// delimiter has been esacped.
//
fragment
ACTION_ESC
 : '\\' .
 ;

// -------
// Integer
//
// Obviously (I hope) match an aribtrary long sequence of digits.
//
INT :
```

```
 ('0'..'9')+
   ;

// -----------
// Source spec
//
// A fragment rule for picking up information about an origrinating
// file from which the grammar we are parsing has been generated. This allows
// ANTLR to report errors against the originating file and not the generated
// file.
//
fragment
SRC : 'src' WSCHARS+ file=ACTION_STRING_LITERAL WSCHARS+ line=INT
    {
      // TODO: Add target specific code to change the source file name and current line number
      //
    }
  ;

// ---------------
// Literal string
//
// ANTLR makes no disticintion between a single character literal and a
// multi-character string. All literals are single quote delimited and
// may contain unicode escape sequences of the form \uxxxx or \u{xxxxxx},
// where x is a valid hexadecimal number.
STRING_LITERAL
  :  '\'' ( ( ESC_SEQ | ~('\\'|'\''|'\r'|'\n') ) )*
     (    '\''
     |    // Unterminated string literal
          {
          Token t = new CommonToken(input, state.type, state.channel,
 state.tokenStartCharIndex, getCharIndex()-1);
          t.setLine(state.tokenStartLine);
          t.setText(state.text);
          t.setCharPositionInLine(state.tokenStartCharPositionInLine);
          grammarError(ErrorType.UNTERMINATED_STRING_LITERAL, t);
          }
     )
  ;

// A valid hex digit specification
//
fragment
HEX_DIGIT : ('0'..'9'|'a'..'f'|'A'..'F') ;

// Any kind of escaped character that we can embed within ANTLR
// literal strings.
```

```
//
fragment
ESC_SEQ
  : '\\'
    (
        // The standard escaped character set such as tab, newline, etc...
    'b'|'t'|'n'|'f'|'r'|'\"'|'\\'

     | // A Java style Unicode escape sequence
       UNICODE_ESC

      | // A Swift/Hack style Unicode escape sequence
        UNICODE_EXTENDED_ESC

     | // An illegal escape seqeunce
       ~('b'|'t'|'n'|'f'|'r'|'\"'|'\\'|'u') // \x for any invalid x (make sure to match char here)
       {
           Token t = new CommonToken(input,
 state.type, state.channel, getCharIndex()-2, getCharIndex()-1);
           t.setText(t.getText());
           t.setLine(input.getLine());
           t.setCharPositionInLine(input.getCharPositionInLine()-2);
           grammarError(ErrorType.INVALID_ESCAPE_SEQUENCE, t, input.substring(getCharIndex()-
2,getCharIndex()-1));
       }
    )
  ;

fragment
UNICODE_ESC
@init {

 // Flag to tell us whether we have a valid number of
 // hex digits in the escape sequence
 //
 int hCount = 0;
}
  :   'u' // Leadin for unicode escape sequence

     // We now require 4 hex digits. Note though
     // that we accept any number of characters
     // and issue an error if we do not get 4. We cannot
     // use an inifinite count such as + because this
     // might consume too many, so we lay out the lexical
     // options and issue an error at the invalid paths.
     //
   (
     (
```

```
        HEX_DIGIT  { hCount++; }

    (
            HEX_DIGIT  { hCount++; }
          (
              HEX_DIGIT  { hCount++; }
              (
                 // Four valid hex digits, we are good
                 //
                 HEX_DIGIT { hCount++; }

               | // Three valid digits
              )

            | // Two valid digits
           )

         | // One valid digit
       )
        )
       | // No valid hex digits at all
    )

    // Now check the digit count and issue an error if we need to
    //
    {
     if (hCount < 4) {
    Interval badRange = Interval.of(getCharIndex()-2-hCount, getCharIndex());
    String lastChar = input.substring(badRange.b, badRange.b);
    if ( lastChar.codePointAt(0)=='\' ) {
     badRange.b--;
    }
    String bad = input.substring(badRange.a, badRange.b);
    Token t = new CommonToken(input, state.type, state.channel, badRange.a, badRange.b);
    t.setLine(input.getLine());
    t.setCharPositionInLine(input.getCharPositionInLine()-hCount-2);
    grammarError(ErrorType.INVALID_ESCAPE_SEQUENCE,
 t, bad);
     }
    }
   ;

fragment
UNICODE_EXTENDED_ESC
   :   'u{' // Leadin for unicode extended escape sequence

       HEX_DIGIT+ // One or more hexadecimal digits
```

```
      '}' // Leadout for unicode extended escape sequence

      // Now check the digit count and issue an error if we need to
      {
         int numDigits = getCharIndex()-state.tokenStartCharIndex-6;
         if (numDigits > 6) {
            Token t = new CommonToken(input, state.type, state.channel, state.tokenStartCharIndex, getCharIndex()-
1);
            t.setText(t.getText());
            t.setLine(input.getLine());
            t.setCharPositionInLine(input.getCharPositionInLine()-numDigits);
            grammarError(ErrorType.INVALID_ESCAPE_SEQUENCE, t,
input.substring(state.tokenStartCharIndex,getCharIndex()-1));
  }
      }
  ;

// ----------
//
 Whitespace
//
// Characters and character constructs that are of no import
// to the parser and are used to make the grammar easier to read
// for humans.
//
WS
  : (
     ' '
     | '\t'
     | '\r'
     | '\n'
     | '\f'
    )+
    {$channel=HIDDEN;}
  ;

// A fragment rule for use in recognizing end of line in
// rules like COMMENT.
//
fragment
NLCHARS
  : '\n' | '\r'
  ;

// A fragment rule for recognizing traditional whitespace
// characters within lexer rules.
//
fragment
```

```
WSCHARS
  : ' ' | '\t' | '\f'
  ;

// A fragment rule for recognizing both traditional whitespace and
// end of line markers, when we don't care to distinguish but don't
// want any action code going on.
//
fragment
WSNLCHARS
  : ' ' | '\t' | '\f' | '\n' | '\r'
  ;

// This rule allows ANTLR 4 to parse grammars using the UTF-8 encoding with a
// byte order mark. Since this Unicode character doesn't appear as a token
// anywhere else in the grammar, we can simply skip all instances
 of it without
// problem. This rule will not break usage of \uFEFF inside a LEXER_CHAR_SET or
// STRING_LITERAL.
UnicodeBOM
  :   '\uFEFF' {skip();}
  ;

// -----------------
// Illegal Character
//
// This is an illegal character trap which is always the last rule in the
// lexer specification. It matches a single character of any value and being
// the last rule in the file will match when no other rule knows what to do
// about the character. It is reported as an error but is not passed on to the
// parser. This means that the parser to deal with the gramamr file anyway
// but we will not try to analyse or code generate from a file with lexical
// errors.
//
ERRCHAR
  : .
    {
      Token t = new CommonToken(input, state.type, state.channel, state.tokenStartCharIndex, getCharIndex()-1);
      t.setLine(state.tokenStartLine);
      t.setText(state.text);
      t.setCharPositionInLine(state.tokenStartCharPositionInLine);
      String msg = getTokenErrorDisplay(t)
 + " came as a complete surprise to me";
      grammarError(ErrorType.SYNTAX_ERROR, t, msg);
      state.syntaxErrors++;
      skip();
    }
  ;
```

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/parse/ANTLRLexer.g
No license file was found, but licenses were detected in source scan.

```
/*
* [The "BSD license"]
*  Copyright (c) 2012-2016 Terence Parr
*  Copyright (c) 2012-2016 Sam Harwell
*  All rights reserved.
*
*  Redistribution and use in source and binary forms, with or without
*  modification, are permitted provided that the following conditions
*  are met:
*
*  1. Redistributions of source code must retain the above copyright
*     notice, this list of conditions and the following disclaimer.
*  2. Redistributions in binary form must reproduce the above copyright
*     notice, this list of conditions and the following disclaimer in the
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
*  IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

/** templates used to generate make-compatible dependencies */

/** Generate "f : x, y, z" dependencies for input
*  dependencies and generated files. in and out
*  are File objects.  For example, you can say
*  <f.canonicalPath>
*/
dependencies(grammarFileName,in,out) ::= <<
<if(in)><grammarFileName>: <in; separator=", "><endif>
<out:{f | <f> : <grammarFileName>};
 separator="\n">
>>
```

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/templates/depend.stg
No license file was found, but licenses were detected in source scan.

```
/*
* [The "BSD license"]
*  Copyright (c) 2012-2016 Terence Parr
*  Copyright (c) 2012-2016 Sam Harwell
*  Copyright (c) 2014 Eric Vergnaud
*  All rights reserved.
*
*  Redistribution and use in source and binary forms, with or without
*  modification, are permitted provided that the following conditions
*  are met:
*
*  1. Redistributions of source code must retain the above copyright
*     notice, this list of conditions and the following disclaimer.
*  2. Redistributions in binary form must reproduce the above copyright
*     notice, this list of conditions and the following disclaimer in the
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
*  IMPLIED
 WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

/** ANTLR tool checks output templates are compatible with tool code generation.
*  For now, a simple string match used on x.y of x.y.z scheme.
*  Must match Tool.VERSION during load to templates.
*
*  REQUIRED.
*/

pythonTypeInitMap ::= [
 "bool":"False",
 "int":"0",
 "float":"0.0",
```

```
 "str":"",
 default:"None" // anything other
 than a primitive type is an object
]

// args must be <object-model-object>, <fields-resulting-in-STs>

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
# encoding: utf-8
from antlr4 import *
from io import StringIO
from typing.io import TextIO
import sys

<namedActions.header>
<parser>

>>

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
from antlr4 import *
if __name__ is not None and "." in __name__:
  from .<file.parserName> import <file.parserName>
else:
  from <file.parserName> import <file.parserName>
<header>

# This class defines a complete listener for a parse tree produced by <file.parserName>.
class <file.grammarName>Listener(ParseTreeListener):

  <file.listenerNames:{lname |
# Enter a parse tree produced by <file.parserName>#<lname>.
def enter<lname; format="cap">(self, ctx:<file.parserName>.<lname; format="cap">Context):
  pass

# Exit a
 parse tree produced by <file.parserName>#<lname>.
def exit<lname; format="cap">(self, ctx:<file.parserName>.<lname; format="cap">Context):
  pass

}; separator="\n">

>>


VisitorFile(file, header, namedActions) ::= <<
```

```
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
from antlr4 import *
if __name__ is not None and "." in __name__:
  from .<file.parserName> import <file.parserName>
else:
  from <file.parserName> import <file.parserName>
<header>

# This class defines a complete generic visitor for a parse tree produced by <file.parserName>.

class <file.grammarName>Visitor(ParseTreeVisitor):

  <file.visitorNames:{lname |
# Visit a parse tree produced by <file.parserName>#<lname>.
def visit<lname; format="cap">(self, ctx:<file.parserName>.<lname; format="cap">Context):
  return self.visitChildren(ctx)

}; separator="\n">

del <file.parserName>
>>


fileHeader(grammarFileName, ANTLRVersion) ::= <<
# Generated from <grammarFileName> by ANTLR <ANTLRVersion>
>>

Parser(parser,
 funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
<if(superClass)>
if __name__ is not None and "." in __name__:
  from .<superClass> import <superClass>
else:
  from <superClass> import <superClass>

<endif>
<atn>

class <parser.name> ( <if(superClass)><superClass><else>Parser<endif> ):

  grammarFileName = "<parser.grammarFileName>"

  atn = ATNDeserializer().deserialize(serializedATN())
```

```
  decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]

  sharedContextCache = PredictionContextCache()

  literalNames = [ <parser.literalNames:{t | <t>}; null="\"\<INVALID>\"", separator=", ", wrap, anchor> ]

  symbolicNames = [ <parser.symbolicNames:{t | <t>}; null="\"\<INVALID>\"", separator=", ", wrap, anchor> ]

  <parser.rules:{r | RULE_<r.name> = <r.index>}; separator="\n", wrap, anchor>

  ruleNames =  [ <parser.ruleNames:{r | "<r>"}; separator=",
", wrap, anchor> ]

  EOF = <TokenLabelType()>.EOF
  <if(parser.tokens)>
  <parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator="\n", wrap, anchor>
  <endif>

  <parser:(ctor)()>

  <namedActions.members>

  <funcs; separator="\n">


<if(sempredFuncs)>
  def sempred(self, localctx:RuleContext, ruleIndex:int, predIndex:int):
      if self._predicates == None:
          self._predicates = dict()
<parser.sempredFuncs.values:{f |
      self._predicates[<f.ruleIndex>] = self.<f.name>_sempred}; separator="\n        ">
      pred = self._predicates.get(ruleIndex, None)
      if pred is None:
          raise Exception("No predicate with index:" + str(ruleIndex))
      else:
          return pred(localctx, predIndex)

  <sempredFuncs.values; separator="\n">
<endif>



>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
def action(self, localctx:RuleContext, ruleIndex:int, actionIndex:int):
  if self._actions is None:
```

```
     actions = dict()
<recog.actionFuncs.values:{f|
      actions[<f.ruleIndex>] = self.<f.name>_action }; separator="\n">
      self._actions = actions
  action = self._actions.get(ruleIndex, None)
  if action is not None:
      action(localctx, actionIndex)
  else:
      raise Exception("No registered action for:" + str(ruleIndex))

<actionFuncs.values; separator="\n">

<endif>
<if(sempredFuncs)>
def sempred(self, localctx:RuleContext, ruleIndex:int, predIndex:int):
  if self._predicates is None:
      preds = dict()
<recog.sempredFuncs.values:{f|
      preds[<f.ruleIndex>] = self.<f.name>_sempred}; separator="\n">
      self._predicates = preds
  pred = self._predicates.get(ruleIndex, None)
  if pred is not None:
      return pred(localctx, predIndex)
  else:
      raise Exception("No registered predicate for:" + str(ruleIndex))

<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(p) ::= <<
def __init__(self, input:TokenStream, output:TextIO
 = sys.stdout):
  super().__init__(input, output)
  self.checkVersion("<file.ANTLRVersion>")
  self._interp = ParserATNSimulator(self, self.atn, self.decisionsToDFA, self.sharedContextCache)
  self._predicates = None

>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<

def <r.name>_action(self, localctx:<r.ctxType> , actionIndex:int):
<actions:{index|
```

```
<if(first(actions))>
  if actionIndex == <index>:
     <actions.(index)>
<elseif(rest(actions))>
  elif actionIndex == <index>:
     <actions.(index)>
<endif> }; separator="\n">
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
def <r.name>_sempred(self, localctx:<r.ctxType>, predIndex:int):
  <actions:{index|
<if(first(actions))>
  if predIndex == <index>:

  return <actions.(index)>
<elseif(rest(actions))>
  elif predIndex == <index>:
     return <actions.(index)>
<endif> }; separator="\n">

>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<ruleCtx>

<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

def <currentRule.name>(self<currentRule.args:{a | , <a.name><if(a.type)>:<a.type><endif>}>):

  localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, self.state<currentRule.args:{a | , <a.name>}>)
  self.enterRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>)
  <namedActions.init>
  <locals; separator="\n">
  try:
     <code>
     <postamble; separator="\n">
     <namedActions.after>
  <if(exceptions)>
  <exceptions; separator="\n">
  <else>
  except RecognitionException as re:
     localctx.exception = re
```

```
        self._errHandler.reportError(self, re)
        self._errHandler.recover(self, re)

    <endif>
    finally:
        <finallyAction>
        self.exitRule()
    return localctx

>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
 namedActions,finallyAction,postamble) ::=
<<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

def <currentRule.name>(self, _p:int=0<if(currentRule.args)>, <args:{a | , <a>}><endif>):
    _parentctx = self._ctx
    _parentState = self.state
    localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, _parentState<args:{a | , <a.name>}>)
    _prevctx = localctx
    _startState = <currentRule.startState>
    self.enterRecursionRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>, _p)
    <namedActions.init>
    <locals; separator="\n">
    try:
        <code>
        <postamble; separator="\n">
        <namedActions.after>
    except RecognitionException as re:
        localctx.exception = re
        self._errHandler.reportError(self, re)
        self._errHandler.recover(self,
 re)
    finally:
        <finallyAction>
        self.unrollRecursionContexts(_parentctx)
    return localctx

>>

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>localctx = <parser.name>.<currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(self, localctx)<endif>
self.enterOuterAlt(localctx, <currentOuterMostAltCodeBlock.alt.altNum>)
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
```

```
>>

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
>>

LL1AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  pass}; separator="\nel">
else:
  <error>

>>

LL1OptionalBlock(choice,
 alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  pass}; separator="\nel">
else:
  pass
>>

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
if <expr>:
  <alts; separator="\n">

<!else if ( !(<followExpr>) ) <error>!>
>>


LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
```

```
<preamble; separator="\n">
while <loopExpr>:
  <alts; separator="\n">
  self.state = <choice.loopBackStateNumber>
  self._errHandler.sync(self)
  <iteration>

>>

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
<preamble; separator="\n">
while
 True:
  <alts; separator="\n">
  self.state = <choice.stateNumber> <! loopback/exit decision !>
  self._errHandler.sync(self)
  <iteration>
  if not (<loopExpr>):
     break

>>

// LL(*) stuff

AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{alt |
if la_ == <i>:
  <alt>
  pass
}; separator="\nel">

>>

OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{alt |
if la_ == <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
}; separator="\nel">
```

```
>>

StarBlock(choice, alts, sync, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
_alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
while
 _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
  if _alt==1<if(!choice.ast.greedy)>+1<endif>:
     <iteration>
     <alts> <! should only be one !>
  self.state = <choice.loopBackStateNumber>
  self._errHandler.sync(self)
  _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)

>>

PlusBlock(choice, alts, error) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
_alt = 1<if(!choice.ast.greedy)>+1<endif>
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
  <alts:{alt|
if _alt == <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
}; separator="\nel">
  else:
     <error>
  self.state = <choice.loopBackStateNumber> <! loopback/exit decision !>
  self._errHandler.sync(self)
  _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)

>>

Sync(s) ::= "sync(<s.expecting.name>)"

ThrowNoViableAlt(t) ::= "raise NoViableAltException(self)"

TestSetInline(s)
 ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" or ">
>>

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
```

```
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShiftVar(s.varName, bits.shift)>})> and ((1 \<\< <offsetShiftVar(s.varName,
bits.shift)>) & (<bits.ttypes:{ttype | (1 \<\< <offsetShiftType(ttype, bits.shift)>)}; separator=" | ">)) != 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShiftVar(shiftAmount, offset) ::= <%
<if(!isZero.(offset))>(<shiftAmount> - <offset>)<else><shiftAmount><endif>
%>

offsetShiftType(shiftAmount, offset) ::= <%
<if(!isZero.(offset))>(<parser.name>.<shiftAmount> - <offset>)<else><parser.name>.<shiftAmount><endif>
%>

//
 produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName>==<parser.name>.<ttype>}; separator=" or ">
%>

cases(ttypes) ::= <<
if token in [<ttypes:{t | <parser.name>.<t>}; separator=", ">]:
>>

InvokeRule(r, argExprsChunks) ::= <<
self.state = <r.stateNumber>
<if(r.labels)><r.labels:{l | <labelref(l)> =
}><endif>self.<r.name>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChu
nks>)
>>

MatchToken(m) ::= <<
self.state = <m.stateNumber>
<if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>self.match(<parser.name>.<m.name>)
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
```

```
self.state = <m.stateNumber>
<if(m.labels)><m.labels:{l | <labelref(l)> = }>self._input.LT(1)<endif>
<capture>
<if(invert)>if
 <m.varName> \<= 0 or <expr><else>if not(<expr>)<endif>:
<if(m.labels)><m.labels:{l |     <labelref(l)> = }><else>    <endif>self._errHandler.recoverInline(self)
else:
   self._errHandler.reportMatch(self)
   self.consume()
>>

Wildcard(w) ::= <<
self.state = <w.stateNumber>
<if(w.labels)><w.labels:{l | <labelref(l)> = }><endif>self.matchWildcard()
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
self.state = <p.stateNumber>
if not <chunks>:
   from antlr4.error.Errors import FailedPredicateException
   raise FailedPredicateException(self, <p.predicate><if(failChunks)>, <failChunks><elseif(p.msg)>,
<p.msg><endif>)
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
   <catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand()  ::= "skip()"
LexerMoreCommand()  ::= "more()"
LexerPopModeCommand() ::= "popMode()"

LexerTypeCommand(arg,
 grammar)      ::= "_type = <arg>"
LexerChannelCommand(arg, grammar)   ::= "_channel = <arg>"
LexerModeCommand(arg, grammar)      ::= "_mode = <arg>"
LexerPushModeCommand(arg, grammar)  ::= "pushMode(<arg>)"
```

```
ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "localctx.<a.name>"
LocalRef(a) ::= "localctx.<a.name>"
RetValueRef(a) ::= "localctx.<a.name>"
QRetValueRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "(None if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.text)"
TokenPropertyRef_type(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.type()"
TokenPropertyRef_line(t) ::= "(0 if
 <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.line)"
TokenPropertyRef_pos(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.column)"
TokenPropertyRef_channel(t) ::= "(0 if (<ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.channel)"
TokenPropertyRef_index(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.tokenIndex)"
TokenPropertyRef_int(t) ::= "(0 if <ctx(t)>.<t.label> is None else int(<ctx(t)>.<t.label>.text))"

RulePropertyRef_start(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.start)"
RulePropertyRef_stop(r)  ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.stop)"
RulePropertyRef_text(r)  ::= "(None if <ctx(r)>.<r.label> is None else
self._input.getText((<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop)))"
RulePropertyRef_ctx(r)  ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r)  ::= "self"

ThisRulePropertyRef_start(r) ::= "localctx.start"
ThisRulePropertyRef_stop(r)  ::= "localctx.stop"
ThisRulePropertyRef_text(r)
 ::= "self._input.getText((localctx.start, self._input.LT(-1)))"
ThisRulePropertyRef_ctx(r)  ::= "localctx"
ThisRulePropertyRef_parser(r)  ::= "self"

NonLocalAttrRef(s)     ::= "getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks)  ::= "getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.append(<labelref(a.label)>)"

TokenDecl(t) ::= "self.<t.name> = None # <TokenLabelType()>"
TokenTypeDecl(t) ::= "self.<t.name> = 0 # <TokenLabelType()> type"
TokenListDecl(t) ::= "self.<t.name> = list() # of <TokenLabelType()>s"
RuleContextDecl(r) ::= "self.<r.name> = None # <r.ctxName>"
RuleContextListDecl(rdecl) ::= "self.<rdecl.name> = list() # of <rdecl.ctxName>s"
```

```
ContextTokenGetterDecl(t)      ::= <<
def <t.name>(self):
  return self.getToken(<parser.name>.<t.name>, 0)
>>

// should never be called
ContextTokenListGetterDecl(t)  ::= <<
def <t.name>_list(self):
  return self.getTokens(<parser.name>.<t.name>)
>>

ContextTokenListIndexedGetterDecl(t)
 ::= <<
def <t.name>(self, i:int=None):
  if i is None:
     return self.getTokens(<parser.name>.<t.name>)
  else:
     return self.getToken(<parser.name>.<t.name>, i)
>>

ContextRuleGetterDecl(r)       ::= <<
def <r.name>(self):
  return self.getTypedRuleContext(<parser.name>.<r.ctxName>,0)

>>

// should never be called
ContextRuleListGetterDecl(r)   ::= <<
def <r.name>_list(self):
  return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)

>>

ContextRuleListIndexedGetterDecl(r)   ::= <<
def <r.name>(self, i:int=None):
  if i is None:
     return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)
  else:
     return self.getTypedRuleContext(<parser.name>.<r.ctxName>,i)

>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
*  r becomes rContext.
*/
```

```
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
ImplicitRuleLabel(ruleName)
  ::= "_<ruleName>"
ImplicitSetLabel(id)    ::= "_tset<id>"
ListLabelName(label)    ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = self._input.LT(1)"
CaptureNextTokenType(d) ::= "<d.varName> = self._input.LA(1)"

StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers) ::= <<
class <struct.name>(<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif>):

   def __init__(self, parser, parent:ParserRuleContext=None, invokingState:int=-1<struct.ctorAttrs:{a | ,
<a.name><if(a.type)>:<a.type><endif>=None}>):
      super().__init__(parent, invokingState)
      self.parser = parser
      <attrs:{a | <a>}; separator="\n">
      <struct.ctorAttrs:{a | self.<a.name> = <a.name>}; separator="\n">

   <getters:{g | <g>}; separator="\n\n">

   def getRuleIndex(self):
      return <parser.name>.RULE_<struct.derivedFromName>

<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
   def copyFrom(self, ctx:ParserRuleContext):
       super().copyFrom(ctx)
      <struct.attrs:{a | self.<a.name> = ctx.<a.name>}; separator="\n">

<endif>
   <dispatchMethods; separator="\n">
   <extensionMembers; separator="\n">

>>

AltLabelStructDecl(struct,attrs,getters,dispatchMethods) ::= <<
class <struct.name>(<currentRule.name; format="cap">Context):

   def __init__(self, parser, ctx:ParserRuleContext): # actually a <parser.name>.<currentRule.name;
format="cap">Context
      super().__init__(parser)
      <attrs:{a | <a>}; separator="\n">
      self.copyFrom(ctx)

   <getters:{g | <g>}; separator="\n">
```

```
  <dispatchMethods; separator="\n">

>>

ListenerDispatchMethod(method) ::= <<
def <if(method.isEnter)>enter<else>exit<endif>Rule(self, listener:ParseTreeListener):
  if hasattr( listener, "<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">" ):
     listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">(self)

>>

VisitorDispatchMethod(method)
 ::= <<
def accept(self, visitor:ParseTreeVisitor):
  if hasattr( visitor, "visit<struct.derivedFromName; format="cap">" ):
     return visitor.visit<struct.derivedFromName; format="cap">(self)
  else:
     return visitor.visitChildren(self)

>>

AttributeDecl(d) ::= "self.<d.name> = <if(d.initValue)><d.initValue><else>None<endif>"

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>localctx.<endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "localctx"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec)  ::= "self.precpred(self._ctx, <opPrec>)"
recRuleSetReturnAction(src,name)   ::= "$<name>=$<src>.<name>"
recRuleSetStopToken()                 ::= "self._ctx.stop = self._input.LT(-1)"

recRuleAltStartAction(ruleName, ctxName, label) ::= <<
localctx = <parser.name>.<ctxName>Context(self, _parentctx, _parentState)
<if(label)>localctx.<label>
 = _prevctx<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
localctx = <parser.name>.<currentAltLabel; format="cap">Context(self, <parser.name>.<ruleName;
format="cap">Context(self, _parentctx, _parentState))
<if(label)>
<if(isListLabel)>
localctx.<label>.append(_prevctx)
<else>
```

```
localctx.<label> = _prevctx
<endif>
<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>

recRuleReplaceContext(ctxName) ::= <<
localctx = <parser.name>.<ctxName>Context(self, localctx)
self._ctx = localctx
_prevctx = localctx
>>

recRuleSetPrevCtx() ::= <<
if self._parseListeners is not None:
  self.triggerExitRuleEvent()
_prevctx = localctx
>>


LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
from antlr4 import *
from io import StringIO
from typing.io import TextIO
import sys

<namedActions.header>

<lexer>
>>

Lexer(lexer,
 atn, actionFuncs, sempredFuncs, superClass) ::= <<
<if(superClass)>
if __name__ is not None and "." in __name__:
  from .<superClass> import <superClass>
else:
  from <superClass> import <superClass>

<endif>
<atn>

class <lexer.name>(<if(superClass)><superClass><else>Lexer<endif>):

  atn = ATNDeserializer().deserialize(serializedATN())

  decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]
```

```
<if(lexer.channels)>
  <lexer.channels:{c| <c> = <lexer.channels.(c)>}; separator="\n">

<endif>
<if(rest(lexer.modes))>
  <rest(lexer.modes):{m| <m> = <i>}; separator="\n">

<endif>
  <lexer.tokens:{k | <k> = <lexer.tokens.(k)>}; separator="\n", wrap, anchor>

  channelNames = [ u"DEFAULT_TOKEN_CHANNEL", u"HIDDEN"<if (lexer.channels)>, <lexer.channels:{c|
u"<c>"}; separator=", ", wrap, anchor><endif> ]

  modeNames = [ <lexer.modes:{m| "<m>"}; separator=", ", wrap, anchor> ]

  literalNames = [ "\<INVALID>",
         <lexer.literalNames:{t | <t>}; separator=", ", wrap, anchor> ]

  symbolicNames = [ "\<INVALID>",
        <lexer.symbolicNames:{t | <t>}; separator=", ", wrap, anchor> ]

  ruleNames = [ <lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor> ]

  grammarFileName = "<lexer.grammarFileName>"

  def __init__(self, input=None, output:TextIO = sys.stdout):
     super().__init__(input, output)
     self.checkVersion("<lexerFile.ANTLRVersion>")
     self._interp = LexerATNSimulator(self, self.atn, self.decisionsToDFA, PredictionContextCache())
     self._actions = None
     self._predicates = None

  <namedActions.members>

  <dumpActions(lexer, "", actionFuncs, sempredFuncs)>

>>

SerializedATN(model) ::= <<
<! only one segment, can be inlined !>

def serializedATN():
  with StringIO() as buf:
     buf.write("<model.serialized; wrap={")<\n>       buf.write("}>")
     return buf.getvalue()

>>
```

```
/** Using a type to init value map, try
 to init a type; if not in table
*  must be an object, default value is "null".
*/
initValue(typeName) ::= <<
<pythonTypeInitMap.(typeName)>
>>

codeFileExtension() ::= ".py"
```

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/templates/codegen/Python3/Python3.stg
No license file was found, but licenses were detected in source scan.

```
/*
* [The "BSD license"]
*  Copyright (c) 2016, Mike Lischke
*  All rights reserved.
*
*  Redistribution and use in source and binary forms, with or without
*  modification, are permitted provided that the following conditions
*  are met:
*
*  1. Redistributions of source code must retain the above copyright
*     notice, this list of conditions and the following disclaimer.
*  2. Redistributions in binary form must reproduce the above copyright
*     notice, this list of conditions and the following disclaimer in the
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
*  IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY
 AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
```

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/templates/codegen/Cpp/Files.stg

No license file was found, but licenses were detected in source scan.

```
/*
* [The "BSD license"]
*  Copyright (c) 2012-2016 Terence Parr
*  Copyright (c) 2012-2016 Sam Harwell
*  All rights reserved.
*
*  Redistribution and use in source and binary forms, with or without
*  modification, are permitted provided that the following conditions
*  are met:
*
*  1. Redistributions of source code must retain the above copyright
*     notice, this list of conditions and the following disclaimer.
*  2. Redistributions in binary form must reproduce the above copyright
*     notice, this list of conditions and the following disclaimer in the
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
*  IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

tree grammar ATNBuilder;
options {
 language     = Java;
 tokenVocab   = ANTLRParser;
 ASTLabelType = GrammarAST;
// filter       = true;
}

// Include the copyright in this source and also the generated source
@header {
/*
[The "BSD license"]
Copyright (c) 2010 Terence Parr
All rights reserved.
Redistribution and use in source and binary forms, with or without
```

```
 modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
package org.antlr.v4.parse;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
import org.antlr.v4.automata.ATNFactory;
}

@members {
  ATNFactory factory;
  public ATNBuilder(TreeNodeStream input, ATNFactory factory) {
   this(input);
   this.factory = factory;
  }
}

dummy : block[null] ; // avoid error about no start rule

ruleBlock[GrammarAST ebnfRoot] returns [ATNFactory.Handle p]
@init {
  List<ATNFactory.Handle> alts = new ArrayList<ATNFactory.Handle>();
  int alt = 1;
  factory.setCurrentOuterAlt(alt);
}
  : ^(BLOCK
        (^(OPTIONS .*))?
        (   a=alternative
            {alts.add($a.p); factory.setCurrentOuterAlt(++alt);}
        )+
```

```
      )
    {$p = factory.block((BlockAST)$BLOCK, ebnfRoot, alts);}
  ;

block[GrammarAST ebnfRoot] returns [ATNFactory.Handle p]
@init {List<ATNFactory.Handle> alts = new ArrayList<ATNFactory.Handle>();}
  : ^(BLOCK (^(OPTIONS .*))? (a=alternative {alts.add($a.p);})+)
   {$p = factory.block((BlockAST)$BLOCK, ebnfRoot, alts);}
  ;

alternative returns [ATNFactory.Handle p]
@init {List<ATNFactory.Handle> els = new ArrayList<ATNFactory.Handle>();}
  : ^(LEXER_ALT_ACTION a=alternative lexerCommands)
      {$p = factory.lexerAltCommands($a.p,$lexerCommands.p);}
  | ^(ALT elementOptions? EPSILON)       {$p = factory.epsilon($EPSILON);}
  |   ^(ALT elementOptions? (e=element {els.add($e.p);})+) {$p = factory.alt(els);}
  ;

lexerCommands returns [ATNFactory.Handle p]
@init {List<ATNFactory.Handle> cmds = new ArrayList<ATNFactory.Handle>();}
  :   (c=lexerCommand {if ($c.cmd != null) cmds.add($c.cmd);})+
      {
      $p = factory.alt(cmds);
      }
  ;

lexerCommand returns
 [ATNFactory.Handle cmd]
 : ^(LEXER_ACTION_CALL ID lexerCommandExpr)
      {$cmd = factory.lexerCallCommand($ID, $lexerCommandExpr.start);}
 | ID
      {$cmd = factory.lexerCommand($ID);}
 ;

lexerCommandExpr
 : ID
 | INT
 ;

element returns [ATNFactory.Handle p]
 : labeledElement    {$p = $labeledElement.p;}
 | atom      {$p = $atom.p;}
 | subrule      {$p = $subrule.p;}
 |   ACTION      {$p = factory.action((ActionAST)$ACTION);}
 |   SEMPRED      {$p = factory.sempred((PredAST)$SEMPRED);}
 |   ^(ACTION .)     {$p = factory.action((ActionAST)$ACTION);}
 |   ^(SEMPRED .)    {$p = factory.sempred((PredAST)$SEMPRED);}
  | ^(NOT b=blockSet[true])  {$p = $b.p;}
```

```
  | LEXER_CHAR_SET    {$p = factory.charSetLiteral($start);}
 ;

astOperand returns [ATNFactory.Handle p]
 : atom      {$p = $atom.p;}
 | ^(NOT blockSet[true])  {$p = $blockSet.p;}
 ;

labeledElement returns [ATNFactory.Handle p]
 : ^(ASSIGN ID element)     {$p = factory.label($element.p);}
 | ^(PLUS_ASSIGN ID element)
  {$p = factory.listLabel($element.p);}
 ;

subrule returns [ATNFactory.Handle p]
 : ^(OPTIONAL block[$start])   {$p = $block.p;}
 | ^(CLOSURE block[$start])   {$p = $block.p;}
 | ^(POSITIVE_CLOSURE block[$start]) {$p = $block.p;}
 |  block[null]       {$p = $block.p;}
  ;

blockSet[boolean invert] returns [ATNFactory.Handle p]
@init {List<GrammarAST> alts = new ArrayList<GrammarAST>();}
 : ^(SET (setElement {alts.add($setElement.start);})+) {$p = factory.set($start, alts, $invert);}
 ;

/** Don't combine with atom otherwise it will build spurious ATN nodes */
setElement
 : ^(STRING_LITERAL .)
 | ^(TOKEN_REF .)
 | STRING_LITERAL
 | TOKEN_REF
 | ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
  |   LEXER_CHAR_SET
 ;

atom returns [ATNFactory.Handle p]
 : range     {$p = $range.p;}
 | ^(DOT ID terminal)  {$p = $terminal.p;}
 | ^(DOT ID ruleref)  {$p = $ruleref.p;}
  | ^(WILDCARD .)   {$p = factory.wildcard($start);}
  | WILDCARD    {$p = factory.wildcard($start);}
  | blockSet[false]   {$p
 = $blockSet.p;}
  |   terminal    {$p = $terminal.p;}
  |   ruleref     {$p = $ruleref.p;}
  ;
```

```
ruleref returns [ATNFactory.Handle p]
  : ^(RULE_REF ARG_ACTION? ^(ELEMENT_OPTIONS .*))  {$p = factory.ruleRef($RULE_REF);}
  | ^(RULE_REF ARG_ACTION?)        {$p = factory.ruleRef($RULE_REF);}
  | RULE_REF          {$p = factory.ruleRef($RULE_REF);}
  ;

range returns [ATNFactory.Handle p]
  : ^(RANGE a=STRING_LITERAL b=STRING_LITERAL) {$p = factory.range($a,$b);}
  ;

terminal returns [ATNFactory.Handle p]
  :  ^(STRING_LITERAL .)   {$p = factory.stringLiteral((TerminalAST)$start);}
  | STRING_LITERAL    {$p = factory.stringLiteral((TerminalAST)$start);}
  | ^(TOKEN_REF ARG_ACTION .) {$p = factory.tokenRef((TerminalAST)$start);}
  | ^(TOKEN_REF .)    {$p = factory.tokenRef((TerminalAST)$start);}
  | TOKEN_REF     {$p = factory.tokenRef((TerminalAST)$start);}
  ;

elementOptions
 : ^(ELEMENT_OPTIONS elementOption*)
 ;

elementOption
 : ID
 | ^(ASSIGN ID
 ID)
 | ^(ASSIGN ID STRING_LITERAL)
 | ^(ASSIGN ID ACTION)
 | ^(ASSIGN ID INT)
 ;
```

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/parse/ATNBuilder.g
No license file was found, but licenses were detected in source scan.

/*
[The "BSD licence"]
Copyright (c) 2005-20012 Terence Parr
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

3. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/parse/ANTLRParser.java
No license file was found, but licenses were detected in source scan.

/*
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
*   derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

```
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

tree grammar BlockSetTransformer;
options {
 language     = Java;
 tokenVocab   = ANTLRParser;
 ASTLabelType = GrammarAST;
 output   = AST;
 filter   = true;
}

@header {
package org.antlr.v4.parse;
import org.antlr.v4.misc.Utils;
import org.antlr.v4.misc.*;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
import java.util.List;
import java.util.Set;
import
 java.util.HashSet;
import java.util.ArrayList;
import org.antlr.v4.runtime.misc.IntervalSet;
}

@members {
public String currentRuleName;
public GrammarAST currentAlt;
public Grammar g;
public BlockSetTransformer(TreeNodeStream input, Grammar g) {
  this(input, new RecognizerSharedState());
  this.g = g;
}
}

topdown
  : ^(RULE (id=TOKEN_REF|id=RULE_REF) {currentRuleName=$id.text;} .+)
  | setAlt
  | ebnfBlockSet
  | blockSet
 ;

setAlt
 : {inContext("RULE BLOCK")}?
  ALT {currentAlt = $start;}
 ;
```

```
// (BLOCK (ALT (+ (BLOCK (ALT INT) (ALT ID)))))
ebnfBlockSet
@after {
 GrammarTransformPipeline.setGrammarPtr(g, $tree);
}
 : ^(ebnfSuffix blockSet) -> ^(ebnfSuffix ^(BLOCK<BlockAST> ^(ALT<AltAST> blockSet)))
 ;

ebnfSuffix
@after {$tree = (GrammarAST)adaptor.dupNode($start);}
 : OPTIONAL
  | CLOSURE
   | POSITIVE_CLOSURE
 ;

blockSet
@init {
boolean inLexer = Grammar.isTokenName(currentRuleName);
}
@after {
 GrammarTransformPipeline.setGrammarPtr(g, $tree);
}
 : {inContext("RULE")}?
 // top-level: rule block and > 1 alt
  ^(BLOCK ^(alt=ALT elementOptions? {((AltAST)$alt).altLabel==null}? setElement[inLexer]) ( ^(ALT
elementOptions? setElement[inLexer]) )+)
  -> ^(BLOCK<BlockAST>[$BLOCK.token] ^(ALT<AltAST>[$BLOCK.token,"ALT"] ^(SET[$BLOCK.token,
"SET"] setElement+)))
 | {!inContext("RULE")}? // if not rule block and > 1 alt
  ^(BLOCK ^(ALT elementOptions? setElement[inLexer]) ( ^(ALT elementOptions? setElement[inLexer]) )+)
  -> ^(SET[$BLOCK.token, "SET"] setElement+)
 ;

setElement[boolean inLexer]
@after {
 GrammarTransformPipeline.setGrammarPtr(g, $tree);
}
 : ( ^(a=STRING_LITERAL elementOptions) {!inLexer ||
CharSupport.getCharValueFromGrammarCharLiteral($a.getText())!=-1}?
  |   a=STRING_LITERAL {!inLexer || CharSupport.getCharValueFromGrammarCharLiteral($a.getText())!=-1}?
  | {!inLexer}?=> ^(TOKEN_REF elementOptions)
  | {!inLexer}?=>   TOKEN_REF
  | {inLexer}?=>  ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
   {CharSupport.getCharValueFromGrammarCharLiteral($a.getText())!=-1
 &&
    CharSupport.getCharValueFromGrammarCharLiteral($b.getText())!=-1}?
  )
 ;
```

```
elementOptions
 : ^(ELEMENT_OPTIONS elementOption*)
 ;

elementOption
 : ID
 | ^(ASSIGN id=ID v=ID)
 | ^(ASSIGN ID v=STRING_LITERAL)
 | ^(ASSIGN ID v=ACTION)
 | ^(ASSIGN ID v=INT)
 ;
```

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/parse/BlockSetTransformer.g
No license file was found, but licenses were detected in source scan.

```
/*
* [The "BSD license"]
*  Copyright (c) 2013 Terence Parr
*  Copyright (c) 2013 Sam Harwell
*  All rights reserved.
*
*  Redistribution and use in source and binary forms, with or without
*  modification, are permitted provided that the following conditions
*  are met:
*
*  1. Redistributions of source code must retain the above copyright
*     notice, this list of conditions and the following disclaimer.
*  2. Redistributions in binary form must reproduce the above copyright
*     notice, this list of conditions and the following disclaimer in the
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
*  IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
 THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
```

```
// args must be <object-model-object>, <fields-resulting-in-STs>

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<namedActions.header>
using System;
using System.IO;
using System.Text;
using System.Diagnostics;
using System.Collections.Generic;
using
 Antlr4.Runtime;
using Antlr4.Runtime.Atn;
using Antlr4.Runtime.Misc;
using Antlr4.Runtime.Tree;
using DFA = Antlr4.Runtime.Dfa.DFA;

<parser>
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>
using Antlr4.Runtime.Misc;
using IParseTreeListener = Antlr4.Runtime.Tree.IParseTreeListener;
using IToken = Antlr4.Runtime.IToken;

/// \<summary>
/// This interface defines a complete listener for a parse tree produced by
/// \<see cref="<csIdentifier.(file.parserName)>"/>.
/// \</summary>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public interface I<file.grammarName>Listener : IParseTreeListener {
 <file.listenerNames:{lname |
/// \<summary>
<if(file.listenerLabelRuleNames.(lname))>
/// Enter a parse tree produced by the \<c><lname>\</c>
```

```
/// labeled
 alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(lname)>"/>.
<else>
/// Enter a parse tree produced by \<see cref="<file.parserName>.<lname>"/>.
<endif>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
void Enter<lname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<lname; format="cap">Context
context);
/// \<summary>
<if(file.listenerLabelRuleNames.(lname))>
/// Exit a parse tree produced by the \<c><lname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(lname)>"/>.
<else>
/// Exit a parse tree produced by \<see cref="<file.parserName>.<lname>"/>.
<endif>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
void Exit<lname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<lname; format="cap">Context
context);}; separator="\n">
}
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

BaseListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName,
 file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>

using Antlr4.Runtime.Misc;
using IErrorNode = Antlr4.Runtime.Tree.IErrorNode;
using ITerminalNode = Antlr4.Runtime.Tree.ITerminalNode;
using IToken = Antlr4.Runtime.IToken;
using ParserRuleContext = Antlr4.Runtime.ParserRuleContext;

/// \<summary>
/// This class provides an empty implementation of \<see cref="I<file.grammarName>Listener"/>,
/// which can be extended to create a listener which only needs to handle a subset
/// of the available methods.
/// \</summary>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <file.grammarName>BaseListener : I<file.grammarName>Listener {
```

```
 <file.listenerNames:{lname |
/// \<summary>
<if(file.listenerLabelRuleNames.(lname))>
/// Enter a parse tree produced by the \<c><lname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(lname)>"/>.
<else>
///
 Enter a parse tree produced by \<see cref="<file.parserName>.<lname>"/>.
<endif>
/// \<para>The default implementation does nothing.\</para>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
public virtual void Enter<lname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<lname;
format="cap">Context context) { \}
/// \<summary>
<if(file.listenerLabelRuleNames.(lname))>
/// Exit a parse tree produced by the \<c><lname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(lname)>"/>.
<else>
/// Exit a parse tree produced by \<see cref="<file.parserName>.<lname>"/>.
<endif>
/// \<para>The default implementation does nothing.\</para>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
public virtual void Exit<lname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<lname;
format="cap">Context context) { \}}; separator="\n">

 /// \<inheritdoc/>
 /// \<remarks>The default implementation
 does nothing.\</remarks>
 public virtual void EnterEveryRule([NotNull] ParserRuleContext context) { }
 /// \<inheritdoc/>
 /// \<remarks>The default implementation does nothing.\</remarks>
 public virtual void ExitEveryRule([NotNull] ParserRuleContext context) { }
 /// \<inheritdoc/>
 /// \<remarks>The default implementation does nothing.\</remarks>
 public virtual void VisitTerminal([NotNull] ITerminalNode node) { }
 /// \<inheritdoc/>
 /// \<remarks>The default implementation does nothing.\</remarks>
 public virtual void VisitErrorNode([NotNull] IErrorNode node) { }
}
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
```

```
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>
using Antlr4.Runtime.Misc;
using Antlr4.Runtime.Tree;
using IToken = Antlr4.Runtime.IToken;

/// \<summary>
/// This interface defines a complete generic visitor for a parse tree produced
///
 by \<see cref="<csIdentifier.(file.parserName)>"/>.
/// \</summary>
/// \<typeparam name="Result">The return type of the visit operation.\</typeparam>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public interface I<file.grammarName>Visitor\<Result> : IParseTreeVisitor\<Result> {
 <file.visitorNames:{lname |
/// \<summary>
<if(file.visitorLabelRuleNames.(lname))>
/// Visit a parse tree produced by the \<c><lname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.visitorLabelRuleNames.(lname)>"/>.
<else>
/// Visit a parse tree produced by \<see cref="<file.parserName>.<lname>"/>.
<endif>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
/// \<return>The visitor result.\</return>
Result Visit<lname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<lname; format="cap">Context
context);}; separator="\n">
}
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

BaseVisitorFile(file,
 header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>
using Antlr4.Runtime.Misc;
using Antlr4.Runtime.Tree;
using IToken = Antlr4.Runtime.IToken;
using ParserRuleContext = Antlr4.Runtime.ParserRuleContext;
```

```
/// \<summary>
/// This class provides an empty implementation of \<see cref="I<file.grammarName>Visitor{Result}"/>,
/// which can be extended to create a visitor which only needs to handle a subset
/// of the available methods.
/// \</summary>
/// \<typeparam name="Result">The return type of the visit operation.\</typeparam>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <file.grammarName>BaseVisitor\<Result> : AbstractParseTreeVisitor\<Result>,
I<file.grammarName>Visitor\<Result> {
 <file.visitorNames:{lname |
/// \<summary>
<if(file.visitorLabelRuleNames.(lname))>
/// Visit a parse tree produced
 by the \<c><lname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.visitorLabelRuleNames.(lname)>"/>.
<else>
/// Visit a parse tree produced by \<see cref="<file.parserName>.<lname>"/>.
<endif>
/// \<para>
/// The default implementation returns the result of calling \<see
cref="AbstractParseTreeVisitor{Result\}.VisitChildren(IRuleNode)"/>
/// on \<paramref name="context"/>.
/// \</para>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
/// \<return>The visitor result.\</return>
public virtual Result Visit<lname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<lname;
format="cap">Context context) { return VisitChildren(context); \}}; separator="\n">
}
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

fileHeader(grammarFileName, ANTLRVersion) ::= <<
//------------------------------------------------------------------------------
// \<auto-generated>
//     This code was generated by a tool.
//     ANTLR Version: <ANTLRVersion>
//
//
    Changes to this file may cause incorrect behavior and will be lost if
//     the code is regenerated.
// \</auto-generated>
//------------------------------------------------------------------------------

// Generated from <grammarFileName> by ANTLR <ANTLRVersion>
```

```
// Unreachable code detected
#pragma warning disable 0162
// The variable '...' is assigned but its value is never used
#pragma warning disable 0219
// Missing XML comment for publicly visible type or member '...'
#pragma warning disable 1591
// Ambiguous reference in cref attribute
#pragma warning disable 419

>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <csIdentifier.(parser.name)> : <superClass; null="Parser"> {
 protected static DFA[] decisionToDFA;
 protected static
 PredictionContextCache sharedContextCache = new PredictionContextCache();
 <if(parser.tokens)>
 public const int
  <parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator=", ", wrap, anchor>;
 <endif>
 public const int
  <parser.rules:{r | RULE_<r.name> = <r.index>}; separator=", ", wrap, anchor>;
 public static readonly string[] ruleNames = {
  <parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
 };

 <vocabulary(parser.literalNames, parser.symbolicNames)>

 public override string GrammarFileName { get { return "<parser.grammarFileName>"; } }

 public override string[] RuleNames { get { return ruleNames; } }

 public override string SerializedAtn { get { return new string(_serializedATN); } }

 static <csIdentifier.(parser.name)>() {
  decisionToDFA = new DFA[_ATN.NumberOfDecisions];
  for (int i = 0; i \< _ATN.NumberOfDecisions; i++) {
   decisionToDFA[i] = new DFA(_ATN.GetDecisionState(i), i);
  }
 }
```

```
 <namedActions.members>
 <parser:(ctor)()>
 <funcs; separator="\n">

<if(sempredFuncs)>
 public
 override bool Sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
  switch (ruleIndex) {
  <parser.sempredFuncs.values:{f|
case <f.ruleIndex>: return <f.name>_sempred((<f.ctxType>)_localctx, predIndex);}; separator="\n">
  }
  return true;
 }
 <sempredFuncs.values; separator="\n">
<endif>

 <atn>
}
>>

vocabulary(literalNames, symbolicNames) ::= <<
private static readonly string[] _LiteralNames = {
 <literalNames:{t | <t>}; null="null", separator=", ", wrap, anchor>
};
private static readonly string[] _SymbolicNames = {
 <symbolicNames:{t | <t>}; null="null", separator=", ", wrap, anchor>
};
public static readonly IVocabulary DefaultVocabulary = new Vocabulary(_LiteralNames, _SymbolicNames);

[NotNull]
public override IVocabulary Vocabulary
{
 get
 {
  return DefaultVocabulary;
 }
}
>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
public override void Action(RuleContext _localctx, int ruleIndex, int actionIndex)
 {
 switch (ruleIndex) {
 <recog.actionFuncs.values:{f|
case <f.ruleIndex> : <f.name>_action(<if(!recog.modes)>(<f.ctxType>)<endif>_localctx, actionIndex); break;};
separator="\n">
 }
```

```
}
<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
public override bool Sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
 switch (ruleIndex) {
 <recog.sempredFuncs.values:{f|
case <f.ruleIndex> : return <f.name>_sempred(<if(!recog.modes)>(<f.ctxType>)<endif>_localctx, predIndex);};
separator="\n">
 }
 return true;
}
<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(parser) ::= <<
 public <csIdentifier.(parser.name)>(ITokenStream input) : this(input, Console.Out, Console.Error) { }

 public <csIdentifier.(parser.name)>(ITokenStream input, TextWriter output, TextWriter errorOutput)
 : base(input, output, errorOutput)
{
 Interpreter = new ParserATNSimulator(this, _ATN, decisionToDFA, sharedContextCache);
}
>>

/* This generates a private method since the actionIndex is
 generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<
private void <r.name>_action(<r.ctxType> _localctx, int actionIndex) {
 switch (actionIndex) {
 <actions:{index|
case <index>: <actions.(index)> break;}; separator="\n">
 }
}
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
private bool <r.name>_sempred(<r.ctxType> _localctx, int predIndex) {
 switch (predIndex) {
 <actions:{index|
case <index>: return <actions.(index)>;}; separator="\n">
 }
```

```
 return true;
}
>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<if(ruleCtx)>
<ruleCtx>
<endif>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

[RuleVersion(<namedActions.version; null="0">)]
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public <endif><currentRule.ctxType>
 <csIdentifier.(currentRule.name)>(<args; separator=", ">) {
 <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, State<currentRule.args:{a | ,
<csIdentifier.(a.name)>}>);
 EnterRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>);
 <namedActions.init>
 <locals; separator="\n">
 try {
<if(currentRule.hasLookaheadBlock)>
  int _alt;
<endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
 }
 <if(exceptions)>
 <exceptions; separator="\n">
 <else>
 catch (RecognitionException re) {
  _localctx.exception = re;
  ErrorHandler.ReportError(this, re);
  ErrorHandler.Recover(this, re);
 }
 <endif>
 finally {
  <finallyAction>
  ExitRule();
 }
 return _localctx;
}
>>

LeftFactoredRuleFunction(currentRule,args,code,locals,namedActions,finallyAction,postamble) ::=
<<
```

```
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>private <endif><currentRule.ctxType>
<csIdentifier.(currentRule.name)>(<args; separator=", ">) {
 <currentRule.ctxType>
 _localctx = new <currentRule.ctxType>(Context, State<currentRule.args:{a | , <csIdentifier.(a.name)>}>);
 EnterLeftFactoredRule(_localctx, <currentRule.startState>, RULE_<currentRule.variantOf>);
 <namedActions.init>
 <locals; separator="\n">
 try {
<if(currentRule.hasLookaheadBlock)>
  int _alt;
<endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
 }
 catch (RecognitionException re) {
  _localctx.exception = re;
  ErrorHandler.ReportError(this, re);
  ErrorHandler.Recover(this, re);
 }
 finally {
  <finallyAction>
  ExitRule();
 }
 return _localctx;
}
>>

// This behaves similar to RuleFunction (enterRule is called, and no adjustments
// are made to the parse tree), but since it's still a variant no context class
// needs to be generated.
LeftUnfactoredRuleFunction(currentRule,args,code,locals,namedActions,finallyAction,postamble) ::=
<<

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>private <endif><currentRule.ctxType>
<csIdentifier.(currentRule.name)>(<args;
 separator=", ">) {
 <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, State<currentRule.args:{a | ,
<csIdentifier.(a.name)>}>);
 EnterRule(_localctx, <currentRule.startState>, RULE_<currentRule.variantOf>);
 <namedActions.init>
 <locals; separator="\n">
 try {
<if(currentRule.hasLookaheadBlock)>
  int _alt;
<endif>
  <code>
  <postamble; separator="\n">
```

```
 <namedActions.after>
 }
 catch (RecognitionException re) {
  _localctx.exception = re;
  ErrorHandler.ReportError(this, re);
  ErrorHandler.Recover(this, re);
 }
 finally {
  <finallyAction>
  ExitRule();
 }
 return _localctx;
}
>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
 namedActions,finallyAction,postamble) ::=
<<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

[RuleVersion(<namedActions.version; null="0">)]
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public <endif><currentRule.ctxType>
<csIdentifier.(currentRule.name)>(<args;
 separator=", ">) {
 return <csIdentifier.(currentRule.name)>(0<currentRule.args:{a | , <csIdentifier.(a.name)>}>);
}

private <currentRule.ctxType> <csIdentifier.(currentRule.name)>(int _p<args:{a | , <a>}>) {
 ParserRuleContext _parentctx = Context;
 int _parentState = State;
 <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, _parentState<currentRule.args:{a | ,
<csIdentifier.(a.name)>}>);
 <currentRule.ctxType> _prevctx = _localctx;
 int _startState = <currentRule.startState>;
 EnterRecursionRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>, _p);
 <namedActions.init>
 <locals; separator="\n">
 try {
<if(currentRule.hasLookaheadBlock)>
  int _alt;
<endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
 }
 catch (RecognitionException re) {
```

```
 _localctx.exception = re;
 ErrorHandler.ReportError(this, re);
 ErrorHandler.Recover(this, re);
 }
 finally {
  <finallyAction>
  UnrollRecursionContexts(_parentctx);
 }
 return
 _localctx;
}
>>

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>_localctx = new <currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(_localctx);<endif>
EnterOuterAlt(_localctx, <currentOuterMostAltCodeBlock.alt.altNum>);
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
{
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
}
>>

LL1AltBlock(choice, preamble, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<if(choice.label)><labelref(choice.label)> = TokenStream.LT(1);<endif>
<preamble; separator="\n">
switch (TokenStream.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
 <alt>
 break;}; separator="\n">
default:
 <error>
}
>>

LL1OptionalBlock(choice, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
switch (TokenStream.LA(1))
 {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
```

```
 <alt>
 break;}; separator="\n">
default:
 break;
}
>>

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<preamble; separator="\n">
if (<expr>) {
 <alts; separator="\n">
}
<!else if ( !(<followExpr>) ) <error>!>
>>

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<preamble; separator="\n">
while (<loopExpr>) {
 <alts; separator="\n">
 State = <choice.loopBackStateNumber>;
 ErrorHandler.Sync(this);
 <iteration>
}
>>

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
State = <choice.blockStartStateNumber>;<! alt block decision !>
ErrorHandler.Sync(this);
<preamble; separator="\n">
do {
 <alts; separator="\n">
 State = <choice.stateNumber>;<! loopback/exit decision !>
 ErrorHandler.Sync(this);
 <iteration>
} while ( <loopExpr> );
>>

//
 LL(*) stuff

AltBlock(choice, preamble, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<if(choice.label)><labelref(choice.label)> = TokenStream.LT(1);<endif>
```

```
<preamble; separator="\n">
switch ( Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context) ) {
<alts:{alt |
case <i>:
 <alt>
 break;}; separator="\n">
}
>>

OptionalBlock(choice, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
switch ( Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context) ) {
<alts:{alt |
case <i><if(!choice.ast.greedy)>+1<endif>:
 <alt>
 break;}; separator="\n">
}
>>

StarBlock(choice, alts, sync, iteration) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
_alt = Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context);
while ( _alt!=<choice.exitAlt> && _alt!=global::Antlr4.Runtime.Atn.ATN.INVALID_ALT_NUMBER ) {
 if ( _alt==1<if(!choice.ast.greedy)>+1<endif> ) {
  <iteration>
  <alts> <! should only be one
 !>
 }
 State = <choice.loopBackStateNumber>;
 ErrorHandler.Sync(this);
 _alt = Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context);
}
>>

PlusBlock(choice, alts, error) ::= <<
State = <choice.blockStartStateNumber>;<! alt block decision !>
ErrorHandler.Sync(this);
_alt = 1<if(!choice.ast.greedy)>+1<endif>;
do {
 switch (_alt) {
 <alts:{alt|
case <i><if(!choice.ast.greedy)>+1<endif>:
 <alt>
 break;}; separator="\n">
 default:
  <error>
```

```
 }
 State = <choice.loopBackStateNumber>;<! loopback/exit decision !>
 ErrorHandler.Sync(this);
 _alt = Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context);
} while ( _alt!=<choice.exitAlt> && _alt!=global::Antlr4.Runtime.Atn.ATN.INVALID_ALT_NUMBER );
>>

Sync(s) ::= "Sync(<s.expecting.name>);"

ThrowNoViableAlt(t) ::= "throw new NoViableAltException(this);"

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator="
 || ">
>>

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShift(s.varName, bits.shift)>})> && ((1L \<\< <offsetShift(s.varName, bits.shift)>) &
(<bits.ttypes:{ttype | (1L \<\< <offsetShift(tokenType.(ttype), bits.shift)>)}; separator=" | ">)) != 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShift(shiftAmount, offset) ::= <%
<if(!isZero.(offset))>(<shiftAmount> - <offset>)<else><shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName>==<tokenType.(ttype)>}; separator=" || ">
%>

cases(ttypes) ::= <<
<ttypes:{t | case <tokenType.(t)>:}; separator="\n">
>>

InvokeRule(r, argExprsChunks) ::= <<
State
```

```
 = <r.stateNumber>; <if(r.labels)><r.labels:{l | <labelref(l)> =
}><endif><csIdentifier.(r.name)>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><arg
ExprsChunks>);
>>

MatchToken(m) ::= <<
State = <m.stateNumber>; <if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>Match(<tokenType.(m.name)>);
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
State = <m.stateNumber>;
<if(m.labels)><m.labels:{l | <labelref(l)> = }>TokenStream.LT(1);<endif>
<capture>
if ( <if(invert)><m.varName> \<= 0 || <else>!<endif>(<expr>) ) {
 <if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>ErrorHandler.RecoverInline(this);
}
else {
 ErrorHandler.ReportMatch(this);
   Consume();
}
>>

Wildcard(w) ::= <<
State = <w.stateNumber>;
<if(w.labels)><w.labels:{l | <labelref(l)> = }><endif>MatchWildcard();
>>

// ACTION STUFF

Action(a,
 foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
State = <p.stateNumber>;
if (!(<chunks>)) throw new FailedPredicateException(this, <p.predicate><if(failChunks)>,
<failChunks><elseif(p.msg)>, <p.msg><endif>);
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
 <catchAction>
}
```

>>

// lexer actions are not associated with model objects

LexerSkipCommand() ::= "Skip();"
LexerMoreCommand() ::= "More();"
LexerPopModeCommand() ::= "PopMode();"

LexerTypeCommand(arg, grammar)   ::= "_type = <tokenType.(arg)>;"
LexerChannelCommand(arg, grammar)   ::= "_channel = <channelName.(arg)>;"
LexerModeCommand(arg, grammar)   ::= "_mode = <modeName.(arg)>;"
LexerPushModeCommand(arg, grammar) ::= "PushMode(<modeName.(arg)>);"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "_localctx.<csIdentifier.(a.name)>"
LocalRef(a) ::= "_localctx.<csIdentifier.(a.name)>"
RetValueRef(a) ::= "_localctx.<csIdentifier.(a.name)>"
QRetValueRef(a)
 ::= "<ctx(a)>.<a.dict>.<csIdentifier.(a.name)>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<csIdentifier.(tokenType.(t.name))>"
LabelRef(t) ::= "<ctx(t)>.<csIdentifier.(t.name)>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(csIdentifier.(t.name))>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<csIdentifier.(s.name)> = <rhsChunks>;"

TokenLabelType() ::= "<file.TokenLabelType; null={IToken}>"
InputSymbolType() ::= "<file.InputSymbolType; null={IToken}>"

TokenPropertyRef_text(t) ::= "(<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Text:null)"
TokenPropertyRef_type(t) ::= "(<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Type:0)"
TokenPropertyRef_line(t) ::= "(<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Line:0)"
TokenPropertyRef_pos(t) ::=
"(<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.CharPositionInLine:0)"
TokenPropertyRef_channel(t) ::=
"(<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Channel:0)"
TokenPropertyRef_index(t)
 ::= "(<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.TokenIndex:0)"
TokenPropertyRef_int(t) ::=
"(<ctx(t)>.<tokenType.(t.label)>!=null?int.Parse(<ctx(t)>.<tokenType.(t.label)>.Text):0)"

RulePropertyRef_start(r) ::= "(<ctx(r)>.<r.label>!=null?(<ctx(r)>.<r.label>.Start):null)"
RulePropertyRef_stop(r) ::= "(<ctx(r)>.<r.label>!=null?(<ctx(r)>.<r.label>.Stop):null)"
RulePropertyRef_text(r) ::=
"(<ctx(r)>.<r.label>!=null?TokenStream.GetText(<ctx(r)>.<r.label>.Start,<ctx(r)>.<r.label>.Stop):null)"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "this"

```
ThisRulePropertyRef_start(r) ::= "_localctx.Start"
ThisRulePropertyRef_stop(r)  ::= "_localctx.Stop"
ThisRulePropertyRef_text(r)  ::= "TokenStream.GetText(_localctx.Start, TokenStream.LT(-1))"
ThisRulePropertyRef_ctx(r)  ::= "_localctx"
ThisRulePropertyRef_parser(r)  ::= "this"

NonLocalAttrRef(s)
 ::= <%((<s.ruleName; format="cap">Context)GetInvokingContext(<s.ruleIndex>)).<csIdentifier.(s.name)>%>
SetNonLocalAttr(s, rhsChunks)   ::=
 <%((<s.ruleName; format="cap">Context)GetInvokingContext(<s.ruleIndex>)).<csIdentifier.(s.name)> =
<rhsChunks>;%>

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.Add(<labelref(a.label)>);"

TokenDecl(t) ::= "<TokenLabelType()> <csIdentifier.(tokenType.(t.name))>"
TokenTypeDecl(t) ::= "int <csIdentifier.(tokenType.(t.name))>;"
TokenListDecl(t) ::= "IList\<IToken> <csIdentifier.(tokenType.(t.name))> = new List\<IToken>()"
RuleContextDecl(r) ::= "<r.ctxName> <csIdentifier.(r.name)>"
RuleContextListDecl(rdecl) ::= "IList\<<rdecl.ctxName>> <csIdentifier.(rdecl.name)> = new
List\<<rdecl.ctxName>>()"

contextGetterCollection(elementType) ::= <%
<elementType>[]
%>

ContextTokenGetterDecl(t)      ::=
   "public ITerminalNode <csIdentifier.(tokenType.(t.name))>() { return
GetToken(<csIdentifier.(parser.name)>.<csIdentifier.(tokenType.(t.name))>,
 0); }"
ContextTokenListGetterDecl(t)  ::= <<
public <contextGetterCollection("ITerminalNode")> <csIdentifier.(tokenType.(t.name))>() { return
GetTokens(<csIdentifier.(parser.name)>.<csIdentifier.(tokenType.(t.name))>); }
>>
ContextTokenListIndexedGetterDecl(t)  ::= <<
public ITerminalNode <csIdentifier.(tokenType.(t.name))>(int i) {
 return GetToken(<csIdentifier.(parser.name)>.<csIdentifier.(tokenType.(t.name))>, i);
}
>>
ContextRuleGetterDecl(r)       ::= <<
public <r.ctxName> <csIdentifier.(r.name)>() {
 return GetRuleContext\<<r.ctxName>\>(0);
}
>>
ContextRuleListGetterDecl(r)   ::= <<
public <contextGetterCollection({<r.ctxName>})> <csIdentifier.(r.name)>() {
 return GetRuleContexts\<<r.ctxName>\>();
}
>>
```

```
ContextRuleListIndexedGetterDecl(r)   ::= <<
public <r.ctxName> <csIdentifier.(r.name)>(int i) {
 return GetRuleContext\<<r.ctxName>\>(i);
}
>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
* r becomes rContext.
*/
RuleContextNameSuffix()
 ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenType.(tokenName)>"
ImplicitRuleLabel(ruleName)   ::= "_<ruleName>"
ImplicitSetLabel(id)    ::= "_tset<id>"
ListLabelName(label)    ::= "_<label>"

CaptureNextToken(d) ::= "<d.varName> = TokenStream.LT(1);"
CaptureNextTokenType(d) ::= "<d.varName> = TokenStream.LA(1);"

StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers,
        superClass={ParserRuleContext}) ::= <<
public partial class <struct.name> :
<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif><if(interfaces)>, <interfaces;
separator=", "><endif> {
 <attrs:{a | public <a>;}; separator="\n">
 <getters:{g | <g>}; separator="\n">
 <if(ctorAttrs)>public <struct.name>(ParserRuleContext parent, int invokingState) : base(parent, invokingState) {
}<endif>
 public <struct.name>(ParserRuleContext parent, int invokingState<ctorAttrs:{a | , <a>}>)
  : base(parent, invokingState)
 {
  <struct.ctorAttrs:{a
| this.<csIdentifier.(a.name)> = <csIdentifier.(a.name)>;}; separator="\n">
 }
 public override int RuleIndex { get { return RULE_<struct.derivedFromName>; } }
<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
 public <struct.name>() { }
 public virtual void CopyFrom(<struct.name> context) {
  base.CopyFrom(context);
  <struct.attrs:{a | this.<csIdentifier.(a.name)> = context.<csIdentifier.(a.name)>;}; separator="\n">
 }
<endif>
 <dispatchMethods; separator="\n">
 <extensionMembers; separator="\n">
}
```

```
>>

AltLabelStructDecl(struct,attrs,getters,dispatchMethods) ::= <<
public partial class <struct.name> : <currentRule.name; format="cap">Context {
 <attrs:{a | public <a>;}; separator="\n">
 <getters:{g | <g>}; separator="\n">
 public <struct.name>(<currentRule.name; format="cap">Context context) { CopyFrom(context); }
 <dispatchMethods; separator="\n">
}
>>

ListenerDispatchMethod(method) ::= <<
public override void <if(method.isEnter)>Enter<else>Exit<endif>Rule(IParseTreeListener
 listener) {
 I<parser.grammarName>Listener typedListener = listener as I<parser.grammarName>Listener;
 if (typedListener != null) typedListener.<if(method.isEnter)>Enter<else>Exit<endif><struct.derivedFromName;
format="cap">(this);
}
>>

VisitorDispatchMethod(method) ::= <<
public override TResult Accept\<TResult>(IParseTreeVisitor\<TResult> visitor) {
 I<parser.grammarName>Visitor\<TResult> typedVisitor = visitor as I<parser.grammarName>Visitor\<TResult>;
 if (typedVisitor != null) return typedVisitor.Visit<struct.derivedFromName; format="cap">(this);
 else return visitor.VisitChildren(this);
}
>>

AttributeDecl(d) ::= "<d.type> <csIdentifier.(d.name)><if(d.initValue)> = <d.initValue><endif>"

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)><typedContext(x.ctx)>.<endif><csIdentifier.(x.name)>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "<typedContext(actionChunk.ctx)>"

//
 only casts _localctx to the type when the cast isn't redundant (i.e. to a sub-context for a labeled alt)
typedContext(ctx) ::= "<if(ctx.provideCopyFrom)>((<ctx.name>)_localctx)<else>_localctx<endif>"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec)  ::= "Precpred(Context, <opPrec>)"
recRuleSetReturnAction(src,name)   ::= "$<name>=$<src>.<name>;"
recRuleSetStopToken()                 ::= "Context.Stop = TokenStream.LT(-1);"

recRuleAltStartAction(ruleName, ctxName, label, isListLabel) ::= <<
_localctx = new <ctxName>Context(_parentctx, _parentState);
<if(label)>
```

```
<if(isListLabel)>
_localctx.<label>.Add(_prevctx);
<else>
_localctx.<label> = _prevctx;
<endif>
<endif>
PushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
_localctx = new <currentAltLabel; format="cap">Context(new <ruleName; format="cap">Context(_parentctx,
_parentState));
<if(label)>
<if(isListLabel)>
((<currentAltLabel;
 format="cap">Context)_localctx).<label>.Add(_prevctx);
<else>
((<currentAltLabel; format="cap">Context)_localctx).<label> = _prevctx;
<endif>
<endif>
PushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
>>

recRuleReplaceContext(ctxName) ::= <<
_localctx = new <ctxName>Context(_localctx);
Context = _localctx;
_prevctx = _localctx;
>>

recRuleSetPrevCtx() ::= <<
if ( ParseListeners!=null )
 TriggerExitRuleEvent();
_prevctx = _localctx;
>>


LexerFile(file, lexer, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<namedActions.header>
using System;
using System.IO;
using System.Text;
using Antlr4.Runtime;
using Antlr4.Runtime.Atn;
using Antlr4.Runtime.Misc;
```

```
using DFA = Antlr4.Runtime.Dfa.DFA;

<lexer>
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
[System.CodeDom.Compiler.GeneratedCode("ANTLR",
 "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <csIdentifier.(lexer.name)> : <superClass; null="Lexer"> {
 protected static DFA[] decisionToDFA;
 protected static PredictionContextCache sharedContextCache = new PredictionContextCache();
 public const int
  <lexer.tokens:{k | <tokenType.(k)>=<lexer.tokens.(k)>}; separator=", ", wrap, anchor>;
 <if(lexer.channels)>
 public const int
  <lexer.channels:{k | <csIdentifier.(k)>=<lexer.channels.(k)>}; separator=", ", wrap, anchor>;
 <endif>
 <if(rest(lexer.modes))>
 public const int
  <rest(lexer.modes):{m | <m>=<i>}; separator=", ", wrap, anchor>;
 <endif>
 public static string[] channelNames = {
  "DEFAULT_TOKEN_CHANNEL", "HIDDEN"<if (lexer.channels)>, <lexer.channels:{c| "<c>"}; separator=", ",
wrap, anchor><endif>
 };

 public static string[] modeNames = {
  <lexer.modes:{m| "<m>"}; separator=", ", wrap, anchor>
 };

 public static readonly string[] ruleNames = {
  <lexer.ruleNames:{r | "<r>"}; separator=",
 ", wrap, anchor>
 };

 <namedActions.members>

 public <csIdentifier.(lexer.name)>(ICharStream input)
 : this(input, Console.Out, Console.Error) { }

 public <csIdentifier.(lexer.name)>(ICharStream input, TextWriter output, TextWriter errorOutput)
 : base(input, output, errorOutput)
 {
  Interpreter = new LexerATNSimulator(this, _ATN, decisionToDFA, sharedContextCache);
```

```
 }

 <vocabulary(lexer.literalNames, lexer.symbolicNames)>

 public override string GrammarFileName { get { return "<lexer.grammarFileName>"; } }

 public override string[] RuleNames { get { return ruleNames; } }

 public override string[] ChannelNames { get { return channelNames; } }

 public override string[] ModeNames { get { return modeNames; } }

 public override string SerializedAtn { get { return new string(_serializedATN); } }

 static <csIdentifier.(lexer.name)>() {
  decisionToDFA = new DFA[_ATN.NumberOfDecisions];
  for (int i = 0; i \< _ATN.NumberOfDecisions; i++) {
   decisionToDFA[i] = new DFA(_ATN.GetDecisionState(i),
 i);
  }
 }
 <dumpActions(lexer, "", actionFuncs, sempredFuncs)>
 <atn>
}
>>


SerializedATN(model) ::= <<
private static char[] _serializedATN = {
 <model.serialized; separator=", ", wrap>,
};

public static readonly ATN _ATN =
 new ATNDeserializer().Deserialize(_serializedATN);


>>

initValue(typeName) ::= <<
default(<typeName>)
>>

codeFileExtension() ::= ".cs"

modeName ::= [
 "DEFAULT_MODE" : "DefaultMode",
 default : key
]
```

```
channelName ::= [
 "HIDDEN" : "Hidden",
 "DEFAULT_TOKEN_CHANNEL" : "DefaultTokenChannel",
 default : key
]

tokenType ::= [
 "EOF" : "Eof",
 default : key
]

csIdentifier ::= [
 "abstract" : "@abstract",
 "as" : "@as",
 "base" : "@base",
 "bool" : "@bool",
 "break" : "@break",
 "byte" : "@byte",
 "case" : "@case",
 "catch" : "@catch",
 "char" : "@char",
 "checked" : "@checked",
 "class" : "@class",
 "const" : "@const",
 "continue" : "@continue",
 "decimal" : "@decimal",
 "default" : "@default",
 "delegate" : "@delegate",
 "do" : "@do",
 "double"
 : "@double",
 "else" : "@else",
 "enum" : "@enum",
 "event" : "@event",
 "explicit" : "@explicit",
 "extern" : "@extern",
 "false" : "@false",
 "finally" : "@finally",
 "fixed" : "@fixed",
 "float" : "@float",
 "for" : "@for",
 "foreach" : "@foreach",
 "goto" : "@goto",
 "if" : "@if",
 "implicit" : "@implicit",
 "in" : "@in",
 "int" : "@int",
```

```
"interface" : "@interface",
"internal" : "@internal",
"is" : "@is",
"lock" : "@lock",
"long" : "@long",
"namespace" : "@namespace",
"new" : "@new",
"null" : "@null",
"object" : "@object",
"operator" : "@operator",
"out" : "@out",
"override" : "@override",
"params" : "@params",
"private" : "@private",
"protected" : "@protected",
"public" : "@public",
"readonly" : "@readonly",
"ref" : "@ref",
"return" : "@return",
"sbyte" : "@sbyte",
"sealed" : "@sealed",
"short" : "@short",
"sizeof" : "@sizeof",
"stackalloc" : "@stackalloc",
"static" : "@static",
"string" : "@string",
"struct" : "@struct",
"switch" : "@switch",
"this"
: "@this",
"throw" : "@throw",
"true" : "@true",
"try" : "@try",
"typeof" : "@typeof",
"uint" : "@uint",
"ulong" : "@ulong",
"unchecked" : "@unchecked",
"unsafe" : "@unsafe",
"ushort" : "@ushort",
"using" : "@using",
"virtual" : "@virtual",
"values" : "@values",
"void" : "@void",
"volatile" : "@volatile",
"while" : "@while",
default : key
]
```

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/templates/codegen/CSharp/CSharp.stg
No license file was found, but licenses were detected in source scan.

* [The "BSD license"]
* All rights reserved.
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
*   derived from this software without specific prior written permission.
[The "BSD licence"]
All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must
 retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/parse/ANTLRParser.g
No license file was found, but licenses were detected in source scan.

/*
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright

```
*     notice, this list of conditions and the following disclaimer in the
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
*  IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

lexer grammar ActionSplitter;

options { filter=true; }

@header {
package org.antlr.v4.parse;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
}

@members {
ActionSplitterListener delegate;

public ActionSplitter(CharStream input, ActionSplitterListener delegate) {
  this(input, new RecognizerSharedState());
  this.delegate = delegate;
}

/** force filtering
 (and return tokens). triggers all above actions. */
public List<Token> getActionTokens() {
  List<Token> chunks = new ArrayList<Token>();
  Token t = nextToken();
  while ( t.getType()!=Token.EOF ) {
     chunks.add(t);
     t = nextToken();
  }
  return chunks;
}
```

```
private boolean isIDStartChar(int c) {
 return c == '_' || Character.isLetter(c);
}
}

// ignore comments right away

COMMENT
   :   '/*' ( options {greedy=false;} : . )* '*/' {delegate.text($text);}
   ;

LINE_COMMENT
   : '//' ~('\n'|'\r')* '\r'? '\n' {delegate.text($text);}
   ;

SET_NONLOCAL_ATTR
 : '$' x=ID '::' y=ID WS? '=' expr=ATTR_VALUE_EXPR ';'
  {
  delegate.setNonLocalAttr($text, $x, $y, $expr);
  }
 ;

NONLOCAL_ATTR
 : '$' x=ID '::' y=ID {delegate.nonLocalAttr($text, $x, $y);}
 ;

QUALIFIED_ATTR
 : '$' x=ID '.' y=ID {input.LA(1)!='('}? {delegate.qualifiedAttr($text, $x, $y);}
 ;

SET_ATTR
 : '$' x=ID WS? '=' expr=ATTR_VALUE_EXPR ';'
  {
  delegate.setAttr($text, $x, $expr);
  }
 ;

ATTR
 : '$'
 x=ID {delegate.attr($text, $x);}
 ;

// Anything else is just random text
TEXT
@init {StringBuilder buf = new StringBuilder();}
@after {delegate.text(buf.toString());}
 : ( c=~('\\'| '$') {buf.append((char)$c);}
  | '\\$' {buf.append('$');}
```

```
 | '\\' c=~('$') {buf.append('\\').append((char)$c);}
 | {!isIDStartChar(input.LA(2))}? => '$' {buf.append('$');}
 )+
;

fragment
ID  : ('a'..'z'|'A'..'Z'|'_') ('a'..'z'|'A'..'Z'|'0'..'9'|'_')*
  ;

/** Don't allow an = as first char to prevent $x == 3; kind of stuff. */
fragment
ATTR_VALUE_EXPR
: ~'=' (~';')*
;

fragment
WS : (' '|'\t'|'\n'|'\r')+
;
```

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/parse/ActionSplitter.g
No license file was found, but licenses were detected in source scan.

```
/*
* [The "BSD license"]
*  Copyright (c) 2012-2016 Terence Parr
*  Copyright (c) 2012-2016 Sam Harwell
*  All rights reserved.
*
*  Redistribution and use in source and binary forms, with or without
*  modification, are permitted provided that the following conditions
*  are met:
*
*  1. Redistributions of source code must retain the above copyright
*     notice, this list of conditions and the following disclaimer.
*  2. Redistributions in binary form must reproduce the above copyright
*     notice, this list of conditions and the following disclaimer in the
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
*  IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
```

```
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

atn(startState, states, edges, rankdir, decisionRanks, useBox) ::= <<
digraph ATN {
rankdir=LR;
<decisionRanks; separator="\n">
<states; separator="\n">
<edges; separator="\n">
}
>>

dfa(name, startState, states, edges, rankdir, decisionRanks, useBox) ::= <<
digraph <name>  {
<if(rankdir)>rankdir=<rankdir>;<endif>
<decisionRanks; separator="\n">
<states; separator="\n">
<edges;
 separator="\n">
}
>>

decision-rank(states) ::= <<
{rank=same; rankdir=TB; <states:{s | s<s>}; separator="; ">}
>>

edge(src,target,label,arrowhead,transitionIndex) ::= <<
<src><if(transitionIndex)>:p<transitionIndex><endif> -> <target> [fontsize=11, fontname="Courier", arrowsize=.7,
label = "<label>"<if(arrowhead)>, arrowhead = <arrowhead><endif>];
>>

action-edge(src,target,label,arrowhead,transitionIndex) ::= <<
<src><if(transitionIndex)>:p<transitionIndex><endif> -> <target> [fontsize=11, fontname="Courier", arrowsize=.7,
label = "<label>"<if(arrowhead)>, arrowhead = <arrowhead><endif>];
>>

epsilon-edge(src,label,target,arrowhead,transitionIndex,loopback=false) ::= <<
<src><if(transitionIndex)>:p<transitionIndex><endif> -> <target> [fontname="Times-Italic",
label="&epsilon;"<if(loopback)>, style="dashed"<endif>];
>>

state(state, label, name, transitions) ::= <%
<name>[fontsize=11,
  label="
     <! rest(transition) tests for decision states: these nodes have a non-empty
```

```
 set of transitions after the first one. !>
      <if(rest(transitions))>
         {
         <! Label on the left side of the record node. !>
         <label>
         |
         <! Named ports in order on right side of record node, no display text. !>
         {<transitions:{t|\<p<i0>>}; separator="|">}}
      <else>
         <label>
      <endif>
      "
   <if(rest(transitions))>
      , shape=record, fixedsize=false
   <else>
      , shape=circle, fixedsize=true, width=.55
   <endif>
   , peripheries=1];
%>

stopstate(name,label,actionIndex,useBox) ::= <<
<name>[fontsize=11, label="<label><if(actionIndex)>,\naction:<actionIndex><endif>",
<if(useBox)>shape=polygon,sides=4,peripheries=2,fixedsize=false<else>shape=doublecircle, fixedsize=true,
width=.6<endif>];
>>
```

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/templates/dot/graphs.stg
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.
* Use of this file is governed by the BSD 3-clause license that
* can be found in the LICENSE.txt file in the project root.
*/
/**
 [The "BSD license"]
 Copyright (c) 2011 Cay Horstmann
 All rights reserved.

 Redistribution and use in source and binary forms, with or without
 modification, are permitted provided that the following conditions
 are met:

 1. Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.
 2. Redistributions in binary form must reproduce the above copyright
```

notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS
SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/gui/GraphicsSupport.java
No license file was found, but licenses were detected in source scan.

/*
[The "BSD licence"]
Copyright (c) 2005-2009 Terence Parr
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/parse/ANTLRLexer.java
No license file was found, but licenses were detected in source scan.

/*
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
*   derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

tree grammar SourceGenTriggers;
options {
 language   = Java;
 tokenVocab   = ANTLRParser;
 ASTLabelType = GrammarAST;
}

@header {
package org.antlr.v4.codegen;
import org.antlr.v4.misc.Utils;

```
import org.antlr.v4.codegen.model.*;
import org.antlr.v4.codegen.model.decl.*;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
import java.util.Collections;
import
 java.util.Map;
import java.util.HashMap;
}

@members {
 public OutputModelController controller;
  public boolean hasLookaheadBlock;
  public SourceGenTriggers(TreeNodeStream input, OutputModelController controller) {
   this(input);
   this.controller = controller;
  }
}

dummy : block[null, null] ;

block[GrammarAST label, GrammarAST ebnfRoot] returns [List<? extends SrcOp> omos]
  : ^( blk=BLOCK (^(OPTIONS .+))?
  {List<CodeBlockForAlt> alts = new ArrayList<CodeBlockForAlt>();}
    ( alternative {alts.add($alternative.altCodeBlock);} )+
   )
   {
   if ( alts.size()==1 && ebnfRoot==null) return alts;
   if ( ebnfRoot==null ) {
      $omos = DefaultOutputModelFactory.list(controller.getChoiceBlock((BlockAST)$blk, alts, $label));
   }
   else {
        Choice choice = controller.getEBNFBlock($ebnfRoot, alts);
        hasLookaheadBlock |= choice instanceof PlusBlock || choice instanceof StarBlock;
      $omos = DefaultOutputModelFactory.list(choice);
    }
   }
  ;

alternative returns [CodeBlockForAlt altCodeBlock, List<SrcOp> ops]
@init {
  boolean outerMost = inContext("RULE BLOCK");
}
@after {
  controller.finishAlternative($altCodeBlock, $ops, outerMost);
}
  : a=alt[outerMost] {$altCodeBlock=$a.altCodeBlock; $ops=$a.ops;}
 ;
```

```
alt[boolean outerMost] returns [CodeBlockForAlt altCodeBlock, List<SrcOp> ops]
@init {
 // set alt if outer ALT only (the only ones with alt field set to Alternative object)
 AltAST altAST = (AltAST)retval.start;
 if ( outerMost ) controller.setCurrentOuterMostAlt(altAST.alt);
}
 : {
  List<SrcOp> elems = new ArrayList<SrcOp>();
  // TODO: shouldn't we pass $start to controller.alternative()?
  $altCodeBlock = controller.alternative(controller.getCurrentOuterMostAlt(), outerMost);
  $altCodeBlock.ops = $ops = elems;
  controller.setCurrentBlock($altCodeBlock);
  }
  ^( ALT elementOptions? ( element {if ($element.omos!=null) elems.addAll($element.omos);} )+ )

 | ^(ALT elementOptions?
 EPSILON)
      {$altCodeBlock = controller.epsilon(controller.getCurrentOuterMostAlt(), outerMost);}
   ;

element returns [List<? extends SrcOp> omos]
 : labeledElement     {$omos = $labeledElement.omos;}
 | atom[null,false]   {$omos = $atom.omos;}
 | subrule       {$omos = $subrule.omos;}
 |   ACTION       {$omos = controller.action((ActionAST)$ACTION);}
 |   SEMPRED       {$omos = controller.sempred((ActionAST)$SEMPRED);}
 | ^(ACTION elementOptions)  {$omos = controller.action((ActionAST)$ACTION);}
 |   ^(SEMPRED elementOptions)  {$omos = controller.sempred((ActionAST)$SEMPRED);}
 ;

labeledElement returns [List<? extends SrcOp> omos]
 : ^(ASSIGN ID atom[$ID,false] )   {$omos = $atom.omos;}
 | ^(PLUS_ASSIGN ID atom[$ID,false])  {$omos = $atom.omos;}
 | ^(ASSIGN ID block[$ID,null] )   {$omos = $block.omos;}
 | ^(PLUS_ASSIGN ID block[$ID,null])  {$omos = $block.omos;}
 ;

subrule returns [List<? extends SrcOp> omos]
 : ^(OPTIONAL b=block[null,$OPTIONAL])
  {
  $omos = $block.omos;
  }
 | ( ^(op=CLOSURE
 b=block[null,null])
  | ^(op=POSITIVE_CLOSURE b=block[null,null])
  )
  {
```

```
  List<CodeBlockForAlt> alts = new ArrayList<CodeBlockForAlt>();
  SrcOp blk = $b.omos.get(0);
  CodeBlockForAlt alt = new CodeBlockForAlt(controller.delegate);
  alt.addOp(blk);
  alts.add(alt);
  SrcOp loop = controller.getEBNFBlock($op, alts); // "star it"
      hasLookaheadBlock |= loop instanceof PlusBlock || loop instanceof StarBlock;
      $omos = DefaultOutputModelFactory.list(loop);
  }
 |  block[null, null]     {$omos = $block.omos;}
  ;

blockSet[GrammarAST label, boolean invert] returns [List<SrcOp> omos]
  : ^(SET atom[label,invert]+) {$omos = controller.set($SET, $label, invert);}
  ;

/*
setElement
 : STRING_LITERAL
 | TOKEN_REF
 | ^(RANGE STRING_LITERAL STRING_LITERAL)
 ;
*/

// TODO: combine ROOT/BANG into one then just make new op ref'ing return value of atom/terminal...
// TODO: same for NOT
atom[GrammarAST label, boolean invert] returns [List<SrcOp> omos]
 : ^(NOT
 a=atom[$label, true])  {$omos = $a.omos;}
 | range[label]       {$omos = $range.omos;}
 | ^(DOT ID terminal[$label])
 | ^(DOT ID ruleref[$label])
  | ^(WILDCARD .)       {$omos = controller.wildcard($WILDCARD, $label);}
  | WILDCARD        {$omos = controller.wildcard($WILDCARD, $label);}
  |   terminal[label]     {$omos = $terminal.omos;}
  |   ruleref[label]     {$omos = $ruleref.omos;}
 | blockSet[$label, invert]  {$omos = $blockSet.omos;}
 ;

ruleref[GrammarAST label] returns [List<SrcOp> omos]
  : ^(RULE_REF ARG_ACTION? elementOptions?)  {$omos = controller.ruleRef($RULE_REF, $label,
$ARG_ACTION);}
  ;

range[GrammarAST label] returns [List<SrcOp> omos]
  : ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
  ;
```

```
terminal[GrammarAST label] returns [List<SrcOp> omos]
  :  ^(STRING_LITERAL .)   {$omos = controller.stringRef($STRING_LITERAL, $label);}
  | STRING_LITERAL    {$omos = controller.stringRef($STRING_LITERAL, $label);}
  | ^(TOKEN_REF ARG_ACTION .) {$omos =
 controller.tokenRef($TOKEN_REF, $label, $ARG_ACTION);}
  | ^(TOKEN_REF .)    {$omos = controller.tokenRef($TOKEN_REF, $label, null);}
  | TOKEN_REF     {$omos = controller.tokenRef($TOKEN_REF, $label, null);}
  ;

elementOptions
  : ^(ELEMENT_OPTIONS elementOption+)
  ;

elementOption
  : ID
  |  ^(ASSIGN ID ID)
  |  ^(ASSIGN ID STRING_LITERAL)
  |  ^(ASSIGN ID ACTION)
  |  ^(ASSIGN ID INT)
  ;
```

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/codegen/SourceGenTriggers.g
No license file was found, but licenses were detected in source scan.

/*
[The "BSD licence"]
Copyright (c) 2006 Kay Roepke
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
/*
This file contains the actual layout of the messages emitted by ANTLR.
This file contains the default format ANTLR uses.
*/

location(file, line, column) ::= "<file>:<line>:<column>:"

message(id, text) ::= "(<id>) <text>"

report(location, message, type) ::= "<type>(<message.id>): <location> <message.text>"

wantsSingleLineMessage() ::= "false"

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/tool/templates/messages/formats/antlr.stg
No license file was found, but licenses were detected in source scan.

/*
[The "BSD license"]
Copyright (c) 2011 Terence Parr
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1192109359_1629132978.03/0/antlr4-4-7-2-sources-1-jar/org/antlr/v4/parse/GrammarTreeVisitor.java

1.302 antlr 2.7.7

1.302.1 Available under license :

[The BSD License]
Copyright (c) 2012 Terence Parr and Sam Harwell
All rights reserved.
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
Neither the name of the author nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.303 error_prone_annotations 2.3.4

1.303.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/SuppressPackageLocation.java
* /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/ForOverride.java
* /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/IncompatibleModifiers.java
*
 /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/concurrent/LazyInit.java
* /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/RequiredModifiers.java
* /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/Var.java
* /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java
* /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/CompileTimeConstant.java
* /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/Immutable.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/RestrictedApi.java
* /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/DoNotMock.java
* /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/CompatibleWith.java
*
 /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/FormatMethod.java
* /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/FormatString.java
* /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/MustBeClosed.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java
* /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/concurrent/LockMethod.java
*
 /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/NoAllocation.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/CheckReturnValue.java
* /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/concurrent/GuardedBy.java
* /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/OverridingMethodsMustInvokeSuper.java
*
 /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/DoNotCall.java

1.304 error_prone_annotations 2.1.3

1.304.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 Google Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1206722448_1632456694.38/0/error-prone-annotations-2-1-3-sources-12-jar/com/google/errorprone/annotations/OverridingMethodsMustInvokeSuper.java
* /opt/cola/permits/1206722448_1632456694.38/0/error-prone-annotations-2-1-3-sources-12-

jar/com/google/errorprone/annotations/DoNotCall.java
*
 /opt/cola/permits/1206722448_1632456694.38/0/error-prone-annotations-2-1-3-sources-12-jar/com/google/errorprone/annotations/CheckReturnValue.java
* /opt/cola/permits/1206722448_1632456694.38/0/error-prone-annotations-2-1-3-sources-12-jar/com/google/errorprone/annotations/concurrent/GuardedBy.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 Google Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1206722448_1632456694.38/0/error-prone-annotations-2-1-3-sources-12-jar/com/google/errorprone/annotations/RestrictedApi.java
* /opt/cola/permits/1206722448_1632456694.38/0/error-prone-annotations-2-1-3-sources-12-jar/com/google/errorprone/annotations/CompatibleWith.java
* /opt/cola/permits/1206722448_1632456694.38/0/error-prone-annotations-2-1-3-sources-12-jar/com/google/errorprone/annotations/DoNotMock.java
*
 /opt/cola/permits/1206722448_1632456694.38/0/error-prone-annotations-2-1-3-sources-12-jar/com/google/errorprone/annotations/FormatMethod.java
* /opt/cola/permits/1206722448_1632456694.38/0/error-prone-annotations-2-1-3-sources-12-jar/com/google/errorprone/annotations/MustBeClosed.java
* /opt/cola/permits/1206722448_1632456694.38/0/error-prone-annotations-2-1-3-sources-12-jar/com/google/errorprone/annotations/FormatString.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 Google Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1206722448_1632456694.38/0/error-prone-annotations-2-1-3-sources-12-jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java
* /opt/cola/permits/1206722448_1632456694.38/0/error-prone-annotations-2-1-3-sources-12-jar/com/google/errorprone/annotations/concurrent/LockMethod.java
*
 /opt/cola/permits/1206722448_1632456694.38/0/error-prone-annotations-2-1-3-sources-12-jar/com/google/errorprone/annotations/NoAllocation.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 Google Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1206722448_1632456694.38/0/error-prone-annotations-2-1-3-sources-12-jar/com/google/errorprone/annotations/RequiredModifiers.java
* /opt/cola/permits/1206722448_1632456694.38/0/error-prone-annotations-2-1-3-sources-12-jar/com/google/errorprone/annotations/concurrent/LazyInit.java
*
 /opt/cola/permits/1206722448_1632456694.38/0/error-prone-annotations-2-1-3-sources-12-jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java
* /opt/cola/permits/1206722448_1632456694.38/0/error-prone-annotations-2-1-3-sources-12-jar/com/google/errorprone/annotations/Immutable.java
* /opt/cola/permits/1206722448_1632456694.38/0/error-prone-annotations-2-1-3-sources-12-jar/com/google/errorprone/annotations/Var.java
* /opt/cola/permits/1206722448_1632456694.38/0/error-prone-annotations-2-1-3-sources-12-jar/com/google/errorprone/annotations/CompileTimeConstant.java

* /opt/cola/permits/1206722448_1632456694.38/0/error-prone-annotations-2-1-3-sources-12-jar/com/google/errorprone/annotations/ForOverride.java
* /opt/cola/permits/1206722448_1632456694.38/0/error-prone-annotations-2-1-3-sources-12-jar/com/google/errorprone/annotations/IncompatibleModifiers.java
* /opt/cola/permits/1206722448_1632456694.38/0/error-prone-annotations-2-1-3-sources-12-jar/com/google/errorprone/annotations/SuppressPackageLocation.java

1.305 bean-validation-api 1.1.0

1.305.1 Available under license :

MIT License

Copyright (c) 2018 Evgeni Zharkov

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT
OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.306 jpaapi 1.0.0

1.306.1 Available under license :

Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following

disclaimer.
Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.307 java-architecture-for-xml-binding 2.3.2

1.307.1 Available under license :

Copyright (c) 2004 Kohsuke Kawaguchi

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom
the Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall
be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY
KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR
PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS
OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH
THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
/*
* Copyright (c) 1997, 2018 Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Distribution License v. 1.0, which is available at

* http://www.eclipse.org/org/documents/edl-v10.php.
*
* SPDX-License-Identifier: BSD-3-Clause
*/
Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

- Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.

- Neither the name of the Eclipse Foundation, Inc. nor the names of its
  contributors may be used to endorse or promote products derived
  from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE
 DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Eclipse Distribution License - v 1.0
Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND

ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
/*
* * Copyright (c) YYYY Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Distribution License v. 1.0, which is available at
* http://www.eclipse.org/org/documents/edl-v10.php.
*
* SPDX-License-Identifier: BSD-3-Clause
*/
/*
* Copyright (c) YYYY Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Distribution License v. 1.0, which is available at
* http://www.eclipse.org/org/documents/edl-v10.php.
*
* SPDX-License-Identifier: BSD-3-Clause
*/
Notices for Eclipse Implementation of JAXB

This content is produced and maintained by the Eclipse Implementation of JAXB project.

* Project home: https://projects.eclipse.org/projects/ee4j.jaxb-impl

Trademarks

Eclipse Implementation of JAXB is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0 which is available at

http://www.eclipse.org/org/documents/edl-v10.php.

SPDX-License-Identifier: BSD-3-Clause

Source Code

The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jaxb-ri
* https://github.com/eclipse-ee4j/jaxb-istack-commons
* https://github.com/eclipse-ee4j/jaxb-dtd-parser
* https://github.com/eclipse-ee4j/jaxb-fi
*
https://github.com/eclipse-ee4j/jaxb-stax-ex
* https://github.com/eclipse-ee4j/jax-rpc-ri

Third-party Content

This project leverages the following third party content.

Apache Ant (1.10.2)

* License: Apache-2.0 AND W3C AND LicenseRef-Public-Domain

Apache Ant (1.10.2)

* License: Apache-2.0 AND W3C AND LicenseRef-Public-Domain

Apache Felix (1.2.0)

* License: Apache License, 2.0

args4j (2.33)

* License: MIT License

dom4j (1.6.1)

* License: Custom license based on Apache 1.1

file-management (3.0.0)

* License: Apache-2.0
* Project: https://maven.apache.org/shared/file-management/
* Source:
https://svn.apache.org/viewvc/maven/shared/tags/file-management-3.0.0/

JUnit (4.12)

* License: Eclipse Public License

JUnit (4.12)

* License: Eclipse Public License

maven-compat (3.5.2)

* License: Apache-2.0
* Project: https://maven.apache.org/ref/3.5.2/maven-compat/
* Source:
  https://mvnrepository.com/artifact/org.apache.maven/maven-compat/3.5.2

maven-core
(3.5.2)

* License: Apache-2.0
* Project: https://maven.apache.org/ref/3.5.2/maven-core/index.html
* Source: https://mvnrepository.com/artifact/org.apache.maven/maven-core/3.5.2

maven-plugin-annotations (3.5)

* License: Apache-2.0
* Project: https://maven.apache.org/plugin-tools/maven-plugin-annotations/
* Source:
  https://github.com/apache/maven-plugin-tools/tree/master/maven-plugin-annotations

maven-plugin-api (3.5.2)

* License: Apache-2.0

maven-resolver-api (1.1.1)

* License: Apache-2.0

maven-resolver-api (1.1.1)

* License: Apache-2.0

maven-resolver-connector-basic (1.1.1)

* License: Apache-2.0

maven-resolver-impl (1.1.1)

* License: Apache-2.0

maven-resolver-spi (1.1.1)

* License: Apache-2.0

maven-resolver-transport-file (1.1.1)

* License: Apache-2.0
* Project: https://maven.apache.org/resolver/maven-resolver-transport-file/
* Source:
  https://github.com/apache/maven-resolver/tree/master/maven-resolver-transport-file

maven-resolver-util (1.1.1)

* License: Apache-2.0

maven-settings
(3.5.2)

* License: Apache-2.0
* Source:
  https://mvnrepository.com/artifact/org.apache.maven/maven-settings/3.5.2

OSGi Service Platform Core Companion Code (6.0)

* License: Apache License, 2.0

plexus-archiver (3.5)

* License: Apache-2.0
* Project: https://codehaus-plexus.github.io/plexus-archiver/
* Source: https://github.com/codehaus-plexus/plexus-archiver

plexus-io (3.0.0)

* License: Apache-2.0

plexus-utils (3.1.0)

* License: Apache- 2.0 or Apache- 1.1 or BSD or Public Domain or Indiana
  University Extreme! Lab Software License V1.1.1 (Apache 1.1 style)

relaxng-datatype (1.0)

* License: New BSD license

Sax (0.2)

* License: SAX-PD

* Project: http://www.megginson.com/downloads/SAX/
* Source: http://sourceforge.net/project/showfiles.php?group_id=29449

testng (6.14.2)

* License: Apache-2.0 AND (MIT OR GPL-1.0+)
* Project: https://testng.org/doc/index.html
* Source: https://github.com/cbeust/testng

wagon-http-lightweight (3.0.0)

* License: Pending
*
 Project: https://maven.apache.org/wagon/
* Source:
  https://mvnrepository.com/artifact/org.apache.maven.wagon/wagon-http-lightweight/3.0.0

xz for java (1.8)

* License: LicenseRef-Public-Domain

Cryptography

Content may contain encryption software. The country in which you are currently
may have restrictions on the import, possession, and use, and/or re-export to
another country, of encryption software. BEFORE using any encryption software,
please check the country's laws, regulations and policies concerning the import,
possession, or use, and re-export of encryption software, to see if this is
permitted.
Copyright (c) 2017 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

 - Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

 - Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

 - Neither the name of the Eclipse Foundation, Inc. nor the names of its
   contributors may be used to endorse or promote products derived
   from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,

THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.308 velocity.apache.org/tools/devel 1.7

1.308.1 Available under license :

BSD License for Ivy
Copyright (c) 2005-2006, JAYASOFT
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.
* Neither the name of JAYASOFT nor the names of its contributors
  may be used to endorse or promote products derived from this software
  without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Apache Velocity

Copyright (C) 2000-2007 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/
This project is an effort by many people. If you feel that your name
should be in here and has been omitted in error, please open an issue
with the Apache Velocity Issue tracker located at

https://issues.apache.org/jira/browse/VELOCITY

Adrian Tarau
Aki Nieminen
Alexey Pachenko
Anil K. Vijendran
Attila Szegedi
Bob McWhirter
Byron Foster
Christoph Reck
Claude Brisson
Daniel Rall
Dave Bryson
David Kinnvall
Eelco Hillenius
Fedor Karpelevitch
Gal Shachor
Geir Magnusson Jr.
Henning P. Schmiedehausen
Jarkko Viinamki
Jason van Zyl
Jeff Bowden
Jon S. Stevens
Jose Alberto Fernandez
Kasper Nielsen
Kent Johnson

Kyle F. Downey
Leon Messerschmidt
Llewellyn Falco
Matt Raible
Matthijs Lambooy
Nathan Bubna
Paulo Gaspar
Peter Romianowski
Robert Burrell Donkin
Sam Ruby
Sean Legassick
Serge Knystautas
Stephane Bailliez
Stephen Habermann
Sylwester Lachiewicz
Will Glass-Husain

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.309 apache-james-mime4j 0.7.2

1.309.1 Available under license :

Apache JAMES Mime4j (Core)
Copyright 2004-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.310 jackson-dataformats-binary 2.6.7

1.310.1 Available under license :

No license file was found, but licenses were detected in source scan.

Overview

This is a multi-module umbrella project for [Jackson](../../../jackson)
standard binary dataformat backends.

Currently included are:

* [Avro](avro/)
* [CBOR](cbor/)
* [Protobuf](protobuf/)
* [Smile](smile/)

License

All modules are licensed under [Apache License 2.0](http://www.apache.org/licenses/LICENSE-2.0.txt).

Status

[![Build Status](https://travis-ci.org/FasterXML/jackson-dataformats-binary.svg)](https://travis-ci.org/FasterXML/jackson-dataformats-binary)

More

See [Wiki](../../wiki) for more information (javadocs).

Found in path(s):

* /opt/cola/permits/1239450720_1639149784.45/0/jackson-dataformats-binary-jackson-dataformats-binary-2-8-0-tar-gz/jackson-dataformats-binary-jackson-dataformats-binary-2.8.0/README.md
No license file was found, but licenses were detected in source scan.

```
#  Copyright 2012 FasterXML.com
#
#  Licensed under the Apache License, Version 2.0 (the "License");
#  you may not use this file except in compliance with the License.
#  You may obtain a copy of the License at
#
#  http://www.apache.org/licenses/LICENSE-2.0
#
#  Unless required by applicable law or agreed to in writing, software
#  distributed under the License is distributed on an "AS IS" BASIS,
#  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
#  See the License for the specific language governing permissions and
#  limitations under the License.

com.fasterxml.jackson.dataformat.smile.SmileFactory
```

Found in path(s):
* /opt/cola/permits/1239450720_1639149784.45/0/jackson-dataformats-binary-jackson-dataformats-binary-2-8-0-tar-gz/jackson-dataformats-binary-jackson-dataformats-binary-2.8.0/smile/src/main/resources/META-INF/services/com.fasterxml.jackson.core.JsonFactory
No license file was found, but licenses were detected in source scan.

```
#  Copyright 2012 FasterXML.com
#
#  Licensed under the Apache License, Version 2.0 (the "License");
#  you may not use this file except in compliance with the License.
#  You may obtain a copy of the License at
#
#  http://www.apache.org/licenses/LICENSE-2.0
#
#  Unless required by applicable law or agreed to in writing, software
#  distributed under the License is distributed on an "AS IS" BASIS,
#  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
#  See the License for the specific language governing permissions and
#  limitations under the License.

com.fasterxml.jackson.dataformat.protobuf.ProtobufFactory
```

Found in path(s):
* /opt/cola/permits/1239450720_1639149784.45/0/jackson-dataformats-binary-jackson-dataformats-binary-2-8-0-tar-gz/jackson-dataformats-binary-jackson-dataformats-binary-2.8.0/protobuf/src/main/resources/META-INF/services/com.fasterxml.jackson.core.JsonFactory
No license file was found, but licenses were detected in source scan.

Project is licensed under [Apache License 2.0](http://www.apache.org/licenses/LICENSE-2.0.txt).

Found in path(s):
* /opt/cola/permits/1239450720_1639149784.45/0/jackson-dataformats-binary-jackson-dataformats-binary-2-8-0-tar-gz/jackson-dataformats-binary-jackson-dataformats-binary-2.8.0/protobuf/README.md
* /opt/cola/permits/1239450720_1639149784.45/0/jackson-dataformats-binary-jackson-dataformats-binary-2-8-0-tar-gz/jackson-dataformats-binary-jackson-dataformats-binary-2.8.0/avro/README.md

1.311 jackson-dataformats-binary 2.6.6

1.311.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

1.312 activemq 5.10.2

1.312.1 Available under license :

ActiveMQ :: Client
Copyright 2005-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and

limitations under the License.

Copyright (c) 2007-2010, The JASYPT team (http://www.jasypt.org)

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

This distribution includes cryptographic software. The country in
which you currently reside may have restrictions on the import,
possession, use, and/or re-export to another country, of
encryption software. BEFORE using any encryption software, please
check your country's laws, regulations and policies concerning the
import, possession,
or use, and re-export of encryption software, to
see if this is permitted. See http://www.wassenaar.org/ for more
information.

The U.S. Government Department of Commerce, Bureau of Industry and
Security (BIS), has classified this software as Export Commodity
Control Number (ECCN) 5D002.C.1, which includes information security
software using or performing cryptographic functions with asymmetric
algorithms. The form and manner of this distribution makes it
eligible for export under the License Exception ENC Technology
Software Unrestricted (TSU) exception (see the BIS Export
Administration Regulations, Section 740.13) for both object code and
source code.

The following provides more details on the cryptographic software
used (note that this software is not included in the distribution):

* The PBE Encryption facilities require the Java Cryptography
  extensions: http://java.sun.com/javase/technologies/security/.

Distributions of
this software may include software developed by
The Apache Software Foundation (http://www.apache.org/).

ICU License - ICU 1.8.1 and later

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2006 International Business Machines
Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any
person obtaining a copy of this software and associated
documentation files (the "Software"), to deal in the
Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish,
distribute, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so,
provided that the above copyright notice(s) and this
permission notice appear in all copies of the Software and
that both the above copyright notice(s) and this
permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY
KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR
PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO
EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN
THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL
INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS,
WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE
USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright
holder shall not be used in advertising or otherwise to
promote the sale, use or other dealings in this Software
without prior written authorization of the copyright holder.

1.313 javassist 3.27.0

1.313.1 Available under license :

Found license 'GNU Lesser General Public License' in '<CENTER><B><FONT size=+2>MOZILLA PUBLIC LICENSE</FONT></B>
<B>Version portions thereof) with or without Modifications, and/or as part of a Larger future version of this License released under Section <B>6.1</B>, and You must ("Netscape") may publish revised and/or new versions of the License from published under a particular version of the License, You may always continue Covered Code under the terms of any subsequent version of the License and (b) otherwise make it clear that Your version of the license contains terms which differ from the Mozilla Public License and Netscape Public admission of liability.</UL><B>13. MULTIPLE-LICENSED CODE.</B> "Multiple-Licensed". "Multiple-Licensed" means that the Initial <P>
<B>EXHIBIT A -Mozilla Public License.</B> <UL>The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You
may obtain a copy of the License at <P>Software distributed under the License is distributed on an "AS IS" basis, Copyright (C) 1999- Shigeru Chiba. All Rights Reserved. terms of the GNU Lesser General Public License Version 2.1 or later (the "LGPL"), or the Apache License Version 2.0 (the "AL"), use your version of this software under the terms of the MPL, indicate'

Found license 'GNU Lesser General Public License' in 'Copyright (C) 1999-2020 by Shigeru Chiba, All rights reserved. This software is distributed under the Mozilla Public License Version 1.1, the GNU Lesser General Public License Version 2.1 or later, or the Apache License Version 2.0.'

Found license 'GNU Lesser General Public License' in '* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved. * The contents of this file are subject to the Mozilla Public License Version * 1.1 (the "License"); you may not use this file except in compliance with * the License. Alternatively, the contents of this file may be used under * the terms of the GNU Lesser General Public License Version 2.1 or later, * or the Apache License Version 2.0. * Software distributed under the License is distributed on an "AS IS" basis,'

Found license 'GNU Lesser General Public License' in '# This library is free software; you can redistribute it and/or # modify it under the terms of the GNU Lesser General Public # License as published by the Free Software Foundation; either # version 2.1 of the License, or any later version. # This library is distributed in the hope that it will be useful, # but WITHOUT ANY WARRANTY; without even the implied warranty of # MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU # Lesser General Public License for more details. # You should have received a copy of the GNU Lesser General Public'

Found license 'GNU Lesser General Public License' in '<h3>Copyright (C) 1999-2020 by Shigeru Chiba, All rights reserved.</h3>
Copyright (C) 1999- Shigeru Chiba. All Rights Reserved. the Mozilla Public License Version 1.1 (the "License");
 you may not use this software except in compliance with the License. You may obtain a copy of the License at <p>Software distributed under the License is distributed on an "AS IS" Copyright (C) 1999- Shigeru Chiba. All Rights Reserved. terms of the GNU Lesser General Public License Version 2.1 or later (the "LGPL"), or the Apache License Version 2.0 (the "AL"), use your version of this software under the terms of the MPL, indicate'

Found license 'GNU Lesser General Public License' in '* Copyright (C) 2004 Bill Burke. All Rights Reserved. * The contents of this file are subject to the Mozilla Public License Version * 1.1 (the "License"); you may not use this file except in compliance with * the License. Alternatively, the contents of this file may be used under * the terms of the GNU Lesser General Public License Version 2.1 or later, * or the Apache License Version 2.0. * Software distributed under the License is distributed on an "AS IS" basis,'

Found license 'GNU Lesser General Public License' in '* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved. * The contents of this file are subject to the Mozilla Public License Version * 1.1 (the "License"); you may not use this file except in compliance with * the License. Alternatively, the contents of this file may be used under * the terms of the GNU Lesser General Public License Version 2.1 or later, * or the Apache License Version 2.0. *

Software distributed under the License is distributed on an "AS IS" basis, + " All Rights Reserved.");'

1.314 kotlin-reflect 1.2.51

1.314.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2010-2015 JetBrains s.r.o.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/KClassImpl.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/error/ErrorSimpleFunctionDescriptorImpl.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/pcollections/HashPMap.java
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/ClassDescriptorBase.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/utils/coreLib.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/TypeParameterDescriptorImpl.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/scopes/receivers/AbstractReceiverValue.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/DeserializedPackageFragment.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/jvm/JavaDescriptorResolver.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/platform/PlatformToKotlinClassMap.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-

jar/kotlin/reflect/jvm/internal/impl/load/java/lazy/LazyJavaPackageFragmentProvider.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/RuntimeTypeMapper.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/BinaryVersion.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/platform/JvmBuiltIns.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/java/sources/JavaSourceElementFactory.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/kotlin/KotlinJvmBinaryClass.kt
*
/opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/java/descriptors/util.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/Named.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/ConstUtil.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/java/lazy/ModuleClassResolver.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/components/RuntimeErrorReporter.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/KProperty0Impl.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/kotlin/JvmPackagePartSource.kt
*
/opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/DeserializedClassDataFinder.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/CallableMemberDescriptor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/java/JavaVisibilities.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/resolve/scopes/LazyScopeAdapter.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/FunctionWithAllInvokes.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/java/components/TypeUsage.java
*
/opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/java/FakePureImplementationsProvider.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/PropertySetterDescriptorImpl.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/name/FqNameUnsafe.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/java/FieldOverridabilityCondition.kt

* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/scopes/receivers/ExtensionReceiver.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/KTypeImpl.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/DescriptorFactory.java
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/scopes/ResolutionScope.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/PackageFragmentProviderImpl.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/kotlin/BinaryClassAnnotationAndConstantLoaderImpl.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/ProtoEnumFlags.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/annotations/annotationUtil.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/AnnotationAndConstantLoaderImpl.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/ExternalOverridabilityCondition.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/KCallablesJvm.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/ReflectProperties.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/VariableDescriptorWithAccessors.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/checker/TypeCheckerProcedureCallbacksImpl.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/SubpackagesScope.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/ReflectionFactoryImpl.java
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/constants/constantValues.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/SourceElement.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/pcollections/IntTree.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/typeParameterUtils.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/propertiesConventionUtil.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/name/SpecialNames.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-

jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/AbstractReceiverParameterDescriptor.java
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/LocalClassifierTypeSettings.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/storage/NoLock.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/KClassesJvm.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/PropertySetterDescriptor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/KFunctionImpl.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/annotations/KotlinRetention.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/KParameterImpl.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/kotlin/header/ReadKotlinClassHeaderAnnotationVisitor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/java/lazy/descriptors/LazyJavaPackageFragment.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/utils/capitalizeDecapitalize.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/LazyPackageViewDescriptorImpl.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/utils/collections.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/name/Name.java
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/builtins/CompanionObjectMapping.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/java/JavaClassFinder.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/ReceiverParameterDescriptorImpl.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/kClassCache.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/FunctionDescriptor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/pcollections/MapEntry.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/annotations/AnnotationUseSiteTarget.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/KDeclarationContainerImpl.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-

jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/PropertyAccessorDescriptorImpl.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/pcollections/IntTreePMap.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/KPropertyImpl.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/annotations/AnnotationDescriptorImpl.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/AnnotationAndConstantLoader.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/storage/StorageManager.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/SupertypeLoopChecker.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/DescriptorSubstitutor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/incremental/utils.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/VariableAccessorDescriptor.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/JavaIncompatibilityRulesOverridabilityCondition.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/DeclarationDescriptorVisitor.java
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/PropertyGetterDescriptor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/annotations/AnnotationDescriptor.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/VariableDescriptorWithInitializerImpl.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/moduleByClassLoader.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/PropertyDescriptor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/descriptors/JavaCallableMemberDescriptor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/scopes/MemberScope.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/components/ReflectAnnotationSource.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/storage/storage.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/KProperty1Impl.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/SourceFile.java

* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/TypeProjectionImpl.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/utils/strings.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/PackageFragmentDescriptorImpl.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/KProperty2Impl.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/builtins/BuiltInsInitializer.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/MemberDeserializer.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/Variance.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/Visibility.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/DeclarationDescriptorWithVisibility.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/components/JavaAnnotationMapper.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/lazy/PackageMappingProvider.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/specialBuiltinMembers.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/util/ModuleVisibilityHelper.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/constants/ConstantValueFactory.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/pcollections/ConsPStack.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/VariableDescriptorImpl.java
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/name/ClassId.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/descriptors/DeserializedAnnotations.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/lazy/resolvers.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/scopes/StaticScopeForKotlinEnum.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/descriptors/DeserializedMemberScope.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/scopes/receivers/ReceiverValue.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-

jar/kotlin/reflect/jvm/internal/impl/descriptors/ScriptDescriptor.java
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/resolve/jvm/JvmClassName.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/java/JvmBytecodeBinaryVersion.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/DeclarationDescriptorVisitorEmptyBodies.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/descriptors/DeserializedPackageMemberScope.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/ClassKind.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/annotations/AnnotationWithTarget.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/ValueParameterDescriptorImpl.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/types/TypeConstructor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/java/lazy/descriptors/JavaDescriptorUtil.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/types/ClassTypeConstructorImpl.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/java/JvmAnnotationNames.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/utils/SmartSet.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/CallableDescriptor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/ParameterDescriptor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/java/components/DescriptorResolverUtils.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/resolve/scopes/MemberScopeImpl.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/PackageFragmentDescriptor.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/name/FqNamesUtil.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/ClassDataFinder.java
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/utils/exceptionUtils.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/resolve/scopes/receivers/ImplicitReceiver.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-

jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/LazyClassReceiverParameterDescriptor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/renderer/RenderingUtils.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/java/components/SignaturePropagator.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/ClassOrPackageFragmentDescriptor.java
*
/opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/kotlin/KotlinJvmBinarySourceElement.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/ErrorReporter.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/DeclarationDescriptorNonRoot.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/ModuleDescriptor.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/annotations/AnnotationArgumentVisitor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/structure/ReflectJavaElement.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/ProtoContainer.kt
*
/opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/resolve/scopes/receivers/Receiver.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/util.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/resolve/scopes/receivers/ImplicitClassReceiver.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/PropertyGetterDescriptorImpl.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/MemberDescriptor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/incremental/components/LookupTracker.kt
*
/opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/kotlin/KotlinJvmBinaryPackageSourceElement.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/java/descriptors/JavaClassDescriptor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/resolve/scopes/receivers/CastImplicitClassReceiver.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/types/CompositionTypeSubstitution.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/java/components/JavaResolverCache.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/kotlin/KotlinClassFinder.kt

* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/AbstractLazyTypeParameterDescriptor.java
*
/opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/PackageFragmentProvider.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/VisibilityUtil.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/DisjointKeysUnionTypeSubstitution.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/jvm/JvmPrimitiveType.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/util/scopeUtils.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/descriptors/DeserializedMemberDescriptor.kt
*
/opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/serialization/SerializerExtensionProtocol.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/descriptors/JavaPropertyDescriptor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/DeclarationDescriptorImpl.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/TypeParameterDescriptor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/ModuleDescriptorImpl.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/DeclarationDescriptor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/PackageViewDescriptor.kt
*
/opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/kotlin/DeserializedDescriptorResolver.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/EmptyContainerForLocal.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/CompositePackageFragmentProvider.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/SimpleFunctionDescriptorImpl.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/kotlin/header/KotlinClassHeader.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/TypeProjection.java
*
/opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/structure/annotationArguments.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/builtins/PrimitiveType.java

* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/StarProjectionImpl.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/scopes/receivers/TransientReceiver.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/descriptors/JavaMethodDescriptor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/structure/ReflectJavaModifierListOwner.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/ReceiverParameterDescriptor.java
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/utils/addToStdlib.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/AnnotatedCallableKind.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/reflectLambda.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/scopes/AbstractScopeAdapter.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/components/RuntimePackagePartProvider.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/KCallableImpl.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/DeclarationDescriptorNonRootImpl.java
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/FunctionCaller.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/builtins/DefaultBuiltIns.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/ClassDeserializer.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/ValueParameterDescriptor.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/builtins/functions/BuiltInFictitiousFunctionClassFactory.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/PackagePartProvider.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/incremental/components/LookupLocation.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/storage/ObservableStorageManager.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/DeclarationDescriptorWithSource.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/scopes/ChainedMemberScope.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-

jar/kotlin/reflect/jvm/internal/impl/descriptors/SimpleFunctionDescriptor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/JvmAnnotationNames.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/overridingUtils.kt
*
/opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/builtins/functions/FunctionInvokeDescriptor.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/lazy/descriptors/DeclaredMemberIndex.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/checker/TypeCheckingProcedureCallbacks.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/EffectiveVisibility.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/kotlin/AbstractBinaryClassAnnotationAndConstantLoader.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/name/FqName.java
*
/opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/kotlin/JavaClassDataFinder.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/ReflectJvmMapping.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/ReflectionObjectRenderer.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/lazy/descriptors/LazyJavaStaticScope.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/platform/JavaToKotlinClassMap.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/FunctionDescriptorImpl.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/builtins/BuiltInsBinaryVersion.kt
*
/opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/scopes/InnerClassesScopeWrapper.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/utils/Printer.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/VariableDescriptor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/MemberComparator.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/KPackageImpl.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/annotations/AnnotatedImpl.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/PropertyAccessorDescriptor.java

*
/opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/scopes/SubstitutingScope.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/kotlin/JvmMetadataVersion.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/builtins/functions/FunctionClassScope.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/lazy/LazyJavaAnnotations.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/utils/WrappedValues.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2010-2016 JetBrains s.r.o.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/lazy/descriptors/LazyJavaAnnotationDescriptor.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/annotations/Annotations.kt
*
/opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/full/KCallables.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/full/KAnnotatedElements.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/RawType.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/lazy/types/JavaTypeResolver.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/full/KTypes.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/builtins/JvmBuiltInClassDescriptorFactory.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/AbstractTypeConstructor.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-

jar/kotlin/reflect/jvm/internal/impl/descriptors/ClassConstructorDescriptor.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/java/BuiltinOverridabilityCondition.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/utils/SmartList.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/resolve/OverridingStrategy.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/KotlinReflectionInternalError.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/AbstractDeserializedPackageFragmentProvider.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/IncompatibleVersionErrorData.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/types/checker/KotlinTypeChecker.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/resolve/scopes/GivenFunctionsMemberScope.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/ClassifierDescriptorWithTypeParameters.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/java/structure/javaTypes.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/kotlin/JvmBuiltInsSettings.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/descriptors/DeserializedTypeParameterDescriptor.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/types/FunctionPlaceholders.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/kotlin/UnsafeVarianceTypeSubstitution.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/ProtoBasedClassDataFinder.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/resolve/scopes/TypeIntersectionScope.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/AbstractTypeAliasDescriptor.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/renderer/ClassifierNamePolicy.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/AbstractTypeParameterDescriptor.java
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/types/TypeSubstitution.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/types/TypeProjectionBase.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-

jar/kotlin/reflect/jvm/internal/impl/load/java/lazy/context.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/types/checker/utils.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/KTypeParameterImpl.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/java/ErasedOverridabilityCondition.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/AnnotationConstructorCaller.kt
*
/opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/renderer/DescriptorRendererOptionsImpl.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/types/TypeSubstitutor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/builtins/functionTypes.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/builtins/ReflectionTypes.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/java/typeEnhancement/predefinedEnhancementInfo.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/annotations/AnnotationsImpl.kt
*
/opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/AnnotationDeserializer.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/types/AbstractClassTypeConstructor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/types/checker/KotlinTypeCheckerImpl.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/AbstractClassDescriptor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/types/IntersectionTypeConstructor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/kotlin/methodSignatureBuilding.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/full/KClassifiers.kt
*
/opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/ValueDescriptor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/load/kotlin/JavaFlexibleTypeDeserializer.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/types/flexibleTypes.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/ClassifierDescriptor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-
jar/kotlin/reflect/jvm/internal/impl/descriptors/TypeAliasDescriptor.kt

* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/ErrorUtils.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/constants/CompileTimeConstant.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/DescriptorEquivalenceForOverrides.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/calls/inference/CapturedTypeConstructor.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/kotlin/DeserializationComponentsForJava.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/lazy/descriptors/LazyJavaTypeParameterDescriptor.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/kotlin/MemberSignature.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/MetadataPackageFragmentProvider.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/utils/DFS.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/typeEnhancement/typeQualifiers.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/TypeCapabilities.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/KTypesJvm.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/scopes/receivers/SuperCallReceiverValue.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/utils/functions.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/full/KClasses.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/context.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/checker/TypeCheckingProcedure.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/FlexibleTypeDeserializer.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/builtins/JvmBuiltInsPackageFragmentProvider.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/CapturedTypeApproximation.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/full/exceptions.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/lazy/descriptors/JvmPackageScope.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/KotlinMetadataFinder.kt

* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/typeEnhancement/typeEnhancement.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/checker/TypeCheckerContext.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/EmptyPackageFragmentDesciptor.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/builtins/CloneableClassScope.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/lazy/types/RawType.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/platform/mappingUtil.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/KClassifierImpl.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/components/JavaPropertyInitializerEvaluator.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/constants/IntegerValueTypeConstructor.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/structure/javaElements.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/VarianceChecker.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/dynamicTypes.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2010-2015 JetBrains s.r.o.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
// A seemingly obvious way to come about this case would be to declare a special exception class, but the problem is that

Found in path(s):
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/storage/LockBasedStorageManager.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2010-2017 JetBrains s.r.o.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/JavaClassesTracker.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/container/DefaultImplementation.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/structure/ReflectJavaPrimitiveType.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/KotlinTypeFactory.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/util/modifierChecks.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/builtins/BuiltInsLoader.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/config/KotlinCompilerVersion.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/builtins/BuiltInsPackageFragment.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/lazy/descriptors/LazyJavaStaticClassScope.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/components/ReflectKotlinClassFinder.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/structure/ReflectJavaPackage.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/ErrorType.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/annotations/BuiltInAnnotationDescriptor.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-

jar/kotlin/reflect/jvm/internal/impl/builtins/BuiltInsResourceLoader.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/DescriptorDerivedFromTypeAlias.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/OverridingUtil.java
*
/opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/name/NameUtils.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/components/ReflectJavaClassFinder.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/PropertyDescriptorImpl.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/components/RuntimeModuleData.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/findClassInModule.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/utils/Jsr305State.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/builtins/KotlinBuiltIns.java
*
/opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/structure/reflectClassUtil.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/incremental/components/ExpectActualTracker.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/builtins/BuiltInsPackageFragmentImpl.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/structure/ReflectJavaAnnotationArguments.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/utils/numbers.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/lazy/descriptors/LazyJavaClassMemberScope.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/structure/ReflectJavaField.kt
*
/opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/AnnotationTypeQualifierResolver.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/builtins/BuiltInsLoaderImpl.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/structure/ReflectJavaType.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/Modality.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/structure/ReflectJavaAnnotation.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/ContractDeserializer.kt

*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/deserialization/PlatformDependentDeclarationFilter.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/structure/ReflectJavaMember.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/structure/ReflectJavaMethod.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/utils.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/Substitutable.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/components/RuntimeSourceElementFactory.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/serialization/deserialization/DeserializedPackageFragmentImpl.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/Visibilities.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/checker/IntersectionType.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/checker/NewKotlinTypeChecker.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/full/KProperties.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/KotlinType.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/TypeWithEnhancement.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/DescriptorUtils.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/lazy/descriptors/LazyJavaScope.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/scopes/SyntheticScopes.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/structure/ReflectJavaWildcardType.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/descriptors/JavaClassConstructorDescriptor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/resolve/MultiTargetPlatform.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/util/OperatorNameConventions.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/structure/ReflectJavaTypeParameter.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/SpecialTypes.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-

jar/kotlin/reflect/jvm/internal/impl/types/TypeUtils.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/builtins/BuiltInSerializerProtocol.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/types/checker/NewCapturedType.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/structure/ReflectJavaClassifierType.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/structure/ReflectJavaArrayType.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/deserialization/AdditionalClassPartsProvider.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/ConstructorDescriptor.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/structure/ReflectJavaConstructor.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/components/SamConversionResolver.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/typeEnhancement/signatureEnhancement.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/components/ReflectKotlinClass.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/InvalidModuleException.kt
*
 /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/structure/ReflectJavaClass.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/TypeAliasConstructorDescriptor.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/impl/ClassConstructorDescriptorImpl.java
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/structure/ReflectJavaAnnotationOwner.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/descriptors/deserialization/ClassDescriptorFactory.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/structure/ReflectJavaValueParameter.kt
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/load/java/lazy/descriptors/LazyJavaPackageScope.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2010-2018 JetBrains s.r.o.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1241782840_1648511823.58/0/kotlin-reflect-1-2-51-sources-jar/kotlin/reflect/jvm/internal/impl/renderer/KeywordStringsGenerated.java

1.315 checkstyle 8.17

1.315.1 Available under license :

Found license 'GNU Lesser General Public License' in '// This library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public // License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU // Lesser General Public License for more details. // You should have received a copy of the GNU Lesser General Public * This grammar is in the PUBLIC DOMAIN'
Found license 'GNU Lesser General Public License' in '// This library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public // License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU // Lesser General Public License for more details. // You should have received a copy of the GNU Lesser General Public'

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be

consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits
such linking only if the
entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting
the free library to free
software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and

modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order
to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into
another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any
medium, provided that
you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any

warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library

creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the

user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate
properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is
normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise

permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by

all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution
system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

13. The Free Software Foundation may
publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is

copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision
will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED
ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most
effectively
convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston,
MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.316 feign-jaxrs 8.18.0

1.316.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1274698784_1645233710.69/0/feign-jaxrs-8-18-0-sources-jar/feign/jaxrs/JAXRSContract.java

1.317 maven-artifact-manager 2.0

1.317.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001-2005 The Apache Software Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1274703493_1645233597.3/0/maven-artifact-manager-2-0-sources-jar/org/apache/maven/artifact/transform/ReleaseArtifactTransformation.java
* /opt/cola/permits/1274703493_1645233597.3/0/maven-artifact-manager-2-0-sources-jar/org/apache/maven/artifact/manager/ChecksumFailedException.java
*
 /opt/cola/permits/1274703493_1645233597.3/0/maven-artifact-manager-2-0-sources-jar/org/apache/maven/artifact/resolver/WarningResolutionListener.java
* /opt/cola/permits/1274703493_1645233597.3/0/maven-artifact-manager-2-0-sources-jar/org/apache/maven/artifact/repository/metadata/AbstractRepositoryMetadata.java
* /opt/cola/permits/1274703493_1645233597.3/0/maven-artifact-manager-2-0-sources-jar/org/apache/maven/artifact/repository/DefaultArtifactRepositoryFactory.java
* /opt/cola/permits/1274703493_1645233597.3/0/maven-artifact-manager-2-0-sources-jar/org/apache/maven/artifact/repository/metadata/DefaultRepositoryMetadataManager.java
* /opt/cola/permits/1274703493_1645233597.3/0/maven-artifact-manager-2-0-sources-jar/org/apache/maven/artifact/repository/metadata/RepositoryMetadataManager.java
* /opt/cola/permits/1274703493_1645233597.3/0/maven-artifact-manager-2-0-sources-jar/org/apache/maven/artifact/repository/metadata/ArtifactRepositoryMetadata.java

* /opt/cola/permits/1274703493_1645233597.3/0/maven-artifact-manager-2-0-sources-jar/org/apache/maven/artifact/manager/DefaultWagonManager.java
*
 /opt/cola/permits/1274703493_1645233597.3/0/maven-artifact-manager-2-0-sources-jar/org/apache/maven/artifact/transform/DefaultArtifactTransformationManager.java
* /opt/cola/permits/1274703493_1645233597.3/0/maven-artifact-manager-2-0-sources-jar/org/apache/maven/artifact/resolver/DebugResolutionListener.java
* /opt/cola/permits/1274703493_1645233597.3/0/maven-artifact-manager-2-0-sources-jar/org/apache/maven/artifact/deployer/DefaultArtifactDeployer.java
* /opt/cola/permits/1274703493_1645233597.3/0/maven-artifact-manager-2-0-sources-jar/org/apache/maven/artifact/repository/metadata/RepositoryMetadata.java
* /opt/cola/permits/1274703493_1645233597.3/0/maven-artifact-manager-2-0-sources-jar/org/apache/maven/artifact/installer/DefaultArtifactInstaller.java
* /opt/cola/permits/1274703493_1645233597.3/0/maven-artifact-manager-2-0-sources-jar/org/apache/maven/artifact/resolver/DefaultArtifactResolver.java
*
 /opt/cola/permits/1274703493_1645233597.3/0/maven-artifact-manager-2-0-sources-jar/org/apache/maven/artifact/transform/AbstractVersionTransformation.java
* /opt/cola/permits/1274703493_1645233597.3/0/maven-artifact-manager-2-0-sources-jar/org/apache/maven/artifact/manager/WagonManager.java
* /opt/cola/permits/1274703493_1645233597.3/0/maven-artifact-manager-2-0-sources-jar/org/apache/maven/artifact/transform/LatestArtifactTransformation.java
* /opt/cola/permits/1274703493_1645233597.3/0/maven-artifact-manager-2-0-sources-jar/org/apache/maven/artifact/repository/DefaultArtifactRepository.java
* /opt/cola/permits/1274703493_1645233597.3/0/maven-artifact-manager-2-0-sources-jar/org/apache/maven/artifact/repository/metadata/SnapshotArtifactRepositoryMetadata.java
* /opt/cola/permits/1274703493_1645233597.3/0/maven-artifact-manager-2-0-sources-jar/org/apache/maven/artifact/transform/SnapshotTransformation.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2005 The Apache Software Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1274703493_1645233597.3/0/maven-artifact-manager-2-0-sources-

jar/org/apache/maven/artifact/repository/metadata/GroupRepositoryMetadata.java

1.318 cargo-core-container-api 1.4.13

1.318.1 Available under license :

No license file was found, but licenses were detected in source scan.

2011 Vincent Massol.
~
~ Licensed under the Apache License, Version 2.0 (the "License");
~ you may not use this file except in compliance with the License.
~ You may obtain a copy of the License at
~
~ http://www.apache.org/licenses/LICENSE
2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS,
~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
~ See the License for the specific language governing permissions and
~ limitations under the License.

Found in path(s):
* /opt/cola/permits/1274702204_1648836187.56/0/cargo-core-api-container-1-4-13-jar/META-INF/maven/org.codehaus.cargo/cargo-core-api-container/pom.xml

1.319 pact-jvm-pact-broker 3.5.21

1.319.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants
to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work
or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution
of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental,
or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted
against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

1.320 apache-commons-validator 1.5.1

1.320.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Commons Validator
Copyright 2001-2016 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.321 pact-jvm-consumer-junit 3.5.21

1.321.1 Available under license :

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source"
form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely
link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean
Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and
You must cause any modified files to carry prominent notices stating that You changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute,
all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the
NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the
trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor
harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: HOW TO APPLY THE APACHE LICENSE TO YOUR WORK
To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless
required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.322 settings-api 2.2.2

1.322.1 Available under license :

No license file was found, but licenses were detected in source scan.

<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/maven-4.0.0.xsd">
<modelVersion>4.0.0</modelVersion>
<groupId>com.nordstrom.tools</groupId>

```
<artifactId>settings</artifactId>
<version>2.2.2</version>
<packaging>jar</packaging>

<name>Settings API</name>
<description>Core implementation and interfaces for defining context-specific settings</description>
<url>https://github.com/Nordstrom/Settings</url>

<licenses>
  <license>
    <name>The Apache License, Version 2.0</name>
    <url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
  </license>
</licenses>

<developers>
  <developer>
    <name>Scott Babcock</name>
    <email>scoba@hotmail.com</email>
    <organization>Nordstrom</organization>
    <organizationUrl>https://shop.nordstrom.com</organizationUrl>
  </developer>
</developers>

<properties>
  <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
  <maven.compiler.source>1.8</maven.compiler.source>
  <maven.compiler.target>1.8</maven.compiler.target>
  <logback.version>1.2.2</logback.version>
  <slf4j.version>1.7.25</slf4j.version>
  <testng.version>6.10</testng.version>
  <java-utils.version>1.7.2</java-utils.version>
  <maven-source-plugin.version>3.0.1</maven-source-plugin.version>
  <javadoc-plugin.version>2.10.4</javadoc-plugin.version>
  <gpg-plugin.version>1.6</gpg-plugin.version>
  <staging-plugin.version>1.6.7</staging-plugin.version>
  <release-plugin.version>2.5.3</release-plugin.version>
  <commons-lang3.version>3.5</commons-lang3.version>
  <commons-config.version>2.2</commons-config.version>
  <commons-beanutils.version>1.9.3</commons-beanutils.version>
  <sonar.language>java</sonar.language>
  <jacoco.version>0.7.9</jacoco.version>
   <skipSigning>true</skipSigning>
</properties>

<scm>
  <connection>scm:git:https://github.com/Nordstrom/Settings.git</connection>
  <developerConnection>scm:git:https://github.com/Nordstrom/Settings.git</developerConnection>
```

```
  <url>https://github.com/Nordstrom/Settings/tree/master</url>
  <tag>settings-2.2.2</tag>
</scm>

<distributionManagement>
  <snapshotRepository>
    <id>ossrh</id>
    <url>https://oss.sonatype.org/content/repositories/snapshots</url>
  </snapshotRepository>
  <repository>
    <id>ossrh</id>
    <url>https://oss.sonatype.org/service/local/staging/deploy/maven2/</url>
  </repository>
</distributionManagement>

<dependencyManagement>
  <dependencies>
    <dependency>
      <groupId>ch.qos.logback</groupId>
      <artifactId>logback-classic</artifactId>
      <version>${logback.version}</version>
    </dependency>
    <dependency>
      <groupId>ch.qos.logback</groupId>
       <artifactId>logback-core</artifactId>
      <version>${logback.version}</version>
    </dependency>
    <dependency>
      <groupId>org.slf4j</groupId>
      <artifactId>slf4j-api</artifactId>
      <version>${slf4j.version}</version>
    </dependency>
    <dependency>
      <groupId>org.testng</groupId>
      <artifactId>testng</artifactId>
      <version>${testng.version}</version>
    </dependency>
    <dependency>
      <groupId>com.nordstrom.tools</groupId>
      <artifactId>java-utils</artifactId>
      <version>${java-utils.version}</version>
    </dependency>
    <dependency>
      <groupId>org.apache.commons</groupId>
      <artifactId>commons-lang3</artifactId>
      <version>${commons-lang3.version}</version>
    </dependency>
    <dependency>
```

```
      <groupId>org.apache.commons</groupId>
      <artifactId>commons-configuration2</artifactId>
      <version>${commons-config.version}</version>
     </dependency>
    <dependency>
      <groupId>commons-beanutils</groupId>
      <artifactId>commons-beanutils</artifactId>
      <version>${commons-beanutils.version}</version>
    </dependency>
  </dependencies>
</dependencyManagement>
<dependencies>
  <dependency>
    <groupId>ch.qos.logback</groupId>
    <artifactId>logback-classic</artifactId>
  </dependency>
  <dependency>
    <groupId>ch.qos.logback</groupId>
    <artifactId>logback-core</artifactId>
  </dependency>
  <dependency>
    <groupId>org.slf4j</groupId>
    <artifactId>slf4j-api</artifactId>
  </dependency>
  <dependency>
    <groupId>org.testng</groupId>
    <artifactId>testng</artifactId>
    <scope>test</scope>
  </dependency>
  <dependency>
    <groupId>com.nordstrom.tools</groupId>
    <artifactId>java-utils</artifactId>
  </dependency>
  <dependency>
    <groupId>org.apache.commons</groupId>

    <artifactId>commons-lang3</artifactId>
  </dependency>
  <dependency>
    <groupId>org.apache.commons</groupId>
    <artifactId>commons-configuration2</artifactId>
  </dependency>
  <dependency>
    <groupId>commons-beanutils</groupId>
    <artifactId>commons-beanutils</artifactId>
  </dependency>
</dependencies>
```

```
<build>
  <pluginManagement>
    <plugins>
      <plugin>
        <groupId>org.jacoco</groupId>
        <artifactId>jacoco-maven-plugin</artifactId>
        <version>${jacoco.version}</version>
      </plugin>
      <plugin>
        <groupId>org.apache.maven.plugins</groupId>
        <artifactId>maven-gpg-plugin</artifactId>
        <version>${gpg-plugin.version}</version>
      </plugin>
      <plugin>
        <groupId>org.sonatype.plugins</groupId>
        <artifactId>nexus-staging-maven-plugin</artifactId>
        <version>${staging-plugin.version}</version>
      </plugin>
      <plugin>
         <groupId>org.apache.maven.plugins</groupId>
        <artifactId>maven-release-plugin</artifactId>
        <version>${release-plugin.version}</version>
      </plugin>
    </plugins>
  </pluginManagement>
  <plugins>
    <plugin>
      <groupId>org.jacoco</groupId>
      <artifactId>jacoco-maven-plugin</artifactId>
      <executions>
        <execution>
          <goals>
            <goal>prepare-agent</goal>
          </goals>
        </execution>
        <execution>
          <id>report</id>
          <phase>prepare-package</phase>
          <goals>
            <goal>report</goal>
          </goals>
        </execution>
      </executions>
    </plugin>
    <plugin>
      <groupId>org.apache.maven.plugins</groupId>
      <artifactId>maven-source-plugin</artifactId>
      <version>${maven-source-plugin.version}</version>
```

```
  <executions>
    <execution>
      <id>attach-sources</id>
       <goals>
        <goal>jar</goal>
      </goals>
    </execution>
  </executions>
</plugin>
<plugin>
  <groupId>org.apache.maven.plugins</groupId>
  <artifactId>maven-javadoc-plugin</artifactId>
  <version>${javadoc-plugin.version}</version>
  <executions>
    <execution>
      <id>attach-javadocs</id>
      <goals>
        <goal>jar</goal>
      </goals>
    </execution>
  </executions>
</plugin>
<plugin>
  <groupId>org.apache.maven.plugins</groupId>
  <artifactId>maven-gpg-plugin</artifactId>
  <executions>
    <execution>
      <id>sign-artifacts</id>
      <phase>verify</phase>
      <goals>
        <goal>sign</goal>
      </goals>
      <configuration>
        <keyname>${gpg.keyname}</keyname>
        <passphraseServerId>${gpg.keyname}</passphraseServerId>
         <skip>${skipSigning}</skip>
      </configuration>
    </execution>
  </executions>
</plugin>
<plugin>
  <groupId>org.sonatype.plugins</groupId>
  <artifactId>nexus-staging-maven-plugin</artifactId>
  <extensions>true</extensions>
  <configuration>
    <serverId>ossrh</serverId>
    <nexusUrl>https://oss.sonatype.org/</nexusUrl>
    <autoReleaseAfterClose>true</autoReleaseAfterClose>
```

```
      </configuration>
    </plugin>
    <plugin>
      <groupId>org.apache.maven.plugins</groupId>
      <artifactId>maven-release-plugin</artifactId>
      <configuration>
        <autoVersionSubmodules>true</autoVersionSubmodules>
        <useReleaseProfile>false</useReleaseProfile>
        <releaseProfiles>release</releaseProfiles>
        <goals>deploy</goals>
      </configuration>
    </plugin>
  </plugins>
 </build>

 <profiles>
  <profile>
    <id>signing</id>
    <properties>
      <skipSigning>false</skipSigning>
    </properties>
  </profile>
 </profiles>
</project>
```

Found in path(s):
* /opt/cola/permits/1274704683_1649800573.66/0/settings-2-2-2-sources-jar/META-INF/maven/com.nordstrom.tools/settings/pom.xml

1.323 junit-foundation 9.1.2

1.323.1 Available under license :

```
/*
* Copyright 2015-2018 the original author or authors.
*
* All rights reserved. This program and the accompanying materials are
* made available under the terms of the Eclipse Public License v2.0 which
* accompanies this distribution and is available at
*
* http://www.eclipse.org/legal/epl-v20.html
*/
```

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (“AGREEMENT”). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

“Contribution” means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and
b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution “originates” from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.
“Contributor” means any person or entity that Distributes the Program.

“Licensed Patents” mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

“Program” means the Contributions Distributed in accordance with this Agreement.

“Recipient” means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

“Derivative Works” shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

“Modified Works” shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

“Distribute” means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

“Source Code” means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

“Secondary License” means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS
a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.
b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be

covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based
on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.
e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).
3. REQUIREMENTS
3.1 If a Contributor Distributes the Program in any form, then:

a)
the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and
b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:
i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
iii) does not attempt to limit or alter the recipients' rights
in the Source Code under section 3.2; and
iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.
3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
b) a copy of this Agreement must be included with each copy of the Program.
3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (‘notices’) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4.
COMMERCIAL DISTRIBUTION
Commercial distributors of software may accept certain responsibilities with respect to end users, business partners

and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (“Commercial Contributor”) hereby agrees to defend and indemnify every other Contributor (“Indemnified Contributor”) against any losses, damages and costs (collectively “Losses”) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply
to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other
Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY
EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN “AS IS” BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY
EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT
NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL
If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations

of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new
versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement
are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A – Form of Secondary Licenses Notice
“This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.”

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.
Found license 'Eclipse Public License 1.0' in '* All rights reserved. This program and the accompanying materials are * made available under the terms of the Eclipse Public License v2.0 which'

1.324 jackson-module:-guice 2.10.5

1.324.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers, as well as supported
commercially by FasterXML.com.

Licensing

Jackson core and extension components may licensed under different licenses.
To find the details that apply to this artifact see the accompanying LICENSE file.
For more information, including possible other licensing options, contact
FasterXML.com (http://fasterxml.com).

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.
This copy of Jackson JSON processor `jackson-module-guice` module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

1.325 cargo-core-module-api 1.4.13

1.325.1 Available under license :

No license file was found, but licenses were detected in source scan.

Copyright (c) 1999-2002 by BEA Systems Inc. All Rights Reserved.

Found in path(s):
* /opt/cola/permits/1274700818_1648836181.04/0/cargo-core-api-module-1-4-13-
jar/org/codehaus/cargo/module/internal/resource/weblogic810-web-jar.dtd
No license file was found, but licenses were detected in source scan.

Copyright (c) 2000 Sun Microsystems, Inc.,
901 San Antonio Road,
Palo Alto, California 94303, U.S.A.
All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to
technology embodied in the product that is described in this document.
In particular, and without limitation, these intellectual property
rights may include one or more of the U.S. patents listed at

http://www.sun.com/patents and one or more additional patents or
pending patent applications in the U.S. and in other countries.

This document and the product to which it pertains are distributed
under licenses restricting their use, copying, distribution, and
decompilation. This document may be reproduced and distributed but may
not be changed without prior written authorization of Sun and its
licensors, if any.

Third

Found in path(s):
* /opt/cola/permits/1274700818_1648836181.04/0/cargo-core-api-module-1-4-13-
jar/org/codehaus/cargo/module/internal/resource/ejb-jar_2_0.dtd
*
 /opt/cola/permits/1274700818_1648836181.04/0/cargo-core-api-module-1-4-13-
jar/org/codehaus/cargo/module/internal/resource/application_1_3.dtd
No license file was found, but licenses were detected in source scan.

The confidentiality tag determines transport confidentiality requirements
for the bean. Confidentiality ensures that the data be sent between the client
and server in such a way to prevent other entities from observing the contents
of the transmission.

The confidentiality can be one of the following values:
requirements

Example:
  <confidentiality>none</confidentiality>

Found in path(s):
* /opt/cola/permits/1274700818_1648836181.04/0/cargo-core-api-module-1-4-13-
jar/org/codehaus/cargo/module/internal/resource/weblogic-ejb-jar.dtd
No license file was found, but licenses were detected in source scan.

confidentiality element indicates if the server (target) supports privacy protected
messages. The values are NONE, SUPPORTED or REQUIRED
guarantee element specifies that the communication
between client and server should be NONE, INTEGRAL, or
CONFIDENTIAL. NONE means that the application does not require any
transport guarantees. A value of INTEGRAL means that the application
requires that the data sent between the client and server be sent in
such a way that it can't be changed in transit. CONFIDENTIAL means
that the application requires that the data be transmitted in a
fashion that prevents other entities from observing the contents of
the transmission. In most cases, the presence of the INTEGRAL or

CONFIDENTIAL flag will indicate that the use of SSL is required.

Used in: port

Found in path(s):
* /opt/cola/permits/1274700818_1648836181.04/0/cargo-core-api-module-1-4-13-jar/org/codehaus/cargo/module/internal/resource/jboss_4_0.dtd
*
 /opt/cola/permits/1274700818_1648836181.04/0/cargo-core-api-module-1-4-13-jar/org/codehaus/cargo/module/internal/resource/jboss_4_2.dtd
No license file was found, but licenses were detected in source scan.

Copyright 2003-2007 Sun Microsystems, Inc. All rights reserved.
The contents of this file are subject to the terms of either the
GNU General Public License Version 2 only ("GPL") or the Common
Development and Distribution License("CDDL") (collectively, the
"License"). You may not use this file except in compliance with
particular file as subject to the "Classpath" exception as
provided by Sun in the GPL Version 2 section of the License file
CONFIDENTIAL. NONE means that the application does not
changed in transit. CONFIDENTIAL means that the application
CONFIDENTIAL flag will indicate that the use of SSL is
<xsd:enumeration value="CONFIDENTIAL"/>

Found in path(s):
* /opt/cola/permits/1274700818_1648836181.04/0/cargo-core-api-module-1-4-13-jar/org/codehaus/cargo/module/internal/resource/web-app_2_4.xsd
* /opt/cola/permits/1274700818_1648836181.04/0/cargo-core-api-module-1-4-13-jar/org/codehaus/cargo/module/internal/resource/web-app_2_5.xsd
No license file was found, but licenses were detected in source scan.

2011 Vincent Massol.
 ~
 ~ Licensed under the Apache License, Version 2.0 (the "License");
 ~ you may not use this file except in compliance with the License.
 ~ You may obtain a copy of the License at
 ~
 ~   http://www.apache.org/licenses/LICENSE
2.0
 ~
 ~ Unless required by applicable law or agreed to in writing, software
 ~ distributed under the License is distributed on an "AS IS" BASIS,
 ~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 ~ See the License for the specific language governing permissions and
 ~ limitations under the License.

Found in path(s):
* /opt/cola/permits/1274700818_1648836181.04/0/cargo-core-api-module-1-4-13-jar/META-

INF/maven/org.codehaus.cargo/cargo-core-api-module/pom.xml
No license file was found, but licenses were detected in source scan.

Copyright 1999 Sun Microsystems, Inc. 901 San Antonio Road,
Palo Alto, CA 94303, U.S.A. All rights reserved.

This product or document is protected by copyright and distributed
under licenses restricting its use, copying, distribution, and
decompilation. No part of this product or documentation may be
reproduced in any form by any means without prior written authorization
of Sun and its licensors, if any.

Third party software, including font technology, is copyrighted and
licensed from Sun suppliers.

Sun, Sun Microsystems, the Sun Logo, Solaris, Java, JavaServer Pages, Java
Naming and Directory Interface, JDBC, JDK, JavaMail and Enterprise JavaBeans,
are trademarks or registered trademarks of Sun Microsystems, Inc in the U.S.
and other countries.

All SPARC trademarks are used under license and are trademarks
or registered trademarks of SPARC International, Inc.
in the U.S. and other countries. Products
 bearing SPARC
trademarks are based upon an architecture developed by Sun Microsystems, Inc.

PostScript is a registered trademark of Adobe Systems, Inc.

Federal Acquisitions: Commercial Software

Found in path(s):
* /opt/cola/permits/1274700818_1648836181.04/0/cargo-core-api-module-1-4-13-jar/org/codehaus/cargo/module/internal/resource/application_1_2.dtd
No license file was found, but licenses were detected in source scan.

Copyright 1999 Sun Microsystems, Inc. 901 San Antonio Road,
Palo Alto, CA 94303, U.S.A. All rights reserved.

This product or document is protected by copyright and distributed
under licenses restricting its use, copying, distribution, and
decompilation. No part of this product or documentation may be
reproduced in any form by any means without prior written authorization
of Sun and its licensors, if any.

Third party software, including font technology, is copyrighted and
licensed from Sun suppliers.

Sun, Sun Microsystems, the Sun Logo, Solaris, Java, JavaServer Pages, Java Naming and Directory Interface, JDBC, JDK, JavaMail and Enterprise JavaBeans, are trademarks or registered trademarks of Sun Microsystems, Inc in the U.S. and other countries.

All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. in the U.S. and other countries. Products bearing SPARC trademarks are based upon an architecture developed by Sun Microsystems, Inc.

PostScript is a registered trademark of Adobe Systems, Inc.

Federal Acquisitions: Commercial Software guarantee element specifies that the communication between client and server should be NONE, INTEGRAL, or CONFIDENTIAL. NONE means that the application does not require any transport guarantees. A value of INTEGRAL means that the application requires that the data sent between the client and server be sent in such a way that it can't be changed in transit. CONFIDENTIAL means that the application requires that the data be transmitted in a fashion that prevents other entities from observing the contents of the transmission. In most cases, the presence of the INTEGRAL or CONFIDENTIAL flag will indicate that the use of SSL is required.

Found in path(s):
* /opt/cola/permits/1274700818_1648836181.04/0/cargo-core-api-module-1-4-13-jar/org/codehaus/cargo/module/internal/resource/web-app_2_2.dtd
No license file was found, but licenses were detected in source scan.

Copyright (c) 2000 Sun Microsystems, Inc.,
901 San Antonio Road,
Palo Alto, California 94303, U.S.A.
All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to technology embodied in the product that is described in this document. In particular, and without limitation, these intellectual property rights may include one or more of the U.S. patents listed at http://www.sun.com/patents and one or more additional patents or pending patent applications in the U.S. and in other countries.

This document and the product to which it pertains are distributed under licenses restricting their use, copying, distribution, and decompilation. This Product or document may be reproduced but may not be changed without prior written authorization of Sun and its licensors, if any.

Third
guarantee element specifies that the communication
between client and server should be NONE, INTEGRAL, or
CONFIDENTIAL.
NONE means that the application does not require any
transport guarantees. A value of INTEGRAL means that the application
requires that the data sent between the client and server be sent in
such a way that it can't be changed in transit. CONFIDENTIAL means
that the application requires that the data be transmitted in a
fashion that prevents other entities from observing the contents of
the transmission. In most cases, the presence of the INTEGRAL or
CONFIDENTIAL flag will indicate that the use of SSL is required.

Used in: user

Found in path(s):
* /opt/cola/permits/1274700818_1648836181.04/0/cargo-core-api-module-1-4-13-jar/org/codehaus/cargo/module/internal/resource/orion-web-9_04.dtd
No license file was found, but licenses were detected in source scan.

Copyright 2003-2009 Sun Microsystems, Inc. All rights reserved.
The contents of this file are subject to the terms of either the
GNU General Public License Version 2 only ("GPL") or the Common
Development and Distribution License("CDDL") (collectively, the
"License"). You may not use this file except in compliance with
particular file as subject to the "Classpath" exception as
provided by Sun in the GPL Version 2 section of the License file

Found in path(s):
* /opt/cola/permits/1274700818_1648836181.04/0/cargo-core-api-module-1-4-13-jar/org/codehaus/cargo/module/internal/resource/web-app_3_0.xsd
No license file was found, but licenses were detected in source scan.

Copyright (c) 2000 Sun Microsystems, Inc.,
901 San Antonio Road,
Palo Alto, California 94303, U.S.A.
All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to
technology embodied in the product that is described in this document.
In particular, and without limitation, these intellectual property
rights may include one or more of the U.S. patents listed at
http://www.sun.com/patents and one or more additional patents or
pending patent applications in the U.S. and in other countries.

This document and the product to which it pertains are distributed
under licenses restricting their use, copying, distribution, and

decompilation. This document may be reproduced and distributed but may
not be changed without prior written authorization of Sun and its
licensors, if any.

Third
guarantee element specifies that the communication
between client and server should be NONE, INTEGRAL, or
CONFIDENTIAL.
 NONE means that the application does not require any
transport guarantees. A value of INTEGRAL means that the application
requires that the data sent between the client and server be sent in
such a way that it can't be changed in transit. CONFIDENTIAL means
that the application requires that the data be transmitted in a
fashion that prevents other entities from observing the contents of
the transmission. In most cases, the presence of the INTEGRAL or
CONFIDENTIAL flag will indicate that the use of SSL is required.

Used in: user

Found in path(s):
* /opt/cola/permits/1274700818_1648836181.04/0/cargo-core-api-module-1-4-13-jar/org/codehaus/cargo/module/internal/resource/web-app_2_3.dtd
No license file was found, but licenses were detected in source scan.

<!ELEMENT transport-config (integrity, confidentiality,
<!ELEMENT confidentiality (#PCDATA)>

Found in path(s):
* /opt/cola/permits/1274700818_1648836181.04/0/cargo-core-api-module-1-4-13-jar/org/codehaus/cargo/module/internal/resource/orion-ejb-jar-9_04.dtd

1.326 plexus-archiver 1.0

1.326.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**
*
* Copyright 2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/jar/Manifest.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/Archiver.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/gzip/GZipUnArchiver.java
*
 /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/zip/ZipArchiver.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/jar/ManifestException.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/gzip/GZipCompressor.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/tar/TarBZip2UnArchiver.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/bzip2/BZip2Compressor.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/bzip2/BZip2Archiver.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/util/Compressor.java
*
 /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/AbstractUnArchiver.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/ArchiveEntry.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/gzip/GZipArchiver.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/util/EnumeratedAttribute.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/zip/AbstractZipUnArchiver.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/zip/AbstractZipArchiver.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/jar/JarArchiver.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/UnArchiver.java
*
 /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/AbstractArchiver.java

* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/zip/ZipUnArchiver.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/tar/TarGZipUnArchiver.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/tar/TarArchiver.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/tar/TarUnArchiver.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/bzip2/BZip2UnArchiver.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright  2001-2004 The Apache Software Foundation
*
*  Licensed under the Apache License, Version 2.0 (the "License");
*  you may not use this file except in compliance with the License.
*  You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing, software
*  distributed under the License is distributed on an "AS IS" BASIS,
*  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*  See the License for the specific language governing permissions and
*  limitations under the License.
*
*/
```

Found in path(s):
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/bzip2/CBZip2InputStream.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/bzip2/CBZip2OutputStream.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/ear/EarArchiver.java
*
 /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/zip/ZipEntry.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/zip/ZipOutputStream.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright  2000-2004 The Apache Software Foundation
*
*  Licensed under the Apache License, Version 2.0 (the "License");
*  you may not use this file except in compliance with the License.
```

* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/tar/TarLongFileMode.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/tar/TarInputStream.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/war/WarArchiver.java
*
 /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/tar/TarEntry.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/tar/TarCompressionMethod.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2003-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/zip/ZipFile.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001-2005 The Apache Software Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/dir/DirectoryArchiver.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright  2001,2004 The Apache Software Foundation
*
*  Licensed under the Apache License, Version 2.0 (the "License");
*  you may not use this file except in compliance with the License.
*  You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing, software
*  distributed under the License is distributed on an "AS IS" BASIS,
*  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*  See the License for the specific language governing permissions and
*  limitations under the License.
*
*/
```

Found in path(s):
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/UnixStat.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/manager/ArchiverManager.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/bzip2/BZip2Constants.java
*
 /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/manager/NoSuchArchiverException.java

* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/zip/ZipExtraField.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/manager/DefaultArchiverManager.java
No license file was found, but licenses were detected in source scan.

```
/**
* Copyright 2004 The Apache Software Foundation
* <p/>
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
* <p/>
* http://www.apache.org/licenses/LICENSE-2.0
* <p/>
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/ArchiverException.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright  2001-2002,2004 The Apache Software Foundation
*
*  Licensed under the Apache License, Version 2.0 (the "License");
*  you may not use this file except in compliance with the License.
*  You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing, software
*  distributed under the License is distributed on an "AS IS" BASIS,
*  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*  See the License for the specific language governing permissions and
*  limitations under the License.
*
*/
```

Found in path(s):
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/zip/AsiExtraField.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-

jar/org/codehaus/plexus/archiver/zip/ZipShort.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/zip/ExtraFieldUtils.java
*
 /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/zip/ZipLong.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/zip/UnrecognizedExtraField.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/bzip2/CRC.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2000,2002,2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/tar/TarUtils.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/tar/TarBuffer.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2000-2002,2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and
* limitations under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/tar/TarConstants.java
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/tar/TarOutputStream.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2007 The Codehaus Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1274704863_1645235072.53/0/plexus-archiver-1-0-sources-jar/org/codehaus/plexus/archiver/filters/JarSecurityFileSelector.java

1.327 project-lombok 1.16.8

1.327.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012-2015 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in

* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/HandleFieldDefaults.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010-2011 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/agent/PatchVal.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/apt/InterceptingJavaFileManager.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/apt/Javac6BaseFileObjectWrapper.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-

jar/lombok/javac/apt/LombokFileObjects.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/apt/InterceptingJavaFileObject.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/apt/LombokFileObject.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/apt/Javac7BaseFileObjectWrapper.java
*
/opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/apt/EmptyLombokFileObject.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/bytecode/PostCompilerApp.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/bytecode/ClassFileMetaData.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/FindTypeVarScanner.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/PostCompilerTransformation.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011-2013 The Project Lombok Authors.

*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/java8/CommentCollectingScannerFactory.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/java6/CommentCollectingScannerFactory.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/java6/CommentCollectingScanner.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/java7/CommentCollectingScanner.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/java7/CommentCollectingScannerFactory.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/CompilerMessageSuppressor.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013-2014 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/configuration/ConfigurationKey.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/java6/CommentCollectingParser.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/configuration/ConfigurationDataType.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/java7/CommentCollectingParser.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/java8/CommentCollectingParser.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/java8/CommentCollectingParserFactory.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/LombokConfiguration.java
*
 /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/java6/CommentCollectingParserFactory.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/LombokInternalAliasing.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/Builder.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/experimental/Builder.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/ConfigurationKeys.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/HandleNonNull.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/HandleNonNull.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/java7/CommentCollectingParserFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013-2015 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal

* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/delombok/FormatPreferences.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/handlers/HandlerUtil.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/HandleBuilder.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/HandleBuilder.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/JavacImportList.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012-2014 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR

ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/HandleAccessors.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/debug/DebugSnapshot.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/HandleExtensionMethod.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/HandleValue.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/agent/PatchExtensionMethod.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/HandleExtensionMethod.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/HandleValue.java
*
/opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/HandleWither.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/HandleWither.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/debug/DebugSnapshotStore.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/debug/package-info.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/HandleFieldDefaults.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009-2011 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/SpiLoadUtil.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/CommentInfo.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/installer/eclipse/EclipseLocationProvider.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/installer/IdeFinder.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/runtimeDependencies/CreateLombokRuntimeApp.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/installer/eclipse/EclipseFinder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010-2011 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*
* Thanks to Stephen Haberman for a patch to solve some NPEs in Eclipse.
*/

Found in path(s):

* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/agent/PatchValEclipse.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
 CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/agent/PatchDiagnostics.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/experimental/PackagePrivate.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/JavacResolver.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/agent/PatchExtensionMethodCompletionProposalPortal.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/experimental/NonFinal.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/PublicApiCreatorApp.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/agent/PatchExtensionMethodCompletionProposal.java
*
 /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/ResolutionResetNeeded.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/bytecode/PoolConstantsApp.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-

jar/lombok/eclipse/agent/PatchDelegatePortal.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/agent/ExtensionMethodCompletionProposal.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/HandlerPriority.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/DeferUntilPostDiet.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009-2012 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/JavacASTAdapter.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/PrintAST.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/JavacTransformer.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/EclipseASTVisitor.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/TransformEclipseAST.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/EclipseNode.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/EclipseAnnotationHandler.java
*

/opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/installer/eclipse/EclipseLocation.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/JavacASTVisitor.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/JavacAnnotationHandler.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/Main.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/configuration/NullCheckExceptionType.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/debug/ProblemReporter.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/configuration/BubblingConfigurationResolver.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/configuration/FlagUsageType.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/package-info.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/Augments.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/launch/AnnotationProcessor.java
*

/opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/configuration/ConfigurationSource.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/HandleDelegate.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/EclipseAugments.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/launch/Agent.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/configuration/ConfigurationProblemReporter.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/configuration/ConfigurationApp.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/HandleAccessors.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/configuration/ConfigurationResolverFactory.java
*
/opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/JavacAugments.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/experimental/Tolerate.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/configuration/StringConfigurationSource.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/configuration/ConfigurationKeysLoader.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/configuration/ExampleValueString.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/configuration/ConfigurationParser.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/FieldAugment.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY

CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/agent/PatchValEclipsePortal.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009-2016 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/Version.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011-2015 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/SetGeneratedByVisitor.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/RunAllTests.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/JavacResolution.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009-2014 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/HandleSetter.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-

jar/lombok/eclipse/handlers/HandleGetter.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/handlers/package-info.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/EqualsAndHashCode.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/HandleCleanup.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/HandleSynchronized.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/bytecode/package-info.java
*
 /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/HandlePrintAST.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/HandlerLibrary.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/experimental/package-info.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/package-info.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/HandleToString.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/AgentLauncher.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/HandleSetter.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/package-info.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/HandleGetter.java
*
 /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/HandleEqualsAndHashCode.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/HandleSynchronized.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/runtimeDependencies/package-info.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/HandleData.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/package-info.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/HandleSneakyThrows.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/HandlePrintAST.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/installer/IdeLocation.java
*
 /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/package-info.java

* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/HandlerLibrary.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/AbstractRunTests.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/HandleCleanup.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/HandleData.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/RunTestsViaDelombok.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/AnnotationProcessor.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/HandleSneakyThrows.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/HandleToString.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010-2015 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/launch/PatchFixesHider.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/HandleVal.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/TreeMirrorMaker.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-

jar/lombok/NoArgsConstructor.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/HandleConstructor.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
 CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/installer/IdeLocationProvider.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/installer/package-info.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/LombokApp.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/agent/package-info.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/installer/eclipse/STSLocationProvider.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/installer/eclipse/STSFinder.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/installer/CorruptedIdeLocationException.java
*
 /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/Lombok.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/installer/WindowsDriveInfo.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/apt/package-info.java

* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/delombok/UnicodeEscapeWriter.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/delombok/DelombokApp.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/AccessLevel.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/installer/eclipse/STSLocation.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/package-info.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/EclipseASTAdapter.java
*
/opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/runtimeDependencies/RuntimeDependencyInfo.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/installer/AppleNativeLook.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009-2013 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/SneakyThrows.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/Cleanup.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/ToString.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/Setter.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/JavacNode.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/Eclipse.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/Getter.java

* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/AnnotationValues.java
*
 /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/LombokNode.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/Data.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/EclipseAST.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/Synchronized.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/NonNull.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/delombok/DelombokResult.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/AST.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009-2015 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/transform/TestWithEcj.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/transform/TestLombokFilesIdempotent.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/HandleEqualsAndHashCode.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/DirectoryRunner.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/Javac.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/transform/TestSourceFiles.java

* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/EclipseHandlerUtil.java
*
/opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/TypeResolver.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/delombok/ant/DelombokTaskImpl.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/JavacAST.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/agent/EclipsePatcher.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/apt/LombokProcessor.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/delombok/Delombok.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/JavacHandlerUtil.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/TypeLibrary.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/delombok/ant/DelombokTask.java
*
/opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/transform/TestWithDelombok.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010-2013 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/val.java

* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/PostCompiler.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/extern/slf4j/Slf4j.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/extern/java/Log.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/extern/log4j/Log4j.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/LombokOptions.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/extern/apachecommons/CommonsLog.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/RequiredArgsConstructor.java
*
/opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/AllArgsConstructor.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/singulars/JavacJavaUtilListSetSingularizer.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/singulars/EclipseJavaUtilSingularizer.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/singulars/EclipseGuavaSingularizer.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/singulars/JavacJavaUtilSetSingularizer.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/agent/EclipseLoaderPatcherTransplants.java

* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/HandleUtilityClass.java
*
/opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/singulars/EclipseJavaUtilListSetSingularizer.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/singulars/JavacGuavaMapSingularizer.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/JavacSingularsRecipes.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/handlers/Singulars.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/TestSingulars.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/apt/Processor.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/EclipseSingularsRecipes.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/singulars/JavacJavaUtilSingularizer.java
*
/opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/singulars/EclipseJavaUtilSetSingularizer.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/singulars/EclipseJavaUtilMapSingularizer.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/singulars/JavacGuavaTableSingularizer.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/singulars/JavacJavaUtilMapSingularizer.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/debug/AssertionLogger.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/singulars/EclipseGuavaSetListSingularizer.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/singulars/EclipseGuavaTableSingularizer.java
*
/opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/Singular.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/experimental/UtilityClass.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/Generated.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/experimental/Helper.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/singulars/JavacJavaUtilListSingularizer.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/HandleUtilityClass.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/GuavaTypeMap.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/configuration/CallSuperType.java
*

/opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/singulars/EclipseGuavaMapSingularizer.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/agent/EclipseLoaderPatcher.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/RunCoreTests.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/singulars/EclipseJavaUtilListSingularizer.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/agent/PatchFixesShadowLoaded.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2011-2014 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/
```

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/CommentCatcher.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2014-2015 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
```

*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/configuration/FileSystemSourceCache.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/launch/ShadowClassLoader.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/LombokTestSource.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/launch/Main.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
 DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/singulars/JavacGuavaSingularizer.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/singulars/JavacGuavaSetListSingularizer.java
No license file was found, but licenses were detected in source scan.

This vector art image is part of the public domain. It has been updated from:
http://www.clker.com/clipart

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/installer/lombok.svg
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2010-2012 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/
```

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/bytecode/FixedClassWriter.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2013 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
```

* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/Javac8BasedLombokOptions.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/installer/eclipse/JbdsLocation.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/java8/CommentCollectingTokenizer.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/EclipseImportList.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/installer/eclipse/JbdsFinder.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/configuration/ConfigurationResolver.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/JavaIdentifiers.java
*
/opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/LombokImmutableList.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/debug/FileLog.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/extern/log4j/Log4j2.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/java8/CommentCollectingScanner.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/configuration/ConfigurationValueParser.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/installer/eclipse/JbdsLocationProvider.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/JavacTreeMaker.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/delombok/LombokOptionsFactory.java
*

/opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/configuration/TypeName.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/delombok/FormatPreferenceScanner.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/Javac6BasedLombokOptions.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/ImportList.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010-2014 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/HandleVal.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/bytecode/PreventNullAnalysisRemover.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/Delegate.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/experimental/Delegate.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/bytecode/SneakyThrowsRemover.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/HandleLog.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/agent/PatchDelegate.java
*

/opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/RunTestsViaEcj.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/HandleLog.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/HandleDelegate.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/HandleConstructor.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/bytecode/AsmUtil.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012-2013 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/Value.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/experimental/Wither.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/CompilerMessageMatcher.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/experimental/Value.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/extern/slf4j/XSlf4j.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/experimental/ExtensionMethod.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/CapturingDiagnosticListener.java
*

/opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/experimental/Accessors.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/experimental/FieldDefaults.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2009-2010 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/
```

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/handlers/SneakyThrowsAndCleanupDependencyInfo.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/delombok/DocCommentIntegrator.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/apt/MessagerDiagnosticsReceiver.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/installer/InstallException.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/core/DiagnosticsReceiver.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/installer/InstallerGUI.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/installer/UninstallException.java
*
 /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/installer/Installer.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015-2016 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/javac/handlers/HandleHelper.java
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/eclipse/handlers/HandleHelper.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011-2012 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR

ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1274701640_1649800585.95/0/gsrc-lombok-1-16-8-sources-jar/lombok/transform/RunTransformTests.java

1.328 maven-wagon-api 1.0-alpha-5

1.328.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<project>
 <modelVersion>4.0.0</modelVersion>
 <groupId>org.apache.maven.wagon</groupId>
 <artifactId>wagon-provider-api</artifactId>
 <name>Maven Wagon API</name>
 <version>1.0-alpha-5</version>
 <description>Tools to manage artifacts and deployment</description>
 <ciManagement>
   <system>wagon-dev@maven.apache.org</system>
   <notifiers>
     <notifier>
       <address>wagon-dev@maven.apache.org</address>
     </notifier>
   </notifiers>
 </ciManagement>
 <inceptionYear>2003</inceptionYear>
 <mailingLists>
   <mailingList>
     <name>Maven Wagon User List</name>
     <subscribe>wagon-users-subscribe@maven.apache.org</subscribe>
     <unsubscribe>wagon-users-unsubscribe@maven.apache.org</unsubscribe>
     <archive>http://nagoya.apache.org/eyebrowse/SummarizeList?listName=wagon-
users@maven.apache.org</archive>
   </mailingList>
   <mailingList>
     <name>Maven Wagon Developer List</name>

     <subscribe>wagon-dev-subscribe@maven.apache.org</subscribe>
     <unsubscribe>wagon-dev-unsubscribe@maven.apache.org</unsubscribe>
     <archive>http://nagoya.apache.org/eyebrowse/SummarizeList?listName=wagon-
dev@maven.apache.org</archive>
   </mailingList>
```

```
</mailingLists>
<developers>
  <developer>
    <id>michal</id>
    <name>Michal Maczka</name>
    <email>michal@codehaus.com</email>
    <organization>Codehaus</organization>
    <roles>
      <role>Developer</role>
    </roles>
  </developer>
  <developer>
    <id>brett</id>
    <name>Brett Porter</name>
    <email>brett@apache.org</email>
    <roles>
      <role>Developer</role>
    </roles>
    <timezone>+10</timezone>
  </developer>
  <developer>
    <id>jvanzyl</id>
    <name>Jason van Zyl</name>
    <email>jason@maven.org</email>
    <roles>
      <role>Developer</role>
    </roles>
  </developer>
</developers>
<licenses>
  <license>
    <name>The Apache Software
License, Version 2.0</name>
    <url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
    <distribution>repo</distribution>
  </license>
</licenses>
<scm>
  <connection>scm:svn:http://svn.apache.org/repos/asf/maven/wagon/trunk/wagon-provider-api</connection>
  <developerConnection>scm:svn:https://svn.apache.org/repos/asf/maven/wagon/trunk/wagon-provider-
api</developerConnection>
  <url>http://svn.apache.org/viewcvs.cgi/maven/wagon/wagon-provider-api</url>
</scm>
<organization>
  <name>Apache Software Foundation</name>
  <url>http://www.apache.org/</url>
</organization>
<build>
```

<sourceDirectory>c:\home\Brett\cvs\maven-2\wagon\target\checkout\wagon-provider-api\src\main\java</sourceDirectory>
<scriptSourceDirectory>src/main/scripts</scriptSourceDirectory>
<testSourceDirectory>c:\home\Brett\cvs\maven-2\wagon\target\checkout\wagon-provider-api\src\test\java</testSourceDirectory>
<outputDirectory>c:\home\Brett\cvs\maven-2\wagon\target\checkout\wagon-provider-api\target\classes</outputDirectory>
<testOutputDirectory>c:\home\Brett\cvs\maven-2\wagon\target\checkout\wagon-provider-api\target\test-classes</testOutputDirectory>
<resources>
<resource>
<directory>c:\home\Brett\cvs\maven-2\wagon\target\checkout\wagon-provider-api\src\main\resources</directory>
</resource>
</resources>
<testResources>
<testResource>
<directory>c:\home\Brett\cvs\maven-2\wagon\target\checkout\wagon-provider-api\src\test\resources</directory>
</testResource>
</testResources>
<directory>c:\home\Brett\cvs\maven-2\wagon\target\checkout\wagon-provider-api\target</directory>
<finalName>wagon-provider-api-1.0-alpha-5</finalName>
<plugins>
<plugin>
<artifactId>maven-compiler-plugin</artifactId>
<version>2.0-beta-2-SNAPSHOT</version>
</plugin>
<plugin>
<artifactId>maven-deploy-plugin</artifactId>
<version>2.0-beta-2-SNAPSHOT</version>
<inherited>true</inherited>
<configuration>
<updateReleaseInfo>true</updateReleaseInfo>
</configuration>
</plugin>
<plugin>
<artifactId>maven-install-plugin</artifactId>
<version>2.0-beta-2-SNAPSHOT</version>
</plugin>
<plugin>
<artifactId>maven-jar-plugin</artifactId>
<version>2.0-rc2-SNAPSHOT</version>
</plugin>
<plugin>
<artifactId>maven-resources-plugin</artifactId>
<version>2.0-beta-3-SNAPSHOT</version>
</plugin>

```
    <plugin>
      <artifactId>maven-source-plugin</artifactId>
      <version>2.0-rc2-SNAPSHOT</version>
      <executions>
        <execution>
          <id>attach-sources</id>
          <goals>
            <goal>jar</goal>
          </goals>
        </execution>
      </executions>
      <inherited>true</inherited>
    </plugin>
    <plugin>
      <artifactId>maven-surefire-plugin</artifactId>
      <version>2.0-beta-1</version>
     </plugin>
  </plugins>
</build>
<repositories>
  <repository>
    <snapshots>
      <enabled>false</enabled>
    </snapshots>
    <id>central</id>
    <name>Maven Repository Switchboard</name>
    <url>http://repo1.maven.org/maven2</url>
  </repository>
</repositories>
<pluginRepositories>
  <pluginRepository>
    <snapshots>
      <enabled>false</enabled>
    </snapshots>
    <id>central</id>
    <name>Maven Plugin Repository</name>
    <url>http://repo1.maven.org/maven2</url>
  </pluginRepository>
</pluginRepositories>
<dependencies>
  <dependency>
    <groupId>junit</groupId>
    <artifactId>junit</artifactId>
    <version>3.8.1</version>
    <scope>test</scope>
  </dependency>
  <dependency>
    <groupId>org.codehaus.plexus</groupId>
```

```
    <artifactId>plexus-utils</artifactId>
    <version>1.0.4</version>
    <scope>compile</scope>
  </dependency>
 </dependencies>
 <reporting>
  <outputDirectory>target/site</outputDirectory>
 </reporting>
 <distributionManagement>
  <repository>
    <id>repo1</id>
    <url>scp://beaver.codehaus.org/home/projects/maven/repository-staging/to-ibiblio/maven2</url>
  </repository>
  <snapshotRepository>
    <id>snapshots</id>
    <url>scp://beaver.codehaus.org/home/projects/maven/repository-staging/snapshots/maven2</url>
  </snapshotRepository>
 </distributionManagement>
</project>
```

Found in path(s):
* /opt/cola/permits/1274702262_1648835844.16/0/wagon-provider-api-1-0-alpha-5-jar/META-INF/maven/org.apache.maven.wagon/wagon-provider-api/pom.xml

1.329 feign-jackson 8.18.0

1.329.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2013 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1274699876_1645234767.83/0/feign-jackson-8-18-0-sources-

jar/feign/jackson/JacksonEncoder.java
* /opt/cola/permits/1274699876_1645234767.83/0/feign-jackson-8-18-0-sources-jar/feign/jackson/JacksonDecoder.java

1.330 javax-ejb-api 3.2

1.330.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.
Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.
Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under
intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software
with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the

combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available
in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices
contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients. rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You
offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or

alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered
Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the
License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES
THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS
DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this

License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for
compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California
and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,
we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code

or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer
you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any
program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute
verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty

protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code
for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute
the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives
a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only
way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear
what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits
your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular
source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but
you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.331 jackson-protobuf-support 0.9.9-jackson2.9-proto2

1.331.1 Available under license :

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants
to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work
or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution
of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental,
or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted
against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

1.332 jackson-datatype-joda jackson-datatype-joda-2.10.2

1.332.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

1.333 docker-client 8.14.5

1.333.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*-
* -\-\-
* docker-client
* --
* Copyright (C) 2016 Spotify AB
* Copyright (C) 2016 Thoughtworks, Inc
* --
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
* -/-/-
*/
```

Found in path(s):
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/DockerClient.java

No license file was found, but licenses were detected in source scan.

```
/*-
* -\-\-
* docker-client
* --
* Copyright (C) 2016 - 2018 Spotify AB
* --
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
* -/-/-
*/
```

Found in path(s):
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/Spread.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/SystemCredentialHelperDelegate.java
*
 /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/DockerCredentialHelperAuth.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/DockerCredentialHelper.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/DockerConfig.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/Preference.java
No license file was found, but licenses were detected in source scan.

```
/*-
* -\-\-
* docker-client
* --
* Copyright (C) 2016 Spotify AB
* --
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
```

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
* -/-/-
*/

Found in path(s):
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/ContainerUpdate.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/mount/Driver.java
*
 /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/MemoryStats.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/ImageHistory.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/TaskStatus.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/TaskSpec.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/ContainerChange.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/ContainerExit.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/ProgressStream.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/exceptions/ServiceNotFoundException.java
*
 /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/SwarmInfo.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/ProcessConfig.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/Driver.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/GlobalService.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/DockerConfigReader.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/IpamConfig.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/LogMessage.java
*

/opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/exceptions/TaskNotFoundException.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/exceptions/NonSwarmNodeException.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/ContainerStats.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/exceptions/VolumeNotFoundException.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/LogStream.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/LoggingPullHandler.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/EngineConfig.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/NetworkAttachmentConfig.java
*
/opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/DockerHost.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/ContainerStatus.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/Service.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/LogReader.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/SecretBind.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/Network.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/EndpointSpec.java
*
/opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/RestartPolicy.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/exceptions/UnsupportedApiVersionException.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/SwarmSpec.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/Container.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/ExternalCa.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/Ipam.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/OrchestrationConfig.java
*

/opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/RemovedImage.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/LoggingLoadHandler.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/EventStream.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/HostConfig.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/NodeDescription.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/ImageSearchResult.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/exceptions/PermissionException.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/RaftConfig.java
*
/opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/NodeInfo.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/ContainerSpec.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/ServiceMode.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/mount/VolumeOptions.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/AttachedNetwork.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/ExecState.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/ContainerMount.java
*
/opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/ObjectMapperProvider.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/UpdateConfig.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/Endpoint.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/EndpointConfig.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/ImageInfo.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/exceptions/DockerTimeoutException.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/PortConfig.java
*

/opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/EventReader.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/ManagerStatus.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/SecretSpec.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/exceptions/ExecCreateConflictException.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/EnginePlugin.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/ContainerConfig.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/Event.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/exceptions/BadParamException.java
*
/opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/UpdateStatus.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/jackson/UnixTimestampDeserializer.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/NetworkAttachment.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/mount/TmpfsOptions.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/NetworkSpec.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/NodeSpec.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/NodeStatus.java
*
/opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/Network.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/ContainerState.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/UnlockKey.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/ProgressHandler.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/exceptions/ImageNotFoundException.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/SecretCreateResponse.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/JoinTokens.java
*

/opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/Info.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/Resources.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/ProgressDetail.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/LoggingBuildHandler.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/LogsResponseReader.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/SwarmCluster.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/IpamOptions.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/ProgressResponseReader.java
*
/opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/ServiceSpec.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/NetworkCreation.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/CpuStats.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/Swarm.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/Platform.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/LogConfig.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/exceptions/ExecNotFoundException.java
*
/opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/IpamConfig.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/exceptions/DockerCertificateException.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/RootFs.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/TaskDefaults.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/UnixConnectionSocketFactory.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/exceptions/ExecStartConflictException.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/Node.java
*

/opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/ResourceRequirements.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/NetworkConfig.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/RegistryAuth.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/SecretFile.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/EndpointVirtualIp.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/Image.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/exceptions/NotFoundException.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/ExecCreation.java
*
/opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/ContainerCreation.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/VolumeList.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/ServiceCreateResponse.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/Placement.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/Version.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/DispatcherConfig.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/PortBinding.java
*
/opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/jackson/UnixTimestampSerializer.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/mount/BindOptions.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/ConfigBind.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/LoggingPushHandler.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/exceptions/DockerRequestException.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/DockerCertificatesStore.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/exceptions/ContainerRenameConflictException.java
*

/opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/exceptions/NetworkNotFoundException.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/CompressedDirectory.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/Task.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/exceptions/ConflictException.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/DnsConfig.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/NetworkConnection.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/ContainerInfo.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/DockerCertificates.java
*
/opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/exceptions/ContainerNotFoundException.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/Device.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/BlockIoStats.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/ProgressMessage.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/mount/Mount.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/ImageRef.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/RemoteManager.java
*
/opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/CaConfig.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/AnsiProgressHandler.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/exceptions/ImagePullFailedException.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/OsUtils.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/auth/RegistryAuthSupplier.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/exceptions/ImagePushFailedException.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/Volume.java
*

/opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/NetworkSettings.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/ReplicatedService.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/EncryptionConfig.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/Version.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/RegistryConfigs.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/exceptions/DockerException.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/DefaultLogStream.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/NetworkStats.java
*
/opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/Secret.java
No license file was found, but licenses were detected in source scan.

```
/*-
* -\-\-
* docker-client
* --
* Copyright (C) 2016 Spotify AB
* Copyright (c) 2015 Jeppe Schou
* --
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
* -/-/-
*/
```

Found in path(s):
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/VersionCompare.java
No license file was found, but licenses were detected in source scan.

```
/*-
```

```
* -\-\-
* docker-client
* --
* Copyright (C) 2016 Spotify AB
* Copyright (c) 2014 Oleg Poleshuk
* Copyright (c) 2014 CyDesign Ltd
* Copyright (c) 2016 ThoughtWorks, Inc
* --
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
* -/-/-
*/
```

Found in path(s):
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/DefaultDockerClient.java
No license file was found, but licenses were detected in source scan.

```
/*-
* -\-\-
* docker-client
* --
* Copyright (C) 2016 Spotify AB
* Copyright (c) 2014 Oleg Poleshuk
* Copyright (c) 2014 CyDesign Ltd
* --
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
* -/-/-
*/
```

Found in path(s):
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/TopResults.java
No license file was found, but licenses were detected in source scan.

```
/*-
* -\-\-
* docker-client
* --
* Copyright (C) 2018 Spotify AB
* --
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
* -/-/-
*/
```

Found in path(s):
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/Platform.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/npipe/NamedPipeSocket.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/Descriptor.java
*
/opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/npipe/NpipeSocketAddress.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/Distribution.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/npipe/NpipeConnectionSocketFactory.java
No license file was found, but licenses were detected in source scan.

```
/*-
* -\-\-
* docker-client
* --
* Copyright (C) 2016 - 2017 Spotify AB
* --
```

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
* -/-/-
*/

Found in path(s):
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/SwarmInit.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/ConfigFile.java
*
 /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/ConfigSpec.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/SwarmJoin.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/auth/MultiRegistryAuthSupplier.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/auth/gcr/ContainerRegistryAuthSupplier.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/Config.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/auth/FixedRegistryAuthSupplier.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/auth/gcr/package-info.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/exceptions/NodeNotFoundException.java
*
 /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/auth/ConfigFileRegistryAuthSupplier.java
* /opt/cola/permits/1274699240_1645233673.39/0/docker-client-8-14-5-sources-jar/com/spotify/docker/client/messages/swarm/ConfigCreateResponse.java

1.334 generex 1.0.1

1.334.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 y.mifrah
*

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

* /opt/cola/permits/1274699858_1645233601.99/0/generex-1-0-1-sources-jar/com/mifmif/common/regex/Node.java
* /opt/cola/permits/1274699858_1645233601.99/0/generex-1-0-1-sources-jar/com/mifmif/common/regex/Generex.java
* /opt/cola/permits/1274699858_1645233601.99/0/generex-1-0-1-sources-jar/com/mifmif/common/regex/util/Iterable.java
*
/opt/cola/permits/1274699858_1645233601.99/0/generex-1-0-1-sources-jar/com/mifmif/common/regex/Main.java
* /opt/cola/permits/1274699858_1645233601.99/0/generex-1-0-1-sources-jar/com/mifmif/common/regex/GenerexIterator.java
* /opt/cola/permits/1274699858_1645233601.99/0/generex-1-0-1-sources-jar/com/mifmif/common/regex/util/Iterator.java

1.335 maven-repository-metadata-model 2.0

1.335.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<project>
 <parent>
   <artifactId>maven</artifactId>
   <groupId>org.apache.maven</groupId>
   <version>2.0</version>
 </parent>
 <modelVersion>4.0.0</modelVersion>
 <groupId>org.apache.maven</groupId>
```

<artifactId>maven-repository-metadata</artifactId>
<name>Maven Repository Metadata Model</name>
<version>2.0</version>
<description>Maven Plugin Mapping</description>
<url>http://maven.apache.org/maven2/maven-repository-metadata</url>
<issueManagement>
 <system>jira</system>
 <url>http://jira.codehaus.org/browse/MNG</url>
</issueManagement>
<ciManagement>
 <system>continuum</system>
 <notifiers>
  <notifier>
   <configuration>
    <address>commits@maven.apache.org</address>
   </configuration>
  </notifier>
 </notifiers>
</ciManagement>
<mailingLists>
 <mailingList>
  <name>Maven User List</name>
  <subscribe>users-subscribe@maven.apache.org</subscribe>
   <unsubscribe>users-unsubscribe@maven.apache.org</unsubscribe>
  <post>users@maven.apache.org</post>
  <archive>http://mail-archives.apache.org/mod_mbox/maven-users</archive>
 </mailingList>
 <mailingList>
  <name>Maven Developer List</name>
  <subscribe>dev-subscribe@maven.apache.org</subscribe>
  <unsubscribe>dev-unsubscribe@maven.apache.org</unsubscribe>
  <post>dev@maven.apache.org</post>
  <archive>http://mail-archives.apache.org/mod_mbox/maven-dev</archive>
 </mailingList>
 <mailingList>
  <name>Maven Commits List</name>
  <subscribe>commits-subscribe@maven.apache.org</subscribe>
  <unsubscribe>commits-unsubscribe@maven.apache.org</unsubscribe>
  <post>commits@maven.apache.org</post>
  <archive>http://mail-archives.apache.org/mod_mbox/maven-dev</archive>
 </mailingList>
 <mailingList>
  <name>Apache Announce List</name>
  <subscribe>announce-subscribe@apache.org</subscribe>
  <unsubscribe>announce-unsubscribe@apache.org</unsubscribe>
   <post>announce@apache.org</post>
  <archive>http://mail-archives.apache.org/mod_mbox/www-announce/</archive>
 </mailingList>

```
</mailingLists>
<developers>
  <developer>
    <id>jvanzyl</id>
    <name>Jason van Zyl</name>
    <email>jason@maven.org</email>
    <organization>ASF</organization>
    <roles>
      <role>PMC Chair</role>
    </roles>
    <timezone>-5</timezone>
  </developer>
  <developer>
    <id>brett</id>
    <name>Brett Porter</name>
    <email>brett@apache.org</email>
    <organization>ASF</organization>
    <roles>
      <role>PMC Member</role>
    </roles>
    <timezone>+10</timezone>
  </developer>
  <developer>
    <id>evenisse</id>
    <name>Emmanuel Venisse</name>
    <email>evenisse@apache.org</email>
    <organization>ASF</organization>
    <roles>
      <role>PMC Member</role>
    </roles>
    <timezone>+1</timezone>
  </developer>
  <developer>
     <id>jdcasey</id>
    <name>John Casey</name>
    <email>jdcasey@apache.org</email>
    <organization>ASF</organization>
    <roles>
      <role>PMC Member</role>
    </roles>
    <timezone>-5</timezone>
  </developer>
  <developer>
    <id>kenney</id>
    <name>Kenney Westerhof</name>
    <email>kenney@apache.org</email>
    <organization>Neonics</organization>
    <roles>
```

```
      <role>PMC Member</role>
    </roles>
    <timezone>+1</timezone>
  </developer>
  <developer>
    <id>trygvis</id>
    <name>Trygve Laugstol</name>
    <email>trygvis@apache.org</email>
    <organization>ASF</organization>
    <roles>
      <role>PMC Member</role>
    </roles>
    <timezone>+1</timezone>
  </developer>
  <developer>
    <id>vmassol</id>
    <name>Vincent Massol</name>
    <email>vmassol@apache.org</email>
    <organization>ASF</organization>
    <roles>
      <role>PMC Member</role>
    </roles>
    <timezone>+1</timezone>
   </developer>
  <developer>
    <id>vsiveton</id>
    <name>Vincent Siveton</name>
    <email>vsiveton@apache.org</email>
    <organization>ASF</organization>
    <roles>
      <role>Committer</role>
    </roles>
    <timezone>-5</timezone>
  </developer>
 </developers>
 <licenses>
  <license>
    <name>The Apache Software License, Version 2.0</name>
    <url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
    <distribution>repo</distribution>
  </license>
 </licenses>
 <scm>
  <connection>scm:svn:http://svn.apache.org/repos/asf/maven/components/tags/maven-2.0/maven-repository-
metadata</connection>
  <developerConnection>scm:svn:https://svn.apache.org/repos/asf/maven/components/tags/maven-2.0/maven-
repository-metadata</developerConnection>
  <url>http://svn.apache.org/viewcvs.cgi/maven/components/tags/maven-2.0/maven-repository-metadata</url>
```

```
 </scm>
 <organization>
  <name>Apache Software Foundation</name>
  <url>http://www.apache.org/</url>
 </organization>
 <build>
  <sourceDirectory>c:\home\Brett\cvs\maven-2\maven-components-release\maven-repository-
metadata\src\main\java</sourceDirectory>
  <scriptSourceDirectory>src/main/scripts</scriptSourceDirectory>
  <testSourceDirectory>c:\home\Brett\cvs\maven-2\maven-components-release\maven-repository-
metadata\src\test\java</testSourceDirectory>
  <outputDirectory>c:\home\Brett\cvs\maven-2\maven-components-release\maven-repository-
metadata\target\classes</outputDirectory>
  <testOutputDirectory>c:\home\Brett\cvs\maven-2\maven-components-release\maven-repository-
metadata\target\test-classes</testOutputDirectory>
  <resources>
   <resource>
    <directory>c:\home\Brett\cvs\maven-2\maven-components-release\maven-repository-
metadata\src\main\resources</directory>
   </resource>
  </resources>
  <testResources>
   <testResource>
    <directory>c:\home\Brett\cvs\maven-2\maven-components-release\maven-repository-
metadata\src\test\resources</directory>
   </testResource>
  </testResources>
  <directory>c:\home\Brett\cvs\maven-2\maven-components-release\maven-repository-metadata\target</directory>
  <finalName>maven-repository-metadata-2.0</finalName>
  <pluginManagement>
   <plugins>
    <plugin>
     <artifactId>maven-release-plugin</artifactId>
     <configuration>
      <tagBase>https://svn.apache.org/repos/asf/maven/components/tags</tagBase>
     </configuration>
    </plugin>
   </plugins>
  </pluginManagement>
  <plugins>
   <plugin>
    <artifactId>maven-clean-plugin</artifactId>
    <version>2.0-rc2-SNAPSHOT</version>
   </plugin>
   <plugin>
    <artifactId>maven-compiler-plugin</artifactId>
    <version>2.0-beta-2-SNAPSHOT</version>
   </plugin>
```

```
  <plugin>
    <artifactId>maven-deploy-plugin</artifactId>
    <version>2.0-beta-1</version>
    <inherited>true</inherited>
    <configuration>

<updateReleaseInfo>true</updateReleaseInfo>
    </configuration>
  </plugin>
  <plugin>
    <artifactId>maven-install-plugin</artifactId>
    <version>2.0-beta-2-SNAPSHOT</version>
  </plugin>
  <plugin>
    <artifactId>maven-jar-plugin</artifactId>
    <version>2.0-rc2-SNAPSHOT</version>
  </plugin>
  <plugin>
    <artifactId>maven-javadoc-plugin</artifactId>
    <version>2.0-beta-2-SNAPSHOT</version>
    <executions>
      <execution>
        <id>attach-javadocs</id>
        <goals>
          <goal>jar</goal>
        </goals>
      </execution>
    </executions>
    <inherited>true</inherited>
  </plugin>
  <plugin>
    <artifactId>maven-resources-plugin</artifactId>
    <version>2.0-beta-2</version>
  </plugin>
  <plugin>
    <artifactId>maven-source-plugin</artifactId>
    <version>2.0-rc1</version>
    <executions>
      <execution>
        <id>attach-sources</id>
         <goals>
          <goal>jar</goal>
        </goals>
      </execution>
    </executions>
    <inherited>true</inherited>
  </plugin>
  <plugin>
```

```
      <artifactId>maven-surefire-plugin</artifactId>
      <version>2.0-beta-2-SNAPSHOT</version>
    </plugin>
    <plugin>
      <groupId>org.codehaus.modello</groupId>
      <artifactId>modello-maven-plugin</artifactId>
      <version>1.0-alpha-6</version>
      <executions>
        <execution>
          <goals>
            <goal>xpp3-writer</goal>
            <goal>java</goal>
            <goal>xpp3-reader</goal>
            <goal>xsd</goal>
          </goals>
        </execution>
      </executions>
      <configuration>
        <version>1.0.0</version>
        <model>src/main/mdo/metadata.mdo</model>
      </configuration>
    </plugin>
  </plugins>
</build>
<repositories>
  <repository>
    <releases>
      <enabled>false</enabled>
     </releases>
    <id>snapshots</id>
    <name>Maven Central Development Repository</name>
    <url>http://snapshots.maven.codehaus.org/maven2</url>
  </repository>
  <repository>
    <snapshots>
      <enabled>false</enabled>
    </snapshots>
    <id>central</id>
    <name>Maven Repository Switchboard</name>
    <url>http://www.ibiblio.org/maven2</url>
  </repository>
</repositories>
<pluginRepositories>
  <pluginRepository>
    <releases>
      <enabled>false</enabled>
    </releases>
    <id>snapshots</id>
```

```
    <name>Maven Central Plugins Development Repository</name>
    <url>http://snapshots.maven.codehaus.org/maven2</url>
  </pluginRepository>
  <pluginRepository>
    <snapshots>
      <enabled>false</enabled>
    </snapshots>
    <id>central</id>
    <name>Maven Plugin Repository</name>
    <url>http://www.ibiblio.org/maven2</url>
  </pluginRepository>
</pluginRepositories>
<dependencies>
  <dependency>

    <groupId>junit</groupId>
    <artifactId>junit</artifactId>
    <version>3.8.1</version>
    <scope>test</scope>
  </dependency>
  <dependency>
    <groupId>org.codehaus.plexus</groupId>
    <artifactId>plexus-utils</artifactId>
    <version>1.0.4</version>
    <scope>compile</scope>
  </dependency>
</dependencies>
<reporting>
  <outputDirectory>target/site</outputDirectory>
</reporting>
<dependencyManagement>
  <dependencies>
    <dependency>
      <groupId>org.codehaus.plexus</groupId>
      <artifactId>plexus-container-default</artifactId>
      <version>1.0-alpha-8</version>
    </dependency>
    <dependency>
      <groupId>org.codehaus.plexus</groupId>
      <artifactId>plexus-utils</artifactId>
      <version>1.0.4</version>
    </dependency>
    <dependency>
      <groupId>org.apache.maven.wagon</groupId>
      <artifactId>wagon-provider-api</artifactId>
      <version>1.0-alpha-5</version>
    </dependency>
```

```
 <dependency>
     <groupId>org.apache.maven.wagon</groupId>
     <artifactId>wagon-ssh</artifactId>
     <version>1.0-alpha-5</version>
    </dependency>
    <dependency>
     <groupId>org.apache.maven.wagon</groupId>
     <artifactId>wagon-file</artifactId>
     <version>1.0-alpha-5</version>
    </dependency>
    <dependency>
     <groupId>org.apache.maven.wagon</groupId>
     <artifactId>wagon-http-lightweight</artifactId>
     <version>1.0-alpha-5</version>
    </dependency>
  </dependencies>
</dependencyManagement>
<distributionManagement>
  <repository>
    <id>repo1</id>
    <name>Maven Central Repository</name>
    <url>scp://repo1.maven.org/home/projects/maven/repository-staging/to-ibiblio/maven2</url>
  </repository>
  <snapshotRepository>
    <id>snapshots</id>
    <name>Maven Central Development Repository</name>
    <url>scp://repo1.maven.org/home/projects/maven/repository-staging/snapshots/maven2</url>
  </snapshotRepository>
   <site>
    <id>website</id>
    <url>scp://minotaur.apache.org/www/maven.apache.org/maven2/maven-repository-metadata</url>
  </site>
 </distributionManagement>
</project>
```

Found in path(s):
* /opt/cola/permits/1274701430_1648835846.59/0/maven-repository-metadata-2-0-jar/META-INF/maven/org.apache.maven/maven-repository-metadata/pom.xml

1.336 mysql-connector-j 8.0.12

1.336.1 Available under license :

GNU General Public License
****

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
675 Mass Ave, Cambridge, MA 02139, USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs,
too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must
show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's
free use or not licensed at all.

The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

2. You may modify your
copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices
stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in
whole or in part contains or is derived from the Program or any
part thereof, to be licensed as a whole at no charge to all third
parties under the terms of this License.

c) If the modified program normally reads commands interactively
when run, you must cause it, when started running for such
interactive use in the most ordinary way, to print or display an
announcement including an appropriate copyright notice and a
notice that there is no warranty (or else, saying that you
provide
a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus
the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and
will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and

all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or
modify the Program subject to
these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you,
then
the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other
system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the

original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is
given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT
OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER

PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 675 Mass Ave, Cambridge, MA 02139, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) 19yy name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be

mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

Found license 'General Public License 2.0' in '* Copyright (c) 2010, 2018, Oracle and/or its affiliates. All rights reserved. * This program is free software; you can redistribute it and/or modify it under * the terms of the GNU General Public License, version 2.0, as published by the * limited to OpenSSL) that is licensed under separate terms, as designated in a * This program is distributed in the hope that it will be useful, but WITHOUT * ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS * FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, * for more details. * You should have received a copy of the GNU General Public License along with'
Found license 'General Public License 2.0' in '* Copyright (c) 2018, Oracle and/or its affiliates. All rights reserved. * This program is free software; you can redistribute it and/or modify it under * the terms of the GNU General Public License, version 2.0, as published by the * limited to OpenSSL) that is licensed under separate terms, as designated in a * This program is distributed in the hope that it will be useful, but WITHOUT * ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS * FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, * for more details. * You should have received a copy of the GNU General Public License along with'
Found license 'General Public License 2.0' in '* Copyright (c) 2015, 2018, Oracle and/or its affiliates. All rights reserved. * This program is free software; you can redistribute it and/or modify it under * the terms of the GNU General Public License, version 2.0, as published by the * limited to OpenSSL) that is licensed under separate terms, as designated in a * This program is distributed in the hope that it will be useful, but WITHOUT * ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS * FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, * for more details. * You should have received a copy of the GNU General Public License along with * Check if given plugin requires confidentiality, but connection is without SSL private void checkConfidentiality(AuthenticationPlugin<?> plugin) { if (plugin.requiresConfidentiality() && !this.protocol.getSocketConnection().isSSLEstablished()) { checkConfidentiality(plugin); checkConfidentiality(plugin);
checkConfidentiality(plugin);'
Found license 'General Public License 2.0' in '* Copyright (c) 2012, 2018, Oracle and/or its affiliates. All rights reserved. * This program is free software; you can redistribute it and/or modify it under * the terms of the GNU General Public License, version 2.0, as published by the * limited to OpenSSL) that is licensed under separate terms, as designated in a * This program is distributed in the hope that it will be useful, but WITHOUT * ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS * FOR A PARTICULAR

PURPOSE. See the GNU General Public License, version 2.0, * for more details. * You should have received a copy of the GNU General Public License along with * Does this plugin require the connection itself to be confidential boolean requiresConfidentiality();'
Found license 'General Public License 2.0' in '* Copyright (c) 2017, 2018, Oracle and/or its affiliates. All rights reserved. * This program is free software; you can redistribute it and/or modify it under * the terms of the GNU General Public License, version 2.0, as published by the * limited to OpenSSL) that is licensed under separate terms, as designated in a * This program is distributed in the hope that it will be useful, but WITHOUT * ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS * FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, * for more details. * You should have received a copy of the GNU General Public License along with'
Found license 'General Public License 2.0' in '* Copyright (c) 2002, 2018, Oracle and/or its affiliates. All rights reserved. * This program is free software; you can redistribute it and/or modify it under * the terms of the GNU General Public License, version 2.0, as published by the * limited to OpenSSL) that is licensed under separate terms, as designated in a * This program is distributed in the hope that it will be useful, but WITHOUT * ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS * FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, * for more details. * You should have received a copy of the GNU General Public License along with * The ASF licenses this file to You under the Apache License, Version 2.0 * (the "License"); you may not use this file except in compliance with * the License. You may obtain a copy of the License at * http://www.apache.org/licenses/LICENSE-2.0 * distributed under the License is distributed on an "AS
IS" BASIS,'
Found license 'General Public License 2.0' in '* Copyright (c) 2016, 2018, Oracle and/or its affiliates. All rights reserved. * This program is free software; you can redistribute it and/or modify it under * the terms of the GNU General Public License, version 2.0, as published by the * limited to OpenSSL) that is licensed under separate terms, as designated in a * This program is distributed in the hope that it will be useful, but WITHOUT * ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS * FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, * for more details. * You should have received a copy of the GNU General Public License along with'
Found license 'General Public License 2.0' in '* Copyright (c) 2015, 2018, Oracle and/or its affiliates. All rights reserved. * This program is free software; you can redistribute it and/or modify it under * the terms of the GNU General Public License, version 2.0, as published by the * limited to OpenSSL) that is licensed under separate terms, as designated in a * This program is distributed in the hope that it will be useful, but WITHOUT * ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS * FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, * for more details. * You should have received a copy of the GNU General Public License along with'
Found license 'General Public License 2.0' in '* Copyright (c) 2008, 2018, Oracle and/or its affiliates. All rights reserved. * This program is free software; you can redistribute it and/or modify it under * the terms of the GNU General Public License, version 2.0, as published by the * limited to OpenSSL) that is licensed under separate terms, as designated in a * This program is distributed in the hope that it will be useful, but WITHOUT * ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS * FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, * for more details. * You should have received a copy of the GNU General Public License along with'
Found license 'General Public License 2.0' in '* Copyright (c) 2015, 2017, Oracle and/or its affiliates. All rights reserved. * This program is free software; you can redistribute it and/or modify it under * the terms of the GNU General Public License, version 2.0, as published by the * limited to OpenSSL) that is licensed under separate terms, as designated in a * This program is distributed in the hope that it will be useful, but WITHOUT * ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS * FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, * for more details. * You should have received a

copy of the GNU General Public License along with'
Found license 'General Public License 2.0' in '* Copyright (c) 2013, 2018, Oracle and/or its affiliates. All rights reserved. * This program is free software; you can redistribute it and/or modify it under * the terms of the GNU General Public License, version 2.0, as published by the * limited to OpenSSL) that is licensed under separate terms, as designated in a * This program is distributed in the hope that it will be useful, but WITHOUT * ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS * FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, * for more details. * You should have received a copy of the GNU General Public License along with'
Found license 'General Public License 2.0' in '* Copyright (c) 2012, 2018, Oracle and/or its affiliates. All rights reserved. * This program is free software; you can redistribute it and/or modify it under * the terms of the GNU General Public License, version 2.0, as published by the * limited to OpenSSL) that is licensed under separate terms, as designated in a * This program is distributed in the hope that it will be useful, but WITHOUT * ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS * FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, * for more details. * You should have received a copy of the GNU General Public License along with'
Found license 'General Public License 2.0' in '* Copyright (c) 2014, 2018, Oracle and/or its affiliates. All rights reserved. * This program is free software; you can redistribute it and/or modify it under * the terms of the GNU General Public License, version 2.0, as published by the * limited to OpenSSL) that is licensed under separate terms, as designated in a * This program is distributed in the hope that it will be useful, but WITHOUT * ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS * FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, * for more details. * You should have received a copy of the GNU General Public License along with'
Found license 'General Public License 2.0' in '* Copyright (c) 2011, 2018, Oracle and/or its affiliates. All rights reserved. * This program is free software; you can redistribute it and/or modify it under * the terms of the GNU General Public License, version 2.0, as published by the * limited to OpenSSL) that is licensed under separate terms, as designated in a * This program is distributed in the hope that it will be useful, but WITHOUT * ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS * FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, * for more details. * You should have received a copy of the GNU General Public License along with'
Found license 'General Public License 2.0' in '* Copyright (c) 2012, 2018, Oracle and/or its affiliates. All rights reserved. * This program is free software; you can redistribute it and/or modify it under * the terms of the GNU General Public License, version 2.0, as published by the * limited to OpenSSL) that is licensed under separate terms, as designated in a * This program is distributed in the hope that it will be useful, but WITHOUT * ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS * FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, * for more details. * You should have received a copy of the GNU General Public License along with public boolean requiresConfidentiality() {'
/*
* Copyright (c) 2012, 2018, Oracle and/or its affiliates. All rights reserved.
*
* This program is free software; you can redistribute it and/or modify it under
* the terms of the GNU General Public License, version 2.0, as published by the
* Free Software Foundation.
*
* This program is also distributed with certain software (including but not
* limited to OpenSSL) that is licensed under separate terms, as designated in a
* particular file or component or in included license documentation. The
* authors of MySQL hereby grant you an additional permission to link the
* program and your derivative works with the separately licensed software that

* they have included with MySQL.
*
* Without limiting anything contained in the foregoing, this file, which is
* part of MySQL Connector/J, is also subject to the Universal FOSS Exception,
* version 1.0, a copy of which can be found at
* http://oss.oracle.com/licenses/universal-foss-exception.
*
* This program is distributed
in the hope that it will be useful, but WITHOUT
* ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS
* FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0,
* for more details.
*
* You should have received a copy of the GNU General Public License along with
* this program; if not, write to the Free Software Foundation, Inc.,
* 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
*/
Found license 'General Public License 2.0' in '* Copyright (c) 2007, 2018, Oracle and/or its affiliates. All rights reserved. * This program is free software; you can redistribute it and/or modify it under * the terms of the GNU General Public License, version 2.0, as published by the * limited to OpenSSL) that is licensed under separate terms, as designated in a * This program is distributed in the hope that it will be useful, but WITHOUT * ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS * FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, * for more details. * You should have received a copy of the GNU General Public License along with'
Found license 'General Public License 2.0' in '* Copyright (c) 2009, 2018, Oracle and/or its affiliates. All rights reserved. * This program is free software; you can redistribute it and/or modify it under * the terms of the GNU General Public License, version 2.0, as published by the * limited to OpenSSL) that is licensed under separate terms, as designated in a * This program is distributed in the hope that it will be useful, but WITHOUT * ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS * FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, * for more details. * You should have received a copy of the GNU General Public License along with'
Found license 'General Public License 2.0' in '* Copyright (c) 2005, 2018, Oracle and/or its affiliates. All rights reserved. * This program is free software; you can redistribute it and/or modify it under * the terms of the GNU General Public License, version 2.0, as published by the * limited to OpenSSL) that is licensed under separate terms, as designated in a * This program is distributed in the hope that it will be useful, but WITHOUT * ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS * FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, * for more details. * You should have received a copy of the GNU General Public License along with'
Found license 'General Public License 2.0' in '* Copyright (c) 2004, 2018, Oracle and/or its affiliates. All rights reserved. * This program is free software; you can redistribute it and/or modify it under * the terms of the GNU General Public License, version 2.0, as published by the * limited to OpenSSL) that is licensed under separate terms, as designated in a * This program is distributed in the hope that it will be useful, but WITHOUT * ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS * FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, * for more details. * You should have received a copy of the GNU General Public License along with'
Found license 'General Public License 2.0' in '* Copyright (c) 2002, 2018, Oracle and/or its affiliates. All rights reserved. * This program is free software; you can redistribute it and/or modify it under * the terms of the GNU General Public License, version 2.0, as published by the * limited to OpenSSL) that is licensed under separate terms,

as designated in a * This program is distributed in the hope that it will be useful, but WITHOUT * ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS * FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, * for more details. * You should have received a copy of the GNU General Public License along with'

1.337 netty-project 4.1.9.Final

1.337.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/HostsFileEntriesResolver.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/InetSocketAddressResolver.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/DefaultAddressResolverGroup.java
*
 /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/AbstractAddressResolver.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/CompositeNameResolver.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/DefaultNameResolver.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/DefaultHostsFileEntriesResolver.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/AddressResolver.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/HostsFileParser.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-

jar/io/netty/resolver/InetNameResolver.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/RoundRobinInetAddressResolver.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/HostsFileEntries.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/ResolvedAddressTypes.java
No license file was found, but licenses were detected in source scan.

```
/*
```

* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/NoopAddressResolver.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/AddressResolverGroup.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/NameResolver.java
*
 /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/NoopAddressResolverGroup.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/SimpleNameResolver.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/package-info.java
No license file was found, but licenses were detected in source scan.

~ Copyright 2014 The Netty Project
 ~
 ~ The Netty Project licenses this file to you under the Apache License,
 ~ version 2.0 (the "License"); you may not use this file except in compliance
 ~ with the License. You may obtain a copy of the License at:
 ~
 ~   http://www.apache.org/licenses/LICENSE
2.0
 ~
 ~ Unless required by applicable law or agreed to in writing, software
 ~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 ~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 ~ License for the specific language governing permissions and limitations
 ~ under the License.

Found in path(s):
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/META-

INF/maven/io.netty/netty-resolver/pom.xml

1.338 byte-buddy byte-buddy-1.9.5

1.338.1 Available under license :

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*   contributors may be used to endorse or promote products derived from
*   this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/package.html
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/signature/package.html
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 - 2018 Rafael Winterhalter
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/LatentMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/utility/visitor/StackAwareMethodVisitor.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/DeclaringMethodMatcher.java
*
 /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/attribute/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/FieldTypeMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/modifier/Ownership.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/annotation/AnnotationList.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/TypeVariableSource.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/DeclaringTypeResolver.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/build/EntryPoint.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/member/HandleInvocation.java
*
 /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/constant/DefaultValue.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/Nexus.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/scaffold/inline/RebaseImplementationTarget.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/MethodNameEqualityResolver.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/constant/ClassConstant.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/annotation/RuntimeType.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-

jar/net/bytebuddy/implementation/bind/annotation/Origin.java
*
/opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/ArgumentTypeResolver.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/ByteBuddy.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/attribute/AnnotationValueFilter.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/annotation/AnnotationValue.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/member/FieldAccess.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/attribute/AnnotationRetention.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/TypeCache.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/annotation/Morph.java
*
/opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/annotation/SuperMethod.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/scaffold/ClassWriterStrategy.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/Implementation.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/scaffold/inline/RedefinitionDynamicTypeBuilder.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/method/MethodDescription.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/NamingStrategy.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/auxiliary/package-info.java
*
/opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/enumeration/EnumerationDescription.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/annotation/BindingPriority.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/build/CachedReturnPlugin.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/SubTypeMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/Removal.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/MethodAccessorFactory.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/utility/privilege/GetSystemPropertyAction.java

*
 /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/assign/reference/ReferenceTypeAwareAssigner.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/TypeResolutionStrategy.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/StackSize.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/annotation/FieldValue.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/modifier/SyntheticState.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/MethodReturnTypeMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/scaffold/inline/MethodRebaseResolver.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/asm/MemberRemoval.java
*
 /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/agent/builder/LambdaFactory.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/modifier/FieldPersistence.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/type/TypeList.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/Duplication.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/annotation/AnnotationDescription.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/ElementMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/scaffold/inline/MethodNameTransformer.java
*
 /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/assign/InstanceCheck.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/constant/NullConstant.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/utility/JavaConstant.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/attribute/MethodAttributeAppender.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/CollectionElementMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/ClassFileVersion.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/assign/TypeCasting.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-

jar/net/bytebuddy/dynamic/scaffold/TypeInitializer.java
*
/opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/loading/ClassInjector.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/member/MethodVariableAccess.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/modifier/TypeManifestation.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/utility/RandomString.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/build/HashCodeAndEqualsPlugin.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/ErasureMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/method/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/modifier/EnumerationState.java
*
/opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/loading/NoOpClassFileTransformer.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/loading/MultipleParentClassLoader.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/FixedValue.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/utility/visitor/LineNumberPrependingMethodVisitor.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/LoadedTypeInitializer.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/annotation/IgnoreForBinding.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/scaffold/FieldLocator.java
*
/opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/ExceptionMethod.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/FieldAccessor.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/modifier/SynchronizationState.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/modifier/MethodManifestation.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/assign/primitive/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/ClassFileLocator.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/HashCodeMethod.java

* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/modifier/package-info.java
*
 /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/type/TypeDescription.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/TargetType.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/DynamicType.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/member/MethodInvocation.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/CollectionSizeMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/constant/MethodConstant.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/loading/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/method/MethodList.java
*
 /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/loading/ClassReloadingStrategy.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/asm/ModifierAdjustment.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/annotation/Empty.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/MethodDelegation.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/ClassLoaderHierarchyMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/InvokeDynamic.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/method/ParameterList.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/member/MethodReturn.java
*
 /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/NameMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/Addition.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/annotation/This.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/scaffold/subclass/SubclassImplementationTarget.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/collection/ArrayFactory.java

* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/field/FieldDescription.java
*
/opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/collection/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/type/PackageDescription.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/scaffold/inline/InliningImplementationMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/scaffold/MethodRegistry.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/pool/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/constant/LongConstant.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/InheritedAnnotationMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/ParameterLengthResolver.java
*
/opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/CollectionOneToOneMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/utility/CompoundList.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/BooleanMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/annotation/TargetMethodAnnotationDrivenBinder.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/InvocationHandlerAdapter.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/InstanceTypeMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/scaffold/inline/RebaseDynamicTypeBuilder.java
*
/opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/annotation/Default.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/ByteCodeAppender.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/DefaultMethodCall.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/build/Plugin.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/attribute/TypeAttributeAppender.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/StackManipulation.java

* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/ToStringMethod.java
*
 /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/loading/PackageDefinitionStrategy.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/EqualsMethod.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/Multiplication.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/assign/primitive/PrimitiveWideningDelegate.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/scaffold/MethodGraph.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/modifier/ModifierContributor.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/AccessibilityMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/Transformer.java
*
 /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/NexusAccessor.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/assign/primitive/VoidAwareAssigner.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/agent/builder/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/constant/FloatConstant.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/attribute/AnnotationAppender.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/annotation/DefaultCall.java
*
 /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/DescriptorMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/annotation/AllArguments.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/annotation/StubValue.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/assign/primitive/PrimitiveBoxingDelegate.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/scaffold/inline/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-

jar/net/bytebuddy/implementation/bind/annotation/package-info.java
*
 /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/loading/ByteArrayClassLoader.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/asm/TypeConstantAdjustment.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/collection/ArrayAccess.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/asm/TypeReferenceAdjustment.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/TypeSortMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/FilterableList.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/scaffold/InstrumentedType.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/utility/StreamDrainer.java
*
 /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/TypeCreation.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/MethodOverrideMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/DeclaringTypeMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/build/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/DeclaringAnnotationMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/MethodDelegationBinder.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/MethodParametersMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/constant/SerializedConstant.java
*
 /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/type/TypeDefinition.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/field/FieldList.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/ModifierMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/collection/CollectionFactory.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/constant/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/type/TypeVariableToken.java

* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/modifier/MethodStrictness.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/MethodCall.java
*
/opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/utility/visitor/ExceptionTableSensitiveMethodVisitor.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/assign/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/Throw.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/asm/Advice.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/utility/privilege/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/build/ToStringPlugin.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/utility/JavaType.java
*
/opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/auxiliary/AuxiliaryType.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/HasSuperTypeMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/agent/builder/ResettableClassFileTransformer.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/scaffold/subclass/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/auxiliary/TypeProxy.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/field/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/scaffold/FieldRegistry.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/utility/visitor/package-info.java
*
/opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/member/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/AnnotationTypeMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/annotation/Argument.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/constant/JavaConstantValue.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/DefinedShapeMatcher.java

* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/utility/JavaModule.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/modifier/ParameterManifestation.java
*
 /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/ModifierReviewable.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/MethodParameterTypesMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/CollectionErasureMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/StringMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/modifier/MethodArguments.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/auxiliary/MethodCallProxy.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/annotation/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/annotation/Pipe.java
*
 /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/scaffold/TypeWriter.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/utility/OpenedClassReader.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/NegatingMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/ByteCodeElement.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/SuperTypeMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/auxiliary/TrivialType.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/loading/ClassLoadingStrategy.java
*
 /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/MethodExceptionTypeMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/scaffold/subclass/SubclassDynamicTypeBuilder.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/EqualityMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/scaffold/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-

jar/net/bytebuddy/description/method/ParameterDescription.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/matcher/ClassLoaderParentMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/implementation/bytecode/assign/Assigner.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/utility/privilege/SetAccessibleAction.java
*
/opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/implementation/bind/annotation/DefaultMethod.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/pool/TypePool.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/implementation/StubMethod.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/dynamic/scaffold/subclass/ConstructorStrategy.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/matcher/CachingMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/description/modifier/Visibility.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/matcher/DeclaringFieldMatcher.java
*
/opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/matcher/ElementMatchers.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/implementation/bytecode/constant/DoubleConstant.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/description/NamedElement.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/description/modifier/FieldManifestation.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/description/modifier/ProvisioningState.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/implementation/bytecode/assign/reference/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/asm/MemberSubstitution.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/dynamic/scaffold/inline/AbstractInliningDynamicTypeBuilder.java
*
/opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/matcher/MethodSortMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/description/DeclaredByType.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/implementation/attribute/FieldAttributeAppender.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/dynamic/scaffold/TypeValidation.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-

jar/net/bytebuddy/implementation/bytecode/assign/primitive/PrimitiveUnboxingDelegate.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/annotation/Super.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/utility/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/annotation/FieldProxy.java
*
/opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/enumeration/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/NullMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/build/BuildLogger.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/scaffold/inline/DecoratingDynamicTypeBuilder.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/constant/TextConstant.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/agent/builder/AgentBuilder.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/SuperMethodCall.java
*
/opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/ArrayTypeMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/PrimitiveTypeMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/IsNamedMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/SignatureTokenMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/MethodParameterTypeMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/assign/primitive/PrimitiveTypeAwareAssigner.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/constant/IntegerConstant.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bytecode/constant/FieldConstant.java
*
/opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/type/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/asm/AsmVisitorWrapper.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/dynamic/loading/InjectionClassLoader.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/CollectionItemMatcher.java

* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/FailSafeMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/matcher/VisibilityMatcher.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/asm/package-info.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/auxiliary/PrivilegedMemberLookupAction.java
*
/opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/implementation/bind/annotation/SuperCall.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/utility/visitor/MetadataAwareClassVisitor.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/description/annotation/AnnotationSource.java
No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Bundle-Description: Byte Buddy is a Java library for creating Java cla
sses at run time. This artifact is a build of Byte Buddy with
all ASM dependencies repackaged into its own name space.
Bundle-License: http://www.apache.org/licenses/LICENSE-2.0.txt
Bundle-SymbolicName: net.bytebuddy.byte-buddy
Built-By: rafael
Bnd-LastModified: 1542907385818
Bundle-ManifestVersion: 2
Tool: Bnd-3.5.0.201709291849
Main-Class: net.bytebuddy.build.Plugin$Engine$Default
Export-Package: net.bytebuddy;version="1.9.5",net.bytebuddy.agent.buil
der;version="1.9.5",net.bytebuddy.asm;version="1.9.5",net.bytebuddy.b
uild;version="1.9.5",net.bytebuddy.description;version="1.9.5",net.by
tebuddy.description.annotation;version="1.9.5",net.bytebuddy.descript
ion.enumeration;version="1.9.5",net.bytebuddy.description.field;versi
on="1.9.5",net.bytebuddy.description.method;version="1.9.5",net.byteb
uddy.description.modifier;version="1.9.5",net.bytebuddy.description.t
ype;version="1.9.5",net.bytebuddy.dynamic;version="1.9.5",net.bytebud
dy.dynamic.loading;version="1.9.5",net.bytebuddy.dynamic.scaffold;ver
sion="1.9.5",net.bytebuddy.dynamic.scaffold.inline;version="1.9.5",ne
t.bytebuddy.dynamic.scaffold.subclass;version="1.9.5",net.bytebuddy.i
mplementation;version="1.9.5",net.bytebuddy.implementation.attribute;
version="1.9.5",net.bytebuddy.implementation.auxiliary;version="1.9.5
",net.bytebuddy.implementation.bind;version="1.9.5",net.bytebuddy.imp
lementation.bind.annotation;version="1.9.5",net.bytebuddy.implementat
ion.bytecode;version="1.9.5",net.bytebuddy.implementation.bytecode.as
sign;version="1.9.5",net.bytebuddy.implementation.bytecode.assign.pri
mitive;version="1.9.5",net.bytebuddy.implementation.bytecode.assign.r
eference;version="1.9.5",net.bytebuddy.implementation.bytecode.collec
tion;version="1.9.5",net.bytebuddy.implementation.bytecode.constant;v

ersion="1.9.5",net.bytebuddy.implementation.bytecode.member;version="
1.9.5",net.bytebuddy.matcher;version="1.9.5",net.bytebuddy.pool;versi
on="1.9.5",net.bytebuddy.utility;version="1.9.5",net.bytebuddy.utilit
y.privilege;version="1.9.5",net.bytebuddy.utility.visitor;version="1.
9.5",net.bytebuddy.jar.asm;version="1.9.5",net.bytebuddy.jar.asm.sign
ature;version="1.9.5",net.bytebuddy.jar.asm.commons;version="1.9.5"
Bundle-Name: Byte Buddy (without dependencies)
Bundle-Version: 1.9.5
Multi-Release: true
Created-By: Apache Maven Bundle Plugin
Build-Jdk: 1.8.0_191

Found in path(s):
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/META-INF/MANIFEST.MF
No license file was found, but licenses were detected in source scan.

// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
//   notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
//   notice, this list of conditions and the following disclaimer in the
//   documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
//   this software without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/jar/asm/Context.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/jar/asm/FieldWriter.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/jar/asm/TypeReference.java
*
/opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/Label.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/jar/asm/ClassReader.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/jar/asm/ClassTooLargeException.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/jar/asm/Attribute.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/jar/asm/Constants.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/Edge.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-
jar/net/bytebuddy/jar/asm/ConstantDynamic.java

* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/signature/SignatureReader.java
*
 /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/ClassVisitor.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/signature/SignatureVisitor.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/TypePath.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/SymbolTable.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/Symbol.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/MethodWriter.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/Handle.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/ByteVector.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/Frame.java
*
 /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/ModuleVisitor.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/Type.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/CurrentFrame.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/ClassWriter.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/Opcodes.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/FieldVisitor.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/MethodTooLargeException.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/AnnotationVisitor.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/ModuleWriter.java
*
 /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/AnnotationWriter.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/Handler.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/MethodVisitor.java
* /opt/cola/permits/1274702924_1649800814.97/0/byte-buddy-1-9-5-sources-jar/net/bytebuddy/jar/asm/signature/SignatureWriter.java

1.339 protobuf-java-format 1.2

1.339.1 Available under license :

Copyright (c) 2009, Orbitz LLC
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.
* Neither the name of the Orbitz LLC nor the names of its contributors
  may be used to endorse or promote products derived from this software
  without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2009, Orbitz World Wide
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.
* Neither the name of the Orbitz World Wide nor the names of its contributors
  may be used to endorse or promote products derived from this software
  without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.340 cargo-maven-2-plugin 1.4.13

1.340.1 Available under license :

No license file was found, but licenses were detected in source scan.

2011 Vincent Massol.
~
~ Licensed under the Apache License, Version 2.0 (the "License");
~ you may not use this file except in compliance with the License.
~ You may obtain a copy of the License at
~
~ http://www.apache.org/licenses/LICENSE
2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS,
~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
~ See the License for the specific language governing permissions and
~ limitations under the License.

Found in path(s):
* /opt/cola/permits/1274699336_1648836173.7/0/cargo-maven2-plugin-1-4-13-jar/META-INF/maven/org.codehaus.cargo/cargo-maven2-plugin/pom.xml

1.341 json-path 0.6.9

1.341.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**
* Copyright 2011-2017 GatlingCorp (http://gatling.io)
*
* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1274701412_1649805036.75/0/jsonpath-2-11-0-6-9-sources-jar/io/gatling/jsonpath/Parser.scala
* /opt/cola/permits/1274701412_1649805036.75/0/jsonpath-2-11-0-6-9-sources-jar/io/gatling/jsonpath/JsonPath.scala
* /opt/cola/permits/1274701412_1649805036.75/0/jsonpath-2-11-0-6-9-sources-jar/io/gatling/jsonpath/ComparisonOperators.scala
*
 /opt/cola/permits/1274701412_1649805036.75/0/jsonpath-2-11-0-6-9-sources-jar/io/gatling/jsonpath/AST.scala

1.342 asm-util 9.0

1.342.1 Available under license :

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*   contributors may be used to endorse or promote products derived from
*   this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):
* /opt/cola/permits/1274698925_1645234308.81/0/asm-util-9-0-sources-jar/org/objectweb/asm/util/package.html
No license file was found, but licenses were detected in source scan.

/**
* ASM: a very small and fast Java bytecode manipulation framework Copyright (c) 2000-2011 INRIA,
* France Telecom All rights reserved.
*
* <p>Redistribution and use in source and binary forms, with or without modification, are permitted
* provided that the following conditions are met: 1. Redistributions of source code must retain the
* above copyright notice, this list of conditions and the following disclaimer. 2. Redistributions
* in binary form must reproduce the above copyright notice, this list of conditions and the
* following disclaimer in the documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its contributors may be used to
* endorse or promote products derived from this software without specific prior written permission.
*
* <p>THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY
 EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY
* WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1274698925_1645234308.81/0/asm-util-9-0-sources-jar/org/objectweb/asm/util/TextifierSupport.java
* /opt/cola/permits/1274698925_1645234308.81/0/asm-util-9-0-sources-jar/org/objectweb/asm/util/ASMifierSupport.java
No license file was found, but licenses were detected in source scan.

// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
//   notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
//   notice, this list of conditions and the following disclaimer in the
//   documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
//   this software without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1274698925_1645234308.81/0/asm-util-9-0-sources-jar/org/objectweb/asm/util/TraceFieldVisitor.java
* /opt/cola/permits/1274698925_1645234308.81/0/asm-util-9-0-sources-jar/org/objectweb/asm/util/CheckClassAdapter.java
* /opt/cola/permits/1274698925_1645234308.81/0/asm-util-9-0-sources-jar/org/objectweb/asm/util/CheckSignatureAdapter.java
*
 /opt/cola/permits/1274698925_1645234308.81/0/asm-util-9-0-sources-jar/org/objectweb/asm/util/CheckFieldAdapter.java
* /opt/cola/permits/1274698925_1645234308.81/0/asm-util-9-0-sources-jar/org/objectweb/asm/util/Printer.java
* /opt/cola/permits/1274698925_1645234308.81/0/asm-util-9-0-sources-jar/org/objectweb/asm/util/CheckRecordComponentAdapter.java
* /opt/cola/permits/1274698925_1645234308.81/0/asm-util-9-0-sources-jar/org/objectweb/asm/util/TraceModuleVisitor.java
* /opt/cola/permits/1274698925_1645234308.81/0/asm-util-9-0-sources-jar/org/objectweb/asm/util/TraceSignatureVisitor.java
* /opt/cola/permits/1274698925_1645234308.81/0/asm-util-9-0-sources-jar/org/objectweb/asm/util/ASMifier.java
* /opt/cola/permits/1274698925_1645234308.81/0/asm-util-9-0-sources-jar/org/objectweb/asm/util/Textifier.java
* /opt/cola/permits/1274698925_1645234308.81/0/asm-util-9-0-sources-jar/org/objectweb/asm/util/TraceClassVisitor.java
*
 /opt/cola/permits/1274698925_1645234308.81/0/asm-util-9-0-sources-jar/org/objectweb/asm/util/TraceAnnotationVisitor.java
* /opt/cola/permits/1274698925_1645234308.81/0/asm-util-9-0-sources-jar/org/objectweb/asm/util/CheckMethodAdapter.java
* /opt/cola/permits/1274698925_1645234308.81/0/asm-util-9-0-sources-jar/org/objectweb/asm/util/CheckModuleAdapter.java
* /opt/cola/permits/1274698925_1645234308.81/0/asm-util-9-0-sources-jar/org/objectweb/asm/util/CheckAnnotationAdapter.java
* /opt/cola/permits/1274698925_1645234308.81/0/asm-util-9-0-sources-jar/org/objectweb/asm/util/TraceRecordComponentVisitor.java
* /opt/cola/permits/1274698925_1645234308.81/0/asm-util-9-0-sources-jar/org/objectweb/asm/util/TraceMethodVisitor.java

1.343 testng 6.5.1

1.343.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the
preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name)
to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously

marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual
or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination
of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and
You must cause any modified files to carry prominent notices stating that You changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that
such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of

any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any
Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims
asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS
Found license 'Common Public License 1.0 (CPLv1.0)' in '* All rights reserved. This program and the accompanying materials * are made available under the terms of the Common Public License v1.0'

1.344 annotation-for-jdk-requirements 1.0

1.344.1 Available under license :

Apache Geronimo
Copyright 2003-2008 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.345 error_prone_annotations 2.2.0

1.345.1 Available under license :

No license file was found, but licenses were detected in source scan.

Copyright 2015 The Error Prone Authors.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE
2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Found in path(s):
* /opt/cola/permits/1274702955_1645235204.98/0/error-prone-annotations-2-2-0-jar/META-INF/maven/com.google.errorprone/error_prone_annotations/pom.xml

1.346 java-utils 1.8.0

1.346.1 Available under license :

No license file was found, but licenses were detected in source scan.

<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">
<modelVersion>4.0.0</modelVersion>
<groupId>com.nordstrom.tools</groupId>
<artifactId>java-utils</artifactId>

```
<packaging>jar</packaging>

<name>Java Utils</name>
<description>Nordstrom Java Utils is a small collection of general-purpose utility classes with wide
applicability.</description>
<url>https://github.com/Nordstrom/Java-Utils</url>

<licenses>
  <license>
    <name>The Apache License, Version 2.0</name>
    <url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
  </license>
</licenses>

<developers>
  <developer>
    <name>Scott Babcock</name>
    <email>scoba@hotmail.com</email>
    <organization>Nordstrom</organization>
    <organizationUrl>https://shop.nordstrom.com</organizationUrl>
   </developer>
</developers>

<properties>
  <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
  <maven.compiler.source>1.8</maven.compiler.source>
  <maven.compiler.target>1.8</maven.compiler.target>
  <testng.version>6.11</testng.version>
  <surefire-plugin.version>2.19.1</surefire-plugin.version>
  <source-plugin.version>3.0.1</source-plugin.version>
  <javadoc-plugin.version>2.10.4</javadoc-plugin.version>
  <gpg-plugin.version>1.6</gpg-plugin.version>
  <staging-plugin.version>1.6.7</staging-plugin.version>
  <release-plugin.version>2.5.3</release-plugin.version>
  <apache-derby.version>10.14.1.0</apache-derby.version>
</properties>

<scm>
  <connection>scm:git:https://github.com/Nordstrom/Java-Utils.git</connection>
  <developerConnection>scm:git:https://github.com/Nordstrom/Java-Utils.git</developerConnection>
  <url>https://github.com/Nordstrom/Java-Utils/tree/master</url>
   <tag>java-utils-1.8.0</tag>
</scm>

<distributionManagement>
  <snapshotRepository>
    <id>ossrh</id>
    <url>https://oss.sonatype.org/content/repositories/snapshots</url>
```

```
  </snapshotRepository>
  <repository>
    <id>ossrh</id>
    <url>https://oss.sonatype.org/service/local/staging/deploy/maven2/</url>
  </repository>
</distributionManagement>

<dependencyManagement>
  <dependencies>
    <dependency>
      <groupId>org.testng</groupId>
      <artifactId>testng</artifactId>
      <version>${testng.version}</version>
    </dependency>
    <dependency>
      <groupId>org.apache.derby</groupId>
      <artifactId>derby</artifactId>
      <version>${apache-derby.version}</version>
    </dependency>
  </dependencies>
</dependencyManagement>

<dependencies>
  <dependency>
    <groupId>org.testng</groupId>
    <artifactId>testng</artifactId>
    <scope>test</scope>
  </dependency>
   <dependency>
    <groupId>org.apache.derby</groupId>
    <artifactId>derby</artifactId>
    <scope>test</scope>
  </dependency>
</dependencies>

<build>
  <pluginManagement>
    <plugins>
      <plugin>
        <groupId>org.apache.maven.plugins</groupId>
        <artifactId>maven-source-plugin</artifactId>
        <version>${source-plugin.version}</version>
      </plugin>
      <plugin>
        <groupId>org.apache.maven.plugins</groupId>
        <artifactId>maven-surefire-plugin</artifactId>
        <version>${surefire-plugin.version}</version>
      </plugin>
```

```
    <plugin>
      <groupId>org.apache.maven.plugins</groupId>
      <artifactId>maven-javadoc-plugin</artifactId>
      <version>${javadoc-plugin.version}</version>
    </plugin>
    <plugin>
      <groupId>org.apache.maven.plugins</groupId>
      <artifactId>maven-gpg-plugin</artifactId>
      <version>${gpg-plugin.version}</version>
     </plugin>
    <plugin>
      <groupId>org.sonatype.plugins</groupId>
      <artifactId>nexus-staging-maven-plugin</artifactId>
      <version>${staging-plugin.version}</version>
    </plugin>
    <plugin>
      <groupId>org.apache.maven.plugins</groupId>
      <artifactId>maven-release-plugin</artifactId>
      <version>${release-plugin.version}</version>
    </plugin>
  </plugins>
</pluginManagement>
<plugins>
  <plugin>
    <groupId>org.apache.maven.plugins</groupId>
    <artifactId>maven-source-plugin</artifactId>
    <executions>
      <execution>
        <id>attach-sources</id>
        <goals>
          <goal>jar-no-fork</goal>
        </goals>
      </execution>
    </executions>
  </plugin>
  <plugin>
    <groupId>org.apache.maven.plugins</groupId>
    <artifactId>maven-surefire-plugin</artifactId>
  </plugin>
   <plugin>
    <groupId>org.apache.maven.plugins</groupId>
    <artifactId>maven-javadoc-plugin</artifactId>
    <executions>
      <execution>
        <id>attach-javadocs</id>
        <goals>
          <goal>jar</goal>
        </goals>
```

```
      </execution>
    </executions>
  </plugin>
  <plugin>
    <groupId>org.apache.maven.plugins</groupId>
    <artifactId>maven-gpg-plugin</artifactId>
    <executions>
      <execution>
        <id>sign-artifacts</id>
        <phase>verify</phase>
        <goals>
          <goal>sign</goal>
        </goals>
        <configuration>
          <keyname>${gpg.keyname}</keyname>
          <passphraseServerId>${gpg.keyname}</passphraseServerId>
          <skip>${skipSigning}</skip>
        </configuration>
      </execution>
    </executions>
  </plugin>
  <plugin>
    <groupId>org.sonatype.plugins</groupId>
     <artifactId>nexus-staging-maven-plugin</artifactId>
    <extensions>true</extensions>
    <configuration>
      <serverId>ossrh</serverId>
      <nexusUrl>https://oss.sonatype.org/</nexusUrl>
      <autoReleaseAfterClose>true</autoReleaseAfterClose>
    </configuration>
  </plugin>
  <plugin>
    <groupId>org.apache.maven.plugins</groupId>
    <artifactId>maven-release-plugin</artifactId>
    <configuration>
      <autoVersionSubmodules>true</autoVersionSubmodules>
      <useReleaseProfile>false</useReleaseProfile>
      <releaseProfiles>release</releaseProfiles>
      <goals>deploy</goals>
    </configuration>
  </plugin>
 </plugins>
</build>

<profiles>
 <profile>
  <id>signing</id>
  <properties>
```

```
      <skipSigning>false</skipSigning>
    </properties>
  </profile>
 </profiles>
 <version>1.8.0</version>
</project>
```

Found in path(s):
*
/opt/cola/permits/1274702573_1645234284.2/0/java-utils-1-8-0-sources-jar/META-INF/maven/com.nordstrom.tools/java-utils/pom.xml

1.347 maven-local-settings-model 2.0

1.347.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<project>
 <parent>
  <artifactId>maven</artifactId>
  <groupId>org.apache.maven</groupId>
  <version>2.0</version>
 </parent>
 <modelVersion>4.0.0</modelVersion>
 <groupId>org.apache.maven</groupId>
 <artifactId>maven-settings</artifactId>
 <name>Maven Local Settings Model</name>
 <version>2.0</version>
 <description>Maven is a project development management and comprehension tool. Based on the concept of a project object model: builds, dependency management, documentation creation, site publication, and distribution publication are all controlled from the declarative file. Maven can be extended by plugins to utilise a number of other development tools for reporting or the build process.</description>
 <url>http://maven.apache.org/maven2/maven-settings</url>
 <issueManagement>
  <system>jira</system>
  <url>http://jira.codehaus.org/browse/MNG</url>
 </issueManagement>
 <ciManagement>
  <system>continuum</system>
   <notifiers>
    <notifier>
     <configuration>
      <address>commits@maven.apache.org</address>
     </configuration>
    </notifier>
  </notifiers>
 </ciManagement>
```

```
<mailingLists>
  <mailingList>
    <name>Maven User List</name>
    <subscribe>users-subscribe@maven.apache.org</subscribe>
    <unsubscribe>users-unsubscribe@maven.apache.org</unsubscribe>
    <post>users@maven.apache.org</post>
    <archive>http://mail-archives.apache.org/mod_mbox/maven-users</archive>
  </mailingList>
  <mailingList>
    <name>Maven Developer List</name>
    <subscribe>dev-subscribe@maven.apache.org</subscribe>
    <unsubscribe>dev-unsubscribe@maven.apache.org</unsubscribe>
    <post>dev@maven.apache.org</post>
    <archive>http://mail-archives.apache.org/mod_mbox/maven-dev</archive>
  </mailingList>
  <mailingList>
    <name>Maven Commits List</name>
    <subscribe>commits-subscribe@maven.apache.org</subscribe>
    <unsubscribe>commits-unsubscribe@maven.apache.org</unsubscribe>
     <post>commits@maven.apache.org</post>
    <archive>http://mail-archives.apache.org/mod_mbox/maven-dev</archive>
  </mailingList>
  <mailingList>
    <name>Apache Announce List</name>
    <subscribe>announce-subscribe@apache.org</subscribe>
    <unsubscribe>announce-unsubscribe@apache.org</unsubscribe>
    <post>announce@apache.org</post>
    <archive>http://mail-archives.apache.org/mod_mbox/www-announce/</archive>
  </mailingList>
</mailingLists>
<developers>
  <developer>
    <id>jvanzyl</id>
    <name>Jason van Zyl</name>
    <email>jason@maven.org</email>
    <organization>ASF</organization>
    <roles>
      <role>PMC Chair</role>
    </roles>
    <timezone>-5</timezone>
  </developer>
  <developer>
    <id>brett</id>
    <name>Brett Porter</name>
    <email>brett@apache.org</email>
    <organization>ASF</organization>
    <roles>
      <role>PMC Member</role>
```

```
 </roles>
  <timezone>+10</timezone>
</developer>
<developer>
  <id>evenisse</id>
  <name>Emmanuel Venisse</name>
  <email>evenisse@apache.org</email>
  <organization>ASF</organization>
  <roles>
    <role>PMC Member</role>
  </roles>
  <timezone>+1</timezone>
</developer>
<developer>
  <id>jdcasey</id>
  <name>John Casey</name>
  <email>jdcasey@apache.org</email>
  <organization>ASF</organization>
  <roles>
    <role>PMC Member</role>
  </roles>
  <timezone>-5</timezone>
</developer>
<developer>
  <id>kenney</id>
  <name>Kenney Westerhof</name>
  <email>kenney@apache.org</email>
  <organization>Neonics</organization>
  <roles>
    <role>PMC Member</role>
  </roles>
  <timezone>+1</timezone>
</developer>
<developer>
  <id>trygvis</id>
  <name>Trygve Laugstol</name>
  <email>trygvis@apache.org</email>
  <organization>ASF</organization>

 <roles>
    <role>PMC Member</role>
  </roles>
  <timezone>+1</timezone>
</developer>
<developer>
  <id>vmassol</id>
  <name>Vincent Massol</name>
```

```
    <email>vmassol@apache.org</email>
    <organization>ASF</organization>
    <roles>
      <role>PMC Member</role>
    </roles>
    <timezone>+1</timezone>
  </developer>
  <developer>
    <id>vsiveton</id>
    <name>Vincent Siveton</name>
    <email>vsiveton@apache.org</email>
    <organization>ASF</organization>
    <roles>
      <role>Committer</role>
    </roles>
    <timezone>-5</timezone>
  </developer>
 </developers>
 <licenses>
  <license>
    <name>The Apache Software License, Version 2.0</name>
    <url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
    <distribution>repo</distribution>
  </license>
 </licenses>
 <scm>
  <connection>scm:svn:http://svn.apache.org/repos/asf/maven/components/tags/maven-2.0/maven-
settings</connection>
  <developerConnection>scm:svn:https://svn.apache.org/repos/asf/maven/components/tags/maven-2.0/maven-
settings</developerConnection>
   <url>http://svn.apache.org/viewcvs.cgi/maven/components/tags/maven-2.0/maven-settings</url>
 </scm>
 <organization>
  <name>Apache Software Foundation</name>
  <url>http://www.apache.org/</url>
 </organization>
 <build>
  <sourceDirectory>c:\home\Brett\cvs\maven-2\maven-components-release\maven-
settings\src\main\java</sourceDirectory>
  <scriptSourceDirectory>src/main/scripts</scriptSourceDirectory>
  <testSourceDirectory>c:\home\Brett\cvs\maven-2\maven-components-release\maven-
settings\src\test\java</testSourceDirectory>
  <outputDirectory>c:\home\Brett\cvs\maven-2\maven-components-release\maven-
settings\target\classes</outputDirectory>
  <testOutputDirectory>c:\home\Brett\cvs\maven-2\maven-components-release\maven-settings\target\test-
classes</testOutputDirectory>
  <resources>
    <resource>
```

```
      <directory>c:\home\Brett\cvs\maven-2\maven-components-release\maven-
settings\src\main\resources</directory>
    </resource>
  </resources>
  <testResources>
    <testResource>
      <directory>c:\home\Brett\cvs\maven-2\maven-components-release\maven-
settings\src\test\resources</directory>
    </testResource>
  </testResources>
  <directory>c:\home\Brett\cvs\maven-2\maven-components-release\maven-settings\target</directory>
  <finalName>maven-settings-2.0</finalName>
  <pluginManagement>
    <plugins>
      <plugin>
        <artifactId>maven-release-plugin</artifactId>
        <configuration>
          <tagBase>https://svn.apache.org/repos/asf/maven/components/tags</tagBase>
        </configuration>
      </plugin>
    </plugins>
  </pluginManagement>
  <plugins>
    <plugin>
      <artifactId>maven-clean-plugin</artifactId>
      <version>2.0-rc2-SNAPSHOT</version>
    </plugin>
    <plugin>
      <artifactId>maven-compiler-plugin</artifactId>
      <version>2.0-beta-2-SNAPSHOT</version>
     </plugin>
    <plugin>
      <artifactId>maven-deploy-plugin</artifactId>
      <version>2.0-beta-1</version>
      <inherited>true</inherited>
      <configuration>
        <updateReleaseInfo>true</updateReleaseInfo>
      </configuration>
    </plugin>
    <plugin>
      <artifactId>maven-install-plugin</artifactId>
      <version>2.0-beta-2-SNAPSHOT</version>
    </plugin>
    <plugin>
      <artifactId>maven-jar-plugin</artifactId>
      <version>2.0-rc2-SNAPSHOT</version>
    </plugin>
    <plugin>
```

```
  <artifactId>maven-javadoc-plugin</artifactId>
  <version>2.0-beta-2-SNAPSHOT</version>
  <executions>
    <execution>
      <id>attach-javadocs</id>
      <goals>
        <goal>jar</goal>
      </goals>
    </execution>
  </executions>
  <inherited>true</inherited>
</plugin>
<plugin>
  <artifactId>maven-resources-plugin</artifactId>
  <version>2.0-beta-2</version>
 </plugin>
<plugin>
  <artifactId>maven-source-plugin</artifactId>
  <version>2.0-rc1</version>
  <executions>
    <execution>
      <id>attach-sources</id>
      <goals>
        <goal>jar</goal>
      </goals>
    </execution>
  </executions>
  <inherited>true</inherited>
</plugin>
<plugin>
  <artifactId>maven-surefire-plugin</artifactId>
  <version>2.0-beta-2-SNAPSHOT</version>
</plugin>
<plugin>
  <groupId>org.codehaus.modello</groupId>
  <artifactId>modello-maven-plugin</artifactId>
  <version>1.0-alpha-6</version>
  <executions>
    <execution>
      <goals>
        <goal>xpp3-writer</goal>
        <goal>java</goal>
        <goal>xpp3-reader</goal>
      </goals>
      <configuration>
        <version>1.0.0</version>
        <model>settings.mdo</model>
      </configuration>
```

```
        </execution>
      </executions>
    </plugin>
  </plugins>
</build>
<repositories>
  <repository>
    <releases>
      <enabled>false</enabled>
    </releases>
    <id>snapshots</id>
    <name>Maven Central Development Repository</name>
    <url>http://snapshots.maven.codehaus.org/maven2</url>
  </repository>
  <repository>
    <snapshots>
      <enabled>false</enabled>
    </snapshots>
    <id>central</id>
    <name>Maven Repository Switchboard</name>
    <url>http://www.ibiblio.org/maven2</url>
  </repository>
</repositories>
<pluginRepositories>
  <pluginRepository>
    <releases>
      <enabled>false</enabled>
    </releases>
    <id>snapshots</id>
    <name>Maven Central Plugins Development Repository</name>
    <url>http://snapshots.maven.codehaus.org/maven2</url>
  </pluginRepository>
  <pluginRepository>
    <snapshots>
      <enabled>false</enabled>
    </snapshots>
    <id>central</id>
     <name>Maven Plugin Repository</name>
    <url>http://www.ibiblio.org/maven2</url>
  </pluginRepository>
</pluginRepositories>
<dependencies>
  <dependency>
    <groupId>junit</groupId>
    <artifactId>junit</artifactId>
    <version>3.8.1</version>
    <scope>test</scope>
  </dependency>
```

```
  <dependency>
    <groupId>org.apache.maven</groupId>
    <artifactId>maven-model</artifactId>
    <version>2.0</version>
    <scope>compile</scope>
  </dependency>
  <dependency>
    <groupId>org.codehaus.plexus</groupId>
    <artifactId>plexus-utils</artifactId>
    <version>1.0.4</version>
    <scope>compile</scope>
  </dependency>
  <dependency>
    <groupId>org.codehaus.plexus</groupId>
    <artifactId>plexus-container-default</artifactId>
    <version>1.0-alpha-8</version>
    <scope>compile</scope>
  </dependency>
</dependencies>
<reporting>
  <outputDirectory>target/site</outputDirectory>
</reporting>
<dependencyManagement>
   <dependencies>
    <dependency>
      <groupId>org.codehaus.plexus</groupId>
      <artifactId>plexus-container-default</artifactId>
      <version>1.0-alpha-8</version>
    </dependency>
    <dependency>
      <groupId>org.codehaus.plexus</groupId>
      <artifactId>plexus-utils</artifactId>
      <version>1.0.4</version>
    </dependency>
    <dependency>
      <groupId>org.apache.maven.wagon</groupId>
      <artifactId>wagon-provider-api</artifactId>
      <version>1.0-alpha-5</version>
    </dependency>
    <dependency>
      <groupId>org.apache.maven.wagon</groupId>
      <artifactId>wagon-ssh</artifactId>
      <version>1.0-alpha-5</version>
    </dependency>
    <dependency>
      <groupId>org.apache.maven.wagon</groupId>
      <artifactId>wagon-file</artifactId>
      <version>1.0-alpha-5</version>
```

```
    </dependency>
    <dependency>
      <groupId>org.apache.maven.wagon</groupId>
      <artifactId>wagon-http-lightweight</artifactId>
       <version>1.0-alpha-5</version>
    </dependency>
  </dependencies>
 </dependencyManagement>
 <distributionManagement>
  <repository>
    <id>repo1</id>
    <name>Maven Central Repository</name>
    <url>scp://repo1.maven.org/home/projects/maven/repository-staging/to-ibiblio/maven2</url>
  </repository>
  <snapshotRepository>
    <id>snapshots</id>
    <name>Maven Central Development Repository</name>
    <url>scp://repo1.maven.org/home/projects/maven/repository-staging/snapshots/maven2</url>
  </snapshotRepository>
  <site>
    <id>website</id>
    <url>scp://minotaur.apache.org/www/maven.apache.org/maven2/maven-settings</url>
  </site>
 </distributionManagement>
</project>
```

Found in path(s):
* /opt/cola/permits/1274701004_1648835852.08/0/maven-settings-2-0-jar/META-INF/maven/org.apache.maven/maven-settings/pom.xml

1.348 jackson-datatype-guava 2.10.5

1.348.1 Available under license :

Apache-2.0

1.349 maven-profile-model 2.0

1.349.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<project>
 <parent>
  <artifactId>maven</artifactId>
  <groupId>org.apache.maven</groupId>
  <version>2.0</version>
 </parent>
```

```
<modelVersion>4.0.0</modelVersion>
<groupId>org.apache.maven</groupId>
<artifactId>maven-profile</artifactId>
<name>Maven Profile Model</name>
<version>2.0</version>
<description>Maven is a project development management and comprehension tool. Based on the concept of a project object model: builds, dependency management, documentation creation, site publication, and distribution publication are all controlled from the declarative file. Maven can be extended by plugins to utilise a number of other development tools for reporting or the build process.</description>
<url>http://maven.apache.org/maven2/maven-profile</url>
<issueManagement>
  <system>jira</system>
  <url>http://jira.codehaus.org/browse/MNG</url>
</issueManagement>
<ciManagement>
  <system>continuum</system>
   <notifiers>
    <notifier>
      <configuration>
        <address>commits@maven.apache.org</address>
      </configuration>
    </notifier>
  </notifiers>
</ciManagement>
<mailingLists>
  <mailingList>
    <name>Maven User List</name>
    <subscribe>users-subscribe@maven.apache.org</subscribe>
    <unsubscribe>users-unsubscribe@maven.apache.org</unsubscribe>
    <post>users@maven.apache.org</post>
    <archive>http://mail-archives.apache.org/mod_mbox/maven-users</archive>
  </mailingList>
  <mailingList>
    <name>Maven Developer List</name>
    <subscribe>dev-subscribe@maven.apache.org</subscribe>
    <unsubscribe>dev-unsubscribe@maven.apache.org</unsubscribe>
    <post>dev@maven.apache.org</post>
    <archive>http://mail-archives.apache.org/mod_mbox/maven-dev</archive>
  </mailingList>
  <mailingList>
    <name>Maven Commits List</name>
    <subscribe>commits-subscribe@maven.apache.org</subscribe>
    <unsubscribe>commits-unsubscribe@maven.apache.org</unsubscribe>
     <post>commits@maven.apache.org</post>
    <archive>http://mail-archives.apache.org/mod_mbox/maven-dev</archive>
  </mailingList>
  <mailingList>
    <name>Apache Announce List</name>
```

```
    <subscribe>announce-subscribe@apache.org</subscribe>
    <unsubscribe>announce-unsubscribe@apache.org</unsubscribe>
    <post>announce@apache.org</post>
    <archive>http://mail-archives.apache.org/mod_mbox/www-announce/</archive>
  </mailingList>
</mailingLists>
<developers>
  <developer>
    <id>jvanzyl</id>
    <name>Jason van Zyl</name>
    <email>jason@maven.org</email>
    <organization>ASF</organization>
    <roles>
      <role>PMC Chair</role>
    </roles>
    <timezone>-5</timezone>
  </developer>
  <developer>
    <id>brett</id>
    <name>Brett Porter</name>
    <email>brett@apache.org</email>
    <organization>ASF</organization>
    <roles>
      <role>PMC Member</role>
    </roles>
     <timezone>+10</timezone>
  </developer>
  <developer>
    <id>evenisse</id>
    <name>Emmanuel Venisse</name>
    <email>evenisse@apache.org</email>
    <organization>ASF</organization>
    <roles>
      <role>PMC Member</role>
    </roles>
    <timezone>+1</timezone>
  </developer>
  <developer>
    <id>jdcasey</id>
    <name>John Casey</name>
    <email>jdcasey@apache.org</email>
    <organization>ASF</organization>
    <roles>
      <role>PMC Member</role>
    </roles>
    <timezone>-5</timezone>
  </developer>
  <developer>
```

```
    <id>kenney</id>
    <name>Kenney Westerhof</name>
    <email>kenney@apache.org</email>
    <organization>Neonics</organization>
    <roles>
      <role>PMC Member</role>
    </roles>
    <timezone>+1</timezone>
  </developer>
  <developer>
    <id>trygvis</id>
    <name>Trygve Laugstol</name>
    <email>trygvis@apache.org</email>
    <organization>ASF</organization>
    <roles>
       <role>PMC Member</role>
    </roles>
    <timezone>+1</timezone>
  </developer>
  <developer>
    <id>vmassol</id>
    <name>Vincent Massol</name>
    <email>vmassol@apache.org</email>
    <organization>ASF</organization>
    <roles>
      <role>PMC Member</role>
    </roles>
    <timezone>+1</timezone>
  </developer>
  <developer>
    <id>vsiveton</id>
    <name>Vincent Siveton</name>
    <email>vsiveton@apache.org</email>
    <organization>ASF</organization>
    <roles>
      <role>Committer</role>
    </roles>
    <timezone>-5</timezone>
  </developer>
</developers>
<licenses>
  <license>
    <name>The Apache Software License, Version 2.0</name>
    <url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
    <distribution>repo</distribution>
  </license>
</licenses>
<scm>
```

```
  <connection>scm:svn:http://svn.apache.org/repos/asf/maven/components/tags/maven-2.0/maven-profile</connection>
  <developerConnection>scm:svn:https://svn.apache.org/repos/asf/maven/components/tags/maven-2.0/maven-profile</developerConnection>
   <url>http://svn.apache.org/viewcvs.cgi/maven/components/tags/maven-2.0/maven-profile</url>
 </scm>
 <organization>
  <name>Apache Software Foundation</name>
  <url>http://www.apache.org/</url>
 </organization>
 <build>
  <sourceDirectory>c:\home\Brett\cvs\maven-2\maven-components-release\maven-profile\src\main\java</sourceDirectory>
  <scriptSourceDirectory>src/main/scripts</scriptSourceDirectory>
  <testSourceDirectory>c:\home\Brett\cvs\maven-2\maven-components-release\maven-profile\src\test\java</testSourceDirectory>
  <outputDirectory>c:\home\Brett\cvs\maven-2\maven-components-release\maven-profile\target\classes</outputDirectory>
  <testOutputDirectory>c:\home\Brett\cvs\maven-2\maven-components-release\maven-profile\target\test-classes</testOutputDirectory>
  <resources>
   <resource>
    <directory>c:\home\Brett\cvs\maven-2\maven-components-release\maven-profile\src\main\resources</directory>
    </resource>
  </resources>
  <testResources>
   <testResource>
    <directory>c:\home\Brett\cvs\maven-2\maven-components-release\maven-profile\src\test\resources</directory>
   </testResource>
  </testResources>
  <directory>c:\home\Brett\cvs\maven-2\maven-components-release\maven-profile\target</directory>
  <finalName>maven-profile-2.0</finalName>
  <pluginManagement>
   <plugins>
    <plugin>
     <artifactId>maven-release-plugin</artifactId>
     <configuration>
      <tagBase>https://svn.apache.org/repos/asf/maven/components/tags</tagBase>
     </configuration>
    </plugin>
   </plugins>
  </pluginManagement>
  <plugins>
   <plugin>
    <artifactId>maven-clean-plugin</artifactId>
    <version>2.0-rc2-SNAPSHOT</version>
   </plugin>
```

```
<plugin>
  <artifactId>maven-compiler-plugin</artifactId>
  <version>2.0-beta-2-SNAPSHOT</version>
 </plugin>
<plugin>
  <artifactId>maven-deploy-plugin</artifactId>
  <version>2.0-beta-1</version>
  <inherited>true</inherited>
  <configuration>
    <updateReleaseInfo>true</updateReleaseInfo>
  </configuration>
</plugin>
<plugin>
  <artifactId>maven-install-plugin</artifactId>
  <version>2.0-beta-2-SNAPSHOT</version>
</plugin>
<plugin>
  <artifactId>maven-jar-plugin</artifactId>
  <version>2.0-rc2-SNAPSHOT</version>
</plugin>
<plugin>
  <artifactId>maven-javadoc-plugin</artifactId>
  <version>2.0-beta-2-SNAPSHOT</version>
  <executions>
    <execution>
      <id>attach-javadocs</id>
      <goals>
        <goal>jar</goal>
      </goals>
    </execution>
  </executions>
  <inherited>true</inherited>
</plugin>
<plugin>
  <artifactId>maven-resources-plugin</artifactId>
  <version>2.0-beta-2</version>
 </plugin>
<plugin>
  <artifactId>maven-source-plugin</artifactId>
  <version>2.0-rc1</version>
  <executions>
    <execution>
      <id>attach-sources</id>
      <goals>
        <goal>jar</goal>
      </goals>
    </execution>
  </executions>
```

```
      <inherited>true</inherited>
    </plugin>
    <plugin>
      <artifactId>maven-surefire-plugin</artifactId>
      <version>2.0-beta-2-SNAPSHOT</version>
    </plugin>
    <plugin>
      <groupId>org.codehaus.modello</groupId>
      <artifactId>modello-maven-plugin</artifactId>
      <version>1.0-alpha-6</version>
      <executions>
        <execution>
          <goals>
            <goal>xpp3-writer</goal>
            <goal>java</goal>
            <goal>xpp3-reader</goal>
          </goals>
          <configuration>
            <version>1.0.0</version>
            <model>profiles.mdo</model>
          </configuration>

      </execution>
      </executions>
    </plugin>
  </plugins>
</build>
<repositories>
  <repository>
    <releases>
      <enabled>false</enabled>
    </releases>
    <id>snapshots</id>
    <name>Maven Central Development Repository</name>
    <url>http://snapshots.maven.codehaus.org/maven2</url>
  </repository>
  <repository>
    <snapshots>
      <enabled>false</enabled>
    </snapshots>
    <id>central</id>
    <name>Maven Repository Switchboard</name>
    <url>http://www.ibiblio.org/maven2</url>
  </repository>
</repositories>
<pluginRepositories>
  <pluginRepository>
    <releases>
```

```
      <enabled>false</enabled>
    </releases>
    <id>snapshots</id>
    <name>Maven Central Plugins Development Repository</name>
    <url>http://snapshots.maven.codehaus.org/maven2</url>
  </pluginRepository>
  <pluginRepository>
    <snapshots>
      <enabled>false</enabled>
    </snapshots>
    <id>central</id>
    <name>Maven
Plugin Repository</name>
    <url>http://www.ibiblio.org/maven2</url>
  </pluginRepository>
</pluginRepositories>
<dependencies>
  <dependency>
    <groupId>junit</groupId>
    <artifactId>junit</artifactId>
    <version>3.8.1</version>
    <scope>test</scope>
  </dependency>
  <dependency>
    <groupId>org.apache.maven</groupId>
    <artifactId>maven-model</artifactId>
    <version>2.0</version>
    <scope>compile</scope>
  </dependency>
  <dependency>
    <groupId>org.codehaus.plexus</groupId>
    <artifactId>plexus-utils</artifactId>
    <version>1.0.4</version>
    <scope>compile</scope>
  </dependency>
  <dependency>
    <groupId>org.codehaus.plexus</groupId>
    <artifactId>plexus-container-default</artifactId>
    <version>1.0-alpha-8</version>
    <scope>compile</scope>
  </dependency>
</dependencies>
<reporting>
  <outputDirectory>target/site</outputDirectory>
</reporting>
<dependencyManagement>
  <dependencies>
```

```
    <dependency>
      <groupId>org.codehaus.plexus</groupId>
      <artifactId>plexus-container-default</artifactId>
      <version>1.0-alpha-8</version>
    </dependency>
    <dependency>
      <groupId>org.codehaus.plexus</groupId>
      <artifactId>plexus-utils</artifactId>
      <version>1.0.4</version>
    </dependency>
    <dependency>
      <groupId>org.apache.maven.wagon</groupId>
      <artifactId>wagon-provider-api</artifactId>
      <version>1.0-alpha-5</version>
    </dependency>
    <dependency>
      <groupId>org.apache.maven.wagon</groupId>
      <artifactId>wagon-ssh</artifactId>
      <version>1.0-alpha-5</version>
    </dependency>
    <dependency>
      <groupId>org.apache.maven.wagon</groupId>
      <artifactId>wagon-file</artifactId>
      <version>1.0-alpha-5</version>
    </dependency>
    <dependency>
      <groupId>org.apache.maven.wagon</groupId>
      <artifactId>wagon-http-lightweight</artifactId>
       <version>1.0-alpha-5</version>
    </dependency>
  </dependencies>
</dependencyManagement>
<distributionManagement>
  <repository>
    <id>repo1</id>
    <name>Maven Central Repository</name>
    <url>scp://repo1.maven.org/home/projects/maven/repository-staging/to-ibiblio/maven2</url>
  </repository>
  <snapshotRepository>
    <id>snapshots</id>
    <name>Maven Central Development Repository</name>
    <url>scp://repo1.maven.org/home/projects/maven/repository-staging/snapshots/maven2</url>
  </snapshotRepository>
  <site>
    <id>website</id>
    <url>scp://minotaur.apache.org/www/maven.apache.org/maven2/maven-profile</url>
  </site>
</distributionManagement>
```

</project>

Found in path(s):
* /opt/cola/permits/1274699100_1648835849.34/0/maven-profile-2-0-jar/META-INF/maven/org.apache.maven/maven-profile/pom.xml

1.350 unfiltered-netty-server 0.9.1

1.350.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
 ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.351 cargo-core-util-api 1.4.13

1.351.1 Available under license :

No license file was found, but licenses were detected in source scan.

2011 Vincent Massol.
~
~ Licensed under the Apache License, Version 2.0 (the "License");
~ you may not use this file except in compliance with the License.
~ You may obtain a copy of the License at
~

~ http://www.apache.org/licenses/LICENSE
2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS,
~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
~ See the License for the specific language governing permissions and
~ limitations under the License.

Found in path(s):
* /opt/cola/permits/1274703993_1648836176.55/0/cargo-core-api-util-1-4-13-jar/META-INF/maven/org.codehaus.cargo/cargo-core-api-util/pom.xml

1.352 feign-httpclient 8.18.0

1.352.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1274702072_1645234420.76/0/feign-httpclient-8-18-0-sources-jar/feign/httpclient/ApacheHttpClient.java

1.353 cargo-daemon-client 1.4.13

1.353.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* ==
*

* Codehaus CARGO, copyright 2004-2011 Vincent Massol.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* ==
*/

Found in path(s):
* /opt/cola/permits/1274699474_1645234041.24/0/cargo-daemon-client-1-4-13-sources-jar/org/codehaus/cargo/tools/daemon/DaemonClient.java
*
 /opt/cola/permits/1274699474_1645234041.24/0/cargo-daemon-client-1-4-13-sources-jar/org/codehaus/cargo/tools/daemon/DaemonParameters.java
* /opt/cola/permits/1274699474_1645234041.24/0/cargo-daemon-client-1-4-13-sources-jar/org/codehaus/cargo/tools/daemon/MultipartFormContentType.java
* /opt/cola/permits/1274699474_1645234041.24/0/cargo-daemon-client-1-4-13-sources-jar/org/codehaus/cargo/tools/daemon/FormContentType.java
* /opt/cola/permits/1274699474_1645234041.24/0/cargo-daemon-client-1-4-13-sources-jar/org/codehaus/cargo/tools/daemon/UrlEncodedFormContentType.java
* /opt/cola/permits/1274699474_1645234041.24/0/cargo-daemon-client-1-4-13-sources-jar/org/codehaus/cargo/tools/daemon/MultipartFormWriter.java
* /opt/cola/permits/1274699474_1645234041.24/0/cargo-daemon-client-1-4-13-sources-jar/org/codehaus/cargo/tools/daemon/DaemonStart.java
* /opt/cola/permits/1274699474_1645234041.24/0/cargo-daemon-client-1-4-13-sources-jar/org/codehaus/cargo/tools/daemon/DaemonException.java
* /opt/cola/permits/1274699474_1645234041.24/0/cargo-daemon-client-1-4-13-sources-jar/org/codehaus/cargo/tools/daemon/UrlEncodedFormWriter.java
*
 /opt/cola/permits/1274699474_1645234041.24/0/cargo-daemon-client-1-4-13-sources-jar/org/codehaus/cargo/tools/daemon/DaemonPropertySet.java

1.354 picocli 3.9.0

1.354.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

```
* Copyright 2017 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1274705367_1645234249.92/0/picocli-3-9-0-sources-jar/picocli/groovy/PicocliBaseScript.java
No license file was found, but licenses were detected in source scan.

```
/*
  Copyright 2017 Remko Popma

  Licensed under the Apache License, Version 2.0 (the "License");
  you may not use this file except in compliance with the License.
  You may obtain a copy of the License at

     http://www.apache.org/licenses/LICENSE-2.0

  Unless required by applicable law or agreed to in writing, software
  distributed under the License is distributed on an "AS IS" BASIS,
  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  See the License for the specific language governing permissions and
  limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1274705367_1645234249.92/0/picocli-3-9-0-sources-jar/picocli/CommandLine.java
* /opt/cola/permits/1274705367_1645234249.92/0/picocli-3-9-0-sources-
jar/picocli/groovy/PicocliScriptASTTransformation.java
* /opt/cola/permits/1274705367_1645234249.92/0/picocli-3-9-0-sources-jar/picocli/groovy/PicocliScript.java
*
 /opt/cola/permits/1274705367_1645234249.92/0/picocli-3-9-0-sources-jar/picocli/AutoComplete.java

1.355 cargo-core-uberjar 1.4.13

1.355.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* ========================================================================
*
* Codehaus CARGO, copyright 2004-2011 Vincent Massol.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* ========================================================================
*/
```

Found in path(s):
* /opt/cola/permits/1274705061_1645234517.8/0/cargo-core-uberjar-1-4-13-sources-jar/org/codehaus/cargo/uberjar/Uberjar.java

1.356 pact-jvm-consumer 3.5.21

1.356.1 Available under license :

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants
to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work
or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution
of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental,
or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted
against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

1.357 project-lombok 1.16.14

1.357.1 Available under license :

Copyright (C) 2009-2015 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.358 jackson-module-afterburner 2.10.2

1.358.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers, as well as supported
commercially by FasterXML.com.

Licensing

Jackson core and extension components (as well their dependencies) may be licensed under
different licenses.
To find the details that apply to this artifact see the accompanying LICENSE file.
For more information, including possible other licensing options, contact
FasterXML.com (http://fasterxml.com).

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.
This copy of Jackson JSON processor `jackson-module-afterburner` module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

  http://www.apache.org/licenses/LICENSE-2.0

Additional licensing information exists for following 3rd party library dependencies

ASM

ASM: a very small and fast Java bytecode manipulation framework
Copyright (c) 2000-2011 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer in the
 documentation
 and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its
 contributors may be used to endorse or promote products derived from
 this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH

DAMAGE.

1.359 unfiltered-netty 0.9.1

1.359.1 Available under license :

Copyright (c) 2010-2014 Nathan Hamblen / Doug Tangren

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR
IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.360 feign-slf4j 8.18.0

1.360.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):
* /opt/cola/permits/1274703681_1645234024.72/0/feign-slf4j-8-18-0-sources-jar/feign/slf4j/Slf4jLogger.java

1.361 jersey-server 1.18.1

1.361.1 Available under license :

Found license 'General Public License 2.0' in '# Copyright (c) 2013 Oracle and/or its affiliates. All rights reserved. # The contents of this file are subject to the terms of either the GNU # General Public License Version 2 only ("GPL") or the Common Development # and Distribution License("CDDL") (collectively, the "License"). You # may not use this file except in compliance with the License. You can # Oracle designates this particular file as subject to the "Classpath" # exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2011-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2010-2012 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2010-2011 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'Common Development and Distribution License (CDDL) 1.1' in '* Copyright (c) 2010-2011 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License * The contents of this file are subject to the terms * of the Common Development and Distribution License * (the "License"). You may not use this file except'
Found license 'General Public License 2.0' in '* Copyright (c) 2010-2011 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License * The contents of this file are subject to the terms * of the Common Development and Distribution License * (the "License"). You may not use this file except'
Found license 'General Public License 2.0' in '* Copyright (c) 2010-2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2011 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2010-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1
1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third

party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available
in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You
may not
remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or

liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it

from being distributed or otherwise made available
under any subsequent version of the License, You must distribute and
make the Covered Software available under the terms of the version
of the License under which You originally received the Covered
Software. Otherwise, You may also choose to use, distribute or
otherwise make the Covered Software available under the terms of any
subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new
license for Your Original Software, You may create and use a
modified version of this License if You: (a) rename the license and
remove any references to the name of the license steward (except to
note that the license differs from this License); and (b) otherwise
make it clear that the license contains terms which differ from this
License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS
IS" BASIS,
WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED,
INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE
IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR
NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF
THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE
DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY
OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING,
REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN
ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS
AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate
automatically if You fail to comply with terms herein and fail to
cure such breach within 30 days of becoming aware of the breach.
Provisions which, by their nature, must remain in effect beyond the
termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding
declaratory judgment actions) against Initial Developer or a
Contributor (the Initial Developer or Contributor against whom You
assert such claim is referred to as "Participant") alleging that the
Participant Software (meaning the Contributor Version where the
Participant is a Contributor or the Original Software where the
Participant is the Initial Developer) directly or indirectly

infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer

software" (as that term is defined
at 48 C.F.R. §
252.227-7014(a)(1)) and "commercial computer software documentation"
as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent
with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4
(June 1995), all U.S. Government End Users acquire Covered Software
with only those rights set forth herein. This U.S. Government Rights
clause is in lieu of, and supersedes, any other FAR, DFAR, or other
clause or provision that addresses Government rights in computer
software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject
matter hereof. If any provision of this License is held to be
unenforceable, such provision shall be reformed only to the extent
necessary to make it enforceable. This License shall be governed by
the law of the jurisdiction specified in a notice contained within
the Original Software (except to the extent applicable law, if any,
provides otherwise), excluding such
jurisdiction's conflict-of-law
provisions. Any litigation relating to this License shall be subject
to the jurisdiction of the courts located in the jurisdiction and
venue specified in a notice contained within the Original Software,
with the losing party responsible for costs, including, without
limitation, court costs and reasonable attorneys' fees and expenses.
The application of the United Nations Convention on Contracts for
the International Sale of Goods is expressly excluded. Any law or
regulation which provides that the language of a contract shall be
construed against the drafter shall not apply to this License. You
agree that You alone are responsible for compliance with the United
States export administration regulations (and the export control
laws and regulation of any other countries) when You use, distribute
or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors,
each party is
responsible for claims and damages arising, directly or indirectly,
out of its utilization of rights under this License and You agree to
work with Initial Developer and Contributors to distribute such
responsibility on an equitable basis. Nothing herein is intended or
shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the
State of California (excluding conflict-of-law provisions). Any

litigation relating to this License shall be subject to the jurisdiction
of the Federal Courts of the Northern District of California and the
state courts of the State of California, with venue lying in Santa Clara
County, California.
Found license 'General Public License 2.0' in '* Copyright (c) 2012 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

1.362 saxon-xslt-and-xquery-processor 9.9.0-2

1.362.1 Available under license :

Found license 'GNU Lesser General Public License' in '// This library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public // License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU // Lesser General Public License for more details. // You should have received a copy of the GNU Lesser General Public * This grammar is in the PUBLIC DOMAIN'
//
// Copyright (c) 2018 Saxonica Limited.
// This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0.
// If a copy of the MPL was not distributed with this file, You can obtain one at http://mozilla.org/MPL/2.0/.
// This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.
//
Mozilla Public License
Version 2.0
1. Definitions
1.1. “Contributor”
means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. “Contributor Version”
means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor’s Contribution.

1.3. “Contribution”
means Covered Software of a particular Contributor.

1.4. “Covered Software”
means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. “Incompatible With Secondary Licenses”

means

that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. “Executable Form”
means
any form of the work other than Source Code Form.

1.7. “Larger Work”
means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. “License”
means this document.

1.9. “Licensable”
means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. “Modifications”
means any of the following:

any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

any new file in Source Code Form that contains any Covered Software.

1.11. “Patent Claims” of a Contributor
means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer
of either its Contributions or its Contributor Version.

1.12. “Secondary License”
means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. “Source Code Form”
means the form of the work preferred for making modifications.

1.14. “You” (or “Your”)
means an individual or a legal entity exercising rights under this License. For legal entities, “You” includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, “control” means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of

such entity.

2. License Grants and Conditions
2.1. Grants
Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive
license:

under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date
The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope
The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

for
any code that a Contributor has removed from Covered Software; or

for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses
No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation
Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights
to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use
This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions
Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities
3.1. Distribution of Source Form
All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form
If You distribute Covered Software in Executable Form then:

such Covered Software must also be made available in Source Code Form, as described in
Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work
You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s),
so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices
You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms
You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred
by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation
If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed

in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent,

then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an “as is” basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes

an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party’s negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so

this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without

reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party’s ability to bring cross-claims or counter-claims.

9. Miscellaneous
This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License
10.1. New Versions
Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other
than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions
You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions
If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses
If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in
Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice
This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at https://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - “Incompatible With Secondary Licenses” Notice
This Source Code Form is “Incompatible With Secondary Licenses”, as defined by the Mozilla Public License, v. 2.0.

1.363 zip4j 1.2.3

1.363.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2010 Srikanth Reddy Lingala
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/io/BaseOutputStream.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/io/SplitOutputStream.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/crypto/PBKDF2/PBKDF2HexFormatter.java
*
 /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/util/Raw.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/crypto/AESDecrypter.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/model/ExtraDataRecord.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/core/HeaderReader.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/crypto/IEncrypter.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/crypto/PBKDF2/PBKDF2Engine.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/unzip/Unzip.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/core/HeaderWriter.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/exception/ZipException.java
*
 /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/model/Zip64EndCentralDirLocator.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/zip/ZipEngine.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/model/Zip64ExtendedInfo.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/model/EndCentralDirRecord.java

* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/io/CipherOutputStream.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/unzip/UnzipEngine.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/crypto/AESEncrpyter.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/io/InflaterInputStream.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/model/ZipModel.java
*
 /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/core/ZipFile.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/util/InternalZipConstants.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/crypto/PBKDF2/PBKDF2Parameters.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/progress/ProgressMonitor.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/io/ZipInputStream.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/crypto/engine/ZipCryptoEngine.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/util/Zip4jUtil.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/util/CRCUtil.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/crypto/StandardDecrypter.java
*
 /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/model/UnzipEngineParameters.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/model/ZipParameters.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/model/Zip64EndCentralDirRecord.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/model/DataDescriptor.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/exception/ZipExceptionConstants.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/model/UnzipParameters.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/model/AESExtraDataRecord.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/crypto/PBKDF2/BinTools.java
*
 /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/model/LocalFileHeader.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/util/Zip4jConstants.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/crypto/engine/AESEngine.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/model/ArchiveExtraDataRecord.java

* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/crypto/PBKDF2/PRF.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/io/PartInputStream.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/util/ArchiveMaintainer.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/model/CentralDirectory.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/model/DigitalSignature.java
*
/opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/crypto/StandardEncrypter.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/crypto/IDecrypter.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/io/DeflaterOutputStream.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/crypto/PBKDF2/MacBasedPRF.java
* /opt/cola/permits/1274705343_1645234544.5/0/zip4j-1-2-3-sources-jar/net/lingala/zip4j/model/FileHeader.java

1.364 java-semver 0.9.0

1.364.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* The MIT License
*
* Copyright 2012-2015 Zafar Khaja <zafarkhaja@gmail.com>.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.

*/

Found in path(s):
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/UnexpectedCharacterException.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/LexerException.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/package-info.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/Greater.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/Expression.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/MetadataVersion.java
*
 /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/VersionParser.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/NormalVersion.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/Not.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/ExpressionParser.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/package-info.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/util/package-info.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/util/Stream.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/UnexpectedTokenException.java
*
 /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/Less.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/LessOrEqual.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/Equal.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/NotEqual.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/GreaterOrEqual.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/Lexer.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/CompositeExpression.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-

jar/com/github/zafarkhaja/semver/ParseException.java
*
/opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/And.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/Or.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/Parser.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/Version.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/util/UnexpectedElementException.java

1.365 jackson-core 2.8.1

1.365.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers, as well as supported
commercially by FasterXML.com.

Licensing

Jackson core and extension components may licensed under different licenses.
To find the details that apply to this artifact see the accompanying LICENSE file.
For more information, including possible other licensing options, contact
FasterXML.com (http://fasterxml.com).

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.
This copy of Jackson JSON processor streaming parser/generator is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

1.366 jnr-posix 3.0.35

1.366.1 Available under license :

/***** BEGIN LICENSE BLOCK *****
* Version: CPL 1.0/GPL 2.0/LGPL 2.1
*
* The contents of this file are subject to the Common Public
* License Version 1.0 (the "License"); you may not use this file
* except in compliance with the License. You may obtain a copy of
* the License at http://www.eclipse.org/legal/cpl-v10.html
*
* Software distributed under the License is distributed on an "AS
* IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or
* implied. See the License for the specific language governing
* rights and limitations under the License.
*
* Alternatively, the contents of this file may be used under the terms of
* either of the GNU General Public License Version 2 or later (the "GPL"),
* or the GNU Lesser General Public License Version 2.1 or later (the "LGPL"),
* in which case the provisions of the GPL or the LGPL are applicable instead
* of those above. If you wish to allow use of your version of this file only
* under the terms of either the GPL or the
 LGPL, and not to allow others to
* use your version of this file under the terms of the CPL, indicate your
* decision by deleting the provisions above and replace them with the notice
* and other provisions required by the GPL or the LGPL. If you do not delete
* the provisions above, a recipient may use your version of this file under
* the terms of any one of the CPL, the GPL or the LGPL.
***** END LICENSE BLOCK *****/

Found license 'GNU Lesser General Public License' in '* License Version 1.0 (the "License"); you may not use this file * except in compliance with the License. You may obtain a copy of * Software distributed under the License is distributed on an "AS * Alternatively, the contents of this file may be used under the terms of * either of the GNU General Public License Version 2 or later (the "GPL"), * or the GNU Lesser General Public License Version 2.1 or later (the "LGPL"), * use your version of this file under the terms of the CPL, indicate your'

1.367 trove-for-java 3.0.3

1.367.1 Available under license :

Found license 'General Public License 2.0' in '// Copyright (c) 2002, Eric D. Friedman All Rights Reserved. // This library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public // License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the // GNU General Public License for more details. // You should have received a copy of the GNU Lesser General Public // License along with this program; if not, write to the Free Software'

Found license 'General Public License 2.0' in '// Copyright (c) 2001, Eric D. Friedman All Rights Reserved. // This library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public // License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the // GNU General Public License for more details. // You should have received a copy of the GNU Lesser General Public // License along with this program; if not, write to the Free Software'
Found license 'General Public License 2.0' in '// Copyright (c) 2009, Rob Eden All Rights Reserved. // Copyright (c) 2009, Jeff Randall All Rights Reserved. // This library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public // License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the // GNU General Public License for more details. // You should have received a copy of the GNU Lesser General Public // License along with this program; if not, write to the Free Software'
Found license 'General Public License 2.0' in '// Copyright (c) 2009, Robert D. Eden All Rights Reserved. // This library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public // License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the // GNU General Public License for more details. // You should have received a copy of the GNU Lesser General Public // License along with this program; if not, write to the Free Software'
Found license 'General Public License 2.0' in '// Copyright (c) 2009, Rob Eden All Rights Reserved. // This library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public // License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the // GNU General Public License for more details. // You should have received a copy of the GNU Lesser General Public // License along with this program; if not, write to the Free Software'
Found license 'General Public License 2.0' in '// Copyright (c) 2008, Robert D. Eden All Rights Reserved. // Copyright (c) 2009, Jeff Randall All Rights Reserved. // This library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public // License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the // GNU General Public License for more details. // You should have received a copy of the GNU Lesser General Public // License along with this program; if not, write to the Free Software'
Found license 'General Public License 2.0' in '~ // Copyright (c) 2009, Rob Eden All Rights Reserved. ~ // This library is free software; you can redistribute it and/or ~ // modify it under the terms of the GNU Lesser General Public ~ // License as published by the Free Software Foundation; either ~ // version 2.1 of the License, or (at your option) any later version. ~ // This library is distributed in the hope that it will be useful, ~ // but WITHOUT ANY WARRANTY; without even the implied warranty of ~ // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the ~ // GNU General Public License for more details. ~ // You should have received a copy of the GNU Lesser General Public ~ // License along with this program; if not, write to the Free Software'
Found license 'General Public License 2.0' in '// Copyright (c) 2001, Eric D. Friedman All Rights Reserved. // Copyright (c) 2009, Rob Eden All Rights Reserved. // Copyright (c) 2009, Jeff Randall All Rights Reserved. // This library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public

// License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the // GNU General Public License for more details. // You should have received a copy of the GNU Lesser General Public // License along with this program; if not, write to the Free Software'
Found license 'General Public License 2.0' in '// Copyright (c) 2011, Rob Eden All Rights Reserved. // This library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public // License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the // GNU General Public License for more details. // You should have received a copy of the GNU Lesser General Public // License along with this program; if not, write to the Free Software'
Found license 'General Public License 2.0' in '// Copyright (c) 2001, Eric D. Friedman All Rights Reserved. // Copyright (c) 2009, Rob Eden All Rights Reserved. // Copyright (c) 2009, Jeff Randall All Rights Reserved. // Copyright (c) 2011, Johan Parent All Rights Reserved. // This library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public // License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the // GNU General Public License for more details. // You should have received a copy of the GNU Lesser General Public // License along with this program; if not, write to the Free Software'
GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]
Preamble
The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully
about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you.
You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that
a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License
permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use
a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION
0. This License Agreement applies to any software library
or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications
to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the
absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.
b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this

License.
d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked,
then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.
(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution
of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than
version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy
the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library
even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce
a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as
object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
d)
If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy. For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need

not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.
8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify,
sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the
Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely
from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest

validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12.
If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER

PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS
How to Apply These Terms to Your New Libraries
If you develop a new library, and
you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

one line to give the library's name and an idea of what it does.
Copyright (C) year name of author

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY
WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in
the library `Frob' (a library for tweaking knobs) written
by James Random Hacker.

signature of Ty Coon, 1 April 1990
Ty Coon, President of Vice
That's all there is to it!
Found license 'General Public License 2.0' in '// Copyright (c) 2002, Eric D. Friedman All Rights Reserved. // Copyright (c) 2009, Robert D. Eden All Rights Reserved. // Copyright (c) 2009, Jeff Randall All Rights Reserved. // This library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public // License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A

PARTICULAR PURPOSE. See the // GNU General Public License for more details. // You should have received a copy of the GNU Lesser General Public // License along with this program; if not, write to the Free Software' Found license 'General Public License 2.0' in '// Copyright (c) 2001, Eric D. Friedman All Rights Reserved. // Copyright (c) 2009, Rob Eden All Rights Reserved. // Copyright (c) 2009, Jeff Randall All Rights Reserved. // This library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public // License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the // GNU General Public License for more details. // You should have received a copy of the GNU Lesser General Public // License along with this program; if not, write to the Free Software * The caller is thus free to modify the returned array.'

1.368 feign-core 8.18.0

1.368.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/InvocationHandlerFactory.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/SynchronousMethodHandler.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*

*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/Response.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/codec/ErrorDecoder.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/Contract.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/codec/EncodeException.java
*
 /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/Request.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/RequestInterceptor.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/auth/Base64.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/Util.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/RequestTemplate.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/Client.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/codec/StringDecoder.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/codec/DecodeException.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/FeignException.java
*
 /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/Target.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-
jar/feign/auth/BasicAuthRequestInterceptor.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/RetryableException.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/Logger.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/ReflectiveFeign.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/Retryer.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/Feign.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/MethodMetadata.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/Param.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/QueryMap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/Types.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/codec/Decoder.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/codec/Encoder.java

1.369 pact-jvm-model 3.5.21

1.369.1 Available under license :

Apache-2.0

1.370 unfiltered-util 0.9.1

1.370.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.371 pact-jvm-matchers_2.11 3.5.21

1.371.1 Available under license :

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You"
(or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations,
or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems
that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants
to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work
or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution
of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental,
or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted
against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.372 maven-project 2.0

1.372.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001-2005 The Apache Software Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/ProjectSorter.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/DefaultMavenProjectHelper.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/path/PathTranslator.java
*
/opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/inheritance/ModelInheritanceAssembler.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/interpolation/RegexBasedModelInterpolator.java

* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/profiles/activation/DetectedProfileActivator.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/profiles/activation/SystemPropertyProfileActivator.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/ProjectBuildingException.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/artifact/ActiveProjectArtifact.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/injection/DefaultProfileInjector.java
*
 /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/injection/DefaultModelDefaultsInjector.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/artifact/ProjectArtifactMetadata.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/artifact/InvalidDependencyVersionException.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/profiles/activation/FileProfileActivator.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/path/DefaultPathTranslator.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/injection/ModelDefaultsInjector.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/artifact/AttachedArtifact.java
*
 /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/MavenProjectBuildingResult.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/InvalidProjectModelException.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/profiles/activation/AlwaysOnProfileActivator.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/inheritance/DefaultModelInheritanceAssembler.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/profiles/activation/ProfileActivationException.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/validation/ModelValidator.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/validation/ModelValidationResult.java
*
 /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/MavenProjectBuilder.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/validation/DefaultModelValidator.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/DefaultMavenProjectBuilder.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-

jar/org/apache/maven/profiles/activation/ProfileActivator.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/profiles/activation/JdkPrefixProfileActivator.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/MavenProjectHelper.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/overlay/BuildOverlay.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/artifact/MavenMetadataSource.java
*
/opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/profiles/activation/OperatingSystemProfileActivator.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/ProjectUtils.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/MavenProject.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/profiles/DefaultProfileManager.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/injection/ProfileInjector.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/interpolation/ModelInterpolationException.java
* /opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/ModelUtils.java
*
/opt/cola/permits/1274700728_1645234521.06/0/maven-project-2-0-sources-jar/org/apache/maven/project/interpolation/ModelInterpolator.java

1.373 scala-logging_2.12 3.7.2

1.373.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

1.374 pact-jvm-consumer-java8_2.11 3.5.21

1.374.1 Available under license :

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You"
(or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations,
or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems
that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants
to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work
or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution
of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental,
or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted
against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.375 cargo-core-generic-api 1.4.13

1.375.1 Available under license :

No license file was found, but licenses were detected in source scan.

2011 Vincent Massol.
~
~ Licensed under the Apache License, Version 2.0 (the "License");
~ you may not use this file except in compliance with the License.
~ You may obtain a copy of the License at
~
~ http://www.apache.org/licenses/LICENSE
2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS,
~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
~ See the License for the specific language governing permissions and
~ limitations under the License.

Found in path(s):
* /opt/cola/permits/1274701970_1648836183.97/0/cargo-core-api-generic-1-4-13-jar/META-INF/maven/org.codehaus.cargo/cargo-core-api-generic/pom.xml

1.376 google-guice 4.2.2

1.376.1 Available under license :

Google Guice - Core Library
Copyright 2006-2018 Google, Inc.

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.377 unfiltered 0.9.1

1.377.1 Available under license :

Copyright (c) 2010-2014 Nathan Hamblen / Doug Tangren

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR
IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.378 kotlin-logging 1.4.4

1.378.1 Available under license :

Apache-2.0

1.379 scala-parser-combinators 1.0.5

1.379.1 Available under license :

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source"
form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form,

including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely
link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean
Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and
You must cause any modified files to carry prominent notices stating that You changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute,

all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the

NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the

trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor

harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: HOW TO APPLY THE APACHE LICENSE TO YOUR WORK
To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless
 required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.380 maven-plugin-api 2.0

1.380.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001-2005 The Apache Software Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1274699852_1645234438.63/0/maven-plugin-api-2-0-sources-jar/org/apache/maven/plugin/MojoExecutionException.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001-2004 The Apache Software Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1274699852_1645234438.63/0/maven-plugin-api-2-0-sources-jar/org/apache/maven/plugin/Mojo.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001-2005 The Apache Software Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1274699852_1645234438.63/0/maven-plugin-api-2-0-sources-jar/org/apache/maven/plugin/MojoFailureException.java
* /opt/cola/permits/1274699852_1645234438.63/0/maven-plugin-api-2-0-sources-jar/org/apache/maven/plugin/AbstractMojo.java
* /opt/cola/permits/1274699852_1645234438.63/0/maven-plugin-api-2-0-sources-jar/org/apache/maven/plugin/AbstractMojoExecutionException.java

*
/opt/cola/permits/1274699852_1645234438.63/0/maven-plugin-api-2-0-sources-jar/org/apache/maven/plugin/logging/Log.java
* /opt/cola/permits/1274699852_1645234438.63/0/maven-plugin-api-2-0-sources-jar/org/apache/maven/plugin/logging/SystemStreamLog.java

1.381 mock-objects 0.09

1.381.1 Available under license :

No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2002 Nat Pryce. All rights reserved.
*
* Created on February 10, 2002, 11:33 PM
*/

Found in path(s):
* /opt/cola/permits/1274699420_1649800607.08/0/mockobjects-core-0-09-sources-jar/com/mockobjects/constraint/IsNull.java
* /opt/cola/permits/1274699420_1649800607.08/0/mockobjects-core-0-09-sources-jar/com/mockobjects/constraint/IsAnything.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2002 Nat Pryce. All rights reserved.
*
* Created on February 10, 2002, 11:35 PM
*/

Found in path(s):
* /opt/cola/permits/1274699420_1649800607.08/0/mockobjects-core-0-09-sources-jar/com/mockobjects/constraint/IsLessThan.java
* /opt/cola/permits/1274699420_1649800607.08/0/mockobjects-core-0-09-sources-jar/com/mockobjects/constraint/IsCloseTo.java
* /opt/cola/permits/1274699420_1649800607.08/0/mockobjects-core-0-09-sources-jar/com/mockobjects/constraint/IsGreaterThan.java
* /opt/cola/permits/1274699420_1649800607.08/0/mockobjects-core-0-09-sources-jar/com/mockobjects/constraint/IsEqual.java
* /opt/cola/permits/1274699420_1649800607.08/0/mockobjects-core-0-09-sources-jar/com/mockobjects/constraint/IsInstanceOf.java
* /opt/cola/permits/1274699420_1649800607.08/0/mockobjects-core-0-09-sources-jar/com/mockobjects/constraint/IsNot.java
* /opt/cola/permits/1274699420_1649800607.08/0/mockobjects-core-0-09-sources-jar/com/mockobjects/constraint/IsSame.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2002 B13media Ltd. All rights reserved.
*

* Created on February 10, 2002, 11:49 PM
*/

Found in path(s):
* /opt/cola/permits/1274699420_1649800607.08/0/mockobjects-core-0-09-sources-jar/com/mockobjects/constraint/And.java
* /opt/cola/permits/1274699420_1649800607.08/0/mockobjects-core-0-09-sources-jar/com/mockobjects/constraint/Or.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2002 Nat Pryce. All rights reserved.
*
* Created on February 10, 2002, 11:21 PM
*/

Found in path(s):
* /opt/cola/permits/1274699420_1649800607.08/0/mockobjects-core-0-09-sources-jar/com/mockobjects/constraint/Constraint.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2002 Nat Pryce. All rights reserved.
*
* Created on February 14, 2002, 4:02 PM
*/

Found in path(s):
* /opt/cola/permits/1274699420_1649800607.08/0/mockobjects-core-0-09-sources-jar/com/mockobjects/dynamic/C.java

1.382 cargo-website-resources 1.4.13

1.382.1 Available under license :

No license file was found, but licenses were detected in source scan.

2011 Vincent Massol.
~
~ Licensed under the Apache License, Version 2.0 (the "License");
~ you may not use this file except in compliance with the License.
~ You may obtain a copy of the License at
~
~   http://www.apache.org/licenses/LICENSE
2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS,
~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
~ See the License for the specific language governing permissions and

~ limitations under the License.

Found in path(s):
* /opt/cola/permits/1274704599_1648836170.3/0/cargo-documentation-1-4-13-jar/META-INF/maven/org.codehaus.cargo/cargo-documentation/pom.xml

1.383 xml-schema-core 2.1.0

1.383.1 Available under license :

Apache WebServices - XmlSchema
Copyright 2004-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions Copyright 2006 International Business Machines Corp.

Portions Copyright (C) World Wide Web Consortium 2006, 2007 and licensed under the three-part BSD license.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.384 dependency-check-ant-task 1.4.3

1.384.1 Available under license :

OWASP dependency-check

Copyright (c) 2012-2015 Jeremy Long. All Rights Reserved.

The licenses for the software listed below can be found in the META-INF/licenses/[dependency name].

This product includes software developed by The Apache Software Foundation (http://www.apache.org/).

This product includes software developed by Jquery.com (http://jquery.com/).

This product includes software developed by Jonathan Hedley (jsoup.org)

This software contains unmodified binary redistributions for H2 database engine (http://www.h2database.com/), which is dual licensed and available under a modified version of the MPL 1.1 (Mozilla Public License) or under the (unmodified) EPL 1.0 (Eclipse Public License).
An original copy of the license agreement can be found at: http://www.h2database.com/html/license.html

This product includes data from the Common Weakness Enumeration (CWE): http://cwe.mitre.org/

This product downloads and utilizes data from the National Vulnerability Database
hosted by NIST: http://nvd.nist.gov/download.cfm

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.385 ssl-config-akka 0.1.3

1.385.1 Available under license :

- Apache 2.0

1.386 dependency-check-utils 1.4.3

1.386.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* This file is part of dependency-check-core.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Copyright (c) 2012 Jeremy Long. All Rights Reserved.
*/

Found in path(s):
* /opt/cola/permits/1277961350_1645786270.87/0/dependency-check-utils-1-4-3-sources-jar/org/owasp/dependencycheck/utils/DownloadFailedException.java
* /opt/cola/permits/1277961350_1645786270.87/0/dependency-check-utils-1-4-3-sources-jar/org/owasp/dependencycheck/utils/Settings.java
*
 /opt/cola/permits/1277961350_1645786270.87/0/dependency-check-utils-1-4-3-sources-jar/org/owasp/dependencycheck/utils/FileUtils.java
* /opt/cola/permits/1277961350_1645786270.87/0/dependency-check-utils-1-4-3-sources-jar/org/owasp/dependencycheck/utils/InvalidSettingException.java
* /opt/cola/permits/1277961350_1645786270.87/0/dependency-check-utils-1-4-3-sources-jar/org/owasp/dependencycheck/utils/Downloader.java
No license file was found, but licenses were detected in source scan.

utils.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE

2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Copyright (c) 2014

Found in path(s):
* /opt/cola/permits/1277961350_1645786270.87/0/dependency-check-utils-1-4-3-sources-jar/META-INF/maven/org.owasp/dependency-check-utils/pom.xml
No license file was found, but licenses were detected in source scan.

```
/*
* This file is part of dependency-check-core.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Copyright (c) 2013 Jeremy Long. All Rights Reserved.
*/
```

Found in path(s):
* /opt/cola/permits/1277961350_1645786270.87/0/dependency-check-utils-1-4-3-sources-jar/org/owasp/dependencycheck/utils/ExtractionException.java
No license file was found, but licenses were detected in source scan.

```
/*
* This file is part of dependency-check-core.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
```

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Copyright (c) 2016 Jeremy Long. All Rights Reserved.
*/

Found in path(s):
* /opt/cola/permits/1277961350_1645786270.87/0/dependency-check-utils-1-4-3-sources-jar/org/owasp/dependencycheck/utils/ExpectedOjectInputStream.java
No license file was found, but licenses were detected in source scan.

/*
* This file is part of dependency-check-core.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Copyright (c) 2014 Jeremy Long. All Rights Reserved.
*/

Found in path(s):
* /opt/cola/permits/1277961350_1645786270.87/0/dependency-check-utils-1-4-3-sources-jar/org/owasp/dependencycheck/utils/Checksum.java
* /opt/cola/permits/1277961350_1645786270.87/0/dependency-check-utils-1-4-3-sources-jar/org/owasp/dependencycheck/utils/URLConnectionFailureException.java
*
 /opt/cola/permits/1277961350_1645786270.87/0/dependency-check-utils-1-4-3-sources-jar/org/owasp/dependencycheck/utils/URLConnectionFactory.java

1.387 netty-project 3.2.10.Final

1.387.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too,
but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis
or for a fee, you must give
the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal

permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only,

so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC
LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included
without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately
publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the
modified Library refers to a function or a
table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must

be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must

be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable
source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form)

with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library, uncombined with any other library
facilities. This must be distributed
under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying
or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the

original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new

versions of the Lesser General
Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the
free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL
OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright"
line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, 5th Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You
should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of

his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuate
of all present
and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

The Netty Project
==========

Please visit the Netty web site for more information:

* http://www.jboss.org/netty/

Copyright 2009 Red Hat, Inc.

Red Hat licenses this product to you under the Apache License, version 2.0 (the "License"); you may not use this product except in compliance with the License. You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Also, please refer to each LICENSE.<component>.txt file, which is located in the 'license' directory of the distribution file, for the license terms of the

components that this product depends on.

This
 product contains the extensions to Java Collections Framework which has
been derived from the works by JSR-166 EG, Doug Lea, and Jason T. Greene:

 * LICENSE:
   * license/LICENSE.jsr166y.txt (Public Domain)
 * HOMEPAGE:
   * http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/
   * http://viewvc.jboss.org/cgi-bin/viewvc.cgi/jbosscache/experimental/jsr166/

This product contains a modified version of Robert Harder's Public Domain
Base64 Encoder and Decoder, which can be obtained at:

 * LICENSE:
   * license/LICENSE.base64.txt (Public Domain)
 * HOMEPAGE:
   * http://iharder.sourceforge.net/current/java/base64/

This product contains a modified version of 'JZlib', a re-implementation of
zlib in pure Java, which can be obtained at:

 * LICENSE:
   * license/LICENSE.jzlib.txt (BSD Style License)
 * HOMEPAGE:
   * http://www.jcraft.com/jzlib/

This product optionally depends on 'Protocol Buffers', Google's data
interchange format,
 which can be obtained at:

 * LICENSE:
   * license/LICENSE.protobuf.txt (New BSD License)
 * HOMEPAGE:
   * http://code.google.com/p/protobuf/

This product optionally depends on 'SLF4J', a simple logging facade for Java,
which can be obtained at:

 * LICENSE:
   * license/LICENSE.slf4j.txt (MIT License)
 * HOMEPAGE:
   * http://www.slf4j.org/

This product optionally depends on 'Apache Commons Logging', a logging
framework, which can be obtained at:

* LICENSE:
  * license/LICENSE.commons-logging.txt (Apache License 2.0)
* HOMEPAGE:
  * http://commons.apache.org/logging/

This product optionally depends on 'Apache Log4J', a logging framework,
which can be obtained at:

* LICENSE:
  * license/LICENSE.log4j.txt (Apache License 2.0)
* HOMEPAGE:
  * http://logging.apache.org/log4j/

This product optionally depends on 'JBoss Logging', a logging framework,
which can be obtained at:

* LICENSE:
  * license/LICENSE.jboss-logging.txt (GNU LGPL 2.1)
* HOMEPAGE:
   * http://anonsvn.jboss.org/repos/common/common-logging-spi/

This product optionally depends on 'Apache Felix', an open source OSGi
framework implementation, which can be obtained at:

* LICENSE:
  * license/LICENSE.felix.txt (Apache License 2.0)
* HOMEPAGE:
  * http://felix.apache.org/

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Copyright 2008, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR
 CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner
of the input file used when generating it. This code is not
standalone and requires a support library to be linked with it. This
support library is itself covered by the above license.
The person or persons who have associated work with this document (the
"Dedicator" or "Certifier") hereby either (a) certifies that, to the best of
his knowledge, the work of authorship identified is in the public domain of
the country from which the work is published, or (b) hereby dedicates whatever
copyright the dedicators holds in the work of authorship identified below (the
"Work") to the public domain. A certifier, moreover, dedicates any copyright
interest he may have in the associated work, and for these purposes, is
described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this
work. Certifier recognizes that his good faith efforts may not shield him from
liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to

the detriment of the Dedicator's heirs and successors. Dedicator intends this
dedication to be an overt act of relinquishment in perpetuity
of all present
and future rights under copyright law, whether vested or contingent, in the
Work. Dedicator understands that such relinquishment of all rights includes
the relinquishment of all rights to enforce (by lawsuit or otherwise) those
copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be
freely reproduced, distributed, transmitted, used, modified, built upon, or
otherwise exploited by anyone for any purpose, commercial or non-commercial,
and in any way, including by methods that have not yet been invented or
conceived.
/*
* Copyright (c) 2004-2007 QOS.ch
* All rights reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/
The Netty Project - Copyright 2009 Red Hat, Inc, and is licensed under the
Apache License version 2.0 as published by the Apache Software Foundation.

A summary of the individual contributors is given below. Any omission should be
sent to Trustin Lee <trustin@gmail.com>.

SVN Login(s) Name
---
amit.bhayani@jboss.com Amit Bhayani
ataylor Andy Taylor
beve Daniel Bevenius

fredbregier Frederic Bregier
trustin Trustin Heuiseung Lee
---

* JBoss is a registered trademark of Red Hat, Inc.
Copyright (c) 2000,2001,2002,2003,2004 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT,
INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE
BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA,
OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.388 play-json 2.4.6

1.388.1 Available under license :

This software is licensed under the Apache 2 license, quoted below.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this project except in compliance with
the License. You may obtain a copy of the License at http://www.apache.org/licenses/LICENSE-2.0.

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific
language governing permissions and limitations under the License.
Copyright (c) 2008-2014 Typesafe Inc, Mark Harrah, Grzegorz Kossakowski, Josh Suereth, Indrajit Raychaudhuri, Eugene Yokota, and other contributors.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

SCALA LICENSE

Copyright (c) 2002-2008 EPFL, Lausanne, unless otherwise specified.
All rights reserved.

This software was developed by the Programming Methods Laboratory of the
Swiss Federal Institute of Technology (EPFL), Lausanne, Switzerland.

Permission to use, copy, modify, and distribute this software in source
or binary form for any purpose with or without fee is hereby granted,
provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

3. Neither the name of the EPFL nor the names of its contributors
   may be used to endorse or promote products derived from this
   software without specific prior written permission.

THIS SOFTWARE
 IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.
Simple Build Tool Launcher
Copyright 2008, 2009, 2010 Mark Harrah, David MacIver
Licensed under BSD-style license (see LICENSE)

Classes from the Scala library are distributed with the launcher.
Copyright 2002-2013 EPFL, Lausanne
Licensed under BSD-style license (see licenses/LICENSE_Scala)

Classes from Apache Ivy, licensed under the Apache License, Version 2.0
(see licenses/LICENSE_Apache) are distributed with the launcher.
It requires the following notice:

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Portions of Ivy were originally developed by
Jayasoft SARL (http://www.jayasoft.fr/)
and are licensed to the Apache Software Foundation under the
"Software Grant License Agreement"

THIS SOFTWARE IS PROVIDED BY THE AUTHORS ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE

FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.389 blaze-client 0.20.23

1.389.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.390 spray-routing 1.3.4

1.390.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright © 2011-2015 the spray project <http://spray.io>
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
```

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/CachingDirectives.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/ApplyConverterInstances.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/authentication/package.scala
*
 /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/Rejection.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/SimpleRoutingApp.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/PathDirectives.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/authentication/LdapAuthenticator.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/NameReceptacle.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/StandardRoute.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/authentication/HttpAuthenticator.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/RangeDirectives.scala
*
 /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/RoutingSettings.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/BasicDirectives.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/ApplyConverter.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/PathMatcher.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/EncodingDirectives.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/MiscDirectives.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/FormFieldDirectives.scala
*
 /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/ParameterDirectives.scala

* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/HListable.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/HttpService.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/MarshallingDirectives.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/RequestContext.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/FileAndResourceDirectives.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/DebuggingDirectives.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/HostDirectives.scala
*
 /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/RespondWithDirectives.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/authentication/UserPassAuthenticator.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/Prepender.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/authentication/LdapAuthConfig.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/CookieDirectives.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/ExecutionDirectives.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/Directive.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/FutureDirectives.scala
*
 /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/Route.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/SecurityDirectives.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/package.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/RouteConcatenation.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/ChunkingDirectives.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/MethodDirectives.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/RejectionHandler.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/HeaderDirectives.scala
*

/opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/HListDeserializerInstances.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/SchemeDirectives.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/Directives.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/ExceptionHandler.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/RouteDirectives.scala
No license file was found, but licenses were detected in source scan.

/*
* Copyright © 2011-2013 the spray project <http://spray.io>
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/ShapelessSupport.scala
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/AnyParamDirectives.scala
No license file was found, but licenses were detected in source scan.

/*
* Copyright © 2011-2014 the spray project <http://spray.io>
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and

* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/directives/CacheConditionDirectives.scala
No license file was found, but licenses were detected in source scan.

/*
* Copyright © 2011-2015 the spray project <http://spray.io>
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
// we use a special exception to bubble up errors rather than relying on long "right.flatMap" cascades in order to

Found in path(s):
* /opt/cola/permits/1277961090_1645785621.67/0/spray-routing-2-11-1-3-4-sources-jar/spray/routing/HListDeserializer.scala

1.391 scala-stm_2.10 0.7

1.391.1 Available under license :

Copyright (c) 2009-2012 Stanford University, unless otherwise specified.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
  * Redistributions of source code must retain the above copyright
    notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above copyright
    notice, this list of conditions and the following disclaimer in the
    documentation and/or other materials provided with the distribution.
  * Neither the name of the Stanford University nor the
    names of its contributors may be used to endorse or promote products
    derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND

ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL STANFORD UNIVERSITY BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed
to make sure that you
have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute
and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which
contains
a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies
of the Program's
source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the

notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole
or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered
independent and separate works in
themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt

otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made

generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through
 any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number
 of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

      NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
  EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN
IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License,
or
(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

  Gnomovision version 69, Copyright (C) year name of author
  Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
  This is free software, and you are welcome to redistribute it
  under certain conditions; type `show c' for details.

The hypothetical commands `show w'
 and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

1.392 http4s-core 0.20.23

1.392.1 Available under license :

* The Font Awesome font is licensed under the SIL OFL 1.1:
 * http://scripts.sil.org/OFL
* Font Awesome CSS, LESS, and Sass files are licensed under the MIT License:
 * https://opensource.org/licenses/mit-license.html
* The Font Awesome documentation is licensed under the CC BY 3.0 License:
 * http://creativecommons.org/licenses/by/3.0/
* Attribution is no longer required as of Font Awesome 3.0, but much appreciated:
 * Font Awesome by Dave Gandy - http://fontawesome.io
* Full details: http://fontawesome.io/license/
The MIT License (MIT)

Copyright (c) 2011-2017 Twitter, Inc.
Copyright (c) 2011-2017 The Bootstrap Authors

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
http4s
Copyright 2013-2021 http4s.org
Licensed under Apache License 2.0 (see LICENSE)

This software contains portions of code derived from akka-http
https://github.com/akka/akka-http
Copyright (C) 2009-2017 Lightbend Inc. <http://www.lightbend.com>
Licensed under Apache License 2.0 (see LICENSE)

This software contains portions of code derived from bootstrap
https://github.com/twbs/bootstrap
Copyright 2011-2017 The Bootstrap Authors
Licensed under the MIT License (see licenses/LICENSE_bootstrap)

This software contains portions of code derived from cats-effect
https://github.com/typelevel/cats-effect
Copyright (c) 2017-2018 The Typelevel Cats-effect Project Developers
Licensed under Apache License 2.0 (see LICENSE)

This software contains portions of code derived from finagle
https://github.com/twitter/finagle
Copyright 2017, Twitter Inc.
Licensed under Apache License 2.0 (see LICENSE)

This software contains portions of code derived from fontello
https://github.com/fontello/fontello
Copyright
(C) 2011 by Vitaly Puzrin
Licensed under the MIT License (see licenses/LICENSE_fontello)

This software contains portions of code derived from font-awesome
https://github.com/FortAwesome/Font-Awesome
Font Awesome by Dave Gandy - http://fontawesome.io
Licensed under the SIL OFL 1.1 (see licenses/LICENSE_font-awesome)

This software contains portions of code derived from fs2
https://github.com/functional-streams-for-scala/fs2
Copyright (c) 2013 Paul Chiusano, and respective contributors
Licensed under the MIT License (see licenses/LICENSE_fs2)

This software contains portions of code derived from fs2-http
https://github.com/Spinoco/fs2-http
Copyright (c) 2017 Spinoco
Licensed under the MIT License (see licenses/LICENSE_fs2-http)

This software contains portions of code derived from parboiled2
https://github.com/sirthias/parboiled2
Copyright 2009-2019 Mathias Doenitz
Licensed under the Apache License 2.0 (see LICENSE)

This software contains portions of code derived from rl
https://github.com/scalatra/rl
Copyright
(c) 2011 Mojolly Ltd.
Licensed under BSD-style license (see licenses/LICENSE_rl)

This software contains portions of code derived from shapeless
https://github.com/milessabin/shapeless
Copyright (c) 2013-16 Miles Sabin
Licensed under Apache License 2.0 (see LICENSE)

This software contains portions of code derived from spray
https://github.com/spray/spray
Copyright (C) 2011-2012 spray.io
Based on code copyright (C) 2010-2011 by the BlueEyes Web Framework Team
(http://github.com/jdegoes/blueeyes)
Licensed under Apache License 2.0 (see LICENSE)
The MIT License (MIT)

Copyright (c) 2013 Paul Chiusano, and respective contributors

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
Copyright (c) 2008-2014 Typesafe Inc, Mark Harrah, Grzegorz Kossakowski, Josh Suereth, Indrajit Raychaudhuri,
Eugene Yokota, and other contributors.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
(The MIT License)

Copyright (C) 2011 by Vitaly Puzrin

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

MIT License

Copyright (c) 2017 Spinoco

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH
THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
The MIT License (MIT)
Copyright (c) 2011 Mojolly Ltd.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software
and associated documentation files (the "Software"), to deal in the Software without restriction,
including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the
Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
INCLUDING BUT NOT
LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE
AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE
OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.393 org.apache.ws.commons:xmlschema 1.4.7

1.393.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and

limitations under the License.

Apache WebServices - XmlSchema
Copyright 2004-2010 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions Copyright 2006 International Business Machines Corp.

1.394 play-iteratees 2.4.6

1.394.1 Available under license :

This software is licensed under the Apache 2 license, quoted below.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this project except in compliance with
the License. You may obtain a copy of the License at http://www.apache.org/licenses/LICENSE-2.0.

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific
language governing permissions and limitations under the License.
Copyright (c) 2008-2014 Typesafe Inc, Mark Harrah, Grzegorz Kossakowski, Josh Suereth, Indrajit Raychaudhuri, Eugene Yokota, and other contributors.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
  derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Simple Build Tool Launcher
Copyright 2008, 2009, 2010 Mark Harrah, David MacIver
Licensed under BSD-style license (see LICENSE)

Classes from the Scala library are distributed with the launcher.
Copyright 2002-2013 EPFL, Lausanne
Licensed under BSD-style license (see licenses/LICENSE_Scala)

Classes from Apache Ivy, licensed under the Apache License, Version 2.0
(see licenses/LICENSE_Apache) are distributed with the launcher.
It requires the following notice:

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Portions of Ivy were originally developed by
Jayasoft SARL (http://www.jayasoft.fr/)
and are licensed to the Apache Software Foundation under the
"Software Grant License Agreement"

THIS SOFTWARE IS PROVIDED BY THE AUTHORS ``AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE

FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
SCALA LICENSE

Copyright (c) 2002-2008 EPFL, Lausanne, unless otherwise specified.
All rights reserved.

This software was developed by the Programming Methods Laboratory of the
Swiss Federal Institute of Technology (EPFL), Lausanne, Switzerland.

Permission to use, copy, modify, and distribute this software in source
or binary form for any purpose with or without fee is hereby granted,
provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

3. Neither the name of the EPFL nor the names of its contributors
   may be used to endorse or promote products derived from this
   software without specific prior written permission.

THIS SOFTWARE
IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.395 spray-json 1.3.2

1.395.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2011,2012 Mathias Doenitz, Johannes Rudolph
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1277961462_1645785613.16/0/spray-json-2-10-1-3-2-sources-jar/spray/json/ProductFormatsInstances.scala
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2011 Mathias Doenitz
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1277961462_1645785613.16/0/spray-json-2-10-1-3-2-sources-jar/spray/json/ProductFormats.scala
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2014 Mathias Doenitz
*
```

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961462_1645785613.16/0/spray-json-2-10-1-3-2-sources-jar/spray/json/JsonParser.scala
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009-2011 Mathias Doenitz
* Inspired by a similar implementation by Nathan Hamblen
* (https://github.com/n8han/Databinder-Dispatch)
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961462_1645785613.16/0/spray-json-2-10-1-3-2-sources-jar/spray/json/JsValue.scala
No license file was found, but licenses were detected in source scan.

/*
* Original implementation (C) 2009-2011 Debasish Ghosh
* Adapted and extended in 2011 by Mathias Doenitz
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961462_1645785613.16/0/spray-json-2-10-1-3-2-sources-jar/spray/json/StandardFormats.scala
* /opt/cola/permits/1277961462_1645785613.16/0/spray-json-2-10-1-3-2-sources-jar/spray/json/DefaultJsonProtocol.scala
* /opt/cola/permits/1277961462_1645785613.16/0/spray-json-2-10-1-3-2-sources-jar/spray/json/CollectionFormats.scala
*
 /opt/cola/permits/1277961462_1645785613.16/0/spray-json-2-10-1-3-2-sources-jar/spray/json/AdditionalFormats.scala
* /opt/cola/permits/1277961462_1645785613.16/0/spray-json-2-10-1-3-2-sources-jar/spray/json/BasicFormats.scala
* /opt/cola/permits/1277961462_1645785613.16/0/spray-json-2-10-1-3-2-sources-jar/spray/json/JsonFormat.scala
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009-2011 Mathias Doenitz
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961462_1645785613.16/0/spray-json-2-10-1-3-2-sources-jar/spray/json/CompactPrinter.scala
* /opt/cola/permits/1277961462_1645785613.16/0/spray-json-2-10-1-3-2-sources-jar/spray/json/PrettyPrinter.scala
* /opt/cola/permits/1277961462_1645785613.16/0/spray-json-2-10-1-3-2-sources-jar/spray/json/JsonPrinter.scala
*
 /opt/cola/permits/1277961462_1645785613.16/0/spray-json-2-10-1-3-2-sources-jar/spray/json/package.scala

1.396 akka-actor 2.3.13

1.396.1 Available under license :

This software includes the following components from the Apache Software Foundation, also released under the Apache Software License Version 2.0:

commons-cli-1.1.jar
jakarta-oro-2.0.8.jar
log4j-1.2.15.jar

The following components are covered under different licenses:

jline-0.9.94.jar (LICENSE-JLINE)
One-Jar (LICENSE-ONEJAR)
Java/Tcl v1.3.3 (LICENSE-TCLJAVA,-2,-3,-4)

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
The following license terms apply to the Itcl source and
test files located in the src/itcl and tests/itcl directories.

This software is copyrighted by Cadence Design Systems, Inc., and other
parties. The following terms apply to all files associated with the
software unless explicitly disclaimed in individual files.

The authors hereby grant permission to use, copy, modify, distribute,
and license this software and its documentation for any purpose, provided
that existing copyright notices are retained in all copies and that this
notice is included verbatim in any distributions. No written agreement,
license, or royalty fee is required for any of the authorized uses.
Modifications to this software may be copyrighted by their authors
and need not follow the licensing terms described here, provided that
the new terms are clearly indicated on the first page of each file where
they apply.

IN NO EVENT SHALL THE AUTHORS OR DISTRIBUTORS BE LIABLE TO ANY PARTY
FOR DIRECT, INDIRECT, SPECIAL,
INCIDENTAL, OR CONSEQUENTIAL DAMAGES
ARISING OUT OF THE USE OF THIS SOFTWARE, ITS DOCUMENTATION, OR ANY
DERIVATIVES THEREOF, EVEN IF THE AUTHORS HAVE BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

THE AUTHORS AND DISTRIBUTORS SPECIFICALLY DISCLAIM ANY WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT. THIS SOFTWARE
IS PROVIDED ON AN "AS IS" BASIS, AND THE AUTHORS AND DISTRIBUTORS HAVE
NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR
MODIFICATIONS.

GOVERNMENT USE: If you are acquiring this software on behalf of the
U.S. government, the Government shall have only "Restricted Rights"
in the software and related documentation as defined in the Federal
Acquisition Regulations (FARs) in Clause 52.227.19 (c) (2). If you
are acquiring the software on behalf of the Department of Defense, the
software shall be classified as "Commercial Computer Software" and the
Government shall
have only "Restricted Rights" as defined in Clause
252.227-7013 (c) (1) of DFARs. Notwithstanding the foregoing, the
authors grant the U.S. Government and others acting in its behalf
permission to use and distribute the software in accordance with the

terms specified in this license.

Following is the original agreement for the Tcl/Tk software from
Sun Microsystems.

This software is copyrighted by the Regents of the University of
California, Sun Microsystems, Inc., and other parties. The following
terms apply to all files associated with the software unless explicitly
disclaimed in individual files.

The authors hereby grant permission to use, copy, modify, distribute,
and license this software and its documentation for any purpose, provided
that existing copyright notices are retained in all copies and that this
notice is included verbatim
in any distributions. No written agreement,
license, or royalty fee is required for any of the authorized uses.
Modifications to this software may be copyrighted by their authors
and need not follow the licensing terms described here, provided that
the new terms are clearly indicated on the first page of each file where
they apply.

IN NO EVENT SHALL THE AUTHORS OR DISTRIBUTORS BE LIABLE TO ANY PARTY
FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES
ARISING OUT OF THE USE OF THIS SOFTWARE, ITS DOCUMENTATION, OR ANY
DERIVATIVES THEREOF, EVEN IF THE AUTHORS HAVE BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

THE AUTHORS AND DISTRIBUTORS SPECIFICALLY DISCLAIM ANY WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT. THIS SOFTWARE
IS PROVIDED ON AN "AS IS" BASIS, AND THE AUTHORS AND DISTRIBUTORS HAVE
NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR
MODIFICATIONS.

GOVERNMENT
USE: If you are acquiring this software on behalf of the
U.S. government, the Government shall have only "Restricted Rights"
in the software and related documentation as defined in the Federal
Acquisition Regulations (FARs) in Clause 52.227.19 (c) (2). If you
are acquiring the software on behalf of the Department of Defense, the
software shall be classified as "Commercial Computer Software" and the
Government shall have only "Restricted Rights" as defined in Clause
252.227-7013 (c) (1) of DFARs. Notwithstanding the foregoing, the
authors grant the U.S. Government and others acting in its behalf
permission to use and distribute the software in accordance with the
terms specified in this license.

The following license terms apply to the TJC compiler source
and test files located in the src/tjc, src/tests/tjc, and
tests/tjc directories.

2005 Advanced Micro Devices, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that existing copyright notices
are retained in all copies, this notice is included verbatim in any
distributions, and the terms and conditions hererin are met.

Use of the this software manifests acceptance of the terms of this
license by performance.

The name of Advanced Micro Devices, Inc. may not be used to endorse or
promote products derived from this software without specific prior
written permission.

THIS SOFTWARE IS PROVIDED BY ADVANCED MICRO DEVICES, INC. "AS IS" AND ANY EXPRESS, IMPLIED OR STATUTORY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT, OR THOSE ARISING FROM CUSTOM OF TRADE OR COURSE
OF USAGE ARE DISCLAIMED.

IN NO EVENT SHALL ADVANCED MICRO DEVICES, INC. BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED, AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE ITS DOCUMENTATION OR ANY DERIVATIVES THEREOF, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. BY USING THIS SOFTWARE WITHOUT CHARGE, YOU ACCEPT THIS ALLOCATION OF RISK. THIS DISCLAIMER OF LIABILITY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. ADVANCED MICRO DEVICES, INC. HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS OF THIS SOFTWARE.

In the redistribution and use of this software, each party shall at all
times comply with all applicable governmental laws,
statutes, ordinances,
rules, regulations, orders, and other requirements, including without
limitation such governmental requirements applicable to environmental
protection, health, safety, wages, hours, equal employment opportunity,
nondiscrimination, working conditions, import or export control, and
transportation. Without limiting the foregoing, each party shall adhere
to the U.S. Export Administration Regulations (EAR), currently found at
15 C.F.R. Sections 730 through 744, and, unless properly authorized by

the U.S. Government, shall not (1) export, re-export or release restricted technology, software, or source code to a national of a country in Country Groups D:1 or E:1, or (2) export to Country Groups D:1 or E:1 the direct product of such technology or software, if such foreign produced direct product is subject to national security controls as identified on the Commerce Control List (currently found in Supplement 1 to Section 774 of EAR). These export requirements shall survive
any expiration or termination
of this agreement.
Business Source License 1.1

Parameters

Licensor: Lightbend, Inc.
Licensed Work: Akka 2.8.x
The Licensed Work is (c) 2022 Lightbend Inc.
Additional Use Grant:
If you develop an application using a version of Play Framework that utilizes binary versions of akka-streams and its dependencies, you may use such binary versions of akka-streams and its dependencies in the development of your application only as they are incorporated into Play Framework and solely to implement the functionality provided by Play Framework; provided that, they are only used in the following way: Connecting to a Play Framework websocket and/or Play Framework request/response bodies for server and play-ws client.

Change Date: TBD (3 years after 2.8.0 release)

Change License: Apache License, Version 2.0

For information about alternative licensing arrangements for the Software, please visit: https://lightbend.com/

Business
Source License 1.1

License text copyright (c) 2017 MariaDB Corporation Ab, All Rights Reserved.
Business Source License is a trademark of MariaDB Corporation Ab.

Terms

The Licensor hereby grants you the right to copy, modify, create derivative works, redistribute, and make non-production use of the Licensed Work. The Licensor may make an Additional Use Grant, above, permitting limited production use.

Effective on the Change Date, or the fourth anniversary of the first publicly available distribution of a specific version of the Licensed Work under this License, whichever comes first, the Licensor hereby grants you rights under the terms of the Change License, and the rights granted in the paragraph above terminate.

If your use of the Licensed Work does not comply with the requirements currently in effect as described in this License, you must purchase a commercial license from the Licensor, its affiliated entities, or authorized resellers, or you must refrain from using the Licensed Work.

All copies of the original and modified Licensed Work, and derivative works of the Licensed Work, are subject to this License. This License applies separately for each version of the Licensed Work and the Change Date may vary for each version of the Licensed Work released by Licensor.

You must conspicuously display this License on each original or modified copy of the Licensed Work. If you receive the Licensed Work in original or modified form from a third party, the terms and conditions set forth in this License apply to your use of that work.

Any use of the Licensed Work in violation of this License will automatically terminate your rights under this License for the current and all other versions of the Licensed Work.

This License does not grant you any right in any trademark or logo of Licensor or its affiliates (provided that you may use a trademark or logo of Licensor as expressly required by this License).

TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE LICENSED WORK IS PROVIDED ON AN AS IS BASIS. LICENSOR HEREBY DISCLAIMS ALL WARRANTIES AND CONDITIONS, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, AND TITLE.

MariaDB hereby grants you permission to use this Licenses text to license your works, and to refer to it using the trademark Business Source License, as long as you comply with the Covenants of Licensor below.

Covenants of Licensor

In consideration of the right to use this Licenses text and the Business Source License name and trademark, Licensor covenants to MariaDB, and to all other recipients of the licensed work to be provided by Licensor:

1. To specify as the Change License the GPL Version 2.0 or any later version,

or a license that is compatible with GPL Version 2.0 or a later version,
where compatible means that software provided under the Change License can

be included in a program with software provided under GPL Version 2.0 or a
later version. Licensor may specify additional Change Licenses without
limitation.

2. To either: (a) specify an additional grant of rights to use that does not
impose any additional restriction on the right granted in this License, as
the Additional Use Grant; or (b) insert the text None.

3. To specify a Change Date.

4. Not to modify this License in any other way.
The jmxsh library has been obtained from https://code.google.com/p/jmxsh/ under the Apache License 2.0.
/*
* One-JAR (http://www.simontuffs.com/one-jar). Copyright (c) 2004-2007,
* P. Simon Tuffs (simon@simontuffs.com). All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are met:
*
* Redistributions of source code must retain the above copyright notice, this
* list of conditions and the following disclaimer.
*
* Redistributions in binary form must reproduce the above copyright notice,
* this list of conditions and the following disclaimer in the documentation
* and/or other materials provided with the distribution.
*
* Neither the name of P. Simon Tuffs, nor the names of any contributors,
* nor the name One-JAR may be used to endorse or promote products derived
* from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT
NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
* POSSIBILITY OF SUCH DAMAGE.
*
* Including this file inside the built One-JAR file conforms with these terms.
*/

Copyright (c) 2002-2006, Marc Prud'hommeaux <mwp1@cornell.edu>
All rights reserved.

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the following
conditions are met:

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with
the distribution.

Neither the name of JLine nor the names of its contributors
may be used to endorse or promote products derived from this
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL THE COPYRIGHT
 OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.
Apache log4j
Copyright 2007 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
Licenses

Akka License

```
Business Source License 1.1

Parameters

Licensor:             Lightbend, Inc.
```

Licensed Work: Akka 2.7.x
The Licensed Work is (c) 2022 Lightbend Inc.
Additional Use Grant:
If you develop an application using a version of Play Framework that utilizes binary versions of akka-streams and its dependencies, you may use such binary versions of akka-streams and its dependencies in the development of your application only as they are incorporated into Play Framework and solely to implement the functionality provided by Play Framework; provided that, they are only used in the following way: Connecting to a Play Framework websocket and/or Play Framework request/response bodies for server and play-ws client.

Change Date: TBD (3 years after 2.7.0 release)

Change License: Apache License, Version 2.0

For information about alternative licensing arrangements for the Software, please visit:
https://lightbend.com/

Business Source License 1.1

License text copyright (c) 2017 MariaDB Corporation Ab, All Rights Reserved.
Business Source License is a trademark of MariaDB Corporation Ab.

Terms

The Licensor hereby grants you the right to copy, modify, create derivative works, redistribute, and make non-production use of the Licensed Work. The Licensor may make an Additional Use Grant, above, permitting limited production use.

Effective on the Change Date, or the fourth anniversary of the first publicly available distribution of a specific version of the Licensed Work under this License, whichever comes first, the Licensor hereby grants you rights under the terms of the Change License, and the rights granted in the paragraph above terminate.

If your use of the Licensed Work does not comply with the requirements currently in effect as described in this License, you must purchase a commercial license
from the Licensor, its affiliated entities, or authorized resellers, or you must refrain from using the Licensed Work.

All copies of the original and modified Licensed Work, and derivative works of the Licensed Work, are subject to this License. This License applies

separately for each version of the Licensed Work and the Change Date may vary for each version of the Licensed Work released by Licensor.

You must conspicuously display this License on each original or modified copy of the Licensed Work. If you receive the Licensed Work in original or modified form from a third party, the terms and conditions set forth in this License apply to your use of that work.

Any use of the Licensed Work in violation of this License will automatically terminate your rights under this License for the current and all other versions of the Licensed Work.

This License does not grant you any right in any trademark or logo of Licensor or its affiliates (provided that you may use a trademark or logo of Licensor
as expressly required by this License).

TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE LICENSED WORK IS PROVIDED ON AN AS IS BASIS. LICENSOR HEREBY DISCLAIMS ALL WARRANTIES AND CONDITIONS, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, AND TITLE.

MariaDB hereby grants you permission to use this Licenses text to license your works, and to refer to it using the trademark Business Source License, as long as you comply with the Covenants of Licensor below.

Covenants of Licensor

In consideration of the right to use this Licenses text and the Business Source License name and trademark, Licensor covenants to MariaDB, and to all other recipients of the licensed work to be provided by Licensor:

1. To specify as the Change License the GPL Version 2.0 or any later version, or a license that is compatible with GPL Version 2.0 or a later version, where compatible means that software provided
under the Change License can
be included in a program with software provided under GPL Version 2.0 or a later version. Licensor may specify additional Change Licenses without limitation.

2. To either: (a) specify an additional grant of rights to use that does not impose any additional restriction on the right granted in this License, as the Additional Use Grant; or (b) insert the text None.

3. To specify a Change Date.

4. Not to modify this License in any other way.

```

## Akka Committer License Agreement

All committers have signed this [CLA](https://www.lightbend.com/contribute/cla).
It can be [signed online](https://www.lightbend.com/contribute/cla).

## Licenses for Dependency Libraries

Each dependency and its license can be seen in the project build file (the comment on the side of each dependency):
@extref[AkkaBuild.scala](github:project/AkkaBuild.scala#L1054)
SUN MICROSYSTEMS, INC. THROUGH ITS SUN MICROSYSTEMS LABORATORIES
DIVISION ("SUN") WILL LICENSE THIS SOFTWARE AND THE ACCOMPANYING
DOCUMENTATION TO YOU (a "Licensee") ONLY ON YOUR ACCEPTANCE OF ALL
THE TERMS SET FORTH BELOW.

Sun grants Licensee a non-exclusive, royalty-free right to download,
install, compile, use, copy and distribute the Software, modify or
otherwise create derivative works from the Software (each, a
"Modification") and distribute any Modification in source code and/or
binary code form to its customers with a license agreement containing
these terms and noting that the Software has been modified. The
Software is copyrighted by Sun and other third parties and Licensee
shall retain and reproduce all copyright and other notices presently
on the Software. As between Sun and Licensee, Sun is the sole owner of
all rights in and to the Software other than the limited rights
granted to Licensee herein; Licensee will own its Modifications,
expressly subject to Sun's continuing
ownership of the
Software. Licensee will, at its expense, defend and indemnify Sun and
its licensors from and against any third party claims, including costs
and reasonable attorneys' fees, and be wholly responsible for any
liabilities arising out of or related to Licensee's development, use
or distribution of the Software or Modifications. Any distribution of
the Software and Modifications must comply with all applicable United
States export control laws.

THE SOFTWARE IS BEING PROVIDED TO LICENSEE "AS IS" AND ALL EXPRESS OR
IMPLIED CONDITIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT,
ARE DISCLAIMED. IN NO EVENT WILL SUN BE LIABLE HEREUNDER FOR ANY
DIRECT DAMAGES OR ANY INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES OF ANY KIND.
Portions of Jacl and Tcl Blend are
Copyright (c) 1997-1999 The Regents of the University of California.
All rights reserved.

Permission is hereby granted, without written agreement and without
```

license or royalty fees, to use, copy, modify, and distribute this
software and its documentation for any purpose, provided that the above
copyright notice and the following two paragraphs appear in all copies
of this software.

IN NO EVENT SHALL THE UNIVERSITY OF CALIFORNIA BE LIABLE TO ANY PARTY
FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES
ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF
THE UNIVERSITY OF CALIFORNIA HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

THE UNIVERSITY OF CALIFORNIA SPECIFICALLY DISCLAIMS ANY WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE
PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE UNIVERSITY OF
CALIFORNIA HAS NO OBLIGATION TO
PROVIDE MAINTENANCE, SUPPORT, UPDATES,
ENHANCEMENTS, OR MODIFICATIONS.
Copyright 2008, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner
of the input file used when generating it. This code is not
standalone and requires a support library to be linked with it. This
support library is itself covered by the above license.
/* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000-2002 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*   "This product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this
 acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*   must not be used to endorse or promote products derived from this
*   software without prior written permission. For written
*   permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*   or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*   name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
 BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND

* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/
Apache Commons CLI
Copyright 2001-2007 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).
Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.397 hibernate-orm 3.6.0

1.397.1 Available under license :

Found license 'GNU Lesser General Public License' in '* indicated by the @author tags or express copyright attribution * distributed under license by Red Hat Inc. * This copyrighted material is made available to anyone wishing to use, modify, * copy, or redistribute it subject to the terms and conditions of the GNU * Lesser General Public License, as published by the Free Software Foundation. * This program is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License * for more details. * You should have received a copy of the GNU Lesser General Public License * Boston, MA 02110-1301 USA'
Found license 'GNU Lesser General Public License' in '~ indicated by the @author tags or express copyright attribution ~ distributed under license by Red Hat Middleware LLC. ~ This copyrighted material is made available to anyone wishing to use, modify, ~ copy, or redistribute it subject to the terms and conditions of the GNU ~ Lesser General Public License, as published by the Free Software Foundation. ~ This program is distributed in the hope that it will be useful, ~ but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY ~ or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License ~ for more details. ~ You should have received a copy of the GNU Lesser General Public License ~ Boston, MA 02110-1301 USA'
Found license 'GNU Lesser General Public License' in '* copyright attribution statements applied by the authors. All * third-party contributions are distributed under license by Red Hat Inc. * This copyrighted material is made available to anyone wishing to use, modify, * copy, or redistribute it subject to the terms and conditions of the GNU * Lesser General Public License, as published by the Free Software Foundation. * This program is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License * for more details. * You should have received a copy of the GNU Lesser General Public License * Boston, MA 02110-1301 USA'
Found license 'GNU Lesser General Public License' in '* indicated by the @author tags or express copyright attribution * distributed under license by Red Hat Middleware LLC. * This copyrighted material is made available to anyone wishing to use, modify, * copy, or redistribute it subject to the terms and conditions of the GNU * Lesser General Public License, as published by the Free Software Foundation. * This program is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License * for more details. * You should have received a copy of the GNU Lesser General Public License * Boston, MA 02110-1301 USA'
Found license 'GNU Lesser General Public License' in '* indicated by the @author tags or express copyright attribution * distributed under license by Red Hat Inc. * This copyrighted material is made available to anyone wishing to use, modify, * copy, or redistribute it subject to the terms and conditions of the GNU * Lesser General Public License, as published by the Free Software Foundation. * This program is distributed in the hope that it will

be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License * for more details. * You should have received a copy of the GNU Lesser General Public License * Boston, MA 02110-1301 USA * Support for the oracle proprietary join syntax...'
Found license 'GNU Lesser General Public License' in '* indicated by the @author tags or express copyright attribution * distributed under license by Red Hat Middleware LLC. * This copyrighted material is made available to anyone wishing to use, modify, * copy, or redistribute it subject to the terms and conditions of the GNU * Lesser General Public License, as published by the Free Software Foundation. * This program is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License * for more details. * You should have received a copy of the GNU Lesser General Public License * Boston, MA 02110-1301 USA * version.'
Found license 'GNU Lesser General Public License' in '~ copyright attribution statements applied by the authors. All ~ third-party contributions are distributed under license by Red Hat Inc. ~ This copyrighted material is made available to anyone wishing to use, modify, ~ copy, or redistribute it subject to the terms and conditions of the GNU ~ Lesser General Public License, as published by the Free Software Foundation. ~ This program is distributed in the hope that it will be useful, ~ but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY ~ or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License ~ for more details. ~ You should have received a copy of the GNU Lesser General Public License ~ Boston, MA 02110-1301 USA'
Found license 'GNU Lesser General Public License' in '* indicated by the @author tags or express copyright attribution * distributed under license by Red Hat Middleware LLC. * This copyrighted material is made available to anyone wishing to use, modify, * copy, or redistribute it subject to the terms and conditions of the GNU * Lesser General Public License, as published by the Free Software Foundation. * This program is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License * for more details. * You should have received a copy of the GNU Lesser General Public License * Boston, MA 02110-1301 USA * related tasks users must utilize a proprietary API known as'
Found license 'GNU Lesser General Public License' in '~ indicated by the @author tags or express copyright attribution ~ distributed under license by Red Hat Inc. ~ This copyrighted material is made available to anyone wishing to use, modify, ~ copy, or redistribute it subject to the terms and conditions of the GNU ~ Lesser General Public License, as published by the Free Software Foundation. ~ This program is distributed in the hope that it will be useful, ~ but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY ~ or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License ~ for more details. ~ You should have received a copy of the GNU Lesser General Public License ~ Boston, MA 02110-1301 USA'
Found license 'GNU Lesser General Public License' in '* indicated by the @author tags or express copyright attribution * distributed under license by Red Hat, Inc. * This copyrighted material is made available to anyone wishing to use, modify, * copy, or redistribute it subject to the terms and conditions of the GNU * Lesser General Public License, as published by the Free Software Foundation. * This program is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License * for more details. * You should have received a copy of the GNU Lesser General Public License * Boston, MA 02110-1301 USA'

1.398 lucene-sandbox 4.7.2

1.398.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was
derived from unicode conversion examples available at
http://www.unicode.org/Public/PROGRAMS/CVTUTF. Here is the copyright
from those sources:

```
/*
* Copyright 2001-2004 Unicode, Inc.
*
* Disclaimer
*
* This source code is provided as is by Unicode, Inc. No claims are
* made as to fitness for any particular purpose. No warranties of any
* kind are expressed or implied. The recipient agrees to determine
* applicability of information provided. If this file has been
* purchased on magnetic or optical media from Unicode, Inc., the
* sole remedy for any claim
 will be exchange of defective media
* within 90 days of receipt.
*
* Limitations on Rights to Redistribute This Code
*
* Unicode, Inc. hereby grants the right to freely use the information
* supplied in this file in the creation of products supporting the
* Unicode Standard, and to make copies of this file in any form
* for internal or external distribution as long as this notice
* remains attached.
```

*/

Some code in core/src/java/org/apache/lucene/util/ArrayUtil.java was
derived from Python 2.4.2 sources available at
http://www.python.org. Full license is here:

http://www.python.org/download/releases/2.4.2/license/

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was
derived from Python 3.1.2 sources available at
http://www.python.org. Full license is here:

http://www.python.org/download/releases/3.1.2/license/

Some code in core/src/java/org/apache/lucene/util/automaton was
derived from Brics automaton sources available at
www.brics.dk/automaton/.
Here is the copyright from those sources:

/*
* Copyright (c) 2001-2009 Anders Moeller
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
*   derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

The levenshtein automata tables in core/src/java/org/apache/lucene/util/automaton
were automatically generated with the moman/finenight FSA package.
Here is the copyright for those sources:

Copyright (c) 2010, Jean-Philippe Barrette-LaPierre, <jpb@rrette.com>
#
Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including
 without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:
#
The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.
#
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was
derived from ICU (http://www.icu-project.org)
The full license is available
 here:
 http://source.icu-project.org/repos/icu/icu/trunk/license.html

/*
* Copyright (C) 1999-2010, International Business Machines
* Corporation and others. All Rights Reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, and/or sell copies of the
* Software, and to permit persons to whom the Software is furnished to do so,
* provided that the above copyright notice(s) and this permission notice appear
* in all copies of the Software and that both the above copyright notice(s) and
* this permission notice appear in supporting documentation.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR
PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.
* IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE
* LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR
* ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER
* IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
*
* Except as contained in this notice, the name of a copyright holder shall not
* be used in advertising or otherwise to promote the sale, use or other
* dealings in this Software without prior written authorization of the
* copyright holder.
*/

The following license applies to the Snowball stemmers:

Copyright (c) 2001, Dr Martin Porter
Copyright (c) 2002, Richard Boulton
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
* this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* Neither the name of the copyright holders nor the names of its contributors
* may be used to endorse or promote products derived from this software
* without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the KStemmer:

Copyright 2003,

Center for Intelligent Information Retrieval,
University of Massachusetts, Amherst.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

3. The names "Center for Intelligent
Information Retrieval" and
"University of Massachusetts" must not be used to endorse or promote products
derived from this software without prior written permission. To obtain
permission, contact info@ciir.cs.umass.edu.

THIS SOFTWARE IS PROVIDED BY UNIVERSITY OF MASSACHUSETTS AND OTHER CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

The
following license applies to the Morfologik project:

Copyright (c) 2006 Dawid Weiss
Copyright (c) 2007-2011 Dawid Weiss, Marcin Mikowski
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

* Neither the name of Morfologik nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The dictionary comes from Morfologik project. Morfologik uses data from
Polish ispell/myspell dictionary hosted at http://www.sjp.pl/slownik/en/ and
is licenced on the terms of (inter alia) LGPL and Creative Commons
ShareAlike. The part-of-speech tags were added in Morfologik project and
are not found in the data from sjp.pl. The tagset is similar to IPI
PAN
tagset.

The following license applies to the Morfeusz project,
used by org.apache.lucene.analysis.morfologik.

BSD-licensed dictionary of Polish (SGJP)
http://sgjp.pl/morfeusz/

Copyright 2011 Zygmunt Saloni, Wodzimierz Gruszczyski,
Marcin Woliski, Robert Woosz

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the
distribution.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Apache Lucene
Copyright 2014 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Includes software from other Apache Software Foundation projects,
including, but not limited to:
- Apache Ant
- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such
as the Unicode Character Database. See http://unicode.org/copyright.html for more
details.

Brics Automaton (under core/src/java/org/apache/lucene/util/automaton) is
BSD-licensed, created by Anders Mller. See http://www.brics.dk/automaton/

The levenshtein automata tables (under core/src/java/org/apache/lucene/util/automaton) were
automatically generated with the moman/finenight FSA library, created by
Jean-Philippe Barrette-LaPierre.
This library is available under an MIT license,
see http://sites.google.com/site/rrettesite/moman and
http://bitbucket.org/jpbarrette/moman/overview/

The class org.apache.lucene.util.WeakIdentityMap was derived from
the Apache CXF project and is Apache License 2.0.

The Google Code Prettify is Apache License 2.0.
See http://code.google.com/p/google-code-prettify/

JUnit (junit-4.10) is licensed under the Common Public License v. 1.0
See http://junit.sourceforge.net/cpl-v10.html

This product includes code (JaspellTernarySearchTrie) from Java Spelling Checkin
g Package (jaspell): http://jaspell.sourceforge.net/
License: The BSD License (http://www.opensource.org/licenses/bsd-license.php)

The snowball stemmers in
analysis/common/src/java/net/sf/snowball
were developed by Martin Porter and Richard Boulton.
The snowball stopword lists in
analysis/common/src/resources/org/apache/lucene/analysis/snowball
were developed by Martin Porter and Richard Boulton.
The full snowball package
is available from
http://snowball.tartarus.org/

The KStem stemmer in
analysis/common/src/org/apache/lucene/analysis/en
was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst)
under the BSD-license.

The Arabic,Persian,Romanian,Bulgarian, and Hindi analyzers (common) come with a default
stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:
analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt
See http://members.unine.ch/jacques.savoy/clef/index.html.

The German,Spanish,Finnish,French,Hungarian,Italian,Portuguese,Russian and Swedish light stemmers
(common) are based on BSD-licensed reference implementations created
by Jacques Savoy and
Ljiljana Dolamic. These files reside in:
analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java

analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java

The Stempel analyzer (stempel) includes BSD-licensed
 software developed
by the Egothor project http://egothor.sf.net/, created by Leo Galambos, Martin Kvapil,
and Edmond Nolan.

The Polish analyzer (stempel) comes with a default
stopword list that is BSD-licensed created by the Carrot2 project. The file resides
in stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt.
See http://project.carrot2.org/license.html.

The SmartChineseAnalyzer source code (smartcn) was
provided by Xiaoping Gao and copyright 2009 by www.imdict.net.

WordBreakTestUnicode_*.java (under modules/analysis/common/src/test/)
is derived from Unicode data such as the Unicode Character Database.
See http://unicode.org/copyright.html for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software
developed by Dawid Weiss and Marcin Mikowski (http://morfologik.blogspot.com/).

Morfologik uses data from Polish ispell/myspell dictionary
(http://www.sjp.pl/slownik/en/) licenced on the terms of (inter alia)
LGPL and Creative Commons ShareAlike.

Morfologic
 includes data from BSD-licensed dictionary of Polish (SGJP)
(http://sgjp.pl/morfeusz/)

Servlet-api.jar and javax.servlet-*.jar are under the CDDL license, the original
source code for this can be found at http://www.eclipse.org/jetty/downloads.php

==
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration
==

This software includes a binary and/or source version of data from

 mecab-ipadic-2.7.0-20070801

which can be obtained from

 http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz

or

http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz

==========

mecab-ipadic-2.7.0-20070801 Notice

==========

Nara
Institute of Science and Technology (NAIST),
the copyright holders, disclaims all warranties with regard to this
software, including all implied warranties of merchantability and
fitness, in no event shall NAIST be liable for
any special, indirect or consequential damages or any damages
whatsoever resulting from loss of use, data or profits, whether in an
action of contract, negligence or other tortuous action, arising out
of or in connection with the use or performance of this software.

A large portion of the dictionary entries
originate from ICOT Free Software. The following conditions for ICOT
Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its
original form or modified, to any third party or parties, PROVIDED
that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear
on, or be attached to, the Program, which is distributed substantially
in the same form as set out herein and that such intended
distribution,
if actually made, will neither violate or otherwise
contravene any of the laws and regulations of the countries having
jurisdiction over the User or the intended distribution itself.

NO WARRANTY

The program was produced on an experimental basis in the course of the
research and development conducted during the project and is provided
to users as so produced on an experimental basis. Accordingly, the
program is provided without any warranty whatsoever, whether express,
implied, statutory or otherwise. The term "warranty" used herein
includes, but is not limited to, any warranty of the quality,
performance, merchantability and fitness for a particular purpose of
the program and the nonexistence of any infringement or violation of
any right of any third party.

Each user of the program will agree and understand, and be deemed to
have agreed and understood, that there is no warranty whatsoever for
the program and, accordingly, the entire risk arising from or
otherwise connected
with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use, modification, copying and distribution of the program and the production of secondary
products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

1.399 twirl-api 1.1.1

1.399.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.400 rxjava 2.2.10

1.400.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**
* Copyright (c) 2016-present, RxJava Contributors.
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in
* compliance with the License. You may obtain a copy of the License at
* http://www.apache.org/licenses/LICENSE-2.0
* Unless required by applicable law or agreed to in writing, software distributed under the License is
* distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See
* the License for the specific language governing permissions and limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/schedulers/SchedulerRunnableIntrospection.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright (c) 2016-present, RxJava Contributors.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in
* compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is
* distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See
* the License for the specific language governing permissions and limitations under the License.
*/
/*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/util/Pow2.java
*/

Found in path(s):
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/Pow2.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright (c) 2016-present, RxJava Contributors.
*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/SchedulerWhen.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/ScheduledDirectPeriodicTask.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/InstantPeriodicTask.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/AbstractDirectTask.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/ScheduledDirectTask.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright (c) 2016-present, RxJava Contributors.
* <p>
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in
* compliance with the License. You may obtain a copy of the License at
* <p>
* http://www.apache.org/licenses/LICENSE-2.0
* <p>
* Unless required by applicable law or agreed to in writing, software distributed under the License is
* distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See
* the License for the specific language governing permissions and limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableOnBackpressureError.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright (c) 2016-present, RxJava Contributors.

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/schedulers/package-info.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/exceptions/package-info.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/flowables/package-info.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableGroupJoin.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/package-info.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/TrampolineScheduler.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/ComputationScheduler.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subjects/package-info.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/BackpressureOverflowStrategy.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observables/package-info.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observers/package-info.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableJoin.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/disposables/package-info.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/package-info.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/exceptions/CompositeException.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/annotations/package-info.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subscribers/package-

info.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowablePublishMulticast.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/processors/package-info.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/parallel/package-info.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/SchedulerPoolFactory.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/NewThreadScheduler.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/plugins/package-info.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableGroupJoin.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/IoScheduler.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright (c) 2016-present, RxJava Contributors.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in
* compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is
* distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See
* the License for the specific language governing permissions and limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObserverResourceWrapper.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleCache.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableMergeWithCompletable.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/BlockingObservableNext.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subjects/MaybeSubject.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableMergeArray.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableCount.java

* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/parallel/ParallelSortedJoin.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableAnySingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleOnErrorReturn.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableCollectSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableLimit.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/ScheduledRunnable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableSequenceEqualSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/processors/MulticastProcessor.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/MaybeOperator.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/parallel/ParallelReduceFull.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/ConnectConsumer.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeIgnoreElement.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableRetryBiPredicate.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableOnErrorComplete.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableBuffer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/BlockingObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/ArrayListSupplier.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableTakeUntil.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/mixed/ObservableConcatMapMaybe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableSubscribeOn.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeFromFuture.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscriptions/BasicQueueSubscription.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/flowables/GroupedFlowable.java

* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableRefCount.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableInterval.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/SubscriberResourceWrapper.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeCount.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/BlockingFirstObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableSerialized.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeCache.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeToSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableZip.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableSubscribeOn.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableFlatMapMaybe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableBufferExactBoundary.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeContains.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableInternalHelper.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableSkipWhile.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/fuseable/SimplePlainQueue.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableAmb.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableRetryWhen.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableConcatMap.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/InnerQueuedObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableThrottleLatest.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/StrictSubscriber.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/operators/flowable/FlowableWithLatestFromMany.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableFromObservable.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableFilter.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/FlowableSubscriber.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/completable/CompletableHide.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeMap.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/observers/DisposableObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/subscriptions/EmptySubscription.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableSkipLast.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableToListSingle.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeFromSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/observers/FutureSingleObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/completable/CompletableFromPublisher.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableJust.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/completable/CompletableFromObservable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleFlatMap.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeDoOnEvent.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeDelay.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableRange.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/fuseable/SimpleQueue.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeUnsubscribeOn.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableFromIterable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleLift.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/operators/maybe/MaybeCreate.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/parallel/ParallelRunOn.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableWithLatestFromMany.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Function.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableTimeout.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableTakeLastOne.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/parallel/ParallelMapTry.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/observers/DisposableCompletableObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableSequenceEqualSingle.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeTimer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableConcatWithSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/subscribers/QueueDrainSubscriber.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/MaybeEmitter.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Function5.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableSwitchMap.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableScalarXMap.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/completable/CompletableTakeUntilCompletable.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/functions/Functions.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/util/HalfSerializer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableTimeoutTimed.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/Emitter.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/util/QueueDrain.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableConcatMapEager.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/schedulers/NewThreadWorker.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/queue/MpscLinkedQueue.java

*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/fuseable/FuseToMaybe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeUnsafeCreate.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/queue/SpscLinkedArrayQueue.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableCollectSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/fuseable/ScalarCallable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeHide.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableIgnoreElements.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableOnBackpressureLatest.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableDefer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleSubscribeOn.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/BlockingFlowableIterable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/subscribers/DefaultSubscriber.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleFlatMapIterableFlowable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableRangeLong.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/ObservableOnSubscribe.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableBufferBoundary.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableDoOnEach.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/subjects/CompletableSubject.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableReplay.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/mixed/CompletableAndThenPublisher.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/SingleTransformer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableAllSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableDebounceTimed.java

*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/parallel/ParallelMap.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableFlatMapSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/util/EndConsumerHelper.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableHide.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableBufferBoundarySupplier.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableFlatMapCompletableCompletable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleDelayWithPublisher.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeFlatMapSingleElement.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/observers/BlockingBaseObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/completable/CompletableTimer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableBufferExactBoundary.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableIntervalRange.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableSingleSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Function4.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeDoAfterSuccess.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleTakeUntil.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/BiFunction.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowablePublishClassic.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableTake.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/functions/BooleanSupplier.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/parallel/ParallelFlatMap.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/fuseable/HasUpstreamPublisher.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableUnsubscribeOn.java

* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableOnErrorNext.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/mixed/MaybeFlatMapPublisher.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscriptions/BooleanSubscription.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleDelayWithSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableErrorSupplier.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observables/ConnectableObservable.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/AbstractMaybeWithUpstream.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/DeferredScalarSubscriber.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/parallel/ParallelJoin.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subjects/PublishSubject.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableTimer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/BasicFuseableObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableDoFinally.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/plugins/RxJavaPlugins.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeDelayOtherPublisher.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableSingleMaybe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeTimeoutMaybe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableConcatMapEagerPublisher.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableMergeDelayErrorIterable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleFlatMapCompletable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableElementAtMaybe.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeEqualSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/BoundedSubscriber.java

* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observers/ResourceMaybeObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/FlowableEmitter.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableDebounceTimed.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/SingleOperator.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/CompletableTransformer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/SingleObserver.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableAmb.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/ObservableOperator.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableFromArray.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeOnErrorNext.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableBufferTimed.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeLift.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/DisposableLambdaObserver.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/BasicIntQueueDisposable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableFilter.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeTakeUntilPublisher.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleCreate.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableTimeInterval.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/BackpressureHelper.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/NonBlockingThread.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeDelayWithCompletable.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/parallel/ParallelFlowableConverter.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observers/DisposableMaybeObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableLastMaybe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/operators/flowable/FlowableDetach.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/parallel/ParallelFilter.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/mixed/ObservableConcatMapSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableMapNotification.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeMergeArray.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/fuseable/FuseToFlowable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableDoFinally.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableCache.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/completable/CompletableFromAction.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleFlatMapPublisher.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableThrottleFirstTimed.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/disposables/CompositeDisposable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/subscribers/SinglePostCompleteSubscriber.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleObserveOn.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/observers/DeferredScalarDisposable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservablePublish.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableConcatMap.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/subscribers/BlockingSubscriber.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableWindowBoundarySupplier.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowablePublish.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableFromIterable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableReduceMaybe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/exceptions/MissingBackpressureException.java

* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/disposables/ReferenceDisposable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableObserveOn.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscriptions/SubscriptionArbiter.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/flowables/ConnectableFlowable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableFlatMapCompletable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subjects/UnicastSubject.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableEmpty.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableGenerate.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleFromCallable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableFromUnsafeSource.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableCreate.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscriptions/ArrayCompositeSubscription.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/processors/ReplayProcessor.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Function8.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subjects/ReplaySubject.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeMaterialize.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableBlockingSubscribe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/mixed/FlowableConcatMapSingle.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableObserveOn.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/FlowableOperator.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/InnerQueuedSubscriberSupport.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/CompletableOperator.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/mixed/ObservableSwitchMapMaybe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/fuseable/QueueSubscription.java

* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableNever.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableMaterialize.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/parallel/ParallelReduce.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/processors/FlowableProcessor.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableSkipLastTimed.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableCreate.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/BiPredicate.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/annotations/Beta.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/fuseable/QueueFuseable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/VolatileSizeArrayList.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleTimeout.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeFromRunnable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableTimeoutTimed.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observers/ResourceObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/annotations/CheckReturnValue.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/BasicFuseableSubscriber.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableToList.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableInterval.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/BackpressureStrategy.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableSkipUntil.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableJoin.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeFromCompletable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableRange.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observers/DisposableSingleObserver.java

* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/BasicQueueDisposable.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableCache.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/fuseable/HasUpstreamCompletableSource.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableFromCallable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/fuseable/HasUpstreamObservableSource.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableSubscribeOn.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableSamplePublisher.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/BlockingObservableMostRecent.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/processors/BehaviorProcessor.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/Observable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/mixed/ObservableConcatMapCompletable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/annotations/NonNull.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableTakeLastTimed.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/BlockingFlowableNext.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleFlatMapIterableObservable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Function6.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableFlattenIterable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableFromPublisher.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleMaterialize.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableTakeUntilPredicate.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableToFlowable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableFromRunnable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeFlatMapIterableFlowable.java
*

/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeDelaySubscriptionOtherPublisher.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableMap.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/InnerQueuedObserverSupport.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/CompletableOnSubscribe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableWindowTimed.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableError.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/mixed/MaybeFlatMapObservable.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableMap.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableHide.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeToFlowable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeObserveOn.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableDistinctUntilChanged.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableDoFinally.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/IntFunction.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/FlowableOnSubscribe.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableBlockingSubscribe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableConcatArray.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableDetach.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableFlatMap.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscriptions/DeferredScalarSubscription.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableRepeatWhen.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableCountSingle.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/OpenHashSet.java

* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/Completable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableConcatWithMaybe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableToListSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleDoOnSuccess.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleDelay.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableElementAt.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableIntervalRange.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableSkipLast.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/exceptions/UndeliverableException.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleDematerialize.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableZipIterable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/mixed/ObservableSwitchMapCompletable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableFromPublisher.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableAll.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/disposables/EmptyDisposable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableScan.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableCombineLatest.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/MaybeSource.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableRepeat.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleUsing.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/completable/CompletableToSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeConcatIterable.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableUnsubscribeOn.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/operators/flowable/FlowableSequenceEqual.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/BlockingObservableIterable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeConcatArrayDelayError.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/disposables/SubscriptionDisposable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/annotations/SchedulerSupport.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/Observer.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/parallel/ParallelConcatMap.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableDelaySubscriptionOther.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/processors/AsyncProcessor.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subjects/Subject.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/functions/BiConsumer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableIgnoreElementsCompletable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableScan.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/CompletableEmitter.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/completable/CompletableMergeIterable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/SingleOnSubscribe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybePeek.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/completable/CompletableUsing.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/observers/BlockingMultiObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleDoOnError.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleDelayWithCompletable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeDetach.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/observers/FutureObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableSkipWhile.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableTakeUntilPredicate.java

* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeOnErrorReturn.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableTakeWhile.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableDetach.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/mixed/FlowableConcatMapMaybe.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/disposables/ResettableConnectable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/SorterFunction.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableElementAtMaybe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/mixed/MaterializeSingleObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableInternalHelper.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleTimer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/mixed/CompletableAndThenObservable.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/LambdaSubscriber.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableDelay.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableWithLatestFrom.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservablePublishAlt.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableOnErrorReturn.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableCollect.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subjects/AsyncSubject.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observers/BaseTestConsumer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableWithLatestFrom.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/BlockingLastSubscriber.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableDebounce.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/operators/observable/ObservableTimeInterval.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/subscribers/SerializedSubscriber.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/disposables/CancellableDisposable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/CompletableSource.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableMergeWithMaybe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableAutoConnect.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableLift.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/observers/CallbackCompletableObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableBufferTimed.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableSampleWithObservable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/mixed/FlowableSwitchMapSingle.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/processors/PublishProcessor.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/disposables/Disposable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/schedulers/Schedulers.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/util/LinkedArrayList.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/completable/CompletableMergeDelayErrorArray.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/observables/GroupedObservable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableScanSeed.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableAutoConnect.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/completable/CompletableDoOnEvent.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableOnBackpressureBufferStrategy.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableConcatWithSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableWindow.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/operators/flowable/FlowableTimeout.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeToObservable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/subscriptions/AsyncSubscription.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableDebounce.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeJust.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/functions/LongConsumer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeUsing.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableOnErrorReturn.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/exceptions/Exceptions.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableThrottleLatest.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableCount.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/completable/CompletableError.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleError.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleUnsubscribeOn.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableElementAt.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/parallel/ParallelFilterTry.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableAnySingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/completable/CompletableConcat.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/FlowableTransformer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableRepeatWhen.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/observers/ConsumerSingleObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/completable/CompletableMerge.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleDelayWithObservable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/CompletableObserver.java

* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableResumeNext.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleDetach.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeZipArray.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/QueueDrainObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/ObservableQueueDrain.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableCache.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableFromArray.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableSampleTimed.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/ForEachWhileObserver.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableMergeWithCompletable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/processors/SerializedProcessor.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/BlockingFlowableLatest.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/CompletableConverter.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/FutureSubscriber.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableReplay.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/disposables/ListCompositeDisposable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleToFlowable.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/annotations/Experimental.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeFlatMapCompletable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableToObservable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleHide.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/AbstractObservableWithUpstream.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/operators/completable/CompletableConcatIterable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableAmb.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/util/BlockingIgnoringReceiver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleMap.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/observers/BiConsumerSingleObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/Single.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableWindowBoundary.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableSkipLastTimed.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/mixed/FlowableConcatMapCompletable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/observers/TestObserver.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableBufferBoundary.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/BlockingObservableLatest.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableTake.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableDoOnLifecycle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/schedulers/SchedulerMultiWorkerSupport.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableReduceMaybe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableLastMaybe.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/parallel/ParallelFromPublisher.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/exceptions/ProtocolViolationException.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/subjects/SerializedSubject.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/subjects/BehaviorSubject.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeIsEmpty.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/util/AppendOnlyLinkedArrayList.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/operators/flowable/FlowableOnBackpressureBuffer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableDelaySubscriptionOther.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableElementAtSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/parallel/ParallelPeek.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/parallel/ParallelTransformer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/disposables/SerialDisposable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/util/BlockingHelper.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeTakeUntilMaybe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableRepeatUntil.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableRefCount.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Consumer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleZipIterable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/ObservableConverter.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableReduceSeedSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/schedulers/ExecutorScheduler.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservablePublishClassic.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/Notification.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeFlatMapBiSelector.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/observers/EmptyCompletableObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/completable/CompletableFromCallable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableAllSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Function7.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableTakePublisher.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableTakeLast.java
*

/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/annotations/BackpressureKind.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observers/DefaultObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/QueueDrainHelper.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/NotificationLite.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableSampleTimed.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Function9.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableConcatMapPublisher.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableDelay.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableFromUnsafeSource.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableTakeLastTimed.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableObserveOn.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subjects/SingleSubject.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableDisposeOn.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/AbstractFlowableWithUpstream.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableUsing.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleJust.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableAny.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeDoOnTerminate.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/SubscriberCompletableObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableScalarXMap.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableConcatArray.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableFlattenIterable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeFromAction.java
*

/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableWindowBoundary.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/functions/ObjectHelper.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableDistinct.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableError.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableEmpty.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/LambdaObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscriptions/SubscriptionHelper.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableMergeWithSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableThrottleFirstTimed.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/disposables/DisposableHelper.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableCountSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableNever.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/fuseable/FuseToObservable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletablePeek.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableElementAtSingle.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableMaterialize.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableGroupBy.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableDefer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleEquals.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeTimeoutPublisher.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/fuseable/package-info.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowablePublishAlt.java
*

/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/SingleEmitter.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/fuseable/HasUpstreamMaybeSource.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/mixed/ObservableSwitchMapSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableReduceSeedSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleFlatMapMaybe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/Scheduler.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableFlatMapCompletableCompletable.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/schedulers/TestScheduler.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/MergerBiFunction.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableWindowTimed.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableDematerialize.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/ResumeSingleObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableEmpty.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/parallel/ParallelFailureHandling.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableRetryBiPredicate.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/Maybe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableWindowBoundarySelector.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableDematerialize.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/ListAddBiConsumer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleDoFinally.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/ErrorMode.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleNever.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observers/SafeObserver.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeConcatArray.java

* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableRetryPredicate.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableTakeLastOne.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observers/ResourceSingleObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableAndThenCompletable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/ImmediateThinScheduler.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleDoOnEvent.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleToObservable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableSerialized.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableToList.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleDoAfterSuccess.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleDoOnSubscribe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableJust.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/MaybeConverter.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/BlockingFirstSubscriber.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/ForEachWhileSubscriber.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableAll.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleDoOnTerminate.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleResumeNext.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeFlatten.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/DeferredScalarObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservablePublishSelector.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableFlatMapPublisher.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableRangeLong.java

* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/SingleScheduler.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/parallel/ParallelDoOnNextTry.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/disposables/Disposables.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/queue/SpscArrayQueue.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeIsEmptySingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableFromFuture.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subscribers/TestSubscriber.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableGenerate.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableWindowBoundarySupplier.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeDoFinally.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/exceptions/OnErrorNotImplementedException.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subscribers/SafeSubscriber.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscriptions/BasicIntQueueSubscription.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/parallel/ParallelFromArray.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observers/LambdaConsumerIntrospection.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableMergeWithMaybe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeSwitchIfEmptySingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableBuffer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableCollect.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableDoOnEach.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/processors/UnicastProcessor.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observers/ResourceCompletableObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/operators/observable/ObservableDoAfterNext.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Function3.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableMapPublisher.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleDefer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableDelay.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/util/AtomicThrowable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/completable/CompletableFromSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableConcatWithCompletable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableScanSeed.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableSingleMaybe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableCombineLatest.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/annotations/BackpressureSupport.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleAmb.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/schedulers/Timed.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableReduce.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeFlatMapSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableTakeUntil.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/subscriptions/ScalarSubscription.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/completable/CompletableLift.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/ObservableEmitter.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/completable/CompletableTimeout.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableOnBackpressureDrop.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/util/SuppressAnimalSniffer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/operators/flowable/FlowableRepeat.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleDoAfterTerminate.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableWindowBoundarySelector.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableConcatMapEager.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableFlatMapSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableFlatMapCompletable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeAmb.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableZipIterable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/MaybeTransformer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeFlatMapIterableObservable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableMergeWithSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/BlockingFlowableMostRecent.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/ObservableSource.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/SingleConverter.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/schedulers/DisposeOnCancel.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableSwitchMap.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableSingleSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeErrorCallable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/disposables/ActionDisposable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeError.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleFromPublisher.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeZipIterable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Predicate.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableLift.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeSwitchIfEmpty.java

* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/EmptyComponent.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableIgnoreElementsCompletable.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableNever.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableDistinct.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableSkip.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableSequenceEqual.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/annotations/Nullable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/disposables/RunnableDisposable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/ObservableTransformer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subscribers/ResourceSubscriber.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/InnerQueuedSubscriber.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableFromFuture.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableRepeatUntil.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/MaybeObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableRetryWhen.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleFromUnsafeSource.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleDoOnDispose.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableLastSingle.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/disposables/DisposableContainer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableConcatWithCompletable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableLastSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeCallbackObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observers/SerializedObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/operators/single/SingleInternalHelper.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/subscribers/BlockingBaseSubscriber.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableSkip.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Action.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeFilterSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableDoOnLifecycle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/schedulers/RxThreadFactory.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableSkipUntil.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Cancellable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableUsing.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/fuseable/HasUpstreamSingleSource.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeSubscribeOn.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableFromCallable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/fuseable/ConditionalSubscriber.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableZip.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/disposables/ArrayCompositeDisposable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/mixed/ScalarXMapZHelper.java
*
/opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableTakeWhile.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableGroupBy.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/mixed/SingleFlatMapObservable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleContains.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableMapNotification.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableBufferBoundarySupplier.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/mixed/FlowableSwitchMapCompletable.java

*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeFilter.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/util/HashMapSupplier.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/parallel/ParallelCollect.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/SingleSource.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/subscribers/BasicFuseableConditionalSubscriber.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableTakeLast.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeOnErrorComplete.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeIgnoreElementCompletable.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableTimer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeDefer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableDistinctUntilChanged.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/disposables/FutureDisposable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/fuseable/QueueDisposable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableReduceWithSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/observable/ObservableFlatMap.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableMaterialize.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeNever.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeFromCallable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/flowable/FlowableReduceWithSingle.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/single/SingleZipArray.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/util/ExceptionHelper.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/operators/maybe/MaybeEmpty.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-
jar/io/reactivex/internal/disposables/SequentialDisposable.java

*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableSwitchIfEmpty.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/BlockingLastObserver.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/MaybeOnSubscribe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableRetryPredicate.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableWindow.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableIgnoreElements.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableSwitchIfEmpty.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/Flowable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableConcatWithMaybe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subscribers/DisposableSubscriber.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableOnErrorNext.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableAny.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeToPublisher.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableDoAfterNext.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeFlatMapNotification.java
*
 /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableCreate.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableFlatMapMaybe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/parallel/ParallelFlowable.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableDefer.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/mixed/FlowableSwitchMapMaybe.java
* /opt/cola/permits/1277961268_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/FlowableConverter.java

1.401 http4s-client 0.20.23

1.401.1 Available under license :

* The Font Awesome font is licensed under the SIL OFL 1.1:
 * http://scripts.sil.org/OFL
* Font Awesome CSS, LESS, and Sass files are licensed under the MIT License:
 * https://opensource.org/licenses/mit-license.html
* The Font Awesome documentation is licensed under the CC BY 3.0 License:
 * http://creativecommons.org/licenses/by/3.0/
* Attribution is no longer required as of Font Awesome 3.0, but much appreciated:
 * Font Awesome by Dave Gandy - http://fontawesome.io
* Full details: http://fontawesome.io/license/
The MIT License (MIT)

Copyright (c) 2011-2017 Twitter, Inc.
Copyright (c) 2011-2017 The Bootstrap Authors

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
 TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
http4s
Copyright 2013-2021 http4s.org
Licensed under Apache License 2.0 (see LICENSE)

This software contains portions of code derived from akka-http
https://github.com/akka/akka-http
Copyright (C) 2009-2017 Lightbend Inc. <http://www.lightbend.com>
Licensed under Apache License 2.0 (see LICENSE)

This software contains portions of code derived from bootstrap
https://github.com/twbs/bootstrap
Copyright 2011-2017 The Bootstrap Authors
Licensed under the MIT License (see licenses/LICENSE_bootstrap)

This software contains portions of code derived from cats-effect

https://github.com/typelevel/cats-effect
Copyright (c) 2017-2018 The Typelevel Cats-effect Project Developers
Licensed under Apache License 2.0 (see LICENSE)

This software contains portions of code derived from finagle
https://github.com/twitter/finagle
Copyright 2017, Twitter Inc.
Licensed under Apache License 2.0 (see LICENSE)

This software contains portions of code derived from fontello
https://github.com/fontello/fontello
Copyright
(C) 2011 by Vitaly Puzrin
Licensed under the MIT License (see licenses/LICENSE_fontello)

This software contains portions of code derived from font-awesome
https://github.com/FortAwesome/Font-Awesome
Font Awesome by Dave Gandy - http://fontawesome.io
Licensed under the SIL OFL 1.1 (see licenses/LICENSE_font-awesome)

This software contains portions of code derived from fs2
https://github.com/functional-streams-for-scala/fs2
Copyright (c) 2013 Paul Chiusano, and respective contributors
Licensed under the MIT License (see licenses/LICENSE_fs2)

This software contains portions of code derived from fs2-http
https://github.com/Spinoco/fs2-http
Copyright (c) 2017 Spinoco
Licensed under the MIT License (see licenses/LICENSE_fs2-http)

This software contains portions of code derived from parboiled2
https://github.com/sirthias/parboiled2
Copyright 2009-2019 Mathias Doenitz
Licensed under the Apache License 2.0 (see LICENSE)

This software contains portions of code derived from rl
https://github.com/scalatra/rl
Copyright
(c) 2011 Mojolly Ltd.
Licensed under BSD-style license (see licenses/LICENSE_rl)

This software contains portions of code derived from shapeless
https://github.com/milessabin/shapeless
Copyright (c) 2013-16 Miles Sabin
Licensed under Apache License 2.0 (see LICENSE)

This software contains portions of code derived from spray
https://github.com/spray/spray

Copyright (C) 2011-2012 spray.io
Based on code copyright (C) 2010-2011 by the BlueEyes Web Framework Team
(http://github.com/jdegoes/blueeyes)
Licensed under Apache License 2.0 (see LICENSE)
The MIT License (MIT)

Copyright (c) 2013 Paul Chiusano, and respective contributors

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
Copyright (c) 2008-2014 Typesafe Inc, Mark Harrah, Grzegorz Kossakowski, Josh Suereth, Indrajit Raychaudhuri,
Eugene Yokota, and other contributors.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
(The MIT License)

Copyright (C) 2011 by Vitaly Puzrin

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

MIT License

Copyright (c) 2017 Spinoco

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH
THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
The MIT License (MIT)
Copyright (c) 2011 Mojolly Ltd.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software
and associated documentation files (the "Software"), to deal in the Software without restriction,
including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the
Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
INCLUDING BUT NOT
LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE
AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE
OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.402 ssl-config-core 0.1.3

1.402.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**

* A very fast and memory efficient class to encode and decode to and from BASE64 in full accordance
* with RFC 2045.

* On Windows XP sp1 with 1.4.2_04 and later ;), this encoder and decoder is about 10 times faster
* on small arrays (10 - 1000 bytes) and 2-3 times as fast on larger arrays (10000 - 1000000 bytes)
* compared to <code>sun.misc.Encoder()/Decoder()</code>.

*
* On byte arrays the encoder is about 20% faster than Jakarta Commons Base64 Codec for encode and
* about 50% faster for decoding large arrays. This implementation is about twice as fast on very small
* arrays (&lt 30 bytes). If source/destination is a <code>String</code> this
* version is about three times as fast due to the fact that the Commons Codec result has to be recoded
* to a <code>String</code> from <code>byte[]</code>, which is very expensive.

*
* This encode/decode algorithm doesn't create any temporary
 arrays as many other codecs do, it only
* allocates the resulting array. This produces less garbage and it is possible to handle arrays twice
* as large as algorithms that create a temporary array. (E.g. Jakarta Commons Codec). It is unknown
* whether Sun's <code>sun.misc.Encoder()/Decoder()</code> produce temporary arrays but since performance
* is quite low it probably does.

*
* The encoder produces the same output as the Sun one except that the Sun's encoder appends
* a trailing line separator if the last character isn't a pad. Unclear why but it only adds to the
* length and is probably a side effect. Both are in conformance with RFC 2045 though.
* Commons codec seem to always att a trailing line separator.

*
* Note!
* The encode/decode method pairs (types) come in three versions with the exact same algorithm and
* thus a lot of code redundancy. This is to not create any temporary arrays for transcoding to/from different
* format
 types. The methods not used can simply be commented out.

*
* There is also a "fast" version of all decode methods that works the same way as the normal ones, but
* har a few demands on the decoded input. Normally though, these fast verions should be used if the source if
* the input is known and it hasn't bee tampered with.

*
* If you find the code useful or you find a bug, please send me a note at base64 @ miginfocom . com.
*
* Licence (BSD):
* ==============
*
* Copyright (c) 2004, Mikael Grev, MiG InfoCom AB. (base64 @ miginfocom . com)
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without modification,
* are permitted provided that the following conditions are met:
* Redistributions of source code must retain the above copyright notice, this list
* of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice, this
* list of conditions and the following

disclaimer in the documentation and/or other
* materials provided with the distribution.
* Neither the name of the MiG InfoCom AB nor the names of its contributors may be
* used to endorse or promote products derived from this software without specific
* prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
* WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
* BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA,
* OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY
* OF SUCH DAMAGE.
*
* @version 2.2
* @author Mikael Grev
* Date: 2004-aug-02
* Time: 11:31:11
*
* Adapted in 2009 by Mathias Doenitz.
*/

Found in path(s):
* /opt/cola/permits/1277961290_1645785760.09/0/ssl-config-core-2-11-0-1-3-sources-jar/com/typesafe/sslconfig/Base64.java

1.403 fs2-io 1.0.5

1.403.1 Available under license :

Contributors

This project is the work of numerous individuals. Names are listed below, ordered alphabetically by last name, along with a brief description of each person's role and contributions.

Each individual maintains their own description, and if you don't see your name listed here, please do open a PR!

Also see the [GitHub contributor stats](https://github.com/functional-streams-for-scala/fs2/graphs/contributors).

- Zainab Ali ([@zainab-ali](https://github.com/zainab-ali)): reactive streams implementation

- Diego Alonso ([@diesalbla](https://github.com/diesalbla): optimised implementation of internal `FreeC` type.
- Paul Chiusano ([@pchiusano](https://github.com/pchiusano)): project founder and maintainer
- Pavel Chlupek ([@pchlupacek](https://github.com/pchlupacek)): concurrency, original implementation of `Append` algebra
- Gary Coady ([@fiadliel](https://github.com/fiadliel)): NIO file implementation, port of compress from scalaz-stream, other minor features
- Fabio Labella
([@SystemFw](https://github.com/SystemFw)): new concurrency scheme with `Ref` + `Deferred`, `compile.resource.`, maintenance
- Alissa Pajer ([@alissapajer](https://github.com/alissapajer)): concurrency bug hunting, features, maintenance
- Daniel Spiewak ([@djspiewak](https://github.com/djspiewak)): concurrency plumbing, bug fixes, performance and correctness obsession
+ Public key (for release signing): [3587 7FB3 2BAE 5960](https://keybase.io/djspiewak)
- Frank S. Thomas ([@fthomas](https://github.com/fthomas)): a lot of `Process1` functions, features, bug fixes, and maintenance
- Rnar . Bjarnason ([@runarorama](https://github.com/runarorama)): Various processes and combinators, circular buffers, compression. I'm an ideas man, Michael.
- Jed Wesley-Smith ([@jedws](https://github.com/jedws)): really very minor tweaks, cleanups and pestering, hardly worth the mention
- Michael Pilquist ([@mpilquist](https://github.com/mpilquist)): 0.9 redesign work, maintenance
- Daniel Urban ([@durban](https://github.com/durban)):
queue peek implementation
- Tamer Abdulradi ([@tabdulradi](https://github.com/tabdulradi)): implementation of scanMap and scanMonoid

The MIT License (MIT)

Copyright (c) 2013 Paul Chiusano, and respective contributors

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

Code in FS2 is derived in part from scodec. The scodec license is as follows:

Copyright (c) 2013-2014, Michael Pilquist and Paul Chiusano
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the scodec team nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code in FS2 is derived in part from Cats. The Cats license is as follows:

Cats Copyright (c) 2015 Erik Osheim.

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including
without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Code in Cats is derived in part from Scalaz. The Scalaz license follows:

Copyright (c) 2009-2014 Tony Morris, Runar Bjarnason, Tom Adams,
Kristian Domagala,
Brad Clow, Ricky Clarkson, Paul Chiusano, Trygve
Laugstl, Nick Partridge, Jason Zaugg. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.404 play-datacommons 2.4.6

1.404.1 Available under license :

This software is licensed under the Apache 2 license, quoted below.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this project except in compliance with
the License. You may obtain a copy of the License at http://www.apache.org/licenses/LICENSE-2.0.

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific
language governing permissions and limitations under the License.
Copyright (c) 2008-2014 Typesafe Inc, Mark Harrah, Grzegorz Kossakowski, Josh Suereth, Indrajit Raychaudhuri, Eugene Yokota, and other contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
  derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

SCALA LICENSE

Copyright (c) 2002-2008 EPFL, Lausanne, unless otherwise specified.
All rights reserved.

This software was developed by the Programming Methods Laboratory of the

Swiss Federal Institute of Technology (EPFL), Lausanne, Switzerland.

Permission to use, copy, modify, and distribute this software in source
or binary form for any purpose with or without fee is hereby granted,
provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

3. Neither the name of the EPFL nor the names of its contributors
   may be used to endorse or promote products derived from this
   software without specific prior written permission.

THIS SOFTWARE
 IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.
Simple Build Tool Launcher
Copyright 2008, 2009, 2010 Mark Harrah, David MacIver
Licensed under BSD-style license (see LICENSE)

Classes from the Scala library are distributed with the launcher.
Copyright 2002-2013 EPFL, Lausanne
Licensed under BSD-style license (see licenses/LICENSE_Scala)

Classes from Apache Ivy, licensed under the Apache License, Version 2.0
(see licenses/LICENSE_Apache) are distributed with the launcher.
It requires the following notice:

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Portions of Ivy were originally developed by
Jayasoft SARL (http://www.jayasoft.fr/)
and are licensed to the Apache Software Foundation under the

"Software Grant License Agreement"

THIS SOFTWARE IS PROVIDED BY THE AUTHORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE
FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.405 cats-effect 1.4.0

1.405.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.406 joda-convert 1.7

1.406.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

==========
= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =
==========
This product includes software developed by
Joda.org (http://www.joda.org/).

1.407 aws-java-sdk 1.11.297

1.407.1 Available under license :

Apache License
Version 2.0, January 2004

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work
and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom
a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

1. You must give any other recipients of the Work or Derivative Works a copy of this License; and
2. You must cause any modified files to carry prominent notices stating that You changed the files; and
3. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution
notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
4. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that
such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any
Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims
asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.
AWS SDK for Java
Copyright 2010-2014 Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by
Amazon Technologies, Inc (http://www.amazon.com/).

****
THIRD PARTY COMPONENTS
****
This software includes third party software subject to the following copyrights:
- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.

The licenses for these third party components are included in LICENSE.txt

1.408 akka-http-core 2.4.3

1.408.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
* A Utf8 -> Utf16 (= Java char) decoder.
*
* This decoder is based on the one of Bjoern Hoehrmann from
*
* http://bjoern.hoehrmann.de/utf-8/decoder/dfa/
*
* which is licensed under this license:
*
* Copyright (C) 2008-2016 Bjoern Hoehrmann <bjoern@hoehrmann.de>
*
* Permission is hereby granted, free of charge, to any person obtaining a
* copy of this software and associated documentation files (the "Software"),
* to deal in the Software without restriction, including without limitation
* the rights to use, copy, modify, merge, publish, distribute, sublicense,
* and/or sell copies of the Software, and to permit persons to whom the
* Software is furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included
* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
 EXPRESS
* OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY,
* WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*
* INTERNAL API
*/
```

Found in path(s):
* /opt/cola/permits/1277961490_1645786257.94/0/akka-http-core-2-11-2-4-3-sources-jar/akka/http/impl/engine/ws/Utf8Decoder.scala

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2009-2016 Mathias Doenitz, Alexander Myltsev
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
```

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961490_1645786257.94/0/akka-http-core-2-11-2-4-3-sources-jar/akka/http/impl/model/parser/Base64Parsing.scala
* /opt/cola/permits/1277961490_1645786257.94/0/akka-http-core-2-11-2-4-3-sources-jar/akka/http/impl/model/parser/StringBuilding.scala

1.409 akka-stream 2.4.3

1.409.1 Available under license :

This software includes the following components from the Apache Software Foundation, also released under the Apache Software License Version 2.0:

commons-cli-1.1.jar
jakarta-oro-2.0.8.jar
log4j-1.2.15.jar

The following components are covered under different licenses:

jline-0.9.94.jar (LICENSE-JLINE)
One-Jar (LICENSE-ONEJAR)
Java/Tcl v1.3.3 (LICENSE-TCLJAVA,-2,-3,-4)

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
The following license terms apply to the Itcl source and
test files located in the src/itcl and tests/itcl directories.

This software is copyrighted by Cadence Design Systems, Inc., and other
parties. The following terms apply to all files associated with the
software unless explicitly disclaimed in individual files.

The authors hereby grant permission to use, copy, modify, distribute,
and license this software and its documentation for any purpose, provided
that existing copyright notices are retained in all copies and that this
notice is included verbatim in any distributions. No written agreement,
license, or royalty fee is required for any of the authorized uses.
Modifications to this software may be copyrighted by their authors
and need not follow the licensing terms described here, provided that
the new terms are clearly indicated on the first page of each file where
they apply.

IN NO EVENT SHALL THE AUTHORS OR DISTRIBUTORS BE LIABLE TO ANY PARTY
FOR DIRECT, INDIRECT, SPECIAL,
INCIDENTAL, OR CONSEQUENTIAL DAMAGES
ARISING OUT OF THE USE OF THIS SOFTWARE, ITS DOCUMENTATION, OR ANY
DERIVATIVES THEREOF, EVEN IF THE AUTHORS HAVE BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

THE AUTHORS AND DISTRIBUTORS SPECIFICALLY DISCLAIM ANY WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT. THIS SOFTWARE
IS PROVIDED ON AN "AS IS" BASIS, AND THE AUTHORS AND DISTRIBUTORS HAVE

NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

GOVERNMENT USE: If you are acquiring this software on behalf of the U.S. government, the Government shall have only "Restricted Rights" in the software and related documentation as defined in the Federal Acquisition Regulations (FARs) in Clause 52.227.19 (c) (2). If you are acquiring the software on behalf of the Department of Defense, the software shall be classified as "Commercial Computer Software" and the Government shall
have only "Restricted Rights" as defined in Clause 252.227-7013 (c) (1) of DFARs. Notwithstanding the foregoing, the authors grant the U.S. Government and others acting in its behalf permission to use and distribute the software in accordance with the terms specified in this license.

Following is the original agreement for the Tcl/Tk software from Sun Microsystems.

This software is copyrighted by the Regents of the University of California, Sun Microsystems, Inc., and other parties. The following terms apply to all files associated with the software unless explicitly disclaimed in individual files.

The authors hereby grant permission to use, copy, modify, distribute, and license this software and its documentation for any purpose, provided that existing copyright notices are retained in all copies and that this notice is included verbatim
in any distributions. No written agreement,
license, or royalty fee is required for any of the authorized uses. Modifications to this software may be copyrighted by their authors and need not follow the licensing terms described here, provided that the new terms are clearly indicated on the first page of each file where they apply.

IN NO EVENT SHALL THE AUTHORS OR DISTRIBUTORS BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE, ITS DOCUMENTATION, OR ANY DERIVATIVES THEREOF, EVEN IF THE AUTHORS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE AUTHORS AND DISTRIBUTORS SPECIFICALLY DISCLAIM ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT. THIS SOFTWARE IS PROVIDED ON AN "AS IS" BASIS, AND THE AUTHORS AND DISTRIBUTORS HAVE NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR

MODIFICATIONS.

GOVERNMENT
USE: If you are acquiring this software on behalf of the
U.S. government, the Government shall have only "Restricted Rights"
in the software and related documentation as defined in the Federal
Acquisition Regulations (FARs) in Clause 52.227.19 (c) (2). If you
are acquiring the software on behalf of the Department of Defense, the
software shall be classified as "Commercial Computer Software" and the
Government shall have only "Restricted Rights" as defined in Clause
252.227-7013 (c) (1) of DFARs. Notwithstanding the foregoing, the
authors grant the U.S. Government and others acting in its behalf
permission to use and distribute the software in accordance with the
terms specified in this license.
The following license terms apply to the TJC compiler source
and test files located in the src/tjc, src/tests/tjc, and
tests/tjc directories.

2005 Advanced Micro Devices, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that existing copyright notices
are retained in all copies, this notice is included verbatim in any
distributions, and the terms and conditions hererin are met.

Use of the this software manifests acceptance of the terms of this
license by performance.

The name of Advanced Micro Devices, Inc. may not be used to endorse or
promote products derived from this software without specific prior
written permission.

THIS SOFTWARE IS PROVIDED BY ADVANCED MICRO DEVICES, INC. "AS IS" AND ANY EXPRESS, IMPLIED OR STATUTORY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT, OR THOSE ARISING FROM CUSTOM OF TRADE OR COURSE
OF USAGE ARE DISCLAIMED.

IN NO EVENT SHALL ADVANCED MICRO DEVICES, INC. BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED, AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE ITS DOCUMENTATION OR ANY DERIVATIVES THEREOF, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. BY USING THIS SOFTWARE WITHOUT CHARGE, YOU ACCEPT THIS ALLOCATION OF RISK. THIS

DISCLAIMER OF LIABILITY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. ADVANCED MICRO DEVICES, INC. HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS OF THIS SOFTWARE.

In the redistribution and use of this software, each party shall at all
times comply with all applicable governmental laws,
statutes, ordinances,
rules, regulations, orders, and other requirements, including without
limitation such governmental requirements applicable to environmental
protection, health, safety, wages, hours, equal employment opportunity,
nondiscrimination, working conditions, import or export control, and
transportation. Without limiting the foregoing, each party shall adhere
to the U.S. Export Administration Regulations (EAR), currently found at
15 C.F.R. Sections 730 through 744, and, unless properly authorized by
the U.S. Government, shall not (1) export, re-export or release restricted
technology, software, or source code to a national of a country in Country
Groups D:1 or E:1, or (2) export to Country Groups D:1 or E:1 the direct
product of such technology or software, if such foreign produced direct
product is subject to national security controls as identified on the
Commerce Control List (currently found in Supplement 1 to Section 774 of EAR).
These export requirements shall survive
any expiration or termination
of this agreement.
Business Source License 1.1

Parameters

Licensor: Lightbend, Inc.
Licensed Work: Akka 2.8.x
The Licensed Work is (c) 2022 Lightbend Inc.
Additional Use Grant:
If you develop an application using a version of Play Framework that
utilizes binary versions of akka-streams and its dependencies, you may
use such binary versions of akka-streams and its dependencies in the
development of your application only as they are incorporated into
Play Framework and solely to implement the functionality provided by
Play Framework; provided that, they are only used in the following way:
Connecting to a Play Framework websocket and/or Play Framework
request/response bodies for server and play-ws client.

Change Date: TBD (3 years after 2.8.0 release)

Change License: Apache License, Version 2.0

For information about alternative licensing arrangements for the Software,
please visit: https://lightbend.com/

Business
Source License 1.1

License text copyright (c) 2017 MariaDB Corporation Ab, All Rights Reserved.
Business Source License is a trademark of MariaDB Corporation Ab.

Terms

The Licensor hereby grants you the right to copy, modify, create derivative works, redistribute, and make non-production use of the Licensed Work. The Licensor may make an Additional Use Grant, above, permitting limited production use.

Effective on the Change Date, or the fourth anniversary of the first publicly available distribution of a specific version of the Licensed Work under this License, whichever comes first, the Licensor hereby grants you rights under the terms of the Change License, and the rights granted in the paragraph above terminate.

If your use of the Licensed Work does not comply with the requirements currently in effect as described in this License, you must purchase a commercial license from the Licensor, its affiliated
entities, or authorized
resellers, or you must refrain from using the Licensed Work.

All copies of the original and modified Licensed Work, and derivative works of the Licensed Work, are subject to this License. This License applies separately for each version of the Licensed Work and the Change Date may vary for each version of the Licensed Work released by Licensor.

You must conspicuously display this License on each original or modified copy of the Licensed Work. If you receive the Licensed Work in original or modified form from a third party, the terms and conditions set forth in this License apply to your use of that work.

Any use of the Licensed Work in violation of this License will automatically terminate your rights under this License for the current and all other versions of the Licensed Work.

This License does not grant you any right in any trademark or logo of Licensor or its affiliates (provided that you may use a trademark or logo of Licensor as expressly required
by this License).

TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE LICENSED WORK IS PROVIDED ON AN AS IS BASIS. LICENSOR HEREBY DISCLAIMS ALL WARRANTIES AND CONDITIONS, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, AND TITLE.

MariaDB hereby grants you permission to use this Licenses text to license your works, and to refer to it using the trademark Business Source License, as long as you comply with the Covenants of Licensor below.

Covenants of Licensor

In consideration of the right to use this Licenses text and the Business Source License name and trademark, Licensor covenants to MariaDB, and to all other recipients of the licensed work to be provided by Licensor:

1. To specify as the Change License the GPL Version 2.0 or any later version, or a license that is compatible with GPL Version 2.0 or a later version, where compatible means that software provided under the Change License can

be included in a program with software provided under GPL Version 2.0 or a later version. Licensor may specify additional Change Licenses without limitation.

2. To either: (a) specify an additional grant of rights to use that does not impose any additional restriction on the right granted in this License, as the Additional Use Grant; or (b) insert the text None.

3. To specify a Change Date.

4. Not to modify this License in any other way.
The jmxsh library has been obtained from https://code.google.com/p/jmxsh/ under the Apache License 2.0.
/*
* One-JAR (http://www.simontuffs.com/one-jar). Copyright (c) 2004-2007,
* P. Simon Tuffs (simon@simontuffs.com). All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are met:
*
* Redistributions of source code must retain the above copyright notice, this
* list of conditions and the following disclaimer.
*
* Redistributions in binary form must reproduce the above copyright notice,
* this list of conditions and the following disclaimer in the documentation
* and/or other materials provided with the distribution.
*
* Neither the name of P. Simon Tuffs, nor the names of any contributors,
* nor the name One-JAR may be used to endorse or promote products derived
* from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT
NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
* POSSIBILITY OF SUCH DAMAGE.
*
* Including this file inside the built One-JAR file conforms with these terms.
*/
Copyright (c) 2002-2006, Marc Prud'hommeaux <mwp1@cornell.edu>
All rights reserved.

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the following
conditions are met:

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with
the distribution.

Neither the name of JLine nor the names of its contributors
may be used to endorse or promote products derived from this
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

Apache log4j
Copyright 2007 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
Licenses

Akka License

```
Business Source License 1.1

Parameters

Licensor:             Lightbend, Inc.
Licensed Work:        Akka 2.7.x
                      The Licensed Work is (c) 2022 Lightbend Inc.
Additional Use Grant:
  If you develop an application using a version of Play Framework that
  utilizes binary versions of akka-streams and its dependencies, you may
  use such binary versions of akka-streams and its dependencies in the
  development of your application only as they are incorporated into
  Play Framework and solely to implement the functionality provided by
  Play Framework; provided that, they are only used in the following way:
  Connecting to a Play Framework websocket and/or Play Framework
  request/response bodies for server and play-ws client.

Change Date:          TBD ( 3 years after 2.7.0 release )

Change License:       Apache License, Version 2.0

For information about alternative licensing arrangements for the Software,
please visit:
 https://lightbend.com/

--------------------------------------------------------------------------------

Business Source License 1.1

License text copyright (c) 2017 MariaDB Corporation Ab, All Rights Reserved.
Business Source License is a trademark of MariaDB Corporation Ab.

Terms

The Licensor hereby grants you the right to copy, modify, create derivative
works, redistribute, and make non-production use of the Licensed Work. The
Licensor may make an Additional Use Grant, above, permitting limited
production use.
```

Effective on the Change Date, or the fourth anniversary of the first publicly available distribution of a specific version of the Licensed Work under this License, whichever comes first, the Licensor hereby grants you rights under the terms of the Change License, and the rights granted in the paragraph above terminate.

If your use of the Licensed Work does not comply with the requirements currently in effect as described in this License, you must purchase a commercial license
from the Licensor, its affiliated entities, or authorized resellers, or you must refrain from using the Licensed Work.

All copies of the original and modified Licensed Work, and derivative works of the Licensed Work, are subject to this License. This License applies separately for each version of the Licensed Work and the Change Date may vary for each version of the Licensed Work released by Licensor.

You must conspicuously display this License on each original or modified copy of the Licensed Work. If you receive the Licensed Work in original or modified form from a third party, the terms and conditions set forth in this License apply to your use of that work.

Any use of the Licensed Work in violation of this License will automatically terminate your rights under this License for the current and all other versions of the Licensed Work.

This License does not grant you any right in any trademark or logo of Licensor or its affiliates (provided that you may use a trademark or logo of Licensor
as expressly required by this License).

TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE LICENSED WORK IS PROVIDED ON AN AS IS BASIS. LICENSOR HEREBY DISCLAIMS ALL WARRANTIES AND CONDITIONS, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, AND TITLE.

MariaDB hereby grants you permission to use this Licenses text to license your works, and to refer to it using the trademark Business Source License, as long as you comply with the Covenants of Licensor below.

Covenants of Licensor

In consideration of the right to use this Licenses text and the Business Source License name and trademark, Licensor covenants to MariaDB, and to all other recipients of the licensed work to be provided by Licensor:

1. To specify as the Change License the GPL Version 2.0 or any later version,
or a license that is compatible with GPL Version 2.0 or a later version,
where compatible means that software provided
under the Change License can
be included in a program with software provided under GPL Version 2.0 or a
later version. Licensor may specify additional Change Licenses without
limitation.

2. To either: (a) specify an additional grant of rights to use that does not
impose any additional restriction on the right granted in this License, as
the Additional Use Grant; or (b) insert the text None.

3. To specify a Change Date.

4. Not to modify this License in any other way.
```

## Akka Committer License Agreement

All committers have signed this [CLA](https://www.lightbend.com/contribute/cla).
It can be [signed online](https://www.lightbend.com/contribute/cla).

## Licenses for Dependency Libraries

Each dependency and its license can be seen in the project build file (the comment on the side of each dependency):
@extref[AkkaBuild.scala](github:project/AkkaBuild.scala#L1054)
SUN MICROSYSTEMS, INC. THROUGH ITS SUN MICROSYSTEMS LABORATORIES
DIVISION ("SUN") WILL LICENSE THIS SOFTWARE AND THE ACCOMPANYING
DOCUMENTATION TO YOU (a "Licensee") ONLY ON YOUR ACCEPTANCE OF ALL
THE TERMS SET FORTH BELOW.

Sun grants Licensee a non-exclusive, royalty-free right to download,
install, compile, use, copy and distribute the Software, modify or
otherwise create derivative works from the Software (each, a
"Modification") and distribute any Modification in source code and/or
binary code form to its customers with a license agreement containing
these terms and noting that the Software has been modified. The
Software is copyrighted by Sun and other third parties and Licensee
shall retain and reproduce all copyright and other notices presently
on the Software. As between Sun and Licensee, Sun is the sole owner of
all rights in and to the Software other than the limited rights
granted to Licensee herein; Licensee will own its Modifications,
expressly subject to Sun's continuing
ownership of the
Software. Licensee will, at its expense, defend and indemnify Sun and
its licensors from and against any third party claims, including costs
and reasonable attorneys' fees, and be wholly responsible for any
liabilities arising out of or related to Licensee's development, use
```

or distribution of the Software or Modifications. Any distribution of
the Software and Modifications must comply with all applicable United
States export control laws.

THE SOFTWARE IS BEING PROVIDED TO LICENSEE "AS IS" AND ALL EXPRESS OR
IMPLIED CONDITIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT,
ARE DISCLAIMED. IN NO EVENT WILL SUN BE LIABLE HEREUNDER FOR ANY
DIRECT DAMAGES OR ANY INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES OF ANY KIND.
Portions of Jacl and Tcl Blend are
Copyright (c) 1997-1999 The Regents of the University of California.
All rights reserved.

Permission is hereby granted, without written agreement and without
license or royalty fees, to use, copy, modify, and distribute this
software and its documentation for any purpose, provided that the above
copyright notice and the following two paragraphs appear in all copies
of this software.

IN NO EVENT SHALL THE UNIVERSITY OF CALIFORNIA BE LIABLE TO ANY PARTY
FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES
ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF
THE UNIVERSITY OF CALIFORNIA HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

THE UNIVERSITY OF CALIFORNIA SPECIFICALLY DISCLAIMS ANY WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE
PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE UNIVERSITY OF
CALIFORNIA HAS NO OBLIGATION TO
PROVIDE MAINTENANCE, SUPPORT, UPDATES,
ENHANCEMENTS, OR MODIFICATIONS.
Copyright 2008, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner
of the input file used when generating it. This code is not
standalone and requires a support library to be linked with it. This
support library is itself covered by the above license.
/* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000-2002 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*   "This product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this
 acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*   must not be used to endorse or promote products derived from this
*   software without prior written permission. For written

* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/
Apache Commons CLI
Copyright 2001-2007 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).
Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.410 play 2.4.6

1.410.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**
* Copyright (C) 2006 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961396_1645785745.61/0/play-2-10-2-4-6-sources-jar/play/inject/SourceProvider.java

1.411 easymock 4.2

1.411.1 Available under license :

ASM: a very small and fast Java bytecode manipulation framework
Copyright (c) 2000-2011 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer in the
 documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its
 contributors may be used to endorse or promote products derived from
 this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND
 FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
// --
// NOTICE file corresponding to the section 4d of The Apache License,
// Version 2.0, in this case for EasyMock
// --

EasyMock
Copyright 2001-2020 EasyMock contributors

This product includes/uses software(s) developed by 'an unknown organization'
- cglib (https://github.com/cglib/cglib/cglib)
- Dexmaker (https://github.com/droidparts/dexmaker)

This product includes/uses software(s) developed by 'Joe Walnes, Henri Tremblay, Leonardo Mesquita'
- Objenesis (http://objenesis.org)

This product includes/uses software(s) developed by 'OW2' (http://www.ow2.org/)
- asm (http://asm.ow2.io/)

1.412 rxjava-core 0.19.1

1.412.1 Available under license :

No license file was found, but licenses were detected in source scan.

Copyright 2014 Netflix, Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE
2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Found in path(s):
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-
jar/rx/internal/operators/package.html
No license file was found, but licenses were detected in source scan.

/**

* Copyright 2014 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in
* compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is
* distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
or implied. See
* the License for the specific language governing permissions and limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/Observable.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright 2014 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-
jar/rx/internal/operators/OperatorToMultimap.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-
jar/rx/internal/operators/OperatorSkipLast.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-
jar/rx/internal/operators/OperatorSkipLastTimed.java
*
 /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-
jar/rx/schedulers/CachedThreadScheduler.java
No license file was found, but licenses were detected in source scan.

/**
 * Copyright 2014 Netflix, Inc.
 *

```
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not
 * use this file except in compliance with the License. You may obtain a copy of
 * the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorMergeMaxConcurrent.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorMergeMapTransform.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorConcat.java
*
 /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorWindowWithTime.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OnSubscribeMulticastSelector.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorMergeMapPair.java
No license file was found, but licenses were detected in source scan.

```
/**
* Copyright 2014 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Actions.java

No license file was found, but licenses were detected in source scan.

```
/**
* Copyright 2014 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/subscriptions/MultipleAssignmentSubscription.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorSerialize.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/schedulers/ImmediateScheduler.java
*
 /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorObserveOn.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Action1.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorGroupByUntil.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Action2.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/subscriptions/CompositeSubscription.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/plugins/RxJavaObservableExecutionHook.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/plugins/RxJavaDefaultSchedulers.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorTakeLast.java
*
 /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/observers/SafeSubscriber.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorTake.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OnSubscribeRange.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorParallelMerge.java

* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Action0.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorThrottleFirst.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorMaterialize.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorRepeat.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/exceptions/OnErrorNotImplementedException.java
*
 /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorFilter.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/Scheduler.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/subjects/Subject.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/plugins/RxJavaErrorHandlerDefault.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/subjects/TestSubject.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorTimeout.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OnSubscribeAmb.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/Observer.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Action5.java
*
 /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Func7.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/schedulers/NewThreadScheduler.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/BlockingOperatorToIterator.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/observers/TestSubscriber.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/BlockingOperatorLatest.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/exceptions/Exceptions.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/schedulers/TrampolineScheduler.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/schedulers/package-info.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorTimeoutBase.java
*
 /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorToObservableList.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Action.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OnSubscribeDelay.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Func9.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Func0.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OnSubscribeUsing.java

* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/Subscription.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OnSubscribeFromIterable.java
*
 /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorDematerialize.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/package-info.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorZipIterable.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/subscriptions/BooleanSubscription.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/subjects/BehaviorSubject.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/schedulers/TestScheduler.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/exceptions/OnErrorThrowable.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/observers/EmptyObserver.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/plugins/RxJavaObservableExecutionHookDefault.java
*
 /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorSingle.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/schedulers/Schedulers.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OnSubscribeToObservableFuture.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Action8.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorMap.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/subjects/AsyncSubject.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/observables/BlockingObservable.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/observers/SerializedObserver.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Func8.java
*
 /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/subjects/PublishSubject.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Action3.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Action9.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/exceptions/OnErrorFailedException.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OnSubscribeJoin.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/BlockingOperatorNext.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorAll.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorTakeLastTimed.java
*

/opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/observables/GroupedObservable.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OnSubscribeDefer.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Func6.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/FuncN.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Functions.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/exceptions/CompositeException.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Not.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Func5.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorAny.java
*
/opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorMerge.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/Notification.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/plugins/RxJavaPlugins.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/BufferUntilSubscriber.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorToObservableSortedList.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/ActionN.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorSkip.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Action6.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorTimeoutWithSelector.java
*
/opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/BlockingOperatorToFuture.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OnSubscribeCache.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/plugins/RxJavaDefaultSchedulersDefault.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/observers/Subscribers.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/schedulers/EventLoopsScheduler.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/subjects/ReplaySubject.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorSequenceEqual.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/schedulers/SleepingAction.java
*
/opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Action4.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorTakeWhile.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-

jar/rx/internal/operators/OperatorOnErrorFlatMap.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorElementAt.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorToMap.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorPivot.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorAsObservable.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/schedulers/TimeInterval.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorCast.java
*
/opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OnSubscribeGroupJoin.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/BlockingOperatorMostRecent.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/subscriptions/Subscriptions.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorTimestamp.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorOnErrorResumeNextViaFunction.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/util/SubscriptionList.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/schedulers/GenericScheduledExecutorService.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/observers/Observers.java
*
/opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Func3.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorReplay.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/observers/SerializedSubscriber.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorTimeInterval.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/Subscriber.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Func1.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorSubscribeOn.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorParallel.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorTakeUntil.java
*
/opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Func2.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorRetry.java

* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/observers/TestObserver.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/NotificationLite.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorZip.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorDoOnEach.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Func4.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/subscriptions/RefCountSubscription.java
*
 /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Action7.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorUnsubscribeOn.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/observables/ConnectableObservable.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorScan.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/plugins/RxJavaErrorHandler.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorSkipWhile.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/schedulers/Timestamped.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/subscriptions/SerialSubscription.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/functions/Function.java
No license file was found, but licenses were detected in source scan.

====

Copyright 2014 Netflix, Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

====

This package "rx.internal.operators" is for internal implementation details and can change at any time.

It is excluded from the public Javadocs (http://netflix.github.io/RxJava/javadoc/) and should not be relied upon by any code.

In short, changes to public signatures of these classes will not be accounted for in the versioning of RxJava.

Found in path(s):
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/README.md
No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2014 Netflix, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/subjects/SubjectSubscriptionManager.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorMergeDelayError.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorGroupBy.java
No license file was found, but licenses were detected in source scan.

```
/**
* Copyright 2014 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
```

*/

Found in path(s):
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorOnErrorResumeNextViaObservable.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorDistinct.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorWindowWithSize.java
*
 /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorDistinctUntilChanged.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorBufferWithTime.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorDebounceWithTime.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorOnErrorReturn.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorBufferWithStartEndObservable.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/util/PaddedAtomicInteger.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/schedulers/NewThreadWorker.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorDefaultIfEmpty.java
*
 /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorSkipTimed.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorBufferWithSingleObservable.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/util/RxThreadFactory.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorWindowWithStartEndObservable.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorRetryWithPredicate.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OnSubscribeTimerOnce.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorSampleWithTime.java
*
 /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/util/MpscPaddedQueue.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/schedulers/ScheduledAction.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/schedulers/ExecutorScheduler.java

* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorSkipUntil.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OnSubscribeTimerPeriodically.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorSwitch.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorSampleWithObservable.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorDebounceWithSelector.java
*
 /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorFinally.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OnSubscribeRefCount.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorOnExceptionResumeNextViaObservable.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorWindowWithObservable.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OnSubscribeCombineLatest.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorMulticast.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OnSubscribeDelaySubscription.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OnSubscribeDelayWithSelector.java
*
 /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorTakeTimed.java
* /opt/cola/permits/1277961151_1645785796.32/0/rxjava-core-0-19-1-sources-jar/rx/internal/operators/OperatorBufferWithSize.java

1.413 build-link 2.4.6

1.413.1 Available under license :

Apache-2.0

1.414 jetty-java-based-http-1-x-http-2-servlet-websocket-server 9.1.1.v20140108

1.414.1 Available under license :

No license file was found, but licenses were detected in source scan.

<p>The Eclipse Foundation makes available all content in this plug-in ("Content"). The Content is dual

licensed and is provided to you under the terms and conditions of the Eclipse Public License Version 1.0 ("EPL") as well as the Apache Software License Version 2.0. A copy of the EPL is available at http://www.eclipse.org/legal/epl-v10.html. A copy of the ASL is available at http://www.apache.org/licenses/LICENSE-2.0.html. For purposes of the EPL, "Program" will mean the Content.</p>
Permission to use, copy, modify and distribute UnixCrypt
granted provided that the copyright notice appears in all copies.</p>

Found in path(s):
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/about.html
No license file was found, but licenses were detected in source scan.

// All rights reserved. This program and the accompanying materials
// are made available under the terms of the Eclipse Public License v1.0
// and Apache License v2.0 which accompanies this distribution.
// The Eclipse Public License is available at
// The Apache License v2.0 is available at
// You may elect to redistribute this code under either of these licenses.
//Equivalent to //<user-data-constraint><transport-guarantee>CONFIDENTIAL</transport-guarantee></user-data-constraint>

Found in path(s):
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/ConstraintSecurityHandler.java
No license file was found, but licenses were detected in source scan.

// All rights reserved. This program and the accompanying materials
// are made available under the terms of the Eclipse Public License v1.0
// and Apache License v2.0 which accompanies this distribution.
// The Eclipse Public License is available at
// The Apache License v2.0 is available at
// You may elect to redistribute this code under either of these licenses.

Found in path(s):
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/RunAsToken.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/authentication/LoginAuthenticator.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/authentication/LoginCallbackImpl.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/authentication/DigestAuthenticator.java
*
 /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/SpnegoLoginService.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/HashCrossContextPsuedoSession.java

* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/MappedLoginService.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/IdentityService.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/AbstractUserAuthentication.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/DefaultIdentityService.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/SpnegoUserPrincipal.java
*
 /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/authentication/SessionAuthentication.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/authentication/SpnegoAuthenticator.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/CrossContextPsuedoSession.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/LoginService.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/authentication/DeferredAuthentication.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/ConstraintAware.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/DefaultAuthenticatorFactory.java
*
 /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/authentication/package-info.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/DefaultUserIdentity.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/authentication/LoginCallback.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/SecurityHandler.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/RoleRunAsToken.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/UserDataConstraint.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/SpnegoUserIdentity.java
*
 /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/package-info.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/authentication/FormAuthenticator.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/authentication/BasicAuthenticator.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-

jar/org/eclipse/jetty/security/authentication/ClientCertAuthenticator.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/ServerAuthException.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/JDBCLoginService.java
*
/opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/ConstraintMapping.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/Authenticator.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/HashLoginService.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/UserAuthentication.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/PropertyUserStore.java
* /opt/cola/permits/1277961253_1649800632.48/0/jetty-security-9-1-1-v20140108-sources-jar/org/eclipse/jetty/security/RoleInfo.java

1.415 antlr 2.7.6

1.415.1 Available under license :

BSD-3-Clause

1.416 mime-streaming-extension 1.9.5

1.416.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Export-Package: org.jvnet.mimepull;version="1.9.5"
Implementation-Title: MIME streaming extension
Implementation-Version: 1.9.5
Built-By: ishudson
Tool: Bnd-0.0.311
Bundle-Name: MIME streaming extension
Created-By: 1.6.0_85 (Sun Microsystems Inc.)
Bundle-Vendor: Oracle Corporation
Implementation-Vendor: Oracle Corporation
Implementation-Vendor-Id: org.jvnet.mimepull
Bundle-Version: 1.9.5
Build-Jdk: 1.6.0_85
Bnd-LastModified: 1426244821181
Implementation-Build-Id: tags/mimepull-1.9.5-213, 2015-03-13T11:06:58+
0000
Bundle-ManifestVersion: 2

Bundle-Description: Provides a streaming API to access attachments par
ts in a MIME message.
Bundle-License: https://glassfish.java.net/public/CDDL+GPL_1_1.html, h
ttps://glassfish.java.net/public/CDDL+GPL_1_1.html
Bundle-SymbolicName: org.jvnet.mimepull
Import-Package: org.jvnet.mimepull;version="1.9"
Bundle-DocURL: http://www.oracle.com/
Archiver-Version:
 Plexus Archiver

Found in path(s):
* /opt/cola/permits/1277961150_1674825123.982458/0/mimepull-1-9-5-jar/META-INF/MANIFEST.MF
No license file was found, but licenses were detected in source scan.

<!--

  DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

  Copyright (c) 2012-2013 Oracle and/or its affiliates. All rights reserved.

  The contents of this file are subject to the terms of either the GNU
  General Public License Version 2 only ("GPL") or the Common Development
  and Distribution License("CDDL") (collectively, the "License"). You
  may not use this file except in compliance with the License. You can
  obtain a copy of the License at
  http://glassfish.java.net/public/CDDL+GPL_1_1.html
  or packager/legal/LICENSE.txt. See the License for the specific
  language governing permissions and limitations under the License.

  When distributing the software, include this License Header Notice in each
  file and include the License file at packager/legal/LICENSE.txt.

  GPL Classpath Exception:
  Oracle designates this particular file as subject to the "Classpath"

 exception as provided by Oracle in the GPL Version 2 section of the License
  file that accompanied this code.

  Modifications:
  If applicable, add the following below the License Header, with the fields
  enclosed by brackets [] replaced by your own identifying information:
  "Portions Copyright [year] [name of copyright owner]"

  Contributor(s):
  If you wish your version of this file to be governed by only the CDDL or
  only the GPL Version 2, indicate your decision by adding "[Contributor]
  elects to include this software in this distribution under the [CDDL or GPL
  Version 2] license." If you don't indicate a single choice of license, a

recipient has the option to distribute your version of this file under
either the CDDL, the GPL Version 2 or to extend the choice of license to
its licensees as provided above. However, if you add GPL Version 2 code
and therefore, elected the GPL Version 2 license, then the option applies
only if the new
code is made subject to such option by the copyright
holder.

-->

Found in path(s):
* /opt/cola/permits/1277961150_1674825123.982458/0/mimepull-1-9-5-jar/META-INF/maven/org.jvnet.mimepull/mimepull/pom.xml

1.417 powermock-module-testng 2.0.7

1.417.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961475_1645786291.04/0/powermock-module-testng-2-0-7-sources-jar/org/powermock/modules/testng/internal/PowerMockExpectedExceptionsExtractorImpl.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1277961475_1645786291.04/0/powermock-module-testng-2-0-7-sources-jar/org/powermock/modules/testng/internal/TestNGMockClassLoaderFactory.java
* /opt/cola/permits/1277961475_1645786291.04/0/powermock-module-testng-2-0-7-sources-jar/org/powermock/modules/testng/internal/TestClassInstanceFactory.java
*
 /opt/cola/permits/1277961475_1645786291.04/0/powermock-module-testng-2-0-7-sources-jar/org/powermock/modules/testng/internal/Assumes.java
* /opt/cola/permits/1277961475_1645786291.04/0/powermock-module-testng-2-0-7-sources-jar/org/powermock/modules/testng/internal/PowerMockClassloaderObjectFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2009 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961475_1645786291.04/0/powermock-module-testng-2-0-7-sources-jar/org/powermock/modules/testng/internal/PowerMockTestNGMethodHandler.java
* /opt/cola/permits/1277961475_1645786291.04/0/powermock-module-testng-2-0-7-sources-jar/org/powermock/modules/testng/PowerMockObjectFactory.java
*
 /opt/cola/permits/1277961475_1645786291.04/0/powermock-module-testng-2-0-7-sources-jar/org/powermock/modules/testng/internal/TestNGMethodFilter.java

1.418 play-exceptions 2.4.6

1.418.1 Available under license :

Apache-2.0

1.419 mockito v2.28.2

1.419.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
====
Copyright (c) 2016 Mockito contributors
This program is made available under the terms of the MIT License.
====

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean
any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor
or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such
Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License
for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute

must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your
own copyright statement to Your modifications and
may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any
other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.
The MIT License

Copyright (c) 2007 Mockito contributors

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.420 blaze-http 0.14.12

1.420.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.421 dependency-check-core 1.4.3

1.421.1 Available under license :

H2 License - Version 1.0

1. Definitions

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a
work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

1.9.a. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

1.9.b. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. Source Code License

2.1. The Initial Developer Grant

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

2.1.a. under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

2.1.b. under Patents Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

2.1.c. the licenses granted in this Section 2.1 (a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

2.1.d. Notwithstanding Section 2.1 (b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

2.2. Contributor Grant

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

2.2.a. under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

2.2.b. under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions

thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

2.2.c. the licenses granted in Sections 2.2 (a) and 2.2 (b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

2.2.c. Notwithstanding Section 2.2 (b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third
party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

3. Distribution Obligations

3.1. Application of License

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional
rights described in Section 3.5.

3.2. Availability of Source Code

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

3.3. Description of Modifications

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code
and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

3.4. Intellectual Property Matters

3.4.a. Third Party Claims: If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must

include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

3.4.b. Contributor APIs: If Contributor's Modifications include an application programming interface and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the legal file.

3.4.c. Representations: Contributor represents that, except as disclosed pursuant to Section 3.4 (a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

3.5. Required Notices

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.6. Distribution of Executable Versions

You may distribute Covered Code in Executable form only if the requirements of Sections 3.1, 3.2, 3.3, 3.4 and 3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.7. Larger Works

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You
must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the legal file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

6. Versions of the License.

6.1. New Versions

The H2 Group may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

6.2. Effect of New Versions

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You
may also choose to use such Covered Code under the terms of any subsequent version of the License published by the H2 Group. No one other than the H2 Group has the right to modify the terms applicable to Covered Code created under this License.

6.3. Derivative Works

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must (a) rename Your license so that the phrases "H2 Group", "H2" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the H2 License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

7. Disclaimer of Warranty

Covered code is provided under this
license on an "as is" basis, without warranty of any kind, either expressed or implied, including, without limitation, warranties that the covered code is free of defects, merchantable, fit for a particular purpose or non-infringing. The

entire risk as to the quality and performance of the covered code is with you. Should any covered code prove defective in any respect, you (not the initial developer or any other contributor) assume the cost of any necessary servicing, repair or correction. This disclaimer of warranty constitutes an essential part of this license. No use of any covered code is authorized hereunder except under this disclaimer.

8. Termination

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

8.2.a. such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

8.2.b. any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

9. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall you, the initial developer, any other contributor, or any distributor of covered code, or any supplier of any of such parties, be liable to any person for any indirect, special, incidental, or consequential damages of any character including, without limitation, damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages.

This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to you.

10. United States Government End Users

The Covered Code is a "commercial item", as that term is defined in 48 C.F.R. 2.101 (October 1995), consisting of "commercial computer software" and "commercial computer software documentation", as such terms are used in 48 C.F.R. 12.212 (September 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

11. Miscellaneous

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision
shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

12. Responsibility
for Claims

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

13. Multiple-Licensed Code

Initial Developer may designate portions of the Covered Code as "Multiple-Licensed". "Multiple-Licensed" means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of this or the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

Exhibit A

Multiple-Licensed under the H2 License, Version 1.0,
and under the Eclipse Public License, Version 1.0
(http://h2database.com/html/license.html).
Initial Developer: H2 Group
Eclipse Public License - Version 1.0
THE ACCOMPANYING

PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means
any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to
sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no

assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder,
each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii)
effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4.
COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this
section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court
requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such

provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from
time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws
of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Export Control Classification Number (ECCN)
As far as we know, the U.S. Export Control Classification Number (ECCN) for this software is 5D002. However, for legal reasons, we can make no warranty that this information is correct. For details, see also the Apache Software Foundation Export Classifications page.
The H2 database engine (http://www.h2database.com/) is dual licensed and available under a modified version of the MPL 1.1 (Mozilla Public License) or under the (unmodified) EPL 1.0 (Eclipse Public License).
An original copy of the license agreement can be found at: http://www.h2database.com/html/license.html
LICENSE
The MITRE Corporation (MITRE) hereby grants you a non-exclusive, royalty-free license to use Common Vulnerabilities and Exposures (CVE) for research, development, and commercial purposes. Any copy you make for such purposes is authorized provided that you reproduce MITREs copyright designation and this license in any such copy.

DISCLAIMERS
ALL DOCUMENTS AND THE INFORMATION CONTAINED THEREIN ARE PROVIDED ON AN "AS IS" BASIS AND THE CONTRIBUTOR, THE ORGANIZATION HE/SHE REPRESENTS OR IS SPONSORED BY (IF ANY), THE MITRE CORPORATION, ITS BOARD OF TRUSTEES, OFFICERS, AGENTS, AND

EMPLOYEES, DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION THEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.
dependency-check

Copyright (c) 2012-2013 Jeremy Long. All Rights Reserved.

The licenses for the software listed below can be found in the META-INF/licenses/[dependency name].

This product includes software developed by The Apache Software Foundation (http://www.apache.org/).

This product includes software developed by Jquery.com (http://jquery.com/).

This product includes software developed by Jonathan Hedley (jsoup.org)

This software contains unmodified binary redistributions for H2 database engine (http://www.h2database.com/), which is dual licensed and available under a modified version of the MPL 1.1 (Mozilla Public License) or under the (unmodified) EPL 1.0 (Eclipse Public License).
An original copy of the license agreement can be found at: http://www.h2database.com/html/license.html

This product includes data from the Common Weakness Enumeration (CWE): http://cwe.mitre.org/

This product downloads and utilizes data from the National Vulnerability Database hosted by NIST: http://nvd.nist.gov/download.cfm

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or

(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Copyright (c) 2012 Joseph McCullough

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
The MIT License

Copyright (c) 2009, 2010, 2011, 2012, 2013 Jonathan Hedley <jonathan@hedley.net>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

<!DOCTYPE html>
<html>
<head prefix="og: http://ogp.me/ns# fb: http://ogp.me/ns/fb# githubog: http://ogp.me/ns/fb/githubog#">

<meta charset='utf-8'>
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>jquery/MIT-LICENSE.txt at master jquery/jquery</title>
<link rel="search" type="application/opensearchdescription+xml" href="/opensearch.xml" title="GitHub" />
<link rel="fluid-icon" href="https://github.com/fluidicon.png" title="GitHub" />
<link rel="apple-touch-icon" sizes="57x57" href="/apple-touch-icon-114.png" />
<link rel="apple-touch-icon" sizes="114x114" href="/apple-touch-icon-114.png" />
<link rel="apple-touch-icon" sizes="72x72" href="/apple-touch-icon-144.png" />
<link rel="apple-touch-icon" sizes="144x144" href="/apple-touch-icon-144.png" />
<link rel="logo" type="image/svg" href="http://github-media-downloads.s3.amazonaws.com/github-logo.svg" />
<link rel="xhr-socket" href="/_sockets">
<meta
name="msapplication-TileImage" content="/windows-tile.png">
<meta name="msapplication-TileColor" content="#ffffff">

<link rel="icon" type="image/x-icon" href="/favicon.ico" />

<meta content="authenticity_token" name="csrf-param" />
<meta content="kz8sXW/szLKoclbP4Wd5qiTa5m4utG9oLQwGBBZVPXk=" name="csrf-token" />

<link href="https://a248.e.akamai.net/assets.github.com/assets/github-3dae77b1344d5de8d1c932d28c3904033713ed8b.css" media="all" rel="stylesheet" type="text/css" />
<link href="https://a248.e.akamai.net/assets.github.com/assets/github2-8700f58b37c27f7b329397f20a75deb70a514871.css" media="all" rel="stylesheet" type="text/css" />

<script src="https://a248.e.akamai.net/assets.github.com/assets/frameworks-c5555a5a962554bd1e804776ae4fd4f37380681f.js" type="text/javascript"></script>
<script src="https://a248.e.akamai.net/assets.github.com/assets/github-3eee932f7d03a83e9ea5a0f591f5db485e1abc05.js" type="text/javascript"></script>

<meta http-equiv="x-pjax-version" content="65ac304df8e204394f40f06a0ee35d0a">

<link data-pjax-transient rel='permalink' href='/jquery/jquery/blob/ebecdac24220cae4671c5a7d8dc16097077dac30/MIT-LICENSE.txt'>
<meta property="og:title" content="jquery"/>
<meta property="og:type" content="githubog:gitrepository"/>
<meta property="og:url" content="https://github.com/jquery/jquery"/>
<meta property="og:image" content="https://secure.gravatar.com/avatar/6906f317a4733f4379b06c32229ef02f?s=420&d=https://a248.e.akamai.net/assets.github.com%2Fimages%2Fgravatars%2Fgravatar-user-420.png"/>
<meta property="og:site_name" content="GitHub"/>
<meta property="og:description" content="jquery - jQuery JavaScript Library"/>
<meta property="twitter:card" content="summary"/>
<meta property="twitter:site" content="@GitHub">

```
  <meta property="twitter:title" content="jquery/jquery"/>

  <meta name="description" content="jquery
- jQuery JavaScript Library" />

 <link href="https://github.com/jquery/jquery/commits/master.atom" rel="alternate" title="Recent Commits to
jquery:master" type="application/atom+xml" />

 </head>


 <body class="logged_in page-blob windows vis-public env-production  ">
  <div id="wrapper">







    <div class="header header-logged-in true">
 <div class="container clearfix">

  <a class="header-logo-invertocat" href="https://github.com/">
 <span class="mega-icon mega-icon-invertocat"></span>
</a>

  <div class="divider-vertical"></div>

    <a href="/notifications" class="notification-indicator tooltipped downwards" title="You have no unread
notifications">
  <span class="mail-status all-read"></span>
 </a>
 <div class="divider-vertical"></div>


    <div class="command-bar js-command-bar  ">
        <form accept-charset="UTF-8" action="/search" class="command-bar-form" id="top_search_form"
method="get">
  <a href="/search/advanced" class="advanced-search-icon tooltipped downwards command-bar-search"
id="advanced_search" title="Advanced search"><span class="mini-icon mini-icon-advanced-search "></span></a>

 <input type="text" data-hotkey="/ s" name="q" id="js-command-bar-field" placeholder="Search or type a
command" tabindex="1" data-username="jeremylong" autocapitalize="off">

 <span class="mini-icon help tooltipped downwards" title="Show command bar help">
  <span class="mini-icon mini-icon-help"></span>
 </span>
```

```
 <input type="hidden" name="ref" value="cmdform">

  <input type="hidden" class="js-repository-name-with-owner" value="jquery/jquery"/>
  <input type="hidden" class="js-repository-branch" value="master"/>
  <input type="hidden" class="js-repository-tree-sha" value="52111d91a7cb51898f3548cb37c5e7dda3ac7d6f"/>

 <div class="divider-vertical"></div>
</form>
      <ul class="top-nav">
        <li class="explore"><a href="https://github.com/explore">Explore</a></li>
         <li><a href="https://gist.github.com">Gist</a></li>
        <li><a href="/blog">Blog</a></li>
       <li><a href="http://help.github.com">Help</a></li>
      </ul>
    </div>




  <ul id="user-links">
    <li>
      <a href="https://github.com/jeremylong" class="name">
        <img height="20"
src="https://secure.gravatar.com/avatar/46ac8812f5faccc721c4f198dce688be?s=140&amp;d=https://a248.e.akamai.
net/assets.github.com%2Fimages%2Fgravatars%2Fgravatar-user-420.png" width="20" /> jeremylong
      </a>
    </li>

      <li>
        <a href="/new" id="new_repo" class="tooltipped downwards" title="Create a new repo">
          <span class="mini-icon mini-icon-create"></span>
        </a>
      </li>

      <li>
        <a href="/settings/profile" id="account_settings"
          class="tooltipped downwards"
          title="Account settings ">
          <span class="mini-icon
 mini-icon-account-settings"></span>
        </a>
      </li>
      <li>
        <a class="tooltipped downwards" href="/logout" data-method="post" id="logout" title="Sign out">
          <span class="mini-icon mini-icon-logout"></span>
        </a>
```

```
      </li>

  </ul>


<div class="js-new-dropdown-contents hidden">
 <ul class="dropdown-menu">
  <li>
    <a href="/new"><span class="mini-icon mini-icon-create"></span> New repository</a>
  </li>
  <li>
     <a href="https://github.com/jquery/jquery/issues/new"><span class="mini-icon mini-icon-issue-
opened"></span> New issue</a>
  </li>
  <li>
  </li>
  <li>
    <a href="/organizations/new"><span class="mini-icon mini-icon-u-list"></span> New organization</a>
  </li>
 </ul>
</div>



 </div>
</div>









        <div class="site hfeed" itemscope itemtype="http://schema.org/WebPage">
    <div class="hentry">


   <div class="pagehead repohead instapaper_ignore readability-menu ">
       <div class="container">
         <div class="title-actions-bar">



<ul class="pagehead-actions">


  <li class="subscription">
```

```
    <form accept-charset="UTF-8" action="/notifications/subscribe" data-autosubmit="true" data-remote="true"
method="post"><div style="margin:0;padding:0;display:inline"><input name="authenticity_token" type="hidden"
value="kz8sXW/szLKoclbP4Wd5qiTa5m4utG9oLQwGBBZVPXk=" /></div>  <input id="repository_id"
name="repository_id" type="hidden" value="167174" />

  <div class="select-menu js-menu-container js-select-menu">
    <span class="minibutton select-menu-button js-menu-target">
      <span class="js-select-button">
        <span class="mini-icon mini-icon-watching"></span>
        Watch
      </span>
    </span>

    <div class="select-menu-modal-holder js-menu-content">
      <div class="select-menu-modal">

 <div class="select-menu-header">
          <span class="select-menu-title">Notification status</span>
          <span class="mini-icon mini-icon-remove-close js-menu-close"></span>
        </div> <!-- /.select-menu-header -->

        <div class="select-menu-list js-navigation-container">

          <div class="select-menu-item js-navigation-item js-navigation-target selected">
            <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
            <div class="select-menu-item-text">
              <input checked="checked" id="do_included" name="do" type="radio" value="included" />
              <h4>Not watching</h4>
              <span class="description">You only receive notifications for discussions in which you participate or are
@mentioned.</span>
              <span class="js-select-button-text hidden-select-button-text">
                <span class="mini-icon mini-icon-watching"></span>
                Watch

          </span>
            </div>
          </div> <!-- /.select-menu-item -->

          <div class="select-menu-item js-navigation-item js-navigation-target ">
            <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
            <div class="select-menu-item-text">
              <input id="do_subscribed" name="do" type="radio" value="subscribed" />
              <h4>Watching</h4>
              <span class="description">You receive notifications for all discussions in this repository.</span>
              <span class="js-select-button-text hidden-select-button-text">
                <span class="mini-icon mini-icon-unwatch"></span>
                Unwatch
              </span>
```

```
          </div>
        </div> <!-- /.select-menu-item -->

        <div class="select-menu-item js-navigation-item js-navigation-target ">
          <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>

          <div class="select-menu-item-text">
            <input id="do_ignore" name="do" type="radio" value="ignore" />
            <h4>Ignoring</h4>
            <span class="description">You do not receive any notifications for discussions in this repository.</span>
            <span class="js-select-button-text hidden-select-button-text">
              <span class="mini-icon mini-icon-mute"></span>
              Stop ignoring
            </span>
          </div>
        </div> <!-- /.select-menu-item -->

      </div> <!-- /.select-menu-list -->

    </div> <!-- /.select-menu-modal -->
  </div> <!-- /.select-menu-modal-holder -->
</div> <!-- /.select-menu -->

</form>
  </li>

  <li class="js-toggler-container js-social-container starring-container ">
    <a href="/jquery/jquery/unstar" class="minibutton js-toggler-target star-button starred upwards" title="Unstar this repo" data-remote="true" data-method="post"
 rel="nofollow">
      <span class="mini-icon mini-icon-remove-star"></span>
      <span class="text">Unstar</span>
    </a>
    <a href="/jquery/jquery/star" class="minibutton js-toggler-target star-button unstarred upwards" title="Star this repo" data-remote="true" data-method="post" rel="nofollow">
      <span class="mini-icon mini-icon-star"></span>
      <span class="text">Star</span>
    </a>
    <a class="social-count js-social-count" href="/jquery/jquery/stargazers">20,423</a>
  </li>

      <li>
        <a href="/jquery/jquery/fork_select" class="minibutton js-toggler-target fork-button lighter upwards" title="Fork this repo" rel="facebox nofollow">
          <span class="mini-icon mini-icon-branch-create"></span>
          <span class="text">Fork</span>
        </a>
        <a href="/jquery/jquery/network" class="social-count">3,768</a>
```

```
      </li>


</ul>

          <h1 itemscope itemtype="http://data-vocabulary.org/Breadcrumb"
 class="entry-title public">
            <span class="repo-label"><span>public</span></span>
            <span class="mega-icon mega-icon-public-repo"></span>
            <span class="author vcard">
              <a href="/jquery" class="url fn" itemprop="url" rel="author">
              <span itemprop="title">jquery</span>
              </a></span> /
            <strong><a href="/jquery/jquery" class="js-current-repository">jquery</a></strong>
          </h1>
        </div>


 <ul class="tabs">
    <li class="pulse-nav"><a href="/jquery/jquery/pulse" highlight="pulse" rel="nofollow"><span class="mini-icon
mini-icon-pulse"></span></a></li>
  <li><a href="/jquery/jquery" class="selected" highlight="repo_source repo_downloads repo_commits repo_tags
repo_branches">Code</a></li>
  <li><a href="/jquery/jquery/network" highlight="repo_network">Network</a></li>
  <li><a href="/jquery/jquery/pulls" highlight="repo_pulls">Pull
 Requests <span class='counter'>2</span></a></li>




  <li><a href="/jquery/jquery/graphs" highlight="repo_graphs repo_contributors">Graphs</a></li>


 </ul>

<div class="tabnav">

 <span class="tabnav-right">
  <ul class="tabnav-tabs">
       <li><a href="/jquery/jquery/tags" class="tabnav-tab" highlight="repo_tags">Tags <span class="counter
">92</span></a></li>
  </ul>

 </span>

 <div class="tabnav-widget scope">
```

```
  <div class="select-menu js-menu-container js-select-menu js-branch-menu">
    <a class="minibutton select-menu-button js-menu-target" data-hotkey="w" data-ref="master">
      <span class="mini-icon mini-icon-branch"></span>
      <i>branch:</i>
      <span class="js-select-button">master</span>
    </a>

    <div class="select-menu-modal-holder js-menu-content js-navigation-container">

      <div class="select-menu-modal">
        <div class="select-menu-header">
          <span
 class="select-menu-title">Switch branches/tags</span>
          <span class="mini-icon mini-icon-remove-close js-menu-close"></span>
        </div> <!-- /.select-menu-header -->

        <div class="select-menu-filters">
          <div class="select-menu-text-filter">
            <input type="text" id="commitish-filter-field" class="js-filterable-field js-navigation-enable"
placeholder="Filter branches/tags">
          </div>
          <div class="select-menu-tabs">
            <ul>
              <li class="select-menu-tab">
                <a href="#" data-tab-filter="branches" class="js-select-menu-tab">Branches</a>
              </li>
              <li class="select-menu-tab">
                <a href="#" data-tab-filter="tags" class="js-select-menu-tab">Tags</a>
              </li>
            </ul>
          </div><!-- /.select-menu-tabs -->
        </div><!-- /.select-menu-filters -->

        <div class="select-menu-list
 select-menu-tab-bucket js-select-menu-tab-bucket css-truncate" data-tab-filter="branches">

          <div data-filterable-for="commitish-filter-field" data-filterable-type="substring">

            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.8-stable/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-
text js-select-button-text css-truncate-target" data-name="1.8-stable" rel="nofollow" title="1.8-stable">1.8-
stable</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.9-stable/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-
text js-select-button-text css-truncate-target"
```

```
 data-name="1.9-stable" rel="nofollow" title="1.9-stable">1.9-stable</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.x-master/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-
text js-select-button-text css-truncate-target" data-name="1.x-master" rel="nofollow" title="1.x-master">1.x-
master</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/%2313388/MIT-LICENSE.txt" class="js-navigation-open select-menu-
item-text js-select-button-text css-truncate-target" data-name="#13388" rel="nofollow" title="#13388">#13388</a>
             </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/ajax-script-2.0/MIT-LICENSE.txt" class="js-navigation-open select-menu-
item-text js-select-button-text css-truncate-target" data-name="ajax-script-2.0" rel="nofollow" title="ajax-script-
2.0">ajax-script-2.0</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/ajax-unit/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-
text js-select-button-text css-truncate-target" data-name="ajax-unit" rel="nofollow" title="ajax-unit">ajax-unit</a>
            </div> <!-- /.select-menu-item
 -->
            <div class="select-menu-item js-navigation-item js-navigation-target selected">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/master/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="master" rel="nofollow" title="master">master</a>
            </div> <!-- /.select-menu-item -->
          </div>

            <div class="select-menu-no-results">Nothing to show</div>
        </div> <!-- /.select-menu-list -->


        <div class="select-menu-list select-menu-tab-bucket js-select-menu-tab-bucket css-truncate" data-tab-
filter="tags">
          <div data-filterable-for="commitish-filter-field" data-filterable-type="substring">

            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon
 mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/2.0.0-beta3/MIT-LICENSE.txt" class="js-navigation-open select-menu-
item-text js-select-button-text css-truncate-target" data-name="2.0.0-beta3" rel="nofollow" title="2.0.0-
beta3">2.0.0-beta3</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
```

```
<span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
<a href="/jquery/jquery/blob/2.0.0b2/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="2.0.0b2" rel="nofollow" title="2.0.0b2">2.0.0b2</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
<span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
<a href="/jquery/jquery/blob/2.0.0b1/MIT-LICENSE.txt"
class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="2.0.0b1" rel="nofollow" title="2.0.0b1">2.0.0b1</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
<span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
<a href="/jquery/jquery/blob/2.0.0/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="2.0.0" rel="nofollow" title="2.0.0">2.0.0</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
<span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
<a href="/jquery/jquery/blob/1.9.1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text
css-truncate-target" data-name="1.9.1" rel="nofollow" title="1.9.1">1.9.1</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
<span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
<a href="/jquery/jquery/blob/1.9.0rc1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.9.0rc1" rel="nofollow" title="1.9.0rc1">1.9.0rc1</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
<span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
<a href="/jquery/jquery/blob/1.9.0b1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.9.0b1" rel="nofollow" title="1.9.0b1">1.9.0b1</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
<span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
<a href="/jquery/jquery/blob/1.9.0/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.9.0" rel="nofollow" title="1.9.0">1.9.0</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
<span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
<a href="/jquery/jquery/blob/1.8rc1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.8rc1" rel="nofollow" title="1.8rc1">1.8rc1</a>
</div> <!-- /.select-menu-item -->
<div
class="select-menu-item js-navigation-item js-navigation-target ">
<span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
<a href="/jquery/jquery/blob/1.8b2/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.8b2" rel="nofollow" title="1.8b2">1.8b2</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
```

<a href="/jquery/jquery/blob/1.8b1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.8b1" rel="nofollow" title="1.8b1">1.8b1
 <!-- /.select-menu-item -->

<span class="select-menu-item-icon
mini-icon mini-icon-confirm">
<a href="/jquery/jquery/blob/1.8.3+1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-
text js-select-button-text css-truncate-target" data-name="1.8.3+1" rel="nofollow" title="1.8.3+1">1.8.3+1
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.8.3/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.8.3" rel="nofollow" title="1.8.3">1.8.3
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.8.2/MIT-LICENSE.txt"
class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.8.2"
rel="nofollow" title="1.8.2">1.8.2
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.8.1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.8.1" rel="nofollow" title="1.8.1">1.8.1
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.8.0/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text
css-truncate-target" data-name="1.8.0" rel="nofollow" title="1.8.0">1.8.0
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.7rc2/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.7rc2" rel="nofollow" title="1.7rc2">1.7rc2
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.7rc1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.7rc1" rel="nofollow" title="1.7rc1">1.7rc1
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.7b2/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.7b2" rel="nofollow" title="1.7b2">1.7b2
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.7b1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.7b1" rel="nofollow" title="1.7b1">1.7b1
 <!-- /.select-menu-item -->
<div class="select-menu-item
js-navigation-item js-navigation-target ">

<a href="/jquery/jquery/blob/1.7.2rc1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-
text js-select-button-text css-truncate-target" data-name="1.7.2rc1" rel="nofollow" title="1.7.2rc1">1.7.2rc1
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.7.2b1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-
text js-select-button-text css-truncate-target" data-name="1.7.2b1" rel="nofollow" title="1.7.2b1">1.7.2b1
 <!-- /.select-menu-item -->

<span class="select-menu-item-icon
mini-icon mini-icon-confirm">
<a href="/jquery/jquery/blob/1.7.2/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.7.2" rel="nofollow" title="1.7.2">1.7.2
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.7.1rc1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-
text js-select-button-text css-truncate-target" data-name="1.7.1rc1" rel="nofollow" title="1.7.1rc1">1.7.1rc1
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.7.1/MIT-LICENSE.txt"
class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.7.1"
rel="nofollow" title="1.7.1">1.7.1
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.7/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-
select-button-text css-truncate-target" data-name="1.7" rel="nofollow" title="1.7">1.7
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.6rc1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text
css-truncate-target" data-name="1.6rc1" rel="nofollow" title="1.6rc1">1.6rc1
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.6b1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.6b1" rel="nofollow" title="1.6b1">1.6b1
 <!-- /.select-menu-item -->

```
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.6.4rc1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.6.4rc1" rel="nofollow" title="1.6.4rc1">1.6.4rc1</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.6.4/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.6.4" rel="nofollow" title="1.6.4">1.6.4</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.6.3rc1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.6.3rc1" rel="nofollow" title="1.6.3rc1">1.6.3rc1</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item
 js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.6.3/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.6.3" rel="nofollow" title="1.6.3">1.6.3</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.6.2rc1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.6.2rc1" rel="nofollow" title="1.6.2rc1">1.6.2rc1</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon
 mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.6.2/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.6.2" rel="nofollow" title="1.6.2">1.6.2</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.6.1rc1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.6.1rc1" rel="nofollow" title="1.6.1rc1">1.6.1rc1</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.6.1/MIT-LICENSE.txt"
 class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.6.1"
rel="nofollow" title="1.6.1">1.6.1</a>
</div> <!-- /.select-menu-item -->
<div class="select-menu-item js-navigation-item js-navigation-target ">
  <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
  <a href="/jquery/jquery/blob/1.6/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.6" rel="nofollow" title="1.6">1.6</a>
</div> <!-- /.select-menu-item -->
```

<a href="/jquery/jquery/blob/1.5rc1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text
css-truncate-target" data-name="1.5rc1" rel="nofollow" title="1.5rc1">1.5rc1
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.5b1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.5b1" rel="nofollow" title="1.5b1">1.5b1
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.5.2rc1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-
text js-select-button-text css-truncate-target" data-name="1.5.2rc1" rel="nofollow" title="1.5.2rc1">1.5.2rc1
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.5.2/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.5.2" rel="nofollow" title="1.5.2">1.5.2
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.5.1rc1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-
text js-select-button-text css-truncate-target" data-name="1.5.1rc1" rel="nofollow" title="1.5.1rc1">1.5.1rc1
 <!-- /.select-menu-item -->
<div class="select-menu-item
js-navigation-item js-navigation-target ">

<a href="/jquery/jquery/blob/1.5.1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.5.1" rel="nofollow" title="1.5.1">1.5.1
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.5/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-
select-button-text css-truncate-target" data-name="1.5" rel="nofollow" title="1.5">1.5
 <!-- /.select-menu-item -->

<span class="select-menu-item-icon
mini-icon mini-icon-confirm">
<a href="/jquery/jquery/blob/1.4rc1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.4rc1" rel="nofollow" title="1.4rc1">1.4rc1
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.4a2/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.4a2" rel="nofollow" title="1.4a2">1.4a2
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.4a1/MIT-LICENSE.txt"
class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.4a1"
rel="nofollow" title="1.4a1">1.4a1
 <!-- /.select-menu-item -->

1.4.4rc3
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.4.4rc2/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text
css-truncate-target" data-name="1.4.4rc2" rel="nofollow" title="1.4.4rc2">1.4.4rc2
 <!-- /.select-menu-item -->

1.4.4rc1
 <!-- /.select-menu-item -->

1.4.4
 <!-- /.select-menu-item -->

1.4.3rc2
 <!-- /.select-menu-item -->

1.4.3rc1
 <!-- /.select-menu-item -->

1.4.3
 <!-- /.select-menu-item -->

1.4.2
 <!-- /.select-menu-item -->

1.4.1
 <!-- /.select-menu-item -->

1.4
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.3rc1/MIT-LICENSE.txt"
class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.3rc1" rel="nofollow" title="1.3rc1">1.3rc1
 <!-- /.select-menu-item -->

1.3b2
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.3b1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-select-button-text
css-truncate-target" data-name="1.3b1" rel="nofollow" title="1.3b1">1.3b1
 <!-- /.select-menu-item -->

1.3.2
 <!-- /.select-menu-item -->

1.3.1rc1
 <!-- /.select-menu-item -->

1.3.1
 <!-- /.select-menu-item -->

1.3
 <!-- /.select-menu-item -->

<div class="select-menu-item js-navigation-item
js-navigation-target ">

<a href="/jquery/jquery/blob/1.2.6/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.2.6" rel="nofollow" title="1.2.6">1.2.6
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.2.5/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.2.5" rel="nofollow" title="1.2.5">1.2.5
 <!-- /.select-menu-item -->

<span class="select-menu-item-icon mini-icon
mini-icon-confirm">
<a href="/jquery/jquery/blob/1.2.4b/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.2.4b" rel="nofollow" title="1.2.4b">1.2.4b
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.2.4a/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.2.4a" rel="nofollow" title="1.2.4a">1.2.4a
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.2.4/MIT-LICENSE.txt"
class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.2.4"
rel="nofollow" title="1.2.4">1.2.4
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.2.3b/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.2.3b" rel="nofollow" title="1.2.3b">1.2.3b
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.2.3a/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target"
data-name="1.2.3a" rel="nofollow" title="1.2.3a">1.2.3a
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.2.3/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.2.3" rel="nofollow" title="1.2.3">1.2.3
 <!-- /.select-menu-item -->

<a href="/jquery/jquery/blob/1.2.2b2/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-
text js-select-button-text css-truncate-target" data-name="1.2.2b2" rel="nofollow" title="1.2.2b2">1.2.2b2

```
</div> <!-- /.select-menu-item -->
          <div class="select-menu-item js-navigation-item js-navigation-target ">
            <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
            <a href="/jquery/jquery/blob/1.2.2b/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.2.2b" rel="nofollow" title="1.2.2b">1.2.2b</a>
          </div> <!-- /.select-menu-item -->
          <div class="select-menu-item js-navigation-item js-navigation-target ">
            <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
            <a href="/jquery/jquery/blob/1.2.2/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.2.2" rel="nofollow" title="1.2.2">1.2.2</a>
          </div> <!-- /.select-menu-item -->
          <div class="select-menu-item js-navigation-item
 js-navigation-target ">
            <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
            <a href="/jquery/jquery/blob/1.2.1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.2.1" rel="nofollow" title="1.2.1">1.2.1</a>
          </div> <!-- /.select-menu-item -->
          <div class="select-menu-item js-navigation-item js-navigation-target ">
            <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
            <a href="/jquery/jquery/blob/1.2/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-
select-button-text css-truncate-target" data-name="1.2" rel="nofollow" title="1.2">1.2</a>
          </div> <!-- /.select-menu-item -->
          <div class="select-menu-item js-navigation-item js-navigation-target ">
            <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
             <a href="/jquery/jquery/blob/1.1b/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.1b" rel="nofollow" title="1.1b">1.1b</a>
          </div> <!-- /.select-menu-item -->
          <div class="select-menu-item js-navigation-item js-navigation-target ">
            <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
            <a href="/jquery/jquery/blob/1.1a/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.1a" rel="nofollow" title="1.1a">1.1a</a>
          </div> <!-- /.select-menu-item -->
          <div class="select-menu-item js-navigation-item js-navigation-target ">
            <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
            <a href="/jquery/jquery/blob/1.1.4/MIT-LICENSE.txt" class="js-navigation-open
 select-menu-item-text js-select-button-text css-truncate-target" data-name="1.1.4" rel="nofollow"
title="1.1.4">1.1.4</a>
          </div> <!-- /.select-menu-item -->
          <div class="select-menu-item js-navigation-item js-navigation-target ">
            <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
            <a href="/jquery/jquery/blob/1.1.3a/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.1.3a" rel="nofollow" title="1.1.3a">1.1.3a</a>
          </div> <!-- /.select-menu-item -->
          <div class="select-menu-item js-navigation-item js-navigation-target ">
            <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
            <a href="/jquery/jquery/blob/1.1.3.1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.1.3.1" rel="nofollow"
```

```
 title="1.1.3.1">1.1.3.1</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.1.3/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.1.3" rel="nofollow" title="1.1.3">1.1.3</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.1.2/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.1.2" rel="nofollow" title="1.1.2">1.1.2</a>
            </div> <!-- /.select-menu-item -->

           <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.1.1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.1.1" rel="nofollow" title="1.1.1">1.1.1</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-
select-button-text css-truncate-target" data-name="1.1" rel="nofollow" title="1.1">1.1</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span
 class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.0a/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.0a" rel="nofollow" title="1.0a">1.0a</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.0.4/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.0.4" rel="nofollow" title="1.0.4">1.0.4</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.0.3/MIT-LICENSE.txt"
 class="js-navigation-open select-menu-item-text js-select-button-text css-truncate-target" data-name="1.0.3"
rel="nofollow" title="1.0.3">1.0.3</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.0.2/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
js-select-button-text css-truncate-target" data-name="1.0.2" rel="nofollow" title="1.0.2">1.0.2</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.0.1/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text
```

```
js-select-button-text
 css-truncate-target" data-name="1.0.1" rel="nofollow" title="1.0.1">1.0.1</a>
            </div> <!-- /.select-menu-item -->
            <div class="select-menu-item js-navigation-item js-navigation-target ">
              <span class="select-menu-item-icon mini-icon mini-icon-confirm"></span>
              <a href="/jquery/jquery/blob/1.0/MIT-LICENSE.txt" class="js-navigation-open select-menu-item-text js-
select-button-text css-truncate-target" data-name="1.0" rel="nofollow" title="1.0">1.0</a>
            </div> <!-- /.select-menu-item -->
          </div>

          <div class="select-menu-no-results">Nothing to show</div>

        </div> <!-- /.select-menu-list -->

      </div> <!-- /.select-menu-modal -->
    </div> <!-- /.select-menu-modal-holder -->
  </div> <!-- /.select-menu -->

 </div> <!-- /.scope -->

 <ul class="tabnav-tabs">
   <li><a href="/jquery/jquery" class="selected tabnav-tab" highlight="repo_source">Files</a></li>
    <li><a href="/jquery/jquery/commits/master" class="tabnav-tab" highlight="repo_commits">Commits</a></li>
   <li><a href="/jquery/jquery/branches" class="tabnav-tab" highlight="repo_branches" rel="nofollow">Branches
<span class="counter ">7</span></a></li>
 </ul>

</div>









        </div>
      </div><!-- /.repohead -->

      <div id="js-repo-pjax-container" class="container context-loader-container" data-pjax-container>



<!-- blob contrib key: blob_contributors:v21:892613b774a95e66d3bc7f255b1465e8 -->
<!-- blob contrib frag key: views10/v8/blob_contributors:v21:892613b774a95e66d3bc7f255b1465e8 -->


<div id="slider">
  <div class="frame-meta">
```

jquery / MIT-LICENSE.txt

Show File Finder

dmethvin
<time class="js-relative-date" datetime="2013-01-03T14:41:18-08:00" title="2013-01-03 14:41:18">January 03, 2013</time>

Happy New Year! It's 2013.

3 contributors


```
  </div>
  <div id="blob_contributors_box" style="display:none">
    <h2>Users on GitHub who have contributed to this file</h2>
    <ul class="facebox-user-list">
      <li>
        <img height="24"
src="https://secure.gravatar.com/avatar/b3e04a46e85ad3e165d66f5d927eb609?s=140&amp;d=https://a248.e.akamai
.net/assets.github.com%2Fimages%2Fgravatars%2Fgravatar-user-420.png" width="24" />
        <a href="/jeresig">jeresig</a>
      </li>
      <li>
        <img height="24"
src="https://secure.gravatar.com/avatar/161a4cc619398bea1e1714036ed122cf?s=140&amp;d=https://a248.e.akamai
.net/assets.github.com%2Fimages%2Fgravatars%2Fgravatar-user-420.png"
 width="24" />
        <a href="/dmethvin">dmethvin</a>
      </li>
      <li>
        <img height="24"
src="https://secure.gravatar.com/avatar/27dacda91150eca332526bf8a8ee7e03?s=140&amp;d=https://a248.e.akamai.
net/assets.github.com%2Fimages%2Fgravatars%2Fgravatar-user-420.png" width="24" />
        <a href="/jbruni">jbruni</a>
      </li>
    </ul>
  </div>
 </div>


  </div><!-- ./.frame-meta -->

  <div class="frames">
    <div class="frame" data-permalink-
url="/jquery/jquery/blob/ebecdac24220cae4671c5a7d8dc16097077dac30/MIT-LICENSE.txt" data-
title="jquery/MIT-LICENSE.txt at master  jquery/jquery  GitHub" data-type="blob">

      <div id="files" class="bubble">
        <div class="file">
          <div class="meta">
            <div class="info">
              <span class="icon"><b class="mini-icon mini-icon-text-file"></b></span>
              <span class="mode"
 title="File Mode">file</span>
                <span>22 lines (18 sloc)</span>
              <span>1.099 kb</span>
            </div>
            <div class="actions">
              <div class="button-group">
                    <a class="minibutton tooltipped leftwards"
```

```
                title="Clicking this button will automatically fork this project so you can edit the file"
                href="/jquery/jquery/edit/master/MIT-LICENSE.txt"
                data-method="post" rel="nofollow">Edit</a>
            <a href="/jquery/jquery/raw/master/MIT-LICENSE.txt" class="button minibutton " id="raw-
url">Raw</a>
              <a href="/jquery/jquery/blame/master/MIT-LICENSE.txt" class="button minibutton ">Blame</a>
            <a href="/jquery/jquery/commits/master/MIT-LICENSE.txt" class="button minibutton "
rel="nofollow">History</a>
          </div><!-- /.button-group -->
         </div><!--
 /.actions -->

        </div>
          <div class="blob-wrapper data type-text js-blob-data">
    <table class="file-code file-blob">
      <tr class="file-code-line">
        <td class="blob-line-nums">
          <span id="L1" rel="#L1">1</span>
<span id="L2" rel="#L2">2</span>
<span id="L3" rel="#L3">3</span>
<span id="L4" rel="#L4">4</span>
<span id="L5" rel="#L5">5</span>
<span id="L6" rel="#L6">6</span>
<span id="L7" rel="#L7">7</span>
<span id="L8" rel="#L8">8</span>
<span id="L9" rel="#L9">9</span>
<span id="L10" rel="#L10">10</span>
<span id="L11" rel="#L11">11</span>
<span id="L12" rel="#L12">12</span>
<span id="L13" rel="#L13">13</span>
<span id="L14" rel="#L14">14</span>
<span id="L15" rel="#L15">15</span>
<span id="L16" rel="#L16">16</span>
<span id="L17" rel="#L17">17</span>
<span id="L18" rel="#L18">18</span>
<span id="L19" rel="#L19">19</span>
<span id="L20" rel="#L20">20</span>
<span id="L21" rel="#L21">21</span>


      </td>
        <td class="blob-line-code">
            <div class="highlight"><pre><div class='line' id='LC1'>Copyright 2013 jQuery Foundation and other
contributors</div><div class='line' id='LC2'>http://jquery.com/</div><div class='line' id='LC3'><br/></div><div
class='line' id='LC4'>Permission is hereby granted, free of charge, to any person obtaining</div><div class='line'
id='LC5'>a copy of this software and associated documentation files (the</div><div class='line'
id='LC6'>&amp;quot;Software&amp;quot;), to deal in the Software without restriction, including</div><div class='line'
id='LC7'>without limitation the rights to use, copy, modify, merge, publish,</div><div class='line'
```

id='LC8'>distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:
 The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.
 THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE. </pre>
</td>
</tr>
</table>

Jump to Line

<h2>Jump to Line</h2>
<form accept-charset="UTF-8" class="js-jump-to-line-form">
<input class="textfield js-jump-to-line-field" type="text">

<button type="submit" class="button">Go</button>

</form>

<img class="js-frame-loading-spinner" src="https://a248.e.akamai.net/assets.github.com/images/spinners/octocat-spinner-128.gif?1360648843" height="64" width="64">

```
    <div id="footer-push"></div><!-- hack for sticky
footer -->
  </div><!-- end of wrapper - hack for sticky footer -->

    <!-- footer -->
    <div id="footer">
<div class="container clearfix">

    <dl class="footer_nav">
      <dt>GitHub</dt>
      <dd><a href="https://github.com/about">About us</a></dd>
      <dd><a href="https://github.com/blog">Blog</a></dd>
      <dd><a href="https://github.com/contact">Contact &amp;amp; support</a></dd>
      <dd><a href="http://enterprise.github.com/">GitHub Enterprise</a></dd>
      <dd><a href="http://status.github.com/">Site status</a></dd>
    </dl>

    <dl class="footer_nav">
      <dt>Applications</dt>
      <dd><a href="http://mac.github.com/">GitHub for Mac</a></dd>
      <dd><a href="http://windows.github.com/">GitHub for Windows</a></dd>
      <dd><a href="http://eclipse.github.com/">GitHub for Eclipse</a></dd>
      <dd><a href="http://mobile.github.com/">GitHub mobile apps</a></dd>
    </dl>

    <dl class="footer_nav">
       <dt>Services</dt>
      <dd><a href="http://get.gaug.es/">Gauges: Web analytics</a></dd>
      <dd><a href="http://speakerdeck.com">Speaker Deck: Presentations</a></dd>
      <dd><a href="https://gist.github.com">Gist: Code snippets</a></dd>
      <dd><a href="http://jobs.github.com/">Job board</a></dd>
    </dl>

    <dl class="footer_nav">
      <dt>Documentation</dt>
      <dd><a href="http://help.github.com/">GitHub Help</a></dd>
      <dd><a href="http://developer.github.com/">Developer API</a></dd>
      <dd><a href="http://github.github.com/github-flavored-markdown/">GitHub Flavored Markdown</a></dd>
      <dd><a href="http://pages.github.com/">GitHub Pages</a></dd>
    </dl>

    <dl class="footer_nav">
      <dt>More</dt>
      <dd><a href="http://training.github.com/">Training</a></dd>
      <dd><a href="https://github.com/edu">Students &amp;amp; teachers</a></dd>
      <dd><a href="http://shop.github.com">The Shop</a></dd>
```

```
        <dd><a href="/plans">Plans &amp;amp; pricing</a></dd>
       <dd><a href="http://octodex.github.com/">The Octodex</a></dd>
     </dl>

     <hr class="footer-divider">


   <p class="right">&copy; 2013 <span title="0.07110s from fe3.rs.github.com">GitHub</span>, Inc. All rights
reserved.</p>
   <a class="left" href="https://github.com/">
     <span class="mega-icon mega-icon-invertocat"></span>
   </a>
   <ul id="legal">
       <li><a href="https://github.com/site/terms">Terms of Service</a></li>
       <li><a href="https://github.com/site/privacy">Privacy</a></li>
       <li><a href="https://github.com/security">Security</a></li>
   </ul>

 </div><!-- /.container -->

</div><!-- /.#footer -->


   <div class="fullscreen-overlay js-fullscreen-overlay" id="fullscreen_overlay">
 <div class="fullscreen-container js-fullscreen-container">
   <div class="textarea-wrap">
     <textarea name="fullscreen-contents" id="fullscreen-contents"
 class="js-fullscreen-contents" placeholder="" data-suggester="fullscreen_suggester"></textarea>
         <div class="suggester-container">
           <div class="suggester fullscreen-suggester js-navigation-container" id="fullscreen_suggester"
             data-url="/jquery/jquery/suggestions/commit">
           </div>
         </div>
   </div>
 </div>
 <div class="fullscreen-sidebar">
   <a href="#" class="exit-fullscreen js-exit-fullscreen tooltipped leftwards" title="Exit Zen Mode">
     <span class="mega-icon mega-icon-normalscreen"></span>
   </a>
   <a href="#" class="theme-switcher js-theme-switcher tooltipped leftwards"
     title="Switch themes">
     <span class="mini-icon mini-icon-brightness"></span>
   </a>
 </div>
</div>
```

Something went wrong with that request. Please try again.
<a href="#" class="mini-icon
mini-icon-remove-close ajax-error-dismiss">

</body>
</html>
LICENSE
The MITRE Corporation (MITRE) hereby grants you a non-exclusive, royalty-free license to use Common Weakness Enumeration (CWE) for research, development, and commercial purposes. Any copy you make for such purposes is authorized provided that you reproduce MITREs copyright designation and this license in any such copy.

DISCLAIMERS
ALL DOCUMENTS AND THE INFORMATION CONTAINED THEREIN ARE PROVIDED ON AN "AS IS" BASIS AND THE CONTRIBUTOR, THE ORGANIZATION HE/SHE REPRESENTS OR IS SPONSORED BY (IF ANY), THE MITRE CORPORATION, ITS BOARD OF TRUSTEES, OFFICERS, AGENTS, AND EMPLOYEES, DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION THEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

CWE is free to use by any organization or individual for any research, development, and/or commercial purposes, per these CWE Terms of Use. MITRE has copyrighted the
CWE List, Top 25, CWSS, and CWRAF for the benefit of the community in order to ensure each remains a free and open standard, as well as to legally protect the ongoing use of it and any resulting content by government, vendors, and/or users. MITRE has trademarked the CWE and related acronyms and the CWE and related logos to protect their sole and ongoing use by the CWE effort within the information security arena. Please contact cwe@mitre.org if you require further clarification on this issue.

1.422 netty-http-pipelining 1.1.4

1.422.1 Available under license :

Apache-2.0

1.423 javamail-api-no-providers 1.5.5

1.423.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.
Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.
Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under

common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under
intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software
with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the
combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has

deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available
in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices
contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients. rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You
offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered
Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the
License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES
THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer

or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses.

The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for
compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California
and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,
we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer
you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any
program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute
verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the

major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute
the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear
what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among

countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits
your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular
source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but
you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.424 scodec-bits 1.1.11

1.424.1 Available under license :

Copyright (c) 2013-2014, Michael Pilquist and Paul Chiusano
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the scodec team nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.425 parboiled 1.1.7

1.425.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.426 vault 1.0.0

1.426.1 Available under license :

Copyright (c)2011, Heinrich Apfelmus

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.

* Neither the name of Heinrich Apfelmus nor the names of other
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright 2018 Christopher Davenport

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH
THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
vault
Copyright 2018 Christopher Davenport
Licensed under the MIT License (see LICENSE)

This software contains portions of code derived from HeinrichApfelmus/vault
https://github.com/HeinrichApfelmus/vault
Copyright (c)2011, Heinrich Apfelmus
Licensed under BSD3 (see licenses/LICENSE_vault)

1.427 commons-compress 1.12

1.427.1 Available under license :

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Apache Commons Compress
Copyright 2002-2016 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

The files in the package org.apache.commons.compress.archivers.sevenz
were derived from the LZMA SDK, version 9.20 (C/ and CPP/7zip/),
which has been placed in the public domain:

"LZMA SDK is placed in the public domain." (http://www.7-zip.org/sdk.html)

1.428 blaze-core 0.14.12

1.428.1 Available under license :

Copyright (c) 2012-2014, Continuum Analytics, Inc. and contributors
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice,

this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

Neither the name of Continuum Analytics nor the names of any contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.
SIL Open Font License (OFL)
http://scripts.sil.org/cms/scripts/page.php?site_id=nrsi&id=OFL
Copyright (C) 2014 Hakim El Hattab, http://hakim.se

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.429 core 1.6.1

1.429.1 Available under license :

Copyright (c) 2011 - 2012 Eloy Durn <eloy.de.enige@gmail.com>
Copyright (c) 2012 Fabio Pelosin <fabiopelosin@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.430 powermock-api-easymock 2.0.7

1.430.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2008 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961510_1645785636.1/0/powermock-api-easymock-2-0-7-sources-jar/org/powermock/api/easymock/mockpolicies/JclMockPolicy.java
* /opt/cola/permits/1277961510_1645785636.1/0/powermock-api-easymock-2-0-7-sources-jar/org/powermock/api/easymock/mockpolicies/Slf4jMockPolicy.java
*
 /opt/cola/permits/1277961510_1645785636.1/0/powermock-api-easymock-2-0-7-sources-jar/org/powermock/api/easymock/internal/invocationcontrol/EasyMockMethodInvocationControl.java
* /opt/cola/permits/1277961510_1645785636.1/0/powermock-api-easymock-2-0-7-sources-jar/org/powermock/api/easymock/PowerMock.java
* /opt/cola/permits/1277961510_1645785636.1/0/powermock-api-easymock-2-0-7-sources-jar/org/powermock/api/easymock/internal/invocationcontrol/EasyMockNewInvocationControl.java
* /opt/cola/permits/1277961510_1645785636.1/0/powermock-api-easymock-2-0-7-sources-jar/org/powermock/api/easymock/powermocklistener/AnnotationEnabler.java
* /opt/cola/permits/1277961510_1645785636.1/0/powermock-api-easymock-2-0-7-sources-jar/org/powermock/api/extension/listener/AnnotationEnabler.java
* /opt/cola/permits/1277961510_1645785636.1/0/powermock-api-easymock-2-0-7-sources-jar/org/powermock/api/easymock/mockpolicies/Log4jMockPolicy.java
* /opt/cola/permits/1277961510_1645785636.1/0/powermock-api-easymock-2-0-7-sources-jar/org/powermock/api/easymock/mockpolicies/AbstractEasyMockLogPolicyBase.java
No license file was found, but licenses were detected in source scan.

```
/*
*   Copyright 2016 the original author or authors.
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at
*
*       http://www.apache.org/licenses/LICENSE-2.0
*
*   Unless required by applicable law or agreed to in writing, software
*   distributed under the License is distributed on an "AS IS" BASIS,
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
*
*/
```

Found in path(s):
* /opt/cola/permits/1277961510_1645785636.1/0/powermock-api-easymock-2-0-7-sources-jar/org/powermock/api/extension/listener/AnnotationGlobalMetadata.java
* /opt/cola/permits/1277961510_1645785636.1/0/powermock-api-easymock-2-0-7-sources-jar/org/powermock/api/extension/listener/AnnotationMockCreatorFactory.java
*
 /opt/cola/permits/1277961510_1645785636.1/0/powermock-api-easymock-2-0-7-sources-jar/org/powermock/api/extension/listener/TestSubjectInjector.java
* /opt/cola/permits/1277961510_1645785636.1/0/powermock-api-easymock-2-0-7-sources-

jar/org/powermock/api/extension/listener/AnnotationMockScanner.java
* /opt/cola/permits/1277961510_1645785636.1/0/powermock-api-easymock-2-0-7-sources-jar/org/powermock/api/extension/listener/AnnotationMockMetadata.java
* /opt/cola/permits/1277961510_1645785636.1/0/powermock-api-easymock-2-0-7-sources-jar/org/powermock/api/extension/InjectFieldSearcher.java
* /opt/cola/permits/1277961510_1645785636.1/0/powermock-api-easymock-2-0-7-sources-jar/org/powermock/api/extension/listener/DefaultInjectFieldSearcher.java
* /opt/cola/permits/1277961510_1645785636.1/0/powermock-api-easymock-2-0-7-sources-jar/org/powermock/api/extension/listener/AnnotationMockCreator.java
* /opt/cola/permits/1277961510_1645785636.1/0/powermock-api-easymock-2-0-7-sources-jar/org/powermock/api/easymock/EasyMockConfiguration.java
*
/opt/cola/permits/1277961510_1645785636.1/0/powermock-api-easymock-2-0-7-sources-jar/org/powermock/api/extension/listener/EasyMockAnnotationSupport.java
* /opt/cola/permits/1277961510_1645785636.1/0/powermock-api-easymock-2-0-7-sources-jar/org/powermock/api/extension/listener/MockMetadata.java
* /opt/cola/permits/1277961510_1645785636.1/0/powermock-api-easymock-2-0-7-sources-jar/org/powermock/api/extension/agent/JavaAgentFrameworkRegisterImpl.java

1.431 play-netty-server 2.4.6

1.431.1 Available under license :

This software is licensed under the Apache 2 license, quoted below.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this project except in compliance with
the License. You may obtain a copy of the License at http://www.apache.org/licenses/LICENSE-2.0.

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific
language governing permissions and limitations under the License.
Copyright (c) 2008-2014 Typesafe Inc, Mark Harrah, Grzegorz Kossakowski, Josh Suereth, Indrajit Raychaudhuri, Eugene Yokota, and other contributors.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Simple Build Tool Launcher
Copyright 2008, 2009, 2010 Mark Harrah, David MacIver
Licensed under BSD-style license (see LICENSE)

Classes from the Scala library are distributed with the launcher.
Copyright 2002-2013 EPFL, Lausanne
Licensed under BSD-style license (see licenses/LICENSE_Scala)

Classes from Apache Ivy, licensed under the Apache License, Version 2.0
(see licenses/LICENSE_Apache) are distributed with the launcher.
It requires the following notice:

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Portions of Ivy were originally developed by
Jayasoft SARL (http://www.jayasoft.fr/)
and are licensed to the Apache Software Foundation under the
"Software Grant License Agreement"

THIS SOFTWARE IS PROVIDED BY THE AUTHORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE
FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
SCALA LICENSE

Copyright (c) 2002-2008 EPFL, Lausanne, unless otherwise specified.
All rights reserved.

This software was developed by the Programming Methods Laboratory of the
Swiss Federal Institute of Technology (EPFL), Lausanne, Switzerland.

Permission to use, copy, modify, and distribute this software in source
or binary form for any purpose with or without fee is hereby granted,
provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

3. Neither the name of the EPFL nor the names of its contributors
   may be used to endorse or promote products derived from this
   software without specific prior written permission.

THIS SOFTWARE
IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

SUCH DAMAGE.

1.432 shapeless-core 1.2.4

1.432.1 Available under license :

Alex Zorab <alec.zorab@gmail.com> @aleczorab
Alessandro Lacava <alessandrolacava@gmail.com> @lambdista
Alexander Konovalov <alex.knvl@gmail.com> @alexknvl
Alexandre Archambault <alexandre.archambault@gmail.com> @alxarchambault
Alistair Johnson <alistair.johnson@johnsonusm.com> @AlistairUSM
Allison H. <allisonhb@gmx.com>
Alois Cochard <alois.cochard@gmail.com> @aloiscochard
Andreas Koestler <andreas.koestler@gmail.com> @AndreasKostler
Andrew Brett <github@bretts.org> @Ephemerix
Aristotelis Dossas <teldosas@gmail.com> @teldosas
Arya Irani <arya.irani@gmail.com> @aryairani
Ben Hutchison <brhutchison@gmail.com> @ben_hutchison
Ben James <ben.james@guardian.co.uk> @bmjames
Brian McKenna <brian@brianmckenna.org> @puffnfresh
Brian Zeligson <brian.zeligson@gmail.com> @beezee
Bryn Keller <xoltar@xoltar.org> @brynkeller
Carlos Quiroz @carlosmquiroz
Chris Hodapp <clhodapp1@gmail.com> @clhodapp
Cody Allen <ceedubs@gmail.com> @fourierstrick
Dale Wijnand <dale.wijnand@gmail.com> @dwijnand
Daniel Urban
<urban.dani@gmail.com>
Dario Rexin <dario.rexin@r3-tech.de> @evonox
Dave Gurnell <d.j.gurnell@gmail.com> @davegurnell
David Barri <japgolly@gmail.com> @japgolly
Denis Mikhaylov <notxcain@gmail.com> @notxcain
Dmitry Kovalev <kdn.kovalev@gmail.com>
Eugene Burmako <xeno.by@gmail.com> @xeno_by
Fabio Labella <fabio.labella2@gmail.com> @SystemFw
Filipe Nepomuceno <filinep@gmail.com
Frank S. Thomas <frank@timepit.eu> @fst9000
George Leontiev <folone@gmail.com> @folone
Georgi Krastev <joro.kr.21@gmail.com> @Joro_Kr
Hamish Dickson <hamish.dickson@gmail.com> @hamishdickson
Harrison Houghton <hhoughton@learningobjects.com>
Howard Branch <purestgreen@gmail.com> @purestgreen
Huw Giddens <hgiddens@gmail.com>
Hywel Andrews <hywel.andrews@agoda.com>
Ievgen Garkusha <ievgen@riskident.com>
Jacob Barber <jacoby6000@gmail.com> @jacoby6000
Jason Zaugg <jzaugg@gmail.com> @retronym
Jean-Baptiste Giraudeau <jb@giraudeau.info> @jb9i

Jean-Remi Desjardins <jeanremi.desjardins@gmail.com> @jrdesjardins
Jeff Martin
<jmartin@homeaway.com>
Jeff Wilde <jeff@robo.ai>
Jeremy R. Smith <jeremyrsmith@gmail.com> @jeremyrsmith
Jisoo Park <xxxyel@gmail.com> @guersam
Johannes Rudolph <johannes.rudolph@gmail.com> @virtualvoid
Johnny Everson <khronnuz@gmail.com> @johnny_everson
Jolse Maginnis jolse.maginnis@pearson.com @doolse2
Joni Freeman <joni.freeman@ri.fi> @jonifreeman
Joseph Price <josephprice@iheartmedia.com>
Juan Jos Vzquez <juanjo.vazquez.delgado@tecsisa.com> @juanjovazquez
Julien Tournay <boudhevil@gmail.com> @skaalf
Jules Gosnell <jules_gosnell@yahoo.com
Kailuo Wang <kailuo.wang@gmail.com> @kailuowang
Kazuki Moriyama <pharcydetip@gmail.com> @kazchimo
Kenji Yoshida <6b656e6a69@gmail.com> @xuwei_k
Kevin Wright <kev.lee.wright@gmail.com> @thecoda
Lars Hupel <lars.hupel@mytum.de> @larsr_h
Lukasz Golebiewski <lukasz.golebiewski@gmail.com> @LukaszGobiewsk1
Mario Pastorelli <mario.pastorelli@teralytics.ch> @mapastr
Matthew Taylor <matthew.t@tbfe.net>
Mathias Doenitz <mathias@spray.io> @sirthias
Michael Donaghy
<md401@srcf.ucam.org>
Michael Pilquist <mpilquist@gmail.com> @mpilquist
Michael Zuber <michaelg.zuber@gmail.com> @mgzuber91
Mike Limansky <mike.limansky@gmail.com> @mike_limansky
Miles Sabin <miles@milessabin.com> @milessabin
n4to4 <n4to4k@gmail.com> @n4to4
Neville Li <neville@spotify.com> @sinisa_lyh
Nikolas Evangelopoulos <nikolas@jkl.gr>
Oleg Aleshko <olegych@tut.by> @OlegYch
Olivier Blanvillain <olivier.blanvillain@gmail.com>
Olli Helenius <liff@iki.fi> @ollijh
Owein Reese <owreese@gmail.com> @OweinReese
Paolo G. Giarrusso <p.giarrusso@gmail.com> @blaisorblade
Pascal Voitot <pascal.voitot.dev@gmail.com> @mandubian
Pavel Chlupacek <pavel.chlupacek@spinoco.com> @pacmanius
Peter Neyens <peter.neyens@gmail.com> @pneyens
Peter Schmitz <petrischmitz@gmail.com> @peterschmitz_
Renato Cavalcanti <renato@strongtyped.io> @renatocaval
Rob Norris <rob_norris@mac.com> @tpolecat
Robert Hensing <spam@roberthensing.nl>
Ronan Michaux <ronan_michaux@yahoo.com> @ronan_michaux
Ryadh Khsib <ryadh.khsib@gmail.com>
Ryo

Hongo <ryoppy0516@gmail.com> @ryoppy516
Sam Halliday <sam.halliday@gmail.com> @fommil
Sarah Gerweck <sarah.a180@gmail.com> @SGerweck
Sbastien Doeraene <sjrdoeraene@gmail.com> @sjrdoeraene
Simon Hafner <hafnersimon@gmail.com> @reactormonk
Stacy Curl <stacy.curl@gmail.com> @stacycurl
Stanislav Savulchik <s.savulchik@gmail.com> @savulchik
Stephen Compall <scompall@nocandysw.com> @S11001001
Tin Pavlinic <tin.pavlinic@gmail.com> @triggerNZ
Tom Switzer <thomas.switzer@gmail.com> @tixxit
Tomas Mikula <tomas.mikula@gmail.com> @tomas_mikula
Travis Brown <travisrobertbrown@gmail.com> @travisbrown
Valentin Kasas <valentin.kasas@gmail.com> @ValentinKasas
Valerian Barbot <valerian.barbot@onzo.com> @etaty
Valy Diarrassouba <v.diarrassouba@gmail.com>
Vladimir Matveev <vladimir.matweev@gmail.com> @netvlm
Vladimir Pavkin <vpavkin@gmail.com> @vlpavkin
William Harvey <harveywi@cse.ohio-state.edu>
Yang Bo () <pop.atry@gmail.com> @Atry
Zainab Ali <zainab.ali.london@gmail.com> @_zainabali_

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this
License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.433 fs2-core 1.0.5

1.433.1 Available under license :

Contributors

This project is the work of numerous individuals. Names are listed below, ordered alphabetically by last name, along with a brief description of each person's role and contributions.

Each individual maintains their own description, and if you don't see your name listed here, please do open a PR!

Also see the [GitHub contributor stats](https://github.com/functional-streams-for-scala/fs2/graphs/contributors).

- Zainab Ali ([@zainab-ali](https://github.com/zainab-ali)): reactive streams implementation
- Diego Alonso ([@diesalbla](https://github.com/diesalbla): optimised implementation of internal `FreeC` type.
- Paul Chiusano ([@pchiusano](https://github.com/pchiusano)): project founder and maintainer
- Pavel Chlupek ([@pchlupacek](https://github.com/pchlupacek)): concurrency, original implementation of `Append` algebra
- Gary Coady ([@fiadliel](https://github.com/fiadliel)): NIO file implementation, port of compress from scalaz-stream, other minor features
- Fabio Labella
 ([@SystemFw](https://github.com/SystemFw)): new concurrency scheme with `Ref` + `Deferred`, `compile.resource.`, maintenance
- Alissa Pajer ([@alissapajer](https://github.com/alissapajer)): concurrency bug hunting, features, maintenance
- Daniel Spiewak ([@djspiewak](https://github.com/djspiewak)): concurrency plumbing, bug fixes, performance and correctness obsession
 + Public key (for release signing): [3587 7FB3 2BAE 5960](https://keybase.io/djspiewak)
- Frank S. Thomas ([@fthomas](https://github.com/fthomas)): a lot of `Process1` functions, features, bug fixes, and maintenance
- Rnar . Bjarnason ([@runarorama](https://github.com/runarorama)): Various processes and combinators, circular buffers, compression. I'm an ideas man, Michael.
- Jed Wesley-Smith ([@jedws](https://github.com/jedws)): really very minor tweaks, cleanups and pestering, hardly worth the mention
- Michael Pilquist ([@mpilquist](https://github.com/mpilquist)): 0.9 redesign work, maintenance
- Daniel Urban ([@durban](https://github.com/durban)):
 queue peek implementation
- Tamer Abdulradi ([@tabdulradi](https://github.com/tabdulradi)): implementation of scanMap and scanMonoid

The MIT License (MIT)

Copyright (c) 2013 Paul Chiusano, and respective contributors

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Code in FS2 is derived in part from scodec. The scodec license is as follows:

Copyright (c) 2013-2014, Michael Pilquist and Paul Chiusano
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the scodec team nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code in FS2 is derived in part from Cats. The Cats license is as follows:

Cats Copyright (c) 2015 Erik Osheim.

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including
without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Code in Cats is derived in part from Scalaz. The Scalaz license follows:

Copyright (c) 2009-2014 Tony Morris, Runar Bjarnason, Tom Adams,
Kristian Domagala,
Brad Clow, Ricky Clarkson, Paul Chiusano, Trygve
Laugstl, Nick Partridge, Jason Zaugg. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.434 unique 1.0.0

1.434.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Shinnosuke Watanabe

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in

the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT
 OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.435 powermock-module-testng-common 2.0.7

1.435.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2009 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961390_1645785830.67/0/powermock-module-testng-common-2-0-7-sources-jar/org/powermock/modules/testng/PowerMockTestCase.java

1.436 spring-framework 5.0.4.RELEASE

1.436.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest
you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients
all the rights that we gave
you. You must make sure that they, too, receive or can get the source

code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.

Finally, software patents pose a constant threat to the existence
of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the
entire combination fits
its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use
the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without

limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish
on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library
refers to a function or a
table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or

table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves,
then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to
a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed
under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this
License.
Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables
containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing

the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute
so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people
have made
generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the

original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL

DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and
a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

You should also
get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the

library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
Spring Framework ${version}
Copyright (c) 2002-${copyright} Pivotal, Inc.

This product is licensed to you under the Apache License, Version 2.0
(the "License"). You may not use this product except in compliance with
the License.

This product may include a number of subcomponents with separate
copyright notices and license terms. Your use of the source code for
these subcomponents is subject to the terms and conditions of the
subcomponent's license, as noted in the license.txt file.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

==

SPRING FRAMEWORK ${version} SUBCOMPONENTS:

Spring Framework ${version} includes a number of subcomponents
with separate copyright notices and license terms. The product that
includes this file does not necessarily use all the open source
subcomponents referred to below. Your use of the source
code for these subcomponents is subject to the terms and
conditions of the following licenses.

>>> ASM 4.0 (org.ow2.asm:asm:4.0, org.ow2.asm:asm-commons:4.0):

Copyright (c) 2000-2011 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms,
with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 1999-2009, OW2 Consortium <http://www.ow2.org/>

>>> CGLIB 3.0 (cglib:cglib:3.0):

Per the LICENSE file in the CGLIB JAR distribution downloaded from
http://sourceforge.net/projects/cglib/files/cglib3/3.0/cglib-3.0.jar/download,
CGLIB 3.0 is licensed under the Apache License, version 2.0, the text of which
is included above.

==========

To the extent any open source subcomponents are licensed under the EPL and/or
other similar licenses that require the source code and/or modifications to

source code to be made available
(as would be noted above), you may obtain a
copy of the source code corresponding to the binaries for such open source
components and modifications thereto, if any, (the "Source Files"), by
downloading the Source Files from http://www.springsource.org/download, or by
sending a request, with your name and address to:

Pivotal, Inc., 875 Howard St,
San Francisco, CA 94103
United States of America

or email info@pivotal.io. All such requests should clearly specify:

OPEN SOURCE FILES REQUEST
Attention General Counsel

Pivotal shall mail a copy of the Source Files to you on a CD or equivalent
physical medium. This offer to obtain a copy of the Source Files is valid for
three years from the date you acquired this Software product.

1.437 blaze-core 0.20.23

1.437.1 Available under license :

Copyright (c) 2012-2014, Continuum Analytics, Inc. and contributors
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

Neither the name of Continuum Analytics nor the names of any contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT
SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
SIL Open Font License (OFL)
http://scripts.sil.org/cms/scripts/page.php?site_id=nrsi&id=OFL
Copyright (C) 2014 Hakim El Hattab, http://hakim.se

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.438 parboiled 1.0.1

1.438.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and

limitations under the License.

1.439 play-functional 2.4.6

1.439.1 Available under license :

This software is licensed under the Apache 2 license, quoted below.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this project except in compliance with
the License. You may obtain a copy of the License at http://www.apache.org/licenses/LICENSE-2.0.

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific
language governing permissions and limitations under the License.
Copyright (c) 2008-2014 Typesafe Inc, Mark Harrah, Grzegorz Kossakowski, Josh Suereth, Indrajit Raychaudhuri, Eugene Yokota, and other contributors.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
  derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Simple Build Tool Launcher
Copyright 2008, 2009, 2010 Mark Harrah, David MacIver
Licensed under BSD-style license (see LICENSE)

Classes from the Scala library are distributed with the launcher.
Copyright 2002-2013 EPFL, Lausanne
Licensed under BSD-style license (see licenses/LICENSE_Scala)

Classes from Apache Ivy, licensed under the Apache License, Version 2.0
(see licenses/LICENSE_Apache) are distributed with the launcher.
It requires the following notice:

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Portions of Ivy were originally developed by
Jayasoft SARL (http://www.jayasoft.fr/)
and are licensed to the Apache Software Foundation under the
"Software Grant License Agreement"

THIS SOFTWARE IS PROVIDED BY THE AUTHORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE
FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
SCALA LICENSE

Copyright (c) 2002-2008 EPFL, Lausanne, unless otherwise specified.
All rights reserved.

This software was developed by the Programming Methods Laboratory of the
Swiss Federal Institute of Technology (EPFL), Lausanne, Switzerland.

Permission to use, copy, modify, and distribute this software in source
or binary form for any purpose with or without fee is hereby granted,
provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

3. Neither the name of the EPFL nor the names of its contributors
   may be used to endorse or promote products derived from this
   software without specific prior written permission.

THIS SOFTWARE
 IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

1.440 log4s 1.8.2

1.440.1 Available under license :

Copyright 2013-2017 Sarah Gerweck

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

1.441 rx-netty 0.3.13

1.441.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/metrics/HttpClientMetricEventsListener.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/udp/server/UdpServerBuilder.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/client/CompositeHttpClient.java
*
 /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/PooledConnection.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/server/ErrorHandler.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/server/ServerRequiredConfigurator.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/channel/ContentTransformer.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/client/HttpResponseHeaders.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/client/CompositeObserver.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/server/RequestHandler.java
*

/opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/client/HttpClientRequest.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/client/HttpClientImpl.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/ClientConnectionFactory.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/text/sse/ServerSentEvent.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/MaxConnectionsBasedStrategy.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/udp/client/UdpClientMetricsEvent.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/server/ConnectionLifecycleHandler.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/client/RequestProcessingOperator.java
*
/opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/channel/AbstractConnectionEvent.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/metrics/MetricsEvent.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/client/DefaultRedirectHandler.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/channel/ConnectionHandler.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/channel/SingleNioLoopProvider.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/websocket/WebSocketServerBuilder.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/server/HttpServerMetricsEvent.java
*
/opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/sse/SseOverHttpServerPipelineConfigurator.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/metrics/ListenerInvocationException.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/pipeline/RxRequiredConfigurator.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/udp/server/UdpServer.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/UnpooledClientConnectionFactory.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/CompositePoolLimitDeterminationStrategy.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/server/ConnectionBasedServerBuilder.java
*

/opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/server/ServerChannelMetricEventProvider.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/ClientRequiredConfigurator.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/metrics/ServerMetricEventsListener.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/sse/SseOverHttpClientPipelineConfigurator.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/RxNetty.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/pipeline/ObservableAdapter.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/HttpContentHolder.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/websocket/WebSocketClientHandler.java
*
/opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/text/sse/SSEClientPipelineConfigurator.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/ClientBuilder.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/server/UriInfoHolder.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/server/DefaultErrorResponseGenerator.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/channel/Handler.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/PoolConfig.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/channel/ChannelMetricEventProvider.java
*
/opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/metrics/ClientMetricEventsListener.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/pipeline/PipelineConfiguratorComposite.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/websocket/WebSocketServerHandler.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/ConnectionPoolBuilder.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/server/HttpServer.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/udp/client/UdpClient.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/client/HttpClientPipelineConfigurator.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/client/HttpClientResponse.java
*

/opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/ClientChannelFactory.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/pipeline/ssl/SSLEngineFactory.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/PoolExhaustedException.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/AbstractHttpContentHolder.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/websocket/WebSocketServerMetricsEvent.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/server/ServerMetricsEvent.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/text/StringLineDecoder.java
*
/opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/websocket/WebSocketServerMetricsHandlers.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/ConnectionPoolImpl.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/ClientChannelMetricEventProvider.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/server/HttpResponseHeaders.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/channel/NewRxConnectionEvent.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/pipeline/StringMessageConfigurator.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/server/AbstractServerBuilder.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/channel/DefaultChannelWriter.java
*
/opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/websocket/WebSocketServerPipelineConfigurator.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/client/HttpClient.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/client/CompositeHttpClientBuilder.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/client/ClientRequestResponseConverter.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/client/FlatResponseOperator.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/metrics/MetricEventsListenerFactory.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/server/ServerRequiredConfigurator.java
*

/opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/ConnectionPool.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/udp/client/UdpClientConnection.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/websocket/WebSocketClientBuilder.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/client/HttpRequestHeaders.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/ClientMetricsEvent.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/server/HttpConnectionHandler.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/udp/client/UdpClientBuilder.java
*
/opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/UnicastContentSubject.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/metrics/HttpServerMetricEventsListener.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/channel/ByteTransformer.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/channel/ChannelWriter.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/pipeline/ssl/SslPipelineConfigurator.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/websocket/WebSocketClientMetricsHandlers.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/metrics/BytesInspector.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/udp/client/UdpClientConnectionFactory.java
*
/opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/server/HttpServerBuilder.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/util/NoOpSubscriber.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/text/sse/ServerSentEventEncoder.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/server/DefaultErrorHandler.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/channel/RxDefaultThreadFactory.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/sse/SSEInboundHandler.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/PooledConnectionFactory.java
*

/opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/metrics/WebSocketServerMetricEventsListener.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/udp/server/UdpServerMetricsEvent.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/pipeline/ReadTimeoutPipelineConfigurator.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/metrics/Clock.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/server/AbstractServer.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/client/RedirectOperator.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/ClientChannelFactoryImpl.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/RxClientImpl.java
*
/opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/channel/UnpooledConnectionFactory.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/server/RxServer.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/pipeline/PipelineConfigurators.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/pipeline/PipelineConfigurator.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/channel/NoOpChannelMetricEventProvider.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/pipeline/ByteArrayPipelineConfigurator.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/text/SimpleTextProtocolConfigurator.java
*
/opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/channel/RxEventLoopProvider.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/server/HttpServerPipelineConfigurator.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/client/HttpClientBuilder.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/server/HttpServerResponse.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/metrics/WebSocketClientMetricEventsListener.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/channel/ObservableConnectionFactory.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/metrics/MetricEventsSubject.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/websocket/WebSocketClient.java
*

/opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/websocket/WebSocketClientPipelineConfigurator.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/client/HttpClientMetricsEvent.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/client/ResponseHolder.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/channel/StringTransformer.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/server/HttpRequestHeaders.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/server/RxServerThreadFactory.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/AbstractHttpConfigurator.java
*
/opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/pipeline/ssl/DefaultFactories.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/server/ServerBuilder.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/PoolLimitDeterminationStrategy.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/RxClientThreadFactory.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/metrics/MetricEventsListener.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/text/sse/SSEServerPipelineConfigurator.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/ConnectionLifecycleHandler.java
*
/opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/HttpObjectAggregationConfigurator.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/websocket/WebSocketClientMetricsEvent.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/CookiesHolder.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/channel/ObservableConnection.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/client/ClientRequiredConfigurator.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/text/sse/ServerSentEventDecoder.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/metrics/AbstractMetricsEvent.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/server/ServerRequestResponseConverter.java
*

/opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/util/MultipleFutureListener.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/ConnectionReuseEvent.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/client/HttpRedirectException.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/metrics/MetricEventsPublisher.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/AbstractClientBuilder.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/server/ErrorResponseGenerator.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/client/RxClient.java
*
/opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/server/HttpServerRequest.java
* /opt/cola/permits/1277961432_1645786277.16/0/rx-netty-0-3-13-sources-jar/io/reactivex/netty/protocol/http/websocket/WebSocketServer.java

1.442 io.spray:spray-io 1.3.4

1.442.1 Available under license :

This software is licensed under the Apache 2 license, quoted below.

Copyright 2011-2015 the spray project <http://spray.io>

Licensed under the Apache License, Version 2.0 (the "License"); you may not
use this file except in compliance with the License. You may obtain a copy of
the License at

[http://www.apache.org/licenses/LICENSE-2.0]

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
License for the specific language governing permissions and limitations under
the License.
SIL Open Font License (OFL)
http://scripts.sil.org/cms/scripts/page.php?site_id=nrsi&id=OFL

1.443 micronaut 1.2.2

1.443.1 Available under license :

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this
License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You

meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.444 play-server 2.4.6

1.444.1 Available under license :

This software is licensed under the Apache 2 license, quoted below.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this project except in compliance with
the License. You may obtain a copy of the License at http://www.apache.org/licenses/LICENSE-2.0.

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific
language governing permissions and limitations under the License.
Copyright (c) 2008-2014 Typesafe Inc, Mark Harrah, Grzegorz Kossakowski, Josh Suereth, Indrajit Raychaudhuri, Eugene Yokota, and other contributors.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Simple Build Tool Launcher
Copyright 2008, 2009, 2010 Mark Harrah, David MacIver
Licensed under BSD-style license (see LICENSE)

Classes from the Scala library are distributed with the launcher.
Copyright 2002-2013 EPFL, Lausanne
Licensed under BSD-style license (see licenses/LICENSE_Scala)

Classes from Apache Ivy, licensed under the Apache License, Version 2.0
(see licenses/LICENSE_Apache) are distributed with the launcher.
It requires the following notice:

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Portions of Ivy were originally developed by
Jayasoft SARL (http://www.jayasoft.fr/)
and are licensed to the Apache Software Foundation under the
"Software Grant License Agreement"

THIS SOFTWARE IS PROVIDED BY THE AUTHORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE
FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
SCALA LICENSE

Copyright (c) 2002-2008 EPFL, Lausanne, unless otherwise specified.
All rights reserved.

This software was developed by the Programming Methods Laboratory of the
Swiss Federal Institute of Technology (EPFL), Lausanne, Switzerland.

Permission to use, copy, modify, and distribute this software in source
or binary form for any purpose with or without fee is hereby granted,
provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

3. Neither the name of the EPFL nor the names of its contributors
   may be used to endorse or promote products derived from this
   software without specific prior written permission.

THIS SOFTWARE
IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

SUCH DAMAGE.

1.445 play-netty-utils 2.4.6

1.445.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961336_1645786285.07/0/play-netty-utils-2-4-6-sources-jar/play/core/netty/utils/Cookie.java
* /opt/cola/permits/1277961336_1645786285.07/0/play-netty-utils-2-4-6-sources-jar/play/core/netty/utils/CookieHeaderNames.java
* /opt/cola/permits/1277961336_1645786285.07/0/play-netty-utils-2-4-6-sources-jar/play/core/netty/utils/DefaultCookie.java
*
 /opt/cola/permits/1277961336_1645786285.07/0/play-netty-utils-2-4-6-sources-jar/play/core/netty/utils/CookieEncoder.java
* /opt/cola/permits/1277961336_1645786285.07/0/play-netty-utils-2-4-6-sources-jar/play/core/netty/utils/ClientCookieDecoder.java
* /opt/cola/permits/1277961336_1645786285.07/0/play-netty-utils-2-4-6-sources-jar/play/core/netty/utils/CookieUtil.java
* /opt/cola/permits/1277961336_1645786285.07/0/play-netty-utils-2-4-6-sources-jar/play/core/netty/utils/CookieDecoder.java
* /opt/cola/permits/1277961336_1645786285.07/0/play-netty-utils-2-4-6-sources-jar/play/core/netty/utils/ServerCookieEncoder.java
* /opt/cola/permits/1277961336_1645786285.07/0/play-netty-utils-2-4-6-sources-jar/play/core/netty/utils/ServerCookieDecoder.java
* /opt/cola/permits/1277961336_1645786285.07/0/play-netty-utils-2-4-6-sources-jar/play/core/netty/utils/package-info.java
* /opt/cola/permits/1277961336_1645786285.07/0/play-netty-utils-2-4-6-sources-jar/play/core/netty/utils/ClientCookieEncoder.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961336_1645786285.07/0/play-netty-utils-2-4-6-sources-jar/play/core/netty/utils/HttpConstants.java
* /opt/cola/permits/1277961336_1645786285.07/0/play-netty-utils-2-4-6-sources-jar/play/core/netty/utils/HttpHeaderDateFormat.java

1.446 akka-parsing 2.4.3

1.446.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**
* A very fast and memory efficient class to encode and decode to and from BASE64 in full accordance
* with RFC 2045.

* On Windows XP sp1 with 1.4.2_04 and later ;), this encoder and decoder is about 10 times faster
* on small arrays (10 - 1000 bytes) and 2-3 times as fast on larger arrays (10000 - 1000000 bytes)
* compared to <code>sun.misc.Encoder()/Decoder()</code>.

*
* On byte arrays the encoder is about 20% faster than Jakarta Commons Base64 Codec for encode and
* about 50% faster for decoding large arrays. This implementation is about twice as fast on very small
* arrays (&lt 30 bytes). If source/destination is a <code>String</code> this
* version is about three times as fast due to the fact that the Commons Codec result has to be recoded
* to a <code>String</code> from <code>byte[]</code>, which is very expensive.

*
* This encode/decode algorithm doesn't create any temporary
 arrays as many other codecs do, it only
* allocates the resulting array. This produces less garbage and it is possible to handle arrays twice
* as large as algorithms that create a temporary array. (E.g. Jakarta Commons Codec). It is unknown
* whether Sun's <code>sun.misc.Encoder()/Decoder()</code> produce temporary arrays but since performance

* is quite low it probably does.

*
* The encoder produces the same output as the Sun one except that the Sun's encoder appends
* a trailing line separator if the last character isn't a pad. Unclear why but it only adds to the
* length and is probably a side effect. Both are in conformance with RFC 2045 though.
* Commons codec seem to always att a trailing line separator.

*
* Note!
* The encode/decode method pairs (types) come in three versions with the exact same algorithm and
* thus a lot of code redundancy. This is to not create any temporary arrays for transcoding to/from different
* format
 types. The methods not used can simply be commented out.

*
* There is also a "fast" version of all decode methods that works the same way as the normal ones, but
* har a few demands on the decoded input. Normally though, these fast verions should be used if the source if
* the input is known and it hasn't bee tampered with.

*
* If you find the code useful or you find a bug, please send me a note at base64 @ miginfocom . com.
*
* Licence (BSD):
* ==============
*
* Copyright (c) 2004, Mikael Grev, MiG InfoCom AB. (base64 @ miginfocom . com)
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without modification,
* are permitted provided that the following conditions are met:
* Redistributions of source code must retain the above copyright notice, this list
* of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice, this
* list of conditions and the following
 disclaimer in the documentation and/or other
* materials provided with the distribution.
* Neither the name of the MiG InfoCom AB nor the names of its contributors may be
* used to endorse or promote products derived from this software without specific
* prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
* WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED.
* IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
* BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA,
* OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY,
* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR

OTHERWISE)
* ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY
* OF SUCH DAMAGE.
*
* @version 2.2
* @author Mikael Grev
*   Date: 2004-aug-02
*   Time: 11:31:11
*
* Adapted in 2009 by Mathias Doenitz.
*/

Found in path(s):
* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/parboiled2/util/Base64.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2011-13 Miles Sabin
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/shapeless/hlists.scala
* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/shapeless/syntax/hlists.scala
* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/shapeless/ops/hlists.scala
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009-2016 Mathias Doenitz, Alexander Myltsev
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/parboiled2/ParseError.scala
* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/parboiled2/RuleDSLBasics.scala
* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/parboiled2/support/ActionOps.scala
*
 /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/parboiled2/DynamicRuleDispatch.scala
* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/parboiled2/CharUtils.scala
* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/parboiled2/RuleDSLActions.scala
* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/parboiled2/package.scala
* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/parboiled2/support/TailSwitch.scala
* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/parboiled2/Rule.scala
* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/parboiled2/ErrorFormatter.scala
* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/parboiled2/support/OpTreeContext.scala
*
 /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/parboiled2/support/RunResult.scala
* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/parboiled2/ParserInput.scala
* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/parboiled2/RuleDSLCombinators.scala
* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/parboiled2/ValueStack.scala
* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/parboiled2/support/Unpack.scala
* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/parboiled2/support/ActionOpsSupport.scala
* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/parboiled2/Parser.scala

* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/parboiled2/support/package.scala
* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/parboiled2/support/Lifter.scala
*
 /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/parboiled2/CharPredicate.scala
* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/parboiled2/support/HListable.scala
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2013-14 Miles Sabin
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1277961274_1645785774.61/0/akka-parsing-2-11-2-4-3-sources-jar/akka/shapeless/package.scala

1.447 lucene-queries 4.7.2

1.447.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was
derived from unicode conversion examples available at
http://www.unicode.org/Public/PROGRAMS/CVTUTF. Here is the copyright
from those sources:

/*
* Copyright 2001-2004 Unicode, Inc.
*
* Disclaimer
*
* This source code is provided as is by Unicode, Inc. No claims are
* made as to fitness for any particular purpose. No warranties of any
* kind are expressed or implied. The recipient agrees to determine
* applicability of information provided. If this file has been
* purchased on magnetic or optical media from Unicode, Inc., the
* sole remedy for any claim
will be exchange of defective media
* within 90 days of receipt.
*
* Limitations on Rights to Redistribute This Code
*
* Unicode, Inc. hereby grants the right to freely use the information
* supplied in this file in the creation of products supporting the
* Unicode Standard, and to make copies of this file in any form
* for internal or external distribution as long as this notice
* remains attached.
*/

Some code in core/src/java/org/apache/lucene/util/ArrayUtil.java was
derived from Python 2.4.2 sources available at
http://www.python.org. Full license is here:

http://www.python.org/download/releases/2.4.2/license/

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was
derived from Python 3.1.2 sources available at
http://www.python.org. Full license is here:

http://www.python.org/download/releases/3.1.2/license/

Some code in core/src/java/org/apache/lucene/util/automaton was
derived from Brics automaton sources available at
www.brics.dk/automaton/.
Here is the copyright from those sources:

/*
* Copyright (c) 2001-2009 Anders Moeller
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
*   derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

The levenshtein automata tables in core/src/java/org/apache/lucene/util/automaton
were automatically generated with the moman/finenight FSA package.
Here is the copyright for those sources:

Copyright (c) 2010, Jean-Philippe Barrette-LaPierre, <jpb@rrette.com>
#
Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including
without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following

conditions:
#
The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.
#
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was
derived from ICU (http://www.icu-project.org)
The full license is available
 here:
 http://source.icu-project.org/repos/icu/icu/trunk/license.html

/*
* Copyright (C) 1999-2010, International Business Machines
* Corporation and others. All Rights Reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, and/or sell copies of the
* Software, and to permit persons to whom the Software is furnished to do so,
* provided that the above copyright notice(s) and this permission notice appear
* in all copies of the Software and that both the above copyright notice(s) and
* this permission notice appear in supporting documentation.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR
 PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.
* IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE
* LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR
* ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER
* IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
*
* Except as contained in this notice, the name of a copyright holder shall not
* be used in advertising or otherwise to promote the sale, use or other
* dealings in this Software without prior written authorization of the
* copyright holder.
*/

The following license applies to the Snowball stemmers:

Copyright (c) 2001, Dr Martin Porter
Copyright (c) 2002, Richard Boulton
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
* this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* Neither the name of the copyright holders nor the names of its contributors
* may be used to endorse or promote products derived from this software
* without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the KStemmer:

Copyright 2003,
Center for Intelligent Information Retrieval,
University of Massachusetts, Amherst.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

3. The names "Center for Intelligent
Information Retrieval" and
"University of Massachusetts" must not be used to endorse or promote products
derived from this software without prior written permission. To obtain
permission, contact info@ciir.cs.umass.edu.

THIS SOFTWARE IS PROVIDED BY UNIVERSITY OF MASSACHUSETTS AND OTHER CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

The
following license applies to the Morfologik project:

Copyright (c) 2006 Dawid Weiss
Copyright (c) 2007-2011 Dawid Weiss, Marcin Mikowski
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

* Neither the name of Morfologik nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The dictionary comes from Morfologik project. Morfologik uses data from Polish ispell/myspell dictionary hosted at http://www.sjp.pl/slownik/en/ and is licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike. The part-of-speech tags were added in Morfologik project and are not found in the data from sjp.pl. The tagset is similar to IPI PAN tagset.

The following license applies to the Morfeusz project, used by org.apache.lucene.analysis.morfologik.

BSD-licensed dictionary of Polish (SGJP)
http://sgjp.pl/morfeusz/

Copyright 2011 Zygmunt Saloni, Wodzimierz Gruszczyski,
Marcin Woliski, Robert Woosz

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE

OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Apache Lucene
Copyright 2014 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Includes software from other Apache Software Foundation projects,
including, but not limited to:
- Apache Ant
- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such
as the Unicode Character Database. See http://unicode.org/copyright.html for more
details.

Brics Automaton (under core/src/java/org/apache/lucene/util/automaton) is
BSD-licensed, created by Anders Mller. See http://www.brics.dk/automaton/

The levenshtein automata tables (under core/src/java/org/apache/lucene/util/automaton) were
automatically generated with the moman/finenight FSA library, created by
Jean-Philippe Barrette-LaPierre.
This library is available under an MIT license,
see http://sites.google.com/site/rrettesite/moman and
http://bitbucket.org/jpbarrette/moman/overview/

The class org.apache.lucene.util.WeakIdentityMap was derived from
the Apache CXF project and is Apache License 2.0.

The Google Code Prettify is Apache License 2.0.
See http://code.google.com/p/google-code-prettify/

JUnit (junit-4.10) is licensed under the Common Public License v. 1.0
See http://junit.sourceforge.net/cpl-v10.html

This product includes code (JaspellTernarySearchTrie) from Java Spelling Checkin
g Package (jaspell): http://jaspell.sourceforge.net/
License: The BSD License (http://www.opensource.org/licenses/bsd-license.php)

The snowball stemmers in
analysis/common/src/java/net/sf/snowball
were developed by Martin Porter and Richard Boulton.

The snowball stopword lists in
analysis/common/src/resources/org/apache/lucene/analysis/snowball
were developed by Martin Porter and Richard Boulton.
The full snowball package
is available from
http://snowball.tartarus.org/

The KStem stemmer in
analysis/common/src/org/apache/lucene/analysis/en
was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst)
under the BSD-license.

The Arabic,Persian,Romanian,Bulgarian, and Hindi analyzers (common) come with a default
stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:
analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt
See http://members.unine.ch/jacques.savoy/clef/index.html.

The German,Spanish,Finnish,French,Hungarian,Italian,Portuguese,Russian and Swedish light stemmers
(common) are based on BSD-licensed reference implementations created
by Jacques Savoy and
Ljiljana Dolamic. These files reside in:
analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java

The Stempel analyzer (stempel) includes BSD-licensed
software developed
by the Egothor project http://egothor.sf.net/, created by Leo Galambos, Martin Kvapil,
and Edmond Nolan.

The Polish analyzer (stempel) comes with a default
stopword list that is BSD-licensed created by the Carrot2 project. The file resides
in stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt.
See http://project.carrot2.org/license.html.

The SmartChineseAnalyzer source code (smartcn) was

provided by Xiaoping Gao and copyright 2009 by www.imdict.net.

WordBreakTestUnicode_*.java (under modules/analysis/common/src/test/)
is derived from Unicode data such as the Unicode Character Database.
See http://unicode.org/copyright.html for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software
developed by Dawid Weiss and Marcin Mikowski (http://morfologik.blogspot.com/).

Morfologik uses data from Polish ispell/myspell dictionary
(http://www.sjp.pl/slownik/en/) licenced on the terms of (inter alia)
LGPL and Creative Commons ShareAlike.

Morfologic
includes data from BSD-licensed dictionary of Polish (SGJP)
(http://sgjp.pl/morfeusz/)

Servlet-api.jar and javax.servlet-*.jar are under the CDDL license, the original
source code for this can be found at http://www.eclipse.org/jetty/downloads.php

==
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration
==

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz

or

http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz

==
mecab-ipadic-2.7.0-20070801 Notice
==

Nara
Institute of Science and Technology (NAIST),
the copyright holders, disclaims all warranties with regard to this
software, including all implied warranties of merchantability and
fitness, in no event shall NAIST be liable for
any special, indirect or consequential damages or any damages
whatsoever resulting from loss of use, data or profits, whether in an
action of contract, negligence or other tortuous action, arising out

of or in connection with the use or performance of this software.

A large portion of the dictionary entries
originate from ICOT Free Software. The following conditions for ICOT
Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its
original form or modified, to any third party or parties, PROVIDED
that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear
on, or be attached to, the Program, which is distributed substantially
in the same form as set out herein and that such intended
distribution,
if actually made, will neither violate or otherwise
contravene any of the laws and regulations of the countries having
jurisdiction over the User or the intended distribution itself.

NO WARRANTY

The program was produced on an experimental basis in the course of the
research and development conducted during the project and is provided
to users as so produced on an experimental basis. Accordingly, the
program is provided without any warranty whatsoever, whether express,
implied, statutory or otherwise. The term "warranty" used herein
includes, but is not limited to, any warranty of the quality,
performance, merchantability and fitness for a particular purpose of
the program and the nonexistence of any infringement or violation of
any right of any third party.

Each user of the program will agree and understand, and be deemed to
have agreed and understood, that there is no warranty whatsoever for
the program and, accordingly, the entire risk arising from or
otherwise connected
with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other
organization that participated in or was otherwise related to the
development of the program and their respective officials, directors,
officers and other employees shall be held liable for any and all
damages, including, without limitation, general, special, incidental
and consequential damages, arising out of or otherwise in connection
with the use or inability to use the program or any product, material
or result produced or otherwise obtained by using the program,
regardless of whether they have been advised of, or otherwise had
knowledge of, the possibility of such damages at any time during the
project or thereafter. Each user will be deemed to have agreed to the
foregoing by his or her commencement of use of the program. The term
"use" as used herein includes, but is not limited to, the use,
modification, copying and distribution of the program and the

production of secondary
products from the program.

In the case where the program, whether in its original form or
modified, was distributed or delivered to or received by a user from
any person, organization or entity other than ICOT, unless it makes or
grants independently of ICOT any specific warranty to the user in
writing, such person, organization or entity, will also be exempted
from and not be held liable to the user for any such damages as noted
above as far as the program is concerned.

1.448 akka-actor 2.4.3

1.448.1 Available under license :

This software includes the following components from the Apache Software Foundation, also released under the Apache Software License Version 2.0:

commons-cli-1.1.jar
jakarta-oro-2.0.8.jar
log4j-1.2.15.jar

The following components are covered under different licenses:

jline-0.9.94.jar (LICENSE-JLINE)
One-Jar (LICENSE-ONEJAR)
Java/Tcl v1.3.3 (LICENSE-TCLJAVA,-2,-3,-4)

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The following license terms apply to the Itcl source and
test files located in the src/itcl and tests/itcl directories.

This software is copyrighted by Cadence Design Systems, Inc., and other
parties. The following terms apply to all files associated with the
software unless explicitly disclaimed in individual files.

The authors hereby grant permission to use, copy, modify, distribute,
and license this software and its documentation for any purpose, provided
that existing copyright notices are retained in all copies and that this
notice is included verbatim in any distributions. No written agreement,
license, or royalty fee is required for any of the authorized uses.
Modifications to this software may be copyrighted by their authors
and need not follow the licensing terms described here, provided that
the new terms are clearly indicated on the first page of each file where
they apply.

IN NO EVENT SHALL THE AUTHORS OR DISTRIBUTORS BE LIABLE TO ANY PARTY
FOR DIRECT, INDIRECT, SPECIAL,
INCIDENTAL, OR CONSEQUENTIAL DAMAGES
ARISING OUT OF THE USE OF THIS SOFTWARE, ITS DOCUMENTATION, OR ANY
DERIVATIVES THEREOF, EVEN IF THE AUTHORS HAVE BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

THE AUTHORS AND DISTRIBUTORS SPECIFICALLY DISCLAIM ANY WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT. THIS SOFTWARE
IS PROVIDED ON AN "AS IS" BASIS, AND THE AUTHORS AND DISTRIBUTORS HAVE
NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR
MODIFICATIONS.

GOVERNMENT USE: If you are acquiring this software on behalf of the

U.S. government, the Government shall have only "Restricted Rights"
in the software and related documentation as defined in the Federal
Acquisition Regulations (FARs) in Clause 52.227.19 (c) (2). If you
are acquiring the software on behalf of the Department of Defense, the
software shall be classified as "Commercial Computer Software" and the
Government shall
have only "Restricted Rights" as defined in Clause
252.227-7013 (c) (1) of DFARs. Notwithstanding the foregoing, the
authors grant the U.S. Government and others acting in its behalf
permission to use and distribute the software in accordance with the
terms specified in this license.

Following is the original agreement for the Tcl/Tk software from
Sun Microsystems.

This software is copyrighted by the Regents of the University of
California, Sun Microsystems, Inc., and other parties. The following
terms apply to all files associated with the software unless explicitly
disclaimed in individual files.

The authors hereby grant permission to use, copy, modify, distribute,
and license this software and its documentation for any purpose, provided
that existing copyright notices are retained in all copies and that this
notice is included verbatim
in any distributions. No written agreement,
license, or royalty fee is required for any of the authorized uses.
Modifications to this software may be copyrighted by their authors
and need not follow the licensing terms described here, provided that
the new terms are clearly indicated on the first page of each file where
they apply.

IN NO EVENT SHALL THE AUTHORS OR DISTRIBUTORS BE LIABLE TO ANY PARTY
FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES
ARISING OUT OF THE USE OF THIS SOFTWARE, ITS DOCUMENTATION, OR ANY
DERIVATIVES THEREOF, EVEN IF THE AUTHORS HAVE BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

THE AUTHORS AND DISTRIBUTORS SPECIFICALLY DISCLAIM ANY WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT. THIS SOFTWARE
IS PROVIDED ON AN "AS IS" BASIS, AND THE AUTHORS AND DISTRIBUTORS HAVE
NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR
MODIFICATIONS.

GOVERNMENT

USE: If you are acquiring this software on behalf of the
U.S. government, the Government shall have only "Restricted Rights"
in the software and related documentation as defined in the Federal
Acquisition Regulations (FARs) in Clause 52.227.19 (c) (2). If you
are acquiring the software on behalf of the Department of Defense, the
software shall be classified as "Commercial Computer Software" and the
Government shall have only "Restricted Rights" as defined in Clause
252.227-7013 (c) (1) of DFARs. Notwithstanding the foregoing, the
authors grant the U.S. Government and others acting in its behalf
permission to use and distribute the software in accordance with the
terms specified in this license.
The following license terms apply to the TJC compiler source
and test files located in the src/tjc, src/tests/tjc, and
tests/tjc directories.

2005 Advanced Micro Devices, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that existing copyright notices
are retained in all copies, this notice is included verbatim in any
distributions, and the terms and conditions hererin are met.

Use of the this software manifests acceptance of the terms of this
license by performance.

The name of Advanced Micro Devices, Inc. may not be used to endorse or
promote products derived from this software without specific prior
written permission.

THIS SOFTWARE IS PROVIDED BY ADVANCED MICRO DEVICES, INC. "AS IS" AND ANY EXPRESS, IMPLIED OR STATUTORY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT, OR THOSE ARISING FROM CUSTOM OF TRADE OR COURSE
OF USAGE ARE DISCLAIMED.

IN NO EVENT SHALL ADVANCED MICRO DEVICES, INC. BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED, AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE ITS DOCUMENTATION OR ANY DERIVATIVES THEREOF, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. BY USING THIS SOFTWARE WITHOUT CHARGE, YOU ACCEPT THIS ALLOCATION OF RISK. THIS DISCLAIMER OF LIABILITY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. ADVANCED MICRO DEVICES, INC. HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS OF THIS SOFTWARE.

In the redistribution and use of this software, each party shall at all
times comply with all applicable governmental laws,
statutes, ordinances,
rules, regulations, orders, and other requirements, including without
limitation such governmental requirements applicable to environmental
protection, health, safety, wages, hours, equal employment opportunity,
nondiscrimination, working conditions, import or export control, and
transportation. Without limiting the foregoing, each party shall adhere
to the U.S. Export Administration Regulations (EAR), currently found at
15 C.F.R. Sections 730 through 744, and, unless properly authorized by
the U.S. Government, shall not (1) export, re-export or release restricted
technology, software, or source code to a national of a country in Country
Groups D:1 or E:1, or (2) export to Country Groups D:1 or E:1 the direct
product of such technology or software, if such foreign produced direct
product is subject to national security controls as identified on the
Commerce Control List (currently found in Supplement 1 to Section 774 of EAR).
These export requirements shall survive
any expiration or termination
of this agreement.
Business Source License 1.1

Parameters

Licensor: Lightbend, Inc.
Licensed Work: Akka 2.8.x
The Licensed Work is (c) 2022 Lightbend Inc.
Additional Use Grant:
If you develop an application using a version of Play Framework that
utilizes binary versions of akka-streams and its dependencies, you may
use such binary versions of akka-streams and its dependencies in the
development of your application only as they are incorporated into
Play Framework and solely to implement the functionality provided by
Play Framework; provided that, they are only used in the following way:
Connecting to a Play Framework websocket and/or Play Framework
request/response bodies for server and play-ws client.

Change Date: TBD (3 years after 2.8.0 release)

Change License: Apache License, Version 2.0

For information about alternative licensing arrangements for the Software,
please visit: https://lightbend.com/

Business

Source License 1.1

License text copyright (c) 2017 MariaDB Corporation Ab, All Rights Reserved.
Business Source License is a trademark of MariaDB Corporation Ab.

Terms

The Licensor hereby grants you the right to copy, modify, create derivative works, redistribute, and make non-production use of the Licensed Work. The Licensor may make an Additional Use Grant, above, permitting limited production use.

Effective on the Change Date, or the fourth anniversary of the first publicly available distribution of a specific version of the Licensed Work under this License, whichever comes first, the Licensor hereby grants you rights under the terms of the Change License, and the rights granted in the paragraph above terminate.

If your use of the Licensed Work does not comply with the requirements currently in effect as described in this License, you must purchase a commercial license from the Licensor, its affiliated entities, or authorized resellers, or you must refrain from using the Licensed Work.

All copies of the original and modified Licensed Work, and derivative works of the Licensed Work, are subject to this License. This License applies separately for each version of the Licensed Work and the Change Date may vary for each version of the Licensed Work released by Licensor.

You must conspicuously display this License on each original or modified copy of the Licensed Work. If you receive the Licensed Work in original or modified form from a third party, the terms and conditions set forth in this License apply to your use of that work.

Any use of the Licensed Work in violation of this License will automatically terminate your rights under this License for the current and all other versions of the Licensed Work.

This License does not grant you any right in any trademark or logo of Licensor or its affiliates (provided that you may use a trademark or logo of Licensor as expressly required by this License).

TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE LICENSED WORK IS PROVIDED ON AN AS IS BASIS. LICENSOR HEREBY DISCLAIMS ALL WARRANTIES AND CONDITIONS, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, AND TITLE.

MariaDB hereby grants you permission to use this Licenses text to license
your works, and to refer to it using the trademark Business Source License,
as long as you comply with the Covenants of Licensor below.

Covenants of Licensor

In consideration of the right to use this Licenses text and the Business
Source License name and trademark, Licensor covenants to MariaDB, and to all
other recipients of the licensed work to be provided by Licensor:

1. To specify as the Change License the GPL Version 2.0 or any later version,
or a license that is compatible with GPL Version 2.0 or a later version,
where compatible means that software provided under the Change License can

be included in a program with software provided under GPL Version 2.0 or a
later version. Licensor may specify additional Change Licenses without
limitation.

2. To either: (a) specify an additional grant of rights to use that does not
impose any additional restriction on the right granted in this License, as
the Additional Use Grant; or (b) insert the text None.

3. To specify a Change Date.

4. Not to modify this License in any other way.
The jmxsh library has been obtained from https://code.google.com/p/jmxsh/ under the Apache License 2.0.
/*
* One-JAR (http://www.simontuffs.com/one-jar). Copyright (c) 2004-2007,
* P. Simon Tuffs (simon@simontuffs.com). All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are met:
*
* Redistributions of source code must retain the above copyright notice, this
* list of conditions and the following disclaimer.
*
* Redistributions in binary form must reproduce the above copyright notice,
* this list of conditions and the following disclaimer in the documentation
* and/or other materials provided with the distribution.
*
* Neither the name of P. Simon Tuffs, nor the names of any contributors,
* nor the name One-JAR may be used to endorse or promote products derived
* from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT

NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
* POSSIBILITY OF SUCH DAMAGE.
*
* Including this file inside the built One-JAR file conforms with these terms.
*/
Copyright (c) 2002-2006, Marc Prud'hommeaux <mwp1@cornell.edu>
All rights reserved.

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the following
conditions are met:

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with
the distribution.

Neither the name of JLine nor the names of its contributors
may be used to endorse or promote products derived from this
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.
Apache log4j
Copyright 2007 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
Licenses

Akka License

```
Business Source License 1.1

Parameters

Licensor:             Lightbend, Inc.
Licensed Work:        Akka 2.7.x
                      The Licensed Work is (c) 2022 Lightbend Inc.
Additional Use Grant:
  If you develop an application using a version of Play Framework that
  utilizes binary versions of akka-streams and its dependencies, you may
  use such binary versions of akka-streams and its dependencies in the
  development of your application only as they are incorporated into
  Play Framework and solely to implement the functionality provided by
  Play Framework; provided that, they are only used in the following way:
  Connecting to a Play Framework websocket and/or Play Framework
  request/response bodies for server and play-ws client.

Change Date:          TBD ( 3 years after 2.7.0 release )

Change License:       Apache License, Version 2.0

For information about alternative licensing arrangements for the Software,
please visit:
 https://lightbend.com/

--------------------------------------------------------------------------------

Business Source License 1.1

License text copyright (c) 2017 MariaDB Corporation Ab, All Rights Reserved.
Business Source License is a trademark of MariaDB Corporation Ab.

Terms

The Licensor hereby grants you the right to copy, modify, create derivative
works, redistribute, and make non-production use of the Licensed Work. The
Licensor may make an Additional Use Grant, above, permitting limited
production use.

Effective on the Change Date, or the fourth anniversary of the first publicly
```

available distribution of a specific version of the Licensed Work under this License, whichever comes first, the Licensor hereby grants you rights under the terms of the Change License, and the rights granted in the paragraph above terminate.

If your use of the Licensed Work does not comply with the requirements currently in effect as described in this License, you must purchase a commercial license
from the Licensor, its affiliated entities, or authorized resellers, or you must refrain from using the Licensed Work.

All copies of the original and modified Licensed Work, and derivative works of the Licensed Work, are subject to this License. This License applies separately for each version of the Licensed Work and the Change Date may vary for each version of the Licensed Work released by Licensor.

You must conspicuously display this License on each original or modified copy of the Licensed Work. If you receive the Licensed Work in original or modified form from a third party, the terms and conditions set forth in this License apply to your use of that work.

Any use of the Licensed Work in violation of this License will automatically terminate your rights under this License for the current and all other versions of the Licensed Work.

This License does not grant you any right in any trademark or logo of Licensor or its affiliates (provided that you may use a trademark or logo of Licensor
as expressly required by this License).

TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE LICENSED WORK IS PROVIDED ON AN AS IS BASIS. LICENSOR HEREBY DISCLAIMS ALL WARRANTIES AND CONDITIONS, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, AND TITLE.

MariaDB hereby grants you permission to use this Licenses text to license your works, and to refer to it using the trademark Business Source License, as long as you comply with the Covenants of Licensor below.

Covenants of Licensor

In consideration of the right to use this Licenses text and the Business Source License name and trademark, Licensor covenants to MariaDB, and to all other recipients of the licensed work to be provided by Licensor:

1. To specify as the Change License the GPL Version 2.0 or any later version, or a license that is compatible with GPL Version 2.0 or a later version,

where compatible means that software provided
under the Change License can
be included in a program with software provided under GPL Version 2.0 or a
later version. Licensor may specify additional Change Licenses without
limitation.

2. To either: (a) specify an additional grant of rights to use that does not
impose any additional restriction on the right granted in this License, as
the Additional Use Grant; or (b) insert the text None.

3. To specify a Change Date.

4. Not to modify this License in any other way.
```

## Akka Committer License Agreement

All committers have signed this [CLA](https://www.lightbend.com/contribute/cla).
It can be [signed online](https://www.lightbend.com/contribute/cla).

## Licenses for Dependency Libraries

Each dependency and its license can be seen in the project build file (the comment on the side of each dependency):
@extref[AkkaBuild.scala](github:project/AkkaBuild.scala#L1054)
SUN MICROSYSTEMS, INC. THROUGH ITS SUN MICROSYSTEMS LABORATORIES
DIVISION ("SUN") WILL LICENSE THIS SOFTWARE AND THE ACCOMPANYING
DOCUMENTATION TO YOU (a "Licensee") ONLY ON YOUR ACCEPTANCE OF ALL
THE TERMS SET FORTH BELOW.

Sun grants Licensee a non-exclusive, royalty-free right to download,
install, compile, use, copy and distribute the Software, modify or
otherwise create derivative works from the Software (each, a
"Modification") and distribute any Modification in source code and/or
binary code form to its customers with a license agreement containing
these terms and noting that the Software has been modified. The
Software is copyrighted by Sun and other third parties and Licensee
shall retain and reproduce all copyright and other notices presently
on the Software. As between Sun and Licensee, Sun is the sole owner of
all rights in and to the Software other than the limited rights
granted to Licensee herein; Licensee will own its Modifications,
expressly subject to Sun's continuing
ownership of the
Software. Licensee will, at its expense, defend and indemnify Sun and
its licensors from and against any third party claims, including costs
and reasonable attorneys' fees, and be wholly responsible for any
liabilities arising out of or related to Licensee's development, use
or distribution of the Software or Modifications. Any distribution of
the Software and Modifications must comply with all applicable United
```

States export control laws.

THE SOFTWARE IS BEING PROVIDED TO LICENSEE "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED. IN NO EVENT WILL SUN BE LIABLE HEREUNDER FOR ANY DIRECT DAMAGES OR ANY INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY KIND.
Portions of Jacl and Tcl Blend are
Copyright (c) 1997-1999 The Regents of the University of California.
All rights reserved.

Permission is hereby granted, without written agreement and without
license or royalty fees, to use, copy, modify, and distribute this
software and its documentation for any purpose, provided that the above
copyright notice and the following two paragraphs appear in all copies
of this software.

IN NO EVENT SHALL THE UNIVERSITY OF CALIFORNIA BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE UNIVERSITY OF CALIFORNIA HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE UNIVERSITY OF CALIFORNIA SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE UNIVERSITY OF CALIFORNIA HAS NO OBLIGATION TO
PROVIDE MAINTENANCE, SUPPORT, UPDATES,
ENHANCEMENTS, OR MODIFICATIONS.
Copyright 2008, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner
of the input file used when generating it. This code is not
standalone and requires a support library to be linked with it. This
support library is itself covered by the above license.

```
/* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000-2002 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this
 acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
```

* 5. Products derived from this software may not be called "Apache"
*   or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*   name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
 BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/
Apache Commons CLI
Copyright 2001-2007 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).
                                 Apache License
                           Version 2.0, January 2004
                        http://www.apache.org/licenses/

 TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

 1. Definitions.

    "License" shall mean the terms and conditions for use, reproduction,
    and distribution as defined by Sections 1 through 9 of this document.

    "Licensor" shall mean the copyright owner or entity authorized by
    the copyright owner that is granting the License.

    "Legal Entity" shall mean the union of the acting entity and all
    other entities that control, are controlled by, or are under common
    control with that entity. For the purposes of this definition,
    "control" means (i) the power, direct or indirect, to cause the
    direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.449 apache-cxf 2.7.14

1.449.1 Available under license :

The BSD License

Copyright (c) <YEAR>, <OWNER>
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
* Neither the name of the <ORGANIZATION> nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN
NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR

PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (C) 2000-2004 Jason Hunter & Brett McLaughlin.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions, and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions, and the disclaimer that follows these conditions in the documentation and/or other materials provided with the distribution.

3. The name "JDOM" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact <request_AT_jdom_DOT_org>.

4. Products derived from this software may not be called "JDOM", nor may "JDOM" appear in their name, without prior written permission from the JDOM Project Management <request_AT_jdom_DOT_org>.

In addition,
we request (but do not require) that you include in the end-user documentation provided with the redistribution and/or in the software itself an acknowledgement equivalent to the following:
"This product includes software developed by the JDOM Project (http://www.jdom.org/)."
Alternatively, the acknowledgment may be graphical using the logos available at http://www.jdom.org/images/logos.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE JDOM AUTHORS OR THE PROJECT CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

SUCH DAMAGE.

This software consists of voluntary contributions made by many
individuals on behalf of the JDOM Project and was originally
created by Jason Hunter <jhunter_AT_jdom_DOT_org> and
Brett McLaughlin <brett_AT_jdom_DOT_org>. For more information
on the JDOM Project, please see <http://www.jdom.org/>.
Common Public License Version 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative
works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents
to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising
the
rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability
and
fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In

addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient
relating to the Program shall continue and
survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a)
and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.
OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS's procedures with respect to rights in OASIS specifications can be found at the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementors or users of this specification, can be obtained from the OASIS Executive Director.
OASIS invites any interested party to bring to its attention any copyrights, patents or patent applications, or other

proprietary rights which may cover technology that may be required
to implement this specification. Please address the information to the OASIS Executive Director.
Copyright OASIS Open 2002-2004. All Rights Reserved.
This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself does not be modified in any way, such as by removing the copyright notice or references to OASIS, except as needed for the purpose of developing OASIS specifications, in which case the procedures for copyrights defined in the OASIS Intellectual Property Rights document must be followed, or as required to translate it into languages other than English.
The limited permissions granted above are perpetual and will not be revoked
by OASIS or its successors or assigns.
This document and the information contained herein is provided on an AS IS basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.
Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation
distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative
works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when

combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and
fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify
the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor

in connection with its distribution of the Program in a commercial product offering.

The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance

claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL

HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Portions of the file cxf-utils.js derives from code marked:
This code was written by Tyler Akins and has been placed in the
public domain. It would be nice if you left this header intact.
Base64 code from Tyler Akins -- http://rumkin.com

The product contains code (StaxBuilder.java) that is
Copyright (C) 2000-2004 Jason Hunter & Brett McLaughlin.
All rights reserved.
See the NOTICE.jdom file for additional information
Copyright 2002-2004 BEA Systems Inc., International Business Machines Corporation,
Microsoft Corporation, Inc, SAP AG, and Sun Microsystems, Inc.. All rights reserved.

Permission to copy, display, perform, modify and distribute the WS-Addressing Specification,
and to authorize others to do the foregoing, in any medium without fee or royalty is hereby
granted for the purpose of developing and evaluating the WS-Addressing Specification.

BEA, IBM, Microsoft, SAP AG, and Sun Microsystems (collectively, the "Authors") each agree
to grant a license to third parties, under royalty-free and otherwise reasonable,
non-discriminatory terms and conditions, to their respective essential patent claims that
they deem necessary to implement the WS-Addressing Specification.

DISCLAIMERS:

THE WS-Addressing Specification IS PROVIDED "AS IS", AND THE AUTHORS MAKE NO
REPRESENTATIONS
OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR
PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE
CONTENTS OF THE WS-Addressing Specification IS SUITABLE FOR ANY PURPOSE; NOR THAT THE
IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS,
COPYRIGHTS,
TRADEMARKS OR OTHER RIGHTS.

THE AUTHORS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL
DAMAGES ARISING OUT OF ANY USE OF THE WS-Addressing Specification OR THE PERFORMANCE OR

IMPLEMENTATION OF THE CONTENTS THEREOF.

You may remove these disclaimers from your modified versions of the WS-Addressing Specification provided that you effectively disclaim all warranties and liabilities on behalf of all copyright holders in the copies of any such modified versions you distribute.

The name and trademarks of the Authors may NOT be used in any manner, including advertising or publicity pertaining to the WS-Addressing Specification or its contents without specific, written prior permission. Title to copyright in the WS-Addressing Specification will at all
times remain with the Authors.

No other rights are granted by implication, estoppel or otherwise.

MOZILLA PUBLIC LICENSE

Version 1.1

---

1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit

A.

1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

B. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by

contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. Source Code License.

2.1. The Initial Developer Grant.
The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property

claims:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

(b) under Patents Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused

by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

2.2. Contributor Grant.
Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make,

use, sell, offer for sale, have
made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Application of License.
The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

3.2. Availability of Source Code.
Any Modification which You create or to which You contribute must be
made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

3.4. Intellectual Property Matters

(a) Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

(b) Contributor APIs.

If Contributor's Modifications include an application programming interface and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

(c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s)

You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered

Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger

Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this

License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

6. Versions of the License.

6.1. New Versions.
Netscape Communications Corporation ("Netscape") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

6.2. Effect of New Versions.
Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Netscape. No one other than Netscape has the right to modify the terms applicable to Covered Code created under this License.

6.3. Derivative Works.
If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must (a) rename
Your license so that
the phrases "Mozilla", "MOZILLAPL", "MOZPL", "Netscape", "MPL", "NPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Mozilla Public License and Netscape Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS,

WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declatory judgment actions) against Initial Developer or
a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable,

such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be
construed against the drafter shall not apply to this License.

12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as "Multiple-Licensed". "Multiple-Licensed" means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the NPL or the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

EXHIBIT A -Mozilla Public License.

``The contents of this file are subject to the Mozilla Public License
Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at http://www.mozilla.org/MPL/

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is _____.

The Initial Developer of the Original Code is _____.
Portions created by _____ are Copyright (C) _____
_____. All Rights Reserved.

Contributor(s): _____.

Alternatively, the contents of this file may be used under the terms
of the _____ license (the "[___] License"), in which case the
provisions of [_____] License are applicable instead of those
above. If
you wish to allow use of your version of this file only
under the terms of the [____] License and not to allow others to use
your version of this file under the MPL, indicate your decision by
deleting the provisions above and replace them with the notice and
other provisions required by the [___] License. If you do not delete
the provisions above, a recipient may use your version of this file
under either the MPL or the [___] License."

[NOTE: The text of this Exhibit A may differ slightly from the text of
the notices in the Source Code files of the Original Code. You should
use the text of this Exhibit A rather than the text found in the
Original Code Source Code for Your Modifications.]
This product also includes schemas and specification developed by or submitted to:
- the W3C consortium (http://www.w3c.org)
(http://www.w3.org/XML/1998/namespace)

This product also includes WS-* schemas developed by International
Business Machines Corporation, Microsoft Corporation, BEA Systems,
TIBCO Software, SAP AG, Sonic Software, and VeriSign
(http://schemas.xmlsoap.org/wsdl/2003-02-11.xsd)
(http://schemas.xmlsoap.org/ws/2004/08/addressing/)
(http://schemas.xmlsoap.org/wsdl/http)
(http://schemas.xmlsoap.org/ws/2005/02/rm/wsrm.xsd)
(http://www.w3.org/2005/08/addressing/ws-addr.xsd)
(http://www.w3.org/TR/ws-metadata-exchange/)
(http://schemas.xmlsoap.org/ws/2004/09/mex/)
(http://docs.oasis-open.org/ws-sx/ws-trust/v1.4/ws-trust.html)

The product contains code (StaxBuilder.java) that is
Copyright (C) 2000-2004 Jason Hunter & Brett McLaughlin.
All rights reserved.
See the NOTICE.jdom file for additional information

Java classes
(source and binary) under org.apache.cxf.jaxws.javaee
are generated from schema available here:

(http://java.sun.com/xml/ns/javaee/javaee_5.xsd)

This Product also includes software developed by David Heinemeier Hansson.
(http://dev.rubyonrails.org/browser/trunk/activesupport/lib/active_support/inflections.rb)

This product includes software Copyright University of Southampton IT Innovation Centre, 2009
(http://www.it-innovation.soton.ac.uk).

Portions of the included XmlSchema library are Copyright 2006 International Business Machines Corp.

Portions of the included xmlbeans library were originally based on the following:
- software copyright (c) 2000-2003, BEA Systems, <http://www.bea.com/>.

Portions of the file cxf-utils.js derives from code marked:
This code was written by Tyler Akins and has been placed in the
public domain. It would be nice if you left this header intact.
Base64 code from Tyler Akins -- http://rumkin.com

This project includes Public Suffix List copied from
https://publicsuffix.org/list/effective_tld_names.dat
licensed
under the terms of the Mozilla Public License, v. 2.0
Full license text: <http://mozilla.org/MPL/2.0/>

This product includes software from the Spring Framework, under the Apache
License 2.0

This project includes Apache Ant. The <sync> task is based on code Copyright
(c) 2002, Landmark Graphics Corp that has been kindly donated to the Apache
Software Foundation.

Additional copyright notices and license terms applicable are
present in the licenses directory of this distribution.

This product includes code from the Nimbus JOSE + JWT project, under the Apache
license 2.0 (https://github.com/felx/nimbus-jose-jwt). Copyright 2012-2017,
Connect2id Ltd.
Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE
PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION
OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content

Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from
and are Distributed by that particular Contributor. A Contribution
"originates" from a Contributor if it was added to the Program by
such Contributor itself or anyone acting on such Contributor's behalf.
Contributions do not include changes or additions to the Program that
are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims
licensable by a Contributor which
are necessarily infringed by the use or sale of its Contribution alone
or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this
Agreement.

"Recipient" means anyone who receives the Program under this Agreement
or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other
form, that is based on (or derived from) the Program and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that
results from an addition to, deletion from, or modification of the
contents of the Program, including, for purposes of clarity any new file
in Source Code form that contains any contents of the Program. Modified
Works shall not include works that contain only declarations,
interfaces, types,
classes, structures, or files of the Program solely
in each case in order to link to, bind by name, or subclass the Program
or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available
in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making
modifications, including but not limited to software source code,
documentation source, and configuration files.

"Secondary License" means either the GNU General Public License,

Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License

(if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution

notices, disclaimers of warranty, or limitations
of liability ("notices") contained within the Program from any copy of
the Program which they Distribute, provided that Contributors may add
their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities
with respect to end users, business partners and the like. While this
license is intended to facilitate the commercial use of the Program,
the Contributor who includes the Program in a commercial product
offering should do so in a manner which does not create potential
liability for other Contributors. Therefore, if a Contributor includes
the Program in a commercial product offering, such Contributor
("Commercial Contributor") hereby agrees to defend and indemnify every
other Contributor ("Indemnified Contributor") against any losses,
damages and costs (collectively "Losses") arising from claims, lawsuits
and other legal actions brought by a third party against
the Indemnified
Contributor to the extent caused by the acts or omissions of such
Commercial Contributor in connection with its distribution of the Program
in a commercial product offering. The obligations in this section do not
apply to any claims or Losses relating to any actual or alleged
intellectual property infringement. In order to qualify, an Indemnified
Contributor must: a) promptly notify the Commercial Contributor in
writing of such claim, and b) allow the Commercial Contributor to control,
and cooperate with the Commercial Contributor in, the defense and any
related settlement negotiations. The Indemnified Contributor may
participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial
product offering, Product X. That Contributor is then a Commercial
Contributor. If that Commercial Contributor then makes performance
claims, or offers warranties related to Product X, those performance
claims and warranties are such Commercial
Contributor's responsibility
alone. Under this section, the Commercial Contributor would have to
defend claims against the other Contributors related to those performance
claims and warranties, and if a court requires any other Contributor to
pay any damages as a result, the Commercial Contributor must pay
those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT
PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS"
BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR
IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF

TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone

is permitted to copy and distribute copies of this Agreement,
but in order to avoid inconsistency the Agreement is copyrighted and
may only be modified in the following manner. The Agreement Steward
reserves the right to publish new versions (including revisions) of
this Agreement from time to time. No one other than the Agreement
Steward has the right to modify this Agreement. The Eclipse Foundation
is the initial Agreement Steward. The Eclipse Foundation may assign the
responsibility to serve as the Agreement Steward to a suitable separate
entity. Each new version of the Agreement will be given a distinguishing
version number. The Program (including Contributions) may always be
Distributed subject to the version of the Agreement under which it was
received. In addition, after a new version of the Agreement is published,
Contributor may elect to Distribute the Program (including its
Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient
receives
no rights or licenses to the intellectual property of any
Contributor under this Agreement, whether expressly, by implication,
estoppel or otherwise. All rights in the Program not expressly granted
under this Agreement are reserved. Nothing in this Agreement is intended
to be enforceable by any entity that is not a Contributor or Recipient.
No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following
Secondary Licenses when the conditions for such availability set forth
in the Eclipse Public License, v. 2.0 are satisfied: {name license(s),
version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A
is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice
in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely to
look for such a notice.

You may add additional accurate notices of copyright ownership.
Copyright 2001 - 2005, International Business Machines Corporation and Microsoft Corporation
All Rights Reserved

License for WSDL Schema Files

The Authors grant permission to copy and distribute the WSDL Schema
Files in any medium without fee or royalty as long as this notice and

license are distributed with them. The originals of these files can
be located at:

http://schemas.xmlsoap.org/wsdl/2003-02-11.xsd

THESE SCHEMA FILES ARE PROVIDED "AS IS," AND THE AUTHORS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, REGARDING THESE FILES, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT OR TITLE. THE AUTHORS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR RELATING TO ANY USE OR DISTRIBUTION OF THESE FILES.

The name and trademarks of the Authors may NOT be used in any manner,
including advertising or publicity pertaining to these files or any program

or service that uses these files, written prior permission. Title to copyright
in these files will at all times remain with the Authors.

No other rights are granted by implication, estoppel or otherwise.
Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2000-2011 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.
(c) 2001-2006 BEA Systems Inc., International Business Machines Corporation, Microsoft Corporation, Inc., SAP AG, Sonic Software, and VeriSign, Inc. All rights reserved.

Permission to copy and display the WS-Policy Specification (the "Specification", which includes WSDL and schema documents), in any medium without fee or royalty is hereby granted, provided that you include the following on ALL copies of the WS-Policy Specification, that you make:

1. A link or URL to the WS-Policy Specification at one of the Authors' websites
2. The copyright notice as shown in the WS-Policy Specification.

BEA Systems, IBM, Microsoft, SAP, Sonic Software, and VeriSign (collectively, the "Authors") each agree to grant you a license, under royalty-free and otherwise reasonable, non-discriminatory terms and conditions, to their respective essential patent claims that they deem necessary to implement the WS-Policy Specification.

THE WS-POLICY SPECIFICATION IS PROVIDED "AS IS," AND THE AUTHORS MAKE NO REPRESENTATIONS
OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE WS-POLICY SPECIFICATION ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY

PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

THE AUTHORS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR RELATING TO ANY USE OR DISTRIBUTION OF THE WS-POLICY SPECIFICATION.

The name and trademarks of the Authors may NOT be used in any manner, including advertising or publicity pertaining to the WS-Policy Specification or its contents without specific, written prior permission. Title to copyright in the WS-Policy Specification will at all times remain with the Authors.

No other rights are granted by implication, estoppel or otherwise.

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8.
Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally

released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code
means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights
(other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor

either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may
distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute
the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version
of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT

WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR
NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to
as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license
or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER
FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW

PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights
set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable
attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO
SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all
its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if
you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in
effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such

program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered
by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and
copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program
itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In
addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for
software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable
or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying
or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time.
Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT

NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is
free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is
free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License.

Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

Certain source files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

You should also note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0. Such programs are licensed to you under their
original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result. Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute
the package.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived
from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than

patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such

combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2)
for
infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make
available. You must inform recipients of any
such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms

You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE
IN ANY RESPECT, YOU (NOT THE
INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is
referred to as Participant)
alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF
SUCH DAMAGES. THIS LIMITATION OF
LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause
is in lieu of, and supersedes,
any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be

governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

Java classes (source and binary) under org.apache.cxf.jaxws.javaee are generated from schema available here: (http://java.sun.com/xml/ns/javaee/javaee_5.xsd)

This product includes software Copyright University of Southampton IT Innovation Centre, 2009 (http://www.it-innovation.soton.ac.uk).

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License
means this document.

1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus
claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You
a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use,

reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the
modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or
otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a

medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond
the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software

against such Participant
either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights
in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it.
(Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they,
too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The
precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and

that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print
an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on
the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering
equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this

License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate
your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and
any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the
present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License

which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse
of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT
NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute

it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words
"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with

independent modules to produce an executable, regardless of the license terms
of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.
Copyright (c) 2005-2006 David Heinemeier Hansson

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH
THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This project includes Public Suffix List copied from
https://publicsuffix.org/list/effective_tld_names.dat
licensed under the terms of the Mozilla Public License, v. 2.0
Full license text: <http://mozilla.org/MPL/2.0/>
Copyright (c) 2004-2017 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.450 jmes-path-query-library 1.11.297

1.450.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

Found in path(s):
* /opt/cola/permits/1277961300_1674825062.7365704/0/jmespath-java-1-11-297-jar/META-INF/maven/com.amazonaws/jmespath-java/pom.xml

1.451 machinist 0.6.6

1.451.1 Available under license :

Copyright (c) 2011-2014 Erik Osheim, Tom Switzer

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.452 spring-commons-logging-bridge 5.0.4.RELEASE

1.452.1 Available under license :

Spring Framework ${version}
Copyright (c) 2002-${copyright} Pivotal, Inc.

This product is licensed to you under the Apache License, Version 2.0
(the "License"). You may not use this product except in compliance with
the License.

This product may include a number of subcomponents with separate
copyright notices and license terms. Your use of the source code for
these subcomponents is subject to the terms and conditions of the
subcomponent's license, as noted in the license.txt file.

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

==========

SPRING FRAMEWORK ${version} SUBCOMPONENTS:

Spring Framework ${version} includes a number of subcomponents
with separate copyright notices and license terms. The product that
includes this file does not necessarily use all the open source
subcomponents referred to below. Your use of the source
code for these subcomponents is subject to the terms and
conditions of the following licenses.

>>> ASM 9.1 (org.ow2.asm:asm:9.1, org.ow2.asm:asm-commons:9.1):

Copyright (c) 2000-2011 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary
forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 1999-2009, OW2 Consortium <https://www.ow2.org/>

>>> CGLIB 3.3 (cglib:cglib:3.3):

Per the LICENSE file in the CGLIB JAR distribution downloaded from
https://github.com/cglib/cglib/releases/download/RELEASE_3_3_0/cglib-3.3.0.jar,
CGLIB 3.3 is licensed under the Apache License, version 2.0, the text of which
is included above.

>>> JavaPoet 1.13.0 (com.squareup:javapoet:1.13.0):

Per the LICENSE file in the JavaPoet JAR distribution downloaded from
https://github.com/square/javapoet/archive/refs/tags/javapoet-1.13.0.zip,
JavaPoet 1.13.0 is licensed under the Apache License, version
2.0, the text of
which is included above.

>>> Objenesis 3.2 (org.objenesis:objenesis:3.2):

Per the LICENSE file in the Objenesis ZIP distribution downloaded from
http://objenesis.org/download.html, Objenesis 3.2 is licensed under the
Apache License, version 2.0, the text of which is included above.

Per the NOTICE file in the Objenesis ZIP distribution downloaded from
http://objenesis.org/download.html and corresponding to section 4d of the
Apache License, Version 2.0, in this case for Objenesis:

Objenesis
Copyright 2006-2019 Joe Walnes, Henri Tremblay, Leonardo Mesquita

==========

To the extent any open source components are licensed under the EPL and/or
other similar licenses that require the source code and/or modifications to
source code to be made available (as would be noted above), you may obtain a
copy of the source code corresponding to the binaries for such open source
components and modifications
thereto, if any, (the "Source Files"), by
downloading the Source Files from https://spring.io/projects, Pivotal's website
at https://network.pivotal.io/open-source, or by sending a request, with your
name and address to: Pivotal Software, Inc., 875 Howard Street, 5th floor, San
Francisco, CA 94103, Attention: General Counsel. All such requests should
clearly specify: OPEN SOURCE FILES REQUEST, Attention General Counsel. Pivotal
can mail a copy of the Source Files to you on a CD or equivalent physical
medium.

This offer to obtain a copy of the Source Files is valid for three years from the date you acquired this Software product. Alternatively, the Source Files may accompany the Software.

1.453 linux-kernel 1.6.1

1.453.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Will Laurance

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.454 jackson-jaxrs-base 2.9.8

1.454.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

1.455 guava-listenablefuture-only 9999.0-empty-to-avoid-conflict-with-guava

1.455.1 Available under license :

Doug Lea

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.456 jackson-annotations 2.12.1

1.456.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.457 jackson-databind 2.12.1

1.457.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this
License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.458 google-gson 2.8.9

1.458.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Created-By: 11.0.11 (Azul Systems, Inc.)
Build-Jdk-Spec: 11
Bnd-LastModified: 1635537586812
Bundle-ContactAddress: https://github.com/google/gson
Bundle-Description: Gson JSON library
Bundle-DocURL: https://github.com/google/gson/gson
Bundle-License: "Apache-2.0";link="https://www.apache.org/licenses/LICEN
SE-2.0.txt"
Bundle-ManifestVersion: 2
Bundle-Name: Gson
Bundle-RequiredExecutionEnvironment: JavaSE-1.6, JavaSE-1.7, JavaSE-1.8
Bundle-SCM: url="https://github.com/google/gson/gson/",connection="scm:g
it:https://github.com/google/gson.git/gson",developer-connection="scm:g
it:git@github.com:google/gson.git/gson",tag="gson-parent-2.8.9"
Bundle-SymbolicName: com.google.gson
Bundle-Vendor: Google Gson Project
Bundle-Version: 2.8.9
Export-Package: com.google.gson;uses:="com.google.gson.reflect,com.googl
e.gson.stream";version="2.8.9",com.google.gson.annotations;version="2.8
.9",com.google.gson.reflect;version="2.8.9",com.google.gson.stream;vers
ion="2.8.9"
Import-Package: sun.misc;resolution:=optional,com.google.gson.annotation
s
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"
Tool: Bnd-6.0.0.202110041835

Found in path(s):
* /opt/cola/permits/1288695153_1648172573.06/0/gson-2-8-9-jar/META-INF/MANIFEST.MF

1.459 jakarta-mail 1.5.0-b01

1.459.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this

License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.
Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.
Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under
intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software
with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the
combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available
in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients. rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES
THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses
that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER

CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS
DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for
compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-

law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California
and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,
we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer
you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any
program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute
verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in
whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in

themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program),

you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear
what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be

guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF
ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY

or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits
your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular
source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module

which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but
you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.460 kotlin-stdlib-common 1.2.51

1.460.1 Available under license :

Apache-2.0

1.461 jetbrains-kotlin-kotlin-stdlib-jdk8 1.2.51

1.461.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2010-2017 JetBrains s.r.o.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1290493571_1649800656.84/0/kotlin-stdlib-jdk8-1-2-51-sources-jar/kotlin/collections/Collections.kt
* /opt/cola/permits/1290493571_1649800656.84/0/kotlin-stdlib-jdk8-1-2-51-sources-jar/kotlin/text/RegexExtensions.kt
* /opt/cola/permits/1290493571_1649800656.84/0/kotlin-stdlib-jdk8-1-2-51-sources-jar/kotlin/streams/Streams.kt
*
/opt/cola/permits/1290493571_1649800656.84/0/kotlin-stdlib-jdk8-1-2-51-sources-jar/kotlin/internal/jdk8/JDK8PlatformImplementations.kt

1.462 jetbrains-kotlin-kotlin-stdlib-jdk7 1.2.51

1.462.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2010-2017 JetBrains s.r.o.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1290493589_1649800657.6/0/kotlin-stdlib-jdk7-1-2-51-sources-jar/kotlin/internal/jdk7/JDK7PlatformImplementations.kt
* /opt/cola/permits/1290493589_1649800657.6/0/kotlin-stdlib-jdk7-1-2-51-sources-jar/kotlin/AutoCloseable.kt

1.463 jackson-databind 2.10.5

1.463.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers, as well as supported
commercially by FasterXML.com.

Licensing

Jackson core and extension components may be licensed under different licenses.
To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact
FasterXML.com (http://fasterxml.com).

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.464 jackson-annotations 2.10.5

1.464.1 Available under license :

This copy of Jackson JSON processor annotations is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

1.465 ph-commons 9.1.2

1.465.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

```
/**
* Copyright (C) 2014-2018 Philip Helger (www.helger.com)
* philip[at]helger[dot]com
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*         http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

1.466 apachejmeter-components 5.0

1.466.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements.  See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
```

* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/MD5HexAssertion.java
*
 /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/HTMLAssertion.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/SMIMEAssertionTestElement.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/SMIMEAssertion.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/gui/XMLAssertionGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/LogErrorHandler.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/modifiers/SampleTimeout.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/gui/XPathPanel.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/SizeAssertion.java
*
 /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/gui/BeanShellAssertionGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/DurationAssertion.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/XMLAssertion.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/XMLSchemaAssertion.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.

* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/control/RandomOrderController.java
*
 /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/control/gui/RandomOrderControllerGui.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/control/gui/TreeNodeWrapper.java
*
 /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/control/gui/SwitchControllerGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/gui/XPathExtractorGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-

jar/org/apache/jmeter/assertions/gui/DurationAssertionGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/ConstantThroughputTimer.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/control/InterleaveControl.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/poissonarrivals/PreciseThroughputTimer.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/XPathAssertion.java
*
/opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/backend/ErrorMetric.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/control/gui/ModuleControllerGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/gui/HtmlExtractorGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/GaussianRandomTimer.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/modifiers/gui/CounterConfigGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/SubstitutionElement.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/CompareAssertion.java
*
/opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/XPath2Extractor.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/backend/BackendListenerContext.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/backend/SamplerMetric.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/gui/JSONPathAssertionGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/control/gui/RandomControlGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/gui/BoundaryExtractorGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/poissonarrivals/PreciseThroughputTimerBeanInfo.java
*
/opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/GraphListener.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/config/KeystoreConfigBeanInfo.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/thinktime/DefaultThinkTimeCreator.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/control/ThroughputController.java

* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/SearchTreePanel.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/config/KeystoreConfig.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/TableVisualizer.java
*
 /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/backend/graphite/AbstractGraphiteMetricsSender.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/validation/ComponentTreeClonerForValidation.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/json/jsonpath/JSONPostProcessor.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/control/gui/InterleaveControlGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/control/SwitchController.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/MailerVisualizer.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/sampler/TestAction.java
*
 /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/control/IncludeController.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/modifiers/UserParameters.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/control/gui/IncludeControllerGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/backend/graphite/SocketOutputStreamPoolFactory.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/poissonarrivals/DurationProvider.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/backend/graphite/TextGraphiteMetricsSender.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/poissonarrivals/EventProducer.java
*
 /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/RandomTimer.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/gui/MD5HexAssertionGUI.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/gui/action/ExportTransactionAndSamplerNames.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/gui/RegexExtractorGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/sampler/DebugSampler.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-

jar/org/apache/jmeter/assertions/gui/HTMLAssertionGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/ConstantThroughputTimerBeanInfo.java
*
/opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/gui/PoissonRandomTimerGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/config/CSVDataSetBeanInfo.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/control/gui/CriticalSectionControllerGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/PropertyControlGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/TreeNodeRenderer.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/poissonarrivals/ThroughputProvider.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/backend/BackendListenerGui.java
*
/opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/backend/influxdb/InfluxdbBackendListenerClient.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/RegexExtractor.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/SimpleDataWriter.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/gui/XPathAssertionGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/gui/GaussianRandomTimerGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/json/jsonpath/JSONManager.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/ResponseAssertion.java
*
/opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/backend/graphite/PickleGraphiteMetricsSender.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/CompareAssertionBeanInfo.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/modifiers/gui/UserParametersGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/json/jsonpath/gui/JSONPostProcessorGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/config/CSVDataSet.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/ConstantTimer.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/gui/XPath2ExtractorGui.java

*
 /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/backend/influxdb/AbstractInfluxdbMetricsSender.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/control/ModuleController.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/JSONPathAssertion.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/HtmlExtractor.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/backend/BackendListenerClient.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/backend/graphite/SocketConnectionInfos.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/poissonarrivals/ConstantPoissonProcessGenerator.java
*
 /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/reporters/MailerResultCollector.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/modifiers/gui/SampleTimeoutGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/backend/UserMetric.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/BoundaryExtractor.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/PoissonRandomTimer.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/XMLDefaultMutableTreeNode.java
*
 /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/UniformRandomTimer.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/SearchableTreeNode.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/backend/graphite/SocketOutputStream.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/GraphVisualizer.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/gui/XMLConfPanel.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/backend/graphite/GraphiteMetricsSender.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/control/ForeachController.java
*
 /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/gui/SizeAssertionGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/control/gui/ForeachControlPanel.java

* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/AssertionVisualizer.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/backend/influxdb/InfluxdbMetricsSender.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/sampler/gui/TestActionGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/backend/graphite/GraphiteBackendListenerClient.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/backend/influxdb/HttpMetricsSender.java
*
 /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/modifiers/CounterConfig.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/backend/BackendListener.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/control/gui/OnceOnlyControllerGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/backend/WindowMode.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/sampler/DebugSamplerBeanInfo.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/BeanShellAssertion.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/DebugPostProcessor.java
*
 /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/XPathExtractor.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/ComparisonVisualizer.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/backend/AbstractBackendListenerClient.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/gui/ConstantTimerGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/gui/AssertionGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/gui/SMIMEAssertionGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/gui/XMLSchemaAssertionGUI.java
*
 /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/reporters/MailerModel.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/gui/AbstractRandomTimerGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/control/OnceOnlyController.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-

jar/org/apache/jmeter/control/CriticalSectionController.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/backend/influxdb/UdpMetricsSender.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/AccumListener.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/control/RandomController.java
*
 /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/gui/UniformRandomTimerGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/BeanShellListener.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/control/gui/ThroughputControllerGui.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/json/render/RenderAsJsonRenderer.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
* implied.
*
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/RenderAsText.java
*
 /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/ViewResultsFullVisualizer.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/SearchTextExtension.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/RenderAsHTML.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-

jar/org/apache/jmeter/visualizers/ResultRenderer.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/RenderInBrowser.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/RenderAsJSON.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/RenderAsDocument.java
*
 /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/RenderAsHTMLWithEmbedded.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/RenderAsCssJQuery.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/RenderAsHTMLFormatted.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/SamplerResultTab.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/RenderAsBoundaryExtractor.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/RespTimeGraphVisualizer.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/RenderAsRegexp.java
*
 /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/RenderAsXML.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/JSR223ListenerBeanInfo.java

*
 /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/StatGraphVisualizer.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/SummaryReport.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/SyncTimer.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/DebugPostProcessorBeanInfo.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/BSFTimerBeanInfo.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/AxisGraph.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/BeanShellTimerBeanInfo.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/BeanShellPostProcessorBeanInfo.java
*
 /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/JSR223Assertion.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/JSR223AssertionBeanInfo.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/JSoupExtractor.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/SyncTimerBeanInfo.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/BSFAssertion.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/JSR223PostProcessorBeanInfo.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/BeanShellListenerBeanInfo.java
*
 /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/BSFTimer.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/config/RandomVariableConfigBeanInfo.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/JoddExtractor.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/Extractor.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/assertions/BSFAssertionBeanInfo.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/BSFListenerBeanInfo.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/StatVisualizer.java
*

/opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/Graph.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/modifiers/BeanShellPreProcessor.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/JSR223PostProcessor.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/BSFListener.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/BeanShellTimer.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/BeanShellPostProcessor.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/modifiers/JSR223PreProcessorBeanInfo.java
*
/opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/modifiers/JSR223PreProcessor.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/LineGraph.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/JSR223TimerBeanInfo.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/modifiers/BeanShellPreProcessorBeanInfo.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/JSR223Listener.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/modifiers/BSFPreProcessor.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/timers/JSR223Timer.java
*
/opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/BSFPostProcessorBeanInfo.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/extractor/BSFPostProcessor.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/config/RandomVariableConfig.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/modifiers/BSFPreProcessorBeanInfo.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
* implied.
*
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/utils/Colors.java
*
 /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/StatGraphProperties.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/RequestView.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/RespTimeGraphDataBean.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/RespTimeGraphChart.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/BarGraph.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/RespTimeGraphLineBean.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with this
* work for additional information regarding copyright ownership. The ASF
* licenses this file to You under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/RenderAsXPath2.java
*
/opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/RenderAsXPath.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/RequestPanel.java
* /opt/cola/permits/1294100419_1648168024.26/0/apachejmeter-components-5-0-sources-jar/org/apache/jmeter/visualizers/RequestViewRaw.java

1.467 apachejmeter-http 5.0

1.467.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/sampler/HTTPAbstractImpl.java
*
/opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/modifier/gui/RegExUserParametersGui.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/sampler/HttpWebdav.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/sampler/HTTPFileImpl.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/sampler/hc/LaxDeflateInputStream.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/sampler/hc/LazyLayeredConnectionSocketFactory.java

* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/sampler/HTTPSamplerProxy.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/modifier/RegExUserParameters.java
*
/opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/util/accesslog/OrderPreservingLogParser.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/sampler/HTTPHCAbstractImpl.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/proxy/ServerAliasKeyManager.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/util/HTTPConstants.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/sampler/HTTPHC4Impl.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/RecordingController.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/api/auth/DigestParameters.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with this
* work for additional information regarding copyright ownership. The ASF
* licenses this file to You under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/visualizers/RequestViewHTTP.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.

* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/parser/URLString.java
*
 /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/CookieHandler.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/util/ConversionUtils.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/util/EncoderCache.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/DynamicSPNegoSchemeFactory.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/HttpMirrorThread.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/gui/HeaderPanel.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/gui/CacheManagerGui.java
*
 /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/util/Base64Encoder.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/parser/JTidyHTMLParser.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/proxy/SamplerCreatorFactory.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/parser/HtmlParsingUtils.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/proxy/HttpRequestHdr.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/modifier/AnchorModifier.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/HeaderManager.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-

jar/org/apache/jmeter/protocol/http/util/HTTPArgument.java
*
/opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/parser/HTMLParser.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/modifier/URLRewritingModifier.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/parser/HTMLParseException.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/parser/LinkExtractorParser.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/CacheManager.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/gui/HttpMirrorControlGui.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/HttpMirrorServer.java
*
/opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/parser/JsoupBasedHtmlParser.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/sampler/ResourcesDownloader.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/proxy/Proxy.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/CookieManager.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/parser/CssParser.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/proxy/gui/ProxyControlGui.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/util/accesslog/StandardGenerator.java
*
/opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/gui/CookiePanel.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/util/accesslog/LogParser.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/modifier/gui/URLRewritingModifierGui.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/util/accesslog/LogFilter.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/DelegatingSPNegoScheme.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/DelegatingKerberosScheme.java
*
/opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/gui/HttpTestSampleGui.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-

jar/org/apache/jmeter/protocol/http/proxy/HttpReplyHdr.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/DynamicKerberosSchemeFactory.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/sampler/PostWriter.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/proxy/gui/RecorderDialog.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/parser/URLCollection.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/sampler/PutWriter.java
*
/opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/util/accesslog/Generator.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/sampler/HTTPSampleResult.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/parser/LagartoBasedHtmlParser.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/modifier/gui/AnchorModifierGui.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/parser/RegexpHTMLParser.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/KerberosManager.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/proxy/FormCharSetFinder.java
*
/opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/HttpMirrorControl.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/gui/HTTPArgumentsPanel.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/Header.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/parser/LinkExtractorParseException.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/proxy/ProxyControl.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/util/accesslog/TCLogParser.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/Cookie.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/util/SlowHCPlainConnectionSocketFactory.java
*
/opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/proxy/SamplerCreator.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/gui/HTTPFileArgsPanel.java

* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/sampler/HTTPSamplerFactory.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/config/MultipartUrlConfig.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/util/HTTPConstantsInterface.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/parser/BaseParser.java
*
 /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/util/LoopbackHTTPSocket.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/gui/RecordController.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/gui/AuthPanel.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/Authorization.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/proxy/Daemon.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/proxy/AbstractSamplerCreator.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/config/gui/UrlConfigGui.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/parser/CSSParseExceptionCallback.java
*
 /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/proxy/DefaultSamplerCreator.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/config/gui/HttpDefaultsGui.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/util/HTTPFileArgs.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/util/accesslog/SharedTCLogParser.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/util/accesslog/NVPair.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/AuthManager.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/parser/CssParserCacheLoader.java
*
 /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/util/accesslog/Filter.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with

* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/sampler/HTTPSamplerBase.java
*
 /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/util/DirectAccessByteArrayOutputStream.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/sampler/HTTPSampler.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/gui/AjpSamplerGui.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/sampler/AjpSampler.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/sampler/HTTPJavaImpl.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with this
* work for additional information regarding copyright ownership. The ASF
* licenses this file to You under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/gui/DNSCachePanel.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements.  See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License.  You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed  under the  License is distributed on an "AS IS" BASIS,
* WITHOUT  WARRANTIES OR CONDITIONS  OF ANY KIND, either  express  or
* implied.
*
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/HC4CookieHandler.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/
```

Found in path(s):
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-

jar/org/apache/jmeter/protocol/http/util/HTTPFileArg.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with this
* work for additional information regarding copyright ownership. The ASF
* licenses this file to You under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/StaticHost.java
*
/opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-jar/org/apache/jmeter/protocol/http/control/DNSCacheManager.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements.  See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License.  You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*
*/
```

Found in path(s):
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-

jar/org/apache/jmeter/protocol/http/sampler/AccessLogSamplerBeanInfo.java
*
 /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-
jar/org/apache/jmeter/protocol/http/sampler/HTTPSamplerBaseConverter.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-
jar/org/apache/jmeter/protocol/http/sampler/HTTPSamplerBaseBeanInfo.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-
jar/org/apache/jmeter/protocol/http/util/accesslog/SessionFilter.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-
jar/org/apache/jmeter/protocol/http/util/HTTPResultConverter.java
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-
jar/org/apache/jmeter/protocol/http/sampler/AccessLogSampler.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294101442_1648168425.72/0/apachejmeter-http-5-0-sources-
jar/org/apache/jmeter/protocol/http/sampler/HttpClientDefaultParameters.java

1.468 jackcess 2.1.10

1.468.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2014 James Ahlborn

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

*/

Found in path(s):
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/util/SimpleColumnValidatorFactory.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/util/ColumnValidator.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/util/ColumnValidatorFactory.java
*
/opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/util/SimpleColumnValidator.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2010 James Ahlborn

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

*/

Found in path(s):
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/util/SimpleColumnMatcher.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/util/CaseInsensitiveColumnMatcher.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/util/ColumnMatcher.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2014 James Ahlborn

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/NumericColumnImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/MemoColumnImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/LongValueColumnImpl.java
*
 /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/ComplexColumnImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/UnsupportedColumnImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/TextColumnImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/CalculatedColumnUtil.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2005 Health Market Science, Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

*/

Found in path(s):
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/DatabaseImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/ByteUtil.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/UsageMap.java
*
 /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/IndexImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/PageTypes.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/ColumnImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/TableImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/JetFormat.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/IndexData.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/NullMask.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/DataType.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2010 James Ahlborn

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/CodecProvider.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-

jar/com/healthmarketscience/jackcess/impl/DefaultCodecProvider.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-
jar/com/healthmarketscience/jackcess/impl/CodecHandler.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2016 James Ahlborn

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-
jar/com/healthmarketscience/jackcess/impl/TableMutator.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-
jar/com/healthmarketscience/jackcess/impl/RelationshipCreator.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-
jar/com/healthmarketscience/jackcess/impl/TableUpdater.java
*
 /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-
jar/com/healthmarketscience/jackcess/impl/complex/MultiValueColumnPropertyMap.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-
jar/com/healthmarketscience/jackcess/TableMetaData.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-
jar/com/healthmarketscience/jackcess/impl/DBMutator.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-
jar/com/healthmarketscience/jackcess/util/ReadOnlyFileChannel.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-
jar/com/healthmarketscience/jackcess/RelationshipBuilder.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2013 James Ahlborn

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/complex/ComplexColumnInfo.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/util/EntryIterableBuilder.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/PropertyMap.java
*
 /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/OleUtil.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/Table.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/Relationship.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/RuntimeIOException.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/Column.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/query/DataDefinitionQuery.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/complex/UnsupportedColumnInfo.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/query/UnionQuery.java
*
 /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/complex/MultiValueColumnInfo.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/query/PassthroughQuery.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/complex/VersionHistoryColumnInfo.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/query/UpdateQuery.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/complex/AttachmentColumnInfo.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/Row.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/CustomToStringStyle.java

*
 /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/BatchUpdateException.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/query/CrossTabQuery.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/Database.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/query/DeleteQuery.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/Index.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/ConstraintViolationException.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/util/OleBlob.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/ByteArrayBuilder.java
*
 /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/query/Query.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/util/IterableBuilder.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/JackcessException.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/CompoundOleUtil.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/query/SelectQuery.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/Cursor.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/ComplexColumnSupport.java
*
 /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/IndexCursor.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/TableScanCursor.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/query/MakeTableQuery.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/query/AppendQuery.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/RowImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/complex/ComplexValueForeignKey.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/RowId.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-

jar/com/healthmarketscience/jackcess/query/BaseSelectQuery.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2015 James Ahlborn

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-
jar/com/healthmarketscience/jackcess/util/TableIterableBuilder.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2008 Health Market Science, Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-
jar/com/healthmarketscience/jackcess/util/DebugErrorHandler.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-
jar/com/healthmarketscience/jackcess/impl/query/QueryImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-
jar/com/healthmarketscience/jackcess/impl/query/SelectQueryImpl.java
*

/opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/query/MakeTableQueryImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/query/AppendQueryImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/query/PassthroughQueryImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/GeneralLegacyIndexCodes.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/TempBufferHolder.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/query/BaseSelectQueryImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/IndexCodes.java
*
/opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/util/RowFilter.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/ColumnBuilder.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/query/CrossTabQueryImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/query/DeleteQueryImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/RelationshipImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/query/DataDefinitionQueryImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/query/UnionQueryImpl.java
*
/opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/query/QueryFormat.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/query/UpdateQueryImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/TableBuilder.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/util/ErrorHandler.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/util/ReplacementErrorHandler.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/IndexPageCache.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2007 Health Market Science, Inc.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/util/ExportUtil.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/TempPageHolder.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/RowIdImpl.java
*
 /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/CursorBuilder.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/util/ImportFilter.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/CursorImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/util/SimpleImportFilter.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2005 Health Market Science, Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/
/**
  * Begins an exclusive "logical" write operation (throws an exception if
  * another write operation is outstanding). See {@link #finishWrite} for

* more details.
*/

Found in path(s):
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/PageChannel.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2011 James Ahlborn

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/complex/ComplexDataType.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/IndexCursorImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/complex/Attachment.java
*
/opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/complex/ComplexColumnInfoImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/GeneralIndexCodes.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/complex/AttachmentColumnInfoImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/IndexBuilder.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/complex/ComplexValue.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/complex/SingleValue.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/complex/Version.java
*

/opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/complex/UnsupportedValue.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/util/Joiner.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/complex/MultiValueColumnInfoImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/util/LinkResolver.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/complex/ComplexValueForeignKeyImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/TableCreator.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/complex/VersionHistoryColumnInfoImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/PropertyMaps.java
*
/opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/PropertyMapImpl.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/complex/UnsupportedColumnInfoImpl.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2017 James Ahlborn

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/util/CustomLinkResolver.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2012 James Ahlborn

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/UnsupportedCodecException.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/util/MemFileChannel.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/DatabaseBuilder.java
*
 /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/impl/FKEnforcer.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2007 Health Market Science, Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/util/SimpleExportFilter.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/util/ImportUtil.java
* /opt/cola/permits/1294102822_1648167795.55/0/jackcess-2-1-10-sources-jar/com/healthmarketscience/jackcess/util/ExportFilter.java

1.469 rome-utils 1.5.1

1.469.1 Available under license :

Apache-2.0

1.470 apache-commons-dbcp 2.4.0

1.470.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your

sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Apache Commons DBCP
Copyright 2001-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.471 uima-base-uimaj-core 2.9.0

1.471.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache UIMA Base: uimaj-core
Copyright 2006-2016 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of Apache UIMA were originally developed by
International Business Machines Corporation and are
licensed to the Apache Software Foundation under the
"Software Grant License Agreement", informally known as the
"IBM UIMA License Agreement".
Copyright (c) 2003, 2006 IBM Corporation.

1.472 pdfbox-jbig2-imageio-plugin 3.0.0

1.472.1 Available under license :

PDFBox JBIG2 ImageIO plugin
Copyright 2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.473 uimafit---core 2.2.0

1.473.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache UIMA uimaFIT - Core
Copyright 2012-2016 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Copyright 2009-2012 Regents of the University of Colorado.
All rights reserved.

Copyright 2009-2012 Ubiquitous Knowledge Processing (UKP) Lab.
Technische Universitt Darmstadt.

All rights reserved.

1.474 jhighlight 1.0.2

1.474.1 Available under license :

Found license 'Common Development and Distribution License (CDDL) 1.1' in '* Distributed under the terms of either: * - the common development and distribution license (CDDL), v1.0; or * - the GNU Lesser General Public License, v2.1 or later'
Found license 'GNU Lesser General Public License' in '* Distributed under the terms of either: * - the common development and distribution license (CDDL), v1.0; or * - the GNU Lesser General Public License, v2.1 or later'

1.475 jodd-log 4.1.4

1.475.1 Available under license :

No license file was found, but licenses were detected in source scan.

// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are met:
// 1. Redistributions of source code must retain the above copyright notice,
// this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.

Found in path(s):
* /opt/cola/permits/1294100257_1648168792.82/0/jodd-log-4-1-4-sources-jar/jodd/log/LoggerProvider.java
* /opt/cola/permits/1294100257_1648168792.82/0/jodd-log-4-1-4-sources-jar/jodd/log/Logger.java
* /opt/cola/permits/1294100257_1648168792.82/0/jodd-log-4-1-4-sources-jar/jodd/log/impl/Log4j2Logger.java
* /opt/cola/permits/1294100257_1648168792.82/0/jodd-log-4-1-4-sources-jar/jodd/log/impl/JCLLogger.java
*
/opt/cola/permits/1294100257_1648168792.82/0/jodd-log-4-1-4-sources-jar/jodd/log/package-info.java
* /opt/cola/permits/1294100257_1648168792.82/0/jodd-log-4-1-4-sources-jar/jodd/log/impl/NOPLogger.java
* /opt/cola/permits/1294100257_1648168792.82/0/jodd-log-4-1-4-sources-jar/jodd/log/impl/package-info.java
* /opt/cola/permits/1294100257_1648168792.82/0/jodd-log-4-1-4-sources-jar/jodd/log/impl/SimpleLogger.java
* /opt/cola/permits/1294100257_1648168792.82/0/jodd-log-4-1-4-sources-jar/jodd/log/impl/Slf4jLogger.java
* /opt/cola/permits/1294100257_1648168792.82/0/jodd-log-4-1-4-sources-jar/jodd/log/LoggerFactory.java
* /opt/cola/permits/1294100257_1648168792.82/0/jodd-log-4-1-4-sources-jar/jodd/log/impl/SimpleLoggerProvider.java
* /opt/cola/permits/1294100257_1648168792.82/0/jodd-log-4-1-4-sources-jar/jodd/log/impl/JDKLogger.java

1.476 jackcess-encrypt 2.1.4

1.476.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2017 James Ahlborn

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/InvalidCryptoConfigurationException.java
* /opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/impl/office/NonStandardEncryptionProvider.java
* /opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/CryptCodecUtil.java
*
/opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/InvalidCredentialsException.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2010 Vladimir Berezniker

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/CryptCodecProvider.java
* /opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/impl/JetCryptCodecHandler.java
* /opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/impl/BaseCryptCodecHandler.java
*
 /opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/impl/MSISAMCryptCodecHandler.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2015 James Ahlborn

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/util/StreamCipherFactory.java
* /opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/util/RC4EngineCompat.java
* /opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/util/StreamCipherCompat.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2013 James Ahlborn

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/impl/OfficeCryptCodecHandler.java
* /opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/impl/office/RC4CryptoAPIProvider.java
* /opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/impl/office/AgileEncryptionProvider.java
*
/opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/impl/KeyCache.java
* /opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/impl/BaseJetCryptCodecHandler.java
* /opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/impl/office/EncryptionVerifier.java
* /opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/impl/office/EncryptionHeader.java
* /opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/impl/office/XmlEncryptionDescriptor.java
* /opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/impl/office/OfficeBinaryDocRC4Provider.java
*
/opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/impl/office/BlockCipherProvider.java
* /opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/impl/office/StreamCipherProvider.java
* /opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/impl/office/ECMAStandardEncryptionProvider.java
* /opt/cola/permits/1294100518_1648167923.36/0/jackcess-encrypt-2-1-4-sources-jar/com/healthmarketscience/jackcess/PasswordCallback.java

1.477 ehcache 2.6.2

1.477.1 Available under license :

Found license 'Eclipse Public License 1.0' in '* All rights reserved. Includes the third-party code listed at http://links.sonatype.com/products/nexus/oss/attributions. * This program and the accompanying materials are made available under the terms of the Eclipse Public License Version 1.0,'
Found license 'Eclipse Public License 1.0' in 'All rights reserved. Includes the third-party code listed at http://links.sonatype.com/products/nexus/oss/attributions. This program and the accompanying materials are made available under the terms of the Eclipse Public License Version 1.0,'

1.478 project-lombok 1.18.12

1.478.1 Available under license :

Copyright (C) 2009-2015 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.479 jakarta-activation 1.2.0

1.479.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or
contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original
Software, prior Modifications used by a Contributor (if any), and
the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b)
Modifications, or (c) the combination of files containing Original
Software with files containing Modifications, in each case including
portions thereof.

1.4. "Executable" means the Covered Software in any form other than
Source Code.

1.5. "Initial Developer" means the individual or entity that first
makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or
portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum
extent possible, whether at the time of the initial grant or
subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of
any of the following:

A. Any file that results from an addition to, deletion from or
modification of the contents of a file containing Original Software
or previous Modifications;

B. Any new file that contains any part of the Original Software or
previous Modification; or

C. Any new file that is contributed or otherwise made available
under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form
of computer software code that is originally released under this
License.

1.11. "Patent Claims" means any patent claim(s), now owned or
hereafter acquired, including without limitation,
method, process,
and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software
code in which modifications are made and (b) associated
documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity
exercising rights under, and complying with all of the terms of,
this License. For legal entities, "You" includes any entity which
controls, is controlled by, or is under common control with You. For
purposes of this definition, "control" means (a) the power, direct
or indirect, to cause the direction or management of such entity,
whether by contract or otherwise, or (b) ownership of more than
fifty percent (50%) of the outstanding shares or beneficial
ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor

Version (or portions of such
combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software
in the absence of
Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any

descriptive text giving attribution to any Contributor or the
Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in
Source Code form that alters or restricts the applicable version of
this License or the recipients' rights hereunder. You may choose to
offer, and to charge a fee for, warranty, support, indemnity or
liability obligations to one or more recipients of Covered Software.
However, you may do so only on Your own behalf, and not on behalf of
the Initial Developer or any Contributor. You must make
it
absolutely clear that any such warranty, support, indemnity or
liability obligation is offered by You alone, and You hereby agree
to indemnify the Initial Developer and every Contributor for any
liability incurred by the Initial Developer or such Contributor as a
result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under
the terms of this License or under the terms of a license of Your
choice, which may contain terms different from this License,
provided that You are in compliance with the terms of this License
and that the license for the Executable form does not attempt to
limit or alter the recipient's rights in the Source Code form from
the rights set forth in this License. If You distribute the Covered
Software in Executable form under a different license, You must make
it absolutely clear that any
terms which differ from this License
are offered by You alone, not by the Initial Developer or
Contributor. You hereby agree to indemnify the Initial Developer and
every Contributor for any liability incurred by the Initial
Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with
other code not governed by the terms of this License and distribute
the Larger Work as a single product. In such a case, You must make
sure the requirements of this License are fulfilled for the Covered
Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License
if You: (a) rename the license and
remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED
HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT

LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer

software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute

or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION
9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION
LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.
This General Public
License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.
Our General Public Licenses are designed to make sure that you have the
freedom to distribute copies of free software (and charge for this
service if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone
to deny you these rights or to ask you to surrender the rights. These
restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute
copies of such a program, whether gratis
or for a fee, you must give the recipients all the rights that you have.
You must make sure that they, too, receive or can get the source code.
And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software patents.
We wish to avoid the danger that redistributors of a free program will
individually obtain patent licenses, in effect making
the program
proprietary. To prevent this, we have made it clear that any patent must
be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and
modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a
notice placed by the copyright holder saying it may be distributed under
the terms of this General Public License. The "Program", below, refers
to any such program or work, and a "work based on the Program" means
either the Program or any derivative work under copyright law: that is
to say, a work containing the Program or a portion of it, either
verbatim or with modifications and/or translated into another language.

(Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and

can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major

components (compiler, kernel, and so on) of the operating system on which the executable runs,
unless that component itself accompanies the
executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works.
These actions are
prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License,
they do not
excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from

distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software
distribution system, which is implemented
by public license practices. Many people have made generous
contributions to the wide range of software distributed through that
system in reliance on consistent application of that system; it is up to
the author/donor to decide if he or she is willing to distribute
software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be
a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License may
add an explicit geographical distribution limitation excluding those
countries, so that distribution is permitted only in or among countries
not thus excluded. In such case, this License incorporates the
limitation as if written in the body of this License.

9. The Free Software Foundation
may publish revised and/or new
versions of the General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Program does not specify a version
number of this License, you may choose any version ever published by the
Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the
author to ask for permission. For software which is copyrighted by the
Free Software Foundation, write to the Free Software Foundation; we
sometimes make exceptions for this. Our decision will be

guided by the
two goals of preserving the free status of all derivatives of our free
software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND,
EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE
ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH
YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL
NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR
DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL
DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM
(INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED
INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF
THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR
OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to
attach them to the start of each source file to most effectively convey
the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief
idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version
69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your
program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU Library
General Public License instead of this License.

#

Certain source files distributed by Oracle America, Inc. and/or its
affiliates are subject to the following clarification and special

exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

You should also note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and
others. For example, the package includes programs licensed under the Apache License, Version 2.0. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result. Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included
in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

CLASSPATH EXCEPTION
Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under

terms of your choice, provided that you also meet,
 for each linked
independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or
based on this library. If you modify this library, you may extend this
exception to your version of the library, but you are not obligated to
do so. If you do not wish to do so, delete this exception statement
from your version.
/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://oss.oracle.com/licenses/CDDL+GPL-1.1
* or LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
*
 Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to such option by the copyright
* holder.
*/

1.480 jorphan 5.0

1.480.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements.  See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License.  You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/gui/ObjectTableSorter.java

No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements.  See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License.  You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed  under the  License is distributed on an "AS IS" BASIS,
* WITHOUT  WARRANTIES OR CONDITIONS  OF ANY KIND, either  express  or
* implied.
*
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/commons/cli/avalon/CLUtil.java
*
/opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/commons/cli/avalon/CLArgsParser.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/commons/cli/avalon/Token.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/commons/cli/avalon/CLOptionDescriptor.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/commons/cli/avalon/AbstractParserControl.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/commons/cli/avalon/ParserControl.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/commons/cli/avalon/CLOption.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/gui/RendererUtils.java
*
/opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/util/JMeterStopTestException.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/gui/NumberRenderer.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/gui/DefaultTreeTableModel.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/gui/JTreeTable.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-

jar/org/apache/jorphan/gui/ObjectTableModel.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-
jar/org/apache/jorphan/gui/JLabeledChoice.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-
jar/org/apache/jorphan/util/HeapDumper.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-
jar/org/apache/jorphan/math/StatCalculator.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-
jar/org/apache/jorphan/util/JMeterStopTestNowException.java
*
/opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/util/XMLBuffer.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-
jar/org/apache/jorphan/gui/JLabeledPasswordField.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-
jar/org/apache/jorphan/reflect/ClassFinder.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-
jar/org/apache/jorphan/collections/SearchByClass.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-
jar/org/apache/jorphan/exec/KeyToolUtils.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/collections/Data.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-
jar/org/apache/jorphan/exec/SystemCommand.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-
jar/org/apache/jorphan/gui/layout/VerticalLayout.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-
jar/org/apache/jorphan/gui/JLabeledTextArea.java
*
/opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-
jar/org/apache/jorphan/util/ThreadDumper.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-
jar/org/apache/jorphan/logging/LoggingManager.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-
jar/org/apache/jorphan/reflect/ClassFilter.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-
jar/org/apache/jorphan/logging/Slf4jLogkitLogger.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/util/JMeterError.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-
jar/org/apache/jorphan/util/JOrphanUtils.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-
jar/org/apache/jorphan/gui/ComponentUtil.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-
jar/org/apache/jorphan/util/JMeterException.java
*
/opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-
jar/org/apache/jorphan/gui/RightAlignRenderer.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-
jar/org/apache/jorphan/exec/StreamCopier.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/io/TextFile.java

* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/collections/HashTreeTraverser.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/gui/JLabeledTextField.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/gui/AbstractTreeTableModel.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/test/UnitTestManager.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/reflect/ClassTools.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/util/JMeterStopThreadException.java
*
 /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/util/Converter.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/gui/MenuScroller.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/collections/HashTree.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/collections/ListedHashTree.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/gui/RateRenderer.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/gui/JLabeledField.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/reflect/Functor.java
*

/opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/math/NumberComparator.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements.  See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License.  You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/log/LogTarget.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/log/Logger.java
*
/opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/log/LogEvent.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/log/Priority.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/log/ContextMap.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements.  See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License.  You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/
```

Found in path(s):
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/math/StatCalculatorLong.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/math/StatCalculatorInteger.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/gui/GuiUtils.java
* /opt/cola/permits/1294100878_1648168742.25/0/jorphan-5-0-sources-jar/org/apache/jorphan/gui/TreeTableModel.java

1.481 ogg-and-vorbis-for-java-core 0.8

1.481.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.482 netcdf-4-iosp-jni-connection-to-c-library 4.5.5

1.482.1 Available under license :

Found license 'GNU Lesser General Public License' in '* This library is free software; you can redistribute it and/or modify it * under the terms of the GNU Lesser General Public License as published by * the Free Software Foundation; either version 2.1 of the License, or (at * your option) any later version. * This library is distributed in the hope that it will be useful, but * WITHOUT ANY WARRANTY; without even the implied warranty of * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser * General Public License for more details. * You should have received a copy of the GNU Lesser General Public License'

1.483 jodd-core 4.1.4

1.483.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Permission to use, copy, modify, and distribute this software for any
// purpose with or without fee is hereby granted, provided that the above
// copyright notice and this permission notice appear in all copies.

Found in path(s):
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/crypt/BCrypt.java
No license file was found, but licenses were detected in source scan.

// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are met:
// 1. Redistributions of source code must retain the above copyright notice,
// this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.

Found in path(s):
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/inex/InExRuleMatcher.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/io/findfile/RegExpFindFile.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/collection/ArrayEnumeration.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/annotation/Annotations.java
*
/opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/CommandLine.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/annotation/AnnotationDataReader.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/io/findfile/package-info.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/datetime/Period.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/StreamUtil.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/CharUtil.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/collection/IntHashMap.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/Base32.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/datetime/TimeZoneUtil.java
*
/opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/HashCode.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/datetime/JDateTime.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/mutable/MutableFloat.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/BinarySearchBase.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-

jar/jodd/util/template/StringTemplateParser.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/net/HtmlDecoder.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/net/HttpMethod.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/io/findfile/FileNameComparator.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/util/template/ContextTemplateParser.java
*
/opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/io/findfile/FolderFirstComparator.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/cl/package-info.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/util/ResourceBundleMessageResolver.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/cache/LFUCache.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/util/collection/JoddArrayList.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/datetime/DateTimeStamp.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/CsvUtil.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/Util.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/mutable/ValueImpl.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/cache/AbstractCacheMap.java
*
/opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/datetime/format/AbstractFormatter.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/mutable/MutableByte.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/exception/ExceptionUtil.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/cache/FileLRUCache.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/io/NetUtil.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/mutable/MutableDouble.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/buffer/FastShortBuffer.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/io/CharBufferReader.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/Jodd.java
*
/opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/cache/Cache.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/mutable/MutableBoolean.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/concurrent/Task.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/datetime/JDateTimeDefault.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/util/collection/ArrayIterator.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/Bits.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/util/collection/UnmodifiableMapEntry.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/datetime/format/Iso8601JdtFormatter.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/util/ComparableComparator.java
*

/opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/RuntimeUtil.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/net/URLCoder.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/inex/InExRules.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/BinarySearch.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/util/collection/SetMapAdapter.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/net/URLDecoder.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/util/template/MapTemplateParser.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/util/collection/CompositeEnumeration.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/format/Scanf.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/io/findfile/ClassScanner.java
*
/opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/StringPool.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/util/collection/StringKeyedMapAdapter.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/io/FastByteArrayOutputStream.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/LoopIterator.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/buffer/FastCharBuffer.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/ClassConsumer.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/buffer/FastByteBuffer.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/core/JoddCoreDefaults.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/mutable/Value.java
*
/opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/io/ZipUtil.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/mutable/MutableLong.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/io/findfile/FileExtensionComparator.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/format/Printf.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/util/annotation/AnnotationData.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/ThreadUtil.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/mutable/LazyValue.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/util/cl/DefaultClassLoaderStrategy.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/io/findfile/WildcardFindFile.java
*
/opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/format/package-info.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/cache/FIFOCache.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/crypt/MurmurHash3.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/io/FileNameUtil.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/io/package-info.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/mutable/MutableInteger.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/mutable/package-info.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/CharSequenceUtil.java

* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/Futures.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/datetime/format/package-info.java
*
 /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/cache/LRUCache.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/LocaleUtil.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/net/MimeTypes.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/io/StreamGobbler.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/format/PrintfFormat.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/cl/ClassLoaderLocal.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/collection/CompositeIterator.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/Chalk.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/DateFormatSymbolsEx.java
*
 /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/ObjectUtil.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/crypt/SymmetricEncryptor.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/io/findfile/FindFile.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/buffer/FastIntBuffer.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/cache/FileLFUCache.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/cache/FileCache.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/StringBand.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/NameValue.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/io/PathUtil.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/format/RomanNumber.java
*
 /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/core/package-info.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/io/findfile/FileLastModifiedTimeComparator.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/datetime/JulianDateStamp.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/core/JoddCore.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/collection/SortedArrayList.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/ArraysUtil.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/cache/TimedCache.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/io/watch/package-info.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/io/AppendableWriter.java
*
 /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/crypt/PBKDF2Hash.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/io/FileUtil.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/MultiComparator.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/io/watch/DirWatcher.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/exception/UncheckedException.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/net/HttpStatus.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/RandomString.java

* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/cache/package-info.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/buffer/FastDoubleBuffer.java
*
 /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/ClassLoaderUtil.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/NaturalOrderComparator.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/io/ZipBuilder.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/CharArraySequence.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/crypt/SipHash.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/ClassUtil.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/PrettyStringBuilder.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/cl/ClassLoaderStrategy.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/datetime/format/JdtFormatter.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/Base64.java
*
 /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/datetime/JStopWatch.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/mutable/MutableShort.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/crypt/BlockCipher.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/MathUtil.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/exception/package-info.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/package-info.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/datetime/package-info.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/io/FastCharArrayWriter.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/StringUtil.java
*
 /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/collection/ClassMap.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/buffer/FastLongBuffer.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/UnsafeUtil.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/PropertiesUtil.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/cl/ExtendedURLClassLoader.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/package-info.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/collection/IntArrayList.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/collection/package-info.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/io/UnicodeInputStream.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/Chalk256.java
*
 /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/Consumers.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/Tuple.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/io/watch/DirWatcherEvent.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/collection/MapEntry.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/UnsafeInternal.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/buffer/FastBuffer.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-

jar/jodd/util/concurrent/ThreadFactoryBuilder.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/buffer/FastFloatBuffer.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/core/JavaBridge.java
*
/opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/datetime/format/JdtFormat.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/datetime/TimeUtil.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/io/StreamUtil.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/SystemUtil.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/io/findfile/FindFileException.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/net/HtmlEncoder.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/io/watch/DirWatcherException.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/CollectionUtil.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/buffer/package-info.java
*
/opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/util/buffer/FastBooleanBuffer.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/cache/NoCache.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/crypt/Threefish.java
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/Wildcard.java
No license file was found, but licenses were detected in source scan.

All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
1. Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

Found in path(s):
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-jar/jodd/util/net/MimeTypes.properties
* /opt/cola/permits/1294102169_1648168085.73/0/jodd-core-4-1-4-sources-
jar/jodd/util/net/HtmlDecoder.properties

1.484 rtext 2.6.1

1.484.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* 08/19/2004
*
* RecordableTextAction.java - An action that can be recorded and replayed
* in an RTextArea macro.

```
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/RecordableTextAction.java
No license file was found, but licenses were detected in source scan.

```
/*
* 11/24/2015
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;


/**
* Scanner for Dockerfiles.<p>
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).
* We can achieve this because RText always scans exactly 1 line of tokens at a
*
 time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>DockerTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
```

```
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless memory allocation for us since we
*       will be pointing the array somewhere
 else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 0.5
*
*/
%%

%public
%class DockerTokenMaker
%extends AbstractJFlexTokenMaker
%unicode
%ignorecase
%type org.fife.ui.rsyntaxtextarea.Token


%{


 /**
  * Constructor.  This must be here because JFlex does not generate a
  * no-parameter constructor.
  */
 public DockerTokenMaker() {
 }


 /**
  * Adds the token specified to the current linked list of tokens.
  *
  * @param tokenType The token's type.
  */
 private void addToken(int tokenType) {
  addToken(zzStartRead, zzMarkedPos-1, tokenType);
 }


 /**
```

```
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int start, int end,
int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 */
@Override
public void addToken(char[] array, int start, int end, int tokenType, int startOffset) {
 super.addToken(array, start,end, tokenType, startOffset);
 zzStartRead = zzMarkedPos;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "#", null };
}


/**
 * Returns whether tokens of the specified type should have "mark
 * occurrences" enabled for the current programming language.
 *
 * @param type The token
type.
 * @return Whether tokens of this type should have "mark occurrences"
 *         enabled.
 */
@Override
public boolean getMarkOccurrencesOfTokenType(int type) {
```

```
 return type==Token.IDENTIFIER || type==Token.RESERVED_WORD;
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;

 // Start off in the proper state.
 int
state = TokenTypes.NULL;

 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}
```

```
/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer
(since the way we do it, it's always
  * "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
}


%}

Letter       = [A-Za-z]
Digit        = [0-9]
IdentifierPart     = ({Letter}|{Digit}|[_\-\.])
Identifier      = ({IdentifierPart}|{IdentifierPart}*)
WhiteSpace    = ([ \t\f])

%state STRING
%state CHAR_LITERAL

%%

<YYINITIAL> {

 /* Keywords */
```

```
"maintainer" |
"from" |
"onbuild" |
"run" |
"expose" |
"env" |
"add" |
"copy" |
"volume" |
"user" |
"workdir" |
"cmd" |
"entrypoint" |
"label" |
"arg" |
"stopsignal"      { addToken(Token.RESERVED_WORD); }

{Identifier}     { addToken(Token.IDENTIFIER); }
{WhiteSpace}+     {
addToken(Token.WHITESPACE); }

"[" |
"]"       { addToken(Token.SEPARATOR); }

"|" |
">" |
">>"      { addToken(Token.OPERATOR); }

/* String/Character literals. */
\"       { start = zzMarkedPos-1; yybegin(STRING); }
\'       { start = zzMarkedPos-1; yybegin(CHAR_LITERAL); }

/* Comment literals. */
"#".*   { addToken(Token.COMMENT_EOL); addNullToken(); return firstToken; }

/* Ended with a line not in a string or comment. */
"\n" |
<<EOF>>      { addNullToken(); return firstToken; }

/* Catch any other (unhandled) characters. */
.      { addToken(Token.IDENTIFIER); }

}

<STRING> {
 [^\n\\\"]+   {}
 \\.?    { /* Skip escaped chars. */ }
 \"     { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.LITERAL_STRING_DOUBLE_QUOTE); }
```

```
 \n |
 <<EOF>>    { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE); return firstToken; }
}

<CHAR_LITERAL> {
 [^\n\\\']+   {}
 \\.?     { /* Skip escaped single quotes only, but
 this should still work. */ }
 \'     { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.LITERAL_CHAR); }
 \n |
 <<EOF>>    { addToken(start,zzStartRead-1, Token.LITERAL_CHAR); return firstToken; }
}
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/DockerTokenMaker.flex
No license file was found, but licenses were detected in source scan.

```
/*
* 01/24/2005
*
* XMLTokenMaker.java - Generates tokens for XML syntax highlighting.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/XMLTokenMaker.java
No license file was found, but licenses were detected in source scan.

```
/*
* 09/08/2014
*
* DTokenMaker.java - Scanner for the D programming language.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;
```

```
/**
* Scanner for the D programming language.<p>
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).
 * We can achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>DTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless memory
 allocation for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 1.0
*
*/
%%

%public
%class DTokenMaker
%extends AbstractJFlexCTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token
```

```
%{


/**
 * Token type specific to DTokenMaker; this signals that the user is in
 * a nestable multi-line comment.  The nested depth is embedded in the
 * actual end token type.
 */
private static final int INTERNAL_IN_NESTABLE_MLC   = -(1<<11);

/**
 * When in a (possibly) nested MLC, this is the current nested depth.
 */
private int nestedMlcDepth;


/**
 * Constructor.  This must be here because JFlex does not generate a
 * no-parameter constructor.

*/
public DTokenMaker() {
}


/**
 * Adds the token specified to the current linked list of tokens as an
 * "end token;" that is, at <code>zzMarkedPos</code>.
 *
 * @param tokenType The token's type.
 */
private void addEndToken(int tokenType) {
 addToken(zzMarkedPos,zzMarkedPos, tokenType);
}


private void addNestedMlcEndToken() {
 addEndToken(INTERNAL_IN_NESTABLE_MLC - nestedMlcDepth);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 * @see #addToken(int, int, int)
 */
private void addHyperlinkToken(int start, int end, int tokenType) {
```

```
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so, true);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds
the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 * @see #addHyperlinkToken(int, int, int)
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so, false);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 * @param hyperlink Whether this token is a hyperlink.
 */
@Override
public void addToken(char[] array, int start, int end, int tokenType,
    int startOffset, boolean hyperlink) {
 super.addToken(array, start,end, tokenType, startOffset, hyperlink);
 zzStartRead = zzMarkedPos;
}


@Override
```

```
public int getClosestStandardTokenTypeForInternalType(int
type) {
 switch (type) {
  case INTERNAL_IN_NESTABLE_MLC:
   return TokenTypes.COMMENT_MULTILINE;
 }
 return type;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "//", null };
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift
= -text.offset + startOffset;
 nestedMlcDepth = 0;

 // Start off in the proper state.
 int state = YYINITIAL;
 switch (initialTokenType) {
  case Token.LITERAL_BACKQUOTE:
   state = WYSIWYG_STRING_2;
   break;
  case Token.LITERAL_STRING_DOUBLE_QUOTE:
   state = WYSIWYG_STRING_1;
   break;
  case Token.COMMENT_MULTILINE:
```

```
   state = MLC;
   break;
  case Token.COMMENT_DOCUMENTATION:
   state = DOCCOMMENT;
   break;
  case INTERNAL_IN_NESTABLE_MLC:
   state = NESTABLE_MLC;
   break;
  default:
   if (initialTokenType<-1024) {
    int main = -(-initialTokenType & 0xffffff00);
    switch (main) {
     default: // Should never happen
     case INTERNAL_IN_NESTABLE_MLC:
      state = NESTABLE_MLC;
      break;
    }
    nestedMlcDepth = -initialTokenType&0xff;
   }
   else {
    state = YYINITIAL;
   }
  }

  start = text.offset;
  s = text;
  try {
   yyreset(zzReader);
   yybegin(state);
   return yylex();
  }
 catch (IOException ioe) {
   ioe.printStackTrace();
   return new TokenImpl();
  }

 }



 /**
  * Refills the input buffer.
  *
  * @return      <code>true</code> if EOF was reached, otherwise
  *              <code>false</code>.
  * @exception   IOException  if any I/O-Error occurs.
  */
 private boolean zzRefill() {
  return zzCurrentPos>=s.offset+s.count;
```

```
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always
  * "full" the first
time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
}


%}

Letter       = ([A-Za-z])
LetterOrUnderscore    = ({Letter}|"_")
NonzeroDigit      = ([1-9])
BinaryDigit      = ([0-1])
Digit       = ("0"|{NonzeroDigit})
HexDigit       = ({Digit}|[A-Fa-f])
OctalDigit      = ([0-7])
AnyCharacterButApostropheOrBackSlash = ([^\\'])
AnyCharacterButDoubleQuoteOrBackSlash = ([^\\\"\n])
EscapedSourceCharacter    = ("u"{HexDigit}{HexDigit}{HexDigit}{HexDigit})
Escape       =
("\\"(([btnfr\'"\\])|([0123]{OctalDigit}?{OctalDigit}?)|({OctalDigit}{OctalDigit}?)|{EscapedSourceCharacter}))
```

```
NonSeparator      = ([^\t\f\r\n\ \(\)\{\}\[\]\;\,\.\=\>\<\!\~\?\:\+\-\*\/\&\|\^\%\"\'\`]|"#"|"\\")
IdentifierStart     =
 ({LetterOrUnderscore}|"$")
IdentifierPart      = ({IdentifierStart}|{Digit}|("\\"{EscapedSourceCharacter}))

LineTerminator    = (\n)
WhiteSpace    = ([ \t\f])

StringPostfix    = ([cwd])
CharLiteral     = ([\'][{AnyCharacterButApostropheOrBackSlash}|{Escape}][\']{StringPostfix}?)
UnclosedCharLiteral   = ([\'][^\'\n]*)
ErrorCharLiteral   = ({UnclosedCharLiteral}[\']{StringPostfix}?)
StringLiteral    = ([\"]({AnyCharacterButDoubleQuoteOrBackSlash}|{Escape})*[\"]{StringPostfix}?)
UnclosedStringLiteral  = ([\"]([\\].|[^\\\"])*[^\"]?)
HexStringLiteral   = ([x]{StringLiteral})
UnclosedHexStringLiteral = ([x]{UnclosedStringLiteral})
ErrorStringLiteral   = ({UnclosedStringLiteral}[\"]{StringPostfix}?)
WysiwygStringLiteralStart = ("r"[\"])
WysiwygStringLiteralStart2 = ("`")

MLCBegin     = "/*"
MLCEnd      = "*/"
DocCommentBegin    = "/**"
NestableMLCBegin   = "/+"
LineCommentBegin   = "//"
LineDocCommentBegin   = "///"

DigitOrUnderscore   =
 ({Digit}|[_])
DigitsAndUnderscoresEnd  = ({DigitOrUnderscore}*{Digit})
IntegerHelper    = (({NonzeroDigit}{DigitsAndUnderscoresEnd}?)|"0")
IntegerLiteral    = ({IntegerHelper}[lL]?)

BinaryDigitOrUnderscore  = ({BinaryDigit}|[_])
BinaryDigitsAndUnderscores = ({BinaryDigit}({BinaryDigitOrUnderscore}*{BinaryDigit})?)
BinaryLiteral    = ("0"[bB]{BinaryDigitsAndUnderscores})

HexDigitOrUnderscore  = ({HexDigit}|[_])
HexDigitsAndUnderscores  = ({HexDigit}({HexDigitOrUnderscore}*{HexDigit})?)
OctalDigitOrUnderscore  = ({OctalDigit}|[_])
OctalDigitsAndUnderscoresEnd= ({OctalDigitOrUnderscore}*{OctalDigit})
HexHelper     = ("0"(([xX]{HexDigitsAndUnderscores})|({OctalDigitsAndUnderscoresEnd})))
NonFloatSuffix    = (([uU][lL]?)|([lL][uU]?))
HexLiteral     = ({HexHelper}{NonFloatSuffix}?)

FloatHelper1    = ([fFdD]?)
FloatHelper2    = ([eE][+-]?{Digit}+{FloatHelper1})
FloatLiteral1    = ({Digit}+"."({FloatHelper1}|{FloatHelper2}|{Digit}+({FloatHelper1}|{FloatHelper2})))
```

```
FloatLiteral2    =
 ("."{Digit}+({FloatHelper1}|{FloatHelper2}))
FloatLiteral3    = ({Digit}+{FloatHelper2})
FloatLiteral    = ({FloatLiteral1}|{FloatLiteral2}|{FloatLiteral3}|({Digit}+[fFdD]))

ErrorNumberFormat   = (({IntegerLiteral}|{HexLiteral}|{FloatLiteral}){NonSeparator}+)
BooleanLiteral    = ("true"|"false")

Separator     = ([\(\)\{\}\[\]])
Separator2    = ([\;,.])

NonAssignmentOperator  = ("+"|"-"|"<="|"^"|"++"|"<"|"*"|">="|"%"|"--
"|">"|"/"|"!="|"?"|">>"|"!"|"&"|"=="|":"|">>"|"~"|"|"|"&&"|">>>")
AssignmentOperator   = ("="|"-="|"*="|"/="|"|="|"&="|"^="|"+="|"%="|"<<="|">>="|">>>=")
Operator     = ({NonAssignmentOperator}|{AssignmentOperator})

Identifier    = ({IdentifierStart}{IdentifierPart}*)
ErrorIdentifier   = ({NonSeparator}+)

Annotation    = ("@"{Identifier}?)

URLGenDelim    = ([:\/\?#\[\]@])
URLSubDelim    = ([\!\$&'\(\)\*\+,;=])
URLUnreserved   = ({LetterOrUnderscore}|{Digit}|[\-\.\~])
URLCharacter   = ({URLGenDelim}|{URLSubDelim}|{URLUnreserved}|[%])
URLCharacters   =
 ({URLCharacter}*)
URLEndCharacter   = ([\/\$]|{Letter}|{Digit})
URL      = (((https?|f(tp|ile))"://"|"www.")({URLCharacters}{URLEndCharacter})?)


%state MLC
%state DOCCOMMENT
%state NESTABLE_MLC
%state EOL_COMMENT
%state EOL_DOCCOMMENT
%state WYSIWYG_STRING_1
%state WYSIWYG_STRING_2

%%

<YYINITIAL> {

 /* Keywords */
 "abstract" |
   "alias" |
   "align" |
   "asm" |
```

```
  "assert" |
  "auto" |

  "body" |
  "break" |

  "case" |
  "cast" |
  "catch" |
  "class" |
  "const" |
  "continue" |

  "debug" |
  "default" |
  "delegate" |
  "delete" |
  "deprecated" |
  "do" |

  "else" |
  "enum" |
  "export" |
  "extern" |

  "final" |
  "finally" |
  "for" |
  "foreach" |
  "foreach_reverse" |
  "function" |

  "goto" |

  "if" |
  "immutable" |
  "import" |
  "in" |
  "inout" |
  "interface" |
  "invariant" |
  "is" |

  "lazy"
|

  "macro" |
  "mixin" |
```

"module" |

"new" |
"nothrow" |
"null" |

"out" |
"override" |

"package" |
"pragma" |
"private" |
"protected" |
"public" |
"pure" |

"ref" |

"scope" |
"shared" |
"static" |
"struct" |
"super" |
"switch" |
"synchronized" |

"template" |
"this" |
"throw" |
"try" |
"typedef" |
"typeid" |
"typeof" |

"union" |
"unittest" |

"version" |
"void" |
"volatile" |

"while" |
"with" |

"__FILE__" |
"__MODULE__" |
"__LINE__" |
"__FUNCTION__" |

```
  "__PRETTY_FUNCTION__" |

  "__gshared" |
  "__traits" |
  "__vector" |
  "__parameters"    { addToken(Token.RESERVED_WORD); }
  "return"     { addToken(Token.RESERVED_WORD_2); }

/* Data types. */
"string" |
"wstring" |
"dstring" |
"size_t" |
"ptrdiff_t" |
  "bool" |
  "byte" |

"cdouble" |
  "cent" |
  "cfloat" |
  "char" |
  "creal" |
  "dchar" |
  "double" |
  "float" |
  "idouble" |
  "ifloat" |
  "ireal" |
  "int" |
  "long" |
  "real" |
  "short" |
  "ubyte" |
  "ucent" |
  "uint" |
  "ulong" |
  "ushort" |
  "wchar"      { addToken(Token.DATA_TYPE); }

/* Booleans. */
{BooleanLiteral}    { addToken(Token.LITERAL_BOOLEAN); }

/* Standard library (TODO) */

{LineTerminator}     { addNullToken(); return firstToken; }

{Identifier}     { addToken(Token.IDENTIFIER); }
```

```
{WhiteSpace}+     { addToken(Token.WHITESPACE); }

/* String/Character literals. */
{CharLiteral}     { addToken(Token.LITERAL_CHAR); }
{UnclosedCharLiteral}   { addToken(Token.ERROR_CHAR); addNullToken(); return firstToken; }
{ErrorCharLiteral}    { addToken(Token.ERROR_CHAR); }
{StringLiteral}    { addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); }
{UnclosedStringLiteral}   { addToken(Token.ERROR_STRING_DOUBLE);
addNullToken(); return firstToken; }
{ErrorStringLiteral}   { addToken(Token.ERROR_STRING_DOUBLE); }
{HexStringLiteral}    { addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); }
{UnclosedHexStringLiteral}  { addToken(Token.ERROR_STRING_DOUBLE); addNullToken(); return firstToken;
}
{WysiwygStringLiteralStart}  { addToken(Token.LITERAL_STRING_DOUBLE_QUOTE);
yybegin(WYSIWYG_STRING_1); }
{WysiwygStringLiteralStart2} { addToken(Token.LITERAL_BACKQUOTE); yybegin(WYSIWYG_STRING_2);
}

/* Comment literals. */
"/**/"      { addToken(Token.COMMENT_MULTILINE); }
{MLCBegin}     { start = zzMarkedPos-2; yybegin(MLC); }
{DocCommentBegin}   { start = zzMarkedPos-3; yybegin(DOCCOMMENT); }
{NestableMLCBegin}   { start = zzMarkedPos-2; nestedMlcDepth = 1; yybegin(NESTABLE_MLC); }
{LineCommentBegin}   { start = zzMarkedPos-2; yybegin(EOL_COMMENT); }
{LineDocCommentBegin}  { start = zzMarkedPos-3; yybegin(EOL_DOCCOMMENT); }

/* Annotations. */
{Annotation}     { addToken(Token.ANNOTATION);
}

/* Separators. */
{Separator}     { addToken(Token.SEPARATOR); }
{Separator2}     { addToken(Token.IDENTIFIER); }

/* Operators. */
{Operator}     { addToken(Token.OPERATOR); }

/* Numbers */
{IntegerLiteral}    { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
{BinaryLiteral}     { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
{HexLiteral}     { addToken(Token.LITERAL_NUMBER_HEXADECIMAL); }
{FloatLiteral}     { addToken(Token.LITERAL_NUMBER_FLOAT); }
{ErrorNumberFormat}    { addToken(Token.ERROR_NUMBER_FORMAT); }

{ErrorIdentifier}    { addToken(Token.ERROR_IDENTIFIER); }

/* Ended with a line not in a string or comment. */
<<EOF>>      { addNullToken(); return firstToken; }
```

```
 /* Catch any other (unhandled) characters and flag them as identifiers. */
 .       { addToken(Token.ERROR_IDENTIFIER); }

}

<MLC> {

 [^hwf\n\*]+    {}
 {URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE);
addHyperlinkToken(temp,zzMarkedPos-1,
 Token.COMMENT_MULTILINE); start = zzMarkedPos; }
 [hwf]     {}

 {MLCEnd}     { yybegin(YYINITIAL); addToken(start,zzStartRead+1, Token.COMMENT_MULTILINE); }
 \*      {}
 \n |
 <<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken; }

}

<DOCCOMMENT> {

 [^hwf\n\*]+     {}
 {URL}      { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_DOCUMENTATION);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_DOCUMENTATION); start = zzMarkedPos; }
 [hwf]      {}

 {MLCEnd}     { yybegin(YYINITIAL); addToken(start,zzStartRead+1, Token.COMMENT_DOCUMENTATION); }
 \*       {}
 \n |
 <<EOF>>      { yybegin(YYINITIAL); addToken(start,zzEndRead, Token.COMMENT_DOCUMENTATION); return
firstToken; }

}

<NESTABLE_MLC> {

 [^hwf\n\+\/]+    {}
 {URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_MULTILINE); start =
 zzMarkedPos; }
 [hwf]     {}

 {NestableMLCBegin}  { nestedMlcDepth++; }
 "/*"      {}

 "+/"     {
```

```
        System.out.println("... " + nestedMlcDepth);
        if (--nestedMlcDepth==0) {
         addToken(start,zzStartRead+1, Token.COMMENT_MULTILINE); yybegin(YYINITIAL);
        }
       }
 \+     {}
 \n |
 <<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); addNestedMlcEndToken(); return
firstToken; }
}

<EOL_COMMENT> {
 [^hwf\n]+    {}
 {URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_EOL);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_EOL); start = zzMarkedPos; }
 [hwf]     {}
 \n |
 <<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_EOL); addNullToken(); return firstToken; }

}

<EOL_DOCCOMMENT> {
 [^hwf\n]+    {}
 {URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_DOCUMENTATION);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_DOCUMENTATION); start = zzMarkedPos;
 }
 [hwf]     {}
 \n |
 <<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_DOCUMENTATION); addNullToken(); return
firstToken; }

}

<WYSIWYG_STRING_1> {
 [^\"]+     { addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); }
 \"      { addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); yybegin(YYINITIAL); }
 <<EOF>>     {
        if (firstToken==null) {
         addToken(Token.LITERAL_STRING_DOUBLE_QUOTE);
        }
        return firstToken;
       }
}

<WYSIWYG_STRING_2> {
 [^\`]+     { addToken(Token.LITERAL_BACKQUOTE); }
 \`      { addToken(Token.LITERAL_BACKQUOTE); yybegin(YYINITIAL); }
 <<EOF>>     {
```

```
        if (firstToken==null) {
         addToken(Token.LITERAL_BACKQUOTE);
        }
        return firstToken;
       }
}
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/DTokenMaker.flex
No license file was found, but licenses were detected in source scan.

```
/*
* 12/06/2004
*
* AssemblerX86TokenMaker.java - An object that can take a chunk of text and
* return a linked list of tokens representing X86 assembler.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/AssemblerX86TokenMaker.java
No license file was found, but licenses were detected in source scan.

```
/*
* 01/06/2009
*
* MarkOccurrencesSupport.java - Handles marking all occurrences of the
* currently selected identifier in a text area.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/MarkOccurrencesSupport.java
No license file was found, but licenses were detected in source scan.

```
/*
* 08/06/2004
*
* TokenOrientedView.java - An interface for the syntax-highlighting token-
* oriented views for token-oriented methods.
*
```

* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/TokenOrientedView.java
No license file was found, but licenses were detected in source scan.

/*
* 08/13/2009
*
* TipUtil.java - Utility methods for homemade tool tips.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/focusabletip/TipUtil.java
No license file was found, but licenses were detected in source scan.

/*
* 12/12/2008
*
* TokenMakerFactory.java - A factory for TokenMakers.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/TokenMakerFactory.java
No license file was found, but licenses were detected in source scan.

* This library is distributed under a modified BSD license. See the included

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/JSPTokenMaker.flex
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/JavaScriptTokenMaker.flex
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/TypeScriptTokenMaker.flex
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/DtdTokenMaker.flex

* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/XMLTokenMaker.flex
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/PHPTokenMaker.flex
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/HTMLTokenMaker.flex
*
 /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/MxmlTokenMaker.flex
No license file was found, but licenses were detected in source scan.

/*
* 10/08/2011
*
* CurlyFoldParser.java - Fold parser for languages with C-style syntax.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/folding/CurlyFoldParser.java
No license file was found, but licenses were detected in source scan.

/*
* 07/27/2009
*
* DefaultParseResult.java - A basic implementation of a ParseResult.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/parser/DefaultParseResult.java
No license file was found, but licenses were detected in source scan.

/*
* 02/24/2004
*
* TokenMaker.java - An object that can take a chunk of text and return a
* linked list of <code>Token</code>s representing it.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/TokenMaker.java
No license file was found, but licenses were detected in source scan.

```
/*
* 02/15/2005
*
* SQLTokenMaker.java - Scanner for SQL.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/SQLTokenMaker.java
No license file was found, but licenses were detected in source scan.

```
/*
* 03/16/2013
*
* DefaultTokenPainter - Standard implementation of a token painter.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/DefaultTokenPainter.java
No license file was found, but licenses were detected in source scan.

```
/*
* 03/26/2004
*
* DynamicIntArray.java - Similar to an ArrayList, but holds ints instead
* of Objects.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/util/DynamicIntArray.java

No license file was found, but licenses were detected in source scan.

```
/*
* 04/27/2010
*
* ActionScriptTokenMaker.java - Scanner for ActionScript.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/ActionScriptTokenMaker.java
No license file was found, but licenses were detected in source scan.

```
/*
* 07/29/2009
*
* FocusableTip.java - A focusable tool tip, like those in Eclipse.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/focusabletip/FocusableTip.java
No license file was found, but licenses were detected in source scan.

```
/*
* 11/04/2016
*
* IniTokenMaker.java - Scanner for .ini files.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;


/**
* This class splits up text into tokens representing a .ini file.<p>
```

```
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars
 around).
* We can achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>IniTokenMaker.java</code> file will
*       contain two definitions of both <code>zzRefill</code> and
*       <code>yyreset</code>.  You should hand-delete the second of each
*       definition (the ones generated by the lexer), as these generated
*       methods modify the input buffer, which we'll never have to do.
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless
 memory allocation for us since we
*       will be pointing the array somewhere else anyway.
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.
* </ul>
*
* @author Robert Futrell
* @version 0.4
*
*/
%%

%public
%class IniTokenMaker
%extends AbstractJFlexTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{
```

```
/**
 * Constructor.  This must be here because JFlex does not generate a
 * no-parameter constructor.
 */
public IniTokenMaker() {
 super();
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType
The token's type.
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 */
@Override
public void addToken(char[] array, int start, int end, int tokenType, int startOffset) {
 super.addToken(array, start,end, tokenType, startOffset);
 zzStartRead = zzMarkedPos;
}
```

```
/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { ";", null };
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.
 This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
@Override
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;

 // Start off in the proper state.
 int state = YYINITIAL;
 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}


/**
 * Refills the input buffer.
 *
```

```
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.

*/
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always
  * "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState
= YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
}


%}

Equals    = ([=])
Identifier   = ([^ \t\n#;\[=]*)
Whitespace   = ([ \t]+)
Comment    = ([#;].*)
Section    = ([\[][^\]]*[\]]?)
```

```
%state VALUE

%%

<YYINITIAL> {
 {Identifier}  { addToken(Token.DATA_TYPE); }
 {Equals}   { start = zzMarkedPos; addToken(Token.OPERATOR); yybegin(VALUE); }
 {Whitespace}  { addToken(Token.WHITESPACE); }
 {Comment}   { addToken(Token.COMMENT_EOL); }
 {Section}   { addToken(Token.PREPROCESSOR); }
 <<EOF>>    { addNullToken(); return firstToken; }
}

<VALUE> {
 {Identifier}  { addToken(Token.IDENTIFIER); }
 {Equals}   { start = zzMarkedPos; addToken(Token.OPERATOR); }
 {Whitespace}  { addToken(Token.WHITESPACE); }
 {Comment}   { addToken(Token.COMMENT_EOL); }
 {Section}   { addToken(Token.PREPROCESSOR); }
 <<EOF>>    { addNullToken(); return firstToken; }
}
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/IniTokenMaker.flex
No license file was found, but licenses were detected in source scan.

```
/*
* 06/30/2012
*
* RDocument.java - Document class used by RTextAreas.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/RDocument.java
No license file was found, but licenses were detected in source scan.

```
/*
* 02/16/2012
*
* Copyright (C) 2013 Robert Futrell
* robert_futrell at users.sourceforge.net
* http://fifesoft.com/rsyntaxtextarea
*
```

* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/LinkGenerator.java
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/LinkGeneratorResult.java
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/SelectRegionLinkGeneratorResult.java
No license file was found, but licenses were detected in source scan.

/*
* 11/07/2008
*
* PlainTextTokenMaker.flex - Scanner for plain text files.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/PlainTextTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 10/07/2012
*
* NsisFoldParser.java - Fold parser for NSIS.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/folding/NsisFoldParser.java
No license file was found, but licenses were detected in source scan.

/*
* 09/16/2004
*
* Macro.java - A macro as recorded/played back by an RTextArea.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.

```
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/Macro.java
No license file was found, but licenses were detected in source scan.

```
/*
* 08/06/2004
*
* RSyntaxUtilities.java - Utility methods used by RSyntaxTextArea and its
* views.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/RSyntaxUtilities.java
No license file was found, but licenses were detected in source scan.

```
/*
* 12/06/2005
*
* PythonTokenMaker.java - Token maker for the Python programming language.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.AbstractJFlexTokenMaker;
import org.fife.ui.rsyntaxtextarea.Token;
import org.fife.ui.rsyntaxtextarea.TokenMaker;



/**
* Scanner for the Python programming language.
*
* @author Robert Futrell
* @version 0.3
*/
%%
```

```
%public
%class PythonTokenMaker
%extends AbstractJFlexTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{


/**
 * Constructor.  This must be here because JFlex does not generate a
 * no-parameter constructor.
 */
public PythonTokenMaker() {
 super();
}


/**
 * Adds the token
specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
```

```
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 */
@Override
public void addToken(char[] array, int start, int end, int tokenType, int startOffset) {
 super.addToken(array, start,end, tokenType, startOffset);
 zzStartRead
= zzMarkedPos;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "#", null };
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;

 // Start off in the proper state.
 int state = Token.NULL;
 switch (initialTokenType)
{
  case Token.LITERAL_STRING_DOUBLE_QUOTE:
   state = LONG_STRING_2;
   break;
  case Token.LITERAL_CHAR:
   state = LONG_STRING_1;
   break;
  default:
```

```
  state = Token.NULL;
 }

 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always
  * "full" the first time
through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
}


/**
```

```
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


%}

/* This part is taken from http://www.python.org/doc/2.2.3/ref/grammar.txt */
identifier  = (({letter}|"_")({letter}|{digit}|"_")*)
letter   = ({lowercase}|{uppercase})
lowercase   = ([a-z])
uppercase   = ([A-Z])
digit   = ([0-9])
stringliteral  = ({stringprefix}?{shortstring})
stringprefix  = ("r"|"u"[rR]?|"R"|"U"[rR]?)
shortstring1  = ([\']{shortstring1item}*[\']?)
shortstring2  =
 ([\"]{shortstring2item}*[\"]?)
shortstring  = ({shortstring1}|{shortstring2})
shortstring1item = ({shortstring1char}|{escapeseq})
shortstring2item = ({shortstring2char}|{escapeseq})
shortstring1char = ([^\\\n\'])
shortstring2char = ([^\\\n\"])
escapeseq   = ([\\].)
longinteger  = ({integer}[lL])
integer   = ({decimalinteger}|{octinteger}|{hexinteger})
decimalinteger  = ({nonzerodigit}{digit}*|"0")
octinteger  = ("0"{octdigit}+)
hexinteger  = ("0"[xX]{hexdigit}+)
nonzerodigit  = ([1-9])
octdigit   = ([0-7])
hexdigit   = ({digit}|[a-f]|[A-F])
floatnumber  = ({pointfloat}|{exponentfloat})
pointfloat  = ({intpart}?{fraction}|{intpart}".")
exponentfloat  = (({intpart}|{pointfloat}){exponent})
intpart   = ({digit}+)
fraction   = ("."{digit}+)
exponent   = ([eE][\+\-]?{digit}+)
imagnumber  = (({floatnumber}|{intpart})[jJ])

ErrorNumberFormat = ({digit}{NonSeparator}+)
NonSeparator  = ([^\t\f\r\n\ \(\)\{\}\[\]\;\,\.\=\>\<\!\~\?\:\+\-\*\/\&\|\^\%\"\']|"#")
```

```
LongStringStart1 =
 ({stringprefix}?\'\'\')
LongStringStart2 = ({stringprefix}?\"\"\")

LineTerminator  = (\n)
WhiteSpace  = ([ \t\f])

LineComment  = ("#".*)


%state LONG_STRING_1
%state LONG_STRING_2


%%

/* Keywords */
<YYINITIAL> "and"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "as"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "assert"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "break"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "class"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "continue"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "def"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "del"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "elif"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "else"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "except"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "exec"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "finally"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL>
 "for"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "from"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "global"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "if"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "import"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "in"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "is"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "lambda"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "not"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "or"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "pass"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "print"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "raise"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "return"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "try"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "while"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "yield"     { addToken(Token.RESERVED_WORD); }
```

```
/*
 Data types. */
<YYINITIAL> "char"     { addToken(Token.DATA_TYPE); }
<YYINITIAL> "double"    { addToken(Token.DATA_TYPE); }
<YYINITIAL> "float"     { addToken(Token.DATA_TYPE); }
<YYINITIAL> "int"     { addToken(Token.DATA_TYPE); }
<YYINITIAL> "long"     { addToken(Token.DATA_TYPE); }
<YYINITIAL> "short"     { addToken(Token.DATA_TYPE); }
<YYINITIAL> "signed"    { addToken(Token.DATA_TYPE); }
<YYINITIAL> "unsigned"    { addToken(Token.DATA_TYPE); }
<YYINITIAL> "void"     { addToken(Token.DATA_TYPE); }

/* Standard functions */
<YYINITIAL> "abs"     { addToken(Token.FUNCTION); }
<YYINITIAL> "apply"     { addToken(Token.FUNCTION); }
<YYINITIAL> "bool"     { addToken(Token.FUNCTION); }
<YYINITIAL> "buffer"    { addToken(Token.FUNCTION); }
<YYINITIAL> "callable"    { addToken(Token.FUNCTION); }
<YYINITIAL> "chr"     { addToken(Token.FUNCTION); }
<YYINITIAL> "classmethod"   { addToken(Token.FUNCTION); }
<YYINITIAL> "cmp"     { addToken(Token.FUNCTION); }
<YYINITIAL>
 "coerce"    { addToken(Token.FUNCTION); }
<YYINITIAL> "compile"    { addToken(Token.FUNCTION); }
<YYINITIAL> "complex"    { addToken(Token.FUNCTION); }
<YYINITIAL> "delattr"    { addToken(Token.FUNCTION); }
<YYINITIAL> "dict"     { addToken(Token.FUNCTION); }
<YYINITIAL> "dir"     { addToken(Token.FUNCTION); }
<YYINITIAL> "divmod"    { addToken(Token.FUNCTION); }
<YYINITIAL> "enumerate"    { addToken(Token.FUNCTION); }
<YYINITIAL> "eval"     { addToken(Token.FUNCTION); }
<YYINITIAL> "execfile"    { addToken(Token.FUNCTION); }
<YYINITIAL> "file"     { addToken(Token.FUNCTION); }
<YYINITIAL> "filter"    { addToken(Token.FUNCTION); }
<YYINITIAL> "float"     { addToken(Token.FUNCTION); }
<YYINITIAL> "getattr"    { addToken(Token.FUNCTION); }
<YYINITIAL> "globals"    { addToken(Token.FUNCTION); }
<YYINITIAL> "hasattr"    { addToken(Token.FUNCTION); }
<YYINITIAL> "hash"     { addToken(Token.FUNCTION); }
<YYINITIAL> "hex"     { addToken(Token.FUNCTION); }
<YYINITIAL> "id"     {
 addToken(Token.FUNCTION); }
<YYINITIAL> "input"     { addToken(Token.FUNCTION); }
<YYINITIAL> "int"     { addToken(Token.FUNCTION); }
<YYINITIAL> "intern"    { addToken(Token.FUNCTION); }
<YYINITIAL> "isinstance"    { addToken(Token.FUNCTION); }
<YYINITIAL> "issubclass"    { addToken(Token.FUNCTION); }
```

```
<YYINITIAL> "iter"     { addToken(Token.FUNCTION); }
<YYINITIAL> "len"     { addToken(Token.FUNCTION); }
<YYINITIAL> "list"     { addToken(Token.FUNCTION); }
<YYINITIAL> "locals"    { addToken(Token.FUNCTION); }
<YYINITIAL> "long"     { addToken(Token.FUNCTION); }
<YYINITIAL> "map"     { addToken(Token.FUNCTION); }
<YYINITIAL> "max"     { addToken(Token.FUNCTION); }
<YYINITIAL> "min"     { addToken(Token.FUNCTION); }
<YYINITIAL> "object"    { addToken(Token.FUNCTION); }
<YYINITIAL> "oct"     { addToken(Token.FUNCTION); }
<YYINITIAL> "open"     { addToken(Token.FUNCTION); }
<YYINITIAL> "ord"     { addToken(Token.FUNCTION); }
<YYINITIAL> "pow"     { addToken(Token.FUNCTION);
 }
<YYINITIAL> "property"    { addToken(Token.FUNCTION); }
<YYINITIAL> "range"     { addToken(Token.FUNCTION); }
<YYINITIAL> "raw_input"    { addToken(Token.FUNCTION); }
<YYINITIAL> "reduce"    { addToken(Token.FUNCTION); }
<YYINITIAL> "reload"    { addToken(Token.FUNCTION); }
<YYINITIAL> "repr"     { addToken(Token.FUNCTION); }
<YYINITIAL> "round"     { addToken(Token.FUNCTION); }
<YYINITIAL> "setattr"    { addToken(Token.FUNCTION); }
<YYINITIAL> "slice"     { addToken(Token.FUNCTION); }
<YYINITIAL> "staticmethod"   { addToken(Token.FUNCTION); }
<YYINITIAL> "str"     { addToken(Token.FUNCTION); }
<YYINITIAL> "sum"     { addToken(Token.FUNCTION); }
<YYINITIAL> "super"     { addToken(Token.FUNCTION); }
<YYINITIAL> "tuple"     { addToken(Token.FUNCTION); }
<YYINITIAL> "type"     { addToken(Token.FUNCTION); }
<YYINITIAL> "unichr"    { addToken(Token.FUNCTION); }
<YYINITIAL> "unicode"    { addToken(Token.FUNCTION); }
<YYINITIAL> "vars"     { addToken(Token.FUNCTION);
 }
<YYINITIAL> "xrange"    { addToken(Token.FUNCTION); }
<YYINITIAL> "zip"     { addToken(Token.FUNCTION); }


<YYINITIAL> {

 {LineTerminator}    { addNullToken(); return firstToken; }

 {identifier}     { addToken(Token.IDENTIFIER); }

 {WhiteSpace}+     { addToken(Token.WHITESPACE); }

 /* String/Character Literals. */
 {stringliteral}    { addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); }
 {LongStringStart1}    { yybegin(LONG_STRING_1); addToken(Token.LITERAL_CHAR); }
```

```
{LongStringStart2}    { yybegin(LONG_STRING_2); addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); }

/* Comment Literals. */
{LineComment}     { addToken(Token.COMMENT_EOL); }

/* Separators. */
"("       { addToken(Token.SEPARATOR); }
")"       { addToken(Token.SEPARATOR); }
"["       { addToken(Token.SEPARATOR); }
"]"       { addToken(Token.SEPARATOR); }
"{"       { addToken(Token.SEPARATOR); }
"}"       { addToken(Token.SEPARATOR); }

/* Operators. */
"="       { addToken(Token.OPERATOR);
}
"+"       { addToken(Token.OPERATOR); }
"-"       { addToken(Token.OPERATOR); }
"*"       { addToken(Token.OPERATOR); }
"/"       { addToken(Token.OPERATOR); }
"%"       { addToken(Token.OPERATOR); }
"**"      { addToken(Token.OPERATOR); }
"~"       { addToken(Token.OPERATOR); }
"<"       { addToken(Token.OPERATOR); }
">"       { addToken(Token.OPERATOR); }
"<<"      { addToken(Token.OPERATOR); }
">>"      { addToken(Token.OPERATOR); }
"=="      { addToken(Token.OPERATOR); }
"+="      { addToken(Token.OPERATOR); }
"-="      { addToken(Token.OPERATOR); }
"*="      { addToken(Token.OPERATOR); }
"/="      { addToken(Token.OPERATOR); }
"%="      { addToken(Token.OPERATOR); }
">>="     { addToken(Token.OPERATOR); }
"<<="     { addToken(Token.OPERATOR); }
"^"       { addToken(Token.OPERATOR); }
"&"       { addToken(Token.OPERATOR); }
"&&"      { addToken(Token.OPERATOR); }
"|"       { addToken(Token.OPERATOR); }
"||"      {
addToken(Token.OPERATOR); }
"?"       { addToken(Token.OPERATOR); }
":"       { addToken(Token.OPERATOR); }
","       { addToken(Token.OPERATOR); }
"!"       { addToken(Token.OPERATOR); }
"++"      { addToken(Token.OPERATOR); }
"--"      { addToken(Token.OPERATOR); }
"."       { addToken(Token.OPERATOR); }
```

```
","      { addToken(Token.OPERATOR); }

/* Numbers */
{longinteger}|{integer}   { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
{floatnumber}|{imagnumber}  { addToken(Token.LITERAL_NUMBER_FLOAT); }
{ErrorNumberFormat}    { addToken(Token.ERROR_NUMBER_FORMAT); }

/* Other punctuation, we'll highlight it as "identifiers." */
"@"       { addToken(Token.IDENTIFIER); }
";"       { addToken(Token.IDENTIFIER); }

/* Ended with a line not in a string or comment. */
<<EOF>>      { addNullToken(); return firstToken; }

/* Catch any other (unhandled) characters and flag them as bad. */
.      { addToken(Token.ERROR_IDENTIFIER); }

}

<LONG_STRING_1>
{
[^\']+     { addToken(Token.LITERAL_CHAR); }
"'''"      { yybegin(YYINITIAL); addToken(Token.LITERAL_CHAR); }
"'"       { addToken(Token.LITERAL_CHAR); }
<<EOF>>      {
        if (firstToken==null) {
         addToken(Token.LITERAL_CHAR);
        }
        return firstToken;
       }
}

<LONG_STRING_2> {
[^\"]+      { addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); }
\"\"\"      { yybegin(YYINITIAL); addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); }
\"       { addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); }
<<EOF>>      {
        if (firstToken==null) {
         addToken(Token.LITERAL_STRING_DOUBLE_QUOTE);
        }
        return firstToken;
       }
}
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/PythonTokenMaker.flex

No license file was found, but licenses were detected in source scan.

/*
* 09/05/2004
*
* IconGroup.java - Class encapsulating images used for RTextArea actions.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/IconGroup.java
No license file was found, but licenses were detected in source scan.

/*
* 10/08/2011
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/folding/DefaultFoldManager.java
No license file was found, but licenses were detected in source scan.

/*
* 08/19/2004
*
* RTADefaultInputMap.java - The default input map for RTextAreas.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/RTADefaultInputMap.java
No license file was found, but licenses were detected in source scan.

/*
* 11/13/2004
*
* LispTokenMaker.java - Scanner for the Lisp programming language.
*
* This library is distributed under a modified BSD license. See the included

```
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;


/**
* Scanner for the Lisp programming language.<p>
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).
 * We can achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>LispTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a
 needless memory allocation for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 0.5
*
```

```
*/
%%

%public
%class LispTokenMaker
%extends AbstractJFlexTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{


 /**
  * Constructor.  This must be here because JFlex does not generate a
  * no-parameter constructor.
  */
 public LispTokenMaker() {
 }


 /**
  * Adds the token specified to the current linked list of tokens.
  *
  * @param tokenType The token's type.
  * @see #addToken(int, int, int)
  */
 private void addHyperlinkToken(int start, int end, int tokenType) {
  int so = start + offsetShift;
  addToken(zzBuffer, start,end, tokenType, so, true);
 }


 /**

 * Adds the token specified to the current linked list of tokens.
  *
  * @param tokenType The token's type.
  */
 private void addToken(int tokenType) {
  addToken(zzStartRead, zzMarkedPos-1, tokenType);
 }


 /**
  * Adds the token specified to the current linked list of tokens.
  *
  * @param tokenType The token's type.
```

```
 * @see #addHyperlinkToken(int, int, int)
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so, false);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 * @param hyperlink Whether this token is a hyperlink.
 */
@Override
public
void addToken(char[] array, int start, int end, int tokenType,
    int startOffset, boolean hyperlink) {
 super.addToken(array, start,end, tokenType, startOffset, hyperlink);
 zzStartRead = zzMarkedPos;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { ";", null };
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
```

```
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset)
{

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;

 // Start off in the proper state.
 int state = Token.NULL;
 switch (initialTokenType) {
  case Token.COMMENT_MULTILINE:
   state = MLC;
   start = text.offset;
   break;
  case Token.LITERAL_STRING_DOUBLE_QUOTE:
   state = STRING;
   start = text.offset;
   break;
  default:
   state = Token.NULL;
 }

 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
```

```
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream

 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always
  * "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
}


%}

Letter       = [A-Za-z]
LetterOrUnderscore    = ({Letter}|"_")
NonzeroDigit      = [1-9]
Digit       = ("0"|{NonzeroDigit})
HexDigit       = ({Digit}|[A-Fa-f])
OctalDigit      =
 ([0-7])
EscapedSourceCharacter    = ("u"{HexDigit}{HexDigit}{HexDigit}{HexDigit})
NonSeparator      = ([^\t\f\r\n\ \(\)\{\}\[\]\;\,\.\=\>\<\!\~\?\:\+\-\*\/\&\|\^\%\"\']|"#"|"\\")
IdentifierStart     = ({LetterOrUnderscore}|"$")
IdentifierPart      = ({IdentifierStart}|{Digit}|("\\"{EscapedSourceCharacter}))

LineTerminator    = (\n)
WhiteSpace    = ([ \t\f])

MLCBegin     = "#|"
MLCEnd     = "|#"
```

```
LineCommentBegin   = ";"

IntegerHelper1    = (({NonzeroDigit}{Digit}*)|"0")
IntegerHelper2    = ("0"(([xX]{HexDigit}+)|({OctalDigit}*)))
IntegerLiteral    = ({IntegerHelper1}[lL]?)
HexLiteral    = ({IntegerHelper2}[lL]?)
FloatHelper1    = ([fFdD]?)
FloatHelper2    = ([eE][+-]?{Digit}+{FloatHelper1})
FloatLiteral1    = ({Digit}+"."({FloatHelper1}|{FloatHelper2}|{Digit}+({FloatHelper1}|{FloatHelper2})))
FloatLiteral2    = ("."{Digit}+({FloatHelper1}|{FloatHelper2}))
FloatLiteral3    = ({Digit}+{FloatHelper2})
FloatLiteral    = ({FloatLiteral1}|{FloatLiteral2}|{FloatLiteral3}|({Digit}+[fFdD]))
ErrorNumberFormat   =
 (({IntegerLiteral}|{HexLiteral}|{FloatLiteral}){NonSeparator}+)

Separator     = ([\(\)])

NonAssignmentOperator  = ("+"|"-"|"<="|"^"|"++"|"<"|"*"|">="|"%"|"--
"|">"|"/"|"!="|"?"|">>"|"!"|"&"|"=="|":"|">>"|"~"|"|"|"&&"|">>>")
AssignmentOperator   = ("="|"-="|"*="|"/="|"|="|"&="|"^="|"+="|"%="|"<<="|">>="|">>>=")
Operator     = ({NonAssignmentOperator}|{AssignmentOperator})

Identifier    = ({IdentifierStart}{IdentifierPart}*)
ErrorIdentifier   = ({NonSeparator}+)

URLGenDelim    = ([:\/\?#\[\]@])
URLSubDelim    = ([\!\$&'\(\)\*\+,;=])
URLUnreserved   = ({LetterOrUnderscore}|{Digit}|[\-\.\~])
URLCharacter   = ({URLGenDelim}|{URLSubDelim}|{URLUnreserved}|[%])
URLCharacters   = ({URLCharacter}*)
URLEndCharacter   = ([\/\$]|{Letter}|{Digit})
URL      = (((https?|f(tp|ile))"://"|"www.")({URLCharacters}{URLEndCharacter})?)


%state STRING
%state MLC
%state EOL_COMMENT

%%

<YYINITIAL> {

 "defclass" |
 "defconstant"
 |
 "defgeneric" |
 "define-compiler-macro" |
 "define-condition" |
```

```
"define-method-combination" |
"define-modify-macro" |
"define-setf-expander" |
"define-symbol-macro" |
"defmacro" |
"defmethod" |
"defpackage" |
"defparameter" |
"defsetf" |
"defstruct" |
"deftype" |
"defun" |
"defvar"      { addToken(Token.RESERVED_WORD); }

"abort" |
"assert" |
"block" |
"break" |
"case" |
"catch" |
"ccase" |
"cerror" |
"cond" |
"ctypecase" |
"declaim" |
"declare" |
"do" |
"do*" |
"do-all-symbols" |
"do-external-symbols" |
"do-symbols" |
"dolist" |
"dotimes" |
"ecase" |
"error" |
"etypecase" |
"eval-when" |
"flet" |
"handler-bind" |
"handler-case" |
"if" |
"ignore-errors" |
"in-package" |
"labels" |
"lambda" |
"let" |
"let*" |
"locally" |
```

```
"loop" |
"macrolet" |
"multiple-value-bind" |
"proclaim" |
"prog" |
"prog*" |
"prog1" |
"prog2" |
"progn" |
"progv" |
"provide" |
"require" |
"restart-bind"
|
"restart-case" |
"restart-name" |
"return" |
"return-from" |
"signal" |
"symbol-macrolet" |
"tagbody" |
"the" |
"throw" |
"typecase" |
"unless" |
"unwind-protect" |
"when" |
"with-accessors" |
"with-compilation-unit" |
"with-condition-restarts" |
"with-hash-table-iterator" |
"with-input-from-string" |
"with-open-file" |
"with-open-stream" |
"with-output-to-string" |
"with-package-iterator" |
"with-simple-restart" |
"with-slots" |
"with-standard-io-syntax"  { addToken(Token.RESERVED_WORD); }

{LineTerminator}    { addNullToken(); return firstToken; }
{Identifier}     { addToken(Token.IDENTIFIER); }
{WhiteSpace}+     { addToken(Token.WHITESPACE); }
[\"]      { start = zzMarkedPos-1; yybegin(STRING); }
{MLCBegin}     { start = zzMarkedPos-2; yybegin(MLC); }
{LineCommentBegin}   { start = zzMarkedPos-1; yybegin(EOL_COMMENT); }
{Separator}     { addToken(Token.SEPARATOR); }
{Operator}     { addToken(Token.OPERATOR);
```

```
}

/* Numbers */
{IntegerLiteral}    { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
{HexLiteral}    { addToken(Token.LITERAL_NUMBER_HEXADECIMAL); }
{FloatLiteral}    { addToken(Token.LITERAL_NUMBER_FLOAT); }
{ErrorNumberFormat}    { addToken(Token.ERROR_NUMBER_FORMAT); }

{ErrorIdentifier}    { addToken(Token.ERROR_IDENTIFIER); }

/* Ended with a line not in a string or comment. */
<<EOF>>      { addNullToken(); return firstToken; }

/* Catch any other (unhandled) characters and flag them as bad. */
.      { addToken(Token.ERROR_IDENTIFIER); }

}


<STRING> {
[^\n\\\"]+   {}
\n     { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE); return firstToken; }
\\.?     { /* Skip escaped chars. */ }
\"     { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.LITERAL_STRING_DOUBLE_QUOTE); }
<<EOF>>    { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE); return firstToken; }
}


<MLC> {

[^hwf\n\|]+    {}
{URL}     {
int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_MULTILINE); start = zzMarkedPos; }
[hwf]     {}

\n      { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken; }
{MLCEnd}     { yybegin(YYINITIAL); addToken(start,zzStartRead+1, Token.COMMENT_MULTILINE); }
\|     {}
<<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken; }

}


<EOL_COMMENT> {
[^hwf\n]+    {}
{URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_EOL);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_EOL); start = zzMarkedPos; }
```

```
[hwf]    {}
\n     { addToken(start,zzStartRead-1, Token.COMMENT_EOL); addNullToken(); return firstToken; }
<<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_EOL); addNullToken(); return firstToken; }

}
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/LispTokenMaker.flex
No license file was found, but licenses were detected in source scan.

```
/*
* 02/19/2009
*
* GutterIconInfo.java - Information about an Icon in a Gutter.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/GutterIconInfo.java
No license file was found, but licenses were detected in source scan.

```
/*
* 10/03/2007
*
* TclTokenMaker.java - Scanner for the Tcl programming language.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/TclTokenMaker.java
No license file was found, but licenses were detected in source scan.

```
/*
* 01/25/2009
*
* AbstractJFlexCTokenMaker.java - Base class for token makers that use curly
* braces to denote code blocks, such as C, C++, Java, Perl, etc.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/AbstractJFlexCTokenMaker.java
No license file was found, but licenses were detected in source scan.

```
/*
* 03/24/2013
*
* VisualBasicTokenMaker.java - Scanner for Visual Basic
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;


/**
* Scanner for Visual Basic.
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).
* We can achieve this
 because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>VisualBasicTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
```

```
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless memory allocation
 for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 1.0
*/
%%

%public
%class VisualBasicTokenMaker
%extends AbstractJFlexTokenMaker
%unicode
%ignorecase
%type org.fife.ui.rsyntaxtextarea.Token


%{


 /**
  * Constructor.  This must be here because JFlex does not generate a
  * no-parameter constructor.
  */
 public VisualBasicTokenMaker() {
 }


 /**
  * Adds the token specified to the current linked list of tokens.
  *
  * @param tokenType The token's type.
  * @see #addToken(int, int, int)
  */
 private void addHyperlinkToken(int start, int end, int tokenType) {
  int so = start + offsetShift;
  addToken(zzBuffer, start,end, tokenType, so, true);
 }


 /**
```

```
* Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 * @see #addHyperlinkToken(int, int, int)
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so, false);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 * @param hyperlink Whether this token is a hyperlink.
 */
@Override
public
void addToken(char[] array, int start, int end, int tokenType,
    int startOffset, boolean hyperlink) {
 super.addToken(array, start,end, tokenType, startOffset, hyperlink);
 zzStartRead = zzMarkedPos;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { """, null };
}
```

```
/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset)
{

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;

 // Start off in the proper state.
 int state = YYINITIAL;

 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
```

```
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(java.io.Reader reader) {
 // 's' has been updated.
 zzBuffer
= s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always
  * "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
}


%}

Letter       = [A-Za-z]
LetterOrUnderscore    = ({Letter}|"_")
NonzeroDigit      = [1-9]
Digit       = ("0"|{NonzeroDigit})
HexDigit       = ({Digit}|[A-Fa-f])
NonSeparator      = ([^\t\f\r\n\ \(\)\{\}\[\]\;\,\.\=\>\<\!\~\?\:\+\-\*\/\&\|\^\%\"\']|"#"|"\\")
IdentifierStart     = ({LetterOrUnderscore}|"$")
IdentifierPart      = ({IdentifierStart}|{Digit})

LineTerminator   = (\n)
WhiteSpace    = ([ \t\f])

UnclosedStringLiteral =
 ([\"][^\"]*)
StringLiteral   = ({UnclosedStringLiteral}[\"])
```

```
LineCommentBegin  = """

NumTypeSuffix   = (([DRI\&SF]|"UI"|"UL"|"US")?)
IntegerLiteral   = ({Digit}+{NumTypeSuffix})
HexLiteral    = ("&h"{HexDigit}+{NumTypeSuffix})
FloatHelper    = ([eE][+-]?{Digit}+{NumTypeSuffix})
FloatLiteral1   = ({Digit}+"."({NumTypeSuffix}|{FloatHelper}|{Digit}+({NumTypeSuffix}|{FloatHelper})))
FloatLiteral2   = ("."{Digit}+({NumTypeSuffix}|{FloatHelper}))
FloatLiteral3   = ({Digit}+({NumTypeSuffix}|{FloatHelper}))
FloatLiteral   = ({FloatLiteral1}|{FloatLiteral2}|{FloatLiteral3})
ErrorNumberFormat  = (({IntegerLiteral}|{HexLiteral}|{FloatLiteral}){NonSeparator}+)
BooleanLiteral   = ("true"|"false")

Separator    = ([\(\)])
Separator2    = ([\;,.])

Operator    = ("&"|"&="|"*"|"*="|"+"|"+="|"="|"-"|"-="|"<<"|"<<="|">>"|">>="|"/"|"/="|"\\"|"\\="|"^"|"^="

Identifier    = ({IdentifierStart}{IdentifierPart}*)
ErrorIdentifier   = ({NonSeparator}+)

URLGenDelim    = ([:\/\?#\[\]@])
URLSubDelim    =
 ([\!\$&'\(\)\*\+,;=])
URLUnreserved   = ({LetterOrUnderscore}|{Digit}|[\-\.\~])
URLCharacter   = ({URLGenDelim}|{URLSubDelim}|{URLUnreserved}|[%])
URLCharacters   = ({URLCharacter}*)
URLEndCharacter   = ([\/\$]|{Letter}|{Digit})
URL      = (((https?|f(tp|ile))"://"|"www.")({URLCharacters}{URLEndCharacter})?)

%state EOL_COMMENT

%%

<YYINITIAL> {

 /* Keywords */
 "AddHandler" |
 "AddressOf" |
 "Alias" |
 "And" |
 "AndAlso" |
 "As" |
 "ByRef" |
 "ByVal" |
 "Call" |
 "Case" |
 "Catch" |
```

"CBool" |
"CByte" |
"CChar" |
"CDate" |
"CDbl" |
"CDec" |
"CInt" |
"Class" |
"CLng" |
"CObj" |
"Const" |
"Continue" |
"CSByte" |
"CShort" |
"CSng" |
"CStr" |
"CType" |
"CUInt" |
"CULng" |
"CUShort" |
"Declare" |
"Default" |
"Delegate" |
"Dim" |
"DirectCast" |
"Do" |
"Each" |
"Else" |
"ElseIf" |
"End" |
"EndIf" |
"Enum" |
"Erase" |
"Error" |
"Event" |
"Exit" |
"Finally" |
"For"
|
"Friend" |
"Function" |
"Get" |
"GetType" |
"GetXMLNamespace" |
"Global" |
"GoSub" |
"GoTo" |
"Handles" |

"If" |
"If" |
"Implements" |
"Imports" |
"In" |
"Inherits" |
"Interface" |
"Is" |
"IsNot" |
"Let" |
"Lib" |
"Like" |
"Loop" |
"Me" |
"Mod" |
"Module" |
"Module Statement" |
"MustInherit" |
"MustOverride" |
"MyBase" |
"MyClass" |
"Namespace" |
"Narrowing" |
"New" |
"New" |
"Next" |
"Not" |
"Nothing" |
"NotInheritable" |
"NotOverridable" |
"Of" |
"On" |
"Operator" |
"Option" |
"Optional" |
"Or" |
"OrElse" |
"Out" |
"Overloads" |
"Overridable" |
"Overrides" |
"ParamArray" |
"Partial" |
"Private" |
"Property" |
"Protected" |
"Public" |
"RaiseEvent" |

```
"ReadOnly" |
"ReDim" |
"REM" |
"RemoveHandler" |
"Resume" |
"Select" |
"Set" |
"Shadows" |
"Shared" |
"Static" |
"Step" |
"Stop" |
"Structure" |
"Sub" |
"SyncLock" |
"Then" |
"Throw" |
"To"
|
"Try" |
"TryCast" |
"TypeOf" |
"Using" |
"Variant" |
"Wend" |
"When" |
"While" |
"Widening" |
"With" |
"WithEvents" |
"WriteOnly" |
"Xor"      { addToken(Token.RESERVED_WORD); }
"Return"     { addToken(Token.RESERVED_WORD_2); }

/* Data types. */
"Boolean" |
"Byte" |
"Char" |
"Date" |
"Decimal" |
"Double" |
"Integer" |
"Long" |
"Object" |
"SByte" |
"Short" |
"Single" |
"String" |
```

```
"UInteger" |
"ULong" |
"UShort"     { addToken(Token.DATA_TYPE); }

{BooleanLiteral}   { addToken(Token.LITERAL_BOOLEAN); }

{LineTerminator}   { addNullToken(); return firstToken; }

{Identifier}    { addToken(Token.IDENTIFIER); }

{WhiteSpace}+    { addToken(Token.WHITESPACE); }

{StringLiteral}    { addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); }
{UnclosedStringLiteral}  { addToken(Token.ERROR_STRING_DOUBLE); addNullToken(); return firstToken; }

{LineCommentBegin}   { start = zzMarkedPos-1; yybegin(EOL_COMMENT); }

{Separator}     {
addToken(Token.SEPARATOR); }
{Separator2}    { addToken(Token.IDENTIFIER); }
{Operator}     { addToken(Token.OPERATOR); }

{IntegerLiteral}   { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
{HexLiteral}    { addToken(Token.LITERAL_NUMBER_HEXADECIMAL); }
{FloatLiteral}    { addToken(Token.LITERAL_NUMBER_FLOAT); }
{ErrorNumberFormat}   { addToken(Token.ERROR_NUMBER_FORMAT); }

{ErrorIdentifier}   { addToken(Token.ERROR_IDENTIFIER); }

/* Ended with a line not in a string or comment. */
<<EOF>>      { addNullToken(); return firstToken; }

/* Catch any other (unhandled) characters. */
.      { addToken(Token.IDENTIFIER); }

}


<EOL_COMMENT> {
[^hwf\n]+    {}
{URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_EOL);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_EOL); start = zzMarkedPos; }
[hwf]     {}
\n      { addToken(start,zzStartRead-1, Token.COMMENT_EOL); addNullToken(); return firstToken; }
<<EOF>>     {
addToken(start,zzStartRead-1, Token.COMMENT_EOL); addNullToken(); return firstToken; }
}
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/VisualBasicTokenMaker.flex
No license file was found, but licenses were detected in source scan.

```
/*
* 03/09/2013
*
* OccurrenceMarker - Marks occurrences of the current token.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/OccurrenceMarker.java
No license file was found, but licenses were detected in source scan.

```
/*
* 04/24/2012
*
* LatexTokenMaker.java - Scanner for LaTeX.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;


/**
* Scanner for the LaTeX.<p>
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).
* We can achieve this because RSTA
 always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
```

```
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>LatexTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless memory allocation for us since we
 *       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 0.5
*
*/
%%

%public
%class LatexTokenMaker
%extends AbstractJFlexTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{


 /**
  * Constructor.  This must be here because JFlex does not generate a
  * no-parameter constructor.
  */
 public LatexTokenMaker() {
 }


 /**
  * Adds the token specified to the current linked list of tokens.
```

```
 *
 * @param tokenType The token's type.
 * @see #addToken(int, int, int)
 */
private void addHyperlinkToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so, true);
}


/**
 * Adds the token specified
to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 * @see #addHyperlinkToken(int, int, int)
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so, false);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 * @param hyperlink Whether this token is a hyperlink.
 */
@Override
public void addToken(char[] array, int start,
int end, int tokenType,
    int startOffset, boolean hyperlink) {
```

```
 super.addToken(array, start,end, tokenType, startOffset, hyperlink);
 zzStartRead = zzMarkedPos;
}


/**
 * ${inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "%", null };
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
@Override
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift
= -text.offset + startOffset;

 // Start off in the proper state.
 int state = Token.NULL;

 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}
```

```
/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 * @exception   IOException  if any I/O-Error occurs.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(java.io.Reader reader) {
 // 's'
has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always
  * "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
}


%}

Letter     = ([A-Za-z])
Digit     = ([0-9])
```

```
LetterOrUnderscore  = ({Letter}|[_])
AnyChar     = ({LetterOrUnderscore}|{Digit}|[\-])
Whitespace    = ([ \t\f])
LineCommentBegin  = "%"

URLGenDelim    = ([:\/\?#\[\]@])
URLSubDelim    = ([\!\$&'\(\)\*\+,;=])
URLUnreserved   = ({LetterOrUnderscore}|{Digit}|[\-\.\~])
URLCharacter   = ({URLGenDelim}|{URLSubDelim}|{URLUnreserved}|[%])
URLCharacters   =
 ({URLCharacter}*)
URLEndCharacter   = ([\/\$]|{Letter}|{Digit})
URL      = (((https?|f(tp|ile))"://"|"www.")({URLCharacters}{URLEndCharacter})?)


%state EOL_COMMENT

%%

<YYINITIAL> {

 ([\\]{AnyChar}+)   { addToken(Token.FUNCTION); }
 ([\\]%)      { int temp = zzStartRead;
        addToken(temp, temp, Token.SEPARATOR);
        addToken(temp + 1, temp + 1, Token.IDENTIFIER);
       }
 [\{\}]     { addToken(Token.SEPARATOR); }
 ("\\begin{"{AnyChar}+"}")   { int temp = zzStartRead;
      addToken(temp, temp+5, Token.RESERVED_WORD);
      addToken(temp+6, temp+6, Token.SEPARATOR);
      addToken(temp+7, zzMarkedPos-2, Token.RESERVED_WORD);
      addToken(zzMarkedPos-1, zzMarkedPos-1, Token.SEPARATOR);
       }
 ("\\end{"{AnyChar}+"}")  { int temp = zzStartRead;
      addToken(temp, temp+3, Token.RESERVED_WORD);
      addToken(temp+4, temp+4, Token.SEPARATOR);
      addToken(temp+5, zzMarkedPos-2, Token.RESERVED_WORD);
      addToken(zzMarkedPos-1,
 zzMarkedPos-1, Token.SEPARATOR);
       }
 {Whitespace}    { addToken(Token.WHITESPACE); }

 {LineCommentBegin}   { start = zzMarkedPos-1; yybegin(EOL_COMMENT); }

 "\n" |
 <<EOF>>      { addNullToken(); return firstToken; }

 /* Catch any other (unhandled) characters and flag them as identifiers. */
```

```
{AnyChar}+ |
.       { addToken(Token.IDENTIFIER); }

}


<EOL_COMMENT> {
[^hwf\n]+    {}
{URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_EOL);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_EOL); start = zzMarkedPos; }
[hwf]     {}
\n |
<<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_EOL); addNullToken(); return firstToken; }
}
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/LatexTokenMaker.flex
No license file was found, but licenses were detected in source scan.

```
/*
* 04/07/2005
*
* RTextAreaBase.java - The base class for an RTextArea.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/RTextAreaBase.java
No license file was found, but licenses were detected in source scan.

```
/*
* 02/15/2005
*
* SQLTokenMaker.java - Scanner for SQL.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;
```

```
/**
* This class generates tokens representing a text stream as SQL.<p>
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).
 * We can achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>SQLTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless
 memory allocation for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 0.5
*
*/
%%

%public
%class SQLTokenMaker
%extends AbstractJFlexTokenMaker
%unicode
%ignorecase
```

```
%type org.fife.ui.rsyntaxtextarea.Token


%{


/**
 * Constructor.  This must be here because JFlex does not generate a
 * no-parameter constructor.
 */
public SQLTokenMaker() {
 super();
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.

*
 * @param tokenType The token's type.
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 */
@Override
```

```
public void addToken(char[] array, int start, int end, int tokenType, int startOffset) {
 super.addToken(array, start,end, tokenType, startOffset);
 zzStartRead = zzMarkedPos;
}


/**
 * Overridden to return <code>true</code> so paren matching occurs for
 * SQL.
 *
 * @return <code>true</code> always.
 */
@Override
public boolean getCurlyBracesDenoteCodeBlocks(int languageIndex) {
 return true;
}


/**

* {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "--", null };
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;

 // Start off in the proper state.
 int state = Token.NULL;
 switch (initialTokenType) {
```

```
  case Token.LITERAL_STRING_DOUBLE_QUOTE:
   state
= STRING;
   start = text.offset;
   break;
  case Token.LITERAL_CHAR:
   state = CHAR;
   start = text.offset;
   break;
  case Token.COMMENT_MULTILINE:
   state = MLC;
   start = text.offset;
   break;
  default:
   state = Token.NULL;
 }

 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
```

```
 *
  * @param reader   the new input stream
  */
 public final void yyreset(java.io.Reader reader) {
  // 's' has been updated.
  zzBuffer = s.array;
  /*
   * We replaced the line below with the two below it because zzRefill
   * no longer "refills" the buffer (since the way we do it, it's always
   * "full" the first time through, since it points to the segment's
   * array).  So, we assign zzEndRead here.
   */
  //zzStartRead = zzEndRead = s.offset;
  zzStartRead = s.offset;
  zzEndRead = zzStartRead + s.count - 1;
  zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
  zzLexicalState = YYINITIAL;
  zzReader = reader;
  zzAtBOL  = true;
  zzAtEOF  = false;
 }


%}

LineTerminator  = ([\n])
Letter   = ([A-Za-z])
Digit   = ([0-9])
Whitespace  = ([ \t]+)

IdentifierStart = ({Letter})
IdentifierPart  = ({IdentifierStart}|{Digit}|[_])
Identifier  = ({IdentifierStart}{IdentifierPart}*)

Operator   = (">="|"<="|"<>"|">"|"<"|"="|"+"|"-"|"*"|"/")
Separator   =
 ([\(\)])

Parameter   = ([:]{Identifier})

Integer   = ({Digit}+)
Float   = (({Digit}+[.]{Digit}*)|([.]{Digit}*))
ApproxNum   = (({Digit}+[eE][+-]?{Digit}+)|({Digit}+[.]{Digit}*[eE][+-]?[0-9]+)|([.][0-9]*[eE][+-]?[0-9]+))

CommentBegin  = ("--")
Comment   = ({CommentBegin}.*)
MLCBegin   = "/*"
```

```
MLCEnd   = "*/"

%state STRING
%state CHAR
%state MLC

%%

<YYINITIAL> {

 /* Keywords */
"ADD" |
"ALL" |
"ALTER" |
"AND" |
"ANY" |
"AS" |
"ASC" |
"AUTOINCREMENT" |
"AVA" |
"BETWEEN" |
"BINARY" |
"BIT" |
"BOOLEAN" |
"BY" |
"BYTE" |
"CHAR" |
"CHARACTER" |
"COLUMN" |
"CONSTRAINT" |
"COUNT" |
"COUNTER" |
"CREATE" |
"CURRENCY" |
"DATABASE" |
"DATE" |
"DATETIME" |
"DELETE" |
"DESC" |
"DISALLOW" |
"DISTINCT" |
"DISTINCTROW" |
"DOUBLE" |
"DROP" |
"EXISTS" |
"FLOAT" |
"FLOAT4" |
"FLOAT8" |
```

"FOREIGN" |
"FROM" |
"GENERAL" |
"GROUP" |
"GUID" |
"HAVING" |
"INNER" |
"INSERT" |
"IGNORE" |
"IMP"
|
"IN" |
"INDEX" |
"INT" |
"INTEGER" |
"INTEGER1" |
"INTEGER2" |
"INTEGER4" |
"INTO" |
"IS" |
"JOIN" |
"KEY" |
"LEFT" |
"LEVEL" |
"LIKE" |
"LOGICAL" |
"LONG" |
"LONGBINARY" |
"LONGTEXT" |
"MAX" |
"MEMO" |
"MIN" |
"MOD" |
"MONEY" |
"NOT" |
"NULL" |
"NUMBER" |
"NUMERIC" |
"OLEOBJECT" |
"ON" |
"OPTION" |
"OR" |
"ORDER" |
"OUTER" |
"OWNERACCESS" |
"PARAMETERS" |
"PASSWORD" |
"PERCENT" |

```
"PIVOT" |
"PRIMARY" |
"REAL" |
"REFERENCES" |
"RIGHT" |
"SELECT" |
"SET" |
"SHORT" |
"SINGLE" |
"SMALLINT" |
"SOME" |
"STDEV" |
"STDEVP" |
"STRING" |
"SUM" |
"TABLE" |
"TABLEID" |
"TEXT" |
"TIME" |
"TIMESTAMP" |
"TOP" |
"TRANSFORM" |
"TYPE" |
"UNION" |
"UNIQUE" |
"UPDATE" |
"USER" |
"VALUE" |
"VALUES" |
"VAR" |
"VARBINARY" |
"VARCHAR" |
"VARP" |
"WHERE" |
"WITH" |
"YESNO"     { addToken(Token.RESERVED_WORD); }

/* SQL99 aggregate functions */
"AVG" |
"COUNT"
|
"MIN" |
"MAX" |
"SUM"     { addToken(Token.FUNCTION); }

/* SQL99 built-in scalar functions */
"CURRENT_DATE" |
"CURRENT_TIME" |
```

```
"CURRENT_TIMESTAMP" |
"CURRENT_USER" |
"SESSION_USER" |
"SYSTEM_USER"   { addToken(Token.FUNCTION); }

/* SQL99 numeric scalar functions */
"BIT_LENGTH" |
"CHAR_LENGTH" |
"EXTRACT" |
"OCTET_LENGTH" |
"POSITION"    { addToken(Token.FUNCTION); }

/* SQL99 string functions */
"CONCATENATE" |
"CONVERT" |
"LOWER" |
"SUBSTRING" |
"TRANSLATE" |
"TRIM" |
"UPPER"     { addToken(Token.FUNCTION); }

{LineTerminator}    { addNullToken(); return firstToken; }

{Identifier}     { addToken(Token.IDENTIFIER); }
";"       { addToken(Token.IDENTIFIER); }

{Parameter}     { addToken(Token.IDENTIFIER); }

{Comment}      { addToken(Token.COMMENT_EOL); }
{MLCBegin}     { start = zzMarkedPos-2; yybegin(MLC); }

{Whitespace}     { addToken(Token.WHITESPACE); }

{Operator}     { addToken(Token.OPERATOR);
}
{Separator}     { addToken(Token.SEPARATOR); }

{Integer}      { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
{Float}      { addToken(Token.LITERAL_NUMBER_FLOAT); }
{ApproxNum}     { addToken(Token.LITERAL_NUMBER_FLOAT); }

"\""       { start = zzMarkedPos-1; yybegin(STRING); }
"\'"       { start = zzMarkedPos-1; yybegin(CHAR); }

"["[^\]]*"]"     { addToken(Token.PREPROCESSOR); }
"["[^\]]*      { addToken(Token.ERROR_IDENTIFIER); addNullToken(); return firstToken; }

<<EOF>>      { addNullToken(); return firstToken; }
```

```
 /* Catch any other (unhandled) characters and flag them as OK; */
 /* I don't know enough about SQL to know what's really invalid. */
 .      { addToken(Token.IDENTIFIER); }

}

<STRING> {

 [^\n\"]+    {}
 \n     { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE); return firstToken; }
 "\"\""     {}
 "\""     { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.LITERAL_STRING_DOUBLE_QUOTE); }
 <<EOF>>    {
addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE); return firstToken; }

}

<CHAR> {

 [^\n\']+    {}
 \n     { addToken(start,zzStartRead-1, Token.LITERAL_CHAR); return firstToken; }
 "\'\'"     {}
 "\'"     { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.LITERAL_CHAR); }
 <<EOF>>    { addToken(start,zzStartRead-1, Token.LITERAL_CHAR); return firstToken; }

}

<MLC> {

 [^\n\*]+    {}
 \n     { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken; }
 {MLCEnd}    { yybegin(YYINITIAL); addToken(start,zzStartRead+1, Token.COMMENT_MULTILINE); }
 \*     {}
 <<EOF>>    { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken; }

}

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-
jar/org/fife/ui/rsyntaxtextarea/modes/SQLTokenMaker.flex
No license file was found, but licenses were detected in source scan.

/*
* 11/18/2009
*
* BBCodeTokenMaker.java - Generates tokens for BBCode syntax highlighting.
*
```

```
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;


/**
* Scanner for BBCode.
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).
* We can
 achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>BBCodeTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless memory
 allocation for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
```

```
* @version 0.7
*
*/
%%

%public
%class BBCodeTokenMaker
%extends AbstractMarkupTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{

 /**
  * Token type specific to BBCodeTokenMaker; this signals that the user has
  * ended a line with an unclosed tag; thus a new line is beginning
  * still inside of the tag.
  */
 public static final int INTERNAL_INTAG     = -1;

 /**
  * Whether closing markup tags are automatically completed for BBCode.
  */
 private static boolean completeCloseTags = true;


 /**
  * Constructor.  This must be here because JFlex does not generate a
  * no-parameter constructor.

 */
 public BBCodeTokenMaker() {
 }


 /**
  * Adds the token specified to the current linked list of tokens.
  *
  * @param tokenType The token's type.
  */
 private void addToken(int tokenType) {
  addToken(zzStartRead, zzMarkedPos-1, tokenType);
 }


 /**
  * Adds the token specified to the current linked list of tokens.
```

```
 *
 * @param tokenType The token's type.
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *        occurs.
 */
@Override
public void addToken(char[] array, int start, int end, int tokenType, int startOffset)
{
 super.addToken(array, start,end, tokenType, startOffset);
 zzStartRead = zzMarkedPos;
}


/**
 * Sets whether markup close tags should be completed.  The default value
 * for BBCode is <code>true</code>.
 *
 * @return Whether closing markup tags are completed.
 * @see #setCompleteCloseTags(boolean)
 */
@Override
public boolean getCompleteCloseTags() {
 return completeCloseTags;
}


/**
 * Returns <code>null</code> since BBCode has no comments.
 *
 * @return <code>null</code> always.
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return null;
```

```
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset
The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;

 // Start off in the proper state.
 int state = Token.NULL;
 switch (initialTokenType) {
  case INTERNAL_INTAG:
   state = INTAG;
   start = text.offset;
   break;
  default:
   state = Token.NULL;
 }

 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}


/**
 * Sets whether markup close tags should be completed.
 *
```

```
 * @param complete Whether closing markup tags are completed.
 * @see #getCompleteCloseTags()
 */
public static void setCompleteCloseTags(boolean complete) {
 completeCloseTags
= complete;
}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(java.io.Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always
  * "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead
= zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
```

```
 }


%}

Whitespace   = ([ \t\f]+)
LineTerminator  = ([\n])
Identifier   = ([^ \t\f\n\[]+)
InTagIdentifier  = ([^ \t\f\n\[\]\/\=]+)
Tag     = ("b"|"i"|"u"|"s"|"size"|"color"|"center"|"quote"|"url"|"img"|"ul"|"li"|"ol"|"youtube"|"gvideo")

%state INTAG

%%

<YYINITIAL> {
 {Identifier}   { addToken(Token.IDENTIFIER); }
 {Whitespace}   { addToken(Token.WHITESPACE); }
 "["      { addToken(Token.MARKUP_TAG_DELIMITER); yybegin(INTAG); }
 "[/"     { addToken(Token.MARKUP_TAG_DELIMITER); yybegin(INTAG); }
 {LineTerminator}  { addNullToken(); return firstToken; }
 <<EOF>>     { addNullToken(); return firstToken; }
}

<INTAG> {
 "/"      { addToken(Token.MARKUP_TAG_DELIMITER); }
 {Tag}     { addToken(Token.MARKUP_TAG_NAME);
 }
 {InTagIdentifier}  { addToken(Token.MARKUP_TAG_ATTRIBUTE); }
 {Whitespace}   { addToken(Token.WHITESPACE); }
 "="      { addToken(Token.OPERATOR); }
 "/]"     { yybegin(YYINITIAL); addToken(Token.MARKUP_TAG_DELIMITER); }
 "]"      { yybegin(YYINITIAL); addToken(Token.MARKUP_TAG_DELIMITER); }
 .     { addToken(Token.IDENTIFIER); /* Unhandled chars, not likely */ }
 <<EOF>>     { addToken(zzMarkedPos,zzMarkedPos, INTERNAL_INTAG); return firstToken; }
}

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-
jar/org/fife/ui/rsyntaxtextarea/modes/BBCodeTokenMaker.flex
No license file was found, but licenses were detected in source scan.

/*
* 08/16/2008
*
* XMLParser.java - Simple XML parser.
*
* This library is distributed under a modified BSD license.  See the included
```

* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/parser/XmlParser.java
No license file was found, but licenses were detected in source scan.

/*
* 11/07/2004
*
* AbstractTokenMaker.java - An abstract implementation of TokenMaker.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/AbstractTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 09/26/2005
*
* ParserManager.java - Manages the parsing of an RSyntaxTextArea's document,
* if necessary.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/ParserManager.java
No license file was found, but licenses were detected in source scan.

/*
* 11/13/2004
*
* CSharpTokenMaker.java - An object that can take a chunk of text and return
* a linked list of tokens representing it in the C# programming language.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

```
import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;


/**
* A lexer for the C# programming language.
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner
 never has to
* worry about refilling its buffer (needlessly copying chars around).
* We can achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>CSharpTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change
 the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless memory allocation for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 0.5
*
*/
%%
```

```
%public
%class CSharpTokenMaker
%extends AbstractJFlexCTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{


/**
 * Constructor.  This must be here because JFlex does not generate a
 * no-parameter constructor.
 */
public CSharpTokenMaker() {
 super();
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 * @see #addToken(int, int, int)
 */
private void addHyperlinkToken(int start, int end, int tokenType)
{
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so, true);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int start, int end, int tokenType) {
```

```
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 */
@Override
public void
addToken(char[] array, int start, int end, int tokenType, int startOffset) {
 super.addToken(array, start,end, tokenType, startOffset);
 zzStartRead = zzMarkedPos;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "//", null };
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift
```

```
= -text.offset + startOffset;

 // Start off in the proper state.
 int state = Token.NULL;
 switch (initialTokenType) {
  case Token.LITERAL_STRING_DOUBLE_QUOTE:
   state = VERBATIMSTRING;
   start = text.offset;
   break;
  case Token.COMMENT_MULTILINE:
   state = DELIMITEDCOMMENT;
   start = text.offset;
   break;
  default:
   state = Token.NULL;
 }

 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b>
```

```
 be reused (internal buffer is discarded and lost).
  * Lexical state is set to <tt>YY_INITIAL</tt>.
  *
  * @param reader   the new input stream
  */
 public final void yyreset(Reader reader) {
  // 's' has been updated.
  zzBuffer = s.array;
  /*
   * We replaced the line below with the two below it because zzRefill
   * no longer "refills" the buffer (since the way we do it, it's always
   * "full" the first time through, since it points to the segment's
   * array).  So, we assign zzEndRead here.
   */
  //zzStartRead = zzEndRead = s.offset;
  zzStartRead = s.offset;
  zzEndRead = zzStartRead + s.count - 1;
  zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
  zzLexicalState = YYINITIAL;
  zzReader = reader;
  zzAtBOL  = true;
  zzAtEOF  = false;
 }


%}

/* C1.1 - Line terminators. */
NewlineCharacter      = ([\n])

/* C.1.2 - Whitespace. */
Whitespace       = ([\t ]+)

/* C.1.3 - Comments */
InputCharacter       = ([^\n])
InputCharacters      =
 ({InputCharacter}+)
DocumentationCommentStart    = ("///")
SingleLineComment      = ("//"([^/]{InputCharacters}?)?)
DelimitedCommentStart     = ("/*")
DelimitedCommentEnd      = ("*/")

/* C.1.5 - Unicode character escape sequences. */
UnicodeEscape1       = ("\\u"{HexDigit}{HexDigit}{HexDigit}{HexDigit})
UnicodeEscape2       =
("\\U"{HexDigit}{HexDigit}{HexDigit}{HexDigit}{HexDigit}{HexDigit}{HexDigit}{HexDigit})
UnicodeEscapeSequence     = ({UnicodeEscape1}|{UnicodeEscape2})
```

```
/* C1.6 - Identifiers. */
LetterCharacter      = ([A-Za-z])  /* Not accurate - many more Unicode letters, Unicode escapes */
/*
CombiningCharacter      = ()
*/
DecimalDigitCharacter     = ([0-9])
ConnectingCharacter      = ([_\-])
/*
FormattingCharacter      = ()
*/
/*
IdentifierPartCharacter     =
({LetterCharacter}|{DecimalDigitCharacter}|{ConnectingCharacter}|{CombiningCharacter}|{FormattingCharacter}
)
*/
IdentifierPartCharacter     = ({LetterCharacter}|{DecimalDigitCharacter}|{ConnectingCharacter})
IdentifierPartCharacters     =
 ({IdentifierPartCharacter}+)
IdentifierStartCharacter     = ({LetterCharacter}|[_])
IdentifierOrKeyword      = ({IdentifierStartCharacter}{IdentifierPartCharacters}?)
Identifier       = ("@"?{IdentifierOrKeyword})
/* NOTE:  The two below aren't from the C# spec, but we add them so we can */
/* highlight errors.                                                       */
NonSeparator  = (([^\t\f\r\n\ \(\)\{\}\[\]\;\,\.\=\>\<\!\~\?\:\+\-\*\/\&\|\^\%\"\']|"#"|"\\"))
ErrorIdentifier      = ({NonSeparator}+)

/* C1.8 - Literals. */
BooleanLiteral       = ("true"|"false")
DecimalDigit       = ([0-9])
DecimalDigits       = ({DecimalDigit}+)
IntegerTypeSuffix      = (([uU][lL]?)|([lL][uU]?))
DecimalIntegerLiteral     = ({DecimalDigits}{IntegerTypeSuffix}?)
HexDigit        = ([0-9A-Fa-f])
HexDigits        = ({HexDigit}+)
HexadecimalIntegerLiteral    = ("0"[xX]{HexDigits}{IntegerTypeSuffix}?)
Sign         = ([+\-])
ExponentPart       =
 ([eE]{Sign}?{DecimalDigits})
RealTypeSuffix       = ([fFdDmM])
RealHelper1       = ({DecimalDigits}"."{DecimalDigits}{ExponentPart}?{RealTypeSuffix}?)
RealHelper2       = ("."{DecimalDigits}{ExponentPart}?{RealTypeSuffix}?)
RealHelper3       = ({DecimalDigits}{ExponentPart}{RealTypeSuffix}?)
RealHelper4       = ({DecimalDigits}{RealTypeSuffix})
RealLiteral       = ({RealHelper1}|{RealHelper2}|{RealHelper3}|{RealHelper4})
ErrorNumberFormat      = (({DecimalIntegerLiteral}|{HexadecimalIntegerLiteral}|{RealLiteral}){NonSeparator}+)
SingleCharacter      = ([^\'\\\n])
SimpleEscapeSequence     = ("\\"[\'\"\\0abfnrtv])
HexadecimalEscapeSequence    = ("\\x"{HexDigit}{HexDigit}?{HexDigit}?{HexDigit}?)
```

```
Character        =
({SingleCharacter}|{SimpleEscapeSequence}|{HexadecimalEscapeSequence}|{UnicodeEscapeSequence})
UnclosedCharacterLiteral     = ("'"{Character})
CharacterLiteral      = ({UnclosedCharacterLiteral}"'")
ErrorUnclosedCharacterLiteral    = ("'"[^\'\n]*)
ErrorCharacterLiteral     =
 ("'"|{ErrorUnclosedCharacterLiteral}[\'])
QuoteEscapeSequence      = ("\"\"")
SingleVerbatimStringLiteralCharacter  = ([^\"])
VerbatimStringLiteralStart    = ("@\"")
SingleRegularStringLiteralCharacter  = ([^\"\\\n])
RegularStringLiteralCharacter    =
({SingleRegularStringLiteralCharacter}|{SimpleEscapeSequence}|{HexadecimalEscapeSequence}|{UnicodeEscape
Sequence})
RegularStringLiteralCharacters   = ({RegularStringLiteralCharacter}+)
RegularStringLiteral     = ([\"]{RegularStringLiteralCharacters}?[\"])
UnclosedRegularStringLiteral    = ([\"]([\\].|[^\\\"])*[^\"]?)
ErrorRegularStringLiteral    = ({UnclosedRegularStringLiteral}[\"])

/* C.1.9 - Operators and Punctuators. */
OOPHelper1       = (":")
OOPHelper2       = ("+"|"-"|"*"|"/"|"%"|"&"|"|"|"^"|"!"|"~")
OOPHelper3       = ("="|"<"|">"|"?"|"++"|"--"|"&&"|"||"|"<<"|">>")
OOPHelper4       = ("=="|"!="|"<="|">="|"+="|"-="|"*="|"/="|"%="|"&=")
OOPHelper5       = ("|="|"^="|"<<="|">>="|"->")
OperatorOrPunctuator     =
 ({OOPHelper1}|{OOPHelper2}|{OOPHelper3}|{OOPHelper4}|{OOPHelper5})
/* NOTE:  We distinguish between operators and separators (punctuators), but */
/* the C# spec doesn't, so the stuff below isn't in the spec.                */
Separator        = ([\{\}\[\]\(\)])
Separator2       = ([,;])

/* C.1.10 - Pre-processing Directives. */
/* NOTE:  We don't do ALL of the PP stuff here as it's unnecessary  */
/* for us to know the difference between declarations, diagnostics, */
/* regions, etc.                                                    */
ConditionalSymbol      = ({IdentifierOrKeyword}) /* Not correct - excludes "true" and "false". */
PPNewLine        = ({Whitespace}?{SingleLineComment}?{NewlineCharacter})
PPPrimaryExpression      = ({IdentifierOrKeyword}|({Whitespace}?{PPExpression}{Whitespace}?))
PPUnaryExpression      = ({PPPrimaryExpression}|("!"{Whitespace}?{PPUnaryExpression}))
PPEqualityExpression     =
({PPUnaryExpression}|({Whitespace}?"=="{Whitespace}?{PPUnaryExpression})|({Whitespace}?"!="{Whitespace
}?{PPUnaryExpression}))
PPAndExpression      =
 ({PPEqualityExpression}|({Whitespace}?"&&"{Whitespace}?{PPEqualityExpression}))
PPOrExpression       = ({PPAndExpression}|({Whitespace}?"||"{Whitespace}?{PPAndExpression}))
PPExpression       = ({Whitespace}?{PPOrExpression}{Whitespace}?)
PPWord       = ("define"|"undef"|"if"|"elif"|"else"|"endif"|"line"|"error"|"warning"|"region"|"endregion")
```

```
PPDirective      = ({Whitespace}?"#"{Whitespace}?{PPWord}{InputCharacter}*)

/* URL matching, for comments (not in C# spec) */
URLGenDelim    = ([:\/\?#\[\]@])
URLSubDelim    = ([\!\$&'\(\)\*\+,;=])
URLUnreserved   = ([A-Za-z_]|{DecimalDigitCharacter}|[\-\.\~])
URLCharacter   = ({URLGenDelim}|{URLSubDelim}|{URLUnreserved}|[%])
URLCharacters   = ({URLCharacter}*)
URLEndCharacter   = ([\/\$]|[A-Za-z0-9])
URL      = (((https?|f(tp|ile))"://"|"www.")({URLCharacters}{URLEndCharacter})?)


%state DELIMITEDCOMMENT
%state DOCUMENTCOMMENT
%state
 VERBATIMSTRING

%%

<YYINITIAL> {

 /* Keywords */
 "abstract" |
 "as" |
 "base" |
 "break" |
 "case" |
 "catch" |
 "checked" |
 "class" |
 "const" |
 "continue" |
 "decimal" |
 "default" |
 "delegate" |
 "do" |
 "else" |
 "enum" |
 "event" |
 "explicit" |
 "extern" |
 "finally" |
 "fixed" |
 "for" |
 "foreach" |
 "goto" |
 "if" |
 "implicit" |
```

```
"in" |
"interface" |
"internal" |
"is" |
"lock" |
"namespace" |
"new" |
"null" |
"object" |
"operator" |
"out" |
"override" |
"params" |
"private" |
"protected" |
"public" |
"readonly" |
"ref" |
"return" |
"sealed" |
"sizeof" |
"stackalloc" |
"static" |
"string" |
"struct" |
"switch" |
"this" |
"throw" |
"try" |
"typeof" |
"unchecked" |
"unsafe" |
"using" |
"virtual" |
"void" |
"volatile" |
"while"        { addToken(Token.RESERVED_WORD); }

/* Data types. */
"bool" |
"byte" |
"char" |
"double" |
"float" |
"int"
|
"long" |
"object" |
```

```
"sbyte" |
"short" |
"string" |
"uint" |
"ulong" |
"ushort"       { addToken(Token.DATA_TYPE); }


{NewlineCharacter}     { addNullToken(); return firstToken; }

{BooleanLiteral}     { addToken(Token.LITERAL_BOOLEAN); }

{Identifier}      { addToken(Token.IDENTIFIER); }

{Whitespace}      { addToken(Token.WHITESPACE); }

/* String/Character Literals. */
{CharacterLiteral}     { addToken(Token.LITERAL_CHAR); }
{UnclosedCharacterLiteral}    { addToken(Token.ERROR_CHAR); /*addNullToken(); return firstToken;*/ }
{ErrorUnclosedCharacterLiteral}  { addToken(Token.ERROR_CHAR); addNullToken(); return firstToken; }
{ErrorCharacterLiteral}     { addToken(Token.ERROR_CHAR); }
{VerbatimStringLiteralStart}   { start = zzMarkedPos-2; yybegin(VERBATIMSTRING); }
{RegularStringLiteral}     { addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); }
{UnclosedRegularStringLiteral}  { addToken(Token.ERROR_STRING_DOUBLE); addNullToken(); return
firstToken;
}
{ErrorRegularStringLiteral}   { addToken(Token.ERROR_STRING_DOUBLE); }

/* Comments. */
{DelimitedCommentStart}     { start = zzMarkedPos-2; yybegin(DELIMITEDCOMMENT); }
{DocumentationCommentStart}   { start = zzMarkedPos-3; yybegin(DOCUMENTCOMMENT); }
{SingleLineComment}     { addToken(Token.COMMENT_EOL); addNullToken(); return firstToken; }

/* Separators. */
{Separator}      { addToken(Token.SEPARATOR); }
{Separator2}      { addToken(Token.IDENTIFIER); }

/* Operators. */
{OperatorOrPunctuator}     { addToken(Token.OPERATOR); }

/* Numbers */
{DecimalIntegerLiteral}     { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
{HexadecimalIntegerLiteral}   { addToken(Token.LITERAL_NUMBER_HEXADECIMAL); }
{RealLiteral}      { addToken(Token.LITERAL_NUMBER_FLOAT); }
{ErrorNumberFormat}     { addToken(Token.ERROR_NUMBER_FORMAT); }

/* Preprocessor directives. */
{PPDirective}      { addToken(Token.PREPROCESSOR); }
```

```
 /* Pretty-much anything else. */
 {ErrorIdentifier}     {
 addToken(Token.ERROR_IDENTIFIER); }

 /* Ended with a line not in a string or comment. */
 <<EOF>>       { addNullToken(); return firstToken; }

 /* Catch any other (unhandled) characters and flag them as bad. */
 .       { addToken(Token.ERROR_IDENTIFIER); }

}


<DELIMITEDCOMMENT> {

 [^hwf\n\*]+      {}
 {URL}      { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_MULTILINE); start = zzMarkedPos; }
 [hwf]      {}
 \n       { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken; }
 {DelimitedCommentEnd}    { yybegin(YYINITIAL); addToken(start,zzStartRead+1,
Token.COMMENT_MULTILINE); }
 \*       {}
 <<EOF>>      { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken; }

}


<DOCUMENTCOMMENT> {

 [^hwf\<\n]*      {}
 {URL}      { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_DOCUMENTATION);
addHyperlinkToken(temp,zzMarkedPos-1,
 Token.COMMENT_DOCUMENTATION); start = zzMarkedPos; }
 [hwf]      {}
 \n       { addToken(start,zzStartRead-1, Token.COMMENT_DOCUMENTATION); addNullToken(); return firstToken;
}
 "<"[^\>]*">"      { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_DOCUMENTATION);
addToken(temp,zzMarkedPos-1, Token.PREPROCESSOR); start = zzMarkedPos; }
 "<"       { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_DOCUMENTATION);
addToken(temp,zzEndRead, Token.PREPROCESSOR); addNullToken(); return firstToken; }
 <<EOF>>      { addToken(start,zzStartRead-1, Token.COMMENT_DOCUMENTATION); addNullToken(); return
firstToken; }

}
```

```
<VERBATIMSTRING> {

 [^\\"\n]*      {}
 {QuoteEscapeSequence}   {}
 \"       { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.LITERAL_STRING_DOUBLE_QUOTE); }
 \n       { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE); return firstToken; }
 <<EOF>>      { addToken(start,zzStartRead-1,
 Token.LITERAL_STRING_DOUBLE_QUOTE); return firstToken; }

}
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/CSharpTokenMaker.flex
No license file was found, but licenses were detected in source scan.

```
/*
* 07/28/2008
*
* RtfTransferable.java - Used during drag-and-drop to represent RTF text.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/RtfTransferable.java
No license file was found, but licenses were detected in source scan.

```
/*
* 07/03/2016
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/MatchedBracketPopup.java
No license file was found, but licenses were detected in source scan.

```
/*
* 01/22/2005
*
* BufferedImageBackgroundPainterStrategy.java - Renders an RTextAreaBase's
* background as an image using a BufferedImage.
*
```

* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/BufferedImageBackgroundPainterStrategy.java
No license file was found, but licenses were detected in source scan.

/*
* 08/11/2009
*
* DocumentRange.java - A range of text in a document.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/DocumentRange.java
No license file was found, but licenses were detected in source scan.

/*
* 11/18/2009
*
* BBCodeTokenMaker.java - Generates tokens for BBCode syntax highlighting.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/BBCodeTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 07/14/2006
*
* LuaTokenMaker.java - Scanner for the Lua programming language.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-

jar/org/fife/ui/rsyntaxtextarea/modes/LuaTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 06/30/2013
*
* HtaccessTokenMaker.java - Token generator for .htaccess files.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-
jar/org/fife/ui/rsyntaxtextarea/modes/HtaccessTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 08/08/2012
*
* LispFoldParser.java - Fold parser for Lisp and related languages.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-
jar/org/fife/ui/rsyntaxtextarea/folding/LispFoldParser.java
No license file was found, but licenses were detected in source scan.

/*
* 01/27/2004
*
* RSyntaxTextArea.java - An extension of RTextArea that adds
* the ability to syntax highlight certain programming languages.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-
jar/org/fife/ui/rsyntaxtextarea/RSyntaxTextArea.java
No license file was found, but licenses were detected in source scan.

/*
* 12/06/2005

*
* PythonTokenMaker.java - Token maker for the Python programming language.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/PythonTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 11/13/2004
*
* CSharpTokenMaker.java - An object that can take a chunk of text and return
* a linked list of tokens representing it in the C# programming language.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/CSharpTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 08/29/2004
*
* RSyntaxTextAreaEditorKit.java - The editor kit used by RSyntaxTextArea.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/RSyntaxTextAreaEditorKit.java
No license file was found, but licenses were detected in source scan.

/*
* 07/29/2009
*
* TipWindow.java - The actual window component representing the tool tip.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.

*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/focusabletip/TipWindow.java
No license file was found, but licenses were detected in source scan.

/*
* 12/23/2008
*
* SizeGrip.java - A size grip component that sits at the bottom of the window,
* allowing the user to easily resize that window.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/focusabletip/SizeGrip.java
No license file was found, but licenses were detected in source scan.

/*
* 07/29/2009
*
* ToolTipInfo.java - A tool tip's text and hyperlink listener.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/parser/ToolTipInfo.java
No license file was found, but licenses were detected in source scan.

/*
* 11/04/2016
*
* IniTokenMaker.java - Scanner for .ini files.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/IniTokenMaker.java

No license file was found, but licenses were detected in source scan.

```
/*
* 02/25/2005
*
* SASTokenMaker.java - Scanner for SAS files.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;


/**
* This class generates tokens representing a text stream as SAS.<p>
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).
 * We can achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>SASTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless
 memory allocation for us since we
*       will be pointing the array somewhere else anyway.</li>
```

```
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 0.5
*
*/
%%

%public
%class SASTokenMaker
%extends AbstractJFlexTokenMaker
%unicode
%ignorecase
%type org.fife.ui.rsyntaxtextarea.Token


%{


/**
 * Constructor.  This must be here because JFlex does not generate a
 * no-parameter constructor.
 */
public SASTokenMaker() {
 super();
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.

*
 * @param tokenType The token's type.
 */
private void addToken(int start, int end, int tokenType) {
```

```
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 */
@Override
public void addToken(char[] array, int start, int end, int tokenType, int startOffset) {
 super.addToken(array, start,end, tokenType, startOffset);
 zzStartRead = zzMarkedPos;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "*", null };
}


/**
 * Returns whether tokens of the specified type should have "mark

* occurrences" enabled for the current programming language.
 *
 * @param type The token type.
 * @return Whether tokens of this type should have "mark occurrences"
 *         enabled.
 */
public boolean getMarkOccurrencesOfTokenType(int type) {
 return type==Token.IDENTIFIER || type==Token.VARIABLE;
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
```

```
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift
= -text.offset + startOffset;

 // Start off in the proper state.
 int state = Token.NULL;
 switch (initialTokenType) {
  case Token.LITERAL_STRING_DOUBLE_QUOTE:
   state = STRING;
   start = text.offset;
   break;
  case Token.LITERAL_CHAR:
   state = CHAR;
   start = text.offset;
   break;
  case Token.COMMENT_MULTILINE:
   state = MLC;
   start = text.offset;
   break;
  default:
   state = Token.NULL;
 }

 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}


/**
```

```
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables
are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always
  * "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
}


%}

LineTerminator  = ([\n])
Letter   = ([A-Za-z_])
Digit   = ([0-9])
Whitespace  = ([ \t]+)
Semicolon   = ([;])
```

```
Identifier  = (({Letter}|{Digit})+)
MacroVariable  =
 (&{Identifier})

Operators1  = ("+"|"-"|"*"|"/"|"^"|"|")
Operators2  = (([\^\~]?=)|(">"[=]?)|("<"[=]?))
Operators3  = ("eq"|"ne"|"gt"|"lt"|"ge"|"le"|"in")
Operator   = ({Operators1}|{Operators2}|{Operators3})
Separator   = ([\(\)])

StringBoundary  = (\")
CharBoundary  = (\')

LineCommentBegin = ("*")
MLCBegin   = ("/*")
MLCEnd   = ("*/")

%state STRING
%state CHAR
%state MLC

%%

<YYINITIAL>  {

 /* Keywords */
 "_all_" |
 "_character_" |
 "_data_" |
 "_infile_" |
 "_last_" |
 "_null_" |
 "_numeric_" |
 "_page_" |
 "_temporary_" |
 "abend" |
 "abort" |
 "all" |
 "alter" |
 "and" |
 "array" |
 "as" |
 "ascending" |
 "attrib" |
 "axis" |
 "bell" |
 "blank" |
```

"border" |
"bounds" |
"by" |
"call" |
"cancel" |
"cards" |
"cards4" |
"choro" |
"class" |
"classes" |
"clear" |
"close" |
"compute" |
"contrast" |
"coord" |
"coordinates" |
"cov" |
"create" |
"data" |
"datalines" |
"datalines4"
|
"delete" |
"descending" |
"describe" |
"discrete" |
"disk" |
"display" |
"dm" |
"do" |
"drop" |
"dummy" |
"else" |
"end" |
"endrsubmit" |
"endsas" |
"error" |
"except" |
"expandtabs" |
"factors" |
"file" |
"filename" |
"flowover" |
"footnote" |
"frame" |
"freq" |
"from" |
"go" |

"goption" |
"goptions" |
"goto" |
"grid" |
"group" |
"groupby" |
"groupformat" |
"having" |
"haxis" |
"hbar" |
"heading" |
"high" |
"html" |
"id" |
"if" |
"infile" |
"informat" |
"inner" |
"input" |
"insert" |
"intersect" |
"keep" |
"keylabel" |
"label" |
"lable" |
"legend" |
"length" |
"libname" |
"lineqs" |
"link" |
"list" |
"listing" |
"log" |
"lostcard" |
"low" |
"mark" |
"matings" |
"mean" |
"merge" |
"missing" |
"missover" |
"mod" |
"model" |
"modify" |
"n" |
"nocell" |
"nocharacters" |
"nodupkey" |

"noexpandtabs" |
"noframe" |
"noheading"
|
"noinput" |
"nolegend" |
"nopad" |
"noprint" |
"nosharebuffers" |
"not" |
"note" |
"notitle" |
"notitles" |
"notsorted" |
"ods" |
"old" |
"option" |
"or" |
"order" |
"orderby" |
"other" |
"otherwise" |
"outer" |
"output" |
"over" |
"overlay" |
"overprint" |
"pad" |
"pageby" |
"pagesize" |
"parmcards" |
"parmcards4" |
"parms" |
"pattern" |
"pct" |
"pctn" |
"pctsum" |
"picture" |
"pie" |
"pie3d" |
"plotter" |
"predict" |
"prefix" |
"printer" |
"proc" |
"ps" |
"put" |
"quit" |

"random" |
"range" |
"remove" |
"rename" |
"response" |
"replace" |
"reset" |
"retain" |
"return" |
"rsubmit" |
"run" |
"s2" |
"select" |
"set" |
"sharebuffers" |
"signoff" |
"signon" |
"sim" |
"skip" |
"source2" |
"startsas" |
"std" |
"stop" |
"stopover" |
"strata" |
"sum" |
"sumby" |
"supvar" |
"symbol" |
"table" |
"tables" |
"tape" |
"terminal" |
"test" |
"then"
|
"time" |
"title" |
"to" |
"transform" |
"treatments" |
"truncover" |
"unbuf" |
"unbuffered" |
"union" |
"until" |
"update" |
"validate" |

```
"value" |
"var" |
"variables" |
"vaxis" |
"vbar" |
"weight" |
"when" |
"where" |
"while" |
"with" |
"window" |
"x"    { addToken(Token.RESERVED_WORD); }

/* Base SAS procs. */
"append" |
"calendar" |
"catalog" |
"chart" |
"cimport" |
"compare" |
"contents" |
"copy" |
"cpm" |
"cport" |
"datasets" |
"display" |
"explode" |
"export" |
"fontreg" |
"format" |
"forms" |
"fslist" |
"import" |
"means" |
"migrate" |
"options" |
"optload" |
"optsave" |
"plot" |
"pmenu" |
"print" |
"printto" |
"proto" |
"prtdef" |
"prtexp" |
"pwencode" |
"rank" |
"registry" |
```

```
"report" |
"sort" |
"sql" |
"standard" |
"summary" |
"tabulate" |
"template" |
"timeplot" |
"transpose"   { addToken(Token.DATA_TYPE); }

/* SAS/STAT procs. */
"corr"
|
"freq" |
"univariate"   { addToken(Token.DATA_TYPE); }

/* Macros. */
"%abort" |
"%bquote" |
"%by" |
"%cms" |
"%copy" |
"%display" |
"%do" |
"%else" |
"%end" |
"%eval" |
"%global" |
"%go" |
"%goto" |
"%if" |
"%inc" |
"%include" |
"%index" |
"%input" |
"%keydef" |
"%length" |
"%let" |
"%local" |
"%macro" |
"%mend" |
"%nrbquote" |
"%nrquote" |
"%nrstr" |
"%put" |
"%qscan" |
"%qsubstr" |
"%qsysfunc" |
```

```
"%quote" |
"%qupcase" |
"%scan" |
"%str" |
"%substr" |
"%superq" |
"%syscall" |
"%sysevalf" |
"%sysexec" |
"%sysfunc" |
"%sysget" |
"%sysprod" |
"%sysrput" |
"%then" |
"%to" |
"%tso" |
"%unquote" |
"%until" |
"%upcase" |
"%while" |
"%window"    { addToken(Token.FUNCTION); }

}

<YYINITIAL> {

 {LineTerminator}    { addNullToken(); return firstToken; }

 /* Comments. */
 /* Do comments before operators as "*" can signify a line comment as */
 /* well as an operator.
 */
 ^[ \t]*{LineCommentBegin}  {
        // We must do this because of how we
        // abuse JFlex; since we return an entire
        // list of tokens at once instead of a
        // single token at a time, the "^" regex
        // character doesn't really work, so we must
        // check that we're at the beginning of a
        // line ourselves.
        start = zzStartRead;
        // Might not be any whitespace.
        if (yylength()>1) {
         addToken(zzStartRead,zzMarkedPos-2, Token.WHITESPACE);
         zzStartRead = zzMarkedPos-1;
        }
        // Remember:  zzStartRead may now be updated,
        // so we must check against 'start'.
```

```
        if (start==s.offset) {
         addToken(zzStartRead,zzEndRead, Token.COMMENT_EOL);
         addNullToken();
         return firstToken;
        }
        else {
         addToken(zzStartRead,zzStartRead, Token.OPERATOR);
        }
       }
{MLCBegin}     { start = zzMarkedPos-2;
yybegin(MLC); }

/* Do operators before identifiers since some of them are words. */
{Operator}     { addToken(Token.OPERATOR); }
{Separator}     { addToken(Token.SEPARATOR); }

{Identifier}     { addToken(Token.IDENTIFIER); }
{MacroVariable}     { addToken(Token.VARIABLE); }
{Semicolon}     { addToken(Token.IDENTIFIER); }

{Whitespace}     { addToken(Token.WHITESPACE); }

{StringBoundary}     { start = zzMarkedPos-1; yybegin(STRING); }
{CharBoundary}     { start = zzMarkedPos-1; yybegin(CHAR); }

<<EOF>>      { addNullToken(); return firstToken; }

/* Catch any other (unhandled) characters and flag them as OK;    */
/* This will include "." from statements like "from lib.dataset". */
.      { addToken(Token.IDENTIFIER); }

}

<STRING> {

[^\n\"]+      {}
{LineTerminator}     { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE); return
firstToken; }
/* {StringBoundary}{StringBoundary} {} */
{StringBoundary}     { yybegin(YYINITIAL);
addToken(start,zzStartRead, Token.LITERAL_STRING_DOUBLE_QUOTE); }
<<EOF>>      { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE); return firstToken; }

}

<CHAR> {

[^\n\']+      {}
```

```
 {LineTerminator}    { yybegin(YYINITIAL); addToken(start,zzStartRead-1, Token.LITERAL_CHAR); return
firstToken; }
/* {CharBoundary}{CharBoundary}  {} */
 {CharBoundary}     { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.LITERAL_CHAR); }
 <<EOF>>      { addToken(start,zzStartRead-1, Token.LITERAL_CHAR); return firstToken; }

}

<MLC> {

 [^\n\*]+      {}
 {LineTerminator}    { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken; }
 {MLCEnd}      { yybegin(YYINITIAL); addToken(start,zzStartRead+1, Token.COMMENT_MULTILINE); }
 \*       {}
 <<EOF>>      { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken; }

}
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/SASTokenMaker.flex
No license file was found, but licenses were detected in source scan.

```
/*
* 01/22/2005
*
* BackgroundPainterStrategy.java - Renders an RTextAreaBase's background
* using some strategy.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/BackgroundPainterStrategy.java
No license file was found, but licenses were detected in source scan.

```
/*
* 08/10/2009
*
* ErrorStrip.java - A component that can visually show Parser messages (syntax
* errors, etc.) in an RSyntaxTextArea.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/ErrorStrip.java
No license file was found, but licenses were detected in source scan.

```
/*
* 08/29/2014
*
* ClipboardHistory.java - A history of text added to the clipboard.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/ClipboardHistory.java
No license file was found, but licenses were detected in source scan.

```
/*
* 07/31/2009
*
* ExtendedHyeprlinkListener.java - A hyperlink event from a FocusableTip.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/parser/ExtendedHyperlinkListener.java
No license file was found, but licenses were detected in source scan.

```
/*
* 12/23/2010
*
* ClojureTokenMaker.java - Scanner for Clojure.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/ClojureTokenMaker.java
No license file was found, but licenses were detected in source scan.

```
/*
```

```
* 09/20/2008
*
* MakefileTokenMaker.java - Scanner for makefiles.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import java.util.Stack;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;


/**
* Scanner for makefiles.<p>
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).
*
 We can achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>MakefileTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless
 memory allocation for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
```

```
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 0.5
*
*/
%%

%public
%class MakefileTokenMaker
%extends AbstractJFlexTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{

 private Stack<Boolean> varDepths;


 /**
  * Constructor.  This must be here because JFlex does not generate a
  * no-parameter constructor.
  */
 public MakefileTokenMaker() {
 }


 /**
  * Adds the token specified to the current linked list of tokens.
  *
  * @param tokenType The token's type.
  */
 private void addToken(int tokenType) {
  addToken(zzStartRead, zzMarkedPos-1, tokenType);
 }


 /**
  * Adds the token specified to the current linked
 list of tokens.
  *
  * @param tokenType The token's type.
  */
 private void addToken(int start, int end, int tokenType) {
  int so = start + offsetShift;
```

```
 addToken(zzBuffer, start,end, tokenType, so);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 */
@Override
public void addToken(char[] array, int start, int end, int tokenType, int startOffset) {
 super.addToken(array, start,end, tokenType, startOffset);
 zzStartRead = zzMarkedPos;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "#", null };
}


/**
 * Returns whether tokens of the specified type
should have "mark
 * occurrences" enabled for the current programming language.
 *
 * @param type The token type.
 * @return Whether tokens of this type should have "mark occurrences"
 *         enabled.
 */
public boolean getMarkOccurrencesOfTokenType(int type) {
 return type==Token.IDENTIFIER || type==Token.VARIABLE;
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
```

```
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift
= -text.offset + startOffset;

 s = text;
 try {
  yyreset(zzReader);
  yybegin(Token.NULL);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
```

```
 public final void yyreset(Reader reader) {
  // 's' has been updated.
  zzBuffer = s.array;
  /*
   * We replaced the line below with the two below it because zzRefill
   * no
 longer "refills" the buffer (since the way we do it, it's always
   * "full" the first time through, since it points to the segment's
   * array).  So, we assign zzEndRead here.
   */
  //zzStartRead = zzEndRead = s.offset;
  zzStartRead = s.offset;
  zzEndRead = zzStartRead + s.count - 1;
  zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
  zzLexicalState = YYINITIAL;
  zzReader = reader;
  zzAtBOL  = true;
  zzAtEOF  = false;
 }


%}

Letter     = [A-Za-z]
Digit      = [0-9]
IdentifierStart   = ({Letter}|[_\.])
IdentifierPart   = ({IdentifierStart}|{Digit})
Identifier    = ({IdentifierStart}{IdentifierPart}*)
Label     = ({Identifier}":")

CurlyVarStart   = ("${")
ParenVarStart   = ("$(")

LineTerminator   = (\n)
WhiteSpace    = ([ \t\f])

UnclosedCharLiteral  = ([\'][^\'\n]|"\\'")*)
CharLiteral    = ({UnclosedCharLiteral}"'")
UnclosedStringLiteral = ([\"][^\"\n]|"\\"")*)
StringLiteral   = ({UnclosedStringLiteral}[\"])
UnclosedBacktickLiteral =
 ([\`][^\`\n]|"\\`")*)
BacktickLiteral   = ({UnclosedBacktickLiteral}"`")

LineCommentBegin  = "#"

IntegerLiteral   = ({Digit}+)
```

```
Operator    = ([\:\+\?]?"=")


%state VAR

%%

<YYINITIAL> {

 /* Keywords */
 "addprefix" |
 "addsuffix" |
 "basename" |
 "dir" |
 "filter" |
 "filter-out" |
 "findstring" |
 "firstword" |
 "foreach" |
 "join" |
 "notdir" |
 "origin" |
 "pathsubst" |
 "shell" |
 "sort" |
 "strip" |
 "suffix" |
 "wildcard" |
 "word" |
 "words" |
 "ifeq" |
 "ifneq" |
 "else" |
 "endif" |
 "define" |
 "endef" |
 "ifdef" |
 "ifndef"     { addToken(Token.RESERVED_WORD); }

 {LineTerminator}    { addNullToken(); return firstToken; }

 {Label}       { addToken(Token.PREPROCESSOR); }
 {Identifier}     { addToken(Token.IDENTIFIER); }

 {WhiteSpace}+     { addToken(Token.WHITESPACE); }

 /* String/Character literals. */
 {CharLiteral}     { addToken(Token.LITERAL_CHAR); }
```

```
 {UnclosedCharLiteral}    { addToken(Token.ERROR_CHAR);
 addNullToken(); return firstToken; }
 {StringLiteral}     { addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); }
 {UnclosedStringLiteral}    { addToken(Token.ERROR_STRING_DOUBLE); addNullToken(); return firstToken; }
 {BacktickLiteral}     { addToken(Token.LITERAL_BACKQUOTE); }
 {BacktickLiteral}     { addToken(Token.ERROR_STRING_DOUBLE); addNullToken(); return firstToken; }

 /* Variables. */
 {CurlyVarStart}     { if (varDepths==null) { varDepths = new Stack<Boolean>(); } else { varDepths.clear(); }
varDepths.push(Boolean.TRUE); start = zzMarkedPos-2; yybegin(VAR); }
 {ParenVarStart}     { if (varDepths==null) { varDepths = new Stack<Boolean>(); } else { varDepths.clear(); }
varDepths.push(Boolean.FALSE); start = zzMarkedPos-2; yybegin(VAR); }

 /* Comment literals. */
 {LineCommentBegin}.*    { addToken(Token.COMMENT_EOL); addNullToken(); return firstToken; }

 /* Operators. */
 {Operator}     { addToken(Token.OPERATOR); }

 /* Numbers */
 {IntegerLiteral}     { addToken(Token.LITERAL_NUMBER_DECIMAL_INT);
 }

 /* Ended with a line not in a string or comment. */
 <<EOF>>      { addNullToken(); return firstToken; }

 /* Catch-all for anything else. */
 .      { addToken(Token.IDENTIFIER); }

}

<VAR> {
 [^\}\)\$\#]+  {}
 "}"     {
       if (!varDepths.empty() && varDepths.peek()==Boolean.TRUE) {
        varDepths.pop();
        if (varDepths.empty()) {
         addToken(start,zzStartRead, Token.VARIABLE); yybegin(YYINITIAL);
        }
       }
      }
 ")"     {
       if (!varDepths.empty() && varDepths.peek()==Boolean.FALSE) {
        varDepths.pop();
        if (varDepths.empty()) {
         addToken(start,zzStartRead, Token.VARIABLE); yybegin(YYINITIAL);
        }
       }
```

```
    }
 "${"    { varDepths.push(Boolean.TRUE); }
 "$("    { varDepths.push(Boolean.FALSE); }
 "$"     {}
 "#".*    { int temp1 = zzStartRead; int temp2 = zzMarkedPos; addToken(start,zzStartRead-1, Token.VARIABLE);
addToken(temp1, temp2-1, Token.COMMENT_EOL);
 addNullToken(); return firstToken; }
 <<EOF>>    { addToken(start,zzStartRead-1, Token.VARIABLE); addNullToken(); return firstToken; }
}
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/MakefileTokenMaker.flex
No license file was found, but licenses were detected in source scan.

```
/*
* 09/28/2007
*
* GroovyTokenMaker.java - Scanner for the Groovy programming language.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/GroovyTokenMaker.java
No license file was found, but licenses were detected in source scan.

```
/*
* 08/06/2004
*
* Style.java - A set of traits for a particular token type to use while
* painting.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/Style.java
No license file was found, but licenses were detected in source scan.

```
/*
* 03/08/2004
*
* SyntaxConstants.java - Constants used by RSyntaxTextArea and friends.
```

*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/SyntaxConstants.java
No license file was found, but licenses were detected in source scan.

/*
* 01/24/2005
*
* HTMLTokenMaker.java - Generates tokens for HTML syntax highlighting.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/HTMLTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 02/21/2005
*
* CodeTemplateManager.java - manages code templates.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/CodeTemplateManager.java
No license file was found, but licenses were detected in source scan.

/*
* 10/08/2011
*
* FoldType.java - Types of folds found in many programming languages.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):

* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/folding/FoldType.java
No license file was found, but licenses were detected in source scan.

/*
* 03/16/2013
*
* TokenPainter - Renders tokens in an instance of RSyntaxTextArea.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/TokenPainter.java
No license file was found, but licenses were detected in source scan.

/*
* 03/23/2005
*
* FortranTokenMaker.java - Scanner for the Fortran programming language.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/FortranTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 03/09/2013
*
* DefaultOccurrenceMarker - Marks occurrences of the current token for most
* languages.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/DefaultOccurrenceMarker.java
No license file was found, but licenses were detected in source scan.

/*

* 12/04/2011
*
* TokenTypes.java - All token types supported by RSyntaxTextArea.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/TokenTypes.java
No license file was found, but licenses were detected in source scan.

/*
* 02/11/2009
*
* LineNumberList.java - Renders line numbers in an RTextScrollPane.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/LineNumberList.java
No license file was found, but licenses were detected in source scan.

/*
* 04/24/2012
*
* LatexTokenMaker.java - Scanner for LaTeX.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/LatexTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 12/29/2016
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

```
import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;


/**
* This class splits up text into tokens representing a YAML file.<p>
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).
* We can achieve this because RText always
 scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>YamlTokenMaker.java</code> file will
*       contain two definitions of both <code>zzRefill</code> and
*       <code>yyreset</code>.  You should hand-delete the second of each
*       definition (the ones generated by the lexer), as these generated
*       methods modify the input buffer, which we'll never have to do.
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless memory allocation for us since we
*       will
 be pointing the array somewhere else anyway.
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.
* </ul>
*
* @author Robert Futrell
* @version 0.4
*
*/
%%
```

```
%public
%class YamlTokenMaker
%extends AbstractJFlexTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{


 /**
  * Constructor.  This must be here because JFlex does not generate a
  * no-parameter constructor.
  */
 public YamlTokenMaker() {
  super();
 }


 /**
  * Adds the token specified to the current linked list of tokens.
  *
  * @param tokenType The token's type.
  */
 private void addToken(int tokenType) {
  addToken(zzStartRead, zzMarkedPos-1, tokenType);
 }


 /**
  * Adds the token specified to the current linked list of tokens.
  *
  * @param tokenType The token's type.
  */
 private void addToken(int
 start, int end, int tokenType) {
  int so = start + offsetShift;
  addToken(zzBuffer, start,end, tokenType, so);
 }


 /**
  * Adds the token specified to the current linked list of tokens.
  *
  * @param array The character array.
  * @param start The starting offset in the array.
  * @param end The ending offset in the array.
```

```
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 */
@Override
public void addToken(char[] array, int start, int end, int tokenType, int startOffset) {
 super.addToken(array, start,end, tokenType, startOffset);
 zzStartRead = zzMarkedPos;
}


@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "#", null };
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement
syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
@Override
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;

 // Start off in the proper state.
 int state = YYINITIAL;
 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }
```

```
}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**

* Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always
  * "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
}


%}

NonzeroDigit      =
```

```
([1-9])
Digit      = ("0"|{NonzeroDigit})
HexDigit      = ({Digit}|[A-Fa-f])
OctalDigit     = ([0-7])
AnyCharacterButApostropheOrBackSlash = ([^\\'])
AnyCharacterButDoubleQuoteOrBackSlash = ([^\\\"\n])
EscapedSourceCharacter    = ("u"{HexDigit}{HexDigit}{HexDigit}{HexDigit})
Escape      =
("\\"(([btnfr\'"\\])|([0123]{OctalDigit}?{OctalDigit}?)|({OctalDigit}{OctalDigit}?)|{EscapedSourceCharacter}))

Operator    = ([\-:?\.&\*!%@`])
Separator    = ([\(\)\{\}\[\]])
Separator2    = ([\;,.])
Identifier    = ([^ \t\n\'\"#\-:?\.&\*!%@`\(\)\{\}\[\]\;,.]+)
Whitespace    = ([ \t]+)
Comment     = (#.*)
CharLiteral    = ([\'](({AnyCharacterButApostropheOrBackSlash}|{Escape})*[\'])
UnclosedCharLiteral  = ([\'][^\'\n]*)
ErrorCharLiteral  = ({UnclosedCharLiteral}[\'])
StringLiteral   = ([\"](({AnyCharacterButDoubleQuoteOrBackSlash}|{Escape})*[\"])
UnclosedStringLiteral = ([\"]([\\].|[^\\\"])*[^\"]?)
ErrorStringLiteral  = ({UnclosedStringLiteral}[\"])

%%

<YYINITIAL>
 {
 {Identifier}  { addToken(Token.IDENTIFIER); }
 {Whitespace}  { addToken(Token.WHITESPACE); }
 {Separator}   { addToken(Token.SEPARATOR); }
 {Separator2}  { addToken(Token.IDENTIFIER); }
 {Operator}   { addToken(Token.OPERATOR); }

 {Comment}   { addToken(Token.COMMENT_EOL); }

 {CharLiteral}    { addToken(Token.LITERAL_CHAR); }
 {UnclosedCharLiteral}  { addToken(Token.ERROR_CHAR); addNullToken(); return firstToken; }
 {ErrorCharLiteral}   { addToken(Token.ERROR_CHAR); }
 {StringLiteral}    { addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); }
 {UnclosedStringLiteral}  { addToken(Token.ERROR_STRING_DOUBLE); addNullToken(); return firstToken; }
 {ErrorStringLiteral}  { addToken(Token.ERROR_STRING_DOUBLE); }

 \n |
 <<EOF>>    { addNullToken(); return firstToken; }
}

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-
```

jar/org/fife/ui/rsyntaxtextarea/modes/YamlTokenMaker.flex
No license file was found, but licenses were detected in source scan.

```
/*
* 11/29/2008
*
* CodeTemplate.java - A "template" (macro) for commonly-typed code.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/templates/CodeTemplate.java
No license file was found, but licenses were detected in source scan.

```
/*
* 10/08/2011
*
* FoldParser.java - Locates folds in an RSyntaxTextArea instance.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/folding/FoldParser.java
No license file was found, but licenses were detected in source scan.

```
/*
* 04/23/2009
*
* RSyntaxTextAreaHighlighter.java - Highlighter for RSyntaxTextAreas.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/RSyntaxTextAreaHighlighter.java
No license file was found, but licenses were detected in source scan.

```
/*
* 12/06/2008
*
```

* RUndoManager.java - Handles undo/redo behavior for RTextArea.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/RUndoManager.java
No license file was found, but licenses were detected in source scan.

/*
* 10/23/2011
*
* FoldCollapser.java - Goes through an RSTA instance and collapses folds of
* specific types, such as comments.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/folding/FoldCollapser.java
No license file was found, but licenses were detected in source scan.

/*
* 01/11/2011
*
* PopupWindowDecorator.java - Hook allowing hosting applications to decorate
* JWindows created by the AutoComplete library.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/PopupWindowDecorator.java
No license file was found, but licenses were detected in source scan.

/*
* 8/19/2009
*
* ScalaTokenMaker.java - Scanner for the Scala programming language.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.

```
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;


/**
* Scanner for the Scala programming language.<p>
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars
 around).
* We can achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>ScalaTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is
 a needless memory allocation for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 0.5
*
```

```
*/
%%

%public
%class ScalaTokenMaker
%extends AbstractJFlexCTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{


 /**
  * Constructor.  This must be here because JFlex does not generate a
  * no-parameter constructor.
  */
 public ScalaTokenMaker() {
 }


 /**
  * Adds the token specified to the current linked list of tokens.
  *
  * @param tokenType The token's type.
  * @see #addToken(int, int, int)
  */
 private void addHyperlinkToken(int start, int end, int tokenType) {
  int so = start + offsetShift;
  addToken(zzBuffer, start,end, tokenType, so, true);
 }


 /**

 * Adds the token specified to the current linked list of tokens.
  *
  * @param tokenType The token's type.
  */
 private void addToken(int tokenType) {
  addToken(zzStartRead, zzMarkedPos-1, tokenType);
 }


 /**
  * Adds the token specified to the current linked list of tokens.
  *
  * @param tokenType The token's type.
```

```
 * @see #addHyperlinkToken(int, int, int)
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so, false);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 * @param hyperlink Whether this token is a hyperlink.
 */
@Override
public
void addToken(char[] array, int start, int end, int tokenType,
    int startOffset, boolean hyperlink) {
 super.addToken(array, start,end, tokenType, startOffset, hyperlink);
 zzStartRead = zzMarkedPos;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "//", null };
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
```

```
 */
public Token getTokenList(Segment text, int initialTokenType,
int startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;

 // Start off in the proper state.
 int state = YYINITIAL;
 switch (initialTokenType) {
  case Token.LITERAL_STRING_DOUBLE_QUOTE:
   state = MULTILINE_STRING_DOUBLE;
   break;
  case Token.COMMENT_MULTILINE:
   state = MLC;
   break;
  default:
   state = YYINITIAL;
 }

 s = text;
 start = text.offset;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
```

```
 *
 * All internal variables are reset, the old input stream

* <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(java.io.Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always
  * "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
}


%}


/***** BEGIN SCALA-SPECIFIC CHANGES *********/
Upper      = ([A-Z\$\_]) /* Plus Unicode category Lu */
Lower      = ([a-z])     /* Plus Unicode category Ll */
Letter     =
 ({Upper}|{Lower}) /*Plus Unicode categories Lo, Lt, Nl */
Digit      = ([0-9])
OpChar     = ([^A-Z\$\_a-z0-9\(\[\]\)\. \t\f])
Op       = ({OpChar}+)
IdRest     = (({Letter}|{Digit})*([\_]{Op})?)
VarId      = ({Lower}{IdRest})
PlainId      = ({Upper}{IdRest}|{VarId}) /*|{Op})*/
Id       = ({PlainId}) /*({PlainId}|[\']{StringLit}[\'])*/

IntegerLiteral    = ({Digit}+[Ll]?)
HexDigit     = ({Digit}|[A-Fa-f])
HexLiteral     = ("0x"{HexDigit}+)
```

```
ExponentPart    = ([Ee][+\-]?{Digit}+)
FloatType     = ([FfDd])
FloatingPointLiteral  = ({Digit}+[\.]{Digit}*{ExponentPart}?{FloatType}? |
        [\.]{Digit}+{ExponentPart}?{FloatType}? |
        {Digit}+{ExponentPart}{FloatType}? |
        {Digit}+{ExponentPart}?{FloatType})

UnclosedCharLiteral   = ([\'][\\].|[^\\\'])*[^\']?)
CharLiteral     = ({UnclosedCharLiteral}[\'])
UnclosedStringLiteral  = ([\"][\\].|[^\\\"])*[^\"]?)
StringLiteral    = ({UnclosedStringLiteral}[\"])
UnclosedBacktickLiteral  = ([\`][^\`]+)
BacktickLiteral    =
 ({UnclosedBacktickLiteral}[\`])
/* TODO: Multiline strings */

MLCBegin     = ("/*")
MLCEnd      = ("*/")
LineCommentBegin   = ("//")

/***** END SCALA-SPECIFIC CHANGES *********/

Whitespace    = ([ \t\f]+)
LineTerminator   = ([\n])
Separator    = ([\(\)\{\}\[\]])

URLGenDelim    = ([:\/\?#\[\]@])
URLSubDelim    = ([\!\$&'\(\)\*\+,;=])
URLUnreserved   = ({Letter}|[\_]|{Digit}|[\-\.\~])
URLCharacter   = ({URLGenDelim}|{URLSubDelim}|{URLUnreserved}|[%])
URLCharacters   = ({URLCharacter}*)
URLEndCharacter   = ([\/\$]|{Letter}|{Digit})
URL      = (((https?|f(tp|ile))"://"|"www.")({URLCharacters}{URLEndCharacter})?)


%state MULTILINE_STRING_DOUBLE
%state MLC
%state EOL_COMMENT

%%

<YYINITIAL> {

 /* Keywords */
 "abstract" |
 "case" |
 "catch" |
 "class" |
```

```
"def" |
"do" |
"else" |
"extends" |
"false" |
"final" |
"finally" |
"for" |
"forSome" |
"if" |
"implicit" |
"import" |
"lazy" |
"match" |
"new" |
"null"
|
"object" |
"override" |
"package" |
"private" |
"protected" |
"requires" |
"return" |
"sealed" |
"super" |
"this" |
"throw" |
"trait" |
"try" |
"true" |
"type" |
"val" |
"var" |
"while" |
"with" |
"yield"    { addToken(Token.RESERVED_WORD); }

{LineTerminator}    { addNullToken(); return firstToken; }

{Id}      { addToken(Token.IDENTIFIER); }

{Whitespace}     { addToken(Token.WHITESPACE); }

/* String/Character literals. */
\"\"\"      { start = zzMarkedPos-3; yybegin(MULTILINE_STRING_DOUBLE); }
{UnclosedCharLiteral}    { addToken(Token.ERROR_CHAR); addNullToken(); return firstToken; }
{CharLiteral}    { addToken(Token.LITERAL_CHAR); }
```

```
{UnclosedStringLiteral}   { addToken(Token.ERROR_STRING_DOUBLE); addNullToken(); return firstToken; }
{StringLiteral}    { addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); }
{UnclosedBacktickLiteral}  { addToken(Token.ERROR_STRING_DOUBLE); addNullToken(); return firstToken; }
{BacktickLiteral}    {
addToken(Token.LITERAL_BACKQUOTE); }

/* Comment literals. */
{MLCBegin}     { start = zzMarkedPos-2; yybegin(MLC); }
{LineCommentBegin}    { start = zzMarkedPos-2; yybegin(EOL_COMMENT); }

{Separator}     { addToken(Token.SEPARATOR); }

{IntegerLiteral}    { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
{HexLiteral}     { addToken(Token.LITERAL_NUMBER_HEXADECIMAL); }
{FloatingPointLiteral}   { addToken(Token.LITERAL_NUMBER_FLOAT); }

/* Ended with a line not in a string or comment. */
<<EOF>>      { addNullToken(); return firstToken; }

/* Catch any other (unhandled) characters. */
.      { addToken(Token.IDENTIFIER); }

}

<MULTILINE_STRING_DOUBLE> {
[^\"\\\n]*    {}
\\.?      { /* Skip escaped chars, handles case: '\"""'. */ }
\"\"\"     { addToken(start,zzStartRead+2, Token.LITERAL_STRING_DOUBLE_QUOTE); yybegin(YYINITIAL); }
\"      {}
\n |
<<EOF>>     { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE); return
firstToken; }
}

<MLC> {
[^hwf\n\*]+    {}
{URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_MULTILINE); start = zzMarkedPos; }
[hwf]     {}
{MLCEnd}     { yybegin(YYINITIAL); addToken(start,zzStartRead+1, Token.COMMENT_MULTILINE); }
\*      {}
\n |
<<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken; }
}

<EOL_COMMENT> {
[^hwf\n]+    {}
{URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_EOL);
```

addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_EOL); start = zzMarkedPos; }
 [hwf]   {}
 \n |
 <<EOF>>   { addToken(start,zzStartRead-1, Token.COMMENT_EOL); addNullToken(); return firstToken; }
}

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/ScalaTokenMaker.flex
No license file was found, but licenses were detected in source scan.

/*
* 12/23/2012
*
* JsonTokenMaker.java - Scanner for JSON.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;

/**
* Scanner for JSON.<p>
*
* This implementation was created using
* JFlex 1.4.1; however, the generated file
* was modified for performance. Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).
* We can achieve this because RText always
 scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really). Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:

```
* <ul>
*   <li>The generated <code>JsonTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless memory allocation for us since we
*
   will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 0.6
*
*/
%%

%public
%class JsonTokenMaker
%extends AbstractJFlexTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{

 private boolean highlightEolComments;


 /**
  * Constructor.  This must be here because JFlex does not generate a
  * no-parameter constructor.
  */
 public JsonTokenMaker() {
 }


 /**
  * Adds the token specified to the current linked list of tokens.
  *
  * @param tokenType The token's type.
  * @see #addToken(int, int, int)
  */
 private void addHyperlinkToken(int start, int end, int tokenType) {
```

```
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so, true);
}


/**

* Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so, false);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 * @param hyperlink Whether this token is a hyperlink.
 */
@Override
public void addToken(char[] array, int start, int end,
int tokenType,
    int startOffset, boolean hyperlink) {
 super.addToken(array, start,end, tokenType, startOffset, hyperlink);
 zzStartRead = zzMarkedPos;
}


/**
```

```
 * Returns <code>true</code> always as C-style languages use curly braces
 * to denote code blocks.
 *
 * @return <code>true</code> always.
 */
public boolean getCurlyBracesDenoteCodeBlocks() {
 return true;
}


@Override
public boolean getMarkOccurrencesOfTokenType(int type) {
 return false;
}


@Override
public boolean getShouldIndentNextLineAfter(Token t) {
 if (t!=null && t.length()==1) {
  char ch = t.charAt(0);
  return ch=='{' || ch=='[';
 }
 return false;
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token
type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;

 // Start off in the proper state.
 int state = YYINITIAL;
 start = text.offset;
```

```
 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}


protected void setHighlightEolComments(boolean highlightEolComments) {
 this.highlightEolComments = highlightEolComments;
}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return
zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always
  * "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
```

```
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos  = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
}


%}

Whitespace    =
 ([ \t\f]+)
Letter     = ([A-Za-z])
LetterOrUnderscore  = ({Letter}|"_")
Digit     = ([0-9])
HexDigit    = ({Digit}|[A-Fa-f])
IdentifierStart   = ([^\" \t\f\[\]\{\}\:,0-9\-/])
IdentifierPart   = ({IdentifierStart}|{Digit}|[\-])
Identifier    = ({IdentifierStart}{IdentifierPart}*)

AnyCharacterButDoubleQuoteOrBackSlash = ([^\\\"\n])
EscapedSourceCharacter = ("u"{HexDigit}{HexDigit}{HexDigit}{HexDigit})
Escape     = ("\\"(([btnfr\"\\/])|{EscapedSourceCharacter}))
Key      = ([\"]({AnyCharacterButDoubleQuoteOrBackSlash}|{Escape})*[\"])
StringLiteral   = ([\"]({AnyCharacterButDoubleQuoteOrBackSlash}|{Escape})*[\"])
UnclosedStringLiteral = ([\"]([\\].|[^\\\"])*[^\"]?)
ErrorStringLiteral  = ({UnclosedStringLiteral}[\"])

IntegerLiteral   = ("-"?{Digit}+)
FloatLiteral   = ({IntegerLiteral}("."({Digit}+))?([eE][+\-]?{Digit}+)?)

BooleanLiteral   = ("true"|"false")

Separator    = ([\{\}\[\]])
Separator2    = ([\:,])

LineCommentBegin  =
 "//"

URLGenDelim    = ([:\/\?#\[\]@])
URLSubDelim    = ([\!\$&'\(\)\*\+,;=])
URLUnreserved   = ({LetterOrUnderscore}|{Digit}|[\-\.\~])
URLCharacter   = ({URLGenDelim}|{URLSubDelim}|{URLUnreserved}|[%])
URLCharacters   = ({URLCharacter}*)
```

```
URLEndCharacter   = ([\/\$]|{Letter}|{Digit})
URL      = (((https?|f(tp|ile))"://"|"www.")({URLCharacters}{URLEndCharacter})?)

%state EOL_COMMENT

%%

<YYINITIAL> {

 "null"       { addToken(Token.RESERVED_WORD); }
 {Key}/:      { addToken(Token.VARIABLE); }
 {BooleanLiteral}   { addToken(Token.LITERAL_BOOLEAN); }
 {Identifier}    { addToken(Token.IDENTIFIER); }
 {Whitespace}    { addToken(Token.WHITESPACE); }
 {StringLiteral}    { addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); }
 {UnclosedStringLiteral}  { addToken(Token.ERROR_STRING_DOUBLE); addNullToken(); return firstToken; }
 {ErrorStringLiteral}  { addToken(Token.ERROR_STRING_DOUBLE); }
 {Separator}     { addToken(Token.SEPARATOR); }
 {Separator2}    { addToken(Token.IDENTIFIER);
 }
 {IntegerLiteral}   { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
 {FloatLiteral}    { addToken(Token.LITERAL_NUMBER_FLOAT); }

 {LineCommentBegin}   {
        if (highlightEolComments) {
         start = zzMarkedPos-2; yybegin(EOL_COMMENT);
        }
        else {
         addToken(Token.IDENTIFIER);
        }
       }
 "/"       { addToken(Token.IDENTIFIER); }

 \n |
 <<EOF>>      { addNullToken(); return firstToken; }

 /* Catch any other (unhandled) characters and flag them as identifiers. */
 .       { addToken(Token.IDENTIFIER); }

}

<EOL_COMMENT> {
 [^hwf\n]+    {}
 {URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_EOL);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_EOL); start = zzMarkedPos; }
 [hwf]     {}
 \n |
 <<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_EOL); addNullToken(); return firstToken; }
```

}

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/JsonTokenMaker.flex
No license file was found, but licenses were detected in source scan.

/*
* 01/22/2005
*
* ColorBackgroundPainterStrategy.java - Renders an RTextAreaBase's background
* as a single color.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/ColorBackgroundPainterStrategy.java
No license file was found, but licenses were detected in source scan.

/*
* 03/23/2005
*
* AbstractJFlexTokenMaker.java - Base class for token makers generated from
* programs such as JFlex.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/AbstractJFlexTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 11/14/2003
*
* RPrintUtilities.java - A collection of static methods useful for printing
* text from Swing text components.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):

* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/print/RPrintUtilities.java
No license file was found, but licenses were detected in source scan.

```
/*
* 12/29/2016
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/YamlTokenMaker.java
No license file was found, but licenses were detected in source scan.

```
/*
* 11/13/2004
*
* CTokenMaker.java - An object that can take a chunk of text and
* return a linked list of tokens representing it in the C programming
* language.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;


/**
* Scanner for the C programming language.
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner
 never has to
* worry about refilling its buffer (needlessly copying chars around).
* We can achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
```

```
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>CTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition
 of zzBuffer to NOT
*       be initialized.  This is a needless memory allocation for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 0.6
*
*/
%%

%public
%class CTokenMaker
%extends AbstractJFlexCTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{


 /**
  * Constructor.  This must be here because JFlex does not generate a
  * no-parameter constructor.
  */
 public CTokenMaker() {
  super();
 }


 /**
```

```
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 * @see #addToken(int, int, int)
 */
private void addHyperlinkToken(int start, int end, int tokenType) {
 int
so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so, true);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 */
@Override
public void addToken(char[]
array, int start, int end, int tokenType, int startOffset) {
 super.addToken(array, start,end, tokenType, startOffset);
 zzStartRead = zzMarkedPos;
```

```
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "//", null };
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *                    <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift
= -text.offset + startOffset;

 // Start off in the proper state.
 int state = Token.NULL;
 switch (initialTokenType) {
  case Token.COMMENT_MULTILINE:
   state = MLC;
   start = text.offset;
   break;
  default:
   state = Token.NULL;
 }

 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
```

```
 return new TokenImpl();
 }

}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the
new input stream
 */
public final void yyreset(Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always
  * "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
}
```

```
%}

Letter    = [A-Za-z]
LetterOrUnderscore = ({Letter}|[_])
Digit    = [0-9]
HexDigit   = {Digit}|[A-Fa-f]
OctalDigit   = [0-7]
Exponent   = [eE][+-]?{Digit}+

PreprocessorWord = define|elif|else|endif|error|if|ifdef|ifndef|include|line|pragma|undef

Trigraph    = ("??="|"??("|"??)"|"??/"|"??'"|"??<"|"??>"|"??!"|"??-")

OctEscape1   =
 ([\\]{OctalDigit})
OctEscape2   = ([\\]{OctalDigit}{OctalDigit})
OctEscape3   = ([\\][0-3]{OctalDigit}{OctalDigit})
OctEscape    = ({OctEscape1}|{OctEscape2}|{OctEscape3})
HexEscape    = ([\\][xX]{HexDigit}{HexDigit})

AnyChrChr     = ([^\'\n\\])
Escape     = ([\\]([abfnrtv\'\"\?\\0e]))
UnclosedCharLiteral   = ([\']({Escape}|{OctEscape}|{HexEscape}|{Trigraph}|{AnyChrChr}))
CharLiteral    = ({UnclosedCharLiteral}[\'])
ErrorUnclosedCharLiteral  = ([\'][^\'\n]*)
ErrorCharLiteral   = (([\'][\'])|{ErrorUnclosedCharLiteral}[\'])
AnyStrChr     = ([^\"\n\\])
FalseTrigraph    = (("?"(("?")*)[^\=\(\)\/\'\<\>\!\-\\\?\"\n])|("?"[\=\(\)\/\'\<\>\!\-]))
StringLiteral    =
([\"](((((("?")*)({Escape}|{OctEscape}|{HexEscape}|{Trigraph}))|{FalseTrigraph}|{AnyStrChr})*)(("?")*)[\"])
UnclosedStringLiteral  = ([\"]([\\].|[^\\\"])*[^\"]?)
ErrorStringLiteral   = ({UnclosedStringLiteral}[\"])


LineTerminator  = \n
WhiteSpace  = [ \t\f]

MLCBegin   = "/*"
MLCEnd   = "*/"
LineCommentBegin =
 "//"

NonFloatSuffix  = (([uU][lL]?)|([lL][uU]?))
IntegerLiteral  = ({Digit}+{Exponent}?{NonFloatSuffix}?)
HexLiteral  = ("0"[xX]{HexDigit}+{NonFloatSuffix}?)
FloatLiteral  = ((({Digit}*[\.]{Digit}+)|({Digit}+[\.]{Digit}*)){Exponent}?[fFlL]?)
ErrorNumberFormat = (({IntegerLiteral}|{HexLiteral}|{FloatLiteral}){NonSeparator}+)
```

```
NonSeparator  = ([^\t\f\r\n\ \(\)\{\}\[\];\,\.\=\>\<\!\~\?\:\+\-\*\/\&\|\^\%\"\']|"#")
Identifier  = ({LetterOrUnderscore}({LetterOrUnderscore}|{Digit}|[$])*)
ErrorIdentifier = ({NonSeparator}+)


URLGenDelim    = ([:\/\?#\[\]@])
URLSubDelim    = ([\!\$&'\(\)\*\+,;=])
URLUnreserved   = ({LetterOrUnderscore}|{Digit}|[\-\.\~])
URLCharacter   = ({URLGenDelim}|{URLSubDelim}|{URLUnreserved}|[%])
URLCharacters   = ({URLCharacter}*)
URLEndCharacter   = ([\/\$]|{Letter}|{Digit})
URL      = (((https?|f(tp|ile))"://"|"www.")({URLCharacters}{URLEndCharacter})?)

%state MLC
%state EOL_COMMENT

%%

<YYINITIAL> {

 /* Keywords */
 "auto"
 |
 "break" |
 "case" |
 "const" |
 "continue" |
 "default" |
 "do" |
 "else" |
 "enum" |
 "extern" |
 "for" |
 "goto" |
 "if" |
 "register" |
 "sizeof" |
 "static" |
 "struct" |
 "switch" |
 "typedef" |
 "union" |
 "volatile" |
 "while"     { addToken(Token.RESERVED_WORD); }

 "return"    { addToken(Token.RESERVED_WORD_2); }

 /* Data types. */
```

```
"char" |
"div_t" |
"double" |
"float" |
"int" |
"ldiv_t" |
"long" |
"short" |
"signed" |
"size_t" |
"unsigned" |
"void" |
"wchar_t"    { addToken(Token.DATA_TYPE); }

/* Standard functions */
"abort" |
"abs" |
"acos" |
"asctime" |
"asin" |
"assert" |
"atan2" |
"atan" |
"atexit" |
"atof" |
"atoi" |
"atol" |
"bsearch" |
"btowc" |
"calloc" |
"ceil" |
"clearerr" |
"clock" |
"cosh" |
"cos" |
"ctime" |
"difftime" |
"div" |
"errno" |
"exit" |
"exp" |
"fabs" |
"fclose" |
"feof" |
"ferror" |
"fflush" |
"fgetc" |
"fgetpos" |
```

"fgetwc"
|
"fgets" |
"fgetws" |
"floor" |
"fmod" |
"fopen" |
"fprintf" |
"fputc" |
"fputs" |
"fputwc" |
"fputws" |
"fread" |
"free" |
"freopen" |
"frexp" |
"fscanf" |
"fseek" |
"fsetpos" |
"ftell" |
"fwprintf" |
"fwrite" |
"fwscanf" |
"getchar" |
"getc" |
"getenv" |
"gets" |
"getwc" |
"getwchar" |
"gmtime" |
"isalnum" |
"isalpha" |
"iscntrl" |
"isdigit" |
"isgraph" |
"islower" |
"isprint" |
"ispunct" |
"isspace" |
"isupper" |
"isxdigit" |
"labs" |
"ldexp" |
"ldiv" |
"localeconv" |
"localtime" |
"log10" |
"log" |

"longjmp" |
"malloc" |
"mblen" |
"mbrlen" |
"mbrtowc" |
"mbsinit" |
"mbsrtowcs" |
"mbstowcs" |
"mbtowc" |
"memchr" |
"memcmp" |
"memcpy" |
"memmove" |
"memset" |
"mktime" |
"modf" |
"offsetof" |
"perror" |
"pow" |
"printf" |
"putchar" |
"putc" |
"puts" |
"putwc" |
"putwchar" |
"qsort" |
"raise" |
"rand" |
"realloc" |
"remove" |
"rename"
|
"rewind" |
"scanf" |
"setbuf" |
"setjmp" |
"setlocale" |
"setvbuf" |
"setvbuf" |
"signal" |
"sinh" |
"sin" |
"sprintf" |
"sqrt" |
"srand" |
"sscanf" |
"strcat" |
"strchr" |

"strcmp" |
"strcmp" |
"strcoll" |
"strcpy" |
"strcspn" |
"strerror" |
"strftime" |
"strlen" |
"strncat" |
"strncmp" |
"strncpy" |
"strpbrk" |
"strrchr" |
"strspn" |
"strstr" |
"strtod" |
"strtok" |
"strtol" |
"strtoul" |
"strxfrm" |
"swprintf" |
"swscanf" |
"system" |
"tanh" |
"tan" |
"time" |
"tmpfile" |
"tmpnam" |
"tolower" |
"toupper" |
"ungetc" |
"ungetwc" |
"va_arg" |
"va_end" |
"va_start" |
"vfprintf" |
"vfwprintf" |
"vprintf" |
"vsprintf" |
"vswprintf" |
"vwprintf" |
"wcrtomb" |
"wcscat" |
"wcschr" |
"wcscmp" |
"wcscoll" |
"wcscpy" |
"wcscspn" |

```
"wcsftime" |
"wcslen" |
"wcsncat" |
"wcsncmp" |
"wcsncpy" |
"wcspbrk" |
"wcsrchr" |
"wcsrtombs" |
"wcsspn" |
"wcsstr"
|
"wcstod" |
"wcstok" |
"wcstol" |
"wcstombs" |
"wcstoul" |
"wcsxfrm" |
"wctob" |
"wctomb" |
"wmemchr" |
"wmemcmp" |
"wmemcpy" |
"wmemmove" |
"wmemset" |
"wprintf" |
"wscanf"    { addToken(Token.FUNCTION); }

/* Standard-defined macros. */
"__DATE__" |
"__TIME__" |
"__FILE__" |
"__LINE__" |
"__STDC__"    { addToken(Token.PREPROCESSOR); }

{LineTerminator}    { addNullToken(); return firstToken; }

{Identifier}    { addToken(Token.IDENTIFIER); }

{WhiteSpace}+    { addToken(Token.WHITESPACE); }

/* Preprocessor directives */
"#"{WhiteSpace}*{PreprocessorWord} { addToken(Token.PREPROCESSOR); }

/* String/Character Literals. */
{CharLiteral}    { addToken(Token.LITERAL_CHAR); }
{UnclosedCharLiteral}   { addToken(Token.ERROR_CHAR); /*addNullToken(); return firstToken;*/ }
{ErrorUnclosedCharLiteral}  { addToken(Token.ERROR_CHAR); addNullToken(); return firstToken; }
{ErrorCharLiteral}    { addToken(Token.ERROR_CHAR);
```

```
}
{StringLiteral}    { addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); }
{UnclosedStringLiteral}   { addToken(Token.ERROR_STRING_DOUBLE); addNullToken(); return firstToken; }
{ErrorStringLiteral}   { addToken(Token.ERROR_STRING_DOUBLE); }

/* Comment Literals. */
{MLCBegin}     { start = zzMarkedPos-2; yybegin(MLC); }
{LineCommentBegin}   { start = zzMarkedPos-2; yybegin(EOL_COMMENT); }

/* Separators. */
"(" |
")" |
"[" |
"]" |
"{" |
"}"       { addToken(Token.SEPARATOR); }

/* Operators. */
{Trigraph} |
"=" |
"+" |
"-" |
"*" |
"/" |
"%" |
"~" |
"<" |
">" |
"<<" |
">>" |
"==" |
"+=" |
"-=" |
"*=" |
"/=" |
"%=" |
"&=" |
"|=" |
"^=" |
">=" |
"<=" |
"!=" |
">>=" |
"<<=" |
"^" |
"&" |
"&&" |
"|" |
```

```
"||" |
"?" |
":" |
"," |
"!" |
"++" |
"--" |
"." |
","      { addToken(Token.OPERATOR); }

/* Numbers */
{IntegerLiteral}    { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
{HexLiteral}    {
addToken(Token.LITERAL_NUMBER_HEXADECIMAL); }
{FloatLiteral}    { addToken(Token.LITERAL_NUMBER_FLOAT); }
{ErrorNumberFormat}    { addToken(Token.ERROR_NUMBER_FORMAT); }

/* Some lines will end in '\' to wrap an expression. */
"\\"      { addToken(Token.IDENTIFIER); }

{ErrorIdentifier}    { addToken(Token.ERROR_IDENTIFIER); }

/* Other punctuation, we'll highlight it as "identifiers." */
";"      { addToken(Token.IDENTIFIER); }

/* Ended with a line not in a string or comment. */
<<EOF>>     { addNullToken(); return firstToken; }

/* Catch any other (unhandled) characters and flag them as bad. */
.      { addToken(Token.ERROR_IDENTIFIER); }

}

<MLC> {

[^hwf\n\*]+    {}
{URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_MULTILINE); start = zzMarkedPos; }
[hwf]     {}

\n      { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE);
return firstToken; }
{MLCEnd}     { yybegin(YYINITIAL); addToken(start,zzStartRead+1, Token.COMMENT_MULTILINE); }
\*      {}
<<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken; }

}
```

<EOL_COMMENT> {
 [^hwf\n]+   {}
 {URL}   { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_EOL);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_EOL); start = zzMarkedPos; }
 [hwf]   {}
 \n   { addToken(start,zzStartRead-1, Token.COMMENT_EOL); addNullToken(); return firstToken; }
 <<EOF>>   { addToken(start,zzStartRead-1, Token.COMMENT_EOL); addNullToken(); return firstToken; }
}

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-
jar/org/fife/ui/rsyntaxtextarea/modes/CTokenMaker.flex
No license file was found, but licenses were detected in source scan.

/*
* 12/06/2004
*
* AssemblerX86TokenMaker.java - An object that can take a chunk of text and
* return a linked list of tokens representing X86 assembler.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;

/**
* This class takes plain text and returns tokens representing x86
* assembler.<p>
*
* This implementation was created using
* JFlex 1.4.1; however, the generated file
* was modified for performance. Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via
 yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).
* We can achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really). Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for

```
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>AssemblerX86TokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
 *   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless memory allocation for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 0.2
*
*/
%%

%public
%class AssemblerX86TokenMaker
%extends AbstractJFlexTokenMaker
%unicode
%ignorecase
%type org.fife.ui.rsyntaxtextarea.Token


%{


 /**
  * Constructor.  We must have this here as JFLex does not generate a
  * no parameter constructor.
  */
 public AssemblerX86TokenMaker() {
  super();
 }


 /**
  * Adds the token specified to the current linked list of tokens.
```

```
 *
 * @param tokenType The token's type.
 */
private void addToken(int tokenType)
{
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 */
@Override
public void addToken(char[] array, int start, int end, int tokenType, int startOffset) {
 super.addToken(array, start,end, tokenType, startOffset);
 zzStartRead = zzMarkedPos;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int
languageIndex) {
 return new String[] { ";", null };
}


/**
```

```
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *                    <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;

 // Start off in the proper state.
 int state = Token.NULL;
 switch (initialTokenType) {
  default:
   state = Token.NULL;
 }

 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return
yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}
```

```
 /**
  * Resets the scanner to read from a new input stream.
  * Does not close the old reader.
  *
  * All internal variables are reset, the old input stream
  * <b>cannot</b> be reused (internal buffer is discarded and lost).
  * Lexical state is set to <tt>YY_INITIAL</tt>.
  *
  * @param reader   the new input stream
  */
 public final void yyreset(Reader reader) {
  // 's' has been updated.
  zzBuffer = s.array;
  /*
   * We replaced the line below with the two below it because zzRefill
   * no longer "refills" the buffer (since the way we do it, it's always
   * "full" the first time through, since it points to the segment's

 * array).  So, we assign zzEndRead here.
   */
  //zzStartRead = zzEndRead = s.offset;
  zzStartRead = s.offset;
  zzEndRead = zzStartRead + s.count - 1;
  zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
  zzLexicalState = YYINITIAL;
  zzReader = reader;
  zzAtBOL  = true;
  zzAtEOF  = false;
 }


%}

Letter    = ([A-Za-z_])
Digit    = ([0-9])
Number    = ({Digit}+)

Identifier   = (({Letter}|{Digit})[^ \t\f\n\,\.\+\-\*\/\%\[\]]+)

UnclosedStringLiteral = ([\"][^\"]*)
StringLiteral   = ({UnclosedStringLiteral}[\"])
UnclosedCharLiteral  = ([\'][^\']*)
CharLiteral   = ({UnclosedCharLiteral}[\'])

CommentBegin   = ([;])

LineTerminator   = (\n)
WhiteSpace   = ([ \t\f])
```

```
Label    = (({Letter}|{Digit})+[\:])

Operator    = ("+"|"-"|"*"|"/"|"%"|"^"|"|"|"&"|"~"|"!"|"="|"<"|">")

%%

<YYINITIAL> {

 /* Keywords */
 ".186" |
 ".286" |
 ".286P" |
 ".287" |
 ".386" |
 ".386P" |
 ".387" |
 ".486" |
 ".486P" |
 ".586" |
 ".586P" |
 ".686"
 |
 ".686P" |
 ".8086" |
 ".8087" |
 ".ALPHA" |
 ".BREAK" |
 ".BSS" |
 ".CODE" |
 ".CONST" |
 ".CONTINUE" |
 ".CREF" |
 ".DATA" |
 ".DATA?" |
 ".DOSSEG" |
 ".ELSE" |
 ".ELSEIF" |
 ".ENDIF" |
 ".ENDW" |
 ".ERR" |
 ".ERR1" |
 ".ERR2" |
 ".ERRB" |
 ".ERRDEF" |
 ".ERRDIF" |
 ".ERRDIFI" |
 ".ERRE" |
```

".ERRIDN" |
".ERRIDNI" |
".ERRNB" |
".ERRNDEF" |
".ERRNZ" |
".EXIT" |
".FARDATA" |
".FARDATA?" |
".IF" |
".K3D" |
".LALL" |
".LFCOND" |
".LIST" |
".LISTALL" |
".LISTIF" |
".LISTMACRO" |
".LISTMACROALL" |
".MMX" |
".MODEL" |
".MSFLOAT" |
".NO87" |
".NOCREF" |
".NOLIST" |
".NOLISTIF" |
".NOLISTMACRO" |
".RADIX" |
".REPEAT" |
".SALL" |
".SEQ" |
".SFCOND" |
".STACK" |
".STARTUP" |
".TEXT" |
".TFCOND" |
".UNTIL" |
".UNTILCXZ" |
".WHILE" |
".XALL" |
".XCREF" |
".XLIST" |
".XMM" |
"__FILE__" |
"__LINE__" |
"A16" |
"A32" |
"ADDR" |
"ALIGN" |
"ALIGNB" |

"ASSUME" |
"BITS" |
"CARRY?"
|
"CATSTR" |
"CODESEG" |
"COMM" |
"COMMENT" |
"COMMON" |
"DATASEG" |
"DOSSEG" |
"ECHO" |
"ELSE" |
"ELSEIF" |
"ELSEIF1" |
"ELSEIF2" |
"ELSEIFB" |
"ELSEIFDEF" |
"ELSEIFE" |
"ELSEIFIDN" |
"ELSEIFNB" |
"ELSEIFNDEF" |
"END" |
"ENDIF" |
"ENDM" |
"ENDP" |
"ENDS" |
"ENDSTRUC" |
"EVEN" |
"EXITM" |
"EXPORT" |
"EXTERN" |
"EXTERNDEF" |
"EXTRN" |
"FAR" |
"FOR" |
"FORC" |
"GLOBAL" |
"GOTO" |
"GROUP" |
"HIGH" |
"HIGHWORD" |
"IEND" |
"IF" |
"IF1" |
"IF2" |
"IFB" |
"IFDEF" |

"IFDIF" |
"IFDIFI" |
"IFE" |
"IFIDN" |
"IFIDNI" |
"IFNB" |
"IFNDEF" |
"IMPORT" |
"INCBIN" |
"INCLUDE" |
"INCLUDELIB" |
"INSTR" |
"INVOKE" |
"IRP" |
"IRPC" |
"ISTRUC" |
"LABEL" |
"LENGTH" |
"LENGTHOF" |
"LOCAL" |
"LOW" |
"LOWWORD" |
"LROFFSET" |
"MACRO" |
"NAME" |
"NEAR" |
"NOSPLIT" |
"O16" |
"O32" |
"OFFSET" |
"OPATTR" |
"OPTION" |
"ORG" |
"OVERFLOW?" |
"PAGE" |
"PARITY?"
|
"POPCONTEXT" |
"PRIVATE" |
"PROC" |
"PROTO" |
"PTR" |
"PUBLIC" |
"PURGE" |
"PUSHCONTEXT" |
"RECORD" |
"REPEAT" |
"REPT" |

"SECTION" |
"SEG" |
"SEGMENT" |
"SHORT" |
"SIGN?" |
"SIZE" |
"SIZEOF" |
"SIZESTR" |
"STACK" |
"STRUC" |
"STRUCT" |
"SUBSTR" |
"SUBTITLE" |
"SUBTTL" |
"THIS" |
"TITLE" |
"TYPE" |
"TYPEDEF" |
"UNION" |
"USE16" |
"USE32" |
"USES" |
"WHILE" |
"WRT" |
"ZERO?" { addToken(Token.PREPROCESSOR); }

"DB" |
"DW" |
"DD" |
"DF" |
"DQ" |
"DT" |
"RESB" |
"RESW" |
"RESD" |
"RESQ" |
"REST" |
"EQU" |
"TEXTEQU" |
"TIMES" |
"DUP" { addToken(Token.FUNCTION); }

"BYTE" |
"WORD" |
"DWORD" |
"FWORD" |
"QWORD" |
"TBYTE" |

```
"SBYTE" |
"TWORD" |
"SWORD" |
"SDWORD" |
"REAL4" |
"REAL8" |
"REAL10"  { addToken(Token.DATA_TYPE); }

/* Registers */
"AL" |
"BL" |
"CL" |
"DL" |
"AH" |
"BH" |
"CH" |
"DH" |
"AX" |
"BX" |
"CX" |
"DX" |
"SI" |
"DI"
|
"SP" |
"BP" |
"EAX" |
"EBX" |
"ECX" |
"EDX" |
"ESI" |
"EDI" |
"ESP" |
"EBP" |
"CS" |
"DS" |
"SS" |
"ES" |
"FS" |
"GS" |
"ST" |
"ST0" |
"ST1" |
"ST2" |
"ST3" |
"ST4" |
"ST5" |
"ST6" |
```

```
"ST7" |
"MM0" |
"MM1" |
"MM2" |
"MM3" |
"MM4" |
"MM5" |
"MM6" |
"MM7" |
"XMM0" |
"XMM1" |
"XMM2" |
"XMM3" |
"XMM4" |
"XMM5" |
"XMM6" |
"XMM7" |
"CR0" |
"CR2" |
"CR3" |
"CR4" |
"DR0" |
"DR1" |
"DR2" |
"DR3" |
"DR4" |
"DR5" |
"DR6" |
"DR7" |
"TR3" |
"TR4" |
"TR5" |
"TR6" |
"TR7"  { addToken(Token.VARIABLE); }

/* Pentium III Instructions. */
"AAA" |
"AAD" |
"AAM" |
"AAS" |
"ADC" |
"ADD" |
"ADDPS" |
"ADDSS" |
"AND" |
"ANDNPS" |
"ANDPS" |
"ARPL" |
```

"BOUND" |
"BSF" |
"BSR" |
"BSWAP" |
"BT" |
"BTC" |
"BTR" |
"BTS" |
"CALL" |
"CBW" |
"CDQ" |
"CLC" |
"CLD" |
"CLI" |
"CLTS" |
"CMC" |
"CMOVA" |
"CMOVAE" |
"CMOVB" |
"CMOVBE" |
"CMOVC"
|
"CMOVE" |
"CMOVG" |
"CMOVGE" |
"CMOVL" |
"CMOVLE" |
"CMOVNA" |
"CMOVNAE" |
"CMOVNB" |
"CMOVNBE" |
"CMOVNC" |
"CMOVNE" |
"CMOVNG" |
"CMOVNGE" |
"CMOVNL" |
"CMOVNLE" |
"CMOVNO" |
"CMOVNP" |
"CMOVNS" |
"CMOVNZ" |
"CMOVO" |
"CMOVP" |
"CMOVPE" |
"CMOVPO" |
"CMOVS" |
"CMOVZ" |
"CMP" |

"CMPPS" |
"CMPS" |
"CMPSB" |
"CMPSD" |
"CMPSS" |
"CMPSW" |
"CMPXCHG" |
"CMPXCHGB" |
"COMISS" |
"CPUID" |
"CWD" |
"CWDE" |
"CVTPI2PS" |
"CVTPS2PI" |
"CVTSI2SS" |
"CVTSS2SI" |
"CVTTPS2PI" |
"CVTTSS2SI" |
"DAA" |
"DAS" |
"DEC" |
"DIV" |
"DIVPS" |
"DIVSS" |
"EMMS" |
"ENTER" |
"F2XM1" |
"FABS" |
"FADD" |
"FADDP" |
"FBLD" |
"FBSTP" |
"FCHS" |
"FCLEX" |
"FCMOVB" |
"FCMOVBE" |
"FCMOVE" |
"FCMOVNB" |
"FCMOVNBE" |
"FCMOVNE" |
"FCMOVNU" |
"FCMOVU" |
"FCOM" |
"FCOMI" |
"FCOMIP" |
"FCOMP" |
"FCOMPP" |
"FCOS" |

"FDECSTP" |
"FDIV" |
"FDIVP" |
"FDIVR" |
"FDIVRP"
|
"FFREE" |
"FIADD" |
"FICOM" |
"FICOMP" |
"FIDIV" |
"FIDIVR" |
"FILD" |
"FIMUL" |
"FINCSTP" |
"FINIT" |
"FIST" |
"FISTP" |
"FISUB" |
"FISUBR" |
"FLD1" |
"FLDCW" |
"FLDENV" |
"FLDL2E" |
"FLDL2T" |
"FLDLG2" |
"FLDLN2" |
"FLDPI" |
"FLDZ" |
"FMUL" |
"FMULP" |
"FNCLEX" |
"FNINIT" |
"FNOP" |
"FNSAVE" |
"FNSTCW" |
"FNSTENV" |
"FNSTSW" |
"FPATAN" |
"FPREM" |
"FPREMI" |
"FPTAN" |
"FRNDINT" |
"FRSTOR" |
"FSAVE" |
"FSCALE" |
"FSIN" |
"FSINCOS" |

"FSQRT" |
"FST" |
"FSTCW" |
"FSTENV" |
"FSTP" |
"FSTSW" |
"FSUB" |
"FSUBP" |
"FSUBR" |
"FSUBRP" |
"FTST" |
"FUCOM" |
"FUCOMI" |
"FUCOMIP" |
"FUCOMP" |
"FUCOMPP" |
"FWAIT" |
"FXAM" |
"FXCH" |
"FXRSTOR" |
"FXSAVE" |
"FXTRACT" |
"FYL2X" |
"FYL2XP1" |
"HLT" |
"IDIV" |
"IMUL" |
"IN" |
"INC" |
"INS" |
"INSB" |
"INSD" |
"INSW" |
"INT" |
"INTO" |
"INVD" |
"INVLPG" |
"IRET" |
"JA" |
"JAE" |
"JB" |
"JBE"
|
"JC" |
"JCXZ" |
"JE" |
"JECXZ" |
"JG" |

"JGE" |
"JL" |
"JLE" |
"JMP" |
"JNA" |
"JNAE" |
"JNB" |
"JNBE" |
"JNC" |
"JNE" |
"JNG" |
"JNGE" |
"JNL" |
"JNLE" |
"JNO" |
"JNP" |
"JNS" |
"JNZ" |
"JO" |
"JP" |
"JPE" |
"JPO" |
"JS" |
"JZ" |
"LAHF" |
"LAR" |
"LDMXCSR" |
"LDS" |
"LEA" |
"LEAVE" |
"LES" |
"LFS" |
"LGDT" |
"LGS" |
"LIDT" |
"LLDT" |
"LMSW" |
"LOCK" |
"LODS" |
"LODSB" |
"LODSD" |
"LODSW" |
"LOOP" |
"LOOPE" |
"LOOPNE" |
"LOOPNZ" |
"LOOPZ" |
"LSL" |

"LSS" |
"LTR" |
"MASKMOVQ" |
"MAXPS" |
"MAXSS" |
"MINPS" |
"MINSS" |
"MOV" |
"MOVAPS" |
"MOVD" |
"MOVHLPS" |
"MOVHPS" |
"MOVLHPS" |
"MOVLPS" |
"MOVMSKPS" |
"MOVNTPS" |
"MOVNTQ" |
"MOVQ" |
"MOVS" |
"MOVSB" |
"MOVSD" |
"MOVSS" |
"MOVSW" |
"MOVSX" |
"MOVUPS" |
"MOVZX" |
"MUL" |
"MULPS" |
"MULSS" |
"NEG" |
"NOP" |
"NOT" |
"OR" |
"ORPS" |
"OUT" |
"OUTS" |
"OUTSB"
|
"OUTSD" |
"OUTSW" |
"PACKSSDW" |
"PACKSSWB" |
"PACKUSWB" |
"PADDB" |
"PADDD" |
"PADDSB" |
"PADDSW" |
"PADDUSB" |

"PADDUSW" |
"PADDW" |
"PAND" |
"PANDN" |
"PAVGB" |
"PAVGW" |
"PCMPEQB" |
"PCMPEQD" |
"PCMPEQW" |
"PCMPGTB" |
"PCMPGTD" |
"PCMPGTW" |
"PEXTRW" |
"PINSRW" |
"PMADDWD" |
"PMAXSW" |
"PMAXUB" |
"PMINSW" |
"PMINUB" |
"PMOVMSKB" |
"PMULHUW" |
"PMULHW" |
"PMULLW" |
"POP" |
"POPA" |
"POPAD" |
"POPAW" |
"POPF" |
"POPFD" |
"POPFW" |
"POR" |
"PREFETCH" |
"PSADBW" |
"PSHUFW" |
"PSLLD" |
"PSLLQ" |
"PSLLW" |
"PSRAD" |
"PSRAW" |
"PSRLD" |
"PSRLQ" |
"PSRLW" |
"PSUBB" |
"PSUBD" |
"PSUBSB" |
"PSUBSW" |
"PSUBUSB" |
"PSUBUSW" |

"PSUBW" |
"PUNPCKHBW" |
"PUNPCKHDQ" |
"PUNPCKHWD" |
"PUNPCKLBW" |
"PUNPCKLDQ" |
"PUNPCKLWD" |
"PUSH" |
"PUSHA" |
"PUSHAD" |
"PUSHAW" |
"PUSHF" |
"PUSHFD" |
"PUSHFW" |
"PXOR" |
"RCL" |
"RCR" |
"RDMSR" |
"RDPMC" |
"RDTSC"
|
"REP" |
"REPE" |
"REPNE" |
"REPNZ" |
"REPZ" |
"RET" |
"RETF" |
"RETN" |
"ROL" |
"ROR" |
"RSM" |
"SAHF" |
"SAL" |
"SAR" |
"SBB" |
"SCAS" |
"SCASB" |
"SCASD" |
"SCASW" |
"SETA" |
"SETAE" |
"SETB" |
"SETBE" |
"SETC" |
"SETE" |
"SETG" |
"SETGE" |

"SETL" |
"SETLE" |
"SETNA" |
"SETNAE" |
"SETNB" |
"SETNBE" |
"SETNC" |
"SETNE" |
"SETNG" |
"SETNGE" |
"SETNL" |
"SETNLE" |
"SETNO" |
"SETNP" |
"SETNS" |
"SETNZ" |
"SETO" |
"SETP" |
"SETPE" |
"SETPO" |
"SETS" |
"SETZ" |
"SFENCE" |
"SGDT" |
"SHL" |
"SHLD" |
"SHR" |
"SHRD" |
"SHUFPS" |
"SIDT" |
"SLDT" |
"SMSW" |
"SQRTPS" |
"SQRTSS" |
"STC" |
"STD" |
"STI" |
"STMXCSR" |
"STOS" |
"STOSB" |
"STOSD" |
"STOSW" |
"STR" |
"SUB" |
"SUBPS" |
"SUBSS" |
"SYSENTER" |
"SYSEXIT" |

```
"TEST" |
"UB2" |
"UCOMISS" |
"UNPCKHPS" |
"UNPCKLPS" |
"WAIT" |
"WBINVD" |
"VERR" |
"VERW" |
"WRMSR" |
"XADD"
|
"XCHG" |
"XLAT" |
"XLATB" |
"XOR" |
"XORPS"  { addToken(Token.RESERVED_WORD); }

}

<YYINITIAL> {

{LineTerminator}    { addNullToken(); return firstToken; }

{WhiteSpace}+     { addToken(Token.WHITESPACE); }

/* String/Character Literals. */
{CharLiteral}     { addToken(Token.LITERAL_CHAR); }
{UnclosedCharLiteral}   { addToken(Token.ERROR_CHAR); /*addNullToken(); return firstToken;*/ }
{StringLiteral}    { addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); }
{UnclosedStringLiteral}   { addToken(Token.ERROR_STRING_DOUBLE); addNullToken(); return firstToken; }

/* Labels. */
{Label}      { addToken(Token.PREPROCESSOR); }

^%({Letter}|{Digit})*   { addToken(Token.FUNCTION); }

/* Comment Literals. */
{CommentBegin}.*    { addToken(Token.COMMENT_EOL); addNullToken(); return firstToken; }

/* Operators. */
{Operator}     { addToken(Token.OPERATOR); }

/* Numbers */
{Number}      { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }

/* Ended
```

```
with a line not in a string or comment. */
<<EOF>>      { addNullToken(); return firstToken; }

/* Catch any other (unhandled) characters. */
{Identifier}     { addToken(Token.IDENTIFIER); }
.      { addToken(Token.IDENTIFIER); }

}
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/AssemblerX86TokenMaker.flex
No license file was found, but licenses were detected in source scan.

```
/*
* 02/11/2008
*
* JSPTokenMaker.java - Generates tokens for JSP syntax highlighting.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/JSPTokenMaker.java
No license file was found, but licenses were detected in source scan.

```
/*
* 02/05/2009
*
* ToolTipSupplier.java - Can provide tool tips to RTextAreas without the need
* for subclassing.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/ToolTipSupplier.java
No license file was found, but licenses were detected in source scan.

```
/*
* 12/23/2012
*
* JsonFoldParser.java - Fold parser for JSON.
*
```

* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/folding/JsonFoldParser.java
No license file was found, but licenses were detected in source scan.

/*
* 10/03/2009
*
* AbstractMarkupTokenMaker.java - Base class for token makers for markup
* languages.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/AbstractMarkupTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 10/17/2015
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;

/**
* Scanner for hosts files.<p>
*
* This implementation was created using
* JFlex 1.4.1; however, the generated file
* was modified for performance. Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).

```
* We can achieve this because RText always scans exactly 1 line of tokens at a
*
 time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>HostsTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless memory allocation for us since we
*       will be pointing the array somewhere else
 anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 0.5
*
*/
%%

%public
%class HostsTokenMaker
%extends AbstractJFlexTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{

 /**
  * Whether or not this is the first token on a line.
  */
 private boolean first;


 /**
```

```
 * Constructor.  This must be here because JFlex does not generate a
 * no-parameter constructor.
 */
public HostsTokenMaker() {
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 * @see #addToken(int, int, int)
 */
private void addHyperlinkToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so, true);
}


/**

* Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
```

```
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 */
@Override
public void addToken(char[] array, int start, int end, int tokenType, int startOffset) {
 super.addToken(array,
start,end, tokenType, startOffset);
 zzStartRead = zzMarkedPos;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "#", null };
}


/**
 * {@inheritDoc}
 */
@Override
public boolean getMarkOccurrencesOfTokenType(int type) {
 return type == Token.RESERVED_WORD;
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType,
int startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;
 first = true;
```

```
 // Start off in the proper state.
 int state = YYINITIAL;

 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
  }

}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(java.io.Reader reader) {
 // 's' has
been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always
  * "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
```

```
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
 }


%}

Identifier     = ([^# \t\n]+)
Whitespace     = ([ \t]+)
LineCommentBegin   = "#"

URLGenDelim    = ([:\/\?#\[\]@])
URLSubDelim    = ([\!\$&'\(\)\*\+,;=])
URLUnreserved   = ([A-Za-z0-9_\-\.\~])
URLCharacter   = ({URLGenDelim}|{URLSubDelim}|{URLUnreserved}|[%])
URLCharacters   = ({URLCharacter}*)
URLEndCharacter   = ([\/\$A-Za-z0-9])
URL      = (((https?|f(tp|ile))"://"|"www.")({URLCharacters}{URLEndCharacter})?)

%state
 EOL_COMMENT

%%

<YYINITIAL> {
 {Identifier}   {
       addToken(first ? Token.RESERVED_WORD : Token.IDENTIFIER);
       first = false;
      }
 {Whitespace}   { addToken(Token.WHITESPACE); }
 {LineCommentBegin}  { start = zzMarkedPos-1; yybegin(EOL_COMMENT); }
 \n |
 <<EOF>>     { addNullToken(); return firstToken; }
}

<EOL_COMMENT> {
 [^hwf\n]+    {}
 {URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_EOL);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_EOL); start = zzMarkedPos; }
 [hwf]     {}
 \n |
 <<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_EOL); addNullToken(); return firstToken; }
}
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/HostsTokenMaker.flex
No license file was found, but licenses were detected in source scan.

```
/*
* 11/13/2008
*
* URLFileLocation.java - The location of a file at a (remote) URL.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/URLFileLocation.java
No license file was found, but licenses were detected in source scan.

```
/*
* 11/19/2004
*
* CPlusPlusTokenMaker.java - An object that can take a chunk of text and
* return a linked list of tokens representing it in C++.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/CPlusPlusTokenMaker.java
No license file was found, but licenses were detected in source scan.

```
/*
* 10/03/2007
*
* TclTokenMaker.java - Scanner for the Tcl programming language.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;
```

```
import org.fife.ui.rsyntaxtextarea.*;


/**
* Scanner for the Tcl programming language.<p>
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).
 * We can achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>TclTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless
 memory allocation for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 0.5
*
*/
%%

%public
%class TclTokenMaker
%extends AbstractJFlexCTokenMaker
%unicode
```

```
%type org.fife.ui.rsyntaxtextarea.Token


%{


/**
 * Constructor.  This must be here because JFlex does not generate a
 * no-parameter constructor.
 */
public TclTokenMaker() {
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType
The token's type.
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 */
@Override
public void addToken(char[] array, int start, int end, int tokenType, int startOffset) {
```

```
 super.addToken(array, start,end, tokenType, startOffset);
 zzStartRead = zzMarkedPos;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "//", null };
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.
 This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;

 // Start off in the proper state.
 int state = Token.NULL;

 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}
```

```
/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.

*/
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always
  * "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader
= reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
}


%}

Letter       = [A-Za-z]
NonzeroDigit      = [1-9]
Digit       = ("0"|{NonzeroDigit})
```

```
HexDigit       = ({Digit}|[A-Fa-f])
OctalDigit     = ([0-7])
EscapedSourceCharacter    = ("u"{HexDigit}{HexDigit}{HexDigit}{HexDigit})
NonSeparator      = ([^\t\f\r\n\ \(\)\{\}\[\]\;\,\.\=\>\<\!\~\?\:\+\-\*\/\&\|\^\%\"\']|"#"|"\\")
IdentifierStart     = ({Letter}|"_"|"$")
IdentifierPart      = ({IdentifierStart}|{Digit}|("\\"{EscapedSourceCharacter}))

LineTerminator    = (\n)
WhiteSpace    = ([ \t\f])

UnclosedStringLiteral  = ([\"]([\\].|[^\\\"])*[^\"]?)
StringLiteral    = ({UnclosedStringLiteral}[\"])

LineCommentBegin   = "#"

IntegerHelper1    = (({NonzeroDigit}{Digit}*)|"0")
IntegerHelper2    = ("0"(([xX]{HexDigit}+)|({OctalDigit}*)))
IntegerLiteral    = ({IntegerHelper1}[lL]?)
HexLiteral    = ({IntegerHelper2}[lL]?)
FloatHelper1    = ([fFdD]?)
FloatHelper2    = ([eE][+-]?{Digit}+{FloatHelper1})
FloatLiteral1    =
 ({Digit}+"."({FloatHelper1}|{FloatHelper2}|{Digit}+({FloatHelper1}|{FloatHelper2})))
FloatLiteral2    = ("."{Digit}+({FloatHelper1}|{FloatHelper2}))
FloatLiteral3    = ({Digit}+{FloatHelper2})
FloatLiteral    = ({FloatLiteral1}|{FloatLiteral2}|{FloatLiteral3}|({Digit}+[fFdD]))
ErrorNumberFormat   = (({IntegerLiteral}|{HexLiteral}|{FloatLiteral}){NonSeparator}+)

Separator     = ([\(\)\{\}\[\]])
Separator2    = ([\;,.])

Operator     = ("="|"!"|"+"|"-"|"*"|"/"|">"=?|"<"=?|"%"|"&"|"|"|"^"|"~")

Identifier    = ({IdentifierStart}{IdentifierPart}*)
ErrorIdentifier   = ({NonSeparator}+)


%%

/* Keywords */
<YYINITIAL> "append"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "array"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "auto_mkindex"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "concat"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "console"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "eval"    { addToken(Token.RESERVED_WORD);
 }
<YYINITIAL> "expr"    { addToken(Token.RESERVED_WORD); }
```

```
<YYINITIAL> "format"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "global"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "set"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "trace"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "unset"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "upvar"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "join"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "lappend"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "lindex"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "linsert"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "list"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "llength"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "lrange"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "lreplace"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "lsearch"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "lsort"    { addToken(Token.RESERVED_WORD);
 }
<YYINITIAL> "split"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "scan"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "string"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "regexp"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "regsub"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "if"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "else"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "elseif"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "switch"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "for"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "foreach"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "while"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "break"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "continue"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "proc"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "return"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "source"    {
 addToken(Token.RESERVED_WORD); }
<YYINITIAL> "unkown"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "uplevel"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "cd"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "close"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "eof"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "file"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "flush"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "gets"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "glob"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "open"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "read"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "puts"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "pwd"    { addToken(Token.RESERVED_WORD); }
```

```
<YYINITIAL> "seek"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "tell"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "catch"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "error"    { addToken(Token.RESERVED_WORD);
 }
<YYINITIAL> "exec"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "pid"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "after"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "time"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "exit"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "history"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "rename"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "info"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "ceil"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "floor"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "round"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "incr"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "hypot"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "abs"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "acos"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "cos"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "cosh"    { addToken(Token.RESERVED_WORD);
 }
<YYINITIAL> "asin"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "sin"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "sinh"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "atan"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "atan2"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "tan"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "tanh"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "log"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "log10"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "fmod"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "pow"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "hypot"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "sqrt"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "double"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "int"    { addToken(Token.RESERVED_WORD); }

<YYINITIAL> "bind"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "button"    { addToken(Token.RESERVED_WORD);
 }
<YYINITIAL> "canvas"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "checkbutton"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "destroy"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "entry"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "focus"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "frame"    { addToken(Token.RESERVED_WORD); }
```

```
<YYINITIAL> "grab"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "image"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "label"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "listbox"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "lower"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "menu"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "menubutton"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "message"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "option"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "pack"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "placer"    { addToken(Token.RESERVED_WORD);
 }
<YYINITIAL> "radiobutton"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "raise"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "scale"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "scrollbar"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "selection"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "send"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "text"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "tk"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "tkerror"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "tkwait"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "toplevel"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "update"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "winfo"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "wm"    { addToken(Token.RESERVED_WORD); }


<YYINITIAL> {

 {LineTerminator}    { addNullToken(); return firstToken; }

 {Identifier}     { addToken(Token.IDENTIFIER);
 }

 {WhiteSpace}+     { addToken(Token.WHITESPACE); }

 /* String/Character literals. */
 {StringLiteral}    { addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); }
 {UnclosedStringLiteral}   { addToken(Token.ERROR_STRING_DOUBLE); addNullToken(); return firstToken; }

 /* Comment literals. */
 {LineCommentBegin}.*   { addToken(Token.COMMENT_EOL); addNullToken(); return firstToken; }

 /* Separators. */
 {Separator}     { addToken(Token.SEPARATOR); }
 {Separator2}     { addToken(Token.IDENTIFIER); }
```

```
/* Operators. */
{Operator}     { addToken(Token.OPERATOR); }

/* Numbers */
{IntegerLiteral}    { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
{HexLiteral}     { addToken(Token.LITERAL_NUMBER_HEXADECIMAL); }
{FloatLiteral}     { addToken(Token.LITERAL_NUMBER_FLOAT); }
{ErrorNumberFormat}    { addToken(Token.ERROR_NUMBER_FORMAT); }

{ErrorIdentifier}    { addToken(Token.ERROR_IDENTIFIER); }

/* Ended with a line not in a string or comment. */
<<EOF>>      { addNullToken();
return firstToken; }

/* Catch any other (unhandled) characters and flag them as bad. */
.      { addToken(Token.ERROR_IDENTIFIER); }

}
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/TclTokenMaker.flex
No license file was found, but licenses were detected in source scan.

```
/*
* 10/08/2011
*
* Fold.java - A foldable region of text in an RSyntaxTextArea instance.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/folding/Fold.java
No license file was found, but licenses were detected in source scan.

```
/*
* 09/23/2005
*
* Parser.java - An interface for a parser for RSyntaxTextArea.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/parser/Parser.java
No license file was found, but licenses were detected in source scan.

```
/*
* 02/24/2004
*
* DocumentReader.java - A reader for javax.swing.text.Document
* objects.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/io/DocumentReader.java
No license file was found, but licenses were detected in source scan.

```
/*
* 02/10/2009
*
* LineHighlightManager - Manages line highlights.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/LineHighlightManager.java
No license file was found, but licenses were detected in source scan.

```
/*
* 08/13/2004
*
* RTextAreaEditorKit.java - The editor kit used by RTextArea.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/RTextAreaEditorKit.java
No license file was found, but licenses were detected in source scan.

```
/*
* 07/14/2014
*
* NSISTokenMaker.java - Scanner for NSIS installer scripts.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/NSISTokenMaker.java
No license file was found, but licenses were detected in source scan.

```
/*
* 02/06/2011
*
* ActiveLineRangeListener.java - Listens for "active line range" changes
* in an RSyntaxTextArea.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/ActiveLineRangeListener.java
No license file was found, but licenses were detected in source scan.

```
/*
* 12/14/08
*
* AbstractTokenMakerFactory.java - Base class for TokenMaker implementations.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/AbstractTokenMakerFactory.java
No license file was found, but licenses were detected in source scan.

```
/*
* 03/07/2004
*
* WindowsBatchTokenMaker.java - Scanner for Windows batch files.
*
```

* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/WindowsBatchTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 03/21/2005
*
* PropertiesFileTokenMaker.java - Scanner for properties files.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/PropertiesFileTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 07/14/2014
*
* NSISTokenMaker.java - Scanner for NSIS installer scripts.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;

/**
* Scanner for NSIS installer scripts.<p>
*
* This implementation was created using
* JFlex 1.4.1; however, the generated file
* was modified for performance. Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to

```
* worry about refilling its buffer (needlessly copying chars around).
* We
 can achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>NSISTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless memory
 allocation for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 1.0
*
*/
%%

%public
%class NSISTokenMaker
%extends AbstractJFlexCTokenMaker
%unicode
%ignorecase
%type org.fife.ui.rsyntaxtextarea.Token


%{


 /**
  * Constructor.  This must be here because JFlex does not generate a
  * no-parameter constructor.
  */
```

```
public NSISTokenMaker() {
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 * @see #addToken(int, int, int)
 */
private void addHyperlinkToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so, true);
}


/**

* Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 * @see #addHyperlinkToken(int, int, int)
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so, false);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
```

```
 * @param hyperlink Whether this token is a hyperlink.
 */
@Override
public
void addToken(char[] array, int start, int end, int tokenType,
    int startOffset, boolean hyperlink) {
 super.addToken(array, start,end, tokenType, startOffset, hyperlink);
 zzStartRead = zzMarkedPos;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "#", null };
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset)
{

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;

 // Start off in the proper state.
 int state = YYINITIAL;
 switch (initialTokenType) {
  case Token.LITERAL_STRING_DOUBLE_QUOTE:
   state = STRING;
   break;
  case Token.LITERAL_CHAR:
   state = CHAR_LITERAL;
   break;
  case Token.LITERAL_BACKQUOTE:
```

```
  state = BACKTICKS;
  break;
 case Token.COMMENT_MULTILINE:
  state = MLC;
  break;
 }

 start = text.offset;
 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old
reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
```

```
   * no longer "refills" the buffer (since the way we do it, it's always
   * "full" the first time through, since it points to the segment's
   * array).  So, we assign zzEndRead here.
   */
  //zzStartRead = zzEndRead = s.offset;
  zzStartRead = s.offset;
  zzEndRead = zzStartRead + s.count - 1;
  zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
  zzLexicalState = YYINITIAL;
  zzReader = reader;
  zzAtBOL  = true;
  zzAtEOF  = false;
 }


%}

Letter       = ([A-Za-z])
LetterOrUnderscore    = ({Letter}|"_")
NonzeroDigit      = ([1-9])
Digit       =
 ("0"|{NonzeroDigit})
HexDigit       = ({Digit}|[A-Fa-f])
OctalDigit      = ([0-7])
EscapedSourceCharacter    = ("u"{HexDigit}{HexDigit}{HexDigit}{HexDigit})
NonSeparator      = ([^\t\f\r\n\ \(\)\{\}\[\];\,\.\=\>\<\!\~\?\:\+\-\*\/\&\|\^\%\"\']|"#"|"\\")
IdentifierStart     = ({LetterOrUnderscore}|[$/])
IdentifierPart      = ({IdentifierStart}|{Digit}|("\\"{EscapedSourceCharacter}))

LineTerminator    = (\n)
WhiteSpace    = ([ \t\f])

MLCBegin     = ("/*")
MLCEnd      = ("*/")
LineCommentBegin   = ([;#])

IntegerLiteral    = (({NonzeroDigit}{Digit}*)|"0")
HexLiteral     = ("0"(([xX]{HexDigit}+)|({OctalDigit}*)))
ErrorNumberFormat   = (({IntegerLiteral}|{HexLiteral}){NonSeparator}+)
BooleanLiteral    = ("true"|"false")

Separator     = ([\(\)\{\}\[\]])
Separator2    = ([\;,.])

NonAssignmentOperator  = ("+"|"-"|"<="|"^"|"++"|"<"|"*"|">="|"%"|"--
"|">"|"/"|"!="|"?"|">>"|"!"|"&"|"=="|":"|">>"|"~"|"|"|"&&")
AssignmentOperator   = ("="|"-="|"*="|"/="|"|="|"&="|"^="|"+="|"%="|"<<="|">>=")
Operator     =
```

```
({NonAssignmentOperator}|{AssignmentOperator})

Identifier    = ({IdentifierStart}{IdentifierPart}*)
VariableStart   = ("$")
Variable    = ({VariableStart}({Identifier}|"{"{Identifier}"}"))

URLGenDelim    = ([:\/\?#\[\]@])
URLSubDelim    = ([\!\$&'\(\)\*\+,;=])
URLUnreserved   = ({LetterOrUnderscore}|{Digit}|[\-\.\~])
URLCharacter   = ({URLGenDelim}|{URLSubDelim}|{URLUnreserved}|[%])
URLCharacters   = ({URLCharacter}*)
URLEndCharacter   = ([\/\$]|{Letter}|{Digit})
URL      = (((https?|f(tp|ile))"://"|"www.")({URLCharacters}{URLEndCharacter})?)


%state STRING
%state CHAR_LITERAL
%state BACKTICKS
%state MLC
%state EOL_COMMENT

%%

<YYINITIAL> {

 /* Keywords */
 "function" |
 "functionend" |
 "section" |
 "sectionend" |
 "subsection" |
 "subsectionend"    { addToken(Token.RESERVED_WORD); }

 /* Instructions */
 "addbrandingimage" |
 "addsize" |
 "allowrootdirinstall" |
 "allowskipfiles" |
 "autoclosewindow"
 |
 "bggradient" |
 "brandingtext" |
 "bringtofront" |
 "callinstdll" |
 "caption" |
 "changeui" |
 "checkbitmap" |
 "completedtext" |
```

"componenttext" |
"copyfiles" |
"crccheck" |
"createdirectory" |
"createfont" |
"createshortcut" |
"delete" |
"deleteinisec" |
"deleteinistr" |
"deleteregkey" |
"deleteregvalue" |
"detailprint" |
"detailsbuttontext" |
"dirshow" |
"dirtext" |
"enumregkey" |
"enumregvalue" |
"exch" |
"exec" |
"execshell" |
"execwait" |
"expandenvstrings" |
"file" |
"fileclose" |
"fileerrortext" |
"fileopen" |
"fileread" |
"filereadbyte" |
"fileseek" |
"filewrite" |
"filewritebyte" |
"findclose" |
"findfirst" |
"findnext" |
"findwindow" |
"flushini" |
"getcurinsttype" |
"getcurrentaddress" |
"getdlgitem" |
"getdllversion" |
"getdllversionlocal" |
"getfiletime" |
"getfiletimelocal" |
"getfullpathname" |
"getfunctionaddress" |
"getlabeladdress" |
"gettempfilename" |
"getwindowtext"

|
"hidewindow" |
"icon" |
"initpluginsdir" |
"installbuttontext" |
"installcolors" |
"installdir" |
"installdirregkey" |
"instprogressflags" |
"insttype" |
"insttypegettext" |
"insttypesettext" |
"intfmt" |
"intop" |
"langstring" |
"langstringup" |
"licensebkcolor" |
"licensedata" |
"licenseforceselection" |
"licensetext" |
"loadlanguagefile" |
"loadlanguagefile" |
"logset" |
"logtext" |
"miscbuttontext" |
"name" |
"nop" |
"outfile" |
"page" |
"plugindir" |
"pop" |
"push" |
"readenvstr" |
"readinistr" |
"readregdword" |
"readregstr" |
"regdll" |
"rename" |
"requestexecutionlevel" |
"reservefile" |
"rmdir" |
"searchpath" |
"sectiongetflags" |
"sectiongetinsttypes" |
"sectiongetsize" |
"sectiongettext" |
"sectionin" |
"sectionsetflags" |

"sectionsetinsttypes" |
"sectionsetsize" |
"sectionsettext" |
"sendmessage" |
"setautoclose" |
"setbkcolor" |
"setbrandingimage" |
"setcompress"
|
"setcompressor" |
"setcurinsttype" |
"setdatablockoptimize" |
"setdatesave" |
"setdetailsprint" |
"setdetailsview" |
"setfileattributes" |
"setfont" |
"setoutpath" |
"setoverwrite" |
"setpluginunload" |
"setrebootflag" |
"setshellvarcontext" |
"setstaticbkcolor" |
"setwindowlong" |
"showinstdetails" |
"showuninstdetails" |
"showwindow" |
"silentinstall" |
"silentuninstall" |
"sleep" |
"spacetexts" |
"strcpy" |
"strlen" |
"subcaption" |
"uninstallbuttontext" |
"uninstallcaption" |
"uninstallicon" |
"uninstallsubcaption" |
"uninstalltext" |
"uninstpage" |
"unregdll" |
"var" |
"viaddversionkey" |
"videscription" |
"vicompanyname" |
"vicomments" |
"vilegalcopyrights" |
"vilegaltrademarks" |

```
"viproductname" |
"viproductversion" |
"windowicon" |
"writeinistr" |
"writeregbin" |
"writeregdword" |
"writeregexpandstr" |
"writeregstr" |
"writeuninstaller" |
"xpstyle" |

/* Flow control
instructions */
"abort" |
"call" |
"clearerrors" |
"goto" |
"ifabort" |
"iferrors" |
"iffileexists" |
"ifrebootflag" |
"intcmp" |
"intcmpu" |
"iswindow" |
"messagebox" |
"reboot" |
"return" |
"quit" |
"seterrors" |
"strcmp" |
"strcmps"    { addToken(Token.FUNCTION); }

/* Compiler utility commands */
"!addincludedir" |
"!addplugindir" |
"!define" |
"!include" |
"!cd" |
"!echo" |
"!error" |
"!insertmacro" |
"!packhdr" |
"!system" |
"!warning" |
"!undef" |
"!verbose" |

/* Conditional compilation */
```

```
"!ifdef" |
"!ifndef" |
"!if" |
"!else" |
"!endif" |
"!macro" |
"!macroend"    { addToken(Token.RESERVED_WORD); }

/* Global variables */
"$0" |
"$1" |
"$2" |
"$3" |
"$4" |
"$5" |
"$6" |
"$7" |
"$8" |
"$9" |
"$INSTDIR" |
"$OUTDIR" |
"$CMDLINE" |
"$LANGUAGE" |

/* Local variables */
("$R0"{Digit}) |

/* Constants */
"ARCHIVE" |
"CENTER" |
"CONTROL" |
"CUR" |
"EXT"
|
("F"{NonzeroDigit}) |
("F1"{Digit}) |
("F2"[0-4]) |
"FILE_ATTRIBUTE_ARCHIVE" |
"MB_ABORTRETRYIGNORE" |
"RIGHT" |
"RO" |
"SET" |
"SHIFT" |
"SW_SHOWMAXIMIZED" |
"SW_SHOWMINIMIZED" |
"SW_SHOWNORMAL" |
"a" |
"admin" |
```

"all" |
"alwaysoff" |
"auto" |
"both" |
"bottom" |
"bzip2" |
"checkbox" |
"colored" |
"components" |
"current" |
"custom" |
"directory" |
"force" |
"hide" |
"highest" |
"ifnewer" |
"instfiles" |
"license" |
"listonly" |
"manual" |
"nevershow" |
"none" |
"off" |
"on" |
"r" |
"radiobuttons" |
"show" |
"silent" |
"silentlog" |
"smooth" |
"textonly" |
"top" |
"try" |
"uninstConfirm" |
"user" |
"w" |
"zlib" |
"$$" |
"$DESKTOP" |
"$EXEDIR" |
"$HWNDPARENT" |
"$PLUGINSDIR" |
"$PROGRAMFILES" |
"$QUICKLAUNCH" |
"$SMPROGRAMS" |
"$SMSTARTUP" |
"$STARTMENU" |
"$SYSDIR" |

"$TEMP" |
"$WINDIR" |
"$\n" |
"$\r" |
"${NSISDIR}" |
"ALT" |
"END" |
"FILE_ATTRIBUTE_HIDDEN"
|
"FILE_ATTRIBUTE_NORMAL" |
"FILE_ATTRIBUTE_OFFLINE" |
"FILE_ATTRIBUTE_READONLY" |
"FILE_ATTRIBUTE_SYSTEM" |
"FILE_ATTRIBUTE_TEMPORARY" |
"HIDDEN" |
"HKCC" |
"HKCR" |
"HKCU" |
"HKDD" |
"HKLM" |
"HKPD" |
"HKU" |
"SHCTX" |
"IDABORT" |
"IDCANCEL" |
"IDIGNORE" |
"IDNO" |
"IDOK" |
"IDRETRY" |
"IDYES" |
"LEFT" |
"MB_DEFBUTTON1" |
"MB_DEFBUTTON2" |
"MB_DEFBUTTON3" |
"MB_DEFBUTTON4" |
"MB_ICONEXCLAMATION" |
"MB_ICONINFORMATION" |
"MB_ICONQUESTION" |
"MB_ICONSTOP" |
"MB_OK" |
"MB_OKCANCEL" |
"MB_RETRYCANCEL" |
"MB_RIGHT" |
"MB_SETFOREGROUND" |
"MB_TOPMOST" |
"MB_YESNO" |
"MB_YESNOCANCEL" |
"NORMAL" |

```
"OFFLINE" |
"READONLY" |
"SYSTEM" |
"TEMPORARY"      { addToken(Token.VARIABLE); }

{LineTerminator}    { addNullToken(); return firstToken; }

/* Operators. */
{Operator}     { addToken(Token.OPERATOR); }

{BooleanLiteral}    { addToken(Token.LITERAL_BOOLEAN); }
{Identifier}     { addToken(Token.IDENTIFIER);
}
{Variable}      { addToken(Token.VARIABLE); }

{WhiteSpace}+     { addToken(Token.WHITESPACE); }

/* String/Character literals. */
\"       { start = zzMarkedPos-1; yybegin(STRING); }
\'       { start = zzMarkedPos-1; yybegin(CHAR_LITERAL); }
\`       { start = zzMarkedPos-1; yybegin(BACKTICKS); }

/* Comment literals. */
"/**/"      { addToken(Token.COMMENT_MULTILINE); }
{MLCBegin}     { start = zzMarkedPos-2; yybegin(MLC); }
{LineCommentBegin}   { start = zzMarkedPos-1; yybegin(EOL_COMMENT); }

/* Separators. */
{Separator}     { addToken(Token.SEPARATOR); }
{Separator2}     { addToken(Token.IDENTIFIER); }

/* Numbers */
{IntegerLiteral}    { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
{HexLiteral}     { addToken(Token.LITERAL_NUMBER_HEXADECIMAL); }
{ErrorNumberFormat}    { addToken(Token.ERROR_NUMBER_FORMAT); }

/* Ended with a line not in a string or comment. */
<<EOF>>      { addNullToken(); return firstToken;
}

/* Catch any other (unhandled) characters and flag them as identifiers. */
.      { addToken(Token.IDENTIFIER); }

}


<STRING> {
[^\n\\\$\"]+  {}
```

```
 \\.    { /* Skip all escaped chars. */ }
 \\     { /* Line ending in '\' => continue to next line. */
       addToken(start,zzStartRead, Token.LITERAL_STRING_DOUBLE_QUOTE);
       return firstToken;
      }
 {Variable}   { int temp=zzStartRead; addToken(start,zzStartRead-1,
Token.LITERAL_STRING_DOUBLE_QUOTE); addToken(temp,zzMarkedPos-1, Token.VARIABLE); start =
zzMarkedPos; }
 {VariableStart}  {}
 \"     { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.LITERAL_STRING_DOUBLE_QUOTE); }
 \n |
 <<EOF>>    { addToken(start,zzStartRead-1, Token.ERROR_STRING_DOUBLE); return firstToken; }
}


<CHAR_LITERAL> {
 [^\n\\\$\']+  {}
 \\.    { /* Skip all escaped chars. */ }
 \\     { /* Line ending in '\' => continue to next line. */
       addToken(start,zzStartRead, Token.LITERAL_CHAR);
       return firstToken;
      }
 {Variable}   {
 int temp=zzStartRead; addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE);
addToken(temp,zzMarkedPos-1, Token.VARIABLE); start = zzMarkedPos; }
 {VariableStart}  {}
 \'     { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.LITERAL_CHAR); }
 \n |
 <<EOF>>    { addToken(start,zzStartRead-1, Token.ERROR_CHAR); return firstToken; }
}


<BACKTICKS> {
 [^\n\\\$\`]+  {}
 \\.    { /* Skip all escaped chars. */ }
 \\     { /* Line ending in '\' => continue to next line. */
       addToken(start,zzStartRead, Token.LITERAL_BACKQUOTE);
       return firstToken;
      }
 {Variable}   { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.LITERAL_BACKQUOTE);
addToken(temp,zzMarkedPos-1, Token.VARIABLE); start = zzMarkedPos; }
 {VariableStart}  {}
 \`     { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.LITERAL_BACKQUOTE); }
 \n |
 <<EOF>>    { addToken(start,zzStartRead-1, Token.LITERAL_BACKQUOTE); return firstToken;
 }
}
```

```
<MLC> {
 [^hwf\n\*]+    {}
 {URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_MULTILINE); start = zzMarkedPos; }
 [hwf]     {}

 \n      { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken; }
 {MLCEnd}     { yybegin(YYINITIAL); addToken(start,zzStartRead+1, Token.COMMENT_MULTILINE); }
 \*      {}
 <<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken; }
}


<EOL_COMMENT> {
 [^hwf\n]+    {}
 {URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_EOL);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_EOL); start = zzMarkedPos; }
 [hwf]     {}
 \n |
 <<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_EOL); addNullToken(); return firstToken; }
}
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/NSISTokenMaker.flex
No license file was found, but licenses were detected in source scan.

```
/*
* 01/22/2005
*
* ImageBackgroundPainterStrategy.java - Renders an RTextAreaBase's
* background as an image.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/ImageBackgroundPainterStrategy.java
No license file was found, but licenses were detected in source scan.

```
/*
* 02/17/2009
*
* AbstractGutterComponent.java - A component that can be displayed in a Gutter.
*
```

* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/AbstractGutterComponent.java
No license file was found, but licenses were detected in source scan.

/*
* 11/13/2004
*
* CTokenMaker.java - An object that can take a chunk of text and
* return a linked list of tokens representing it in the C programming
* language.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/CTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 09/20/2008
*
* MakefileTokenMaker.java - Scanner for makefiles.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/MakefileTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 11/24/2015
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-

jar/org/fife/ui/rsyntaxtextarea/modes/TypeScriptTokenMaker.java
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/DockerTokenMaker.java
No license file was found, but licenses were detected in source scan.

```
/*
* 04/27/2010
*
* ActionScriptTokenMaker.java - Scanner for ActionScript.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;


/**
* Scanner for the ActionScript.<p>
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).
* We can achieve
 this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>ActionScriptTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
```

```
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless memory
 allocation for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 0.5
*
*/
%%

%public
%class ActionScriptTokenMaker
%extends AbstractJFlexCTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{


 /**
  * Constructor.  This must be here because JFlex does not generate a
  * no-parameter constructor.
  */
 public ActionScriptTokenMaker() {
 }


 /**
  * Adds the token specified to the current linked list of tokens.
  *
  * @param tokenType The token's type.
  * @see #addToken(int, int, int)
  */
 private void addHyperlinkToken(int start, int end, int tokenType) {
  int so = start + offsetShift;
  addToken(zzBuffer, start,end, tokenType, so, true);
 }


 /**
```

```
* Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 * @see #addHyperlinkToken(int, int, int)
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so, false);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 * @param hyperlink Whether this token is a hyperlink.
 */
@Override
public
void addToken(char[] array, int start, int end, int tokenType,
    int startOffset, boolean hyperlink) {
 super.addToken(array, start,end, tokenType, startOffset, hyperlink);
 zzStartRead = zzMarkedPos;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "//", null };
}
```

```
/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int
startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;

 // Start off in the proper state.
 int state = Token.NULL;
 switch (initialTokenType) {
  case Token.COMMENT_MULTILINE:
   state = MLC;
   start = text.offset;
   break;
  default:
   state = Token.NULL;
 }

 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
```

```
 *             <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set
to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(java.io.Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always
  * "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
}


%}

Letter       = [A-Za-z]
LetterOrUnderscore    = ({Letter}|"_")
NonzeroDigit      = [1-9]
Digit       = ("0"|{NonzeroDigit})
HexDigit       = ({Digit}|[A-Fa-f])
OctalDigit      = ([0-7])
AnyCharacterButApostropheOrBackSlash = ([^\\'])
AnyCharacterButDoubleQuoteOrBackSlash =
```

```
([^\\\"\n])
EscapedSourceCharacter    = ("u"{HexDigit}{HexDigit}{HexDigit}{HexDigit})
Escape      =
("\\"(([btnfr\"'\\])|([0123]{OctalDigit}?{OctalDigit}?)|({OctalDigit}{OctalDigit}?)|{EscapedSourceCharacter}))
NonSeparator      = ([^\t\f\r\n\ \(\)\{\}\[\];\,\.\=\>\<\!\~\?\:\+\-\*\/\&\|\^\%\"\']|"#"|"\\")
IdentifierStart     = ({LetterOrUnderscore}|"$")
IdentifierPart      = ({IdentifierStart}|{Digit}|("\\"{EscapedSourceCharacter}))

LineTerminator    = (\n)
WhiteSpace    = ([ \t\f])

CharLiteral    = ([\']({AnyCharacterButApostropheOrBackSlash}|{Escape})*[\'])
UnclosedCharLiteral    = ([\'][\\].|[^\\\'])*[^\']*)
ErrorCharLiteral    = ({UnclosedCharLiteral}[\'])
StringLiteral    = ([\"]({AnyCharacterButDoubleQuoteOrBackSlash}|{Escape})*[\"])
UnclosedStringLiteral   = ([\"]([\\].|[^\\\"])*[^\"]?)
ErrorStringLiteral    = ({UnclosedStringLiteral}[\"])

MLCBegin     = ("/*")
MLCEnd      = ("*/")
LineCommentBegin    = ("//")
IntegerHelper1     = (({NonzeroDigit}{Digit}*)|"0")
IntegerHelper2     =
("0"(([xX]{HexDigit}+)|({OctalDigit}*)))
IntegerLiteral     = ({IntegerHelper1}[lL]?)
HexLiteral     = ({IntegerHelper2}[lL]?)
FloatHelper1     = ([fFdD]?)
FloatHelper2     = ([eE][+-]?{Digit}+{FloatHelper1})
FloatLiteral1     = ({Digit}+"."({FloatHelper1}|{FloatHelper2}|{Digit}+({FloatHelper1}|{FloatHelper2})))
FloatLiteral2     = ("."{Digit}+({FloatHelper1}|{FloatHelper2}))
FloatLiteral3     = ({Digit}+{FloatHelper2})
FloatLiteral     = ({FloatLiteral1}|{FloatLiteral2}|{FloatLiteral3}|({Digit}+[fFdD]))
ErrorNumberFormat    = (({IntegerLiteral}|{HexLiteral}|{FloatLiteral}){NonSeparator}+)
BooleanLiteral     = ("true"|"false")

Separator      = ([\(\)\{\}\[\]])
Separator2     = ([\;,.])

NonAssignmentOperator   = ("+"|"-"|"<="|"^"|"++"|"<"|"*"|">="|"%"|"--
"|">"|"/"|"!="|"?"|">>"|"!"|"&"|"=="|":"|">>"|"~"|"|"|"&&"|">>>")
AssignmentOperator    = ("="|"-="|"*="|"/="|"|="|"&="|"^="|"+="|"%="|"<<="|">>="|">>>=")
Operator      = ({NonAssignmentOperator}|{AssignmentOperator})

Identifier     =
({IdentifierStart}{IdentifierPart}*)
ErrorIdentifier    = ({NonSeparator}+)

URLGenDelim     = ([:\/\?#\[\]@])
```

```
URLSubDelim    = ([\!\$&'\(\)\*\+,;=])
URLUnreserved   = ({LetterOrUnderscore}|{Digit}|[\-\.\~])
URLCharacter   = ({URLGenDelim}|{URLSubDelim}|{URLUnreserved}|[%])
URLCharacters   = ({URLCharacter}*)
URLEndCharacter   = ([\/\$]|{Letter}|{Digit})
URL      = (((https?|f(tp|ile))"://"|"www.")({URLCharacters}{URLEndCharacter})?)


%state MLC
%state EOL_COMMENT

%%

<YYINITIAL> {

 /* Keywords */
 "add" |
 "and" |
 "break" |
 "case" |
 "catch" |
 "class" |
 "const" |
 "continue" |
 "default" |
 "delete" |
 "do" |
 "dynamic" |
 "else" |
 "eq" |
 "extends" |
 "final" |
 "finally" |
 "for" |
 "for each" |
 "function" |
 "ge" |
 "get" |
 "gt" |
 "if" |
 "ifFrameLoaded" |
 "implements" |
 "import" |
 "in" |
 "include" |
 "interface" |
 "internal" |
 "label" |
```

```
"le" |
"lt" |
"namespace" |
"native"
|
"ne" |
"new" |
"not" |
"on" |
"onClipEvent" |
"or" |
"override" |
"package" |
"private" |
"protected" |
"public" |
"return" |
"set" |
"static" |
"super" |
"switch" |
"tellTarget" |
"this" |
"throw" |
"try" |
"typeof" |
"use" |
"var" |
"void" |
"while" |
"with" |

"null" |
"undefined"    { addToken(Token.RESERVED_WORD); }

/* Built-in objects (good idea not to use these names!) */
"Array" |
"Boolean" |
"Color" |
"Date" |
"Function" |
"int" |
"Key" |
"MovieClip" |
"Math" |
"Mouse" |
"Null" |
"Number" |
```

```
"Object" |
"Selection" |
"Sound" |
"String" |
"uint" |
"Vector" |
"XML" |
"XMLNode" |
"XMLSocket"   { addToken(Token.DATA_TYPE); }

/* Global functions */
"call" |
"escape" |
"eval" |
"fscommand" |
"getProperty" |
"getTimer" |
"getURL" |
"getVersion" |
"gotoAndPlay" |
"gotoAndStop" |
"#include" |
"int" |
"isFinite" |
"isNaN" |
"loadMovie" |
"loadMovieNum"
|
"loadVariables" |
"loadVariablesNum" |
"maxscroll" |
"newline" |
"nextFrame" |
"nextScene" |
"Number" |
"parseFloat" |
"parseInt" |
"play" |
"prevFrame" |
"prevScene" |
"print" |
"printAsBitmap" |
"printAsBitmapNum" |
"printNum" |
"random" |
"removeMovieClip" |
"scroll" |
"setProperty" |
```

```
"startDrag" |
"stop" |
"stopAllSounds" |
"stopDrag" |
"String" |
"targetPath" |
"tellTarget" |
"toggleHighQuality" |
"trace" |
"unescape" |
"unloadMovie" |
"unloadMovieNum" |
"updateAfterEvent"   { addToken(Token.FUNCTION); }

/* Booleans. */
{BooleanLiteral}   { addToken(Token.LITERAL_BOOLEAN); }

{LineTerminator}    { addNullToken(); return firstToken; }

{Identifier}     { addToken(Token.IDENTIFIER); }

{WhiteSpace}+     { addToken(Token.WHITESPACE); }

/* String/Character literals. */
{CharLiteral}     { addToken(Token.LITERAL_CHAR); }
{UnclosedCharLiteral}   { addToken(Token.ERROR_CHAR); addNullToken();
return firstToken; }
{ErrorCharLiteral}    { addToken(Token.ERROR_CHAR); }
{StringLiteral}    { addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); }
{UnclosedStringLiteral}   { addToken(Token.ERROR_STRING_DOUBLE); addNullToken(); return firstToken; }
{ErrorStringLiteral}   { addToken(Token.ERROR_STRING_DOUBLE); }

/* Comment literals. */
"/**/"      { addToken(Token.COMMENT_MULTILINE); }
{MLCBegin}     { start = zzMarkedPos-2; yybegin(MLC); }
{LineCommentBegin}   { start = zzMarkedPos-2; yybegin(EOL_COMMENT); }

/* Separators. */
{Separator}     { addToken(Token.SEPARATOR); }
{Separator2}     { addToken(Token.IDENTIFIER); }

/* Operators. */
{Operator}     { addToken(Token.OPERATOR); }

/* Numbers */
{IntegerLiteral}    { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
{HexLiteral}     { addToken(Token.LITERAL_NUMBER_HEXADECIMAL); }
{FloatLiteral}     { addToken(Token.LITERAL_NUMBER_FLOAT); }
```

```
 {ErrorNumberFormat}    { addToken(Token.ERROR_NUMBER_FORMAT);
 }

 {ErrorIdentifier}    { addToken(Token.ERROR_IDENTIFIER); }

 /* Ended with a line not in a string or comment. */
 <<EOF>>      { addNullToken(); return firstToken; }

 /* Catch any other (unhandled) characters and flag them as bad. */
 .      { addToken(Token.ERROR_IDENTIFIER); }

}


<MLC> {

 [^hwf\n\*]+    {}
 {URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_MULTILINE); start = zzMarkedPos; }
 [hwf]     {}

 \n      { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken; }
 {MLCEnd}     { yybegin(YYINITIAL); addToken(start,zzStartRead+1, Token.COMMENT_MULTILINE); }
 \*      {}
 <<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken; }

}


<EOL_COMMENT> {
 [^hwf\n]+    {}
 {URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_EOL);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_EOL);
 start = zzMarkedPos; }
 [hwf]     {}
 \n      { addToken(start,zzStartRead-1, Token.COMMENT_EOL); addNullToken(); return firstToken; }
 <<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_EOL); addNullToken(); return firstToken; }

}

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-
jar/org/fife/ui/rsyntaxtextarea/modes/ActionScriptTokenMaker.flex
No license file was found, but licenses were detected in source scan.

/*
* 06/30/2013
*
```

```
* HtaccessTokenMaker.java - Token generator for .htaccess files.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;


/**
* Scanner for .htaccess files.
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).
* We can
 achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>HtaccessTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless memory
 allocation for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
```

```
*
* @author Robert Futrell
* @version 0.7
*
*/
%%

%public
%class HtaccessTokenMaker
%extends AbstractJFlexTokenMaker
%unicode
%ignorecase
%type org.fife.ui.rsyntaxtextarea.Token


%{

 /**
  * Type specific to HtaccessTokenMaker denoting a line ending with an
  * unclosed double-quote attribute.
  */
 public static final int INTERNAL_ATTR_DOUBLE   = -1;


 /**
  * Type specific to HtaccessTokenMaker denoting a line ending with an
  * unclosed single-quote attribute.
  */
 public static final int INTERNAL_ATTR_SINGLE   = -2;


 /**
  * Token type specific to HtaccessTokenMaker denoting a line ending with an
  * unclosed XML tag;
 thus a new line is beginning still inside of the tag.
  */
 public static final int INTERNAL_INTAG     = -3;

 /**
  * Constructor.  This must be here because JFlex does not generate a
  * no-parameter constructor.
  */
 public HtaccessTokenMaker() {
 }


 /**
  * Adds the token specified to the current linked list of tokens as an
```

```
 * "end token;" that is, at <code>zzMarkedPos</code>.
 *
 * @param tokenType The token's type.
 */
private void addEndToken(int tokenType) {
 addToken(zzMarkedPos,zzMarkedPos, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 * @see #addToken(int, int, int)
 */
private void addHyperlinkToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so, true);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.

*/
private void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
```

```
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *        occurs.
 */
@Override
public void addToken(char[] array, int start, int end, int tokenType, int startOffset) {
 super.addToken(array, start,end, tokenType, startOffset);
 zzStartRead = zzMarkedPos;
}


/**
 * Returns how to transform a line into a line comment.

*
 * @return The line comment start and end text for .htaccess files.
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "#", null };
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;

 // Start off in the proper state.
 int state = YYINITIAL;
 switch (initialTokenType)
 {
  case INTERNAL_ATTR_DOUBLE:
   state = INATTR_DOUBLE;
   break;
```

```
 case INTERNAL_ATTR_SINGLE:
  state = INATTR_SINGLE;
  break;
 case INTERNAL_INTAG:
  state = INTAG;
  break;
 default:
  state = YYINITIAL;
 }

 start = text.offset;
 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
  }

}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader
  the new input stream
 */
public final void yyreset(Reader reader) {
 // 's' has been updated.
```

```
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always
  * "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
}


%}

NameStartChar  = ([\:A-Z_a-z])
NameChar   = ({NameStartChar}|[\-\.0-9])
TagName    = ({NameStartChar}{NameChar}*)
Whitespace   = ([ \t\f]+)
Identifier   = ([^ \t\n<#]+)
InTagIdentifier  = ([^ \t\n\"\'=>]+)
LineCommentBegin = ("#")

AnyCharacterButDoubleQuoteOrBackSlash = ([^\\\"\n])
Escape         = ("\\".)
StringLiteral       =
 ([\"]({AnyCharacterButDoubleQuoteOrBackSlash}|{Escape})*[\"])
UnclosedStringLiteral     = ([\"]([\\].|[^\\\"])*[^\"]?)
ErrorStringLiteral      = ({UnclosedStringLiteral}[\"])

NameStartChar  = ([\:A-Z_a-z])
NameChar   = ({NameStartChar}|[\-\.0-9])
TagName    = ({NameStartChar}{NameChar}*)
DirectiveStart  = (("<"[/]?){TagName})

URLGenDelim    = ([:\/\?#\[\]@])
URLSubDelim    = ([\!\$&'\(\)\*\+,;=])
URLUnreserved   = ([A-Za-z_0-9\-\.\~])
URLCharacter   = ({URLGenDelim}|{URLSubDelim}|{URLUnreserved}|[%])
URLCharacters   = ({URLCharacter}*)
URLEndCharacter   = ([\/\$A-Za-z0-9])
URL      = (((https?|f(tp|ile))"://"|"www.")({URLCharacters}{URLEndCharacter})?)
```

```
%state EOL_COMMENT
%state INTAG
%state INATTR_DOUBLE
%state INATTR_SINGLE

%%

<YYINITIAL> {

 {Whitespace}    { addToken(Token.WHITESPACE); }
 {LineCommentBegin}    { start = zzMarkedPos-1; yybegin(EOL_COMMENT); }

 "<"{TagName}    {
        int count = yylength();
        addToken(zzStartRead,zzStartRead,
 Token.MARKUP_TAG_DELIMITER);
        addToken(zzMarkedPos-(count-1), zzMarkedPos-1, Token.MARKUP_TAG_NAME);
        yybegin(INTAG);
       }
 "</"{TagName}    {
        int count = yylength();
        addToken(zzStartRead,zzStartRead+1, Token.MARKUP_TAG_DELIMITER);
        addToken(zzMarkedPos-(count-2), zzMarkedPos-1, Token.MARKUP_TAG_NAME);
        yybegin(INTAG);
       }

 "AcceptPathInfo" |
 "Action" |
 "AddAlt" |
 "AddAltByEncoding" |
 "AddAltByType" |
 "AddCharset" |
 "AddDefaultCharset" |
 "AddDescription" |
 "AddEncoding" |
 "AddHandler" |
 "AddIcon" |
 "AddIconByEncoding" |
 "AddIconByType" |
 "AddInputFilter" |
 "AddLanguage" |
 "AddOutputFilter" |
 "AddOutputFilterByType" |
 "AddType" |
 "Allow" |
 "Anonymous" |
 "Anonymous_Authoritative" |
 "Anonymous_LogEmail" |
```

"Anonymous_MustGiveEmail" |
"Anonymous_NoUserID" |
"Anonymous_VerifyEmail" |
"AuthAuthoritative" |
"AuthBasicAuthoritative" |
"AuthBasicProvider"
|
"AuthDBMAuthoritative" |
"AuthDBMGroupFile" |
"AuthDBMType" |
"AuthDBMUserFile" |
"AuthDigestAlgorithm" |
"AuthDigestDomain" |
"AuthDigestFile" |
"AuthDigestGroupFile" |
"AuthDigestNonceFormat" |
"AuthDigestNonceLifetime" |
"AuthDigestQop" |
"AuthGroupFile" |
"AuthLDAPAuthoritative" |
"AuthLDAPBindDN" |
"AuthLDAPBindPassword" |
"AuthLDAPCompareDNOnServer" |
"AuthLDAPDereferenceAliases" |
"AuthLDAPEnabled" |
"AuthLDAPFrontPageHack" |
"AuthLDAPGroupAttribute" |
"AuthLDAPGroupAttributeIsDN" |
"AuthLDAPRemoteUserIsDN" |
"AuthLDAPUrl" |
"AuthName" |
"AuthType" |
"AuthUserFile" |
"BrowserMatch" |
"BrowserMatchNoCase" |
"CGIMapExtension" |
"CharsetDefault" |
"CharsetOptions" |
"CharsetSourceEnc" |
"CheckSpelling" |
"ContentDigest" |
"CookieDomain" |
"CookieExpires" |
"CookieName" |
"CookieStyle" |
"CookieTracking" |
"DefaultIcon" |
"DefaultLanguage" |

"DefaultType" |
"Deny" |
"DirectoryIndex"
|
"DirectorySlash" |
"EnableMMAP" |
"EnableSendfile" |
"ErrorDocument" |
"Example" |
"ExpiresActive" |
"ExpiresByType" |
"ExpiresDefault" |
"FileETag" |
"ForceLanguagePriority" |
"ForceType" |
"Header" |
"HeaderName" |
"ImapBase" |
"ImapDefault" |
"ImapMenu" |
"IndexIgnore" |
"IndexOptions" |
"IndexOrderDefault" |
"ISAPIAppendLogToErrors" |
"ISAPIAppendLogToQuery" |
"ISAPIFakeAsync" |
"ISAPILogNotSupported" |
"ISAPIReadAheadBuffer" |
"LanguagePriority" |
"LimitRequestBody" |
"LimitXMLRequestBody" |
"MetaDir" |
"MetaFiles" |
"MetaSuffix" |
"MultiviewsMatch" |
"Options" |
"Order" |
"PassEnv" |
"ReadmeName" |
"Redirect" |
"RedirectMatch" |
"RedirectPermanent" |
"RedirectTemp" |
"RemoveCharset" |
"RemoveEncoding" |
"RemoveHandler" |
"RemoveInputFilter" |
"RemoveLanguage" |

```
"RemoveOutputFilter" |
"RemoveType" |
"RequestHeader" |
"Require" |
"RewriteBase" |
"RewriteCond" |
"RewriteEngine"
|
"RewriteOptions" |
"RewriteRule" |
"RLimitCPU" |
"RLimitMEM" |
"RLimitNPROC" |
"Satisfy" |
"ScriptInterpreterSource" |
"ServerSignature" |
"SetEnv" |
"SetEnvIf" |
"SetEnvIfNoCase" |
"SetHandler" |
"SetInputFilter" |
"SetOutputFilter" |
"SSIErrorMsg" |
"SSITimeFormat" |
"SSLCipherSuite" |
"SSLOptions" |
"SSLProxyCipherSuite" |
"SSLProxyVerify" |
"SSLProxyVerifyDepth" |
"SSLRequire" |
"SSLRequireSSL" |
"SSLUserName" |
"SSLVerifyClient" |
"SSLVerifyDepth" |
"UnsetEnv" |
"XBitHack"     { addToken(Token.FUNCTION); }

{Identifier}    { addToken(Token.IDENTIFIER); }
{StringLiteral}    { addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); }
{UnclosedStringLiteral}  { addToken(Token.ERROR_STRING_DOUBLE); addNullToken(); return firstToken; }
{ErrorStringLiteral}  { addToken(Token.ERROR_STRING_DOUBLE); }

.      { addToken(Token.IDENTIFIER); }
\n |
<<EOF>>      { addNullToken(); return firstToken; }
}

<INTAG> {
```

```
 {InTagIdentifier}   {
 addToken(Token.MARKUP_TAG_ATTRIBUTE); }
 {Whitespace}+    { addToken(Token.WHITESPACE); }
 "="       { addToken(Token.OPERATOR); }
 ">"       { yybegin(YYINITIAL); addToken(Token.MARKUP_TAG_DELIMITER); }
 [\"]      { start = zzMarkedPos-1; yybegin(INATTR_DOUBLE); }
 [\']      { start = zzMarkedPos-1; yybegin(INATTR_SINGLE); }
 <<EOF>>      { addToken(start,zzStartRead-1, INTERNAL_INTAG); return firstToken; }
}

<INATTR_DOUBLE> {
 [^\"]*      {}
 [\"]      { yybegin(INTAG); addToken(start,zzStartRead, Token.MARKUP_TAG_ATTRIBUTE_VALUE); }
 <<EOF>>      { addToken(start,zzStartRead-1, Token.MARKUP_TAG_ATTRIBUTE_VALUE);
addEndToken(INTERNAL_ATTR_DOUBLE); return firstToken; }
}

<INATTR_SINGLE> {
 [^\']*      {}
 [\']      { yybegin(INTAG); addToken(start,zzStartRead, Token.MARKUP_TAG_ATTRIBUTE_VALUE); }
 <<EOF>>      { addToken(start,zzStartRead-1, Token.MARKUP_TAG_ATTRIBUTE_VALUE);
addEndToken(INTERNAL_ATTR_SINGLE); return firstToken; }
}

<EOL_COMMENT>
 {
 [^hwf\n]+    {}
 {URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_EOL);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_EOL); start = zzMarkedPos; }
 [hwf]     {}
 \n |
 <<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_EOL); addNullToken(); return firstToken; }

}
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/HtaccessTokenMaker.flex
No license file was found, but licenses were detected in source scan.

```
/*
* 10/08/2011
*
* FoldIndicator.java - Gutter component allowing the user to expand and
* collapse folds.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
```

```
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/FoldIndicator.java
No license file was found, but licenses were detected in source scan.

```
/*
* 11/19/2004
*
* CPlusPlusTokenMaker.java - An object that can take a chunk of text and
* return a linked list of tokens representing it in C++.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;


/**
* A parser for the C++ programming language.
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
 * worry about refilling its buffer (needlessly copying chars around).
* We can achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>CPlusPlusTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
```

```
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition
 of zzBuffer to NOT
*       be initialized.  This is a needless memory allocation for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 0.6
*
*/
%%

%public
%class CPlusPlusTokenMaker
%extends AbstractJFlexCTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{


 /**
  * Constructor.  This must be here because JFlex does not generate a
  * no-parameter constructor.
  */
 public CPlusPlusTokenMaker() {
  super();
 }


 /**
  * Adds the token specified to the current linked list of tokens.
  *
  * @param tokenType The token's type.
  * @see #addToken(int, int, int)
  */
 private void addHyperlinkToken(int start, int end, int tokenType)
 {
  int so = start + offsetShift;
  addToken(zzBuffer, start,end, tokenType, so, true);
 }
```

```
/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 */
@Override
public void addToken(char[]
array, int start, int end, int tokenType, int startOffset) {
 super.addToken(array, start,end, tokenType, startOffset);
 zzStartRead = zzMarkedPos;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "//", null };
}
```

```
/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
@Override
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift
= -text.offset + startOffset;

 // Start off in the proper state.
 int state = YYINITIAL;
 switch (initialTokenType) {
  case Token.COMMENT_EOL:
   state = EOL_COMMENT;
   start = text.offset;
   break;
  case Token.COMMENT_MULTILINE:
   state = MLC;
   start = text.offset;
   break;
  default:
   state = YYINITIAL;
 }

 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}
```

```
/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded
and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always
  * "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
}


%}

Letter    = [A-Za-z]
LetterOrUnderscore = ({Letter}|"_")
Digit     = [0-9]
HexDigit   = {Digit}|[A-Fa-f]
```

```
OctalDigit   = [0-7]
Exponent   = [eE][+-]?{Digit}+

PreprocessorWord = define|elif|else|endif|error|if|ifdef|ifndef|include|line|pragma|undef

Trigraph    =
 ("??="|"??("|"??)"|"??/"|"??'"|"??<"|"??>"|"??!"|"??-")

OctEscape1   = ([\\]{OctalDigit})
OctEscape2   = ([\\]{OctalDigit}{OctalDigit})
OctEscape3   = ([\\][0-3]{OctalDigit}{OctalDigit})
OctEscape    = ({OctEscape1}|{OctEscape2}|{OctEscape3})
HexEscape    = ([\\][xX]{HexDigit}{HexDigit})

AnyChrChr     = ([^\'\n\\])
Escape     = ([\\]([abfnrtv\'\"\?\\0e]))
UnclosedCharLiteral   = ([\'](({Escape}|{OctEscape}|{HexEscape}|{Trigraph}|{AnyChrChr}))
CharLiteral    = ({UnclosedCharLiteral}[\'])
ErrorUnclosedCharLiteral  = ([\'][^\'\n]*)
ErrorCharLiteral   = (([\'][\'])|{ErrorUnclosedCharLiteral}[\'])
AnyStrChr     = ([^\"\n\\])
FalseTrigraph    = (("?"(("?")*)[^\=\(\)\/\'\<\>\!\-\\\?\"\n])|("?"[\=\(\)\/\'\<\>\!\-]))
StringLiteral    =
([\"](((((("?")*)({Escape}|{OctEscape}|{HexEscape}|{Trigraph}))|{FalseTrigraph}|{AnyStrChr})*)(("?")*)[\"])
UnclosedStringLiteral  = ([\"]([\\].|[^\\\"])*[^\"]?)
ErrorStringLiteral   = ({UnclosedStringLiteral}[\"])


LineTerminator  =
 \n
WhiteSpace  = [ \t\f]

MLCBegin   = "/*"
MLCEnd   = "*/"
LineCommentBegin = "//"

NonFloatSuffix  = (([uU][lL]?)|([lL][uU]?))
IntegerLiteral  = ({Digit}+{Exponent}?{NonFloatSuffix}?)
HexLiteral  = ("0"[xX]{HexDigit}+{NonFloatSuffix}?)
FloatLiteral  = ((({Digit}*[\.]{Digit}+)|({Digit}+[\.]{Digit}*)){Exponent}?[fFlL]?)
ErrorNumberFormat = (({IntegerLiteral}|{HexLiteral}|{FloatLiteral}){NonSeparator}+)

NonSeparator  = ([^\t\f\r\n\ \(\)\{\}\[\]\;\,\.\=\>\<\!\~\?\:\+\-\*\/\&\|\^\%\"\']|"#")
Identifier  = ({LetterOrUnderscore}({LetterOrUnderscore}|{Digit}|[$])*)
ErrorIdentifier = ({NonSeparator}+)

URLGenDelim    = ([:\/\?#\[\]@])
URLSubDelim    = ([\!\$&'\(\)\*\+,;=])
```

```
URLUnreserved   = ({LetterOrUnderscore}|{Digit}|[\-\.\~])
URLCharacter   = ({URLGenDelim}|{URLSubDelim}|{URLUnreserved}|[%])
URLCharacters   = ({URLCharacter}*)
URLEndCharacter   = ([\/\$]|{Letter}|{Digit})
URL      = (((https?|f(tp|ile))"://"|"www.")({URLCharacters}{URLEndCharacter})?)


%state
 MLC
%state EOL_COMMENT

%%

<YYINITIAL> {

 /* Keywords */
 "auto" |
 "break" |
 "case" |
 "catch" |
 "class" |
 "const" |
 "const_cast" |
 "continue" |
 "default" |
 "delete" |
 "do" |
 "dynamic_cast" |
 "else" |
 "enum" |
 "explicit" |
 "extern" |
 "for" |
 "friend" |
 "goto" |
 "if" |
 "inline" |
 "mutable" |
 "namespace" |
 "new" |
 "operator" |
 "private" |
 "protected" |
 "public" |
 "register" |
 "reinterpret_cast" |
 "sizeof" |
 "static" |
```

```
"static_cast" |
"struct" |
"switch" |
"template" |
"this" |
"throw" |
"try" |
"typedef" |
"typeid" |
"typename" |
"union" |
"using" |
"virtual" |
"volatile" |
"while"     { addToken(Token.RESERVED_WORD); }

"return"    { addToken(Token.RESERVED_WORD_2); }

/* Boolean literals. */
"true" |
"false" |

/* Data types. */
"char" |
"div_t" |
"double" |
"float" |
"int" |
"ldiv_t" |
"long" |
"short" |
"signed" |
"size_t"
|
"unsigned" |
"void" |
"wchar_t"    { addToken(Token.DATA_TYPE); }

/* Standard functions */
"abort" |
"abs" |
"acos" |
"asctime" |
"asin" |
"assert" |
"atan2" |
"atan" |
"atexit" |
```

"atof" |
"atoi" |
"atol" |
"bsearch" |
"btowc" |
"calloc" |
"ceil" |
"clearerr" |
"clock" |
"cosh" |
"cos" |
"ctime" |
"difftime" |
"div" |
"errno" |
"exit" |
"exp" |
"fabs" |
"fclose" |
"feof" |
"ferror" |
"fflush" |
"fgetc" |
"fgetpos" |
"fgetwc" |
"fgets" |
"fgetws" |
"floor" |
"fmod" |
"fopen" |
"fprintf" |
"fputc" |
"fputs" |
"fputwc" |
"fputws" |
"fread" |
"free" |
"freopen" |
"frexp" |
"fscanf" |
"fseek" |
"fsetpos" |
"ftell" |
"fwprintf" |
"fwrite" |
"fwscanf" |
"getchar" |
"getc" |

"getenv" |
"gets" |
"getwc" |
"getwchar" |
"gmtime" |
"isalnum" |
"isalpha" |
"iscntrl" |
"isdigit" |
"isgraph" |
"islower" |
"isprint" |
"ispunct" |
"isspace" |
"isupper"
|
"isxdigit" |
"labs" |
"ldexp" |
"ldiv" |
"localeconv" |
"localtime" |
"log10" |
"log" |
"longjmp" |
"malloc" |
"mblen" |
"mbrlen" |
"mbrtowc" |
"mbsinit" |
"mbsrtowcs" |
"mbstowcs" |
"mbtowc" |
"memchr" |
"memcmp" |
"memcpy" |
"memmove" |
"memset" |
"mktime" |
"modf" |
"offsetof" |
"perror" |
"pow" |
"printf" |
"putchar" |
"putc" |
"puts" |
"putwc" |

"putwchar" |
"qsort" |
"raise" |
"rand" |
"realloc" |
"remove" |
"rename" |
"rewind" |
"scanf" |
"setbuf" |
"setjmp" |
"setlocale" |
"setvbuf" |
"setvbuf" |
"signal" |
"sinh" |
"sin" |
"sprintf" |
"sqrt" |
"srand" |
"sscanf" |
"strcat" |
"strchr" |
"strcmp" |
"strcmp" |
"strcoll" |
"strcpy" |
"strcspn" |
"strerror" |
"strftime" |
"strlen" |
"strncat" |
"strncmp" |
"strncpy" |
"strpbrk" |
"strrchr" |
"strspn" |
"strstr" |
"strtod" |
"strtok" |
"strtol" |
"strtoul" |
"strxfrm" |
"swprintf"
|
"swscanf" |
"system" |
"tanh" |

"tan" |
"time" |
"tmpfile" |
"tmpnam" |
"tolower" |
"toupper" |
"ungetc" |
"ungetwc" |
"va_arg" |
"va_end" |
"va_start" |
"vfprintf" |
"vfwprintf" |
"vprintf" |
"vsprintf" |
"vswprintf" |
"vwprintf" |
"wcrtomb" |
"wcscat" |
"wcschr" |
"wcscmp" |
"wcscoll" |
"wcscpy" |
"wcscspn" |
"wcsftime" |
"wcslen" |
"wcsncat" |
"wcsncmp" |
"wcsncpy" |
"wcspbrk" |
"wcsrchr" |
"wcsrtombs" |
"wcsspn" |
"wcsstr" |
"wcstod" |
"wcstok" |
"wcstol" |
"wcstombs" |
"wcstoul" |
"wcsxfrm" |
"wctob" |
"wctomb" |
"wmemchr" |
"wmemcmp" |
"wmemcpy" |
"wmemmove" |
"wmemset" |
"wprintf" |

```
"wscanf"    { addToken(Token.FUNCTION); }

/* Standard-defined macros. */
"__DATE__" |
"__TIME__" |
"__FILE__" |
"__LINE__" |
"__STDC__"    { addToken(Token.PREPROCESSOR); }

{LineTerminator}    { addNullToken(); return firstToken; }

{Identifier}     { addToken(Token.IDENTIFIER);
}

{WhiteSpace}+     { addToken(Token.WHITESPACE); }

/* Preprocessor directives */
"#"{WhiteSpace}*{PreprocessorWord} { addToken(Token.PREPROCESSOR); }

/* String/Character Literals. */
{CharLiteral}     { addToken(Token.LITERAL_CHAR); }
{UnclosedCharLiteral}   { addToken(Token.ERROR_CHAR); /*addNullToken(); return firstToken;*/ }
{ErrorUnclosedCharLiteral}  { addToken(Token.ERROR_CHAR); addNullToken(); return firstToken; }
{ErrorCharLiteral}    { addToken(Token.ERROR_CHAR); }
{StringLiteral}    { addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); }
{UnclosedStringLiteral}   { addToken(Token.ERROR_STRING_DOUBLE); addNullToken(); return firstToken; }
{ErrorStringLiteral}   { addToken(Token.ERROR_STRING_DOUBLE); }

/* Comment Literals. */
{MLCBegin}     { start = zzMarkedPos-2; yybegin(MLC); }
{LineCommentBegin}   { start = zzMarkedPos-2; yybegin(EOL_COMMENT); }

/* Separators. */
"(" |
")" |
"[" |
"]" |
"{" |
"}"       { addToken(Token.SEPARATOR);
}

/* Operators. */
{Trigraph} |
"=" |
"+" |
"-" |
"*" |
"/" |
```

```
"%" |
"~" |
"<" |
">" |
"<<" |
">>" |
"==" |
"+=" |
"-=" |
"*=" |
"/=" |
"%=" |
"&=" |
"|=" |
"^=" |
">=" |
"<=" |
"!=" |
">>=" |
"<<=" |
"^" |
"&" |
"&&" |
"|" |
"||" |
"?" |
":" |
"," |
"!" |
"++" |
"--" |
"." |
","      { addToken(Token.OPERATOR); }

/* Numbers */
{IntegerLiteral}    { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
{HexLiteral}     { addToken(Token.LITERAL_NUMBER_HEXADECIMAL); }
{FloatLiteral}     { addToken(Token.LITERAL_NUMBER_FLOAT); }
{ErrorNumberFormat}    { addToken(Token.ERROR_NUMBER_FORMAT); }

/* Some lines will end in '\' to wrap an expression. */
"\\"      { addToken(Token.IDENTIFIER); }

{ErrorIdentifier}    { addToken(Token.ERROR_IDENTIFIER); }

/* Other punctuation, we'll highlight it as "identifiers." */
";"      { addToken(Token.IDENTIFIER); }
```

```
 /* Ended with a line
 not in a string or comment. */
 <<EOF>>      { addNullToken(); return firstToken; }

 /* Catch any other (unhandled) characters and flag them as bad. */
 .      { addToken(Token.ERROR_IDENTIFIER); }

}

<MLC> {

 [^hwf\n\*]+   {}
 {URL}    { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_MULTILINE); start = zzMarkedPos; }
 [hwf]    {}

 \n     { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken; }
 {MLCEnd}   { yybegin(YYINITIAL); addToken(start,zzStartRead+1, Token.COMMENT_MULTILINE); }
 \*     {}
 <<EOF>>    { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken; }

}

<EOL_COMMENT> {
 [^hwf\\\n]+    {}
 {URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_EOL);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_EOL); start = zzMarkedPos; }
 [hwf]     {}
 \\.      { /* Skip all escaped chars. */ }
 \\      {
 /* Line ending in '\' => continue to next line. */
        addToken(start,zzStartRead, Token.COMMENT_EOL);
        return firstToken;
       }
 \n |
 <<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_EOL); addNullToken(); return firstToken; }

}

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-
jar/org/fife/ui/rsyntaxtextarea/modes/CPlusPlusTokenMaker.flex
No license file was found, but licenses were detected in source scan.

/*
* 01/26/2008
*
* PerlTokenMaker.java - Scanner for Perl
```

*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/PerlTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 07/14/2006
*
* LuaTokenMaker.java - Scanner for the Lua programming language.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;

/**
* Scanner for the Lua programming language.<p>
*
* This implementation was created using
* JFlex 1.4.1; however, the generated file
* was modified for performance. Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).
 * We can achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really). Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
*
*   The generated <code>LuaTokenMaker.java</code> file will contain two

```
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless
 memory allocation for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 0.4
*
*/
%%

%public
%class LuaTokenMaker
%extends AbstractJFlexTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{


 /**
  * Constructor.  This must be here because JFlex does not generate a
  * no-parameter constructor.
  */
 public LuaTokenMaker() {
 }


 /**
  * Adds the token specified to the current linked list of tokens.
  *
  * @param tokenType The token's type.
  */
 private void addToken(int tokenType) {
  addToken(zzStartRead, zzMarkedPos-1, tokenType);
 }


 /**
```

```
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType
The token's type.
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 */
@Override
public void addToken(char[] array, int start, int end, int tokenType, int startOffset) {
 super.addToken(array, start,end, tokenType, startOffset);
 zzStartRead = zzMarkedPos;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "--", null };
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.
 This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
```

```
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;

 // Start off in the proper state.
 int state = Token.NULL;
 switch (initialTokenType) {
  case Token.COMMENT_MULTILINE:
   state = MLC;
   start = text.offset;
   break;
  case Token.LITERAL_STRING_DOUBLE_QUOTE:
   state = LONGSTRING;
   start = text.offset;
   break;
  default:
   state = Token.NULL;
 }

 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return
yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
```

```
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always
  * "full" the first time through, since it
points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
}


%}

Letter     = [A-Za-z_]
Digit     = [0-9]

LineTerminator    = (\n)
WhiteSpace    = ([ \t\f])

UnclosedCharLiteral   = ([\'][^\'\n]|"\\'")*)
CharLiteral    = ({UnclosedCharLiteral}"'")
UnclosedStringLiteral  = ([\"][^\"\n]|"\\\"")*)
StringLiteral    = ({UnclosedStringLiteral}[\"])
LongStringBegin   = ("[[")
LongStringEnd    = ("]]")

LineCommentBegin   = ("--")
MLCBegin     = ({LineCommentBegin}{LongStringBegin})
```

```
Number     = ( "."? {Digit} ({Digit}|".")* ([eE][+-]?)? ({Letter}|{Digit})* )
BooleanLiteral    = ("true"|"false")

Separator     = ([\(\)\{\}\[\]\]])
Separator2    = ([\;:,.])

ArithmeticOperator   = ("+"|"-"|"*"|"/"|"^"|"%")
RelationalOperator   =
 ("<"|">"|"<="|">="|"=="|"~=")
LogicalOperator   = ("and"|"or"|"not"|"#")
ConcatenationOperator  = ("..")
Elipsis     = ({ConcatenationOperator}".")
Operator     = ({ArithmeticOperator}|{RelationalOperator}|{LogicalOperator}|{ConcatenationOperator}|{Elipsis})

Identifier    = ({Letter}({Letter}|{Digit})*)


%state MLC
%state LONGSTRING
%state LINECOMMENT


%%

/* Keywords */
<YYINITIAL> "break"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "do"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "else"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "elseif"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "end"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "for"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "function"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "if"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "local"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "nil"     { addToken(Token.RESERVED_WORD);
 }
<YYINITIAL> "repeat"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "return"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "then"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "until"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "while"     { addToken(Token.RESERVED_WORD); }

/* Data types. */
<YYINITIAL> "<number>"    { addToken(Token.DATA_TYPE); }
<YYINITIAL> "<name>"    { addToken(Token.DATA_TYPE); }
<YYINITIAL> "<string>"    { addToken(Token.DATA_TYPE); }
<YYINITIAL> "<eof>"     { addToken(Token.DATA_TYPE); }
<YYINITIAL> "NULL"     { addToken(Token.DATA_TYPE); }
```

```
/* Functions. */
<YYINITIAL> "_G"     { addToken(Token.FUNCTION); }
<YYINITIAL> "_VERSION"    { addToken(Token.FUNCTION); }
<YYINITIAL> "assert"    { addToken(Token.FUNCTION); }
<YYINITIAL> "collectgarbage"   { addToken(Token.FUNCTION); }
<YYINITIAL> "dofile"    { addToken(Token.FUNCTION); }
<YYINITIAL> "error"     { addToken(Token.FUNCTION); }
<YYINITIAL> "getfenv"    {
 addToken(Token.FUNCTION); }
<YYINITIAL> "getmetatable"   { addToken(Token.FUNCTION); }
<YYINITIAL> "ipairs"    { addToken(Token.FUNCTION); }
<YYINITIAL> "load"     { addToken(Token.FUNCTION); }
<YYINITIAL> "loadfile"    { addToken(Token.FUNCTION); }
<YYINITIAL> "loadstring"    { addToken(Token.FUNCTION); }
<YYINITIAL> "module"    { addToken(Token.FUNCTION); }
<YYINITIAL> "next"     { addToken(Token.FUNCTION); }
<YYINITIAL> "pairs"     { addToken(Token.FUNCTION); }
<YYINITIAL> "pcall"     { addToken(Token.FUNCTION); }
<YYINITIAL> "print"     { addToken(Token.FUNCTION); }
<YYINITIAL> "rawequal"    { addToken(Token.FUNCTION); }
<YYINITIAL> "rawget"    { addToken(Token.FUNCTION); }
<YYINITIAL> "rawset"    { addToken(Token.FUNCTION); }
<YYINITIAL> "require"    { addToken(Token.FUNCTION); }
<YYINITIAL> "select"    { addToken(Token.FUNCTION); }
<YYINITIAL> "setfenv"    { addToken(Token.FUNCTION); }
<YYINITIAL> "setmetatable"   { addToken(Token.FUNCTION); }
<YYINITIAL>
 "tonumber"    { addToken(Token.FUNCTION); }
<YYINITIAL> "tostring"    { addToken(Token.FUNCTION); }
<YYINITIAL> "type"     { addToken(Token.FUNCTION); }
<YYINITIAL> "unpack"    { addToken(Token.FUNCTION); }
<YYINITIAL> "xpcall"    { addToken(Token.FUNCTION); }

/* Booleans. */
<YYINITIAL> {BooleanLiteral}   { addToken(Token.LITERAL_BOOLEAN); }


<YYINITIAL> {

 {LineTerminator}    { addNullToken(); return firstToken; }

 {WhiteSpace}+     { addToken(Token.WHITESPACE); }

 /* String/Character literals. */
 {CharLiteral}     { addToken(Token.LITERAL_CHAR); }
 {UnclosedCharLiteral}   { addToken(Token.ERROR_CHAR); addNullToken(); return firstToken; }
 {StringLiteral}    { addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); }
```

```
{UnclosedStringLiteral}   { addToken(Token.ERROR_STRING_DOUBLE); addNullToken(); return firstToken; }
{LongStringBegin}    { start = zzMarkedPos-2; yybegin(LONGSTRING); }

/* Comment literals. */
{MLCBegin}     { start = zzMarkedPos-4; yybegin(MLC);
}
{LineCommentBegin}    { start = zzMarkedPos-2; yybegin(LINECOMMENT); }

/* Separators. */
{Separator}     { addToken(Token.SEPARATOR); }
{Separator2}     { addToken(Token.IDENTIFIER); }

/* Operators. */
{Operator}     { addToken(Token.OPERATOR); }

/* Identifiers - Comes after Operators for "and", "not" and "or". */
{Identifier}     { addToken(Token.IDENTIFIER); }

/* Numbers */
{Number}      { addToken(Token.LITERAL_NUMBER_FLOAT); }

/* Ended with a line not in a string or comment. */
<<EOF>>      { addNullToken(); return firstToken; }

/* Catch any other (unhandled) characters. */
.      { addToken(Token.IDENTIFIER); }

}


<MLC> {
[^\n\]]+     {}
\n      { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken; }
{LongStringEnd}   { yybegin(YYINITIAL); addToken(start,zzStartRead+1, Token.COMMENT_MULTILINE); }
\]      {}
<<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken;
}
}


<LONGSTRING> {
[^\n\]]+     {}
\n      { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE); return firstToken; }
{LongStringEnd}   { yybegin(YYINITIAL); addToken(start,zzStartRead+1,
Token.LITERAL_STRING_DOUBLE_QUOTE); }
\]      {}
<<EOF>>     { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE); return firstToken; }
}
```

```
<LINECOMMENT> {
 [^\n]+     {}
 \n      { addToken(start,zzStartRead-1, Token.COMMENT_EOL); return firstToken; }
 <<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_EOL); return firstToken; }
}
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/LuaTokenMaker.flex
No license file was found, but licenses were detected in source scan.

```
/*
* 04/25/2007
*
* RTextAreaUI.java - UI used by instances of RTextArea.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/RTextAreaUI.java
No license file was found, but licenses were detected in source scan.

```
/*
* 02/24/2004
*
* SyntaxView.java - The View object used by RSyntaxTextArea when word wrap is
* disabled.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/SyntaxView.java
No license file was found, but licenses were detected in source scan.

```
/*
* 01/26/2008
*
* PerlTokenMaker.java - Scanner for Perl
*
* This library is distributed under a modified BSD license.  See the included
```

```
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;


/**
* Scanner for Perl.<p>
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).
* We can achieve this because RText always
 scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>PerlTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless memory allocation for us since we
*
  will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 0.5
```

```
*
*/
%%

%public
%class PerlTokenMaker
%extends AbstractJFlexCTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{

 /**
  * Token type specific to PerlTokenMaker; this signals that we are inside
  * an unquoted/double quoted/backtick EOF heredoc.
  */
 public static final int INTERNAL_HEREDOC_EOF_UNQUOTED   = -1;

 /**
  * Token type specific to PerlTokenMaker; this signals that we are inside
  * an single quoted EOF heredoc.
  */
 public static final int INTERNAL_HEREDOC_EOF_SINGLE_QUOTED  = -2;

 /**
  * Token type specific to PerlTokenMaker; this signals that we are inside
  * an unquoted/double quoted/backtick
 EOT heredoc.
  */
 public static final int INTERNAL_HEREDOC_EOT_UNQUOTED   = -3;

 /**
  * Token type specific to PerlTokenMaker; this signals that we are inside
  * an single quoted EOT heredoc.
  */
 public static final int INTERNAL_HEREDOC_EOT_SINGLE_QUOTED  = -4;

 /**
  * Token type specific to PerlTokenMaker; this signals we are in a POD
  * block.
  */
 public static final int INTERNAL_POD      = -5;

 /**
  * Constructor.  This must be here because JFlex does not generate a
  * no-parameter constructor.
  */
```

```
public PerlTokenMaker() {
}


/**
 * Adds the token specified to the current linked list of tokens as an
 * "end token;" that is, at <code>zzMarkedPos</code>.
 *
 * @param tokenType The token's type.
 */
private void addEndToken(int tokenType) {
 addToken(zzMarkedPos,zzMarkedPos, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private
void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 */
@Override
```

```
public void addToken(char[] array, int start, int end, int tokenType, int startOffset) {
 super.addToken(array, start,end, tokenType, startOffset);
 zzStartRead = zzMarkedPos;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int
languageIndex) {
 return new String[] { "#", null };
}


/**
 * {@inheritDoc}
 */
public boolean getMarkOccurrencesOfTokenType(int type) {
 return super.getMarkOccurrencesOfTokenType(type) || type==Token.VARIABLE;
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;

 // Start off in the proper
state.
 int state = Token.NULL;
 switch (initialTokenType) {
  case Token.LITERAL_STRING_DOUBLE_QUOTE:
   state = STRING;
   start = text.offset;
```

```
   break;
  case Token.LITERAL_CHAR:
   state = CHAR_LITERAL;
   start = text.offset;
   break;
  case Token.LITERAL_BACKQUOTE:
   state = BACKTICKS;
   start = text.offset;
   break;
  case INTERNAL_HEREDOC_EOF_UNQUOTED:
   state = HEREDOC_EOF_UNQUOTED;
   start = text.offset;
   break;
  case INTERNAL_HEREDOC_EOF_SINGLE_QUOTED:
   state = HEREDOC_EOF_SINGLE_QUOTED;
   start = text.offset;
   break;
  case INTERNAL_HEREDOC_EOT_UNQUOTED:
   state = HEREDOC_EOT_UNQUOTED;
   start = text.offset;
   break;
  case INTERNAL_HEREDOC_EOT_SINGLE_QUOTED:
   state = HEREDOC_EOT_SINGLE_QUOTED;
   start = text.offset;
   break;
  case INTERNAL_POD:
   state = POD;
   start = text.offset;
   break;
  default:
   state = Token.NULL;
 }

 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return
yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}


/**
```

```
 * Returns whether a regular expression token can follow the specified
 * token.
 *
 * @param t The token to check, which may be <code>null</code>.
 * @return Whether a regular expression token may follow this one.
 */
private static final boolean regexCanFollow(Token t) {
 char ch;
 // We basically try to mimic Eclipse's JS editor's behavior here.
 return t==null ||
   //t.isOperator() ||
   (t.length()==1 && (
    (ch=t.charAt(0))=='=' ||
    ch=='(' ||
    ch==',' ||
    ch=='?' ||
    ch==':' ||
    ch=='[' ||
    ch=='!' ||
    ch=='&'
   )) ||
   /* Operators "==", "===", "!=", "!==", etc. */
   (t.getType()==Token.OPERATOR &&
    ((ch=t.charAt(t.length()-1))=='=' || ch=='~'));
}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise

*             <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
```

```
 */
 public final void yyreset(java.io.Reader reader) {
  // 's' has been updated.
  zzBuffer = s.array;
  /*
   * We replaced the line below with the two below it because zzRefill
   * no longer "refills" the buffer (since the way we do it, it's always
   * "full" the first time through, since it points to the segment's
   * array).  So, we assign zzEndRead here.
   */
  //zzStartRead = zzEndRead = s.offset;
  zzStartRead = s.offset;
  zzEndRead = zzStartRead + s.count - 1;
  zzCurrentPos = zzMarkedPos = zzPushbackPos
 = s.offset;
  zzLexicalState = YYINITIAL;
  zzReader = reader;
  zzAtBOL  = true;
  zzAtEOF  = false;
 }


%}

Letter       = [A-Za-z]
NonzeroDigit      = [1-9]
Digit       = ("0"|{NonzeroDigit})
HexDigit       = ({Digit}|[A-Fa-f])
OctalDigit      = ([0-7])
/*Escape       = ("\\"(([btnfr\"'\\])|([0123]{OctalDigit}?{OctalDigit}?)|({OctalDigit}{OctalDigit}?)))*/
NonSeparator      = ([^\t\f\r\n\ \(\)\{\}\[\]\;\,\.\=\>\<\!\~\?\:\+\-\*\/\&\|\^\%\"\'\`]|"#"|"\\")
IdentifierStart     = ({Letter}|"_")
IdentifierPart      = ({IdentifierStart}|{Digit})

LineTerminator    = (\n)
WhiteSpace    = ([ \t\f])

LineCommentBegin   = "#"

IntegerHelper1    = (({NonzeroDigit}{Digit}*)|"0")
IntegerHelper2    = ("0"(([xX]{HexDigit}+)|({OctalDigit}*)))
IntegerLiteral    = ({IntegerHelper1}[lL]?)
HexLiteral    = ({IntegerHelper2}[lL]?)
FloatHelper1    = ([fFdD]?)
FloatHelper2    = ([eE][+-]?{Digit}+{FloatHelper1})
FloatLiteral1    = ({Digit}+"."({FloatHelper1}|{FloatHelper2}|{Digit}+({FloatHelper1}|{FloatHelper2})))
FloatLiteral2    =
```

```
("."{Digit}+({FloatHelper1}|{FloatHelper2}))
FloatLiteral3    = ({Digit}+{FloatHelper2})
FloatLiteral    = ({FloatLiteral1}|{FloatLiteral2}|{FloatLiteral3}|({Digit}+[fFdD]))
ErrorNumberFormat   = (({IntegerLiteral}|{HexLiteral}|{FloatLiteral}){NonSeparator}+)

Separator     = ([\(\)\{\}\[\]])
Separator2    = ([\;:,.])

VariableStart    = ([\$\@\%)]"$"?)
BracedVariable    = ({VariableStart}\{{Identifier}\})
UnbracedVariable   = ({VariableStart}{Identifier})
BracedShellVariable   = ([\$]\{[\&\`\'\+\*\.\/\|\,\\\"\;\#\%\=\-\~\^\:\?\!\@\$\<\>\)\(\[\]\)\}])
UnbracedShellVariable  = ([\$][\&\`\'\+\*\.\/\|\,\\\"\;\#\%\=\-\~\^\:\?\!\@\$\<\>\)\(\[\]\)])
MatchVariable    = ([\$]{Digit})
Variable     =
({BracedVariable}|{UnbracedVariable}|{BracedShellVariable}|{UnbracedShellVariable}|{MatchVariable})
Regex      = ("/"([^\*\\/]|\\.)([^/\\]|\\.)*"/"[msixpogcadlu]*)

NonAssignmentOperator  = ("+"|"-"|"<="|"^"|"++"|"<"|"*"|">="|"%"|"--
"|">"|"/"|"!="|"?"|">>"|"!"|"&"|"=="|":"|">>"|"~"|"|"|"&&"|">>>"|"->")
AssignmentOperator   =
("="|"-="|"*="|"/="|"|="|"&="|"^="|"+="|"%="|"<<="|">>="|">>>=")
BindingOperator    = ("=~"|"!~")
FunnyOperator    = (([\*][\'\"])|([\&][\'\"]))
Operator     = ({NonAssignmentOperator}|{AssignmentOperator}|{BindingOperator}|{FunnyOperator})

PodCommandsExceptCut  =
("="("pod"|"head1"|"head2"|"head3"|"head4"|"over"|"item"|"back"|"begin"|"end"|"for"|"encoding"))

Identifier    = ({IdentifierStart}{IdentifierPart}*)
ErrorIdentifier   = ({NonSeparator}+)


%state STRING
%state CHAR_LITERAL
%state BACKTICKS
%state HEREDOC_EOF_UNQUOTED
%state HEREDOC_EOF_SINGLE_QUOTED
%state HEREDOC_EOT_UNQUOTED
%state HEREDOC_EOT_SINGLE_QUOTED
%state POD

%%

<YYINITIAL> {

 /* Keywords */
 "and" |
```

```
"cmp" |
"continue" |
"do" |
"else" |
"elsif" |
"eq" |
"esac" |
"for" |
"foreach" |
"ge" |
"if" |
"last" |
"le" |
"ne" |
"next" |
"not" |
"or" |
"redo"
|
"sub" |
"unless" |
"until" |
"while" |
"xor"    { addToken(Token.RESERVED_WORD); }

/* Standard Functions */
"abs" |
"accept" |
"alarm" |
"atan2" |
"bind" |
"binmode" |
"bless" |
"caller" |
"chdir" |
"chmod" |
"chomp" |
"chop" |
"chown" |
"chr" |
"chroot" |
"close" |
"closedir" |
"connect" |
"cos" |
"crypt" |
"dbmclose" |
"dbmopen" |
```

"defined" |
"delete" |
"die" |
"dump" |
"each" |
"endgrent" |
"endhostent" |
"endnetent" |
"endprotoent" |
"endpwent" |
"endservent" |
"eof" |
"eval" |
"exec" |
"exists" |
"exit" |
"exp" |
"fcntl" |
"fileno" |
"flock" |
"fork" |
"formline" |
"getc" |
"getgrent" |
"getgrgid" |
"getgrnam" |
"gethostbyaddr" |
"gethostbyname" |
"gethostent" |
"getlogin" |
"getnetbyaddr" |
"getnetbyname" |
"getnetent" |
"getpeername" |
"getpgrp" |
"getppid" |
"getpriority" |
"getprotobyname" |
"getprotobynumber" |
"getprotoent" |
"getpwent"
|
"getpwnam" |
"getpwuid" |
"getservbyname" |
"getservbyport" |
"getservent" |
"getsockname" |

"getsockopt" |
"glob" |
"gmtime" |
"goto" |
"grep" |
"hex" |
"index" |
"int" |
"ioctl" |
"join" |
"keys" |
"kill" |
"last" |
"lc" |
"lcfirst" |
"length" |
"link" |
"listen" |
"local" |
"localtime" |
"log" |
"lstat" |
"map" |
"mkdir" |
"msgctl" |
"msgget" |
"msgrcv" |
"msgsnd" |
"my" |
"next" |
"no" |
"oct" |
"open" |
"opendir" |
"ord" |
"our" |
"pack" |
"package" |
"pipe" |
"pop" |
"pos" |
"print" |
"printf" |
"prototype" |
"push" |
"quotemeta" |
"rand" |
"read" |

"readdir" |
"readline" |
"readlink" |
"readpipe" |
"recv" |
"redo" |
"ref" |
"rename" |
"require" |
"reset" |
"return" |
"reverse" |
"rewinddir" |
"rindex" |
"rmdir" |
"scalar" |
"seek" |
"seekdir" |
"select" |
"semctl" |
"semget" |
"semop" |
"send" |
"sethostent" |
"setgrent"
|
"setnetent" |
"setpgrp" |
"setpriority" |
"setprotoent" |
"setpwent" |
"setservent" |
"setsockopt" |
"shift" |
"shmctl" |
"shmget" |
"shmread" |
"shmwrite" |
"shutdown" |
"sin" |
"sleep" |
"socket" |
"socketpair" |
"sort" |
"splice" |
"split" |
"sprintf" |
"sqrt" |

```
 "srand" |
 "stat" |
 "study" |
 "sub" |
 "substr" |
 "symlink" |
 "syscall" |
 "sysopen" |
 "sysread" |
 "sysseek" |
 "system" |
 "syswrite" |
 "tell" |
 "telldir" |
 "tie" |
 "tied" |
 "time" |
 "times" |
 "truncate" |
 "uc" |
 "ucfirst" |
 "umask" |
 "undef" |
 "unlink" |
 "unpack" |
 "unshift" |
 "untie" |
 "use" |
 "utime" |
 "values" |
 "vec" |
 "wait" |
 "waitpid" |
 "wantarray" |
 "warn" |
 "write"   { addToken(Token.FUNCTION); }

}

<YYINITIAL> {

 {LineTerminator}    { addNullToken(); return firstToken; }
 {Identifier}     { addToken(Token.IDENTIFIER); }
 {WhiteSpace}+     { addToken(Token.WHITESPACE); }
 {Variable}     {
 addToken(Token.VARIABLE); }

 /* String/Character literals. */
```

```
\"      { start = zzMarkedPos-1; yybegin(STRING); }
\'      { start = zzMarkedPos-1; yybegin(CHAR_LITERAL); }
\`      { start = zzMarkedPos-1; yybegin(BACKTICKS); }

/* Comment literals. */
{LineCommentBegin}"!".*   { addToken(Token.PREPROCESSOR); addNullToken(); return firstToken; }
{LineCommentBegin}.*   { addToken(Token.COMMENT_EOL); addNullToken(); return firstToken; }

/* Easily identifiable regexes of the form "/.../". This is not foolproof. */
{Regex}  {
   boolean highlightedAsRegex = false;
   if (firstToken==null) {
    addToken(Token.REGEX);
    highlightedAsRegex = true;
   }
   else {
    // If this is *likely* to be a regex, based on
    // the previous token, highlight it as such.
    Token t = firstToken.getLastNonCommentNonWhitespaceToken();
    if (regexCanFollow(t)) {
     addToken(Token.REGEX);
     highlightedAsRegex = true;
    }
   }
   //
If it doesn't *appear* to be a regex, highlight it as
   // individual tokens.
   if (!highlightedAsRegex) {
    int temp = zzStartRead + 1;
    addToken(zzStartRead, zzStartRead, Token.OPERATOR);
    zzStartRead = zzCurrentPos = zzMarkedPos = temp;
   }
  }

/* More regexes (m/.../, s!...!!, etc.).  This is nowhere near */
/* exhaustive, but is rather just the common ones.            */
m"/"[^/]*"/"[msixpodualgc]*    { addToken(Token.REGEX); }
m"!"[^!]*"!"[msixpodualgc]*    { addToken(Token.REGEX); }
m"|"[^\|]*"|"[msixpodualgc]*   { addToken(Token.REGEX); }
m\\[^\\]*\\[msixpodualgc]*    { addToken(Token.REGEX); }
s"/"[^/]*"/"[^/]*"/"[msixpodualgcer]* { addToken(Token.REGEX); }
s"!"[^!]*"!"[^!]*"!"[msixpodualgcer]* { addToken(Token.REGEX); }
s"|"[^\|]*"|"[^\|]*"|"[msixpodualgcer]* { addToken(Token.REGEX); }
(tr|y)"/"[^/]*"/"[^/]*"/"[cdsr]*  { addToken(Token.REGEX); }
(tr|y)"!"[^!]*"!"[^!]*"!"[cdsr]*  { addToken(Token.REGEX); }
(tr|y)"|"[^\|]*"|"[^\|]*"|"[cdsr]*  {
addToken(Token.REGEX); }
(tr|y)\\[^\\]*\\[^\\]*\\[cdsr]*  { addToken(Token.REGEX); }
```

```
qr"/"[^/]*"/"[msixpodual]*   { addToken(Token.REGEX); }
qr"!"[^/]*"!"[msixpodual]*   { addToken(Token.REGEX); }
qr"|"[^/]*"|"[msixpodual]*   { addToken(Token.REGEX); }
qr\\[^/]*\\[msixpodual]*   { addToken(Token.REGEX); }

/* "Here-document" syntax.  This is only implemented for the common */
/* cases.                                                           */
"<<EOF"      { start = zzStartRead; yybegin(HEREDOC_EOF_UNQUOTED); }
"<<" {WhiteSpace}* \""EOF"\"  { start = zzStartRead; yybegin(HEREDOC_EOF_UNQUOTED); }
"<<" {WhiteSpace}* \'"EOF"\'  { start = zzStartRead; yybegin(HEREDOC_EOF_SINGLE_QUOTED); }
"<<" {WhiteSpace}* \`"EOF"\`  { start = zzStartRead; yybegin(HEREDOC_EOF_UNQUOTED); }
"<<EOT"      { start = zzStartRead; yybegin(HEREDOC_EOT_UNQUOTED); }
"<<" {WhiteSpace}* \""EOT"\"  { start = zzStartRead; yybegin(HEREDOC_EOT_UNQUOTED);
}
"<<" {WhiteSpace}* \'"EOT"\'  { start = zzStartRead; yybegin(HEREDOC_EOT_SINGLE_QUOTED); }
"<<" {WhiteSpace}* \`"EOT"\`  { start = zzStartRead; yybegin(HEREDOC_EOT_UNQUOTED); }

/* POD commands. */
{PodCommandsExceptCut}   { addToken(Token.COMMENT_EOL); start = zzMarkedPos; yybegin(POD); }

/* Separators and operators. */
{Separator}     { addToken(Token.SEPARATOR); }
{Separator2}     { addToken(Token.IDENTIFIER); }
{Operator}     { addToken(Token.OPERATOR); }

/* Numbers */
{IntegerLiteral}    { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
{HexLiteral}     { addToken(Token.LITERAL_NUMBER_HEXADECIMAL); }
{FloatLiteral}     { addToken(Token.LITERAL_NUMBER_FLOAT); }
{ErrorNumberFormat}    { addToken(Token.ERROR_NUMBER_FORMAT); }

{ErrorIdentifier}    { addToken(Token.ERROR_IDENTIFIER); }

/* Ended with a line not in a string or comment. */
<<EOF>>      { addNullToken(); return firstToken; }

/* Catch any other (unhandled) characters and flag them
as bad. */
.      { addToken(Token.ERROR_IDENTIFIER); }

}


<STRING> {
[^\n\\\$\@\%\"]+  {}
\n     { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE); return firstToken; }
\\.?     { /* Skip escaped chars. */ }
{Variable}   { int temp=zzStartRead; addToken(start,zzStartRead-1,
```

```
Token.LITERAL_STRING_DOUBLE_QUOTE); addToken(temp,zzMarkedPos-1, Token.VARIABLE); start =
zzMarkedPos; }
 {VariableStart}  {}
 \"     { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.LITERAL_STRING_DOUBLE_QUOTE); }
 <<EOF>>    { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE); return firstToken; }
}


<CHAR_LITERAL> {
 [^\n\\\']+   {}
 \\.?     { /* Skip escaped single quotes only, but this should still work. */ }
 \n     { addToken(start,zzStartRead-1, Token.LITERAL_CHAR); return firstToken; }
 \'     { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.LITERAL_CHAR); }
 <<EOF>>    { addToken(start,zzStartRead-1, Token.LITERAL_CHAR); return
 firstToken; }
}


<BACKTICKS> {
 [^\n\\\$\@\%\`]+  {}
 \n     { addToken(start,zzStartRead-1, Token.LITERAL_BACKQUOTE); return firstToken; }
 \\.?     { /* Skip escaped chars. */ }
 {Variable}   { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.LITERAL_BACKQUOTE);
addToken(temp,zzMarkedPos-1, Token.VARIABLE); start = zzMarkedPos; }
 {VariableStart}  {}
 \`     { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.LITERAL_BACKQUOTE); }
 <<EOF>>    { addToken(start,zzStartRead-1, Token.LITERAL_BACKQUOTE); return firstToken; }
}


<HEREDOC_EOF_UNQUOTED> {
 /* NOTE: The closing "EOF" is supposed to be on a line by itself -  */
 /* no surrounding whitespace or other chars.  However, the way      */
 /* we're hacking the JFLex scanning, something like ^"EOF"$ doesn't */
 /* work.  Fortunately we don't need the start- and end-line anchors */
 /* since the production after "EOF" will match any line containing  */
 /* EOF and any other chars.
                  */
 /* NOTE2: This case is used for unquoted <<EOF, double quoted       */
 /* <<"EOF" and backticks <<`EOF`, since they all follow the same    */
 /* syntactic rules.                                 */
 "EOF"    { if (start==zzStartRead) { addToken(Token.PREPROCESSOR); addNullToken(); return firstToken; } }
 [^\n\\\$\@\%]+   {}
 \n     { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addEndToken(INTERNAL_HEREDOC_EOF_UNQUOTED); return firstToken; }
 \\.?     { /* Skip escaped chars. */ }
 {Variable}   { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addToken(temp,zzMarkedPos-1, Token.VARIABLE); start = zzMarkedPos; }
```

```
 {VariableStart}  {}
 <<EOF>>    { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addEndToken(INTERNAL_HEREDOC_EOF_UNQUOTED); return firstToken; }
}


<HEREDOC_EOF_SINGLE_QUOTED> {
 /* NOTE: The closing "EOF" is supposed to be on a line by itself -  */
 /* no surrounding whitespace or
 other chars.  However, the way      */
 /* we're hacking the JFLex scanning, something like ^"EOF"$ doesn't */
 /* work.  Fortunately we don't need the start- and end-line anchors */
 /* since the production after "EOF" will match any line containing  */
 /* EOF and any other chars.                                         */
 "EOF"    { if (start==zzStartRead) { addToken(Token.PREPROCESSOR); addNullToken(); return firstToken; } }
 [^\n\\]+    {}
 \n     { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addEndToken(INTERNAL_HEREDOC_EOF_SINGLE_QUOTED); return firstToken; }
 \\.?     { /* Skip escaped chars. */ }
 <<EOF>>    { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addEndToken(INTERNAL_HEREDOC_EOF_SINGLE_QUOTED); return firstToken; }
}


<HEREDOC_EOT_UNQUOTED> {
 /* NOTE: The closing "EOT" is supposed to be on a line by itself -  */
 /* no surrounding whitespace or other chars.  However, the way      */
 /* we're hacking the JFLex scanning, something like ^"EOT"$
 doesn't */
 /* work.  Fortunately we don't need the start- and end-line anchors */
 /* since the production after "EOT" will match any line containing  */
 /* EOF and any other chars.                                         */
 /* NOTE2: This case is used for unquoted <<EOT, double quoted       */
 /* <<"EOT" and backticks <<`EOT`, since they all follow the same    */
 /* syntactic rules.                                                 */
 "EOT"    { if (start==zzStartRead) { addToken(Token.PREPROCESSOR); addNullToken(); return firstToken; } }
 [^\n\\\$\@\%]+   {}
 \n     { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addEndToken(INTERNAL_HEREDOC_EOT_UNQUOTED); return firstToken; }
 \\.?     { /* Skip escaped chars. */ }
 {Variable}   { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addToken(temp,zzMarkedPos-1, Token.VARIABLE); start = zzMarkedPos; }
 {VariableStart}  {}
 <<EOF>>    { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
 addEndToken(INTERNAL_HEREDOC_EOT_UNQUOTED); return firstToken; }
}
```

```
<HEREDOC_EOT_SINGLE_QUOTED> {
 /* NOTE: The closing "EOT" is supposed to be on a line by itself -  */
 /* no surrounding whitespace or other chars.  However, the way      */
 /* we're hacking the JFLex scanning, something like ^"EOT"$ doesn't */
 /* work.  Fortunately we don't need the start- and end-line anchors */
 /* since the production after "EOT" will match any line containing  */
 /* EOT and any other chars.                                         */
 "EOT"    { if (start==zzStartRead) { addToken(Token.PREPROCESSOR); addNullToken(); return firstToken; } }
 [^\n\\]+    {}
 \n     { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addEndToken(INTERNAL_HEREDOC_EOT_SINGLE_QUOTED); return firstToken; }
 \\.?     { /* Skip escaped chars. */ }
 <<EOF>>    { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addEndToken(INTERNAL_HEREDOC_EOT_SINGLE_QUOTED); return firstToken; }
}


<POD> {
 [^\n\=]+    {}
 "=cut"    {
 if (start==zzStartRead) { addToken(Token.COMMENT_DOCUMENTATION); yybegin(YYINITIAL); } }
 {PodCommandsExceptCut} { if (start==zzStartRead) { int temp=zzStartRead; addToken(start,zzStartRead-1,
Token.COMMENT_DOCUMENTATION); addToken(temp,zzMarkedPos-1, Token.COMMENT_EOL); start =
zzMarkedPos; } }
 =     {}
 \n |
 <<EOF>>    { addToken(start,zzStartRead-1, Token.COMMENT_DOCUMENTATION);
addEndToken(INTERNAL_POD); return firstToken; }
}
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/PerlTokenMaker.flex
No license file was found, but licenses were detected in source scan.

```
/*
* 11/07/2008
*
* PlainTextTokenMaker.flex - Scanner for plain text files.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;
```

```
import org.fife.ui.rsyntaxtextarea.*;


/**
* Scanner for plain text files.
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>), so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).
* We can achieve
 this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>PlainTextTokenMaker.java</code> file will contain
*       two definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless memory allocation
 for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 0.5
*
*/
%%

%public
%class PlainTextTokenMaker
%extends AbstractJFlexTokenMaker
```

```
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{


 /**
  * Constructor.  This must be here because JFlex does not generate a
  * no-parameter constructor.
  */
 public PlainTextTokenMaker() {
 }


 /**
  * Adds the token specified to the current linked list of tokens.
  *
  * @param tokenType The token's type.
  * @param link Whether this token is a hyperlink.
  */
 private void addToken(int tokenType, boolean link) {
  int so = zzStartRead + offsetShift;
  super.addToken(zzBuffer, zzStartRead,zzMarkedPos-1,
 tokenType, so, link);
  zzStartRead = zzMarkedPos;
 }


 /**
  * Always returns <code>Token.NULL</code>, as there are no multiline
  * tokens in properties files.
  *
  * @param text The line of tokens to examine.
  * @param initialTokenType The token type to start with (i.e., the value
  *        of <code>getLastTokenTypeOnLine</code> for the line before
  *        <code>text</code>).
  * @return <code>Token.NULL</code>.
  */
 public int getLastTokenTypeOnLine(Segment text, int initialTokenType) {
  return Token.NULL;
 }


 /**
  * Returns the text to place at the beginning and end of a
  * line to "comment" it in a this programming language.
  *
```

```
 * @return <code>null</code>, as there are no comments in plain text.
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return null;
}


/**
 * Always returns <tt>false</tt>, as you never want "mark occurrences"
 * working in plain text files.
 *
 * @param type The token
type.
 * @return Whether tokens of this type should have "mark occurrences"
 *         enabled.
 */
public boolean getMarkOccurrencesOfTokenType(int type) {
 return false;
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;

 // Start off in the proper state.
 s = text;
 try {
  yyreset(zzReader);
  yybegin(YYINITIAL);
  return
yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
```

```
 return new TokenImpl();
 }

}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 * @exception   IOException  if any I/O-Error occurs.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(java.io.Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it,
it's always
  * "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
}
```

```
%}

LetterOrDigit = ([a-zA-Z0-9])
Identifier  = ({LetterOrDigit}+)
Separator  = ([^a-zA-Z0-9 \t\n])
WhiteSpace  = ([ \t]+)
LineTerminator = ([\n])

URLGenDelim    = ([:\/\?#\[\]@])
URLSubDelim    = ([\!\$&'\(\)\*\+,;=])
URLUnreserved   = ({LetterOrDigit}|[_\-\.\~])
URLCharacter   = ({URLGenDelim}|{URLSubDelim}|{URLUnreserved}|[%])
URLCharacters   = ({URLCharacter}*)
URLEndCharacter   = ([\/\$]|{LetterOrDigit})
URL      = (((https?|f(tp|ile))"://"|"www.")({URLCharacters}{URLEndCharacter})?)

%%

<YYINITIAL> {
 {URL}    { addToken(Token.IDENTIFIER, true); }
 {Identifier}  {
 addToken(Token.IDENTIFIER, false); }
 {Separator}   { addToken(Token.IDENTIFIER, false); }
 {WhiteSpace}  { addToken(Token.WHITESPACE, false); }
 {LineTerminator} { addNullToken(); return firstToken; }
 <<EOF>>    { addNullToken(); return firstToken; }
 .    { /* Never happens */ addToken(Token.IDENTIFIER, false); }
}
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/PlainTextTokenMaker.flex
No license file was found, but licenses were detected in source scan.

```
/*
* 03/09/2013
*
* XmlOccurrenceMarker - Marks occurrences of the current token for XML.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/XmlOccurrenceMarker.java

No license file was found, but licenses were detected in source scan.

/*
* 12/01/2008
*
* AbstractCodeTemplate.java - Base class for code templates.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/templates/AbstractCodeTemplate.java
No license file was found, but licenses were detected in source scan.

/*
* 04/24/2012
*
* LatexFoldParser.java - Fold parser for LaTeX.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/folding/LatexFoldParser.java
No license file was found, but licenses were detected in source scan.

/*
* 02/05/2012
*
* JavaScriptTokenMaker.java - Parses a document into JavaScript tokens.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/JavaScriptTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 03/16/2013
*
* VisibleWhitespaceTokenPainter - Renders tokens in an instance of

* RSyntaxTextArea, with special glyphs to denote spaces and tabs.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/VisibleWhitespaceTokenPainter.java
No license file was found, but licenses were detected in source scan.

/*
* 11/10/2004
*
* ChangableHighlightPainter.java - A highlight painter whose color you can
* change.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/ChangeableHighlightPainter.java
No license file was found, but licenses were detected in source scan.

/*
* 10/08/2011
*
* FoldParserManager.java - Used by RSTA to determine what fold parser to use
* for each language it supports.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/folding/FoldParserManager.java
No license file was found, but licenses were detected in source scan.

/*
* 02/17/2012
*
* SearchContext.java - Container for options of a search/replace operation.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.

*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/SearchContext.java
No license file was found, but licenses were detected in source scan.

/*
* 02/21/2004
*
* Token.java - A token used in syntax highlighting.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/Token.java
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/TokenImpl.java
No license file was found, but licenses were detected in source scan.

/*
* 09/24/2004
*
* UnicodeWriter.java - Writes Unicode output with the proper BOM.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/io/UnicodeWriter.java
No license file was found, but licenses were detected in source scan.

/*
* 08/28/2013
*
* TokenIterator.java - An iterator over the Tokens in an RSyntaxDocument.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/TokenIterator.java

No license file was found, but licenses were detected in source scan.

/*
* 02/25/2005
*
* SASTokenMaker.java - Scanner for SAS files.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/SASTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 10/28/2004
*
* DefaultTokenFactory.java - Default token factory.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/DefaultTokenFactory.java
No license file was found, but licenses were detected in source scan.

/*
* 12/23/2012
*
* JsonTokenMaker.java - Scanner for JSON.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/JsonTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 10/08/2011
*
* FoldManager.java - Manages code folding in an RSyntaxTextArea instance.

*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/folding/FoldManager.java
No license file was found, but licenses were detected in source scan.

/*
* 08/26/2004
*
* TokenMakerBase.java - A base class for token makers.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/TokenMakerBase.java
No license file was found, but licenses were detected in source scan.

/*
* 02/24/2004
*
* RSyntaxTextAreaUI.java - UI for an RSyntaxTextArea.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/RSyntaxTextAreaUI.java
No license file was found, but licenses were detected in source scan.

/*
* 09/28/2007
*
* GroovyTokenMaker.java - Scanner for the Groovy programming language.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

```
import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;


/**
* Scanner for the Groovy programming language.<p>
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars
 around).
* We can achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>GroovyTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This
 is a needless memory allocation for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 0.5
*
*/
%%
```

```
%public
%class GroovyTokenMaker
%extends AbstractJFlexCTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{


/**
 * Constructor.  This must be here because JFlex does not generate a
 * no-parameter constructor.
 */
public GroovyTokenMaker() {
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 * @see #addToken(int, int, int)
 */
private void addHyperlinkToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType,
so, true);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
```

```
 addToken(zzBuffer, start,end, tokenType, so);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 */
@Override
public void addToken(char[] array, int start, int end, int tokenType, int startOffset) {
 super.addToken(array,
start,end, tokenType, startOffset);
 zzStartRead = zzMarkedPos;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "//", null };
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;
```

```
 // Start off in the proper state.
 int
state = Token.NULL;
 switch (initialTokenType) {
  case Token.LITERAL_STRING_DOUBLE_QUOTE:
   state = MULTILINE_STRING_DOUBLE;
   start = text.offset;
   break;
  case Token.LITERAL_CHAR:
   state = MULTILINE_STRING_SINGLE;
   start = text.offset;
   break;
  case Token.COMMENT_MULTILINE:
   state = MLC;
   start = text.offset;
   break;
  case Token.COMMENT_DOCUMENTATION:
   state = DOCCOMMENT;
   start = text.offset;
   break;
  default:
   state = Token.NULL;
 }

 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}


/**
 * Returns whether a regular expression token can follow the specified
 * token.
 *
 * @param t The token to check, which may be <code>null</code>.
 * @return Whether a regular expression token may follow this one.
 */
private static final boolean regexCanFollow(Token t) {
 char
ch;
 return t==null ||
```

```
   //t.isOperator() ||
   (t.length()==1 && (
    (ch=t.charAt(0))=='=' ||
    ch=='(' ||
    ch==',' ||
    ch=='?' ||
    ch==':' ||
    ch=='['
   )) ||
   /* Operators "==", "===", "!=", "!==", etc. */
   (t.getType()==Token.OPERATOR &&
    ((ch=t.charAt(t.length()-1))=='=' || ch=='~'));
}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(java.io.Reader reader) {
 // 's' has been updated.
 zzBuffer
= s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always
  * "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
```

```
  zzEndRead = zzStartRead + s.count - 1;
  zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
  zzLexicalState = YYINITIAL;
  zzReader = reader;
  zzAtBOL  = true;
  zzAtEOF  = false;
 }


%}

Letter      = [A-Za-z]
LetterOrUnderscore    = ({Letter}|"_")
NonzeroDigit      = [1-9]
BinaryDigit      = ([0-1])
Digit       = ("0"|{NonzeroDigit})
HexDigit       = ({Digit}|[A-Fa-f])
OctalDigit      = ([0-7])
AnyCharacterButApostropheOrBackSlash = ([^\\'])
EscapedSourceCharacter    = ("u"{HexDigit}{HexDigit}{HexDigit}{HexDigit})
Escape       =
("\\"(([btnfr\'"\\])|([0123]{OctalDigit}?{OctalDigit}?)|({OctalDigit}{OctalDigit}?)|{EscapedSourceCharacter}))
NonSeparator      =
 ([^\t\f\r\n\ \(\)\{\}\[\];\,\.\=\>\<\!\~\?\:\+\-\*\/\&\|\^\%\"\']|"#"|"\\")
IdentifierStart     = ({LetterOrUnderscore}|"$")
IdentifierPart      = ({IdentifierStart}|{Digit}|("\\"{EscapedSourceCharacter}))

LineTerminator    = (\n)
WhiteSpace    = ([ \t\f])

CharLiteral    = ([\']({AnyCharacterButApostropheOrBackSlash}|{Escape})*[\'])
UnclosedCharLiteral   = ([\'][^\'\n]*)
ErrorCharLiteral   = ({UnclosedCharLiteral}[\'])

MLCBegin     = "/*"
MLCEnd     = "*/"
DocCommentBegin   = "/**"
LineCommentBegin   = "//"

DigitOrUnderscore   = ({Digit}|[_])
DigitsAndUnderscoresEnd  = ({DigitOrUnderscore}*{Digit})
IntegerHelper    = (({NonzeroDigit}{DigitsAndUnderscoresEnd}?)|"0")
IntegerLiteral    = ({IntegerHelper}[lL]?)

BinaryDigitOrUnderscore  = ({BinaryDigit}|[_])
BinaryDigitsAndUnderscores = ({BinaryDigit}({BinaryDigitOrUnderscore}*{BinaryDigit})?)
BinaryLiteral    = ("0"[bB]{BinaryDigitsAndUnderscores})
```

```
HexDigitOrUnderscore  =
 ({HexDigit}|[_])
HexDigitsAndUnderscores  = ({HexDigit}({HexDigitOrUnderscore}*{HexDigit})?)
OctalDigitOrUnderscore  = ({OctalDigit}|[_])
OctalDigitsAndUnderscoresEnd= ({OctalDigitOrUnderscore}*{OctalDigit})
HexHelper     = ("0"(([xX]{HexDigitsAndUnderscores})|({OctalDigitsAndUnderscoresEnd})))
HexLiteral     = ({HexHelper}[lL]?)

FloatHelper1    = ([fFdD]?)
FloatHelper2    = ([eE][+-]?{Digit}+{FloatHelper1})
FloatLiteral1    = ({Digit}+"."({FloatHelper1}|{FloatHelper2}|{Digit}+({FloatHelper1}|{FloatHelper2})))
FloatLiteral2    = ("."{Digit}+({FloatHelper1}|{FloatHelper2}))
FloatLiteral3    = ({Digit}+{FloatHelper2})
FloatLiteral    = ({FloatLiteral1}|{FloatLiteral2}|{FloatLiteral3}|({Digit}+[fFdD]))

ErrorNumberFormat   = (({IntegerLiteral}|{HexLiteral}|{FloatLiteral}){NonSeparator}+)
BooleanLiteral    = ("true"|"false")
Regex      = ([~]?"/"([^\*\\/]|\\.)([^\\]|\\.)*"/")

Separator     = ([\(\)\{\}\[\]])
Separator2    = ([\;,.])

NonAssignmentOperator  =
 ("+"|"-"|"<="|"^"|"++"|"<"|"*"|">="|"%"|"--"|">"|"/"|"!="|"?"|">>"|"!"|"&"|"=="|":"|">>"|"~"|"|"|"&&"|">>>")
AssignmentOperator   = ("="|"-="|"*="|"/="|"|="|"&="|"^="|"+="|"%="|"<<="|">>="|">>>=")
GroovyOperator    = ("=~")
Operator     = ({NonAssignmentOperator}|{AssignmentOperator}|{GroovyOperator})

CurrentBlockTag    =
("author"|"deprecated"|"exception"|"param"|"return"|"see"|"serial"|"serialData"|"serialField"|"since"|"throws"|"versio
n")
ProposedBlockTag   = ("category"|"example"|"tutorial"|"index"|"exclude"|"todo"|"internal"|"obsolete"|"threadsafety")
BlockTag     = ({CurrentBlockTag}|{ProposedBlockTag})
InlineTag     = ("code"|"docRoot"|"inheritDoc"|"link"|"linkplain"|"literal"|"value")

Identifier    = ({IdentifierStart}{IdentifierPart}*)
ErrorIdentifier   = ({NonSeparator}+)

// Variables in strings
VariableStart    = ([\$])
BracedVariable    = ({VariableStart}\{[^\}]+\})
UnbracedVariable   = ({VariableStart}{Identifier})
Variable     =
 ({BracedVariable}|{UnbracedVariable})

Annotation    = ("@"{Identifier}?)

URLGenDelim    = ([:\/\?#\[\]@])
```

```
URLSubDelim    = ([\!\$&'\(\)\*\+,;=])
URLUnreserved   = ({LetterOrUnderscore}|{Digit}|[\-\.\~])
URLCharacter   = ({URLGenDelim}|{URLSubDelim}|{URLUnreserved}|[%])
URLCharacters   = ({URLCharacter}*)
URLEndCharacter   = ([\/\$]|{Letter}|{Digit})
URL      = (((https?|f(tp|ile))"://"|"www.")({URLCharacters}{URLEndCharacter})?)

%state MLC
%state DOCCOMMENT
%state EOL_COMMENT
%state MULTILINE_STRING_DOUBLE
%state MULTILINE_STRING_SINGLE
%state STRING_DOUBLE

%%

<YYINITIAL> {

 /* Keywords */
 "abstract" |
 "break" |
 "case" |
 "catch" |
 "class" |
 "const" |
 "continue" |
 "default" |
 "do" |
 "else" |
 "enum" |
 "extends" |
 "final" |
 "finally" |
 "for" |
 "goto" |
 "if" |
 "it" |
 "implements" |
 "import" |
 "instanceof" |
 "interface" |
 "native" |
 "new" |
 "null" |
 "package" |
 "private" |
 "protected" |
 "public" |
```

```
"static"
|
"strictfp" |
"super" |
"switch" |
"synchronized" |
"this" |
"throw" |
"throws" |
"transient" |
"try" |
"void" |
"volatile" |
"while"    { addToken(Token.RESERVED_WORD); }
"return"   { addToken(Token.RESERVED_WORD_2); }

/* Groovy keywords */
"as" |
"assert" |
"def" |
"mixin" |
"property" |
"test" |
"using" |
"in"    { addToken(Token.RESERVED_WORD); }

/* Data types. */
"boolean" |
"byte" |
"char" |
"double" |
"float" |
"int" |
"long" |
"short"     { addToken(Token.DATA_TYPE); }

/* Booleans. */
{BooleanLiteral}   { addToken(Token.LITERAL_BOOLEAN); }

/* java.lang classes */
"Appendable" |
"AutoCloseable" |
"CharSequence" |
"Cloneable" |
"Comparable" |
"Iterable" |
"Readable" |
"Runnable" |
```

"Thread.UncaughtExceptionHandler" |
"Boolean" |
"Byte" |
"Character" |
"Character.Subset" |
"Character.UnicodeBlock" |
"Class" |
"ClassLoader" |
"ClassValue" |
"Compiler" |
"Double"
|
"Enum" |
"Float" |
"InheritableThreadLocal" |
"Integer" |
"Long" |
"Math" |
"Number" |
"Object" |
"Package" |
"Process" |
"ProcessBuilder" |
"ProcessBuilder.Redirect" |
"Runtime" |
"RuntimePermission" |
"SecurityManager" |
"Short" |
"StackTraceElement" |
"StrictMath" |
"String" |
"StringBuffer" |
"StringBuilder" |
"System" |
"Thread" |
"ThreadGroup" |
"ThreadLocal" |
"Throwable" |
"Void" |
"Character.UnicodeScript" |
"ProcessBuilder.Redirect.Type" |
"Thread.State" |
"ArithmeticException" |
"ArrayIndexOutOfBoundsException" |
"ArrayStoreException" |
"ClassCastException" |
"ClassNotFoundException" |
"CloneNotSupportedException" |

```
"EnumConstantNotPresentException" |
"Exception" |
"IllegalAccessException" |
"IllegalArgumentException" |
"IllegalMonitorStateException" |
"IllegalStateException" |
"IllegalThreadStateException" |
"IndexOutOfBoundsException" |
"InstantiationException" |
"InterruptedException"
|
"NegativeArraySizeException" |
"NoSuchFieldException" |
"NoSuchMethodException" |
"NullPointerException" |
"NumberFormatException" |
"RuntimeException" |
"SecurityException" |
"StringIndexOutOfBoundsException" |
"TypeNotPresentException" |
"UnsupportedOperationException" |
"AbstractMethodError" |
"AssertionError" |
"BootstrapMethodError" |
"ClassCircularityError" |
"ClassFormatError" |
"Error" |
"ExceptionInInitializerError" |
"IllegalAccessError" |
"IncompatibleClassChangeError" |
"InstantiationError" |
"InternalError" |
"LinkageError" |
"NoClassDefFoundError" |
"NoSuchFieldError" |
"NoSuchMethodError" |
"OutOfMemoryError" |
"StackOverflowError" |
"ThreadDeath" |
"UnknownError" |
"UnsatisfiedLinkError" |
"UnsupportedClassVersionError" |
"VerifyError" |
"VirtualMachineError" |

/* java.io classes*/
  "Closeable" |
  "DataInput" |
```

```
  "DataOutput" |
  "Externalizable" |
  "FileFilter" |
  "FilenameFilter"
|
  "Flushable" |
  "ObjectInput" |
  "ObjectInputValidation" |
  "ObjectOutput" |
  "ObjectStreamConstants" |
  "Serializable" |

  "BufferedInputStream" |
  "BufferedOutputStream" |
  "BufferedReader" |
  "BufferedWriter" |
  "ByteArrayInputStream" |
  "ByteArrayOutputStream" |
  "CharArrayReader" |
  "CharArrayWriter" |
  "Console" |
  "DataInputStream" |
  "DataOutputStream" |
  "File" |
  "FileDescriptor" |
  "FileInputStream" |
  "FileOutputStream" |
  "FilePermission" |
  "FileReader" |
  "FileWriter" |
  "FilterInputStream" |
  "FilterOutputStream" |
  "FilterReader" |
  "FilterWriter" |
  "InputStream" |
  "InputStreamReader" |
  "LineNumberInputStream" |
  "LineNumberReader" |
  "ObjectInputStream" |
  "ObjectInputStream.GetField" |
  "ObjectOutputStream" |
  "ObjectOutputStream.PutField" |
  "ObjectStreamClass" |
  "ObjectStreamField" |
  "OutputStream"
|
  "OutputStreamWriter" |
  "PipedInputStream" |
```

```
  "PipedOutputStream" |
  "PipedReader" |
  "PipedWriter" |
  "PrintStream" |
  "PrintWriter" |
  "PushbackInputStream" |
  "PushbackReader" |
  "RandomAccessFile" |
  "Reader" |
  "SequenceInputStream" |
  "SerializablePermission" |
  "StreamTokenizer" |
  "StringBufferInputStream" |
  "StringReader" |
  "StringWriter" |
  "Writer" |

  "CharConversionException" |
  "EOFException" |
  "FileNotFoundException" |
  "InterruptedIOException" |
  "InvalidClassException" |
  "InvalidObjectException" |
  "IOException" |
  "NotActiveException" |
  "NotSerializableException" |
  "ObjectStreamException" |
  "OptionalDataException" |
  "StreamCorruptedException" |
  "SyncFailedException" |
  "UncheckedIOException" |
  "UnsupportedEncodingException" |
  "UTFDataFormatException" |
  "WriteAbortedException" |

  "IOError" |

 /* java.util
 classes */
  "Collection" |
  "Comparator" |
  "Deque" |
  "Enumeration" |
  "EventListener" |
  "Formattable" |
  "Iterator" |
  "List" |
  "ListIterator" |
```

"Map" |
"Map.Entry" |
"NavigableMap" |
"NavigableSet" |
"Observer" |
"PrimitiveIterator" |
"PrimitiveIterator.OfDouble" |
"PrimitiveIterator.OfInt" |
"PrimitiveIterator.OfLong" |
"Queue" |
"RandomAccess" |
"Set" |
"SortedMap" |
"SortedSet" |
"Spliterator" |
"Spliterator.OfDouble" |
"Spliterator.OfInt" |
"Spliterator.OfLong" |
"Spliterator.OfPrimitive" |

"AbstractCollection" |
"AbstractList" |
"AbstractMap" |
"AbstractMap.SimpleEntry" |
"AbstractMap.SimpleImmutableEntry" |
"AbstractQueue" |
"AbstractSequentialList" |
"AbstractSet" |
"ArrayDeque" |
"ArrayList" |
"Arrays" |
"Base64" |
"Base64.Decoder" |
"Base64.Encoder" |
"BitSet" |
"Calendar" |
"Calendar.Builder" |
"Collections" |
"Currency" |
"Date" |
"Dictionary" |
"DoubleSummaryStatistics" |
"EnumMap" |
"EnumSet" |
"EventListenerProxy" |
"EventObject" |
"FormattableFlags" |
"Formatter" |

```
  "GregorianCalendar" |
  "HashMap" |
  "HashSet" |
  "Hashtable" |
  "IdentityHashMap" |
  "IntSummaryStatistics" |
  "LinkedHashMap" |
  "LinkedHashSet" |
  "LinkedList" |
  "ListResourceBundle" |
  "Locale" |
  "Locale.Builder" |
  "Locale.LanguageRange" |
  "LongSummaryStatistics" |
  "Objects" |
  "Observable" |
  "Optional" |
  "OptionalDouble" |
  "OptionalInt" |
  "OptionalLong" |
  "PriorityQueue" |
  "Properties" |
  "PropertyPermission" |
  "PropertyResourceBundle" |
  "Random" |
  "ResourceBundle" |
  "ResourceBundle.Control" |
  "Scanner" |
  "ServiceLoader" |
  "SimpleTimeZone" |
  "Spliterators" |
  "Spliterators.AbstractDoubleSpliterator"
|
  "Spliterators.AbstractIntSpliterator" |
  "Spliterators.AbstractLongSpliterator" |
  "Spliterators.AbstractSpliterator" |
  "SpliteratorRandom" |
  "Stack" |
  "StringJoiner" |
  "StringTokenizer" |
  "Timer" |
  "TimerTask" |
  "TimeZone" |
  "TreeMap" |
  "TreeSet" |
  "UUID" |
  "Vector" |
  "WeakHashMap" |
```

```
  "Formatter.BigDecimalLayoutForm" |
  "Locale.Category" |
  "Locale.FilteringMode" |

  "ConcurrentModificationException" |
  "DuplicateFormatFlagsException" |
  "EmptyStackException" |
  "FormatFlagsConversionMismatchException" |
  "FormatterClosedException" |
  "IllegalFormatCodePointException" |
  "IllegalFormatConversionException" |
  "IllegalFormatException" |
  "IllegalFormatFlagsException" |
  "IllegalFormatPrecisionException" |
  "IllegalFormatWidthException" |
  "IllformedLocaleException" |
  "InputMismatchException" |
  "InvalidPropertiesFormatException"
|
  "MissingFormatArgumentException" |
  "MissingFormatWidthException" |
  "MissingResourceException" |
  "NoSuchElementException" |
  "TooManyListenersException" |
  "UnknownFormatConversionException" |
  "UnknownFormatFlagsException" |

  "ServiceConfigurationError"   { addToken(Token.FUNCTION); }

/* Commonly used methods added to Object class */
"addShutdownHook" |
"any" |
"asBoolean" |
"asType" |
"collect" |
"dump" |
"each" |
"eachWithIndex" |
"every" |
"find" |
"findAll" |
"findIndexOf" |
"findIndexValues" |
"findLastIndexOf" |
"getAt" |
"getMetaClass" |
"getMetaPropertyValues" |
```

```
"getProperties" |
"grep" |
"hasProperty" |
"identity" |
"inject" |
"inspect" |
"invokeMethod" |
"is" |
"isCase" |
"iterator" |
"metaClass" |
"print" |
"printf" |
"println" |
"putAt" |
"respondsTo" |
"setMetaClass" |
"sleep" |
"split" |
"sprintf" |
"toString" |
"use" |
"with"
  { addToken(Token.FUNCTION); }

{LineTerminator}    { addNullToken(); return firstToken; }

{Identifier}     { addToken(Token.IDENTIFIER); }

{WhiteSpace}+     { addToken(Token.WHITESPACE); }

/* Multiline string literals. */
\"\"\"      { start = zzMarkedPos-3; yybegin(MULTILINE_STRING_DOUBLE); }
\'\'\'      { start = zzMarkedPos-3; yybegin(MULTILINE_STRING_SINGLE); }


/* String/Character literals. */
{CharLiteral}     { addToken(Token.LITERAL_CHAR); }
{UnclosedCharLiteral}   { addToken(Token.ERROR_CHAR); addNullToken(); return firstToken; }
{ErrorCharLiteral}    { addToken(Token.ERROR_CHAR); }
\"        { start = zzMarkedPos-1; yybegin(STRING_DOUBLE); }

/* Comment literals. */
"/**/"      { addToken(Token.COMMENT_MULTILINE); }
{MLCBegin}     { start = zzMarkedPos-2; yybegin(MLC); }
{DocCommentBegin}   { start = zzMarkedPos-3; yybegin(DOCCOMMENT); }
{LineCommentBegin}   { start = zzMarkedPos-2; yybegin(EOL_COMMENT); }
```

```
/* Regular expressions.
*/
{Regex} {
  boolean highlightedAsRegex = false;
  if (zzBuffer[zzStartRead]=='~' || firstToken==null) {
   addToken(Token.REGEX);
   highlightedAsRegex = true;
  }
  else {
   // If this is *likely* to be a regex, based on
   // the previous token, highlight it as such.
   Token t = firstToken.getLastNonCommentNonWhitespaceToken();
   if (regexCanFollow(t)) {
    addToken(Token.REGEX);
    highlightedAsRegex = true;
   }
  }
  // If it doesn't *appear* to be a regex, highlight it as
  // individual tokens.
  if (!highlightedAsRegex) {
   int temp = zzStartRead + 1;
   addToken(zzStartRead, zzStartRead, Token.OPERATOR);
   zzStartRead = zzCurrentPos = zzMarkedPos = temp;
  }
 }

/* Annotations. */
{Annotation}     { addToken(Token.ANNOTATION); }

/* Separators. */
{Separator}     { addToken(Token.SEPARATOR); }
{Separator2}     { addToken(Token.IDENTIFIER); }

/* Operators. */
{Operator}     { addToken(Token.OPERATOR);
}

/* Numbers */
{IntegerLiteral}    { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
{BinaryLiteral}     { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
{HexLiteral}     { addToken(Token.LITERAL_NUMBER_HEXADECIMAL); }
{FloatLiteral}     { addToken(Token.LITERAL_NUMBER_FLOAT); }
{ErrorNumberFormat}    { addToken(Token.ERROR_NUMBER_FORMAT); }

{ErrorIdentifier}    { addToken(Token.ERROR_IDENTIFIER); }

/* Ended with a line not in a string or comment. */
<<EOF>>      { addNullToken(); return firstToken; }
```

```
 /* Catch any other (unhandled) characters and flag them as bad. */
 .      { addToken(Token.ERROR_IDENTIFIER); }

}


<MLC> {

 [^hwf\n\*]+    {}
 {URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_MULTILINE); start = zzMarkedPos; }
 [hwf]     {}

 \n      { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken; }
 {MLCEnd}     {
 yybegin(YYINITIAL); addToken(start,zzStartRead+1, Token.COMMENT_MULTILINE); }
 \*      {}
 <<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken; }

}


<DOCCOMMENT> {

 [^hwf\@\{\n\<\*]+   {}
 {URL}      { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_DOCUMENTATION);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_DOCUMENTATION); start = zzMarkedPos; }
 [hwf]      {}

 "@"{BlockTag}    { int temp=zzStartRead; addToken(start,zzStartRead-1,
Token.COMMENT_DOCUMENTATION); addToken(temp,zzMarkedPos-1, Token.VARIABLE); start =
zzMarkedPos; }
 "@"       {}
 "{@"{InlineTag}[^\}]*"}" { int temp=zzStartRead; addToken(start,zzStartRead-1,
Token.COMMENT_DOCUMENTATION); addToken(temp,zzMarkedPos-1, Token.VARIABLE); start =
zzMarkedPos; }
 "{"       {}
 \n       { addToken(start,zzStartRead-1, Token.COMMENT_DOCUMENTATION); return firstToken; }
 "<"[/]?({Letter}[^\>]*)?">" { int temp=zzStartRead; addToken(start,zzStartRead-1,
 Token.COMMENT_DOCUMENTATION); addToken(temp,zzMarkedPos-1, Token.PREPROCESSOR); start =
zzMarkedPos; }
 \<       {}
 {MLCEnd}     { yybegin(YYINITIAL); addToken(start,zzStartRead+1, Token.COMMENT_DOCUMENTATION); }
 \*       {}
 <<EOF>>      { yybegin(YYINITIAL); addToken(start,zzEndRead, Token.COMMENT_DOCUMENTATION); return
firstToken; }
```

```
}


<EOL_COMMENT> {
 [^hwf\n]+    {}
 {URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_EOL);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_EOL); start = zzMarkedPos; }
 [hwf]     {}
 \n |
 <<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_EOL); addNullToken(); return firstToken; }
}


<MULTILINE_STRING_DOUBLE> {
 [^\"\\\$\n]*    {}
 \\.?      { /* Skip escaped chars, handles case: '\"""'. */ }
 \"\"\"     { yybegin(YYINITIAL); addToken(start,zzStartRead+2, Token.LITERAL_STRING_DOUBLE_QUOTE); }
 {Variable}     { int temp=zzStartRead; addToken(start,zzStartRead-1,
Token.LITERAL_STRING_DOUBLE_QUOTE);
 addToken(temp,zzMarkedPos-1, Token.VARIABLE); start = zzMarkedPos; }
 {VariableStart}    {}
 \"      {}
 \n |
 <<EOF>>     { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE); return firstToken; }
}


<MULTILINE_STRING_SINGLE> {
 [^\'\\\n]*    {}
 \\.?      { /* Skip escaped chars, handles case: "\'". */ }
 \'\'\'     { yybegin(YYINITIAL); addToken(start,zzStartRead+2, Token.LITERAL_CHAR); }
 \'      {}
 \n |
 <<EOF>>     { addToken(start,zzStartRead-1, Token.LITERAL_CHAR); return firstToken; }
}

<STRING_DOUBLE> {
 [^\n\\\$\"]+  {}
 \n     { addToken(start,zzStartRead-1, Token.ERROR_STRING_DOUBLE); addNullToken(); return firstToken; }
 \\.?     { /* Skip escaped chars. */ }
 {Variable}    { int temp=zzStartRead; addToken(start,zzStartRead-1,
Token.LITERAL_STRING_DOUBLE_QUOTE); addToken(temp,zzMarkedPos-1, Token.VARIABLE); start =
zzMarkedPos; }
 {VariableStart}  {}
 \"     { yybegin(YYINITIAL); addToken(start,zzStartRead,
 Token.LITERAL_STRING_DOUBLE_QUOTE); }
 <<EOF>>    { addToken(start,zzStartRead-1, Token.ERROR_STRING_DOUBLE); return firstToken; }
}
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/GroovyTokenMaker.flex
No license file was found, but licenses were detected in source scan.

```
/*
* 11/13/2004
*
* JavaTokenMaker.java - Scanner for the Java programming language.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;


/**
* Scanner for the Java programming language.<p>
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).
 * We can achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>JavaTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
```

```
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a
 needless memory allocation for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 1.0
*
*/
%%

%public
%class JavaTokenMaker
%extends AbstractJFlexCTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{


 /**
  * Constructor.  This must be here because JFlex does not generate a
  * no-parameter constructor.
  */
 public JavaTokenMaker() {
 }


 /**
  * Adds the token specified to the current linked list of tokens.
  *
  * @param tokenType The token's type.
  * @see #addToken(int, int, int)
  */
 private void addHyperlinkToken(int start, int end, int tokenType) {
  int so = start + offsetShift;
  addToken(zzBuffer, start,end, tokenType, so, true);
 }


 /**
```

```
* Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 * @see #addHyperlinkToken(int, int, int)
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so, false);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 * @param hyperlink Whether this token is a hyperlink.
 */
@Override
public
void addToken(char[] array, int start, int end, int tokenType,
    int startOffset, boolean hyperlink) {
 super.addToken(array, start,end, tokenType, startOffset, hyperlink);
 zzStartRead = zzMarkedPos;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "//", null };
}
```

```
/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset)
{

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;

 // Start off in the proper state.
 int state = Token.NULL;
 switch (initialTokenType) {
  case Token.COMMENT_MULTILINE:
   state = MLC;
   start = text.offset;
   break;
  case Token.COMMENT_DOCUMENTATION:
   state = DOCCOMMENT;
   start = text.offset;
   break;
  default:
   state = Token.NULL;
 }

 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}
```

```
/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream

 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always
  * "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
}


%}

Letter       = ([A-Za-z])
LetterOrUnderscore    = ({Letter}|"_")
Underscores      = ([_]+)
NonzeroDigit      = ([1-9])
```

```
BinaryDigit      = ([0-1])
Digit      = ("0"|{NonzeroDigit})
HexDigit      =
 ({Digit}|[A-Fa-f])
OctalDigit      = ([0-7])
AnyCharacterButApostropheOrBackSlash = ([^\\'])
AnyCharacterButDoubleQuoteOrBackSlash = ([^\\\"\n])
EscapedSourceCharacter    = ("u"{HexDigit}{HexDigit}{HexDigit}{HexDigit})
Escape      =
("\\"(([btnfr\"'\\])|([0123]{OctalDigit}?{OctalDigit}?)|({OctalDigit}{OctalDigit}?)|{EscapedSourceCharacter}))
NonSeparator      = ([^\t\f\r\n\ \(\)\{\}\[\]\;\,\.\=\>\<\!\~\?\:\+\-\*\/\&\|\^\%\"\']|"#"|"\\")
IdentifierStart     = ({LetterOrUnderscore}|"$")
IdentifierPart      = ({IdentifierStart}|{Digit}|("\\"{EscapedSourceCharacter}))

LineTerminator    = (\n)
WhiteSpace    = ([ \t\f])

CharLiteral    = ([\'][{AnyCharacterButApostropheOrBackSlash}|{Escape}][\'])
UnclosedCharLiteral   = ([\'][^\'\n]*)
ErrorCharLiteral   = ({UnclosedCharLiteral}[\'])
StringLiteral    = ([\"]({AnyCharacterButDoubleQuoteOrBackSlash}|{Escape})*[\"])
UnclosedStringLiteral  = ([\"]([\\].|[^\\\"])*[^\"]?)
ErrorStringLiteral   = ({UnclosedStringLiteral}[\"])

MLCBegin     =
 "/*"
MLCEnd     = "*/"
DocCommentBegin   = "/**"
LineCommentBegin   = "//"

DigitOrUnderscore   = ({Digit}|[_])
DigitsAndUnderscoresEnd  = ({DigitOrUnderscore}*{Digit})
IntegerHelper    = (({NonzeroDigit}{DigitsAndUnderscoresEnd}?)|"0")
IntegerLiteral    = ({IntegerHelper}[lL]?)

BinaryDigitOrUnderscore  = ({BinaryDigit}|[_])
BinaryDigitsAndUnderscores = ({BinaryDigit}({BinaryDigitOrUnderscore}*{BinaryDigit})?)
BinaryLiteral    = ("0"[bB]{BinaryDigitsAndUnderscores})

HexDigitOrUnderscore  = ({HexDigit}|[_])
HexDigitsAndUnderscores  = ({HexDigit}({HexDigitOrUnderscore}*{HexDigit})?)
OctalDigitOrUnderscore  = ({OctalDigit}|[_])
OctalDigitsAndUnderscoresEnd= ({OctalDigitOrUnderscore}*{OctalDigit})
HexHelper     = ("0"(([xX]{HexDigitsAndUnderscores})|({OctalDigitsAndUnderscoresEnd})))
HexLiteral     = ({HexHelper}[lL]?)

FloatHelper1    = ([fFdD]?)
FloatHelper2    = ([eE][+-]?{Digit}+{FloatHelper1})
```

```
FloatLiteral1    = ({Digit}+"."({FloatHelper1}|{FloatHelper2}|{Digit}+({FloatHelper1}|{FloatHelper2})))
FloatLiteral2    =
("."{Digit}+({FloatHelper1}|{FloatHelper2}))
FloatLiteral3    = ({Digit}+{FloatHelper2})
FloatLiteral     = ({FloatLiteral1}|{FloatLiteral2}|{FloatLiteral3}|({Digit}+[fFdD]))

ErrorNumberFormat   = (({IntegerLiteral}|{HexLiteral}|{FloatLiteral}){NonSeparator}+)
BooleanLiteral    = ("true"|"false")

Separator     = ([\(\)\{\}\[\]])
Separator2    = ([\;,.])

NonAssignmentOperator  = ("+"|"-"|"<="|"^"|"++"|"<"|"*"|">="|"%"|"--
"|">"|"/"|"!="|"?"|">>"|"!"|"&"|"=="|":"|">>"|"~"|"|"|"&&"|">>>")
AssignmentOperator   = ("="|"-="|"*="|"/="|"|="|"&="|"^="|"+="|"%="|"<<="|">>="|">>>=")
Operator     = ({NonAssignmentOperator}|{AssignmentOperator})

CurrentBlockTag    =
("author"|"deprecated"|"exception"|"param"|"return"|"see"|"serial"|"serialData"|"serialField"|"since"|"throws"|"versio
n")
ProposedBlockTag   = ("category"|"example"|"tutorial"|"index"|"exclude"|"todo"|"internal"|"obsolete"|"threadsafety")
BlockTag     =
({CurrentBlockTag}|{ProposedBlockTag})
InlineTag     = ("code"|"docRoot"|"inheritDoc"|"link"|"linkplain"|"literal"|"value")

Identifier    = ({IdentifierStart}{IdentifierPart}*)
ErrorIdentifier   = ({NonSeparator}+)

Annotation    = ("@"{Identifier}?)

URLGenDelim    = ([:\/\?#\[\]@])
URLSubDelim    = ([\!\$&'\(\)\*\+,;=])
URLUnreserved   = ({LetterOrUnderscore}|{Digit}|[\-\.\~])
URLCharacter   = ({URLGenDelim}|{URLSubDelim}|{URLUnreserved}|[%])
URLCharacters   = ({URLCharacter}*)
URLEndCharacter   = ([\/\$]|{Letter}|{Digit})
URL      = (((https?|f(tp|ile))"://"|"www.")({URLCharacters}{URLEndCharacter})?)


%state MLC
%state DOCCOMMENT
%state EOL_COMMENT

%%

<YYINITIAL> {

 /* Keywords */
```

```
"abstract"|
"assert" |
"break"  |
"case"  |
"catch"  |
"class"  |
"const"  |
"continue" |
"default" |
"do"  |
"else"  |
"enum"  |
"extends" |
"final"  |
"finally" |
"for"  |
"goto"  |
"if"  |
"implements"
|
"import" |
"instanceof" |
"interface" |
"native" |
"new"  |
"null"  |
"package" |
"private" |
"protected" |
"public" |
"static" |
"strictfp" |
"super"  |
"switch" |
"synchronized" |
"this"  |
"throw"  |
"throws" |
"transient" |
"try"  |
"void"  |
"volatile" |
"while"     { addToken(Token.RESERVED_WORD); }
"return"    { addToken(Token.RESERVED_WORD_2); }

/* Data types. */
"boolean" |
"byte" |
```

```
"char" |
"double" |
"float" |
"int" |
"long" |
"short"     { addToken(Token.DATA_TYPE); }

/* Booleans. */
{BooleanLiteral}    { addToken(Token.LITERAL_BOOLEAN); }

/* java.lang classes */
"Appendable" |
"AutoCloseable" |
"CharSequence" |
"Cloneable" |
"Comparable" |
"Iterable" |
"Readable" |
"Runnable" |
"Thread.UncaughtExceptionHandler" |
"Boolean" |
"Byte" |
"Character" |
"Character.Subset" |
"Character.UnicodeBlock" |
"Class" |
"ClassLoader" |
"ClassValue" |
"Compiler" |
"Double"
|
"Enum" |
"Float" |
"InheritableThreadLocal" |
"Integer" |
"Long" |
"Math" |
"Number" |
"Object" |
"Package" |
"Process" |
"ProcessBuilder" |
"ProcessBuilder.Redirect" |
"Runtime" |
"RuntimePermission" |
"SecurityManager" |
"Short" |
"StackTraceElement" |
```

"StrictMath" |
"String" |
"StringBuffer" |
"StringBuilder" |
"System" |
"Thread" |
"ThreadGroup" |
"ThreadLocal" |
"Throwable" |
"Void" |
"Character.UnicodeScript" |
"ProcessBuilder.Redirect.Type" |
"Thread.State" |
"ArithmeticException" |
"ArrayIndexOutOfBoundsException" |
"ArrayStoreException" |
"ClassCastException" |
"ClassNotFoundException" |
"CloneNotSupportedException" |
"EnumConstantNotPresentException" |
"Exception" |
"IllegalAccessException" |
"IllegalArgumentException" |
"IllegalMonitorStateException" |
"IllegalStateException" |
"IllegalThreadStateException" |
"IndexOutOfBoundsException" |
"InstantiationException" |
"InterruptedException"
|
"NegativeArraySizeException" |
"NoSuchFieldException" |
"NoSuchMethodException" |
"NullPointerException" |
"NumberFormatException" |
"RuntimeException" |
"SecurityException" |
"StringIndexOutOfBoundsException" |
"TypeNotPresentException" |
"UnsupportedOperationException" |
"AbstractMethodError" |
"AssertionError" |
"BootstrapMethodError" |
"ClassCircularityError" |
"ClassFormatError" |
"Error" |
"ExceptionInInitializerError" |
"IllegalAccessError" |

```
"IncompatibleClassChangeError" |
"InstantiationError" |
"InternalError" |
"LinkageError" |
"NoClassDefFoundError" |
"NoSuchFieldError" |
"NoSuchMethodError" |
"OutOfMemoryError" |
"StackOverflowError" |
"ThreadDeath" |
"UnknownError" |
"UnsatisfiedLinkError" |
"UnsupportedClassVersionError" |
"VerifyError" |
"VirtualMachineError" |

/* java.io classes*/
  "Closeable" |
  "DataInput" |
  "DataOutput" |
  "Externalizable" |
  "FileFilter" |
  "FilenameFilter"
|
  "Flushable" |
  "ObjectInput" |
  "ObjectInputValidation" |
  "ObjectOutput" |
  "ObjectStreamConstants" |
  "Serializable" |

  "BufferedInputStream" |
  "BufferedOutputStream" |
  "BufferedReader" |
  "BufferedWriter" |
  "ByteArrayInputStream" |
  "ByteArrayOutputStream" |
  "CharArrayReader" |
  "CharArrayWriter" |
  "Console" |
  "DataInputStream" |
  "DataOutputStream" |
  "File" |
  "FileDescriptor" |
  "FileInputStream" |
  "FileOutputStream" |
  "FilePermission" |
  "FileReader" |
```

```
  "FileWriter" |
  "FilterInputStream" |
  "FilterOutputStream" |
  "FilterReader" |
  "FilterWriter" |
  "InputStream" |
  "InputStreamReader" |
  "LineNumberInputStream" |
  "LineNumberReader" |
  "ObjectInputStream" |
  "ObjectInputStream.GetField" |
  "ObjectOutputStream" |
  "ObjectOutputStream.PutField" |
  "ObjectStreamClass" |
  "ObjectStreamField" |
  "OutputStream"
|
  "OutputStreamWriter" |
  "PipedInputStream" |
  "PipedOutputStream" |
  "PipedReader" |
  "PipedWriter" |
  "PrintStream" |
  "PrintWriter" |
  "PushbackInputStream" |
  "PushbackReader" |
  "RandomAccessFile" |
  "Reader" |
  "SequenceInputStream" |
  "SerializablePermission" |
  "StreamTokenizer" |
  "StringBufferInputStream" |
  "StringReader" |
  "StringWriter" |
  "Writer" |

  "CharConversionException" |
  "EOFException" |
  "FileNotFoundException" |
  "InterruptedIOException" |
  "InvalidClassException" |
  "InvalidObjectException" |
  "IOException" |
  "NotActiveException" |
  "NotSerializableException" |
  "ObjectStreamException" |
  "OptionalDataException" |
  "StreamCorruptedException" |
```

```
  "SyncFailedException" |
  "UncheckedIOException" |
  "UnsupportedEncodingException" |
  "UTFDataFormatException" |
  "WriteAbortedException" |

  "IOError" |

/* java.util
classes */
  "Collection" |
  "Comparator" |
  "Deque" |
  "Enumeration" |
  "EventListener" |
  "Formattable" |
  "Iterator" |
  "List" |
  "ListIterator" |
  "Map" |
  "Map.Entry" |
  "NavigableMap" |
  "NavigableSet" |
  "Observer" |
  "PrimitiveIterator" |
  "PrimitiveIterator.OfDouble" |
  "PrimitiveIterator.OfInt" |
  "PrimitiveIterator.OfLong" |
  "Queue" |
  "RandomAccess" |
  "Set" |
  "SortedMap" |
  "SortedSet" |
  "Spliterator" |
  "Spliterator.OfDouble" |
  "Spliterator.OfInt" |
  "Spliterator.OfLong" |
  "Spliterator.OfPrimitive" |

  "AbstractCollection" |
  "AbstractList" |
  "AbstractMap" |
  "AbstractMap.SimpleEntry" |
  "AbstractMap.SimpleImmutableEntry" |
  "AbstractQueue" |
  "AbstractSequentialList" |
  "AbstractSet" |
  "ArrayDeque" |
```

"ArrayList" |
"Arrays" |
"Base64" |
"Base64.Decoder" |
"Base64.Encoder" |
"BitSet"
|
"Calendar" |
"Calendar.Builder" |
"Collections" |
"Currency" |
"Date" |
"Dictionary" |
"DoubleSummaryStatistics" |
"EnumMap" |
"EnumSet" |
"EventListenerProxy" |
"EventObject" |
"FormattableFlags" |
"Formatter" |
"GregorianCalendar" |
"HashMap" |
"HashSet" |
"Hashtable" |
"IdentityHashMap" |
"IntSummaryStatistics" |
"LinkedHashMap" |
"LinkedHashSet" |
"LinkedList" |
"ListResourceBundle" |
"Locale" |
"Locale.Builder" |
"Locale.LanguageRange" |
"LongSummaryStatistics" |
"Objects" |
"Observable" |
"Optional" |
"OptionalDouble" |
"OptionalInt" |
"OptionalLong" |
"PriorityQueue" |
"Properties" |
"PropertyPermission" |
"PropertyResourceBundle" |
"Random" |
"ResourceBundle" |
"ResourceBundle.Control" |
"Scanner" |

```
  "ServiceLoader" |
  "SimpleTimeZone" |
  "Spliterators" |
  "Spliterators.AbstractDoubleSpliterator"
|
  "Spliterators.AbstractIntSpliterator" |
  "Spliterators.AbstractLongSpliterator" |
  "Spliterators.AbstractSpliterator" |
  "SpliteratorRandom" |
  "Stack" |
  "StringJoiner" |
  "StringTokenizer" |
  "Timer" |
  "TimerTask" |
  "TimeZone" |
  "TreeMap" |
  "TreeSet" |
  "UUID" |
  "Vector" |
  "WeakHashMap" |

  "Formatter.BigDecimalLayoutForm" |
  "Locale.Category" |
  "Locale.FilteringMode" |

  "ConcurrentModificationException" |
  "DuplicateFormatFlagsException" |
  "EmptyStackException" |
  "FormatFlagsConversionMismatchException" |
  "FormatterClosedException" |
  "IllegalFormatCodePointException" |
  "IllegalFormatConversionException" |
  "IllegalFormatException" |
  "IllegalFormatFlagsException" |
  "IllegalFormatPrecisionException" |
  "IllegalFormatWidthException" |
  "IllformedLocaleException" |
  "InputMismatchException" |
  "InvalidPropertiesFormatException"
|
  "MissingFormatArgumentException" |
  "MissingFormatWidthException" |
  "MissingResourceException" |
  "NoSuchElementException" |
  "TooManyListenersException" |
  "UnknownFormatConversionException" |
  "UnknownFormatFlagsException" |
```

```
  "ServiceConfigurationError"   { addToken(Token.FUNCTION); }

{LineTerminator}    { addNullToken(); return firstToken; }

{Identifier}    { addToken(Token.IDENTIFIER); }

{WhiteSpace}+    { addToken(Token.WHITESPACE); }

/* String/Character literals. */
{CharLiteral}    { addToken(Token.LITERAL_CHAR); }
{UnclosedCharLiteral}   { addToken(Token.ERROR_CHAR); addNullToken(); return firstToken; }
{ErrorCharLiteral}    { addToken(Token.ERROR_CHAR); }
{StringLiteral}    { addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); }
{UnclosedStringLiteral}   { addToken(Token.ERROR_STRING_DOUBLE); addNullToken(); return firstToken; }
{ErrorStringLiteral}   { addToken(Token.ERROR_STRING_DOUBLE);
}

/* Comment literals. */
"/**/"      { addToken(Token.COMMENT_MULTILINE); }
{MLCBegin}    { start = zzMarkedPos-2; yybegin(MLC); }
{DocCommentBegin}    { start = zzMarkedPos-3; yybegin(DOCCOMMENT); }
{LineCommentBegin}   { start = zzMarkedPos-2; yybegin(EOL_COMMENT); }

/* Annotations. */
{Annotation}    { addToken(Token.ANNOTATION); }

/* Separators. */
{Separator}    { addToken(Token.SEPARATOR); }
{Separator2}    { addToken(Token.IDENTIFIER); }

/* Operators. */
{Operator}    { addToken(Token.OPERATOR); }

/* Numbers */
{IntegerLiteral}    { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
{BinaryLiteral}    { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
{HexLiteral}    { addToken(Token.LITERAL_NUMBER_HEXADECIMAL); }
{FloatLiteral}    { addToken(Token.LITERAL_NUMBER_FLOAT); }
{ErrorNumberFormat}    { addToken(Token.ERROR_NUMBER_FORMAT); }

{ErrorIdentifier}    { addToken(Token.ERROR_IDENTIFIER); }

/* Ended with a line not in a string
or comment. */
<<EOF>>      { addNullToken(); return firstToken; }

/* Catch any other (unhandled) characters and flag them as identifiers. */
.      { addToken(Token.ERROR_IDENTIFIER); }
```

```
}

<MLC> {

 [^hwf\n\*]+    {}
 {URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_MULTILINE); start = zzMarkedPos; }
 [hwf]     {}

 \n      { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken; }
 {MLCEnd}     { yybegin(YYINITIAL); addToken(start,zzStartRead+1, Token.COMMENT_MULTILINE); }
 \*      {}
 <<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken; }

}


<DOCCOMMENT> {

 [^hwf\@\{\n\<\*]+    {}
 {URL}      { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_DOCUMENTATION);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_DOCUMENTATION); start = zzMarkedPos; }
 [hwf]      {}

 "@"{BlockTag}    {
 int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_DOCUMENTATION);
addToken(temp,zzMarkedPos-1, Token.COMMENT_KEYWORD); start = zzMarkedPos; }
 "@"       {}
 "{@"{InlineTag}[^\}]*"}" { int temp=zzStartRead; addToken(start,zzStartRead-1,
Token.COMMENT_DOCUMENTATION); addToken(temp,zzMarkedPos-1, Token.COMMENT_KEYWORD);
start = zzMarkedPos; }
 "{"       {}
 \n       { addToken(start,zzStartRead-1, Token.COMMENT_DOCUMENTATION); return firstToken; }
 "<"[/]?({Letter}[^\>]*)?">" { int temp=zzStartRead; addToken(start,zzStartRead-1,
Token.COMMENT_DOCUMENTATION); addToken(temp,zzMarkedPos-1, Token.COMMENT_MARKUP); start
= zzMarkedPos; }
 \<       {}
 {MLCEnd}     { yybegin(YYINITIAL); addToken(start,zzStartRead+1, Token.COMMENT_DOCUMENTATION); }
 \*       {}
 <<EOF>>      { yybegin(YYINITIAL); addToken(start,zzEndRead, Token.COMMENT_DOCUMENTATION); return
firstToken; }

}


<EOL_COMMENT> {
```

[^hwf\n]+ {}
{URL} { int temp=zzStartRead; addToken(start,zzStartRead-1,
Token.COMMENT_EOL); addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_EOL); start =
zzMarkedPos; }
[hwf] {}
\n { addToken(start,zzStartRead-1, Token.COMMENT_EOL); addNullToken(); return firstToken; }
<<EOF>> { addToken(start,zzStartRead-1, Token.COMMENT_EOL); addNullToken(); return firstToken; }

}

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-
jar/org/fife/ui/rsyntaxtextarea/modes/JavaTokenMaker.flex
No license file was found, but licenses were detected in source scan.

/*
* 02/19/2006
*
* SearchEngine.java - Handles find/replace operations in an RTextArea.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-
jar/org/fife/ui/rtextarea/SearchEngine.java
No license file was found, but licenses were detected in source scan.

/*
* 10/23/2011
*
* XmlFoldParser.java - Fold parser for XML.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-
jar/org/fife/ui/rsyntaxtextarea/folding/XmlFoldParser.java
No license file was found, but licenses were detected in source scan.

/*
* 02/19/2006
*
* RegExReplaceInfo.java - Information about a regex text match.
*

```
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/RegExReplaceInfo.java
No license file was found, but licenses were detected in source scan.

```
/*
* 10/28/2004
*
* TokenFactory.java - Interface for a class that generates tokens of some type.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/TokenFactory.java
No license file was found, but licenses were detected in source scan.

```
/*
* 10/13/2013
*
* RTextAreaHighlighter.java - Highlighter for RTextAreas.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/RTextAreaHighlighter.java
No license file was found, but licenses were detected in source scan.

```
/*
* 12/23/2010
*
* ClojureTokenMaker.java - Scanner for Clojure.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
```

```
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;


/**
* Scanner for the Clojure programming language.<p>
*
* The original version of this class was graciously donated by the folks at the
* <a href="http://pacific.mpi-cbg.de/wiki/index.php/Fiji">Fiji</a> project.
* This version has been modified to fix a few issues.
* Its original location was
* <a href="http://pacific.mpi-cbg.de/cgi-bin/gitweb.cgi?p=fiji.git;a=tree;f=src-
plugins/Script_Editor/fiji/scripting;hb=935d85d9d88dd780c6d5f2765937ddc18b5008ca">here</a>.
* <p>
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a>
 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).
* We can achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>ClojureTokenMaker.java</code> file
 will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless memory allocation for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
```

```
*
*
*/
%%

%public
%class ClojureTokenMaker
%extends AbstractJFlexTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{


/**
 * Constructor.  This must be here because JFlex does not generate a
 * no-parameter
constructor.
 */
public ClojureTokenMaker() {
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 * @see #addToken(int, int, int)
 */
private void addHyperlinkToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so, true);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
```

```
 *
 * @param tokenType The token's type.
 * @see #addHyperlinkToken(int, int, int)
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so, false);
}


/**
 * Adds the token specified to the current linked
list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 * @param hyperlink Whether this token is a hyperlink.
 */
@Override
public void addToken(char[] array, int start, int end, int tokenType,
    int startOffset, boolean hyperlink) {
 super.addToken(array, start,end, tokenType, startOffset, hyperlink);
 zzStartRead = zzMarkedPos;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { ";", null };
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from
which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
```

```
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;

 // Start off in the proper state.
 int state = Token.NULL;
 switch (initialTokenType) {
  /*case Token.COMMENT_MULTILINE:
   state = MLC;
   start = text.offset;
   break;
  case Token.COMMENT_DOCUMENTATION:
   state = DOCCOMMENT;
   start = text.offset;
   break;*/
  case Token.LITERAL_STRING_DOUBLE_QUOTE:
   state = STRING;
   start = text.offset;
   break;
  default:
   state = Token.NULL;
 }

 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch
(IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
```

```
 private boolean zzRefill() {
  return zzCurrentPos>=s.offset+s.count;
 }


 /**
  * Resets the scanner to read from a new input stream.
  * Does not close the old reader.
  *
  * All internal variables are reset, the old input stream
  * <b>cannot</b> be reused (internal buffer is discarded and lost).
  * Lexical state is set to <tt>YY_INITIAL</tt>.
  *
  * @param reader   the new input stream
  */
 public final void yyreset(Reader reader) {
  // 's' has been updated.
  zzBuffer = s.array;
  /*
   * We replaced the line below with the two below it because zzRefill
   * no longer "refills" the buffer (since the way we do it, it's always
   * "full" the first time through, since it points to the segment's
   * array).  So,
 we assign zzEndRead here.
   */
  //zzStartRead = zzEndRead = s.offset;
  zzStartRead = s.offset;
  zzEndRead = zzStartRead + s.count - 1;
  zzCurrentPos = zzMarkedPos = s.offset;
  zzLexicalState = YYINITIAL;
  zzReader = reader;
  zzAtBOL  = true;
  zzAtEOF  = false;
 }


%}


LineCommentBegin      = (";")
Keyword                          =  ([:][a-zA-Z?!\-+*/][a-zA-Z0-9?!\-+*/]*)
NonzeroDigit          = [1-9]
Digit              = ("0"|{NonzeroDigit})
HexDigit           = ({Digit}|[A-Fa-f])
OctalDigit             = ([0-7])
EscapedSourceCharacter        = ("u"{HexDigit}{HexDigit}{HexDigit}{HexDigit})
Escape             =
("\\"(([btnfr\'"\\])|([0123]{OctalDigit}?{OctalDigit}?)|({OctalDigit}{OctalDigit}?)|{EscapedSourceCharacter}))
```

```
AnyCharacterButDoubleQuoteOrBackSlash = ([^\\\"\n])
StringLiteralStart                    = ([\"])
CharLiteral                           = ("\\."|"\\space"|"\\tab"|"\\newline")
AnyCharacter                          = ([.]*)
Separator       =
 ([\(\)\{\}\[\]])
NonSeparator      = ([^\t\f\r\n\ \(\)\{\}\[\];\,\.\=\>\<\!\~\?\:\+\-\*\/\&\|\^\%\"\'])

BooleanLiteral      =("true"|"false")

LineTerminator    = (\n)
WhiteSpace    = ([ \t\f])

IntegerHelper1    = (({NonzeroDigit}{Digit}*)|"0")
IntegerHelper2    = ("0"(([xX]{HexDigit}+)|({OctalDigit}*)))
IntegerLiteral    = ({IntegerHelper1}[lL]?)
HexLiteral    = ({IntegerHelper2}[lL]?)
FloatHelper1    = ([fFdD]?)
FloatHelper2    = ([eE][+-]?{Digit}+{FloatHelper1})
FloatLiteral1    = ({Digit}+"."({FloatHelper1}|{FloatHelper2}|{Digit}+({FloatHelper1}|{FloatHelper2})))
FloatLiteral2    = ("."{Digit}+({FloatHelper1}|{FloatHelper2}))
FloatLiteral3    = ({Digit}+{FloatHelper2})
FloatLiteral    = ({FloatLiteral1}|{FloatLiteral2}|{FloatLiteral3}|({Digit}+[fFdD]))
ErrorNumberFormat   = (({IntegerLiteral}|{HexLiteral}|{FloatLiteral}){NonSeparator}+)



Nil                     = ("nil")
Quote                     = (\('\|`\))
Unquote
            = (\(\~@\|\~\))
DispatchStart               = ("#^"|"#^{")
Dispatch      = ({DispatchStart}[^\s\t\n;\"}]*([ \t\n;\"]|"}"))
VarQuote                    = ("#'"[.]*[ \t\n;(\"])
DefName      = ([a-zA-Z0-9?!\-+*\./<>_]*)

NonAssignmentOperator  = ("+"|"-"|"<="|"^"|"<"|"*"|">="|"%"|">"|"/"|"!="|"?"|">>"|"!"|"&"|"=="|":"|">>"|"~"|">>>")
AssignmentOperator   = ("=")
Operator     = ({NonAssignmentOperator}|{AssignmentOperator})

Letter     = [A-Za-z]
LetterOrUnderscore  = ({Letter}|[_])
Digit     = [0-9]
URLGenDelim    = ([:\/\?#\[\]@])
URLSubDelim    = ([\!\$&'\(\)\*\+,;=])
URLUnreserved   = ({LetterOrUnderscore}|{Digit}|[\-\.\~])
URLCharacter   = ({URLGenDelim}|{URLSubDelim}|{URLUnreserved}|[%])
URLCharacters   = ({URLCharacter}*)
URLEndCharacter   = ([\/\$]|{Letter}|{Digit})
```

```
URL      = (((https?|f(tp|ile))"://"|"www.")({URLCharacters}{URLEndCharacter})?)


%state STRING
%state EOL_COMMENT

%%

<YYINITIAL> {

"case" |
"class" |
"cond" |
"condp" |
"def"
|
"defmacro" |
"defn" |
"do" |
"fn" |
"for" |
"if" |
"if-let" |
"if-not" |
"instance?" |
"let" |
"loop" |
"monitor-enter" |
"monitor-exit" |
"new" |
"quote" |
"recur" |
"set!" |
"this" |
"throw" |
"try-finally" |
"var" |
"when" |
"when-first" |
"when-let" |
"when-not"        { addToken(Token.RESERVED_WORD); }

"*warn-on-reflection*" |
"*1" |
"*2" |
"*3" |
"*agent*" |
"*allow-unresolved-args*" |
```

"*assert*" |
"*clojure-version*" |
"*command-line-args*" |
"*compile-files*" |
"*compile-path*" |
"*e" |
"*err*" |
"*file*" |
"*flush-on-newline*" |
"*fn-loader*" |
"*in*" |
"*math-context*" |
"*ns*" |
"*out*" |
"*print-dup*" |
"*print-length*" |
"*print-level*" |
"*print-meta*" |
"*print-readably*" |
"*read-eval*" |
"*source-path*" |
"*unchecked-math*" |
"*use-context-classloader*" { addToken(Token.VARIABLE); }

"*current-namespace*" |
"*in*" |
"*out*" |
"*print-meta*" |
"->" |
".." |
"agent" |
"agent-errors" |
"agent-of"
 |
"aget" |
"alter" |
"and" |
"any" |
"appl" |
"apply" |
"array" |
"aset" |
"aset-boolean" |
"aset-byte" |
"aset-double" |
"aset-float" |
"aset-int" |
"aset-long" |

"aset-short" |
"assoc" |
"binding" |
"boolean" |
"byte" |
"char" |
"clear-agent-errors" |
"commute" |
"comp" |
"complement" |
"concat" |
"conj" |
"cons" |
"constantly" |
"count" |
"cycle" |
"dec" |
"defmethod" |
"defmulti" |
"delay" |
"deref" |
"dissoc" |
"doseq" |
"dotimes" |
"doto" |
"double" |
"drop" |
"drop-while" |
"ensure" |
"eql-ref?" |
"eql?" |
"eval" |
"every" |
"ffirst" |
"filter" |
"find" |
"find-var" |
"first" |
"float" |
"fnseq" |
"frest" |
"gensym" |
"get" |
"hash-map" |
"identity" |
"implement" |
"import" |
"in-namespace" |

"inc" |
"int" |
"into" |
"into-array" |
"iterate" |
"key" |
"keys" |
"lazy-cons" |
"list" |
"list*" |
"load-file" |
"locking" |
"long" |
"make-array" |
"make-proxy" |
"map" |
"mapcat" |
"max" |
"memfn" |
"merge"
|
"meta" |
"min" |
"name" |
"namespace" |
"neg?" |
"newline" |
"nil?" |
"not" |
"not-any" |
"not-every" |
"nth" |
"or" |
"peek" |
"pmap" |
"pop" |
"pos?" |
"print" |
"prn" |
"quot" |
"range" |
"read" |
"reduce" |
"ref" |
"refer" |
"rem" |
"remove-method" |
"repeat" |

```
"replicate" |
"rest" |
"reverse" |
"rfirst" |
"rrest" |
"rseq" |
"second" |
"seq" |
"set" |
"short" |
"sorted-map" |
"sorted-map-by" |
"split-at" |
"split-with" |
"str" |
"strcat" |
"sym" |
"sync" |
"take" |
"take-while" |
"time" |
"unimport" |
"unintern" |
"unrefer" |
"val" |
"vals" |
"vector" |
"with-meta" |
"zero?" |
"zipmap"          { addToken(Token.FUNCTION); }

{LineTerminator}    { addNullToken(); return firstToken; }

{WhiteSpace}+     { addToken(Token.WHITESPACE); }

{CharLiteral}     { addToken(Token.LITERAL_CHAR); }
{StringLiteralStart}   { start = zzMarkedPos-1; yybegin(STRING); }

{Nil}                      { addToken(Token.DATA_TYPE);
 }

{BooleanLiteral}    { addToken(Token.LITERAL_BOOLEAN); }


{Quote}       { addToken(Token.SEPARATOR); }
{Unquote}      { addToken(Token.SEPARATOR); }
{VarQuote}      { addToken(Token.SEPARATOR); }
{Dispatch}      { addToken(Token.DATA_TYPE); }
```

```
{LineCommentBegin}   { start = zzMarkedPos-1; yybegin(EOL_COMMENT); }

{Separator}     { addToken(Token.SEPARATOR); }

{Operator}     { addToken(Token.OPERATOR); }

{IntegerLiteral}    { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
{HexLiteral}     { addToken(Token.LITERAL_NUMBER_HEXADECIMAL); }
{FloatLiteral}     { addToken(Token.LITERAL_NUMBER_FLOAT); }
{ErrorNumberFormat}    { addToken(Token.ERROR_NUMBER_FORMAT); }
{Keyword}      { addToken(Token.PREPROCESSOR); }
{DefName}      { addToken(Token.IDENTIFIER); }

<<EOF>>      { addNullToken(); return firstToken; }

.      { addToken(Token.ERROR_IDENTIFIER); }

}

<STRING> {
 [^\n\\\"]+   {}
 \\.?    { /* Skip escaped chars. */ }
 \"\"    {}
 \"     { yybegin(YYINITIAL);
 addToken(start,zzStartRead, Token.LITERAL_STRING_DOUBLE_QUOTE); }
 \n |
 <<EOF>>    { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE); return firstToken; }
}

<EOL_COMMENT> {
 [^hwf\n]+    {}
 {URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_EOL);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_EOL); start = zzMarkedPos; }
 [hwf]     {}
 \n |
 <<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_EOL); addNullToken(); return firstToken; }

}
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/ClojureTokenMaker.flex
No license file was found, but licenses were detected in source scan.

```
/*
* 09/23/2004
*
```

* UnicodeReader.java - A reader for Unicode input streams that is capable of
* discerning which particular encoding is being used via the BOM.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/io/UnicodeReader.java
No license file was found, but licenses were detected in source scan.

/*
* 09/30/2012
*
* HtmlFoldParser.java - Fold parser for HTML 5 and PHP.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-
jar/org/fife/ui/rsyntaxtextarea/folding/HtmlFoldParser.java
No license file was found, but licenses were detected in source scan.

/*
* 06/30/2012
*
* RDocumentCharSequence.java - Iterator over a portion of an RTextArea's
* document.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-
jar/org/fife/ui/rtextarea/RDocumentCharSequence.java
No license file was found, but licenses were detected in source scan.

/*
* 11/13/2004
*
* LispTokenMaker.java - Scanner for the Lisp programming language.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/LispTokenMaker.java
No license file was found, but licenses were detected in source scan.

```
/*
* 07/31/2009
*
* AbstractParser.java - A base implementation for parsers.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/parser/AbstractParser.java
No license file was found, but licenses were detected in source scan.

```
/*
* 08/11/2009
*
* TaskTagParser.java - Parser that scans code comments for task tags.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/parser/TaskTagParser.java
No license file was found, but licenses were detected in source scan.

```
/*
* 10/16/2004
*
* RSyntaxDocument.java - A document capable of syntax highlighting, used by
* RSyntaxTextArea.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/RSyntaxDocument.java

No license file was found, but licenses were detected in source scan.

/*
* 11/13/2004
*
* JavaTokenMaker.java - Scanner for the Java programming language.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/JavaTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 10/30/2011
*
* Theme.java - A color theme for RSyntaxTextArea.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/Theme.java
No license file was found, but licenses were detected in source scan.

/*
* 02/17/2009
*
* Gutter.java - Manages line numbers, icons, etc. on the left-hand side of
* an RTextArea.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/Gutter.java
No license file was found, but licenses were detected in source scan.

/*
* 12/21/2004
*
* ConfigurableCaret.java - The caret used by RTextArea.

*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/ConfigurableCaret.java
No license file was found, but licenses were detected in source scan.

/*
* 07/28/2008
*
* RtfToText.java - Returns the plain text version of RTF documents.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/RTfToText.java
No license file was found, but licenses were detected in source scan.

/*
* 03/23/2005
*
* FortranTokenMaker.java - Scanner for the Fortran programming language.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;

/**
* Scanner for the Fortran programming language.
*
* This implementation was created using
* JFlex 1.4.1; however, the generated file
* was modified for performance. Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that

```
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars
 around).
* We can achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>FortranTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This
 is a needless memory allocation for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 0.4
*
*/
%%

%public
%class FortranTokenMaker
%extends AbstractJFlexTokenMaker
%unicode
%ignorecase
%type org.fife.ui.rsyntaxtextarea.Token


%{


 /**
  * Constructor.  We must have this here as there is no default,
  * no-parameter constructor generated by JFlex.
```

```
 */
public FortranTokenMaker() {
 super();
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to
the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 */
@Override
public void addToken(char[] array, int start, int end, int tokenType, int startOffset) {
 super.addToken(array, start,end, tokenType, startOffset);
 zzStartRead = zzMarkedPos;
}


/**
 * {@inheritDoc}
 */
```

```
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "!", null };
}


/**
 * Returns the first token in the
linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;

 // Start off in the proper state.
 int state = Token.NULL;
 switch (initialTokenType) {
  case Token.LITERAL_STRING_DOUBLE_QUOTE:
   state = STRING;
   start = text.offset;
   break;
  case Token.LITERAL_CHAR:
   state = CHAR;
   start = text.offset;
   break;
  default:
   state = Token.NULL;
 }

 s
= text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
```

```
 }

}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always

* "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
}


%}
```

```
LineTerminator   = (\n)
WhiteSpace   = ([ \t\f])

Column1CommentBegin  = ([C\*])
Column1Comment2Begin = (D)
AnywhereCommentBegin = (\!)

Identifier   = ([A-Za-z0-9_$]+)

StringDelimiter  = (\")
CharDelimiter   = (\')

Operators1   = ("<"|">"|"<="|">="|"&"|"/="|"==")
Operators2   = (\.(lt|gt|eq|ne|le|ge|and|or)\.)
Operator    = ({Operators1}|{Operators2})

Boolean    = (\.(true|false)\.)

%state STRING
%state CHAR

%%

/* Keywords */
<YYINITIAL> "INCLUDE"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "PROGRAM"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "MODULE"    {
 addToken(Token.RESERVED_WORD); }
<YYINITIAL> "SUBROUTINE"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "FUNCTION"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "CONTAINS"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "USE"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "CALL"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "RETURN"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "IMPLICIT"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "EXPLICIT"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "NONE"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DATA"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "PARAMETER"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "ALLOCATE"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "ALLOCATABLE"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "ALLOCATED"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DEALLOCATE"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "INTEGER"    { addToken(Token.RESERVED_WORD);
 }
<YYINITIAL> "REAL"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DOUBLE"    { addToken(Token.RESERVED_WORD); }
```

```
<YYINITIAL> "PRECISION"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "COMPLEX"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "LOGICAL"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "CHARACTER"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DIMENSION"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "KIND"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "CASE"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "SELECT"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DEFAULT"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "CONTINUE"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "CYCLE"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DO"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "WHILE"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "ELSE"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL>
 "IF"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "ELSEIF"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "THEN"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "ELSEWHERE"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "END"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "ENDIF"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "ENDDO"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "FORALL"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "WHERE"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "EXIT"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "GOTO"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "PAUSE"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "STOP"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "BACKSPACE"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "CLOSE"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "ENDFILE"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "INQUIRE"    { addToken(Token.RESERVED_WORD);
 }
<YYINITIAL> "OPEN"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "PRINT"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "READ"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "REWIND"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "WRITE"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "FORMAT"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "AIMAG"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "AINT"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "AMAX0"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "AMIN0"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "ANINT"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "CEILING"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "CMPLX"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "CONJG"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DBLE"     { addToken(Token.RESERVED_WORD); }
```

<YYINITIAL> "DCMPLX"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DFLOAT"   {
 addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DIM"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DPROD"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "FLOAT"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "FLOOR"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "IFIX"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "IMAG"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "INT"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "LOGICAL"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "MODULO"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "NINT"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "REAL"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "SIGN"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "SNGL"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "TRANSFER"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "ZEXT"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "ABS"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "ACOS"   {
 addToken(Token.RESERVED_WORD); }
<YYINITIAL> "AIMAG"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "AINT"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "ALOG"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "ALOG10"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "AMAX0"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "AMAX1"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "AMIN0"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "AMIN1"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "AMOD"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "ANINT"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "ASIN"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "ATAN"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "ATAN2"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "CABS"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "CCOS"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "CHAR"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL>
 "CLOG"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "CMPLX"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "CONJG"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "COS"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "COSH"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "CSIN"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "CSQRT"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DABS"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DACOS"   { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DASIN"   { addToken(Token.RESERVED_WORD); }

```
<YYINITIAL> "DATAN"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DATAN2"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DBLE"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DCOS"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DCOSH"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DDIM"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DEXP"     { addToken(Token.RESERVED_WORD);
 }
<YYINITIAL> "DIM"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DINT"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DLOG"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DLOG10"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DMAX1"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DMIN1"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DMOD"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DNINT"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DPROD"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DREAL"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DSIGN"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DSIN"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DSINH"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DSQRT"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DTAN"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "DTANH"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "EXP"     { addToken(Token.RESERVED_WORD);
 }
<YYINITIAL> "FLOAT"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "IABS"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "ICHAR"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "IDIM"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "IDINT"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "IDNINT"    { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "IFIX"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "INDEX"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "INT"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "ISIGN"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "LEN"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "LGE"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "LGT"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "LLE"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "LLT"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "LOG"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "LOG10"     { addToken(Token.RESERVED_WORD);
 }
<YYINITIAL> "MAX"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "MAX0"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "MAX1"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "MIN"     { addToken(Token.RESERVED_WORD); }
```

```
<YYINITIAL> "MIN0"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "MIN1"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "MOD"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "NINT"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "REAL"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "SIGN"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "SIN"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "SINH"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "SNGL"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "SQRT"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "TAN"     { addToken(Token.RESERVED_WORD); }
<YYINITIAL> "TANH"     { addToken(Token.RESERVED_WORD); }

<YYINITIAL> {

 {LineTerminator}     {
 addNullToken(); return firstToken; }

 {WhiteSpace}+     { addToken(Token.WHITESPACE); }

 /* String/Character Literals. */
 {CharDelimiter}     { start = zzMarkedPos-1; yybegin(CHAR); }
 {StringDelimiter}     { start = zzMarkedPos-1; yybegin(STRING); }

 /* Comment Literals. */
 /* Note that we cannot combine these as JFLex doesn't like combining an */
 /* expression containing the beginning-of-line character '^'. */
 {Column1CommentBegin} {
      // Since we change zzStartRead, we have the unfortunate
      // side-effect of not being able to use the '^' operator.
      // So we must check whether we're really at the beginning
      // of the line ourselves...
      if (zzStartRead==s.offset) {
       addToken(zzStartRead,zzEndRead, Token.COMMENT_EOL);
       addNullToken();
       return firstToken;
      }
      else {
       addToken(Token.IDENTIFIER);
      }
     }
 {Column1Comment2Begin} {
      // Since we change zzStartRead, we have the unfortunate
      //
 side-effect of not being able to use the '^' operator.
      // So we must check whether we're really at the beginning
      // of the line ourselves...
      if (zzStartRead==s.offset) {
```

```
        addToken(zzStartRead,zzEndRead, Token.COMMENT_DOCUMENTATION);
        addNullToken();
        return firstToken;
       }
       else {
        addToken(Token.IDENTIFIER);
       }
      }
 {AnywhereCommentBegin} { addToken(zzStartRead,zzEndRead, Token.COMMENT_EOL); addNullToken();
return firstToken; }

 /* Operators. */
 {Operator}     { addToken(Token.OPERATOR); }

 /* Boolean literals. */
 {Boolean}      { addToken(Token.LITERAL_BOOLEAN); }

 {Identifier}     { addToken(Token.IDENTIFIER); }

 /* Ended with a line not in a string or char literal. */
 <<EOF>>      { addNullToken(); return firstToken; }

 /* Catch any other (unhandled) characters. */
 .      { addToken(Token.IDENTIFIER); }

}

<CHAR> {
 [^\\'\n]*      {}
 \'      { yybegin(YYINITIAL);
 addToken(start,zzStartRead, Token.LITERAL_CHAR); }
 \n      { addToken(start,zzStartRead-1, Token.LITERAL_CHAR); return firstToken; }
 <<EOF>>      { addToken(start,zzStartRead-1, Token.LITERAL_CHAR); return firstToken; }
}

<STRING> {
 [^\\"\n]*      {}
 \"      { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.LITERAL_STRING_DOUBLE_QUOTE); }
 \n      { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE); return firstToken; }
 <<EOF>>      { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE); return firstToken; }
}

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-
jar/org/fife/ui/rsyntaxtextarea/modes/FortranTokenMaker.flex
No license file was found, but licenses were detected in source scan.

/*
```

```
* 01/21/2011
*
* MxmlTokenMaker.java - Generates tokens for MXML syntax highlighting.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/MxmlTokenMaker.java
No license file was found, but licenses were detected in source scan.

```
/*
* 02/17/2009
*
* IconRowHeader.java - Renders icons in the gutter.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/IconRowHeader.java
No license file was found, but licenses were detected in source scan.

```
/*
* 09/03/2005
*
* CSSTokenMaker.java - Token maker for CSS 3 files.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;


/**
* This class splits up text into tokens representing a CSS 3 file.  It's
* written with a few extra internal states so that it can easily be copy
* and pasted into HTML, PHP, and JSP TokenMakres when it is updated.<p>
*
```

```
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been
 modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).
* We can achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>CSSTokenMaker.java</code> file will contain 2
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer,
 which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless memory allocation for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 0.5
*
*/
%%

%public
%class CSSTokenMaker
%extends AbstractJFlexCTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{
```

```
/**
 * Internal type denoting a line ending in a CSS property.
 */
public static final int INTERNAL_CSS_PROPERTY   = -1;

/**
 * Internal type denoting a line ending in a CSS property value.
 */
public static final int INTERNAL_CSS_VALUE    = -2;

/**
 * Internal type denoting line ending in
a CSS double-quote string.
 * The state to return to is embedded in the actual end token type.
 */
public static final int INTERNAL_CSS_STRING    = -(1<<11);

/**
 * Internal type denoting line ending in a CSS single-quote string.
 * The state to return to is embedded in the actual end token type.
 */
public static final int INTERNAL_CSS_CHAR    = -(2<<11);

/**
 * Internal type denoting line ending in a CSS multi-line comment.
 * The state to return to is embedded in the actual end token type.
 */
public static final int INTERNAL_CSS_MLC    = -(3<<11);

/**
 * The state previous CSS-related state we were in before going into a CSS
 * string, multi-line comment, etc.
 */
private int cssPrevState;

/**
 * Whether we are highlighting less instead of CSS.
 */
private boolean highlightingLess;


/**
 * Constructor.  This must be here because JFlex does not generate a
 * no-parameter constructor.
 */
public CSSTokenMaker() {
 super();
}
```

```
/**

* Adds the token specified to the current linked list of tokens as an
 * "end token;" that is, at <code>zzMarkedPos</code>.
 *
 * @param tokenType The token's type.
 */
private void addEndToken(int tokenType) {
 addToken(zzMarkedPos,zzMarkedPos, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 * @see #addToken(int, int, int)
 */
private void addHyperlinkToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so, true);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int
start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so);
}
```

```
/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 */
@Override
public void addToken(char[] array, int start, int end, int tokenType, int startOffset) {
 super.addToken(array, start,end, tokenType, startOffset);
 zzStartRead = zzMarkedPos;
}


/**
 * Returns the closest {@link TokenTypes "standard" token type} for a given
 * "internal" token type (e.g. one whose value is <code>&lt; 0</code>).
 */
@Override
public int getClosestStandardTokenTypeForInternalType(int type) {
 switch (type) {
  case INTERNAL_CSS_STRING:
  case
INTERNAL_CSS_CHAR:
   return TokenTypes.LITERAL_STRING_DOUBLE_QUOTE;
  case INTERNAL_CSS_MLC:
   return TokenTypes.COMMENT_MULTILINE;
 }
 return type;
}


/**
 * Returns <code>true</code> since CSS uses curly braces.
 *
 * @return <code>true</code> always.
 */
public boolean getCurlyBracesDenoteCodeBlocks() {
 return true;
}


/**
 * {@inheritDoc}
 */
```

```
@Override
public boolean getMarkOccurrencesOfTokenType(int type) {
 return type==Token.RESERVED_WORD; // Used for CSS keys
}


/**
 * {@inheritDoc}
 */
@Override
public boolean getShouldIndentNextLineAfter(Token t) {
 if (t!=null && t.length()==1) {
  char ch = t.charAt(0);
  return ch=='{' || ch=='(';
 }
 return false;
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which
to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;
 cssPrevState = YYINITIAL; // Shouldn't be necessary

 // Start off in the proper state.
 int state = YYINITIAL;
 switch (initialTokenType) {
  case Token.LITERAL_STRING_DOUBLE_QUOTE:
   state = CSS_STRING;
   break;
  case Token.LITERAL_CHAR:
   state = CSS_CHAR_LITERAL;
   break;
  case Token.COMMENT_MULTILINE:
```

```
   state = CSS_C_STYLE_COMMENT;
   break;
  case INTERNAL_CSS_PROPERTY:
   state = CSS_PROPERTY;
   break;
  case INTERNAL_CSS_VALUE:
   state = CSS_VALUE;
   break;
  default:
   if
(initialTokenType<-1024) {
    int main = -(-initialTokenType & 0xffffff00);
    switch (main) {
     default: // Should never happen
     case INTERNAL_CSS_STRING:
      state = CSS_STRING;
      break;
     case INTERNAL_CSS_CHAR:
      state = CSS_CHAR_LITERAL;
      break;
     case INTERNAL_CSS_MLC:
      state = CSS_C_STYLE_COMMENT;
      break;
    }
    cssPrevState = -initialTokenType&0xff;
   }
   else {
    state = YYINITIAL;
   }
 }

 start = text.offset;
 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}


/**
 * Overridden to accept letters, digits, underscores, and hyphens.
 */
```

```
@Override
public boolean isIdentifierChar(int languageIndex, char ch) {
 return Character.isLetterOrDigit(ch) || ch=='-' || ch=='.' || ch=='_';
}


/**
 * Toggles whether we're highlighting less instead of
just CSS.
 *
 * @param highlightingLess Whether we're highlighting less.
 */
public void setHighlightingLess(boolean highlightingLess) {
 this.highlightingLess = highlightingLess;
}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(java.io.Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the
way we do it, it's always
  * "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
```

```
  //zzStartRead = zzEndRead = s.offset;
  zzStartRead = s.offset;
  zzEndRead = zzStartRead + s.count - 1;
  zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
  zzLexicalState = YYINITIAL;
  zzReader = reader;
  zzAtBOL  = true;
  zzAtEOF  = false;
 }


%}

Digit      = ([0-9])
Letter     = ([A-Za-z])
LetterOrUnderscore   = ({Letter}|[_])
LetterOrUnderscoreOrDash = ({LetterOrUnderscore}|[\-])

CSS_SelectorPiece   = (("*"|"."|{LetterOrUnderscoreOrDash})({LetterOrUnderscoreOrDash}|"."|{Digit})*)
CSS_PseudoClass    = (":"("root"|"nth-child"|"nth-last-child"|"nth-of-type"|"nth-last-of-type"|"first-child"|"last-child"|"first-of-type"|"last-of-type"|"only-child"|"only-of-type"|"empty"|"link"|"visited"|"active"|"hover"|"focus"|"target"|"lang"|"enabled"|"disabled"|"checked"|":first-line"|":first-letter"|":before"|":after"|"not"))
CSS_AtRule     =
 ("@"(charset|import|namespace|media|document|page|font-face|keyframes|viewport))
CSS_Less_Var    = ("@"({LetterOrUnderscoreOrDash})({LetterOrUnderscoreOrDash}|"."|{Digit})*)
CSS_Id      = ("#"{CSS_SelectorPiece})
CSS_Separator    = ([;\(\)\[\]])
WhiteSpace     = ([ \t]+)
MlcStart     = ("/*")
MlcEnd      = ("*/")

CSS_Property    = ([\*]?{LetterOrUnderscoreOrDash}({LetterOrUnderscoreOrDash}|{Digit})*(:[\w]+)?)
CSS_ValueChar    = ({LetterOrUnderscoreOrDash}|[\\/])
CSS_Value     = ({CSS_ValueChar}*)
CSS_Function    = ({CSS_Value}\()
CSS_Digits     = ([\-]?{Digit}+([0-9\.]+)?(pt|pc|in|mm|cm|em|ex|px|ms|s|%)?)
CSS_Hex      = ("#"[0-9a-fA-F]+)
CSS_Number     = ({CSS_Digits}|{CSS_Hex})

// Less_Nested_Selector includes pseudo-classes for ease of highlighting, even
// though it is not as detailed as standard CSS selector highlighting.
Less_Nested_Selector_With_Pseudo = ({CSS_SelectorPiece}{CSS_PseudoClass}*)
Less_Selector_ParentRef  = ("&"{CSS_SelectorPiece})
Less_LineCommentBegin  =
 "//"

URLGenDelim    = ([:\/\?#\[\]@])
```

```
URLSubDelim    = ([\!\$&'\(\)\*\+,;=])
URLUnreserved   = ({LetterOrUnderscore}|{Digit}|[\-\.\~])
URLCharacter   = ({URLGenDelim}|{URLSubDelim}|{URLUnreserved}|[%])
URLCharacters   = ({URLCharacter}*)
URLEndCharacter   = ([\/\$]|{Letter}|{Digit})
URL      = (((https?|f(tp|ile))"://"|"www.")({URLCharacters}{URLEndCharacter})?)


%state CSS_PROPERTY
%state CSS_VALUE
%state CSS_STRING
%state CSS_CHAR_LITERAL
%state CSS_C_STYLE_COMMENT
%state LESS_EOL_COMMENT

%%

<YYINITIAL> {
 {CSS_SelectorPiece}  { addToken(Token.DATA_TYPE); }
 {CSS_PseudoClass}  { addToken(Token.RESERVED_WORD); }
 ":"      { /* Unknown pseudo class */ addToken(Token.DATA_TYPE); }
 {CSS_AtRule}   { addToken(Token.REGEX); }
 {CSS_Less_Var}   { addToken(highlightingLess ? Token.VARIABLE : Token.REGEX); }
 {CSS_Number}   { addToken(highlightingLess ? Token.LITERAL_NUMBER_DECIMAL_INT :
Token.IDENTIFIER); }
 {CSS_Id}    {
 addToken(highlightingLess ? Token.ANNOTATION : Token.VARIABLE); }
 "{"      { addToken(Token.SEPARATOR); yybegin(CSS_PROPERTY); }
 [,]     { addToken(Token.IDENTIFIER); }
 \"      { start = zzMarkedPos-1; cssPrevState = zzLexicalState; yybegin(CSS_STRING); }
 \'     { start = zzMarkedPos-1; cssPrevState = zzLexicalState; yybegin(CSS_CHAR_LITERAL); }
 "}"      { addToken(highlightingLess ? Token.SEPARATOR : Token.IDENTIFIER); }
 [+>~\^$\|=]    { addToken(Token.OPERATOR); }
 {CSS_Separator}   { addToken(Token.SEPARATOR); }
 {WhiteSpace}   { addToken(Token.WHITESPACE); }
 {MlcStart}    { start = zzMarkedPos-2; cssPrevState = zzLexicalState; yybegin(CSS_C_STYLE_COMMENT); }
 {Less_LineCommentBegin} {
       if (highlightingLess) {
        start = zzMarkedPos-2; yybegin(LESS_EOL_COMMENT);
       }
       else { // Highlight the "//" as an identifier and continue on
        int temp = zzStartRead + 2;
        addToken(zzStartRead, zzStartRead + 1, Token.IDENTIFIER);
        zzStartRead
 = temp;
       }
      }
 .     { /*System.out.println("yyinitial: " + yytext());*/ addToken(Token.IDENTIFIER); }
```

```
 "\n" |
 <<EOF>>     { addNullToken(); return firstToken; }
}

<CSS_PROPERTY> {
 {CSS_Property}   { addToken(Token.RESERVED_WORD); }
 {CSS_Less_Var}   { addToken(highlightingLess ? Token.VARIABLE : Token.IDENTIFIER); }
 {Less_Nested_Selector_With_Pseudo} { addToken(highlightingLess ? Token.RESERVED_WORD :
Token.IDENTIFIER); }
 {Less_Selector_ParentRef} {
        if (highlightingLess) {
         // Unfortunately, as we're sharing the CSS and Less
         // syntax highlighting, we do not color nested selectors
         // properly.  For uniformity, color this the same as
         // CSS_Property
         addToken(Token.RESERVED_WORD);
        }
        else {
         addToken(Token.IDENTIFIER);
        }
       }
 "{"      { addToken(Token.SEPARATOR); /* helps with auto-closing curlies when editing CSS */ }
 "}"      {
 addToken(Token.SEPARATOR); yybegin(YYINITIAL); }
 ":"      { addToken(Token.OPERATOR); yybegin(CSS_VALUE); }
 {WhiteSpace}   { addToken(Token.WHITESPACE); }
 {MlcStart}    { start = zzMarkedPos-2; cssPrevState = zzLexicalState; yybegin(CSS_C_STYLE_COMMENT); }
 {Less_LineCommentBegin} {
       if (highlightingLess) {
        cssPrevState = zzLexicalState;
        start = zzMarkedPos-2; yybegin(LESS_EOL_COMMENT);
       }
       else { // Highlight the "//" as an identifier and continue on
        int temp = zzStartRead + 2;
        addToken(zzStartRead, zzStartRead + 1, Token.IDENTIFIER);
        zzStartRead = temp;
       }
      }
 .      { /*System.out.println("css_property: " + yytext());*/ addToken(Token.IDENTIFIER); }
 "\n" |
 <<EOF>>     { addEndToken(INTERNAL_CSS_PROPERTY); return firstToken; }
}

<CSS_VALUE> {
 {Less_LineCommentBegin} {
       // This must be before {CSS_Value} since "//" is a valid CSS value
       if (highlightingLess)
```

```
{
        cssPrevState = zzLexicalState;
        start = zzMarkedPos-2; yybegin(LESS_EOL_COMMENT);
       }
       else { // Highlight the "//" as an identifier and continue on
        int temp = zzStartRead + 2;
        addToken(zzStartRead, zzStartRead + 1, Token.IDENTIFIER);
        zzStartRead = temp;
       }
      }
{CSS_Value}    { addToken(Token.IDENTIFIER); }
"!important"   { addToken(Token.PREPROCESSOR); }
{CSS_Function}   { int temp = zzMarkedPos - 2;
        addToken(zzStartRead, temp, Token.FUNCTION);
        addToken(zzMarkedPos-1, zzMarkedPos-1, Token.SEPARATOR);
        zzStartRead = zzCurrentPos = zzMarkedPos;
      }
{CSS_Number}   { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
{CSS_Less_Var}   { addToken(highlightingLess ? Token.VARIABLE : Token.IDENTIFIER); }
\"      { start = zzMarkedPos-1; cssPrevState = zzLexicalState; yybegin(CSS_STRING); }
\'      { start = zzMarkedPos-1; cssPrevState = zzLexicalState; yybegin(CSS_CHAR_LITERAL);
}
")"      { /* End of a function */ addToken(Token.SEPARATOR); }
[;]      { addToken(Token.OPERATOR); yybegin(CSS_PROPERTY); }
[,\.]     { addToken(Token.IDENTIFIER); }
"}"      { addToken(Token.SEPARATOR); yybegin(YYINITIAL); }
{WhiteSpace}   { addToken(Token.WHITESPACE); }
{MlcStart}    { start = zzMarkedPos-2; cssPrevState = zzLexicalState; yybegin(CSS_C_STYLE_COMMENT); }
.      { /*System.out.println("css_value: " + yytext());*/ addToken(Token.IDENTIFIER); }
"\n" |
<<EOF>>     { addEndToken(INTERNAL_CSS_VALUE); return firstToken; }
}

<CSS_STRING> {
 [^\n\\\"]+   {}
 \\.?    { /* Skip escaped chars. */ }
 \"     { addToken(start,zzStartRead, Token.LITERAL_STRING_DOUBLE_QUOTE); yybegin(cssPrevState); }
 \n |
 <<EOF>>    { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE);
addEndToken(INTERNAL_CSS_STRING - cssPrevState); return firstToken; }
}

<CSS_CHAR_LITERAL> {
 [^\n\\\']+   {}
 \\.?    { /* Skip escaped chars. */ }
 \'     {
 addToken(start,zzStartRead, Token.LITERAL_CHAR); yybegin(cssPrevState); }
 \n |
```

```
 <<EOF>>    { addToken(start,zzStartRead-1, Token.LITERAL_CHAR); addEndToken(INTERNAL_CSS_CHAR -
cssPrevState); return firstToken; }
}

<CSS_C_STYLE_COMMENT> {
 [^hwf\n\*]+   {}
 {URL}    { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_MULTILINE); start = zzMarkedPos; }
 [hwf]    {}
 {MlcEnd}   { addToken(start,zzStartRead+1, Token.COMMENT_MULTILINE); yybegin(cssPrevState); }
 \*     {}
 \n |
 <<EOF>>    { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE);
addEndToken(INTERNAL_CSS_MLC - cssPrevState); return firstToken; }
}

<LESS_EOL_COMMENT> {
 [^hwf\n]+    {}
 {URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_EOL);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_EOL); start = zzMarkedPos; }
 [hwf]     {}
 \n |
 <<EOF>>     {
       addToken(start,zzStartRead-1,
 Token.COMMENT_EOL);
       switch (cssPrevState) {
        case CSS_PROPERTY:
         addEndToken(INTERNAL_CSS_PROPERTY);
         break;
        case CSS_VALUE:
         addEndToken(INTERNAL_CSS_VALUE);
         break;
        default: // Should be YYINITIAL
         addNullToken();
         break;
       }
       return firstToken;
      }
}
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/CSSTokenMaker.flex
No license file was found, but licenses were detected in source scan.

```
/*
* 09/01/2014
*
```

```
* DartTokenMaker.java - Token parser for Dart.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;


/**
* Scanner for Dart files.  Its states could be simplified, but are
* kept the way they are to keep a degree of similarity (i.e. copy/paste)
* between it and HTML/JSP/PHPTokenMaker.  This should cause no difference in
* performance.<p>
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this
 class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).
* We can achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>DartTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
 *       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless memory allocation for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
```

```
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 1.0
*/
%%

%public
%class DartTokenMaker
%extends AbstractJFlexCTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{

 /**
  * Token type specifying we're in a JavaScript multi-line comment.
  */
 private static final int INTERNAL_IN_JS_MLC    = -8;

 /**
  * Token type specifying we're in an invalid multi-line JS string.
  */
 private static final int INTERNAL_IN_JS_STRING_INVALID = -10;

 /**
  * Token
 type specifying we're in a valid multi-line JS string.
  */
 private static final int INTERNAL_IN_JS_STRING_VALID  = -11;

 /**
  * Token type specifying we're in an invalid multi-line JS single-quoted string.
  */
 private static final int INTERNAL_IN_JS_CHAR_INVALID = -12;

 /**
  * Token type specifying we're in a valid multi-line JS single-quoted string.
  */
 private static final int INTERNAL_IN_JS_CHAR_VALID  = -13;

 /**
  * When in the JS_STRING state, whether the current string is valid.
  */
 private boolean validJSString;
```

```
/**
 * The version of JavaScript being highlighted.
 */
private static String jsVersion;

/**
 * Language state set on JS tokens.  Must be 0.
 */
private static final int LANG_INDEX_DEFAULT = 0;

/**
 * Constructor.  This must be here because JFlex does not generate a
 * no-parameter constructor.
 */
public DartTokenMaker() {
 super();
}


static {
 jsVersion = "1.0";
}


/**
 * Adds the token
specified to the current linked list of tokens as an
 * "end token;" that is, at <code>zzMarkedPos</code>.
 *
 * @param tokenType The token's type.
 */
private void addEndToken(int tokenType) {
 addToken(zzMarkedPos,zzMarkedPos, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 * @see #addToken(int, int, int)
 */
private void addHyperlinkToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so, true);
}
```

```
/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int start, int end, int tokenType)
{
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 */
@Override
public void addToken(char[] array, int start, int end, int tokenType, int startOffset) {
 super.addToken(array, start,end, tokenType, startOffset);
 zzStartRead = zzMarkedPos;
}


/**
 * Returns the closest {@link TokenTypes "standard" token type} for a given
 * "internal" token type (e.g. one whose value is <code>&lt; 0</code>).
 */
 @Override
public int getClosestStandardTokenTypeForInternalType(int type) {
 switch (type) {
  case INTERNAL_IN_JS_MLC:
   return TokenTypes.COMMENT_MULTILINE;
```

```
 case
INTERNAL_IN_JS_STRING_INVALID:
 case INTERNAL_IN_JS_STRING_VALID:
 case INTERNAL_IN_JS_CHAR_INVALID:
 case INTERNAL_IN_JS_CHAR_VALID:
  return TokenTypes.LITERAL_STRING_DOUBLE_QUOTE;
 }
 return type;
}


/**
 * Returns the JavaScript version being highlighted.
 *
 * @return Supported JavaScript version.
 * @see #isJavaScriptCompatible(String)
 */
public static String getJavaScriptVersion() {
 return jsVersion;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "//", null };
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document
at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;
```

```
 validJSString = true;
 int languageIndex = LANG_INDEX_DEFAULT;

 // Start off in the proper state.
 int state = YYINITIAL;
 switch (initialTokenType) {
  case Token.LITERAL_STRING_DOUBLE_QUOTE:
   state = DART_MULTILINE_STRING_DOUBLE;
   break;
  case Token.LITERAL_CHAR:
   state = DART_MULTILINE_STRING_SINGLE;
   break;
  case INTERNAL_IN_JS_MLC:
   state = JS_MLC;
   break;
  case INTERNAL_IN_JS_STRING_INVALID:
   state = JS_STRING;
   validJSString = false;
   break;
  case INTERNAL_IN_JS_STRING_VALID:
   state = JS_STRING;
   break;
  case INTERNAL_IN_JS_CHAR_INVALID:
   state = JS_CHAR;
   validJSString = false;
   break;
  case
INTERNAL_IN_JS_CHAR_VALID:
   state = JS_CHAR;
   break;
  default:
   state = YYINITIAL; // ???
   break;
 }

 setLanguageIndex(languageIndex);
 start = text.offset;
 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}
```

```
/**
 * Returns whether features for a specific JS version should be honored
 * while highlighting.
 *
 * @param version JavaScript version required
 * @return Whether the JavaScript version is the same or greater than
 *         version required.
 */
public static boolean isJavaScriptCompatible(String version) {
 return jsVersion.compareTo(version) >= 0;
}


/**
 * Set the supported JavaScript version because some keywords were
 * introduced on or after this version.
 *
 * @param javaScriptVersion The version of JavaScript to support, such as
 *        "<code>1.5</code>"
or "<code>1.6</code>".
 * @see #isJavaScriptCompatible(String)
 * @see #getJavaScriptVersion()
 */
public static void setJavaScriptVersion(String javaScriptVersion) {
 jsVersion = javaScriptVersion;
}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
```

```
 *
 * @param reader   the new input stream
 */
public final void yyreset(Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the
buffer (since the way we do it, it's always
  * "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
}


%}

Whitespace   = ([ \t\f]+)
LineTerminator   = ([\n])

Letter       = [A-Za-z]
NonzeroDigit      = [1-9]
Digit       = ("0"|{NonzeroDigit})
HexDigit       = ({Digit}|[A-Fa-f])
OctalDigit      = ([0-7])
LetterOrDigit     = ({Letter}|{Digit})
EscapedSourceCharacter    = ("u"{HexDigit}{HexDigit}{HexDigit}{HexDigit})
NonSeparator      = ([^\t\f\r\n\ \(\)\{\}\[\]\;\,\.\=\>\<\!\~\?\:\+\-\*\/\&\|\^\%\"\']|"#"|"\\")
IdentifierStart     = ({Letter}|"_"|"$")
IdentifierPart      = ({IdentifierStart}|{Digit}|("\\"{EscapedSourceCharacter}))
JS_MLCBegin    =
 "/*"
JS_MLCEnd     = "*/"
JS_LineCommentBegin   = "//"
JS_IntegerHelper1   = (({NonzeroDigit}{Digit}*)|"0")
JS_IntegerHelper2   = ("0"(([xX]{HexDigit}+)|({OctalDigit}*)))
JS_IntegerLiteral   = ({JS_IntegerHelper1}[lL]?)
JS_HexLiteral    = ({JS_IntegerHelper2}[lL]?)
JS_FloatHelper1   = ([fFdD]?)
```

```
JS_FloatHelper2   = ([eE][+-]?{Digit}+{JS_FloatHelper1})
JS_FloatLiteral1   =
({Digit}+"."({JS_FloatHelper1}|{JS_FloatHelper2}|{Digit}+({JS_FloatHelper1}|{JS_FloatHelper2})))
JS_FloatLiteral2   = ("."{Digit}+({JS_FloatHelper1}|{JS_FloatHelper2}))
JS_FloatLiteral3   = ({Digit}+{JS_FloatHelper2})
JS_FloatLiteral   = ({JS_FloatLiteral1}|{JS_FloatLiteral2}|{JS_FloatLiteral3}|({Digit}+[fFdD]))
JS_ErrorNumberFormat  = (({JS_IntegerLiteral}|{JS_HexLiteral}|{JS_FloatLiteral}){NonSeparator}+)
JS_Separator    = ([\(\)\{\}\[\]\]])
JS_Separator2    = ([\;,.])
JS_NonAssignmentOperator  = ("+"|"-"|"<="|"^"|"++"|"<"|"*"|">="|"%"|"--
"|">"|"/"|"!="|"?"|">>"|"!"|"&"|"=="|":"|">>"|"~"|"||"|"&&"|">>>")
JS_AssignmentOperator  =
 ("="|"-="|"*="|"/="|"|="|"&="|"^="|"+="|"%="|"<<="|">>="|">>>=")
JS_Operator    = ({JS_NonAssignmentOperator}|{JS_AssignmentOperator})
JS_Identifier    = ({IdentifierStart}{IdentifierPart}*)
JS_ErrorIdentifier   = ({NonSeparator}+)

DART_Annotation    = ("@"{Letter}{LetterOrDigit}*)

URLGenDelim    = ([:\/\?#\[\]@])
URLSubDelim    = ([\!\$&'\(\)\*\+,;=])
URLUnreserved   = ({LetterOrDigit}|"_"|[\-\.\~])
URLCharacter   = ({URLGenDelim}|{URLSubDelim}|{URLUnreserved}|[%])
URLCharacters   = ({URLCharacter}*)
URLEndCharacter   = ([\/\$]|{LetterOrDigit})
URL      = (((https?|f(tp|ile))"://"|"www.")({URLCharacters}{URLEndCharacter})?)


%state JS_STRING
%state JS_CHAR
%state JS_MLC
%state JS_EOL_COMMENT
%state DART_MULTILINE_STRING_DOUBLE
%state DART_MULTILINE_STRING_SINGLE


%%

<YYINITIAL> {

 // Keywords
 "abstract" |
 "assert" |
 "class" |
 "const" |
 "extends" |
 "factory" |
 "get" |
```

```
"implements" |
"import" |
"interface"
|
"library" |
"negate" |
"new" |
"null" |
"operator" |
"set" |
"source" |
"static" |
"super" |
"this" |
"typedef" |
"var" |
"final" |
"if" |
"else" |
"for" |
"in" |
"is" |
"while" |
"do" |
"switch" |
"case" |
"default" |
"in" |
"try" |
"catch" |
"finally" |
"break" |
"continue" |
"throw" |
"assert"      { addToken(Token.RESERVED_WORD); }
"return"     { addToken(Token.RESERVED_WORD_2); }

// Literals.
"false" |
"true"      { addToken(Token.LITERAL_BOOLEAN); }
"NaN"       { addToken(Token.RESERVED_WORD); }
"Infinity"     { addToken(Token.RESERVED_WORD); }

// Data types
"bool" |
"int" |
"double" |
"num" |
```

```
"void"      { addToken(Token.DATA_TYPE); }

// stdlib types
"AssertionError" |
"Clock" |
"Collection" |
"Comparable" |
"Date" |
"Dispatcher" |
"Duration" |
"Expect" |
"FallThroughError" |
"Function" |
"HashMap" |
"HashSet" |
"Hashable" |
"Isolate" |
"Iterable"
|
"Iterator" |
"LinkedHashMap" |
"List" |
"Map" |
"Match" |
"Math" |
"Object" |
"Pattern" |
"Promise" |
"Proxy" |
"Queue" |
"ReceivePort" |
"RegExp" |
"SendPort" |
"Set" |
"StopWatch" |
"String" |
"StringBuffer" |
"Strings" |
"TimeZone" |
"TypeError" |

// stdlib exceptions
"BadNumberFormatException" |
"ClosureArgumentMismatchException" |
"EmptyQueueException" |
"Exception" |
"ExpectException" |
"IllegalAccessException" |
```

```
"IllegalArgumentException" |
"IllegalJSRegExpException" |
"IndexOutOfRangeException" |
"IntegerDivisionByZeroException" |
"NoMoreElementsException" |
"NoSuchMethodException" |
"NotImplementedException" |
"NullPointerException" |
"ObjectNotClosureException" |
"OutOfMemoryException" |
"StackOverflowException" |
"UnsupportedOperationException" |
"WrongArgumentCountException" { addToken(Token.FUNCTION); }

{LineTerminator}    { addNullToken(); return firstToken; }
{JS_Identifier}     {
addToken(Token.IDENTIFIER); }
{Whitespace}     { addToken(Token.WHITESPACE); }

/* Multi-line string literals. */
\"\"\"      { start = zzMarkedPos-3; yybegin(DART_MULTILINE_STRING_DOUBLE); }
\'\'\'      { start = zzMarkedPos-3; yybegin(DART_MULTILINE_STRING_SINGLE); }

/* String/Character literals. */
[\']      { start = zzMarkedPos-1; validJSString = true; yybegin(JS_CHAR); }
[\"]      { start = zzMarkedPos-1; validJSString = true; yybegin(JS_STRING); }

{DART_Annotation}    { addToken(Token.ANNOTATION); }
/* Comment literals. */
"/**/"       { addToken(Token.COMMENT_MULTILINE); }
{JS_MLCBegin}     { start = zzMarkedPos-2; yybegin(JS_MLC); }
{JS_LineCommentBegin}    { start = zzMarkedPos-2; yybegin(JS_EOL_COMMENT); }

/* Deprecated stuff */
"#library" |
"#import" |
"#source" |
"#resource"      { addToken(Token.RESERVED_WORD); }

/* Separators. */
{JS_Separator}     { addToken(Token.SEPARATOR); }
{JS_Separator2}     { addToken(Token.IDENTIFIER);
}

/* Operators. */
{JS_Operator}     { addToken(Token.OPERATOR); }

/* Numbers */
```

```
{JS_IntegerLiteral}    { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
{JS_HexLiteral}    { addToken(Token.LITERAL_NUMBER_HEXADECIMAL); }
{JS_FloatLiteral}    { addToken(Token.LITERAL_NUMBER_FLOAT); }
{JS_ErrorNumberFormat}   { addToken(Token.ERROR_NUMBER_FORMAT); }

{JS_ErrorIdentifier}   { addToken(Token.ERROR_IDENTIFIER); }

/* Ended with a line not in a string or comment. */
<<EOF>>      { addNullToken(); return firstToken; }

/* Catch any other (unhandled) characters and flag them as bad. */
.      { addToken(Token.ERROR_IDENTIFIER); }

}

<DART_MULTILINE_STRING_DOUBLE> {
[^\"\\\n]*    {}
\\.?      { /* Skip escaped chars, handles case: '\"""'. */ }
\"\"\"     { addToken(start,zzStartRead+2, Token.LITERAL_STRING_DOUBLE_QUOTE); yybegin(YYINITIAL); }
\"      {}
\n |
<<EOF>>     { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE);
return firstToken; }
}


<DART_MULTILINE_STRING_SINGLE> {
[^\'\\\n]*    {}
\\.?      { /* Skip escaped chars, handles case: '\'''. */ }
\'\'\'     { addToken(start,zzStartRead+2, Token.LITERAL_CHAR); yybegin(YYINITIAL); }
\'      {}
\n |
<<EOF>>     { addToken(start,zzStartRead-1, Token.LITERAL_CHAR); return firstToken; }
}

<JS_STRING> {
[^\n\\\"]+    {}
\\x{HexDigit}{2}   {}
\\x      { /* Invalid latin-1 character \xXX */ validJSString = false; }
\\u{HexDigit}{4}   {}
\\u      { /* Invalid Unicode character \\uXXXX */ validJSString = false; }
\\.      { /* Skip all escaped chars. */ }
\\      { /* Line ending in '\' => continue to next line. */
       if (validJSString) {
        addToken(start,zzStartRead, Token.LITERAL_STRING_DOUBLE_QUOTE);
        addEndToken(INTERNAL_IN_JS_STRING_VALID);
       }
       else {
```

```
        addToken(start,zzStartRead, Token.ERROR_STRING_DOUBLE);
        addEndToken(INTERNAL_IN_JS_STRING_INVALID);
       }
       return
 firstToken;
      }
 \"     { int type = validJSString ? Token.LITERAL_STRING_DOUBLE_QUOTE :
Token.ERROR_STRING_DOUBLE; addToken(start,zzStartRead, type); yybegin(YYINITIAL); }
 \n |
 <<EOF>>     { addToken(start,zzStartRead-1, Token.ERROR_STRING_DOUBLE); addNullToken(); return
firstToken; }
}

<JS_CHAR> {
 [^\n\\\']+    {}
 \\x{HexDigit}{2}  {}
 \\x     { /* Invalid latin-1 character \xXX */ validJSString = false; }
 \\u{HexDigit}{4}  {}
 \\u     { /* Invalid Unicode character \\uXXXX */ validJSString = false; }
 \\.     { /* Skip all escaped chars. */ }
 \\     { /* Line ending in '\' => continue to next line. */
       if (validJSString) {
        addToken(start,zzStartRead, Token.LITERAL_CHAR);
        addEndToken(INTERNAL_IN_JS_CHAR_VALID);
       }
       else {
        addToken(start,zzStartRead, Token.ERROR_CHAR);
        addEndToken(INTERNAL_IN_JS_CHAR_INVALID);
       }
       return firstToken;
      }
 \'     { int
 type = validJSString ? Token.LITERAL_CHAR : Token.ERROR_CHAR; addToken(start,zzStartRead, type);
yybegin(YYINITIAL); }
 \n |
 <<EOF>>     { addToken(start,zzStartRead-1, Token.ERROR_CHAR); addNullToken(); return firstToken; }
}

<JS_MLC> {
 // JavaScript MLC's.  This state is essentially Java's MLC state.
 [^hwf\n\*]+   {}
 {URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_MULTILINE); start = zzMarkedPos; }
 [hwf]     {}
 {JS_MLCEnd}    { yybegin(YYINITIAL); addToken(start,zzStartRead+1, Token.COMMENT_MULTILINE); }
 \*     {}
 \n |
 <<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE);
```

addEndToken(INTERNAL_IN_JS_MLC); return firstToken; }
}

<JS_EOL_COMMENT> {
[^hwf\n]+   {}
{URL}   { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_EOL);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_EOL); start = zzMarkedPos; }
[hwf]   {}
\n
|
<<EOF>>   { addToken(start,zzStartRead-1, Token.COMMENT_EOL); addNullToken(); return firstToken; }
}

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/DartTokenMaker.flex
No license file was found, but licenses were detected in source scan.

/*
* 12/14/2008
*
* DefaultTokenMakerFactory.java - The default TokenMaker factory.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/DefaultTokenMakerFactory.java
No license file was found, but licenses were detected in source scan.

/*
* 09/03/2005
*
* CSSTokenMaker.java - Token maker for CSS 3 files.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/CSSTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 09/11/2008

```
*
* RubyTokenMaker.java - Scanner for Ruby
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;


/**
* Scanner for Ruby.<p>
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars around).
* We can achieve this because RText always
 scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>RubyTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This is a needless memory allocation for us since we
*
  will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
```

```
* </ul>
*
* @author Robert Futrell
* @version 0.5
*
*/
%%

%public
%class RubyTokenMaker
%extends AbstractJFlexTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{

 /**
  * Token type specific to RubyTokenMaker; this signals that we are inside
  * an unquoted/double quoted/backtick EOF heredoc.
  */
 public static final int INTERNAL_HEREDOC_EOF_UNQUOTED   = -1;

 /**
  * Token type specific to RubyTokenMaker; this signals that we are inside
  * an single quoted EOF heredoc.
  */
 public static final int INTERNAL_HEREDOC_EOF_SINGLE_QUOTED  = -2;

 /**
  * Token type specific to RubyTokenMaker; this signals that we are inside
  * an double quoted EOF heredoc.
  */
 public
 static final int INTERNAL_HEREDOC_EOF_DOUBLE_QUOTED  = -3;

 /**
  * Token type specific to RubyTokenMaker; this signals that we are inside
  * an unquoted/double quoted/backtick EOT heredoc.
  */
 public static final int INTERNAL_HEREDOC_EOT_UNQUOTED   = -4;

 /**
  * Token type specific to RubyTokenMaker; this signals that we are inside
  * an single quoted EOT heredoc.
  */
 public static final int INTERNAL_HEREDOC_EOT_SINGLE_QUOTED  = -5;
```

```
/**
 * Token type specific to RubyTokenMaker; this signals that we are inside
 * an double quoted EOT heredoc.
 */
public static final int INTERNAL_HEREDOC_EOT_DOUBLE_QUOTED  = -6;

/**
 * Token type specific to RubyTokenMaker; this signals that we are inside
 * a %Q!...! style double quoted string.
 */
public static final int INTERNAL_STRING_Q_BANG    = -7;

/**
 * Token type specific to RubyTokenMaker; this signals that we are inside
 * a %Q{...} style double quoted string.
 */
public static
final int INTERNAL_STRING_Q_CURLY_BRACE  = -8;

/**
 * Token type specific to RubyTokenMaker; this signals that we are inside
 * a %Q&lt;...&gt; style double quoted string.
 */
public static final int INTERNAL_STRING_Q_LT     = -9;


/**
 * Token type specific to RubyTokenMaker; this signals that we are inside
 * a %Q(...) style double quoted string.
 */
public static final int INTERNAL_STRING_Q_PAREN     = -10;


/**
 * Token type specific to RubyTokenMaker; this signals that we are inside
 * a %Q/.../ style double quoted string.
 */
public static final int INTERNAL_STRING_Q_SLASH    = -11;

/**
 * Token type specific to RubyTokenMaker; this signals that we are inside
 * a %Q[...] style double quoted string.
 */
public static final int INTERNAL_STRING_Q_SQUARE_BRACKET  = -12;


/**
 * Constructor.  This must be here because JFlex does not generate a
```

```
 * no-parameter constructor.
 */
public RubyTokenMaker() {
}


/**

* Adds the token specified to the current linked list of tokens as an
 * "end token;" that is, at <code>zzMarkedPos</code>.
 *
 * @param tokenType The token's type.
 */
private void addEndToken(int tokenType) {
 addToken(zzMarkedPos,zzMarkedPos, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.

* @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
```

```
 *                  occurs.
 */
@Override
public void addToken(char[] array, int start, int end, int tokenType, int startOffset) {
 super.addToken(array, start,end, tokenType, startOffset);
 zzStartRead = zzMarkedPos;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "#", null };
}


/**
 * Returns whether tokens of the specified type should have "mark
 * occurrences" enabled for the current programming language.
 *
 * @param type The token type.
 * @return Whether tokens of this type should have "mark occurrences"
 *         enabled.
 */
public boolean getMarkOccurrencesOfTokenType(int type) {
 return type==Token.IDENTIFIER || type==Token.VARIABLE;
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.
 This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;
```

```
 // Start off in the proper state.
 int state = Token.NULL;
 switch (initialTokenType) {
  case Token.COMMENT_DOCUMENTATION:
   state = DOCCOMMENT;
   start = text.offset;
   break;
  case Token.LITERAL_STRING_DOUBLE_QUOTE:
   state = STRING;
   start = text.offset;
   break;
  case Token.LITERAL_CHAR:
   state = CHAR_LITERAL;
   start = text.offset;
   break;
  case
Token.LITERAL_BACKQUOTE:
   state = BACKTICKS;
   start = text.offset;
   break;
  case INTERNAL_HEREDOC_EOF_UNQUOTED:
   state = HEREDOC_EOF_UNQUOTED;
   start = text.offset;
   break;
  case INTERNAL_HEREDOC_EOF_SINGLE_QUOTED:
   state = HEREDOC_EOF_SINGLE_QUOTED;
   start = text.offset;
   break;
  case INTERNAL_HEREDOC_EOF_DOUBLE_QUOTED:
   state = HEREDOC_EOF_DOUBLE_QUOTED;
   start = text.offset;
   break;
  case INTERNAL_HEREDOC_EOT_UNQUOTED:
   state = HEREDOC_EOT_UNQUOTED;
   start = text.offset;
   break;
  case INTERNAL_HEREDOC_EOT_SINGLE_QUOTED:
   state = HEREDOC_EOT_SINGLE_QUOTED;
   start = text.offset;
   break;
  case INTERNAL_HEREDOC_EOT_DOUBLE_QUOTED:
   state = HEREDOC_EOT_DOUBLE_QUOTED;
   start = text.offset;
   break;
  case INTERNAL_STRING_Q_BANG:
   state = STRING_Q_BANG;
   start = text.offset;
```

```
   break;
  case INTERNAL_STRING_Q_CURLY_BRACE:
   state = STRING_Q_CURLY_BRACE;
   start
= text.offset;
   break;
  case INTERNAL_STRING_Q_LT:
   state = STRING_Q_LT;
   start = text.offset;
   break;
  case INTERNAL_STRING_Q_PAREN:
   state = STRING_Q_PAREN;
   start = text.offset;
   break;
  case INTERNAL_STRING_Q_SLASH:
   state = STRING_Q_SLASH;
   start = text.offset;
   break;
  case INTERNAL_STRING_Q_SQUARE_BRACKET:
   state = STRING_Q_SQUARE_BRACKET;
   start = text.offset;
   break;
  default:
   state = Token.NULL;
 }

 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}
```

```
/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old
reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always
  * "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
 }


%}

Letter       = [A-Za-z]
NonzeroDigit      = [1-9]
Digit       = ("0"|{NonzeroDigit})
BinaryDigit       =
 ([01])
HexDigit       = ({Digit}|[A-Fa-f])
OctalDigit      = ([0-7])
NonSeparator      = ([^\t\f\r\n\ \(\)\{\}\[\]\;\,\.\=\>\<\!\~\?\:\+\-\*\/\&\|\^\%\"\'\`]|"#"|"\\")

IdentifierStart     = ({Letter}|"_")
IdentifierPart      = ({IdentifierStart}|{Digit})
BooleanLiteral    = ("true"|"false")
```

```
LineTerminator    = (\n)
WhiteSpace    = ([ \t\f])

LineCommentBegin   = "#"
DocCommentBegin    = "=begin"
DocCommentEnd    = "=end"

DigitOrUnderscore   = ({Digit}|[_])
BinaryIntLiteral   = ("0b"{BinaryDigit}([01_]*{BinaryDigit})?)
OctalLiteral    = ("0"([0-7_]*{OctalDigit})?)
DecimalLiteral1    = ("0d"{Digit}({DigitOrUnderscore}*{Digit})?)
DecimalLiteral2    = ({NonzeroDigit}({DigitOrUnderscore}*{Digit})?)
DecimalLiteral    = ({BinaryIntLiteral}|{OctalLiteral}|{DecimalLiteral1}|{DecimalLiteral2})
HexLiteral     = ("0x"{HexDigit}([0-9a-zA-Z_]*{HexDigit})?)
FloatLiteral    = ({NonzeroDigit}({DigitOrUnderscore}*{Digit})?[Ee][+-
]?({Digit}({DigitOrUnderscore}*{Digit})?)?)

Separator     =
 ([\(\)\{\}])
Operator1     = ("::"|"."|"["|"]"|"-"|"+"|"!"|"~"|"*"|"/"|"%"|"<<"|">>"|"&"|"|"|"^")
Operator2     = (">"|">="|"<"|"<="|"<=>"|"=="|"==="|"!="|"=~"|"!~"|"&&"|"||")
Operator3     = (".."|"..."|"="|"+="|"-="|"*="|"/="|"%=")
Operator     = ({Operator1}|{Operator2}|{Operator3})

Identifier    = ({IdentifierStart}{IdentifierPart}*)
Symbol     = ([:]{Identifier})
ErrorIdentifier   = ({NonSeparator}+)

PreDefinedVariable   = ("$"([!@&`\'+0-
9~=/\,;.<>_*$?:\"]|"DEBUG"|"FILENAME"|"LOAD_PATH"|"stderr"|"stdin"|"stdout"|"VERBOSE"|([\-
][0adFiIlpwv])))
Variable     = ({PreDefinedVariable}|([@][@]?|[$]){Identifier})

%state STRING
%state STRING_Q_BANG
%state STRING_Q_CURLY_BRACE
%state STRING_Q_PAREN
%state STRING_Q_SLASH
%state STRING_Q_SQUARE_BRACKET
%state STRING_Q_LT
%state CHAR_LITERAL
%state BACKTICKS
%state HEREDOC_EOF_UNQUOTED
%state HEREDOC_EOF_SINGLE_QUOTED
%state HEREDOC_EOF_DOUBLE_QUOTED
%state HEREDOC_EOT_UNQUOTED
%state HEREDOC_EOT_SINGLE_QUOTED
%state
```

```
 HEREDOC_EOT_DOUBLE_QUOTED
%state DOCCOMMENT

%%

<YYINITIAL> {

 /* Keywords */
 "alias" |
 "BEGIN" |
 "begin" |
 "break" |
 "case" |
 "class" |
 "def" |
 "defined" |
 "do" |
 "else" |
 "elsif" |
 "END" |
 "end" |
 "ensure" |
 "for" |
 "if" |
 "in" |
 "module" |
 "next" |
 "nil" |
 "redo" |
 "rescue" |
 "retry" |
 "return" |
 "self" |
 "super" |
 "then" |
 "undef" |
 "unless" |
 "until" |
 "when" |
 "while" |
 "yield"     { addToken(Token.RESERVED_WORD); }

 "Array" |
 "Float" |
 "Integer" |
 "String" |
 "at_exit" |
 "autoload" |
```

"binding" |
"caller" |
"catch" |
"chop" |
"chop!" |
"chomp" |
"chomp!" |
"eval" |
"exec" |
"exit" |
"exit!" |
"fail" |
"fork" |
"format" |
"gets" |
"global_variables" |
"gsub" |
"gsub!" |
"iterator?" |
"lambda" |
"load" |
"local_variables" |
"loop" |
"open" |
"p" |
"print" |
"printf" |
"proc" |
"putc" |
"puts" |
"raise" |
"rand"
|
"readline" |
"readlines" |
"require" |
"select" |
"sleep" |
"split" |
"sprintf" |
"srand" |
"sub" |
"sub!" |
"syscall" |
"system" |
"test" |
"trace_var" |
"trap" |

```
"untrace_var"     { addToken(Token.FUNCTION); }

"and" |
"or" |
"not"     { addToken(Token.OPERATOR); }

{BooleanLiteral}   { addToken(Token.LITERAL_BOOLEAN); }

{Variable}      { addToken(Token.VARIABLE); }
{Symbol}      { addToken(Token.PREPROCESSOR); }

{LineTerminator}    { addNullToken(); return firstToken; }
{Identifier}     { addToken(Token.IDENTIFIER); }
{WhiteSpace}+     { addToken(Token.WHITESPACE); }

/* String/Character literals. */
\"       { start = zzMarkedPos-1; yybegin(STRING); }
\'       { start = zzMarkedPos-1; yybegin(CHAR_LITERAL); }
[\%][QqWwx]?[\(]   { start = zzMarkedPos-yylength(); yybegin(STRING_Q_PAREN); }
[\%][QqWwx]?[\{]   { start = zzMarkedPos-yylength(); yybegin(STRING_Q_CURLY_BRACE); }
[\%][QqWwx]?[\[]   { start = zzMarkedPos-yylength();
yybegin(STRING_Q_SQUARE_BRACKET); }
[\%][QqWwx]?[\<]   { start = zzMarkedPos-yylength(); yybegin(STRING_Q_LT); }
[\%][QqWwx]?[\!]   { start = zzMarkedPos-yylength(); yybegin(STRING_Q_BANG); }
[\%][QqWwx]?[\/]   { start = zzMarkedPos-yylength(); yybegin(STRING_Q_SLASH); }
\`       { start = zzMarkedPos-1; yybegin(BACKTICKS); }

/* Comment literals. */
{LineCommentBegin}.*   { addToken(Token.COMMENT_EOL); addNullToken(); return firstToken; }
{DocCommentBegin}    { start = zzMarkedPos-6; yybegin(DOCCOMMENT); }

/* "Here-document" syntax.  This is only implemented for the common */
/* cases.                                          */
"<<EOF"      { start = zzStartRead; yybegin(HEREDOC_EOF_UNQUOTED); }
"<<" {WhiteSpace}* \""EOF"\"  { start = zzStartRead; yybegin(HEREDOC_EOF_UNQUOTED); }
"<<" {WhiteSpace}* \'"EOF"\'  { start = zzStartRead; yybegin(HEREDOC_EOF_SINGLE_QUOTED); }
"<<" {WhiteSpace}* \`"EOF"\`  { start = zzStartRead; yybegin(HEREDOC_EOF_UNQUOTED);
}
"<<EOT"      { start = zzStartRead; yybegin(HEREDOC_EOT_UNQUOTED); }
"<<" {WhiteSpace}* \""EOT"\"  { start = zzStartRead; yybegin(HEREDOC_EOT_UNQUOTED); }
"<<" {WhiteSpace}* \'"EOT"\'  { start = zzStartRead; yybegin(HEREDOC_EOT_SINGLE_QUOTED); }
"<<" {WhiteSpace}* \`"EOT"\`  { start = zzStartRead; yybegin(HEREDOC_EOT_UNQUOTED); }

/* Separators and operators. */
{Separator}     { addToken(Token.SEPARATOR); }
{Operator}     { addToken(Token.OPERATOR); }

/* Numbers */
```

```
{DecimalLiteral}    { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
{HexLiteral}    { addToken(Token.LITERAL_NUMBER_HEXADECIMAL); }
{FloatLiteral}    { addToken(Token.LITERAL_NUMBER_FLOAT); }

{ErrorIdentifier}    { addToken(Token.ERROR_IDENTIFIER); }

/* Ended with a line not in a string or comment. */
<<EOF>>    { addNullToken(); return firstToken; }

/* Catch any other (unhandled) characters. */
.    { addToken(Token.IDENTIFIER); }

}


<STRING>
{
[^\n\\\"]+  {}
\n    { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE); return firstToken; }
\\.?    { /* Skip escaped chars. */ }
\"    { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.LITERAL_STRING_DOUBLE_QUOTE); }
<<EOF>>    { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE); return firstToken; }
}


<STRING_Q_BANG> {
[^\n\\!]+  {}
\n    { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE);
addEndToken(INTERNAL_STRING_Q_BANG); return firstToken; }
\\.?    { /* Skip escaped chars. */ }
\!    { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.LITERAL_STRING_DOUBLE_QUOTE); }
<<EOF>>    { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE);
addEndToken(INTERNAL_STRING_Q_BANG); return firstToken; }
}


<STRING_Q_CURLY_BRACE> {
[^\n\\}]+  {}
\n    { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE);
addEndToken(INTERNAL_STRING_Q_CURLY_BRACE); return firstToken;
}
\\.?    { /* Skip escaped chars. */ }
\}    { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.LITERAL_STRING_DOUBLE_QUOTE); }
<<EOF>>    { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE);
addEndToken(INTERNAL_STRING_Q_CURLY_BRACE); return firstToken; }
}
```

```
<STRING_Q_LT> {
 [^\n\\\>]+   {}
 \n     { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE);
addEndToken(INTERNAL_STRING_Q_LT); return firstToken; }
 \\.?     { /* Skip escaped chars. */ }
 \>     { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.LITERAL_STRING_DOUBLE_QUOTE); }
 <<EOF>>    { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE);
addEndToken(INTERNAL_STRING_Q_LT); return firstToken; }
}


<STRING_Q_PAREN> {
 [^\n\\\)]+   {}
 \n     { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE);
addEndToken(INTERNAL_STRING_Q_PAREN); return firstToken; }
 \\.?     { /* Skip escaped chars. */ }
 \)     { yybegin(YYINITIAL);
 addToken(start,zzStartRead, Token.LITERAL_STRING_DOUBLE_QUOTE); }
 <<EOF>>    { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE);
addEndToken(INTERNAL_STRING_Q_PAREN); return firstToken; }
}


<STRING_Q_SLASH> {
 [^\n\\\/]+   {}
 \n     { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE);
addEndToken(INTERNAL_STRING_Q_SLASH); return firstToken; }
 \\.?     { /* Skip escaped chars. */ }
 \/     { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.LITERAL_STRING_DOUBLE_QUOTE); }
 <<EOF>>    { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE);
addEndToken(INTERNAL_STRING_Q_SLASH); return firstToken; }
}


<STRING_Q_SQUARE_BRACKET> {
 [^\n\\\]]+   {}
 \n     { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE);
addEndToken(INTERNAL_STRING_Q_SQUARE_BRACKET); return firstToken; }
 \\.?     { /* Skip escaped chars. */ }
 \]     { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.LITERAL_STRING_DOUBLE_QUOTE);
 }
 <<EOF>>    { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE);
addEndToken(INTERNAL_STRING_Q_SQUARE_BRACKET); return firstToken; }
}


<CHAR_LITERAL> {
 [^\n\\\']+   {}
```

```
\\.?    { /* Skip escaped single quotes only, but this should still work. */ }
\n      { addToken(start,zzStartRead-1, Token.LITERAL_CHAR); return firstToken; }
\'      { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.LITERAL_CHAR); }
<<EOF>>    { addToken(start,zzStartRead-1, Token.LITERAL_CHAR); return firstToken; }
}


<BACKTICKS> {
[^\n\\\`]+  {}
\n      { addToken(start,zzStartRead-1, Token.LITERAL_BACKQUOTE); return firstToken; }
\\.?    { /* Skip escaped chars. */ }
\`      { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.LITERAL_BACKQUOTE); }
<<EOF>>    { addToken(start,zzStartRead-1, Token.LITERAL_BACKQUOTE); return firstToken; }
}


<HEREDOC_EOF_UNQUOTED> {
/* NOTE: The closing "EOF" is supposed to be on a line by itself -  */
/* no surrounding
whitespace or other chars.  However, the way      */
/* we're hacking the JFLex scanning, something like ^"EOF"$ doesn't */
/* work.  Fortunately we don't need the start- and end-line anchors */
/* since the production after "EOF" will match any line containing  */
/* EOF and any other chars.                                         */
/* NOTE2: This case is used for unquoted <<EOF, double quoted       */
/* <<"EOF" and backticks <<`EOF`, since they all follow the same    */
/* syntactic rules.                                                 */
"EOF"    { if (start==zzStartRead) { addToken(Token.PREPROCESSOR); addNullToken(); return firstToken; } }
[^\n\\]+   {}
\n      { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addEndToken(INTERNAL_HEREDOC_EOF_UNQUOTED); return firstToken; }
\\.?    { /* Skip escaped chars. */ }
<<EOF>>    { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addEndToken(INTERNAL_HEREDOC_EOF_UNQUOTED); return firstToken; }
}


<HEREDOC_EOF_SINGLE_QUOTED>
{
/* NOTE: The closing "EOF" is supposed to be on a line by itself -  */
/* no surrounding whitespace or other chars.  However, the way      */
/* we're hacking the JFLex scanning, something like ^"EOF"$ doesn't */
/* work.  Fortunately we don't need the start- and end-line anchors */
/* since the production after "EOF" will match any line containing  */
/* EOF and any other chars.                                         */
"EOF"    { if (start==zzStartRead) { addToken(Token.PREPROCESSOR); addNullToken(); return firstToken; } }
[^\n\\]+    {}
\n      { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
```

```
addEndToken(INTERNAL_HEREDOC_EOF_SINGLE_QUOTED); return firstToken; }
 \\.?     { /* Skip escaped chars. */ }
 <<EOF>>    { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addEndToken(INTERNAL_HEREDOC_EOF_SINGLE_QUOTED); return firstToken; }
}


<HEREDOC_EOF_DOUBLE_QUOTED> {
 /* NOTE: The closing "EOF" is supposed to be on a line by itself
 -  */
 /* no surrounding whitespace or other chars.  However, the way      */
 /* we're hacking the JFLex scanning, something like ^"EOF"$ doesn't */
 /* work.  Fortunately we don't need the start- and end-line anchors */
 /* since the production after "EOF" will match any line containing  */
 /* EOF and any other chars.                                         */
 "EOF"    { if (start==zzStartRead) { addToken(Token.PREPROCESSOR); addNullToken(); return firstToken; } }
 [^\n\\]+    {}
 \n     { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addEndToken(INTERNAL_HEREDOC_EOF_SINGLE_QUOTED); return firstToken; }
 \\.?     { /* Skip escaped chars. */ }
 <<EOF>>    { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addEndToken(INTERNAL_HEREDOC_EOF_SINGLE_QUOTED); return firstToken; }
}


<HEREDOC_EOT_UNQUOTED> {
 /* NOTE: The closing "EOT" is supposed to be on a line by itself -  */
 /* no surrounding whitespace or other chars.  However, the way      */
 /* we're hacking
 the JFLex scanning, something like ^"EOT"$ doesn't */
 /* work.  Fortunately we don't need the start- and end-line anchors */
 /* since the production after "EOT" will match any line containing  */
 /* EOF and any other chars.                                         */
 /* NOTE2: This case is used for unquoted <<EOT, double quoted       */
 /* <<"EOT" and backticks <<`EOT`, since they all follow the same    */
 /* syntactic rules.                                                 */
 "EOT"    { if (start==zzStartRead) { addToken(Token.PREPROCESSOR); addNullToken(); return firstToken; } }
 [^\n\\]+   {}
 \n     { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addEndToken(INTERNAL_HEREDOC_EOT_UNQUOTED); return firstToken; }
 \\.?     { /* Skip escaped chars. */ }
 <<EOF>>    { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addEndToken(INTERNAL_HEREDOC_EOT_UNQUOTED); return firstToken; }
}


<HEREDOC_EOT_SINGLE_QUOTED> {
 /* NOTE: The closing "EOT" is supposed
```

```
 to be on a line by itself -  */
 /* no surrounding whitespace or other chars.  However, the way      */
 /* we're hacking the JFLex scanning, something like ^"EOT"$ doesn't */
 /* work.  Fortunately we don't need the start- and end-line anchors */
 /* since the production after "EOT" will match any line containing  */
 /* EOT and any other chars.                                         */
 "EOT"    { if (start==zzStartRead) { addToken(Token.PREPROCESSOR); addNullToken(); return firstToken; } }
 [^\n\\]+    {}
 \n     { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addEndToken(INTERNAL_HEREDOC_EOT_SINGLE_QUOTED); return firstToken; }
 \\.?     { /* Skip escaped chars. */ }
 <<EOF>>    { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addEndToken(INTERNAL_HEREDOC_EOT_SINGLE_QUOTED); return firstToken; }
}


<HEREDOC_EOT_DOUBLE_QUOTED> {
 /* NOTE: The closing "EOT" is supposed to be on a line by itself -  */
 /* no surrounding whitespace or other chars.  However, the
 way      */
 /* we're hacking the JFLex scanning, something like ^"EOT"$ doesn't */
 /* work.  Fortunately we don't need the start- and end-line anchors */
 /* since the production after "EOT" will match any line containing  */
 /* EOT and any other chars.                                         */
 "EOT"    { if (start==zzStartRead) { addToken(Token.PREPROCESSOR); addNullToken(); return firstToken; } }
 [^\n\\]+    {}
 \n     { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addEndToken(INTERNAL_HEREDOC_EOT_SINGLE_QUOTED); return firstToken; }
 \\.?     { /* Skip escaped chars. */ }
 <<EOF>>    { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addEndToken(INTERNAL_HEREDOC_EOT_SINGLE_QUOTED); return firstToken; }
}


<DOCCOMMENT> {

 [^\n\=]+    {}
 {DocCommentEnd}    { yybegin(YYINITIAL); addToken(start,zzStartRead+3,
Token.COMMENT_DOCUMENTATION); }
 =     {}
 \n      { addToken(start,zzStartRead-1, Token.COMMENT_DOCUMENTATION); return firstToken; }
 <<EOF>>     {
 yybegin(YYINITIAL); addToken(start,zzEndRead, Token.COMMENT_DOCUMENTATION); return firstToken;
}

}
```

Found in path(s):

* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/RubyTokenMaker.flex
No license file was found, but licenses were detected in source scan.

/*
* 10/01/2009
*
* SmartHighlightPainter.java - A highlight painter whose rendered highlights
* don't "grow" when the user appends text to the end of them.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/SmartHighlightPainter.java
No license file was found, but licenses were detected in source scan.

/*
* 09/23/2005
*
* ParserNotice.java - A notice (i.e, and error or warning) from a parser.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/parser/ParserNotice.java
No license file was found, but licenses were detected in source scan.

/*
* 09/11/2008
*
* RubyTokenMaker.java - Scanner for Ruby
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/RubyTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*

* 08/11/2009
*
* DefaultParserNotice.java - Base implementation of a parser notice.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/parser/DefaultParserNotice.java
No license file was found, but licenses were detected in source scan.

/*
* 02/10/2009
*
* RSTAView.java - An <code>RSyntaxTextArea</code> view.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/RSTAView.java
No license file was found, but licenses were detected in source scan.

/*
* 8/19/2009
*
* ScalaTokenMaker.java - Scanner for the Scala programming language.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/ScalaTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 09/01/2014
*
* DartTokenMaker.java - Token parser for Dart.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.

*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/DartTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 02/21/2005
*
* CodeTemplate.java - A "template" (macro) for commonly-typed code.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/templates/StaticCodeTemplate.java
No license file was found, but licenses were detected in source scan.

/*
* 11/13/2008
*
* FileFileLocation.java - The location of a local file.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/FileFileLocation.java
No license file was found, but licenses were detected in source scan.

/*
* 12/01/2014
*
* Copyright (C) 2013 Robert Futrell
* robert_futrell at users.sourceforge.net
* http://fifesoft.com/rsyntaxtextarea
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-

jar/org/fife/ui/rsyntaxtextarea/HtmlOccurrenceMarker.java
No license file was found, but licenses were detected in source scan.

/*
* 09/08/2014
*
* DTokenMaker.java - Scanner for the D programming language.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/DTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 03/16/2004
*
* UnixShellTokenMaker.java - Scanner for UNIX shell scripts.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/UnixShellTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 07/28/2008
*
* RtfGenerator.java - Generates RTF via a simple Java API.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/RtfGenerator.java
No license file was found, but licenses were detected in source scan.

/*
* 03/07/2012
*

* FoldingAwareIconRowHeader - Icon row header that paints itself correctly
* even when code folding is enabled.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/FoldingAwareIconRowHeader.java
No license file was found, but licenses were detected in source scan.

/*
* 11/25/2008
*
* TextEditorPane.java - A syntax highlighting text area that has knowledge of
* the file it is editing on disk.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/TextEditorPane.java
No license file was found, but licenses were detected in source scan.

/*
* 04/23/2014
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/CaretStyle.java
No license file was found, but licenses were detected in source scan.

/*
* 7/28/2009
*
* DelphiTokenMaker.java - Scanner for the Delphi programming language.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/DelphiTokenMaker.java
No license file was found, but licenses were detected in source scan.

```
/*
* 07/27/2009
*
* ParseResult.java - The result of a Parser parsing some section of an
* RSyntaxTextArea.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/parser/ParseResult.java
No license file was found, but licenses were detected in source scan.

```
/*
* 09/21/2013
*
* SearchResult - The result of a find, replace, or "mark all" operation.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/SearchResult.java
No license file was found, but licenses were detected in source scan.

```
/*
* 7/28/2009
*
* DelphiTokenMaker.java - Scanner for the Delphi programming language.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;
```

```
/**
* Scanner for the Delphi programming language.<p>
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer (needlessly copying chars
 around).
* We can achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>DelphiTokenMaker.java</code> file will contain two
*       definitions of both <code>zzRefill</code> and <code>yyreset</code>.
*       You should hand-delete the second of each definition (the ones
*       generated by the lexer), as these generated methods modify the input
*       buffer, which we'll never have to do.</li>
*   <li>You should also change the declaration/definition of zzBuffer to NOT
*       be initialized.  This
 is a needless memory allocation for us since we
*       will be pointing the array somewhere else anyway.</li>
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.</li>
* </ul>
*
* @author Robert Futrell
* @version 0.5
*
*/
%%

%public
%class DelphiTokenMaker
%extends AbstractJFlexTokenMaker
%unicode
```

```
%type org.fife.ui.rsyntaxtextarea.Token


%{


/**
 * Token type specific to DelphiTokenMaker; denotes a line ending
 * with an unterminated "(*" comment.
 */
public static final int INTERNAL_MLC2   = -1;

/**
 * Token type specific to DelphiTokenMaker; denotes a line ending
 * with an unterminated "{$" compiler directive.
 */
public static final int INTERNAL_COMPILER_DIRECTIVE = -2;

/**
 * Token type specific to DelphiTokenMaker; denotes a line ending
 * with an unterminated
"(*$" compiler directive.
 */
public static final int INTERNAL_COMPILER_DIRECTIVE2 = -3;


/**
 * Constructor.  This must be here because JFlex does not generate a
 * no-parameter constructor.
 */
public DelphiTokenMaker() {
}


/**
 * Adds the token specified to the current linked list of tokens as an
 * "end token;" that is, at <code>zzMarkedPos</code>.
 *
 * @param tokenType The token's type.
 */
private void addEndToken(int tokenType) {
 addToken(zzMarkedPos,zzMarkedPos, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
```

```
 * @param tokenType The token's type.
 * @see #addToken(int, int, int)
 */
private void addHyperlinkToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so, true);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 */
private
void addToken(int tokenType) {
 addToken(zzStartRead, zzMarkedPos-1, tokenType);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param tokenType The token's type.
 * @see #addHyperlinkToken(int, int, int)
 */
private void addToken(int start, int end, int tokenType) {
 int so = start + offsetShift;
 addToken(zzBuffer, start,end, tokenType, so, false);
}


/**
 * Adds the token specified to the current linked list of tokens.
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 * @param hyperlink Whether this token is a hyperlink.
 */
@Override
public void addToken(char[] array, int start, int end, int tokenType,
    int startOffset, boolean hyperlink) {
 super.addToken(array, start,end,
```

```
tokenType, startOffset, hyperlink);
 zzStartRead = zzMarkedPos;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "//", null };
}


/**
 * Returns the first token in the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;

 // Start off in the proper state.
 int state = Token.NULL;
 switch
(initialTokenType) {
  case Token.COMMENT_MULTILINE:
   state = MLC;
   start = text.offset;
   break;
  case INTERNAL_MLC2:
   state = MLC2;
   start = text.offset;
   break;
  case INTERNAL_COMPILER_DIRECTIVE:
   state = COMPILER_DIRECTIVE;
   start = text.offset;
   break;
  case INTERNAL_COMPILER_DIRECTIVE2:
```

```
  state = COMPILER_DIRECTIVE2;
  start = text.offset;
  break;
 default:
  state = Token.NULL;
 }

 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 } catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *

* All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always
```

```
  * "full" the first time through, since it points to the segment's
  * array).  So, we assign zzEndRead here.
  */
 //zzStartRead = zzEndRead = s.offset;
 zzStartRead = s.offset;
 zzEndRead = zzStartRead + s.count - 1;
 zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
 zzLexicalState = YYINITIAL;
 zzReader = reader;
 zzAtBOL  = true;
 zzAtEOF  = false;
}


%}

Letter       = [A-Za-z]
LetterOrUnderscore    = ({Letter}|"_")
NonzeroDigit      = [1-9]
Digit       = ("0"|{NonzeroDigit})
HexDigit       =
 ({Digit}|[A-Fa-f])
OctalDigit      = ([0-7])
NonSeparator      = ([^\t\f\r\n\ \(\)\{\}\[\]\;\,\.\=\>\<\!\~\?\:\+\-\*\/\&\|\^\%\"\']|"#"|"\\")
IdentifierStart     = ({LetterOrUnderscore}|"$")
IdentifierPart      = ({IdentifierStart}|{Digit})

LineTerminator    = (\n)
WhiteSpace    = ([ \t\f])

UnclosedStringLiteral  = ([\'][^\']*)
StringLiteral    = ({UnclosedStringLiteral}[\'])
EscapeSequence    = ("#"{Digit}*)

MLCBegin     = "{"
MLCEnd      = "}"
MLC2Begin     = "(*"
MLC2End      = "*)"
CompilerDirective1Begin  = ({MLCBegin}"$")
CompilerDirective2Begin  = ({MLC2Begin}"$")
LineCommentBegin   = "//"

IntegerHelper1    = (({NonzeroDigit}{Digit}*)|"0")
IntegerHelper2    = ("0"(([xX]{HexDigit}+)|({OctalDigit}*)))
IntegerLiteral    = ({IntegerHelper1}[lL]?)
HexLiteral    = ({IntegerHelper2}[lL]?)
FloatHelper1    = ([fFdD]?)
FloatHelper2    = ([eE][+-]?{Digit}+{FloatHelper1})
```

```
FloatLiteral1    = ({Digit}+"."({FloatHelper1}|{FloatHelper2}|{Digit}+({FloatHelper1}|{FloatHelper2})))
FloatLiteral2    =
("."{Digit}+({FloatHelper1}|{FloatHelper2}))
FloatLiteral3    = ({Digit}+{FloatHelper2})
FloatLiteral     = ({FloatLiteral1}|{FloatLiteral2}|{FloatLiteral3}|({Digit}+[fFdD]))
ErrorNumberFormat   = (({IntegerLiteral}|{HexLiteral}|{FloatLiteral}){NonSeparator}+)
BooleanLiteral    = ("true"|"false")

Separator     = ([\(\)\[\]])
Separator2     = ([\;,.])

Operator     = ([\^\@\:\=\<\>\+\-\/\*])

Identifier    = ({IdentifierStart}{IdentifierPart}*)
ErrorIdentifier   = ({NonSeparator}+)

URLGenDelim    = ([:\/\?#\[\]@])
URLSubDelim    = ([\!\$&'\(\)\*\+,;=])
URLUnreserved   = ({LetterOrUnderscore}|{Digit}|[\-\.\~])
URLCharacter   = ({URLGenDelim}|{URLSubDelim}|{URLUnreserved}|[%])
URLCharacters   = ({URLCharacter}*)
URLEndCharacter   = ([\/\$]|{Letter}|{Digit})
URL      = (((https?|f(tp|ile))"://"|"www.")({URLCharacters}{URLEndCharacter})?)


%state MLC
%state MLC2
%state COMPILER_DIRECTIVE
%state COMPILER_DIRECTIVE2
%state
 EOL_COMMENT

%%

<YYINITIAL> {

 /* Keywords */
 "array" |
 "as" |
 "at" |
 "asm" |
 "begin" |
 "case" |
 "class" |
 "const" |
 "constructor" |
 "destructor" |
 "dispinterface" |
```

"div" |
"do" |
"downto" |
"else" |
"end" |
"except" |
"exports" |
"file" |
"final" |
"finalization" |
"finally" |
"for" |
"function" |
"goto" |
"if" |
"implementation" |
"in" |
"inherited" |
"initialization" |
"inline" |
"interface" |
"is" |
"label" |
"mod" |
"not" |
"object" |
"of" |
"on" |
"or" |
"out" |
"packed" |
"procedure" |
"program" |
"property" |
"raise" |
"record" |
"repeat" |
"resourcestring" |
"set" |
"sealed" |
"shl" |
"shr" |
"static" |
"string" |
"then" |
"threadvar" |
"to" |
"try" |

```
"type" |
"unit" |
"unsafe" |
"until" |
"uses" |
"var" |
"while" |
"with" |
"xor"      { addToken(Token.RESERVED_WORD); }

/* Directives. */
"absolute" |
"abstract"
|
"assembler" |
"automated" |
"cdecl" |
"contains" |
"default" |
"deprecated" |
"dispid" |
"dynamic" |
"export" |
"external" |
"far" |
"forward" |
"implements" |
"index" |
"library" |
"local" |
"message" |
"name" |
"namespaces" |
"near" |
"nil" |
"nodefault" |
"overload" |
"override" |
"package" |
"pascal" |
"platform" |
"private" |
"protected" |
"public" |
"published" |
"read" |
"readonly" |
"register" |
```

```
"reintroduce" |
"requires" |
"resident" |
"safecall" |
"self" |
"stdcall" |
"stored" |
"varargs" |
"virtual" |
"write" |
"writeonly"    { addToken(Token.FUNCTION); }

/* Data types. */
"shortint" |
"byte" |
"char" |
"smallint" |
"integer" |
"word" |
"longint" |
"cardinal" |
"boolean" |
"bytebool" |
"wordbool" |
"longbool" |
"real" |
"single" |
"double" |
"extended" |
"comp" |
"currency" |
"pointer"     { addToken(Token.DATA_TYPE); }

{BooleanLiteral}   {
addToken(Token.LITERAL_BOOLEAN); }

{LineTerminator}    { addNullToken(); return firstToken; }

{Identifier}     { addToken(Token.IDENTIFIER); }

{WhiteSpace}+     { addToken(Token.WHITESPACE); }

/* String/Character literals. */
{StringLiteral}    { addToken(Token.LITERAL_STRING_DOUBLE_QUOTE); }
{UnclosedStringLiteral}   { addToken(Token.ERROR_STRING_DOUBLE); addNullToken(); return firstToken; }
{EscapeSequence}    { addToken(Token.PREPROCESSOR); }

/* Comment literals. */
```

```
{CompilerDirective1Begin} {start = zzMarkedPos-2; yybegin(COMPILER_DIRECTIVE); }
{CompilerDirective2Begin} {start = zzMarkedPos-3; yybegin(COMPILER_DIRECTIVE2); }
{MLCBegin}     { start = zzMarkedPos-1; yybegin(MLC); }
{MLC2Begin}      { start = zzMarkedPos-2; yybegin(MLC2); }
{LineCommentBegin}    { start = zzMarkedPos-2; yybegin(EOL_COMMENT); }

{Separator}     { addToken(Token.SEPARATOR); }
{Separator2}     { addToken(Token.IDENTIFIER); }
{Operator}     { addToken(Token.OPERATOR);
}

{IntegerLiteral}    { addToken(Token.LITERAL_NUMBER_DECIMAL_INT); }
{HexLiteral}     { addToken(Token.LITERAL_NUMBER_HEXADECIMAL); }
{FloatLiteral}     { addToken(Token.LITERAL_NUMBER_FLOAT); }
{ErrorNumberFormat}    { addToken(Token.ERROR_NUMBER_FORMAT); }

{ErrorIdentifier}    { addToken(Token.ERROR_IDENTIFIER); }

/* Ended with a line not in a string or comment. */
<<EOF>>      { addNullToken(); return firstToken; }

/* Catch any other (unhandled) characters. */
.      { addToken(Token.IDENTIFIER); }

}


<MLC> {

[^hwf\n\}]+    {}
{URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_MULTILINE); start = zzMarkedPos; }
[hwf]     {}

\n      { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); return firstToken; }
{MLCEnd}     { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.COMMENT_MULTILINE); }
<<EOF>>     { addToken(start,zzStartRead-1,
Token.COMMENT_MULTILINE); return firstToken; }

}


<MLC2> {

[^hwf\n\*]+    {}
{URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_MULTILINE); start = zzMarkedPos; }
[hwf]     {}
```

```
 \n      { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); addEndToken(INTERNAL_MLC2); return
firstToken; }
 {MLC2End}     { yybegin(YYINITIAL); addToken(start,zzStartRead+1, Token.COMMENT_MULTILINE); }
 \*      {}
 <<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_MULTILINE); addEndToken(INTERNAL_MLC2);
return firstToken; }

}


<COMPILER_DIRECTIVE> {
 [^\n\}]+    {}
 \n      { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addEndToken(INTERNAL_COMPILER_DIRECTIVE); return firstToken; }
 {MLCEnd}     { yybegin(YYINITIAL); addToken(start,zzStartRead, Token.PREPROCESSOR); }
 <<EOF>>     { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addEndToken(INTERNAL_COMPILER_DIRECTIVE);
 return firstToken; }
}


<COMPILER_DIRECTIVE2> {
 [^\n\*]+    {}
 \n      { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addEndToken(INTERNAL_COMPILER_DIRECTIVE2); return firstToken; }
 {MLC2End}     { yybegin(YYINITIAL); addToken(start,zzStartRead+1, Token.PREPROCESSOR); }
 \*      {}
 <<EOF>>     { addToken(start,zzStartRead-1, Token.PREPROCESSOR);
addEndToken(INTERNAL_COMPILER_DIRECTIVE2); return firstToken; }
}



<EOL_COMMENT> {
 [^hwf\n]+    {}
 {URL}     { int temp=zzStartRead; addToken(start,zzStartRead-1, Token.COMMENT_EOL);
addHyperlinkToken(temp,zzMarkedPos-1, Token.COMMENT_EOL); start = zzMarkedPos; }
 [hwf]     {}
 \n      { addToken(start,zzStartRead-1, Token.COMMENT_EOL); addNullToken(); return firstToken; }
 <<EOF>>     { addToken(start,zzStartRead-1, Token.COMMENT_EOL); addNullToken(); return firstToken; }
}

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-
jar/org/fife/ui/rsyntaxtextarea/modes/DelphiTokenMaker.flex
No license file was found, but licenses were detected in source scan.
```

```
/*
* 11/14/2003
*
* RTextArea.java - An extension of JTextArea that adds many features.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/RTextArea.java
No license file was found, but licenses were detected in source scan.

```
/*
* 08/26/2004
*
* TokenMap.java - Similar to a Map in Java, only designed specifically for
* org.fife.ui.rsyntaxtextarea.Tokens.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/TokenMap.java
No license file was found, but licenses were detected in source scan.

```
/*
* 02/26/2004
*
* SyntaxScheme.java - The set of colors and tokens used by an RSyntaxTextArea
* to color tokens.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/SyntaxScheme.java
No license file was found, but licenses were detected in source scan.

```
/*
* 03/21/2005
*
* PropertiesFileTokenMaker.java - Scanner for properties files.
```

```
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
package org.fife.ui.rsyntaxtextarea.modes;

import java.io.*;
import javax.swing.text.Segment;

import org.fife.ui.rsyntaxtextarea.*;


/**
* This class splits up text into tokens representing a Java properties file.<p>
*
* This implementation was created using
* <a href="http://www.jflex.de/">JFlex</a> 1.4.1; however, the generated file
* was modified for performance.  Memory allocation needs to be almost
* completely removed to be competitive with the handwritten lexers (subclasses
* of <code>AbstractTokenMaker</code>, so this class has been modified so that
* Strings are never allocated (via yytext()), and the scanner never has to
* worry about refilling its buffer
 (needlessly copying chars around).
* We can achieve this because RText always scans exactly 1 line of tokens at a
* time, and hands the scanner this line as an array of characters (a Segment
* really).  Since tokens contain pointers to char arrays instead of Strings
* holding their contents, there is no need for allocating new memory for
* Strings.<p>
*
* The actual algorithm generated for scanning has, of course, not been
* modified.<p>
*
* If you wish to regenerate this file yourself, keep in mind the following:
* <ul>
*   <li>The generated <code>PropertiesFileTokenMaker.java</code> file will
*       contain two definitions of both <code>zzRefill</code> and
*       <code>yyreset</code>.  You should hand-delete the second of each
*       definition (the ones generated by the lexer), as these generated
*       methods modify the input buffer, which we'll never have to do.
*   <li>You should also change the declaration/definition of zzBuffer to NOT
 *       be initialized.  This is a needless memory allocation for us since we
*       will be pointing the array somewhere else anyway.
*   <li>You should NOT call <code>yylex()</code> on the generated scanner
*       directly; rather, you should use <code>getTokenList</code> as you would
*       with any other <code>TokenMaker</code> instance.
* </ul>
*
* @author Robert Futrell
```

```
* @version 0.4
*
*/
%%

%public
%class PropertiesFileTokenMaker
%extends AbstractJFlexTokenMaker
%unicode
%type org.fife.ui.rsyntaxtextarea.Token


%{


 /**
  * Constructor.  This must be here because JFlex does not generate a
  * no-parameter constructor.
  */
 public PropertiesFileTokenMaker() {
  super();
 }


 /**
  * Adds the token specified to the current linked list of tokens.
  *
  * @param tokenType The token's type.
  */
 private void addToken(int tokenType) {
  addToken(zzStartRead, zzMarkedPos-1, tokenType);
 }


 /**
  * Adds the token specified
 to the current linked list of tokens.
  *
  * @param tokenType The token's type.
  */
 private void addToken(int start, int end, int tokenType) {
  int so = start + offsetShift;
  addToken(zzBuffer, start,end, tokenType, so);
 }


 /**
  * Adds the token specified to the current linked list of tokens.
```

```
 *
 * @param array The character array.
 * @param start The starting offset in the array.
 * @param end The ending offset in the array.
 * @param tokenType The token's type.
 * @param startOffset The offset in the document at which this token
 *                    occurs.
 */
@Override
public void addToken(char[] array, int start, int end, int tokenType, int startOffset) {
 super.addToken(array, start,end, tokenType, startOffset);
 zzStartRead = zzMarkedPos;
}


/**
 * {@inheritDoc}
 */
@Override
public String[] getLineCommentStartAndEnd(int languageIndex) {
 return new String[] { "#", null };
}


/**
 * Returns the first token in
the linked list of tokens generated
 * from <code>text</code>.  This method must be implemented by
 * subclasses so they can correctly implement syntax highlighting.
 *
 * @param text The text from which to get tokens.
 * @param initialTokenType The token type we should start with.
 * @param startOffset The offset into the document at which
 *        <code>text</code> starts.
 * @return The first <code>Token</code> in a linked list representing
 *         the syntax highlighted text.
 */
public Token getTokenList(Segment text, int initialTokenType, int startOffset) {

 resetTokenList();
 this.offsetShift = -text.offset + startOffset;

 // Start off in the proper state.
 int state = Token.NULL;
 switch (initialTokenType) {
  case Token.LITERAL_STRING_DOUBLE_QUOTE:
   state = VALUE;
   start = text.offset;
```

```
  break;
 default:
  state = Token.NULL;
 }

 s = text;
 try {
  yyreset(zzReader);
  yybegin(state);
  return yylex();
 }
catch (IOException ioe) {
  ioe.printStackTrace();
  return new TokenImpl();
 }

}


/**
 * Refills the input buffer.
 *
 * @return      <code>true</code> if EOF was reached, otherwise
 *              <code>false</code>.
 * @exception   IOException  if any I/O-Error occurs.
 */
private boolean zzRefill() {
 return zzCurrentPos>=s.offset+s.count;
}


/**
 * Resets the scanner to read from a new input stream.
 * Does not close the old reader.
 *
 * All internal variables are reset, the old input stream
 * <b>cannot</b> be reused (internal buffer is discarded and lost).
 * Lexical state is set to <tt>YY_INITIAL</tt>.
 *
 * @param reader   the new input stream
 */
public final void yyreset(java.io.Reader reader) {
 // 's' has been updated.
 zzBuffer = s.array;
 /*
  * We replaced the line below with the two below it because zzRefill
  * no longer "refills" the buffer (since the way we do it, it's always
  * "full" the
```

```
 first time through, since it points to the segment's
   * array).  So, we assign zzEndRead here.
   */
  //zzStartRead = zzEndRead = s.offset;
  zzStartRead = s.offset;
  zzEndRead = zzStartRead + s.count - 1;
  zzCurrentPos = zzMarkedPos = zzPushbackPos = s.offset;
  zzLexicalState = YYINITIAL;
  zzReader = reader;
  zzAtBOL  = true;
  zzAtEOF  = false;
 }


%}

Equals    = ([=\:])
Name      = ([^=\: \t\n#!]*)
Whitespace   = ([ \t]+)
Comment    = ([#!].*)
SingleQuote   = (')

%state VALUE

%%

<YYINITIAL> {
 {Name}    { addToken(Token.RESERVED_WORD); }
 {Equals}    { start = zzMarkedPos; addToken(Token.OPERATOR); yybegin(VALUE); }
 {Whitespace}   { addToken(Token.WHITESPACE); }
 {Comment}    { addToken(Token.COMMENT_EOL); }
 <<EOF>>    { addNullToken(); return firstToken; }
}

<VALUE> {
 {SingleQuote}[^']*{SingleQuote}? { addToken(start, zzMarkedPos-1,
Token.LITERAL_STRING_DOUBLE_QUOTE); start = zzMarkedPos; }
 [^'\{\\]+      {}
 "{"[^\}]*"}"?     { int
 temp=zzStartRead; addToken(start, zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE);
addToken(temp, zzMarkedPos-1, Token.VARIABLE); start = zzMarkedPos; }
 [\\].       {}
 [\\]       { addToken(start, zzEndRead, Token.LITERAL_STRING_DOUBLE_QUOTE); return firstToken; }
 <<EOF>>       { addToken(start,zzStartRead-1, Token.LITERAL_STRING_DOUBLE_QUOTE); addNullToken();
return firstToken; }
}
```

Found in path(s):

* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/PropertiesFileTokenMaker.flex
No license file was found, but licenses were detected in source scan.

```
/*
* 02/06/2011
*
* ActiveLineRangeEvent.java - Notifies listeners of an "active line range"
* change in an RSyntaxTextArea.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/ActiveLineRangeEvent.java
No license file was found, but licenses were detected in source scan.

```
/*
* 09/13/2005
*
* SquiggleUnderlineHighlightPainter.java - Highlighter that draws a squiggle
* underline under "highlighted" text, similar to error markers in Microsoft
* Visual Studio or Eclipse.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/SquiggleUnderlineHighlightPainter.java
No license file was found, but licenses were detected in source scan.

```
/*
* 08/23/2015
*
* Copyright (C) 2015 Robert Futrell
* robert_futrell at users.sourceforge.net
* http://fifesoft.com/rsyntaxtextarea
*
* This library is distributed under a modified BSD license.  See the included
* RSTALanguageSupport.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-

jar/org/fife/ui/rsyntaxtextarea/modes/LessTokenMaker.java
No license file was found, but licenses were detected in source scan.

```
/*
* 03/24/2013
*
* VisualBasicTokenMaker.java - Scanner for Visual Basic
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/VisualBasicTokenMaker.java
No license file was found, but licenses were detected in source scan.

```
/*
* 04/12/2012
*
* DtdTokenMaker.java - Generates tokens for DTD syntax highlighting.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/DtdTokenMaker.java
No license file was found, but licenses were detected in source scan.

```
/*
* 08/16/2014
*
* ClipboardHistoryPopup.java - Shows clipboard history in a popup window.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/ClipboardHistoryPopup.java
No license file was found, but licenses were detected in source scan.

```
/*
* 01/28/2009
*
```

* PHPTokenMaker.java - Generates tokens for PHP syntax highlighting.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/PHPTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 10/17/2015
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/HostsTokenMaker.java
No license file was found, but licenses were detected in source scan.

/*
* 07/29/2004
*
* RTATextTransferHandler.java - Handles the transfer of data to/from an
* RTextArea via drag-and-drop.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/RTATextTransferHandler.java
No license file was found, but licenses were detected in source scan.

/*
* 03/15/2015
*
* JshintrcTokenMaker.java - Scanner for .jshintrc files.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):

* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/modes/JshintrcTokenMaker.java
No license file was found, but licenses were detected in source scan.

```
/*
* 08/06/2004
*
* WrappedSyntaxView.java - Test implementation of WrappedSyntaxView that
* is also aware of RSyntaxTextArea's different fonts per token type.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/WrappedSyntaxView.java
No license file was found, but licenses were detected in source scan.

```
/*
* 11/14/2003
*
* RTextScrollPane.java - A JScrollPane that will only accept RTextAreas
* so that it can display line numbers, fold indicators, and icons.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/RTextScrollPane.java
No license file was found, but licenses were detected in source scan.

```
/*
* 10/27/2004
*
* RSyntaxTextAreaDefaultInputMap.java - The default input map for
* RSyntaxTextAreas.
*
* This library is distributed under a modified BSD license.  See the included
* RSyntaxTextArea.License.txt file for details.
*/
```

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/RSyntaxTextAreaDefaultInputMap.java

No license file was found, but licenses were detected in source scan.

/*
* 11/13/2008
*
* FileLocation.java - Holds the location of a local or remote file.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rsyntaxtextarea/FileLocation.java
No license file was found, but licenses were detected in source scan.

/*
* 01/22/2005
*
* VolatileImageBackgroundPainterStrategy.java - Renders an RTextAreaBase's
* background as an image using VolatileImages.
*
* This library is distributed under a modified BSD license. See the included
* RSyntaxTextArea.License.txt file for details.
*/

Found in path(s):
* /opt/cola/permits/1294100897_1649200540.72/0/rsyntaxtextarea-2-6-1-sources-jar/org/fife/ui/rtextarea/VolatileImageBackgroundPainterStrategy.java

1.485 apache-james-mime4j-dom 0.8.1

1.485.1 Available under license :

Apache James :: Mime4j :: DOM
Copyright 2004-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.486 apache-james-mime4j 0.8.1

1.486.1 Available under license :

Apache James :: Mime4j :: Core
Copyright 2004-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.487 jmatio 1.2

1.487.1 Available under license :

Copyright (c) 2006, Wojciech Gradkowski
All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions
are met:

* Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in
  the documentation and/or other materials provided with the
  distribution.
* Neither the name of the JMatIO nor the names of its
  contributors may be used to endorse or promote products derived
  from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE
 ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.488 okio 2.2.2

1.488.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 Square Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/ByteString.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/DeflaterSink.kt
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/RealBufferedSource.kt
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/Sink.kt
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/Timeout.kt
*
 /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/Source.kt
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/RealBufferedSink.kt
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/AsyncTimeout.kt
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/Buffer.kt
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/InflaterSource.kt
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/GzipSink.kt
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/ForwardingSource.kt
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/BufferedSink.kt
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/Okio.kt
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/BufferedSource.kt
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/GzipSource.kt
*
 /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/ForwardingSink.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*

*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/SegmentedByteString.kt
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/ForwardingTimeout.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/Options.kt
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/HashingSink.kt
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/HashingSource.kt
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/Pipe.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/-Platform.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/-DeprecatedUpgrade.kt
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/-DeprecatedUtf8.kt
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/Throttler.kt
* /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/-DeprecatedOkio.kt
*
 /opt/cola/permits/1294101418_1648168164.41/0/okio-2-2-2-sources-jar/okio/PeekSource.kt

1.489 apache-sis-referencing 0.8

1.489.1 Available under license :

Apache SIS referencing
Copyright 2010-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.490 httpclient-wrappers 4.5.5

1.490.1 Available under license :

No license file was found, but licenses were detected in source scan.

// All rights reserved.
// Redistribution and use in source and binary forms,
// with or without modification, are permitted provided
// - Redistributions of source code must retain the above copyright
//   notice, this list of conditions and the following disclaimer.
// - Redistributions in binary form must reproduce the above copyright
//   notice, this list of conditions and the following disclaimer in the
//   documentation and/or other materials provided with the distribution.
// - Neither the name of the OPeNDAP nor the names of its contributors may
//   without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1294100848_1649200730.51/0/httpservices-4-5-5-sources-jar/ucar/httpservices/Escape.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,

* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1294100848_1649200730.51/0/httpservices-4-5-5-sources-jar/ucar/httpservices/CustomSSLProtocolSocketFactory.java
*
 /opt/cola/permits/1294100848_1649200730.51/0/httpservices-4-5-5-sources-jar/ucar/httpservices/CustomX509TrustManager.java

1.491 jodd-lagarto 4.1.4

1.491.1 Available under license :

No license file was found, but licenses were detected in source scan.

present, Jodd Team (http://jodd.org)
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
 BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/META-INF/jodd-lagarto-

taglib.tld
No license file was found, but licenses were detected in source scan.

// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are met:
// 1. Redistributions of source code must retain the above copyright notice,
// this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.

Found in path(s):
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/csselly/CSSelly.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/TagWriter.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/filter/LagartoServletFilter.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/dom/NodeSelector.java
*
/opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/LagartoParser.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/csselly/CSSellyException.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/LagartoParserConfig.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/dom/LagartoHtmlRendererNodeVisitor.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/jerry/JerryNodeFunction.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/dom/LagartoDOMException.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/csselly/selector/Match.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/adapter/package-info.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/dom/DocumentType.java
*
/opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/dom/NodeListFilter.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/form/FormTag.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/dom/NodeVisitor.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/dom/LagartoDomBuilderConfig.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/dom/Document.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/TagAdapter.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/Doctype.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-

jar/jodd/lagarto/adapter/StripHtmlTagAdapter.java
*
 /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/jerry/Jerry.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-
jar/jodd/lagarto/dom/LagartoHtmlRenderer.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/jerry/JerryFunction.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/csselly/package-info.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/TagType.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/ParsedTag.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-
jar/jodd/lagarto/LagartoException.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-
jar/jodd/csselly/selector/AttributeSelector.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/dom/NodeFilter.java
*
 /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/dom/Text.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-
jar/jodd/lagarto/filter/SimpleLagartoServletFilter.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-
jar/jodd/lagarto/adapter/UrlRewriterTagAdapter.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/State.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/jerry/JerryFormHandler.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/dom/Comment.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-
jar/jodd/lagarto/dom/XmlDeclaration.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/dom/package-
info.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/JoddLagarto.java
*
 /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/filter/package-
info.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/TagVisitor.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-
jar/jodd/csselly/selector/PseudoFunctionSelector.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/TagWriterUtil.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/csselly/selector/package-
info.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-
jar/jodd/csselly/selector/PseudoFunctionExpression.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/dom/Node.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/jerry/package-info.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-
jar/jodd/lagarto/dom/DOMBuilder.java
*
 /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/dom/CData.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-
jar/jodd/lagarto/dom/HtmlVoidRules.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-

jar/jodd/lagarto/dom/HtmlImplicitClosingRules.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/dom/LagartoDOMBuilder.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/EmptyTagVisitor.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/dom/Element.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/dom/NodeMatcher.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/dom/HtmlCCommentExpressionMatcher.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/csselly/Combinator.java
*
/opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/dom/HtmlFosterRules.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/csselly/selector/PseudoClassSelector.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/csselly/selector/PseudoClass.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/package-info.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/csselly/Selector.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/csselly/selector/PseudoFunction.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/dom/LagartoDOMBuilderTagVisitor.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/dom/Attribute.java
*
/opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/form/FormProcessorVisitor.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/csselly/CSSellyLexer.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/ParsedDoctype.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/Scanner.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/csselly/CssSelector.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/Tag.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/form/FormFieldResolver.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/TagVisitorChain.java
* /opt/cola/permits/1294100138_1648168244.98/0/jodd-lagarto-4-1-4-sources-jar/jodd/lagarto/form/package-info.java

1.492 slf4j 1.7.25

1.492.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**
* Copyright (c) 2004-2011 QOS.ch
* All rights reserved.

*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN
NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*
*/

Found in path(s):
* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/FormattingTuple.java
* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/NOPMDCAdapter.java
* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/Util.java
* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/MessageFormatter.java
* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/MarkerIgnoringBase.java
* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/impl/StaticLoggerBinder.java
* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/BasicMarkerFactory.java
*
/opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/NamedLoggerBase.java
* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/impl/StaticMDCBinder.java
* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/ILoggerFactory.java
* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/Logger.java
* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/BasicMarker.java
* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/SubstituteLoggerFactory.java
* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/SubstituteLogger.java

* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/BasicMDCAdapter.java
* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/LoggerFactory.java
*
/opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/Marker.java
* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/spi/MDCAdapter.java
* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/MDC.java
* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/MarkerFactory.java
* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/NOPLoggerFactory.java
* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/spi/LocationAwareLogger.java
* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/spi/LoggerFactoryBinder.java
* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/IMarkerFactory.java
* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/spi/MarkerFactoryBinder.java
*
/opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/NOPLogger.java
* /opt/cola/permits/1294100740_1648167874.6/0/slf4j-api-1-7-25-sources-jar/org/slf4j/impl/StaticMarkerBinder.java

1.493 opennlp-tools 1.8.4

1.493.1 Available under license :

Apache OpenNLP Tools
Copyright 2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

1.494 apache-cxf 2.7.18

1.494.1 Available under license :

// --
// NOTICE file corresponding to the section 4d of The Apache License,
// Version 2.0, in this case for Apache CXF
// --

Apache CXF
Copyright 2006-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.495 units-of-measurement-api 1.0

1.495.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Bnd-LastModified: 1471379383937
Build-Jdk: 1.7.0_80
Built-By: Werner
Bundle-Description: Units of Measurement Standard - This JSR specifies
Java packages for modeling and working with measurement values, quan

tities and their corresponding units.
Bundle-DocURL: http://unitsofmeasurement.github.io
Bundle-License: LICENSE.txt
Bundle-ManifestVersion: 2
Bundle-Name: Units of Measurement API
Bundle-SymbolicName: javax.measure.unit-api
Bundle-Vendor: Jean-Marie Dautelle, Werner Keil, V2COM
Bundle-Version: 1.0.0
Created-By: Apache Maven Bundle Plugin
Export-Package: javax.measure;version="1.0.0",javax.measure.format;use
s:="javax.measure";version="1.0.0",javax.measure.quantity;uses:="java
x.measure";version="1.0.0",javax.measure.spi;uses:="javax.measure,jav
ax.measure.format";version="1.0.0"
Implementation-Title: Units of Measurement API
Implementation-URL: http://unitsofmeasurement.github.io
Implementation-Vendor:
Unit-API contributors
Implementation-Vendor-Id: javax.measure
Implementation-Version: 1.0
Import-Package: javax.measure,javax.measure.format
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"
Specification-Title: Units of Measurement API
Specification-Vendor: Jean-Marie Dautelle, Werner Keil, V2COM
Specification-Version: 1.0
Tool: Bnd-3.2.0.201605172007

Found in path(s):
* /opt/cola/permits/1294100713_1648835406.45/0/unit-api-1-0-jar/META-INF/MANIFEST.MF

1.496 apache-tika-plugin-for-ogg-vorbis-and-flac 0.8

1.496.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.497 jackson-dataformat-xml 2.10.5

1.497.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers, as well as supported
commercially by FasterXML.com.

Licensing

Jackson core and extension components may be licensed under different licenses.
To find the details that apply to this artifact see the accompanying LICENSE file.
For more information, including possible other licensing options, contact
FasterXML.com (http://fasterxml.com).

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.498 apache-sis-features 0.8

1.498.1 Available under license :

Apache SIS features
Copyright 2010-2017 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.499 rome 1.5.1

1.499.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2004 Sun Microsystems, Inc.
* Copyright 2011 ROME Team
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/atom/Entry.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2004 Sun Microsystems, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/impl/RSS20wNSParser.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/impl/CopyFromHelper.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/impl/SyModuleGenerator.java
*
 /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/impl/SyModuleParser.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/synd/impl/ConverterForAtom10.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/synd/impl/Converters.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/impl/RSS090Parser.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/impl/DCModuleGenerator.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/WireFeedOutput.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/synd/impl/ConverterForRSS091Userland.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/module/SyModuleImpl.java
*
 /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/atom/Link.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/impl/RSS10Generator.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/synd/SyndEntryImpl.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/synd/SyndEntry.java

* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/impl/RSS20Parser.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/ParsingFeedException.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/synd/SyndImageImpl.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/atom/Person.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/SyndFeedInput.java
*
/opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/FeedException.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/synd/SyndFeed.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/module/SyModule.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/synd/impl/ConverterForRSS092.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/impl/ModuleParsers.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/impl/EqualsBean.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/impl/Atom10Generator.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/impl/RSS091UserlandParser.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/ModuleGenerator.java
*
/opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/impl/ObjectBean.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/synd/Converter.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/synd/impl/ConverterForRSS091Netscape.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/atom/Generator.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/module/DCModule.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/ModuleParser.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/impl/RSS094Generator.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/impl/RSS094Parser.java
*
/opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/module/Module.java

* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/XmlReader.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/synd/SyndContentImpl.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/module/Extendable.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/synd/impl/ConverterForRSS093.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/module/ModuleImpl.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/impl/RSS20Generator.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/impl/ModuleGenerators.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/impl/Atom03Parser.java
*
 /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/atom/Category.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/synd/impl/ConverterForRSS20.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/rss/Image.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/impl/RSS091NetscapeGenerator.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/atom/Feed.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/synd/SyndFeedImpl.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/impl/Base64.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/impl/RSS10Parser.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/impl/RSS092Generator.java
*
 /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/module/DCSubjectImpl.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/synd/impl/ConverterForRSS090.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/impl/RSS092Parser.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/WireFeedGenerator.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/impl/BeanIntrospector.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/WireFeedParser.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/impl/FeedParsers.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/impl/DateParser.java

*
 /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-
jar/com/rometools/rome/io/impl/RSS091UserlandGenerator.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-
jar/com/rometools/rome/feed/atom/Content.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-
jar/com/rometools/rome/io/impl/DCModuleParser.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-
jar/com/rometools/rome/feed/module/impl/ModuleUtils.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-
jar/com/rometools/rome/io/impl/FeedGenerators.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-
jar/com/rometools/rome/feed/impl/CloneableBean.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-
jar/com/rometools/rome/io/impl/RSS093Generator.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-
jar/com/rometools/rome/io/WireFeedInput.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-
jar/com/rometools/rome/feed/synd/impl/ConverterForRSS10.java
*
 /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-
jar/com/rometools/rome/io/impl/RSS093Parser.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-
jar/com/rometools/rome/feed/module/DCSubject.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-
jar/com/rometools/rome/io/impl/RSS090Generator.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-
jar/com/rometools/rome/io/impl/Atom10Parser.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-
jar/com/rometools/rome/feed/module/DCModuleImpl.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-
jar/com/rometools/rome/io/impl/Atom03Generator.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-
jar/com/rometools/rome/io/impl/PluginManager.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-
jar/com/rometools/rome/feed/impl/ToStringBean.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-
jar/com/rometools/rome/io/SyndFeedOutput.java
*
 /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-
jar/com/rometools/rome/feed/synd/impl/ConverterForRSS094.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-
jar/com/rometools/rome/io/impl/RSS091NetscapeParser.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-
jar/com/rometools/rome/feed/synd/SyndContent.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2004 Sun Microsystems, Inc.
* Copyright 2011 The ROME Team
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/rss/Description.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/rss/Channel.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/synd/impl/ConverterForAtom03.java
*
 /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/rss/Enclosure.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/rss/Guid.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/rss/Category.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/synd/SyndPerson.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/synd/SyndPersonImpl.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/rss/Cloud.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/rss/Source.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/rss/Content.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/rss/Item.java
*
 /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/rss/TextInput.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/synd/SyndCategory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2005 Sun Microsystems, Inc.
*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/io/impl/XmlFixerReader.java
No license file was found, but licenses were detected in source scan.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
http://www.apache.org/licenses/LICENSE-2.0
distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/rome.properties
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2004 Sun Microsystems, Inc.
* Copyright 2011 ROME Team
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/

Found in path(s):

* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/synd/SyndCategoryImpl.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/synd/SyndLink.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/CopyFrom.java
*
/opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/synd/SyndImage.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/WireFeed.java
* /opt/cola/permits/1294099917_1648169267.3/0/rome-1-5-1-sources-jar/com/rometools/rome/feed/synd/SyndLinkImpl.java

1.500 xmp-library-for-java 5.1.3

1.500.1 Available under license :

ADOBE CONFIDENTIAL

_____

Copyright 2011-2016 Adobe Systems Incorporated
All Rights Reserved.

NOTICE: All information contained herein is, and remains
the property of Adobe Systems Incorporated and its suppliers,
if any. The intellectual and technical concepts contained
herein are proprietary to Adobe Systems Incorporated and its
suppliers and may be covered by U.S. and Foreign Patents,
patents in process, and are protected by trade secret or copyright law.
Dissemination of this information or reproduction of this material
is strictly forbidden unless prior written permission is obtained
from Adobe Systems Incorporated.

1.501 kotlin-stdlib-common 1.3.50

1.501.1 Available under license :

Apache-2.0

1.502 apache-pdfbox 2.0.9

1.502.1 Available under license :

EXTERNAL COMPONENTS

Apache PDFBox includes a number of components with separate copyright notices
and license terms. Your use of these components is subject to the terms and
conditions of the following licenses.

Contributions made to the original PDFBox and FontBox projects:

Copyright (c) 2002-2007, www.pdfbox.org
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. Neither the name of pdfbox; nor the names of its contributors may be
used to endorse or promote products derived from this software
without
specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

Bouncy Castle encryption libraries

Copyright (c) 2000-2015 The Legion Of The Bouncy Castle
(http://www.bouncycastle.org)

Permission is hereby granted, free
of charge, to any person obtaining
a copy of this software and associated documentation files
(the "Software"), to deal in the Software without restriction,
including without limitation the rights to use, copy, modify, merge,
publish, distribute, sublicense, and/or sell copies of the Software,
and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included

in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR

OTHER DEALINGS IN THE SOFTWARE.

Adobe Font Metrics (AFM) for PDF Core 14 Fonts

This file and the 14 PostScript(R) AFM files it accompanies may be used, copied, and distributed for any purpose and without charge, with or without modification, provided that all copyright notices are retained; that the AFM files are not distributed without this file; that all modifications to this file or any of the AFM files are prominently noted in the modified file(s); and that this paragraph is not modified. Adobe Systems has no responsibility or obligation to support the use of the AFM files.

CMaps for PDF Fonts (http://opensource.adobe.com/wiki/display/cmap/Downloads)

Copyright 1990-2009 Adobe Systems Incorporated.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Adobe Systems Incorporated nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Glyphlist (http://www.adobe.com/devnet/opentype/archives/glyph.html)

Copyright (c) 1997,1998,2002,2007 Adobe Systems Incorporated

Permission is hereby granted, free of charge, to any person obtaining a copy of this documentation file to use, copy, publish, distribute, sublicense, and/or sell copies of the documentation, and to permit others to do the same, provided that:
- No modification, editing or other alteration of this document is allowed; and
- The above copyright notice and this permission notice shall be included in all copies of the documentation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this documentation file, to create their own derivative works from the content of this document to use, copy, publish, distribute, sublicense, and/or sell the derivative works, and to permit others to do the same, provided that the derived work is not represented as being a copy or version of this document.

Adobe shall not be liable to any party for any loss of revenue or profit or for indirect, incidental, special, consequential, or other similar damages, whether based on tort (including without limitation negligence or strict liability), contract or other legal or equitable grounds even if Adobe has been advised or had reason to know of the possibility of such damages. The Adobe materials are provided on an "AS IS" basis. Adobe specifically disclaims all express, statutory, or implied warranties relating to the Adobe materials, including but not limited to those concerning merchantability or fitness for a particular purpose or non-infringement of any third party rights regarding the Adobe materials.

Twelvemonkeys
(https://github.com/haraldk/TwelveMonkeys/)

Copyright (c) 2008-2016, Harald Kuhr
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

o Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

o Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

o Neither the name "TwelveMonkeys" nor the
names of its contributors may be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

EXTERNAL COMPONENTS

Apache PDFBox includes a number of components with separate copyright notices
and license terms. Your use of these components is subject to the terms and
conditions of the following licenses.

Contributions made to the original PDFBox and FontBox projects:

Copyright (c) 2002-2007, www.pdfbox.org
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. Neither the name of pdfbox; nor the names of its contributors may be
used to endorse or promote products derived from this software
without
specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Bouncy Castle encryption libraries

Copyright (c) 2000-2015 The Legion Of The Bouncy Castle (http://www.bouncycastle.org)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR

OTHER DEALINGS IN THE SOFTWARE.

Adobe Font Metrics (AFM) for PDF Core 14 Fonts

This file and the 14 PostScript(R) AFM files it accompanies may be used, copied, and distributed for any purpose and without charge, with or without modification, provided that all copyright notices are retained; that the AFM files are not distributed without this file; that all modifications to this file or any of the AFM files are prominently noted in the modified file(s); and that this paragraph is not modified. Adobe Systems has no responsibility or obligation to support the use of the AFM files.

CMaps for PDF Fonts (http://opensource.adobe.com/wiki/display/cmap/Downloads)

Copyright 1990-2009 Adobe Systems Incorporated.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

Redistributions of source code must retain the above copyright notice,
this
list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

Neither the name of Adobe Systems Incorporated nor the names of its
contributors may be used to endorse or promote products derived from this
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

Glyphlist (http://www.adobe.com/devnet/opentype/archives/glyph.html)

Copyright (c) 1997,1998,2002,2007 Adobe Systems Incorporated

Permission is hereby granted, free of charge, to any person obtaining a
copy of this documentation file to use, copy, publish, distribute,
sublicense, and/or sell copies of the documentation, and to permit
others to do the same, provided that:
- No modification, editing or other alteration of this document is
allowed; and
- The above copyright notice and this permission notice shall be
included in all copies of the documentation.

Permission is hereby granted, free of charge, to any person obtaining a

copy of this documentation file, to create their own derivative works from the content of this document to use, copy, publish, distribute, sublicense, and/or sell the derivative works, and to permit others to do the same, provided that the derived work is not represented as being a copy or version of this document.

Adobe shall not be liable to any party for any loss of revenue or profit or for indirect, incidental, special, consequential, or other similar damages, whether based on tort (including without limitation negligence or strict liability), contract or other legal or equitable grounds even if Adobe has been advised or had reason to know of the possibility of such damages. The Adobe materials are provided on an "AS IS" basis. Adobe specifically disclaims all express, statutory, or implied warranties relating to the Adobe materials, including but not limited to those concerning merchantability or fitness for a particular purpose or non-infringement of any third party rights regarding the Adobe materials.

The
International Components for Unicode library (http://site.icu-project.org/)

ICU License - ICU 1.8.1 and later

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2009 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT
NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE
BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES,
OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS,
WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION,
ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall
not be used in advertising or otherwise to promote the sale, use or other
dealings in this Software without prior written authorization of the
copyright holder.

The file "sRGB Color Space Profile.icm" is:
Copyright (c) 1998 Hewlett-Packard Company

To anyone who acknowledges that the file "sRGB Color Space Profile.icm"
is provided "AS IS" WITH NO EXPRESS OR IMPLIED WARRANTY:
permission to use,
copy and distribute this file for any purpose is hereby
granted without fee, provided that the file is not changed including the HP
copyright notice tag, and that the name of Hewlett-Packard Company not be
used in advertising or publicity pertaining to distribution of the software
without specific, written prior permission. Hewlett-Packard Company makes
no representations about the suitability of this software for any purpose.
Based on source code originally developed in the PDFBox and FontBox projects.
Copyright (c) 2002-2007, www.pdfbox.org

Includes the Adobe Glyph List
Copyright 1997, 1998, 2002, 2007, 2010 Adobe Systems Incorporated.

Includes the Zapf Dingbats Glyph List
Copyright 2002, 2010 Adobe Systems Incorporated.

Includes the Bidi Mirroring Glyph Property (BidiMirroring-8.0.0.txt)
Copyright 1991-2015 Unicode, Inc.

Includes parts of TwelveMonkeys ImageIO
Copyright 2008-2016 Harald Kuhr
Apache PDFBox
Copyright 2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Based on source code originally developed in the PDFBox and
FontBox projects.

Copyright (c) 2002-2007, www.pdfbox.org

Based on source code originally developed in the PaDaF project.
Copyright (c) 2010 Atos Worldline SAS

Includes the Adobe Glyph List
Copyright 1997, 1998, 2002, 2007, 2010 Adobe Systems Incorporated.

Includes the Zapf Dingbats Glyph List
Copyright 2002, 2010 Adobe Systems Incorporated.

Includes OSXAdapter
Copyright (C) 2003-2007 Apple, Inc., All Rights Reserved

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

EXTERNAL COMPONENTS

Apache PDFBox includes a number of components with separate copyright notices
and license terms. Your use of these components is subject to the terms and
conditions of the following licenses.

Contributions made to the original PDFBox and FontBox projects:

Copyright (c) 2002-2007, www.pdfbox.org
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

2. Redistributions
in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. Neither the name of pdfbox; nor the names of its contributors may be

used to endorse or promote products derived from this software without
specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER
IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

Adobe Font Metrics (AFM) for PDF Core 14 Fonts

This file and the 14 PostScript(R) AFM files it accompanies may be used,
copied, and distributed for any purpose and without charge, with or without
modification, provided that all copyright notices are retained; that the
AFM files are not distributed without this file; that all modifications
to this file or any of the AFM files are prominently noted in the modified
file(s); and that this paragraph is not modified. Adobe Systems has no
responsibility or obligation to support the use of the AFM files.

CMaps for PDF Fonts (http://opensource.adobe.com/wiki/display/cmap/Downloads)

Copyright 1990-2009 Adobe Systems Incorporated.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification,
are permitted provided that the following conditions
are met:

Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

Neither the name of Adobe Systems Incorporated nor the names of its
contributors may be used to endorse or promote products derived from this
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

PaDaF PDF/A preflight (http://sourceforge.net/projects/padaf)

Copyright 2010 Atos Worldline SAS

Licensed by Atos Worldline SAS under one or more
contributor license agreements. See the NOTICE file distributed with
this work for additional information regarding copyright ownership.
Atos Worldline SAS licenses this file to You under the Apache License, Version 2.0
(the "License"); you may not use this file except in compliance with
the License. You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable
law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

OSXAdapter

Version: 2.0

Disclaimer: IMPORTANT: This Apple software is supplied to you by
Apple Inc. ("Apple") in consideration of your agreement to the
following terms, and your use, installation, modification or
redistribution of this Apple software constitutes acceptance of these
terms. If you do not agree with these terms, please do not use,
install, modify or redistribute this Apple software.

In consideration of your agreement to abide by the following terms, and
subject to these terms, Apple grants you a personal, non-exclusive
license, under Apple's copyrights in this original Apple software (the
"Apple Software"), to use, reproduce, modify and redistribute the

Apple
Software, with or without modifications, in source and/or binary forms;
provided that if you redistribute the Apple Software in its entirety and
without modifications, you must retain this notice and the following
text and disclaimers in all such redistributions of the Apple Software.
Neither the name, trademarks, service marks or logos of Apple Inc.
may be used to endorse or promote products derived from the Apple
Software without specific prior written permission from Apple. Except
as expressly stated in this notice, no other rights or licenses, express
or implied, are granted by Apple herein, including but not limited to
any patent rights that may be infringed by your derivative works or by
other works in which the Apple Software may be incorporated.

The Apple Software is provided by Apple on an "AS IS" basis. APPLE
MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION
THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY
AND FITNESS
FOR A PARTICULAR PURPOSE, REGARDING THE APPLE SOFTWARE OR ITS USE AND
OPERATION ALONE OR IN COMBINATION WITH YOUR PRODUCTS.

IN NO EVENT SHALL APPLE BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) ARISING IN ANY WAY OUT OF THE USE, REPRODUCTION,
MODIFICATION AND/OR DISTRIBUTION OF THE APPLE SOFTWARE, HOWEVER CAUSED
AND WHETHER UNDER THEORY OF CONTRACT, TORT (INCLUDING NEGLIGENCE),
STRICT LIABILITY OR OTHERWISE, EVEN IF APPLE HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

Copyright (C) 2003-2007 Apple, Inc., All Rights Reserved

EXTERNAL COMPONENTS

Apache PDFBox includes a number of components with separate copyright notices
and license terms. Your use of these components is subject to the terms and
conditions of the following licenses.

Contributions made to the original PDFBox and FontBox projects:

Copyright (c) 2002-2007, www.pdfbox.org
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. Neither the name of pdfbox; nor the names of its contributors may be
used to endorse or promote products derived from this software
without
specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

Apache preflight is based on contributions made to the original PaDaF project

Copyright 2010 Atos Worldline SAS

Licensed by Atos Worldline SAS under one or more
contributor license agreements. See the NOTICE file distributed with
this work for additional information regarding copyright ownership.
Atos Worldline SAS licenses this file to You under the Apache License, Version 2.0
(the "License"); you may not use this file except in compliance with
the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Bouncy Castle encryption libraries

Copyright (c) 2000-2015 The Legion Of The Bouncy Castle
(http://www.bouncycastle.org)

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files
(the "Software"),

to deal in the Software without restriction,
including without limitation the rights to use, copy, modify, merge,
publish, distribute, sublicense, and/or sell copies of the Software,
and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Adobe Font Metrics (AFM) for PDF Core 14 Fonts

This file and the 14 PostScript(R)
AFM files it accompanies may be used,
copied, and distributed for any purpose and without charge, with or without
modification, provided that all copyright notices are retained; that the
AFM files are not distributed without this file; that all modifications
to this file or any of the AFM files are prominently noted in the modified
file(s); and that this paragraph is not modified. Adobe Systems has no
responsibility or obligation to support the use of the AFM files.

CMaps for PDF Fonts (http://opensource.adobe.com/wiki/display/cmap/Downloads)

Copyright 1990-2009 Adobe Systems Incorporated.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above
copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

Neither the name of Adobe Systems Incorporated nor the names of its
contributors may be used to endorse or promote products derived from this
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR
TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Glyphlist (http://www.adobe.com/devnet/opentype/archives/glyph.html)

Copyright (c) 1997,1998,2002,2007 Adobe Systems Incorporated

Permission is hereby granted, free of charge, to any person obtaining a copy of this documentation file to use, copy, publish, distribute, sublicense, and/or sell copies of the documentation, and to permit others to do the same, provided that:
- No modification, editing or other alteration of this document is allowed; and
- The above copyright notice and this permission notice shall be included in all copies of the documentation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this documentation file, to create their own derivative works from the content of this document to use, copy, publish, distribute, sublicense, and/or sell the
derivative works, and to permit others to do
the same, provided that the derived work is not represented as being a copy or version of this document.

Adobe shall not be liable to any party for any loss of revenue or profit or for indirect, incidental, special, consequential, or other similar damages, whether based on tort (including without limitation negligence or strict liability), contract or other legal or equitable grounds even if Adobe has been advised or had reason to know of the possibility of such damages. The Adobe materials are provided on an "AS IS" basis. Adobe specifically disclaims all express, statutory, or implied warranties relating to the Adobe materials, including but not limited to those concerning merchantability or fitness for a particular purpose or non-infringement of any third party rights regarding the Adobe materials.
Based on source code originally developed in the PaDaF project.
Copyright (c) 2010 Atos Worldline SAS

EXTERNAL COMPONENTS

Apache PDFBox includes a number of components with separate copyright notices and license terms. Your use of these components is subject to the terms and conditions of the following licenses.

Contributions made to the original PDFBox project:

Copyright (c) 2002-2007, www.pdfbox.org
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of pdfbox; nor the names of its contributors may be used to endorse or promote products derived from this software without

specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Adobe Font Metrics (AFM) for PDF Core 14 Fonts

This file and the 14 PostScript(R) AFM files it accompanies may be used, copied, and distributed for any purpose and without charge, with or without
modification, provided that all copyright notices are retained; that the AFM files are not distributed without this file; that all modifications to this file or any of the AFM files are prominently noted in the modified file(s); and that this paragraph is not modified. Adobe Systems has no

responsibility or obligation to support the use of the AFM files.

CMaps for PDF Fonts (http://opensource.adobe.com/wiki/display/cmap/Downloads)

Copyright 1990-2009 Adobe Systems Incorporated.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or
other materials provided with the distribution.

Neither the name of Adobe Systems Incorporated nor the names of its
contributors may be used to endorse or promote products derived from this
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF
THE POSSIBILITY OF SUCH DAMAGE.

Glyphlist (http://www.adobe.com/devnet/opentype/archives/glyph.html)

Copyright (c) 1997,1998,2002,2007 Adobe Systems Incorporated

Permission is hereby granted, free of charge, to any person obtaining a
copy of this documentation file to use, copy, publish, distribute,
sublicense, and/or sell copies of the documentation, and to permit
others to do the same, provided that:
- No modification, editing or other alteration of this document is
allowed; and
- The above copyright notice and this permission notice shall be
included in all copies of the documentation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this documentation file, to create their own derivative works from the content of this document to use, copy, publish, distribute, sublicense, and/or sell the derivative works, and to permit others to do the same, provided that the derived work is not represented as being a copy or version of this document.

Adobe shall not be liable to any party for any loss of revenue or profit or for indirect, incidental, special, consequential, or other similar damages, whether based on tort (including without limitation negligence or strict liability), contract or other legal or equitable grounds even if Adobe has been advised or had reason to know of the possibility of such damages. The Adobe materials are provided on an "AS IS" basis. Adobe specifically disclaims all express, statutory, or implied warranties relating to the Adobe materials, including but not limited to those concerning merchantability or fitness for a particular purpose or non-infringement of any third party rights regarding the Adobe materials.

Liberation Fonts (https://fedorahosted.org/liberation-fonts)

Digitized data copyright (c) 2010 Google Corporation with Reserved Font Arimo, Tinos and Cousine.
Copyright (c) 2012 Red Hat, Inc. with Reserved Font Name Liberation.

This Font Software is licensed under the SIL Open Font License, Version 1.1.

This license is copied below, and is also available with a FAQ at: http://scripts.sil.org/OFL

SIL OPEN FONT LICENSE Version 1.1 - 26 February 2007

PREAMBLE The goals of the Open Font License (OFL) are to stimulate worldwide development of collaborative font projects, to support the font creation efforts of academic and linguistic communities, and to provide a free and open framework in which fonts may be shared and improved in partnership with others.

The OFL allows the licensed fonts to be used, studied, modified and redistributed freely as long as they are not sold by themselves. The fonts, including any derivative works, can be bundled, embedded, redistributed and/or sold with any software provided that any reserved names are not used by derivative works. The fonts and derivatives,

however, cannot be released under any
other type of license. The
requirement for fonts to remain under this license does not apply to
any document created using the fonts or their derivatives.

DEFINITIONS
"Font Software" refers to the set of files released by the Copyright
Holder(s) under this license and clearly marked as such.
This may include source files, build scripts and documentation.

"Reserved Font Name" refers to any names specified as such after the
copyright statement(s).

"Original Version" refers to the collection of Font Software components
as distributed by the Copyright Holder(s).

"Modified Version" refers to any derivative made by adding to, deleting,
or substituting ? in part or in whole ?
any of the components of the Original Version, by changing formats or
by porting the Font Software to a new environment.

"Author" refers to any designer, engineer, programmer, technical writer
or other person who contributed to the Font Software.

PERMISSION & CONDITIONS

Permission is hereby granted, free of charge, to any person obtaining a
copy of the Font Software, to use, study, copy, merge, embed, modify,
redistribute, and sell modified and unmodified copies of the Font
Software, subject to the following conditions:

1) Neither the Font Software nor any of its individual components,in
Original or Modified Versions, may be sold by itself.

2) Original or Modified Versions of the Font Software may be bundled,
redistributed and/or sold with any software, provided that each copy
contains the above copyright notice and this license. These can be
included either as stand-alone text files, human-readable headers or
in the appropriate machine-readable metadata fields within text or
binary files as long as those fields can be easily viewed by the user.

3) No Modified Version of the Font Software may use the Reserved Font
Name(s) unless explicit written permission is granted by the

corresponding Copyright Holder. This restriction only applies to the
primary font name as presented to the users.

4) The name(s) of the Copyright Holder(s) or the Author(s) of the Font

Software shall not be used to promote, endorse or advertise any
Modified Version, except to acknowledge the contribution(s) of the
Copyright Holder(s) and the Author(s) or with their explicit written
permission.

5) The Font Software, modified or unmodified, in part or in whole, must
be distributed entirely under this license, and must not be distributed
under any other license. The requirement for fonts to remain under
this license does not apply to any document created using the Font
Software.

TERMINATION
This license becomes null and void if any of the above conditions are not met.

DISCLAIMER
THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES
OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT
OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL THE
COPYRIGHT HOLDER BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL
DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER
DEALINGS IN THE FONT SOFTWARE.

Twelvemonkeys (https://github.com/haraldk/TwelveMonkeys/)

Copyright (c) 2008-2016, Harald Kuhr
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

o Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

o Redistributions in binary form must reproduce the above copyright
notice, this list of conditions
and the following disclaimer in the
documentation and/or other materials provided with the distribution.

o Neither the name "TwelveMonkeys" nor the
names of its contributors may be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Based on source code originally developed in the PDFBox and FontBox projects.
Copyright (c) 2002-2007, www.pdfbox.org
CONTRIBUTIONS TO THE ORIGINAL CODEBASE

Apache FontBox is based on contributions made to the original FontBox project:

Copyright (c) 2006-2007, www.fontbox.org
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. Neither the name of fontbox; nor the names of its contributors may be
used to endorse or promote products derived from this software without
specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.
Based on source code contributed to the original FontBox project.
Copyright (c) 2006-2007, www.fontbox.org

Includes the Script Property (Scripts-10.0.0.txt)
Copyright 2017 Unicode, Inc.
Based on source code contributed to the original PDFBox project.
Copyright (c) 2002-2007, www.pdfbox.org

Includes the Adobe Glyph List
Copyright 1997, 1998, 2002, 2007, 2010 Adobe Systems Incorporated.

Includes the Zapf Dingbats Glyph List
Copyright 2002, 2010 Adobe Systems Incorporated.

Includes the Bidi Mirroring Glyph Property (BidiMirroring-8.0.0.txt)
Copyright 1991-2015 Unicode, Inc.

Includes parts of TwelveMonkeys ImageIO
Copyright 2008-2016 Harald Kuhr
CONTRIBUTIONS TO THE ORIGINAL CODEBASE

Apache xmpbox is based contributions made to the original PaDaF project

Copyright 2010 Atos Worldline SAS

Licensed by Atos Worldline SAS under one or more
contributor license agreements. See the NOTICE file distributed with
this work for additional information regarding copyright ownership.
Atos Worldline SAS licenses this file to You under the Apache License, Version 2.0
(the "License"); you may not use this file except in compliance with
the License. You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
The zlib/libpng License

Copyright (c) 2008 Kai-Uwe Behrmann

This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
claim that you wrote the original software. If you use this software
in a product, an acknowledgment in the product documentation would be
appreciated but is not required.

2. Altered source versions must be plainly marked as such, and must not be
misrepresented as being the original software.

3. This notice may not be removed or altered from any source
distribution.

The profiles in the base directory are provided according to different licenses.

Group A
sRGB, LCMSLAB.ICM, LCMSXYZ.ICM, the compatibleWithAdobeRGB.icc and the
Gray.icc, CineonLog_M*.icc, CineLogCurve.icc profiles are all zlib licensed.
Even though it is highly recommended to rename them before editing.

Group B
The eciRGB*.icc profiles come with their license in license.rtf.

Group C
PhotoGamutRGB_avg6c.icc is licensed to be distributed freely. Modifications
are not allowed.

Additionally all profiles come with the following disclaimer. The provided
ICC Profiles in the package are called DATA in the folling statement.

NO WARRANTY

BECAUSE THE DATA IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE DATA, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE DATA "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE DATA IS WITH YOU. SHOULD THE
DATA PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR

REDISTRIBUTE THE DATA AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE DATA (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE DATA TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.
CONTRIBUTIONS TO THE ORIGINAL CODEBASE

Apache preflight is based contributions made to the original PaDaF project

Copyright 2010 Atos Worldline SAS

Licensed by Atos Worldline SAS under one or more
contributor license agreements. See the NOTICE file distributed with
this work for additional information regarding copyright ownership.
Atos Worldline SAS licenses this file to You under the Apache License, Version 2.0
(the "License"); you may not use this file except in compliance with
the License. You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.503 grib-decoder-api 4.5.5

1.503.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <limits.h>
#include "grb2.h"
#include "wgrib2.h"
#include "fnlist.h"

// 2009 public domain wesley ebisuzaki
//
// note: assumption that the grib file will use 25 bits or less for storing data
//       (limit of bitstream unpacking routines)
// note: assumption that all data can be stored as integers and have a value < INT_MAX
```

```
int unpk_complex(unsigned char **sec, float *data, unsigned int ndata) {

  unsigned int j, n;
  int i, k, nbits, ref_group_length;
  unsigned char *p, *d, *mask_pointer;
  double ref_val,factor_10, factor_2, factor;
  float missing1, missing2;
  int n_sub_missing;
  int pack, offset;
  unsigned clocation;
  unsigned int ngroups, ref_group_width, nbit_group_width, len_last, npnts;
  int nbits_group_len, group_length_factor;
  int *group_refs, *group_widths, *group_lengths, *group_location, *group_offset,
*udata;
  unsigned int *group_clocation;

  int m1, m2, mask, last, penultimate;
  int extra_vals[2];
  int min_val;
  int ctable_5_4, ctable_5_6,  bitmap_flag, extra_octets;


  extra_vals[0] = extra_vals[1] = 0;
  pack = code_table_5_0(sec);
  if (pack != 2 && pack != 3) return 0;

  p = sec[5];
  ref_val = ieee2flt(p+11);
  factor_2 = Int_Power(2.0, int2(p+15));
  factor_10 = Int_Power(10.0, -int2(p+17));
  ref_val *= factor_10;
  factor = factor_2 * factor_10;
  nbits = p[19];
  ngroups = uint4(p+31);
  bitmap_flag = code_table_6_0(sec);
  ctable_5_6 = code_table_5_6(sec);

  if (pack == 3 && (ctable_5_6 != 1 && ctable_5_6 != 2))
 fatal_error_i("unsupported: code table 5.6=%d", ctable_5_6);

  extra_octets = (pack == 2) ? 0 : sec[5][48];

  if (ngroups == 0) {
 if (bitmap_flag == 255) {
        for (i = 0; i < ndata; i++) data[i] = ref_val;
        return 0;
      }
```

```
    if (bitmap_flag == 0 || bitmap_flag == 254) {

   mask_pointer = sec[6] + 6;
       mask = 0;
       for (i = 0; i < ndata; i++) {
          if ((i & 7) == 0) mask = *mask_pointer++;
          data[i] = (mask & 128) ?  ref_val : UNDEFINED;
          mask <<= 1;
       }
       return 0;
    }
    fatal_error("unknown bitmap", "");
 }

 ctable_5_4 = code_table_5_4(sec);
 ref_group_width = p[35];
 nbit_group_width = p[36];
 ref_group_length = uint4(p+37);
 group_length_factor = p[41];
 len_last = uint4(p+42);
 nbits_group_len = p[46];

 npnts =  GB2_Sec5_nval(sec);  // number of defined points
 n_sub_missing = sub_missing_values(sec, &missing1, &missing2);

 // allocate group widths and group lengths
 group_refs = (int *) malloc(ngroups * sizeof (unsigned int));
 group_widths = (int *) malloc(ngroups * sizeof (unsigned int));
 group_lengths = (int *) malloc(ngroups * sizeof (unsigned int));
 group_location = (int *) malloc(ngroups * sizeof (unsigned
int));
 group_clocation = (unsigned int *) malloc(ngroups * sizeof (unsigned int));
 group_offset = (int *) malloc(ngroups * sizeof (unsigned int));
 udata = (int *) malloc(npnts * sizeof (unsigned int));
 if (group_refs == NULL || group_widths == NULL || group_lengths ==
NULL || udata == NULL) fatal_error("com unpack error","");

 // read any extra values
 d = sec[7]+5;
 min_val = 0;
 if (extra_octets) {
extra_vals[0] = uint_n(d,extra_octets);
d += extra_octets;
if (ctable_5_6 == 2) {
   extra_vals[1] = uint_n(d,extra_octets);
   d += extra_octets;
}
min_val = int_n(d,extra_octets);
```

```
 d += extra_octets;
  }

  if (ctable_5_4 != 1) fatal_error_i("internal decode does not support code table 5.4=%d",
 ctable_5_4);

#pragma omp parallel
{
#pragma omp sections
  {


#pragma omp section
      {
        // read the group reference values
     rd_bitstream(d, 0, group_refs, nbits, ngroups);
 }


#pragma omp section
 {
    int i;
    //
 read the group widths

    rd_bitstream(d+(nbits*ngroups+7)/8,0,group_widths,nbit_group_width,ngroups);
    for (i = 0; i < ngroups; i++) group_widths[i] += ref_group_width;
 }


#pragma omp section
 {
    int i;
    // read the group lengths

    if (ctable_5_4 == 1) {
 rd_bitstream(d+(nbits*ngroups+7)/8+(ngroups*nbit_group_width+7)/8,
 0,group_lengths, nbits_group_len, ngroups-1);

 for (i = 0; i < ngroups-1; i++) {
     group_lengths[i] = group_lengths[i] * group_length_factor + ref_group_length;
 }
 group_lengths[ngroups-1] = len_last;
    }
 }

  }
```

```
#pragma omp single
  {
     d += (nbits*ngroups + 7)/8 +
         (ngroups * nbit_group_width + 7) / 8 +
         (ngroups * nbits_group_len + 7) / 8;

 // do a check for number of grid points and size
 clocation = offset = n = j = 0;
  }

#pragma omp sections
  {


#pragma omp section
      {
    int i;
        for (i = 0; i < ngroups; i++) {
       group_location[i] = j;
       j += group_lengths[i];

      n += group_lengths[i]*group_widths[i];
        }
      }

#pragma omp section
 {
    int i;
        for (i = 0; i < ngroups; i++) {
       group_clocation[i] = clocation;
       clocation = clocation + group_lengths[i]*(group_widths[i]/8) +
           (group_lengths[i]/8)*(group_widths[i] % 8);
        }
      }

#pragma omp section
      {
    int i;
        for (i = 0; i < ngroups; i++) {
       group_offset[i] = offset;
       offset += (group_lengths[i] % 8)*(group_widths[i] % 8);
    }
     }
  }
}

  if (j != npnts) fatal_error_i("bad complex packing: n points %d",j);
```

```
  if (d + (n+7)/8 - sec[7] != GB2_Sec7_size(sec))
     fatal_error("complex unpacking size mismatch old test","");


  if (d + clocation + (offset + 7)/8 - sec[7] != GB2_Sec7_size(sec)) fatal_error("complex unpacking size
mismatch","");

#pragma omp parallel for private(i) schedule(static)
  for (i = 0; i < ngroups; i++) {
 group_clocation[i] +=
 (group_offset[i] / 8);
 group_offset[i] = (group_offset[i] % 8);

 rd_bitstream(d + group_clocation[i], group_offset[i], udata+group_location[i],
  group_widths[i], group_lengths[i]);
  }

  // handle substitute, missing values and reference value
  if (n_sub_missing == 0) {
#pragma omp parallel for private(i,k,j)
 for (i = 0; i < ngroups; i++) {
    j = group_location[i];
    for (k = 0; k < group_lengths[i]; k++) {
  udata[j++] += group_refs[i];
    }
 }
  }
  else if (n_sub_missing == 1) {

#pragma omp parallel for private(i,m1,k,j)
 for (i = 0; i < ngroups; i++) {
    j = group_location[i];
    if (group_widths[i] == 0) {
       m1 = (1 << nbits) - 1;
  if (m1 == group_refs[i]) {
     for (k = 0; k < group_lengths[i]; k++) udata[j++] = INT_MAX;
  }
  else {
     for (k = 0; k < group_lengths[i]; k++) udata[j++] += group_refs[i];
  }
    }
    else {
       m1 = (1 << group_widths[i]) - 1;
       for (k = 0; k < group_lengths[i]; k++) {
     if (udata[j] ==
 m1) udata[j] = INT_MAX;
     else udata[j] += group_refs[i];
     j++;
```

```
 }
   }
}
 }
  else if (n_sub_missing == 2) {
#pragma omp parallel for private(i,j,k,m1,m2)
 for (i = 0; i < ngroups; i++) {
    j = group_location[i];
    if (group_widths[i] == 0) {
       m1 = (1 << nbits) - 1;
       m2 = m1 - 1;
 if (m1 == group_refs[i] || m2 == group_refs[i]) {
    for (k = 0; k < group_lengths[i]; k++) udata[j++] = INT_MAX;
 }
 else {
    for (k = 0; k < group_lengths[i]; k++) udata[j++] += group_refs[i];
 }
   }
   else {
       m1 = (1 << group_widths[i]) - 1;
       m2 = m1 - 1;
       for (k = 0; k < group_lengths[i]; k++) {
    if (udata[j] == m1 || udata[j] == m2) udata[j] = INT_MAX;
    else udata[j] += group_refs[i];
    j++;
 }
   }
}
 }

 // post processing

if (pack == 3) {
   if (ctable_5_6 == 1) {
 last = extra_vals[0];
 i = 0;
 while (i < npnts) {
    if (udata[i] == INT_MAX) i++;
    else {
  udata[i++] = extra_vals[0];
  break;

  }
 }
 while (i < npnts) {
    if (udata[i] == INT_MAX) i++;
    else {
  udata[i] += last + min_val;
```

```
 last = udata[i++];
    }
 }
   }
   else if (ctable_5_6 == 2) {
 penultimate = extra_vals[0];
 last = extra_vals[1];

 i = 0;
 while (i < npnts) {
    if (udata[i] == INT_MAX) i++;
    else {
 udata[i++] = extra_vals[0];
 break;
    }
 }
 while (i < npnts) {
    if (udata[i] == INT_MAX) i++;
    else {
 udata[i++] = extra_vals[1];
 break;
    }
 }
       for (; i < npnts; i++) {
    if (udata[i] != INT_MAX) {
 udata[i] =  udata[i] + min_val + last + last - penultimate;
 penultimate = last;
 last = udata[i];
    }
 }
   }
   else fatal_error_i("Unsupported: code table 5.6=%d", ctable_5_6);
}

// convert to float

 if (bitmap_flag == 255) {
#pragma omp parallel for schedule(static) private(i)
    for (i = 0; i < (int) ndata; i++) {
 data[i] = (udata[i] == INT_MAX) ? UNDEFINED :
  ref_val + udata[i] * factor;

  }
 }
     else if (bitmap_flag == 0 || bitmap_flag == 254) {
   n = 0;
   mask = 0;
        mask_pointer = sec[6] + 6;
```

```
          for (i = 0; i < ndata; i++) {
             if ((i & 7) == 0) mask = *mask_pointer++;
  if (mask & 128) {
     if (udata[n] == INT_MAX) data[i] = UNDEFINED;
     else data[i] = ref_val + udata[n] * factor;
     n++;
  }
  else data[i] = UNDEFINED;
  mask <<= 1;
          }
      }
      else fatal_error_i("unknown bitmap: %d", bitmap_flag);

 free(group_refs);
 free(group_widths);
 free(group_lengths);
 free(group_location);
 free(group_clocation);
 free(group_offset);
 free(udata);

   return 0;
}

*/
```

Found in path(s):
* /opt/cola/permits/1294100565_1649200723.67/0/grib-4-5-5-sources-jar/ucar/nc2/grib/grib2/Grib2DataReader2.java
* /opt/cola/permits/1294100565_1649200723.67/0/grib-4-5-5-sources-jar/ucar/nc2/grib/grib2/Grib2DataReader.java

1.504 open-json 1.0.10

1.504.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
Manifest-Version: 1.0
Bundle-Description: A clean-room Apache-licensed implementation of sim
ple JSON processing
Bundle-License: http://www.apache.org/licenses/LICENSE-2.0
Bundle-SymbolicName: com.github.openjson
Built-By: fursovm
Bnd-LastModified: 1508767285660
Bundle-ManifestVersion: 2
Bundle-DocURL: https://github.com/openjson/openjson
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"
Tool: Bnd-2.4.1.201501161923
```

Originally-Created-By: Apache Maven Bundle Plugin
Export-Package: com.github.openjson;version="1.0.10"
Bundle-Name: Open JSON
Bundle-Version: 1.0.10
Created-By: Apache Maven Bundle Plugin
Build-Jdk: 1.8.0_144

Found in path(s):
* /opt/cola/permits/1294102840_1648835530.56/0/openjson-1-0-10-jar/META-INF/MANIFEST.MF
No license file was found, but licenses were detected in source scan.

<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
<Bundle-License>http://www.apache.org/licenses/LICENSE-2.0</Bundle-License>

Found in path(s):
* /opt/cola/permits/1294102840_1648835530.56/0/openjson-1-0-10-jar/META-INF/maven/com.github.openjson/openjson/pom.xml

1.505 cdm-core-library 4.5.5

1.505.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* The Apache Software License, Version 1.1
*
* Copyright (c) 2001-2002 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution, if
*   any, must include the following acknowlegement:
*   "This product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this

acknowlegement may appear in the software itself,
*   if and wherever such third-party acknowlegements normally appear.
*
* 4. The names "Ant" and "Apache Software
*   Foundation" must not be used to endorse or promote products derived
*   from this software without prior written permission. For written
*   permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*   nor may "Apache" appear in their names without prior written
*   permission of the Apache Group.
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
 SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1294102013_1649200938.4/0/cdm-4-5-5-sources-jar/ucar/unidata/io/bzip2/CRC.java
No license file was found, but licenses were detected in source scan.

// License:
// (the "License"); you may not use this file except in compliance with
// the License. You may obtain a copy of the License at
// Software distributed under the License is distributed on an "AS IS"

Found in path(s):
* /opt/cola/permits/1294102013_1649200938.4/0/cdm-4-5-5-sources-
jar/ucar/unidata/geoloc/projection/Gdc_To_Utm_Converter.java
* /opt/cola/permits/1294102013_1649200938.4/0/cdm-4-5-5-sources-
jar/ucar/unidata/geoloc/projection/Utm_To_Gdc_Converter.java

No license file was found, but licenses were detected in source scan.

```
/*
* The Apache Software License, Version 1.1
*
* Copyright (c) 2001-2003 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution, if
*    any, must include the following acknowlegement:
*       "This product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this
 acknowlegement may appear in the software itself,
*    if and wherever such third-party acknowlegements normally appear.
*
* 4. The names "Ant" and "Apache Software
*    Foundation" must not be used to endorse or promote products derived
*    from this software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    nor may "Apache" appear in their names without prior written
*    permission of the Apache Group.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
 SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
```

* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1294102013_1649200938.4/0/cdm-4-5-5-sources-
jar/ucar/unidata/io/bzip2/CBZip2InputStream.java
No license file was found, but licenses were detected in source scan.

// All rights reserved.
// Redistribution and use in source and binary forms,
// with or without modification, are permitted provided
// - Redistributions of source code must retain the above copyright
//   notice, this list of conditions and the following disclaimer.
// - Redistributions in binary form must reproduce the above copyright
//   notice, this list of conditions and the following disclaimer in the
//   documentation and/or other materials provided with the distribution.
// - Neither the name of the OPeNDAP nor the names of its contributors may
//   without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1294102013_1649200938.4/0/cdm-4-5-5-sources-jar/ucar/nc2/util/EscapeStrings.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2007 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294102013_1649200938.4/0/cdm-4-5-5-sources-

jar/thredds/inventory/filter/AntPathMatcher.java
No license file was found, but licenses were detected in source scan.

```
/*
* This file is part of McIDAS-V
*
* Copyright 2007-2014
* Space Science and Engineering Center (SSEC)
* University of Wisconsin - Madison
* 1225 W. Dayton Street, Madison, WI 53706, USA
* http://www.ssec.wisc.edu/mcidas
*
* All Rights Reserved
*
* McIDAS-V is built on Unidata's IDV and SSEC's VisAD libraries, and
* some McIDAS-V source code is based on IDV and VisAD source code.
*
* McIDAS-V is free software; you can redistribute it and/or modify
* it under the terms of the GNU Lesser Public License as published by
* the Free Software Foundation; either version 3 of the License, or
* (at your option) any later version.
*
* McIDAS-V is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  See the
* GNU Lesser Public License for more details.
*
* You should have received a
 copy of the GNU Lesser Public License
* along with this program.  If not, see http://www.gnu.org/licenses.
*/
```

Found in path(s):
* /opt/cola/permits/1294102013_1649200938.4/0/cdm-4-5-5-sources-jar/ucar/unidata/geoloc/projection/sat/GEOSTransform.java
No license file was found, but licenses were detected in source scan.

```
/*
Copyright 2006 Jerry Huxtable

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
```

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294102013_1649200938.4/0/cdm-4-5-5-sources-jar/ucar/unidata/geoloc/projection/proj4/EquidistantAzimuthalProjection.java
* /opt/cola/permits/1294102013_1649200938.4/0/cdm-4-5-5-sources-jar/ucar/unidata/geoloc/projection/proj4/TransverseMercatorProjection.java
* /opt/cola/permits/1294102013_1649200938.4/0/cdm-4-5-5-sources-jar/ucar/unidata/geoloc/projection/proj4/StereographicAzimuthalProjection.java
*
 /opt/cola/permits/1294102013_1649200938.4/0/cdm-4-5-5-sources-jar/ucar/unidata/geoloc/projection/proj4/MapMath.java
No license file was found, but licenses were detected in source scan.

/*
Copyright 2006 Jerry Huxtable

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294102013_1649200938.4/0/cdm-4-5-5-sources-jar/ucar/unidata/geoloc/projection/proj4/CylindricalEqualAreaProjection.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2010 The University of Reading
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the University of Reading, nor the names of the
* authors or contributors may be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1294102013_1649200938.4/0/cdm-4-5-5-sources-
jar/uk/ac/rdg/resc/edal/time/OneBasedPreciseDateTimeField.java
* /opt/cola/permits/1294102013_1649200938.4/0/cdm-4-5-5-sources-
jar/uk/ac/rdg/resc/edal/time/AllLeapChronology.java
* /opt/cola/permits/1294102013_1649200938.4/0/cdm-4-5-5-sources-
jar/uk/ac/rdg/resc/edal/time/NoLeapChronology.java
*
/opt/cola/permits/1294102013_1649200938.4/0/cdm-4-5-5-sources-
jar/uk/ac/rdg/resc/edal/time/FixedYearLengthChronology.java
* /opt/cola/permits/1294102013_1649200938.4/0/cdm-4-5-5-sources-
jar/uk/ac/rdg/resc/edal/time/DayOfMonthOfFixedYearDateTimeField.java
* /opt/cola/permits/1294102013_1649200938.4/0/cdm-4-5-5-sources-
jar/uk/ac/rdg/resc/edal/time/FixedYearVariableMonthChronology.java
* /opt/cola/permits/1294102013_1649200938.4/0/cdm-4-5-5-sources-
jar/uk/ac/rdg/resc/edal/time/MonthOfFixedYearDateTimeField.java
* /opt/cola/permits/1294102013_1649200938.4/0/cdm-4-5-5-sources-
jar/uk/ac/rdg/resc/edal/time/ThreeSixtyDayChronology.java
No license file was found, but licenses were detected in source scan.

/*
* The Apache Software License, Version 1.1
*
* Copyright (c) 2001 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution, if
*   any, must include the following acknowlegement:
*   "This product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowlegement
 may appear in the software itself,
*   if and wherever such third-party acknowlegements normally appear.
*
* 4. The names "Ant" and "Apache Software
*   Foundation" must not be used to endorse or promote products derived
*   from this software without prior written permission. For written
*   permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*   nor may "Apache" appear in their names without prior written
*   permission of the Apache Group.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
 LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):

* /opt/cola/permits/1294102013_1649200938.4/0/cdm-4-5-5-sources-jar/ucar/unidata/io/bzip2/BZip2Constants.java

1.506 itadaki-jbzip2 0.9.1

1.506.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>MIT License (MIT)</name>

Found in path(s):
* /opt/cola/permits/1294102061_1648836008.54/0/bzip2-0-9-1-jar/META-INF/maven/org.itadaki/bzip2/pom.xml

1.507 java-unrar 0.7

1.507.1 Available under license :

/*
* This file is part of seedbox <github.com/seedbox>.
*
* seedbox is free software: you can redistribute it and/or modify
* it under the terms of the GNU General Public License as published by
* the Free Software Foundation, either version 3 of the License, or
* (at your option) any later version.
*
* seedbox is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
* GNU General Public License for more details.
*
* You should have received a copy of the GNU General Public License
* along with seedbox. If not, see <http://www.gnu.org/licenses/>.
*/

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to

share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software,
we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL
protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If
such problems arise substantially in other domains, we
stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the

extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified
for a particular programming language, one that
is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including
scripts to
control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions
are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted
material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological
measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you

receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified
it, and giving
a relevant date.

b) The work must carry prominent notices stating that it is
released under this License and any conditions added under section
7. This requirement modifies the requirement in section 4 to
"keep intact all notices".

c) You must license the entire work, as a whole, under this
License to anyone who comes into possession of a copy. This
License will therefore apply, along with any applicable section 7
additional terms, to the whole of the work, and all its parts,
regardless of how they are packaged. This License gives no
permission to license the work in any other way, but it does not
invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your
work need not make them do so.

A compilation
of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission,

provided
you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use,
the product. A product
is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction
is characterized), the
Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and

adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights

under trademark law for use of some
trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing
or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and
(b) permanently, if the copyright
holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have

received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties

receiving the covered work authorizing them to use, propagate, modify
or convey a specific copy of the covered work, then the patent license
you grant is automatically extended to all recipients of the covered
work and works based on it.

A patent license is "discriminatory" if it does not include within
the scope of its coverage, prohibits the exercise of, or is
conditioned on the non-exercise of one or more of the rights that are
specifically granted under this License. You may not convey a covered
work if you are a party to an arrangement with a third party that is
in the
business of distributing software, under which you make payment
to the third party based on the extent of your activity of conveying
the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that arrangement,
or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you
from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning

interaction through a network will apply to the
combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

If the Program specifies that a proxy can decide which future
versions of the GNU General Public License
can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT
UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE

USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short

notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type 'show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate
parts of
the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.

1.508 apache-jempbox 1.8.13

1.508.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

CONTRIBUTIONS TO THE ORIGINAL CODEBASE

Apache JempBox is based on contributions made to the original JempBox project:

Copyright (c) 2006-2007, www.jempbox.org
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation
and/or other materials provided with the distribution.

3. Neither the name of fontbox; nor the names of its contributors may be
used to endorse or promote products derived from this software without
specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF
SUCH DAMAGE.

Apache JempBox
Copyright 2008-2016 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Based on source code contributed to the original JempBox project.
Copyright (c) 2006-2007, www.jempbox.org

1.509 apache-pdfbox-tools 2.0.9

1.509.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache PDFBox tools
Copyright 2002-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.510 apache-sis-common-storage 0.8

1.510.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache SIS common storage
Copyright 2010-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.511 java-advanced-imaging-image-i/o-tools-api-core-(standalone) 1.3.1

1.511.1 Available under license :

Copyright (c) 2005 Sun Microsystems, Inc.
Copyright 2010-2014 University of Manchester
Copyright 2010-2015 Stian Soiland-Reyes
Copyright 2015 Peter Hull
All Rights Reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

- Redistribution of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.

- Redistribution in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer in
 the documentation and/or other materials provided with the
 distribution.

Neither the name of Sun Microsystems, Inc. or the names of
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

This software is provided "AS IS," without a warranty of any
kind. ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND
WARRANTIES, INCLUDING ANY
 IMPLIED WARRANTY OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE HEREBY

EXCLUDED. SUN MIDROSYSTEMS, INC. ("SUN") AND ITS LICENSORS SHALL
NOT BE LIABLE FOR ANY DAMAGES SUFFERED BY LICENSEE AS A RESULT OF
USING, MODIFYING OR DISTRIBUTING THIS SOFTWARE OR ITS
DERIVATIVES. IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR
ANY LOST REVENUE, PROFIT OR DATA, OR FOR DIRECT, INDIRECT, SPECIAL,
CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND
REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF THE USE OF OR
INABILITY TO USE THIS SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

You acknowledge that this software is not designed or intended for
use in the design, construction, operation or maintenance of any
nuclear facility.

1.512 sentiment-analysis-parser 0.1

1.512.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
#  Licensed to the Apache Software Foundation (ASF) under one or more
#  contributor license agreements.  See the NOTICE file distributed with
#  this work for additional information regarding copyright ownership.
#  The ASF licenses this file to You under the Apache License, Version 2.0
#  (the "License"); you may not use this file except in compliance with
#  the License.  You may obtain a copy of the License at
#
#      http://www.apache.org/licenses/LICENSE-2.0
#
#  Unless required by applicable law or agreed to in writing, software
#  distributed under the License is distributed on an "AS IS" BASIS,
#  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
#  See the License for the specific language governing permissions and
#  limitations under the License.
```

org.apache.tika.parser.asm.ClassParser
org.apache.tika.parser.audio.AudioParser
org.apache.tika.parser.audio.MidiParser
org.apache.tika.parser.crypto.Pkcs7Parser
org.apache.tika.parser.dwg.DWGParser
org.apache.tika.parser.epub.EpubParser
org.apache.tika.parser.executable.ExecutableParser
org.apache.tika.parser.feed.FeedParser
org.apache.tika.parser.font.AdobeFontMetricParser
org.apache.tika.parser.font.TrueTypeParser
org.apache.tika.parser.html.HtmlParser
org.apache.tika.parser.image.BPGParser
org.apache.tika.parser.image.ImageParser

org.apache.tika.parser.image.PSDParser
org.apache.tika.parser.image.TiffParser
org.apache.tika.parser.image.WebPParser
org.apache.tika.parser.iptc.IptcAnpaParser
org.apache.tika.parser.iwork.IWorkPackageParser
org.apache.tika.parser.jpeg.JpegParser
org.apache.tika.parser.mail.RFC822Parser
org.apache.tika.parser.mbox.MboxParser
org.apache.tika.parser.mbox.OutlookPSTParser
org.apache.tika.parser.microsoft.JackcessParser
org.apache.tika.parser.microsoft.OfficeParser
org.apache.tika.parser.microsoft.OldExcelParser
org.apache.tika.parser.microsoft.TNEFParser
org.apache.tika.parser.microsoft.ooxml.OOXMLParser
org.apache.tika.parser.microsoft.xml.WordMLParser
org.apache.tika.parser.microsoft.xml.SpreadsheetMLParser
org.apache.tika.parser.mp3.Mp3Parser
org.apache.tika.parser.mp4.MP4Parser
org.apache.tika.parser.hdf.HDFParser
org.apache.tika.parser.netcdf.NetCDFParser
org.apache.tika.parser.odf.OpenDocumentParser
org.apache.tika.parser.pdf.PDFParser
org.apache.tika.parser.pkg.CompressorParser
org.apache.tika.parser.pkg.PackageParser
org.apache.tika.parser.pkg.RarParser
org.apache.tika.parser.rtf.RTFParser
org.apache.tika.parser.txt.TXTParser
org.apache.tika.parser.video.FLVParser
org.apache.tika.parser.xml.DcXMLParser
org.apache.tika.parser.dif.DIFParser
org.apache.tika.parser.xml.FictionBookParser
org.apache.tika.parser.chm.ChmParser
org.apache.tika.parser.code.SourceCodeParser
org.apache.tika.parser.mat.MatParser
org.apache.tika.parser.ocr.TesseractOCRParser
org.apache.tika.parser.gdal.GDALParser
org.apache.tika.parser.pot.PooledTimeSeriesParser
org.apache.tika.parser.grib.GribParser
org.apache.tika.parser.jdbc.SQLite3Parser
org.apache.tika.parser.isatab.ISArchiveParser
org.apache.tika.parser.geoinfo.GeographicInformationParser
org.apache.tika.parser.geo.topic.GeoParser
org.apache.tika.parser.external.CompositeExternalParser
org.apache.tika.parser.journal.JournalParser
org.apache.tika.parser.image.ICNSParser
org.apache.tika.parser.dbf.DBFParser
org.apache.tika.parser.sentiment.analysis.SentimentParser

Found
in path(s):
* /opt/cola/permits/1294100980_1648169115.36/0/sentiment-analysis-parser-0-1-sources-jar/META-INF/services/org.apache.tika.parser.Parser
No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more contributor
license agreements. See the NOTICE file distributed with this work for additional
information regarding copyright ownership. The ASF licenses this file to
You under the Apache License, Version 2.0 (the "License"); you may not use
this file except in compliance with the License. You may obtain a copy of
the License at http://www.apache.org/licenses/LICENSE
2.0 Unless required
by applicable law or agreed to in writing, software distributed under the
License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS
OF ANY KIND, either express or implied. See the License for the specific
language governing permissions and limitations under the License.

Found in path(s):
* /opt/cola/permits/1294100980_1648169115.36/0/sentiment-analysis-parser-0-1-sources-jar/org/apache/tika/mime/custom-mimetypes.xml
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294100980_1648169115.36/0/sentiment-analysis-parser-0-1-sources-jar/opennlp/tools/formats/SentimentSampleStreamFactory.java
*
 /opt/cola/permits/1294100980_1648169115.36/0/sentiment-analysis-parser-0-1-sources-jar/opennlp/tools/sentiment/SentimentModel.java
* /opt/cola/permits/1294100980_1648169115.36/0/sentiment-analysis-parser-0-1-sources-jar/org/apache/tika/parser/sentiment/analysis/SentimentParser.java

* /opt/cola/permits/1294100980_1648169115.36/0/sentiment-analysis-parser-0-1-sources-jar/edu/usc/ir/sentiment/analysis/cmdline/TikaTool.java
* /opt/cola/permits/1294100980_1648169115.36/0/sentiment-analysis-parser-0-1-sources-jar/opennlp/tools/sentiment/SentimentME.java
* /opt/cola/permits/1294100980_1648169115.36/0/sentiment-analysis-parser-0-1-sources-jar/opennlp/tools/sentiment/SentimentSample.java
* /opt/cola/permits/1294100980_1648169115.36/0/sentiment-analysis-parser-0-1-sources-jar/edu/usc/ir/sentiment/analysis/cmdline/CLI.java
* /opt/cola/permits/1294100980_1648169115.36/0/sentiment-analysis-parser-0-1-sources-jar/edu/usc/ir/sentiment/analysis/cmdline/SentimentTrainerTool.java
*
/opt/cola/permits/1294100980_1648169115.36/0/sentiment-analysis-parser-0-1-sources-jar/opennlp/tools/sentiment/SentimentContextGenerator.java
* /opt/cola/permits/1294100980_1648169115.36/0/sentiment-analysis-parser-0-1-sources-jar/opennlp/tools/sentiment/SentimentFactory.java
* /opt/cola/permits/1294100980_1648169115.36/0/sentiment-analysis-parser-0-1-sources-jar/opennlp/tools/sentiment/SentimentSampleStream.java
* /opt/cola/permits/1294100980_1648169115.36/0/sentiment-analysis-parser-0-1-sources-jar/opennlp/tools/sentiment/SentimentEventStream.java

1.513 woodstox 6.2.1

1.513.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

1.514 apache-xml-graphics-commons 2.2

1.514.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Apache XML Graphics Commons
Copyright 2006-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.515 apache-sis-metadata 0.8

1.515.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache SIS metadata
Copyright 2010-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.516 apachejmeter-java 5.0

1.516.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1294101850_1648168162.28/0/apachejmeter-java-5-0-sources-jar/org/apache/jmeter/protocol/java/config/JavaConfig.java
*
 /opt/cola/permits/1294101850_1648168162.28/0/apachejmeter-java-5-0-sources-jar/org/apache/jmeter/protocol/java/control/gui/JavaTestSamplerGui.java
* /opt/cola/permits/1294101850_1648168162.28/0/apachejmeter-java-5-0-sources-jar/org/apache/jmeter/protocol/java/control/gui/BeanShellSamplerGui.java
* /opt/cola/permits/1294101850_1648168162.28/0/apachejmeter-java-5-0-sources-jar/org/apache/jmeter/protocol/java/sampler/AbstractJavaSamplerClient.java
* /opt/cola/permits/1294101850_1648168162.28/0/apachejmeter-java-5-0-sources-jar/org/apache/jmeter/protocol/java/sampler/JavaSamplerClient.java
* /opt/cola/permits/1294101850_1648168162.28/0/apachejmeter-java-5-0-sources-jar/org/apache/jmeter/protocol/java/test/SleepTest.java
* /opt/cola/permits/1294101850_1648168162.28/0/apachejmeter-java-5-0-sources-jar/org/apache/jmeter/protocol/java/sampler/JSR223SamplerBeanInfo.java
* /opt/cola/permits/1294101850_1648168162.28/0/apachejmeter-java-5-0-sources-jar/org/apache/jmeter/protocol/java/sampler/BeanShellSampler.java
*
 /opt/cola/permits/1294101850_1648168162.28/0/apachejmeter-java-5-0-sources-jar/org/apache/jmeter/protocol/java/sampler/BSFSampler.java
* /opt/cola/permits/1294101850_1648168162.28/0/apachejmeter-java-5-0-sources-jar/org/apache/jmeter/protocol/java/sampler/JavaSamplerContext.java
* /opt/cola/permits/1294101850_1648168162.28/0/apachejmeter-java-5-0-sources-jar/org/apache/jmeter/protocol/java/sampler/JavaSampler.java
* /opt/cola/permits/1294101850_1648168162.28/0/apachejmeter-java-5-0-sources-jar/org/apache/jmeter/protocol/java/sampler/JSR223Sampler.java

* /opt/cola/permits/1294101850_1648168162.28/0/apachejmeter-java-5-0-sources-jar/org/apache/jmeter/protocol/java/config/gui/JavaConfigGui.java
* /opt/cola/permits/1294101850_1648168162.28/0/apachejmeter-java-5-0-sources-jar/org/apache/jmeter/protocol/java/test/JavaTest.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1294101850_1648168162.28/0/apachejmeter-java-5-0-sources-jar/org/apache/jmeter/protocol/java/sampler/BSFSamplerBeanInfo.java

1.517 jakarta-activation 1.1

1.517.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means
having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of
computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a)the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b)ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.
Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:
(a) under intellectual property rights (other than patent or trademark) Licensable
by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and
(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).
(c) The licenses granted in Sections2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.
(d) Notwithstanding Section2.1(b) above, no patent license is granted: (1)for code that You delete from the Original Software, or (2)for infringements caused by: (i)the modification of the Original Software, or (ii)the combination of

the Original Software with other software or devices.

2.2. Contributor Grant.
Conditioned upon Your compliance
with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:
(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and
(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1)Modifications made by that Contributor (or portions thereof); and (2)the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).
(c)
The licenses granted in Sections2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.
(d) Notwithstanding Section2.2(b) above, no patent license is granted: (1)for any code that Contributor has deleted from the Contributor Version; (2)for infringements caused by: (i)third party modifications of Contributor Version, or (ii)the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3)under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License
with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.
You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4.

Application of Additional Terms.
You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.
You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license
of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.
You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled
for the Covered Software.

4. Versions of the License.

4.1. New Versions.
Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use,
distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.
4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a)rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b)otherwise make it clear

that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE

EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that
term is defined in 48C.F.R.2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48C.F.R.12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software
(except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As
between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)
The GlassFish code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

1.518 apache-tika 1.18

1.518.1 Available under license :

Apache Tika core
Copyright 2007-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

APACHE TIKA SUBCOMPONENTS

Apache Tika includes a number of subcomponents with separate copyright notices
and license terms. Your use of these subcomponents is subject to the terms and
conditions of the following licenses.

MIME type information from file-4.26.tar.gz (http://www.darwinsys.com/file/)

Copyright (c) Ian F. Darwin 1986, 1987, 1989, 1990, 1991, 1992, 1994, 1995.
Software written by Ian F. Darwin and others;
maintained 1994- Christos Zoulas.

This software is not subject to any export provision of the United States
Department of Commerce, and may be exported to any country or planet.

Redistribution
and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice immediately at the beginning of the file, without modification,
this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

IPTC Photo Metadata descriptions are taken from the IPTC Photo Metadata
Standard, July 2010, Copyright 2010 International Press Telecommunications
Council.

1. The Specifications and Materials are licensed for use only on the condition that you agree to be bound by the terms of this license. Subject to this and other licensing requirements contained herein, you may, on a non-exclusive basis, use the Specifications and Materials.
2. The IPTC openly provides the Specifications and Materials for voluntary use by individuals, partnerships, companies, corporations, organizations and any other entity for use at the entity's own risk. This disclaimer, license and release is intended to apply to the IPTC, its officers, directors, agents, representatives, members, contributors, affiliates, contractors, or co-venturers acting jointly or severally.
3. The Document and translations thereof may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the copyright and license notices and references to the IPTC appearing in the Document and the terms of this Specifications License Agreement are included on all such copies and derivative works. Further, upon the receipt of written permission from the IPTC, the Document may be modified for the purpose of developing applications that use IPTC Specifications or as required to translate the Document into languages other than English.
4. Any use, duplication, distribution, or exploitation of the Document and Specifications and Materials in any manner is at your own risk.
5. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, LEGALITY, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT OR IN ANY SPECIFICATION OR OTHER PRODUCT OR SERVICE PRODUCED OR SPONSORED BY THE IPTC. THE DOCUMENT AND THE INFORMATION CONTAINED HEREIN AND INCLUDED IN ANY SPECIFICATION OR OTHER PRODUCT OR SERVICE OF THE IPTC IS PROVIDED ON AN "AS IS" BASIS. THE IPTC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY ACTUAL OR ASSERTED WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. NEITHER THE IPTC NOR ITS CONTRIBUTORS SHALL BE HELD LIABLE FOR ANY IMPROPER OR INCORRECT USE OF INFORMATION. NEITHER THE IPTC NOR ITS CONTRIBUTORS ASSUME ANY RESPONSIBILITY FOR ANYONE'S USE OF INFORMATION PROVIDED BY THE IPTC. IN

NO EVENT SHALL THE IPTC OR ITS CONTRIBUTORS
BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES OF ANY KIND WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT, PRODUCT LIABILITY OR OTHERWISE.

6. The IPTC takes no position regarding the validity or scope of any Intellectual Property or other rights that might be claimed to pertain to the implementation or use of the technology described in the Document or the extent to which any license under such rights might or might not be available. The IPTC does not represent that it has made any effort to identify any such rights. Copies of claims of rights made available for publication, assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of the Specifications and Materials, can be obtained from the Managing
Director of the IPTC.

7. By using the Specifications and Materials including the Document in any manner or for any purpose, you release the IPTC from all liabilities, claims, causes of action, allegations, losses, injuries, damages, or detriments of any nature arising from or relating to the use of the Specifications, Materials or any portion thereof. You further agree not to file a lawsuit, make a claim, or take any other formal or informal legal action against the IPTC, resulting from your acquisition, use, duplication, distribution, or exploitation of the Specifications, Materials or any portion thereof. Finally, you hereby agree that the IPTC is not liable for any direct, indirect, special or consequential damages arising from or relating to your acquisition, use, duplication, distribution, or exploitation of the Specifications, Materials or any portion thereof.

8. Specifications and Materials may be downloaded or copied provided that ALL copies retain the ownership, copyright
and license notices.

9. Materials may not be edited, modified, or presented in a context that creates a misleading or false impression or statement as to the positions, actions, or statements of the IPTC.

10. The name and trademarks of the IPTC may not be used in advertising, publicity, or in relation to products or services and their names without the specific, written prior permission of the IPTC. Any permitted use of the trademarks of the IPTC, whether registered or not, shall be accompanied by an appropriate mark and attribution, as agreed with the IPTC.

11. Specifications may be extended by both members and non-members to provide additional functionality (Extension Specifications) provided that there is a clear recognition of the IPTC IP and its ownership in the Extension Specifications and the related documentation and provided that the extensions are clearly identified and provided that a perpetual license is granted by the creator of the Extension Specifications for other
members and non-members to use the Extension Specifications and to continue extensions of the Extension Specifications. The IPTC does not waive any of its rights in the Specifications and Materials in this context. The Extension Specifications may be considered the intellectual property of their creator. The IPTC expressly disclaims any responsibility for damage caused by an extension to the Specifications.

12. Specifications and Materials may be included in derivative work of both members and non-members provided that there is a clear recognition of the IPTC IP and its ownership in the derivative work and its related documentation. The IPTC does not waive any of its rights in the Specifications and Materials in this context. Derivative work in its entirety may be considered the intellectual property of the creator of the work .The IPTC expressly disclaims any responsibility for damage caused when its IP is used in a derivative context.

13. This Specifications License Agreement
is perpetual subject to your conformance to the terms of this Agreement. The IPTC may terminate this Specifications License Agreement immediately upon your breach of this Agreement and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Specifications and Materials.

14. This Specifications License Agreement reflects the entire agreement of the parties regarding the subject matter

hereof and supersedes all prior agreements or representations regarding such matters, whether written or oral. To the extent any portion or provision of this Specifications License Agreement is found to be illegal or unenforceable, then the remaining provisions of this Specifications License Agreement will remain in full force and effect and the illegal or unenforceable provision will be construed to give it such effect as it may properly have that is consistent with the intentions of the parties.

15. This Specifications License Agreement may
only be modified in writing signed by an authorized representative of the IPTC.

16. This Specifications License Agreement is governed by the law of United Kingdom, as such law is applied to contracts made and fully performed in the United Kingdom. Any disputes arising from or relating to this Specifications License Agreement will be resolved in the courts of the United Kingdom. You consent to the jurisdiction of such courts over you and covenant not to assert before such courts any objection to proceeding in such forums.

1.519 apache-sis-netcdf-storage 0.8

1.519.1 Available under license :

Apache SIS netCDF storage
Copyright 2010-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.520 apache-jmeter 5.0

1.520.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1294100219_1648168458.35/0/apachejmeter-5-0-sources-jar/org/apache/jmeter/util/ShutdownClient.java
*
/opt/cola/permits/1294100219_1648168458.35/0/apachejmeter-5-0-sources-jar/org/apache/jmeter/NewDriver.java
* /opt/cola/permits/1294100219_1648168458.35/0/apachejmeter-5-0-sources-jar/org/apache/jmeter/DynamicClassLoader.java

1.521 woodstox 4.4.1

1.521.1 Available under license :

No license file was found, but licenses were detected in source scan.

/* Woodstox XML processor
*
* Copyright (c) 2004- Tatu Saloranta, tatu.saloranta@iki.fi
*
* Licensed under the License specified in the file LICENSE which is
* included with the source code.
* You may not use this file except in compliance with the License.
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/msv/W3CSchemaFactory.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/dtd/DTDSchemaFactory.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/dtd/DTDId.java
*
 /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/dtd/DTDAttribute.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/util/ElementIdMap.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/util/SymbolTable.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/evt/WstxEventReader.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/stax/WstxInputFactory.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/dtd/DTDSubset.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sr/ValidatingStreamReader.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/msv/RelaxNGSchema.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/msv/RelaxNGSchemaFactory.java
*
 /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/msv/W3CSchema.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/msv/GenericMsvValidator.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/msv/BaseSchemaFactory.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/msv/AttributeProxy.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/dtd/DefaultAttrValue.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/dtd/DTDElement.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/stax/WstxOutputFactory.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sw/NonNsStreamWriter.java
No license file was found, but licenses were detected in source scan.

/* Woodstox XML processor

*
* Copyright (c) 2004 Tatu Saloranta, tatu.saloranta@iki.fi
*
* Licensed under the License specified in the file LICENSE which is
* included with the source code.
* You may not use this file except in compliance with the License.
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/dtd/ContentSpec.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/dtd/DFAValidator.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/dtd/StructValidator.java
*
 /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/dtd/DFAState.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2004- Tatu Saloranta, tatu.saloranta@iki.fi
*
* Licensed under the License specified in file LICENSE, included with
* the source code.
* You may not use this file except in compliance with the License.
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sax/WrappedSaxException.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sax/SAXFeature.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sax/WstxSAXParser.java
*

/opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sax/WstxSAXParserFactory.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sax/SAXProperty.java
No license file was found, but licenses were detected in source scan.

/* Woodstox XML processor
*
* Copyright (c) 2004 Tatu Saloranta, tatu.saloranta@iki.fi
*
* Licensed under the License specified in file LICENSE, included with
* the source code.
* You may not use this file except in compliance with the License.
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/io/AsciiReader.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/io/EBCDICCodec.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/exc/WstxLazyException.java
*
/opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/util/PrefixedName.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/io/UTF32Reader.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/exc/WstxException.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/evt/DefaultEventAllocator.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/io/UTF8Reader.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/dtd/PrefixedNameSet.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/ent/EntityDecl.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/util/BaseNsContext.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/stax/WstxEventFactory.java
*

/opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/evt/BaseStartElement.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/io/WstxInputData.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/io/WstxInputLocation.java
No license file was found, but licenses were detected in source scan.

```
/* Woodstox XML processor
*
* Copyright (c) 2004- Tatu Saloranta, tatu.saloranta@iki.fi
*
* Licensed under the License specified in the file LICENSE,
* included with the source code.
* You may not use this file except in compliance with the License.
*
* Unless required by applicable law or agreed to in writing, softwar
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sw/RepairingNsStreamWriter.java
No license file was found, but licenses were detected in source scan.

```
/* Woodstox XML processor
*
* Copyright (c) 2004- Tatu Saloranta, tatu.saloranta@iki.fi
*
* Licensed under the License specified in the file LICENSE,
* included with the source code.
* You may not use this file except in compliance with the License.
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sw/SimpleNsStreamWriter.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sw/BaseNsStreamWriter.java

No license file was found, but licenses were detected in source scan.

/* Woodstox XML processor
*
* Copyright (c) 2005 Tatu Saloranta, tatu.saloranta@iki.fi
*
* Licensed under the License specified in file LICENSE, included with
* the source code.
* You may not use this file except in compliance with the License.
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/util/BijectiveNsMap.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sw/SimpleOutputElement.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sw/OutputElementBase.java
No license file was found, but licenses were detected in source scan.

/* Woodstox XML processor
*
* Copyright (c) 2004- Tatu Saloranta, tatu.saloranta@iki.fi
*
* Licensed under the License specified in file LICENSE, included with
* the source code.
* You may not use this file except in compliance with the License.
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/dtd/DTDEventListener.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sw/BaseStreamWriter.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/dtd/DTDSubsetImpl.java

*
 /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sr/AttributeCollector.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sr/NsDefaultProvider.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sw/TypedStreamWriter.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sr/Attribute.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sw/XmlWriter.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/dtd/DTDTypingNonValidator.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sr/Element.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sr/StreamScanner.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sw/BufferingXmlWriter.java
*
 /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sr/TypedStreamReader.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sw/ISOLatin1XmlWriter.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sw/XmlWriterWrapper.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/dtd/FullDTDReader.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/io/WstxInputSource.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/dtd/DTDValidator.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/io/ReaderBootstrapper.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sw/EncodingXmlWriter.java
*
 /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/dtd/MinimalDTDReader.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sr/InputElementStack.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sw/AsciiXmlWriter.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/sr/BasicStreamReader.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-zip/com/ctc/wstx/io/ISOLatinReader.java
* /opt/cola/permits/1294101676_1648168062.49/0/woodstox-core-asl-4-4-1-sources-

zip/com/ctc/wstx/dtd/DTDValidatorBase.java

1.522 apache-sis-utilities 0.8

1.522.1 Available under license :

Apache SIS utilities
Copyright 2010-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.523 java-libpst 0.8.1

1.524 jodd-props 4.1.4

1.524.1 Available under license :

No license file was found, but licenses were detected in source scan.

// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are met:
// 1. Redistributions of source code must retain the above copyright notice,
// this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright

// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.

Found in path(s):
* /opt/cola/permits/1294101154_1648168803.62/0/jodd-props-4-1-4-sources-jar/jodd/props/package-info.java
* /opt/cola/permits/1294101154_1648168803.62/0/jodd-props-4-1-4-sources-jar/jodd/props/PropsParser.java
* /opt/cola/permits/1294101154_1648168803.62/0/jodd-props-4-1-4-sources-jar/jodd/props/PropsEntries.java
* /opt/cola/permits/1294101154_1648168803.62/0/jodd-props-4-1-4-sources-jar/jodd/props/Props.java
*
/opt/cola/permits/1294101154_1648168803.62/0/jodd-props-4-1-4-sources-jar/jodd/props/PropsData.java
* /opt/cola/permits/1294101154_1648168803.62/0/jodd-props-4-1-4-sources-jar/jodd/props/PropsUtil.java
* /opt/cola/permits/1294101154_1648168803.62/0/jodd-props-4-1-4-sources-jar/jodd/props/JoddProps.java
* /opt/cola/permits/1294101154_1648168803.62/0/jodd-props-4-1-4-sources-jar/jodd/props/PropertiesToProps.java
* /opt/cola/permits/1294101154_1648168803.62/0/jodd-props-4-1-4-sources-jar/jodd/props/PropsEntry.java

1.525 mp4parser 1.1.18

1.525.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii)
beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the
Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole
responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed
under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
 ==
== NOTICE file corresponding to the section 4 d of   ==
== the Apache License, Version 2.0,   ==
== in this case for the Apache Maven distribution.   ==
 ==

This product includes software developed by
CoreMedia AG (http://www.coremedia.com/).

This product includes software developed by
castLabs GmbH (http://www.castlabs.com/).

This product includes software developed by
Sebastian Annies (Sebastian.Annies@gmail.com)

This product includes software (Hex Encoder extracted from commons-codec) developed by
The Apache Software Foundation (http://www.apache.org/).

This product includes software (package com.googlecode.mp4parser.h264) developed by
Stanislav Vitvitskiy and originally licensed under MIT license (http://www.opensource.org/licenses/mit-license.php)

1.526 okhttp 4.2.2

1.526.1 Available under license :

Note that publicsuffixes.gz is compiled from The Public Suffix List:
https://publicsuffix.org/list/public_suffix_list.dat

It is subject to the terms of the Mozilla Public License, v. 2.0:
https://mozilla.org/MPL/2.0/

1.527 metadata-extractor 2.10.1

1.527.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2002-2017 Drew Noakes

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.528 saxon-xslt-and-xquery-processor 9.8.0-12

1.528.1 Available under license :

// Copyright (c) 2017 Saxonica Limited.
// This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0.
// If a copy of the MPL was not distributed with this file, You can obtain one at http://mozilla.org/MPL/2.0/.
// This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.
Mozilla Public License
Version 2.0
1. Definitions
1.1. “Contributor”
means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. “Contributor Version”
means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor’s Contribution.

1.3. “Contribution”
means Covered Software of a particular Contributor.

1.4. “Covered Software”
means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. “Incompatible With Secondary Licenses”
means

that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. “Executable Form”
means
any form of the work other than Source Code Form.

1.7. “Larger Work”
means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. “License”
means this document.

1.9. “Licensable”

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. “Modifications”
means any of the following:

any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

any new file in Source Code Form that contains any Covered Software.

1.11. “Patent Claims” of a Contributor
means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer
of either its Contributions or its Contributor Version.

1.12. “Secondary License”
means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. “Source Code Form”
means the form of the work preferred for making modifications.

1.14. “You” (or “Your”)
means an individual or a legal entity exercising rights under this License. For legal entities, “You” includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, “control” means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions
2.1. Grants
Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive
license:

under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date
The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

for
any code that a Contributor has removed from Covered Software; or

for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses
No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation
Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights
to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use
This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions
Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities
3.1. Distribution of Source Form
All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form
If You distribute Covered Software in Executable Form then:

such Covered Software must also be made available in Source Code Form, as described in
Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

You may distribute such Executable Form under the terms of this License, or sublicense it under different terms,

provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work
You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s),
so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices
You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms
You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred
by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation
If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination
5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its
terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent,
then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty
Covered Software is provided under this License on an “as is” basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes
an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability
Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party’s negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so
this exclusion and limitation may not apply to You.

8. Litigation
Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party’s ability to bring cross-claims or counter-claims.

9. Miscellaneous
This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License
10.1. New Versions
Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other
than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions
You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions
If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses
If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in
Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice
This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at https://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - “Incompatible With Secondary Licenses” Notice
This Source Code Form is “Incompatible With Secondary Licenses”, as defined by the Mozilla Public License, v. 2.0.

1.529 log4j-compatibility-api 2.11.0

1.529.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Log4j 1.x Compatibility API
Copyright 1999-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.530 easymock 4.0.1

1.530.1 Available under license :

// --
// NOTICE file corresponding to the section 4d of The Apache License,
// Version 2.0, in this case for EasyMock
// --

EasyMock
Copyright 2001-2018 EasyMock contributors

This product includes/uses software(s) developed by 'an unknown organization'
- cglib (https://github.com/cglib/cglib/cglib)
- Dexmaker (https://github.com/droidparts/dexmaker)

This product includes/uses software(s) developed by 'Joe Walnes, Henri Tremblay, Leonardo Mesquita'
- Objenesis (http://objenesis.org)

This product includes/uses software(s) developed by 'OW2' (http://www.ow2.org/)
- asm (http://asm.ow2.org/)

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.531 testng 7.2.0

1.531.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Bundle-License: https://apache.org/licenses/LICENSE-2.0
Bundle-Description: TestNG is a testing framework.
Import-Package:
"bsh.*;version="[2.0.0,3.0.0)";resoluti
on:=optional",
"com.beust.jcommander.*;version="[1.7.0,
3.0.0)";resolution:=optional",
"com.google.inject.*;ver
sion="[1.2,1.3)";resolution:=optional",
"junit.framewor
k;version="[3.8.1, 5.0.0)";resolution:=optional",
"org.
junit.*;resolution:=optional",
"org.apache.tools.ant.*;
version="[1.7.0, 2.0.0)";resolution:=optional",
"org.ya
ml.*;version="[1.6,2.0)";resolution:=optional",
"!com.b
eust.testng",
"!org.testng.*",
"!com.su
n.*",
"*"

Automatic-Module-Name: org.testng

Found in path(s):
* /opt/cola/permits/1294625062_1674826208.6849523/0/testng-7-2-0-jar/META-INF/MANIFEST.MF

1.532 jackson-annotations 2.8.0

1.532.1 Available under license :

This copy of Jackson JSON processor annotations is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

1.533 project-lombok 1.18.2

1.533.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009-2017 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/SneakyThrows.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/installer/eclipse/EclipseProductLocation.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/package-info.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/Cleanup.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/Lombok.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/delombok/Delombok.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/Setter.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/Synchronized.java
*
 /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/HandleSetter.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/JavacNode.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/Version.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/HandleSetter.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/experimental/package-

info.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/installer/InstallerGUI.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/Getter.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/HandleGetter.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/Data.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010-2015 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/launch/PatchFixesHider.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/TreeMirrorMaker.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012-2013 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/CapturingDiagnosticListener.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/CompilerMessageMatcher.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014-2016 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/configuration/ConfigurationParser.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010-2018 The Project Lombok Authors.

*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*
* Thanks to Stephen Haberman for a patch to solve some NPEs in Eclipse.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/eclipse/agent/PatchValEclipse.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
 CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/installer/eclipse/STS4LocationProvider.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/experimental/SuperBuilder.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/HandleBuilderDefaultRemove.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/AlreadyHandledAnnotations.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/extern/flogger/Flogger.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013-2018 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/HandleSuperBuilder.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/HandleSuperBuilder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 The Project Lombok Authors.
*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/singulars/EclipseGuavaSetListSingularizer.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/singulars/EclipseJavaUtilSingularizer.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/debug/AssertionLogger.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/apt/Processor.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/configuration/CallSuperType.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/singulars/JavacJavaUtilListSingularizer.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/singulars/EclipseGuavaTableSingularizer.java
*
/opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/agent/EclipseLoaderPatcher.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/experimental/UtilityClass.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/singulars/EclipseGuavaMapSingularizer.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/GuavaTypeMap.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/agent/PatchFixesShadowLoaded.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/RunCoreTests.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/singulars/JavacGuavaMapSingularizer.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/experimental/Helper.java
*

/opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/HandleUtilityClass.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/singulars/JavacJavaUtilSetSingularizer.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/HandleUtilityClass.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/agent/EclipseLoaderPatcherTransplants.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/singulars/JavacJavaUtilSingularizer.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/handlers/Singulars.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/singulars/JavacGuavaTableSingularizer.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/singulars/EclipseJavaUtilListSingularizer.java
*
/opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/singulars/EclipseJavaUtilSetSingularizer.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010-2012 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/bytecode/FixedClassWriter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012-2017 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/experimental/ExtensionMethod.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/Value.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/experimental/Wither.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/experimental/Accessors.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/experimental/FieldDefaults.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/extern/slf4j/XSlf4j.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013-2018 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/HandleBuilder.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/LombokConfiguration.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/ConfigurationKeys.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/HandleBuilder.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/handlers/HandlerUtil.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/Builder.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/configuration/ConfigurationKey.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/LombokInternalAliasing.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010-2013 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/LombokOptions.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/PostCompiler.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010-2011 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/javac/apt/EmptyLombokFileObject.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/javac/apt/Javac6BaseFileObjectWrapper.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/javac/apt/InterceptingJavaFileObject.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/javac/apt/LombokFileObject.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/javac/apt/Javac7BaseFileObjectWrapper.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009-2011 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights

* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/CommentInfo.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/SpiLoadUtil.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/core/runtimeDependencies/CreateLombokRuntimeApp.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
 CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/Javac9BasedLombokOptions.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/PackageName.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014-2018 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/experimental/FieldNameConstants.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/HandleFieldNameConstants.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/configuration/ConfigurationResolverFactory.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/HandleFieldNameConstants.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/configuration/ConfigurationApp.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/launch/ShadowClassLoader.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/launch/AnnotationProcessor.java
*
 /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/configuration/NullCheckExceptionType.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011-2015 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/SetGeneratedByVisitor.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/RunAllTests.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
 CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/agent/PatchValEclipsePortal.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009-2012 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/Main.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/EclipseAnnotationHandler.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/JavacASTAdapter.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/EclipseASTVisitor.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/JavacAnnotationHandler.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/PrintAST.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/JavacASTVisitor.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/EclipseNode.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011-2013 The Project Lombok Authors.

*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/java7/CommentCollectingScanner.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/java6/CommentCollectingScannerFactory.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/java6/CommentCollectingScanner.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/CompilerMessageSuppressor.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/java7/CommentCollectingScannerFactory.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/java8/CommentCollectingScannerFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009-2016 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/installer/eclipse/EclipseProductLocationProvider.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/installer/OsUtils.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/installer/IdeLocationProvider.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/installer/Installer.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/installer/eclipse/STSLocationProvider.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/HandleGetter.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/installer/eclipse/EclipseLocationProvider.java
*
 /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/AST.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/installer/IdeLocation.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013-2015 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/JavacImportList.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/delombok/FormatPreferences.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013-2016 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/installer/eclipse/JbdsLocationProvider.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/installer/eclipse/RhdsLocationProvider.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015-2016 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is

* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/javac/handlers/HandleHelper.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/Generated.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/eclipse/handlers/HandleHelper.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
 DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-

jar/lombok/core/configuration/AllowHelper.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010-2017 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/extern/java/Log.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/experimental/var.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/experimental/Delegate.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/RequiredArgsConstructor.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/extern/slf4j/Slf4j.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/AllArgsConstructor.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/Delegate.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/val.java
*
 /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/extern/apachecommons/CommonsLog.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/extern/log4j/Log4j.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/javac/apt/Javac9BaseFileObjectWrapper.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/NoArgsConstructor.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy

* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/configuration/ConfigurationResolver.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/JavaIdentifiers.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/Javac6BasedLombokOptions.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/delombok/LombokOptionsFactory.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/EclipseImportList.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/java8/CommentCollectingTokenizer.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/java8/CommentCollectingScanner.java
*
/opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/debug/FileLog.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/configuration/TypeName.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/ImportList.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/configuration/ConfigurationValueParser.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/delombok/FormatPreferenceScanner.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/JavacTreeMaker.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/LombokImmutableList.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017-2018 The Project Lombok Authors.

*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/HandleBuilderDefault.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/HandleBuilderDefault.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012-2016 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/HandleFieldDefaults.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/HandleFieldDefaults.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011-2014 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/CommentCatcher.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009-2013 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in

* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/delombok/DelombokResult.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/NonNull.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/AnnotationValues.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/Eclipse.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/LombokNode.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/configuration/ConfigurationProblemReporter.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-

jar/lombok/core/debug/ProblemReporter.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/package-info.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/launch/Agent.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/configuration/ConfigurationSource.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/EclipseAugments.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/experimental/Tolerate.java
*
 /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/Augments.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/configuration/BubblingConfigurationResolver.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/FieldAugment.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/HandleAccessors.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/configuration/StringConfigurationSource.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/configuration/ConfigurationKeysLoader.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/JavacAugments.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/configuration/FlagUsageType.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/configuration/ExampleValueString.java
*
 /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/HandleDelegate.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015-2018 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/singulars/JavacJavaUtilListSetSingularizer.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/JavacSingularsRecipes.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/singulars/EclipseJavaUtilMapSingularizer.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/singulars/EclipseGuavaSingularizer.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/singulars/EclipseJavaUtilListSetSingularizer.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/EclipseSingularsRecipes.java
*
 /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/singulars/JavacJavaUtilMapSingularizer.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010-2014 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/bytecode/SneakyThrowsRemover.java

* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/RunTestsViaEcj.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/HandleDelegate.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/HandleLog.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/agent/PatchDelegate.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/HandleLog.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/bytecode/PreventNullAnalysisRemover.java
*
/opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/bytecode/AsmUtil.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/apt/package-info.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/delombok/UnicodeEscapeWriter.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/EclipseASTAdapter.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/installer/CorruptedIdeLocationException.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/installer/AppleNativeLook.java

* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/delombok/DelombokApp.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/LombokApp.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/runtimeDependencies/RuntimeDependencyInfo.java
*
/opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/package-info.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/AccessLevel.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/installer/WindowsDriveInfo.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/installer/package-info.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/agent/package-info.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009-2014 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/HandleSynchronized.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/HandleSynchronized.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/package-info.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/HandlerLibrary.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/HandleCleanup.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-

jar/lombok/eclipse/handlers/HandleSneakyThrows.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/javac/handlers/HandlePrintAST.java
*
/opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/AgentLauncher.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/eclipse/handlers/HandlePrintAST.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/package-info.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/bytecode/package-info.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/handlers/package-
info.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/javac/handlers/HandleSneakyThrows.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/RunTestsViaDelombok.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/package-info.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/core/runtimeDependencies/package-info.java
*
/opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/eclipse/handlers/HandleData.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/eclipse/handlers/HandleCleanup.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016-2017 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/extern/jbosslog/JBossLog.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2011-2018 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/
```

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/JavacResolution.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2011-2012 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
```

ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/transform/RunTransformTests.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014-2015 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/configuration/FileSystemSourceCache.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/launch/Main.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/LombokTestSource.java
No license file was found, but licenses were detected in source scan.

This vector art image is part of the public domain. It has been updated from:
http://www.clker.com/clipart

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/installer/lombok.svg
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013-2017 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/java9/CommentCollectingParserFactory.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/extern/log4j/Log4j2.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/java9/CommentCollectingParser.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/Javac8BasedLombokOptions.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015-2018 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/javac/handlers/singulars/JavacGuavaSingularizer.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
 CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/core/PostCompilerTransformation.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/bytecode/PostCompilerApp.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/javac/FindTypeVarScanner.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 The Project Lombok Authors.
*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/delombok/PrettyPrinter.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/installer/eclipse/EclipseProductDescriptor.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/installer/eclipse/MyEclipseLocationProvider.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/installer/eclipse/StandardProductDescriptor.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015-2017 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR

ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/Singular.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/TestSingulars.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/singulars/JavacGuavaSetListSingularizer.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009-2010 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/installer/InstallException.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/installer/UninstallException.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/DiagnosticsReceiver.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/javac/apt/MessagerDiagnosticsReceiver.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/core/handlers/SneakyThrowsAndCleanupDependencyInfo.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012-2014 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/debug/package-info.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/core/debug/DebugSnapshotStore.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/eclipse/handlers/HandleExtensionMethod.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/javac/handlers/HandleExtensionMethod.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/eclipse/handlers/HandleValue.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/javac/handlers/HandleWither.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/javac/handlers/HandleAccessors.java
*
/opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/core/debug/DebugSnapshot.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/eclipse/handlers/HandleWither.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/eclipse/agent/PatchExtensionMethod.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010-2018 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-

jar/lombok/javac/handlers/HandleVal.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/apt/LombokFileObjects.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/HandleVal.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/agent/PatchVal.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/HandleConstructor.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/HandleConstructor.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/bytecode/ClassFileMetaData.java
*
/opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/apt/InterceptingJavaFileManager.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/var.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/PublicApiCreatorApp.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/agent/PatchDiagnostics.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/experimental/PackagePrivate.java

* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/HandlerPriority.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/JavacResolver.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/bytecode/PoolConstantsApp.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/agent/PatchDelegatePortal.java
*
/opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/ResolutionResetNeeded.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/agent/PatchExtensionMethodCompletionProposal.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/DeferUntilPostDiet.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/agent/ExtensionMethodCompletionProposal.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/experimental/NonFinal.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/agent/PatchExtensionMethodCompletionProposalPortal.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012-2018 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/HandleValue.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013-2014 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/eclipse/handlers/HandleNonNull.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/javac/handlers/HandleNonNull.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/javac/java8/CommentCollectingParserFactory.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/javac/java6/CommentCollectingParser.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/javac/java7/CommentCollectingParser.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/javac/java7/CommentCollectingParserFactory.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/javac/java8/CommentCollectingParser.java
*
 /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/core/configuration/ConfigurationDataType.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-
jar/lombok/javac/java6/CommentCollectingParserFactory.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009-2018 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/delombok/DocCommentIntegrator.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/TransformEclipseAST.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/HandleEqualsAndHashCode.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/Javac.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/handlers/InclusionExclusionUtils.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/JavacHandlerUtil.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/JavacAST.java
*
 /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/HandleToString.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/HandleEqualsAndHashCode.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/AbstractRunTests.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/HandlerLibrary.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/AnnotationProcessor.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/handlers/EclipseHandlerUtil.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/EqualsAndHashCode.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-

jar/lombok/eclipse/handlers/HandleToString.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/handlers/HandleData.java
*
 /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/JavacTransformer.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/EclipseAST.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/javac/apt/LombokProcessor.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/ToString.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009-2015 The Project Lombok Authors.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
 ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/transform/TestLombokFilesIdempotent.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/transform/TestSourceFiles.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/eclipse/agent/EclipsePatcher.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/DirectoryRunner.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/TypeLibrary.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/delombok/ant/DelombokTaskImpl.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/delombok/ant/DelombokTask.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/core/TypeResolver.java

*
/opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/transform/TestWithDelombok.java
* /opt/cola/permits/1294625157_1649800587.2/0/lombok-1-18-2-sources-jar/lombok/transform/TestWithEcj.java

1.534 apache-ant 1.10.3

1.534.1 Available under license :

Apache Ant
Copyright 1999-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

The <sync> task is based on code Copyright (c) 2002, Landmark
Graphics Corp that has been kindly donated to the Apache Software
Foundation.

```
/*
*                                 Apache License
*                           Version 2.0, January 2004
*                        http://www.apache.org/licenses/
*
*   TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
*
*   1. Definitions.
*
*      "License" shall mean the terms and conditions for use, reproduction,
*      and distribution as defined by Sections 1 through 9 of this document.
*
*      "Licensor" shall mean the copyright owner or entity authorized by
*      the copyright owner that is granting the License.
*
*      "Legal Entity" shall mean the union of the acting entity and all
*      other entities that control, are controlled by, or are under common
*      control with that entity. For the purposes of this definition,
*      "control" means (i) the power, direct or indirect, to cause the
*      direction or management of such entity, whether by contract or
*      otherwise, or (ii) ownership of fifty percent (50%) or more of the
*
 outstanding shares, or (iii) beneficial ownership of such entity.
*
*      "You" (or "Your") shall mean an individual or Legal Entity
*      exercising permissions granted by this License.
*
*      "Source" form shall mean the preferred form for making modifications,
*      including but not limited to software source code, documentation
*      source, and configuration files.
```

*
*   "Object" form shall mean any form resulting from mechanical
*   transformation or translation of a Source form, including but
*   not limited to compiled object code, generated documentation,
*   and conversions to other media types.
*
*   "Work" shall mean the work of authorship, whether in Source or
*   Object form, made available under the License, as indicated by a
*   copyright notice that is included in or attached to the work
*   (an example is provided in the Appendix below).
*
*   "Derivative Works" shall mean any work, whether in Source or Object
*
    form, that is based on (or derived from) the Work and for which the
*   editorial revisions, annotations, elaborations, or other modifications
*   represent, as a whole, an original work of authorship. For the purposes
*   of this License, Derivative Works shall not include works that remain
*   separable from, or merely link (or bind by name) to the interfaces of,
*   the Work and Derivative Works thereof.
*
*   "Contribution" shall mean any work of authorship, including
*   the original version of the Work and any modifications or additions
*   to that Work or Derivative Works thereof, that is intentionally
*   submitted to Licensor for inclusion in the Work by the copyright owner
*   or by an individual or Legal Entity authorized to submit on behalf of
*   the copyright owner. For the purposes of this definition, "submitted"
*   means any form of electronic, verbal, or written communication sent
*   to the Licensor or its representatives,
 including but not limited to
*   communication on electronic mailing lists, source code control systems,
*   and issue tracking systems that are managed by, or on behalf of, the
*   Licensor for the purpose of discussing and improving the Work, but
*   excluding communication that is conspicuously marked or otherwise
*   designated in writing by the copyright owner as "Not a Contribution."
*
*   "Contributor" shall mean Licensor and any individual or Legal Entity
*   on behalf of whom a Contribution has been received by Licensor and
*   subsequently incorporated within the Work.
*
*   2. Grant of Copyright License. Subject to the terms and conditions of
*   this License, each Contributor hereby grants to You a perpetual,
*   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
*   copyright license to reproduce, prepare Derivative Works of,
*   publicly display, publicly perform, sublicense, and distribute the
*
     Work and such Derivative Works in Source or Object form.
*
*   3. Grant of Patent License. Subject to the terms and conditions of

```
*      this License, each Contributor hereby grants to You a perpetual,
*      worldwide, non-exclusive, no-charge, royalty-free, irrevocable
*      (except as stated in this section) patent license to make, have made,
*      use, offer to sell, sell, import, and otherwise transfer the Work,
*      where such license applies only to those patent claims licensable
*      by such Contributor that are necessarily infringed by their
*      Contribution(s) alone or by combination of their Contribution(s)
*      with the Work to which such Contribution(s) was submitted. If You
*      institute patent litigation against any entity (including a
*      cross-claim or counterclaim in a lawsuit) alleging that the Work
*      or a Contribution incorporated within the Work constitutes direct
*      or contributory patent infringement, then any patent licenses
*      granted to You under this License for that Work shall terminate
*      as of the date such litigation is filed.
*
*    4. Redistribution. You may reproduce and distribute copies of the
*      Work or Derivative Works thereof in any medium, with or without
*      modifications, and in Source or Object form, provided that You
*      meet the following conditions:
*
*      (a) You must give any other recipients of the Work or
*          Derivative Works a copy of this License; and
*
*      (b) You must cause any modified files to carry prominent notices
*          stating that You changed the files; and
*
*      (c) You must retain, in the Source form of any Derivative Works
*          that You distribute, all copyright, patent, trademark, and
*          attribution notices from the Source form of the Work,
*          excluding those notices that do not pertain to any part of
*          the Derivative Works; and
*
*      (d) If the Work includes a "NOTICE"
    text file as part of its
*          distribution, then any Derivative Works that You distribute must
*          include a readable copy of the attribution notices contained
*          within such NOTICE file, excluding those notices that do not
*          pertain to any part of the Derivative Works, in at least one
*          of the following places: within a NOTICE text file distributed
*          as part of the Derivative Works; within the Source form or
*          documentation, if provided along with the Derivative Works; or,
*          within a display generated by the Derivative Works, if and
*          wherever such third-party notices normally appear. The contents
*          of the NOTICE file are for informational purposes only and
*          do not modify the License. You may add Your own attribution
*          notices within Derivative Works that You distribute, alongside
*          or as an addendum to the NOTICE text from the Work, provided
*          that
```

such additional attribution notices cannot be construed
* as modifying the License.
*
* You may add Your own copyright statement to Your modifications and
* may provide additional or different license terms and conditions
* for use, reproduction, or distribution of Your modifications, or
* for any such Derivative Works as a whole, provided Your use,
* reproduction, and distribution of the Work otherwise complies with
* the conditions stated in this License.
*
* 5. Submission of Contributions. Unless You explicitly state otherwise,
* any Contribution intentionally submitted for inclusion in the Work
* by You to the Licensor shall be under the terms and conditions of
* this License, without any additional terms or conditions.
* Notwithstanding the above, nothing herein shall supersede or modify
* the terms of any separate license agreement you may have executed
* with Licensor regarding such Contributions.
*
* 6. Trademarks. This License does not grant permission to use the trade
* names, trademarks, service marks, or product names of the Licensor,
* except as required for reasonable and customary use in describing the
* origin of the Work and reproducing the content of the NOTICE file.
*
* 7. Disclaimer of Warranty. Unless required by applicable law or
* agreed to in writing, Licensor provides the Work (and each
* Contributor provides its Contributions) on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
* implied, including, without limitation, any warranties or conditions
* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
* PARTICULAR PURPOSE. You are solely responsible for determining the
* appropriateness of using or redistributing the Work and assume any
* risks associated with Your exercise of permissions under this License.
*
* 8. Limitation of Liability.
In no event and under no legal theory,
* whether in tort (including negligence), contract, or otherwise,
* unless required by applicable law (such as deliberate and grossly
* negligent acts) or agreed to in writing, shall any Contributor be
* liable to You for damages, including any direct, indirect, special,
* incidental, or consequential damages of any character arising as a
* result of this License or out of the use or inability to use the
* Work (including but not limited to damages for loss of goodwill,
* work stoppage, computer failure or malfunction, or any and all
* other commercial damages or losses), even if such Contributor
* has been advised of the possibility of such damages.
*
* 9. Accepting Warranty or Additional Liability. While redistributing
* the Work or Derivative Works thereof, You may choose to offer,

```
*      and charge a fee for, acceptance of support, warranty, indemnity,
*      or other
 liability obligations and/or rights consistent with this
*      License. However, in accepting such obligations, You may act only
*      on Your own behalf and on Your sole responsibility, not on behalf
*      of any other Contributor, and only if You agree to indemnify,
*      defend, and hold each Contributor harmless for any liability
*      incurred by, or claims asserted against, such Contributor by reason
*      of your accepting any such warranty or additional liability.
*
*   END OF TERMS AND CONDITIONS
*
*   APPENDIX: How to apply the Apache License to your work.
*
*      To apply the Apache License to your work, attach the following
*      boilerplate notice, with the fields enclosed by brackets "[]"
*      replaced with your own identifying information. (Don't include
*      the brackets!)  The text should be enclosed in the appropriate
*      comment syntax for the file format. We also recommend that a
*      file or class name and description of purpose
 be included on the
*      same "printed page" as the copyright notice for easier
*      identification within third-party archives.
*
*   Copyright [yyyy] [name of copyright owner]
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at
*
*       http://www.apache.org/licenses/LICENSE-2.0
*
*   Unless required by applicable law or agreed to in writing, software
*   distributed under the License is distributed on an "AS IS" BASIS,
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
*/

W3C SOFTWARE NOTICE AND LICENSE
http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other
related items) is being provided by the copyright holders under
 the following
license. By obtaining, using and/or copying this work, you (the licensee) agree
that you have read, understood, and will comply with the following terms and
conditions.
```

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

This license came from: http://www.megginson.com/SAX/copying.html
However please note future versions of SAX may be covered
under http://saxproject.org/?selected=pd

SAX2 is Free!

I hereby abandon any property rights
to SAX 2.0 (the Simple API for
XML), and release all of the SAX 2.0 source code, compiled code, and
documentation contained in this distribution into the Public Domain.
SAX comes with NO WARRANTY or guarantee of fitness for any
purpose.

David Megginson, david@megginson.com
2000-05-05

1.535 aws-lambda-java-core-library 1.1.0

1.535.1 Available under license :

No license file was found, but licenses were detected in source scan.

/* Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved. */

Found in path(s):
* /opt/cola/permits/1294625007_1649800816.84/0/aws-lambda-java-core-1-1-0-sources-jar/com/amazonaws/services/lambda/runtime/LambdaRuntimeInternal.java
* /opt/cola/permits/1294625007_1649800816.84/0/aws-lambda-java-core-1-1-0-sources-jar/com/amazonaws/services/lambda/runtime/LambdaLogger.java
* /opt/cola/permits/1294625007_1649800816.84/0/aws-lambda-java-core-1-1-0-sources-jar/com/amazonaws/services/lambda/runtime/Context.java
* /opt/cola/permits/1294625007_1649800816.84/0/aws-lambda-java-core-1-1-0-sources-jar/com/amazonaws/services/lambda/runtime/CognitoIdentity.java
* /opt/cola/permits/1294625007_1649800816.84/0/aws-lambda-java-core-1-1-0-sources-jar/com/amazonaws/services/lambda/runtime/ClientContext.java
* /opt/cola/permits/1294625007_1649800816.84/0/aws-lambda-java-core-1-1-0-sources-jar/com/amazonaws/services/lambda/runtime/RequestStreamHandler.java
*
/opt/cola/permits/1294625007_1649800816.84/0/aws-lambda-java-core-1-1-0-sources-jar/com/amazonaws/services/lambda/runtime/Client.java
* /opt/cola/permits/1294625007_1649800816.84/0/aws-lambda-java-core-1-1-0-sources-jar/com/amazonaws/services/lambda/runtime/LambdaRuntime.java

1.536 protoc 3.5.0

1.536.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 protoc-jar developers
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

package com.github.os72.protocjar;

import java.io.BufferedReader;
import java.io.File;
import java.io.FileInputStream;
import java.io.FileOutputStream;
import java.io.FileReader;
import java.io.IOException;
import java.io.InputStream;
import java.io.OutputStream;
import java.io.PrintWriter;
import
 java.util.ArrayList;
import java.util.Arrays;
import java.util.HashMap;
import java.util.List;
import java.util.Map;

public class Protoc
{
 public static void main(String[] args) {
  try {
   int exitCode = runProtoc(args);
   System.exit(exitCode);
  }
  catch (Exception e) {
   e.printStackTrace();
  }
 }
```

```
 public static int runProtoc(String[] args) throws IOException, InterruptedException {
  return runProtoc(args, System.out, System.err);
 }
 public static int runProtoc(String[] args, OutputStream out, OutputStream err) throws IOException,
InterruptedException {
  String protocVersion = ProtocVersion.PROTOC_VERSION;
  for (String arg : args) {
   String v = sVersionMap.get(arg);
   if (v != null) protocVersion = v;
  }

  log("protoc version: " + protocVersion + ", detected platform: " + getPlatform());
  File protocTemp = extractProtoc(protocVersion);
  if (protocTemp != null) {
   int exitCode = runProtoc(protocTemp.getAbsolutePath(), Arrays.asList(args),
out, err);
   protocTemp.delete();
   return exitCode;
  }
  else {
   if (false) throw new IOException("Unsupported platform: " + getPlatform()); // TODO: if proxy not wanted
   return runProtoc(null, Arrays.asList(args), out, err);
  }
 }

 public static int runProtoc(String cmd, String[] args) throws IOException, InterruptedException {
  return runProtoc(cmd, Arrays.asList(args));
 }

 public static int runProtoc(String cmd, List<String> argList) throws IOException, InterruptedException {
  return runProtoc(cmd, argList, System.out, System.err);
 }
 public static int runProtoc(String cmd, List<String> argList, OutputStream out, OutputStream err) throws
IOException, InterruptedException {
  String protocVersion = ProtocVersion.PROTOC_VERSION;
  String javaShadedOutDir = null;

  List<String> protocCmd = new ArrayList<String>();
  if (cmd != null) protocCmd.add(cmd);
  for (String arg : argList) {
   if (arg.startsWith("--java_shaded_out=")) {
    javaShadedOutDir
 = arg.split("--java_shaded_out=")[1];
    protocCmd.add("--java_out=" + javaShadedOutDir);
   }
   else {
    String v = sVersionMap.get(arg);
```

```
  if (v != null) protocVersion = v;
  if (v == null || cmd == null) protocCmd.add(arg);
  }
 }

 int exitCode;
 if (cmd != null) {
  log("executing: " + protocCmd);
  ProcessBuilder pb = new ProcessBuilder(protocCmd);
  Process protoc = pb.start();
  new Thread(new StreamCopier(protoc.getInputStream(), out)).start();
  new Thread(new StreamCopier(protoc.getErrorStream(), err)).start();
  exitCode = protoc.waitFor();
 }
 else {
  exitCode = ProtocProxy.runRemote(protocCmd, out, err);
 }

 if (javaShadedOutDir != null) {
  log("shading (version " + protocVersion + "): " + javaShadedOutDir);
  doShading(new File(javaShadedOutDir), protocVersion);
 }

 return exitCode;
}

public static void doShading(File dir, String version) throws IOException {
 if (dir.listFiles()
== null) return;
 for (File file : dir.listFiles()) {
  if (file.isDirectory()) {
   doShading(file, version);
  }
  else if (file.getName().endsWith(".java")) {
   //log(file.getPath());
   File tmpFile = null;
   PrintWriter pw = null;
   BufferedReader br = null;
   try {
    tmpFile = File.createTempFile(file.getName(), null);
    pw = new PrintWriter(tmpFile);
    br = new BufferedReader(new FileReader(file));
    String line;
    while ((line = br.readLine()) != null) {
     pw.println(line.replace("com.google.protobuf", "com.github.os72.protobuf" + version));
    }
    pw.close();
    br.close();
```

```
    file.delete();
    tmpFile.renameTo(file);
   }
   finally {
    if (br != null) { try {br.close();} catch (Exception e) {} }
    if (pw != null) { try {pw.close();} catch (Exception e) {} }
   }
  }
 }
}

static File extractProtoc(String protocVersion) throws IOException {
 if (true) return null;

 String protocFilePath
= "bin_" + protocVersion;
 String resourcePath = null; // for jar
 String filePath = null; // for test

 String osName = System.getProperty("os.name").toLowerCase();
 String osArch = System.getProperty("os.arch").toLowerCase();
 if (osName.startsWith("win")) {
  filePath = protocFilePath + "/win32/protoc.exe";
 }
 else if (osName.startsWith("linux") && osArch.contains("64")) {
  filePath = protocFilePath + "/linux/protoc";
 }
 else if (osName.startsWith("mac") && osArch.contains("64")) {
  filePath = protocFilePath + "/mac/protoc";
 }
 else {
  //throw new IOException("Unsupported platform: " + getPlatform());
  return null;
 }
 resourcePath = "/" + filePath;

 FileOutputStream os = null;
 InputStream is = Protoc.class.getResourceAsStream(resourcePath);
 if (is == null) is = new FileInputStream(filePath);

 File temp = null;
 try {
  temp = File.createTempFile("protoc", ".exe");
  os = new FileOutputStream(temp);
  streamCopy(is,
os);
 }
 finally {
```

```
 if (is != null) is.close();
 if (os != null) os.close();
 }
 temp.setExecutable(true);
 temp.deleteOnExit();
 return temp;
}

static void streamCopy(InputStream in, OutputStream out) throws IOException {
 int read = 0;
 byte[] buf = new byte[4096];
 while ((read = in.read(buf)) > 0) out.write(buf, 0, read);
}

static String getPlatform() {
 return System.getProperty("os.name").toLowerCase() + "/" + System.getProperty("os.arch").toLowerCase();
}

static void log(Object msg) {
 System.out.println("protoc-jar: " + msg);
}

static class StreamCopier implements Runnable
{
 public StreamCopier(InputStream in, OutputStream out) {
  mIn = in;
  mOut = out;
 }

 public void run() {
  try {
   streamCopy(mIn, mOut);
  }
  catch (IOException e) {
   e.printStackTrace();
  }
 }

 private InputStream mIn;
 private OutputStream mOut;
}

static Map<String,String> sVersionMap = new
HashMap<String,String>();
static {
 sVersionMap.put("-v3.0.0", "300");
 sVersionMap.put("-v2.6.1", "261");
 sVersionMap.put("-v2.5.0", "250");
```

```
  sVersionMap.put("-v2.4.1", "241");
  sVersionMap.put("-v300", "300");
  sVersionMap.put("-v261", "261");
  sVersionMap.put("-v250", "250");
  sVersionMap.put("-v241", "241");
 }
}
```

Found in path(s):
* /opt/cola/permits/1294625013_1648234404.94/0/protoc-jar-3-5-0-sources-jar/com/github/os72/protocjar/Protoc.java.proxy
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 protoc-jar developers
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

package com.github.os72.protocjar;

import java.io.BufferedReader;
import java.io.File;
import java.io.FileInputStream;
import java.io.FileOutputStream;
import java.io.FileReader;
import java.io.IOException;
import java.io.InputStream;
import java.io.InputStreamReader;
import java.io.OutputStream;
import
 java.io.PrintWriter;
import java.util.ArrayList;
import java.util.Arrays;
import java.util.HashMap;
import java.util.List;
import java.util.Map;
```

```
public class Protoc
{
 public static void main(String[] args) {
  try {
   int exitCode = runProtoc(args);
   System.exit(exitCode);
  }
  catch (Exception e) {
   e.printStackTrace();
  }
 }

 public static int runProtoc(String[] args) throws IOException, InterruptedException {
  String protocVersion = ProtocVersion.PROTOC_VERSION;
  for (String arg : args) {
   String v = sVersionMap.get(arg);
   if (v != null) protocVersion = v;
  }

  log("protoc version: " + protocVersion + ", detected platform: " + getPlatform());
  File protocTemp = extractProtoc(protocVersion);
  int exitCode = runProtoc(protocTemp.getAbsolutePath(), Arrays.asList(args));
  protocTemp.delete();
  return exitCode;
 }

 public static int runProtoc(String cmd, String[] args) throws IOException, InterruptedException {
  return
 runProtoc(cmd, Arrays.asList(args));
 }

 public static int runProtoc(String cmd, List<String> argList) throws IOException, InterruptedException {
  String protocVersion = ProtocVersion.PROTOC_VERSION;
  String javaShadedOutDir = null;

  List<String> protocCmd = new ArrayList<String>();
  protocCmd.add(cmd);
  for (String arg : argList) {
   if (arg.startsWith("--java_shaded_out=")) {
    javaShadedOutDir = arg.split("--java_shaded_out=")[1];
    protocCmd.add("--java_out=" + javaShadedOutDir);
   }
   else {
    String v = sVersionMap.get(arg);
    if (v != null) protocVersion = v; else protocCmd.add(arg);
   }
  }
```

```
 extractStdProtos(protocVersion);

 ProcessBuilder pb = new ProcessBuilder(protocCmd);
 log("executing: " + protocCmd);

 Process protoc = pb.start();
 new Thread(new StreamCopier(protoc.getInputStream(), System.out)).start();
 new Thread(new StreamCopier(protoc.getErrorStream(), System.err)).start();
 int exitCode = protoc.waitFor();

 if
(javaShadedOutDir != null) {
  log("shading (version " + protocVersion + "): " + javaShadedOutDir);
  doShading(new File(javaShadedOutDir), protocVersion);
 }

 return exitCode;
}

public static void doShading(File dir, String version) throws IOException {
 if (dir.listFiles() == null) return;
 for (File file : dir.listFiles()) {
  if (file.isDirectory()) {
   doShading(file, version);
  }
  else if (file.getName().endsWith(".java")) {
   //log(file.getPath());
   File tmpFile = null;
   PrintWriter pw = null;
   BufferedReader br = null;
   try {
    tmpFile = File.createTempFile(file.getName(), null);
    pw = new PrintWriter(tmpFile);
    br = new BufferedReader(new FileReader(file));
    String line;
    while ((line = br.readLine()) != null) {
     pw.println(line.replace("com.google.protobuf", "com.github.os72.protobuf" + version));
    }
    pw.close();
    br.close();
    file.delete();
    tmpFile.renameTo(file);
   }
   finally
{
    if (br != null) { try {br.close();} catch (Exception e) {} }
    if (pw != null) { try {pw.close();} catch (Exception e) {} }
   }
```

```
  }
 }
}

static File extractProtoc(String protocVersion) throws IOException {
 String protocFilePath = "bin_" + protocVersion;
 String resourcePath = null; // for jar
 String filePath = null; // for test

 String osName = System.getProperty("os.name").toLowerCase();
 String osArch = System.getProperty("os.arch").toLowerCase();
 if (osName.startsWith("win")) {
  filePath = protocFilePath + "/win32/protoc.exe";
 }
 else if (osName.startsWith("linux") && osArch.contains("64")) {
  filePath = protocFilePath + "/linux/protoc";
 }
 else if (osName.startsWith("mac") && osArch.contains("64")) {
  filePath = protocFilePath + "/mac/protoc";
 }
 else {
  throw new IOException("Unsupported platform: " + getPlatform());
 }
 resourcePath = "/" + filePath;

 FileOutputStream
os = null;
 InputStream is = Protoc.class.getResourceAsStream(resourcePath);
 if (is == null) is = new FileInputStream(filePath);

 File temp = null;
 try {
  temp = File.createTempFile("protoc", ".exe");
  os = new FileOutputStream(temp);
  streamCopy(is, os);
 }
 finally {
  if (is != null) is.close();
  if (os != null) os.close();
 }
 temp.setExecutable(true);
 temp.deleteOnExit();
 return temp;
}

static File extractStdProtos(String protocVersion) throws IOException {
 InputStream is = Protoc.class.getResourceAsStream("/include/google/protobuf/any.proto");
 log("is: " + is);
```

```
 if (is == null) is = new FileInputStream("include/google/protobuf/any.proto");
 BufferedReader br = new BufferedReader(new InputStreamReader(is));
 String line;
 while ((line = br.readLine()) != null) {
  log("file: " + line);
 }
 br.close();
 return null;
}

static void streamCopy(InputStream in, OutputStream out) throws IOException {
 int read
= 0;
 byte[] buf = new byte[4096];
 while ((read = in.read(buf)) > 0) out.write(buf, 0, read);
}

static String getPlatform() {
 return System.getProperty("os.name").toLowerCase() + "/" + System.getProperty("os.arch").toLowerCase();
}

static void log(String msg) {
 System.out.println("protoc-jar: " + msg);
}

static class StreamCopier implements Runnable
{
 public StreamCopier(InputStream in, OutputStream out) {
  mIn = in;
  mOut = out;
 }

 public void run() {
  try {
   streamCopy(mIn, mOut);
  }
  catch (IOException e) {
   e.printStackTrace();
  }
 }

 private InputStream mIn;
 private OutputStream mOut;
}

static Map<String,String> sVersionMap = new HashMap<String,String>();
static {
 sVersionMap.put("-v3.0.0", "300");
```

```
  sVersionMap.put("-v2.6.1", "261");
  sVersionMap.put("-v2.5.0", "250");
  sVersionMap.put("-v2.4.1", "241");
  sVersionMap.put("-v300", "300");
  sVersionMap.put("-v261", "261");
  sVersionMap.put("-v250",
 "250");
  sVersionMap.put("-v241", "241");
 }
}
```

Found in path(s):
* /opt/cola/permits/1294625013_1648234404.94/0/protoc-jar-3-5-0-sources-jar/com/github/os72/protocjar/Protoc.java.stdprotos
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 protoc-jar developers
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
package com.github.os72.protocjar;

import java.io.BufferedReader;
import java.io.File;
import java.io.FileInputStream;
import java.io.FileOutputStream;
import java.io.FileReader;
import java.io.IOException;
import java.io.InputStream;
import java.io.OutputStream;
import java.io.PrintWriter;
import
 java.net.URL;
import java.util.ArrayList;
import java.util.Arrays;
import java.util.List;
import java.util.Properties;
```

```
public class Protoc
{
 public static void main(String[] args) {
  try {
   int exitCode = runProtoc(args);
   System.exit(exitCode);
  }
  catch (Exception e) {
   e.printStackTrace();
  }
 }

 public static int runProtoc(String[] args) throws IOException, InterruptedException {
  ProtocVersion protocVersion = ProtocVersion.PROTOC_VERSION;
  boolean includeStdTypes = false;
  for (String arg : args) {
   ProtocVersion v = getVersion(arg);
   if (v != null) protocVersion = v;
   if (arg.equals("--include_std_types")) includeStdTypes = true;
  }

  File protocTemp = extractProtoc(protocVersion, includeStdTypes);
  int exitCode = runProtoc(protocTemp.getAbsolutePath(), Arrays.asList(args));
  protocTemp.delete();
  return exitCode;
 }

 public static int runProtoc(String cmd, String[] args) throws IOException, InterruptedException {
  return
 runProtoc(cmd, Arrays.asList(args));
  }

  public static int runProtoc(String cmd, List<String> argList) throws IOException, InterruptedException {
   ProtocVersion protocVersion = ProtocVersion.PROTOC_VERSION;
   String javaShadedOutDir = null;

   List<String> protocCmd = new ArrayList<String>();
   protocCmd.add(cmd);
   for (String arg : argList) {
    if (arg.startsWith("--java_shaded_out=")) {
     javaShadedOutDir = arg.split("--java_shaded_out=")[1];
     protocCmd.add("--java_out=" + javaShadedOutDir);
    }
    else if (arg.equals("--include_std_types")) {
     File stdTypeDir = new File(new File(cmd).getParentFile().getParentFile(), "include");
     protocCmd.add("-I" + stdTypeDir.getAbsolutePath());
    }
```

```
  else {
   ProtocVersion v = getVersion(arg);
   if (v != null) protocVersion = v; else protocCmd.add(arg);
  }
 }

 Process protoc = null;
 int numTries = 1;
 while (protoc == null) {
  try {
   log("executing: " + protocCmd);
   ProcessBuilder
pb = new ProcessBuilder(protocCmd);
   protoc = pb.start();
  }
  catch (IOException ioe) {
   if (numTries++ >= 3) throw ioe;
   log("caught exception, retrying: " + ioe);
   Thread.sleep(1000);
  }
 }

 new Thread(new StreamCopier(protoc.getInputStream(), System.out)).start();
 new Thread(new StreamCopier(protoc.getErrorStream(), System.err)).start();
 int exitCode = protoc.waitFor();

 if (javaShadedOutDir != null) {
  log("shading (version " + protocVersion + "): " + javaShadedOutDir);
  doShading(new File(javaShadedOutDir), protocVersion.mVersion);
 }

 return exitCode;
}

public static void doShading(File dir, String version) throws IOException {
 if (dir.listFiles() == null) return;
 for (File file : dir.listFiles()) {
  if (file.isDirectory()) {
   doShading(file, version);
  }
  else if (file.getName().endsWith(".java")) {
   //log(file.getPath());
   File tmpFile = null;
   PrintWriter pw = null;
   BufferedReader
br = null;
   try {
    tmpFile = File.createTempFile(file.getName(), null);
```

```
    pw = new PrintWriter(tmpFile);
    br = new BufferedReader(new FileReader(file));
    String line;
    while ((line = br.readLine()) != null) {
     pw.println(line.replace("com.google.protobuf", "com.github.os72.protobuf" + version));
    }
    pw.close();
    br.close();
    file.delete();
    tmpFile.renameTo(file);
   }
   finally {
    if (br != null) { try {br.close();} catch (Exception e) {} }
    if (pw != null) { try {pw.close();} catch (Exception e) {} }
   }
  }
 }
}

public static File extractProtoc(ProtocVersion protocVersion) throws IOException {
 log("protoc version: " + protocVersion + ", detected platform: " + getPlatform());

 String srcFilePath = null;
 if (protocVersion.mArtifact == null) { // extract embedded protoc
  String binVersionDir = "bin_" + protocVersion;
  String osName = System.getProperty("os.name").toLowerCase();
  String
osArch = System.getProperty("os.arch").toLowerCase();
  if (osName.startsWith("win")) {
   srcFilePath = binVersionDir + "/win32/protoc.exe";
  }
  else if (osName.startsWith("linux") && osArch.contains("64")) {
   srcFilePath = binVersionDir + "/linux/protoc";
  }
  else if (osName.startsWith("mac") && osArch.contains("64")) {
   srcFilePath = binVersionDir + "/mac/protoc";
  }
  else {
   throw new IOException("Unsupported platform: " + getPlatform());
  }
 }
 else { // download protoc from maven central
  srcFilePath = downloadProtoc(protocVersion).getAbsolutePath();
 }

 File tmpDir = File.createTempFile("protocjar", "");
 tmpDir.delete(); tmpDir.mkdirs();
 tmpDir.deleteOnExit();
```

```
 File binDir = new File(tmpDir, "bin");
 binDir.mkdirs();
 binDir.deleteOnExit();

 File protocTemp = new File(binDir, "protoc.exe");
 populateFile(srcFilePath, protocTemp);
 protocTemp.setExecutable(true);
 protocTemp.deleteOnExit();
 return
protocTemp;
}

public static File extractProtoc(ProtocVersion protocVersion, boolean includeStdTypes) throws IOException {
 File protocTemp = extractProtoc(protocVersion);
 if (!includeStdTypes) return protocTemp;

 File tmpDir = protocTemp.getParentFile().getParentFile();
 File tmpDirProtos = new File(tmpDir, "include/google/protobuf");
 tmpDirProtos.mkdirs();
 tmpDirProtos.getParentFile().getParentFile().deleteOnExit();
 tmpDirProtos.getParentFile().deleteOnExit();
 tmpDirProtos.deleteOnExit();

 for (String srcFilePath : sStdTypes) {
  File tmpFile = new File(tmpDir, srcFilePath);
  populateFile(srcFilePath, tmpFile);
  tmpFile.deleteOnExit();
 }

 return protocTemp;
}

public static File downloadProtoc(ProtocVersion protocVersion) throws IOException {
 Properties detectorProps = new Properties();
 new PlatformDetector().detect(detectorProps, null);
 String platform = detectorProps.getProperty("os.detected.classifier");

 String
exeName = protocVersion.mGroup.replace(".", "/") + "/" +
   protocVersion.mArtifact + "/" + protocVersion.mVersion + "/" +
   protocVersion.mArtifact + "-" + protocVersion.mVersion + "-" + platform + ".exe";

 File tmpFile = File.createTempFile("protocjar", ".exe");
 File exeFile = new File(tmpFile.getParentFile(), "protocjar.webcache/" + exeName);
 exeFile.getParentFile().mkdirs();
 if (!exeFile.exists()) {
  URL exeUrl = new URL("http://central.maven.org/maven2/" + exeName);
  log("downloading: " + exeUrl);
```

```
 InputStream is = null;
 FileOutputStream os = null;
 try {
  is = exeUrl.openStream();
  os = new FileOutputStream(tmpFile);
  streamCopy(is, os);
  is.close();
  os.close();
  tmpFile.renameTo(exeFile);
 }
 catch (IOException e) {
  tmpFile.delete();
  throw e;
 }
 finally {
  if (is != null) is.close();
  if (os != null) os.close();
 }
}

 log("cached:
" + exeFile);
 return exeFile;
}

public static File populateFile(String srcFilePath, File destFile) throws IOException {
 String resourcePath = "/" + srcFilePath; // resourcePath for jar, srcFilePath for test

 FileOutputStream os = null;
 InputStream is = Protoc.class.getResourceAsStream(resourcePath);
 if (is == null) is = new FileInputStream(srcFilePath);

 try {
  os = new FileOutputStream(destFile);
  streamCopy(is, os);
 }
 finally {
  if (is != null) is.close();
  if (os != null) os.close();
 }

 return destFile;
}

public static void streamCopy(InputStream in, OutputStream out) throws IOException {
 int read = 0;
 byte[] buf = new byte[4096];
```

```
 while ((read = in.read(buf)) > 0) out.write(buf, 0, read);
}

static ProtocVersion getVersion(String spec) {
 return ProtocVersion.getVersion(spec);
}

static String getPlatform() {
 return System.getProperty("os.name").toLowerCase() + "/" + System.getProperty("os.arch").toLowerCase();
}

static
void log(String msg) {
 System.out.println("protoc-jar: " + msg);
}

static class StreamCopier implements Runnable
{
 public StreamCopier(InputStream in, OutputStream out) {
  mIn = in;
  mOut = out;
 }

 public void run() {
  try {
   streamCopy(mIn, mOut);
  }
  catch (IOException e) {
   e.printStackTrace();
  }
 }

 private InputStream mIn;
 private OutputStream mOut;
}

static String[] sStdTypes = {
 "include/google/protobuf/any.proto",
 "include/google/protobuf/api.proto",
 "include/google/protobuf/descriptor.proto",
 "include/google/protobuf/duration.proto",
 "include/google/protobuf/empty.proto",
 "include/google/protobuf/field_mask.proto",
 "include/google/protobuf/source_context.proto",
 "include/google/protobuf/struct.proto",
 "include/google/protobuf/timestamp.proto",
 "include/google/protobuf/type.proto",
 "include/google/protobuf/wrappers.proto",
```

};
}

Found in path(s):
*
/opt/cola/permits/1294625013_1648234404.94/0/protoc-jar-3-5-0-sources-jar/com/github/os72/protocjar/Protoc - Copy.javax
No license file was found, but licenses were detected in source scan.

// Copyright 2008 Google Inc. All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
//   * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
//   * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
//   * Neither the name of Google Inc. nor the names of its
// this software without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1294625013_1648234404.94/0/protoc-jar-3-5-0-sources-jar/proto3/include/google/protobuf/field_mask.proto
* /opt/cola/permits/1294625013_1648234404.94/0/protoc-jar-3-5-0-sources-jar/proto3/include/google/protobuf/type.proto
* /opt/cola/permits/1294625013_1648234404.94/0/protoc-jar-3-5-0-sources-jar/proto3/include/google/protobuf/compiler/plugin.proto
*
/opt/cola/permits/1294625013_1648234404.94/0/protoc-jar-3-5-0-sources-jar/proto3/include/google/protobuf/duration.proto
* /opt/cola/permits/1294625013_1648234404.94/0/protoc-jar-3-5-0-sources-jar/proto3/include/google/protobuf/timestamp.proto
* /opt/cola/permits/1294625013_1648234404.94/0/protoc-jar-3-5-0-sources-jar/proto2/include/google/protobuf/descriptor.proto
* /opt/cola/permits/1294625013_1648234404.94/0/protoc-jar-3-5-0-sources-jar/proto3/include/google/protobuf/source_context.proto
* /opt/cola/permits/1294625013_1648234404.94/0/protoc-jar-3-5-0-sources-jar/proto3/include/google/protobuf/any.proto
* /opt/cola/permits/1294625013_1648234404.94/0/protoc-jar-3-5-0-sources-jar/proto3/include/google/protobuf/api.proto
* /opt/cola/permits/1294625013_1648234404.94/0/protoc-jar-3-5-0-sources-jar/proto3/include/google/protobuf/wrappers.proto
* /opt/cola/permits/1294625013_1648234404.94/0/protoc-jar-3-5-0-sources-jar/proto3/include/google/protobuf/descriptor.proto
*
/opt/cola/permits/1294625013_1648234404.94/0/protoc-jar-3-5-0-sources-jar/proto3/include/google/protobuf/struct.proto
* /opt/cola/permits/1294625013_1648234404.94/0/protoc-jar-3-5-0-sources-

jar/proto3/include/google/protobuf/empty.proto
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 protoc-jar developers
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1294625013_1648234404.94/0/protoc-jar-3-5-0-sources-jar/com/github/os72/protocjar/Protoc.java
* /opt/cola/permits/1294625013_1648234404.94/0/protoc-jar-3-5-0-sources-jar/com/github/os72/protocjar/ProtocVersion.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 protoc-jar developers
*
* Incorporates code derived from https://github.com/trustin/os-maven-plugin
* Copyright 2014 Trustin Heuiseung Lee.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1294625013_1648234404.94/0/protoc-jar-3-5-0-sources-jar/com/github/os72/protocjar/PlatformDetector.java

1.537 jackson-databind 2.8.1

1.537.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers, as well as supported
commercially by FasterXML.com.

Licensing

Jackson core and extension components may be licensed under different licenses.
To find the details that apply to this artifact see the accompanying LICENSE file.
For more information, including possible other licensing options, contact
FasterXML.com (http://fasterxml.com).

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.538 aws-java-sdk 1.11.762

1.538.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015-2020 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance with
* the License. A copy of the License is located at
*
* http://aws.amazon.com/apache2.0

*
* or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR
* CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions
* and limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/ImageScanFindings.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/InvalidParameterExceptionUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/PutImageScanningConfigurationRequestMarshaller.java
*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/GetRepositoryPolicyResultJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/InitiateLayerUploadRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/GetAuthorizationTokenRequestMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/CreateRepositoryResultJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/StartLifecyclePolicyPreviewRequestMarshaller.java
*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/ServerException.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/DescribeRepositoriesResultJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/DescribeImageScanFindingsRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/DescribeImagesResultJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/LayerPartTooSmallException.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/PutLifecyclePolicyRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/StartImageScanRequestProtocolMarshaller.java
*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/AmazonECRClientBuilder.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/CompleteLayerUploadRequestMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/LifecyclePolicyPreviewSummaryJsonUnmarshaller.java

* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/LayerAlreadyExistsException.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/LayerFailureCode.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/AmazonECRAsyncClient.java
*
/opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/CompleteLayerUploadRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/GetLifecyclePolicyPreviewRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/ImageTagAlreadyExistsExceptionUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/LifecyclePolicyPreviewInProgressException.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/RepositoryNotFoundExceptionUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/AmazonECRAsyncClientBuilder.java
*
/opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/DescribeImagesRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/TagResourceRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/LifecyclePolicyPreviewSummaryMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/DeleteLifecyclePolicyResultJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/GetRepositoryPolicyRequestMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/AmazonECRClient.java
*
/opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/waiters/GetLifecyclePolicyPreviewFunction.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/LayerAlreadyExistsExceptionUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/PutImageResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/DeleteRepositoryResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/TagResourceRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/InitiateLayerUploadResultJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/ImageMarshaller.java
*

/opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/CompleteLayerUploadResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/DescribeImagesResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/BatchGetImageResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/ImageScanStatus.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/ImageNotFoundExceptionUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/StartImageScanRequestMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/Image.java
*
/opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/EmptyUploadException.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/DeleteLifecyclePolicyResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/ImageIdentifierJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/AmazonECRException.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/LifecyclePolicyPreviewResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/InvalidLayerPartException.java
*
/opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/BatchDeleteImageResultJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/DescribeImagesFilterJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/SetRepositoryPolicyRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/ListTagsForResourceRequestMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/LifecyclePolicyPreviewNotFoundException.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/TagJsonUnmarshaller.java
*
/opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/ImageDetailMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/LifecyclePolicyRuleAction.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/DeleteLifecyclePolicyRequestMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-

jar/com/amazonaws/services/ecr/model/transform/BatchCheckLayerAvailabilityRequestMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/RepositoryPolicyNotFoundException.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/ImageDetailJsonUnmarshaller.java
*
/opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/TagMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/PutImageRequestMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/StartImageScanResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/TagResourceRequestMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/DescribeImagesRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/SetRepositoryPolicyRequestMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/InitiateLayerUploadRequestMarshaller.java
*
/opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/DescribeRepositoriesRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/DescribeRepositoriesRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/BatchDeleteImageRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/ImageScanningConfiguration.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/LimitExceededException.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/SetRepositoryPolicyResultJsonUnmarshaller.java
*
/opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/ListImagesResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/SetRepositoryPolicyResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/GetAuthorizationTokenResultJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/UploadNotFoundException.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/ImageScanStatusMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/InvalidLayerException.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/InvalidTagParameterException.java

*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/GetRepositoryPolicyResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/package-info.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/AuthorizationData.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/ImageFailureCode.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/GetAuthorizationTokenResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/LifecyclePolicyPreviewResultJsonUnmarshaller.java
*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/DeleteLifecyclePolicyRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/DeleteRepositoryResultJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/StartLifecyclePolicyPreviewRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/InvalidTagParameterExceptionUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/InitiateLayerUploadResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/BatchDeleteImageRequestProtocolMarshaller.java
*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/LayerAvailability.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/LifecyclePolicyRuleActionJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/ScanNotFoundExceptionUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/DeleteRepositoryRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/ListImagesRequestMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/RepositoryNotFoundException.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/AuthorizationDataMarshaller.java
*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/UploadLayerPartRequestMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/LayersNotFoundExceptionUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/PutImageScanningConfigurationResultJsonUnmarshaller.java

* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/ListImagesFilterJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/ImageScanFindingJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/LayerPartTooSmallExceptionUnmarshaller.java
*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/TagResourceResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/InitiateLayerUploadRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/PutImageScanningConfigurationRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/ImageNotFoundException.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/DeleteRepositoryPolicyRequestMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/GetDownloadUrlForLayerResultJsonUnmarshaller.java
*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/Layer.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/InvalidParameterException.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/DescribeRepositoriesResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/ListImagesFilter.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/LifecyclePolicyPreviewResultMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/RepositoryMarshaller.java
*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/UploadLayerPartResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/ImageJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/ImageFailureMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/TagResourceResultJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/CompleteLayerUploadResultJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/CreateRepositoryRequestMarshaller.java
*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/GetLifecyclePolicyPreviewResult.java

* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/UploadLayerPartRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/PutImageTagMutabilityRequestMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/DescribeImageScanFindingsResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/PutImageTagMutabilityRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/PutImageTagMutabilityResultJsonUnmarshaller.java
*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/ImageScanningConfigurationJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/PutImageTagMutabilityRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/ImageFailure.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/PutLifecyclePolicyResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/GetLifecyclePolicyPreviewResultJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/GetLifecyclePolicyRequestMarshaller.java
*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/LimitExceededExceptionUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/InvalidLayerPartExceptionUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/ImageScanningConfigurationMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/AuthorizationDataJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/AttributeJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/DescribeImagesFilter.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/DescribeImageScanFindingsResultJsonUnmarshaller.java
*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/LayerJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/PutLifecyclePolicyRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/DeleteLifecyclePolicyRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/DeleteRepositoryPolicyRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-

jar/com/amazonaws/services/ecr/model/transform/BatchDeleteImageRequestMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/SetRepositoryPolicyRequest.java
*
/opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/GetLifecyclePolicyRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/GetLifecyclePolicyResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/PutImageResultJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/ImageScanFindingsJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/ServerExceptionUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/waiters/LifecyclePolicyPreviewComplete.java
*
/opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/ImageScanFindingsSummary.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/waiters/AmazonECRWaiters.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/GetRepositoryPolicyRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/DescribeImagesRequestMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/ImageScanStatusJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/ImageScanFindingsSummaryJsonUnmarshaller.java
*
/opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/UntagResourceResultJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/ImageScanFindingsMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/ImageActionType.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/RepositoryAlreadyExistsException.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/StartLifecyclePolicyPreviewResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/BatchGetImageRequestMarshaller.java
*
/opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/CreateRepositoryRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/TooManyTagsExceptionUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-

jar/com/amazonaws/services/ecr/model/ImageScanFinding.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/RepositoryNotEmptyException.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/StartImageScanResultJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/PutImageScanningConfigurationResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/LifecyclePolicyPreviewInProgressExceptionUnmarshaller.java
*
/opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/UntagResourceResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/DescribeImageScanFindingsRequestMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/BatchCheckLayerAvailabilityRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/GetLifecyclePolicyRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/AmazonECRAsync.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/ListTagsForResourceResult.java
*
/opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/RepositoryJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/DeleteRepositoryPolicyResultJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/CreateRepositoryRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/LayersNotFoundException.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/ImageScanFindingsSummaryMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/DescribeImageScanFindingsRequestProtocolMarshaller.java
*
/opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/ScanStatus.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/GetAuthorizationTokenRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/DeleteRepositoryPolicyResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/ImageTagAlreadyExistsException.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/BatchGetImageRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/LifecyclePolicyPreviewFilterJsonUnmarshaller.java

*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/UploadNotFoundExceptionUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/LayerInaccessibleExceptionUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/LayerMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/ListImagesFilterMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/Attribute.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/PutImageTagMutabilityResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/DescribeImagesFilterMarshaller.java
*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/PutLifecyclePolicyResultJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/ImageAlreadyExistsExceptionUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/LifecyclePolicyRuleActionMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/ImageDetail.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/UntagResourceRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/Tag.java
*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/FindingSeverity.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/BatchCheckLayerAvailabilityResultJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/GetDownloadUrlForLayerRequestMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/AttributeMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/AbstractAmazonECR.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/PutImageScanningConfigurationRequest.java
*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/UploadLayerPartResultJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/DescribeRepositoriesRequestMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/ListTagsForResourceRequest.java

* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/LifecyclePolicyNotFoundException.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/UntagResourceRequestMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/TooManyTagsException.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/StartLifecyclePolicyPreviewResultJsonUnmarshaller.java
*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/ListImagesResultJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/ImageScanFindingMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/RepositoryAlreadyExistsExceptionUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/ImageIdentifier.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/BatchGetImageRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/LifecyclePolicyPreviewSummary.java
*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/waiters/ImageScanComplete.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/TagStatus.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/UploadLayerPartRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/InvalidLayerExceptionUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/LayerInaccessibleException.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/RepositoryPolicyNotFoundExceptionUnmarshaller.java
*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/LayerFailureMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/GetLifecyclePolicyResultJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/ImageAlreadyExistsException.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/ListImagesRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/AmazonECR.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/BatchGetImageResultJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-

jar/com/amazonaws/services/ecr/model/GetDownloadUrlForLayerResult.java
*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/ListTagsForResourceResultJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/ImageFailureJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/EmptyUploadExceptionUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/CreateRepositoryResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/Repository.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/GetLifecyclePolicyPreviewRequestMarshaller.java
*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/PutImageRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/LifecyclePolicyPreviewStatus.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/waiters/DescribeImageScanFindingsFunction.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/LayerFailure.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/ScanNotFoundException.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/ImageTagMutability.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/ImageIdentifierMarshaller.java
*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/ListTagsForResourceRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/StartImageScanRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/DeleteRepositoryRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/DeleteRepositoryRequestMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/LifecyclePolicyPreviewFilter.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/BatchCheckLayerAvailabilityRequest.java
*
 /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/BatchCheckLayerAvailabilityResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-
jar/com/amazonaws/services/ecr/model/transform/PutImageRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-

jar/com/amazonaws/services/ecr/model/ListImagesRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/UntagResourceRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/GetDownloadUrlForLayerRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/LifecyclePolicyPreviewFilterMarshaller.java
*
/opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/AbstractAmazonECRAsync.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/GetRepositoryPolicyRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/GetDownloadUrlForLayerRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/GetLifecyclePolicyPreviewRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/CompleteLayerUploadRequestProtocolMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/DeleteRepositoryPolicyRequest.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/GetAuthorizationTokenRequestProtocolMarshaller.java
*
/opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/PutLifecyclePolicyRequestMarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/LifecyclePolicyPreviewNotFoundExceptionUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/RepositoryNotEmptyExceptionUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/LayerFailureJsonUnmarshaller.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/LifecyclePolicyNotFoundExceptionUnmarshaller.java
*
/opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/BatchDeleteImageResult.java
* /opt/cola/permits/1294624990_1649800828.64/0/aws-java-sdk-ecr-1-11-762-sources-jar/com/amazonaws/services/ecr/model/transform/StartLifecyclePolicyPreviewRequestProtocolMarshaller.java

1.539 jackson-jaxrs 2.9.8

1.539.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers, as well as supported
commercially by FasterXML.com.

Licensing

Jackson core and extension components may be licensed under different licenses.
To find the details that apply to this artifact see the accompanying LICENSE file.
For more information, including possible other licensing options, contact
FasterXML.com (http://fasterxml.com).

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.540 asm 6.1

1.540.1 Available under license :

No license file was found, but licenses were detected in source scan.

// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
//   notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
//   notice, this list of conditions and the following disclaimer in the
//   documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
//   this software without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/Opcodes.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/ClassWriter.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/CurrentFrame.java
*

/opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/ByteVector.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/FieldVisitor.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/ModuleVisitor.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/MethodVisitor.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/Type.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/signature/SignatureWriter.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/Handler.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/AnnotationWriter.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/Handle.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/TypeReference.java
*
/opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/AnnotationVisitor.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/Frame.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/ModuleWriter.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/Context.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/Edge.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/MethodWriter.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/Label.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/FieldWriter.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/Symbol.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/Constants.java
*
/opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/Attribute.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/ClassVisitor.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/SymbolTable.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/ClassReader.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/signature/SignatureVisitor.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/TypePath.java
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/signature/SignatureReader.java
No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*   contributors may be used to endorse or promote products derived from
*   this software without specific prior written permission.

*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/package.html
* /opt/cola/permits/1294625091_1648234619.67/0/asm-6-1-sources-jar/org/objectweb/asm/signature/package.html

1.541 javapoet 1.2.0

1.541.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294624941_1648234625.07/0/javapoet-1-2-0-sources-jar/com/squareup/javapoet/CodeWriter.java
* /opt/cola/permits/1294624941_1648234625.07/0/javapoet-1-2-0-sources-jar/com/squareup/javapoet/JavaFile.java
* /opt/cola/permits/1294624941_1648234625.07/0/javapoet-1-2-0-sources-jar/com/squareup/javapoet/TypeSpec.java
*
 /opt/cola/permits/1294624941_1648234625.07/0/javapoet-1-2-0-sources-jar/com/squareup/javapoet/ParameterSpec.java

* /opt/cola/permits/1294624941_1648234625.07/0/javapoet-1-2-0-sources-jar/com/squareup/javapoet/FieldSpec.java
* /opt/cola/permits/1294624941_1648234625.07/0/javapoet-1-2-0-sources-jar/com/squareup/javapoet/CodeBlock.java
* /opt/cola/permits/1294624941_1648234625.07/0/javapoet-1-2-0-sources-jar/com/squareup/javapoet/TypeVariableName.java
* /opt/cola/permits/1294624941_1648234625.07/0/javapoet-1-2-0-sources-jar/com/squareup/javapoet/Util.java
* /opt/cola/permits/1294624941_1648234625.07/0/javapoet-1-2-0-sources-jar/com/squareup/javapoet/ArrayTypeName.java
* /opt/cola/permits/1294624941_1648234625.07/0/javapoet-1-2-0-sources-jar/com/squareup/javapoet/ParameterizedTypeName.java
* /opt/cola/permits/1294624941_1648234625.07/0/javapoet-1-2-0-sources-jar/com/squareup/javapoet/TypeName.java
* /opt/cola/permits/1294624941_1648234625.07/0/javapoet-1-2-0-sources-jar/com/squareup/javapoet/WildcardTypeName.java
*
 /opt/cola/permits/1294624941_1648234625.07/0/javapoet-1-2-0-sources-jar/com/squareup/javapoet/MethodSpec.java
* /opt/cola/permits/1294624941_1648234625.07/0/javapoet-1-2-0-sources-jar/com/squareup/javapoet/AnnotationSpec.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 Google, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294624941_1648234625.07/0/javapoet-1-2-0-sources-jar/com/squareup/javapoet/ClassName.java

1.542 jmes-path-query-library 1.11.762

1.542.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2010-2020 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/JmesPathLiteral.java
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/Comparator.java
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/JmesPathLengthFunction.java
*
 /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/JmesPathValueProjection.java
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/OpGreaterThanOrEqualTo.java
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/JmesPathEvaluationVisitor.java
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/OpLessThanOrEqualTo.java
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/JmesPathVisitor.java
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/ObjectMapperSingleton.java
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/JmesPathContainsFunction.java
*
 /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/NumericComparator.java
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/OpGreaterThan.java
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/JmesPathIdentity.java
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-

jar/com/amazonaws/jmespath/JmesPathProjection.java
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/JmesPathMultiSelectList.java
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/JmesPathFilter.java
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/JmesPathSubExpression.java
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/InvalidTypeException.java
*
/opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/CamelCaseUtils.java
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/JmesPathExpression.java
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/JmesPathFunction.java
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/JmesPathNotExpression.java
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/OpNotEquals.java
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/OpLessThan.java
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/JmesPathFlatten.java
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/OpEquals.java
*
/opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/JmesPathField.java
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/com/amazonaws/jmespath/JmesPathAndExpression.java
No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

Found in path(s):
* /opt/cola/permits/1294624899_1649800619.47/0/jmespath-java-1-11-762-sources-1-jar/META-INF/maven/com.amazonaws/jmespath-java/pom.xml

1.543 tomcat 9.0.6

1.543.1 Available under license :

Apache Tomcat
Copyright 1999-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache Tomcat Native Library
Copyright 2002-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

This software contains code derived from netty-native
developed by the Netty project
(http://netty.io, https://github.com/netty/netty-tcnative/)
and from finagle-native developed at Twitter
(https://github.com/twitter/finagle).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii)
beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the
Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law

(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole
responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed
under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and

limitations under the License.

Apache Standard Taglib Specification API
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
Apache Tomcat
Copyright 1999-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

This software contains code derived from netty-native
developed by the Netty project
(http://netty.io, https://github.com/netty/netty-tcnative/)
and from finagle-native developed at Twitter
(https://github.com/twitter/finagle).

The Windows Installer is built with the Nullsoft
Scriptable Install System (NSIS), which is
open source software. The original software and
related information is available at
http://nsis.sourceforge.net.

Java compilation software for JSP pages is provided by the Eclipse
JDT Core Batch Compiler component, which is open source software.
The original software and related information is available at
http://www.eclipse.org/jdt/core/.

For portions of the Tomcat JNI OpenSSL API and the OpenSSL JSSE integration
The org.apache.tomcat.jni and the org.apache.tomcat.net.openssl packages
are
derivative work originating from the Netty project and the finagle-native
project developed at Twitter
* Copyright 2014 The Netty Project
* Copyright 2014 Twitter

The original XML Schemas for Java EE Deployment Descriptors:
- javaee_5.xsd
- javaee_web_services_1_2.xsd
- javaee_web_services_client_1_2.xsd
- javaee_6.xsd
- javaee_web_services_1_3.xsd
- javaee_web_services_client_1_3.xsd
- jsp_2_2.xsd
- web-app_3_0.xsd
- web-common_3_0.xsd

- web-fragment_3_0.xsd
- javaee_7.xsd
- javaee_web_services_1_4.xsd
- javaee_web_services_client_1_4.xsd
- jsp_2_3.xsd
- web-app_3_1.xsd
- web-common_3_1.xsd
- web-fragment_3_1.xsd
- javaee_8.xsd
- web-app_4_0.xsd
- web-common_4_0.xsd
- web-fragment_4_0.xsd

may be obtained from:
http://www.oracle.com/webfolder/technetwork/jsc/xml/ns/javaee/index.html
Apache Tomcat
Copyright 1999-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

The original XML Schemas for Java EE Deployment Descriptors:
- javaee_5.xsd
- javaee_web_services_1_2.xsd
- javaee_web_services_client_1_2.xsd
- javaee_6.xsd
- javaee_web_services_1_3.xsd
- javaee_web_services_client_1_3.xsd
- jsp_2_2.xsd
- web-app_3_0.xsd
- web-common_3_0.xsd
- web-fragment_3_0.xsd
- javaee_7.xsd
- javaee_web_services_1_4.xsd
- javaee_web_services_client_1_4.xsd
- jsp_2_3.xsd
- web-app_3_1.xsd
- web-common_3_1.xsd
- web-fragment_3_1.xsd
- javaee_8.xsd
- web-app_4_0.xsd
- web-common_4_0.xsd
- web-fragment_4_0.xsd

may be obtained from:
http://www.oracle.com/webfolder/technetwork/jsc/xml/ns/javaee/index.html
Apache Tomcat JDBC Pool
Copyright 2008-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or

(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

APACHE TOMCAT SUBCOMPONENTS:

Apache Tomcat includes a number of subcomponents with separate copyright notices and license terms. Your use of these subcomponents is subject to the terms and conditions of the following licenses.

For the following XML Schemas for Java EE Deployment Descriptors:
- javaee_5.xsd
- javaee_web_services_1_2.xsd
- javaee_web_services_client_1_2.xsd
- javaee_6.xsd
- javaee_web_services_1_3.xsd
- javaee_web_services_client_1_3.xsd
- jsp_2_2.xsd
- web-app_3_0.xsd
- web-common_3_0.xsd
- web-fragment_3_0.xsd
- javaee_7.xsd
- javaee_web_services_1_4.xsd
- javaee_web_services_client_1_4.xsd
- jsp_2_3.xsd
- web-app_3_1.xsd
- web-common_3_1.xsd
- web-fragment_3_1.xsd
- javaee_8.xsd
- web-app_4_0.xsd
- web-common_4_0.xsd
- web-fragment_4_0.xsd

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications,
in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the

outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of

Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.
Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.
The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.
You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients. rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor.

You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial

Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then

any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions).
Any litigation relating
to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache Standard Taglib Implementation
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own

copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

APACHE TOMCAT SUBCOMPONENTS:

Apache Tomcat includes a number of subcomponents with separate copyright notices
and license terms. Your use of these subcomponents is subject to the terms and
conditions of the following licenses.

For the Eclipse JDT Core Batch Compiler (ecj-x.x.x.jar) component:

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT").
ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean
patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants

Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor,
if any, in source code and object code form.
This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure
any other intellectual property rights needed, if any.
For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors
all liability for
damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial
distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims
or Losses
relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other

Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as

reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this
Agreement from time to time.
No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement
is governed by the laws of the State of New York and the
intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

For the Windows Installer component:

* All NSIS source code, plug-ins, documentation, examples, header files and graphics, with the exception of the compression modules and where otherwise noted, are licensed under the zlib/libpng license.
* The zlib compression module for NSIS is licensed under the zlib/libpng license.
* The bzip2 compression module for NSIS is licensed under the bzip2 license.
* The lzma compression module for NSIS is licensed under the Common Public License version 1.0.

zlib/libpng license

This software is provided 'as-is', without any express or implied warranty. In no event will
the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including
commercial applications, and to alter it and redistribute it freely, subject to
the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim
   that you wrote the original software. If you use this software in a
   product, an acknowledgment in the product documentation would be
   appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
   misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

bzip2 license

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright
notice,
   this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim
   that you wrote the original software. If you use this software in a
   product, an acknowledgment in the product documentation would be
   appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be
   misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT
OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY
OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.

jseward@acm.org
Common Public License version 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC

LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed
by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive,
worldwide, royalty-free copyright license to
reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form.

This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although
each Contributor grants the licenses to
its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor
may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software

exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor
("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,
a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible
for determining the appropriateness of using and
distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid
or unenforceable under applicable
law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation
is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate,

Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement
Steward. IBM may assign the responsibility to serve
as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action
under this Agreement more than one year
after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Special exception for LZMA compression module

Igor Pavlov and Amir Szekely, the authors of the LZMA compression module for NSIS, expressly permit you to statically or dynamically link your code (or bind by name) to the files from the LZMA compression module for NSIS without subjecting your linked code to the terms of the Common Public license version 1.0. Any modifications or additions to files from the LZMA compression module for NSIS, however, are subject to the terms of the Common Public License version 1.0.

For the following XML Schemas for Java EE Deployment Descriptors:
- javaee_5.xsd
- javaee_web_services_1_2.xsd
- javaee_web_services_client_1_2.xsd
- javaee_6.xsd
- javaee_web_services_1_3.xsd
- javaee_web_services_client_1_3.xsd

- jsp_2_2.xsd
- web-app_3_0.xsd
- web-common_3_0.xsd
- web-fragment_3_0.xsd
- javaee_7.xsd
- javaee_web_services_1_4.xsd
- javaee_web_services_client_1_4.xsd
- jsp_2_3.xsd
- web-app_3_1.xsd
- web-common_3_1.xsd
- web-fragment_3_1.xsd
- javaee_8.xsd
- web-app_4_0.xsd
- web-common_4_0.xsd
- web-fragment_4_0.xsd

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the

following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition,

.control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of
Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party

modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.
Any Covered Software that
You distribute or otherwise make available in
Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.
The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.
You must include
a notice in each of Your Modifications that identifies
You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.
You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients. rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation
is offered by You alone, and
You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.
You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered
by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.
You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.
Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.
You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.
When You are an Initial Developer and You want to create a new license for Your Original Software, You may create
and use a modified version of this
License if You: (a) rename the license and remove any references to the

name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF
THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or
indirectly infringes any patent, then
any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7.
LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION
MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed
only to the extent necessary to make it
enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation

which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache Commons Daemon
Copyright 1999-2017 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

1.544 args4j 2.0.25

1.544.1 Available under license :

MIT

1.545 spring-framework 3.2.16.RELEASE

1.545.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/PropertySourcesPropertyResolver.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2014 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/cglib/core/SpringNamingPolicy.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/type/StandardAnnotationMetadata.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/MutablePropertySources.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/IdToEntityConverter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/SpringProperties.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/ResourceUtils.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-

jar/org/springframework/core/convert/support/GenericConversionService.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/support/PropertiesLoaderSupport.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/MethodParameter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/ObjectToCollectionConverter.java
*
/opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/CompositeIterator.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/StringToEnumConverterFactory.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/PropertySource.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/ConfigurablePropertyResolver.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/ParameterDescriptor.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/ObjectToStringConverter.java
*
/opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/FileSystemResource.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/comparator/InstanceComparator.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/type/classreading/AnnotationAttributesReadingVisitor.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/annotation/AnnotationUtils.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/AbstractResource.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/BridgeMethodResolver.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/cglib/transform/impl/MemorySafeUndeclaredThrowableStrategy.java
*
/opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/asm/SpringAsmInfo.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/ConcurrentReferenceHashMap.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/CollectionToCollectionConverter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/SystemEnvironmentPropertySource.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/ArrayToCollectionConverter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/ArrayToObjectConverter.java

* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/ClassPathResource.java
*
/opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/support/SpringFactoriesLoader.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/CustomizableThreadCreator.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/type/filter/AspectJTypeFilter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/type/filter/AnnotationTypeFilter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/CompositePropertySource.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/Property.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/PropertyPlaceholderHelper.java
*
/opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/support/PropertiesLoaderUtils.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/type/classreading/SimpleMetadataReaderFactory.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/LocalVariableTableParameterNameDiscoverer.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/MapToMapConverter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/ArrayToStringConverter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/TypeDescriptor.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/StopWatch.java
*
/opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/type/classreading/AnnotationMetadataReadingVisitor.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/ResourceLoader.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/converter/ConditionalGenericConverter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/StringToCollectionConverter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/style/ToStringCreator.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/type/filter/AbstractClassTestingTypeFilter.java
*
/opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/xml/StaxStreamXMLReader.java

* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/ObjectToArrayConverter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/EnumerablePropertySource.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/type/filter/AssignableTypeFilter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/CommandLinePropertySource.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/type/classreading/MethodMetadataReadingVisitor.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/xml/XmlValidationModeDetector.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/PropertiesToStringConverter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/StringUtils.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/converter/GenericConverter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/AbstractPropertyResolver.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/MapPropertySource.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/type/filter/AbstractTypeHierarchyTraversingFilter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/converter/ConditionalConverter.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/serializer/support/SerializingConverter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/SerializationUtils.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/support/PathMatchingResourcePatternResolver.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/ArrayToArrayConverter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/JOptCommandLinePropertySource.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/task/AsyncTaskExecutor.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/ResourceEditor.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/GenericCollectionTypeResolver.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/ReadOnlySystemAttributesMap.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/SimpleCommandLineArgsParser.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/xml/XMLEventStreamReader.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/xml/DomUtils.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/xml/StaxResult.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/ObjectUtils.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/FileCopyUtils.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/UrlResource.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/StandardEnvironment.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/SystemPropertyUtils.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/AntPathMatcher.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/support/ResourceArrayPropertyEditor.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/xml/XMLEventStreamWriter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/DefaultPropertiesPersister.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/xml/StaxSource.java

* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/ConversionService.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/support/ResourcePropertySource.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/type/StandardMethodMetadata.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/annotation/AnnotationAwareOrderComparator.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/JdkVersion.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/task/support/TaskExecutorAdapter.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/xml/StaxUtils.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/type/classreading/SimpleMetadataReader.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/EnvironmentCapable.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/AbstractFileResolvingResource.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/xml/StaxEventXMLReader.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/Environment.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/PropertyResolver.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/GenericTypeResolver.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/MethodInvoker.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/PropertiesPropertySource.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2009 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/CollectionToObjectConverter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/ConcurrentMap.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/converter/ConverterRegistry.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/task/support/ConcurrentExecutorAdapter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/type/classreading/MetadataReader.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/StringToNumberConverterFactory.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/StringToCharacterConverter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/StringToLocaleConverter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/NumberToCharacterConverter.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/CharacterToNumberFactory.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/StringToPropertiesConverter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/PriorityOrdered.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2015 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/converter/Converter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/ReflectionUtils.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/PatternMatchUtils.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/AbstractEnvironment.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/CollectionUtils.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/ClassUtils.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/support/EncodedResource.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2008 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/AliasRegistry.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/ControlFlowFactory.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/NamedThreadLocal.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/NestedExceptionUtils.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/DecoratingClassLoader.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-

jar/org/springframework/core/NamedInheritableThreadLocal.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2007 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/type/filter/TypeFilter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/support/ResourcePatternResolver.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/FileSystemResourceLoader.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/type/filter/RegexPatternTypeFilter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/ContextResource.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/StringValueResolver.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/style/ValueStyler.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/Assert.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2012 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/cglib/package-info.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/type/classreading/MetadataReaderFactory.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/AttributeAccessor.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/comparator/InvertibleComparator.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/SpringVersion.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/serializer/DefaultSerializer.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/support/LocalizedResourceHelper.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/task/SyncTaskExecutor.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/task/TaskTimeoutException.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/NestedIOException.java

*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/TypeUtils.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/enums/StringCodedLabeledEnum.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/ErrorCoded.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/Ordered.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/task/support/ExecutorServiceAdapter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/xml/AbstractStaxContentHandler.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/enums/LabeledEnum.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/NumberToNumberConverterFactory.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/comparator/ComparableComparator.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/FileSystemUtils.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/NestedCheckedException.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/NumberUtils.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/type/StandardClassMetadata.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/NestedRuntimeException.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/FallbackObjectToStringConverter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/annotation/Order.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/ConversionServiceFactory.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/comparator/NullSafeComparator.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/comparator/BooleanComparator.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/VfsUtils.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/Log4jConfigurer.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/enums/StaticLabeledEnum.java

* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/comparator/CompoundComparator.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/PrioritizedParameterNameDiscoverer.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/PathMatcher.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/SmartClassLoader.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/PropertiesPersister.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/converter/ConvertingComparator.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/xml/DomContentHandler.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/CollectionFactory.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/ConfigurableEnvironment.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/style/StylerUtils.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/CommonsLogWriter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/cglib/SpringCglibInfo.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/ConcurrencyThrottleSupport.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/DefaultResourceLoader.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/ClassDescriptor.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/xml/SimpleTransformErrorListener.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/enums/LetterCodedLabeledEnum.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/annotation/AnnotationAttributes.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/xml/AbstractStaxXMLReader.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/ClassRelativeResourceLoader.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/StringToUUIDConverter.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/OverridingClassLoader.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-

jar/org/springframework/core/style/ToStringStyler.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/InputStreamSource.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/xml/AbstractXMLStreamReader.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/converter/ConverterFactory.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/ParameterNameDiscoverer.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/support/ResourcePatternUtils.java
*
/opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/AttributeAccessorSupport.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/xml/StaxEventContentHandler.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/enums/StaticLabeledEnumResolver.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/EnumToStringConverter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/enums/AbstractGenericLabeledEnum.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/task/TaskExecutor.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/ObjectToObjectConverter.java
*
/opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/AutoPopulatingList.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/type/classreading/ClassMetadataReadingVisitor.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/serializer/DefaultDeserializer.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/Resource.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/VfsResource.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/xml/AbstractXMLReader.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/style/DefaultValueStyler.java
*
/opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/Constants.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/Conventions.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/SimpleAliasRegistry.java

* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/style/DefaultToStringStyler.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/serializer/Deserializer.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/LinkedCaseInsensitiveMap.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/ConfigurableObjectInputStream.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/enums/AbstractLabeledEnum.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/enums/LabeledEnumResolver.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/type/classreading/CachingMetadataReaderFactory.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/DefaultConversionService.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/CachingMapDecorator.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/type/MethodMetadata.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/ConstantException.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/InputStreamResource.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/xml/StaxStreamContentHandler.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/enums/AbstractCachingLabeledEnumResolver.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/ErrorHandler.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/serializer/support/SerializationFailedException.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/asm/util/TraceClassVisitor.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/InfrastructureProxy.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/task/SimpleAsyncTaskExecutor.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/type/ClassMetadata.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/xml/TransformerUtils.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/WritableResource.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-

jar/org/springframework/core/enums/ShortCodedLabeledEnum.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/DescriptiveResource.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/task/TaskRejectedException.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/asm/util/package-info.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/MultiValueMap.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/serializer/Serializer.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/xml/SimpleSaxErrorHandler.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/xml/SimpleNamespaceContext.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/ByteArrayResource.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/OrderComparator.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/type/AnnotationMetadata.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/DigestUtils.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/ControlFlow.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2010 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/StringToArrayConverter.java

* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/ConverterNotFoundException.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/ConversionException.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/io/support/VfsPatternUtils.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/LinkedMultiValueMap.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/WeakReferenceMonitor.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/serializer/support/DeserializingConverter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/ConversionFailedException.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/util/StreamUtils.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/ParameterizedTypeReference.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2011 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/FieldDescriptor.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/CollectionToArrayConverter.java
*
 /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/ExceptionDepthComparator.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/StringToBooleanConverter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/ConfigurableConversionService.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/CommandLineArgs.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/PropertySources.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/MissingRequiredPropertiesException.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/ConvertingPropertyEditorAdapter.java
*

/opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/BeanPropertyDescriptor.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/AbstractDescriptor.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/ConversionUtils.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/convert/support/CollectionToStringConverter.java
* /opt/cola/permits/1294625085_1648234632.8/0/spring-core-3-2-16-release-sources-jar/org/springframework/core/env/SimpleCommandLinePropertySource.java

1.546 javax.inject:javax.inject 1

1.546.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2009 The JSR-330 Expert Group
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1299411403_1650627395.55/0/javax-inject-1-sources-jar/javax/inject/Provider.java
* /opt/cola/permits/1299411403_1650627395.55/0/javax-inject-1-sources-jar/javax/inject/Named.java
* /opt/cola/permits/1299411403_1650627395.55/0/javax-inject-1-sources-jar/javax/inject/Qualifier.java
*
/opt/cola/permits/1299411403_1650627395.55/0/javax-inject-1-sources-jar/javax/inject/Inject.java
* /opt/cola/permits/1299411403_1650627395.55/0/javax-inject-1-sources-jar/javax/inject/package-info.java
* /opt/cola/permits/1299411403_1650627395.55/0/javax-inject-1-sources-jar/javax/inject/Scope.java
* /opt/cola/permits/1299411403_1650627395.55/0/javax-inject-1-sources-jar/javax/inject/Singleton.java

1.547 log4j-commons-logging-bridge 2.17.1

1.547.1 Available under license :

Apache Log4j Commons Logging Bridge
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.548 apache-log4j-api 2.17.1

1.548.1 Available under license :

Apache Log4j API
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.549 jaxen 1.0-FCS

1.549.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/XPath.java,v 1.4 2002/04/26 17:17:32 jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:32 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be used to endorse
 or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
```

*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.
  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: XPath.java,v 1.4 2002/04/26 17:17:32 jstrachan Exp
 $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/XPath.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/SumFunction.java,v 1.3 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

```
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: SumFunction.java,v 1.3 2002/04/26
```

17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/function/SumFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultExpr.java,v 1.5 2002/04/26 17:17:34 jstrachan Exp $
* $Revision: 1.5 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED

* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultExpr.java,v 1.5 2002/04/26 17:17:34
 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/DefaultExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/util/DescendantOrSelfAxisIterator.java,v 1.4 2002/04/26
17:17:36 jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:36 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials

```
*    provided with the distribution.
*
* 3. The name "Jaxen"
 must not be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DescendantOrSelfAxisIterator.java,v
 1.4 2002/04/26 17:17:36 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/util/DescendantOrSelfAxisIterator.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/iter/IterableChildAxis.java,v 1.2 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:35 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
```

* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: IterableChildAxis.java,v 1.2
 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/iter/IterableChildAxis.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/pattern/LocationPathPattern.java,v 1.9 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.9 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not

be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: LocationPathPattern.java,v
 1.9 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/pattern/LocationPathPattern.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/UnresolvableException.java,v 1.2 2002/04/26 17:17:32

jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:32 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,

* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ===
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: UnresolvableException.java,v 1.2
 2002/04/26 17:17:32 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/UnresolvableException.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultNotEqualsExpr.java,v 1.6 2002/04/26 17:17:34
jstrachan Exp $
* $Revision: 1.6 $
* $Date: 2002/04/26 17:17:34 $
*
* ===
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*

* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultNotEqualsExpr.java,v
 1.6 2002/04/26 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultNotEqualsExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/util/FollowingSiblingAxisIterator.java,v 1.2 2002/04/26
17:17:36 jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:36 $
*

```
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen"
 must not be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
```

```
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: FollowingSiblingAxisIterator.java,v
 1.2 2002/04/26 17:17:36 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/util/FollowingSiblingAxisIterator.java
No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/iter/IterablePrecedingSiblingAxis.java,v 1.2
2002/04/26 17:17:35 jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:35 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen"
 must not be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
```

* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR
 A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: IterablePrecedingSiblingAxis.java,v
 1.2 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/iter/IterablePrecedingSiblingAxis.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/pattern/AnyChildNodeTest.java,v 1.3 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.

*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and

* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: AnyChildNodeTest.java,v 1.3 2002/04/26
 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/pattern/AnyChildNodeTest.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/ContextSupport.java,v 1.6 2002/04/26 17:17:32 jstrachan
Exp $
* $Revision: 1.6 $
* $Date: 2002/04/26 17:17:32 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used to
 endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the

*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: ContextSupport.java,v 1.6 2002/04/26 17:17:32
 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/ContextSupport.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/XPathFactory.java,v 1.4 2002/04/26 17:17:34
jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright

```
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: XPathFactory.java,v 1.4 2002/04/26 17:17:34
 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/XPathFactory.java
No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/util/PrecedingSiblingAxisIterator.java,v 1.3 2002/04/26
17:17:36 jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:36 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen"
 must not be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
```

PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: PrecedingSiblingAxisIterator.java,v
 1.3 2002/04/26 17:17:36 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/util/PrecedingSiblingAxisIterator.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/ext/EvaluateFunction.java,v 1.4 2002/04/26
17:17:35 jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials

```
*    provided with the distribution.
*
* 3. The name "Jaxen" must
 not be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: EvaluateFunction.java,v
 1.4 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/function/ext/EvaluateFunction.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/ConcatFunction.java,v 1.3 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:35 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
```

* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: ConcatFunction.java,v 1.3 2002/04/26
 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/function/ConcatFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultModExpr.java,v 1.5 2002/04/26 17:17:34
jstrachan Exp $
* $Revision: 1.5 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used

to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultModExpr.java,v 1.5 2002/04/26
 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/DefaultModExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/StringLengthFunction.java,v 1.3 2002/04/26
17:17:35 jstrachan Exp $

* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must
 not be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT

* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: StringLengthFunction.java,v
 1.3 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/function/StringLengthFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/exml/ElementsIterator.java,v 1.2 2002/04/26 17:17:33
jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:33 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor

```
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: ElementsIterator.java,v 1.2 2002/04/26
 17:17:33 jstrachan Exp $
*/
```

Found in path(s):

```
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/exml/ElementsIterator.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultVariableReferenceExpr.java,v 1.4 2002/04/26
17:17:34 jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:34 $
*
* ====================================================================
*
```

* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen"
 must not be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many

* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultVariableReferenceExpr.java,v
 1.4 2002/04/26 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultVariableReferenceExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultStep.java,v 1.5 2002/04/26 17:17:34 jstrachan
Exp $
* $Revision: 1.5 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the

* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultStep.java,v 1.5 2002/04/26 17:17:34
 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/DefaultStep.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/iter/IterableFollowingAxis.java,v 1.2 2002/04/26
17:17:35 jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

```
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must
 not be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: IterableFollowingAxis.java,v
```

1.2 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/iter/IterableFollowingAxis.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/FunctionCallExpr.java,v 1.3 2002/04/26 17:17:34 jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*

* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: FunctionCallExpr.java,v 1.3 2002/04/26
 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/FunctionCallExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/CountFunction.java,v 1.4 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*

```
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: CountFunction.java,v 1.4 2002/04/26
 17:17:35 jstrachan Exp $
*/
```

Found in path(s):

* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/function/CountFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/pattern/PatternHandler.java,v 1.3 2002/04/26 17:17:36 jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:36 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: PatternHandler.java,v 1.3 2002/04/26
 17:17:36 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/pattern/PatternHandler.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/util/IdentityHashMap.java,v 1.3 2002/04/26 17:17:36
jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:36 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials

```
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: IdentityHashMap.java,v 1.3 2002/04/26
 17:17:36 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/util/IdentityHashMap.java
No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/util/SingleObjectIterator.java,v 1.2 2002/04/26 17:17:36
jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:36 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
```

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: SingleObjectIterator.java,v
 1.2 2002/04/26 17:17:36 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/util/SingleObjectIterator.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultArithExpr.java,v 1.4 2002/04/26 17:17:34
jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For

```
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultArithExpr.java,v 1.4 2002/04/26
 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultArithExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultLiteralExpr.java,v 1.3 2002/04/26 17:17:34
jstrachan Exp $
* $Revision: 1.3 $
```

* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultLiteralExpr.java,v 1.3
 2002/04/26 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultLiteralExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/UnionExpr.java,v 1.3 2002/04/26 17:17:34 jstrachan
Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used to
 endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission

*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: UnionExpr.java,v 1.3 2002/04/26 17:17:34
 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/UnionExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/util/LinkedIterator.java,v 1.2 2002/04/26 17:17:36 jstrachan
Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:36 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.

*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and

* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: LinkedIterator.java,v 1.2 2002/04/26
 17:17:36 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/util/LinkedIterator.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/pattern/NodeTest.java,v 1.2 2002/04/26 17:17:36 jstrachan
Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:36 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."

* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: NodeTest.java,v 1.2 2002/04/26 17:17:36
 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/pattern/NodeTest.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/util/FollowingAxisIterator.java,v 1.2 2002/04/26 17:17:36
jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:36 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.

```
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: FollowingAxisIterator.java,v
 1.2 2002/04/26 17:17:36 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/util/FollowingAxisIterator.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/QualifiedName.java,v 1.2 2002/04/26 17:17:32 jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:32 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used to
 endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

```
 * DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: QualifiedName.java,v 1.2 2002/04/26 17:17:32
 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/QualifiedName.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/exml/DocumentNavigator.java,v 1.12 2002/04/26 17:17:33
jstrachan Exp $
* $Revision: 1.12 $
* $Date: 2002/04/26 17:17:33 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
```

* 3. The name "Jaxen" must not
 be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DocumentNavigator.java,v 1.12
 2002/04/26 17:17:33 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/exml/DocumentNavigator.java
No license file was found, but licenses were detected in source scan.

/*

* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/PositionFunction.java,v 1.3 2002/04/26 17:17:35 jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND

* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: PositionFunction.java,v 1.3
 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/function/PositionFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultProcessingInstructionNodeStep.java,v 1.6
2002/04/26 17:17:34 jstrachan Exp $
* $Revision: 1.6 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name
 "Jaxen" must not be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.

```
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR
 A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultProcessingInstructionNodeStep.java,v
 1.6 2002/04/26 17:17:34 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/DefaultProcessingInstructionNodeStep.java
No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/XPathSyntaxException.java,v 1.4 2002/04/26 17:17:33 jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:33 $
```

```
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
```

```
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: XPathSyntaxException.java,v 1.4 2002/04/26
 17:17:33 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/XPathSyntaxException.java
No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/jdom/XPathNamespace.java,v 1.3 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:35 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
```

*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: XPathNamespace.java,v 1.3 2002/04/26
 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/jdom/XPathNamespace.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/DefaultNavigator.java,v 1.11 2002/04/26 17:17:32
jstrachan Exp $
* $Revision: 1.11 $
* $Date: 2002/04/26 17:17:32 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.

* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally

* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultNavigator.java,v 1.11 2002/04/26
 17:17:32 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/DefaultNavigator.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/BaseXPath.java,v 1.19 2002/04/26 17:17:32 jstrachan Exp
$
* $Revision: 1.19 $
* $Date: 2002/04/26 17:17:32 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used to endorse
 or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the

```
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
*
 DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: BaseXPath.java,v 1.19 2002/04/26 17:17:32
 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/BaseXPath.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/PathExpr.java,v 1.3 2002/04/26 17:17:34 jstrachan
Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:34 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
```

```
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be used to
 endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: PathExpr.java,v 1.3 2002/04/26 17:17:34
 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/PathExpr.java
No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/LocalNameFunction.java,v 1.4 2002/04/26
17:17:35 jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:35 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
```

PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: LocalNameFunction.java,v 1.4
 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/function/LocalNameFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/XPathFunctionContext.java,v 1.13 2002/04/26 17:17:32
jstrachan Exp $
* $Revision: 1.13 $
* $Date: 2002/04/26 17:17:32 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials

```
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: XPathFunctionContext.java,v 1.13
 2002/04/26 17:17:32 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/XPathFunctionContext.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/pattern/PatternParser.java,v 1.9 2002/04/26 17:17:36
jstrachan Exp $
* $Revision: 1.9 $
* $Date: 2002/04/26 17:17:36 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
```

* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: PatternParser.java,v 1.9 2002/04/26
 17:17:36 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/pattern/PatternParser.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/VariableContext.java,v 1.5 2002/04/26 17:17:32 jstrachan
Exp $
* $Revision: 1.5 $
* $Date: 2002/04/26 17:17:32 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used to

endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: VariableContext.java,v 1.5 2002/04/26
 17:17:32 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/VariableContext.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/util/StackedIterator.java,v 1.5 2002/04/26 17:17:36
jstrachan Exp $
* $Revision: 1.5 $

* $Date: 2002/04/26 17:17:36 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: StackedIterator.java,v 1.5 2002/04/26
 17:17:36 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/util/StackedIterator.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/dom/DOMXPath.java,v 1.2 2002/04/26 17:17:33 jstrachan
Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:33 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used to endorse
 or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).

*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DOMXPath.java,v 1.2 2002/04/26 17:17:33 jstrachan
 Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/dom/DOMXPath.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/exml/Namespace.java,v 1.3 2002/04/26 17:17:33 jstrachan
Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:33 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used to
 endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.

*
* $Id: Namespace.java,v 1.3 2002/04/26 17:17:33
 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/exml/Namespace.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultPathExpr.java,v 1.5 2002/04/26 17:17:34
jstrachan Exp $
* $Revision: 1.5 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/

*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultPathExpr.java,v 1.5 2002/04/26
 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/DefaultPathExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/SubstringBeforeFunction.java,v 1.3 2002/04/26
17:17:35 jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*

```
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must
 not be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: SubstringBeforeFunction.java,v
 1.3 2002/04/26 17:17:35 jstrachan Exp $
*/
```

Found in path(s):

* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/function/SubstringBeforeFunction.java
No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultRelationalExpr.java,v 1.8 2002/04/26 17:17:34 jstrachan Exp $
* $Revision: 1.8 $
* $Date: 2002/04/26 17:17:34 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
```

PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultRelationalExpr.java,v
 1.8 2002/04/26 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/DefaultRelationalExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultLocationPath.java,v 1.11 2002/04/26 17:17:34 jstrachan Exp $
* $Revision: 1.11 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials

```
*    provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultLocationPath.java,v
 1.11 2002/04/26 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultLocationPath.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/iter/IterableAncestorOrSelfAxis.java,v 1.2 2002/04/26
17:17:35 jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:35 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen"
 must not be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A
 PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
```

* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: IterableAncestorOrSelfAxis.java,v
 1.2 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/iter/IterableAncestorOrSelfAxis.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/UnaryExpr.java,v 1.3 2002/04/26 17:17:34 jstrachan
Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used to

endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: UnaryExpr.java,v 1.3 2002/04/26 17:17:34
 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/UnaryExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/BooleanFunction.java,v 1.6 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.6 $

* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: BooleanFunction.java,v 1.6 2002/04/26
 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/function/BooleanFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/ext/LocaleFunctionSupport.java,v 1.3 2002/04/26
17:17:35 jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen"
 must not be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission

```
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: LocaleFunctionSupport.java,v
 1.3 2002/04/26 17:17:35 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/function/ext/LocaleFunctionSupport.java
No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/CeilingFunction.java,v 1.3 2002/04/26 17:17:35 jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:35 $
*
* ====================================================================
*
```

* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many

* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: CeilingFunction.java,v 1.3 2002/04/26
 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/function/CeilingFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultAdditiveExpr.java,v 1.3 2002/04/26 17:17:34
jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the

* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultAdditiveExpr.java,v 1.3
 2002/04/26 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultAdditiveExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/dom/DocumentNavigator.java,v 1.25 2002/04/26 17:17:33
jstrachan Exp $
* $Revision: 1.25 $
* $Date: 2002/04/26 17:17:33 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.

*
* $Id: DocumentNavigator.java,v 1.25
 2002/04/26 17:17:33 jstrachan Exp $
*/
// This file is in the Public Domain, and comes with NO WARRANTY.

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/dom/DocumentNavigator.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/IdFunction.java,v 1.3 2002/04/26 17:17:35 jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."

* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: IdFunction.java,v 1.3 2002/04/26 17:17:35
 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/function/IdFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/FunctionContext.java,v 1.4 2002/04/26 17:17:32 jstrachan
Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:32 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright

```
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be used to
 endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: FunctionContext.java,v 1.4 2002/04/26
 17:17:32 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/FunctionContext.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/pattern/NameTest.java,v 1.4 2002/04/26 17:17:36 jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:36 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

```
 * DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: NameTest.java,v 1.4 2002/04/26 17:17:36
 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/pattern/NameTest.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/ext/LowerFunction.java,v 1.6 2002/04/26
17:17:35 jstrachan Exp $
* $Revision: 1.6 $
* $Date: 2002/04/26 17:17:35 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
```

* 3. The name "Jaxen" must not
be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: LowerFunction.java,v 1.6 2002/04/26
17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/function/ext/LowerFunction.java
No license file was found, but licenses were detected in source scan.

/*

* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultMultiplicativeExpr.java,v 1.3 2002/04/26 17:17:34 jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must
 not be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND

* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultMultiplicativeExpr.java,v
 1.3 2002/04/26 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultMultiplicativeExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultFunctionCallExpr.java,v 1.7 2002/04/26
17:17:34 jstrachan Exp $
* $Revision: 1.7 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must
 not be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.

*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultFunctionCallExpr.java,v
 1.7 2002/04/26 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/DefaultFunctionCallExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/iter/IterableAxis.java,v 1.3 2002/04/26 17:17:35 jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:35 $

```
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
```

```
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: IterableAxis.java,v 1.3 2002/04/26
 17:17:35 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/iter/IterableAxis.java
No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/exml/NamespaceIterator.java,v 1.2 2002/04/26 17:17:33
jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:33 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
```

* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: NamespaceIterator.java,v 1.2 2002/04/26
 17:17:33 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/exml/NamespaceIterator.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/iter/IterableSelfAxis.java,v 1.2 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.

*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and

* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: IterableSelfAxis.java,v 1.2
 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/iter/IterableSelfAxis.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultPredicated.java,v 1.3 2002/04/26 17:17:34
jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the

```
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultPredicated.java,v 1.3 2002/04/26
 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultPredicated.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/NormalizeSpaceFunction.java,v 1.2 2002/04/26
17:17:35 jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:35 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
```

*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must
 not be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: NormalizeSpaceFunction.java,v

1.2 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/function/NormalizeSpaceFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/UnsupportedAxisException.java,v 1.4 2002/04/26 17:17:32 jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:32 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*

* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: UnsupportedAxisException.java,v
 1.4 2002/04/26 17:17:32 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/UnsupportedAxisException.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultCommentNodeStep.java,v 1.4 2002/04/26
17:17:34 jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*

```
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultCommentNodeStep.java,v
 1.4 2002/04/26 17:17:34 jstrachan Exp $
*/
```

Found in path(s):

* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/DefaultCommentNodeStep.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultPlusExpr.java,v 1.5 2002/04/26 17:17:34 jstrachan Exp $
* $Revision: 1.5 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultPlusExpr.java,v 1.5 2002/04/26
 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/DefaultPlusExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/jdom/DocumentNavigator.java,v 1.18 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.18 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.

*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DocumentNavigator.java,v 1.18
 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/jdom/DocumentNavigator.java
No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/iter/IterableDescendantAxis.java,v 1.2 2002/04/26
17:17:35 jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:35 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must
 not be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
```

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: IterableDescendantAxis.java,v
 1.2 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/iter/IterableDescendantAxis.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultLogicalExpr.java,v 1.3 2002/04/26 17:17:34
jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For

```
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultLogicalExpr.java,v 1.3
 2002/04/26 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultLogicalExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/iter/IterableFollowingSiblingAxis.java,v 1.2
2002/04/26 17:17:35 jstrachan Exp $
* $Revision: 1.2 $
```

* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen"
 must not be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR
 A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: IterableFollowingSiblingAxis.java,v
 1.2 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/iter/IterableFollowingSiblingAxis.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/SubstringFunction.java,v 1.2 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission

```
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: SubstringFunction.java,v 1.2
 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/function/SubstringFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/SimpleFunctionContext.java,v 1.5 2002/04/26 17:17:32
jstrachan Exp $
* $Revision: 1.5 $
* $Date: 2002/04/26 17:17:32 $
*
* ====================================================================
*
```

* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many

* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: SimpleFunctionContext.java,v 1.5
 2002/04/26 17:17:32 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/SimpleFunctionContext.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/Step.java,v 1.4 2002/04/26 17:17:34 jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used to endorse
 or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:

*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.
  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: Step.java,v 1.4 2002/04/26 17:17:34 jstrachan
 Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/Step.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/Navigator.java,v 1.18 2002/04/26 17:17:32 jstrachan Exp $
* $Revision: 1.18 $
* $Date: 2002/04/26 17:17:32 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*

* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used to endorse
 or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
*
 DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: Navigator.java,v 1.18 2002/04/26 17:17:32

jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/Navigator.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/NumberExpr.java,v 1.3 2002/04/26 17:17:34 jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used to
 endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED

* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: NumberExpr.java,v 1.3 2002/04/26 17:17:34
 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/NumberExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultRelativeLocationPath.java,v 1.4 2002/04/26
17:17:34 jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials

```
*    provided with the distribution.
*
* 3. The name "Jaxen" must
 not be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultRelativeLocationPath.java,v
 1.4 2002/04/26 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultRelativeLocationPath.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultNumberExpr.java,v 1.3 2002/04/26 17:17:34
jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:34 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
```

* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultNumberExpr.java,v 1.3 2002/04/26
 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultNumberExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/LiteralExpr.java,v 1.3 2002/04/26 17:17:34 jstrachan
Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used

to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: LiteralExpr.java,v 1.3 2002/04/26 17:17:34
 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/LiteralExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/TrueFunction.java,v 1.2 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.2 $

* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: TrueFunction.java,v 1.2 2002/04/26
 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/function/TrueFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/FunctionCallException.java,v 1.3 2002/04/26 17:17:32
jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:32 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).

*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: FunctionCallException.java,v 1.3
 2002/04/26 17:17:32 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/FunctionCallException.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/exml/ElectricXPath.java,v 1.3 2002/04/26 17:17:33
jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:33 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.

* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally

* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: ElectricXPath.java,v 1.3 2002/04/26
 17:17:33 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/exml/ElectricXPath.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultAndExpr.java,v 1.5 2002/04/26 17:17:34
jstrachan Exp $
* $Revision: 1.5 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the

*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultAndExpr.java,v 1.5 2002/04/26
 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/DefaultAndExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/NotFunction.java,v 1.3 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*

* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: NotFunction.java,v 1.3 2002/04/26

17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/function/NotFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/NamespaceContext.java,v 1.3 2002/04/26 17:17:32 jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:32 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED

* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: NamespaceContext.java,v 1.3 2002/04/26
 17:17:32 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/NamespaceContext.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultBinaryExpr.java,v 1.3 2002/04/26 17:17:34
jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials

```
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultBinaryExpr.java,v 1.3 2002/04/26
 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultBinaryExpr.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/pattern/NamespaceTest.java,v 1.3 2002/04/26 17:17:36
jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:36 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
```

* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: NamespaceTest.java,v 1.3 2002/04/26
 17:17:36 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/pattern/NamespaceTest.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultLessThanEqualExpr.java,v 1.6 2002/04/26
17:17:34 jstrachan Exp $
* $Revision: 1.6 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must

not be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultLessThanEqualExpr.java,v
 1.6 2002/04/26 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultLessThanEqualExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultLessThanExpr.java,v 1.7 2002/04/26 17:17:34

jstrachan Exp $
* $Revision: 1.7 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,

* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultLessThanExpr.java,v 1.7
 2002/04/26 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultLessThanExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultPredicate.java,v 1.4 2002/04/26 17:17:34
jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*

```
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultPredicate.java,v 1.4 2002/04/26
 17:17:34 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/DefaultPredicate.java
No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/DocumentFunction.java,v 1.3 2002/04/26
17:17:35 jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:35 $
*
* ====================================================================
```

*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==

* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DocumentFunction.java,v 1.3
 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/function/DocumentFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/pattern/UnionPattern.java,v 1.5 2002/04/26 17:17:36 jstrachan Exp $
* $Revision: 1.5 $
* $Date: 2002/04/26 17:17:36 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the

* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: UnionPattern.java,v 1.5 2002/04/26
 17:17:36 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/pattern/UnionPattern.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/FilterExpr.java,v 1.3 2002/04/26 17:17:34 jstrachan
Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used to
 endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*

* $Id: FilterExpr.java,v 1.3 2002/04/26 17:17:34
 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/FilterExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultAbsoluteLocationPath.java,v 1.8 2002/04/26 17:17:34 jstrachan Exp $
* $Revision: 1.8 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must
 not be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*

* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultAbsoluteLocationPath.java,v
 1.8 2002/04/26 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultAbsoluteLocationPath.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/LocationPath.java,v 1.4 2002/04/26 17:17:34
jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*

```
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: LocationPath.java,v 1.4 2002/04/26 17:17:34
 jstrachan Exp $
*/
```

Found in path(s):

* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/LocationPath.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/StartsWithFunction.java,v 1.2 2002/04/26 17:17:35 jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT

* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: StartsWithFunction.java,v
 1.2 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/function/StartsWithFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/XPathExpr.java,v 1.2 2002/04/26 17:17:34 jstrachan
Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*

* 3. The name "Jaxen" must not be used to
endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: XPathExpr.java,v 1.2 2002/04/26 17:17:34
jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/XPathExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultEqualsExpr.java,v 1.6 2002/04/26 17:17:34
jstrachan Exp $

* $Revision: 1.6 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT

* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultEqualsExpr.java,v 1.6 2002/04/26
 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultEqualsExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/exml/ChildrenIterator.java,v 1.2 2002/04/26 17:17:33
jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:33 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor

*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: ChildrenIterator.java,v 1.2 2002/04/26
 17:17:33 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/exml/ChildrenIterator.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultXPathFactory.java,v 1.7 2002/04/26 17:17:34
jstrachan Exp $
* $Revision: 1.7 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*

* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many

* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultXPathFactory.java,v 1.7
 2002/04/26 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultXPathFactory.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultGreaterThanEqualExpr.java,v 1.6 2002/04/26
17:17:34 jstrachan Exp $
* $Revision: 1.6 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must
 not be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the

* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultGreaterThanEqualExpr.java,v
 1.6 2002/04/26 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultGreaterThanEqualExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/SimpleVariableContext.java,v 1.8 2002/04/26 17:17:32
jstrachan Exp $
* $Revision: 1.8 $
* $Date: 2002/04/26 17:17:32 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.

*
* $Id: SimpleVariableContext.java,v 1.8
 2002/04/26 17:17:32 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/SimpleVariableContext.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/Predicated.java,v 1.4 2002/04/26 17:17:34 jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used to
 endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos

* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: Predicated.java,v 1.4 2002/04/26 17:17:34
jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/Predicated.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/iter/IterablePrecedingAxis.java,v 1.2 2002/04/26
17:17:35 jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions, and the following disclaimer.
*

```
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must
 not be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: IterablePrecedingAxis.java,v
 1.2 2002/04/26 17:17:35 jstrachan Exp $
*/
```

Found in path(s):

* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/iter/IterablePrecedingAxis.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultUnaryExpr.java,v 1.7 2002/04/26 17:17:34 jstrachan Exp $
* $Revision: 1.7 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultUnaryExpr.java,v 1.7 2002/04/26
 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultUnaryExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultTextNodeStep.java,v 1.4 2002/04/26 17:17:34
jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials

```
*    provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultTextNodeStep.java,v 1.4
 2002/04/26 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultTextNodeStep.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultGreaterThanExpr.java,v 1.6 2002/04/26
17:17:34 jstrachan Exp $
* $Revision: 1.6 $
* $Date: 2002/04/26 17:17:34 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
```

* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultGreaterThanExpr.java,v
 1.6 2002/04/26 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultGreaterThanExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/iter/IterableDescendantOrSelfAxis.java,v 1.2
2002/04/26 17:17:35 jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen"

must not be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR
 A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: IterableDescendantOrSelfAxis.java,v
 1.2 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/iter/IterableDescendantOrSelfAxis.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/LastFunction.java,v 1.3 2002/04/26 17:17:35

jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,

* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: LastFunction.java,v 1.3 2002/04/26
 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/function/LastFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/RoundFunction.java,v 1.3 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor

```
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: RoundFunction.java,v 1.3 2002/04/26
 17:17:35 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/function/RoundFunction.java
No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultMultiplyExpr.java,v 1.5 2002/04/26 17:17:34 jstrachan Exp $
* $Revision: 1.5 $
* $Date: 2002/04/26 17:17:34 $
*
* ====================================================================
```

*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==

* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultMultiplyExpr.java,v 1.5
 2002/04/26 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/DefaultMultiplyExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultUnionExpr.java,v 1.5 2002/04/26 17:17:34 jstrachan Exp $
* $Revision: 1.5 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the

* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultUnionExpr.java,v 1.5 2002/04/26
 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultUnionExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/ext/UpperFunction.java,v 1.6 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.6 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the

* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: UpperFunction.java,v 1.6 2002/04/26
 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/function/ext/UpperFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/FalseFunction.java,v 1.2 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."

* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: FalseFunction.java,v 1.2 2002/04/26
 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/function/FalseFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultTruthExpr.java,v 1.4 2002/04/26 17:17:34
jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*

```
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultTruthExpr.java,v 1.4 2002/04/26
```

17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/DefaultTruthExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultMinusExpr.java,v 1.5 2002/04/26 17:17:34 jstrachan Exp $
* $Revision: 1.5 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*

* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultMinusExpr.java,v 1.5 2002/04/26
 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultMinusExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/NameFunction.java,v 1.4 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*

```
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: NameFunction.java,v 1.4 2002/04/26
 17:17:35 jstrachan Exp $
*/
```

Found in path(s):

* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/function/NameFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/util/AncestorAxisIterator.java,v 1.3 2002/04/26 17:17:36 jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:36 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: AncestorAxisIterator.java,v
 1.3 2002/04/26 17:17:36 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/util/AncestorAxisIterator.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/util/SelfAxisIterator.java,v 1.3 2002/04/26 17:17:36
jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:36 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials

```
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: SelfAxisIterator.java,v 1.3 2002/04/26
 17:17:36 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/util/SelfAxisIterator.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/FloorFunction.java,v 1.3 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:35 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
```

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: FloorFunction.java,v 1.3 2002/04/26
 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/function/FloorFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/util/AncestorOrSelfAxisIterator.java,v 1.3 2002/04/26
17:17:36 jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:36 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must
 not be used to endorse or promote products
*   derived from this software without prior written permission. For

```
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: AncestorOrSelfAxisIterator.java,v
 1.3 2002/04/26 17:17:36 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/util/AncestorOrSelfAxisIterator.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/SimpleNamespaceContext.java,v 1.8 2002/04/26 17:17:32
jstrachan Exp $
* $Revision: 1.8 $
```

* $Date: 2002/04/26 17:17:32 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: SimpleNamespaceContext.java,v 1.8
 2002/04/26 17:17:32 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/SimpleNamespaceContext.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/iter/IterableAncestorAxis.java,v 1.2 2002/04/26
17:17:35 jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must
 not be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission

* from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
* "This product includes software developed by the
* Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: IterableAncestorAxis.java,v
1.2 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/iter/IterableAncestorAxis.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/pattern/TextNodeTest.java,v 1.2 2002/04/26 17:17:36
jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:36 $
*
* ==
*

* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many

* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: TextNodeTest.java,v 1.2 2002/04/26
 17:17:36 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/pattern/TextNodeTest.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/pattern/NodeTypeTest.java,v 1.5 2002/04/26 17:17:36
jstrachan Exp $
* $Revision: 1.5 $
* $Date: 2002/04/26 17:17:36 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:

*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: NodeTypeTest.java,v 1.5 2002/04/26
 17:17:36 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/pattern/NodeTypeTest.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultFilterExpr.java,v 1.8 2002/04/26 17:17:34
jstrachan Exp $
* $Revision: 1.8 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

```
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultFilterExpr.java,v 1.8 2002/04/26
```

17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/DefaultFilterExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/JaxenException.java,v 1.4 2002/04/26 17:17:32 jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:32 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used to
 endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*

* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: JaxenException.java,v 1.4 2002/04/26 17:17:32
 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/JaxenException.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/VariableReferenceExpr.java,v 1.3 2002/04/26
17:17:34 jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows

```
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: VariableReferenceExpr.java,v
 1.3 2002/04/26 17:17:34 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/VariableReferenceExpr.java

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/Expr.java,v 1.5 2002/04/26 17:17:34 jstrachan Exp $
* $Revision: 1.5 $
* $Date: 2002/04/26 17:17:34 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be used to endorse
 or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.
  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
```

* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: Expr.java,v 1.5 2002/04/26 17:17:34 jstrachan
 Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/Expr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/Function.java,v 1.3 2002/04/26 17:17:32 jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:32 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used to endorse
 or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.

```
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.
  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: Function.java,v 1.3 2002/04/26 17:17:32 jstrachan
 Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/Function.java
No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/exml/AttributesIterator.java,v 1.3 2002/04/26 17:17:33
jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:33 $
*
```

```
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
```

```
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: AttributesIterator.java,v 1.3
 2002/04/26 17:17:33 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/exml/AttributesIterator.java
No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultNameStep.java,v 1.23 2002/04/26 17:17:34 jstrachan Exp $
* $Revision: 1.23 $
* $Date: 2002/04/26 17:17:34 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
```

* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultNameStep.java,v 1.23 2002/04/26
 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultNameStep.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/util/PrecedingAxisIterator.java,v 1.4 2002/04/26 17:17:36
jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:36 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.

*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and

* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: PrecedingAxisIterator.java,v
 1.4 2002/04/26 17:17:36 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/util/PrecedingAxisIterator.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/dom4j/DocumentNavigator.java,v 1.19 2002/04/26
17:17:33 jstrachan Exp $
* $Revision: 1.19 $
* $Date: 2002/04/26 17:17:33 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the

```
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DocumentNavigator.java,v 1.19
 2002/04/26 17:17:33 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/dom4j/DocumentNavigator.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/NamespaceUriFunction.java,v 1.2 2002/04/26
17:17:35 jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:35 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
```

```
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must
 not be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: NamespaceUriFunction.java,v
```

1.2 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/function/NamespaceUriFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/iter/IterableNamespaceAxis.java,v 1.2 2002/04/26 17:17:35 jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must
 not be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*

* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: IterableNamespaceAxis.java,v
 1.2 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/iter/IterableNamespaceAxis.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/pattern/Pattern.java,v 1.4 2002/04/26 17:17:36 jstrachan
Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:36 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*

```
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be used to
 endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: Pattern.java,v 1.4 2002/04/26 17:17:36
 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/pattern/Pattern.java

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultAllNodeStep.java,v 1.4 2002/04/26 17:17:34
jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:34 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
```

* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultAllNodeStep.java,v 1.4
 2002/04/26 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultAllNodeStep.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/iter/IterableAttributeAxis.java,v 1.2 2002/04/26
17:17:35 jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must

not be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: IterableAttributeAxis.java,v
 1.2 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/iter/IterableAttributeAxis.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/BinaryExpr.java,v 1.3 2002/04/26 17:17:33 jstrachan

Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:33 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used to
 endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT

* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: BinaryExpr.java,v 1.3 2002/04/26 17:17:33
 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/BinaryExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/ContainsFunction.java,v 1.2 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission

* from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
* "This product includes software developed by the
* Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: ContainsFunction.java,v 1.2
2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/function/ContainsFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/dom4j/Dom4jXPath.java,v 1.2 2002/04/26 17:17:33
jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:33 $
*
* ==
*

* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally

* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: Dom4jXPath.java,v 1.2 2002/04/26 17:17:33
 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/dom4j/Dom4jXPath.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultEqualityExpr.java,v 1.8 2002/04/26 17:17:34
jstrachan Exp $
* $Revision: 1.8 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the

*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultEqualityExpr.java,v 1.8
 2002/04/26 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultEqualityExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/JaxenHandler.java,v 1.6 2002/04/26 17:17:32 jstrachan Exp
$
* $Revision: 1.6 $
* $Date: 2002/04/26 17:17:32 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used to endorse
 or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: JaxenHandler.java,v 1.6 2002/04/26 17:17:32

jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/JaxenHandler.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/Context.java,v 1.8 2002/04/26 17:17:32 jstrachan Exp $
* $Revision: 1.8 $
* $Date: 2002/04/26 17:17:32 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used to endorse
 or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.
  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: Context.java,v 1.8 2002/04/26 17:17:32 jstrachan
 Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/Context.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/NumberFunction.java,v 1.7 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.7 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials

```
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: NumberFunction.java,v 1.7 2002/04/26
 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/function/NumberFunction.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/ext/EndsWithFunction.java,v 1.2 2002/04/26
17:17:35 jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:35 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must
 not be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
```

* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: EndsWithFunction.java,v
 1.2 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/function/ext/EndsWithFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/pattern/AnyNodeTest.java,v 1.4 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used

to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: AnyNodeTest.java,v 1.4 2002/04/26
17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/pattern/AnyNodeTest.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultXPathExpr.java,v 1.2 2002/04/26 17:17:34
jstrachan Exp $

* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT

* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultXPathExpr.java,v 1.2 2002/04/26
 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/DefaultXPathExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/jdom/JDOMXPath.java,v 1.2 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used to
 endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor

```
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: JDOMXPath.java,v 1.2 2002/04/26 17:17:35
 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/jdom/JDOMXPath.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/dom/NamespaceNode.java,v 1.4 2002/04/26 17:17:33
jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:33 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
```

* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally

* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: NamespaceNode.java,v 1.4 2002/04/26
 17:17:33 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/dom/NamespaceNode.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/Predicate.java,v 1.5 2002/04/26 17:17:34 jstrachan
Exp $
* $Revision: 1.5 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used to
 endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the

*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: Predicate.java,v 1.5 2002/04/26 17:17:34
 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/Predicate.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/StringFunction.java,v 1.9 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.9 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright

```
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be
 used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: StringFunction.java,v 1.9 2002/04/26
 17:17:35 jstrachan Exp $
*/
```

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/function/StringFunction.java
No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultDivExpr.java,v 1.4 2002/04/26 17:17:34 jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:34 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
```

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultDivExpr.java,v 1.4 2002/04/26
 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/DefaultDivExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/util/DescendantAxisIterator.java,v 1.4 2002/04/26 17:17:36
jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:36 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials

```
*    provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.  For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DescendantAxisIterator.java,v
 1.4 2002/04/26 17:17:36 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/util/DescendantAxisIterator.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/SubstringAfterFunction.java,v 1.3 2002/04/26
17:17:35 jstrachan Exp $
* $Revision: 1.3 $
* $Date: 2002/04/26 17:17:35 $
*
* ====================================================================
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must
 not be used to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
```

* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: SubstringAfterFunction.java,v
 1.3 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/function/SubstringAfterFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/iter/IterableParentAxis.java,v 1.2 2002/04/26 17:17:35
jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must

not be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: IterableParentAxis.java,v
 1.2 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/expr/iter/IterableParentAxis.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/TranslateFunction.java,v 1.2 2002/04/26 17:17:35

jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not
 be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,

* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ===
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: TranslateFunction.java,v 1.2
 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/function/TranslateFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/PredicateSet.java,v 1.11 2002/04/26 17:17:34
jstrachan Exp $
* $Revision: 1.11 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*

* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: PredicateSet.java,v 1.11 2002/04/26
 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/PredicateSet.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/pattern/NoNodeTest.java,v 1.4 2002/04/26 17:17:36
jstrachan Exp $
* $Revision: 1.4 $
* $Date: 2002/04/26 17:17:36 $
*
* ==

```
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions, and the disclaimer that follows
*    these conditions in the documentation and/or other materials
*    provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*    derived from this software without prior written permission.  For
*    written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*    may "Jaxen" appear in their name, without prior written permission
*    from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*     "This product includes software developed by the
*      Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED.  IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ====================================================================
```

* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: NoNodeTest.java,v 1.4 2002/04/26 17:17:36
 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/pattern/NoNodeTest.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/function/ext/MatrixConcatFunction.java,v 1.2 2002/04/26
17:17:35 jstrachan Exp $
* $Revision: 1.2 $
* $Date: 2002/04/26 17:17:35 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen"
 must not be used to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the

* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: MatrixConcatFunction.java,v
 1.2 2002/04/26 17:17:35 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-
jar/org/jaxen/function/ext/MatrixConcatFunction.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /cvsroot/jaxen/jaxen/src/java/main/org/jaxen/expr/DefaultOrExpr.java,v 1.6 2002/04/26 17:17:34
jstrachan Exp $
* $Revision: 1.6 $
* $Date: 2002/04/26 17:17:34 $
*
* ==
*
* Copyright (C) 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions, and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions, and the disclaimer that follows
*   these conditions in the documentation and/or other materials
*   provided with the distribution.
*
* 3. The name "Jaxen" must not be used
 to endorse or promote products
*   derived from this software without prior written permission. For
*   written permission, please contact license@jaxen.org.
*
* 4. Products derived from this software may not be called "Jaxen", nor
*   may "Jaxen" appear in their name, without prior written permission
*   from the Jaxen Project Management (pm@jaxen.org).
*
* In addition, we request (but do not require) that you include in the
* end-user documentation provided with the redistribution and/or in the
* software itself an acknowledgement equivalent to the following:
*   "This product includes software developed by the
*   Jaxen Project (http://www.jaxen.org/)."
* Alternatively, the acknowledgment may be graphical using the logos
* available at http://www.jaxen.org/
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE
* DISCLAIMED. IN NO EVENT SHALL THE Jaxen AUTHORS OR THE PROJECT
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* ==
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.

*
* $Id: DefaultOrExpr.java,v 1.6 2002/04/26
 17:17:34 jstrachan Exp $
*/

Found in path(s):
* /opt/cola/permits/1316677945_1651031035.98/0/jaxen-1-0-fcs-sources-6-jar/org/jaxen/expr/DefaultOrExpr.java

1.550 opentelemetry---io.opentelemetry:opentelemetry-proto 0.11.0

1.550.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Licensed under the Apache License, Version 2.0 (the "License");
// you may not use this file except in compliance with the License.
// You may obtain a copy of the License at
//   http://www.apache.org/licenses/LICENSE-2.0
// distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):
* /opt/cola/permits/1319213633_1651751292.93/0/opentelemetry-proto-0-11-0-jar/opentelemetry/proto/trace/v1/trace_config.proto
* /opt/cola/permits/1319213633_1651751292.93/0/opentelemetry-proto-0-11-0-jar/opentelemetry/proto/collector/metrics/v1/metrics_service.proto
* /opt/cola/permits/1319213633_1651751292.93/0/opentelemetry-proto-0-11-0-jar/opentelemetry/proto/metrics/v1/metrics.proto
* /opt/cola/permits/1319213633_1651751292.93/0/opentelemetry-proto-0-11-0-jar/opentelemetry/proto/common/v1/common.proto
* /opt/cola/permits/1319213633_1651751292.93/0/opentelemetry-proto-0-11-0-jar/opentelemetry/proto/collector/trace/v1/trace_service.proto
*
 /opt/cola/permits/1319213633_1651751292.93/0/opentelemetry-proto-0-11-0-jar/opentelemetry/proto/collector/logs/v1/logs_service.proto
* /opt/cola/permits/1319213633_1651751292.93/0/opentelemetry-proto-0-11-0-jar/opentelemetry/proto/logs/v1/logs.proto
* /opt/cola/permits/1319213633_1651751292.93/0/opentelemetry-proto-0-11-0-jar/opentelemetry/proto/resource/v1/resource.proto
* /opt/cola/permits/1319213633_1651751292.93/0/opentelemetry-proto-0-11-0-jar/opentelemetry/proto/metrics/experimental/configservice.proto
* /opt/cola/permits/1319213633_1651751292.93/0/opentelemetry-proto-0-11-0-jar/opentelemetry/proto/trace/v1/trace.proto

1.551 apache-xerces2-j 2.12.2

1.551.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from)

the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate

as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
===
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
===

Apache Xerces Java
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of this software were originally based on the following:
- software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
- software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
- voluntary contributions made by Paul Eng on behalf of the
Apache Software Foundation that were originally developed at iClick, Inc.,
software copyright (c) 1999.

1.552 jakarta-oro 2.0.8

1.552.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* $Id: MalformedPatternException.java,v 1.8 2003/11/07 20:16:25 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
 *       "This product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE
 APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
```

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/regex/MalformedPatternException.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: AwkPattern.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*   "This
 product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

```
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/text/awk/AwkPattern.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: Perl5Repetition.java,v 1.7 2003/11/07 20:16:25 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
```

```
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*
 "This product includes software developed by the
*       Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/text/regex/Perl5Repetition.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Id: CacheRandom.java,v 1.7 2003/11/07 20:16:25 dfs Exp $
*
* ========================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This
 product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
```

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/util/CacheRandom.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: PatternCacheRandom.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*
   "This product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

```
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE
 SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/text/PatternCacheRandom.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: CharStringPointer.java,v 1.7 2003/11/07 20:16:25 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
```

```
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*
   "This product includes software developed by the
*       Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/text/regex/CharStringPointer.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Id: CacheFIFO.java,v 1.7 2003/11/07 20:16:25 dfs Exp $
*
* ========================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This
 product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
```

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/util/CacheFIFO.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: Pattern.java,v 1.7 2003/11/07 20:16:25 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*   "This product
 includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION
OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/regex/Pattern.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: StringSubstitution.java,v 1.8 2003/11/07 20:16:25 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright

```
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*
   "This product includes software developed by the
*       Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE
 SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/text/regex/StringSubstitution.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Id: OpCode.java,v 1.11 2003/11/07 20:16:25 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This product
 includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION
 OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
```

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/regex/OpCode.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: PatternCacheFIFO.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*
  "This product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

```
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/text/PatternCacheFIFO.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: MalformedCachePatternException.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
```

```
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
 *       "This product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL
 THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/
```

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/MalformedCachePatternException.java

No license file was found, but licenses were detected in source scan.

```
/*
* $Id: PatternCompiler.java,v 1.7 2003/11/07 20:16:25 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*
 "This product includes software developed by the
*       Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
```

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/regex/PatternCompiler.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: RegexFilenameFilter.java,v 1.9 2003/11/07 20:16:23 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*
      "This product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

```
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE
 SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/io/RegexFilenameFilter.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: DefaultMatchAction.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
```

```
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*
   "This product includes software developed by the
*       Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE
 SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/text/DefaultMatchAction.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Id: AwkMatchResult.java,v 1.8 2003/11/07 20:16:24 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This
 product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
```

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/awk/AwkMatchResult.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: Perl5FilenameFilter.java,v 1.7 2003/11/07 20:16:23 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*
      "This product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

```
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE
 SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/io/Perl5FilenameFilter.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: GenericCache.java,v 1.8 2003/11/07 20:16:25 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
```

```
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This
 product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/util/GenericCache.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Id: MalformedPerl5PatternException.java,v 1.7 2003/11/07 20:16:25 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
 *       "This product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL
 THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
```

* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/perl/MalformedPerl5PatternException.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: CacheFIFO2.java,v 1.7 2003/11/07 20:16:25 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*   "This
 product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*   must not be used to endorse or promote products derived from this

* software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/util/CacheFIFO2.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: Cache.java,v 1.7 2003/11/07 20:16:25 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

```
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This product
 includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION
 OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/util/Cache.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Id: PatternCacheFIFO2.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*
   "This product includes software developed by the
*       Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
```

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/PatternCacheFIFO2.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: MatchAction.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*   "This
 product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

```
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/text/MatchAction.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: PatternCache.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
```

```
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This
 product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/text/PatternCache.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Id: GenericCacheEntry.java,v 1.7 2003/11/07 20:16:25 dfs Exp $
*
* ============================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*
   "This product includes software developed by the
*       Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
```

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/util/GenericCacheEntry.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: PatternCacheLRU.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*
 "This product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

*   must not be used to endorse or promote products derived from this
*   software without prior written permission. For written
*   permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*   or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*   name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/PatternCacheLRU.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: MatchResult.java,v 1.7 2003/11/07 20:16:25 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
* "This
product includes software developed by the
* Apache Software Foundation (http://www.apache.org/)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/regex/MatchResult.java

No license file was found, but licenses were detected in source scan.

```
/*
* $Id: SyntaxTree.java,v 1.8 2003/11/07 20:16:24 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This
 product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
```

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/awk/SyntaxTree.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: StarNode.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*   "This product
 includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

```
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION
 OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/text/awk/StarNode.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: Perl5Matcher.java,v 1.27 2003/11/07 20:16:25 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
```

```
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This
 product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/text/regex/Perl5Matcher.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Id: Perl5Substitution.java,v 1.13 2003/11/07 20:16:25 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*
   "This product includes software developed by the
*       Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE
 SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
```

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/regex/Perl5Substitution.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: GlobCompiler.java,v 1.8 2003/11/07 20:16:24 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*   "This
 product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

```
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/text/GlobCompiler.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: Perl5MatchResult.java,v 1.8 2003/11/07 20:16:25 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
```

* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
*
"This product includes software developed by the
* Apache Software Foundation (http://www.apache.org/)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/regex/Perl5MatchResult.java

No license file was found, but licenses were detected in source scan.

```
/*
* $Id: OrNode.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* ============================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This product
 includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION
 OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
```

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/awk/OrNode.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: PatternMatcherInput.java,v 1.7 2003/11/07 20:16:25 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*
      "This product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

```
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE
 SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/text/regex/PatternMatcherInput.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: AwkCompiler.java,v 1.10 2003/11/07 20:16:24 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
```

```
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This
 product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/
```

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/awk/AwkCompiler.java

No license file was found, but licenses were detected in source scan.

```
/*
* $Id: NegativeCharacterClassNode.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
 *       "This product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE
 APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
```

* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/awk/NegativeCharacterClassNode.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: LeafNode.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*   "This product
 includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*   must not be used to endorse or promote products derived from this

* software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION
OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/awk/LeafNode.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: MatchActionProcessor.java,v 1.10 2003/11/07 20:16:24 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

```
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*
       "This product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE
 SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/text/MatchActionProcessor.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Id: CatNode.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This product
 includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION
 OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
```

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/awk/CatNode.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: GlobFilenameFilter.java,v 1.7 2003/11/07 20:16:23 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*
   "This product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

```
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE
 SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/io/GlobFilenameFilter.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: CharacterClassNode.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
```

```
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*
   "This product includes software developed by the
*       Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE
 SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/text/awk/CharacterClassNode.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Id: Util.java,v 1.15 2003/11/07 20:16:25 dfs Exp $
*
* ========================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000-2002 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This
 product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
```

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/regex/Util.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: Perl5Debug.java,v 1.11 2003/11/07 20:16:25 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*   "This
 product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

```
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/text/regex/Perl5Debug.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: EpsilonNode.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
```

* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
* "This
product includes software developed by the
* Apache Software Foundation (http://www.apache.org/)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/awk/EpsilonNode.java

No license file was found, but licenses were detected in source scan.

```
/*
* $Id: Substitution.java,v 1.7 2003/11/07 20:16:25 dfs Exp $
*
* ========================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This
 product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
```

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/regex/Substitution.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: AwkStreamInput.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*   "This
 product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

```
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/text/awk/AwkStreamInput.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: SyntaxNode.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
```

```
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This
 product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/
```

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/awk/SyntaxNode.java

No license file was found, but licenses were detected in source scan.

```
/*
* $Id: AwkFilenameFilter.java,v 1.7 2003/11/07 20:16:23 dfs Exp $
*
* ========================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*
   "This product includes software developed by the
*       Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
```

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/io/AwkFilenameFilter.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: AwkMatcher.java,v 1.11 2003/11/07 20:16:24 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*   "This
 product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

```
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/
/**
  * Determines if the contents of a PatternMatcherInput, starting from the
  * current offset of the input contains a pattern.
  * If a pattern match is found, a MatchResult
   * instance representing the <b>first</b> such match is made acessible via
  * {@link #getMatch()}.  The current offset of the
  * PatternMatcherInput is set to the offset corresponding to the end
  * of the match, so that a subsequent call to this method will continue
  * searching where the last call left off.  You should remember that the
  * region between the begin and end offsets of the PatternMatcherInput are
  * considered the input to be searched, and that the current offset
  * of the PatternMatcherInput reflects where a search will start from.
  * Matches extending beyond the end offset of the PatternMatcherInput
  * will not be matched.  In other words, a match must occur entirely
  * between the begin and end offsets of the input.  See
  * {@link org.apache.oro.text.regex.PatternMatcherInput PatternMatcherInput}
  * for more details.
  * <p>
  * As a side effect, if a match is found, the PatternMatcherInput match
  * offset information is updated.  See
```

```
 the PatternMatcherInput
 * {@link org.apache.oro.text.regex.PatternMatcherInput#setMatchOffsets
 * setMatchOffsets(int, int)} method for more details.
 * <p>
 * The pattern must be an AwkPattern instance, otherwise a
 * ClassCastException will be thrown.  You are not required to, and
 * indeed should NOT try to (for performance reasons), catch a
 * ClassCastException because it will never be thrown as long as you use
 * an AwkPattern as the pattern parameter.
 * <p>
 * This method is usually used in a loop as follows:
 * <blockquote><pre>
 * PatternMatcher matcher;
 * PatternCompiler compiler;
 * Pattern pattern;
 * PatternMatcherInput input;
 * MatchResult result;
 *
 * compiler = new AwkCompiler();
 * matcher  = new AwkMatcher();
 *
 * try {
 *   pattern = compiler.compile(somePatternString);
 * } catch(MalformedPatternException e) {
 *   System.err.println("Bad pattern.");
 *   System.err.println(e.getMessage());
 *   return;
 * }
 *
 * input   = new PatternMatcherInput(someStringInput);
 *
 * while(matcher.contains(input, pattern)) {
 *   result = matcher.getMatch();
 *   // Perform whatever processing on the result you want.
 * }
 *
 * </pre></blockquote>
 * <p>
 * @param input  The PatternMatcherInput to test for a match.
 * @param pattern  The Pattern to be matched.
 * @return True if the input contains a pattern match, false otherwise.
 * @exception ClassCastException If a Pattern instance other than an
 *         AwkPattern is passed as the pattern parameter.
 */
```

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/awk/AwkMatcher.java

No license file was found, but licenses were detected in source scan.

```
/*
* $Id: Perl5Compiler.java,v 1.21 2003/11/07 20:16:25 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This
 product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
```

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/regex/Perl5Compiler.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: QuestionNode.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*   "This
 product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

```
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/text/awk/QuestionNode.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: TokenNode.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
```

* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
* "This
product includes software developed by the
* Apache Software Foundation (http://www.apache.org/)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/awk/TokenNode.java

No license file was found, but licenses were detected in source scan.

```
/*
* $Id: CacheLRU.java,v 1.10 2003/11/07 20:16:25 dfs Exp $
*
* ============================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This
 product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
```

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/util/CacheLRU.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: PatternMatcher.java,v 1.7 2003/11/07 20:16:25 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*   "This
 product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/regex/PatternMatcher.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: MatchActionInfo.java,v 1.8 2003/11/07 20:16:24 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright

```
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*
 "This product includes software developed by the
*       Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/
```

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/MatchActionInfo.java

No license file was found, but licenses were detected in source scan.

```
/*
* $Id: GenericPatternCache.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* ========================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*
    "This product includes software developed by the
*       Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE
 SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
```

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/GenericPatternCache.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: PlusNode.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*   "This product
 includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

```
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION
 OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/text/awk/PlusNode.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: Perl5Util.java,v 1.19 2003/11/07 20:16:25 dfs Exp $
*
* ====================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
```

```
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*       "This
 product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-
jar/org/apache/oro/text/perl/Perl5Util.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Id: ParsedSubstitutionEntry.java,v 1.7 2003/11/07 20:16:25 dfs Exp $
*
* ========================================================================
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
 *       "This product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE
 SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
```

* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ==
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/perl/ParsedSubstitutionEntry.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: Perl5Pattern.java,v 1.8 2003/11/07 20:16:25 dfs Exp $
*
* ==
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*   "This
 product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*   must not be used to endorse or promote products derived from this

```
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* ====================================================================
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/
```

Found in path(s):
* /opt/cola/permits/1330679780_1653003181.5396817/0/jakarta-oro-2-0-8-sources-jar/org/apache/oro/text/regex/Perl5Pattern.java

1.553 jetbrains-kotlin-kotlin-stdlib-jdk8 1.5.31

1.553.1 Available under license :

```
/*
* Copyright 2010-2023 JetBrains s.r.o. and Kotlin Programming Language contributors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

* See the License for the specific language governing permissions and
* limitations under the License.
*/
Copyright JS Foundation and other contributors, https://js.foundation

This software consists of voluntary contributions made by many
individuals. For exact contribution history, see the revision history
available at https://github.com/qunitjs/qunit

The following license applies to all parts of this software except as
documented below:

====

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING
 BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====
GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use
it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee,
you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant

threat to the existence of
any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire
combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software
only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the

users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

GNU LESSER
GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation
is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's

complete source code as you receive it, in any medium, provided that you conspicuously
and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility
in the modified Library refers to a function or a
table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and
separate works in
themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based

on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or

linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is
therefore covered by this License.
Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms
of Section 6.
Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding

machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this

License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license
practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

13. The Free Software Foundation may publish revised and/or new
versions of the
Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by

the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively

convey the exclusion of warranty; and each file should
 have at least the
"copyright" line and a pointer to where the full notice is found.

  <one line to give the library's name and a brief idea of what it does.>
  Copyright (C) <year> <name of author>

  This library is free software; you can redistribute it and/or
  modify it under the terms of the GNU Lesser General Public
  License as published by the Free Software Foundation; either
  version 2.1 of the License, or (at your option) any later version.

  This library is distributed in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
  Lesser General Public License for more details.

  You should have received a copy of the GNU Lesser General Public
  License along with this library; if not, write to the Free Software
  Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic
 and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!
MIT License

Copyright (c) 2018 Chad Retz

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
/**
* Copyright 2010 Tim Down.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
Copyright (C) 2009-2021 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

Developed at SunSoft, a Sun Microsystems, Inc. business.
Permission to use, copy, modify, and distribute this

software is freely granted, provided that this notice
is preserved.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The MIT License

Copyright (C) 2011-2019 Google, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

https://github.com/square/okhttp/

Copyright 2019 Square, Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
zlib.h -- interface of the 'zlib' general purpose compression library
version 1.2.11, January 15th, 2017

Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
   claim that you wrote the original software. If you use this software
   in a product, an acknowledgment in the product documentation would be
   appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
   misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu
SCALA LICENSE

Copyright (c) 2002-2012 EPFL, Lausanne, unless otherwise specified.
All rights reserved.

This software was developed by the Programming Methods Laboratory of the
Swiss Federal Institute of Technology (EPFL), Lausanne, Switzerland.

Permission to use, copy, modify, and distribute this software in source
or binary form for any purpose with or without fee is hereby granted,
provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

3. Neither the name of the EPFL nor the names of its contributors
   may be used to endorse or promote products derived from this
   software without specific prior written permission.

THIS SOFTWARE
 IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.
The MIT License (MIT)

Copyright (c) 2016 Jamie Sherriff

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR
 IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
 ===
 == NOTICE file corresponding to the section 4 d of   ==
 == the Apache License, Version 2.0,   ==
 == in this case for the Kotlin Compiler distribution.   ==
 ===

 Kotlin Compiler
 Copyright 2010-2023 JetBrains s.r.o and respective authors and developers

The Apache 2 license (given in full in LICENSE.txt) applies to all code in this repository which is copyright
by JetBrains. The following sections of the repository contain third-party code, to which different licenses may apply:

Kotlin Compiler

The following modules contain third-party code and are incorporated into the Kotlin compiler and/or the Kotlin IntelliJ IDEA plugin:

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/inline/MaxStackFrameSizeAndLocalsCalculator.java
  - License: BSD ([license/third_party/asm_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/inline/MaxLocalsCalculator.java
  - License: BSD ([license/third_party/asm_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France
  Telecom

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/common/FastMethodAnalyzer.kt
  - License: BSD ([license/third_party/asm_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/common/InstructionLivenessAnalyzer.kt
  - License: BSD ([license/third_party/asm_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/common/ControlFlowGraph.kt
  - License: BSD ([license/third_party/asm_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/fixStack/FastStackAnalyzer.kt
  - License: BSD ([license/third_party/asm_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/temporaryVals/FastStoreLoadAnalyzer.kt
  - License: BSD ([license/third_party/asm_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: eval4j/src/org/jetbrains/eval4j/interpreterLoop.kt
  - License: BSD ([license/third_party/asm_license.txt][asm])

- Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/common/OptimizationBasicInterpreter.java
  - License: BSD ([license/third_party/asm_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: js/js.ast
  - License: BSD ([license/third_party/dart_LICENSE.txt][dart])
  - Origin: Originally part of the Dart compiler, (c) 2011 the Dart Project Authors,

- Path: js/js.inliner/src/org/jetbrains/kotlin/js/inline/FunctionInlineMutator.kt
  - License: BSD ([license/third_party/dart_LICENSE.txt][dart])
  - Origin: Originally part of the Dart compiler, (c) 2011 the Dart Project Authors,

- Path: js/js.parser/src/com/google
  - License: Netscape Public License 1.1 ([license/third_party/rhino_LICENSE.txt][rhino])
  - Origin: Originally part of GWT, (C) 2007-08 Google Inc., distributed under the Apache 2 license. The code is derived from Rhino, (C) 1997-1999 Netscape Communications Corporation, distributed under the Netscape Public License.

- Path: js/js.translator/qunit/qunit.js
  - License: MIT
([license/third_party/qunit_license.txt][qunit])
  - Origin: QUnit, Copyright (c) 2012 John Resig, Jrn Zaefferer,

- Path: libraries/stdlib/src/kotlin/collections
  - License: Apache 2 ([license/third_party/gwt_license.txt][gwt])
  - Origin: Derived from GWT, (C) 2007-08 Google Inc.

- Path: libraries/stdlib/unsigned/src/kotlin/UnsignedUtils.kt
  - License: Apache 2 ([license/third_party/guava_license.txt][guava])
  - Origin: Derived from Guava's UnsignedLongs, (C) 2011 The Guava Authors

- Path: libraries/stdlib/jvm/src/kotlin/util/MathJVM.kt
  - License: Boost Software License 1.0 ([license/third_party/boost_LICENSE.txt][boost])
  - Origin: Derived from boost special math functions, Copyright Eric Ford & Hubert Holin 2001.

- Path: libraries/stdlib/js/src/kotlin/collections
  - License: Apache 2 ([license/third_party/gwt_license.txt][gwt])
  - Origin: Derived from GWT, (C) 2007-08 Google Inc.

- Path: libraries/stdlib/native-wasm/src/kotlin/collections
  - License: Apache 2 ([license/third_party/gwt_license.txt][gwt])
  - Origin: Derived from GWT, (C) 2007-08 Google Inc.

- Path: libraries/stdlib/js-v1/src/js/long.js

- License: Apache 2 ([license/third_party/closure-compiler_LICENSE.txt][closure-compiler])
- Origin: Google Closure Library, Copyright 2009 The Closure Library Authors

- Path: libraries/stdlib/js-v1/src/js/polyfills.js
- License: Boost Software License 1.0 ([license/third_party/boost_LICENSE.txt][boost])
- Origin: Derived from boost special math functions, Copyright Eric Ford & Hubert Holin 2001.

- Path: libraries/stdlib/js/src/kotlin/js/math.polyfills.kt
- License: Boost Software License 1.0 ([license/third_party/boost_LICENSE.txt][boost])
- Origin: Derived from boost special math functions, Copyright Eric Ford & Hubert Holin 2001.

- Path: libraries/stdlib/wasm/internal/kotlin/wasm/internal/Number2String.kt
- License: Apache 2 ([third_party/assemblyscript_license.txt][assemblyscript])
- Origin: Derived from assemblyscript standard library

- Path: plugins/lint/android-annotations
- License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
- Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: plugins/lint/lint-api
- License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
- Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: plugins/lint/lint-checks
- License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
- Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: plugins/lint/lint-idea
- License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
- Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: wasm/ir/src/org/jetbrains/kotlin/wasm/ir/convertors
- License: MIT ([license/third_party/asmble_license.txt][asmble])
- Origin: Copyright (C) 2018 Chad Retz

- Path: compiler/tests-common/tests/org/jetbrains/kotlin/codegen/ir/ComposeLikeGenerationExtension.kt
- License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
- Origin: Derived from JetPack Compose compiler plugin code, Copyright 2019 The Android Open Source Project

- Path: libraries/stdlib/wasm/src/kotlin/text/FloatingPointConverter.kt
- License: MIT ([license/third_party/asmble_license.txt][asmble])
- Origin: Copyright (C) 2018 Chad Retz

- Path: libraries/stdlib/wasm/src/kotlin/math/fdlibm/
- License: SUN ([license/third_party/sun_license.txt][sun])
- Origin: Copyright (C) 1993 by Sun Microsystems, Inc.

- Path: kotlin-native/runtime/src/main/cpp/Utils.cpp
  - License: Boost Software License 1.0 ([license/third_party/boost_LICENSE.txt][boost])
  - Origin: Derived from boost hash functions, Copyright 2005-2014 Daniel James

Kotlin Test Data

The following source code is used for testing the Kotlin compiler and/or plugin and is not incorporated into
any distributions of the compiler, libraries or plugin:

- Path: third-party/annotations/android
  - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: third-party/annotations/com/android
  - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: third-party/annotations/org/eclipse
  - License: Eclipse Public License v1.0 ([license/third_party/testdata/eclipse_license.txt][eclipse])
  - Origin: Eclipse JDT, Copyright (c) 2011, 2013 Stephan Herrmann and others.

- Path: third-party/annotations/androidx
  - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: third-party/annotations/edu/umd/cs/findbugs
  - License: LGPL 2.1 ([license/third_party/testdata/findbugs_license.txt][findbugs])
  - Origin: Bytecode Analysis Framework, Copyright (C) 2005 University of Maryland

- Path: third-party/java8-annotations/org/eclipse
  - License: Eclipse Public License v1.0 ([license/third_party/testdata/eclipse_license.txt][eclipse])
  - Origin: Eclipse JDT, Copyright (c) 2011, 2013 Stephan Herrmann and others.

- Path: third-party/annotations/io/reactivex
  - License: Apache 2 ([license/third_party/testdata/rxjava_license.txt][rxjava])
  - Origin: RxJava, Copyright (c) 2016-present, RxJava Contributors

- Path: third-party/java8-annotations/org/jspecify
  - License: Apache 2 ([license/third_party/testdata/jspecify_license.txt][jspecify])
  - Origin: JSpecify, Copyright (C) 2020 The JSpecify Authors

- Path: third-party/java9-annotations/org/jspecify
  - License: Apache 2 ([license/third_party/testdata/jspecify_license.txt][jspecify])
  - Origin: JSpecify, Copyright (C) 2020 The JSpecify Authors

- Path: third-party/annotations/lombok

- License: MIT ([license/third_party/testdata/lombok_license.txt][lombok])
- Origin: Project Lombok, Copyright (C) 2009-2013 The Project Lombok Authors

- Path: idea/idea-android/tests/org/jetbrains/kotlin/android/AndroidTestBase.java
- License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
- Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: idea/testData/android/lintQuickfix/requiresApi/RequiresApi.java
- License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
- Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: idea/testData/android/lint/IntRange.java
- License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
- Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: idea/testData/android/lint/RequiresPermission.java
- License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
- Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/allOpenSpring/src/org/springframework/stereotype/Component.java
- License: Apache 2 ([license/third_party/testdata/spring_license.txt][spring])
- Origin: Spring Framework, Copyright 2002-2007 the original author or authors.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/AndroidDaggerProject
- License: Apache 2 ([license/third_party/testdata/dagger_license.txt][dagger])
- Origin: Dagger, Copyright (C) 2013 Square, Inc.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/kapt2
- License: Apache 2 ([license/third_party/testdata/dagger_license.txt][dagger])
- Origin: Dagger, Copyright (C) 2013 Square, Inc.

- Path: libraries/tools/kotlin-maven-plugin-test/src/it/test-allopen-spring/src/main/java/org/springframework/stereotype/Component.java
- License: Apache 2 ([license/third_party/testdata/spring_license.txt][spring])
- Origin: Spring Framework, Copyright 2002-2007 the original author or authors.

Kotlin Tools and Libraries Tests

The following source code is used for testing the Kotlin tools and/or libraries and is not incorporated into any distributions of the tools or libraries:

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/kotlin/org/jetbrains/kotlin/gradle/PluginsDslIT.kt
- License: Apache 2 ([license/third_party/gradle_license.txt][gradle])
- Origin: Gradle, Copyright 2002-2017 Gradle, Inc.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/target/test-

classes/testProject/noArgJpa/src/javax/persistence/Entity.java
    - License: Eclipse Public License v1.0 ([license/third_party/testdata/eclipse_license.txt][eclipse])
        and Eclipse Distribution License - v1.0
([license/third_party/testdata/eclipse_distribution_license.txt][eclipse-distribution])
    - Origin:
 javax.persistence, Copyright (c) 2008, 2017 Sun Microsystems, Oracle Corporation.

- Path: libraries/tools/kotlin-gradle-plugin-integration-
tests/src/test/resources/testProject/noArgJpa/src/javax/persistence/Entity.java
    - License: Eclipse Public License v1.0 ([license/third_party/testdata/eclipse_license.txt][eclipse])
        and Eclipse Distribution License - v1.0
([license/third_party/testdata/eclipse_distribution_license.txt][eclipse-distribution])
    - Origin: javax.persistence, Copyright (c) 2008, 2017 Sun Microsystems, Oracle Corporation.

- Path: libraries/tools/kotlin-gradle-plugin-integration-
tests/src/test/resources/testProject/noArgJpa/src/javax/persistence/Embeddable.java
    - License: Eclipse Public License v1.0 ([license/third_party/testdata/eclipse_license.txt][eclipse])
        and Eclipse Distribution License - v1.0
([license/third_party/testdata/eclipse_distribution_license.txt][eclipse-distribution])
    - Origin: javax.persistence, Copyright
 (c) 2008, 2017 Sun Microsystems, Oracle Corporation.

- Path: libraries/tools/kotlin-test-js-runner/karma-kotlin-reporter.js
    - License: MIT ([license/third_party/karma_LICENSE.txt](third_party/karma_LICENSE.txt)
        and [license/third_party/karma-teamcity-reporter_LICENSE.txt](third_party/karma-teamcity-
reporter_LICENSE.txt))
    - Origin: Copyright (C) 2011-2019 Google, Inc. and Copyright (C) 2011-2013 Vojta Jna and contributors.

- Path: libraries/tools/kotlin-test-js-runner/mocha-kotlin-reporter.js
    - License: MIT ([license/third_party/mocha-teamcity-reporter_LICENSE.txt](third_party/mocha-teamcity-
reporter_LICENSE.txt))
    - Origin: Copyright (c) 2016 Jamie Sherriff

- Path: libraries/tools/kotlin-test-js-runner/src/utils.ts
    - License: MIT ([license/third_party/teamcity-service-messages_LICENSE.txt](third_party/teamcity-service-
messages_LICENSE.txt)
        and [license/third_party/lodash_LICENSE.txt](third_party/lodash_LICENSE.txt))
     - Origin: Copyright (c) 2013 Aaron Forsander and Copyright JS Foundation and other contributors
<https://js.foundation/>

- Path: libraries/tools/kotlin-test-js-runner/src/teamcity-format.js
    - License: MIT ([license/third_party/mocha-teamcity-reporter_LICENSE.txt](third_party/mocha-teamcity-
reporter_LICENSE.txt)
        and [license/third_party/teamcity-service-messages_LICENSE.txt](third_party/teamcity-service-
messages_LICENSE.txt))
    - Origin: Copyright (c) 2016 Jamie Sherriff and Copyright (c) 2013 Aaron Forsander

Example Code

The following code is provided as examples and is not incorporated into
any distributions of the compiler, libraries or plugin:

- Path: libraries/examples/browser-example/src/js/jquery.js
  - License: MIT ([license/third_party/jquery_license.txt][jquery])
  - Origin: jQuery JavaScript Library v1.6.2, Copyright 2011, John Resig

- Path: libraries/examples/browser-example-with-library/src/js/jquery.js
  - License: MIT ([license/third_party/jquery_license.txt][jquery])
  - Origin: jQuery JavaScript Library v1.6.2, Copyright 2011, John Resig

[aosp]: third_party/aosp_license.txt
[asm]: third_party/asm_license.txt
[boost]: third_party/boost_LICENSE.txt
[closure-compiler]: third_party/closure-compiler_LICENSE.txt
[dagger]: third_party/testdata/dagger_license.txt
[dart]: third_party/dart_LICENSE.txt
[eclipse]: third_party/testdata/eclipse_license.txt
[eclipse-distribution]: third_party/testdata/eclipse_distribution_license.txt
[findbugs]: third_party/testdata/findbugs_license.txt
[gradle]: third_party/gradle_license.txt
[guava]: third_party/guava_license.txt
[gwt]: third_party/gwt_license.txt
[jquery]: third_party/jquery_license.txt
[lombok]: third_party/testdata/lombok_license.txt
[qunit]: third_party/qunit_license.txt
[rhino]: third_party/rhino_LICENSE.txt
[rxjava]: third_party/testdata/rxjava_license.txt
[spring]: third_party/testdata/spring_license.txt
[assemblyscript]: third_party/assemblyscript_license.txt

ASM: a very small and fast Java bytecode manipulation framework
Copyright (c) 2000-2005 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its
   contributors may be used to endorse or promote products derived from
   this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

==========

Licenses for included components:

Eclipse Public License 1.0
https://opensource.org/licenses/EPL-1.0

junit:junit
org.sonatype.aether:aether-api
org.sonatype.aether:aether-connector-wagon
org.sonatype.aether:aether-impl
org.sonatype.aether:aether-spi
org.sonatype.aether:aether-util

3-Clause BSD
https://opensource.org/licenses/BSD-3-Clause

com.google.code.findbugs:jsr305

org.hamcrest:hamcrest-core
BSD License

Copyright (c) 2000-2015 www.hamcrest.org
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that
the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of
conditions and the following disclaimer. Redistributions in binary form must reproduce
the above copyright notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse
or promote products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND

ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY
WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

com.esotericsoftware.kryo:kryo
com.esotericsoftware.minlog:minlog
Copyright (c) 2008-2018, Nathan Sweet All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
Neither the name of Esoteric Software nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

org.ow2.asm:asm
org.ow2.asm:asm-analysis
org.ow2.asm:asm-commons
org.ow2.asm:asm-tree
org.ow2.asm:asm-util
ASM: a very small and fast Java bytecode manipulation framework
Copyright (c) 2000-2011 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its
   contributors may be used to endorse or promote products derived from
   this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

MIT

com.googlecode.plist:dd-plist
dd-plist - An open source library to parse and generate property lists
Copyright (C) 2016 Daniel Dreibrodt

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use,
 copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

org.bouncycastle:bcpg-jdk15on
org.bouncycastle:bcprov-jdk15on
Copyright (c) 2000 - 2019 The Legion of the Bouncy Castle Inc. (https://www.bouncycastle.org)

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

org.slf4j:jcl-over-slf4j
org.slf4j:jul-to-slf4j
org.slf4j:log4j-over-slf4j
org.slf4j:slf4j-api
Copyright (c) 2004-2017 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

CDDL
https://opensource.org/licenses/CDDL-1.0

com.sun.xml.bind:jaxb-impl

LGPL 2.1
https://www.gnu.org/licenses/old-licenses/lgpl-2.1.en.html

org.samba.jcifs:jcifs

org.jetbrains.intellij.deps:trove4j

License for the GNU Trove library included by the Kotlin embeddable compiler

---

The source code for GNU Trove is licensed under the Lesser GNU Public License (LGPL).

Copyright (c) 2001, Eric D. Friedman All Rights Reserved. This library is free software; you can redistribute it and/or modify it under

the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or

(at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without

even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this program; if not, write to the Free Software

Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

Two classes (HashFunctions and PrimeFinder) included in Trove are licensed under the following terms:

Copyright (c) 1999 CERN - European Organization for Nuclear Research. Permission to use, copy, modify, distribute and sell this software

and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and

that both that copyright notice and this permission notice appear in supporting documentation. CERN makes no representations about the

suitability of this software for any purpose. It is provided "as is" without expressed or implied warranty.

The source code of modified GNU Trove library is available at

https://github.com/JetBrains/intellij-deps-trove4j (with trove4j_changes.txt describing the changes)

Eclipse Distribution License 1.0
https://www.eclipse.org/org/documents/edl-v10.php

org.eclipse.jgit:org.eclipse.jgit

BSD-style

com.jcraft:jsch
com.jcraft:jzlib

Copyright (c) 2000-2011 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT,
INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA,
OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Eclipse Public License 2.0
https://www.eclipse.org/legal/epl-2.0/

org.junit.platform:junit-platform-launcher

Mozilla Public License 2.0

https://www.mozilla.org/en-US/MPL/2.0/

org.mozilla:rhino
musl as a whole is licensed under the following standard MIT license:

Copyright 2005-2014 Rich Felker, et al.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
 LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Authors/contributors include:

Anthony G. Basile
Arvid Picciani
Bobby Bingham
Boris Brezillon
Chris Spiegel
Emil Renner Berthing
Hiltjo Posthuma
Isaac Dunham
Jens Gustedt
Jeremy Huntwork
John Spencer
Justin Cormack
Luca Barbato
Luka Perkov
Michael Forney
Nicholas J. Kain
orc

Pascal Cuoq
Pierre Carrier
Rich Felker
Richard Pennington
Solar Designer
Strake
Szabolcs Nagy
Timo Ters
Valentin Ochs
William Haddon

Portions of this software are derived from third-party works licensed
under terms compatible with the above MIT license:

The TRE regular expression implementation (src/regex/reg* and
src/regex/tre*) is Copyright 2001-2008 Ville Laurikari and licensed
under a 2-clause BSD license (license text in the source files).
 The
included version has been heavily modified by Rich Felker in 2012, in
the interests of size, simplicity, and namespace cleanliness.

Much of the math library code (src/math/* and src/complex/*) is
Copyright 1993,2004 Sun Microsystems or
Copyright 2003-2011 David Schultz or
Copyright 2003-2009 Steven G. Kargl or
Copyright 2003-2009 Bruce D. Evans or
Copyright 2008 Stephen L. Moshier
and labelled as such in comments in the individual source files. All
have been licensed under extremely permissive terms.

The ARM memcpy code (src/string/armel/memcpy.s) is Copyright 2008
The Android Open Source Project and is licensed under a two-clause BSD
license. It was taken from Bionic libc, used on Android.

The implementation of DES for crypt (src/misc/crypt_des.c) is
Copyright 1994 David Burren. It is licensed under a BSD license.

The implementation of blowfish crypt (src/misc/crypt_blowfish.c) was
originally written by Solar Designer and placed into the public
domain. The code also
 comes with a fallback permissive license for use
in jurisdictions that may not recognize the public domain.

The smoothsort implementation (src/stdlib/qsort.c) is Copyright 2011
Valentin Ochs and is licensed under an MIT-style license.

The BSD PRNG implementation (src/prng/random.c) and XSI search API
(src/search/*.c) functions are Copyright 2011 Szabolcs Nagy and

licensed under following terms: "Permission to use, copy, modify,
and/or distribute this code for any purpose with or without fee is
hereby granted. There is no warranty."

The x86_64 port was written by Nicholas J. Kain. Several files (crt)
were released into the public domain; others are licensed under the
standard MIT license terms at the top of this file. See individual
files for their copyright status.

The mips and microblaze ports were originally written by Richard
Pennington for use in the ellcc project. The original code was adapted
by Rich Felker for build system and code conventions during upstream
integration.
It is licensed under the standard MIT terms.

The powerpc port was also originally written by Richard Pennington,
and later supplemented and integrated by John Spencer. It is licensed
under the standard MIT terms.

All other files which have no copyright comments are original works
produced specifically for use as part of this library, written either
by Rich Felker, the main author of the library, or by one or more
contibutors listed above. Details on authorship of individual files
can be found in the git version control history of the project. The
omission of copyright and license comments in each file is in the
interest of source tree size.

All public header files (include/* and arch/*/bits/*) should be
treated as Public Domain as they intentionally contain no content
which can be covered by copyright. Some source modules may fall in
this category as well. If you believe that a file is so trivial that
it should be in the Public Domain, please contact the authors and
request an explicit
statement releasing it from copyright.

The following files are trivial, believed not to be copyrightable in
the first place, and hereby explicitly released to the Public Domain:

All public headers: include/*, arch/*/bits/*
Startup files: crt/*
UNLESS SPECIFIED OTHERWISE IN THE INDIVIDUAL SOURCE FILES INCLUDED WITH
THIS PACKAGE, they may freely be used, modified and/or redistributed for
any purpose.
Portions, Copyright 1991-2005 Unicode, Inc. The following applies to Unicode.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2005 Unicode, Inc. All rights reserved. Distributed under

the Terms of Use in http://www.unicode.org/copyright.html. Permission is
hereby granted, free of charge, to any person obtaining a copy of the
Unicode data files and any associated documentation (the "Data Files")
or Unicode software and any associated documentation (the "Software")
to deal in the Data Files or Software without restriction, including without
limitation the rights to use, copy, modify, merge, publish, distribute,
and/or sell copies of the Data Files or Software, and to permit persons
to whom the Data Files or Software are furnished to do so, provided that
(a) the above copyright notice(s) and this permission notice appear with
all copies of the Data Files or Software, (b) both the above copyright
notice(s) and this permission notice appear in associated documentation,
and (c) there is clear
notice in each modified Data File or in the Software
as well as in the documentation associated with the Data File(s) or Software
that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall
not be used in advertising or otherwise to promote the sale, use or other
dealings in these Data Files or Software without prior
written
authorization of the copyright holder.

2. Additional terms from the Database:

Copyright 1995-1999 Unicode, Inc. All Rights reserved.

Disclaimer

The Unicode Character Database is provided as is by Unicode, Inc.
No claims are made as to fitness for any particular purpose. No warranties
of any kind are expressed or implied. The recipient agrees to determine
applicability of information provided. If this file has been purchased
on magnetic or optical media from Unicode, Inc., the sole remedy for any claim
will be exchange of defective media within 90 days of receipt. This disclaimer
is applicable for all other data files accompanying the Unicode Character Database,
some of which have been compiled by the Unicode Consortium, and some of which
have been supplied by other sources.

Limitations on Rights to Redistribute This Data

Recipient is granted the right to make copies in any form for internal
distribution and to freely use the information supplied in the creation of
products
supporting the UnicodeTM Standard. The files in
the Unicode Character Database can be redistributed to third parties or other
organizations (whether for profit or not) as long as this notice and the disclaimer
notice are retained. Information can be extracted from these files and used
in documentation or programs, as long as there is an accompanying notice
indicating the source.
Google Dart Js backend was removed - https://code.google.com/p/dart/source/detail?r=4771

According to http://www.apache.org/legal/3party.html we can include "Google Dart Js backend" in source form, because code license is "New BSD License" (Authorized License).

This part of code will be removed when kotlin will be rewritten on kotlin.
Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization
obtaining a copy of the software and accompanying documentation covered by
this license (the "Software") to use, reproduce, display, distribute,
execute, and transmit the Software, and to prepare derivative works of the
Software, and to permit third-parties to whom the Software is furnished to
do so, all subject to the following:

The copyright notices in the Software and this entire statement, including
the above license grant, this restriction and the following disclaimer,
must be included in all copies of the Software, in whole or in part, and
all derivative works of the Software, unless such copies or derivative
works are solely in the form of machine-executable object code generated by
a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT
SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The files in this package are taken from mozilla's Rhino project.
See http://www.mozilla.org/rhino/

The files modified from Rhino 1.5R3
(ftp://ftp.mozilla.org/pub/js/rhino15R3.zip).

--

The contents of this package are subject to the Netscape Public
License Version 1.1 (the "License"); you may not use this file
except in compliance with the License. You may obtain a copy of
the License at http://www.mozilla.org/NPL/

Software distributed under the License is distributed on an "AS
IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or
implied. See the License for the specific language governing
rights and limitations under the License.

The Original Code is Rhino code, released
May 6, 1999.

The Initial Developer of the Original Code is Netscape
Communications Corporation. Portions created by Netscape are
Copyright (C) 1997-2000 Netscape Communications Corporation. All
Rights Reserved.

Alternatively, the contents of this file may be used under the
terms of the GNU Public License
 (the "GPL"), in which case the
provisions of the GPL are applicable instead of those above.
If you wish to allow use of your version of this file only
under the terms of the GPL and not to allow others to use your
version of this file under the NPL, indicate your decision by
deleting the provisions above and replace them with the notice
and other provisions required by the GPL. If you do not delete
the provisions above, a recipient may use your version of this
file under either the NPL or the GPL.
http://fastutil.di.unimi.it/

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares,
or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and
for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing
lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within
such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license
terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of
the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You
for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor
harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the
License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Harmony
Copyright 2006, 2010 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of Apache Harmony were originally developed by
Intel Corporation and are licensed to the Apache Software
Foundation under the "Software Grant and Corporate Contribution
License Agreement" and for which the following copyright notices
apply

(C) Copyright 2005 Intel Corporation
(C) Copyright 2005-2006 Intel Corporation
(C) Copyright 2006 Intel Corporation

Copyright (c) 2013 Aaron Forsander

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence

the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be

introduced by others.

Finally, software
patents pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits
such linking only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be
allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting
the free library to free
software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating

system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order
to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into
another language. (Hereinafter, translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does

and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be

reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not

compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one

of these things:

a) Accompany
the work with the complete corresponding
machine-readable source code for the Library including whatever
changes were used in the work (which must be distributed under
Sections 1 and 2 above); and, if the work is an executable linked
with the Library, with the complete machine-readable "work that
uses the Library", as object code and/or source code, so that the
user can modify the Library and then relink to produce a modified
executable containing the modified Library. (It is understood
that the user who changes the contents of definitions files in the
Library will not necessarily be able to recompile the application
to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (1) uses at run time a
copy of the library already present on the user's computer system,
rather than copying library functions into the executable, and (2)
will operate
properly with a modified version of the library, if
the user installs one, as long as the modified version is
interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally
distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally

accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent

infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse
you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system
which is
implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish
revised and/or new
versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and

"any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision
will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE,
BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the

ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey
the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301
USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
Copyright JS Foundation and other contributors, https://js.foundation/

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at https://github.com/jquery/jquery

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING
BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====
The MIT License

Copyright (c) 2003, Kohsuke Kawaguchi

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
The MIT License

Copyright JS Foundation and other contributors <https://js.foundation/>

Based on Underscore.js, copyright Jeremy Ashkenas,
DocumentCloud and Investigative Reporters & Editors <http://underscorejs.org/>

This software consists of voluntary contributions made by many
individuals. For exact contribution history, see the revision history
available at https://github.com/lodash/lodash

The following license applies to all parts of this software except as
documented below:

====

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included
 in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample
code is defined as all source code displayed within the prose of the
documentation.

CC0: http://creativecommons.org/publicdomain/zero/1.0/

====

Files located in the node_modules and vendor directories are externally
maintained libraries used by this software which have their own
licenses; we recommend you read them, as their terms may differ from the
terms above.

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1996 - 2021, Daniel Stenberg, <daniel@haxx.se>, and many
contributors, see the THANKS file.

All rights reserved.

Permission to use, copy, modify, and distribute this software for any purpose
with or without fee is hereby granted, provided that the above copyright
notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN
NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE
OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not
be used in advertising or otherwise to promote the sale, use or other
dealings
in this Software without prior written authorization of the copyright holder.
The Trove library is licensed under the Lesser GNU Public License,
which is included with the distribution in a file called trove_license.txt.

The PrimeFinder and HashFunctions classes in Trove are subject to the
following license restrictions:

Copyright (c) 1999 CERN - European Organization for Nuclear Research.

Permission to use, copy, modify, distribute and sell this software and
its documentation for any purpose is hereby granted without fee,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation. CERN makes no representations about the
suitability of this software for any purpose. It is provided "as is"
without expressed or implied warranty.
The version of Rhino used in GWT is licensed under a dual license,
Netscape Public License 1.1 / GNU General Public License.
The text of the Netscape Public License
is provided below (http://website-archive.mozilla.org/www.mozilla.org/mpl/MPL/NPL/1.1/):

AMENDMENTS

The Netscape Public License Version 1.1 ("NPL") consists of the
Mozilla Public License Version 1.1 with the following Amendments,

including Exhibit A-Netscape Public License. Files identified with "Exhibit A-Netscape Public License" are governed by the Netscape Public License Version 1.1.

Additional Terms applicable to the Netscape Public License.

I. Effect.

These additional terms described in this Netscape Public License -- Amendments shall apply to the Mozilla Communicator client code and to all Covered Code under this License.

II. "Netscape's Branded Code" means Covered Code that Netscape distributes and/or permits others to distribute under one or more trademark(s) which are controlled by Netscape but which are not licensed for use under this License.

III. Netscape and logo.

This License does not grant any rights to use the trademarks "Netscape", the "Netscape N and horizon" logo or the "Netscape lighthouse" logo, "Netcenter", "Gecko", "Java" or "JavaScript", "Smart Browsing" even if such marks are included in the Original Code or Modifications.

IV. Inability to Comply Due to Contractual Obligation.

Prior to licensing the Original Code under this License, Netscape has licensed third party code for use in Netscape's Branded Code. To the extent that Netscape is limited contractually from making such third party code available under this License, Netscape may choose to reintegrate such code into Covered Code without being required to distribute such code in Source Code form, even if such code would otherwise be considered "Modifications" under this License.

V. Use of Modifications and Covered Code by Initial Developer.

V.1. In General.

The obligations of Section 3 apply to Netscape, except to the extent specified in this Amendment, Section V.2 and V.3.

V.2. Other Products.

Netscape may include Covered Code in products other than the Netscape's Branded Code which are released by Netscape during the two (2) years following the release date of the Original Code, without such additional products becoming subject to the terms of this License, and may license such additional products on different terms from those contained in this License.

V.3. Alternative Licensing.

Netscape may license the Source Code of Netscape's Branded Code, including Modifications incorporated therein, without such Netscape Branded Code becoming subject
to the terms of this License, and may license such Netscape Branded Code on different terms from those contained in this License.

VI. Litigation.

Notwithstanding the limitations of Section 11 above, the provisions regarding litigation in Section 11(a), (b) and (c) of the License shall apply to all disputes relating to this License.

EXHIBIT A-Netscape Public License.

"The contents of this file are subject to the Netscape Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at http://www.mozilla.org/NPL/

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is Mozilla Communicator client code, released March 31, 1998.

The Initial Developer of the Original Code is Netscape Communications Corporation. Portions created by Netscape are Copyright (C) 1998-1999 Netscape Communications Corporation. All Rights Reserved.

Contributor(s): _____.

Alternatively, the contents of this file may be used under the terms of the _____ license (the [___] License), in which case the provisions of [_____] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the [____] License and not to allow others to use your version of this file under the NPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [___] License. If you do not delete the provisions above, a recipient may use your version of this file under either the NPL or the [___] License."

MOZILLA
PUBLIC LICENSE
Version 1.1

1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or

portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

B. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for
no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the

power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. Source Code License.

2.1. The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

(b) under Patents Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger

Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via

an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

3.4. Intellectual Property Matters

(a) Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

(b) Contributor APIs.

If Contributor's Modifications include an application programming interface and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL

file.

(c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include
such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result
of warranty, support,
indemnity or liability terms You offer.

3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms

different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

6. Versions of the License.

6.1. New Versions.

Netscape Communications Corporation ("Netscape") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing

version number.

6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Netscape. No one other than Netscape has the right to modify the terms applicable to Covered Code created under this License.

6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must (a) rename Your license so that the phrases "Mozilla", "MOZILLAPL", "MOZPL", "Netscape", "MPL", "NPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the
license contains terms which differ from the
Mozilla Public License and Netscape Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE
IS
AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly

granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declatory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive

termination.

9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES
AND UNDER NO LEGAL THEORY, WHETHER TORT
(INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity
chartered or registered to do
business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs

and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as Multiple-Licensed. Multiple-Licensed means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the NPL or the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

EXHIBIT A -Mozilla Public License.

``The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at http://www.mozilla.org/MPL/

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is _____.

The Initial Developer of the Original Code is _____. Portions created by _____ are Copyright (C) _____ _____. All Rights Reserved.

Contributor(s): _____.

Alternatively, the contents of this file may be used under the terms of the _____ license (the [___] License), in which case the provisions of [_____] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the [____] License and not to allow others to use your version of this file under the MPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [___] License. If you do not delete the provisions above, a recipient may use your version of this file under either the MPL or the [___] License."

[NOTE: The text of this Exhibit A may differ slightly from the text of the notices in the Source Code files of the Original Code. You should use the text of this Exhibit A rather than the text found in the Original Code Source Code for Your Modifications.]

==========

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid

anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies
of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to
avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included
without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of

running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate
copyright notice and a
notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based

on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files,
plus the scripts used to
control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions
on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion

of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

  8. If the distribution
and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

  9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published
by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

  10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and

of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How
to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that

it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License along
    with this program; if not, write to the Free Software Foundation, Inc.,
    51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public
License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

  Yoyodyne, Inc., hereby disclaims all copyright interest in the program
  `Gnomovision' (which makes passes at compilers) written by James Hacker.

  <signature of Ty Coon>, 1 April 1989
  Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.
==========
SDL 2.0 and newer are available under the zlib license :

This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,

including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
  claim that you wrote the original software. If you use this software
  in a product, an acknowledgment in the product documentation would be
  appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
  misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

==

libc++ License

==

The libc++ library is dual licensed under both the University of Illinois
"BSD-Like" license and the MIT license. As a user of this code you may choose
to use it under either license. As a contributor, you agree to allow your code
to be used under both.

Full text of the relevant licenses is included below.

==

University of Illinois/NCSA
Open Source License

Copyright (c) 2009-2017 by the contributors listed in CREDITS.TXT

All rights reserved.

Developed by:

  LLVM Team

  University of Illinois at Urbana-Champaign

  http://llvm.org

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal with
the Software without restriction, including
 without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

  * Redistributions of source code must retain the above copyright notice,
    this list of conditions and the following disclaimers.

* Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimers in the
documentation and/or other materials provided with the distribution.

* Neither the names of the LLVM Team, University of Illinois at
Urbana-Champaign, nor the names of its contributors may be used to
endorse or promote products derived from this Software without specific
prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

==========

Copyright (c) 2009-2014 by the contributors listed in CREDITS.TXT

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial
portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (C) 2012-2016 Free Software Foundation, Inc.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

(1) Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

(2) Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the
distribution.

(3) The name of the author may not be used to
endorse or promote products derived from this software without
specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE
FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2005-2010 Sam Stephenson

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
Kotlin/Native binary distribution may contain platform libraries, that are
generated from the header files from mingw-w64 project.

==========
Overall copyright notice
==========

Copyright (c) 2009, 2010, 2011, 2012, 2013 by the mingw-w64 project

This license has been certified as open source. It has also been designated as GPL compatible by the Free Software Foundation (FSF).

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions in source code must retain the accompanying copyright notice, this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the accompanying copyright notice, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Names of the copyright holders must not be used to endorse or promote products derived from this software without prior written permission from the copyright holders.
4. The right to distribute this software or to use it for any purpose does not give you the right to use Servicemarks (sm) or Trademarks (tm) of the copyright holders. Use of them is covered by separate agreement with the copyright holders.
5. If any files are modified, you must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

Disclaimer

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

==========

pthread headers

==========

Copyright (c) 2011-2016 mingw-w64 project

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation

the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE
IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

Parts of this library are derived by:

Posix Threads library for Microsoft Windows

Use at own risk, there is no implied warranty to this code.
It uses undocumented features of Microsoft Windows that can change
at any time in the future.

(C) 2010 Lockless Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
* Neither the name of Lockless Inc. nor the names of its contributors may be
used to endorse or promote products derived from this software without
specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AN
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

==========
OpenGL
==========

Copyright (c) 2008-2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and/or associated documentation files (the
"Materials"), to deal in the Materials without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Materials, and to
permit persons to whom the Materials are furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

==========
Headers and IDLs imported from Wine
==========

Some header and IDL files were imported from the Wine project. These files
are prominent maked in source. Their copyright belongs to contributors and
they are distributed under LGPL license.

Disclaimer

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even
the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.
MIT License

Copyright (c) 2019 Microsoft Corporation, Daan Leijen

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT
OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
Copyright (C) 2009-2015 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
Eclipse Public License - v 1.0
THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC

LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor"
means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer
to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual

property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder,
each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively
excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL
DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners

and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any
claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor
to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such
Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement
Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual
property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.
Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS

FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This license applies to all parts of Dart that are not externally
maintained libraries. The external maintained libraries used by
Dart are:

7-Zip - in third_party/7zip
JSCRE - in runtime/third_party/jscre
Ant - in third_party/apache_ant
args4j - in third_party/args4j
bzip2 - in third_party/bzip2
dromaeo - in samples/third_party/dromaeo
Eclipse - in third_party/eclipse
gsutil = in third_party/gsutil
Guava - in third_party/guava
hamcrest - in third_party/hamcrest
Httplib2 - in samples/third_party/httplib2
JSON - in third_party/json
JUnit - in third_party/junit
Oauth - in samples/third_party/oauth2client
Rhino - in third_party/rhino
weberknecht - in third_party/weberknecht

The libraries may have their own licenses; we recommend you read them,
as their terms may differ from the terms below.

Copyright 2012, the Dart project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
  copyright notice, this list of conditions and the following
  disclaimer in the documentation and/or other materials provided
  with the distribution.
* Neither the name of Google Inc. nor the names of its
  contributors may be used to endorse or promote products derived
  from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

https://www.eclipse.org/jgit/

Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
libffi - Copyright (c) 1996-2014 Anthony Green, Red Hat, Inc and others.
See source files for details.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
``Software''), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS'', WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF
CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
GCC RUNTIME LIBRARY EXCEPTION

Version 3.1, 31 March 2009

Copyright (C) 2009 Free Software Foundation, Inc.

Everyone is permitted to copy and distribute verbatim copies of this
license document, but changing it is not allowed.

This GCC Runtime Library Exception ("Exception") is an additional
permission under section 7 of the GNU General Public License, version
3 ("GPLv3"). It applies to a given file (the "Runtime Library") that
bears a notice placed by the copyright holder of the file stating that
the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of
certain GCC header files and runtime libraries with the compiled
program. The purpose of this Exception is to allow compilation of

non-GPL (including proprietary) programs to use, in this way, the
header files and runtime libraries covered by this Exception.

0. Definitions.

A file is an "Independent Module" if it either requires the Runtime
Library for execution after
a Compilation Process, or makes use of an
interface provided by the Runtime Library, but is not otherwise based
on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without
modifications, governed by version 3 (or a specified later version) of
the GNU General Public License (GPL) with the option of using any
subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation,
modification and use would permit combination with GCC in accord with
the license of GCC.

"Target Code" refers to output from any compiler for a real or virtual
target processor architecture, in executable form or suitable for
input to an assembler, loader, linker and/or execution
phase. Notwithstanding that, Target Code does not include data in any
format that is used as a compiler intermediate representation, or used
for producing a compiler intermediate representation.

The "Compilation Process" transforms code entirely represented
in
non-intermediate languages designed for human-written code, and/or in
Java Virtual Machine byte code, into Target Code. Thus, for example,
use of source code generators and preprocessors need not be considered
part of the Compilation Process, since the Compilation Process can be
understood as starting with the output of the generators or
preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone or
with other GPL-compatible software, or if it is done without using any
work based on GCC. For example, using non-GPL-compatible Software to
optimize any GCC intermediate representations would not qualify as an
Eligible Compilation Process.

1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by
combining the Runtime Library with Independent Modules, even if such
propagation would otherwise violate the terms of GPLv3, provided that
all Target Code was generated by Eligible Compilation Processes. You

may then convey such
a combination under terms of your choice,
consistent with the licensing of the Independent Modules.

2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general
presumption that third-party software is unaffected by the copyleft
requirements of the license of GCC.

Hopefully that text is self-explanatory. If it isn't, you need to speak to your lawyer, or the Free Software Foundation.
JSON

Copyright (c) 2002 JSON.org

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

The Software shall be used for Good, not Evil.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

/*
* Copyright 2010-2023 JetBrains s.r.o. and Kotlin Programming Language contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
*/

Eclipse Public License, Version 1.0 (EPL-1.0)

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and
documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and
(ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and
b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses,
damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual

property infringement. In order to qualify, an Indemnified Contributor must:
a) promptly notify the Commercial Contributor in writing of such claim,
and b) allow the Commercial Contributor to control, and cooperate with the
Commercial Contributor in, the defense and any related settlement
negotiations. The Indemnified Contributor may participate in any such
claim at its own expense.

For example, a Contributor might include the Program in a commercial product
offering, Product X. That Contributor is then a Commercial Contributor.
If that Commercial Contributor
then makes performance claims, or offers
warranties related to Product X, those performance claims and warranties
are such Commercial Contributor's responsibility alone. Under this section,
the Commercial Contributor would have to defend claims against the other
Contributors related to those performance claims and warranties, and if a
court requires any other Contributor to pay any damages as a result,
the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.
Each Recipient is solely responsible for determining the appropriateness of
using and distributing the Program and assumes all risks associated with its
exercise of rights under this Agreement , including but not
limited to the
risks and costs of program errors, compliance with applicable laws, damage to
or loss of data, programs or equipment, and unavailability
or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under
applicable law, it shall not affect the validity or enforceability of the
remainder of the terms of this Agreement, and without further action by

the parties hereto, such
provision shall be reformed to the minimum extent
necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Program itself
(excluding combinations of the Program with other software or hardware)
infringes such Recipient's patent(s), then such Recipient's rights granted
under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to
comply with any of the material terms or conditions of this Agreement and
does not cure such failure in a reasonable period of time after becoming
aware of such noncompliance. If all Recipient's rights under this
Agreement terminate, Recipient agrees to cease use and distribution of the
Program as soon as reasonably practicable. However, Recipient's obligations
under this Agreement and any licenses granted by Recipient relating to the
Program
shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement,
but in order to avoid inconsistency the Agreement is copyrighted and may
only be modified in the following manner. The Agreement Steward reserves
the right to publish new versions (including revisions) of this Agreement
from time to time. No one other than the Agreement Steward has the right to
modify this Agreement. The Eclipse Foundation is the initial
Agreement Steward. The Eclipse Foundation may assign the responsibility to
serve as the Agreement Steward to a suitable separate entity. Each new version
of the Agreement will be given a distinguishing version number. The Program
(including Contributions) may always be distributed subject to the version
of the Agreement under which it was received. In addition, after a new version
of the Agreement is published, Contributor may elect to distribute the Program
(including its Contributions) under the new version. Except as expressly
stated
in Sections 2(a) and 2(b) above, Recipient receives no rights or
licenses to the intellectual property of any Contributor under this Agreement,
whether expressly, by implication, estoppel or otherwise. All rights in the
Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the
intellectual property laws of the United States of America. No party to
this Agreement will bring a legal action under this Agreement more than one
year after the cause of action arose. Each party waives its rights to a
jury trial in any resulting litigation.
The MIT License

Copyright (C) 2011-2013 Vojta Jna and contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
http://www.slf4j.org

MIT License

Copyright (c) 2004-2017 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES
OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.554 jetbrains-kotlin-kotlin-stdlib-jdk7 1.5.31

1.554.1 Available under license :

```
/*
* Copyright 2010-2023 JetBrains s.r.o. and Kotlin Programming Language contributors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

```
        GNU LESSER GENERAL PUBLIC LICENSE
          Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
   59 Temple Place, Suite 330, Boston, MA  02111-1307  USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL.  It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

            Preamble

 The licenses for most software are designed to take away your
freedom to share and change it.  By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

 This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it.  You
can use
 it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

 When we speak of free software, we are referring to freedom of use,
not price.  Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
```

it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee,
you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant
threat to the existence of
any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire

combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software
only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER
GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously
and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices
stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no
charge to all third parties under the terms of this License.

d) If a facility
in the modified Library refers to a function or a
table of data to be supplied by an application program that uses
the facility, other than as an argument passed when the facility
is invoked, then you must make a good faith effort to ensure that,
in the event an application does not supply such function or
table, the facility still operates, and performs whatever part of
its purpose remains meaningful.

(For example, a function in a library to compute square roots has
a purpose that is entirely well-defined independent of the
application. Therefore, Subsection 2d requires that any
application-supplied function or table used by this function must
be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and
separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public
License instead
of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so

that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source
 code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is
 therefore covered by this License.
Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data

structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally distributed (in either source
or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library, uncombined with any other library
facilities. This
must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or

distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed

through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

13. The Free Software Foundation may publish revised and/or new
versions of the
Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of
preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL,
SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should
have at least the
"copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic
and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
Copyright JS Foundation and other contributors, https://js.foundation

This software consists of voluntary contributions made by many
individuals. For exact contribution history, see the revision history
available at https://github.com/qunitjs/qunit

The following license applies to all parts of this software except as
documented below:

====

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING
BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

MIT License

Copyright (c) 2018 Chad Retz

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
/**
* Copyright 2010 Tim Down.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
Copyright (C) 2009-2021 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

Developed at SunSoft, a Sun Microsystems, Inc. business.
Permission to use, copy, modify, and distribute this
software is freely granted, provided that this notice
is preserved.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The MIT License

Copyright (C) 2011-2019 Google, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
https://github.com/square/okhttp/

Copyright 2019 Square, Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
zlib.h -- interface of the 'zlib' general purpose compression library
version 1.2.11, January 15th, 2017

Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
claim that you wrote the original software. If you use this software
in a product, an acknowledgment in the product documentation would be
appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu
SCALA LICENSE

Copyright (c) 2002-2012 EPFL, Lausanne, unless otherwise specified.
All rights reserved.

This software was developed by the Programming Methods Laboratory of the
Swiss Federal Institute of Technology (EPFL), Lausanne, Switzerland.

Permission to use, copy, modify, and distribute this software in source
or binary form for any purpose with or without fee is hereby granted,
provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

3. Neither the name of the EPFL nor the names of its contributors
   may be used to endorse or promote products derived from this
   software without specific prior written permission.

THIS SOFTWARE
IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.
The MIT License (MIT)

Copyright (c) 2016 Jamie Sherriff

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
 ==========================================================================
 ==  NOTICE file corresponding to the section 4 d of                     ==
 ==  the Apache License, Version 2.0,                                    ==
 ==  in this case for the Kotlin Compiler distribution.                  ==
 ==========================================================================

 Kotlin Compiler
 Copyright 2010-2023 JetBrains s.r.o and respective authors and developers
```

The Apache 2 license (given in full in LICENSE.txt) applies to all code in this repository which is copyright
by JetBrains. The following sections of the repository contain third-party code, to which different licenses may apply:

Kotlin Compiler

The following modules contain third-party code and are incorporated into the Kotlin compiler and/or the Kotlin IntelliJ IDEA plugin:

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/inline/MaxStackFrameSizeAndLocalsCalculator.java
  - License: BSD ([license/third_party/asm_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/inline/MaxLocalsCalculator.java
  - License: BSD ([license/third_party/asm_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France
  Telecom

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/common/FastMethodAnalyzer.kt
  - License: BSD ([license/third_party/asm_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/common/InstructionLivenessAnalyzer.kt
  - License: BSD ([license/third_party/asm_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/common/ControlFlowGraph.kt
  - License: BSD ([license/third_party/asm_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/fixStack/FastStackAnalyzer.kt
  - License: BSD ([license/third_party/asm_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/temporaryVals/FastStoreLoadAnalyzer.kt
  - License: BSD ([license/third_party/asm_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: eval4j/src/org/jetbrains/eval4j/interpreterLoop.kt
  - License: BSD ([license/third_party/asm_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/common/OptimizationBasicInterpreter.java
  - License: BSD ([license/third_party/asm_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: js/js.ast
  - License: BSD ([license/third_party/dart_LICENSE.txt][dart])
  - Origin: Originally part of the Dart compiler, (c) 2011 the Dart Project Authors,

- Path: js/js.inliner/src/org/jetbrains/kotlin/js/inline/FunctionInlineMutator.kt
  - License: BSD ([license/third_party/dart_LICENSE.txt][dart])
  - Origin: Originally part of the Dart compiler, (c) 2011 the Dart Project Authors,

- Path: js/js.parser/src/com/google
  - License: Netscape Public License 1.1 ([license/third_party/rhino_LICENSE.txt][rhino])
  - Origin: Originally part of GWT, (C) 2007-08 Google Inc., distributed under the Apache 2 license. The code is derived from Rhino, (C) 1997-1999 Netscape Communications Corporation, distributed under the Netscape Public License.

- Path: js/js.translator/qunit/qunit.js
  - License: MIT
([license/third_party/qunit_license.txt][qunit])
  - Origin: QUnit, Copyright (c) 2012 John Resig, Jrn Zaefferer,

- Path: libraries/stdlib/src/kotlin/collections
  - License: Apache 2 ([license/third_party/gwt_license.txt][gwt])
  - Origin: Derived from GWT, (C) 2007-08 Google Inc.

- Path: libraries/stdlib/unsigned/src/kotlin/UnsignedUtils.kt
  - License: Apache 2 ([license/third_party/guava_license.txt][guava])
  - Origin: Derived from Guava's UnsignedLongs, (C) 2011 The Guava Authors

- Path: libraries/stdlib/jvm/src/kotlin/util/MathJVM.kt
  - License: Boost Software License 1.0 ([license/third_party/boost_LICENSE.txt][boost])
  - Origin: Derived from boost special math functions, Copyright Eric Ford & Hubert Holin 2001.

- Path: libraries/stdlib/js/src/kotlin/collections
  - License: Apache 2 ([license/third_party/gwt_license.txt][gwt])
  - Origin: Derived from GWT, (C) 2007-08 Google Inc.

- Path: libraries/stdlib/native-wasm/src/kotlin/collections
  - License: Apache 2 ([license/third_party/gwt_license.txt][gwt])
  - Origin: Derived from GWT, (C) 2007-08 Google Inc.

- Path: libraries/stdlib/js-v1/src/js/long.js
  - License: Apache 2 ([license/third_party/closure-compiler_LICENSE.txt][closure-compiler])
  - Origin: Google Closure Library, Copyright 2009 The Closure Library Authors

- Path: libraries/stdlib/js-v1/src/js/polyfills.js
  - License: Boost Software License 1.0 ([license/third_party/boost_LICENSE.txt][boost])
  - Origin: Derived from boost special math functions, Copyright Eric Ford & Hubert Holin 2001.

- Path: libraries/stdlib/js/src/kotlin/js/math.polyfills.kt
  - License: Boost Software License 1.0 ([license/third_party/boost_LICENSE.txt][boost])
  - Origin: Derived from boost special math functions, Copyright Eric Ford & Hubert Holin 2001.

- Path: libraries/stdlib/wasm/internal/kotlin/wasm/internal/Number2String.kt
  - License: Apache 2 ([third_party/assemblyscript_license.txt][assemblyscript])
  - Origin: Derived from assemblyscript standard library

- Path: plugins/lint/android-annotations
  - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: plugins/lint/lint-api
  - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: plugins/lint/lint-checks
  - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: plugins/lint/lint-idea
  - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: wasm/ir/src/org/jetbrains/kotlin/wasm/ir/convertors
  - License: MIT ([license/third_party/asmble_license.txt][asmble])
  - Origin: Copyright (C) 2018 Chad Retz

- Path: compiler/tests-common/tests/org/jetbrains/kotlin/codegen/ir/ComposeLikeGenerationExtension.kt
  - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
  - Origin: Derived from JetPack Compose compiler plugin code, Copyright 2019 The Android Open Source Project

- Path: libraries/stdlib/wasm/src/kotlin/text/FloatingPointConverter.kt
  - License: MIT ([license/third_party/asmble_license.txt][asmble])
  - Origin: Copyright (C) 2018 Chad Retz

- Path: libraries/stdlib/wasm/src/kotlin/math/fdlibm/
  - License: SUN ([license/third_party/sun_license.txt][sun])
  - Origin: Copyright (C) 1993 by Sun Microsystems, Inc.

- Path: kotlin-native/runtime/src/main/cpp/Utils.cpp
  - License: Boost Software License 1.0 ([license/third_party/boost_LICENSE.txt][boost])
  - Origin: Derived from boost hash functions, Copyright 2005-2014 Daniel James

Kotlin Test Data

The following source code is used for testing the Kotlin compiler and/or plugin and is not incorporated into
any distributions of the compiler, libraries or plugin:

- Path: third-party/annotations/android
  - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: third-party/annotations/com/android
  - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: third-party/annotations/org/eclipse
  - License: Eclipse Public License v1.0 ([license/third_party/testdata/eclipse_license.txt][eclipse])
  - Origin: Eclipse JDT, Copyright (c) 2011, 2013 Stephan Herrmann and others.

- Path: third-party/annotations/androidx
  - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: third-party/annotations/edu/umd/cs/findbugs
  - License: LGPL 2.1 ([license/third_party/testdata/findbugs_license.txt][findbugs])
  - Origin: Bytecode Analysis Framework, Copyright (C) 2005 University of Maryland

- Path: third-party/java8-annotations/org/eclipse
  - License: Eclipse Public License v1.0 ([license/third_party/testdata/eclipse_license.txt][eclipse])
  - Origin: Eclipse JDT, Copyright (c) 2011, 2013 Stephan Herrmann and others.

- Path: third-party/annotations/io/reactivex

- License: Apache 2 ([license/third_party/testdata/rxjava_license.txt][rxjava])
- Origin: RxJava, Copyright (c) 2016-present, RxJava Contributors

- Path: third-party/java8-annotations/org/jspecify
- License: Apache 2 ([license/third_party/testdata/jspecify_license.txt][jspecify])
- Origin: JSpecify, Copyright (C) 2020 The JSpecify Authors

- Path: third-party/java9-annotations/org/jspecify
- License: Apache 2 ([license/third_party/testdata/jspecify_license.txt][jspecify])
- Origin: JSpecify, Copyright (C) 2020 The JSpecify Authors

- Path: third-party/annotations/lombok

- License: MIT ([license/third_party/testdata/lombok_license.txt][lombok])
- Origin: Project Lombok, Copyright (C) 2009-2013 The Project Lombok Authors

- Path: idea/idea-android/tests/org/jetbrains/kotlin/android/AndroidTestBase.java
- License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
- Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: idea/testData/android/lintQuickfix/requiresApi/RequiresApi.java
- License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
- Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: idea/testData/android/lint/IntRange.java
- License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
- Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: idea/testData/android/lint/RequiresPermission.java
- License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
- Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/allOpenSpring/src/org/springframework/stereotype/Component.java
- License: Apache 2 ([license/third_party/testdata/spring_license.txt][spring])
- Origin: Spring Framework, Copyright 2002-2007 the original author or authors.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/AndroidDaggerProject
- License: Apache 2 ([license/third_party/testdata/dagger_license.txt][dagger])
- Origin: Dagger, Copyright (C) 2013 Square, Inc.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/kapt2
- License: Apache 2 ([license/third_party/testdata/dagger_license.txt][dagger])
- Origin: Dagger, Copyright (C) 2013 Square, Inc.

- Path: libraries/tools/kotlin-maven-plugin-test/src/it/test-allopen-spring/src/main/java/org/springframework/stereotype/Component.java
- License: Apache

2 ([license/third_party/testdata/spring_license.txt][spring])
    - Origin: Spring Framework, Copyright 2002-2007 the original author or authors.

Kotlin Tools and Libraries Tests

The following source code is used for testing the Kotlin tools and/or libraries and is not incorporated into any distributions of the tools or libraries:

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/kotlin/org/jetbrains/kotlin/gradle/PluginsDslIT.kt
    - License: Apache 2 ([license/third_party/gradle_license.txt][gradle])
    - Origin: Gradle, Copyright 2002-2017 Gradle, Inc.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/target/test-classes/testProject/noArgJpa/src/javax/persistence/Entity.java
    - License: Eclipse Public License v1.0 ([license/third_party/testdata/eclipse_license.txt][eclipse])
        and Eclipse Distribution License - v1.0 ([license/third_party/testdata/eclipse_distribution_license.txt][eclipse-distribution])
    - Origin:
 javax.persistence, Copyright (c) 2008, 2017 Sun Microsystems, Oracle Corporation.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/noArgJpa/src/javax/persistence/Entity.java
    - License: Eclipse Public License v1.0 ([license/third_party/testdata/eclipse_license.txt][eclipse])
        and Eclipse Distribution License - v1.0 ([license/third_party/testdata/eclipse_distribution_license.txt][eclipse-distribution])
    - Origin: javax.persistence, Copyright (c) 2008, 2017 Sun Microsystems, Oracle Corporation.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/noArgJpa/src/javax/persistence/Embeddable.java
    - License: Eclipse Public License v1.0 ([license/third_party/testdata/eclipse_license.txt][eclipse])
        and Eclipse Distribution License - v1.0 ([license/third_party/testdata/eclipse_distribution_license.txt][eclipse-distribution])
    - Origin: javax.persistence, Copyright
 (c) 2008, 2017 Sun Microsystems, Oracle Corporation.

- Path: libraries/tools/kotlin-test-js-runner/karma-kotlin-reporter.js
    - License: MIT ([license/third_party/karma_LICENSE.txt](third_party/karma_LICENSE.txt)
        and [license/third_party/karma-teamcity-reporter_LICENSE.txt](third_party/karma-teamcity-reporter_LICENSE.txt))
    - Origin: Copyright (C) 2011-2019 Google, Inc. and Copyright (C) 2011-2013 Vojta Jna and contributors.

- Path: libraries/tools/kotlin-test-js-runner/mocha-kotlin-reporter.js
    - License: MIT ([license/third_party/mocha-teamcity-reporter_LICENSE.txt](third_party/mocha-teamcity-reporter_LICENSE.txt))
    - Origin: Copyright (c) 2016 Jamie Sherriff

- Path: libraries/tools/kotlin-test-js-runner/src/utils.ts
    - License: MIT ([license/third_party/teamcity-service-messages_LICENSE.txt](third_party/teamcity-service-

messages_LICENSE.txt)
        and [license/third_party/lodash_LICENSE.txt](third_party/lodash_LICENSE.txt))
    - Origin: Copyright (c) 2013 Aaron Forsander and Copyright JS Foundation and other contributors <https://js.foundation/>

- Path: libraries/tools/kotlin-test-js-runner/src/teamcity-format.js
    - License: MIT ([license/third_party/mocha-teamcity-reporter_LICENSE.txt](third_party/mocha-teamcity-reporter_LICENSE.txt)
        and [license/third_party/teamcity-service-messages_LICENSE.txt](third_party/teamcity-service-messages_LICENSE.txt))
    - Origin: Copyright (c) 2016 Jamie Sherriff and Copyright (c) 2013 Aaron Forsander

Example Code

The following code is provided as examples and is not incorporated into
any distributions of the compiler, libraries or plugin:

- Path: libraries/examples/browser-example/src/js/jquery.js
    - License: MIT ([license/third_party/jquery_license.txt][jquery])
    - Origin: jQuery JavaScript Library v1.6.2, Copyright 2011, John Resig

- Path: libraries/examples/browser-example-with-library/src/js/jquery.js
    - License: MIT ([license/third_party/jquery_license.txt][jquery])
    - Origin: jQuery JavaScript Library v1.6.2, Copyright 2011, John Resig

[aosp]: third_party/aosp_license.txt
[asm]: third_party/asm_license.txt
[boost]: third_party/boost_LICENSE.txt
[closure-compiler]: third_party/closure-compiler_LICENSE.txt
[dagger]: third_party/testdata/dagger_license.txt
[dart]: third_party/dart_LICENSE.txt
[eclipse]: third_party/testdata/eclipse_license.txt
[eclipse-distribution]: third_party/testdata/eclipse_distribution_license.txt
[findbugs]: third_party/testdata/findbugs_license.txt
[gradle]: third_party/gradle_license.txt
[guava]: third_party/guava_license.txt
[gwt]: third_party/gwt_license.txt
[jquery]: third_party/jquery_license.txt
[lombok]: third_party/testdata/lombok_license.txt
[qunit]: third_party/qunit_license.txt
[rhino]: third_party/rhino_LICENSE.txt
[rxjava]: third_party/testdata/rxjava_license.txt
[spring]: third_party/testdata/spring_license.txt
[assemblyscript]: third_party/assemblyscript_license.txt

ASM: a very small and fast Java bytecode manipulation framework
Copyright (c) 2000-2005 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its
   contributors may be used to endorse or promote products derived from
   this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES
 OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

==========

Licenses for included components:

Eclipse Public License 1.0
https://opensource.org/licenses/EPL-1.0

junit:junit
org.sonatype.aether:aether-api
org.sonatype.aether:aether-connector-wagon
org.sonatype.aether:aether-impl
org.sonatype.aether:aether-spi
org.sonatype.aether:aether-util

3-Clause BSD
https://opensource.org/licenses/BSD-3-Clause

com.google.code.findbugs:jsr305

org.hamcrest:hamcrest-core
BSD License

Copyright (c) 2000-2015 www.hamcrest.org
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that
the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of
conditions and the following disclaimer. Redistributions in binary form must reproduce
the above copyright notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse
or promote products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT
SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN
ANY
WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

com.esotericsoftware.kryo:kryo
com.esotericsoftware.minlog:minlog
Copyright (c) 2008-2018, Nathan Sweet All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
Neither the name of Esoteric Software nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

org.ow2.asm:asm
org.ow2.asm:asm-analysis
org.ow2.asm:asm-commons
org.ow2.asm:asm-tree
org.ow2.asm:asm-util
ASM: a very small and fast Java bytecode manipulation framework
Copyright (c) 2000-2011 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its
   contributors may be used to endorse or promote products derived from
   this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

MIT

com.googlecode.plist:dd-plist
dd-plist - An open source library to parse and generate property lists
Copyright (C) 2016 Daniel Dreibrodt

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

org.bouncycastle:bcpg-jdk15on
org.bouncycastle:bcprov-jdk15on
Copyright (c) 2000 - 2019 The Legion of the Bouncy Castle Inc. (https://www.bouncycastle.org)

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

org.slf4j:jcl-over-slf4j
org.slf4j:jul-to-slf4j
org.slf4j:log4j-over-slf4j
org.slf4j:slf4j-api
Copyright (c) 2004-2017 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

CDDL
https://opensource.org/licenses/CDDL-1.0

com.sun.xml.bind:jaxb-impl

LGPL 2.1
https://www.gnu.org/licenses/old-licenses/lgpl-2.1.en.html

org.samba.jcifs:jcifs

org.jetbrains.intellij.deps:trove4j

License for the GNU Trove library included by the Kotlin embeddable compiler

---

The source code for GNU Trove is licensed under the Lesser GNU Public License (LGPL).

Copyright (c) 2001, Eric D. Friedman All Rights Reserved. This library is free software; you can
redistribute it and/or modify it under
the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or
(at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without
even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.
You should have received a copy of the GNU Lesser General Public License along with this program; if not, write to the Free Software
Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

Two classes (HashFunctions and PrimeFinder) included in Trove are licensed under the following terms:

Copyright (c) 1999 CERN - European Organization for Nuclear Research. Permission to use, copy, modify, distribute and sell this software
and its documentation for any purpose is hereby granted without fee, provided
that the above copyright notice appear in all copies and
that both that copyright notice and this permission notice appear in supporting documentation. CERN makes no representations about the
suitability of this software for any purpose. It is provided "as is" without expressed or implied warranty.

The source code of modified GNU Trove library is available at
https://github.com/JetBrains/intellij-deps-trove4j (with trove4j_changes.txt describing the changes)

Eclipse Distribution License 1.0
https://www.eclipse.org/org/documents/edl-v10.php

org.eclipse.jgit:org.eclipse.jgit

BSD-style

com.jcraft:jsch
com.jcraft:jzlib

Copyright (c) 2000-2011 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA,

OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Eclipse Public License 2.0
https://www.eclipse.org/legal/epl-2.0/

org.junit.platform:junit-platform-launcher

Mozilla Public License 2.0
https://www.mozilla.org/en-US/MPL/2.0/

org.mozilla:rhino
UNLESS SPECIFIED OTHERWISE IN THE INDIVIDUAL SOURCE FILES INCLUDED WITH
THIS PACKAGE, they may freely be used, modified and/or redistributed for
any purpose.
musl as a whole is licensed under the following standard MIT license:

Copyright 2005-2014 Rich Felker, et al.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Authors/contributors include:

Anthony G. Basile
Arvid Picciani
Bobby Bingham
Boris Brezillon
Chris Spiegel
Emil Renner Berthing
Hiltjo Posthuma
Isaac Dunham
Jens Gustedt
Jeremy Huntwork
John Spencer
Justin Cormack
Luca Barbato
Luka Perkov
Michael Forney
Nicholas J. Kain
orc
Pascal Cuoq
Pierre Carrier
Rich Felker
Richard Pennington
Solar Designer
Strake
Szabolcs Nagy
Timo Ters
Valentin Ochs
William Haddon

Portions of this software are derived from third-party works licensed
under terms compatible with the above MIT license:

The TRE regular expression implementation (src/regex/reg* and
src/regex/tre*) is Copyright 2001-2008 Ville Laurikari and licensed
under a 2-clause BSD license (license text in the source files).
 The
included version has been heavily modified by Rich Felker in 2012, in
the interests of size, simplicity, and namespace cleanliness.

Much of the math library code (src/math/* and src/complex/*) is
Copyright 1993,2004 Sun Microsystems or
Copyright 2003-2011 David Schultz or
Copyright 2003-2009 Steven G. Kargl or
Copyright 2003-2009 Bruce D. Evans or
Copyright 2008 Stephen L. Moshier
and labelled as such in comments in the individual source files. All
have been licensed under extremely permissive terms.

The ARM memcpy code (src/string/armel/memcpy.s) is Copyright 2008

The Android Open Source Project and is licensed under a two-clause BSD
license. It was taken from Bionic libc, used on Android.

The implementation of DES for crypt (src/misc/crypt_des.c) is
Copyright 1994 David Burren. It is licensed under a BSD license.

The implementation of blowfish crypt (src/misc/crypt_blowfish.c) was
originally written by Solar Designer and placed into the public
domain. The code also
 comes with a fallback permissive license for use
in jurisdictions that may not recognize the public domain.

The smoothsort implementation (src/stdlib/qsort.c) is Copyright 2011
Valentin Ochs and is licensed under an MIT-style license.

The BSD PRNG implementation (src/prng/random.c) and XSI search API
(src/search/*.c) functions are Copyright 2011 Szabolcs Nagy and
licensed under following terms: "Permission to use, copy, modify,
and/or distribute this code for any purpose with or without fee is
hereby granted. There is no warranty."

The x86_64 port was written by Nicholas J. Kain. Several files (crt)
were released into the public domain; others are licensed under the
standard MIT license terms at the top of this file. See individual
files for their copyright status.

The mips and microblaze ports were originally written by Richard
Pennington for use in the ellcc project. The original code was adapted
by Rich Felker for build system and code conventions during upstream
integration.
 It is licensed under the standard MIT terms.

The powerpc port was also originally written by Richard Pennington,
and later supplemented and integrated by John Spencer. It is licensed
under the standard MIT terms.

All other files which have no copyright comments are original works
produced specifically for use as part of this library, written either
by Rich Felker, the main author of the library, or by one or more
contibutors listed above. Details on authorship of individual files
can be found in the git version control history of the project. The
omission of copyright and license comments in each file is in the
interest of source tree size.

All public header files (include/* and arch/*/bits/*) should be
treated as Public Domain as they intentionally contain no content
which can be covered by copyright. Some source modules may fall in
this category as well. If you believe that a file is so trivial that

it should be in the Public Domain, please contact the authors and
request an explicit
statement releasing it from copyright.

The following files are trivial, believed not to be copyrightable in
the first place, and hereby explicitly released to the Public Domain:

All public headers: include/*, arch/*/bits/*
Startup files: crt/*
Portions, Copyright 1991-2005 Unicode, Inc. The following applies to Unicode.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2005 Unicode, Inc. All rights reserved. Distributed under
the Terms of Use in http://www.unicode.org/copyright.html. Permission is
hereby granted, free of charge, to any person obtaining a copy of the
Unicode data files and any associated documentation (the "Data Files")
or Unicode software and any associated documentation (the "Software")
to deal in the Data Files or Software without restriction, including without
limitation the rights to use, copy, modify, merge, publish, distribute,
and/or sell copies of the Data Files or Software, and to permit persons
to whom the Data Files or Software are furnished to do so, provided that
(a) the above copyright notice(s) and this permission notice appear with
all copies of the Data Files or Software, (b) both the above copyright
notice(s) and this permission notice appear in associated documentation,
and (c) there is clear
notice in each modified Data File or in the Software
as well as in the documentation associated with the Data File(s) or Software
that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY
KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT
OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS
INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT
OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS
OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR
OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall
not be used in advertising or otherwise to promote the sale, use or other
dealings in these Data Files or Software without prior
written
authorization of the copyright holder.

2. Additional terms from the Database:

Copyright 1995-1999 Unicode, Inc. All Rights reserved.

Disclaimer

The Unicode Character Database is provided as is by Unicode, Inc.
No claims are made as to fitness for any particular purpose. No warranties
of any kind are expressed or implied. The recipient agrees to determine
applicability of information provided. If this file has been purchased
on magnetic or optical media from Unicode, Inc., the sole remedy for any claim
will be exchange of defective media within 90 days of receipt. This disclaimer
is applicable for all other data files accompanying the Unicode Character Database,
some of which have been compiled by the Unicode Consortium, and some of which
have been supplied by other sources.

Limitations on Rights to Redistribute This Data

Recipient is granted the right to make copies in any form for internal
distribution and to freely use the information supplied in the creation of
products
 supporting the UnicodeTM Standard. The files in
the Unicode Character Database can be redistributed to third parties or other
organizations (whether for profit or not) as long as this notice and the disclaimer
notice are retained. Information can be extracted from these files and used
in documentation or programs, as long as there is an accompanying notice
indicating the source.
Google Dart Js backend was removed - https://code.google.com/p/dart/source/detail?r=4771

According to http://www.apache.org/legal/3party.html we can include "Google Dart Js backend" in source form,
because code license is "New BSD License" (Authorized License).

This part of code will be removed when kotlin will be rewritten on kotlin.
Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization
obtaining a copy of the software and accompanying documentation covered by
this license (the "Software") to use, reproduce, display, distribute,
execute, and transmit the Software, and to prepare derivative works of the
Software, and to permit third-parties to whom the Software is furnished to
do so, all subject to the following:

The copyright notices in the Software and this entire statement, including
the above license grant, this restriction and the following disclaimer,
must be included in all copies of the Software, in whole or in part, and
all derivative works of the Software, unless such copies or derivative
works are solely in the form of machine-executable object code generated by
a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT
SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE
FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.
The files in this package are taken from mozilla's Rhino project.
See http://www.mozilla.org/rhino/

The files modified from Rhino 1.5R3
(ftp://ftp.mozilla.org/pub/js/rhino15R3.zip).

--

The contents of this package are subject to the Netscape Public
License Version 1.1 (the "License"); you may not use this file
except in compliance with the License. You may obtain a copy of
the License at http://www.mozilla.org/NPL/

Software distributed under the License is distributed on an "AS
IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or
implied. See the License for the specific language governing
rights and limitations under the License.

The Original Code is Rhino code, released
May 6, 1999.

The Initial Developer of the Original Code is Netscape
Communications Corporation. Portions created by Netscape are
Copyright (C) 1997-2000 Netscape Communications Corporation. All
Rights Reserved.

Alternatively, the contents of this file may be used under the
terms of the GNU Public License
(the "GPL"), in which case the
provisions of the GPL are applicable instead of those above.
If you wish to allow use of your version of this file only
under the terms of the GPL and not to allow others to use your
version of this file under the NPL, indicate your decision by
deleting the provisions above and replace them with the notice
and other provisions required by the GPL. If you do not delete
the provisions above, a recipient may use your version of this
file under either the NPL or the GPL.
http://fastutil.di.unimi.it/

Apache License
Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares,
or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and
for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing
lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms
and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution.
You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within
such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license
terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of
the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You
for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor
harmless for any liability
incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the
License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Harmony
Copyright 2006, 2010 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of Apache Harmony were originally developed by
Intel Corporation and are licensed to the Apache Software
Foundation under the "Software Grant and Corporate Contribution
License Agreement" and for which the following copyright notices
apply

(C) Copyright 2005 Intel Corporation
(C) Copyright 2005-2006 Intel Corporation
(C) Copyright 2006 Intel Corporation

Copyright (c) 2013 Aaron Forsander

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who
decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library,
whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source

code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.

Finally, software
patents pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits
such linking only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into

another language. (Hereinafter, translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium,
provided that
you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the
terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that,

in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be
reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary
GNU General Public
License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of

the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany
the work with the complete corresponding
machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate
properly with a modified version of the library, if
the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these

materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally
distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any
other library
facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if

you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in

certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR

CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey
the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the

library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
Copyright JS Foundation and other contributors, https://js.foundation/

This software consists of voluntary contributions made by many
individuals. For exact contribution history, see the revision history
available at https://github.com/jquery/jquery

The following license applies to all parts of this software except as
documented below:

====

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING
BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====
The MIT License

Copyright (c) 2003, Kohsuke Kawaguchi

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
The MIT License

Copyright JS Foundation and other contributors <https://js.foundation/>

Based on Underscore.js, copyright Jeremy Ashkenas,
DocumentCloud and Investigative Reporters & Editors <http://underscorejs.org/>

This software consists of voluntary contributions made by many
individuals. For exact contribution history, see the revision history
available at https://github.com/lodash/lodash

The following license applies to all parts of this software except as
documented below:

====

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: http://creativecommons.org/publicdomain/zero/1.0/

====

Files located in the node_modules and vendor directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.
COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1996 - 2021, Daniel Stenberg, <daniel@haxx.se>, and many contributors, see the THANKS file.

All rights reserved.

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings
in this Software without prior written authorization of the copyright holder.
The Trove library is licensed under the Lesser GNU Public License, which is included with the distribution in a file called trove_license.txt.

The PrimeFinder and HashFunctions classes in Trove are subject to the following license restrictions:

Copyright (c) 1999 CERN - European Organization for Nuclear Research.

Permission to use, copy, modify, distribute and sell this software and its documentation for any purpose is hereby granted without fee,

provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation. CERN makes no representations about the
suitability of this software for any purpose. It is provided "as is"
without expressed or implied warranty.
The version of Rhino used in GWT is licensed under a dual license,
Netscape Public License 1.1 / GNU General Public License.
The text of the Netscape Public License
is provided below (http://website-archive.mozilla.org/www.mozilla.org/mpl/MPL/NPL/1.1/):

AMENDMENTS

The Netscape Public License Version 1.1 ("NPL") consists of the
Mozilla Public License Version 1.1 with the following Amendments,
including Exhibit A-Netscape Public License. Files identified with
"Exhibit A-Netscape Public License" are governed by the Netscape
Public License Version 1.1.

Additional Terms applicable to the Netscape Public License.

I. Effect.

These additional terms described in this Netscape Public
License -- Amendments shall apply to the Mozilla Communicator
client code and to all Covered Code under this License.

II. "Netscape's Branded Code" means Covered Code that Netscape
distributes and/or permits others to distribute under one or
more trademark(s) which are
controlled by Netscape but which
are not licensed for use under this License.

III. Netscape and logo.

This License does not grant any rights to use the trademarks
"Netscape", the "Netscape N and horizon" logo or the
"Netscape lighthouse" logo, "Netcenter", "Gecko", "Java" or
"JavaScript", "Smart Browsing" even if such marks are included
in the Original Code or Modifications.

IV. Inability to Comply Due to Contractual Obligation.

Prior to licensing the Original Code under this License,
Netscape has licensed third party code for use in Netscape's
Branded Code. To the extent that Netscape is limited
contractually from making such third party code available under
this License, Netscape may choose to reintegrate such code into
Covered Code without being required to distribute such code in

Source Code form, even if such code would otherwise be considered "Modifications" under this License.

V. Use of Modifications and Covered Code by Initial Developer.

V.1. In General.

The obligations of Section 3 apply to Netscape, except to the extent specified in this Amendment, Section V.2 and V.3.

V.2. Other Products.

Netscape may include Covered Code in products other than the Netscape's Branded Code which are released by Netscape during the two (2) years following the release date of the Original Code, without such additional products becoming subject to the terms of this License, and may license such additional products on different terms from those contained in this License.

V.3. Alternative Licensing.

Netscape may license the Source Code of Netscape's Branded Code, including Modifications incorporated therein, without such Netscape Branded Code becoming subject to the terms of this License, and may license such Netscape Branded Code on different terms from those contained in this License.

VI. Litigation.

Notwithstanding the limitations of Section 11 above, the provisions regarding litigation in Section 11(a), (b) and (c) of the License shall apply to all disputes relating to this License.

EXHIBIT A-Netscape Public License.

"The contents of this file are subject to the Netscape Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at http://www.mozilla.org/NPL/

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is Mozilla Communicator client code, released March 31, 1998.

The Initial Developer of the Original Code is Netscape Communications Corporation. Portions created by Netscape are Copyright (C) 1998-1999 Netscape Communications Corporation. All Rights Reserved.

Contributor(s): _____.

Alternatively, the contents of this file may be used under the terms of the _____ license (the [___] License), in which case the provisions of [_____] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the [____] License and not to allow others to use your version of this file under the NPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [___] License. If you do not delete the provisions above, a recipient may use your version of this file under either the NPL or the [___] License."

MOZILLA
PUBLIC LICENSE
Version 1.1

1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each

case including portions thereof.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

B. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to

control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for
no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. Source Code License.

2.1. The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer
to use, reproduce,
modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

(b) under Patents Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or

devices.

2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code

may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

3.4. Intellectual Property Matters

(a) Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such

knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

(b) Contributor APIs.

If Contributor's Modifications include an application programming interface and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

(c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include
such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result
of warranty, support,
indemnity or liability terms You offer.

3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not
attempt to limit or alter the
recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

6. Versions of the License.

6.1. New Versions.

Netscape Communications Corporation ("Netscape") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Netscape. No one other than Netscape has the right to modify the terms applicable to Covered Code created under this License.

6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must (a) rename Your license so that the phrases "Mozilla", "MOZILLAPL", "MOZPL", "Netscape", "MPL", "NPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Mozilla Public License and Netscape Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE

DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declatory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

11. MISCELLANEOUS.

This License represents the complete agreement concerning subject

matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity
chartered or registered to do
business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as Multiple-Licensed. Multiple-Licensed means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the NPL or the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

EXHIBIT A -Mozilla Public License.

``The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at http://www.mozilla.org/MPL/

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or

implied. See the License for the specific language governing
rights and limitations under the License.

The Original Code is _____.

The Initial Developer of the Original Code is
_____. Portions created by
_____ are Copyright (C) _____
_____. All Rights Reserved.

Contributor(s): _____.

Alternatively, the contents of this file may be used under the
terms of the _____ license (the [___] License), in which case
the provisions of [_____] License are applicable instead of those
above. If you wish to allow use of your version of this file only
under the terms of the [____] License and not to allow others to
use your version of this file under the MPL, indicate your
decision by deleting the provisions above and replace them with
the notice and other provisions required by the [___] License. If
you do not delete the provisions above, a recipient may use your
version of this file under either the MPL or the [___] License."

[NOTE: The text of this Exhibit A may differ slightly from the
text of the notices in the Source Code files of the Original
Code. You should use the text of this Exhibit A rather than the
text found in the Original Code Source Code for Your
Modifications.]

==========

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software

Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies
of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to
avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate

copyright notice and a
notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such

an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files,
plus the scripts used to
control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under
this License.
However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further
restrictions
on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent

infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion
of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution
and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any

later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest

to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that
it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License along
    with this program; if not, write to the Free Software Foundation, Inc.,
    51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public
License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

  Yoyodyne, Inc., hereby disclaims all copyright interest in the program
  `Gnomovision' (which makes passes at compilers) written by James Hacker.

  <signature of Ty Coon>, 1 April 1989
  Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

==========

SDL 2.0 and newer are available under the zlib license :

This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
claim that you wrote the original software. If you use this software
in a product, an acknowledgment in the product documentation would be
appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

==========

libc++ License

==========

The libc++ library is dual licensed under both the University of Illinois
"BSD-Like" license and the MIT license. As a user of this code you may choose
to use it under either license. As a contributor, you agree to allow your code
to be used under both.

Full text of the relevant licenses is included below.

==========

University of Illinois/NCSA
Open Source License

Copyright (c) 2009-2017 by the contributors listed in CREDITS.TXT

All rights reserved.

Developed by:

LLVM Team

University of Illinois at Urbana-Champaign

http://llvm.org

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal with
the Software without restriction, including
 without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

* Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimers.

* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimers in the
  documentation and/or other materials provided with the distribution.

* Neither the names of the LLVM Team, University of Illinois at
  Urbana-Champaign, nor the names of its contributors may be used to
  endorse or promote products derived from this Software without specific
  prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
 FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE
SOFTWARE.

==

Copyright (c) 2009-2014 by the contributors listed in CREDITS.TXT

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial
 portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (C) 2012-2016 Free Software Foundation, Inc.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

(1) Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

(2) Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the
distribution.

(3) The name of the author may not be used to
endorse or promote products derived from this software without
specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE
FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2005-2010 Sam Stephenson

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Kotlin/Native binary distribution may contain platform libraries, that are
generated from the header files from mingw-w64 project.

==========
Overall copyright notice
==========

Copyright (c) 2009, 2010, 2011, 2012, 2013 by the mingw-w64 project

This license has been certified as open source. It has also been designated
as GPL compatible by the Free Software Foundation (FSF).

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions in source code must retain the accompanying copyright
   notice, this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the accompanying
   copyright notice, this list of conditions, and the following disclaimer
   in the documentation and/or other materials provided with the
   distribution.
3. Names of the copyright holders must not be used to endorse
or promote
   products derived from this software without prior written permission
   from the copyright holders.
4. The right to distribute this software or to use it for any purpose does
   not give you the right to use Servicemarks (sm) or Trademarks (tm) of
   the copyright holders. Use of them is covered by separate agreement
   with the copyright holders.
5. If any files are modified, you must cause the modified files to carry
   prominent notices stating that you changed the files and the date of
   any change.

Disclaimer

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA,
OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

==========

pthread headers

==========

Copyright (c) 2011-2016 mingw-w64 project

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Parts of this library are derived by:

Posix Threads library for Microsoft Windows

Use at own risk, there is no implied warranty to this code.
It uses undocumented features of Microsoft Windows that can change
at any time in the future.

(C) 2010 Lockless Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
* Neither the name of Lockless Inc. nor the names of its contributors may be
used to endorse or promote products derived from this software without
specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AN ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

==========
OpenGL
==========

Copyright (c) 2008-2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and/or associated documentation files (the
"Materials"), to deal in the Materials without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Materials, and to
permit persons to whom the Materials are furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

==========
Headers and IDLs imported from Wine

==========

Some header and IDL files were imported from the Wine project. These files
are prominent maked in source. Their copyright belongs to contributors and
they are distributed under LGPL license.

Disclaimer

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even
 the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.
MIT License

Copyright (c) 2019 Microsoft Corporation, Daan Leijen

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT
 OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
Copyright (C) 2009-2015 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
Eclipse Public License - v 1.0
THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor"
means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide,

royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer
to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder,
each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively
excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL
DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any
claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor
to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY

CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such
Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement
Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual
property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.
Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
This license applies to all parts of Dart that are not externally
maintained libraries. The external maintained libraries used by
Dart are:

7-Zip - in third_party/7zip
JSCRE - in runtime/third_party/jscre
Ant - in third_party/apache_ant
args4j - in third_party/args4j
bzip2 - in third_party/bzip2
dromaeo - in samples/third_party/dromaeo
Eclipse - in third_party/eclipse
gsutil = in third_party/gsutil
Guava - in third_party/guava
hamcrest - in third_party/hamcrest
Httplib2 - in samples/third_party/httplib2
JSON - in third_party/json
JUnit - in third_party/junit
Oauth - in samples/third_party/oauth2client
Rhino - in third_party/rhino
weberknecht - in third_party/weberknecht

The libraries may have their own licenses; we recommend you read them,
as their terms may differ from the terms below.

Copyright 2012, the Dart project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.
* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

https://www.eclipse.org/jgit/

Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
libffi - Copyright (c) 1996-2014 Anthony Green, Red Hat, Inc and others.
See source files for details.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
``Software''), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS'', WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF
CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
GCC RUNTIME LIBRARY EXCEPTION

Version 3.1, 31 March 2009

Copyright (C) 2009 Free Software Foundation, Inc.

Everyone is permitted to copy and distribute verbatim copies of this
license document, but changing it is not allowed.

This GCC Runtime Library Exception ("Exception") is an additional
permission under section 7 of the GNU General Public License, version
3 ("GPLv3"). It applies to a given file (the "Runtime Library") that
bears a notice placed by the copyright holder of the file stating that
the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of
certain GCC header files and runtime libraries with the compiled
program. The purpose of this Exception is to allow compilation of
non-GPL (including proprietary) programs to use, in this way, the
header files and runtime libraries covered by this Exception.

0. Definitions.

A file is an "Independent Module" if it either requires the Runtime
Library for execution after
 a Compilation Process, or makes use of an
interface provided by the Runtime Library, but is not otherwise based
on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without
modifications, governed by version 3 (or a specified later version) of
the GNU General Public License (GPL) with the option of using any
subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation,
modification and use would permit combination with GCC in accord with
the license of GCC.

"Target Code" refers to output from any compiler for a real or virtual
target processor architecture, in executable form or suitable for
input to an assembler, loader, linker and/or execution
phase. Notwithstanding that, Target Code does not include data in any
format that is used as a compiler intermediate representation, or used
for producing a compiler intermediate representation.

The "Compilation Process" transforms code entirely represented
 in
non-intermediate languages designed for human-written code, and/or in
Java Virtual Machine byte code, into Target Code. Thus, for example,
use of source code generators and preprocessors need not be considered
part of the Compilation Process, since the Compilation Process can be
understood as starting with the output of the generators or
preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone or with other GPL-compatible software, or if it is done without using any work based on GCC. For example, using non-GPL-compatible Software to optimize any GCC intermediate representations would not qualify as an Eligible Compilation Process.

1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by combining the Runtime Library with Independent Modules, even if such propagation would otherwise violate the terms of GPLv3, provided that all Target Code was generated by Eligible Compilation Processes. You may then convey such
a combination under terms of your choice,
consistent with the licensing of the Independent Modules.

2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general presumption that third-party software is unaffected by the copyleft requirements of the license of GCC.

Hopefully that text is self-explanatory. If it isn't, you need to speak to your lawyer, or the Free Software Foundation.
JSON

Copyright (c) 2002 JSON.org

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

The Software shall be used for Good, not Evil.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

SOFTWARE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

/*
* Copyright 2010-2023 JetBrains s.r.o. and Kotlin Programming Language contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
*/

Eclipse Public License, Version 1.0 (EPL-1.0)

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and
documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and

(ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is

Recipient's responsibility to acquire that license
before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and
b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is

intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses,
damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor
then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not
limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY

CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such
provision shall be reformed to the minimum extent
necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program
shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated

in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

The MIT License

Copyright (C) 2011-2013 Vojta Jna and contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

http://www.slf4j.org

MIT License

Copyright (c) 2004-2017 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES
OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.555 error_prone_annotations 2.10.0

1.555.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--
Copyright 2015 The Error Prone Authors.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
-->

Found in path(s):
* /opt/cola/permits/1337069915_1654119249.153431/0/error-prone-annotations-2-10-0-jar/META-INF/maven/com.google.errorprone/error_prone_annotations/pom.xml

1.556 woodstox 3.2.9

1.556.1 Available under license :

This product currently only contains code developed by authors
of specific components, as identified by the source code files.

Since product implements StAX API, it has dependencies to StAX API
classes.

For additional credits (generally to people who reported problems)
see CREDITS file.

This copy of Woodstox XML processor is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/

A copy is also included in the downloadable source code package
containing Woodstox, in file "ASL2.0", under the same directory
as this file.
This copy of Woodstox XML processor is licensed under the
Lesser General Public License (LGPL), version 2.1 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.gnu.org/licenses/licenses.html

A copy is also included in the downloadable source code package
containing Woodstox, in file "LGPL2.1", under the same directory
as this file.

1.557 apache-commons-net 3.6

1.557.1 Available under license :

Apache Commons Net
Copyright 2001-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.558 osgi-resource-locator-bundle 1.0.1

1.558.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--
/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright 2010-2011 Sun Microsystems, Inc. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can obtain
* a copy of the License at https://glassfish.dev.java.net/public/CDDL+GPL.html
* or glassfish/bootstrap/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at glassfish/bootstrap/legal/LICENSE.txt.
* Sun designates this particular file as subject to the "Classpath" exception
* as provided by Sun in
the GPL Version 2 section of the License file that
* accompanied this code. If applicable, add the following below the License
* Header, with the fields enclosed by brackets [] replaced by your own
* identifying information: "Portions Copyrighted [year]
* [name of copyright owner]"
*
* Contributor(s):
*
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to such option by the copyright
* holder.

*/
-->

Found in path(s):
* /opt/cola/permits/1355542192_1657242161.3388643/0/osgi-resource-locator-1-0-1-jar/META-INF/maven/org.glassfish.hk2/osgi-resource-locator/pom.xml
No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Archiver-Version: Plexus Archiver
Created-By: 1.6.0_14 (Sun Microsystems Inc.)
Built-By: java_re
Build-Jdk: 1.6.0_14
Export-Package: org.glassfish.hk2.osgiresourcelocator;uses:="org.osgi.
framework";version="1.0.1"
Bundle-ActivationPolicy: lazy
Tool: Bnd-0.0.357
Bundle-Name: OSGi resource locator bundle - used by various API provid
ers that rely on META-INF/services mechanism to locate providers.
Bundle-Vendor: GlassFish Community
Bundle-Version: 1.0.1
Bnd-LastModified: 1294930782379
Bundle-Activator: org.glassfish.hk2.osgiresourcelocator.Activator
Bundle-ManifestVersion: 2
Bundle-License: https://glassfish.dev.java.net/nonav/public/CDDL+GPL.h
tml
Bundle-Description: See http://wiki.glassfish.java.net/Wiki.jsp?page=J
dkSpiOsgi for more information
Import-Package: org.glassfish.hk2.osgiresourcelocator;version="[1.0,1.
1)",org.osgi.framework;version="1.5"
Bundle-SymbolicName: org.glassfish.hk2.osgi-resource-locator
Bundle-DocURL:
 https://glassfish.dev.java.net

Found in path(s):
* /opt/cola/permits/1355542192_1657242161.3388643/0/osgi-resource-locator-1-0-1-jar/META-INF/MANIFEST.MF

1.559 jersey's-jersey 2.25.1

1.559.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 2010-2017 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU
General Public License Version 2 only ("GPL") or the Common Development
and Distribution License("CDDL") (collectively, the "License"). You
may not use this file except in compliance with the License. You can
obtain a copy of the License at
http://glassfish.java.net/public/CDDL+GPL_1_1.html
or packager/legal/LICENSE.txt. See the License for the specific
language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each
file and include the License file at packager/legal/LICENSE.txt.

GPL Classpath Exception:
Oracle designates this particular file as subject to the "Classpath"

exception as provided by Oracle in the GPL Version 2 section of the License
file that accompanied this code.

Modifications:
If applicable, add the following below the License Header, with the fields
enclosed by brackets [] replaced by your own identifying information:
"Portions Copyright [year] [name of copyright owner]"

Contributor(s):
If you wish your version of this file to be governed by only the CDDL or
only the GPL Version 2, indicate your decision by adding "[Contributor]
elects to include this software in this distribution under the [CDDL or GPL
Version 2] license." If you don't indicate a single choice of license, a
recipient has the option to distribute your version of this file under
either the CDDL, the GPL Version 2 or to extend the choice of license to
its licensees as provided above. However, if you add GPL Version 2 code
and therefore, elected the GPL Version 2 license, then the option applies
only if the new
code is made subject to such option by the copyright
holder.

-->

Found in path(s):
* /opt/cola/permits/1355542096_1657249925.4770288/0/jersey-server-2-25-1-jar/META-INF/maven/org.glassfish.jersey.core/jersey-server/pom.xml
No license file was found, but licenses were detected in source scan.

Copyright (c) 2012-2015 Oracle and/or its affiliates. All rights reserved.
The contents of this file are subject to the terms of either the GNU

General Public License Version 2 only ("GPL") or the Common Development
and Distribution License("CDDL") (collectively, the "License"). You
may not use this file except in compliance with the License. You can
Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the GPL Version 2 section of the License

Found in path(s):
* /opt/cola/permits/1355542096_1657249925.4770288/0/jersey-server-2-25-1-
jar/org/glassfish/jersey/server/internal/localization.properties
No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Bnd-LastModified: 1484843099616
Build-Jdk: 1.8.0_92
Built-By: jerseyrobot
Bundle-Description: Jersey core server implementation
Bundle-DocURL: http://www.oracle.com/
Bundle-License: http://glassfish.java.net/public/CDDL+GPL_1_1.html
Bundle-ManifestVersion: 2
Bundle-Name: jersey-core-server
Bundle-SymbolicName: org.glassfish.jersey.core.jersey-server
Bundle-Vendor: Oracle Corporation
Bundle-Version: 2.25.1
Created-By: Apache Maven Bundle Plugin
Export-Package: org.glassfish.jersey.server.filter;uses:="javax.annotati
on,javax.ws.rs,javax.ws.rs.container,javax.ws.rs.core,org.glassfish.jer
sey.message.internal,org.glassfish.hk2.api,jersey.repackaged.com.google
.common.collect,org.glassfish.jersey.spi,org.glassfish.jersey.server,ja
vax.inject,org.glassfish.jersey.server.internal,org.glassfish.jersey.in
ternal.util,org.glassfish.jersey.server.model,javax.annotation.security
,org.glassfish.jersey.uri";version="2.25.1",org.glassfish.jersey.server
 .wadl.internal.generators.resourcedoc;uses:="org.glassfish.jersey.serve
r.wadl.internal.generators.resourcedoc.model,org.glassfish.jersey.serve
r.internal,org.glassfish.jersey.server.model,org.glassfish.jersey.serve
r.wadl,javax.ws.rs.core,javax.xml.parsers,javax.xml.namespace,org.glass
fish.jersey.server.wadl.internal.generators.resourcedoc.xhtml,com.sun.r
esearch.ws.wadl,org.glassfish.jersey.server.wadl.internal,javax.inject"
;version="2.25.1",org.glassfish.jersey.server.wadl;uses:="javax.ws.rs.c
ore,com.sun.research.ws.wadl,org.glassfish.jersey.server.wadl.internal,
org.glassfish.jersey.server.model,javax.xml.bind,org.glassfish.hk2.util
ities.binding,javax.inject,org.glassfish.jersey.server.wadl.processor,o
rg.glassfish.jersey.server,org.glassfish.jersey.internal.util,javax.xml
.namespace";version="2.25.1",org.glassfish.jersey.server.internal;uses:
="org.glassfish.jersey.server,org.glassfish.jersey.internal.util,org.gl
 assfish.jersey.server.spi,javax.ws.rs.container,org.glassfish.hk2.utili
ties.binding,javax.inject,org.glassfish.hk2.api,org.glassfish.hk2.utili
ties,jersey.repackaged.com.google.common.collect,org.glassfish.jersey.p
rocess.internal,org.glassfish.jersey.internal.inject,org.glassfish.jers

ey.server.model,org.glassfish.jersey.model,org.glassfish.jersey.message
,javax.ws.rs.ext,javax.ws.rs.core,javax.annotation,javax.ws.rs,org.glas
sfish.jersey.internal.l10n,org.glassfish.jersey.message.internal,org.gl
assfish.jersey.server.internal.process,org.glassfish.jersey.internal.ut
il.collection,org.glassfish.jersey.model.internal,org.glassfish.jersey.
internal";version="2.25.1",org.glassfish.jersey.server.internal.process
;uses:="javax.ws.rs.container,javax.ws.rs.core,org.glassfish.jersey.int
ernal.util,org.glassfish.jersey.server.internal,jersey.repackaged.com.g
oogle.common.collect,org.glassfish.jersey.server,org.glassfish.jersey.p
rocess.internal,jersey.repackaged.com.google.common.base,org.glassfish.
jersey.process,javax.ws.rs,org.glassfish.hk2.api,org.glassfish.jersey.i
nternal.util.collection,org.glassfish.jersey.server.spi,javax.inject,or
g.glassfish.jersey.server.monitoring,org.glassfish.jersey.server.intern
al.routing,org.glassfish.jersey.server.internal.monitoring,org.glassfis
h.jersey.internal.inject,org.glassfish.jersey.spi,org.glassfish.hk2.uti
lities.binding";version="2.25.1",org.glassfish.jersey.server.spi;uses:=
"org.glassfish.hk2.api,javax.ws.rs,org.glassfish.jersey.spi,org.glassfi
sh.jersey.server,javax.ws.rs.core,javax.validation,org.glassfish.jersey
.server.model";version="2.25.1",org.glassfish.jersey.server.wadl.config
;uses:="org.glassfish.jersey.server.wadl,org.glassfish.hk2.api,javax.ws
.rs,org.glassfish.jersey.server.internal,org.glassfish.jersey.server,or
g.glassfish.jersey.internal.util,org.glassfish.jersey.internal.inject,o
rg.glassfish.jersey.server.wadl.internal.generators";version="2.25.1",o
rg.glassfish.jersey.server.wadl.internal.generators.resourcedoc.xhtml;u
ses:="javax.xml.namespace,javax.xml.bind,javax.xml.bind.annotation";ver
sion="2.25.1",org.glassfish.jersey.server;uses:="javax.ws.rs.core,org.g
lassfish.jersey.internal.util.collection,org.glassfish.jersey.internal.
util,org.glassfish.hk2.api,org.glassfish.hk2.utilities,org.glassfish.je
rsey.model.internal,org.glassfish.jersey.server.spi,org.glassfish.jerse
y.server.model,jersey.repackaged.com.google.common.base,org.glassfish.j
ersey.model,javax.ws.rs,org.glassfish.jersey.internal.inject,org.glassf
ish.hk2.utilities.binding,javax.inject,jersey.repackaged.com.google.com
mon.util.concurrent,org.glassfish.jersey.server.internal,org.jvnet.hk2.
external.runtime,jersey.repackaged.com.google.common.collect,javax.ws.r
s.container,org.glassfish.jersey.process.internal,org.glassfish.jersey.
server.internal.process,org.glassfish.jersey.message.internal,org.glass
fish.jersey.server.model.internal,org.glassfish.jersey,org.glassfish.je
rsey.message,javax.ws.rs.ext,org.glassfish.jersey.server.internal.routi
ng,org.glassfish.jersey.server.monitoring,org.glassfish.jersey.internal
,org.glassfish.jersey.server.internal.monitoring,org.glassfish.jersey.p
rocess,org.glassfish.jersey.uri,org.glassfish.jersey.uri.internal,org.g
lassfish.jersey.server.internal.scanning,org.glassfish.jersey.internal.
spi,org.glassfish.jersey.server.internal.inject,org.glassfish.jersey.sp
i";version="2.25.1",org.glassfish.jersey.server.internal.inject;uses:="
org.glassfish.hk2.api,org.glassfish.jersey.server,javax.inject,org.glas
sfish.jersey.internal.util.collection,javax.ws.rs.ext,javax.ws.rs,org.g
lassfish.jersey.internal.inject,org.glassfish.jersey.server.spi.interna
l,org.glassfish.jersey.server.model,javax.ws.rs.container,org.glassfish

.jersey.server.internal.process,org.glassfish.hk2.utilities.cache,org.g
lassfish.hk2.utilities,org.glassfish.jersey.process.internal,javax.ws.r
s.core,org.glassfish.jersey.server.internal,org.glassfish.jersey.spi,ja
vax.validation,org.glassfish.jersey.message.internal,org.glassfish.jers
ey.internal.util,jersey.repackaged.com.google.common.base,jersey.repack
aged.com.google.common.collect,org.glassfish.hk2.utilities.binding,java
x.ws.rs.client,org.glassfish.jersey.client,org.glassfish.jersey.interna
l,org.glassfish.jersey.uri.internal";version="2.25.1",org.glassfish.jer
sey.server.model.internal;uses:="javax.ws.rs,org.glassfish.jersey.messa
ge.internal,org.glassfish.jersey.server.internal,org.glassfish.jersey.i
nternal,org.glassfish.jersey.server,javax.ws.rs.core,org.glassfish.jers
ey.server.internal.process,org.glassfish.jersey.server.spi.internal,org
.glassfish.jersey.server.model,org.glassfish.jersey.server.internal.inj
ect,javax.validation,org.glassfish.hk2.api,javax.inject,org.glassfish.j
ersey,jersey.repackaged.com.google.common.base,jersey.repackaged.com.go
ogle.common.collect,org.glassfish.jersey.process,javax.ws.rs.container,
org.glassfish.jersey.internal.inject,org.glassfish.hk2.utilities.bindin
g,org.glassfish.jersey.server.wadl.processor";version="2.25.1",org.glas
sfish.jersey.server.internal.sonar;version="2.25.1",org.glassfish.jerse
y.server.internal.scanning;uses:="org.glassfish.jersey.server.internal,
org.glassfish.jersey.internal,org.glassfish.jersey.internal.util,javax.
ws.rs,javax.ws.rs.ext,org.glassfish.jersey.server,org.glassfish.jersey.
uri";version="2.25.1",org.glassfish.jersey.server.internal.routing;uses
:="org.glassfish.jersey.message.internal,javax.ws.rs.core,org.glassfish
.jersey.server.model,org.glassfish.jersey.server,org.glassfish.jersey.s
erver.internal.process,org.glassfish.jersey.process,org.glassfish.jerse
y.process.internal,javax.ws.rs,jersey.repackaged.com.google.common.base
,jersey.repackaged.com.google.common.primitives,org.glassfish.jersey.me
ssage,org.glassfish.jersey.server.internal,jersey.repackaged.com.google
.common.collect,javax.ws.rs.container,org.glassfish.jersey.internal,org
.glassfish.jersey.uri,org.glassfish.hk2.api,org.glassfish.jersey.server
.monitoring,jersey.repackaged.com.google.common.cache,org.glassfish.jer
sey.server.model.internal,org.glassfish.jersey.model.internal,org.glass
fish.jersey.internal.inject,org.glassfish.jersey.internal.util.collecti
on,org.glassfish.jersey.server.spi.internal,org.glassfish.jersey.uri.in
ternal";version="2.25.1",org.glassfish.jersey.server.wadl.internal.gene
rators;uses:="javax.xml.bind.annotation,com.sun.research.ws.wadl,org.gl
assfish.jersey.server.wadl,javax.ws.rs.core,org.glassfish.jersey.server
.model,org.glassfish.jersey.server.wadl.internal,javax.xml.parsers,java
x.inject,javax.xml.namespace,javax.xml.transform.stream,javax.xml.trans
form,javax.xml.bind";version="2.25.1",org.glassfish.jersey.server.filte
r.internal;uses:="org.glassfish.jersey.server.filter,javax.annotation,o
rg.glassfish.jersey.internal.spi,javax.ws.rs,javax.ws.rs.core,org.glass
fish.jersey.server";version="2.25.1",org.glassfish.jersey.server.spi.in
ternal;uses:="org.glassfish.hk2.api,org.glassfish.jersey.server.model,j
avax.ws.rs,org.glassfish.jersey.message.internal,org.glassfish.jersey.i
nternal.inject,org.glassfish.jersey.server.internal.process,org.glassfi
sh.jersey.server.internal.inject,javax.ws.rs.core,org.glassfish.jersey.

server,org.glassfish.jersey.spi";version="2.25.1",org.glassfish.jersey.
server.wadl.internal.generators.resourcedoc.model;uses:="javax.xml.bind
.annotation,javax.xml.namespace";version="2.25.1",org.glassfish.jersey.
server.monitoring;uses:="org.glassfish.jersey.server.model,org.glassfis
h.jersey.server,javax.ws.rs,org.glassfish.jersey.spi,javax.ws.rs.ext,ja
vax.ws.rs.container";version="2.25.1",org.glassfish.jersey.server.wadl.
processor;uses:="org.glassfish.jersey.server.model.internal,org.glassfi
sh.jersey.process,javax.ws.rs.container,javax.ws.rs.core,org.glassfish.
jersey.server.model,org.glassfish.jersey.server,javax.inject,javax.anno
tation,javax.ws.rs,jersey.repackaged.com.google.common.collect,org.glas
sfish.jersey.server.wadl,org.glassfish.jersey.message.internal,com.sun.
research.ws.wadl,org.glassfish.jersey.server.wadl.internal,javax.xml.bi
nd,org.glassfish.jersey.internal.util";version="2.25.1",org.glassfish.j
ersey.server.model;uses:="javax.ws.rs,javax.ws.rs.core,org.glassfish.je
rsey.internal.util,org.glassfish.jersey.server.model.internal,org.glass
fish.jersey.internal,org.glassfish.hk2.api,org.glassfish.jersey,jersey.
repackaged.com.google.common.collect,org.glassfish.jersey.message,org.g
lassfish.jersey.process,org.glassfish.jersey.server.internal,javax.ws.r
s.container,org.glassfish.jersey.server,org.glassfish.jersey.internal.u
til.collection,org.glassfish.jersey.server.spi.internal,org.glassfish.j
ersey.internal.inject,javax.inject,org.glassfish.jersey.spi,jersey.repa
ckaged.com.google.common.base,org.glassfish.jersey.uri,org.glassfish.je
rsey.message.internal,org.glassfish.jersey.model,javax.ws.rs.ext,org.gl
assfish.jersey.model.internal,org.glassfish.hk2.utilities.binding,org.g
lassfish.jersey.server.internal.inject,org.glassfish.jersey.server.inte
rnal.process,org.glassfish.hk2.utilities,org.glassfish.jersey.server.in
ternal.routing,org.glassfish.jersey.server.monitoring";version="2.25.1"
,org.glassfish.jersey.server.wadl.internal;uses:="javax.ws.rs.core,org.
glassfish.jersey.server.wadl,javax.xml.namespace,com.sun.research.ws.wa
dl,org.glassfish.hk2.api,org.glassfish.jersey.server.internal,org.glass
fish.jersey.server.wadl.config,javax.ws.rs,org.glassfish.jersey.server.
model,org.glassfish.jersey.server,org.glassfish.jersey.internal.util,ja
vax.xml.bind,javax.inject,javax.annotation,org.glassfish.jersey.interna
l.spi,jersey.repackaged.com.google.common.collect,org.glassfish.jersey.
internal,javax.xml.transform.sax,org.xml.sax,javax.xml.parsers,javax.xm
l.transform";version="2.25.1",org.glassfish.jersey.server.internal.moni
toring.jmx;uses:="jersey.repackaged.com.google.common.collect,org.glass
fish.jersey.server.monitoring,org.glassfish.jersey.server.internal,java
x.ws.rs.core,org.glassfish.jersey.server,org.glassfish.jersey.internal.
util.collection,javax.management,org.glassfish.jersey.server.spi,javax.
ws.rs,javax.inject,org.glassfish.jersey.message.internal,org.glassfish.
jersey.server.model,org.glassfish.jersey.server.internal.monitoring";ve
rsion="2.25.1",org.glassfish.jersey.server.internal.monitoring;uses:="j
ersey.repackaged.com.google.common.collect,org.glassfish.jersey.server.
monitoring,org.glassfish.jersey.server.model,org.glassfish.jersey.serve
r,javax.annotation,org.glassfish.jersey.internal.util.collection,javax.
inject,javax.ws.rs.ext,javax.ws.rs.container,org.glassfish.jersey.inter
nal.spi,javax.ws.rs,javax.ws.rs.core,org.glassfish.hk2.utilities.bindin

g,org.glassfish.jersey.server.spi,org.glassfish.jersey.server.internal,
org.glassfish.jersey.uri,org.glassfish.hk2.api,org.glassfish.jersey.int
ernal.inject,org.glassfish.jersey.server.internal.monitoring.jmx,jersey
.repackaged.com.google.common.base,org.glassfish.jersey.internal.util";
version="2.25.1",com.sun.research.ws.wadl;uses:="javax.xml.bind.annotat
ion,javax.xml.bind.annotation.adapters,javax.xml.namespace";version="2.
25.1"
Import-Package: javax.annotation;version="[1.2,2)",javax.annotation.secu
rity;version="[1.2,2)",javax.inject;version="[1.0,2)",javax.management,
javax.validation;version="[1.1,2)",javax.ws.rs;version="[2.0,3)",javax.
ws.rs.client;version="[2.0,3)",javax.ws.rs.container;version="[2.0,3)",
javax.ws.rs.core;version="[2.0,3)",javax.ws.rs.ext;version="[2.0,3)",ja
vax.xml.bind,javax.xml.bind.annotation,javax.xml.bind.annotation.adapte
rs,javax.xml.namespace,javax.xml.parsers,javax.xml.transform,javax.xml.
transform.sax,javax.xml.transform.stream,jersey.repackaged.com.google.c
ommon.base;version="[2.25,3)",jersey.repackaged.com.google.common.cache
;version="[2.25,3)",jersey.repackaged.com.google.common.collect;version
="[2.25,3)",jersey.repackaged.com.google.common.primitives;version="[2.
25,3)",jersey.repackaged.com.google.common.util.concurrent;version="[2.
25,3)",org.glassfish.hk2.api;version="[2.5,3)",org.glassfish.hk2.utilit
ies;version="[2.5,3)",org.glassfish.hk2.utilities.binding;version="[2.5
,3)",org.glassfish.hk2.utilities.cache;version="[2.5,3)",org.glassfish.
jersey;version="[2.25,3)",org.glassfish.jersey.client;version="[2.25,3)
",org.glassfish.jersey.internal;version="[2.25,3)",org.glassfish.jersey
.internal.inject;version="[2.25,3)",org.glassfish.jersey.internal.l10n;
version="[2.25,3)",org.glassfish.jersey.internal.spi;version="[2.25,3)"
,org.glassfish.jersey.internal.util;version="[2.25,3)",org.glassfish.je
rsey.internal.util.collection;version="[2.25,3)",org.glassfish.jersey.m
essage;version="[2.25,3)",org.glassfish.jersey.message.internal;version
="[2.25,3)",org.glassfish.jersey.model;version="[2.25,3)",org.glassfish
.jersey.model.internal;version="[2.25,3)",org.glassfish.jersey.process;
version="[2.25,3)",org.glassfish.jersey.process.internal;version="[2.25
,3)",org.glassfish.jersey.spi;version="[2.25,3)",org.glassfish.jersey.u
ri;version="[2.25,3)",org.glassfish.jersey.uri.internal;version="[2.25,
3)",org.jvnet.hk2.external.runtime;version="[2.5,3)",org.xml.sax
Tool: Bnd-1.50.0

Found in path(s):
* /opt/cola/permits/1355542096_1657249925.4770288/0/jersey-server-2-25-1-jar/META-INF/MANIFEST.MF

1.560 jersey's-jersey 2.22.2

1.560.1 Available under license :

No license file was found, but licenses were detected in source scan.

Copyright (c) 2012-2014 Oracle and/or its affiliates. All rights reserved.
The contents of this file are subject to the terms of either the GNU

General Public License Version 2 only ("GPL") or the Common Development
and Distribution License("CDDL") (collectively, the "License"). You
may not use this file except in compliance with the License. You can
Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the GPL Version 2 section of the License

Found in path(s):
* /opt/cola/permits/1369960911_1674824824.0120685/0/jersey-client-2-22-2-
jar/org/glassfish/jersey/client/internal/localization.properties
No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 2011-2015 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU
General Public License Version 2 only ("GPL") or the Common Development
and Distribution License("CDDL") (collectively, the "License"). You
may not use this file except in compliance with the License. You can
obtain a copy of the License at
http://glassfish.java.net/public/CDDL+GPL_1_1.html
or packager/legal/LICENSE.txt. See the License for the specific
language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each
file and include the License file at packager/legal/LICENSE.txt.

GPL Classpath Exception:
Oracle designates this particular file as subject to the "Classpath"

exception as provided by Oracle in the GPL Version 2 section of the License
file that accompanied this code.

Modifications:
If applicable, add the following below the License Header, with the fields
enclosed by brackets [] replaced by your own identifying information:
"Portions Copyright [year] [name of copyright owner]"

Contributor(s):
If you wish your version of this file to be governed by only the CDDL or
only the GPL Version 2, indicate your decision by adding "[Contributor]
elects to include this software in this distribution under the [CDDL or GPL
Version 2] license." If you don't indicate a single choice of license, a
recipient has the option to distribute your version of this file under
either the CDDL, the GPL Version 2 or to extend the choice of license to
its licensees as provided above. However, if you add GPL Version 2 code

and therefore, elected the GPL Version 2 license, then the option applies
only if the new
code is made subject to such option by the copyright
holder.

-->

Found in path(s):
* /opt/cola/permits/1369960911_1674824824.0120685/0/jersey-client-2-22-2-jar/META-INF/maven/org.glassfish.jersey.core/jersey-client/pom.xml
No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Bnd-LastModified: 1455625966967
Build-Jdk: 1.8.0_72
Built-By: pavel
Bundle-Description: Jersey core client implementation
Bundle-DocURL: http://www.oracle.com/
Bundle-License: http://glassfish.java.net/public/CDDL+GPL_1_1.html
Bundle-ManifestVersion: 2
Bundle-Name: jersey-core-client
Bundle-SymbolicName: org.glassfish.jersey.core.jersey-client
Bundle-Vendor: Oracle Corporation
Bundle-Version: 2.22.2
Created-By: Apache Maven Bundle Plugin
Export-Package: org.glassfish.jersey.client;uses:="javax.ws.rs,org.glass
fish.jersey.message,javax.ws.rs.core,org.glassfish.jersey.internal,java
x.ws.rs.ext,org.glassfish.jersey.internal.util,javax.inject,org.glassfi
sh.hk2.api,org.glassfish.jersey.internal.util.collection,org.glassfish.
jersey.internal.inject,org.glassfish.jersey.internal.spi,org.glassfish.
hk2.utilities,org.glassfish.jersey.process.internal,org.glassfish.jerse
y.spi,org.glassfish.hk2.utilities.binding,org.glassfish.jersey.message.
 internal,org.glassfish.jersey.client.spi,javax.ws.rs.client,org.glassfi
sh.jersey,org.glassfish.jersey.model.internal,jersey.repackaged.com.goo
gle.common.base,jersey.repackaged.com.google.common.collect,jersey.repa
ckaged.com.google.common.util.concurrent,javax.net.ssl";version="2.22.2
",org.glassfish.jersey.client.authentication;uses:="javax.ws.rs.client,
javax.ws.rs.core,org.glassfish.jersey.internal.util,org.glassfish.jerse
y.message,org.glassfish.jersey.uri,javax.annotation,org.glassfish.jerse
y.client,javax.ws.rs";version="2.22.2",org.glassfish.jersey.client.filt
er;uses:="javax.ws.rs.client,javax.ws.rs.core,org.glassfish.jersey.clie
nt,org.glassfish.jersey.internal.inject,org.glassfish.jersey.spi,org.gl
assfish.hk2.api,jersey.repackaged.com.google.common.collect,javax.injec
t";version="2.22.2",org.glassfish.jersey.client.spi;uses:="org.glassfis
h.jersey.client,javax.ws.rs.client,javax.ws.rs.core,org.glassfish.jerse
y.process,javax.net.ssl";version="2.22.2"
Import-Package:

javax.annotation;version="[1.2,2)",javax.inject;version=
"[1.0,2)",javax.net.ssl,javax.ws.rs;version="[2.0,3)",javax.ws.rs.clien
t;version="[2.0,3)",javax.ws.rs.core;version="[2.0,3)",javax.ws.rs.ext;
version="[2.0,3)",jersey.repackaged.com.google.common.base;version="[2.
22,3)",jersey.repackaged.com.google.common.collect;version="[2.22,3)",j
ersey.repackaged.com.google.common.util.concurrent;version="[2.22,3)",o
rg.glassfish.hk2.api;version="[2.4,3)",org.glassfish.hk2.utilities;vers
ion="[2.4,3)",org.glassfish.hk2.utilities.binding;version="[2.4,3)",org
.glassfish.jersey;version="[2.22,3)",org.glassfish.jersey.client.spi,or
g.glassfish.jersey.internal;version="[2.22,3)",org.glassfish.jersey.int
ernal.inject;version="[2.22,3)",org.glassfish.jersey.internal.l10n;vers
ion="[2.22,3)",org.glassfish.jersey.internal.spi;version="[2.22,3)",org
.glassfish.jersey.internal.util;version="[2.22,3)",org.glassfish.jersey
.internal.util.collection;version="[2.22,3)",org.glassfish.jersey.messa
ge;version="[2.22,3)",org.glassfish.jersey.message.internal;version="[2
.22,3)",org.glassfish.jersey.model.internal;version="[2.22,3)",org.glas
sfish.jersey.process;version="[2.22,3)",org.glassfish.jersey.process.in
ternal;version="[2.22,3)",org.glassfish.jersey.spi;version="[2.22,3)",o
rg.glassfish.jersey.uri;version="[2.22,3)"
Tool: Bnd-1.50.0

Found in path(s):
* /opt/cola/permits/1369960911_1674824824.0120685/0/jersey-client-2-22-2-jar/META-INF/MANIFEST.MF

1.561 javabeans-activation-framework-api 1.2.1

1.561.1 Available under license :

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

- Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

- Neither the name of the Eclipse Foundation, Inc. nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Notices for Eclipse Project for JAF

This content is produced and maintained by the Eclipse Project for JAF project.

* Project home: https://projects.eclipse.org/projects/ee4j.jaf

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Distribution License v. 1.0,
which is available at http://www.eclipse.org/org/documents/edl-v10.php.

SPDX-License-Identifier: BSD-3-Clause

Source Code

The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jaf

Third-party Content

This project leverages the following third party content.

JUnit (4.12)

* License: Eclipse Public License

/*

* Copyright (c) 1997, 2018 Oracle and/or its affiliates. All rights reserved.

*

* This program and the accompanying materials are made available under the
* terms of the Eclipse Distribution License v. 1.0, which is available at
* http://www.eclipse.org/org/documents/edl-v10.php.
*
* SPDX-License-Identifier: BSD-3-Clause
*/
Eclipse Distribution License - v 1.0
Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.562 javabeans-activation-framework-api 1.2.0

1.562.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation,
method, process,
and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of,

this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify,

display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor
Version (or portions of such
combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software
in the absence of
Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You

have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute

the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License
if You: (a) rename the license and
remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE

DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED
HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the
Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination
under Sections 6.1 or 6.2 above,
all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY
RESULTING FROM SUCH
PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer

software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses.

The application of the United Nations Convention on Contracts for the International Sale of
Goods is expressly excluded. Any law or
regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION
9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION
LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is

intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.
This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this
License; they are outside its scope. The act of running
the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy
and distribute
such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a

warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs,
unless that component itself accompanies the
executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works.
These actions are
prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License,

they do not
excuse you from the conditions of this License. If you cannot distribute
so as to satisfy simultaneously your obligations under this License and
any other pertinent obligations, then as a consequence you may not
distribute the Program at all. For example, if a patent license would
not permit royalty-free redistribution of the Program by all those who
receive copies directly or indirectly through you, then the only way you
could satisfy both it and this License would be to refrain entirely from
distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software
distribution system, which is implemented
by public license practices. Many people have made generous
contributions to the wide range of software distributed through that
system in reliance on consistent application of that system; it is up to
the author/donor to decide if he or she is willing to distribute
software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be
a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License may
add an explicit geographical distribution limitation excluding those
countries, so that distribution is permitted only in or among countries
not thus excluded. In such case, this License incorporates the
limitation as if written in the body of this License.

9. The Free Software Foundation
may publish revised and/or new
versions of the General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Program does not specify a version

number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief
idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version
69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your
program
into proprietary programs. If your program is a subroutine library, you

may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU Library
General Public License instead of this License.

#

Certain source files distributed by Oracle America, Inc. and/or its
affiliates are subject to the following clarification and special
exception to the GPLv2, based on the GNU Project exception for its
Classpath libraries, known as the GNU Classpath Exception, but only
where Oracle has expressly included in the particular source file's
header the words "Oracle designates this particular file as subject to
the "Classpath" exception as provided by Oracle in the LICENSE file
that accompanied this code."

You should also note that Oracle includes multiple, independent
programs in this software package. Some of those programs are provided
under licenses deemed incompatible with the GPLv2 by the Free Software
Foundation and
others. For example, the package includes programs
licensed under the Apache License, Version 2.0. Such programs are
licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding
the Classpath Exception to the necessary parts of its GPLv2 code, which
permits you to use that code in combination with other independent
modules not licensed under the GPLv2. However, note that this would
not permit you to commingle code under an incompatible license with
Oracle's GPLv2 licensed code by, for example, cutting and pasting such
code into a file also containing Oracle's GPLv2 licensed code and then
distributing the result. Additionally, if you were to remove the
Classpath Exception from any of the files to which it applies and
distribute the result, you would likely be required to license some or
all of the other code in that distribution under the GPLv2 as well, and
since the GPLv2 is incompatible with the license terms of some items
included
in the distribution by Oracle, removing the Classpath
Exception could therefore effectively compromise your ability to
further distribute the package.

Proceed with caution and we recommend that you obtain the advice of a
lawyer skilled in open source matters before removing the Classpath
Exception or making modifications to this package which may
subsequently be redistributed and/or involve the use of third party
software.

CLASSPATH EXCEPTION
Linking this library statically or dynamically with other modules is

making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet,
 for each linked
independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.563 kotlin 1.3.50

1.563.1 Available under license :

No license file was found, but licenses were detected in source scan.

{"version":3,"file":"kotlin.js","sources":["wrapper.js","arrayUtils.js","callableReferenceUtils.js","conversions.js","core.js","long.js","markerFunctions.js","misc.js","polyfills.js","rtti.js","arrayUtils.kt","runtime/Enum.kt","primitiveCompanionObjects.kt","generated/_Arrays.kt","generated/_Ranges.kt","kotlin/UByte.kt","kotlin/UInt.kt","kotlin/UShort.kt","Ranges.kt","collections/Collections.kt","collections/Maps.kt","collections/Sets.kt","text/StringNumberConversions.kt","kotlin/UnsignedUtils.kt","collections/Iterables.kt","collections/Sequences.kt","util/Preconditions.kt","generated/_ArraysJs.kt","comparisons/Comparisons.kt","kotlin/Comparator.kt","util/Standard.kt","generated/_ComparisonsJs.kt","generated/_Collections.kt","kotlin/collections.kt","collections/Iterators.kt","generated/_Comparisons.kt","generated/_Maps.kt","kotlin/ranges.kt","generated/_Sequences.kt","dummy.kt","generated/_Sets.kt","generated/_Strings.kt","text/Strings.kt","kotlin/text/string.kt","kotlin/UByteArray.kt","kotlin/UIntArray.kt","kotlin/ULongArray.kt","kotlin/ULong.kt","kotlin/UShortArray.kt","generated/_UArrays.kt","generated/_UCollections.kt","generated/_UComparisons.kt","generated/_URanges.kt","generated/_USequences.kt","annotation/Annotations.kt","Collections.kt","internal/InternalAnnotations.kt","internal/progressionUtil.kt","Iterators.kt","ProgressionIterators.kt","Progressions.kt","Range.kt","reflect/KParameter.kt","reflect/KType.kt","reflect/KVariance.kt","reflect/KVisibility.kt","Unit.kt","kotlin/builtins.kt","kotlin/jsTypeOf.kt","kotlin/kotlin.kt","kotlin/coroutines/CoroutineImpl.kt","util/Result.kt","coroutines/Continuation.kt","kotlin/coroutines/intrinsics/IntrinsicsJs.kt","kotlin/currentBeMisc.kt","kotlin/jsOperators.kt","kotlin/math_js-v1.kt","kotlin/numbers_js-v1.kt","kotlin/text/numberConversions_js-v1.kt","generated/_CollectionsJs.kt","generated/_StringsJs.kt","generated/_UArraysJs.kt","jquery/ui.kt","kotlin/annotations.kt","kotlin/annotationsJVM.kt","kotlin/collections/AbstractMutableCollection.kt","kotlin/collections/AbstractMutableList.kt","kotlin/collections/AbstractMutableMap.kt","kotlin/collections/AbstractMutableSet.kt","kotlin/collections/ArrayList.kt","kotlin/collections/ArraysJs.kt","kotlin/collections/ArraySorting.kt","kotlin/collections/EqualityComparator.kt","kotlin/collections/HashMap.kt","kotlin/collections/HashSet.kt","kotlin/collections/InternalHashCodeMap.kt","kotlin/collections/InternalMap.kt","kotlin/collections/InternalStringMap.kt","kotlin/collections/LinkedHashMap.kt","kotlin/collections/LinkedHashSet.kt","kotlin/concurrent.kt","kotlin/console.kt","kotlin/coroutines/js/internal/EmptyContinuation.kt","kotlin/coroutines/SafeContinuationJs.kt","kotlin/date.kt","kotlin/dom/Builders.kt","kotlin/dom/Classes.kt","text/regex/RegexExtensions.kt","text/StringBuilder.kt","kotlin/dom/Dom.kt","kotlin/dom/Eve

ntListener.kt","kotlin/dom/ItemArrayLike.kt","kotlin/dom/Mutations.kt","kotlin/dynamic.kt","kotlin/exceptions.kt","kotlin/exceptionUtils.kt","collections/Grouping.kt","kotlin/grouping.kt","kotlin/js.math.kt","kotlin/json.kt","kotlin/math.kt","kotlin/numbers.kt","kotlin/promise.kt","kotlin/random/PlatformRandom.kt","kotlin/reflect/JsClass.kt","kotlin/reflect/KClassImpl.kt","kotlin/reflect/primitives.kt","kotlin/reflect/reflection.kt","kotlin/regexp.kt","kotlin/sequence.kt","kotlin/text/char.kt","kotlin/text/numberConversions.kt","kotlin/text/regex.kt","kotlin/text/stringsCode.kt","kotlin/text/text.kt","kotlin/text/utf8Encoding.kt","kotlin/time/DurationUnit.kt","kotlin/time/formatToDecimals.kt","kotlin/time/MonoClock.kt","org.w3c/org.khronos.webgl.kt","org.w3c/org.w3c.dom.clipboard.kt","org.w3c/org.w3c.dom.css.kt","org.w3c/org.w3c.dom.events.kt","org.w3c/org.w3c.dom.kt","org.w3c/org.w3c.fetch.kt","org.w3c/org.w3c.dom.mediacapture.kt","org.w3c/org.w3c.dom.pointerevents.kt","org.w3c/org.w3c.dom.svg.kt","org.w3c/org.w3c.files.kt","org.w3c/org.w3c.notifications.kt","org.w3c/org.w3c.workers.kt","org.w3c/org.w3c.xhr.kt","annotations/Experimental.kt","annotations/ExperimentalStdlibApi.kt","annotations/Inference.kt","annotations/Multiplatform.kt","collections/AbstractCollection.kt","collections/AbstractIterator.kt","collections/AbstractList.kt","collections/AbstractMap.kt","collections/AbstractSet.kt","collections/Arrays.kt","collections/IndexedValue.kt","collections/MapAccessors.kt","collections/MapWithDefault.kt","collections/MutableCollections.kt","collections/ReversedViews.kt","collections/SequenceBuilder.kt","collections/SlidingWindow.kt","collections/UArraySorting.kt","contracts/ContractBuilder.kt","coroutines/ContinuationInterceptor.kt","coroutines/CoroutineContext.kt","coroutines/CoroutineContextImpl.kt","coroutines/intrinsics/Intrinsics.kt","experimental/bitwiseOperations.kt","experimental/inferenceMarker.kt","internal/Annotations.kt","properties/Delegates.kt","properties/ObservableProperty.kt","random/Random.kt","random/URandom.kt","random/XorWowRandom.kt","ranges/Ranges.kt","reflect/typeOf.kt","text/Char.kt","text/Indent.kt","text/regex/MatchResult.kt","text/Typography.kt","time/Clock.kt","time/Clocks.kt","time/Duration.kt","time/DurationUnit.kt","time/ExperimentalTime.kt","time/measureTime.kt","util/HashCode.kt","util/KotlinVersion.kt","util/Lateinit.kt","util/Lazy.kt","util/Numbers.kt","util/Suspend.kt","util/Tuples.kt","kotlin/annotations/Unsigned.kt","kotlin/UIntRange.kt","kotlin/UIterators.kt","kotlin/ULongRange.kt","kotlin/UMath.kt","kotlin/UNumbers.kt","kotlin/UProgressionUtil.kt","kotlin/UStrings.kt","kotlin/MathH.kt","coroutines.kt","CoroutinesLibrary.kt","coroutinesIntrinsics.kt","ContinuationInterceptor.kt","CoroutineContext.kt","CoroutineContextImpl.kt","Coroutines.kt","Intrinsics.kt","SequenceBuilder.kt"],"sourcesContent":["(function
(root, factory) {\r\n   if (typeof define === 'function' && define.amd) {\r\n   define('kotlin', ['exports'], factory);\r\n   }\r\n   else if (typeof exports
=== 'object') {\r\n   factory(module.exports);\r\n   }\r\n   else {\r\n   root.kotlin = {};\r\n factory(root.kotlin);\r\n   }\r\n}(this, function (Kotlin) {\r\n   var _ = Kotlin;\r\n\r\n\r\n insertContent();\r\n}));\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n\r\nKotlin.isBooleanArray = function (a) {\r\n   return (Array.isArray(a) || a instanceof Int8Array) && a.$type$ === \"BooleanArray\"\r\n};\r\n\r\n\r\nKotlin.isByteArray = function (a) {\r\n return a instanceof Int8Array && a.$type$!== \"BooleanArray\"\r\n};\r\n\r\n\r\nKotlin.isShortArray = function (a) {\r\n   return a instanceof Int16Array\r\n};\r\n\r\n\r\nKotlin.isCharArray = function (a) {\r\n   return a instanceof Uint16Array && a.$type$ === \"CharArray\"\r\n};\r\n\r\n\r\nKotlin.isIntArray = function (a) {\r\n   return a instanceof Int32Array\r\n};\r\n\r\n\r\nKotlin.isFloatArray
= function (a) {\r\n   return a instanceof Float32Array\r\n};\r\n\r\n\r\nKotlin.isDoubleArray = function (a) {\r\n return a instanceof Float64Array\r\n};\r\n\r\n\r\nKotlin.isLongArray = function (a) {\r\n   return Array.isArray(a) && a.$type$ === \"LongArray\"\r\n};\r\n\r\n\r\nKotlin.isArray = function (a) {\r\n   return Array.isArray(a) && !a.$type$;\r\n};\r\n\r\n\r\nKotlin.isArrayish = function (a) {\r\n   return Array.isArray(a) || ArrayBuffer.isView(a)\r\n};\r\n\r\n\r\nKotlin.arrayToString = function (a) {\r\n   var toString = Kotlin.isCharArray(a) ? String.fromCharCode : Kotlin.toString;\r\n   return \"[\" + Array.prototype.map.call(a, function(e) { return toString(e); }).join(\", \") + \"]\";\r\n};\r\n\r\n\r\nKotlin.arrayDeepToString = function (arr) {\r\n   return Kotlin.kotlin.collections.contentDeepToStringImpl(arr);\r\n};\r\n\r\n\r\nKotlin.arrayEquals = function (a, b) {\r\n   if (a === b) {\r\n   return true;\r\n   }\r\n   if (!Kotlin.isArrayish(b)

|| a.length !== b.length) {\r\n return false;\r\n }\r\n\r\n for (var i = 0, n = a.length; i < n; i++) {\r\n if (!Kotlin.equals(a[i], b[i])) {\r\n return false;\r\n }\r\n }\r\n return true;\r\n};\r\n\r\nKotlin.arrayDeepEquals = function (a, b) {\r\n return Kotlin.kotlin.collections.contentDeepEqualsImpl(a, b);\r\n};\r\n\r\nKotlin.arrayHashCode = function (arr) {\r\n var result = 1;\r\n for (var i = 0, n = arr.length; i < n; i++) {\r\n result = ((31 * result | 0) + Kotlin.hashCode(arr[i])) | 0;\r\n }\r\n return result;\r\n};\r\n\r\nKotlin.arrayDeepHashCode = function (arr) {\r\n return Kotlin.kotlin.collections.contentDeepHashCodeImpl(arr);\r\n};\r\n\r\nKotlin.primitiveArraySort = function (array) {\r\n array.sort(Kotlin.doubleCompareTo)\r\n};\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \r\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\r\n */\r\n\r\nKotlin.getCallableRef = function(name, f) {\r\n f.callableName = name;\r\n return f;\r\n};\r\n\r\nKotlin.getPropertyCallableRef = function(name, paramCount, getter, setter) {\r\n getter.get = getter;\r\n getter.set = setter;\r\n getter.callableName = name;\r\n return getPropertyRefClass(getter, setter, propertyRefClassMetadataCache[paramCount]);\r\n};\r\n\r\nfunction getPropertyRefClass(obj, setter, cache) {\r\n obj.$metadata$ = getPropertyRefMetadata(typeof setter === \"function\" ? cache.mutable : cache.immutable);\r\n obj.constructor = obj;\r\n return obj;\r\n}\r\n\r\nvar propertyRefClassMetadataCache = [\r\n {\r\n mutable: { value: null, implementedInterface: function () {\r\n return Kotlin.kotlin.reflect.KMutableProperty0 }\r\n },\r\n immutable: { value: null, implementedInterface: function () {\r\n return Kotlin.kotlin.reflect.KProperty0 }\r\n }\r\n },\r\n {\r\n mutable: { value: null, implementedInterface: function () {\r\n return Kotlin.kotlin.reflect.KMutableProperty1 }\r\n },\r\n immutable: { value: null, implementedInterface: function () {\r\n return Kotlin.kotlin.reflect.KProperty1 }\r\n }\r\n }\r\n];\r\n\r\nfunction getPropertyRefMetadata(cache) {\r\n if (cache.value === null) {\r\n cache.value = {\r\n interfaces: [cache.implementedInterface()],\r\n baseClass: null,\r\n functions: {},\r\n properties: {},\r\n types: {},\r\n staticMembers: {}\r\n };\r\n }\r\n return cache.value;\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\nKotlin.toShort = function (a) {\r\n return (a & 0xFFFF)
<< 16 >> 16;\r\n};\r\n\r\nKotlin.toByte = function (a) {\r\n return (a & 0xFF) << 24 >> 24;\r\n};\r\n\r\nKotlin.toChar = function (a) {\r\n return a & 0xFFFF;\r\n};\r\n\r\nKotlin.numberToLong = function (a) {\r\n return a instanceof Kotlin.Long ? a : Kotlin.Long.fromNumber(a);\r\n};\r\n\r\nKotlin.numberToInt = function (a) {\r\n return a instanceof Kotlin.Long ? a.toInt() : Kotlin.doubleToInt(a);\r\n};\r\n\r\nKotlin.numberToShort = function (a) {\r\n return Kotlin.toShort(Kotlin.numberToInt(a));\r\n};\r\n\r\nKotlin.numberToByte = function (a) {\r\n return Kotlin.toByte(Kotlin.numberToInt(a));\r\n};\r\n\r\nKotlin.numberToDouble = function (a) {\r\n return +a;\r\n};\r\n\r\nKotlin.numberToChar = function (a) {\r\n return Kotlin.toChar(Kotlin.numberToInt(a));\r\n};\r\n\r\nKotlin.doubleToInt = function(a) {\r\n if (a > 2147483647) return 2147483647;\r\n if (a < -2147483648) return -2147483648;\r\n return a | 0;\r\n};\r\n\r\nKotlin.toBoxedChar = function (a)
{\r\n if (a == null) return a;\r\n if (a instanceof Kotlin.BoxedChar) return a;\r\n return new Kotlin.BoxedChar(a);\r\n};\r\n\r\nKotlin.unboxChar = function(a) {\r\n if (a == null) return a;\r\n return Kotlin.toChar(a);\r\n};\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\nKotlin.equals = function (obj1, obj2) {\r\n if (obj1 == null) {\r\n return obj2 == null;\r\n }\r\n\r\n\r\n if (obj2 == null) {\r\n return false;\r\n }\r\n\r\n\r\n if (obj1 !== obj1) {\r\n return obj2 !== obj2;\r\n }\r\n\r\n\r\n if (typeof obj1 === \"object\" && typeof obj1.equals === \"function\") {\r\n return obj1.equals(obj2);\r\n }\r\n\r\n\r\n if (typeof obj1 === \"number\" && typeof obj2 === \"number\") {\r\n return obj1 === obj2 && (obj1 !== 0 || 1 / obj1 === 1 / obj2)\r\n

}\r\n\r\n return obj1 === obj2;\r\n};\r\n\r\nKotlin.hashCode = function (obj) {\r\n if (obj == null) {\r\n return 0;\r\n }\r\n var objType = typeof obj;\r\n if (\"object\" === objType) {\r\n return \"function\" === typeof obj.hashCode ? obj.hashCode() : getObjectHashCode(obj);\r\n }\r\n if (\"function\" === objType) {\r\n return getObjectHashCode(obj);\r\n }\r\n if (\"number\" === objType) {\r\n return Kotlin.numberHashCode(obj);\r\n }\r\n if (\"boolean\" === objType) {\r\n return Number(obj)\r\n }\r\n\r\n var str = String(obj);\r\n return getStringHashCode(str);\r\n};\r\n\r\n\r\n\r\nKotlin.toString = function (o) {\r\n if (o == null) {\r\n return \"null\";\r\n }\r\n else if (Kotlin.isArrayish(o)) {\r\n return \"[...]\";\r\n }\r\n else {\r\n return o.toString();\r\n }\r\n};\r\n\r\n/** @const */\r\nvar POW_2_32 = 4294967296;\r\n// TODO: consider switching to Symbol type once we are on ES6.\r\n/** @const */\r\nvar OBJECT_HASH_CODE_PROPERTY_NAME = \"kotlinHashCodeValue$\";\r\n\r\nfunction getObjectHashCode(obj) {\r\n if (!(OBJECT_HASH_CODE_PROPERTY_NAME in obj)) {\r\n var hash = (Math.random() * POW_2_32) | 0; // Make 32-bit singed integer.\r\n Object.defineProperty(obj, OBJECT_HASH_CODE_PROPERTY_NAME, { value: hash, enumerable: false });\r\n }\r\n return obj[OBJECT_HASH_CODE_PROPERTY_NAME];\r\n}\r\n\r\nfunction getStringHashCode(str) {\r\n var hash = 0;\r\n for (var i = 0; i < str.length; i++) {\r\n var code = str.charCodeAt(i);\r\n hash = (hash * 31 + code) | 0; // Keep it 32-bit.\r\n }\r\n return hash;\r\n}\r\n\r\nKotlin.identityHashCode = getObjectHashCode;\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// Copyright 2009 The Closure Library Authors. All Rights Reserved.\r\n//\r\n// Licensed under the Apache License, Version 2.0 (the \"License\");\r\n// you may not use this file except in compliance with the License.\r\n// You may obtain a copy of the License at\r\n//\r\n// http://www.apache.org/licenses/LICENSE-2.0\r\n//\r\n// Unless required by applicable law or agreed to in writing, software\r\n// distributed under the License is distributed on an \"AS-IS\" BASIS,\r\n// WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\r\n\r\n/**\r\n * Constructs a 64-bit two's-complement integer, given its low and high 32-bit\r\n * values as *signed* integers. See the from* functions below for more\r\n * convenient ways of constructing Longs.\r\n *\r\n * The internal representation of a long is the two given signed, 32-bit values.\r\n * We use 32-bit pieces because these are the size of integers on which\r\n * Javascript performs bit-operations. For operations like addition and\r\n * multiplication, we split each number into 16-bit pieces, which can easily be\r\n * multiplied within Javascript's floating-point representation without overflow\r\n * or change in sign.\r\n *\r\n * In the algorithms below, we frequently reduce the negative case to the\r\n * positive case by negating the input(s) and then post-processing the result.\r\n * Note that we must ALWAYS check specially whether those values are MIN_VALUE\r\n * (-2^63) because -MIN_VALUE == MIN_VALUE (since 2^63 cannot be represented as\r\n * a positive number, it overflows back into a negative). Not handling this\r\n * case would often result in infinite recursion.\r\n *\r\n * @param {number} low The low (signed) 32 bits of the long.\r\n * @param {number} high The high (signed) 32 bits of the long.\r\n * @constructor\r\n * @final\r\n */\r\nKotlin.Long = function(low, high) {\r\n /**\r\n * @type {number}\r\n * @private\r\n */\r\n this.low_ = low | 0; // force into 32 signed bits.\r\n\r\n /**\r\n * @type {number}\r\n * @private\r\n */\r\n this.high_ = high | 0; // force into 32 signed bits.\r\n};\r\n\r\nKotlin.Long.$metadata$ = {\r\n kind: \"class\",\r\n simpleName: \"Long\",\r\n interfaces:[]\r\n};\r\n\r\n\r\n\r\n// NOTE: Common constant values ZERO, ONE, NEG_ONE, etc. are defined below the\r\n// from* methods on which they depend.\r\n\r\n\r\n/**\r\n * A cache of the Long representations of small integer values.\r\n * @type {!Object}\r\n * @private\r\n */\r\nKotlin.Long.IntCache_ = {};\r\n\r\n\r\n/**\r\n * Returns a Long representing the given (32-bit) integer value.\r\n * @param {number} value The 32-bit integer in question.\r\n * @return {!Kotlin.Long} The corresponding Long value.\r\n */\r\nKotlin.Long.fromInt = function(value) {\r\n if (-128 <= value && value < 128) {\r\n var cachedObj = Kotlin.Long.IntCache_[value];\r\n if (cachedObj) {\r\n return cachedObj;\r\n }\r\n }\r\n\r\n var obj = new Kotlin.Long(value | 0, value < 0 ? -1 : 0);\r\n if

(-128 <= value && value < 128) {\r\n Kotlin.Long.IntCache_[value] = obj;\r\n }\r\n return obj;\r\n};\r\n\r\n\r\n/**\r\n * Converts this number value to `Long`.\r\n * The fractional part, if any, is rounded down.\r\n * Returns zero if this `Double` value is `NaN`, `Long.MIN_VALUE` if it's less than `Long.MIN_VALUE`,\r\n * `Long.MAX_VALUE` if it's bigger than `Long.MAX_VALUE`.\r\n * @param {number} value The number in question.\r\n * @return {!Kotlin.Long} The corresponding Long value.\r\n */\r\nKotlin.Long.fromNumber = function(value) {\r\n if (isNaN(value)) {\r\n return Kotlin.Long.ZERO;\r\n } else if (value <= -Kotlin.Long.TWO_PWR_63_DBL_) {\r\n return Kotlin.Long.MIN_VALUE;\r\n } else if (value + 1 >= Kotlin.Long.TWO_PWR_63_DBL_) {\r\n return Kotlin.Long.MAX_VALUE;\r\n } else if (value < 0) {\r\n return Kotlin.Long.fromNumber(-value).negate();\r\n } else {\r\n return new Kotlin.Long(\r\n (value % Kotlin.Long.TWO_PWR_32_DBL_) | 0,\r\n (value / Kotlin.Long.TWO_PWR_32_DBL_) | 0);\r\n }\r\n};\r\n\r\n\r\n/**\r\n * Returns a Long representing the 64-bit integer that comes by concatenating\r\n * the given high and low bits. Each is assumed to use 32 bits.\r\n * @param {number} lowBits The low 32-bits.\r\n * @param {number} highBits The high 32-bits.\r\n * @return {!Kotlin.Long} The corresponding Long value.\r\n */\r\nKotlin.Long.fromBits = function(lowBits, highBits) {\r\n return new Kotlin.Long(lowBits, highBits);\r\n};\r\n\r\n\r\n/**\r\n * Returns a Long representation of the given string, written using the given\r\n * radix.\r\n * @param {string} str The textual representation of the Long.\r\n * @param {number=} opt_radix The radix in which the text is written.\r\n * @return {!Kotlin.Long} The corresponding Long value.\r\n */\r\nKotlin.Long.fromString = function(str, opt_radix) {\r\n if (str.length == 0) {\r\n throw Error('number format error: empty string');\r\n }\r\n\r\n var radix = opt_radix || 10;\r\n if (radix < 2 || 36 < radix) {\r\n throw Error('radix out of range: ' + radix);\r\n }\r\n\r\n if (str.charAt(0) == '-') {\r\n return Kotlin.Long.fromString(str.substring(1), radix).negate();\r\n } else if (str.indexOf('-') >= 0) {\r\n throw Error('number format error: interior \"-\" character: ' + str);\r\n }\r\n\r\n // Do several (8) digits each time through the loop, so as to\r\n // minimize the calls to the very expensive emulated div.\r\n var radixToPower = Kotlin.Long.fromNumber(Math.pow(radix, 8));\r\n\r\n var result = Kotlin.Long.ZERO;\r\n for (var i = 0; i < str.length; i += 8) {\r\n var size = Math.min(8, str.length - i);\r\n var value = parseInt(str.substring(i, i + size), radix);\r\n if (size < 8) {\r\n   var power = Kotlin.Long.fromNumber(Math.pow(radix, size));\r\n   result = result.multiply(power).add(Kotlin.Long.fromNumber(value));\r\n } else {\r\n   result = result.multiply(radixToPower);\r\n   result = result.add(Kotlin.Long.fromNumber(value));\r\n }\r\n }\r\n return result;\r\n};\r\n\r\n\r\n// NOTE: the compiler should inline these constant values below and then remove\r\n// these variables, so there should be no runtime penalty for these.\r\n\r\n\r\n/**\r\n * Number used repeated below in calculations. This must appear before the\r\n * first call to any from* function below.\r\n * @type {number}\r\n * @private\r\n */\r\nKotlin.Long.TWO_PWR_16_DBL_ = 1 << 16;\r\n\r\n\r\n/**\r\n * @type {number}\r\n * @private\r\n */\r\nKotlin.Long.TWO_PWR_24_DBL_ = 1 << 24;\r\n\r\n\r\n/**\r\n * @type {number}\r\n * @private\r\n */\r\nKotlin.Long.TWO_PWR_32_DBL_ =\r\n Kotlin.Long.TWO_PWR_16_DBL_ * Kotlin.Long.TWO_PWR_16_DBL_;\r\n\r\n\r\n/**\r\n * @type {number}\r\n * @private\r\n */\r\nKotlin.Long.TWO_PWR_31_DBL_ =\r\n Kotlin.Long.TWO_PWR_32_DBL_ / 2;\r\n\r\n\r\n/**\r\n * @type {number}\r\n * @private\r\n */\r\nKotlin.Long.TWO_PWR_48_DBL_ =\r\n Kotlin.Long.TWO_PWR_32_DBL_ * Kotlin.Long.TWO_PWR_16_DBL_;\r\n\r\n\r\n/**\r\n *
 @type {number}\r\n * @private\r\n */\r\nKotlin.Long.TWO_PWR_64_DBL_ =\r\n Kotlin.Long.TWO_PWR_32_DBL_ * Kotlin.Long.TWO_PWR_32_DBL_;\r\n\r\n\r\n/**\r\n * @type {number}\r\n * @private\r\n */\r\nKotlin.Long.TWO_PWR_63_DBL_ =\r\n Kotlin.Long.TWO_PWR_64_DBL_ / 2;\r\n\r\n\r\n/** @type {!Kotlin.Long} */\r\nKotlin.Long.ZERO = Kotlin.Long.fromInt(0);\r\n\r\n\r\n/** @type {!Kotlin.Long} */\r\nKotlin.Long.ONE = Kotlin.Long.fromInt(1);\r\n\r\n\r\n/** @type {!Kotlin.Long} */\r\nKotlin.Long.NEG_ONE = Kotlin.Long.fromInt(-1);\r\n\r\n\r\n/** @type {!Kotlin.Long} */\r\nKotlin.Long.MAX_VALUE =\r\n Kotlin.Long.fromBits(0xFFFFFFFF | 0, 0x7FFFFFFF | 0);\r\n\r\n\r\n/** @type {!Kotlin.Long} */\r\nKotlin.Long.MIN_VALUE = Kotlin.Long.fromBits(0, 0x80000000 | 0);\r\n\r\n\r\n/**\r\n * @type {!Kotlin.Long}\r\n * @private\r\n */\r\nKotlin.Long.TWO_PWR_24_ = Kotlin.Long.fromInt(1 << 24);\r\n\r\n\r\n/** @return {number} The value, assuming it is a 32-bit integer.

```
*/\r\nKotlin.Long.prototype.toInt = function()
 {\r\n  return this.low_;\r\n};\r\n\r\n\r\n/** @return {number} The closest floating-point representation to this value.
*/\r\nKotlin.Long.prototype.toNumber = function() {\r\n  return this.high_ * Kotlin.Long.TWO_PWR_32_DBL_
+\r\n      this.getLowBitsUnsigned();\r\n};\r\n\r\n/** @return {number} The 32-bit hashCode of this value.
*/\r\nKotlin.Long.prototype.hashCode = function() {\r\n  return this.high_ ^ this.low_;\r\n};\r\n\r\n/**\r\n * @param
{number=} opt_radix The radix in which the text should be written.\r\n * @return {string} The textual
representation of this value.\r\n * @override\r\n */\r\nKotlin.Long.prototype.toString = function(opt_radix) {\r\n
var radix = opt_radix || 10;\r\n  if (radix < 2 || 36 < radix) {\r\n    throw Error('radix out of range: ' + radix);\r\n
}\r\n\r\n  if (this.isZero()) {\r\n    return '0';\r\n  }\r\n\r\n  if (this.isNegative()) {\r\n    if
(this.equalsLong(Kotlin.Long.MIN_VALUE)) {\r\n      // We need to change the Long value before it can
 be negated, so we remove\r\n      // the bottom-most digit in this base and then recurse to do the rest.\r\n      var
radixLong = Kotlin.Long.fromNumber(radix);\r\n      var div = this.div(radixLong);\r\n      var rem =
div.multiply(radixLong).subtract(this);\r\n      return div.toString(radix) + rem.toInt().toString(radix);\r\n    } else
{\r\n      return '-' + this.negate().toString(radix);\r\n    }\r\n  }\r\n\r\n  // Do several (6) digits each time through the
loop, so as to\r\n  // minimize the calls to the very expensive emulated div.\r\n  var radixToPower =
Kotlin.Long.fromNumber(Math.pow(radix, 6));\r\n\r\n  var rem = this;\r\n  var result = '';\r\n  while (true) {\r\n    var
remDiv = rem.div(radixToPower);\r\n    var intval = rem.subtract(remDiv.multiply(radixToPower)).toInt();\r\n    var
digits = intval.toString(radix);\r\n\r\n    rem = remDiv;\r\n    if (rem.isZero()) {\r\n      return digits + result;\r\n    }
else {\r\n      while (digits.length < 6) {\r\n        digits =
 '0' + digits;\r\n      }\r\n      result = '' + digits + result;\r\n    }\r\n  }\r\n};\r\n\r\n\r\n\r\n/** @return {number} The high
32-bits as a signed value. */\r\nKotlin.Long.prototype.getHighBits = function() {\r\n  return
this.high_;\r\n};\r\n\r\n\r\n\r\n/** @return {number} The low 32-bits as a signed value.
*/\r\nKotlin.Long.prototype.getLowBits = function() {\r\n  return this.low_;\r\n};\r\n\r\n\r\n\r\n/** @return {number}
The low 32-bits as an unsigned value. */\r\nKotlin.Long.prototype.getLowBitsUnsigned = function() {\r\n  return
(this.low_ >= 0) ?\r\n      this.low_ : Kotlin.Long.TWO_PWR_32_DBL_ + this.low_;\r\n};\r\n\r\n\r\n\r\n/**\r\n *
@return {number} Returns the number of bits needed to represent the absolute\r\n *      value of this Long.\r\n
*/\r\nKotlin.Long.prototype.getNumBitsAbs = function() {\r\n  if (this.isNegative()) {\r\n    if
(this.equalsLong(Kotlin.Long.MIN_VALUE)) {\r\n      return 64;\r\n    } else {\r\n      return
this.negate().getNumBitsAbs();\r\n    }\r\n  } else {\r\n
    var val = this.high_ != 0 ? this.high_ : this.low_;\r\n    for (var bit = 31; bit > 0; bit--) {\r\n      if ((val & (1 << bit))
!= 0) {\r\n        break;\r\n      }\r\n    }\r\n    return this.high_ != 0 ? bit + 33 : bit + 1;\r\n  }\r\n};\r\n\r\n\r\n\r\n/**
@return {boolean} Whether this value is zero. */\r\nKotlin.Long.prototype.isZero = function() {\r\n  return
this.high_ == 0 && this.low_ == 0;\r\n};\r\n\r\n\r\n\r\n/** @return {boolean} Whether this value is negative.
*/\r\nKotlin.Long.prototype.isNegative = function() {\r\n  return this.high_ < 0;\r\n};\r\n\r\n\r\n\r\n/** @return
{boolean} Whether this value is odd. */\r\nKotlin.Long.prototype.isOdd = function() {\r\n  return (this.low_ & 1) ==
1;\r\n};\r\n\r\n\r\n\r\n/**\r\n * @param {Kotlin.Long} other Long to compare against.\r\n * @return {boolean} Whether
this Long equals the other.\r\n */\r\nKotlin.Long.prototype.equalsLong = function(other) {\r\n  return (this.high_ ==
other.high_) && (this.low_ == other.low_);\r\n};\r\n\r\n\r\n\r\n/**\r\n
 * @param {Kotlin.Long} other Long to compare against.\r\n * @return {boolean} Whether this Long does not
equal the other.\r\n */\r\nKotlin.Long.prototype.notEqualsLong = function(other) {\r\n  return (this.high_ !=
other.high_) || (this.low_ != other.low_);\r\n};\r\n\r\n\r\n\r\n/**\r\n * @param {Kotlin.Long} other Long to compare
against.\r\n * @return {boolean} Whether this Long is less than the other.\r\n */\r\nKotlin.Long.prototype.lessThan
= function(other) {\r\n  return this.compare(other) < 0;\r\n};\r\n\r\n\r\n\r\n/**\r\n * @param {Kotlin.Long} other Long
to compare against.\r\n * @return {boolean} Whether this Long is less than or equal to the other.\r\n
*/\r\nKotlin.Long.prototype.lessThanOrEqual = function(other) {\r\n  return this.compare(other) <=
0;\r\n};\r\n\r\n\r\n\r\n/**\r\n * @param {Kotlin.Long} other Long to compare against.\r\n * @return {boolean} Whether
this Long is greater than the other.\r\n */\r\nKotlin.Long.prototype.greaterThan = function(other) {\r\n  return
this.compare(other)
```

> 0;\r\n};\r\n\r\n\r\n/**\r\n * @param {Kotlin.Long} other Long to compare against.\r\n * @return {boolean} Whether this Long is greater than or equal to the other.\r\n */\r\nKotlin.Long.prototype.greaterThanOrEqual = function(other) {\r\n return this.compare(other) >= 0;\r\n};\r\n\r\n\r\n/**\r\n * Compares this Long with the given one.\r\n * @param {Kotlin.Long} other Long to compare against.\r\n * @return {number} 0 if they are the same, 1 if the this is greater, and -1\r\n * if the given one is greater.\r\n */\r\nKotlin.Long.prototype.compare = function(other) {\r\n if (this.equalsLong(other)) {\r\n return 0;\r\n }\r\n\r\n var thisNeg = this.isNegative();\r\n var otherNeg = other.isNegative();\r\n if (thisNeg && !otherNeg) {\r\n return -1;\r\n }\r\n if (!thisNeg && otherNeg) {\r\n return 1;\r\n }\r\n\r\n // at this point, the signs are the same, so subtraction will not overflow\r\n if (this.subtract(other).isNegative()) {\r\n return -1;\r\n } else
{\r\n return 1;\r\n }\r\n};\r\n\r\n\r\n/** @return {!Kotlin.Long} The negation of this value. */\r\nKotlin.Long.prototype.negate = function() {\r\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\r\n return Kotlin.Long.MIN_VALUE;\r\n } else {\r\n return this.not().add(Kotlin.Long.ONE);\r\n }\r\n};\r\n\r\n\r\n/**\r\n * Returns the sum of this and the given Long.\r\n * @param {Kotlin.Long} other Long to add to this one.\r\n * @return {!Kotlin.Long} The sum of this and the given Long.\r\n */\r\nKotlin.Long.prototype.add = function(other) {\r\n // Divide each number into 4 chunks of 16 bits, and then sum the chunks.\r\n\r\n var a48 = this.high_ >>> 16;\r\n var a32 = this.high_ & 0xFFFF;\r\n var a16 = this.low_ >>> 16;\r\n var a00 = this.low_ & 0xFFFF;\r\n\r\n var b48 = other.high_ >>> 16;\r\n var b32 = other.high_ & 0xFFFF;\r\n var b16 = other.low_ >>> 16;\r\n var b00 = other.low_ & 0xFFFF;\r\n\r\n var c48 = 0, c32 = 0, c16 = 0, c00 = 0;\r\n c00 += a00 + b00;\r\n c16 += c00 >>> 16;\r\n c00 &= 0xFFFF;\r\n c16 += a16 + b16;\r\n c32 += c16 >>> 16;\r\n c16 &= 0xFFFF;\r\n c32 += a32 + b32;\r\n c48 += c32 >>> 16;\r\n c32 &= 0xFFFF;\r\n c48 += a48 + b48;\r\n c48 &= 0xFFFF;\r\n return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\r\n};\r\n\r\n\r\n\r\n/**\r\n * Returns the difference of this and the given Long.\r\n * @param {Kotlin.Long} other Long to subtract from this.\r\n * @return {!Kotlin.Long} The difference of this and the given Long.\r\n */\r\nKotlin.Long.prototype.subtract = function(other) {\r\n return this.add(other.negate());\r\n};\r\n\r\n\r\n\r\n/**\r\n * Returns the product of this and the given long.\r\n * @param {Kotlin.Long} other Long to multiply with this.\r\n * @return {!Kotlin.Long} The product of this and the other.\r\n */\r\nKotlin.Long.prototype.multiply = function(other) {\r\n if (this.isZero()) {\r\n return Kotlin.Long.ZERO;\r\n } else if (other.isZero()) {\r\n return Kotlin.Long.ZERO;\r\n }\r\n\r\n
if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\r\n return other.isOdd() ? Kotlin.Long.MIN_VALUE : Kotlin.Long.ZERO;\r\n } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\r\n return this.isOdd() ? Kotlin.Long.MIN_VALUE : Kotlin.Long.ZERO;\r\n }\r\n\r\n if (this.isNegative()) {\r\n if (other.isNegative()) {\r\n return this.negate().multiply(other.negate());\r\n } else {\r\n return this.negate().multiply(other).negate();\r\n }\r\n } else if (other.isNegative()) {\r\n return this.multiply(other.negate()).negate();\r\n }\r\n\r\n // If both longs are small, use float multiplication\r\n if (this.lessThan(Kotlin.Long.TWO_PWR_24_) &&\r\n other.lessThan(Kotlin.Long.TWO_PWR_24_)) {\r\n return Kotlin.Long.fromNumber(this.toNumber() * other.toNumber());\r\n }\r\n\r\n // Divide each long into 4 chunks of 16 bits, and then add up 4x4 products.\r\n // We can skip products that would overflow.\r\n\r\n var a48 = this.high_ >>> 16;\r\n var a32 = this.high_
& 0xFFFF;\r\n var a16 = this.low_ >>> 16;\r\n var a00 = this.low_ & 0xFFFF;\r\n\r\n var b48 = other.high_ >>> 16;\r\n var b32 = other.high_ & 0xFFFF;\r\n var b16 = other.low_ >>> 16;\r\n var b00 = other.low_ & 0xFFFF;\r\n\r\n var c48 = 0, c32 = 0, c16 = 0, c00 = 0;\r\n c00 += a00 * b00;\r\n c16 += c00 >>> 16;\r\n c00 &= 0xFFFF;\r\n c16 += a16 * b00;\r\n c32 += c16 >>> 16;\r\n c16 &= 0xFFFF;\r\n c16 += a00 * b16;\r\n c32 += c16 >>> 16;\r\n c16 &= 0xFFFF;\r\n c32 += a32 * b00;\r\n c48 += c32 >>> 16;\r\n c32 &= 0xFFFF;\r\n c32 += a16 * b16;\r\n c48 += c32 >>> 16;\r\n c32 &= 0xFFFF;\r\n c32 += a00 * b32;\r\n c48 += c32 >>> 16;\r\n c32 &= 0xFFFF;\r\n c48 += a48 * b00 + a32 * b16 + a16 * b32 + a00 * b48;\r\n c48 &= 0xFFFF;\r\n return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\r\n};\r\n\r\n\r\n\r\n/**\r\n * Returns this Long divided by the given one.\r\n * @param {Kotlin.Long} other Long by which to divide.\r\n * @return {!Kotlin.Long} This Long divided

```
 by the given one.\r\n */\r\nKotlin.Long.prototype.div = function(other) {\r\n  if (other.isZero()) {\r\n    throw
Error('division by zero');\r\n  } else if (this.isZero()) {\r\n    return Kotlin.Long.ZERO;\r\n  }\r\n\r\n  if
(this.equalsLong(Kotlin.Long.MIN_VALUE)) {\r\n    if (other.equalsLong(Kotlin.Long.ONE) ||\r\n
other.equalsLong(Kotlin.Long.NEG_ONE)) {\r\n      return Kotlin.Long.MIN_VALUE;  // recall that -
MIN_VALUE == MIN_VALUE\r\n    } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\r\n      return
Kotlin.Long.ONE;\r\n    } else {\r\n      // At this point, we have |other| >= 2, so |this/other| < |MIN_VALUE|.\r\n
var halfThis = this.shiftRight(1);\r\n      var approx = halfThis.div(other).shiftLeft(1);\r\n      if
(approx.equalsLong(Kotlin.Long.ZERO)) {\r\n        return other.isNegative() ? Kotlin.Long.ONE :
Kotlin.Long.NEG_ONE;\r\n      } else {\r\n        var rem = this.subtract(other.multiply(approx));\r\n        var result =
approx.add(rem.div(other));\r\n
        return result;\r\n      }\r\n    }\r\n  } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\r\n    return
Kotlin.Long.ZERO;\r\n  }\r\n\r\n  if (this.isNegative()) {\r\n    if (other.isNegative()) {\r\n      return
this.negate().div(other.negate());\r\n    } else {\r\n      return this.negate().div(other).negate();\r\n    }\r\n  } else if
(other.isNegative()) {\r\n    return this.div(other.negate()).negate();\r\n  }\r\n\r\n  // Repeat the following until the
remainder is less than other:  find a\r\n  // floating-point that approximates remainder / other *from below*, add
this\r\n  // into the result, and subtract it from the remainder.  It is critical that\r\n  // the approximate value is less
than or equal to the real value so that the\r\n  // remainder never becomes negative.\r\n  var res =
Kotlin.Long.ZERO;\r\n  var rem = this;\r\n  while (rem.greaterThanOrEqual(other)) {\r\n    // Approximate the result
of division. This may be a little greater or\r\n    // smaller than
 the actual value.\r\n    var approx = Math.max(1, Math.floor(rem.toNumber() / other.toNumber()));\r\n\r\n    // We
will tweak the approximate result by changing it in the 48-th digit or\r\n    // the smallest non-fractional digit,
whichever is larger.\r\n    var log2 = Math.ceil(Math.log(approx) / Math.LN2);\r\n    var delta = (log2 <= 48) ? 1 :
Math.pow(2, log2 - 48);\r\n\r\n    // Decrease the approximation until it is smaller than the remainder.  Note\r\n    //
that if it is too large, the product overflows and is negative.\r\n    var approxRes =
Kotlin.Long.fromNumber(approx);\r\n    var approxRem = approxRes.multiply(other);\r\n    while
(approxRem.isNegative() || approxRem.greaterThan(rem)) {\r\n      approx -= delta;\r\n      approxRes =
Kotlin.Long.fromNumber(approx);\r\n      approxRem = approxRes.multiply(other);\r\n    }\r\n\r\n    // We know the
answer can't be zero... and actually, zero would cause\r\n    // infinite recursion since we would make no
progress.\r\n    if
 (approxRes.isZero()) {\r\n      approxRes = Kotlin.Long.ONE;\r\n    }\r\n\r\n    res = res.add(approxRes);\r\n    rem
= rem.subtract(approxRem);\r\n  }\r\n  return res;\r\n};\r\n\r\n\r\n\r\n/**\r\n * Returns this Long modulo the given
one.\r\n * @param {Kotlin.Long} other Long by which to mod.\r\n * @return {!Kotlin.Long} This Long modulo
the given one.\r\n */\r\nKotlin.Long.prototype.modulo = function(other) {\r\n  return
this.subtract(this.div(other).multiply(other));\r\n};\r\n\r\n\r\n\r\n/** @return {!Kotlin.Long} The bitwise-NOT of this
value. */\r\nKotlin.Long.prototype.not = function() {\r\n  return Kotlin.Long.fromBits(~this.low_,
~this.high_);\r\n};\r\n\r\n\r\n\r\n/**\r\n * Returns the bitwise-AND of this Long and the given one.\r\n * @param
{Kotlin.Long} other The Long with which to AND.\r\n * @return {!Kotlin.Long} The bitwise-AND of this and the
other.\r\n */\r\nKotlin.Long.prototype.and = function(other) {\r\n  return Kotlin.Long.fromBits(this.low_ &
other.low_,\r\n
          this.high_ & other.high_);\r\n};\r\n\r\n\r\n\r\n/**\r\n * Returns the bitwise-OR of this Long and the given
one.\r\n * @param {Kotlin.Long} other The Long with which to OR.\r\n * @return {!Kotlin.Long} The bitwise-OR
of this and the other.\r\n */\r\nKotlin.Long.prototype.or = function(other) {\r\n  return
Kotlin.Long.fromBits(this.low_ | other.low_,\r\n                                this.high_ | other.high_);\r\n};\r\n\r\n\r\n\r\n/**\r\n
* Returns the bitwise-XOR of this Long and the given one.\r\n * @param {Kotlin.Long} other The Long with which
to XOR.\r\n * @return {!Kotlin.Long} The bitwise-XOR of this and the other.\r\n */\r\nKotlin.Long.prototype.xor =
function(other) {\r\n  return Kotlin.Long.fromBits(this.low_ ^ other.low_,\r\n                                this.high_ ^
other.high_);\r\n};\r\n\r\n\r\n\r\n/**\r\n * Returns this Long with bits shifted to the left by the given amount.\r\n *
@param {number} numBits The number of bits by which to shift.\r\n * @return {!Kotlin.Long}
```

This shifted to the left by the given amount.\r\n */\r\nKotlin.Long.prototype.shiftLeft = function(numBits) {\r\n numBits &= 63;\r\n if (numBits == 0) {\r\n return this;\r\n } else {\r\n var low = this.low_;\r\n if (numBits < 32) {\r\n var high = this.high_;\r\n return Kotlin.Long.fromBits(\r\n low << numBits,\r\n (high << numBits) | (low >>> (32 - numBits)));\r\n } else {\r\n return Kotlin.Long.fromBits(0, low << (numBits - 32));\r\n }\r\n }\r\n};\r\n\r\n\r\n/**\r\n * Returns this Long with bits shifted to the right by the given amount.\r\n * @param {number} numBits The number of bits by which to shift.\r\n * @return {!Kotlin.Long} This shifted to the right by the given amount.\r\n */\r\nKotlin.Long.prototype.shiftRight = function(numBits) {\r\n numBits &= 63;\r\n if (numBits == 0) {\r\n return this;\r\n } else {\r\n var high = this.high_;\r\n if (numBits < 32) {\r\n var low = this.low_;\r\n return Kotlin.Long.fromBits(\r\n (low >>> numBits) | (high << (32 - numBits)),\r\n high >> numBits);\r\n } else {\r\n return Kotlin.Long.fromBits(\r\n high >> (numBits - 32),\r\n high >= 0 ? 0 : -1);\r\n }\r\n }\r\n};\r\n\r\n\r\n/**\r\n * Returns this Long with bits shifted to the right by the given amount, with\r\n * zeros placed into the new leading bits.\r\n * @param {number} numBits The number of bits by which to shift.\r\n * @return {!Kotlin.Long} This shifted to the right by the given amount, with\r\n * zeros placed into the new leading bits.\r\n */\r\nKotlin.Long.prototype.shiftRightUnsigned = function(numBits) {\r\n numBits &= 63;\r\n if (numBits == 0) {\r\n return this;\r\n } else {\r\n var high = this.high_;\r\n if (numBits < 32) {\r\n var low = this.low_;\r\n return Kotlin.Long.fromBits(\r\n (low >>> numBits) | (high << (32 - numBits)),\r\n high >>> numBits);\r\n } else if (numBits == 32) {\r\n return Kotlin.Long.fromBits(high, 0);\r\n } else {\r\n return Kotlin.Long.fromBits(high >>> (numBits - 32), 0);\r\n }\r\n }\r\n};\r\n\r\n// Support for Kotlin\r\nKotlin.Long.prototype.equals = function (other) {\r\n return other instanceof Kotlin.Long && this.equalsLong(other);\r\n};\r\n\r\nKotlin.Long.prototype.compareTo_11rb$ = Kotlin.Long.prototype.compare;\r\n\r\nKotlin.Long.prototype.inc = function() {\r\n return this.add(Kotlin.Long.ONE);\r\n};\r\n\r\nKotlin.Long.prototype.dec = function() {\r\n return this.add(Kotlin.Long.NEG_ONE);\r\n};\r\n\r\nKotlin.Long.prototype.valueOf = function() {\r\n return this.toNumber();\r\n};\r\n\r\nKotlin.Long.prototype.unaryPlus = function() {\r\n return this;\r\n};\r\n\r\nKotlin.Long.prototype.unaryMinus = Kotlin.Long.prototype.negate;\r\nKotlin.Long.prototype.inv = Kotlin.Long.prototype.not;\r\n\r\nKotlin.Long.prototype.rangeTo = function (other) {\r\n return new Kotlin.kotlin.ranges.LongRange(this, other);\r\n};","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n/**\r\n * @param {string} id\r\n * @param {Object} declaration\r\n */\r\nKotlin.defineModule = function (id, declaration) {\r\n};\r\n\r\nKotlin.defineInlineFunction = function(tag, fun) {\r\n return fun;\r\n};\r\n\r\nKotlin.wrapFunction = function(fun) {\r\n var f = function() {\r\n f = fun();\r\n return f.apply(this, arguments);\r\n };\r\n return function() {\r\n return f.apply(this, arguments);\r\n };\r\n};\r\n\r\n\r\nKotlin.isTypeOf = function(type) {\r\n return function (object) {\r\n return typeof object === type;\r\n }\r\n};\r\n\r\n\r\nKotlin.isInstanceOf = function (klass) {\r\n return function (object) {\r\n return Kotlin.isType(object, klass);\r\n }\r\n};\r\n\r\n\r\nKotlin.orNull = function (fn) {\r\n return function (object) {\r\n return object == null || fn(object);\r\n }\r\n};\r\n\r\n\r\nKotlin.andPredicate = function (a, b) {\r\n return function (object) {\r\n return a(object) && b(object);\r\n }\r\n};\r\n\r\n\r\nKotlin.kotlinModuleMetadata = function (abiVersion, moduleName, data) {\r\n};\r\n\r\n\r\nKotlin.suspendCall = function(value) {\r\n return value;\r\n};\r\n\r\n\r\nKotlin.coroutineResult = function(qualifier) {\r\n throwMarkerError();\r\n};\r\n\r\n\r\nKotlin.coroutineController = function(qualifier) {\r\n throwMarkerError();\r\n};\r\n\r\n\r\nKotlin.coroutineReceiver = function(qualifier) {\r\n throwMarkerError();\r\n};\r\n\r\n\r\nKotlin.setCoroutineResult = function(value, qualifier) {\r\n throwMarkerError();\r\n};\r\n\r\n\r\nfunction throwMarkerError() {\r\n throw new Error(\r\n \"This marker function should never been called. \" +\r\n \"Looks like compiler did not eliminate it properly. \" +\r\n \"Please, report an issue if you caught this

exception.\");\r\n}\r\n\r\nKotlin.getFunctionById = function(id, defaultValue) {\r\n return function() {\r\n return defaultValue;\r\n }\r\n};","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\nKotlin.compareTo = function (a, b) {\r\n var typeA = typeof a;\r\n if (typeA === \"number\") {\r\n   if (typeof b === \"number\") {\r\n   return Kotlin.doubleCompareTo(a, b);\r\n   }\r\n   return Kotlin.primitiveCompareTo(a, b);\r\n }\r\n if (typeA === \"string\" || typeA === \"boolean\") {\r\n   return Kotlin.primitiveCompareTo(a, b);\r\n }\r\n return a.compareTo_11rb$(b);\r\n};\r\n\r\nKotlin.primitiveCompareTo = function (a, b) {\r\n return a < b ? -1 : a > b ? 1 : 0;\r\n};\r\n\r\nKotlin.doubleCompareTo = function (a, b) {\r\n if (a < b) return -1;\r\n if (a > b) return 1;\r\n\r\n if (a === b) {\r\n   if (a !== 0) return 0;\r\n\r\n   var ia = 1 / a;\r\n   return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\r\n }\r\n\r\n return a !== a ? (b !== b ? 0 : 1) : -1\r\n};\r\n\r\nKotlin.charInc = function (value) {\r\n return Kotlin.toChar(value+1);\r\n};\r\n\r\nKotlin.charDec = function (value) {\r\n return Kotlin.toChar(value-1);\r\n};\r\n\r\nKotlin.imul = Math.imul || imul;\r\n\r\nKotlin.imulEmulated = imul;\r\n\r\nfunction imul(a, b) {\r\n return ((a & 0xffff0000) * (b & 0xffff) + (a & 0xffff) * (b | 0)) | 0;\r\n}\r\n\r\n(function() {\r\n var buf = new ArrayBuffer(8);\r\n var bufFloat64 = new Float64Array(buf);\r\n var bufFloat32 = new Float32Array(buf);\r\n var bufInt32 = new Int32Array(buf);\r\n var lowIndex = 0;\r\n var highIndex = 1;\r\n\r\n bufFloat64[0] = -1; // bff00000_00000000\r\n if (bufInt32[lowIndex] !== 0) {\r\n   lowIndex = 1;\r\n   highIndex = 0;\r\n }\r\n\r\n Kotlin.doubleToBits = function(value) {\r\n   return Kotlin.doubleToRawBits(isNaN(value) ? NaN : value);\r\n };\r\n\r\n Kotlin.doubleToRawBits = function(value) {\r\n   bufFloat64[0] = value;\r\n   return Kotlin.Long.fromBits(bufInt32[lowIndex], bufInt32[highIndex]);\r\n };\r\n\r\n Kotlin.doubleFromBits = function(value) {\r\n   bufInt32[lowIndex] = value.low_;\r\n   bufInt32[highIndex] = value.high_;\r\n   return bufFloat64[0];\r\n };\r\n\r\n Kotlin.floatToBits = function(value) {\r\n   return Kotlin.floatToRawBits(isNaN(value) ? NaN : value);\r\n };\r\n\r\n Kotlin.floatToRawBits = function(value) {\r\n   bufFloat32[0] = value;\r\n   return bufInt32[0];\r\n };\r\n\r\n Kotlin.floatFromBits = function(value) {\r\n   bufInt32[0] = value;\r\n   return bufFloat32[0];\r\n };\r\n\r\n // returns zero value for number with positive sign bit and non-zero value for number with negative sign bit.\r\n\r\n Kotlin.doubleSignBit = function(value) {\r\n   bufFloat64[0] = value;\r\n   return bufInt32[highIndex] & 0x80000000;\r\n };\r\n\r\n Kotlin.numberHashCode = function(obj) {\r\n   if ((obj | 0) === obj) {\r\n   return obj | 0;\r\n   }\r\n   else {\r\n   bufFloat64[0] = obj;\r\n   return (bufInt32[highIndex] * 31 | 0) + bufInt32[lowIndex] | 0;\r\n   }\r\n }\r\n})();\r\n\r\nKotlin.ensureNotNull = function(x) {\r\n return x != null ? x : Kotlin.throwNPE();\r\n};\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\nif (typeof String.prototype.startsWith === \"undefined\") {\r\n String.prototype.startsWith = function(searchString, position) {\r\n   position = position || 0;\r\n   return this.lastIndexOf(searchString, position) === position;\r\n };\r\n}\r\n\r\nif (typeof String.prototype.endsWith === \"undefined\") {\r\n String.prototype.endsWith = function(searchString, position) {\r\n   var subjectString = this.toString();\r\n   if (position === undefined || position > subjectString.length) {\r\n   position = subjectString.length;\r\n   }\r\n   position -= searchString.length;\r\n   var lastIndex = subjectString.indexOf(searchString, position);\r\n   return lastIndex !== -1 && lastIndex === position;\r\n };\r\n}\r\n\r\n// ES6 Math polyfills\r\nif (typeof Math.sign === \"undefined\") {\r\n Math.sign = function(x) {\r\n   x = +x; // convert to a number\r\n   if (x === 0 || isNaN(x)) {\r\n   return Number(x);\r\n   }\r\n   return x > 0 ? 1 : -1;\r\n };\r\n}\r\n\r\nif (typeof Math.trunc === \"undefined\") {\r\n Math.trunc = function(x) {\r\n   if (isNaN(x)) {\r\n   return NaN;\r\n   }\r\n   if (x > 0) {\r\n   return Math.floor(x);\r\n   }\r\n   return Math.ceil(x);\r\n };\r\n}\r\n\r\n(function() {\r\n var epsilon = 2.220446049250313E-16;\r\n var taylor_2_bound = Math.sqrt(epsilon);\r\n var taylor_n_bound = Math.sqrt(taylor_2_bound);\r\n var upper_taylor_2_bound = 1/taylor_2_bound;\r\n var upper_taylor_n_bound =

```
1/taylor_n_bound;\r\n\r\n    if (typeof Math.sinh === \"undefined\") {\r\n        Math.sinh = function(x) {\r\n            if (Math.abs(x) < taylor_n_bound) {\r\n                var result = x;\r\n                if (Math.abs(x) > taylor_2_bound) {\r\n                    result += (x * x * x) / 6;\r\n                }\r\n                return result;\r\n            } else {\r\n                var y = Math.exp(x);\r\n                var y1 = 1 / y;\r\n                if (!isFinite(y)) return Math.exp(x - Math.LN2);\r\n                if (!isFinite(y1)) return -Math.exp(-x - Math.LN2);\r\n                return (y - y1) / 2;\r\n            }\r\n        };\r\n    }\r\n    if (typeof Math.cosh === \"undefined\") {\r\n        Math.cosh = function(x) {\r\n            var y = Math.exp(x);\r\n            var y1 = 1 / y;\r\n            if (!isFinite(y) || !isFinite(y1)) return Math.exp(Math.abs(x) - Math.LN2);\r\n            return (y + y1) / 2;\r\n        };\r\n    }\r\n\r\n    if (typeof Math.tanh === \"undefined\") {\r\n        Math.tanh = function(x){\r\n            if (Math.abs(x) < taylor_n_bound) {\r\n                var result = x;\r\n                if (Math.abs(x) > taylor_2_bound) {\r\n                    result -= (x * x * x) / 3;\r\n                }\r\n                return result;\r\n            }\r\n            else {\r\n                var a = Math.exp(+x), b = Math.exp(-x);\r\n                return a === Infinity ? 1 : b === Infinity ? -1 : (a - b) / (a + b);\r\n            }\r\n        };\r\n    }\r\n\r\n    // Inverse hyperbolic function implementations derived from boost special math functions,\r\n    // Copyright Eric Ford & Hubert Holin 2001.\r\n\r\n    if (typeof Math.asinh === \"undefined\") {\r\n        var asinh = function(x) {\r\n            if (x >= +taylor_n_bound)\r\n            {\r\n                if (x > upper_taylor_n_bound)\r\n                {\r\n                    if (x > upper_taylor_2_bound)\r\n                    {\r\n                        // approximation by laurent series in 1/x at 0+ order from -1 to 0\r\n                        return Math.log(x) + Math.LN2;\r\n                    }\r\n                    else\r\n                    {\r\n                        // approximation by laurent series in 1/x at 0+ order from -1 to 1\r\n                        return Math.log(x * 2 + (1 / (x * 2)));\r\n                    }\r\n                }\r\n                else\r\n                {\r\n                    return Math.log(x + Math.sqrt(x * x + 1));\r\n                }\r\n            }\r\n            else if (x <= -taylor_n_bound)\r\n            {\r\n                return -asinh(-x);\r\n            }\r\n            else\r\n            {\r\n                // approximation by taylor series in x at 0 up to order 2\r\n                var result = x;\r\n                if (Math.abs(x) >= taylor_2_bound)\r\n                {\r\n                    var x3 = x * x * x;\r\n                    // approximation by taylor series in x at 0 up to order 4\r\n                    result -= x3 / 6;\r\n                }\r\n                return result;\r\n            }\r\n        };\r\n        Math.asinh = asinh;\r\n    }\r\n    if (typeof Math.acosh === \"undefined\") {\r\n        Math.acosh = function(x) {\r\n            if (x < 1)\r\n            {\r\n                return NaN;\r\n            }\r\n            else if (x - 1 >= taylor_n_bound)\r\n            {\r\n                if (x > upper_taylor_2_bound)\r\n                {\r\n                    // approximation by laurent series in 1/x at 0+ order from -1 to 0\r\n                    return Math.log(x) + Math.LN2;\r\n                }\r\n                else\r\n                {\r\n                    return Math.log(x + Math.sqrt(x * x - 1));\r\n                }\r\n            }\r\n            else\r\n            {\r\n                var y = Math.sqrt(x - 1);\r\n                // approximation by taylor series in y at 0 up to order 2\r\n                var result = y;\r\n                if (y >= taylor_2_bound)\r\n                {\r\n                    var y3 = y * y * y;\r\n                    // approximation by taylor series in y at 0 up to order 4\r\n                    result -= y3 / 12;\r\n                }\r\n\r\n                return Math.sqrt(2) * result;\r\n            }\r\n        };\r\n    }\r\n    if (typeof Math.atanh === \"undefined\") {\r\n        Math.atanh = function(x) {\r\n            if (Math.abs(x) < taylor_n_bound) {\r\n                var result = x;\r\n                if (Math.abs(x) > taylor_2_bound) {\r\n                    result += (x * x * x) / 3;\r\n                }\r\n                return result;\r\n            }\r\n            return Math.log((1 + x) / (1 - x)) / 2;\r\n        };\r\n    }\r\n    if (typeof Math.log1p === \"undefined\") {\r\n        Math.log1p = function(x) {\r\n            if (Math.abs(x) < taylor_n_bound) {\r\n                var x2 = x * x;\r\n                var x3 = x2 * x;\r\n                var x4 = x3 * x;\r\n                // approximation by taylor series in x at 0 up to order 4\r\n                return (-x4 / 4 + x3 / 3 - x2 / 2 + x);\r\n            }\r\n            return Math.log(x + 1);\r\n        };\r\n    }\r\n    if (typeof Math.expm1 === \"undefined\") {\r\n        Math.expm1 = function(x) {\r\n            if (Math.abs(x) < taylor_n_bound) {\r\n                var x2 = x * x;\r\n                var x3 = x2 * x;\r\n                var x4 = x3 * x;\r\n                // approximation by taylor series in x at 0 up to order 4\r\n                return (x4 / 24 + x3 / 6 + x2 / 2 + x);\r\n            }\r\n            return Math.exp(x) - 1;\r\n        };\r\n    }\r\n})();\r\nif (typeof Math.hypot === \"undefined\") {\r\n    Math.hypot = function() {\r\n        var y = 0;\r\n        var length = arguments.length;\r\n\r\n        for (var i = 0; i < length; i++) {\r\n            if (arguments[i] === Infinity || arguments[i] === -Infinity) {\r\n                return Infinity;\r\n
```

}\r\n y += arguments[i] * arguments[i];\r\n }\r\n return Math.sqrt(y);\r\n };\r\n}\r\nif (typeof Math.log10 === \"undefined\") {\r\n Math.log10 = function(x) {\r\n return Math.log(x) * Math.LOG10E;\r\n };\r\n}\r\nif (typeof Math.log2 === \"undefined\") {\r\n Math.log2 = function(x) {\r\n return Math.log(x) * Math.LOG2E;\r\n };\r\n}\r\nif (typeof Math.clz32 === \"undefined\") {\r\n Math.clz32 = (function(log, LN2) {\r\n return function(x) {\r\n var asUint = x >>> 0;\r\n if (asUint === 0) {\r\n return 32;\r\n }\r\n return 31 - (log(asUint) / LN2 | 0) | 0; // the \"| 0\" acts like math.floor\r\n };\r\n })(Math.log, Math.LN2);\r\n}\r\n\r\n// For HtmlUnit and PhantomJs\r\nif (typeof ArrayBuffer.isView === \"undefined\") {\r\n ArrayBuffer.isView = function(a) {\r\n return a != null && a.__proto__ != null && a.__proto__.__proto__ === Int8Array.prototype.__proto__;\r\n };\r\n}\r\n\r\nif (typeof Array.prototype.fill === \"undefined\") {\r\n // Polyfill from https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Array/fill#Polyfill\r\n Array.prototype.fill = function() {\r\n // Steps 1-2.\r\n if (this == null) {\r\n throw new TypeError('this is null or not defined');\r\n }\r\n\r\n var O = Object(this);\r\n\r\n // Steps 3-5.\r\n var len = O.length >>> 0;\r\n\r\n // Steps 6-7.\r\n var start = arguments[1];\r\n var relativeStart = start >> 0;\r\n\r\n // Step 8.\r\n var k = relativeStart < 0 ?\r\n Math.max(len + relativeStart, 0) :\r\n Math.min(relativeStart, len);\r\n\r\n // Steps 9-10.\r\n var end = arguments[2];\r\n var relativeEnd = end === undefined ?\r\n len : end >> 0;\r\n\r\n // Step 11.\r\n var final = relativeEnd < 0 ?\r\n Math.max(len + relativeEnd, 0) :\r\n Math.min(relativeEnd, len);\r\n\r\n // Step 12.\r\n while (k < final) {\r\n O[k] = value;\r\n k++;\r\n }\r\n\r\n // Step 13.\r\n return O;\r\n };\r\n}\r\n\r\n(function() {\r\n function normalizeOffset(offset, length) {\r\n if (offset < 0) return Math.max(0, offset + length);\r\n return Math.min(offset, length);\r\n }\r\n function typedArraySlice(begin, end) {\r\n if (typeof end === \"undefined\") {\r\n end = this.length;\r\n }\r\n begin = normalizeOffset(begin || 0, this.length);\r\n end = Math.max(begin, normalizeOffset(end, this.length));\r\n return new this.constructor(this.subarray(begin, end));\r\n }\r\n\r\n var arrays = [Int8Array, Int16Array, Uint16Array, Int32Array, Float32Array, Float64Array];\r\n for (var i = 0; i < arrays.length; ++i) {\r\n var TypedArray = arrays[i];\r\n if (typeof TypedArray.prototype.fill === \"undefined\") {\r\n TypedArray.prototype.fill = Array.prototype.fill;\r\n }\r\n if (typeof TypedArray.prototype.slice === \"undefined\") {\r\n Object.defineProperty(TypedArray.prototype, 'slice', {\r\n value: typedArraySlice\r\n });\r\n }\r\n }\r\n\r\n // Patch apply to work with TypedArrays if needed.\r\n try {\r\n (function() {}).apply(null, new Int32Array(0))\r\n } catch (e) {\r\n var apply = Function.prototype.apply;\r\n Object.defineProperty(Function.prototype, 'apply', {\r\n value: function(self, array) {\r\n return apply.call(this, self, [].slice.call(array));\r\n }\r\n });\r\n }\r\n\r\n\r\n // Patch map to work with TypedArrays if needed.\r\n for (var i = 0; i < arrays.length; ++i) {\r\n var TypedArray = arrays[i];\r\n if (typeof TypedArray.prototype.map === \"undefined\") {\r\n Object.defineProperty(TypedArray.prototype, 'map', {\r\n value: function(callback, self) {\r\n return [].slice.call(this).map(callback, self);\r\n }\r\n });\r\n }\r\n }\r\n\r\n // Patch sort to work with TypedArrays if needed.\r\n // TODO: consider to remove following function and replace it with `Kotlin.doubleCompareTo` (see misc.js)\r\n var totalOrderComparator = function (a, b) {\r\n if (a < b) return -1;\r\n if (a > b) return 1;\r\n\r\n if (a === b) {\r\n if (a !== 0) return 0;\r\n\r\n var ia = 1 / a;\r\n return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\r\n }\r\n\r\n return a !== a ? (b !== b ? 0 : 1) : -1\r\n };\r\n\r\n for (var i = 0; i < arrays.length; ++i) {\r\n var TypedArray = arrays[i];\r\n if (typeof TypedArray.prototype.sort === \"undefined\") {\r\n Object.defineProperty(TypedArray.prototype, 'sort', {\r\n value: function(compareFunction) {\r\n return Array.prototype.sort.call(this, compareFunction || totalOrderComparator);\r\n }\r\n });\r\n }\r\n }\r\n})();\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\nKotlin.Kind = {\r\n CLASS: \"class\",\r\n INTERFACE: \"interface\",\r\n OBJECT: \"object\"\r\n};\r\n\r\nKotlin.callGetter = function

(thisObject, klass, propertyName) {\r\n   var propertyDescriptor = Object.getOwnPropertyDescriptor(klass, propertyName);\r\n   if (propertyDescriptor != null && propertyDescriptor.get != null) {\r\n   return propertyDescriptor.get.call(thisObject);\r\n   }\r\n\r\n   propertyDescriptor = Object.getOwnPropertyDescriptor(thisObject, propertyName);\r\n   if (propertyDescriptor != null && \"value\" in propertyDescriptor) {\r\n   return thisObject[propertyName];\r\n   }\r\n\r\n   return Kotlin.callGetter(thisObject, Object.getPrototypeOf(klass), propertyName);\r\n};\r\n\r\n\r\nKotlin.callSetter = function (thisObject, klass, propertyName, value) {\r\n   var propertyDescriptor = Object.getOwnPropertyDescriptor(klass, propertyName);\r\n   if (propertyDescriptor != null && propertyDescriptor.set != null) {\r\n   propertyDescriptor.set.call(thisObject, value);\r\n   return;\r\n   }\r\n\r\n   propertyDescriptor = Object.getOwnPropertyDescriptor(thisObject, propertyName);\r\n   if (propertyDescriptor != null && \"value\" in propertyDescriptor) {\r\n   thisObject[propertyName] = value;\r\n   return\r\n   }\r\n\r\n   Kotlin.callSetter(thisObject, Object.getPrototypeOf(klass), propertyName, value);\r\n};\r\n\r\n\r\nfunction isInheritanceFromInterface(ctor, iface) {\r\n   if (ctor === iface) return true;\r\n\r\n   var metadata = ctor.$metadata$;\r\n   if (metadata != null) {\r\n   var interfaces = metadata.interfaces;\r\n   for (var i = 0; i < interfaces.length; i++) {\r\n   if (isInheritanceFromInterface(interfaces[i], iface)) {\r\n   return true;\r\n   }\r\n   }\r\n   }\r\n\r\n   var superPrototype = ctor.prototype != null ? Object.getPrototypeOf(ctor.prototype) : null;\r\n   var superConstructor = superPrototype != null ? superPrototype.constructor : null;\r\n   return superConstructor != null && isInheritanceFromInterface(superConstructor, iface);\r\n}\r\n\r\n\r\n/**\r\n *\r\n * @param {*} object\r\n * @param {Function|Object} klass\r\n * @returns {Boolean}\r\n */\r\nKotlin.isType = function (object, klass) {\r\n   if (klass === Object) {\r\n   switch (typeof object) {\r\n   case \"string\":\r\n   case \"number\":\r\n   case \"boolean\":\r\n   case \"function\":\r\n   return true;\r\n   default:\r\n   return object instanceof Object;\r\n   }\r\n   }\r\n\r\n   if (object == null || klass == null || (typeof object !== 'object' && typeof object !== 'function')) {\r\n   return false;\r\n   }\r\n\r\n   if (typeof klass === \"function\" && object instanceof klass) {\r\n   return true;\r\n   }\r\n\r\n   var proto = Object.getPrototypeOf(klass);\r\n   var constructor = proto != null ? proto.constructor : null;\r\n   if (constructor != null && \"$metadata$\" in constructor) {\r\n   var metadata = constructor.$metadata$;\r\n   if (metadata.kind === Kotlin.Kind.OBJECT) {\r\n   return object === klass;\r\n   }\r\n   }\r\n\r\n   var klassMetadata = klass.$metadata$;\r\n\r\n   // In WebKit (JavaScriptCore) for some interfaces from DOM typeof returns \"object\", nevertheless they can be used in RHS of instanceof\r\n   if (klassMetadata == null) {\r\n   return object instanceof klass;\r\n   }\r\n\r\n   if (klassMetadata.kind === Kotlin.Kind.INTERFACE && object.constructor != null) {\r\n   return isInheritanceFromInterface(object.constructor, klass);\r\n   }\r\n\r\n   return false;\r\n};\r\n\r\n\r\nKotlin.isNumber = function (a) {\r\n   return typeof a == \"number\" || a instanceof Kotlin.Long;\r\n};\r\n\r\n\r\nKotlin.isChar = function (value) {\r\n   return value instanceof Kotlin.BoxedChar\r\n};\r\n\r\n\r\nKotlin.isComparable = function (value) {\r\n   var type = typeof value;\r\n\r\n   return type === \"string\" ||\r\n   type === \"boolean\" ||\r\n   Kotlin.isNumber(value) ||\r\n   Kotlin.isType(value, Kotlin.kotlin.Comparable);\r\n};\r\n\r\n\r\nKotlin.isCharSequence = function (value) {\r\n   return typeof value === \"string\" || Kotlin.isType(value, Kotlin.kotlin.CharSequence);\r\n};",null,"/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n\npackage kotlin\r\n\r\n\npublic class Enum<T : Enum<T>> : Comparable<Enum<T>> {\r\n   @JsName(\"name$\") private var _name: String = \"\"\r\n   @JsName(\"ordinal$\") private var _ordinal: Int = 0\r\n\r\n\r\n   val name: String\r\n   get() = _name\r\n\r\n\r\n   val ordinal: Int\r\n   get() = _ordinal\r\n\r\n\r\n   override fun compareTo(other: Enum<T>) = ordinal.compareTo(other.ordinal)\r\n\r\n\r\n   override fun equals(other: Any?) = this === other\r\n\r\n\r\n   override fun hashCode(): Int = js(\"Kotlin.identityHashCode\")(this)\r\n\r\n\r\n   override fun toString() = name\r\n\r\n\r\n   companion object\r\n}",null,"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ArraysKt\")\n\npackage

kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component1(): T {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component1(): Byte {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component1(): Short {\n return
get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component1(): Int {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component1(): Long {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component1(): Float {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component1(): Double {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component1(): Boolean {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component1():
Char {\n return get(0)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component2(): T {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component2(): Byte {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component2(): Short {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component2(): Int {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component2(): Long {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator
fun FloatArray.component2(): Float {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component2(): Double {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component2(): Boolean {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component2(): Char {\n return get(1)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component3(): T {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component3(): Byte {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic
inline operator fun ShortArray.component3(): Short {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component3(): Int {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component3(): Long {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component3(): Float {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component3(): Double {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component3():
Boolean {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component3(): Char {\n return get(2)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline

operator fun <T> Array<out T>.component4(): T {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component4(): Byte {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component4(): Short {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component4(): Int {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component4(): Long {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from
the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component4(): Float {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component4(): Double {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component4(): Boolean {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component4(): Char {\n   return get(3)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component5(): T {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component5(): Byte {\n   return get(4)\n}\n\n/**\n
* Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component5(): Short {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component5(): Int {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component5(): Long {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component5(): Float {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component5(): Double {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component5(): Boolean {\n
return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component5(): Char {\n   return get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.contains(element: T): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun ByteArray.contains(element: Byte): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun ShortArray.contains(element: Short): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun IntArray.contains(element: Int): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun LongArray.contains(element:
Long): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun FloatArray.contains(element: Float): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun DoubleArray.contains(element: Double): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun BooleanArray.contains(element: Boolean): Boolean {\n return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun CharArray.contains(element: Char): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun <T>
Array<out T>.elementAt(index: Int): T\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun ByteArray.elementAt(index: Int):

Byte\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun ShortArray.elementAt(index: Int): Short\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun IntArray.elementAt(index: Int): Int\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n */\npublic expect fun LongArray.elementAt(index: Int): Long\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun FloatArray.elementAt(index: Int): Float\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun DoubleArray.elementAt(index: Int): Double\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun BooleanArray.elementAt(index: Int): Boolean\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException]
if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n */\npublic expect fun CharArray.elementAt(index: Int): Char\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Byte): Byte {\n
    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Short): Short {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Int): Int {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element
at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Long): Long {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Float): Float {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this

array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Double): Double {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Boolean): Boolean {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.elementAtOrNull(index: Int): T? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.elementAtOrNull(index: Int): Byte? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.elementAtOrNull(index: Int): Short? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.elementAtOrNull(index: Int): Int? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.elementAtOrNull(index: Int): Long? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.elementAtOrNull(index: Int): Float? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.elementAtOrNull(index: Int): Double? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.elementAtOrNull(index: Int): Boolean? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.elementAtOrNull(index: Int): Char? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.find(predicate: (T) -> Boolean): T? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.find(predicate: (Byte) -> Boolean): Byte? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.find(predicate: (Short) -> Boolean): Short? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n

*/\n@kotlin.internal.InlineOnly\npublic
inline fun IntArray.find(predicate: (Int) -> Boolean): Int? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.find(predicate: (Long) -> Boolean): Long? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.find(predicate: (Float) -> Boolean): Float? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.find(predicate: (Double) -> Boolean): Double? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic
inline fun BooleanArray.find(predicate: (Boolean) -> Boolean): Boolean? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.find(predicate: (Char) -> Boolean): Char? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.findLast(predicate: (T) -> Boolean): T? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.findLast(predicate: (Byte) -> Boolean): Byte? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element
was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.findLast(predicate: (Short) -> Boolean): Short? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.findLast(predicate: (Int) -> Boolean): Int? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.findLast(predicate: (Long) -> Boolean): Long? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.findLast(predicate: (Float) -> Boolean): Float? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or
`null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.findLast(predicate: (Double) -> Boolean): Double? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.findLast(predicate: (Boolean) -> Boolean): Boolean? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.findLast(predicate: (Char) -> Boolean): Char? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun <T> Array<out T>.first(): T {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[0]\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the array is empty.\n */\npublic fun ByteArray.first(): Byte {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ShortArray.first(): Short {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun IntArray.first(): Int {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun LongArray.first(): Long

{\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is
empty.\n */\npublic fun FloatArray.first(): Float {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun DoubleArray.first(): Double {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun BooleanArray.first(): Boolean {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun CharArray.first(): Char {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element
is found.\n */\npublic inline fun <T> Array<out T>.first(predicate: (T) -> Boolean): T {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ByteArray.first(predicate: (Byte) -> Boolean): Byte {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ShortArray.first(predicate: (Short) -> Boolean): Short {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n
 * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun IntArray.first(predicate: (Int) -> Boolean): Int {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun LongArray.first(predicate: (Long) -> Boolean): Long {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun FloatArray.first(predicate: (Float) -> Boolean): Float {\n   for (element in this) if (predicate(element))
 return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun DoubleArray.first(predicate: (Double) -> Boolean): Double {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun BooleanArray.first(predicate: (Boolean) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
 */\npublic inline fun CharArray.first(predicate: (Char) -> Boolean): Char {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun <T> Array<out T>.firstOrNull(): T? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun ByteArray.firstOrNull(): Byte? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun ShortArray.firstOrNull(): Short? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element,

or `null` if the array is empty.\n */\npublic fun IntArray.firstOrNull(): Int? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun LongArray.firstOrNull(): Long? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun FloatArray.firstOrNull(): Float? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun DoubleArray.firstOrNull(): Double? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun BooleanArray.firstOrNull(): Boolean? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun CharArray.firstOrNull(): Char? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun <T> Array<out T>.firstOrNull(predicate: (T) -> Boolean): T? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun ByteArray.firstOrNull(predicate: (Byte) -> Boolean): Byte? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun ShortArray.firstOrNull(predicate: (Short) -> Boolean): Short? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun IntArray.firstOrNull(predicate: (Int) -> Boolean): Int? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun LongArray.firstOrNull(predicate: (Long) -> Boolean): Long? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun FloatArray.firstOrNull(predicate: (Float) -> Boolean): Float? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun DoubleArray.firstOrNull(predicate: (Double) -> Boolean): Double? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun BooleanArray.firstOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun CharArray.firstOrNull(predicate: (Char) -> Boolean): Char? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.getOrElse(index: Int, defaultValue: (Int) -> T): T {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.getOrElse(index: Int, defaultValue: (Int) -> Byte): Byte {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.getOrElse(index: Int, defaultValue: (Int) -> Short): Short {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.getOrElse(index: Int, defaultValue: (Int) -> Int): Int {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.getOrElse(index: Int, defaultValue: (Int) -> Long): Long {\n

return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.getOrElse(index: Int, defaultValue: (Int) -> Float): Float {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.getOrElse(index: Int, defaultValue: (Int) -> Double): Double {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.getOrElse(index: Int, defaultValue: (Int) -> Boolean): Boolean {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.getOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun <T> Array<out T>.getOrNull(index: Int): T? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun ByteArray.getOrNull(index: Int): Byte? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun ShortArray.getOrNull(index: Int): Short? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun IntArray.getOrNull(index: Int): Int? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun LongArray.getOrNull(index: Int): Long? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun FloatArray.getOrNull(index: Int): Float? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun DoubleArray.getOrNull(index: Int): Double? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun BooleanArray.getOrNull(index: Int): Boolean? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun CharArray.getOrNull(index: Int): Char? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.indexOf(element: T): Int {\n if (element == null) {\n for (index in indices) {\n if (this[index] == null) {\n return index\n }\n }\n } else {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun ByteArray.indexOf(element: Byte): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun ShortArray.indexOf(element: Short): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun IntArray.indexOf(element: Int): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun LongArray.indexOf(element: Long): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns

first index of [element], or -1 if the array does not contain element.\n */\npublic fun FloatArray.indexOf(element: Float): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun DoubleArray.indexOf(element: Double): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain
element.\n */\npublic fun BooleanArray.indexOf(element: Boolean): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun CharArray.indexOf(element: Char): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun <T> Array<out T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun ByteArray.indexOfFirst(predicate:
(Byte) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun ShortArray.indexOfFirst(predicate: (Short) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun IntArray.indexOfFirst(predicate: (Int) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline
fun LongArray.indexOfFirst(predicate: (Long) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun FloatArray.indexOfFirst(predicate: (Float) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun DoubleArray.indexOfFirst(predicate: (Double) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain
such element.\n */\npublic inline fun BooleanArray.indexOfFirst(predicate: (Boolean) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun CharArray.indexOfFirst(predicate: (Char) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun <T> Array<out T>.indexOfLast(predicate: (T) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given
[predicate], or -1 if the array does not contain such element.\n */\npublic inline fun ByteArray.indexOfLast(predicate: (Byte) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun ShortArray.indexOfLast(predicate: (Short) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last

element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun IntArray.indexOfLast(predicate: (Int) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun LongArray.indexOfLast(predicate: (Long) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun FloatArray.indexOfLast(predicate: (Float) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun DoubleArray.indexOfLast(predicate: (Double) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun BooleanArray.indexOfLast(predicate: (Boolean) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun CharArray.indexOfLast(predicate: (Char) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun <T> Array<out T>.last(): T {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ByteArray.last(): Byte {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ShortArray.last(): Short {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun IntArray.last(): Int {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun LongArray.last(): Long {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun FloatArray.last(): Float {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun DoubleArray.last(): Double {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun BooleanArray.last(): Boolean {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun CharArray.last(): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> Array<out T>.last(predicate: (T) -> Boolean): T {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ByteArray.last(predicate: (Byte) -> Boolean): Byte {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element

matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException]
if no such element is found.\n */\npublic inline fun ShortArray.last(predicate: (Short) -> Boolean): Short {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun IntArray.last(predicate: (Int) -> Boolean): Int {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun LongArray.last(predicate: (Long) -> Boolean): Long {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun FloatArray.last(predicate: (Float) -> Boolean): Float {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun DoubleArray.last(predicate: (Double) -> Boolean): Double {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun BooleanArray.last(predicate: (Boolean) -> Boolean): Boolean {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun CharArray.last(predicate: (Char) -> Boolean): Char {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n
* Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.lastIndexOf(element: T): Int {\n if (element == null) {\n for (index in indices.reversed()) {\n if (this[index] == null) {\n return index\n }\n }\n } else {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun ByteArray.lastIndexOf(element: Byte): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun ShortArray.lastIndexOf(element: Short): Int {\n for (index in indices.reversed())
{\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun IntArray.lastIndexOf(element: Int): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun LongArray.lastIndexOf(element: Long): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun FloatArray.lastIndexOf(element: Float): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n

```
 * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun DoubleArray.lastIndexOf(element: Double): Int {\n    for (index in indices.reversed()) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun BooleanArray.lastIndexOf(element: Boolean): Int {\n    for (index in indices.reversed()) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun CharArray.lastIndexOf(element: Char): Int {\n    for (index in indices.reversed()) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun <T> Array<out T>.lastOrNull(): T?\n    {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun ByteArray.lastOrNull(): Byte? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun ShortArray.lastOrNull(): Short? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun IntArray.lastOrNull(): Int? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun LongArray.lastOrNull(): Long? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun FloatArray.lastOrNull(): Float? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n
 */\npublic fun DoubleArray.lastOrNull(): Double? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun BooleanArray.lastOrNull(): Boolean? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun CharArray.lastOrNull(): Char? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun <T> Array<out T>.lastOrNull(predicate: (T) -> Boolean): T? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun ByteArray.lastOrNull(predicate: (Byte) -> Boolean): Byte?
 {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun ShortArray.lastOrNull(predicate: (Short) -> Boolean): Short? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun IntArray.lastOrNull(predicate: (Int) -> Boolean): Int? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun LongArray.lastOrNull(predicate:
 (Long) -> Boolean): Long? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun FloatArray.lastOrNull(predicate: (Float) -> Boolean): Float? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun DoubleArray.lastOrNull(predicate: (Double) -> Boolean): Double? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element
 was found.\n */\npublic inline fun BooleanArray.lastOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element
```

was found.\n */\npublic inline fun CharArray.lastOrNull(predicate: (Char) -> Boolean): Char? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.random(): T {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic
inline fun ByteArray.random(): Byte {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.random(): Short {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.random(): Int {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.random(): Long {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic
inline fun FloatArray.random(): Float {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.random(): Double {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.random(): Boolean {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.random(): Char {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException
if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> Array<out T>.random(random: Random): T {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun ByteArray.random(random: Random): Byte {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun ShortArray.random(random: Random): Short {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from
this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun IntArray.random(random: Random): Int {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun LongArray.random(random: Random): Long {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun FloatArray.random(random: Random): Float {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n

return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun DoubleArray.random(random: Random): Double {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun BooleanArray.random(random: Random): Boolean {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun CharArray.random(random: Random): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun <T> Array<out T>.single(): T {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun ByteArray.single(): Byte {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun ShortArray.single():
Short {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun IntArray.single(): Int {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun LongArray.single(): Long {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun FloatArray.single(): Float {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun DoubleArray.single(): Double {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun BooleanArray.single(): Boolean {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array
has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun CharArray.single(): Char {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun <T> Array<out T>.single(predicate: (T) -> Boolean): T {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array

contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as T\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun ByteArray.single(predicate: (Byte) -> Boolean): Byte {\n var single: Byte? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Byte\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun ShortArray.single(predicate: (Short) -> Boolean): Short {\n var single: Short? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Short\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun IntArray.single(predicate: (Int) -> Boolean): Int {\n var single: Int? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Int\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun LongArray.single(predicate: (Long) -> Boolean): Long {\n var single: Long? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Long\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun FloatArray.single(predicate: (Float) -> Boolean): Float {\n var single: Float? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Float\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun DoubleArray.single(predicate: (Double) -> Boolean): Double {\n var single: Double? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Double\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun BooleanArray.single(predicate: (Boolean) -> Boolean): Boolean {\n var single: Boolean? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Boolean\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun CharArray.single(predicate: (Char) -> Boolean): Char {\n var single: Char? = null\n var found = false\n for (element in this) {\n if

(predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Char\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun <T> Array<out T>.singleOrNull(): T? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun ByteArray.singleOrNull(): Byte? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun ShortArray.singleOrNull(): Short? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun IntArray.singleOrNull(): Int? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun LongArray.singleOrNull(): Long? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun FloatArray.singleOrNull(): Float? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun DoubleArray.singleOrNull(): Double? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun BooleanArray.singleOrNull(): Boolean? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun CharArray.singleOrNull(): Char? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun <T> Array<out T>.singleOrNull(predicate: (T) -> Boolean): T? {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun ByteArray.singleOrNull(predicate: (Byte) -> Boolean): Byte? {\n var single: Byte? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun ShortArray.singleOrNull(predicate: (Short) -> Boolean): Short? {\n var single: Short? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun IntArray.singleOrNull(predicate: (Int) -> Boolean): Int? {\n var single: Int? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun LongArray.singleOrNull(predicate: (Long) -> Boolean): Long? {\n var single: Long? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun FloatArray.singleOrNull(predicate: (Float) -> Boolean): Float? {\n var single: Float? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or

`null` if element was not found or more than one element was found.\n */\npublic inline fun DoubleArray.singleOrNull(predicate: (Double) -> Boolean): Double? {\n var single: Double? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun BooleanArray.singleOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n var single: Boolean? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun CharArray.singleOrNull(predicate: (Char) -> Boolean): Char? {\n var single: Char? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Array<out T>.drop(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ByteArray.drop(n: Int): List<Byte> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ShortArray.drop(n: Int): List<Short> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun IntArray.drop(n: Int): List<Int> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun LongArray.drop(n: Int): List<Long> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun FloatArray.drop(n: Int): List<Float> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun DoubleArray.drop(n: Int): List<Double> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun BooleanArray.drop(n: Int): List<Boolean> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun CharArray.drop(n: Int):

List<Char> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Array<out T>.dropLast(n: Int): List<T> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException
 if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ByteArray.dropLast(n: Int): List<Byte> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ShortArray.dropLast(n: Int): List<Short> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun IntArray.dropLast(n: Int): List<Int> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\"
 }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun LongArray.dropLast(n: Int): List<Long> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun FloatArray.dropLast(n: Int): List<Float> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n
 */\npublic fun DoubleArray.dropLast(n: Int): List<Double> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun BooleanArray.dropLast(n: Int): List<Boolean> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun CharArray.dropLast(n: Int): List<Char> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n
 * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Array<out T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n   for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n   return take(index + 1)\n   }\n   }\n   return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ByteArray.dropLastWhile(predicate: (Byte) -> Boolean): List<Byte> {\n   for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n   return take(index + 1)\n   }\n   }\n   return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample

samples.collections.Collections.Transformations.drop\n */\npublic inline fun ShortArray.dropLastWhile(predicate: (Short) -> Boolean): List<Short> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun IntArray.dropLastWhile(predicate: (Int) -> Boolean): List<Int> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun LongArray.dropLastWhile(predicate: (Long) -> Boolean): List<Long>
{\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun FloatArray.dropLastWhile(predicate: (Float) -> Boolean): List<Float> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun DoubleArray.dropLastWhile(predicate: (Double) -> Boolean): List<Double> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n
}\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun BooleanArray.dropLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun CharArray.dropLastWhile(predicate: (Char) -> Boolean): List<Char> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy
the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Array<out T>.dropWhile(predicate: (T) -> Boolean): List<T> {\n var yielding = false\n val list = ArrayList<T>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ByteArray.dropWhile(predicate: (Byte) -> Boolean): List<Byte> {\n var yielding = false\n val list = ArrayList<Byte>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing
all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ShortArray.dropWhile(predicate: (Short) -> Boolean): List<Short> {\n var yielding = false\n val list = ArrayList<Short>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun IntArray.dropWhile(predicate: (Int) -> Boolean): List<Int> {\n var yielding = false\n val list = ArrayList<Int>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun

LongArray.dropWhile(predicate: (Long) -> Boolean): List<Long> {\n var yielding = false\n val list = ArrayList<Long>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun FloatArray.dropWhile(predicate: (Float) -> Boolean): List<Float> {\n var yielding = false\n val list = ArrayList<Float>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun DoubleArray.dropWhile(predicate: (Double) -> Boolean): List<Double> {\n var yielding = false\n val list = ArrayList<Double>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun BooleanArray.dropWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n var yielding = false\n val list = ArrayList<Boolean>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun CharArray.dropWhile(predicate: (Char) -> Boolean): List<Char> {\n var yielding = false\n val list = ArrayList<Char>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun <T> Array<out T>.filter(predicate: (T) -> Boolean): List<T> {\n return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline
fun ByteArray.filter(predicate: (Byte) -> Boolean): List<Byte> {\n return filterTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun ShortArray.filter(predicate: (Short) -> Boolean): List<Short> {\n return filterTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun IntArray.filter(predicate: (Int) -> Boolean): List<Int> {\n return filterTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun LongArray.filter(predicate: (Long) -> Boolean): List<Long> {\n return filterTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun FloatArray.filter(predicate: (Float) -> Boolean): List<Float> {\n return filterTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun DoubleArray.filter(predicate: (Double) -> Boolean): List<Double> {\n return filterTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun BooleanArray.filter(predicate: (Boolean) -> Boolean): List<Boolean> {\n return filterTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun CharArray.filter(predicate: (Char) -> Boolean): List<Char> {\n return filterTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <T> Array<out T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n return filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun ByteArray.filterIndexed(predicate: (index: Int, Byte) -> Boolean): List<Byte> {\n return filterIndexedTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the

given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun ShortArray.filterIndexed(predicate: (index: Int, Short) -> Boolean): List<Short> {\n   return filterIndexedTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n
 * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun IntArray.filterIndexed(predicate: (index: Int, Int) -> Boolean): List<Int> {\n   return filterIndexedTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun LongArray.filterIndexed(predicate: (index: Int, Long) -> Boolean): List<Long> {\n   return filterIndexedTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun FloatArray.filterIndexed(predicate: (index: Int, Float) -> Boolean): List<Float> {\n   return filterIndexedTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun DoubleArray.filterIndexed(predicate: (index: Int, Double) -> Boolean): List<Double> {\n return filterIndexedTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun BooleanArray.filterIndexed(predicate: (index: Int, Boolean) -> Boolean): List<Boolean> {\n   return filterIndexedTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing only
 elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun CharArray.filterIndexed(predicate: (index: Int, Char) -> Boolean): List<Char> {\n   return filterIndexedTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param
 [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterIndexedTo(destination: C, predicate: (index: Int, Byte) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterIndexedTo(destination: C, predicate: (index: Int, Short) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements
 matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Int>> IntArray.filterIndexedTo(destination: C, predicate: (index: Int, Int) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the

element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Long>> LongArray.filterIndexedTo(destination: C, predicate: (index: Int, Long) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterIndexedTo(destination: C, predicate: (index: Int, Float) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterIndexedTo(destination: C, predicate: (index: Int, Double) -> Boolean): C {\n   forEachIndexed { index, element
    ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterIndexedTo(destination: C, predicate: (index: Int, Boolean) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterIndexedTo(destination: C, predicate:
    (index: Int, Char) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Returns a list containing all elements that are instances of specified type parameter R.\n */\npublic inline fun <reified R> Array<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n   return filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type parameter R to the given [destination].\n */\npublic inline fun <reified R, C : MutableCollection<in R>> Array<*>.filterIsInstanceTo(destination: C): C {\n   for (element in this) if (element is R) destination.add(element)\n   return destination\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun <T> Array<out T>.filterNot(predicate: (T) -> Boolean): List<T> {\n   return filterNotTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns
    a list containing all elements not matching the given [predicate].\n */\npublic inline fun ByteArray.filterNot(predicate: (Byte) -> Boolean): List<Byte> {\n   return filterNotTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun ShortArray.filterNot(predicate: (Short) -> Boolean): List<Short> {\n   return filterNotTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun IntArray.filterNot(predicate: (Int) -> Boolean): List<Int> {\n   return filterNotTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun LongArray.filterNot(predicate: (Long) -> Boolean): List<Long> {\n   return filterNotTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic
    inline fun FloatArray.filterNot(predicate: (Float) -> Boolean): List<Float> {\n   return filterNotTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun DoubleArray.filterNot(predicate: (Double) -> Boolean): List<Double> {\n   return filterNotTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun BooleanArray.filterNot(predicate: (Boolean) -> Boolean): List<Boolean> {\n   return filterNotTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun CharArray.filterNot(predicate: (Char) -> Boolean): List<Char> {\n   return filterNotTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing

all elements that are not `null`.\n */\npublic fun <T : Any> Array<out T?>.filterNotNull(): List<T> {\n return filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n */\npublic fun <C : MutableCollection<in T>, T : Any> Array<out T?>.filterNotNullTo(destination: C): C {\n for (element in this) if (element != null) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterNotTo(destination: C, predicate: (Byte) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterNotTo(destination: C, predicate: (Short) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Int>> IntArray.filterNotTo(destination: C, predicate: (Int) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Long>> LongArray.filterNotTo(destination: C, predicate: (Long) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterNotTo(destination: C, predicate: (Float) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterNotTo(destination: C, predicate: (Double) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterNotTo(destination: C, predicate: (Boolean) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterTo(destination: C, predicate: (Byte) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterTo(destination: C, predicate: (Short) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Int>> IntArray.filterTo(destination: C, predicate: (Int) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Long>> LongArray.filterTo(destination: C, predicate: (Long) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterTo(destination: C, predicate: (Float) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return

destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterTo(destination: C, predicate: (Double) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterTo(destination: C, predicate: (Boolean) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline
fun <C : MutableCollection<in Char>> CharArray.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun <T> Array<out T>.slice(indices: IntRange): List<T> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun ByteArray.slice(indices: IntRange): List<Byte> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun ShortArray.slice(indices: IntRange): List<Short> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start,
indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun IntArray.slice(indices: IntRange): List<Int> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun LongArray.slice(indices: IntRange): List<Long> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun FloatArray.slice(indices: IntRange): List<Float> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun DoubleArray.slice(indices:
IntRange): List<Double> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun BooleanArray.slice(indices: IntRange): List<Boolean> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun CharArray.slice(indices: IntRange): List<Char> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun <T> Array<out T>.slice(indices: Iterable<Int>): List<T> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<T>(size)\n
for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun ByteArray.slice(indices: Iterable<Int>): List<Byte> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<Byte>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun ShortArray.slice(indices: Iterable<Int>): List<Short> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<Short>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun IntArray.slice(indices: Iterable<Int>): List<Int> {\n val size = indices.collectionSizeOrDefault(10)\n
if (size == 0) return emptyList()\n val list = ArrayList<Int>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun LongArray.slice(indices: Iterable<Int>): List<Long> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<Long>(size)\n

for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun FloatArray.slice(indices: Iterable<Int>): List<Float> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<Float>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun DoubleArray.slice(indices: Iterable<Int>): List<Double> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<Double>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun BooleanArray.slice(indices: Iterable<Int>): List<Boolean> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<Boolean>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun CharArray.slice(indices: Iterable<Int>): List<Char> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<Char>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun <T> Array<T>.sliceArray(indices: Collection<Int>): Array<T> {\n val result = arrayOfNulls(this, indices.size)\n var targetIndex = 0\n for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n }\n return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun ByteArray.sliceArray(indices: Collection<Int>): ByteArray {\n val result = ByteArray(indices.size)\n var targetIndex = 0\n for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n }\n return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun ShortArray.sliceArray(indices: Collection<Int>): ShortArray {\n val result = ShortArray(indices.size)\n var targetIndex = 0\n for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n }\n return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun IntArray.sliceArray(indices: Collection<Int>): IntArray {\n val result = IntArray(indices.size)\n var targetIndex = 0\n for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n }\n return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun LongArray.sliceArray(indices: Collection<Int>): LongArray {\n val result = LongArray(indices.size)\n var targetIndex = 0\n for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n }\n return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun FloatArray.sliceArray(indices: Collection<Int>): FloatArray {\n val result = FloatArray(indices.size)\n var targetIndex = 0\n for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n }\n return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun DoubleArray.sliceArray(indices: Collection<Int>): DoubleArray {\n val result = DoubleArray(indices.size)\n var targetIndex = 0\n for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n }\n return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun BooleanArray.sliceArray(indices: Collection<Int>): BooleanArray {\n val result = BooleanArray(indices.size)\n var targetIndex = 0\n for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n }\n return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun CharArray.sliceArray(indices: Collection<Int>): CharArray {\n val result = CharArray(indices.size)\n var targetIndex = 0\n for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n }\n return result\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun <T> Array<T>.sliceArray(indices: IntRange): Array<T> {\n if (indices.isEmpty()) return copyOfRange(0, 0)\n return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun ByteArray.sliceArray(indices: IntRange): ByteArray {\n if (indices.isEmpty()) return ByteArray(0)\n return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun ShortArray.sliceArray(indices:

IntRange): ShortArray {\n if (indices.isEmpty()) return ShortArray(0)\n return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements
at indices in the specified [indices] range.\n */\npublic fun IntArray.sliceArray(indices: IntRange): IntArray {\n if (indices.isEmpty()) return IntArray(0)\n return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun LongArray.sliceArray(indices: IntRange): LongArray {\n if (indices.isEmpty()) return LongArray(0)\n return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun FloatArray.sliceArray(indices: IntRange): FloatArray {\n if (indices.isEmpty()) return FloatArray(0)\n return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun DoubleArray.sliceArray(indices: IntRange): DoubleArray {\n if (indices.isEmpty()) return DoubleArray(0)\n return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun BooleanArray.sliceArray(indices: IntRange): BooleanArray {\n if (indices.isEmpty()) return BooleanArray(0)\n return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun CharArray.sliceArray(indices: IntRange): CharArray {\n if (indices.isEmpty()) return CharArray(0)\n return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun <T> Array<out T>.take(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<T>(n)\n for (item in this) {\n if (count++ == n)\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ByteArray.take(n: Int): List<Byte> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Byte>(n)\n for (item in this) {\n if (count++ == n)\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ShortArray.take(n: Int): List<Short> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Short>(n)\n for (item in this) {\n if (count++ == n)\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun IntArray.take(n: Int): List<Int> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Int>(n)\n for (item in this) {\n if (count++ == n)\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun LongArray.take(n: Int): List<Long> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Long>(n)\n for (item in this) {\n if (count++ == n)\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun FloatArray.take(n: Int): List<Float> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n

if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Float>(n)\n   for (item in this) {\n   if (count++ == n)\n   break\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun DoubleArray.take(n: Int): List<Double> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Double>(n)\n   for (item in this) {\n   if (count++ == n)\n   break\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun BooleanArray.take(n: Int): List<Boolean> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Boolean>(n)\n   for (item in this) {\n   if (count++ == n)\n   break\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun CharArray.take(n: Int): List<Char> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Char>(n)\n   for (item in this) {\n   if (count++ == n)\n   break\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Array<out T>.takeLast(n: Int): List<T> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<T>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ByteArray.takeLast(n: Int): List<Byte> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<Byte>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ShortArray.takeLast(n: Int): List<Short> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<Short>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun IntArray.takeLast(n: Int): List<Int> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<Int>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun LongArray.takeLast(n: Int): List<Long> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<Long>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun FloatArray.takeLast(n: Int): List<Float> {\n

require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<Float>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun DoubleArray.takeLast(n: Int): List<Double> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<Double>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun BooleanArray.takeLast(n: Int): List<Boolean> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<Boolean>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun CharArray.takeLast(n: Int): List<Char> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<Char>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> Array<out T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n   for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n   return drop(index + 1)\n   }\n   }\n   return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ByteArray.takeLastWhile(predicate: (Byte) -> Boolean): List<Byte> {\n   for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n   return drop(index + 1)\n   }\n   }\n   return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ShortArray.takeLastWhile(predicate: (Short) -> Boolean): List<Short> {\n   for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n   return drop(index + 1)\n   }\n   }\n   return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun IntArray.takeLastWhile(predicate: (Int) -> Boolean): List<Int> {\n   for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n   return drop(index + 1)\n   }\n   }\n   return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun LongArray.takeLastWhile(predicate: (Long) -> Boolean): List<Long> {\n   for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n   return drop(index + 1)\n   }\n   }\n   return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun FloatArray.takeLastWhile(predicate: (Float) -> Boolean): List<Float> {\n   for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n   return drop(index + 1)\n   }\n   }\n   return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun DoubleArray.takeLastWhile(predicate: (Double) -> Boolean): List<Double> {\n   for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n   return drop(index + 1)\n   }\n   }\n   return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun BooleanArray.takeLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n   for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n   return drop(index + 1)\n   }\n   }\n   return

```
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun CharArray.takeLastWhile(predicate: (Char) -> Boolean): List<Char> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index]))\n            return drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> Array<out T>.takeWhile(predicate: (T) -> Boolean): List<T> {\n    val list = ArrayList<T>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ByteArray.takeWhile(predicate: (Byte) -> Boolean): List<Byte> {\n    val list = ArrayList<Byte>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n *
 @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ShortArray.takeWhile(predicate: (Short) -> Boolean): List<Short> {\n    val list = ArrayList<Short>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun IntArray.takeWhile(predicate: (Int) -> Boolean): List<Int> {\n    val list = ArrayList<Int>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun LongArray.takeWhile(predicate: (Long) -> Boolean): List<Long> {\n    val list = ArrayList<Long>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun FloatArray.takeWhile(predicate: (Float) -> Boolean): List<Float> {\n    val list = ArrayList<Float>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun DoubleArray.takeWhile(predicate: (Double) -> Boolean): List<Double> {\n    val list = ArrayList<Double>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first elements satisfying
 the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun BooleanArray.takeWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n    val list = ArrayList<Boolean>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun CharArray.takeWhile(predicate: (Char) -> Boolean): List<Char> {\n    val list = ArrayList<Char>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun <T> Array<T>.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun ByteArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun ShortArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun IntArray.reverse(): Unit {\n    val midPoint = (size
```

/ 2) - 1\n   if (midPoint < 0) return\n   var reverseIndex = lastIndex\n   for (index in 0..midPoint) {\n   val tmp = this[index]\n   this[index] = this[reverseIndex]\n   this[reverseIndex] = tmp\n   reverseIndex--\n   }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun LongArray.reverse(): Unit {\n   val midPoint = (size / 2) - 1\n   if (midPoint < 0) return\n   var reverseIndex = lastIndex\n   for (index in 0..midPoint) {\n   val tmp = this[index]\n   this[index] = this[reverseIndex]\n   this[reverseIndex] = tmp\n   reverseIndex--\n   }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun FloatArray.reverse(): Unit {\n   val midPoint = (size / 2) - 1\n   if (midPoint < 0) return\n   var reverseIndex = lastIndex\n   for (index in 0..midPoint) {\n   val tmp = this[index]\n   this[index] = this[reverseIndex]\n   this[reverseIndex] = tmp\n   reverseIndex--\n   }\n}\n\n/**\n
 * Reverses elements in the array in-place.\n */\npublic fun DoubleArray.reverse(): Unit {\n   val midPoint = (size / 2) - 1\n   if (midPoint < 0) return\n   var reverseIndex = lastIndex\n   for (index in 0..midPoint) {\n   val tmp = this[index]\n   this[index] = this[reverseIndex]\n   this[reverseIndex] = tmp\n   reverseIndex--\n   }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun BooleanArray.reverse(): Unit {\n   val midPoint = (size / 2) - 1\n   if (midPoint < 0) return\n   var reverseIndex = lastIndex\n   for (index in 0..midPoint) {\n   val tmp = this[index]\n   this[index] = this[reverseIndex]\n   this[reverseIndex] = tmp\n   reverseIndex--\n   }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun CharArray.reverse(): Unit {\n   val midPoint = (size / 2) - 1\n   if (midPoint < 0) return\n   var reverseIndex = lastIndex\n   for (index in 0..midPoint) {\n   val tmp = this[index]\n
        this[index] = this[reverseIndex]\n   this[reverseIndex] = tmp\n   reverseIndex--\n   }\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun <T> Array<out T>.reversed(): List<T> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun ByteArray.reversed(): List<Byte> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun ShortArray.reversed(): List<Short> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun IntArray.reversed(): List<Int> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n
 * Returns a list with elements in reversed order.\n */\npublic fun LongArray.reversed(): List<Long> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun FloatArray.reversed(): List<Float> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun DoubleArray.reversed(): List<Double> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun BooleanArray.reversed(): List<Boolean> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun CharArray.reversed():
 List<Char> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun <T> Array<T>.reversedArray(): Array<T> {\n   if (isEmpty()) return this\n   val result = arrayOfNulls(this, size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun ByteArray.reversedArray(): ByteArray {\n   if (isEmpty()) return this\n   val result = ByteArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun ShortArray.reversedArray(): ShortArray {\n   if (isEmpty()) return this\n   val result = ShortArray(size)\n   val lastIndex = lastIndex\n
    for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun IntArray.reversedArray(): IntArray {\n   if (isEmpty()) return this\n   val result = IntArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n

result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun LongArray.reversedArray(): LongArray {\n   if (isEmpty()) return this\n   val result = LongArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun FloatArray.reversedArray(): FloatArray {\n   if (isEmpty()) return this\n   val result = FloatArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n

result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun DoubleArray.reversedArray(): DoubleArray {\n   if (isEmpty()) return this\n   val result = DoubleArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun BooleanArray.reversedArray(): BooleanArray {\n   if (isEmpty()) return this\n   val result = BooleanArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun CharArray.reversedArray(): CharArray {\n   if (isEmpty()) return this\n   val result = CharArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex -

i] = this[i]\n   return result\n}\n\n/**\n * Sorts elements in the array in-place according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortBy(crossinline selector: (T) -> R?): Unit {\n   if (size > 1) sortWith(compareBy(selector))\n}\n\n/**\n * Sorts elements in the array in-place descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n   if (size > 1) sortWith(compareByDescending(selector))\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n * \n

* The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<out T>.sortDescending(): Unit {\n   sortWith(reverseOrder())\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun ByteArray.sortDescending(): Unit {\n   if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun ShortArray.sortDescending(): Unit {\n   if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun IntArray.sortDescending(): Unit {\n   if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun LongArray.sortDescending(): Unit {\n   if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun FloatArray.sortDescending(): Unit {\n   if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun DoubleArray.sortDescending(): Unit {\n   if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun CharArray.sortDescending(): Unit {\n   if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<out T>.sorted():

List<T> {\n   return sortedArray().asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun ByteArray.sorted(): List<Byte> {\n   return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun ShortArray.sorted(): List<Short> {\n   return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun IntArray.sorted(): List<Int> {\n   return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural

sort order.\n */\npublic fun LongArray.sorted(): List<Long> {\n   return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun FloatArray.sorted(): List<Float> {\n   return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun DoubleArray.sorted(): List<Double> {\n   return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun CharArray.sorted(): List<Char> {\n   return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<T>.sortedArray(): Array<T> {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun ByteArray.sortedArray(): ByteArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun ShortArray.sortedArray(): ShortArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun IntArray.sortedArray(): IntArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun LongArray.sortedArray(): LongArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun FloatArray.sortedArray(): FloatArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun DoubleArray.sortedArray(): DoubleArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun CharArray.sortedArray(): CharArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<T>.sortedArrayDescending(): Array<T> {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortWith(reverseOrder()) }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun ByteArray.sortedArrayDescending(): ByteArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun ShortArray.sortedArrayDescending(): ShortArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun IntArray.sortedArrayDescending(): IntArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun LongArray.sortedArrayDescending(): LongArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun FloatArray.sortedArrayDescending(): FloatArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun DoubleArray.sortedArrayDescending(): DoubleArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun CharArray.sortedArrayDescending(): CharArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according the specified [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other

after sorting.\n */\npublic
fun <T> Array<out T>.sortedArrayWith(comparator: Comparator<in T>): Array<out T> {\n if (isEmpty()) return this\n return this.copyOf().apply { sortWith(comparator) }\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> ByteArray.sortedBy(crossinline selector: (Byte) -> R?): List<Byte> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified
[selector] function.\n */\npublic inline fun <R : Comparable<R>> ShortArray.sortedBy(crossinline selector: (Short) -> R?): List<Short> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> IntArray.sortedBy(crossinline selector: (Int) -> R?): List<Int> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> LongArray.sortedBy(crossinline selector: (Long) -> R?): List<Long> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> FloatArray.sortedBy(crossinline selector:
(Float) -> R?): List<Float> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> DoubleArray.sortedBy(crossinline selector: (Double) -> R?): List<Double> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> BooleanArray.sortedBy(crossinline selector: (Boolean) -> R?): List<Boolean> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> CharArray.sortedBy(crossinline selector: (Char) -> R?): List<Char> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns
a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> ByteArray.sortedByDescending(crossinline selector: (Byte) -> R?): List<Byte> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> ShortArray.sortedByDescending(crossinline selector:
(Short) -> R?): List<Short> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> IntArray.sortedByDescending(crossinline selector: (Int) -> R?): List<Int> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> LongArray.sortedByDescending(crossinline selector: (Long) -> R?): List<Long> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline

fun <R : Comparable<R>> FloatArray.sortedByDescending(crossinline selector: (Float) -> R?): List<Float> {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> DoubleArray.sortedByDescending(crossinline selector: (Double) -> R?): List<Double> {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> BooleanArray.sortedByDescending(crossinline selector: (Boolean) -> R?): List<Boolean> {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> CharArray.sortedByDescending(crossinline selector: (Char) -> R?): List<Char> {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<out T>.sortedDescending(): List<T> {\n   return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun ByteArray.sortedDescending(): List<Byte> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun ShortArray.sortedDescending(): List<Short> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun IntArray.sortedDescending(): List<Int> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun LongArray.sortedDescending(): List<Long> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun FloatArray.sortedDescending(): List<Float> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun DoubleArray.sortedDescending(): List<Double> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun CharArray.sortedDescending(): List<Char> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T> Array<out T>.sortedWith(comparator: Comparator<in T>): List<T> {\n   return sortedArrayWith(comparator).asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun ByteArray.sortedWith(comparator: Comparator<in Byte>): List<Byte> {\n   return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun ShortArray.sortedWith(comparator: Comparator<in Short>): List<Short> {\n   return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun IntArray.sortedWith(comparator: Comparator<in Int>): List<Int> {\n   return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun LongArray.sortedWith(comparator: Comparator<in Long>): List<Long> {\n   return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun FloatArray.sortedWith(comparator: Comparator<in Float>): List<Float> {\n   return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun DoubleArray.sortedWith(comparator: Comparator<in Double>): List<Double> {\n   return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun BooleanArray.sortedWith(comparator: Comparator<in Boolean>): List<Boolean> {\n   return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a

list of all elements sorted according to the specified [comparator].\n */\npublic fun CharArray.sortedWith(comparator: Comparator<in Char>): List<Char> {\n   return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun <T> Array<out T>.asList(): List<T>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun ByteArray.asList(): List<Byte>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun ShortArray.asList(): List<Short>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun IntArray.asList(): List<Int>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun LongArray.asList(): List<Long>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun FloatArray.asList(): List<Float>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun DoubleArray.asList():
List<Double>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun BooleanArray.asList(): List<Boolean>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun CharArray.asList(): List<Char>\n\n/**\n * Returns `true` if the two specified arrays are *deeply* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * If two corresponding elements are nested arrays, they are also compared deeply.\n * If any of arrays contains itself on any nesting level the behavior is undefined.\n * \n * The elements of other types are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun <T> Array<out T>.contentDeepEquals(other: Array<out T>): Boolean\n\n/**\n * Returns a hash code based on the contents of this array as if
it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level the behavior is undefined.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T> Array<out T>.contentDeepHashCode(): Int\n\n/**\n * Returns a string representation of the contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level that reference\n * is rendered as `\"[...]\"` to prevent recursion.\n * \n * @sample samples.collections.Arrays.ContentOperations.contentDeepToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T> Array<out T>.contentDeepToString(): String\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal
to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun <T> Array<out T>.contentEquals(other: Array<out T>): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun ByteArray.contentEquals(other: ByteArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic
expect infix fun ShortArray.contentEquals(other: ShortArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun IntArray.contentEquals(other: IntArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun LongArray.contentEquals(other: LongArray):

Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun FloatArray.contentEquals(other: FloatArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun CharArray.contentEquals(other: CharArray): Boolean\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T> Array<out T>.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun ByteArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun ShortArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun IntArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun LongArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun FloatArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun DoubleArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun BooleanArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun CharArray.contentHashCode(): Int\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T> Array<out T>.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun ByteArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun ShortArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun IntArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun LongArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun FloatArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun

DoubleArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun BooleanArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun CharArray.contentToString(): String\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the
destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): Array<T>\n\n/**\n * Copies this array or its subrange
into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic
expect fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ByteArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified
[destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ShortArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n

*/\n@SinceKotlin(\"1.3\")\npublic expect fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): IntArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): LongArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): FloatArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n *

@param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.copyOf(): Array<T>\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun ByteArray.copyOf(): ByteArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun ShortArray.copyOf(): ShortArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun IntArray.copyOf(): IntArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun LongArray.copyOf(): LongArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun FloatArray.copyOf(): FloatArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun DoubleArray.copyOf(): DoubleArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun BooleanArray.copyOf(): BooleanArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun CharArray.copyOf(): CharArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun ByteArray.copyOf(newSize: Int): ByteArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun ShortArray.copyOf(newSize: Int): ShortArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun IntArray.copyOf(newSize: Int): IntArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n *
The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun

LongArray.copyOf(newSize: Int): LongArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun FloatArray.copyOf(newSize: Int): FloatArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun DoubleArray.copyOf(newSize: Int): DoubleArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `false` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `false` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun BooleanArray.copyOf(newSize: Int): BooleanArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with null char (`\\u0000`) values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with null char (`\\u0000`) values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun CharArray.copyOf(newSize: Int): CharArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `null` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `null` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.copyOf(newSize: Int): Array<T?>\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T>\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic expect fun ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic expect fun ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic expect fun IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic expect fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n

*/\npublic expect fun FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic expect fun DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic expect fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic expect fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun ByteArray.fill(element: Byte, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun ShortArray.fill(element: Short, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun IntArray.fill(element: Int, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun LongArray.fill(element: Long, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun FloatArray.fill(element: Float, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun DoubleArray.fill(element: Double, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by

default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n *
\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun BooleanArray.fill(element: Boolean, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun CharArray.fill(element: Char, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val <T> Array<out T>.indices:
IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val ByteArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val ShortArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val IntArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val LongArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val FloatArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val DoubleArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val BooleanArray.indices:
IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val CharArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isEmpty(): Boolean {\n return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if
the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true`

if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns the last valid index for the array.\n */\npublic val <T> Array<out T>.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val ByteArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val ShortArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val IntArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val LongArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val FloatArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val DoubleArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns
the last valid index for the array.\n */\npublic val BooleanArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val CharArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect operator fun <T> Array<T>.plus(element: T): Array<T>\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun ByteArray.plus(element: Byte): ByteArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun ShortArray.plus(element: Short): ShortArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun IntArray.plus(element: Int): IntArray\n\n/**\n * Returns an array
containing all elements of the original array and then the given [element].\n */\npublic expect operator fun LongArray.plus(element: Long): LongArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun FloatArray.plus(element: Float): FloatArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun DoubleArray.plus(element: Double): DoubleArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun BooleanArray.plus(element: Boolean): BooleanArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun CharArray.plus(element: Char): CharArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements]
collection.\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect operator fun <T> Array<T>.plus(elements: Collection<T>): Array<T>\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun ShortArray.plus(elements: Collection<Short>): ShortArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun IntArray.plus(elements: Collection<Int>): IntArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun LongArray.plus(elements: Collection<Long>):
LongArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun FloatArray.plus(elements: Collection<Float>): FloatArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun CharArray.plus(elements: Collection<Char>): CharArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements

of the given [elements] array.\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect operator fun <T> Array<T>.plus(elements: Array<out T>): Array<T>\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun ByteArray.plus(elements: ByteArray): ByteArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun ShortArray.plus(elements: ShortArray): ShortArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun IntArray.plus(elements: IntArray): IntArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun LongArray.plus(elements: LongArray): LongArray\n\n/**\n * Returns
an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun FloatArray.plus(elements: FloatArray): FloatArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun DoubleArray.plus(elements: DoubleArray): DoubleArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun BooleanArray.plus(elements: BooleanArray): BooleanArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun CharArray.plus(elements: CharArray): CharArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.plusElement(element:
T): Array<T>\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun IntArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun LongArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun ByteArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun ShortArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun DoubleArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun FloatArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n
*/\npublic expect fun CharArray.sort(): Unit\n\n/**\n * Sorts the array in-place according to the natural order of its elements.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @sample samples.collections.Arrays.Sorting.sortArrayOfComparable\n */\npublic expect fun <T : Comparable<T>> Array<out T>.sort(): Unit\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic expect fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit\n\n/**\n * Returns an array of Boolean containing all of the elements of this generic array.\n */\npublic fun Array<out Boolean>.toBooleanArray(): BooleanArray {\n   return BooleanArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Byte containing all of the elements
of this generic array.\n */\npublic fun Array<out Byte>.toByteArray(): ByteArray {\n   return ByteArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Char containing all of the elements of this generic array.\n */\npublic fun Array<out Char>.toCharArray(): CharArray {\n   return CharArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Double containing all of the elements of this generic array.\n */\npublic fun Array<out Double>.toDoubleArray(): DoubleArray {\n   return DoubleArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Float containing all of the elements of this generic array.\n */\npublic fun Array<out Float>.toFloatArray(): FloatArray {\n   return FloatArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Int containing all of the elements of this generic array.\n */\npublic fun Array<out Int>.toIntArray(): IntArray {\n   return IntArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array

of Long containing all of the elements of this generic array.\n */\npublic fun Array<out Long>.toLongArray(): LongArray {\n   return LongArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Short containing all of the elements of this generic array.\n */\npublic fun Array<out Short>.toShortArray(): ShortArray {\n   return ShortArray(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun ByteArray.toTypedArray(): Array<Byte>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun ShortArray.toTypedArray(): Array<Short>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun IntArray.toTypedArray(): Array<Int>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun LongArray.toTypedArray():
Array<Long>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun FloatArray.toTypedArray(): Array<Float>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun DoubleArray.toTypedArray(): Array<Double>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun BooleanArray.toTypedArray(): Array<Boolean>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun CharArray.toTypedArray(): Array<Char>\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic
inline fun <T, K, V> Array<out T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> ByteArray.associate(transform: (Byte) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the
entry iteration order of the original array.\n */\npublic inline fun <K, V> ShortArray.associate(transform: (Short) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> IntArray.associate(transform: (Int) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added
to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> LongArray.associate(transform: (Long) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> FloatArray.associate(transform: (Float) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to

elements of the given array.\n * \n * If any of
two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> DoubleArray.associate(transform: (Double) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> BooleanArray.associate(transform: (Boolean) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n
* applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> CharArray.associate(transform: (Char) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <T, K> Array<out T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, T>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> ByteArray.associateBy(keySelector: (Byte) -> K): Map<K, Byte> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Byte>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> ShortArray.associateBy(keySelector:
(Short) -> K): Map<K, Short> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Short>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> IntArray.associateBy(keySelector: (Int) -> K): Map<K, Int> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Int>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the
last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> LongArray.associateBy(keySelector: (Long) -> K): Map<K, Long> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Long>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> FloatArray.associateBy(keySelector: (Float) -> K): Map<K, Float> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K,

Float>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array
indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K>
DoubleArray.associateBy(keySelector: (Double) -> K): Map<K, Double> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Double>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> BooleanArray.associateBy(keySelector: (Boolean) -> K): Map<K, Boolean> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n
return associateByTo(LinkedHashMap<K, Boolean>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> CharArray.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Char>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the
entry iteration order of the original array.\n */\npublic inline fun <T, K, V> Array<out T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> ByteArray.associateBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> ShortArray.associateBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> IntArray.associateBy(keySelector: (Int) -> K, valueTransform:
(Int) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> LongArray.associateBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by

[valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have
the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> FloatArray.associateBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> DoubleArray.associateBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> BooleanArray.associateBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n */\npublic inline fun <K, V> CharArray.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key
is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Byte>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Short>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K): M {\n for (element in this) {\n destination.put(keySelector(element),
element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Int>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to

each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Long>> LongArray.associateByTo(destination: M, keySelector: (Long) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Float>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Double>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Boolean>> BooleanArray.associateByTo(destination: M, keySelector: (Boolean) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Char>> CharArray.associateByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K, valueTransform: (Byte) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K, valueTransform: (Short) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateByTo(destination:

M, keySelector: (Int) -> K, valueTransform: (Int) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateByTo(destination: M, keySelector: (Long) -> K, valueTransform: (Long) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function
and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K, valueTransform: (Float) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateByTo(destination: M, keySelector: (Double)
-> K, valueTransform: (Double) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> BooleanArray.associateByTo(destination: M, keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value
is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n
* Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateTo(destination: M, transform: (Byte) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateTo(destination: M, transform: (Short) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates

and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateTo(destination: M, transform: (Int) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateTo(destination: M, transform: (Long) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateTo(destination: M, transform: (Float) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateTo(destination: M, transform: (Double) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> BooleanArray.associateTo(destination: M, transform: (Boolean) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateTo(destination: M, transform: (Char) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <T, C : MutableCollection<in T>> Array<out T>.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Byte>> ByteArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Short>> ShortArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Int>> IntArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Long>> LongArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Float>> FloatArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Double>> DoubleArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Boolean>> BooleanArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Char>> CharArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun

```
<T> Array<out T>.toHashSet(): HashSet<T> {\n    return
toCollection(HashSet<T>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun
ByteArray.toHashSet(): HashSet<Byte> {\n    return toCollection(HashSet<Byte>(mapCapacity(size)))\n}\n\n/**\n
* Returns a [HashSet] of all elements.\n */\npublic fun ShortArray.toHashSet(): HashSet<Short> {\n    return
toCollection(HashSet<Short>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic
fun IntArray.toHashSet(): HashSet<Int> {\n    return toCollection(HashSet<Int>(mapCapacity(size)))\n}\n\n/**\n *
Returns a [HashSet] of all elements.\n */\npublic
 fun LongArray.toHashSet(): HashSet<Long> {\n    return
toCollection(HashSet<Long>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic
fun FloatArray.toHashSet(): HashSet<Float> {\n    return
toCollection(HashSet<Float>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic
fun DoubleArray.toHashSet(): HashSet<Double> {\n    return
toCollection(HashSet<Double>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic
fun BooleanArray.toHashSet(): HashSet<Boolean> {\n    return
toCollection(HashSet<Boolean>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n
*/\npublic fun CharArray.toHashSet(): HashSet<Char> {\n    return
toCollection(HashSet<Char>(mapCapacity(size)))\n}\n\n/**\n * Returns a [List] containing all elements.\n
*/\npublic fun <T> Array<out T>.toList(): List<T> {\n    return when (size) {\n        0 -> emptyList()\n        1 ->
listOf(this[0])\n        else ->
 this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun
ByteArray.toList(): List<Byte> {\n    return when (size) {\n        0 -> emptyList()\n        1 -> listOf(this[0])\n
else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun
ShortArray.toList(): List<Short> {\n    return when (size) {\n        0 -> emptyList()\n        1 -> listOf(this[0])\n
else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun
IntArray.toList(): List<Int> {\n    return when (size) {\n        0 -> emptyList()\n        1 -> listOf(this[0])\n        else ->
this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun
LongArray.toList(): List<Long> {\n    return when (size) {\n        0 -> emptyList()\n        1 -> listOf(this[0])\n
else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List] containing
 all elements.\n */\npublic fun FloatArray.toList(): List<Float> {\n    return when (size) {\n        0 -> emptyList()\n
  1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List] containing all
elements.\n */\npublic fun DoubleArray.toList(): List<Double> {\n    return when (size) {\n        0 -> emptyList()\n
   1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List] containing all
elements.\n */\npublic fun BooleanArray.toList(): List<Boolean> {\n    return when (size) {\n        0 ->
emptyList()\n        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List]
containing all elements.\n */\npublic fun CharArray.toList(): List<Char> {\n    return when (size) {\n        0 ->
emptyList()\n        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [MutableList]
filled with all elements of this array.\n */\npublic fun
 <T> Array<out T>.toMutableList(): MutableList<T> {\n    return ArrayList(this.asCollection())\n}\n\n/**\n *
Returns a [MutableList] filled with all elements of this array.\n */\npublic fun ByteArray.toMutableList():
MutableList<Byte> {\n    val list = ArrayList<Byte>(size)\n    for (item in this) list.add(item)\n    return
list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun
ShortArray.toMutableList(): MutableList<Short> {\n    val list = ArrayList<Short>(size)\n    for (item in this)
list.add(item)\n    return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic
fun IntArray.toMutableList(): MutableList<Int> {\n    val list = ArrayList<Int>(size)\n    for (item in this)
list.add(item)\n    return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic
fun LongArray.toMutableList(): MutableList<Long> {\n    val list = ArrayList<Long>(size)\n    for (item in
 this) list.add(item)\n    return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n
*/\npublic fun FloatArray.toMutableList(): MutableList<Float> {\n    val list = ArrayList<Float>(size)\n    for (item
```

in this) list.add(item)\n   return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun DoubleArray.toMutableList(): MutableList<Double> {\n   val list = ArrayList<Double>(size)\n   for (item in this) list.add(item)\n   return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun BooleanArray.toMutableList(): MutableList<Boolean> {\n   val list = ArrayList<Boolean>(size)\n   for (item in this) list.add(item)\n   return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun CharArray.toMutableList(): MutableList<Char> {\n   val list = ArrayList<Char>(size)\n   for (item in this) list.add(item)\n   return list\n}\n\n/**\n
 * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun <T> Array<out T>.toSet(): Set<T> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))\n   }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ByteArray.toSet(): Set<Byte> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<Byte>(mapCapacity(size)))\n   }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ShortArray.toSet(): Set<Short> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<Short>(mapCapacity(size)))\n
    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun IntArray.toSet(): Set<Int> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<Int>(mapCapacity(size)))\n   }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun LongArray.toSet(): Set<Long> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<Long>(mapCapacity(size)))\n   }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun FloatArray.toSet(): Set<Float> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n
    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun DoubleArray.toSet(): Set<Double> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<Double>(mapCapacity(size)))\n   }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun BooleanArray.toSet(): Set<Boolean> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))\n   }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun CharArray.toSet(): Set<Char> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n
    else -> toCollection(LinkedHashSet<Char>(mapCapacity(size)))\n   }\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <T, R> Array<out T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> ByteArray.flatMap(transform: (Byte) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> ShortArray.flatMap(transform: (Short) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results
 of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> IntArray.flatMap(transform: (Int) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> LongArray.flatMap(transform: (Long) ->

Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> FloatArray.flatMap(transform: (Float) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> DoubleArray.flatMap(transform: (Double)
-> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> BooleanArray.flatMap(transform: (Boolean) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> CharArray.flatMap(transform: (Char) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n for (element in this) {\n val list =
transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.flatMapTo(destination: C, transform: (Byte) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.flatMapTo(destination: C, transform: (Short) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform]
function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> IntArray.flatMapTo(destination: C, transform: (Int) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> LongArray.flatMapTo(destination: C, transform: (Long) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.flatMapTo(destination:
C, transform: (Float) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.flatMapTo(destination: C, transform: (Double) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.flatMapTo(destination: C, transform: (Boolean) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n
}\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharArray.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector]

function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K> Array<out T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n return groupByTo(LinkedHashMap<K,
MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> ByteArray.groupBy(keySelector: (Byte) -> K): Map<K, List<Byte>> {\n return groupByTo(LinkedHashMap<K, MutableList<Byte>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*/\npublic inline fun <K> ShortArray.groupBy(keySelector: (Short) -> K): Map<K, List<Short>> {\n return groupByTo(LinkedHashMap<K, MutableList<Short>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> IntArray.groupBy(keySelector: (Int) -> K): Map<K, List<Int>> {\n return groupByTo(LinkedHashMap<K, MutableList<Int>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n
* \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> LongArray.groupBy(keySelector: (Long) -> K): Map<K, List<Long>> {\n return groupByTo(LinkedHashMap<K, MutableList<Long>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> FloatArray.groupBy(keySelector: (Float) -> K): Map<K, List<Float>> {\n return groupByTo(LinkedHashMap<K, MutableList<Float>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned
by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> DoubleArray.groupBy(keySelector: (Double) -> K): Map<K, List<Double>> {\n return groupByTo(LinkedHashMap<K, MutableList<Double>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> BooleanArray.groupBy(keySelector: (Boolean)
-> K): Map<K, List<Boolean>> {\n return groupByTo(LinkedHashMap<K, MutableList<Boolean>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector]

function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> CharArray.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n return groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned
map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V> Array<out T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> ByteArray.groupBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> ShortArray.groupBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map
where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> IntArray.groupBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> LongArray.groupBy(keySelector:
(Long) -> K, valueTransform: (Long) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> FloatArray.groupBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key

returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> DoubleArray.groupBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> BooleanArray.groupBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> CharArray.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K, M : MutableMap<in K, MutableList<T>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<T>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Byte>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Byte>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Short>>> ShortArray.groupByTo(destination: M, keySelector: (Short) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Short>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Int>>> IntArray.groupByTo(destination: M, keySelector: (Int) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Int>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n

*/\npublic inline fun <K, M : MutableMap<in K, MutableList<Long>>> LongArray.groupByTo(destination: M, keySelector: (Long) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Long>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Float>>> FloatArray.groupByTo(destination: M, keySelector: (Float) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Float>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Double>>> DoubleArray.groupByTo(destination: M, keySelector: (Double) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Double>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Boolean>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Boolean>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharArray.groupByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list
= destination.getOrPut(key) { ArrayList<Char>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element
of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -> K, valueTransform: (Byte) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding

values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ShortArray.groupByTo(destination: M, keySelector: (Short) -> K, valueTransform: (Short) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> IntArray.groupByTo(destination: M, keySelector: (Int) -> K, valueTransform: (Int) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> LongArray.groupByTo(destination: M, keySelector: (Long) -> K, valueTransform: (Long) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key)
{ ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> FloatArray.groupByTo(destination: M, keySelector: (Float) -> K, valueTransform: (Float) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element
of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> DoubleArray.groupByTo(destination: M, keySelector: (Double) -> K, valueTransform: (Double) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding
values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic

inline fun <K, V, M : MutableMap<in K, MutableList<V>>>
CharArray.groupByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Creates a [Grouping] source from an array to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Array<out T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n return object : Grouping<T, K> {\n override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n override fun keyOf(element: T): K = keySelector(element)\n }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n *
to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <T, R> Array<out T>.map(transform: (T) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> ByteArray.map(transform: (Byte) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> ShortArray.map(transform: (Short) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n
* to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> IntArray.map(transform: (Int) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> LongArray.map(transform: (Long) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> FloatArray.map(transform: (Float) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n
* to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> DoubleArray.map(transform: (Double) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> BooleanArray.map(transform: (Boolean) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> CharArray.map(transform: (Char) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform]
function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R> Array<out T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> ByteArray.mapIndexed(transform: (index: Int, Byte) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying

the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> ShortArray.mapIndexed(transform: (index: Int, Short) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> IntArray.mapIndexed(transform: (index: Int, Int) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> LongArray.mapIndexed(transform: (index: Int, Long) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> FloatArray.mapIndexed(transform: (index: Int, Float) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> DoubleArray.mapIndexed(transform: (index: Int, Double) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> BooleanArray.mapIndexed(transform: (index: Int, Boolean) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> CharArray.mapIndexed(transform: (index: Int, Char) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any> Array<out T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Array<out T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and

the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.mapIndexedTo(destination: C, transform: (index: Int, Byte) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.mapIndexedTo(destination: C, transform: (index: Int, Short) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> IntArray.mapIndexedTo(destination: C, transform: (index: Int, Int) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> LongArray.mapIndexedTo(destination: C, transform: (index: Int, Long) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++,
item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.mapIndexedTo(destination: C, transform: (index: Int, Float) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in
R>> DoubleArray.mapIndexedTo(destination: C, transform: (index: Int, Double) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.mapIndexedTo(destination: C, transform: (index: Int, Boolean) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes
the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> CharArray.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element in the original array.\n */\npublic inline fun <T, R : Any> Array<out T>.mapNotNull(transform: (T) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element in the original array\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Array<out T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n forEach { element -> transform(element)?.let
{ destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <T, R, C :

MutableCollection<in R>> Array<out T>.mapTo(destination: C, transform: (T) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.mapTo(destination: C, transform: (Byte) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.mapTo(destination:
C, transform: (Short) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> IntArray.mapTo(destination: C, transform: (Int) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> LongArray.mapTo(destination: C, transform: (Long) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic
inline fun <R, C : MutableCollection<in R>> FloatArray.mapTo(destination: C, transform: (Float) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.mapTo(destination: C, transform: (Double) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.mapTo(destination: C, transform: (Boolean) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original
array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharArray.mapTo(destination: C, transform: (Char) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun <T> Array<out T>.withIndex(): Iterable<IndexedValue<T>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun ByteArray.withIndex(): Iterable<IndexedValue<Byte>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that
element and the element itself.\n */\npublic fun ShortArray.withIndex(): Iterable<IndexedValue<Short>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun IntArray.withIndex(): Iterable<IndexedValue<Int>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun LongArray.withIndex(): Iterable<IndexedValue<Long>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun FloatArray.withIndex(): Iterable<IndexedValue<Float>> {\n return
IndexingIterable
{ iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun DoubleArray.withIndex(): Iterable<IndexedValue<Double>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the

index of that element and the element itself.\n */\npublic fun BooleanArray.withIndex(): Iterable<IndexedValue<Boolean>> {\n   return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun CharArray.withIndex(): Iterable<IndexedValue<Char>> {\n   return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements
 in the resulting list are in the same order as they were in the source array.\n */\npublic fun <T> Array<out T>.distinct(): List<T> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun ByteArray.distinct(): List<Byte> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun ShortArray.distinct(): List<Short> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun IntArray.distinct(): List<Int> {\n   return this.toMutableSet().toList()\n}\n\n/**\n
 * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun LongArray.distinct(): List<Long> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun FloatArray.distinct(): List<Float> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun DoubleArray.distinct(): List<Double> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order
 as they were in the source array.\n */\npublic fun BooleanArray.distinct(): List<Boolean> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun CharArray.distinct(): List<Char> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <T, K> Array<out T>.distinctBy(selector: (T) -> K): List<T> {\n   val set = HashSet<K>()\n   val list = ArrayList<T>()\n   for (e in this) {\n   val key = selector(e)\n   if (set.add(key))\n   list.add(e)\n   }\n   return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n
 * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <K> ByteArray.distinctBy(selector: (Byte) -> K): List<Byte> {\n   val set = HashSet<K>()\n   val list = ArrayList<Byte>()\n   for (e in this) {\n   val key = selector(e)\n   if (set.add(key))\n   list.add(e)\n   }\n   return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <K> ShortArray.distinctBy(selector: (Short) -> K): List<Short> {\n   val set = HashSet<K>()\n   val list = ArrayList<Short>()\n   for (e in this) {\n   val key = selector(e)\n   if (set.add(key))\n   list.add(e)\n   }\n
 return list\n}\n\n/**\n * Returns a list
containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <K> IntArray.distinctBy(selector: (Int) -> K): List<Int> {\n   val set = HashSet<K>()\n   val list = ArrayList<Int>()\n   for (e in this) {\n   val key = selector(e)\n   if (set.add(key))\n   list.add(e)\n   }\n   return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they

were in the source array.\n */\npublic inline fun <K> LongArray.distinctBy(selector: (Long) -> K): List<Long> {\n val set = HashSet<K>()\n val list = ArrayList<Long>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <K> FloatArray.distinctBy(selector: (Float) -> K): List<Float> {\n val set = HashSet<K>()\n val list = ArrayList<Float>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <K> DoubleArray.distinctBy(selector: (Double) -> K): List<Double> {\n val set = HashSet<K>()\n val list = ArrayList<Double>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <K> BooleanArray.distinctBy(selector: (Boolean) -> K): List<Boolean> {\n val set = HashSet<K>()\n val list = ArrayList<Boolean>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <K> CharArray.distinctBy(selector: (Char) -> K): List<Char> {\n val set = HashSet<K>()\n val list = ArrayList<Char>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun <T> Array<out T>.intersect(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun ByteArray.intersect(other: Iterable<Byte>): Set<Byte> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun ShortArray.intersect(other: Iterable<Short>): Set<Short> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun IntArray.intersect(other: Iterable<Int>): Set<Int> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun LongArray.intersect(other: Iterable<Long>): Set<Long> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun FloatArray.intersect(other: Iterable<Float>): Set<Float> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun DoubleArray.intersect(other: Iterable<Double>): Set<Double> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun BooleanArray.intersect(other: Iterable<Boolean>): Set<Boolean> {\n val set = this.toMutableSet()\n set.retainAll(other)\n

return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun CharArray.intersect(other: Iterable<Char>): Set<Char> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun <T> Array<out T>.subtract(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun ByteArray.subtract(other: Iterable<Byte>): Set<Byte> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun ShortArray.subtract(other: Iterable<Short>): Set<Short> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun IntArray.subtract(other: Iterable<Int>): Set<Int> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun LongArray.subtract(other: Iterable<Long>): Set<Long> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun FloatArray.subtract(other: Iterable<Float>): Set<Float> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun DoubleArray.subtract(other: Iterable<Double>): Set<Double> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun BooleanArray.subtract(other: Iterable<Boolean>): Set<Boolean> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun CharArray.subtract(other: Iterable<Char>): Set<Char> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun <T> Array<out T>.toMutableSet(): MutableSet<T> {\n val set = LinkedHashSet<T>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ByteArray.toMutableSet(): MutableSet<Byte> {\n val set = LinkedHashSet<Byte>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ShortArray.toMutableSet(): MutableSet<Short> {\n val set = LinkedHashSet<Short>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun IntArray.toMutableSet(): MutableSet<Int> {\n val set = LinkedHashSet<Int>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n

*/\npublic fun LongArray.toMutableSet(): MutableSet<Long> {\n   val set = LinkedHashSet<Long>(mapCapacity(size))\n   for (item in this) set.add(item)\n   return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun FloatArray.toMutableSet(): MutableSet<Float> {\n   val set = LinkedHashSet<Float>(mapCapacity(size))\n   for (item in this) set.add(item)\n   return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun DoubleArray.toMutableSet(): MutableSet<Double> {\n   val set = LinkedHashSet<Double>(mapCapacity(size))\n   for (item in this) set.add(item)\n   return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun BooleanArray.toMutableSet(): MutableSet<Boolean> {\n   val set = LinkedHashSet<Boolean>(mapCapacity(size))\n   for (item in this) set.add(item)\n   return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun CharArray.toMutableSet(): MutableSet<Char> {\n   val set = LinkedHashSet<Char>(mapCapacity(size))\n   for (item in this) set.add(item)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun <T> Array<out T>.union(other: Iterable<T>): Set<T> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun ByteArray.union(other: Iterable<Byte>): Set<Byte> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun ShortArray.union(other: Iterable<Short>): Set<Short> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun IntArray.union(other: Iterable<Int>): Set<Int> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun LongArray.union(other: Iterable<Long>): Set<Long> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun FloatArray.union(other: Iterable<Float>): Set<Float> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun DoubleArray.union(other: Iterable<Double>): Set<Double> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun BooleanArray.union(other: Iterable<Boolean>): Set<Boolean> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those

elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun CharArray.union(other: Iterable<Char>): Set<Char> {\n   val set = this.toMutableSet()\n set.addAll(other)\n   return set\n}\n\n/**\n * Returns
 `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <T> Array<out T>.all(predicate: (T) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun ByteArray.all(predicate: (Byte) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun ShortArray.all(predicate: (Short) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
 */\npublic inline fun IntArray.all(predicate: (Int) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun LongArray.all(predicate: (Long) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun FloatArray.all(predicate: (Float) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun DoubleArray.all(predicate: (Double) -> Boolean): Boolean
 {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun BooleanArray.all(predicate: (Boolean) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun CharArray.all(predicate: (Char) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <T> Array<out T>.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
 */\npublic fun ByteArray.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun ShortArray.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun IntArray.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun LongArray.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun FloatArray.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
 */\npublic fun DoubleArray.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun BooleanArray.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun CharArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T> Array<out

T>.any(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun ByteArray.any(predicate: (Byte)
-> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun ShortArray.any(predicate: (Short) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun IntArray.any(predicate: (Int) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun LongArray.any(predicate: (Long) -> Boolean): Boolean {\n for (element
in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun FloatArray.any(predicate: (Float) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun DoubleArray.any(predicate: (Double) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun BooleanArray.any(predicate: (Boolean) -> Boolean): Boolean {\n for (element in this) if (predicate(element))
return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun CharArray.any(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.count(): Int {\n return size\n}\n\n/**\n
* Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun <T> Array<out T>.count(predicate: (T) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element))
++count\n return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun ByteArray.count(predicate: (Byte) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun ShortArray.count(predicate: (Short) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/**\n * Returns the number of elements

matching the given [predicate].\n */\npublic inline fun IntArray.count(predicate: (Int) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun LongArray.count(predicate: (Long) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element))
++count\n return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun FloatArray.count(predicate: (Float) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun DoubleArray.count(predicate: (Double) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun BooleanArray.count(predicate: (Boolean) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun CharArray.count(predicate: (Char) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element))
++count\n return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <T, R> Array<out T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> ByteArray.fold(initial: R, operation: (acc: R, Byte) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> ShortArray.fold(initial: R, operation:
(acc: R, Short) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> IntArray.fold(initial: R, operation: (acc: R, Int) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> LongArray.fold(initial: R, operation: (acc: R, Long) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left
to right to current accumulator value and each element.\n */\npublic inline fun <R> FloatArray.fold(initial: R, operation: (acc: R, Float) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> DoubleArray.fold(initial: R, operation: (acc: R, Double) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> BooleanArray.fold(initial: R, operation: (acc: R, Boolean) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator,
element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> CharArray.fold(initial: R, operation: (acc: R, Char) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n var index = 0\n var

accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> ShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> IntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> LongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> FloatArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> DoubleArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> CharArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <T, R>

Array<out T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> ByteArray.foldRight(initial: R, operation: (Byte, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> ShortArray.foldRight(initial: R, operation: (Short, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> IntArray.foldRight(initial: R, operation: (Int, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> LongArray.foldRight(initial: R, operation: (Long, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> FloatArray.foldRight(initial: R, operation: (Float, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> DoubleArray.foldRight(initial: R, operation: (Double, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> BooleanArray.foldRight(initial: R, operation: (Boolean, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> CharArray.foldRight(initial: R, operation: (Char, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.foldRightIndexed(initial: R, operation: (index: Int, Byte, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the

next accumulator value.\n */\npublic inline fun <R> ShortArray.foldRightIndexed(initial: R, operation: (index: Int, Short, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation]
from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> IntArray.foldRightIndexed(initial: R, operation: (index: Int, Int, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> LongArray.foldRightIndexed(initial:
R, operation: (index: Int, Long, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> FloatArray.foldRightIndexed(initial: R, operation: (index: Int, Float, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and
applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> DoubleArray.foldRightIndexed(initial: R, operation: (index: Int, Double, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldRightIndexed(initial: R, operation: (index: Int, Boolean, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> CharArray.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Performs the given [action]
on each element.\n */\npublic inline fun <T> Array<out T>.forEach(action: (T) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun ByteArray.forEach(action: (Byte) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun ShortArray.forEach(action: (Short) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun IntArray.forEach(action: (Int) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun LongArray.forEach(action: (Long) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline

fun FloatArray.forEach(action: (Float) -> Unit): Unit {\n   for (element
 in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun
DoubleArray.forEach(action: (Double) -> Unit): Unit {\n   for (element in this) action(element)\n}\n\n/**\n *
Performs the given [action] on each element.\n */\npublic inline fun BooleanArray.forEach(action: (Boolean) ->
Unit): Unit {\n   for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n
*/\npublic inline fun CharArray.forEach(action: (Char) -> Unit): Unit {\n   for (element in this)
action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the
element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the
desired action on the element.\n */\npublic inline fun <T> Array<out T>.forEachIndexed(action: (index: Int, T) ->
Unit): Unit {\n   var index = 0\n   for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given
 [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the
index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun
ByteArray.forEachIndexed(action: (index: Int, Byte) -> Unit): Unit {\n   var index = 0\n   for (item in this)
action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the desired action on the element.\n */\npublic inline fun ShortArray.forEachIndexed(action: (index: Int, Short) ->
Unit): Unit {\n   var index = 0\n   for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action]
on each element, providing sequential index with the element.\n * @param [action] function that takes the index of
an element and the element itself\n * and performs the desired action on
 the element.\n */\npublic inline fun IntArray.forEachIndexed(action: (index: Int, Int) -> Unit): Unit {\n   var index
= 0\n   for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing
sequential index with the element.\n * @param [action] function that takes the index of an element and the element
itself\n * and performs the desired action on the element.\n */\npublic inline fun LongArray.forEachIndexed(action:
(index: Int, Long) -> Unit): Unit {\n   var index = 0\n   for (item in this) action(index++, item)\n}\n\n/**\n *
Performs the given [action] on each element, providing sequential index with the element.\n * @param [action]
function that takes the index of an element and the element itself\n * and performs the desired action on the
element.\n */\npublic inline fun FloatArray.forEachIndexed(action: (index: Int, Float) -> Unit): Unit {\n   var index
= 0\n   for (item in this) action(index++, item)\n}\n\n/**\n * Performs the
 given [action] on each element, providing sequential index with the element.\n * @param [action] function that
takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic
inline fun DoubleArray.forEachIndexed(action: (index: Int, Double) -> Unit): Unit {\n   var index = 0\n   for (item
in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index
with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and
performs the desired action on the element.\n */\npublic inline fun BooleanArray.forEachIndexed(action: (index: Int,
Boolean) -> Unit): Unit {\n   var index = 0\n   for (item in this) action(index++, item)\n}\n\n/**\n * Performs the
given [action] on each element, providing sequential index with the element.\n * @param [action] function that
takes the index of an element and the element itself\n * and performs the desired
 action on the element.\n */\npublic inline fun CharArray.forEachIndexed(action: (index: Int, Char) -> Unit): Unit
{\n   var index = 0\n   for (item in this) action(index++, item)\n}\n\n/**\n * Returns the largest element or `null` if
there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun
Array<out Double>.max(): Double? {\n   if (isEmpty()) return null\n   var max = this[0]\n   if (max.isNaN())
return max\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (e.isNaN()) return e\n   if (max < e) max = e\n
    }\n   return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of
elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Array<out Float>.max(): Float? {\n   if
(isEmpty()) return null\n   var max = this[0]\n   if (max.isNaN()) return max\n   for (i in 1..lastIndex) {\n   val e
= this[i]\n   if (e.isNaN()) return
 e\n   if (max < e) max = e\n   }\n   return max\n}\n\n/**\n * Returns the largest element or `null` if there are no
elements.\n */\npublic fun <T : Comparable<T>> Array<out T>.max(): T? {\n   if (isEmpty()) return null\n   var

max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun ByteArray.max(): Byte? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun ShortArray.max(): Short? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun IntArray.max(): Int? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun LongArray.max(): Long? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic fun FloatArray.max(): Float? {\n if (isEmpty()) return null\n var max = this[0]\n if (max.isNaN()) return max\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements
is `NaN` returns `NaN`.\n */\npublic fun DoubleArray.max(): Double? {\n if (isEmpty()) return null\n var max = this[0]\n if (max.isNaN()) return max\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun CharArray.max(): Char? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.maxBy(selector: (T) -> R): T? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return
maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> ByteArray.maxBy(selector: (Byte) -> R): Byte? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or
`null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> ShortArray.maxBy(selector: (Short) -> R): Short? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> IntArray.maxBy(selector: (Int) -> R): Int? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue
= selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> LongArray.maxBy(selector: (Long) -> R): Long? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val

lastIndex = this.lastIndex\n   if (lastIndex == 0) return maxElem\n   var maxValue = selector(maxElem)\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   val v = selector(e)\n   if (maxValue < v) {\n   maxElem = e\n   maxValue = v\n   }\n   }\n   return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> FloatArray.maxBy(selector: (Float) -> R): Float? {\n   if (isEmpty()) return null\n   var maxElem = this[0]\n   val lastIndex = this.lastIndex\n   if (lastIndex == 0) return maxElem\n   var maxValue = selector(maxElem)\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   val v = selector(e)\n   if (maxValue < v) {\n   maxElem = e\n   maxValue = v\n   }\n   }\n   return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> DoubleArray.maxBy(selector: (Double) -> R): Double? {\n   if (isEmpty()) return null\n   var maxElem = this[0]\n   val lastIndex = this.lastIndex\n   if (lastIndex == 0) return maxElem\n   var maxValue = selector(maxElem)\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   val v = selector(e)\n   if (maxValue < v) {\n   maxElem = e\n   maxValue = v\n   }\n   }\n   return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> BooleanArray.maxBy(selector: (Boolean) -> R): Boolean? {\n   if (isEmpty()) return null\n   var maxElem = this[0]\n   val lastIndex = this.lastIndex\n   if (lastIndex == 0) return maxElem\n   var maxValue = selector(maxElem)\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   val v = selector(e)\n   if (maxValue < v) {\n   maxElem = e\n   maxValue = v\n   }\n   }\n   return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> CharArray.maxBy(selector: (Char) -> R): Char? {\n   if (isEmpty()) return null\n   var maxElem = this[0]\n   val lastIndex = this.lastIndex\n   if (lastIndex == 0) return maxElem\n   var maxValue = selector(maxElem)\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   val v = selector(e)\n   if (maxValue < v) {\n   maxElem = e\n   maxValue = v\n   }\n   }\n   return maxElem\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun <T> Array<out T>.maxWith(comparator: Comparator<in T>): T? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun ByteArray.maxWith(comparator: Comparator<in Byte>): Byte? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun ShortArray.maxWith(comparator: Comparator<in Short>): Short? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun IntArray.maxWith(comparator: Comparator<in Int>): Int? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun LongArray.maxWith(comparator: Comparator<in Long>): Long? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun FloatArray.maxWith(comparator: Comparator<in Float>): Float? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max =

e\n }\n return max\n}\n\n/**\n * Returns the first element
having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun DoubleArray.maxWith(comparator: Comparator<in Double>): Double? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun BooleanArray.maxWith(comparator: Comparator<in Boolean>): Boolean? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun CharArray.maxWith(comparator: Comparator<in Char>): Char?
{\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Array<out Double>.min(): Double? {\n if (isEmpty()) return null\n var min = this[0]\n if (min.isNaN()) return min\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Array<out Float>.min(): Float? {\n if (isEmpty()) return null\n var min = this[0]\n if (min.isNaN()) return min\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN())
return e\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun <T : Comparable<T>> Array<out T>.min(): T? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun ByteArray.min(): Byte? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun ShortArray.min(): Short? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there
are no elements.\n */\npublic fun IntArray.min(): Int? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun LongArray.min(): Long? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic fun FloatArray.min(): Float? {\n if (isEmpty()) return null\n var min = this[0]\n if (min.isNaN()) return min\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n
* If any of elements is `NaN` returns `NaN`.\n */\npublic fun DoubleArray.min(): Double? {\n if (isEmpty()) return null\n var min = this[0]\n if (min.isNaN()) return min\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun CharArray.min(): Char? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.minBy(selector: (T) -> R): T? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex
== 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return

minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>> ByteArray.minBy(selector: (Byte) -> R): Byte? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the
given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>>
ShortArray.minBy(selector: (Short) -> R): Short? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>>
IntArray.minBy(selector: (Int) -> R): Int? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n
var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>>
LongArray.minBy(selector: (Long) -> R): Long? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null`
if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>> FloatArray.minBy(selector: (Float) -> R): Float? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>>
DoubleArray.minBy(selector: (Double) -> R): Double? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var
minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>>
BooleanArray.minBy(selector: (Boolean) -> R): Boolean? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null`
if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>> CharArray.minBy(selector: (Char) -> R): Char? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v)

{\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun <T> Array<out T>.minWith(comparator: Comparator<in T>): T? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun ByteArray.minWith(comparator: Comparator<in Byte>): Byte? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun ShortArray.minWith(comparator: Comparator<in Short>): Short? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun IntArray.minWith(comparator: Comparator<in Int>): Int? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun LongArray.minWith(comparator: Comparator<in Long>): Long? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun FloatArray.minWith(comparator: Comparator<in Float>): Float? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun DoubleArray.minWith(comparator: Comparator<in Double>): Double? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun BooleanArray.minWith(comparator: Comparator<in Boolean>): Boolean? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun CharArray.minWith(comparator: Comparator<in Char>): Char? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun <T> Array<out T>.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun ByteArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun ShortArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun IntArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun LongArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun FloatArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun DoubleArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample

samples.collections.Collections.Aggregates.none\n */\npublic fun BooleanArray.none(): Boolean {\n   return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun CharArray.none(): Boolean {\n   return isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <T> Array<out T>.none(predicate: (T) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun ByteArray.none(predicate: (Byte) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun ShortArray.none(predicate: (Short) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun IntArray.none(predicate: (Int) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun LongArray.none(predicate: (Long) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun FloatArray.none(predicate: (Float) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun DoubleArray.none(predicate: (Double) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun BooleanArray.none(predicate: (Boolean) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun CharArray.none(predicate: (Char) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <S, T : S> Array<out T>.reduce(operation: (acc: S, T) -> S): S {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator: S = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun ByteArray.reduce(operation: (acc: Byte, Byte) -> Byte): Byte {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun ShortArray.reduce(operation: (acc: Short, Short) -> Short): Short {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun IntArray.reduce(operation: (acc: Int, Int) -> Int): Int {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n *

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun LongArray.reduce(operation: (acc: Long, Long) -> Long): Long {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun FloatArray.reduce(operation: (acc: Float, Float) -> Float): Float {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun DoubleArray.reduce(operation: (acc: Double, Double) -> Double): Double {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun BooleanArray.reduce(operation: (acc: Boolean, Boolean) -> Boolean): Boolean {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun CharArray.reduce(operation: (acc: Char, Char) -> Char): Char {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun <S, T : S> Array<out T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator: S = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun ByteArray.reduceIndexed(operation: (index: Int, acc: Byte, Byte) -> Byte): Byte {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes
the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun ShortArray.reduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): Short {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun IntArray.reduceIndexed(operation: (index: Int, acc: Int, Int) -> Int): Int {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty

array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun LongArray.reduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): Long {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the
 first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun FloatArray.reduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): Float {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself
 and calculates the next accumulator value.\n */\npublic inline fun DoubleArray.reduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): Double {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun BooleanArray.reduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): Boolean {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n
    var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun CharArray.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left
 to each element and current accumulator value.\n */\npublic inline fun <S, T : S> Array<out T>.reduceRight(operation: (T, acc: S) -> S): S {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator: S = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun ByteArray.reduceRight(operation: (Byte, acc: Byte) -> Byte): Byte {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n
 var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n
  }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying
 [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun ShortArray.reduceRight(operation: (Short, acc: Short) -> Short): Short {\n   var index = lastIndex\n   if (index < 0)

throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun IntArray.reduceRight(operation: (Int, acc: Int) -> Int): Int {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun LongArray.reduceRight(operation: (Long, acc: Long) -> Long): Long {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun FloatArray.reduceRight(operation: (Float, acc: Float) -> Float): Float {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun DoubleArray.reduceRight(operation: (Double, acc: Double) -> Double): Double {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun BooleanArray.reduceRight(operation: (Boolean, acc: Boolean) -> Boolean): Boolean {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun CharArray.reduceRight(operation: (Char, acc: Char) -> Char): Char {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <S, T : S> Array<out T>.reduceRightIndexed(operation: (index: Int, T, acc:\n S) -> S): S {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator: S = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun ByteArray.reduceRightIndexed(operation: (index: Int, Byte, acc: Byte) -> Byte): Byte {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n *

and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun ShortArray.reduceRightIndexed(operation: (index: Int, Short, acc: Short) -> Short): Short {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun IntArray.reduceRightIndexed(operation: (index: Int, Int, acc: Int) -> Int): Int {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun LongArray.reduceRightIndexed(operation: (index: Int, Long, acc: Long) -> Long): Long {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun FloatArray.reduceRightIndexed(operation: (index: Int, Float, acc: Float) -> Float): Float {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun DoubleArray.reduceRightIndexed(operation: (index: Int, Double, acc: Double) -> Double): Double {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun BooleanArray.reduceRightIndexed(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun CharArray.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Returns the sum

of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun <T> Array<out T>.sumBy(selector: (T) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun ByteArray.sumBy(selector: (Byte) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun ShortArray.sumBy(selector: (Short) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun IntArray.sumBy(selector: (Int) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun LongArray.sumBy(selector: (Long) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun FloatArray.sumBy(selector: (Float) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun DoubleArray.sumBy(selector: (Double) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun BooleanArray.sumBy(selector: (Boolean) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun CharArray.sumBy(selector: (Char) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun <T> Array<out T>.sumByDouble(selector: (T) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun ByteArray.sumByDouble(selector: (Byte) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun ShortArray.sumByDouble(selector: (Short) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun IntArray.sumByDouble(selector: (Int) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun LongArray.sumByDouble(selector: (Long) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun FloatArray.sumByDouble(selector: (Float) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun DoubleArray.sumByDouble(selector: (Double) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun BooleanArray.sumByDouble(selector: (Boolean) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun

CharArray.sumByDouble(selector: (Char) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException]
if there are any `null` elements.\n */\npublic fun <T : Any> Array<T?>.requireNoNulls(): Array<T> {\n for (element in this) {\n if (element == null) {\n throw IllegalArgumentException(\"null element found in $this.\")\n }\n }\n @Suppress(\"UNCHECKED_CAST\")\n return this as Array<T>\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun <T> Array<out T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n val first = ArrayList<T>()\n val second = ArrayList<T>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where
first list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun ByteArray.partition(predicate: (Byte) -> Boolean): Pair<List<Byte>, List<Byte>> {\n val first = ArrayList<Byte>()\n val second = ArrayList<Byte>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun ShortArray.partition(predicate: (Short) -> Boolean): Pair<List<Short>, List<Short>> {\n val first = ArrayList<Short>()\n val second = ArrayList<Short>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun IntArray.partition(predicate: (Int) -> Boolean): Pair<List<Int>, List<Int>> {\n val first = ArrayList<Int>()\n val second = ArrayList<Int>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun LongArray.partition(predicate: (Long) -> Boolean):
Pair<List<Long>, List<Long>> {\n val first = ArrayList<Long>()\n val second = ArrayList<Long>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun FloatArray.partition(predicate: (Float) -> Boolean): Pair<List<Float>, List<Float>> {\n val first = ArrayList<Float>()\n val second = ArrayList<Float>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains
elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun DoubleArray.partition(predicate: (Double) -> Boolean): Pair<List<Double>, List<Double>> {\n val first = ArrayList<Double>()\n val second = ArrayList<Double>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun BooleanArray.partition(predicate: (Boolean) -> Boolean): Pair<List<Boolean>, List<Boolean>> {\n val first = ArrayList<Boolean>()\n val second = ArrayList<Boolean>()\n for (element in this) {\n if (predicate(element)) {\n

```
        first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun CharArray.partition(predicate: (Char) -> Boolean): Pair<List<Char>, List<Char>> {\n    val first = ArrayList<Char>()\n    val second = ArrayList<Char>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R>
 Array<out T>.zip(other: Array<out R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ByteArray.zip(other: Array<out R>): List<Pair<Byte, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ShortArray.zip(other: Array<out R>): List<Pair<Short, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
 returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> IntArray.zip(other: Array<out R>): List<Pair<Int, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> LongArray.zip(other: Array<out R>): List<Pair<Long, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> FloatArray.zip(other: Array<out R>): List<Pair<Float, R>> {\n    return zip(other)
 { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> DoubleArray.zip(other: Array<out R>): List<Pair<Double, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> BooleanArray.zip(other: Array<out R>): List<Pair<Boolean, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
 */\npublic infix fun <R> CharArray.zip(other: Array<out R>): List<Pair<Char, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Array<out T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair
```

of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ByteArray.zip(other: Array<out R>, transform: (a: Byte, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ShortArray.zip(other: Array<out R>, transform: (a: Short, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> IntArray.zip(other: Array<out R>, transform: (a: Int, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> LongArray.zip(other: Array<out R>, transform: (a: Long, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> FloatArray.zip(other: Array<out R>, transform: (a: Float, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list
of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> DoubleArray.zip(other: Array<out R>, transform: (a: Double, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> BooleanArray.zip(other:
Array<out R>, transform: (a: Boolean, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> CharArray.zip(other: Array<out R>, transform: (a: Char, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n

* The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Array<out T>.zip(other: Iterable<R>): List<Pair<T, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ByteArray.zip(other: Iterable<R>): List<Pair<Byte, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ShortArray.zip(other: Iterable<R>): List<Pair<Short, R>> {\n return zip(other)
{ t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> IntArray.zip(other: Iterable<R>): List<Pair<Int, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> LongArray.zip(other: Iterable<R>): List<Pair<Long, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> FloatArray.zip(other: Iterable<R>): List<Pair<Float, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> DoubleArray.zip(other: Iterable<R>): List<Pair<Double, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> BooleanArray.zip(other: Iterable<R>): List<Pair<Boolean, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> CharArray.zip(other: Iterable<R>): List<Pair<Char, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Array<out T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++],
element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ByteArray.zip(other: Iterable<R>, transform: (a: Byte, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list

has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ShortArray.zip(other: Iterable<R>, transform: (a: Short, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> IntArray.zip(other: Iterable<R>, transform: (a: Int, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> LongArray.zip(other: Iterable<R>, transform: (a: Long, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this`
array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> FloatArray.zip(other: Iterable<R>, transform: (a: Float, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> DoubleArray.zip(other: Iterable<R>, transform: (a: Double, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> BooleanArray.zip(other: Iterable<R>, transform: (a: Boolean, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if
(i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> CharArray.zip(other: Iterable<R>, transform: (a: Char, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n *

\n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun ByteArray.zip(other: ByteArray): List<Pair<Byte, Byte>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun ShortArray.zip(other: ShortArray): List<Pair<Short, Short>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun IntArray.zip(other: IntArray): List<Pair<Int, Int>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun LongArray.zip(other: LongArray): List<Pair<Long, Long>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun FloatArray.zip(other: FloatArray): List<Pair<Float, Float>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun DoubleArray.zip(other:
DoubleArray): List<Pair<Double, Double>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun BooleanArray.zip(other: BooleanArray): List<Pair<Boolean, Boolean>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun CharArray.zip(other: CharArray): List<Pair<Char, Char>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using
the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> ByteArray.zip(other: ByteArray, transform: (a: Byte, b: Byte) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> ShortArray.zip(other: ShortArray, transform: (a: Short, b: Short) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n
    for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> IntArray.zip(other: IntArray, transform: (a: Int, b: Int) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n

```
 * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> LongArray.zip(other: LongArray, transform: (a: Long, b: Long) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> FloatArray.zip(other: FloatArray, transform: (a: Float, b: Float) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n
 * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> DoubleArray.zip(other: DoubleArray, transform: (a: Double, b: Double) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> BooleanArray.zip(other:
 BooleanArray, transform: (a: Boolean, b: Boolean) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> CharArray.zip(other: CharArray, transform: (a: Char, b: Char) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix]
 if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <T, A : Appendable> Array<out T>.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1) buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            buffer.appendElement(element, transform)\n        } else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Appends the string from all the elements separated
 using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> ByteArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Byte) -> CharSequence)? = null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1) buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if (transform != null)\n                buffer.append(transform(element))\n            else\n                buffer.append(element.toString())\n        } else break\n    }\n    if (limit >=
```

0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> ShortArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Short) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> IntArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Int) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element
in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> LongArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit:
Int = -1, truncated: CharSequence = \"...\", transform: ((Long) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic
fun <A : Appendable> FloatArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Float) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will
be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable>

DoubleArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Double) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix]
if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> BooleanArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Boolean) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> CharArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Char) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element)\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun <T> Array<out T>.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string
from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun ByteArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Byte) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only
the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun ShortArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence =

\"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Short) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun IntArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Int) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun LongArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Long) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun FloatArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Float) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix]
 if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun DoubleArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Double) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string
 (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun BooleanArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Boolean) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun CharArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Char) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun <T> Array<out T>.asIterable(): Iterable<T> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun ByteArray.asIterable(): Iterable<Byte> {\n if

(isEmpty()) return emptyList()\n   return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun ShortArray.asIterable(): Iterable<Short> {\n   if (isEmpty()) return emptyList()\n   return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun IntArray.asIterable(): Iterable<Int> {\n   if (isEmpty()) return emptyList()\n   return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun LongArray.asIterable(): Iterable<Long> {\n   if (isEmpty()) return emptyList()\n   return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun FloatArray.asIterable(): Iterable<Float> {\n   if (isEmpty()) return emptyList()\n   return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun DoubleArray.asIterable(): Iterable<Double> {\n   if (isEmpty()) return emptyList()\n   return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun BooleanArray.asIterable(): Iterable<Boolean> {\n   if (isEmpty()) return emptyList()\n   return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun CharArray.asIterable(): Iterable<Char> {\n   if (isEmpty()) return emptyList()\n   return Iterable { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun <T> Array<out T>.asSequence(): Sequence<T> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun ByteArray.asSequence(): Sequence<Byte> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun ShortArray.asSequence(): Sequence<Short> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun IntArray.asSequence(): Sequence<Int> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun LongArray.asSequence(): Sequence<Long> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun FloatArray.asSequence(): Sequence<Float> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun DoubleArray.asSequence(): Sequence<Double> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun BooleanArray.asSequence(): Sequence<Boolean> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun CharArray.asSequence(): Sequence<Char> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfByte\")\npublic fun Array<out Byte>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   ++count\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n

*/\n@kotlin.jvm.JvmName(\"averageOfShort\")\npublic
fun Array<out Short>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfInt\")\npublic fun Array<out Int>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfLong\")\npublic fun Array<out Long>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of
elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfFloat\")\npublic fun Array<out Float>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfDouble\")\npublic fun Array<out Double>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun ByteArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the
array.\n */\npublic fun ShortArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun IntArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun LongArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun FloatArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n
for (element in this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun DoubleArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfByte\")\npublic fun Array<out Byte>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfShort\")\npublic fun Array<out Short>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfInt\")\npublic
fun Array<out Int>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfLong\")\npublic fun Array<out Long>.sum(): Long {\n var sum: Long = 0L\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfFloat\")\npublic fun Array<out Float>.sum(): Float {\n var sum: Float = 0.0f\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfDouble\")\npublic fun Array<out Double>.sum(): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun ByteArray.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun ShortArray.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n

sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun IntArray.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun LongArray.sum(): Long {\n var sum: Long = 0L\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun FloatArray.sum(): Float {\n var sum: Float = 0.0f\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun DoubleArray.sum(): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"RangesKt\")\n\npackage kotlin.ranges\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns a random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun IntRange.random(): Int {\n return random(Random)\n}\n\n/**\n * Returns a random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun LongRange.random(): Long {\n return random(Random)\n}\n\n/**\n * Returns a random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun CharRange.random(): Char {\n return random(Random)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun IntRange.random(random: Random): Int {\n try {\n return random.nextInt(this)\n } catch(e: IllegalArgumentException) {\n throw NoSuchElementException(e.message)\n }\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun LongRange.random(random: Random): Long {\n try {\n return random.nextLong(this)\n } catch(e: IllegalArgumentException) {\n throw NoSuchElementException(e.message)\n }\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun CharRange.random(random: Random): Char {\n try {\n return random.nextInt(first.toInt(), last.toInt() + 1).toChar()\n } catch(e: IllegalArgumentException) {\n throw NoSuchElementException(e.message)\n }\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline operator fun IntRange.contains(element: Int?): Boolean {\n return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline operator fun LongRange.contains(element: Long?): Boolean {\n return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline operator fun CharRange.contains(element: Char?): Boolean {\n return element != null && contains(element)\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Byte): Boolean {\n return contains(value.toInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Byte): Boolean {\n return contains(value.toLong())\n}\n\n/**\n * Checks if the specified

[value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Byte): Boolean {\n   return contains(value.toShort())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Byte): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Byte): Boolean {\n   return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Double): Boolean {\n   return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Double): Boolean {\n   return value.toLongExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Double): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Double): Boolean {\n   return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Double): Boolean {\n   return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Float): Boolean {\n   return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Float): Boolean {\n   return value.toLongExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Float): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Float): Boolean {\n   return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Float): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this

range.\n */\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Int): Boolean {\n   return contains(value.toLong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Int): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Int): Boolean {\n   return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Int): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Int): Boolean {\n   return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Long): Boolean {\n   return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Long): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Long): Boolean {\n   return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Long): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Long): Boolean {\n   return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Short): Boolean {\n   return contains(value.toInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Short): Boolean {\n   return contains(value.toLong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Short): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Short): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Short): Boolean {\n   return contains(value.toFloat())\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less

than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Int.downTo(to: Byte): IntProgression {\n   return IntProgression.fromClosedRange(this, to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Byte): LongProgression {\n   return LongProgression.fromClosedRange(this, to.toLong(), -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Byte): IntProgression {\n   return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to: Byte): IntProgression {\n   return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Char.downTo(to: Char): CharProgression {\n   return CharProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Int.downTo(to: Int): IntProgression {\n   return IntProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Int): LongProgression {\n   return LongProgression.fromClosedRange(this, to.toLong(), -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Int): IntProgression {\n   return IntProgression.fromClosedRange(this.toInt(), to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to: Int): IntProgression {\n   return IntProgression.fromClosedRange(this.toInt(), to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater

than `this` value the returned progression is empty.\n */\npublic infix fun Int.downTo(to: Long): LongProgression {\n   return LongProgression.fromClosedRange(this.toLong(), to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Long): LongProgression {\n   return LongProgression.fromClosedRange(this, to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Long): LongProgression {\n   return LongProgression.fromClosedRange(this.toLong(), to, -1L)\n}\n\n/**\n * Returns a progression from

this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to: Long): LongProgression {\n   return LongProgression.fromClosedRange(this.toLong(), to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Int.downTo(to: Short): IntProgression {\n   return

IntProgression.fromClosedRange(this, to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n
*/\npublic infix fun Long.downTo(to: Short): LongProgression {\n return LongProgression.fromClosedRange(this, to.toLong(), -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Short): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to: Short): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite
direction with the same step.\n */\npublic fun IntProgression.reversed(): IntProgression {\n return IntProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\npublic fun LongProgression.reversed(): LongProgression {\n return LongProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\npublic fun CharProgression.reversed(): CharProgression {\n return CharProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\npublic infix fun IntProgression.step(step: Int): IntProgression {\n checkStepIsPositive(step > 0, step)\n return IntProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression that goes over the same range with
the given step.\n */\npublic infix fun LongProgression.step(step: Long): LongProgression {\n checkStepIsPositive(step > 0, step)\n return LongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\npublic infix fun CharProgression.step(step: Int): CharProgression {\n checkStepIsPositive(step > 0, step)\n return CharProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\ninternal fun Int.toByteExactOrNull(): Byte? {\n return if (this in Byte.MIN_VALUE.toInt()..Byte.MAX_VALUE.toInt()) this.toByte() else null\n}\n\ninternal fun Long.toByteExactOrNull(): Byte? {\n return if (this in Byte.MIN_VALUE.toLong()..Byte.MAX_VALUE.toLong()) this.toByte() else null\n}\n\ninternal fun Short.toByteExactOrNull(): Byte? {\n return if (this in Byte.MIN_VALUE.toShort()..Byte.MAX_VALUE.toShort()) this.toByte() else null\n}\n\ninternal fun Double.toByteExactOrNull():
Byte? {\n return if (this in Byte.MIN_VALUE.toDouble()..Byte.MAX_VALUE.toDouble()) this.toByte() else null\n}\n\ninternal fun Float.toByteExactOrNull(): Byte? {\n return if (this in Byte.MIN_VALUE.toFloat()..Byte.MAX_VALUE.toFloat()) this.toByte() else null\n}\n\ninternal fun Long.toIntExactOrNull(): Int? {\n return if (this in Int.MIN_VALUE.toLong()..Int.MAX_VALUE.toLong()) this.toInt() else null\n}\n\ninternal fun Double.toIntExactOrNull(): Int? {\n return if (this in Int.MIN_VALUE.toDouble()..Int.MAX_VALUE.toDouble()) this.toInt() else null\n}\n\ninternal fun Float.toIntExactOrNull(): Int? {\n return if (this in Int.MIN_VALUE.toFloat()..Int.MAX_VALUE.toFloat()) this.toInt() else null\n}\n\ninternal fun Double.toLongExactOrNull(): Long? {\n return if (this in Long.MIN_VALUE.toDouble()..Long.MAX_VALUE.toDouble()) this.toLong() else null\n}\n\ninternal fun Float.toLongExactOrNull(): Long? {\n return if (this in Long.MIN_VALUE.toFloat()..Long.MAX_VALUE.toFloat())
this.toLong() else null\n}\n\ninternal fun Int.toShortExactOrNull(): Short? {\n return if (this in Short.MIN_VALUE.toInt()..Short.MAX_VALUE.toInt()) this.toShort() else null\n}\n\ninternal fun Long.toShortExactOrNull(): Short? {\n return if (this in Short.MIN_VALUE.toLong()..Short.MAX_VALUE.toLong()) this.toShort() else null\n}\n\ninternal fun

Double.toShortExactOrNull(): Short? {\n   return if (this in Short.MIN_VALUE.toDouble()..Short.MAX_VALUE.toDouble()) this.toShort() else null\n}\n\ninternal fun Float.toShortExactOrNull(): Short? {\n   return if (this in Short.MIN_VALUE.toFloat()..Short.MAX_VALUE.toFloat()) this.toShort() else null\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Byte): IntRange {\n   return this .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Byte): LongRange {\n   return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Byte): IntRange {\n   return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Byte): IntRange {\n   return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Char.until(to: Char): CharRange {\n   if (to <= '\\u0000') return CharRange.EMPTY\n   return this .. (to - 1).toChar()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Int): IntRange {\n   if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n   return this .. (to - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Int): LongRange {\n   return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Int): IntRange {\n   if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n   return this.toInt() .. (to - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Int): IntRange {\n   if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n   return this.toInt() .. (to - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Long): LongRange {\n   if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n   return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Long): LongRange {\n   if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n   return this .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Long): LongRange {\n   if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n   return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Long): LongRange {\n   if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n   return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Short): IntRange {\n   return this .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Short): LongRange {\n   return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the

[to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Short): IntRange {\n   return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic
infix fun Short.until(to: Short): IntRange {\n   return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastComparable\n */\npublic fun <T : Comparable<T>> T.coerceAtLeast(minimumValue: T): T {\n   return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Byte.coerceAtLeast(minimumValue: Byte): Byte {\n   return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return
this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Short.coerceAtLeast(minimumValue: Short): Short {\n   return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Int.coerceAtLeast(minimumValue: Int): Int {\n   return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Long.coerceAtLeast(minimumValue: Long): Long
{\n   return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Float.coerceAtLeast(minimumValue: Float): Float {\n   return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Double.coerceAtLeast(minimumValue: Double): Double {\n   return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue]
or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostComparable\n */\npublic fun <T : Comparable<T>> T.coerceAtMost(maximumValue: T): T {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Byte.coerceAtMost(maximumValue: Byte): Byte {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Short.coerceAtMost(maximumValue: Short): Short {\n   return if (this > maximumValue)
maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun

Int.coerceAtMost(maximumValue: Int): Int {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Long.coerceAtMost(maximumValue: Long): Long {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Float.coerceAtMost(maximumValue: Float): Float {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Double.coerceAtMost(maximumValue: Double): Double {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInComparable\n */\npublic fun <T : Comparable<T>> T.coerceIn(minimumValue: T?, maximumValue: T?): T {\n   if (minimumValue !== null && maximumValue !== null) {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   }\n   else {\n   if (minimumValue !== null && this < minimumValue) return minimumValue\n   if (maximumValue !== null && this > maximumValue) return maximumValue\n   }\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Byte.coerceIn(minimumValue: Byte, maximumValue: Byte): Byte {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Short.coerceIn(minimumValue: Short, maximumValue: Short): Short {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Int.coerceIn(minimumValue: Int, maximumValue: Int): Int {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Long.coerceIn(minimumValue:

Long, maximumValue: Long): Long {\n if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n if (this < minimumValue) return minimumValue\n if (this > maximumValue) return maximumValue\n return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Float.coerceIn(minimumValue: Float, maximumValue: Float): Float {\n if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n if (this < minimumValue) return minimumValue\n if (this > maximumValue) return maximumValue\n return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Double.coerceIn(minimumValue: Double, maximumValue: Double): Double {\n if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n if (this < minimumValue) return minimumValue\n if (this > maximumValue) return maximumValue\n return this\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInFloatingPointRange\n */\n@SinceKotlin(\"1.1\")\npublic fun <T : Comparable<T>> T.coerceIn(range: ClosedFloatingPointRange<T>): T {\n if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n return when {\n // this < start equiv to this <= start && !(this >= start)\n range.lessThanOrEquals(this, range.start) && !range.lessThanOrEquals(range.start, this) -> range.start\n // this > end equiv to this >= end && !(this <= end)\n range.lessThanOrEquals(range.endInclusive, this) && !range.lessThanOrEquals(this, range.endInclusive) -> range.endInclusive\n else -> this\n }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInComparable\n */\npublic fun <T : Comparable<T>> T.coerceIn(range: ClosedRange<T>): T {\n if (range is ClosedFloatingPointRange) {\n return this.coerceIn<T>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n return when {\n this < range.start -> range.start\n this > range.endInclusive -> range.endInclusive\n else -> this\n }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Int.coerceIn(range: ClosedRange<Int>): Int {\n if (range is ClosedFloatingPointRange) {\n return this.coerceIn<Int>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n return when {\n this < range.start -> range.start\n this > range.endInclusive -> range.endInclusive\n else -> this\n }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Long.coerceIn(range: ClosedRange<Long>): Long {\n if (range is ClosedFloatingPointRange) {\n return this.coerceIn<Long>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n return when {\n this < range.start -> range.start\n this > range.endInclusive -> range.endInclusive\n else -> this\n }\n}\n\n","/*\r\n * Copyright 2010-2019 JetBrains s.r.o.

```
 and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// Auto-generated file. DO NOT EDIT!\r\n\r\npackage kotlin\r\n\r\nimport kotlin.experimental.*\r\n\r\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic inline class UByte @PublishedApi internal constructor(@PublishedApi internal val data: Byte) : Comparable<UByte> {\r\n\r\n    companion object {\r\n        /**\r\n         * A constant holding the minimum value an instance of UByte can have.\r\n         */\r\n        public const val MIN_VALUE: UByte = UByte(0)\r\n\r\n        /**\r\n         * A constant holding the maximum value an instance of UByte can have.\r\n         */\r\n        public const val MAX_VALUE: UByte = UByte(-1)\r\n\r\n        /**\r\n         * The number of bytes used to represent an instance of UByte in a binary form.\r\n         */\r\n        public const val SIZE_BYTES: Int = 1\r\n\r\n        /**\r\n         * The number of bits used to represent an instance of UByte in a binary form.\r\n         */\r\n        public const val SIZE_BITS: Int = 8\r\n    }\r\n\r\n    /**\r\n     * Compares this value with the specified value for order.\r\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\r\n     * or a positive number if it's greater than other.\r\n     */\r\n    @kotlin.internal.InlineOnly\r\n    @Suppress(\"OVERRIDE_BY_INLINE\")\r\n    public override inline operator fun compareTo(other: UByte): Int = this.toInt().compareTo(other.toInt())\r\n\r\n\r\n    /**\r\n     * Compares this value with the specified value for order.\r\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\r\n     * or a positive number if it's greater than other.\r\n     */\r\n    @kotlin.internal.InlineOnly\r\n    public inline operator fun compareTo(other: UShort): Int = this.toInt().compareTo(other.toInt())\r\n\r\n\r\n    /**\r\n     * Compares this value with the specified value for order.\r\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\r\n     * or a positive number if it's greater than other.\r\n     */\r\n    @kotlin.internal.InlineOnly\r\n    public inline operator fun compareTo(other: UInt): Int = this.toUInt().compareTo(other)\r\n\r\n\r\n    /**\r\n     * Compares this value with the specified value for order.\r\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\r\n     * or a positive number if it's greater than other.\r\n     */\r\n    @kotlin.internal.InlineOnly\r\n    public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\r\n\r\n\r\n    /** Adds the other value to this value. */\r\n    @kotlin.internal.InlineOnly\r\n    public inline operator fun plus(other: UByte): UInt = this.toUInt().plus(other.toUInt())\r\n    /** Adds the other value to this value. */\r\n    @kotlin.internal.InlineOnly\r\n    public inline operator fun plus(other: UShort): UInt = this.toUInt().plus(other.toUInt())\r\n    /** Adds the other value to this value. */\r\n    @kotlin.internal.InlineOnly\r\n    public inline operator fun plus(other: UInt): UInt = this.toUInt().plus(other)\r\n    /** Adds the other value to this value. */\r\n    @kotlin.internal.InlineOnly\r\n    public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\r\n\r\n\r\n    /** Subtracts the other value from this value. */\r\n    @kotlin.internal.InlineOnly\r\n    public inline operator fun minus(other: UByte): UInt = this.toUInt().minus(other.toUInt())\r\n    /** Subtracts the other value from this value. */\r\n    @kotlin.internal.InlineOnly\r\n    public inline operator fun minus(other: UShort): UInt = this.toUInt().minus(other.toUInt())\r\n    /** Subtracts the other value from this value. */\r\n    @kotlin.internal.InlineOnly\r\n    public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)\r\n    /** Subtracts the other value from this value. */\r\n    @kotlin.internal.InlineOnly\r\n    public inline operator fun minus(other: ULong): ULong = this.toULong().minus(other)\r\n\r\n\r\n    /** Multiplies this value by the other value. */\r\n    @kotlin.internal.InlineOnly\r\n    public inline operator fun times(other: UByte): UInt = this.toUInt().times(other.toUInt())\r\n    /** Multiplies this value by the other value. */\r\n    @kotlin.internal.InlineOnly\r\n    public inline operator fun times(other: UShort): UInt = this.toUInt().times(other.toUInt())\r\n    /** Multiplies this value by the other value. */\r\n    @kotlin.internal.InlineOnly\r\n    public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\r\n    /** Multiplies this value by the other value. */\r\n
```

@kotlin.internal.InlineOnly\r\n public inline operator fun times(other: ULong): ULong = this.toULong().times(other)\r\n\r\n /** Divides this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun div(other: UByte): UInt = this.toUInt().div(other.toUInt())\r\n /** Divides this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun div(other: UShort): UInt = this.toUInt().div(other.toUInt())\r\n /** Divides this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun div(other: UInt): UInt = this.toUInt().div(other)\r\n /** Divides this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun div(other: ULong): ULong = this.toULong().div(other)\r\n\r\n /** Calculates the remainder of dividing this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun rem(other: UByte): UInt = this.toUInt().rem(other.toUInt())\r\n /** Calculates the remainder of dividing this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun rem(other: UShort): UInt = this.toUInt().rem(other.toUInt())\r\n /** Calculates the remainder of dividing this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun rem(other: UInt): UInt = this.toUInt().rem(other)\r\n /** Calculates the remainder of dividing this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\r\n\r\n /** Increments this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun inc(): UByte = UByte(data.inc())\r\n /** Decrements this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun dec(): UByte = UByte(data.dec())\r\n\r\n /** Creates a range from this value to the specified [other] value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun rangeTo(other: UByte): UIntRange = UIntRange(this.toUInt(), other.toUInt())\r\n\r\n /** Performs a bitwise AND operation between the two values. */\r\n @kotlin.internal.InlineOnly\r\n public inline infix fun and(other: UByte): UByte = UByte(this.data and other.data)\r\n /** Performs a bitwise OR operation between the two values. */\r\n @kotlin.internal.InlineOnly\r\n public inline infix fun or(other: UByte): UByte = UByte(this.data or other.data)\r\n /** Performs a bitwise XOR operation between the two values. */\r\n @kotlin.internal.InlineOnly\r\n public inline infix fun xor(other: UByte): UByte = UByte(this.data xor other.data)\r\n /** Inverts the bits in this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline fun inv(): UByte = UByte(data.inv())\r\n\r\n /**\r\n * Converts this [UByte] value to [Byte].\r\n *\r\n * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\r\n * the same numerical value as this `UByte`. Otherwise the result is negative.\r\n *\r\n * The resulting `Byte` value has the same binary representation as this `UByte` value.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toByte(): Byte = data\r\n /**\r\n * Converts this [UByte] value to [Short].\r\n *\r\n * The resulting `Short` value represents the same numerical value as this `UByte`.\r\n *\r\n * The least significant 8 bits of the resulting `Short` value are the same as the bits of this `UByte` value,\r\n * whereas the most significant 8 bits are filled with zeros.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toShort(): Short = data.toShort() and 0xFF\r\n /**\r\n * Converts this [UByte] value to [Int].\r\n *\r\n * The resulting `Int` value represents the same numerical value as this `UByte`.\r\n *\r\n * The least significant 8 bits of the resulting `Int` value are the same as the bits of this `UByte` value,\r\n * whereas the most significant 24 bits are filled with zeros.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toInt(): Int = data.toInt() and 0xFF\r\n /**\r\n * Converts this [UByte] value to [Long].\r\n *\r\n * The resulting `Long` value represents the same numerical value as this `UByte`.\r\n *\r\n * The least significant 8 bits of the resulting `Long` value are the same as the bits of this `UByte` value,\r\n * whereas the most significant 56 bits are filled with zeros.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toLong(): Long = data.toLong() and 0xFF\r\n\r\n /** Returns this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toUByte(): UByte = this\r\n /**\r\n * Converts this [UByte] value to [UShort].\r\n *\r\n * The resulting `UShort` value represents the same numerical value as this `UByte`.\r\n *\r\n * The least significant 8 bits of the resulting `UShort` value are the same as the bits of this `UByte` value,\r\n * whereas the most significant 8 bits

are filled with zeros.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toUShort(): UShort = UShort(data.toShort() and 0xFF)\r\n /**\r\n * Converts this [UByte] value to [UInt].\r\n *\r\n * The resulting `UInt` value represents the same numerical value as this `UByte`.\r\n *\r\n * The least significant 8 bits of the resulting `UInt` value are the same as the bits of this `UByte` value,\r\n * whereas the most significant 24 bits are filled with zeros.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toUInt(): UInt = UInt(data.toInt() and 0xFF)\r\n /**\r\n * Converts this [UByte] value to [ULong].\r\n *\r\n * The resulting `ULong` value represents the same numerical value
as this `UByte`.\r\n *\r\n * The least significant 8 bits of the resulting `ULong` value are the same as the bits of this `UByte` value,\r\n * whereas the most significant 56 bits are filled with zeros.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toULong(): ULong = ULong(data.toLong() and 0xFF)\r\n\r\n /**\r\n * Converts this [UByte] value to [Float].\r\n *\r\n * The resulting `Float` value represents the same numerical value as this `UByte`.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toFloat(): Float = this.toInt().toFloat()\r\n /**\r\n * Converts this [UByte] value to [Double].\r\n *\r\n * The resulting `Double` value represents the same numerical value as this `UByte`.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toDouble(): Double = this.toInt().toDouble()\r\n\r\n public override fun toString(): String = toInt().toString()\r\n\r\n}\r\n\r\n/**\r\n * Converts
this [Byte] value to [UByte].\r\n *\r\n * If this value is positive, the resulting `UByte` value represents the same numerical value as this `Byte`.\r\n *\r\n * The resulting `UByte` value has the same binary representation as this `Byte` value.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Byte.toUByte(): UByte = UByte(this)\r\n/**\r\n * Converts this [Short] value to [UByte].\r\n *\r\n * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\r\n * the same numerical value as this `Short`.\r\n *\r\n * The resulting `UByte` value is represented by the least significant 8 bits of this `Short` value.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Short.toUByte(): UByte = UByte(this.toByte())\r\n/**\r\n * Converts this [Int] value to [UByte].\r\n *\r\n * If this value is positive and less than or
equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\r\n * the same numerical value as this `Int`.\r\n *\r\n * The resulting `UByte` value is represented by the least significant 8 bits of this `Int` value.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Int.toUByte(): UByte = UByte(this.toByte())\r\n/**\r\n * Converts this [Long] value to [UByte].\r\n *\r\n * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\r\n * the same numerical value as this `Long`.\r\n *\r\n * The resulting `UByte` value is represented by the least significant 8 bits of this `Long` value.\r\n
/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Long.toUByte(): UByte = UByte(this.toByte())\r\n\r\n","/\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// Auto-generated file. DO NOT EDIT!\r\n\r\npackage kotlin\r\n\r\nimport kotlin.experimental.*\r\n\r\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic inline class UInt @PublishedApi internal constructor(@PublishedApi internal val data: Int) : Comparable<UInt> {\r\n\r\n companion object {\r\n /**\r\n * A constant holding the minimum value an instance of UInt can have.\r\n */\r\n public const val MIN_VALUE: UInt = UInt(0)\r\n\r\n /**\r\n * A constant holding the maximum value an instance of UInt can have.\r\n */\r\n public const val MAX_VALUE: UInt = UInt(-1)\r\n\r\n /**\r\n * The number of bytes used to represent an instance of UInt in a binary form.\r\n */\r\n public const val SIZE_BYTES: Int = 4\r\n\r\n /**\r\n

```
 * The number of bits used to represent an instance of UInt in a binary form.\r\n         */\r\n         public const val SIZE_BITS: Int = 32\r\n     }\r\n\r\n     /**\r\n      * Compares this value with the specified value for order.\r\n      * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\r\n      * or a positive number if it's greater than other.\r\n      */\r\n     @kotlin.internal.InlineOnly\r\n     public inline operator fun compareTo(other: UByte): Int = this.compareTo(other.toUInt())\r\n\r\n\r\n     /**\r\n      * Compares this value with the specified value for order.\r\n      * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\r\n      * or a positive number if it's greater than other.\r\n      */\r\n     @kotlin.internal.InlineOnly\r\n     public inline operator fun compareTo(other: UShort): Int = this.compareTo(other.toUInt())\r\n\r\n\r\n     /**\r\n      * Compares this
 value with the specified value for order.\r\n      * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\r\n      * or a positive number if it's greater than other.\r\n      */\r\n     @kotlin.internal.InlineOnly\r\n     @Suppress(\"OVERRIDE_BY_INLINE\")\r\n     public override inline operator fun compareTo(other: UInt): Int = uintCompare(this.data, other.data)\r\n\r\n\r\n     /**\r\n      * Compares this value with the specified value for order.\r\n      * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\r\n      * or a positive number if it's greater than other.\r\n      */\r\n     @kotlin.internal.InlineOnly\r\n     public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\r\n\r\n\r\n     /** Adds the other value to this value. */\r\n     @kotlin.internal.InlineOnly\r\n     public inline operator fun plus(other: UByte): UInt = this.plus(other.toUInt())\r\n
  /** Adds the other value to this value. */\r\n     @kotlin.internal.InlineOnly\r\n     public inline operator fun plus(other: UShort): UInt = this.plus(other.toUInt())\r\n     /** Adds the other value to this value. */\r\n     @kotlin.internal.InlineOnly\r\n     public inline operator fun plus(other: UInt): UInt = UInt(this.data.plus(other.data))\r\n     /** Adds the other value to this value. */\r\n     @kotlin.internal.InlineOnly\r\n     public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\r\n\r\n\r\n     /** Subtracts the other value from this value. */\r\n     @kotlin.internal.InlineOnly\r\n     public inline operator fun minus(other: UByte): UInt = this.minus(other.toUInt())\r\n     /** Subtracts the other value from this value. */\r\n     @kotlin.internal.InlineOnly\r\n     public inline operator fun minus(other: UShort): UInt = this.minus(other.toUInt())\r\n     /** Subtracts the other value from this value. */\r\n     @kotlin.internal.InlineOnly\r\n
  public inline operator
 fun minus(other: UInt): UInt = UInt(this.data.minus(other.data))\r\n     /** Subtracts the other value from this value. */\r\n     @kotlin.internal.InlineOnly\r\n     public inline operator fun minus(other: ULong): ULong = this.toULong().minus(other)\r\n\r\n\r\n     /** Multiplies this value by the other value. */\r\n     @kotlin.internal.InlineOnly\r\n     public inline operator fun times(other: UByte): UInt = this.times(other.toUInt())\r\n     /** Multiplies this value by the other value. */\r\n     @kotlin.internal.InlineOnly\r\n     public inline operator fun times(other: UShort): UInt = this.times(other.toUInt())\r\n     /** Multiplies this value by the other value. */\r\n     @kotlin.internal.InlineOnly\r\n     public inline operator fun times(other: UInt): UInt = UInt(this.data.times(other.data))\r\n     /** Multiplies this value by the other value. */\r\n     @kotlin.internal.InlineOnly\r\n     public inline operator fun times(other: ULong): ULong = this.toULong().times(other)\r\n\r\n\r\n
 /** Divides this value by the other value. */\r\n     @kotlin.internal.InlineOnly\r\n     public inline operator fun div(other: UByte): UInt = this.div(other.toUInt())\r\n     /** Divides this value by the other value. */\r\n     @kotlin.internal.InlineOnly\r\n     public inline operator fun div(other: UShort): UInt = this.div(other.toUInt())\r\n     /** Divides this value by the other value. */\r\n     @kotlin.internal.InlineOnly\r\n     public inline operator fun div(other: UInt): UInt = uintDivide(this, other)\r\n     /** Divides this value by the other value. */\r\n     @kotlin.internal.InlineOnly\r\n     public inline operator fun div(other: ULong): ULong = this.toULong().div(other)\r\n\r\n\r\n     /** Calculates the remainder of dividing this value by the other value. */\r\n     @kotlin.internal.InlineOnly\r\n     public inline operator fun rem(other: UByte): UInt = this.rem(other.toUInt())\r\n     /** Calculates the remainder of dividing this value by the other value. */\r\n     @kotlin.internal.InlineOnly\r\n
```

public inline operator fun rem(other: UShort): UInt = this.rem(other.toUInt())\r\n /** Calculates the remainder of dividing this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun rem(other: UInt): UInt = uintRemainder(this, other)\r\n /** Calculates the remainder of dividing this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\r\n\r\n /** Increments this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun inc(): UInt = UInt(data.inc())\r\n /** Decrements this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun dec(): UInt = UInt(data.dec())\r\n\r\n /** Creates a range from this value to the specified [other] value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun rangeTo(other: UInt): UIntRange = UIntRange(this, other)\r\n\r\n /**
Shifts this value left by the [bitCount] number of bits. */\r\n @kotlin.internal.InlineOnly\r\n public inline infix fun shl(bitCount: Int): UInt = UInt(data shl bitCount)\r\n /** Shifts this value right by the [bitCount] number of bits, filling the leftmost bits with zeros. */\r\n @kotlin.internal.InlineOnly\r\n public inline infix fun shr(bitCount: Int): UInt = UInt(data ushr bitCount)\r\n /** Performs a bitwise AND operation between the two values. */\r\n @kotlin.internal.InlineOnly\r\n public inline infix fun and(other: UInt): UInt = UInt(this.data and other.data)\r\n /** Performs a bitwise OR operation between the two values. */\r\n @kotlin.internal.InlineOnly\r\n public inline infix fun or(other: UInt): UInt = UInt(this.data or other.data)\r\n /** Performs a bitwise XOR operation between the two values. */\r\n @kotlin.internal.InlineOnly\r\n public inline infix fun xor(other: UInt): UInt = UInt(this.data xor other.data)\r\n /** Inverts
the bits in this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline fun inv(): UInt = UInt(data.inv())\r\n\r\n /**\r\n * Converts this [UInt] value to [Byte].\r\n *\r\n * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\r\n * the same numerical value as this `UInt`.\r\n *\r\n * The resulting `Byte` value is represented by the least significant 8 bits of this `UInt` value.\r\n * Note that the resulting `Byte` value may be negative.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toByte(): Byte = data.toByte()\r\n /**\r\n * Converts this [UInt] value to [Short].\r\n *\r\n * If this value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value represents\r\n * the same numerical value as this `UInt`.\r\n *\r\n * The resulting `Short` value is represented by the least significant 16 bits of this `UInt` value.\r\n * Note that
the resulting `Short` value may be negative.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toShort(): Short = data.toShort()\r\n /**\r\n * Converts this [UInt] value to [Int].\r\n *\r\n * If this value is less than or equals to [Int.MAX_VALUE], the resulting `Int` value represents\r\n * the same numerical value as this `UInt`. Otherwise the result is negative.\r\n *\r\n * The resulting `Int` value has the same binary representation as this `UInt` value.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toInt(): Int = data\r\n /**\r\n * Converts this [UInt] value to [Long].\r\n *\r\n * The resulting `Long` value represents the same numerical value as this `UInt`.\r\n *\r\n * The least significant 32 bits of the resulting `Long` value are the same as the bits of this `UInt` value,\r\n * whereas the most significant 32 bits are filled with zeros.\r\n */\r\n @kotlin.internal.InlineOnly\r\n
public inline fun toLong(): Long = data.toLong() and 0xFFFF_FFFF\r\n\r\n /**\r\n * Converts this [UInt] value to [UByte].\r\n *\r\n * If this value is less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\r\n * the same numerical value as this `UInt`.\r\n *\r\n * The resulting `UByte` value is represented by the least significant 8 bits of this `UInt` value.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toUByte(): UByte = data.toUByte()\r\n /**\r\n * Converts this [UInt] value to [UShort].\r\n *\r\n * If this value is less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\r\n * the same numerical value as this `UInt`.\r\n *\r\n * The resulting `UShort` value is represented by the least significant 16 bits of this `UInt` value.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toUShort(): UShort = data.toUShort()\r\n /** Returns
this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toUInt(): UInt = this\r\n /**\r\n * Converts this [UInt] value to [ULong].\r\n *\r\n * The resulting `ULong` value represents the same numerical value as this `UInt`.\r\n *\r\n * The least significant 32 bits of the resulting `ULong` value are the same as the

bits of this `UInt` value,\r\n * whereas the most significant 32 bits are filled with zeros.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toULong(): ULong = ULong(data.toLong() and 0xFFFF_FFFF)\r\n\r\n /**\r\n * Converts this [UInt] value to [Float].\r\n *\r\n * The resulting value is the closest `Float` to this `UInt` value.\r\n * In case when this `UInt` value is exactly between two `Float`s,\r\n * the one with zero at least significant bit of mantissa is selected.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toFloat(): Float = this.toDouble().toFloat()\r\n

/**\r\n * Converts this [UInt] value to [Double].\r\n *\r\n * The resulting `Double` value represents the same numerical value as this `UInt`.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toDouble(): Double = uintToDouble(data)\r\n\r\n public override fun toString(): String = toLong().toString()\r\n\r\n}\r\n\r\n/**\r\n * Converts this [Byte] value to [UInt].\r\n *\r\n * If this value is positive, the resulting `UInt` value represents the same numerical value as this `Byte`.\r\n *\r\n * The least significant 8 bits of the resulting `UInt` value are the same as the bits of this `Byte` value,\r\n * whereas the most significant 24 bits are filled with the sign bit of this value.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Byte.toUInt(): UInt = UInt(this.toInt())\r\n/**\r\n * Converts this [Short] value to [UInt].\r\n *\r\n * If this value is positive, the resulting `UInt`

value represents the same numerical value as this `Short`.\r\n *\r\n * The least significant 16 bits of the resulting `UInt` value are the same as the bits of this `Short` value,\r\n * whereas the most significant 16 bits are filled with the sign bit of this value.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Short.toUInt(): UInt = UInt(this.toInt())\r\n/**\r\n * Converts this [Int] value to [UInt].\r\n *\r\n * If this value is positive, the resulting `UInt` value represents the same numerical value as this `Int`.\r\n *\r\n * The resulting `UInt` value has the same binary representation as this `Int` value.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Int.toUInt(): UInt = UInt(this)\r\n/**\r\n * Converts this [Long] value to [UInt].\r\n *\r\n * If this value is positive and less than or equals to [UInt.MAX_VALUE], the resulting `UInt` value represents\r\n

* the same numerical value as this `Long`.\r\n *\r\n * The resulting `UInt` value is represented by the least significant 32 bits of this `Long` value.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Long.toUInt(): UInt = UInt(this.toInt())\r\n\r\n/**\r\n * Converts this [Float] value to [UInt].\r\n *\r\n * The fractional part, if any, is rounded down.\r\n * Returns zero if this `Float` value is negative or `NaN`, [UInt.MAX_VALUE] if it's bigger than `UInt.MAX_VALUE`.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Float.toUInt(): UInt = doubleToUInt(this.toDouble())\r\n/**\r\n * Converts this [Double] value to [UInt].\r\n *\r\n * The fractional part, if any, is rounded down.\r\n * Returns zero if this `Double` value is negative or `NaN`, [UInt.MAX_VALUE] if it's bigger than `UInt.MAX_VALUE`.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic

inline fun Double.toUInt(): UInt = doubleToUInt(this)\r\n","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// Auto-generated file. DO NOT EDIT!\r\n\r\npackage kotlin\r\n\r\nimport kotlin.experimental.*\r\n\r\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic inline class UShort @PublishedApi internal constructor(@PublishedApi internal val data: Short) : Comparable<UShort> {\r\n\r\n companion object {\r\n /**\r\n * A constant holding the minimum value an instance of UShort can have.\r\n */\r\n public const val MIN_VALUE: UShort = UShort(0)\r\n\r\n /**\r\n * A constant holding the maximum value an instance of UShort can have.\r\n */\r\n

public const val MAX_VALUE: UShort = UShort(-1)\r\n\r\n /**\r\n * The number of bytes used to represent an instance of UShort in a binary form.\r\n */\r\n public const val SIZE_BYTES: Int = 2\r\n\r\n /**\r\n * The number of bits used to represent an instance of UShort in a binary form.\r\n */\r\n public const val SIZE_BITS: Int = 16\r\n }\r\n\r\n /**\r\n * Compares this value with the specified value for order.\r\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\r\n * or a positive number if it's greater than other.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun compareTo(other: UByte): Int = this.toInt().compareTo(other.toInt())\r\n\r\n /**\r\n * Compares this value with the specified value for order.\r\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\r\n * or a positive number if it's greater than other.\r\n */\r\n @kotlin.internal.InlineOnly\r\n @Suppress(\"OVERRIDE_BY_INLINE\")\r\n public override inline operator fun compareTo(other: UShort): Int = this.toInt().compareTo(other.toInt())\r\n\r\n /**\r\n * Compares this value with the specified value for order.\r\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\r\n * or a positive number if it's greater than other.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun compareTo(other: UInt): Int = this.toUInt().compareTo(other)\r\n\r\n /**\r\n * Compares this value with the specified value for order.\r\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\r\n * or a positive number if it's greater than other.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\r\n\r\n /** Adds the other value to this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun plus(other: UByte): UInt = this.toUInt().plus(other.toUInt())\r\n /** Adds the other value to this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun plus(other: UShort): UInt = this.toUInt().plus(other.toUInt())\r\n /** Adds the other value to this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun plus(other: UInt): UInt = this.toUInt().plus(other)\r\n /** Adds the other value to this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\r\n\r\n /** Subtracts the other value from this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun minus(other: UByte): UInt = this.toUInt().minus(other.toUInt())\r\n /**
Subtracts the other value from this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun minus(other: UShort): UInt = this.toUInt().minus(other.toUInt())\r\n /** Subtracts the other value from this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)\r\n /** Subtracts the other value from this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun minus(other: ULong): ULong = this.toULong().minus(other)\r\n\r\n /** Multiplies this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun times(other: UByte): UInt = this.toUInt().times(other.toUInt())\r\n /** Multiplies this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun times(other: UShort): UInt = this.toUInt().times(other.toUInt())\r\n /** Multiplies this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\r\n /** Multiplies this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun times(other: ULong): ULong = this.toULong().times(other)\r\n\r\n /** Divides this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun div(other: UByte): UInt = this.toUInt().div(other.toUInt())\r\n /** Divides this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun div(other: UShort): UInt = this.toUInt().div(other.toUInt())\r\n /** Divides this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun div(other: UInt): UInt = this.toUInt().div(other)\r\n /** Divides this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun div(other: ULong): ULong = this.toULong().div(other)\r\n\r\n

/** Calculates the remainder of dividing this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun rem(other: UByte): UInt = this.toUInt().rem(other.toUInt())\r\n /** Calculates the remainder of dividing this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun rem(other: UShort): UInt = this.toUInt().rem(other.toUInt())\r\n /** Calculates the remainder of dividing this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun rem(other: UInt): UInt = this.toUInt().rem(other)\r\n /** Calculates the remainder of dividing this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\r\n\r\n /** Increments this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun inc(): UShort = UShort(data.inc())\r\n /** Decrements this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun dec(): UShort = UShort(data.dec())\r\n\r\n /** Creates a range from this value to the specified [other] value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun rangeTo(other: UShort): UIntRange = UIntRange(this.toUInt(), other.toUInt())\r\n\r\n /** Performs a bitwise AND operation between the two values. */\r\n @kotlin.internal.InlineOnly\r\n public inline infix fun and(other: UShort): UShort = UShort(this.data and other.data)\r\n /** Performs a bitwise OR operation between the two values. */\r\n @kotlin.internal.InlineOnly\r\n public inline infix fun or(other: UShort): UShort = UShort(this.data or other.data)\r\n /** Performs a bitwise XOR operation between the two values. */\r\n @kotlin.internal.InlineOnly\r\n public inline infix fun xor(other: UShort): UShort = UShort(this.data xor other.data)\r\n /** Inverts the bits in this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline fun inv(): UShort = UShort(data.inv())\r\n\r\n /**\r\n * Converts this [UShort] value to [Byte].\r\n *\r\n * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\r\n * the same numerical value as this `UShort`.\r\n *\r\n * The resulting `Byte` value is represented by the least significant 8 bits of this `UShort` value.\r\n * Note that the resulting `Byte` value may be negative.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toByte(): Byte = data.toByte()\r\n /**\r\n * Converts this [UShort] value to [Short].\r\n *\r\n * If this value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value represents\r\n * the same numerical value as this `UShort`. Otherwise the result is negative.\r\n *\r\n * The resulting `Short` value has the same binary representation as this `UShort` value.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toShort(): Short = data\r\n /**\r\n * Converts this [UShort] value to [Int].\r\n *\r\n * The resulting `Int` value represents the same numerical value as this `UShort`.\r\n *\r\n * The least significant 16 bits of the resulting `Int` value are the same as the bits of this `UShort` value,\r\n * whereas the most significant 16 bits are filled with zeros.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toInt(): Int = data.toInt() and 0xFFFF\r\n /**\r\n * Converts this [UShort] value to [Long].\r\n *\r\n * The resulting `Long` value represents the same numerical value as this `UShort`.\r\n *\r\n * The least significant 16 bits of the resulting `Long` value are the same as the bits of this `UShort` value,\r\n * whereas the most significant 48 bits are filled with zeros.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toLong(): Long = data.toLong() and 0xFFFF\r\n\r\n /**\r\n * Converts this [UShort] value to [UByte].\r\n *\r\n * If this value is less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\r\n * the same numerical value as this `UShort`.\r\n *\r\n * The resulting `UByte` value is represented by the least significant 8 bits of this `UShort` value.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toUByte(): UByte = data.toUByte()\r\n /** Returns this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toUShort(): UShort = this\r\n /**\r\n * Converts this [UShort] value to [UInt].\r\n *\r\n * The resulting `UInt` value represents the same numerical value as this `UShort`.\r\n *\r\n * The least significant 16 bits of the resulting `UInt` value are the same as the bits of this `UShort` value,\r\n * whereas the most significant 16 bits are filled with zeros.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toUInt(): UInt = UInt(data.toInt() and 0xFFFF)\r\n /**\r\n * Converts this [UShort] value to [ULong].\r\n *\r\n * The resulting `ULong` value represents the same numerical value as this `UShort`.\r\n

*\r\n * The least significant 16 bits of the resulting `ULong` value are the same as the bits of this `UShort` value,\r\n * whereas the most significant 48 bits are filled with zeros.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toULong(): ULong = ULong(data.toLong() and 0xFFFF)\r\n\r\n /**\r\n * Converts this [UShort] value to [Float].\r\n *\r\n * The resulting `Float` value represents the same numerical value as this `UShort`.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toFloat(): Float = this.toInt().toFloat()\r\n /**\r\n * Converts this [UShort] value to [Double].\r\n *\r\n * The resulting `Double` value represents the same numerical value as this `UShort`.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toDouble(): Double = this.toInt().toDouble()\r\n\r\n public override fun toString(): String = toInt().toString()\r\n\r\n}\r\n\r\n/**\r\n * Converts this [Byte] value to [UShort].\r\n *\r\n * If this value is positive, the resulting `UShort` value represents the same numerical value as this `Byte`.\r\n *\r\n * The least significant 8 bits of the resulting `UShort` value are the same as the bits of this `Byte` value,\r\n * whereas the most significant 8 bits are filled with the sign bit of this value.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Byte.toUShort(): UShort = UShort(this.toShort())\r\n/**\r\n * Converts this [Short] value to [UShort].\r\n *\r\n * If this value is positive, the resulting `UShort` value represents the same numerical value as this `Short`.\r\n *\r\n * The resulting `UShort` value has the same binary representation as this `Short` value.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Short.toUShort(): UShort = UShort(this)\r\n/**\r\n * Converts this [Int] value to [UShort].\r\n *\r\n * If this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\r\n * the same numerical value as this `Int`.\r\n *\r\n * The resulting `UShort` value is represented by the least significant 16 bits of this `Int` value.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Int.toUShort(): UShort = UShort(this.toShort())\r\n/**\r\n * Converts this [Long] value to [UShort].\r\n *\r\n * If this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\r\n * the same numerical value as this `Long`.\r\n *\r\n * The resulting `UShort` value is represented by the least significant 16 bits of this `Long` value.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Long.toUShort(): UShort = UShort(this.toShort())\r\n","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// Auto-generated file. DO NOT EDIT!\r\n\r\npackage kotlin.ranges\r\n\r\n/**\r\n * A range of values of type `Char`.\r\n */\r\npublic class CharRange(start: Char, endInclusive: Char) : CharProgression(start, endInclusive, 1), ClosedRange<Char> {\r\n override val start: Char get() = first\r\n override val endInclusive: Char get() = last\r\n\r\n override fun contains(value: Char): Boolean = first <= value && value <= last\r\n\r\n override fun isEmpty(): Boolean = first > last\r\n\r\n override fun equals(other: Any?): Boolean =\r\n other is CharRange && (isEmpty() && other.isEmpty() ||\r\n first == other.first && last == other.last)\r\n\r\n override fun hashCode(): Int =\r\n if (isEmpty()) -1 else (31 * first.toInt() + last.toInt())\r\n\r\n override fun toString(): String = \"$first..$last\"\r\n\r\n companion object {\r\n /** An empty range of values of type Char. */\r\n public val EMPTY: CharRange = CharRange(1.toChar(), 0.toChar())\r\n }\r\n}\r\n\r\n/**\r\n * A range of values of type `Int`.\r\n */\r\npublic class IntRange(start: Int, endInclusive: Int) : IntProgression(start, endInclusive, 1), ClosedRange<Int> {\r\n override val start: Int get() = first\r\n override val endInclusive: Int get() = last\r\n\r\n override fun contains(value: Int): Boolean = first <= value && value <= last\r\n\r\n override fun isEmpty(): Boolean = first > last\r\n\r\n override fun equals(other: Any?): Boolean =\r\n other is IntRange && (isEmpty() && other.isEmpty() ||\r\n first == other.first && last == other.last)\r\n\r\n override fun hashCode(): Int =\r\n if (isEmpty()) -1 else (31 * first + last)\r\n\r\n override fun toString(): String = \"$first..$last\"\r\n\r\n companion object {\r\n /** An empty range of values of type Int. */\r\n public val EMPTY: IntRange = IntRange(1, 0)\r\n }\r\n}\r\n\r\n/**\r\n * A range of values

of type `Long`.\r\n */\r\npublic class LongRange(start: Long, endInclusive: Long) : LongProgression(start, endInclusive, 1), ClosedRange<Long> {\r\n   override val start: Long get() = first\r\n   override val endInclusive: Long get() = last\r\n\r\n   override fun contains(value: Long): Boolean = first <= value && value <= last\r\n\r\n   override fun isEmpty(): Boolean = first > last\r\n\r\n   override fun equals(other: Any?): Boolean =\r\n   other is LongRange && (isEmpty() && other.isEmpty() ||\r\n   first == other.first && last == other.last)\r\n\r\n   override fun hashCode(): Int =\r\n   if (isEmpty()) -1
    else (31 * (first xor (first ushr 32)) + (last xor (last ushr 32))).toInt()\r\n\r\n   override fun toString(): String = \"$first..$last\"\r\n\r\n   companion object {\r\n   /** An empty range of values of type Long. */\r\n   public val EMPTY: LongRange = LongRange(1, 0)\r\n   }\r\n}\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:kotlin.jvm.JvmMultifileClass\r\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\r\n\r\npackage kotlin.collections\r\n\r\nimport kotlin.contracts.*\r\n\r\ninternal object EmptyIterator : ListIterator<Nothing> {\r\n   override fun hasNext(): Boolean = false\r\n   override fun hasPrevious(): Boolean = false\r\n   override fun nextIndex(): Int = 0\r\n   override fun previousIndex(): Int = -1\r\n   override fun next(): Nothing = throw NoSuchElementException()\r\n
    override fun previous(): Nothing = throw NoSuchElementException()\r\n}\r\n\r\ninternal object EmptyList : List<Nothing>, Serializable, RandomAccess {\r\n   private const val serialVersionUID: Long = -7390468764508069838L\r\n\r\n   override fun equals(other: Any?): Boolean = other is List<*> && other.isEmpty()\r\n   override fun hashCode(): Int = 1\r\n   override fun toString(): String = \"[]\"\r\n\r\n   override val size: Int get() = 0\r\n   override fun isEmpty(): Boolean = true\r\n   override fun contains(element: Nothing): Boolean = false\r\n   override fun containsAll(elements: Collection<Nothing>): Boolean = elements.isEmpty()\r\n\r\n   override fun get(index: Int): Nothing = throw IndexOutOfBoundsException(\"Empty list doesn't contain element at index $index.\")\r\n   override fun indexOf(element: Nothing): Int = -1\r\n   override fun lastIndexOf(element: Nothing): Int = -1\r\n\r\n   override fun iterator(): Iterator<Nothing> = EmptyIterator\r\n   override fun
    listIterator(): ListIterator<Nothing> = EmptyIterator\r\n   override fun listIterator(index: Int): ListIterator<Nothing> {\r\n   if (index != 0) throw IndexOutOfBoundsException(\"Index: $index\")\r\n   return EmptyIterator\r\n   }\r\n\r\n   override fun subList(fromIndex: Int, toIndex: Int): List<Nothing> {\r\n   if (fromIndex == 0 && toIndex == 0) return this\r\n   throw IndexOutOfBoundsException(\"fromIndex: $fromIndex, toIndex: $toIndex\")\r\n   }\r\n\r\n   private fun readResolve(): Any = EmptyList\r\n}\r\n\r\ninternal fun <T> Array<out T>.asCollection(): Collection<T> = ArrayAsCollection(this, isVarargs = false)\r\n\r\nprivate class ArrayAsCollection<T>(val values: Array<out T>, val isVarargs: Boolean) : Collection<T> {\r\n   override val size: Int get() = values.size\r\n   override fun isEmpty(): Boolean = values.isEmpty()\r\n   override fun contains(element: T): Boolean = values.contains(element)\r\n   override fun containsAll(elements: Collection<T>): Boolean = elements.all { contains(it) }\r\n   override fun iterator(): Iterator<T> = values.iterator()\r\n   // override hidden toArray implementation to prevent copying of values array\r\n   public fun toArray(): Array<out Any?> = values.copyToArrayOfAny(isVarargs)\r\n}\r\n\r\n/**\r\n * Returns an empty read-only list. The returned list is serializable (JVM).\r\n * @sample samples.collections.Collections.Lists.emptyReadOnlyList\r\n */\r\npublic fun <T> emptyList(): List<T> = EmptyList\r\n\r\n/**\r\n * Returns a new read-only list of given elements. The returned list is serializable (JVM).\r\n * @sample samples.collections.Collections.Lists.readOnlyList\r\n */\r\npublic fun <T> listOf(vararg elements: T): List<T> = if (elements.size > 0) elements.asList() else emptyList()\r\n\r\n/**\r\n * Returns an empty read-only list. The returned list is serializable (JVM).\r\n * @sample samples.collections.Collections.Lists.emptyReadOnlyList\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic
    inline fun <T> listOf(): List<T> = emptyList()\r\n\r\n/**\r\n * Returns an empty new [MutableList].\r\n * @sample samples.collections.Collections.Lists.emptyMutableList\r\n */\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> mutableListOf(): MutableList<T> = ArrayList()\r\n\r\n/**\r\n * Returns an empty new [ArrayList].\r\n * @sample

samples.collections.Collections.Lists.emptyArrayList\r\n
*/\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> arrayListOf(): ArrayList<T> = ArrayList()\r\n\r\n/**\r\n * Returns a new [MutableList] with the given elements.\r\n * @sample samples.collections.Collections.Lists.mutableList\r\n */\r\npublic fun <T> mutableListOf(vararg elements: T): MutableList<T> =\r\n   if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs = true))\r\n\r\n/**\r\n * Returns a new [ArrayList] with the given elements.\r\n * @sample samples.collections.Collections.Lists.arrayList\r\n
 */\r\npublic fun <T> arrayListOf(vararg elements: T): ArrayList<T> =\r\n   if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs = true))\r\n\r\n/**\r\n * Returns a new read-only list either of single given element, if it is not null, or empty list if the element is null. The returned list is serializable (JVM).\r\n * @sample samples.collections.Collections.Lists.listOfNotNull\r\n */\r\npublic fun <T : Any> listOfNotNull(element: T?): List<T> = if (element != null) listOf(element) else emptyList()\r\n\r\n/**\r\n * Returns a new read-only list only of those given elements, that are not null. The returned list is serializable (JVM).\r\n * @sample samples.collections.Collections.Lists.listOfNotNull\r\n */\r\npublic fun <T : Any> listOfNotNull(vararg elements: T?): List<T> = elements.filterNotNull()\r\n\r\n/**\r\n * Creates a new read-only list with the specified [size], where each element is calculated by calling the specified\r\n * [init] function.\r\n
 *\r\n * The function [init] is called for each list element sequentially starting from the first one.\r\n * It should return the value for a list element given its index.\r\n *\r\n * @sample samples.collections.Collections.Lists.readOnlyListFromInitializer\r\n
*/\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> List(size: Int, init: (index: Int) -> T): List<T> = MutableList(size, init)\r\n\r\n/**\r\n * Creates a new mutable list with the specified [size], where each element is calculated by calling the specified\r\n * [init] function.\r\n *\r\n * The function [init] is called for each list element sequentially starting from the first one.\r\n * It should return the value for a list element given its index.\r\n *\r\n * @sample samples.collections.Collections.Lists.mutableListFromInitializer\r\n
*/\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> MutableList(size: Int, init: (index: Int) -> T): MutableList<T> {\r\n   val
 list = ArrayList<T>(size)\r\n   repeat(size) { index -> list.add(init(index)) }\r\n   return list\r\n}\r\n\r\n/**\r\n * Returns an [IntRange] of the valid indices for this collection.\r\n * @sample samples.collections.Collections.Collections.indicesOfCollection\r\n */\r\npublic val Collection<*>.indices: IntRange\r\n   get() = 0..size - 1\r\n\r\n/**\r\n * Returns the index of the last item in the list or -1 if the list is empty.\r\n *\r\n * @sample samples.collections.Collections.Lists.lastIndexOfList\r\n */\r\npublic val <T> List<T>.lastIndex: Int\r\n   get() = this.size - 1\r\n\r\n/**\r\n * Returns `true` if the collection is not empty.\r\n * @sample samples.collections.Collections.Collections.collectionIsNotEmpty\r\n
*/\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> Collection<T>.isNotEmpty(): Boolean = !isEmpty()\r\n\r\n/**\r\n * Returns `true` if this nullable collection is either null or empty.\r\n * @sample samples.collections.Collections.Collections.collectionIsNullOrEmpty\r\n
 */\r\n@SinceKotlin(\"1.3\")\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> Collection<T>?.isNullOrEmpty(): Boolean {\r\n   contract {\r\n   returns(false) implies (this@isNullOrEmpty != null)\r\n   }\r\n\r\n   return this == null || this.isEmpty()\r\n}\r\n\r\n/**\r\n * Returns this Collection if it's not `null` and the empty list otherwise.\r\n * @sample samples.collections.Collections.Collections.collectionOrEmpty\r\n
*/\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> Collection<T>?.orEmpty(): Collection<T> = this ?: emptyList()\r\n\r\n/**\r\n * Returns this List if it's not `null` and the empty list otherwise.\r\n * @sample samples.collections.Collections.Lists.listOrEmpty\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> List<T>?.orEmpty(): List<T> = this ?: emptyList()\r\n\r\n/**\r\n * Returns this collection if it's not empty\r\n * or the result of calling [defaultValue] function if the collection is empty.\r\n *\r\n * @sample samples.collections.Collections.Collections.collectionIfEmpty\r\n
 /\r\n@SinceKotlin(\"1.3\")\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : Collection<>, C : R =\r\n   if (isEmpty()) defaultValue() else this\r\n\r\n\r\n\r\n/**\r\n * Checks if

all elements in the specified collection are contained in this collection.\r\n *\r\n * Allows to overcome type-safety restriction of `containsAll` that requires to pass a collection of type `Collection<E>`.\r\n * @sample samples.collections.Collections.Collections.collectionContainsAll\r\n */\r\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning, extension takes precedence in some cases\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <@kotlin.internal.OnlyInputTypes T> Collection<T>.containsAll(elements: Collection<T>): Boolean = this.containsAll(elements)\r\n\r\ninternal fun <T> List<T>.optimizeReadOnlyList() = when (size) {\r\n 0 -> emptyList()\r\n 1 -> listOf(this[0])\r\n else -> this\r\n}\r\n\r\n\r\n/**\r\n * Searches this list or its range for the provided [element] using the binary search algorithm.\r\n * The list is expected to be sorted into ascending order according to the Comparable natural ordering of its elements,\r\n * otherwise the result is undefined.\r\n *\r\n * If the list contains multiple elements equal to the specified [element], there is no guarantee which one will be found.\r\n *\r\n * `null` value is considered to be less than any non-null value.\r\n *\r\n * @return the index of the element, if it is contained in the list within the specified range;\r\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\r\n * The insertion point is defined as the index at which the element should be inserted,\r\n * so that the list (or the specified subrange of list) still remains sorted.\r\n * @sample samples.collections.Collections.Lists.binarySearchOnComparable\r\n * @sample samples.collections.Collections.Lists.binarySearchWithBoundaries\r\n */\r\npublic fun <T : Comparable<T>> List<T?>.binarySearch(element: T?, fromIndex: Int = 0, toIndex: Int = size): Int {\r\n rangeCheck(size, fromIndex, toIndex)\r\n\r\n var low = fromIndex\r\n var high = toIndex - 1\r\n\r\n while (low <= high) {\r\n val mid = (low + high).ushr(1) // safe from overflows\r\n val midVal = get(mid)\r\n val cmp = compareValues(midVal, element)\r\n\r\n if (cmp < 0)\r\n low = mid + 1\r\n else if (cmp > 0)\r\n high = mid - 1\r\n else\r\n return mid // key found\r\n }\r\n return -(low + 1) // key not found\r\n}\r\n\r\n/**\r\n * Searches this list or its range for the provided [element] using the binary search algorithm.\r\n * The list is expected to be sorted into ascending order according to the specified [comparator],\r\n * otherwise the result is undefined.\r\n *\r\n * If the list contains multiple elements equal to the specified [element], there is no guarantee which one will be found.\r\n *\r\n * `null` value is considered to be less than any non-null value.\r\n *\r\n * @return the index of the element, if it is contained in the list within the specified range;\r\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\r\n * The insertion point is defined as the index at which the element should be inserted,\r\n * so that the list (or the specified subrange of list) still remains sorted according to the specified [comparator].\r\n * @sample samples.collections.Collections.Lists.binarySearchWithComparator\r\n */\r\npublic fun <T> List<T>.binarySearch(element: T, comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Int {\r\n rangeCheck(size, fromIndex, toIndex)\r\n\r\n var low = fromIndex\r\n var high = toIndex - 1\r\n\r\n while (low <= high) {\r\n val mid = (low + high).ushr(1) // safe from overflows\r\n val midVal = get(mid)\r\n val cmp = comparator.compare(midVal, element)\r\n\r\n if (cmp < 0)\r\n low = mid + 1\r\n else if (cmp > 0)\r\n high = mid - 1\r\n else\r\n return mid // key found\r\n }\r\n return -(low + 1) // key not found\r\n}\r\n\r\n/**\r\n * Searches this list or its range for an element having the key returned by the specified [selector] function\r\n * equal to the provided [key] value using the binary search algorithm.\r\n * The list is expected to be sorted into ascending order according to the Comparable natural ordering of keys of its elements.\r\n * otherwise the result is undefined.\r\n *\r\n * If the list contains multiple elements with the specified [key], there is no guarantee which one will be found.\r\n *\r\n * `null` value is considered to be less than any non-null value.\r\n *\r\n * @return the index of the element with the specified [key], if it is contained in the list within the specified range;\r\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\r\n * The insertion point is defined as the index at which the element should be inserted,\r\n * so that the list (or the specified subrange of list) still remains sorted.\r\n * @sample samples.collections.Collections.Lists.binarySearchByKey\r\n */\r\npublic inline fun <T, K : Comparable<K>> List<T>.binarySearchBy(\r\n key: K?,\r\n fromIndex: Int = 0,\r\n toIndex: Int = size,\r\n crossinline selector: (T) -> K?\r\n): Int =\r\n binarySearch(fromIndex, toIndex) { compareValues(selector(it), key) }\r\n\r\n// do not

introduce this overload --- too rare\r\n//public fun <T, K> List<T>.binarySearchBy(key: K, comparator: Comparator<K>, fromIndex: Int = 0, toIndex: Int = size(), selector: (T) -> K): Int =\r\n// binarySearch(fromIndex, toIndex) { comparator.compare(selector(it), key) }\r\n\r\n\r\n/**\r\n * Searches this list or its range for an element for which [comparison] function returns zero using the binary search algorithm.\r\n * The list is expected to be
sorted into ascending order according to the provided [comparison],\r\n * otherwise the result is undefined.\r\n *\r\n * If the list contains multiple elements for which [comparison] returns zero, there is no guarantee which one will be found.\r\n *\r\n * @param comparison function that compares an element of the list with the element being searched.\r\n *\r\n * @return the index of the found element, if it is contained in the list within the specified range;\r\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\r\n * The insertion point is defined as the index at which the element should be inserted,\r\n * so that the list (or the specified subrange of list) still remains sorted.\r\n * @sample samples.collections.Collections.Lists.binarySearchWithComparisonFunction\r\n */\r\npublic fun <T> List<T>.binarySearch(fromIndex: Int = 0, toIndex: Int = size, comparison: (T) -> Int): Int {\r\n rangeCheck(size, fromIndex, toIndex)\r\n\r\n   var low = fromIndex\r\n   var high
= toIndex - 1\r\n\r\n   while (low <= high) {\r\n   val mid = (low + high).ushr(1) // safe from overflows\r\n val midVal = get(mid)\r\n   val cmp = comparison(midVal)\r\n\r\n   if (cmp < 0)\r\n   low = mid + 1\r\n else if (cmp > 0)\r\n   high = mid - 1\r\n   else\r\n   return mid // key found\r\n   }\r\n   return -(low + 1) // key not found\r\n}\r\n\r\n/**\r\n * Checks that `from` and `to` are in\r\n * the range of [0..size] and throws an appropriate exception, if they aren't.\r\n */\r\nprivate fun rangeCheck(size: Int, fromIndex: Int, toIndex: Int) {\r\n when {\r\n   fromIndex > toIndex -> throw IllegalArgumentException(\"fromIndex ($fromIndex) is greater than toIndex ($toIndex).\")\r\n   fromIndex < 0 -> throw IndexOutOfBoundsException(\"fromIndex ($fromIndex) is less than zero.\")\r\n   toIndex > size -> throw IndexOutOfBoundsException(\"toIndex ($toIndex) is greater than size ($size).\")\r\n   }\r\n}\r\n\r\n\r\n@PublishedApi\r\n@SinceKotlin(\"1.3\")\r\ninternal
expect fun checkIndexOverflow(index: Int): Int\r\n\r\n@PublishedApi\r\n@SinceKotlin(\"1.3\")\r\ninternal expect fun checkCountOverflow(count: Int): Int\r\n\r\n\r\n@PublishedApi\r\n@SinceKotlin(\"1.3\")\r\ninternal fun throwIndexOverflow() { throw ArithmeticException(\"Index overflow has happened.\") }\r\n\r\n@PublishedApi\r\n@SinceKotlin(\"1.3\")\r\ninternal fun throwCountOverflow() { throw ArithmeticException(\"Count overflow has happened.\") }\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n\r\n@file:kotlin.jvm.JvmMultifileClass\r\n@file:kotlin.jvm.JvmName(\"MapsKt\")\r\n\r\n\r\npackage kotlin.collections\r\n\r\n\r\nimport kotlin.contracts.*\r\n\r\n\r\nprivate object EmptyMap : Map<Any?, Nothing>, Serializable {\r\n   private const val serialVersionUID:
Long = 8246714829545688274\r\n\r\n\r\n   override fun equals(other: Any?): Boolean = other is Map<*, *> && other.isEmpty()\r\n   override fun hashCode(): Int = 0\r\n   override fun toString(): String = \"{}\"\r\n\r\n\r\n   override val size: Int get() = 0\r\n   override fun isEmpty(): Boolean = true\r\n\r\n\r\n   override fun containsKey(key: Any?): Boolean = false\r\n   override fun containsValue(value: Nothing): Boolean = false\r\n   override fun get(key: Any?): Nothing? = null\r\n   override val entries: Set<Map.Entry<Any?, Nothing>> get() = EmptySet\r\n   override val keys: Set<Any?> get() = EmptySet\r\n   override val values: Collection<Nothing> get() = EmptyList\r\n\r\n\r\n   private fun readResolve(): Any = EmptyMap\r\n}\r\n\r\n\r\n/**\r\n * Returns an empty read-only map of specified type.\r\n *\r\n * The returned map is serializable (JVM).\r\n * @sample samples.collections.Maps.Instantiation.emptyReadOnlyMap\r\n */\r\npublic fun <K, V> emptyMap(): Map<K, V> = @Suppress(\"UNCHECKED_CAST\")
(EmptyMap as Map<K, V>)\r\n\r\n\r\n/**\r\n * Returns a new read-only map with the specified contents, given as a list of pairs\r\n * where the first value is the key and the second is the value.\r\n *\r\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\r\n *\r\n * Entries of the map are iterated in the order they were specified.\r\n *\r\n * The returned map is serializable (JVM).\r\n *\r\n * @sample samples.collections.Maps.Instantiation.mapFromPairs\r\n */\r\npublic fun <K, V> mapOf(vararg pairs: Pair<K,

V>): Map<K, V> =\r\n   if (pairs.size > 0) pairs.toMap(LinkedHashMap(mapCapacity(pairs.size))) else emptyMap()\r\n\r\n/**\r\n * Returns an empty read-only map.\r\n *\r\n * The returned map is serializable (JVM).\r\n * @sample samples.collections.Maps.Instantiation.emptyReadOnlyMap\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <K, V> mapOf(): Map<K, V> = emptyMap()\r\n\r\n/**\r\n * Returns an empty new [MutableMap].\r\n *\r\n * The returned map preserves the entry iteration order.\r\n * @sample samples.collections.Maps.Instantiation.emptyMutableMap\r\n */\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <K, V> mutableMapOf(): MutableMap<K, V> = LinkedHashMap()\r\n\r\n/**\r\n * Returns a new [MutableMap] with the specified contents, given as a list of pairs\r\n * where the first component is the key and the second is the value.\r\n *\r\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\r\n *\r\n * Entries of the map are iterated in the order they were specified.\r\n *\r\n * @sample samples.collections.Maps.Instantiation.mutableMapFromPairs\r\n * @sample samples.collections.Maps.Instantiation.emptyMutableMap\r\n */\r\npublic fun <K, V> mutableMapOf(vararg pairs: Pair<K, V>): MutableMap<K, V> =\r\n   LinkedHashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }\r\n\r\n/**\r\n * Returns an empty new [HashMap].\r\n */\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <K, V> hashMapOf(): HashMap<K, V> = HashMap<K, V>()\r\n\r\n/**\r\n * Returns a new [HashMap] with the specified contents, given as a list of pairs\r\n * where the first component is the key and the second is the value.\r\n *\r\n * @sample samples.collections.Maps.Instantiation.hashMapFromPairs\r\n */\r\npublic fun <K, V> hashMapOf(vararg pairs: Pair<K, V>): HashMap<K, V> = HashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }\r\n\r\n/**\r\n * Returns an empty new [LinkedHashMap].\r\n */\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <K, V> linkedMapOf(): LinkedHashMap<K, V> = LinkedHashMap<K, V>()\r\n\r\n/**\r\n * Returns a new [LinkedHashMap] with the specified contents, given as a list of pairs\r\n * where the first component is the key and the second is the value.\r\n *\r\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\r\n *\r\n * Entries of the map are iterated in the order they were specified.\r\n *\r\n * @sample samples.collections.Maps.Instantiation.linkedMapFromPairs\r\n */\r\npublic fun <K, V> linkedMapOf(vararg pairs: Pair<K, V>): LinkedHashMap<K, V> = pairs.toMap(LinkedHashMap(mapCapacity(pairs.size)))\r\n\r\n/**\r\n * Calculate the initial capacity of a map, based on Guava's com.google.common.collect.Maps approach. This is equivalent\r\n * to the Collection constructor for HashSet, (c.size()/.75f) + 1, but provides further optimisations for very small or\r\n * very large sizes, allows support non-collection classes, and provides consistency for all map based class construction.\r\n */\r\n@PublishedApi\r\ninternal fun mapCapacity(expectedSize: Int): Int {\r\n   if (expectedSize < 3) {\r\n   return expectedSize + 1\r\n   }\r\n   if (expectedSize < INT_MAX_POWER_OF_TWO) {\r\n   return expectedSize + expectedSize / 3\r\n   }\r\n   return Int.MAX_VALUE // any large value\r\n}\r\n\r\nprivate const val INT_MAX_POWER_OF_TWO: Int = Int.MAX_VALUE / 2 + 1\r\n\r\n/** Returns `true` if this map is not empty. */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <K, V> Map<out K, V>.isNotEmpty(): Boolean = !isEmpty()\r\n\r\n/**\r\n * Returns `true` if this nullable map is either null or empty.\r\n * @sample samples.collections.Maps.Usage.mapIsNullOrEmpty\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <K, V> Map<out K, V>?.isNullOrEmpty(): Boolean {\r\n   contract {\r\n   returns(false) implies (this@isNullOrEmpty != null)\r\n   }\r\n\r\n   return this == null || isEmpty()\r\n}\r\n\r\n/**\r\n * Returns the [Map] if its not `null`, or the empty [Map] otherwise.\r\n *\r\n * @sample samples.collections.Maps.Usage.mapOrEmpty\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <K, V> Map<K, V>?.orEmpty(): Map<K, V> = this ?: emptyMap()\r\n\r\n/**\r\n * Returns this map if it's not empty\r\n * or the result of calling [defaultValue] function if the map is empty.\r\n *\r\n * @sample samples.collections.Maps.Usage.mapIfEmpty\r\n

/\r\n@SinceKotlin(\"1.3\")\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <M, R> M.ifEmpty(defaultValue: () -> R): R where M : Map<, *>, M : R =\r\n   if (isEmpty()) defaultValue() else this\r\n\r\n/**\r\n * Checks if the map contains the given key.\r\n *\r\n * This method allows to use the `x in map` syntax for checking whether an object is contained in the map.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.contains(key: K): Boolean = containsKey(key)\r\n\r\n/**\r\n * Returns the value corresponding to the given [key], or `null` if such a key is not present in the map.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.get(key: K): V? =\r\n   @Suppress(\"UNCHECKED_CAST\") (this as Map<K, V>).get(key)\r\n\r\n/**\r\n * Allows to use the index operator for storing values in a mutable map.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <K, V> MutableMap<K, V>.set(key: K, value: V): Unit {\r\n   put(key, value)\r\n}\r\n\r\n/**\r\n * Returns `true` if the map contains the specified [key].\r\n *\r\n * Allows to overcome type-safety restriction of `containsKey` that requires to pass a key of type `K`.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <@kotlin.internal.OnlyInputTypes K> Map<out K, *>.containsKey(key: K): Boolean =\r\n   @Suppress(\"UNCHECKED_CAST\") (this as Map<K, *>).containsKey(key)\r\n\r\n/**\r\n * Returns `true` if the map maps one or more keys to the specified [value].\r\n *\r\n * Allows to overcome type-safety restriction of `containsValue` that requires to pass a value of type `V`.\r\n *\r\n * @sample samples.collections.Maps.Usage.containsValue\r\n */\r\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning, extension takes precedence in some cases\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <K, @kotlin.internal.OnlyInputTypes V> Map<K, V>.containsValue(value: V): Boolean = this.containsValue(value)\r\n\r\n\r\n/**\r\n * Removes the specified key and its corresponding value from this map.\r\n *\r\n * @return the previous value associated with the key, or `null` if the key was not present in the map.\r\n\r\n * Allows to overcome type-safety restriction of `remove` that requires to pass a key of type `K`.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <@kotlin.internal.OnlyInputTypes K, V> MutableMap<out K, V>.remove(key: K): V? =\r\n   @Suppress(\"UNCHECKED_CAST\") (this as MutableMap<K, V>).remove(key)\r\n\r\n/**\r\n * Returns the key component of the map entry.\r\n *\r\n * This method allows to use destructuring declarations when working with maps, for example:\r\n * ```\r\n * for ((key, value) in map) {\r\n *   // do something with the key and the value\r\n * }\r\n * ```\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <K, V> Map.Entry<K, V>.component1(): K = key\r\n\r\n/**\r\n * Returns the value component of the map entry.\r\n *\r\n * This method allows to use destructuring declarations when working with maps, for example:\r\n * ```\r\n * for ((key, value) in map) {\r\n *   // do something with the key and the value\r\n * }\r\n * ```\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <K, V> Map.Entry<K, V>.component2(): V = value\r\n\r\n/**\r\n * Converts entry to [Pair] with key being first component and value being second.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <K, V> Map.Entry<K, V>.toPair(): Pair<K, V> = Pair(key, value)\r\n\r\n/**\r\n * Returns the value for the given key, or the result of the [defaultValue] function if there was no entry for the given key.\r\n *\r\n * @sample samples.collections.Maps.Usage.getOrElse\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <K, V> Map<K, V>.getOrElse(key: K, defaultValue: () -> V): V = get(key) ?: defaultValue()\r\n\r\n\r\n\r\ninternal inline fun <K, V> Map<K, V>.getOrElseNullable(key: K, defaultValue: () -> V): V {\r\n   val value = get(key)\r\n   if (value == null && !containsKey(key)) {\r\n   return defaultValue()\r\n   } else {\r\n   @Suppress(\"UNCHECKED_CAST\")\r\n   return value as V\r\n   }\r\n}\r\n\r\n/**\r\n * Returns the value for the given [key] or throws an exception if there is no such key in the map.\r\n *\r\n * If the map was created by [withDefault], resorts to its `defaultValue` provider function\r\n * instead of throwing an exception.\r\n *\r\n * @throws NoSuchElementException when the map doesn't contain a value for the specified key and\r\n * no implicit default value was provided for that map.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic fun <K, V> Map<K, V>.getValue(key: K): V = getOrImplicitDefault(key)\r\n\r\n\r\n/**\r\n * Returns the value for the given key. If the key is not found in the

map, calls the [defaultValue] function,\r\n * puts its result into the map under the given key and returns it.\r\n *\r\n * Note that the operation is not guaranteed to be atomic if the map is being modified concurrently.\r\n *\r\n * @sample samples.collections.Maps.Usage.getOrPut\r\n */\r\npublic inline fun <K, V> MutableMap<K, V>.getOrPut(key: K, defaultValue: () -> V): V {\r\n val value = get(key)\r\n return if (value == null) {\r\n val answer = defaultValue()\r\n put(key, answer)\r\n answer\r\n } else {\r\n value\r\n }\r\n}\r\n\r\n/**\r\n * Returns an [Iterator] over the entries in the [Map].\r\n *\r\n * @sample samples.collections.Maps.Usage.forOverEntries\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <K, V> Map<out K, V>.iterator(): Iterator<Map.Entry<K, V>> = entries.iterator()\r\n\r\n/**\r\n * Returns a [MutableIterator] over the mutable entries in the [MutableMap].\r\n *\r\n */\r\n@kotlin.jvm.JvmName(\"mutableIterator\")\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <K, V> MutableMap<K, V>.iterator(): MutableIterator<MutableMap.MutableEntry<K, V>> = entries.iterator()\r\n\r\n/**\r\n * Populates the given [destination] map with entries having the keys of this map and the values obtained\r\n * by applying the [transform] function to each entry in this [Map].\r\n */\r\npublic inline fun <K, V, R, M : MutableMap<in K, in R>> Map<out K, V>.mapValuesTo(destination: M, transform: (Map.Entry<K, V>) -> R): M {\r\n return entries.associateByTo(destination, { it.key }, transform)\r\n}\r\n\r\n/**\r\n * Populates the given [destination] map with entries having the keys obtained\r\n * by applying the [transform] function to each entry in this [Map] and the values of this map.\r\n *\r\n * In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite\r\n * the value associated with the former one.\r\n */\r\npublic inline fun <K, V, R, M : MutableMap<in R, in V>> Map<out K, V>.mapKeysTo(destination: M, transform: (Map.Entry<K, V>) -> R): M {\r\n return entries.associateByTo(destination, transform, { it.value })\r\n}\r\n\r\n/**\r\n * Puts all the given [pairs] into this [MutableMap] with the first component in the pair being the key and the second the value.\r\n */\r\npublic fun <K, V> MutableMap<in K, in V>.putAll(pairs: Array<out Pair<K, V>>): Unit {\r\n for ((key, value) in pairs) {\r\n put(key, value)\r\n }\r\n}\r\n\r\n/**\r\n * Puts all the elements of the given collection into this [MutableMap] with the first component in the pair being the key and the second the value.\r\n */\r\npublic fun <K, V> MutableMap<in K, in V>.putAll(pairs: Iterable<Pair<K, V>>): Unit {\r\n for ((key, value) in pairs) {\r\n put(key, value)\r\n }\r\n}\r\n\r\n/**\r\n * Puts all the elements of the given sequence into this [MutableMap] with the first component in the pair being the key and the second the value.\r\n */\r\npublic fun <K, V> MutableMap<in K, in V>.putAll(pairs: Sequence<Pair<K, V>>): Unit {\r\n for ((key, value) in pairs) {\r\n put(key, value)\r\n }\r\n}\r\n\r\n/**\r\n * Returns a new map with entries having the keys of this map and the values obtained by applying the [transform]\r\n * function to each entry in this [Map].\r\n *\r\n * The returned map preserves the entry iteration order of the original map.\r\n *\r\n * @sample samples.collections.Maps.Transformations.mapValues\r\n */\r\npublic inline fun <K, V, R> Map<out K, V>.mapValues(transform: (Map.Entry<K, V>) -> R): Map<K, R> {\r\n return mapValuesTo(LinkedHashMap<K, R>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()\r\n}\r\n\r\n/**\r\n * Returns a new Map with entries having the keys obtained by applying the [transform] function to each entry in this\r\n * [Map] and the values of this map.\r\n *\r\n * In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite\r\n * the value associated with the former one.\r\n *\r\n * The returned map preserves the entry iteration order of the original map.\r\n *\r\n * @sample samples.collections.Maps.Transformations.mapKeys\r\n */\r\npublic inline fun <K, V, R> Map<out K, V>.mapKeys(transform: (Map.Entry<K, V>) -> R): Map<R, V> {\r\n return mapKeysTo(LinkedHashMap<R, V>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()\r\n}\r\n\r\n/**\r\n * Returns a map containing all key-value pairs with keys matching the given [predicate].\r\n *\r\n * The returned map preserves the entry iteration order of the original map.\r\n * @sample samples.collections.Maps.Filtering.filterKeys\r\n */\r\npublic inline fun <K, V> Map<out K, V>.filterKeys(predicate: (K) -> Boolean): Map<K, V> {\r\n val result = LinkedHashMap<K, V>()\r\n for (entry in this) {\r\n if (predicate(entry.key)) {\r\n result.put(entry.key, entry.value)\r\n }\r\n }\r\n return result\r\n}\r\n\r\n/**\r\n * Returns a map containing

all key-value pairs with values matching the given [predicate].\r\n *\r\n * The returned map preserves the entry iteration order of the original map.\r\n * @sample samples.collections.Maps.Filtering.filterValues\r\n */\r\npublic inline fun <K, V> Map<out K, V>.filterValues(predicate: (V) -> Boolean): Map<K, V> {\r\n   val result = LinkedHashMap<K, V>()\r\n   for (entry in this) {\r\n   if (predicate(entry.value)) {\r\n   result.put(entry.key, entry.value)\r\n   }\r\n   }\r\n   return result\r\n}\r\n\r\n\r\n/**\r\n * Appends all entries matching the given [predicate] into the mutable map given as [destination] parameter.\r\n *\r\n * @return the destination map.\r\n * @sample samples.collections.Maps.Filtering.filterTo\r\n */\r\npublic inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {\r\n   for (element in this) {\r\n   if (predicate(element)) {\r\n   destination.put(element.key, element.value)\r\n   }\r\n   }\r\n   return destination\r\n}\r\n\r\n\r\n/**\r\n * Returns a new map containing all key-value pairs matching the given [predicate].\r\n *\r\n * The returned map preserves the entry iteration order of the original map.\r\n * @sample samples.collections.Maps.Filtering.filter\r\n */\r\npublic inline fun <K, V> Map<out K, V>.filter(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {\r\n   return filterTo(LinkedHashMap<K, V>(), predicate)\r\n}\r\n\r\n\r\n/**\r\n * Appends all entries not matching the given [predicate] into the given [destination].\r\n *\r\n * @return the destination map.\r\n * @sample samples.collections.Maps.Filtering.filterNotTo\r\n */\r\npublic inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterNotTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {\r\n   for (element in this) {\r\n   if (!predicate(element)) {\r\n   destination.put(element.key, element.value)\r\n   }\r\n   }\r\n
    return destination\r\n}\r\n\r\n\r\n/**\r\n * Returns a new map containing all key-value pairs not matching the given [predicate].\r\n *\r\n * The returned map preserves the entry iteration order of the original map.\r\n * @sample samples.collections.Maps.Filtering.filterNot\r\n */\r\npublic inline fun <K, V> Map<out K, V>.filterNot(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {\r\n   return filterNotTo(LinkedHashMap<K, V>(), predicate)\r\n}\r\n\r\n\r\n/**\r\n * Returns a new map containing all key-value pairs from the given collection of pairs.\r\n *\r\n * The returned map preserves the entry iteration order of the original collection.\r\n * If any of two pairs would have the same key the last one gets added to the map.\r\n */\r\npublic fun <K, V> Iterable<Pair<K, V>>.toMap(): Map<K, V> {\r\n   if (this is Collection) {\r\n   return when (size) {\r\n   0 -> emptyMap()\r\n   1 -> mapOf(if (this is List) this[0] else iterator().next())\r\n   else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))\r\n   }\r\n   }\r\n   return toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()\r\n}\r\n\r\n\r\n/**\r\n * Populates and returns the [destination] mutable map with key-value pairs from the given collection of pairs.\r\n */\r\npublic fun <K, V, M : MutableMap<in K, in V>> Iterable<Pair<K, V>>.toMap(destination: M): M =\r\n   destination.apply { putAll(this@toMap) }\r\n\r\n\r\n/**\r\n * Returns a new map containing all key-value pairs from the given array of pairs.\r\n *\r\n * The returned map preserves the entry iteration order of the original array.\r\n * If any of two pairs would have the same key the last one gets added to the map.\r\n */\r\npublic fun <K, V> Array<out Pair<K, V>>.toMap(): Map<K, V> = when (size) {\r\n   0 -> emptyMap()\r\n   1 -> mapOf(this[0])\r\n   else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))\r\n}\r\n\r\n\r\n/**\r\n * Populates and returns the [destination] mutable map with key-value pairs from the given array of pairs.\r\n */\r\npublic fun <K, V, M : MutableMap<in K, in V>> Array<out Pair<K, V>>.toMap(destination: M): M =\r\n   destination.apply { putAll(this@toMap) }\r\n\r\n\r\n/**\r\n * Returns a new map containing all key-value pairs from the given sequence of pairs.\r\n *\r\n * The returned map preserves the entry iteration order of the original sequence.\r\n * If any of two pairs would have the same key the last one gets added to the map.\r\n */\r\npublic fun <K, V> Sequence<Pair<K, V>>.toMap(): Map<K, V> = toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()\r\n\r\n\r\n/**\r\n * Populates and returns the [destination] mutable map with key-value pairs from the given sequence of pairs.\r\n */\r\npublic fun <K, V, M : MutableMap<in K, in V>> Sequence<Pair<K, V>>.toMap(destination: M): M =\r\n   destination.apply { putAll(this@toMap) }\r\n\r\n\r\n/**\r\n * Returns a new read-only map containing all key-value pairs from the original map.\r\n *\r\n * The returned map preserves the entry iteration order

of the original map.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic fun <K, V> Map<out K, V>.toMap(): Map<K, V> = when (size) {\r\n   0 -> emptyMap()\r\n   1 -> toSingletonMap()\r\n   else -> toMutableMap()\r\n}\r\n\r\n/**\r\n * Returns a new mutable map containing all key-value pairs from the original map.\r\n *\r\n * The returned map preserves the entry iteration order of the original map.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic fun <K, V> Map<out K, V>.toMutableMap(): MutableMap<K, V> = LinkedHashMap(this)\r\n\r\n/**\r\n * Populates and returns the [destination] mutable map with key-value pairs from the given map.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.toMap(destination: M): M =\r\n   destination.apply { putAll(this@toMap) }\r\n\r\n/**\r\n * Creates a new read-only map by replacing or adding an entry to this map from a given key-value [pair].\r\n *\r\n * The returned map preserves the entry iteration order of the original map.\r\n
 * The [pair] is iterated in the end if it has a unique key.\r\n */\r\npublic operator fun <K, V> Map<out K, V>.plus(pair: Pair<K, V>): Map<K, V> =\r\n   if (this.isEmpty()) mapOf(pair) else LinkedHashMap(this).apply { put(pair.first, pair.second) }\r\n\r\n/**\r\n * Creates a new read-only map by replacing or adding entries to this map from a given collection of key-value [pairs].\r\n *\r\n * The returned map preserves the entry iteration order of the original map.\r\n * Those [pairs] with unique keys are iterated in the end in the order of [pairs] collection.\r\n */\r\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Iterable<Pair<K, V>>): Map<K, V> =\r\n   if (this.isEmpty()) pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }\r\n\r\n/**\r\n * Creates a new read-only map by replacing or adding entries to this map from a given array of key-value [pairs].\r\n *\r\n * The returned map preserves the entry iteration order of the original map.\r\n * Those [pairs] with
 unique keys are iterated in the end in the order of [pairs] array.\r\n */\r\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Array<out Pair<K, V>>): Map<K, V> =\r\n   if (this.isEmpty()) pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }\r\n\r\n/**\r\n * Creates a new read-only map by replacing or adding entries to this map from a given sequence of key-value [pairs].\r\n *\r\n * The returned map preserves the entry iteration order of the original map.\r\n * Those [pairs] with unique keys are iterated in the end in the order of [pairs] sequence.\r\n */\r\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Sequence<Pair<K, V>>): Map<K, V> =\r\n   LinkedHashMap(this).apply { putAll(pairs) }.optimizeReadOnlyMap()\r\n\r\n/**\r\n * Creates a new read-only map by replacing or adding entries to this map from another [map].\r\n *\r\n * The returned map preserves the entry iteration order of the original map.\r\n * Those entries of another [map] that are missing in this map
 are iterated in the end in the order of that [map].\r\n */\r\npublic operator fun <K, V> Map<out K, V>.plus(map: Map<out K, V>): Map<K, V> =\r\n   LinkedHashMap(this).apply { putAll(map) }\r\n\r\n\r\n/**\r\n * Appends or replaces the given [pair] in this mutable map.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pair: Pair<K, V>) {\r\n   put(pair.first, pair.second)\r\n}\r\n\r\n/**\r\n * Appends or replaces all pairs from the given collection of [pairs] in this mutable map.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Iterable<Pair<K, V>>) {\r\n   putAll(pairs)\r\n}\r\n\r\n/**\r\n * Appends or replaces all pairs from the given array of [pairs] in this mutable map.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Array<out Pair<K, V>>) {\r\n   putAll(pairs)\r\n}\r\n\r\n/**\r\n * Appends
 or replaces all pairs from the given sequence of [pairs] in this mutable map.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Sequence<Pair<K, V>>) {\r\n   putAll(pairs)\r\n}\r\n\r\n/**\r\n * Appends or replaces all entries from the given [map] in this mutable map.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(map: Map<K, V>) {\r\n   putAll(map)\r\n}\r\n\r\n/**\r\n * Returns a map containing all entries of the original map except the entry with the given [key].\r\n *\r\n * The returned map preserves the entry iteration order of the original map.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic operator fun <K, V> Map<out K, V>.minus(key: K): Map<K, V> =\r\n   this.toMutableMap().apply { minusAssign(key) }.optimizeReadOnlyMap()\r\n\r\n/**\r\n * Returns a map containing all entries of the original map except those entries\r\n * the keys of which are contained in

the given [keys] collection.\r\n *\r\n * The returned map preserves the entry iteration order of the original map.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic operator fun <K, V> Map<out K, V>.minus(keys: Iterable<K>): Map<K, V> =\r\n this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()\r\n\r\n/**\r\n * Returns a map containing all entries of the original map except those entries\r\n * the keys of which are contained in the given [keys] array.\r\n *\r\n * The returned map preserves the entry iteration order of the original map.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic operator fun <K, V> Map<out K, V>.minus(keys: Array<out K>): Map<K, V> =\r\n this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()\r\n\r\n/**\r\n * Returns a map containing all entries of the original map except those entries\r\n * the keys of which are contained in the given [keys] sequence.\r\n *\r\n * The returned map preserves the entry iteration order of the original map.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic
operator fun <K, V> Map<out K, V>.minus(keys: Sequence<K>): Map<K, V> =\r\n this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()\r\n\r\n/**\r\n * Removes the entry with the given [key] from this mutable map.\r\n */\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(key: K) {\r\n remove(key)\r\n}\r\n\r\n/**\r\n * Removes all entries the keys of which are contained in the given [keys] collection from this mutable map.\r\n */\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Iterable<K>) {\r\n this.keys.removeAll(keys)\r\n}\r\n\r\n/**\r\n * Removes all entries the keys of which are contained in the given [keys] array from this mutable map.\r\n */\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Array<out
K>) {\r\n this.keys.removeAll(keys)\r\n}\r\n\r\n/**\r\n * Removes all entries from the keys of which are contained in the given [keys] sequence from this mutable map.\r\n */\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Sequence<K>) {\r\n this.keys.removeAll(keys)\r\n}\r\n\r\n\r\n// do not expose for now @PublishedApi\r\ninternal fun <K, V> Map<K, V>.optimizeReadOnlyMap() = when (size) {\r\n 0 -> emptyMap()\r\n 1 -> toSingletonMapOrSelf()\r\n else -> this\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:kotlin.jvm.JvmMultifileClass\r\n@file:kotlin.jvm.JvmName(\"SetsKt\")\r\n\r\npackage kotlin.collections\r\n\r\n\r\ninternal object EmptySet : Set<Nothing>, Serializable {\r\n private const val serialVersionUID:
Long = 3406603774387020532\r\n\r\n override fun equals(other: Any?): Boolean = other is Set<*> && other.isEmpty()\r\n override fun hashCode(): Int = 0\r\n override fun toString(): String = \"[]\"\r\n\r\n override val size: Int get() = 0\r\n override fun isEmpty(): Boolean = true\r\n override fun contains(element: Nothing): Boolean = false\r\n override fun containsAll(elements: Collection<Nothing>): Boolean = elements.isEmpty()\r\n\r\n override fun iterator(): Iterator<Nothing> = EmptyIterator\r\n\r\n private fun readResolve(): Any = EmptySet\r\n}\r\n\r\n\r\n\r\n/**\r\n * Returns an empty read-only set. The returned set is serializable (JVM).\r\n * @sample samples.collections.Collections.Sets.emptyReadOnlySet\r\n */\r\npublic fun <T> emptySet(): Set<T> = EmptySet\r\n\r\n/**\r\n * Returns a new read-only set with the given elements.\r\n * Elements of the set are iterated in the order they were specified.\r\n * The returned set is serializable (JVM).\r\n
* @sample samples.collections.Collections.Sets.readOnlySet\r\n */\r\npublic fun <T> setOf(vararg elements: T): Set<T> = if (elements.size > 0) elements.toSet() else emptySet()\r\n\r\n/**\r\n * Returns an empty read-only set. The returned set is serializable (JVM).\r\n * @sample samples.collections.Collections.Sets.emptyReadOnlySet\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> setOf(): Set<T> = emptySet()\r\n\r\n/**\r\n * Returns an empty new [MutableSet].\r\n *\r\n * The returned set preserves the element iteration order.\r\n * @sample samples.collections.Collections.Sets.emptyMutableSet\r\n */\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> mutableSetOf(): MutableSet<T> = LinkedHashSet()\r\n\r\n/**\r\n * Returns a new [MutableSet] with the given elements.\r\n *

Elements of the set are iterated in the order they were specified.\r\n * @sample samples.collections.Collections.Sets.mutableSet\r\n */\r\npublic fun <T> mutableSetOf(vararg elements: T): MutableSet<T> = elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\r\n\r\n/** Returns an empty new [HashSet]. */\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> hashSetOf(): HashSet<T> = HashSet()\r\n\r\n/** Returns a new [HashSet] with the given elements. */\r\npublic fun <T> hashSetOf(vararg elements: T): HashSet<T> = elements.toCollection(HashSet(mapCapacity(elements.size)))\r\n\r\n/** Returns an empty new [LinkedHashSet]. */\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> linkedSetOf(): LinkedHashSet<T> = LinkedHashSet()\r\n\r\n/**\r\n * Returns a new [LinkedHashSet] with the given elements.\r\n * Elements of the set are iterated in the order they were specified.\r\n */\r\npublic fun <T> linkedSetOf(vararg elements: T): LinkedHashSet<T> = elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\r\n\r\n/** Returns this Set if it's not `null` and the empty set otherwise. */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> Set<T>?.orEmpty(): Set<T> = this ?: emptySet()\r\n\r\ninternal fun <T> Set<T>.optimizeReadOnlySet() = when (size) {\r\n 0 -> emptySet()\r\n 1 -> setOf(iterator().next())\r\n else -> this\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:kotlin.jvm.JvmMultifileClass\r\n@file:kotlin.jvm.JvmName(\"StringsKt\")\r\n@file:Suppress(\"PLATFORM_CLASS_MAPPED_TO_KOTLIN\")\r\n\r\npackage kotlin.text\r\n\r\n/**\r\n * Parses the string as a signed [Byte] number and returns the result\r\n * or `null` if the string is not a valid representation of a number.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic fun String.toByteOrNull(): Byte? = toByteOrNull(radix = 10)\r\n\r\n/**\r\n * Parses the string as a signed [Byte] number and returns the result\r\n * or `null` if the string is not a valid representation of a number.\r\n *\r\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic fun String.toByteOrNull(radix: Int): Byte? {\r\n val int = this.toIntOrNull(radix) ?: return null\r\n if (int < Byte.MIN_VALUE || int > Byte.MAX_VALUE) return null\r\n return int.toByte()\r\n}\r\n\r\n/**\r\n * Parses the string as a [Short] number and returns the result\r\n * or `null` if the string is not a valid representation of a number.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic fun String.toShortOrNull(): Short? = toShortOrNull(radix = 10)\r\n\r\n/**\r\n * Parses the string as a [Short] number and returns the result\r\n * or `null` if the string is not a valid representation of a number.\r\n *\r\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic fun String.toShortOrNull(radix: Int): Short? {\r\n val int = this.toIntOrNull(radix) ?: return null\r\n if (int < Short.MIN_VALUE || int > Short.MAX_VALUE) return null\r\n return int.toShort()\r\n}\r\n\r\n/**\r\n * Parses the string as an [Int] number and returns the result\r\n * or `null` if the string is not a valid representation of a number.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic fun String.toIntOrNull(): Int? = toIntOrNull(radix = 10)\r\n\r\n/**\r\n * Parses the string as an [Int] number and returns the result\r\n * or `null` if the string is not a valid representation of a number.\r\n *\r\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic fun String.toIntOrNull(radix: Int): Int? {\r\n checkRadix(radix)\r\n\r\n val length = this.length\r\n if (length == 0) return null\r\n\r\n val start: Int\r\n val isNegative: Boolean\r\n val limit: Int\r\n\r\n val firstChar = this[0]\r\n if (firstChar < '0') { // Possible leading sign\r\n if (length == 1) return null // non-digit (possible sign) only, no digits after\r\n\r\n start = 1\r\n\r\n if (firstChar == '-') {\r\n isNegative = true\r\n limit = Int.MIN_VALUE\r\n } else if (firstChar == '+') {\r\n isNegative = false\r\n limit = -Int.MAX_VALUE\r\n } else\r\n return null\r\n } else {\r\n start = 0\r\n isNegative = false\r\n limit = -Int.MAX_VALUE\r\n }\r\n\r\n\r\n val limitBeforeMul = limit / radix\r\n var result = 0\r\n for (i in start..(length - 1)) {\r\n val digit = digitOf(this[i], radix)\r\n\r\n if (digit < 0) return null\r\n if (result < limitBeforeMul) return null\r\n\r\n result *= radix\r\n\r\n if (result < limit + digit) return null\r\n\r\n result -= digit\r\n }\r\n\r\n return if (isNegative) result else -result\r\n}\r\n\r\n/**\r\n * Parses

the string as a [Long] number and returns the result\r\n * or `null` if the string is not a valid representation of a number.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic fun String.toLongOrNull(): Long? = toLongOrNull(radix = 10)\r\n\r\n/**\r\n * Parses the string as a [Long] number and returns the result\r\n * or `null` if the string is not a valid representation of a number.\r\n *\r\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic fun String.toLongOrNull(radix: Int): Long? {\r\n checkRadix(radix)\r\n\r\n val length = this.length\r\n if (length == 0) return null\r\n\r\n val start: Int\r\n val isNegative: Boolean\r\n val limit: Long\r\n\r\n val firstChar = this[0]\r\n if (firstChar < '0') { // Possible leading sign\r\n if (length == 1) return null // non-digit (possible sign) only, no digits after\r\n\r\n start = 1\r\n\r\n if (firstChar == '-')
{\r\n isNegative = true\r\n limit = Long.MIN_VALUE\r\n } else if (firstChar == '+') {\r\n isNegative = false\r\n limit = -Long.MAX_VALUE\r\n } else\r\n return null\r\n } else {\r\n start = 0\r\n isNegative = false\r\n limit = -Long.MAX_VALUE\r\n }\r\n\r\n\r\n val limitBeforeMul = limit / radix\r\n var result = 0L\r\n for (i in start..(length - 1)) {\r\n val digit = digitOf(this[i], radix)\r\n\r\n if (digit < 0) return null\r\n if (result < limitBeforeMul) return null\r\n\r\n result *= radix\r\n\r\n if (result < limit + digit) return null\r\n\r\n result -= digit\r\n }\r\n\r\n return if (isNegative) result else -result\r\n}\r\n\r\n\r\ninternal fun numberFormatError(input: String): Nothing = throw NumberFormatException(\"Invalid number format: '$input'\")\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n
*/\r\n@file:kotlin.jvm.JvmName(\"UnsignedKt\")\r\n@file:UseExperimental(ExperimentalUnsignedTypes::class)\r\npackage kotlin\r\n\r\n@PublishedApi\r\ninternal fun uintCompare(v1: Int, v2: Int): Int = (v1 xor Int.MIN_VALUE).compareTo(v2 xor Int.MIN_VALUE)\r\n@PublishedApi\r\ninternal fun ulongCompare(v1: Long, v2: Long): Int = (v1 xor Long.MIN_VALUE).compareTo(v2 xor Long.MIN_VALUE)\r\n\r\n@PublishedApi\r\ninternal fun uintDivide(v1: UInt, v2: UInt): UInt = (v1.toLong() / v2.toLong()).toUInt()\r\n@PublishedApi\r\ninternal fun uintRemainder(v1: UInt, v2: UInt): UInt = (v1.toLong() % v2.toLong()).toUInt()\r\n\r\n// Division and remainder are based on Guava's UnsignedLongs implementation\r\n// Copyright 2011 The Guava Authors\r\n\r\n@PublishedApi\r\ninternal fun ulongDivide(v1: ULong, v2: ULong): ULong {\r\n val dividend = v1.toLong()\r\n val divisor
= v2.toLong()\r\n if (divisor < 0) { // i.e., divisor >= 2^63:\r\n return if (v1 < v2) ULong(0) else ULong(1)\r\n }\r\n\r\n // Optimization - use signed division if both dividend and divisor < 2^63\r\n if (dividend >= 0) {\r\n return ULong(dividend / divisor)\r\n }\r\n\r\n // Otherwise, approximate the quotient, check, and correct if necessary.\r\n val quotient = ((dividend ushr 1) / divisor) shl 1\r\n val rem = dividend - quotient * divisor\r\n return ULong(quotient + if (ULong(rem) >= ULong(divisor)) 1 else 0)\r\n\r\n}\r\n\r\n@PublishedApi\r\ninternal fun ulongRemainder(v1: ULong, v2: ULong): ULong {\r\n val dividend = v1.toLong()\r\n val divisor = v2.toLong()\r\n if (divisor < 0) { // i.e., divisor >= 2^63:\r\n return if (v1 < v2) {\r\n v1 // dividend < divisor\r\n } else {\r\n v1 - v2 // dividend >= divisor\r\n }\r\n }\r\n\r\n // Optimization - use signed modulus if both dividend and
divisor < 2^63\r\n if (dividend >= 0) {\r\n return ULong(dividend % divisor)\r\n }\r\n\r\n // Otherwise, approximate the quotient, check, and correct if necessary.\r\n val quotient = ((dividend ushr 1) / divisor) shl 1\r\n val rem = dividend - quotient * divisor\r\n return ULong(rem - if (ULong(rem) >= ULong(divisor)) divisor else 0)\r\n}\r\n\r\n@PublishedApi\r\ninternal fun doubleToUInt(v: Double): UInt = when {\r\n v.isNaN() -> 0u\r\n v <= UInt.MIN_VALUE.toDouble() -> UInt.MIN_VALUE\r\n v >= UInt.MAX_VALUE.toDouble() -> UInt.MAX_VALUE\r\n v <= Int.MAX_VALUE -> v.toInt().toUInt()\r\n else -> (v - Int.MAX_VALUE).toInt().toUInt() + Int.MAX_VALUE.toUInt() // Int.MAX_VALUE < v < UInt.MAX_VALUE\r\n}\r\n\r\n@PublishedApi\r\ninternal fun doubleToULong(v: Double): ULong = when {\r\n v.isNaN() -> 0u\r\n v <= ULong.MIN_VALUE.toDouble() -> ULong.MIN_VALUE\r\n v >= ULong.MAX_VALUE.toDouble() -> ULong.MAX_VALUE\r\n v < Long.MAX_VALUE ->

v.toLong().toULong()\r\n\r\n
    // Real values from Long.MAX_VALUE to (Long.MAX_VALUE + 1) are not representable in Double, so don't handle them.\r\n   else -> (v - 9223372036854775808.0).toLong().toULong() + 9223372036854775808uL   // Long.MAX_VALUE + 1 < v < ULong.MAX_VALUE\r\n}\r\n\r\n\r\n@PublishedApi\r\ninternal fun uintToDouble(v: Int): Double = (v and Int.MAX_VALUE).toDouble() + (v ushr 31 shl 30).toDouble() * 2\r\n\r\n@PublishedApi\r\ninternal fun ulongToDouble(v: Long): Double = (v ushr 11).toDouble() * 2048 + (v and 2047)\r\n\r\n\r\ninternal fun ulongToString(v: Long): String = ulongToString(v, 10)\r\n\r\ninternal fun ulongToString(v: Long, base: Int): String {\r\n   if (v >= 0) return v.toString(base)\r\n\r\n   var quotient = ((v ushr 1) / base) shl 1\r\n   var rem = v - quotient * base\r\n   if (rem >= base) {\r\n   rem -= base\r\n   quotient += 1\r\n   }\r\n   return quotient.toString(base) + rem.toString(base)\r\n}\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains
 s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n@file:kotlin.jvm.JvmMultifileClass\r\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\r\n\r\npackage kotlin.collections\r\n\r\n/**\r\n * Given an [iterator] function constructs an [Iterable] instance that returns values through the [Iterator]\r\n * provided by that function.\r\n * @sample samples.collections.Iterables.Building.iterable\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> Iterable(crossinline iterator: () -> Iterator<T>): Iterable<T> = object : Iterable<T> {\r\n   override fun iterator(): Iterator<T> = iterator()\r\n}\r\n\r\n/**\r\n * A wrapper over another [Iterable] (or any other object that can produce an [Iterator]) that returns\r\n * an indexing iterator.\r\n */\r\ninternal class IndexingIterable<out T>(private val iteratorFactory: () -> Iterator<T>) : Iterable<IndexedValue<T>>
 {\r\n   override fun iterator(): Iterator<IndexedValue<T>> = IndexingIterator(iteratorFactory())\r\n}\r\n\r\n/**\r\n * Returns the size of this iterable if it is known, or `null` otherwise.\r\n */\r\n@PublishedApi\r\ninternal fun <T> Iterable<T>.collectionSizeOrNull(): Int? = if (this is Collection<*>) this.size else null\r\n\r\n/**\r\n * Returns the size of this iterable if it is known, or the specified [default] value otherwise.\r\n */\r\n@PublishedApi\r\ninternal fun <T> Iterable<T>.collectionSizeOrDefault(default: Int): Int = if (this is Collection<*>) this.size else default\r\n\r\n/** Returns true when it's safe to convert this collection to a set without changing contains method behavior. */\r\nprivate fun <T> Collection<T>.safeToConvertToSet() = size > 2 && this is ArrayList\r\n\r\n/** Converts this collection to a set, when it's worth so and it doesn't change contains method behavior. */\r\ninternal fun <T> Iterable<T>.convertToSetForSetOperationWith(source: Iterable<T>):
 Collection<T> =\r\n   when (this) {\r\n   is Set -> this\r\n   is Collection ->\r\n   when {\r\n   source is Collection && source.size < 2 -> this\r\n   else -> if (this.safeToConvertToSet()) toHashSet() else this\r\n   }\r\n   else -> toHashSet()\r\n   }\r\n\r\n/** Converts this collection to a set, when it's worth so and it doesn't change contains method behavior. */\r\ninternal fun <T> Iterable<T>.convertToSetForSetOperation(): Collection<T> =\r\n   when (this) {\r\n   is Set -> this\r\n   is Collection -> if (this.safeToConvertToSet()) toHashSet() else this\r\n   else -> toHashSet()\r\n   }\r\n\r\n\r\n/**\r\n * Returns a single list of all elements from all collections in the given collection.\r\n * @sample samples.collections.Iterables.Operations.flattenIterable\r\n */\r\npublic fun <T> Iterable<Iterable<T>>.flatten(): List<T> {\r\n   val result = ArrayList<T>()\r\n   for (element in this) {\r\n
        result.addAll(element)\r\n   }\r\n   return result\r\n}\r\n\r\n/**\r\n * Returns a pair of lists, where\r\n * *first* list is built from the first values of each pair from this collection,\r\n * *second* list is built from the second values of each pair from this collection.\r\n * @sample samples.collections.Iterables.Operations.unzipIterable\r\n */\r\npublic fun <T, R> Iterable<Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\r\n   val expectedSize = collectionSizeOrDefault(10)\r\n   val listT = ArrayList<T>(expectedSize)\r\n   val listR = ArrayList<R>(expectedSize)\r\n   for (pair in this) {\r\n   listT.add(pair.first)\r\n   listR.add(pair.second)\r\n   }\r\n   return listT to listR\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the

license/LICENSE.txt file.\r\n
*/\r\n\r\n@file:kotlin.jvm.JvmMultifileClass\r\n@file:kotlin.jvm.JvmName(\"SequencesKt\")\r\n\r\npackage kotlin.sequences\r\n\r\n/**\r\n * Given an [iterator] function constructs a [Sequence] that returns values through the [Iterator]\r\n * provided by that function.\r\n * The values are evaluated lazily, and the sequence is potentially infinite.\r\n *\r\n * @sample samples.collections.Sequences.Building.sequenceFromIterator\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> Sequence(crossinline iterator: () -> Iterator<T>): Sequence<T> = object : Sequence<T> {\r\n override fun iterator(): Iterator<T> = iterator()\r\n}\r\n\r\n/**\r\n * Creates a sequence that returns all elements from this iterator. The sequence is constrained to be iterated only once.\r\n *\r\n * @sample samples.collections.Sequences.Building.sequenceFromIterator\r\n */\r\npublic fun <T> Iterator<T>.asSequence(): Sequence<T> = Sequence { this }.constrainOnce()\r\n\r\n/**\r\n * Creates a sequence that returns the specified values.\r\n *\r\n * @sample samples.collections.Sequences.Building.sequenceOfValues\r\n */\r\npublic fun <T> sequenceOf(vararg elements: T): Sequence<T> = if (elements.isEmpty()) emptySequence() else elements.asSequence()\r\n\r\n/**\r\n * Returns an empty sequence.\r\n */\r\npublic fun <T> emptySequence(): Sequence<T> = EmptySequence\r\n\r\nprivate object EmptySequence : Sequence<Nothing>, DropTakeSequence<Nothing> {\r\n override fun iterator(): Iterator<Nothing> = EmptyIterator\r\n override fun drop(n: Int) = EmptySequence\r\n override fun take(n: Int) = EmptySequence\r\n}\r\n\r\n/**\r\n * Returns this sequence if it's not `null` and the empty sequence otherwise.\r\n * @sample samples.collections.Sequences.Usage.sequenceOrEmpty\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> Sequence<T>?.orEmpty(): Sequence<T> = this ?: emptySequence()\r\n\r\n\r\n/**\r\n * Returns a sequence that iterates through the elements either of this sequence\r\n * or, if this sequence turns out to be empty, of the sequence returned by [defaultValue] function.\r\n *\r\n * @sample samples.collections.Sequences.Usage.sequenceIfEmpty\r\n */\r\n@SinceKotlin(\"1.3\")\r\npublic fun <T> Sequence<T>.ifEmpty(defaultValue: () -> Sequence<T>): Sequence<T> = sequence {\r\n val iterator = this@ifEmpty.iterator()\r\n if (iterator.hasNext()) {\r\n yieldAll(iterator)\r\n } else {\r\n yieldAll(defaultValue())\r\n }\r\n}\r\n\r\n/**\r\n * Returns a sequence of all elements from all sequences in this sequence.\r\n *\r\n * The operation is _intermediate_ and _stateless_.\r\n */\r\npublic fun <T> Sequence<Sequence<T>>.flatten(): Sequence<T> = flatten { it.iterator() }\r\n\r\n/**\r\n * Returns a sequence of all elements from all iterables in this sequence.\r\n *\r\n * The operation is _intermediate_ and _stateless_.\r\n */\r\n@kotlin.jvm.JvmName(\"flattenSequenceOfIterable\")\r\npublic fun <T> Sequence<Iterable<T>>.flatten(): Sequence<T> = flatten { it.iterator() }\r\n\r\nprivate fun <T, R> Sequence<T>.flatten(iterator: (T) -> Iterator<R>): Sequence<R> {\r\n if (this is TransformingSequence<*, *>) {\r\n return (this as TransformingSequence<*, T>).flatten(iterator)\r\n }\r\n return FlatteningSequence(this, { it }, iterator)\r\n}\r\n\r\n/**\r\n * Returns a pair of lists, where\r\n * *first* list is built from the first values of each pair from this sequence,\r\n * *second* list is built from the second values of each pair from this sequence.\r\n *\r\n * The operation is _terminal_.\r\n */\r\npublic fun <T, R> Sequence<Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\r\n val listT = ArrayList<T>()\r\n val listR = ArrayList<R>()\r\n for (pair in this) {\r\n listT.add(pair.first)\r\n listR.add(pair.second)\r\n }\r\n return listT to listR\r\n}\r\n\r\n/**\r\n * A sequence that returns the values from the underlying [sequence] that either match or do not match\r\n * the specified [predicate].\r\n *\r\n * @param sendWhen If `true`, values for which the predicate returns `true` are returned. Otherwise,\r\n * values for which the predicate returns `false` are returned\r\n */\r\ninternal class FilteringSequence<T>(\r\n private val sequence: Sequence<T>,\r\n private val sendWhen: Boolean = true,\r\n private val predicate: (T) -> Boolean\r\n) : Sequence<T> {\r\n\r\n override fun iterator(): Iterator<T> = object : Iterator<T> {\r\n val iterator = sequence.iterator()\r\n var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\r\n var nextItem: T? = null\r\n\r\n private fun calcNext() {\r\n while (iterator.hasNext()) {\r\n val item = iterator.next()\r\n if (predicate(item) == sendWhen) {\r\n nextItem = item\r\n nextState = 1\r\n return\r\n }\r\n }\r\n nextState = 0\r\n }\r\n\r\n override

```
fun next(): T {\r\n
    if (nextState == -1)\r\n        calcNext()\r\n        if (nextState == 0)\r\n        throw
NoSuchElementException()\r\n        val result = nextItem\r\n        nextItem = null\r\n        nextState = -1\r\n
    @Suppress(\"UNCHECKED_CAST\")\r\n        return result as T\r\n    }\r\n\r\n    override fun hasNext():
Boolean {\r\n        if (nextState == -1)\r\n        calcNext()\r\n        return nextState == 1\r\n    }\r\n
}\r\n}\r\n\r\n/**\r\n * A sequence which returns the results of applying the given [transformer] function to the
values\r\n * in the underlying [sequence].\r\n */\r\n\r\ninternal class TransformingSequence<T,
R>\r\nconstructor(private val sequence: Sequence<T>, private val transformer: (T) -> R) : Sequence<R> {\r\n
override fun iterator(): Iterator<R> = object : Iterator<R> {\r\n    val iterator = sequence.iterator()\r\n    override
fun next(): R {\r\n        return transformer(iterator.next())\r\n
    }\r\n\r\n    override fun hasNext(): Boolean {\r\n        return iterator.hasNext()\r\n    }\r\n}\r\n\r\n
internal fun <E> flatten(iterator: (R) -> Iterator<E>): Sequence<E> {\r\n    return FlatteningSequence<T, R,
E>(sequence, transformer, iterator)\r\n}\r\n}\r\n\r\n/**\r\n * A sequence which returns the results of applying the
given [transformer] function to the values\r\n * in the underlying [sequence], where the transformer function takes
the index of the value in the underlying\r\n * sequence along with the value itself.\r\n */\r\ninternal class
TransformingIndexedSequence<T, R>\r\nconstructor(private val sequence: Sequence<T>, private val transformer:
(Int, T) -> R) : Sequence<R> {\r\n override fun iterator(): Iterator<R> = object : Iterator<R> {\r\n    val iterator
= sequence.iterator()\r\n    var index = 0\r\n    override fun next(): R {\r\n        return
transformer(checkIndexOverflow(index++), iterator.next())\r\n
    }\r\n\r\n    override fun hasNext(): Boolean {\r\n        return iterator.hasNext()\r\n    }\r\n
}\r\n}\r\n\r\n/**\r\n * A sequence which combines values from the underlying [sequence] with their indices and
returns them as\r\n * [IndexedValue] objects.\r\n */\r\ninternal class IndexingSequence<T>\r\nconstructor(private
val sequence: Sequence<T>) : Sequence<IndexedValue<T>> {\r\n override fun iterator():
Iterator<IndexedValue<T>> = object : Iterator<IndexedValue<T>> {\r\n    val iterator = sequence.iterator()\r\n
var index = 0\r\n    override fun next(): IndexedValue<T> {\r\n        return
IndexedValue(checkIndexOverflow(index++), iterator.next())\r\n    }\r\n\r\n    override fun hasNext(): Boolean
{\r\n        return iterator.hasNext()\r\n    }\r\n}\r\n}\r\n\r\n/**\r\n * A sequence which takes the values from
two parallel underlying sequences, passes them to the given\r\n * [transform] function and returns the
values returned by that function. The sequence stops returning\r\n * values as soon as one of the underlying
sequences stops returning values.\r\n */\r\ninternal class MergingSequence<T1, T2, V>\r\nconstructor(\r\n    private
val sequence1: Sequence<T1>,\r\n    private val sequence2: Sequence<T2>,\r\n    private val transform: (T1, T2) ->
V\r\n) : Sequence<V> {\r\n    override fun iterator(): Iterator<V> = object : Iterator<V> {\r\n    val iterator1 =
sequence1.iterator()\r\n    val iterator2 = sequence2.iterator()\r\n    override fun next(): V {\r\n        return
transform(iterator1.next(), iterator2.next())\r\n    }\r\n\r\n    override fun hasNext(): Boolean {\r\n        return
iterator1.hasNext() && iterator2.hasNext()\r\n    }\r\n}\r\n}\r\n\r\ninternal class FlatteningSequence<T, R,
E>\r\nconstructor(\r\n    private val sequence: Sequence<T>,\r\n    private val transformer: (T) -> R,\r\n    private val
iterator: (R) -> Iterator<E>\r\n) : Sequence<E>
{\r\n    override fun iterator(): Iterator<E> = object : Iterator<E> {\r\n    val iterator = sequence.iterator()\r\n
var itemIterator: Iterator<E>? = null\r\n\r\n    override fun next(): E {\r\n        if (!ensureItemIterator())\r\n
    throw NoSuchElementException()\r\n        return itemIterator!!.next()\r\n    }\r\n\r\n    override fun
hasNext(): Boolean {\r\n        return ensureItemIterator()\r\n    }\r\n\r\n    private fun ensureItemIterator():
Boolean {\r\n        if (itemIterator?.hasNext() == false)\r\n        itemIterator = null\r\n\r\n        while
(itemIterator == null) {\r\n        if (!iterator.hasNext()) {\r\n        return false\r\n        } else {\r\n
    val element = iterator.next()\r\n        val nextItemIterator = iterator(transformer(element))\r\n
   if (nextItemIterator.hasNext()) {\r\n        itemIterator
 = nextItemIterator\r\n        return true\r\n        }\r\n        }\r\n    }\r\n    return true\r\n
    }\r\n    }\r\n}\r\n\r\n/**\r\n * A sequence that supports drop(n) and take(n) operations\r\n */\r\ninternal interface
DropTakeSequence<T> : Sequence<T> {\r\n    fun drop(n: Int): Sequence<T>\r\n    fun take(n: Int):
```

Sequence<T>\r\n}\r\n\r\n/**\r\n * A sequence that skips [startIndex] values from the underlying [sequence]\r\n * and stops returning values right before [endIndex], i.e. stops at `endIndex - 1`\r\n */\r\ninternal class SubSequence<T>(\r\n private val sequence: Sequence<T>,\r\n private val startIndex: Int,\r\n private val endIndex: Int\r\n) : Sequence<T>, DropTakeSequence<T> {\r\n\r\n init {\r\n require(startIndex >= 0) { \"startIndex should be non-negative, but is $startIndex\" }\r\n require(endIndex >= 0) { \"endIndex should be non-negative, but is $endIndex\" }\r\n require(endIndex >= startIndex) { \"endIndex should be not less than startIndex, but was $endIndex < $startIndex\" }\r\n }\r\n\r\n private val count: Int get() = endIndex - startIndex\r\n\r\n override fun drop(n: Int): Sequence<T> = if (n >= count) emptySequence() else SubSequence(sequence, startIndex + n, endIndex)\r\n override fun take(n: Int): Sequence<T> = if (n >= count) this else SubSequence(sequence, startIndex, startIndex + n)\r\n\r\n override fun iterator() = object : Iterator<T> {\r\n\r\n val iterator = sequence.iterator()\r\n var position = 0\r\n\r\n // Shouldn't be called from constructor to avoid premature iteration\r\n private fun drop() {\r\n while (position < startIndex && iterator.hasNext()) {\r\n iterator.next()\r\n position++\r\n }\r\n }\r\n\r\n override fun hasNext(): Boolean {\r\n drop()\r\n return (position < endIndex) && iterator.hasNext()\r\n }\r\n\r\n override fun next(): T {\r\n drop()\r\n if (position >= endIndex)\r\n throw NoSuchElementException()\r\n position++\r\n return iterator.next()\r\n }\r\n }\r\n}\r\n\r\n/**\r\n * A sequence that returns at most [count] values from the underlying [sequence], and stops returning values\r\n * as soon as that count is reached.\r\n */\r\ninternal class TakeSequence<T>(\r\n private val sequence: Sequence<T>,\r\n private val count: Int\r\n) : Sequence<T>, DropTakeSequence<T> {\r\n\r\n init {\r\n require(count >= 0) { \"count must be non-negative, but was $count.\" }\r\n }\r\n\r\n override fun drop(n: Int): Sequence<T> = if (n >= count) emptySequence() else SubSequence(sequence, n, count)\r\n override fun take(n: Int): Sequence<T> = if (n >= count) this else TakeSequence(sequence, n)\r\n\r\n override fun iterator(): Iterator<T> = object : Iterator<T> {\r\n var left = count\r\n val iterator = sequence.iterator()\r\n\r\n override fun next(): T {\r\n if (left == 0)\r\n throw NoSuchElementException()\r\n left--\r\n return iterator.next()\r\n }\r\n\r\n override fun hasNext(): Boolean {\r\n return left > 0 && iterator.hasNext()\r\n }\r\n }\r\n}\r\n\r\n/**\r\n * A sequence that returns values from the underlying [sequence] while the [predicate] function returns\r\n * `true`, and stops returning values once the function returns `false` for the next element.\r\n */\r\ninternal class TakeWhileSequence<T>\r\nconstructor(\r\n private val sequence: Sequence<T>,\r\n private val predicate: (T) -> Boolean\r\n) : Sequence<T> {\r\n override fun iterator(): Iterator<T> = object : Iterator<T> {\r\n val iterator = sequence.iterator()\r\n var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\r\n var nextItem: T? = null\r\n\r\n private fun calcNext() {\r\n if (iterator.hasNext()) {\r\n val item = iterator.next()\r\n if (predicate(item)) {\r\n nextState = 1\r\n nextItem = item\r\n return\r\n }\r\n }\r\n nextState = 0\r\n }\r\n\r\n override fun next(): T {\r\n if (nextState == -1)\r\n calcNext() // will change nextState\r\n if (nextState == 0)\r\n throw NoSuchElementException()\r\n @Suppress(\"UNCHECKED_CAST\")\r\n val result = nextItem as T\r\n\r\n // Clean next to avoid keeping reference on yielded instance\r\n nextItem = null\r\n nextState = -1\r\n return result\r\n }\r\n\r\n override fun hasNext(): Boolean {\r\n if (nextState == -1)\r\n calcNext() // will change nextState\r\n return nextState == 1\r\n }\r\n }\r\n}\r\n\r\n/**\r\n * A sequence that skips the specified number of values from the underlying [sequence] and returns\r\n * all values after that.\r\n */\r\ninternal class DropSequence<T>(\r\n private val sequence: Sequence<T>,\r\n private val count: Int\r\n) : Sequence<T>, DropTakeSequence<T> {\r\n init {\r\n require(count >= 0) { \"count must be non-negative, but was $count.\" }\r\n }\r\n\r\n override fun drop(n: Int): Sequence<T> = (count + n).let { n1 -> if (n1 < 0) DropSequence(this, n) else DropSequence(sequence, n1) }\r\n override fun take(n: Int): Sequence<T> = (count + n).let { n1 -> if (n1 < 0) TakeSequence(this, n) else SubSequence(sequence, count, n1) }\r\n\r\n override fun iterator(): Iterator<T> = object : Iterator<T> {\r\n val

iterator = sequence.iterator()\r\n var left = count\r\n\r\n // Shouldn't be called from constructor to avoid premature iteration\r\n private fun drop() {\r\n while (left > 0 && iterator.hasNext()) {\r\n iterator.next()\r\n left--\r\n }\r\n }\r\n\r\n override fun next(): T {\r\n drop()\r\n return iterator.next()\r\n }\r\n\r\n override fun hasNext(): Boolean {\r\n drop()\r\n return iterator.hasNext()\r\n }\r\n}\r\n\r\n/**\r\n * A sequence that skips the values from the underlying [sequence] while the given [predicate] returns `true` and returns\r\n * all values after that.\r\n */\r\ninternal class DropWhileSequence<T>\r\nconstructor(\r\n private val sequence: Sequence<T>,\r\n private val predicate: (T) -> Boolean\r\n) : Sequence<T> {\r\n\r\n override fun iterator(): Iterator<T> = object : Iterator<T> {\r\n val iterator = sequence.iterator()\r\n var dropState: Int = -1 // -1 for not dropping, 1 for nextItem, 0 for normal iteration\r\n var nextItem: T? = null\r\n\r\n private fun drop()
{\r\n while (iterator.hasNext()) {\r\n val item = iterator.next()\r\n if (!predicate(item)) {\r\n nextItem = item\r\n dropState = 1\r\n return\r\n }\r\n }\r\n dropState = 0\r\n }\r\n\r\n override fun next(): T {\r\n if (dropState == -1)\r\n drop()\r\n\r\n if (dropState == 1) {\r\n @Suppress(\"UNCHECKED_CAST\")\r\n val result = nextItem as T\r\n nextItem = null\r\n dropState = 0\r\n return result\r\n }\r\n return iterator.next()\r\n }\r\n\r\n override fun hasNext(): Boolean {\r\n if (dropState == -1)\r\n drop()\r\n return dropState == 1 || iterator.hasNext()\r\n }\r\n}\r\n\r\ninternal class DistinctSequence<T, K>(private val source: Sequence<T>,
private val keySelector: (T) -> K) : Sequence<T> {\r\n override fun iterator(): Iterator<T> = DistinctIterator(source.iterator(), keySelector)\r\n}\r\n\r\nprivate class DistinctIterator<T, K>(private val source: Iterator<T>, private val keySelector: (T) -> K) : AbstractIterator<T>() {\r\n private val observed = HashSet<K>()\r\n\r\n override fun computeNext() {\r\n while (source.hasNext()) {\r\n val next = source.next()\r\n val key = keySelector(next)\r\n\r\n if (observed.add(key)) {\r\n setNext(next)\r\n return\r\n }\r\n }\r\n\r\n done()\r\n }\r\n}\r\n\r\n\r\nprivate class GeneratorSequence<T : Any>(private val getInitialValue: () -> T?, private val getNextValue: (T) -> T?) : Sequence<T> {\r\n override fun iterator(): Iterator<T> = object : Iterator<T> {\r\n var nextItem: T? = null\r\n var nextState: Int = -2 // -2 for initial unknown, -1 for next unknown,
0 for done, 1 for continue\r\n\r\n private fun calcNext() {\r\n nextItem = if (nextState == -2) getInitialValue() else getNextValue(nextItem!!)\r\n nextState = if (nextItem == null) 0 else 1\r\n }\r\n\r\n override fun next(): T {\r\n if (nextState < 0)\r\n calcNext()\r\n\r\n if (nextState == 0)\r\n throw NoSuchElementException()\r\n val result = nextItem as T\r\n // Do not clean nextItem (to avoid keeping reference on yielded instance) -- need to keep state for getNextValue\r\n nextState = -1\r\n return result\r\n }\r\n\r\n override fun hasNext(): Boolean {\r\n if (nextState < 0)\r\n calcNext()\r\n return nextState == 1\r\n }\r\n}\r\n\r\n/**\r\n * Returns a wrapper sequence that provides values of this sequence, but ensures it can be iterated only one time.\r\n *\r\n * The operation is _intermediate_ and _stateless_.\r\n *\r\n * [IllegalStateException] is thrown on iterating the returned sequence from the second time.\r\n *\r\n */\r\npublic fun <T> Sequence<T>.constrainOnce(): Sequence<T> {\r\n // as? does not work in js\r\n //return this as? ConstrainedOnceSequence<T> ?: ConstrainedOnceSequence(this)\r\n return if (this is ConstrainedOnceSequence<T>) this else ConstrainedOnceSequence(this)\r\n}\r\n\r\n\r\n\r\n/**\r\n * Returns a sequence which invokes the function to calculate the next value on each iteration until the function returns `null`.\r\n *\r\n * The returned sequence is constrained to be iterated only once.\r\n *\r\n * @see constrainOnce\r\n * @see kotlin.sequences.sequence\r\n *\r\n * @sample samples.collections.Sequences.Building.generateSequence\r\n */\r\npublic fun <T : Any> generateSequence(nextFunction: () -> T?): Sequence<T> {\r\n return GeneratorSequence(nextFunction, { nextFunction() }).constrainOnce()\r\n}\r\n\r\n\r\n/**\r\n * Returns a sequence defined by the starting value [seed] and the function [nextFunction],\r\n * which is invoked to calculate the next value based on the previous one on each iteration.\r\n *\r\n * The sequence produces values until it encounters first `null` value.\r\n * If [seed] is `null`, an empty sequence is produced.\r\n *\r\n * The sequence can be

iterated multiple times, each time starting with [seed].\r\n *\r\n * @see kotlin.sequences.sequence\r\n *\r\n * @sample samples.collections.Sequences.Building.generateSequenceWithSeed\r\n */\r\n@kotlin.internal.LowPriorityInOverloadResolution\r\npublic fun <T : Any> generateSequence(seed: T?, nextFunction: (T) -> T?): Sequence<T> =\r\n if (seed == null)\r\n EmptySequence\r\n else\r\n GeneratorSequence({ seed }, nextFunction)\r\n\r\n/**\r\n * Returns a sequence defined by the function [seedFunction], which is invoked to produce the starting value,\r\n * and the [nextFunction], which is invoked to calculate the next value based
on the previous one on each iteration.\r\n *\r\n * The sequence produces values until it encounters first `null` value.\r\n * If [seedFunction] returns `null`, an empty sequence is produced.\r\n *\r\n * The sequence can be iterated multiple times.\r\n *\r\n * @see kotlin.sequences.sequence\r\n *\r\n * @sample samples.collections.Sequences.Building.generateSequenceWithLazySeed\r\n */\r\npublic fun <T : Any> generateSequence(seedFunction: () -> T?, nextFunction: (T) -> T?): Sequence<T> =\r\n GeneratorSequence(seedFunction, nextFunction)\r\n\r\n",/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:kotlin.jvm.JvmMultifileClass\r\n@file:kotlin.jvm.JvmName(\"PreconditionsKt\")\r\n\r\npackage kotlin\r\n\r\nimport kotlin.contracts.contract\r\n\r\n/**\r\n * Throws an [IllegalArgumentException] if the [value] is false.\r\n
*\r\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun require(value: Boolean): Unit {\r\n contract {\r\n returns() implies value\r\n }\r\n require(value) { \"Failed requirement.\" }\r\n}\r\n\r\n/**\r\n * Throws an [IllegalArgumentException] with the result of calling [lazyMessage] if the [value] is false.\r\n *\r\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun require(value: Boolean, lazyMessage: () -> Any): Unit {\r\n contract {\r\n returns() implies value\r\n }\r\n if (!value) {\r\n val message = lazyMessage()\r\n throw IllegalArgumentException(message.toString())\r\n }\r\n}\r\n\r\n/**\r\n * Throws an [IllegalArgumentException] if the [value] is null. Otherwise returns the not null value.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T : Any> requireNotNull(value:
T?): T {\r\n contract {\r\n returns() implies (value != null)\r\n }\r\n return requireNotNull(value) { \"Required value was null.\" }\r\n}\r\n\r\n/**\r\n * Throws an [IllegalArgumentException] with the result of calling [lazyMessage] if the [value] is null. Otherwise\r\n * returns the not null value.\r\n *\r\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T : Any> requireNotNull(value: T?, lazyMessage: () -> Any): T {\r\n contract {\r\n returns() implies (value != null)\r\n }\r\n\r\n if (value == null) {\r\n val message = lazyMessage()\r\n throw IllegalArgumentException(message.toString())\r\n } else {\r\n return value\r\n }\r\n}\r\n\r\n/**\r\n * Throws an [IllegalStateException] if the [value] is false.\r\n *\r\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun check(value: Boolean):
Unit {\r\n contract {\r\n returns() implies value\r\n }\r\n check(value) { \"Check failed.\" }\r\n}\r\n\r\n/**\r\n * Throws an [IllegalStateException] with the result of calling [lazyMessage] if the [value] is false.\r\n *\r\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun check(value: Boolean, lazyMessage: () -> Any): Unit {\r\n contract {\r\n returns() implies value\r\n }\r\n if (!value) {\r\n val message = lazyMessage()\r\n throw IllegalStateException(message.toString())\r\n }\r\n}\r\n\r\n/**\r\n * Throws an [IllegalStateException] if the [value] is null. Otherwise\r\n * returns the not null value.\r\n *\r\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T : Any> checkNotNull(value: T?): T {\r\n contract {\r\n returns() implies (value != null)\r\n }\r\n return checkNotNull(value)

{ \"Required value was null.\" }\r\n}\r\n\r\n/**\r\n * Throws an [IllegalStateException] with the result of calling [lazyMessage] if the [value] is null. Otherwise\r\n * returns the not null value.\r\n *\r\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T : Any> checkNotNull(value: T?, lazyMessage: () -> Any): T {\r\n contract {\r\n returns() implies (value != null)\r\n }\r\n\r\n if (value == null) {\r\n val message = lazyMessage()\r\n throw IllegalStateException(message.toString())\r\n } else {\r\n return value\r\n }\r\n}\r\n\r\n\r\n/**\r\n * Throws an [IllegalStateException] with the given [message].\r\n *\r\n * @sample samples.misc.Preconditions.failWithError\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun error(message: Any): Nothing = throw IllegalStateException(message.toString())\r\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\nimport primitiveArrayConcat\nimport withType\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun <T> Array<out T>.elementAt(index: Int): T {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun ByteArray.elementAt(index: Int): Byte {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun ShortArray.elementAt(index: Int): Short {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun IntArray.elementAt(index: Int): Int {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun LongArray.elementAt(index: Int): Long {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun FloatArray.elementAt(index: Int): Float {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun DoubleArray.elementAt(index: Int): Double {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun BooleanArray.elementAt(index: Int): Boolean {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun CharArray.elementAt(index: Int): Char {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\")

```
}\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic actual fun <T> Array<out T>.asList():
 List<T> {\n    return ArrayList<T>(this.unsafeCast<Array<Any?>>())\n}\n\n/**\n * Returns a [List] that wraps the
original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun ByteArray.asList(): List<Byte> {\n
return this.unsafeCast<Array<Byte>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\n@kotlin.internal.InlineOnly\npublic actual inline fun ShortArray.asList(): List<Short> {\n    return
this.unsafeCast<Array<Short>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\n@kotlin.internal.InlineOnly\npublic actual inline fun IntArray.asList(): List<Int> {\n    return
this.unsafeCast<Array<Int>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\n@kotlin.internal.InlineOnly\npublic actual inline fun LongArray.asList(): List<Long> {\n    return
this.unsafeCast<Array<Long>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\n@kotlin.internal.InlineOnly\npublic actual
 inline fun FloatArray.asList(): List<Float> {\n    return this.unsafeCast<Array<Float>>().asList()\n}\n\n/**\n *
Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun
DoubleArray.asList(): List<Double> {\n    return this.unsafeCast<Array<Double>>().asList()\n}\n\n/**\n * Returns
a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun
BooleanArray.asList(): List<Boolean> {\n    return this.unsafeCast<Array<Boolean>>().asList()\n}\n\n/**\n *
Returns a [List] that wraps the original array.\n */\npublic actual fun CharArray.asList(): List<Char> {\n    return
object : AbstractList<Char>(), RandomAccess {\n        override val size: Int get() = this@asList.size\n        override
fun isEmpty(): Boolean = this@asList.isEmpty()\n        override fun contains(element: Char): Boolean =
this@asList.contains(element)\n        override fun get(index: Int): Char {\n
AbstractList.checkElementIndex(index,
 size)\n            return this@asList[index]\n        }\n        override fun indexOf(element: Char): Int {\n            if
((element as Any?) !is Char) return -1\n            return this@asList.indexOf(element)\n        }\n        override fun
lastIndexOf(element: Char): Int {\n            if ((element as Any?) !is Char) return -1\n            return
this@asList.lastIndexOf(element)\n        }\n    }\n}\n\n/**\n * Returns `true` if the two specified arrays are *deeply*
equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * If two
corresponding elements are nested arrays, they are also compared deeply.\n * If any of arrays contains itself on any
nesting level the behavior is undefined.\n * \n * The elements of other types are compared for equality with the
[equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not
equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayDeepEquals\")\npublic
 actual infix fun <T> Array<out T>.contentDeepEquals(other: Array<out T>): Boolean {\n
definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n * Nested
arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level the behavior is
undefined.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayDeepHashCode\")\npublic actual fun <T> Array<out
T>.contentDeepHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the
contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains
itself on any nesting level that reference\n * is rendered as `\"[...]\"` to prevent recursion.\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentDeepToString\n
*/\n@SinceKotlin(\"1.1\")\n@library(\"arrayDeepToString\")\npublic actual fun <T> Array<out
T>.contentDeepToString(): String {\n
    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one
another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are
compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is
equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual
infix fun <T> Array<out T>.contentEquals(other: Array<out T>): Boolean {\n    definedExternally\n}\n\n/**\n *
Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of
the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]
function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
```

*/\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun ByteArray.contentEquals(other: ByteArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun ShortArray.contentEquals(other: ShortArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun IntArray.contentEquals(other: IntArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun LongArray.contentEquals(other: LongArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun FloatArray.contentEquals(other: FloatArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun CharArray.contentEquals(other: CharArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun <T> Array<out T>.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun ByteArray.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun ShortArray.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun IntArray.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun LongArray.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual

fun FloatArray.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun DoubleArray.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun BooleanArray.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun CharArray.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun <T> Array<out T>.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun ByteArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun ShortArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun IntArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun LongArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun FloatArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun DoubleArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun BooleanArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun CharArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset:

Int = 0, startIndex: Int = 0, endIndex: Int = size): Array<T> {\n arrayCopy(this, destination, destinationOffset, startIndex, endIndex)\n return
destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination]
array.\n
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ByteArray {\n arrayCopy(this.unsafeCast<Array<Byte>>(), destination.unsafeCast<Array<Byte>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by
default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ShortArray {\n arrayCopy(this.unsafeCast<Array<Short>>(), destination.unsafeCast<Array<Short>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same
array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline
fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): IntArray {\n arrayCopy(this.unsafeCast<Array<Int>>(), destination.unsafeCast<Array<Int>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the

beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): LongArray {\n arrayCopy(this.unsafeCast<Array<Long>>(), destination.unsafeCast<Array<Long>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): FloatArray {\n arrayCopy(this.unsafeCast<Array<Float>>(), destination.unsafeCast<Array<Float>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray {\n arrayCopy(this.unsafeCast<Array<Double>>(), destination.unsafeCast<Array<Double>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n

*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray {\n arrayCopy(this.unsafeCast<Array<Boolean>>(), destination.unsafeCast<Array<Boolean>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray {\n arrayCopy(this.unsafeCast<Array<Char>>(), destination.unsafeCast<Array<Char>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline fun <T> Array<out T>.copyOf(): Array<T> {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun ByteArray.copyOf(): ByteArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun ShortArray.copyOf(): ShortArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun IntArray.copyOf(): IntArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic actual fun LongArray.copyOf(): LongArray {\n return withType(\"LongArray\", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun FloatArray.copyOf(): FloatArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun DoubleArray.copyOf(): DoubleArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic actual fun BooleanArray.copyOf(): BooleanArray {\n return withType(\"BooleanArray\", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic actual fun CharArray.copyOf(): CharArray {\n return withType(\"CharArray\", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the

original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun ByteArray.copyOf(newSize: Int): ByteArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return fillFrom(this, ByteArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled
with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun ShortArray.copyOf(newSize: Int): ShortArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return fillFrom(this, ShortArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun IntArray.copyOf(newSize: Int): IntArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return fillFrom(this, IntArray(newSize))\n}\n\n/**\n
* Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun LongArray.copyOf(newSize: Int): LongArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return withType(\"LongArray\", arrayCopyResize(this, newSize, 0L))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is
truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun FloatArray.copyOf(newSize: Int): FloatArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return fillFrom(this, FloatArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun DoubleArray.copyOf(newSize:
Int): DoubleArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return fillFrom(this, DoubleArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `false` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `false` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun BooleanArray.copyOf(newSize: Int): BooleanArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return withType(\"BooleanArray\", arrayCopyResize(this, newSize, false))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The
copy is either truncated or padded at the end with null char (`\\u0000`) values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than

the size of the original array, the extra elements in the copy array are filled with null char (`\\u0000`) values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun CharArray.copyOf(newSize: Int): CharArray {\n require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n return withType(\"CharArray\", fillFrom(this, CharArray(newSize)))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `null` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size
of the original array, the extra elements in the copy array are filled with `null` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")\npublic actual fun <T> Array<out T>.copyOf(newSize: Int): Array<T?> {\n require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n return arrayCopyResize(this, newSize, null)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")\npublic actual fun <T> Array<out T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T> {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the
original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex
the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return withType(\"LongArray\", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the
range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n

```
 * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun
BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return withType(\"BooleanArray\",
this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified
range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n
* @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun
CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return withType(\"CharArray\",
this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Fills this array or its subrange with the specified
[element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n
 * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic
actual fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size
of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex]
is greater than the size of this array.\n * @throws IllegalArgumentException
 if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic
actual fun ByteArray.fill(element: Byte, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size
of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex]
is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic
actual fun ShortArray.fill(element: Short, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex,
 toIndex, size)\n    this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange
with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n *
@param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic
actual fun IntArray.fill(element: Int, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive), 0 by default.\n
 * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic
actual fun LongArray.fill(element: Long, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
```

toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException
if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun FloatArray.fill(element: Float, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun DoubleArray.fill(element: Double, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex,
toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun BooleanArray.fill(element: Boolean, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive),
0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun CharArray.fill(element: Char, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n
*/\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline operator fun <T> Array<out T>.plus(element: T): Array<T> {\n return this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array
and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun ByteArray.plus(element: Byte): ByteArray {\n return plus(byteArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n
*/\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun ShortArray.plus(element: Short): ShortArray {\n return plus(shortArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun IntArray.plus(element: Int): IntArray {\n return plus(intArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n
*/\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun LongArray.plus(element: Long): LongArray {\n return plus(longArrayOf(element))\n}\n\n/**\n * Returns an

array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun FloatArray.plus(element: Float): FloatArray {\n   return plus(floatArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun DoubleArray.plus(element: Double): DoubleArray {\n   return plus(doubleArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun BooleanArray.plus(element: Boolean): BooleanArray {\n   return plus(booleanArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun CharArray.plus(element: Char): CharArray {\n   return plus(charArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")\npublic actual operator fun <T> Array<out T>.plus(elements: Collection<T>): Array<T> {\n   return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun ShortArray.plus(elements: Collection<Short>): ShortArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun IntArray.plus(elements: Collection<Int>): IntArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun LongArray.plus(elements: Collection<Long>): LongArray {\n   return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun FloatArray.plus(elements: Collection<Float>): FloatArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray {\n   return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun CharArray.plus(elements: Collection<Char>): CharArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline operator fun <T> Array<out T>.plus(elements: Array<out T>): Array<T> {\n   return this.asDynamic().concat(elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun ByteArray.plus(elements: ByteArray): ByteArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun ShortArray.plus(elements: ShortArray): ShortArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun IntArray.plus(elements: IntArray):

IntArray {\n   return primitiveArrayConcat(this,
 elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun LongArray.plus(elements: LongArray): LongArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun FloatArray.plus(elements: FloatArray): FloatArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun DoubleArray.plus(elements: DoubleArray): DoubleArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements
 of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun BooleanArray.plus(elements: BooleanArray): BooleanArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun CharArray.plus(elements: CharArray): CharArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline fun <T> Array<out T>.plusElement(element: T): Array<T> {\n   return this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@library(\"primitiveArraySort\")\npublic
 actual fun IntArray.sort(): Unit {\n   definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic actual fun LongArray.sort(): Unit {\n   if (size > 1) sort { a: Long, b: Long -> a.compareTo(b) }\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@library(\"primitiveArraySort\")\npublic actual fun ByteArray.sort(): Unit {\n   definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@library(\"primitiveArraySort\")\npublic actual fun ShortArray.sort(): Unit {\n   definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@library(\"primitiveArraySort\")\npublic actual fun DoubleArray.sort(): Unit {\n   definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n
 */\n@library(\"primitiveArraySort\")\npublic actual fun FloatArray.sort(): Unit {\n   definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@library(\"primitiveArraySort\")\npublic actual fun CharArray.sort(): Unit {\n   definedExternally\n}\n\n/**\n * Sorts the array in-place according to the natural order of its elements.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @sample samples.collections.Arrays.Sorting.sortArrayOfComparable\n */\npublic actual fun <T : Comparable<T>> Array<out T>.sort(): Unit {\n   if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T> Array<out T>.sort(comparison: (a:
 T, b: T) -> Int): Unit {\n   if (size > 1) sortArrayWith(this, comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sort(noinline comparison: (a: Byte, b: Byte) -> Int): Unit {\n   asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sort(noinline comparison: (a: Short, b: Short) -> Int): Unit {\n   asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun

IntArray.sort(noninline comparison: (a: Int, b: Int) -> Int): Unit {\n asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic
inline fun LongArray.sort(noninline comparison: (a: Long, b: Long) -> Int): Unit {\n asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sort(noninline comparison: (a: Float, b: Float) -> Int): Unit {\n asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.sort(noninline comparison: (a: Double, b: Double) -> Int): Unit {\n asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sort(noninline comparison: (a: Char, b: Char) -> Int): Unit {\n asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to
the order specified by the given [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic actual fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit {\n if (size > 1) sortArrayWith(this, comparator)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun ByteArray.toTypedArray(): Array<Byte> {\n return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun ShortArray.toTypedArray(): Array<Short> {\n return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun IntArray.toTypedArray(): Array<Int> {\n return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this
primitive array.\n */\npublic actual fun LongArray.toTypedArray(): Array<Long> {\n return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun FloatArray.toTypedArray(): Array<Float> {\n return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun DoubleArray.toTypedArray(): Array<Double> {\n return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun BooleanArray.toTypedArray(): Array<Boolean> {\n return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun CharArray.toTypedArray(): Array<Char> {\n return Array(size) { index -> this[index] }\n}\n\n","/*\r\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n@file:kotlin.jvm.JvmName(\"ComparisonsKt\")\r\n@file:kotlin.jvm.JvmMultifileClass\r\n\r\npackage kotlin.comparisons\r\n\r\n/**\r\n * Compares two values using the specified functions [selectors] to calculate the result of the comparison.\r\n * The functions are called sequentially, receive the given values [a] and [b] and return [Comparable]\r\n * objects. As soon as the [Comparable] instances returned by a function for [a] and [b] values do not\r\n * compare as equal, the result of that comparison is returned.\r\n *\r\n * @sample samples.comparisons.Comparisons.compareValuesByWithSelectors\r\n */\r\npublic fun <T> compareValuesBy(a: T, b: T, vararg selectors: (T) -> Comparable<*>?): Int {\r\n require(selectors.size > 0)\r\n return compareValuesByImpl(a, b, selectors)\r\n}\r\n\r\nprivate
fun <T> compareValuesByImpl(a: T, b: T, selectors: Array<out (T) -> Comparable<*>?>): Int {\r\n for (fn in selectors) {\r\n val v1 = fn(a)\r\n val v2 = fn(b)\r\n val diff = compareValues(v1, v2)\r\n if (diff != 0) return diff\r\n }\r\n return 0\r\n}\r\n\r\n/**\r\n * Compares two values using the specified [selector] function to calculate the result of the comparison.\r\n * The function is applied to the given values [a] and [b] and return [Comparable] objects.\r\n * The result of comparison of these [Comparable] instances is returned.\r\n *\r\n * @sample samples.comparisons.Comparisons.compareValuesByWithSingleSelector\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> compareValuesBy(a: T, b: T, selector: (T) ->

Comparable<*>?): Int {\r\n   return compareValues(selector(a), selector(b))\r\n}\r\n\r\n/**\r\n * Compares two values using the specified [selector] function to calculate the result of the comparison.\r\n * The function is applied to the given values [a] and [b] and return objects of type K which are then being\r\n * compared with the given [comparator].\r\n *\r\n * @sample samples.comparisons.Comparisons.compareValuesByWithComparator\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T, K> compareValuesBy(a: T, b: T, comparator: Comparator<in K>, selector: (T) -> K): Int {\r\n   return comparator.compare(selector(a), selector(b))\r\n}\r\n\r\n//// Not so useful without type inference for receiver of expression\r\n//// compareValuesWith(v1, v2, compareBy { it.prop1 } thenByDescending { it.prop2 })\r\n///**\r\n// * Compares two values using the specified [comparator].\r\n// */\r\n//@Suppress(\"NOTHING_TO_INLINE\")\r\n//public inline fun <T> compareValuesWith(a: T, b: T, comparator: Comparator<T>): Int = comparator.compare(a, b)\r\n//\r\n\r\n\r\n/**\r\n * Compares two nullable [Comparable] values. Null is considered less than any value.\r\n *\r\n * @sample samples.comparisons.Comparisons.compareValues\r\n */\r\npublic fun <T : Comparable<*>> compareValues(a: T?, b: T?): Int {\r\n   if (a === b) return 0\r\n   if (a == null) return -1\r\n   if (b == null) return 1\r\n\r\n   @Suppress(\"UNCHECKED_CAST\")\r\n   return (a as Comparable<Any>).compareTo(b)\r\n}\r\n\r\n/**\r\n * Creates a comparator using the sequence of functions to calculate a result of comparison.\r\n * The functions are called sequentially, receive the given values `a` and `b` and return [Comparable]\r\n * objects. As soon as the [Comparable] instances returned by a function for `a` and `b` values do not\r\n * compare as equal, the result of that comparison is returned from the [Comparator].\r\n *\r\n * @sample samples.comparisons.Comparisons.compareByWithSelectors\r\n */\r\npublic fun <T> compareBy(vararg selectors: (T) -> Comparable<*>?): Comparator<T> {\r\n   require(selectors.size > 0)\r\n   return Comparator { a, b -> compareValuesByImpl(a, b, selectors) }\r\n}\r\n\r\n\r\n/**\r\n * Creates a comparator using the function to transform value to a [Comparable] instance for comparison.\r\n *\r\n * @sample samples.comparisons.Comparisons.compareByWithSingleSelector\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> compareBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\r\n   Comparator { a, b -> compareValuesBy(a, b, selector) }\r\n\r\n/**\r\n * Creates a comparator using the [selector] function to transform values being compared and then applying\r\n * the specified [comparator] to compare transformed values.\r\n *\r\n * @sample samples.comparisons.Comparisons.compareByWithComparator\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T, K> compareBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\r\n   Comparator { a, b -> compareValuesBy(a, b, comparator, selector) }\r\n\r\n/**\r\n * Creates a descending comparator using the function to transform value to a [Comparable] instance for comparison.\r\n *\r\n * @sample samples.comparisons.Comparisons.compareByDescendingWithSingleSelector\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> compareByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\r\n   Comparator { a, b -> compareValuesBy(b, a, selector) }\r\n\r\n/**\r\n * Creates a descending comparator using the [selector] function to transform values being compared and then applying\r\n * the specified [comparator] to compare transformed values.\r\n *\r\n * Note that an order of [comparator] is reversed by this wrapper.\r\n *\r\n * @sample samples.comparisons.Comparisons.compareByDescendingWithComparator\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T, K> compareByDescending(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\r\n   Comparator { a, b -> compareValuesBy(b, a, comparator, selector) }\r\n\r\n/**\r\n * Creates a comparator comparing values after the primary comparator defined them equal. It uses\r\n * the function to transform value to a [Comparable] instance for comparison.\r\n *\r\n * @sample samples.comparisons.Comparisons.thenBy\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> Comparator<T>.thenBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\r\n   Comparator { a, b ->\r\n   val previousCompare = this@thenBy.compare(a, b)\r\n   if (previousCompare != 0) previousCompare else compareValuesBy(a, b, selector)\r\n   }\r\n\r\n/**\r\n * Creates a comparator comparing values after the primary comparator defined them equal. It uses\r\n * the [selector] function to transform values and then compares

them with the given [comparator].\r\n *\r\n * @sample samples.comparisons.Comparisons.thenByWithComparator\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T, K> Comparator<T>.thenBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\r\n Comparator { a, b ->\r\n val previousCompare = this@thenBy.compare(a, b)\r\n if (previousCompare != 0) previousCompare else compareValuesBy(a, b, comparator, selector)\r\n }\r\n\r\n/**\r\n * Creates a descending comparator using the primary comparator and\r\n * the function to transform value to a [Comparable] instance for comparison.\r\n *\r\n * @sample samples.comparisons.Comparisons.thenByDescending\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> Comparator<T>.thenByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\r\n Comparator { a, b ->\r\n val previousCompare = this@thenByDescending.compare(a, b)\r\n if (previousCompare != 0) previousCompare else compareValuesBy(b, a, selector)\r\n }\r\n\r\n/**\r\n * Creates a descending comparator comparing values after the primary comparator defined them equal. It uses\r\n * the [selector] function to transform values and then compares them with the given [comparator].\r\n *\r\n * @sample samples.comparisons.Comparisons.thenByDescendingWithComparator\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T, K> Comparator<T>.thenByDescending(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\r\n Comparator { a, b ->\r\n val previousCompare = this@thenByDescending.compare(a, b)\r\n if (previousCompare != 0) previousCompare else compareValuesBy(b, a, comparator, selector)\r\n }\r\n\r\n\r\n/**\r\n * Creates a comparator using the primary comparator and function to calculate a result of comparison.\r\n *\r\n * @sample samples.comparisons.Comparisons.thenComparator\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> Comparator<T>.thenComparator(crossinline comparison: (a: T, b: T) -> Int): Comparator<T> =\r\n Comparator { a, b ->\r\n val previousCompare = this@thenComparator.compare(a, b)\r\n if (previousCompare != 0) previousCompare else comparison(a, b)\r\n }\r\n\r\n/**\r\n * Combines this comparator and the given [comparator] such that the latter is applied only\r\n * when the former considered values equal.\r\n *\r\n * @sample samples.comparisons.Comparisons.then\r\n */\r\npublic infix fun <T> Comparator<T>.then(comparator: Comparator<in T>): Comparator<T> =\r\n Comparator { a, b ->\r\n val previousCompare = this@then.compare(a, b)\r\n if (previousCompare != 0) previousCompare else comparator.compare(a, b)\r\n }\r\n\r\n/**\r\n * Combines this comparator and the given [comparator] such that the latter is applied only\r\n * when the former considered values equal.\r\n *\r\n * @sample samples.comparisons.Comparisons.thenDescending\r\n */\r\npublic infix fun <T> Comparator<T>.thenDescending(comparator: Comparator<in T>): Comparator<T> =\r\n Comparator<T> { a, b ->\r\n val previousCompare = this@thenDescending.compare(a, b)\r\n if (previousCompare != 0) previousCompare else comparator.compare(b, a)\r\n }\r\n\r\n// Not so useful without type inference for receiver of expression\r\n/**\r\n * Extends the given [comparator] of non-nullable values to a comparator of nullable values\r\n * considering `null` value less than any other value.\r\n *\r\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\r\n */\r\npublic fun <T : Any> nullsFirst(comparator: Comparator<in T>): Comparator<T?> =\r\n Comparator { a, b ->\r\n when {\r\n a === b -> 0\r\n a == null -> -1\r\n b == null -> 1\r\n else -> comparator.compare(a, b)\r\n }\r\n }\r\n\r\n/**\r\n * Provides a comparator of nullable [Comparable] values\r\n * considering `null` value less than any other value.\r\n *\r\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T : Comparable<T>> nullsFirst(): Comparator<T?> = nullsFirst(naturalOrder())\r\n\r\n/**\r\n * Extends the given [comparator] of non-nullable values to a comparator of nullable values\r\n * considering `null` value greater than any other value.\r\n *\r\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\r\n */\r\npublic fun <T : Any> nullsLast(comparator: Comparator<in T>): Comparator<T?> =\r\n Comparator { a, b ->\r\n when {\r\n a === b -> 0\r\n a == null -> 1\r\n b == null -> -1\r\n else -> comparator.compare(a, b)\r\n }\r\n }\r\n\r\n/**\r\n * Provides a comparator of nullable [Comparable]

values\r\n * considering `null` value greater than any other value.\r\n *\r\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T : Comparable<T>> nullsLast(): Comparator<T?> = nullsLast(naturalOrder())\r\n\r\n/**\r\n * Returns a comparator that compares [Comparable] objects in natural order.\r\n *\r\n * @sample samples.comparisons.Comparisons.naturalOrderComparator\r\n */\r\npublic fun <T : Comparable<T>> naturalOrder(): Comparator<T> = @Suppress(\"UNCHECKED_CAST\")
(NaturalOrderComparator as Comparator<T>)\r\n\r\n/**\r\n * Returns a comparator that compares [Comparable] objects in reversed natural order.\r\n *\r\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\r\n */\r\npublic fun <T : Comparable<T>> reverseOrder(): Comparator<T> = @Suppress(\"UNCHECKED_CAST\") (ReverseOrderComparator as Comparator<T>)\r\n\r\n/**\r\n * Returns a comparator that imposes the reverse ordering of this comparator.\r\n *\r\n * @sample samples.comparisons.Comparisons.reversed\r\n */\r\npublic fun <T> Comparator<T>.reversed(): Comparator<T> = when (this) {\r\n   is ReversedComparator -> this.comparator\r\n   NaturalOrderComparator -> @Suppress(\"UNCHECKED_CAST\") (ReverseOrderComparator as Comparator<T>)\r\n
ReverseOrderComparator -> @Suppress(\"UNCHECKED_CAST\") (NaturalOrderComparator as Comparator<T>)\r\n   else -> ReversedComparator(this)\r\n}\r\n\r\n\r\nprivate class ReversedComparator<T>(public val comparator: Comparator<T>)
: Comparator<T> {\r\n   override fun compare(a: T, b: T): Int = comparator.compare(b, a)\r\n @Suppress(\"VIRTUAL_MEMBER_HIDDEN\")\r\n   fun reversed(): Comparator<T> = comparator\r\n}\r\n\r\nprivate object NaturalOrderComparator : Comparator<Comparable<Any>> {\r\n   override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int = a.compareTo(b)\r\n @Suppress(\"VIRTUAL_MEMBER_HIDDEN\")\r\n   fun reversed(): Comparator<Comparable<Any>> = ReverseOrderComparator\r\n}\r\n\r\nprivate object ReverseOrderComparator : Comparator<Comparable<Any>> {\r\n   override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int = b.compareTo(a)\r\n @Suppress(\"VIRTUAL_MEMBER_HIDDEN\")\r\n   fun reversed(): Comparator<Comparable<Any>> = NaturalOrderComparator\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage
kotlin\r\n\r\n\r\npublic actual interface Comparator<T> {\r\n   @JsName(\"compare\")\r\n   actual fun compare(a: T, b: T): Int\r\n}\r\n\r\npublic actual inline fun <T> Comparator(crossinline comparison: (a: T, b: T) -> Int): Comparator<T> = object : Comparator<T> {\r\n   override fun compare(a: T, b: T): Int = comparison(a, b)\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:kotlin.jvm.JvmMultifileClass\r\n@file:kotlin.jvm.JvmName(\"StandardKt\")\r\npackage kotlin\r\n\r\nimport kotlin.contracts.*\r\n\r\n/**\r\n * An exception is thrown to indicate that a method body remains to be implemented.\r\n */\r\npublic class NotImplementedError(message: String = \"An operation is not implemented.\") : Error(message)\r\n\r\n/**\r\n * Always throws [NotImplementedError] stating that operation
is not implemented.\r\n */\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun TODO(): Nothing = throw NotImplementedError()\r\n\r\n/**\r\n * Always throws [NotImplementedError] stating that operation is not implemented.\r\n *\r\n * @param reason a string explaining why the implementation is missing.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun TODO(reason: String): Nothing = throw NotImplementedError(\"An operation is not implemented: $reason\")\r\n\r\n\r\n\r\n/**\r\n * Calls the specified function [block] and returns its result.\r\n *\r\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <R> run(block: () -> R): R {\r\n   contract {\r\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\r\n   }\r\n   return block()\r\n}\r\n\r\n/**\r\n * Calls the specified function [block] with `this` value as its receiver

and returns its result.\r\n *\r\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T, R> T.run(block: T.() -> R): R {\r\n contract {\r\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\r\n }\r\n return block()\r\n}\r\n\r\n/**\r\n * Calls the specified function [block] with the given [receiver] as its receiver and returns its result.\r\n *\r\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#with).\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T, R> with(receiver: T, block: T.() -> R): R {\r\n contract {\r\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\r\n }\r\n return receiver.block()\r\n}\r\n\r\n/**\r\n * Calls the specified function [block] with `this` value as its receiver and returns `this` value.\r\n *\r\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#apply).\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> T.apply(block: T.() -> Unit): T {\r\n contract {\r\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\r\n }\r\n block()\r\n return this\r\n}\r\n\r\n/**\r\n * Calls the specified function [block] with `this` value as its argument and returns `this` value.\r\n *\r\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#also).\r\n */\r\n@kotlin.internal.InlineOnly\r\n@SinceKotlin(\"1.1\")\r\npublic inline fun <T> T.also(block: (T) -> Unit): T {\r\n contract {\r\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\r\n }\r\n block(this)\r\n return this\r\n}\r\n\r\n/**\r\n * Calls the specified function [block] with `this` value as its argument and returns its result.\r\n *\r\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#let).\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T, R> T.let(block: (T) -> R): R {\r\n contract {\r\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\r\n }\r\n return block(this)\r\n}\r\n\r\n/**\r\n * Returns `this` value if it satisfies the given [predicate] or `null`, if it doesn't.\r\n */\r\n@kotlin.internal.InlineOnly\r\n@SinceKotlin(\"1.1\")\r\npublic inline fun <T> T.takeIf(predicate: (T) -> Boolean): T? {\r\n contract {\r\n callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)\r\n }\r\n return if (predicate(this)) this else null\r\n}\r\n\r\n/**\r\n * Returns `this` value if it _does not_ satisfy the given [predicate] or `null`, if it does.\r\n */\r\n@kotlin.internal.InlineOnly\r\n@SinceKotlin(\"1.1\")\r\npublic inline fun <T> T.takeUnless(predicate: (T) -> Boolean): T? {\r\n contract {\r\n callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)\r\n }\r\n return if (!predicate(this)) this else null\r\n}\r\n\r\n/**\r\n * Executes the given function [action] specified number of [times].\r\n *\r\n * A zero-based index of current iteration is passed as a parameter to [action].\r\n *\r\n * @sample samples.misc.ControlFlow.repeat\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun repeat(times: Int, action: (Int) -> Unit) {\r\n contract { callsInPlace(action) }\r\n\r\n for (index in 0 until times) {\r\n action(index)\r\n }\r\n}\r\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.comparisons\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\n\n/**\n * Returns the greater of two values.\n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T): T {\n return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun maxOf(a: Byte, b: Byte): Byte {\n return Math.max(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun maxOf(a: Short, b: Short): Short {\n return Math.max(a.toInt(),

b.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the greater of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual
inline fun maxOf(a: Int, b: Int): Int {\n   return Math.max(a, b)\n}\n\n/**\n * Returns the
greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@Suppress(\"DEPRECATION_ERROR\",
\"NOTHING_TO_INLINE\")\npublic actual inline fun maxOf(a: Long, b: Long): Long {\n   return if (a >= b) a else
b\n}\n\n/**\n * Returns the greater of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual
inline fun maxOf(a: Float, b: Float): Float {\n   return Math.max(a, b)\n}\n\n/**\n * Returns the greater of two
values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual
inline fun maxOf(a: Double, b: Double): Double {\n   return Math.max(a, b)\n}\n\n/**\n * Returns the greater of
three values.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T, c: T): T {\n
return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual
inline
fun maxOf(a: Byte, b: Byte, c: Byte): Byte {\n   return Math.max(a.toInt(), b.toInt(),
c.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual
inline fun maxOf(a: Short, b: Short, c: Short): Short {\n   return Math.max(a.toInt(), b.toInt(),
c.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual
inline fun maxOf(a: Int, b: Int, c: Int): Int {\n   return Math.max(a, b, c)\n}\n\n/**\n * Returns the greater of three
values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Long, b: Long,
c: Long): Long {\n   return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic
actual inline fun maxOf(a: Float, b: Float, c: Float): Float {\n   return Math.max(a, b, c)\n}\n\n/**\n * Returns the
greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual
inline fun maxOf(a: Double, b: Double, c: Double): Double {\n   return Math.max(a, b, c)\n}\n\n/**\n * Returns the
smaller of two values.\n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun
<T : Comparable<T>> minOf(a: T, b: T): T {\n   return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two
values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual
inline fun minOf(a: Byte, b: Byte): Byte {\n   return Math.min(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n/**\n
* Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual
inline fun minOf(a: Short,
b: Short): Short {\n   return Math.min(a.toInt(), b.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the smaller of
two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual
inline fun minOf(a: Int, b: Int): Int {\n   return Math.min(a, b)\n}\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@Suppress(\"DEPRECATION_ERROR\", \"NOTHING_TO_INLINE\")\npublic actual
inline fun minOf(a: Long, b: Long): Long {\n   return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two
values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual
inline fun minOf(a: Float, b: Float): Float {\n   return Math.min(a, b)\n}\n\n/**\n * Returns the smaller of two
values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual

inline fun minOf(a: Double, b: Double): Double {\n   return Math.min(a, b)\n}\n\n/**\n
 * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T : Comparable<T>>
minOf(a: T, b: T, c: T): T {\n   return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual
inline fun minOf(a: Byte, b: Byte, c: Byte): Byte {\n   return Math.min(a.toInt(), b.toInt(),
c.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual
inline fun minOf(a: Short, b: Short, c: Short): Short {\n   return Math.min(a.toInt(), b.toInt(),
c.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual
inline fun minOf(a: Int, b: Int, c: Int): Int {\n   return Math.min(a, b, c)\n}\n\n/**\n * Returns the
 smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun
minOf(a: Long, b: Long, c: Long): Long {\n   return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of
three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual
inline fun minOf(a: Float, b: Float, c: Float): Float {\n   return Math.min(a, b, c)\n}\n\n/**\n * Returns the smaller
of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual
inline fun minOf(a: Double, b: Double, c: Double): Double {\n   return Math.min(a, b, c)\n}\n\n","/*\n * Copyright
2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage
kotlin.collections\n\n//\n//
 NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\nimport
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the collection.\n
*/\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component1(): T {\n   return
get(0)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline
operator fun <T> List<T>.component2(): T {\n   return get(1)\n}\n\n/**\n * Returns 3rd *element* from the
collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component3(): T {\n   return
get(2)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline
operator fun <T> List<T>.component4(): T {\n   return get(3)\n}\n\n/**\n * Returns 5th *element* from the
collection.\n */\n@kotlin.internal.InlineOnly\npublic
 inline operator fun <T> List<T>.component5(): T {\n   return get(4)\n}\n\n/**\n * Returns `true` if [element] is
found in the collection.\n */\npublic operator fun <@kotlin.internal.OnlyInputTypes T>
Iterable<T>.contains(element: T): Boolean {\n   if (this is Collection)\n   return contains(element)\n   return
indexOf(element) >= 0\n}\n\n/**\n * Returns an element at the given [index] or throws an
[IndexOutOfBoundsException] if the [index] is out of bounds of this collection.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n */\npublic fun <T> Iterable<T>.elementAt(index: Int): T {\n
if (this is List)\n   return get(index)\n   return elementAtOrElse(index) { throw
IndexOutOfBoundsException(\"Collection doesn't contain element at index $index.\") }\n}\n\n/**\n * Returns an
element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this list.\n
* \n * @sample samples.collections.Collections.Elements.elementAt\n
 */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAt(index: Int): T {\n   return
get(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function
if the [index] is out of bounds of this collection.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\npublic fun <T>
Iterable<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n   if (this is List)\n   return

this.getOrElse(index, defaultValue)\n   if (index < 0)\n   return defaultValue(index)\n   val iterator = iterator()\n   var count = 0\n   while (iterator.hasNext()) {\n   val element = iterator.next()\n   if (index == count++)\n   return element\n   }\n   return defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this collection.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\npublic fun <T> Iterable<T>.elementAtOrNull(index: Int): T? {\n   if (this is List)\n   return this.getOrNull(index)\n   if (index < 0)\n   return null\n   val iterator = iterator()\n   var count = 0\n   while (iterator.hasNext()) {\n   val element = iterator.next()\n   if (index == count++)\n   return element\n   }\n   return null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAtOrNull(index: Int): T? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.find(predicate: (T) -> Boolean): T? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.findLast(predicate: (T) -> Boolean): T? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.findLast(predicate: (T) -> Boolean): T? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the collection is empty.\n */\npublic fun <T> Iterable<T>.first(): T {\n   when (this) {\n   is List -> return this.first()\n   else -> {\n   val iterator = iterator()\n   if (!iterator.hasNext())\n   throw NoSuchElementException(\"Collection is empty.\")\n   return iterator.next()\n   }\n   }\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the list is empty.\n */\npublic fun <T> List<T>.first(): T {\n   if (isEmpty())\n   throw NoSuchElementException(\"List is empty.\")\n   return this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> Iterable<T>.first(predicate: (T) -> Boolean): T {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Collection contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element, or `null` if the collection is empty.\n */\npublic fun <T> Iterable<T>.firstOrNull(): T? {\n   when (this) {\n   is List -> {\n   if (isEmpty())\n   return null\n   else\n   return this[0]\n   }\n   else -> {\n   val iterator = iterator()\n   if (!iterator.hasNext())\n   return null\n   return iterator.next()\n   }\n   }\n}\n\n/**\n * Returns the first element, or `null` if the list is empty.\n */\npublic fun <T> List<T>.firstOrNull(): T? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun <T> Iterable<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n   for (element in this) if (predicate(element)) return element\n   return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this list.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.getOrElse(index: Int, defaultValue: (Int) -> T): T {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this list.\n */\npublic fun <T> List<T>.getOrNull(index: Int): T? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element], or -1 if the collection does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.indexOf(element: T): Int {\n   if (this is List) return this.indexOf(element)\n   var index = 0\n   for (item in this) {\n   checkIndexOverflow(index)\n   if (element

```
== item)\n            return index\n        index++\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the list does not contain element.\n */\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\")
 // false warning, extension takes precedence in some cases\npublic fun <@kotlin.internal.OnlyInputTypes T> List<T>.indexOf(element: T): Int {\n    return indexOf(element)\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the collection does not contain such element.\n */\npublic inline fun <T> Iterable<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (predicate(item))\n            return index\n        index++\n    }\n    return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the list does not contain such element.\n */\npublic inline fun <T> List<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n    var index = 0\n    for (item in this) {\n        if (predicate(item))\n            return index\n        index++\n    }\n    return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate],
 or -1 if the collection does not contain such element.\n */\npublic inline fun <T> Iterable<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n    var lastIndex = -1\n    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (predicate(item))\n            lastIndex = index\n        index++\n    }\n    return lastIndex\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the list does not contain such element.\n */\npublic inline fun <T> List<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n    val iterator = this.listIterator(size)\n    while (iterator.hasPrevious()) {\n        if (predicate(iterator.previous())) {\n            return iterator.nextIndex()\n        }\n    }\n    return -1\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the collection is empty.\n */\npublic fun <T> Iterable<T>.last(): T {\n    when (this) {\n        is List -> return this.last()\n        else -> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                throw NoSuchElementException(\"Collection is empty.\")\n            var last = iterator.next()\n            while (iterator.hasNext())\n                last = iterator.next()\n            return last\n        }\n    }\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the list is empty.\n */\npublic fun <T> List<T>.last(): T {\n    if (isEmpty())\n        throw NoSuchElementException(\"List is empty.\")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> Iterable<T>.last(predicate: (T) -> Boolean): T {\n    var last: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            last = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException(\"Collection
 contains no element matching the predicate.\")\n    @Suppress(\"UNCHECKED_CAST\")\n    return last as T\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> List<T>.last(predicate: (T) -> Boolean): T {\n    val iterator = this.listIterator(size)\n    while (iterator.hasPrevious()) {\n        val element = iterator.previous()\n        if (predicate(element)) return element\n    }\n    throw NoSuchElementException(\"List contains no element matching the predicate.\")\n}\n\n/**\n * Returns last index of [element], or -1 if the collection does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.lastIndexOf(element: T): Int {\n    if (this is List) return this.lastIndexOf(element)\n    var lastIndex = -1\n    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (element == item)\n            lastIndex
 = index\n        index++\n    }\n    return lastIndex\n}\n\n/**\n * Returns last index of [element], or -1 if the list does not contain element.\n */\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning, extension takes precedence in some cases\npublic fun <@kotlin.internal.OnlyInputTypes T> List<T>.lastIndexOf(element: T): Int {\n    return lastIndexOf(element)\n}\n\n/**\n * Returns the last element, or `null` if the collection is empty.\n */\npublic fun <T> Iterable<T>.lastOrNull(): T? {\n    when (this) {\n        is List -> return if (isEmpty()) null else this[size - 1]\n        else -> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                return null\n            var last = iterator.next()\n            while (iterator.hasNext())\n                last = iterator.next()\n            return last\n        }\n    }\n}\n\n/**\n * Returns the last element, or `null` if the list is empty.\n */\npublic fun <T> List<T>.lastOrNull(): T? {\n
```

```
return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun <T> Iterable<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n var last: T? = null\n for (element in this) {\n if (predicate(element)) {\n last = element\n }\n }\n return last\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun <T> List<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n val iterator = this.listIterator(size)\n while (iterator.hasPrevious()) {\n val element = iterator.previous()\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns a random element from this collection.\n * \n * @throws NoSuchElementException if this collection is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.random(): T {\n return random(Random)\n}\n\n/**\n * Returns a random element from this collection using the specified source of randomness.\n * \n * @throws NoSuchElementException if this collection is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> Collection<T>.random(random: Random): T {\n if (isEmpty())\n throw NoSuchElementException(\"Collection is empty.\")\n return elementAt(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the collection is empty or has more than one element.\n */\npublic fun <T> Iterable<T>.single(): T {\n when (this) {\n is List -> return this.single()\n else -> {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException(\"Collection is empty.\")\n val single = iterator.next()\n if (iterator.hasNext())\n throw IllegalArgumentException(\"Collection has more than one element.\")\n return single\n }\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the list is empty or has more than one element.\n */\npublic fun <T> List<T>.single(): T {\n return when (size) {\n 0 -> throw NoSuchElementException(\"List is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"List has more than one element.\")\n }\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun <T> Iterable<T>.single(predicate: (T) -> Boolean): T {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Collection contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Collection contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as T\n}\n\n/**\n * Returns single element, or `null` if the collection is empty or has more than one element.\n */\npublic fun <T> Iterable<T>.singleOrNull(): T? {\n when (this) {\n is List -> return if (size == 1) this[0] else null\n else -> {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n val single = iterator.next()\n if (iterator.hasNext())\n return null\n return single\n }\n }\n}\n\n/**\n * Returns single element, or `null` if the list is empty or has more than one element.\n */\npublic fun <T> List<T>.singleOrNull(): T? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun <T> Iterable<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Iterable<T>.drop(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return toList()\n val list: ArrayList<T>\n if (this is Collection<*>) {\n val resultSize = size - n\n if (resultSize <= 0)\n return emptyList()\n if (resultSize == 1)\n return listOf(last())\n list = ArrayList<T>(resultSize)\n if (this is List<T>) {\n if (this is RandomAccess) {\n for (index in n until size)\n list.add(this[index])\n } else {\n for (item in listIterator(n))\n list.add(item)\n }\n return list\n }\n }\n else {\n list = ArrayList<T>()\n }\n var count = 0\n for (item in this) {\n if (count >= n) list.add(item) else
```

```
++count\n    }\n    return list.optimizeReadOnlyList()\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> List<T>.dropLast(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> List<T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n    if (!isEmpty()) {\n val iterator = listIterator(size)\n        while (iterator.hasPrevious()) {\n            if (!predicate(iterator.previous())) {\n                return take(iterator.nextIndex() + 1)\n            }\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Iterable<T>.dropWhile(predicate: (T) -> Boolean): List<T> {\n    var yielding = false\n    val list = ArrayList<T>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n            list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun <T> Iterable<T>.filter(predicate: (T) -> Boolean): List<T> {\n    return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <T> Iterable<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n    return filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Returns a list containing all elements that are instances of specified type parameter R.\n */\npublic inline fun <reified R> Iterable<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n    return filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type parameter R to the given [destination].\n */\npublic inline fun <reified R, C : MutableCollection<in R>> Iterable<*>.filterIsInstanceTo(destination: C): C {\n    for (element in this) if (element is R) destination.add(element)\n    return destination\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun <T> Iterable<T>.filterNot(predicate: (T) -> Boolean): List<T> {\n    return filterNotTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing all elements that are not `null`.\n */\npublic fun <T : Any> Iterable<T?>.filterNotNull(): List<T> {\n    return filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n */\npublic fun <C : MutableCollection<in T>, T : Any> Iterable<T?>.filterNotNullTo(destination: C): C {\n    for (element in this) if (element != null) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n    for (element in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n    for (element in this) if (predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun <T> List<T>.slice(indices: IntRange): List<T> {\n    if (indices.isEmpty()) return listOf()\n    return this.subList(indices.start, indices.endInclusive + 1).toList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun <T> List<T>.slice(indices: Iterable<Int>): List<T> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<T>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing first [n]
```

```
elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun <T> Iterable<T>.take(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (this
 is Collection<T>) {\n        if (n >= size) return toList()\n        if (n == 1) return listOf(first())\n    }\n    var count =
0\n    val list = ArrayList<T>(n)\n    for (item in this) {\n        if (count++ == n)\n            break\n        list.add(item)\n
  }\n    return list.optimizeReadOnlyList()\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun <T> List<T>.takeLast(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size =
size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(last())\n    val list = ArrayList<T>(n)\n    if (this is
RandomAccess) {\n        for (index in size - n until size)\n            list.add(this[index])\n    } else {\n        for (item in
listIterator(size - n))\n            list.add(item)\n
  }\n    return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n *
@sample samples.collections.Collections.Transformations.take\n */\npublic inline fun <T>
List<T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n    if (isEmpty())\n        return emptyList()\n    val
iterator = listIterator(size)\n    while (iterator.hasPrevious()) {\n        if (!predicate(iterator.previous())) {\n
iterator.next()\n            val expectedSize = size - iterator.nextIndex()\n            if (expectedSize == 0) return
emptyList()\n            return ArrayList<T>(expectedSize).apply {\n                while (iterator.hasNext())\n
add(iterator.next())\n            }\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing first elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic
inline fun <T> Iterable<T>.takeWhile(predicate: (T)
 -> Boolean): List<T> {\n    val list = ArrayList<T>()\n    for (item in this) {\n        if (!predicate(item))\n
break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Reverses elements in the list in-place.\n */\npublic
expect fun <T> MutableList<T>.reverse(): Unit\n\n/**\n * Returns a list with elements in reversed order.\n
*/\npublic fun <T> Iterable<T>.reversed(): List<T> {\n    if (this is Collection && size <= 1) return toList()\n    val
list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Sorts elements in the list in-place according to
natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that
equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R :
Comparable<R>> MutableList<T>.sortBy(crossinline selector: (T) -> R?): Unit {\n    if (size > 1)
sortWith(compareBy(selector))\n}\n\n/**\n * Sorts elements in the list in-place
 descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is
_stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun
<T, R : Comparable<R>> MutableList<T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n    if (size >
1) sortWith(compareByDescending(selector))\n}\n\n/**\n * Sorts elements in the list in-place descending according
to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to
each other after sorting.\n */\npublic fun <T : Comparable<T>> MutableList<T>.sortDescending(): Unit {\n
sortWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n *
\n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n
*/\npublic fun <T : Comparable<T>> Iterable<T>.sorted(): List<T>
 {\n    if (this is Collection) {\n        if (size <= 1) return this.toList()\n        @Suppress(\"UNCHECKED_CAST\")\n
    return (toTypedArray<Comparable<T>>() as Array<T>).apply { sort() }.asList()\n    }\n    return
toMutableList().apply { sort() }\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of
the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements
preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n    return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural
sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal
elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>>
```

```
Iterable<T>.sortedByDescending(crossinline
 selector: (T) -> R?): List<T> {\n    return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list
of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that
equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>>
Iterable<T>.sortedDescending(): List<T> {\n    return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a list of all
elements sorted according to the specified [comparator].\n * \n * The sort is _stable_. It means that equal elements
preserve their order relative to each other after sorting.\n */\npublic fun <T> Iterable<T>.sortedWith(comparator:
Comparator<in T>): List<T> {\n    if (this is Collection) {\n        if (size <= 1) return this.toList()\n
@Suppress(\"UNCHECKED_CAST\")\n        return (toTypedArray<Any?>() as Array<T>).apply {
sortWith(comparator) }.asList()\n    }\n    return toMutableList().apply { sortWith(comparator)
 }\n}\n\n/**\n * Returns an array of Boolean containing all of the elements of this collection.\n */\npublic fun
Collection<Boolean>.toBooleanArray(): BooleanArray {\n    val result = BooleanArray(size)\n    var index = 0\n
for (element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Byte
containing all of the elements of this collection.\n */\npublic fun Collection<Byte>.toByteArray(): ByteArray {\n
val result = ByteArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return
result\n}\n\n/**\n * Returns an array of Char containing all of the elements of this collection.\n */\npublic fun
Collection<Char>.toCharArray(): CharArray {\n    val result = CharArray(size)\n    var index = 0\n    for (element in
this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Double containing all of the
elements of this collection.\n */\npublic fun
 Collection<Double>.toDoubleArray(): DoubleArray {\n    val result = DoubleArray(size)\n    var index = 0\n    for
(element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Float containing
all of the elements of this collection.\n */\npublic fun Collection<Float>.toFloatArray(): FloatArray {\n    val result
= FloatArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return
result\n}\n\n/**\n * Returns an array of Int containing all of the elements of this collection.\n */\npublic fun
Collection<Int>.toIntArray(): IntArray {\n    val result = IntArray(size)\n    var index = 0\n    for (element in this)\n
    result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Long containing all of the elements
of this collection.\n */\npublic fun Collection<Long>.toLongArray(): LongArray {\n    val result =
LongArray(size)\n    var index = 0\n    for (element in this)\n        result[index++]
 = element\n    return result\n}\n\n/**\n * Returns an array of Short containing all of the elements of this
collection.\n */\npublic fun Collection<Short>.toShortArray(): ShortArray {\n    val result = ShortArray(size)\n
var index = 0\n    for (element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns a
[Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given collection.\n
* \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map
preserves the entry iteration order of the original collection.\n */\npublic inline fun <T, K, V>
Iterable<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n    val capacity =
mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n    return associateTo(LinkedHashMap<K,
V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given collection indexed
by the key\n * returned
 from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned
by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of
the original collection.\n */\npublic inline fun <T, K> Iterable<T>.associateBy(keySelector: (T) -> K): Map<K, T>
{\n    val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n    return
associateByTo(LinkedHashMap<K, T>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values
provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given collection.\n
* \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n
* \n * The returned map preserves the entry iteration order of the original collection.\n */\npublic inline fun <T, K,
V> Iterable<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n    val
```

```
 capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given collection\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n    for (element in this) {\n        destination.put(keySelector(element), element)\n    }\n    return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given collection.\n
 * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n    for (element in this) {\n        destination.put(keySelector(element), valueTransform(element))\n    }\n    return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given collection.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n    for (element in this) {\n        destination += transform(element)\n    }\n    return destination\n}\n\n/**\n * Returns a [Map] where keys are elements from the given collection and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original collection.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <K, V> Iterable<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {\n    val result = LinkedHashMap<K, V>(mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16))\n    return associateWithTo(result, valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given collection,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <K, V, M : MutableMap<in K, in V>> Iterable<K>.associateWithTo(destination:
 M, valueSelector: (K) -> V): M {\n    for (element in this) {\n        destination.put(element, valueSelector(element))\n    }\n    return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <T, C : MutableCollection<in T>> Iterable<T>.toCollection(destination: C): C {\n    for (item in this) {\n        destination.add(item)\n    }\n    return destination\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun <T> Iterable<T>.toHashSet(): HashSet<T> {\n    return toCollection(HashSet<T>(mapCapacity(collectionSizeOrDefault(12))))\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun <T> Iterable<T>.toList(): List<T> {\n    if (this is Collection) {\n        return when (size) {\n            0 -> emptyList()\n            1 -> listOf(if (this is List) get(0) else iterator().next())\n            else -> this.toMutableList()\n        }\n    }\n    return this.toMutableList().optimizeReadOnlyList()\n}\n\n/**\n
 * Returns a [MutableList] filled with all elements of this collection.\n */\npublic fun <T> Iterable<T>.toMutableList(): MutableList<T> {\n    if (this is Collection<T>)\n        return this.toMutableList()\n    return toCollection(ArrayList<T>())\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this collection.\n */\npublic fun <T> Collection<T>.toMutableList(): MutableList<T> {\n    return ArrayList(this)\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original collection.\n */\npublic fun <T> Iterable<T>.toSet(): Set<T> {\n    if (this is Collection) {\n        return when (size) {\n            0 -> emptySet()\n            1 -> setOf(if (this is List) this[0] else iterator().next())\n            else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))\n        }\n    }\n    return toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n}\n\n/**\n * Returns a
```

single list of all elements yielded from results of [transform] function being invoked on each element of original collection.\n */\npublic inline fun <T, R> Iterable<T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original collection, to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Groups elements of the original collection by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original collection.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K> Iterable<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n return groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original collection\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original collection.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V> Iterable<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original collection by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K, M : MutableMap<in K, MutableList<T>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<T>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original collection\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Creates a [Grouping] source from a collection to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Iterable<T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n return object : Grouping<T, K> {\n override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n override fun keyOf(element: T): K = keySelector(element)\n }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original collection.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <T, R> Iterable<T>.map(transform: (T) -> R): List<R> {\n return mapTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original collection.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R> Iterable<T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given

[transform] function\n * to each element and its index in the original collection.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any> Iterable<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original collection\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Iterable<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original collection\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(checkIndexOverflow(index++), item))\n return destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element in the original collection.\n */\npublic inline fun <T, R : Any> Iterable<T>.mapNotNull(transform: (T) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element in the
original collection\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Iterable<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original collection\n * and appends the results to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapTo(destination: C, transform: (T) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original collection\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun <T> Iterable<T>.withIndex(): Iterable<IndexedValue<T>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a list containing only distinct elements from the given collection.\n * \n * The elements in the resulting list are in the same order as they were in the source collection.\n */\npublic fun <T> Iterable<T>.distinct(): List<T> {\n return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only elements from the given collection\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source collection.\n */\npublic inline fun <T, K> Iterable<T>.distinctBy(selector: (T) -> K): List<T> {\n val set = HashSet<K>()\n val list = ArrayList<T>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original
collection.\n */\npublic infix fun <T> Iterable<T>.intersect(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this collection and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original collection.\n */\npublic infix fun <T> Iterable<T>.subtract(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given collection.\n * \n * The returned set preserves the element iteration order of the original collection.\n */\npublic fun <T> Iterable<T>.toMutableSet(): MutableSet<T> {\n return when (this) {\n is Collection<T> -> LinkedHashSet(this)\n else -> toCollection(LinkedHashSet<T>())\n }\n}\n\n/**\n * Returns a set containing all distinct elements
from both collections.\n * \n * The returned set preserves the element iteration order of the original collection.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other]

collection.\n */\npublic infix fun <T> Iterable<T>.union(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <T> Iterable<T>.all(predicate: (T) -> Boolean): Boolean {\n if (this is Collection && isEmpty()) return true\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if collection has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <T> Iterable<T>.any(): Boolean {\n if (this is Collection) return !isEmpty()\n return iterator().hasNext()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T> Iterable<T>.any(predicate: (T) -> Boolean): Boolean {\n if (this is Collection && isEmpty()) return false\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns the number of elements in this collection.\n */\npublic fun <T> Iterable<T>.count(): Int {\n if (this is Collection) return size\n var count = 0\n for (element in this) checkCountOverflow(++count)\n return count\n}\n\n/**\n * Returns the number of elements in this collection.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun <T> Iterable<T>.count(predicate: (T) -> Boolean): Int {\n if (this is Collection && isEmpty()) return 0\n var count = 0\n for (element in this) if (predicate(element)) checkCountOverflow(++count)\n return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <T, R> Iterable<T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original collection.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Iterable<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(checkIndexOverflow(index++), accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <T, R> List<T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {\n var accumulator = initial\n if (!isEmpty()) {\n val iterator = listIterator(size)\n while (iterator.hasPrevious()) {\n accumulator = operation(iterator.previous(), accumulator)\n }\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original list and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <T, R> List<T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {\n var accumulator = initial\n if (!isEmpty()) {\n val iterator = listIterator(size)\n while (iterator.hasPrevious()) {\n val index = iterator.previousIndex()\n accumulator = operation(index, iterator.previous(), accumulator)\n }\n }\n return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n */\n@kotlin.internal.HidesMembers\npublic inline fun <T> Iterable<T>.forEach(action: (T) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun <T> Iterable<T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {\n var index = 0\n for (item in this) action(checkIndexOverflow(index++), item)\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Double>.max(): Double? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n if (max.isNaN()) return max\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n

return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Float>.max(): Float? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n if (max.isNaN()) return max\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun <T : Comparable<T>> Iterable<T>.max(): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <T, R : Comparable<R>> Iterable<T>.maxBy(selector: (T) -> R): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var maxElem = iterator.next()\n if (!iterator.hasNext()) return maxElem\n var maxValue = selector(maxElem)\n do {\n val e = iterator.next()\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n } while (iterator.hasNext())\n return maxElem\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun <T> Iterable<T>.maxWith(comparator: Comparator<in T>): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Double>.min(): Double? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var min = iterator.next()\n if (min.isNaN()) return min\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (e.isNaN()) return e\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Float>.min(): Float? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var min = iterator.next()\n if (min.isNaN()) return min\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (e.isNaN()) return e\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun <T : Comparable<T>> Iterable<T>.min(): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var min = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <T, R : Comparable<R>> Iterable<T>.minBy(selector: (T) -> R): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var minElem = iterator.next()\n if (!iterator.hasNext()) return minElem\n var minValue = selector(minElem)\n do {\n val e = iterator.next()\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n } while (iterator.hasNext())\n return minElem\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun <T> Iterable<T>.minWith(comparator: Comparator<in T>): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var min = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns `true` if the collection has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun <T> Iterable<T>.none(): Boolean {\n if (this is Collection) return isEmpty()\n return !iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <T> Iterable<T>.none(predicate: (T) -> Boolean): Boolean {\n if (this is Collection && isEmpty()) return true\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Performs the given [action] on each

element and returns the collection itself afterwards.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, C : Iterable<T>> C.onEach(action: (T) -> Unit): C {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Accumulates
value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <S, T : S> Iterable<T>.reduce(operation: (acc: S, T) -> S): S {\n val iterator = this.iterator()\n if (!iterator.hasNext()) throw UnsupportedOperationException(\"Empty collection can't be reduced.\")\n var accumulator: S = iterator.next()\n while (iterator.hasNext()) {\n accumulator = operation(accumulator, iterator.next())\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original collection.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun <S, T : S> Iterable<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S):
S {\n val iterator = this.iterator()\n if (!iterator.hasNext()) throw UnsupportedOperationException(\"Empty collection can't be reduced.\")\n var index = 1\n var accumulator: S = iterator.next()\n while (iterator.hasNext()) {\n accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <S, T : S> List<T>.reduceRight(operation: (T, acc: S) -> S): S {\n val iterator = listIterator(size)\n if (!iterator.hasPrevious())\n throw UnsupportedOperationException(\"Empty list can't be reduced.\")\n var accumulator: S = iterator.previous()\n while (iterator.hasPrevious()) {\n accumulator = operation(iterator.previous(), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and
applying [operation] from right to left\n * to each element with its index in the original list and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <S, T : S> List<T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {\n val iterator = listIterator(size)\n if (!iterator.hasPrevious())\n throw UnsupportedOperationException(\"Empty list can't be reduced.\")\n var accumulator: S = iterator.previous()\n while (iterator.hasPrevious()) {\n val index = iterator.previousIndex()\n accumulator = operation(index, iterator.previous(), accumulator)\n }\n return accumulator\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n */\npublic inline fun <T> Iterable<T>.sumBy(selector: (T) -> Int): Int {\n var sum: Int
= 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n */\npublic inline fun <T> Iterable<T>.sumByDouble(selector: (T) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n */\npublic fun <T : Any> Iterable<T?>.requireNoNulls(): Iterable<T> {\n for (element in this) {\n if (element == null) {\n throw IllegalArgumentException(\"null element found in $this.\")\n }\n }\n @Suppress(\"UNCHECKED_CAST\")\n return this as Iterable<T>\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are
any `null` elements.\n */\npublic fun <T : Any> List<T?>.requireNoNulls(): List<T> {\n for (element in this) {\n if (element == null) {\n throw IllegalArgumentException(\"null element found in $this.\")\n }\n }\n @Suppress(\"UNCHECKED_CAST\")\n return this as List<T>\n}\n\n/**\n * Splits this collection into a list of lists each not exceeding the given [size].\n * \n * The last list in the resulting list may have less elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this collection.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Iterable<T>.chunked(size: Int): List<List<T>> {\n return windowed(size, size, partialWindows = true)\n}\n\n/**\n

* Splits this collection into several lists each not exceeding the given [size]\n * and applies the given [transform] function
to an each.\n * \n * @return list of results of the [transform] applied to an each list.\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last list may have less elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this collection.\n * \n * @sample samples.text.Strings.chunkedTransform\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Iterable<T>.chunked(size: Int, transform: (List<T>) -> R): List<R> {\n return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Returns a list containing all elements of the original collection without the first occurrence of the given [element].\n */\npublic operator fun <T> Iterable<T>.minus(element: T): List<T> {\n val result = ArrayList<T>(collectionSizeOrDefault(10))\n
var removed = false\n return this.filterTo(result) { if (!removed && it == element) { removed = true; false } else true }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the elements contained in the given [elements] array.\n * \n * The [elements] array may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n */\npublic operator fun <T> Iterable<T>.minus(elements: Array<out T>): List<T> {\n if (elements.isEmpty()) return this.toList()\n val other = elements.toHashSet()\n return this.filterNot { it in other }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the elements contained in the given [elements] collection.\n * \n * The [elements] collection may be converted to a [HashSet] to speed up the operation, thus the
elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n */\npublic operator fun <T> Iterable<T>.minus(elements: Iterable<T>): List<T> {\n val other = elements.convertToSetForSetOperationWith(this)\n if (other.isEmpty())\n return this.toList()\n return this.filterNot { it in other }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the elements contained in the given [elements] sequence.\n * \n * The [elements] sequence may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n */\npublic operator fun <T> Iterable<T>.minus(elements: Sequence<T>): List<T> {\n val other = elements.toHashSet()\n if (other.isEmpty())\n return this.toList()\n return this.filterNot { it in other }\n}\n\n/**\n *
Returns a list containing all elements of the original collection without the first occurrence of the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minusElement(element: T): List<T> {\n return minus(element)\n}\n\n/**\n * Splits the original collection into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun <T> Iterable<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n val first = ArrayList<T>()\n val second = ArrayList<T>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given [element].\n */\npublic operator fun <T> Iterable<T>.plus(element:
T): List<T> {\n if (this is Collection) return this.plus(element)\n val result = ArrayList<T>()\n result.addAll(this)\n result.add(element)\n return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given [element].\n */\npublic operator fun <T> Collection<T>.plus(element: T): List<T> {\n val result = ArrayList<T>(size + 1)\n result.addAll(this)\n result.add(element)\n return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] array.\n */\npublic operator fun <T> Iterable<T>.plus(elements: Array<out T>): List<T> {\n if (this is Collection) return this.plus(elements)\n val result = ArrayList<T>()\n result.addAll(this)\n result.addAll(elements)\n return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] array.\n */\npublic operator

```
fun <T> Collection<T>.plus(elements: Array<out T>): List<T> {\n    val result = ArrayList<T>(this.size + elements.size)\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] collection.\n */\npublic operator fun <T> Iterable<T>.plus(elements: Iterable<T>): List<T> {\n    if (this is Collection) return this.plus(elements)\n    val result = ArrayList<T>()\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] collection.\n */\npublic operator fun <T> Collection<T>.plus(elements: Iterable<T>): List<T> {\n    if (elements is Collection) {\n        val result = ArrayList<T>(this.size + elements.size)\n        result.addAll(this)\n        result.addAll(elements)\n        return result\n    } else {\n        val result = ArrayList<T>(this)\n        result.addAll(elements)\n        return result\n    }\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] sequence.\n */\npublic operator fun <T> Iterable<T>.plus(elements: Sequence<T>): List<T> {\n    val result = ArrayList<T>()\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] sequence.\n */\npublic operator fun <T> Collection<T>.plus(elements: Sequence<T>): List<T> {\n    val result = ArrayList<T>(this.size + 10)\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.plusElement(element: T): List<T> {\n    return plus(element)\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.plusElement(element: T): List<T> {\n    return plus(element)\n}\n\n/**\n * Returns a list of snapshots of the window of the given [size]\n * sliding along this collection with the given [step], where each\n * snapshot is a list.\n * \n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this collection.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<List<T>> {\n    checkWindowSizeStep(size, step)\n    if (this is RandomAccess && this is List) {\n        val thisSize = this.size\n        val result = ArrayList<List<T>>((thisSize + step - 1) / step)\n        var index = 0\n        while (index < thisSize) {\n            val windowSize = size.coerceAtMost(thisSize - index)\n            if (windowSize < size && !partialWindows) break\n            result.add(List(windowSize) { this[it + index] })\n            index += step\n        }\n        return result\n    }\n    val result = ArrayList<List<T>>()\n    windowedIterator(iterator(), size, step, partialWindows, reuseBuffer = false).forEach {\n        result.add(it)\n    }\n    return result\n}\n\n/**\n * Returns a list of results of applying the given [transform] function to\n * an each list representing a view over the window of the given [size]\n * sliding\n along this collection with the given [step].\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this collection.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R): List<R> {\n    checkWindowSizeStep(size, step)\n    if (this is RandomAccess && this is List) {\n        val thisSize = this.size\n        val result = ArrayList<R>((thisSize + step - 1) / step)\n        val window = MovingSubList(this)\n        var index = 0\n        while (index < thisSize) {\n            window.move(index, (index +
```

size).coerceAtMost(thisSize))\n if (!partialWindows && window.size < size) break\n result.add(transform(window))\n index += step\n }\n return result\n }\n val result = ArrayList<R>()\n windowedIterator(iterator(), size, step, partialWindows, reuseBuffer = true).forEach {\n result.add(transform(it))\n }\n return result\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Iterable<T>.zip(other: Array<out R>): List<Pair<T, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` collection and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Iterable<T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n val arraySize = other.size\n val list = ArrayList<V>(minOf(collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in this) {\n if (i >= arraySize) break\n list.add(transform(element, other[i++]))\n }\n return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] collection with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Iterable<T>.zip(other: Iterable<R>): List<Pair<T, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` collection and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Iterable<T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n val first = iterator()\n val second = other.iterator()\n val list = ArrayList<V>(minOf(collectionSizeOrDefault(10), other.collectionSizeOrDefault(10)))\n while (first.hasNext() && second.hasNext()) {\n list.add(transform(first.next(), second.next()))\n }\n return list\n}\n\n/**\n
* Returns a list of pairs of each two adjacent elements in this collection.\n * \n * The returned list is empty if this collection contains less than two elements.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Iterable<T>.zipWithNext(): List<Pair<T, T>> {\n return zipWithNext { a, b -> a to b }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to an each pair of two adjacent elements in this collection.\n * \n * The returned list is empty if this collection contains less than two elements.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n */\n@SinceKotlin(\"1.2\")\npublic inline fun <T, R> Iterable<T>.zipWithNext(transform: (a: T, b: T) -> R): List<R> {\n val iterator = iterator()\n if (!iterator.hasNext()) return emptyList()\n val result = mutableListOf<R>()\n var current = iterator.next()\n while (iterator.hasNext())
{\n val next = iterator.next()\n result.add(transform(current, next))\n current = next\n }\n return result\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <T, A : Appendable> Iterable<T>.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <=
limit) {\n buffer.appendElement(element, transform)\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the

collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun <T> Iterable<T>.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Returns this collection as an [Iterable].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.asIterable(): Iterable<T> {\n return this\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original collection returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromCollection\n */\npublic fun <T> Iterable<T>.asSequence(): Sequence<T> {\n return Sequence { this.iterator() }\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfByte\")\npublic fun Iterable<Byte>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n checkCountOverflow(++count)\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfShort\")\npublic fun Iterable<Short>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n checkCountOverflow(++count)\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfInt\")\npublic fun Iterable<Int>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n checkCountOverflow(++count)\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfLong\")\npublic fun Iterable<Long>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n checkCountOverflow(++count)\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfFloat\")\npublic fun Iterable<Float>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n checkCountOverflow(++count)\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfDouble\")\npublic fun Iterable<Double>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n checkCountOverflow(++count)\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfByte\")\npublic fun Iterable<Byte>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfShort\")\npublic fun Iterable<Short>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfInt\")\npublic fun Iterable<Int>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfLong\")\npublic fun Iterable<Long>.sum(): Long {\n var sum: Long = 0L\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfFloat\")\npublic fun Iterable<Float>.sum(): Float {\n var sum: Float = 0.0f\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfDouble\")\npublic fun Iterable<Double>.sum(): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the

license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.collections\r\n\r\nimport kotlin.comparisons.naturalOrder\r\nimport kotlin.random.Random\r\n\r\n/** Returns the array if it's not `null`, or an empty array otherwise. */\r\n@kotlin.internal.InlineOnly\r\npublic actual inline fun <T> Array<out T>?.orEmpty(): Array<out T> = this ?: emptyArray<T>()\r\n\r\n@kotlin.internal.InlineOnly\r\npublic actual inline fun <T> Collection<T>.toTypedArray(): Array<T> = copyToArray(this)\r\n\r\n@JsName(\"copyToArray\")\r\n@PublishedApi\r\ninternal fun <T> copyToArray(collection: Collection<T>): Array<T> {\r\n   return if (collection.asDynamic().toArray !== undefined)\r\n   collection.asDynamic().toArray().unsafeCast<Array<T>>()\r\n   else\r\n   copyToArrayImpl(collection).unsafeCast<Array<T>>()\r\n}\r\n\r\n@JsName(\"copyToArrayImpl\")\r\ninternal actual fun copyToArrayImpl(collection: Collection<*>): Array<Any?> {\r\n   val array = emptyArray<Any?>()\r\n   val iterator = collection.iterator()\r\n   while (iterator.hasNext())\r\n   array.asDynamic().push(iterator.next())\r\n   return array\r\n}\r\n\r\n@JsName(\"copyToExistingArrayImpl\")\r\ninternal actual fun <T> copyToArrayImpl(collection: Collection<*>, array: Array<T>): Array<T> {\r\n   if (array.size < collection.size)\r\n   return copyToArrayImpl(collection).unsafeCast<Array<T>>()\r\n\r\n   val iterator = collection.iterator()\r\n   var index = 0\r\n   while (iterator.hasNext()) {\r\n   array[index++] = iterator.next().unsafeCast<T>()\r\n   }\r\n   if (index < array.size) {\r\n   array[index] = null.unsafeCast<T>()\r\n   }\r\n   return array\r\n}\r\n\r\n/**\r\n * Returns an immutable list containing only the specified object [element].\r\n */\r\npublic fun <T> listOf(element: T): List<T> = arrayListOf(element)\r\n\r\n/**\r\n * Returns an immutable set containing only the specified object [element].\r\n */\r\npublic fun <T> setOf(element: T): Set<T> = hashSetOf(element)\r\n\r\n/**\r\n * Returns an immutable map, mapping only the specified key to the\r\n * specified value.\r\n */\r\npublic fun <K, V> mapOf(pair: Pair<K, V>): Map<K, V> = hashMapOf(pair)\r\n\r\n/**\r\n * Fills the list with the provided [value].\r\n *\r\n * Each element in the list gets replaced with the [value].\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic actual fun <T> MutableList<T>.fill(value: T): Unit {\r\n   for (index in 0..lastIndex) {\r\n   this[index] = value\r\n   }\r\n}\r\n\r\n/**\r\n * Randomly shuffles elements in this list.\r\n *\r\n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic actual fun <T> MutableList<T>.shuffle(): Unit = shuffle(Random)\r\n\r\n/**\r\n * Returns a new list with the elements of this list randomly shuffled.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic actual fun <T> Iterable<T>.shuffled(): List<T> = toMutableList().apply { shuffle() }\r\n\r\n/**\r\n * Sorts elements in the list in-place according to their natural sort order.\r\n *\r\n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\r\n */\r\npublic actual fun <T : Comparable<T>> MutableList<T>.sort(): Unit {\r\n   collectionsSort(this, naturalOrder())\r\n}\r\n\r\n/**\r\n * Sorts elements in the list in-place according to the order specified with [comparator].\r\n *\r\n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\r\n */\r\npublic actual fun <T> MutableList<T>.sortWith(comparator: Comparator<in T>): Unit {\r\n   collectionsSort(this, comparator)\r\n}\r\n\r\nprivate fun <T> collectionsSort(list: MutableList<T>, comparator: Comparator<in T>) {\r\n   if (list.size <= 1) return\r\n\r\n   val array = copyToArray(list)\r\n   sortArrayWith(array, comparator)\r\n\r\n   for (i in 0 until array.size) {\r\n   list[i] = array[i]\r\n   }\r\n}\r\n\r\ninternal actual fun <T> arrayOfNulls(reference: Array<T>, size: Int): Array<T> {\r\n   return arrayOfNulls<Any>(size).unsafeCast<Array<T>>()\r\n}\r\n\r\n@SinceKotlin(\"1.3\")\r\n@PublishedApi\r\n@JsName(\"arrayCopy\")\r\ninternal fun <T> arrayCopy(source: Array<out T>, destination: Array<in T>, destinationOffset: Int, startIndex: Int, endIndex: Int) {\r\n   AbstractList.checkRangeIndexes(startIndex, endIndex, source.size)\r\n   val rangeSize = endIndex - startIndex\r\n   AbstractList.checkRangeIndexes(destinationOffset, destinationOffset + rangeSize, destination.size)\r\n\r\n   if (js(\"ArrayBuffer\").isView(destination) && js(\"ArrayBuffer\").isView(source)) {\r\n   val subrange = source.asDynamic().subarray(startIndex, endIndex)\r\n   destination.asDynamic().set(subrange, destinationOffset)\r\n   } else {\r\n   if (source !== destination || destinationOffset <= startIndex) {\r\n   for

(index in 0 until rangeSize) {\r\n destination[destinationOffset + index] = source[startIndex + index]\r\n }\r\n } else {\r\n for (index in rangeSize - 1 downTo 0) {\r\n destination[destinationOffset + index] = source[startIndex + index]\r\n }\r\n }\r\n }\r\n}\r\n\r\n// no singleton map implementation in js, return map as is\r\n@Suppress(\"NOTHING_TO_INLINE\")\r\ninternal actual inline fun <K, V> Map<K, V>.toSingletonMapOrSelf(): Map<K, V> = this\r\n\r\n@Suppress(\"NOTHING_TO_INLINE\")\r\ninternal actual inline fun <K, V> Map<out K, V>.toSingletonMap(): Map<K, V> = this.toMutableMap()\r\n\r\n@Suppress(\"NOTHING_TO_INLINE\")\r\ninternal actual inline fun <T> Array<out T>.copyToArrayOfAny(isVarargs:
Boolean): Array<out Any?> =\r\n if (isVarargs)\r\n // no need to copy vararg array in JS\r\n this\r\n else\r\n this.copyOf()\r\n\r\n@PublishedApi\r\ninternal actual fun checkIndexOverflow(index: Int): Int {\r\n if (index < 0) {\r\n throwIndexOverflow()\r\n }\r\n return index\r\n}\r\n\r\n@PublishedApi\r\ninternal actual fun checkCountOverflow(count: Int): Int {\r\n if (count < 0) {\r\n throwCountOverflow()\r\n }\r\n return count\r\n}\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:kotlin.jvm.JvmMultifileClass\r\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\r\n\r\npackage kotlin.collections\r\n\r\n\r\n/**\r\n * Returns the given iterator itself. This allows to use an instance of iterator in a `for` loop.\r\n
* @sample samples.collections.Iterators.iterator\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <T> Iterator<T>.iterator(): Iterator<T> = this\r\n\r\n/**\r\n * Returns an [Iterator] that wraps each element produced by the original iterator\r\n * into an [IndexedValue] containing the index of that element and the element itself.\r\n *\r\n * @sample samples.collections.Iterators.withIndexIterator\r\n */\r\npublic fun <T> Iterator<T>.withIndex(): Iterator<IndexedValue<T>> = IndexingIterator(this)\r\n\r\n/**\r\n * Performs the given [operation] on each element of this [Iterator].\r\n * @sample samples.collections.Iterators.forEachIterator\r\n */\r\npublic inline fun <T> Iterator<T>.forEach(operation: (T) -> Unit): Unit {\r\n for (element in this) operation(element)\r\n}\r\n\r\n/**\r\n * Iterator transforming original `iterator` into iterator of [IndexedValue], counting index from zero.\r\n */\r\ninternal class IndexingIterator<out T>(private val iterator: Iterator<T>)
: Iterator<IndexedValue<T>> {\r\n private var index = 0\r\n final override fun hasNext(): Boolean = iterator.hasNext()\r\n final override fun next(): IndexedValue<T> = IndexedValue(checkIndexOverflow(index++), iterator.next())\r\n}\r\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ComparisonsKt\")\n\npackage kotlin.comparisons\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns the greater of two values.\n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T : Comparable<T>> maxOf(a: T, b: T): T\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic
expect inline fun maxOf(a: Byte, b: Byte): Byte\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Short, b: Short): Short\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Int, b: Int): Int\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Long, b: Long): Long\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Float, b: Float): Float\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Double, b: Double): Double\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T :

Comparable<T>>
maxOf(a: T, b: T, c: T): T\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte, b: Byte, c: Byte): Byte\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Short, b: Short, c: Short): Short\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Int, b: Int, c: Int): Int\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Long, b: Long, c: Long): Long\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Float, b: Float, c: Float): Float\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic
expect inline fun maxOf(a: Double, b: Double, c: Double): Double\n\n/**\n * Returns the greater of three values according to the order specified by the given [comparator].\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> maxOf(a: T, b: T, c: T, comparator: Comparator<in T>): T {\n   return maxOf(a, maxOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the greater of two values according to the order specified by the given [comparator].\n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> maxOf(a: T, b: T, comparator: Comparator<in T>): T {\n   return if (comparator.compare(a, b) >= 0) a else b\n}\n\n/**\n * Returns the smaller of two values.\n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T : Comparable<T>> minOf(a: T, b: T): T\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Byte, b: Byte): Byte\n\n/**\n
* Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Short, b: Short): Short\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Int, b: Int): Int\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Long, b: Long): Long\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Float, b: Float): Float\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Double, b: Double): Double\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T : Comparable<T>> minOf(a: T, b: T, c: T): T\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic
expect inline fun minOf(a: Byte, b: Byte, c: Byte): Byte\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Short, b: Short, c: Short): Short\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Int, b: Int, c: Int): Int\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Long, b: Long, c: Long): Long\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Float, b: Float, c: Float): Float\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Double, b: Double, c: Double): Double\n\n/**\n * Returns the smaller
of three values according to the order specified by the given [comparator].\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> minOf(a: T, b: T, c: T, comparator: Comparator<in T>): T {\n   return minOf(a, minOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the smaller of two values according to the order specified by the given [comparator].\n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> minOf(a: T, b: T, comparator: Comparator<in T>): T {\n   return if (comparator.compare(a, b) <= 0) a else b\n}\n\n","/*\n *

Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"MapsKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns a [List] containing all key-value pairs.\n */\npublic fun <K, V> Map<out K, V>.toList(): List<Pair<K, V>> {\n if (size == 0)\n return emptyList()\n val iterator = entries.iterator()\n if (!iterator.hasNext())\n return emptyList()\n val first = iterator.next()\n if (!iterator.hasNext())\n return listOf(first.toPair())\n val result = ArrayList<Pair<K, V>>(size)\n result.add(first.toPair())\n do {\n result.add(iterator.next().toPair())\n } while (iterator.hasNext())\n return result\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each entry of original map.\n */\npublic inline fun <K, V, R> Map<out K, V>.flatMap(transform: (Map.Entry<K, V>) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each entry of original map, to the given [destination].\n */\npublic inline fun <K, V, R, C : MutableCollection<in R>> Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each entry in the original map.\n * \n * @sample samples.collections.Maps.Transformations.mapToList\n */\npublic inline fun <K, V, R> Map<out K, V>.map(transform: (Map.Entry<K, V>) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each entry in the original map.\n */\npublic inline fun <K, V, R : Any> Map<out K, V>.mapNotNull(transform: (Map.Entry<K, V>) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each entry in the original map\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <K, V, R : Any, C : MutableCollection<in R>> Map<out K, V>.mapNotNullTo(destination: C, transform: (Map.Entry<K, V>) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each entry of the original map\n * and appends the results to the given [destination].\n */\npublic inline fun <K, V, R, C : MutableCollection<in R>> Map<out K, V>.mapTo(destination: C, transform: (Map.Entry<K, V>) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns `true` if all entries match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <K, V> Map<out K, V>.all(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n if (isEmpty()) return true\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if map has at least one entry.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <K, V> Map<out K, V>.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one entry matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <K, V> Map<out K, V>.any(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n if (isEmpty()) return false\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns the number of entries in this map.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.count(): Int {\n return size\n}\n\n/**\n * Returns the number of entries matching the given [predicate].\n */\npublic inline fun <K, V> Map<out K, V>.count(predicate: (Map.Entry<K, V>) -> Boolean): Int {\n if (isEmpty()) return 0\n var count = 0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/**\n * Performs the given [action] on each entry.\n */\n@kotlin.internal.HidesMembers\npublic inline fun <K, V> Map<out K, V>.forEach(action: (Map.Entry<K, V>) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Returns the first entry yielding the largest

value of the given function or `null` if there are no entries.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.maxBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n return entries.maxBy(selector)\n}\n\n/**\n * Returns the first entry having the largest value according to the provided [comparator] or `null` if there are no entries.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.maxWith(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n return entries.maxWith(comparator)\n}\n\n/**\n * Returns the first entry yielding the smallest value of the given function or `null` if there are no entries.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.minBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n return entries.minBy(selector)\n}\n\n/**\n * Returns the first entry having the smallest value according to the provided [comparator] or `null` if there are no entries.\n */\npublic fun <K, V> Map<out K, V>.minWith(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n return entries.minWith(comparator)\n}\n\n/**\n * Returns `true` if the map has no entries.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun <K, V> Map<out K, V>.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if no entries match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <K, V> Map<out K, V>.none(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n if (isEmpty()) return true\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Performs the given [action] on each entry and returns the map itself afterwards.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <K, V, M : Map<out K, V>> M.onEach(action: (Map.Entry<K, V>) -> Unit): M {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original map returning its entries when being iterated.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.asIterable(): Iterable<Map.Entry<K, V>> {\n return entries\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original map returning its entries when being iterated.\n */\npublic fun <K, V> Map<out K, V>.asSequence(): Sequence<Map.Entry<K, V>> {\n return entries.asSequence()\n}\n\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.ranges\r\n\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun Float.rangeTo(that: Float): ClosedFloatingPointRange<Float> =\r\n this.toDouble().rangeTo(that.toDouble()).unsafeCast<ClosedFloatingPointRange<Float>>()\r\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SequencesKt\")\n\npackage kotlin.sequences\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns `true` if [element] is found in the sequence.\n *\n * The operation is _terminal_.\n */\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.contains(element: T): Boolean {\n return indexOf(element) >= 0\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic fun <T> Sequence<T>.elementAt(index: Int): T {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"Sequence doesn't contain element at index $index.\") }\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\npublic fun <T> Sequence<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n if (index < 0)\n return defaultValue(index)\n val iterator = iterator()\n var count = 0\n while (iterator.hasNext()) {\n val element

= iterator.next()\n if (index == count++)\n return element\n }\n return defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\npublic fun <T> Sequence<T>.elementAtOrNull(index: Int): T? {\n if (index < 0)\n return null\n val iterator = iterator()\n var count = 0\n while (iterator.hasNext()) {\n val element = iterator.next()\n if (index == count++)\n return element\n }\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n *\n * The operation is _terminal_.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.find(predicate: (T) -> Boolean): T? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n *\n * The operation is _terminal_.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.findLast(predicate: (T) -> Boolean): T? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the sequence is empty.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.first(): T {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException(\"Sequence is empty.\")\n return iterator.next()\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.first(predicate: (T) -> Boolean): T {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Sequence contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element, or `null` if the sequence is empty.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.firstOrNull(): T? {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n return iterator.next()\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns first index of [element], or -1 if the sequence does not contain element.\n *\n * The operation is _terminal_.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.indexOf(element: T): Int {\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (element == item)\n return index\n index++\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the sequence does not contain such element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (predicate(item))\n return index\n index++\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the sequence does not contain such element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n var lastIndex = -1\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (predicate(item))\n lastIndex = index\n index++\n }\n return lastIndex\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the sequence is empty.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.last(): T {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException(\"Sequence is empty.\")\n var last = iterator.next()\n while (iterator.hasNext())\n last = iterator.next()\n return last\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.last(predicate: (T) -> Boolean): T {\n var last: T? = null\n var found = false\n for (element in this) {\n if (predicate(element))\n {\n last = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Sequence contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return last as T\n}\n\n/**\n * Returns last index of [element], or -1 if the sequence does not contain element.\n *\n * The operation is _terminal_.\n */\npublic fun

<@kotlin.internal.OnlyInputTypes T> Sequence<T>.lastIndexOf(element: T): Int {\n var lastIndex = -1\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (element == item)\n lastIndex = index\n index++\n }\n return lastIndex\n}\n\n/**\n * Returns the last element, or `null` if the sequence is empty.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.lastOrNull(): T? {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n var last = iterator.next()\n while (iterator.hasNext())\n last =
iterator.next()\n return last\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n var last: T? = null\n for (element in this) {\n if (predicate(element)) {\n last = element\n }\n }\n return last\n}\n\n/**\n * Returns the single element, or throws an exception if the sequence is empty or has more than one element.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.single(): T {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException(\"Sequence is empty.\")\n val single = iterator.next()\n if (iterator.hasNext())\n throw IllegalArgumentException(\"Sequence has more than one element.\")\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception
if there is no or more than one matching element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.single(predicate: (T) -> Boolean): T {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Sequence contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Sequence contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as T\n}\n\n/**\n * Returns single element, or `null` if the sequence is empty or has more than one element.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.singleOrNull(): T? {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n val single = iterator.next()\n if (iterator.hasNext())\n return null\n return
single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns a sequence containing all elements except first [n] elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Sequence<T>.drop(n: Int): Sequence<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return when {\n n == 0 -> this\n
this is DropTakeSequence -> this.drop(n)\n else -> DropSequence(this, n)\n }\n}\n\n/**\n * Returns a sequence containing all elements except first elements that satisfy the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Sequence<T>.dropWhile(predicate: (T) -> Boolean): Sequence<T> {\n return DropWhileSequence(this, predicate)\n}\n\n/**\n * Returns a sequence containing only elements matching the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.filter(predicate: (T) -> Boolean): Sequence<T> {\n return FilteringSequence(this, true, predicate)\n}\n\n/**\n * Returns a sequence containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n *\n
* The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): Sequence<T> {\n // TODO: Rewrite with generalized MapFilterIndexingSequence\n return TransformingSequence(FilteringSequence(IndexingSequence(this), true, { predicate(it.index, it.value) }), { it.value })\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate

evaluation on the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, C : MutableCollection<in T>> Sequence<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Returns a sequence containing all elements that are instances of specified type parameter R.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic inline fun <reified R> Sequence<*>.filterIsInstance(): Sequence<@kotlin.internal.NoInfer R> {\n@Suppress(\"UNCHECKED_CAST\")\n   return filter { it is R } as Sequence<R>\n}\n\n/**\n * Appends all elements that are instances of specified type parameter R to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <reified R, C : MutableCollection<in R>> Sequence<*>.filterIsInstanceTo(destination: C): C {\n   for (element in this) if (element is R) destination.add(element)\n   return destination\n}\n\n/**\n * Returns a sequence containing all elements not matching the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.filterNot(predicate: (T) -> Boolean): Sequence<T> {\n   return FilteringSequence(this, false, predicate)\n}\n\n/**\n * Returns a sequence containing all elements that are not `null`.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T : Any> Sequence<T?>.filterNotNull(): Sequence<T> {\n   @Suppress(\"UNCHECKED_CAST\")\n   return filterNot { it == null } as Sequence<T>\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic fun <C : MutableCollection<in T>, T : Any> Sequence<T?>.filterNotNullTo(destination: C): C {\n   for (element in this) if (element != null) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, C : MutableCollection<in T>> Sequence<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, C : MutableCollection<in T>> Sequence<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Returns a sequence containing first [n] elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @throws IllegalArgumentException if [n] is negative.\n *\n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Sequence<T>.take(n: Int): Sequence<T> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return when {\n   n == 0 -> emptySequence()\n   this is DropTakeSequence -> this.take(n)\n   else -> TakeSequence(this, n)\n   }\n}\n\n/**\n * Returns a sequence containing first elements satisfying the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Sequence<T>.takeWhile(predicate: (T) -> Boolean): Sequence<T> {\n   return TakeWhileSequence(this, predicate)\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T : Comparable<T>> Sequence<T>.sorted(): Sequence<T> {\n   return object : Sequence<T> {\n   override fun iterator(): Iterator<T> {\n   val sortedList = this@sorted.toMutableList()\n   sortedList.sort()\n   return sortedList.iterator()\n   }\n   }\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic inline fun <T, R : Comparable<R>> Sequence<T>.sortedBy(crossinline selector: (T) -> R?): Sequence<T> {\n   return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic inline fun <T, R : Comparable<R>> Sequence<T>.sortedByDescending(crossinline selector: (T) -> R?): Sequence<T> {\n   return

sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to
each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T : Comparable<T>> Sequence<T>.sortedDescending(): Sequence<T> {\n return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according to the specified [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T> Sequence<T>.sortedWith(comparator: Comparator<in T>): Sequence<T> {\n return object : Sequence<T> {\n override fun iterator(): Iterator<T> {\n val sortedList = this@sortedWith.toMutableList()\n sortedList.sortWith(comparator)\n return sortedList.iterator()\n }\n }\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given sequence.\n * \n * If any of two pairs
would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, K, V> Sequence<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n return associateTo(LinkedHashMap<K, V>(), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given sequence indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, K> Sequence<T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n return associateByTo(LinkedHashMap<K, T>(), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector]
functions applied to elements of the given sequence.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, K, V> Sequence<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n return associateByTo(LinkedHashMap<K, V>(), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given sequence\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>> Sequence<T>.associateByTo(destination: M, keySelector: (T)
-> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given sequence.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given sequence.\n * \n * If
any of two pairs would have the same key the last one gets added to the map.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Returns a [Map] where keys are elements from the given sequence and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n *

The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <K, V> Sequence<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {\n   val result = LinkedHashMap<K, V>()\n   return associateWithTo(result, valueSelector)\n}\n\n/**\n
 * Populates and returns the [destination] mutable map with key-value pairs for each element of the given sequence,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <K, V, M : MutableMap<in K, in V>> Sequence<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {\n   for (element in this) {\n   destination.put(element, valueSelector(element))\n   }\n   return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n *\n * The operation is _terminal_.\n */\npublic fun <T, C : MutableCollection<in T>> Sequence<T>.toCollection(destination: C): C {\n   for (item in this) {\n   destination.add(item)\n   }\n   return destination\n}\n\n/**\n * Returns a [HashSet] of all elements.\n *\n
 * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toHashSet(): HashSet<T> {\n   return toCollection(HashSet<T>())\n}\n\n/**\n * Returns a [List] containing all elements.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toList(): List<T> {\n   return this.toMutableList().optimizeReadOnlyList()\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toMutableList(): MutableList<T> {\n   return toCollection(ArrayList<T>())\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toSet(): Set<T> {\n   return toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n}\n\n/**\n * Returns a single sequence of all elements from results of [transform] function being invoked on each element of original sequence.\n *\n
 * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R> Sequence<T>.flatMap(transform: (T) -> Sequence<R>): Sequence<R> {\n   return FlatteningSequence(this, transform, { it.iterator() })\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original sequence, to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Groups elements of the original sequence by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original
 sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K> Sequence<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n   return groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original sequence\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V> Sequence<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(),
 keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original sequence by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K, M :

MutableMap<in K, MutableList<T>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<T>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original sequence\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Creates a [Grouping] source from a sequence to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each element.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Sequence<T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n return object : Grouping<T, K> {\n override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n override fun keyOf(element: T): K = keySelector(element)\n }\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform] function\n * to each element in the original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic fun <T, R> Sequence<T>.map(transform: (T) -> R): Sequence<R> {\n return TransformingSequence(this, transform)\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform] function\n * to each element and its index in the original sequence.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R> Sequence<T>.mapIndexed(transform: (index: Int, T) -> R): Sequence<R> {\n return TransformingIndexedSequence(this, transform)\n}\n\n/**\n * Returns a sequence containing only the non-null results of applying the given [transform] function\n * to each element and its index in the original sequence.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R : Any> Sequence<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): Sequence<R> {\n return TransformingIndexedSequence(this, transform).filterNotNull()\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original sequence\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns
the result of the transform applied to the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original sequence\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(checkIndexOverflow(index++), item))\n return destination\n}\n\n/**\n * Returns a sequence containing only the non-null results of applying the given [transform] function\n * to each element in the original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R : Any> Sequence<T>.mapNotNull(transform: (T) -> R?): Sequence<R> {\n return TransformingSequence(this, transform).filterNotNull()\n}\n\n/**\n * Applies the given [transform] function to each element in the original sequence\n * and appends only the non-null results to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapNotNullTo(destination: C,

transform: (T) -> R?): C {\n   forEach { element -> transform(element)?.let { destination.add(it) } }\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original sequence\n * and appends the results to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.mapTo(destination: C, transform: (T) -> R): C {\n for (item in this)\n   destination.add(transform(item))\n   return destination\n}\n\n/**\n * Returns a sequence that wraps each element of the original sequence\n * into an [IndexedValue] containing the index of that element and the element itself.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.withIndex(): Sequence<IndexedValue<T>> {\n   return IndexingSequence(this)\n}\n\n/**\n * Returns a sequence containing only distinct elements from the given sequence.\n * \n * The elements in the resulting sequence are in the same order as they were in the source sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T> Sequence<T>.distinct(): Sequence<T> {\n   return this.distinctBy { it }\n}\n\n/**\n * Returns a sequence containing only elements from the given sequence\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting sequence are in the same order as they were in the source sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T, K> Sequence<T>.distinctBy(selector: (T) -> K): Sequence<T> {\n   return DistinctSequence(this, selector)\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given sequence.\n * \n * The returned set preserves the element iteration order of the original sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toMutableSet(): MutableSet<T> {\n   val set = LinkedHashSet<T>()\n   for (item in this) set.add(item)\n   return set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <T> Sequence<T>.all(predicate: (T) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if sequence has at least one element.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <T> Sequence<T>.any(): Boolean {\n   return iterator().hasNext()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T> Sequence<T>.any(predicate: (T) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns the number of elements in this sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.count(): Int {\n   var count = 0\n   for (element in this) checkCountOverflow(++count)\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.count(predicate: (T) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) checkCountOverflow(++count)\n   return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R> Sequence<T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original sequence.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R> Sequence<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(checkIndexOverflow(index++), accumulator, element)\n   return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.forEach(action: (T) -> Unit): Unit {\n   for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.forEachIndexed(action: (index: Int, T) -> Unit):

```
Unit {\n    var index = 0\n    for (item in this) action(checkIndexOverflow(index++), item)\n}\n\n/**\n * Returns
 the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n * The
operation is _terminal_.\n */\n@SinceKotlin(\"1.1\")\npublic fun Sequence<Double>.max(): Double? {\n    val
iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var max = iterator.next()\n    if (max.isNaN()) return
max\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (e.isNaN()) return e\n        if (max < e) max
= e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any
of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.1\")\npublic fun
Sequence<Float>.max(): Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var max =
iterator.next()\n    if (max.isNaN()) return max\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if
(e.isNaN()) return e\n        if (max
 < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n *\n
* The operation is _terminal_.\n */\npublic fun <T : Comparable<T>> Sequence<T>.max(): T? {\n    val iterator =
iterator()\n    if (!iterator.hasNext()) return null\n    var max = iterator.next()\n    while (iterator.hasNext()) {\n
val e = iterator.next()\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the first element
yielding the largest value of the given function or `null` if there are no elements.\n *\n * The operation is
_terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <T, R :
Comparable<R>> Sequence<T>.maxBy(selector: (T) -> R): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var maxElem = iterator.next()\n    if (!iterator.hasNext()) return maxElem\n    var
maxValue = selector(maxElem)\n    do {\n        val e = iterator.next()\n
   val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    } while
(iterator.hasNext())\n    return maxElem\n}\n\n/**\n * Returns the first element having the largest value according to
the provided [comparator] or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\npublic fun
<T> Sequence<T>.maxWith(comparator: Comparator<in T>): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var max = iterator.next()\n    while (iterator.hasNext()) {\n        val e =
iterator.next()\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the
smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n * The
operation is _terminal_.\n */\n@SinceKotlin(\"1.1\")\npublic fun Sequence<Double>.min(): Double? {\n    val
iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n
   if (min.isNaN()) return min\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (e.isNaN())
return e\n        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there
are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n
*/\n@SinceKotlin(\"1.1\")\npublic fun Sequence<Float>.min(): Float? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var min = iterator.next()\n    if (min.isNaN()) return min\n    while
(iterator.hasNext()) {\n        val e = iterator.next()\n        if (e.isNaN()) return e\n        if (min > e) min = e\n    }\n
return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n *\n * The operation is
_terminal_.\n */\npublic fun <T : Comparable<T>> Sequence<T>.min(): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var min = iterator.next()\n
   while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (min > e) min = e\n    }\n    return
min\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no
elements.\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.minBy(selector: (T) -> R): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n
var minElem = iterator.next()\n    if (!iterator.hasNext()) return minElem\n    var minValue = selector(minElem)\n
do {\n        val e = iterator.next()\n        val v = selector(e)\n        if (minValue > v) {\n            minElem = e\n
minValue = v\n        }\n    } while (iterator.hasNext())\n    return minElem\n}\n\n/**\n * Returns the first element
having the smallest value according to the provided [comparator] or `null` if there are no elements.\n
 *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.minWith(comparator: Comparator<in T>):
T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n    while
```

(iterator.hasNext()) {\n val e = iterator.next()\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns `true` if the sequence has no elements.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun <T> Sequence<T>.none(): Boolean {\n return !iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <T> Sequence<T>.none(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns a sequence which performs the given [action] on each element of the original sequence as they pass through it.\n *\n * The operation is _intermediate_ and _stateless_.\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> Sequence<T>.onEach(action: (T) -> Unit): Sequence<T> {\n return map {\n action(it)\n it\n }\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <S, T : S> Sequence<T>.reduce(operation: (acc: S, T) -> S): S {\n val iterator = this.iterator()\n if (!iterator.hasNext()) throw UnsupportedOperationException(\"Empty sequence can't be reduced.\")\n var accumulator: S = iterator.next()\n while (iterator.hasNext()) {\n accumulator = operation(accumulator, iterator.next())\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original sequence.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n *\n * The operation is _terminal_.\n */\npublic inline fun <S, T : S> Sequence<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n val iterator = this.iterator()\n if (!iterator.hasNext()) throw UnsupportedOperationException(\"Empty sequence can't be reduced.\")\n var index = 1\n var accumulator: S = iterator.next()\n while (iterator.hasNext()) {\n accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n }\n return accumulator\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.sumBy(selector: (T) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.sumByDouble(selector: (T) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T : Any> Sequence<T?>.requireNoNulls(): Sequence<T> {\n return map { it ?: throw IllegalArgumentException(\"null element found in $this.\") }\n}\n\n/**\n * Splits this sequence into a sequence of lists each not exceeding the given [size].\n * \n * The last list in the resulting sequence may have less elements than the given [size].\n *\n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Sequence<T>.chunked(size: Int): Sequence<List<T>> {\n return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this sequence into several lists each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return sequence of results of the [transform] applied to an each list.\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last list may have less elements than the given [size].\n *\n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n * \n * @sample samples.text.Strings.chunkedTransform\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Sequence<T>.chunked(size: Int, transform: (List<T>) -> R): Sequence<R> {\n return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence without the first occurrence of the given

[element].\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.minus(element: T): Sequence<T> {\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n var removed = false\n return this@minus.filter { if (!removed && it == element) { removed = true; false } else true }.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence containing all elements of original
sequence except the elements contained in the given [elements] array.\n * \n * Note that the source sequence and the array being subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n * \n * The [elements] array may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic operator fun <T> Sequence<T>.minus(elements: Array<out T>): Sequence<T> {\n if (elements.isEmpty()) return this\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n val other = elements.toHashSet()\n return this@minus.filterNot { it in other }.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence containing all elements
of original sequence except the elements contained in the given [elements] collection.\n * \n * Note that the source sequence and the collection being subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n * \n * The [elements] collection may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic operator fun <T> Sequence<T>.minus(elements: Iterable<T>): Sequence<T> {\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n val other = elements.convertToSetForSetOperation()\n if (other.isEmpty())\n return this@minus.iterator()\n else\n return this@minus.filterNot
{ it in other }.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] sequence.\n * \n * Note that the source sequence and the sequence being subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n * \n * The operation is _intermediate_ for this sequence and _terminal_ and _stateful_ for the [elements] sequence.\n * \n * The [elements] sequence may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n */\npublic operator fun <T> Sequence<T>.minus(elements: Sequence<T>): Sequence<T> {\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n val other = elements.toHashSet()\n if (other.isEmpty())\n return this@minus.iterator()\n else\n return this@minus.filterNot { it in other }.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence without the first occurrence of the given [element].\n *\n * The operation is _intermediate_ and _stateless_.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minusElement(element: T): Sequence<T> {\n return minus(element)\n}\n\n/**\n * Splits the original sequence into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n val first = ArrayList<T>()\n val second = ArrayList<T>()\n for (element in this) {\n if (predicate(element))
{\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence and then the given [element].\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(element: T): Sequence<T> {\n return sequenceOf(this, sequenceOf(element)).flatten()\n}\n\n/**\n * Returns a sequence containing all elements of original sequence and then all elements of the given [elements] array.\n * \n * Note that the source sequence and the array being added are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between

successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(elements: Array<out T>): Sequence<T> {\n return this.plus(elements.asList())\n}\n\n/**\n * Returns a sequence containing all elements of original sequence and then all elements of the given [elements] collection.\n * \n * Note that the source sequence and the collection being added are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(elements: Iterable<T>): Sequence<T> {\n return sequenceOf(this, elements.asSequence()).flatten()\n}\n\n/**\n * Returns a sequence containing all elements of original sequence and then all elements of the given [elements] sequence.\n * \n * Note that the source sequence and the sequence being added are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(elements: Sequence<T>): Sequence<T> {\n return sequenceOf(this, elements).flatten()\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence and then the given [element].\n *\n * The operation is _intermediate_ and _stateless_.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.plusElement(element: T): Sequence<T> {\n return plus(element)\n}\n\n/**\n * Returns a sequence of snapshots of the window of the given [size]\n * sliding along this sequence with the given [step], where each\n * snapshot is a list.\n * \n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<List<T>> {\n return windowedSequence(size, step, partialWindows, reuseBuffer = false)\n}\n\n/**\n * Returns a sequence of results of applying the given [transform] function to\n * an each list representing a view over the window of the given [size]\n * sliding along this sequence with the given [step].\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R): Sequence<R> {\n return windowedSequence(size, step, partialWindows, reuseBuffer = true).map(transform)\n}\n\n/**\n * Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index.\n * The resulting sequence ends as soon as the shortest input sequence ends.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Sequences.Transformations.zip\n */\npublic infix fun <T, R> Sequence<T>.zip(other: Sequence<R>): Sequence<Pair<T, R>> {\n return MergingSequence(this, other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The resulting sequence ends as soon as the shortest input sequence ends.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Sequences.Transformations.zipWithTransform\n */\npublic fun <T, R, V> Sequence<T>.zip(other: Sequence<R>, transform: (a: T, b: R) -> V): Sequence<V> {\n return

MergingSequence(this, other, transform)\n}\n\n/**\n * Returns a sequence of pairs of each two adjacent elements in this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n
 * @sample samples.collections.Collections.Transformations.zipWithNext\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Sequence<T>.zipWithNext(): Sequence<Pair<T, T>> {\n   return zipWithNext { a, b -> a to b }\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform] function\n * to an each pair of two adjacent elements in this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Sequence<T>.zipWithNext(transform: (a: T, b: T) -> R): Sequence<R> {\n   return sequence result@ {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return@result\n   var current = iterator.next()\n   while (iterator.hasNext()) {\n   val next = iterator.next()\n   yield(transform(current, next))\n   current = next\n   }\n   }\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <T, A : Appendable> Sequence<T>.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): A {\n   buffer.append(prefix)\n   var count = 0\n   for (element in this) {\n   if (++count > 1) buffer.append(separator)\n   if (limit < 0 || count <= limit) {\n   buffer.appendElement(element, transform)\n   } else break\n   }\n   if (limit >= 0 && count > limit) buffer.append(truncated)\n   buffer.append(postfix)\n   return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun <T> Sequence<T>.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): String {\n   return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an [Iterable] instance
 that wraps the original sequence returning its elements when being iterated.\n */\npublic fun <T> Sequence<T>.asIterable(): Iterable<T> {\n   return Iterable { this.iterator() }\n}\n\n/**\n * Returns this sequence as a [Sequence].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.asSequence(): Sequence<T> {\n   return this\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfByte\")\npublic fun Sequence<Byte>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfShort\")\npublic fun Sequence<Short>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n
    for (element in this) {\n   sum += element\n   checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfInt\")\npublic fun Sequence<Int>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfLong\")\npublic fun Sequence<Long>.average(): Double {\n   var sum:

Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements
 in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfFloat\")\npublic fun Sequence<Float>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n
    sum += element\n   checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfDouble\")\npublic fun Sequence<Double>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfByte\")\npublic fun Sequence<Byte>.sum(): Int {\n   var sum: Int = 0\n   for (element in this) {\n
    sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfShort\")\npublic fun Sequence<Short>.sum(): Int {\n
 var sum: Int = 0\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfInt\")\npublic fun Sequence<Int>.sum(): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfLong\")\npublic fun Sequence<Long>.sum(): Long {\n   var sum: Long = 0L\n   for (element in this) {\n   sum += element\n   }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfFloat\")\npublic
 fun Sequence<Float>.sum(): Float {\n   var sum: Float = 0.0f\n   for (element in this) {\n   sum += element\n }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfDouble\")\npublic fun Sequence<Double>.sum(): Double {\n var sum: Double = 0.0\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n",null,"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SetsKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\nimport kotlin.ranges.contains\nimport
 kotlin.ranges.reversed\n\n/**\n * Returns a set containing all elements of the original set except the given [element].\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.minus(element: T): Set<T> {\n   val result = LinkedHashSet<T>(mapCapacity(size))\n   var removed = false\n   return this.filterTo(result) { if (!removed && it == element) { removed = true; false } else true }\n}\n\n/**\n * Returns a set containing all elements of the original set except the elements contained in the given [elements] array.\n * \n * The returned set preserves the element iteration order of the original set.\n * \n * The [elements] array may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n */\npublic operator fun <T> Set<T>.minus(elements: Array<out T>): Set<T> {\n   val
 result = LinkedHashSet<T>(this)\n   result.removeAll(elements)\n   return result\n}\n\n/**\n * Returns a set containing all elements of the original set except the elements contained in the given [elements] collection.\n * \n * The returned set preserves the element iteration order of the original set.\n * \n * The [elements] collection may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n */\npublic operator fun <T> Set<T>.minus(elements: Iterable<T>): Set<T> {\n   val other = elements.convertToSetForSetOperationWith(this)\n

if (other.isEmpty())\n return this.toSet()\n if (other is Set)\n return this.filterNotTo(LinkedHashSet<T>()) { it in other }\n val result = LinkedHashSet<T>(this)\n result.removeAll(other)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set except
the elements contained in the given [elements] sequence.\n * \n * The returned set preserves the element iteration order of the original set.\n * \n * The [elements] sequence may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n */\npublic operator fun <T> Set<T>.minus(elements: Sequence<T>): Set<T> {\n val result = LinkedHashSet<T>(this)\n result.removeAll(elements)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set except the given [element].\n * \n * The returned set preserves the element iteration order of the original set.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>.minusElement(element: T): Set<T> {\n return minus(element)\n}\n\n/**\n * Returns a set containing all elements of the original set and then the given [element] if it isn't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(element: T): Set<T> {\n val result = LinkedHashSet<T>(mapCapacity(size + 1))\n result.addAll(this)\n result.add(element)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set and the given [elements] array,\n * which aren't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(elements: Array<out T>): Set<T> {\n val result = LinkedHashSet<T>(mapCapacity(this.size + elements.size))\n result.addAll(this)\n result.addAll(elements)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set and the given [elements] collection,\n * which aren't already in this set.\n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(elements: Iterable<T>): Set<T> {\n val result = LinkedHashSet<T>(mapCapacity(elements.collectionSizeOrNull()?.let { this.size + it } ?: this.size * 2))\n result.addAll(this)\n result.addAll(elements)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set and the given [elements] sequence,\n * which aren't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(elements: Sequence<T>): Set<T> {\n val result = LinkedHashSet<T>(mapCapacity(this.size * 2))\n result.addAll(this)\n result.addAll(elements)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set and then the given [element] if it isn't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>.plusElement(element: T): Set<T> {\n return plus(element)\n}\n\n","/*\n
* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns a character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char sequence.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun CharSequence.elementAt(index: Int): Char\n\n/**\n * Returns a character at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this char sequence.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns a character at the given [index] or `null` if the [index] is out of bounds of this char sequence.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.elementAtOrNull(index: Int): Char? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns the first character matching the given [predicate], or `null` if no such character was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.find(predicate: (Char) -> Boolean): Char? {\n

return firstOrNull(predicate)\n}\n\n/**\n * Returns the last character matching the given [predicate], or `null` if no such character was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.findLast(predicate: (Char) -> Boolean): Char? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns first character.\n * @throws [NoSuchElementException] if the char sequence is empty.\n */\npublic fun CharSequence.first(): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Char sequence is empty.\")\n return this[0]\n}\n\n/**\n * Returns the first character matching the given [predicate].\n * @throws [NoSuchElementException] if no such character is found.\n */\npublic inline fun CharSequence.first(predicate: (Char) -> Boolean): Char {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Char sequence contains no character matching the predicate.\")\n}\n\n/**\n * Returns the first character, or `null` if the char sequence is empty.\n */\npublic fun CharSequence.firstOrNull(): Char? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first character matching the given [predicate], or `null` if character was not found.\n */\npublic inline fun CharSequence.firstOrNull(predicate: (Char) -> Boolean): Char? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns a character at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this char sequence.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.getOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns a character at the given [index] or `null` if the [index] is out of bounds of this char sequence.\n */\npublic fun CharSequence.getOrNull(index: Int): Char? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns index of the first character matching the given [predicate], or -1 if the char sequence does not contain such character.\n */\npublic inline fun CharSequence.indexOfFirst(predicate: (Char) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last character matching the given [predicate], or -1 if the char sequence does not contain such character.\n */\npublic inline fun CharSequence.indexOfLast(predicate: (Char) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns the last character.\n * @throws [NoSuchElementException] if the char sequence is empty.\n */\npublic fun CharSequence.last(): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Char sequence is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last character matching the given [predicate].\n * @throws [NoSuchElementException] if no such character is found.\n */\npublic inline fun CharSequence.last(predicate: (Char) -> Boolean): Char {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Char sequence contains no character matching the predicate.\")\n}\n\n/**\n * Returns the last character, or `null` if the char sequence is empty.\n */\npublic fun CharSequence.lastOrNull(): Char? {\n return if (isEmpty()) null else this[length - 1]\n}\n\n/**\n * Returns the last character matching the given [predicate], or `null` if no such character was found.\n */\npublic inline fun CharSequence.lastOrNull(predicate: (Char) -> Boolean): Char? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns a random character from this char sequence.\n * \n * @throws NoSuchElementException if this char sequence is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.random(): Char {\n return random(Random)\n}\n\n/**\n * Returns a random character from this char sequence using the specified source of randomness.\n * \n * @throws NoSuchElementException if this char sequence is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun CharSequence.random(random: Random): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Char sequence is empty.\")\n return get(random.nextInt(length))\n}\n\n/**\n * Returns the single character, or throws an exception if the char sequence is empty or has more than one character.\n */\npublic fun CharSequence.single(): Char {\n return when (length) {\n 0 -> throw NoSuchElementException(\"Char sequence is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Char sequence has more than one element.\")\n }\n}\n\n/**\n * Returns the single

character matching the given [predicate], or throws exception if there is no or
more than one matching character.\n */\npublic inline fun CharSequence.single(predicate: (Char) -> Boolean): Char {\n var single: Char? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Char sequence contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Char sequence contains no character matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Char\n}\n\n/**\n * Returns single character, or `null` if the char sequence is empty or has more than one character.\n */\npublic fun CharSequence.singleOrNull(): Char? {\n return if (length == 1) this[0] else null\n}\n\n/**\n * Returns the single character matching the given [predicate], or `null` if character was not found or more than one character was found.\n */\npublic inline fun CharSequence.singleOrNull(predicate:
(Char) -> Boolean): Char? {\n var single: Char? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns a subsequence of this char sequence with the first [n] characters removed.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun CharSequence.drop(n: Int): CharSequence {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n return subSequence(n.coerceAtMost(length), length)\n}\n\n/**\n * Returns a string with the first [n] characters removed.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun String.drop(n: Int): String {\n require(n >= 0) { \"Requested character count $n is less
than zero.\" }\n return substring(n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this char sequence with the last [n] characters removed.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun CharSequence.dropLast(n: Int): CharSequence {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n return take((length - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a string with the last [n] characters removed.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun String.dropLast(n: Int): String {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n return take((length - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a subsequence of this char sequence containing all characters except last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n */\npublic
inline fun CharSequence.dropLastWhile(predicate: (Char) -> Boolean): CharSequence {\n for (index in lastIndex downTo 0)\n if (!predicate(this[index]))\n return subSequence(0, index + 1)\n return \"\"\n}\n\n/**\n * Returns a string containing all characters except last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n */\npublic inline fun String.dropLastWhile(predicate: (Char) -> Boolean): String {\n for (index in lastIndex downTo 0)\n if (!predicate(this[index]))\n return substring(0, index + 1)\n return \"\"\n}\n\n/**\n * Returns a subsequence of this char sequence containing all characters except first characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n */\npublic inline fun CharSequence.dropWhile(predicate: (Char) -> Boolean): CharSequence {\n for (index in this.indices)\n if (!predicate(this[index]))\n return subSequence(index, length)\n
return \"\"\n}\n\n/**\n * Returns a string containing all characters except first characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n */\npublic inline fun String.dropWhile(predicate: (Char) -> Boolean): String {\n for (index in this.indices)\n if (!predicate(this[index]))\n return substring(index)\n return \"\"\n}\n\n/**\n * Returns a char sequence containing only those characters from the original char sequence that match the given [predicate].\n */\npublic inline fun CharSequence.filter(predicate: (Char) -> Boolean): CharSequence {\n return filterTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that match the given [predicate].\n */\npublic inline fun String.filter(predicate: (Char) -> Boolean): String {\n return filterTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Returns a char sequence containing only those characters from

the original char sequence that match the given [predicate].\n * @param [predicate] function that takes the index of a character and the character itself\n * and returns the result of predicate evaluation on the character.\n */\npublic inline fun CharSequence.filterIndexed(predicate: (index: Int, Char) -> Boolean): CharSequence {\n return filterIndexedTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that match the given [predicate].\n * @param [predicate] function that takes the index of a character and the character itself\n * and returns the result of predicate evaluation on the character.\n */\npublic inline fun String.filterIndexed(predicate: (index: Int, Char) -> Boolean): String {\n return filterIndexedTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Appends all characters matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of a character
and the character itself\n * and returns the result of predicate evaluation on the character.\n */\npublic inline fun <C : Appendable> CharSequence.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.append(element)\n }\n return destination\n}\n\n/**\n * Returns a char sequence containing only those characters from the original char sequence that do not match the given [predicate].\n */\npublic inline fun CharSequence.filterNot(predicate: (Char) -> Boolean): CharSequence {\n return filterNotTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that do not match the given [predicate].\n */\npublic inline fun String.filterNot(predicate: (Char) -> Boolean): String {\n return filterNotTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Appends all characters not matching the given [predicate]
to the given [destination].\n */\npublic inline fun <C : Appendable> CharSequence.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.append(element)\n return destination\n}\n\n/**\n * Appends all characters matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : Appendable> CharSequence.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n for (index in 0 until length) {\n val element = get(index)\n if (predicate(element)) destination.append(element)\n }\n return destination\n}\n\n/**\n * Returns a char sequence containing characters of the original char sequence at the specified range of [indices].\n */\npublic fun CharSequence.slice(indices: IntRange): CharSequence {\n if (indices.isEmpty()) return \"\"\n return subSequence(indices)\n}\n\n/**\n * Returns a string containing characters of the original string at the specified range of [indices].\n
*/\npublic fun String.slice(indices: IntRange): String {\n if (indices.isEmpty()) return \"\"\n return substring(indices)\n}\n\n/**\n * Returns a char sequence containing characters of the original char sequence at specified [indices].\n */\npublic fun CharSequence.slice(indices: Iterable<Int>): CharSequence {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return \"\"\n val result = StringBuilder(size)\n for (i in indices) {\n result.append(get(i))\n }\n return result\n}\n\n/**\n * Returns a string containing characters of the original string at specified [indices].\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.slice(indices: Iterable<Int>): String {\n return (this as CharSequence).slice(indices).toString()\n}\n\n/**\n * Returns a subsequence of this char sequence containing the first [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n * \n * @throws IllegalArgumentException
if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun CharSequence.take(n: Int): CharSequence {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n return subSequence(0, n.coerceAtMost(length))\n}\n\n/**\n * Returns a string containing the first [n] characters from this string, or the entire string if this string is shorter.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun String.take(n: Int): String {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n return substring(0, n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this char sequence containing the last [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun CharSequence.takeLast(n:
Int): CharSequence {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n val length = length\n return subSequence(length - n.coerceAtMost(length), length)\n}\n\n/**\n * Returns a string containing the last [n] characters from this string, or the entire string if this string is shorter.\n * \n * @throws

IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun String.takeLast(n: Int): String {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n val length = length\n return substring(length - n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this char sequence containing last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\npublic inline fun CharSequence.takeLastWhile(predicate: (Char) -> Boolean): CharSequence {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return subSequence(index + 1, length)\n }\n }\n return subSequence(0, length)\n}\n\n/**\n * Returns a string containing last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\npublic inline fun String.takeLastWhile(predicate: (Char) -> Boolean): String {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return substring(index + 1)\n }\n }\n return this\n}\n\n/**\n * Returns a subsequence of this char sequence containing the first characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\npublic inline fun CharSequence.takeWhile(predicate: (Char) -> Boolean): CharSequence {\n for (index in 0 until length)\n if (!predicate(get(index))) {\n return subSequence(0, index)\n }\n return subSequence(0, length)\n}\n\n/**\n * Returns a string containing the first characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\npublic inline fun String.takeWhile(predicate: (Char) -> Boolean): String {\n for (index in 0 until length)\n if (!predicate(get(index))) {\n return substring(0, index)\n }\n return this\n}\n\n/**\n * Returns a char sequence with characters in reversed order.\n */\npublic fun CharSequence.reversed(): CharSequence {\n return StringBuilder(this).reverse()\n}\n\n/**\n * Returns a string with characters in reversed order.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.reversed(): String {\n return (this as CharSequence).reversed().toString()\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to characters of the given char sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n */\npublic inline fun <K, V> CharSequence.associate(transform: (Char) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(length).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the characters from the given char sequence indexed by the key\n * returned from [keySelector] function applied to each character.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n */\npublic inline fun <K> CharSequence.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n val capacity = mapCapacity(length).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Char>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to characters of the given char sequence.\n * \n * If any two characters would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n */\npublic inline fun <K, V> CharSequence.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n val capacity = mapCapacity(length).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each character of the given char sequence\n * and value is the character itself.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Char>> CharSequence.associateByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n
}\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to characters of the given char sequence.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K,

in V>> CharSequence.associateByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each character of the given char sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V,
M : MutableMap<in K, in V>> CharSequence.associateTo(destination: M, transform: (Char) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Returns a [Map] where keys are characters from the given char sequence and values are\n * produced by the [valueSelector] function applied to each character.\n * \n * If any two characters are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n * \n * @sample samples.text.Strings.associateWith\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <V> CharSequence.associateWith(valueSelector: (Char) -> V): Map<Char, V> {\n val result = LinkedHashMap<Char, V>(mapCapacity(length).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each character of the given char sequence,\n * where
key is the character itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two characters are equal, the last one overwrites the former value in the map.\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <V, M : MutableMap<in Char, in V>> CharSequence.associateWithTo(destination: M, valueSelector: (Char) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Appends all characters to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Char>> CharSequence.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Returns a [HashSet] of all characters.\n */\npublic fun CharSequence.toHashSet(): HashSet<Char> {\n return toCollection(HashSet<Char>(mapCapacity(length)))\n}\n\n/**\n * Returns a [List] containing all characters.\n */\npublic fun CharSequence.toList():
List<Char> {\n return when (length) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [MutableList] filled with all characters of this char sequence.\n */\npublic fun CharSequence.toMutableList(): MutableList<Char> {\n return toCollection(ArrayList<Char>(length))\n}\n\n/**\n * Returns a [Set] of all characters.\n * \n * The returned set preserves the element iteration order of the original char sequence.\n */\npublic fun CharSequence.toSet(): Set<Char> {\n return when (length) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Char>(mapCapacity(length)))\n }\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each character of original char sequence.\n */\npublic inline fun <R> CharSequence.flatMap(transform: (Char) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each character of original char sequence, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Groups characters of the original char sequence by the key returned by the given [keySelector] function\n * applied to each character and returns a map where each group key is associated with a list of corresponding characters.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original char sequence.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> CharSequence.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n return groupByTo(LinkedHashMap<K,
MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each character of the original char sequence\n * by the key returned by the given [keySelector] function applied to the character\n * and returns a map where each group key is associated with a list of corresponding

values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original char sequence.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> CharSequence.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups characters of the original char sequence by the key returned by the given [keySelector] function\n * applied to each character and puts to the [destination] map each group key associated with a list of corresponding
characters.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharSequence.groupByTo(destination: M, keySelector: (Char) -> K): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<Char>() }\n   list.add(element)\n   }\n   return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each character of the original char sequence\n * by the key returned by the given [keySelector] function applied to the character\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> CharSequence.groupByTo(destination:
M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<V>() }\n   list.add(valueTransform(element))\n   }\n   return destination\n}\n\n/**\n * Creates a [Grouping] source from a char sequence to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each character.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <K> CharSequence.groupingBy(crossinline keySelector: (Char) -> K): Grouping<Char, K> {\n   return object : Grouping<Char, K> {\n   override fun sourceIterator(): Iterator<Char> = this@groupingBy.iterator()\n   override fun keyOf(element: Char): K = keySelector(element)\n   }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each character
in the original char sequence.\n * \n * @sample samples.text.Strings.map\n */\npublic inline fun <R> CharSequence.map(transform: (Char) -> R): List<R> {\n   return mapTo(ArrayList<R>(length), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each character and its index in the original char sequence.\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R> CharSequence.mapIndexed(transform: (index: Int, Char) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(length), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each character and its index in the original char sequence.\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform
applied to the character.\n */\npublic inline fun <R : Any> CharSequence.mapIndexedNotNull(transform: (index: Int, Char) -> R?): List<R> {\n   return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each character and its index in the original char sequence\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R : Any, C : MutableCollection<in R>> CharSequence.mapIndexedNotNullTo(destination: C, transform: (index: Int, Char) -> R?): C {\n   forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each character and its index in the original char sequence\n * and appends the results to the given [destination].\n * @param
[transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {\n   var index = 0\n   for (item

in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each character in the original char sequence.\n */\npublic inline fun <R : Any> CharSequence.mapNotNull(transform: (Char) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each character in the original char sequence\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <R : Any, C : MutableCollection<in R>> CharSequence.mapNotNullTo(destination: C, transform:
(Char) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each character of the original char sequence\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapTo(destination: C, transform: (Char) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each character of the original char sequence\n * into an [IndexedValue] containing the index of that character and the character itself.\n */\npublic fun CharSequence.withIndex(): Iterable<IndexedValue<Char>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns `true` if all characters match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun CharSequence.all(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if char sequence has at least one character.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun CharSequence.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one character matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun CharSequence.any(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns the length of this char sequence.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.count(): Int {\n return length\n}\n\n/**\n * Returns the number of characters matching the given [predicate].\n */\npublic inline fun CharSequence.count(predicate: (Char) -> Boolean): Int {\n var count = 0\n for (element in this)
if (predicate(element)) ++count\n return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each character.\n */\npublic inline fun <R> CharSequence.fold(initial: R, operation: (acc: R, Char) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each character with its index in the original char sequence.\n * @param [operation] function that takes the index of a character, current accumulator value\n * and the character itself, and calculates the next accumulator value.\n */\npublic inline fun <R> CharSequence.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator
= operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each character and current accumulator value.\n */\npublic inline fun <R> CharSequence.foldRight(initial: R, operation: (Char, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each character with its index in the original char sequence and current accumulator value.\n * @param [operation] function that takes the index of a character, the character itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> CharSequence.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {\n var
index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Performs the given [action] on each character.\n */\npublic inline fun CharSequence.forEach(action: (Char) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each character, providing sequential index with

```
the character.\n * @param [action] function that takes the index of a character and the character itself\n * and performs the desired action on the character.\n */\npublic inline fun CharSequence.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n * Returns the largest character or `null` if there are no characters.\n */\npublic fun CharSequence.max(): Char? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the first character yielding the largest value of the given function or `null` if there are no characters.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> CharSequence.maxBy(selector: (Char) -> R): Char? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first character having the largest value according to the provided [comparator] or `null` if there are no characters.\n */\npublic fun CharSequence.maxWith(comparator: Comparator<in Char>): Char? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the smallest character or `null` if there are no characters.\n */\npublic fun CharSequence.min(): Char? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first character yielding the smallest value of the given function or `null` if there are no characters.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>> CharSequence.minBy(selector: (Char) -> R): Char? {\n    if (isEmpty()) return null\n    var minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first character having the smallest value according to the provided [comparator] or `null` if there are no characters.\n */\npublic fun CharSequence.minWith(comparator: Comparator<in Char>): Char? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns `true` if the char sequence has no characters.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun CharSequence.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if no characters match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun CharSequence.none(predicate: (Char) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n * Performs the given [action] on each character and returns the char sequence itself afterwards.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <S : CharSequence> S.onEach(action: (Char) -> Unit): S {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to right to current accumulator value and each character.\n */\npublic inline fun CharSequence.reduce(operation: (acc: Char, Char) -> Char): Char {\n    if (isEmpty())\n        throw UnsupportedOperationException(\"Empty char sequence can't be reduced.\")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to right\n * to current accumulator value and each character with its index in the original char sequence.\n * @param [operation] function that takes the index of a character, current accumulator value\n * and the character itself and calculates the next accumulator value.\n */\npublic inline fun CharSequence.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {\n    if (isEmpty())\n        throw UnsupportedOperationException(\"Empty char sequence can't be reduced.\")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last character and applying [operation] from right to left to each character and current accumulator value.\n */\npublic inline fun CharSequence.reduceRight(operation:
```

(Char, acc: Char) -> Char): Char {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty char sequence can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last character and applying [operation] from right to left\n * to each character with its index in the original char sequence and current accumulator value.\n * @param [operation] function that takes the index of a character, the character itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun CharSequence.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty char sequence can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char sequence.\n */\npublic inline fun CharSequence.sumBy(selector: (Char) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char sequence.\n */\npublic inline fun CharSequence.sumByDouble(selector: (Char) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Splits this char sequence into a list of strings each not exceeding the given [size].\n * \n * The last string in the resulting list may have less characters than the given [size].\n * \n * @param size the number of elements to take in each string, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.chunked(size: Int): List<String> {\n return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this char sequence into several char sequences each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return list of results of the [transform] applied to an each char sequence.\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last char sequence may have less characters than the given [size].\n * \n * @param size the number of elements to take in each char sequence, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.text.Strings.chunkedTransform\n */\n@SinceKotlin(\"1.2\")\npublic fun <R> CharSequence.chunked(size: Int, transform: (CharSequence) -> R): List<R> {\n return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Splits this char sequence into a sequence of strings each not exceeding the given [size].\n * \n * The last string in the resulting sequence may have less characters than the given [size].\n * \n * @param size the number of elements to take in each string, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.chunkedSequence(size: Int): Sequence<String> {\n return chunkedSequence(size) { it.toString() }\n}\n\n/**\n * Splits this char sequence into several char sequences each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return sequence of results of the [transform] applied to an each char sequence.\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last char sequence may have less characters than the given [size].\n * \n * @param size the number of elements to take in each char sequence, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.text.Strings.chunkedTransformToSequence\n */\n@SinceKotlin(\"1.2\")\npublic fun <R> CharSequence.chunkedSequence(size: Int, transform: (CharSequence) -> R): Sequence<R> {\n return windowedSequence(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Splits the original char sequence into pair of char sequences,\n * where *first* char sequence contains characters for which [predicate] yielded `true`,\n * while *second* char sequence contains

characters for which [predicate] yielded `false`.\n */\npublic inline fun CharSequence.partition(predicate: (Char) -> Boolean): Pair<CharSequence, CharSequence>
{\n val first = StringBuilder()\n val second = StringBuilder()\n for (element in this) {\n if (predicate(element)) {\n first.append(element)\n } else {\n second.append(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original string into pair of strings,\n * where *first* string contains characters for which [predicate] yielded `true`,\n * while *second* string contains characters for which [predicate] yielded `false`.\n */\npublic inline fun String.partition(predicate: (Char) -> Boolean): Pair<String, String> {\n val first = StringBuilder()\n val second = StringBuilder()\n for (element in this) {\n if (predicate(element)) {\n first.append(element)\n } else {\n second.append(element)\n }\n }\n return Pair(first.toString(), second.toString())\n}\n\n/**\n * Returns a list of snapshots of the window of the given [size]\n * sliding along this char sequence
with the given [step], where each\n * snapshot is a string.\n * \n * Several last strings may have less characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<String> {\n return windowed(size, step, partialWindows) { it.toString() }\n}\n\n/**\n * Returns a list of results of applying the given [transform] function to\n * an each char sequence representing a view
over the window of the given [size]\n * sliding along this char sequence with the given [step].\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last char sequences may have less characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <R> CharSequence.windowed(size: Int, step:
Int = 1, partialWindows: Boolean = false, transform: (CharSequence) -> R): List<R> {\n checkWindowSizeStep(size, step)\n val thisSize = this.length\n val result = ArrayList<R>((thisSize + step - 1) / step)\n var index = 0\n while (index < thisSize) {\n val end = index + size\n val coercedEnd = if (end > thisSize) { if (partialWindows) thisSize else break } else end\n result.add(transform(subSequence(index, coercedEnd)))\n index += step\n }\n return result\n}\n\n/**\n * Returns a sequence of snapshots of the window of the given [size]\n * sliding along this char sequence with the given [step], where each\n * snapshot is a string.\n * \n * Several last strings may have less characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window
forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<String> {\n return windowedSequence(size, step, partialWindows) { it.toString() }\n}\n\n/**\n * Returns a sequence of results of applying the given [transform] function to\n * an each char sequence representing a view over the window of the given [size]\n * sliding along this char sequence with the given [step].\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last char sequences may have

less characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <R> CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (CharSequence) -> R): Sequence<R> {\n   checkWindowSizeStep(size, step)\n   val windows = (if (partialWindows) indices else 0 until length - size + 1) step step\n   return windows.asSequence().map { index -> transform(subSequence(index, (index + size).coerceAtMost(length))) }\n}\n\n/**\n * Returns a list of pairs built from the characters of `this` and the [other] char sequences with the same index\n * The returned list has length of the shortest char sequence.\n * \n * @sample samples.text.Strings.zip\n */\npublic infix fun CharSequence.zip(other: CharSequence): List<Pair<Char, Char>> {\n   return zip(other) { c1, c2 -> c1 to c2 }\n}\n\n/**\n * Returns a list of values built from the characters of `this` and the [other] char sequences with the same index\n * using the provided [transform] function applied to each pair of characters.\n * The returned list has length of the shortest char sequence.\n * \n * @sample samples.text.Strings.zipWithTransform\n */\npublic inline fun <V> CharSequence.zip(other: CharSequence, transform: (a: Char, b: Char) -> V): List<V> {\n   val length = minOf(this.length, other.length)\n   val list = ArrayList<V>(length)\n   for (i in 0 until length) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of pairs of each two adjacent characters in this char sequence.\n * \n * The returned list is empty if this char sequence contains less than two characters.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.zipWithNext(): List<Pair<Char, Char>> {\n   return zipWithNext { a, b -> a to b }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to an each pair of two adjacent characters in this char sequence.\n * \n * The returned list is empty if this char sequence contains less than two characters.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n */\n@SinceKotlin(\"1.2\")\npublic inline fun <R> CharSequence.zipWithNext(transform: (a: Char, b: Char) -> R): List<R> {\n   val size = length - 1\n   if (size < 1) return emptyList()\n   val result = ArrayList<R>(size)\n   for (index in 0 until size) {\n   result.add(transform(this[index], this[index + 1]))\n   }\n   return result\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original char sequence returning its characters when being iterated.\n */\npublic fun CharSequence.asIterable(): Iterable<Char> {\n   if (this is String && isEmpty()) return emptyList()\n   return Iterable { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original char sequence returning its characters when being iterated.\n */\npublic fun CharSequence.asSequence(): Sequence<Char> {\n   if (this is String && isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:kotlin.jvm.JvmMultifileClass\r\n@file:kotlin.jvm.JvmName(\"StringsKt\")\r\n\r\npackage kotlin.text\r\n\r\nimport kotlin.contracts.contract\r\n\r\n/**\r\n * Returns a sub sequence of this char sequence having leading and trailing characters matching the [predicate] removed.\r\n */\r\npublic inline fun CharSequence.trim(predicate: (Char) -> Boolean): CharSequence {\r\n   var startIndex = 0\r\n   var endIndex = length - 1\r\n   var startFound = false\r\n\r\n   while (startIndex <= endIndex) {\r\n   val index = if (!startFound) startIndex else endIndex\r\n   val match = predicate(this[index])\r\n\r\n   if (!startFound) {\r\n   if (!match)\r\n   startFound = true\r\n   else\r\n   startIndex += 1\r\n   } else {\r\n   if (!match)\r\n   break\r\n   else\r\n   endIndex -= 1\r\n   }\r\n   }\r\n\r\n   return subSequence(startIndex, endIndex + 1)\r\n}\r\n\r\n/**\r\n * Returns a string having leading and trailing characters matching the [predicate] removed.\r\n */\r\npublic inline fun

String.trim(predicate: (Char) -> Boolean): String =\r\n   (this as CharSequence).trim(predicate).toString()\r\n\r\n/**\r\n * Returns a sub sequence of this char sequence having leading characters matching the [predicate] removed.\r\n */\r\npublic inline fun CharSequence.trimStart(predicate: (Char) -> Boolean): CharSequence {\r\n   for (index in this.indices)\r\n   if (!predicate(this[index]))\r\n   return subSequence(index, length)\r\n\r\n   return \"\"\r\n}\r\n\r\n/**\r\n * Returns a string having leading characters matching the [predicate] removed.\r\n */\r\npublic inline fun String.trimStart(predicate: (Char) -> Boolean): String =\r\n   (this as CharSequence).trimStart(predicate).toString()\r\n\r\n/**\r\n * Returns a sub sequence of this char sequence having trailing characters matching the [predicate] removed.\r\n */\r\npublic inline fun CharSequence.trimEnd(predicate: (Char) -> Boolean): CharSequence {\r\n   for (index in this.indices.reversed())\r\n   if (!predicate(this[index]))\r\n   return subSequence(0, index + 1)\r\n\r\n   return \"\"\r\n}\r\n\r\n/**\r\n * Returns a string having trailing characters matching the [predicate] removed.\r\n */\r\npublic inline fun String.trimEnd(predicate: (Char) -> Boolean): String =\r\n   (this as CharSequence).trimEnd(predicate).toString()\r\n\r\n/**\r\n * Returns a sub sequence of this char sequence having leading and trailing characters from the [chars] array removed.\r\n */\r\npublic fun CharSequence.trim(vararg chars: Char): CharSequence = trim { it in chars }\r\n\r\n/**\r\n * Returns a string having leading and trailing characters from the [chars] array removed.\r\n */\r\npublic fun String.trim(vararg chars: Char): String = trim { it in chars }\r\n\r\n/**\r\n * Returns a sub sequence of this char sequence having leading characters from the [chars] array removed.\r\n */\r\npublic fun CharSequence.trimStart(vararg chars: Char): CharSequence = trimStart { it in chars }\r\n\r\n/**\r\n *
Returns a string having leading characters from the [chars] array removed.\r\n */\r\npublic fun String.trimStart(vararg chars: Char): String = trimStart { it in chars }\r\n\r\n/**\r\n * Returns a sub sequence of this char sequence having trailing characters from the [chars] array removed.\r\n */\r\npublic fun CharSequence.trimEnd(vararg chars: Char): CharSequence = trimEnd { it in chars }\r\n\r\n/**\r\n * Returns a string having trailing characters from the [chars] array removed.\r\n */\r\npublic fun String.trimEnd(vararg chars: Char): String = trimEnd { it in chars }\r\n\r\n/**\r\n * Returns a sub sequence of this char sequence having leading and trailing whitespace removed.\r\n */\r\npublic fun CharSequence.trim(): CharSequence = trim(Char::isWhitespace)\r\n\r\n/**\r\n * Returns a string having leading and trailing whitespace removed.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun String.trim(): String = (this as CharSequence).trim().toString()\r\n\r\n/**\r\n * Returns a
sub sequence of this char sequence having leading whitespace removed.\r\n */\r\npublic fun CharSequence.trimStart(): CharSequence = trimStart(Char::isWhitespace)\r\n\r\n/**\r\n * Returns a string having leading whitespace removed.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun String.trimStart(): String = (this as CharSequence).trimStart().toString()\r\n\r\n/**\r\n * Returns a sub sequence of this char sequence having trailing whitespace removed.\r\n */\r\npublic fun CharSequence.trimEnd(): CharSequence = trimEnd(Char::isWhitespace)\r\n\r\n/**\r\n * Returns a string having trailing whitespace removed.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun String.trimEnd(): String = (this as CharSequence).trimEnd().toString()\r\n\r\n/**\r\n * Returns a char sequence with content of this char sequence padded at the beginning\r\n * to the specified [length] with the specified character or space.\r\n *\r\n * @param length the desired string length.\r\n * @param padChar the
character to pad string with, if it has length less than the [length] specified. Space is used by default.\r\n * @return Returns a char sequence of length at least [length] consisting of `this` char sequence prepended with [padChar] as many times\r\n * as are necessary to reach that length.\r\n * @sample samples.text.Strings.padStart\r\n */\r\npublic fun CharSequence.padStart(length: Int, padChar: Char = ' '): CharSequence {\r\n   if (length < 0)\r\n   throw IllegalArgumentException(\"Desired length $length is less than zero.\")\r\n   if (length <= this.length)\r\n   return this.subSequence(0, this.length)\r\n\r\n   val sb = StringBuilder(length)\r\n   for (i in 1..(length - this.length))\r\n   sb.append(padChar)\r\n   sb.append(this)\r\n   return sb\r\n}\r\n\r\n/**\r\n * Pads the string to the specified [length] at the beginning with the specified character or space.\r\n *\r\n * @param length the desired string length.\r\n * @param padChar the character to pad string

with, if it has length less than the [length] specified. Space is used by default.\r\n * @return Returns a string of length at least [length] consisting of `this` string prepended with [padChar] as many times\r\n * as are necessary to reach that length.\r\n * @sample samples.text.Strings.padStart\r\n */\r\npublic fun String.padStart(length: Int, padChar: Char = ' '): String =\r\n (this as CharSequence).padStart(length, padChar).toString()\r\n\r\n/**\r\n * Returns a char sequence with content of this char sequence padded at the end\r\n * to the specified [length] with the specified character or space.\r\n *\r\n * @param length the desired string length.\r\n * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\r\n * @return Returns a char sequence of length at least [length] consisting of `this` char sequence appended with [padChar] as many times\r\n * as are necessary to reach that length.\r\n * @sample samples.text.Strings.padEnd\r\n */\r\npublic fun CharSequence.padEnd(length: Int, padChar: Char = ' '): CharSequence {\r\n if (length < 0)\r\n throw IllegalArgumentException(\"Desired length $length is less than zero.\")\r\n if (length <= this.length)\r\n return this.subSequence(0, this.length)\r\n\r\n val sb = StringBuilder(length)\r\n sb.append(this)\r\n for (i in 1..(length - this.length))\r\n sb.append(padChar)\r\n return sb\r\n}\r\n\r\n/**\r\n * Pads the string to the specified [length] at the end with the specified character or space.\r\n *\r\n * @param length the desired string length.\r\n * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\r\n * @return Returns a string of length at least [length] consisting of `this` string appended with [padChar] as many times\r\n * as are necessary to reach that length.\r\n * @sample samples.text.Strings.padEnd\r\n */\r\npublic fun
String.padEnd(length: Int, padChar: Char = ' '): String =\r\n (this as CharSequence).padEnd(length, padChar).toString()\r\n\r\n/**\r\n * Returns `true` if this nullable char sequence is either `null` or empty.\r\n *\r\n * @sample samples.text.Strings.stringIsNullOrEmpty\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun CharSequence?.isNullOrEmpty(): Boolean {\r\n contract {\r\n returns(false) implies (this@isNullOrEmpty != null)\r\n }\r\n\r\n return this == null || this.length == 0\r\n}\r\n\r\n/**\r\n * Returns `true` if this char sequence is empty (contains no characters).\r\n *\r\n * @sample samples.text.Strings.stringIsEmpty\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun CharSequence.isEmpty(): Boolean = length == 0\r\n\r\n/**\r\n * Returns `true` if this char sequence is not empty.\r\n *\r\n * @sample samples.text.Strings.stringIsNotEmpty\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun CharSequence.isNotEmpty(): Boolean = length
> 0\r\n\r\n// implemented differently in JVM and JS\r\n//public fun String.isBlank(): Boolean = length() == 0 || all { it.isWhitespace() }\r\n\r\n\r\n/**\r\n * Returns `true` if this char sequence is not empty and contains some characters except of whitespace characters.\r\n *\r\n * @sample samples.text.Strings.stringIsNotBlank\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun CharSequence.isNotBlank(): Boolean = !isBlank()\r\n\r\n/**\r\n * Returns `true` if this nullable char sequence is either `null` or empty or consists solely of whitespace characters.\r\n *\r\n * @sample samples.text.Strings.stringIsNullOrBlank\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun CharSequence?.isNullOrBlank(): Boolean {\r\n contract {\r\n returns(false) implies (this@isNullOrBlank != null)\r\n }\r\n\r\n return this == null || this.isBlank()\r\n}\r\n\r\n/**\r\n * Iterator for characters of the given char sequence.\r\n */\r\npublic operator fun CharSequence.iterator():
CharIterator = object : CharIterator() {\r\n private var index = 0\r\n\r\n public override fun nextChar(): Char = get(index++)\r\n\r\n public override fun hasNext(): Boolean = index < length\r\n}\r\n\r\n/** Returns the string if it is not `null`, or the empty string otherwise. */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun String?.orEmpty(): String = this ?: \"\"\r\n\r\n/**\r\n * Returns this char sequence if it's not empty\r\n * or the result of calling [defaultValue] function if the char sequence is empty.\r\n *\r\n * @sample samples.text.Strings.stringIfEmpty\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : CharSequence, C : R =\r\n if (isEmpty()) defaultValue() else this\r\n\r\n/**\r\n * Returns this char sequence if it is not empty and doesn't consist solely of whitespace characters,\r\n * or the result of calling [defaultValue] function otherwise.\r\n *\r\n * @sample samples.text.Strings.stringIfBlank\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <C, R> C.ifBlank(defaultValue: () -> R): R where C : CharSequence, C : R =\r\n if (isBlank()) defaultValue() else this\r\n\r\n/**\r\n * Returns the

range of valid character indices for this char sequence.\r\n */\r\npublic val CharSequence.indices: IntRange\r\n get() = 0..length - 1\r\n\r\n/**\r\n * Returns the index of the last character in the char sequence or -1 if it is empty.\r\n */\r\npublic val CharSequence.lastIndex: Int\r\n get() = this.length - 1\r\n\r\n/**\r\n * Returns `true` if this CharSequence has Unicode surrogate pair at the specified [index].\r\n */\r\npublic fun CharSequence.hasSurrogatePairAt(index: Int): Boolean {\r\n return index in 0..length - 2\r\n && this[index].isHighSurrogate()\r\n && this[index + 1].isLowSurrogate()\r\n}\r\n\r\n/**\r\n * Returns a substring specified by the given [range] of indices.\r\n */\r\npublic
fun String.substring(range: IntRange): String = substring(range.start, range.endInclusive + 1)\r\n\r\n/**\r\n * Returns a subsequence of this char sequence specified by the given [range] of indices.\r\n */\r\npublic fun CharSequence.subSequence(range: IntRange): CharSequence = subSequence(range.start, range.endInclusive + 1)\r\n\r\n/**\r\n * Returns a subsequence of this char sequence.\r\n *\r\n * This extension is chosen only for invocation with old-named parameters.\r\n * Replace parameter names with the same as those of [CharSequence.subSequence].\r\n
*/\r\n@kotlin.internal.InlineOnly\r\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning\r\n@Deprecated(\"Use parameters named startIndex and endIndex.\", ReplaceWith(\"subSequence(startIndex = start, endIndex = end)\"))\r\npublic inline fun String.subSequence(start: Int, end: Int): CharSequence = subSequence(start, end)\r\n\r\n/**\r\n * Returns a substring of chars from a range of this char sequence starting at the [startIndex]
and ending right before the [endIndex].\r\n *\r\n * @param startIndex the start index (inclusive).\r\n * @param endIndex the end index (exclusive). If not specified, the length of the char sequence is used.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun CharSequence.substring(startIndex: Int, endIndex: Int = length): String = subSequence(startIndex, endIndex).toString()\r\n\r\n/**\r\n * Returns a substring of chars at indices from the specified [range] of this char sequence.\r\n */\r\npublic fun CharSequence.substring(range: IntRange): String = subSequence(range.start, range.endInclusive + 1).toString()\r\n\r\n/**\r\n * Returns a substring before the first occurrence of [delimiter].\r\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\r\n */\r\npublic fun String.substringBefore(delimiter: Char, missingDelimiterValue: String = this): String {\r\n val index = indexOf(delimiter)\r\n return if (index
== -1) missingDelimiterValue else substring(0, index)\r\n}\r\n\r\n/**\r\n * Returns a substring before the first occurrence of [delimiter].\r\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\r\n */\r\npublic fun String.substringBefore(delimiter: String, missingDelimiterValue: String = this): String {\r\n val index = indexOf(delimiter)\r\n return if (index == -1) missingDelimiterValue else substring(0, index)\r\n}\r\n\r\n/**\r\n * Returns a substring after the first occurrence of [delimiter].\r\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\r\n */\r\npublic fun String.substringAfter(delimiter: Char, missingDelimiterValue: String = this): String {\r\n val index = indexOf(delimiter)\r\n return if (index == -1) missingDelimiterValue else substring(index + 1, length)\r\n}\r\n\r\n/**\r\n * Returns a substring after the first occurrence
of [delimiter].\r\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\r\n */\r\npublic fun String.substringAfter(delimiter: String, missingDelimiterValue: String = this): String {\r\n val index = indexOf(delimiter)\r\n return if (index == -1) missingDelimiterValue else substring(index + delimiter.length, length)\r\n}\r\n\r\n/**\r\n * Returns a substring before the last occurrence of [delimiter].\r\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\r\n */\r\npublic fun String.substringBeforeLast(delimiter: Char, missingDelimiterValue: String = this): String {\r\n val index = lastIndexOf(delimiter)\r\n return if (index == -1) missingDelimiterValue else substring(0, index)\r\n}\r\n\r\n/**\r\n * Returns a substring before the last occurrence of [delimiter].\r\n * If the string does not contain the delimiter, returns [missingDelimiterValue]
which defaults to the original string.\r\n */\r\npublic fun String.substringBeforeLast(delimiter: String, missingDelimiterValue: String = this): String {\r\n val index = lastIndexOf(delimiter)\r\n return if (index == -1) missingDelimiterValue else substring(0, index)\r\n}\r\n\r\n/**\r\n * Returns a substring after the last occurrence of

[delimiter].\r\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\r\n */\r\npublic fun String.substringAfterLast(delimiter: Char, missingDelimiterValue: String = this): String {\r\n val index = lastIndexOf(delimiter)\r\n return if (index == -1) missingDelimiterValue else substring(index + 1, length)\r\n}\r\n\r\n/**\r\n * Returns a substring after the last occurrence of [delimiter].\r\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\r\n */\r\npublic fun String.substringAfterLast(delimiter: String, missingDelimiterValue: String = this): String {\r\n val index = lastIndexOf(delimiter)\r\n return if (index == -1) missingDelimiterValue else substring(index + delimiter.length, length)\r\n}\r\n\r\n/**\r\n * Returns a char sequence with content of this char sequence where its part at the given range\r\n * is replaced with the [replacement] char sequence.\r\n * @param startIndex the index of the first character to be replaced.\r\n * @param endIndex the index of the first character after the replacement to keep in the string.\r\n */\r\npublic fun CharSequence.replaceRange(startIndex: Int, endIndex: Int, replacement: CharSequence): CharSequence {\r\n if (endIndex < startIndex)\r\n throw IndexOutOfBoundsException(\"End index ($endIndex) is less than start index ($startIndex).\")\r\n val sb = StringBuilder()\r\n sb.append(this, 0, startIndex)\r\n sb.append(replacement)\r\n sb.append(this, endIndex, length)\r\n return sb\r\n}\r\n\r\n/**\r\n * Replaces the part of the string at the given range with the [replacement] char sequence.\r\n * @param startIndex the index of the first character to be replaced.\r\n * @param endIndex the index of the first character after the replacement to keep in the string.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun String.replaceRange(startIndex: Int, endIndex: Int, replacement: CharSequence): String =\r\n (this as CharSequence).replaceRange(startIndex, endIndex, replacement).toString()\r\n\r\n/**\r\n * Returns a char sequence with content of this char sequence where its part at the given [range]\r\n * is replaced with the [replacement] char sequence.\r\n *\r\n * The end index of the [range] is included in the part to be replaced.\r\n */\r\npublic fun CharSequence.replaceRange(range: IntRange, replacement: CharSequence): CharSequence =\r\n replaceRange(range.start, range.endInclusive + 1, replacement)\r\n\r\n/**\r\n * Replace the part of string at the given [range] with the [replacement] string.\r\n *\r\n * The end index of the [range] is included in the part to be replaced.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun String.replaceRange(range: IntRange, replacement: CharSequence): String =\r\n (this as CharSequence).replaceRange(range, replacement).toString()\r\n\r\n/**\r\n * Returns a char sequence with content of this char sequence where its part at the given range is removed.\r\n *\r\n * @param startIndex the index of the first character to be removed.\r\n * @param endIndex the index of the first character after the removed part to keep in the string.\r\n *\r\n * [endIndex] is not included in the removed part.\r\n */\r\npublic fun CharSequence.removeRange(startIndex: Int, endIndex: Int): CharSequence {\r\n if (endIndex < startIndex)\r\n throw IndexOutOfBoundsException(\"End index ($endIndex) is less than start index ($startIndex).\")\r\n\r\n if (endIndex == startIndex)\r\n return this.subSequence(0, length)\r\n\r\n val sb = StringBuilder(length - (endIndex - startIndex))\r\n sb.append(this, 0, startIndex)\r\n sb.append(this, endIndex, length)\r\n return sb\r\n}\r\n\r\n/**\r\n * Removes the part of a string at a given range.\r\n * @param startIndex the index of the first character to be removed.\r\n * @param endIndex the index of the first character after the removed part to keep in the string.\r\n *\r\n * [endIndex] is not included in the removed part.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun String.removeRange(startIndex: Int, endIndex: Int): String =\r\n (this as CharSequence).removeRange(startIndex, endIndex).toString()\r\n\r\n/**\r\n * Returns a char sequence with content of this char sequence where its part at the given [range] is removed.\r\n *\r\n * The end index of the [range] is included in the removed part.\r\n */\r\npublic fun CharSequence.removeRange(range: IntRange): CharSequence = removeRange(range.start, range.endInclusive + 1)\r\n\r\n/**\r\n * Removes the part of a string at the given [range].\r\n *\r\n * The end index of the [range] is included in the removed part.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun String.removeRange(range: IntRange): String =\r\n (this as CharSequence).removeRange(range).toString()\r\n\r\n/**\r\n * If this char sequence starts with the given [prefix], returns a new char sequence\r\n * with the prefix removed. Otherwise, returns a new char sequence with the same characters.\r\n */\r\npublic fun CharSequence.removePrefix(prefix: CharSequence): CharSequence {\r\n if

(startsWith(prefix)) {\r\n return subSequence(prefix.length, length)\r\n }\r\n return subSequence(0, length)\r\n}\r\n\r\n/**\r\n * If this string starts with the given [prefix], returns a copy of this string\r\n * with the prefix removed. Otherwise, returns this string.\r\n */\r\npublic fun String.removePrefix(prefix: CharSequence): String {\r\n if (startsWith(prefix)) {\r\n return substring(prefix.length)\r\n }\r\n return this\r\n}\r\n\r\n/**\r\n * If this char sequence ends with the given [suffix], returns a new char sequence\r\n * with the suffix removed. Otherwise, returns a new char sequence with the same characters.\r\n */\r\npublic fun CharSequence.removeSuffix(suffix: CharSequence): CharSequence {\r\n if (endsWith(suffix)) {\r\n return subSequence(0, length - suffix.length)\r\n }\r\n return subSequence(0, length)\r\n}\r\n\r\n/**\r\n * If this string ends with the given [suffix], returns a copy of this string\r\n * with the suffix removed. Otherwise, returns this string.\r\n */\r\npublic fun String.removeSuffix(suffix: CharSequence): String {\r\n if (endsWith(suffix)) {\r\n return substring(0, length - suffix.length)\r\n }\r\n return this\r\n}\r\n\r\n/**\r\n * When this char sequence starts with the given [prefix] and ends with the given [suffix],\r\n * returns a new char sequence having both the given [prefix] and [suffix] removed.\r\n * Otherwise returns
a new char sequence with the same characters.\r\n */\r\npublic fun CharSequence.removeSurrounding(prefix: CharSequence, suffix: CharSequence): CharSequence {\r\n if ((length >= prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {\r\n return subSequence(prefix.length, length - suffix.length)\r\n }\r\n return subSequence(0, length)\r\n}\r\n\r\n/**\r\n * Removes from a string both the given [prefix] and [suffix] if and only if\r\n * it starts with the [prefix] and ends with the [suffix].\r\n * Otherwise returns this string unchanged.\r\n */\r\npublic fun String.removeSurrounding(prefix: CharSequence, suffix: CharSequence): String {\r\n if ((length >= prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {\r\n return substring(prefix.length, length - suffix.length)\r\n }\r\n return this\r\n}\r\n\r\n/**\r\n * When this char sequence starts with and ends with the given [delimiter],\r\n * returns a new char sequence
having this [delimiter] removed both from the start and end.\r\n * Otherwise returns a new char sequence with the same characters.\r\n */\r\npublic fun CharSequence.removeSurrounding(delimiter: CharSequence): CharSequence = removeSurrounding(delimiter, delimiter)\r\n\r\n/**\r\n * Removes the given [delimiter] string from both the start and the end of this string\r\n * if and only if it starts with and ends with the [delimiter].\r\n * Otherwise returns this string unchanged.\r\n */\r\npublic fun String.removeSurrounding(delimiter: CharSequence): String = removeSurrounding(delimiter, delimiter)\r\n\r\n/**\r\n * Replace part of string before the first occurrence of given delimiter with the [replacement] string.\r\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\r\n */\r\npublic fun String.replaceBefore(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\r\n val index = indexOf(delimiter)\r\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\r\n}\r\n\r\n/**\r\n * Replace part of string before the first occurrence of given delimiter with the [replacement] string.\r\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\r\n */\r\npublic fun String.replaceBefore(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\r\n val index = indexOf(delimiter)\r\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\r\n}\r\n\r\n/**\r\n * Replace part of string after the first occurrence of given delimiter with the [replacement] string.\r\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\r\n */\r\npublic fun String.replaceAfter(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\r\n val index
= indexOf(delimiter)\r\n return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)\r\n}\r\n\r\n/**\r\n * Replace part of string after the first occurrence of given delimiter with the [replacement] string.\r\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\r\n */\r\npublic fun String.replaceAfter(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\r\n val index = indexOf(delimiter)\r\n return if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\r\n}\r\n\r\n/**\r\n * Replace part of string after the last occurrence of given delimiter with the [replacement] string.\r\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\r\n */\r\npublic

fun String.replaceAfterLast(delimiter: String, replacement: String, missingDelimiterValue:
String = this): String {\r\n val index = lastIndexOf(delimiter)\r\n return if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\r\n}\r\n\r\n/**\r\n * Replace part of string after the last occurrence of given delimiter with the [replacement] string.\r\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\r\n */\r\npublic fun String.replaceAfterLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\r\n val index = lastIndexOf(delimiter)\r\n return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)\r\n}\r\n\r\n/**\r\n * Replace part of string before the last occurrence of given delimiter with the [replacement] string.\r\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\r\n */\r\npublic fun String.replaceBeforeLast(delimiter:
Char, replacement: String, missingDelimiterValue: String = this): String {\r\n val index =
lastIndexOf(delimiter)\r\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\r\n}\r\n\r\n/**\r\n * Replace part of string before the last occurrence of given delimiter with the [replacement] string.\r\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\r\n */\r\npublic fun String.replaceBeforeLast(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\r\n val index = lastIndexOf(delimiter)\r\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\r\n}\r\n\r\n\r\n\r\n// public fun String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean): String // JVM- and JS-specific\r\n// public fun String.replace(oldValue: String, newValue: String, ignoreCase: Boolean): String // JVM- and JS-specific\r\n\r\n/**\r\n
* Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression\r\n * with the given [replacement].\r\n *\r\n * The [replacement] can consist of any combination of literal text and $-substitutions. To treat the replacement string\r\n * literally escape it with the [kotlin.text.Regex.Companion.escapeReplacement] method.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun CharSequence.replace(regex: Regex, replacement: String): String = regex.replace(this, replacement)\r\n\r\n/**\r\n * Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression\r\n * with the result of the given function [transform] that takes [MatchResult] and returns a string to be used as a\r\n * replacement for that match.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun CharSequence.replace(regex: Regex, noinline transform: (MatchResult) -> CharSequence): String =\r\n regex.replace(this,
transform)\r\n\r\n/**\r\n * Replaces the first occurrence of the given regular expression [regex] in this char sequence with specified [replacement] expression.\r\n *\r\n * @param replacement A replacement expression that can include substitutions. See [Regex.replaceFirst] for details.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun CharSequence.replaceFirst(regex: Regex, replacement: String): String = regex.replaceFirst(this, replacement)\r\n\r\n\r\n/**\r\n * Returns `true` if this char sequence matches the given regular expression.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline infix fun CharSequence.matches(regex: Regex): Boolean = regex.matches(this)\r\n\r\n/**\r\n * Implementation of [regionMatches] for CharSequences.\r\n * Invoked when it's already known that arguments are not Strings, so that no additional type checks are performed.\r\n */\r\ninternal fun CharSequence.regionMatchesImpl(thisOffset: Int, other: CharSequence, otherOffset: Int, length:
Int, ignoreCase: Boolean): Boolean {\r\n if ((otherOffset < 0) || (thisOffset < 0) || (thisOffset > this.length - length) || (otherOffset > other.length - length)) {\r\n return false\r\n }\r\n\r\n for (index in 0 until length) {\r\n if (!this[thisOffset + index].equals(other[otherOffset + index], ignoreCase))\r\n return false\r\n }\r\n return true\r\n}\r\n\r\n/**\r\n * Returns `true` if this char sequence starts with the specified character.\r\n */\r\npublic fun CharSequence.startsWith(char: Char, ignoreCase: Boolean = false): Boolean =\r\n this.length > 0 && this[0].equals(char, ignoreCase)\r\n\r\n/**\r\n * Returns `true` if this char sequence ends with the specified character.\r\n */\r\npublic fun CharSequence.endsWith(char: Char, ignoreCase: Boolean = false): Boolean =\r\n this.length > 0 && this[lastIndex].equals(char, ignoreCase)\r\n\r\n/**\r\n * Returns `true` if this char sequence starts with the specified prefix.\r\n */\r\npublic

```
fun CharSequence.startsWith(prefix: CharSequence, ignoreCase: Boolean = false): Boolean {\r\n    if (!ignoreCase && this is String && prefix is String)\r\n        return this.startsWith(prefix)\r\n    else\r\n        return regionMatchesImpl(0, prefix, 0, prefix.length, ignoreCase)\r\n}\r\n\r\n/**\r\n * Returns `true` if a substring of this char sequence starting at the specified offset [startIndex] starts with the specified prefix.\r\n */\r\npublic fun CharSequence.startsWith(prefix: CharSequence, startIndex: Int, ignoreCase: Boolean = false): Boolean {\r\n    if (!ignoreCase && this is String && prefix is String)\r\n        return this.startsWith(prefix, startIndex)\r\n    else\r\n        return regionMatchesImpl(startIndex, prefix, 0, prefix.length, ignoreCase)\r\n}\r\n\r\n/**\r\n * Returns `true` if this char sequence ends with the specified suffix.\r\n */\r\npublic fun CharSequence.endsWith(suffix: CharSequence, ignoreCase: Boolean = false): Boolean {\r\n    if (!ignoreCase && this is String && suffix is String)\r\n        return this.endsWith(suffix)\r\n    else\r\n        return regionMatchesImpl(length - suffix.length, suffix, 0, suffix.length, ignoreCase)\r\n}\r\n\r\n\r\n// common prefix and suffix\r\n\r\n/**\r\n * Returns the longest string `prefix` such that this char sequence and [other] char sequence both start with this prefix,\r\n * taking care not to split surrogate pairs.\r\n * If this and [other] have no common prefix, returns the empty string.\r\n\r\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\r\n * @sample samples.text.Strings.commonPrefixWith\r\n */\r\npublic fun CharSequence.commonPrefixWith(other: CharSequence, ignoreCase: Boolean = false): String {\r\n    val shortestLength = minOf(this.length, other.length)\r\n\r\n    var i = 0\r\n    while (i < shortestLength && this[i].equals(other[i], ignoreCase = ignoreCase)) {\r\n        i++\r\n    }\r\n    if (this.hasSurrogatePairAt(i - 1) || other.hasSurrogatePairAt(i - 1)) {\r\n        i--\r\n    }\r\n    return subSequence(0, i).toString()\r\n}\r\n\r\n\r\n/**\r\n * Returns the longest string `suffix` such that this char sequence and [other] char sequence both end with this suffix,\r\n * taking care not to split surrogate pairs.\r\n * If this and [other] have no common suffix, returns the empty string.\r\n\r\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\r\n * @sample samples.text.Strings.commonSuffixWith\r\n */\r\npublic fun CharSequence.commonSuffixWith(other: CharSequence, ignoreCase: Boolean = false): String {\r\n    val thisLength = this.length\r\n    val otherLength = other.length\r\n    val shortestLength = minOf(thisLength, otherLength)\r\n\r\n    var i = 0\r\n    while (i < shortestLength && this[thisLength - i - 1].equals(other[otherLength - i - 1], ignoreCase = ignoreCase)) {\r\n        i++\r\n    }\r\n    if (this.hasSurrogatePairAt(thisLength - i - 1) || other.hasSurrogatePairAt(otherLength - i - 1)) {\r\n        i--\r\n    }\r\n    return subSequence(thisLength - i, thisLength).toString()\r\n}\r\n\r\n\r\n\r\n// indexOfAny()\r\n\r\n/**\r\n * Finds the index of the first occurrence of any of the specified [chars] in this char sequence,\r\n * starting from the specified [startIndex] and optionally ignoring the case.\r\n *\r\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\r\n * @return An index of the first occurrence of matched character from [chars] or -1 if none of [chars] are found.\r\n *\r\n */\r\npublic fun CharSequence.indexOfAny(chars: CharArray, startIndex: Int = 0, ignoreCase: Boolean = false): Int {\r\n    if (!ignoreCase && chars.size == 1 && this is String) {\r\n        val char = chars.single()\r\n        return nativeIndexOf(char, startIndex)\r\n    }\r\n\r\n    for (index in startIndex.coerceAtLeast(0)..lastIndex) {\r\n        val charAtIndex = get(index)\r\n        if (chars.any { it.equals(charAtIndex, ignoreCase) })\r\n            return index\r\n    }\r\n    return -1\r\n}\r\n\r\n\r\n/**\r\n * Finds the index of the last occurrence of any of the specified [chars] in this char sequence,\r\n * starting from the specified [startIndex] and optionally ignoring the case.\r\n *\r\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\r\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\r\n * @return An index of the last occurrence of matched character from [chars] or -1 if none of [chars] are found.\r\n *\r\n */\r\npublic fun CharSequence.lastIndexOfAny(chars: CharArray, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\r\n    if (!ignoreCase && chars.size == 1 && this is String) {\r\n        val char = chars.single()\r\n        return nativeLastIndexOf(char, startIndex)\r\n    }\r\n\r\n\r\n    for (index in startIndex.coerceAtMost(lastIndex) downTo 0) {\r\n        val charAtIndex = get(index)\r\n        if (chars.any { it.equals(charAtIndex, ignoreCase) })\r\n            return index\r\n    }\r\n\r\n    return -1\r\n}\r\n\r\n\r\n\r\nprivate fun CharSequence.indexOf(other: CharSequence,
```

startIndex: Int, endIndex: Int, ignoreCase: Boolean, last: Boolean = false): Int {\r\n val indices = if (!last)\r\n startIndex.coerceAtLeast(0)..endIndex.coerceAtMost(length)\r\n else\r\n startIndex.coerceAtMost(lastIndex) downTo endIndex.coerceAtLeast(0)\r\n\r\n if (this is String && other is String) { // smart cast\r\n for (index in indices) {\r\n if (other.regionMatches(0, this, index, other.length, ignoreCase))\r\n return index\r\n }\r\n } else {\r\n for (index in indices) {\r\n if (other.regionMatchesImpl(0, this, index, other.length, ignoreCase))\r\n return index\r\n }\r\n }\r\n return -1\r\n}\r\n\r\nprivate fun CharSequence.findAnyOf(strings:
Collection<String>, startIndex: Int, ignoreCase: Boolean, last: Boolean): Pair<Int, String>? {\r\n if (!ignoreCase && strings.size == 1) {\r\n val string = strings.single()\r\n val index = if (!last) indexOf(string, startIndex) else lastIndexOf(string, startIndex)\r\n return if (index < 0) null else index to string\r\n }\r\n\r\n val indices = if (!last) startIndex.coerceAtLeast(0)..length else startIndex.coerceAtMost(lastIndex) downTo 0\r\n\r\n if (this is String) {\r\n for (index in indices) {\r\n val matchingString = strings.firstOrNull { it.regionMatches(0, this, index, it.length, ignoreCase) }\r\n if (matchingString != null)\r\n return index to matchingString\r\n }\r\n } else {\r\n for (index in indices) {\r\n val matchingString = strings.firstOrNull { it.regionMatchesImpl(0, this, index, it.length, ignoreCase) }\r\n if (matchingString != null)\r\n return index to matchingString\r\n }\r\n }\r\n\r\n return null\r\n}\r\n\r\n/**\r\n * Finds the first occurrence of any of the specified [strings] in this char sequence,\r\n * starting from the specified [startIndex] and optionally ignoring the case.\r\n *\r\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\r\n * @return A pair of an index of the first occurrence of matched string from [strings] and the string matched\r\n * or `null` if none of [strings] are found.\r\n *\r\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\r\n * the beginning to the end of this string, and finds at each position the first element in [strings]\r\n * that matches this string at that position.\r\n */\r\npublic fun CharSequence.findAnyOf(strings: Collection<String>, startIndex: Int = 0, ignoreCase: Boolean = false): Pair<Int, String>? =\r\n findAnyOf(strings,
startIndex, ignoreCase, last = false)\r\n\r\n/**\r\n * Finds the last occurrence of any of the specified [strings] in this char sequence,\r\n * starting from the specified [startIndex] and optionally ignoring the case.\r\n *\r\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\r\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\r\n * @return A pair of an index of the last occurrence of matched string from [strings] and the string matched or `null` if none of [strings] are found.\r\n *\r\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\r\n * the end toward the beginning of this string, and finds at each position the first element in [strings]\r\n * that matches this string at that position.\r\n */\r\npublic fun CharSequence.findLastAnyOf(strings: Collection<String>, startIndex: Int = lastIndex, ignoreCase:
Boolean = false): Pair<Int, String>? =\r\n findAnyOf(strings, startIndex, ignoreCase, last = true)\r\n\r\n/**\r\n * Finds the index of the first occurrence of any of the specified [strings] in this char sequence,\r\n * starting from the specified [startIndex] and optionally ignoring the case.\r\n *\r\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\r\n * @return An index of the first occurrence of matched string from [strings] or -1 if none of [strings] are found.\r\n *\r\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\r\n * the beginning to the end of this string, and finds at each position the first element in [strings]\r\n * that matches this string at that position.\r\n */\r\npublic fun CharSequence.indexOfAny(strings: Collection<String>, startIndex: Int = 0, ignoreCase: Boolean = false): Int =\r\n findAnyOf(strings, startIndex, ignoreCase, last = false)?.first
?: -1\r\n\r\n/**\r\n * Finds the index of the last occurrence of any of the specified [strings] in this char sequence,\r\n * starting from the specified [startIndex] and optionally ignoring the case.\r\n *\r\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\r\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\r\n * @return An index of the last occurrence of matched string from [strings] or -1 if none of [strings] are found.\r\n *\r\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\r\n * the end toward the

beginning of this string, and finds at each position the first element in [strings]\r\n * that matches this string at that position.\r\n */\r\npublic fun CharSequence.lastIndexOfAny(strings: Collection<String>, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int =\r\n findAnyOf(strings,
startIndex, ignoreCase, last = true)?.first ?: -1\r\n\r\n\r\n// indexOf\r\n\r\n/**\r\n * Returns the index within this string of the first occurrence of the specified character, starting from the specified [startIndex].\r\n *\r\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\r\n * @return An index of the first occurrence of [char] or -1 if none is found.\r\n */\r\npublic fun CharSequence.indexOf(char: Char, startIndex: Int = 0, ignoreCase: Boolean = false): Int {\r\n return if (ignoreCase || this !is String)\r\n indexOfAny(charArrayOf(char), startIndex, ignoreCase)\r\n else\r\n nativeIndexOf(char, startIndex)\r\n}\r\n\r\n/**\r\n * Returns the index within this char sequence of the first occurrence of the specified [string],\r\n * starting from the specified [startIndex].\r\n *\r\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\r\n * @return An index of the first
occurrence of [string] or `-1` if none is found.\r\n */\r\npublic fun CharSequence.indexOf(string: String, startIndex: Int = 0, ignoreCase: Boolean = false): Int {\r\n return if (ignoreCase || this !is String)\r\n indexOf(string, startIndex, length, ignoreCase)\r\n else\r\n nativeIndexOf(string, startIndex)\r\n}\r\n\r\n/**\r\n * Returns the index within this char sequence of the last occurrence of the specified character,\r\n * starting from the specified [startIndex].\r\n *\r\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\r\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\r\n * @return An index of the first occurrence of [char] or -1 if none is found.\r\n */\r\npublic fun CharSequence.lastIndexOf(char: Char, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\r\n return if (ignoreCase || this !is String)\r\n
lastIndexOfAny(charArrayOf(char), startIndex, ignoreCase)\r\n else\r\n nativeLastIndexOf(char, startIndex)\r\n}\r\n\r\n/**\r\n * Returns the index within this char sequence of the last occurrence of the specified [string],\r\n * starting from the specified [startIndex].\r\n *\r\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\r\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\r\n * @return An index of the first occurrence of [string] or -1 if none is found.\r\n */\r\npublic fun CharSequence.lastIndexOf(string: String, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\r\n return if (ignoreCase || this !is String)\r\n indexOf(string, startIndex, 0, ignoreCase, last = true)\r\n else\r\n nativeLastIndexOf(string, startIndex)\r\n}\r\n\r\n/**\r\n * Returns `true` if this char sequence contains the specified [other]
sequence of characters as a substring.\r\n *\r\n * @param ignoreCase `true` to ignore character case when comparing strings. By default `false`.\r\n
*/\r\n@Suppress(\"INAPPLICABLE_OPERATOR_MODIFIER\")\r\npublic operator fun CharSequence.contains(other: CharSequence, ignoreCase: Boolean = false): Boolean =\r\n if (other is String)\r\n indexOf(other, ignoreCase = ignoreCase) >= 0\r\n else\r\n indexOf(other, 0, length, ignoreCase) >= 0\r\n\r\n\r\n\r\n/**\r\n * Returns `true` if this char sequence contains the specified character [char].\r\n *\r\n * @param ignoreCase `true` to ignore character case when comparing characters. By default `false`.\r\n
*/\r\n@Suppress(\"INAPPLICABLE_OPERATOR_MODIFIER\")\r\npublic operator fun CharSequence.contains(char: Char, ignoreCase: Boolean = false): Boolean =\r\n indexOf(char, ignoreCase = ignoreCase) >= 0\r\n\r\n/**\r\n * Returns `true` if this char sequence contains at least one match of the specified regular expression [regex].\r\n
*/\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun CharSequence.contains(regex: Regex): Boolean = regex.containsMatchIn(this)\r\n\r\n\r\n// rangesDelimitedBy\r\n\r\n\r\nprivate class DelimitedRangesSequence(\r\n private val input: CharSequence,\r\n private val startIndex: Int,\r\n private val limit: Int,\r\n private val getNextMatch: CharSequence.(currentIndex: Int) -> Pair<Int, Int>?\r\n) : Sequence<IntRange> {\r\n\r\n override fun iterator(): Iterator<IntRange> = object : Iterator<IntRange> {\r\n var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\r\n var currentStartIndex: Int = startIndex.coerceIn(0, input.length)\r\n var nextSearchIndex: Int = currentStartIndex\r\n var nextItem: IntRange? = null\r\n var counter: Int = 0\r\n\r\n

```
  private fun calcNext() {\r\n            if (nextSearchIndex < 0) {\r\n                nextState = 0\r\n                nextItem = null\r\n            } else {\r\n
                if (limit > 0 && ++counter >= limit || nextSearchIndex > input.length) {\r\n                    nextItem = currentStartIndex..input.lastIndex\r\n                    nextSearchIndex = -1\r\n                } else {\r\n                    val match = input.getNextMatch(nextSearchIndex)\r\n                    if (match == null) {\r\n                        nextItem = currentStartIndex..input.lastIndex\r\n                        nextSearchIndex = -1\r\n                    } else {\r\n                        val (index, length) = match\r\n                        nextItem = currentStartIndex until index\r\n                        currentStartIndex = index + length\r\n                        nextSearchIndex = currentStartIndex + if (length == 0) 1 else 0\r\n                    }\r\n                }\r\n                nextState = 1\r\n            }\r\n        }\r\n\r\n        override fun next(): IntRange {\r\n            if (nextState == -1)\r\n                calcNext()\r\n
            if (nextState == 0)\r\n                throw NoSuchElementException()\r\n            val result = nextItem as IntRange\r\n            // Clean next to avoid keeping reference on yielded instance\r\n            nextItem = null\r\n            nextState = -1\r\n            return result\r\n        }\r\n\r\n        override fun hasNext(): Boolean {\r\n            if (nextState == -1)\r\n                calcNext()\r\n            return nextState == 1\r\n        }\r\n    }\r\n}\r\n\r\n/**\r\n * Returns a sequence of index ranges of substrings in this char sequence around occurrences of the specified [delimiters].\r\n *\r\n * @param delimiters One or more characters to be used as delimiters.\r\n * @param startIndex The index to start searching delimiters from.\r\n *  No range having its start value less than [startIndex] is returned.\r\n * [startIndex] is coerced to be non-negative and not greater than length of this string.\r\n * @param ignoreCase `true` to ignore character case
 when matching a delimiter. By default `false`.\r\n * @param limit The maximum number of substrings to return. Zero by default means no limit is set.\r\n */\r\nprivate fun CharSequence.rangesDelimitedBy(delimiters: CharArray, startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int = 0): Sequence<IntRange> {\r\n    require(limit >= 0, { \"Limit must be non-negative, but was $limit.\" })\r\n\r\n    return DelimitedRangesSequence(this, startIndex, limit, { currentIndex ->\r\n        indexOfAny(delimiters, currentIndex, ignoreCase = ignoreCase).let { if (it < 0) null else it to 1 }\r\n    })\r\n}\r\n\r\n\r\n/**\r\n * Returns a sequence of index ranges of substrings in this char sequence around occurrences of the specified [delimiters].\r\n *\r\n * @param delimiters One or more strings to be used as delimiters.\r\n * @param startIndex The index to start searching delimiters from.\r\n *  No range having its start value less than [startIndex] is returned.\r\n *  [startIndex] is coerced to
 be non-negative and not greater than length of this string.\r\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\r\n * @param limit The maximum number of substrings to return. Zero by default means no limit is set.\r\n *\r\n * To avoid ambiguous results when strings in [delimiters] have characters in common, this method proceeds from\r\n * the beginning to the end of this string, and finds at each position the first element in [delimiters]\r\n * that matches this string at that position.\r\n */\r\nprivate fun CharSequence.rangesDelimitedBy(delimiters: Array<out String>, startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int = 0): Sequence<IntRange> {\r\n    require(limit >= 0, { \"Limit must be non-negative, but was $limit.\" } )\r\n    val delimitersList = delimiters.asList()\r\n\r\n    return DelimitedRangesSequence(this, startIndex, limit, { currentIndex -> findAnyOf(delimitersList, currentIndex, ignoreCase = ignoreCase, last
 = false)?.let { it.first to it.second.length } })\r\n\r\n}\r\n\r\n\r\n// split\r\n\r\n/**\r\n * Splits this char sequence to a sequence of strings around occurrences of the specified [delimiters].\r\n *\r\n * @param delimiters One or more strings to be used as delimiters.\r\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\r\n * @param limit The maximum number of substrings to return. Zero by default means no limit is set.\r\n *\r\n * To avoid ambiguous results when strings in [delimiters] have characters in common, this method proceeds from\r\n * the beginning to the end of this string, and finds at each position the first element in [delimiters]\r\n * that matches this string at that position.\r\n */\r\npublic fun CharSequence.splitToSequence(vararg delimiters: String, ignoreCase: Boolean = false, limit: Int = 0): Sequence<String> =\r\n    rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map { substring(it) }\r\n\r\n/**\r\n
 * Splits this char sequence to a list of strings around occurrences of the specified [delimiters].\r\n *\r\n * @param delimiters One or more strings to be used as delimiters.\r\n * @param ignoreCase `true` to ignore character case
```

when matching a delimiter. By default `false`.\r\n * @param limit The maximum number of substrings to return. Zero by default means no limit is set.\r\n *\r\n * To avoid ambiguous results when strings in [delimiters] have characters in common, this method proceeds from\r\n * the beginning to the end of this string, and matches at each position the first element in [delimiters]\r\n * that is equal to a delimiter in this instance at that position.\r\n */\r\npublic fun CharSequence.split(vararg delimiters: String, ignoreCase: Boolean = false, limit: Int = 0): List<String> {\r\n   if (delimiters.size == 1) {\r\n   val delimiter = delimiters[0]\r\n   if (!delimiter.isEmpty()) {\r\n   return split(delimiter, ignoreCase, limit)\r\n   }\r\n   }\r\n\r\n   return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map { substring(it) }\r\n}\r\n\r\n\r\n/**\r\n * Splits this char sequence to a sequence of strings around occurrences of the specified [delimiters].\r\n *\r\n * @param delimiters One or more characters to be used as delimiters.\r\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\r\n * @param limit The maximum number of substrings to return.\r\n */\r\npublic fun CharSequence.splitToSequence(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0): Sequence<String> =\r\n   rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map { substring(it) }\r\n\r\n/**\r\n * Splits this char sequence to a list of strings around occurrences of the specified [delimiters].\r\n *\r\n * @param delimiters One or more characters to be used as delimiters.\r\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\r\n * @param limit The maximum number of substrings to return.\r\n */\r\npublic fun CharSequence.split(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0): List<String> {\r\n   if (delimiters.size == 1) {\r\n   return split(delimiters[0].toString(), ignoreCase, limit)\r\n   }\r\n\r\n   return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map { substring(it) }\r\n}\r\n\r\n\r\n/**\r\n * Splits this char sequence to a list of strings around occurrences of the specified [delimiter].\r\n * This is specialized version of split which receives single non-empty delimiter and offers better performance\r\n *\r\n * @param delimiter String used as delimiter\r\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\r\n * @param limit The maximum number of substrings to return.\r\n */\r\nprivate fun CharSequence.split(delimiter: String, ignoreCase: Boolean, limit: Int): List<String> {\r\n   require(limit >= 0, { \"Limit must be non-negative, but was $limit.\" })\r\n\r\n   var currentOffset = 0\r\n   var nextIndex = indexOf(delimiter, currentOffset, ignoreCase)\r\n   if (nextIndex == -1 || limit == 1) {\r\n   return listOf(this.toString())\r\n   }\r\n\r\n   val isLimited = limit > 0\r\n   val result = ArrayList<String>(if (isLimited) limit.coerceAtMost(10) else 10)\r\n   do {\r\n   result.add(substring(currentOffset, nextIndex))\r\n   currentOffset = nextIndex + delimiter.length\r\n   // Do not search for next occurrence if we're reaching limit\r\n   if (isLimited && result.size == limit - 1) break\r\n   nextIndex = indexOf(delimiter, currentOffset, ignoreCase)\r\n   } while (nextIndex != -1)\r\n\r\n   result.add(substring(currentOffset, length))\r\n   return result\r\n}\r\n\r\n\r\n/**\r\n * Splits this char sequence around matches of the given regular expression.\r\n *\r\n * @param limit Non-negative value specifying the maximum number of substrings to return.\r\n * Zero by default means no limit is set.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun CharSequence.split(regex: Regex, limit: Int = 0): List<String> = regex.split(this, limit)\r\n\r\n\r\n/**\r\n * Splits this char sequence to a sequence of lines delimited by any of the following character sequences: CRLF, LF or CR.\r\n *\r\n * The lines returned do not include terminating line separators.\r\n */\r\npublic fun CharSequence.lineSequence(): Sequence<String> = splitToSequence(\"\\r\\n\", \"\\n\", \"\\r\")\r\n\r\n\r\n/**\r\n * Splits this char sequence to a list of lines delimited by any of the following character sequences: CRLF, LF or CR.\r\n *\r\n * The lines returned do not include terminating line separators.\r\n */\r\npublic fun CharSequence.lines(): List<String> = lineSequence().toList()\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n\r\npackage kotlin.text\r\n\r\n\r\nimport kotlin.js.RegExp\r\n\r\n\r\n/**\r\n * Converts the characters in the specified array to a string.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic actual fun String(chars: CharArray): String {\r\n   var result = \"\"\r\n   for (char in chars) {\r\n   result += char\r\n   }\r\n   return result\r\n}\r\n\r\n\r\n/**\r\n * Converts the characters from a portion of the specified array to a string.\r\n *\r\n * @throws IndexOutOfBoundsException if

either [offset] or [length] are less than zero\r\n * or `offset + length` is out of [chars] array bounds.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic actual fun String(chars: CharArray, offset: Int, length: Int): String {\r\n if (offset < 0 || length < 0 || chars.size - offset < length)\r\n throw IndexOutOfBoundsException(\"size: ${chars.size}; offset: $offset; length: $length\")\r\n var result = \"\"\r\n for (index in offset until offset + length) {\r\n result += chars[index]\r\n }\r\n return result\r\n}\r\n\r\n/**\r\n * Concatenates characters in this [CharArray] into a String.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic actual fun CharArray.concatToString(): String {\r\n var result = \"\"\r\n for (char in this) {\r\n result += char\r\n }\r\n return result\r\n}\r\n\r\n/**\r\n * Concatenates characters in this [CharArray] or its subrange into a String.\r\n *\r\n * @param startIndex the beginning (inclusive) of the subrange of characters, 0 by default.\r\n * @param endIndex the end (exclusive) of the subrange of characters, size of this array by default.\r\n *\r\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the size of this array.\r\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\r\n@ExperimentalStdlibApi\r\npublic actual fun CharArray.concatToString(startIndex: Int = 0, endIndex: Int = this.size): String {\r\n AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)\r\n var result = \"\"\r\n for (index in startIndex until endIndex) {\r\n result += this[index]\r\n }\r\n return result\r\n}\r\n\r\n/**\r\n * Returns a [CharArray] containing characters of this string.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic actual fun String.toCharArray(): CharArray {\r\n return CharArray(length) { get(it) }\r\n}\r\n\r\n/**\r\n * Returns a [CharArray] containing characters of this string or its substring.\r\n *\r\n * @param startIndex the beginning (inclusive) of the substring, 0 by default.\r\n * @param endIndex the end (exclusive) of the substring, length of this string by default.\r\n *\r\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the length of this string.\r\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\r\n@ExperimentalStdlibApi\r\npublic actual fun String.toCharArray(startIndex: Int = 0, endIndex: Int = this.length): CharArray {\r\n AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\r\n return CharArray(endIndex - startIndex) { get(startIndex + it) }\r\n}\r\n\r\n/**\r\n * Decodes a string from the bytes in UTF-8 encoding in this array.\r\n *\r\n * Malformed byte sequences are replaced by the replacement char `\\uFFFD`.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic actual fun ByteArray.decodeToString(): String {\r\n return decodeUtf8(this, 0, size, false)\r\n}\r\n\r\n/**\r\n * Decodes a string from the bytes in UTF-8 encoding in this array or its subrange.\r\n *\r\n * @param startIndex the beginning (inclusive) of the subrange to decode, 0 by default.\r\n * @param endIndex the end (exclusive) of the subrange to decode, size of this array by default.\r\n * @param throwOnInvalidSequence specifies whether to throw an exception on malformed byte sequence or replace it by the replacement char `\\uFFFD`.\r\n *\r\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the size of this array.\r\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\r\n * @throws CharacterCodingException if the byte array contains malformed UTF-8 byte sequence and [throwOnInvalidSequence] is true.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\r\n@ExperimentalStdlibApi\r\npublic actual fun ByteArray.decodeToString(\r\n startIndex: Int = 0,\r\n endIndex: Int = this.size,\r\n throwOnInvalidSequence: Boolean = false\r\n): String {\r\n AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)\r\n return decodeUtf8(this, startIndex, endIndex, throwOnInvalidSequence)\r\n}\r\n\r\n/**\r\n * Encodes this string to an array of bytes in UTF-8 encoding.\r\n *\r\n * Any malformed char sequence is replaced by the replacement byte sequence.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic actual fun String.encodeToByteArray(): ByteArray {\r\n return encodeUtf8(this, 0, length, false)\r\n}\r\n\r\n/**\r\n * Encodes this string or its substring to

an array of bytes in UTF-8 encoding.\r\n *\r\n * @param startIndex the beginning (inclusive) of the substring to encode, 0 by default.\r\n * @param endIndex the end (exclusive) of the substring to encode, length of this string by default.\r\n * @param throwOnInvalidSequence specifies whether to throw an exception on malformed char sequence or replace.\r\n *\r\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the length of this string.\r\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\r\n
 * @throws CharacterCodingException if this string contains malformed char sequence and [throwOnInvalidSequence] is true.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\r\n@ExperimentalStdlibApi\r\npublic actual fun String.encodeToByteArray(\r\n   startIndex: Int = 0,\r\n   endIndex: Int = this.length,\r\n   throwOnInvalidSequence: Boolean = false\r\n): ByteArray {\r\n AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\r\n   return encodeUtf8(this, startIndex, endIndex, throwOnInvalidSequence)\r\n}\r\n\r\n/**\r\n * Returns a copy of this string converted to upper case using the rules of the default locale.\r\n *\r\n * @sample samples.text.Strings.toUpperCase\r\n
*/\r\n@kotlin.internal.InlineOnly\r\npublic actual inline fun String.toUpperCase(): String = asDynamic().toUpperCase()\r\n\r\n/**\r\n * Returns a copy of this string converted to lower case using the rules of the default locale.\r\n *\r\n * @sample samples.text.Strings.toLowerCase\r\n
 */\r\n@kotlin.internal.InlineOnly\r\npublic actual inline fun String.toLowerCase(): String = asDynamic().toLowerCase()\r\n\r\n@kotlin.internal.InlineOnly\r\ninternal actual inline fun String.nativeIndexOf(str: String, fromIndex: Int): Int = asDynamic().indexOf(str, fromIndex)\r\n\r\n@kotlin.internal.InlineOnly\r\ninternal actual inline fun String.nativeLastIndexOf(str: String, fromIndex: Int): Int = asDynamic().lastIndexOf(str, fromIndex)\r\n\r\n@kotlin.internal.InlineOnly\r\ninternal inline fun String.nativeStartsWith(s: String, position: Int): Boolean = asDynamic().startsWith(s, position)\r\n\r\n@kotlin.internal.InlineOnly\r\ninternal inline fun String.nativeEndsWith(s: String): Boolean = asDynamic().endsWith(s)\r\n\r\n@kotlin.internal.InlineOnly\r\npublic actual inline fun String.substring(startIndex: Int): String = asDynamic().substring(startIndex)\r\n\r\n@kotlin.internal.InlineOnly\r\npublic actual inline fun String.substring(startIndex: Int, endIndex: Int):
 String = asDynamic().substring(startIndex, endIndex)\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun String.concat(str: String): String = asDynamic().concat(str)\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun String.match(regex: String): Array<String>? = asDynamic().match(regex)\r\n\r\n//native public fun String.trim(): String\r\n//TODO: String.replace to implement effective trimLeading and trimTrailing\r\n\r\n@kotlin.internal.InlineOnly\r\ninternal inline fun String.nativeReplace(pattern: RegExp, replacement: String): String = asDynamic().replace(pattern, replacement)\r\n\r\n@SinceKotlin(\"1.2\")\r\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\r\npublic actual fun String.compareTo(other: String, ignoreCase: Boolean = false): Int {\r\n   if (ignoreCase) {\r\n   val n1 = this.length\r\n   val n2 = other.length\r\n   val min = minOf(n1, n2)\r\n   if (min == 0) return n1 - n2\r\n   var start = 0\r\n   while (true) {\r\n
            val end = minOf(start + 16, min)\r\n   var s1 = this.substring(start, end)\r\n   var s2 = other.substring(start, end)\r\n   if (s1 != s2) {\r\n   s1 = s1.toUpperCase()\r\n   s2 = s2.toUpperCase()\r\n   if (s1 != s2) {\r\n   s1 = s1.toLowerCase()\r\n   s2 = s2.toLowerCase()\r\n   if (s1 != s2) {\r\n   return s1.compareTo(s2)\r\n   }\r\n   }\r\n   }\r\n   if (end == min) break\r\n   start = end\r\n   }\r\n   return n1 - n2\r\n   } else {\r\n   return compareTo(other)\r\n   }\r\n}\r\n\r\n\r\nprivate val STRING_CASE_INSENSITIVE_ORDER = Comparator<String> { a, b -> a.compareTo(b, ignoreCase = true) }\r\n\r\n@SinceKotlin(\"1.2\")\r\npublic actual val String.Companion.CASE_INSENSITIVE_ORDER: Comparator<String>\r\n   get() = STRING_CASE_INSENSITIVE_ORDER\r\n","/*\r\n * Copyright 2010-2019
 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// Auto-generated file. DO NOT

EDIT!\r\n\r\npackage kotlin\r\n\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic inline class UByteArray\r\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\r\n@PublishedApi\r\ninternal constructor(@PublishedApi internal val storage: ByteArray) : Collection<UByte> {\r\n\r\n   /** Creates a new array of the specified [size], with all elements initialized to zero. */\r\n   public constructor(size: Int) : this(ByteArray(size))\r\n\r\n   /**\r\n   * Returns the array element at the given [index]. This method can be called using the index operator.\r\n   *\r\n   * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\r\n   * where the behavior is unspecified.\r\n   */\r\n   public operator fun get(index: Int): UByte = storage[index].toUByte()\r\n\r\n   /**\r\n   * Sets the element at the given [index] to the given [value]. This method can be called using the index operator.\r\n   *\r\n   * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\r\n   * where the behavior is unspecified.\r\n   */\r\n   public operator fun set(index: Int, value: UByte) {\r\n   storage[index] = value.toByte()\r\n   }\r\n\r\n   /** Returns the number of elements in the array. */\r\n   public override val size: Int get() = storage.size\r\n\r\n   /** Creates an iterator over the elements of the array. */\r\n   public override operator fun iterator(): UByteIterator = Iterator(storage)\r\n\r\n   private class Iterator(private val array: ByteArray) : UByteIterator() {\r\n   private var index = 0\r\n   override fun hasNext() = index < array.size\r\n   override fun nextUByte() = if (index < array.size) array[index++].toUByte() else throw NoSuchElementException(index.toString())\r\n   }\r\n\r\n   override fun contains(element: UByte): Boolean {\r\n   // TODO: Eliminate this check after KT-30016 gets fixed.\r\n   // Currently JS BE does not generate special bridge method for this method.\r\n   if ((element as Any?) !is UByte) return false\r\n\r\n   return storage.contains(element.toByte())\r\n   }\r\n\r\n   override fun containsAll(elements: Collection<UByte>): Boolean {\r\n   return (elements as Collection<*>).all { it is UByte && storage.contains(it.toByte()) }\r\n   }\r\n\r\n   override fun isEmpty(): Boolean = this.storage.size == 0\r\n}\r\n\r\n/**\r\n * Creates a new array of the specified [size], where each element is calculated by calling the specified\r\n * [init] function.\r\n *\r\n * The function [init] is called for each array element sequentially starting from the first one.\r\n * It should return the value for an array element given its index.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun UByteArray(size: Int, init: (Int) -> UByte): UByteArray {\r\n   return UByteArray(ByteArray(size) { index -> init(index).toByte() })\r\n}\r\n\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ubyteArrayOf(vararg elements: UByte): UByteArray = elements\r\n","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// Auto-generated file. DO NOT EDIT!\r\n\r\npackage kotlin\r\n\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic inline class UIntArray\r\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\r\n@PublishedApi\r\ninternal constructor(@PublishedApi internal val storage: IntArray) : Collection<UInt> {\r\n\r\n   /** Creates a new array of the specified [size], with all elements initialized to zero. */\r\n   public constructor(size: Int) : this(IntArray(size))\r\n\r\n   /**\r\n   * Returns the array element at the given [index]. This method can be called using the index operator.\r\n   *\r\n   * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\r\n   * where the behavior is unspecified.\r\n   */\r\n   public operator fun get(index: Int): UInt = storage[index].toUInt()\r\n\r\n   /**\r\n   * Sets the element at the given [index] to the given [value]. This method can be called using the index operator.\r\n   *\r\n   * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\r\n   * where the behavior is unspecified.\r\n   */\r\n   public operator fun set(index: Int, value: UInt) {\r\n   storage[index] = value.toInt()\r\n   }\r\n\r\n   /** Returns the number of elements in the array. */\r\n   public override val size: Int get() = storage.size\r\n\r\n   /** Creates an iterator over the elements of the array. */\r\n   public override operator fun iterator(): UIntIterator = Iterator(storage)\r\n\r\n   private class Iterator(private val array: IntArray) : UIntIterator() {\r\n   private var index = 0\r\n   override fun

hasNext() = index < array.size\r\n override fun nextUInt() = if (index < array.size) array[index++].toUInt() else throw NoSuchElementException(index.toString())\r\n }\r\n\r\n override fun contains(element: UInt): Boolean {\r\n // TODO: Eliminate this check after KT-30016 gets fixed.\r\n // Currently JS BE does not generate special bridge method for this method.\r\n if ((element as Any?) !is UInt) return false\r\n\r\n return storage.contains(element.toInt())\r\n }\r\n\r\n override fun containsAll(elements: Collection<UInt>): Boolean {\r\n return (elements as Collection<*>).all
{ it is UInt && storage.contains(it.toInt()) }\r\n }\r\n\r\n override fun isEmpty(): Boolean = this.storage.size == 0\r\n}\r\n\r\n/**\r\n * Creates a new array of the specified [size], where each element is calculated by calling the specified\r\n * [init] function.\r\n *\r\n * The function [init] is called for each array element sequentially starting from the first one.\r\n * It should return the value for an array element given its index.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun UIntArray(size: Int, init: (Int) -> UInt): UIntArray {\r\n return UIntArray(IntArray(size) { index ->
init(index).toInt()
})\r\n}\r\n\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun uintArrayOf(vararg elements: UInt): UIntArray = elements\r\n","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source
code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// Auto-generated file. DO NOT EDIT!\r\n\r\npackage
kotlin\r\n\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic inline class ULongArray\r\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\r\n@PublishedApi\r\ninternal constructor(@PublishedApi internal val storage: LongArray) : Collection<ULong> {\r\n\r\n /** Creates a new array of the specified [size], with all elements initialized to zero. */\r\n public constructor(size: Int) : this(LongArray(size))\r\n\r\n /**\r\n * Returns the array element at the given [index]. This method can be called using the index operator.\r\n *\r\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\r\n * where the behavior is unspecified.\r\n */\r\n public operator fun get(index: Int): ULong = storage[index].toULong()\r\n\r\n /**\r\n
* Sets the element at the given [index] to the given [value]. This method can be called using the index operator.\r\n *\r\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\r\n * where the behavior is unspecified.\r\n */\r\n public operator fun set(index: Int, value: ULong) {\r\n storage[index] = value.toLong()\r\n }\r\n\r\n /** Returns the number of elements in the array. */\r\n public override val size: Int get() = storage.size\r\n\r\n /** Creates an iterator over the elements of the array. */\r\n public override operator fun iterator(): ULongIterator = Iterator(storage)\r\n\r\n private class Iterator(private val array: LongArray) : ULongIterator() {\r\n private var index = 0\r\n override fun hasNext() = index < array.size\r\n override fun nextULong() = if (index < array.size) array[index++].toULong() else throw NoSuchElementException(index.toString())\r\n
}\r\n\r\n override fun contains(element: ULong): Boolean {\r\n // TODO: Eliminate this check after KT-30016 gets fixed.\r\n // Currently JS BE does not generate special bridge method for this method.\r\n if ((element as Any?) !is ULong) return false\r\n\r\n return storage.contains(element.toLong())\r\n }\r\n\r\n override fun containsAll(elements: Collection<ULong>): Boolean {\r\n return (elements as Collection<*>).all { it is ULong && storage.contains(it.toLong()) }\r\n }\r\n\r\n override fun isEmpty(): Boolean = this.storage.size == 0\r\n}\r\n\r\n/**\r\n * Creates a new array of the specified [size], where each element is calculated by calling the specified\r\n * [init] function.\r\n *\r\n * The function [init] is called for each array element sequentially starting from the first one.\r\n * It should return the value for an array element given its index.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic
inline fun ULongArray(size: Int, init: (Int) -> ULong): ULongArray {\r\n return ULongArray(LongArray(size) { index -> init(index).toLong()
})\r\n}\r\n\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ulongArrayOf(vararg elements: ULong): ULongArray = elements\r\n","/*\r\n * Copyright 2010-2019

JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// Auto-generated file. DO NOT EDIT!\r\n\r\npackage kotlin\r\n\r\nimport kotlin.experimental.*\r\n\r\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic inline class ULong @PublishedApi internal constructor(@PublishedApi internal val data: Long) : Comparable<ULong> {\r\n\r\n   companion object {\r\n   /**\r\n   * A constant holding the minimum value an instance of ULong can have.\r\n   */\r\n   public const val MIN_VALUE: ULong = ULong(0)\r\n\r\n   /**\r\n   * A constant holding the maximum value an instance of ULong can have.\r\n   */\r\n   public const val MAX_VALUE: ULong = ULong(-1)\r\n\r\n   /**\r\n   * The number of bytes used to represent an instance of ULong in a binary form.\r\n   */\r\n   public const val SIZE_BYTES: Int = 8\r\n\r\n   /**\r\n   * The number of bits used to represent an instance of ULong in a binary form.\r\n   */\r\n   public const val SIZE_BITS: Int = 64\r\n   }\r\n\r\n   /**\r\n   * Compares this value with the specified value for order.\r\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\r\n   * or a positive number if it's greater than other.\r\n   */\r\n   @kotlin.internal.InlineOnly\r\n   public inline operator fun compareTo(other: UByte): Int = this.compareTo(other.toULong())\r\n\r\n\r\n   /**\r\n   * Compares this value with the specified value for order.\r\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\r\n   * or a positive number if it's greater than other.\r\n   */\r\n   @kotlin.internal.InlineOnly\r\n   public inline operator fun compareTo(other: UShort): Int = this.compareTo(other.toULong())\r\n\r\n\r\n   /**\r\n   * Compares this value with the specified value for order.\r\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\r\n   * or a positive number if it's greater than other.\r\n   */\r\n   @kotlin.internal.InlineOnly\r\n   public inline operator fun compareTo(other: UInt): Int = this.compareTo(other.toULong())\r\n\r\n\r\n   /**\r\n   * Compares this value with the specified value for order.\r\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\r\n   * or a positive number if it's greater than other.\r\n   */\r\n   @kotlin.internal.InlineOnly\r\n   @Suppress(\"OVERRIDE_BY_INLINE\")\r\n   public override inline operator fun compareTo(other: ULong): Int = ulongCompare(this.data, other.data)\r\n\r\n\r\n   /** Adds the other value to this value. */\r\n   @kotlin.internal.InlineOnly\r\n   public inline operator fun plus(other: UByte): ULong = this.plus(other.toULong())\r\n\r\n   /** Adds the other value to this value. */\r\n   @kotlin.internal.InlineOnly\r\n   public inline operator fun plus(other: UShort): ULong = this.plus(other.toULong())\r\n\r\n   /** Adds the other value to this value. */\r\n   @kotlin.internal.InlineOnly\r\n   public inline operator fun plus(other: UInt): ULong = this.plus(other.toULong())\r\n\r\n   /** Adds the other value to this value. */\r\n   @kotlin.internal.InlineOnly\r\n   public inline operator fun plus(other: ULong): ULong = ULong(this.data.plus(other.data))\r\n\r\n\r\n   /** Subtracts the other value from this value. */\r\n   @kotlin.internal.InlineOnly\r\n   public inline operator fun minus(other: UByte): ULong = this.minus(other.toULong())\r\n\r\n   /** Subtracts the other value from this value. */\r\n   @kotlin.internal.InlineOnly\r\n   public inline operator fun minus(other: UShort): ULong = this.minus(other.toULong())\r\n\r\n   /** Subtracts the other value from this value. */\r\n   @kotlin.internal.InlineOnly\r\n   public inline operator fun minus(other: UInt): ULong = this.minus(other.toULong())\r\n\r\n   /** Subtracts the other value from this value. */\r\n   @kotlin.internal.InlineOnly\r\n   public inline operator fun minus(other: ULong): ULong = ULong(this.data.minus(other.data))\r\n\r\n\r\n   /** Multiplies this value by the other value. */\r\n   @kotlin.internal.InlineOnly\r\n   public inline operator fun times(other: UByte): ULong = this.times(other.toULong())\r\n\r\n   /** Multiplies this value by the other value. */\r\n   @kotlin.internal.InlineOnly\r\n   public inline operator fun times(other: UShort): ULong = this.times(other.toULong())\r\n\r\n   /** Multiplies this value by the other value. */\r\n   @kotlin.internal.InlineOnly\r\n   public inline operator fun times(other: UInt): ULong = this.times(other.toULong())\r\n\r\n   /** Multiplies this value by the other value. */\r\n

@kotlin.internal.InlineOnly\r\n public inline operator fun times(other: ULong): ULong = ULong(this.data.times(other.data))\r\n\r\n /** Divides this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun div(other: UByte): ULong = this.div(other.toULong())\r\n /** Divides this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun div(other: UShort): ULong = this.div(other.toULong())\r\n /** Divides this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun div(other: UInt): ULong = this.div(other.toULong())\r\n

/** Divides this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun div(other: ULong): ULong = ulongDivide(this, other)\r\n\r\n /** Calculates the remainder of dividing this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun rem(other: UByte): ULong = this.rem(other.toULong())\r\n /** Calculates the remainder of dividing this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun rem(other: UShort): ULong = this.rem(other.toULong())\r\n /** Calculates the remainder of dividing this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun rem(other: UInt): ULong = this.rem(other.toULong())\r\n /** Calculates the remainder of dividing this value by the other value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun rem(other: ULong): ULong = ulongRemainder(this, other)\r\n\r\n /** Increments this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun inc(): ULong = ULong(data.inc())\r\n /** Decrements this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun dec(): ULong = ULong(data.dec())\r\n\r\n /** Creates a range from this value to the specified [other] value. */\r\n @kotlin.internal.InlineOnly\r\n public inline operator fun rangeTo(other: ULong): ULongRange = ULongRange(this, other)\r\n\r\n /** Shifts this value left by the [bitCount] number of bits. */\r\n @kotlin.internal.InlineOnly\r\n public inline infix fun shl(bitCount: Int): ULong = ULong(data shl bitCount)\r\n /** Shifts this value right by the [bitCount] number of bits, filling the leftmost bits with zeros. */\r\n @kotlin.internal.InlineOnly\r\n public inline infix fun shr(bitCount: Int): ULong = ULong(data ushr bitCount)\r\n /** Performs a bitwise AND operation between the two values.

*/\r\n @kotlin.internal.InlineOnly\r\n public inline infix fun and(other: ULong): ULong = ULong(this.data and other.data)\r\n /** Performs a bitwise OR operation between the two values. */\r\n @kotlin.internal.InlineOnly\r\n public inline infix fun or(other: ULong): ULong = ULong(this.data or other.data)\r\n /** Performs a bitwise XOR operation between the two values. */\r\n @kotlin.internal.InlineOnly\r\n public inline infix fun xor(other: ULong): ULong = ULong(this.data xor other.data)\r\n /** Inverts the bits in this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline fun inv(): ULong = ULong(data.inv())\r\n\r\n /**\r\n * Converts this [ULong] value to [Byte].\r\n *\r\n * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\r\n * the same numerical value as this `ULong`.\r\n *\r\n * The resulting `Byte` value is represented by the least significant 8 bits of this `ULong`

value.\r\n * Note that the resulting `Byte` value may be negative.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toByte(): Byte = data.toByte()\r\n /**\r\n * Converts this [ULong] value to [Short].\r\n *\r\n * If this value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value represents\r\n * the same numerical value as this `ULong`.\r\n *\r\n * The resulting `Short` value is represented by the least significant 16 bits of this `ULong` value.\r\n * Note that the resulting `Short` value may be negative.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toShort(): Short = data.toShort()\r\n /**\r\n * Converts this [ULong] value to [Int].\r\n *\r\n * If this value is less than or equals to [Int.MAX_VALUE], the resulting `Int` value represents\r\n * the same numerical value as this `ULong`.\r\n *\r\n * The resulting `Int` value is represented by the least significant

32 bits of this `ULong` value.\r\n * Note that the resulting `Int` value may be negative.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toInt(): Int = data.toInt()\r\n /**\r\n * Converts this [ULong] value to [Long].\r\n *\r\n * If this value is less than or equals to [Long.MAX_VALUE], the resulting `Long` value represents\r\n * the same numerical value as this `ULong`. Otherwise the result is negative.\r\n *\r\n *

The resulting `Long` value has the same binary representation as this `ULong` value.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toLong(): Long = data\r\n\r\n /**\r\n * Converts this [ULong] value to [UByte].\r\n *\r\n * If this value is less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\r\n * the same numerical value as this `ULong`.\r\n *\r\n * The resulting `UByte` value is represented by the least significant 8 bits of this `ULong` value.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toUByte(): UByte = data.toUByte()\r\n /**\r\n * Converts this [ULong] value to [UShort].\r\n *\r\n * If this value is less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\r\n * the same numerical value as this `ULong`.\r\n *\r\n * The resulting `UShort` value is represented by the least significant 16 bits of this `ULong` value.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toUShort(): UShort = data.toUShort()\r\n /**\r\n * Converts this [ULong] value to [UInt].\r\n *\r\n * If this value is less than or equals to [UInt.MAX_VALUE], the resulting `UInt` value represents\r\n * the same numerical value as this `ULong`.\r\n *\r\n * The resulting `UInt` value is represented by the least significant 32 bits of this `ULong` value.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toUInt(): UInt = data.toUInt()\r\n /** Returns this value. */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toULong(): ULong = this\r\n\r\n\r\n /**\r\n * Converts this [ULong] value to [Float].\r\n *\r\n * The resulting value is the closest `Float` to this `ULong` value.\r\n * In case when this `ULong` value is exactly between two `Float`s,\r\n * the one with zero at least significant bit of mantissa is selected.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toFloat(): Float = this.toDouble().toFloat()\r\n /**\r\n * Converts this [ULong] value to [Double].\r\n *\r\n * The resulting value is the closest `Double` to this `ULong` value.\r\n * In case when this `ULong` value is exactly between two `Double`s,\r\n * the one with zero at least significant bit of mantissa is selected.\r\n */\r\n @kotlin.internal.InlineOnly\r\n public inline fun toDouble(): Double = ulongToDouble(data)\r\n\r\n public override fun toString(): String = ulongToString(data)\r\n\r\n}\r\n\r\n/**\r\n * Converts this [Byte] value to [ULong].\r\n *\r\n * If this value is positive, the resulting `ULong` value represents the same numerical value as this `Byte`.\r\n *\r\n * The least significant 8 bits of the resulting `ULong` value are the same as the bits of this `Byte` value,\r\n * whereas the most significant 56 bits are filled with the sign bit of this value.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Byte.toULong(): ULong = ULong(this.toLong())\r\n/**\r\n * Converts this [Short] value to [ULong].\r\n *\r\n * If this value is positive, the resulting `ULong` value represents the same numerical value as this `Short`.\r\n *\r\n * The least significant 16 bits of the resulting `ULong` value are the same as the bits of this `Short` value,\r\n * whereas the most significant 48 bits are filled with the sign bit of this value.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Short.toULong(): ULong = ULong(this.toLong())\r\n/**\r\n * Converts this [Int] value to [ULong].\r\n *\r\n * If this value is positive, the resulting `ULong` value represents the same numerical value as this `Int`.\r\n *\r\n * The least significant 32 bits of the resulting `ULong` value are the same as the bits of this `Int` value,\r\n * whereas the most significant 32 bits are filled with the sign bit of this value.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Int.toULong(): ULong = ULong(this.toLong())\r\n/**\r\n * Converts this [Long] value to [ULong].\r\n *\r\n * If this value is positive, the resulting `ULong` value represents the same numerical value as this `Long`.\r\n *\r\n * The resulting `ULong` value has the same binary representation as this `Long` value.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Long.toULong(): ULong = ULong(this)\r\n\r\n/**\r\n * Converts this [Float] value to [ULong].\r\n *\r\n * The fractional part, if any, is rounded down.\r\n * Returns zero if this `Float` value is negative or `NaN`, [ULong.MAX_VALUE] if it's bigger than `ULong.MAX_VALUE`.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Float.toULong(): ULong = doubleToULong(this.toDouble())\r\n/**\r\n * Converts this [Double] value to [ULong].\r\n *\r\n * The fractional part, if any, is rounded down.\r\n * Returns zero if this `Double` value is negative

or `NaN`, [ULong.MAX_VALUE] if it's bigger than `ULong.MAX_VALUE`.\r\n
/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Double.toULong(): ULong = doubleToULong(this)\r\n","/\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n
*/\r\n\r\n// Auto-generated file. DO NOT EDIT!\r\n\r\npackage
kotlin\r\n\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic inline class
UShortArray\r\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\r\n@PublishedApi\r\ninternal constructor(@PublishedApi internal val storage: ShortArray) : Collection<UShort> {\r\n\r\n
/** Creates a new array of the specified [size], with all elements initialized to zero. */\r\n public constructor(size: Int) : this(ShortArray(size))\r\n\r\n
/**\r\n * Returns the array element at the given [index]. This method can be called using the index operator.\r\n *\r\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\r\n * where the behavior is unspecified.\r\n */\r\n public operator fun get(index: Int): UShort = storage[index].toUShort()\r\n\r\n
/**\r\n * Sets the element at the given [index] to the given [value]. This method can be called using the index operator.\r\n *\r\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\r\n * where the behavior is unspecified.\r\n */\r\n public operator fun set(index: Int, value: UShort) {\r\n storage[index] = value.toShort()\r\n }\r\n\r\n
/** Returns the number of elements in the array. */\r\n public override val size: Int get() = storage.size\r\n\r\n
/** Creates an iterator over the elements of the array. */\r\n public override operator fun iterator(): UShortIterator = Iterator(storage)\r\n\r\n
private class Iterator(private val array: ShortArray) : UShortIterator() {\r\n private var index = 0\r\n override fun hasNext() = index < array.size\r\n override fun nextUShort() = if (index < array.size) array[index++].toUShort() else throw NoSuchElementException(index.toString())\r\n
}\r\n\r\n override fun contains(element: UShort): Boolean {\r\n // TODO: Eliminate this check after KT-30016 gets fixed.\r\n // Currently JS BE does not generate special bridge method for this method.\r\n if ((element as Any?) !is UShort) return false\r\n\r\n return storage.contains(element.toShort())\r\n }\r\n\r\n override fun containsAll(elements: Collection<UShort>): Boolean {\r\n return (elements as Collection<*>).all { it is UShort && storage.contains(it.toShort()) }\r\n }\r\n\r\n override fun isEmpty(): Boolean = this.storage.size == 0\r\n}\r\n\r\n/**\r\n * Creates a new array of the specified [size], where each element is calculated by calling the specified\r\n * [init] function.\r\n *\r\n * The function [init] is called for each array element sequentially starting from the first one.\r\n * It should return the value for an array element given its index.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic
inline fun UShortArray(size: Int, init: (Int) -> UShort): UShortArray {\r\n return UShortArray(ShortArray(size) { index -> init(index).toShort()
})\r\n}\r\n\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ushortArrayOf(vararg elements: UShort): UShortArray = elements\r\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"UArraysKt\")\n@file:kotlin.jvm.JvmPackageName(\"kotlin.collections.unsigned\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n
* Returns 1st *element* from the collection.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component1(): UInt {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component1(): ULong {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component1(): UByte {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component1(): UShort {\n   return get(0)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component2(): UInt {\n   return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component2(): ULong {\n   return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component2(): UByte {\n   return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component2(): UShort {\n   return get(1)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component3(): UInt {\n   return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component3(): ULong {\n   return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component3(): UByte {\n   return get(2)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component3(): UShort {\n   return get(2)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component4(): UInt {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component4(): ULong {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component4(): UByte {\n   return get(3)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component5(): UInt {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component5(): ULong {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component5(): UByte {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component5(): UShort {\n   return get(4)\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.elementAt(index: Int): UInt\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.elementAt(index: Int): ULong\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample

samples.collections.Collections.Elements.elementAt\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UByteArray.elementAt(index: Int): UByte\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UShortArray.elementAt(index: Int): UShort\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.elementAtOrNull(index: Int): UInt? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.elementAtOrNull(index: Int): ULong? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.elementAtOrNull(index: Int): UByte? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.elementAtOrNull(index: Int): UShort? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.find(predicate: (UInt) -> Boolean): UInt? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.find(predicate: (ULong) -> Boolean): ULong? {\n   return firstOrNull(predicate)\n}\n\n/**\n *

Returns the first element matching the given [predicate], or `null` if no such element was found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.find(predicate: (UByte) -> Boolean): UByte? {\n   return firstOrNull(predicate)\n}\n\n/**\n
* Returns the first element matching the given [predicate], or `null` if no such element was found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.find(predicate: (UShort) -> Boolean): UShort? {\n   return firstOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.findLast(predicate: (UInt) -> Boolean): UInt? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.findLast(predicate:
(ULong) -> Boolean): ULong? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching
the given [predicate], or `null` if no such element was found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.findLast(predicate: (UByte) -> Boolean): UByte? {\n   return lastOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.findLast(predicate: (UShort) -> Boolean): UShort? {\n   return lastOrNull(predicate)\n}\n\n/**\n *
Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.first(): UInt {\n   return storage.first().toUInt()\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.first(): ULong {\n   return storage.first().toULong()\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.first(): UByte {\n   return storage.first().toUByte()\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.first(): UShort {\n   return storage.first().toUShort()\n}\n\n/**\n * Returns the first element matching
the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.first(predicate:
(UInt) -> Boolean): UInt {\n   for (element in this) if (predicate(element)) return element\n   throw
NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.first(predicate: (ULong) -> Boolean): ULong {\n   for (element in this) if (predicate(element)) return
element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n *
Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.first(predicate: (UByte) -> Boolean): UByte {\n   for (element in this) if (predicate(element))
return element\n   throw NoSuchElementException(\"Array contains no element matching the
predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

UShortArray.first(predicate: (UShort) -> Boolean): UShort {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.firstOrNull(): UInt? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.firstOrNull(): ULong? {\n return if (isEmpty()) null
else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.firstOrNull(): UByte? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.firstOrNull(): UShort? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.firstOrNull(predicate: (UInt) -> Boolean): UInt? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.firstOrNull(predicate: (ULong) -> Boolean): ULong? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.firstOrNull(predicate: (UByte) -> Boolean): UByte? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.firstOrNull(predicate: (UShort) -> Boolean): UShort? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function
if the [index] is out of bounds of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.getOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.getOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.getOrElse(index:
Int, defaultValue: (Int) -> UByte): UByte {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.getOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.getOrNull(index: Int): UInt? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
fun ULongArray.getOrNull(index: Int): ULong? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.getOrNull(index: Int): UByte? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.getOrNull(index: Int): UShort? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.indexOf(element: UInt): Int {\n   return storage.indexOf(element.toInt())\n}\n\n/**\n
* Returns first index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.indexOf(element: ULong): Int {\n   return storage.indexOf(element.toLong())\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.indexOf(element: UByte): Int {\n   return storage.indexOf(element.toByte())\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.indexOf(element: UShort): Int {\n   return storage.indexOf(element.toShort())\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.indexOfFirst(predicate: (UInt) -> Boolean): Int {\n   return storage.indexOfFirst { predicate(it.toUInt()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.indexOfFirst(predicate: (ULong) -> Boolean): Int {\n   return storage.indexOfFirst { predicate(it.toULong()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.indexOfFirst(predicate: (UByte) -> Boolean): Int {\n   return storage.indexOfFirst { predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the first element matching
the given [predicate], or -1 if the array does not contain such element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.indexOfFirst(predicate: (UShort) -> Boolean): Int {\n   return storage.indexOfFirst { predicate(it.toUShort()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.indexOfLast(predicate: (UInt) -> Boolean): Int {\n   return storage.indexOfLast { predicate(it.toUInt()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.indexOfLast(predicate: (ULong) -> Boolean): Int {\n   return storage.indexOfLast { predicate(it.toULong())
}\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.indexOfLast(predicate: (UByte) -> Boolean): Int {\n   return storage.indexOfLast { predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

UShortArray.indexOfLast(predicate: (UShort) -> Boolean): Int {\n   return storage.indexOfLast { predicate(it.toUShort()) }\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.last(): UInt {\n   return storage.last().toUInt()\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.last(): ULong {\n   return storage.last().toULong()\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.last(): UByte {\n   return storage.last().toUByte()\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.last(): UShort {\n   return storage.last().toUShort()\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.last(predicate: (UInt) -> Boolean): UInt {\n   for (index in this.indices.reversed()) {\n   val element = this[index]\n   if (predicate(element)) return element\n   }\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.last(predicate: (ULong) -> Boolean): ULong {\n   for (index in this.indices.reversed()) {\n   val element = this[index]\n   if (predicate(element)) return element\n   }\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.last(predicate: (UByte) -> Boolean): UByte {\n   for (index in this.indices.reversed()) {\n   val element = this[index]\n   if (predicate(element)) return element\n   }\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.last(predicate: (UShort) -> Boolean): UShort {\n   for (index in this.indices.reversed()) {\n   val element = this[index]\n   if (predicate(element)) return element\n   }\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.lastIndexOf(element: UInt): Int {\n   return storage.lastIndexOf(element.toInt())\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.lastIndexOf(element: ULong): Int {\n   return storage.lastIndexOf(element.toLong())\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.lastIndexOf(element: UByte): Int {\n   return storage.lastIndexOf(element.toByte())\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.lastIndexOf(element: UShort): Int {\n   return storage.lastIndexOf(element.toShort())\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.lastOrNull(): UInt? {\n   return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.lastOrNull(): ULong? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.lastOrNull(): UByte? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.lastOrNull(): UShort? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.lastOrNull(predicate: (UInt) -> Boolean): UInt? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.lastOrNull(predicate: (ULong) -> Boolean): ULong? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.lastOrNull(predicate: (UByte) -> Boolean): UByte? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.lastOrNull(predicate: (UShort) -> Boolean): UShort? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.random(): UInt {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.random(): ULong {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.random(): UByte {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.random(): UShort {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.random(random: Random): UInt {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.random(random: Random): ULong {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.random(random: Random): UByte {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun

UShortArray.random(random: Random): UShort {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.single(): UInt {\n   return storage.single().toUInt()\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.single(): ULong {\n   return storage.single().toULong()\n}\n\n/**\n * Returns the single element, or throws an exception
 if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.single(): UByte {\n   return storage.single().toUByte()\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.single(): UShort {\n   return storage.single().toUShort()\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.single(predicate: (UInt) -> Boolean): UInt {\n   var single: UInt? = null\n   var found = false\n   for (element in this) {\n   if (predicate(element)) {\n   if (found) throw IllegalArgumentException(\"Array contains
 more than one matching element.\")\n   single = element\n   found = true\n   }\n   }\n   if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n   @Suppress(\"UNCHECKED_CAST\")\n   return single as UInt\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.single(predicate: (ULong) -> Boolean): ULong {\n   var single: ULong? = null\n   var found = false\n   for (element in this) {\n   if (predicate(element)) {\n   if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n   single = element\n   found = true\n   }\n   }\n   if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n   @Suppress(\"UNCHECKED_CAST\")\n
    return single as ULong\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.single(predicate: (UByte) -> Boolean): UByte {\n   var single: UByte? = null\n   var found = false\n   for (element in this) {\n   if (predicate(element)) {\n   if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n   single = element\n   found = true\n   }\n   }\n   if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n   @Suppress(\"UNCHECKED_CAST\")\n   return single as UByte\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
 inline fun UShortArray.single(predicate: (UShort) -> Boolean): UShort {\n   var single: UShort? = null\n   var found = false\n   for (element in this) {\n   if (predicate(element)) {\n   if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n   single = element\n   found = true\n   }\n   }\n   if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n   @Suppress(\"UNCHECKED_CAST\")\n   return single as UShort\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.singleOrNull(): UInt? {\n   return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more

than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.singleOrNull(): ULong? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single
element, or `null` if the array is empty or has more than one element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.singleOrNull(): UByte? {\n
return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more
than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.singleOrNull(): UShort? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single
element matching the given [predicate], or `null` if element was not found or more than one element was found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.singleOrNull(predicate: (UInt) -> Boolean): UInt? {\n var single: UInt? = null\n var found = false\n
for (element in this) {\n if (predicate(element))
{\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return
null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element
was not found or more than one element was found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.singleOrNull(predicate: (ULong) -> Boolean): ULong? {\n var single: ULong? = null\n var found
= false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single =
element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UByteArray.singleOrNull(predicate: (UByte) -> Boolean): UByte? {\n var single: UByte? = null\n var
found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single
= element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UShortArray.singleOrNull(predicate: (UShort) -> Boolean): UShort? {\n var single: UShort? = null\n var
found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single
= element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns a list
containing all elements except
first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.drop(n: Int): List<UInt> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.drop(n: Int): List<ULong> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.drop(n: Int): List<UByte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.drop(n: Int): List<UShort> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size -

n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.dropLast(n: Int): List<UInt> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.dropLast(n: Int): List<ULong> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.dropLast(n: Int): List<UByte> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.dropLast(n: Int): List<UShort> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.dropLastWhile(predicate: (UInt) -> Boolean): List<UInt> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.dropLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.dropLastWhile(predicate: (UByte) -> Boolean): List<UByte> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.dropLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.dropWhile(predicate: (UInt) -> Boolean): List<UInt> {\n var yielding = false\n val list = ArrayList<UInt>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.dropWhile(predicate: (ULong) -> Boolean): List<ULong> {\n   var yielding = false\n   val list = ArrayList<ULong>()\n   for (item in this)\n   if (yielding)\n   list.add(item)\n   else if (!predicate(item)) {\n   list.add(item)\n   yielding = true\n   }\n   return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.dropWhile(predicate: (UByte) -> Boolean): List<UByte> {\n   var yielding = false\n   val list = ArrayList<UByte>()\n   for (item in this)\n   if (yielding)\n   list.add(item)\n   else if (!predicate(item)) {\n   list.add(item)\n   yielding = true\n   }\n   return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.dropWhile(predicate: (UShort) -> Boolean): List<UShort> {\n   var yielding = false\n   val list = ArrayList<UShort>()\n   for (item in this)\n   if (yielding)\n   list.add(item)\n   else if (!predicate(item)) {\n   list.add(item)\n   yielding = true\n   }\n   return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.filter(predicate: (UInt) -> Boolean): List<UInt> {\n   return filterTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.filter(predicate: (ULong) -> Boolean): List<ULong> {\n   return filterTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.filter(predicate: (UByte) -> Boolean): List<UByte> {\n   return filterTo(ArrayList<UByte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.filter(predicate: (UShort) -> Boolean): List<UShort> {\n   return filterTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.filterIndexed(predicate: (index: Int, UInt) -> Boolean): List<UInt> {\n   return filterIndexedTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.filterIndexed(predicate: (index: Int, ULong) -> Boolean): List<ULong> {\n   return filterIndexedTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.filterIndexed(predicate: (index: Int, UByte) -> Boolean): List<UByte> {\n   return filterIndexedTo(ArrayList<UByte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic

inline fun UShortArray.filterIndexed(predicate: (index: Int, UShort) -> Boolean): List<UShort> {\n return filterIndexedTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UInt>> UIntArray.filterIndexedTo(destination: C, predicate: (index: Int, UInt) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in ULong>> ULongArray.filterIndexedTo(destination: C, predicate: (index: Int, ULong) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UByte>> UByteArray.filterIndexedTo(destination: C, predicate: (index: Int, UByte) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UShort>> UShortArray.filterIndexedTo(destination: C, predicate: (index: Int, UShort) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.filterNot(predicate: (UInt) -> Boolean): List<UInt> {\n return filterNotTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not
matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.filterNot(predicate: (ULong) -> Boolean): List<ULong> {\n return filterNotTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.filterNot(predicate: (UByte) -> Boolean): List<UByte> {\n return filterNotTo(ArrayList<UByte>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.filterNot(predicate: (UShort) -> Boolean): List<UShort> {\n return filterNotTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <C : MutableCollection<in UInt>> UIntArray.filterNotTo(destination: C, predicate: (UInt) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :

MutableCollection<in ULong>> ULongArray.filterNotTo(destination: C, predicate: (ULong) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UByte>> UByteArray.filterNotTo(destination: C, predicate: (UByte) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UShort>> UShortArray.filterNotTo(destination: C, predicate: (UShort) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UInt>> UIntArray.filterTo(destination: C, predicate: (UInt) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in ULong>> ULongArray.filterTo(destination: C, predicate: (ULong) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UByte>> UByteArray.filterTo(destination: C, predicate: (UByte) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UShort>> UShortArray.filterTo(destination: C, predicate: (UShort) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: IntRange): List<UInt> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: IntRange): List<ULong> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: IntRange): List<UByte> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: IntRange): List<UShort> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: Iterable<Int>): List<UInt> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<UInt>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: Iterable<Int>): List<ULong> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<ULong>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: Iterable<Int>): List<UByte> {\n   val size = indices.collectionSizeOrDefault(10)\n   if (size == 0) return emptyList()\n   val list = ArrayList<UByte>(size)\n   for (index in indices) {\n   list.add(get(index))\n   }\n   return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: Iterable<Int>): List<UShort> {\n   val size = indices.collectionSizeOrDefault(10)\n   if (size == 0) return emptyList()\n   val list = ArrayList<UShort>(size)\n   for (index in indices) {\n   list.add(get(index))\n   }\n   return list\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sliceArray(indices: Collection<Int>): UIntArray {\n   return UIntArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sliceArray(indices: Collection<Int>): ULongArray {\n   return ULongArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sliceArray(indices: Collection<Int>): UByteArray {\n   return UByteArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements of this array at
 specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sliceArray(indices: Collection<Int>): UShortArray {\n   return UShortArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sliceArray(indices: IntRange): UIntArray {\n   return UIntArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sliceArray(indices: IntRange): ULongArray {\n   return ULongArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sliceArray(indices: IntRange): UByteArray {\n   return UByteArray(storage.sliceArray(indices))\n}\n\n/**\n
 * Returns an array containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sliceArray(indices: IntRange): UShortArray {\n   return UShortArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.take(n: Int): List<UInt> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<UInt>(n)\n   for (item in this) {\n   if (count++ == n)\n   break\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n]
 elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.take(n: Int): List<ULong> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<ULong>(n)\n   for (item in this) {\n   if (count++ == n)\n   break\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.take(n: Int): List<UByte> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0)

```
 return emptyList()\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UByte>(n)\n    for (item in this) {\n        if (count++ == n)\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.take(n: Int): List<UShort> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UShort>(n)\n    for (item in this) {\n        if (count++ == n)\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n
 * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.takeLast(n: Int): List<UInt> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<UInt>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.takeLast(n: Int): List<ULong> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size
 = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<ULong>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.takeLast(n: Int): List<UByte> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<UByte>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.takeLast(n: Int): List<UShort> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<UShort>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.takeLastWhile(predicate: (UInt) -> Boolean): List<UInt> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n
 Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.takeLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.takeLastWhile(predicate: (UByte) -> Boolean): List<UByte> {\n    for (index in lastIndex downTo 0)
```

{\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing
last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.takeLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n for (index in lastIndex downTo 0)
{\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n *
Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.takeWhile(predicate: (UInt) -> Boolean): List<UInt> {\n val list = ArrayList<UInt>()\n for (item in
this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list
containing first elements satisfying
the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.takeWhile(predicate: (ULong) -> Boolean): List<ULong> {\n val list = ArrayList<ULong>()\n for
(item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n *
Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.takeWhile(predicate: (UByte) -> Boolean): List<UByte> {\n val list = ArrayList<UByte>()\n for
(item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n *
Returns a list containing first elements satisfying the given [predicate].\n
* \n * @sample samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.takeWhile(predicate: (UShort) -> Boolean): List<UShort> {\n val list = ArrayList<UShort>()\n for
(item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n *
Reverses elements in the array in-place.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reverse(): Unit {\n storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reverse(): Unit {\n storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reverse():
Unit {\n storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reverse(): Unit {\n storage.reverse()\n}\n\n/**\n * Returns a list with elements in reversed order.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.reversed(): List<UInt> {\n if
(isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a
list with elements in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.reversed(): List<ULong> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n
list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.reversed(): List<UByte> {\n
if (isEmpty()) return emptyList()\n
val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed
order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.reversed():
List<UShort> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return
list\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reversedArray(): UIntArray {\n   return UIntArray(storage.reversedArray())\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reversedArray(): ULongArray {\n   return ULongArray(storage.reversedArray())\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reversedArray(): UByteArray {\n   return UByteArray(storage.reversedArray())\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reversedArray(): UShortArray {\n   return UShortArray(storage.reversedArray())\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortDescending(): Unit {\n   if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortDescending(): Unit {\n   if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortDescending(): Unit {\n   if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortDescending(): Unit {\n   if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sorted(): List<UInt> {\n   return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sorted(): List<ULong> {\n   return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sorted(): List<UByte> {\n   return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sorted(): List<UShort> {\n   return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedArray(): UIntArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedArray(): ULongArray {\n   if (isEmpty())\n   return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedArray(): UByteArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedArray(): UShortArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedArrayDescending(): UIntArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all

elements of this array sorted descending according to their natural sort order.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedArrayDescending():
ULongArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n *
Returns an array with all elements of this array sorted descending according to their natural sort order.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedArrayDescending():
UByteArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n *
Returns an array with all elements of this array sorted descending according to their natural sort order.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedArrayDescending():
UShortArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n *
Returns a list of all elements sorted descending according
to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to
each other after sorting.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.sortedDescending(): List<UInt> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a
list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that
equal elements preserve their order relative to each other after sorting.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedDescending():
List<ULong> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted
descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve
their order relative to each other after sorting.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
fun UByteArray.sortedDescending():
List<UByte> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted
descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve
their order relative to each other after sorting.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
fun UShortArray.sortedDescending(): List<UShort> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n *
Returns an array of type [ByteArray], which is a view of this array where each element is a signed reinterpretation\n
* of the corresponding element of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.asByteArray(): ByteArray {\n   return storage\n}\n\n/**\n * Returns an array of type [IntArray], which
is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this
array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.asIntArray(): IntArray {\n   return storage\n}\n\n/**\n * Returns a [List] that wraps the
original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.asList():
List<UInt>\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.asList():
List<ULong>\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UByteArray.asList():
List<UByte>\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UShortArray.asList():
List<UShort>\n\n/**\n * Returns an array of type [LongArray], which is a view of this array where each element is
a signed reinterpretation\n * of the corresponding element of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.asLongArray(): LongArray {\n   return storage\n}\n\n/**\n * Returns an array of type
[ShortArray], which is a view of this array where each element is a signed reinterpretation\n * of the corresponding
element of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.asShortArray(): ShortArray {\n   return storage\n}\n\n/**\n * Returns an array of type [UByteArray],
which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding element of
this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline

fun ByteArray.asUByteArray(): UByteArray {\n   return UByteArray(this)\n}\n\n/**\n * Returns an array of type [UIntArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding
 element of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.asUIntArray(): UIntArray {\n   return UIntArray(this)\n}\n\n/**\n * Returns an array of type [ULongArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.asULongArray(): ULongArray {\n   return ULongArray(this)\n}\n\n/**\n * Returns an array of type [UShortArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.asUShortArray(): UShortArray {\n   return UShortArray(this)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n
 * i.e. contain the same number of the same elements in the same order.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UIntArray.contentEquals(other: UIntArray): Boolean {\n   return storage.contentEquals(other.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray.contentEquals(other: ULongArray): Boolean {\n   return storage.contentEquals(other.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray.contentEquals(other: UByteArray): Boolean {\n   return storage.contentEquals(other.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays
 are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray.contentEquals(other: UShortArray): Boolean {\n   return storage.contentEquals(other.storage)\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentHashCode(): Int {\n   return storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.contentHashCode(): Int {\n return storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.contentHashCode(): Int {\n   return storage.contentHashCode()\n}\n\n/**\n
 * Returns a hash code based on the contents of this array as if it is [List].\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentHashCode(): Int {\n return storage.contentHashCode()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentToString(): String {\n return joinToString(\", \", \"[\", \"]\")\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.contentToString(): String {\n return joinToString(\", \", \"[\", \"]\")\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n
 * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.contentToString(): String {\n

return joinToString(\", \", \"[\", \"]\")\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentToString(): String {\n return joinToString(\", \", \"[\", \"]\")\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning
(inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.copyInto(destination: UIntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): UIntArray {\n storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and
returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.copyInto(destination: ULongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ULongArray {\n storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex
> endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.copyInto(destination: UByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): UByteArray {\n storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by

default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.copyInto(destination: UShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): UShortArray {\n   storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n   return destination\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.copyOf(): UIntArray {\n   return UIntArray(storage.copyOf())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.copyOf(): ULongArray {\n   return ULongArray(storage.copyOf())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.copyOf(): UByteArray {\n   return UByteArray(storage.copyOf())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.copyOf(): UShortArray {\n   return UShortArray(storage.copyOf())\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.copyOf(newSize: Int): UIntArray {\n   return UIntArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.copyOf(newSize: Int): ULongArray {\n   return ULongArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.copyOf(newSize: Int): UByteArray {\n   return UByteArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.copyOf(newSize: Int): UShortArray {\n   return UShortArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of

the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range
(exclusive), must be in `fromIndex..array.size`\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.copyOfRange(fromIndex: Int, toIndex: Int): UIntArray {\n   return UIntArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.copyOfRange(fromIndex: Int, toIndex: Int): ULongArray {\n   return ULongArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the
end of the range (exclusive), must be in `fromIndex..array.size`\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.copyOfRange(fromIndex: Int, toIndex: Int): UByteArray {\n   return UByteArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.copyOfRange(fromIndex: Int, toIndex: Int): UShortArray {\n   return UShortArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of
the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.fill(element: UInt, fromIndex: Int = 0, toIndex: Int = size): Unit {\n   storage.fill(element.toInt(), fromIndex, toIndex)\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.fill(element:
ULong, fromIndex: Int = 0, toIndex: Int = size): Unit {\n   storage.fill(element.toLong(), fromIndex, toIndex)\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.fill(element: UByte, fromIndex: Int = 0, toIndex: Int = size): Unit {\n   storage.fill(element.toByte(), fromIndex, toIndex)\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this
array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.fill(element: UShort, fromIndex: Int = 0, toIndex: Int = size): Unit {\n   storage.fill(element.toShort(), fromIndex, toIndex)\n}\n\n/**\n * Returns the range of valid indices for the array.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.indices: IntRange\n get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.indices: IntRange\n get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.indices: IntRange\n get()
= storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UShortArray.indices: IntRange\n get() = storage.indices\n\n/**\n * Returns the last valid index for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.lastIndex: Int\n get() = storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.lastIndex: Int\n get() = storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.lastIndex: Int\n get() = storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UShortArray.lastIndex: Int\n get() = storage.lastIndex\n\n/**\n * Returns an array containing
all elements of the original array and then the given [element].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.plus(element: UInt): UIntArray {\n return UIntArray(storage + element.toInt())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.plus(element: ULong): ULongArray {\n return ULongArray(storage + element.toLong())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.plus(element: UByte): UByteArray {\n return UByteArray(storage + element.toByte())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.plus(element: UShort): UShortArray {\n return UShortArray(storage + element.toShort())\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun UIntArray.plus(elements: Collection<UInt>): UIntArray {\n var index = size\n val result = storage.copyOf(size + elements.size)\n for (element in elements) result[index++] = element.toInt()\n return UIntArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun ULongArray.plus(elements: Collection<ULong>): ULongArray {\n var index = size\n val result = storage.copyOf(size +
elements.size)\n for (element in elements) result[index++] = element.toLong()\n return ULongArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun UByteArray.plus(elements: Collection<UByte>): UByteArray {\n var index = size\n val result = storage.copyOf(size + elements.size)\n for (element in elements) result[index++] = element.toByte()\n return UByteArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun UShortArray.plus(elements: Collection<UShort>): UShortArray {\n var index = size\n val result = storage.copyOf(size + elements.size)\n for (element in elements) result[index++] = element.toShort()\n return UShortArray(result)\n}\n\n/**\n

```
 * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.plus(elements: UIntArray): UIntArray {\n    return UIntArray(storage + elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.plus(elements: ULongArray): ULongArray {\n    return ULongArray(storage + elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.plus(elements: UByteArray): UByteArray {\n    return UByteArray(storage + elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.plus(elements: UShortArray): UShortArray {\n    return UShortArray(storage + elements.storage)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sort(): Unit {\n    if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sort(): Unit {\n    if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sort(): Unit {\n    if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sort(): Unit {\n    if (size > 1) sortArray(this)\n}\n\n/**\n * Returns an array of type [ByteArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.toByteArray(): ByteArray {\n    return storage.copyOf()\n}\n\n/**\n * Returns an array of type [IntArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.toIntArray(): IntArray {\n    return storage.copyOf()\n}\n\n/**\n * Returns an array of type [LongArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.toLongArray(): LongArray {\n    return storage.copyOf()\n}\n\n/**\n * Returns an array of type [ShortArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.toShortArray(): ShortArray {\n    return storage.copyOf()\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.toTypedArray(): Array<UInt> {\n    return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.toTypedArray(): Array<ULong> {\n    return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n
```

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.toTypedArray(): Array<UByte> {\n   return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.toTypedArray(): Array<UShort> {\n   return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of UByte containing all of the elements of this generic array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out UByte>.toUByteArray(): UByteArray {\n   return UByteArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UByteArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.toUByteArray(): UByteArray {\n   return UByteArray(this.copyOf())\n}\n\n/**\n * Returns an array of UInt containing all of the elements of this generic array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out UInt>.toUIntArray(): UIntArray {\n   return UIntArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UIntArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.toUIntArray(): UIntArray {\n   return UIntArray(this.copyOf())\n}\n\n/**\n * Returns an array of ULong containing all of the elements of this generic array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out ULong>.toULongArray(): ULongArray {\n   return ULongArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [ULongArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.toULongArray(): ULongArray {\n   return ULongArray(this.copyOf())\n}\n\n/**\n * Returns an array of UShort containing all of the elements of this generic array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out UShort>.toUShortArray(): UShortArray {\n   return UShortArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UShortArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.toUShortArray(): UShortArray {\n   return UShortArray(this.copyOf())\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.flatMap(transform: (UInt) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.flatMap(transform: (ULong) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.flatMap(transform: (UByte) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.flatMap(transform: (UShort) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in
R>> UIntArray.flatMapTo(destination: C, transform: (UInt) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ULongArray.flatMapTo(destination: C, transform: (ULong) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in
R>> UByteArray.flatMapTo(destination: C, transform: (UByte) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UShortArray.flatMapTo(destination: C, transform: (UShort) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves
the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K> UIntArray.groupBy(keySelector: (UInt) -> K): Map<K, List<UInt>> {\n return groupByTo(LinkedHashMap<K, MutableList<UInt>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K> ULongArray.groupBy(keySelector: (ULong) -> K): Map<K, List<ULong>> {\n return groupByTo(LinkedHashMap<K,
MutableList<ULong>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K> UByteArray.groupBy(keySelector: (UByte) -> K): Map<K, List<UByte>> {\n return groupByTo(LinkedHashMap<K, MutableList<UByte>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration
order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K> UShortArray.groupBy(keySelector: (UShort) -> K): Map<K, List<UShort>> {\n return groupByTo(LinkedHashMap<K, MutableList<UShort>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given

[keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> UIntArray.groupBy(keySelector:
(UInt) -> K, valueTransform: (UInt) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> ULongArray.groupBy(keySelector: (ULong) -> K, valueTransform: (ULong) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform]
function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> UByteArray.groupBy(keySelector: (UByte) -> K, valueTransform: (UByte) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding
values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> UShortArray.groupBy(keySelector: (UShort) -> K, valueTransform: (UShort) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M : MutableMap<in K, MutableList<UInt>>>
UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<UInt>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M : MutableMap<in K, MutableList<ULong>>> ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<ULong>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample

samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M : MutableMap<in K, MutableList<UByte>>> UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<UByte>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of
corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M : MutableMap<in K, MutableList<UShort>>> UShortArray.groupByTo(destination: M, keySelector: (UShort) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<UShort>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K, valueTransform: (UInt) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K, valueTransform: (ULong) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K, valueTransform: (UByte) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> UShortArray.groupByTo(destination: M, keySelector: (UShort) -> K, valueTransform: (UShort) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>()

}\n   list.add(valueTransform(element))\n   }\n   return destination\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.map(transform: (UInt) -> R): List<R> {\n   return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.map(transform: (ULong) -> R): List<R> {\n   return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.map(transform: (UByte) -> R): List<R> {\n   return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.map(transform: (UShort) -> R): List<R> {\n   return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns
the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.mapIndexed(transform: (index: Int, UInt) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.mapIndexed(transform: (index: Int, ULong) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform]
function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.mapIndexed(transform: (index: Int, UByte) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.mapIndexed(transform: (index: Int, UShort) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Applies the given [transform] function to each element and its index
in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UIntArray.mapIndexedTo(destination: C, transform: (index: Int, UInt) -> R): C {\n   var index = 0\n   for (item in this)\n   destination.add(transform(index++, item))\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ULongArray.mapIndexedTo(destination: C, transform: (index: Int, ULong) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UByteArray.mapIndexedTo(destination: C, transform: (index: Int, UByte) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UShortArray.mapIndexedTo(destination: C, transform: (index: Int, UShort) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UIntArray.mapTo(destination: C, transform: (UInt) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ULongArray.mapTo(destination: C, transform: (ULong) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UByteArray.mapTo(destination: C, transform: (UByte) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UShortArray.mapTo(destination: C, transform: (UShort) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.withIndex(): Iterable<IndexedValue<UInt>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.withIndex(): Iterable<IndexedValue<ULong>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.withIndex(): Iterable<IndexedValue<UByte>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.withIndex(): Iterable<IndexedValue<UShort>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

UIntArray.all(predicate: (UInt) -> Boolean): Boolean {\n for (element in this) if (!predicate(element))
return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.all\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.all(predicate: (ULong) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return
false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.all(predicate: (UByte) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return
false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.all(predicate: (UShort) -> Boolean): Boolean {\n for (element in this) if
(!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n
* @sample samples.collections.Collections.Aggregates.any\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.any(): Boolean {\n return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one element.\n
* \n * @sample samples.collections.Collections.Aggregates.any\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.any(): Boolean {\n return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one
element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.any():
Boolean {\n return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.any(): Boolean {\n return storage.any()\n}\n\n/**\n * Returns `true` if at least one element matches
the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.any(predicate: (UInt) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n
return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.any(predicate:
(ULong) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.any(predicate: (UByte) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return
true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.any(predicate: (UShort) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return
true\n return false\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.count(predicate: (UInt) -> Boolean): Int {\n var count = 0\n for (element in this) if
(predicate(element)) ++count\n return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic

inline fun ULongArray.count(predicate: (ULong) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.count(predicate: (UByte) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.count(predicate: (UShort) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.fold(initial: R, operation: (acc: R, UInt) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.fold(initial:
R, operation: (acc: R, ULong) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.fold(initial: R, operation: (acc: R, UByte) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.fold(initial: R, operation: (acc: R, UShort) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.foldIndexed(initial:
R, operation: (index: Int, acc: R, UByte) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and

each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.foldRight(initial: R, operation: (UInt, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.foldRight(initial: R, operation: (ULong, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.foldRight(initial: R, operation: (UByte, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.foldRight(initial: R, operation: (UShort, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.foldRightIndexed(initial: R, operation: (index: Int, UInt, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.foldRightIndexed(initial: R, operation: (index: Int, ULong, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.foldRightIndexed(initial: R, operation: (index: Int, UByte, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the

original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.foldRightIndexed(initial: R, operation: (index: Int, UShort, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.forEach(action: (UInt) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.forEach(action: (ULong) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.forEach(action: (UByte) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.forEach(action: (UShort) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.forEachIndexed(action: (index: Int, UInt) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.forEachIndexed(action: (index: Int, ULong) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.forEachIndexed(action: (index: Int, UByte) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.forEachIndexed(action: (index: Int, UShort) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.max(): UInt? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.max(): ULong? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.max(): UByte? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are

no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.max(): UShort? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UIntArray.maxBy(selector: (UInt) -> R): UInt? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ULongArray.maxBy(selector: (ULong) -> R): ULong? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.maxBy(selector: (UByte) -> R): UByte? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.maxBy(selector: (UShort) -> R): UShort? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.maxWith(comparator: Comparator<in UInt>): UInt? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.maxWith(comparator: Comparator<in ULong>): ULong? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.maxWith(comparator: Comparator<in UByte>): UByte? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.maxWith(comparator: Comparator<in UShort>): UShort? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n

if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.min(): UInt? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.min(): ULong? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.min(): UByte? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex)
{\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.min(): UShort? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UIntArray.minBy(selector: (UInt) -> R): UInt? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n
val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ULongArray.minBy(selector: (ULong) -> R): ULong? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function
or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.minBy(selector: (UByte) -> R): UByte? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.minBy(selector: (UShort)
-> R): UShort? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.minWith(comparator: Comparator<in UInt>): UInt? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic

fun ULongArray.minWith(comparator: Comparator<in ULong>): ULong? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.minWith(comparator: Comparator<in UByte>): UByte? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.minWith(comparator: Comparator<in UShort>): UShort? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.none(predicate: (UInt) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.none(predicate: (ULong) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.none(predicate: (UByte) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.none(predicate: (UShort) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduce(operation: (acc: UInt, UInt) -> UInt): UInt {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

ULongArray.reduce(operation: (acc: ULong, ULong) -> ULong): ULong {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n
accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduce(operation: (acc: UByte, UByte) -> UByte): UByte {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduce(operation: (acc: UShort, UShort) -> UShort): UShort
{\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): UInt {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index,
accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceIndexed(operation: (index: Int, acc: ULong, ULong) -> ULong): ULong {\n if (isEmpty())\n
throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): UByte {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element
itself and calculates the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): UShort {\n if (isEmpty())\n
throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left

to each element and current accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceRight(operation: (UInt, acc: UInt) -> UInt): UInt {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceRight(operation: (ULong, acc: ULong) -> ULong): ULong {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceRight(operation: (UByte, acc: UByte) -> UByte): UByte {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceRight(operation: (UShort, acc: UShort) -> UShort): UShort {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceRightIndexed(operation: (index: Int, UInt, acc: UInt) -> UInt): UInt {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element,
the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceRightIndexed(operation: (index: Int, ULong, acc: ULong) -> ULong): ULong {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.reduceRightIndexed(operation: (index: Int, UByte, acc: UByte) -> UByte): UByte {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n

var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceRightIndexed(operation: (index: Int, UShort, acc: UShort) -> UShort): UShort {\n var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumBy(selector: (UInt) -> UInt): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumBy(selector: (ULong) -> UInt): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumBy(selector: (UByte) -> UInt): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumBy(selector: (UShort) -> UInt): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumByDouble(selector: (UInt) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumByDouble(selector: (ULong) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumByDouble(selector: (UByte) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumByDouble(selector: (UShort) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other: Array<out R>): List<Pair<UInt, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n *

\n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other: Array<out R>): List<Pair<ULong, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other: Array<out R>): List<Pair<UByte, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UShortArray.zip(other: Array<out R>): List<Pair<UShort, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UIntArray.zip(other: Array<out R>, transform: (a: UInt, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> ULongArray.zip(other: Array<out R>, transform: (a: ULong, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UByteArray.zip(other: Array<out R>, transform: (a: UByte, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UShortArray.zip(other: Array<out R>, transform: (a: UShort, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other: Iterable<R>): List<Pair<UInt, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other: Iterable<R>): List<Pair<ULong, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs

built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other: Iterable<R>): List<Pair<UByte, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UShortArray.zip(other: Iterable<R>): List<Pair<UShort, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UIntArray.zip(other: Iterable<R>, transform: (a: UInt, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> ULongArray.zip(other: Iterable<R>,
transform: (a: ULong, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UByteArray.zip(other: Iterable<R>, transform: (a: UByte, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UShortArray.zip(other: Iterable<R>, transform: (a: UShort, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and
the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UIntArray.zip(other: UIntArray): List<Pair<UInt, UInt>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray.zip(other: ULongArray): List<Pair<ULong, ULong>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the

shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray.zip(other: UByteArray): List<Pair<UByte, UByte>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray.zip(other: UShortArray): List<Pair<UShort, UShort>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UIntArray.zip(other: UIntArray, transform: (a: UInt, b: UInt) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> ULongArray.zip(other: ULongArray, transform: (a: ULong, b: ULong) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UByteArray.zip(other: UByteArray, transform: (a: UByte, b: UByte) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UShortArray.zip(other: UShortArray, transform: (a: UShort, b: UShort) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out UInt>.sum(): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out ULong>.sum(): ULong {\n var sum: ULong = 0uL\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfUByte\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out UByte>.sum(): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfUShort\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out UShort>.sum(): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sum(): UInt {\n   return storage.sum().toUInt()\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sum(): ULong {\n   return storage.sum().toULong()\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sum(): UInt {\n   return sumBy { it.toUInt() }\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sum(): UInt {\n   return sumBy { it.toUInt() }\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"UCollectionsKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns an array of UByte containing all of the elements of this collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Collection<UByte>.toUByteArray(): UByteArray {\n   val result = UByteArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns an array of UInt containing all of the elements of this collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Collection<UInt>.toUIntArray(): UIntArray {\n   val result = UIntArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns an array of ULong containing all of the elements of this collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Collection<ULong>.toULongArray(): ULongArray {\n   val result = ULongArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns an array of UShort containing all of the elements of this collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Collection<UShort>.toUShortArray(): UShortArray {\n   val result = UShortArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Iterable<UInt>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Iterable<ULong>.sum(): ULong {\n   var sum: ULong = 0uL\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfUByte\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Iterable<UByte>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfUShort\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Iterable<UShort>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"UComparisonsKt\")\n\npackage kotlin.comparisons\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UInt, b: UInt): UInt {\n   return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: ULong, b: ULong): ULong {\n

return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UByte, b: UByte): UByte {\n return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UShort, b: UShort): UShort {\n return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: UInt, b: UInt, c: UInt): UInt {\n return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: ULong, b: ULong, c: ULong): ULong {\n return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: UByte, b: UByte, c: UByte): UByte {\n return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: UShort, b: UShort, c: UShort): UShort {\n return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UInt, b: UInt): UInt {\n return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: ULong, b: ULong): ULong {\n return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UByte, b: UByte): UByte {\n return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UShort, b: UShort): UShort {\n return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: UInt, b: UInt, c: UInt): UInt {\n return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: ULong, b: ULong, c: ULong): ULong {\n return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: UByte, b: UByte, c: UByte): UByte {\n return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: UShort, b: UShort, c: UShort): UShort {\n return minOf(a, minOf(b, c))\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"URangesKt\")\n\npackage kotlin.ranges\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns a random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntRange.random(): UInt {\n return random(Random)\n}\n\n/**\n * Returns a random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongRange.random(): ULong {\n return random(Random)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntRange.random(random: Random): UInt {\n try {\n return random.nextUInt(this)\n } catch(e: IllegalArgumentException) {\n throw NoSuchElementException(e.message)\n }\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongRange.random(random: Random): ULong {\n try {\n return random.nextULong(this)\n } catch(e: IllegalArgumentException) {\n throw NoSuchElementException(e.message)\n }\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntRange.contains(element: UInt?): Boolean {\n return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongRange.contains(element: ULong?): Boolean {\n return element != null && contains(element)\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun UIntRange.contains(value: UByte): Boolean {\n return contains(value.toUInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun ULongRange.contains(value: UByte): Boolean {\n return contains(value.toULong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun ULongRange.contains(value: UInt): Boolean {\n return contains(value.toULong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun UIntRange.contains(value: ULong): Boolean {\n return (value shr UInt.SIZE_BITS) == 0uL && contains(value.toUInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun UIntRange.contains(value: UShort): Boolean {\n return contains(value.toUInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun ULongRange.contains(value: UShort): Boolean {\n return contains(value.toULong())\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UByte.downTo(to: UByte): UIntProgression {\n return UIntProgression.fromClosedRange(this.toUInt(), to.toUInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UInt.downTo(to: UInt): UIntProgression {\n return UIntProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun ULong.downTo(to: ULong): ULongProgression {\n return ULongProgression.fromClosedRange(this, to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UShort.downTo(to: UShort): UIntProgression {\n return UIntProgression.fromClosedRange(this.toUInt(), to.toUInt(), -1)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntProgression.reversed(): UIntProgression {\n return UIntProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongProgression.reversed(): ULongProgression {\n return ULongProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range with

the given step.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UIntProgression.step(step: Int): UIntProgression {\n   checkStepIsPositive(step > 0, step)\n   return UIntProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun ULongProgression.step(step: Long): ULongProgression {\n   checkStepIsPositive(step > 0, step)\n   return ULongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UByte.until(to: UByte): UIntRange {\n   if (to <= UByte.MIN_VALUE) return UIntRange.EMPTY\n   return this.toUInt() .. (to - 1u).toUInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UInt.until(to: UInt): UIntRange {\n   if (to <= UInt.MIN_VALUE) return UIntRange.EMPTY\n   return this .. (to - 1u).toUInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun ULong.until(to: ULong): ULongRange {\n   if (to <= ULong.MIN_VALUE) return ULongRange.EMPTY\n   return this .. (to - 1u).toULong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UShort.until(to: UShort): UIntRange {\n   if (to <= UShort.MIN_VALUE) return UIntRange.EMPTY\n   return this.toUInt() .. (to - 1u).toUInt()\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceAtLeast(minimumValue: UInt): UInt {\n   return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULong.coerceAtLeast(minimumValue: ULong): ULong {\n   return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByte.coerceAtLeast(minimumValue: UByte): UByte {\n   return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShort.coerceAtLeast(minimumValue: UShort): UShort {\n   return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceAtMost(maximumValue: UInt): UInt {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample

samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULong.coerceAtMost(maximumValue: ULong): ULong {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n
 * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByte.coerceAtMost(maximumValue: UByte): UByte {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShort.coerceAtMost(maximumValue: UShort): UShort {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less
 than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceIn(minimumValue: UInt, maximumValue: UInt): UInt {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULong.coerceIn(minimumValue:
 ULong, maximumValue: ULong): ULong {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByte.coerceIn(minimumValue: UByte, maximumValue: UByte): UByte {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this <
 minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShort.coerceIn(minimumValue: UShort, maximumValue: UShort): UShort {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start`

if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceIn(range: ClosedRange<UInt>): UInt {\n if (range is ClosedFloatingPointRange) {\n return this.coerceIn<UInt>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n return when {\n this < range.start -> range.start\n this > range.endInclusive -> range.endInclusive\n else -> this\n }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULong.coerceIn(range: ClosedRange<ULong>): ULong {\n if (range is ClosedFloatingPointRange) {\n return this.coerceIn<ULong>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n return when {\n this < range.start -> range.start\n this > range.endInclusive -> range.endInclusive\n else -> this\n }\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"USequencesKt\")\n\npackage kotlin.sequences\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Sequence<UInt>.sum(): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Sequence<ULong>.sum(): ULong {\n var sum: ULong = 0uL\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfUByte\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Sequence<UByte>.sum(): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfUShort\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Sequence<UShort>.sum(): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n","/*\r\n * Copyright 2010-2015 JetBrains s.r.o.\r\n *\r\n * Licensed under the Apache License, Version 2.0 (the \"License\");\r\n * you may not use this file except in compliance with the License.\r\n * You may obtain a copy of the License at\r\n *\r\n * http://www.apache.org/licenses/LICENSE-2.0\r\n *\r\n * Unless required by applicable law or agreed to in writing, software\r\n * distributed under the License is distributed on an \"AS IS\" BASIS,\r\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\r\n * See the License for the specific language governing permissions and\r\n * limitations under the License.\r\n */\r\n\r\npackage kotlin.annotation\r\n\r\nimport kotlin.annotation.AnnotationTarget.*\r\n\r\n/**\r\n * Contains the list of code elements which are the possible annotation targets\r\n */\r\npublic enum class AnnotationTarget {\r\n /** Class, interface or object, annotation class is also included */\r\n CLASS,\r\n /** Annotation class only */\r\n ANNOTATION_CLASS,\r\n /** Generic type parameter (unsupported yet) */\r\n TYPE_PARAMETER,\r\n /** Property */\r\n PROPERTY,\r\n /** Field, including property's backing field */\r\n FIELD,\r\n /** Local variable */\r\n LOCAL_VARIABLE,\r\n /** Value parameter of a function or a constructor */\r\n VALUE_PARAMETER,\r\n /** Constructor only (primary or secondary) */\r\n CONSTRUCTOR,\r\n /** Function (constructors are not

included) */\r\n FUNCTION,\r\n /** Property getter only */\r\n PROPERTY_GETTER,\r\n /** Property setter only */\r\n PROPERTY_SETTER,\r\n /** Type usage */\r\n TYPE,\r\n /** Any expression */\r\n EXPRESSION,\r\n /** File */\r\n FILE,\r\n /** Type alias */\r\n @SinceKotlin(\"1.1\")\r\n TYPEALIAS\r\n}\r\n\r\n/**\r\n * Contains the list of possible annotation's retentions.\r\n *\r\n * Determines how an annotation is stored in binary output.\r\n */\r\npublic enum class AnnotationRetention {\r\n /** Annotation isn't stored in binary output */\r\n SOURCE,\r\n /** Annotation is stored in binary output, but invisible for reflection */\r\n BINARY,\r\n /** Annotation is stored in binary output and visible for reflection (default retention) */\r\n RUNTIME\r\n}\r\n\r\n/**\r\n * This meta-annotation indicates the kinds of code elements which are possible targets of an annotation.\r\n *\r\n * If the target meta-annotation is not present on an annotation declaration, the annotation is applicable to the following elements:\r\n * [CLASS], [PROPERTY], [FIELD], [LOCAL_VARIABLE], [VALUE_PARAMETER], [CONSTRUCTOR], [FUNCTION], [PROPERTY_GETTER], [PROPERTY_SETTER].\r\n
*\r\n * @property allowedTargets list of allowed annotation targets\r\n */\r\n@Target(AnnotationTarget.ANNOTATION_CLASS)\r\n@MustBeDocumented\r\npublic annotation class Target(vararg val allowedTargets: AnnotationTarget)\r\n\r\n/**\r\n * This meta-annotation determines whether an annotation is stored in binary output and visible for reflection. By default, both are true.\r\n *\r\n * @property value necessary annotation retention (RUNTIME, BINARY or SOURCE)\r\n */\r\n@Target(AnnotationTarget.ANNOTATION_CLASS)\r\npublic annotation class Retention(val value: AnnotationRetention = AnnotationRetention.RUNTIME)\r\n\r\n/**\r\n * This meta-annotation determines that an annotation is applicable twice or more on a single code element\r\n */\r\n@Target(AnnotationTarget.ANNOTATION_CLASS)\r\npublic annotation class Repeatable\r\n\r\n/**\r\n * This meta-annotation determines that an annotation is a part of public API and therefore should be included in the generated\r\n * documentation for the element
to which the annotation is applied.\r\n */\r\n@Target(AnnotationTarget.ANNOTATION_CLASS)\r\npublic annotation class MustBeDocumented\r\n","/*\r\n * Copyright 2010-2015 JetBrains s.r.o.\r\n *\r\n * Licensed under the Apache License, Version 2.0 (the \"License\");\r\n * you may not use this file except in compliance with the License.\r\n * You may obtain a copy of the License at\r\n *\r\n * http://www.apache.org/licenses/LICENSE-2.0\r\n *\r\n * Unless required by applicable law or agreed to in writing, software\r\n * distributed under the License is distributed on an \"AS IS\" BASIS,\r\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\r\n * See the License for the specific language governing permissions and\r\n * limitations under the License.\r\n */\r\n\r\npackage kotlin.collections\r\n\r\nimport kotlin.internal.PlatformDependent\r\n\r\n/**\r\n * Classes that inherit from this interface can be represented as a sequence of elements that can\r\n * be iterated over.\r\n * @param T the type of element being iterated over. The iterator is covariant on its element type.\r\n */\r\npublic interface Iterable<out T> {\r\n /**\r\n * Returns an iterator over the elements of this object.\r\n */\r\n public operator fun iterator(): Iterator<T>\r\n}\r\n\r\n/**\r\n * Classes that inherit from this interface can be represented as a sequence of elements that can\r\n * be iterated over and that supports removing elements during iteration.\r\n * @param T the type of element being iterated over. The mutable iterator is invariant on its element type.\r\n */\r\npublic interface MutableIterable<out T> : Iterable<T> {\r\n /**\r\n * Returns an iterator over the elements of this sequence that supports removing elements during iteration.\r\n */\r\n override fun iterator(): MutableIterator<T>\r\n}\r\n\r\n/**\r\n * A generic collection of elements. Methods in this interface support only read-only access to the collection;\r\n * read/write
access is supported through the [MutableCollection] interface.\r\n * @param E the type of elements contained in the collection. The collection is covariant on its element type.\r\n */\r\npublic interface Collection<out E> : Iterable<E> {\r\n // Query Operations\r\n /**\r\n * Returns the size of the collection.\r\n */\r\n public val size: Int\r\n\r\n\r\n /**\r\n * Returns `true` if the collection is empty (contains no elements), `false` otherwise.\r\n */\r\n public fun isEmpty(): Boolean\r\n\r\n\r\n /**\r\n * Checks if the specified element is contained in this collection.\r\n */\r\n public operator fun contains(element: @UnsafeVariance E): Boolean\r\n\r\n\r\n override fun iterator(): Iterator<E>\r\n\r\n\r\n // Bulk Operations\r\n /**\r\n * Checks if all elements in the specified collection

are contained in this collection.\r\n */\r\n public fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\r\n}\r\n\r\n/**\r\n * A generic
collection of elements that supports adding and removing elements.\r\n *\r\n * @param E the type of elements contained in the collection. The mutable collection is invariant on its element type.\r\n */\r\npublic interface MutableCollection<E> : Collection<E>, MutableIterable<E> {\r\n // Query Operations\r\n override fun iterator(): MutableIterator<E>\r\n\r\n // Modification Operations\r\n /**\r\n * Adds the specified element to the collection.\r\n *\r\n * @return `true` if the element has been added, `false` if the collection does not support duplicates\r\n * and the element is already contained in the collection.\r\n */\r\n public fun add(element: E): Boolean\r\n\r\n /**\r\n * Removes a single instance of the specified element from this\r\n * collection, if it is present.\r\n *\r\n * @return `true` if the element has been successfully removed; `false` if it was not present in the collection.\r\n */\r\n public fun remove(element:
E): Boolean\r\n\r\n // Bulk Modification Operations\r\n /**\r\n * Adds all of the elements of the specified collection to this collection.\r\n *\r\n * @return `true` if any of the specified elements was added to the collection, `false` if the collection was not modified.\r\n */\r\n public fun addAll(elements: Collection<E>): Boolean\r\n\r\n /**\r\n * Removes all of this collection's elements that are also contained in the specified collection.\r\n *\r\n * @return `true` if any of the specified elements was removed from the collection, `false` if the collection was not modified.\r\n */\r\n public fun removeAll(elements: Collection<E>): Boolean\r\n\r\n /**\r\n * Retains only the elements in this collection that are contained in the specified collection.\r\n *\r\n * @return `true` if any element was removed from the collection, `false` if the collection was not modified.\r\n */\r\n public fun retainAll(elements:
Collection<E>): Boolean\r\n\r\n /**\r\n * Removes all elements from this collection.\r\n */\r\n public fun clear(): Unit\r\n}\r\n\r\n/**\r\n * A generic ordered collection of elements. Methods in this interface support only read-only access to the list;\r\n * read/write access is supported through the [MutableList] interface.\r\n * @param E the type of elements contained in the list. The list is covariant on its element type.\r\n */\r\npublic interface List<out E> : Collection<E> {\r\n // Query Operations\r\n\r\n override val size: Int\r\n override fun isEmpty(): Boolean\r\n override fun contains(element: @UnsafeVariance E): Boolean\r\n override fun iterator(): Iterator<E>\r\n\r\n // Bulk Operations\r\n override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\r\n\r\n // Positional Access Operations\r\n /**\r\n * Returns the element at the specified index in the list.\r\n */\r\n public operator fun get(index: Int): E\r\n\r\n
// Search Operations\r\n /**\r\n * Returns the index of the first occurrence of the specified element in the list, or -1 if the specified\r\n * element is not contained in the list.\r\n */\r\n public fun indexOf(element: @UnsafeVariance E): Int\r\n\r\n /**\r\n * Returns the index of the last occurrence of the specified element in the list, or -1 if the specified\r\n * element is not contained in the list.\r\n */\r\n public fun lastIndexOf(element: @UnsafeVariance E): Int\r\n\r\n // List Iterators\r\n /**\r\n * Returns a list iterator over the elements in this list (in proper sequence).\r\n */\r\n public fun listIterator(): ListIterator<E>\r\n\r\n /**\r\n * Returns a list iterator over the elements in this list (in proper sequence), starting at the specified [index].\r\n */\r\n public fun listIterator(index: Int): ListIterator<E>\r\n\r\n // View\r\n /**\r\n * Returns a view of the portion of this list
between the specified [fromIndex] (inclusive) and [toIndex] (exclusive).\r\n * The returned list is backed by this list, so non-structural changes in the returned list are reflected in this list, and vice-versa.\r\n *\r\n * Structural changes in the base list make the behavior of the view undefined.\r\n */\r\n public fun subList(fromIndex: Int, toIndex: Int): List<E>\r\n}\r\n\r\n/**\r\n * A generic ordered collection of elements that supports adding and removing elements.\r\n * @param E the type of elements contained in the list. The mutable list is invariant on its element type.\r\n */\r\npublic interface MutableList<E> : List<E>, MutableCollection<E> {\r\n // Modification Operations\r\n /**\r\n * Adds the specified element to the end of this list.\r\n *\r\n * @return `true` because the list is always modified as the result of this operation.\r\n */\r\n override fun add(element: E): Boolean\r\n\r\n
override fun remove(element: E): Boolean\r\n\r\n

```
    // Bulk Modification Operations\r\n    /**\r\n     * Adds all of the elements of the specified collection to the end of this list.\r\n     *\r\n     * The elements are appended in the order they appear in the [elements] collection.\r\n     *\r\n     * @return `true` if the list was changed as the result of the operation.\r\n     */\r\n    override fun addAll(elements: Collection<E>): Boolean\r\n\r\n    /**\r\n     * Inserts all of the elements of the specified collection [elements] into this list at the specified [index].\r\n     *\r\n     * @return `true` if the list was changed as the result of the operation.\r\n     */\r\n    public fun addAll(index: Int, elements: Collection<E>): Boolean\r\n\r\n    override fun removeAll(elements: Collection<E>): Boolean\r\n    override fun retainAll(elements: Collection<E>): Boolean\r\n    override fun clear(): Unit\r\n\r\n    // Positional Access Operations\r\n    /**\r\n     * Replaces the element at the specified position in this
    list with the specified element.\r\n     *\r\n     * @return the element previously at the specified position.\r\n     */\r\n    public operator fun set(index: Int, element: E): E\r\n\r\n    /**\r\n     * Inserts an element into the list at the specified [index].\r\n     */\r\n    public fun add(index: Int, element: E): Unit\r\n\r\n    /**\r\n     * Removes an element at the specified [index] from the list.\r\n     *\r\n     * @return the element that has been removed.\r\n     */\r\n    public fun removeAt(index: Int): E\r\n\r\n    // List Iterators\r\n    override fun listIterator(): MutableListIterator<E>\r\n\r\n    override fun listIterator(index: Int): MutableListIterator<E>\r\n\r\n    // View\r\n    override fun subList(fromIndex: Int, toIndex: Int): MutableList<E>\r\n}\r\n\r\n/**\r\n * A generic unordered collection of elements that does not support duplicate elements.\r\n * Methods in this interface support only read-only access to the set;\r\n * read/write access is supported through
    the [MutableSet] interface.\r\n * @param E the type of elements contained in the set. The set is covariant on its element type.\r\n */\r\npublic interface Set<out E> : Collection<E> {\r\n    // Query Operations\r\n\r\n    override val size: Int\r\n    override fun isEmpty(): Boolean\r\n    override fun contains(element: @UnsafeVariance E): Boolean\r\n    override fun iterator(): Iterator<E>\r\n\r\n    // Bulk Operations\r\n    override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\r\n}\r\n\r\n/**\r\n * A generic unordered collection of elements that does not support duplicate elements, and supports\r\n * adding and removing elements.\r\n * @param E the type of elements contained in the set. The mutable set is invariant on its element type.\r\n */\r\npublic interface MutableSet<E> : Set<E>, MutableCollection<E> {\r\n    // Query Operations\r\n    override fun iterator(): MutableIterator<E>\r\n\r\n    // Modification Operations\r\n\r\n    /**\r\n     * Adds the
    specified element to the set.\r\n     *\r\n     * @return `true` if the element has been added, `false` if the element is already contained in the set.\r\n     */\r\n    override fun add(element: E): Boolean\r\n\r\n    override fun remove(element: E): Boolean\r\n\r\n    // Bulk Modification Operations\r\n\r\n    override fun addAll(elements: Collection<E>): Boolean\r\n    override fun removeAll(elements: Collection<E>): Boolean\r\n    override fun retainAll(elements: Collection<E>): Boolean\r\n    override fun clear(): Unit\r\n}\r\n\r\n/**\r\n * A collection that holds pairs of objects (keys and values) and supports efficiently retrieving\r\n * the value corresponding to each key. Map keys are unique; the map holds only one value for each key.\r\n * Methods in this interface support only read-only access to the map; read-write access is supported through\r\n * the [MutableMap] interface.\r\n * @param K the type of map keys. The map is invariant on its key type, as it\r\n *          can
    accept key as a parameter (of [containsKey] for example) and return it in [keys] set.\r\n * @param V the type of map values. The map is covariant on its value type.\r\n */\r\npublic interface Map<K, out V> {\r\n    // Query Operations\r\n    /**\r\n     * Returns the number of key/value pairs in the map.\r\n     */\r\n    public val size: Int\r\n\r\n    /**\r\n     * Returns `true` if the map is empty (contains no elements), `false` otherwise.\r\n     */\r\n    public fun isEmpty(): Boolean\r\n\r\n    /**\r\n     * Returns `true` if the map contains the specified [key].\r\n     */\r\n    public fun containsKey(key: K): Boolean\r\n\r\n    /**\r\n     * Returns `true` if the map maps one or more keys to the specified [value].\r\n     */\r\n    public fun containsValue(value: @UnsafeVariance V): Boolean\r\n\r\n    /**\r\n     * Returns the value corresponding to the given [key], or `null` if such a key is not present in the map.\r\n     */\r\n    public operator fun get(key: K): V?\r\n\r\n    /**\r\n     * Returns the value corresponding to the given [key], or [defaultValue] if such a key is not present in the map.\r\n     *\r\n     * @since JDK 1.8\r\n     */\r\n    @SinceKotlin(\"1.1\")\r\n    @PlatformDependent\r\n    public fun getOrDefault(key: K, defaultValue: @UnsafeVariance V): V {\r\n        // See default implementation in JDK
```

sources\r\n return null as V\r\n }\r\n\r\n // Views\r\n /**\r\n * Returns a read-only [Set] of all keys in this map.\r\n */\r\n public val keys: Set<K>\r\n\r\n /**\r\n * Returns a read-only [Collection] of all values in this map. Note that this collection may contain duplicate values.\r\n */\r\n public val values: Collection<V>\r\n\r\n /**\r\n * Returns a read-only [Set] of all key/value pairs in this map.\r\n */\r\n public val entries: Set<Map.Entry<K, V>>\r\n\r\n /**\r\n * Represents a key/value pair held by a [Map].\r\n */\r\n public interface Entry<out K, out V>
{\r\n /**\r\n * Returns the key of this key/value pair.\r\n */\r\n public val key: K\r\n\r\n /**\r\n * Returns the value of this key/value pair.\r\n */\r\n public val value: V\r\n }\r\n}\r\n\r\n/**\r\n * A modifiable collection that holds pairs of objects (keys and values) and supports efficiently retrieving\r\n * the value corresponding to each key. Map keys are unique; the map holds only one value for each key.\r\n * @param K the type of map keys. The map is invariant on its key type.\r\n * @param V the type of map values. The mutable map is invariant on its value type.\r\n */\r\npublic interface MutableMap<K, V> : Map<K, V> {\r\n // Modification Operations\r\n /**\r\n * Associates the specified [value] with the specified [key] in the map.\r\n *\r\n * @return the previous value associated with the key, or `null` if the key was not present in the map.\r\n */\r\n public fun put(key: K, value: V): V?\r\n\r\n /**\r\n * Removes the specified key and its corresponding value from this map.\r\n *\r\n * @return the previous value associated with the key, or `null` if the key was not present in the map.\r\n */\r\n public fun remove(key: K): V?\r\n\r\n /**\r\n * Removes the entry for the specified key only if it is mapped to the specified value.\r\n *\r\n * @return true if entry was removed\r\n */\r\n @SinceKotlin(\"1.1\")\r\n @PlatformDependent\r\n public fun remove(key: K, value: V): Boolean {\r\n // See default implementation in JDK sources\r\n return true\r\n }\r\n\r\n // Bulk Modification Operations\r\n /**\r\n * Updates this map with key/value pairs from the specified map [from].\r\n */\r\n public fun putAll(from: Map<out K, V>): Unit\r\n\r\n /**\r\n * Removes all elements from this map.\r\n */\r\n public fun clear(): Unit\r\n\r\n // Views\r\n /**\r\n * Returns a [MutableSet]
of all keys in this map.\r\n */\r\n override val keys: MutableSet<K>\r\n\r\n /**\r\n * Returns a [MutableCollection] of all values in this map. Note that this collection may contain duplicate values.\r\n */\r\n override val values: MutableCollection<V>\r\n\r\n /**\r\n * Returns a [MutableSet] of all key/value pairs in this map.\r\n */\r\n override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\r\n\r\n /**\r\n * Represents a key/value pair held by a [MutableMap].\r\n */\r\n public interface MutableEntry<K, V> : Map.Entry<K, V> {\r\n /**\r\n * Changes the value associated with the key of this entry.\r\n *\r\n * @return the previous value corresponding to the key.\r\n */\r\n public fun setValue(newValue: V): V\r\n }\r\n}\r\n","/*\r\n * Copyright 2010-2016 JetBrains s.r.o.\r\n *\r\n * Licensed under the Apache License, Version 2.0 (the \"License\");\r\n * you may not use this file except
in compliance with the License.\r\n * You may obtain a copy of the License at\r\n *\r\n * http://www.apache.org/licenses/LICENSE-2.0\r\n *\r\n * Unless required by applicable law or agreed to in writing, software\r\n * distributed under the License is distributed on an \"AS IS\" BASIS,\r\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\r\n * See the License for the specific language governing permissions and\r\n * limitations under the License.\r\n */\r\n\r\npackage kotlin.internal\r\n\r\n/**\r\n * Specifies that the corresponding type parameter is not used for unsafe operations such as casts or 'is' checks\r\n * That means it's completely safe to use generic types as argument for such parameter.\r\n */\r\n@Target(AnnotationTarget.TYPE_PARAMETER)\r\n@Retention(AnnotationRetention.BINARY)\r\ninternal annotation class PureReifiable\r\n\r\n/**\r\n * Specifies that the corresponding built-in method exists depending on platform.\r\n * Current implementation for
JVM looks whether method with same JVM descriptor exists in the module JDK.\r\n * For example MutableMap.remove(K, V) available only if corresponding\r\n * method 'java/util/Map.remove(Ljava/lang/Object;Ljava/lang/Object;)Z' is defined in JDK (i.e. for major versions >= 8)\r\n */\r\n@Target(AnnotationTarget.FUNCTION)\r\n@Retention(AnnotationRetention.BINARY)\r\ninternal annotation class PlatformDependent\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming

Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.internal\r\n\r\n// a mod b (in arithmetical sense)\r\nprivate fun mod(a: Int, b: Int): Int {\r\n   val mod = a % b\r\n   return if (mod >= 0) mod else mod + b\r\n}\r\n\r\nprivate fun mod(a: Long, b: Long): Long {\r\n   val mod = a % b\r\n   return if (mod >= 0) mod else mod + b\r\n}\r\n\r\n// (a - b) mod c\r\nprivate fun differenceModulo(a:
Int, b: Int, c: Int): Int {\r\n   return mod(mod(a, c) - mod(b, c), c)\r\n}\r\n\r\nprivate fun differenceModulo(a: Long, b: Long, c: Long): Long {\r\n   return mod(mod(a, c) - mod(b, c), c)\r\n}\r\n\r\n/**\r\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\r\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\r\n * [step].\r\n *\r\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\r\n *\r\n * - either `step > 0` and `start <= end`,\r\n * - or `step < 0` and `start >= end`.\r\n *\r\n * @param start first element of the progression\r\n * @param end ending bound for the progression\r\n * @param step increment, or difference of successive elements in the progression\r\n * @return the final element of the progression\r\n * @suppress\r\n */\r\n@PublishedApi\r\ninternal fun getProgressionLastElement(start:
Int, end: Int, step: Int): Int = when {\r\n   step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)\r\n   step < 0 -> if (start <= end) end else end + differenceModulo(start, end, -step)\r\n   else -> throw kotlin.IllegalArgumentException(\"Step is zero.\")\r\n}\r\n\r\n\r\n/**\r\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\r\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\r\n * [step].\r\n *\r\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\r\n *\r\n * - either `step > 0` and `start <= end`,\r\n * - or `step < 0` and `start >= end`.\r\n *\r\n * @param start first element of the progression\r\n * @param end ending bound for the progression\r\n * @param step increment, or difference of successive elements in the progression\r\n * @return the final element of the progression\r\n
* @suppress\r\n */\r\n@PublishedApi\r\ninternal fun getProgressionLastElement(start: Long, end: Long, step: Long): Long = when {\r\n   step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)\r\n   step < 0 -> if (start <= end) end else end + differenceModulo(start, end, -step)\r\n   else -> throw kotlin.IllegalArgumentException(\"Step is zero.\")\r\n}\r\n\r\n","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// Auto-generated file. DO NOT EDIT!\r\n\r\npackage kotlin.collections\r\n\r\n/** An iterator over a sequence of values of type `Byte`. */\r\npublic abstract class ByteIterator : Iterator<Byte> {\r\n   override final fun next() = nextByte()\r\n\r\n   /** Returns the next value in the sequence without boxing. */\r\n   public abstract fun nextByte(): Byte\r\n}\r\n\r\n/**
An iterator over a sequence of values of type `Char`. */\r\npublic abstract class CharIterator : Iterator<Char> {\r\n override final fun next() = nextChar()\r\n\r\n   /** Returns the next value in the sequence without boxing. */\r\n public abstract fun nextChar(): Char\r\n}\r\n\r\n/** An iterator over a sequence of values of type `Short`. */\r\npublic abstract class ShortIterator : Iterator<Short> {\r\n   override final fun next() = nextShort()\r\n\r\n   /** Returns the next value in the sequence without boxing. */\r\n   public abstract fun nextShort(): Short\r\n}\r\n\r\n/** An iterator over a sequence of values of type `Int`. */\r\npublic abstract class IntIterator : Iterator<Int> {\r\n override final fun next() = nextInt()\r\n\r\n   /** Returns the next value in the sequence without boxing. */\r\n public abstract fun nextInt(): Int\r\n}\r\n\r\n/** An iterator over a sequence of values of type `Long`. */\r\npublic abstract class LongIterator : Iterator<Long> {\r\n
override final fun next() = nextLong()\r\n\r\n   /** Returns the next value in the sequence without boxing. */\r\n public abstract fun nextLong(): Long\r\n}\r\n\r\n/** An iterator over a sequence of values of type `Float`. */\r\npublic abstract class FloatIterator : Iterator<Float> {\r\n   override final fun next() = nextFloat()\r\n\r\n   /** Returns the next value in the sequence without boxing. */\r\n   public abstract fun nextFloat(): Float\r\n}\r\n\r\n/** An iterator over a sequence of values of type `Double`. */\r\npublic abstract class DoubleIterator : Iterator<Double> {\r\n   override final fun next() = nextDouble()\r\n\r\n   /** Returns the next value in the sequence without boxing. */\r\n   public abstract fun nextDouble(): Double\r\n}\r\n\r\n/** An iterator over a sequence of values of type

`Boolean`. */\r\npublic abstract class BooleanIterator : Iterator<Boolean> {\r\n override final fun next() = nextBoolean()\r\n\r\n /** Returns the next value in the sequence
without boxing. */\r\n public abstract fun nextBoolean(): Boolean\r\n}\r\n\r\n","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// Auto-generated file. DO NOT EDIT!\r\n\r\npackage kotlin.ranges\r\n\r\n/**\r\n * An iterator over a progression of values of type `Char`.\r\n * @property step the number by which the value is incremented on each step.\r\n */\r\ninternal class CharProgressionIterator(first: Char, last: Char, val step: Int) : CharIterator() {\r\n private val finalElement = last.toInt()\r\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\r\n private var next = if (hasNext) first.toInt() else finalElement\r\n\r\n override fun hasNext(): Boolean = hasNext\r\n\r\n override fun nextChar(): Char {\r\n val value = next\r\n if (value == finalElement)
{\r\n if (!hasNext) throw kotlin.NoSuchElementException()\r\n hasNext = false\r\n }\r\n else {\r\n next += step\r\n }\r\n return value.toChar()\r\n }\r\n}\r\n\r\n/**\r\n * An iterator over a progression of values of type `Int`.\r\n * @property step the number by which the value is incremented on each step.\r\n */\r\ninternal class IntProgressionIterator(first: Int, last: Int, val step: Int) : IntIterator() {\r\n private val finalElement = last\r\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\r\n private var next = if (hasNext) first else finalElement\r\n\r\n override fun hasNext(): Boolean = hasNext\r\n\r\n override fun nextInt(): Int {\r\n val value = next\r\n if (value == finalElement) {\r\n if (!hasNext) throw kotlin.NoSuchElementException()\r\n hasNext = false\r\n }\r\n else {\r\n next += step\r\n }\r\n
return value\r\n }\r\n}\r\n\r\n/**\r\n * An iterator over a progression of values of type `Long`.\r\n * @property step the number by which the value is incremented on each step.\r\n */\r\ninternal class LongProgressionIterator(first: Long, last: Long, val step: Long) : LongIterator() {\r\n private val finalElement = last\r\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\r\n private var next = if (hasNext) first else finalElement\r\n\r\n override fun hasNext(): Boolean = hasNext\r\n\r\n override fun nextLong(): Long {\r\n val value = next\r\n if (value == finalElement) {\r\n if (!hasNext) throw kotlin.NoSuchElementException()\r\n hasNext = false\r\n }\r\n else {\r\n next += step\r\n }\r\n return value\r\n }\r\n}\r\n\r\n","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// Auto-generated file. DO NOT EDIT!\r\n\r\npackage kotlin.ranges\r\n\r\nimport kotlin.internal.getProgressionLastElement\r\n\r\n/**\r\n * A progression of values of type `Char`.\r\n */\r\npublic open class CharProgression\r\n internal constructor\r\n (\r\n start: Char,\r\n endInclusive: Char,\r\n step: Int\r\n) : Iterable<Char> {\r\n init {\r\n if (step == 0) throw kotlin.IllegalArgumentException(\"Step must be non-zero.\")\r\n if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater than Int.MIN_VALUE to avoid overflow on negation.\")\r\n }\r\n\r\n /**\r\n * The first element in the progression.\r\n */\r\n public val first: Char = start\r\n\r\n /**\r\n * The last element in the progression.\r\n */\r\n public val last: Char = getProgressionLastElement(start.toInt(), endInclusive.toInt(),
step).toChar()\r\n\r\n /**\r\n * The step of the progression.\r\n */\r\n public val step: Int = step\r\n\r\n override fun iterator(): CharIterator = CharProgressionIterator(first, last, step)\r\n\r\n /** Checks if the progression is empty. */\r\n public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\r\n\r\n override fun equals(other: Any?): Boolean =\r\n other is CharProgression && (isEmpty() && other.isEmpty() ||\r\n first == other.first && last == other.last && step == other.step)\r\n\r\n override fun hashCode(): Int =\r\n if (isEmpty()) -1 else (31 * (31 * first.toInt() + last.toInt()) + step)\r\n\r\n override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\r\n\r\n companion object {\r\n /**\r\n * Creates CharProgression within the specified bounds of a closed range.\r\n\r\n * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\r\n * In order to go backwards the [step] must be negative.\r\n *\r\n * [step] must be greater than

`Int.MIN_VALUE` and not equal to zero.\r\n */\r\n public fun fromClosedRange(rangeStart: Char, rangeEnd: Char, step: Int): CharProgression = CharProgression(rangeStart, rangeEnd, step)\r\n }\r\n}\r\n\r\n/**\r\n * A progression of values of type `Int`.\r\n */\r\npublic open class IntProgression\r\n internal constructor\r\n (\r\n start: Int,\r\n endInclusive: Int,\r\n step: Int\r\n) : Iterable<Int> {\r\n init {\r\n if (step == 0) throw kotlin.IllegalArgumentException(\"Step must be non-zero.\")\r\n if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater than Int.MIN_VALUE to avoid overflow on negation.\")\r\n }\r\n\r\n /**\r\n * The first element in the progression.\r\n */\r\n public val first: Int = start\r\n\r\n /**\r\n * The last element in the progression.\r\n */\r\n public val last: Int = getProgressionLastElement(start.toInt(), endInclusive.toInt(), step).toInt()\r\n\r\n /**\r\n * The step of the progression.\r\n */\r\n public val step: Int = step\r\n\r\n override fun iterator(): IntIterator = IntProgressionIterator(first, last, step)\r\n\r\n /** Checks if the progression is empty. */\r\n public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\r\n\r\n override fun equals(other: Any?): Boolean =\r\n other is IntProgression && (isEmpty() && other.isEmpty() ||\r\n first == other.first && last == other.last && step == other.step)\r\n\r\n override fun hashCode(): Int =\r\n if (isEmpty()) -1 else (31 * (31 * first + last) + step)\r\n\r\n override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\r\n\r\n companion object {\r\n /**\r\n * Creates IntProgression within the specified bounds of a closed range.\r\n\r\n * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\r\n * In order to go backwards the [step] must be negative.\r\n *\r\n * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\r\n */\r\n public fun fromClosedRange(rangeStart: Int, rangeEnd: Int, step: Int): IntProgression = IntProgression(rangeStart, rangeEnd, step)\r\n }\r\n}\r\n\r\n/**\r\n * A progression of values of type `Long`.\r\n */\r\npublic open class LongProgression\r\n internal constructor\r\n (\r\n start: Long,\r\n endInclusive: Long,\r\n step: Long\r\n) : Iterable<Long> {\r\n init {\r\n if (step == 0L) throw kotlin.IllegalArgumentException(\"Step must be non-zero.\")\r\n if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater than Long.MIN_VALUE to avoid overflow on negation.\")\r\n }\r\n\r\n /**\r\n * The first element in the progression.\r\n */\r\n public val first: Long = start\r\n\r\n /**\r\n * The last element in the progression.\r\n */\r\n public val last: Long = getProgressionLastElement(start.toLong(), endInclusive.toLong(), step).toLong()\r\n\r\n /**\r\n * The step of the progression.\r\n */\r\n public val step: Long = step\r\n\r\n override fun iterator(): LongIterator = LongProgressionIterator(first, last, step)\r\n\r\n /** Checks if the progression is empty. */\r\n public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\r\n\r\n override fun equals(other: Any?): Boolean =\r\n other is LongProgression && (isEmpty() && other.isEmpty() ||\r\n first == other.first && last == other.last && step == other.step)\r\n\r\n override fun hashCode(): Int =\r\n if (isEmpty()) -1 else (31 * (31 * (first xor (first ushr 32)) + (last xor (last ushr 32))) + (step xor (step ushr 32))).toInt()\r\n\r\n override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\r\n\r\n companion object {\r\n /**\r\n * Creates LongProgression within the specified bounds of a closed range.\r\n\r\n * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\r\n * In order to go backwards the [step] must be negative.\r\n *\r\n * [step] must be greater than `Long.MIN_VALUE` and not equal to zero.\r\n */\r\n public fun fromClosedRange(rangeStart: Long, rangeEnd: Long, step: Long): LongProgression = LongProgression(rangeStart, rangeEnd, step)\r\n }\r\n}\r\n\r\n","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.ranges\r\n\r\n/**\r\n * Represents a range of values (for example, numbers or characters).\r\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/ranges.html) for more information.\r\n */\r\npublic interface ClosedRange<T: Comparable<T>> {\r\n /**\r\n * The minimum value in the range.\r\n */\r\n public val

start: T\r\n\r\n   /**\r\n   * The maximum value in the range (inclusive).\r\n   */\r\n   public val endInclusive: T\r\n\r\n   /**\r\n   * Checks whether the specified [value] belongs to the range.\r\n   */\r\n   public operator fun contains(value: T): Boolean = value >= start && value <= endInclusive\r\n\r\n   /**\r\n   * Checks whether the range is empty.\r\n   */\r\n   public fun isEmpty(): Boolean = start > endInclusive\r\n}\r\n","/*\r\n
 * Copyright 2010-2015 JetBrains s.r.o.\r\n *\r\n * Licensed under the Apache License, Version 2.0 (the \"License\");\r\n * you may not use this file except in compliance with the License.\r\n * You may obtain a copy of the License at\r\n *\r\n * http://www.apache.org/licenses/LICENSE-2.0\r\n *\r\n * Unless required by applicable law or agreed to in writing, software\r\n * distributed under the License is distributed on an \"AS IS\" BASIS,\r\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\r\n * See the License for the specific language governing permissions and\r\n * limitations under the License.\r\n */\r\n\r\npackage kotlin.reflect\r\n\r\n/**\r\n * Represents a parameter passed to a function or a property getter/setter,\r\n * including `this` and extension receiver parameters.\r\n */\r\npublic interface KParameter : KAnnotatedElement {\r\n   /**\r\n   * 0-based index of this parameter in the parameter list of its containing callable.\r\n
     */\r\n   public val index: Int\r\n\r\n   /**\r\n   * Name of this parameter as it was declared in the source code,\r\n   * or `null` if the parameter has no name or its name is not available at runtime.\r\n   * Examples of nameless parameters include `this` instance for member functions,\r\n   * extension receiver for extension functions or properties, parameters of Java methods\r\n   * compiled without the debug information, and others.\r\n   */\r\n   public val name: String?\r\n\r\n   /**\r\n   * Type of this parameter. For a `vararg` parameter, this is the type of the corresponding array,\r\n   * not the individual element.\r\n   */\r\n   public val type: KType\r\n\r\n   /**\r\n   * Kind of this parameter.\r\n   */\r\n   public val kind: Kind\r\n\r\n   /**\r\n   * Kind represents a particular position of the parameter declaration in the source code,\r\n   * such as an instance, an extension receiver parameter or a value parameter.\r\n   */\r\n
    public enum class Kind {\r\n   /** Instance required to make a call to the member, or an outer class instance for an inner class constructor. */\r\n   INSTANCE,\r\n\r\n   /** Extension receiver of an extension function or property. */\r\n   EXTENSION_RECEIVER,\r\n\r\n   /** Ordinary named value parameter. */\r\n   VALUE,\r\n   }\r\n\r\n   /**\r\n   * `true` if this parameter is optional and can be omitted when making a call via [KCallable.callBy], or `false` otherwise.\r\n   *\r\n   * A parameter is optional in any of the two cases:\r\n   * 1. The default value is provided at the declaration of this parameter.\r\n   * 2. The parameter is declared in a member function and one of the corresponding parameters in the super functions is optional.\r\n   */\r\n   public val isOptional: Boolean\r\n\r\n   /**\r\n   * `true` if this parameter is `vararg`.\r\n   * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/functions.html#variable-number-of-arguments-varargs)\r\n
     * for more information.\r\n   */\r\n   @SinceKotlin(\"1.1\")\r\n   public val isVararg: Boolean\r\n}\r\n","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.reflect\r\n\r\n/**\r\n * Represents a type. Type is usually either a class with optional type arguments,\r\n * or a type parameter of some declaration, plus nullability.\r\n */\r\npublic interface KType : KAnnotatedElement {\r\n   /**\r\n   * The declaration of the classifier used in this type.\r\n   * For example, in the type `List<String>` the classifier would be the [KClass] instance for [List].\r\n   *\r\n   * Returns `null` if this type is not denotable in Kotlin, for example if it is an intersection type.\r\n   */\r\n   @SinceKotlin(\"1.1\")\r\n   public val classifier: KClassifier?\r\n\r\n   /**\r\n   * Type arguments passed for the parameters of the classifier in this type.\r\n   * For example, in the type `Array<out Number>` the only type argument is `out Number`.\r\n   *\r\n   * In case this type is based on an inner class, the returned list contains the type arguments provided for the innermost class first,\r\n   * then its outer class, and so on.\r\n   * For example, in the type `Outer<A, B>.Inner<C, D>` the returned list is `[C, D, A, B]`.\r\n   */\r\n   @SinceKotlin(\"1.1\")\r\n   public val arguments: List<KTypeProjection>\r\n\r\n   /**\r\n   * `true` if this type was marked nullable in the source code.\r\n   *\r\n   * For Kotlin types, it means that `null` value is allowed to be represented by this type.\r\n   * In practice it means that the type was declared with a question mark at the end.\r\n   * For non-Kotlin types, it means the type or the symbol which was declared with this type\r\n   * is annotated with

a runtime-retained nullability annotation such as [javax.annotation.Nullable].\r\n *\r\n * Note that even if [isMarkedNullable] is false, values of the type can still be `null`.\r\n * This may happen if it is a type of the type parameter with a nullable upper bound:\r\n *\r\n * ```\r\n * fun <T> foo(t: T) {\r\n * // isMarkedNullable == false for t's type, but t can be null here when T = \"Any?\"\r\n * }\r\n * ```\r\n */\r\n public val isMarkedNullable: Boolean\r\n}\r\n\r\n/**\r\n * Represents a type projection. Type projection is usually the argument to another type in a type usage.\r\n * For example, in the type `Array<out Number>`, `out Number` is the covariant projection of the type represented by the class `Number`.\r\n *\r\n * Type projection is either the star projection, or an entity consisting of a specific type plus optional variance.\r\n *\r\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#type-projections)\r\n * for more information.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic data class KTypeProjection constructor(\r\n /**\r\n * The use-site variance specified in the projection, or `null` if this is a star projection.\r\n */\r\n public val variance: KVariance?,\r\n /**\r\n * The type specified in the projection, or `null` if this is a star projection.\r\n */\r\n public val type: KType?\r\n) {\r\n public companion object {\r\n /**\r\n * Star projection, denoted by the `*` character.\r\n * For example, in the type `KClass<*>`, `*` is the star projection.\r\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#star-projections)\r\n * for more information.\r\n */\r\n public val STAR: KTypeProjection = KTypeProjection(null, null)\r\n\r\n /**\r\n * Creates an invariant projection of a given type.\r\n * Invariant projection is just the type itself,\r\n * without any use-site variance modifiers applied to it.\r\n * For example, in the type `Set<String>`, `String` is an invariant projection of the type represented by the class `String`.\r\n */\r\n public fun invariant(type: KType): KTypeProjection =\r\n KTypeProjection(KVariance.INVARIANT, type)\r\n\r\n /**\r\n * Creates a contravariant projection of a given type, denoted by the `in` modifier applied to a type.\r\n * For example, in the type `MutableList<in Number>`, `in Number` is a contravariant projection of the type of class `Number`.\r\n */\r\n public fun contravariant(type: KType): KTypeProjection =\r\n KTypeProjection(KVariance.IN, type)\r\n\r\n /**\r\n * Creates a covariant projection of a given type, denoted by the `out` modifier applied to a type.\r\n * For example, in the type `Array<out Number>`, `out Number`\r\n * is a covariant projection of the type of class `Number`.\r\n */\r\n public fun covariant(type: KType): KTypeProjection =\r\n KTypeProjection(KVariance.OUT, type)\r\n }\r\n}\r\n","/*\r\n * Copyright 2010-2016 JetBrains s.r.o.\r\n *\r\n * Licensed under the Apache License, Version 2.0 (the \"License\");\r\n * you may not use this file except in compliance with the License.\r\n * You may obtain a copy of the License at\r\n *\r\n * http://www.apache.org/licenses/LICENSE-2.0\r\n *\r\n * Unless required by applicable law or agreed to in writing, software\r\n * distributed under the License is distributed on an \"AS IS\" BASIS,\r\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\r\n * See the License for the specific language governing permissions and\r\n * limitations under the License.\r\n */\r\n\r\npackage kotlin.reflect\r\n\r\n/**\r\n * Represents variance applied to a type parameter on the declaration site (*declaration-site variance*),\r\n * or to a type in a projection (*use-site variance*).\r\n *\r\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#variance)\r\n * for more information.\r\n *\r\n * @see [KTypeParameter.variance]\r\n * @see [KTypeProjection]\r\n */\r\n@SinceKotlin(\"1.1\")\r\nenum class KVariance {\r\n /**\r\n * The affected type parameter or type is *invariant*, which means it has no variance applied to it.\r\n */\r\n INVARIANT,\r\n\r\n /**\r\n * The affected type parameter or type is *contravariant*. Denoted by the `in` modifier in the source code.\r\n */\r\n IN,\r\n\r\n /**\r\n * The affected type parameter or type is *covariant*. Denoted by the `out` modifier in the source code.\r\n */\r\n OUT,\r\n}\r\n","/*\r\n * Copyright 2010-2016 JetBrains s.r.o.\r\n *\r\n * Licensed under the Apache License, Version 2.0 (the \"License\");\r\n * you may not use this file except in compliance with the License.\r\n * You may obtain a copy of the License at\r\n *\r\n * http://www.apache.org/licenses/LICENSE-2.0\r\n *\r\n * Unless required by applicable law or agreed to in writing, software\r\n * distributed under the License is distributed on an \"AS IS\" BASIS,\r\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied.\r\n * See the License for the specific language governing permissions and\r\n * limitations under the License.\r\n */\r\n\r\npackage kotlin.reflect\r\n\r\n/**\r\n * Visibility is an aspect of a Kotlin declaration regulating where that declaration is accessible in the source code.\r\n * Visibility can be changed with one of the following modifiers: `public`, `protected`, `internal`, `private`.\r\n *\r\n * Note that some Java visibilities such as package-private and protected (which also gives access to items from the same package)\r\n * cannot be represented in Kotlin, so there's no [KVisibility] value corresponding to them.\r\n *\r\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/visibility-modifiers.html)\r\n * for more information.\r\n */\r\n@SinceKotlin(\"1.1\")\r\nenum class KVisibility {\r\n /**\r\n * Visibility of declarations marked with the `public` modifier, or with no modifier at all.\r\n */\r\n PUBLIC,\r\n\r\n /**\r\n * Visibility of declarations marked with the `protected` modifier.\r\n */\r\n PROTECTED,\r\n\r\n /**\r\n * Visibility of declarations marked with the `internal` modifier.\r\n */\r\n INTERNAL,\r\n\r\n /**\r\n * Visibility of declarations marked with the `private` modifier.\r\n */\r\n PRIVATE,\r\n}\r\n","/*\r\n * Copyright 2010-2015 JetBrains s.r.o.\r\n *\r\n * Licensed under the Apache License, Version 2.0 (the \"License\");\r\n * you may not use this file except in compliance with the License.\r\n * You may obtain a copy of the License at\r\n *\r\n * http://www.apache.org/licenses/LICENSE-2.0\r\n *\r\n * Unless required by applicable law or agreed to in writing, software\r\n * distributed under the License is distributed on an \"AS IS\" BASIS,\r\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\r\n * See the License for the specific language governing permissions and\r\n * limitations under the License.\r\n */\r\n\r\npackage kotlin\r\n\r\n/**\r\n * The type with only one value: the `Unit` object. This type corresponds to the `void` type in Java.\r\n */\r\npublic object Unit {\r\n override fun toString() = \"kotlin.Unit\"\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@JsName(\"arrayIterator\")\r\ninternal fun arrayIterator(array: dynamic, type: String?) = when (type) {\r\n null -> {\r\n val arr: Array<dynamic> = array\r\n object : Iterator<dynamic> {\r\n var index = 0\r\n override fun hasNext() = index < arr.size\r\n override fun next() = if (index < arr.size) arr[index++] else throw NoSuchElementException(\"$index\")\r\n }\r\n }\r\n \"BooleanArray\" -> booleanArrayIterator(array)\r\n \"ByteArray\" -> byteArrayIterator(array)\r\n \"ShortArray\" -> shortArrayIterator(array)\r\n \"CharArray\" -> charArrayIterator(array)\r\n \"IntArray\" -> intArrayIterator(array)\r\n \"LongArray\" -> longArrayIterator(array)\r\n \"FloatArray\" -> floatArrayIterator(array)\r\n \"DoubleArray\" -> doubleArrayIterator(array)\r\n else -> throw IllegalStateException(\"Unsupported type argument for arrayIterator: $type\")\r\n}\r\n\r\n@JsName(\"booleanArrayIterator\")\r\ninternal fun booleanArrayIterator(array: BooleanArray) = object : BooleanIterator() {\r\n var index = 0\r\n override fun hasNext() = index < array.size\r\n override fun nextBoolean() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\r\n}\r\n\r\n@JsName(\"byteArrayIterator\")\r\ninternal fun byteArrayIterator(array: ByteArray) = object : ByteIterator() {\r\n var index = 0\r\n override fun hasNext() = index < array.size\r\n override fun nextByte() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\r\n}\r\n\r\n@JsName(\"shortArrayIterator\")\r\ninternal fun shortArrayIterator(array: ShortArray) = object : ShortIterator() {\r\n var index = 0\r\n override fun hasNext() = index < array.size\r\n override fun nextShort() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\r\n}\r\n\r\n@JsName(\"charArrayIterator\")\r\ninternal fun charArrayIterator(array: CharArray) = object : CharIterator() {\r\n var index = 0\r\n override fun hasNext() = index < array.size\r\n override fun nextChar() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\r\n}\r\n\r\n@JsName(\"intArrayIterator\")\r\ninternal fun intArrayIterator(array: IntArray) = object : IntIterator() {\r\n var index = 0\r\n override fun hasNext() = index < array.size\r\n override fun nextInt() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\r\n}\r\n\r\n@JsName(\"floatArrayIterator\")\r\ninternal fun floatArrayIterator(array: FloatArray) = object : FloatIterator() {\r\n var index = 0\r\n override fun hasNext() =

```
index < array.size\r\n    override fun nextFloat() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\r\n}\r\n\r\n@JsName(\"doubleArrayIterator\")\r\ninternal fun doubleArrayIterator(array: DoubleArray) = object : DoubleIterator() {\r\n    var index = 0\r\n    override fun hasNext() = index < array.size\r\n    override fun nextDouble() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\r\n}\r\n\r\n@JsName(\"longArrayIterator\")\r\ninternal fun longArrayIterator(array:
 LongArray) = object : LongIterator() {\r\n    var index = 0\r\n    override fun hasNext() = index < array.size\r\n    override fun nextLong() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\r\n}\r\n\r\n@JsName(\"PropertyMetadata\")\r\ninternal class PropertyMetadata(@JsName(\"callableName\") val name:
String)\r\n\r\n@JsName(\"noWhenBranchMatched\")\r\ninternal fun noWhenBranchMatched(): Nothing = throw NoWhenBranchMatchedException()\r\n\r\n@JsName(\"subSequence\")\r\ninternal fun subSequence(c: CharSequence, startIndex: Int, endIndex: Int): CharSequence {\r\n    if (c is String) {\r\n        return c.substring(startIndex, endIndex)\r\n    } else {\r\n        return c.asDynamic().`subSequence_vux9f0$`(startIndex, endIndex)\r\n    }\r\n}\r\n\r\n@JsName(\"captureStack\")\r\ninternal fun captureStack(baseClass: JsClass<in Throwable>, instance: Throwable) {\r\n    if (js(\"Error\").captureStackTrace) {\r\n        js(\"Error\").captureStackTrace(instance,
 instance::class.js);\r\n    } else {\r\n        instance.asDynamic().stack = js(\"new Error()\").stack;\r\n    }\r\n}\r\n\r\n@JsName(\"newThrowable\")\r\ninternal fun newThrowable(message: String?, cause: Throwable?): Throwable {\r\n    val throwable = js(\"new Error()\")\r\n    throwable.message = if (jsTypeOf(message) == \"undefined\") {\r\n        if (cause != null) cause.toString() else null\r\n    } else {\r\n        message\r\n    }\r\n    throwable.cause = cause\r\n    throwable.name = \"Throwable\"\r\n    return throwable\r\n}\r\n\r\n@JsName(\"BoxedChar\")\r\ninternal class BoxedChar(val c: Int) : Comparable<Int> {\r\n    override fun equals(other: Any?): Boolean {\r\n        return other is BoxedChar && c == other.c\r\n    }\r\n\r\n    override fun hashCode(): Int {\r\n        return c\r\n    }\r\n\r\n    override fun toString(): String {\r\n        return js(\"this.c\").unsafeCast<Char>().toString()\r\n    }\r\n\r\n    override fun compareTo(other: Int): Int {\r\n        return js(\"this.c - other\").unsafeCast<Int>()\r\n    }\r\n\r\n    @JsName(\"valueOf\")\r\n    public fun valueOf(): Int {\r\n        return c\r\n    }\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\ninternal inline fun <T> concat(args: Array<T>): T {\r\n    val typed = js(\"Array\")(args.size)\r\n    for (i in args.indices) {\r\n        val arr = args[i]\r\n        if (arr !is Array<*>) {\r\n            typed[i] = js(\"[]\").slice.call(arr)\r\n        } else {\r\n            typed[i] = arr\r\n        }\r\n    }\r\n    return js(\"[]\").concat.apply(js(\"[]\"), typed);\r\n}\r\n\r\n/** Concat regular Array's and TypedArray's into an Array.\r\n
*/\r\n@PublishedApi\r\n@JsName(\"arrayConcat\")\r\n@Suppress(\"UNUSED_PARAMETER\")\r\ninternal fun <T> arrayConcat(a: T, b: T): T {\r\n    return concat(js(\"arguments\"))\r\n}\r\n\r\n/** Concat primitive arrays. Main use: prepare vararg arguments.\r\n *  For compatibility with 1.1.0 the arguments may be a mixture of Array's and TypedArray's.\r\n
 *\r\n *  If the first argument is TypedArray (Byte-, Short-, Char-, Int-, Float-, and DoubleArray) returns a TypedArray, otherwise an Array.\r\n *  If the first argument has the $type$ property (Boolean-, Char-, and LongArray) copy its value to result.$type$.\r\n *  If the first argument is a regular Array without the $type$ property default to arrayConcat.\r\n
*/\r\n@PublishedApi\r\n@JsName(\"primitiveArrayConcat\")\r\n@Suppress(\"UNUSED_PARAMETER\")\r\ninternal fun <T> primitiveArrayConcat(a: T, b: T): T {\r\n    val args: Array<T> = js(\"arguments\")\r\n    if (a is Array<*> && a.asDynamic().`$type$` === undefined) {\r\n        return concat(args)\r\n    } else {\r\n        var size = 0\r\n        for (i in args.indices) {\r\n            size += args[i].asDynamic().length as Int\r\n        }\r\n        val result = js(\"new a.constructor(size)\")\r\n        kotlin.copyArrayType(a, result)\r\n        size = 0\r\n        for (i in args.indices) {\r\n            val arr = args[i].asDynamic()\r\n
            for (j in 0 until arr.length) {\r\n                result[size++] = arr[j]\r\n            }\r\n        }\r\n        return result\r\n
 }\r\n}\r\n\r\n@JsName(\"booleanArrayOf\")\r\ninternal fun booleanArrayOf() = withType(\"BooleanArray\",
```

js(\"[].slice.call(arguments)\"))\r\n\r\n@JsName(\"charArrayOf\") // The arguments have to be slice'd here because of Rhino (see KT-16974)\r\ninternal fun charArrayOf() = withType(\"CharArray\", js(\"new Uint16Array([].slice.call(arguments))\"))\r\n\r\n@JsName(\"longArrayOf\")\r\ninternal fun longArrayOf() = withType(\"LongArray\", js(\"[].slice.call(arguments)\"))\r\n\r\n@JsName(\"withType\")\r\n@kotlin.internal.InlineOnly\r\ninternal inline fun withType(type: String, array: dynamic): dynamic {\r\n array.`$type$` = type\r\n return array\r\n}","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.js\r\n\r\n/**\r\n * Function corresponding to JavaScript's `typeof` operator\r\n */\r\n@kotlin.internal.InlineOnly\r\n@Suppress(\"UNUSED_PARAMETER\")\r\npublic inline fun jsTypeOf(a: Any?): String = js(\"typeof a\")\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:Suppress(\"UNUSED_PARAMETER\", \"NOTHING_TO_INLINE\")\r\n\r\npackage kotlin\r\n\r\n/**\r\n * Returns an empty array of the specified type [T].\r\n */\r\npublic inline fun <T> emptyArray(): Array<T> = js(\"[]\")\r\n\r\n@library\r\npublic fun <T> arrayOf(vararg elements: T): Array<T> = definedExternally\r\n\r\n@library\r\npublic fun doubleArrayOf(vararg elements: Double): DoubleArray = definedExternally\r\n\r\n@library\r\npublic fun floatArrayOf(vararg elements: Float): FloatArray = definedExternally\r\n\r\n@library\r\npublic fun longArrayOf(vararg elements: Long): LongArray = definedExternally\r\n\r\n@library\r\npublic fun intArrayOf(vararg elements: Int): IntArray = definedExternally\r\n\r\n@library\r\npublic fun charArrayOf(vararg elements: Char): CharArray = definedExternally\r\n\r\n@library\r\npublic fun shortArrayOf(vararg elements: Short): ShortArray = definedExternally\r\n\r\n@library\r\npublic fun byteArrayOf(vararg elements: Byte): ByteArray = definedExternally\r\n\r\n@library\r\npublic fun booleanArrayOf(vararg elements: Boolean): BooleanArray = definedExternally\r\n\r\n/**\r\n * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].\r\n */\r\npublic actual fun <T> lazy(initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\r\n\r\n/**\r\n * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].\r\n *\r\n * The [mode] parameter is ignored. */\r\npublic actual fun <T> lazy(mode: LazyThreadSafetyMode, initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\r\n\r\n/**\r\n * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].\r\n *\r\n * The [lock] parameter is ignored.\r\n */\r\npublic actual fun <T> lazy(lock: Any?, initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\r\n\r\n\r\ninternal fun fillFrom(src: dynamic, dst: dynamic): dynamic {\r\n val srcLen: Int = src.length\r\n val dstLen: Int = dst.length\r\n var index: Int = 0\r\n while (index < srcLen && index < dstLen) dst[index] = src[index++]\r\n return dst\r\n}\r\n\r\n\r\ninternal fun arrayCopyResize(source: dynamic, newSize: Int, defaultValue: Any?): dynamic {\r\n val result = source.slice(0, newSize)\r\n copyArrayType(source, result)\r\n var index: Int = source.length\r\n if (newSize > index) {\r\n result.length = newSize\r\n while (index < newSize) result[index++] = defaultValue\r\n }\r\n return result\r\n}\r\n\r\ninternal fun <T> arrayPlusCollection(array: dynamic, collection: Collection<T>): dynamic {\r\n val result = array.slice()\r\n result.length += collection.size\r\n copyArrayType(array, result)\r\n var index: Int = array.length\r\n for (element in collection) result[index++] = element\r\n return result\r\n}\r\n\r\ninternal fun <T> fillFromCollection(dst: dynamic, startIndex: Int, collection: Collection<T>): dynamic {\r\n var index = startIndex\r\n for (element in collection) dst[index++] = element\r\n return dst\r\n}\r\n\r\ninternal inline fun copyArrayType(from: dynamic, to: dynamic) {\r\n if (from.`$type$` !== undefined) {\r\n to.`$type$` = from.`$type$`\r\n }\r\n}\r\n\r\ninternal inline fun jsIsType(obj: dynamic, jsClass: dynamic) = js(\"Kotlin\").isType(obj, jsClass)","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the

Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.coroutines\r\n\r\nimport kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\r\n\r\n@SinceKotlin(\"1.3\")\r\n@JsName(\"CoroutineImpl\")\r\ninternal abstract class CoroutineImpl(private val resultContinuation: Continuation<Any?>) : Continuation<Any?> {\r\n   protected var state = 0\r\n   protected var exceptionState = 0\r\n   protected var result: Any? = null\r\n   protected var exception: Throwable? = null\r\n   protected var finallyPath: Array<Int>? = null\r\n\r\n   public override val context: CoroutineContext = resultContinuation.context\r\n\r\n   private var intercepted_: Continuation<Any?>? = null\r\n\r\n   public fun intercepted(): Continuation<Any?> =\r\n   intercepted_\r\n   ?: (context[ContinuationInterceptor]?.interceptContinuation(this) ?: this)\r\n   .also { intercepted_ = it }\r\n\r\n\r\n   override fun resumeWith(result: Result<Any?>) {\r\n   var current = this\r\n   var currentResult: Any? = result.getOrNull()\r\n   var currentException: Throwable? = result.exceptionOrNull()\r\n\r\n\r\n   // This loop unrolls recursion in current.resumeWith(param) to make saner and shorter stack traces on resume\r\n   while (true) {\r\n   with(current) {\r\n   val completion = resultContinuation\r\n\r\n\r\n   // Set result and exception fields in the current continuation\r\n   if (currentException == null) {\r\n   this.result = currentResult\r\n   } else {\r\n   state = exceptionState\r\n   exception = currentException\r\n   }\r\n\r\n\r\n   try {\r\n   val outcome = doResume()\r\n   if (outcome === COROUTINE_SUSPENDED) return\r\n   currentResult = outcome\r\n   currentException = null\r\n   } catch (exception: dynamic) { // Catch all exceptions\r\n   currentResult = null\r\n   currentException = exception.unsafeCast<Throwable>()\r\n   }\r\n\r\n\r\n   releaseIntercepted() // this state machine instance is terminating\r\n\r\n\r\n   if (completion is CoroutineImpl) {\r\n   // unrolling recursion via loop\r\n   current = completion\r\n   } else {\r\n   // top-level completion reached -- invoke and return\r\n   currentException?.let {\r\n   completion.resumeWithException(it)\r\n   } ?: completion.resume(currentResult)\r\n   return\r\n   }\r\n   }\r\n   }\r\n   }\r\n\r\n   private fun releaseIntercepted() {\r\n   val intercepted = intercepted_\r\n   if (intercepted != null && intercepted !== this) {\r\n   context[ContinuationInterceptor]!!.releaseInterceptedContinuation(intercepted)\r\n   }\r\n   this.intercepted_ = CompletedContinuation // just in case\r\n   }\r\n\r\n\r\n   protected abstract fun doResume(): Any?\r\n}\r\n\r\ninternal object CompletedContinuation : Continuation<Any?> {\r\n   override val context: CoroutineContext\r\n   get() = error(\"This continuation is already complete\")\r\n\r\n\r\n   override fun resumeWith(result: Result<Any?>) {\r\n   error(\"This continuation is already complete\")\r\n   }\r\n\r\n\r\n   override fun toString(): String = \"This continuation is already complete\"\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n\r\n@file:Suppress(\"UNCHECKED_CAST\", \"RedundantVisibilityModifier\")\r\n\r\n\r\npackage kotlin\r\n\r\nimport kotlin.contracts.*\r\nimport kotlin.internal.InlineOnly\r\nimport kotlin.jvm.JvmField\r\n\r\n\r\n/**\r\n * A discriminated union that encapsulates successful outcome with a value of type [T]\r\n * or a failure with an arbitrary [Throwable] exception.\r\n */\r\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\r\n@SinceKotlin(\"1.3\")\r\npublic inline class Result<out T> @PublishedApi internal constructor(\r\n   @PublishedApi\r\n   internal val value: Any?\r\n) : Serializable {\r\n   // discovery\r\n\r\n\r\n   /**\r\n   * Returns `true` if this instance represents successful outcome.\r\n   * In this case [isFailure] returns `false`.\r\n   */\r\n   public val isSuccess: Boolean get() = value !is Failure\r\n\r\n\r\n   /**\r\n   * Returns `true` if this instance represents failed outcome.\r\n   * In this case [isSuccess] returns `false`.\r\n   */\r\n   public val isFailure: Boolean get() = value is Failure\r\n\r\n\r\n   // value & exception retrieval\r\n\r\n\r\n   /**\r\n   * Returns the encapsulated value if this instance represents [success][Result.isSuccess]
or `null`\r\n   * if it is [failure][Result.isFailure].\r\n   *\r\n   * This function is shorthand for `getOrElse { null }` (see [getOrElse]) or\r\n   * `fold(onSuccess = { it }, onFailure = { null })` (see [fold]).\r\n   */\r\n

```
@InlineOnly\r\n    public inline fun getOrNull(): T? =\r\n        when {\r\n            isFailure -> null\r\n            else -> value as T\r\n        }\r\n\r\n    /**\r\n     * Returns the encapsulated exception if this instance represents [failure][isFailure] or `null`\r\n     * if it is [success][isSuccess].\r\n     *\r\n     * This function is shorthand for `fold(onSuccess = { null }, onFailure = { it })` (see [fold]).\r\n     */\r\n    public fun exceptionOrNull(): Throwable? =\r\n        when (value) {\r\n            is Failure -> value.exception\r\n            else -> null\r\n        }\r\n\r\n    /**\r\n     * Returns a string `Success(v)` if this instance represents [success][Result.isSuccess]\r\n     * where `v` is a string representation
 of the value or a string `Failure(x)` if\r\n     * it is [failure][isFailure] where `x` is a string representation of the exception.\r\n     */\r\n    public override fun toString(): String =\r\n        when (value) {\r\n            is Failure -> value.toString() // \"Failure($exception)\"\r\n            else -> \"Success($value)\"\r\n        }\r\n\r\n    // companion with constructors\r\n\r\n    /**\r\n     * Companion object for [Result] class that contains its constructor functions\r\n     * [success] and [failure].\r\n     */\r\n    public companion object {\r\n        /**\r\n         * Returns an instance that encapsulates the given [value] as successful value.\r\n         */\r\n        @InlineOnly\r\n        public inline fun <T> success(value: T): Result<T> =\r\n            Result(value)\r\n\r\n        /**\r\n         * Returns an instance that encapsulates the given [exception] as failure.\r\n         */\r\n        @InlineOnly\r\n        public inline fun <T> failure(exception:
 Throwable): Result<T> =\r\n            Result(createFailure(exception))\r\n    }\r\n\r\n    internal class Failure(\r\n        @JvmField\r\n        val exception: Throwable\r\n    ) : Serializable {\r\n        override fun equals(other: Any?): Boolean = other is Failure && exception == other.exception\r\n        override fun hashCode(): Int = exception.hashCode()\r\n        override fun toString(): String = \"Failure($exception)\"\r\n    }\r\n}\r\n\r\n/**\r\n * Creates an instance of internal marker [Result.Failure] class to\r\n * make sure that this class is not exposed in ABI.\r\n */\r\n@PublishedApi\r\n@SinceKotlin(\"1.3\")\r\ninternal fun createFailure(exception: Throwable): Any =\r\n    Result.Failure(exception)\r\n\r\n/**\r\n * Throws exception if the result is failure. This internal function minimizes\r\n * inlined bytecode for [getOrThrow] and makes sure that in the future we can\r\n * add some exception-augmenting logic here (if needed).\r\n */\r\n@PublishedApi\r\n@SinceKotlin(\"1.3\")\r\ninternal
 fun Result<*>.throwOnFailure() {\r\n    if (value is Result.Failure) throw value.exception\r\n}\r\n\r\n/**\r\n * Calls the specified function [block] and returns its encapsulated result if invocation was successful,\r\n * catching and encapsulating any thrown exception as a failure.\r\n */\r\n@InlineOnly\r\n@SinceKotlin(\"1.3\")\r\npublic inline fun <R> runCatching(block: () -> R): Result<R> {\r\n    return try {\r\n        Result.success(block())\r\n    } catch (e: Throwable) {\r\n        Result.failure(e)\r\n    }\r\n}\r\n\r\n/**\r\n * Calls the specified function [block] with `this` value as its receiver and returns its encapsulated result\r\n * if invocation was successful, catching and encapsulating any thrown exception as a failure.\r\n */\r\n@InlineOnly\r\n@SinceKotlin(\"1.3\")\r\npublic inline fun <T, R> T.runCatching(block: T.() -> R): Result<R> {\r\n    return try {\r\n        Result.success(block())\r\n    } catch (e: Throwable) {\r\n        Result.failure(e)\r\n
    }\r\n}\r\n\r\n// -- extensions ---\r\n\r\n/**\r\n * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or throws the encapsulated exception\r\n * if it is [failure][Result.isFailure].\r\n *\r\n * This function is shorthand for `getOrElse { throw it }` (see [getOrElse]).\r\n */\r\n@InlineOnly\r\n@SinceKotlin(\"1.3\")\r\npublic inline fun <T> Result<T>.getOrThrow(): T {\r\n    throwOnFailure()\r\n    return value as T\r\n}\r\n\r\n/**\r\n * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or the\r\n * result of [onFailure] function for encapsulated exception if it is [failure][Result.isFailure].\r\n *\r\n * Note, that an exception thrown by [onFailure] function is rethrown by this function.\r\n *\r\n * This function is shorthand for `fold(onSuccess = { it }, onFailure = onFailure)` (see [fold]).\r\n */\r\n@InlineOnly\r\n@SinceKotlin(\"1.3\")\r\npublic inline fun <R, T : R> Result<T>.getOrElse(onFailure:
 (exception: Throwable) -> R): R {\r\n    contract {\r\n        callsInPlace(onFailure, InvocationKind.AT_MOST_ONCE)\r\n    }\r\n    return when (val exception = exceptionOrNull()) {\r\n        null -> value as T\r\n        else -> onFailure(exception)\r\n    }\r\n}\r\n\r\n/**\r\n * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or the\r\n * [defaultValue] if it is [failure][Result.isFailure].\r\n *\r\n * This function is shorthand for `getOrElse { defaultValue }` (see [getOrElse]).\r\n
```

*/\r\n@InlineOnly\r\n@SinceKotlin(\"1.3\")\r\npublic inline fun <R, T : R> Result<T>.getOrDefault(defaultValue: R): R {\r\n if (isFailure) return defaultValue\r\n return value as T\r\n}\r\n\r\n/**\r\n * Returns the the result of [onSuccess] for encapsulated value if this instance represents [success][Result.isSuccess]\r\n * or the result of [onFailure] function for encapsulated exception if it is [failure][Result.isFailure].\r\n *\r\n * Note, that an exception thrown by [onSuccess] or by [onFailure] function is rethrown by this function.\r\n */\r\n@InlineOnly\r\n@SinceKotlin(\"1.3\")\r\npublic inline fun <R, T> Result<T>.fold(\r\n onSuccess: (value: T) -> R,\r\n onFailure: (exception: Throwable) -> R\r\n): R {\r\n contract {\r\n callsInPlace(onSuccess, InvocationKind.AT_MOST_ONCE)\r\n callsInPlace(onFailure, InvocationKind.AT_MOST_ONCE)\r\n }\r\n return when (val exception = exceptionOrNull()) {\r\n null -> onSuccess(value as T)\r\n else -> onFailure(exception)\r\n }\r\n}\r\n\r\n// transformation\r\n\r\n/**\r\n * Returns the encapsulated result of the given [transform] function applied to encapsulated value\r\n * if this instance represents [success][Result.isSuccess] or the\r\n * original encapsulated exception if it is [failure][Result.isFailure].\r\n *\r\n * Note, that an exception thrown by [transform] function is rethrown by this function.\r\n * See [mapCatching] for an alternative that encapsulates exceptions.\r\n */\r\n@InlineOnly\r\n@SinceKotlin(\"1.3\")\r\npublic inline fun <R, T> Result<T>.map(transform: (value: T) -> R): Result<R> {\r\n contract {\r\n callsInPlace(transform, InvocationKind.AT_MOST_ONCE)\r\n }\r\n return when {\r\n isSuccess -> Result.success(transform(value as T))\r\n else -> Result(value)\r\n }\r\n}\r\n\r\n/**\r\n * Returns the encapsulated result of the given [transform] function applied to encapsulated value\r\n * if this instance represents [success][Result.isSuccess] or the\r\n * original encapsulated exception if it is [failure][Result.isFailure].\r\n *\r\n * Any exception thrown by [transform] function is caught, encapsulated as a failure and returned by this function.\r\n * See [map] for an alternative that rethrows exceptions.\r\n */\r\n@InlineOnly\r\n@SinceKotlin(\"1.3\")\r\npublic inline fun <R, T> Result<T>.mapCatching(transform: (value: T) -> R): Result<R> {\r\n return when {\r\n isSuccess -> runCatching { transform(value as T) }\r\n else -> Result(value)\r\n }\r\n}\r\n\r\n/**\r\n * Returns the encapsulated result of the given [transform] function applied to encapsulated exception\r\n * if this instance represents [failure][Result.isFailure] or the\r\n * original encapsulated value if it is [success][Result.isSuccess].\r\n *\r\n * Note, that an exception thrown by [transform] function is rethrown by this function.\r\n * See [recoverCatching] for an alternative that encapsulates exceptions.\r\n */\r\n@InlineOnly\r\n@SinceKotlin(\"1.3\")\r\npublic inline fun <R, T : R> Result<T>.recover(transform: (exception: Throwable) -> R): Result<R> {\r\n contract {\r\n callsInPlace(transform, InvocationKind.AT_MOST_ONCE)\r\n }\r\n return when (val exception = exceptionOrNull()) {\r\n null -> this\r\n else -> Result.success(transform(exception))\r\n }\r\n}\r\n\r\n/**\r\n * Returns the encapsulated result of the given [transform] function applied to encapsulated exception\r\n * if this instance represents [failure][Result.isFailure] or the\r\n * original encapsulated value if it is [success][Result.isSuccess].\r\n *\r\n * Any exception thrown by [transform] function is caught, encapsulated as a failure and returned by this function.\r\n * See [recover] for an alternative that rethrows exceptions.\r\n */\r\n@InlineOnly\r\n@SinceKotlin(\"1.3\")\r\npublic inline fun <R, T : R> Result<T>.recoverCatching(transform: (exception: Throwable) -> R): Result<R> {\r\n val value = value // workaround for inline classes BE bug\r\n return when (val exception = exceptionOrNull()) {\r\n null -> this\r\n else -> runCatching { transform(exception) }\r\n }\r\n}\r\n\r\n// \"peek\" onto value/exception and pipe\r\n\r\n/**\r\n * Performs the given [action] on encapsulated exception if this instance represents [failure][Result.isFailure].\r\n * Returns the original `Result` unchanged.\r\n */\r\n@InlineOnly\r\n@SinceKotlin(\"1.3\")\r\npublic inline fun <T> Result<T>.onFailure(action: (exception: Throwable) -> Unit): Result<T> {\r\n contract {\r\n callsInPlace(action, InvocationKind.AT_MOST_ONCE)\r\n }\r\n exceptionOrNull()?.let { action(it) }\r\n return this\r\n}\r\n\r\n/**\r\n * Performs the given [action] on encapsulated value if this instance represents [success][Result.isSuccess].\r\n * Returns the original `Result` unchanged.\r\n */\r\n@InlineOnly\r\n@SinceKotlin(\"1.3\")\r\npublic inline fun <T> Result<T>.onSuccess(action: (value: T) -> Unit): Result<T> {\r\n contract {\r\n callsInPlace(action, InvocationKind.AT_MOST_ONCE)\r\n }\r\n if

(isSuccess) action(value as T)\r\n   return this\r\n}\r\n\r\n// ----------\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.coroutines\r\n\r\nimport kotlin.coroutines.intrinsics.*\r\nimport kotlin.internal.InlineOnly\r\n\r\n/**\r\n * Interface representing a continuation after a suspension point that returns a value of type `T`.\r\n */\r\n@SinceKotlin(\"1.3\")\r\npublic interface Continuation<in T> {\r\n   /**\r\n   * The context of the coroutine that corresponds to this continuation.\r\n   */\r\n   public val context: CoroutineContext\r\n\r\n   /**\r\n   * Resumes the execution of the corresponding coroutine passing a successful or failed [result] as the\r\n   * return value of the last suspension point.\r\n   */\r\n   public fun resumeWith(result: Result<T>)\r\n}\r\n\r\n/**\r\n * Classes and interfaces marked with this annotation are restricted when used as receivers for extension\r\n * `suspend` functions. These `suspend` extensions can only invoke other member or extension `suspend` functions on this particular\r\n * receiver and are restricted from calling arbitrary suspension functions.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@Target(AnnotationTarget.CLASS)\r\n@Retention(AnnotationRetention.BINARY)\r\npublic annotation class RestrictsSuspension\r\n\r\n/**\r\n * Resumes the execution of the corresponding coroutine passing [value] as the return value of the last suspension point.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@InlineOnly\r\npublic inline fun <T> Continuation<T>.resume(value: T): Unit =\r\n   resumeWith(Result.success(value))\r\n\r\n/**\r\n * Resumes the execution of the corresponding coroutine so that the [exception] is re-thrown right after the\r\n * last suspension point.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@InlineOnly\r\npublic inline fun <T> Continuation<T>.resumeWithException(exception: Throwable): Unit =\r\n   resumeWith(Result.failure(exception))\r\n\r\n\r\n/**\r\n * Creates a [Continuation] instance with the given [context] and implementation of [resumeWith] method.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@InlineOnly\r\npublic inline fun <T> Continuation(\r\n   context: CoroutineContext,\r\n   crossinline resumeWith: (Result<T>) -> Unit\r\n): Continuation<T> =\r\n   object : Continuation<T> {\r\n   override val context: CoroutineContext\r\n   get() = context\r\n\r\n   override fun resumeWith(result: Result<T>) =\r\n   resumeWith(result)\r\n   }\r\n\r\n/**\r\n * Creates a coroutine without a receiver and with result type [T].\r\n * This function creates a new, fresh instance of suspendable computation every time it is invoked.\r\n *\r\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\r\n * The [completion] continuation is invoked when the coroutine completes with a result or an exception.\r\n * Subsequent invocation of any resume function on the resulting continuation will produce an [IllegalStateException].\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@Suppress(\"UNCHECKED_CAST\")\r\npublic fun <T> (suspend () -> T).createCoroutine(\r\n   completion: Continuation<T>\r\n): Continuation<Unit> =\r\n   SafeContinuation(createCoroutineUnintercepted(completion).intercepted(), COROUTINE_SUSPENDED)\r\n\r\n/**\r\n * Creates a coroutine with receiver type [R] and result type [T].\r\n * This function creates a new, fresh instance of suspendable computation every time it is invoked.\r\n *\r\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\r\n * The [completion] continuation is invoked when the coroutine completes with a result or an exception.\r\n * Subsequent invocation of any resume function on the resulting continuation will produce an [IllegalStateException].\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@Suppress(\"UNCHECKED_CAST\")\r\npublic fun <R, T> (suspend R.() -> T).createCoroutine(\r\n   receiver: R,\r\n   completion: Continuation<T>\r\n): Continuation<Unit> =\r\n   SafeContinuation(createCoroutineUnintercepted(receiver, completion).intercepted(), COROUTINE_SUSPENDED)\r\n\r\n/**\r\n * Starts a coroutine without a receiver and with result type [T].\r\n * This function creates and starts a new, fresh instance of suspendable computation every time it is invoked.\r\n * The [completion] continuation is invoked when the coroutine completes with a result or an exception.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@Suppress(\"UNCHECKED_CAST\")\r\npublic fun <T> (suspend () -> T).startCoroutine(\r\n   completion: Continuation<T>\r\n) {\r\n

createCoroutineUnintercepted(completion).intercepted().resume(Unit)\r\n}\r\n\r\n/**\r\n * Starts a coroutine with receiver type [R] and result type [T].\r\n * This function creates and starts a new, fresh instance of suspendable computation every time it is invoked.\r\n * The [completion] continuation is invoked when the coroutine completes with a result or an exception.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@Suppress(\"UNCHECKED_CAST\")\r\npublic fun <R, T> (suspend R.() -> T).startCoroutine(\r\n   receiver: R,\r\n   completion: Continuation<T>\r\n) {\r\n   createCoroutineUnintercepted(receiver, completion).intercepted().resume(Unit)\r\n}\r\n\r\n/**\r\n * Obtains the current continuation instance inside suspend functions and suspends\r\n * the currently running coroutine.\r\n *\r\n * In this function both [Continuation.resume] and [Continuation.resumeWithException] can be used either synchronously in\r\n * the same stack-frame where the suspension function is run or asynchronously later in the same thread or\r\n * from a different thread of execution. Subsequent invocation of any resume function will produce an [IllegalStateException].\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@InlineOnly\r\npublic suspend inline fun <T> suspendCoroutine(crossinline block: (Continuation<T>) -> Unit): T =\r\n   suspendCoroutineUninterceptedOrReturn { c: Continuation<T> ->\r\n   val safe = SafeContinuation(c.intercepted())\r\n   block(safe)\r\n   safe.getOrThrow()\r\n   }\r\n\r\n/**\r\n * Returns the context of the current coroutine.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@Suppress(\"WRONG_MODIFIER_TARGET\")\r\n@InlineOnly\r\npublic suspend inline val coroutineContext: CoroutineContext\r\n   get() {\r\n   throw NotImplementedError(\"Implemented as intrinsic\")\r\n   }\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.coroutines.intrinsics\r\n\r\nimport kotlin.coroutines.*\r\nimport kotlin.internal.InlineOnly\r\n\r\n/**\r\n * Starts an unintercepted coroutine without a receiver and with result type [T] and executes it until its first suspension.\r\n * Returns the result of the coroutine or throws its exception if it does not suspend or [COROUTINE_SUSPENDED] if it suspends.\r\n * In the latter case, the [completion] continuation is invoked when the coroutine completes with a result or an exception.\r\n *\r\n * The coroutine is started directly in the invoker's thread without going through the [ContinuationInterceptor] that might\r\n * be present in the completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation\r\n * context is established.\r\n *\r\n * This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the execution of the suspended\r\n * coroutine using a reference to the suspending function.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@InlineOnly\r\npublic actual inline fun <T> (suspend () -> T).startCoroutineUninterceptedOrReturn(\r\n   completion: Continuation<T>\r\n): Any? = this.asDynamic()(completion, false)\r\n\r\n/**\r\n * Starts an unintercepted coroutine with receiver type [R] and result type [T] and executes it until its first suspension.\r\n * Returns the result of the coroutine or throws its exception if it does not suspend or [COROUTINE_SUSPENDED] if it suspends.\r\n * In the latter case, the [completion] continuation is invoked when the coroutine completes with a result or an exception.\r\n *\r\n * The coroutine is started directly in the invoker's thread without going through the [ContinuationInterceptor] that might\r\n * be present in the completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation\r\n * context is established.\r\n *\r\n * This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the execution of the suspended\r\n * coroutine using a reference to the suspending function.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@InlineOnly\r\npublic actual inline fun <R, T> (suspend R.() -> T).startCoroutineUninterceptedOrReturn(\r\n   receiver: R,\r\n   completion: Continuation<T>\r\n): Any? = this.asDynamic()(receiver, completion, false)\r\n\r\n\r\n/**\r\n * Creates unintercepted coroutine without receiver and with result type [T].\r\n * This function creates a new, fresh instance of suspendable computation every time it is invoked.\r\n *\r\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\r\n * The [completion] continuation is invoked when coroutine completes with result or exception.\r\n *\r\n * This function returns unintercepted continuation.\r\n * Invocation of `resume(Unit)` starts

coroutine immediately in the invoker's call stack without going through the\r\n * [ContinuationInterceptor] that might be present in the completion's [CoroutineContext].\r\n * It is the invoker's responsibility to ensure that a proper invocation context is established.\r\n * Note that [completion] of this function may get invoked in an arbitrary context.\r\n *\r\n * [Continuation.intercepted] can be used to acquire the intercepted continuation.\r\n * Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of\r\n * both the coroutine and [completion] happens in the invocation context established by\r\n * [ContinuationInterceptor].\r\n *\r\n * Repeated invocation of any resume function on the resulting continuation corrupts the\r\n * state machine of the coroutine and may result in arbitrary behaviour or exception.\r\n */\r\n@SinceKotlin(\"1.3\")\r\npublic actual fun <T> (suspend () -> T).createCoroutineUnintercepted(\r\n completion: Continuation<T>\r\n): Continuation<Unit> =\r\n // Kotlin/JS suspend lambdas have an extra parameter `suspended`\r\n if (this.asDynamic().length == 2) {\r\n // When `suspended` is true the continuation is created, but not executed\r\n this.asDynamic()(completion, true)\r\n } else {\r\n createCoroutineFromSuspendFunction(completion) {\r\n this.asDynamic()(completion)\r\n }\r\n }\r\n\r\n/**\r\n * Creates unintercepted coroutine with receiver type [R] and result type [T].\r\n * This function creates a new, fresh instance of suspendable computation every time it is invoked.\r\n *\r\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\r\n * The [completion] continuation is invoked when coroutine completes with result or exception.\r\n *\r\n * This function returns unintercepted continuation.\r\n * Invocation of `resume(Unit)` starts coroutine immediately in the invoker's call stack without going through the\r\n * [ContinuationInterceptor] that might be present in the completion's [CoroutineContext].\r\n * It is the invoker's responsibility to ensure that a proper invocation context is established.\r\n * Note that [completion] of this function may get invoked in an arbitrary context.\r\n *\r\n * [Continuation.intercepted] can be used to acquire the intercepted continuation.\r\n * Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of\r\n * both the coroutine and [completion] happens in the invocation context established by\r\n * [ContinuationInterceptor].\r\n *\r\n * Repeated invocation of any resume function on the resulting continuation corrupts the\r\n * state machine of the coroutine and may result in arbitrary behaviour or exception.\r\n */\r\n@SinceKotlin(\"1.3\")\r\npublic actual fun <R, T> (suspend R.() -> T).createCoroutineUnintercepted(\r\n receiver: R,\r\n completion: Continuation<T>\r\n): Continuation<Unit> =\r\n // Kotlin/JS suspend lambdas have an extra parameter `suspended`\r\n if (this.asDynamic().length == 3) {\r\n // When `suspended` is true the continuation is created, but not executed\r\n this.asDynamic()(receiver, completion, true)\r\n } else {\r\n createCoroutineFromSuspendFunction(completion) {\r\n this.asDynamic()(receiver, completion)\r\n }\r\n }\r\n\r\n/**\r\n * Intercepts this continuation with [ContinuationInterceptor].\r\n *\r\n * This function shall be used on the immediate result of [createCoroutineUnintercepted] or [suspendCoroutineUninterceptedOrReturn],\r\n * in which case it checks for [ContinuationInterceptor] in the continuation's [context][Continuation.context],\r\n * invokes [ContinuationInterceptor.interceptContinuation], caches and returns the result.\r\n *\r\n * If this function is invoked on other [Continuation] instances it returns `this` continuation unchanged.\r\n */\r\n@SinceKotlin(\"1.3\")\r\npublic actual fun <T> Continuation<T>.intercepted(): Continuation<T> =\r\n (this as? CoroutineImpl)?.intercepted() ?: this\r\n\r\n\r\nprivate inline fun <T> createCoroutineFromSuspendFunction(\r\n completion: Continuation<T>,\r\n crossinline block: () -> Any?\r\n): Continuation<Unit> {\r\n @Suppress(\"UNCHECKED_CAST\")\r\n return object : CoroutineImpl(completion as Continuation<Any?>) {\r\n override fun doResume(): Any? {\r\n exception?.let { throw it }\r\n return block()\r\n }\r\n }\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.js\r\n\r\n// Mirrors signature from JS IR BE\r\n// Used for js.translator/testData/box/number/mulInt32.kt\r\n@library\r\n@JsName(\"imulEmulated\")\r\ninternal fun imul(x: Int, y: Int): Int = definedExternally\r\n\r\ninternal inline fun isArrayish(o: dynamic) = js(\"Kotlin\").isArrayish(o)","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\r\n * that can be found in the license/LICENSE.txt file.\r\n

/\r\n\r\n\r\n@file:Suppress(\"UNUSED_PARAMETER\")\r\n\r\npackage kotlin.js\r\n\r\n@kotlin.internal.InlineOnly\r\ninternal inline fun jsDeleteProperty(obj: Any, property: Any) {\r\n js(\"delete obj[property]\")\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\ninternal inline fun jsBitwiseOr(lhs: Any?, rhs: Any?): Int =\r\n   js(\"lhs | rhs\").unsafeCast<Int>()","/\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\npackage kotlin.math\r\n\r\n/**\r\n * Returns this value with the sign bit same as of the [sign] value.\r\n *\r\n * If [sign] is `NaN` the sign of the result is undefined.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic actual fun Double.withSign(sign: Double): Double {\r\n   val thisSignBit = js(\"Kotlin\").doubleSignBit(this).unsafeCast<Int>()\r\n   val newSignBit = js(\"Kotlin\").doubleSignBit(sign).unsafeCast<Int>()\r\n   return if (thisSignBit == newSignBit) this else -this\r\n}","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin\r\n\r\n\r\n/**\r\n * Returns a bit representation of the specified floating-point value as [Long]\r\n * according to the IEEE 754 floating-point \"double format\" bit layout.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@library(\"doubleToBits\")\r\npublic actual fun Double.toBits(): Long = definedExternally\r\n\r\n/**\r\n * Returns a bit representation of the specified floating-point value as [Long]\r\n * according to the IEEE 754 floating-point \"double format\" bit layout,\r\n * preserving `NaN` values exact layout.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@library(\"doubleToRawBits\")\r\npublic actual fun Double.toRawBits(): Long = definedExternally\r\n\r\n/**\r\n * Returns the [Double] value corresponding to a given bit representation.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@kotlin.internal.InlineOnly\r\npublic actual inline fun Double.Companion.fromBits(bits: Long): Double = js(\"Kotlin\").doubleFromBits(bits).unsafeCast<Double>()\r\n\r\n/**\r\n * Returns a bit representation of the specified floating-point value as [Int]\r\n * according to the IEEE 754 floating-point \"single format\" bit layout.\r\n *\r\n * Note that in Kotlin/JS [Float] range is wider than \"single format\" bit layout can represent,\r\n * so some [Float] values may overflow, underflow or loose their accuracy after conversion to bits and back.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@library(\"floatToBits\")\r\npublic actual fun Float.toBits(): Int = definedExternally\r\n\r\n/**\r\n * Returns a bit representation of the specified floating-point value as [Int]\r\n * according to the IEEE 754 floating-point \"single format\" bit layout,\r\n * preserving `NaN` values exact layout.\r\n *\r\n * Note that in Kotlin/JS [Float] range is wider than \"single format\" bit layout can represent,\r\n * so some [Float] values may overflow, underflow or loose their accuracy after conversion to bits and back.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@library(\"floatToRawBits\")\r\npublic actual fun Float.toRawBits(): Int = definedExternally\r\n\r\n/**\r\n * Returns the [Float] value corresponding to a given bit representation.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@kotlin.internal.InlineOnly\r\npublic actual inline fun Float.Companion.fromBits(bits: Int): Float = js(\"Kotlin\").floatFromBits(bits).unsafeCast<Float>()\r\n\r\n\r\ninternal inline fun Long(low: Int, high: Int) = js(\"Kotlin\").Long.fromBits(low, high).unsafeCast<Long>()\r\ninternal inline val Long.low: Int get() = this.asDynamic().getLowBits().unsafeCast<Int>()\r\ninternal inline val Long.high: Int get() = this.asDynamic().getHighBits().unsafeCast<Int>()","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.text\r\n\r\n/**\r\n * Returns a string representation of this [Long] value in the specified [radix].\r\n *\r\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic actual fun Long.toString(radix: Int): String = asDynamic().toString(checkRadix(radix))","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED

by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Reverses elements in the list in-place.\n */\npublic actual fun <T> MutableList<T>.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\n\n/**\n * Returns a character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char sequence.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun CharSequence.elementAt(index: Int): Char {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, length: $length}\") }\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED
by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UIntArray.elementAt(index: Int): UInt {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun ULongArray.elementAt(index: Int): ULong {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UByteArray.elementAt(index: Int): UByte {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UShortArray.elementAt(index: Int): UShort {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UIntArray.asList(): List<UInt> {\n return object : AbstractList<UInt>(), RandomAccess {\n override val size: Int get() = this@asList.size\n override fun isEmpty(): Boolean = this@asList.isEmpty()\n override fun contains(element: UInt): Boolean = this@asList.contains(element)\n override fun get(index: Int): UInt {\n AbstractList.checkElementIndex(index, size)\n return this@asList[index]\n }\n override fun indexOf(element: UInt): Int {\n if ((element as Any?) !is UInt) return -1\n return this@asList.indexOf(element)\n }\n override fun lastIndexOf(element: UInt): Int {\n if ((element as Any?) !is UInt) return -1\n return this@asList.lastIndexOf(element)\n }\n }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun ULongArray.asList(): List<ULong> {\n return object : AbstractList<ULong>(), RandomAccess {\n override val size: Int get() = this@asList.size\n override fun isEmpty(): Boolean = this@asList.isEmpty()\n override fun

contains(element: ULong): Boolean = this@asList.contains(element)\n override fun get(index: Int): ULong {\n AbstractList.checkElementIndex(index, size)\n return this@asList[index]\n }\n override fun indexOf(element: ULong): Int {\n if ((element as Any?) !is ULong) return -1\n return this@asList.indexOf(element)\n }\n override fun lastIndexOf(element: ULong): Int {\n if ((element as Any?) !is ULong) return -1\n return this@asList.lastIndexOf(element)\n }\n }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UByteArray.asList(): List<UByte> {\n return object :
AbstractList<UByte>(), RandomAccess {\n override val size: Int get() = this@asList.size\n override fun isEmpty(): Boolean = this@asList.isEmpty()\n override fun contains(element: UByte): Boolean = this@asList.contains(element)\n override fun get(index: Int): UByte {\n AbstractList.checkElementIndex(index, size)\n return this@asList[index]\n }\n override fun indexOf(element: UByte): Int {\n if ((element as Any?) !is UByte) return -1\n return this@asList.indexOf(element)\n }\n override fun lastIndexOf(element: UByte): Int {\n if ((element as Any?) !is UByte) return -1\n return this@asList.lastIndexOf(element)\n }\n }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UShortArray.asList(): List<UShort> {\n return object : AbstractList<UShort>(), RandomAccess {\n override
val size: Int get() = this@asList.size\n override fun isEmpty(): Boolean = this@asList.isEmpty()\n override fun contains(element: UShort): Boolean = this@asList.contains(element)\n override fun get(index: Int): UShort {\n AbstractList.checkElementIndex(index, size)\n return this@asList[index]\n }\n override fun indexOf(element: UShort): Int {\n if ((element as Any?) !is UShort) return -1\n return this@asList.indexOf(element)\n }\n override fun lastIndexOf(element: UShort): Int {\n if ((element as Any?) !is UShort) return -1\n return this@asList.lastIndexOf(element)\n }\n }\n}\n\n","@file:Suppress(\"DEPRECATION\")\r\npackage jquery.ui\r\n\r\n\r\n//jquery UI\r\nimport jquery.JQuery\r\nimport kotlin.js.Json\r\n\r\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.\")\r\npublic inline fun JQuery.buttonset():
JQuery = asDynamic().buttonset()\r\n\r\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.\")\r\npublic inline fun JQuery.dialog(): JQuery = asDynamic().dialog()\r\n\r\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.\")\r\npublic inline fun JQuery.dialog(params: Json): JQuery = asDynamic().dialog(params)\r\n\r\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.\")\r\npublic inline fun JQuery.dialog(mode: String, param: String): Any? = asDynamic().dialog(mode, param)\r\n\r\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.\")\r\npublic inline fun JQuery.dialog(mode: String): JQuery = asDynamic().dialog(mode)\r\n\r\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.\")\r\npublic
inline fun JQuery.dialog(mode: String, param: String, value: Any?): JQuery = asDynamic().dialog(mode, param, value)\r\n\r\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.\")\r\npublic inline fun JQuery.button(): JQuery = asDynamic().button()\r\n\r\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.\")\r\npublic inline fun JQuery.accordion(): JQuery = asDynamic().accordion()\r\n\r\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.\")\r\npublic inline fun JQuery.draggable(params: Json): JQuery = asDynamic().draggable(params)\r\n\r\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.\")\r\npublic inline fun JQuery.selectable(): JQuery = asDynamic().selectable()\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.js\r\n\r\nimport

kotlin.annotation.AnnotationTarget.*\r\n\r\n@Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR, VALUE_PARAMETER, PROPERTY_GETTER, PROPERTY_SETTER)\r\n@Deprecated(\"Use `external` modifier instead\", level = DeprecationLevel.ERROR)\r\npublic annotation class native(public val name: String = \"\")\r\n\r\n@Target(FUNCTION)\r\n@Deprecated(\"Use inline extension function with body using dynamic\")\r\npublic annotation class nativeGetter\r\n\r\n@Target(FUNCTION)\r\n@Deprecated(\"Use inline extension function with body using dynamic\")\r\npublic annotation class nativeSetter\r\n\r\n@Target(FUNCTION)\r\n@Deprecated(\"Use inline extension function with body using dynamic\")\r\npublic annotation class nativeInvoke\r\n\r\n@Target(CLASS, FUNCTION, PROPERTY)\r\ninternal annotation class library(public val name: String = \"\")\r\n\r\n@Target(CLASS)\r\ninternal annotation class marker\r\n\r\n/**\r\n * Gives a declaration (a function, a property or a class) specific name in JavaScript.\r\n *\r\n * This may be useful in the following cases:\r\n *\r\n * * There are two functions for which the compiler gives same name in JavaScript, you can\r\n *   mark one with `@JsName(...)` to prevent the compiler from reporting error.\r\n * * You are writing a JavaScript library in Kotlin. The compiler produces mangled names\r\n *   for functions with parameters, which is unnatural for usual JavaScript developer.\r\n *   You can put `@JsName(...)` on functions you want to be available from JavaScript.\r\n * * For some reason you want to rename declaration, e.g. there's common term in JavaScript\r\n *   for a concept provided by the declaration, which in uncommon in Kotlin.\r\n *\r\n * Example:\r\n *\r\n * ``` kotlin\r\n * class Person(val name: String) {\r\n *   fun hello() {\r\n *   println(\"Hello $name!\")\r\n *   }\r\n *\r\n *   @JsName(\"helloWithGreeting\")\r\n *   fun hello(greeting: String) {\r\n *   println(\"$greeting $name!\")\r\n *   }\r\n * }\r\n * ```\r\n *\r\n * @property name the name which compiler uses both for declaration itself and for all references to the declaration.\r\n *   It's required to denote a valid JavaScript identifier.\r\n *\r\n */\r\n@Retention(AnnotationRetention.BINARY)\r\n@Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR, PROPERTY_GETTER, PROPERTY_SETTER)\r\npublic actual annotation class JsName(actual val name: String)\r\n\r\n/**\r\n * Denotes an `external` declaration that must be imported from native JavaScript library.\r\n *\r\n * The compiler produces the code relevant for the target module system, for example, in case of CommonJS,\r\n * it will import the declaration via the `require(...)` function.\r\n *\r\n * The annotation can be used on top-level external declarations (classes, properties, functions) and files.\r\n *
 In case of file (which can't be `external`) the following rule applies: all the declarations in\r\n * the file must be `external`. By applying `@JsModule(...)` on a file you tell the compiler to import a JavaScript object\r\n * that contain all the declarations from the file.\r\n *\r\n * Example:\r\n *\r\n * ``` kotlin\r\n * @JsModule(\"jquery\")\r\n * external abstract class JQuery() {\r\n *   // some declarations here\r\n * }\r\n *\r\n * @JsModule(\"jquery\")\r\n * external fun JQuery(element: Element): JQuery\r\n * ```\r\n *\r\n * @property import name of a module to import declaration from.\r\n *   It is not interpreted by the Kotlin compiler, it's passed as is directly to the target module system.\r\n *\r\n * @see JsNonModule\r\n */\r\n@Retention(AnnotationRetention.BINARY)\r\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\r\npublic annotation class JsModule(val import: String)\r\n\r\n/**\r\n * Denotes an `external` declaration that can be used without module system.\r\n *\r\n
 * By default, an `external` declaration is available regardless your target module system.\r\n * However, by applying [JsModule] annotation you can make a declaration unavailable to *plain* module system.\r\n * Some JavaScript libraries are distributed both as a standalone downloadable piece of JavaScript and as a module available\r\n * as an npm package.\r\n * To tell the Kotlin compiler to accept both cases, you can augment [JsModule] with the `@JsNonModule` annotation.\r\n *\r\n * For example:\r\n *\r\n * ``` kotlin\r\n * @JsModule(\"jquery\")\r\n * @JsNonModule\r\n * @JsName(\"$\")\r\n * external abstract class JQuery() {\r\n *   // some declarations here\r\n * }\r\n *\r\n * @JsModule(\"jquery\")\r\n * @JsNonModule\r\n * @JsName(\"$\")\r\n * external fun JQuery(element: Element): JQuery\r\n * ```\r\n *\r\n * @see JsModule\r\n */\r\n@Retention(AnnotationRetention.BINARY)\r\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\r\npublic annotation class JsNonModule\r\n\r\n\r\n/**\r\n * Adds prefix

to `external` declarations in a source file.\r\n *\r\n * JavaScript does not have concept of packages (namespaces). They are usually emulated by nested objects.\r\n * The compiler turns references to `external` declarations either to plain unprefixed names (in case of *plain* modules)\r\n * or to plain imports.\r\n * However, if a JavaScript library provides its declarations in packages, you won't be satisfied with this.\r\n * You can tell the compiler to generate additional prefix before references to `external` declarations using the `@JsQualifier(...)`\r\n * annotation.\r\n *\r\n * Note that a file marked with the `@JsQualifier(...)` annotation can't contain non-`external` declarations.\r\n *\r\n * Example:\r\n *\r\n * ```\r\n * @file:JsQualifier(\"my.jsPackageName\")\r\n * package some.kotlinPackage\r\n *\r\n * external fun foo(x: Int)\r\n *\r\n * external fun bar(): String\r\n * ```\r\n *\r\n * @property value the qualifier to add to the declarations in the generated code.\r\n
 * It must be a sequence of valid JavaScript identifiers separated by the `.` character.\r\n * Examples of valid qualifiers are: `foo`, `bar.Baz`, `_.$0.f`.\r\n *\r\n * @see JsModule\r\n */\r\n@Retention(AnnotationRetention.BINARY)\r\n@Target(AnnotationTarget.FILE)\r\npublic annotation class JsQualifier(val value: String)\r\n\r\n/**\r\n * Exports top-level declaration.\r\n *\r\n * Used in future IR-based backend.\r\n * Has no effect in current JS backend.\r\n */\r\n@Retention(AnnotationRetention.BINARY)\r\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\r\npublic annotation class JsExport\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.jvm\r\n\r\n// these are used in common generated code in stdlib\r\n\r\n// TODO: find how to deprecate these ones\r\n\r\n@Target(AnnotationTarget.FIELD)\r\n@Retention(AnnotationRetention.SOURCE)\r\npublic actual annotation class Volatile\r\n\r\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY_GETTER, AnnotationTarget.PROPERTY_SETTER)\r\n@Retention(AnnotationRetention.SOURCE)\r\npublic actual annotation class Synchronized\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.collections\r\n\r\n/**\r\n * Provides a skeletal implementation of the [MutableCollection] interface.\r\n *\r\n * @param E the type of elements contained in the collection. The collection is invariant on its element type.\r\n */\r\npublic actual abstract class AbstractMutableCollection<E> protected actual constructor() : AbstractCollection<E>(), MutableCollection<E> {\r\n\r\n   actual abstract override fun add(element: E): Boolean\r\n\r\n   actual override fun
 remove(element: E): Boolean {\r\n   val iterator = iterator()\r\n   while (iterator.hasNext()) {\r\n   if (iterator.next() == element) {\r\n   iterator.remove()\r\n   return true\r\n   }\r\n   }\r\n   return false\r\n   }\r\n\r\n   actual override fun addAll(elements: Collection<E>): Boolean {\r\n   var modified = false\r\n   for (element in elements) {\r\n   if (add(element)) modified = true\r\n   }\r\n   return modified\r\n   }\r\n\r\n   actual override fun removeAll(elements: Collection<E>): Boolean = (this as MutableIterable<E>).removeAll { it in elements }\r\n   actual override fun retainAll(elements: Collection<E>): Boolean = (this as MutableIterable<E>).removeAll { it !in elements }\r\n\r\n   actual override fun clear(): Unit {\r\n
    val iterator = this.iterator()\r\n   while (iterator.hasNext()) {\r\n   iterator.next()\r\n
iterator.remove()\r\n
    }\r\n   }\r\n\r\n   @JsName(\"toJSON\")\r\n   open fun toJSON(): Any = this.toArray()\r\n}\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n/*\r\n * Based on GWT AbstractList\r\n * Copyright 2007 Google Inc.\r\n*/\r\n\r\n\r\n\r\npackage kotlin.collections\r\n\r\n/**\r\n * Provides a skeletal implementation of the [MutableList] interface.\r\n *\r\n * @param E the type of elements contained in the list. The list is invariant on its element type.\r\n */\r\npublic actual abstract class AbstractMutableList<E> protected actual constructor() : AbstractMutableCollection<E>(), MutableList<E> {\r\n
protected var modCount: Int = 0\r\n\r\n   abstract override fun add(index: Int, element: E): Unit\r\n   abstract override fun removeAt(index: Int): E\r\n   abstract override fun set(index: Int, element: E): E\r\n\r\n

```
    /**\r\n     * Adds the specified element to the end of this list.\r\n     *\r\n     * @return `true` because the list is always modified as the result of this operation.\r\n     */\r\n    actual override fun add(element: E): Boolean {\r\n add(size, element)\r\n        return true\r\n    }\r\n\r\n    actual override fun addAll(index: Int, elements: Collection<E>): Boolean {\r\n        var _index = index\r\n        var changed = false\r\n        for (e in elements) {\r\n            add(_index++, e)\r\n            changed = true\r\n        }\r\n        return changed\r\n    }\r\n\r\n    actual override fun clear() {\r\n        removeRange(0, size)\r\n    }\r\n\r\n    actual override fun removeAll(elements: Collection<E>): Boolean = removeAll { it in elements }\r\n    actual override fun retainAll(elements: Collection<E>): Boolean = removeAll { it !in elements }\r\n\r\n\r\n\r\n    actual override fun iterator(): MutableIterator<E> = IteratorImpl()\r\n\r\n    actual override fun contains(element:
 E): Boolean = indexOf(element) >= 0\r\n\r\n    actual override fun indexOf(element: E): Int {\r\n        for (index in 0..lastIndex) {\r\n            if (get(index) == element) {\r\n                return index\r\n            }\r\n        }\r\n        return -1\r\n    }\r\n\r\n    actual override fun lastIndexOf(element: E): Int {\r\n        for (index in lastIndex downTo 0) {\r\n            if (get(index) == element) {\r\n                return index\r\n            }\r\n        }\r\n        return -1\r\n    }\r\n\r\n    actual override fun listIterator(): MutableListIterator<E> = listIterator(0)\r\n    actual override fun listIterator(index: Int): MutableListIterator<E> = ListIteratorImpl(index)\r\n\r\n\r\n\r\n    actual override fun subList(fromIndex: Int, toIndex: Int): MutableList<E> = SubList(this, fromIndex, toIndex)\r\n\r\n\r\n    /**\r\n     * Removes the range of elements from this list starting from [fromIndex] and ending with but not including [toIndex].\r\n     */\r\n    protected open fun removeRange(fromIndex: Int, toIndex: Int) {\r\n        val iterator = listIterator(fromIndex)\r\n        repeat(toIndex - fromIndex) {\r\n            iterator.next()\r\n            iterator.remove()\r\n        }\r\n    }\r\n\r\n\r\n    /**\r\n     * Compares this list with another list instance with the ordered structural equality.\r\n     *\r\n     * @return true, if [other] instance is a [List] of the same size, which contains the same elements in the same order.\r\n     */\r\n    override fun equals(other: Any?): Boolean {\r\n        if (other === this) return true\r\n        if (other !is List<*>) return false\r\n\r\n\r\n        return AbstractList.orderedEquals(this, other)\r\n    }\r\n\r\n\r\n    /**\r\n     * Returns the hash code value for this list.\r\n     */\r\n    override fun hashCode(): Int = AbstractList.orderedHashCode(this)\r\n\r\n\r\n\r\n\r\n    private open inner class IteratorImpl : MutableIterator<E> {\r\n        /** the index of the item that will be returned on the next call to [next]`()` */\r\n        protected var index = 0\r\n        /** the index of the item that was returned on the previous call to [next]`()`\r\n         * or [ListIterator.previous]`()` (for `ListIterator`),\r\n         * -1 if no such item exists\r\n         */\r\n        protected var last = -1\r\n\r\n\r\n        override fun hasNext(): Boolean = index < size\r\n\r\n\r\n        override fun next(): E {\r\n            if (!hasNext()) throw NoSuchElementException()\r\n            last = index++\r\n\r\n            return get(last)\r\n        }\r\n\r\n\r\n        override fun remove() {\r\n            check(last != -1) { \"Call next() or previous() before removing element from the iterator.\" }\r\n\r\n\r\n            removeAt(last)\r\n            index = last\r\n            last = -1\r\n        }\r\n    }\r\n\r\n\r\n    /**\r\n     * Implementation of `MutableListIterator` for abstract lists.\r\n     */\r\n    private inner class ListIteratorImpl(index: Int) : IteratorImpl(), MutableListIterator<E> {\r\n\r\n\r\n        init {\r\n            AbstractList.checkPositionIndex(index, this@AbstractMutableList.size)\r\n            this.index = index\r\n        }\r\n\r\n\r\n        override fun hasPrevious(): Boolean = index > 0\r\n\r\n\r\n        override fun nextIndex(): Int = index\r\n\r\n\r\n        override fun previous(): E {\r\n            if (!hasPrevious()) throw NoSuchElementException()\r\n\r\n\r\n            last = --index\r\n            return get(last)\r\n        }\r\n\r\n\r\n        override fun previousIndex(): Int = index - 1\r\n\r\n\r\n        override fun add(element: E) {\r\n            add(index, element)\r\n            index++\r\n            last = -1\r\n        }\r\n\r\n\r\n        override fun set(element: E) {\r\n            check(last != -1) { \"Call next() or previous() before updating element value with the iterator.\" }\r\n            this@AbstractMutableList[last] = element\r\n        }\r\n    }\r\n\r\n\r\n    private class SubList<E>(private val list: AbstractMutableList<E>, private val fromIndex: Int, toIndex: Int) : AbstractMutableList<E>(), RandomAccess {\r\n        private var _size: Int = 0\r\n\r\n\r\n        init {\r\n            AbstractList.checkRangeIndexes(fromIndex, toIndex, list.size)\r\n            this._size = toIndex - fromIndex\r\n        }\r\n\r\n\r\n        override fun add(index: Int, element: E) {\r\n            AbstractList.checkPositionIndex(index, _size)\r\n\r\n\r\n            list.add(fromIndex + index, element)\r\n            _size++\r\n        }\r\n\r\n\r\n        override fun get(index: Int): E {\r\n            AbstractList.checkElementIndex(index, _size)\r\n\r\n\r\n            return list[fromIndex + index]\r\n        }\r\n\r\n\r\n        override fun removeAt(index: Int): E {\r\n            AbstractList.checkElementIndex(index, _size)\r\n\r\n\r\n            val result = list.removeAt(fromIndex + index)\r\n
```

```
_size--\r\n            return result\r\n        }\r\n\r\n        override fun set(index: Int, element: E): E {\r\n
AbstractList.checkElementIndex(index,
 _size)\r\n\r\n            return list.set(fromIndex + index, element)\r\n        }\r\n\r\n        override val size: Int get() =
_size\r\n    }\r\n\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\r\n */\r\n/*\r\n * Based on GWT AbstractMap\r\n * Copyright 2007 Google Inc.\r\n
*/\r\n\r\npackage kotlin.collections\r\n\r\n/**\r\n * Provides a skeletal implementation of the [MutableMap]
interface.\r\n *\r\n * The implementor is required to implement [entries] property, which should return mutable set
of map entries, and [put] function.\r\n *\r\n * @param K the type of map keys. The map is invariant on its key
type.\r\n * @param V the type of map values. The map is invariant on its value type.\r\n */\r\npublic actual abstract
class AbstractMutableMap<K, V> protected actual constructor() : AbstractMap<K, V>(),
 MutableMap<K, V> {\r\n\r\n    /**\r\n     * A mutable [Map.Entry] shared by several [Map] implementations.\r\n
*/\r\n    internal open class SimpleEntry<K, V>(override val key: K, value: V) : MutableMap.MutableEntry<K, V>
{\r\n        constructor(entry: Map.Entry<K, V>) : this(entry.key, entry.value)\r\n\r\n        private var _value =
value\r\n\r\n        override val value: V get() = _value\r\n\r\n        override fun setValue(newValue: V): V {\r\n
val oldValue = this._value\r\n            this._value = newValue\r\n            return oldValue\r\n        }\r\n\r\n
override fun hashCode(): Int = entryHashCode(this)\r\n        override fun toString(): String = entryToString(this)\r\n
    override fun equals(other: Any?): Boolean = entryEquals(this, other)\r\n\r\n    }\r\n\r\n    actual override fun
clear() {\r\n        entries.clear()\r\n    }\r\n\r\n    private var _keys: MutableSet<K>? = null\r\n    actual override val
keys: MutableSet<K>\r\n        get()
 {\r\n            if (_keys == null) {\r\n                _keys = object : AbstractMutableSet<K>() {\r\n                    override
fun add(element: K): Boolean = throw UnsupportedOperationException(\"Add is not supported on keys\")\r\n
        override fun clear() {\r\n                        this@AbstractMutableMap.clear()\r\n                    }\r\n\r\n
override operator fun contains(element: K): Boolean = containsKey(element)\r\n\r\n                    override operator
fun iterator(): MutableIterator<K> {\r\n                        val entryIterator = entries.iterator()\r\n                        return
object : MutableIterator<K> {\r\n                            override fun hasNext(): Boolean = entryIterator.hasNext()\r\n
                override fun next(): K = entryIterator.next().key\r\n                            override fun remove() =
entryIterator.remove()\r\n                        }\r\n                    }\r\n\r\n
        override fun remove(element: K): Boolean {\r\n                        if (containsKey(element)) {\r\n
this@AbstractMutableMap.remove(element)\r\n                            return true\r\n                        }\r\n
return false\r\n                    }\r\n\r\n                    override val size: Int get() = this@AbstractMutableMap.size\r\n
    }\r\n            }\r\n            return _keys!!\r\n        }\r\n\r\n    actual abstract override fun put(key: K, value: V):
V?\r\n\r\n    actual override fun putAll(from: Map<out K, V>) {\r\n        for ((key, value) in from) {\r\n
put(key, value)\r\n        }\r\n    }\r\n\r\n    private var _values: MutableCollection<V>? = null\r\n    actual override
val values: MutableCollection<V>\r\n        get() {\r\n            if (_values == null) {\r\n                _values = object :
AbstractMutableCollection<V>() {\r\n                    override fun add(element: V): Boolean
 = throw UnsupportedOperationException(\"Add is not supported on values\")\r\n                    override fun clear() =
this@AbstractMutableMap.clear()\r\n\r\n\r\n                    override operator fun contains(element: V): Boolean =
containsValue(element)\r\n\r\n\r\n                    override operator fun iterator(): MutableIterator<V> {\r\n
val entryIterator = entries.iterator()\r\n                        return object : MutableIterator<V> {\r\n
override fun hasNext(): Boolean = entryIterator.hasNext()\r\n                            override fun next(): V =
entryIterator.next().value\r\n                            override fun remove() = entryIterator.remove()\r\n                        }\r\n
                }\r\n\r\n\r\n                    override val size: Int get() = this@AbstractMutableMap.size\r\n\r\n\r\n                    //
TODO: should we implement them this way? Currently it's unspecified in JVM\r\n                    override
 fun equals(other: Any?): Boolean {\r\n                        if (this === other) return true\r\n                        if (other !is
Collection<*>) return false\r\n                        return AbstractList.orderedEquals(this, other)\r\n                    }\r\n\r\n\r\n
                override fun hashCode(): Int = AbstractList.orderedHashCode(this)\r\n                }\r\n            }\r\n
return _values!!\r\n        }\r\n\r\n\r\n    actual override fun remove(key: K): V? {\r\n        val iter = entries.iterator()\r\n
```

while (iter.hasNext()) {\r\n val entry = iter.next()\r\n val k = entry.key\r\n if (key == k) {\r\n val value = entry.value\r\n iter.remove()\r\n return value\r\n }\r\n }\r\n return null\r\n }\r\n\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\npackage kotlin.collections\r\n\r\n/**\r\n * Provides a skeletal implementation of the [MutableSet] interface.\r\n *\r\n * @param E the type of elements contained in the set. The set is invariant on its element type.\r\n */\r\npublic actual abstract class AbstractMutableSet<E> protected actual constructor() : AbstractMutableCollection<E>(), MutableSet<E> {\r\n\r\n /**\r\n * Compares this set with another set instance with the unordered structural equality.\r\n *\r\n * @return `true`, if [other] instance is a [Set] of the same size, all elements of which are contained in this set.\r\n */\r\n override fun equals(other: Any?): Boolean {\r\n if (other === this) return true\r\n if (other !is Set<*>) return false\r\n return AbstractSet.setEquals(this, other)\r\n }\r\n\r\n /**\r\n * Returns the hash code value for this set.\r\n */\r\n override fun hashCode(): Int = AbstractSet.unorderedHashCode(this)\r\n\r\n}","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.collections\r\n\r\n/**\r\n * Provides a [MutableList] implementation, which uses a resizable array as its backing storage.\r\n *\r\n * This implementation doesn't provide a way to manage capacity, as backing JS array is resizeable itself.\r\n * There is no speed advantage to pre-allocating array sizes in JavaScript, so this implementation does not include any of the\r\n * capacity and \"growth increment\" concepts.\r\n */\r\npublic actual open class ArrayList<E> internal constructor(private var array: Array<Any?>) : AbstractMutableList<E>(), MutableList<E>, RandomAccess {\r\n\r\n /**\r\n * Creates an empty [ArrayList].\r\n */\r\n public actual constructor() : this(emptyArray()) {}\r\n\r\n /**\r\n * Creates an empty [ArrayList].\r\n * @param initialCapacity initial capacity (ignored)\r\n */\r\n @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\r\n public actual constructor(initialCapacity: Int = 0) : this(emptyArray()) {}\r\n\r\n /**\r\n * Creates an [ArrayList] filled from the [elements] collection.\r\n */\r\n public actual constructor(elements: Collection<E>) : this(elements.toTypedArray<Any?>()) {}\r\n\r\n /** Does nothing in this ArrayList implementation. */\r\n public actual fun trimToSize() {}\r\n\r\n /** Does nothing in this ArrayList implementation. */\r\n public actual fun ensureCapacity(minCapacity: Int) {}\r\n\r\n actual override val size: Int get() = array.size\r\n @Suppress(\"UNCHECKED_CAST\")\r\n actual override fun get(index: Int): E = array[rangeCheck(index)] as E\r\n actual override fun set(index: Int, element: E): E {\r\n rangeCheck(index)\r\n @Suppress(\"UNCHECKED_CAST\")\r\n return array[index].apply { array[index] = element } as E\r\n }\r\n\r\n actual override fun add(element: E): Boolean {\r\n array.asDynamic().push(element)\r\n modCount++\r\n return true\r\n }\r\n\r\n actual override fun add(index: Int, element: E): Unit {\r\n array.asDynamic().splice(insertionRangeCheck(index), 0, element)\r\n modCount++\r\n }\r\n\r\n actual override fun addAll(elements: Collection<E>): Boolean {\r\n if (elements.isEmpty()) return false\r\n\r\n array += elements.toTypedArray<Any?>()\r\n modCount++\r\n return true\r\n }\r\n\r\n actual override fun addAll(index: Int, elements: Collection<E>): Boolean {\r\n insertionRangeCheck(index)\r\n\r\n if (index == size) return addAll(elements)\r\n if (elements.isEmpty()) return false\r\n when (index) {\r\n size -> return addAll(elements)\r\n 0 -> array = elements.toTypedArray<Any?>() + array\r\n else -> array = array.copyOfRange(0, index).asDynamic().concat(elements.toTypedArray<Any?>(), array.copyOfRange(index, size))\r\n }\r\n\r\n modCount++\r\n return true\r\n }\r\n\r\n actual override fun removeAt(index: Int): E {\r\n rangeCheck(index)\r\n modCount++\r\n return if (index == lastIndex)\r\n array.asDynamic().pop()\r\n else\r\n array.asDynamic().splice(index, 1)[0]\r\n }\r\n\r\n actual override fun remove(element: E): Boolean {\r\n for (index in array.indices) {\r\n if (array[index] == element) {\r\n array.asDynamic().splice(index, 1)\r\n modCount++\r\n return true\r\n

```
    }\r\n        }\r\n        return false\r\n    }\r\n\r\n    override fun removeRange(fromIndex: Int, toIndex: Int) {\r\n
modCount++\r\n        array.asDynamic().splice(fromIndex, toIndex - fromIndex)\r\n    }\r\n\r\n    actual
 override fun clear() {\r\n        array = emptyArray()\r\n        modCount++\r\n    }\r\n\r\n\r\n    actual override fun
indexOf(element: E): Int = array.indexOf(element)\r\n\r\n    actual override fun lastIndexOf(element: E): Int =
array.lastIndexOf(element)\r\n\r\n    override fun toString() = arrayToString(array)\r\n    override fun toArray():
Array<Any?> = js(\"[]\").slice.call(array)\r\n\r\n\r\n    private fun rangeCheck(index: Int) = index.apply {\r\n
AbstractList.checkElementIndex(index, size)\r\n    }\r\n\r\n    private fun insertionRangeCheck(index: Int) =
index.apply {\r\n        AbstractList.checkPositionIndex(index, size)\r\n    }\r\n}","/*\r\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage
kotlin.collections\r\n\r\n\r\n@UseExperimental(ExperimentalUnsignedTypes::class)\r\n@SinceKotlin(\"1.3\")\r\n@
kotlin.js.JsName(\"contentDeepHashCodeImpl\")\r\ninternal
 fun <T> Array<out T>.contentDeepHashCodeImpl(): Int {\r\n    var result = 1\r\n    for (element in this) {\r\n
val elementHash = when {\r\n            element == null -> 0\r\n            isArrayish(element) ->
(element.unsafeCast<Array<*>>()).contentDeepHashCodeImpl()\r\n\r\n            element is UByteArray   ->
element.contentHashCode()\r\n            element is UShortArray  -> element.contentHashCode()\r\n            element is
UIntArray    -> element.contentHashCode()\r\n            element is ULongArray   ->
element.contentHashCode()\r\n\r\n            else                -> element.hashCode()\r\n        }\r\n\r\n        result = 31 *
result + elementHash\r\n    }\r\n    return result\r\n}","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin
Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage
 kotlin.collections\r\n\r\ninternal fun <T> sortArrayWith(array: Array<out T>, comparison: (T, T) -> Int) {\r\n    if
(getStableSortingIsSupported()) {\r\n        array.asDynamic().sort(comparison)\r\n    } else {\r\n
mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, Comparator(comparison))\r\n    }\r\n}\r\n\r\ninternal
fun <T> sortArrayWith(array: Array<out T>, comparator: Comparator<in T>) {\r\n    if
(getStableSortingIsSupported()) {\r\n        val comparison = { a: T, b: T -> comparator.compare(a, b) }\r\n
array.asDynamic().sort(comparison)\r\n    } else {\r\n        mergeSort(array.unsafeCast<Array<T>>(), 0,
array.lastIndex, comparator)\r\n    }\r\n}\r\n\r\ninternal fun <T : Comparable<T>> sortArray(array: Array<out T>)
{\r\n    if (getStableSortingIsSupported()) {\r\n        val comparison = { a: T, b: T -> a.compareTo(b) }\r\n
array.asDynamic().sort(comparison)\r\n    } else {\r\n        mergeSort(array.unsafeCast<Array<T>>(), 0,
array.lastIndex,
 naturalOrder())\r\n    }\r\n}\r\n\r\nprivate var _stableSortingIsSupported: Boolean? = null\r\nprivate fun
getStableSortingIsSupported(): Boolean {\r\n    _stableSortingIsSupported?.let { return it }\r\n
_stableSortingIsSupported = false\r\n\r\n    val array = js(\"[]\").unsafeCast<Array<Int>>()\r\n    // known
implementations may use stable sort for arrays of up to 512 elements\r\n    // so we create slightly more elements to
test stability\r\n    for (index in 0 until 600) array.asDynamic().push(index)\r\n    val comparison = { a: Int, b: Int ->
(a and 3) - (b and 3) }\r\n    array.asDynamic().sort(comparison)\r\n    for (index in 1 until array.size) {\r\n        val a
= array[index - 1]\r\n        val b = array[index]\r\n        if ((a and 3) == (b and 3) && a >= b) return false\r\n    }\r\n
_stableSortingIsSupported = true\r\n    return true\r\n}\r\n\r\n\r\n\r\nprivate fun <T> mergeSort(array: Array<T>, start:
Int, endInclusive: Int, comparator: Comparator<in T>) {\r\n
    val buffer = arrayOfNulls<Any?>(array.size).unsafeCast<Array<T>>()\r\n    val result = mergeSort(array, buffer,
start, endInclusive, comparator)\r\n    if (result !== array) {\r\n        result.forEachIndexed { i, v -> array[i] = v }\r\n
}\r\n}\r\n\r\n// Both start and end are inclusive indices.\r\nprivate fun <T> mergeSort(array: Array<T>, buffer:
Array<T>, start: Int, end: Int, comparator: Comparator<in T>): Array<T> {\r\n    if (start == end) {\r\n        return
array\r\n    }\r\n\r\n    val median = (start + end) / 2\r\n    val left = mergeSort(array, buffer, start, median,
comparator)\r\n    val right = mergeSort(array, buffer, median + 1, end, comparator)\r\n\r\n    val target = if (left ===
buffer) array else buffer\r\n\r\n    // Merge.\r\n    var leftIndex = start\r\n    var rightIndex = median + 1\r\n    for (i in
start..end) {\r\n        when {\r\n            leftIndex <= median && rightIndex <= end -> {\r\n                val leftValue =
```

left[leftIndex]\r\n
        val rightValue = right[rightIndex]\r\n\r\n   if (comparator.compare(leftValue, rightValue) <= 0) {\r\n
            target[i] = leftValue\r\n   leftIndex++\r\n   } else {\r\n   target[i] =
rightValue\r\n   rightIndex++\r\n   }\r\n   }\r\n   leftIndex <= median -> {\r\n
target[i] = left[leftIndex]\r\n   leftIndex++\r\n   }\r\n   else /* rightIndex <= end */ -> {\r\n
  target[i] = right[rightIndex]\r\n   rightIndex++\r\n   Unit // TODO: Fix KT-31506\r\n   }\r\n
  }\r\n   }\r\n\r\n   return target\r\n}","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.collections\r\n\r\ninternal interface
 EqualityComparator {\r\n   /**\r\n   * Subclasses must override to return a value indicating\r\n   * whether or not
two keys or values are equal.\r\n   */\r\n   abstract fun equals(value1: Any?, value2: Any?): Boolean\r\n\r\n
/**\r\n   * Subclasses must override to return the hash code of a given key.\r\n   */\r\n   abstract fun
getHashCode(value: Any?): Int\r\n\r\n\r\n   object HashCode : EqualityComparator {\r\n   override fun
equals(value1: Any?, value2: Any?): Boolean = value1 == value2\r\n\r\n   override fun getHashCode(value:
Any?): Int = value?.hashCode() ?: 0\r\n   }\r\n}","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\r\n */\r\n/*\r\n * Based on GWT AbstractHashMap\r\n * Copyright 2008
Google Inc.\r\n */\r\n\r\npackage kotlin.collections\r\n\r\nimport
kotlin.collections.MutableMap.MutableEntry\r\n\r\n/**\r\n
 * Hash table based implementation of the [MutableMap] interface.\r\n *\r\n * This implementation makes no
guarantees regarding the order of enumeration of [keys], [values] and [entries] collections.\r\n */\r\npublic actual
open class HashMap<K, V> : AbstractMutableMap<K, V>, MutableMap<K, V> {\r\n\r\n   private inner class
EntrySet : AbstractMutableSet<MutableEntry<K, V>>() {\r\n\r\n   override fun add(element: MutableEntry<K,
V>): Boolean = throw UnsupportedOperationException(\"Add is not supported on entries\")\r\n   override fun
clear() {\r\n   this@HashMap.clear()\r\n   }\r\n\r\n   override operator fun contains(element:
MutableEntry<K, V>): Boolean = containsEntry(element)\r\n\r\n   override operator fun iterator():
MutableIterator<MutableEntry<K, V>> = internalMap.iterator()\r\n\r\n   override fun remove(element:
MutableEntry<K, V>): Boolean {\r\n   if (contains(element)) {\r\n
this@HashMap.remove(element.key)\r\n
                return true\r\n   }\r\n   return false\r\n   }\r\n\r\n   override val size: Int get() =
this@HashMap.size\r\n   }\r\n\r\n\r\n   /**\r\n   * Internal implementation of the map: either string-based or
hashcode-based.\r\n   */\r\n   private val internalMap: InternalMap<K, V>\r\n\r\n   private val equality:
EqualityComparator\r\n\r\n   internal constructor(internalMap: InternalMap<K, V>) : super() {\r\n
this.internalMap = internalMap\r\n   this.equality = internalMap.equality\r\n   }\r\n\r\n   /**\r\n   * Constructs
an empty [HashMap] instance.\r\n   */\r\n   actual constructor() :
this(InternalHashCodeMap(EqualityComparator.HashCode))\r\n\r\n   /**\r\n   * Constructs an empty [HashMap]
instance.\r\n   *\r\n   * @param initialCapacity the initial capacity (ignored)\r\n   * @param loadFactor   the
load factor (ignored)\r\n   *\r\n   * @throws IllegalArgumentException if the
 initial capacity or load factor are negative\r\n   */\r\n
@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\r\n   actual
constructor(initialCapacity: Int, loadFactor: Float = 0.0f) : this() {\r\n   // This implementation of HashMap has
no need of load factors or capacities.\r\n   require(initialCapacity >= 0) { \"Negative initial capacity:
$initialCapacity\" }\r\n   require(loadFactor >= 0) { \"Non-positive load factor: $loadFactor\" }\r\n   }\r\n\r\n
actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\r\n\r\n\r\n   /**\r\n   * Constructs an instance of
[HashMap] filled with the contents of the specified [original] map.\r\n   */\r\n   actual constructor(original:
Map<out K, V>) : this() {\r\n   this.putAll(original)\r\n   }\r\n\r\n   actual override fun clear() {\r\n
internalMap.clear()\r\n//   structureChanged(this)\r\n   }\r\n\r\n   actual override fun containsKey(key: K):
Boolean = internalMap.contains(key)\r\n\r\n

actual override fun containsValue(value: V): Boolean = internalMap.any { equality.equals(it.value, value) }\r\n\r\n private var _entries: MutableSet<MutableMap.MutableEntry<K, V>>? = null\r\n actual override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\r\n get() {\r\n if (_entries == null) {\r\n _entries = createEntrySet()\r\n }\r\n return _entries!!\r\n }\r\n\r\n protected open fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\r\n\r\n actual override operator fun get(key: K): V? = internalMap.get(key)\r\n\r\n actual override fun put(key: K, value: V): V? = internalMap.put(key, value)\r\n\r\n actual override fun remove(key: K): V? = internalMap.remove(key)\r\n\r\n actual override val size: Int get() = internalMap.size\r\n\r\n}\r\n\r\n/**\r\n * Constructs the specialized implementation of [HashMap] with [String] keys, which stores the keys as properties of\r\n * JS object without hashing them.\r\n */\r\npublic fun <V> stringMapOf(vararg pairs: Pair<String, V>): HashMap<String, V> {\r\n return HashMap<String, V>(InternalStringMap(EqualityComparator.HashCode)).apply { putAll(pairs) }\r\n}","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n/*\r\n * Based on GWT HashSet\r\n * Copyright 2008 Google Inc.\r\n */\r\n\r\npackage kotlin.collections\r\n\r\n/**\r\n * The implementation of the [MutableSet] interface, backed by a [HashMap] instance.\r\n */\r\npublic actual open class HashSet<E> : AbstractMutableSet<E>, MutableSet<E> {\r\n\r\n private val map: HashMap<E, Any>\r\n\r\n /**\r\n * Constructs a new empty [HashSet].\r\n */\r\n actual constructor() {\r\n map = HashMap<E, Any>()\r\n }\r\n\r\n /**\r\n * Constructs a new [HashSet] filled with the elements of the specified collection.\r\n */\r\n actual constructor(elements: Collection<E>) {\r\n map = HashMap<E, Any>(elements.size)\r\n addAll(elements)\r\n }\r\n\r\n /**\r\n * Constructs a new empty [HashSet].\r\n *\r\n * @param initialCapacity the initial capacity (ignored)\r\n * @param loadFactor the load factor (ignored)\r\n *\r\n * @throws IllegalArgumentException if the initial capacity or load factor are negative\r\n */\r\n @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\r\n actual constructor(initialCapacity: Int, loadFactor: Float = 0.0f) {\r\n map = HashMap<E, Any>(initialCapacity, loadFactor)\r\n }\r\n\r\n actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\r\n\r\n /**\r\n * Protected constructor to specify the underlying map. This is used by\r\n * LinkedHashSet.\r\n\r\n * @param map underlying map to use.\r\n */\r\n internal constructor(map: HashMap<E, Any>) {\r\n this.map = map\r\n }\r\n\r\n actual override fun add(element: E): Boolean {\r\n val old = map.put(element, this)\r\n return old == null\r\n }\r\n\r\n actual override fun clear() {\r\n map.clear()\r\n }\r\n\r\n// public override fun clone(): Any {\r\n// return HashSet<E>(this)\r\n// }\r\n\r\n actual override operator fun contains(element: E): Boolean = map.containsKey(element)\r\n\r\n actual override fun isEmpty(): Boolean = map.isEmpty()\r\n\r\n actual override fun iterator(): MutableIterator<E> = map.keys.iterator()\r\n\r\n actual override fun remove(element: E): Boolean = map.remove(element) != null\r\n\r\n actual override val size: Int get() = map.size\r\n\r\n}\r\n\r\n/**\r\n * Creates a new instance of the specialized implementation of [HashSet] with the specified [String] elements,\r\n * which elements the keys as properties of JS object without hashing them.\r\n */\r\npublic fun stringSetOf(vararg elements: String): HashSet<String> {\r\n return HashSet(stringMapOf<Any>()).apply { addAll(elements) }\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n/*\r\n * Based on GWT InternalHashCodeMap\r\n * Copyright 2008 Google Inc.\r\n */\r\n\r\npackage kotlin.collections\r\n\r\nimport kotlin.collections.MutableMap.MutableEntry\r\nimport kotlin.collections.AbstractMutableMap.SimpleEntry\r\n\r\n/**\r\n * A simple wrapper around JavaScriptObject to provide [java.util.Map]-like semantics for any\r\n * key type.\r\n *\r\n *\r\n * Implementation notes:\r\n *\r\n *\r\n * A key's hashCode is the index in backingMap which should contain that key. Since several keys may\r\n * have the same hash, each value in hashCodeMap is actually an array containing all entries whose\r\n * keys share the same hash.\r\n

```
*/\r\ninternal class InternalHashCodeMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V> {\r\n\r\n    private var backingMap: dynamic = createJsMap()\r\n    override var size: Int = 0\r\n        private set\r\n\r\n    override fun put(key: K, value: V): V? {\r\n        val hashCode = equality.getHashCode(key)\r\n        val chainOrEntry = getChainOrEntryOrNull(hashCode)\r\n        if (chainOrEntry == null) {\r\n            // This is a new chain, put it to the map.\r\n            backingMap[hashCode] = SimpleEntry(key, value)\r\n        } else {\r\n            if (chainOrEntry !is Array<*>) {\r\n                // It is an entry\r\n                val entry: SimpleEntry<K, V> = chainOrEntry\r\n                if (equality.equals(entry.key, key)) {\r\n                    return entry.setValue(value)\r\n                } else {\r\n                    backingMap[hashCode] = arrayOf(entry, SimpleEntry(key, value))\r\n                    size++\r\n                    return null\r\n                }\r\n            } else {\r\n                // Chain already exists, perhaps key also exists.\r\n                val chain: Array<MutableEntry<K, V>> = chainOrEntry\r\n                val entry = chain.findEntryInChain(key)\r\n                if (entry != null) {\r\n                    return entry.setValue(value)\r\n                }\r\n                chain.asDynamic().push(SimpleEntry(key, value))\r\n                size++\r\n                // structureChanged(host)\r\n                return null\r\n            }\r\n        }\r\n\r\n    override fun remove(key: K): V? {\r\n        val hashCode = equality.getHashCode(key)\r\n        val chainOrEntry = getChainOrEntryOrNull(hashCode) ?: return null\r\n        if (chainOrEntry !is Array<*>) {\r\n            val entry: MutableEntry<K, V> = chainOrEntry\r\n            if (equality.equals(entry.key, key)) {\r\n                jsDeleteProperty(backingMap, hashCode)\r\n                size--\r\n                return entry.value\r\n            } else {\r\n                return null\r\n            }\r\n        } else {\r\n            val chain: Array<MutableEntry<K, V>> = chainOrEntry\r\n            for (index in chain.indices) {\r\n                val entry = chain[index]\r\n                if (equality.equals(key, entry.key)) {\r\n                    if (chain.size == 1) {\r\n                        chain.asDynamic().length = 0\r\n                        // remove the whole array\r\n                        jsDeleteProperty(backingMap, hashCode)\r\n                    } else {\r\n                        // splice out the entry we're removing\r\n                        chain.asDynamic().splice(index, 1)\r\n                    }\r\n                    size--\r\n                    // structureChanged(host)\r\n                    return entry.value\r\n                }\r\n            }\r\n        }\r\n        return null\r\n    }\r\n\r\n    override fun clear() {\r\n        backingMap = createJsMap()\r\n        size = 0\r\n    }\r\n\r\n    override fun contains(key: K): Boolean = getEntry(key) != null\r\n\r\n    override fun get(key: K): V? = getEntry(key)?.value\r\n\r\n    private fun getEntry(key: K): MutableEntry<K, V>? {\r\n        val chainOrEntry = getChainOrEntryOrNull(equality.getHashCode(key)) ?: return null\r\n        if (chainOrEntry !is Array<*>) {\r\n            val entry: MutableEntry<K, V> = chainOrEntry\r\n            if (equality.equals(entry.key, key)) {\r\n                return entry\r\n            } else {\r\n                return null\r\n            }\r\n        } else {\r\n            val chain: Array<MutableEntry<K, V>> = chainOrEntry\r\n            return chain.findEntryInChain(key)\r\n        }\r\n    }\r\n\r\n    private fun Array<MutableEntry<K, V>>.findEntryInChain(key: K): MutableEntry<K, V>? =\r\n        firstOrNull { entry -> equality.equals(entry.key, key) }\r\n\r\n    override fun iterator(): MutableIterator<MutableEntry<K, V>> {\r\n\r\n        return object\r\n            : MutableIterator<MutableEntry<K, V>> {\r\n            var state = -1 // -1 not ready, 0 - ready, 1 - done\r\n\r\n            val keys: Array<String> = js(\"Object\").keys(backingMap)\r\n            var keyIndex = -1\r\n\r\n            var chainOrEntry: dynamic = null\r\n            var isChain = false\r\n            var itemIndex = -1\r\n            var lastEntry: MutableEntry<K, V>? = null\r\n\r\n            private fun computeNext(): Int {\r\n                if (chainOrEntry != null && isChain) {\r\n                    val chainSize: Int = chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>().size\r\n                    if (++itemIndex < chainSize)\r\n                        return 0\r\n                }\r\n\r\n                if (++keyIndex < keys.size) {\r\n                    chainOrEntry = backingMap[keys[keyIndex]]\r\n                    isChain = chainOrEntry is Array<*>\r\n                    itemIndex = 0\r\n                    return 0\r\n                } else {\r\n                    chainOrEntry = null\r\n                    return 1\r\n                }\r\n            }\r\n\r\n            override fun hasNext(): Boolean {\r\n                if (state == -1)\r\n                    state = computeNext()\r\n                return state == 0\r\n            }\r\n\r\n            override fun next(): MutableEntry<K, V> {\r\n                if (!hasNext()) throw NoSuchElementException()\r\n                val lastEntry = if (isChain) {\r\n                    chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>()[itemIndex]\r\n                } else {\r\n
```

chainOrEntry.unsafeCast<MutableEntry<K, V>>()\r\n }\r\n this.lastEntry = lastEntry\r\n state = -1\r\n return lastEntry\r\n }\r\n\r\n override fun remove() {\r\n checkNotNull(lastEntry)\r\n this@InternalHashCodeMap.remove(lastEntry!!.key)\r\n lastEntry = null\r\n

// the chain being iterated just got modified by InternalHashCodeMap.remove\r\n itemIndex--\r\n }\r\n }\r\n }\r\n\r\n private fun getChainOrEntryOrNull(hashCode: Int): dynamic {\r\n val chainOrEntry = backingMap[hashCode]\r\n return if (chainOrEntry === undefined) null else chainOrEntry\r\n }\r\n\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.collections\r\n\r\n/**\r\n * The common interface of [InternalStringMap] and [InternalHashCodeMap].\r\n */\r\ninternal interface InternalMap<K, V> : MutableIterable<MutableMap.MutableEntry<K, V>> {\r\n val equality: EqualityComparator\r\n val size: Int\r\n operator fun contains(key: K): Boolean\r\n operator fun get(key: K): V?\r\n\r\n fun put(key: K, value: V): V?\r\n fun remove(key: K): V?\r\n fun clear(): Unit\r\n\r\n fun createJsMap(): dynamic {\r\n val result = js(\"Object.create(null)\")\r\n // force to switch object representation to dictionary mode\r\n result[\"foo\"] = 1\r\n jsDeleteProperty(result, \"foo\")\r\n return result\r\n }\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n/*\r\n * Based on GWT InternalStringMap\r\n * Copyright 2008 Google Inc.\r\n */\r\npackage kotlin.collections\r\n\r\nimport kotlin.collections.MutableMap.MutableEntry\r\n\r\n/**\r\n * A simple wrapper around JavaScript Map for key type is string.\r\n *\r\n * Though this map is instantiated only with K=String, the K type is not fixed to String statically,\r\n * because we want to have it erased to Any? in order not to generate type-safe override bridges for\r\n * [get], [contains], [remove] etc, if they ever are generated.\r\n */\r\ninternal class InternalStringMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V> {\r\n\r\n private var backingMap: dynamic = createJsMap()\r\n override var size: Int = 0\r\n private set\r\n\r\n// /**\r\n// * A mod count to track 'value' replacements in map to ensure that the 'value' that we have in the\r\n// * iterator entry is guaranteed to be still correct.\r\n// * This is to optimize for the common scenario where the values are not modified during\r\n// * iterations where the entries are never stale.\r\n// */\r\n// private var valueMod: Int = 0\r\n\r\n override operator fun contains(key: K): Boolean {\r\n if (key !is String) return false\r\n return backingMap[key] !== undefined\r\n }\r\n\r\n override operator fun get(key: K): V? {\r\n if (key !is String) return null\r\n val value = backingMap[key]\r\n

return if (value !== undefined) value.unsafeCast<V>() else null\r\n }\r\n\r\n\r\n override fun put(key: K, value: V): V? {\r\n require(key is String)\r\n val oldValue = backingMap[key]\r\n backingMap[key] = value\r\n\r\n if (oldValue === undefined) {\r\n size++\r\n// structureChanged(host)\r\n return null\r\n } else {\r\n// valueMod++\r\n return oldValue.unsafeCast<V>()\r\n }\r\n }\r\n\r\n override fun remove(key: K): V? {\r\n if (key !is String) return null\r\n val value = backingMap[key]\r\n if (value !== undefined) {\r\n jsDeleteProperty(backingMap, key)\r\n size--\r\n// structureChanged(host)\r\n return value.unsafeCast<V>()\r\n } else {\r\n// valueMod++\r\n return null\r\n }\r\n }\r\n\r\n\r\n override fun clear() {\r\n backingMap = createJsMap()\r\n

size = 0\r\n }\r\n\r\n\r\n override fun iterator(): MutableIterator<MutableEntry<K, V>> {\r\n return object : MutableIterator<MutableEntry<K, V>> {\r\n private val keys: Array<String> = js(\"Object\").keys(backingMap)\r\n private val iterator = keys.iterator()\r\n private var lastKey: String? = null\r\n\r\n override fun hasNext(): Boolean = iterator.hasNext()\r\n\r\n override fun next(): MutableEntry<K, V> {\r\n val key = iterator.next()\r\n lastKey = key\r\n @Suppress(\"UNCHECKED_CAST\")\r\n return newMapEntry(key as K)\r\n }\r\n\r\n override fun remove() {\r\n @Suppress(\"UNCHECKED_CAST\")\r\n this@InternalStringMap.remove(checkNotNull(lastKey) as K)\r\n }\r\n }\r\n }\r\n\r\n private fun

newMapEntry(key: K): MutableEntry<K, V> = object : MutableEntry<K, V> {\r\n override val key: K get() = key\r\n override val value: V get() = this@InternalStringMap[key].unsafeCast<V>()\r\n\r\n override fun setValue(newValue: V): V = this@InternalStringMap.put(key, newValue).unsafeCast<V>()\r\n\r\n override fun hashCode(): Int = AbstractMap.entryHashCode(this)\r\n override fun toString(): String = AbstractMap.entryToString(this)\r\n override fun equals(other: Any?): Boolean = AbstractMap.entryEquals(this, other)\r\n }\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n/*\r\n * Based on GWT LinkedHashMap\r\n * Copyright 2008 Google Inc.\r\n */\r\npackage kotlin.collections\r\n\r\nimport kotlin.collections.MutableMap.MutableEntry\r\n\r\n/**\r\n * Hash table based implementation of the [MutableMap] interface, which additionally preserves the insertion order\r\n * of entries during the iteration.\r\n *\r\n * The insertion order is preserved by maintaining a doubly-linked list of all of its entries.\r\n */\r\npublic actual open class LinkedHashMap<K, V> : HashMap<K, V>, MutableMap<K, V> {\r\n\r\n /**\r\n * The entry we use includes next/prev pointers for a doubly-linked circular\r\n * list with a head node. This reduces the special cases we have to deal with\r\n * in the list operations.\r\n\r\n * Note that we duplicate the key from the underlying hash map so we can find\r\n * the eldest entry. The alternative would have been to modify HashMap so more\r\n * of the code was directly usable here, but this would have added some\r\n * overhead to HashMap, or to reimplement most of the HashMap code here with\r\n * small modifications. Paying a small storage cost only if you use\r\n * LinkedHashMap and minimizing code size seemed like a better tradeoff\r\n */\r\n private class ChainEntry<K, V>(key: K, value: V) : AbstractMutableMap.SimpleEntry<K, V>(key, value) {\r\n internal var next: ChainEntry<K, V>? = null\r\n internal var prev: ChainEntry<K, V>? = null\r\n }\r\n\r\n private inner class EntrySet : AbstractMutableSet<MutableEntry<K, V>>() {\r\n\r\n private inner class EntryIterator : MutableIterator<MutableEntry<K, V>> {\r\n // The last entry that was returned from this iterator.\r\n private var last: ChainEntry<K, V>? = null\r\n\r\n // The next entry to return from this iterator.\r\n private var next: ChainEntry<K, V>? = null\r\n\r\n init {\r\n next = head\r\n// recordLastKnownStructure(map, this)\r\n }\r\n\r\n override fun hasNext(): Boolean {\r\n return next !== null\r\n }\r\n\r\n override fun next(): MutableEntry<K, V> {\r\n// checkStructuralChange(map, this)\r\n if (!hasNext())\n throw NoSuchElementException()\r\n\r\n val current = next!!\r\n last = current\r\n next = current.next.takeIf { it !== head }\r\n return current\r\n }\r\n\r\n override fun remove() {\r\n check(last != null)\r\n// checkStructuralChange(map, this)\r\n\r\n last!!.remove()\r\n map.remove(last!!.key)\r\n// recordLastKnownStructure(map, this)\r\n last = null\r\n }\r\n }\r\n\r\n override fun add(element: MutableEntry<K, V>): Boolean = throw UnsupportedOperationException(\"Add is not supported on entries\")\r\n override fun clear() {\r\n this@LinkedHashMap.clear()\r\n }\r\n\r\n override operator fun contains(element: MutableEntry<K, V>): Boolean = containsEntry(element)\r\n\r\n override operator fun iterator(): MutableIterator<MutableEntry<K, V>> = EntryIterator()\r\n\r\n override fun remove(element: MutableEntry<K, V>): Boolean {\r\n if (contains(element)) {\r\n this@LinkedHashMap.remove(element.key)\r\n return true\r\n }\r\n return false\r\n }\r\n\r\n override val size: Int get() = this@LinkedHashMap.size\r\n }\r\n\r\n\r\n /*\r\n * The head of the insert order chain, which is a doubly-linked circular\r\n * list.\r\n *\r\n * The most recently inserted node is at the end of the chain, ie.\r\n * chain.prev.\r\n */\r\n private var head: ChainEntry<K, V>? = null\r\n\r\n /**\r\n * Add this node to the end of the chain.\r\n */\r\n private fun ChainEntry<K, V>.addToEnd() {\r\n // This entry is not in the list.\r\n check(next == null && prev == null)\r\n\r\n val _head = head\r\n if (_head == null) {\r\n head = this\r\n next = this\r\n prev = this\r\n } else {\r\n // Chain is valid.\r\n val _tail = checkNotNull(_head.prev)\r\n // Update me.\r\n prev = _tail\r\n next = _head\r\n // Update my new siblings: current head and old tail\r\n

_head.prev = this\r\n _tail.next = this\r\n }\r\n }\r\n\r\n /**\r\n * Remove this node from the chain it is a part of.\r\n */\r\n private fun ChainEntry<K, V>.remove() {\r\n if (this.next === this) {\r\n // if this is single element, remove head\r\n head = null\r\n } else {\r\n if (head === this) {\r\n // if this is first element, move head to next\r\n head = next\r\n }\r\n next!!.prev = prev\r\n prev!!.next = next\r\n }\r\n next = null\r\n prev = null\r\n }\r\n\r\n /*\r\n * The hashmap that keeps track of our entries and the chain. Note that we\r\n * duplicate the key here to eliminate changes to HashMap and minimize the\r\n * code here, at the expense of additional space.\r\n */\r\n private val map: HashMap<K, ChainEntry<K, V>>\r\n\r\n /**\r\n * Constructs an empty [LinkedHashMap] instance.\r\n */\r\n actual constructor() : super() {\r\n map = HashMap<K, ChainEntry<K, V>>()\r\n }\r\n\r\n internal constructor(backingMap: HashMap<K, Any>) : super() {\r\n @Suppress(\"UNCHECKED_CAST\") // expected to work due to erasure\r\n map = backingMap as HashMap<K, ChainEntry<K, V>>\r\n }\r\n\r\n /**\r\n * Constructs an empty [LinkedHashMap] instance.\r\n *\r\n * @param initialCapacity the initial capacity (ignored)\r\n * @param loadFactor the load factor (ignored)\r\n *\r\n * @throws IllegalArgumentException if the initial capacity or load factor are negative\r\n */\r\n @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\r\n actual constructor(initialCapacity: Int, loadFactor: Float = 0.0f) : super(initialCapacity, loadFactor) {\r\n map = HashMap<K, ChainEntry<K, V>>()\r\n }\r\n\r\n actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\r\n\r\n /**\r\n * Constructs an instance of [LinkedHashMap] filled with the contents of the specified [original] map.\r\n */\r\n actual constructor(original: Map<out K, V>) {\r\n map = HashMap<K, ChainEntry<K, V>>()\r\n this.putAll(original)\r\n }\r\n\r\n actual override fun clear() {\r\n map.clear()\r\n head = null\r\n }\r\n\r\n\r\n//\r\n// override fun clone(): Any {\r\n// return LinkedHashMap(this)\r\n// }\r\n\r\n actual override fun containsKey(key: K): Boolean = map.containsKey(key)\r\n\r\n actual override fun containsValue(value: V): Boolean {\r\n var node: ChainEntry<K, V> = head ?: return false\r\n do {\r\n if (node.value == value) {\r\n return true\r\n }\r\n node = node.next!!\r\n } while (node !== head)\r\n return false\r\n }\r\n\r\n\r\n override fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\r\n\r\n actual override operator fun get(key: K): V? = map.get(key)?.value\r\n\r\n actual override fun put(key: K, value: V): V? {\r\n val old = map.get(key)\r\n if (old == null) {\r\n val newEntry = ChainEntry(key, value)\r\n map.put(key, newEntry)\r\n newEntry.addToEnd()\r\n return null\r\n } else {\r\n return old.setValue(value)\r\n }\r\n }\r\n\r\n actual override fun remove(key: K): V? {\r\n val entry = map.remove(key)\r\n if (entry != null) {\r\n entry.remove()\r\n return entry.value\r\n }\r\n return null\r\n }\r\n\r\n actual override val size: Int get() = map.size\r\n\r\n}\r\n\r\n/**\r\n * Constructs the specialized implementation of [LinkedHashMap] with [String] keys, which stores the keys as properties of\r\n * JS object without hashing them.\r\n */\r\npublic fun <V> linkedStringMapOf(vararg pairs: Pair<String, V>): LinkedHashMap<String, V> {\r\n return LinkedHashMap<String, V>(stringMapOf<Any>()).apply { putAll(pairs) }\r\n}","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n/*\r\n * Based on GWT LinkedHashSet\r\n * Copyright 2008 Google Inc.\r\n */\r\n\r\npackage kotlin.collections\r\n\r\n/**\r\n * The implementation of the [MutableSet] interface, backed by a [LinkedHashMap] instance.\r\n *\r\n * This implementation preserves the insertion order of elements during the iteration.\r\n */\r\npublic actual open class LinkedHashSet<E> : HashSet<E>, MutableSet<E> {\r\n\r\n internal constructor(map: LinkedHashMap<E, Any>) : super(map)\r\n\r\n /**\r\n * Constructs a new empty [LinkedHashSet].\r\n */\r\n actual constructor() : super(LinkedHashMap<E, Any>())\r\n\r\n /**\r\n * Constructs a new [LinkedHashSet] filled with the elements of the specified collection.\r\n */\r\n actual constructor(elements: Collection<E>) : super(LinkedHashMap<E, Any>()) {\r\n addAll(elements)\r\n }\r\n\r\n /**\r\n * Constructs a new empty [LinkedHashSet].\r\n

*\r\n * @param initialCapacity the initial capacity (ignored)\r\n * @param loadFactor the load factor (ignored)\r\n *\r\n * @throws IllegalArgumentException if the initial capacity or load factor are negative\r\n */\r\n @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\r\n actual constructor(initialCapacity: Int, loadFactor: Float = 0.0f) : super(LinkedHashMap<E, Any>(initialCapacity, loadFactor))\r\n\r\n actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\r\n\r\n// public override fun clone(): Any {\r\n// return LinkedHashSet(this)\r\n// }\r\n\r\n}\r\n\r\n/**\r\n * Creates a new instance of the specialized implementation of [LinkedHashSet] with the specified [String] elements,\r\n * which elements the keys as properties of JS object without hashing them.\r\n */\r\npublic fun linkedStringSetOf(vararg elements: String): LinkedHashSet<String> {\r\n return LinkedHashSet(linkedStringMapOf<Any>()).apply { addAll(elements) }\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin\r\n\r\nimport kotlin.contracts.*\r\n\r\n@Deprecated(\"Do not use Synchronized annotation in pure Kotlin/JS code\", level = DeprecationLevel.ERROR)\r\npublic typealias Synchronized = kotlin.jvm.Synchronized\r\n\r\n@Deprecated(\"Do not use Volatile annotation in pure Kotlin/JS code\",
level = DeprecationLevel.ERROR)\r\npublic typealias Volatile = kotlin.jvm.Volatile\r\n\r\n@kotlin.internal.InlineOnly\r\npublic actual inline fun <R> synchronized(lock: Any, block: () -> R): R {\r\n contract {\r\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\r\n }\r\n return block()\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.io\r\n\r\ninternal abstract class BaseOutput {\r\n open fun println() {\r\n print(\"\\n\")\r\n }\r\n\r\n open fun println(message: Any?) {\r\n print(message)\r\n println()\r\n }\r\n\r\n abstract fun print(message: Any?)\r\n\r\n open fun flush() {}\r\n}\r\n\r\n/** JsName used to make the declaration available outside of module to test it */\r\n@JsName(\"NodeJsOutput\")\r\ninternal class NodeJsOutput(val
outputStream: dynamic) : BaseOutput() {\r\n override fun print(message: Any?) {\r\n // TODO: Using local variable because of bug in block decomposition lowering in IR backend\r\n val messageString = String(message)\r\n outputStream.write(messageString)\r\n }\r\n}\r\n\r\n/** JsName used to make the declaration available outside of module to test it */\r\n@JsName(\"OutputToConsoleLog\")\r\ninternal class OutputToConsoleLog : BaseOutput() {\r\n override fun print(message: Any?) {\r\n console.log(message)\r\n }\r\n\r\n override fun println(message: Any?) {\r\n console.log(message)\r\n }\r\n\r\n override fun println() {\r\n console.log(\"\")\r\n }\r\n}\r\n\r\n/** JsName used to make the declaration available outside of module to test it and use at try.kotl.in */\r\n@JsName(\"BufferedOutput\")\r\ninternal open class BufferedOutput : BaseOutput() {\r\n var buffer = \"\"\r\n\r\n override fun print(message: Any?) {\r\n
buffer += String(message)\r\n }\r\n\r\n override fun flush() {\r\n buffer = \"\"\r\n }\r\n}\r\n\r\n/** JsName used to make the declaration available outside of module to test it */\r\n@JsName(\"BufferedOutputToConsoleLog\")\r\ninternal class BufferedOutputToConsoleLog : BufferedOutput() {\r\n override fun print(message: Any?) {\r\n var s = String(message)\r\n val i = s.lastIndexOf('\\n')\r\n if (i >= 0) {\r\n buffer += s.substring(0, i)\r\n flush()\r\n s = s.substring(i + 1)\r\n }\r\n buffer += s\r\n }\r\n\r\n override fun flush() {\r\n console.log(buffer)\r\n buffer = \"\"\r\n }\r\n}\r\n\r\n/** JsName used to make the declaration available outside of module to test it and use at try.kotl.in */\r\n@JsName(\"output\")\r\ninternal var output = run {\r\n val isNode: Boolean = js(\"typeof process !== 'undefined' && process.versions && !!process.versions.node\")\r\n if (isNode)
NodeJsOutput(js(\"process.stdout\")) else BufferedOutputToConsoleLog()\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\nprivate inline fun String(value: Any?): String = js(\"String\")(value)\r\n\r\n/** Prints the line separator to the standard output stream. */\r\npublic actual fun println() {\r\n output.println()\r\n}\r\n\r\n/** Prints the given [message] and the line separator to the standard output stream. */\r\npublic actual fun println(message: Any?) {\r\n output.println(message)\r\n}\r\n\r\n/** Prints

the given [message] to the standard output stream. */\r\npublic actual fun print(message: Any?) {\r\n output.print(message)\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.coroutines.js.internal\r\n\r\nimport kotlin.coroutines.Continuation\r\nimport kotlin.coroutines.EmptyCoroutineContext\r\n\r\n@PublishedApi\r\n@SinceKotlin(\"1.3\")\r\ninternal val EmptyContinuation = Continuation<Any?>(EmptyCoroutineContext) { result ->\r\n result.getOrThrow()\r\n}","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.coroutines\r\n\r\nimport kotlin.coroutines.intrinsics.CoroutineSingletons.*\r\nimport kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\r\n\r\n@PublishedApi\r\n@SinceKotlin(\"1.3\")\r\ninternal actual class SafeContinuation<in T>\r\ninternal actual constructor(\r\n private val delegate: Continuation<T>,\r\n initialResult: Any?\r\n) : Continuation<T> {\r\n @PublishedApi\r\n internal actual constructor(delegate: Continuation<T>) : this(delegate, UNDECIDED)\r\n\r\n public actual override val context: CoroutineContext\r\n get() = delegate.context\r\n\r\n private var result: Any? = initialResult\r\n\r\n public actual override fun resumeWith(result: Result<T>) {\r\n val cur = this.result\r\n when {\r\n cur === UNDECIDED -> {\r\n this.result = result.value\r\n }\r\n cur === COROUTINE_SUSPENDED -> {\r\n this.result = RESUMED\r\n delegate.resumeWith(result)\r\n }\r\n else -> throw IllegalStateException(\"Already resumed\")\r\n }\r\n }\r\n\r\n @PublishedApi\r\n internal actual fun getOrThrow(): Any? {\r\n if (result === UNDECIDED) {\r\n result = COROUTINE_SUSPENDED\r\n return COROUTINE_SUSPENDED\r\n }\r\n val result = this.result\r\n return when {\r\n result === RESUMED -> COROUTINE_SUSPENDED // already called continuation, indicate COROUTINE_SUSPENDED upstream\r\n result is Result.Failure -> throw result.exception\r\n else -> result // either COROUTINE_SUSPENDED or data\r\n }\r\n }\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.js\r\n\r\n/**\r\n * Exposes the [Date API](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Date) to Kotlin.\r\n */\r\n@Suppress(\"NOT_DOCUMENTED\")\r\npublic external class Date() {\r\n public constructor(milliseconds: Number)\r\n\r\n public constructor(dateString: String)\r\n\r\n public constructor(year: Int, month: Int)\r\n\r\n public constructor(year: Int, month: Int, day: Int)\r\n\r\n public constructor(year: Int, month: Int, day: Int, hour: Int)\r\n\r\n public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int)\r\n\r\n public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int)\r\n\r\n public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond: Number)\r\n\r\n public fun getDate(): Int\r\n\r\n public fun getDay(): Int\r\n\r\n public fun getFullYear(): Int\r\n\r\n public fun getHours(): Int\r\n\r\n public fun getMilliseconds(): Int\r\n\r\n public fun getMinutes(): Int\r\n\r\n public fun getMonth(): Int\r\n\r\n public fun getSeconds(): Int\r\n\r\n public fun getTime(): Double\r\n\r\n public fun getTimezoneOffset(): Int\r\n\r\n public fun getUTCDate(): Int\r\n\r\n public fun getUTCDay(): Int\r\n\r\n public fun getUTCFullYear(): Int\r\n\r\n public fun getUTCHours(): Int\r\n\r\n public fun getUTCMilliseconds(): Int\r\n\r\n public fun getUTCMinutes(): Int\r\n\r\n public fun getUTCMonth(): Int\r\n\r\n public fun getUTCSeconds(): Int\r\n\r\n public fun toDateString(): String\r\n\r\n public fun toISOString(): String\r\n\r\n public fun toJSON(): Json\r\n\r\n public fun toLocaleDateString(locales: Array<String> = definedExternally, options: LocaleOptions = definedExternally): String\r\n\r\n public fun toLocaleDateString(locales: String, options: LocaleOptions = definedExternally): String\r\n\r\n public fun toLocaleString(locales: Array<String> = definedExternally, options: LocaleOptions = definedExternally): String\r\n\r\n public fun toLocaleString(locales: String, options: LocaleOptions = definedExternally): String\r\n\r\n public fun toLocaleTimeString(locales: Array<String> =

definedExternally, options: LocaleOptions = definedExternally): String\r\n\r\n   public fun toLocaleTimeString(locales: String, options: LocaleOptions = definedExternally): String\r\n\r\n   public fun toTimeString(): String\r\n\r\n   public fun toUTCString(): String\r\n\r\n   public companion object {\r\n   public fun now(): Double\r\n\r\n   public fun parse(dateString: String): Double\r\n\r\n   public fun UTC(year: Int, month:
Int): Double\r\n\r\n   public fun UTC(year: Int, month: Int, day: Int): Double\r\n\r\n   public fun UTC(year: Int, month: Int, day: Int, hour: Int): Double\r\n\r\n   public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int): Double\r\n\r\n   public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int): Double\r\n\r\n   public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond: Number): Double\r\n   }\r\n\r\n   public interface LocaleOptions {\r\n   public var localeMatcher: String?\r\n\r\n   public var timeZone: String?\r\n\r\n   public var hour12: Boolean?\r\n\r\n   public var formatMatcher: String?\r\n\r\n   public var weekday: String?\r\n\r\n   public var era: String?\r\n\r\n   public var year: String?\r\n\r\n   public var month: String?\r\n\r\n   public var day: String?\r\n\r\n   public var hour: String?\r\n\r\n   public
var minute: String?\r\n\r\n   public var second: String?\r\n\r\n   public var timeZoneName: String?\r\n   }\r\n}\r\n\r\npublic inline fun dateLocaleOptions(init: Date.LocaleOptions.() -> Unit): Date.LocaleOptions {\r\n   val result = js(\"new Object()\").unsafeCast<Date.LocaleOptions>()\r\n   init(result)\r\n   return result\r\n}","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.dom\r\n\r\nimport org.w3c.dom.*\r\n\r\n/**\r\n * Creates a new element with the specified [name].\r\n *\r\n * The element is initialized with the speicifed [init] function.\r\n */\r\npublic fun Document.createElement(name: String, init: Element.() -> Unit): Element = createElement(name).apply(init)\r\n\r\n/**\r\n * Appends a newly created element with the specified [name] to this element.\r\n *\r\n * The element
is initialized with the speicifed [init] function.\r\n */\r\npublic fun Element.appendElement(name: String, init: Element.() -> Unit): Element =\r\n   ownerDocument!!.createElement(name, init).also { appendChild(it) }\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.dom\r\n\r\nimport org.w3c.dom.*\r\n\r\n/** Returns true if the element has the given CSS class style in its 'class' attribute */\r\nfun Element.hasClass(cssClass: String): Boolean = className.matches(\"\\\"(^|.*\\s+)$cssClass($|\\s+.*)\\\"\".toRegex())\r\n\r\n/**\r\n * Adds CSS class to element. Has no effect if all specified classes are already in class attribute of the element\r\n *\r\n * @return true if at least one class has been added\r\n */\r\nfun Element.addClass(vararg cssClasses: String): Boolean {\r\n   val missingClasses
= cssClasses.filterNot { hasClass(it) }\r\n   if (missingClasses.isNotEmpty()) {\r\n   val presentClasses = className.trim()\r\n   className = buildString {\r\n   append(presentClasses)\r\n   if (!presentClasses.isEmpty()) {\r\n   append(\" \")\r\n   }\r\n   missingClasses.joinTo(this, \" \")\r\n   }\r\n   return true\r\n   }\r\n\r\n   return false\r\n}\r\n\r\n/**\r\n * Removes all [cssClasses] from element. Has no effect if all specified classes are missing in class attribute of the element\r\n *\r\n * @return true if at least one class has been removed\r\n */\r\nfun Element.removeClass(vararg cssClasses: String): Boolean {\r\n   if (cssClasses.any { hasClass(it) }) {\r\n   val toBeRemoved = cssClasses.toSet()\r\n   className = className.trim().split(\"\\\\s+\".toRegex()).filter { it !in toBeRemoved }.joinToString(\" \")\r\n   return true\r\n   }\r\n\r\n   return false\r\n}\r\n","/*\r\n
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:kotlin.jvm.JvmMultifileClass\r\n@file:kotlin.jvm.JvmName(\"StringsKt\")\r\n\r\npackage kotlin.text\r\n\r\n/**\r\n * Converts the string into a regular expression [Regex] with the default options.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun String.toRegex(): Regex = Regex(this)\r\n\r\n/**\r\n * Converts the string into a regular expression [Regex] with the specified single [option].\r\n

*/\r\n@kotlin.internal.InlineOnly\r\npublic inline fun String.toRegex(option: RegexOption): Regex = Regex(this, option)\r\n\r\n/**\r\n * Converts the string into a regular expression [Regex] with the specified set of [options].\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun String.toRegex(options: Set<RegexOption>): Regex = Regex(this, options)\r\n","/*\r\n
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:kotlin.jvm.JvmMultifileClass\r\n@file:kotlin.jvm.JvmName(\"StringsKt\")\r\n\r\npackage kotlin.text\r\n\r\n/**\r\n * Builds new string by populating newly created [StringBuilder] using provided [builderAction]\r\n * and then converting it to [String].\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun buildString(builderAction: StringBuilder.() -> Unit): String =\r\n StringBuilder().apply(builderAction).toString()\r\n\r\n/**\r\n * Builds new string by populating newly created [StringBuilder] initialized with the given [capacity]\r\n * using provided [builderAction] and then converting it to [String].\r\n */\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline fun buildString(capacity: Int, builderAction: StringBuilder.() -> Unit): String\r\n =\r\n StringBuilder(capacity).apply(builderAction).toString()\r\n\r\n/**\r\n * Appends all arguments to the given [Appendable].\r\n */\r\npublic fun <T : Appendable> T.append(vararg value: CharSequence?): T {\r\n for (item in value)\r\n append(item)\r\n return this\r\n}\r\n\r\n/**\r\n * Appends all arguments to the given StringBuilder.\r\n */\r\npublic fun StringBuilder.append(vararg value: String?): StringBuilder {\r\n for (item in value)\r\n append(item)\r\n return this\r\n}\r\n\r\n/**\r\n * Appends all arguments to the given StringBuilder.\r\n */\r\npublic fun StringBuilder.append(vararg value: Any?): StringBuilder {\r\n for (item in value)\r\n append(item)\r\n return this\r\n}\r\n\r\ninternal fun <T> Appendable.appendElement(element: T, transform: ((T) -> CharSequence)?) {\r\n when {\r\n transform != null -> append(transform(element))\r\n element is CharSequence? -> append(element)\r\n element is Char -> append(element)\r\n
 else -> append(element.toString())\r\n }\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.dom\r\n\r\nimport org.w3c.dom.*\r\n\r\n/**\r\n * Gets a value indicating whether this node is a TEXT_NODE or a CDATA_SECTION_NODE.\r\n */\r\npublic val Node.isText: Boolean\r\n get() = nodeType == Node.TEXT_NODE || nodeType == Node.CDATA_SECTION_NODE\r\n\r\n/**\r\n * Gets a value indicating whether this node is an [Element].\r\n */\r\npublic val Node.isElement: Boolean\r\n get() = nodeType == Node.ELEMENT_NODE\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage org.w3c.dom.events\r\n\r\npublic
 fun EventListener(handler: (Event) -> Unit): EventListener = EventListenerHandler(handler)\r\n\r\nprivate class EventListenerHandler(private val handler: (Event) -> Unit) : EventListener {\r\n public override fun handleEvent(event: Event) {\r\n handler(event)\r\n }\r\n\r\n public override fun toString(): String = \"EventListenerHandler($handler)\"\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage org.w3c.dom\r\n\r\npublic external interface ItemArrayLike<out T> {\r\n val length: Int\r\n fun item(index: Int): T?\r\n}\r\n\r\n/**\r\n * Returns the view of this `ItemArrayLike<T>` collection as `List<T>`\r\n */\r\npublic fun <T> ItemArrayLike<T>.asList(): List<T> = object : AbstractList<T>() {\r\n override val size: Int get() = this@asList.length\r\n\r\n override
 fun get(index: Int): T = when (index) {\r\n in 0..lastIndex -> this@asList.item(index).unsafeCast<T>()\r\n else -> throw IndexOutOfBoundsException(\"index $index is not in range [0..$lastIndex]\")\r\n }\r\n}","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.dom\r\n\r\nimport org.w3c.dom.*\r\n\r\n/** Removes all the children from this node. */\r\npublic fun Node.clear() {\r\n while (hasChildNodes()) {\r\n removeChild(firstChild!!)\r\n }\r\n}\r\n\r\n/**\r\n * Creates

text node and append it to the element.\r\n *\r\n * @return this element\r\n */\r\nfun Element.appendText(text: String): Element {\r\n appendChild(ownerDocument!!.createTextNode(text))\r\n return this\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.js\r\n\r\n/**\r\n * Reinterprets this value as a value of the [dynamic type](/docs/reference/dynamic-type.html).\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Any?.asDynamic(): dynamic = this\r\n\r\n/**\r\n * Reinterprets this value as a value of the specified type [T] without any actual type checking.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> Any?.unsafeCast(): @kotlin.internal.NoInfer T = this.asDynamic()\r\n\r\n/**\r\n * Reinterprets this `dynamic` value as a value of the specified type [T] without any actual type checking.\r\n */\r\n@kotlin.internal.DynamicExtension\r\n@JsName(\"unsafeCastDynamic\")\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> dynamic.unsafeCast(): @kotlin.internal.NoInfer T = this\r\n\r\n/**\r\n * Allows to iterate this `dynamic` object in the following cases:\r\n * - when
it has an `iterator` function,\r\n * - when it is an array\r\n * - when it is an instance of [kotlin.collections.Iterable]\r\n */\r\n@kotlin.internal.DynamicExtension\r\npublic operator fun dynamic.iterator(): Iterator<dynamic> {\r\n val r: Any? = this\r\n\r\n return when {\r\n this[\"iterator\"] != null ->\r\n this[\"iterator\"]()\r\n isArrayish(r) ->\r\n r.unsafeCast<Array<*>>().iterator()\r\n\r\n else ->\r\n (r as Iterable<*>).iterator()\r\n }\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin\r\n\r\n// NOTE: Do not author your exceptions as they are written in this file, instead use this template:\r\n/*\r\npublic open class MyException : Exception {\r\n constructor() : super()\r\n constructor(message: String?) : super(message)\r\n
constructor(message: String?, cause: Throwable?) : super(message, cause)\r\n constructor(cause: Throwable?) : super(cause)\r\n}\r\n*/\r\n\r\n\r\n// TODO: remove workarounds for KT-22053 from direct Throwable inheritors\r\n// TODO: remove primary constructors, make all secondary KT-22055\r\n\r\n@Suppress(\"USELESS_ELVIS_RIGHT_IS_NULL\")\r\npublic actual open class Error actual constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?: null) {\r\n actual constructor() : this(null, null) {\r\n Error::class.js.asDynamic().call(this, null, null)\r\n }\r\n\r\n actual constructor(message: String?) : this(message, null) {\r\n Error::class.js.asDynamic().call(this, message, null)\r\n }\r\n\r\n actual constructor(cause: Throwable?) : this(undefined, cause) {\r\n Error::class.js.asDynamic().call(this, undefined, cause)\r\n }\r\n}\r\n\r\n@Suppress(\"USELESS_ELVIS_RIGHT_IS_NULL\")\r\npublic actual open class Exception
actual constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?: null) {\r\n actual constructor() : this(null, null) {\r\n Exception::class.js.asDynamic().call(this, null, null)\r\n }\r\n\r\n actual constructor(message: String?) : this(message, null) {\r\n Exception::class.js.asDynamic().call(this, message, null)\r\n }\r\n\r\n actual constructor(cause: Throwable?) : this(undefined, cause) {\r\n Exception::class.js.asDynamic().call(this, undefined, cause)\r\n }\r\n}\r\n\r\npublic actual open class RuntimeException actual constructor(message: String?, cause: Throwable?) : Exception(message, cause) {\r\n actual constructor() : this(null, null)\r\n actual constructor(message: String?) : this(message, null)\r\n actual constructor(cause: Throwable?) : this(undefined, cause)\r\n}\r\n\r\npublic actual open class IllegalArgumentException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause)
{\r\n actual constructor() : this(null, null)\r\n actual constructor(message: String?) : this(message, null)\r\n actual constructor(cause: Throwable?) : this(undefined, cause)\r\n}\r\n\r\npublic actual open class IllegalStateException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\r\n actual constructor() : this(null, null)\r\n actual constructor(message: String?) : this(message, null)\r\n actual constructor(cause: Throwable?) : this(undefined, cause)\r\n}\r\n\r\npublic actual open class IndexOutOfBoundsException actual constructor(message: String?) : RuntimeException(message) {\r\n actual

constructor() : this(null)\r\n}\r\n\r\npublic actual open class ConcurrentModificationException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\r\n actual constructor() : this(null, null)\r\n actual constructor(message: String?) : this(message, null)\r\n actual constructor(cause: Throwable?) : this(undefined, cause)\r\n}\r\n\r\npublic actual open class UnsupportedOperationException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\r\n actual constructor() : this(null, null)\r\n actual constructor(message: String?) : this(message, null)\r\n actual constructor(cause: Throwable?) : this(undefined, cause)\r\n}\r\n\r\n\r\npublic actual open class NumberFormatException actual constructor(message: String?) : IllegalArgumentException(message) {\r\n actual constructor() : this(null)\r\n}\r\n\r\n\r\npublic actual open class NullPointerException actual constructor(message: String?) : RuntimeException(message) {\r\n actual constructor() : this(null)\r\n}\r\n\r\npublic actual open class ClassCastException actual constructor(message: String?) : RuntimeException(message) {\r\n actual constructor() : this(null)\r\n}\r\n\r\npublic actual open class AssertionError private constructor(message: String?, cause: Throwable?)
: Error(message, cause) {\r\n actual constructor() : this(null)\r\n constructor(message: String?) : this(message, null)\r\n actual constructor(message: Any?) : this(message.toString(), message as? Throwable)\r\n}\r\n\r\npublic actual open class NoSuchElementException actual constructor(message: String?) : RuntimeException(message) {\r\n actual constructor() : this(null)\r\n}\r\n\r\n@SinceKotlin(\"1.3\")\r\npublic actual open class ArithmeticException actual constructor(message: String?) : RuntimeException(message) {\r\n actual constructor() : this(null)\r\n}\r\n\r\npublic actual open class NoWhenBranchMatchedException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\r\n actual constructor() : this(null, null)\r\n actual constructor(message: String?) : this(message, null)\r\n actual constructor(cause: Throwable?) : this(undefined, cause)\r\n}\r\n\r\npublic actual open class UninitializedPropertyAccessException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\r\n actual constructor() : this(null, null)\r\n actual constructor(message: String?) : this(message, null)\r\n actual constructor(cause: Throwable?) : this(undefined, cause)\r\n}\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// a package is omitted to get declarations directly under the module\r\n\r\n@JsName(\"throwNPE\")\r\ninternal fun throwNPE(message: String) {\r\n throw NullPointerException(message)\r\n}\r\n\r\n@JsName(\"throwCCE\")\r\ninternal fun throwCCE() {\r\n throw ClassCastException(\"Illegal cast\")\r\n}\r\n\r\n@JsName(\"throwISE\")\r\ninternal fun throwISE(message: String) {\r\n throw IllegalStateException(message)\r\n}\r\n\r\n@JsName(\"throwUPAE\")\r\ninternal fun throwUPAE(propertyName:
String) {\r\n throw UninitializedPropertyAccessException(\"lateinit property ${propertyName} has not been initialized\")\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n
*/\r\n\r\n@file:kotlin.jvm.JvmName(\"GroupingKt\")\r\n@file:kotlin.jvm.JvmMultifileClass\r\n\r\npackage kotlin.collections\r\n\r\n/**\r\n * Represents a source of elements with a [keyOf] function, which can be applied to each element to get its key.\r\n *\r\n * A [Grouping] structure serves as an intermediate step in group-and-fold operations:\r\n * they group elements by their keys and then fold each group with some aggregating operation.\r\n *\r\n * It is created by attaching `keySelector: (T) -> K` function to a source of elements.\r\n * To get an instance of [Grouping] use one of `groupingBy` extension functions:\r\n * - [Iterable.groupingBy]\r\n
* - [Sequence.groupingBy]\r\n * - [Array.groupingBy]\r\n * - [CharSequence.groupingBy]\r\n *\r\n * For the list of group-and-fold operations available, see the [extension functions](#extension-functions) for `Grouping`.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic interface Grouping<T, out K> {\r\n /** Returns an [Iterator] over the elements of the source of this grouping. */\r\n fun sourceIterator(): Iterator<T>\r\n /** Extracts the key of an [element]. */\r\n fun keyOf(element: T): K\r\n}\r\n\r\n\r\n/**\r\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\r\n * passing the previously accumulated

value and the current element as arguments, and stores the results in a new map.\r\n *\r\n * The key for each element is provided by the [Grouping.keyOf] function.\r\n *\r\n * @param operation function is invoked on each element with the following parameters:\r\n * - `key`: the key of the group this element
belongs to;\r\n * - `accumulator`: the current value of the accumulator of the group, can be `null` if it's the first `element` encountered in the group;\r\n * - `element`: the element from the source being aggregated;\r\n * - `first`: indicates whether it's the first `element` encountered in the group.\r\n *\r\n * @return a [Map] associating the key of each group with the result of aggregation of the group elements.\r\n * @sample samples.collections.Grouping.aggregateByRadix\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic inline fun <T, K, R> Grouping<T, K>.aggregate(\r\n   operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R\r\n): Map<K, R> {\r\n   return aggregateTo(mutableMapOf<K, R>(), operation)\r\n}\r\n\r\n/**\r\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\r\n * passing the previously accumulated value and the current element as arguments,\r\n * and stores the results in the given [destination]
map.\r\n *\r\n * The key for each element is provided by the [Grouping.keyOf] function.\r\n *\r\n * @param operation a function that is invoked on each element with the following parameters:\r\n * - `key`: the key of the group this element belongs to;\r\n * - `accumulator`: the current value of the accumulator of the group, can be `null` if it's the first `element` encountered in the group;\r\n * - `element`: the element from the source being aggregated;\r\n * - `first`: indicates whether it's the first `element` encountered in the group.\r\n *\r\n * If the [destination] map already has a value corresponding to some key,\r\n * then the elements being aggregated for that key are never considered as `first`.\r\n *\r\n * @return the [destination] map associating the key of each group with the result of aggregation of the group elements.\r\n * @sample samples.collections.Grouping.aggregateByRadixTo\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic inline fun <T, K, R, M : MutableMap<in
K, R>> Grouping<T, K>.aggregateTo(\r\n   destination: M,\r\n   operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R\r\n): M {\r\n   for (e in this.sourceIterator()) {\r\n   val key = keyOf(e)\r\n   val accumulator = destination[key]\r\n   destination[key] = operation(key, accumulator, e, accumulator == null && !destination.containsKey(key))\r\n   }\r\n   return destination\r\n}\r\n\r\n/**\r\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\r\n * passing the previously accumulated value and the current element as arguments, and stores the results in a new map.\r\n * An initial value of accumulator is provided by [initialValueSelector] function.\r\n *\r\n * @param initialValueSelector a function that provides an initial value of accumulator for each group.\r\n * It's invoked with parameters:\r\n * - `key`: the key of the group;\r\n * - `element`: the first element being encountered
in that group.\r\n *\r\n * @param operation a function that is invoked on each element with the following parameters:\r\n * - `key`: the key of the group this element belongs to;\r\n * - `accumulator`: the current value of the accumulator of the group;\r\n * - `element`: the element from the source being accumulated.\r\n *\r\n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\r\n * @sample samples.collections.Grouping.foldByEvenLengthWithComputedInitialValue\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic inline fun <T, K, R> Grouping<T, K>.fold(\r\n   initialValueSelector: (key: K, element: T) -> R,\r\n   operation: (key: K, accumulator: R, element: T) -> R\r\n): Map<K, R> =\r\n   @Suppress(\"UNCHECKED_CAST\")\r\n   aggregate { key, acc, e, first -> operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }\r\n\r\n/**\r\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements
of each group sequentially,\r\n * passing the previously accumulated value and the current element as arguments,\r\n * and stores the results in the given [destination] map.\r\n * An initial value of accumulator is provided by [initialValueSelector] function.\r\n *\r\n * @param initialValueSelector a function that provides an initial value of accumulator for each group.\r\n * It's invoked with parameters:\r\n * - `key`: the key of the group;\r\n * - `element`: the first element being encountered in that group.\r\n *\r\n * If the [destination] map already has a value corresponding to some key, that value is used as an initial value of\r\n * the accumulator for that

group and the [initialValueSelector] function is not called for that group.\r\n *\r\n * @param operation a function that is invoked on each element with the following parameters:\r\n * - `key`: the key of the group this element belongs to;\r\n * - `accumulator`: the current value of the accumulator of the group;\r\n
 * - `element`: the element from the source being accumulated.\r\n *\r\n * @return the [destination] map associating the key of each group with the result of accumulating the group elements.\r\n * @sample samples.collections.Grouping.foldByEvenLengthWithComputedInitialValueTo\r\n
*/\r\n@SinceKotlin(\"1.1\")\r\npublic inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\r\n destination: M,\r\n initialValueSelector: (key: K, element: T) -> R,\r\n operation: (key: K, accumulator: R, element: T) -> R\r\n): M =\r\n @Suppress(\"UNCHECKED_CAST\")\r\n aggregateTo(destination) { key, acc, e, first -> operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }\r\n\r\n\r\n/**\r\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\r\n * passing the previously accumulated value and the current element as arguments, and stores the results in a new map.\r\n * An initial value of accumulator
 is the same [initialValue] for each group.\r\n *\r\n * @param operation a function that is invoked on each element with the following parameters:\r\n * - `accumulator`: the current value of the accumulator of the group;\r\n * - `element`: the element from the source being accumulated.\r\n *\r\n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\r\n * @sample samples.collections.Grouping.foldByEvenLengthWithConstantInitialValue\r\n
*/\r\n@SinceKotlin(\"1.1\")\r\npublic inline fun <T, K, R> Grouping<T, K>.fold(\r\n initialValue: R,\r\n operation: (accumulator: R, element: T) -> R\r\n): Map<K, R> =\r\n @Suppress(\"UNCHECKED_CAST\")\r\n aggregate { _, acc, e, first -> operation(if (first) initialValue else acc as R, e) }\r\n\r\n\r\n/**\r\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\r\n * passing the previously accumulated value and the current element
 as arguments,\r\n * and stores the results in the given [destination] map.\r\n * An initial value of accumulator is the same [initialValue] for each group.\r\n *\r\n * If the [destination] map already has a value corresponding to the key of some group,\r\n * that value is used as an initial value of the accumulator for that group.\r\n *\r\n * @param operation a function that is invoked on each element with the following parameters:\r\n * - `accumulator`: the current value of the accumulator of the group;\r\n * - `element`: the element from the source being accumulated.\r\n *\r\n * @return the [destination] map associating the key of each group with the result of accumulating the group elements.\r\n * @sample samples.collections.Grouping.foldByEvenLengthWithConstantInitialValueTo\r\n
*/\r\n@SinceKotlin(\"1.1\")\r\npublic inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\r\n destination: M,\r\n initialValue: R,\r\n operation: (accumulator: R, element:
 T) -> R\r\n): M =\r\n @Suppress(\"UNCHECKED_CAST\")\r\n aggregateTo(destination) { _, acc, e, first -> operation(if (first) initialValue else acc as R, e) }\r\n\r\n\r\n/**\r\n * Groups elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group\r\n * sequentially starting from the second element of the group,\r\n * passing the previously accumulated value and the current element as arguments,\r\n * and stores the results in a new map.\r\n * An initial value of accumulator is the first element of the group.\r\n *\r\n * @param operation a function that is invoked on each subsequent element of the group with the following parameters:\r\n * - `key`: the key of the group this element belongs to;\r\n * - `accumulator`: the current value of the accumulator of the group;\r\n * - `element`: the element from the source being accumulated.\r\n *\r\n * @return a [Map] associating the key of each group with the result of accumulating the group
 elements.\r\n * @sample samples.collections.Grouping.reduceByMaxVowels\r\n
*/\r\n@SinceKotlin(\"1.1\")\r\npublic inline fun <S, T : S, K> Grouping<T, K>.reduce(\r\n operation: (key: K, accumulator: S, element: T) -> S\r\n): Map<K, S> =\r\n aggregate { key, acc, e, first ->\r\n
@Suppress(\"UNCHECKED_CAST\")\r\n if (first) e else operation(key, acc as S, e)\r\n }\r\n\r\n\r\n/**\r\n * Groups elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group\r\n * sequentially starting from the second element of the group,\r\n * passing the previously accumulated value and the current element as arguments,\r\n * and stores the results in the given [destination] map.\r\n * An

initial value of accumulator is the first element of the group.\r\n *\r\n * If the [destination] map already has a value corresponding to the key of some group,\r\n * that value is used as an initial value of the accumulator for that group and the first element
of that group is also\r\n * subjected to the [operation].\r\n\r\n * @param operation a function that is invoked on each subsequent element of the group with the following parameters:\r\n * - `accumulator`: the current value of the accumulator of the group;\r\n * - `element`: the element from the source being folded;\r\n *\r\n * @return the [destination] map associating the key of each group with the result of accumulating the group elements.\r\n * @sample samples.collections.Grouping.reduceByMaxVowelsTo\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic inline fun <S, T : S, K, M : MutableMap<in K, S>> Grouping<T, K>.reduceTo(\r\n   destination: M,\r\n   operation: (key: K, accumulator: S, element: T) -> S\r\n): M =\r\n   aggregateTo(destination) { key, acc, e, first ->\r\n   @Suppress(\"UNCHECKED_CAST\")\r\n   if (first) e else operation(key, acc as S, e)\r\n   }\r\n\r\n\r\n/**\r\n * Groups elements from the [Grouping] source by key and counts elements in each group to the
given [destination] map.\r\n *\r\n * If the [destination] map already has a value corresponding to the key of some group,\r\n * that value is used as an initial value of the counter for that group.\r\n *\r\n * @return the [destination] map associating the key of each group with the count of elements in the group.\r\n *\r\n * @sample samples.collections.Grouping.groupingByEachCount\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachCountTo(destination: M): M =\r\n   foldTo(destination, 0) { acc, _ -> acc + 1 }\r\n\r\n/*\r\n/**\r\n * Groups elements from the [Grouping] source by key and sums values provided by the [valueSelector] function for elements in each group\r\n * to the given [destination] map.\r\n *\r\n *\r\n * If the [destination] map already has a value corresponding to the key of some group,\r\n * that value is used as an initial value of the sum for that group.\r\n *\r\n * @return the [destination] map associating the key of
each group with the sum of elements in the group.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic inline fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachSumOfTo(destination: M, valueSelector: (T) -> Int): M =\r\n   foldTo(destination, 0) { acc, e -> acc + valueSelector(e)}\r\n*/\r\n\r\n\r\n/*\r\n// TODO: sum by long and by double overloads\r\n\r\npublic inline fun <T, K, M : MutableMap<in K, Long>> Grouping<T, K>.sumEachByLongTo(destination: M, valueSelector: (T) -> Long): M =\r\n   foldTo(destination, 0L) { acc, e -> acc + valueSelector(e)}\r\n\r\npublic inline fun <T, K> Grouping<T, K>.sumEachByLong(valueSelector: (T) -> Long): Map<K, Long> =\r\n   fold(0L) { acc, e -> acc + valueSelector(e)}\r\n\r\npublic inline fun <T, K, M : MutableMap<in K, Double>> Grouping<T, K>.sumEachByDoubleTo(destination: M, valueSelector: (T) -> Double): M =\r\n   foldTo(destination, 0.0) { acc, e -> acc + valueSelector(e)}\r\n\r\npublic inline fun <T, K> Grouping<T, K>.sumEachByDouble(valueSelector:
(T) -> Double): Map<K, Double> =\r\n   fold(0.0) { acc, e -> acc + valueSelector(e)}\r\n*/\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\npackage kotlin.collections\r\n\r\n/**\r\n * Groups elements from the [Grouping] source by key and counts elements in each group.\r\n *\r\n * @return a [Map] associating the key of each group with the count of element in the group.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic actual fun <T, K> Grouping<T, K>.eachCount(): Map<K, Int> =\r\n   fold(0) { acc, _ -> acc + 1 }\r\n\r\n/*\r\n/**\r\n * Groups elements from the [Grouping] source by key and sums values provided by the [valueSelector] function for elements in each group.\r\n *\r\n * @return a [Map] associating the key of each group with the count of element in the group.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic
inline fun <T, K> Grouping<T, K>.eachSumOf(valueSelector: (T) -> Int): Map<K, Int> =\r\n   fold(0) { acc, e -> acc + valueSelector(e) }\r\n*/","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.js\r\n\r\n/**\r\n * Exposes the JavaScript [Math object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Math) to Kotlin.\r\n */\r\n@Deprecated(\"Use top-level functions from kotlin.math package instead.\", level = DeprecationLevel.WARNING)\r\npublic external object Math {\r\n   @Deprecated(\"Use kotlin.math.PI instead.\", ReplaceWith(\"PI\", \"kotlin.math.PI\"), level = DeprecationLevel.ERROR)\r\n   public val PI: Double\r\n

@Deprecated(\"Use Random.nextDouble instead\", ReplaceWith(\"kotlin.random.Random.nextDouble()\", \"kotlin.random.Random\"), level = DeprecationLevel.WARNING)\r\n public fun random(): Double\r\n @Deprecated(\"Use kotlin.math.abs instead.\", ReplaceWith(\"abs(value)\", \"kotlin.math.abs\"), level = DeprecationLevel.ERROR)\r\n public fun abs(value: Double): Double\r\n @Deprecated(\"Use kotlin.math.acos instead.\", ReplaceWith(\"acos(value)\", \"kotlin.math.acos\"), level = DeprecationLevel.ERROR)\r\n public fun acos(value: Double): Double\r\n @Deprecated(\"Use kotlin.math.asin instead.\", ReplaceWith(\"asin(value)\", \"kotlin.math.asin\"), level = DeprecationLevel.ERROR)\r\n public fun asin(value: Double): Double\r\n @Deprecated(\"Use kotlin.math.atan instead.\", ReplaceWith(\"atan(value)\", \"kotlin.math.atan\"), level = DeprecationLevel.ERROR)\r\n public fun atan(value: Double): Double\r\n @Deprecated(\"Use kotlin.math.atan2 instead.\", ReplaceWith(\"atan2(y, x)\", \"kotlin.math.atan2\"), level = DeprecationLevel.ERROR)\r\n public fun atan2(y: Double, x: Double): Double\r\n @Deprecated(\"Use kotlin.math.cos instead.\", ReplaceWith(\"cos(value)\", \"kotlin.math.cos\"), level = DeprecationLevel.ERROR)\r\n public fun cos(value: Double): Double\r\n @Deprecated(\"Use kotlin.math.sin instead.\", ReplaceWith(\"sin(value)\", \"kotlin.math.sin\"), level = DeprecationLevel.ERROR)\r\n public fun sin(value: Double): Double\r\n @Deprecated(\"Use kotlin.math.exp instead.\", ReplaceWith(\"exp(value)\", \"kotlin.math.exp\"), level = DeprecationLevel.ERROR)\r\n public fun exp(value: Double): Double\r\n @Deprecated(\"Use maxOf or kotlin.math.max instead\", level = DeprecationLevel.ERROR)\r\n public fun max(vararg values: Int): Int\r\n @Deprecated(\"Use maxOf or kotlin.math.max instead\", level = DeprecationLevel.ERROR)\r\n public fun max(vararg values: Float): Float\r\n @Deprecated(\"Use maxOf or kotlin.math.max instead\", level = DeprecationLevel.ERROR)\r\n public fun max(vararg values: Double): Double\r\n @Deprecated(\"Use minOf or kotlin.math.min instead\", level = DeprecationLevel.ERROR)\r\n public fun min(vararg values: Int): Int\r\n @Deprecated(\"Use minOf or kotlin.math.min instead\", level = DeprecationLevel.ERROR)\r\n public fun min(vararg values: Float): Float\r\n @Deprecated(\"Use minOf or kotlin.math.min instead\", level = DeprecationLevel.ERROR)\r\n public fun min(vararg values: Double): Double\r\n @Deprecated(\"Use kotlin.math.sqrt instead.\", ReplaceWith(\"sqrt(value)\", \"kotlin.math.sqrt\"), level = DeprecationLevel.ERROR)\r\n public fun sqrt(value: Double): Double\r\n @Deprecated(\"Use kotlin.math.tan instead.\", ReplaceWith(\"tan(value)\", \"kotlin.math.tan\"), level = DeprecationLevel.ERROR)\r\n public fun tan(value: Double): Double\r\n @Deprecated(\"Use kotlin.math.ln instead.\", ReplaceWith(\"ln(value)\", \"kotlin.math.ln\"), level = DeprecationLevel.ERROR)\r\n public fun log(value: Double): Double\r\n @Deprecated(\"Use kotlin.math.pow instead.\", ReplaceWith(\"base.pow(exp)\", \"kotlin.math.pow\"), level = DeprecationLevel.ERROR)\r\n public fun pow(base: Double, exp: Double): Double\r\n @Deprecated(\"Use kotlin.math.round instead.\", ReplaceWith(\"round(value)\", \"kotlin.math.round\"), level = DeprecationLevel.ERROR)\r\n public fun round(value: Number): Int\r\n @Deprecated(\"Use kotlin.math.floor instead.\", ReplaceWith(\"floor(value)\", \"kotlin.math.floor\"), level = DeprecationLevel.ERROR)\r\n public fun floor(value: Number): Int\r\n @Deprecated(\"Use kotlin.math.ceil instead.\", ReplaceWith(\"ceil(value)\", \"kotlin.math.ceil\"), level = DeprecationLevel.ERROR)\r\n public fun ceil(value: Number): Int\r\n\r\n @PublishedApi\r\n internal fun trunc(value: Number): Double\r\n @PublishedApi\r\n internal fun sign(value: Number): Double\r\n\r\n @PublishedApi\r\n internal fun sinh(value: Double): Double\r\n @PublishedApi\r\n internal fun cosh(value: Double): Double\r\n @PublishedApi\r\n internal fun tanh(value: Double): Double\r\n @PublishedApi\r\n internal fun asinh(value: Double): Double\r\n @PublishedApi\r\n internal fun acosh(value: Double): Double\r\n @PublishedApi\r\n internal fun atanh(value: Double): Double\r\n\r\n @PublishedApi\r\n internal fun hypot(x: Double, y: Double): Double\r\n\r\n @PublishedApi\r\n internal fun expm1(value: Double): Double\r\n\r\n @PublishedApi\r\n internal fun log10(value: Double): Double\r\n @PublishedApi\r\n internal fun log2(value: Double): Double\r\n @PublishedApi\r\n internal fun log1p(value: Double): Double\r\n\r\n @PublishedApi\r\n internal fun

clz32(value: Int): Int\r\n}\r\n\r\n/**\r\n * Returns the smaller of two values.\r\n */\r\n@Suppress(\"DEPRECATION\")\r\n@Deprecated(\"Use minOf or kotlin.math.min instead\", ReplaceWith(\"minOf(a, b)\"), level = DeprecationLevel.ERROR)\r\npublic fun Math.min(a: Long, b: Long): Long = if (a <= b) a else b\r\n\r\n/**\r\n * Returns the greater of two values.\r\n */\r\n@Suppress(\"DEPRECATION\")\r\n@Deprecated(\"Use maxOf or kotlin.math.max instead\", ReplaceWith(\"maxOf(a, b)\"), level = DeprecationLevel.ERROR)\r\npublic fun Math.max(a: Long, b: Long): Long = if (a >= b) a else b\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.js\r\n\r\n/**\r\n * An interface for indexing access to a collection of key-value pairs, where type of key is [String] and type of value is [Any?][Any].\r\n */\r\npublic external interface Json {\r\n   /**\r\n   * Calls to the function will be translated to indexing operation (square brackets) on the receiver with [propertyName] as the argument.\r\n   *\r\n   * E.g. for next code:\r\n   * ```kotlin\r\n   * fun test(j: Json, p: String) = j[\"prop\"] + j.get(p)\r\n   * ```\r\n   *\r\n   * will be generated:\r\n   * ```js\r\n   * function test(j, p) {\r\n   *   return j[\"prop\"] + j[p];\r\n   * }\r\n   * ```\r\n   */\r\n   operator fun get(propertyName: String): Any?\r\n\r\n   /**\r\n   * Calls of the function will be translated to an assignment of [value] to the receiver indexed (with square brackets/index operation) with [propertyName].\r\n   *\r\n   * E.g. for the following code:\r\n   * ```kotlin\r\n   * fun test(j: Json, p: String, newValue: Any) {\r\n   *   j[\"prop\"] = 1\r\n   *   j.set(p, newValue)\r\n   * }\r\n   * ```\r\n   *\r\n   * will be generated:\r\n   * ```js\r\n   * function test(j, p, newValue) {\r\n   *   j[\"prop\"] = 1;\r\n   *   j[p] = newValue;\r\n   * }\r\n   * }\r\n   * ```\r\n   */\r\n   operator fun set(propertyName: String, value: Any?): Unit\r\n}\r\n\r\n/**\r\n * Returns a simple JavaScript object (as [Json]) using provided key-value pairs as names and values of its properties.\r\n */\r\npublic fun json(vararg pairs: Pair<String, Any?>): Json {\r\n   val res: dynamic = js(\"({})\")\r\n   for ((name, value) in pairs) {\r\n   res[name] = value\r\n   }\r\n   return res\r\n}\r\n\r\n/**\r\n * Adds key-value pairs from [other] to [this].\r\n * Returns the original receiver.\r\n */\r\npublic fun Json.add(other: Json): Json {\r\n   val keys: Array<String> = js(\"Object\").keys(other)\r\n   for (key in keys) {\r\n   if (other.asDynamic().hasOwnProperty(key)) {\r\n   this[key] = other[key];\r\n   }\r\n   }\r\n   return this\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [JSON object](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/JSON) to Kotlin.\r\n */\r\n@Suppress(\"NOT_DOCUMENTED\")\r\npublic external object JSON {\r\n   public fun stringify(o: Any?): String\r\n   public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)): String\r\n   public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)? = definedExternally, space: Int): String\r\n   public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)? = definedExternally, space: String): String\r\n   public fun stringify(o: Any?, replacer: Array<String>): String\r\n   public fun stringify(o: Any?, replacer: Array<String>, space: Int): String\r\n   public fun stringify(o: Any?, replacer: Array<String>, space: String): String\r\n\r\n   public fun <T> parse(text: String): T\r\n   public fun <T> parse(text: String, reviver: ((key: String, value: Any?) -> Any?)): T\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n@file:Suppress(\"DEPRECATION\", \"DEPRECATION_ERROR\")\r\npackage kotlin.math\r\n\r\n\r\n\r\nimport kotlin.internal.InlineOnly\r\nimport kotlin.js.Math as nativeMath\r\n\r\n\r\n\r\n// region ===============
Double Math ======================================\r\n\r\n\r\n/** Computes the sine of the angle [x] given in radians.\r\n *\r\n * Special cases:\r\n *   - `sin(NaN|+Inf|-Inf)` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun sin(x: Double): Double = nativeMath.sin(x)\r\n\r\n\r\n/** Computes the cosine of the angle [x] given in radians.\r\n *\r\n * Special cases:\r\n *   - `cos(NaN|+Inf|-Inf)` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun cos(x: Double): Double = nativeMath.cos(x)\r\n\r\n\r\n/** Computes the tangent of the angle [x] given in radians.\r\n *\r\n * Special cases:\r\n *   - `tan(NaN|+Inf|-Inf)` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun tan(x: Double): Double = nativeMath.tan(x)\r\n\r\n\r\n/**\r\n * Computes the arc sine of the value

[x];\r\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\r\n *\r\n * Special cases:\r\n * - `asin(x)`
 is `NaN`, when `abs(x) > 1` or x is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun asin(x: Double): Double = nativeMath.asin(x)\r\n\r\n/**\r\n * Computes the arc cosine of the value [x];\r\n * the returned value is an angle in the range from `0.0` to `PI` radians.\r\n *\r\n * Special cases:\r\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun acos(x: Double): Double = nativeMath.acos(x)\r\n\r\n/**\r\n * Computes the arc tangent of the value [x];\r\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\r\n *\r\n * Special cases:\r\n * - `atan(NaN)` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun atan(x: Double): Double = nativeMath.atan(x)\r\n\r\n/**\r\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\r\n * to the rectangular coordinates `(x, y)` by computing the arc tangent
 of the value [y] / [x];\r\n * the returned value is an angle in the range from `-PI` to `PI` radians.\r\n *\r\n * Special cases:\r\n * - `atan2(0.0, 0.0)` is `0.0`\r\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\r\n * - `atan2(-0.0, x)` is `-0.0` for 'x > 0' and `-PI` for `x < 0`\r\n * - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for '-Inf < y < 0`\r\n *  - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\r\n *  - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\r\n *  - `atan2(+Inf, x)` is `PI/2` for finite `x`y\r\n *  - `atan2(-Inf, x)` is `-PI/2` for finite `x`\r\n *  - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun atan2(y: Double, x: Double): Double = nativeMath.atan2(y, x)\r\n\r\n/**\r\n * Computes the hyperbolic sine of the value [x].\r\n *\r\n * Special cases:\r\n *  - `sinh(NaN)` is `NaN`\r\n *  - `sinh(+Inf)` is `+Inf`\r\n
 * - `sinh(-Inf)` is `-Inf`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun sinh(x: Double): Double = nativeMath.sinh(x)\r\n\r\n/**\r\n * Computes the hyperbolic cosine of the value [x].\r\n *\r\n * Special cases:\r\n * - `cosh(NaN)` is `NaN`\r\n * - `cosh(+Inf|-Inf)` is `+Inf`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun cosh(x: Double): Double = nativeMath.cosh(x)\r\n\r\n/**\r\n * Computes the hyperbolic tangent of the value [x].\r\n *\r\n * Special cases:\r\n * - `tanh(NaN)` is `NaN`\r\n * - `tanh(+Inf)` is `1.0`\r\n * - `tanh(-Inf)` is `-1.0`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun tanh(x: Double): Double = nativeMath.tanh(x)\r\n\r\n/**\r\n * Computes the inverse hyperbolic sine of the value [x].\r\n *\r\n * The returned value is `y` such that `sinh(y) == x`.\r\n *\r\n * Special cases:\r\n * - `asinh(NaN)` is `NaN`\r\n * - `asinh(+Inf)` is `+Inf`\r\n * - `asinh(-Inf)` is
 `-Inf`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun asinh(x: Double): Double = nativeMath.asinh(x)\r\n\r\n/**\r\n * Computes the inverse hyperbolic cosine of the value [x].\r\n *\r\n * The returned value is positive `y` such that `cosh(y) == x`.\r\n *\r\n * Special cases:\r\n * - `acosh(NaN)` is `NaN`\r\n * - `acosh(x)` is `NaN` when `x < 1`\r\n * - `acosh(+Inf)` is `+Inf`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun acosh(x: Double): Double = nativeMath.acosh(x)\r\n\r\n/**\r\n * Computes the inverse hyperbolic tangent of the value [x].\r\n *\r\n * The returned value is `y` such that `tanh(y) == x`.\r\n *\r\n * Special cases:\r\n * - `tanh(NaN)` is `NaN`\r\n * - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\r\n * - `tanh(1.0)` is `+Inf`\r\n * - `tanh(-1.0)` is `-Inf`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun atanh(x: Double): Double = nativeMath.atanh(x)\r\n\r\n/**\r\n * Computes `sqrt(x^2
 + y^2)` without intermediate overflow or underflow.\r\n *\r\n * Special cases:\r\n *  - returns `+Inf` if any of arguments is infinite\r\n *  - returns `NaN` if any of arguments is `NaN` and the other is not infinite\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun hypot(x: Double, y: Double): Double = nativeMath.hypot(x, y)\r\n\r\n/**\r\n * Computes the positive square root of the value [x].\r\n *\r\n * Special cases:\r\n *  - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun sqrt(x: Double): Double = nativeMath.sqrt(x)\r\n\r\n/**\r\n * Computes Euler's number `e` raised to the power of the value [x].\r\n *\r\n * Special cases:\r\n *  - `exp(NaN)` is `NaN`\r\n *  - `exp(+Inf)` is `+Inf`\r\n *  - `exp(-Inf)` is `0.0`\r\n

```
*/\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun exp(x: Double): Double = nativeMath.exp(x)\r\n\r\n/**\r\n * Computes `exp(x) - 1`.\r\n
 *\r\n * This function can be implemented to produce more precise result for [x] near zero.\r\n *\r\n * Special cases:\r\n *   - `expm1(NaN)` is `NaN`\r\n *   - `expm1(+Inf)` is `+Inf`\r\n *   - `expm1(-Inf)` is `-1.0`\r\n *\r\n * @see [exp] function.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun expm1(x: Double): Double = nativeMath.expm1(x)\r\n\r\n/**\r\n * Computes the logarithm of the value [x] to the given [base].\r\n *\r\n * Special cases:\r\n *   - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\r\n *   - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\r\n *   - `log(+Inf, +Inf)` is `NaN`\r\n *   - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\r\n *   - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`\r\n *\r\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic actual fun log(x: Double, base: Double): Double {\r\n    if (base <= 0.0 || base
 == 1.0) return Double.NaN\r\n    return nativeMath.log(x) / nativeMath.log(base)\r\n}\r\n\r\n/**\r\n * Computes the natural logarithm (base `E`) of the value [x].\r\n *\r\n * Special cases:\r\n *   - `ln(NaN)` is `NaN`\r\n *   - `ln(x)` is `NaN` when `x < 0.0`\r\n *   - `ln(+Inf)` is `+Inf`\r\n *   - `ln(0.0)` is `-Inf`\r\n
*/\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun ln(x: Double): Double = nativeMath.log(x)\r\n\r\n/**\r\n * Computes the common logarithm (base 10) of the value [x].\r\n *\r\n * @see [ln] function for special cases.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun log10(x: Double): Double = nativeMath.log10(x)\r\n\r\n/**\r\n * Computes the binary logarithm (base 2) of the value [x].\r\n *\r\n * @see [ln] function for special cases.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun log2(x: Double): Double = nativeMath.log2(x)\r\n\r\n/**\r\n * Computes `ln(x + 1)`.\r\n *\r\n * This function can
 be implemented to produce more precise result for [x] near zero.\r\n *\r\n * Special cases:\r\n *   - `ln1p(NaN)` is `NaN`\r\n *   - `ln1p(x)` is `NaN` where `x < -1.0`\r\n *   - `ln1p(-1.0)` is `-Inf`\r\n *   - `ln1p(+Inf)` is `+Inf`\r\n *\r\n * @see [ln] function\r\n * @see [expm1] function\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun ln1p(x: Double): Double = nativeMath.log1p(x)\r\n\r\n/**\r\n * Rounds the given value [x] to an integer towards positive infinity.\r\n\r\n * @return the smallest double value that is greater than or equal to the given value [x] and is a mathematical integer.\r\n *\r\n * Special cases:\r\n *   - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun ceil(x: Double): Double = nativeMath.ceil(x).unsafeCast<Double>() // TODO: Remove unsafe cast after removing public js.math\r\n\r\n/**\r\n * Rounds the given value [x]
 to an integer towards negative infinity.\r\n\r\n * @return the largest double value that is smaller than or equal to the given value [x] and is a mathematical integer.\r\n *\r\n * Special cases:\r\n *   - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun floor(x: Double): Double = nativeMath.floor(x).unsafeCast<Double>()\r\n\r\n/**\r\n * Rounds the given value [x] to an integer towards zero.\r\n *\r\n * @return the value [x] having its fractional part truncated.\r\n *\r\n * Special cases:\r\n *   - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun truncate(x: Double): Double = nativeMath.trunc(x)\r\n\r\n/**\r\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\r\n *\r\n * Special cases:\r\n *   - `round(x)`
 is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\r\n
*/\r\n@SinceKotlin(\"1.2\")\r\npublic actual fun round(x: Double): Double {\r\n    if (x % 0.5 != 0.0) {\r\n        return nativeMath.round(x).unsafeCast<Double>()\r\n    }\r\n    val floor = floor(x)\r\n    return if (floor % 2 == 0.0) floor else ceil(x)\r\n}\r\n\r\n/**\r\n * Returns the absolute value of the given value [x].\r\n *\r\n * Special cases:\r\n *   - `abs(NaN)` is `NaN`\r\n *\r\n * @see absoluteValue extension property for [Double]\r\n
*/\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun abs(x: Double): Double = nativeMath.abs(x)\r\n\r\n/**\r\n * Returns the sign of the given value [x]:\r\n *   - `-1.0` if the value is negative,\r\n *   - zero if the value is zero,\r\n *   - `1.0` if the value is positive\r\n *\r\n * Special case:\r\n *   - `sign(NaN)` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun sign(x: Double): Double =
```

nativeMath.sign(x)\r\n\r\n\r\n/**\r\n
 * Returns the smaller of two values.\r\n *\r\n * If either value is `NaN`, then the result is `NaN`.\r\n
*/\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun min(a: Double, b: Double): Double =
nativeMath.min(a, b)\r\n\r\n/**\r\n * Returns the greater of two values.\r\n *\r\n * If either value is `NaN`, then the
result is `NaN`.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun max(a: Double, b:
Double): Double = nativeMath.max(a, b)\r\n\r\n// extensions\r\n\r\n/**\r\n * Raises this value to the power [x].\r\n
*\r\n * Special cases:\r\n *   - `b.pow(0.0)` is `1.0`\r\n *   - `b.pow(1.0) == b`\r\n *   - `b.pow(NaN)` is `NaN`\r\n *
- `NaN.pow(x)` is `NaN` for `x != 0.0`\r\n *   - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\r\n *   - `b.pow(x)` is
`NaN` for `b < 0` and `x` is finite and not an integer\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual
inline fun Double.pow(x: Double): Double = nativeMath.pow(this,
 x)\r\n\r\n/**\r\n * Raises this value to the integer power [n].\r\n *\r\n * See the other overload of [pow] for
details.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun Double.pow(n: Int): Double =
nativeMath.pow(this, n.toDouble())\r\n\r\n/**\r\n * Returns the absolute value of this value.\r\n *\r\n * Special
cases:\r\n *   - `NaN.absoluteValue` is `NaN`\r\n *\r\n * @see abs function\r\n
*/\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline val Double.absoluteValue: Double get() =
nativeMath.abs(this)\r\n\r\n/**\r\n * Returns the sign of this value:\r\n *   - `-1.0` if the value is negative,\r\n *   -
zero if the value is zero,\r\n *   - `1.0` if the value is positive\r\n *\r\n * Special case:\r\n *   - `NaN.sign` is
`NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline val Double.sign: Double get() =
nativeMath.sign(this)\r\n\r\n/**\r\n * Returns this value with the sign bit same as of the [sign] value.\r\n
*/\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic
 actual inline fun Double.withSign(sign: Int): Double = this.withSign(sign.toDouble())\r\n\r\n/**\r\n * Returns the
ulp (unit in the last place) of this value.\r\n *\r\n * An ulp is a positive distance between this value and the next
nearest [Double] value larger in magnitude.\r\n *\r\n * Special Cases:\r\n *   - `NaN.ulp` is `NaN`\r\n *   - `x.ulp` is
`+Inf` when `x` is `+Inf` or `-Inf`\r\n *   - `0.0.ulp` is `Double.MIN_VALUE`\r\n
*/\r\n@SinceKotlin(\"1.2\")\r\npublic actual val Double.ulp: Double get() = when {\r\n   this < 0 -> (-this).ulp\r\n
this.isNaN() || this == Double.POSITIVE_INFINITY -> this\r\n   this == Double.MAX_VALUE -> this -
this.nextDown()\r\n   else -> this.nextUp() - this\r\n}\r\n\r\n/**\r\n * Returns the [Double] value nearest to this
value in direction of positive infinity.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic actual fun Double.nextUp(): Double
= when {\r\n   this.isNaN() || this == Double.POSITIVE_INFINITY
 -> this\r\n   this == 0.0 -> Double.MIN_VALUE\r\n   else -> Double.fromBits(this.toRawBits() + if (this > 0) 1
else -1)\r\n}\r\n\r\n/**\r\n * Returns the [Double] value nearest to this value in direction of negative infinity.\r\n
*/\r\n@SinceKotlin(\"1.2\")\r\npublic actual fun Double.nextDown(): Double = when {\r\n   this.isNaN() || this ==
Double.NEGATIVE_INFINITY -> this\r\n   this == 0.0 -> -Double.MIN_VALUE\r\n   else ->
Double.fromBits(this.toRawBits() + if (this > 0) -1 else 1)\r\n}\r\n\r\n\r\n/**\r\n * Returns the [Double] value
nearest to this value in direction from this value towards the value [to].\r\n *\r\n * Special cases:\r\n *   -
`x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`\r\n *   - `x.nextTowards(x) == x`\r\n *\r\n
*/\r\n@SinceKotlin(\"1.2\")\r\npublic actual fun Double.nextTowards(to: Double): Double = when {\r\n
this.isNaN() || to.isNaN() -> Double.NaN\r\n   to == this -> to\r\n   to > this -> this.nextUp()\r\n   else /* to < this
*/ ->
 this.nextDown()\r\n}\r\n\r\n\r\n\r\n/**\r\n * Rounds this [Double] value to the nearest integer and converts the result to
[Int].\r\n * Ties are rounded towards positive infinity.\r\n *\r\n * Special cases:\r\n *   - `x.roundToInt() ==
Int.MAX_VALUE` when `x > Int.MAX_VALUE`\r\n *   - `x.roundToInt() == Int.MIN_VALUE` when `x <
Int.MIN_VALUE`\r\n *\r\n * @throws IllegalArgumentException when this value is `NaN`\r\n
*/\r\n@SinceKotlin(\"1.2\")\r\npublic actual fun Double.roundToInt(): Int = when {\r\n   isNaN() -> throw
IllegalArgumentException(\"Cannot round NaN value.\")\r\n   this > Int.MAX_VALUE -> Int.MAX_VALUE\r\n
this < Int.MIN_VALUE -> Int.MIN_VALUE\r\n   else ->
nativeMath.round(this).unsafeCast<Double>().toInt()\r\n}\r\n\r\n\r\n/**\r\n * Rounds this [Double] value to the nearest
integer and converts the result to [Long].\r\n * Ties are rounded towards positive infinity.\r\n *\r\n * Special

cases:\r\n * - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\r\n * - `x.roundToLong()
 == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\r\n *\r\n * @throws IllegalArgumentException when this value is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic actual fun Double.roundToLong(): Long = when {\r\n isNaN() -> throw IllegalArgumentException(\"Cannot round NaN value.\")\r\n   this > Long.MAX_VALUE -> Long.MAX_VALUE\r\n   this < Long.MIN_VALUE -> Long.MIN_VALUE\r\n   else -> nativeMath.round(this).unsafeCast<Double>().toLong()\r\n}\r\n\r\n// endregion\r\n\r\n\r\n\r\n// region ================ Float Math ======================================\r\n\r\n/** Computes the sine of the angle [x] given in radians.\r\n *\r\n * Special cases:\r\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun sin(x: Float): Float = nativeMath.sin(x.toDouble()).toFloat()\r\n\r\n\r\n/** Computes the cosine of the angle [x] given in radians.\r\n *\r\n * Special cases:\r\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun cos(x: Float): Float = nativeMath.cos(x.toDouble()).toFloat()\r\n\r\n\r\n/** Computes the tangent of the angle [x] given in radians.\r\n *\r\n * Special cases:\r\n * - `tan(NaN|+Inf|-Inf)` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun tan(x: Float): Float = nativeMath.tan(x.toDouble()).toFloat()\r\n\r\n\r\n/**\r\n * Computes the arc sine of the value [x];\r\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\r\n *\r\n * Special cases:\r\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun asin(x: Float): Float = nativeMath.asin(x.toDouble()).toFloat()\r\n\r\n\r\n/**\r\n * Computes the arc cosine of the value [x];\r\n * the returned value is an angle in the range from `0.0` to `PI` radians.\r\n *\r\n * Special cases:\r\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun acos(x: Float): Float = nativeMath.acos(x.toDouble()).toFloat()\r\n\r\n\r\n/**\r\n * Computes the arc tangent of the value [x];\r\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\r\n *\r\n * Special cases:\r\n * - `atan(NaN)` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun atan(x: Float): Float = nativeMath.atan(x.toDouble()).toFloat()\r\n\r\n\r\n/**\r\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\r\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\r\n * the returned value is an angle in the range from `-PI` to `PI` radians.\r\n *\r\n * Special cases:\r\n * - `atan2(0.0, 0.0)` is `0.0`\r\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\r\n * - `atan2(-0.0, x)` is `-0.0` for 'x > 0` and `-PI` for `x < 0`\r\n *  - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and  `-0.0` for '-Inf < y < 0`\r\n * - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\r\n * - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\r\n * - `atan2(+Inf, x)` is `PI/2` for finite `x`y\r\n * - `atan2(-Inf, x)` is `-PI/2` for finite `x`\r\n * - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun atan2(y: Float, x: Float): Float = nativeMath.atan2(y.toDouble(), x.toDouble()).toFloat()\r\n\r\n\r\n/**\r\n * Computes the hyperbolic sine of the value [x].\r\n *\r\n * Special cases:\r\n * - `sinh(NaN)` is `NaN`\r\n * - `sinh(+Inf)` is `+Inf`\r\n * - `sinh(-Inf)` is `-Inf`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun sinh(x: Float): Float = nativeMath.sinh(x.toDouble()).toFloat()\r\n\r\n\r\n/**\r\n * Computes the hyperbolic cosine of the value [x].\r\n *\r\n * Special cases:\r\n * - `cosh(NaN)` is `NaN`\r\n * - `cosh(+Inf|-Inf)` is `+Inf`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun cosh(x: Float): Float = nativeMath.cosh(x.toDouble()).toFloat()\r\n\r\n\r\n/**\r\n * Computes the hyperbolic tangent of the value [x].\r\n *\r\n * Special cases:\r\n * - `tanh(NaN)` is `NaN`\r\n * - `tanh(+Inf)` is `1.0`\r\n * - `tanh(-Inf)` is `-1.0`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun tanh(x: Float): Float = nativeMath.tanh(x.toDouble()).toFloat()\r\n\r\n\r\n/**\r\n * Computes the inverse hyperbolic sine of the value [x].\r\n *\r\n * The returned value is `y` such that `sinh(y) == x`.\r\n *\r\n * Special cases:\r\n * - `asinh(NaN)` is `NaN`\r\n * - `asinh(+Inf)` is `+Inf`\r\n * - `asinh(-Inf)` is `-Inf`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun asinh(x: Float): Float = nativeMath.asinh(x.toDouble()).toFloat()\r\n\r\n\r\n/**\r\n * Computes the inverse hyperbolic cosine of the value [x].\r\n *\r\n * The returned value is positive `y` such that

`cosh(y) == x`.\r\n *\r\n * Special cases:\r\n *   - `acosh(NaN)` is `NaN`\r\n *   - `acosh(x)` is `NaN` when `x < 1`\r\n *   - `acosh(+Inf)` is `+Inf`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun acosh(x: Float): Float = nativeMath.acosh(x.toDouble()).toFloat()\r\n\r\n/**\r\n * Computes the inverse hyperbolic tangent of the value [x].\r\n *\r\n * The returned value is `y` such that `tanh(y) == x`.\r\n *\r\n * Special cases:\r\n * - `tanh(NaN)` is `NaN`\r\n *   - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\r\n *   - `tanh(1.0)` is `+Inf`\r\n *   - `tanh(-1.0)` is `-Inf`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun atanh(x: Float): Float = nativeMath.atanh(x.toDouble()).toFloat()\r\n\r\n/**\r\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\r\n *\r\n * Special cases:\r\n *   - returns `+Inf` if any of arguments is infinite\r\n *   - returns `NaN` if any of arguments is `NaN` and the other is not infinite\r\n
*/\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun hypot(x: Float, y: Float): Float = nativeMath.hypot(x.toDouble(), y.toDouble()).toFloat()\r\n\r\n/**\r\n * Computes the positive square root of the value [x].\r\n *\r\n * Special cases:\r\n *   - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\r\n
*/\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun sqrt(x: Float): Float = nativeMath.sqrt(x.toDouble()).toFloat()\r\n\r\n/**\r\n * Computes Euler's number `e` raised to the power of the value [x].\r\n *\r\n * Special cases:\r\n *   - `exp(NaN)` is `NaN`\r\n *   - `exp(+Inf)` is `+Inf`\r\n *   - `exp(-Inf)` is `0.0`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun exp(x: Float): Float = nativeMath.exp(x.toDouble()).toFloat()\r\n\r\n/**\r\n * Computes `exp(x) - 1`.\r\n *\r\n * This function can be implemented to produce more precise result for [x] near zero.\r\n *\r\n * Special cases:\r\n *   - `expm1(NaN)` is `NaN`\r\n
*   - `expm1(+Inf)` is `+Inf`\r\n *   - `expm1(-Inf)` is `-1.0`\r\n *\r\n * @see [exp] function.\r\n
*/\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun expm1(x: Float): Float = nativeMath.expm1(x.toDouble()).toFloat()\r\n\r\n/**\r\n * Computes the logarithm of the value [x] to the given [base].\r\n *\r\n * Special cases:\r\n *   - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\r\n *   - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\r\n *   - `log(+Inf, +Inf)` is `NaN`\r\n *   - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\r\n *   - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`\r\n *\r\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\r\n
*/\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun log(x: Float, base: Float): Float = log(x.toDouble(), base.toDouble()).toFloat()\r\n\r\n/**\r\n * Computes the natural logarithm (base `E`) of the value [x].\r\n *\r\n * Special cases:\r\n
*   - `ln(NaN)` is `NaN`\r\n *   - `ln(x)` is `NaN` when `x < 0.0`\r\n *   - `ln(+Inf)` is `+Inf`\r\n *   - `ln(0.0)` is `-Inf`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun ln(x: Float): Float = nativeMath.log(x.toDouble()).toFloat()\r\n\r\n/**\r\n * Computes the common logarithm (base 10) of the value [x].\r\n *\r\n * @see [ln] function for special cases.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun log10(x: Float): Float = nativeMath.log10(x.toDouble()).toFloat()\r\n\r\n/**\r\n * Computes the binary logarithm (base 2) of the value [x].\r\n *\r\n * @see [ln] function for special cases.\r\n
*/\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun log2(x: Float): Float = nativeMath.log2(x.toDouble()).toFloat()\r\n\r\n/**\r\n * Computes `ln(a + 1)`.\r\n *\r\n * This function can be implemented to produce more precise result for [x] near zero.\r\n *\r\n * Special cases:\r\n *   - `ln1p(NaN)` is `NaN`\r\n *
- `ln1p(x)` is `NaN` where `x < -1.0`\r\n *   - `ln1p(-1.0)` is `-Inf`\r\n *   - `ln1p(+Inf)` is `+Inf`\r\n *\r\n * @see [ln] function\r\n * @see [expm1] function\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun ln1p(x: Float): Float = nativeMath.log1p(x.toDouble()).toFloat()\r\n\r\n/**\r\n * Rounds the given value [x] to an integer towards positive infinity.\r\n\r\n * @return the smallest Float value that is greater than or equal to the given value [x] and is a mathematical integer.\r\n *\r\n * Special cases:\r\n *   - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun ceil(x: Float): Float = nativeMath.ceil(x.toDouble()).toFloat()\r\n\r\n/**\r\n * Rounds the given value [x] to an integer towards negative infinity.\r\n\r\n * @return the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.\r\n *\r\n

* Special cases:\r\n * - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun floor(x: Float): Float = nativeMath.floor(x.toDouble()).toFloat()\r\n\r\n/**\r\n * Rounds the given value [x] to an integer towards zero.\r\n *\r\n * @return the value [x] having its fractional part truncated.\r\n *\r\n * Special cases:\r\n * - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun truncate(x: Float): Float = truncate(x.toDouble()).toFloat()\r\n\r\n/**\r\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\r\n *\r\n * Special cases:\r\n * - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun round(x:
Float): Float = round(x.toDouble()).toFloat()\r\n\r\n/**\r\n * Returns the absolute value of the given value [x].\r\n *\r\n * Special cases:\r\n * - `abs(NaN)` is `NaN`\r\n *\r\n * @see absoluteValue extension property for [Float]\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun abs(x: Float): Float = nativeMath.abs(x.toDouble()).toFloat()\r\n\r\n/**\r\n * Returns the sign of the given value [x]:\r\n * - `-1.0` if the value is negative,\r\n * - zero if the value is zero,\r\n * - `1.0` if the value is positive\r\n *\r\n * Special case:\r\n * - `sign(NaN)` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun sign(x: Float): Float = nativeMath.sign(x.toDouble()).toFloat()\r\n\r\n\r\n\r\n/**\r\n * Returns the smaller of two values.\r\n *\r\n * If either value is `NaN`, then the result is `NaN`.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun min(a: Float, b: Float): Float = nativeMath.min(a, b)\r\n\r\n/**\r\n
* Returns the greater of two values.\r\n *\r\n * If either value is `NaN`, then the result is `NaN`.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun max(a: Float, b: Float): Float = nativeMath.max(a, b)\r\n\r\n// extensions\r\n\r\n/**\r\n * Raises this value to the power [x].\r\n *\r\n * Special cases:\r\n * - `b.pow(0.0)` is `1.0`\r\n * - `b.pow(1.0) == b`\r\n * - `b.pow(NaN)` is `NaN`\r\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\r\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\r\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun Float.pow(x: Float): Float = nativeMath.pow(this.toDouble(), x.toDouble()).toFloat()\r\n\r\n/**\r\n * Raises this value to the integer power [n].\r\n *\r\n * See the other overload of [pow] for details.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun Float.pow(n: Int): Float
= nativeMath.pow(this.toDouble(), n.toDouble()).toFloat()\r\n\r\n/**\r\n * Returns the absolute value of this value.\r\n *\r\n * Special cases:\r\n * - `NaN.absoluteValue` is `NaN`\r\n *\r\n * @see abs function\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline val Float.absoluteValue: Float get() = nativeMath.abs(this.toDouble()).toFloat()\r\n\r\n/**\r\n * Returns the sign of this value:\r\n * - `-1.0` if the value is negative,\r\n * - zero if the value is zero,\r\n * - `1.0` if the value is positive\r\n *\r\n * Special case:\r\n * - `NaN.sign` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline val Float.sign: Float get() = nativeMath.sign(this.toDouble()).toFloat()\r\n\r\n/**\r\n * Returns this value with the sign bit same as of the [sign] value.\r\n *\r\n * If [sign] is `NaN` the sign of the result is undefined.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun Float.withSign(sign: Float): Float = this.toDouble().withSign(sign.toDouble()).toFloat()\r\n\r\n/**
* Returns this value with the sign bit same as of the [sign] value.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun Float.withSign(sign: Int): Float = this.toDouble().withSign(sign.toDouble()).toFloat()\r\n\r\n\r\n\r\n/**\r\n * Rounds this [Float] value to the nearest integer and converts the result to [Int].\r\n * Ties are rounded towards positive infinity.\r\n *\r\n * Special cases:\r\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\r\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\r\n *\r\n * @throws IllegalArgumentException when this value is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun Float.roundToInt(): Int = toDouble().roundToInt()\r\n\r\n/**\r\n * Rounds this [Float] value to the nearest integer and converts the result to [Long].\r\n * Ties are rounded towards positive infinity.\r\n *\r\n * Special cases:\r\n * - `x.roundToLong()

== Long.MAX_VALUE` when `x > Long.MAX_VALUE`\r\n *  - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\r\n *\r\n * @throws IllegalArgumentException when this value is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun Float.roundToLong(): Long = toDouble().roundToLong()\r\n\r\n\r\n// endregion\r\n\r\n// region ================ Integer Math ==\r\n\r\n\r\n/**\r\n * Returns the absolute value of the given value [n].\r\n *\r\n * Special cases:\r\n * - `abs(Int.MIN_VALUE)` is `Int.MIN_VALUE` due to an overflow\r\n *\r\n * @see absoluteValue extension property for [Int]\r\n */\r\n// TODO: remove manual 'or' when KT-19290 is fixed\r\n@SinceKotlin(\"1.2\")\r\npublic actual fun abs(n: Int): Int = if (n < 0) (-n or 0) else n\r\n\r\n/**\r\n * Returns the smaller of two values.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun min(a: Int, b: Int): Int = nativeMath.min(a, b)\r\n\r\n/**\r\n
 * Returns the greater of two values.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline fun max(a: Int, b: Int): Int = nativeMath.max(a, b)\r\n\r\n/**\r\n * Returns the absolute value of this value.\r\n *\r\n * Special cases:\r\n * - `Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow\r\n *\r\n * @see abs function\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline val Int.absoluteValue: Int get() = abs(this)\r\n\r\n/**\r\n * Returns the sign of this value:\r\n * - `-1` if the value is negative,\r\n * - `0` if the value is zero,\r\n * - `1` if the value is positive\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic actual val Int.sign: Int get() = when {\r\n   this < 0 -> -1\r\n   this > 0 -> 1\r\n   else -> 0\r\n}\r\n\r\n\r\n\r\n/**\r\n * Returns the absolute value of the given value [n].\r\n *\r\n * Special cases:\r\n * - `abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow\r\n *\r\n * @see absoluteValue
 extension property for [Long]\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic actual fun abs(n: Long): Long = if (n < 0) -n else n\r\n\r\n/**\r\n * Returns the smaller of two values.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@Suppress(\"NOTHING_TO_INLINE\")\r\npublic actual inline fun min(a: Long, b: Long): Long = if (a <= b) a else b\r\n\r\n/**\r\n * Returns the greater of two values.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@Suppress(\"NOTHING_TO_INLINE\")\r\npublic actual inline fun max(a: Long, b: Long): Long = if (a >= b) a else b\r\n\r\n/**\r\n * Returns the absolute value of this value.\r\n *\r\n * Special cases:\r\n * - `Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow\r\n *\r\n * @see abs function\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\npublic actual inline val Long.absoluteValue: Long get() = abs(this)\r\n\r\n/**\r\n * Returns the sign of this value:\r\n * - `-1` if the value is negative,\r\n * - `0` if the value is zero,\r\n * - `1` if the value is positive\r\n
 /\r\n@SinceKotlin(\"1.2\")\r\npublic actual val Long.sign: Int get() = when {\r\n   this < 0 -> -1\r\n   this > 0 -> 1\r\n   else -> 0\r\n}\r\n\r\n\r\n\r\n// endregion\r\n","/\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin\r\n\r\n/**\r\n * Returns `true` if the specified number is a\r\n * Not-a-Number (NaN) value, `false` otherwise.\r\n */\r\npublic actual fun Double.isNaN(): Boolean = this != this\r\n\r\n/**\r\n * Returns `true` if the specified number is a\r\n * Not-a-Number (NaN) value, `false` otherwise.\r\n */\r\npublic actual fun Float.isNaN(): Boolean = this != this\r\n\r\n/**\r\n * Returns `true` if this value is infinitely large in magnitude.\r\n */\r\npublic actual fun Double.isInfinite(): Boolean = this == Double.POSITIVE_INFINITY || this == Double.NEGATIVE_INFINITY\r\n\r\n/**\r\n
 * Returns `true` if this value is infinitely large in magnitude.\r\n */\r\npublic actual fun Float.isInfinite(): Boolean = this == Float.POSITIVE_INFINITY || this == Float.NEGATIVE_INFINITY\r\n\r\n/**\r\n * Returns `true` if the argument is a finite floating-point value; returns `false` otherwise (for `NaN` and infinity arguments).\r\n */\r\npublic actual fun Double.isFinite(): Boolean = !isInfinite() && !isNaN()\r\n\r\n/**\r\n * Returns `true` if the argument is a finite floating-point value; returns `false` otherwise (for `NaN` and infinity arguments).\r\n */\r\npublic actual fun Float.isFinite(): Boolean = !isInfinite() && !isNaN()\r\n\r\n\r\n/**\r\n * Counts the number of set bits in the binary representation of this [Int] number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic actual fun Int.countOneBits(): Int {\r\n   // Hacker's Delight 5-1 algorithm\r\n   var v = this\r\n   v = (v and 0x55555555) + (v.ushr(1) and 0x55555555)\r\n   v = (v and 0x33333333)

```
 + (v.ushr(2) and 0x33333333)\r\n    v = (v and 0x0F0F0F0F) + (v.ushr(4) and 0x0F0F0F0F)\r\n    v = (v and 0x00FF00FF) + (v.ushr(8) and 0x00FF00FF)\r\n    v = (v and 0x0000FFFF) + (v.ushr(16))\r\n    return v\r\n}\r\n\r\n/**\r\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Int] number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@Suppress(\"DEPRECATION\")\r\n@kotlin.internal.InlineOnly\r\npublic actual inline fun Int.countLeadingZeroBits(): Int = kotlin.js.Math.clz32(this)\r\n\r\n/**\r\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Int] number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic actual fun Int.countTrailingZeroBits(): Int =\r\n    // Hacker's Delight 5-4 algorithm for expressing countTrailingZeroBits with countLeadingZeroBits\r\n    Int.SIZE_BITS - (this or -this).inv().countLeadingZeroBits()\r\n\r\n/**\r\n * Returns a number having a single bit set in the position of the most significant set bit of this [Int] number,\r\n * or zero, if this number is zero.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic actual fun Int.takeHighestOneBit(): Int =\r\n    if (this == 0) 0 else 1.shl(Int.SIZE_BITS - 1 - countLeadingZeroBits())\r\n\r\n/**\r\n * Returns a number having a single bit set in the position of the least significant set bit of this [Int] number,\r\n * or zero, if this number is zero.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic actual fun Int.takeLowestOneBit(): Int =\r\n    // Hacker's Delight 2-1 algorithm for isolating rightmost 1-bit\r\n    this and -this\r\n\r\n/**\r\n * Rotates the binary representation of this [Int] number left by the specified [bitCount] number of bits.\r\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\r\n *\r\n * Rotating the number left by a
 negative bit count is the same as rotating it right by the negated bit count:\r\n * `number.rotateLeft(-n) == number.rotateRight(n)`\r\n *\r\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\r\n * `number.rotateLeft(n) == number.rotateLeft(n % 32)`\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic actual fun Int.rotateLeft(bitCount: Int): Int =\r\n    shl(bitCount) or ushr(Int.SIZE_BITS - bitCount)\r\n\r\n\r\n/**\r\n * Rotates the binary representation of this [Int] number right by the specified [bitCount] number of bits.\r\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\r\n *\r\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\r\n * `number.rotateRight(-n) == number.rotateLeft(n)`\r\n *\r\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\r\n
 * `number.rotateRight(n) == number.rotateRight(n % 32)`\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic actual fun Int.rotateRight(bitCount: Int): Int =\r\n
  shl(Int.SIZE_BITS - bitCount) or ushr(bitCount)\r\n\r\n\r\n/**\r\n * Counts the number of set bits in the binary representation of this [Long] number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic actual fun Long.countOneBits(): Int =\r\n    high.countOneBits() + low.countOneBits()\r\n\r\n/**\r\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Long] number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic actual fun Long.countLeadingZeroBits(): Int =\r\n    when (val high = this.high) {\r\n        0 -> Int.SIZE_BITS + low.countLeadingZeroBits()\r\n        else -> high.countLeadingZeroBits()\r\n    }\r\n\r\n/**\r\n * Counts the number of consecutive least significant bits that are zero in the binary representation
 of this [Long] number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic actual fun Long.countTrailingZeroBits(): Int =\r\n    when (val low = this.low) {\r\n        0 -> Int.SIZE_BITS + high.countTrailingZeroBits()\r\n        else -> low.countTrailingZeroBits()\r\n    }\r\n\r\n/**\r\n * Returns a number having a single bit set in the position of the most significant set bit of this [Long] number,\r\n * or zero, if this number is zero.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic actual fun Long.takeHighestOneBit(): Long =\r\n    when (val high = this.high) {\r\n        0 -> Long(low.takeHighestOneBit(), 0)\r\n        else -> Long(0, high.takeHighestOneBit())\r\n    }\r\n\r\n/**\r\n * Returns a number having a single bit set in the position of the least significant set bit of this [Long] number,\r\n * or zero, if this number is zero.\r\n
```

*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic actual fun Long.takeLowestOneBit(): Long =\r\n when (val low = this.low) {\r\n 0 -> Long(0, high.takeLowestOneBit())\r\n else -> Long(low.takeLowestOneBit(), 0)\r\n }\r\n\r\n/**\r\n * Rotates the binary representation of this [Long] number left by the specified [bitCount] number of bits.\r\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\r\n *\r\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\r\n * `number.rotateLeft(-n) == number.rotateRight(n)`\r\n *\r\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\r\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic actual fun Long.rotateLeft(bitCount: Int): Long {\r\n if ((bitCount and 31) != 0) {\r\n val low = this.low\r\n val high = this.high\r\n val newLow = low.shl(bitCount) or high.ushr(-bitCount)\r\n val newHigh = high.shl(bitCount) or low.ushr(-bitCount)\r\n return if ((bitCount and 32) == 0) Long(newLow, newHigh) else Long(newHigh, newLow)\r\n } else {\r\n return if ((bitCount and 32) == 0) this else Long(high, low)\r\n }\r\n}\r\n\r\n\r\n/**\r\n * Rotates the binary representation of this [Long] number right by the specified [bitCount] number of bits.\r\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\r\n *\r\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\r\n * `number.rotateRight(-n) == number.rotateLeft(n)`\r\n *\r\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\r\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@kotlin.internal.InlineOnly\r\npublic actual inline fun Long.rotateRight(bitCount: Int): Long = rotateLeft(-bitCount)\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.js\r\n\r\nimport kotlin.internal.LowPriorityInOverloadResolution\r\n\r\n/**\r\n * Exposes the JavaScript [Promise object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Promise) to Kotlin.\r\n */\r\n@Suppress(\"NOT_DOCUMENTED\")\r\npublic open external class Promise<out T>(executor: (resolve: (T) -> Unit, reject: (Throwable) -> Unit) -> Unit) {\r\n @LowPriorityInOverloadResolution\r\n public open fun <S> then(onFulfilled: ((T) -> S)?): Promise<S>\r\n\r\n @LowPriorityInOverloadResolution\r\n public open fun <S> then(onFulfilled: ((T) -> S)?, onRejected: ((Throwable) -> S)?): Promise<S>\r\n\r\n public open fun <S> catch(onRejected: (Throwable) -> S): Promise<S>\r\n\r\n companion object {\r\n public fun <S> all(promise: Array<out Promise<S>>): Promise<Array<out S>>\r\n\r\n public fun <S> race(promise: Array<out Promise<S>>): Promise<S>\r\n\r\n public fun reject(e: Throwable): Promise<Nothing>\r\n\r\n public fun <S> resolve(e: S): Promise<S>\r\n public fun <S> resolve(e: Promise<S>): Promise<S>\r\n }\r\n}\r\n\r\n// It's workaround for KT-19672 since we can fix it properly until KT-11265 isn't fixed.\r\ninline fun <T, S> Promise<Promise<T>>.then(\r\n noinline onFulfilled: ((T) -> S)?\r\n): Promise<S> {\r\n return this.unsafeCast<Promise<T>>().then(onFulfilled)\r\n}\r\n\r\ninline fun <T, S> Promise<Promise<T>>.then(\r\n noinline onFulfilled: ((T) -> S)?,\r\n noinline onRejected: ((Throwable) -> S)?\r\n): Promise<S> {\r\n return this.unsafeCast<Promise<T>>().then(onFulfilled, onRejected)\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.random\r\n\r\nimport kotlin.math.pow\r\n\r\ninternal actual fun defaultPlatformRandom(): Random =\r\n Random(js(\"(Math.random() * Math.pow(2, 32)) | 0\").unsafeCast<Int>())\r\n\r\n\r\nprivate val INV_2_26: Double = 2.0.pow(-26)\r\nprivate val INV_2_53: Double = 2.0.pow(-53)\r\ninternal actual fun doubleFromParts(hi26: Int, low27: Int): Double =\r\n hi26 * INV_2_26 + low27 * INV_2_53","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the

license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.js\r\n\r\nimport getKClass\r\nimport kotlin.reflect.KClass\r\nimport kotlin.reflect.js.internal.KClassImpl\r\n\r\n/**\r\n * Represents the constructor of a class. Instances of `JsClass` can be passed to
JavaScript APIs that expect a constructor reference.\r\n */\r\nexternal interface JsClass<T : Any> {\r\n /**\r\n * Returns the unqualified name of the class represented by this instance.\r\n */\r\n val name: String\r\n}\r\n\r\n@Deprecated(\"Use class literal and extension property `js` instead.\", replaceWith = ReplaceWith(\"T::class.js\"), level = DeprecationLevel.ERROR)\r\nexternal fun <T : Any> jsClass(): JsClass<T>\r\n\r\n@Deprecated(\"Use class literal and extension property `js` instead.\", replaceWith = ReplaceWith(\"this::class.js\"), level = DeprecationLevel.ERROR)\r\nval <T : Any> T.jsClass: JsClass<T>\r\n get() = when (jsTypeOf(this)) {\r\n \"string\" -> js(\"String\")\r\n \"number\" -> js(\"Number\")\r\n \"boolean\" -> js(\"Boolean\")\r\n else -> js(\"Object\").getPrototypeOf(this).constructor\r\n }\r\n\r\n/**\r\n * Obtains a constructor reference for the given `KClass`.\r\n */\r\nval <T : Any> KClass<T>.js: JsClass<T>\r\n get() = (this as KClassImpl<T>).jClass\r\n\r\n/**\r\n * Obtains a `KClass` instance for the given constructor reference.\r\n */\r\nval <T : Any> JsClass<T>.kotlin: KClass<T>\r\n get() = getKClass(this)\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.reflect.js.internal\r\n\r\nimport kotlin.reflect.*\r\n\r\ninternal abstract class KClassImpl<T : Any>(\r\n internal open val jClass: JsClass<T>\r\n) : KClass<T> {\r\n override val annotations: List<Annotation>\r\n get() = TODO()\r\n override val constructors: Collection<KFunction<T>>\r\n get() = TODO()\r\n override val isAbstract: Boolean\r\n get() = TODO()\r\n override val isCompanion: Boolean\r\n get() = TODO()\r\n override val isData: Boolean\r\n get() = TODO()\r\n override val isFinal: Boolean\r\n get() = TODO()\r\n override val isInner: Boolean\r\n get() = TODO()\r\n override val isOpen: Boolean\r\n get() = TODO()\r\n override val isSealed: Boolean\r\n get() = TODO()\r\n override val members: Collection<KCallable<*>>\r\n get() = TODO()\r\n override val nestedClasses: Collection<KClass<*>>\r\n get() = TODO()\r\n override val objectInstance: T?\r\n get() = TODO()\r\n override val qualifiedName: String?\r\n get() = TODO()\r\n override val supertypes: List<KType>\r\n get() = TODO()\r\n override val typeParameters: List<KTypeParameter>\r\n get() = TODO()\r\n override val sealedSubclasses: List<KClass<out T>>\r\n get() = TODO()\r\n override val visibility: KVisibility?\r\n get() = TODO()\r\n\r\n override fun equals(other: Any?): Boolean {\r\n return other is KClassImpl<*> && jClass == other.jClass\r\n }\r\n\r\n // TODO: use FQN\r\n override fun hashCode(): Int = simpleName?.hashCode() ?: 0\r\n\r\n override fun toString(): String {\r\n // TODO: use FQN\r\n return \"class $simpleName\"\r\n }\r\n}\r\n\r\ninternal class SimpleKClassImpl<T : Any>(jClass: JsClass<T>) : KClassImpl<T>(jClass) {\r\n override val simpleName: String? = jClass.asDynamic().`$metadata$`?.simpleName.unsafeCast<String?>()\r\n\r\n override fun isInstance(value: Any?): Boolean {\r\n return jsIsType(value, jClass)\r\n }\r\n}\r\n\r\ninternal class PrimitiveKClassImpl<T : Any>(\r\n jClass: JsClass<T>,\r\n private val givenSimpleName: String,\r\n private val isInstanceFunction: (Any?) -> Boolean\r\n) : KClassImpl<T>(jClass) {\r\n override fun equals(other: Any?): Boolean {\r\n if (other !is PrimitiveKClassImpl<*>) return false\r\n return super.equals(other) && givenSimpleName == other.givenSimpleName\r\n }\r\n\r\n override val simpleName: String? get() = givenSimpleName\r\n\r\n override fun isInstance(value: Any?): Boolean {\r\n return isInstanceFunction(value)\r\n }\r\n}\r\n\r\ninternal object NothingKClassImpl : KClassImpl<Nothing>(js(\"Object\")) {\r\n override val simpleName: String = \"Nothing\"\r\n\r\n override fun isInstance(value: Any?): Boolean = false\r\n\r\n override val jClass: JsClass<Nothing>\r\n get() = throw UnsupportedOperationException(\"There's no native JS class for Nothing type\")\r\n\r\n override fun equals(other: Any?): Boolean = other === this\r\n\r\n override fun hashCode(): Int = 0\r\n}","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.reflect.js.internal\r\n\r\nimport

kotlin.js.JsClass\r\n\r\n@JsName(\"PrimitiveClasses\")\r\ninternal object PrimitiveClasses {\r\n @JsName(\"anyClass\")\r\n val anyClass = PrimitiveKClassImpl(js(\"Object\").unsafeCast<JsClass<Any>>(), \"Any\", { it is Any })\r\n\r\n @JsName(\"numberClass\")\r\n val numberClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Number>>(), \"Number\", { it is Number })\r\n\r\n @JsName(\"nothingClass\")\r\n val nothingClass = NothingKClassImpl\r\n\r\n @JsName(\"booleanClass\")\r\n val booleanClass = PrimitiveKClassImpl(js(\"Boolean\").unsafeCast<JsClass<Boolean>>(), \"Boolean\", { it is Boolean })\r\n\r\n @JsName(\"byteClass\")\r\n val byteClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Byte>>(), \"Byte\", { it is Byte })\r\n\r\n @JsName(\"shortClass\")\r\n val shortClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Short>>(), \"Short\", { it is Short })\r\n\r\n @JsName(\"intClass\")\r\n val intClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Int>>(), \"Int\", { it is Int })\r\n\r\n @JsName(\"floatClass\")\r\n val floatClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Float>>(), \"Float\", { it is Float })\r\n\r\n @JsName(\"doubleClass\")\r\n val doubleClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Double>>(), \"Double\", { it is Double })\r\n\r\n @JsName(\"arrayClass\")\r\n val arrayClass = PrimitiveKClassImpl(js(\"Array\").unsafeCast<JsClass<Array<*>>>(), \"Array\", { it is Array<*> })\r\n\r\n @JsName(\"stringClass\")\r\n val stringClass = PrimitiveKClassImpl(js(\"String\").unsafeCast<JsClass<String>>(), \"String\", { it is String })\r\n\r\n @JsName(\"throwableClass\")\r\n val throwableClass = PrimitiveKClassImpl(js(\"Error\").unsafeCast<JsClass<Throwable>>(), \"Throwable\", { it is Throwable })\r\n\r\n @JsName(\"booleanArrayClass\")\r\n val booleanArrayClass = PrimitiveKClassImpl(js(\"Array\").unsafeCast<JsClass<BooleanArray>>(), \"BooleanArray\", { it is BooleanArray })\r\n\r\n @JsName(\"charArrayClass\")\r\n val charArrayClass = PrimitiveKClassImpl(js(\"Uint16Array\").unsafeCast<JsClass<CharArray>>(), \"CharArray\", { it is CharArray })\r\n\r\n @JsName(\"byteArrayClass\")\r\n val byteArrayClass = PrimitiveKClassImpl(js(\"Int8Array\").unsafeCast<JsClass<ByteArray>>(), \"ByteArray\", { it is ByteArray })\r\n\r\n @JsName(\"shortArrayClass\")\r\n val shortArrayClass = PrimitiveKClassImpl(js(\"Int16Array\").unsafeCast<JsClass<ShortArray>>(), \"ShortArray\", { it is ShortArray })\r\n\r\n @JsName(\"intArrayClass\")\r\n val intArrayClass = PrimitiveKClassImpl(js(\"Int32Array\").unsafeCast<JsClass<IntArray>>(), \"IntArray\", { it is IntArray })\r\n\r\n @JsName(\"longArrayClass\")\r\n val longArrayClass = PrimitiveKClassImpl(js(\"Array\").unsafeCast<JsClass<LongArray>>(), \"LongArray\", { it is LongArray })\r\n\r\n @JsName(\"floatArrayClass\")\r\n val floatArrayClass = PrimitiveKClassImpl(js(\"Float32Array\").unsafeCast<JsClass<FloatArray>>(), \"FloatArray\", { it is FloatArray })\r\n\r\n @JsName(\"doubleArrayClass\")\r\n val doubleArrayClass = PrimitiveKClassImpl(js(\"Float64Array\").unsafeCast<JsClass<DoubleArray>>(), \"DoubleArray\", { it is DoubleArray })\r\n\r\n @JsName(\"functionClass\")\r\n fun functionClass(arity: Int): KClassImpl<Any> {\r\n return functionClasses.get(arity) ?: run {\r\n val result = PrimitiveKClassImpl(js(\"Function\").unsafeCast<JsClass<Any>>(), \"Function$arity\",\r\n { jsTypeOf(it) === \"function\" && it.asDynamic().length === arity })\r\n functionClasses.asDynamic()[arity] = result\r\n result\r\n }\r\n }\r\n}\r\n\r\nprivate val functionClasses = arrayOfNulls<KClassImpl<Any>>(0)","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// a package is omitted to get declarations directly under the module\r\n\r\nimport kotlin.reflect.KClass\r\nimport kotlin.reflect.js.internal.*\r\n\r\n@JsName(\"getKClass\")\r\ninternal fun <T : Any> getKClass(jClass: JsClass<T>): KClass<T> =

getOrCreateKClass(jClass)\r\n\r\n@JsName(\"getKClassFromExpression\")\r\ninternal fun <T : Any> getKClassFromExpression(e: T): KClass<T> =\r\n when (jsTypeOf(e)) {\r\n \"string\" -> PrimitiveClasses.stringClass\r\n \"number\" -> if (jsBitwiseOr(e, 0).asDynamic() === e) PrimitiveClasses.intClass else PrimitiveClasses.doubleClass\r\n \"boolean\" -> PrimitiveClasses.booleanClass\r\n \"function\" -> PrimitiveClasses.functionClass(e.asDynamic().length)\r\n else -> {\r\n when {\r\n e is BooleanArray -> PrimitiveClasses.booleanArrayClass\r\n e is CharArray -> PrimitiveClasses.charArrayClass\r\n e is ByteArray -> PrimitiveClasses.byteArrayClass\r\n e is ShortArray -> PrimitiveClasses.shortArrayClass\r\n e is IntArray -> PrimitiveClasses.intArrayClass\r\n e is LongArray -> PrimitiveClasses.longArrayClass\r\n e is FloatArray -> PrimitiveClasses.floatArrayClass\r\n e is DoubleArray -> PrimitiveClasses.doubleArrayClass\r\n e is KClass<*> -> KClass::class\r\n e is Array<*> -> PrimitiveClasses.arrayClass\r\n else -> {\r\n val constructor = js(\"Object\").getPrototypeOf(e).constructor\r\n when {\r\n constructor === js(\"Object\") -> PrimitiveClasses.anyClass\r\n constructor === js(\"Error\") -> PrimitiveClasses.throwableClass\r\n else -> {\r\n val jsClass: JsClass<T> = constructor\r\n getOrCreateKClass(jsClass)\r\n }\r\n }\r\n }\r\n }\r\n }\r\n }.unsafeCast<KClass<T>>()\r\n\r\nprivate fun <T : Any> getOrCreateKClass(jClass: JsClass<T>): KClass<T> {\r\n if (jClass === js(\"String\")) return PrimitiveClasses.stringClass.unsafeCast<KClass<T>>()\r\n\r\n val metadata = jClass.asDynamic().`$metadata$`\r\n\r\n return if (metadata != null) {\r\n if (metadata.`$kClass$` == null) {\r\n val kClass = SimpleKClassImpl(jClass)\r\n metadata.`$kClass$` = kClass\r\n kClass\r\n } else {\r\n metadata.`$kClass$`\r\n }\r\n } else {\r\n SimpleKClassImpl(jClass)\r\n }\r\n}\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.js\r\n\r\n/**\r\n * Exposes the JavaScript [RegExp object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/RegExp) to Kotlin.\r\n */\r\n@Suppress(\"NOT_DOCUMENTED\")\r\npublic external class RegExp(pattern: String, flags: String? = definedExternally) {\r\n\r\n public fun test(str: String): Boolean\r\n\r\n public fun exec(str: String): RegExpMatch?\r\n\r\n public override fun toString(): String\r\n\r\n /**\r\n * The lastIndex is a read/write integer property of regular expressions that specifies the index at which to start the next match.\r\n */\r\n public var lastIndex: Int\r\n\r\n public val global: Boolean\r\n public val ignoreCase: Boolean\r\n public val multiline: Boolean\r\n}\r\n\r\n/**\r\n * Resets the regular expression so that subsequent [RegExp.test] and [RegExp.exec] calls will match starting with the beginning of the input string.\r\n */\r\npublic fun RegExp.reset() {\r\n lastIndex = 0\r\n}\r\n\r\n// TODO: Inherit from array or introduce asArray() extension\r\n/**\r\n * Represents the return value of [RegExp.exec].\r\n */\r\n@Suppress(\"NOT_DOCUMENTED\")\r\npublic external interface RegExpMatch {\r\n public val index: Int\r\n public val input: String\r\n public val length: Int\r\n}\r\n\r\n/**\r\n * Returns the entire text matched by [RegExp.exec] if the [index] parameter is 0, or the text matched by the capturing parenthesis\r\n * at the given index.\r\n */\r\npublic inline operator fun RegExpMatch.get(index: Int): String? = asDynamic()[index]\r\n\r\n/**\r\n * Converts the result of [RegExp.exec] to an array where the first element contains the entire matched text and each subsequent\r\n * element is the text matched by each capturing parenthesis.\r\n */\r\npublic inline fun RegExpMatch.asArray(): Array<out String?> = unsafeCast<Array<out String?>>()\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.sequences\r\n\r\ninternal actual class ConstrainedOnceSequence<T>
actual constructor(sequence: Sequence<T>) : Sequence<T> {\r\n private var sequenceRef: Sequence<T>? = sequence\r\n\r\n actual override fun iterator(): Iterator<T> {\r\n val sequence = sequenceRef ?: throw

IllegalStateException(\"This sequence can be consumed only once.\")\r\n sequenceRef = null\r\n return sequence.iterator()\r\n }\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.text\r\n\r\n// actually \\s is enough to match all whitespace, but \\xA0 added because of different regexp behavior of Rhino used in Selenium tests\r\npublic actual fun Char.isWhitespace(): Boolean = toString().matches(\"[\\\\s\\\\xA0]\")\r\n\r\n@kotlin.internal.InlineOnly\r\npublic actual inline fun Char.toLowerCase(): Char = js(\"String.fromCharCode\")(toInt()).toLowerCase().charCodeAt(0).unsafeCast<Int>().toChar()\r\n\r\n@kotlin.internal.InlineOnly\r\npublic
actual inline fun Char.toUpperCase(): Char = js(\"String.fromCharCode\")(toInt()).toUpperCase().charCodeAt(0).unsafeCast<Int>().toChar()\r\n\r\n/**\r\n * Returns `true` if this character is a Unicode high-surrogate code unit (also known as leading-surrogate code unit).\r\n */\r\npublic actual fun Char.isHighSurrogate(): Boolean = this in Char.MIN_HIGH_SURROGATE..Char.MAX_HIGH_SURROGATE\r\n\r\n/**\r\n * Returns `true` if this character is a Unicode low-surrogate code unit (also known as trailing-surrogate code unit).\r\n */\r\npublic actual fun Char.isLowSurrogate(): Boolean = this in Char.MIN_LOW_SURROGATE..Char.MAX_LOW_SURROGATE\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.text\r\n\r\n/**\r\n *
Returns `true` if the contents of this string is equal to the word \"true\", ignoring case, and `false` otherwise.\r\n */\r\npublic actual fun String.toBoolean(): Boolean = toLowerCase() == \"true\"\r\n\r\n/**\r\n * Parses the string as a signed [Byte] number and returns the result.\r\n * @throws NumberFormatException if the string is not a valid representation of a number.\r\n */\r\npublic actual fun String.toByte(): Byte = toByteOrNull() ?: numberFormatError(this)\r\n\r\n/**\r\n * Parses the string as a signed [Byte] number and returns the result.\r\n * @throws NumberFormatException if the string is not a valid representation of a number.\r\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\r\n */\r\npublic actual fun String.toByte(radix: Int): Byte = toByteOrNull(radix) ?: numberFormatError(this)\r\n\r\n/**\r\n * Parses the string as a [Short] number and returns the result.\r\n * @throws NumberFormatException if the string is
not a valid representation of a number.\r\n */\r\npublic actual fun String.toShort(): Short = toShortOrNull() ?: numberFormatError(this)\r\n\r\n/**\r\n * Parses the string as a [Short] number and returns the result.\r\n * @throws NumberFormatException if the string is not a valid representation of a number.\r\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\r\n */\r\npublic actual fun String.toShort(radix: Int): Short = toShortOrNull(radix) ?: numberFormatError(this)\r\n\r\n/**\r\n * Parses the string as an [Int] number and returns the result.\r\n * @throws NumberFormatException if the string is not a valid representation of a number.\r\n */\r\npublic actual fun String.toInt(): Int = toIntOrNull() ?: numberFormatError(this)\r\n\r\n/**\r\n * Parses the string as an [Int] number and returns the result.\r\n * @throws NumberFormatException if the string is not a valid representation of a number.\r\n * @throws IllegalArgumentException when
[radix] is not a valid radix for string to number conversion.\r\n */\r\npublic actual fun String.toInt(radix: Int): Int = toIntOrNull(radix) ?: numberFormatError(this)\r\n\r\n/**\r\n * Parses the string as a [Long] number and returns the result.\r\n * @throws NumberFormatException if the string is not a valid representation of a number.\r\n */\r\npublic actual fun String.toLong(): Long = toLongOrNull() ?: numberFormatError(this)\r\n\r\n/**\r\n * Parses the string as a [Long] number and returns the result.\r\n * @throws NumberFormatException if the string is not a valid representation of a number.\r\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\r\n */\r\npublic actual fun String.toLong(radix: Int): Long = toLongOrNull(radix) ?: numberFormatError(this)\r\n\r\n/**\r\n * Parses the string as a [Double] number and returns the result.\r\n * @throws NumberFormatException if the string is not a valid representation of a number.\r\n

*/\r\npublic actual fun String.toDouble(): Double = (+(this.asDynamic())).unsafeCast<Double>().also {\r\n if (it.isNaN() && !this.isNaN() || it == 0.0 && this.isBlank())\r\n numberFormatError(this)\r\n}\r\n\r\n/**\r\n * Parses the string as a [Float] number and returns the result.\r\n * @throws NumberFormatException if the string is not a valid representation of a number.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic actual inline fun String.toFloat(): Float = toDouble().unsafeCast<Float>()\r\n\r\n/**\r\n * Parses the string as a [Double] number and returns the result\r\n * or `null` if the string is not a valid representation of a number.\r\n */\r\npublic actual fun String.toDoubleOrNull(): Double? = (+(this.asDynamic())).unsafeCast<Double>().takeIf {\r\n !(it.isNaN() && !this.isNaN() || it == 0.0 && this.isBlank())\r\n}\r\n\r\n/**\r\n * Parses the string as a [Float] number and returns the result\r\n * or `null` if the string is not a valid representation of a number.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic actual inline fun String.toFloatOrNull(): Float? = toDoubleOrNull().unsafeCast<Float?>()\r\n\r\n/**\r\n * Returns a string representation of this [Byte] value in the specified [radix].\r\n *\r\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@kotlin.internal.InlineOnly\r\npublic actual inline fun Byte.toString(radix: Int): String = this.toInt().toString(radix)\r\n\r\n/**\r\n * Returns a string representation of this [Short] value in the specified [radix].\r\n *\r\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@kotlin.internal.InlineOnly\r\npublic actual inline fun Short.toString(radix: Int): String = this.toInt().toString(radix)\r\n\r\n/**\r\n * Returns a string representation of this [Int] value in the specified [radix].\r\n *\r\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic actual fun Int.toString(radix: Int): String = asDynamic().toString(checkRadix(radix))\r\n\r\nprivate fun String.isNaN(): Boolean = when (this.toLowerCase()) {\r\n \"nan\", \"+nan\", \"-nan\" -> true\r\n else -> false\r\n}\r\n\r\n/**\r\n * Checks whether the given [radix] is valid radix for string to number and number to string conversion.\r\n */\r\n@PublishedApi\r\ninternal actual fun checkRadix(radix: Int): Int {\r\n if (radix !in 2..36) {\r\n throw IllegalArgumentException(\"radix $radix was not in valid range 2..36\")\r\n }\r\n return radix\r\n}\r\n\r\ninternal actual fun digitOf(char: Char, radix: Int): Int = when {\r\n char >= '0' && char <= '9' -> char - '0'\r\n char >= 'A' && char <= 'Z' -> char - 'A' + 10\r\n char >= 'a' && char <= 'z' -> char - 'a' + 10\r\n else -> -1\r\n}.let { if (it >= radix) -1 else it }\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.text\r\n\r\nimport kotlin.js.RegExp\r\n\r\n/**\r\n * Provides enumeration values to use to set regular expression options.\r\n */\r\npublic actual enum class RegexOption(val value: String) {\r\n /** Enables case-insensitive matching. */\r\n IGNORE_CASE(\"i\"),\r\n /** Enables multiline mode.\r\n *\r\n * In multiline mode the expressions `^` and `$` match just after or just before,\r\n * respectively, a line terminator or the end of the input sequence. */\r\n MULTILINE(\"m\")\r\n}\r\n\r\n/**\r\n * Represents the results from a single capturing group within a [MatchResult] of [Regex].\r\n *\r\n * @param value The value of captured group.\r\n */\r\npublic actual data class MatchGroup(actual val value: String)\r\n\r\n/**\r\n * Represents a compiled regular expression.\r\n * Provides functions to match strings in text with a pattern, replace the found occurrences and split text around matches.\r\n *\r\n * For pattern syntax reference see [MDN RegExp](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/RegExp#Special_characters_meaning_in_regular_expressions)\r\n * and [http://www.w3schools.com/jsref/jsref_obj_regexp.asp](https://www.w3schools.com/jsref/jsref_obj_regexp.asp).\r\n *\r\n * @constructor Creates a regular expression from the specified [pattern] string and the specified set of [options].\r\n */\r\npublic actual class Regex actual constructor(pattern: String, options: Set<RegexOption>) {\r\n\r\n /** Creates a regular expression from the specified [pattern] string and the specified single [option]. */\r\n public actual constructor(pattern: String, option: RegexOption) : this(pattern, setOf(option))\r\n\r\n /** Creates a regular expression from the specified [pattern] string

```
 and the default options.  */\r\n    public actual constructor(pattern: String) : this(pattern, emptySet())\r\n\r\n\r\n    /** The pattern string of this regular expression. */\r\n    public actual val pattern: String = pattern\r\n    /** The set of options that were used to create this regular expression. */\r\n    public actual val options: Set<RegexOption> = options.toSet()\r\n    private val nativePattern: RegExp = RegExp(pattern, options.map { it.value }.joinToString(separator = \"\") + \"g\")\r\n\r\n    /** Indicates whether the regular expression matches the entire [input]. */\r\n    public actual infix fun matches(input: CharSequence): Boolean {\r\n        nativePattern.reset()\r\n        val match = nativePattern.exec(input.toString())\r\n        return match != null && match.index == 0 && nativePattern.lastIndex == input.length\r\n    }\r\n\r\n    /** Indicates whether the regular expression can find at least one match in the specified [input]. */\r\n    public actual fun containsMatchIn(input:
 CharSequence): Boolean {\r\n        nativePattern.reset()\r\n        return nativePattern.test(input.toString())\r\n    }\r\n\r\n    /** Returns the first match of a regular expression in the [input], beginning at the specified [startIndex].\r\n     *\r\n     * @param startIndex An index to start search with, by default 0. Must be not less than zero and not greater than `input.length()`\r\n     * @return An instance of [MatchResult] if match was found or `null` otherwise.\r\n     */\r\n    @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\r\n    public actual fun find(input: CharSequence, startIndex: Int = 0): MatchResult? = nativePattern.findNext(input.toString(), startIndex)\r\n\r\n    /**\r\n     * Returns a sequence of all occurrences of a regular expression within the [input] string, beginning at the specified [startIndex].\r\n     *\r\n     * @sample samples.text.Regexps.findAll\r\n     */\r\n    @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\r\n
    public actual fun findAll(input: CharSequence, startIndex: Int = 0): Sequence<MatchResult> =\r\n        generateSequence({ find(input, startIndex) }, { match -> match.next() })\r\n\r\n    /**\r\n     * Attempts to match the entire [input] CharSequence against the pattern.\r\n     *\r\n     * @return An instance of [MatchResult] if the entire input matches or `null` otherwise.\r\n     */\r\n    public actual fun matchEntire(input: CharSequence): MatchResult? {\r\n        if (pattern.startsWith('^') && pattern.endsWith('$'))\r\n            return find(input)\r\n        else\r\n            return Regex(\"^${pattern.trimStart('^').trimEnd('$')}$\", options).find(input)\r\n    }\r\n\r\n    /**\r\n     * Replaces all occurrences of this regular expression in the specified [input] string with specified [replacement] expression.\r\n     *\r\n     * @param replacement A replacement expression that can include substitutions. See [String.prototype.replace](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/String/replace)
     function docs for details.\r\n     */\r\n    public actual fun replace(input: CharSequence, replacement: String): String = input.toString().nativeReplace(nativePattern, replacement)\r\n\r\n    /**\r\n     * Replaces all occurrences of this regular expression in the specified [input] string with the result of\r\n     * the given function [transform] that takes [MatchResult] and returns a string to be used as a\r\n     * replacement for that match.\r\n     */\r\n    public actual inline fun replace(input: CharSequence, transform: (MatchResult) -> CharSequence): String {\r\n        var match = find(input)\r\n        if (match == null) return input.toString()\r\n\r\n        var lastStart = 0\r\n        val length = input.length\r\n        val sb = StringBuilder(length)\r\n        do {\r\n            val foundMatch = match!!\r\n            sb.append(input, lastStart, foundMatch.range.start)\r\n            sb.append(transform(foundMatch))\r\n
            lastStart = foundMatch.range.endInclusive + 1\r\n            match = foundMatch.next()\r\n        } while (lastStart < length && match != null)\r\n\r\n        if (lastStart < length) {\r\n            sb.append(input, lastStart, length)\r\n        }\r\n\r\n        return sb.toString()\r\n    }\r\n\r\n    /**\r\n     * Replaces the first occurrence of this regular expression in the specified [input] string with specified [replacement] expression.\r\n     *\r\n     * @param replacement A replacement expression that can include substitutions. See [String.prototype.replace](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/String/replace) function docs for details.\r\n     */\r\n    public actual fun replaceFirst(input: CharSequence, replacement: String): String {\r\n        val nonGlobalOptions = options.map { it.value }.joinToString(separator = \"\")\r\n        return input.toString().nativeReplace(RegExp(pattern, nonGlobalOptions), replacement)\r\n
    }\r\n\r\n    /**\r\n     * Splits the [input] CharSequence around matches of this regular expression.\r\n     *\r\n     * @param limit Non-negative value specifying the maximum number of substrings the string can be split to.\r\n     *
```

Zero by default means no limit is set.\r\n */\r\n @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\r\n public actual fun split(input: CharSequence, limit: Int = 0): List<String> {\r\n require(limit >= 0) { \"Limit must be non-negative, but was $limit\" }\r\n val matches = findAll(input).let { if (limit == 0) it else it.take(limit - 1) }\r\n val result = mutableListOf<String>()\r\n var lastStart = 0\r\n\r\n for (match in matches) {\r\n result.add(input.subSequence(lastStart, match.range.start).toString())\r\n lastStart = match.range.endInclusive + 1\r\n }\r\n result.add(input.subSequence(lastStart, input.length).toString())\r\n return result\r\n }\r\n\r\n\r\n /**\r\n * Returns the string representation of this regular expression, namely the [pattern] of this regular expression.\r\n *\r\n * Note that another regular expression constructed from the same pattern string may have different [options]\r\n * and may match strings differently.\r\n */\r\n public override fun toString(): String = nativePattern.toString()\r\n\r\n actual companion object {\r\n /**\r\n * Returns a regular expression that matches the specified [literal] string literally.\r\n * No characters of that string will have special meaning when searching for an occurrence of the regular expression.\r\n */\r\n public actual fun fromLiteral(literal: String): Regex = Regex(escape(literal))\r\n\r\n /**\r\n * Returns a regular expression pattern string that matches the specified [literal] string literally.\r\n * No characters of that string will have special meaning when searching for an occurrence of the regular expression.\r\n */\r\n public actual fun escape(literal: String): String = literal.nativeReplace(patternEscape, \"\\\\$&\")\r\n\r\n /**\r\n * Returns a literal replacement expression for the specified [literal] string.\r\n * No characters of that string will have special meaning when it is used as a replacement string in [Regex.replace] function.\r\n */\r\n public actual fun escapeReplacement(literal: String): String = literal.nativeReplace(replacementEscape, \"$$$$\")\r\n\r\n private val patternEscape = RegExp(\"\"\"[-\\\\^$*+?.()|[\\]{}]\"\"\", \"g\")\r\n private val replacementEscape = RegExp(\"\"\"\\$\"\"\", \"g\")\r\n }\r\n}\r\n\r\n/** Creates a regular expression from the specified [pattern] string and the specified single [option]. */\r\n@Deprecated(\"Provided for binary compatibility\", level = DeprecationLevel.HIDDEN)\r\n@JsName(\"Regex_sb3q2\\$\")\r\npublic fun Regex_0(pattern: String, option: RegexOption): Regex = Regex(pattern, setOf(option))\r\n\r\n/** Creates a regular expression from the specified [pattern] string and the default options. */\r\n@Deprecated(\"Provided for binary compatibility\", level = DeprecationLevel.HIDDEN)\r\n@JsName(\"Regex_61zpoe\\$\")\r\npublic fun Regex_1(pattern: String): Regex = Regex(pattern, emptySet())\r\n\r\n\r\n\r\n\r\n\r\n\r\nprivate fun RegExp.findNext(input: String, from: Int): MatchResult? {\r\n this.lastIndex = from\r\n val match = exec(input)\r\n if (match == null) return null\r\n val range = match.index..lastIndex - 1\r\n\r\n return object : MatchResult {\r\n override val range: IntRange = range\r\n override val value: String\r\n get() = match[0]!!\r\n\r\n override val groups: MatchGroupCollection = object : MatchGroupCollection, AbstractCollection<MatchGroup?>() {\r\n override val size: Int get() = match.length\r\n override fun iterator(): Iterator<MatchGroup?> = indices.asSequence().map { this[it] }.iterator()\r\n override fun get(index: Int): MatchGroup? = match[index]?.let { MatchGroup(it) }\r\n }\r\n\r\n\r\n\r\n private var groupValues_: List<String>? = null\r\n\r\n override val groupValues: List<String>\r\n get() {\r\n if (groupValues_ == null) {\r\n groupValues_ = object : AbstractList<String>() {\r\n override val size: Int get() = match.length\r\n override fun get(index: Int): String = match[index] ?: \"\"\r\n }\r\n }\r\n return groupValues_!!\r\n }\r\n\r\n override fun next(): MatchResult? = this@findNext.findNext(input, if (range.isEmpty()) range.start + 1 else range.endInclusive + 1)\r\n }\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.text\r\n\r\nimport kotlin.js.RegExp\r\n\r\n@kotlin.internal.InlineOnly\r\ninternal actual inline fun String.nativeIndexOf(ch: Char, fromIndex: Int): Int = nativeIndexOf(ch.toString(), fromIndex)\r\n\r\n@kotlin.internal.InlineOnly\r\ninternal actual inline fun String.nativeLastIndexOf(ch: Char, fromIndex: Int): Int = nativeLastIndexOf(ch.toString(), fromIndex)\r\n\r\n/**\r\n * Returns `true` if this string starts with the specified prefix.\r\n

```
*/\r\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\r\npublic actual fun String.startsWith(prefix: String, ignoreCase: Boolean = false): Boolean {\r\n    if (!ignoreCase)\r\n        return nativeStartsWith(prefix, 0)\r\n    else\r\n        return regionMatches(0, prefix, 0, prefix.length, ignoreCase)\r\n}\r\n\r\n/**\r\n * Returns `true` if a substring of this string starting at the specified offset [startIndex] starts with the specified
 prefix.\r\n */\r\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\r\npublic actual fun String.startsWith(prefix: String, startIndex: Int, ignoreCase: Boolean = false): Boolean {\r\n    if (!ignoreCase)\r\n
 return nativeStartsWith(prefix, startIndex)\r\n    else\r\n        return regionMatches(startIndex, prefix, 0, prefix.length, ignoreCase)\r\n}\r\n\r\n/**\r\n * Returns `true` if this string ends with the specified suffix.\r\n */\r\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\r\npublic actual fun String.endsWith(suffix: String, ignoreCase: Boolean = false): Boolean {\r\n    if (!ignoreCase)\r\n        return nativeEndsWith(suffix)\r\n    else\r\n        return regionMatches(length - suffix.length, suffix, 0, suffix.length, ignoreCase)\r\n}\r\n\r\n\r\npublic fun String.matches(regex: String): Boolean {\r\n    val result = this.match(regex)\r\n    return result != null && result.size != 0\r\n}\r\n\r\npublic actual fun CharSequence.isBlank(): Boolean = length == 0
 || (if (this is String) this else this.toString()).matches(\"^[\\\\s\\\\xA0]+$\")\r\n\r\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\r\npublic actual fun String?.equals(other: String?, ignoreCase: Boolean = false): Boolean =\r\n    if (this == null)\r\n        other == null\r\n    else if (!ignoreCase)\r\n        this == other\r\n    else\r\n        other != null && this.toLowerCase() == other.toLowerCase()\r\n\r\n\r\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\r\npublic actual fun CharSequence.regionMatches(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int, ignoreCase: Boolean = false): Boolean =\r\n    regionMatchesImpl(thisOffset, other, otherOffset, length, ignoreCase)\r\n\r\n\r\n/**\r\n * Returns a copy of this string having its first letter uppercased, or the original string,\r\n * if it's empty or already starts with an upper case letter.\r\n *\r\n * @sample samples.text.Strings.capitalize\r\n */\r\npublic actual fun String.capitalize(): String
 {\r\n    return if (isNotEmpty()) substring(0, 1).toUpperCase() + substring(1) else this\r\n}\r\n\r\n/**\r\n * Returns a copy of this string having its first letter lowercased, or the original string,\r\n * if it's empty or already starts with a lower case letter.\r\n *\r\n * @sample samples.text.Strings.decapitalize\r\n */\r\npublic actual fun String.decapitalize(): String {\r\n    return if (isNotEmpty()) substring(0, 1).toLowerCase() + substring(1) else this\r\n}\r\n\r\n/**\r\n * Returns a string containing this char sequence repeated [n] times.\r\n * @throws [IllegalArgumentException] when n < 0.\r\n */\r\npublic actual fun CharSequence.repeat(n: Int): String {\r\n    require(n >= 0) { \"Count 'n' must be non-negative, but was $n.\" }\r\n    return when (n) {\r\n        0 -> \"\"\r\n        1 -> this.toString()\r\n        else -> {\r\n            var result = \"\"\r\n            if (!isEmpty()) {\r\n                var s = this.toString()\r\n                var count = n\r\n
                while (true) {\r\n                    if ((count and 1) == 1) {\r\n                        result += s\r\n                    }\r\n
                    count = count ushr 1\r\n                    if (count == 0) {\r\n                        break\r\n                    }\r\n
                    s += s\r\n                }\r\n            }\r\n            return result\r\n        }\r\n    }\r\n}\r\n\r\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\r\npublic actual fun String.replace(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\r\n    nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) \"gi\" else \"g\"), Regex.escapeReplacement(newValue))\r\n\r\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\r\npublic actual fun String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\r\n
  nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) \"gi\" else \"g\"), newChar.toString())\r\n\r\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\r\npublic
 actual fun String.replaceFirst(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\r\n    nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) \"i\" else \"\"), Regex.escapeReplacement(newValue))\r\n\r\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUME
```

NTS\")\r\npublic actual fun String.replaceFirst(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\r\n   nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) \"i\" else \"\"), newChar.toString())\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.text\r\n\r\n\r\npublic actual interface Appendable {\r\n   public actual fun append(csq: CharSequence?): Appendable\r\n   public actual fun append(csq: CharSequence?, start: Int, end:
 Int): Appendable\r\n   public actual fun append(c: Char): Appendable\r\n}\r\n\r\npublic actual class StringBuilder(content: String = \"\") : Appendable, CharSequence {\r\n   actual constructor(capacity: Int) : this() {}\r\n\r\n   actual constructor(content: CharSequence) : this(content.toString()) {}\r\n\r\n   actual constructor() : this(\"\")\r\n\r\n   private var string: String = content\r\n\r\n   actual override val length: Int\r\n   get() = string.asDynamic().length\r\n\r\n   actual override fun get(index: Int): Char =\r\n   string.getOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, length: $length}\") }\r\n\r\n   actual override fun subSequence(startIndex: Int, endIndex: Int): CharSequence = string.substring(startIndex, endIndex)\r\n\r\n   actual override fun append(c: Char): StringBuilder {\r\n   string += c\r\n   return this\r\n   }\r\n\r\n   actual override fun append(csq: CharSequence?): StringBuilder {\r\n   string += csq.toString()\r\n
        return this\r\n   }\r\n\r\n   actual override fun append(csq: CharSequence?, start: Int, end: Int): StringBuilder {\r\n   string += csq.toString().substring(start, end)\r\n   return this\r\n   }\r\n\r\n   actual fun append(obj: Any?): StringBuilder {\r\n   string += obj.toString()\r\n   return this\r\n   }\r\n\r\n   actual fun reverse(): StringBuilder {\r\n   string = string.asDynamic().split(\"\").reverse().join(\"\")\r\n   return this\r\n   }\r\n\r\n   /**\r\n   * Clears the content of this string builder making it empty.\r\n   *\r\n   * @sample samples.text.Strings.clearStringBuilder\r\n   */\r\n   @SinceKotlin(\"1.3\")\r\n   public fun clear(): StringBuilder {\r\n   string = \"\"\r\n   return this\r\n   }\r\n\r\n   override fun toString(): String = string\r\n}\r\n\r\n\r\n\r\n\r\n/**\r\n * Clears the content of this string builder making it empty.\r\n *\r\n * @sample samples.text.Strings.clearStringBuilder\r\n
 */\r\n@SinceKotlin(\"1.3\")\r\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\r\npublic actual inline fun StringBuilder.clear(): StringBuilder = this.clear()\r\n\r\n\r\n\r\n/**\r\n * The exception thrown when a character encoding or decoding error occurs.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic actual open class CharacterCodingException(message: String?) : Exception(message) {\r\n   actual constructor() : this(null)\r\n}\r\n","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.text\r\n\r\n/** Returns the negative [size] if [throwOnMalformed] is false, throws [CharacterCodingException] otherwise.
*/\r\n@UseExperimental(ExperimentalStdlibApi::class)\r\nprivate fun malformed(size: Int, index: Int, throwOnMalformed: Boolean): Int {\r\n   if (throwOnMalformed)
 throw CharacterCodingException(\"Malformed sequence starting at ${index - 1}\")\r\n   return -size\r\n}\r\n\r\n/**\r\n * Returns code point corresponding to UTF-16 surrogate pair,\r\n * where the first of the pair is the [high] and the second is in the [string] at the [index].\r\n * Returns zero if the pair is malformed and [throwOnMalformed] is false.\r\n *\r\n * @throws CharacterCodingException if the pair is malformed and [throwOnMalformed] is true.\r\n */\r\nprivate fun codePointFromSurrogate(string: String, high: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\r\n   if (high !in 0xD800..0xDBFF || index >= endIndex) {\r\n
 return malformed(0, index, throwOnMalformed)\r\n   }\r\n   val low = string[index].toInt()\r\n   if (low !in 0xDC00..0xDFFF) {\r\n   return malformed(0, index, throwOnMalformed)\r\n   }\r\n   return 0x10000 + ((high and 0x3FF) shl 10) or (low and 0x3FF)\r\n}\r\n\r\n\r\n/**\r\n * Returns code point corresponding to UTF-8 sequence
 of two bytes,\r\n * where the first byte of the sequence is the [byte1] and the second byte is in the [bytes] array at the [index].\r\n * Returns zero if the sequence is malformed and [throwOnMalformed] is false.\r\n *\r\n * @throws CharacterCodingException if the sequence of two bytes is malformed and [throwOnMalformed] is true.\r\n

*/\r\nprivate fun codePointFrom2(bytes: ByteArray, byte1: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\r\n if (byte1 and 0x1E == 0 || index >= endIndex) {\r\n return malformed(0, index, throwOnMalformed)\r\n }\r\n val byte2 = bytes[index].toInt()\r\n if (byte2 and 0xC0 != 0x80) {\r\n return malformed(0, index, throwOnMalformed)\r\n }\r\n return (byte1 shl 6) xor byte2 xor 0xF80\r\n}\r\n\r\n/**\r\n * Returns code point corresponding to UTF-8 sequence of three bytes,\r\n * where the first byte of the sequence is the [byte1] and the others are in the [bytes] array starting from the [index].\r\n * Returns
a non-positive value indicating number of bytes from [bytes] included in malformed sequence\r\n * if the sequence is malformed and [throwOnMalformed] is false.\r\n *\r\n * @throws CharacterCodingException if the sequence of three bytes is malformed and [throwOnMalformed] is true.\r\n */\r\nprivate fun codePointFrom3(bytes: ByteArray, byte1: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\r\n if (index >= endIndex) {\r\n return malformed(0, index, throwOnMalformed)\r\n }\r\n\r\n val byte2 = bytes[index].toInt()\r\n if (byte1 and 0xF == 0) {\r\n if (byte2 and 0xE0 != 0xA0) {\r\n // Non-shortest form\r\n return malformed(0, index, throwOnMalformed)\r\n }\r\n } else if (byte1 and 0xF == 0xD) {\r\n if (byte2 and 0xE0 != 0x80) {\r\n // Surrogate code point\r\n return malformed(0, index, throwOnMalformed)\r\n }\r\n } else if (byte2 and 0xC0 != 0x80) {\r\n return malformed(0,
index, throwOnMalformed)\r\n }\r\n\r\n if (index + 1 == endIndex) {\r\n return malformed(1, index, throwOnMalformed)\r\n }\r\n val byte3 = bytes[index + 1].toInt()\r\n if (byte3 and 0xC0 != 0x80) {\r\n return malformed(1, index, throwOnMalformed)\r\n }\r\n\r\n return (byte1 shl 12) xor (byte2 shl 6) xor byte3 xor -0x1E080\r\n}\r\n\r\n/**\r\n * Returns code point corresponding to UTF-8 sequence of four bytes,\r\n * where the first byte of the sequence is the [byte1] and the others are in the [bytes] array starting from the [index].\r\n * Returns a non-positive value indicating number of bytes from [bytes] included in malformed sequence\r\n * if the sequence is malformed and [throwOnMalformed] is false.\r\n *\r\n * @throws CharacterCodingException if the sequence of four bytes is malformed and [throwOnMalformed] is true.\r\n */\r\nprivate fun codePointFrom4(bytes: ByteArray, byte1: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int
{\r\n if (index >= endIndex) {\r\n malformed(0, index, throwOnMalformed)\r\n }\r\n\r\n val byte2 = bytes[index].toInt()\r\n if (byte1 and 0xF == 0x0) {\r\n if (byte2 and 0xF0 <= 0x80) {\r\n // Non-shortest form\r\n return malformed(0, index, throwOnMalformed)\r\n }\r\n } else if (byte1 and 0xF == 0x4) {\r\n if (byte2 and 0xF0 != 0x80) {\r\n // Out of Unicode code points domain (larger than U+10FFFF)\r\n return malformed(0, index, throwOnMalformed)\r\n }\r\n } else if (byte1 and 0xF > 0x4) {\r\n return malformed(0, index, throwOnMalformed)\r\n } else if (byte2 and 0xC0 != 0x80) {\r\n return malformed(0, index, throwOnMalformed)\r\n }\r\n\r\n if (index + 1 == endIndex) {\r\n return malformed(1, index, throwOnMalformed)\r\n }\r\n val byte3 = bytes[index + 1].toInt()\r\n if (byte3 and 0xC0 != 0x80) {\r\n return malformed(1, index, throwOnMalformed)\r\n
}\r\n\r\n if (index + 2 == endIndex) {\r\n return malformed(2, index, throwOnMalformed)\r\n }\r\n val byte4 = bytes[index + 2].toInt()\r\n if (byte4 and 0xC0 != 0x80) {\r\n return malformed(2, index, throwOnMalformed)\r\n }\r\n return (byte1 shl 18) xor (byte2 shl 12) xor (byte3 shl 6) xor byte4 xor 0x381F80\r\n}\r\n\r\n\r\n/**\r\n * Maximum number of bytes needed to encode a single char.\r\n *\r\n * Code points in `0..0x7F` are encoded in a single byte.\r\n * Code points in `0x80..0x7FF` are encoded in two bytes.\r\n * Code points in `0x800..0xD7FF` or in `0xE000..0xFFFF` are encoded in three bytes.\r\n * Surrogate code points in `0xD800..0xDFFF` are not Unicode scalar values, therefore aren't encoded.\r\n * Code points in `0x10000..0x10FFFF` are represented by a pair of surrogate `Char`s and are encoded in four bytes.\r\n */\r\nprivate const val MAX_BYTES_PER_CHAR = 3\r\n\r\n\r\n/**\r\n * The byte sequence a malformed UTF-16 char sequence is replaced by.\r\n
*/\r\nprivate val REPLACEMENT_BYTE_SEQUENCE: ByteArray = byteArrayOf(0xEF.toByte(), 0xBF.toByte(), 0xBD.toByte())\r\n\r\n\r\n/**\r\n * Encodes the [string] using UTF-8 and returns the resulting [ByteArray].\r\n *\r\n * @param string the string to encode.\r\n * @param startIndex the start offset (inclusive) of the substring to encode.\r\n * @param endIndex the end offset (exclusive) of the substring to encode.\r\n * @param throwOnMalformed whether to throw on malformed char sequence or replace by the

[REPLACEMENT_BYTE_SEQUENCE].\r\n *\r\n * @throws CharacterCodingException if the char sequence is malformed and [throwOnMalformed] is true.\r\n */\r\ninternal fun encodeUtf8(string: String, startIndex: Int, endIndex: Int, throwOnMalformed: Boolean): ByteArray {\r\n require(startIndex >= 0 && endIndex <= string.length && startIndex <= endIndex)\r\n\r\n val bytes = ByteArray((endIndex - startIndex) * MAX_BYTES_PER_CHAR)\r\n var byteIndex = 0\r\n var charIndex = startIndex\r\n\r\n while (charIndex < endIndex) {\r\n val code = string[charIndex++].toInt()\r\n when {\r\n code < 0x80 ->\r\n bytes[byteIndex++] = code.toByte()\r\n code < 0x800 -> {\r\n bytes[byteIndex++] = ((code shr 6) or 0xC0).toByte()\r\n bytes[byteIndex++] = ((code and 0x3F) or 0x80).toByte()\r\n }\r\n code < 0xD800 || code >= 0xE000 -> {\r\n bytes[byteIndex++] = ((code shr 12) or 0xE0).toByte()\r\n bytes[byteIndex++] = (((code shr 6) and 0x3F) or 0x80).toByte()\r\n bytes[byteIndex++] = ((code and 0x3F) or 0x80).toByte()\r\n }\r\n else -> { // Surrogate char value\r\n val codePoint = codePointFromSurrogate(string, code, charIndex, endIndex, throwOnMalformed)\r\n if (codePoint <= 0) {\r\n bytes[byteIndex++] = REPLACEMENT_BYTE_SEQUENCE[0]\r\n bytes[byteIndex++] = REPLACEMENT_BYTE_SEQUENCE[1]\r\n bytes[byteIndex++] = REPLACEMENT_BYTE_SEQUENCE[2]\r\n } else {\r\n bytes[byteIndex++] = ((codePoint shr 18) or 0xF0).toByte()\r\n bytes[byteIndex++] = (((codePoint shr 12) and 0x3F) or 0x80).toByte()\r\n bytes[byteIndex++] = (((codePoint shr 6) and 0x3F) or 0x80).toByte()\r\n bytes[byteIndex++] = ((codePoint and 0x3F) or 0x80).toByte()\r\n charIndex++\r\n }\r\n }\r\n }\r\n }\r\n\r\n return if (bytes.size == byteIndex) bytes else bytes.copyOf(byteIndex)\r\n}\r\n\r\n/**\r\n * The character a malformed UTF-8 byte sequence is replaced by.\r\n */\r\nprivate const val REPLACEMENT_CHAR = '\\uFFFD'\r\n\r\n/**\r\n * Decodes the UTF-8 [bytes] array and returns the resulting [String].\r\n *\r\n * @param bytes the byte array to decode.\r\n * @param startIndex the start offset (inclusive) of the array to be decoded.\r\n * @param endIndex the end offset (exclusive) of the array to be encoded.\r\n * @param throwOnMalformed whether to throw on malformed byte sequence or replace by the [REPLACEMENT_CHAR].\r\n *\r\n * @throws CharacterCodingException if the array is malformed UTF-8 byte sequence and [throwOnMalformed] is true.\r\n */\r\ninternal fun decodeUtf8(bytes: ByteArray, startIndex: Int, endIndex: Int, throwOnMalformed: Boolean): String {\r\n require(startIndex >= 0 && endIndex <= bytes.size && startIndex <= endIndex)\r\n\r\n var byteIndex = startIndex\r\n val stringBuilder = StringBuilder()\r\n\r\n while (byteIndex < endIndex) {\r\n val byte = bytes[byteIndex++].toInt()\r\n when {\r\n byte >= 0 ->\r\n stringBuilder.append(byte.toChar())\r\n byte shr 5 == -2 -> {\r\n val code = codePointFrom2(bytes, byte, byteIndex, endIndex, throwOnMalformed)\r\n if (code <= 0) {\r\n stringBuilder.append(REPLACEMENT_CHAR)\r\n byteIndex += -code\r\n } else {\r\n stringBuilder.append(code.toChar())\r\n byteIndex += 1\r\n }\r\n }\r\n byte shr 4 == -2 -> {\r\n val code = codePointFrom3(bytes, byte, byteIndex, endIndex, throwOnMalformed)\r\n if (code <= 0) {\r\n stringBuilder.append(REPLACEMENT_CHAR)\r\n byteIndex += -code\r\n } else {\r\n stringBuilder.append(code.toChar())\r\n byteIndex += 2\r\n }\r\n }\r\n byte shr 3 == -2 -> {\r\n val code = codePointFrom4(bytes, byte, byteIndex, endIndex, throwOnMalformed)\r\n if (code <= 0) {\r\n stringBuilder.append(REPLACEMENT_CHAR)\r\n byteIndex += -code\r\n } else {\r\n val high = (code - 0x10000) shr 10 or 0xD800\r\n val low = (code and 0x3FF) or 0xDC00\r\n stringBuilder.append(high.toChar())\r\n stringBuilder.append(low.toChar())\r\n byteIndex += 3\r\n }\r\n }\r\n else -> {\r\n malformed(0, byteIndex, throwOnMalformed)\r\n stringBuilder.append(REPLACEMENT_CHAR)\r\n }\r\n }\r\n }\r\n\r\n return stringBuilder.toString()\r\n}","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.time\r\n\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic actual enum class DurationUnit(internal

val scale: Double) {\r\n /**\r\n * Time unit representing one nanosecond, which is 1/1000 of a microsecond.\r\n */\r\n NANOSECONDS(1e0),\r\n /**\r\n * Time unit representing one microsecond, which is 1/1000 of a millisecond.\r\n */\r\n MICROSECONDS(1e3),\r\n /**\r\n * Time unit representing one millisecond, which is 1/1000 of a second.\r\n */\r\n MILLISECONDS(1e6),\r\n /**\r\n * Time unit representing one second.\r\n */\r\n SECONDS(1e9),\r\n /**\r\n * Time unit representing one minute.\r\n */\r\n MINUTES(60e9),\r\n /**\r\n * Time unit representing one hour.\r\n */\r\n HOURS(3600e9),\r\n /**\r\n * Time unit representing one day, which is always equal to 24 hours.\r\n */\r\n DAYS(86400e9);\r\n}\r\n\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\ninternal actual fun convertDurationUnit(value: Double, sourceUnit: DurationUnit, targetUnit: DurationUnit): Double {\r\n val sourceCompareTarget = sourceUnit.scale.compareTo(targetUnit.scale)\r\n return when {\r\n sourceCompareTarget > 0 -> value * (sourceUnit.scale / targetUnit.scale)\r\n sourceCompareTarget < 0 -> value / (targetUnit.scale / sourceUnit.scale)\r\n else -> value\r\n }\r\n}\r\n\r\n","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.time\r\n\r\nimport kotlin.js.json\r\nimport kotlin.math.*\r\n\r\ninternal actual fun formatToExactDecimals(value: Double, decimals: Int): String {\r\n val rounded = if (decimals == 0) {\r\n value\r\n } else {\r\n val pow = 10.0.pow(decimals)\r\n @Suppress(\"DEPRECATION\", \"DEPRECATION_ERROR\")\r\n kotlin.js.Math.round(abs(value) * pow) / pow * sign(value)\r\n }\r\n return rounded.asDynamic().toFixed(decimals).unsafeCast<String>()\r\n}\r\n\r\n\r\ninternal actual fun formatUpToDecimals(value: Double, decimals: Int): String {\r\n return value.asDynamic().toLocaleString(\"en-us\", json(\"maximumFractionDigits\" to decimals)).unsafeCast<String>()\r\n}\r\n\r\n\r\ninternal actual fun formatScientific(value: Double): String {\r\n return value.asDynamic().toExponential(2).unsafeCast<String>()\r\n}","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n\r\npackage kotlin.time\r\n\r\n\r\nimport org.w3c.performance.GlobalPerformance\r\nimport org.w3c.performance.Performance\r\n\r\n\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic actual object MonoClock : Clock {\r\n\r\n private val actualClock: Clock = run {\r\n val isNode: Boolean = js(\"typeof process !== 'undefined' && process.versions && !!process.versions.node\")\r\n\r\n\r\n if (isNode)\r\n HrTimeClock(js(\"process\").unsafeCast<Process>())\r\n else\r\n js(\"self\").unsafeCast<GlobalPerformance?>()?.performance?.let(::PerformanceClock)\r\n ?: DateNowClock\r\n\r\n\r\n }\r\n\r\n\r\n override fun markNow(): ClockMark = actualClock.markNow()\r\n}\r\n\r\n\r\ninternal external interface Process {\r\n fun hrtime(time: Array<Double> = definedExternally): Array<Double>\r\n}\r\n\r\n\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\ninternal class HrTimeClock(val process: Process) : Clock {\r\n\r\n\r\n override fun markNow(): ClockMark = object : ClockMark() {\r\n val startedAt = process.hrtime()\r\n override fun elapsedNow(): Duration =\r\n process.hrtime(startedAt).let { (seconds, nanos) -> seconds.seconds + nanos.nanoseconds }\r\n }\r\n\r\n\r\n override fun toString(): String = \"Clock(process.hrtime())\"\r\n}\r\n\r\n\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\ninternal class PerformanceClock(val performance: Performance) : AbstractDoubleClock(unit = DurationUnit.MILLISECONDS) {\r\n override fun read(): Double = performance.now()\r\n\r\n override fun toString(): String = \"Clock(self.performance.now())\"\r\n}\r\n\r\n\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\ninternal object DateNowClock : AbstractDoubleClock(unit = DurationUnit.MILLISECONDS) {\r\n override fun read(): Double = kotlin.js.Date.now()\r\n override fun toString(): String = \"Clock(Date.now())\"\r\n}","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by

the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\r\n// See libraries/tools/idl2k for details\r\n\r\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\r\npackage org.khronos.webgl\r\n\r\nimport kotlin.js.*\r\nimport org.w3c.css.masking.*\r\nimport org.w3c.dom.*\r\nimport org.w3c.dom.clipboard.*\r\nimport org.w3c.dom.css.*\r\nimport org.w3c.dom.events.*\r\nimport org.w3c.dom.mediacapture.*\r\nimport org.w3c.dom.parsing.*\r\nimport org.w3c.dom.pointerevents.*\r\nimport org.w3c.dom.svg.*\r\nimport org.w3c.dom.url.*\r\nimport org.w3c.fetch.*\r\nimport org.w3c.files.*\r\nimport org.w3c.notifications.*\r\nimport org.w3c.performance.*\r\nimport org.w3c.workers.*\r\nimport org.w3c.xhr.*\r\n\r\npublic external interface WebGLContextAttributes {\r\n   var alpha: Boolean? /* = true */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var depth: Boolean? /* = true */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var stencil: Boolean? /* = false */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var antialias: Boolean? /* = true */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var premultipliedAlpha: Boolean? /* = true */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var preserveDrawingBuffer: Boolean? /* = false */\r\n
        get() = definedExternally\r\n   set(value) = definedExternally\r\n   var preferLowPowerToHighPerformance: Boolean? /* = false */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var failIfMajorPerformanceCaveat: Boolean? /* = false */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun WebGLContextAttributes(alpha: Boolean? = true, depth: Boolean? = true, stencil: Boolean? = false, antialias: Boolean? = true, premultipliedAlpha: Boolean? = true, preserveDrawingBuffer: Boolean? = false, preferLowPowerToHighPerformance: Boolean? = false, failIfMajorPerformanceCaveat: Boolean? = false): WebGLContextAttributes {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"alpha\"] = alpha\r\n   o[\"depth\"] = depth\r\n   o[\"stencil\"] = stencil\r\n   o[\"antialias\"] = antialias\r\n   o[\"premultipliedAlpha\"] = premultipliedAlpha\r\n   o[\"preserveDrawingBuffer\"]
    = preserveDrawingBuffer\r\n   o[\"preferLowPowerToHighPerformance\"] = preferLowPowerToHighPerformance\r\n   o[\"failIfMajorPerformanceCaveat\"] = failIfMajorPerformanceCaveat\r\n\r\n   return o\r\n}\r\n\r\npublic external abstract class WebGLObject {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [WebGLBuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLBuffer) to Kotlin\r\n */\r\npublic external abstract class WebGLBuffer : WebGLObject {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [WebGLFramebuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLFramebuffer) to Kotlin\r\n */\r\npublic external abstract class WebGLFramebuffer : WebGLObject {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [WebGLProgram](https://developer.mozilla.org/en/docs/Web/API/WebGLProgram) to Kotlin\r\n */\r\npublic external abstract class WebGLProgram : WebGLObject {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [WebGLRenderbuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderbuffer) to Kotlin\r\n */\r\npublic external abstract class WebGLRenderbuffer : WebGLObject {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [WebGLShader](https://developer.mozilla.org/en/docs/Web/API/WebGLShader) to Kotlin\r\n */\r\npublic external abstract class WebGLShader : WebGLObject {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [WebGLTexture](https://developer.mozilla.org/en/docs/Web/API/WebGLTexture) to Kotlin\r\n */\r\npublic external abstract class WebGLTexture : WebGLObject {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [WebGLUniformLocation](https://developer.mozilla.org/en/docs/Web/API/WebGLUniformLocation) to Kotlin\r\n */\r\npublic external abstract class WebGLUniformLocation {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [WebGLActiveInfo](https://developer.mozilla.org/en/docs/Web/API/WebGLActiveInfo) to Kotlin\r\n */\r\npublic external abstract class WebGLActiveInfo {\r\n   open val size: Int\r\n   open val type: Int\r\n   open val name: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript

[WebGLShaderPrecisionFormat](https://developer.mozilla.org/en/docs/Web/API/WebGLShaderPrecisionFormat) to Kotlin\r\n */\r\npublic external abstract class WebGLShaderPrecisionFormat {\r\n open val rangeMin: Int\r\n open val rangeMax: Int\r\n open val precision: Int\r\n}\r\n\r\npublic external interface WebGLRenderingContextBase {\r\n val canvas: HTMLCanvasElement\r\n val drawingBufferWidth: Int\r\n val drawingBufferHeight: Int\r\n fun getContextAttributes(): WebGLContextAttributes?\r\n fun isContextLost(): Boolean\r\n fun getSupportedExtensions(): Array<String>?\r\n fun getExtension(name: String): dynamic\r\n fun activeTexture(texture: Int): Unit\r\n fun attachShader(program: WebGLProgram?, shader: WebGLShader?): Unit\r\n fun bindAttribLocation(program: WebGLProgram?, index: Int, name: String): Unit\r\n fun bindBuffer(target: Int, buffer: WebGLBuffer?): Unit\r\n fun bindFramebuffer(target: Int, framebuffer: WebGLFramebuffer?): Unit\r\n

fun bindRenderbuffer(target: Int, renderbuffer: WebGLRenderbuffer?): Unit\r\n fun bindTexture(target: Int, texture: WebGLTexture?): Unit\r\n fun blendColor(red: Float, green: Float, blue: Float, alpha: Float): Unit\r\n fun blendEquation(mode: Int): Unit\r\n fun blendEquationSeparate(modeRGB: Int, modeAlpha: Int): Unit\r\n fun blendFunc(sfactor: Int, dfactor: Int): Unit\r\n fun blendFuncSeparate(srcRGB: Int, dstRGB: Int, srcAlpha: Int, dstAlpha: Int): Unit\r\n fun bufferData(target: Int, size: Int, usage: Int): Unit\r\n fun bufferData(target: Int, data: BufferDataSource?, usage: Int): Unit\r\n fun bufferSubData(target: Int, offset: Int, data: BufferDataSource?): Unit\r\n fun checkFramebufferStatus(target: Int): Int\r\n fun clear(mask: Int): Unit\r\n fun clearColor(red: Float, green: Float, blue: Float, alpha: Float): Unit\r\n fun clearDepth(depth: Float): Unit\r\n fun clearStencil(s: Int): Unit\r\n fun colorMask(red: Boolean, green: Boolean,
blue: Boolean, alpha: Boolean): Unit\r\n fun compileShader(shader: WebGLShader?): Unit\r\n fun compressedTexImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, data: ArrayBufferView): Unit\r\n fun compressedTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int, format: Int, data: ArrayBufferView): Unit\r\n fun copyTexImage2D(target: Int, level: Int, internalformat: Int, x: Int, y: Int, width: Int, height: Int, border: Int): Unit\r\n fun copyTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, x: Int, y: Int, width: Int, height: Int): Unit\r\n fun createBuffer(): WebGLBuffer?\r\n fun createFramebuffer(): WebGLFramebuffer?\r\n fun createProgram(): WebGLProgram?\r\n fun createRenderbuffer(): WebGLRenderbuffer?\r\n fun createShader(type: Int): WebGLShader?\r\n fun createTexture(): WebGLTexture?\r\n fun cullFace(mode: Int): Unit\r\n fun deleteBuffer(buffer:
WebGLBuffer?): Unit\r\n fun deleteFramebuffer(framebuffer: WebGLFramebuffer?): Unit\r\n fun deleteProgram(program: WebGLProgram?): Unit\r\n fun deleteRenderbuffer(renderbuffer: WebGLRenderbuffer?): Unit\r\n fun deleteShader(shader: WebGLShader?): Unit\r\n fun deleteTexture(texture: WebGLTexture?): Unit\r\n fun depthFunc(func: Int): Unit\r\n fun depthMask(flag: Boolean): Unit\r\n fun depthRange(zNear: Float, zFar: Float): Unit\r\n fun detachShader(program: WebGLProgram?, shader: WebGLShader?): Unit\r\n fun disable(cap: Int): Unit\r\n fun disableVertexAttribArray(index: Int): Unit\r\n fun drawArrays(mode: Int, first: Int, count: Int): Unit\r\n fun drawElements(mode: Int, count: Int, type: Int, offset: Int): Unit\r\n fun enable(cap: Int): Unit\r\n fun enableVertexAttribArray(index: Int): Unit\r\n fun finish(): Unit\r\n fun flush(): Unit\r\n fun framebufferRenderbuffer(target: Int, attachment: Int, renderbuffertarget: Int, renderbuffer: WebGLRenderbuffer?): Unit\r\n fun framebufferTexture2D(target: Int, attachment: Int, textarget: Int, texture: WebGLTexture?, level: Int): Unit\r\n fun frontFace(mode: Int): Unit\r\n fun generateMipmap(target: Int): Unit\r\n fun getActiveAttrib(program: WebGLProgram?, index: Int): WebGLActiveInfo?\r\n fun getActiveUniform(program: WebGLProgram?, index: Int): WebGLActiveInfo?\r\n fun getAttachedShaders(program: WebGLProgram?): Array<WebGLShader>?\r\n fun getAttribLocation(program: WebGLProgram?, name: String): Int\r\n fun getBufferParameter(target: Int, pname: Int): Any?\r\n fun getParameter(pname: Int): Any?\r\n fun getError(): Int\r\n fun getFramebufferAttachmentParameter(target: Int, attachment: Int, pname: Int): Any?\r\n fun getProgramParameter(program: WebGLProgram?, pname: Int): Any?\r\n fun getProgramInfoLog(program: WebGLProgram?): String?\r\n fun getRenderbufferParameter(target: Int, pname: Int): Any?\r\n fun getShaderParameter(shader:

WebGLShader?, pname: Int): Any?\r\n fun getShaderPrecisionFormat(shadertype: Int, precisiontype: Int): WebGLShaderPrecisionFormat?\r\n fun getShaderInfoLog(shader: WebGLShader?): String?\r\n fun getShaderSource(shader: WebGLShader?): String?\r\n fun getTexParameter(target: Int, pname: Int): Any?\r\n fun getUniform(program: WebGLProgram?, location: WebGLUniformLocation?): Any?\r\n fun getUniformLocation(program: WebGLProgram?, name: String): WebGLUniformLocation?\r\n fun getVertexAttrib(index: Int, pname: Int): Any?\r\n fun getVertexAttribOffset(index: Int, pname: Int): Int\r\n fun hint(target: Int, mode: Int): Unit\r\n fun isBuffer(buffer: WebGLBuffer?): Boolean\r\n fun isEnabled(cap: Int): Boolean\r\n fun isFramebuffer(framebuffer: WebGLFramebuffer?): Boolean\r\n fun isProgram(program: WebGLProgram?): Boolean\r\n fun isRenderbuffer(renderbuffer: WebGLRenderbuffer?): Boolean\r\n fun isShader(shader: WebGLShader?): Boolean\r\n fun isTexture(texture:
WebGLTexture?): Boolean\r\n fun lineWidth(width: Float): Unit\r\n fun linkProgram(program: WebGLProgram?): Unit\r\n fun pixelStorei(pname: Int, param: Int): Unit\r\n fun polygonOffset(factor: Float, units: Float): Unit\r\n fun readPixels(x: Int, y: Int, width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?): Unit\r\n fun renderbufferStorage(target: Int, internalformat: Int, width: Int, height: Int): Unit\r\n fun sampleCoverage(value: Float, invert: Boolean): Unit\r\n fun scissor(x: Int, y: Int, width: Int, height: Int): Unit\r\n fun shaderSource(shader: WebGLShader?, source: String): Unit\r\n fun stencilFunc(func: Int, ref: Int, mask: Int): Unit\r\n fun stencilFuncSeparate(face: Int, func: Int, ref: Int, mask: Int): Unit\r\n fun stencilMask(mask: Int): Unit\r\n fun stencilMaskSeparate(face: Int, mask: Int): Unit\r\n fun stencilOp(fail: Int, zfail: Int, zpass: Int): Unit\r\n fun stencilOpSeparate(face: Int,
fail: Int, zfail: Int, zpass: Int): Unit\r\n fun texImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, format: Int, type: Int, pixels: ArrayBufferView?): Unit\r\n fun texImage2D(target: Int, level: Int, internalformat: Int, format: Int, type: Int, source: TexImageSource?): Unit\r\n fun texParameterf(target: Int, pname: Int, param: Float): Unit\r\n fun texParameteri(target: Int, pname: Int, param: Int): Unit\r\n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?): Unit\r\n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, format: Int, type: Int, source: TexImageSource?): Unit\r\n fun uniform1f(location: WebGLUniformLocation?, x: Float): Unit\r\n fun uniform1fv(location: WebGLUniformLocation?, v: Float32Array): Unit\r\n fun uniform1fv(location: WebGLUniformLocation?, v: Array<Float>): Unit\r\n fun uniform1i(location:
WebGLUniformLocation?, x: Int): Unit\r\n fun uniform1iv(location: WebGLUniformLocation?, v: Int32Array): Unit\r\n fun uniform1iv(location: WebGLUniformLocation?, v: Array<Int>): Unit\r\n fun uniform2f(location: WebGLUniformLocation?, x: Float, y: Float): Unit\r\n fun uniform2fv(location: WebGLUniformLocation?, v: Float32Array): Unit\r\n fun uniform2fv(location: WebGLUniformLocation?, v: Array<Float>): Unit\r\n fun uniform2i(location: WebGLUniformLocation?, x: Int, y: Int): Unit\r\n fun uniform2iv(location: WebGLUniformLocation?, v: Int32Array): Unit\r\n fun uniform2iv(location: WebGLUniformLocation?, v: Array<Int>): Unit\r\n fun uniform3f(location: WebGLUniformLocation?, x: Float, y: Float, z: Float): Unit\r\n fun uniform3fv(location: WebGLUniformLocation?, v: Float32Array): Unit\r\n fun uniform3fv(location: WebGLUniformLocation?, v: Array<Float>): Unit\r\n fun uniform3i(location: WebGLUniformLocation?, x: Int, y: Int, z: Int): Unit\r\n

fun uniform3iv(location: WebGLUniformLocation?, v: Int32Array): Unit\r\n fun uniform3iv(location: WebGLUniformLocation?, v: Array<Int>): Unit\r\n fun uniform4f(location: WebGLUniformLocation?, x: Float, y: Float, z: Float, w: Float): Unit\r\n fun uniform4fv(location: WebGLUniformLocation?, v: Float32Array): Unit\r\n fun uniform4fv(location: WebGLUniformLocation?, v: Array<Float>): Unit\r\n fun uniform4i(location: WebGLUniformLocation?, x: Int, y: Int, z: Int, w: Int): Unit\r\n fun uniform4iv(location: WebGLUniformLocation?, v: Int32Array): Unit\r\n fun uniform4iv(location: WebGLUniformLocation?, v: Array<Int>): Unit\r\n fun uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array): Unit\r\n fun uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>): Unit\r\n fun uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array): Unit\r\n fun uniformMatrix3fv(location:

WebGLUniformLocation?, transpose: Boolean, value: Array<Float>): Unit\r\n fun uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array): Unit\r\n fun uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>): Unit\r\n fun useProgram(program: WebGLProgram?): Unit\r\n fun validateProgram(program: WebGLProgram?): Unit\r\n fun vertexAttrib1f(index: Int, x: Float): Unit\r\n fun vertexAttrib1fv(index: Int, values: dynamic): Unit\r\n fun vertexAttrib2f(index: Int, x: Float, y: Float): Unit\r\n fun vertexAttrib2fv(index: Int, values: dynamic): Unit\r\n fun vertexAttrib3f(index: Int, x: Float, y: Float, z: Float): Unit\r\n fun vertexAttrib3fv(index: Int, values: dynamic): Unit\r\n fun vertexAttrib4f(index: Int, x: Float, y: Float, z: Float, w: Float): Unit\r\n fun vertexAttrib4fv(index: Int, values: dynamic): Unit\r\n fun vertexAttribPointer(index: Int, size: Int, type: Int, normalized:
Boolean, stride: Int, offset: Int): Unit\r\n fun viewport(x: Int, y: Int, width: Int, height: Int): Unit\r\n\r\n companion object {\r\n val DEPTH_BUFFER_BIT: Int\r\n val STENCIL_BUFFER_BIT: Int\r\n val COLOR_BUFFER_BIT: Int\r\n val POINTS: Int\r\n val LINES: Int\r\n val LINE_LOOP: Int\r\n val LINE_STRIP: Int\r\n val TRIANGLES: Int\r\n val TRIANGLE_STRIP: Int\r\n val TRIANGLE_FAN: Int\r\n val ZERO: Int\r\n val ONE: Int\r\n val SRC_COLOR: Int\r\n val ONE_MINUS_SRC_COLOR: Int\r\n val SRC_ALPHA: Int\r\n val ONE_MINUS_SRC_ALPHA: Int\r\n val DST_ALPHA: Int\r\n val ONE_MINUS_DST_ALPHA: Int\r\n val DST_COLOR: Int\r\n val ONE_MINUS_DST_COLOR: Int\r\n val SRC_ALPHA_SATURATE: Int\r\n val FUNC_ADD: Int\r\n val BLEND_EQUATION: Int\r\n val BLEND_EQUATION_RGB: Int\r\n val BLEND_EQUATION_ALPHA: Int\r\n val FUNC_SUBTRACT:
Int\r\n val FUNC_REVERSE_SUBTRACT: Int\r\n val BLEND_DST_RGB: Int\r\n val BLEND_SRC_RGB: Int\r\n val BLEND_DST_ALPHA: Int\r\n val BLEND_SRC_ALPHA: Int\r\n val CONSTANT_COLOR: Int\r\n val ONE_MINUS_CONSTANT_COLOR: Int\r\n val CONSTANT_ALPHA: Int\r\n val ONE_MINUS_CONSTANT_ALPHA: Int\r\n val BLEND_COLOR: Int\r\n val ARRAY_BUFFER: Int\r\n val ELEMENT_ARRAY_BUFFER: Int\r\n val ARRAY_BUFFER_BINDING: Int\r\n val ELEMENT_ARRAY_BUFFER_BINDING: Int\r\n val STREAM_DRAW: Int\r\n val STATIC_DRAW: Int\r\n val DYNAMIC_DRAW: Int\r\n val BUFFER_SIZE: Int\r\n val BUFFER_USAGE: Int\r\n val CURRENT_VERTEX_ATTRIB: Int\r\n val FRONT: Int\r\n val BACK: Int\r\n val FRONT_AND_BACK: Int\r\n val CULL_FACE: Int\r\n val BLEND: Int\r\n val DITHER: Int\r\n val STENCIL_TEST: Int\r\n val DEPTH_TEST: Int\r\n val SCISSOR_TEST: Int\r\n val POLYGON_OFFSET_FILL: Int\r\n val SAMPLE_ALPHA_TO_COVERAGE: Int\r\n val SAMPLE_COVERAGE: Int\r\n val NO_ERROR: Int\r\n val INVALID_ENUM: Int\r\n val INVALID_VALUE: Int\r\n val INVALID_OPERATION: Int\r\n val OUT_OF_MEMORY: Int\r\n val CW: Int\r\n val CCW: Int\r\n val LINE_WIDTH: Int\r\n val ALIASED_POINT_SIZE_RANGE: Int\r\n val ALIASED_LINE_WIDTH_RANGE: Int\r\n val CULL_FACE_MODE: Int\r\n val FRONT_FACE: Int\r\n val DEPTH_RANGE: Int\r\n val DEPTH_WRITEMASK: Int\r\n val DEPTH_CLEAR_VALUE: Int\r\n val DEPTH_FUNC: Int\r\n val STENCIL_CLEAR_VALUE: Int\r\n val STENCIL_FUNC: Int\r\n val STENCIL_FAIL: Int\r\n val STENCIL_PASS_DEPTH_FAIL: Int\r\n val STENCIL_PASS_DEPTH_PASS: Int\r\n val STENCIL_REF: Int\r\n val STENCIL_VALUE_MASK: Int\r\n val STENCIL_WRITEMASK: Int\r\n val STENCIL_BACK_FUNC: Int\r\n val STENCIL_BACK_FAIL: Int\r\n val STENCIL_BACK_PASS_DEPTH_FAIL: Int\r\n val STENCIL_BACK_PASS_DEPTH_PASS: Int\r\n val STENCIL_BACK_REF: Int\r\n val STENCIL_BACK_VALUE_MASK: Int\r\n val STENCIL_BACK_WRITEMASK: Int\r\n val VIEWPORT: Int\r\n val SCISSOR_BOX: Int\r\n val COLOR_CLEAR_VALUE: Int\r\n val COLOR_WRITEMASK: Int\r\n val UNPACK_ALIGNMENT: Int\r\n val PACK_ALIGNMENT: Int\r\n val MAX_TEXTURE_SIZE: Int\r\n val MAX_VIEWPORT_DIMS: Int\r\n val SUBPIXEL_BITS: Int\r\n val RED_BITS: Int\r\n val GREEN_BITS: Int\r\n val BLUE_BITS: Int\r\n val ALPHA_BITS: Int\r\n val DEPTH_BITS: Int\r\n

val STENCIL_BITS: Int\r\n val POLYGON_OFFSET_UNITS: Int\r\n val POLYGON_OFFSET_FACTOR: Int\r\n val TEXTURE_BINDING_2D: Int\r\n val SAMPLE_BUFFERS: Int\r\n val SAMPLES: Int\r\n val SAMPLE_COVERAGE_VALUE: Int\r\n val SAMPLE_COVERAGE_INVERT: Int\r\n val COMPRESSED_TEXTURE_FORMATS: Int\r\n val DONT_CARE: Int\r\n val FASTEST: Int\r\n val NICEST: Int\r\n val GENERATE_MIPMAP_HINT: Int\r\n val BYTE: Int\r\n val UNSIGNED_BYTE: Int\r\n val SHORT: Int\r\n val UNSIGNED_SHORT: Int\r\n val INT: Int\r\n val UNSIGNED_INT: Int\r\n val FLOAT: Int\r\n val DEPTH_COMPONENT: Int\r\n val ALPHA: Int\r\n val RGB: Int\r\n val RGBA: Int\r\n val LUMINANCE: Int\r\n val LUMINANCE_ALPHA: Int\r\n val UNSIGNED_SHORT_4_4_4_4: Int\r\n val UNSIGNED_SHORT_5_5_5_1: Int\r\n val UNSIGNED_SHORT_5_6_5: Int\r\n val FRAGMENT_SHADER: Int\r\n val VERTEX_SHADER: Int\r\n val MAX_VERTEX_ATTRIBS: Int\r\n val MAX_VERTEX_UNIFORM_VECTORS: Int\r\n val MAX_VARYING_VECTORS: Int\r\n val MAX_COMBINED_TEXTURE_IMAGE_UNITS: Int\r\n val MAX_VERTEX_TEXTURE_IMAGE_UNITS: Int\r\n val MAX_TEXTURE_IMAGE_UNITS: Int\r\n val MAX_FRAGMENT_UNIFORM_VECTORS: Int\r\n val SHADER_TYPE: Int\r\n val DELETE_STATUS: Int\r\n val LINK_STATUS: Int\r\n val VALIDATE_STATUS: Int\r\n val ATTACHED_SHADERS: Int\r\n val ACTIVE_UNIFORMS: Int\r\n val ACTIVE_ATTRIBUTES: Int\r\n val SHADING_LANGUAGE_VERSION: Int\r\n val CURRENT_PROGRAM: Int\r\n val NEVER: Int\r\n val LESS: Int\r\n val EQUAL: Int\r\n val LEQUAL: Int\r\n val GREATER: Int\r\n val NOTEQUAL: Int\r\n val GEQUAL: Int\r\n val ALWAYS: Int\r\n val KEEP: Int\r\n val REPLACE: Int\r\n val INCR: Int\r\n val DECR: Int\r\n val INVERT: Int\r\n val INCR_WRAP: Int\r\n val DECR_WRAP: Int\r\n val VENDOR: Int\r\n val RENDERER: Int\r\n val VERSION: Int\r\n val NEAREST: Int\r\n val LINEAR: Int\r\n val NEAREST_MIPMAP_NEAREST: Int\r\n val LINEAR_MIPMAP_NEAREST: Int\r\n val NEAREST_MIPMAP_LINEAR: Int\r\n val LINEAR_MIPMAP_LINEAR: Int\r\n val TEXTURE_MAG_FILTER: Int\r\n val TEXTURE_MIN_FILTER: Int\r\n val TEXTURE_WRAP_S: Int\r\n val TEXTURE_WRAP_T: Int\r\n val TEXTURE_2D: Int\r\n val TEXTURE: Int\r\n val TEXTURE_CUBE_MAP: Int\r\n val TEXTURE_BINDING_CUBE_MAP: Int\r\n val TEXTURE_CUBE_MAP_POSITIVE_X: Int\r\n val TEXTURE_CUBE_MAP_NEGATIVE_X: Int\r\n val TEXTURE_CUBE_MAP_POSITIVE_Y: Int\r\n val TEXTURE_CUBE_MAP_NEGATIVE_Y: Int\r\n val TEXTURE_CUBE_MAP_POSITIVE_Z: Int\r\n val TEXTURE_CUBE_MAP_NEGATIVE_Z: Int\r\n val MAX_CUBE_MAP_TEXTURE_SIZE: Int\r\n val TEXTURE0: Int\r\n val TEXTURE1: Int\r\n val TEXTURE2: Int\r\n val TEXTURE3: Int\r\n val TEXTURE4: Int\r\n val TEXTURE5: Int\r\n val TEXTURE6: Int\r\n val TEXTURE7: Int\r\n val TEXTURE8: Int\r\n val TEXTURE9: Int\r\n val TEXTURE10: Int\r\n val TEXTURE11: Int\r\n val TEXTURE12: Int\r\n val TEXTURE13: Int\r\n val TEXTURE14: Int\r\n val TEXTURE15: Int\r\n val TEXTURE16: Int\r\n val TEXTURE17: Int\r\n val TEXTURE18: Int\r\n val TEXTURE19: Int\r\n val TEXTURE20: Int\r\n val TEXTURE21: Int\r\n val TEXTURE22: Int\r\n val TEXTURE23: Int\r\n val TEXTURE24: Int\r\n val TEXTURE25: Int\r\n val TEXTURE26: Int\r\n val TEXTURE27: Int\r\n val TEXTURE28: Int\r\n val TEXTURE29: Int\r\n val TEXTURE30: Int\r\n val TEXTURE31: Int\r\n val ACTIVE_TEXTURE: Int\r\n val REPEAT: Int\r\n val CLAMP_TO_EDGE: Int\r\n val MIRRORED_REPEAT: Int\r\n val FLOAT_VEC2: Int\r\n val FLOAT_VEC3: Int\r\n val FLOAT_VEC4: Int\r\n val INT_VEC2: Int\r\n val INT_VEC3: Int\r\n val INT_VEC4: Int\r\n val BOOL: Int\r\n val BOOL_VEC2: Int\r\n val BOOL_VEC3: Int\r\n val BOOL_VEC4: Int\r\n val FLOAT_MAT2: Int\r\n val FLOAT_MAT3: Int\r\n val FLOAT_MAT4: Int\r\n val SAMPLER_2D: Int\r\n val SAMPLER_CUBE: Int\r\n val VERTEX_ATTRIB_ARRAY_ENABLED: Int\r\n val VERTEX_ATTRIB_ARRAY_SIZE: Int\r\n val VERTEX_ATTRIB_ARRAY_STRIDE: Int\r\n val VERTEX_ATTRIB_ARRAY_TYPE: Int\r\n val

VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\r\n val VERTEX_ATTRIB_ARRAY_POINTER: Int\r\n val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING: Int\r\n val IMPLEMENTATION_COLOR_READ_TYPE: Int\r\n val IMPLEMENTATION_COLOR_READ_FORMAT: Int\r\n val COMPILE_STATUS: Int\r\n val LOW_FLOAT: Int\r\n val MEDIUM_FLOAT: Int\r\n val HIGH_FLOAT: Int\r\n val LOW_INT: Int\r\n val MEDIUM_INT: Int\r\n val HIGH_INT: Int\r\n val FRAMEBUFFER: Int\r\n val RENDERBUFFER: Int\r\n val RGBA4: Int\r\n val RGB5_A1: Int\r\n val RGB565: Int\r\n val DEPTH_COMPONENT16: Int\r\n val STENCIL_INDEX: Int\r\n val STENCIL_INDEX8: Int\r\n val DEPTH_STENCIL: Int\r\n val RENDERBUFFER_WIDTH: Int\r\n val RENDERBUFFER_HEIGHT: Int\r\n val RENDERBUFFER_INTERNAL_FORMAT: Int\r\n val RENDERBUFFER_RED_SIZE: Int\r\n val RENDERBUFFER_GREEN_SIZE: Int\r\n val RENDERBUFFER_BLUE_SIZE: Int\r\n val RENDERBUFFER_ALPHA_SIZE: Int\r\n val RENDERBUFFER_DEPTH_SIZE: Int\r\n val RENDERBUFFER_STENCIL_SIZE: Int\r\n val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\r\n val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\r\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\r\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\r\n val COLOR_ATTACHMENT0: Int\r\n val DEPTH_ATTACHMENT: Int\r\n val STENCIL_ATTACHMENT: Int\r\n val DEPTH_STENCIL_ATTACHMENT: Int\r\n val NONE: Int\r\n val FRAMEBUFFER_COMPLETE: Int\r\n val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\r\n val FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT: Int\r\n val FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\r\n val FRAMEBUFFER_UNSUPPORTED: Int\r\n val FRAMEBUFFER_BINDING: Int\r\n val RENDERBUFFER_BINDING: Int\r\n val MAX_RENDERBUFFER_SIZE: Int\r\n val INVALID_FRAMEBUFFER_OPERATION: Int\r\n val UNPACK_FLIP_Y_WEBGL: Int\r\n val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\r\n val CONTEXT_LOST_WEBGL: Int\r\n val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\r\n val BROWSER_DEFAULT_WEBGL: Int\r\n }\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [WebGLRenderingContext](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderingContext) to Kotlin\r\n */\r\npublic external abstract class WebGLRenderingContext : WebGLRenderingContextBase, RenderingContext {\r\n\r\n
    companion object {\r\n val DEPTH_BUFFER_BIT: Int\r\n val STENCIL_BUFFER_BIT: Int\r\n val COLOR_BUFFER_BIT: Int\r\n val POINTS: Int\r\n val LINES: Int\r\n val LINE_LOOP: Int\r\n val LINE_STRIP: Int\r\n val TRIANGLES: Int\r\n val TRIANGLE_STRIP: Int\r\n val TRIANGLE_FAN: Int\r\n val ZERO: Int\r\n val ONE: Int\r\n val SRC_COLOR: Int\r\n val ONE_MINUS_SRC_COLOR: Int\r\n val SRC_ALPHA: Int\r\n val ONE_MINUS_SRC_ALPHA: Int\r\n val DST_ALPHA: Int\r\n val ONE_MINUS_DST_ALPHA: Int\r\n val DST_COLOR: Int\r\n val ONE_MINUS_DST_COLOR: Int\r\n val SRC_ALPHA_SATURATE: Int\r\n val FUNC_ADD: Int\r\n val BLEND_EQUATION: Int\r\n val BLEND_EQUATION_RGB: Int\r\n val BLEND_EQUATION_ALPHA: Int\r\n val FUNC_SUBTRACT: Int\r\n val FUNC_REVERSE_SUBTRACT: Int\r\n val BLEND_DST_RGB: Int\r\n val BLEND_SRC_RGB: Int\r\n val BLEND_DST_ALPHA: Int\r\n val BLEND_SRC_ALPHA: Int\r\n val CONSTANT_COLOR: Int\r\n val ONE_MINUS_CONSTANT_COLOR: Int\r\n val CONSTANT_ALPHA: Int\r\n val ONE_MINUS_CONSTANT_ALPHA: Int\r\n val BLEND_COLOR: Int\r\n val ARRAY_BUFFER: Int\r\n val ELEMENT_ARRAY_BUFFER: Int\r\n val ARRAY_BUFFER_BINDING: Int\r\n val ELEMENT_ARRAY_BUFFER_BINDING: Int\r\n val STREAM_DRAW: Int\r\n val STATIC_DRAW: Int\r\n val DYNAMIC_DRAW: Int\r\n val BUFFER_SIZE: Int\r\n val BUFFER_USAGE: Int\r\n val CURRENT_VERTEX_ATTRIB: Int\r\n val FRONT: Int\r\n val BACK: Int\r\n val FRONT_AND_BACK: Int\r\n val CULL_FACE: Int\r\n val

BLEND: Int\r\n val DITHER: Int\r\n val STENCIL_TEST: Int\r\n val DEPTH_TEST: Int\r\n val SCISSOR_TEST: Int\r\n val POLYGON_OFFSET_FILL: Int\r\n val SAMPLE_ALPHA_TO_COVERAGE: Int\r\n
val SAMPLE_COVERAGE: Int\r\n val NO_ERROR: Int\r\n val INVALID_ENUM: Int\r\n val INVALID_VALUE: Int\r\n val INVALID_OPERATION: Int\r\n val OUT_OF_MEMORY: Int\r\n val CW: Int\r\n val CCW: Int\r\n val LINE_WIDTH: Int\r\n val ALIASED_POINT_SIZE_RANGE: Int\r\n val ALIASED_LINE_WIDTH_RANGE: Int\r\n val CULL_FACE_MODE: Int\r\n val FRONT_FACE: Int\r\n val DEPTH_RANGE: Int\r\n val DEPTH_WRITEMASK: Int\r\n val DEPTH_CLEAR_VALUE: Int\r\n val DEPTH_FUNC: Int\r\n val STENCIL_CLEAR_VALUE: Int\r\n val STENCIL_FUNC: Int\r\n val STENCIL_FAIL: Int\r\n val STENCIL_PASS_DEPTH_FAIL: Int\r\n val STENCIL_PASS_DEPTH_PASS: Int\r\n val STENCIL_REF: Int\r\n val STENCIL_VALUE_MASK: Int\r\n val STENCIL_WRITEMASK: Int\r\n val STENCIL_BACK_FUNC: Int\r\n val STENCIL_BACK_FAIL: Int\r\n val STENCIL_BACK_PASS_DEPTH_FAIL: Int\r\n
val STENCIL_BACK_PASS_DEPTH_PASS: Int\r\n val STENCIL_BACK_REF: Int\r\n val STENCIL_BACK_VALUE_MASK: Int\r\n val STENCIL_BACK_WRITEMASK: Int\r\n val VIEWPORT: Int\r\n val SCISSOR_BOX: Int\r\n val COLOR_CLEAR_VALUE: Int\r\n val COLOR_WRITEMASK: Int\r\n val UNPACK_ALIGNMENT: Int\r\n val PACK_ALIGNMENT: Int\r\n
val MAX_TEXTURE_SIZE: Int\r\n val MAX_VIEWPORT_DIMS: Int\r\n val SUBPIXEL_BITS: Int\r\n
val RED_BITS: Int\r\n val GREEN_BITS: Int\r\n val BLUE_BITS: Int\r\n val ALPHA_BITS: Int\r\n val DEPTH_BITS: Int\r\n val STENCIL_BITS: Int\r\n val POLYGON_OFFSET_UNITS: Int\r\n val POLYGON_OFFSET_FACTOR: Int\r\n val TEXTURE_BINDING_2D: Int\r\n val SAMPLE_BUFFERS: Int\r\n val SAMPLES: Int\r\n val SAMPLE_COVERAGE_VALUE: Int\r\n val SAMPLE_COVERAGE_INVERT: Int\r\n val COMPRESSED_TEXTURE_FORMATS: Int\r\n
val DONT_CARE: Int\r\n val FASTEST: Int\r\n val NICEST: Int\r\n val GENERATE_MIPMAP_HINT: Int\r\n val BYTE: Int\r\n val UNSIGNED_BYTE: Int\r\n val SHORT: Int\r\n val UNSIGNED_SHORT: Int\r\n val INT: Int\r\n val UNSIGNED_INT: Int\r\n val FLOAT: Int\r\n val DEPTH_COMPONENT: Int\r\n val ALPHA: Int\r\n val RGB: Int\r\n val RGBA: Int\r\n val LUMINANCE: Int\r\n val LUMINANCE_ALPHA: Int\r\n val UNSIGNED_SHORT_4_4_4_4: Int\r\n val UNSIGNED_SHORT_5_5_5_1: Int\r\n val UNSIGNED_SHORT_5_6_5: Int\r\n val FRAGMENT_SHADER: Int\r\n val VERTEX_SHADER: Int\r\n
val MAX_VERTEX_ATTRIBS: Int\r\n val MAX_VERTEX_UNIFORM_VECTORS: Int\r\n val MAX_VARYING_VECTORS: Int\r\n val MAX_COMBINED_TEXTURE_IMAGE_UNITS: Int\r\n val MAX_VERTEX_TEXTURE_IMAGE_UNITS: Int\r\n val MAX_TEXTURE_IMAGE_UNITS: Int\r\n val MAX_FRAGMENT_UNIFORM_VECTORS:
Int\r\n val SHADER_TYPE: Int\r\n val DELETE_STATUS: Int\r\n val LINK_STATUS: Int\r\n val VALIDATE_STATUS: Int\r\n val ATTACHED_SHADERS: Int\r\n val ACTIVE_UNIFORMS: Int\r\n
val ACTIVE_ATTRIBUTES: Int\r\n val SHADING_LANGUAGE_VERSION: Int\r\n val CURRENT_PROGRAM: Int\r\n val NEVER: Int\r\n val LESS: Int\r\n val EQUAL: Int\r\n val LEQUAL: Int\r\n val GREATER: Int\r\n val NOTEQUAL: Int\r\n val GEQUAL: Int\r\n val ALWAYS: Int\r\n val KEEP: Int\r\n val REPLACE: Int\r\n val INCR: Int\r\n val DECR: Int\r\n
val INVERT: Int\r\n val INCR_WRAP: Int\r\n val DECR_WRAP: Int\r\n val VENDOR: Int\r\n val RENDERER: Int\r\n val VERSION: Int\r\n val NEAREST: Int\r\n val LINEAR: Int\r\n val NEAREST_MIPMAP_NEAREST: Int\r\n val LINEAR_MIPMAP_NEAREST: Int\r\n val NEAREST_MIPMAP_LINEAR:
Int\r\n val LINEAR_MIPMAP_LINEAR: Int\r\n val TEXTURE_MAG_FILTER: Int\r\n val TEXTURE_MIN_FILTER: Int\r\n val TEXTURE_WRAP_S: Int\r\n val TEXTURE_WRAP_T: Int\r\n val TEXTURE_2D: Int\r\n val TEXTURE: Int\r\n val TEXTURE_CUBE_MAP: Int\r\n val TEXTURE_BINDING_CUBE_MAP: Int\r\n val TEXTURE_CUBE_MAP_POSITIVE_X: Int\r\n val

TEXTURE_CUBE_MAP_NEGATIVE_X: Int\r\n val TEXTURE_CUBE_MAP_POSITIVE_Y: Int\r\n val TEXTURE_CUBE_MAP_NEGATIVE_Y: Int\r\n val TEXTURE_CUBE_MAP_POSITIVE_Z: Int\r\n val TEXTURE_CUBE_MAP_NEGATIVE_Z: Int\r\n val MAX_CUBE_MAP_TEXTURE_SIZE: Int\r\n val TEXTURE0: Int\r\n val TEXTURE1: Int\r\n val TEXTURE2: Int\r\n val TEXTURE3: Int\r\n val TEXTURE4: Int\r\n val TEXTURE5: Int\r\n val TEXTURE6: Int\r\n val TEXTURE7: Int\r\n val TEXTURE8: Int\r\n val TEXTURE9: Int\r\n val TEXTURE10: Int\r\n val TEXTURE11: Int\r\n val TEXTURE12: Int\r\n val TEXTURE13: Int\r\n val TEXTURE14: Int\r\n val TEXTURE15: Int\r\n val TEXTURE16: Int\r\n val TEXTURE17: Int\r\n val TEXTURE18: Int\r\n val TEXTURE19: Int\r\n val TEXTURE20: Int\r\n val TEXTURE21: Int\r\n val TEXTURE22: Int\r\n val TEXTURE23: Int\r\n val TEXTURE24: Int\r\n val TEXTURE25: Int\r\n val TEXTURE26: Int\r\n val TEXTURE27: Int\r\n val TEXTURE28: Int\r\n val TEXTURE29: Int\r\n val TEXTURE30: Int\r\n val TEXTURE31: Int\r\n val ACTIVE_TEXTURE: Int\r\n val REPEAT: Int\r\n val CLAMP_TO_EDGE: Int\r\n val MIRRORED_REPEAT: Int\r\n val FLOAT_VEC2: Int\r\n val FLOAT_VEC3: Int\r\n val FLOAT_VEC4: Int\r\n val INT_VEC2: Int\r\n val INT_VEC3: Int\r\n val INT_VEC4: Int\r\n val BOOL: Int\r\n val BOOL_VEC2: Int\r\n val BOOL_VEC3: Int\r\n val BOOL_VEC4: Int\r\n val FLOAT_MAT2: Int\r\n val FLOAT_MAT3: Int\r\n val FLOAT_MAT4: Int\r\n val SAMPLER_2D: Int\r\n val SAMPLER_CUBE: Int\r\n val VERTEX_ATTRIB_ARRAY_ENABLED: Int\r\n val VERTEX_ATTRIB_ARRAY_SIZE: Int\r\n val VERTEX_ATTRIB_ARRAY_STRIDE: Int\r\n val VERTEX_ATTRIB_ARRAY_TYPE: Int\r\n val VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\r\n val VERTEX_ATTRIB_ARRAY_POINTER: Int\r\n val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING: Int\r\n val IMPLEMENTATION_COLOR_READ_TYPE: Int\r\n val IMPLEMENTATION_COLOR_READ_FORMAT: Int\r\n val COMPILE_STATUS: Int\r\n val LOW_FLOAT: Int\r\n val MEDIUM_FLOAT: Int\r\n val HIGH_FLOAT: Int\r\n val LOW_INT: Int\r\n val MEDIUM_INT: Int\r\n val HIGH_INT: Int\r\n val FRAMEBUFFER: Int\r\n val RENDERBUFFER: Int\r\n val RGBA4: Int\r\n val RGB5_A1: Int\r\n
val RGB565: Int\r\n val DEPTH_COMPONENT16: Int\r\n val STENCIL_INDEX: Int\r\n val STENCIL_INDEX8: Int\r\n val DEPTH_STENCIL: Int\r\n val RENDERBUFFER_WIDTH: Int\r\n val RENDERBUFFER_HEIGHT: Int\r\n val RENDERBUFFER_INTERNAL_FORMAT: Int\r\n val RENDERBUFFER_RED_SIZE: Int\r\n val RENDERBUFFER_GREEN_SIZE: Int\r\n val RENDERBUFFER_BLUE_SIZE: Int\r\n val RENDERBUFFER_ALPHA_SIZE: Int\r\n val RENDERBUFFER_DEPTH_SIZE: Int\r\n val RENDERBUFFER_STENCIL_SIZE: Int\r\n val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\r\n val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\r\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\r\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\r\n val COLOR_ATTACHMENT0: Int\r\n val DEPTH_ATTACHMENT: Int\r\n val STENCIL_ATTACHMENT: Int\r\n val DEPTH_STENCIL_ATTACHMENT: Int\r\n val NONE: Int\r\n val FRAMEBUFFER_COMPLETE: Int\r\n val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\r\n val FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT: Int\r\n val FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\r\n val FRAMEBUFFER_UNSUPPORTED: Int\r\n val FRAMEBUFFER_BINDING: Int\r\n val RENDERBUFFER_BINDING: Int\r\n val MAX_RENDERBUFFER_SIZE: Int\r\n val INVALID_FRAMEBUFFER_OPERATION: Int\r\n val UNPACK_FLIP_Y_WEBGL: Int\r\n val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\r\n val CONTEXT_LOST_WEBGL: Int\r\n val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\r\n val BROWSER_DEFAULT_WEBGL: Int\r\n }\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [WebGLContextEvent](https://developer.mozilla.org/en/docs/Web/API/WebGLContextEvent) to Kotlin\r\n */\r\npublic external open class WebGLContextEvent(type: String, eventInit: WebGLContextEventInit =

definedExternally) : Event {\r\n   open val statusMessage: String\r\n}\r\n\r\npublic external interface WebGLContextEventInit :
EventInit {\r\n   var statusMessage: String? /* = \"\" */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun WebGLContextEventInit(statusMessage: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): WebGLContextEventInit {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"statusMessage\"] = statusMessage\r\n   o[\"bubbles\"] = bubbles\r\n   o[\"cancelable\"] = cancelable\r\n   o[\"composed\"] = composed\r\n\r\n   return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [ArrayBuffer](https://developer.mozilla.org/en/docs/Web/API/ArrayBuffer) to Kotlin\r\n */\r\npublic external open class ArrayBuffer(length: Int) : BufferDataSource {\r\n   open val byteLength: Int\r\n   fun slice(begin: Int, end: Int = definedExternally): ArrayBuffer\r\n\r\n   companion object {\r\n   fun isView(value: Any?): Boolean\r\n   }\r\n}\r\n\r\n\r\n/**\r\n * Exposes the JavaScript [ArrayBufferView](https://developer.mozilla.org/en/docs/Web/API/ArrayBufferView) to Kotlin\r\n */\r\npublic external interface ArrayBufferView : BufferDataSource {\r\n   val buffer: ArrayBuffer\r\n   val byteOffset: Int\r\n   val byteLength: Int\r\n}\r\n\r\n\r\n/**\r\n * Exposes the JavaScript [Int8Array](https://developer.mozilla.org/en/docs/Web/API/Int8Array) to Kotlin\r\n */\r\npublic external open class Int8Array : ArrayBufferView {\r\n   constructor(length: Int)\r\n   constructor(array: Int8Array)\r\n   constructor(array: Array<Byte>)\r\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\r\n   open val length: Int\r\n   override val buffer: ArrayBuffer\r\n   override val byteOffset: Int\r\n   override val byteLength: Int\r\n   fun set(array: Int8Array, offset: Int = definedExternally): Unit\r\n   fun set(array: Array<Byte>, offset: Int = definedExternally): Unit\r\n   fun subarray(start: Int, end: Int): Int8Array\r\n\r\n\r\n   companion object {\r\n   val BYTES_PER_ELEMENT: Int\r\n   }\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun Int8Array.get(index: Int): Byte = asDynamic()[index]\r\n@kotlin.internal.InlineOnly inline operator fun Int8Array.set(index: Int, value: Byte): Unit { asDynamic()[index] = value; }\r\n\r\n\r\n/**\r\n * Exposes the JavaScript [Uint8Array](https://developer.mozilla.org/en/docs/Web/API/Uint8Array) to Kotlin\r\n */\r\npublic external open class Uint8Array : ArrayBufferView {\r\n   constructor(length: Int)\r\n   constructor(array: Uint8Array)\r\n   constructor(array: Array<Byte>)\r\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\r\n   open val length: Int\r\n   override val buffer: ArrayBuffer\r\n   override val byteOffset: Int\r\n   override val byteLength: Int\r\n   fun set(array: Uint8Array, offset: Int = definedExternally): Unit\r\n   fun set(array: Array<Byte>, offset: Int = definedExternally): Unit\r\n   fun subarray(start: Int, end: Int): Uint8Array\r\n\r\n\r\n   companion object {\r\n   val BYTES_PER_ELEMENT: Int\r\n   }\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun Uint8Array.get(index: Int): Byte = asDynamic()[index]\r\n@kotlin.internal.InlineOnly inline operator fun Uint8Array.set(index: Int, value: Byte): Unit { asDynamic()[index] = value; }\r\n\r\n\r\n/**\r\n * Exposes the JavaScript [Uint8ClampedArray](https://developer.mozilla.org/en/docs/Web/API/Uint8ClampedArray) to Kotlin\r\n */\r\npublic external open class Uint8ClampedArray : ArrayBufferView {\r\n   constructor(length: Int)\r\n   constructor(array: Uint8ClampedArray)\r\n   constructor(array: Array<Byte>)\r\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\r\n   open val length: Int\r\n   override val buffer: ArrayBuffer\r\n   override val byteOffset: Int\r\n   override val byteLength: Int\r\n   fun set(array: Uint8ClampedArray, offset:
Int = definedExternally): Unit\r\n   fun set(array: Array<Byte>, offset: Int = definedExternally): Unit\r\n   fun subarray(start: Int, end: Int): Uint8ClampedArray\r\n\r\n\r\n   companion object {\r\n   val BYTES_PER_ELEMENT: Int\r\n   }\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun Uint8ClampedArray.get(index: Int): Byte = asDynamic()[index]\r\n@kotlin.internal.InlineOnly inline operator fun Uint8ClampedArray.set(index: Int, value: Byte): Unit { asDynamic()[index] = value; }\r\n\r\n\r\n/**\r\n * Exposes the JavaScript [Int16Array](https://developer.mozilla.org/en/docs/Web/API/Int16Array) to Kotlin\r\n */\r\npublic external open class Int16Array : ArrayBufferView {\r\n   constructor(length: Int)\r\n   constructor(array:

Int16Array)\r\n   constructor(array: Array<Short>)\r\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\r\n   open val length: Int\r\n   override val buffer: ArrayBuffer\r\n   override val
byteOffset: Int\r\n   override val byteLength: Int\r\n   fun set(array: Int16Array, offset: Int = definedExternally): Unit\r\n   fun set(array: Array<Short>, offset: Int = definedExternally): Unit\r\n   fun subarray(start: Int, end: Int): Int16Array\r\n\r\n   companion object {\r\n   val BYTES_PER_ELEMENT: Int\r\n   }\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun Int16Array.get(index: Int): Short = asDynamic()[index]\r\n@kotlin.internal.InlineOnly inline operator fun Int16Array.set(index: Int, value: Short): Unit { asDynamic()[index] = value; }\r\n\r\n/**\r\n * Exposes the JavaScript [Uint16Array](https://developer.mozilla.org/en/docs/Web/API/Uint16Array) to Kotlin\r\n */\r\npublic external open class Uint16Array : ArrayBufferView {\r\n   constructor(length: Int)\r\n   constructor(array: Uint16Array)\r\n   constructor(array: Array<Short>)\r\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\r\n   open val
length: Int\r\n   override val buffer: ArrayBuffer\r\n   override val byteOffset: Int\r\n   override val byteLength: Int\r\n   fun set(array: Uint16Array, offset: Int = definedExternally): Unit\r\n   fun set(array: Array<Short>, offset: Int = definedExternally): Unit\r\n   fun subarray(start: Int, end: Int): Uint16Array\r\n\r\n   companion object {\r\n
val BYTES_PER_ELEMENT: Int\r\n   }\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun Uint16Array.get(index: Int): Short = asDynamic()[index]\r\n@kotlin.internal.InlineOnly inline operator fun Uint16Array.set(index: Int, value: Short): Unit { asDynamic()[index] = value; }\r\n\r\n/**\r\n * Exposes the JavaScript [Int32Array](https://developer.mozilla.org/en/docs/Web/API/Int32Array) to Kotlin\r\n */\r\npublic external open class Int32Array : ArrayBufferView {\r\n   constructor(length: Int)\r\n   constructor(array: Int32Array)\r\n   constructor(array: Array<Int>)\r\n   constructor(buffer: ArrayBuffer, byteOffset: Int
= definedExternally, length: Int = definedExternally)\r\n   open val length: Int\r\n   override val buffer: ArrayBuffer\r\n   override val byteOffset: Int\r\n   override val byteLength: Int\r\n   fun set(array: Int32Array, offset: Int = definedExternally): Unit\r\n   fun set(array: Array<Int>, offset: Int = definedExternally): Unit\r\n   fun subarray(start: Int, end: Int): Int32Array\r\n\r\n   companion object {\r\n   val BYTES_PER_ELEMENT: Int\r\n   }\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun Int32Array.get(index: Int): Int = asDynamic()[index]\r\n@kotlin.internal.InlineOnly inline operator fun Int32Array.set(index: Int, value: Int): Unit { asDynamic()[index] = value; }\r\n\r\n/**\r\n * Exposes the JavaScript [Uint32Array](https://developer.mozilla.org/en/docs/Web/API/Uint32Array) to Kotlin\r\n */\r\npublic external open class Uint32Array : ArrayBufferView {\r\n   constructor(length: Int)\r\n   constructor(array: Uint32Array)\r\n   constructor(array: Array<Int>)\r\n
    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\r\n   open val length: Int\r\n   override val buffer: ArrayBuffer\r\n   override val byteOffset: Int\r\n   override val byteLength: Int\r\n   fun set(array: Uint32Array, offset: Int = definedExternally): Unit\r\n   fun set(array: Array<Int>, offset: Int = definedExternally): Unit\r\n   fun subarray(start: Int, end: Int): Uint32Array\r\n\r\n   companion object {\r\n
val BYTES_PER_ELEMENT: Int\r\n   }\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun Uint32Array.get(index: Int): Int = asDynamic()[index]\r\n@kotlin.internal.InlineOnly inline operator fun Uint32Array.set(index: Int, value: Int): Unit { asDynamic()[index] = value; }\r\n\r\n/**\r\n * Exposes the JavaScript [Float32Array](https://developer.mozilla.org/en/docs/Web/API/Float32Array) to Kotlin\r\n */\r\npublic external open class Float32Array : ArrayBufferView {\r\n   constructor(length:
Int)\r\n   constructor(array: Float32Array)\r\n   constructor(array: Array<Float>)\r\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\r\n   open val length: Int\r\n   override val buffer: ArrayBuffer\r\n   override val byteOffset: Int\r\n   override val byteLength: Int\r\n   fun set(array: Float32Array, offset: Int = definedExternally): Unit\r\n   fun set(array: Array<Float>, offset: Int = definedExternally): Unit\r\n   fun subarray(start: Int, end: Int): Float32Array\r\n\r\n   companion object {\r\n
val BYTES_PER_ELEMENT: Int\r\n   }\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun Float32Array.get(index: Int): Float = asDynamic()[index]\r\n@kotlin.internal.InlineOnly inline operator fun

Float32Array.set(index: Int, value: Float): Unit { asDynamic()[index] = value; }\r\n\r\n/**\r\n * Exposes the JavaScript [Float64Array](https://developer.mozilla.org/en/docs/Web/API/Float64Array) to Kotlin\r\n */\r\npublic external open class Float64Array : ArrayBufferView {\r\n constructor(length: Int)\r\n constructor(array: Float64Array)\r\n constructor(array: Array<Double>)\r\n constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\r\n open val length: Int\r\n override val buffer: ArrayBuffer\r\n override val byteOffset: Int\r\n override val byteLength: Int\r\n fun set(array: Float64Array, offset: Int = definedExternally): Unit\r\n fun set(array: Array<Double>, offset: Int = definedExternally): Unit\r\n fun subarray(start: Int, end: Int): Float64Array\r\n\r\n companion object {\r\n val BYTES_PER_ELEMENT: Int\r\n }\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun Float64Array.get(index: Int): Double = asDynamic()[index]\r\n@kotlin.internal.InlineOnly inline operator fun Float64Array.set(index: Int, value: Double): Unit { asDynamic()[index] = value; }\r\n\r\n/**\r\n * Exposes the JavaScript [DataView](https://developer.mozilla.org/en/docs/Web/API/DataView) to Kotlin\r\n */\r\npublic external open class DataView(buffer: ArrayBuffer, byteOffset: Int = definedExternally, byteLength: Int = definedExternally) : ArrayBufferView {\r\n override val buffer: ArrayBuffer\r\n override val byteOffset: Int\r\n override val byteLength: Int\r\n fun getInt8(byteOffset: Int): Byte\r\n fun getUint8(byteOffset: Int): Byte\r\n fun getInt16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short\r\n fun getUint16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short\r\n fun getInt32(byteOffset: Int, littleEndian: Boolean = definedExternally): Int\r\n fun getUint32(byteOffset: Int, littleEndian: Boolean = definedExternally): Int\r\n fun getFloat32(byteOffset: Int, littleEndian: Boolean = definedExternally): Float\r\n fun getFloat64(byteOffset: Int, littleEndian: Boolean = definedExternally): Double\r\n fun setInt8(byteOffset: Int, value: Byte): Unit\r\n fun setUint8(byteOffset: Int, value: Byte): Unit\r\n fun setInt16(byteOffset: Int, value: Short, littleEndian: Boolean = definedExternally): Unit\r\n fun setUint16(byteOffset: Int, value: Short, littleEndian: Boolean = definedExternally): Unit\r\n fun setInt32(byteOffset: Int, value: Int, littleEndian: Boolean = definedExternally): Unit\r\n fun setUint32(byteOffset: Int, value: Int, littleEndian: Boolean = definedExternally): Unit\r\n fun setFloat32(byteOffset: Int, value: Float, littleEndian: Boolean = definedExternally): Unit\r\n fun setFloat64(byteOffset: Int, value: Double, littleEndian: Boolean = definedExternally): Unit\r\n}\r\n\r\npublic external @marker interface BufferDataSource {\r\n}\r\n\r\npublic external @marker interface TexImageSource {\r\n}\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\r\n// See libraries/tools/idl2k for details\r\n\r\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\r\npackage org.w3c.dom.clipboard\r\n\r\nimport kotlin.js.*\r\nimport org.khronos.webgl.*\r\nimport org.w3c.css.masking.*\r\nimport org.w3c.dom.*\r\nimport org.w3c.dom.css.*\r\nimport org.w3c.dom.events.*\r\nimport org.w3c.dom.mediacapture.*\r\nimport org.w3c.dom.parsing.*\r\nimport org.w3c.dom.pointerevents.*\r\nimport org.w3c.dom.svg.*\r\nimport org.w3c.dom.url.*\r\nimport org.w3c.fetch.*\r\nimport org.w3c.files.*\r\nimport org.w3c.notifications.*\r\nimport org.w3c.performance.*\r\nimport org.w3c.workers.*\r\nimport org.w3c.xhr.*\r\n\r\npublic external interface ClipboardEventInit : EventInit {\r\n var clipboardData: DataTransfer? /* = null */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ClipboardEventInit(clipboardData: DataTransfer? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ClipboardEventInit {\r\n val o = js(\"({})\")\r\n\r\n o[\"clipboardData\"] = clipboardData\r\n o[\"bubbles\"] = bubbles\r\n o[\"cancelable\"] = cancelable\r\n o[\"composed\"] = composed\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [ClipboardEvent](https://developer.mozilla.org/en/docs/Web/API/ClipboardEvent) to Kotlin\r\n */\r\npublic external open class ClipboardEvent(type: String, eventInitDict: ClipboardEventInit = definedExternally) : Event {\r\n open val clipboardData: DataTransfer?\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [Clipboard](https://developer.mozilla.org/en/docs/Web/API/Clipboard) to Kotlin\r\n */\r\npublic external

abstract class Clipboard : EventTarget {\r\n   fun read(): Promise<DataTransfer>\r\n   fun readText(): Promise<String>\r\n   fun write(data: DataTransfer): Promise<Unit>\r\n   fun writeText(data: String): Promise<Unit>\r\n}\r\n\r\npublic external interface ClipboardPermissionDescriptor {\r\n   var allowWithoutGesture: Boolean? /* = false */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ClipboardPermissionDescriptor(allowWithoutGesture: Boolean? = false): ClipboardPermissionDescriptor {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"allowWithoutGesture\"] = allowWithoutGesture\r\n\r\n   return o\r\n}\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\r\n// See libraries/tools/idl2k for details\r\n\r\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\r\npackage org.w3c.dom.css\r\n\r\nimport kotlin.js.*\r\nimport org.khronos.webgl.*\r\nimport org.w3c.css.masking.*\r\nimport org.w3c.dom.*\r\nimport org.w3c.dom.clipboard.*\r\nimport org.w3c.dom.events.*\r\nimport org.w3c.dom.mediacapture.*\r\nimport org.w3c.dom.parsing.*\r\nimport org.w3c.dom.pointerevents.*\r\nimport org.w3c.dom.svg.*\r\nimport org.w3c.dom.url.*\r\nimport org.w3c.fetch.*\r\nimport org.w3c.files.*\r\nimport org.w3c.notifications.*\r\nimport org.w3c.performance.*\r\nimport org.w3c.workers.*\r\nimport org.w3c.xhr.*\r\n\r\n/**\r\n * Exposes the JavaScript [CSSStyleDeclaration](https://developer.mozilla.org/en/docs/Web/API/CSSStyleDeclaration) to Kotlin\r\n */\r\npublic external abstract class CSSStyleDeclaration : ItemArrayLike<String> {\r\n   open var cssText: String\r\n   override val length: Int\r\n   open val parentRule: CSSRule?\r\n   open var cssFloat: String\r\n   open var _dashed_attribute: String\r\n   open var _camel_cased_attribute: String\r\n   open var _webkit_cased_attribute: String\r\n   open var alignContent: String\r\n   open var alignItems: String\r\n   open var alignSelf: String\r\n   open var animation: String\r\n   open var animationDelay: String\r\n   open var animationDirection: String\r\n   open var animationDuration: String\r\n   open var animationFillMode: String\r\n   open var animationIterationCount: String\r\n   open var animationName: String\r\n   open var animationPlayState: String\r\n   open var animationTimingFunction: String\r\n   open var backfaceVisibility: String\r\n   open var background: String\r\n   open var backgroundAttachment: String\r\n   open var backgroundClip: String\r\n   open var backgroundColor: String\r\n   open var backgroundImage: String\r\n   open var backgroundOrigin: String\r\n   open var backgroundPosition: String\r\n   open var backgroundRepeat: String\r\n   open var backgroundSize: String\r\n   open var border: String\r\n   open var borderBottom: String\r\n   open var borderBottomColor: String\r\n   open var borderBottomLeftRadius: String\r\n   open var borderBottomRightRadius: String\r\n   open var borderBottomStyle: String\r\n   open var borderBottomWidth: String\r\n   open var borderCollapse: String\r\n   open var borderColor: String\r\n   open var borderImage: String\r\n   open var borderImageOutset: String\r\n   open var borderImageRepeat: String\r\n   open var borderImageSlice: String\r\n   open var borderImageSource: String\r\n   open var borderImageWidth: String\r\n   open var borderLeft: String\r\n   open var borderLeftColor: String\r\n   open var borderLeftStyle: String\r\n   open var borderLeftWidth: String\r\n   open var borderRadius: String\r\n   open var borderRight: String\r\n   open var borderRightColor: String\r\n   open var borderRightStyle: String\r\n   open var borderRightWidth: String\r\n   open var borderSpacing: String\r\n   open var borderStyle: String\r\n   open var borderTop: String\r\n   open var borderTopColor: String\r\n   open var borderTopLeftRadius: String\r\n   open var borderTopRightRadius: String\r\n   open var borderTopStyle: String\r\n   open var borderTopWidth: String\r\n   open var borderWidth: String\r\n   open var bottom: String\r\n   open var boxDecorationBreak: String\r\n   open var boxShadow: String\r\n   open var boxSizing: String\r\n   open var breakAfter: String\r\n   open var breakBefore: String\r\n   open var breakInside: String\r\n   open var captionSide: String\r\n   open var clear: String\r\n   open var clip: String\r\n   open var color: String\r\n   open var columnCount: String\r\n   open var columnFill: String\r\n   open var columnGap: String\r\n   open var columnRule: String\r\n   open var columnRuleColor: String\r\n   open var columnRuleStyle: String\r\n   open var columnRuleWidth: String\r\n   open var columnSpan: String\r\n   open var columnWidth: String\r\n   open var columns: String\r\n   open var content: String\r\n   open var counterIncrement:

String\r\n open var counterReset: String\r\n open var
cursor: String\r\n open var direction: String\r\n open var display: String\r\n open var emptyCells: String\r\n
open var filter: String\r\n open var flex: String\r\n open var flexBasis: String\r\n open var flexDirection:
String\r\n open var flexFlow: String\r\n open var flexGrow: String\r\n open var flexShrink: String\r\n open
var flexWrap: String\r\n open var font: String\r\n open var fontFamily: String\r\n open var fontFeatureSettings:
String\r\n open var fontKerning: String\r\n open var fontLanguageOverride: String\r\n open var fontSize:
String\r\n open var fontSizeAdjust: String\r\n open var fontStretch: String\r\n open var fontStyle: String\r\n
open var fontSynthesis: String\r\n open var fontVariant: String\r\n open var fontVariantAlternates: String\r\n
open var fontVariantCaps: String\r\n open var fontVariantEastAsian: String\r\n open var fontVariantLigatures:
String\r\n open var fontVariantNumeric:
String\r\n open var fontVariantPosition: String\r\n open var fontWeight: String\r\n open var
hangingPunctuation: String\r\n open var height: String\r\n open var hyphens: String\r\n open var
imageOrientation: String\r\n open var imageRendering: String\r\n open var imageResolution: String\r\n open
var imeMode: String\r\n open var justifyContent: String\r\n open var left: String\r\n open var letterSpacing:
String\r\n open var lineBreak: String\r\n open var lineHeight: String\r\n open var listStyle: String\r\n open
var listStyleImage: String\r\n open var listStylePosition: String\r\n open var listStyleType: String\r\n open var
margin: String\r\n open var marginBottom: String\r\n open var marginLeft: String\r\n open var marginRight:
String\r\n open var marginTop: String\r\n open var mark: String\r\n open var markAfter: String\r\n open var
markBefore: String\r\n open var marks: String\r\n open var marqueeDirection:
String\r\n open var marqueePlayCount: String\r\n open var marqueeSpeed: String\r\n open var marqueeStyle:
String\r\n open var mask: String\r\n open var maskType: String\r\n open var maxHeight: String\r\n open var
maxWidth: String\r\n open var minHeight: String\r\n open var minWidth: String\r\n open var navDown:
String\r\n open var navIndex: String\r\n open var navLeft: String\r\n open var navRight: String\r\n open var
navUp: String\r\n open var objectFit: String\r\n open var objectPosition: String\r\n open var opacity: String\r\n
open var order: String\r\n open var orphans: String\r\n open var outline: String\r\n open var outlineColor:
String\r\n open var outlineOffset: String\r\n open var outlineStyle: String\r\n open var outlineWidth: String\r\n
open var overflowWrap: String\r\n open var overflowX: String\r\n open var overflowY: String\r\n open var
padding: String\r\n open var paddingBottom:
String\r\n open var paddingLeft: String\r\n open var paddingRight: String\r\n open var paddingTop: String\r\n
open var pageBreakAfter: String\r\n open var pageBreakBefore: String\r\n open var pageBreakInside: String\r\n
open var perspective: String\r\n open var perspectiveOrigin: String\r\n open var phonemes: String\r\n open
var position: String\r\n open var quotes: String\r\n open var resize: String\r\n open var rest: String\r\n open
var restAfter: String\r\n open var restBefore: String\r\n open var right: String\r\n open var tabSize: String\r\n
open var tableLayout: String\r\n open var textAlign: String\r\n open var textAlignLast: String\r\n open var
textCombineUpright: String\r\n open var textDecoration: String\r\n open var textDecorationColor: String\r\n
open var textDecorationLine: String\r\n open var textDecorationStyle: String\r\n open var textIndent: String\r\n
open var textJustify: String\r\n
open var textOrientation: String\r\n open var textOverflow: String\r\n open var textShadow: String\r\n open
var textTransform: String\r\n open var textUnderlinePosition: String\r\n open var top: String\r\n open var
transform: String\r\n open var transformOrigin: String\r\n open var transformStyle: String\r\n open var
transition: String\r\n open var transitionDelay: String\r\n open var transitionDuration: String\r\n open var
transitionProperty: String\r\n open var transitionTimingFunction: String\r\n open var unicodeBidi: String\r\n
open var verticalAlign: String\r\n open var visibility: String\r\n open var voiceBalance: String\r\n open var
voiceDuration: String\r\n open var voicePitch: String\r\n open var voicePitchRange: String\r\n open var
voiceRate: String\r\n open var voiceStress: String\r\n open var voiceVolume: String\r\n open var whiteSpace:
String\r\n open var widows: String\r\n open var width: String\r\n
open var wordBreak: String\r\n open var wordSpacing: String\r\n open var wordWrap: String\r\n open var
writingMode: String\r\n open var zIndex: String\r\n override fun item(index: Int): String\r\n fun

getPropertyValue(property: String): String\r\n   fun getPropertyPriority(property: String): String\r\n   fun setProperty(property: String, value: String, priority: String = definedExternally): Unit\r\n   fun setPropertyValue(property: String, value: String): Unit\r\n   fun setPropertyPriority(property: String, priority: String): Unit\r\n   fun removeProperty(property: String): String\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun CSSStyleDeclaration.get(index: Int): String? = asDynamic()[index]\r\n\r\npublic external abstract class MediaList : ItemArrayLike<String> {\r\n   open var mediaText: String\r\n   override val length: Int\r\n   override fun item(index: Int): String?\r\n   fun appendMedium(medium: String): Unit\r\n   fun deleteMedium(medium: String): Unit\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun MediaList.get(index: Int): String? = asDynamic()[index]\r\n\r\n/**\r\n * Exposes the JavaScript [StyleSheet](https://developer.mozilla.org/en/docs/Web/API/StyleSheet) to Kotlin\r\n */\r\npublic external abstract class StyleSheet {\r\n   open val type: String\r\n   open val href: String?\r\n   open val ownerNode: UnionElementOrProcessingInstruction?\r\n   open val parentStyleSheet: StyleSheet?\r\n   open val title: String?\r\n   open val media: MediaList\r\n   open var disabled: Boolean\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [CSSStyleSheet](https://developer.mozilla.org/en/docs/Web/API/CSSStyleSheet) to Kotlin\r\n */\r\npublic external abstract class CSSStyleSheet : StyleSheet {\r\n   open val ownerRule: CSSRule?\r\n   open val cssRules: CSSRuleList\r\n   fun insertRule(rule: String, index: Int): Int\r\n   fun deleteRule(index: Int): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [StyleSheetList](https://developer.mozilla.org/en/docs/Web/API/StyleSheetList) to Kotlin\r\n */\r\npublic external abstract class StyleSheetList : ItemArrayLike<StyleSheet> {\r\n   override val length: Int\r\n   override fun item(index: Int): StyleSheet?\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun StyleSheetList.get(index: Int): StyleSheet? = asDynamic()[index]\r\n\r\n/**\r\n * Exposes the JavaScript [LinkStyle](https://developer.mozilla.org/en/docs/Web/API/LinkStyle) to Kotlin\r\n */\r\npublic external interface LinkStyle {\r\n   val sheet: StyleSheet?\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [CSSRuleList](https://developer.mozilla.org/en/docs/Web/API/CSSRuleList) to Kotlin\r\n */\r\npublic external abstract class CSSRuleList : ItemArrayLike<CSSRule> {\r\n   override val length: Int\r\n   override fun item(index: Int): CSSRule?\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun CSSRuleList.get(index: Int): CSSRule? = asDynamic()[index]\r\n\r\n/**\r\n * Exposes the JavaScript [CSSRule](https://developer.mozilla.org/en/docs/Web/API/CSSRule) to Kotlin\r\n */\r\npublic external abstract class CSSRule {\r\n   open val type: Short\r\n   open var cssText: String\r\n   open val parentRule: CSSRule?\r\n   open val parentStyleSheet: CSSStyleSheet?\r\n\r\n   companion object {\r\n   val STYLE_RULE: Short\r\n   val CHARSET_RULE: Short\r\n   val IMPORT_RULE: Short\r\n   val MEDIA_RULE: Short\r\n   val FONT_FACE_RULE: Short\r\n   val PAGE_RULE: Short\r\n   val MARGIN_RULE: Short\r\n   val NAMESPACE_RULE: Short\r\n   }\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [CSSStyleRule](https://developer.mozilla.org/en/docs/Web/API/CSSStyleRule) to Kotlin\r\n */\r\npublic external abstract class CSSStyleRule : CSSRule {\r\n   open var selectorText: String\r\n   open val style: CSSStyleDeclaration\r\n}\r\n\r\n\r\npublic external abstract class CSSImportRule : CSSRule {\r\n   open val href: String\r\n   open val media: MediaList\r\n
    open val styleSheet: CSSStyleSheet\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [CSSGroupingRule](https://developer.mozilla.org/en/docs/Web/API/CSSGroupingRule) to Kotlin\r\n */\r\npublic external abstract class CSSGroupingRule : CSSRule {\r\n   open val cssRules: CSSRuleList\r\n   fun insertRule(rule: String, index: Int): Int\r\n   fun deleteRule(index: Int): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [CSSMediaRule](https://developer.mozilla.org/en/docs/Web/API/CSSMediaRule) to Kotlin\r\n */\r\npublic external abstract class CSSMediaRule : CSSGroupingRule {\r\n   open val media: MediaList\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [CSSPageRule](https://developer.mozilla.org/en/docs/Web/API/CSSPageRule) to Kotlin\r\n */\r\npublic external abstract class CSSPageRule : CSSGroupingRule {\r\n   open var selectorText: String\r\n   open val style: CSSStyleDeclaration\r\n}\r\n\r\npublic external abstract class CSSMarginRule : CSSRule {\r\n   open val name: String\r\n   open

val style: CSSStyleDeclaration\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [CSSNamespaceRule](https://developer.mozilla.org/en/docs/Web/API/CSSNamespaceRule) to Kotlin\r\n */\r\npublic external abstract class CSSNamespaceRule : CSSRule {\r\n open val namespaceURI: String\r\n open val prefix: String\r\n}\r\n\r\npublic external interface ElementCSSInlineStyle {\r\n val style: CSSStyleDeclaration\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [CSS](https://developer.mozilla.org/en/docs/Web/API/CSS) to Kotlin\r\n */\r\npublic external abstract class CSS {\r\n\r\n companion object {\r\n fun escape(ident: String): String\r\n }\r\n}\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\r\n// See libraries/tools/idl2k for details\r\n\r\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\r\npackage org.w3c.dom.events\r\n\r\nimport kotlin.js.*\r\nimport org.khronos.webgl.*\r\nimport org.w3c.css.masking.*\r\nimport org.w3c.dom.*\r\nimport org.w3c.dom.clipboard.*\r\nimport org.w3c.dom.css.*\r\nimport org.w3c.dom.mediacapture.*\r\nimport org.w3c.dom.parsing.*\r\nimport org.w3c.dom.pointerevents.*\r\nimport org.w3c.dom.svg.*\r\nimport org.w3c.dom.url.*\r\nimport org.w3c.fetch.*\r\nimport org.w3c.files.*\r\nimport org.w3c.notifications.*\r\nimport org.w3c.performance.*\r\nimport org.w3c.workers.*\r\nimport org.w3c.xhr.*\r\n\r\n/**\r\n * Exposes the JavaScript [UIEvent](https://developer.mozilla.org/en/docs/Web/API/UIEvent) to Kotlin\r\n */\r\npublic external open class UIEvent(type: String, eventInitDict: UIEventInit = definedExternally) : Event {\r\n open val view: Window?\r\n open val detail: Int\r\n}\r\n\r\npublic external interface UIEventInit : EventInit {\r\n var view: Window? /* = null */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var detail: Int? /* = 0 */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun UIEventInit(view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): UIEventInit {\r\n val o = js(\"({})\")\r\n\r\n o[\"view\"] = view\r\n o[\"detail\"] = detail\r\n o[\"bubbles\"] = bubbles\r\n o[\"cancelable\"] = cancelable\r\n o[\"composed\"] = composed\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [FocusEvent](https://developer.mozilla.org/en/docs/Web/API/FocusEvent) to Kotlin\r\n */\r\npublic external open class FocusEvent(type: String, eventInitDict: FocusEventInit = definedExternally) : UIEvent {\r\n open val relatedTarget: EventTarget?\r\n}\r\n\r\npublic external interface FocusEventInit : UIEventInit {\r\n var relatedTarget: EventTarget? /* = null */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun FocusEventInit(relatedTarget: EventTarget? = null, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): FocusEventInit {\r\n val o = js(\"({})\")\r\n\r\n o[\"relatedTarget\"] = relatedTarget\r\n o[\"view\"] = view\r\n o[\"detail\"] = detail\r\n o[\"bubbles\"] = bubbles\r\n o[\"cancelable\"] = cancelable\r\n o[\"composed\"] = composed\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [MouseEvent](https://developer.mozilla.org/en/docs/Web/API/MouseEvent) to Kotlin\r\n */\r\npublic external open class MouseEvent(type: String, eventInitDict: MouseEventInit = definedExternally) : UIEvent, UnionElementOrMouseEvent {\r\n open val region: String?\r\n open val screenX: Int\r\n open val screenY: Int\r\n open val pageX: Double\r\n open val pageY: Double\r\n open val clientX: Int\r\n open val clientY: Int\r\n open val offsetX: Double\r\n open val offsetY: Double\r\n open val ctrlKey: Boolean\r\n open val shiftKey: Boolean\r\n open val altKey: Boolean\r\n open val metaKey: Boolean\r\n open val button: Short\r\n open val buttons: Short\r\n open val relatedTarget: EventTarget?\r\n fun getModifierState(keyArg: String): Boolean\r\n}\r\n\r\npublic external interface MouseEventInit : EventModifierInit {\r\n var screenX: Int? /* = 0 */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var screenY: Int? /* = 0 */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var clientX: Int? /* = 0 */\r\n get() = definedExternally\r\n set(value) =

definedExternally\r\n   var clientY: Int? /* = 0 */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var button: Short? /*
 = 0 */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var buttons: Short? /* = 0 */\r\n
    get() = definedExternally\r\n   set(value) = definedExternally\r\n   var relatedTarget: EventTarget? /* = null
*/\r\n   get() = definedExternally\r\n   set(value) =
definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun MouseEventInit(screenX: Int? = 0,
screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget:
EventTarget? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey:
Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean?
= false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false,
modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false,
modifierSymbolLock:
 Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): MouseEventInit {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"screenX\"] = screenX\r\n
o[\"screenY\"] = screenY\r\n   o[\"clientX\"] = clientX\r\n   o[\"clientY\"] = clientY\r\n   o[\"button\"] = button\r\n
 o[\"buttons\"] = buttons\r\n   o[\"relatedTarget\"] = relatedTarget\r\n   o[\"ctrlKey\"] = ctrlKey\r\n   o[\"shiftKey\"]
= shiftKey\r\n   o[\"altKey\"] = altKey\r\n   o[\"metaKey\"] = metaKey\r\n   o[\"modifierAltGraph\"] =
modifierAltGraph\r\n   o[\"modifierCapsLock\"] = modifierCapsLock\r\n   o[\"modifierFn\"] = modifierFn\r\n
o[\"modifierFnLock\"] = modifierFnLock\r\n   o[\"modifierHyper\"] = modifierHyper\r\n
o[\"modifierNumLock\"] = modifierNumLock\r\n   o[\"modifierScrollLock\"] = modifierScrollLock\r\n
o[\"modifierSuper\"] = modifierSuper\r\n   o[\"modifierSymbol\"] = modifierSymbol\r\n
o[\"modifierSymbolLock\"]
 = modifierSymbolLock\r\n   o[\"view\"] = view\r\n   o[\"detail\"] = detail\r\n   o[\"bubbles\"] = bubbles\r\n
o[\"cancelable\"] = cancelable\r\n   o[\"composed\"] = composed\r\n\r\n   return o\r\n}\r\n\r\npublic external
interface EventModifierInit : UIEventInit {\r\n   var ctrlKey: Boolean? /* = false */\r\n   get() =
definedExternally\r\n   set(value) = definedExternally\r\n   var shiftKey: Boolean? /* = false */\r\n   get() =
definedExternally\r\n   set(value) = definedExternally\r\n   var altKey: Boolean? /* = false */\r\n   get() =
definedExternally\r\n   set(value) = definedExternally\r\n   var metaKey: Boolean? /* = false */\r\n   get() =
definedExternally\r\n   set(value) = definedExternally\r\n   var modifierAltGraph: Boolean? /* = false */\r\n
get() = definedExternally\r\n   set(value) = definedExternally\r\n   var modifierCapsLock: Boolean? /* = false
*/\r\n   get() = definedExternally\r\n
 set(value) = definedExternally\r\n   var modifierFn: Boolean? /* = false */\r\n   get() = definedExternally\r\n
set(value) = definedExternally\r\n   var modifierFnLock: Boolean? /* = false */\r\n   get() =
definedExternally\r\n   set(value) = definedExternally\r\n   var modifierHyper: Boolean? /* = false */\r\n
get() = definedExternally\r\n   set(value) = definedExternally\r\n   var modifierNumLock: Boolean? /* = false
*/\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var modifierScrollLock: Boolean?
/* = false */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var modifierSuper:
Boolean? /* = false */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var
modifierSymbol: Boolean? /* = false */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n
 var modifierSymbolLock: Boolean? /* = false */\r\n   get()
 = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline
fun EventModifierInit(ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey:
Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean?
= false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false,
modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false,
modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): EventModifierInit {\r\n   val o = js(\"({})\")\r\n\r\n
o[\"ctrlKey\"] = ctrlKey\r\n   o[\"shiftKey\"] = shiftKey\r\n   o[\"altKey\"] = altKey\r\n   o[\"metaKey\"] =

metaKey\r\n o[\"modifierAltGraph\"] = modifierAltGraph\r\n o[\"modifierCapsLock\"] = modifierCapsLock\r\n o[\"modifierFn\"] = modifierFn\r\n o[\"modifierFnLock\"] = modifierFnLock\r\n o[\"modifierHyper\"] = modifierHyper\r\n o[\"modifierNumLock\"] = modifierNumLock\r\n o[\"modifierScrollLock\"] = modifierScrollLock\r\n o[\"modifierSuper\"] = modifierSuper\r\n o[\"modifierSymbol\"] = modifierSymbol\r\n o[\"modifierSymbolLock\"] = modifierSymbolLock\r\n o[\"view\"] = view\r\n o[\"detail\"] = detail\r\n o[\"bubbles\"] = bubbles\r\n o[\"cancelable\"] = cancelable\r\n o[\"composed\"] = composed\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [WheelEvent](https://developer.mozilla.org/en/docs/Web/API/WheelEvent) to Kotlin\r\n */\r\npublic external open class WheelEvent(type: String, eventInitDict: WheelEventInit = definedExternally) : MouseEvent {\r\n open val deltaX: Double\r\n open val deltaY: Double\r\n open val deltaZ: Double\r\n open val deltaMode: Int\r\n\r\n companion object {\r\n val DOM_DELTA_PIXEL: Int\r\n val DOM_DELTA_LINE: Int\r\n val DOM_DELTA_PAGE: Int\r\n }\r\n}\r\n\r\npublic external interface WheelEventInit : MouseEventInit {\r\n var deltaX: Double? /* = 0.0 */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var deltaY: Double? /* = 0.0 */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var deltaZ: Double? /* = 0.0 */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var deltaMode: Int? /* = 0 */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun WheelEventInit(deltaX: Double? = 0.0, deltaY: Double? = 0.0, deltaZ: Double? = 0.0, deltaMode: Int? = 0, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): WheelEventInit {\r\n val o = js(\"({})\")\r\n\r\n o[\"deltaX\"] = deltaX\r\n o[\"deltaY\"] = deltaY\r\n o[\"deltaZ\"] = deltaZ\r\n o[\"deltaMode\"] = deltaMode\r\n o[\"screenX\"] = screenX\r\n o[\"screenY\"] = screenY\r\n o[\"clientX\"] = clientX\r\n o[\"clientY\"] = clientY\r\n o[\"button\"] = button\r\n o[\"buttons\"] = buttons\r\n o[\"relatedTarget\"] = relatedTarget\r\n o[\"ctrlKey\"] = ctrlKey\r\n o[\"shiftKey\"] = shiftKey\r\n o[\"altKey\"] = altKey\r\n o[\"metaKey\"] = metaKey\r\n o[\"modifierAltGraph\"] = modifierAltGraph\r\n o[\"modifierCapsLock\"] = modifierCapsLock\r\n o[\"modifierFn\"] = modifierFn\r\n o[\"modifierFnLock\"] = modifierFnLock\r\n o[\"modifierHyper\"] = modifierHyper\r\n o[\"modifierNumLock\"] = modifierNumLock\r\n o[\"modifierScrollLock\"] = modifierScrollLock\r\n o[\"modifierSuper\"] = modifierSuper\r\n o[\"modifierSymbol\"] = modifierSymbol\r\n o[\"modifierSymbolLock\"] = modifierSymbolLock\r\n o[\"view\"] = view\r\n o[\"detail\"] = detail\r\n o[\"bubbles\"] = bubbles\r\n o[\"cancelable\"] = cancelable\r\n o[\"composed\"] = composed\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [InputEvent](https://developer.mozilla.org/en/docs/Web/API/InputEvent) to Kotlin\r\n */\r\npublic external open class InputEvent(type: String, eventInitDict: InputEventInit = definedExternally) : UIEvent {\r\n open val data: String\r\n\r\n open val isComposing: Boolean\r\n}\r\n\r\npublic external interface InputEventInit : UIEventInit {\r\n var data: String? /* = \"\" */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var isComposing: Boolean? /* = false */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun InputEventInit(data: String? = \"\", isComposing: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): InputEventInit {\r\n val o = js(\"({})\")\r\n\r\n o[\"data\"] = data\r\n o[\"isComposing\"] = isComposing\r\n o[\"view\"] = view\r\n o[\"detail\"] = detail\r\n o[\"bubbles\"] = bubbles\r\n o[\"cancelable\"] = cancelable\r\n o[\"composed\"] = composed\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [KeyboardEvent](https://developer.mozilla.org/en/docs/Web/API/KeyboardEvent)

to Kotlin\r\n */\r\npublic external open class KeyboardEvent(type: String, eventInitDict: KeyboardEventInit = definedExternally) : UIEvent {\r\n open val key: String\r\n open val code: String\r\n open val location: Int\r\n open val ctrlKey: Boolean\r\n open val shiftKey: Boolean\r\n open val altKey: Boolean\r\n open val metaKey: Boolean\r\n open val repeat: Boolean\r\n open val isComposing: Boolean\r\n open val charCode: Int\r\n open val keyCode: Int\r\n open val which: Int\r\n fun getModifierState(keyArg: String): Boolean\r\n\r\n companion object {\r\n val DOM_KEY_LOCATION_STANDARD: Int\r\n val DOM_KEY_LOCATION_LEFT: Int\r\n val DOM_KEY_LOCATION_RIGHT: Int\r\n val DOM_KEY_LOCATION_NUMPAD: Int\r\n }\r\n}\r\n\r\npublic external interface KeyboardEventInit : EventModifierInit {\r\n var key: String? /* = \"\" */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var code: String? /* = \"\" */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var location: Int? /* = 0 */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var repeat: Boolean? /* = false */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var isComposing: Boolean? /* = false */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun KeyboardEventInit(key: String? = \"\", code: String? = \"\", location: Int? = 0, repeat: Boolean? = false, isComposing: Boolean? = false, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): KeyboardEventInit {\r\n val o = js(\"({})\")\r\n\r\n o[\"key\"] = key\r\n o[\"code\"] = code\r\n o[\"location\"] = location\r\n o[\"repeat\"] = repeat\r\n o[\"isComposing\"] = isComposing\r\n o[\"ctrlKey\"] = ctrlKey\r\n o[\"shiftKey\"] = shiftKey\r\n o[\"altKey\"] = altKey\r\n o[\"metaKey\"] = metaKey\r\n o[\"modifierAltGraph\"] = modifierAltGraph\r\n o[\"modifierCapsLock\"] = modifierCapsLock\r\n o[\"modifierFn\"] = modifierFn\r\n o[\"modifierFnLock\"] = modifierFnLock\r\n o[\"modifierHyper\"] = modifierHyper\r\n o[\"modifierNumLock\"] = modifierNumLock\r\n o[\"modifierScrollLock\"] = modifierScrollLock\r\n o[\"modifierSuper\"] = modifierSuper\r\n o[\"modifierSymbol\"] = modifierSymbol\r\n o[\"modifierSymbolLock\"] = modifierSymbolLock\r\n o[\"view\"] = view\r\n o[\"detail\"] = detail\r\n o[\"bubbles\"] = bubbles\r\n o[\"cancelable\"] = cancelable\r\n o[\"composed\"] = composed\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [CompositionEvent](https://developer.mozilla.org/en/docs/Web/API/CompositionEvent) to Kotlin\r\n */\r\npublic external open class CompositionEvent(type: String, eventInitDict: CompositionEventInit = definedExternally) : UIEvent {\r\n open val data: String\r\n}\r\n\r\npublic external interface CompositionEventInit : UIEventInit {\r\n var data: String? /* = \"\" */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun CompositionEventInit(data: String? = \"\", view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CompositionEventInit {\r\n val o = js(\"({})\")\r\n\r\n o[\"data\"] = data\r\n o[\"view\"] = view\r\n o[\"detail\"] = detail\r\n o[\"bubbles\"] = bubbles\r\n o[\"cancelable\"] = cancelable\r\n o[\"composed\"] = composed\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [Event](https://developer.mozilla.org/en/docs/Web/API/Event) to Kotlin\r\n */\r\npublic external open class Event(type: String, eventInitDict: EventInit = definedExternally) {\r\n open val type: String\r\n open val target: EventTarget?\r\n open val currentTarget: EventTarget?\r\n open val eventPhase: Short\r\n open val bubbles: Boolean\r\n open val cancelable: Boolean\r\n open val defaultPrevented: Boolean\r\n open val composed: Boolean\r\n open val isTrusted: Boolean\r\n open val timeStamp: Number\r\n fun composedPath(): Array<EventTarget>\r\n fun stopPropagation(): Unit\r\n fun stopImmediatePropagation(): Unit\r\n fun preventDefault(): Unit\r\n fun initEvent(type: String,

bubbles: Boolean, cancelable: Boolean): Unit\r\n\r\n companion object {\r\n val NONE: Short\r\n val CAPTURING_PHASE: Short\r\n val AT_TARGET: Short\r\n val BUBBLING_PHASE: Short\r\n }\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [EventTarget](https://developer.mozilla.org/en/docs/Web/API/EventTarget) to Kotlin\r\n */\r\npublic external abstract class EventTarget {\r\n fun addEventListener(type: String, callback: EventListener?, options: dynamic = definedExternally): Unit\r\n fun addEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic = definedExternally): Unit\r\n fun removeEventListener(type: String, callback: EventListener?, options: dynamic = definedExternally): Unit\r\n fun removeEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic = definedExternally): Unit\r\n fun dispatchEvent(event: Event): Boolean\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [EventListener](https://developer.mozilla.org/en/docs/Web/API/EventListener) to Kotlin\r\n */\r\npublic external interface EventListener {\r\n fun handleEvent(event: Event): Unit\r\n}\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\r\n// See libraries/tools/idl2k for details\r\n\r\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\r\npackage org.w3c.dom\r\n\r\nimport kotlin.js.*\r\nimport org.khronos.webgl.*\r\nimport org.w3c.css.masking.*\r\nimport org.w3c.dom.clipboard.*\r\nimport org.w3c.dom.css.*\r\nimport org.w3c.dom.events.*\r\nimport org.w3c.dom.mediacapture.*\r\nimport org.w3c.dom.parsing.*\r\nimport org.w3c.dom.pointerevents.*\r\nimport org.w3c.dom.svg.*\r\nimport org.w3c.dom.url.*\r\nimport org.w3c.fetch.*\r\nimport org.w3c.files.*\r\nimport org.w3c.notifications.*\r\nimport org.w3c.performance.*\r\nimport org.w3c.workers.*\r\nimport org.w3c.xhr.*\r\n\r\n/**\r\n * Exposes the JavaScript [Navigator](https://developer.mozilla.org/en/docs/Web/API/Navigator) to Kotlin\r\n */\r\npublic external abstract class Navigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorContentUtils, NavigatorCookies, NavigatorPlugins, NavigatorConcurrentHardware {\r\n open val serviceWorker: ServiceWorkerContainer\r\n open val maxTouchPoints: Int\r\n open val mediaDevices: MediaDevices\r\n open val clipboard: Clipboard\r\n fun vibrate(pattern: dynamic): Boolean\r\n fun getUserMedia(constraints: MediaStreamConstraints, successCallback: (MediaStream) -> Unit, errorCallback: (dynamic) -> Unit): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [Document](https://developer.mozilla.org/en/docs/Web/API/Document) to Kotlin\r\n */\r\npublic external open class Document : Node, GlobalEventHandlers, DocumentAndElementEventHandlers, NonElementParentNode, DocumentOrShadowRoot, ParentNode, GeometryUtils {\r\n open val fullscreenEnabled: Boolean\r\n open val fullscreen: Boolean\r\n var onfullscreenchange: ((Event) -> dynamic)?\r\n var onfullscreenerror: ((Event) -> dynamic)?\r\n open val rootElement: SVGSVGElement?\r\n var title: String\r\n open val referrer: String\r\n var domain: String\r\n open val activeElement: Element?\r\n open val location: Location?\r\n var cookie: String\r\n open val lastModified: String\r\n open val readyState: DocumentReadyState\r\n var dir: String\r\n var body: HTMLElement?\r\n open val head: HTMLHeadElement?\r\n open val images: HTMLCollection\r\n open val embeds: HTMLCollection\r\n open val plugins: HTMLCollection\r\n open val links: HTMLCollection\r\n open val forms: HTMLCollection\r\n open val scripts: HTMLCollection\r\n open val currentScript: HTMLOrSVGScriptElement?\r\n open val defaultView: Window?\r\n var designMode: String\r\n var onreadystatechange: ((Event) -> dynamic)?\r\n var fgColor: String\r\n var linkColor: String\r\n var vlinkColor: String\r\n var alinkColor: String\r\n var bgColor: String\r\n open val anchors: HTMLCollection\r\n open val applets: HTMLCollection\r\n open val all: HTMLAllCollection\r\n open val implementation: DOMImplementation\r\n open val URL: String\r\n open val documentURI: String\r\n open val origin: String\r\n open val compatMode: String\r\n open val characterSet: String\r\n open val charset: String\r\n open val inputEncoding: String\r\n open val contentType: String\r\n open val doctype: DocumentType?\r\n open val documentElement: Element?\r\n open val scrollingElement: Element?\r\n open val styleSheets: StyleSheetList\r\n override var ongotpointercapture: ((PointerEvent) -> dynamic)?\r\n override var onlostpointercapture: ((PointerEvent) ->

dynamic)?\r\n override var onpointerdown: ((PointerEvent) -> dynamic)?\r\n override var onpointermove: ((PointerEvent) -> dynamic)?\r\n override var onpointerup: ((PointerEvent) -> dynamic)?\r\n override var onpointercancel: ((PointerEvent) -> dynamic)?\r\n override var onpointerover: ((PointerEvent) -> dynamic)?\r\n override var onpointerout: ((PointerEvent) -> dynamic)?\r\n override var onpointerenter: ((PointerEvent) -> dynamic)?\r\n override var onpointerleave: ((PointerEvent) -> dynamic)?\r\n override var onabort: ((Event) -> dynamic)?\r\n override var onblur: ((FocusEvent) -> dynamic)?\r\n override var oncancel: ((Event) -> dynamic)?\r\n override var oncanplay: ((Event) -> dynamic)?\r\n override var oncanplaythrough: ((Event) -> dynamic)?\r\n override var onchange: ((Event) -> dynamic)?\r\n override var onclick: ((MouseEvent) -> dynamic)?\r\n override var onclose: ((Event) -> dynamic)?\r\n override var oncontextmenu: ((MouseEvent) -> dynamic)?\r\n override var oncuechange: ((Event) -> dynamic)?\r\n override var ondblclick: ((MouseEvent) -> dynamic)?\r\n override var ondrag: ((DragEvent) -> dynamic)?\r\n override var ondragend: ((DragEvent) -> dynamic)?\r\n override var ondragenter: ((DragEvent) -> dynamic)?\r\n override var ondragexit: ((DragEvent) -> dynamic)?\r\n override var ondragleave: ((DragEvent) -> dynamic)?\r\n override var ondragover: ((DragEvent) -> dynamic)?\r\n override var ondragstart: ((DragEvent) -> dynamic)?\r\n override var ondrop: ((DragEvent) -> dynamic)?\r\n override var ondurationchange: ((Event) -> dynamic)?\r\n override var onemptied: ((Event) -> dynamic)?\r\n override var onended: ((Event) -> dynamic)?\r\n override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\r\n override var onfocus: ((FocusEvent) -> dynamic)?\r\n override var oninput: ((InputEvent) -> dynamic)?\r\n override var oninvalid: ((Event) -> dynamic)?\r\n override var onkeydown: ((KeyboardEvent) -> dynamic)?\r\n override var onkeypress: ((KeyboardEvent) -> dynamic)?\r\n override var onkeyup: ((KeyboardEvent) -> dynamic)?\r\n override var onload: ((Event) -> dynamic)?\r\n override var onloadeddata: ((Event) -> dynamic)?\r\n override var onloadedmetadata: ((Event) -> dynamic)?\r\n override var onloadend: ((Event) -> dynamic)?\r\n override var onloadstart: ((ProgressEvent) -> dynamic)?\r\n override var onmousedown: ((MouseEvent) -> dynamic)?\r\n override var onmouseenter: ((MouseEvent) -> dynamic)?\r\n override var onmouseleave: ((MouseEvent) -> dynamic)?\r\n override var onmousemove: ((MouseEvent) -> dynamic)?\r\n override var onmouseout: ((MouseEvent) -> dynamic)?\r\n override var onmouseover: ((MouseEvent) -> dynamic)?\r\n override var onmouseup: ((MouseEvent) -> dynamic)?\r\n override var onwheel: ((WheelEvent) -> dynamic)?\r\n override var onpause: ((Event) -> dynamic)?\r\n override var onplay: ((Event) -> dynamic)?\r\n override var onplaying: ((Event) -> dynamic)?\r\n override var onprogress: ((ProgressEvent) -> dynamic)?\r\n override var onratechange: ((Event) -> dynamic)?\r\n override var onreset: ((Event) -> dynamic)?\r\n override var onresize: ((Event) -> dynamic)?\r\n override var onscroll: ((Event) -> dynamic)?\r\n override var onseeked: ((Event) -> dynamic)?\r\n override var onseeking: ((Event) -> dynamic)?\r\n override var onselect: ((Event) -> dynamic)?\r\n override var onshow: ((Event) -> dynamic)?\r\n override var onstalled: ((Event) -> dynamic)?\r\n override var onsubmit: ((Event) -> dynamic)?\r\n override var onsuspend: ((Event) -> dynamic)?\r\n override var ontimeupdate: ((Event) -> dynamic)?\r\n override var ontoggle: ((Event) -> dynamic)?\r\n override var onvolumechange: ((Event) -> dynamic)?\r\n override var onwaiting: ((Event) -> dynamic)?\r\n override var oncopy: ((ClipboardEvent) -> dynamic)?\r\n override var oncut: ((ClipboardEvent) -> dynamic)?\r\n override var onpaste: ((ClipboardEvent) -> dynamic)?\r\n override val fullscreenElement: Element?\r\n override val children: HTMLCollection\r\n override val firstElementChild: Element?\r\n override val lastElementChild: Element?\r\n override val childElementCount: Int\r\n fun exitFullscreen(): Promise<Unit>\r\n fun getElementsByName(elementName: String): NodeList\r\n fun open(type: String = definedExternally, replace: String = definedExternally): Document\r\n fun open(url: String, name: String, features: String): Window\r\n fun close(): Unit\r\n fun write(vararg text: String): Unit\r\n fun writeln(vararg text: String): Unit\r\n fun hasFocus(): Boolean\r\n fun execCommand(commandId: String, showUI: Boolean = definedExternally, value: String = definedExternally): Boolean\r\n fun queryCommandEnabled(commandId: String): Boolean\r\n fun queryCommandIndeterm(commandId: String): Boolean\r\n fun queryCommandState(commandId: String): Boolean\r\n fun

queryCommandSupported(commandId: String): Boolean\r\n fun queryCommandValue(commandId: String): String\r\n fun clear(): Unit\r\n fun captureEvents(): Unit\r\n fun releaseEvents(): Unit\r\n fun getElementsByTagName(qualifiedName: String): HTMLCollection\r\n fun getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\r\n fun getElementsByClassName(classNames: String): HTMLCollection\r\n fun createElement(localName: String, options: ElementCreationOptions = definedExternally): Element\r\n fun createElementNS(namespace: String?, qualifiedName: String, options: ElementCreationOptions = definedExternally): Element\r\n fun createDocumentFragment(): DocumentFragment\r\n fun createTextNode(data: String): Text\r\n fun createCDATASection(data: String): CDATASection\r\n fun createComment(data: String): Comment\r\n fun createProcessingInstruction(target: String, data: String): ProcessingInstruction\r\n fun importNode(node: Node, deep:
Boolean = definedExternally): Node\r\n fun adoptNode(node: Node): Node\r\n fun createAttribute(localName: String): Attr\r\n fun createAttributeNS(namespace: String?, qualifiedName: String): Attr\r\n fun createEvent(interface_: String): Event\r\n fun createRange(): Range\r\n fun createNodeIterator(root: Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally): NodeIterator\r\n fun createNodeIterator(root: Node, whatToShow: Int = definedExternally, filter: ((Node) -> Short)? = definedExternally): NodeIterator\r\n fun createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally): TreeWalker\r\n fun createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter: ((Node) -> Short)? = definedExternally): TreeWalker\r\n fun elementFromPoint(x: Double, y: Double): Element?\r\n fun elementsFromPoint(x: Double, y: Double): Array<Element>\r\n fun caretPositionFromPoint(x: Double,
y: Double): CaretPosition?\r\n override fun getElementById(elementId: String): Element?\r\n override fun prepend(vararg nodes: dynamic): Unit\r\n override fun append(vararg nodes: dynamic): Unit\r\n override fun querySelector(selectors: String): Element?\r\n override fun querySelectorAll(selectors: String): NodeList\r\n override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\r\n override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\r\n override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\r\n override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun Document.get(name: String): dynamic = asDynamic()[name]\r\n\r\n/**\r\n *
Exposes the JavaScript [Window](https://developer.mozilla.org/en/docs/Web/API/Window) to Kotlin\r\n */\r\npublic external abstract class Window : EventTarget, GlobalEventHandlers, WindowEventHandlers, WindowOrWorkerGlobalScope, WindowSessionStorage, WindowLocalStorage, GlobalPerformance, UnionMessagePortOrWindow {\r\n override val performance: Performance\r\n open val window: Window\r\n open val self: Window\r\n open val document: Document\r\n open var name: String\r\n open val location: Location\r\n open val history: History\r\n open val customElements: CustomElementRegistry\r\n open val locationbar: BarProp\r\n open val menubar: BarProp\r\n open val personalbar: BarProp\r\n open val scrollbars: BarProp\r\n open val statusbar: BarProp\r\n open val toolbar: BarProp\r\n open var status: String\r\n open val closed: Boolean\r\n open val frames: Window\r\n open val length: Int\r\n open val top: Window\r\n open var opener: Any?\r\n

open val parent: Window\r\n open val frameElement: Element?\r\n open val navigator: Navigator\r\n open val applicationCache: ApplicationCache\r\n open val external: External\r\n open val screen: Screen\r\n open val innerWidth: Int\r\n open val innerHeight: Int\r\n open val scrollX: Double\r\n open val pageXOffset: Double\r\n open val scrollY: Double\r\n open val pageYOffset: Double\r\n open val screenX: Int\r\n open val screenY: Int\r\n open val outerWidth: Int\r\n open val outerHeight: Int\r\n open val devicePixelRatio: Double\r\n fun close(): Unit\r\n fun stop(): Unit\r\n fun focus(): Unit\r\n fun blur(): Unit\r\n fun open(url: String = definedExternally, target: String = definedExternally, features: String = definedExternally): Window?\r\n

fun alert(): Unit\r\n   fun alert(message: String): Unit\r\n   fun confirm(message: String = definedExternally): Boolean\r\n   fun prompt(message: String = definedExternally,
 default: String = definedExternally): String?\r\n   fun print(): Unit\r\n   fun requestAnimationFrame(callback: (Double) -> Unit): Int\r\n   fun cancelAnimationFrame(handle: Int): Unit\r\n   fun postMessage(message: Any?, targetOrigin: String, transfer: Array<dynamic> = definedExternally): Unit\r\n   fun captureEvents(): Unit\r\n   fun releaseEvents(): Unit\r\n   fun matchMedia(query: String): MediaQueryList\r\n   fun moveTo(x: Int, y: Int): Unit\r\n   fun moveBy(x: Int, y: Int): Unit\r\n   fun resizeTo(x: Int, y: Int): Unit\r\n   fun resizeBy(x: Int, y: Int): Unit\r\n   fun scroll(options: ScrollToOptions = definedExternally): Unit\r\n   fun scroll(x: Double, y: Double): Unit\r\n   fun scrollTo(options: ScrollToOptions = definedExternally): Unit\r\n   fun scrollTo(x: Double, y: Double): Unit\r\n   fun scrollBy(options: ScrollToOptions = definedExternally): Unit\r\n   fun scrollBy(x: Double, y: Double): Unit\r\n   fun getComputedStyle(elt: Element, pseudoElt: String?
 = definedExternally): CSSStyleDeclaration\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun Window.get(name: String): dynamic = asDynamic()[name]\r\n\r\npublic external abstract class HTMLAllCollection {\r\n   open val length: Int\r\n//   fun namedItem(name: String): UnionElementOrHTMLCollection?\r\n   fun item(nameOrIndex: String = definedExternally): UnionElementOrHTMLCollection?\r\n}\r\n//@kotlin.internal.InlineOnly inline operator fun HTMLAllCollection.get(index: Int): Element? = asDynamic()[index]\r\n//@kotlin.internal.InlineOnly inline operator fun HTMLAllCollection.get(name: String): UnionElementOrHTMLCollection? = asDynamic()[name]\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLFormControlsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLFormControlsCollection) to Kotlin\r\n */\r\npublic external abstract class HTMLFormControlsCollection : HTMLCollection {\r\n//   override fun namedItem(name: String): UnionElementOrRadioNodeList?\r\n}\r\n//@kotlin.internal.InlineOnly
 override inline operator fun HTMLFormControlsCollection.get(name: String): UnionElementOrRadioNodeList? = asDynamic()[name]\r\n\r\n/**\r\n * Exposes the JavaScript [RadioNodeList](https://developer.mozilla.org/en/docs/Web/API/RadioNodeList) to Kotlin\r\n */\r\npublic external abstract class RadioNodeList : NodeList, UnionElementOrRadioNodeList {\r\n   open var value: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLOptionsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionsCollection) to Kotlin\r\n */\r\npublic external abstract class HTMLOptionsCollection : HTMLCollection {\r\n   override var length: Int\r\n   open var selectedIndex: Int\r\n   fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally): Unit\r\n   fun remove(index: Int): Unit\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun HTMLOptionsCollection.set(index: Int, option: HTMLOptionElement?): Unit { asDynamic()[index] = option; }\r\n\r\n/**\r\n
 * Exposes the JavaScript [HTMLElement](https://developer.mozilla.org/en/docs/Web/API/HTMLElement) to Kotlin\r\n */\r\npublic external abstract class HTMLElement : Element, ElementCSSInlineStyle, GlobalEventHandlers, DocumentAndElementEventHandlers, ElementContentEditable {\r\n   open var title: String\r\n   open var lang: String\r\n   open var translate: Boolean\r\n   open var dir: String\r\n   open val dataset: DOMStringMap\r\n   open var hidden: Boolean\r\n   open var tabIndex: Int\r\n   open var accessKey: String\r\n   open val accessKeyLabel: String\r\n   open var draggable: Boolean\r\n   open val dropzone: DOMTokenList\r\n   open var contextMenu: HTMLMenuElement?\r\n   open var spellcheck: Boolean\r\n   open var innerText: String\r\n   open val offsetParent: Element?\r\n   open val offsetTop: Int\r\n   open val offsetLeft: Int\r\n   open val offsetWidth: Int\r\n   open val offsetHeight: Int\r\n   fun click(): Unit\r\n   fun focus(): Unit\r\n   fun
 blur(): Unit\r\n   fun forceSpellCheck(): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLUnknownElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUnknownElement) to Kotlin\r\n */\r\npublic external abstract class HTMLUnknownElement : HTMLElement {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [DOMStringMap](https://developer.mozilla.org/en/docs/Web/API/DOMStringMap) to Kotlin\r\n */\r\npublic external abstract class DOMStringMap {\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun DOMStringMap.get(name: String): String? = asDynamic()[name]\r\n@kotlin.internal.InlineOnly inline operator fun

DOMStringMap.set(name: String, value: String): Unit { asDynamic()[name] = value; }\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLHtmlElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHtmlElement) to Kotlin\r\n */\r\npublic external abstract class HTMLHtmlElement : HTMLElement {\r\n open var version: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLHeadElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadElement) to Kotlin\r\n */\r\npublic external abstract class HTMLHeadElement : HTMLElement {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLTitleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTitleElement) to Kotlin\r\n */\r\npublic external abstract class HTMLTitleElement : HTMLElement {\r\n open var text: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLBaseElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBaseElement) to Kotlin\r\n */\r\npublic external abstract class HTMLBaseElement : HTMLElement {\r\n open var href: String\r\n open var target: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLLinkElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLinkElement) to Kotlin\r\n */\r\npublic external abstract class HTMLLinkElement : HTMLElement, LinkStyle {\r\n open var scope: String\r\n open var workerType: WorkerType\r\n open var href: String\r\n open var crossOrigin: String?\r\n open var rel: String\r\n @JsName(\"as\") open var as_: RequestDestination\r\n open val relList: DOMTokenList\r\n open var media: String\r\n open var nonce: String\r\n open var hreflang: String\r\n open var type: String\r\n open val sizes: DOMTokenList\r\n open var referrerPolicy: String\r\n open var charset: String\r\n open var rev: String\r\n open var target: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLMetaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMetaElement) to Kotlin\r\n */\r\npublic external abstract class HTMLMetaElement : HTMLElement {\r\n open var name: String\r\n open var httpEquiv: String\r\n open var content: String\r\n open var scheme: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLStyleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLStyleElement) to Kotlin\r\n */\r\npublic external abstract class HTMLStyleElement : HTMLElement, LinkStyle {\r\n open var media: String\r\n open var nonce: String\r\n open var type: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLBodyElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBodyElement) to Kotlin\r\n */\r\npublic external abstract class HTMLBodyElement : HTMLElement, WindowEventHandlers {\r\n open var text: String\r\n open var link: String\r\n open var vLink: String\r\n open var aLink: String\r\n open var bgColor: String\r\n open var background: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLHeadingElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadingElement) to Kotlin\r\n */\r\npublic external abstract class HTMLHeadingElement : HTMLElement {\r\n open var align: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLParagraphElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParagraphElement) to Kotlin\r\n */\r\npublic external abstract class HTMLParagraphElement : HTMLElement {\r\n open var align: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLHRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHRElement) to Kotlin\r\n */\r\npublic external abstract class HTMLHRElement : HTMLElement {\r\n open var align: String\r\n open var color: String\r\n open var noShade: Boolean\r\n open var size: String\r\n open var width: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLPreElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPreElement) to Kotlin\r\n */\r\npublic external abstract class HTMLPreElement : HTMLElement {\r\n open var width: Int\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLQuoteElement](https://developer.mozilla.org/en/docs/Web/API/HTMLQuoteElement) to Kotlin\r\n */\r\npublic external abstract class HTMLQuoteElement : HTMLElement {\r\n open var cite: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLOListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOListElement) to Kotlin\r\n */\r\npublic external abstract class HTMLOListElement : HTMLElement {\r\n open var reversed: Boolean\r\n open var start: Int\r\n open var type: String\r\n open var compact: Boolean\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript

[HTMLUListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUListElement) to Kotlin\r\n */\r\npublic external abstract class HTMLUListElement : HTMLElement {\r\n open var compact: Boolean\r\n open var type: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLLIElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLIElement) to Kotlin\r\n */\r\npublic external abstract class HTMLLIElement : HTMLElement {\r\n open var value: Int\r\n open var type: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLDListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDListElement) to Kotlin\r\n */\r\npublic external abstract class HTMLDListElement : HTMLElement {\r\n open var compact: Boolean\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLDivElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDivElement) to Kotlin\r\n */\r\npublic external abstract class HTMLDivElement : HTMLElement {\r\n open var align: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLAnchorElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAnchorElement) to Kotlin\r\n */\r\npublic external abstract class HTMLAnchorElement : HTMLElement, HTMLHyperlinkElementUtils {\r\n open var target: String\r\n open var download: String\r\n open var ping: String\r\n open var rel: String\r\n open val relList: DOMTokenList\r\n open var hreflang: String\r\n open var type: String\r\n open var text: String\r\n open var referrerPolicy: String\r\n open var coords: String\r\n open var charset: String\r\n open var name: String\r\n open var rev: String\r\n open var shape: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLDataElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataElement) to Kotlin\r\n */\r\npublic external abstract class HTMLDataElement : HTMLElement {\r\n open var value: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLTimeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTimeElement) to Kotlin\r\n */\r\npublic external abstract class HTMLTimeElement : HTMLElement {\r\n open var dateTime: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLSpanElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSpanElement) to Kotlin\r\n */\r\npublic external abstract class HTMLSpanElement : HTMLElement {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLBRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBRElement) to Kotlin\r\n */\r\npublic external abstract class HTMLBRElement : HTMLElement {\r\n open var clear: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLHyperlinkElementUtils](https://developer.mozilla.org/en/docs/Web/API/HTMLHyperlinkElementUtils) to Kotlin\r\n */\r\npublic external interface HTMLHyperlinkElementUtils {\r\n var href: String\r\n val origin: String\r\n var protocol: String\r\n var username: String\r\n var password: String\r\n var host: String\r\n var hostname: String\r\n var port: String\r\n var pathname: String\r\n var search: String\r\n var hash: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLModElement](https://developer.mozilla.org/en/docs/Web/API/HTMLModElement) to Kotlin\r\n */\r\npublic external abstract class HTMLModElement : HTMLElement {\r\n open var cite: String\r\n open var dateTime: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLPictureElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPictureElement) to Kotlin\r\n */\r\npublic external abstract class HTMLPictureElement : HTMLElement {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLSourceElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSourceElement) to Kotlin\r\n */\r\npublic external abstract class HTMLSourceElement : HTMLElement {\r\n open var src: String\r\n open var type: String\r\n open var srcset: String\r\n open var sizes: String\r\n open var media: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLImageElement](https://developer.mozilla.org/en/docs/Web/API/HTMLImageElement) to Kotlin\r\n */\r\npublic external abstract class HTMLImageElement : HTMLElement, TexImageSource, HTMLOrSVGImageElement {\r\n open var alt: String\r\n open var src: String\r\n open var srcset: String\r\n open var sizes: String\r\n open var crossOrigin: String?\r\n open var useMap: String\r\n open var isMap: Boolean\r\n open var width: Int\r\n open var height: Int\r\n open val naturalWidth: Int\r\n open val

naturalHeight: Int\r\n   open val complete: Boolean\r\n   open val currentSrc: String\r\n   open var referrerPolicy: String\r\n   open var name: String\r\n   open var lowsrc: String\r\n   open var align: String\r\n   open var hspace: Int\r\n   open var vspace: Int\r\n   open var longDesc: String\r\n
    open var border: String\r\n   open val x: Int\r\n   open val y: Int\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [Image](https://developer.mozilla.org/en/docs/Web/API/Image) to Kotlin\r\n */\r\npublic external open class Image(width: Int = definedExternally, height: Int = definedExternally) : HTMLImageElement {\r\n   override val children: HTMLCollection\r\n   override val firstElementChild: Element?\r\n   override val lastElementChild: Element?\r\n   override val childElementCount: Int\r\n   override val previousElementSibling: Element?\r\n   override val nextElementSibling: Element?\r\n   override val assignedSlot: HTMLSlotElement?\r\n   override val style: CSSStyleDeclaration\r\n   override var ongotpointercapture: ((PointerEvent) -> dynamic)?\r\n   override var onlostpointercapture: ((PointerEvent) -> dynamic)?\r\n   override var onpointerdown: ((PointerEvent) -> dynamic)?\r\n   override var onpointermove: ((PointerEvent) -> dynamic)?\r\n   override var onpointerup: ((PointerEvent) -> dynamic)?\r\n   override var onpointercancel: ((PointerEvent) -> dynamic)?\r\n   override var onpointerover: ((PointerEvent) -> dynamic)?\r\n   override var onpointerout: ((PointerEvent) -> dynamic)?\r\n   override var onpointerenter: ((PointerEvent) -> dynamic)?\r\n   override var onpointerleave: ((PointerEvent) -> dynamic)?\r\n   override var onabort: ((Event) -> dynamic)?\r\n   override var onblur: ((FocusEvent) -> dynamic)?\r\n   override var oncancel: ((Event) -> dynamic)?\r\n   override var oncanplay: ((Event) -> dynamic)?\r\n   override var oncanplaythrough: ((Event) -> dynamic)?\r\n   override var onchange: ((Event) -> dynamic)?\r\n   override var onclick: ((MouseEvent) -> dynamic)?\r\n   override var onclose: ((Event) -> dynamic)?\r\n   override var oncontextmenu: ((MouseEvent) -> dynamic)?\r\n   override var oncuechange: ((Event) -> dynamic)?\r\n   override var ondblclick: ((MouseEvent) -> dynamic)?\r\n   override var ondrag: ((DragEvent) -> dynamic)?\r\n   override var ondragend: ((DragEvent) -> dynamic)?\r\n   override var ondragenter: ((DragEvent) -> dynamic)?\r\n   override var ondragexit: ((DragEvent) -> dynamic)?\r\n   override var ondragleave: ((DragEvent) -> dynamic)?\r\n   override var ondragover: ((DragEvent) -> dynamic)?\r\n   override var ondragstart: ((DragEvent) -> dynamic)?\r\n   override var ondrop: ((DragEvent) -> dynamic)?\r\n   override var ondurationchange: ((Event) -> dynamic)?\r\n   override var onemptied: ((Event) -> dynamic)?\r\n   override var onended: ((Event) -> dynamic)?\r\n   override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\r\n   override var onfocus: ((FocusEvent) -> dynamic)?\r\n   override var oninput: ((InputEvent) -> dynamic)?\r\n   override var oninvalid: ((Event) -> dynamic)?\r\n   override var onkeydown: ((KeyboardEvent) -> dynamic)?\r\n   override var onkeypress: ((KeyboardEvent) -> dynamic)?\r\n   override var onkeyup: ((KeyboardEvent) -> dynamic)?\r\n   override var onload: ((Event) -> dynamic)?\r\n   override var onloadeddata: ((Event) -> dynamic)?\r\n   override var onloadedmetadata: ((Event) -> dynamic)?\r\n   override var onloadend: ((Event) -> dynamic)?\r\n   override var onloadstart: ((ProgressEvent) -> dynamic)?\r\n   override var onmousedown: ((MouseEvent) -> dynamic)?\r\n   override var onmouseenter: ((MouseEvent) -> dynamic)?\r\n   override var onmouseleave: ((MouseEvent) -> dynamic)?\r\n   override var onmousemove: ((MouseEvent) -> dynamic)?\r\n   override var onmouseout: ((MouseEvent) -> dynamic)?\r\n   override var onmouseover: ((MouseEvent) -> dynamic)?\r\n   override var onmouseup: ((MouseEvent) -> dynamic)?\r\n   override var onwheel: ((WheelEvent) -> dynamic)?\r\n   override var onpause: ((Event) -> dynamic)?\r\n   override var onplay: ((Event) -> dynamic)?\r\n   override var onplaying: ((Event) -> dynamic)?\r\n   override var onprogress: ((ProgressEvent) -> dynamic)?\r\n   override
    var onratechange: ((Event) -> dynamic)?\r\n   override var onreset: ((Event) -> dynamic)?\r\n   override var onresize: ((Event) -> dynamic)?\r\n   override var onscroll: ((Event) -> dynamic)?\r\n   override var onseeked: ((Event) -> dynamic)?\r\n   override var onseeking: ((Event) -> dynamic)?\r\n   override var onselect: ((Event) -> dynamic)?\r\n   override var onshow: ((Event) -> dynamic)?\r\n   override var onstalled: ((Event) -> dynamic)?\r\n   override var onsubmit: ((Event) -> dynamic)?\r\n   override var onsuspend: ((Event) -> dynamic)?\r\n   override var ontimeupdate: ((Event) -> dynamic)?\r\n   override var ontoggle: ((Event) -> dynamic)?\r\n   override var onvolumechange: ((Event) -> dynamic)?\r\n   override var onwaiting: ((Event) -> dynamic)?\r\n   override var oncopy: ((ClipboardEvent) -> dynamic)?\r\n   override var oncut: ((ClipboardEvent) -> dynamic)?\r\n   override

var onpaste: ((ClipboardEvent) -> dynamic)?\r\n   override var contentEditable: String\r\n   override val isContentEditable: Boolean\r\n   override fun prepend(vararg nodes: dynamic): Unit\r\n   override fun append(vararg nodes: dynamic): Unit\r\n   override fun querySelector(selectors: String): Element?\r\n   override fun querySelectorAll(selectors: String): NodeList\r\n   override fun before(vararg nodes: dynamic): Unit\r\n   override fun after(vararg nodes: dynamic): Unit\r\n   override fun replaceWith(vararg nodes: dynamic): Unit\r\n   override fun remove(): Unit\r\n   override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\r\n   override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\r\n   override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\r\n   override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLIFrameElement](https://developer.mozilla.org/en/docs/Web/API/HTMLIFrameElement) to Kotlin\r\n */\r\npublic external abstract class HTMLIFrameElement : HTMLElement {\r\n   open var src: String\r\n   open var srcdoc: String\r\n   open var name: String\r\n   open val sandbox: DOMTokenList\r\n   open var allowFullscreen: Boolean\r\n   open var allowUserMedia: Boolean\r\n   open var width: String\r\n   open var height: String\r\n   open var referrerPolicy: String\r\n   open val contentDocument: Document?\r\n   open val contentWindow: Window?\r\n   open var align: String\r\n   open var scrolling: String\r\n   open var frameBorder: String\r\n   open var longDesc: String\r\n   open var marginHeight: String\r\n   open var marginWidth: String\r\n   fun getSVGDocument(): Document?\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLEmbedElement](https://developer.mozilla.org/en/docs/Web/API/HTMLEmbedElement) to Kotlin\r\n */\r\npublic external abstract class HTMLEmbedElement : HTMLElement {\r\n   open var src: String\r\n   open var type: String\r\n   open var width: String\r\n   open var height: String\r\n   open var align: String\r\n   open var name: String\r\n   fun getSVGDocument(): Document?\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLObjectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLObjectElement) to Kotlin\r\n */\r\npublic external abstract class HTMLObjectElement : HTMLElement {\r\n   open var data: String\r\n   open var type: String\r\n   open var typeMustMatch: Boolean\r\n   open var name: String\r\n   open var useMap: String\r\n   open val form: HTMLFormElement?\r\n   open var width: String\r\n   open var height: String\r\n   open val contentDocument: Document?\r\n   open val contentWindow: Window?\r\n   open val willValidate: Boolean\r\n   open val validity: ValidityState\r\n   open val validationMessage: String\r\n   open var align: String\r\n   open var archive: String\r\n   open var code: String\r\n   open var declare: Boolean\r\n   open var hspace: Int\r\n   open var standby: String\r\n   open var vspace: Int\r\n   open var codeBase: String\r\n   open var codeType: String\r\n   open var border: String\r\n   fun getSVGDocument(): Document?\r\n   fun checkValidity(): Boolean\r\n   fun reportValidity(): Boolean\r\n   fun setCustomValidity(error: String): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLParamElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParamElement) to Kotlin\r\n */\r\npublic external abstract class HTMLParamElement : HTMLElement {\r\n   open var name: String\r\n   open var value: String\r\n   open var type: String\r\n   open var valueType: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLVideoElement](https://developer.mozilla.org/en/docs/Web/API/HTMLVideoElement) to Kotlin\r\n */\r\npublic external abstract class HTMLVideoElement : HTMLMediaElement, TexImageSource {\r\n   open var width: Int\r\n   open var height: Int\r\n   open val videoWidth: Int\r\n   open val videoHeight: Int\r\n   open var poster: String\r\n   open var playsInline: Boolean\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLAudioElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAudioElement) to Kotlin\r\n */\r\npublic external abstract class HTMLAudioElement : HTMLMediaElement {\r\n}\r\n\r\npublic external open class Audio(src: String = definedExternally) : HTMLAudioElement {\r\n   override val children: HTMLCollection\r\n   override val firstElementChild: Element?\r\n   override val lastElementChild: Element?\r\n   override val childElementCount: Int\r\n   override val previousElementSibling: Element?\r\n   override val nextElementSibling: Element?\r\n   override val assignedSlot: HTMLSlotElement?\r\n   override val style:

CSSStyleDeclaration\r\n   override var ongotpointercapture: ((PointerEvent) -> dynamic)?\r\n   override var onlostpointercapture: ((PointerEvent) -> dynamic)?\r\n   override var onpointerdown: ((PointerEvent) -> dynamic)?\r\n   override var onpointermove: ((PointerEvent) -> dynamic)?\r\n   override var onpointerup: ((PointerEvent) -> dynamic)?\r\n   override var onpointercancel: ((PointerEvent) -> dynamic)?\r\n   override var onpointerover: ((PointerEvent) -> dynamic)?\r\n   override var onpointerout: ((PointerEvent) -> dynamic)?\r\n   override var onpointerenter: ((PointerEvent) -> dynamic)?\r\n   override var onpointerleave: ((PointerEvent) -> dynamic)?\r\n   override var onabort: ((Event) -> dynamic)?\r\n   override var onblur: ((FocusEvent) -> dynamic)?\r\n   override var oncancel: ((Event) -> dynamic)?\r\n   override var oncanplay: ((Event) -> dynamic)?\r\n   override var oncanplaythrough: ((Event) -> dynamic)?\r\n   override var onchange: ((Event) -> dynamic)?\r\n   override var onclick: ((MouseEvent) -> dynamic)?\r\n   override var onclose: ((Event) -> dynamic)?\r\n
    override var oncontextmenu: ((MouseEvent) -> dynamic)?\r\n   override var oncuechange: ((Event) -> dynamic)?\r\n   override var ondblclick: ((MouseEvent) -> dynamic)?\r\n   override var ondrag: ((DragEvent) -> dynamic)?\r\n   override var ondragend: ((DragEvent) -> dynamic)?\r\n   override var ondragenter: ((DragEvent) -> dynamic)?\r\n   override var ondragexit: ((DragEvent) -> dynamic)?\r\n   override var ondragleave: ((DragEvent) -> dynamic)?\r\n   override var ondragover: ((DragEvent) -> dynamic)?\r\n   override var ondragstart: ((DragEvent) -> dynamic)?\r\n   override var ondrop: ((DragEvent) -> dynamic)?\r\n   override var ondurationchange: ((Event) -> dynamic)?\r\n   override var onemptied: ((Event) -> dynamic)?\r\n   override var onended: ((Event) -> dynamic)?\r\n   override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\r\n   override var onfocus: ((FocusEvent) -> dynamic)?\r\n   override var oninput: ((InputEvent) -> dynamic)?\r\n   override var oninvalid: ((Event) -> dynamic)?\r\n   override var onkeydown: ((KeyboardEvent) -> dynamic)?\r\n   override var onkeypress: ((KeyboardEvent) -> dynamic)?\r\n   override var onkeyup: ((KeyboardEvent) -> dynamic)?\r\n   override var onload: ((Event) -> dynamic)?\r\n   override var onloadeddata: ((Event) -> dynamic)?\r\n   override var onloadedmetadata: ((Event) -> dynamic)?\r\n   override var onloadend: ((Event) -> dynamic)?\r\n   override var onloadstart: ((ProgressEvent) -> dynamic)?\r\n   override var onmousedown: ((MouseEvent) -> dynamic)?\r\n   override var onmouseenter: ((MouseEvent) -> dynamic)?\r\n   override var onmouseleave: ((MouseEvent) -> dynamic)?\r\n   override var onmousemove: ((MouseEvent) -> dynamic)?\r\n   override var onmouseout: ((MouseEvent) -> dynamic)?\r\n   override var onmouseover: ((MouseEvent) -> dynamic)?\r\n   override var onmouseup: ((MouseEvent) -> dynamic)?\r\n   override var onwheel: ((WheelEvent) -> dynamic)?\r\n   override var onpause:
((Event) -> dynamic)?\r\n   override var onplay: ((Event) -> dynamic)?\r\n   override var onplaying: ((Event) -> dynamic)?\r\n   override var onprogress: ((ProgressEvent) -> dynamic)?\r\n   override var onratechange: ((Event) -> dynamic)?\r\n   override var onreset: ((Event) -> dynamic)?\r\n   override var onresize: ((Event) -> dynamic)?\r\n
    override var onscroll: ((Event) -> dynamic)?\r\n   override var onseeked: ((Event) -> dynamic)?\r\n   override var onseeking: ((Event) -> dynamic)?\r\n   override var onselect: ((Event) -> dynamic)?\r\n   override var onshow: ((Event) -> dynamic)?\r\n   override var onstalled: ((Event) -> dynamic)?\r\n   override var onsubmit: ((Event) -> dynamic)?\r\n   override var onsuspend: ((Event) -> dynamic)?\r\n   override var ontimeupdate: ((Event) -> dynamic)?\r\n   override var ontoggle: ((Event) -> dynamic)?\r\n   override var onvolumechange: ((Event) -> dynamic)?\r\n   override var onwaiting: ((Event) -> dynamic)?\r\n   override
var oncopy: ((ClipboardEvent) -> dynamic)?\r\n   override var oncut: ((ClipboardEvent) -> dynamic)?\r\n   override var onpaste: ((ClipboardEvent) -> dynamic)?\r\n   override var contentEditable: String\r\n   override val isContentEditable: Boolean\r\n   override fun prepend(vararg nodes: dynamic): Unit\r\n   override fun append(vararg nodes: dynamic): Unit\r\n   override fun querySelector(selectors: String): Element?\r\n   override fun querySelectorAll(selectors: String): NodeList\r\n   override fun before(vararg nodes: dynamic): Unit\r\n   override fun after(vararg nodes: dynamic): Unit\r\n   override fun replaceWith(vararg nodes: dynamic): Unit\r\n   override fun remove(): Unit\r\n   override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\r\n   override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\r\n   override fun convertRectFromNode(rect:

DOMRectReadOnly,
from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\r\n override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLTrackElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTrackElement) to Kotlin\r\n */\r\npublic external abstract class HTMLTrackElement : HTMLElement {\r\n open var kind: String\r\n open var src: String\r\n open var srclang: String\r\n open var label: String\r\n open var default: Boolean\r\n open val readyState: Short\r\n open val track: TextTrack\r\n\r\n companion object {\r\n val NONE: Short\r\n val LOADING: Short\r\n val LOADED: Short\r\n val ERROR: Short\r\n }\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLMediaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMediaElement) to Kotlin\r\n */\r\npublic external abstract class HTMLMediaElement
: HTMLElement {\r\n open val error: MediaError?\r\n open var src: String\r\n open var srcObject: dynamic\r\n open val currentSrc: String\r\n open var crossOrigin: String?\r\n open val networkState: Short\r\n open var preload: String\r\n open val buffered: TimeRanges\r\n open val readyState: Short\r\n open val seeking: Boolean\r\n open var currentTime: Double\r\n open val duration: Double\r\n open val paused: Boolean\r\n open var defaultPlaybackRate: Double\r\n open var playbackRate: Double\r\n open val played: TimeRanges\r\n open val seekable: TimeRanges\r\n open val ended: Boolean\r\n open var autoplay: Boolean\r\n open var loop: Boolean\r\n open var controls: Boolean\r\n open var volume: Double\r\n open var muted: Boolean\r\n open var defaultMuted: Boolean\r\n open val audioTracks: AudioTrackList\r\n open val videoTracks: VideoTrackList\r\n open val textTracks: TextTrackList\r\n fun load():
Unit\r\n fun canPlayType(type: String): CanPlayTypeResult\r\n fun fastSeek(time: Double): Unit\r\n fun getStartDate(): dynamic\r\n fun play(): Promise<Unit>\r\n fun pause(): Unit\r\n fun addTextTrack(kind: TextTrackKind, label: String = definedExternally, language: String = definedExternally): TextTrack\r\n\r\n companion object {\r\n val NETWORK_EMPTY: Short\r\n val NETWORK_IDLE: Short\r\n val NETWORK_LOADING: Short\r\n val NETWORK_NO_SOURCE: Short\r\n val HAVE_NOTHING: Short\r\n val HAVE_METADATA: Short\r\n val HAVE_CURRENT_DATA: Short\r\n val HAVE_FUTURE_DATA: Short\r\n val HAVE_ENOUGH_DATA: Short\r\n }\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [MediaError](https://developer.mozilla.org/en/docs/Web/API/MediaError) to Kotlin\r\n */\r\npublic external abstract class MediaError {\r\n open val code: Short\r\n\r\n companion object {\r\n val MEDIA_ERR_ABORTED: Short\r\n val MEDIA_ERR_NETWORK:
Short\r\n val MEDIA_ERR_DECODE: Short\r\n val MEDIA_ERR_SRC_NOT_SUPPORTED: Short\r\n }\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [AudioTrackList](https://developer.mozilla.org/en/docs/Web/API/AudioTrackList) to Kotlin\r\n */\r\npublic external abstract class AudioTrackList : EventTarget {\r\n open val length: Int\r\n open var onchange: ((Event) -> dynamic)?\r\n open var onaddtrack: ((TrackEvent) -> dynamic)?\r\n open var onremovetrack: ((TrackEvent) -> dynamic)?\r\n fun getTrackById(id: String): AudioTrack?\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun AudioTrackList.get(index: Int): AudioTrack? = asDynamic()[index]\r\n\r\n/**\r\n * Exposes the JavaScript [AudioTrack](https://developer.mozilla.org/en/docs/Web/API/AudioTrack) to Kotlin\r\n */\r\npublic external abstract class AudioTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\r\n open val id: String\r\n open val kind: String\r\n open val label: String\r\n open
val language: String\r\n open var enabled: Boolean\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [VideoTrackList](https://developer.mozilla.org/en/docs/Web/API/VideoTrackList) to Kotlin\r\n */\r\npublic external abstract class VideoTrackList : EventTarget {\r\n open val length: Int\r\n open val selectedIndex: Int\r\n open var onchange: ((Event) -> dynamic)?\r\n open var onaddtrack: ((TrackEvent) -> dynamic)?\r\n open var onremovetrack: ((TrackEvent) -> dynamic)?\r\n fun getTrackById(id: String): VideoTrack?\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun VideoTrackList.get(index: Int): VideoTrack? = asDynamic()[index]\r\n\r\n/**\r\n * Exposes the JavaScript [VideoTrack](https://developer.mozilla.org/en/docs/Web/API/VideoTrack) to Kotlin\r\n */\r\npublic external

abstract class VideoTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\r\n   open val id: String\r\n   open val kind: String\r\n   open val label: String\r\n   open val language: String\r\n   open var selected: Boolean\r\n}\r\n\r\npublic external abstract class TextTrackList : EventTarget {\r\n   open val length: Int\r\n   open var onchange: ((Event) -> dynamic)?\r\n   open var onaddtrack: ((TrackEvent) -> dynamic)?\r\n   open var onremovetrack: ((TrackEvent) -> dynamic)?\r\n   fun getTrackById(id: String): TextTrack?\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun TextTrackList.get(index: Int): TextTrack? = asDynamic()[index]\r\n\r\n/**\r\n * Exposes the JavaScript [TextTrack](https://developer.mozilla.org/en/docs/Web/API/TextTrack) to Kotlin\r\n */\r\npublic external abstract class TextTrack : EventTarget, UnionAudioTrackOrTextTrackOrVideoTrack {\r\n   open val kind: TextTrackKind\r\n   open val label: String\r\n   open val language: String\r\n   open val id: String\r\n   open val inBandMetadataTrackDispatchType: String\r\n   open var mode: TextTrackMode\r\n   open val cues: TextTrackCueList?\r\n   open val activeCues: TextTrackCueList?\r\n   open var oncuechange: ((Event) -> dynamic)?\r\n   fun addCue(cue: TextTrackCue): Unit\r\n   fun removeCue(cue: TextTrackCue): Unit\r\n}\r\n\r\npublic external abstract class TextTrackCueList {\r\n   open val length: Int\r\n   fun getCueById(id: String): TextTrackCue?\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun TextTrackCueList.get(index: Int): TextTrackCue? = asDynamic()[index]\r\n\r\n/**\r\n * Exposes the JavaScript [TextTrackCue](https://developer.mozilla.org/en/docs/Web/API/TextTrackCue) to Kotlin\r\n */\r\npublic external abstract class TextTrackCue : EventTarget {\r\n   open val track: TextTrack?\r\n   open var id: String\r\n   open var startTime: Double\r\n   open var endTime: Double\r\n   open var pauseOnExit: Boolean\r\n   open var onenter: ((Event) -> dynamic)?\r\n   open var onexit: ((Event) -> dynamic)?\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [TimeRanges](https://developer.mozilla.org/en/docs/Web/API/TimeRanges) to Kotlin\r\n */\r\npublic external abstract class TimeRanges {\r\n   open val length: Int\r\n   fun start(index: Int): Double\r\n   fun end(index: Int): Double\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [TrackEvent](https://developer.mozilla.org/en/docs/Web/API/TrackEvent) to Kotlin\r\n */\r\npublic external open class TrackEvent(type: String, eventInitDict: TrackEventInit = definedExternally) : Event {\r\n   open val track: UnionAudioTrackOrTextTrackOrVideoTrack?\r\n}\r\n\r\npublic external interface TrackEventInit : EventInit {\r\n   var track: UnionAudioTrackOrTextTrackOrVideoTrack? /* = null */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun TrackEventInit(track: UnionAudioTrackOrTextTrackOrVideoTrack? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): TrackEventInit {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"track\"] = track\r\n   o[\"bubbles\"] = bubbles\r\n   o[\"cancelable\"] = cancelable\r\n   o[\"composed\"] = composed\r\n\r\n   return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLMapElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMapElement) to Kotlin\r\n */\r\npublic external abstract class HTMLMapElement : HTMLElement {\r\n   open var name: String\r\n   open val areas: HTMLCollection\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAreaElement) to Kotlin\r\n */\r\npublic external abstract class HTMLAreaElement : HTMLElement, HTMLHyperlinkElementUtils {\r\n   open var alt: String\r\n   open var coords: String\r\n   open var shape: String\r\n   open var target: String\r\n   open var download: String\r\n   open var ping: String\r\n   open var rel: String\r\n   open val relList: DOMTokenList\r\n   open var referrerPolicy: String\r\n   open var noHref: Boolean\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLTableElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableElement) to Kotlin\r\n */\r\npublic external abstract class HTMLTableElement : HTMLElement {\r\n   open var caption: HTMLTableCaptionElement?\r\n   open var tHead: HTMLTableSectionElement?\r\n   open var tFoot: HTMLTableSectionElement?\r\n   open val tBodies: HTMLCollection\r\n   open val rows: HTMLCollection\r\n   open var align: String\r\n   open var border: String\r\n   open var frame: String\r\n   open var rules: String\r\n   open var summary: String\r\n   open var width: String\r\n   open var bgColor: String\r\n   open var cellPadding: String\r\n   open var cellSpacing: String\r\n   fun createCaption(): HTMLTableCaptionElement\r\n   fun

deleteCaption(): Unit\r\n   fun createTHead(): HTMLTableSectionElement\r\n   fun deleteTHead(): Unit\r\n   fun createTFoot(): HTMLTableSectionElement\r\n   fun deleteTFoot(): Unit\r\n   fun createTBody(): HTMLTableSectionElement\r\n   fun insertRow(index: Int = definedExternally): HTMLTableRowElement\r\n   fun deleteRow(index:
Int): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLTableCaptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCaptionElement) to Kotlin\r\n */\r\npublic external abstract class HTMLTableCaptionElement : HTMLElement {\r\n   open var align: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLTableColElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableColElement) to Kotlin\r\n */\r\npublic external abstract class HTMLTableColElement : HTMLElement {\r\n   open var span: Int\r\n   open var align: String\r\n   open var ch: String\r\n   open var chOff: String\r\n   open var vAlign: String\r\n   open var width: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLTableSectionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableSectionElement) to Kotlin\r\n */\r\npublic external abstract class HTMLTableSectionElement : HTMLElement {\r\n   open val rows: HTMLCollection\r\n   open var align: String\r\n   open var
ch: String\r\n   open var chOff: String\r\n   open var vAlign: String\r\n   fun insertRow(index: Int = definedExternally): HTMLElement\r\n   fun deleteRow(index: Int): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLTableRowElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableRowElement) to Kotlin\r\n */\r\npublic external abstract class HTMLTableRowElement : HTMLElement {\r\n   open val rowIndex: Int\r\n   open val sectionRowIndex: Int\r\n   open val cells: HTMLCollection\r\n   open var align: String\r\n   open var ch: String\r\n   open var chOff: String\r\n   open var vAlign: String\r\n   open var bgColor: String\r\n   fun insertCell(index: Int = definedExternally): HTMLElement\r\n   fun deleteCell(index: Int): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLTableCellElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCellElement) to Kotlin\r\n */\r\npublic external abstract class HTMLTableCellElement : HTMLElement {\r\n   open var
colSpan: Int\r\n   open var rowSpan: Int\r\n   open var headers: String\r\n   open val cellIndex: Int\r\n   open var scope: String\r\n   open var abbr: String\r\n   open var align: String\r\n   open var axis: String\r\n   open var height: String\r\n   open var width: String\r\n   open var ch: String\r\n   open var chOff: String\r\n   open var noWrap: Boolean\r\n   open var vAlign: String\r\n   open var bgColor: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLFormElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFormElement) to Kotlin\r\n */\r\npublic external abstract class HTMLFormElement : HTMLElement {\r\n   open var acceptCharset: String\r\n   open var action: String\r\n   open var autocomplete: String\r\n   open var enctype: String\r\n   open var encoding: String\r\n   open var method: String\r\n   open var name: String\r\n   open var noValidate: Boolean\r\n   open var target: String\r\n   open val elements: HTMLFormControlsCollection\r\n
    open val length: Int\r\n   fun submit(): Unit\r\n   fun reset(): Unit\r\n   fun checkValidity(): Boolean\r\n   fun reportValidity(): Boolean\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun HTMLFormElement.get(index: Int): Element? = asDynamic()[index]\r\n@kotlin.internal.InlineOnly inline operator fun HTMLFormElement.get(name: String): UnionElementOrRadioNodeList? = asDynamic()[name]\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLLabelElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLabelElement) to Kotlin\r\n */\r\npublic external abstract class HTMLLabelElement : HTMLElement {\r\n   open val form: HTMLFormElement?\r\n   open var htmlFor: String\r\n   open val control: HTMLElement?\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to Kotlin\r\n */\r\npublic external abstract class HTMLInputElement : HTMLElement {\r\n   open var accept: String\r\n   open var alt: String\r\n   open
var autocomplete: String\r\n   open var autofocus: Boolean\r\n   open var defaultChecked: Boolean\r\n   open var checked: Boolean\r\n   open var dirName: String\r\n   open var disabled: Boolean\r\n   open val form: HTMLFormElement?\r\n   open val files: FileList?\r\n   open var formAction: String\r\n   open var formEnctype:

String\r\n   open var formMethod: String\r\n   open var formNoValidate: Boolean\r\n   open var formTarget: String\r\n   open var height: Int\r\n   open var indeterminate: Boolean\r\n   open var inputMode: String\r\n   open val list: HTMLElement?\r\n   open var max: String\r\n   open var maxLength: Int\r\n   open var min: String\r\n   open var minLength: Int\r\n   open var multiple: Boolean\r\n   open var name: String\r\n   open var pattern: String\r\n   open var placeholder: String\r\n   open var readOnly: Boolean\r\n   open var required: Boolean\r\n   open var size: Int\r\n   open var src: String\r\n   open var step: String\r\n   open var type: String\r\n   open var defaultValue: String\r\n   open var value: String\r\n   open var valueAsDate: dynamic\r\n   open var valueAsNumber: Double\r\n   open var width: Int\r\n   open val willValidate: Boolean\r\n   open val validity: ValidityState\r\n   open val validationMessage: String\r\n   open val labels: NodeList\r\n   open var selectionStart: Int?\r\n   open var selectionEnd: Int?\r\n   open var selectionDirection: String?\r\n   open var align: String\r\n   open var useMap: String\r\n   fun stepUp(n: Int = definedExternally): Unit\r\n   fun stepDown(n: Int = definedExternally): Unit\r\n   fun checkValidity(): Boolean\r\n   fun reportValidity(): Boolean\r\n   fun setCustomValidity(error: String): Unit\r\n   fun select(): Unit\r\n   fun setRangeText(replacement: String): Unit\r\n   fun setRangeText(replacement: String, start: Int, end: Int, selectionMode: SelectionMode = definedExternally): Unit\r\n   fun setSelectionRange(start: Int, end: Int, direction: String = definedExternally): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLButtonElement](https://developer.mozilla.org/en/docs/Web/API/HTMLButtonElement) to Kotlin\r\n */\r\npublic external abstract class HTMLButtonElement : HTMLElement {\r\n   open var autofocus: Boolean\r\n   open var disabled: Boolean\r\n   open val form: HTMLFormElement?\r\n   open var formAction: String\r\n   open var formEnctype: String\r\n   open var formMethod: String\r\n   open var formNoValidate: Boolean\r\n   open var formTarget: String\r\n   open var name: String\r\n   open var type: String\r\n   open var value: String\r\n   open var menu: HTMLMenuElement?\r\n   open val willValidate: Boolean\r\n   open val validity: ValidityState\r\n   open val validationMessage: String\r\n   open val labels: NodeList\r\n   fun checkValidity(): Boolean\r\n   fun reportValidity(): Boolean\r\n   fun setCustomValidity(error: String): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLSelectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSelectElement) to Kotlin\r\n */\r\npublic external abstract class HTMLSelectElement : HTMLElement, ItemArrayLike<Element> {\r\n   open var autocomplete: String\r\n   open var autofocus: Boolean\r\n   open var disabled: Boolean\r\n   open val form: HTMLFormElement?\r\n   open var multiple: Boolean\r\n   open var name: String\r\n   open var required: Boolean\r\n   open var size: Int\r\n   open val type: String\r\n   open val options: HTMLOptionsCollection\r\n   override var length: Int\r\n   open val selectedOptions: HTMLCollection\r\n   open var selectedIndex: Int\r\n   open var value: String\r\n   open val willValidate: Boolean\r\n   open val validity: ValidityState\r\n   open val validationMessage: String\r\n   open val labels: NodeList\r\n   override fun item(index: Int): Element?\r\n   fun namedItem(name: String): HTMLOptionElement?\r\n   fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally): Unit\r\n   fun remove(index: Int): Unit\r\n   fun checkValidity(): Boolean\r\n   fun reportValidity(): Boolean\r\n   fun setCustomValidity(error: String): Unit\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun HTMLSelectElement.get(index: Int): Element? = asDynamic()[index]\r\n@kotlin.internal.InlineOnly inline operator fun HTMLSelectElement.set(index: Int, option: HTMLOptionElement?): Unit { asDynamic()[index] = option; }\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLDataListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataListElement) to Kotlin\r\n */\r\npublic external abstract class HTMLDataListElement : HTMLElement {\r\n   open val options: HTMLCollection\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLOptGroupElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptGroupElement) to Kotlin\r\n */\r\npublic external abstract class HTMLOptGroupElement : HTMLElement, UnionHTMLOptGroupElementOrHTMLOptionElement {\r\n   open var disabled: Boolean\r\n   open var label: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLOptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionElement) to Kotlin\r\n */\r\npublic external abstract class HTMLOptionElement : HTMLElement,

UnionHTMLOptGroupElementOrHTMLOptionElement {\r\n   open var disabled: Boolean\r\n   open val form: HTMLFormElement?\r\n   open var label: String\r\n   open var defaultSelected: Boolean\r\n   open var selected: Boolean\r\n   open var value: String\r\n   open var text: String\r\n   open val index: Int\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [Option](https://developer.mozilla.org/en/docs/Web/API/Option) to Kotlin\r\n */\r\npublic external open class Option(text: String = definedExternally, value: String = definedExternally, defaultSelected: Boolean = definedExternally, selected: Boolean = definedExternally) : HTMLOptionElement {\r\n   override val children: HTMLCollection\r\n   override val firstElementChild: Element?\r\n   override val lastElementChild: Element?\r\n   override val childElementCount: Int\r\n   override val previousElementSibling: Element?\r\n   override val nextElementSibling: Element?\r\n   override val assignedSlot: HTMLSlotElement?\r\n   override val style: CSSStyleDeclaration\r\n   override var ongotpointercapture: ((PointerEvent) -> dynamic)?\r\n   override var onlostpointercapture: ((PointerEvent) -> dynamic)?\r\n   override var onpointerdown: ((PointerEvent) -> dynamic)?\r\n   override var onpointermove: ((PointerEvent) -> dynamic)?\r\n   override var onpointerup: ((PointerEvent) -> dynamic)?\r\n   override var onpointercancel: ((PointerEvent) -> dynamic)?\r\n   override var onpointerover: ((PointerEvent) -> dynamic)?\r\n   override var onpointerout: ((PointerEvent) -> dynamic)?\r\n   override var onpointerenter: ((PointerEvent) -> dynamic)?\r\n   override var onpointerleave: ((PointerEvent) -> dynamic)?\r\n   override var onabort: ((Event) -> dynamic)?\r\n   override var onblur: ((FocusEvent) -> dynamic)?\r\n   override var oncancel: ((Event) -> dynamic)?\r\n   override var oncanplay: ((Event) -> dynamic)?\r\n   override var oncanplaythrough: ((Event) -> dynamic)?\r\n   override var onchange: ((Event) -> dynamic)?\r\n   override var onclick: ((MouseEvent) -> dynamic)?\r\n   override var onclose: ((Event) -> dynamic)?\r\n   override var oncontextmenu: ((MouseEvent) -> dynamic)?\r\n   override var oncuechange: ((Event) -> dynamic)?\r\n   override var ondblclick: ((MouseEvent) -> dynamic)?\r\n   override var ondrag: ((DragEvent) -> dynamic)?\r\n   override var ondragend: ((DragEvent) -> dynamic)?\r\n   override var ondragenter: ((DragEvent) -> dynamic)?\r\n   override var ondragexit: ((DragEvent) -> dynamic)?\r\n   override var ondragleave: ((DragEvent) -> dynamic)?\r\n   override var ondragover: ((DragEvent) -> dynamic)?\r\n   override var ondragstart: ((DragEvent) -> dynamic)?\r\n   override var ondrop: ((DragEvent) -> dynamic)?\r\n   override var ondurationchange: ((Event) -> dynamic)?\r\n   override var onemptied: ((Event) -> dynamic)?\r\n   override var onended: ((Event) -> dynamic)?\r\n   override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\r\n   override var onfocus: ((FocusEvent) -> dynamic)?\r\n   override var oninput: ((InputEvent) -> dynamic)?\r\n   override var oninvalid: ((Event) -> dynamic)?\r\n   override var onkeydown: ((KeyboardEvent) -> dynamic)?\r\n   override var onkeypress: ((KeyboardEvent) -> dynamic)?\r\n   override var onkeyup: ((KeyboardEvent) -> dynamic)?\r\n   override var onload: ((Event) -> dynamic)?\r\n   override var onloadeddata: ((Event) -> dynamic)?\r\n   override var onloadedmetadata: ((Event) -> dynamic)?\r\n   override var onloadend: ((Event) -> dynamic)?\r\n   override var onloadstart: ((ProgressEvent) -> dynamic)?\r\n   override var onmousedown: ((MouseEvent) -> dynamic)?\r\n   override var onmouseenter: ((MouseEvent) -> dynamic)?\r\n   override var onmouseleave: ((MouseEvent) -> dynamic)?\r\n   override var onmousemove: ((MouseEvent) -> dynamic)?\r\n   override var onmouseout: ((MouseEvent) -> dynamic)?\r\n   override var onmouseover: ((MouseEvent) -> dynamic)?\r\n   override var onmouseup: ((MouseEvent) -> dynamic)?\r\n   override var onwheel: ((WheelEvent) -> dynamic)?\r\n   override var onpause: ((Event) -> dynamic)?\r\n   override var onplay: ((Event) -> dynamic)?\r\n   override var onplaying: ((Event) -> dynamic)?\r\n   override var onprogress: ((ProgressEvent) -> dynamic)?\r\n   override var onratechange: ((Event) -> dynamic)?\r\n   override var onreset: ((Event) -> dynamic)?\r\n   override var onresize: ((Event) -> dynamic)?\r\n   override var onscroll: ((Event) -> dynamic)?\r\n   override var onseeked: ((Event) -> dynamic)?\r\n   override var onseeking: ((Event) -> dynamic)?\r\n   override var onselect: ((Event) -> dynamic)?\r\n   override var onshow: ((Event) -> dynamic)?\r\n   override var onstalled: ((Event) -> dynamic)?\r\n   override var onsubmit: ((Event) -> dynamic)?\r\n   override var onsuspend: ((Event) -> dynamic)?\r\n   override var ontimeupdate: ((Event) -> dynamic)?\r\n   override var ontoggle: ((Event) -> dynamic)?\r\n   override var onvolumechange: ((Event) -> dynamic)?\r\n   override var onwaiting: ((Event) -> dynamic)?\r\n   override var oncopy: ((ClipboardEvent) -> dynamic)?\r\n   override var oncut: ((ClipboardEvent) -> dynamic)?\r\n   override var onpaste: ((ClipboardEvent) -> dynamic)?\r\n   override

var contentEditable: String\r\n override val isContentEditable: Boolean\r\n override fun prepend(vararg nodes: dynamic): Unit\r\n override fun append(vararg nodes: dynamic): Unit\r\n override fun querySelector(selectors: String): Element?\r\n override fun querySelectorAll(selectors: String): NodeList\r\n override fun before(vararg nodes: dynamic): Unit\r\n override fun after(vararg nodes: dynamic): Unit\r\n
override fun replaceWith(vararg nodes: dynamic): Unit\r\n override fun remove(): Unit\r\n override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\r\n override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\r\n override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\r\n override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLTextAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTextAreaElement) to Kotlin\r\n */\r\npublic external abstract class HTMLTextAreaElement : HTMLElement {\r\n open var autocomplete: String\r\n open var autofocus: Boolean\r\n open var cols: Int\r\n open var dirName: String\r\n open var disabled: Boolean\r\n open val form: HTMLFormElement?\r\n open var inputMode: String\r\n open var maxLength: Int\r\n open var minLength: Int\r\n open var name: String\r\n open var placeholder: String\r\n open var readOnly: Boolean\r\n open var required: Boolean\r\n open var rows: Int\r\n open var wrap: String\r\n open val type: String\r\n open var defaultValue: String\r\n open var value: String\r\n open val textLength: Int\r\n open val willValidate: Boolean\r\n open val validity: ValidityState\r\n open val validationMessage: String\r\n open val labels: NodeList\r\n open var selectionStart: Int?\r\n open var selectionEnd: Int?\r\n open var selectionDirection: String?\r\n fun checkValidity(): Boolean\r\n fun reportValidity(): Boolean\r\n fun setCustomValidity(error: String): Unit\r\n fun select(): Unit\r\n fun setRangeText(replacement: String): Unit\r\n fun setRangeText(replacement: String, start: Int, end:
Int, selectionMode: SelectionMode = definedExternally): Unit\r\n fun setSelectionRange(start: Int, end: Int, direction: String = definedExternally): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLKeygenElement](https://developer.mozilla.org/en/docs/Web/API/HTMLKeygenElement) to Kotlin\r\n */\r\npublic external abstract class HTMLKeygenElement : HTMLElement {\r\n open var autofocus: Boolean\r\n open var challenge: String\r\n open var disabled: Boolean\r\n open val form: HTMLFormElement?\r\n open var keytype: String\r\n open var name: String\r\n open val type: String\r\n open val willValidate: Boolean\r\n open val validity: ValidityState\r\n open val validationMessage: String\r\n open val labels: NodeList\r\n fun checkValidity(): Boolean\r\n fun reportValidity(): Boolean\r\n fun setCustomValidity(error: String): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLOutputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOutputElement)
to Kotlin\r\n */\r\npublic external abstract class HTMLOutputElement : HTMLElement {\r\n open val htmlFor: DOMTokenList\r\n open val form: HTMLFormElement?\r\n open var name: String\r\n open val type: String\r\n open var defaultValue: String\r\n open var value: String\r\n open val willValidate: Boolean\r\n open val validity: ValidityState\r\n open val validationMessage: String\r\n open val labels: NodeList\r\n fun checkValidity(): Boolean\r\n fun reportValidity(): Boolean\r\n fun setCustomValidity(error: String): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLProgressElement](https://developer.mozilla.org/en/docs/Web/API/HTMLProgressElement) to Kotlin\r\n */\r\npublic external abstract class HTMLProgressElement : HTMLElement {\r\n open var value: Double\r\n open var max: Double\r\n open val position: Double\r\n open val labels: NodeList\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLMeterElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMeterElement)
to Kotlin\r\n */\r\npublic external abstract class HTMLMeterElement : HTMLElement {\r\n open var value: Double\r\n open var min: Double\r\n open var max: Double\r\n open var low: Double\r\n open var high: Double\r\n open var optimum: Double\r\n open val labels: NodeList\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLFieldSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFieldSetElement) to Kotlin\r\n */\r\npublic external abstract class HTMLFieldSetElement : HTMLElement {\r\n open var disabled: Boolean\r\n

open val form: HTMLFormElement?\r\n   open var name: String\r\n   open val type: String\r\n   open val elements: HTMLCollection\r\n   open val willValidate: Boolean\r\n   open val validity: ValidityState\r\n   open val validationMessage: String\r\n   fun checkValidity(): Boolean\r\n   fun reportValidity(): Boolean\r\n   fun setCustomValidity(error: String): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLLegendElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLegendElement) to Kotlin\r\n */\r\npublic external abstract class HTMLLegendElement : HTMLElement {\r\n   open val form: HTMLFormElement?\r\n   open var align: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [ValidityState](https://developer.mozilla.org/en/docs/Web/API/ValidityState) to Kotlin\r\n */\r\npublic external abstract class ValidityState {\r\n   open val valueMissing: Boolean\r\n   open val typeMismatch: Boolean\r\n   open val patternMismatch: Boolean\r\n   open val tooLong: Boolean\r\n   open val tooShort: Boolean\r\n   open val rangeUnderflow: Boolean\r\n   open val rangeOverflow: Boolean\r\n   open val stepMismatch: Boolean\r\n   open val badInput: Boolean\r\n   open val customError: Boolean\r\n   open val valid: Boolean\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLDetailsElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDetailsElement) to Kotlin\r\n */\r\npublic external abstract class HTMLDetailsElement : HTMLElement {\r\n   open var open: Boolean\r\n}\r\n\r\npublic external abstract class HTMLMenuElement : HTMLElement {\r\n   open var type: String\r\n   open var label: String\r\n   open var compact: Boolean\r\n}\r\n\r\npublic external abstract class HTMLMenuItemElement : HTMLElement {\r\n   open var type: String\r\n   open var label: String\r\n   open var icon: String\r\n   open var disabled: Boolean\r\n   open var checked: Boolean\r\n   open var radiogroup: String\r\n   open var default: Boolean\r\n}\r\n\r\npublic external open class RelatedEvent(type: String, eventInitDict: RelatedEventInit = definedExternally) : Event {\r\n   open val relatedTarget: EventTarget?\r\n}\r\n\r\npublic external interface RelatedEventInit : EventInit {\r\n   var relatedTarget: EventTarget? /* = null */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun RelatedEventInit(relatedTarget: EventTarget? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): RelatedEventInit {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"relatedTarget\"] = relatedTarget\r\n   o[\"bubbles\"] = bubbles\r\n   o[\"cancelable\"] = cancelable\r\n   o[\"composed\"] = composed\r\n\r\n   return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLDialogElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDialogElement) to Kotlin\r\n */\r\npublic external abstract class HTMLDialogElement : HTMLElement {\r\n   open var open: Boolean\r\n   open var returnValue: String\r\n   fun show(anchor: UnionElementOrMouseEvent = definedExternally): Unit\r\n   fun showModal(anchor: UnionElementOrMouseEvent = definedExternally): Unit\r\n   fun close(returnValue: String = definedExternally): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLScriptElement](https://developer.mozilla.org/en/docs/Web/API/HTMLScriptElement) to Kotlin\r\n */\r\npublic external abstract class HTMLScriptElement : HTMLElement, HTMLOrSVGScriptElement {\r\n   open var src: String\r\n   open var type: String\r\n   open var charset: String\r\n   open var async: Boolean\r\n   open var defer: Boolean\r\n   open var crossOrigin: String?\r\n   open var text: String\r\n   open var nonce: String\r\n   open var event: String\r\n   open var htmlFor: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLTemplateElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTemplateElement) to Kotlin\r\n */\r\npublic external abstract class HTMLTemplateElement : HTMLElement {\r\n   open val content: DocumentFragment\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLSlotElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSlotElement) to Kotlin\r\n */\r\npublic external abstract class HTMLSlotElement : HTMLElement {\r\n   open var name: String\r\n   fun assignedNodes(options: AssignedNodesOptions = definedExternally): Array<Node>\r\n}\r\n\r\npublic external interface AssignedNodesOptions {\r\n   var flatten: Boolean? /* = false */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun AssignedNodesOptions(flatten: Boolean? = false): AssignedNodesOptions {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"flatten\"] = flatten\r\n\r\n   return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript

[HTMLCanvasElement](https://developer.mozilla.org/en/docs/Web/API/HTMLCanvasElement) to Kotlin\r\n */\r\npublic external abstract class HTMLCanvasElement : HTMLElement, TexImageSource {\r\n open var width: Int\r\n open var height: Int\r\n fun getContext(contextId: String, vararg arguments: Any?): RenderingContext?\r\n fun toDataURL(type: String = definedExternally, quality: Any? = definedExternally): String\r\n fun toBlob(_callback: (Blob?) -> Unit, type: String = definedExternally, quality: Any? = definedExternally): Unit\r\n}\r\n\r\npublic external interface CanvasRenderingContext2DSettings {\r\n var alpha: Boolean? /* = true */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun CanvasRenderingContext2DSettings(alpha: Boolean? = true): CanvasRenderingContext2DSettings {\r\n val o = js(\"({})\")\r\n\r\n o[\"alpha\"] = alpha\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [CanvasRenderingContext2D](https://developer.mozilla.org/en/docs/Web/API/CanvasRenderingContext2D) to Kotlin\r\n */\r\npublic external abstract class CanvasRenderingContext2D : CanvasState, CanvasTransform, CanvasCompositing, CanvasImageSmoothing, CanvasFillStrokeStyles, CanvasShadowStyles, CanvasFilters, CanvasRect, CanvasDrawPath, CanvasUserInterface, CanvasText, CanvasDrawImage, CanvasHitRegion, CanvasImageData, CanvasPathDrawingStyles, CanvasTextDrawingStyles, CanvasPath, RenderingContext {\r\n open val canvas: HTMLCanvasElement\r\n}\r\n\r\npublic external interface CanvasState {\r\n fun save(): Unit\r\n fun restore(): Unit\r\n}\r\n\r\npublic external interface CanvasTransform {\r\n fun scale(x: Double, y: Double): Unit\r\n fun rotate(angle: Double): Unit\r\n fun translate(x: Double, y: Double): Unit\r\n fun transform(a: Double, b: Double, c: Double, d: Double, e: Double, f: Double): Unit\r\n fun getTransform(): DOMMatrix\r\n fun setTransform(a: Double, b: Double, c: Double, d: Double, e: Double, f: Double): Unit\r\n fun setTransform(transform: dynamic = definedExternally): Unit\r\n fun resetTransform(): Unit\r\n}\r\n\r\npublic external interface CanvasCompositing {\r\n var globalAlpha: Double\r\n var globalCompositeOperation: String\r\n}\r\n\r\npublic external interface CanvasImageSmoothing {\r\n var imageSmoothingEnabled: Boolean\r\n var imageSmoothingQuality: ImageSmoothingQuality\r\n}\r\n\r\npublic external interface CanvasFillStrokeStyles {\r\n var strokeStyle: dynamic\r\n var fillStyle: dynamic\r\n fun createLinearGradient(x0: Double, y0: Double, x1: Double, y1: Double): CanvasGradient\r\n fun createRadialGradient(x0: Double, y0: Double, r0: Double, x1: Double, y1: Double, r1: Double): CanvasGradient\r\n fun createPattern(image: dynamic, repetition: String): CanvasPattern?\r\n}\r\n\r\npublic external interface CanvasShadowStyles {\r\n var shadowOffsetX: Double\r\n var shadowOffsetY: Double\r\n var shadowBlur: Double\r\n var shadowColor: String\r\n}\r\n\r\npublic external interface CanvasFilters {\r\n var filter: String\r\n}\r\n\r\npublic external interface CanvasRect {\r\n fun clearRect(x: Double, y: Double, w: Double, h: Double): Unit\r\n fun fillRect(x: Double, y: Double, w: Double, h: Double): Unit\r\n fun strokeRect(x: Double, y: Double, w: Double, h: Double): Unit\r\n}\r\n\r\npublic external interface CanvasDrawPath {\r\n fun beginPath(): Unit\r\n fun fill(fillRule: CanvasFillRule = definedExternally): Unit\r\n fun fill(path: Path2D, fillRule: CanvasFillRule = definedExternally): Unit\r\n fun stroke(): Unit\r\n fun stroke(path: Path2D): Unit\r\n fun clip(fillRule: CanvasFillRule = definedExternally): Unit\r\n fun clip(path: Path2D, fillRule: CanvasFillRule = definedExternally): Unit\r\n fun resetClip(): Unit\r\n fun isPointInPath(x: Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\r\n fun isPointInPath(path: Path2D, x: Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\r\n fun isPointInStroke(x: Double, y: Double): Boolean\r\n fun isPointInStroke(path: Path2D, x: Double, y: Double): Boolean\r\n}\r\n\r\npublic external interface CanvasUserInterface {\r\n fun drawFocusIfNeeded(element: Element): Unit\r\n fun drawFocusIfNeeded(path: Path2D, element: Element): Unit\r\n fun scrollPathIntoView(): Unit\r\n fun scrollPathIntoView(path: Path2D): Unit\r\n}\r\n\r\npublic external interface CanvasText {\r\n fun fillText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally): Unit\r\n fun strokeText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally): Unit\r\n fun measureText(text: String): TextMetrics\r\n}\r\n\r\npublic external interface CanvasDrawImage {\r\n fun drawImage(image: dynamic, dx: Double, dy: Double): Unit\r\n fun drawImage(image: dynamic, dx: Double, dy: Double, dw: Double, dh: Double): Unit\r\n fun drawImage(image: dynamic, sx: Double, sy: Double, sw: Double,

sh: Double, dx: Double, dy: Double, dw: Double, dh: Double): Unit\r\n}\r\n\r\npublic external interface CanvasHitRegion {\r\n fun addHitRegion(options: HitRegionOptions = definedExternally): Unit\r\n fun removeHitRegion(id: String): Unit\r\n fun clearHitRegions(): Unit\r\n}\r\n\r\npublic external interface CanvasImageData {\r\n fun createImageData(sw: Double, sh: Double): ImageData\r\n fun createImageData(imagedata: ImageData): ImageData\r\n
fun getImageData(sx: Double, sy: Double, sw: Double, sh: Double): ImageData\r\n fun putImageData(imagedata: ImageData, dx: Double, dy: Double): Unit\r\n fun putImageData(imagedata: ImageData, dx: Double, dy: Double, dirtyX: Double, dirtyY: Double, dirtyWidth: Double, dirtyHeight: Double): Unit\r\n}\r\n\r\npublic external interface CanvasPathDrawingStyles {\r\n var lineWidth: Double\r\n var lineCap: CanvasLineCap\r\n var lineJoin: CanvasLineJoin\r\n var miterLimit: Double\r\n var lineDashOffset: Double\r\n fun setLineDash(segments: Array<Double>): Unit\r\n fun getLineDash(): Array<Double>\r\n}\r\n\r\npublic external interface CanvasTextDrawingStyles {\r\n var font: String\r\n var textAlign: CanvasTextAlign\r\n var textBaseline: CanvasTextBaseline\r\n var direction: CanvasDirection\r\n}\r\n\r\npublic external interface CanvasPath {\r\n fun closePath(): Unit\r\n fun moveTo(x: Double, y: Double): Unit\r\n fun lineTo(x: Double, y: Double):
Unit\r\n fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double): Unit\r\n fun bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double): Unit\r\n fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius: Double): Unit\r\n fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY: Double, rotation: Double): Unit\r\n fun rect(x: Double, y: Double, w: Double, h: Double): Unit\r\n fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean = definedExternally): Unit\r\n fun ellipse(x: Double, y: Double, radiusX: Double, radiusY: Double, rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean = definedExternally): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [CanvasGradient](https://developer.mozilla.org/en/docs/Web/API/CanvasGradient) to Kotlin\r\n */\r\npublic external abstract class CanvasGradient {\r\n
fun addColorStop(offset: Double, color: String): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [CanvasPattern](https://developer.mozilla.org/en/docs/Web/API/CanvasPattern) to Kotlin\r\n */\r\npublic external abstract class CanvasPattern {\r\n fun setTransform(transform: dynamic = definedExternally): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [TextMetrics](https://developer.mozilla.org/en/docs/Web/API/TextMetrics) to Kotlin\r\n */\r\npublic external abstract class TextMetrics {\r\n open val width: Double\r\n open val actualBoundingBoxLeft: Double\r\n open val actualBoundingBoxRight: Double\r\n open val fontBoundingBoxAscent: Double\r\n open val fontBoundingBoxDescent: Double\r\n open val actualBoundingBoxAscent: Double\r\n open val actualBoundingBoxDescent: Double\r\n open val emHeightAscent: Double\r\n open val emHeightDescent: Double\r\n open val hangingBaseline: Double\r\n open val alphabeticBaseline: Double\r\n open val ideographicBaseline:
Double\r\n}\r\n\r\npublic external interface HitRegionOptions {\r\n var path: Path2D? /* = null */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var fillRule: CanvasFillRule? /* = CanvasFillRule.NONZERO */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var id: String? /* = \"\" */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var parentID: String? /* = null */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var cursor: String? /* = \"inherit\" */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var control: Element? /* = null */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var label: String? /* = null */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var role: String? /* = null */\r\n get() = definedExternally\r\n
set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun HitRegionOptions(path: Path2D? = null, fillRule: CanvasFillRule? = CanvasFillRule.NONZERO, id: String? = \"\", parentID: String? = null, cursor: String? = \"inherit\", control: Element? = null, label: String? = null, role: String? =

null): HitRegionOptions {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"path\"] = path\r\n   o[\"fillRule\"] = fillRule\r\n   o[\"id\"] = id\r\n   o[\"parentID\"] = parentID\r\n   o[\"cursor\"] = cursor\r\n   o[\"control\"] = control\r\n   o[\"label\"] = label\r\n   o[\"role\"] = role\r\n\r\n   return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [ImageData](https://developer.mozilla.org/en/docs/Web/API/ImageData) to Kotlin\r\n */\r\npublic external open class ImageData : TexImageSource {\r\n   constructor(sw: Int, sh: Int)\r\n   constructor(data: Uint8ClampedArray, sw: Int, sh: Int = definedExternally)\r\n   open val width: Int\r\n   open val height: Int\r\n   open val data: Uint8ClampedArray\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [Path2D](https://developer.mozilla.org/en/docs/Web/API/Path2D) to Kotlin\r\n */\r\npublic external open class Path2D() : CanvasPath {\r\n   constructor(path: Path2D)\r\n   constructor(paths: Array<Path2D>, fillRule: CanvasFillRule = definedExternally)\r\n   constructor(d: String)\r\n   fun addPath(path: Path2D, transform: dynamic = definedExternally): Unit\r\n   override fun closePath(): Unit\r\n   override fun moveTo(x: Double, y: Double): Unit\r\n   override fun lineTo(x: Double, y: Double): Unit\r\n   override fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double): Unit\r\n   override fun bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double): Unit\r\n   override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius: Double): Unit\r\n   override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radiusX:
Double, radiusY: Double, rotation: Double): Unit\r\n   override fun rect(x: Double, y: Double, w: Double, h: Double): Unit\r\n   override fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean /* = definedExternally */): Unit\r\n   override fun ellipse(x: Double, y: Double, radiusX: Double, radiusY: Double, rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean /* = definedExternally */): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [Touch](https://developer.mozilla.org/en/docs/Web/API/Touch) to Kotlin\r\n */\r\npublic external abstract class Touch {\r\n   open val region: String?\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [ImageBitmapRenderingContext](https://developer.mozilla.org/en/docs/Web/API/ImageBitmapRenderingContext) to Kotlin\r\n */\r\npublic external abstract class ImageBitmapRenderingContext {\r\n   open val canvas: HTMLCanvasElement\r\n   fun transferFromImageBitmap(bitmap: ImageBitmap?): Unit\r\n}\r\n\r\n\r\npublic external interface ImageBitmapRenderingContextSettings {\r\n   var alpha: Boolean? /* = true */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ImageBitmapRenderingContextSettings(alpha: Boolean? = true): ImageBitmapRenderingContextSettings {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"alpha\"] = alpha\r\n\r\n   return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [CustomElementRegistry](https://developer.mozilla.org/en/docs/Web/API/CustomElementRegistry) to Kotlin\r\n */\r\npublic external abstract class CustomElementRegistry {\r\n   fun define(name: String, constructor: () -> dynamic, options: ElementDefinitionOptions = definedExternally): Unit\r\n   fun get(name: String): Any?\r\n   fun whenDefined(name: String): Promise<Unit>\r\n}\r\n\r\n\r\npublic external interface ElementDefinitionOptions {\r\n   var extends: String?\r\n   get() = definedExternally\r\n
        set(value) = definedExternally\r\n}\r\n\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ElementDefinitionOptions(extends: String? = undefined): ElementDefinitionOptions {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"extends\"] = extends\r\n\r\n   return o\r\n}\r\n\r\n\r\npublic external interface ElementContentEditable {\r\n   var contentEditable: String\r\n   val isContentEditable: Boolean\r\n}\r\n\r\n\r\n/**\r\n * Exposes the JavaScript [DataTransfer](https://developer.mozilla.org/en/docs/Web/API/DataTransfer) to Kotlin\r\n */\r\npublic external abstract class DataTransfer {\r\n   open var dropEffect: String\r\n   open var effectAllowed: String\r\n   open val items: DataTransferItemList\r\n   open val types: Array<out String>\r\n   open val files: FileList\r\n   fun setDragImage(image: Element, x: Int, y: Int): Unit\r\n   fun getData(format: String): String\r\n   fun setData(format: String, data: String): Unit\r\n   fun clearData(format: String = definedExternally): Unit\r\n}\r\n\r\n\r\n/**\r\n * Exposes the JavaScript [DataTransferItemList](https://developer.mozilla.org/en/docs/Web/API/DataTransferItemList) to Kotlin\r\n */\r\npublic external abstract class DataTransferItemList {\r\n   open val length: Int\r\n   fun add(data: String, type:

String): DataTransferItem?\r\n   fun add(data: File): DataTransferItem?\r\n   fun remove(index: Int): Unit\r\n   fun clear(): Unit\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun DataTransferItemList.get(index: Int): DataTransferItem? = asDynamic()[index]\r\n\r\n/**\r\n * Exposes the JavaScript [DataTransferItem](https://developer.mozilla.org/en/docs/Web/API/DataTransferItem) to Kotlin\r\n */\r\npublic external abstract class DataTransferItem {\r\n   open val kind: String\r\n   open val type: String\r\n   fun getAsString(_callback: ((String) -> Unit)?): Unit\r\n   fun getAsFile(): File?\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [DragEvent](https://developer.mozilla.org/en/docs/Web/API/DragEvent)
 to Kotlin\r\n */\r\npublic external open class DragEvent(type: String, eventInitDict: DragEventInit = definedExternally) : MouseEvent {\r\n   open val dataTransfer: DataTransfer?\r\n}\r\n\r\npublic external interface DragEventInit : MouseEventInit {\r\n   var dataTransfer: DataTransfer? /* = null */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun DragEventInit(dataTransfer: DataTransfer? = null, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper:
 Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): DragEventInit {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"dataTransfer\"] = dataTransfer\r\n   o[\"screenX\"] = screenX\r\n   o[\"screenY\"] = screenY\r\n   o[\"clientX\"] = clientX\r\n   o[\"clientY\"] = clientY\r\n   o[\"button\"] = button\r\n   o[\"buttons\"] = buttons\r\n   o[\"relatedTarget\"] = relatedTarget\r\n   o[\"ctrlKey\"] = ctrlKey\r\n   o[\"shiftKey\"] = shiftKey\r\n   o[\"altKey\"] = altKey\r\n   o[\"metaKey\"] = metaKey\r\n   o[\"modifierAltGraph\"] = modifierAltGraph\r\n   o[\"modifierCapsLock\"] = modifierCapsLock\r\n   o[\"modifierFn\"] = modifierFn\r\n   o[\"modifierFnLock\"] = modifierFnLock\r\n   o[\"modifierHyper\"] = modifierHyper\r\n   o[\"modifierNumLock\"] = modifierNumLock\r\n   o[\"modifierScrollLock\"] = modifierScrollLock\r\n
    o[\"modifierSuper\"] = modifierSuper\r\n   o[\"modifierSymbol\"] = modifierSymbol\r\n   o[\"modifierSymbolLock\"] = modifierSymbolLock\r\n   o[\"view\"] = view\r\n   o[\"detail\"] = detail\r\n   o[\"bubbles\"] = bubbles\r\n   o[\"cancelable\"] = cancelable\r\n   o[\"composed\"] = composed\r\n\r\n   return o\r\n}\r\n\r\npublic external abstract class BarProp {\r\n   open val visible: Boolean\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [History](https://developer.mozilla.org/en/docs/Web/API/History) to Kotlin\r\n */\r\npublic external abstract class History {\r\n   open val length: Int\r\n   open var scrollRestoration: ScrollRestoration\r\n   open val state: Any?\r\n   fun go(delta: Int = definedExternally): Unit\r\n   fun back(): Unit\r\n   fun forward(): Unit\r\n   fun pushState(data: Any?, title: String, url: String? = definedExternally): Unit\r\n   fun replaceState(data: Any?, title: String, url: String? = definedExternally): Unit\r\n}\r\n\r\n/**\r\n
 * Exposes the JavaScript [Location](https://developer.mozilla.org/en/docs/Web/API/Location) to Kotlin\r\n */\r\npublic external abstract class Location {\r\n   open var href: String\r\n   open val origin: String\r\n   open var protocol: String\r\n   open var host: String\r\n   open var hostname: String\r\n   open var port: String\r\n   open var pathname: String\r\n   open var search: String\r\n   open var hash: String\r\n   open val ancestorOrigins: Array<out String>\r\n   fun assign(url: String): Unit\r\n   fun replace(url: String): Unit\r\n   fun reload(): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [PopStateEvent](https://developer.mozilla.org/en/docs/Web/API/PopStateEvent) to Kotlin\r\n */\r\npublic external open class PopStateEvent(type: String, eventInitDict: PopStateEventInit = definedExternally) : Event {\r\n   open val state: Any?\r\n}\r\n\r\npublic external interface PopStateEventInit : EventInit {\r\n   var state: Any? /* = null */\r\n   get() =
 definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun PopStateEventInit(state: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean?

= false): PopStateEventInit {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"state\"] = state\r\n   o[\"bubbles\"] = bubbles\r\n   o[\"cancelable\"] = cancelable\r\n   o[\"composed\"] = composed\r\n\r\n   return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HashChangeEvent](https://developer.mozilla.org/en/docs/Web/API/HashChangeEvent) to Kotlin\r\n */\r\npublic external open class HashChangeEvent(type: String, eventInitDict: HashChangeEventInit = definedExternally) : Event {\r\n   open val oldURL: String\r\n   open val newURL: String\r\n}\r\n\r\npublic external interface HashChangeEventInit : EventInit {\r\n   var oldURL: String? /* = \"\" */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var newURL: String? /* = \"\" */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun HashChangeEventInit(oldURL: String? = \"\", newURL: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): HashChangeEventInit {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"oldURL\"] = oldURL\r\n   o[\"newURL\"] = newURL\r\n   o[\"bubbles\"] = bubbles\r\n   o[\"cancelable\"] = cancelable\r\n   o[\"composed\"] = composed\r\n\r\n   return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [PageTransitionEvent](https://developer.mozilla.org/en/docs/Web/API/PageTransitionEvent) to Kotlin\r\n */\r\npublic external open class PageTransitionEvent(type: String, eventInitDict: PageTransitionEventInit = definedExternally) : Event {\r\n   open val persisted: Boolean\r\n}\r\n\r\npublic external interface PageTransitionEventInit : EventInit {\r\n   var persisted: Boolean? /* = false */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun PageTransitionEventInit(persisted: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PageTransitionEventInit {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"persisted\"] = persisted\r\n   o[\"bubbles\"] = bubbles\r\n   o[\"cancelable\"] = cancelable\r\n   o[\"composed\"] = composed\r\n\r\n   return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [BeforeUnloadEvent](https://developer.mozilla.org/en/docs/Web/API/BeforeUnloadEvent) to Kotlin\r\n */\r\npublic external open class BeforeUnloadEvent : Event {\r\n   var returnValue: String\r\n}\r\n\r\npublic external abstract class ApplicationCache : EventTarget {\r\n   open val status: Short\r\n   open var onchecking: ((Event) -> dynamic)?\r\n   open var onerror: ((Event) -> dynamic)?\r\n   open var onnoupdate: ((Event) -> dynamic)?\r\n   open var ondownloading: ((Event) -> dynamic)?\r\n   open var onprogress: ((ProgressEvent) -> dynamic)?\r\n   open var onupdateready: ((Event) -> dynamic)?\r\n   open var oncached: ((Event) -> dynamic)?\r\n   open var onobsolete: ((Event) -> dynamic)?\r\n   fun update(): Unit\r\n   fun abort(): Unit\r\n   fun swapCache(): Unit\r\n\r\n   companion object {\r\n   val UNCACHED: Short\r\n   val IDLE: Short\r\n   val CHECKING: Short\r\n   val DOWNLOADING: Short\r\n   val UPDATEREADY: Short\r\n   val OBSOLETE: Short\r\n   }\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [NavigatorOnLine](https://developer.mozilla.org/en/docs/Web/API/NavigatorOnLine) to Kotlin\r\n */\r\npublic external interface NavigatorOnLine {\r\n   val onLine: Boolean\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [ErrorEvent](https://developer.mozilla.org/en/docs/Web/API/ErrorEvent) to Kotlin\r\n */\r\npublic external open class ErrorEvent(type: String, eventInitDict: ErrorEventInit = definedExternally) : Event {\r\n   open val message: String\r\n   open val filename: String\r\n   open val lineno: Int\r\n   open val colno: Int\r\n   open val error: Any?\r\n}\r\n\r\npublic external interface ErrorEventInit : EventInit {\r\n   var message: String? /* = \"\" */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var filename: String? /* = \"\" */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var lineno: Int? /* = 0 */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var colno: Int? /* = 0 */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var error: Any? /* = null */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ErrorEventInit(message: String? = \"\", filename: String? = \"\", lineno: Int? = 0, colno: Int? = 0, error: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ErrorEventInit {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"message\"] = message\r\n   o[\"filename\"] = filename\r\n   o[\"lineno\"] = lineno\r\n   o[\"colno\"] = colno\r\n

```
  o[\"error\"] = error\r\n    o[\"bubbles\"] = bubbles\r\n    o[\"cancelable\"] = cancelable\r\n    o[\"composed\"] =
composed\r\n\r\n    return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript
[PromiseRejectionEvent](https://developer.mozilla.org/en/docs/Web/API/PromiseRejectionEvent) to Kotlin\r\n
*/\r\npublic external open class PromiseRejectionEvent(type: String, eventInitDict: PromiseRejectionEventInit) :
Event {\r\n    open val promise: Promise<Any?>\r\n    open val reason: Any?\r\n}\r\n\r\npublic external interface
PromiseRejectionEventInit : EventInit {\r\n    var promise: Promise<Any?>?\r\n        get() = definedExternally\r\n
  set(value) = definedExternally\r\n    var reason: Any?\r\n        get() = definedExternally\r\n        set(value)
 = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun
PromiseRejectionEventInit(promise: Promise<Any?>?, reason: Any? = undefined, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): PromiseRejectionEventInit {\r\n    val o =
js(\"({})\")\r\n\r\n    o[\"promise\"] = promise\r\n    o[\"reason\"] = reason\r\n    o[\"bubbles\"] = bubbles\r\n
o[\"cancelable\"] = cancelable\r\n    o[\"composed\"] = composed\r\n\r\n    return o\r\n}\r\n\r\n/**\r\n * Exposes the
JavaScript [GlobalEventHandlers](https://developer.mozilla.org/en/docs/Web/API/GlobalEventHandlers) to
Kotlin\r\n */\r\npublic external interface GlobalEventHandlers {\r\n    var ongotpointercapture: ((PointerEvent) ->
dynamic)?\r\n    var onlostpointercapture: ((PointerEvent) -> dynamic)?\r\n    var onpointerdown: ((PointerEvent) ->
dynamic)?\r\n    var onpointermove: ((PointerEvent) -> dynamic)?\r\n    var onpointerup: ((PointerEvent) ->
dynamic)?\r\n    var onpointercancel:
 ((PointerEvent) -> dynamic)?\r\n    var onpointerover: ((PointerEvent) -> dynamic)?\r\n    var onpointerout:
((PointerEvent) -> dynamic)?\r\n    var onpointerenter: ((PointerEvent) -> dynamic)?\r\n    var onpointerleave:
((PointerEvent) -> dynamic)?\r\n    var onabort: ((Event) -> dynamic)?\r\n    var onblur: ((FocusEvent) ->
dynamic)?\r\n    var oncancel: ((Event) -> dynamic)?\r\n    var oncanplay: ((Event) -> dynamic)?\r\n    var
oncanplaythrough: ((Event) -> dynamic)?\r\n    var onchange: ((Event) -> dynamic)?\r\n    var onclick:
((MouseEvent) -> dynamic)?\r\n    var onclose: ((Event) -> dynamic)?\r\n    var oncontextmenu: ((MouseEvent) ->
dynamic)?\r\n    var oncuechange: ((Event) -> dynamic)?\r\n    var ondblclick: ((MouseEvent) -> dynamic)?\r\n
var ondrag: ((DragEvent) -> dynamic)?\r\n    var ondragend: ((DragEvent) -> dynamic)?\r\n    var ondragenter:
((DragEvent) -> dynamic)?\r\n    var ondragexit: ((DragEvent) -> dynamic)?\r\n    var ondragleave: ((DragEvent)
 -> dynamic)?\r\n    var ondragover: ((DragEvent) -> dynamic)?\r\n    var ondragstart: ((DragEvent) ->
dynamic)?\r\n    var ondrop: ((DragEvent) -> dynamic)?\r\n    var ondurationchange: ((Event) -> dynamic)?\r\n    var
onemptied: ((Event) -> dynamic)?\r\n    var onended: ((Event) -> dynamic)?\r\n    var onerror: ((dynamic, String, Int,
Int, Any?) -> dynamic)?\r\n    var onfocus: ((FocusEvent) -> dynamic)?\r\n    var oninput: ((InputEvent) ->
dynamic)?\r\n    var oninvalid: ((Event) -> dynamic)?\r\n    var onkeydown: ((KeyboardEvent) -> dynamic)?\r\n
var onkeypress: ((KeyboardEvent) -> dynamic)?\r\n    var onkeyup: ((KeyboardEvent) -> dynamic)?\r\n    var
onload: ((Event) -> dynamic)?\r\n    var onloadeddata: ((Event) -> dynamic)?\r\n    var onloadedmetadata: ((Event) -
> dynamic)?\r\n    var onloadend: ((Event) -> dynamic)?\r\n    var onloadstart: ((ProgressEvent) -> dynamic)?\r\n
var onmousedown: ((MouseEvent) -> dynamic)?\r\n    var onmouseenter: ((MouseEvent) -> dynamic)?\r\n
    var onmouseleave: ((MouseEvent) -> dynamic)?\r\n    var onmousemove: ((MouseEvent) -> dynamic)?\r\n    var
onmouseout: ((MouseEvent) -> dynamic)?\r\n    var onmouseover: ((MouseEvent) -> dynamic)?\r\n    var
onmouseup: ((MouseEvent) -> dynamic)?\r\n    var onwheel: ((WheelEvent) -> dynamic)?\r\n    var onpause:
((Event) -> dynamic)?\r\n    var onplay: ((Event) -> dynamic)?\r\n    var onplaying: ((Event) -> dynamic)?\r\n    var
onprogress: ((ProgressEvent) -> dynamic)?\r\n    var onratechange: ((Event) -> dynamic)?\r\n    var onreset: ((Event)
-> dynamic)?\r\n    var onresize: ((Event) -> dynamic)?\r\n    var onscroll: ((Event) -> dynamic)?\r\n    var onseeked:
((Event) -> dynamic)?\r\n    var onseeking: ((Event) -> dynamic)?\r\n    var onselect: ((Event) -> dynamic)?\r\n    var
onshow: ((Event) -> dynamic)?\r\n    var onstalled: ((Event) -> dynamic)?\r\n    var onsubmit: ((Event) ->
dynamic)?\r\n    var onsuspend: ((Event) -> dynamic)?\r\n    var ontimeupdate: ((Event) -> dynamic)?\r\n
    var ontoggle: ((Event) -> dynamic)?\r\n    var onvolumechange: ((Event) -> dynamic)?\r\n    var onwaiting:
((Event) -> dynamic)?\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript
[WindowEventHandlers](https://developer.mozilla.org/en/docs/Web/API/WindowEventHandlers) to Kotlin\r\n
*/\r\npublic external interface WindowEventHandlers {\r\n    var onafterprint: ((Event) -> dynamic)?\r\n    var
```

onbeforeprint: ((Event) -> dynamic)?\r\n   var onbeforeunload: ((BeforeUnloadEvent) -> String?)?\r\n   var onhashchange: ((HashChangeEvent) -> dynamic)?\r\n   var onlanguagechange: ((Event) -> dynamic)?\r\n   var onmessage: ((MessageEvent) -> dynamic)?\r\n   var onoffline: ((Event) -> dynamic)?\r\n   var ononline: ((Event) -> dynamic)?\r\n   var onpagehide: ((PageTransitionEvent) -> dynamic)?\r\n   var onpageshow: ((PageTransitionEvent) -> dynamic)?\r\n   var onpopstate: ((PopStateEvent) -> dynamic)?\r\n   var onrejectionhandled: ((Event) -> dynamic)?\r\n   var onstorage: ((StorageEvent) -> dynamic)?\r\n   var onunhandledrejection: ((PromiseRejectionEvent) -> dynamic)?\r\n   var onunload: ((Event) -> dynamic)?\r\n}\r\n\r\npublic external interface DocumentAndElementEventHandlers {\r\n   var oncopy: ((ClipboardEvent) -> dynamic)?\r\n   var oncut: ((ClipboardEvent) -> dynamic)?\r\n   var onpaste: ((ClipboardEvent) -> dynamic)?\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [WindowOrWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WindowOrWorkerGlobalScope) to Kotlin\r\n */\r\npublic external interface WindowOrWorkerGlobalScope {\r\n   val caches: CacheStorage\r\n   val origin: String\r\n   fun fetch(input: dynamic, init: RequestInit = definedExternally): Promise<Response>\r\n   fun btoa(data: String): String\r\n   fun atob(data: String): String\r\n   fun setTimeout(handler: dynamic, timeout: Int = definedExternally, vararg arguments: Any?): Int\r\n   fun clearTimeout(handle: Int = definedExternally): Unit\r\n   fun setInterval(handler: dynamic, timeout: Int = definedExternally, vararg arguments: Any?): Int\r\n   fun clearInterval(handle: Int = definedExternally): Unit\r\n   fun createImageBitmap(image: dynamic, options: ImageBitmapOptions = definedExternally): Promise<ImageBitmap>\r\n   fun createImageBitmap(image: dynamic, sx: Int, sy: Int, sw: Int, sh: Int, options: ImageBitmapOptions = definedExternally): Promise<ImageBitmap>\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [NavigatorID](https://developer.mozilla.org/en/docs/Web/API/NavigatorID) to Kotlin\r\n */\r\npublic external interface NavigatorID {\r\n   val appCodeName: String\r\n   val appName: String\r\n   val appVersion: String\r\n   val platform: String\r\n   val product: String\r\n   val productSub: String\r\n   val userAgent: String\r\n   val vendor: String\r\n   val vendorSub: String\r\n   val oscpu: String\r\n   fun taintEnabled(): Boolean\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [NavigatorLanguage](https://developer.mozilla.org/en/docs/Web/API/NavigatorLanguage) to Kotlin\r\n */\r\npublic external interface NavigatorLanguage {\r\n   val language: String\r\n   val languages: Array<out String>\r\n}\r\n\r\npublic external interface NavigatorContentUtils {\r\n   fun registerProtocolHandler(scheme: String, url: String, title: String): Unit\r\n   fun registerContentHandler(mimeType: String, url: String, title: String): Unit\r\n   fun isProtocolHandlerRegistered(scheme: String, url: String): String\r\n   fun isContentHandlerRegistered(mimeType: String, url: String): String\r\n   fun unregisterProtocolHandler(scheme: String, url: String): Unit\r\n   fun unregisterContentHandler(mimeType: String, url: String): Unit\r\n}\r\n\r\npublic external interface NavigatorCookies {\r\n   val cookieEnabled: Boolean\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [NavigatorPlugins](https://developer.mozilla.org/en/docs/Web/API/NavigatorPlugins) to Kotlin\r\n */\r\npublic external interface NavigatorPlugins {\r\n   val plugins: PluginArray\r\n   val mimeTypes: MimeTypeArray\r\n   fun javaEnabled(): Boolean\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [PluginArray](https://developer.mozilla.org/en/docs/Web/API/PluginArray) to Kotlin\r\n */\r\npublic external abstract class PluginArray : ItemArrayLike<Plugin> {\r\n   override val length: Int\r\n   fun refresh(reload: Boolean = definedExternally): Unit\r\n   override fun item(index: Int): Plugin?\r\n   fun namedItem(name: String): Plugin?\r\n}\r\n\r\n@kotlin.internal.InlineOnly inline operator fun PluginArray.get(index: Int): Plugin? = asDynamic()[index]\r\n@kotlin.internal.InlineOnly inline operator fun PluginArray.get(name: String): Plugin? = asDynamic()[name]\r\n\r\n/**\r\n * Exposes the JavaScript [MimeTypeArray](https://developer.mozilla.org/en/docs/Web/API/MimeTypeArray) to Kotlin\r\n */\r\npublic external abstract class MimeTypeArray : ItemArrayLike<MimeType> {\r\n   override val length: Int\r\n   override fun item(index: Int): MimeType?\r\n   fun namedItem(name: String): MimeType?\r\n}\r\n\r\n@kotlin.internal.InlineOnly inline operator fun MimeTypeArray.get(index: Int): MimeType? = asDynamic()[index]\r\n@kotlin.internal.InlineOnly inline operator fun MimeTypeArray.get(name: String): MimeType? = asDynamic()[name]\r\n\r\n/**\r\n * Exposes the JavaScript

[Plugin](https://developer.mozilla.org/en/docs/Web/API/Plugin) to Kotlin\r\n */\r\npublic external abstract class Plugin : ItemArrayLike<MimeType> {\r\n open val name: String\r\n open val description: String\r\n open val filename: String\r\n override val length: Int\r\n override fun item(index: Int): MimeType?\r\n fun namedItem(name: String): MimeType?\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun Plugin.get(index: Int): MimeType? = asDynamic()[index]\r\n@kotlin.internal.InlineOnly inline operator fun Plugin.get(name: String): MimeType? = asDynamic()[name]\r\n\r\n/**\r\n * Exposes the JavaScript [MimeType](https://developer.mozilla.org/en/docs/Web/API/MimeType) to Kotlin\r\n */\r\npublic external abstract class MimeType {\r\n open val type: String\r\n open val description: String\r\n open val suffixes: String\r\n open val enabledPlugin: Plugin\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [ImageBitmap](https://developer.mozilla.org/en/docs/Web/API/ImageBitmap) to Kotlin\r\n */\r\npublic external abstract class ImageBitmap : TexImageSource {\r\n open val width: Int\r\n open val height: Int\r\n fun close(): Unit\r\n}\r\n\r\npublic external interface ImageBitmapOptions {\r\n var imageOrientation: ImageOrientation? /* = ImageOrientation.NONE */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var premultiplyAlpha: PremultiplyAlpha? /* = PremultiplyAlpha.DEFAULT */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var colorSpaceConversion: ColorSpaceConversion? /* = ColorSpaceConversion.DEFAULT */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var resizeWidth: Int?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var resizeHeight: Int?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var resizeQuality: ResizeQuality? /* = ResizeQuality.LOW */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ImageBitmapOptions(imageOrientation: ImageOrientation? = ImageOrientation.NONE, premultiplyAlpha: PremultiplyAlpha? = PremultiplyAlpha.DEFAULT, colorSpaceConversion: ColorSpaceConversion? = ColorSpaceConversion.DEFAULT, resizeWidth: Int? = undefined, resizeHeight: Int? = undefined, resizeQuality: ResizeQuality? = ResizeQuality.LOW): ImageBitmapOptions {\r\n val o = js(\"({})\")\r\n\r\n o[\"imageOrientation\"] = imageOrientation\r\n o[\"premultiplyAlpha\"] = premultiplyAlpha\r\n o[\"colorSpaceConversion\"] = colorSpaceConversion\r\n o[\"resizeWidth\"] = resizeWidth\r\n o[\"resizeHeight\"] = resizeHeight\r\n o[\"resizeQuality\"] = resizeQuality\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [MessageEvent](https://developer.mozilla.org/en/docs/Web/API/MessageEvent) to Kotlin\r\n */\r\npublic external open class MessageEvent(type: String, eventInitDict: MessageEventInit = definedExternally) : Event {\r\n open val data: Any?\r\n open val origin: String\r\n open val lastEventId: String\r\n open val source: UnionMessagePortOrWindow?\r\n open val ports: Array<out MessagePort>\r\n fun initMessageEvent(type: String, bubbles: Boolean, cancelable: Boolean, data: Any?, origin: String, lastEventId: String, source: UnionMessagePortOrWindow?, ports: Array<MessagePort>): Unit\r\n}\r\n\r\npublic external interface MessageEventInit : EventInit {\r\n var data: Any? /* = null */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var origin: String? /* = \"\" */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var lastEventId: String? /* = \"\" */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var source: UnionMessagePortOrWindow? /* = null */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var ports: Array<MessagePort>? /* = arrayOf() */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun MessageEventInit(data: Any? = null, origin: String? = \"\", lastEventId: String? = \"\", source: UnionMessagePortOrWindow? = null, ports: Array<MessagePort>? = arrayOf(), bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MessageEventInit {\r\n val o = js(\"({})\")\r\n\r\n o[\"data\"] = data\r\n o[\"origin\"] = origin\r\n o[\"lastEventId\"] = lastEventId\r\n o[\"source\"] = source\r\n o[\"ports\"] = ports\r\n o[\"bubbles\"] = bubbles\r\n o[\"cancelable\"] = cancelable\r\n o[\"composed\"] = composed\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [EventSource](https://developer.mozilla.org/en/docs/Web/API/EventSource) to Kotlin\r\n */\r\npublic external open

class EventSource(url: String, eventSourceInitDict: EventSourceInit = definedExternally) : EventTarget {\r\n open val url: String\r\n open val withCredentials: Boolean\r\n open val readyState: Short\r\n var onopen: ((Event) -> dynamic)?\r\n var onmessage: ((MessageEvent) -> dynamic)?\r\n var onerror: ((Event) -> dynamic)?\r\n fun close(): Unit\r\n\r\n companion object {\r\n val CONNECTING: Short\r\n val OPEN: Short\r\n val CLOSED: Short\r\n }\r\n}\r\n\r\npublic external interface EventSourceInit {\r\n var withCredentials: Boolean? /* = false */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun EventSourceInit(withCredentials: Boolean? = false): EventSourceInit {\r\n val o = js(\"({})\")\r\n o[\"withCredentials\"] = withCredentials\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [WebSocket](https://developer.mozilla.org/en/docs/Web/API/WebSocket) to Kotlin\r\n */\r\npublic external open class WebSocket(url: String, protocols: dynamic = definedExternally) : EventTarget {\r\n open val url: String\r\n open val readyState: Short\r\n open val bufferedAmount: Int\r\n var onopen: ((Event) -> dynamic)?\r\n var onerror: ((Event) -> dynamic)?\r\n var onclose: ((Event) -> dynamic)?\r\n open val extensions: String\r\n open val protocol: String\r\n var onmessage: ((MessageEvent) -> dynamic)?\r\n var binaryType: BinaryType\r\n fun close(code: Short = definedExternally, reason: String = definedExternally): Unit\r\n fun send(data: String): Unit\r\n fun send(data: Blob): Unit\r\n fun send(data: ArrayBuffer): Unit\r\n fun send(data: ArrayBufferView): Unit\r\n\r\n companion object {\r\n val CONNECTING: Short\r\n val OPEN: Short\r\n val CLOSING: Short\r\n val CLOSED: Short\r\n }\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [CloseEvent](https://developer.mozilla.org/en/docs/Web/API/CloseEvent) to Kotlin\r\n */\r\npublic external open class CloseEvent(type: String, eventInitDict: CloseEventInit = definedExternally) : Event {\r\n open val wasClean: Boolean\r\n open val code: Short\r\n open val reason: String\r\n}\r\n\r\npublic external interface CloseEventInit : EventInit {\r\n var wasClean: Boolean? /* = false */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var code: Short? /* = 0 */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var reason: String? /* = \"\" */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun CloseEventInit(wasClean: Boolean? = false, code: Short? = 0, reason: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CloseEventInit {\r\n val o = js(\"({})\")\r\n o[\"wasClean\"] = wasClean\r\n o[\"code\"] = code\r\n o[\"reason\"] = reason\r\n o[\"bubbles\"] = bubbles\r\n o[\"cancelable\"] = cancelable\r\n o[\"composed\"] = composed\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [MessageChannel](https://developer.mozilla.org/en/docs/Web/API/MessageChannel) to Kotlin\r\n */\r\npublic external open class MessageChannel {\r\n open val port1: MessagePort\r\n open val port2: MessagePort\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [MessagePort](https://developer.mozilla.org/en/docs/Web/API/MessagePort) to Kotlin\r\n */\r\npublic external abstract class MessagePort : EventTarget, UnionMessagePortOrWindow, UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\r\n open var onmessage: ((MessageEvent) -> dynamic)?\r\n fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally): Unit\r\n fun start(): Unit\r\n fun close(): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [BroadcastChannel](https://developer.mozilla.org/en/docs/Web/API/BroadcastChannel) to Kotlin\r\n */\r\npublic external open class BroadcastChannel(name: String) : EventTarget {\r\n open val name: String\r\n var onmessage: ((MessageEvent) -> dynamic)?\r\n fun postMessage(message: Any?): Unit\r\n fun close(): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [WorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WorkerGlobalScope) to Kotlin\r\n */\r\npublic external abstract class WorkerGlobalScope : EventTarget, WindowOrWorkerGlobalScope, GlobalPerformance {\r\n open val self: WorkerGlobalScope\r\n open val location: WorkerLocation\r\n open val navigator: WorkerNavigator\r\n open var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\r\n open var onlanguagechange: ((Event) -> dynamic)?\r\n open var onoffline: ((Event) -> dynamic)?\r\n open var ononline: ((Event) -> dynamic)?\r\n open var onrejectionhandled: ((Event) -> dynamic)?\r\n open var onunhandledrejection: ((PromiseRejectionEvent)

-> dynamic)?\r\n   fun importScripts(vararg urls: String): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [DedicatedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/DedicatedWorkerGlobalScope) to Kotlin\r\n */\r\npublic external abstract class DedicatedWorkerGlobalScope : WorkerGlobalScope {\r\n   open var onmessage: ((MessageEvent) -> dynamic)?\r\n   fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally): Unit\r\n   fun close(): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SharedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/SharedWorkerGlobalScope) to Kotlin\r\n */\r\npublic external abstract
 class SharedWorkerGlobalScope : WorkerGlobalScope {\r\n   open val name: String\r\n   open val applicationCache: ApplicationCache\r\n   open var onconnect: ((Event) -> dynamic)?\r\n   fun close(): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [AbstractWorker](https://developer.mozilla.org/en/docs/Web/API/AbstractWorker) to Kotlin\r\n */\r\npublic external interface AbstractWorker {\r\n   var onerror: ((Event) -> dynamic)?\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [Worker](https://developer.mozilla.org/en/docs/Web/API/Worker) to Kotlin\r\n */\r\npublic external open class Worker(scriptURL: String, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\r\n   var onmessage: ((MessageEvent) -> dynamic)?\r\n   override var onerror: ((Event) -> dynamic)?\r\n   fun terminate(): Unit\r\n   fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally): Unit\r\n}\r\n\r\npublic external interface WorkerOptions {\r\n   var type: WorkerType? /*
 = WorkerType.CLASSIC */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var credentials: RequestCredentials? /* = RequestCredentials.OMIT */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun WorkerOptions(type: WorkerType? = WorkerType.CLASSIC, credentials: RequestCredentials? = RequestCredentials.OMIT): WorkerOptions {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"type\"] = type\r\n   o[\"credentials\"] = credentials\r\n\r\n   return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SharedWorker](https://developer.mozilla.org/en/docs/Web/API/SharedWorker) to Kotlin\r\n */\r\npublic external open class SharedWorker(scriptURL: String, name: String = definedExternally, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\r\n   open val port: MessagePort\r\n   override var onerror: ((Event) -> dynamic)?\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript
 [NavigatorConcurrentHardware](https://developer.mozilla.org/en/docs/Web/API/NavigatorConcurrentHardware) to Kotlin\r\n */\r\npublic external interface NavigatorConcurrentHardware {\r\n   val hardwareConcurrency: Int\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [WorkerNavigator](https://developer.mozilla.org/en/docs/Web/API/WorkerNavigator) to Kotlin\r\n */\r\npublic external abstract class WorkerNavigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorConcurrentHardware {\r\n   open val serviceWorker: ServiceWorkerContainer\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [WorkerLocation](https://developer.mozilla.org/en/docs/Web/API/WorkerLocation) to Kotlin\r\n */\r\npublic external abstract class WorkerLocation {\r\n   open var href: String\r\n   open val origin: String\r\n   open val protocol: String\r\n   open val host: String\r\n   open val hostname: String\r\n   open val port: String\r\n   open val pathname: String\r\n   open val search: String\r\n
 open val hash: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [Storage](https://developer.mozilla.org/en/docs/Web/API/Storage) to Kotlin\r\n */\r\npublic external abstract class Storage {\r\n   open val length: Int\r\n   fun key(index: Int): String?\r\n   fun getItem(key: String): String?\r\n   fun setItem(key: String, value: String): Unit\r\n   fun removeItem(key: String): Unit\r\n   fun clear(): Unit\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun Storage.get(key: String): String? = asDynamic()[key]\r\n@kotlin.internal.InlineOnly inline operator fun Storage.set(key: String, value: String): Unit { asDynamic()[key] = value; }\r\n\r\n/**\r\n * Exposes the JavaScript [WindowSessionStorage](https://developer.mozilla.org/en/docs/Web/API/WindowSessionStorage) to Kotlin\r\n */\r\npublic external interface WindowSessionStorage {\r\n   val sessionStorage: Storage\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [WindowLocalStorage](https://developer.mozilla.org/en/docs/Web/API/WindowLocalStorage)

to Kotlin\r\n */\r\npublic external interface WindowLocalStorage {\r\n   val localStorage: Storage\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [StorageEvent](https://developer.mozilla.org/en/docs/Web/API/StorageEvent) to Kotlin\r\n */\r\npublic external open class StorageEvent(type: String, eventInitDict: StorageEventInit = definedExternally) : Event {\r\n   open val key: String?\r\n   open val oldValue: String?\r\n   open val newValue: String?\r\n   open val url: String\r\n   open val storageArea: Storage?\r\n}\r\n\r\npublic external interface StorageEventInit : EventInit {\r\n   var key: String? /* = null */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var oldValue: String? /* = null */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var newValue: String? /* = null */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var url: String? /* = \"\" */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var storageArea: Storage? /* = null */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun StorageEventInit(key: String? = null, oldValue: String? = null, newValue: String? = null, url: String? = \"\", storageArea: Storage? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): StorageEventInit {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"key\"] = key\r\n   o[\"oldValue\"] = oldValue\r\n   o[\"newValue\"] = newValue\r\n   o[\"url\"] = url\r\n   o[\"storageArea\"] = storageArea\r\n   o[\"bubbles\"] = bubbles\r\n   o[\"cancelable\"] = cancelable\r\n   o[\"composed\"] = composed\r\n\r\n   return o\r\n}\r\n\r\npublic external abstract class HTMLAppletElement : HTMLElement {\r\n   open var align: String\r\n   open var alt: String\r\n   open var archive: String\r\n
    open var code: String\r\n   open var codeBase: String\r\n   open var height: String\r\n   open var hspace: Int\r\n   open var name: String\r\n   open var _object: String\r\n   open var vspace: Int\r\n   open var width: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLMarqueeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMarqueeElement) to Kotlin\r\n */\r\npublic external abstract class HTMLMarqueeElement : HTMLElement {\r\n   open var behavior: String\r\n   open var bgColor: String\r\n   open var direction: String\r\n   open var height: String\r\n   open var hspace: Int\r\n   open var loop: Int\r\n   open var scrollAmount: Int\r\n   open var scrollDelay: Int\r\n   open var trueSpeed: Boolean\r\n   open var vspace: Int\r\n   open var width: String\r\n   open var onbounce: ((Event) -> dynamic)?\r\n   open var onfinish: ((Event) -> dynamic)?\r\n   open var onstart: ((Event) -> dynamic)?\r\n   fun start(): Unit\r\n   fun stop(): Unit\r\n}\r\n\r\n/**\r\n
 * Exposes the JavaScript [HTMLFrameSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFrameSetElement) to Kotlin\r\n */\r\npublic external abstract class HTMLFrameSetElement : HTMLElement, WindowEventHandlers {\r\n   open var cols: String\r\n   open var rows: String\r\n}\r\n\r\npublic external abstract class HTMLFrameElement : HTMLElement {\r\n   open var name: String\r\n   open var scrolling: String\r\n   open var src: String\r\n   open var frameBorder: String\r\n   open var longDesc: String\r\n   open var noResize: Boolean\r\n   open val contentDocument: Document?\r\n   open val contentWindow: Window?\r\n   open var marginHeight: String\r\n   open var marginWidth: String\r\n}\r\n\r\npublic external abstract class HTMLDirectoryElement : HTMLElement {\r\n   open var compact: Boolean\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLFontElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFontElement) to Kotlin\r\n */\r\npublic external abstract class
 HTMLFontElement : HTMLElement {\r\n   open var color: String\r\n   open var face: String\r\n   open var size: String\r\n}\r\n\r\npublic external interface External {\r\n   fun AddSearchProvider(): Unit\r\n   fun IsSearchProviderInstalled(): Unit\r\n}\r\n\r\npublic external interface EventInit {\r\n   var bubbles: Boolean? /* = false */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var cancelable: Boolean? /* = false */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var composed: Boolean? /* = false */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun EventInit(bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): EventInit {\r\n   val o = js(\"({})\")\r\n\r\n

o[\"bubbles\"] = bubbles\r\n   o[\"cancelable\"] = cancelable\r\n   o[\"composed\"] = composed\r\n\r\n   return o\r\n}\r\n\r\n/**\r\n
 * Exposes the JavaScript [CustomEvent](https://developer.mozilla.org/en/docs/Web/API/CustomEvent) to Kotlin\r\n */\r\npublic external open class CustomEvent(type: String, eventInitDict: CustomEventInit = definedExternally) : Event {\r\n   open val detail: Any?\r\n   fun initCustomEvent(type: String, bubbles: Boolean, cancelable: Boolean, detail: Any?): Unit\r\n}\r\n\r\npublic external interface CustomEventInit : EventInit {\r\n   var detail: Any? /* = null */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun CustomEventInit(detail: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CustomEventInit {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"detail\"] = detail\r\n   o[\"bubbles\"] = bubbles\r\n   o[\"cancelable\"] = cancelable\r\n   o[\"composed\"] = composed\r\n\r\n   return o\r\n}\r\n\r\npublic external interface EventListenerOptions {\r\n   var capture: Boolean? /* = false */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun EventListenerOptions(capture: Boolean? = false): EventListenerOptions {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"capture\"] = capture\r\n\r\n   return o\r\n}\r\n\r\npublic external interface AddEventListenerOptions : EventListenerOptions {\r\n   var passive: Boolean? /* = false */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var once: Boolean? /* = false */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun AddEventListenerOptions(passive: Boolean? = false, once: Boolean? = false, capture: Boolean? = false): AddEventListenerOptions {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"passive\"] = passive\r\n   o[\"once\"] = once\r\n   o[\"capture\"] = capture\r\n\r\n   return o\r\n}\r\n\r\npublic external interface NonElementParentNode {\r\n   fun getElementById(elementId: String): Element?\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [DocumentOrShadowRoot](https://developer.mozilla.org/en/docs/Web/API/DocumentOrShadowRoot) to Kotlin\r\n */\r\npublic external interface DocumentOrShadowRoot {\r\n   val fullscreenElement: Element?\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [ParentNode](https://developer.mozilla.org/en/docs/Web/API/ParentNode) to Kotlin\r\n */\r\npublic external interface ParentNode {\r\n   val children: HTMLCollection\r\n   val firstElementChild: Element?\r\n   val lastElementChild: Element?\r\n   val childElementCount: Int\r\n   fun prepend(vararg nodes: dynamic): Unit\r\n   fun append(vararg nodes: dynamic): Unit\r\n   fun querySelector(selectors: String): Element?\r\n   fun querySelectorAll(selectors: String): NodeList\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [NonDocumentTypeChildNode](https://developer.mozilla.org/en/docs/Web/API/NonDocumentTypeChildNode) to Kotlin\r\n */\r\npublic external interface NonDocumentTypeChildNode {\r\n   val previousElementSibling: Element?\r\n   val nextElementSibling: Element?\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [ChildNode](https://developer.mozilla.org/en/docs/Web/API/ChildNode) to Kotlin\r\n */\r\npublic external interface ChildNode {\r\n   fun before(vararg nodes: dynamic): Unit\r\n   fun after(vararg nodes: dynamic): Unit\r\n   fun replaceWith(vararg nodes: dynamic): Unit\r\n   fun remove(): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [Slotable](https://developer.mozilla.org/en/docs/Web/API/Slotable) to Kotlin\r\n */\r\npublic external interface Slotable {\r\n   val assignedSlot: HTMLSlotElement?\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [NodeList](https://developer.mozilla.org/en/docs/Web/API/NodeList) to Kotlin\r\n */\r\npublic external abstract class NodeList : ItemArrayLike<Node> {\r\n   override val length: Int\r\n   override fun item(index: Int): Node?\r\n}\r\n\r\n@kotlin.internal.InlineOnly inline operator fun NodeList.get(index: Int): Node? = asDynamic()[index]\r\n\r\n/**\r\n * Exposes the JavaScript [HTMLCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLCollection) to Kotlin\r\n */\r\npublic external abstract class HTMLCollection : UnionElementOrHTMLCollection, ItemArrayLike<Element> {\r\n   override val length: Int\r\n   override fun item(index: Int): Element?\r\n   fun namedItem(name: String): Element?\r\n}\r\n\r\n@kotlin.internal.InlineOnly inline operator fun HTMLCollection.get(index: Int): Element? = asDynamic()[index]\r\n@kotlin.internal.InlineOnly inline operator fun HTMLCollection.get(name: String): Element? = asDynamic()[name]\r\n\r\n/**\r\n * Exposes the JavaScript [MutationObserver](https://developer.mozilla.org/en/docs/Web/API/MutationObserver) to Kotlin\r\n */\r\npublic

external open class MutationObserver(callback: (Array<MutationRecord>, MutationObserver) -> Unit) {\r\n fun observe(target:
Node, options: MutationObserverInit = definedExternally): Unit\r\n fun disconnect(): Unit\r\n fun takeRecords(): Array<MutationRecord>\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [MutationObserverInit](https://developer.mozilla.org/en/docs/Web/API/MutationObserverInit) to Kotlin\r\n */\r\npublic external interface MutationObserverInit {\r\n var childList: Boolean? /* = false */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var attributes: Boolean?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var characterData: Boolean?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var subtree: Boolean? /* = false */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var attributeOldValue: Boolean?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var characterDataOldValue: Boolean?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var attributeFilter: Array<String>?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun MutationObserverInit(childList: Boolean? = false, attributes: Boolean? = undefined, characterData: Boolean? = undefined, subtree: Boolean? = false, attributeOldValue: Boolean? = undefined, characterDataOldValue: Boolean? = undefined, attributeFilter: Array<String>? = undefined): MutationObserverInit {\r\n val o = js(\"({})\")\r\n\r\n o[\"childList\"] = childList\r\n o[\"attributes\"] = attributes\r\n o[\"characterData\"] = characterData\r\n o[\"subtree\"] = subtree\r\n o[\"attributeOldValue\"] = attributeOldValue\r\n o[\"characterDataOldValue\"] = characterDataOldValue\r\n o[\"attributeFilter\"] = attributeFilter\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [MutationRecord](https://developer.mozilla.org/en/docs/Web/API/MutationRecord)
to Kotlin\r\n */\r\npublic external abstract class MutationRecord {\r\n open val type: String\r\n open val target: Node\r\n open val addedNodes: NodeList\r\n open val removedNodes: NodeList\r\n open val previousSibling: Node?\r\n open val nextSibling: Node?\r\n open val attributeName: String?\r\n open val attributeNamespace: String?\r\n open val oldValue: String?\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [Node](https://developer.mozilla.org/en/docs/Web/API/Node) to Kotlin\r\n */\r\npublic external abstract class Node : EventTarget {\r\n open val nodeType: Short\r\n open val nodeName: String\r\n open val baseURI: String\r\n open val isConnected: Boolean\r\n open val ownerDocument: Document?\r\n open val parentNode: Node?\r\n open val parentElement: Element?\r\n open val childNodes: NodeList\r\n open val firstChild: Node?\r\n open val lastChild: Node?\r\n open val previousSibling: Node?\r\n
open val nextSibling: Node?\r\n open var nodeValue: String?\r\n open var textContent: String?\r\n fun getRootNode(options: GetRootNodeOptions = definedExternally): Node\r\n fun hasChildNodes(): Boolean\r\n fun normalize(): Unit\r\n fun cloneNode(deep: Boolean = definedExternally): Node\r\n fun isEqualNode(otherNode: Node?): Boolean\r\n fun isSameNode(otherNode: Node?): Boolean\r\n fun compareDocumentPosition(other: Node): Short\r\n fun contains(other: Node?): Boolean\r\n fun lookupPrefix(namespace: String?): String?\r\n fun lookupNamespaceURI(prefix: String?): String?\r\n fun isDefaultNamespace(namespace: String?): Boolean\r\n fun insertBefore(node: Node, child: Node?): Node\r\n fun appendChild(node: Node): Node\r\n fun replaceChild(node: Node, child: Node): Node\r\n fun removeChild(child: Node): Node\r\n\r\n companion object {\r\n val ELEMENT_NODE: Short\r\n val ATTRIBUTE_NODE: Short\r\n val TEXT_NODE:
Short\r\n val CDATA_SECTION_NODE: Short\r\n val ENTITY_REFERENCE_NODE: Short\r\n val ENTITY_NODE: Short\r\n val PROCESSING_INSTRUCTION_NODE: Short\r\n val COMMENT_NODE: Short\r\n val DOCUMENT_NODE: Short\r\n val DOCUMENT_TYPE_NODE: Short\r\n val DOCUMENT_FRAGMENT_NODE: Short\r\n val NOTATION_NODE: Short\r\n val DOCUMENT_POSITION_DISCONNECTED: Short\r\n val DOCUMENT_POSITION_PRECEDING: Short\r\n val DOCUMENT_POSITION_FOLLOWING: Short\r\n val DOCUMENT_POSITION_CONTAINS: Short\r\n val DOCUMENT_POSITION_CONTAINED_BY: Short\r\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\r\n }\r\n}\r\n\r\npublic

external interface GetRootNodeOptions {\r\n   var composed: Boolean? /* = false */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun GetRootNodeOptions(composed: Boolean? = false): GetRootNodeOptions {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"composed\"] = composed\r\n\r\n   return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [XMLDocument](https://developer.mozilla.org/en/docs/Web/API/XMLDocument) to Kotlin\r\n */\r\npublic external open class XMLDocument : Document {\r\n   override fun getElementById(elementId: String): Element?\r\n   override fun prepend(vararg nodes: dynamic): Unit\r\n   override fun append(vararg nodes: dynamic): Unit\r\n   override fun querySelector(selectors: String): Element?\r\n   override fun querySelectorAll(selectors: String): NodeList\r\n   override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\r\n   override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\r\n   override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\r\n   override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\r\n}\r\n\r\n\r\npublic external interface ElementCreationOptions {\r\n   @JsName(\"is\") var is_: String?\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ElementCreationOptions(is_: String? = undefined): ElementCreationOptions {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"is\"] = is_\r\n\r\n   return o\r\n}\r\n\r\n\r\n/**\r\n * Exposes the JavaScript [DOMImplementation](https://developer.mozilla.org/en/docs/Web/API/DOMImplementation) to Kotlin\r\n */\r\npublic external abstract class DOMImplementation {\r\n   fun createDocumentType(qualifiedName: String, publicId: String, systemId: String): DocumentType\r\n   fun createDocument(namespace: String?, qualifiedName: String, doctype: DocumentType? = definedExternally): XMLDocument\r\n   fun createHTMLDocument(title: String = definedExternally): Document\r\n   fun hasFeature(): Boolean\r\n}\r\n\r\n\r\n/**\r\n * Exposes the JavaScript [DocumentType](https://developer.mozilla.org/en/docs/Web/API/DocumentType) to Kotlin\r\n */\r\npublic external abstract class DocumentType : Node, ChildNode {\r\n   open val name: String\r\n   open val publicId: String\r\n   open val systemId: String\r\n}\r\n\r\n\r\n/**\r\n * Exposes the JavaScript [DocumentFragment](https://developer.mozilla.org/en/docs/Web/API/DocumentFragment) to Kotlin\r\n */\r\npublic external open class DocumentFragment : Node, NonElementParentNode, ParentNode {\r\n   override val children: HTMLCollection\r\n   override val firstElementChild: Element?\r\n   override val lastElementChild: Element?\r\n   override val childElementCount: Int\r\n   override fun getElementById(elementId: String): Element?\r\n   override fun prepend(vararg nodes: dynamic): Unit\r\n   override fun append(vararg nodes: dynamic): Unit\r\n   override fun querySelector(selectors: String): Element?\r\n   override fun querySelectorAll(selectors: String): NodeList\r\n}\r\n\r\n\r\n/**\r\n * Exposes the JavaScript [ShadowRoot](https://developer.mozilla.org/en/docs/Web/API/ShadowRoot) to Kotlin\r\n */\r\npublic external open class ShadowRoot : DocumentFragment, DocumentOrShadowRoot {\r\n   open val mode: ShadowRootMode\r\n   open val host: Element\r\n   override val fullscreenElement: Element?\r\n   override fun getElementById(elementId: String): Element?\r\n   override fun prepend(vararg nodes: dynamic): Unit\r\n   override fun append(vararg nodes: dynamic): Unit\r\n   override fun querySelector(selectors: String): Element?\r\n   override fun querySelectorAll(selectors: String): NodeList\r\n}\r\n\r\n\r\n/**\r\n * Exposes the JavaScript [Element](https://developer.mozilla.org/en/docs/Web/API/Element) to Kotlin\r\n */\r\npublic external abstract class Element : Node, ParentNode, NonDocumentTypeChildNode, ChildNode, Slotable, GeometryUtils, UnionElementOrProcessingInstruction, UnionElementOrHTMLCollection, UnionElementOrRadioNodeList, UnionElementOrMouseEvent {\r\n   open var innerHTML: String\r\n   open var outerHTML: String\r\n   open val namespaceURI: String?\r\n   open val prefix: String?\r\n   open val localName: String\r\n   open val tagName: String\r\n   open var id: String\r\n   open var className: String\r\n   open val classList: DOMTokenList\r\n   open var slot: String\r\n   open val attributes:

NamedNodeMap\r\n   open val shadowRoot: ShadowRoot?\r\n   open var scrollTop: Double\r\n   open var scrollLeft: Double\r\n   open val scrollWidth: Int\r\n   open val scrollHeight: Int\r\n   open val clientTop: Int\r\n   open val clientLeft: Int\r\n   open val clientWidth: Int\r\n   open val clientHeight: Int\r\n   fun requestFullscreen(): Promise<Unit>\r\n   fun setPointerCapture(pointerId: Int): Unit\r\n   fun releasePointerCapture(pointerId: Int): Unit\r\n   fun hasPointerCapture(pointerId: Int): Boolean\r\n   fun insertAdjacentHTML(position: String, text: String): Unit\r\n   fun hasAttributes(): Boolean\r\n   fun getAttributeNames(): Array<String>\r\n   fun getAttribute(qualifiedName: String): String?\r\n   fun getAttributeNS(namespace: String?, localName: String): String?\r\n   fun setAttribute(qualifiedName: String, value: String): Unit\r\n   fun setAttributeNS(namespace: String?, qualifiedName: String, value: String): Unit\r\n   fun removeAttribute(qualifiedName: String): Unit\r\n   fun removeAttributeNS(namespace: String?, localName: String): Unit\r\n   fun hasAttribute(qualifiedName: String): Boolean\r\n   fun hasAttributeNS(namespace: String?, localName: String): Boolean\r\n   fun getAttributeNode(qualifiedName: String): Attr?\r\n   fun getAttributeNodeNS(namespace: String?, localName: String): Attr?\r\n   fun setAttributeNode(attr: Attr): Attr?\r\n   fun setAttributeNodeNS(attr: Attr): Attr?\r\n   fun removeAttributeNode(attr: Attr): Attr\r\n   fun attachShadow(init: ShadowRootInit): ShadowRoot\r\n   fun closest(selectors: String): Element?\r\n   fun matches(selectors: String): Boolean\r\n   fun webkitMatchesSelector(selectors: String): Boolean\r\n   fun getElementsByTagName(qualifiedName: String): HTMLCollection\r\n   fun getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\r\n   fun getElementsByClassName(classNames: String): HTMLCollection\r\n   fun insertAdjacentElement(where: String, element: Element): Element?\r\n   fun insertAdjacentText(where: String, data: String): Unit\r\n   fun getClientRects(): Array<DOMRect>\r\n   fun getBoundingClientRect(): DOMRect\r\n   fun scrollIntoView(): Unit\r\n   fun scrollIntoView(arg: dynamic): Unit\r\n   fun scroll(options: ScrollToOptions = definedExternally): Unit\r\n   fun scroll(x: Double, y: Double): Unit\r\n   fun scrollTo(options: ScrollToOptions = definedExternally): Unit\r\n   fun scrollTo(x: Double, y: Double): Unit\r\n   fun scrollBy(options: ScrollToOptions = definedExternally): Unit\r\n   fun scrollBy(x: Double, y: Double): Unit\r\n}\r\n\r\npublic external interface ShadowRootInit {\r\n   var mode: ShadowRootMode?\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ShadowRootInit(mode: ShadowRootMode?): ShadowRootInit {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"mode\"] = mode\r\n\r\n   return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [NamedNodeMap](https://developer.mozilla.org/en/docs/Web/API/NamedNodeMap) to Kotlin\r\n */\r\npublic external abstract class NamedNodeMap : ItemArrayLike<Attr> {\r\n   override val length: Int\r\n   override fun item(index: Int): Attr?\r\n   fun getNamedItem(qualifiedName: String): Attr?\r\n   fun getNamedItemNS(namespace: String?, localName: String): Attr?\r\n   fun setNamedItem(attr: Attr): Attr?\r\n   fun setNamedItemNS(attr: Attr): Attr?\r\n   fun removeNamedItem(qualifiedName: String): Attr\r\n   fun removeNamedItemNS(namespace: String?, localName: String): Attr\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun NamedNodeMap.get(index: Int): Attr? = asDynamic()[index]\r\n@kotlin.internal.InlineOnly inline operator fun NamedNodeMap.get(qualifiedName: String): Attr? = asDynamic()[qualifiedName]\r\n\r\n/**\r\n * Exposes the JavaScript [Attr](https://developer.mozilla.org/en/docs/Web/API/Attr) to Kotlin\r\n */\r\npublic external abstract class Attr : Node {\r\n   open val namespaceURI: String?\r\n   open val prefix: String?\r\n   open val localName: String\r\n   open val name: String\r\n   open var value: String\r\n   open val ownerElement: Element?\r\n   open val specified: Boolean\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [CharacterData](https://developer.mozilla.org/en/docs/Web/API/CharacterData) to Kotlin\r\n */\r\npublic external abstract class CharacterData : Node, NonDocumentTypeChildNode, ChildNode {\r\n   open var data: String\r\n   open val length: Int\r\n   fun substringData(offset: Int, count: Int): String\r\n   fun appendData(data: String): Unit\r\n   fun insertData(offset: Int, data: String): Unit\r\n   fun deleteData(offset: Int, count: Int): Unit\r\n   fun replaceData(offset: Int, count: Int, data: String): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [Text](https://developer.mozilla.org/en/docs/Web/API/Text) to

Kotlin\r\n */\r\npublic external open class Text(data: String = definedExternally) : CharacterData, Slotable, GeometryUtils {\r\n open val wholeText: String\r\n override val previousElementSibling: Element?\r\n override val nextElementSibling: Element?\r\n override val assignedSlot: HTMLSlotElement?\r\n fun splitText(offset: Int): Text\r\n override fun before(vararg nodes: dynamic): Unit\r\n override fun after(vararg nodes: dynamic): Unit\r\n override fun replaceWith(vararg nodes: dynamic): Unit\r\n override fun remove(): Unit\r\n override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\r\n override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\r\n override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\r\n override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [CDATASection](https://developer.mozilla.org/en/docs/Web/API/CDATASection) to Kotlin\r\n */\r\npublic external open class CDATASection : Text {\r\n override fun before(vararg nodes: dynamic): Unit\r\n override fun after(vararg nodes: dynamic): Unit\r\n override fun replaceWith(vararg nodes: dynamic): Unit\r\n override fun remove(): Unit\r\n override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\r\n override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\r\n override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\r\n override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [ProcessingInstruction](https://developer.mozilla.org/en/docs/Web/API/ProcessingInstruction) to Kotlin\r\n */\r\npublic external abstract class ProcessingInstruction : CharacterData, LinkStyle, UnionElementOrProcessingInstruction {\r\n open val target: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [Comment](https://developer.mozilla.org/en/docs/Web/API/Comment) to Kotlin\r\n */\r\npublic external open class Comment(data: String = definedExternally) : CharacterData {\r\n override val previousElementSibling: Element?\r\n override val nextElementSibling: Element?\r\n override fun before(vararg nodes: dynamic): Unit\r\n override fun after(vararg nodes: dynamic): Unit\r\n override fun replaceWith(vararg nodes: dynamic): Unit\r\n override fun remove(): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [Range](https://developer.mozilla.org/en/docs/Web/API/Range) to Kotlin\r\n */\r\npublic external open class Range {\r\n open val startContainer: Node\r\n open val startOffset: Int\r\n open val endContainer: Node\r\n open val endOffset: Int\r\n open val collapsed: Boolean\r\n open val commonAncestorContainer: Node\r\n fun createContextualFragment(fragment: String): DocumentFragment\r\n fun setStart(node: Node, offset: Int): Unit\r\n fun setEnd(node: Node, offset: Int): Unit\r\n fun setStartBefore(node: Node): Unit\r\n fun setStartAfter(node: Node): Unit\r\n fun setEndBefore(node: Node): Unit\r\n fun setEndAfter(node: Node): Unit\r\n fun collapse(toStart: Boolean = definedExternally): Unit\r\n fun selectNode(node: Node): Unit\r\n fun selectNodeContents(node: Node): Unit\r\n fun compareBoundaryPoints(how: Short, sourceRange: Range): Short\r\n fun deleteContents(): Unit\r\n fun extractContents(): DocumentFragment\r\n fun cloneContents(): DocumentFragment\r\n fun insertNode(node: Node): Unit\r\n fun surroundContents(newParent: Node): Unit\r\n fun cloneRange(): Range\r\n fun detach(): Unit\r\n fun isPointInRange(node: Node, offset: Int): Boolean\r\n fun comparePoint(node: Node, offset: Int): Short\r\n fun intersectsNode(node: Node): Boolean\r\n fun getClientRects(): Array<DOMRect>\r\n fun getBoundingClientRect(): DOMRect\r\n\r\n companion object {\r\n val START_TO_START: Short\r\n val START_TO_END: Short\r\n val END_TO_END: Short\r\n val END_TO_START: Short\r\n }\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [NodeIterator](https://developer.mozilla.org/en/docs/Web/API/NodeIterator) to Kotlin\r\n */\r\npublic external abstract class NodeIterator {\r\n open val root: Node\r\n open val referenceNode: Node\r\n open val pointerBeforeReferenceNode: Boolean\r\n open val whatToShow: Int\r\n open val filter: NodeFilter?\r\n fun nextNode(): Node?\r\n fun previousNode(): Node?\r\n fun detach():

Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [TreeWalker](https://developer.mozilla.org/en/docs/Web/API/TreeWalker) to Kotlin\r\n */\r\npublic external abstract class TreeWalker {\r\n open val root: Node\r\n open val whatToShow: Int\r\n open val filter: NodeFilter?\r\n open var currentNode: Node\r\n fun parentNode(): Node?\r\n fun firstChild(): Node?\r\n fun lastChild(): Node?\r\n fun previousSibling(): Node?\r\n fun nextSibling(): Node?\r\n fun previousNode(): Node?\r\n fun nextNode(): Node?\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [NodeFilter](https://developer.mozilla.org/en/docs/Web/API/NodeFilter) to Kotlin\r\n */\r\npublic external interface NodeFilter {\r\n fun acceptNode(node: Node): Short\r\n\r\n companion object {\r\n val FILTER_ACCEPT: Short\r\n val FILTER_REJECT: Short\r\n val FILTER_SKIP: Short\r\n val SHOW_ALL: Int\r\n val SHOW_ELEMENT: Int\r\n val SHOW_ATTRIBUTE: Int\r\n val SHOW_TEXT: Int\r\n val SHOW_CDATA_SECTION: Int\r\n val SHOW_ENTITY_REFERENCE: Int\r\n val SHOW_ENTITY: Int\r\n val SHOW_PROCESSING_INSTRUCTION: Int\r\n val SHOW_COMMENT: Int\r\n val SHOW_DOCUMENT: Int\r\n val SHOW_DOCUMENT_TYPE: Int\r\n val SHOW_DOCUMENT_FRAGMENT: Int\r\n val SHOW_NOTATION: Int\r\n }\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [DOMTokenList](https://developer.mozilla.org/en/docs/Web/API/DOMTokenList) to Kotlin\r\n */\r\npublic external abstract class DOMTokenList : ItemArrayLike<String> {\r\n override val length: Int\r\n open var value: String\r\n override fun item(index: Int): String?\r\n fun contains(token: String): Boolean\r\n fun add(vararg tokens: String): Unit\r\n fun remove(vararg tokens: String): Unit\r\n fun toggle(token: String, force: Boolean = definedExternally): Boolean\r\n fun replace(token: String, newToken: String): Unit\r\n fun supports(token: String): Boolean\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun DOMTokenList.get(index: Int): String? = asDynamic()[index]\r\n\r\n/**\r\n * Exposes the JavaScript [DOMPointReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMPointReadOnly) to Kotlin\r\n */\r\npublic external open class DOMPointReadOnly(x: Double, y: Double, z: Double, w: Double) {\r\n open val x: Double\r\n open val y: Double\r\n open val z: Double\r\n open val w: Double\r\n fun matrixTransform(matrix: DOMMatrixReadOnly): DOMPoint\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [DOMPoint](https://developer.mozilla.org/en/docs/Web/API/DOMPoint) to Kotlin\r\n */\r\npublic external open class DOMPoint : DOMPointReadOnly {\r\n constructor(point: DOMPointInit)\r\n constructor(x: Double = definedExternally, y: Double = definedExternally, z: Double = definedExternally, w: Double = definedExternally)\r\n override var x: Double\r\n override var y: Double\r\n override var z: Double\r\n override var w: Double\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [DOMPointInit](https://developer.mozilla.org/en/docs/Web/API/DOMPointInit) to Kotlin\r\n */\r\npublic external interface DOMPointInit {\r\n var x: Double? /* = 0.0 */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var y: Double? /* = 0.0 */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var z: Double? /* = 0.0 */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var w: Double? /* = 1.0 */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun DOMPointInit(x: Double? = 0.0, y: Double? = 0.0, z: Double? = 0.0, w: Double? = 1.0): DOMPointInit {\r\n val o = js(\"({})\")\r\n\r\n o[\"x\"] = x\r\n o[\"y\"] = y\r\n o[\"z\"] = z\r\n o[\"w\"] = w\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [DOMRect](https://developer.mozilla.org/en/docs/Web/API/DOMRect) to Kotlin\r\n */\r\npublic external open class DOMRect(x: Double = definedExternally, y: Double = definedExternally, width: Double = definedExternally, height: Double = definedExternally) : DOMRectReadOnly {\r\n override var x: Double\r\n override var y: Double\r\n override var width: Double\r\n override var height: Double\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [DOMRectReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMRectReadOnly) to Kotlin\r\n */\r\npublic external open class DOMRectReadOnly(x: Double, y: Double, width: Double, height: Double) {\r\n open val x: Double\r\n open val y:

Double\r\n   open val width: Double\r\n   open val height: Double\r\n   open val top: Double\r\n   open val right: Double\r\n   open val bottom: Double\r\n   open val left: Double\r\n}\r\n\r\npublic external interface DOMRectInit {\r\n   var x: Double? /* = 0.0 */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var y: Double? /* = 0.0 */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var width: Double? /* = 0.0 */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var height: Double? /* = 0.0 */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun DOMRectInit(x: Double? = 0.0, y: Double? = 0.0, width: Double? = 0.0, height: Double? = 0.0): DOMRectInit {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"x\"] = x\r\n   o[\"y\"] = y\r\n   o[\"width\"] = width\r\n   o[\"height\"] = height\r\n\r\n   return o\r\n}\r\n\r\npublic external interface DOMRectList : ItemArrayLike<DOMRect> {\r\n   override fun item(index: Int): DOMRect?\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun DOMRectList.get(index: Int): DOMRect? = asDynamic()[index]\r\n\r\n/**\r\n * Exposes the JavaScript [DOMQuad](https://developer.mozilla.org/en/docs/Web/API/DOMQuad) to Kotlin\r\n */\r\npublic external open class DOMQuad {\r\n   constructor(p1: DOMPointInit = definedExternally, p2: DOMPointInit = definedExternally, p3: DOMPointInit = definedExternally, p4: DOMPointInit = definedExternally)\r\n   constructor(rect: DOMRectInit)\r\n   open val p1: DOMPoint\r\n   open val p2: DOMPoint\r\n   open val p3: DOMPoint\r\n   open val p4: DOMPoint\r\n   open val bounds: DOMRectReadOnly\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [DOMMatrixReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMMatrixReadOnly) to Kotlin\r\n */\r\npublic external open class DOMMatrixReadOnly(numberSequence: Array<Double>) {\r\n   open val a: Double\r\n   open val b: Double\r\n   open val c: Double\r\n   open val d: Double\r\n   open val e: Double\r\n   open val f: Double\r\n   open val m11: Double\r\n   open val m12: Double\r\n   open val m13: Double\r\n   open val m14: Double\r\n   open val m21: Double\r\n   open val m22: Double\r\n   open val m23: Double\r\n   open val m24: Double\r\n   open val m31: Double\r\n   open val m32: Double\r\n   open val m33: Double\r\n   open val m34: Double\r\n   open val m41: Double\r\n   open val m42: Double\r\n   open val m43: Double\r\n   open val m44: Double\r\n   open val is2D: Boolean\r\n   open val isIdentity: Boolean\r\n   fun translate(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\r\n   fun scale(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\r\n   fun scale3d(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\r\n   fun scaleNonUniform(scaleX: Double, scaleY: Double = definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\r\n   fun rotate(angle: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\r\n   fun rotateFromVector(x: Double, y: Double): DOMMatrix\r\n   fun rotateAxisAngle(x: Double, y: Double, z: Double, angle: Double): DOMMatrix\r\n   fun skewX(sx: Double): DOMMatrix\r\n   fun skewY(sy: Double): DOMMatrix\r\n   fun multiply(other: DOMMatrix): DOMMatrix\r\n   fun flipX(): DOMMatrix\r\n   fun flipY(): DOMMatrix\r\n   fun inverse(): DOMMatrix\r\n   fun transformPoint(point: DOMPointInit = definedExternally): DOMPoint\r\n   fun toFloat32Array(): Float32Array\r\n   fun toFloat64Array(): Float64Array\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [DOMMatrix](https://developer.mozilla.org/en/docs/Web/API/DOMMatrix) to Kotlin\r\n */\r\npublic external open class DOMMatrix() : DOMMatrixReadOnly {\r\n   constructor(transformList: String)\r\n   constructor(other: DOMMatrixReadOnly)\r\n   constructor(array32: Float32Array)\r\n   constructor(array64: Float64Array)\r\n   constructor(numberSequence: Array<Double>)\r\n   override var a: Double\r\n   override var b: Double\r\n   override var c: Double\r\n   override var d: Double\r\n   override var e: Double\r\n   override var f: Double\r\n   override var m11: Double\r\n   override var m12: Double\r\n   override var m13: Double\r\n   override var m14: Double\r\n   override var m21: Double\r\n   override var m22: Double\r\n   override var m23: Double\r\n   override var m24: Double\r\n   override var m31: Double\r\n   override var m32: Double\r\n   override var m33: Double\r\n   override var m34: Double\r\n   override var m41: Double\r\n   override var m42: Double\r\n   override var m43: Double\r\n

override var m44: Double\r\n fun multiplySelf(other: DOMMatrix): DOMMatrix\r\n fun preMultiplySelf(other: DOMMatrix): DOMMatrix\r\n fun translateSelf(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\r\n fun scaleSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\r\n fun scale3dSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\r\n fun scaleNonUniformSelf(scaleX: Double, scaleY: Double = definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\r\n fun rotateSelf(angle: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\r\n fun rotateFromVectorSelf(x: Double, y: Double): DOMMatrix\r\n fun rotateAxisAngleSelf(x: Double, y: Double, z:
Double, angle: Double): DOMMatrix\r\n fun skewXSelf(sx: Double): DOMMatrix\r\n fun skewYSelf(sy: Double): DOMMatrix\r\n fun invertSelf(): DOMMatrix\r\n fun setMatrixValue(transformList: String): DOMMatrix\r\n}\r\n\r\npublic external interface ScrollOptions {\r\n var behavior: ScrollBehavior? /* = ScrollBehavior.AUTO */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ScrollOptions(behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollOptions {\r\n val o = js(\"({})\")\r\n\r\n o[\"behavior\"] = behavior\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [ScrollToOptions](https://developer.mozilla.org/en/docs/Web/API/ScrollToOptions) to Kotlin\r\n */\r\npublic external interface ScrollToOptions : ScrollOptions {\r\n var left: Double?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var top: Double?\r\n get() = definedExternally\r\n
set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ScrollToOptions(left: Double? = undefined, top: Double? = undefined, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollToOptions {\r\n val o = js(\"({})\")\r\n\r\n o[\"left\"] = left\r\n o[\"top\"] = top\r\n o[\"behavior\"] = behavior\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [MediaQueryList](https://developer.mozilla.org/en/docs/Web/API/MediaQueryList) to Kotlin\r\n */\r\npublic external abstract class MediaQueryList : EventTarget {\r\n open val media: String\r\n open val matches: Boolean\r\n open var onchange: ((Event) -> dynamic)?\r\n fun addListener(listener: EventListener?): Unit\r\n fun addListener(listener: ((Event) -> Unit)?): Unit\r\n fun removeListener(listener: EventListener?): Unit\r\n fun removeListener(listener: ((Event) -> Unit)?): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [MediaQueryListEvent](https://developer.mozilla.org/en/docs/Web/API/MediaQueryListEvent)
to Kotlin\r\n */\r\npublic external open class MediaQueryListEvent(type: String, eventInitDict: MediaQueryListEventInit = definedExternally) : Event {\r\n open val media: String\r\n open val matches: Boolean\r\n}\r\n\r\npublic external interface MediaQueryListEventInit : EventInit {\r\n var media: String? /* = \"\" */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var matches: Boolean? /* = false */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun MediaQueryListEventInit(media: String? = \"\", matches: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MediaQueryListEventInit {\r\n val o = js(\"({})\")\r\n\r\n o[\"media\"] = media\r\n o[\"matches\"] = matches\r\n o[\"bubbles\"] = bubbles\r\n o[\"cancelable\"]
= cancelable\r\n o[\"composed\"] = composed\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [Screen](https://developer.mozilla.org/en/docs/Web/API/Screen) to Kotlin\r\n */\r\npublic external abstract class Screen {\r\n open val availWidth: Int\r\n open val availHeight: Int\r\n open val width: Int\r\n open val height: Int\r\n open val colorDepth: Int\r\n open val pixelDepth: Int\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [CaretPosition](https://developer.mozilla.org/en/docs/Web/API/CaretPosition) to Kotlin\r\n */\r\npublic external abstract class CaretPosition {\r\n open val offsetNode: Node\r\n open val offset: Int\r\n fun getClientRect(): DOMRect?\r\n}\r\n\r\npublic external interface ScrollIntoViewOptions : ScrollOptions {\r\n var block: ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var inline: ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER

```
*/\r\n        get() = definedExternally\r\n        set(value) =
definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ScrollIntoViewOptions(block:
ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, inline: ScrollLogicalPosition? =
ScrollLogicalPosition.CENTER, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollIntoViewOptions {\r\n
val o = js(\"({})\")\r\n\r\n    o[\"block\"] = block\r\n    o[\"inline\"] = inline\r\n    o[\"behavior\"] = behavior\r\n\r\n
return o\r\n}\r\n\r\npublic external interface BoxQuadOptions {\r\n    var box: CSSBoxType? /* =
CSSBoxType.BORDER */\r\n        get() = definedExternally\r\n        set(value) = definedExternally\r\n    var
relativeTo: dynamic\r\n        get() = definedExternally\r\n        set(value) =
definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun BoxQuadOptions(box: CSSBoxType?
= CSSBoxType.BORDER, relativeTo: dynamic = undefined): BoxQuadOptions {\r\n    val
o = js(\"({})\")\r\n\r\n    o[\"box\"] = box\r\n    o[\"relativeTo\"] = relativeTo\r\n\r\n    return o\r\n}\r\n\r\npublic
external interface ConvertCoordinateOptions {\r\n    var fromBox: CSSBoxType? /* = CSSBoxType.BORDER
*/\r\n        get() = definedExternally\r\n        set(value) = definedExternally\r\n    var toBox: CSSBoxType? /* =
CSSBoxType.BORDER */\r\n        get() = definedExternally\r\n        set(value) =
definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ConvertCoordinateOptions(fromBox:
CSSBoxType? = CSSBoxType.BORDER, toBox: CSSBoxType? = CSSBoxType.BORDER):
ConvertCoordinateOptions {\r\n    val o = js(\"({})\")\r\n\r\n    o[\"fromBox\"] = fromBox\r\n    o[\"toBox\"] =
toBox\r\n\r\n    return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript
[GeometryUtils](https://developer.mozilla.org/en/docs/Web/API/GeometryUtils) to Kotlin\r\n */\r\npublic external
interface GeometryUtils {\r\n    fun getBoxQuads(options: BoxQuadOptions = definedExternally):
Array<DOMQuad>\r\n    fun convertQuadFromNode(quad: dynamic, from: dynamic, options:
ConvertCoordinateOptions = definedExternally): DOMQuad\r\n    fun convertRectFromNode(rect:
DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMQuad\r\n    fun
convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions =
definedExternally): DOMPoint\r\n}\r\n\r\npublic external @marker interface UnionElementOrProcessingInstruction
{\r\n}\r\n\r\npublic external @marker interface UnionElementOrHTMLCollection {\r\n}\r\n\r\npublic external
@marker interface UnionElementOrRadioNodeList {\r\n}\r\n\r\npublic external @marker interface
UnionHTMLOptGroupElementOrHTMLOptionElement {\r\n}\r\n\r\npublic external @marker interface
UnionAudioTrackOrTextTrackOrVideoTrack {\r\n}\r\n\r\npublic external @marker interface
UnionElementOrMouseEvent {\r\n}\r\n\r\npublic external @marker interface UnionMessagePortOrWindow
{\r\n}\r\n\r\npublic external @marker
interface UnionMessagePortOrServiceWorker {\r\n}\r\n\r\npublic external @marker interface
HTMLOrSVGScriptElement {\r\n}\r\n\r\npublic external @marker interface RenderingContext {\r\n}\r\n\r\npublic
external @marker interface HTMLOrSVGImageElement {\r\n}\r\n\r\n/* please, don't implement this interface!
*/\r\npublic external interface DocumentReadyState {\r\n    companion object\r\n}\r\npublic inline val
DocumentReadyState.Companion.LOADING: DocumentReadyState get() =
\"loading\".asDynamic().unsafeCast<DocumentReadyState>()\r\npublic inline val
DocumentReadyState.Companion.INTERACTIVE: DocumentReadyState get() =
\"interactive\".asDynamic().unsafeCast<DocumentReadyState>()\r\npublic inline val
DocumentReadyState.Companion.COMPLETE: DocumentReadyState get() =
\"complete\".asDynamic().unsafeCast<DocumentReadyState>()\r\n\r\n/* please, don't implement this interface!
*/\r\npublic external interface CanPlayTypeResult {\r\n    companion object\r\n}\r\npublic inline val
CanPlayTypeResult.Companion.EMPTY:
CanPlayTypeResult get() = \"\".asDynamic().unsafeCast<CanPlayTypeResult>()\r\npublic inline val
CanPlayTypeResult.Companion.MAYBE: CanPlayTypeResult get() =
\"maybe\".asDynamic().unsafeCast<CanPlayTypeResult>()\r\npublic inline val
CanPlayTypeResult.Companion.PROBABLY: CanPlayTypeResult get() =
\"probably\".asDynamic().unsafeCast<CanPlayTypeResult>()\r\n\r\n/* please, don't implement this interface!
```

/\r\npublic external interface TextTrackMode {\r\n   companion object\r\n}\r\npublic inline val TextTrackMode.Companion.DISABLED: TextTrackMode get() = \"disabled\".asDynamic().unsafeCast<TextTrackMode>()\r\npublic inline val TextTrackMode.Companion.HIDDEN: TextTrackMode get() = \"hidden\".asDynamic().unsafeCast<TextTrackMode>()\r\npublic inline val TextTrackMode.Companion.SHOWING: TextTrackMode get() = \"showing\".asDynamic().unsafeCast<TextTrackMode>()\r\n\r\n/ please, don't implement this interface! */\r\npublic external interface TextTrackKind {\r\n   companion object\r\n}\r\npublic inline val TextTrackKind.Companion.SUBTITLES: TextTrackKind get() = \"subtitles\".asDynamic().unsafeCast<TextTrackKind>()\r\npublic inline val TextTrackKind.Companion.CAPTIONS: TextTrackKind get() = \"captions\".asDynamic().unsafeCast<TextTrackKind>()\r\npublic inline val TextTrackKind.Companion.DESCRIPTIONS: TextTrackKind get() = \"descriptions\".asDynamic().unsafeCast<TextTrackKind>()\r\npublic inline val TextTrackKind.Companion.CHAPTERS: TextTrackKind get() = \"chapters\".asDynamic().unsafeCast<TextTrackKind>()\r\npublic inline val TextTrackKind.Companion.METADATA: TextTrackKind get() = \"metadata\".asDynamic().unsafeCast<TextTrackKind>()\r\n\r\n/* please, don't implement this interface! */\r\npublic external interface SelectionMode {\r\n   companion object\r\n}\r\npublic inline val SelectionMode.Companion.SELECT: SelectionMode get() = \"select\".asDynamic().unsafeCast<SelectionMode>()\r\npublic inline val SelectionMode.Companion.START: SelectionMode get() = \"start\".asDynamic().unsafeCast<SelectionMode>()\r\npublic inline val SelectionMode.Companion.END: SelectionMode get() = \"end\".asDynamic().unsafeCast<SelectionMode>()\r\npublic inline val SelectionMode.Companion.PRESERVE: SelectionMode get() = \"preserve\".asDynamic().unsafeCast<SelectionMode>()\r\n\r\n/* please, don't implement this interface! */\r\npublic external interface CanvasFillRule {\r\n   companion object\r\n}\r\npublic inline val CanvasFillRule.Companion.NONZERO: CanvasFillRule get() = \"nonzero\".asDynamic().unsafeCast<CanvasFillRule>()\r\npublic inline val CanvasFillRule.Companion.EVENODD: CanvasFillRule get() = \"evenodd\".asDynamic().unsafeCast<CanvasFillRule>()\r\n\r\n/* please, don't implement this interface! */\r\npublic external interface ImageSmoothingQuality {\r\n   companion object\r\n}\r\npublic inline val ImageSmoothingQuality.Companion.LOW: ImageSmoothingQuality get() = \"low\".asDynamic().unsafeCast<ImageSmoothingQuality>()\r\npublic inline val ImageSmoothingQuality.Companion.MEDIUM: ImageSmoothingQuality get() = \"medium\".asDynamic().unsafeCast<ImageSmoothingQuality>()\r\npublic inline val ImageSmoothingQuality.Companion.HIGH: ImageSmoothingQuality get() = \"high\".asDynamic().unsafeCast<ImageSmoothingQuality>()\r\n\r\n/* please, don't implement this interface! */\r\npublic external interface CanvasLineCap {\r\n   companion object\r\n}\r\npublic inline val CanvasLineCap.Companion.BUTT: CanvasLineCap get() = \"butt\".asDynamic().unsafeCast<CanvasLineCap>()\r\npublic inline val CanvasLineCap.Companion.ROUND: CanvasLineCap get() = \"round\".asDynamic().unsafeCast<CanvasLineCap>()\r\npublic inline val CanvasLineCap.Companion.SQUARE: CanvasLineCap get() = \"square\".asDynamic().unsafeCast<CanvasLineCap>()\r\n\r\n/* please, don't implement this interface! */\r\npublic external interface CanvasLineJoin {\r\n   companion object\r\n}\r\npublic inline val CanvasLineJoin.Companion.ROUND: CanvasLineJoin get() = \"round\".asDynamic().unsafeCast<CanvasLineJoin>()\r\npublic inline val CanvasLineJoin.Companion.BEVEL: CanvasLineJoin get() = \"bevel\".asDynamic().unsafeCast<CanvasLineJoin>()\r\npublic inline val CanvasLineJoin.Companion.MITER:

CanvasLineJoin get() = \"miter\".asDynamic().unsafeCast<CanvasLineJoin>()\r\n\r\n/* please, don't implement this interface! */\r\npublic external interface CanvasTextAlign {\r\n   companion object\r\n}\r\npublic inline val CanvasTextAlign.Companion.START: CanvasTextAlign get() = \"start\".asDynamic().unsafeCast<CanvasTextAlign>()\r\npublic inline val CanvasTextAlign.Companion.END: CanvasTextAlign get() = \"end\".asDynamic().unsafeCast<CanvasTextAlign>()\r\npublic inline val CanvasTextAlign.Companion.LEFT: CanvasTextAlign get() = \"left\".asDynamic().unsafeCast<CanvasTextAlign>()\r\npublic inline val CanvasTextAlign.Companion.RIGHT: CanvasTextAlign get() = \"right\".asDynamic().unsafeCast<CanvasTextAlign>()\r\npublic inline val CanvasTextAlign.Companion.CENTER: CanvasTextAlign get() = \"center\".asDynamic().unsafeCast<CanvasTextAlign>()\r\n\r\n/*
 please, don't implement this interface! */\r\npublic external interface CanvasTextBaseline {\r\n   companion object\r\n}\r\npublic inline val CanvasTextBaseline.Companion.TOP: CanvasTextBaseline get() = \"top\".asDynamic().unsafeCast<CanvasTextBaseline>()\r\npublic inline val CanvasTextBaseline.Companion.HANGING: CanvasTextBaseline get() = \"hanging\".asDynamic().unsafeCast<CanvasTextBaseline>()\r\npublic inline val CanvasTextBaseline.Companion.MIDDLE: CanvasTextBaseline get() = \"middle\".asDynamic().unsafeCast<CanvasTextBaseline>()\r\npublic inline val CanvasTextBaseline.Companion.ALPHABETIC: CanvasTextBaseline get() = \"alphabetic\".asDynamic().unsafeCast<CanvasTextBaseline>()\r\npublic inline val CanvasTextBaseline.Companion.IDEOGRAPHIC: CanvasTextBaseline get() = \"ideographic\".asDynamic().unsafeCast<CanvasTextBaseline>()\r\npublic inline val CanvasTextBaseline.Companion.BOTTOM: CanvasTextBaseline get() = \"bottom\".asDynamic().unsafeCast<CanvasTextBaseline>()\r\n\r\n/*
 please, don't implement this interface! */\r\npublic external interface CanvasDirection {\r\n   companion object\r\n}\r\npublic inline val CanvasDirection.Companion.LTR: CanvasDirection get() = \"ltr\".asDynamic().unsafeCast<CanvasDirection>()\r\npublic inline val CanvasDirection.Companion.RTL: CanvasDirection get() = \"rtl\".asDynamic().unsafeCast<CanvasDirection>()\r\npublic inline val CanvasDirection.Companion.INHERIT: CanvasDirection get() = \"inherit\".asDynamic().unsafeCast<CanvasDirection>()\r\n\r\n/* please, don't implement this interface! */\r\npublic external interface ScrollRestoration {\r\n   companion object\r\n}\r\npublic inline val ScrollRestoration.Companion.AUTO: ScrollRestoration get() = \"auto\".asDynamic().unsafeCast<ScrollRestoration>()\r\npublic inline val ScrollRestoration.Companion.MANUAL: ScrollRestoration get() = \"manual\".asDynamic().unsafeCast<ScrollRestoration>()\r\n\r\n/* please, don't implement this interface!
 /\r\npublic external interface ImageOrientation {\r\n   companion object\r\n}\r\npublic inline val ImageOrientation.Companion.NONE: ImageOrientation get() = \"none\".asDynamic().unsafeCast<ImageOrientation>()\r\npublic inline val ImageOrientation.Companion.FLIPY: ImageOrientation get() = \"flipY\".asDynamic().unsafeCast<ImageOrientation>()\r\n\r\n/ please, don't implement this interface! */\r\npublic external interface PremultiplyAlpha {\r\n   companion object\r\n}\r\npublic inline val PremultiplyAlpha.Companion.NONE: PremultiplyAlpha get() = \"none\".asDynamic().unsafeCast<PremultiplyAlpha>()\r\npublic inline val PremultiplyAlpha.Companion.PREMULTIPLY: PremultiplyAlpha get() = \"premultiply\".asDynamic().unsafeCast<PremultiplyAlpha>()\r\npublic inline val PremultiplyAlpha.Companion.DEFAULT: PremultiplyAlpha get() = \"default\".asDynamic().unsafeCast<PremultiplyAlpha>()\r\n\r\n/* please, don't implement this interface! */\r\npublic external interface ColorSpaceConversion {\r\n
    companion object\r\n}\r\npublic inline val ColorSpaceConversion.Companion.NONE: ColorSpaceConversion get() = \"none\".asDynamic().unsafeCast<ColorSpaceConversion>()\r\npublic inline val

ColorSpaceConversion.Companion.DEFAULT: ColorSpaceConversion get() =
\"default\".asDynamic().unsafeCast<ColorSpaceConversion>()\r\n\r\n/* please, don't implement this interface!
*/\r\npublic external interface ResizeQuality {\r\n   companion object\r\n}\r\npublic inline val
ResizeQuality.Companion.PIXELATED: ResizeQuality get() =
\"pixelated\".asDynamic().unsafeCast<ResizeQuality>()\r\npublic inline val ResizeQuality.Companion.LOW:
ResizeQuality get() = \"low\".asDynamic().unsafeCast<ResizeQuality>()\r\npublic inline val
ResizeQuality.Companion.MEDIUM: ResizeQuality get() =
\"medium\".asDynamic().unsafeCast<ResizeQuality>()\r\npublic inline val ResizeQuality.Companion.HIGH:
ResizeQuality get() = \"high\".asDynamic().unsafeCast<ResizeQuality>()\r\n\r\n/* please, don't implement this
interface! */\r\npublic
 external interface BinaryType {\r\n   companion object\r\n}\r\npublic inline val BinaryType.Companion.BLOB:
BinaryType get() = \"blob\".asDynamic().unsafeCast<BinaryType>()\r\npublic inline val
BinaryType.Companion.ARRAYBUFFER: BinaryType get() =
\"arraybuffer\".asDynamic().unsafeCast<BinaryType>()\r\n\r\n/* please, don't implement this interface! */\r\npublic
external interface WorkerType {\r\n   companion object\r\n}\r\npublic inline val
WorkerType.Companion.CLASSIC: WorkerType get() =
\"classic\".asDynamic().unsafeCast<WorkerType>()\r\npublic inline val WorkerType.Companion.MODULE:
WorkerType get() = \"module\".asDynamic().unsafeCast<WorkerType>()\r\n\r\n/* please, don't implement this
interface! */\r\npublic external interface ShadowRootMode {\r\n   companion object\r\n}\r\npublic inline val
ShadowRootMode.Companion.OPEN: ShadowRootMode get() =
\"open\".asDynamic().unsafeCast<ShadowRootMode>()\r\npublic inline val
ShadowRootMode.Companion.CLOSED: ShadowRootMode get() =
\"closed\".asDynamic().unsafeCast<ShadowRootMode>()\r\n\r\n/*
 please, don't implement this interface! */\r\npublic external interface ScrollBehavior {\r\n   companion
object\r\n}\r\npublic inline val ScrollBehavior.Companion.AUTO: ScrollBehavior get() =
\"auto\".asDynamic().unsafeCast<ScrollBehavior>()\r\npublic inline val ScrollBehavior.Companion.INSTANT:
ScrollBehavior get() = \"instant\".asDynamic().unsafeCast<ScrollBehavior>()\r\npublic inline val
ScrollBehavior.Companion.SMOOTH: ScrollBehavior get() =
\"smooth\".asDynamic().unsafeCast<ScrollBehavior>()\r\n\r\n/* please, don't implement this interface! */\r\npublic
external interface ScrollLogicalPosition {\r\n   companion object\r\n}\r\npublic inline val
ScrollLogicalPosition.Companion.START: ScrollLogicalPosition get() =
\"start\".asDynamic().unsafeCast<ScrollLogicalPosition>()\r\npublic inline val
ScrollLogicalPosition.Companion.CENTER: ScrollLogicalPosition get() =
\"center\".asDynamic().unsafeCast<ScrollLogicalPosition>()\r\npublic
 inline val ScrollLogicalPosition.Companion.END: ScrollLogicalPosition get() =
\"end\".asDynamic().unsafeCast<ScrollLogicalPosition>()\r\npublic inline val
ScrollLogicalPosition.Companion.NEAREST: ScrollLogicalPosition get() =
\"nearest\".asDynamic().unsafeCast<ScrollLogicalPosition>()\r\n\r\n/* please, don't implement this interface!
*/\r\npublic external interface CSSBoxType {\r\n   companion object\r\n}\r\npublic inline val
CSSBoxType.Companion.MARGIN: CSSBoxType get() =
\"margin\".asDynamic().unsafeCast<CSSBoxType>()\r\npublic inline val CSSBoxType.Companion.BORDER:
CSSBoxType get() = \"border\".asDynamic().unsafeCast<CSSBoxType>()\r\npublic inline val
CSSBoxType.Companion.PADDING: CSSBoxType get() =
\"padding\".asDynamic().unsafeCast<CSSBoxType>()\r\npublic inline val CSSBoxType.Companion.CONTENT:
CSSBoxType get() = \"content\".asDynamic().unsafeCast<CSSBoxType>()\r\n\r\n","/*\r\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use
 of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n
*/\r\n\r\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\r\n// See libraries/tools/idl2k for

details\r\n\r\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\r\npackage org.w3c.fetch\r\n\r\nimport kotlin.js.*\r\nimport org.khronos.webgl.*\r\nimport org.w3c.css.masking.*\r\nimport org.w3c.dom.*\r\nimport org.w3c.dom.clipboard.*\r\nimport org.w3c.dom.css.*\r\nimport org.w3c.dom.events.*\r\nimport org.w3c.dom.mediacapture.*\r\nimport org.w3c.dom.parsing.*\r\nimport org.w3c.dom.pointerevents.*\r\nimport org.w3c.dom.svg.*\r\nimport org.w3c.dom.url.*\r\nimport org.w3c.files.*\r\nimport org.w3c.notifications.*\r\nimport org.w3c.performance.*\r\nimport org.w3c.workers.*\r\nimport org.w3c.xhr.*\r\n\r\n/**\r\n * Exposes the JavaScript [Headers](https://developer.mozilla.org/en/docs/Web/API/Headers) to Kotlin\r\n */\r\npublic external open class Headers(init: dynamic = definedExternally)
{\r\n fun append(name: String, value: String): Unit\r\n fun delete(name: String): Unit\r\n fun get(name: String): String?\r\n fun has(name: String): Boolean\r\n fun set(name: String, value: String): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [Body](https://developer.mozilla.org/en/docs/Web/API/Body) to Kotlin\r\n */\r\npublic external interface Body {\r\n val bodyUsed: Boolean\r\n fun arrayBuffer(): Promise<ArrayBuffer>\r\n fun blob(): Promise<Blob>\r\n fun formData(): Promise<FormData>\r\n fun json(): Promise<Any?>\r\n fun text(): Promise<String>\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [Request](https://developer.mozilla.org/en/docs/Web/API/Request) to Kotlin\r\n */\r\npublic external open class Request(input: dynamic, init: RequestInit = definedExternally) : Body {\r\n open val method: String\r\n open val url: String\r\n open val headers: Headers\r\n open val type: RequestType\r\n open val destination: RequestDestination\r\n
open val referrer: String\r\n open val referrerPolicy: dynamic\r\n open val mode: RequestMode\r\n open val credentials: RequestCredentials\r\n open val cache: RequestCache\r\n open val redirect: RequestRedirect\r\n open val integrity: String\r\n open val keepalive: Boolean\r\n override val bodyUsed: Boolean\r\n fun clone(): Request\r\n override fun arrayBuffer(): Promise<ArrayBuffer>\r\n override fun blob(): Promise<Blob>\r\n override fun formData(): Promise<FormData>\r\n override fun json(): Promise<Any?>\r\n override fun text(): Promise<String>\r\n}\r\n\r\npublic external interface RequestInit {\r\n var method: String?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var headers: dynamic\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var body: dynamic\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var referrer: String?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var referrerPolicy: dynamic\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var mode: RequestMode?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var credentials: RequestCredentials?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var cache: RequestCache?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var redirect: RequestRedirect?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var integrity: String?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var keepalive: Boolean?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var window: Any?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun RequestInit(method: String? = undefined, headers: dynamic = undefined, body: dynamic = undefined, referrer: String? = undefined, referrerPolicy: dynamic = undefined, mode: RequestMode? = undefined, credentials: RequestCredentials? = undefined, cache: RequestCache? = undefined, redirect: RequestRedirect? = undefined, integrity: String? = undefined, keepalive: Boolean? = undefined, window: Any? = undefined): RequestInit {\r\n val o = js(\"({})\")\r\n\r\n o[\"method\"] = method\r\n o[\"headers\"] = headers\r\n o[\"body\"] = body\r\n o[\"referrer\"] = referrer\r\n o[\"referrerPolicy\"] = referrerPolicy\r\n o[\"mode\"] = mode\r\n o[\"credentials\"] = credentials\r\n o[\"cache\"] = cache\r\n o[\"redirect\"] = redirect\r\n o[\"integrity\"] = integrity\r\n o[\"keepalive\"] = keepalive\r\n o[\"window\"] = window\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [Response](https://developer.mozilla.org/en/docs/Web/API/Response) to Kotlin\r\n */\r\npublic external open class Response(body: dynamic = definedExternally, init: ResponseInit = definedExternally) : Body {\r\n open val type: ResponseType\r\n open val url: String\r\n open val redirected:

Boolean\r\n   open val status: Short\r\n   open val ok: Boolean\r\n   open val statusText: String\r\n   open val headers: Headers\r\n   open val body: dynamic\r\n   open val trailer: Promise<Headers>\r\n   override val bodyUsed: Boolean\r\n   fun clone(): Response\r\n   override fun arrayBuffer(): Promise<ArrayBuffer>\r\n   override fun blob(): Promise<Blob>\r\n   override fun formData(): Promise<FormData>\r\n   override fun json(): Promise<Any?>\r\n   override fun text(): Promise<String>\r\n\r\n   companion object {\r\n   fun error(): Response\r\n   fun redirect(url: String, status: Short = definedExternally): Response\r\n   }\r\n}\r\n\r\npublic external interface ResponseInit {\r\n   var status: Short?
    /* = 200 */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var statusText: String? /* = \"OK\" */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var headers: dynamic\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ResponseInit(status: Short? = 200, statusText: String? = \"OK\", headers: dynamic = undefined): ResponseInit {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"status\"] = status\r\n   o[\"statusText\"] = statusText\r\n   o[\"headers\"] = headers\r\n\r\n   return o\r\n}\r\n\r\n/* please, don't implement this interface! */\r\npublic external interface RequestType {\r\n   companion object\r\n}\r\npublic inline val RequestType.Companion.EMPTY: RequestType get() = \"\".asDynamic().unsafeCast<RequestType>()\r\npublic inline val RequestType.Companion.AUDIO: RequestType get() = \"audio\".asDynamic().unsafeCast<RequestType>()\r\npublic
    inline val RequestType.Companion.FONT: RequestType get() = \"font\".asDynamic().unsafeCast<RequestType>()\r\npublic inline val RequestType.Companion.IMAGE: RequestType get() = \"image\".asDynamic().unsafeCast<RequestType>()\r\npublic inline val RequestType.Companion.SCRIPT: RequestType get() = \"script\".asDynamic().unsafeCast<RequestType>()\r\npublic inline val RequestType.Companion.STYLE: RequestType get() = \"style\".asDynamic().unsafeCast<RequestType>()\r\npublic inline val RequestType.Companion.TRACK: RequestType get() = \"track\".asDynamic().unsafeCast<RequestType>()\r\npublic inline val RequestType.Companion.VIDEO: RequestType get() = \"video\".asDynamic().unsafeCast<RequestType>()\r\n\r\n/* please, don't implement this interface! */\r\npublic external interface RequestDestination {\r\n   companion object\r\n}\r\npublic inline val RequestDestination.Companion.EMPTY: RequestDestination get() = \"\".asDynamic().unsafeCast<RequestDestination>()\r\npublic inline
    val RequestDestination.Companion.DOCUMENT: RequestDestination get() = \"document\".asDynamic().unsafeCast<RequestDestination>()\r\npublic inline val RequestDestination.Companion.EMBED: RequestDestination get() = \"embed\".asDynamic().unsafeCast<RequestDestination>()\r\npublic inline val RequestDestination.Companion.FONT: RequestDestination get() = \"font\".asDynamic().unsafeCast<RequestDestination>()\r\npublic inline val RequestDestination.Companion.IMAGE: RequestDestination get() = \"image\".asDynamic().unsafeCast<RequestDestination>()\r\npublic inline val RequestDestination.Companion.MANIFEST: RequestDestination get() = \"manifest\".asDynamic().unsafeCast<RequestDestination>()\r\npublic inline val RequestDestination.Companion.MEDIA: RequestDestination get() = \"media\".asDynamic().unsafeCast<RequestDestination>()\r\npublic inline val RequestDestination.Companion.OBJECT: RequestDestination get() = \"object\".asDynamic().unsafeCast<RequestDestination>()\r\npublic inline val RequestDestination.Companion.REPORT:
    RequestDestination get() = \"report\".asDynamic().unsafeCast<RequestDestination>()\r\npublic inline val RequestDestination.Companion.SCRIPT: RequestDestination get() = \"script\".asDynamic().unsafeCast<RequestDestination>()\r\npublic inline val RequestDestination.Companion.SERVICEWORKER: RequestDestination get() =

\"serviceworker\".asDynamic().unsafeCast<RequestDestination>()\r\npublic inline val RequestDestination.Companion.SHAREDWORKER: RequestDestination get() = \"sharedworker\".asDynamic().unsafeCast<RequestDestination>()\r\npublic inline val RequestDestination.Companion.STYLE: RequestDestination get() = \"style\".asDynamic().unsafeCast<RequestDestination>()\r\npublic inline val RequestDestination.Companion.WORKER: RequestDestination get() = \"worker\".asDynamic().unsafeCast<RequestDestination>()\r\npublic inline val RequestDestination.Companion.XSLT: RequestDestination get() = \"xslt\".asDynamic().unsafeCast<RequestDestination>()\r\n\r\n/* please, don't implement this interface! */\r\npublic external interface RequestMode {\r\n   companion object\r\n}\r\npublic inline val RequestMode.Companion.NAVIGATE: RequestMode get() = \"navigate\".asDynamic().unsafeCast<RequestMode>()\r\npublic inline val RequestMode.Companion.SAME_ORIGIN: RequestMode get() = \"same-origin\".asDynamic().unsafeCast<RequestMode>()\r\npublic inline val RequestMode.Companion.NO_CORS: RequestMode get() = \"no-cors\".asDynamic().unsafeCast<RequestMode>()\r\npublic inline val RequestMode.Companion.CORS: RequestMode get() = \"cors\".asDynamic().unsafeCast<RequestMode>()\r\n\r\n/* please, don't implement this interface! */\r\npublic external interface RequestCredentials {\r\n   companion object\r\n}\r\npublic inline val RequestCredentials.Companion.OMIT: RequestCredentials get() = \"omit\".asDynamic().unsafeCast<RequestCredentials>()\r\npublic inline val RequestCredentials.Companion.SAME_ORIGIN: RequestCredentials get() = \"same-origin\".asDynamic().unsafeCast<RequestCredentials>()\r\npublic inline val RequestCredentials.Companion.INCLUDE: RequestCredentials get() = \"include\".asDynamic().unsafeCast<RequestCredentials>()\r\n\r\n/* please, don't implement this interface! */\r\npublic external interface RequestCache {\r\n   companion object\r\n}\r\npublic inline val RequestCache.Companion.DEFAULT: RequestCache get() = \"default\".asDynamic().unsafeCast<RequestCache>()\r\npublic inline val RequestCache.Companion.NO_STORE: RequestCache get() = \"no-store\".asDynamic().unsafeCast<RequestCache>()\r\npublic inline val RequestCache.Companion.RELOAD: RequestCache get() = \"reload\".asDynamic().unsafeCast<RequestCache>()\r\npublic inline val RequestCache.Companion.NO_CACHE: RequestCache get() = \"no-cache\".asDynamic().unsafeCast<RequestCache>()\r\npublic inline val RequestCache.Companion.FORCE_CACHE: RequestCache get() = \"force-cache\".asDynamic().unsafeCast<RequestCache>()\r\npublic inline val RequestCache.Companion.ONLY_IF_CACHED: RequestCache get() = \"only-if-cached\".asDynamic().unsafeCast<RequestCache>()\r\n\r\n/* please, don't implement this interface! */\r\npublic external interface RequestRedirect {\r\n   companion object\r\n}\r\npublic inline val RequestRedirect.Companion.FOLLOW: RequestRedirect get() = \"follow\".asDynamic().unsafeCast<RequestRedirect>()\r\npublic inline val RequestRedirect.Companion.ERROR: RequestRedirect get() = \"error\".asDynamic().unsafeCast<RequestRedirect>()\r\npublic inline val RequestRedirect.Companion.MANUAL: RequestRedirect get() = \"manual\".asDynamic().unsafeCast<RequestRedirect>()\r\n\r\n/* please, don't implement this interface! */\r\npublic external interface ResponseType {\r\n   companion object\r\n}\r\npublic inline val ResponseType.Companion.BASIC: ResponseType get() = \"basic\".asDynamic().unsafeCast<ResponseType>()\r\npublic inline val ResponseType.Companion.CORS: ResponseType get() = \"cors\".asDynamic().unsafeCast<ResponseType>()\r\npublic inline val ResponseType.Companion.DEFAULT: ResponseType get() = \"default\".asDynamic().unsafeCast<ResponseType>()\r\npublic inline val ResponseType.Companion.ERROR: ResponseType get() = \"error\".asDynamic().unsafeCast<ResponseType>()\r\npublic inline val ResponseType.Companion.OPAQUE:

ResponseType get() = \"opaque\".asDynamic().unsafeCast<ResponseType>()\r\npublic inline val ResponseType.Companion.OPAQUEREDIRECT: ResponseType get() = \"opaqueredirect\".asDynamic().unsafeCast<ResponseType>()\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\r\n// See libraries/tools/idl2k for details\r\n\r\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\r\npackage org.w3c.dom.mediacapture\r\n\r\nimport kotlin.js.*\r\nimport org.khronos.webgl.*\r\nimport org.w3c.css.masking.*\r\nimport org.w3c.dom.*\r\nimport org.w3c.dom.clipboard.*\r\nimport org.w3c.dom.css.*\r\nimport org.w3c.dom.events.*\r\nimport org.w3c.dom.parsing.*\r\nimport org.w3c.dom.pointerevents.*\r\nimport org.w3c.dom.svg.*\r\nimport org.w3c.dom.url.*\r\nimport org.w3c.fetch.*\r\nimport org.w3c.files.*\r\nimport org.w3c.notifications.*\r\nimport org.w3c.performance.*\r\nimport org.w3c.workers.*\r\nimport org.w3c.xhr.*\r\n\r\n/**\r\n * Exposes the JavaScript [MediaStream](https://developer.mozilla.org/en/docs/Web/API/MediaStream) to Kotlin\r\n */\r\npublic external open class MediaStream() : EventTarget {\r\n   constructor(stream: MediaStream)\r\n   constructor(tracks: Array<MediaStreamTrack>)\r\n   open val id: String\r\n   open val active: Boolean\r\n   var onaddtrack: ((MediaStreamTrackEvent) -> dynamic)?\r\n   var onremovetrack: ((MediaStreamTrackEvent) -> dynamic)?\r\n   fun getAudioTracks(): Array<MediaStreamTrack>\r\n   fun getVideoTracks(): Array<MediaStreamTrack>\r\n   fun getTracks(): Array<MediaStreamTrack>\r\n   fun getTrackById(trackId: String): MediaStreamTrack?\r\n   fun addTrack(track: MediaStreamTrack): Unit\r\n   fun removeTrack(track: MediaStreamTrack): Unit\r\n   fun clone(): MediaStream\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [MediaStreamTrack](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrack) to Kotlin\r\n */\r\npublic external abstract class MediaStreamTrack : EventTarget {\r\n   open val kind: String\r\n   open val id: String\r\n   open val label: String\r\n   open var enabled: Boolean\r\n   open val muted: Boolean\r\n   open var onmute: ((Event) -> dynamic)?\r\n   open var onunmute: ((Event) -> dynamic)?\r\n   open val readyState: MediaStreamTrackState\r\n   open var onended: ((Event) -> dynamic)?\r\n   open var onoverconstrained: ((Event) -> dynamic)?\r\n   fun clone(): MediaStreamTrack\r\n   fun stop(): Unit\r\n   fun getCapabilities(): MediaTrackCapabilities\r\n   fun getConstraints(): MediaTrackConstraints\r\n   fun getSettings(): MediaTrackSettings\r\n   fun applyConstraints(constraints: MediaTrackConstraints = definedExternally): Promise<Unit>\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [MediaTrackSupportedConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSupportedConstraints) to Kotlin\r\n */\r\npublic external interface MediaTrackSupportedConstraints {\r\n   var width: Boolean? /* = true */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var height: Boolean? /* = true */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var aspectRatio: Boolean? /* = true */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var frameRate: Boolean? /* = true */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var facingMode: Boolean? /* = true */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var resizeMode: Boolean? /* = true */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var volume: Boolean? /* = true */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var sampleRate: Boolean? /* = true */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var sampleSize: Boolean? /* = true */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var echoCancellation: Boolean? /* = true */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var autoGainControl: Boolean? /* = true */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var noiseSuppression: Boolean? /* = true */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var latency: Boolean? /* = true */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var channelCount: Boolean? /* = true */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var deviceId: Boolean? /* = true */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var groupId: Boolean? /* =

true */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun MediaTrackSupportedConstraints(width: Boolean? = true, height: Boolean? = true, aspectRatio: Boolean? = true, frameRate: Boolean? = true, facingMode: Boolean? = true, resizeMode: Boolean? = true, volume: Boolean? = true, sampleRate: Boolean? = true, sampleSize: Boolean? = true, echoCancellation: Boolean? = true, autoGainControl: Boolean? = true, noiseSuppression: Boolean? = true, latency: Boolean? = true, channelCount: Boolean? = true, deviceId: Boolean? = true, groupId: Boolean? = true): MediaTrackSupportedConstraints {\r\n val o = js(\"({})\")\r\n\r\n o[\"width\"] = width\r\n o[\"height\"] = height\r\n o[\"aspectRatio\"] = aspectRatio\r\n o[\"frameRate\"] = frameRate\r\n o[\"facingMode\"] = facingMode\r\n o[\"resizeMode\"] = resizeMode\r\n o[\"volume\"] = volume\r\n o[\"sampleRate\"] = sampleRate\r\n o[\"sampleSize\"] = sampleSize\r\n o[\"echoCancellation\"] = echoCancellation\r\n o[\"autoGainControl\"] = autoGainControl\r\n o[\"noiseSuppression\"] = noiseSuppression\r\n o[\"latency\"] = latency\r\n o[\"channelCount\"] = channelCount\r\n o[\"deviceId\"] = deviceId\r\n o[\"groupId\"] = groupId\r\n\r\n return o\r\n}\r\n\r\npublic external interface MediaTrackCapabilities {\r\n var width: ULongRange?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var height: ULongRange?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var aspectRatio: DoubleRange?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var frameRate: DoubleRange?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var facingMode: Array<String>?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var resizeMode: Array<String>?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var volume: DoubleRange?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var sampleRate: ULongRange?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var sampleSize: ULongRange?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var echoCancellation: Array<Boolean>?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var autoGainControl: Array<Boolean>?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var noiseSuppression: Array<Boolean>?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var latency: DoubleRange?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var channelCount: ULongRange?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var deviceId: String?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var groupId: String?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun MediaTrackCapabilities(width: ULongRange? = undefined, height: ULongRange? = undefined, aspectRatio: DoubleRange? = undefined, frameRate: DoubleRange? = undefined, facingMode: Array<String>? = undefined, resizeMode: Array<String>? = undefined, volume: DoubleRange? = undefined, sampleRate: ULongRange? = undefined, sampleSize: ULongRange? = undefined, echoCancellation: Array<Boolean>? = undefined, autoGainControl: Array<Boolean>? = undefined, noiseSuppression: Array<Boolean>? = undefined, latency: DoubleRange? = undefined, channelCount: ULongRange? = undefined, deviceId: String? = undefined, groupId: String? = undefined): MediaTrackCapabilities {\r\n val o = js(\"({})\")\r\n\r\n o[\"width\"] = width\r\n o[\"height\"] = height\r\n o[\"aspectRatio\"] = aspectRatio\r\n o[\"frameRate\"] = frameRate\r\n o[\"facingMode\"] = facingMode\r\n o[\"resizeMode\"] = resizeMode\r\n o[\"volume\"] = volume\r\n o[\"sampleRate\"] = sampleRate\r\n o[\"sampleSize\"] = sampleSize\r\n o[\"echoCancellation\"] = echoCancellation\r\n o[\"autoGainControl\"] = autoGainControl\r\n o[\"noiseSuppression\"] = noiseSuppression\r\n o[\"latency\"] = latency\r\n o[\"channelCount\"] = channelCount\r\n o[\"deviceId\"] = deviceId\r\n o[\"groupId\"] = groupId\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [MediaTrackConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackConstraints) to Kotlin\r\n */\r\npublic external interface MediaTrackConstraints : MediaTrackConstraintSet {\r\n var advanced: Array<MediaTrackConstraintSet>?\r\n get() = definedExternally\r\n set(value) =

definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun MediaTrackConstraints(advanced: Array<MediaTrackConstraintSet>? = undefined, width: dynamic = undefined, height: dynamic = undefined, aspectRatio: dynamic = undefined, frameRate: dynamic = undefined, facingMode: dynamic = undefined, resizeMode: dynamic = undefined, volume: dynamic = undefined, sampleRate: dynamic = undefined, sampleSize: dynamic = undefined, echoCancellation: dynamic = undefined, autoGainControl: dynamic = undefined, noiseSuppression: dynamic = undefined, latency: dynamic = undefined, channelCount: dynamic = undefined, deviceId: dynamic = undefined, groupId: dynamic = undefined): MediaTrackConstraints {\r\n val o = js(\"({})\")\r\n\r\n o[\"advanced\"] = advanced\r\n o[\"width\"] = width\r\n o[\"height\"] = height\r\n o[\"aspectRatio\"] = aspectRatio\r\n o[\"frameRate\"] = frameRate\r\n o[\"facingMode\"] = facingMode\r\n o[\"resizeMode\"] = resizeMode\r\n o[\"volume\"] = volume\r\n o[\"sampleRate\"] = sampleRate\r\n o[\"sampleSize\"] = sampleSize\r\n o[\"echoCancellation\"] = echoCancellation\r\n o[\"autoGainControl\"] = autoGainControl\r\n o[\"noiseSuppression\"] = noiseSuppression\r\n o[\"latency\"] = latency\r\n o[\"channelCount\"] = channelCount\r\n o[\"deviceId\"] = deviceId\r\n o[\"groupId\"] = groupId\r\n\r\n return o\r\n}\r\n\r\npublic external interface MediaTrackConstraintSet {\r\n var width: dynamic\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var height: dynamic\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var aspectRatio: dynamic\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var frameRate: dynamic\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var facingMode: dynamic\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var resizeMode: dynamic\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var volume: dynamic\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var sampleRate: dynamic\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var sampleSize: dynamic\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var echoCancellation: dynamic\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var autoGainControl: dynamic\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var noiseSuppression: dynamic\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var latency: dynamic\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var channelCount: dynamic\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var deviceId: dynamic\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var groupId: dynamic\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun MediaTrackConstraintSet(width: dynamic = undefined, height: dynamic = undefined, aspectRatio: dynamic = undefined, frameRate: dynamic = undefined, facingMode: dynamic = undefined, resizeMode: dynamic = undefined, volume: dynamic = undefined, sampleRate: dynamic = undefined, sampleSize: dynamic = undefined, echoCancellation: dynamic = undefined, autoGainControl: dynamic = undefined, noiseSuppression: dynamic = undefined, latency: dynamic = undefined, channelCount: dynamic = undefined, deviceId: dynamic = undefined, groupId: dynamic = undefined): MediaTrackConstraintSet {\r\n val o = js(\"({})\")\r\n\r\n o[\"width\"] = width\r\n o[\"height\"] = height\r\n o[\"aspectRatio\"] = aspectRatio\r\n o[\"frameRate\"] = frameRate\r\n o[\"facingMode\"] = facingMode\r\n o[\"resizeMode\"] = resizeMode\r\n o[\"volume\"] = volume\r\n o[\"sampleRate\"] = sampleRate\r\n o[\"sampleSize\"] = sampleSize\r\n o[\"echoCancellation\"] = echoCancellation\r\n o[\"autoGainControl\"] = autoGainControl\r\n o[\"noiseSuppression\"] = noiseSuppression\r\n o[\"latency\"] = latency\r\n o[\"channelCount\"] = channelCount\r\n o[\"deviceId\"] = deviceId\r\n o[\"groupId\"] = groupId\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [MediaTrackSettings](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSettings) to Kotlin\r\n */\r\npublic external interface MediaTrackSettings {\r\n var width: Int?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n

var height: Int?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var aspectRatio: Double?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var frameRate: Double?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var facingMode: String?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var resizeMode: String?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var volume: Double?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var sampleRate: Int?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var sampleSize: Int?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var echoCancellation: Boolean?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var autoGainControl: Boolean?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var noiseSuppression: Boolean?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var latency: Double?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var channelCount: Int?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var deviceId: String?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var groupId: String?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun MediaTrackSettings(width: Int? = undefined, height: Int? = undefined, aspectRatio: Double? = undefined, frameRate: Double? = undefined, facingMode: String? = undefined, resizeMode: String? = undefined, volume: Double? = undefined, sampleRate: Int? = undefined, sampleSize: Int? = undefined, echoCancellation: Boolean? = undefined, autoGainControl: Boolean? = undefined, noiseSuppression: Boolean? = undefined, latency: Double? = undefined, channelCount: Int? = undefined, deviceId: String? = undefined, groupId: String? = undefined): MediaTrackSettings {\r\n val o = js(\"({})\")\r\n\r\n o[\"width\"] = width\r\n o[\"height\"] = height\r\n o[\"aspectRatio\"] = aspectRatio\r\n o[\"frameRate\"] = frameRate\r\n o[\"facingMode\"] = facingMode\r\n o[\"resizeMode\"] = resizeMode\r\n o[\"volume\"] = volume\r\n o[\"sampleRate\"] = sampleRate\r\n o[\"sampleSize\"] = sampleSize\r\n o[\"echoCancellation\"] = echoCancellation\r\n o[\"autoGainControl\"] = autoGainControl\r\n o[\"noiseSuppression\"] = noiseSuppression\r\n o[\"latency\"] = latency\r\n o[\"channelCount\"] = channelCount\r\n o[\"deviceId\"] = deviceId\r\n o[\"groupId\"] = groupId\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [MediaStreamTrackEvent](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrackEvent) to Kotlin\r\n */\r\npublic external open class MediaStreamTrackEvent(type: String, eventInitDict: MediaStreamTrackEventInit) : Event {\r\n open val track: MediaStreamTrack\r\n}\r\n\r\npublic external interface MediaStreamTrackEventInit : EventInit {\r\n var track: MediaStreamTrack?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun MediaStreamTrackEventInit(track: MediaStreamTrack?, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MediaStreamTrackEventInit {\r\n val o = js(\"({})\")\r\n\r\n o[\"track\"] = track\r\n o[\"bubbles\"] = bubbles\r\n o[\"cancelable\"] = cancelable\r\n o[\"composed\"] = composed\r\n\r\n return o\r\n}\r\n\r\npublic external open class OverconstrainedErrorEvent(type: String, eventInitDict: OverconstrainedErrorEventInit) : Event {\r\n open val error: dynamic\r\n}\r\n\r\npublic external interface OverconstrainedErrorEventInit : EventInit {\r\n var error: dynamic /* = null */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun OverconstrainedErrorEventInit(error: dynamic = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): OverconstrainedErrorEventInit {\r\n val o = js(\"({})\")\r\n\r\n o[\"error\"] = error\r\n o[\"bubbles\"] = bubbles\r\n o[\"cancelable\"] = cancelable\r\n o[\"composed\"] = composed\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [MediaDevices](https://developer.mozilla.org/en/docs/Web/API/MediaDevices) to Kotlin\r\n */\r\npublic external abstract class MediaDevices : EventTarget {\r\n open var ondevicechange: ((Event) -> dynamic)?\r\n fun enumerateDevices(): Promise<dynamic>\r\n fun getSupportedConstraints(): MediaTrackSupportedConstraints\r\n

fun getUserMedia(constraints: MediaStreamConstraints = definedExternally): Promise<MediaStream>\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [MediaDeviceInfo](https://developer.mozilla.org/en/docs/Web/API/MediaDeviceInfo) to Kotlin\r\n */\r\npublic external abstract class MediaDeviceInfo {\r\n open val deviceId: String\r\n open val kind: MediaDeviceKind\r\n open val label: String\r\n open val groupId: String\r\n fun toJSON(): dynamic\r\n}\r\n\r\npublic external abstract class InputDeviceInfo : MediaDeviceInfo {\r\n fun getCapabilities(): MediaTrackCapabilities\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [MediaStreamConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaStreamConstraints) to Kotlin\r\n */\r\npublic external interface MediaStreamConstraints {\r\n var video: dynamic /* = false */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var audio: dynamic /* = false */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun MediaStreamConstraints(video: dynamic = false, audio: dynamic = false): MediaStreamConstraints {\r\n val o = js(\"({})\")\r\n\r\n o[\"video\"] = video\r\n o[\"audio\"] = audio\r\n\r\n return o\r\n}\r\n\r\npublic external interface ConstrainablePattern {\r\n var onoverconstrained: ((Event) -> dynamic)?\r\n fun getCapabilities(): Capabilities\r\n fun getConstraints(): Constraints\r\n fun getSettings(): Settings\r\n fun applyConstraints(constraints: Constraints = definedExternally): Promise<Unit>\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [DoubleRange](https://developer.mozilla.org/en/docs/Web/API/DoubleRange) to Kotlin\r\n */\r\npublic external interface DoubleRange {\r\n var max: Double?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var min: Double?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun DoubleRange(max: Double? = undefined, min: Double? = undefined): DoubleRange {\r\n val o = js(\"({})\")\r\n\r\n o[\"max\"] = max\r\n o[\"min\"] = min\r\n\r\n return o\r\n}\r\n\r\npublic external interface ConstrainDoubleRange : DoubleRange {\r\n var exact: Double?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var ideal: Double?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ConstrainDoubleRange(exact: Double? = undefined, ideal: Double? = undefined, max: Double? = undefined, min: Double? = undefined): ConstrainDoubleRange {\r\n val o = js(\"({})\")\r\n\r\n o[\"exact\"] = exact\r\n o[\"ideal\"] = ideal\r\n o[\"max\"] = max\r\n o[\"min\"] = min\r\n\r\n return o\r\n}\r\n\r\npublic external interface ULongRange {\r\n var max: Int?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var min: Int?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ULongRange(max: Int? = undefined, min: Int? = undefined): ULongRange {\r\n val o = js(\"({})\")\r\n\r\n o[\"max\"] = max\r\n o[\"min\"] = min\r\n\r\n return o\r\n}\r\n\r\npublic external interface ConstrainULongRange : ULongRange {\r\n var exact: Int?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var ideal: Int?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ConstrainULongRange(exact: Int? = undefined, ideal: Int? = undefined, max: Int? = undefined, min: Int? = undefined): ConstrainULongRange {\r\n val o = js(\"({})\")\r\n\r\n o[\"exact\"] = exact\r\n o[\"ideal\"] = ideal\r\n o[\"max\"] = max\r\n o[\"min\"] = min\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [ConstrainBooleanParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainBooleanParameters) to Kotlin\r\n */\r\npublic external interface ConstrainBooleanParameters {\r\n var exact: Boolean?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var ideal: Boolean?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ConstrainBooleanParameters(exact: Boolean? = undefined, ideal: Boolean? = undefined): ConstrainBooleanParameters {\r\n val o = js(\"({})\")\r\n\r\n o[\"exact\"] = exact\r\n o[\"ideal\"] = ideal\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [ConstrainDOMStringParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainDOMStringParameters)

to Kotlin\r\n */\r\npublic external interface ConstrainDOMStringParameters {\r\n   var exact: dynamic\r\n
    get() = definedExternally\r\n   set(value) = definedExternally\r\n   var ideal: dynamic\r\n   get() =
definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun
ConstrainDOMStringParameters(exact: dynamic = undefined, ideal: dynamic = undefined):
ConstrainDOMStringParameters {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"exact\"] = exact\r\n   o[\"ideal\"] =
ideal\r\n\r\n   return o\r\n}\r\n\r\npublic external interface Capabilities
{\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Capabilities(): Capabilities {\r\n   val o =
js(\"({})\")\r\n\r\n\r\n   return o\r\n}\r\n\r\npublic external interface Settings
{\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Settings(): Settings {\r\n   val o =
js(\"({})\")\r\n\r\n\r\n   return o\r\n}\r\n\r\npublic external interface ConstraintSet
{\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ConstraintSet(): ConstraintSet {\r\n
  val o = js(\"({})\")\r\n\r\n\r\n   return o\r\n}\r\n\r\npublic external interface Constraints : ConstraintSet {\r\n   var
advanced: Array<ConstraintSet>?\r\n   get() = definedExternally\r\n   set(value) =
definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Constraints(advanced:
Array<ConstraintSet>? = undefined): Constraints {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"advanced\"] =
advanced\r\n\r\n   return o\r\n}\r\n\r\n/* please, don't implement this interface! */\r\npublic external interface
MediaStreamTrackState {\r\n   companion object\r\n}\r\npublic inline val
MediaStreamTrackState.Companion.LIVE: MediaStreamTrackState get() =
\"live\".asDynamic().unsafeCast<MediaStreamTrackState>()\r\npublic inline val
MediaStreamTrackState.Companion.ENDED: MediaStreamTrackState get() =
\"ended\".asDynamic().unsafeCast<MediaStreamTrackState>()\r\n\r\n/* please, don't implement this interface!
*/\r\npublic external interface VideoFacingModeEnum {\r\n
 companion object\r\n}\r\npublic inline val VideoFacingModeEnum.Companion.USER: VideoFacingModeEnum
get() = \"user\".asDynamic().unsafeCast<VideoFacingModeEnum>()\r\npublic inline val
VideoFacingModeEnum.Companion.ENVIRONMENT: VideoFacingModeEnum get() =
\"environment\".asDynamic().unsafeCast<VideoFacingModeEnum>()\r\npublic inline val
VideoFacingModeEnum.Companion.LEFT: VideoFacingModeEnum get() =
\"left\".asDynamic().unsafeCast<VideoFacingModeEnum>()\r\npublic inline val
VideoFacingModeEnum.Companion.RIGHT: VideoFacingModeEnum get() =
\"right\".asDynamic().unsafeCast<VideoFacingModeEnum>()\r\n\r\n/* please, don't implement this interface!
*/\r\npublic external interface VideoResizeModeEnum {\r\n   companion object\r\n}\r\npublic inline val
VideoResizeModeEnum.Companion.NONE: VideoResizeModeEnum get() =
\"none\".asDynamic().unsafeCast<VideoResizeModeEnum>()\r\npublic inline val
VideoResizeModeEnum.Companion.CROP_AND_SCALE: VideoResizeModeEnum get() = \"crop-and-
scale\".asDynamic().unsafeCast<VideoResizeModeEnum>()\r\n\r\n/*
 please, don't implement this interface! */\r\npublic external interface MediaDeviceKind {\r\n   companion
object\r\n}\r\npublic inline val MediaDeviceKind.Companion.AUDIOINPUT: MediaDeviceKind get() =
\"audioinput\".asDynamic().unsafeCast<MediaDeviceKind>()\r\npublic inline val
MediaDeviceKind.Companion.AUDIOOUTPUT: MediaDeviceKind get() =
\"audiooutput\".asDynamic().unsafeCast<MediaDeviceKind>()\r\npublic inline val
MediaDeviceKind.Companion.VIDEOINPUT: MediaDeviceKind get() =
\"videoinput\".asDynamic().unsafeCast<MediaDeviceKind>()\r\n\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// NOTE: THIS FILE IS AUTO-GENERATED, DO
NOT EDIT!\r\n// See libraries/tools/idl2k for
details\r\n\r\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\r\npackage
org.w3c.dom.pointerevents\r\n\r\nimport

kotlin.js.*\r\nimport org.khronos.webgl.*\r\nimport org.w3c.css.masking.*\r\nimport org.w3c.dom.*\r\nimport org.w3c.dom.clipboard.*\r\nimport org.w3c.dom.css.*\r\nimport org.w3c.dom.events.*\r\nimport org.w3c.dom.mediacapture.*\r\nimport org.w3c.dom.parsing.*\r\nimport org.w3c.dom.svg.*\r\nimport org.w3c.dom.url.*\r\nimport org.w3c.fetch.*\r\nimport org.w3c.files.*\r\nimport org.w3c.notifications.*\r\nimport org.w3c.performance.*\r\nimport org.w3c.workers.*\r\nimport org.w3c.xhr.*\r\n\r\npublic external interface PointerEventInit : MouseEventInit {\r\n var pointerId: Int? /* = 0 */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var width: Double? /* = 1.0 */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var height: Double? /* = 1.0 */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var pressure: Float? /* = 0f */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var tangentialPressure: Float? /* = 0f */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var tiltX: Int? /* = 0 */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var tiltY: Int? /* = 0 */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var twist: Int? /* = 0 */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var pointerType: String? /* = \"\" */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var isPrimary: Boolean? /* = false */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun PointerEventInit(pointerId: Int? = 0, width: Double? = 1.0, height: Double? = 1.0, pressure: Float? = 0f, tangentialPressure: Float? = 0f, tiltX: Int? = 0, tiltY: Int? = 0, twist: Int? = 0, pointerType: String? = \"\", isPrimary: Boolean? = false, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PointerEventInit {\r\n val o = js(\"({})\")\r\n\r\n o[\"pointerId\"] = pointerId\r\n o[\"width\"] = width\r\n o[\"height\"] = height\r\n o[\"pressure\"] = pressure\r\n o[\"tangentialPressure\"] = tangentialPressure\r\n o[\"tiltX\"] = tiltX\r\n o[\"tiltY\"] = tiltY\r\n o[\"twist\"] = twist\r\n o[\"pointerType\"] = pointerType\r\n o[\"isPrimary\"] = isPrimary\r\n o[\"screenX\"] = screenX\r\n o[\"screenY\"] = screenY\r\n o[\"clientX\"] = clientX\r\n o[\"clientY\"] = clientY\r\n o[\"button\"] = button\r\n o[\"buttons\"] = buttons\r\n o[\"relatedTarget\"] = relatedTarget\r\n o[\"ctrlKey\"] = ctrlKey\r\n o[\"shiftKey\"] = shiftKey\r\n o[\"altKey\"] = altKey\r\n o[\"metaKey\"] = metaKey\r\n o[\"modifierAltGraph\"] = modifierAltGraph\r\n o[\"modifierCapsLock\"] = modifierCapsLock\r\n o[\"modifierFn\"] = modifierFn\r\n o[\"modifierFnLock\"] = modifierFnLock\r\n o[\"modifierHyper\"] = modifierHyper\r\n o[\"modifierNumLock\"] = modifierNumLock\r\n o[\"modifierScrollLock\"] = modifierScrollLock\r\n o[\"modifierSuper\"] = modifierSuper\r\n o[\"modifierSymbol\"] = modifierSymbol\r\n o[\"modifierSymbolLock\"] = modifierSymbolLock\r\n o[\"view\"] = view\r\n o[\"detail\"] = detail\r\n o[\"bubbles\"] = bubbles\r\n o[\"cancelable\"] = cancelable\r\n o[\"composed\"] = composed\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [PointerEvent](https://developer.mozilla.org/en/docs/Web/API/PointerEvent) to Kotlin\r\n */\r\npublic external open class PointerEvent(type: String, eventInitDict: PointerEventInit = definedExternally) : MouseEvent {\r\n open val pointerId: Int\r\n open val width: Double\r\n open val height: Double\r\n open val pressure: Float\r\n open val tangentialPressure: Float\r\n open val tiltX: Int\r\n open val tiltY: Int\r\n open val twist: Int\r\n open val pointerType: String\r\n open val isPrimary: Boolean\r\n}\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\r\n// See libraries/tools/idl2k for details\r\n\r\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\r\npackage

org.w3c.dom.svg\r\n\r\nimport kotlin.js.*\r\nimport org.khronos.webgl.*\r\nimport org.w3c.css.masking.*\r\nimport org.w3c.dom.*\r\nimport org.w3c.dom.clipboard.*\r\nimport org.w3c.dom.css.*\r\nimport org.w3c.dom.events.*\r\nimport org.w3c.dom.mediacapture.*\r\nimport org.w3c.dom.parsing.*\r\nimport org.w3c.dom.pointerevents.*\r\nimport org.w3c.dom.url.*\r\nimport org.w3c.fetch.*\r\nimport org.w3c.files.*\r\nimport org.w3c.notifications.*\r\nimport org.w3c.performance.*\r\nimport org.w3c.workers.*\r\nimport org.w3c.xhr.*\r\n\r\n/**\r\n * Exposes the JavaScript [SVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGElement) to Kotlin\r\n */\r\npublic external abstract class SVGElement : Element, ElementCSSInlineStyle, GlobalEventHandlers, SVGElementInstance {\r\n open val dataset: DOMStringMap\r\n open val ownerSVGElement: SVGSVGElement?\r\n open val viewportElement: SVGElement?\r\n open var tabIndex: Int\r\n fun focus(): Unit\r\n fun blur(): Unit\r\n}\r\n\r\npublic external interface SVGBoundingBoxOptions {\r\n var fill: Boolean? /* = true */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var stroke: Boolean? /* = false */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var markers: Boolean? /* = false */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var clipped: Boolean? /* = false */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun SVGBoundingBoxOptions(fill: Boolean? = true, stroke: Boolean? = false, markers: Boolean? = false, clipped: Boolean? = false): SVGBoundingBoxOptions {\r\n val o = js(\"({})\")\r\n\r\n o[\"fill\"] = fill\r\n o[\"stroke\"] = stroke\r\n o[\"markers\"] = markers\r\n o[\"clipped\"] = clipped\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGGraphicsElement](https://developer.mozilla.org/en/docs/Web/API/SVGGraphicsElement) to Kotlin\r\n */\r\npublic external abstract class SVGGraphicsElement : SVGElement, SVGTests {\r\n open val transform: SVGAnimatedTransformList\r\n fun getBBox(options: SVGBoundingBoxOptions = definedExternally): DOMRect\r\n fun getCTM(): DOMMatrix?\r\n fun getScreenCTM(): DOMMatrix?\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGGeometryElement](https://developer.mozilla.org/en/docs/Web/API/SVGGeometryElement) to Kotlin\r\n */\r\npublic external abstract class SVGGeometryElement : SVGGraphicsElement {\r\n open val pathLength: SVGAnimatedNumber\r\n fun isPointInFill(point: DOMPoint): Boolean\r\n fun isPointInStroke(point: DOMPoint): Boolean\r\n fun getTotalLength(): Float\r\n fun getPointAtLength(distance: Float): DOMPoint\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGNumber](https://developer.mozilla.org/en/docs/Web/API/SVGNumber) to Kotlin\r\n */\r\npublic external abstract class SVGNumber {\r\n open var value: Float\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGLength](https://developer.mozilla.org/en/docs/Web/API/SVGLength) to Kotlin\r\n */\r\npublic external abstract class SVGLength {\r\n open val unitType: Short\r\n open var value: Float\r\n open var valueInSpecifiedUnits: Float\r\n open var valueAsString: String\r\n fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits: Float): Unit\r\n fun convertToSpecifiedUnits(unitType: Short): Unit\r\n\r\n companion object {\r\n val SVG_LENGTHTYPE_UNKNOWN: Short\r\n val SVG_LENGTHTYPE_NUMBER: Short\r\n val SVG_LENGTHTYPE_PERCENTAGE: Short\r\n val SVG_LENGTHTYPE_EMS: Short\r\n val SVG_LENGTHTYPE_EXS: Short\r\n val SVG_LENGTHTYPE_PX: Short\r\n val SVG_LENGTHTYPE_CM: Short\r\n val SVG_LENGTHTYPE_MM: Short\r\n val SVG_LENGTHTYPE_IN: Short\r\n val SVG_LENGTHTYPE_PT: Short\r\n val SVG_LENGTHTYPE_PC: Short\r\n }\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAngle) to Kotlin\r\n */\r\npublic external abstract class SVGAngle {\r\n open val unitType: Short\r\n open var value: Float\r\n open var valueInSpecifiedUnits: Float\r\n open var valueAsString: String\r\n fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits: Float): Unit\r\n fun convertToSpecifiedUnits(unitType: Short): Unit\r\n\r\n companion object {\r\n val SVG_ANGLETYPE_UNKNOWN: Short\r\n val SVG_ANGLETYPE_UNSPECIFIED: Short\r\n val SVG_ANGLETYPE_DEG: Short\r\n val SVG_ANGLETYPE_RAD: Short\r\n val SVG_ANGLETYPE_GRAD: Short\r\n }\r\n}\r\n\r\npublic external

abstract class SVGNameList {\r\n   open val length: Int\r\n   open val numberOfItems:
Int\r\n   fun clear(): Unit\r\n   fun initialize(newItem: dynamic): dynamic\r\n   fun getItem(index: Int): dynamic\r\n
fun insertItemBefore(newItem: dynamic, index: Int): dynamic\r\n   fun replaceItem(newItem: dynamic, index: Int):
dynamic\r\n   fun removeItem(index: Int): dynamic\r\n   fun appendItem(newItem: dynamic):
dynamic\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun SVGNameList.get(index: Int): dynamic =
asDynamic()[index]\r\n@kotlin.internal.InlineOnly inline operator fun SVGNameList.set(index: Int, newItem:
dynamic): Unit { asDynamic()[index] = newItem; }\r\n\r\n/**\r\n * Exposes the JavaScript
[SVGNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGNumberList) to Kotlin\r\n */\r\npublic
external abstract class SVGNumberList {\r\n   open val length: Int\r\n   open val numberOfItems: Int\r\n   fun
clear(): Unit\r\n   fun initialize(newItem: SVGNumber): SVGNumber\r\n   fun getItem(index: Int):
SVGNumber\r\n   fun insertItemBefore(newItem:
SVGNumber, index: Int): SVGNumber\r\n   fun replaceItem(newItem: SVGNumber, index: Int): SVGNumber\r\n
fun removeItem(index: Int): SVGNumber\r\n   fun appendItem(newItem: SVGNumber):
SVGNumber\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun SVGNumberList.get(index: Int): SVGNumber?
= asDynamic()[index]\r\n@kotlin.internal.InlineOnly inline operator fun SVGNumberList.set(index: Int, newItem:
SVGNumber): Unit { asDynamic()[index] = newItem; }\r\n\r\n/**\r\n * Exposes the JavaScript
[SVGLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGLengthList) to Kotlin\r\n */\r\npublic
external abstract class SVGLengthList {\r\n   open val length: Int\r\n   open val numberOfItems: Int\r\n   fun
clear(): Unit\r\n   fun initialize(newItem: SVGLength): SVGLength\r\n   fun getItem(index: Int): SVGLength\r\n
fun insertItemBefore(newItem: SVGLength, index: Int): SVGLength\r\n   fun replaceItem(newItem: SVGLength,
index: Int): SVGLength\r\n   fun removeItem(index: Int):
SVGLength\r\n   fun appendItem(newItem: SVGLength): SVGLength\r\n}\r\n@kotlin.internal.InlineOnly inline
operator fun SVGLengthList.get(index: Int): SVGLength? = asDynamic()[index]\r\n@kotlin.internal.InlineOnly
inline operator fun SVGLengthList.set(index: Int, newItem: SVGLength): Unit { asDynamic()[index] = newItem;
}\r\n\r\n/**\r\n * Exposes the JavaScript
[SVGAnimatedBoolean](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedBoolean) to Kotlin\r\n
*/\r\npublic external abstract class SVGAnimatedBoolean {\r\n   open var baseVal: Boolean\r\n   open val
animVal: Boolean\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript
[SVGAnimatedEnumeration](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedEnumeration) to
Kotlin\r\n */\r\npublic external abstract class SVGAnimatedEnumeration {\r\n   open var baseVal: Short\r\n   open
val animVal: Short\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript
[SVGAnimatedInteger](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedInteger) to
Kotlin\r\n */\r\npublic external abstract class SVGAnimatedInteger {\r\n   open var baseVal: Int\r\n   open val
animVal: Int\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript
[SVGAnimatedNumber](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumber) to Kotlin\r\n
*/\r\npublic external abstract class SVGAnimatedNumber {\r\n   open var baseVal: Float\r\n   open val animVal:
Float\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript
[SVGAnimatedLength](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLength) to Kotlin\r\n
*/\r\npublic external abstract class SVGAnimatedLength {\r\n   open val baseVal: SVGLength\r\n   open val
animVal: SVGLength\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript
[SVGAnimatedAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedAngle) to Kotlin\r\n
*/\r\npublic external abstract class SVGAnimatedAngle {\r\n   open val baseVal: SVGAngle\r\n   open val
animVal: SVGAngle\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript
[SVGAnimatedString](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedString)
to Kotlin\r\n */\r\npublic external abstract class SVGAnimatedString {\r\n   open var baseVal: String\r\n   open val
animVal: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript
[SVGAnimatedRect](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedRect) to Kotlin\r\n */\r\npublic
external abstract class SVGAnimatedRect {\r\n   open val baseVal: DOMRect\r\n   open val animVal:

DOMRectReadOnly\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGAnimatedNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumberList) to Kotlin\r\n */\r\npublic external abstract class SVGAnimatedNumberList {\r\n open val baseVal: SVGNumberList\r\n open val animVal: SVGNumberList\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGAnimatedLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLengthList) to Kotlin\r\n */\r\npublic external abstract class SVGAnimatedLengthList {\r\n open val baseVal: SVGLengthList\r\n open val animVal: SVGLengthList\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGStringList](https://developer.mozilla.org/en/docs/Web/API/SVGStringList) to Kotlin\r\n */\r\npublic external abstract class SVGStringList {\r\n open val length: Int\r\n open val numberOfItems: Int\r\n fun clear(): Unit\r\n fun initialize(newItem: String): String\r\n fun getItem(index: Int): String\r\n fun insertItemBefore(newItem: String, index: Int): String\r\n fun replaceItem(newItem: String, index: Int): String\r\n fun removeItem(index: Int): String\r\n fun appendItem(newItem: String): String\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun SVGStringList.get(index: Int): String? = asDynamic()[index]\r\n@kotlin.internal.InlineOnly inline operator fun SVGStringList.set(index: Int, newItem: String): Unit { asDynamic()[index] = newItem; }\r\n\r\n/**\r\n * Exposes the JavaScript [SVGUnitTypes](https://developer.mozilla.org/en/docs/Web/API/SVGUnitTypes) to Kotlin\r\n */\r\npublic external interface SVGUnitTypes {\r\n\r\n companion object {\r\n val SVG_UNIT_TYPE_UNKNOWN: Short\r\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\r\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\r\n }\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGTests](https://developer.mozilla.org/en/docs/Web/API/SVGTests) to Kotlin\r\n */\r\npublic external interface SVGTests {\r\n val requiredExtensions: SVGStringList\r\n val systemLanguage: SVGStringList\r\n}\r\n\r\npublic external interface SVGFitToViewBox {\r\n val viewBox: SVGAnimatedRect\r\n val preserveAspectRatio: SVGAnimatedPreserveAspectRatio\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGZoomAndPan](https://developer.mozilla.org/en/docs/Web/API/SVGZoomAndPan) to Kotlin\r\n */\r\npublic external interface SVGZoomAndPan {\r\n var zoomAndPan: Short\r\n\r\n companion object {\r\n val SVG_ZOOMANDPAN_UNKNOWN: Short\r\n val SVG_ZOOMANDPAN_DISABLE: Short\r\n val SVG_ZOOMANDPAN_MAGNIFY: Short\r\n }\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGURIReference](https://developer.mozilla.org/en/docs/Web/API/SVGURIReference) to Kotlin\r\n */\r\npublic external interface SVGURIReference {\r\n val href: SVGAnimatedString\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGSVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGSVGElement) to Kotlin\r\n */\r\npublic external abstract class SVGSVGElement : SVGGraphicsElement, SVGFitToViewBox, SVGZoomAndPan, WindowEventHandlers {\r\n open val x: SVGAnimatedLength\r\n open val y: SVGAnimatedLength\r\n open val width: SVGAnimatedLength\r\n open val height: SVGAnimatedLength\r\n open var currentScale: Float\r\n open val currentTranslate: DOMPointReadOnly\r\n fun getIntersectionList(rect: DOMRectReadOnly, referenceElement: SVGElement?): NodeList\r\n fun getEnclosureList(rect: DOMRectReadOnly, referenceElement: SVGElement?): NodeList\r\n fun checkIntersection(element: SVGElement, rect: DOMRectReadOnly): Boolean\r\n fun checkEnclosure(element: SVGElement, rect: DOMRectReadOnly): Boolean\r\n fun deselectAll(): Unit\r\n fun createSVGNumber(): SVGNumber\r\n fun createSVGLength(): SVGLength\r\n fun createSVGAngle(): SVGAngle\r\n fun createSVGPoint(): DOMPoint\r\n fun createSVGMatrix(): DOMMatrix\r\n fun createSVGRect(): DOMRect\r\n fun createSVGTransform(): SVGTransform\r\n fun createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly): SVGTransform\r\n fun getElementById(elementId: String): Element\r\n fun suspendRedraw(maxWaitMilliseconds: Int): Int\r\n fun unsuspendRedraw(suspendHandleID: Int): Unit\r\n fun unsuspendRedrawAll(): Unit\r\n fun forceRedraw(): Unit\r\n\r\n companion object {\r\n val SVG_ZOOMANDPAN_UNKNOWN: Short\r\n val SVG_ZOOMANDPAN_DISABLE: Short\r\n val SVG_ZOOMANDPAN_MAGNIFY: Short\r\n }\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGGElement](https://developer.mozilla.org/en/docs/Web/API/SVGGElement)

to Kotlin\r\n */\r\npublic external abstract class SVGGElement : SVGGraphicsElement {\r\n}\r\n\r\npublic external abstract class SVGUnknownElement : SVGGraphicsElement {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGDefsElement](https://developer.mozilla.org/en/docs/Web/API/SVGDefsElement) to Kotlin\r\n */\r\npublic external abstract class SVGDefsElement : SVGGraphicsElement {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGDescElement](https://developer.mozilla.org/en/docs/Web/API/SVGDescElement) to Kotlin\r\n */\r\npublic external abstract class SVGDescElement : SVGElement {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGMetadataElement](https://developer.mozilla.org/en/docs/Web/API/SVGMetadataElement) to Kotlin\r\n */\r\npublic external abstract class SVGMetadataElement : SVGElement {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGTitleElement](https://developer.mozilla.org/en/docs/Web/API/SVGTitleElement) to Kotlin\r\n */\r\npublic external abstract
class SVGTitleElement : SVGElement {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGSymbolElement](https://developer.mozilla.org/en/docs/Web/API/SVGSymbolElement) to Kotlin\r\n */\r\npublic external abstract class SVGSymbolElement : SVGGraphicsElement, SVGFitToViewBox {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGUseElement](https://developer.mozilla.org/en/docs/Web/API/SVGUseElement) to Kotlin\r\n */\r\npublic external abstract class SVGUseElement : SVGGraphicsElement, SVGURIReference {\r\n   open val x: SVGAnimatedLength\r\n   open val y: SVGAnimatedLength\r\n   open val width: SVGAnimatedLength\r\n   open val height: SVGAnimatedLength\r\n   open val instanceRoot: SVGElement?\r\n   open val animatedInstanceRoot: SVGElement?\r\n}\r\n\r\npublic external open class SVGUseElementShadowRoot : ShadowRoot {\r\n   override fun getElementById(elementId: String): Element?\r\n   override fun prepend(vararg nodes: dynamic): Unit\r\n   override fun append(vararg nodes: dynamic):
Unit\r\n   override fun querySelector(selectors: String): Element?\r\n   override fun querySelectorAll(selectors: String): NodeList\r\n}\r\n\r\npublic external interface SVGElementInstance {\r\n   val correspondingElement: SVGElement?\r\n   val correspondingUseElement: SVGUseElement?\r\n}\r\n\r\npublic external open class ShadowAnimation(source: dynamic, newTarget: dynamic) {\r\n   open val sourceAnimation: dynamic\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGSwitchElement](https://developer.mozilla.org/en/docs/Web/API/SVGSwitchElement) to Kotlin\r\n */\r\npublic external abstract class SVGSwitchElement : SVGGraphicsElement {\r\n}\r\n\r\npublic external interface GetSVGDocument {\r\n   fun getSVGDocument(): Document\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGStyleElement](https://developer.mozilla.org/en/docs/Web/API/SVGStyleElement) to Kotlin\r\n */\r\npublic external abstract class SVGStyleElement : SVGElement, LinkStyle {\r\n   open var type: String\r\n   open
var media: String\r\n   open var title: String\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGTransform](https://developer.mozilla.org/en/docs/Web/API/SVGTransform) to Kotlin\r\n */\r\npublic external abstract class SVGTransform {\r\n   open val type: Short\r\n   open val matrix: DOMMatrix\r\n   open val angle: Float\r\n   fun setMatrix(matrix: DOMMatrixReadOnly): Unit\r\n   fun setTranslate(tx: Float, ty: Float): Unit\r\n   fun setScale(sx: Float, sy: Float): Unit\r\n   fun setRotate(angle: Float, cx: Float, cy: Float): Unit\r\n   fun setSkewX(angle: Float): Unit\r\n   fun setSkewY(angle: Float): Unit\r\n\r\n   companion object {\r\n   val SVG_TRANSFORM_UNKNOWN: Short\r\n   val SVG_TRANSFORM_MATRIX: Short\r\n   val SVG_TRANSFORM_TRANSLATE: Short\r\n   val SVG_TRANSFORM_SCALE: Short\r\n   val SVG_TRANSFORM_ROTATE: Short\r\n   val SVG_TRANSFORM_SKEWX: Short\r\n   val SVG_TRANSFORM_SKEWY: Short\r\n   }\r\n}\r\n\r\n/**\r\n * Exposes the
JavaScript [SVGTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGTransformList) to Kotlin\r\n */\r\npublic external abstract class SVGTransformList {\r\n   open val length: Int\r\n   open val numberOfItems: Int\r\n   fun clear(): Unit\r\n   fun initialize(newItem: SVGTransform): SVGTransform\r\n   fun getItem(index: Int): SVGTransform\r\n   fun insertItemBefore(newItem: SVGTransform, index: Int): SVGTransform\r\n   fun replaceItem(newItem: SVGTransform, index: Int): SVGTransform\r\n   fun removeItem(index: Int): SVGTransform\r\n   fun appendItem(newItem: SVGTransform): SVGTransform\r\n   fun createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly): SVGTransform\r\n   fun consolidate():

SVGTransform?\r\n}\r\n@kotlin.internal.InlineOnly inline operator fun SVGTransformList.get(index: Int): SVGTransform? = asDynamic()[index]\r\n@kotlin.internal.InlineOnly inline operator fun SVGTransformList.set(index: Int, newItem: SVGTransform): Unit { asDynamic()[index] = newItem; }\r\n\r\n/**\r\n * Exposes the JavaScript [SVGAnimatedTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedTransformList) to Kotlin\r\n */\r\npublic external abstract class SVGAnimatedTransformList {\r\n open val baseVal: SVGTransformList\r\n open val animVal: SVGTransformList\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGPreserveAspectRatio) to Kotlin\r\n */\r\npublic external abstract class SVGPreserveAspectRatio {\r\n open var align: Short\r\n open var meetOrSlice: Short\r\n\r\n companion object {\r\n val SVG_PRESERVEASPECTRATIO_UNKNOWN: Short\r\n val SVG_PRESERVEASPECTRATIO_NONE: Short\r\n val SVG_PRESERVEASPECTRATIO_XMINYMIN: Short\r\n val SVG_PRESERVEASPECTRATIO_XMIDYMIN: Short\r\n val SVG_PRESERVEASPECTRATIO_XMAXYMIN: Short\r\n val SVG_PRESERVEASPECTRATIO_XMINYMID: Short\r\n val SVG_PRESERVEASPECTRATIO_XMIDYMID: Short\r\n val SVG_PRESERVEASPECTRATIO_XMAXYMID: Short\r\n val SVG_PRESERVEASPECTRATIO_XMINYMAX: Short\r\n val SVG_PRESERVEASPECTRATIO_XMIDYMAX: Short\r\n val SVG_PRESERVEASPECTRATIO_XMAXYMAX: Short\r\n val SVG_MEETORSLICE_UNKNOWN: Short\r\n val SVG_MEETORSLICE_MEET: Short\r\n val SVG_MEETORSLICE_SLICE: Short\r\n }\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGAnimatedPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPreserveAspectRatio) to Kotlin\r\n */\r\npublic external abstract class SVGAnimatedPreserveAspectRatio {\r\n open val baseVal: SVGPreserveAspectRatio\r\n open val animVal: SVGPreserveAspectRatio\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGPathElement) to Kotlin\r\n */\r\npublic external abstract class SVGPathElement : SVGGeometryElement {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGRectElement](https://developer.mozilla.org/en/docs/Web/API/SVGRectElement) to Kotlin\r\n */\r\npublic external abstract class SVGRectElement : SVGGeometryElement {\r\n open val x: SVGAnimatedLength\r\n open val y: SVGAnimatedLength\r\n open val width: SVGAnimatedLength\r\n open val height: SVGAnimatedLength\r\n open val rx: SVGAnimatedLength\r\n open val ry: SVGAnimatedLength\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGCircleElement](https://developer.mozilla.org/en/docs/Web/API/SVGCircleElement) to Kotlin\r\n */\r\npublic external abstract class SVGCircleElement : SVGGeometryElement {\r\n open val cx: SVGAnimatedLength\r\n open val cy: SVGAnimatedLength\r\n open val r: SVGAnimatedLength\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGEllipseElement](https://developer.mozilla.org/en/docs/Web/API/SVGEllipseElement) to Kotlin\r\n */\r\npublic external abstract class SVGEllipseElement : SVGGeometryElement {\r\n open val cx: SVGAnimatedLength\r\n open val cy: SVGAnimatedLength\r\n open val rx: SVGAnimatedLength\r\n open val ry: SVGAnimatedLength\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGLineElement](https://developer.mozilla.org/en/docs/Web/API/SVGLineElement) to Kotlin\r\n */\r\npublic external abstract class SVGLineElement : SVGGeometryElement {\r\n open val x1: SVGAnimatedLength\r\n open val y1: SVGAnimatedLength\r\n open val x2: SVGAnimatedLength\r\n open val y2: SVGAnimatedLength\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGMeshElement](https://developer.mozilla.org/en/docs/Web/API/SVGMeshElement) to Kotlin\r\n */\r\npublic external abstract class SVGMeshElement : SVGGeometryElement, SVGURIReference {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGAnimatedPoints](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPoints) to Kotlin\r\n */\r\npublic external interface SVGAnimatedPoints {\r\n val points: SVGPointList\r\n val animatedPoints:

SVGPointList\r\n}\r\n\r\npublic external abstract class SVGPointList {\r\n   open val length:
Int\r\n   open val numberOfItems: Int\r\n   fun clear(): Unit\r\n   fun initialize(newItem: DOMPoint):
DOMPoint\r\n   fun getItem(index: Int): DOMPoint\r\n   fun insertItemBefore(newItem: DOMPoint, index: Int):
DOMPoint\r\n   fun replaceItem(newItem: DOMPoint, index: Int): DOMPoint\r\n   fun removeItem(index: Int):
DOMPoint\r\n   fun appendItem(newItem: DOMPoint): DOMPoint\r\n}\r\n@kotlin.internal.InlineOnly inline
operator fun SVGPointList.get(index: Int): DOMPoint? = asDynamic()[index]\r\n@kotlin.internal.InlineOnly inline
operator fun SVGPointList.set(index: Int, newItem: DOMPoint): Unit { asDynamic()[index] = newItem;
}\r\n\r\n/**\r\n * Exposes the JavaScript
[SVGPolylineElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolylineElement) to Kotlin\r\n
*/\r\npublic external abstract class SVGPolylineElement : SVGGeometryElement, SVGAnimatedPoints
{\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript
[SVGPolygonElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolygonElement)
to Kotlin\r\n */\r\npublic external abstract class SVGPolygonElement : SVGGeometryElement,
SVGAnimatedPoints {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript
[SVGTextContentElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextContentElement) to Kotlin\r\n
*/\r\npublic external abstract class SVGTextContentElement : SVGGraphicsElement {\r\n   open val textLength:
SVGAnimatedLength\r\n   open val lengthAdjust: SVGAnimatedEnumeration\r\n   fun getNumberOfChars():
Int\r\n   fun getComputedTextLength(): Float\r\n   fun getSubStringLength(charnum: Int, nchars: Int): Float\r\n
fun getStartPositionOfChar(charnum: Int): DOMPoint\r\n   fun getEndPositionOfChar(charnum: Int):
DOMPoint\r\n   fun getExtentOfChar(charnum: Int): DOMRect\r\n   fun getRotationOfChar(charnum: Int):
Float\r\n   fun getCharNumAtPosition(point: DOMPoint): Int\r\n   fun selectSubString(charnum: Int, nchars: Int):
Unit\r\n\r\n   companion object {\r\n   val LENGTHADJUST_UNKNOWN: Short\r\n
        val LENGTHADJUST_SPACING: Short\r\n   val LENGTHADJUST_SPACINGANDGLYPHS: Short\r\n
}\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript
[SVGTextPositioningElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPositioningElement) to
Kotlin\r\n */\r\npublic external abstract class SVGTextPositioningElement : SVGTextContentElement {\r\n   open
val x: SVGAnimatedLengthList\r\n   open val y: SVGAnimatedLengthList\r\n   open val dx:
SVGAnimatedLengthList\r\n   open val dy: SVGAnimatedLengthList\r\n   open val rotate:
SVGAnimatedNumberList\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript
[SVGTextElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextElement) to Kotlin\r\n */\r\npublic
external abstract class SVGTextElement : SVGTextPositioningElement {\r\n}\r\n\r\n/**\r\n * Exposes the
JavaScript [SVGTSpanElement](https://developer.mozilla.org/en/docs/Web/API/SVGTSpanElement) to Kotlin\r\n
*/\r\npublic external abstract class SVGTSpanElement : SVGTextPositioningElement
{\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript
[SVGTextPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPathElement) to Kotlin\r\n
*/\r\npublic external abstract class SVGTextPathElement : SVGTextContentElement, SVGURIReference {\r\n
open val startOffset: SVGAnimatedLength\r\n   open val method: SVGAnimatedEnumeration\r\n   open val
spacing: SVGAnimatedEnumeration\r\n\r\n   companion object {\r\n   val
TEXTPATH_METHODTYPE_UNKNOWN: Short\r\n   val TEXTPATH_METHODTYPE_ALIGN: Short\r\n
    val TEXTPATH_METHODTYPE_STRETCH: Short\r\n   val TEXTPATH_SPACINGTYPE_UNKNOWN:
Short\r\n   val TEXTPATH_SPACINGTYPE_AUTO: Short\r\n   val
TEXTPATH_SPACINGTYPE_EXACT: Short\r\n   }\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript
[SVGImageElement](https://developer.mozilla.org/en/docs/Web/API/SVGImageElement) to Kotlin\r\n */\r\npublic
external abstract class SVGImageElement : SVGGraphicsElement, SVGURIReference,
HTMLOrSVGImageElement {\r\n   open val
x: SVGAnimatedLength\r\n   open val y: SVGAnimatedLength\r\n   open val width: SVGAnimatedLength\r\n
open val height: SVGAnimatedLength\r\n   open val preserveAspectRatio: SVGAnimatedPreserveAspectRatio\r\n
open var crossOrigin: String?\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript

[SVGForeignObjectElement](https://developer.mozilla.org/en/docs/Web/API/SVGForeignObjectElement) to Kotlin\r\n */\r\npublic external abstract class SVGForeignObjectElement : SVGGraphicsElement {\r\n open val x: SVGAnimatedLength\r\n open val y: SVGAnimatedLength\r\n open val width: SVGAnimatedLength\r\n open val height: SVGAnimatedLength\r\n}\r\n\r\npublic external abstract class SVGMarkerElement : SVGElement, SVGFitToViewBox {\r\n open val refX: SVGAnimatedLength\r\n open val refY: SVGAnimatedLength\r\n open val markerUnits: SVGAnimatedEnumeration\r\n open val markerWidth: SVGAnimatedLength\r\n open val markerHeight: SVGAnimatedLength\r\n open val orientType: SVGAnimatedEnumeration\r\n open val orientAngle: SVGAnimatedAngle\r\n open var orient: String\r\n fun setOrientToAuto(): Unit\r\n fun setOrientToAngle(angle: SVGAngle): Unit\r\n\r\n companion object {\r\n val SVG_MARKERUNITS_UNKNOWN: Short\r\n val SVG_MARKERUNITS_USERSPACEONUSE: Short\r\n val SVG_MARKERUNITS_STROKEWIDTH: Short\r\n val SVG_MARKER_ORIENT_UNKNOWN: Short\r\n val SVG_MARKER_ORIENT_AUTO: Short\r\n val SVG_MARKER_ORIENT_ANGLE: Short\r\n }\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGSolidcolorElement](https://developer.mozilla.org/en/docs/Web/API/SVGSolidcolorElement) to Kotlin\r\n */\r\npublic external abstract class SVGSolidcolorElement : SVGElement {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGGradientElement) to Kotlin\r\n */\r\npublic external abstract class SVGGradientElement : SVGElement, SVGURIReference, SVGUnitTypes {\r\n open val gradientUnits: SVGAnimatedEnumeration\r\n open val gradientTransform: SVGAnimatedTransformList\r\n open val spreadMethod: SVGAnimatedEnumeration\r\n\r\n companion object {\r\n val SVG_SPREADMETHOD_UNKNOWN: Short\r\n val SVG_SPREADMETHOD_PAD: Short\r\n val SVG_SPREADMETHOD_REFLECT: Short\r\n val SVG_SPREADMETHOD_REPEAT: Short\r\n val SVG_UNIT_TYPE_UNKNOWN: Short\r\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\r\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\r\n }\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGLinearGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGLinearGradientElement) to Kotlin\r\n */\r\npublic external abstract class SVGLinearGradientElement : SVGGradientElement {\r\n open val x1: SVGAnimatedLength\r\n open val y1: SVGAnimatedLength\r\n open val x2: SVGAnimatedLength\r\n open val y2: SVGAnimatedLength\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGRadialGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGRadialGradientElement) to Kotlin\r\n */\r\npublic external abstract class SVGRadialGradientElement : SVGGradientElement {\r\n open val cx: SVGAnimatedLength\r\n open val cy: SVGAnimatedLength\r\n open val r: SVGAnimatedLength\r\n open val fx: SVGAnimatedLength\r\n open val fy: SVGAnimatedLength\r\n open val fr: SVGAnimatedLength\r\n}\r\n\r\npublic external abstract class SVGMeshGradientElement : SVGGradientElement {\r\n}\r\n\r\npublic external abstract class SVGMeshrowElement : SVGElement {\r\n}\r\n\r\npublic external abstract class SVGMeshpatchElement : SVGElement {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGStopElement](https://developer.mozilla.org/en/docs/Web/API/SVGStopElement) to Kotlin\r\n */\r\npublic external abstract class SVGStopElement : SVGElement {\r\n open val offset: SVGAnimatedNumber\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGPatternElement](https://developer.mozilla.org/en/docs/Web/API/SVGPatternElement) to Kotlin\r\n */\r\npublic external abstract class SVGPatternElement : SVGElement, SVGFitToViewBox, SVGURIReference, SVGUnitTypes {\r\n open val patternUnits: SVGAnimatedEnumeration\r\n open val patternContentUnits: SVGAnimatedEnumeration\r\n open val patternTransform: SVGAnimatedTransformList\r\n open val x: SVGAnimatedLength\r\n open val y: SVGAnimatedLength\r\n open val width: SVGAnimatedLength\r\n open val height: SVGAnimatedLength\r\n\r\n companion object {\r\n val SVG_UNIT_TYPE_UNKNOWN: Short\r\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\r\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\r\n }\r\n}\r\n\r\npublic external abstract class SVGHatchElement : SVGElement {\r\n}\r\n\r\npublic external abstract class SVGHatchpathElement : SVGElement {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript

[SVGCursorElement](https://developer.mozilla.org/en/docs/Web/API/SVGCursorElement) to Kotlin\r\n */\r\npublic external abstract class SVGCursorElement : SVGElement, SVGURIReference {\r\n open val x: SVGAnimatedLength\r\n open val y: SVGAnimatedLength\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGScriptElement](https://developer.mozilla.org/en/docs/Web/API/SVGScriptElement) to Kotlin\r\n */\r\npublic external abstract class SVGScriptElement : SVGElement, SVGURIReference, HTMLOrSVGScriptElement {\r\n open var type: String\r\n open var crossOrigin: String?\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGAElement](https://developer.mozilla.org/en/docs/Web/API/SVGAElement) to Kotlin\r\n */\r\npublic external abstract class SVGAElement : SVGGraphicsElement, SVGURIReference {\r\n open val target: SVGAnimatedString\r\n open val download: SVGAnimatedString\r\n open val rel: SVGAnimatedString\r\n open val relList: SVGAnimatedString\r\n open val hreflang: SVGAnimatedString\r\n open val type: SVGAnimatedString\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [SVGViewElement](https://developer.mozilla.org/en/docs/Web/API/SVGViewElement) to Kotlin\r\n */\r\npublic external abstract class SVGViewElement : SVGElement, SVGFitToViewBox, SVGZoomAndPan {\r\n\r\n companion object {\r\n val SVG_ZOOMANDPAN_UNKNOWN: Short\r\n val SVG_ZOOMANDPAN_DISABLE: Short\r\n val SVG_ZOOMANDPAN_MAGNIFY: Short\r\n }\r\n}\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\r\n// See libraries/tools/idl2k for details\r\n\r\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\r\npackage org.w3c.files\r\n\r\nimport kotlin.js.*\r\nimport org.khronos.webgl.*\r\nimport org.w3c.css.masking.*\r\nimport org.w3c.dom.*\r\nimport org.w3c.dom.clipboard.*\r\nimport org.w3c.dom.css.*\r\nimport org.w3c.dom.events.*\r\nimport org.w3c.dom.mediacapture.*\r\nimport org.w3c.dom.parsing.*\r\nimport org.w3c.dom.pointerevents.*\r\nimport org.w3c.dom.svg.*\r\nimport org.w3c.dom.url.*\r\nimport org.w3c.fetch.*\r\nimport org.w3c.notifications.*\r\nimport org.w3c.performance.*\r\nimport org.w3c.workers.*\r\nimport org.w3c.xhr.*\r\n\r\n/**\r\n * Exposes the JavaScript [Blob](https://developer.mozilla.org/en/docs/Web/API/Blob) to Kotlin\r\n */\r\npublic external open class Blob(blobParts: Array<dynamic> = definedExternally, options: BlobPropertyBag = definedExternally) {\r\n open val size: Int\r\n open val type: String\r\n open val isClosed: Boolean\r\n fun slice(start: Int = definedExternally, end: Int = definedExternally, contentType: String = definedExternally): Blob\r\n fun close(): Unit\r\n}\r\n\r\npublic external interface BlobPropertyBag {\r\n var type: String? /* = \"\" */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun BlobPropertyBag(type: String? = \"\"): BlobPropertyBag {\r\n val o = js(\"({})\")\r\n\r\n o[\"type\"] = type\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [File](https://developer.mozilla.org/en/docs/Web/API/File) to Kotlin\r\n */\r\npublic external open class File(fileBits: Array<dynamic>, fileName: String, options: FilePropertyBag = definedExternally) : Blob {\r\n open val name: String\r\n open val lastModified: Int\r\n}\r\n\r\npublic external interface FilePropertyBag : BlobPropertyBag {\r\n var lastModified: Int?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun FilePropertyBag(lastModified: Int? = undefined, type: String? = \"\"): FilePropertyBag {\r\n val o = js(\"({})\")\r\n\r\n o[\"lastModified\"] = lastModified\r\n o[\"type\"] = type\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [FileList](https://developer.mozilla.org/en/docs/Web/API/FileList) to Kotlin\r\n */\r\npublic external abstract class FileList : ItemArrayLike<File> {\r\n override val length: Int\r\n override fun item(index: Int): File?\r\n}\r\n\r\n@kotlin.internal.InlineOnly inline operator fun FileList.get(index: Int): File? = asDynamic()[index]\r\n\r\n/**\r\n * Exposes the JavaScript [FileReader](https://developer.mozilla.org/en/docs/Web/API/FileReader) to Kotlin\r\n */\r\npublic external open class FileReader : EventTarget {\r\n open val readyState: Short\r\n open val result: dynamic\r\n open val error: dynamic\r\n var onloadstart: ((ProgressEvent) -> dynamic)?\r\n var onprogress: ((ProgressEvent) ->

dynamic)?\r\n   var onload: ((Event) -> dynamic)?\r\n   var onabort: ((Event) -> dynamic)?\r\n   var onerror: ((Event) -> dynamic)?\r\n   var onloadend: ((Event) -> dynamic)?\r\n   fun readAsArrayBuffer(blob: Blob): Unit\r\n   fun readAsBinaryString(blob: Blob): Unit\r\n   fun readAsText(blob: Blob, label: String = definedExternally): Unit\r\n   fun readAsDataURL(blob:
Blob): Unit\r\n   fun abort(): Unit\r\n\r\n   companion object {\r\n   val EMPTY: Short\r\n   val LOADING: Short\r\n   val DONE: Short\r\n   }\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [FileReaderSync](https://developer.mozilla.org/en/docs/Web/API/FileReaderSync) to Kotlin\r\n */\r\npublic external open class FileReaderSync {\r\n   fun readAsArrayBuffer(blob: Blob): ArrayBuffer\r\n   fun readAsBinaryString(blob: Blob): String\r\n   fun readAsText(blob: Blob, label: String = definedExternally): String\r\n   fun readAsDataURL(blob: Blob): String\r\n}\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\r\n// See libraries/tools/idl2k for details\r\n\r\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\r\npackage org.w3c.notifications\r\n\r\nimport
kotlin.js.*\r\nimport org.khronos.webgl.*\r\nimport org.w3c.css.masking.*\r\nimport org.w3c.dom.*\r\nimport org.w3c.dom.clipboard.*\r\nimport org.w3c.dom.css.*\r\nimport org.w3c.dom.events.*\r\nimport org.w3c.dom.mediacapture.*\r\nimport org.w3c.dom.parsing.*\r\nimport org.w3c.dom.pointerevents.*\r\nimport org.w3c.dom.svg.*\r\nimport org.w3c.dom.url.*\r\nimport org.w3c.fetch.*\r\nimport org.w3c.files.*\r\nimport org.w3c.performance.*\r\nimport org.w3c.workers.*\r\nimport org.w3c.xhr.*\r\n\r\n/**\r\n * Exposes the JavaScript [Notification](https://developer.mozilla.org/en/docs/Web/API/Notification) to Kotlin\r\n */\r\npublic external open class Notification(title: String, options: NotificationOptions = definedExternally) : EventTarget {\r\n   var onclick: ((MouseEvent) -> dynamic)?\r\n   var onerror: ((Event) -> dynamic)?\r\n   open val title: String\r\n   open val dir: NotificationDirection\r\n   open val lang: String\r\n   open val body: String\r\n   open
val tag: String\r\n   open val image: String\r\n   open val icon: String\r\n   open val badge: String\r\n   open val sound: String\r\n   open val vibrate: Array<out Int>\r\n   open val timestamp: Number\r\n   open val renotify: Boolean\r\n   open val silent: Boolean\r\n   open val noscreen: Boolean\r\n   open val requireInteraction: Boolean\r\n   open val sticky: Boolean\r\n   open val data: Any?\r\n   open val actions: Array<out NotificationAction>\r\n   fun close(): Unit\r\n\r\n   companion object {\r\n   var permission: NotificationPermission\r\n   var maxActions: Int\r\n   fun requestPermission(deprecatedCallback: (NotificationPermission) -> Unit = definedExternally): Promise<NotificationPermission>\r\n   }\r\n}\r\n\r\npublic external interface NotificationOptions {\r\n   var dir: NotificationDirection? /* = NotificationDirection.AUTO */\r\n
    get() = definedExternally\r\n   set(value) = definedExternally\r\n   var lang: String? /* = \"\" */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var body: String? /* = \"\" */\r\n
get() = definedExternally\r\n   set(value) = definedExternally\r\n   var tag: String? /* = \"\" */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var image: String?\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var icon: String?\r\n   get() = definedExternally\r\n
    set(value) = definedExternally\r\n   var badge: String?\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var sound: String?\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var vibrate: dynamic\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var timestamp: Number?\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var renotify: Boolean? /* = false */\r\n
    get() = definedExternally\r\n   set(value) = definedExternally\r\n   var silent: Boolean? /* = false */\r\n
get() = definedExternally\r\n   set(value) = definedExternally\r\n   var noscreen: Boolean? /* = false */\r\n
get() = definedExternally\r\n   set(value) = definedExternally\r\n   var requireInteraction: Boolean? /* = false */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var sticky: Boolean? /* = false */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var data: Any? /* = null */\r\n
get() = definedExternally\r\n   set(value) = definedExternally\r\n   var actions: Array<NotificationAction>? /* =

arrayOf() */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun NotificationOptions(dir: NotificationDirection? = NotificationDirection.AUTO, lang: String? = \"\", body: String? = \"\", tag: String? = \"\", image: String? = undefined, icon: String? = undefined, badge: String? = undefined, sound: String? = undefined, vibrate: dynamic = undefined, timestamp: Number? = undefined, renotify: Boolean? = false, silent: Boolean? = false, noscreen: Boolean? = false, requireInteraction: Boolean? = false, sticky: Boolean? = false, data: Any? = null, actions: Array<NotificationAction>? = arrayOf()): NotificationOptions {\r\n val o = js(\"({})\")\r\n\r\n o[\"dir\"] = dir\r\n o[\"lang\"] = lang\r\n o[\"body\"] = body\r\n o[\"tag\"] = tag\r\n o[\"image\"] = image\r\n o[\"icon\"] = icon\r\n o[\"badge\"] = badge\r\n o[\"sound\"] = sound\r\n o[\"vibrate\"] = vibrate\r\n o[\"timestamp\"] = timestamp\r\n o[\"renotify\"] = renotify\r\n o[\"silent\"] = silent\r\n o[\"noscreen\"] = noscreen\r\n o[\"requireInteraction\"] = requireInteraction\r\n o[\"sticky\"] = sticky\r\n o[\"data\"] = data\r\n o[\"actions\"] = actions\r\n\r\n return o\r\n}\r\n\r\npublic external interface NotificationAction {\r\n var action: String?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var title: String?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var icon: String?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun NotificationAction(action: String?, title: String?, icon: String? = undefined): NotificationAction {\r\n val o = js(\"({})\")\r\n\r\n o[\"action\"] = action\r\n o[\"title\"] = title\r\n o[\"icon\"] = icon\r\n\r\n return o\r\n}\r\n\r\npublic external interface GetNotificationOptions {\r\n var tag: String? /* = \"\" */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun GetNotificationOptions(tag: String? = \"\"): GetNotificationOptions {\r\n val o = js(\"({})\")\r\n\r\n o[\"tag\"] = tag\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [NotificationEvent](https://developer.mozilla.org/en/docs/Web/API/NotificationEvent) to Kotlin\r\n */\r\npublic external open class NotificationEvent(type: String, eventInitDict: NotificationEventInit) : ExtendableEvent {\r\n open val notification: Notification\r\n open val action: String\r\n}\r\n\r\npublic external interface NotificationEventInit : ExtendableEventInit {\r\n var notification: Notification?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var action: String? /* = \"\" */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun NotificationEventInit(notification: Notification?, action: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): NotificationEventInit {\r\n val o = js(\"({})\")\r\n\r\n o[\"notification\"] = notification\r\n o[\"action\"] = action\r\n o[\"bubbles\"] = bubbles\r\n o[\"cancelable\"] = cancelable\r\n o[\"composed\"] = composed\r\n\r\n return o\r\n}\r\n\r\n/* please, don't implement this interface! */\r\npublic external interface NotificationPermission {\r\n companion object\r\n}\r\n\r\npublic inline val NotificationPermission.Companion.DEFAULT: NotificationPermission get() = \"default\".asDynamic().unsafeCast<NotificationPermission>()\r\npublic inline val NotificationPermission.Companion.DENIED: NotificationPermission get() = \"denied\".asDynamic().unsafeCast<NotificationPermission>()\r\npublic inline val NotificationPermission.Companion.GRANTED: NotificationPermission get() = \"granted\".asDynamic().unsafeCast<NotificationPermission>()\r\n\r\n/* please, don't implement this interface! */\r\npublic external interface NotificationDirection {\r\n companion object\r\n}\r\n\r\npublic inline val NotificationDirection.Companion.AUTO: NotificationDirection get() = \"auto\".asDynamic().unsafeCast<NotificationDirection>()\r\npublic inline val NotificationDirection.Companion.LTR: NotificationDirection get() = \"ltr\".asDynamic().unsafeCast<NotificationDirection>()\r\npublic inline val NotificationDirection.Companion.RTL: NotificationDirection get() = \"rtl\".asDynamic().unsafeCast<NotificationDirection>()\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT

EDIT!\r\n// See libraries/tools/idl2k for
details\r\n\r\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\r\npackage
org.w3c.workers\r\n\r\nimport kotlin.js.*\r\nimport org.khronos.webgl.*\r\nimport org.w3c.css.masking.*\r\nimport
org.w3c.dom.*\r\nimport org.w3c.dom.clipboard.*\r\nimport org.w3c.dom.css.*\r\nimport
org.w3c.dom.events.*\r\nimport
org.w3c.dom.mediacapture.*\r\nimport org.w3c.dom.parsing.*\r\nimport org.w3c.dom.pointerevents.*\r\nimport
org.w3c.dom.svg.*\r\nimport org.w3c.dom.url.*\r\nimport org.w3c.fetch.*\r\nimport org.w3c.files.*\r\nimport
org.w3c.notifications.*\r\nimport org.w3c.performance.*\r\nimport org.w3c.xhr.*\r\n\r\n/**\r\n * Exposes the
JavaScript
[ServiceWorkerRegistration](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerRegistration) to
Kotlin\r\n */\r\npublic external abstract class ServiceWorkerRegistration : EventTarget {\r\n open val installing:
ServiceWorker?\r\n open val waiting: ServiceWorker?\r\n open val active: ServiceWorker?\r\n open val scope:
String\r\n open var onupdatefound: ((Event) -> dynamic)?\r\n open val APISpace: dynamic\r\n fun update():
Promise<Unit>\r\n fun unregister(): Promise<Boolean>\r\n fun methodName(): Promise<dynamic>\r\n fun
showNotification(title: String, options: NotificationOptions = definedExternally): Promise<Unit>\r\n
fun getNotifications(filter: GetNotificationOptions = definedExternally): Promise<dynamic>\r\n}\r\n\r\n/**\r\n *
Exposes the JavaScript
[ServiceWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerGlobalScope) to
Kotlin\r\n */\r\npublic external abstract class ServiceWorkerGlobalScope : WorkerGlobalScope {\r\n open val
clients: Clients\r\n open val registration: ServiceWorkerRegistration\r\n open var oninstall: ((Event) ->
dynamic)?\r\n open var onactivate: ((Event) -> dynamic)?\r\n open var onfetch: ((FetchEvent) -> dynamic)?\r\n
open var onforeignfetch: ((Event) -> dynamic)?\r\n open var onmessage: ((MessageEvent) -> dynamic)?\r\n
open var onfunctionalevent: ((Event) -> dynamic)?\r\n open var onnotificationclick: ((NotificationEvent) ->
dynamic)?\r\n open var onnotificationclose: ((NotificationEvent) -> dynamic)?\r\n fun skipWaiting():
Promise<Unit>\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript
[ServiceWorker](https://developer.mozilla.org/en/docs/Web/API/ServiceWorker)
to Kotlin\r\n */\r\npublic external abstract class ServiceWorker : EventTarget, AbstractWorker,
UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\r\n open val scriptURL:
String\r\n open val state: ServiceWorkerState\r\n open var onstatechange: ((Event) -> dynamic)?\r\n fun
postMessage(message: Any?, transfer: Array<dynamic> = definedExternally): Unit\r\n}\r\n\r\n/**\r\n * Exposes the
JavaScript [ServiceWorkerContainer](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerContainer) to
Kotlin\r\n */\r\npublic external abstract class ServiceWorkerContainer : EventTarget {\r\n open val controller:
ServiceWorker?\r\n open val ready: Promise<ServiceWorkerRegistration>\r\n open var oncontrollerchange:
((Event) -> dynamic)?\r\n open var onmessage: ((MessageEvent) -> dynamic)?\r\n fun register(scriptURL:
String, options: RegistrationOptions = definedExternally): Promise<ServiceWorkerRegistration>\r\n
fun getRegistration(clientURL: String = definedExternally): Promise<Any?>\r\n fun getRegistrations():
Promise<dynamic>\r\n fun startMessages(): Unit\r\n}\r\n\r\npublic external interface RegistrationOptions {\r\n
var scope: String?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var type:
WorkerType? /* = WorkerType.CLASSIC */\r\n get() = definedExternally\r\n set(value) =
definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun RegistrationOptions(scope: String? =
undefined, type: WorkerType? = WorkerType.CLASSIC): RegistrationOptions {\r\n val o = js(\"({})\")\r\n\r\n
o[\"scope\"] = scope\r\n o[\"type\"] = type\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript
[ServiceWorkerMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerMessageEvent) to
Kotlin\r\n */\r\npublic external open class ServiceWorkerMessageEvent(type: String, eventInitDict:
ServiceWorkerMessageEventInit = definedExternally) : Event {\r\n open val data: Any?\r\n open val origin:
String\r\n open val lastEventId: String\r\n open val source: UnionMessagePortOrServiceWorker?\r\n open val
ports: Array<out MessagePort>?\r\n}\r\n\r\npublic external interface ServiceWorkerMessageEventInit : EventInit
{\r\n var data: Any?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var origin:

String?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var lastEventId: String?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var source: UnionMessagePortOrServiceWorker?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var ports: Array<MessagePort>?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ServiceWorkerMessageEventInit(data: Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined, source: UnionMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ServiceWorkerMessageEventInit {\r\n val o = js(\"({})\")\r\n\r\n o[\"data\"] = data\r\n o[\"origin\"] = origin\r\n o[\"lastEventId\"] = lastEventId\r\n o[\"source\"] = source\r\n o[\"ports\"] = ports\r\n o[\"bubbles\"] = bubbles\r\n o[\"cancelable\"] = cancelable\r\n o[\"composed\"] = composed\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [Client](https://developer.mozilla.org/en/docs/Web/API/Client) to Kotlin\r\n */\r\npublic external abstract class Client : UnionClientOrMessagePortOrServiceWorker {\r\n open val url: String\r\n open val frameType: FrameType\r\n open val id: String\r\n fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [WindowClient](https://developer.mozilla.org/en/docs/Web/API/WindowClient) to Kotlin\r\n */\r\npublic external abstract class WindowClient : Client {\r\n open val visibilityState: dynamic\r\n open val focused: Boolean\r\n fun focus(): Promise<WindowClient>\r\n fun navigate(url: String): Promise<WindowClient>\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [Clients](https://developer.mozilla.org/en/docs/Web/API/Clients) to Kotlin\r\n */\r\npublic external abstract class Clients {\r\n fun get(id: String): Promise<Any?>\r\n fun matchAll(options: ClientQueryOptions = definedExternally): Promise<dynamic>\r\n fun openWindow(url: String): Promise<WindowClient?>\r\n fun claim(): Promise<Unit>\r\n}\r\n\r\npublic external interface ClientQueryOptions {\r\n var includeUncontrolled: Boolean? /* = false */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var type: ClientType? /* = ClientType.WINDOW */\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ClientQueryOptions(includeUncontrolled: Boolean? = false, type: ClientType? = ClientType.WINDOW): ClientQueryOptions {\r\n val o = js(\"({})\")\r\n\r\n o[\"includeUncontrolled\"] = includeUncontrolled\r\n o[\"type\"] = type\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [ExtendableEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableEvent) to Kotlin\r\n */\r\npublic external open class ExtendableEvent(type: String, eventInitDict: ExtendableEventInit = definedExternally) : Event {\r\n fun waitUntil(f: Promise<Any?>): Unit\r\n}\r\n\r\npublic external interface ExtendableEventInit : EventInit {\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ExtendableEventInit(bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableEventInit {\r\n val o = js(\"({})\")\r\n\r\n o[\"bubbles\"] = bubbles\r\n o[\"cancelable\"] = cancelable\r\n o[\"composed\"] = composed\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [InstallEvent](https://developer.mozilla.org/en/docs/Web/API/InstallEvent) to Kotlin\r\n */\r\npublic external open class InstallEvent(type: String, eventInitDict: ExtendableEventInit = definedExternally) : ExtendableEvent {\r\n fun registerForeignFetch(options: ForeignFetchOptions): Unit\r\n}\r\n\r\npublic external interface ForeignFetchOptions {\r\n var scopes: Array<String>?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n var origins: Array<String>?\r\n get() = definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ForeignFetchOptions(scopes: Array<String>?, origins: Array<String>?): ForeignFetchOptions {\r\n val o = js(\"({})\")\r\n\r\n o[\"scopes\"] = scopes\r\n o[\"origins\"] = origins\r\n\r\n return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [FetchEvent](https://developer.mozilla.org/en/docs/Web/API/FetchEvent) to Kotlin\r\n */\r\npublic external open class FetchEvent(type: String, eventInitDict: FetchEventInit) : ExtendableEvent {\r\n open val request: Request\r\n

```
  open val clientId: String?\r\n    open val isReload: Boolean\r\n    fun respondWith(r: Promise<Response>): Unit\r\n}\r\n\r\npublic external interface FetchEventInit : ExtendableEventInit {\r\n    var request: Request?\r\n        get() = definedExternally\r\n        set(value) = definedExternally\r\n    var clientId: String? /* = null */\r\n        get() = definedExternally\r\n        set(value) = definedExternally\r\n    var isReload: Boolean? /* = false */\r\n        get() = definedExternally\r\n        set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun FetchEventInit(request: Request?, clientId: String? = null, isReload: Boolean? = false,
  bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): FetchEventInit {\r\n    val o = js(\"({})\")\r\n\r\n    o[\"request\"] = request\r\n    o[\"clientId\"] = clientId\r\n    o[\"isReload\"] = isReload\r\n    o[\"bubbles\"] = bubbles\r\n    o[\"cancelable\"] = cancelable\r\n    o[\"composed\"] = composed\r\n\r\n    return o\r\n}\r\n\r\npublic external open class ForeignFetchEvent(type: String, eventInitDict: ForeignFetchEventInit) : ExtendableEvent {\r\n    open val request: Request\r\n    open val origin: String\r\n    fun respondWith(r: Promise<ForeignFetchResponse>): Unit\r\n}\r\n\r\npublic external interface ForeignFetchEventInit : ExtendableEventInit {\r\n    var request: Request?\r\n        get() = definedExternally\r\n        set(value) = definedExternally\r\n    var origin: String? /* = \"null\" */\r\n        get() = definedExternally\r\n        set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ForeignFetchEventInit(request: Request?, origin: String? = \"null\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ForeignFetchEventInit {\r\n    val o = js(\"({})\")\r\n\r\n    o[\"request\"] = request\r\n    o[\"origin\"] = origin\r\n    o[\"bubbles\"] = bubbles\r\n    o[\"cancelable\"] = cancelable\r\n    o[\"composed\"] = composed\r\n\r\n    return o\r\n}\r\n\r\npublic external interface ForeignFetchResponse {\r\n    var response: Response?\r\n        get() = definedExternally\r\n        set(value) = definedExternally\r\n    var origin: String?\r\n        get() = definedExternally\r\n        set(value) = definedExternally\r\n    var headers: Array<String>?\r\n        get() = definedExternally\r\n        set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ForeignFetchResponse(response: Response?, origin: String? = undefined, headers: Array<String>? = undefined): ForeignFetchResponse {\r\n    val o = js(\"({})\")\r\n\r\n
    o[\"response\"] = response\r\n    o[\"origin\"] = origin\r\n    o[\"headers\"] = headers\r\n\r\n    return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [ExtendableMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableMessageEvent) to Kotlin\r\n */\r\npublic external open class ExtendableMessageEvent(type: String, eventInitDict: ExtendableMessageEventInit = definedExternally) : ExtendableEvent {\r\n    open val data: Any?\r\n    open val origin: String\r\n    open val lastEventId: String\r\n    open val source: UnionClientOrMessagePortOrServiceWorker?\r\n    open val ports: Array<out MessagePort>?\r\n}\r\n\r\npublic external interface ExtendableMessageEventInit : ExtendableEventInit {\r\n    var data: Any?\r\n        get() = definedExternally\r\n        set(value) = definedExternally\r\n    var origin: String?\r\n        get() = definedExternally\r\n        set(value) = definedExternally\r\n    var lastEventId: String?\r\n        get() = definedExternally\r\n
        set(value) = definedExternally\r\n    var source: UnionClientOrMessagePortOrServiceWorker?\r\n        get() = definedExternally\r\n        set(value) = definedExternally\r\n    var ports: Array<MessagePort>?\r\n        get() = definedExternally\r\n        set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ExtendableMessageEventInit(data: Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined, source: UnionClientOrMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableMessageEventInit {\r\n    val o = js(\"({})\")\r\n\r\n    o[\"data\"] = data\r\n    o[\"origin\"] = origin\r\n    o[\"lastEventId\"] = lastEventId\r\n    o[\"source\"] = source\r\n    o[\"ports\"] = ports\r\n    o[\"bubbles\"] = bubbles\r\n    o[\"cancelable\"] = cancelable\r\n    o[\"composed\"] = composed\r\n\r\n    return o\r\n}\r\n\r\n/**\r\n
 * Exposes the JavaScript [Cache](https://developer.mozilla.org/en/docs/Web/API/Cache) to Kotlin\r\n */\r\npublic external abstract class Cache {\r\n    fun match(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Any?>\r\n    fun matchAll(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally): Promise<dynamic>\r\n    fun add(request: dynamic): Promise<Unit>\r\n    fun addAll(requests: Array<dynamic>): Promise<Unit>\r\n    fun put(request: dynamic, response: Response):
```

Promise<Unit>\r\n   fun delete(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Boolean>\r\n   fun keys(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally): Promise<dynamic>\r\n}\r\n\r\npublic external interface CacheQueryOptions {\r\n   var ignoreSearch: Boolean? /* = false */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var ignoreMethod: Boolean?
 /* = false */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var ignoreVary: Boolean? /* = false */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var cacheName: String?\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun CacheQueryOptions(ignoreSearch: Boolean? = false, ignoreMethod: Boolean? = false, ignoreVary: Boolean? = false, cacheName: String? = undefined): CacheQueryOptions {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"ignoreSearch\"] = ignoreSearch\r\n   o[\"ignoreMethod\"] = ignoreMethod\r\n   o[\"ignoreVary\"] = ignoreVary\r\n   o[\"cacheName\"] = cacheName\r\n\r\n   return o\r\n}\r\n\r\npublic external interface CacheBatchOperation {\r\n   var type: String?\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var request: Request?\r\n   get() = definedExternally\r\n
     set(value) = definedExternally\r\n   var response: Response?\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var options: CacheQueryOptions?\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun CacheBatchOperation(type: String? = undefined, request: Request? = undefined, response: Response? = undefined, options: CacheQueryOptions? = undefined): CacheBatchOperation {\r\n   val o = js(\"({})\")\r\n\r\n   o[\"type\"] = type\r\n   o[\"request\"] = request\r\n   o[\"response\"] = response\r\n   o[\"options\"] = options\r\n\r\n   return o\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [CacheStorage](https://developer.mozilla.org/en/docs/Web/API/CacheStorage) to Kotlin\r\n */\r\npublic external abstract class CacheStorage {\r\n   fun match(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Any?>\r\n   fun has(cacheName: String): Promise<Boolean>\r\n
    fun open(cacheName: String): Promise<Cache>\r\n   fun delete(cacheName: String): Promise<Boolean>\r\n   fun keys(): Promise<dynamic>\r\n}\r\n\r\npublic external open class FunctionalEvent : ExtendableEvent {\r\n}\r\n\r\npublic external @marker interface UnionClientOrMessagePortOrServiceWorker {\r\n}\r\n\r\n/* please, don't implement this interface! */\r\npublic external interface ServiceWorkerState {\r\n   companion object\r\n}\r\npublic inline val ServiceWorkerState.Companion.INSTALLING: ServiceWorkerState get() = \"installing\".asDynamic().unsafeCast<ServiceWorkerState>()\r\npublic inline val ServiceWorkerState.Companion.INSTALLED: ServiceWorkerState get() = \"installed\".asDynamic().unsafeCast<ServiceWorkerState>()\r\npublic inline val ServiceWorkerState.Companion.ACTIVATING: ServiceWorkerState get() = \"activating\".asDynamic().unsafeCast<ServiceWorkerState>()\r\npublic inline val ServiceWorkerState.Companion.ACTIVATED: ServiceWorkerState get() = \"activated\".asDynamic().unsafeCast<ServiceWorkerState>()\r\npublic
 inline val ServiceWorkerState.Companion.REDUNDANT: ServiceWorkerState get() = \"redundant\".asDynamic().unsafeCast<ServiceWorkerState>()\r\n\r\n/* please, don't implement this interface! */\r\npublic external interface FrameType {\r\n   companion object\r\n}\r\npublic inline val FrameType.Companion.AUXILIARY: FrameType get() = \"auxiliary\".asDynamic().unsafeCast<FrameType>()\r\npublic inline val FrameType.Companion.TOP_LEVEL: FrameType get() = \"top-level\".asDynamic().unsafeCast<FrameType>()\r\npublic inline val FrameType.Companion.NESTED: FrameType get() = \"nested\".asDynamic().unsafeCast<FrameType>()\r\npublic inline val FrameType.Companion.NONE: FrameType get() = \"none\".asDynamic().unsafeCast<FrameType>()\r\n\r\n/* please, don't implement this interface! */\r\npublic external interface ClientType {\r\n   companion object\r\n}\r\npublic inline val ClientType.Companion.WINDOW: ClientType get() = \"window\".asDynamic().unsafeCast<ClientType>()\r\npublic

inline val ClientType.Companion.WORKER: ClientType get() = \"worker\".asDynamic().unsafeCast<ClientType>()\r\npublic inline val ClientType.Companion.SHAREDWORKER: ClientType get() = \"sharedworker\".asDynamic().unsafeCast<ClientType>()\r\npublic inline val ClientType.Companion.ALL: ClientType get() = \"all\".asDynamic().unsafeCast<ClientType>()\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\r\n// See libraries/tools/idl2k for details\r\n\r\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\r\npackage org.w3c.xhr\r\n\r\nimport kotlin.js.*\r\nimport org.khronos.webgl.*\r\nimport org.w3c.css.masking.*\r\nimport org.w3c.dom.*\r\nimport org.w3c.dom.clipboard.*\r\nimport org.w3c.dom.css.*\r\nimport org.w3c.dom.events.*\r\nimport org.w3c.dom.mediacapture.*\r\nimport org.w3c.dom.parsing.*\r\nimport org.w3c.dom.pointerevents.*\r\nimport org.w3c.dom.svg.*\r\nimport org.w3c.dom.url.*\r\nimport org.w3c.fetch.*\r\nimport org.w3c.files.*\r\nimport org.w3c.notifications.*\r\nimport org.w3c.performance.*\r\nimport org.w3c.workers.*\r\n\r\n/**\r\n * Exposes the JavaScript [XMLHttpRequestEventTarget](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequestEventTarget) to Kotlin\r\n */\r\npublic external abstract class XMLHttpRequestEventTarget : EventTarget {\r\n   open var onloadstart: ((ProgressEvent) -> dynamic)?\r\n   open var onprogress: ((ProgressEvent) -> dynamic)?\r\n   open var onabort: ((Event) -> dynamic)?\r\n   open var onerror: ((Event) -> dynamic)?\r\n   open var onload: ((Event) -> dynamic)?\r\n   open var ontimeout: ((Event) -> dynamic)?\r\n   open var onloadend: ((Event) -> dynamic)?\r\n}\r\n\r\npublic external abstract class XMLHttpRequestUpload : XMLHttpRequestEventTarget {\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [XMLHttpRequest](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequest) to Kotlin\r\n */\r\npublic external open class XMLHttpRequest : XMLHttpRequestEventTarget {\r\n   var onreadystatechange: ((Event) -> dynamic)?\r\n   open val readyState: Short\r\n   var timeout: Int\r\n   var withCredentials: Boolean\r\n   open val upload: XMLHttpRequestUpload\r\n   open val responseURL: String\r\n   open val status: Short\r\n   open val statusText: String\r\n   var responseType: XMLHttpRequestResponseType\r\n   open val response: Any?\r\n   open val responseText: String\r\n   open val responseXML: Document?\r\n   fun open(method: String, url: String): Unit\r\n   fun open(method: String, url: String, async: Boolean, username: String? = definedExternally, password: String? = definedExternally): Unit\r\n   fun setRequestHeader(name: String, value: String): Unit\r\n   fun send(body: dynamic = definedExternally): Unit\r\n   fun abort(): Unit\r\n   fun getResponseHeader(name: String): String?\r\n   fun getAllResponseHeaders(): String\r\n   fun overrideMimeType(mime: String): Unit\r\n\r\n   companion object {\r\n   val UNSENT: Short\r\n   val OPENED: Short\r\n   val HEADERS_RECEIVED: Short\r\n   val LOADING: Short\r\n   val DONE: Short\r\n   }\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [FormData](https://developer.mozilla.org/en/docs/Web/API/FormData) to Kotlin\r\n */\r\npublic external open class FormData(form: HTMLFormElement = definedExternally) {\r\n   fun append(name: String, value: String): Unit\r\n   fun append(name: String, value: Blob, filename: String = definedExternally): Unit\r\n   fun delete(name: String): Unit\r\n   fun get(name: String): dynamic\r\n   fun getAll(name: String): Array<dynamic>\r\n   fun has(name: String): Boolean\r\n   fun set(name: String, value: String): Unit\r\n   fun set(name: String, value: Blob, filename: String = definedExternally): Unit\r\n}\r\n\r\n/**\r\n * Exposes the JavaScript [ProgressEvent](https://developer.mozilla.org/en/docs/Web/API/ProgressEvent) to Kotlin\r\n */\r\npublic external open class ProgressEvent(type: String, eventInitDict: ProgressEventInit = definedExternally) : Event {\r\n   open val lengthComputable: Boolean\r\n   open val loaded: Int\r\n   open val total: Int\r\n}\r\n\r\npublic external interface ProgressEventInit : EventInit {\r\n   var lengthComputable: Boolean? /* = false */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var loaded: Int? /* = 0 */\r\n   get() = definedExternally\r\n   set(value) = definedExternally\r\n   var total: Int? /* = 0 */\r\n   get()

= definedExternally\r\n set(value) = definedExternally\r\n}\r\n\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ProgressEventInit(lengthComputable: Boolean? = false, loaded: Int? = 0, total: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ProgressEventInit {\r\n val o = js(\"({})\")\r\n\r\n o[\"lengthComputable\"] = lengthComputable\r\n o[\"loaded\"] = loaded\r\n o[\"total\"] = total\r\n o[\"bubbles\"] = bubbles\r\n o[\"cancelable\"] = cancelable\r\n o[\"composed\"] = composed\r\n\r\n return o\r\n}\r\n\r\n/* please, don't implement this interface! */\r\npublic external interface XMLHttpRequestResponseType {\r\n companion object\r\n}\r\npublic inline val XMLHttpRequestResponseType.Companion.EMPTY: XMLHttpRequestResponseType get() = \"\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\r\npublic inline val XMLHttpRequestResponseType.Companion.ARRAYBUFFER: XMLHttpRequestResponseType get() = \"arraybuffer\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\r\npublic inline val XMLHttpRequestResponseType.Companion.BLOB: XMLHttpRequestResponseType get() = \"blob\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\r\npublic inline val XMLHttpRequestResponseType.Companion.DOCUMENT: XMLHttpRequestResponseType get() = \"document\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\r\npublic inline val XMLHttpRequestResponseType.Companion.JSON: XMLHttpRequestResponseType get() = \"json\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\r\npublic inline val XMLHttpRequestResponseType.Companion.TEXT: XMLHttpRequestResponseType get() = \"text\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\r\n\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin\r\n\r\nimport kotlin.annotation.AnnotationRetention.BINARY\r\nimport kotlin.annotation.AnnotationRetention.SOURCE\r\nimport kotlin.annotation.AnnotationTarget.*\r\nimport kotlin.internal.RequireKotlin\r\nimport kotlin.internal.RequireKotlinVersionKind\r\nimport kotlin.reflect.KClass\r\n\r\n/**\r\n * Signals that the annotated annotation class is a marker of an experimental API.\r\n *\r\n * Any declaration annotated with that marker is considered an experimental declaration\r\n * and its call sites should accept the experimental aspect of it either by using [UseExperimental],\r\n * or by being annotated with that marker themselves, effectively causing further propagation of that experimental aspect.\r\n *\r\n * This class is experimental itself and can only be used with the compiler argument `-Xuse-experimental=kotlin.Experimental`.\r\n */\r\n@Target(ANNOTATION_CLASS)\r\n@Retention(BINARY)\r\n@SinceKotlin(\"1.2\")\r\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\r\n@Suppress(\"ANNOTATION_CLASS_MEMBER\")\r\npublic annotation class Experimental(val level: Level = Level.ERROR) {\r\n /**\r\n * Severity of the diagnostic that should be reported on usages of experimental API which did not explicitly accept the experimental aspect\r\n * of that API either by using [UseExperimental] or by being annotated with the corresponding marker annotation.\r\n */\r\n public enum class Level {\r\n /** Specifies that a warning should be reported on incorrect usages of this experimental API. */\r\n WARNING,\r\n /** Specifies that an error should be reported on incorrect usages of this experimental API. */\r\n ERROR,\r\n }\r\n}\r\n\r\n/**\r\n * Allows to use experimental API denoted by the given markers in the annotated file, declaration, or expression.\r\n * If a declaration is annotated with [UseExperimental], its usages are **not** required to opt-in to that experimental API.\r\n *\r\n * This class is experimental itself and can only be used with the compiler argument `-Xuse-experimental=kotlin.Experimental`.\r\n */\r\n@Target(\r\n CLASS, PROPERTY, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY_GETTER, PROPERTY_SETTER, EXPRESSION, FILE, TYPEALIAS\r\n)\r\n@Retention(SOURCE)\r\n@SinceKotlin(\"1.2\")\r\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\r\npublic annotation class UseExperimental(\r\n vararg val markerClass: KClass<out Annotation>\r\n)\r\n\r\n\r\n\r\n@Target(CLASS,

PROPERTY, CONSTRUCTOR, FUNCTION, TYPEALIAS)\r\n@Retention(BINARY)\r\ninternal annotation class WasExperimental(\r\n vararg val markerClass: KClass<out Annotation>\r\n)\r\n","package kotlin\r\n\r\nimport kotlin.annotation.AnnotationTarget.*\r\n\r\n/**\r\n * This annotation marks the standard library API that is considered experimental and is not subject to the\r\n * [general compatibility guarantees](https://kotlinlang.org/docs/reference/evolution/components-stability.html) given for the standard library:\r\n * the behavior of such API may be changed or the API may be removed completely in any further release.\r\n *\r\n * > Beware using the annotated API especially if you're developing a library, since your library might become binary incompatible\r\n * with the future versions
of the standard library.\r\n *\r\n * Any usage of a declaration annotated with `@ExperimentalStdlibApi` must be accepted either by\r\n * annotating that usage with the [UseExperimental] annotation, e.g. `@UseExperimental(ExperimentalStdlibApi::class)`,\r\n * or by using the compiler argument `-Xuse-experimental=kotlin.ExperimentalStdlibApi`.\r\n */\r\n@Experimental(level = Experimental.Level.ERROR)\r\n@Retention(AnnotationRetention.BINARY)\r\n@Target(\r\n CLASS,\r\n ANNOTATION_CLASS,\r\n PROPERTY,\r\n FIELD,\r\n LOCAL_VARIABLE,\r\n VALUE_PARAMETER,\r\n CONSTRUCTOR,\r\n FUNCTION,\r\n PROPERTY_GETTER,\r\n PROPERTY_SETTER,\r\n TYPEALIAS\r\n)\r\n@MustBeDocumented\r\n@ExperimentalStdlibApi\r\n@SinceKotlin(\"1.3\") // TODO: Remove experimental status from itself and advance SinceKotlin to 1.4\r\npublic annotation class ExperimentalStdlibApi\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin\r\n\r\nimport kotlin.annotation.AnnotationTarget.*\r\nimport kotlin.experimental.ExperimentalTypeInference\r\n\r\n/**\r\n * Allows to infer generic type arguments of a function from the calls in the annotated function parameter of that function.\r\n *\r\n * When this annotation is placed on a generic function parameter of a function,\r\n * it enables to infer the type arguments of that generic function from the lambda body passed to that parameter.\r\n *\r\n * The calls that affect inference are either members of the receiver type of an annotated function parameter or\r\n * extensions for that type. The extensions must be themselves annotated with `@BuilderInference`.\r\n *\r\n * Example: we declare\r\n * ```\r\n * fun <T> sequence(@BuilderInference block: suspend SequenceScope<T>.() -> Unit): Sequence<T>\r\n * ```\r\n * and use it like\r\n * ```\r\n * val result
= sequence { yield(\"result\") }\r\n * ```\r\n * Here the type argument of the resulting sequence is inferred to `String` from\r\n * the argument of the [SequenceScope.yield] function, that is called inside the lambda passed to [sequence].\r\n *\r\n * Note: this annotation is experimental, see [ExperimentalTypeInference] on how to opt-in for it.\r\n */\r\n@Target(VALUE_PARAMETER, FUNCTION, PROPERTY)\r\n@Retention(AnnotationRetention.BINARY)\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTypeInference\r\npublic annotation class BuilderInference\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin\r\n\r\nimport kotlin.annotation.AnnotationTarget.*\r\nimport kotlin.internal.RequireKotlin\r\nimport kotlin.internal.RequireKotlinVersionKind\r\n\r\n/**\r\n * The experimental multiplatform support API marker.\r\n *\r\n * Any usage of a declaration annotated with `@ExperimentalMultiplatform` must be accepted either by\r\n * annotating that usage with the [UseExperimental] annotation, e.g. `@UseExperimental(ExperimentalMultiplatform::class)`,\r\n * or by using the compiler argument `-Xuse-experimental=kotlin.ExperimentalMultiplatform`.\r\n */\r\n@Experimental\r\n@MustBeDocumented\r\n@Target(\r\n CLASS,\r\n ANNOTATION_CLASS,\r\n PROPERTY,\r\n FIELD,\r\n LOCAL_VARIABLE,\r\n VALUE_PARAMETER,\r\n CONSTRUCTOR,\r\n FUNCTION,\r\n PROPERTY_GETTER,\r\n PROPERTY_SETTER,\r\n TYPEALIAS\r\n)\r\n@Retention(AnnotationRetention.BINARY)\r\n@RequireKotlin(\"1.2.50\", versionKind =

RequireKotlinVersionKind.COMPILER_VERSION)\r\npublic annotation class ExperimentalMultiplatform\r\n\r\n/**\r\n * Marks an expected annotation class that it isn't required to have actual counterparts in all platforms.\r\n *\r\n * This annotation is only applicable to `expect` annotation classes in multi-platform projects and marks that class as \"optional\".\r\n * Optional expected class is allowed to have no corresponding actual class on the platform. Optional annotations can only be used\r\n * to annotate something, not as types in signatures. If an optional annotation has no corresponding actual class on a platform,\r\n * the annotation entries where it's used are simply erased when compiling code on that platform.\r\n *\r\n * Note: this annotation is experimental, see [ExperimentalMultiplatform] on how to opt-in for it.\r\n */\r\n@Target(ANNOTATION_CLASS)\r\n@Retention(AnnotationRetention.BINARY)\r\n@ExperimentalMultiplatform\r\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\r\npublic annotation class OptionalExpectation\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\npackage kotlin.collections\r\n\r\nimport kotlin.js.JsName\r\n\r\n/**\r\n * Provides a skeletal implementation of the read-only [Collection] interface.\r\n *\r\n * @param E the type of elements contained in the collection. The collection is covariant on its element type.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic abstract class AbstractCollection<out E> protected constructor() : Collection<E> {\r\n   abstract override val size: Int\r\n   abstract override fun iterator(): Iterator<E>\r\n\r\n   override fun contains(element: @UnsafeVariance E): Boolean = any { it == element }\r\n\r\n   override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean =\r\n   elements.all { contains(it) } // use when js will support bound refs: elements.all(this::contains)\r\n\r\n   override fun isEmpty(): Boolean = size == 0\r\n\r\n   override fun toString(): String = joinToString(\", \", \"[\", \"]\") {\r\n   if (it === this) \"(this Collection)\" else it.toString()\r\n   }\r\n\r\n   /**\r\n   * Returns new array of type `Array<Any?>` with the elements of this collection.\r\n   */\r\n   @JsName(\"toArray\")\r\n   protected open fun toArray(): Array<Any?> = copyToArrayImpl(this)\r\n\r\n   /**\r\n   * Fills the provided [array] or creates new array of the same type\r\n   * and fills it with the elements of this collection.\r\n   */\r\n   protected open fun <T> toArray(array: Array<T>): Array<T> = copyToArrayImpl(this, array)\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.collections\r\n\r\n\r\nprivate enum class State {\r\n   Ready,\r\n   NotReady,\r\n   Done,\r\n   Failed\r\n}\r\n\r\n/**\r\n * A base class to simplify implementing iterators so that implementations only have to implement [computeNext]\r\n * to implement the iterator, calling [done] when the iteration is complete.\r\n */\r\npublic abstract class AbstractIterator<T> : Iterator<T> {\r\n   private var state = State.NotReady\r\n   private var nextValue: T? = null\r\n\r\n   override fun hasNext(): Boolean {\r\n   require(state != State.Failed)\r\n   return when (state) {\r\n   State.Done -> false\r\n   State.Ready -> true\r\n   else -> tryToComputeNext()\r\n   }\r\n   }\r\n\r\n   override fun next(): T {\r\n   if (!hasNext()) throw NoSuchElementException()\r\n   state = State.NotReady\r\n   @Suppress(\"UNCHECKED_CAST\")\r\n   return nextValue as T\r\n   }\r\n\r\n   private fun tryToComputeNext(): Boolean {\r\n   state = State.Failed\r\n   computeNext()\r\n   return state == State.Ready\r\n   }\r\n\r\n   /**\r\n   * Computes the next item in the iterator.\r\n   *\r\n   * This callback method should call one of these two methods:\r\n   *\r\n   * * [setNext] with the next value of the iteration\r\n   * * [done] to indicate there are no more elements\r\n   *\r\n   * Failure to call either method will result in the iteration terminating with a failed state\r\n   */\r\n   abstract protected fun computeNext(): Unit\r\n\r\n   /**\r\n   * Sets the next value in the iteration, called from the [computeNext] function\r\n   */\r\n   protected fun setNext(value: T): Unit {\r\n   nextValue = value\r\n   state = State.Ready\r\n   }\r\n\r\n   /**\r\n   * Sets the state to done so that the iteration terminates.\r\n   */\r\n   protected fun done() {\r\n   state = State.Done\r\n   }\r\n}\r\n\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n/*\r\n * Based on GWT AbstractList\r\n * Copyright 2007

```
Google Inc.\r\n*/\r\n\r\npackage kotlin.collections\r\n\r\n/**\r\n
 * Provides a skeletal implementation of the read-only [List] interface.\r\n *\r\n * This class is intended to help
implementing read-only lists so it doesn't support concurrent modification tracking.\r\n *\r\n * @param E the type of
elements contained in the list. The list is covariant on its element type.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic
abstract class AbstractList<out E> protected constructor() : AbstractCollection<E>(), List<E> {\r\n    abstract
override val size: Int\r\n    abstract override fun get(index: Int): E\r\n\r\n    override fun iterator(): Iterator<E> =
IteratorImpl()\r\n\r\n    override fun indexOf(element: @UnsafeVariance E): Int = indexOfFirst { it == element
}\r\n\r\n    override fun lastIndexOf(element: @UnsafeVariance E): Int = indexOfLast { it == element }\r\n\r\n
override fun listIterator(): ListIterator<E> = ListIteratorImpl(0)\r\n\r\n    override fun listIterator(index: Int):
ListIterator<E> = ListIteratorImpl(index)\r\n\r\n    override
 fun subList(fromIndex: Int, toIndex: Int): List<E> = SubList(this, fromIndex, toIndex)\r\n\r\n    private class
SubList<out E>(private val list: AbstractList<E>, private val fromIndex: Int, toIndex: Int) : AbstractList<E>(),
RandomAccess {\r\n        private var _size: Int = 0\r\n\r\n        init {\r\n            checkRangeIndexes(fromIndex,
toIndex, list.size)\r\n            this._size = toIndex - fromIndex\r\n        }\r\n\r\n        override fun get(index: Int): E
{\r\n            checkElementIndex(index, _size)\r\n\r\n            return list[fromIndex + index]\r\n        }\r\n\r\n
override val size: Int get() = _size\r\n    }\r\n\r\n    /**\r\n     * Compares this list with other list instance with the
ordered structural equality.\r\n     *\r\n     * @return true, if [other] instance is a [List] of the same size, which
contains the same elements in the same order.\r\n     */\r\n    override fun equals(other: Any?): Boolean {\r\n        if
(other === this) return true\r\n
        if (other !is List<*>) return false\r\n\r\n        return orderedEquals(this, other)\r\n    }\r\n\r\n    /**\r\n     *
Returns the hash code value for this list.\r\n     */\r\n    override fun hashCode(): Int = orderedHashCode(this)\r\n\r\n
 private open inner class IteratorImpl : Iterator<E> {\r\n        /** the index of the item that will be returned on the
next call to [next]`()` */\r\n        protected var index = 0\r\n\r\n        override fun hasNext(): Boolean = index <
size\r\n\r\n        override fun next(): E {\r\n            if (!hasNext()) throw NoSuchElementException()\r\n
return get(index++)\r\n        }\r\n    }\r\n\r\n    /**\r\n     * Implementation of [ListIterator] for abstract lists.\r\n
*/\r\n    private open inner class ListIteratorImpl(index: Int) : IteratorImpl(), ListIterator<E> {\r\n\r\n        init {\r\n
      checkPositionIndex(index, this@AbstractList.size)\r\n            this.index = index\r\n        }\r\n\r\n        override
fun
 hasPrevious(): Boolean = index > 0\r\n\r\n        override fun nextIndex(): Int = index\r\n\r\n        override fun
previous(): E {\r\n            if (!hasPrevious()) throw NoSuchElementException()\r\n            return get(--index)\r\n
}\r\n\r\n        override fun previousIndex(): Int = index - 1\r\n    }\r\n\r\n    internal companion object {\r\n
internal fun checkElementIndex(index: Int, size: Int) {\r\n            if (index < 0 || index >= size) {\r\n                throw
IndexOutOfBoundsException(\"index: $index, size: $size\")\r\n            }\r\n        }\r\n\r\n        internal fun
checkPositionIndex(index: Int, size: Int) {\r\n            if (index < 0 || index > size) {\r\n                throw
IndexOutOfBoundsException(\"index: $index, size: $size\")\r\n            }\r\n        }\r\n\r\n        internal fun
checkRangeIndexes(fromIndex: Int, toIndex: Int, size: Int) {\r\n            if (fromIndex < 0 || toIndex > size) {\r\n
    throw IndexOutOfBoundsException(\"fromIndex:
 $fromIndex, toIndex: $toIndex, size: $size\")\r\n            }\r\n            if (fromIndex > toIndex) {\r\n                throw
IllegalArgumentException(\"fromIndex: $fromIndex > toIndex: $toIndex\")\r\n            }\r\n        }\r\n\r\n
internal fun checkBoundsIndexes(startIndex: Int, endIndex: Int, size: Int) {\r\n            if (startIndex < 0 || endIndex >
size) {\r\n                throw IndexOutOfBoundsException(\"startIndex: $startIndex, endIndex: $endIndex, size:
$size\")\r\n            }\r\n            if (startIndex > endIndex) {\r\n                throw
IllegalArgumentException(\"startIndex: $startIndex > endIndex: $endIndex\")\r\n            }\r\n        }\r\n\r\n
internal fun orderedHashCode(c: Collection<*>): Int {\r\n            var hashCode = 1\r\n            for (e in c) {\r\n
    hashCode = 31 * hashCode + (e?.hashCode() ?: 0)\r\n            }\r\n            return hashCode\r\n        }\r\n\r\n
internal fun orderedEquals(c:
 Collection<*>, other: Collection<*>): Boolean {\r\n            if (c.size != other.size) return false\r\n\r\n            val
otherIterator = other.iterator()\r\n            for (elem in c) {\r\n                val elemOther = otherIterator.next()\r\n
```

```
 if (elem != elemOther) {\r\n                return false\r\n            }\r\n        }\r\n        return true\r\n    }\r\n}\r\n}","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n/*\r\n * Based on GWT AbstractMap\r\n * Copyright 2007 Google Inc.\r\n */\r\n\r\npackage kotlin.collections\r\n\r\n/**\r\n * Provides a skeletal implementation of the read-only [Map] interface.\r\n *\r\n * The implementor is required to implement [entries] property, which should return read-only set of map entries.\r\n *\r\n * @param K the
 type of map keys. The map is invariant on its key type.\r\n * @param V the type of map values. The map is covariant on its value type.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic abstract class AbstractMap<K, out V> protected constructor() : Map<K, V> {\r\n\r\n    override fun containsKey(key: K): Boolean {\r\n        return implFindEntry(key) != null\r\n    }\r\n\r\n    override fun containsValue(value: @UnsafeVariance V): Boolean = entries.any { it.value == value }\r\n\r\n    internal fun containsEntry(entry: Map.Entry<*, *>?): Boolean {\r\n        // since entry comes from @UnsafeVariance parameters it can be virtually anything\r\n        if (entry !is Map.Entry<*, *>) return false\r\n        val key = entry.key\r\n        val value = entry.value\r\n        val ourValue = get(key)\r\n\r\n        if (value != ourValue) {\r\n            return false\r\n        }\r\n\r\n        // Perhaps it was null and we don't contain the key?\r\n        if (ourValue == null && !containsKey(key)) {\r\n
            return false\r\n        }\r\n\r\n        return true\r\n    }\r\n\r\n\r\n    /**\r\n     * Compares this map with other instance with the ordered structural equality.\r\n     *\r\n     * @return true, if [other] instance is a [Map] of the same size, all entries of which are contained in the [entries] set of this map.\r\n     */\r\n    override fun equals(other: Any?): Boolean {\r\n        if (other === this) return true\r\n        if (other !is Map<*, *>) return false\r\n        if (size != other.size) return false\r\n\r\n        return other.entries.all { containsEntry(it) }\r\n    }\r\n\r\n    override operator fun get(key: K): V? = implFindEntry(key)?.value\r\n\r\n\r\n    /**\r\n     * Returns the hash code value for this map.\r\n     *\r\n     * It is the same as the hashCode of [entries] set.\r\n     */\r\n    override fun hashCode(): Int = entries.hashCode()\r\n\r\n    override fun isEmpty(): Boolean = size == 0\r\n    override val size: Int get() = entries.size\r\n\r\n
    /**\r\n     * Returns a read-only [Set] of all keys in this map.\r\n     *\r\n     * Accessing this property first time creates a keys view from [entries].\r\n     * All subsequent accesses just return the created instance.\r\n     */\r\n    override val keys: Set<K>\r\n        get() {\r\n            if (_keys == null) {\r\n                _keys = object : AbstractSet<K>() {\r\n                    override operator fun contains(element: K): Boolean = containsKey(element)\r\n\r\n                    override operator fun iterator(): Iterator<K> {\r\n                        val entryIterator = entries.iterator()\r\n                        return object : Iterator<K> {\r\n                            override fun hasNext(): Boolean = entryIterator.hasNext()\r\n                            override fun next(): K = entryIterator.next().key\r\n                        }\r\n                    }\r\n\r\n                    override val size: Int get() = this@AbstractMap.size\r\n
                }\r\n            }\r\n            return _keys!!\r\n        }\r\n\r\n    @kotlin.jvm.Volatile\r\n    private var _keys: Set<K>? = null\r\n\r\n\r\n    override fun toString(): String = entries.joinToString(\", \", \"{\", \"}\") { toString(it) }\r\n\r\n private fun toString(entry: Map.Entry<K, V>): String = toString(entry.key) + \"=\" + toString(entry.value)\r\n\r\n private fun toString(o: Any?): String = if (o === this) \"(this Map)\" else o.toString()\r\n\r\n    /**\r\n     * Returns a read-only [Collection] of all values in this map.\r\n     *\r\n     * Accessing this property first time creates a values view from [entries].\r\n     * All subsequent accesses just return the created instance.\r\n     */\r\n    override val values: Collection<V>\r\n        get() {\r\n            if (_values == null) {\r\n                _values = object : AbstractCollection<V>() {\r\n                    override operator fun contains(element: @UnsafeVariance V): Boolean = containsValue(element)\r\n\r\n
                    override operator fun iterator(): Iterator<V> {\r\n                        val entryIterator = entries.iterator()\r\n
                        return object : Iterator<V> {\r\n                            override fun hasNext(): Boolean = entryIterator.hasNext()\r\n                            override fun next(): V = entryIterator.next().value\r\n                        }\r\n
                    }\r\n\r\n                    override val size: Int get() = this@AbstractMap.size\r\n                }\r\n            }\r\n
            return _values!!\r\n        }\r\n\r\n    @kotlin.jvm.Volatile\r\n    private var _values: Collection<V>? = null\r\n\r\n
```

private fun implFindEntry(key: K): Map.Entry<K, V>? = entries.firstOrNull { it.key == key }\r\n\r\n internal companion object {\r\n\r\n internal fun entryHashCode(e: Map.Entry<*, *>): Int = with(e) { (key?.hashCode() ?: 0) xor (value?.hashCode() ?: 0) }\r\n internal fun entryToString(e: Map.Entry<*, *>): String = with(e) { \"$key=$value\" }\r\n internal fun entryEquals(e: Map.Entry<*, *>, other: Any?): Boolean {\r\n if (other !is Map.Entry<*, *>) return false\r\n return e.key == other.key && e.value == other.value\r\n }\r\n }\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\npackage kotlin.collections\r\n\r\n/**\r\n * Provides a skeletal implementation of the read-only [Set] interface.\r\n *\r\n * This class is intended to help implementing read-only sets so it doesn't support concurrent modification tracking.\r\n *\r\n * @param E the type of elements contained in the set. The set is covariant on its element type.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic abstract class AbstractSet<out E> protected constructor() : AbstractCollection<E>(), Set<E> {\r\n\r\n /**\r\n * Compares this set with other set instance with the unordered structural equality.\r\n *\r\n * @return true, if [other] instance is a [Set] of the same size, all elements of which are contained in this set.\r\n */\r\n override fun equals(other: Any?): Boolean {\r\n if (other === this) return true\r\n if (other !is Set<*>) return false\r\n return setEquals(this, other)\r\n }\r\n\r\n /**\r\n * Returns the hash code value for this set.\r\n */\r\n override fun hashCode(): Int = unorderedHashCode(this)\r\n\r\n internal companion object {\r\n internal fun unorderedHashCode(c: Collection<*>): Int {\r\n var hashCode = 0\r\n for (element in c) {\r\n hashCode += (element?.hashCode() ?: 0)\r\n }\r\n return hashCode\r\n }\r\n\r\n internal fun setEquals(c: Set<*>, other: Set<*>): Boolean {\r\n if (c.size != other.size) return false\r\n return c.containsAll(other)\r\n }\r\n }\r\n\r\n}","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:kotlin.jvm.JvmMultifileClass\r\n@file:kotlin.jvm.JvmName(\"ArraysKt\")\r\n\r\n\r\npackage kotlin.collections\r\n\r\nimport kotlin.contracts.*\r\n\r\n\r\n/**\r\n * Returns a single list of all elements from all arrays in the given array.\r\n * @sample samples.collections.Arrays.Transformations.flattenArray\r\n */\r\npublic fun <T> Array<out Array<out T>>.flatten(): List<T> {\r\n val result = ArrayList<T>(sumBy { it.size })\r\n for (element in this) {\r\n result.addAll(element)\r\n }\r\n return result\r\n}\r\n\r\n/**\r\n * Returns a pair of lists, where\r\n * *first* list is built from the first values of each pair from this array,\r\n * *second* list is built from the second values of each pair from this array.\r\n * @sample samples.collections.Arrays.Transformations.unzipArray\r\n */\r\npublic fun <T, R> Array<out Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\r\n val listT = ArrayList<T>(size)\r\n val listR = ArrayList<R>(size)\r\n for (pair in this) {\r\n listT.add(pair.first)\r\n listR.add(pair.second)\r\n }\r\n return listT to listR\r\n}\r\n\r\n/**\r\n * Returns `true` if this nullable array is either null or empty.\r\n * @sample samples.collections.Arrays.Usage.arrayIsNullOrEmpty\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Array<*>?.isNullOrEmpty(): Boolean {\r\n contract {\r\n returns(false) implies (this@isNullOrEmpty != null)\r\n }\r\n\r\n return this == null || this.isEmpty()\r\n}\r\n\r\n/**\r\n * Returns this array if it's not empty\r\n * or the result of calling [defaultValue] function if the array is empty.\r\n *\r\n * @sample samples.collections.Arrays.Usage.arrayIfEmpty\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@kotlin.internal.InlineOnly\r\n@Suppress(\"UPPER_BOUND_CANNOT_BE_ARRAY\")\r\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : Array<*>, C : R =\r\n if (isEmpty()) defaultValue() else this\r\n\r\n\r\n\r\n@UseExperimental(ExperimentalUnsignedTypes::class)\r\n@SinceKotlin(\"1.3\")\r\n@PublishedApi\r\n@kotlin.jvm.JvmName(\"contentDeepEquals\")\r\n@kotlin.js.JsName(\"contentDeepEqualsImpl\")\r\ninternal fun <T> Array<out T>.contentDeepEqualsImpl(other: Array<out T>): Boolean {\r\n if (this === other) return true\r\n if (this.size != other.size) return false\r\n\r\n for (i in indices) {\r\n val v1 = this[i]\r\n val v2 = other[i]\r\n\r\n if (v1 === v2) {\r\n continue\r\n } else if (v1 == null || v2 == null) {\r\n return

false\r\n }\r\n\r\n when {\r\n v1 is Array<*> && v2 is Array<*> -> if (!v1.contentDeepEquals(v2)) return false\r\n
v1 is ByteArray && v2 is ByteArray -> if (!v1.contentEquals(v2)) return false\r\n v1 is ShortArray && v2 is ShortArray -> if (!v1.contentEquals(v2)) return false\r\n v1 is IntArray && v2 is IntArray -> if (!v1.contentEquals(v2)) return false\r\n v1 is LongArray && v2 is LongArray -> if (!v1.contentEquals(v2)) return false\r\n v1 is FloatArray && v2 is FloatArray -> if (!v1.contentEquals(v2)) return false\r\n v1 is DoubleArray && v2 is DoubleArray -> if (!v1.contentEquals(v2)) return false\r\n
v1 is CharArray && v2 is CharArray -> if (!v1.contentEquals(v2)) return false\r\n v1 is BooleanArray && v2 is BooleanArray -> if (!v1.contentEquals(v2)) return false\r\n\r\n v1 is UByteArray && v2 is UByteArray -> if (!v1.contentEquals(v2)) return false\r\n v1 is UShortArray && v2 is UShortArray -> if (!v1.contentEquals(v2)) return false\r\n v1
is UIntArray && v2 is UIntArray -> if (!v1.contentEquals(v2)) return false\r\n v1 is ULongArray && v2 is ULongArray -> if (!v1.contentEquals(v2)) return false\r\n\r\n else -> if (v1 != v2) return false\r\n }\r\n\r\n }\r\n return
true\r\n}\r\n\r\n@SinceKotlin(\"1.3\")\r\n@PublishedApi\r\n@kotlin.jvm.JvmName(\"contentDeepToString\")\r\n@kotlin.js.JsName(\"contentDeepToStringImpl\")\r\ninternal fun <T> Array<out T>.contentDeepToStringImpl(): String {\r\n val length = size.coerceAtMost((Int.MAX_VALUE - 2) / 5) * 5 + 2 // in order not to overflow Int.MAX_VALUE\r\n return buildString(length) {\r\n contentDeepToStringInternal(this, mutableListOf())\r\n }\r\n}\r\n\r\n@UseExperimental(ExperimentalUnsignedTypes::class)\r\nprivate fun <T> Array<out T>.contentDeepToStringInternal(result: StringBuilder, processed: MutableList<Array<*>>) {\r\n if (this in processed) {\r\n result.append(\"[...]\")\r\n return\r\n }\r\n
processed.add(this)\r\n result.append('[')\r\n\r\n for (i in indices) {\r\n if (i != 0) {\r\n result.append(\", \")\r\n }\r\n val element = this[i]\r\n when (element) {\r\n null -> result.append(\"null\")\r\n is Array<*> -> element.contentDeepToStringInternal(result, processed)\r\n
is ByteArray -> result.append(element.contentToString())\r\n is ShortArray -> result.append(element.contentToString())\r\n is IntArray -> result.append(element.contentToString())\r\n
is LongArray -> result.append(element.contentToString())\r\n is FloatArray -> result.append(element.contentToString())\r\n is DoubleArray -> result.append(element.contentToString())\r\n is CharArray -> result.append(element.contentToString())\r\n
is BooleanArray -> result.append(element.contentToString())\r\n\r\n is UByteArray -> result.append(element.contentToString())\r\n is UShortArray -> result.append(element.contentToString())\r\n is UIntArray -> result.append(element.contentToString())\r\n
is ULongArray -> result.append(element.contentToString())\r\n\r\n else -> result.append(element.toString())\r\n }\r\n }\r\n\r\n result.append(']')\r\n processed.removeAt(processed.lastIndex)\r\n}","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.collections\r\n\r\n/**\r\n * Data class representing a value from a collection or sequence, along with its index in that collection or sequence.\r\n *\r\n * @property value the underlying value.\r\n * @property index the index of the value in the collection or sequence.\r\n */\r\npublic data class IndexedValue<out
T>(public val index: Int, public val value: T)\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:kotlin.jvm.JvmName(\"MapAccessorsKt\")\r\n\r\npackage kotlin.collections\r\n\r\nimport kotlin.reflect.KProperty\r\nimport kotlin.internal.Exact\r\n\r\n/**\r\n * Returns the value of the property for the given object from this read-only map.\r\n * @param thisRef the object for which the value is requested (not used).\r\n * @param property the metadata for the property, used to get the name of property and lookup the value corresponding to this name in the map.\r\n * @return the property value.\r\n *\r\n * @throws NoSuchElementException when the map doesn't contain value for the property name and doesn't provide an implicit

default (see [withDefault]).\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <V, V1 : V> Map<in String, @Exact V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\r\n @Suppress(\"UNCHECKED_CAST\") (getOrImplicitDefault(property.name) as V1)\r\n\r\n/**\r\n * Returns the value of the property for the given object from this mutable map.\r\n * @param thisRef the object for which the value is requested (not used).\r\n * @param property the metadata for the property, used to get the name of property and lookup the value corresponding to this name in the map.\r\n * @return the property value.\r\n *\r\n * @throws NoSuchElementException when the map doesn't contain value for the property name and doesn't provide an implicit default (see [withDefault]).\r\n */\r\n@kotlin.jvm.JvmName(\"getVar\")\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <V, V1 : V> MutableMap<in String, out @Exact V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\r\n @Suppress(\"UNCHECKED_CAST\") (getOrImplicitDefault(property.name) as V1)\r\n\r\n@Deprecated(\"Use getValue() with two type parameters instead\", level = DeprecationLevel.ERROR)\r\n@kotlin.jvm.JvmName(\"getVarContravariant\")\r\n@kotlin.internal.LowPriorityInOverloadResolution\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <V> MutableMap<in String, in V>.getValue(thisRef: Any?, property: KProperty<*>): V =\r\n @Suppress(\"UNCHECKED_CAST\") (getOrImplicitDefault(property.name) as V)\r\n\r\n/**\r\n * Stores the value of the property for the given object in this mutable map.\r\n * @param thisRef the object for which the value is requested (not used).\r\n * @param property the metadata for the property, used to get the name of property and store the value associated with that name in the map.\r\n * @param value the value to set.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <V> MutableMap<in String, in V>.setValue(thisRef: Any?, property: KProperty<*>, value: V) {\r\n this.put(property.name, value)\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:kotlin.jvm.JvmMultifileClass\r\n@file:kotlin.jvm.JvmName(\"MapsKt\")\r\n\r\npackage kotlin.collections\r\n\r\n/**\r\n * Returns the value for the given key, or the implicit default value for this map.\r\n * By default no implicit value is provided for maps and a [NoSuchElementException] is thrown.\r\n * To create a map with implicit default value use [withDefault] method.\r\n *\r\n * @throws NoSuchElementException when the map doesn't contain a value for the specified key and no implicit default was provided for that map.\r\n */\r\n@kotlin.jvm.JvmName(\"getOrImplicitDefaultNullable\")\r\n@PublishedApi\r\ninternal fun <K, V> Map<K, V>.getOrImplicitDefault(key: K): V {\r\n if (this is MapWithDefault)\r\n return this.getOrImplicitDefault(key)\r\n\r\n return getOrElseNullable(key, { throw NoSuchElementException(\"Key $key is missing in the map.\") })\r\n}\r\n\r\n/**\r\n * Returns a wrapper of this read-only map, having the implicit default value provided with the specified function [defaultValue].\r\n *\r\n * This implicit default value is used when the original map doesn't contain a value for the key specified\r\n * and a value is obtained with [Map.getValue] function, for example when properties are delegated to the map.\r\n *\r\n * When this map already has an implicit default value provided with a former call to [withDefault], it is being replaced by this call.\r\n */\r\npublic fun <K, V> Map<K, V>.withDefault(defaultValue: (key: K) -> V): Map<K, V> =\r\n when (this) {\r\n is MapWithDefault -> this.map.withDefault(defaultValue)\r\n else -> MapWithDefaultImpl(this, defaultValue)\r\n }\r\n\r\n/**\r\n * Returns a wrapper of this mutable map, having the implicit default value provided with the specified function [defaultValue].\r\n *\r\n * This implicit default value is used when the original map doesn't contain a value for the key specified\r\n * and a value is obtained with [Map.getValue] function, for example when properties are delegated to the map.\r\n *\r\n * When this map already has an implicit default value provided with a former call to [withDefault], it is being replaced by this call.\r\n */\r\n@kotlin.jvm.JvmName(\"withDefaultMutable\")\r\npublic fun <K, V> MutableMap<K, V>.withDefault(defaultValue: (key: K) -> V): MutableMap<K, V> =\r\n when (this) {\r\n is MutableMapWithDefault -> this.map.withDefault(defaultValue)\r\n else -> MutableMapWithDefaultImpl(this, defaultValue)\r\n }\r\n\r\n\r\nprivate interface MapWithDefault<K, out V> : Map<K, V> {\r\n public val map: Map<K, V>\r\n public fun getOrImplicitDefault(key: K): V\r\n}\r\n\r\nprivate interface

MutableMapWithDefault<K, V> : MutableMap<K, V>, MapWithDefault<K, V> {\r\n   public override val map: MutableMap<K, V>\r\n}\r\n\r\n\r\n\r\nprivate
 class MapWithDefaultImpl<K, out V>(public override val map: Map<K, V>, private val default: (key: K) -> V) : MapWithDefault<K, V> {\r\n   override fun equals(other: Any?): Boolean = map.equals(other)\r\n   override fun hashCode(): Int = map.hashCode()\r\n   override fun toString(): String = map.toString()\r\n   override val size: Int get() = map.size\r\n   override fun isEmpty(): Boolean = map.isEmpty()\r\n   override fun containsKey(key: K): Boolean = map.containsKey(key)\r\n   override fun containsValue(value: @UnsafeVariance V): Boolean = map.containsValue(value)\r\n   override fun get(key: K): V? = map.get(key)\r\n   override val keys: Set<K> get() = map.keys\r\n   override val values: Collection<V> get() = map.values\r\n   override val entries: Set<Map.Entry<K, V>> get() = map.entries\r\n\r\n   override fun getOrImplicitDefault(key: K): V = map.getOrElseNullable(key, { default(key) })\r\n}\r\n\r\n\r\nprivate class MutableMapWithDefaultImpl<K, V>(public override val map:
 MutableMap<K, V>, private val default: (key: K) -> V) : MutableMapWithDefault<K, V> {\r\n   override fun equals(other: Any?): Boolean = map.equals(other)\r\n   override fun hashCode(): Int = map.hashCode()\r\n
override fun toString(): String = map.toString()\r\n   override val size: Int get() = map.size\r\n   override fun isEmpty(): Boolean = map.isEmpty()\r\n   override fun containsKey(key: K): Boolean = map.containsKey(key)\r\n
override fun containsValue(value: @UnsafeVariance V): Boolean = map.containsValue(value)\r\n   override fun get(key: K): V? = map.get(key)\r\n   override val keys: MutableSet<K> get() = map.keys\r\n   override val values: MutableCollection<V> get() = map.values\r\n   override val entries: MutableSet<MutableMap.MutableEntry<K, V>> get() = map.entries\r\n\r\n   override fun put(key: K, value: V): V? = map.put(key, value)\r\n   override fun remove(key: K): V? = map.remove(key)\r\n   override fun putAll(from: Map<out K, V>) = map.putAll(from)\r\n
    override fun clear() = map.clear()\r\n\r\n   override fun getOrImplicitDefault(key: K): V =
map.getOrElseNullable(key, { default(key) })\r\n}\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n
*/\r\n\r\n@file:kotlin.jvm.JvmMultifileClass\r\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\r\n\r\npackage kotlin.collections\r\n\r\nimport kotlin.random.Random\r\n\r\n/**\r\n * Removes a single instance of the specified element from this\r\n * collection, if it is present.\r\n *\r\n * Allows to overcome type-safety restriction of `remove` that requires to pass an element of type `E`.\r\n *\r\n * @return `true` if the element has been successfully removed; `false` if it was not present in the collection.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out
 T>.remove(element: T): Boolean =\r\n   @Suppress(\"UNCHECKED_CAST\") (this as MutableCollection<T>).remove(element)\r\n\r\n/**\r\n * Removes all of this collection's elements that are also contained in the specified collection.\r\n\r\n * Allows to overcome type-safety restriction of `removeAll` that requires to pass a collection of type `Collection<E>`.\r\n *\r\n * @return `true` if any of the specified elements was removed from the collection, `false` if the collection was not modified.\r\n
*/\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.removeAll(elements: Collection<T>): Boolean =\r\n   @Suppress(\"UNCHECKED_CAST\") (this as MutableCollection<T>).removeAll(elements)\r\n\r\n/**\r\n * Retains only the elements in this collection that are contained in the specified collection.\r\n *\r\n * Allows to overcome type-safety restriction of `retainAll` that requires to pass a collection of type `Collection<E>`.\r\n *\r\n *
 @return `true` if any element was removed from the collection, `false` if the collection was not modified.\r\n
*/\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.retainAll(elements: Collection<T>): Boolean =\r\n   @Suppress(\"UNCHECKED_CAST\") (this as MutableCollection<T>).retainAll(elements)\r\n\r\n/**\r\n * Removes the element at the specified [index] from this list.\r\n * In Kotlin one should use the [MutableList.removeAt] function instead.\r\n */\r\n@Deprecated(\"Use removeAt(index) instead.\", ReplaceWith(\"removeAt(index)\"), level = DeprecationLevel.ERROR)\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> MutableList<T>.remove(index: Int): T = removeAt(index)\r\n\r\n/**\r\n * Adds the specified [element] to this mutable collection.\r\n

```
*/\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(element: T) {\r\n    this.add(element)\r\n}\r\n\r\n/**\r\n * Adds all elements of the given [elements] collection to this mutable collection.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Iterable<T>) {\r\n    this.addAll(elements)\r\n}\r\n\r\n/**\r\n * Adds all elements of the given [elements] array to this mutable collection.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Array<T>) {\r\n    this.addAll(elements)\r\n}\r\n\r\n/**\r\n * Adds all elements of the given [elements] sequence to this mutable collection.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Sequence<T>) {\r\n    this.addAll(elements)\r\n}\r\n\r\n/**\r\n * Removes a single instance of the specified [element] from this mutable collection.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(element: T) {\r\n    this.remove(element)\r\n}\r\n\r\n/**\r\n * Removes all elements contained in the given [elements] collection from this mutable collection.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements: Iterable<T>) {\r\n    this.removeAll(elements)\r\n}\r\n\r\n/**\r\n * Removes all elements contained in the given [elements] array from this mutable collection.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements: Array<T>) {\r\n    this.removeAll(elements)\r\n}\r\n\r\n/**\r\n * Removes all elements contained in the given [elements] sequence from this mutable collection.\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements: Sequence<T>) {\r\n    this.removeAll(elements)\r\n}\r\n\r\n/**\r\n * Adds all elements of the given [elements] collection to this [MutableCollection].\r\n */\r\npublic fun <T> MutableCollection<in T>.addAll(elements: Iterable<T>): Boolean {\r\n    when (elements) {\r\n        is Collection -> return addAll(elements)\r\n        else -> {\r\n            var result: Boolean = false\r\n            for (item in elements)\r\n                if (add(item)) result = true\r\n            return result\r\n        }\r\n    }\r\n}\r\n\r\n/**\r\n * Adds all elements of the given [elements] sequence to this [MutableCollection].\r\n */\r\npublic fun <T> MutableCollection<in T>.addAll(elements: Sequence<T>): Boolean {\r\n    var result: Boolean = false\r\n    for (item in elements) {\r\n        if (add(item)) result = true\r\n    }\r\n    return result\r\n}\r\n\r\n/**\r\n * Adds all elements of the given [elements] array to this [MutableCollection].\r\n */\r\npublic fun <T> MutableCollection<in T>.addAll(elements: Array<out T>): Boolean {\r\n    return addAll(elements.asList())\r\n}\r\n\r\n/**\r\n * Removes all elements from this [MutableIterable] that match the given [predicate].\r\n */\r\npublic fun <T> MutableIterable<T>.removeAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, true)\r\n\r\n/**\r\n * Retains only elements of this [MutableIterable] that match the given [predicate].\r\n */\r\npublic fun <T> MutableIterable<T>.retainAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, false)\r\n\r\nprivate fun <T> MutableIterable<T>.filterInPlace(predicate: (T) -> Boolean, predicateResultToRemove: Boolean): Boolean {\r\n    var result = false\r\n    with(iterator()) {\r\n        while (hasNext())\r\n            if (predicate(next()) == predicateResultToRemove) {\r\n                remove()\r\n                result = true\r\n            }\r\n    }\r\n    return result\r\n}\r\n\r\n/**\r\n * Removes all elements from this [MutableList] that match the given [predicate].\r\n */\r\npublic fun <T> MutableList<T>.removeAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, true)\r\n\r\n/**\r\n * Retains only elements of this [MutableList] that match the given [predicate].\r\n */\r\npublic fun <T> MutableList<T>.retainAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, false)\r\n\r\nprivate fun <T> MutableList<T>.filterInPlace(predicate: (T) -> Boolean, predicateResultToRemove: Boolean): Boolean {\r\n    if (this !is RandomAccess)\r\n        return (this as MutableIterable<T>).filterInPlace(predicate, predicateResultToRemove)\r\n\r\n    var writeIndex: Int = 0\r\n    for (readIndex in 0..lastIndex) {\r\n        val element = this[readIndex]\r\n        if (predicate(element) == predicateResultToRemove)\r\n            continue\r\n\r\n        if (writeIndex != readIndex)\r\n            this[writeIndex] = element\r\n\r\n        writeIndex++\r\n    }\r\n    if (writeIndex < size) {\r\n        for (removeIndex in lastIndex downTo writeIndex)\r\n            removeAt(removeIndex)\r\n\r\n        return true\r\n    } else {\r\n        return false\r\n
```

}\r\n}\r\n\r\n/**\r\n * Removes all elements from this [MutableCollection]
that are also contained in the given [elements] collection.\r\n */\r\npublic fun <T> MutableCollection<in T>.removeAll(elements: Iterable<T>): Boolean {\r\n return removeAll(elements.convertToSetForSetOperationWith(this))\r\n}\r\n\r\n/**\r\n * Removes all elements from this [MutableCollection] that are also contained in the given [elements] sequence.\r\n */\r\npublic fun <T> MutableCollection<in T>.removeAll(elements: Sequence<T>): Boolean {\r\n val set = elements.toHashSet()\r\n return set.isNotEmpty() && removeAll(set)\r\n}\r\n\r\n/**\r\n * Removes all elements from this [MutableCollection] that are also contained in the given [elements] array.\r\n */\r\npublic fun <T> MutableCollection<in T>.removeAll(elements: Array<out T>): Boolean {\r\n return elements.isNotEmpty() && removeAll(elements.toHashSet())\r\n}\r\n\r\n/**\r\n * Retains only elements of this [MutableCollection] that are contained in the given [elements] collection.\r\n */\r\npublic fun <T> MutableCollection<in T>.retainAll(elements: Iterable<T>): Boolean {\r\n return retainAll(elements.convertToSetForSetOperationWith(this))\r\n}\r\n\r\n/**\r\n * Retains only elements of this [MutableCollection] that are contained in the given [elements] array.\r\n */\r\npublic fun <T> MutableCollection<in T>.retainAll(elements: Array<out T>): Boolean {\r\n if (elements.isNotEmpty())\r\n return retainAll(elements.toHashSet())\r\n else\r\n return retainNothing()\r\n}\r\n\r\n/**\r\n * Retains only elements of this [MutableCollection] that are contained in the given [elements] sequence.\r\n */\r\npublic fun <T> MutableCollection<in T>.retainAll(elements: Sequence<T>): Boolean {\r\n val set = elements.toHashSet()\r\n if (set.isNotEmpty())\r\n return retainAll(set)\r\n else\r\n return retainNothing()\r\n}\r\n\r\nprivate fun MutableCollection<*>.retainNothing(): Boolean {\r\n val result = isNotEmpty()\r\n clear()\r\n return result\r\n}\r\n\r\n/**\r\n * Randomly
shuffles elements in this mutable list using the specified [random] instance as the source of randomness.\r\n *\r\n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\r\n */\r\n@SinceKotlin(\"1.3\")\r\npublic fun <T> MutableList<T>.shuffle(random: Random): Unit {\r\n for (i in lastIndex downTo 1) {\r\n val j = random.nextInt(i + 1)\r\n val copy = this[i]\r\n this[i] = this[j]\r\n this[j] = copy\r\n }\r\n}\r\n\r\n/**\r\n * Returns a new list with the elements of this list randomly shuffled\r\n * using the specified [random] instance as the source of randomness.\r\n */\r\n@SinceKotlin(\"1.3\")\r\npublic fun <T> Iterable<T>.shuffled(random: Random): List<T> = toMutableList().apply { shuffle(random) }\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:kotlin.jvm.JvmMultifileClass\r\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\r\n\r\npackage kotlin.collections\r\n\r\n\r\nprivate open class ReversedListReadOnly<out T>(private val delegate: List<T>) : AbstractList<T>() {\r\n override val size: Int get() = delegate.size\r\n override fun get(index: Int): T = delegate[reverseElementIndex(index)]\r\n}\r\n\r\n\r\nprivate class ReversedList<T>(private val delegate: MutableList<T>) : AbstractMutableList<T>() {\r\n override val size: Int get() = delegate.size\r\n override fun get(index: Int): T = delegate[reverseElementIndex(index)]\r\n\r\n override fun clear() = delegate.clear()\r\n override fun removeAt(index: Int): T = delegate.removeAt(reverseElementIndex(index))\r\n\r\n override fun set(index: Int, element: T): T = delegate.set(reverseElementIndex(index), element)\r\n override fun add(index: Int, element: T) {\r\n delegate.add(reversePositionIndex(index), element)\r\n }\r\n}\r\n\r\n\r\nprivate fun List<*>.reverseElementIndex(index: Int) =\r\n if (index in 0..lastIndex) lastIndex - index else throw IndexOutOfBoundsException(\"Element index $index must be in range [${0..lastIndex}].\")\r\n\r\n\r\nprivate fun List<*>.reversePositionIndex(index: Int) =\r\n if (index in 0..size) size - index else throw IndexOutOfBoundsException(\"Position index $index must be in range [${0..size}].\")\r\n\r\n\r\n\r\n/**\r\n * Returns a reversed read-only view of the original List.\r\n * All changes made in the original list will be reflected in the reversed one.\r\n * @sample samples.collections.ReversedViews.asReversedList\r\n */\r\npublic fun <T> List<T>.asReversed(): List<T> = ReversedListReadOnly(this)\r\n\r\n\r\n/**\r\n * Returns a reversed mutable view of the original mutable List.\r\n * All changes made in the original list will be reflected in the reversed one and vice versa.\r\n * @sample samples.collections.ReversedViews.asReversedMutableList\r\n

*/\r\n@kotlin.jvm.JvmName(\"asReversedMutable\")\r\npublic
fun <T> MutableList<T>.asReversed(): MutableList<T> = ReversedList(this)\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:kotlin.jvm.JvmMultifileClass\r\n@file:kotlin.jvm.JvmName(\"SequencesKt\")\r\n@file:UseExperimental(ExperimentalTypeInference::class)\r\n\r\npackage kotlin.sequences\r\n\r\nimport kotlin.coroutines.*\r\nimport kotlin.coroutines.intrinsics.*\r\nimport kotlin.experimental.ExperimentalTypeInference\r\n\r\n/**\r\n * Builds a [Sequence] lazily yielding values one by one.\r\n *\r\n * @see kotlin.sequences.generateSequence\r\n *\r\n * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\r\n * @sample samples.collections.Sequences.Building.buildFibonacciSequence\r\n */\r\n@SinceKotlin(\"1.3\")\r\npublic fun <T> sequence(@BuilderInference block: suspend SequenceScope<T>.()
-> Unit): Sequence<T> = Sequence { iterator(block) }\r\n\r\n@SinceKotlin(\"1.3\")\r\n@Deprecated(\"Use 'sequence { }' function instead.\", ReplaceWith(\"sequence(builderAction)\"), level = DeprecationLevel.ERROR)\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> buildSequence(@BuilderInference noinline builderAction: suspend SequenceScope<T>.() -> Unit): Sequence<T> = Sequence { iterator(builderAction) }\r\n\r\n/**\r\n * Builds an [Iterator] lazily yielding values one by one.\r\n *\r\n * @sample samples.collections.Sequences.Building.buildIterator\r\n * @sample samples.collections.Iterables.Building.iterable\r\n */\r\n@SinceKotlin(\"1.3\")\r\npublic fun <T> iterator(@BuilderInference block: suspend SequenceScope<T>.() -> Unit): Iterator<T> {\r\n   val iterator = SequenceBuilderIterator<T>()\r\n   iterator.nextStep = block.createCoroutineUnintercepted(receiver = iterator, completion = iterator)\r\n   return iterator\r\n}\r\n\r\n@SinceKotlin(\"1.3\")\r\n@Deprecated(\"Use 'iterator { }' function instead.\", ReplaceWith(\"iterator(builderAction)\"), level = DeprecationLevel.ERROR)\r\n@kotlin.internal.InlineOnly\r\npublic inline fun <T> buildIterator(@BuilderInference noinline builderAction: suspend SequenceScope<T>.() -> Unit): Iterator<T> = iterator(builderAction)\r\n\r\n/**\r\n * The scope for yielding values of a [Sequence] or an [Iterator], provides [yield] and [yieldAll] suspension functions.\r\n *\r\n * @see sequence\r\n * @see iterator\r\n *\r\n * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\r\n * @sample samples.collections.Sequences.Building.buildFibonacciSequence\r\n */\r\n@RestrictsSuspension\r\n@SinceKotlin(\"1.3\")\r\npublic abstract class SequenceScope<in T> internal constructor() {\r\n   /**\r\n   * Yields a value to the [Iterator] being built and suspends\r\n   * until the next value is requested.\r\n   *\r\n   * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\r\n   * @sample
samples.collections.Sequences.Building.buildFibonacciSequence\r\n   */\r\n   public abstract suspend fun yield(value: T)\r\n\r\n   /**\r\n   * Yields all values from the `iterator` to the [Iterator] being built\r\n   * and suspends until all these values are iterated and the next one is requested.\r\n   *\r\n   * The sequence of values returned by the given iterator can be potentially infinite.\r\n   *\r\n   * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\r\n   */\r\n   public abstract suspend fun yieldAll(iterator: Iterator<T>)\r\n\r\n   /**\r\n   * Yields a collections of values to the [Iterator] being built\r\n   * and suspends until all these values are iterated and the next one is requested.\r\n   *\r\n   * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\r\n   */\r\n   public suspend fun yieldAll(elements: Iterable<T>) {\r\n   if (elements is Collection && elements.isEmpty()) return\r\n   return yieldAll(elements.iterator())\r\n   }\r\n\r\n   /**\r\n   * Yields potentially infinite sequence of values to the [Iterator] being built\r\n   * and suspends until all these values are iterated and the next one is requested.\r\n   *\r\n   * The sequence can be potentially infinite.\r\n   *\r\n   * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\r\n   */\r\n   public suspend fun yieldAll(sequence: Sequence<T>) = yieldAll(sequence.iterator())\r\n}\r\n\r\n@Deprecated(\"Use SequenceScope class instead.\", ReplaceWith(\"SequenceScope<T>\"), level = DeprecationLevel.ERROR)\r\npublic typealias SequenceBuilder<T> = SequenceScope<T>\r\n\r\nprivate typealias State = Int\r\n\r\nprivate const val

```
State_NotReady: State = 0\r\nprivate const val State_ManyNotReady: State = 1\r\nprivate const val State_ManyReady: State = 2\r\nprivate const val State_Ready: State = 3\r\nprivate const val State_Done: State = 4\r\nprivate const val State_Failed: State = 5\r\n\r\nprivate class SequenceBuilderIterator<T> : SequenceScope<T>(), Iterator<T>, Continuation<Unit> {\r\n    private var state = State_NotReady\r\n    private var nextValue: T? = null\r\n    private var nextIterator: Iterator<T>? = null\r\n    var nextStep: Continuation<Unit>? = null\r\n\r\n    override fun hasNext(): Boolean {\r\n        while (true) {\r\n            when (state) {\r\n                State_NotReady -> {}\r\n                State_ManyNotReady ->\r\n                    if (nextIterator!!.hasNext()) {\r\n                        state = State_ManyReady\r\n                        return true\r\n                    } else {\r\n                        nextIterator = null\r\n                    }\r\n                State_Done -> return false\r\n                State_Ready, State_ManyReady -> return true\r\n                else -> throw exceptionalState()\r\n            }\r\n\r\n            state = State_Failed\r\n            val step = nextStep!!\r\n            nextStep = null\r\n            step.resume(Unit)\r\n        }\r\n    }\r\n\r\n    override fun next(): T {\r\n        when (state) {\r\n            State_NotReady, State_ManyNotReady -> return nextNotReady()\r\n            State_ManyReady -> {\r\n                state = State_ManyNotReady\r\n                return nextIterator!!.next()\r\n            }\r\n            State_Ready -> {\r\n                state = State_NotReady\r\n                @Suppress(\"UNCHECKED_CAST\")\r\n                val result = nextValue as T\r\n                nextValue = null\r\n                return result\r\n            }\r\n            else -> throw exceptionalState()\r\n        }\r\n    }\r\n\r\n    private fun nextNotReady(): T {\r\n        if (!hasNext()) throw NoSuchElementException() else return next()\r\n    }\r\n\r\n    private fun exceptionalState(): Throwable = when (state) {\r\n        State_Done -> NoSuchElementException()\r\n        State_Failed -> IllegalStateException(\"Iterator has failed.\")\r\n        else -> IllegalStateException(\"Unexpected state of the iterator: $state\")\r\n    }\r\n\r\n\r\n    override suspend fun yield(value: T) {\r\n        nextValue = value\r\n        state = State_Ready\r\n        return suspendCoroutineUninterceptedOrReturn { c ->\r\n            nextStep = c\r\n            COROUTINE_SUSPENDED\r\n        }\r\n    }\r\n\r\n    override suspend fun yieldAll(iterator: Iterator<T>) {\r\n        if (!iterator.hasNext()) return\r\n        nextIterator = iterator\r\n        state = State_ManyReady\r\n        return suspendCoroutineUninterceptedOrReturn { c ->\r\n            nextStep = c\r\n            COROUTINE_SUSPENDED\r\n        }\r\n    }\r\n\r\n    // Completion continuation implementation\r\n    override fun resumeWith(result: Result<Unit>) {\r\n        result.getOrThrow() // just rethrow exception if it is there\r\n        state = State_Done\r\n    }\r\n\r\n    override val context: CoroutineContext\r\n        get() = EmptyCoroutineContext\r\n}\r\n","/*\r\n *
 Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.collections\r\n\r\ninternal fun checkWindowSizeStep(size: Int, step: Int) {\r\n    require(size > 0 && step > 0) {\r\n        if (size != step)\r\n            \"Both size $size and step $step must be greater than zero.\"\r\n        else\r\n            \"size $size must be greater than zero.\"\r\n    }\r\n}\r\n\r\ninternal fun <T> Sequence<T>.windowedSequence(size: Int, step: Int, partialWindows: Boolean, reuseBuffer: Boolean): Sequence<List<T>> {\r\n    checkWindowSizeStep(size, step)\r\n    return Sequence { windowedIterator(iterator(), size, step, partialWindows, reuseBuffer) }\r\n}\r\n\r\ninternal fun <T> windowedIterator(iterator: Iterator<T>, size: Int, step: Int, partialWindows: Boolean, reuseBuffer: Boolean): Iterator<List<T>> {\r\n    if (!iterator.hasNext())
 return EmptyIterator\r\n    return iterator<List<T>> {\r\n        val gap = step - size\r\n        if (gap >= 0) {\r\n            var buffer = ArrayList<T>(size)\r\n            var skip = 0\r\n            for (e in iterator) {\r\n                if (skip > 0) { skip -= 1; continue }\r\n                buffer.add(e)\r\n                if (buffer.size == size) {\r\n                    yield(buffer)\r\n                    if (reuseBuffer) buffer.clear() else buffer = ArrayList(size)\r\n                    skip = gap\r\n                }\r\n            }\r\n            if (buffer.isNotEmpty()) {\r\n                if (partialWindows || buffer.size == size) yield(buffer)\r\n            }\r\n        } else {\r\n            val buffer = RingBuffer<T>(size)\r\n            for (e in iterator) {\r\n                buffer.add(e)\r\n                if (buffer.isFull()) {\r\n                    yield(if (reuseBuffer) buffer else ArrayList(buffer))\r\n                    buffer.removeFirst(step)\r\n                }\r\n            }\r\n            if (partialWindows) {\r\n                while (buffer.size > step) {\r\n                    yield(if (reuseBuffer) buffer else ArrayList(buffer))\r\n                    buffer.removeFirst(step)\r\n                }\r\n
```

```
    if (buffer.isNotEmpty()) yield(buffer)\r\n            }\r\n        }\r\n    }\r\n}\r\n\r\ninternal class MovingSubList<out E>(private val list: List<E>) : AbstractList<E>(), RandomAccess {\r\n    private var fromIndex: Int = 0\r\n    private var _size: Int = 0\r\n\r\n    fun move(fromIndex: Int, toIndex: Int) {\r\n        checkRangeIndexes(fromIndex, toIndex, list.size)\r\n        this.fromIndex = fromIndex\r\n        this._size = toIndex - fromIndex\r\n    }\r\n\r\n    override fun get(index: Int): E {\r\n        checkElementIndex(index, _size)\r\n\r\n        return list[fromIndex + index]\r\n    }\r\n\r\n    override val size: Int get() = _size\r\n}\r\n\r\n\r\n\r\n/**\r\n * Provides ring buffer implementation.\r\n *\r\n * Buffer overflow is not allowed so [add] doesn't overwrite tail but raises an exception.\r\n */\r\nprivate class RingBuffer<T>(val capacity: Int) : AbstractList<T>(), RandomAccess {\r\n    init {\r\n        require(capacity >= 0) { \"ring buffer capacity should not be negative but it is $capacity\" }\r\n    }\r\n\r\n    private val buffer = arrayOfNulls<Any?>(capacity)\r\n    private var startIndex: Int = 0\r\n\r\n    override var size: Int = 0\r\n        private set\r\n\r\n    override fun get(index: Int): T {\r\n        checkElementIndex(index, size)\r\n        @Suppress(\"UNCHECKED_CAST\")\r\n        return buffer[startIndex.forward(index)] as T\r\n    }\r\n\r\n    fun isFull() = size == capacity\r\n\r\n    override fun iterator(): Iterator<T> = object : AbstractIterator<T>() {\r\n        private var count = size\r\n        private var index = startIndex\r\n\r\n        override fun computeNext() {\r\n            if (count == 0) {\r\n                done()\r\n            } else {\r\n                @Suppress(\"UNCHECKED_CAST\")\r\n                setNext(buffer[index] as T)\r\n                index = index.forward(1)\r\n                count--\r\n            }\r\n        }\r\n    }\r\n\r\n    @Suppress(\"UNCHECKED_CAST\")\r\n    override fun <T> toArray(array: Array<T>): Array<T> {\r\n        val result: Array<T?> =\r\n            if (array.size < this.size) array.copyOf(this.size) else array as Array<T?>\r\n\r\n        val size = this.size\r\n\r\n        var widx = 0\r\n        var idx = startIndex\r\n\r\n        while (widx < size && idx < capacity) {\r\n            result[widx] = buffer[idx] as T\r\n            widx++\r\n            idx++\r\n        }\r\n\r\n        idx = 0\r\n        while (widx < size) {\r\n            result[widx] = buffer[idx] as T\r\n            widx++\r\n            idx++\r\n        }\r\n        if (result.size > this.size) result[this.size] = null\r\n\r\n        return result as Array<T>\r\n    }\r\n\r\n    override
    fun toArray(): Array<Any?> {\r\n        return toArray(arrayOfNulls(size))\r\n    }\r\n\r\n    /**\r\n     * Add [element] to the buffer or fail with [IllegalStateException] if no free space available in the buffer\r\n     */\r\n    fun add(element: T) {\r\n        if (isFull()) {\r\n            throw IllegalStateException(\"ring buffer is full\")\r\n        }\r\n\r\n        buffer[startIndex.forward(size)] = element\r\n        size++\r\n    }\r\n\r\n    /**\r\n     * Removes [n] first elements from the buffer or fails with [IllegalArgumentException] if not enough elements in the buffer to remove\r\n     */\r\n    fun removeFirst(n: Int) {\r\n        require(n >= 0) { \"n shouldn't be negative but it is $n\" }\r\n        require(n <= size) { \"n shouldn't be greater than the buffer size: n = $n, size = $size\" }\r\n\r\n        if (n > 0) {\r\n            val start = startIndex\r\n            val end = start.forward(n)\r\n\r\n            if (start > end) {\r\n                buffer.fill(null,
    start, capacity)\r\n                buffer.fill(null, 0, end)\r\n            } else {\r\n                buffer.fill(null, start, end)\r\n            }\r\n\r\n            startIndex = end\r\n            size -= n\r\n        }\r\n    }\r\n\r\n\r\n\r\n@Suppress(\"NOTHING_TO_INLINE\")\r\n    private inline fun Int.forward(n: Int): Int = (this + n) % capacity\r\n}\r\n","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.collections\r\n\r\n// UByteArray ================================================================================\r\n@ExperimentalUnsignedTypes\r\nprivate fun partition(\r\n    array: UByteArray, left: Int, right: Int): Int {\r\n    var i = left\r\n    var j = right\r\n    val pivot = array[(left + right) / 2]\r\n    while (i <= j) {\r\n        while (array[i] < pivot)\r\n            i++\r\n        while (array[j] > pivot)\r\n            j--\r\n        if (i <= j) {\r\n            val tmp = array[i]\r\n            array[i] = array[j]\r\n            array[j] = tmp\r\n            i++\r\n            j--\r\n        }\r\n    }\r\n    return i\r\n}\r\n\r\n@ExperimentalUnsignedTypes\r\nprivate fun quickSort(\r\n    array: UByteArray, left: Int, right: Int) {\r\n    val index = partition(array, left, right)\r\n    if (left < index - 1)\r\n        quickSort(array, left, index - 1)\r\n    if (index < right)\r\n        quickSort(array, index, right)\r\n}\r\n\r\n\r\n// UShortArray
```

```
==========\r\n@ExperimentalUnsignedTypes\r\nprivate fun partition(\r\n    array: UShortArray, left: Int, right: Int): Int {\r\n    var i = left\r\n    var j = right\r\n    val pivot = array[(left + right) / 2]\r\n    while (i <= j) {\r\n        while (array[i] < pivot)\r\n            i++\r\n        while (array[j] > pivot)\r\n
        j--\r\n        if (i <= j) {\r\n            val tmp = array[i]\r\n            array[i] = array[j]\r\n            array[j] = tmp\r\n
    i++\r\n            j--\r\n        }\r\n    }\r\n    return i\r\n}\r\n\r\n@ExperimentalUnsignedTypes\r\nprivate fun quickSort(\r\n    array: UShortArray, left: Int, right: Int) {\r\n    val index = partition(array, left, right)\r\n    if (left < index - 1)\r\n        quickSort(array, left, index - 1)\r\n    if (index < right)\r\n        quickSort(array, index, right)\r\n}\r\n\r\n// UIntArray
==========\r\n@ExperimentalUnsignedTypes\r\nprivate fun partition(\r\n    array: UIntArray, left: Int, right: Int): Int {\r\n    var i = left\r\n    var j = right\r\n    val pivot = array[(left + right) / 2]\r\n    while (i <= j) {\r\n        while (array[i] < pivot)\r\n            i++\r\n        while (array[j] > pivot)\r\n            j--\r\n        if (i <= j) {\r\n            val tmp = array[i]\r\n            array[i] = array[j]\r\n            array[j] = tmp\r\n            i++\r\n            j--\r\n        }\r\n    }\r\n    return i\r\n}\r\n\r\n@ExperimentalUnsignedTypes\r\nprivate fun quickSort(\r\n    array: UIntArray, left: Int, right: Int) {\r\n    val index = partition(array, left, right)\r\n    if (left < index - 1)\r\n        quickSort(array, left, index - 1)\r\n    if (index < right)\r\n        quickSort(array, index, right)\r\n}\r\n\r\n// ULongArray
==========\r\n@ExperimentalUnsignedTypes\r\nprivate fun partition(\r\n    array: ULongArray, left: Int, right: Int): Int {\r\n    var i = left\r\n    var j = right\r\n    val pivot = array[(left + right) / 2]\r\n    while (i <= j) {\r\n        while (array[i] < pivot)\r\n            i++\r\n        while (array[j] > pivot)\r\n            j--\r\n        if (i <= j) {\r\n            val tmp = array[i]\r\n            array[i] = array[j]\r\n
            array[j] = tmp\r\n            i++\r\n            j--\r\n        }\r\n    }\r\n    return i\r\n}\r\n\r\n@ExperimentalUnsignedTypes\r\nprivate fun quickSort(\r\n    array: ULongArray, left: Int, right: Int) {\r\n    val index = partition(array, left, right)\r\n    if (left < index - 1)\r\n        quickSort(array, left, index - 1)\r\n    if (index < right)\r\n        quickSort(array, index, right)\r\n}\r\n\r\n\r\n// Interfaces
==========\r\n/**\r\n * Sorts the given array using qsort algorithm.\r\n */\r\n@ExperimentalUnsignedTypes\r\ninternal fun sortArray(array: UByteArray)    = quickSort(array, 0, array.size - 1)\r\n@ExperimentalUnsignedTypes\r\ninternal fun sortArray(array: UShortArray)   = quickSort(array, 0, array.size - 1)\r\n@ExperimentalUnsignedTypes\r\ninternal fun sortArray(array: UIntArray)     = quickSort(array, 0, array.size - 1)\r\n@ExperimentalUnsignedTypes\r\ninternal fun sortArray(array: ULongArray)
    = quickSort(array, 0, array.size - 1)","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.contracts\r\n\r\nimport kotlin.internal.ContractsDsl\r\nimport kotlin.internal.InlineOnly\r\n\r\n/**\r\n * This marker distinguishes the experimental contract declaration API and is used to opt-in for that feature\r\n * when declaring contracts of user functions.\r\n *\r\n * Any usage of a declaration annotated with `@ExperimentalContracts` must be accepted either by\r\n * annotating that usage with the [UseExperimental] annotation, e.g. `@UseExperimental(ExperimentalContracts::class)`,\r\n * or by using the compiler argument `-Xuse-experimental=kotlin.contracts.ExperimentalContracts`.\r\n */\r\n@Retention(AnnotationRetention.BINARY)\r\n@SinceKotlin(\"1.3\")\r\n@Experimental\r\n@MustBeDocumented\r\npublic
 annotation class ExperimentalContracts\r\n\r\n/**\r\n * Provides a scope, where the functions of the contract DSL, such as [returns], [callsInPlace], etc.,\r\n * can be used to describe the contract of a function.\r\n *\r\n * This type is used as a receiver type of the lambda function passed to the [contract] function.\r\n *\r\n * @see contract\r\n */\r\n@ContractsDsl\r\n@ExperimentalContracts\r\n@SinceKotlin(\"1.3\")\r\npublic interface ContractBuilder {\r\n    /**\r\n     * Describes a situation when a function returns normally, without any exceptions thrown.\r\n     *\r\n     * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\r\n     *\r\n     */\r\n
```

// @sample samples.contracts.returnsContract\r\n   @ContractsDsl public fun returns(): Returns\r\n\r\n   /**\r\n   * Describes a situation when a function returns normally with the specified return [value].\r\n   *\r\n   * The possible values of [value] are limited to `true`,
`false` or `null`.\r\n   *\r\n   * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\r\n   *\r\n   */\r\n   // @sample samples.contracts.returnsTrueContract\r\n   // @sample samples.contracts.returnsFalseContract\r\n   // @sample samples.contracts.returnsNullContract\r\n   @ContractsDsl public fun returns(value: Any?): Returns\r\n\r\n   /**\r\n   * Describes a situation when a function returns normally with any value that is not `null`.\r\n   *\r\n   * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\r\n   *\r\n   */\r\n   // @sample samples.contracts.returnsNotNullContract\r\n   @ContractsDsl public fun returnsNotNull(): ReturnsNotNull\r\n\r\n   /**\r\n   * Specifies that the function parameter [lambda] is invoked in place.\r\n   *\r\n   * This contract specifies that:\r\n   * 1. the function [lambda] can only be invoked during the call of the owner function,\r\n
     * and it won't be invoked after that owner function call is completed;\r\n   * 2. _(optionally)_ the function [lambda] is invoked the amount of times specified by the [kind] parameter,\r\n   * see the [InvocationKind] enum for possible values.\r\n   *\r\n   * A function declaring the `callsInPlace` effect must be _inline_.\r\n   *\r\n   */\r\n   /* @sample samples.contracts.callsInPlaceAtMostOnceContract\r\n   * @sample samples.contracts.callsInPlaceAtLeastOnceContract\r\n   * @sample samples.contracts.callsInPlaceExactlyOnceContract\r\n   * @sample samples.contracts.callsInPlaceUnknownContract\r\n   */\r\n   @ContractsDsl public fun <R> callsInPlace(lambda: Function<R>, kind: InvocationKind = InvocationKind.UNKNOWN): CallsInPlace\r\n}\r\n\r\n/**\r\n * Specifies how many times a function invokes its function parameter in place.\r\n *\r\n * See [ContractBuilder.callsInPlace] for the details of the call-in-place function contract.\r\n
*/\r\n@ContractsDsl\r\n@ExperimentalContracts\r\n@SinceKotlin(\"1.3\")\r\npublic
enum class InvocationKind {\r\n   /**\r\n   * A function parameter will be invoked one time or not invoked at all.\r\n   */\r\n   // @sample samples.contracts.callsInPlaceAtMostOnceContract\r\n   @ContractsDsl AT_MOST_ONCE,\r\n\r\n   /**\r\n   * A function parameter will be invoked one or more times.\r\n   *\r\n   */\r\n   // @sample samples.contracts.callsInPlaceAtLeastOnceContract\r\n   @ContractsDsl AT_LEAST_ONCE,\r\n\r\n   /**\r\n   * A function parameter will be invoked exactly one time.\r\n   *\r\n   */\r\n   // @sample samples.contracts.callsInPlaceExactlyOnceContract\r\n   @ContractsDsl EXACTLY_ONCE,\r\n\r\n   /**\r\n   * A function parameter is called in place, but it's unknown how many times it can be called.\r\n   *\r\n   */\r\n   // @sample samples.contracts.callsInPlaceUnknownContract\r\n   @ContractsDsl UNKNOWN\r\n}\r\n\r\n/**\r\n * Specifies the contract of a function.\r\n *\r\n *
The contract description must be at the beginning of a function and have at least one effect.\r\n *\r\n * Only the top-level functions can have a contract for now.\r\n *\r\n * @param builder the lambda where the contract of a function is described with the help of the [ContractBuilder] members.\r\n *\r\n */\r\n/* @sample samples.contracts.returnsContract\r\n* @sample samples.contracts.returnsTrueContract\r\n* @sample samples.contracts.returnsFalseContract\r\n* @sample samples.contracts.returnsNullContract\r\n* @sample samples.contracts.returnsNotNullContract\r\n* @sample samples.contracts.callsInPlaceAtMostOnceContract\r\n* @sample samples.contracts.callsInPlaceAtLeastOnceContract\r\n* @sample samples.contracts.callsInPlaceExactlyOnceContract\r\n* @sample samples.contracts.callsInPlaceUnknownContract\r\n*/\r\n@ContractsDsl\r\n@ExperimentalContracts\r\n@InlineOnly\r\n@SinceKotlin(\"1.3\")\r\n@Suppress(\"UNUSED_PARAMETER\")\r\npublic inline fun contract(builder: ContractBuilder.() -> Unit)
{ }","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.coroutines\r\n\r\n/**\r\n * Marks coroutine context element that intercepts coroutine continuations.\r\n * The coroutines framework uses [ContinuationInterceptor.Key] to retrieve the interceptor and\r\n * intercepts all coroutine continuations with [interceptContinuation] invocations.\r\n

```
*/\r\n@SinceKotlin(\"1.3\")\r\npublic interface ContinuationInterceptor : CoroutineContext.Element {\r\n    /**\r\n
* The key that defines *the* context interceptor.\r\n     */\r\n    companion object Key :
CoroutineContext.Key<ContinuationInterceptor>\r\n\r\n    /**\r\n     * Returns continuation that wraps the original
[continuation], thus intercepting all resumptions.\r\n     * This function is invoked by coroutines framework when
needed and the resulting
 continuations are\r\n     * cached internally per each instance of the original [continuation].\r\n     *\r\n     * This
function may simply return original [continuation] if it does not want to intercept this particular continuation.\r\n
*\r\n     * When the original [continuation] completes, coroutine framework invokes
[releaseInterceptedContinuation]\r\n     * with the resulting continuation if it was intercepted, that is if
`interceptContinuation` had previously\r\n     * returned a different continuation instance.\r\n     */\r\n    public fun
<T> interceptContinuation(continuation: Continuation<T>): Continuation<T>\r\n\r\n    /**\r\n     * Invoked for the
continuation instance returned by [interceptContinuation] when the original\r\n     * continuation completes and will
not be used anymore. This function is invoked only if [interceptContinuation]\r\n     * had returned a different
continuation instance from the one it was invoked with.\r\n     *\r\n     * Default implementation
 does nothing.\r\n     *\r\n     * @param continuation Continuation instance returned by this interceptor's
[interceptContinuation] invocation.\r\n     */\r\n    public fun releaseInterceptedContinuation(continuation:
Continuation<*>) {\r\n        /* do nothing by default */\r\n    }\r\n\r\n    // Performance optimization for a singleton
Key\r\n    public override operator fun <E : CoroutineContext.Element> get(key: CoroutineContext.Key<E>): E?
=\r\n        @Suppress(\"UNCHECKED_CAST\")\r\n        if (key === Key) this as E else null\r\n\r\n    //
Performance optimization to a singleton Key\r\n    public override fun minusKey(key: CoroutineContext.Key<*>):
CoroutineContext =\r\n        if (key === Key) EmptyCoroutineContext else this\r\n}\r\n","/*\r\n * Copyright 2010-
2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by
the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage
kotlin.coroutines\r\n\r\n/**\r\n
 * Persistent context for the coroutine. It is an indexed set of [Element] instances.\r\n * An indexed set is a mix
between a set and a map.\r\n * Every element in this set has a unique [Key].\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\npublic interface CoroutineContext {\r\n    /**\r\n     * Returns the element with the
given [key] from this context or `null`.\r\n     */\r\n    public operator fun <E : Element> get(key: Key<E>):
E?\r\n\r\n    /**\r\n     * Accumulates entries of this context starting with [initial] value and applying [operation]\r\n
 * from left to right to current accumulator value and each element of this context.\r\n     */\r\n    public fun <R>
fold(initial: R, operation: (R, Element) -> R): R\r\n\r\n    /**\r\n     * Returns a context containing elements from this
context and elements from  other [context].\r\n     * The elements from this context with the same key as in the other
one are dropped.\r\n     */\r\n    public operator fun plus(context:
 CoroutineContext): CoroutineContext =\r\n        if (context === EmptyCoroutineContext) this else // fast path --
avoid lambda creation\r\n            context.fold(this) { acc, element ->\r\n                val removed =
acc.minusKey(element.key)\r\n                if (removed === EmptyCoroutineContext) element else {\r\n                    //
make sure interceptor is always last in the context (and thus is fast to get when present)\r\n                    val
interceptor = removed[ContinuationInterceptor]\r\n                    if (interceptor == null) CombinedContext(removed,
element) else {\r\n                        val left = removed.minusKey(ContinuationInterceptor)\r\n                        if (left
=== EmptyCoroutineContext) CombinedContext(element, interceptor) else\r\n
CombinedContext(CombinedContext(left, element), interceptor)\r\n                    }\r\n                }\r\n            }\r\n\r\n
/**\r\n     * Returns a context containing
 elements from this context, but without an element with\r\n     * the specified [key].\r\n     */\r\n    public fun
minusKey(key: Key<*>): CoroutineContext\r\n\r\n    /**\r\n     * Key for the elements of [CoroutineContext]. [E] is
a type of element with this key.\r\n     */\r\n    public interface Key<E : Element>\r\n\r\n    /**\r\n     * An element of
the [CoroutineContext]. An element of the coroutine context is a singleton context by itself.\r\n     */\r\n    public
interface Element : CoroutineContext {\r\n        /**\r\n         * A key of this coroutine context element.\r\n         */\r\n
    public val key: Key<*>\r\n\r\n        public override operator fun <E : Element> get(key: Key<E>): E? =\r\n
```

@Suppress(\"UNCHECKED_CAST\")\r\n if (this.key == key) this as E else null\r\n\r\n public override fun <R> fold(initial: R, operation: (R, Element) -> R): R =\r\n operation(initial, this)\r\n\r\n public override fun minusKey(key: Key<*>):
CoroutineContext =\r\n if (this.key == key) EmptyCoroutineContext else this\r\n }\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.coroutines\r\n\r\nimport kotlin.coroutines.CoroutineContext.*\r\nimport kotlin.io.Serializable\r\n\r\n/**\r\n * Base class for [CoroutineContext.Element] implementations.\r\n */\r\n@SinceKotlin(\"1.3\")\r\npublic abstract class AbstractCoroutineContextElement(public override val key: Key<*>) : Element\r\n\r\n/**\r\n * An empty coroutine context.\r\n */\r\n@SinceKotlin(\"1.3\")\r\npublic object EmptyCoroutineContext : CoroutineContext, Serializable {\r\n private const val serialVersionUID: Long = 0\r\n private fun readResolve(): Any = EmptyCoroutineContext\r\n\r\n public override fun <E : Element> get(key: Key<E>): E? = null\r\n public override fun <R> fold(initial: R, operation: (R, Element) -> R): R = initial\r\n public override fun plus(context: CoroutineContext): CoroutineContext = context\r\n public override fun minusKey(key: Key<*>): CoroutineContext = this\r\n public override fun hashCode(): Int = 0\r\n public override fun toString(): String = \"EmptyCoroutineContext\"\r\n}\r\n\r\n//---------- internal impl ----------\r\n\r\n// this class is not exposed, but is hidden inside implementations\r\n// this is a left-biased list, so that `plus` works naturally\r\n@SinceKotlin(\"1.3\")\r\ninternal class CombinedContext(\r\n private val left: CoroutineContext,\r\n private val element: Element\r\n) : CoroutineContext, Serializable {\r\n\r\n override fun <E : Element> get(key: Key<E>): E? {\r\n var cur = this\r\n while (true) {\r\n cur.element[key]?.let { return it }\r\n val next = cur.left\r\n if (next is CombinedContext)
{\r\n cur = next\r\n } else {\r\n return next[key]\r\n }\r\n }\r\n }\r\n\r\n public override fun <R> fold(initial: R, operation: (R, Element) -> R): R =\r\n operation(left.fold(initial, operation), element)\r\n\r\n public override fun minusKey(key: Key<*>): CoroutineContext {\r\n element[key]?.let { return left }\r\n val newLeft = left.minusKey(key)\r\n return when {\r\n newLeft === left -> this\r\n newLeft === EmptyCoroutineContext -> element\r\n else -> CombinedContext(newLeft, element)\r\n }\r\n }\r\n\r\n private fun size(): Int {\r\n var cur = this\r\n var size = 2\r\n while (true) {\r\n cur = cur.left as? CombinedContext ?: return size\r\n size++\r\n }\r\n }\r\n\r\n private fun contains(element: Element): Boolean =\r\n get(element.key) == element\r\n\r\n private fun containsAll(context:
CombinedContext): Boolean {\r\n var cur = context\r\n while (true) {\r\n if (!contains(cur.element)) return false\r\n val next = cur.left\r\n if (next is CombinedContext) {\r\n cur = next\r\n } else {\r\n return contains(next as Element)\r\n }\r\n }\r\n }\r\n\r\n override fun equals(other: Any?): Boolean =\r\n this === other || other is CombinedContext && other.size() == size() && other.containsAll(this)\r\n\r\n override fun hashCode(): Int = left.hashCode() + element.hashCode()\r\n\r\n override fun toString(): String =\r\n \"[\" + fold(\"\") { acc, element ->\r\n if (acc.isEmpty()) element.toString() else \"$acc, $element\"\r\n } + \"]\"\r\n\r\n private fun writeReplace(): Any {\r\n val n = size()\r\n val elements = arrayOfNulls<CoroutineContext>(n)\r\n var index = 0\r\n fold(Unit) { _, element
-> elements[index++] = element }\r\n check(index == n)\r\n @Suppress(\"UNCHECKED_CAST\")\r\n return Serialized(elements as Array<CoroutineContext>)\r\n }\r\n\r\n private class Serialized(val elements: Array<CoroutineContext>) : Serializable {\r\n companion object {\r\n private const val serialVersionUID: Long = 0L\r\n }\r\n\r\n private fun readResolve(): Any = elements.fold(EmptyCoroutineContext, CoroutineContext::plus)\r\n }\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:kotlin.jvm.JvmName(\"IntrinsicsKt\")\r\n@file:kotlin.jvm.JvmMultifileClass\r\n\r\npackage kotlin.coroutines.intrinsics\r\n\r\nimport kotlin.coroutines.*\r\nimport kotlin.internal.InlineOnly\r\n\r\n/**\r\n *

Obtains the current continuation instance inside suspend functions
and either suspends\r\n * currently running coroutine or returns result immediately without suspension.\r\n *\r\n * If the [block] returns the special [COROUTINE_SUSPENDED] value, it means that suspend function did suspend the execution and will\r\n * not return any result immediately. In this case, the [Continuation] provided to the [block] shall be\r\n * resumed by invoking [Continuation.resumeWith] at some moment in the\r\n * future when the result becomes available to resume the computation.\r\n *\r\n * Otherwise, the return value of the [block] must have a type assignable to [T] and represents the result of this suspend function.\r\n * It means that the execution was not suspended and the [Continuation] provided to the [block] shall not be invoked.\r\n * As the result type of the [block] is declared as `Any?` and cannot be correctly type-checked,\r\n * its proper return type remains on the conscience of the suspend function's author.\r\n *\r\n * Invocation of [Continuation.resumeWith]
resumes coroutine directly in the invoker's thread without going through the\r\n * [ContinuationInterceptor] that might be present in the coroutine's [CoroutineContext].\r\n * It is the invoker's responsibility to ensure that a proper invocation context is established.\r\n * [Continuation.intercepted] can be used to acquire the intercepted continuation.\r\n *\r\n * Note that it is not recommended to call either [Continuation.resume] nor [Continuation.resumeWithException] functions synchronously\r\n * in the same stackframe where suspension function is run. Use [suspendCoroutine] as a safer way to obtain current\r\n * continuation instance.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@InlineOnly\r\n@Suppress(\"UNUSED_PARAMETER\", \"RedundantSuspendModifier\")\r\npublic suspend inline fun <T> suspendCoroutineUninterceptedOrReturn(crossinline block: (Continuation<T>) -> Any?): T =\r\n   throw NotImplementedError(\"Implementation of suspendCoroutineUninterceptedOrReturn is intrinsic\")\r\n\r\n/**\r\n
* This value is used as a return value of [suspendCoroutineUninterceptedOrReturn] `block` argument to state that\r\n * the execution was suspended and will not return any result immediately.\r\n *\r\n * **Note: this value should not be used in general code.** Using it outside of the context of\r\n * `suspendCoroutineUninterceptedOrReturn` function return value (including, but not limited to,\r\n * storing this value in other properties, returning it from other functions, etc)\r\n * can lead to unspecified behavior of the code.\r\n */\r\n// It is implemented as property with getter to avoid ProGuard <clinit> problem with multifile IntrinsicsKt class\r\n@SinceKotlin(\"1.3\")\r\npublic val COROUTINE_SUSPENDED: Any get() = CoroutineSingletons.COROUTINE_SUSPENDED\r\n\r\n// Using enum here ensures two important properties:\r\n// 1. It makes SafeContinuation serializable with all kinds of serialization frameworks (since all of them natively support enums)\r\n// 2. It improves
debugging experience, since you clearly see toString() value of those objects and what package they come from\r\n@SinceKotlin(\"1.3\")\r\n@PublishedApi // This class is Published API via serialized representation of SafeContinuation, don't rename/move\r\ninternal enum class CoroutineSingletons { COROUTINE_SUSPENDED, UNDECIDED, RESUMED }\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.experimental\r\n\r\n/** Performs a bitwise AND operation between the two values. */\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline infix fun Byte.and(other: Byte): Byte = (this.toInt() and other.toInt()).toByte()\r\n\r\n/** Performs a bitwise OR operation between the two values. */\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline infix fun Byte.or(other: Byte):
Byte = (this.toInt() or other.toInt()).toByte()\r\n\r\n/** Performs a bitwise XOR operation between the two values. */\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline infix fun Byte.xor(other: Byte): Byte = (this.toInt() xor other.toInt()).toByte()\r\n\r\n/** Inverts the bits in this value. */\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Byte.inv(): Byte = (this.toInt().inv()).toByte()\r\n\r\n\r\n/** Performs a bitwise AND operation between the two values. */\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline infix fun Short.and(other: Short): Short = (this.toInt() and other.toInt()).toShort()\r\n\r\n/** Performs a bitwise OR operation between the two values. */\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline infix fun Short.or(other: Short): Short =

(this.toInt() or other.toInt()).toShort()\r\n\r\n/** Performs a bitwise XOR operation between the two values. */\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline infix fun Short.xor(other: Short): Short = (this.toInt() xor other.toInt()).toShort()\r\n\r\n/** Inverts the bits in this value. */\r\n@SinceKotlin(\"1.1\")\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Short.inv(): Short = (this.toInt().inv()).toShort()\r\n\r\n\r\n\","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.experimental\r\n\r\n/**\r\n * The experimental marker for type inference augmenting annotations.\r\n *\r\n * Any usage of a declaration annotated with `@ExperimentalTypeInference` must be accepted either by\r\n * annotating that usage with the [UseExperimental] annotation, e.g. `@UseExperimental(ExperimentalTypeInference::class)`,\r\n * or by using the compiler argument `-Xuse-experimental=kotlin.experimental.ExperimentalTypeInference`.\r\n */\r\n@Experimental(level = Experimental.Level.ERROR)\r\n@MustBeDocumented\r\n@Retention(AnnotationRetention.BINARY)\r\n@Target(AnnotationTarget.ANNOTATION_CLASS)\r\n@SinceKotlin(\"1.3\")\r\npublic annotation class ExperimentalTypeInference\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.internal\r\n\r\n/**\r\n * Specifies that the corresponding type should be ignored during type inference.\r\n */\r\n@Target(AnnotationTarget.TYPE)\r\n@Retention(AnnotationRetention.BINARY)\r\ninternal annotation class NoInfer\r\n\r\n/**\r\n * Specifies that the constraint built for the type during type inference should be an equality one.\r\n */\r\n@Target(AnnotationTarget.TYPE)\r\n@Retention(AnnotationRetention.BINARY)\r\ninternal annotation class Exact\r\n\r\n/**\r\n * Specifies that a corresponding member has the lowest priority in overload resolution.\r\n */\r\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\r\n@Retention(AnnotationRetention.BINARY)\r\ninternal annotation class LowPriorityInOverloadResolution\r\n\r\n/**\r\n * Specifies that the corresponding member has the highest priority in overload resolution. Effectively this means that\r\n * an extension annotated with this annotation will win in overload resolution over a member with the same signature.\r\n */\r\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\r\n@Retention(AnnotationRetention.BINARY)\r\ninternal annotation class HidesMembers\r\n\r\n/**\r\n * The value of this type parameter should be mentioned in input types (argument types, receiver type or expected type).\r\n */\r\n@Target(AnnotationTarget.TYPE_PARAMETER)\r\n@Retention(AnnotationRetention.BINARY)\r\ninternal annotation class OnlyInputTypes\r\n\r\n/**\r\n * Specifies that this function should not be called directly without inlining\r\n */\r\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.PROPERTY_GETTER, AnnotationTarget.PROPERTY_SETTER)\r\n@Retention(AnnotationRetention.BINARY)\r\ninternal annotation class InlineOnly\r\n\r\n/**\r\n * Specifies that this declaration can have dynamic receiver type.\r\n */\r\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\r\n@Retention(AnnotationRetention.BINARY)\r\ninternal annotation class DynamicExtension\r\n\r\n/**\r\n * The value of this parameter should be a property reference expression (`this::foo`), referencing a `lateinit` property,\r\n * the backing field of which is accessible at the point where the corresponding argument is passed.\r\n */\r\n@Target(AnnotationTarget.VALUE_PARAMETER)\r\n@Retention(AnnotationRetention.BINARY)\r\n@SinceKotlin(\"1.2\")\r\ninternal annotation class AccessibleLateinitPropertyLiteral\r\n\r\n/**\r\n * Specifies that this declaration is only completely supported since the specified version.\r\n *\r\n * The Kotlin compiler of an earlier version is going to report a diagnostic on usages of this declaration.\r\n * The diagnostic message can be specified with [message], or via [errorCode] (takes less space, but might not be immediately clear\r\n * to the user). The diagnostic severity can be specified with [level]: WARNING/ERROR mean that either a warning or an error\r\n * is going to be reported, HIDDEN means that the declaration is going to

be removed from resolution completely.\r\n *\r\n * [versionKind] specifies which version should be compared with the [version] value, when compiling the usage of the annotated declaration.\r\n * Note that prior to 1.2, only [RequireKotlinVersionKind.LANGUAGE_VERSION] was supported, so the Kotlin compiler before 1.2 is going to\r\n * treat any [RequireKotlin] as if it requires the language version. Since 1.2, the Kotlin compiler supports\r\n * [RequireKotlinVersionKind.LANGUAGE_VERSION], [RequireKotlinVersionKind.COMPILER_VERSION] and [RequireKotlinVersionKind.API_VERSION].\r\n * If the actual value of [versionKind] is something different (e.g. a new version kind, added in future versions of Kotlin),\r\n * Kotlin 1.2 is going to ignore this [RequireKotlin] altogether, where as Kotlin before 1.2 is going to treat this as a requirement\r\n * on the language version.\r\n *\r\n * This annotation is erased at compile time; its arguments are stored in a more compact form in the Kotlin metadata.\r\n */\r\n@Target(AnnotationTarget.CLASS, AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.CONSTRUCTOR, AnnotationTarget.TYPEALIAS)\r\n@Retention(AnnotationRetention.SOURCE)\r\n@Repeatable\r\n@SinceKotlin(\"1.2\")\r\ninternal annotation class RequireKotlin(\r\n   val version: String,\r\n   val message: String = \"\",\r\n   val level: DeprecationLevel = DeprecationLevel.ERROR,\r\n   val versionKind: RequireKotlinVersionKind = RequireKotlinVersionKind.LANGUAGE_VERSION,\r\n   val errorCode: Int = -1\r\n)\r\n\r\n/**\r\n * The kind of the version that is required by [RequireKotlin].\r\n */\r\n@SinceKotlin(\"1.2\")\r\ninternal enum class RequireKotlinVersionKind {\r\n   LANGUAGE_VERSION,\r\n   COMPILER_VERSION,\r\n   API_VERSION,\r\n}\r\n\r\n/**\r\n * Specifies that this declaration is a part of special DSL, used for constructing function's contract.\r\n */\r\n@Retention(AnnotationRetention.BINARY)\r\n@SinceKotlin(\"1.2\")\r\ninternal annotation class ContractsDsl\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.properties\r\n\r\nimport kotlin.reflect.KProperty\r\n\r\n/**\r\n * Standard property delegates.\r\n */\r\npublic object Delegates {\r\n   /**\r\n   * Returns a property delegate for a read/write property with a non-`null` value that is initialized not during\r\n   * object construction time but at a later time. Trying to read the property before the initial value has been\r\n   * assigned results in an exception.\r\n   *\r\n   * @sample samples.properties.Delegates.notNullDelegate\r\n   */\r\n   public fun <T : Any> notNull(): ReadWriteProperty<Any?, T> = NotNullVar()\r\n\r\n   /**\r\n   * Returns a property delegate for a read/write property that calls a specified callback function when changed.\r\n   * @param initialValue the initial value of the property.\r\n   * @param onChange the callback which is called after the change of the property is made. The value of the property\r\n   * has already been changed when this callback is invoked.\r\n   *\r\n   * @sample samples.properties.Delegates.observableDelegate\r\n   */\r\n   public inline fun <T> observable(initialValue: T, crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Unit):\r\n   ReadWriteProperty<Any?, T> =\r\n   object : ObservableProperty<T>(initialValue) {\r\n   override fun afterChange(property: KProperty<*>, oldValue: T, newValue: T) = onChange(property, oldValue, newValue)\r\n   }\r\n\r\n   /**\r\n   * Returns a property delegate for a read/write property that calls a specified callback function when changed,\r\n   * allowing the callback to veto the modification.\r\n   * @param initialValue the initial value of the property.\r\n   * @param onChange the callback which is called before a change to the property value is attempted.\r\n   * The value of the property hasn't been changed yet, when this callback is invoked.\r\n   * If the callback returns `true` the value of the property is being set to the new value,\r\n   * and if the callback returns `false` the new value is discarded and the property remains its old value.\r\n   *\r\n   * @sample samples.properties.Delegates.vetoableDelegate\r\n   * @sample samples.properties.Delegates.throwVetoableDelegate\r\n   */\r\n   public inline fun <T> vetoable(initialValue: T, crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Boolean):\r\n   ReadWriteProperty<Any?, T> =\r\n   object : ObservableProperty<T>(initialValue) {\r\n   override fun beforeChange(property: KProperty<*>, oldValue: T, newValue: T): Boolean = onChange(property, oldValue, newValue)\r\n   }\r\n\r\n}\r\n\r\n\r\nprivate class NotNullVar<T : Any>() : ReadWriteProperty<Any?, T> {\r\n   private var value: T? = null\r\n\r\n   public override fun getValue(thisRef: Any?, property: KProperty<*>): T {\r\n   return value ?: throw

IllegalStateException(\"Property ${property.name} should be initialized before get.\")\r\n   }\r\n\r\n   public override fun setValue(thisRef: Any?, property: KProperty<*>, value: T) {\r\n   this.value = value\r\n   }\r\n}\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.properties\r\n\r\nimport kotlin.reflect.KProperty\r\n\r\n/**\r\n * Implements the core logic of a property delegate for a read/write property that calls callback functions when changed.\r\n * @param initialValue the initial value of the property.\r\n */\r\npublic abstract class ObservableProperty<T>(initialValue: T) : ReadWriteProperty<Any?, T> {\r\n   private var value = initialValue\r\n\r\n   /**\r\n   * The callback which is called before a change to the property value is attempted.\r\n   * The value of the property hasn't been changed yet, when this callback is invoked.\r\n   * If the callback returns `true` the value of the property is being set to the new value,\r\n   * and if the callback returns `false` the new value is discarded and the property remains its old value.\r\n   */\r\n   protected open fun beforeChange(property: KProperty<*>, oldValue: T,
newValue: T): Boolean = true\r\n\r\n   /**\r\n   * The callback which is called after the change of the property is made. The value of the property\r\n   * has already been changed when this callback is invoked.\r\n   */\r\n   protected open fun afterChange(property: KProperty<*>, oldValue: T, newValue: T): Unit {}\r\n\r\n   public override fun getValue(thisRef: Any?, property: KProperty<*>): T {\r\n   return value\r\n   }\r\n\r\n   public override fun setValue(thisRef: Any?, property: KProperty<*>, value: T) {\r\n   val oldValue = this.value\r\n   if (!beforeChange(property, oldValue, value)) {\r\n   return\r\n   }\r\n   this.value = value\r\n   afterChange(property, oldValue, value)\r\n   }\r\n}","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.random\r\n\r\nimport
kotlin.math.nextDown\r\n\r\n/**\r\n * An abstract class that is implemented by random number generator algorithms.\r\n *\r\n * The companion object [Random.Default] is the default instance of [Random].\r\n *\r\n * To get a seeded instance of random generator use [Random] function.\r\n *\r\n * @sample samples.random.Randoms.defaultRandom\r\n */\r\n@SinceKotlin(\"1.3\")\r\npublic abstract class Random {\r\n\r\n   /**\r\n   * Gets the next random [bitCount] number of bits.\r\n   *\r\n   * Generates an `Int` whose lower [bitCount] bits are filled with random values and the remaining upper bits are zero.\r\n   *\r\n   * @param bitCount number of bits to generate, must be in range 0..32, otherwise the behavior is unspecified.\r\n   */\r\n   public abstract fun nextBits(bitCount: Int): Int\r\n\r\n   /**\r\n   * Gets the next random `Int` from the random number generator.\r\n   *\r\n   * Generates an `Int` random value uniformly distributed between `Int.MIN_VALUE`
and `Int.MAX_VALUE` (inclusive).\r\n   */\r\n   public open fun nextInt(): Int = nextBits(32)\r\n\r\n   /**\r\n   * Gets the next random non-negative `Int` from the random number generator less than the specified [until] bound.\r\n   *\r\n   * Generates an `Int` random value uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\r\n   *\r\n   * @param until must be positive.\r\n   *\r\n   * @throws IllegalArgumentException if [until] is negative or zero.\r\n   */\r\n   public open fun nextInt(until: Int): Int = nextInt(0, until)\r\n\r\n   /**\r\n   * Gets the next random `Int` from the random number generator in the specified range.\r\n   *\r\n   * Generates an `Int` random value uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\r\n   *\r\n   * @throws IllegalArgumentException if [from] is greater than or equal to [until].\r\n   */\r\n   public open fun nextInt(from:
Int, until: Int): Int {\r\n   checkRangeBounds(from, until)\r\n   val n = until - from\r\n   if (n > 0 || n == Int.MIN_VALUE) {\r\n   val rnd = if (n and -n == n) {\r\n   val bitCount = fastLog2(n)\r\n   nextBits(bitCount)\r\n   } else {\r\n   var v: Int\r\n   do {\r\n   val bits = nextInt().ushr(1)\r\n   v = bits % n\r\n   } while (bits - v + (n - 1) < 0)\r\n   v\r\n   }\r\n   return from + rnd\r\n   } else {\r\n   while (true) {\r\n   val rnd = nextInt()\r\n   if (rnd in from until until) return rnd\r\n   }\r\n   }\r\n   }\r\n\r\n   /**\r\n   * Gets the next random `Long` from the random number generator.\r\n   *\r\n   * Generates a `Long` random value uniformly distributed between

`Long.MIN_VALUE` and `Long.MAX_VALUE` (inclusive).\r\n */\r\n public open fun nextLong(): Long = nextInt().toLong().shl(32) + nextInt()\r\n\r\n /**\r\n * Gets the next random non-negative `Long` from the random number generator less than the specified [until] bound.\r\n *\r\n * Generates a `Long` random value uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\r\n *\r\n * @param until must be positive.\r\n *\r\n * @throws IllegalArgumentException if [until] is negative or zero.\r\n */\r\n public open fun nextLong(until: Long): Long = nextLong(0, until)\r\n\r\n /**\r\n * Gets the next random `Long` from the random number generator in the specified range.\r\n *\r\n * Generates a `Long` random value uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\r\n *\r\n * @throws IllegalArgumentException if [from] is greater than or equal to [until].\r\n */\r\n public open fun nextLong(from: Long, until: Long): Long {\r\n checkRangeBounds(from, until)\r\n val n = until - from\r\n if (n > 0) {\r\n val rnd: Long\r\n if (n and -n == n) {\r\n val nLow = n.toInt()\r\n val nHigh = (n ushr 32).toInt()\r\n rnd = when {\r\n nLow != 0 -> {\r\n val bitCount = fastLog2(nLow)\r\n // toUInt().toLong()\r\n nextBits(bitCount).toLong() and 0xFFFF_FFFF\r\n }\r\n nHigh == 1 ->\r\n // toUInt().toLong()\r\n nextInt().toLong() and 0xFFFF_FFFF\r\n else -> {\r\n val bitCount = fastLog2(nHigh)\r\n nextBits(bitCount).toLong().shl(32) + nextInt()\r\n }\r\n }\r\n } else {\r\n var v: Long\r\n do {\r\n val bits = nextLong().ushr(1)\r\n v = bits % n\r\n } while (bits - v + (n - 1) < 0)\r\n rnd = v\r\n }\r\n return from + rnd\r\n } else {\r\n while (true) {\r\n val rnd = nextLong()\r\n if (rnd in from until until) return rnd\r\n }\r\n }\r\n }\r\n\r\n /**\r\n * Gets the next random [Boolean] value.\r\n */\r\n public open fun nextBoolean(): Boolean = nextBits(1) != 0\r\n\r\n /**\r\n * Gets the next random [Double] value uniformly distributed between 0 (inclusive) and 1 (exclusive).\r\n */\r\n public open fun nextDouble(): Double = doubleFromParts(nextBits(26), nextBits(27))\r\n\r\n /**\r\n * Gets the next random non-negative `Double` from the random number generator less than the specified [until] bound.\r\n *\r\n * Generates a `Double` random value uniformly distributed between 0 (inclusive) and [until] (exclusive).\r\n *\r\n * @throws IllegalArgumentException if [until] is negative or zero.\r\n */\r\n public open fun nextDouble(until: Double): Double = nextDouble(0.0, until)\r\n\r\n /**\r\n * Gets the next random `Double` from the random number generator in the specified range.\r\n *\r\n * Generates a `Double` random value uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\r\n *\r\n * [from] and [until] must be finite otherwise the behavior is unspecified.\r\n *\r\n * @throws IllegalArgumentException if [from] is greater than or equal to [until].\r\n */\r\n public open fun nextDouble(from: Double, until: Double): Double {\r\n checkRangeBounds(from, until)\r\n val size = until - from\r\n val r = if (size.isInfinite() && from.isFinite() && until.isFinite()) {\r\n val r1 = nextDouble() * (until / 2 - from / 2)\r\n from + r1 + r1\r\n } else {\r\n from + nextDouble() * size\r\n }\r\n return if (r >= until) until.nextDown() else r\r\n }\r\n\r\n /**\r\n * Gets the next random [Float] value uniformly distributed between 0 (inclusive) and 1 (exclusive).\r\n */\r\n public open fun nextFloat(): Float = nextBits(24) / (1 shl 24).toFloat()\r\n\r\n /**\r\n * Fills a subrange of the specified byte [array] starting from [fromIndex] inclusive and ending [toIndex] exclusive\r\n * with random bytes.\r\n *\r\n * @return [array] with the subrange filled with random bytes.\r\n */\r\n public open fun nextBytes(array: ByteArray, fromIndex: Int = 0, toIndex: Int = array.size): ByteArray {\r\n require(fromIndex in 0..array.size && toIndex in 0..array.size) { \"fromIndex ($fromIndex) or toIndex ($toIndex) are out of range: 0..${array.size}.\" }\r\n require(fromIndex <= toIndex) { \"fromIndex ($fromIndex) must be not greater than toIndex ($toIndex).\" }\r\n\r\n val steps = (toIndex - fromIndex) / 4\r\n\r\n var position = fromIndex\r\n repeat(steps) {\r\n val v = nextInt()\r\n array[position] = v.toByte()\r\n array[position + 1] = v.ushr(8).toByte()\r\n array[position + 2] = v.ushr(16).toByte()\r\n array[position + 3] = v.ushr(24).toByte()\r\n position += 4\r\n }\r\n\r\n val remainder = toIndex - position\r\n val vr = nextBits(remainder * 8)\r\n for (i in 0 until remainder) {\r\n

```
array[position + i] = vr.ushr(i * 8).toByte()\r\n        }\r\n\r\n        return array\r\n    }\r\n\r\n    /**\r\n     * Fills the specified byte [array] with random bytes and returns it.\r\n     *\r\n     * @return [array] filled with random bytes.\r\n     */\r\n    public open fun nextBytes(array: ByteArray): ByteArray = nextBytes(array, 0, array.size)\r\n\r\n    /**\r\n     * Creates a byte array of the specified [size], filled with random bytes.\r\n     */\r\n    public open fun nextBytes(size: Int): ByteArray = nextBytes(ByteArray(size))\r\n\r\n\r\n\r\n    /**\r\n     * The default random number generator.\r\n     *\r\n     * On JVM this generator is thread-safe, its methods can be invoked from multiple threads.\r\n     *\r\n     * @sample samples.random.Randoms.defaultRandom\r\n     */\r\n    companion object Default : Random() {\r\n\r\n        private val defaultRandom: Random = defaultPlatformRandom()\r\n\r\n        override fun nextBits(bitCount: Int): Int = defaultRandom.nextBits(bitCount)\r\n        override fun nextInt(): Int = defaultRandom.nextInt()\r\n        override fun nextInt(until: Int): Int = defaultRandom.nextInt(until)\r\n        override fun nextInt(from: Int, until: Int): Int = defaultRandom.nextInt(from, until)\r\n\r\n        override fun nextLong(): Long = defaultRandom.nextLong()\r\n        override fun nextLong(until: Long): Long = defaultRandom.nextLong(until)\r\n        override fun nextLong(from: Long, until: Long): Long = defaultRandom.nextLong(from, until)\r\n\r\n        override fun nextBoolean(): Boolean = defaultRandom.nextBoolean()\r\n\r\n        override fun nextDouble(): Double = defaultRandom.nextDouble()\r\n        override fun nextDouble(until: Double): Double = defaultRandom.nextDouble(until)\r\n        override fun nextDouble(from: Double, until: Double): Double = defaultRandom.nextDouble(from, until)\r\n\r\n        override fun nextFloat(): Float = defaultRandom.nextFloat()\r\n\r\n        override fun nextBytes(array: ByteArray): ByteArray = defaultRandom.nextBytes(array)\r\n        override fun nextBytes(size: Int): ByteArray = defaultRandom.nextBytes(size)\r\n        override fun nextBytes(array: ByteArray, fromIndex: Int, toIndex: Int): ByteArray = defaultRandom.nextBytes(array, fromIndex, toIndex)\r\n\r\n        @Deprecated(\"Use Default companion object instead\", level = DeprecationLevel.HIDDEN)\r\n        @Suppress(\"DEPRECATION_ERROR\")\r\n        @kotlin.jvm.JvmField\r\n        public val Companion: Random.Companion = Random.Companion\r\n    }\r\n\r\n    @Deprecated(\"Use Default companion object instead\", level = DeprecationLevel.HIDDEN)\r\n    public object Companion : Random() {\r\n        override fun nextBits(bitCount: Int): Int = Default.nextBits(bitCount)\r\n    }\r\n}\r\n\r\n/**\r\n * Returns a repeatable random number generator seeded with the given [seed] `Int` value.\r\n *\r\n * Two generators with the same seed produce the same sequence of values within the same version of Kotlin runtime.\r\n *\r\n * *Note:* Future versions of Kotlin may change the algorithm of this seeded number generator so that it will return\r\n * a sequence of values different from the current one for a given seed.\r\n *\r\n * @sample samples.random.Randoms.seededRandom\r\n */\r\n@SinceKotlin(\"1.3\")\r\npublic fun Random(seed: Int): Random = XorWowRandom(seed, seed.shr(31))\r\n\r\n/**\r\n * Returns a repeatable random number generator seeded with the given [seed] `Long`
 value.\r\n *\r\n * Two generators with the same seed produce the same sequence of values within the same version of Kotlin runtime.\r\n *\r\n * *Note:* Future versions of Kotlin may change the algorithm of this seeded number generator so that it will return\r\n * a sequence of values different from the current one for a given seed.\r\n *\r\n * @sample samples.random.Randoms.seededRandom\r\n */\r\n@SinceKotlin(\"1.3\")\r\npublic fun Random(seed: Long): Random = XorWowRandom(seed.toInt(), seed.shr(32).toInt())\r\n\r\n\r\n\r\n\r\n/**\r\n * Gets the next random `Int` from the random number generator in the specified [range].\r\n *\r\n * Generates an `Int` random value uniformly distributed in the specified [range]:\r\n * from `range.start` inclusive to `range.endInclusive` inclusive.\r\n *\r\n * @throws IllegalArgumentException if [range] is empty.\r\n */\r\n@SinceKotlin(\"1.3\")\r\npublic fun Random.nextInt(range: IntRange): Int = when {\r\n    range.isEmpty() -> throw IllegalArgumentException(\"Cannot get random in empty range: $range\")\r\n    range.last < Int.MAX_VALUE -> nextInt(range.first, range.last + 1)\r\n    range.first > Int.MIN_VALUE -> nextInt(range.first - 1, range.last) + 1\r\n    else -> nextInt()\r\n}\r\n\r\n\r\n/**\r\n * Gets the next random `Long` from the random number generator in the specified [range].\r\n *\r\n * Generates a `Long` random value uniformly distributed in the specified [range]:\r\n * from `range.start` inclusive to `range.endInclusive` inclusive.\r\n *\r\n * @throws IllegalArgumentException if [range] is empty.\r\n */\r\n@SinceKotlin(\"1.3\")\r\npublic fun Random.nextLong(range: LongRange): Long = when {\r\n
```

range.isEmpty() -> throw IllegalArgumentException(\"Cannot get random in empty range: $range\")\r\n   range.last < Long.MAX_VALUE -> nextLong(range.start, range.endInclusive + 1)\r\n   range.start > Long.MIN_VALUE -> nextLong(range.start - 1, range.endInclusive) + 1\r\n   else -> nextLong()\r\n}\r\n\r\n\r\ninternal expect fun defaultPlatformRandom():
Random\r\ninternal expect fun doubleFromParts(hi26: Int, low27: Int):
Double\r\n\r\n@UseExperimental(ExperimentalStdlibApi::class)\r\ninternal fun fastLog2(value: Int): Int = 31 - value.countLeadingZeroBits()\r\n\r\n/** Takes upper [bitCount] bits (0..32) from this number. */\r\ninternal fun Int.takeUpperBits(bitCount: Int): Int =\r\n   this.ushr(32 - bitCount) and (-bitCount).shr(31)\r\n\r\ninternal fun checkRangeBounds(from: Int, until: Int) = require(until > from) { boundsErrorMessage(from, until) }\r\ninternal fun checkRangeBounds(from: Long, until: Long) = require(until > from) { boundsErrorMessage(from, until) }\r\ninternal fun checkRangeBounds(from: Double, until: Double) = require(until > from) { boundsErrorMessage(from, until) }\r\n\r\ninternal fun boundsErrorMessage(from: Any, until: Any) = \"Random range is empty: [$from, $until).\"\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source
code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.random\r\n\r\n\r\n/**\r\n * Gets the next random [UInt] from the random number generator.\r\n *\r\n * Generates a [UInt] random value uniformly distributed between [UInt.MIN_VALUE] and [UInt.MAX_VALUE] (inclusive).\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun Random.nextUInt(): UInt = nextInt().toUInt()\r\n\r\n/**\r\n * Gets the next random [UInt] from the random number generator less than the specified [until] bound.\r\n *\r\n * Generates a [UInt] random value uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\r\n *\r\n * @throws IllegalArgumentException if [until] is zero.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun Random.nextUInt(until: UInt): UInt = nextUInt(0u, until)\r\n\r\n/**\r\n * Gets the next random [UInt] from the random number generator in the specified
range.\r\n *\r\n * Generates a [UInt] random value uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\r\n *\r\n * @throws IllegalArgumentException if [from] is greater than or equal to [until].\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun Random.nextUInt(from: UInt, until: UInt): UInt {\r\n   checkUIntRangeBounds(from, until)\r\n\r\n   val signedFrom = from.toInt() xor Int.MIN_VALUE\r\n   val signedUntil = until.toInt() xor Int.MIN_VALUE\r\n\r\n   val signedResult = nextInt(signedFrom, signedUntil) xor Int.MIN_VALUE\r\n   return signedResult.toUInt()\r\n}\r\n\r\n/**\r\n * Gets the next random [UInt] from the random number generator in the specified [range].\r\n *\r\n * Generates a [UInt] random value uniformly distributed in the specified [range]:\r\n * from `range.start` inclusive to `range.endInclusive` inclusive.\r\n *\r\n * @throws IllegalArgumentException if [range] is empty.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic
fun Random.nextUInt(range: UIntRange): UInt = when {\r\n   range.isEmpty() -> throw IllegalArgumentException(\"Cannot get random in empty range: $range\")\r\n   range.last < UInt.MAX_VALUE -> nextUInt(range.first, range.last + 1u)\r\n   range.first > UInt.MIN_VALUE -> nextUInt(range.first - 1u, range.last) + 1u\r\n   else -> nextUInt()\r\n}\r\n\r\n/**\r\n * Gets the next random [ULong] from the random number generator.\r\n *\r\n * Generates a [ULong] random value uniformly distributed between [ULong.MIN_VALUE] and [ULong.MAX_VALUE] (inclusive).\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun Random.nextULong(): ULong = nextLong().toULong()\r\n\r\n/**\r\n * Gets the next random [ULong] from the random number generator less than the specified [until] bound.\r\n *\r\n * Generates a [ULong] random value uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\r\n *\r\n * @throws
IllegalArgumentException if [until] is zero.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun Random.nextULong(until: ULong): ULong = nextULong(0uL, until)\r\n\r\n/**\r\n * Gets the next random [ULong] from the random number generator in the specified range.\r\n *\r\n * Generates a [ULong] random value uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\r\n *\r\n * @throws IllegalArgumentException if [from] is greater

than or equal to [until].\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun Random.nextULong(from: ULong, until: ULong): ULong {\r\n checkULongRangeBounds(from, until)\r\n\r\n val signedFrom = from.toLong() xor Long.MIN_VALUE\r\n val signedUntil = until.toLong() xor Long.MIN_VALUE\r\n\r\n val signedResult = nextLong(signedFrom, signedUntil) xor Long.MIN_VALUE\r\n return signedResult.toULong()\r\n}\r\n\r\n/**\r\n * Gets the next random [ULong] from the random number generator in the specified [range].\r\n *\r\n * Generates a [ULong] random value uniformly distributed in the specified [range]:\r\n * from `range.start` inclusive to `range.endInclusive` inclusive.\r\n *\r\n * @throws IllegalArgumentException if [range] is empty.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun Random.nextULong(range: ULongRange): ULong = when {\r\n range.isEmpty() -> throw IllegalArgumentException(\"Cannot get random in empty range: $range\")\r\n range.last < ULong.MAX_VALUE -> nextULong(range.first, range.last + 1u)\r\n range.first > ULong.MIN_VALUE -> nextULong(range.first - 1u, range.last) + 1u\r\n else -> nextULong()\r\n}\r\n\r\n/**\r\n * Fills the specified unsigned byte [array] with random bytes and returns it.\r\n *\r\n * @return [array] filled with random bytes.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun Random.nextUBytes(array: UByteArray): UByteArray {\r\n nextBytes(array.asByteArray())\r\n return array\r\n}\r\n\r\n/**\r\n * Creates an unsigned byte array of the specified [size], filled with random bytes.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun Random.nextUBytes(size: Int): UByteArray = nextBytes(size).asUByteArray()\r\n\r\n/**\r\n * Fills a subrange of the specified `UByte` [array] starting from [fromIndex] inclusive and ending [toIndex] exclusive with random UBytes.\r\n *\r\n * @return [array] with the subrange filled with random bytes.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun Random.nextUBytes(array: UByteArray, fromIndex: Int = 0, toIndex: Int = array.size): UByteArray {\r\n nextBytes(array.asByteArray(), fromIndex, toIndex)\r\n return array\r\n}\r\n\r\n\r\n@ExperimentalUnsignedTypes\r\ninternal fun checkUIntRangeBounds(from: UInt, until: UInt) = require(until > from) { boundsErrorMessage(from, until) }\r\n@ExperimentalUnsignedTypes\r\ninternal fun checkULongRangeBounds(from: ULong, until: ULong) = require(until > from) { boundsErrorMessage(from, until) }\r\n\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.random\r\n\r\n/**\r\n * Random number generator, algorithm \"xorwow\" from p. 5 of Marsaglia, \"Xorshift RNGs\".\r\n *\r\n * Cycles after 2^160 * (2^32-1) repetitions.\r\n *\r\n * See http://www.jstatsoft.org/v08/i14/paper for details.\r\n */\r\ninternal class XorWowRandom\r\ninternal constructor(\r\n private var x: Int,\r\n private var y: Int,\r\n private var z: Int,\r\n private var w: Int,\r\n private var v: Int,\r\n private var addend: Int\r\n) : Random() {\r\n\r\n internal constructor(seed1: Int, seed2: Int) :\r\n this(seed1, seed2, 0, 0, seed1.inv(), (seed1 shl 10) xor (seed2 ushr 4))\r\n\r\n init {\r\n require((x or y or z or w or v) != 0) { \"Initial state must have at least one non-zero element.\" }\r\n\r\n // some trivial seeds can produce several values with zeroes in upper bits, so we discard first 64\r\n repeat(64) { nextInt() }\r\n }\r\n\r\n override fun nextInt(): Int {\r\n var t = x\r\n t = t xor (t ushr 2)\r\n x = y\r\n y = z\r\n z = w\r\n val v0 = v\r\n w = v0\r\n t = (t xor (t shl 1)) xor v0 xor (v0 shl 4)\r\n v = t\r\n addend += 362437\r\n return t + addend\r\n }\r\n\r\n override fun nextBits(bitCount: Int): Int =\r\n nextInt().takeUpperBits(bitCount)\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:kotlin.jvm.JvmMultifileClass\r\n@file:kotlin.jvm.JvmName(\"RangesKt\")\r\n\r\npackage kotlin.ranges\r\n\r\n/**\r\n * Represents a range of floating point numbers.\r\n * Extends [ClosedRange] interface providing custom operation [lessThanOrEquals] for comparing values of range domain type.\r\n *\r\n * This interface is implemented by floating point ranges returned by [Float.rangeTo] and [Double.rangeTo] operators to\r\n * achieve IEEE-754 comparison order instead of total order of floating point numbers.\r\n

*/\r\n@SinceKotlin(\"1.1\")\r\npublic interface ClosedFloatingPointRange<T : Comparable<T>> : ClosedRange<T> {\r\n   override fun contains(value: T): Boolean = lessThanOrEquals(start, value) && lessThanOrEquals(value, endInclusive)\r\n   override fun isEmpty(): Boolean = !lessThanOrEquals(start, endInclusive)\r\n\r\n   /**\r\n   * Compares two values of range domain type and returns true if first is less than or equal to second.\r\n   */\r\n   fun lessThanOrEquals(a: T, b: T): Boolean\r\n}\r\n\r\n/**\r\n * Represents a range of [Comparable] values.\r\n */\r\nprivate
 open class ComparableRange<T : Comparable<T>>(\r\n   override val start: T,\r\n   override val endInclusive: T\r\n) : ClosedRange<T> {\r\n\r\n   override fun equals(other: Any?): Boolean {\r\n   return other is ComparableRange<*> && (isEmpty() && other.isEmpty() ||\r\n   start == other.start && endInclusive == other.endInclusive)\r\n   }\r\n\r\n   override fun hashCode(): Int {\r\n   return if (isEmpty()) -1 else 31 * start.hashCode() + endInclusive.hashCode()\r\n   }\r\n\r\n   override fun toString(): String = \"$start..$endInclusive\"\r\n}\r\n\r\n/**\r\n * A closed range of values of type `Double`.\r\n *\r\n * Numbers are compared with the ends of this range according to IEEE-754.\r\n */\r\nprivate class ClosedDoubleRange(\r\n   start: Double,\r\n   endInclusive: Double\r\n) : ClosedFloatingPointRange<Double> {\r\n   private val _start = start\r\n   private val _endInclusive = endInclusive\r\n   override val start: Double get() = _start\r\n
    override val endInclusive: Double get() = _endInclusive\r\n\r\n   override fun lessThanOrEquals(a: Double, b: Double): Boolean = a <= b\r\n\r\n   override fun contains(value: Double): Boolean = value >= _start && value <= _endInclusive\r\n   override fun isEmpty(): Boolean = !(_start <= _endInclusive)\r\n\r\n   override fun equals(other: Any?): Boolean {\r\n   return other is ClosedDoubleRange && (isEmpty() && other.isEmpty() ||\r\n   _start == other._start && _endInclusive == other._endInclusive)\r\n   }\r\n\r\n   override fun hashCode(): Int {\r\n
    return if (isEmpty()) -1 else 31 * _start.hashCode() + _endInclusive.hashCode()\r\n   }\r\n\r\n   override fun toString(): String = \"$_start..$_endInclusive\"\r\n}\r\n\r\n\r\n/**\r\n * Creates a range from this [Comparable] value to the specified [that] value.\r\n *\r\n * This value needs to be smaller than [that] value, otherwise the returned range will be empty.\r\n * @sample samples.ranges.Ranges.rangeFromComparable\r\n
 */\r\npublic operator fun <T : Comparable<T>> T.rangeTo(that: T): ClosedRange<T> = ComparableRange(this, that)\r\n\r\n\r\n/**\r\n * Creates a range from this [Double] value to the specified [that] value.\r\n *\r\n * Numbers are compared with the ends of this range according to IEEE-754.\r\n * @sample samples.ranges.Ranges.rangeFromDouble\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic operator fun Double.rangeTo(that: Double): ClosedFloatingPointRange<Double> = ClosedDoubleRange(this, that)\r\n\r\n\r\n\r\n/**\r\n * Returns `true` if this iterable range contains the specified [element].\r\n *\r\n * Always returns `false` if the [element] is `null`.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <T, R> R.contains(element: T?): Boolean where T : Any, R : Iterable<T>, R : ClosedRange<T> =\r\n   element != null && contains(element)\r\n\r\n\r\n\r\ninternal fun checkStepIsPositive(isPositive: Boolean, step: Number) {\r\n   if (!isPositive) throw
 IllegalArgumentException(\"Step must be positive, was: $step.\")\r\n}\r\n","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.reflect\r\n\r\n/**\r\n * Returns a runtime representation of the given reified type [T] as an instance of [KType].\r\n */\r\n@Suppress(\"unused\") // KT-12448\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic inline fun <reified T> typeOf(): KType =\r\n   throw UnsupportedOperationException(\"This function is implemented as an intrinsic on all supported platforms.\")\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:kotlin.jvm.JvmMultifileClass\r\n@file:kotlin.jvm.JvmName(\"CharsKt\")\r\n\r\npackage
 kotlin.text\r\n\r\n/**\r\n * Concatenates this Char and a String.\r\n *\r\n * @sample samples.text.Chars.plus\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun Char.plus(other: String): String = this.toString() + other\r\n\r\n\r\n/**\r\n * Returns `true` if this character is equal to the [other] character, optionally ignoring character case.\r\n *\r\n * @param ignoreCase `true` to ignore character case when comparing characters. By default `false`.\r\n *\r\n * Two characters are considered the same ignoring case if at least one of the following is `true`:\r\n

```
*   - The two characters are the same (as compared by the == operator)\r\n *   - Applying the method [toUpperCase] to each character produces the same result\r\n *   - Applying the method [toLowerCase] to each character produces the same result\r\n *\r\n * @sample samples.text.Chars.equals\r\n */\r\npublic fun Char.equals(other: Char, ignoreCase: Boolean = false): Boolean {\r\n    if (this == other) return true\r\n    if (!ignoreCase) return false\r\n\r\n    if (this.toUpperCase() == other.toUpperCase()) return true\r\n    if (this.toLowerCase() == other.toLowerCase()) return true\r\n    return false\r\n}\r\n\r\n/**\r\n * Returns `true` if this character is a Unicode surrogate code unit.\r\n */\r\npublic fun Char.isSurrogate(): Boolean = this in Char.MIN_SURROGATE..Char.MAX_SURROGATE\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:kotlin.jvm.JvmMultifileClass\r\n@file:kotlin.jvm.JvmName(\"StringsKt\")\r\n\r\npackage kotlin.text\r\n\r\n/**\r\n * Trims leading whitespace characters followed by [marginPrefix] from every line of a source string and removes\r\n * the first and the last lines if they are blank (notice difference blank vs empty).\r\n *\r\n * Doesn't affect a line if it doesn't contain [marginPrefix] except the first and the last blank lines.\r\n *\r\n * Doesn't preserve the original line endings.\r\n *\r\n * @param marginPrefix non-blank string, which is used as a margin delimiter. Default is `|` (pipe character).\r\n *\r\n * @sample samples.text.Strings.trimMargin\r\n * @see trimIndent\r\n * @see kotlin.text.isWhitespace\r\n */\r\npublic fun String.trimMargin(marginPrefix: String = \"|\"): String =\r\n    replaceIndentByMargin(\"\", marginPrefix)\r\n\r\n/**\r\n * Detects indent by [marginPrefix] as it does [trimMargin] and replace it with [newIndent].\r\n *\r\n * @param marginPrefix non-blank string, which is used as a margin delimiter. Default is `|` (pipe character).\r\n */\r\npublic fun String.replaceIndentByMargin(newIndent: String = \"\", marginPrefix: String = \"|\"): String {\r\n    require(marginPrefix.isNotBlank()) { \"marginPrefix must be non-blank string.\" }\r\n    val lines = lines()\r\n\r\n    return lines.reindent(length + newIndent.length * lines.size, getIndentFunction(newIndent), { line ->\r\n        val firstNonWhitespaceIndex = line.indexOfFirst { !it.isWhitespace() }\r\n\r\n        when {\r\n            firstNonWhitespaceIndex == -1 -> null\r\n            line.startsWith(marginPrefix, firstNonWhitespaceIndex) -> line.substring(firstNonWhitespaceIndex + marginPrefix.length)\r\n            else -> null\r\n        }\r\n    })\r\n}\r\n\r\n/**\r\n * Detects a common minimal indent of all the input lines, removes it from every line and also removes the first and the last\r\n * lines if they are blank (notice difference blank vs empty).\r\n *\r\n * Note that blank lines do not affect the detected indent level.\r\n *\r\n * In case if there are non-blank lines with no leading whitespace characters (no indent at all) then the\r\n * common indent is 0, and therefore this function doesn't change the indentation.\r\n *\r\n * Doesn't preserve the original line endings.\r\n *\r\n * @sample samples.text.Strings.trimIndent\r\n * @see trimMargin\r\n * @see kotlin.text.isBlank\r\n */\r\npublic fun String.trimIndent(): String = replaceIndent(\"\")\r\n\r\n/**\r\n * Detects a common minimal indent like it does [trimIndent] and replaces it with the specified [newIndent].\r\n */\r\npublic fun String.replaceIndent(newIndent: String = \"\"): String {\r\n    val lines = lines()\r\n\r\n    val minCommonIndent = lines\r\n        .filter(String::isNotBlank)\r\n        .map(String::indentWidth)\r\n        .min() ?: 0\r\n\r\n    return lines.reindent(length + newIndent.length * lines.size, getIndentFunction(newIndent), { line -> line.drop(minCommonIndent) })\r\n}\r\n\r\n/**\r\n * Prepends [indent] to every line of the original string.\r\n *\r\n * Doesn't preserve the original line endings.\r\n */\r\npublic fun String.prependIndent(indent: String = \"    \"): String =\r\n    lineSequence()\r\n        .map {\r\n            when {\r\n                it.isBlank() -> {\r\n                    when {\r\n                        it.length < indent.length -> indent\r\n                        else -> it\r\n                    }\r\n                }\r\n                else -> indent + it\r\n            }\r\n        }\r\n        .joinToString(\"\\n\")\r\n\r\nprivate fun String.indentWidth(): Int = indexOfFirst { !it.isWhitespace() }.let { if (it == -1) length else it }\r\n\r\nprivate fun getIndentFunction(indent: String) = when {\r\n    indent.isEmpty() -> { line: String -> line }\r\n    else -> { line: String -> indent + line }\r\n}\r\n\r\nprivate inline fun List<String>.reindent(\r\n    resultSizeEstimate: Int,\r\n    indentAddFunction: (String) -> String,\r\n    indentCutFunction: (String) -> String?\r\n): String {\r\n    val lastIndex = lastIndex\r\n    return mapIndexedNotNull { index, value ->\r\n        if ((index == 0 || index == lastIndex) && value.isBlank())\r\n            null\r\n        else\r\n
```

```
    indentCutFunction(value)?.let(indentAddFunction) ?: value\r\n    }\r\n
.joinTo(StringBuilder(resultSizeEstimate),
\"\\n\")\r\n        .toString()\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.text\r\n\r\n/**\r\n * Represents a collection of captured groups
in a single match of a regular expression.\r\n *\r\n * This collection has size of `groupCount + 1` where
`groupCount` is the count of groups in the regular expression.\r\n * Groups are indexed from 1 to `groupCount` and
group with the index 0 corresponds to the entire match.\r\n *\r\n * An element of the collection at the particular
index can be `null`,\r\n * if the corresponding group in the regular expression is optional and\r\n * there was no
match captured by that group.\r\n */\r\npublic interface MatchGroupCollection : Collection<MatchGroup?> {\r\n\r\n
 /** Returns a group with the specified [index].\r\n     *\r\n     * @return
 An instance of [MatchGroup] if the group with the specified [index] was matched or `null` otherwise.\r\n     *\r\n
* Groups are indexed from 1 to the count of groups in the regular expression. A group with the index 0\r\n     *
corresponds to the entire match.\r\n     */\r\n    public operator fun get(index: Int): MatchGroup?\r\n}\r\n\r\n/**\r\n *
Extends [MatchGroupCollection] by introducing a way to get matched groups by name, when regex supports it.\r\n
*/\r\n@SinceKotlin(\"1.1\")\r\npublic interface MatchNamedGroupCollection : MatchGroupCollection {\r\n
/**\r\n     * Returns a named group with the specified [name].\r\n     * @return An instance of [MatchGroup] if the
group with the specified [name] was matched or `null` otherwise.\r\n     * @throws IllegalArgumentException if
there is no group with the specified [name] defined in the regex pattern.\r\n     * @throws
UnsupportedOperationException if getting named groups isn't supported on the current platform.\r\n
 */\r\n    public operator fun get(name: String): MatchGroup?\r\n}\r\n\r\n/**\r\n * Represents the results from a
single regular expression match.\r\n */\r\npublic interface MatchResult {\r\n    /** The range of indices in the
original string where match was captured. */\r\n    public val range: IntRange\r\n    /** The substring from the input
string captured by this match. */\r\n    public val value: String\r\n    /**\r\n     * A collection of groups matched by
the regular expression.\r\n     *\r\n     * This collection has size of `groupCount + 1` where `groupCount` is the count
of groups in the regular expression.\r\n     * Groups are indexed from 1 to `groupCount` and group with the index 0
corresponds to the entire match.\r\n     */\r\n    public val groups: MatchGroupCollection\r\n    /**\r\n     * A list of
matched indexed group values.\r\n     *\r\n     * This list has size of `groupCount + 1` where `groupCount` is the
count of groups in the regular expression.\r\n     * Groups
 are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\r\n     *\r\n     * If
the group in the regular expression is optional and there were no match captured by that group,\r\n     *
corresponding item in [groupValues] is an empty string.\r\n     *\r\n     * @sample
samples.text.Regexps.matchDestructuringToGroupValues\r\n     */\r\n    public val groupValues:
List<String>\r\n\r\n    /**\r\n     * An instance of [MatchResult.Destructured] wrapper providing components for
destructuring assignment of group values.\r\n     *\r\n     * component1 corresponds to the value of the first group,
component2 \u2014 of the second, and so on.\r\n     *\r\n     * @sample
samples.text.Regexps.matchDestructuringToGroupValues\r\n     */\r\n    public val destructured: Destructured get()
= Destructured(this)\r\n\r\n    /** Returns a new [MatchResult] with the results for the next match, starting at the
position\r\n     *  at which the last match ended (at the character
 after the last matched character).\r\n     */\r\n    public fun next(): MatchResult?\r\n\r\n    /**\r\n     * Provides
components for destructuring assignment of group values.\r\n     *\r\n     * [component1] corresponds to the value of
the first group, [component2] \u2014 of the second, and so on.\r\n     *\r\n     * If the group in the regular expression
is optional and there were no match captured by that group,\r\n     * corresponding component value is an empty
string.\r\n     *\r\n     * @sample samples.text.Regexps.matchDestructuringToGroupValues\r\n     */\r\n    public
class Destructured internal constructor(public val match: MatchResult) {\r\n        @kotlin.internal.InlineOnly\r\n
public operator inline fun component1():  String = match.groupValues[1]\r\n        @kotlin.internal.InlineOnly\r\n
public operator inline fun component2():  String = match.groupValues[2]\r\n        @kotlin.internal.InlineOnly\r\n
public operator inline fun component3():
```

String = match.groupValues[3]\r\n @kotlin.internal.InlineOnly\r\n public operator inline fun component4(): String = match.groupValues[4]\r\n @kotlin.internal.InlineOnly\r\n public operator inline fun component5(): String = match.groupValues[5]\r\n @kotlin.internal.InlineOnly\r\n public operator inline fun component6(): String = match.groupValues[6]\r\n @kotlin.internal.InlineOnly\r\n public operator inline fun component7(): String = match.groupValues[7]\r\n @kotlin.internal.InlineOnly\r\n public operator inline fun component8(): String = match.groupValues[8]\r\n @kotlin.internal.InlineOnly\r\n public operator inline fun component9(): String = match.groupValues[9]\r\n @kotlin.internal.InlineOnly\r\n public operator inline fun component10(): String = match.groupValues[10]\r\n\r\n /**\r\n * Returns destructured group values as a list of strings.\r\n * First value in the returned list corresponds to the value of the first group, and so on.\r\n *\r\n * @sample samples.text.Regexps.matchDestructuringToGroupValues\r\n */\r\n public fun toList(): List<String> = match.groupValues.subList(1, match.groupValues.size)\r\n }\r\n}","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.text\r\n\r\n/**\r\n * Defines names for Unicode symbols used in proper Typography.\r\n */\r\npublic object Typography {\r\n /** The character " \u2013 quotation mark */\r\n public const val quote: Char = '\\u0022'\r\n /** The character $ \u2013 dollar sign */\r\n public const val dollar: Char = '\\u0024'\r\n /** The character & \u2013 ampersand */\r\n public const val amp: Char = '\\u0026'\r\n /** The character < \u2013 less-than sign */\r\n public const val less: Char = '\\u003C'\r\n /** The character > \u2013 greater-than sign */\r\n public const val greater: Char = '\\u003E'\r\n /** The non-breaking space character */\r\n public const val nbsp: Char = '\\u00A0'\r\n /** The character × */\r\n public const val times: Char = '\\u00D7'\r\n /** The character ¢ */\r\n public const val cent: Char = '\\u00A2'\r\n /** The character £ */\r\n public const val pound: Char = '\\u00A3'\r\n /** The character § */\r\n public const val section: Char = '\\u00A7'\r\n /** The character © */\r\n public const val copyright: Char = '\\u00A9'\r\n /** The character « */\r\n public const val leftGuillemete: Char = '\\u00AB'\r\n /** The character » */\r\n public const val rightGuillemete: Char = '\\u00BB'\r\n /** The character ® */\r\n public const val registered: Char = '\\u00AE'\r\n /** The character ° */\r\n public const val degree: Char = '\\u00B0'\r\n /** The character ± */\r\n public const val plusMinus: Char = '\\u00B1'\r\n /** The character ¶ */\r\n public const val paragraph: Char = '\\u00B6'\r\n /** The character · */\r\n public const val middleDot: Char = '\\u00B7'\r\n /** The character ½ */\r\n public const val half: Char = '\\u00BD'\r\n /** The character – */\r\n public const val ndash: Char = '\\u2013'\r\n /** The character — */\r\n public const val mdash: Char = '\\u2014'\r\n /** The character ‘ */\r\n public const val leftSingleQuote: Char = '\\u2018'\r\n /** The character ’ */\r\n public const val rightSingleQuote: Char = '\\u2019'\r\n /** The character ‚ */\r\n public const val lowSingleQuote: Char = '\\u201A'\r\n /** The character “ */\r\n public const val leftDoubleQuote: Char = '\\u201C'\r\n /** The character ” */\r\n public const val rightDoubleQuote: Char = '\\u201D'\r\n /** The character „ */\r\n public const val lowDoubleQuote: Char = '\\u201E'\r\n /** The character † */\r\n public const val dagger: Char = '\\u2020'\r\n /** The character ‡ */\r\n public const val doubleDagger: Char = '\\u2021'\r\n /** The character • */\r\n public const val bullet: Char = '\\u2022'\r\n /** The character … */\r\n public const val ellipsis: Char = '\\u2026'\r\n /** The character ′ */\r\n public const val prime: Char = '\\u2032'\r\n /** The character ″ */\r\n public const val doublePrime: Char = '\\u2033'\r\n /** The character € */\r\n public const val euro: Char = '\\u20AC'\r\n /** The character ™ */\r\n public const val tm: Char = '\\u2122'\r\n /** The character ≈ */\r\n public const val almostEqual: Char = '\\u2248'\r\n /** The character ≠ */\r\n public const val notEqual: Char = '\\u2260'\r\n /** The character ≤ */\r\n public const val lessOrEqual: Char = '\\u2264'\r\n /** The character ≥ */\r\n public const val greaterOrEqual: Char = '\\u2265'\r\n}","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0

license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.time\r\n\r\n/**\r\n * A source of time for measuring time intervals.\r\n *\r\n * The only operation provided by the clock is [markNow]. It returns a [ClockMark], which can be used to query the elapsed time later.\r\n *\r\n * @see [measureTime]\r\n * @see [measureTimedValue]\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic interface Clock {\r\n /**\r\n * Marks a time point on this clock.\r\n *\r\n * The returned [ClockMark] instance encapsulates captured time point and allows querying\r\n * the duration of time interval [elapsed][ClockMark.elapsedNow] from that point.\r\n */\r\n public fun markNow(): ClockMark\r\n}\r\n\r\n/**\r\n * Represents a time point notched on a particular [Clock]. Remains bound to the clock it was taken from\r\n * and allows querying for the duration of time elapsed from that point (see the function [elapsedNow]).\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic abstract class ClockMark {\r\n /**\r\n * Returns the amount of time passed from this clock mark on the clock from which this mark was taken.\r\n *\r\n * Note that the value returned by this function can change on subsequent invocations.\r\n */\r\n public abstract fun elapsedNow(): Duration\r\n\r\n /**\r\n * Returns a clock mark on the same clock that is ahead of this clock mark by the specified [duration].\r\n *\r\n * The returned clock mark is more _late_ when the [duration] is positive, and more _early_ when the [duration] is negative.\r\n */\r\n public open operator fun plus(duration: Duration): ClockMark = AdjustedClockMark(this, duration)\r\n\r\n /**\r\n * Returns a clock mark on the same clock that is behind this clock mark by the specified [duration].\r\n *\r\n * The returned clock mark is more _early_ when the [duration] is positive, and more _late_ when the [duration] is negative.\r\n */\r\n public open operator fun minus(duration: Duration): ClockMark = plus(-duration)\r\n\r\n /**\r\n * Returns true if this clock mark has passed according to the clock from which this mark was taken.\r\n *\r\n * Note that the value returned by this function can change on subsequent invocations.\r\n * If the clock is monotonic, it can change only from `false` to `true`, namely, when the clock mark becomes behind the current point of the clock.\r\n */\r\n public fun hasPassedNow(): Boolean = !elapsedNow().isNegative()\r\n\r\n /**\r\n * Returns false if this clock mark has not passed according to the clock from which this mark was taken.\r\n *\r\n * Note that the value returned by this function can change on subsequent invocations.\r\n * If the clock is monotonic, it can change only from `true` to `false`, namely, when the clock mark becomes behind the current point of the clock.\r\n */\r\n public fun hasNotPassedNow(): Boolean = elapsedNow().isNegative()\r\n}\r\n\r\n\r\n\r\n@ExperimentalTime\r\n@SinceKotlin(\"1.3\")\r\n@kotlin.internal.InlineOnly\r\n@Deprecated(\"Subtracting one ClockMark from another is not a well defined operation because these clock marks could have been obtained from the different clocks.\", level = DeprecationLevel.ERROR)\r\npublic inline operator fun ClockMark.minus(other: ClockMark): Duration = throw Error(\"Operation is disallowed.\")\r\n\r\n\r\n@ExperimentalTime\r\n@SinceKotlin(\"1.3\")\r\n@kotlin.internal.InlineOnly\r\n@Deprecated(\"Comparing one ClockMark to another is not a well defined operation because these clock marks could have been obtained from the different clocks.\", level = DeprecationLevel.ERROR)\r\npublic inline operator fun ClockMark.compareTo(other: ClockMark): Int = throw Error(\"Operation is disallowed.\")\r\n\r\n\r\n\r\n@ExperimentalTime\r\nprivate class AdjustedClockMark(val mark: ClockMark, val adjustment: Duration) : ClockMark() {\r\n override fun elapsedNow(): Duration = mark.elapsedNow() - adjustment\r\n\r\n override fun plus(duration: Duration): ClockMark = AdjustedClockMark(mark, adjustment + duration)\r\n}","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.time\r\n\r\n/**\r\n * The most precise clock available in the platform.\r\n *\r\n * The clock returns its readings from a source of monotonic time when it is available in a target platform,\r\n * and resorts to a non-monotonic time source otherwise.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic expect object MonoClock : Clock\r\n\r\n/**\r\n * An abstract class used to implement clocks that return their readings as [Long] values in the specified [unit].\r\n *\r\n * @property unit The unit in which this clock readings are expressed.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic abstract class AbstractLongClock(protected val unit:

DurationUnit) : Clock {\r\n   /**\r\n   * This protected method should be overridden to return the current reading of the clock expressed as a [Long] number\r\n   * in the unit specified by the [unit] property.\r\n   */\r\n protected abstract fun read(): Long\r\n\r\n   private class LongClockMark(private val startedAt: Long, private val clock: AbstractLongClock, private val offset: Duration) : ClockMark() {\r\n   override fun elapsedNow(): Duration = (clock.read() - startedAt).toDuration(clock.unit) - offset\r\n   override fun plus(duration: Duration): ClockMark = LongClockMark(startedAt, clock, offset + duration)\r\n   }\r\n\r\n   override fun markNow(): ClockMark = LongClockMark(read(), this, Duration.ZERO)\r\n}\r\n\r\n\r\n/**\r\n * An abstract class used to implement clocks that return their readings as [Double] values in the specified [unit].\r\n *\r\n * @property unit The unit in which this clock readings are expressed.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic abstract class AbstractDoubleClock(protected val unit: DurationUnit) : Clock {\r\n   /**\r\n   * This protected method should be overridden to return the current reading of the clock expressed as a [Double] number\r\n   * in the unit specified by the [unit] property.\r\n   */\r\n   protected abstract fun read(): Double\r\n\r\n   private class DoubleClockMark(private val startedAt: Double, private val clock: AbstractDoubleClock, private val offset: Duration) : ClockMark() {\r\n   override fun elapsedNow(): Duration = (clock.read() - startedAt).toDuration(clock.unit)
 - offset\r\n   override fun plus(duration: Duration): ClockMark = DoubleClockMark(startedAt, clock, offset + duration)\r\n   }\r\n\r\n   override fun markNow(): ClockMark = DoubleClockMark(read(), this, Duration.ZERO)\r\n}\r\n\r\n\r\n/**\r\n * A clock that has programmatically updatable readings. It is useful as a predictable source of time in tests.\r\n *\r\n * The current clock reading value can be advanced by the specified duration amount with the operator [plusAssign]:\r\n *\r\n * ```\r\n * val clock = TestClock()\r\n * clock += 10.seconds\r\n * ```\r\n *\r\n * Implementation note: the current clock reading value is stored as a [Long] number of nanoseconds,\r\n * thus it's capable to represent a time range of approximately \u00b1292 years.\r\n * Should the reading value overflow as the result of [plusAssign] operation, an [IllegalStateException] is thrown.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic class TestClock : AbstractLongClock(unit = DurationUnit.NANOSECONDS) {\r\n   private var reading: Long = 0L\r\n\r\n   override fun read(): Long = reading\r\n\r\n   /**\r\n   * Advances the current reading value of this clock by the specified [duration].\r\n   *\r\n   * [duration] value is rounded down towards zero when converting it to a [Long] number of nanoseconds.\r\n   * For example, if the duration being added is `0.6.nanoseconds`, the clock reading won't advance because\r\n   * the duration value will be rounded to zero nanoseconds.\r\n   *\r\n   * @throws IllegalStateException when the reading value overflows as the result of this operation.\r\n   */\r\n   public operator fun plusAssign(duration: Duration) {\r\n   val delta = duration.toDouble(unit)\r\n   val longDelta = delta.toLong()\r\n   reading = if (longDelta != Long.MIN_VALUE && longDelta != Long.MAX_VALUE) {\r\n   // when delta fits in long, add it as long\r\n   val newReading = reading + longDelta\r\n
            if (reading xor longDelta >= 0 && reading xor newReading < 0) overflow(duration)\r\n   newReading\r\n   } else {\r\n   // when delta is greater than long, add it as double\r\n   val newReading = reading + delta\r\n   if (newReading > Long.MAX_VALUE || newReading < Long.MIN_VALUE) overflow(duration)\r\n   newReading.toLong()\r\n   }\r\n   }\r\n\r\n   private fun overflow(duration: Duration) {\r\n   throw IllegalStateException(\"TestClock will overflow if its reading ${reading}ns is advanced by $duration.\")\r\n   }\r\n}\r\n\r\n\r\n/*\r\npublic interface WallClock {\r\n   fun currentTimeMilliseconds(): Long\r\n\r\n   companion object : WallClock, AbstractLongClock(unit = DurationUnit.MILLISECONDS) {\r\n   override fun currentTimeMilliseconds(): Long = System.currentTimeMillis()\r\n   override fun read(): Long = System.currentTimeMillis()\r\n   override fun toString(): String = \"WallClock(System.currentTimeMillis())\"\r\n   }\r\n}\r\n*/","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.time\r\n\r\nimport kotlin.math.abs\r\n\r\n@UseExperimental(ExperimentalTime::class)\r\nprivate inline val storageUnit get() = DurationUnit.NANOSECONDS\r\n\r\n/**\r\n * Represents the amount of time one instant of time is away from another instant.\r\n *\r\n * A negative duration is possible in a situation when the second instant is earlier than the

first one.\r\n * An infinite duration value [Duration.INFINITE] can be used to represent infinite timeouts.\r\n *\r\n * To construct a duration use either the extension function [toDuration],\r\n * or the extension properties [hours], [minutes], [seconds], and so on,\r\n * available on [Int], [Long], and [Double] numeric types.\r\n *\r\n * To get the value of this
duration expressed in a particular [duration units][DurationUnit]\r\n * use the functions [toInt], [toLong], and [toDouble]\r\n * or the properties [inHours], [inMinutes], [inSeconds], [inNanoseconds], and so on.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\r\npublic inline class Duration internal constructor(internal val value: Double) : Comparable<Duration> {\r\n// TODO: backend fails on init block, wait for KT-28055\r\n\r\n// init {\r\n// require(_value.isNaN().not())\r\n// }\r\n\r\n companion object {\r\n /** The duration equal to exactly 0 seconds. */\r\n public val ZERO: Duration = Duration(0.0)\r\n\r\n /** The duration whose value is positive infinity. It is useful for representing timeouts that should never expire. */\r\n public val INFINITE: Duration = Duration(Double.POSITIVE_INFINITY)\r\n\r\n /** Converts the given time duration [value] expressed in the specified [sourceUnit] into the specified [targetUnit]. */\r\n public fun convert(value: Double, sourceUnit: DurationUnit, targetUnit: DurationUnit): Double =\r\n convertDurationUnit(value, sourceUnit, targetUnit)\r\n }\r\n\r\n // arithmetic operators\r\n\r\n /** Returns the negative of this value. */\r\n public operator fun unaryMinus(): Duration = Duration(-value)\r\n\r\n /** Returns a duration whose value is the sum of this and [other] duration values. */\r\n public operator fun plus(other: Duration): Duration = Duration(value + other.value)\r\n\r\n /** Returns a duration whose value is the difference between this and [other] duration values. */\r\n public operator fun minus(other: Duration): Duration = Duration(value - other.value)\r\n\r\n /** Returns a duration whose value is this duration value multiplied by the given [scale] number. */\r\n public operator fun times(scale: Int): Duration = Duration(value * scale)\r\n\r\n /** Returns
a duration whose value is this duration value multiplied by the given [scale] number. */\r\n public operator fun times(scale: Double): Duration = Duration(value * scale)\r\n\r\n /** Returns a duration whose value is this duration value divided by the given [scale] number. */\r\n public operator fun div(scale: Int): Duration = Duration(value / scale)\r\n\r\n /** Returns a duration whose value is this duration value divided by the given [scale] number. */\r\n public operator fun div(scale: Double): Duration = Duration(value / scale)\r\n\r\n /** Returns a number that is the ratio of [this] and [other] duration values. */\r\n public operator fun div(other: Duration): Double = this.value / other.value\r\n\r\n /** Returns true, if the duration value is less than zero. */\r\n public fun isNegative(): Boolean = value < 0\r\n\r\n /** Returns true, if the duration value is greater than zero. */\r\n public fun isPositive(): Boolean = value > 0\r\n\r\n /**
Returns true, if the duration value is infinite. */\r\n public fun isInfinite(): Boolean = value.isInfinite()\r\n\r\n /** Returns true, if the duration value is finite. */\r\n public fun isFinite(): Boolean = value.isFinite()\r\n\r\n /** Returns the absolute value of this value. The returned value is always non-negative. */\r\n public val absoluteValue: Duration get() = if (isNegative()) -this else this\r\n\r\n override fun compareTo(other: Duration): Int = this.value.compareTo(other.value)\r\n\r\n\r\n // splitting to components\r\n\r\n /**\r\n * Splits this duration into days, hours, minutes, seconds, and nanoseconds and executes the given [action] with these components.\r\n * The result of [action] is returned as the result of this function.\r\n *\r\n * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\r\n * - `seconds` represents the whole number of seconds in this
duration, and its absolute value is less than 60;\r\n * - `minutes` represents the whole number of minutes in this duration, and its absolute value is less than 60;\r\n * - `hours` represents the whole number of hours in this duration, and its absolute value is less than 24;\r\n * - `days` represents the whole number of days in this duration.\r\n * If the value doesn't fit in [Int] range, i.e. it's greater than [Int.MAX_VALUE] or less than [Int.MIN_VALUE],\r\n * it is coerced into that range.\r\n */\r\n public inline fun <T> toComponents(action: (days: Int, hours: Int, minutes: Int, seconds: Int, nanoseconds: Int) -> T): T =\r\n action(inDays.toInt(), hoursComponent, minutesComponent, secondsComponent, nanosecondsComponent)\r\n\r\n /**\r\n * Splits this duration into hours, minutes, seconds, and nanoseconds and executes the given [action] with these components.\r\n

* The result of [action] is returned as the result of this function.\r\n
*\r\n * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\r\n * - `seconds` represents the whole number of seconds in this duration, and its absolute value is less than 60;\r\n * - `minutes` represents the whole number of minutes in this duration, and its absolute value is less than 60;\r\n * - `hours` represents the whole number of hours in this duration.\r\n * If the value doesn't fit in [Int] range, i.e. it's greater than [Int.MAX_VALUE] or less than [Int.MIN_VALUE],\r\n * it is coerced into that range.\r\n */\r\n public inline fun <T> toComponents(action: (hours: Int, minutes: Int, seconds: Int, nanoseconds: Int) -> T): T =\r\n action(inHours.toInt(), minutesComponent, secondsComponent, nanosecondsComponent)\r\n\r\n /**\r\n * Splits this duration into minutes, seconds, and nanoseconds and executes the given [action] with these components.\r\n * The
result of [action] is returned as the result of this function.\r\n *\r\n * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\r\n * - `seconds` represents the whole number of seconds in this duration, and its absolute value is less than 60;\r\n * - `minutes` represents the whole number of minutes in this duration.\r\n * If the value doesn't fit in [Int] range, i.e. it's greater than [Int.MAX_VALUE] or less than [Int.MIN_VALUE],\r\n * it is coerced into that range.\r\n */\r\n public inline fun <T> toComponents(action: (minutes: Int, seconds: Int, nanoseconds: Int) -> T): T =\r\n action(inMinutes.toInt(), secondsComponent, nanosecondsComponent)\r\n\r\n /**\r\n * Splits this duration into seconds, and nanoseconds and executes the given [action] with these components.\r\n * The result of [action] is returned as the result of this function.\r\n *\r\n *
- `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\r\n * - `seconds` represents the whole number of seconds in this duration.\r\n * If the value doesn't fit in [Long] range, i.e. it's greater than [Long.MAX_VALUE] or less than [Long.MIN_VALUE],\r\n * it is coerced into that range.\r\n */\r\n public inline fun <T> toComponents(action: (seconds: Long, nanoseconds: Int) -> T): T =\r\n action(inSeconds.toLong(), nanosecondsComponent)\r\n\r\n @PublishedApi\r\n internal val hoursComponent: Int get() = (inHours % 24).toInt()\r\n @PublishedApi\r\n internal val minutesComponent: Int get() = (inMinutes % 60).toInt()\r\n @PublishedApi\r\n internal val secondsComponent: Int get() = (inSeconds % 60).toInt()\r\n @PublishedApi\r\n internal val nanosecondsComponent: Int get() = (inNanoseconds % 1e9).toInt()\r\n\r\n\r\n // conversion to units\r\n\r\n /** Returns the
value of this duration expressed as a [Double] number of the specified [unit]. */\r\n public fun toDouble(unit: DurationUnit): Double = convertDurationUnit(value, storageUnit, unit)\r\n\r\n /**\r\n * Returns the value of this duration expressed as a [Long] number of the specified [unit].\r\n *\r\n * If the value doesn't fit in the range of [Long] type, it is coerced into that range, see the conversion [Double.toLong] for details.\r\n */\r\n public fun toLong(unit: DurationUnit): Long = toDouble(unit).toLong()\r\n\r\n /**\r\n * Returns the value of this duration expressed as an [Int] number of the specified [unit].\r\n *\r\n * If the value doesn't fit in the range of [Int] type, it is coerced into that range, see the conversion [Double.toInt] for details.\r\n */\r\n public fun toInt(unit: DurationUnit): Int = toDouble(unit).toInt()\r\n\r\n /** The value of this duration expressed as a [Double] number of days. */\r\n public val inDays:
Double get() = toDouble(DurationUnit.DAYS)\r\n\r\n /** The value of this duration expressed as a [Double] number of hours. */\r\n public val inHours: Double get() = toDouble(DurationUnit.HOURS)\r\n\r\n /** The value of this duration expressed as a [Double] number of minutes. */\r\n public val inMinutes: Double get() = toDouble(DurationUnit.MINUTES)\r\n\r\n /** The value of this duration expressed as a [Double] number of seconds. */\r\n public val inSeconds: Double get() = toDouble(DurationUnit.SECONDS)\r\n\r\n /** The value of this duration expressed as a [Double] number of milliseconds. */\r\n public val inMilliseconds: Double get() = toDouble(DurationUnit.MILLISECONDS)\r\n\r\n /** The value of this duration expressed as a [Double] number of microseconds. */\r\n public val inMicroseconds: Double get() = toDouble(DurationUnit.MICROSECONDS)\r\n\r\n /** The value of this duration expressed as a [Double] number of nanoseconds. */\r\n public val inNanoseconds:

```
Double get() = toDouble(DurationUnit.NANOSECONDS)\r\n\r\n    // shortcuts\r\n\r\n    /**\r\n     * Returns the value of this duration expressed as a [Long] number of nanoseconds.\r\n     *\r\n     * If the value doesn't fit in the range of [Long] type, it is coerced into that range, see the conversion [Double.toLong] for details.\r\n     *\r\n     * The range of durations that can be expressed as a `Long` number of nanoseconds is approximately \u00c2\u00b1292 years.\r\n     */\r\n    public fun toLongNanoseconds(): Long = toLong(DurationUnit.NANOSECONDS)\r\n\r\n    /**\r\n     * Returns the value of this duration expressed as a [Long] number of milliseconds.\r\n     *\r\n     * The value is coerced to the range of [Long] type, if it doesn't fit in that range, see the conversion [Double.toLong] for details.\r\n     *\r\n     * The range of durations that can be expressed as a `Long` number of milliseconds is approximately \u00c2\u00b1292 million years.\r\n     */\r\n    public fun toLongMilliseconds(): Long = toLong(DurationUnit.MILLISECONDS)\r\n\r\n    /**\r\n     * Returns a string representation of this duration value expressed in the unit which yields the most compact and readable number value.\r\n     *\r\n     * Special cases:\r\n     *  - zero duration is formatted as `\"0s\"`\r\n     *  - the infinite duration is formatted as `\"Infinity\"` without unit\r\n     *  - very small durations (less than 1e-15 s) are expressed in seconds and formatted in scientific notation\r\n     *  - very big durations (more than 1e+7 days) are expressed in days and formatted in scientific notation\r\n     *\r\n     * @return the value of duration in the automatically determined unit followed by that unit abbreviated name: `d`, `h`, `m`, `s`, `ms`, `us`, or `ns`.\r\n     *\r\n     * @sample samples.time.Durations.toStringDefault\r\n     */\r\n    override fun toString(): String = when {\r\n        isInfinite() -> value.toString()\r\n        value == 0.0 -> \"0s\"\r\n
    else -> {\r\n            val absNs = absoluteValue.inNanoseconds\r\n            var scientific = false\r\n            var maxDecimals = 0\r\n            val unit = when {\r\n                absNs < 1e-6 -> DurationUnit.SECONDS.also { scientific = true }\r\n                absNs < 1 -> DurationUnit.NANOSECONDS.also { maxDecimals = 7 }\r\n                absNs < 1e3 -> DurationUnit.NANOSECONDS\r\n                absNs < 1e6 -> DurationUnit.MICROSECONDS\r\n                absNs < 1e9 -> DurationUnit.MILLISECONDS\r\n                absNs < 1000e9 -> DurationUnit.SECONDS\r\n                absNs < 60_000e9 -> DurationUnit.MINUTES\r\n                absNs < 3600_000e9 -> DurationUnit.HOURS\r\n                absNs < 86400e9 * 1e7 -> DurationUnit.DAYS\r\n                else -> DurationUnit.DAYS.also { scientific = true }\r\n            }\r\n            val value = toDouble(unit)\r\n            when {\r\n                scientific -> formatScientific(value)\r\n                maxDecimals > 0 -> formatUpToDecimals(value, maxDecimals)\r\n                else -> formatToExactDecimals(value, precision(abs(value)))\r\n            } + unit.shortName()\r\n        }\r\n    }\r\n\r\n    private fun precision(value: Double): Int = when {\r\n        value < 1 -> 3\r\n        value < 10 -> 2\r\n        value < 100 -> 1\r\n        else -> 0\r\n    }\r\n\r\n    /**\r\n     * Returns a string representation of this duration value expressed in the given [unit]\r\n     * and formatted with the specified [decimals] number of digits after decimal point.\r\n     *\r\n     * Special cases:\r\n     *  - the infinite duration is formatted as `\"Infinity\"` without unit\r\n     *\r\n     * @return the value of duration in the specified [unit] followed by that unit abbreviated name: `d`, `h`, `m`, `s`, `ms`, `us`, or `ns`.\r\n     *\r\n     * @throws IllegalArgumentException if [decimals] is less than zero.\r\n     *\r\n     * @sample samples.time.Durations.toStringDecimals\r\n     */\r\n    public fun toString(unit: DurationUnit, decimals: Int = 0): String {\r\n        require(decimals >= 0) { \"decimals must be not negative, but was $decimals\" }\r\n        if (isInfinite()) return value.toString()\r\n        val number = toDouble(unit)\r\n        return when {\r\n            abs(number) < 1e14 -> formatToExactDecimals(number, decimals.coerceAtMost(12))\r\n            else -> formatScientific(number)\r\n        } + unit.shortName()\r\n    }\r\n\r\n\r\n    /**\r\n     * Returns an ISO-8601 based string representation of this duration.\r\n     *\r\n     * The returned value is presented in the format `PThHmMs.fS`, where `h`, `m`, `s` are the integer components of this duration (see [toComponents])\r\n     * and `f` is a fractional part of second. Depending on the roundness of the value the fractional part can be formatted with either\r\n     * 0, 3, 6, or 9 decimal digits.\r\n     *\r\n     * If the hours component absolute value of this duration is greater than [Int.MAX_VAlUE],
    it is replaced with [Int.MAX_VALUE],\r\n     * so the infinite duration is formatted as `\"PT2147483647H\".\r\n     *\r\n     * Negative durations are indicated with the sign `-` in the beginning of the returned string, for example, `\"-PT5M30S\"`.\r\n     *\r\n     * @sample samples.time.Durations.toIsoString\r\n     */\r\n    public fun toIsoString():
```

String = buildString {\r\n if (isNegative()) append('-')\r\n append(\"PT\")\r\n absoluteValue.toComponents { hours, minutes, seconds, nanoseconds ->\r\n val hasHours = hours != 0\r\n val hasSeconds = seconds != 0 || nanoseconds != 0\r\n val hasMinutes = minutes != 0 || (hasSeconds && hasHours)\r\n if (hasHours) {\r\n append(hours).append('H')\r\n }\r\n if (hasMinutes) {\r\n append(minutes).append('M')\r\n }\r\n if (hasSeconds || (!hasHours && !hasMinutes)) {\r\n append(seconds)\r\n if (nanoseconds != 0) {\r\n append('.')\r\n val nss = nanoseconds.toString().padStart(9, '0')\r\n when {\r\n nanoseconds % 1_000_000 == 0 -> append(nss, 0, 3)\r\n nanoseconds % 1_000 == 0 -> append(nss, 0, 6)\r\n else -> append(nss)\r\n }\r\n }\r\n append('S')\r\n }\r\n }\r\n }\r\n\r\n}\r\n\r\n// constructing from number of units\r\n// extension functions\r\n\r\n/** Returns a [Duration] equal to this [Int] number of the specified [unit]. */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic fun Int.toDuration(unit: DurationUnit): Duration = toDouble().toDuration(unit)\r\n\r\n/** Returns a [Duration] equal to this [Long] number of the specified [unit]. */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic fun Long.toDuration(unit: DurationUnit): Duration = toDouble().toDuration(unit)\r\n\r\n/**
Returns a [Duration] equal to this [Double] number of the specified [unit].
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic fun Double.toDuration(unit: DurationUnit): Duration = Duration(convertDurationUnit(this, unit, storageUnit))\r\n\r\n// constructing from number of units\r\n// extension properties\r\n\r\n/** Returns a [Duration] equal to this [Int] number of nanoseconds.
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic val Int.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\r\n\r\n/** Returns a [Duration] equal to this [Long] number of nanoseconds. */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic val Long.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\r\n\r\n/** Returns a [Duration] equal to this [Double] number of nanoseconds. */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic val Double.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\r\n\r\n/** Returns a [Duration] equal to this [Int]
number of microseconds. */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic val Int.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\r\n\r\n/** Returns a [Duration] equal to this [Long] number of microseconds. */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic val Long.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\r\n\r\n/** Returns a [Duration] equal to this [Double] number of microseconds. */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic val Double.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\r\n\r\n/** Returns a [Duration] equal to this [Int] number of milliseconds. */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic val Int.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\r\n\r\n/** Returns a [Duration] equal to this [Long] number of milliseconds. */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic val Long.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\r\n\r\n/** Returns a [Duration]
equal to this [Double] number of milliseconds. */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic val Double.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\r\n\r\n/** Returns a [Duration] equal to this [Int] number of seconds. */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic val Int.seconds get() = toDuration(DurationUnit.SECONDS)\r\n\r\n/** Returns a [Duration] equal to this [Long] number of seconds.
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic val Long.seconds get() = toDuration(DurationUnit.SECONDS)\r\n\r\n/** Returns a [Duration] equal to this [Double] number of seconds.
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic val Double.seconds get() = toDuration(DurationUnit.SECONDS)\r\n\r\n/** Returns a [Duration] equal to this [Int] number of minutes.
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic val Int.minutes get() = toDuration(DurationUnit.MINUTES)\r\n\r\n/** Returns a [Duration] equal to this [Long] number of minutes.
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic val Long.minutes get() = toDuration(DurationUnit.MINUTES)\r\n\r\n/** Returns a [Duration] equal to this [Double] number of minutes.
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic val Double.minutes get() =

toDuration(DurationUnit.MINUTES)\r\n\r\n/** Returns a [Duration] equal to this [Int] number of hours. */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic val Int.hours get() = toDuration(DurationUnit.HOURS)\r\n\r\n/** Returns a [Duration] equal to this [Long] number of hours. */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic val Long.hours get() = toDuration(DurationUnit.HOURS)\r\n\r\n/** Returns a [Duration] equal to this [Double] number of hours. */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic val Double.hours get() = toDuration(DurationUnit.HOURS)\r\n\r\n/** Returns a [Duration] equal to this [Int] number of days. */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic val Int.days get() = toDuration(DurationUnit.DAYS)\r\n\r\n/** Returns a [Duration] equal to this [Long] number of days. */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic val Long.days get() = toDuration(DurationUnit.DAYS)\r\n\r\n/** Returns a [Duration] equal to this [Double] number of days. */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic val Double.days get() = toDuration(DurationUnit.DAYS)\r\n\r\n\r\n/** Returns a duration whose value is the specified [duration] value multiplied by this number. */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun Int.times(duration: Duration): Duration = duration * this\r\n\r\n/** Returns a duration whose value is the specified [duration] value multiplied by this number. */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun Double.times(duration: Duration): Duration = duration * this\r\n\r\n\r\ninternal expect fun formatToExactDecimals(value: Double, decimals: Int): String\r\ninternal expect fun formatUpToDecimals(value: Double, decimals: Int): String\r\ninternal expect fun formatScientific(value: Double): String","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:kotlin.jvm.JvmMultifileClass()\r\n@file:kotlin.jvm.JvmName(\"DurationUnitKt\")\r\n\r\npackage kotlin.time\r\n\r\n\r\n/**\r\n * The list of possible time measurement units, in which a duration can be expressed.\r\n *\r\n * The smallest time unit is [NANOSECONDS] and the largest is [DAYS], which corresponds to exactly 24 [HOURS].\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic expect enum class DurationUnit {\r\n   /**\r\n   * Time unit representing one nanosecond, which is 1/1000 of a microsecond.\r\n   */\r\n   NANOSECONDS,\r\n   /**\r\n   * Time unit representing one microsecond, which is 1/1000 of a millisecond.\r\n   */\r\n   MICROSECONDS,\r\n   /**\r\n   * Time unit representing one millisecond, which is 1/1000 of a second.\r\n   */\r\n   MILLISECONDS,\r\n   /**\r\n   * Time unit representing one second.\r\n   */\r\n   SECONDS,\r\n   /**\r\n   * Time unit representing one minute.\r\n   */\r\n   MINUTES,\r\n   /**\r\n   * Time unit representing one hour.\r\n   */\r\n   HOURS,\r\n   /**\r\n   * Time unit representing one day, which is always equal to 24 hours.\r\n   */\r\n   DAYS;\r\n}\r\n\r\n\r\n/** Converts the given time duration [value] expressed in the specified [sourceUnit] into the specified [targetUnit]. */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\ninternal expect fun convertDurationUnit(value: Double, sourceUnit: DurationUnit, targetUnit: DurationUnit): Double\r\n\r\n\r\n\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\ninternal fun DurationUnit.shortName(): String = when (this) {\r\n   DurationUnit.NANOSECONDS -> \"ns\"\r\n   DurationUnit.MICROSECONDS -> \"us\"\r\n   DurationUnit.MILLISECONDS -> \"ms\"\r\n   DurationUnit.SECONDS -> \"s\"\r\n   DurationUnit.MINUTES -> \"m\"\r\n   DurationUnit.HOURS -> \"h\"\r\n   DurationUnit.DAYS -> \"d\"\r\n}","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.time\r\n\r\nimport kotlin.annotation.AnnotationTarget.*\r\n\r\n/**\r\n * This annotation marks the experimental preview of the standard library API for measuring time and working with durations.\r\n *\r\n * > Note that this API is in a preview state and has a very high chance of being changed in the future.\r\n * Do not use it if you develop a library since

your library will become binary incompatible\r\n * with the future versions of the standard library.\r\n *\r\n * Any usage of
a declaration annotated with `@ExperimentalTime` must be accepted either by\r\n * annotating that usage with the [UseExperimental] annotation, e.g. `@UseExperimental(ExperimentalTime::class)`,\r\n * or by using the compiler argument `-Xuse-experimental=kotlin.time.ExperimentalTime`.\r\n */\r\n@Experimental(level = Experimental.Level.ERROR)\r\n@Retention(AnnotationRetention.BINARY)\r\n@Target(\r\n CLASS,\r\n ANNOTATION_CLASS,\r\n PROPERTY,\r\n FIELD,\r\n LOCAL_VARIABLE,\r\n VALUE_PARAMETER,\r\n CONSTRUCTOR,\r\n FUNCTION,\r\n PROPERTY_GETTER,\r\n PROPERTY_SETTER,\r\n TYPEALIAS\r\n)\r\n@SinceKotlin(\"1.3\")\r\npublic annotation class ExperimentalTime","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.time\r\n\r\nimport kotlin.contracts.*\r\n\r\n/**\r\n * Executes the given
function [block] and returns the duration of elapsed time interval.\r\n *\r\n * The elapsed time is measured with [MonoClock].\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic inline fun measureTime(block: () -> Unit): Duration {\r\n contract {\r\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\r\n }\r\n return MonoClock.measureTime(block)\r\n}\r\n\r\n\r\n/**\r\n * Executes the given function [block] and returns the duration of elapsed time interval.\r\n *\r\n * The elapsed time is measured with the specified `this` [Clock] instance.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic inline fun Clock.measureTime(block: () -> Unit): Duration {\r\n contract {\r\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\r\n }\r\n\r\n val mark = markNow()\r\n block()\r\n return mark.elapsedNow()\r\n}\r\n\r\n\r\n/**\r\n * Data class representing a result of executing an action, along with the duration of elapsed time interval.\r\n
*\r\n * @property value the result of the action.\r\n * @property duration the time elapsed to execute the action.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic data class TimedValue<T>(val value: T, val duration: Duration)\r\n\r\n/**\r\n * Executes the given function [block] and returns an instance of [TimedValue] class, containing both\r\n * the result of the function execution and the duration of elapsed time interval.\r\n *\r\n * The elapsed time is measured with [MonoClock].\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic inline fun <T> measureTimedValue(block: () -> T): TimedValue<T> {\r\n contract {\r\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\r\n }\r\n\r\n return MonoClock.measureTimedValue(block)\r\n}\r\n\r\n/**\r\n * Executes the given [block] and returns an instance of [TimedValue] class, containing both\r\n * the result of function execution and the duration of elapsed time interval.\r\n *\r\n * The elapsed time is
measured with the specified `this` [Clock] instance.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalTime\r\npublic inline fun <T> Clock.measureTimedValue(block: () -> T): TimedValue<T> {\r\n contract {\r\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\r\n }\r\n\r\n val mark = markNow()\r\n val result = block()\r\n return TimedValue(result, mark.elapsedNow())\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin\r\n\r\nimport kotlin.internal.InlineOnly\r\n\r\n\r\n/**\r\n * Returns a hash code value for the object or zero if the object is `null`.\r\n *\r\n * @see Any.hashCode\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@InlineOnly\r\npublic inline fun Any?.hashCode(): Int = this?.hashCode() ?: 0\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin\r\n\r\n/**\r\n * Represents a version of the Kotlin standard library.\r\n *\r\n * [major], [minor] and [patch] are integer components of a version,\r\n * they must be non-negative and not greater than 255 ([MAX_COMPONENT_VALUE]).\r\n *\r\n * @constructor Creates a version from all three components.\r\n */\r\n@SinceKotlin(\"1.1\")\r\npublic class KotlinVersion(val major: Int, val minor: Int, val patch: Int) : Comparable<KotlinVersion> {\r\n /**\r\n * Creates a version from [major] and [minor]

components, leaving [patch] component zero.\r\n */\r\n public constructor(major: Int, minor: Int) : this(major, minor, 0)\r\n\r\n private val version = versionOf(major, minor, patch)\r\n\r\n private fun versionOf(major: Int, minor: Int, patch: Int): Int {\r\n require(major in 0..MAX_COMPONENT_VALUE && minor in 0..MAX_COMPONENT_VALUE
&& patch in 0..MAX_COMPONENT_VALUE) {\r\n \"Version components are out of range: $major.$minor.$patch\"\r\n }\r\n return major.shl(16) + minor.shl(8) + patch\r\n }\r\n\r\n /**\r\n * Returns the string representation of this version\r\n */\r\n override fun toString(): String = \"$major.$minor.$patch\"\r\n\r\n override fun equals(other: Any?): Boolean {\r\n if (this === other) return true\r\n val otherVersion = (other as? KotlinVersion) ?: return false\r\n return this.version == otherVersion.version\r\n }\r\n\r\n override fun hashCode(): Int = version\r\n\r\n override fun compareTo(other: KotlinVersion): Int = version - other.version\r\n\r\n /**\r\n * Returns `true` if this version is not less than the version specified\r\n * with the provided [major] and [minor] components.\r\n */\r\n public fun isAtLeast(major: Int, minor: Int): Boolean = // this.version >= versionOf(major,
minor, 0)\r\n this.major > major || (this.major == major &&\r\n this.minor >= minor)\r\n\r\n /**\r\n * Returns `true` if this version is not less than the version specified\r\n * with the provided [major], [minor] and [patch] components.\r\n */\r\n public fun isAtLeast(major: Int, minor: Int, patch: Int): Boolean = // this.version >= versionOf(major, minor, patch)\r\n this.major > major || (this.major == major &&\r\n (this.minor > minor || this.minor == minor &&\r\n this.patch >= patch))\r\n\r\n companion object {\r\n /**\r\n * Maximum value a version component can have, a constant value 255.\r\n */\r\n // NOTE: Must be placed before CURRENT because its initialization requires this field being initialized in JS\r\n public const val MAX_COMPONENT_VALUE = 255\r\n\r\n /**\r\n * Returns the current version of the Kotlin standard library.\r\n
/\r\n @kotlin.jvm.JvmField\r\n public val CURRENT: KotlinVersion = KotlinVersion(1, 3, 50) // value is written here automatically during build\r\n }\r\n}\r\n","/\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n
*/\r\n\r\n@file:kotlin.jvm.JvmName(\"LateinitKt\")\r\n@file:Suppress(\"unused\")\r\n\r\npackage kotlin\r\n\r\nimport kotlin.internal.InlineOnly\r\nimport kotlin.internal.AccessibleLateinitPropertyLiteral\r\nimport kotlin.reflect.KProperty0\r\n\r\n/**\r\n * Returns `true` if this lateinit property has been assigned a value, and `false` otherwise.\r\n *\r\n * Cannot be used in an inline function, to avoid binary compatibility issues.\r\n */\r\n@SinceKotlin(\"1.2\")\r\n@InlineOnly\r\ninline val @receiver:AccessibleLateinitPropertyLiteral KProperty0<*>.isInitialized: Boolean\r\n get() = throw NotImplementedError(\"Implementation is intrinsic\")\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n
*/\r\n\r\n@file:kotlin.jvm.JvmName(\"LazyKt\")\r\n@file:kotlin.jvm.JvmMultifileClass\r\n\r\npackage kotlin\r\n\r\nimport kotlin.reflect.KProperty\r\n\r\n/**\r\n * Represents a value with lazy initialization.\r\n *\r\n * To create an instance of [Lazy] use the [lazy] function.\r\n */\r\npublic interface Lazy<out T> {\r\n /**\r\n * Gets the lazily initialized value of the current Lazy instance.\r\n * Once the value was initialized it must not change during the rest of lifetime of this Lazy instance.\r\n */\r\n public val value: T\r\n\r\n /**\r\n * Returns `true` if a value for this Lazy instance has been already initialized, and `false` otherwise.\r\n * Once this function has returned `true` it stays
`true` for the rest of lifetime of this Lazy instance.\r\n */\r\n public fun isInitialized(): Boolean\r\n}\r\n\r\n/**\r\n * Creates a new instance of the [Lazy] that is already initialized with the specified [value].\r\n */\r\npublic fun <T> lazyOf(value: T): Lazy<T> = InitializedLazyImpl(value)\r\n\r\n/**\r\n * An extension to delegate a read-only property of type [T] to an instance of [Lazy].\r\n *\r\n * This extension allows to use instances of Lazy for property delegation:\r\n * `val property: String by lazy { initializer }`\r\n */\r\n@kotlin.internal.InlineOnly\r\npublic inline operator fun <T> Lazy<T>.getValue(thisRef: Any?, property:

KProperty<*>): T = value\r\n\r\n/**\r\n * Specifies how a [Lazy] instance synchronizes initialization among multiple threads.\r\n */\r\npublic enum class LazyThreadSafetyMode {\r\n\r\n   /**\r\n   * Locks are used to ensure that only a single thread can initialize the [Lazy] instance.\r\n   */\r\n   SYNCHRONIZED,\r\n\r\n   /**\r\n   * Initializer function can be called several times on concurrent access to uninitialized [Lazy] instance value,\r\n * but only the first returned value will be used as the value of [Lazy] instance.\r\n   */\r\n   PUBLICATION,\r\n\r\n   /**\r\n   * No locks are used to synchronize an access to the [Lazy] instance value; if the instance is accessed from multiple threads, its behavior is undefined.\r\n   *\r\n   * This mode should not be used unless the [Lazy] instance is guaranteed never to be initialized from more than one thread.\r\n   */\r\n   NONE,\r\n}\r\n\r\n\r\ninternal object UNINITIALIZED_VALUE\r\n\r\n// internal to be called from lazy in JS\r\ninternal class UnsafeLazyImpl<out T>(initializer: () -> T) : Lazy<T>, Serializable {\r\n   private var initializer: (() -> T)? = initializer\r\n   private var _value: Any? = UNINITIALIZED_VALUE\r\n\r\n   override val value: T\r\n   get() {\r\n   if (_value === UNINITIALIZED_VALUE) {\r\n   _value = initializer!!()\r\n   initializer = null\r\n   }\r\n   @Suppress(\"UNCHECKED_CAST\")\r\n   return _value as T\r\n   }\r\n\r\n   override fun isInitialized(): Boolean = _value !== UNINITIALIZED_VALUE\r\n\r\n   override fun toString(): String = if (isInitialized()) value.toString() else \"Lazy value not initialized yet.\"\r\n\r\n   private fun writeReplace(): Any = InitializedLazyImpl(value)\r\n}\r\n\r\ninternal class InitializedLazyImpl<out T>(override val value: T) : Lazy<T>, Serializable {\r\n\r\n   override fun isInitialized(): Boolean = true\r\n\r\n   override fun toString(): String = value.toString()\r\n\r\n}\r\n","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:kotlin.jvm.JvmMultifileClass\r\n@file:kotlin.jvm.JvmName(\"NumbersKt\")\r\npackage kotlin\r\n\r\n/**\r\n * Counts the number of set bits in the binary representation of this [Int] number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic expect fun Int.countOneBits(): Int\r\n\r\n/**\r\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Int] number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic expect fun Int.countLeadingZeroBits(): Int\r\n\r\n/**\r\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Int] number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic expect fun Int.countTrailingZeroBits(): Int\r\n\r\n/**\r\n * Returns a number having a single bit set in the position of the most significant set bit of this [Int] number,\r\n * or zero, if this number is zero.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic expect fun Int.takeHighestOneBit(): Int\r\n\r\n/**\r\n * Returns a number having a single bit set in the position of the least significant set bit of this [Int] number,\r\n * or zero, if this number is zero.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic expect fun Int.takeLowestOneBit(): Int\r\n\r\n/**\r\n * Rotates the binary representation of this [Int] number left by the specified [bitCount] number of bits.\r\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\r\n *\r\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\r\n * `number.rotateLeft(-n) == number.rotateRight(n)`\r\n *\r\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\r\n * `number.rotateLeft(n) == number.rotateLeft(n % 32)`\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic expect fun Int.rotateLeft(bitCount: Int): Int\r\n\r\n\r\n\r\n/**\r\n * Rotates the binary representation of this [Int] number right by the specified [bitCount] number of bits.\r\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\r\n *\r\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\r\n * `number.rotateRight(-n) == number.rotateLeft(n)`\r\n *\r\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\r\n * `number.rotateRight(n) == number.rotateRight(n % 32)`\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic expect fun Int.rotateRight(bitCount: Int):

Int\r\n\r\n\r\n/**\r\n * Counts the number of set bits in the binary representation of this [Long] number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic expect fun Long.countOneBits(): Int\r\n\r\n\r\n/**\r\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Long] number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic expect fun Long.countLeadingZeroBits(): Int\r\n\r\n\r\n/**\r\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Long] number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic expect fun Long.countTrailingZeroBits(): Int\r\n\r\n\r\n/**\r\n * Returns a number having a single bit set in the position of the most significant set bit of this [Long] number,\r\n * or zero, if this number is zero.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic expect fun Long.takeHighestOneBit(): Long\r\n\r\n\r\n/**\r\n * Returns a number having a single bit set in the position of the least significant set bit of this [Long] number,\r\n * or zero, if this number is zero.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic expect fun Long.takeLowestOneBit(): Long\r\n\r\n\r\n/**\r\n * Rotates the binary representation of this [Long] number left by the specified [bitCount] number of bits.\r\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\r\n *\r\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\r\n * `number.rotateLeft(-n) == number.rotateRight(n)`\r\n *\r\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\r\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic expect fun Long.rotateLeft(bitCount: Int): Long\r\n\r\n\r\n/**\r\n * Rotates the binary representation of this [Long] number right by the specified [bitCount] number of bits.\r\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\r\n *\r\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\r\n * `number.rotateRight(-n) == number.rotateLeft(n)`\r\n *\r\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\r\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic expect fun Long.rotateRight(bitCount: Int): Long\r\n\r\n\r\n/**\r\n * Counts the number of set bits in the binary representation of this [Byte] number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Byte.countOneBits(): Int = (toInt() and 0xFF).countOneBits()\r\n\r\n\r\n/**\r\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Byte] number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Byte.countLeadingZeroBits(): Int = (toInt() and 0xFF).countLeadingZeroBits() - (Int.SIZE_BITS - Byte.SIZE_BITS)\r\n\r\n\r\n/**\r\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Byte] number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Byte.countTrailingZeroBits(): Int = (toInt() or 0x100).countTrailingZeroBits()\r\n\r\n\r\n/**\r\n * Returns a number having a single bit set in the position of the most significant set bit of this [Byte] number,\r\n * or zero, if this number is zero.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Byte.takeHighestOneBit(): Byte = (toInt() and 0xFF).takeHighestOneBit().toByte()\r\n\r\n\r\n/**\r\n * Returns a number having a single bit set in the position of the least significant set bit of this [Byte] number,\r\n * or zero, if this number is zero.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Byte.takeLowestOneBit(): Byte = toInt().takeLowestOneBit().toByte()\r\n\r\n\r\n\r\n/**\r\n * Rotates the binary representation of this [Byte] number left by the specified [bitCount] number of bits.\r\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right

side.\r\n *\r\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\r\n * `number.rotateLeft(-n) == number.rotateRight(n)`\r\n *\r\n * Rotating by a multiple of [Byte.SIZE_BITS] (8) returns the same number, or more generally\r\n * `number.rotateLeft(n) == number.rotateLeft(n % 8)`\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic fun Byte.rotateLeft(bitCount: Int): Byte =\r\n   (toInt().shl(bitCount and 7) or (toInt() and 0xFF).ushr(8 - (bitCount and 7))).toByte()\r\n\r\n/**\r\n * Rotates the binary representation of this [Byte] number right by the specified [bitCount] number of bits.\r\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\r\n *\r\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\r\n * `number.rotateRight(-n) == number.rotateLeft(n)`\r\n *\r\n * Rotating by a multiple of [Byte.SIZE_BITS] (8) returns the same number, or more generally\r\n * `number.rotateRight(n) == number.rotateRight(n % 8)`\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic fun Byte.rotateRight(bitCount: Int): Byte =\r\n   (toInt().shl(8 - (bitCount and 7)) or (toInt() and 0xFF).ushr(bitCount and 7)).toByte()\r\n\r\n/**\r\n * Counts the number of set bits in the binary representation of this [Short] number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Short.countOneBits(): Int = (toInt() and 0xFFFF).countOneBits()\r\n\r\n/**\r\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Short] number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Short.countLeadingZeroBits(): Int =\r\n   (toInt() and 0xFFFF).countLeadingZeroBits() - (Int.SIZE_BITS - Short.SIZE_BITS)\r\n\r\n/**\r\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Short] number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Short.countTrailingZeroBits(): Int = (toInt() or 0x10000).countTrailingZeroBits()\r\n\r\n/**\r\n * Returns a number having a single bit set in the position of the most significant set bit of this [Short] number,\r\n * or zero, if this number is zero.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Short.takeHighestOneBit(): Short = (toInt() and 0xFFFF).takeHighestOneBit().toShort()\r\n\r\n/**\r\n * Returns a number having a single bit set in the position of the least significant set bit of this [Short] number,\r\n * or zero, if this number is zero.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@kotlin.internal.InlineOnly\r\npublic inline fun Short.takeLowestOneBit(): Short = toInt().takeLowestOneBit().toShort()\r\n\r\n/**\r\n * Rotates the binary representation of this [Short] number left by the specified [bitCount] number of bits.\r\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\r\n *\r\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\r\n * `number.rotateLeft(-n) == number.rotateRight(n)`\r\n *\r\n * Rotating by a multiple of [Short.SIZE_BITS] (16) returns the same number, or more generally\r\n * `number.rotateLeft(n) == number.rotateLeft(n % 16)`\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic fun Short.rotateLeft(bitCount: Int): Short =\r\n   (toInt().shl(bitCount and 15) or (toInt() and 0xFFFF).ushr(16 - (bitCount and 15))).toShort()\r\n\r\n/**\r\n * Rotates the binary representation of this [Short] number right by the specified [bitCount] number of bits.\r\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\r\n *\r\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\r\n * `number.rotateRight(-n) == number.rotateLeft(n)`\r\n *\r\n * Rotating by a multiple of [Short.SIZE_BITS] (16) returns the same number, or more generally\r\n * `number.rotateRight(n) == number.rotateRight(n % 16)`\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\npublic fun Short.rotateRight(bitCount: Int): Short =\r\n   (toInt().shl(16 - (bitCount and 15)) or (toInt() and 0xFFFF).ushr(bitCount and 15)).toShort()\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n

* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin\r\nimport kotlin.internal.RequireKotlin\r\nimport kotlin.internal.RequireKotlinVersionKind\r\n\r\n@kotlin.internal.InlineOnly\r\n@SinceKotlin(\"1.2\")\r\n@Suppress(\"INVISIBLE_MEMBER\", \"INVISIBLE_REFERENCE\")\r\n@RequireKotlin(\"1.2.30\", level = DeprecationLevel.HIDDEN, versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\r\npublic inline fun <R> suspend(noinline block: suspend () -> R): suspend () -> R = block\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:kotlin.jvm.JvmName(\"TuplesKt\")\r\n\r\npackage kotlin\r\n\r\n/**\r\n * Represents a generic pair of two values.\r\n *\r\n * There is no meaning attached to values in this class, it can be used for any purpose.\r\n * Pair exhibits value semantics, i.e. two pairs are equal if both components are equal.\r\n *\r\n * An example of decomposing it into values:\r\n * @sample samples.misc.Tuples.pairDestructuring\r\n *\r\n * @param A type of the first value.\r\n * @param B type of the second value.\r\n * @property first First value.\r\n * @property second Second value.\r\n * @constructor Creates a new instance of Pair.\r\n */\r\npublic data class Pair<out A, out B>(\r\n   public val first: A,\r\n   public val second: B\r\n) : Serializable {\r\n\r\n   /**\r\n   * Returns string representation of the [Pair] including its [first] and [second] values.\r\n   */\r\n   public override fun toString(): String = \"($first, $second)\"\r\n}\r\n\r\n/**\r\n * Creates a tuple of type [Pair] from this and [that].\r\n *\r\n * This can be useful for creating [Map] literals with less noise, for example:\r\n * @sample samples.collections.Maps.Instantiation.mapFromPairs\r\n */\r\npublic infix fun <A, B> A.to(that: B): Pair<A, B> = Pair(this, that)\r\n\r\n/**\r\n * Converts this pair into a list.\r\n * @sample samples.misc.Tuples.pairToList\r\n */\r\npublic fun <T> Pair<T, T>.toList(): List<T> = listOf(first, second)\r\n\r\n/**\r\n * Represents a triad of values\r\n *\r\n * There is no meaning attached to values in this class, it can be used for any purpose.\r\n * Triple exhibits value semantics, i.e. two triples are equal if all three components are equal.\r\n * An example of decomposing it into values:\r\n * @sample samples.misc.Tuples.tripleDestructuring\r\n *\r\n * @param A type of the first value.\r\n * @param B type of the second value.\r\n * @param C type of the third value.\r\n * @property first First value.\r\n * @property second Second value.\r\n * @property third Third value.\r\n */\r\npublic data class Triple<out A, out B, out C>(\r\n   public val first: A,\r\n   public val second: B,\r\n   public val third: C\r\n) : Serializable {\r\n\r\n   /**\r\n   * Returns string representation of the [Triple] including its [first], [second] and [third] values.\r\n   */\r\n   public override fun toString(): String = \"($first, $second, $third)\"\r\n}\r\n\r\n/**\r\n * Converts this triple into a list.\r\n * @sample samples.misc.Tuples.tripleToList\r\n */\r\npublic fun <T> Triple<T, T, T>.toList(): List<T> = listOf(first, second, third)\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\r\npackage kotlin\r\n\r\nimport kotlin.annotation.AnnotationTarget.*\r\nimport kotlin.internal.RequireKotlin\r\nimport kotlin.internal.RequireKotlinVersionKind\r\n\r\n/**\r\n * Marks the API that is dependent on the experimental unsigned types, including those types themselves.\r\n *\r\n * Usages of such API will be reported as warnings unless an explicit opt-in with\r\n * the [UseExperimental] annotation, e.g. `@UseExperimental(ExperimentalUnsignedTypes::class)`,\r\n * or with the `-Xuse-experimental=kotlin.ExperimentalUnsignedTypes` compiler option is given.\r\n *\r\n * It's recommended to propagate the experimental status to the API that depends on unsigned types by annotating it with this annotation.\r\n */\r\n@Experimental(level = Experimental.Level.WARNING)\r\n@MustBeDocumented\r\n@Target(CLASS, ANNOTATION_CLASS, PROPERTY, FIELD, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY_GETTER, PROPERTY_SETTER, TYPEALIAS)\r\n@Retention(AnnotationRetention.BINARY)\r\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\r\npublic annotation class

ExperimentalUnsignedTypes\r\n","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt
file.\r\n */\r\n\r\n// Auto-generated file. DO NOT EDIT!\r\n\r\npackage kotlin.ranges\r\n\r\n\r\n\r\nimport kotlin.internal.*\r\n\r\n/**\r\n * A range of values of type `UInt`.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic class UIntRange(start: UInt, endInclusive: UInt) : UIntProgression(start, endInclusive, 1), ClosedRange<UInt> {\r\n override val start: UInt get() = first\r\n override val endInclusive: UInt get() = last\r\n\r\n override fun contains(value: UInt): Boolean = first <= value && value <= last\r\n\r\n override fun isEmpty(): Boolean = first > last\r\n\r\n override fun equals(other: Any?): Boolean =\r\n other is UIntRange && (isEmpty() && other.isEmpty() ||\r\n first == other.first && last == other.last)\r\n\r\n override fun hashCode(): Int =\r\n if (isEmpty()) -1 else (31 * first.toInt() + last.toInt())\r\n\r\n override fun toString(): String = \"$first..$last\"\r\n\r\n companion
object {\r\n /** An empty range of values of type UInt. */\r\n public val EMPTY: UIntRange = UIntRange(UInt.MAX_VALUE, UInt.MIN_VALUE)\r\n }\r\n}\r\n\r\n/**\r\n * A progression of values of type `UInt`.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic open class UIntProgression\r\ninternal constructor(\r\n start: UInt,\r\n endInclusive: UInt,\r\n step: Int\r\n) : Iterable<UInt> {\r\n init {\r\n if (step == 0.toInt()) throw kotlin.IllegalArgumentException(\"Step must be non-zero.\")\r\n if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater than Int.MIN_VALUE to avoid overflow on negation.\")\r\n }\r\n\r\n /**\r\n * The first element in the progression.\r\n */\r\n public val first: UInt = start\r\n\r\n /**\r\n * The last element in the progression.\r\n */\r\n public val last: UInt = getProgressionLastElement(start, endInclusive, step)\r\n\r\n /**\r\n
* The step of the progression.\r\n */\r\n public val step: Int = step\r\n\r\n override fun iterator(): UIntIterator = UIntProgressionIterator(first, last, step)\r\n\r\n /** Checks if the progression is empty. */\r\n public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\r\n\r\n override fun equals(other: Any?): Boolean =\r\n other is UIntProgression && (isEmpty() && other.isEmpty() ||\r\n first == other.first && last == other.last && step == other.step)\r\n\r\n override fun hashCode(): Int =\r\n if (isEmpty()) -1 else (31 * (31 * first.toInt() + last.toInt()) + step.toInt())\r\n\r\n override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\r\n\r\n companion object {\r\n /**\r\n * Creates UIntProgression within the specified bounds of a closed range.\r\n\r\n * The progression starts with the [rangeStart] value and goes
toward the [rangeEnd] value not excluding it, with the specified [step].\r\n * In order to go backwards the [step] must be negative.\r\n *\r\n * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\r\n */\r\n public fun fromClosedRange(rangeStart: UInt, rangeEnd: UInt, step: Int): UIntProgression = UIntProgression(rangeStart, rangeEnd, step)\r\n }\r\n}\r\n\r\n\r\n/**\r\n * An iterator over a progression of values of type `UInt`.\r\n * @property step the number by which the value is incremented on each step.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\nprivate class UIntProgressionIterator(first: UInt, last: UInt, step: Int) : UIntIterator() {\r\n private val finalElement = last\r\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\r\n private val step = step.toUInt() // use 2-complement math for negative steps\r\n private var next = if (hasNext) first else finalElement\r\n\r\n
override fun hasNext(): Boolean = hasNext\r\n\r\n override fun nextUInt(): UInt {\r\n val value = next\r\n if (value == finalElement) {\r\n if (!hasNext) throw kotlin.NoSuchElementException()\r\n hasNext = false\r\n } else {\r\n next += step\r\n }\r\n return value\r\n }\r\n}\r\n\r\n\r\n","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// Auto-generated file. DO NOT EDIT!\r\n\r\npackage kotlin.collections\r\n\r\n/** An iterator over a sequence of values of type `UByte`. */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic abstract class UByteIterator : Iterator<UByte> {\r\n override final fun next() = nextUByte()\r\n\r\n /** Returns the next value in the sequence without boxing. */\r\n public abstract fun nextUByte():

UByte\r\n}\r\n\r\n/** An iterator over a sequence of values of type `UShort`.
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic abstract class UShortIterator : Iterator<UShort> {\r\n override final fun next() = nextUShort()\r\n\r\n /** Returns the next value in the sequence without boxing. */\r\n public abstract fun nextUShort(): UShort\r\n}\r\n\r\n/** An iterator over a sequence of values of type `UInt`. */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic abstract class UIntIterator : Iterator<UInt> {\r\n override final fun next() = nextUInt()\r\n\r\n /** Returns the next value in the sequence without boxing. */\r\n public abstract fun nextUInt(): UInt\r\n}\r\n\r\n/** An iterator over a sequence of values of type `ULong`. */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic abstract class ULongIterator : Iterator<ULong> {\r\n override final fun next() = nextULong()\r\n\r\n /** Returns the next value in
the sequence without boxing. */\r\n public abstract fun nextULong(): ULong\r\n}\r\n\r\n","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n// Auto-generated file. DO NOT EDIT!\r\n\r\npackage kotlin.ranges\r\n\r\n\r\n\r\nimport kotlin.internal.*\r\n\r\n/**\r\n * A range of values of type `ULong`.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic class ULongRange(start: ULong, endInclusive: ULong) : ULongProgression(start, endInclusive, 1), ClosedRange<ULong> {\r\n override val start: ULong get() = first\r\n override val endInclusive: ULong get() = last\r\n\r\n override fun contains(value: ULong): Boolean = first <= value && value <= last\r\n\r\n override fun isEmpty(): Boolean = first > last\r\n\r\n override fun equals(other: Any?): Boolean =\r\n other is ULongRange && (isEmpty() && other.isEmpty() ||\r\n first == other.first && last == other.last)\r\n\r\n override fun hashCode(): Int =\r\n if (isEmpty()) -1 else (31 * (first xor (first shr 32)).toInt() + (last xor (last shr 32)).toInt())\r\n\r\n override fun toString(): String = \"$first..$last\"\r\n\r\n companion object {\r\n /** An empty range of values of type ULong. */\r\n public val EMPTY: ULongRange = ULongRange(ULong.MAX_VALUE, ULong.MIN_VALUE)\r\n }\r\n}\r\n\r\n/**\r\n * A progression of values of type `ULong`.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic open class ULongProgression\r\ninternal constructor(\r\n start: ULong,\r\n endInclusive: ULong,\r\n step: Long\r\n) : Iterable<ULong> {\r\n init {\r\n if (step == 0.toLong()) throw kotlin.IllegalArgumentException(\"Step must be non-zero.\")\r\n if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater than Long.MIN_VALUE
to avoid overflow on negation.\")\r\n }\r\n\r\n /**\r\n * The first element in the progression.\r\n */\r\n public val first: ULong = start\r\n\r\n /**\r\n * The last element in the progression.\r\n */\r\n public val last: ULong = getProgressionLastElement(start, endInclusive, step)\r\n\r\n /**\r\n * The step of the progression.\r\n */\r\n public val step: Long = step\r\n\r\n override fun iterator(): ULongIterator = ULongProgressionIterator(first, last, step)\r\n\r\n /** Checks if the progression is empty. */\r\n public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\r\n\r\n override fun equals(other: Any?): Boolean =\r\n other is ULongProgression && (isEmpty() && other.isEmpty() ||\r\n first == other.first && last == other.last && step == other.step)\r\n\r\n override fun hashCode(): Int =\r\n if (isEmpty()) -1 else (31 * (31 * (first xor (first shr 32)).toInt()
+ (last xor (last shr 32)).toInt()) + (step xor (step ushr 32)).toInt())\r\n\r\n override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\r\n\r\n companion object {\r\n /**\r\n * Creates ULongProgression within the specified bounds of a closed range.\r\n\r\n * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\r\n * In order to go backwards the [step] must be negative.\r\n *\r\n * [step] must be greater than `Long.MIN_VALUE` and not equal to zero.\r\n */\r\n public fun fromClosedRange(rangeStart: ULong, rangeEnd: ULong, step: Long): ULongProgression = ULongProgression(rangeStart, rangeEnd, step)\r\n }\r\n}\r\n\r\n\r\n/**\r\n * An iterator over a progression of values of type `ULong`.\r\n * @property step the number by which the value is incremented on each step.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\nprivate

class ULongProgressionIterator(first: ULong, last: ULong, step: Long) : ULongIterator() {\r\n   private val finalElement = last\r\n   private var hasNext: Boolean = if (step > 0) first <= last else first >= last\r\n   private val step = step.toULong() // use 2-complement math for negative steps\r\n   private var next = if (hasNext) first else finalElement\r\n\r\n   override fun hasNext(): Boolean = hasNext\r\n\r\n   override fun nextULong(): ULong {\r\n   val value = next\r\n   if (value == finalElement) {\r\n   if (!hasNext) throw kotlin.NoSuchElementException()\r\n   hasNext = false\r\n   } else {\r\n   next += step\r\n   }\r\n   return value\r\n   }\r\n}\r\n\r\n","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\npackage kotlin.math\r\n\r\n/**\r\n * Returns the smaller of two values.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun min(a: UInt, b: UInt): UInt {\r\n   return minOf(a, b)\r\n}\r\n\r\n/**\r\n * Returns the smaller of two values.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun min(a: ULong, b: ULong): ULong {\r\n   return minOf(a, b)\r\n}\r\n\r\n/**\r\n * Returns the greater of two values.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun max(a: UInt, b: UInt): UInt {\r\n   return maxOf(a, b)\r\n}\r\n\r\n/**\r\n * Returns the greater of two values.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun max(a: ULong, b: ULong): ULong {\r\n   return maxOf(a, b)\r\n}","/*\r\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:kotlin.jvm.JvmName(\"UNumbersKt\")\r\npackage kotlin\r\n\r\n/**\r\n * Counts the number of set bits in the binary representation of this [UInt] number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun UInt.countOneBits(): Int = toInt().countOneBits()\r\n\r\n/**\r\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [UInt] number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun UInt.countLeadingZeroBits(): Int = toInt().countLeadingZeroBits()\r\n\r\n/**\r\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [UInt] number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun UInt.countTrailingZeroBits(): Int = toInt().countTrailingZeroBits()\r\n\r\n/**\r\n * Returns a number having a single bit set in the position of the most significant set bit of this [UInt] number,\r\n * or zero, if this number is zero.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun UInt.takeHighestOneBit(): UInt = toInt().takeHighestOneBit().toUInt()\r\n\r\n/**\r\n * Returns a number having a single bit set in the position of the least significant set bit of this [UInt] number,\r\n * or zero, if this number is zero.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun UInt.takeLowestOneBit(): UInt = toInt().takeLowestOneBit().toUInt()\r\n\r\n/**\r\n * Rotates the binary representation of this [UInt] number left by the specified [bitCount] number of bits.\r\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\r\n *\r\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\r\n * `number.rotateLeft(-n) == number.rotateRight(n)`\r\n *\r\n * Rotating by a multiple of [UInt.SIZE_BITS] (32) returns the same number, or more generally\r\n * `number.rotateLeft(n) == number.rotateLeft(n % 32)`\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun UInt.rotateLeft(bitCount: Int): UInt =

toInt().rotateLeft(bitCount).toUInt()\r\n\r\n\r\n/**\r\n * Rotates the binary representation of this [UInt] number right by the specified [bitCount] number of bits.\r\n * The least significant bits pushed out from the right side reenter the number as the
most significant bits on the left side.\r\n *\r\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\r\n * `number.rotateRight(-n) == number.rotateLeft(n)`\r\n *\r\n * Rotating by a multiple of [UInt.SIZE_BITS] (32) returns the same number, or more generally\r\n * `number.rotateRight(n) == number.rotateRight(n % 32)`\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun UInt.rotateRight(bitCount: Int): UInt =
toInt().rotateRight(bitCount).toUInt()\r\n\r\n\r\n/**\r\n * Counts the number of set bits in the binary representation of this [ULong] number.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ULong.countOneBits(): Int = toLong().countOneBits()\r\n\r\n/**\r\n * Counts the number of consecutive most significant bits that are zero in the binary representation
of this [ULong] number.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ULong.countLeadingZeroBits(): Int = toLong().countLeadingZeroBits()\r\n\r\n/**\r\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [ULong] number.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ULong.countTrailingZeroBits(): Int = toLong().countTrailingZeroBits()\r\n\r\n/**\r\n * Returns a number having a single bit set in the position of the most significant set bit of this [ULong] number,\r\n * or zero, if this number is zero.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ULong.takeHighestOneBit(): ULong =
toLong().takeHighestOneBit().toULong()\r\n\r\n/**\r\n * Returns
a number having a single bit set in the position of the least significant set bit of this [ULong] number,\r\n * or zero, if this number is zero.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ULong.takeLowestOneBit(): ULong =
toLong().takeLowestOneBit().toULong()\r\n\r\n/**\r\n * Rotates the binary representation of this [ULong] number left by the specified [bitCount] number of bits.\r\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\r\n *\r\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\r\n * `number.rotateLeft(-n) == number.rotateRight(n)`\r\n *\r\n * Rotating by a multiple of [ULong.SIZE_BITS] (64) returns the same number, or more generally\r\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic
inline fun ULong.rotateLeft(bitCount: Int): ULong = toLong().rotateLeft(bitCount).toULong()\r\n\r\n/**\r\n * Rotates the binary representation of this [ULong] number right by the specified [bitCount] number of bits.\r\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\r\n *\r\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\r\n * `number.rotateRight(-n) == number.rotateLeft(n)`\r\n *\r\n * Rotating by a multiple of [ULong.SIZE_BITS] (64) returns the same number, or more generally\r\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun ULong.rotateRight(bitCount: Int): ULong =
toLong().rotateRight(bitCount).toULong()\r\n\r\n/**\r\n

 * Counts the number of set bits in the binary representation of this [UByte] number.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun UByte.countOneBits(): Int = toUInt().countOneBits()\r\n\r\n/**\r\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [UByte] number.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun UByte.countLeadingZeroBits(): Int = toByte().countLeadingZeroBits()\r\n\r\n/**\r\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [UByte] number.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun UByte.countTrailingZeroBits(): Int = toByte().countTrailingZeroBits()\r\n\r\n/**\r\n * Returns a
 number having a single bit set in the position of the most significant set bit of this [UByte] number,\r\n * or zero, if this number is zero.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun UByte.takeHighestOneBit(): UByte =
toInt().takeHighestOneBit().toUByte()\r\n\r\n/**\r\n * Returns a number having a single bit set in the position of the least significant set bit of this [UByte] number,\r\n * or zero, if this number is zero.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun UByte.takeLowestOneBit(): UByte =
toInt().takeLowestOneBit().toUByte()\r\n\r\n/**\r\n * Rotates the binary representation of this [UByte] number left by the specified [bitCount] number of bits.\r\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\r\n *\r\n
 * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\r\n * `number.rotateLeft(-n) == number.rotateRight(n)`\r\n *\r\n * Rotating by a multiple of [UByte.SIZE_BITS] (8) returns the same number, or more generally\r\n * `number.rotateLeft(n) == number.rotateLeft(n % 8)`\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun UByte.rotateLeft(bitCount: Int): UByte =
toByte().rotateLeft(bitCount).toUByte()\r\n\r\n/**\r\n * Rotates the binary representation of this [UByte] number right by the specified [bitCount] number of bits.\r\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\r\n *\r\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\r\n * `number.rotateRight(-n) == number.rotateLeft(n)`\r\n *\r\n * Rotating
 by a multiple of [UByte.SIZE_BITS] (8) returns the same number, or more generally\r\n * `number.rotateRight(n) == number.rotateRight(n % 8)`\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun UByte.rotateRight(bitCount: Int): UByte =
toByte().rotateRight(bitCount).toUByte()\r\n\r\n/**\r\n * Counts the number of set bits in the binary representation of this [UShort] number.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun UShort.countOneBits(): Int = toUInt().countOneBits()\r\n\r\n/**\r\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [UShort] number.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun UShort.countLeadingZeroBits(): Int = toShort().countLeadingZeroBits()\r\n\r\n/**\r\n
 * Counts the number of consecutive least significant bits that are zero in the binary representation of this [UShort] number.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun UShort.countTrailingZeroBits(): Int = toShort().countTrailingZeroBits()\r\n\r\n/**\r\n * Returns a number having a single bit set in the position of the most significant set bit of this [UShort] number,\r\n *

or zero, if this number is zero.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun UShort.takeHighestOneBit(): UShort = toInt().takeHighestOneBit().toUShort()\r\n\r\n/**\r\n * Returns a number having a single bit set in the position of the least significant set bit of this [UShort] number,\r\n * or zero, if this number is zero.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic
inline fun UShort.takeLowestOneBit(): UShort = toInt().takeLowestOneBit().toUShort()\r\n\r\n\r\n/**\r\n * Rotates the binary representation of this [UShort] number left by the specified [bitCount] number of bits.\r\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\r\n *\r\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\r\n * `number.rotateLeft(-n) == number.rotateRight(n)`\r\n *\r\n * Rotating by a multiple of [UShort.SIZE_BITS] (16) returns the same number, or more generally\r\n * `number.rotateLeft(n) == number.rotateLeft(n % 16)`\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun UShort.rotateLeft(bitCount: Int): UShort = toShort().rotateLeft(bitCount).toUShort()\r\n\r\n/**\r\n * Rotates the binary representation
of this [UShort] number right by the specified [bitCount] number of bits.\r\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\r\n *\r\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\r\n * `number.rotateRight(-n) == number.rotateLeft(n)`\r\n *\r\n * Rotating by a multiple of [UShort.SIZE_BITS] (16) returns the same number, or more generally\r\n * `number.rotateRight(n) == number.rotateRight(n % 16)`\r\n
/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalStdlibApi\r\n@ExperimentalUnsignedTypes\r\n@kotlin.internal.InlineOnly\r\npublic inline fun UShort.rotateRight(bitCount: Int): UShort = toShort().rotateRight(bitCount).toUShort()\r\n","/\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n
*/\r\n\r\n@file:UseExperimental(ExperimentalUnsignedTypes::class)\r\npackage
kotlin.internal\r\n\r\n// (a - b) mod c\r\nprivate fun differenceModulo(a: UInt, b: UInt, c: UInt): UInt {\r\n   val ac = a % c\r\n   val bc = b % c\r\n   return if (ac >= bc) ac - bc else ac - bc + c\r\n}\r\n\r\nprivate fun differenceModulo(a: ULong, b: ULong, c: ULong): ULong {\r\n   val ac = a % c\r\n   val bc = b % c\r\n   return if (ac >= bc) ac - bc else ac - bc + c\r\n}\r\n\r\n/**\r\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\r\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\r\n * [step].\r\n *\r\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\r\n *\r\n * - either `step > 0` and `start <= end`,\r\n * - or `step < 0` and `start >= end`.\r\n *\r\n * @param start first element of the progression\r\n * @param
end ending bound for the progression\r\n * @param step increment, or difference of successive elements in the progression\r\n * @return the final element of the progression\r\n * @suppress\r\n
*/\r\n@PublishedApi\r\n@SinceKotlin(\"1.3\")\r\ninternal fun getProgressionLastElement(start: UInt, end: UInt, step: Int): UInt = when {\r\n   step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step.toUInt())\r\n   step < 0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toUInt())\r\n   else -> throw kotlin.IllegalArgumentException(\"Step is zero.\")\r\n}\r\n\r\n\r\n/**\r\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\r\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\r\n * [step].\r\n *\r\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\r\n *\r\n * - either
`step > 0` and `start <= end`,\r\n * - or `step < 0` and `start >= end`.\r\n *\r\n * @param start first element of the progression\r\n * @param end ending bound for the progression\r\n * @param step increment, or difference of successive elements in the progression\r\n * @return the final element of the progression\r\n * @suppress\r\n

/\r\n@PublishedApi\r\n@SinceKotlin(\"1.3\")\r\ninternal fun getProgressionLastElement(start: ULong, end: ULong, step: Long): ULong = when {\r\n   step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step.toULong())\r\n   step < 0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toULong())\r\n   else -> throw kotlin.IllegalArgumentException(\"Step is zero.\")\r\n}\r\n","/\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n */\r\n\r\n@file:kotlin.jvm.JvmName(\"UStringsKt\")\r\n// string representation of unsigned numbers\r\n\r\npackage kotlin.text\r\n\r\n/**\r\n * Returns a string representation of this [Byte] value in the specified [radix].\r\n *\r\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n//@kotlin.internal.InlineOnly\r\npublic /*inline*/ fun UByte.toString(radix: Int): String = this.toInt().toString(radix)\r\n\r\n/**\r\n * Returns a string representation of this [Short] value in the specified [radix].\r\n *\r\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n//@kotlin.internal.InlineOnly\r\npublic /*inline*/ fun UShort.toString(radix: Int): String = this.toInt().toString(radix)\r\n\r\n\r\n/**\r\n * Returns a string representation of this [Int] value in the specified [radix].\r\n *\r\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\n//@kotlin.internal.InlineOnly\r\npublic /*inline*/ fun UInt.toString(radix: Int): String = this.toLong().toString(radix)\r\n\r\n/**\r\n * Returns a string representation of this [Long] value in the specified [radix].\r\n *\r\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun ULong.toString(radix: Int): String = ulongToString(this.toLong(), checkRadix(radix))\r\n\r\n\r\n/**\r\n * Parses the string as a signed [UByte] number and returns the result.\r\n * @throws NumberFormatException if the string is not a valid representation of a number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun String.toUByte(): UByte = toUByteOrNull() ?: numberFormatError(this)\r\n\r\n/**\r\n * Parses the string as a signed [UByte] number and returns the result.\r\n * @throws NumberFormatException if the string is not a valid representation of a number.\r\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun String.toUByte(radix: Int): UByte = toUByteOrNull(radix) ?: numberFormatError(this)\r\n\r\n\r\n/**\r\n * Parses the string as a [UShort] number and returns the result.\r\n * @throws NumberFormatException if the string is not a valid representation of a number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun String.toUShort(): UShort = toUShortOrNull() ?: numberFormatError(this)\r\n\r\n/**\r\n * Parses the string as a [UShort] number and returns the result.\r\n * @throws NumberFormatException if the string is not a valid representation of a number.\r\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun String.toUShort(radix: Int): UShort = toUShortOrNull(radix) ?: numberFormatError(this)\r\n\r\n/**\r\n * Parses the string as an [UInt] number and returns the result.\r\n * @throws NumberFormatException if the string is not a valid representation of a number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun String.toUInt(): UInt = toUIntOrNull() ?: numberFormatError(this)\r\n\r\n/**\r\n * Parses the string as an [UInt] number and returns the result.\r\n * @throws NumberFormatException if the string is not a valid representation of a number.\r\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun String.toUInt(radix: Int): UInt = toUIntOrNull(radix) ?: numberFormatError(this)\r\n\r\n/**\r\n * Parses the string as a [ULong] number and

returns the result.\r\n * @throws NumberFormatException if the string is not a valid representation of a number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun String.toULong(): ULong = toULongOrNull() ?: numberFormatError(this)\r\n\r\n/**\r\n * Parses the string as a [ULong] number and returns the result.\r\n * @throws NumberFormatException if the string is not a valid representation of a number.\r\n * @throws

```
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun String.toULong(radix: Int): ULong =
toULongOrNull(radix) ?: numberFormatError(this)\r\n\r\n\r\n\r\n\r\n\r\n\r\n/**\r\n * Parses the string as an [UByte]
number and returns the result\r\n * or `null` if the string is not a valid representation of a number.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun String.toUByteOrNull(): UByte? =
toUByteOrNull(radix = 10)\r\n\r\n/**\r\n
 * Parses the string as an [UByte] number and returns the result\r\n * or `null` if the string is not a valid
representation of a number.\r\n *\r\n * @throws IllegalArgumentException when [radix] is not a valid radix for
string to number conversion.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun
String.toUByteOrNull(radix: Int): UByte? {\r\n    val int = this.toUIntOrNull(radix) ?: return null\r\n    if (int >
UByte.MAX_VALUE) return null\r\n    return int.toUByte()\r\n}\r\n\r\n/**\r\n * Parses the string as an [UShort]
number and returns the result\r\n * or `null` if the string is not a valid representation of a number.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun String.toUShortOrNull(): UShort? =
toUShortOrNull(radix = 10)\r\n\r\n/**\r\n * Parses the string as an [UShort] number and returns the result\r\n * or
`null` if the string is not a valid representation of a number.\r\n *\r\n * @throws IllegalArgumentException
 when [radix] is not a valid radix for string to number conversion.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun String.toUShortOrNull(radix: Int):
UShort? {\r\n    val int = this.toUIntOrNull(radix) ?: return null\r\n    if (int > UShort.MAX_VALUE) return null\r\n
 return int.toUShort()\r\n}\r\n\r\n/**\r\n * Parses the string as an [UInt] number and returns the result\r\n * or `null`
if the string is not a valid representation of a number.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun String.toUIntOrNull(): UInt? =
toUIntOrNull(radix = 10)\r\n\r\n/**\r\n * Parses the string as an [UInt] number and returns the result\r\n * or `null` if
the string is not a valid representation of a number.\r\n *\r\n * @throws IllegalArgumentException when [radix] is
not a valid radix for string to number conversion.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun String.toUIntOrNull(radix: Int): UInt?
{\r\n
    checkRadix(radix)\r\n\r\n    val length = this.length\r\n    if (length == 0) return null\r\n\r\n    val limit: UInt =
UInt.MAX_VALUE\r\n    val start: Int\r\n\r\n    val firstChar = this[0]\r\n    if (firstChar < '0') {\r\n        if (length ==
1 || firstChar != '+') return null\r\n        start = 1\r\n    } else {\r\n        start = 0\r\n    }\r\n\r\n    val uradix =
radix.toUInt()\r\n    val limitBeforeMul = limit / uradix\r\n    var result = 0u\r\n    for (i in start until length) {\r\n
val digit = digitOf(this[i], radix)\r\n\r\n        if (digit < 0) return null\r\n        if (result > limitBeforeMul) return
null\r\n\r\n        result *= uradix\r\n\r\n        val beforeAdding = result\r\n        result += digit.toUInt()\r\n        if
(result < beforeAdding) return null // overflow has happened\r\n    }\r\n\r\n    return result\r\n}\r\n\r\n/**\r\n * Parses
the string as an [ULong] number and returns the result\r\n * or `null` if the string is not a valid representation
 of a number.\r\n */\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun
String.toULongOrNull(): ULong? = toULongOrNull(radix = 10)\r\n\r\n/**\r\n * Parses the string as an [ULong]
number and returns the result\r\n * or `null` if the string is not a valid representation of a number.\r\n *\r\n *
@throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\r\n
*/\r\n@SinceKotlin(\"1.3\")\r\n@ExperimentalUnsignedTypes\r\npublic fun String.toULongOrNull(radix: Int):
ULong? {\r\n    checkRadix(radix)\r\n\r\n    val length = this.length\r\n    if (length == 0) return null\r\n\r\n    val
limit: ULong = ULong.MAX_VALUE\r\n    val start: Int\r\n\r\n    val firstChar = this[0]\r\n    if (firstChar < '0')
{\r\n        if (length == 1 || firstChar != '+') return null\r\n        start = 1\r\n    } else {\r\n        start = 0\r\n
}\r\n\r\n\r\n    val uradix = radix.toUInt()\r\n    val limitBeforeMul = limit / uradix\r\n    var result = 0uL\r\n
    for (i in start until length) {\r\n        val digit = digitOf(this[i], radix)\r\n\r\n        if (digit < 0) return null\r\n        if
(result > limitBeforeMul) return null\r\n\r\n        result *= uradix\r\n\r\n        val beforeAdding = result\r\n        result
+= digit.toUInt()\r\n        if (result < beforeAdding) return null // overflow has happened\r\n    }\r\n\r\n    return
result\r\n}\r\n","/*\r\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\r\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\r\n
```

*/\r\n\r\n@file:kotlin.jvm.JvmMultifileClass\r\n@file:kotlin.jvm.JvmName(\"MathKt\")\r\n\r\n\r\npackage kotlin.math\r\n\r\n\r\n\r\n// constants, can't use them from nativeMath as they are not constants there\r\n\r\n/** Ratio of the circumference of a circle to its diameter, approximately 3.14159. */\r\n@SinceKotlin(\"1.2\")\r\npublic const val PI: Double = 3.141592653589793\r\n/**
Base of the natural logarithms, approximately 2.71828. */\r\n@SinceKotlin(\"1.2\")\r\npublic const val E: Double = 2.718281828459045\r\n\r\n// region ================ Double Math ==\r\n\r\n/** Computes the sine of the angle [x] given in radians.\r\n *\r\n * Special cases:\r\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun sin(x: Double): Double\r\n\r\n/** Computes the cosine of the angle [x] given in radians.\r\n *\r\n * Special cases:\r\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun cos(x: Double): Double\r\n\r\n/** Computes the tangent of the angle [x] given in radians.\r\n *\r\n * Special cases:\r\n * - `tan(NaN|+Inf|-Inf)` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun tan(x: Double): Double\r\n\r\n/**\r\n * Computes the arc sine of the value [x];\r\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\r\n *\r\n
 * Special cases:\r\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\r\n
*/\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun asin(x: Double): Double\r\n\r\n/**\r\n * Computes the arc cosine of the value [x];\r\n * the returned value is an angle in the range from `0.0` to `PI` radians.\r\n *\r\n * Special cases:\r\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun acos(x: Double): Double\r\n\r\n/**\r\n * Computes the arc tangent of the value [x];\r\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\r\n *\r\n * Special cases:\r\n * - `atan(NaN)` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun atan(x: Double): Double\r\n\r\n/**\r\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\r\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\r\n * the returned value is an angle in the range from `-PI` to
 `PI` radians.\r\n *\r\n * Special cases:\r\n * - `atan2(0.0, 0.0)` is `0.0`\r\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\r\n * - `atan2(-0.0, x)` is `-0.0` for 'x > 0` and `-PI` for `x < 0`\r\n *  - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for '-Inf < y < 0`\r\n * - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\r\n * - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\r\n * - `atan2(+Inf, x)` is `PI/2` for finite `x`y\r\n * - `atan2(-Inf, x)` is `-PI/2` for finite `x`\r\n * - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun atan2(y: Double, x: Double): Double\r\n\r\n/**\r\n * Computes the hyperbolic sine of the value [x].\r\n *\r\n * Special cases:\r\n * - `sinh(NaN)` is `NaN`\r\n * - `sinh(+Inf)` is `+Inf`\r\n * - `sinh(-Inf)` is `-Inf`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun sinh(x: Double): Double\r\n\r\n/**\r\n * Computes
 the hyperbolic cosine of the value [x].\r\n *\r\n * Special cases:\r\n * - `cosh(NaN)` is `NaN`\r\n * - `cosh(+Inf|-Inf)` is `+Inf`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun cosh(x: Double): Double\r\n\r\n/**\r\n * Computes the hyperbolic tangent of the value [x].\r\n *\r\n * Special cases:\r\n * - `tanh(NaN)` is `NaN`\r\n * - `tanh(+Inf)` is `1.0`\r\n * - `tanh(-Inf)` is `-1.0`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun tanh(x: Double): Double\r\n\r\n/**\r\n * Computes the inverse hyperbolic sine of the value [x].\r\n *\r\n * The returned value is `y` such that `sinh(y) == x`.\r\n *\r\n * Special cases:\r\n * - `asinh(NaN)` is `NaN`\r\n * - `asinh(+Inf)` is `+Inf`\r\n * - `asinh(-Inf)` is `-Inf`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun asinh(x: Double): Double\r\n\r\n/**\r\n * Computes the inverse hyperbolic cosine of the value [x].\r\n *\r\n * The returned value is positive `y` such that `cosh(y) == x`.\r\n *\r\n * Special cases:\r\n
 * - `acosh(NaN)` is `NaN`\r\n * - `acosh(x)` is `NaN` when `x < 1`\r\n * - `acosh(+Inf)` is `+Inf`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun acosh(x: Double): Double\r\n\r\n/**\r\n * Computes the inverse hyperbolic tangent of the value [x].\r\n *\r\n * The returned value is `y` such that `tanh(y) == x`.\r\n *\r\n * Special cases:\r\n * - `tanh(NaN)` is `NaN`\r\n * - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\r\n * - `tanh(1.0)` is `+Inf`\r\n * - `tanh(-1.0)` is `-Inf`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun atanh(x: Double): Double\r\n\r\n/**\r\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\r\n *\r\n * Special cases:\r\n * - returns `+Inf` if any of arguments is infinite\r\n * - returns `NaN` if any of arguments is `NaN` and

the other is not infinite\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun hypot(x: Double, y: Double): Double\r\n\r\n/**\r\n * Computes the positive square root of the value [x].\r\n *\r\n
 * Special cases:\r\n *   - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun sqrt(x: Double): Double\r\n\r\n/**\r\n * Computes Euler's number `e` raised to the power of the value [x].\r\n *\r\n * Special cases:\r\n *   - `exp(NaN)` is `NaN`\r\n *   - `exp(+Inf)` is `+Inf`\r\n *   - `exp(-Inf)` is `0.0`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun exp(x: Double): Double\r\n\r\n/**\r\n * Computes `exp(x) - 1`.\r\n *\r\n * This function can be implemented to produce more precise result for [x] near zero.\r\n *\r\n * Special cases:\r\n *   - `expm1(NaN)` is `NaN`\r\n *   - `expm1(+Inf)` is `+Inf`\r\n *   - `expm1(-Inf)` is `-1.0`\r\n *\r\n * @see [exp] function.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun expm1(x: Double): Double\r\n\r\n/**\r\n * Computes the logarithm of the value [x] to the given [base].\r\n *\r\n * Special cases:\r\n *   - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\r\n *   - `log(x, b)` is `NaN`
 when `x < 0` or `b <= 0` or `b == 1.0`\r\n *   - `log(+Inf, +Inf)` is `NaN`\r\n *   - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\r\n *   - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`\r\n *\r\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun log(x: Double, base: Double): Double\r\n\r\n/**\r\n * Computes the natural logarithm (base `E`) of the value [x].\r\n *\r\n * Special cases:\r\n *   - `ln(NaN)` is `NaN`\r\n *   - `ln(x)` is `NaN` when `x < 0.0`\r\n *   - `ln(+Inf)` is `+Inf`\r\n *   - `ln(0.0)` is `-Inf`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun ln(x: Double): Double\r\n\r\n/**\r\n * Computes the common logarithm (base 10) of the value [x].\r\n *\r\n * @see [ln] function for special cases.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun log10(x: Double): Double\r\n\r\n/**\r\n * Computes the binary logarithm (base 2) of the value [x].\r\n *\r\n * @see
 [ln] function for special cases.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun log2(x: Double): Double\r\n\r\n/**\r\n * Computes `ln(x + 1)`.\r\n *\r\n * This function can be implemented to produce more precise result for [x] near zero.\r\n *\r\n * Special cases:\r\n *   - `ln1p(NaN)` is `NaN`\r\n *   - `ln1p(x)` is `NaN` where `x < -1.0`\r\n *   - `ln1p(-1.0)` is `-Inf`\r\n *   - `ln1p(+Inf)` is `+Inf`\r\n *\r\n * @see [ln] function\r\n * @see [expm1] function\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun ln1p(x: Double): Double\r\n\r\n/**\r\n * Rounds the given value [x] to an integer towards positive infinity.\r\n\r\n * @return the smallest double value that is greater than or equal to the given value [x] and is a mathematical integer.\r\n *\r\n * Special cases:\r\n *   - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun ceil(x: Double): Double\r\n\r\n/**\r\n * Rounds the given
 value [x] to an integer towards negative infinity.\r\n\r\n * @return the largest double value that is smaller than or equal to the given value [x] and is a mathematical integer.\r\n *\r\n * Special cases:\r\n *   - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun floor(x: Double): Double\r\n\r\n/**\r\n * Rounds the given value [x] to an integer towards zero.\r\n *\r\n * @return the value [x] having its fractional part truncated.\r\n *\r\n * Special cases:\r\n *   - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun truncate(x: Double): Double\r\n\r\n/**\r\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\r\n *\r\n * Special cases:\r\n *   - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic
 expect fun round(x: Double): Double\r\n\r\n/**\r\n * Returns the absolute value of the given value [x].\r\n *\r\n * Special cases:\r\n *   - `abs(NaN)` is `NaN`\r\n *\r\n * @see absoluteValue extension property for [Double]\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun abs(x: Double): Double\r\n\r\n/**\r\n * Returns the sign of the given value [x]:\r\n *   - `-1.0` if the value is negative,\r\n *   - zero if the value is zero,\r\n *   - `1.0` if the value is positive\r\n *\r\n * Special case:\r\n *   - `sign(NaN)` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun sign(x: Double): Double\r\n\r\n\r\n/**\r\n * Returns the smaller of two values.\r\n *\r\n * If either value is `NaN`, then the result is `NaN`.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun min(a: Double, b: Double): Double\r\n\r\n/**\r\n * Returns the greater of two values.\r\n *\r\n * If either value is `NaN`, then the result is `NaN`.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic

expect fun max(a: Double, b: Double): Double\r\n\r\n// extensions\r\n\r\n/**\r\n * Raises this value to the power [x].\r\n *\r\n * Special cases:\r\n * - `b.pow(0.0)` is `1.0`\r\n * - `b.pow(1.0) == b`\r\n * - `b.pow(NaN)` is `NaN`\r\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\r\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\r\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun Double.pow(x: Double): Double\r\n\r\n/**\r\n * Raises this value to the integer power [n].\r\n *\r\n * See the other overload of [pow] for details.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun Double.pow(n: Int): Double\r\n\r\n/**\r\n * Returns the absolute value of this value.\r\n *\r\n * Special cases:\r\n * - `NaN.absoluteValue` is `NaN`\r\n *\r\n * @see abs function\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect val Double.absoluteValue: Double\r\n\r\n/**\r\n * Returns the sign of this value:\r\n * - `-1.0` if the value is negative,\r\n * - zero if the value is zero,\r\n * - `1.0` if the value is positive\r\n *\r\n * Special case:\r\n * - `NaN.sign` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect val Double.sign: Double\r\n\r\n/**\r\n * Returns this value with the sign bit same as of the [sign] value.\r\n *\r\n * If [sign] is `NaN` the sign of the result is undefined.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun Double.withSign(sign: Double): Double\r\n\r\n/**\r\n * Returns this value with the sign bit same as of the [sign] value.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun Double.withSign(sign: Int): Double\r\n\r\n/**\r\n * Returns the ulp (unit in the last place) of this value.\r\n *\r\n * An ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.\r\n *\r\n * Special Cases:\r\n * - `NaN.ulp` is `NaN`\r\n * - `x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`\r\n * - `0.0.ulp` is `Double.MIN_VALUE`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect val Double.ulp: Double\r\n\r\n/**\r\n * Returns the [Double] value nearest to this value in direction of positive infinity.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun Double.nextUp(): Double\r\n\r\n/**\r\n * Returns the [Double] value nearest to this value in direction of negative infinity.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun Double.nextDown(): Double\r\n\r\n/**\r\n * Returns the [Double] value nearest to this value in direction from this value towards the value [to].\r\n *\r\n * Special cases:\r\n * - `x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`\r\n * - `x.nextTowards(x) == x`\r\n *\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun Double.nextTowards(to: Double): Double\r\n\r\n/**\r\n * Rounds this [Double] value to the nearest integer and converts the result to [Int].\r\n * Ties are rounded towards positive infinity.\r\n *\r\n * Special cases:\r\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\r\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\r\n *\r\n * @throws IllegalArgumentException when this value is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun Double.roundToInt(): Int\r\n\r\n/**\r\n * Rounds this [Double] value to the nearest integer and converts the result to [Long].\r\n * Ties are rounded towards positive infinity.\r\n *\r\n * Special cases:\r\n * - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\r\n * - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\r\n *\r\n * @throws IllegalArgumentException when this value is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun Double.roundToLong(): Long\r\n\r\n// endregion\r\n\r\n\r\n\r\n// region ================ Float Math ======================================\r\n\r\n/** Computes the sine of the angle [x] given in radians.\r\n *\r\n * Special cases:\r\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun sin(x: Float): Float\r\n\r\n/** Computes the cosine of the angle [x] given in radians.\r\n *\r\n * Special cases:\r\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun cos(x: Float): Float\r\n\r\n/** Computes the tangent of the angle [x] given in radians.\r\n *\r\n * Special cases:\r\n * - `tan(NaN|+Inf|-Inf)` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun tan(x: Float): Float\r\n\r\n/**\r\n * Computes the arc sine of the value [x];\r\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\r\n *\r\n * Special cases:\r\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun asin(x: Float): Float\r\n\r\n/**\r\n * Computes the arc cosine of the value [x];\r\n * the returned value is an angle in the range from `0.0` to `PI` radians.\r\n *\r\n * Special cases:\r\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun acos(x: Float): Float\r\n\r\n/**\r\n * Computes the arc tangent of the value [x];\r\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\r\n *\r\n * Special cases:\r\n * - `atan(NaN)` is `NaN`\r\n

*/\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun atan(x: Float): Float\r\n\r\n/**\r\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\r\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\r\n * the returned value is an angle in the range from `-PI` to `PI` radians.\r\n *\r\n * Special cases:\r\n * - `atan2(0.0, 0.0)` is `0.0`\r\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\r\n * - `atan2(-0.0, x)` is `-0.0` for 'x > 0` and `-PI` for `x < 0`\r\n *  - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for '-Inf < y < 0`\r\n * - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\r\n * - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\r\n * - `atan2(+Inf, x)` is `PI/2` for finite `x`y\r\n * - `atan2(-Inf, x)` is `-PI/2` for finite `x`\r\n * - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun atan2(y: Float, x: Float): Float\r\n\r\n/**\r\n * Computes the hyperbolic sine of the value [x].\r\n *\r\n * Special cases:\r\n * - `sinh(NaN)` is `NaN`\r\n * - `sinh(+Inf)` is `+Inf`\r\n * - `sinh(-Inf)` is `-Inf`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun sinh(x: Float): Float\r\n\r\n/**\r\n * Computes the hyperbolic cosine of the value [x].\r\n *\r\n * Special cases:\r\n * - `cosh(NaN)` is `NaN`\r\n * - `cosh(+Inf|-Inf)` is `+Inf`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun cosh(x: Float): Float\r\n\r\n/**\r\n * Computes the hyperbolic tangent of the value [x].\r\n *\r\n * Special cases:\r\n * - `tanh(NaN)` is `NaN`\r\n * - `tanh(+Inf)` is `1.0`\r\n * - `tanh(-Inf)` is `-1.0`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic
expect fun tanh(x: Float): Float\r\n\r\n/**\r\n * Computes the inverse hyperbolic sine of the value [x].\r\n *\r\n * The returned value is `y` such that `sinh(y) == x`.\r\n *\r\n * Special cases:\r\n * - `asinh(NaN)` is `NaN`\r\n * - `asinh(+Inf)` is `+Inf`\r\n * - `asinh(-Inf)` is `-Inf`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun asinh(x: Float): Float\r\n\r\n/**\r\n * Computes the inverse hyperbolic cosine of the value [x].\r\n *\r\n * The returned value is positive `y` such that `cosh(y) == x`.\r\n *\r\n * Special cases:\r\n * - `acosh(NaN)` is `NaN`\r\n * - `acosh(x)` is `NaN` when `x < 1`\r\n * - `acosh(+Inf)` is `+Inf`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun acosh(x: Float): Float\r\n\r\n/**\r\n * Computes the inverse hyperbolic tangent of the value [x].\r\n *\r\n * The returned value is `y` such that `tanh(y) == x`.\r\n *\r\n * Special cases:\r\n * - `tanh(NaN)` is `NaN`\r\n * - `tanh(x)` is `NaN` when `x > 1` or
`x < -1`\r\n * - `tanh(1.0)` is `+Inf`\r\n * - `tanh(-1.0)` is `-Inf`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun atanh(x: Float): Float\r\n\r\n/**\r\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\r\n *\r\n * Special cases:\r\n * - returns `+Inf` if any of arguments is infinite\r\n * - returns `NaN` if any of arguments is `NaN` and the other is not infinite\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun hypot(x: Float, y: Float): Float\r\n\r\n/**\r\n * Computes the positive square root of the value [x].\r\n *\r\n * Special cases:\r\n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun sqrt(x: Float): Float\r\n\r\n/**\r\n * Computes Euler's number `e` raised to the power of the value [x].\r\n *\r\n * Special cases:\r\n * - `exp(NaN)` is `NaN`\r\n * - `exp(+Inf)` is `+Inf`\r\n * - `exp(-Inf)` is `0.0`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun exp(x: Float): Float\r\n\r\n/**
 * Computes `exp(x) - 1`.\r\n *\r\n * This function can be implemented to produce more precise result for [x] near zero.\r\n *\r\n * Special cases:\r\n * - `expm1(NaN)` is `NaN`\r\n * - `expm1(+Inf)` is `+Inf`\r\n * - `expm1(-Inf)` is `-1.0`\r\n *\r\n * @see [exp] function.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun expm1(x: Float): Float\r\n\r\n/**\r\n * Computes the logarithm of the value [x] to the given [base].\r\n *\r\n * Special cases:\r\n * - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\r\n * - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\r\n * - `log(+Inf, +Inf)` is `NaN`\r\n * - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\r\n * - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`\r\n *\r\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun log(x: Float, base: Float): Float\r\n\r\n/**\r\n * Computes the natural logarithm
(base `E`) of the value [x].\r\n *\r\n * Special cases:\r\n * - `ln(NaN)` is `NaN`\r\n * - `ln(x)` is `NaN` when `x < 0.0`\r\n * - `ln(+Inf)` is `+Inf`\r\n * - `ln(0.0)` is `-Inf`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun ln(x: Float): Float\r\n\r\n/**\r\n * Computes the common logarithm (base 10) of the value [x].\r\n *\r\n * @see [ln] function for special cases.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun log10(x: Float): Float\r\n\r\n/**\r\n * Computes the binary logarithm (base 2) of the value [x].\r\n *\r\n * @see [ln] function for special cases.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun log2(x: Float): Float\r\n\r\n/**\r\n * Computes `ln(a + 1)`.\r\n *\r\n

* This function can be implemented to produce more precise result for [x] near zero.\r\n *\r\n * Special cases:\r\n * - `ln1p(NaN)` is `NaN`\r\n * - `ln1p(x)` is `NaN` where `x < -1.0`\r\n * - `ln1p(-1.0)` is `-Inf`\r\n * - `ln1p(+Inf)` is `+Inf`\r\n *\r\n * @see [ln] function\r\n
 * @see [expm1] function\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun ln1p(x: Float): Float\r\n\r\n/**\r\n * Rounds the given value [x] to an integer towards positive infinity.\r\n\r\n * @return the smallest Float value that is greater than or equal to the given value [x] and is a mathematical integer.\r\n *\r\n * Special cases:\r\n * - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun ceil(x: Float): Float\r\n\r\n/**\r\n * Rounds the given value [x] to an integer towards negative infinity.\r\n\r\n * @return the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.\r\n *\r\n * Special cases:\r\n * - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun floor(x: Float): Float\r\n\r\n/**\r\n * Rounds the given value [x] to an integer towards
 zero.\r\n *\r\n * @return the value [x] having its fractional part truncated.\r\n *\r\n * Special cases:\r\n * - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun truncate(x: Float): Float\r\n\r\n/**\r\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\r\n *\r\n * Special cases:\r\n * - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun round(x: Float): Float\r\n\r\n\r\n/**\r\n * Returns the absolute value of the given value [x].\r\n *\r\n * Special cases:\r\n * - `abs(NaN)` is `NaN`\r\n *\r\n * @see absoluteValue extension property for [Float]\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun abs(x: Float): Float\r\n\r\n/**\r\n * Returns the sign of the given value [x]:\r\n * - `-1.0` if the value is negative,\r\n * - zero if the value
 is zero,\r\n * - `1.0` if the value is positive\r\n *\r\n * Special case:\r\n * - `sign(NaN)` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun sign(x: Float): Float\r\n\r\n\r\n\r\n/**\r\n * Returns the smaller of two values.\r\n *\r\n * If either value is `NaN`, then the result is `NaN`.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun min(a: Float, b: Float): Float\r\n\r\n/**\r\n * Returns the greater of two values.\r\n *\r\n * If either value is `NaN`, then the result is `NaN`.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun max(a: Float, b: Float): Float\r\n\r\n// extensions\r\n\r\n\r\n\r\n/**\r\n * Raises this value to the power [x].\r\n *\r\n * Special cases:\r\n * - `b.pow(0.0)` is `1.0`\r\n * - `b.pow(1.0) == b`\r\n * - `b.pow(NaN)` is `NaN`\r\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\r\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\r\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic
 expect fun Float.pow(x: Float): Float\r\n\r\n/**\r\n * Raises this value to the integer power [n].\r\n *\r\n * See the other overload of [pow] for details.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun Float.pow(n: Int): Float\r\n\r\n/**\r\n * Returns the absolute value of this value.\r\n *\r\n * Special cases:\r\n * - `NaN.absoluteValue` is `NaN`\r\n *\r\n * @see abs function\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect val Float.absoluteValue: Float\r\n\r\n/**\r\n * Returns the sign of this value:\r\n * - `-1.0` if the value is negative,\r\n * - zero if the value is zero,\r\n * - `1.0` if the value is positive\r\n *\r\n * Special case:\r\n * - `NaN.sign` is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect val Float.sign: Float\r\n\r\n/**\r\n * Returns this value with the sign bit same as of the [sign] value.\r\n *\r\n * If [sign] is `NaN` the sign of the result is undefined.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun Float.withSign(sign:
 Float): Float\r\n\r\n/**\r\n * Returns this value with the sign bit same as of the [sign] value.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun Float.withSign(sign: Int): Float\r\n\r\n\r\n\r\n/**\r\n * Rounds this [Float] value to the nearest integer and converts the result to [Int].\r\n * Ties are rounded towards positive infinity.\r\n *\r\n * Special cases:\r\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\r\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\r\n *\r\n * @throws IllegalArgumentException when this value is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun Float.roundToInt(): Int\r\n\r\n\r\n/**\r\n * Rounds this [Float] value to the nearest integer and converts the result to [Long].\r\n * Ties are rounded towards positive infinity.\r\n *\r\n * Special cases:\r\n * - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\r\n * - `x.roundToLong() == Long.MIN_VALUE` when

`x < Long.MIN_VALUE`\r\n *\r\n * @throws IllegalArgumentException
when this value is `NaN`\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun Float.roundToLong(): Long\r\n\r\n\r\n// endregion\r\n\r\n// region ================ Integer Math ==\r\n\r\n\r\n/**\r\n * Returns the absolute value of the given value [n].\r\n *\r\n * Special cases:\r\n * - `abs(Int.MIN_VALUE)` is `Int.MIN_VALUE` due to an overflow\r\n *\r\n * @see absoluteValue extension property for [Int]\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun abs(n: Int): Int\r\n\r\n/**\r\n * Returns the smaller of two values.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun min(a: Int, b: Int): Int\r\n\r\n/**\r\n * Returns the greater of two values.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun max(a: Int, b: Int): Int\r\n\r\n/**\r\n * Returns the absolute value of this value.\r\n *\r\n * Special cases:\r\n * - `Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow\r\n *\r\n * @see abs function\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic
expect val Int.absoluteValue: Int\r\n\r\n/**\r\n * Returns the sign of this value:\r\n * - `-1` if the value is negative,\r\n * - `0` if the value is zero,\r\n * - `1` if the value is positive\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect val Int.sign: Int\r\n\r\n\r\n\r\n/**\r\n * Returns the absolute value of the given value [n].\r\n *\r\n * Special cases:\r\n * - `abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow\r\n *\r\n * @see absoluteValue extension property for [Long]\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun abs(n: Long): Long\r\n\r\n/**\r\n * Returns the smaller of two values.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun min(a: Long, b: Long): Long\r\n\r\n/**\r\n * Returns the greater of two values.\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect fun max(a: Long, b: Long): Long\r\n\r\n/**\r\n * Returns the absolute value of this value.\r\n *\r\n * Special cases:\r\n * - `Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE`
due to an overflow\r\n *\r\n * @see abs function\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect val Long.absoluteValue: Long\r\n\r\n/**\r\n * Returns the sign of this value:\r\n * - `-1` if the value is negative,\r\n * - `0` if the value is zero,\r\n * - `1` if the value is positive\r\n */\r\n@SinceKotlin(\"1.2\")\r\npublic expect val Long.sign: Int\r\n\r\n\r\n\r\n//
endregion\r\n",null,null,null,null,null,null,null,null,null],"names":[],"mappings":"AAWC,0B;EAVG,IAAI,OAAO,MAAO,KAAI,UAAW,IAAG,MAAM,IAA1C,C;IACI,MAAM,CAAC,QAAD,EAAW,CAAC,SAAD,EAAY,CAAX,EAAe,wB
,OAAxB,C;;QAEL,IAAI,OAAO,OAAQ,KAAI,QAAvB,C;IACD,OAAO,CAAC,MAAM,QAAP,C;;;IAGP,IAAI,OAAQ,GAAE,E;IACd,OAAO,CAAC,IAAI,OAAL,C;;AAEf,CAAC,CAAC,IAAD,oB;EACG,IAAI,IAAI,M;ECPZ,MAAM,eAAgB,gB;IAClB,OAAO,D,CAA5C,KAAK,QAAQ,CAAC,CAAD,EAAI,IAAG,CAAE,YAAW,SAAU,IAAG,KAAK,CAAC,YAAD,EAAe,CAAC,OAAD,EAAU,CAAC,CAAD,EAAI,CAAC,CAAD,EAAI,CAAC,CAAD,EAAI

E,MAAM,SAAS,CAAC,GAAG,CAAC,CAAD,CAAJ,CAAU,GAAE,C;;IAE7D,OAAO,M;EACX,C;EAEA,MAAM,kBAAmB,kB;IACrB,OAAO,MAAM,OAAO,YAAY,wBAAwB,CAAC,GAAD,C;EAC5D,C;EAEA,MAAM,mBAAoB,oB;IACtB,KAAK,KAAK,CAAC,MAAM,gBAAP,C;ECd,C;ECnFA,MAAM,eAAgB,sB;IAClB,CAAC,aAAc,GAAE,I;IACjB,OAAO,C;EACX,C;EAEA,MAAM,uBAAwB,+C;IAC1B,B,MAAM,IAAK,KAAK,GAAE,M;IACb,CAAC,MAAM,aAAc,GAAE,I;IACtB,KAAK,OAAO,mBAAoB,CAAC,MAAD,EAAS,MAAT,EAAiB,EAAjB,S,MAAT,EAAiB,EAAjB,iB,6BAAA,CAAC,UAAD,EAAa,CAAb,EAAgB,CAAhB,C;EAAA,C;EAAA,C;IAAA,C;IAAA,C;I

O,S;;;IAIX,IAAI,MAAM,IAAI,MAAM,KAAV,CAAgB,KAAAM,GAAAE,CAAAxB,EAA2B,KAAAM,GAAAE,CAAAE,GAAAE,EAAAF,GAAAO,CAA5C,C;IACV,IAAI,IAAAK,IAAAG,KAAAM,IAAAG,KAAAM,GAAAE,GAA7B,C;MACE,MAAAM,KAAAK,UAAAU,CAAAC,KAAAD,CAAAQ,GAAAE,G;;IAEjC,OAAAO,G;EACT,C;EAWA,MAAAM,KAAAK,WAAAY,oB;IACrB,IAAI,KAAAK,CAAAC,KAAAD,CAAAT,C;MACE,OAAAO,MAAAM,KAAAK,K;;UACb,IAAI,KAAAM,IAAAG,CAAAC,MAAAM,KAAAK,U;;UACb,IAAI,KAAAM,GAAAE,CAAAE,IAAAG,MAAAM,KAAAK,U;;UACb,IAAI,KAAAM,GAAAE,CAAAA,ZAAA,C;MACL,OAAAO,MAAAM,KAAAK,WAAAW,CAAAC,CAAAC,KAAAF,CAAAQ,GAAAE,E;;;MAEE,5C,OAAAO,IAAAM,MAAAK,KAAAV,CAAAF,KAAAM,GAAAE,GAAAM,IAAAG,KAAAM,GAAAE,GAAAM,IAAAG,KAAAM,GAAAE,GAAAM,IAAAG

M,KAAK,UAAU,WAAY,e;IAC/B,OAAO,IAAI,K;EACb,C;EAIA,MAAM,KAAK,UAAU,mBAAoB,e;IACvC,OAAQ,IAAI,KAAM,IAAG,CAAG,GACpB,IAAI,KADgB,GACR,MAAM,KAAK,gBAAiB,GAAE,IAAI,K;EACpD,C;EAOA,MAAM,KAAK,UAAU,cAAe,e;IAClC,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,IAAI,WAAW,CAAC,MAAM,KAAK,UAAZ,CAAuB,nB,C;QACE,OAAO,E;;;QAEP,OAAO,IAAI,OAAO,EAAE,cAAc,E;;;;MAGpC,IAAI,MAAM,IAAI,MAAO,IAAG,CAAE,GAAE,IAAI,MAAN,GAAe,IAAI,K;MAC7C,KAAK,IAAI,MAAM,EAAf,EAAmB,GAAI,IAAI,MAAM,KAAK,EAAf,CAAkB,mBAAoB,GAAI,IAAI,K;MAC7E,C;QACE

,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI
,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAA
I,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAA
E,GAAI,GAAE,GAAI,GAAE,GAAI,GAAE,GAAI,GAAE,GAAI,GAAE,GAAI,GAAE,G;IACjD,GAAI,IAAG,K;I
ACP,OAAO,MAAM,KAAK,SAAS,CAAE,GAAI,IAAG,EAAI,GAAE,GAAf,EAAqB,GAAI,IAAG,EAAI,GAAE,
GAAlC,C;EAC7B,C;EAQA,MAAM,KAAK,UAAU,IAAK,oB;IACxB,IAAI,KAAK,OAAO,EAAhB,C;MACE,MA
AM,KAAK,CAAC,kBAAD,C;;UACN,IAAI,IAAI,OAAO,EAAf,C;MACL,OAAO,MAAM,KAAK,K;;IAGpB,IAA
I,IAAI,WAAW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;MACE,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,IA
AZ,CAAkB,IAClC,KAAK,WAAW,CAAC,MAAM,KAAK,QAAZ,CADpB,C;QAEE,OAAO,MAAM,KAAK,U;;Y
ACb,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;QACL,OAAO,MAAM,KAAK,I;;;QAGlB,IA
AI,WAAW,IAAI,WAAW,CAAC,CAAD,C;QAC9B,IAAI,SAAS,QAAQ,IAAI,CAAC,KAAD,CAAO,UAAU,CAA
C,CAAD,C;QAC1C,IAAI,MAAM,WAAW,CAAC,MAAM,KAAK,KAAZ,CAArB,C;UACE,OAAO,KAAK,WA
W,EAAG,GAAE,MAAM,KAAK,IAAb,GAAoB,MAAM,KAAK,Q;;;UAEzD,IAAI,MAAM,IAAI,SAAS,CAAC,K
AAK,SAAS,CAAC,MAAD,CAAf,C;UACvB,IAAI,SAAS,MAAM,IAAI,CAAC,GAAG,IAAI,CAAC,KAAD,CAAO,CAA
R,C;UACvB,OAAO,M;;;;UAGN,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;MACL,OAAO,
MAAM,KAAK,K;;IAGpB,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,KAAK,WAAW,EAApB,C;QACE,OAAO,
IAAI,OAAO,EAAE,IAAI,CAAC,KAAK,OAAO,EAAb,C;;;QAExB,OAAO,IAAI,OAAO,EAAE,IAAI,CAAC,KAD,CAAO,
CAAO,OAAO,E;;;UAEnC,IAAI,KAAK,WAAW,EAApB,C;MACL,OAAO,IAAI,IAAI,CAAC,KAAK,OAAO,
EAAb,CAAgB,OAAO,E;;IAQxC,IAAI,MAAM,MAAM,KAAK,K;IACrB,IAAI,MAAM,I;IACV,OAAO,GAAG,m
BAAmB,CAAC,KAAD,CAA7B,C;MAGE,IAAI,SAAS,IAAI,IAAI,CAAC,CAAD,EAAI,IAAI,MAAM,CAAC,GA
AG,SAAS,EAAG,GAAE,KAAK,SAAS,EAAhC,C;MAIrB,IAAI,OAAO,IAAI,KAAK,CAAC,IAAI,IAAI,C
AAC,MAAD,CAAS,GAAE,IAAI,IAAxB,C;MACpB,IAAI,QAAS,IAAK,IAAG,EAAI,GAAE,CAAF,EAAK,GAAE,IAAI,
IAAI,CAAC,CAAD,EAAI,IAAK,GAAE,EAAX,C;MACvC,IAAI,YAAY,MAAM,KAAK,WAAW,CAAC,MAAD,
C;MACtC,IAAI,YAAY,SAAS,SAAS,CAAC,KAAD,C;MAClC,OAAO,SAAS,WAW,EAAG,IAAG,SAAS,YA
Y,CAAC,GAAD,CAAtD,C;QACE,MAAO,IAAG,K;QACV,SAAU,GAAE,MAAM,KAAK,WAAW,CAAC,MAAD,
D,C;QAClC,SAAU,GAAE,SAAS,SAAS,CAAC,KAAD,C;;MAKhC,IAAI,SAAS,OAAO,EAAG,GAAE,MAAM,KAAK,
GAAE,MAAM,KAAK,I;;MAGzB,IAAI,GAAE,GAAG,IAAI,CAAC,SAAD,C;MACb,IAAI,GAAE,GAAG,SA
S,CAAC,SAAD,C;;IAEpB,OAAO,G;EACT,C;EAQA,MAAM,KAAK,UAAU,OAAQ,oB;IAC3B,OAAO,IAAI,S
AS,CAAC,IAAI,IAAI,CAAC,KAAD,CAAO,OAAO,CAAC,KAAD,CAAO,CAAC,KAAD,CAAO,CAAC,KAAD,C

C,IAAK,KAAK,OAAQ,GAAE,EAArB,EAA0B,CAA1B,C;;;EAGjC,C;EAGA,MAAM,KAAK,UAAU,OAAQ,oB;IACzB,OAAO,KAAM,YAAW,MAAM,KAAM,IAAG,IAAI,WAAW,CAAC,KAAD,C;EAC1D,C;EAEA,MAAM,KAAK,UAAU,gBAAiB,GAAE,MAAM,KAAK,UAAU,Q;EAE7D,MAAM,KAAK,UAAU,IAAK,e;IACtB,OAAO,IAAI,IAAI,CAAC,MAAM,KAAK,IAAA,Z,C;EACnB,C;EAEA,MAAM,KAAK,UAAU,IAAK,e;IACtB,OAAO,IAAI,IAAI,CAAC,MAAM,KAAK,QAAA,Z,C;EACnB,C;EAEA,MAAM,KAAK,UAAU,QAAS,e;IAC1B,OAAO,IAAI,IAAI,SAAS,E;EACxB,C;EAEA,MAAM,KAAK,UAAU,UAAW,e;IAC5B,OAAO,I;EACX,C;EAEA,MAAM,KAAK,UAAU,WAAY,GAAE,MAAM,KAAK,UAAU,I;EAEjD,MAAM,KAAK,UAAU,QAAS,oB;IAC1B,OAAO,IAAI,IAAI,MAAM,OAAO,OAAO,UAAW,B,CAAC,mC,IAAA,nC,EAAA,yC,CAAA,C;EAAA,C;EAAA,C;E

G;QAChB,OAAsC,CAA9B,QAAQ,CAAC,SAAD,CAAY,GAAE,EAAG,GAAE,CAAG,IAAE,QAAQ,CAAC,QA
AD,CAAW,GAAE,C;;IAErE,C;EACJ,CAAE,G;EAEF,MAAM,cAAe,gB;IACjB,OAAO,CAAE,IAAG,IAAK,GAA
E,CAAF,GAAM,MAAM,SAAS,E;EAC1C,C;EC9GA,IAAI,OAAO,MAAM,UAAU,WAAY,KAAI,WA3C,C;IAC
I,MAAM,UAAU,WAAY,qC;MACxB,QAAS,GAAE,QAAS,IAAG,C;MACvB,OAAO,IAAI,YAAY,CAAC,YAAD
,EAAe,QAAf,CAAyB,KAAI,Q;IACxD,C;;EAEJ,IAAI,OAAO,MAAM,UAAU,SAAU,KAAI,WAAzC,C;IACI,MA
AM,UAAU,SAAU,qC;MACtB,IAAI,gBAAgB,IAAI,SAAS,E;MACjC,IAAI,QAAS,KAAI,SAAU,IAAG,QAAS,G
AAE,aAAa,OAAtD,C;QACI,QAAS,GAAE,aAAa,O;;MAE5B,QAAS,IAAG,YAAY,O;MACxB,IAAI,YAAY,aAA
a,QAAQ,CAAC,YAAD,EAAe,QAAf,C;MACrC,OAAO,SAAU,KAAI,EAAG,IAAG,SAAU,KAAI,Q;IAC7C,C;;E
AGJ,IAAI,OAAO,IAAI,KAAM,KAAI,WAAzB,C;IACI,IAAI,KAAM,gB;MACN,CAAE,GAAE,CAAC,C;MACL,I
AAI,CAAE,KAAI,CAAE,IAAG,KAAK,CAAC,CAAD,CAApB,C;QACI,OAAO,MAAM,CAAC,CAAD,C;;MAEj
B,OAAO,CAAE,GAAE,CAAE,GAAE,CAAF,GAAM,E;IACvB,C;;EAEJ,IAAI,OAAO,IAAI,MAAO,KAAI,WA
1B,C;IACI,IAAI,MAAO,gB;MACP,IAAI,KAAK,CAAC,CAAD,CAAT,C;QACI,OAAO,G;;MAEX,IAAI,CAAE,GAAE,C
AAR,C;QACI,OAAO,IAAI,MAAM,CAAC,CAAD,C;;MAErB,OAAO,IAAI,KAAK,CAAC,CAAD,C;IACpB,C;;EAsKF,a;IAlKE,IAAI,UAAU,qB;IACd,IAAI,iBAAiB,IAAI,KAAK,CAAC,OAAD,C;IAC9B,IAAI,iBAAiB,I
AAI,KAAK,CAAC,cAAD,C;IAC9B,IAAI,uBAAuB,CAAC,GAAC,c;IAC7B,IAAI,uBAAuB,CAAC,GAAC,c;IAE
7B,IAAI,OAAO,IAAI,KAAM,KAAI,WAAzB,C;MACI,IAAI,KAAM,gB;QACN,IAAI,IAAI,IAAI,IAAI,CAAC,CAAD,
CAAI,GAAE,cAAlB,C;UACI,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAlB,C;YACI
,MAAO,IAAI,CAAE,GAAE,CAAE,GAAE,CAAF,GAAM,E;;UAE5B,OAAO,M;;;UAEP,IAAI,IAAI,IAAI,IAAI,C
AAC,CAAD,C;UAChB,IAAI,KAAK,CAAE,GAAE,C;UACb,IAAI,CAAC,QAAQ,CAAC,CAAD,CAAb,C;YAAkB,OAAO,IAAI,KAAK,CAAC,CAAD,C;;UAEpC

O,gB;QACP,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAlB,C;UACI,IAAI,KAAK,CAAE,GAAE,C;UACb,IAAI,KAAK,EAAG,GAAE,C;UACd,IAAI,KAAK,EAAG,GAAE,C;UAEd,OAAQ,CAAC,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,C;;QAExC,OAAO,IAAI,IAAI,CAAC,CAAE,GAAO,EAAE,CAAL,C;MACnB,C;;IAEJ,IAAI,OAAO,IAAI,MAAO,KAAI,WA1B,C;MACI,IAAI,MAAO,gB;QACP,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAlB,C;UACI,IAAI,KAAK,CAAE,GAAE,C;UACb,IAAI,KAAK,EAAG,GAAE,C;UACd,IAAI,KAAK,EAAG,GAAE,C;UAEd,OAAQ,EAAG,GAAE,EAAG,GAAE,EAAG,GAAE,CAAE,GAAE,C;;QAEx,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,C;MACz B,C;;EAER,CAAE,G;EACF,IAAI,OAAO,IAAI,MAAO,KAAI,WA1B,C;IACI,IAAI,MAAO,e;MACP,IAAI,IAAI,I,C;MACR,IAAI,SAAS,SAAS,O;MAEtB,KAAK,IAAI,IAAI,CAAb,B,EAAgB,CAAE,GAAE,MAAO,B,EAA4B,CAAC,CAAE,GAAE,C;QAC5D,IAAI,SAAS,CAAC,CAAD,CAAI,GAAI,KAAI,QAAS,IAAI,SAAS,CAAC,CAAD,CAAI,GAAI,KAAI,QAAS,C;QAAE,QAAA,nD,C;UACxE,IAAI,OAAO,Q;;QAEX,EAAX,CAAE,GAAE,IAAG,GAAE,SAAS,CAAC,CAAD,CAAI,GAAE,GAAE,SAAS,CAAC,CAAD,CAAI,GAAE,GAAE,C;;MAEjC,C,CAAC,IAAI,KAAK,CAAC,CAAD,CAAI,C;IACpB B,C;;EAEJ,IAAI,IAAI,IAAI,MAAO,KAAI,WAAS,CAAC

E,GAAE,CAAF,GAAM,CAAjB,GAAsB,E;IACzC,C;IAEA,KAAK,IAAI,IAAI,CAAb,EAAgB,CAAE,GAAE,MA
AM,OAA1B,EAAmC,EAAE,CAArC,C;MACI,IAAI,aAAa,MAAM,CAAC,CAAD,C;MACvB,IAAI,OAAO,UAA
U,UAAU,KAAM,KAAI,WAAzC,C;QACI,MAAM,eAAe,CAAC,UAAU,UAAX,EAAuB,MAAvB,EAA+B,mC;U
AE5C,OAAO,KAAK,UAAU,KAAK,KAAK,CAAC,IAAD,EAAO,eAAgB,IAAG,oBAA1B,C;QACpC,CAHgD,CA
A/B,C;;;EAOjC,CAAE,G;EC/WF,MAAM,KAAM,GAAE,QACH,OADG,aAEC,WAFD,UAGF,QAHE,C;EAMd,M
AAM,WAAY,8C;IACd,IAAI,qBAAqB,MAAM,yBAAyB,CAAC,KAAD,EAAQ,YAAR,C;IACxD,IAAI,kBAAmB
,IAAG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;MACI,OAAO,kBAAkB,IAAI,KAAK,CAAC,UAAD,C;;IA
GtC,kBAAmB,GAAE,MAAM,yBAAyB,CAAC,UAAD,EAAa,YAAb,C;IACpD,IAAI,kBAAmB,IAAG,IAAK,IAA
G,OAAQ,IAAG,kBAA7C,C;MACI,OAAO,UAAU,CAAC,YAAD,C;;IAGrB,OAAO,MAAM,WAAW,CAAC,UAA
D,EAAa,MAAM,eAAe,CAAC,KAAD,CAAlC,EAA2C,YAA3C,C;EACpB,MAAM,eAAe,CAAC,KAAD,CAAlC,EAA2C,YA3C,C;EAEA,MAAM,WAAY,qD;IACd,IA
AI,qBAAqB,MAAM,yBAAyB,CAAC,KAAD,EAAQ,YAAR,C;IACxD,IAAI,kBAAmB,IAAG,IAAK,IAAG,kBAA
kB,IAAK,IAAG,IA5D,C;MACI,kBAAkB,IAAI,KAAK,CAAC,UAAD,EAAa,KAAb,C;MAC3B,M;;IAGJ,kBAA
mB,GAAE,MAAM,yBAAyB,CAAC,UAAD,EAAa,YAAb,C;IACpD,IAAI,kBAAmB,IAAG,IAAK,IAAG,IAAK,OAAQ,I
AAG,kBAA7C,C;MACI,UAAU,CAAC,YAAD,CAAe,GAAE,K;MAC3B,M;;IAGJ,MAAM,WAAW,CAAC,UAA
D,EAAa,MAAM,eAAe,CAAC,KAAD,CAAlC,EAA2C,YAA3C,EAAyD,KAAzD,C;EACrB,C;;IAGI,IAAI,IAAK,
KAAI,KAAb,C;MAAoB,OAAO,I;IAE3B,IAAI,WAAW,IAAI,W;IACnB,IAAI,QAAS,IAAG,IAAK,IAAG,IAAhC,C;MACI,IAAI,aAAa,QAAQ,W;MACzB,KAAK,IAAI,IAAI,CAAb,EAAgB,CAAE,GAAE,UAAU,OAA9B,EAAuC,CAAC,EAA
xC,C;QACI,IAAI,0BAA0B,CAAC,UAAU,CAAC,CAAD,CAAX,EAAgB,KAAhB,C;UACI,OAAO,I;;;;IAKnB,IAAI,iBAAiB,IAAI,UAAW,IAAG,IAAK,GAAE,MAAM,eAAe,CAAC,IAAI,UAAL,CAAvB,C;IACtF,IAAI,mBAAmB,cAAe,IAAG,IAAK,GAAE,cAAc,YAAhB,C;IAC7E,OAAO,gBAAiB,IAAG,IAAK,IAAG,IAAK,IAAG,0BAA0B,CAAC,gBAAD,EAAmB,IAAnB,C;IAC5E,OAAO,MAAM,OAAQ,4B;IACrB,IAAI,KAAM,KAAI,MAAM,OAAQ,MAAM,KAAM,KAAI,MAAM,OAAQ,MAAM,KAAM,KAAI,MAAM,OAAQ,MAAM

K;MAeyE,C;KADpF,C;;MAQiB,IAAN,I;MAFP,aAAa,IAAb,WAAa,CAAD,IAAC,C;MACb,gBAAkB,W;MAEd,IADS,IACT,mBADS,IACT,EAAM,IAAN,YADS,IACT,EAAY,KAAZ,E;QAAqB,a;;QA1BZ,U;QAAA,SA2BkB,MA3BZ,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,mB;UA2B+B,MA1B3B,CAAM,CAAN,IA0BmC,IA1BxB,CAAK,CAAL,C;;QA0BH,OAAmB,M;;MAF/B,W;IAIJ,C;qEAEA,yB;MAAA,2B;MAAA,gC;MAAA,6B;QAGiB,QADb,YAAY,UAAU,IAAV,EAAgB,IAAhB,B,C;QACC,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UAAuB,MAAC,CAAD,IAAC,C;UAAD,KAAC,CAAD,IAAC,C;UAAD,KAAC,CAAD,IAAC,C;UAAD,K

J,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAMI,OAAO,mBAAQ,OAAR,KAAoB,C;IAC/B,C;;MAMI,OAAO,qBAAQ,OAAR,KAAoB,C;IAC/B,C;;MAMI,OAAO,qBAAQ,OAAR,KAAoB,C;IAC/B,C;;MAMI,OAAO,qBAAQ,OAAR,KAAoB,C;IAC/B,C;;MAMI,OAAO,qBAAQ,OAAR,KAAoB,C;IAC/B,C;;MAMI,OAAO,qBAAQ,OAAR,KAAoB,C;IAC/B,C;;MAMI,OAAO,qBAAQ,OAAR,KAAoB,C;IAC/B,C;;MAMI,OAAO,qBAAQ,OAAR,KAAoB,C;IAC/B,C;oGAiEA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,CAAd,IAAmB,CAAnB,IAAwB,CAAxB,IAA6B,CAA7B,IAAkC,CAAlC,IAAuC,CAAvC,IAA4C,CAA5C,IAAiD,CAAjD,IAAsD,CAAtD,IAA2D,CAA3D,IAAgE,CAAhE,IAAqE,CAArE,IAA0E,CAA1E,IAA+E,CAA/E,IAAoF,CAApF,IAAyF,CAAzF,IAA8F,CAA9F,IAAmG,CAAnG,IAAwG,CAAxG,IAA6G,CAA7G,IAAkH,CAAlH,IAAuH,CAAvH,IAA4H,CAA5H,IAAiI,CAAjI,IAAsI,CAAtI,IAA2I,CAA3I,IAAgJ,CAAhJ,IAAqJ,CAArJ,IAA0J,CAA1J,IAA+J,CAA/J,IAAoK,CAApK,IAAyK,CAAzK,IAA8K,CAA9K,IAAmL,CAAnL,IAAwL,CAAxL,IAA6L,CAA7L,IAAkM,CAAlM,IAAuM,CAAvM,IAA4M,CAA5M,IAAiN,CAAjN,IAAsN,CAAtN,IAA2N,CAA3N,IAAgO,CAAhO,IAAqO,CAArO,IAA0O,CAA1O,IAA+O,CAA/O,IAAoP,CAApP,IAAyP,CAAzP,IAA8P,CAA9P,IAAmQ,CAAnQ,IAAwQ,CAAxQ,IAA6Q,CAA7Q,IAAkR,CAAlR,IAAuR,CAAvR,IAA4R,CAA5R,IAAiS,CAAjS,IAAsS,CAAtS,IAA2S,CAA3S,IAAgT,CAAhT,IAAqT,CAArT,IAA0T,CAA1T,IAA+T,CAA/T,IAAoU,CAApU,IAAyU,CAAzU,IAA8U,CAA9U,IAAmV,CAAnV,IAAwV,CAAxV,IAA6V,CAA7V,IAAkW,CAAlW,IAAuW,CAAvW,IAA4W,CAA5W,IAAiX,CAAjX,IAAsX,CAAtX,IAA2X,CAA3X,IAAgY,CAAhY,IAAqY,CAArY,IAA0Y,CAA1Y,IAA+Y,CAA/Y,IAAoZ,CAApZ,IAAyZ,CAAzZ,IAA8Z,CAA9Z,IAAma,CAAna,IAAwa,CAAxa,IAA6a,CAA7a,IAAkb,CAAlb,IAAub,CAAvb,IAA4b,CAA5b,IAAic,CAAjc,IAAsc,CAAtc,IAA2c,CAA3c,IAAgd,CAAhd,IAAqd,CAArd,IAA0d,CAA1d,IAA+d,CAA/d,IAAoe,CAApe,IAAye,CAAze,IAA8e,CAA9e,IAAmf,CAAnf,IAAwf,CAAxf,IAA6f,CAA7f,IAAkgB,CAAlgB,IAAugB,CAAvgB,IAA4gB,CAA5gB,IAAihB,CAAjhB,IAAshB,CAAthB,IAA2hB,CAA3hB,IAAgiB,CAAhiB,IAAqiB,CAAriB,IAA0iB,CAA1iB,IAA+iB,CAA/iB,IAAojB,CAApjB,IAAyjB,CAAzjB,IAA8jB,CAA9jB,IAAmkB,CAAnkB,IAAwkB,CAAxkB,IAA6kB,CAA7kB,IAAklB,CAAllB,IAAulB,CAAvlB,IAA4lB,CAA5lB,IAAimB,CAAjmB,IAAsmB,CAAtmB,IAA2mB,CAA3mB,IAAgnB,CAAhnB,IAAqnB,CAArnB,IAA0nB,CAA1nB,IAA+nB,CAA/nB,IAAooB,CAApoB,IAAyoB,CAAzoB,IAA8oB,CAA9oB,IAAmpB,CAAnpB,IAAwpB,CAAxpB,IAA6pB,CAA7pB,IAAkqB,CAAlqB,IAAuqB,CAAvqB,IAA4qB,CAA5qB,IAAirB,CAAjrB,IAAsrB,CAAtrB,IAA2rB,CAA3rB,IAAgsB,CAAhsB,IAAqsB,CAArsB,IAA0sB,CAA1sB,IAA+sB,CAA/sB,IAAotB,CAAptB,IAAytB,CAAztB,IAA8tB,CAA9tB,IAAmuB,CAAnuB,IAAwuB,CAAxuB,IAA6uB,CAA7uB,IAAkvB,CAAlvB,IAAuvB,CAAvvB,IAA4vB,CAA5vB,IAAiwB,CAAjwB,IAAswB,CAAtwB,IAA2wB,CAA3wB,IAAgxB,CAAhxB,IAAqxB,CAArxB,IAA0xB,CAA1xB,IAA+xB,CAA/xB,IAAoyB,CAApyB,IAAyyB,CAAzyB,IAA8yB,CAA9yB,IAAmzB,CAAnzB,IAAwzB,CAAxzB,IAA6zB,CAA7zB,IAAk0B,CAAl0B,IAAu0B,CAAv0B,IAA40B,CAA50B,IAAi1B,CAAj1B,IAAs1B,CAAt1B,IAA21B,CAA31B,IAAg2B,CAAh2B,IAAq2B,CAAr2B,IAA02B,CAA12B,IAA+2B,CAA/2B,IAAo3B,CAAp3B,IAAy3B,CAAz3B,IAA83B,CAA93B,IAAm4B,CAAn4B,IAAw4B,CAAx4B,IAA64B,CAA74B,IAAk5B,CAAl5B,IAAu5B,CAAv5B,IAA45B,CAA55B,IAAi6B,CAAj6B,IAAs6B,CAAt6B,IAA26B,CAA36B,IAAg7B,CAAh7B,IAAq7B,CAAr7B,IAA07B,CAA17B,IAA+7B,CAA/7B,IAAo8B,CAAp8B,IAAy8B,CAAz8B,IAA88B,CAA98B,IAAm9B,CAAn9B,IAAw9B,CAAx9B,IAA69B,CAA79B,IAAk+B,CAAl+B,IAAu+B,CAAv+B,IAA4+B,CAA5+B,IAAi/B,CAAj/B,IAAs/B,CAAt/B,IAA2/B,CAA3/B,IAAggC,CAAhgC,IAAqgC,CAArgC,IAA0gC,CAA1gC,IAA+gC,CAA/gC,IAAohC,CAAphC,IAAyhC,CAAzhC,IAA8hC,CAA9hC,IAAmiC,CAAniC,IAAwiC,CAAxiC,IAA6iC,CAA7iC,IAAkjC,CAAljC,IAAujC,CAAvjC,IAA4jC,CAA5jC,IAAikC,CAAjkC,IAAskC,CAAtkC,IAA2kC,CAA3kC,IAAglC,CAAhlC,IAAqlC,CAArlC,IAA0lC,CAA1lC,IAA+lC,CAA/lC,IAAomC,CAApmC,IAAymC,CAAzmC,IAA8mC,CAA9mC,IAAmnC,CAAnnC,IAAwnC,CAAxnC,IAA6nC,CAA7nC,IAAkoC,CAAloC,IAAuoC,CAAvoC,IAA4oC,CAA5oC,IAAipC,CAAjpC,IAAspC,CAAtpC,IAA2pC,CAA3pC,IAAgqC,CAAhqC,IAAqqC,CAArqC,IAA0qC,CAA1qC,IAA+qC,CAA/qC,IAAorC,CAAprC,IAAyrC,CAAzrC,IAA8rC,CAA9rC,IAAmsC,CAAnsC,IAAwsC,CAAxsC,IAA6sC,CAA7sC,IAAktC,CAAltC,IAAutC,CAAvtC,IAA4tC,CAA5tC,IAAiuC,CAAjuC,IAAsuC,CAAtuC,IAA2uC,CAA3uC,IAAgvC,CAAhvC,IAAqvC,CAArvC,IAA0vC,CAA1vC,IAA+vC,CAA/vC,IAAowC,CAApwC,IAAywC,CAAzwC,IAA8wC,CAA9wC,IAAmxC,CAAnxC,IAAwxC,CAAxxC,IAA6xC,CAA7xC,IAAkyC,CAAlyC,IAAuyC,CAAvyC,IAA4yC,CAA5yC,IAAizC,CAAjzC,IAAszC,CAAtzC,IAA2zC,CAA3zC,IAAg0C,CAAh0C,IAAq0C,CAAr0C,IAA00C,CAA10C,IAA+0C,CAA/0C,IAAo1C,CAAp1C,IAAy1C,CAAz1C,IAA81C,CAA91C,IAAm2C,CAAn2C,IAAw2C,CAAx2C,IAA62C,CAA72C,IAAk3C,CAAl3C,IAAu3C,CAAv3C,IAA43C,CAA53C,IAAi4C,CAAj4C,IAAs4C,CAAt4C,IAA24C,CAA34C,IAAg5C,CAAh5C,IAAq5C,CAAr5C,IAA05C,CAA15C,IAA+5C,CAA/5C,IAAo6C,CAAp6C,IAAy6C,CAAz6C,IAA86C,CAA96C,IAAm7C,CAAn7C,IAAw7C,CAAx7C,IAA67C,CAA77C,IAAk8C,CAAl8C,IAAu8C,CAAv8C,IAA48C,CAA58C,IAAi9C,CAAj9C,IAAs9C,CAAt9C,IAA29C,CAA39C,IAAg+C,CAAh+C,IAAq+C,CAAr+C,IAA0+C,CAA1+C,IAA++C,CAA/+C,IAAo/C,CAAp/C,IAAy/C,CAAz/C,IAA8/C,CAA9/C,IAAmgD,CAAngD,IAAwgD,CAAxgD,IAA6gD,CAA7gD,IAAkhD,CAAlhD,IAAuhD,CAAvhD,IAA4hD,CAA5hD,IAAiiD,CAAjiD,IAAsiD,CAAtiD,IAA2iD,CAA3iD,IAAgjD,CAAhjD,IAAqjD,CAArjD,IAA0jD,CAA1jD,IAA+jD,CAA/jD,IAAokD,CAApkD,IAAykD,CAAzkD,IAA8kD,CAA9kD,IAAmlD,CAAnlD,IAAwlD,CAAxlD,IAA6lD,CAA7lD,IAAkmD,CAAlmD,IAAumD,CAAvmD,IAA4mD,CAA5mD,IAAinD,CAAjnD,IAAsnD,CAAtnD,IAA2nD,CAA3nD,IAAgoD,CAAhoD,IAAqoD,CAAroD,IAA0oD,CAA1oD,IAA+oD,CAA/oD,IAAopD,CAAppD,IAAypD,CAAzpD,IAA8pD,CAA9pD,IAAmqD,CAAnqD,IAAwqD,CAAxqD,IAA6qD,CAA7qD,IAAkrD,CAAlrD,IAAurD,CAAvrD,IAA4rD,CAA5rD,IAAisD,CAAjsD,IAAssD,CAAtsD,IAA2sD,CAA3sD,IAAgtD,CAAhtD,IAAqtD,CAArtD,IAA0tD,CAA1tD,IAA+tD,CAA/tD,IAAouD,CAApuD,IAAyuD,CAAzuD,IAA8uD,CAA9uD,IAAmvD,CAAnvD,IAAwvD,CAAxvD,IAA6vD,CAA7vD,IAAkwD,CAAlwD,IAAuwD,CAAvwD,IAA4wD,CAA5wD,IAAixD,CAAjxD,IAAsxD,CAAtxD,IAA2xD,CAA3xD,IAAgyD,CAAhyD,IAAqyD,CAAryD,IAA0yD,CAA1yD,IAA+yD,CAA/yD,IAAozD,CAApzD,IAAyzD,CAAzzD,IAA8zD,CAA9zD,IAAm0D,CAAn0D,IAAw0D,CAAx0D,IAA60D,CAA70D,IAAk1D,CAAl1D,IAAu1D,CAAv1D,IAA41D,CAA51D,IAAi2D,CAAj2D,IAAs2D,CAAt2D,IAA22D,CAA32D,IAAg3D,CAAh3D,IAAq3D,CAAr3D,IAA03D,CAA13D,IAA+3D,CAA/3D,IAAo4D,CAAp4D,IAAy4D,CAAz4D,IAA84D,CAA94D,IAAm5D,CAAn5D,IAAw5D,CAAx5D,IAA65D,CAA75D,IAAk6D,CAAl6D,IAAu6D,CAAv6D,IAA46D,CAA56D,IAAi7D,CAAj7D,IAAs7D,CAAt7D,IAA27D,CAA37D,IAAg8D,CAAh8D,IAAq8D,CAAr8D,IAA08D,CAA18D,IAA+8D,CAA/8D,IAAo9D,CAAp9D,IAAy9D,CAAz9D,IAA89D,CAA99D,IAAm+D,CAAn+D,IAAw+D,CAAx+D,IAA6+D,CAA7+D,IAAk/D,CAAl/D,IAAu/D,CAAv/D,IAA4/D,CAA5/D,IAAigE,CAAjgE,IAAsgE,CAAtgE,IAA2gE,CAA3gE,IAAghE,CAAhhE,IAAqhE,CAArhE,IAA0hE,CAA1hE,IAA+hE,CAA/hE,IAAoiE,CAApiE,IAAyiE,CAAziE,IAA8iE,CAA9iE,IAAmjE,CAAnjE,IAAwjE,CAAxjE,IAA6jE,CAA7jE,IAAkkE,CAAlkE,IAAukE,CAAvkE,IAA4kE,CAA5kE,IAAilE,CAAjlE,IAAslE,CAAtlE,IAA2lE,CAA3lE,IAAgmE,CAAhmE,IAAqmE,CAArmE,IAA0mE,CAA1mE,IAA+mE,CAA/mE,IAAonE,CAApnE,IAAynE,CAAznE,IAA8nE,CAA9nE,IAAmoE,CAAnoE,IAAwoE,CAAxoE,IAA6oE,CAA7oE,IAAkpE,CAAlpE,IAAupE,CAAvpE,IAA4pE,CAA5pE,IAAiqE,CAAjqE,IAAsqE,CAAtqE,IAA2qE,CAA3qE,IAAgrE,CAAhrE,IAAqrE,CAArrE,IAA0rE,CAA1rE,IAA+rE,CAA/rE,IAAosE,CAApsE,IAAysE,CAAzsE,IAA8sE,CAA9sE,IAAmtE,CAAntE,IAAwtE,CAAxtE,IAA6tE,CAA7tE,IAAkuE,CAAluE,IAAuuE,CAAvuE,IAA4uE,CAA5uE,IAAivE,CAAjvE,IAAsvE,CAAtvE,IAA2vE,CAA3vE,IAAgwE,CAAhwE,IAAqwE,CAArwE,IAA0wE,CAA1wE,IAA+wE,CAA/wE,IAAoxE,CAApxE,IAAyxE,CAAzxE,IAA8xE,CAA9xE,IAAmyE,CAAnyE,IAAwyE,CAAxyE,IAA6yE,CAA7yE,IAAkzE,CAAlzE,IAAuzE,CAAvzE,IAA4zE,CAA5zE,IAAi0E,CAAj0E,IAAs0E,CAAt0E,IAA20E,CAA30E,IAAg1E,CAAh1E,IAAq1E,CAAr1E,IAA01E,CAA11E,IAA+1E,CAA/1E,IAAo2E,CAAp2E,IAAy2E,CAAz2E,IAA82E,CAA92E,IAAm3E,CAAn3E,IAAw3E,CAAx3E,IAA63E,CAA73E,IAAk4E,CAAl4E,IAAu4E,CAAv4E,IAA44E,CAA54E,IAAi5E,CAAj5E,IAAs5E,CAAt5E,IAA25E,CAA35E,IAAg6E,CAAh6E,IAAq6E,CAAr6E,IAA06E,CAA16E,IAA+6E,CAA/6E,IAAo7E,CAAp7E,IAAy7E,CAAz7E,IAA87E,CAA97E,IAAm8E,CAAn8E,IAAw8E,CAAx8E,IAA68E,CAA78E,IAAk9E,CAAl9E,IAAu9E,CAAv9E,IAA49E,CAA59E,IAAi+E,CAAj+E,IAAs+E,CAAt+E,IAA2+E,CAA3+E,IAAg/E,CAAh/E,IAAq/E,CAAr/E,IAA0/E,CAA1/E,IAA+/E,CAA//E,IAAogF,CAApgF,IAAygF,CAAzgF,IAA8gF,CAA9gF,IAAmhF,CAAnhF,IAAwhF,CAAxhF,IAA6hF,CAA7hF,IAAkiF,CAAliF,IAAuiF,CAAviF,IAA4iF,CAA5iF,IAAijF,CAAjjF,IAAsjF,CAAtjF,IAA2jF,CAA3jF,IAAgkF,CAAhkF,IAAqkF,CAArkF,IAA0kF,CAA1kF,IAA+kF,CAA/kF,IAAolF,CAAplF,IAAylF,CAAzlF,IAA8lF,CAA9lF,IAAmmF,CAAnmF,IAAwmF,CAAxmF,IAA6mF,CAA7mF,IAAknF,CAAlnF,IAAunF,CAAvnF,IAA4nF,CAA5nF,IAAioF,CAAjoF,IAAsoF,CAAtoF,IAA2oF,CAA3oF,IAAgpF,CAAhpF,IAAqpF,CAArpF,IAA0pF,CAA1pF,IAA+pF,CAA/pF,IAAoqF,CAApqF,IAAyqF,CAAzqF,IAA8qF,CAA9qF,IAAmrF,CAAnrF,IAAwrF,CAAxrF,IAA6rF,CAA7rF,IAAksF,CAAlsF,IAAusF,CAAvsF,IAA4sF,CAA5sF,IAAitF,CAAjtF,IAAstF,CAAttF,IAA2tF,CAA3tF,IAAguF,CAAhuF,IAAquF,CAAruF,IAA0uF,CAA1uF,IAA+uF,CAA/uF,IAAovF,CAApvF,IAAyvF,CAAzvF,IAA8vF,CAA9vF,IAAmwF,CAAnwF,IAAwwF,CAAxwF,IAA6wF,CAA7wF,IAAkxF,CAAlxF,IAAuxF,CAAvxF,IAA4xF,CAA5xF,IAAiyF,CAAjyF,IAAsyF,CAAtyF,IAA2yF,CAA3yF,IAAgzF,CAAhzF,IAAqzF,CAArzF,IAA0zF,CAA1zF,IAA+zF,CAA/zF,IAAo0F,CAAp0F,IAAy0F,CAAz0F,IAA80F,CAA90F,IAAm1F,CAAn1F,IAAw1F,CAAx1F,IAA61F,CAA71F,IAAk2F,CAAl2F,IAAu2F,CAAv2F,IAA42F,CAA52F,IAAi3F,CAAj3F,IAAs3F,CAAt3F,IAA23F,CAA33F,IAAg4F,CAAh4F,IAAq4F,CAAr4F,IAA04F,CAA14F,IAA+4F,CAA/4F,IAAo5F,CAAp5F,IAAy5F,CAAz5F,IAA85F,CAA95F,IAAm6F,CAAn6F,IAAw6F,CAAx6F,IAA66F,CAA76F,IAAk7F,CAAl7F,IAAu7F,CAAv7F,IAA47F,CAA57F,IAAi8F,CAAj8F,IAAs8F,CAAt8F,IAA28F,CAA38F,IAAg9F,CAAh9F,IAAq9F,CAAr9F,IAA09F,CAA19F,IAA+9F,CAA/9F,IAAo+F,CAAp+F,IAAy+F,CAAz+F,IAA8+F,CAA9+F,IAAm/F,CAAn/F,IAAw/F,CAAx/F,IAA6/F,CAA7/F,IAAkgG,CAAlgG,IAAugG,CAAvgG,IAA4gG,CAA5gG,IAAihG,CAAjhG,IAAshG,CAAthG,IAA2hG,CAA3hG,IAAgiG,CAAhiG,IAAqiG,CAAriG,IAA0iG,CAA1iG,IAA+iG,CAA/iG,IAAojG,CAApjG,IAAyjG,CAAzjG,IAA8jG,CAA9jG,IAAmkG,CAAnkG,IAAwkG,CAAxkG,IAA6kG,CAA7kG,IAAklG,CAAllG,IAAulG,CAAvlG,IAA4lG,CAA5lG,IAAimG,CAAjmG,IAAsmG,CAAtmG,IAA2mG,CAA3mG,IAAgnG,CAAhnG,IAAqnG,CAArnG,IAA0nG,CAA1nG,IAA+nG,CAA/nG,IAAooG,CAApoG,IAAyoG,CAAzoG,IAA8oG,CAA9oG,IAAmpG,CAAnpG,IAAwpG,CAAxpG,IAA6pG,CAA7pG,IAAkqG,CAAlqG,IAAuqG,CAAvqG,IAA4qG,CAA5qG,IAAirG,CAAjrG,IAAsrG,CAAtrG,IAA2rG,CAA3rG,IAAgsG,CAAhsG,IAAqsG,CAArsG,IAA0sG,CAA1sG,IAA+sG,CAA/sG,IAAotG,CAAptG,IAAytG,CAAztG,IAA8tG,CAA9tG,IAAmuG,CAAnuG,IAAwuG,CAAxuG,IAA6uG,CAA7uG,IAAkvG,CAAlvG,IAAuvG,CAAvvG,IAA4vG,CAA5vG,IAAiwG,CAAjwG,IAAswG,CAAtwG,IAA2wG,CAA3wG,IAAgxG,CAAhxG,IAAqxG,CAArxG,IAA0xG,CAA1xG,IAA+xG,CAA/xG,IAAoyG,CAApyG,IAAyyG,CAAzyG,IAA8yG,CAA9yG,IAAmzG,CAAnzG,IAAwzG,CAAxzG,IAA6zG,CAA7zG,IAAk0G,CAAl0G,IAAu0G,CAAv0G,IAA40G,CAA50G,IAAi1G,CAAj1G,IAAs1G,CAAt1G,IAA21G,CAA31G,IAAg2G,CAAh2G,IAAq2G,CAAr2G,IAA02G,CAA12G,IAA+2G,CAA/2G,IAAo3G,CAAp3G,IAAy3G,CAAz3G,IAA83G,CAA93G,IAAm4G,CAAn4G,IAAw4G,CAAx4G,IAA64G,CAA74G,IAAk5G,CAAl5G,IAAu5G,CAAv5G,IAA45G,CAA55G,IAAi6G,CAAj6G,IAAs6G,CAAt6G,IAA26G,CAA36G,IAAg7G,CAAh7G,IAAq7G,CAAr7G,IAA07G,CAA17G,IAA+7G,CAA/7G,IAAo8G,CAAp8G,IAAy8G,CAAz8G,IAA88G,CAA98G,IAAm9G,CAAn9G,IAAw9G,CAAx9G,IAA69G,CAA79G,IAAk+G,CAAl+G,IAAu+G,CAAv+G,IAA4+G,CAA5+G,IAAi/G,CAAj/G,IAAs/G,CAAt/G,IAA2/G,CAA3/G,IAAggH,CAAhgH,IAAqgH,CAArgH,IAA0gH,CAA1gH,IAA+gH,CAA/gH,IAAohH,CAAphH,IAAyhH,CAAzhH,IAA8hH,CAA9hH,IAAmiH,CAAniH,IAAwiH,CAAxiH,IAA6iH,CAA7iH,IAAkjH,CAAljH,IAAujH,CAAvjH,IAA4jH,CAA5jH,IAAikH,CAAjkH,IAAskH,CAAtkH,IAA2kH,CAA3kH,IAAglH,CAAhlH,IAAqlH,CAArlH,IAA0lH,CAA1lH,IAA+lH,CAA/lH,IAAomH,CAApmH,IAAymH,CAAzmH,IAA8mH,CAA9mH,IAAmnH,CAAnnH,IAAwnH,CAAxnH,IAA6nH,CAA7nH,IAAkoH,CAAloH,IAAuoH,CAAvoH,IAA4oH,CAA5oH,IAAipH,CAAjpH,IAAspH,CAAtpH,IAA2pH,CAA3pH,IAAgqH,CAAhqH,IAAqqH,CAArqH,IAA0qH,CAA1qH,IAA+qH,CAA/qH,IAAorH,CAAprH,IAAyrH,CAAzrH,IAA8rH,CAA9rH,IAAmsH,CAAnsH,IAAwsH,CAAxsH,IAA6sH,CAA7sH,IAAktH,CAAltH,IAAutH,CAAvtH,IAA4tH,CAA5tH,IAAiuH,CAAjuH,IAAsuH,CAAtuH,IAA2uH,CAA3uH,IAAgvH,CAAhvH,IAAqvH,CAArvH,IAA0vH,CAA1vH,IAA+vH,CAA/vH,IAAowH,CAApwH,IAAywH,CAAzwH,IAA8wH,CAA9wH,IAAmxH,CAAnxH,IAAwxH,CAAxxH,IAA6xH,CAA7xH,IAAkyH,CAAlyH,IAAuyH,CAAvyH,IAA4yH,CAA5yH,IAAizH,CAAjzH,IAAszH,CAAtzH,IAA2zH,CAA3zH,IAAg0H,CAAh0H,IAAq0H,CAAr0H,IAA00H,CAA10H,IAA+0H,CAA/0H,IAAo1H,CAAp1H,IAAy1H,CAAz1H,IAA81H,CAA91H,IAAm2H,CAAn2H,IAAw2H,CAAx2H,IAA62H,CAA72H,IAAk3H,CAAl3H,IAAu3H,CAAv3H,IAA43H,CAA53H,IAAi4H,CAAj4H,IAAs4H,CAAt4H,IAA24H,CAA34H,IAAg5H,CAAh5H,IAAq5H,CAAr5H,IAA05H,CAA15H,IAA+5H,CAA/5H,IAAo6H,CAAp6H,IAAy6H,CAAz6H,IAA86H,CAA96H,IAAm7H,CAAn7H,IAAw7H,CAAx7H,IAA67H,CAA77H,IAAk8H,CAAl8H,IAAu8H,CAAv8H,IAA48H,CAA58H,IAAi9H,CAAj9H,IAAs9H,CAAt9H,IAA29H,CAA39H,IAAg+H,CAAh+H,IAAq+H,CAAr+H,IAA0+H,CAA1+H,IAA++H,CAA/+H,IAAo/H,CAAp/H,IAAy/H,CAAz/H,IAA8/H,CAA9/H,IAAmgI,CAAngI,IAAwgI,CAAxgI,IAA6gI,CAA7gI,IAAkhI,CAAlhI,IAAuhI,CAAvhI,IAA4hI,CAA5hI,IAAiiI,CAAjiI,IAAsiI,CAAtiI,IAA2iI,CAA3iI,IAAgjI,CAAhjI,IAAqjI,CAArjI,IAA0jI,CAA1jI,IAA+jI,CAA/jI,IAAokI,CAApkI,IAAykI,CAAzkI,IAA8kI,CAA9kI,IAAmlI,CAAnlI,IAAwlI,CAAxlI,IAA6lI,CAA7lI,IAAkmI,CAAlmI,IAAumI,CAAvmI,IAA4mI,CAA5mI,IAAinI,CAAjnI,IAAsnI,CAAtnI,IAA2nI,CAA3nI,IAAgoI,CAAhoI,IAAqoI,CAAroI,IAA0oI,CAA1oI,IAA+oI,CAA/oI,IAAopI,CAAppI,IAAypI,CAAzpI,IAA8pI,CAA9pI,IAAmqI,CAAnqI,IAAwqI,CAAxqI,IAA6qI,CAA7qI,IAAkrI,CAAlrI,IAAurI,CAAvrI,IAA4rI,CAA5rI,IAAisI,CAAjsI,IAAssI,CAAtsI,IAA2sI,CAA3sI,IAAgtI,CAAhtI,IAAqtI,CAArtI,IAA0tI,CAA1tI,IAA+tI,CAA/tI,IAAouI,CAApuI,IAAyuI,CAAzuI,IAA8uI,CAA9uI,IAAmvI,CAAnvI,IAAwvI,CAAxvI,IAA6vI,CAA7vI,IAAkwI,CAAlwI,IAAuwI,CAAvwI,IAA4wI,CAA5wI,IAAixI,CAAjxI,IAAsxI,CAAtxI,IAA2xI,CAA3xI,IAAgyI,CAAhyI,IAAqyI,CAAryI,IAA0yI,CAA1yI,IAA+yI,CAA/yI,IAAozI,CAApzI,IAAyzI,CAAzzI,IAA8zI,CAA9zI,IAAm0I,CAAn0I,IAAw0I,CAAx0I,IAA60I,CAA70I,IAAk1I,CAAl1I,IAAu1I,CAAv1I,IAA41I,CAA51I,IAAi2I,CAAj2I,IAAs2I,CAAt2I,IAA22I,CAA32I,IAAg3I,CAAh3I,IAAq3I,CAAr3I,IAA03I,CAA13I,IAA+3I,CAA/3I,IAAo4I,CAAp4I,IAAy4I,CAAz4I,IAA84I,CAA94I,IAAm5I,CAAn5I,IAAw5I,CAAx5I,IAA65I,CAA75I,IAAk6I,CAAl6I,IAAu6I,CAAv6I,IAA46I,CAA56I,IAAi7I,CAAj7I,IAAs7I,CAAt7I,IAA27I,CAA37I,IAAg8I,CAAh8I,IAAq8I,CAAr8I,IAA08I,CAA18I,IAA+8I,CAA/8I,IAAo9I,CAAp9I,IAAy9I,CAAz9I,IAA89I,CAA99I,IAAm+I,CAAn+I,IAAw+I,CAAx+I,IAA6+I,CAA7+I,IAAk/I,CAAl/I,IAAu/I,CAAv/I,IAA4/I,CAA5/I,IAAigJ,CAAjgJ,IAAsgJ,CAAtgJ,IAA2gJ,CAA3gJ,IAAghJ,CAAhhJ,IAAqhJ,CAArhJ,IAA0hJ,CAA1hJ,IAA+hJ,CAA/hJ,IAAoiJ,CAApiJ,IAAyiJ,CAAziJ,IAA8iJ,CAA9iJ,IAAmjJ,CAAnjJ,IAAwjJ,CAAxjJ,IAA6jJ,CAA7jJ,IAAkkJ,CAAlkJ,IAAukJ,CAAvkJ,IAA4kJ,CAA5kJ,IAAilJ,CAAjlJ,IAAslJ,CAAtlJ,IAA2lJ,CAA3lJ,IAAgmJ,CAAhmJ,IAAqmJ,CAArmJ,IAA0mJ,CAA1mJ,IAA+mJ,CAA/mJ,IAAonJ,CAApnJ,IAAynJ,CAAznJ,IAA8nJ,CAA9nJ,IAAmoJ,CAAnoJ,IAAwoJ,CAAxoJ,IAA6oJ,CAA7oJ,IAAkpJ,CAAlpJ,IAAupJ,CAAvpJ,IAA4pJ,CAA5pJ,IAAiqJ,CAAjqJ,IAAsqJ,CAAtqJ,IAA2qJ,CAA3qJ,IAAgrJ,CAAhrJ,IAAqrJ,CAArrJ,IAA0rJ,CAA1rJ,IAA+rJ,CAA/rJ,IAAosJ,CAApsJ,IAAysJ,CAAzsJ,IAA8sJ,CAA9sJ,IAAmtJ,CAAntJ,IAAwtJ,CAAxtJ,IAA6tJ,CAA7tJ,IAAkuJ,CAAluJ,IAAuuJ,CAAvuJ,IAA4uJ,CAA5uJ,IAAivJ,CAAjvJ,IAAsvJ,CAAtvJ,IAA2vJ,CAA3vJ,IAAgwJ,CAAhwJ,IAAqwJ,CAArwJ,IAA0wJ,CAA1wJ,IAA+wJ,CAA/wJ,IAAoxJ,CAApxJ,IAAyxJ,CAAzxJ,IAA8xJ,CAA9xJ,IAAmyJ,CAAnyJ,IAAwyJ,CAAxyJ,IAA6yJ,CAA7yJ,IAAkzJ,CAAlzJ,IAAuzJ,CAAvzJ,IAA4zJ,CAA5zJ,IAAi0J,CAAj0J,IAAs0J,CAAt0J,IAA20J,CAA30J,IAAg1J,CAAh1J,IAAq1J,CAAr1J,IAA01J,CAA11J,IAA+1J,CAA/1J,IAAo2J,CAAp2J,IAAy2J,CAAz2J,IAA82J,CAA92J,IAAm3J,CAAn3J,IAAw3J,CAAx3J,IAA63J,CAA73J,IAAk4J,CAAl4J,IAAu4J,CAAv4J,IAA44J,CAA54J,IAAi5J,CAAj5J,IAAs5J,CAAt5J,IAA25J,CAA35J,IAAg6J,CAAh6J,IAAq6J,CAAr6J,IAA06J,CAA16J,IAA+6J,CAA/6J,IAAo7J,CAAp7J,IAAy7J,CAAz7J,IAA87J,CAA97J,IAAm8J,CAAn8J,IAAw8J,CAAx8J,IAA68J,CAA78J,IAAk9J,CAAl9J,IAAu9J,CAAv9J,IAA49J,CAA59J,IAAi+J,CAAj+J,IAAs+J,CAAt+J,IAA2+J,CAA3+J,IAAg/J,CAAh/J,IAAq/J,CAAr/J,IAA0/J,CAA1/J,IAA+/J,CAA//J,IAAogK,CAApgK,IAAygK,CAAzgK,IAA8gK,CAA9gK,IAAmhK,CAAnhK,IAAwhK,CAAxhK,IAA6hK,CAA7hK,IAAkiK,CAAliK,IAAuiK,CAAviK,IAA4iK,CAA5iK,IAAijK,CAAjjK,IAAsjK,CAAtjK,IAA2jK,CAA3jK,IAAgkK,CAAhkK,IAAqkK,CAArkK,IAA0kK,CAA1kK,IAA+kK,CAA/kK,IAAolK,CAAplK,IAAylK,CAAzlK,IAA8lK,CAA9lK,IAAmmK,CAAnmK,IAAwmK,CAAxmK,IAA6mK,CAA7mK,IAAknK,CAAlnK,IAAunK,CAAvnK,IAA4nK,CAA5nK,IAAioK,CAAjoK,IAAsoK,CAAtoK,IAA2oK,CAA3oK,IAAgpK,CAAhpK,IAAqpK,CAArpK,IAA0pK,CAA1pK,IAA+pK,CAA/pK,IAAoqK,CAApqK,IAAyqK,CAAzqK,IAA8qK,CAA9qK,IAAmrK,CAAnrK,IAAwrK,CAAxrK,IAA6rK,CAA7rK,IAAksK,CAAlsK,IAAusK,CAAvsK,IAA4sK,CAA5sK,IAAitK,CAAjtK,IAAstK,CAAttK,IAA2tK,CAA3tK,IAAguK,CAAhuK,IAAquK,CAAruK,IAA0uK,CAA1uK,IAA+uK,CAA/uK,IAAovK,CAApvK,IAAyvK,CAAzvK,IAA8vK,CAA9vK,IAAmwK,CAAnwK,IAAwwK,CAAxwK,IAA6wK,CAA7wK,IAAkxK,CAAlxK,IAAuxK,CAAvxK,IAA4xK,CAA5xK,IAAiyK,CAAjyK,IAAsyK,CAAtyK,IAA2yK,CAA3yK,IAAgzK,CAAhzK,IAAqzK,CAArzK,IAA0zK,CAA1zK,IAA+zK,CAA/zK,IAAo0K,CAAp0K,IAAy0K,CAAz0K,IAA80K,CAA90K,IAAm1K,CAAn1K,IAAw1K,CAAx1K,IAA61K,CAA71K,IAAk2K,CAAl2K,IAAu2K,CAAv2K,IAA42K,CAA52K,IAAi3K,CAAj3K,IAAs3K,CAAt3K,IAA23K,CAA33K,IAAg4K,CAAh4K,IAAq4K,CAAr4K,IAA04K,CAA14K,IAA+4K,CAA/4K,IAAo5K,CAAp5K,IAAy5K,CAAz5K,IAA85K,CAA95K,IAAm6K,CAAn6K,IAAw6K,CAAx6K,IAA66K,CAA76K,IAAk7K,CAAl7K,IAAu7K,CAAv7K,IAA47K,CAA57K,IAAi8K,CAAj8K,IAAs8K,CAAt8K,IAA28K,CAA38K,IAAg9K,CAAh9K,IAAq9K,CAAr9K,IAA09K,CAA19K,IAA+9K,CAA/9K,IAAo+K,CAAp+K,IAAy+K,CAAz+K,IAA8+K,CAA9+K,IAAm/K,CAAn/K,IAAw/K,CAAx/K,IAA6/K,CAA7/K,IAAkgL,CAAlgL,IAAugL,CAAvgL,IAA4gL,CAA5gL,IAAihL,CAAjhL,IAAshL,CAAthL,IAA2hL,CAA3hL,IAAgiL,CAAhiL,IAAqiL,CAAriL,IAA0iL,CAA1iL,IAA+iL,CAA/iL,IAAojL,CAApjL,IAAyjL,CAAzjL,IAA8jL,CAA9jL,IAAmkL,CAAnkL,IAAwkL,CAAxkL,IAA6kL,CAA7kL,IAAklL,CAAllL,IAAulL,CAAvlL,IAA4lL,CAA5lL,IAAimL,CAAjmL,IAAsmL,CAAtmL,IAA2mL,CAA3mL,IAAgnL,CAAhnL,IAA

Ac,UAAK,KAAL,C;YACd,IA7sCc,SA6sCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA/sCP,wB;MACJ,C;KANA,C;wFAQA,yB;MA+sCA,0D;MAAA,+C;MA/sCA,uC;QAKW,qB;;UA8sCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAhtCc,SAgtCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAltCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAktCA,0D;MAAA,+C;MAltCA,uC;QAKW,qB;;UAitCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAntCc,SAmtCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QArtCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAqtCA,0D;MAAA,+C;MArtCA,uC;QAKW,qB;;UAotCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAttCc,SAstCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxtCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAwtCA,0D;MAAA,+C;MAxtCA,uC;QAKW,qB;;UAutCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAztCc,SAytCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA3tCP,wB;MACJ,C;KANA,C;wFAQA,yB;MA2tCA,0D;MAAA,+C;MA3tCA,uC;QAKW,qB;;UA0tCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA5tCc,SA4tCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA9tCP,wB;MACJ,C;KANA,C;wFAQA,yB;MA8tCA,0D;MAAA,+C;MA9tCA,uC;QAKW,qB;;UA6tCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA/tCc,SA+tCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAjuCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAiuCA,0D;MAAA,+C;MAjuCA,uC;QAKW,qB;;UAguCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAluCc,SAkuCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApuCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAouCA,0D;MAAA,+C;MApuCA,uC;QAKW,qB;;UAmuCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAruCc,SAquCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAvuCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAuuCA,0D;MAAA,+C;MAvuCA,uC;QAKW,qB;;UAsuCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAxuCc,SAwuCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA1uCP,wB;MACJ,C;KANA,C;wFAQA,yB;MA0uCA,0D;MAAA,+C;MA1uCA,uC;QAKW,qB;;UAyuCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA3uCc,SA2uCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA7uCP,wB;MACJ,C;KANA,C;wFAQA,yB;MA6uCA,0D;MAAA,+C;MA7uCA,uC;QAKW,qB;;UA4uCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA9uCc,SA8uCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhvCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAgvCA,0D;MAAA,+C;MAhvCA,uC;QAKW,qB;;UA+uCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAjvCc,SAivCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAnvCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAmvCA,0D;MAAA,+C;MAnvCA,uC;QAKW,qB;;UAkvCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IApvCc,SAovCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAtvCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAsvCA,0D;MAAA,+C;MAtvCA,uC;QAKW,qB;;UAqvCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAvvCc,SAuvCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAzvCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAyvCA,0D;MAAA,+C;MAzvCA,uC;QAKW,qB;;UAwvCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA1vCc,SA0vCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5vCP,wB;MACJ,C;KANA,C;wFAQA,yB;MA4vCA,0D;MAAA,+C;MA5vCA,uC;QAKW,qB;;UA2vCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA7vCc,SA6vCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA/vCP,wB;MACJ,C;KANA,C;wFAQA,yB;MA+vCA,0D;MAAA,+C;MA/vCA,uC;QAKW,qB;;UA8vCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAhwCc,SAgwCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAlwCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAkwCA,0D;MAAA,+C;MAlwCA,uC;QAKW,qB;;UAiwCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAnwCc,SAmwCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QArwCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAqwCA,0D;MAAA,+C;MArwCA,uC;QAKW,qB;;UAowCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAtwCc,SAswCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxwCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAwwCA,0D;MAAA,+C;MAxwCA,uC;QAKW,qB;;UAuwCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAzwCc,SAywCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA3wCP,wB;MACJ,C;KANA,C;wFAQA,yB;MA2wCA,0D;MAAA,+C;MA3wCA,uC;QAKW,qB;;UA0wCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA5wCc,SA4wCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA9wCP,wB;MACJ,C;KANA,C;wFAQA,yB;MA8wCA,0D;MAAA,+C;MA9wCA,uC;QAKW,qB;;UA6wCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA/wCc,SA+wCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAjxCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAixCA,0D;MAAA,+C;MAjxCA,uC;QAKW,qB;;UAgxCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAlxCc,SAkxCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApxCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAoxCA,0D;MAAA,+C;MApxCA,uC;QAKW,qB;;UAmxCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IArxCc,SAqxCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAvxCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAuxCA,0D;MAAA,+C;MAvxCA,uC;QAKW,qB;;UAsxCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAxxCc,SAwxCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA1xCP,wB;MACJ,C;KANA,C;wFAQA,yB;MA0xCA,0D;MAAA,+C;MA1xCA,uC;QAKW,qB;;UAyxCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA3xCc,SA2xCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA7xCP,wB;MACJ,C;KANA,C;wFAQA,yB;MA6xCA,0D;MAAA,+C;MA7xCA,uC;QAKW,qB;;UA4xCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA9xCc,SA8xCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhyCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAgyCA,0D;MAAA,+C;MAhyCA,uC;QAKW,qB;;UA+xCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAjyCc,SAiyCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAnyCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAmyCA,0D;MAAA,+C;MAnyCA,uC;QAKW,qB;;UAkyCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IApyCc,SAoyCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAtyCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAsyCA,0D;MAAA,+C;MAtyCA,uC;QAKW,qB;;UAqyCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAvyCc,SAuyCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAzyCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAyyCA,0D;MAAA,+C;MAzyCA,uC;QAKW,qB;;UAwyCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA1yCc,SA0yCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5yCP,wB;MACJ,C;KANA,C;wFAQA,yB;MA4yCA,0D;MAAA,+C;MA5yCA,uC;QAKW,qB;;UA2yCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA7yCc,SA6yCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA/yCP,wB;MACJ,C;KANA,C;wFAQA,yB;MA+yCA,0D;MAAA,+C;MA/yCA,uC;QAKW,qB;;UA8yCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAhzCc,SAgzCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAlzCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAkzCA,0D;MAAA,+C;MAlzCA,uC;QAKW,qB;;UAizCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAnzCc,SAmzCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QArzCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAqzCA,0D;MAAA,+C;MArzCA,uC;QAKW,qB;;UAozCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAtzCc,SAszCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxzCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAwzCA,0D;MAAA,+C;MAxzCA,uC;QAKW,qB;;UAuzCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAzzCc,SAyzCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA3zCP,wB;MACJ,C;KANA,C;wFAQA,yB;MA2zCA,0D;MAAA,+C;MA3zCA,uC;QAKW,qB;;UA0zCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA5zCc,SA4zCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA9zCP,wB;MACJ,C;KANA,C;wFAQA,yB;MA8zCA,0D;MAAA,+C;MA9zCA,uC;QAKW,qB;;UA6zCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA/zCc,SA+zCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAj0CP,wB;MACJ,C;KANA,C;wFAQA,yB;MAi0CA,0D;MAAA,+C;MAj0CA,uC;QAKW,qB;;UAg0CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAl0Cc,SAk0CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAp0CP,wB;MACJ,C;KANA,C;wFAQA,yB;MAo0CA,0D;MAAA,+C;MAp0CA,uC;QAKW,qB;;UAm0CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAr0Cc,SAq0CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAv0CP,wB;MACJ,C;KANA,C;wFAQA,yB;MAu0CA,0D;MAAA,+C;MAv0CA,uC;QAKW,qB;;UAs0CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAx0Cc,SAw0CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA10CP,wB;MACJ,C;KANA,C;wFAQA,yB;MA00CA,0D;MAAA,+C;MA10CA,uC;QAKW,qB;;UAy0CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA30Cc,SA20CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA70CP,wB;MACJ,C;KANA,C;wFAQA,yB;MA60CA,0D;MAAA,+C;MA70CA,uC;QAKW,qB;;UA40CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA90Cc,SA80CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAh1CP,wB;MACJ,C;KANA,C;wFAQA,yB;MAg1CA,0D;MAAA,+C;MAh1CA,uC;QAKW,qB;;UA+0CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAj1Cc,SAi1CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAn1CP,wB;MACJ,C;KANA,C;wFAQA,yB;MAm1CA,0D;MAAA,+C;MAn1CA,uC;QAKW,qB;;UAk1CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAp1Cc,SAo1CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAt1CP,wB;MACJ,C;KANA,C;wFAQA,yB;MAs1CA,0D;MAAA,+C;MAt1CA,uC;QAKW,qB;;UAq1CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAv1Cc,SAu1CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAz1CP,wB;MACJ,C;KANA,C;wFAQA,yB;MAy1CA,0D;MAAA,+C;MAz1CA,uC;QAKW,qB;;UAw1CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA11Cc,SA01CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA51CP,wB;MACJ,C;KANA,C;wFAQA,yB;MA41CA,0D;MAAA,+C;MA51CA,uC;QAKW,qB;;UA21CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA71Cc,SA61CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA/1CP,wB;MACJ,C;KANA,C;wFAQA,yB;MA+1CA,0D;MAAA,+C;MA/1CA,uC;QAKW,qB;;UA81CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAh2Cc,SAg2CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAl2CP,wB;MACJ,C;KANA,C;wFAQA,yB;MAk2CA,0D;MAAA,+C;MAl2CA,uC;QAKW,qB;;UAi2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAn2Cc,SAm2CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAr2CP,wB;MACJ,C;KANA,C;wFAQA,yB;MAq2CA,0D;MAAA,+C;MAr2CA,uC;QAKW,qB;;UAo2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAt2Cc,SAs2CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAx2CP,wB;MACJ,C;KANA,C;wFAQA,yB;MAw2CA,0D;MAAA,+C;MAx2CA,uC;QAKW,qB;;UAu2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAz2Cc,SAy2CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA32CP,wB;MACJ,C;KANA,C;wFAQA,yB;MA02CA,0D;MAAA,+C;MA12CA,uC;QAKW,qB;;UAy2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA32Cc,SA22CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA72CP,wB;MACJ,C;KANA,C;wFAQA,yB;MA62CA,0D;MAAA,+C;MA72CA,uC;QAKW,qB;;UA42CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA92Cc,SA82CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAh3CP,wB;MACJ,C;KANA,C;wFAQA,yB;MAg3CA,0D;MAAA,+C;MAh3CA,uC;QAKW,qB;;UA+2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAj3Cc,SAi3CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAn3CP,wB;MACJ,C;KANA,C;wFAQA,yB;MAm3CA,0D;MAAA,+C;MAn3CA,uC;QAKW,qB;;UAk3CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAp3Cc,SAo3CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAt3CP,wB;MACJ,C;KANA,C;wFAQA,yB;MAs3CA,0D;MAAA,+C;MAt3CA,uC;QAKW,qB;;UAq3CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAv3Cc,SAu3CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAz3CP,wB;MACJ,C;KANA,C;wFAQA,yB;MAy3CA,0D;MAAA,+C;MAz3CA,uC;QAKW,qB;;UAw3CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA13Cc,SA03CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA53CP,wB;MACJ,C;KANA,C;wFAQA,yB;MA43CA,0D;MAAA,+C;MA53CA,uC;QAKW,qB;;UA23CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA73Cc,SA63CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA/3CP,wB;MACJ,C;KANA,C;wFAQA,yB;MA+3CA,0D;MAAA,+C;MA/3CA,uC;QAKW,qB;;UA83CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAh4Cc,SAg4CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAl4CP,wB;MACJ,C;KANA,C;wFAQA,yB;MAk4CA,0D;MAAA,+C;MAl4CA,uC;QAKW,qB;;UAi4CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAn4Cc,SAm4CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAr4CP,wB;MACJ,C;KANA,C;wFAQA,yB;MAq4CA,0D;MAAA,+C;MAr4CA,uC;QAKW,qB;;UAo4CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAt4Cc,SAs4CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAx4CP,wB;MACJ,C;KANA,C;wFAQA,yB;MAw4CA,0D;MAAA,+C;MAx4CA,uC;QAKW,qB;;UAu4CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAz4Cc,SAy4CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA34CP,wB;MACJ,C;KANA,C;wFAQA,yB;MA04CA,0D;MAAA,+C;MA14CA,uC;QAKW,qB;;UAy4CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA34Cc,SA24CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA74CP,wB;MACJ,C;KANA,C;wFAQA,yB;MA64CA,0D;MAAA,+C;MA74CA,uC;QAKW,qB;;UA44CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA94Cc,SA84CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAh5CP,wB;MACJ,C;KANA,C;wFAQA,yB;MAg5CA,0D;MAAA,+C;MAh5CA,uC;QAKW,qB;;UA+4CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAj5Cc,SAi5CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAn5CP,wB;MACJ,C;KANA,C;wFAQA,yB;MAm5CA,0D;MAAA,+C;MAn5CA,uC;QAKW,qB;;UAk5CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAp5Cc,SAo5CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAt5CP,wB;MACJ,C;KANA,C;wFAQA,yB;MAs5CA,0D;MAAA,+C;MAt5CA,uC;QAKW,qB;;UAq5CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IAv5Cc,SAu5CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAz5CP,wB;MACJ,C;KANA,C;wFAQA,yB;MAy5CA,0D;MAAA,+C;MAz5CA,uC;QAKW,qB;;UAw5CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YAAd,IA15Cc,SA05CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA55CP,wB;MACJ,C;KAN

Q,CAn4KR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;IACpC,C;;MAMI,OAo4KO,qBAAQ,CAp4KR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;IACpC,C;;MAMI,OAq4KO,qBAAQ,CAr4KR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;IACpC,C;;MAMI,OAs4KO,qBAAQ,CAt4KR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;IACpC,C;;MAMI,OAu4KO,qBAAQ,CAv4KR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;IACpC,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAA,IAAA,UAAA,OAAA,CAAA,CAAA,J,C;UAAA,wB,OAAA,O;;MACrD,OAAA,I;IACX

V,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;IACX,C;;MAMI,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CA
AJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;IACX,C;;MAMI,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;
UACI,OAAO,K;;;MAGf,OAAO,E;IACX,C;;MAMI,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI
,OAAO,K;;;MAGf,OAAO,E;IACX,C;;MAMI,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAA
O,K;;;MAGf,OAAO,E;IACX,C;;MAMI,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;;
MAGf,OAAO,E;IACX,C;;MAMI,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;;MAG
f,OAAO,E;IACX,C;gGAEA,yB;MAAA,oC;MAAA,uC;QAII,wD;UACI,IAAI,UAAU,sBAAK,KAAL,EAAV,CAA
J,C;YACI,OAAO,K;;;QAGf,OAAO,E;MACX,C;KAVA,C;4FAYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,
Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,
CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;MACX,C;KAVA,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAA
A,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,U
AAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;MACX,C;KAVA,C;8FAYA,yB;MAAA,0D;MAA
A,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IA
AI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;MACX,C;KAVA,C;8FAYA,yB;MA
AA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,u
B;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;MACX,C;KAVA,C;8FA
YA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd
,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;MACX,C;K
AVA,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,
OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;
MACX,C;KA

AK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAVA,C;iFAYA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YALSAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAA

kB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK
,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;MACX,C;KATA,C;6FAWA,
yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OA
Ac,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;Q
AEnC,OAAO,I;MACX,C;KATA,C;6FAWA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAA
R,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,U
AAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;MACX,C;KATA,C;6FAWA,yB;MAAA,0D;MAAA,+
C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;
UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAA
O,I;MACX,C;KATA,C;kFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;MACX,C;
KATA,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;MACX,C;KATA,C;oFA
WA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;MACX,C;KATA,C;oFAWA,yB;MAA
A,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;MACX,C;KATA,C;oFAWA,yB;MAAA,mC;MAAA
,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;MACX,C;KATA,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4
B;QAQI,OAAO,kBAAO,cAAP,C;MACX,C;KATA,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OA
AO,kBAAO,cAAP,C;MACX,C;KATA,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,c
AAP,C;MACX,C;KATA,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;MAC
X,C;KATA,C;;MAkBI,IAmuIO,qBAAQ,CAnuIf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MA
AO,iBAAQ,gBAAR,CAAX,C;IACX,C;;MASI,IA+tIO,qBAAQ,CA/tIf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MA
CV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;IACX,C;;MASI,IA2tIO,qBAAQ,CA3tIf,C;QACI,MAAM,2B
AAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;IACX,C;;MASI,IAutIO,qBAAQ,CAvt
If,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;IACX,C;;MASI
,IAmtIO,qBAAQ,CAntIf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,C
AAX,C;IACX,C;;MASI,IA+sIO,qBAAQ,CA/sIf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MA
AO,iBAAQ,gBAAR,CAAX,C;IACX,C;;MASI,IA2sIO,qBAAQ,CA3sIf,C;QACI,MAAM,2BAAuB,iBAAvB,C;M
ACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;IACX,C;;MASI,IAusIO,qBAAQ,CAvsIf,C;QACI,MAAM,2
BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;IACX,C;;MASI,IAmsIO,qBAAQ,C
AnsIf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;IACX,C;;M
AMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,
CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHlB,W;IAKJ,C;;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C
AAH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,c
AAzB,C;;MAHlB,W;IAKJ,C;;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;
aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHlB,W;IAKJ,C;;MAMiB,IAAN,
I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UA
AL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHlB,W;IAKJ,C;;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aAC
H,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAy
B,cAAzB,C;;MAHlB,W;IAKJ,C;;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAv
B,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHlB,W;IAKJ,C;;MAMiB,IAAN,I;
MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHlB,W;IAKJ,C;;MAMiB,IAAN,I;

QACpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,2D;MACX,C;KAhBA,C;qFAkBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,2D;MACX,C;KAhBA,C;qFAkBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,iE;MACX,C;KAhBA,C;qFAkBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,2D

MAFhB,aAAqB,I;MACrB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAsB,I;MACtB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAuB,I;MACvB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;iGAAgB,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAAA,oB;MAAA,oB;MAAA,gB;MAAA,cAAA,SAAA,M

MI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;MACX,C;KAZA,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAM

QAIW,kBAAS,gB;QAqaA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAraa,SAqaT,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAra1D,OAsaO,W;MAraX,C;KALA,C;oFAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QAsaA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAtac,SAsaV,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAta1D,OAuaO,W;MAtaX,C;KALA,C;oFAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QAuaA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAvae,SAuaX,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAva1D,OAwaO,W;MAvaX,C;KALA,C;oFAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QAwaA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAxagB,SAwaZ,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxa1D,OAyaO,W;MAxaX,C;KALA,C;oFAOA,yB;MAAA,+D;MAAyB,aAAzB,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAyaA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzaa,SAyaT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAza1D,OA0aO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA0aA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA1aa,SA0aT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA1a1D,OA2aO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA2aA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA3aa,SA2aT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA3a1D,OA4aO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA4aA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA5aa,SA4aT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA5a1D,OA6aO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA6aA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA7aa,SA6aT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA7a1D,OA8aO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA8aA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA9aa,SA8aT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA9a1D,OA+aO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA+aA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA/aa,SA+aT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA/a1D,OAgbO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAgbA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAhba,SAgbT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAhb1D,OAibO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAibA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAjba,SAibT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAjb1D,OAkbO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAkbA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAlba,SAkbT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAlb1D,OAmbO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAmbA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAnba,SAmbT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAnb1D,OAobO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAobA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IApba,SAobT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QApb1D,OAqbO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAqbA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IArba,SAqbT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QArb1D,OAsbO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAsbA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAtba,SAsbT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAtb1D,OAubO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAubA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAvba,SAubT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAvb1D,OAwbO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAwbA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAxba,SAwbT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAxb1D,OAybO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAybA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzba,SAybT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAzb1D,OA0bO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA0bA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA1ba,SA0bT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA1b1D,OA2bO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA2bA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA3ba,SA2bT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA3b1D,OA4bO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA4bA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA5ba,SA4bT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA5b1D,OA6bO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA6bA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA7ba,SA6bT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA7b1D,OA8bO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA8bA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA9ba,SA8bT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA9b1D,OA+bO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA+bA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA/ba,SA+bT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA/b1D,OAgcO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAgcA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAhca,SAgcT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAhc1D,OAicO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAicA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAjca,SAicT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAjc1D,OAkcO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAkcA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAlca,SAkcT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAlc1D,OAmcO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAmcA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAnca,SAmcT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAnc1D,OAocO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAocA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IApca,SAocT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QApc1D,OAqcO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAqcA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IArca,SAqcT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QArc1D,OAscO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAscA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAtca,SAscT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAtc1D,OAucO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAucA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAvca,SAucT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAvc1D,OAwcO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAwcA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAxca,SAwcT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAxc1D,OAycO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAycA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzca,SAycT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAzc1D,OA0cO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA0cA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA1ca,SA0cT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA1c1D,OA2cO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA2cA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA3ca,SA2cT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA3c1D,OA4cO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA4cA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA5ca,SA4cT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA5c1D,OA6cO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA6cA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA7ca,SA6cT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA7c1D,OA8cO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA8cA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA9ca,SA8cT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA9c1D,OA+cO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA+cA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA/ca,SA+cT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA/c1D,OAgdO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAgdA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAhda,SAgdT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAhd1D,OAidO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAidA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAjda,SAidT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAjd1D,OAkdO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAkdA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAldgB,SAkdZ,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAld1D,OAmdO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAmdA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAndgB,SAmdZ,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAnd1D,OAodO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAodA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IApdgB,SAodZ,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QApd1D,OAqdO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAqdA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IArdgB,SAqdZ,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QArd1D,OAsdO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAsdA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAtdgB,SAsdZ,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAtd1D,OAudO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAudA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAvdgB,SAudZ,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAvd1D,OAwdO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAwdA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAxdgB,SAwdZ,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAxd1D,OAydO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAydA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzdgB,SAydZ,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAzd1D,OA0dO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA0dA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA1dgB,SA0dZ,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA1d1D,OA2dO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA2dA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA3dgB,SA2dZ,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA3d1D,OA4dO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA4dA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA5dgB,SA4dZ,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA5d1D,OA6dO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA6dA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA7dgB,SA6dZ,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA7d1D,OA8dO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA8dA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA9dgB,SA8dZ,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA9d1D,OA+dO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA+dA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA/dgB,SA+dZ,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA/d1D,OAgeO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAgeA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAheiB,SAgeb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAhe1D,OAieO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAieA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAjeiB,SAieb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAje1D,OAkeO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAkeA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAleiB,SAkeb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAle1D,OAmeO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAmeA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAneiB,SAmeb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAne1D,OAoeO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAoeA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IApeiB,SAoeb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QApe1D,OAqeO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAqeA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAreiB,SAqeb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAre1D,OAseO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAseA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAteiB,SAseb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAte1D,OAueO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAueA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAveiB,SAueb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAve1D,OAweO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAweA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAxeiB,SAweb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAxe1D,OAyeO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAyeA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzeiB,SAyeb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAze1D,OA0eO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA0eA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA1eiB,SA0eb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA1e1D,OA2eO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA2eA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA3eiB,SA2eb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA3e1D,OA4eO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA4eA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA5eiB,SA4eb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA5e1D,OA6eO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA6eA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA7eiB,SA6eb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA7e1D,OA8eO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA8eA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA9eiB,SA8eb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA9e1D,OA+eO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA+eA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA/eiB,SA+eb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA/e1D,OAgfO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAgfA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAhfiB,SAgfb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAhf1D,OAifO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAifA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAjfiB,SAifb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAjf1D,OAkfO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAlfA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAlfiB,SAkfb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAlf1D,OAmfO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAmfA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAnfiB,SAmfb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAnf1D,OAofO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QApfA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IApfiB,SAofb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QApf1D,OAqfO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QArfA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IArfiB,SAqfb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QArf1D,OAsfO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAtfA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAtfiB,SAsfb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAtf1D,OAufO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAvfA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAvfiB,SAufb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAvf1D,OAwfO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAxfA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAxfiB,SAwfb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAxf1D,OAyfO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAzfA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzfiB,SAyfb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAzf1D,OA0fO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA1fA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA1fiB,SA0fb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA1f1D,OA2fO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA3fA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA3fiB,SA2fb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA3f1D,OA4fO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA5fA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA5fiB,SA4fb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA5f1D,OA6fO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA7fA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA7fiB,SA6fb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA7f1D,OA8fO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA9fA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA9fiB,SA8fb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA9f1D,OA+fO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA/fA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA/fiB,SA+fb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA/f1D,OAggBO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAggBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAhgBiB,SAggBb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAhgB1D,OAigBO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAigBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAjgBiB,SAigBb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAjgB1D,OAkgBO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAlgBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAlgBiB,SAkgBb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAlgB1D,OAmgBO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAngBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAngBiB,SAmgBb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAngB1D,OAogBO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QApgBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IApgBiB,SAogBb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QApgB1D,OAqgBO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QArgBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IArgBiB,SAqgBb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QArgB1D,OAsgBO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAtgBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAtgBiB,SAsgBb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAtgB1D,OAugBO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAvgBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAvgBiB,SAugBb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAvgB1D,OAwgBO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAxgBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAxgBiB,SAwgBb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAxgB1D,OAygBO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QAzgBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzgBiB,SAygBb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAzgB1D,OA0gBO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA1gBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA1gBiB,SA0gBb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA1gB1D,OA2gBO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA3gBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA3gBiB,SA2gBb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA3gB1D,OA4gBO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA5gBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA5gBiB,SA4gBb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA5gB1D,OA6gBO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA7gBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA7gBiB,SA6gBb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA7gB1D,OA8gBO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA9gBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA9gBiB,SA8gBb,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA9gB1D,OA+gBO,W;MAAA,aAAA,oC;MAAA,aAAA,oC;QAIW,kBAAS,gB;QA/

2OA,oD;QA62OiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,0B;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAt2O/B,IAAI,UAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,sBAAI,OAAJ,C;;QAE/C,OAAO,W;MACX,C;KAVA,C;sGAYA,yB;MAAA,+D;MAAA,sC;QAIW,kBAAmB,gB;QAOV,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,YAAJ,C;YAAkB,WAAY,WAAI,OAAJ,C;;QAPpD,OAAQO,W;MAPX,C;KALA,C;;MAWoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,YAAJ,C;UAAkB,WAAY,WAAI,OAAJ,C;;MACpD,OAAO,W;IACX,C;wFAEA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA8EH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA9ES,SA8ER,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA9E3D,OA+EO,W;MA9EX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAgFH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA/EU,SA+ET,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA/E5D,OAgFO,W;MA/EX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAiFH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAhFU,SAgFT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAhF5D,OAiFO,W;MAhFX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAkFH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAjFU,SAiFT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAjF5D,OAkFO,W;MAjFX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAmFH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAlFU,SAkFT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAlF5D,OAmFO,W;MAlFX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAoFH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAnFU,SAmFT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAnF5D,OAoFO,W;MAnFX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAqFH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CApFU,SAoFT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QApF5D,OAqFO,W;MApFX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAsFH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CArFU,SAqFT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QArF5D,OAsFO,W;MArFX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAuFH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAtFU,SAsFT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAtF5D,OAuFO,W;MAtFX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAwFH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAvFU,SAuFT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAvF5D,OAwFO,W;MAvFX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAyFH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAxFU,SAwFT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAxF5D,OAyFO,W;MAxFX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA0FH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAzFU,SAyFT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAzF5D,OA0FO,W;MAzFX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA2FH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA1FU,SA0FT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA1F5D,OA2FO,W;MA1FX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA4FH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA3FU,SA2FT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA3F5D,OA4FO,W;MA3FX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA6FH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA5FU,SA4FT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA5F5D,OA6FO,W;MA5FX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA8FH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA7FU,SA6FT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA7F5D,OA8FO,W;MA7FX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA+FH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA9FU,SA8FT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA9F5D,OA+FO,W;MA9FX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAgGH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA/FU,SA+FT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA/F5D,OAgGO,W;MA/FX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAiGH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAhGU,SAgGT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAhG5D,OAiGO,W;MAhGX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAkGH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAjGU,SAiGT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAjG5D,OAkGO,W;MAjGX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAmGH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAlGU,SAkGT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAlG5D,OAmGO,W;MAlGX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAoGH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAnGU,SAmGT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAnG5D,OAoGO,W;MAnGX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAqGH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CApGU,SAoGT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QApG5D,OAqGO,W;MApGX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAsGH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CArGU,SAqGT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QArG5D,OAsGO,W;MArGX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAuGH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAtGU,SAsGT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAtG5D,OAuGO,W;MAtGX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAwGH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAvGU,SAuGT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAvG5D,OAwGO,W;MAvGX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAyGH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAxGU,SAwGT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAxG5D,OAyGO,W;MAxGX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA0GH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAzGU,SAyGT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAzG5D,OA0GO,W;MAzGX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA2GH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA1GU,SA0GT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA1G5D,OA2GO,W;MA1GX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA4GH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA3GU,SA2GT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA3G5D,OA4GO,W;MA3GX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA6GH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA5GU,SA4GT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA5G5D,OA6GO,W;MA5GX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA8GH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA7GU,SA6GT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA7G5D,OA8GO,W;MA7GX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA+GH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA9GU,SA8GT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA9G5D,OA+GO,W;MA9GX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAgHH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA/GU,SA+GT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA/G5D,OAgHO,W;MA/GX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAiHH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAhHU,SAgHT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAhH5D,OAiHO,W;MAhHX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAkHH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAjHU,SAiHT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAjH5D,OAkHO,W;MAjHX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAmHH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAlHU,SAkHT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAlH5D,OAmHO,W;MAlHX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAoHH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAnHU,SAmHT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAnH5D,OAoHO,W;MAnHX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAqHH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CApHU,SAoHT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QApH5D,OAqHO,W;MApHX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAsHH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CArHU,SAqHT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QArH5D,OAsHO,W;MArHX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAuHH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAtHU,SAsHT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAtH5D,OAuHO,W;MAtHX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAwHH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAvHU,SAuHT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAvH5D,OAwHO,W;MAvHX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAyHH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAxHU,SAwHT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAxH5D,OAyHO,W;MAxHX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA0HH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAzHU,SAyHT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAzH5D,OA0HO,W;MAzHX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA2HH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA1HU,SA0HT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA1H5D,OA2HO,W;MA1HX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA4HH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA3HU,SA2HT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA3H5D,OA4HO,W;MA3HX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA6HH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA5HU,SA4HT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA5H5D,OA6HO,W;MA5HX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA8HH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA7HU,SA6HT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA7H5D,OA8HO,W;MA7HX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA+HH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA9HU,SA8HT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA9H5D,OA+HO,W;MA9HX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAgIH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA/HU,SA+HT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA/H5D,OAgIO,W;MA/HX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAiIH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAhIU,SAgIT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAhI5D,OAiIO,W;MAhIX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAkIH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAjIU,SAiIT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAjI5D,OAkIO,W;MAjIX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAmIH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAlIU,SAkIT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAlI5D,OAmIO,W;MAlIX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAoIH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAnIU,SAmIT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAnI5D,OAoIO,W;MAnIX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAqIH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CApIU,SAoIT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QApI5D,OAqIO,W;MApIX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAsIH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CArIU,SAqIT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QArI5D,OAsIO,W;MArIX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAuIH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAtIU,SAsIT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAtI5D,OAuIO,W;MAtIX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAwIH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAvIU,SAuIT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAvI5D,OAwIO,W;MAvIX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAyIH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAxIU,SAwIT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAxI5D,OAyIO,W;MAxIX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA0IH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAzIU,SAyIT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAzI5D,OA0IO,W;MAzIX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA2IH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA1IU,SA0IT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA1I5D,OA2IO,W;MA1IX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA4IH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA3IU,SA2IT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA3I5D,OA4IO,W;MA3IX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA6IH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA5IU,SA4IT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA5I5D,OA6IO,W;MA5IX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA8IH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA7IU,SA6IT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA7I5D,OA8IO,W;MA7IX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA+IH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA9IU,SA8IT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA9I5D,OA+IO,W;MA9IX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAgJH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA/IU,SA+IT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA/I5D,OAgJO,W;MA/IX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAiJH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAhJU,SAgJT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAhJ5D,OAiJO,W;MAhJX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAkJH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAjJU,SAiJT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAjJ5D,OAkJO,W;MAjJX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAmJH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAlJU,SAkJT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAlJ5D,OAmJO,W;MAlJX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAoJH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAnJU,SAmJT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAnJ5D,OAoJO,W;MAnJX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAqJH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CApJU,SAoJT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QApJ5D,OAqJO,W;MApJX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAsJH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CArJU,SAqJT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QArJ5D,OAsJO,W;MArJX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAuJH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAtJU,SAsJT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAtJ5D,OAuJO,W;MAtJX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAwJH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAvJU,SAuJT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAvJ5D,OAwJO,W;MAvJX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAyJH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAxJU,SAwJT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAxJ5D,OAyJO,W;MAxJX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA0JH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAzJU,SAyJT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAzJ5D,OA0JO,W;MAzJX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA2JH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA1JU,SA0JT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA1J5D,OA2JO,W;MA1JX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA4JH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA3JU,SA2JT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA3J5D,OA4JO,W;MA3JX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA6JH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA5JU,SA4JT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA5J5D,OA6JO,W;MA5JX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA8JH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA7JU,SA6JT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA7J5D,OA8JO,W;MA7JX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA+JH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA9JU,SA8JT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA9J5D,OA+JO,W;MA9JX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAgKH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA/JU,SA+JT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA/J5D,OAgKO,W;MA/JX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAiKH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAhKU,SAgKT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAhK5D,OAiKO,W;MAhKX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAkKH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAjKU,SAiKT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAjK5D,OAkKO,W;MAjKX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAmKH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAlKU,SAkKT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAlK5D,OAmKO,W;MAlKX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAoKH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAnKU,SAmKT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAnK5D,OAoKO,W;MAnKX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAqKH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CApKU,SAoKT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QApK5D,OAqKO,W;MApKX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAsKH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CArKU,SAqKT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QArK5D,OAsKO,W;MArKX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAuKH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAtKU,SAsKT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAtK5D,OAuKO,W;MAtKX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAwKH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAvKU,SAuKT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAvK5D,OAwKO,W;MAvKX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAyKH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAxKU,SAwKT,CAAU,OAAV,EAAW,CAAX,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAxK5D,OAyKO,W;MAxKX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA0KH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAzKU,SAyKT,CAAU,OAAV,EAA

AAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;IACX,C;wFAEA,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;MAC1D,oBAAO,W;IACX,C;KAAA,E;MAAA,gB;MAAA,gB;MAAA,gB

C;;MAE5B,OAAO,M;IACX,C;;MAQwB,UACT,M;MAHX,aAAa,eAAS,OAAQ,KAAjB,C;MACb,kBAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QAChB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;IACX,C;;MAQwB,UACT,M;MAHX,aAAa,iBAAU,OAAQ,KAAlB,C;MACb,kBAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QAChB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;IACX,C;;MAQwB,UACT,M;MAHX,aAAa,iBAAW,OAAQ,KAAnB,C;MACb,kBAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QAChB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;IACX,C;;MAQwB,UACT,M;MAHX,aAAa,iBAAY,OAAQ,KAApB,C;MACb,kBAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QAChB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;IACX,C;;MAQwB,UACT,M;MAHX,aAAa,oBAAa,OAAQ,KAAr

;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MatnIR,IAAI,Eb+mII,KAAK,Ca/mIT,CAAJ,C;QACI,cb8mIc,sD;Qa7mId,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mb8mIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;Ma5oIR,IAAI,EbqoII,KAAK,CaoIT,CAAJ,C;QACI,cbooIc,sD;QanoId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MbooIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MalqIR,IAAI,Eb2pII,KAAK,Ca3pIT,CAAJ,C;QACI,cb0pIc,sD;QazpId,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mb0pIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MaxrIR,IAAI,EbirII,KAAK,CajrIT,CAAJ,C;QACI,cbgrIc,sD;Qa/qId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MbgrIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;Ma7rII,IAAI,EbusII,KAAK,CavsIT,CAAJ,C;QACI,cbssIc,sD;QarsId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MbssIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MatvII,IAAI,EbgwII,KAAK,CahwIT,CAAJ,C;QACI,cb+vIc,sD;Qa9vId,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mb+vIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MazwII,IAAI,EbmxII,KAAK,CanxIT,CAAJ,C;QACI,cbkxIc,sD;QajxId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MbkxIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;Ma5xII,IAAI,EbsyII,KAAK,CatyIT,CAAJ,C;QACI,cbqyIc,sD;QapyId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MbqyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;Ma/yII,IAAI,EbyzII,KAAK,CazzIT,CAAJ,C;QACI,cbwzIc,sD;QavzId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MbwzIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MAlBZ,IAAI,EAkBQ,KAAK,CAlBb,CAAJ,C;QACI,cAiBU,sD;QAhBV,MAAM,gCAAyB,OAAQ,WAAjC,C;;MAiBN

AAL,CAAJ,C;MACT,OAAO,I;IACX,C;;Mal0II,IAAI,Eb40II,KAAK,Ca50IT,CAAJ,C;QACI,cb20Ic,sD;Qa10Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mb20IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,CAAP,IAAO,IAAL,C;MACnB,WAAW,iBAAmB,CAAnB,B,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,UAAK,CAAJ,C;MACI,IAAI,EAAP,I+1II,KAAK,Ca/1IT,CAAJ,C;QACI,cb81Ic,sD;Qa71Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mb81IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAI,CAAP,IAAO,IAAL,C;MACnB,WAAW,iBAAmB,CAAnB,B,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,UAAK,CAAJ,C;MACI,IAAI,EAAP,I;MAAO,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MAAnB,WAAW,gB;MAAX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MAAtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,CAAP,IAAO,IAAL,C;MAAnB,WAAW,iBAAmB,CAAnB,B,C;MAAX,iBAAc,OAAO,CAAP,IAAI,IAAd,UAA6B,IAA7B,U;QAAmC,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MAAxC,UAAK,CAAJ,C;MAA

Ab,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MAClB,mBAAmB,wB;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;IAER,C;;MAMI,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MAClB,mBAAmB,0B

O,M;IACX,C;;MAMI,IAw9CO,qBAAQ,CAx9Cf,C;QAAe,OAAO,S;MACtB,aAAa,oBAAa,gBAAb,C;MACb,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;IACX,C;;MAMI,IAo9CO,qBAAQ,CAp9Cf,C;QAAe,OAAO,S;MACtB,aAAa,iBAAU,gBAAV,C;MACb,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;IACX,C;kFAEA,yB;MAAA,oD;Mej4JA,sC;MCjFA,kC;MAAA,oC;;QAAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,yBAAU,eAAV,sB,gB;YAAA,oB,OAA5B,5D,cAAA,C,SAAA,4B,SAAA,4B,SAAA,4B

A3B,C;UA4DI,C;QAAA,C;OAAA,C;Mf4qKf,sC;QAII,OAAO,mDehrKI,iBfgrKiB,QehrKjB,CfgrKJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;Me1rKA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MfmrKf,sC;QAII,OAAO,mDevrKI,iBfurKiB,QevrKjB,CfurKJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MejsKA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;Mf0rKf,sC;QAII,OAAO,mDe9rKI,iBf8rKiB,Qe9rKjB,Cf8rKJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MexsKA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MfisKf,sC;QAII,OAAO,mDerKI,iBfqKiB,QerKjB,CfqKJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;Me/sKA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MfwsKf,sC;QAII,OAAO,mDe5sKI,iBf4sKiB,Qe5sKjB,Cf4sKJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MettKA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;Mf+sKf,sC;QAII,OAAO,mDenKI,iBfmKiB,QenKjB,CfmKJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MepuKA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;Mf6uKf,sC;QAII,OAAO,mDejKI,iBfiKiB,QejKjB,CfiKJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MevvKA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;Mf2vKf,sC;QAII,OAAO,mDe/vKI,iBf+vKiB,Qe/vKjB,Cf+vKJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MexwKA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;Mf8wKf,sC;QAII,OAAO,mDelxKI,iBfkxKiB,QelxKjB,CfkxKJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MeyxKA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;Mf+xKf,sC;QAII,OAAO,mDenxKI,iBfmxKiB,QenxKjB,CfmxKJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MezyKA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;Mf4yKf,sC;QAII,OAAO,mDehyKI,iBfgyKiB,QehyKjB,CfgyKJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;Me1zKA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;Mf6zKf,sC;QAII,OAAO,mDejzKI,iBfizKiB,QejzKjB,CfizKJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;Me30KA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;Mf80Kf,sC;QAII,OAAO,mDel0KI,iBfk0KiB,Qel0KjB,Cfk0KJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;Me51KA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;Mf+1Kf,sC;QAII,OAAO,mDen1KI,iBfm1KiB,Qen1KjB,Cfm1KJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;Me72KA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;Mf83Kf,sC;QAII,OAAO,mDel3KI,iBfk3KiB,Qel3KjB,Cfk3KJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;Me94KA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;Mf+4Kf,sC;QAII,OAAO,mDen4KI,iBfm4KiB,Qen4KjB,Cfm4KJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;Me/5KA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;Mf66Kf,sC;QAII,OAAO,mDej6KI,iBfi6KiB,Qej6KjB,Cfi6KJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;Me77KA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;Mf88Kf,sC;QAII,OAAO,mDel8KI,iBfk8KiB,Qel8KjB,Cfk8KJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;Me99KA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;Mf++Kf,sC;QAII,OAAO,mDen+KI,iBfm+KiB,Qen+KjB,Cfm+KJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;Me/+KA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;Mf6/Kf,sC;QAII,OAAO,mDej/KI,iBfi/KiB,Qej/KjB,Cfi/KJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;Me7gLA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;Mf8gLf,sC;QAII,OAAO,mDelgLI,iBfkgLiB,QelgLjB,CfkgLJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;Me9hLA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;Mf+hLf,sC;QAII,OAAO,mDenhLI,iBfmhLiB,QenhLjB,CfmhLJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;Me/iLA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MfgjLf,sC;QAII,OAAO,mDepjLI,iBfojLiB,QepjLjB,CfojLJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MehkLA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MfikLf,sC;QAII,OAAO,mDerkLI,iBfqkLiB,QerkLjB,CfqkLJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MejlLA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MfkmLf,sC;QAII,OAAO,mDetlLI,iBfslLiB,QetlLjB,CfslLJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MenmLA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MfmnLf,sC;QAII,OAAO,mDevnLI,iBfunLiB,QevnLjB,CfunLJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MepoLA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MfopLf,sC;QAII,OAAO,mDexpLI,iBfwpLiB,QexpLjB,CfwpLJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MeqqLA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MfqrLf,sC;QAII,OAAO,mDezrLI,iBfyrLiB,QezrLjB,CfyrLJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MesrLA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MfssLf,sC;QAII,OAAO,mDe1sLI,iBf0sLiB,Qe1sLjB,Cf0sLJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MetsLA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MfutLf,sC;QAII,OAAO,mDe3tLI,iBf2tLiB,Qe3tLjB,Cf2tLJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MevtLA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MfwuLf,sC;QAII,OAAO,mDe5uLI,iBf4uLiB,Qe5uLjB,Cf4uLJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MexuLA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MfyvLf,sC;QAII,OAAO,mDe7vLI,iBf6vLiB,Qe7vLjB,Cf6vLJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MezvLA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;Mf0wLf,sC;QAII,OAAO,mDe9wLI,iBf8wLiB,Qe9wLjB,Cf8wLJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;Me1wLA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;Mf2xLf,sC;QAII,OAAO,mDe/xLI,iBf+xLiB,Qe/xLjB,Cf+xLJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;Me3xLA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;Mf4yLf,sC;QAII,OAAO,mDehyLI,iBfgyLiB,QehyLjB,CfgyLJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;Me5yLA,sC;MCjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;Mf6zLf,sC;QAII,OAAO,mDejzLI,iBfizLiB,Qejz

A/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MfsvKf,sC;QAII,OAAO,mDe1vKI,2Bf0vK2B,Qe1vK3B,Cf0vKJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MepwKA,sC;MCpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDoGA,iCAOe,yB;QAAxF,f,8D;;UAAwFe,uB;YAAU,U,AAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;Mf6vKf,sC;QAII,OAAO,mDejwKI,2BfiwK2B,QejwK3B,CfiwKJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;Me3wKA,sC;MCpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDoGA,iCAOe,yB;QAAxF,f,8D;;UAAwFe,uB;YAAU,U,AAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MfowKf,sC;QAII,OAAO,mDexwKI,2BfowK2B,QexwK3B,CfwwKJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MelxKA,sC;MCpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDoGA,iCAOe,yB;QAAxF,f,8D;;UAAwFe,uB;YAAU,U,AAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;Mf2wKf,sC;QAII,OAAO,mDe/wKI,2Bf+wK2B,Qe/wK3B,Cf+wKJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MeryKA,sC;MCpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDoGA,iCAOe,yB;QAAxF,f,8D;;UAAwFe,uB;YAAU,U,AAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;Mf+wKf,sC;QAII,OAAO,mDenxKI,2BfmxK2B,QenxK3B,CfmxKJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;Mery

gCAAW,gBAAX,GAAiB,8BAAjB,C;IACX,C;wFA0CA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UO50NnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QP4vMA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOz1NnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPywMA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOt2NnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPsxMA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOn3NnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPmyMA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOh4NnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPgzMA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UO74NnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QP6zMA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UO15NnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QP00MA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOv6NnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPu1MA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOp7NnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPo2MA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOj8NnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPi3MA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOt9NnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPs4MA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UO/+NnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QP+5MA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOx/NnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPw6MA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOhhOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPg8MA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOzhOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPy8MA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOjiOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPi9MA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOziOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPy9MA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOjjOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPi+MA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOzjOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPy+MA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOjkOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPi/MA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOzkOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPy/MA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOjlOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPigNA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOzlOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPygNA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOjmOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPihNA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOzmOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPyhNA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOjnOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPiiNA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOznOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPyiNA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOjoOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPijNA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOzoOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPyjNA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOjpOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPikNA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOzpOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPykNA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOjqOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPilNA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOzqOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPylNA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOjrOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPimNA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOzrOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPymNA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOjsOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPinNA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOzsOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPynNA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOjtOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPioNA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOztOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPynOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOjuOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPioOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOzuOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPyoOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOjvOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPipOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOzvOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPypOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOjwOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPipOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOzwOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPypOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOjxOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPipOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOzxOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPypOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOjyOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPipOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOzyOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPypOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOjzOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPipOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOzzOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPypOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOj0OnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPipOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOz0OnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPypOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOj1OnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPipOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOz1OnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPypOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOj2OnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPipOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOz2OnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPypOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOj3OnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPipOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOz3OnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPypOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOj4OnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPipOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOz4OnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPypOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOj5OnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,rB,C;;QPipOA,OAAlBO,W;MAAjBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOz5OnB,wBA

MAvOX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBA
AZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA0B,QAA1B,C;QAsOL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI
,WAAY,aAvO0C,WAuOtC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAvOhB,OAyOO,W;MAxOX,C;KAXA,C;
8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAyOA,oC;MAAA,gC;MAzOA,yC;QASI,eAAiC,cAAlB,YAAY,g
BAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAuB,QAAvB,C;QAuOL,Q;QAAhB,iD;UAAgB,cAAhB,0B;
UACI,WAAY,aAxOuC,WAwOnC,CAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QAxOhB,OA0OO,W;MAzOX,C;K
AXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,E
AAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAyOL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1
OoC,WA0OhC,CAAY,OAAZ,CAAJ,EA1OiD,cA0OvB,CAAe,OAAf,CAA1B,C;;QA1OhB,OA4OO,W;MA3OX,C
;KAVA,C;8FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,CAAk
B,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA2OL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,a
A5OoC,WA4OhC,CAAY,OAAZ,CAAJ,EA5OiD,cA4OvB,CAAe,OAAf,CAA1B,C;;QA5OhB,OA8OO,W;MA7OX,C;KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAlB,YAAY,gBAAZ,C
AAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA6OL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA
AY,aA9OoC,WA8OhC,CAAY,OAAZ,CAAJ,EA9OiD,cA8OvB,CAAe,OAAf,CAA1B,C;;QA9OhB,OAgPO,W;M
A/OX,C;KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAlB,YAAY,gBAA
Z,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA+OL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,
WAAY,aAhPoC,WAgPhC,CAAY,OAAZ,CAAJ,EAhPiD,cAgPvB,CAAe,OAAf,CAA1B,C;;QAhPhB,OAkPO,W;
MAjPX,C;KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAlB,YAAY,gBA
AZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAiPL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,
WAAY,aAlPoC,WAkPhC,CAAY,OAAZ,CAAJ,EAlPiD,cAkPvB,CAAe,OAAf,CAA1B,C;;QAlPhB,OAoPO,W;M
AnPX,C;KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAlB,YAAY,gBAA
Z,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAmPL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,
WAAY,aApPoC,WAoPhC,CAAY,OAAZ,CAAJ,EApPiD,cAoPvB,CAAe,OAAf,CAA1B,C;;QApPhB,OAsPO,W;
MArPX,C;KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAlB,YAAY,gBA
AZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAqPL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI
,WAAY,aAtPoC,WAsPhC,CAAY,OAAZ,CAAJ,EAtPiD,cAsPvB,CAAe,OAAf,CAA1B,C;;QAtPhB,OAwPO,W;
MAvPX,C;KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAlB,YAAY,gBAA
Z,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAuPL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,
WAAY,aAxPoC,WAwPhC,CAAY,OAAZ,CAAJ,EAxPiD,cAwPvB,CAAe,OAAf,CAA1B,C;;QAxPhB,OA0PO,W;
MAzPX,C;KAVA,C;+FAYA,yB;MAAA,0D;MA0PA,oC;MAAA,gC;MA1PA,yD;QAQI,eAAiC,cAAlB,YAAY,gBA
AZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAyPL,Q;QAAhB,iD;UAAgB,cAAhB,0B;
UACI,WAAY,aA1PuC,WA0PnC,CAAY,oBAAZ,CAAJ,EA1PiD,cA0PvB,CAAe,OAAf,CAA1B,C;;QA1PhB,OA
4PO,W;MA3PX,C;KAXA,C;;MAoBoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,QAAhB,C;MAAA,wBAAgB,cAAA
AA,EAAhB,M;QAAgB,QAAhB,C;IACX,C;;MAU

OAAf,CAA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB
,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;IACX,C;;MAU
oB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0
B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA
,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;IACX,
C;;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ
,EA0B,eAAe,OAAf,CA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB
,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EA0B,eAAe,OAAf,CA1B,C;;MAEhB,OAAO,
W;IACX,C;;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,O
AAZ,CAAJ,EA0B,eAAe,OAAf,CA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wBAAgB,SAAhB,
gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EA0B,eAAe,OAAf,CA1B,C;;MAEh
B,OAAO,W;IACX,C;mGAEA,yB;MAAA,oC;MAAA,gC;MAAA,sE;QAQoB,Q;QAAhB,wBAAgB,SAAhB,gB;U
AAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAY,aAAI,YAAY,oBAAZ,CAAJ,EA0B,eAAe,oBAAf,CA1B,C;;Q
AEhB,OAAO,W;MACX,C;KAZA,C;;MAqBoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAC
I,WAAe,UAAU,OAAV,C;QO50NnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MP80NA,OAAO,W;IACX
,C;;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOz1Nn
B,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MP21NA,OAAO,W;IACX,C;;MASoB,Q;MAAhB,wBAAgB,S
AAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOt2NnB,wBAAI,IAAK,MAAT,EAAgB,IA
AK,OArB,C;;MPw2NA,OAAO,W;IACX,C;;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,
M;QACI,WAAe,UAAU,OAAV,C;QOn3NnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OArB,C;;MPq3NA,OAAO,
W;IACX,C;;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;
QOh4NnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OArB,C;;MPk4NA,OAAO,W;IACX,C;;MASoB,Q;MAAhB,w
BAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QO74NnB,wBAAI,IAAK,MAAT,
EAAgB,IAAK,OArB,C;;MP+4NA,OAAO,W;IACX,C;;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAA
A,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QO15NnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OArB,C;;MP45N
A,OAAO,W;IACX,C;;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,
OAAV,C;QOv6NnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OArB,C;;MPy6NA,OAAO,W;IACX,C;8FAEA,yB;M
AAA,oC;MAAA,gC;MAAA,oD;QAOoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;U
ACI,WAAe,UAAU,oBAAV,C;UOp7NnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OArB,C;;QPs7NA,OAAO,W;M
ACX,C;KAXA,C;;MAiBiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;
MAEhB,OAAO,W;IACX,C;;MAMiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,
IAAJ,C;;MAEhB,OAAO,W;IACX,C;;MAMiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAA
Y,WAAI,IAAJ,C;;MAEhB,OAAO,W;IACX,C;;MAMiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QA
CI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;IACX,C;;MAMiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SA
Ab,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;IACX,C;;MAMiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,W
AAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;IACX,C;;MAMiB,Q;MAAb,wBAAa,SAAb,gB;
QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;IACX,C;;MAMiB,Q;MAAb,wBAAa,S
Ab,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;IACX,C;;MAMiB,Q;MAAb,
wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;IACX,C;;MAMiB,
Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;IACX,C;;
MAMI,OAAO,wBAAa,eAAW,YAAY,gBAAZ,CAAX,CAAb,C;IACX,C;;MAMI,OAAO,0BAAa,eAAc,YAAY,gBA
AZ,CAAd,CAAb,C;IACX,C;;MAMI,OAAO,0BAAa,eAAe,YAAY,gBAAZ,CAAf,CAAb,C;IACX,C;;MAMI,OAA
O,0BAAa,eAAa,YAAY,gBAAZ,CAAb,CAAb,C;IACX,C;;MAMI,OAAO,0BAAa,eAAc,YAAY,gBAAZ,CAAd,C
AAb,C;IACX,C;;MAMI,OAAO,0BAAa,eAAe,YAAY,gBAAZ,CAAf,CAAb,C;IACX,C;;MAMI,OAAO,0BAAa,e
AAgB,YAAY,gBAAZ,CAAhB,CAAb,C;IACX,C;;MAMI,OAAO,0BAAa,eAAiB,YAAY,gBAAZ,CAAjB,CAAb,C
;IACX,C;;MAMI,OAAO,0BAAa,eAAc,YAAY,gBAAZ,CAAd,CAAb,C;IACX,C;;MAMiB,IAAN,I;MAAA,QAA
M,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,qB
AAL,SAAK,C;UAHV,K;;MAAP,W;IAKJ,C;;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UA
AL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;I

AKJ,C;;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;IA

QA2ED,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5E6B,SA4ElB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7EhB,OA+EO,W;MA9EX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+EA,gD;MA/EA,uC;QAIW,kBAAU,gB;QA+ED,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhF6B,SAgFlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjFhB,OAmFO,W;MAlFX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmFA,gD;MAnFA,uC;QAIW,kBAAU,gB;QAmFD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApF6B,SAoFlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArFhB,OAuFO,W;MAtFX,C;KALA,C;sFAOA,yB;MAAA,+D;MAuFA,gD;MAvFA,uC;QAIW,kBAAU,gB;QAuFD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxF6B,SAwFlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAzFhB,OA2FO,W;MA1FX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2FA,gD;MA3FA,uC;QAIW,kBAAU,gB;QA2FD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5F6B,SA4FlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7FhB,OA+FO,W;MA9FX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+FA,gD;MA/FA,uC;QAIW,kBAAU,gB;QA+FD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhG6B,SAgGlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjGhB,OAmGO,W;MAlGX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmGA,gD;MAnGA,uC;QAIW,kBAAU,gB;QAmGD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApG6B,SAoGlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArGhB,OAuGO,W;MAtGX,C;KALA,C;sFAOA,yB;MAAA,+D;MAuGA,gD;MAvGA,uC;QAIW,kBAAU,gB;QAuGD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxG6B,SAwGlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAzGhB,OA2GO,W;MA1GX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2GA,gD;MA3GA,uC;QAIW,kBAAU,gB;QA2GD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5G6B,SA4GlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7GhB,OA+GO,W;MA9GX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+GA,gD;MA/GA,uC;QAIW,kBAAU,gB;QA+GD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhH6B,SAgHlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjHhB,OAmHO,W;MAlHX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmHA,gD;MAnHA,uC;QAIW,kBAAU,gB;QAmHD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApH6B,SAoHlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArHhB,OAuHO,W;MAtHX,C;KALA,C;sFAOA,yB;MAAA,+D;MAuHA,gD;MAvHA,uC;QAIW,kBAAU,gB;QAuHD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxH6B,SAwHlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAzHhB,OA2HO,W;MA1HX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2HA,gD;MA3HA,uC;QAIW,kBAAU,gB;QA2HD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5H6B,SA4HlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7HhB,OA+HO,W;MA9HX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+HA,gD;MA/HA,uC;QAIW,kBAAU,gB;QA+HD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhI6B,SAgIlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjIhB,OAmIO,W;MAlIX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmIA,gD;MAnIA,uC;QAIW,kBAAU,gB;QAmID,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApI6B,SAoIlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArIhB,OAuIO,W;MAtIX,C;KALA,C;sFAOA,yB;MAAA,+D;MAuIA,gD;MAvIA,uC;QAIW,kBAAU,gB;QAuID,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxI6B,SAwIlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAzIhB,OA2IO,W;MA1IX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2IA,gD;MA3IA,uC;QAIW,kBAAU,gB;QA2ID,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5I6B,SA4IlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7IhB,OA+IO,W;MA9IX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+IA,gD;MA/IA,uC;QAIW,kBAAU,gB;QA+ID,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhJ6B,SAgJlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjJhB,OAmJO,W;MAlJX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmJA,gD;MAnJA,uC;QAIW,kBAAU,gB;QAmJD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApJ6B,SAoJlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArJhB,OAuJO,W;MAtJX,C;KALA,C;sFAOA,yB;MAAA,+D;MAuJA,gD;MAvJA,uC;QAIW,kBAAU,gB;QAuJD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxJ6B,SAwJlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAzJhB,OA2JO,W;MA1JX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2JA,gD;MA3JA,uC;QAIW,kBAAU,gB;QA2JD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5J6B,SA4JlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7JhB,OA+JO,W;MA9JX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+JA,gD;MA/JA,uC;QAIW,kBAAU,gB;QA+JD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhK6B,SAgKlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjKhB,OAmKO,W;MAlKX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmKA,gD;MAnKA,uC;QAIW,kBAAU,gB;QAmKD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApK6B,SAoKlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArKhB,OAuKO,W;MAtKX,C;KALA,C;sFAOA,yB;MAAA,+D;MAuKA,gD;MAvKA,uC;QAIW,kBAAU,gB;QAuKD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxK6B,SAwKlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAzKhB,OA2KO,W;MA1KX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2KA,gD;MA3KA,uC;QAIW,kBAAU,gB;QA2KD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5K6B,SA4KlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7KhB,OA+KO,W;MA9KX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+KA,gD;MA/KA,uC;QAIW,kBAAU,gB;QA+KD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhL6B,SAgLlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjLhB,OAmLO,W;MAlLX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmLA,gD;MAnLA,uC;QAIW,kBAAU,gB;QAmLD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApL6B,SAoLlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArLhB,OAuLO,W;MAtLX,C;KALA,C;sFAOA,yB;MAAA,+D;MAuLA,gD;MAvLA,uC;QAIW,kBAAU,gB;QAuLD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxL6B,SAwLlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAzLhB,OA2LO,W;MA1LX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2LA,gD;MA3LA,uC;QAIW,kBAAU,gB;QA2LD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5L6B,SA4LlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7LhB,OA+LO,W;MA9LX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+LA,gD;MA/LA,uC;QAIW,kBAAU,gB;QA+LD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhM6B,SAgMlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjMhB,OAmMO,W;MAlMX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmMA,gD;MAnMA,uC;QAIW,kBAAU,gB;QAmMD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApM6B,SAoMlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArMhB,OAuMO,W;MAtMX,C;KALA,C;sFAOA,yB;MAAA,+D;MAuMA,gD;MAvMA,uC;QAIW,kBAAU,gB;QAuMD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxM6B,SAwMlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAzMhB,OA2MO,W;MA1MX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2MA,gD;MA3MA,uC;QAIW,kBAAU,gB;QA2MD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5M6B,SA4MlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7MhB,OA+MO,W;MA9MX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+MA,gD;MA/MA,uC;QAIW,kBAAU,gB;QA+MD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhN6B,SAgNlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjNhB,OAmNO,W;MAlNX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmNA,gD;MAnNA,uC;QAIW,kBAAU,gB;QAmND,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApN6B,SAoNlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArNhB,OAuNO,W;MAtNX,C;KALA,C;sFAOA,yB;MAAA,+D;MAuNA,gD;MAvNA,uC;QAIW,kBAAU,gB;QAuND,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxN6B,SAwNlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAzNhB,OA2NO,W;MA1NX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2NA,gD;MA3NA,uC;QAIW,kBAAU,gB;QA2ND,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5N6B,SA4NlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7NhB,OA+NO,W;MA9NX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+NA,gD;MA/NA,uC;QAIW,kBAAU,gB;QA+ND,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhO6B,SAgOlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjOhB,OAmOO,W;MAlOX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmOA,gD;MAnOA,uC;QAIW,kBAAU,gB;QAmOD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApO6B,SAoOlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArOhB,OAuOO,W;MAtOX,C;KALA,C;sFAOA,yB;MAAA,+D;MAuOA,gD;MAvOA,uC;QAIW,kBAAU,gB;QAuOD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxO6B,SAwOlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAzOhB,OA2OO,W;MA1OX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2OA,gD;MA3OA,uC;QAIW,kBAAU,gB;QA2OD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5O6B,SA4OlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7OhB,OA+OO,W;MA9OX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+OA,gD;MA/OA,uC;QAIW,kBAAU,gB;QA+OD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhP6B,SAgPlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjPhB,OAmPO,W;MAlPX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmPA,gD;MAnPA,uC;QAIW,kBAAU,gB;QAmPD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApP6B,SAoPlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArPhB,OAuPO,W;MAtPX,C;KALA,C;sFAOA,yB;MAAA,+D;MAuPA,gD;MAvPA,uC;QAIW,kBAAU,gB;QAuPD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxP6B,SAwPlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAzPhB,OA2PO,W;MA1PX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2PA,gD;MA3PA,uC;QAIW,kBAAU,gB;QA2PD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5P6B,SA4PlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7PhB,OA+PO,W;MA9PX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+PA,gD;MA/PA,uC;QAIW,kBAAU,gB;QA+PD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhQ6B,SAgQlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjQhB,OAmQO,W;MAlQX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmQA,gD;MAnQA,uC;QAIW,kBAAU,gB;QAmQD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApQ6B,SAoQlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArQhB,OAuQO,W;MAtQX,C;KALA,C;sFAOA,yB;MAAA,+D;MAuQA,gD;MAvQA,uC;QAIW,kBAAU,gB;QAuQD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxQ6B,SAwQlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAzQhB,OA2QO,W;MA1QX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2QA,gD;MA3QA,uC;QAIW,kBAAU,gB;QA2QD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5Q6B,SA4QlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7QhB,OA+QO,W;MA9QX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+QA,gD;MA/QA,uC;QAIW,kBAAU,gB;QA+QD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhR6B,SAgRlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjRhB,OAmRO,W;MAlRX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmRA,gD;MAnRA,uC;QAIW,kBAAU,gB;QAmRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApR6B,SAoRlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArRhB,OAuRO,W;MAtRX,C;KALA,C;sFAOA,yB;MAAA,+D;MAuRA,gD;MAvRA,uC;QAIW,kBAAU,gB;QAuRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxR6B,SAwRlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAzRhB,OA2RO,W;MA1RX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2RA,gD;MA3RA,uC;QAIW,kBAAU,gB;QA2RD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5R6B,SA4RlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7RhB,OA+RO,W;MA9RX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+RA,gD;MA/RA,uC;QAIW,kBAAU,gB;QA+RD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhS6B,SAgSlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjShB,OAmSO,W;MAlSX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmSA,gD;MAnSA,uC;QAIW,kBAAU,gB;QAmSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApS6B,SAoSlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArShB,OAuSO,W;MAtSX,C;KALA,C;sFAOA,yB;MAAA,+D;MAuSA,gD;MAvSA,uC;QAIW,kBAAU,gB;QAuSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxS6B,SAwSlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAzShB,OA2SO,W;MA1SX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2SA,gD;MA3SA,uC;QAIW,kBAAU,gB;QA2SD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5S6B,SA4SlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7ShB,OA+SO,W;MA9SX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+SA,gD;MA/SA,uC;QAIW,kBAAU,gB;QA+SD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhT6B,SAgTlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjThB,OAmTO,W;MAlTX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmTA,gD;MAnTA,uC;QAIW,kBAAU,gB;QAmTD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApT6B,SAoTlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArThB,OAuTO,W;MAtTX,C;KALA,C;sFAOA,yB;MAAA,+D;MAuTA,gD;MAvTA,uC;QAIW,kBAAU,gB;QAuTD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxT6B,SAwTlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAzThB,OA2TO,W;MA1TX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2TA,gD;MA3TA,uC;QAIW,kBAAU,gB;QA2TD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5T6B,SA4TlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7ThB,OA+TO,W;MA9TX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+TA,gD;MA/TA,uC;QAIW,kBAAU,gB;QA+TD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhU6B,SAgUlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjUhB,OAmUO,W;MAlUX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmUA,gD;MAnUA,uC;QAIW,kBAAU,gB;QAmUD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApU6B,SAoUlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArUhB,OAuUO,W;MAtUX,C;KALA,C;sFAOA,yB;MAAA,+D;MAuUA,gD;MAvUA,uC;QAIW,kBAAU,gB;QAuUD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxU6B,SAwUlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAzUhB,OA2UO,W;MA1UX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2UA,gD;MA3UA,uC;QAIW,kBAAU,gB;QA2UD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5U6B,SA4UlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7UhB,OA+UO,W;MA9UX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+UA,gD;MA/UA,uC;QAIW,kBAAU,gB;QA+UD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhV6B,SAgVlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjVhB,OAmVO,W;MAlVX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmVA,gD;MAnVA,uC;QAIW,kBAAU,gB;QAmVD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApV6B,SAoVlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArVhB,OAuVO,W;MAtVX,C;KALA,C;sFAOA,yB;MAAA,+D;MAuVA,gD;MAvVA,uC;QAIW,kBAAU,gB;QAuVD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxV6B,SAwVlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAzVhB,OA2VO,W;MA1VX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2VA,gD;MA3VA,uC;QAIW,kBAAU,gB;QA2VD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5V6B,SA4VlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7VhB,OA+VO,W;MA9VX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+VA,gD;MA/VA,uC;QAIW,kBAAU,gB;QA+VD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhW6B,SAgWlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjWhB,OAmWO,W;MAlWX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmWA,gD;MAnWA,uC;QAIW,kBAAU,gB;QAmWD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApW6B,SAoWlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArWhB,OAuWO,W;MAtWX,C;KALA,C;sFAOA,yB;MAAA,+D;MAuWA,gD;MAvWA,uC;QAIW,kBAAU,gB;QAuWD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxW6B,SAwWlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAzWhB,OA2WO,W;MA1WX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2WA,gD;MA3WA,uC;QAIW,kBAAU,gB;QA2WD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5W6B,SA4WlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7WhB,OA+WO,W;MA9WX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+WA,gD;MA/WA,uC;QAIW,kBAAU,gB;QA+WD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhX6B,SAgXlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjXhB,OAmXO,W;MAlXX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmXA,gD;MAnXA,uC;QAIW,kBAAU,gB;QAmXD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApX6B,SAoXlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArXhB,OAuXO,W;MAtXX,C;KALA,C;sFAOA,yB;MAAA,+D;MAuXA,gD;MAvXA,uC;QAIW,kBAAU,gB;QAuXD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxX6B,SAwXlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAzXhB,OA2XO,W;MA1XX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2XA,gD;MA3XA,uC;QAIW,kBAAU,gB;QA2XD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5X6B,SA4XlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7XhB,OA+XO,W;MA9XX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+XA,gD;MA/XA,uC;QAIW,kBAAU,gB;QA+XD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhY6B,SAgYlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjYhB,OAmYO,W;MAlYX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmYA,gD;MAnYA,uC;QAIW,kBAAU,gB;QAmYD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApY6B,SAoYlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArYhB,OAuYO,W;MAtYX,C;KALA,C;sFAOA,yB;MAAA,+D;MAuYA,gD;MAvYA,uC;QAIW,kBAAU,gB;QAuYD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxY6B,SAwYlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAzYhB,OA2YO,W;MA1YX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2YA,gD;MA3YA,uC;QAIW,kBAAU,gB;QA2YD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5Y6B,SA4YlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7YhB,OA+YO,W;MA9YX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+YA,gD;MA/YA,uC;QAIW,kBAAU,gB;QA+YD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhZ6B,SAgZlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjZhB,OAmZO,W;MAlZX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmZA,gD;MAnZA,uC;QAIW,kBAAU,gB;QAmZD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApZ6B,SAoZlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArZhB,OAuZO,W;MAtZX,C;KALA,C;sFAOA,yB;MAAA,+D;MAuZA,gD;MAvZA,uC;QAIW,kBAAU,gB;QAuZD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxZ6B,SAwZlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAzZhB,OA2ZO,W;MA1ZX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2ZA,gD;MA3ZA,uC;QAIW,kBAAU,gB;QA2ZD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5Z6B,SA4ZlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7ZhB,OA+ZO,W;MA9ZX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+ZA,gD;MA/ZA,uC;QAIW,kBAAU,gB;QA+ZD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAha6B,SAgalB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjahB,OAmaO,W;MAlaX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmaA,gD;MAnaA,uC;QAIW,kBAAU,gB;QAmaD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApa6B,SAoalB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArahB,OAuaO,W;MAtaX,C;KALA,C;sFAOA,yB;MAAA,+D;MAuaA,gD;MAvaA,uC;QAIW,kBAAU,gB;QAuaD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxa6B,SAwalB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAzahB,OA2aO,W;MA1aX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2aA,gD;MA3aA,uC;QAIW,kBAAU,gB;QA2aD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5a6B,SA4alB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7ahB,OA+aO,W;MA9aX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+aA,gD;MA/aA,uC;QAIW,kBAAU,gB;QA+aD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhb6B,SAgblB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjbhB,OAmbO,W;MAlbX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmbA,gD;MAnbA,uC;QAIW,kBAAU,gB;QAmbD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApb6B,SAoblB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArbhB,OAubO,W;MAtbX,C;KALA,C;sFAOA,yB;MAAA,+D;MAubA,gD;MAvbA,uC;QAIW,kBAAU,gB;QAubD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxb6B,SAwblB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAzbhB,OA2bO,W;MA1bX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2bA,gD;MA3bA,uC;QAIW,kBAAU,gB;QA2bD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5b6B,SA4blB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7bhB,OA+bO,W;MA9bX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+bA,gD;MA/bA,uC;QAIW,kBAAU,gB;QA+bD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhc6B,SAgclB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjchB,OAmcO,W;MAlcX,C;KALA,C;sFAOA,yB;MAAA,+D;MAmcA,gD;MAncA,uC;QAIW,kBAAU,gB;QAmcD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApc6B,SAocnB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QArchB,OAucO,W;MAtcX,C;KALA,C;sFAOA,yB;MAAA,+D;MAucA,gD;MAvcA,uC;QAIW,kBAAU,gB;QAucD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxc6B,SAwcnB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IA

X,C;KAVA,C;sFAYA,yB;MAAA,wE;MA0PA,+D;MA1PA,yC;QASW,kBAAU,oB;QA0PD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3PqD,WA2P3C,CAAY,OAAZ,C;UOrpQP,U;UADP,YPupQe,WOvpQH,WPupQwB,GOvpQxB,C;UACL,IAAI,aAAJ,C;YACH,aPqpQuC,gB;YAA5B,WOppQX,aPopQgC,GOppQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPipQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7PT,OA+PO,W;MA9PX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA+PA,+D;MA/PA,yC;QASW,kBAAU,oB;QA+PD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAhQsD,WAgQ5C,CAAY,OAAZ,C;UOtqQP,U;UADP,YPwqQe,WOxqQH,WPwqQwB,GOxqQxB,C;UACL,IAAI,aAAJ,C;YACH,aPsqQuC,gB;YAA5B,WOrqQX,aPqqQgC,GOrqQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPkqQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlqQT,OAoqQO,W;MAnqQX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAoqQA,+D;MApqQA,yC;QASW,kBAAU,oB;QAoqQD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UArqQuD,WAqqQ7C,CAAY,OAAZ,C;UOvrQP,U;UADP,YPyrQe,WOzrQH,WPyrQwB,GOzrQxB,C;UACL,IAAI,aAAJ,C;YACH,aPurQuC,gB;YAA5B,WOtrQX,aPsrQgC,GOtrQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPmrQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvrQT,OAyrQO,W;MAxrQX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAyrQA,+D;MAzrQA,yC;QASW,kBAAU,oB;QAyrQD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1rQuD,WA0rQ7C,CAAY,OAAZ,C;UOxsQP,U;UADP,YP0sQe,WO1sQH,WP0sQwB,GO1sQxB,C;UACL,IAAI,aAAJ,C;YACH,aPwsQuC,gB;YAA5B,WOvsQX,aPusQgC,GOvsQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPosQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5sQT,OA8sQO,W;MA7sQX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA8sQA,+D;MA9sQA,yC;QASW,kBAAU,oB;QA8sQD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/sQuD,WA+sQ7C,CAAY,OAAZ,C;UOztQP,U;UADP,YP2tQe,WO3tQH,WP2tQwB,GO3tQxB,C;UACL,IAAI,aAAJ,C;YACH,aPytQuC,gB;YAA5B,WOxtQX,aPwtQgC,GOxtQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPstQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAjuQT,OAmuQO,W;MAluQX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAmuQA,+D;MAnuQA,yC;QASW,kBAAU,oB;QAmuQD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UApuQuD,WAouQ7C,CAAY,OAAZ,C;UO1vQP,U;UADP,YP4vQe,WO5vQH,WP4vQwB,GO5vQxB,C;UACL,IAAI,aAAJ,C;YACH,a0vQuC,gB;YAA5B,WOzvQX,a0vQgC,GOzvQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPwuQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtvQT,OAwvQO,W;MAvvQX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAwvQA,+D;MAxvQA,yC;QASW,kBAAU,oB;QAwvQD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAzvQuD,WAyvQ7C,CAAY,OAAZ,C;UO3wQP,U;UADP,YP6wQe,WO7wQH,WP6wQwB,GO7wQxB,C;UACL,IAAI,aAAJ,C;YACH,a2wQuC,gB;YAA5B,WO1wQX,a2wQgC,GO1wQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPyvQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA3wQT,OA6wQO,W;MA5wQX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA6wQA,+D;MA7wQA,yC;QASW,kBAAU,oB;QA6wQD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA9wQuD,WA8wQ7C,CAAY,OAAZ,C;UO5xQP,U;UADP,YP8xQe,WO9xQH,WP8xQwB,GO9xQxB,C;UACL,IAAI,aAAJ,C;YACH,a4xQuC,gB;YAA5B,WO3xQX,a4xQgC,GO3xQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP0wQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhyQT,OAkyQO,W;MAjyQX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAkyQA,+D;MAlyQA,yC;QASW,kBAAU,oB;QAkyQD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAnyQuD,WAmyQ7C,CAAY,OAAZ,C;UO7yQP,U;UADP,YP+yQe,WO/yQH,WP+yQwB,GO/yQxB,C;UACL,IAAI,aAAJ,C;YACH,a6yQuC,gB;YAA5B,WO5yQX,a6yQgC,GO5yQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP2xQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QArzQT,OAuzQO,W;MAtzQX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAuzQA,+D;MAvzQA,yC;QASW,kBAAU,oB;QAuzQD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAxzQuD,WAwzQ7C,CAAY,OAAZ,C;UO9zQP,U;UADP,YPg0Qe,WOh0QH,WPg0QwB,GOh0QxB,C;UACL,IAAI,aAAJ,C;YACH,a8zQuC,gB;YAA5B,WO7zQX,a8zQgC,GO7zQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP4yQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA10QT,OA40QO,W;MA3zQX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA4zQA,+D;MA5zQA,yC;QASW,kBAAU,oB;QA4zQD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7zQuD,WA6zQ7C,CAAY,OAAZ,C;UO/0QP,U;UADP,YPi1Qe,WOj1QH,WPi1QwB,GOj1QxB,C;UACL,IAAI,aAAJ,C;YACH,a+0QuC,gB;YAA5B,WO90QX,a+0QgC,GO90QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP6zQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA51QT,OA81QO,W;MA70QX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA80QA,+D;MA90QA,yC;QASW,kBAAU,oB;QA80QD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/0QuD,WA+0Q7C,CAAY,OAAZ,C;UOj2QP,U;UADP,YPm2Qe,WOn2QH,WPm2QwB,GOn2QxB,C;UACL,IAAI,aAAJ,C;YACH,ag2QuC,gB;YAA5B,WOh2QX,ag2QgC,GOh2QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP+0QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA93QT,OAg3QO,W;MA/2QX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAg2QA,+D;MAh2QA,yC;QASW,kBAAU,oB;QAg2QD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAj2QuD,WAi2Q7C,CAAY,OAAZ,C;UOn3QP,U;UADP,YPq3Qe,WOr3QH,WPq3QwB,GOr3QxB,C;UACL,IAAI,aAAJ,C;YACH,ak3QuC,gB;YAA5B,WOl3QX,ak3QgC,GOl3QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPi2QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAh4QT,OAk4QO,W;MAj3QX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAk3QA,+D;MAl3QA,yC;QASW,kBAAU,oB;QAk3QD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAn3QuD,WAm3Q7C,CAAY,OAAZ,C;UOr4QP,U;UADP,YPu4Qe,WOv4QH,WPu4QwB,GOv4QxB,C;UACL,IAAI,aAAJ,C;YACH,ao4QuC,gB;YAA5B,WOp4QX,ao4QgC,GOp4QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPm3QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAl5QT,OAo5QO,W;MAn4QX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAo4QA,+D;MAp4QA,yC;QASW,kBAAU,oB;QAo4QD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAr4QuD,WAq4Q7C,CAAY,OAAZ,C;UOv5QP,U;UADP,YPy5Qe,WOz5QH,WPy5QwB,GOz5QxB,C;UACL,IAAI,aAAJ,C;YACH,as5QuC,gB;YAA5B,WOt5QX,as5QgC,GOt5QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPq4QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAp6QT,OAs6QO,W;MAr5QX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAs5QA,+D;MAt5QA,yC;QASW,kBAAU,oB;QAs5QD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAv5QuD,WAu5Q7C,CAAY,OAAZ,C;UOz6QP,U;UADP,YP26Qe,WO36QH,WP26QwB,GO36QxB,C;UACL,IAAI,aAAJ,C;YACH,aw6QuC,gB;YAA5B,WOx6QX,aw6QgC,GOx6QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPu5QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAt7QT,OAw7QO,W;MAv6QX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAw6QA,+D;MAx6QA,yC;QASW,kBAAU,oB;QAw6QD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAz6QuD,WAy6Q7C,CAAY,OAAZ,C;UO37QP,U;UADP,YP67Qe,WO77QH,WP67QwB,GO77QxB,C;UACL,IAAI,aAAJ,C;YACH,a07QuC,gB;YAA5B,WO17QX,a07QgC,GO17QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPy6QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAx8QT,OA08QO,W;MAz7QX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA07QA,+D;MA17QA,yC;QASW,kBAAU,oB;QA07QD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA37QuD,WA27Q7C,CAAY,OAAZ,C;UO79QP,U;UADP,YP+9Qe,WO/9QH,WP+9QwB,GO/9QxB,C;UACL,IAAI,aAAJ,C;YACH,a49QuC,gB;YAA5B,WO59QX,a49QgC,GO59QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP27QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1+QT,OA4+QO,W;MA38QX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA48QA,+D;MA58QA,yC;QASW,kBAAU,oB;QA48QD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA78QuD,WA68Q7C,CAAY,OAAZ,C;UO/+QP,U;UADP,YPi/Qe,WOj/QH,WPi/QwB,GOj/QxB,C;UACL,IAAI,aAAJ,C;YACH,a8+QuC,gB;YAA5B,WO9+QX,a8+QgC,GO9+QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP67QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5/QT,OA8/QO,W;MA79QX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA89QA,+D;MA99QA,yC;QASW,kBAAU,oB;QA89QD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/9QuD,WA+9Q7C,CAAY,OAAZ,C;UOjgRP,U;UADP,YPmgRe,WOngRH,WPmgRwB,GOngRxB,C;UACL,IAAI,aAAJ,C;YACH,aggRuC,gB;YAA5B,WOhgRX,aggRgC,GOhgRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP++QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9hRT,OAgiRO,W;MA/gRX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAghRA,+D;MAhhRA,yC;QASW,kBAAU,oB;QAghRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjhRuD,WAihR7C,CAAY,OAAZ,C;UOniRP,U;UADP,YPqiRe,WOriRH,WPqiRwB,GOriRxB,C;UACL,IAAI,aAAJ,C;YACH,akiRuC,gB;YAA5B,WOliRX,akiRgC,GOliRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPi/QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhjRT,OAkjRO,W;MAjiRX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAkiRA,+D;MAliRA,yC;QASW,kBAAU,oB;QAkiRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAniRuD,WAmiR7C,CAAY,OAAZ,C;UOrjRP,U;UADP,YPujRe,WOvjRH,WPujRwB,GOvjRxB,C;UACL,IAAI,aAAJ,C;YACH,aojRuC,gB;YAA5B,WOpjRX,aojRgC,GOpjRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPm/QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlkRT,OAokRO,W;MAniRX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAoiRA,+D;MApiRA,yC;QASW,kBAAU,oB;QAoiRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAriRuD,WAqiR7C,CAAY,OAAZ,C;UOvkRP,U;UADP,YPykRe,WOzkRH,WPykRwB,GOzkRxB,C;UACL,IAAI,aAAJ,C;YACH,asjRuC,gB;YAA5B,WOtjRX,asjRgC,GOtjRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPq/QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QApkRT,OAskRO,W;MAriRX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAsiRA,+D;MAtiRA,yC;QASW,kBAAU,oB;QAsiRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAviRuD,WAuiR7C,CAAY,OAAZ,C;UOzlRP,U;UADP,YP2lRe,WO3lRH,WP2lRwB,GO3lRxB,C;UACL,IAAI,aAAJ,C;YACH,awlRuC,gB;YAA5B,WOxlRX,awlRgC,GOxlRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPu/QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtlRT,OAwlRO,W;MAviRX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAwiRA,+D;MAxiRA,yC;QASW,kBAAU,oB;QAwiRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAziRuD,WAyiR7C,CAAY,OAAZ,C;UO3mRP,U;UADP,YP6mRe,WO7mRH,WP6mRwB,GO7mRxB,C;UACL,IAAI,aAAJ,C;YACH,a0mRuC,gB;YAA5B,WO1mRX,a0mRgC,GO1mRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPy/QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxmRT,OA0mRO,W;MAziRX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA0iRA,+D;MA1iRA,yC;QASW,kBAAU,oB;QA0iRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3iRuD,WA2iR7C,CAAY,OAAZ,C;UO7nRP,U;UADP,YP+nRe,WO/nRH,WP+nRwB,GO/nRxB,C;UACL,IAAI,aAAJ,C;YACH,a4nRuC,gB;YAA5B,WO5nRX,a4nRgC,GO5nRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP2gRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1oRT,OA4oRO,W;MA3kRX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA4kRA,+D;MA5kRA,yC;QASW,kBAAU,oB;QA4kRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7kRuD,WA6kR7C,CAAY,OAAZ,C;UO/oRP,U;UADP,YPipRe,WOjpRH,WPipRwB,GOjpRxB,C;UACL,IAAI,aAAJ,C;YACH,a8oRuC,gB;YAA5B,WO9oRX,a8oRgC,GO9oRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP6hRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5pRT,OA8pRO,W;MA7mRX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA8mRA,+D;MA9mRA,yC;QASW,kBAAU,oB;QA8mRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/mRuD,WA+mR7C,CAAY,OAAZ,C;UOjqRP,U;UADP,YPmqRe,WOnqRH,WPmqRwB,GOnqRxB,C;UACL,IAAI,aAAJ,C;YACH,agqRuC,gB;YAA5B,WOhqRX,agqRgC,GOhqRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP+iRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9qRT,OAgrRO,W;MA/oRX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAgpRA,+D;MAhpRA,yC;QASW,kBAAU,oB;QAgpRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjpRuD,WAipR7C,CAAY,OAAZ,C;UOnrRP,U;UADP,YPqrRe,WOrrRH,WPqrRwB,GOrrRxB,C;UACL,IAAI,aAAJ,C;YACH,akrRuC,gB;YAA5B,WOlrRX,akrRgC,GOlrRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPijRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhsRT,OAksRO,W;MAjqRX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAkqRA,+D;MAlqRA,yC;QASW,kBAAU,oB;QAkqRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAnqRuD,WAmqR7C,CAAY,OAAZ,C;UOrsRP,U;UADP,YPusRe,WOvsRH,WPusRwB,GOvsRxB,C;UACL,IAAI,aAAJ,C;YACH,aosRuC,gB;YAA5B,WOpsRX,aosRgC,GOpsRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPmkRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAltRT,OAotRO,W;MAnrRX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAorRA,+D;MAprRA,yC;QASW,kBAAU,oB;QAorRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UArrRuD,WAqrR7C,CAAY,OAAZ,C;UOvtRP,U;UADP,YPytRe,WOztRH,WPytRwB,GOztRxB,C;UACL,IAAI,aAAJ,C;YACH,asrRuC,gB;YAA5B,WOtrRX,asrRgC,GOtrRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPqlRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAptRT,OAstRO,W;MArsRX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAssRA,+D;MAtsRA,yC;QASW,kBAAU,oB;QAssRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAvsRuD,WAusR7C,CAAY,OAAZ,C;UOzuRP,U;UADP,YP2uRe,WO3uRH,WP2uRwB,GO3uRxB,C;UACL,IAAI,aAAJ,C;YACH,awuRuC,gB;YAA5B,WOxuRX,awuRgC,GOxuRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPumRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtvRT,OAwvRO,W;MAvtRX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAwtRA,+D;MAxtRA,yC;QASW,kBAAU,oB;QAwtRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAztRuD,WAytR7C,CAAY,OAAZ,C;UO3vRP,U;UADP,YP6vRe,WO7vRH,WP6vRwB,GO7vRxB,C;UACL,IAAI,aAAJ,C;YACH,a0vRuC,gB;YAA5B,WO1vRX,a0vRgC,GO1vRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPynRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxwRT,OA0wRO,W;MAzuRX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA0uRA,+D;MA1uRA,yC;QASW,kBAAU,oB;QA0uRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3uRuD,WA2uR7C,CAAY,OAAZ,C;UO7wRP,U;UADP,YP+wRe,WO/wRH,WP+wRwB,GO/wRxB,C;UACL,IAAI,aAAJ,C;YACH,a4wRuC,gB;YAA5B,WO5wRX,a4wRgC,GO5wRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP2oRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1xRT,OA4xRO,W;MA3vRX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA4vRA,+D;MA5vRA,yC;QASW,kBAAU,oB;QA4vRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7vRuD,WA6vR7C,CAAY,OAAZ,C;UO/xRP,U;UADP,YPiyRe,WOjyRH,WPiyRwB,GOjyRxB,C;UACL,IAAI,aAAJ,C;YACH,a8xRuC,gB;YAA5B,WO9xRX,a8xRgC,GO9xRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP6pRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5yRT,OA8yRO,W;MA7wRX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA8wRA,+D;MA9wRA,yC;QASW,kBAAU,oB;QA8wRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/wRuD,WA+wR7C,CAAY,OAAZ,C;UOjzRP,U;UADP,YPmzRe,WOnzRH,WPmzRwB,GOnzRxB,C;UACL,IAAI,aAAJ,C;YACH,agzRuC,gB;YAA5B,WOhzRX,agzRgC,GOhzRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP+qRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9zRT,OAg0RO,W;MA/xRX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAgxRA,+D;MAhxRA,yC;QASW,kBAAU,oB;QAgxRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjxRuD,WAixR7C,CAAY,OAAZ,C;UOn0RP,U;UADP,YPq0Re,WOr0RH,WPq0RwB,GOr0RxB,C;UACL,IAAI,aAAJ,C;YACH,ak0RuC,gB;YAA5B,WOl0RX,ak0RgC,GOl0RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPirRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAh1RT,OAk1RO,W;MAjzRX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAkzRA,+D;MAlzRA,yC;QASW,kBAAU,oB;QAkzRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAnzRuD,WAmzR7C,CAAY,OAAZ,C;UOr1RP,U;UADP,YPu1Re,WOv1RH,WPu1RwB,GOv1RxB,C;UACL,IAAI,aAAJ,C;YACH,ao1RuC,gB;YAA5B,WOp1RX,ao1RgC,GOp1RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPmsRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAl2RT,OAo2RO,W;MAn0RX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAo0RA,+D;MAp0RA,yC;QASW,kBAAU,oB;QAo0RD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAr0RuD,WAq0R7C,CAAY,OAAZ,C;UOv2RP,U;UADP,YPy2Re,WOz2RH,WPy2RwB,GOz2RxB,C;UACL,IAAI,aAAJ,C;YACH,as2RuC,gB;YAA5B,WOt2RX,as2RgC,GOt2RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPqtRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAp3RT,OAs3RO,W;MAr1RX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAs1RA,+D;MAt1RA,yC;QASW,kBAAU,oB;QAs1RD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAv1RuD,WAu1R7C,CAAY,OAAZ,C;UOz3RP,U;UADP,YP23Re,WO33RH,WP23RwB,GO33RxB,C;UACL,IAAI,aAAJ,C;YACH,aw3RuC,gB;YAA5B,WOx3RX,aw3RgC,GOx3RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPuuRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAt4RT,OAw4RO,W;MAv2RX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAw2RA,+D;MAx2RA,yC;QASW,kBAAU,oB;QAw2RD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAz2RuD,WAy2R7C,CAAY,OAAZ,C;UO35RP,U;UADP,YP65Re,WO75RH,WP65RwB,GO75RxB,C;UACL,IAAI,aAAJ,C;YACH,a05RuC,gB;YAA5B,WO15RX,a05RgC,GO15RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPyvRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAx6RT,OA06RO,W;MAz4RX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA04RA,+D;MA14RA,yC;QASW,kBAAU,oB;QA04RD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA34RuD,WA24R7C,CAAY,OAAZ,C;UO77RP,U;UADP,YP+7Re,WO/7RH,WP+7RwB,GO/7RxB,C;UACL,IAAI,aAAJ,C;YACH,a47RuC,gB;YAA5B,WO57RX,a47RgC,GO57RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP2wRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA18RT,OA48RO,W;MA36RX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA46RA,+D;MA56RA,yC;QASW,kBAAU,oB;QA46RD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA76RuD,WA66R7C,CAAY,OAAZ,C;UO/9RP,U;UADP,YPi+Re,WOj+RH,WPi+RwB,GOj+RxB,C;UACL,IAAI,aAAJ,C;YACH,a89RuC,gB;YAA5B,WO99RX,a89RgC,GO99RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP6xRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5+RT,OA8+RO,W;MA78RX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA88RA,+D;MA98RA,yC;QASW,kBAAU,oB;QA88RD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/8RuD,WA+8R7C,CAAY,OAAZ,C;UOjgSP,U;UADP,YPmgSe,WOngSH,WPmgSwB,GOngSxB,C;UACL,IAAI,aAAJ,C;YACH,aggSuC,gB;YAA5B,WOhgSX,aggSgC,GOhgShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP+yRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9hST,OAgiSO,W;MA/+RX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAg+RA,+D;MAh+RA,yC;QASW,kBAAU,oB;QAg+RD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAj+RuD,WAi+R7C,CAAY,OAAZ,C;UOnhSP,U;UADP,YPqhSe,WOrhSH,WPqhSwB,GOrhSxB,C;UACL,IAAI,aAAJ,C;YACH,akhSuC,gB;YAA5B,WOlhSX,akhSgC,GOlhShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPi0RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhjST,OAkjSO,W;MAjhSX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAkhSA,+D;MAlhSA,yC;QASW,kBAAU,oB;QAkhSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAnhSuD,WAmhS7C,CAAY,OAAZ,C;UOrjSP,U;UADP,YPujSe,WOvjSH,WPujSwB,GOvjSxB,C;UACL,IAAI,aAAJ,C;YACH,aojSuC,gB;YAA5B,WOpjSX,aojSgC,GOpjShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPm1RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlkST,OAokSO,W;MAniSX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAoiSA,+D;MApiSA,yC;QASW,kBAAU,oB;QAoiSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAriSuD,WAqiS7C,CAAY,OAAZ,C;UOvkSP,U;UADP,YPykSe,WOzkSH,WPykSwB,GOzkSxB,C;UACL,IAAI,aAAJ,C;YACH,asjSuC,gB;YAA5B,WOtjSX,asjSgC,GOtjShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPq2RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAplST,OAslSO,W;MAriSX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAsiSA,+D;MAtiSA,yC;QASW,kBAAU,oB;QAsiSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAviSuD,WAuiS7C,CAAY,OAAZ,C;UOzlSP,U;UADP,YP2lSe,WO3lSH,WP2lSwB,GO3lSxB,C;UACL,IAAI,aAAJ,C;YACH,awlSuC,gB;YAA5B,WOxlSX,awlSgC,GOxlShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPu3RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtmST,OAwmSO,W;MAvkSX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAwkSA,+D;MAxkSA,yC;QASW,kBAAU,oB;QAwkSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAzkSuD,WAykS7C,CAAY,OAAZ,C;UO3mSP,U;UADP,YP6mSe,WO7mSH,WP6mSwB,GO7mSxB,C;UACL,IAAI,aAAJ,C;YACH,a0mSuC,gB;YAA5B,WO1mSX,a0mSgC,GO1mShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPy4RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxnST,OA0nSO,W;MAzlSX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA0lSA,+D;MA1lSA,yC;QASW,kBAAU,oB;QA0lSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3lSuD,WA2lS7C,CAAY,OAAZ,C;UO7nSP,U;UADP,YP+nSe,WO/nSH,WP+nSwB,GO/nSxB,C;UACL,IAAI,aAAJ,C;YACH,a4nSuC,gB;YAA5B,WO5nSX,a4nSgC,GO5nShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP25RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1oST,OA4oSO,W;MA3mSX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA4mSA,+D;MA5mSA,yC;QASW,kBAAU,oB;QA4mSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7mSuD,WA6mS7C,CAAY,OAAZ,C;UO/oSP,U;UADP,YPipSe,WOjpSH,WPipSwB,GOjpSxB,C;UACL,IAAI,aAAJ,C;YACH,a8oSuC,gB;YAA5B,WO9oSX,a8oSgC,GO9oShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP66RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5pST,OA8pSO,W;MA7nSX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA8nSA,+D;MA9nSA,yC;QASW,kBAAU,oB;QA8nSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/nSuD,WA+nS7C,CAAY,OAAZ,C;UOjqSP,U;UADP,YPmqSe,WOnqSH,WPmqSwB,GOnqSxB,C;UACL,IAAI,aAAJ,C;YACH,agqSuC,gB;YAA5B,WOhqSX,agqSgC,GOhqShC,EAA

cAAhB,0B;UACI,UAvTiD,WAuTvC,CAAY,oBAAZ,C;UO12QP,U;UADP,YP42Qe,WO52QH,WP42QwB,GO52QxB,C;UACL,IAAI,aAAJ,C;YACH,aP02QuC,gB;YAA5B,WOz2QX,aPy2QgC,GOz2QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPs2QA,iB;UACA,IAAK,WAzTyD,cAyTrD,CAAe,oBAAf,CAAJ,C;;QAzTT,OA2TO,W;MA1TX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOhkQP,U;UADP,YPkkQe,WOlkQH,WPkkQwB,GOlkQxB,C;UACL,IAAI,aAAJ,C;YACH,aPgkQuC,gB;YAA5B,WO/jQX,aP+jQgC,GO/jQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP4jQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOjlQP,U;UADP,YPmlQe,WOnlQH,WPmlQwB,GOnlQxB,C;UACL,IAAI,aAAJ,C;YACH,aPilQuC,gB;YAA5B,WOhlQX,aPglQgC,GOhlQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP6kQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOlmQP,U;UADP,YPomQe,WOpmQH,WPomQwB,GOpmQxB,C;UACL,IAAI,aAAJ,C;YACH,aPkmQuC,gB;YAA5B,WOjmQX,aPimQgC,GOjmQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP8lQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOnnQP,U;UADP,YPqnQe,WOrnQH,WPqnQwB,GOrnQxB,C;UACL,IAAI,aAAJ,C;YACH,aPmnQuC,gB;YAA5B,WOlnQX,aPknQgC,GOlnQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP+mQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOpoQP,U;UADP,YPsoQe,WOtoQH,WPsoQwB,GOtoQxB,C;UACL,IAAI,aAAJ,C;YACH,aPooQuC,gB;YAA5B,WOnoQX,aPmoQgC,GOnoQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPgoQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOrpQP,U;UADP,YPupQe,WOvpQH,WPupQwB,GOvpQxB,C;UACL,IAAI,aAAJ,C;YACH,aPqpQuC,gB;YAA5B,WOppQX,aPopQgC,GOppQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPipQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOtqQP,U;UADP,YPwqQe,WOxqQH,WPwqQwB,GOxqQxB,C;UACL,IAAI,aAAJ,C;YACH,aPsqQuC,gB;YAA5B,WOrqQX,aPqqQgC,GOrqQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPkqQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOvrQP,U;UADP,YPyrQe,WOzrQH,WPyrQwB,GOzrQxB,C;UACL,IAAI,aAAJ,C;YACH,aPurQuC,gB;YAA5B,WOtrQX,aPsrQgC,GOtrQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPmrQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,oBAAZ,C;UOxsQP,U;UADP,YP0sQe,WO1sQH,WP0sQwB,GO1sQxB,C;UACL,IAAI,aAAJ,C;YACH,aPwsQuC,gB;YAA5B,WOvsQX,aPusQgC,GOvsQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPosQA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOztQP,U;UADP,YP2tQe,WO3tQH,WP2tQwB,GO3tQxB,C;UACL,IAAI,aAAJ,C;YACH,aPytQuC,gB;YAA5B,WOxtQX,aPwtQgC,GOxtQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPqtQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1uQP,U;UADP,YP4uQe,WO5uQH,WP4uQwB,GO5uQxB,C;UACL,IAAI,aAAJ,C;YACH,a;;;YAEA,c;;UPwuQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO3vQP,U;UADP,YP6vQe,WO7vQH,WP6vQwB,GO7vQxB,C;UACL,IAAI,aAAJ,C;YACH,aP2vQuC,gB;YAA5B,WO1vQX,aP0vQgC,GO1vQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPuvQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO5wQP,U;UADP,YP8wQe,WO9wQH,WP8wQwB,GO9wQxB,C;UACL,IAAI,aAAJ,C;YACH,aP4wQuC,gB;YAA5B,WO3wQX,aP2wQgC,GO3wQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPwwQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO9xQP,U;UADP,YPgyQe,WOhyQH,WPgyQwB,GOhyQxB,C;UACL,IAAI,aAAJ,C;YACH,aP8xQuC,gB;YAA5B,WO7xQX,aP6xQgC,GO7xQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPyxQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOhzQP,U;UADP,YPkzQe,WOlzQH,WPkzQwB,GOlzQxB,C;UACL,IAAI,aAAJ,C;YACH,aPgzQuC,gB;YAA5B,WO/yQX,aP+yQgC,GO/yQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP2yQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOl0QP,U;UADP,YPo0Qe,WOp0QH,WPo0QwB,GOp0QxB,C;UACL,IAAI,aAAJ,C;YACH,aPk0QuC,gB;YAA5B,WOj0QX,aPi0QgC,GOj0QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP6zQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOp1QP,U;UADP,YPs1Qe,WOt1QH,WPs1QwB,GOt1QxB,C;UACL,IAAI,aAAJ,C;YACH,aPo1QuC,gB;YAA5B,WOn1QX,aPm1QgC,GOn1QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP+0QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOt2QP,U;UADP,YPw2Qe,WOx2QH,WPw2QwB,GOx2QxB,C;UACL,IAAI,aAAJ,C;YACH,aPs2QuC,gB;YAA5B,WOr2QX,aPq2QgC,GOr2QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPi2QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOx3QP,U;UADP,YP03Qe,WO13QH,WP03QwB,GO13QxB,C;UACL,IAAI,aAAJ,C;YACH,aPw3QuC,gB;YAA5B,WOv3QX,aPu3QgC,GOv3QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPm3QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO14QP,U;UADP,YP44Qe,WO54QH,WP44QwB,GO54QxB,C;UACL,IAAI,aAAJ,C;YACH,aP04QuC,gB;YAA5B,WOz4QX,aPy4QgC,GOz4QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPq4QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO55QP,U;UADP,YP85Qe,WO95QH,WP85QwB,GO95QxB,C;UACL,IAAI,aAAJ,C;YACH,aP45QuC,gB;YAA5B,WO35QX,aP25QgC,GO35QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPu5QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO96QP,U;UADP,YPg7Qe,WOh7QH,WPg7QwB,GOh7QxB,C;UACL,IAAI,aAAJ,C;YACH,a;;;YAEA,c;;UP46QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOr8QP,U;UADP,YPu8Qe,WOv8QH,WPu8QwB,GOv8QxB,C;UACL,IAAI,aAAJ,C;YACH,aPq8QuC,gB;YAA5B,WOp8QX,aPo8QgC,GOp8QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPi8QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOh9QP,U;UADP,YPk9Qe,WOl9QH,WPk9QwB,GOl9QxB,C;UACL,IAAI,aAAJ,C;YACH,aPg9QuC,gB;YAA5B,WO/8QX,aP+8QgC,GO/8QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP28QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOt+QP,U;UADP,YPw+Qe,WOx+QH,WPw+QwB,GOx+QxB,C;UACL,IAAI,aAAJ,C;YACH,aPs+QuC,gB;YAA5B,WOr+QX,aPq+QgC,GOr+QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPi+QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO5/QP,U;UADP,YP8/Qe,WO9/QH,WP8/QwB,GO9/QxB,C;UACL,IAAI,aAAJ,C;YACH,a;;;YAEA,c;;UP0/QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOjhRP,U;UADP,YPmhRe,WOnhRH,WPmhRwB,GOnhRxB,C;UACL,IAAI,aAAJ,C;YACH,aPihRuC,gB;YAA5B,WOhhRX,aPghRgC,GOhhRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP6gRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOxiRP,U;UADP,YP0iRe,WO1iRH,WP0iRwB,GO1iRxB,C;UACL,IAAI,aAAJ,C;YACH,aPwiRuC,gB;YAA5B,WOviRX,aPuiRgC,GOviRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPoiRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1jRP,U;UADP,YP4jRe,WO5jRH,WP4jRwB,GO5jRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0jRuC,gB;YAA5B,WOzjRX,aPyjRgC,GOzjRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPsjRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO5kRP,U;UADP,YP8kRe,WO9kRH,WP8kRwB,GO9kRxB,C;UACL,IAAI,aAAJ,C;YACH,a;;;YAEA,c;;UP4kRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOnmRP,U;UADP,YPqmRe,WOrmRH,WPqmRwB,GOrmRxB,C;UACL,IAAI,aAAJ,C;YACH,aPmmRuC,gB;YAA5B,WOlmRX,aPkmRgC,GOlmRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP+lRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOpnRP,U;UADP,YPsnRe,WOtnRH,WPsnRwB,GOtnRxB,C;UACL,IAAI,aAAJ,C;YACH,aPonRuC,gB;YAA5B,WOnnRX,aPmnRgC,GOnnRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPgnRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOrpRP,U;UADP,YPupRe,WOvpRH,WPupRwB,GOvpRxB,C;UACL,IAAI,aAAJ,C;YACH,aPqpRuC,gB;YAA5B,WOppRX,aPopRgC,GOppRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPipRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOtqRP,U;UADP,YPwqRe,WOxqRH,WPwqRwB,GOxqRxB,C;UACL,IAAI,aAAJ,C;YACH,aPsqRuC,gB;YAA5B,WOrqRX,aPqqRgC,GOrqRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPkqRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOvrRP,U;UADP,YPyrRe,WOzrRH,WPyrRwB,GOzrRxB,C;UACL,IAAI,aAAJ,C;YACH,aPurRuC,gB;YAA5B,WOtrRX,aPsrRgC,GOtrRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPmrRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOxsRP,U;UADP,YP0sRe,WO1sRH,WP0sRwB,GO1sRxB,C;UACL,IAAI,aAAJ,C;YACH,aPwsRuC,gB;YAA5B,WOvsRX,aPusRgC,GOvsRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPosRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOztRP,U;UADP,YP2tRe,WO3tRH,WP2tRwB,GO3tRxB,C;UACL,IAAI,aAAJ,C;YACH,aPytRuC,gB;YAA5B,WOxtRX,aPwtRgC,GOxtRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPqtRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1uRP,U;UADP,YP4uRe,WO5uRH,WP4uRwB,GO5uRxB,C;UACL,IAAI,aAAJ,C;YACH,a;;;YAEA,c;;UPwuRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO3vRP,U;UADP,YP6vRe,WO7vRH,WP6vRwB,GO7vRxB,C;UACL,IAAI,aAAJ,C;YACH,aP2vRuC,gB;YAA5B,WO1vRX,aP0vRgC,GO1vRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPuvRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO5wRP,U;UADP,YP8wRe,WO9wRH,WP8wRwB,GO9wRxB,C;UACL,IAAI,aAAJ,C;YACH,aP4wRuC,gB;YAA5B,WO3wRX,aP2wRgC,GO3wRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPwwRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO9xRP,U;UADP,YPgyRe,WOhyRH,WPgyRwB,GOhyRxB,C;UACL,IAAI,aAAJ,C;YACH,a;;;YAEA,c;;UP4xRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOjzRP,U;UADP,YPmzRe,WOnzRH,WPmzRwB,GOnzRxB,C;UACL,IAAI,aAAJ,C;YACH,aPizRuC,gB;YAA5B,WOhzRX,aPgzRgC,GOhzRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP6yRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOp0RP,U;UADP,YPs0Re,WOt0RH,WPs0RwB,GOt0RxB,C;UACL,IAAI,aAAJ,C;YACH,aPo0RuC,gB;YAA5B,WOn0RX,aPm0RgC,GOn0RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPg0RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO11RP,U;UADP,YP41Re,WO51RH,WP41RwB,GO51RxB,C;UACL,IAAI,aAAJ,C;YACH,a;;;YAEA,c;;UPw1RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO32RP,U;UADP,YP62Re,WO72RH,WP62RwB,GO72RxB,C;UACL,IAAI,aAAJ,C;YACH,aP22RuC,gB;YAA5B,WO12RX,aP02RgC,GO12RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPu2RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOp4RP,U;UADP,YPs4Re,WOt4RH,WPs4RwB,GOt4RxB,C;UACL,IAAI,aAAJ,C;YACH,aPo4RuC,gB;YAA5B,WOn4RX,aPm4RgC,GOn4RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPg4RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO75RP,U;UADP,YP+5Re,WO/5RH,WP+5RwB,GO/5RxB,C;UACL,IAAI,aAAJ,C;YACH,a;;;YAEA,c;;UP25RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOp7RP,U;UADP,YPs7Re,WOt7RH,WPs7RwB,GOt7RxB,C;UACL,IAAI,aAAJ,C;YACH,aPo7RuC,gB;YAA5B,WOn7RX,aPm7RgC,GOn7RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPg7RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO98RP,U;UADP,YPg9Re,WOh9RH,WPg9RwB,GOh9RxB,C;UACL,IAAI,aAAJ,C;YACH,a;;;YAEA,c;;UP48RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOr+RP,U;UADP,YPu+Re,WOv+RH,WPu+RwB,GOv+RxB,C;UACL,IAAI,aAAJ,C;YACH,aPq+RuC,gB;YAA5B,WOp+RX,aPo+RgC,GOp+RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPi+RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOv/RP,U;UADP,YPy/Re,WOz/RH,WPy/RwB,GOz/RxB,C;UACL,IAAI,aAAJ,C;YACH,aPu/RuC,gB;YAA5B,WOt/RX,aPs/RgC,GOt/RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPm/RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOhhSP,U;UADP,YPkhSe,WOlhSH,WPkhSwB,GOlhSxB,C;UACL,IAAI,aAAJ,C;YACH,aPghSuC,gB;YAA5B,WO/gSX,aP+gSgC,GO/gShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP2gSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOjiSP,U;UADP,YPmiSe,WOniSH,WPmiSwB,GOniSxB,C;UACL,IAAI,aAAJ,C;YACH,aPiiSuC,gB;YAA5B,WOhiSX,aPgiSgC,GOhiShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP4hSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOljSP,U;UADP,YPojSe,WOpjSH,WPojSwB,GOpjSxB,C;UACL,IAAI,aAAJ,C;YACH,aPkjSuC,gB;YAA5B,WOjjSX,aPijSgC,GOjjShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP6iSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOnkSP,U;UADP,YPqkSe,WOrkSH,WPqkSwB,GOrkSxB,C;UACL,IAAI,aAAJ,C;YACH,aPmkSuC,gB;YAA5B,WOlkSX,aPkkSgC,GOlkShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP8jSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOplSP,U;UADP,YPslSe,WOtlSH,WPslSwB,GOtlSxB,C;UACL,IAAI,aAAJ,C;YACH,aPolSuC,gB;YAA5B,WOnlSX,aPmlSgC,GOnlShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP+kSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOrmSP,U;UADP,YPumSe,WOvmSH,WPumSwB,GOvmSxB,C;UACL,IAAI,aAAJ,C;YACH,aPqmSuC,g

L,IAAI,aAAJ,C;YACH,aPgxQuC,gB;YAA5B,WO/wQX,aP+wQgC,GO/wQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP4wQA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOlyQP,U;UADP,YPoyQe,WOpyQH,WPoyQwB,GOpyQxB,C;UACL,IAAI,aAAJ,C;YACH,aPkyQuC,gB;YAA5B,WOjyQX,aPiyQgC,GOjyQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP8xQA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOpzQP,U;UADP,YPszQe,WOtzQH,WPszQwB,GOtzQxB,C;UACL,IAAI,aAAJ,C;YACH,aPozQuC,gB;YAA5B,WOnzQX,aPmzQgC,GOnzQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPgzQA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOt0QP,U;UADP,YPw0Qe,WOx0QH,WPw0QwB,GOx0QxB,C;UACL,IAAI,aAAJ,C;YACH,aPs0QuC,gB;YAA5B,WOr0QX,aPq0QgC,GOr0QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPk0QA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOx1QP,U;UADP,YP01Qe,WO11QH,WP01QwB,GO11QxB,C;UACL,IAAI,aAAJ,C;YACH,aPw1QuC,gB;YAA5B,WOv1QX,aPu1QgC,GOv1QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPo1QA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO12QP,U;UADP,YP42Qe,WO52QH,WP42QwB,GO52QxB,C;UACL,IAAI,aAAJ,C;YACH,aP02QuC,gB;YAA5B,WOz2QX,aPy2QgC,GOz2QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPs2QA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;0FAkBA,yB;MAAA,kC;MAAA,4C;MAAA,gC;MAAA,qE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO/3QP,U;UADP,YPi4Qe,WOj4QH,WPi4QwB,GOj4QxB,C;UACL,IAAI,aAAJ,C;YACH,aP+3QuC,gB;YAA5B,WO93QX,aP83QgC,GO93QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP23QA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOr5QP,U;UADP,YPu5Qe,WOv5QH,WPu5QwB,GOv5QxB,C;UACL,IAAI,aAAJ,C;YACH,aPq5QuC,gB;YAA5B,WOp5QX,aPo5QgC,GOp5QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPi5QA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO36QP,U;UADP,YP66Qe,WO76QH,WP66QwB,GO76QxB,C;UACL,IAAI,aAAJ,C;YACH,aP26QuC,gB;YAA5B,WO16QX,aP06QgC,GO16QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPu6QA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOj8QP,U;UADP,YPm8Qe,WOn8QH,WPm8QwB,GOn8QxB,C;UACL,IAAI,aAAJ,C;YACH,aPi8QuC,gB;YAA5B,WOh8QX,aPg8QgC,GOh8QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP67QA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOv9QP,U;UADP,YPy9Qe,WOz9QH,WPy9QwB,GOz9QxB,C;UACL,IAAI,aAAJ,C;YACH,aPu9QuC,gB;YAA5B,WOt9QX,aPs9QgC,GOt9QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPm9QA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO7+QP,U;UADP,YP++Qe,WO/+QH,WP++QwB,GO/+QxB,C;UACL,IAAI,aAAJ,C;YACH,aP6+QuC,gB;YAA5B,WO5+QX,aP4+QgC,GO5+QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPy+QA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOngRP,U;UADP,YPqgRe,WOrgRH,WPqgRwB,GOrgRxB,C;UACL,IAAI,aAAJ,C;YACH,aPmgRuC,gB;YAA5B,WOlgRX,aPkgRgC,GOlgRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP+/QA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOzhRP,U;UADP,YP2hRe,WO3hRH,WP2hRwB,GO3hRxB,C;UACL,IAAI,aAAJ,C;YACH,aPyhRuC,gB;YAA5B,WOxhRX,aPwhRgC,GOxhRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPqhRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO7iRP,U;UADP,YP+iRe,WO/iRH,WP+iRwB,GO/iRxB,C;UACL,IAAI,aAAJ,C;YACH,aP6iRuC,gB;YAA5B,WO5iRX,aP4iRgC,GO5iRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPyiRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOvkRP,U;UADP,YPykRe,WOzkRH,WPykRwB,GOzkRxB,C;UACL,IAAI,aAAJ,C;YACH,aPukRuC,gB;YAA5B,WOtkRX,aPskRgC,GOtkRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPmkRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOnmRP,U;UADP,YPqmRe,WOrmRH,WPqmRwB,GOrmRxB,C;UACL,IAAI,aAAJ,C;YACH,aPmmRuC,gB;YAA5B,WOlmRX,aPkmRgC,GOlmRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP+lRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOznRP,U;UADP,YP2nRe,WO3nRH,WP2nRwB,GO3nRxB,C;UACL,IAAI,aAAJ,C;YACH,aPynRuC,gB;YAA5B,WOxnRX,aPwnRgC,GOxnRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPqnRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO7oRP,U;UADP,YP+oRe,WO/oRH,WP+oRwB,GO/oRxB,C;UACL,IAAI,aAAJ,C;YACH,aP6oRuC,gB;YAA5B,WO5oRX,aP4oRgC,GO5oRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPyoRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOvqRP,U;UADP,YPyqRe,WOzqRH,WPyqRwB,GOzqRxB,C;UACL,IAAI,aAAJ,C;YACH,aPuqRuC,gB;YAA5B,WOtqRX,aPsqRgC,GOtqRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPmqRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOnsRP,U;UADP,YPqsRe,WOrsRH,WPqsRwB,GOrsRxB,C;UACL,IAAI,aAAJ,C;YACH,aPmsRuC,gB;YAA5B,WOlsRX,aPksRgC,GOlsRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP+rRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOztRP,U;UADP,YP2tRe,WO3tRH,WP2tRwB,GO3tRxB,C;UACL,IAAI,aAAJ,C;YACH,aPytRuC,gB;YAA5B,WOxtRX,aPwtRgC,GOxtRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPqtRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO7uRP,U;UADP,YP+uRe,WO/uRH,WP+uRwB,GO/uRxB,C;UACL,IAAI,aAAJ,C;YACH,aP6uRuC,gB;YAA5B,WO5uRX,aP4uRgC,GO5uRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPyuRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOvwRP,U;UADP,YPywRe,WOzwRH,WPywRwB,GOzwRxB,C;UACL,IAAI,aAAJ,C;YACH,aPuwRuC,gB;YAA5B,WOtwRX,aPswRgC,GOtwRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPmwRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOnyRP,U;UADP,YPqyRe,WOryRH,WPqyRwB,GOryRxB,C;UACL,IAAI,aAAJ,C;YACH,aPmyRuC,gB;YAA5B,WOlyRX,aPkyRgC,GOlyRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP+xRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOzzRP,U;UADP,YP2zRe,WO3zRH,WP2zRwB,GO3zRxB,C;UACL,IAAI,aAAJ,C;YACH,aPyzRuC,gB;YAA5B,WOxzRX,aPwzRgC,GOxzRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPqzRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO71RP,U;UADP,YP+1Re,WO/1RH,WP+1RwB,GO/1RxB,C;UACL,IAAI,aAAJ,C;YACH,aP61RuC,gB;YAA5B,WO51RX,aP41RgC,GO51RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPy1RA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOv3RP,U;UADP,YPy3Re,WOz3RH,WPy3RwB,GOz3RxB,C;UACL,IAAI,aAAJ,C;YACH,aPu3RuC,gB;YAA5B,WOt3RX,aPs3RgC,GOt3RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPm3RA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOn5RP,U;UADP,YPq5Re,WOr5RH,WPq5RwB,GOr5RxB,C;UACL,IAAI,aAAJ,C;YACH,aPm5RuC,gB;YAA5B,WOl5RX,aPk5RgC,GOl5RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP+4RA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOz6RP,U;UADP,YP26Re,WO36RH,WP26RwB,GO36RxB,C;UACL,IAAI,aAAJ,C;YACH,aPy6RuC,gB;YAA5B,WOx6RX,aPw6RgC,GOx6RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPq6RA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO78RP,U;UADP,YP+8Re,WO/8RH,WP+8RwB,GO/8RxB,C;UACL,IAAI,aAAJ,C;YACH,aP68RuC,gB;YAA5B,WO58RX,aP48RgC,GO58RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPy8RA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOv+RP,U;UADP,YPy+Re,WOz+RH,WPy+RwB,GOz+RxB,C;UACL,IAAI,aAAJ,C;YACH,aPu+RuC,gB;YAA5B,WOt+RX,aPs+RgC,GOt+RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPm+RA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOnhSP,U;UADP,YPqhSe,WOrhSH,WPqhSwB,GOrhSxB,C;UACL,IAAI,aAAJ,C;YACH,aPmhSuC,gB;YAA5B,WOlhSX,aPkhSgC,GOlhShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP+gSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOzjSP,U;UADP,YP2jSe,WO3jSH,WP2jSwB,GO3jSxB,C;UACL,IAAI,aAAJ,C;YACH,aPyjSuC,gB;YAA5B,WOxjSX,aPwjSgC,GOxjSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPqjSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO7kSP,U;UADP,YP+kSe,WO/kSH,WP+kSwB,GO/kSxB,C;UACL,IAAI,aAAJ,C;YACH,aP6kSuC,gB;YAA5B,WO5kSX,aP4kSgC,GO5kSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPykSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOvmSP,U;UADP,YPymSe,WOzmSH,WPymSwB,GOzmSxB,C;UACL,IAAI,aAAJ,C;YACH,aPumSuC,gB;YAA5B,WOtmSX,aPsmSgC,GOtmSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPmmSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOnoSP,U;UADP,YPqoSe,WOroSH,WPqoSwB,GOroSxB,C;UACL,IAAI,aAAJ,C;YACH,aPmoSuC,gB;YAA5B,WOloSX,aPkoSgC,GOloSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP+nSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOzpSP,U;UADP,YP2pSe,WO3pSH,WP2pSwB,GO3pSxB,C;UACL,IAAI,aAAJ,C;YACH,aPypSuC,gB;YAA5B,WOxpSX,aPwpSgC,GOxpSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPqpSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOrqSP,U;UADP,YPuqSe,WOvqSH,WPuqSwB,GOvqSxB,C;UACL,IAAI,aAAJ,C;YACH,aPqqSuC,gB;YAA5B,WOpqSX,aPoqSgC,GOpqSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPiqSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOtrSP,U;UADP,YPwrSe,WOxrSH,WPwrSwB,GOxrSxB,C;UACL,IAAI,aAAJ,C;YACH,aPsrSuC,gB;YAA5B,WOrrSX,aPqrSgC,GOrrSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPkrSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOvsSP,U;UADP,YPysSe,WOzsSH,WPysSwB,GOzsSxB,C;UACL,IAAI,aAAJ,C;YACH,aPusSuC,gB;YAA5B,WOtsSX,aPssSgC,GOtsSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPmsSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOntSP,U;UADP,YPqtSe,WOrtSH,WPqtSwB,GOrtSxB,C;UACL,IAAI,aAAJ,C;YACH,aPmtSuC,gB;YAA5B,WOltSX,aPktSgC,GOltSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP+sSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOztSP,U;UADP,YP2tSe,WO3tSH,WP2tSwB,GO3tSxB,C;UACL,IAAI,aAAJ,C;YACH,aPytSuC,gB;YAA5B,WOxtSX,aPwtSgC,GOxtSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPqtSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO7uSP,U;UADP,YP+uSe,WO/uSH,WP+uSwB,GO/uSxB,C;UACL,IAAI,aAAJ,C;YACH,aP6uSuC,gB;YAA5B,WO5uSX,aP4uSgC,GO5uSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPyuSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOvvSP,U;UADP,YPyvSe,WOzvSH,WPyvSwB,GOzvSxB,C;UACL,IAAI,aAAJ,C;YACH,aPuvSuC,gB;YAA5B,WOtvSX,aPsvSgC,GOtvSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPmvSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOnwSP,U;UADP,YPqwSe,WOrwSH,WPqwSwB,GOrwSxB,C;UACL,IAAI,aAAJ,C;YACH,aPmwSuC,gB;YAA5B,WOlwSX,aPkwSgC,GOlwSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP+vSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOzxSP,U;UADP,YP2xSe,WO3xSH,WP2xSwB,GO3xSxB,C;UACL,IAAI,aAAJ,C;YACH,aPyxSuC,gB;YAA5B,WOxxSX,aPwxSgC,GOxxSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPqxSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO7ySP,U;UADP,YP+ySe,WO/ySH,WP+ySwB,GO/ySxB,C;UACL,IAAI,aAAJ,C;YACH,aP6ySuC,gB;YAA5B,WO5ySX,aP4SgC,GO5SlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPyySA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOv0SP,U;UADP,YPy0Se,WOz0SH,WPy0SwB,GOz0SxB,C;UACL,IAAI,aAAJ,C;YACH,aPu0SuC,gB;YAA5B,WOt0SX,aPs0SgC,GOt0SlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPm0SA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOn1SP,U;UADP,YPq1Se,WOr1SH,WPq1SwB,GOr1SxB,C;UACL,IAAI,aAAJ,C;YACH,aPm1SuC,gB;YAA5B,WOl1SX,aPk1SgC,GOl1SlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP+0SA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOz2SP,U;UADP,YP22Se,WO32SH,WP22SwB,GO32SxB,C;UACL,IAAI,aAAJ,C;YACH,aPy2SuC,gB;YAA5B,WOx2SX,aPw2SgC,GOx2SlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPq2SA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO73SP,U;UADP,YP+3Se,WO/3SH,WP+3SwB,GO/3SxB,C;UACL,IAAI,aAAJ,C;YACH,aP63SuC,gB;YAA5B,WO53SX,aP43SgC,GO53SlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPy3SA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOv4SP,U;UADP,YPy4Se,WOz4SH,WPy4SwB,GOz4SxB,C;UACL,IAAI,aAAJ,C;YACH,aPu4SuC,gB;YAA5B,WOt4SX,aPs4SgC,GOt4SlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPm4SA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOn5SP,U;UADP,YPq5Se,WOr5SH,WPq5SwB,GOr5SxB,C;UACL,IAAI,aAAJ,C;YACH,aPm5SuC,gB;YAA5B,WOl5SX,aPk5SgC,GOl5SlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP+4SA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OA

,CAAJ,C;;QA1HhB,OA2HO,W;MA1HX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA4HP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA7HwB,SA6HpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA7HhB,OA8HO,W;MA7HX,C;KARA,C;2FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA+HP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhIwB,SAgIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAhIhB,OAiIO,W;MAhIX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAkIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAnIwB,SAmIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAnIhB,OAoIO,W;MAnIX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAqIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAtIwB,SAsIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAtIhB,OAuIO,W;MAtIX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAwIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAzIwB,SAyIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAzIhB,OA0IO,W;MAzIX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA2IP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA5IwB,SA4IpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA5IhB,OA6IO,W;MA5IX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA8IP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA/IwB,SA+IpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA/IhB,OAgJO,W;MA/IX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAiJP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAlJwB,SAkJpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAlJhB,OAmJO,W;MAlJX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAoJP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WArJwB,SAqJpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QArJhB,OAsJO,W;MArJX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAuJP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAxJwB,SAwJpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAxJhB,OAyJO,W;MAxJX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA0JP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA3JwB,SA2JpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA3JhB,OA4JO,W;MA3JX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA6JP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA9JwB,SA8JpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA9JhB,OA+JO,W;MA9JX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAgKP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAjKwB,SAiKpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAjKhB,OAkKO,W;MAjKX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAmKP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WApKwB,SAoKpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QApKhB,OAqKO,W;MApKX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAsKP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAvKwB,SAuKpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAvKhB,OAwKO,W;MAvKX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAyKP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA1KwB,SA0KpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA1KhB,OA2KO,W;MA1KX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA4KP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA7KwB,SA6KpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA7KhB,OA8KO,W;MA7KX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA+KP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhLwB,SAgLpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAhLhB,OAiLO,W;MAhLX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAkLP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAnLwB,SAmLpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAnLhB,OAoLO,W;MAnLX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAqLP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAtLwB,SAsLpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAtLhB,OAuLO,W;MAtLX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAwLP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAzLwB,SAyLpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAzLhB,OA0LO,W;MAzLX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA2LP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA5LwB,SA4LpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA5LhB,OA6LO,W;MA5LX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA8LP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA/LwB,SA+LpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA/LhB,OAgMO,W;MA/LX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAiMP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAlMwB,SAkMpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAlMhB,OAmMO,W;MAlMX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAoMP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WArMwB,SAqMpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QArMhB,OAsMO,W;MArMX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAuMP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAxMwB,SAwMpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAxMhB,OAyMO,W;MAxMX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA0MP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA3MwB,SA2MpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA3MhB,OA4MO,W;MA3MX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA6MP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA9MwB,SA8MpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA9MhB,OA+MO,W;MA9MX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAgNP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAjNwB,SAiNpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAjNhB,OAkNO,W;MAjNX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAmNP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WApNwB,SAoNpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QApNhB,OAqNO,W;MApNX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAsNP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAvNwB,SAuNpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAvNhB,OAwNO,W;MAvNX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAyNP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA1NwB,SA0NpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA1NhB,OA2NO,W;MA1NX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA4NP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA7NwB,SA6NpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA7NhB,OA8NO,W;MA7NX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA+NP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhOwB,SAgOpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAhOhB,OAiOO,W;MAhOX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAkOP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAnOwB,SAmOpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAnOhB,OAoOO,W;MAnOX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAqOP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAtOwB,SAsOpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAtOhB,OAuOO,W;MAtOX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAwOP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAzOwB,SAyOpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAzOhB,OA0OO,W;MAzOX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA2OP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA5OwB,SA4OpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA5OhB,OA6OO,W;MA5OX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA8OP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA/OwB,SA+OpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA/OhB,OAgPO,W;MA/OX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAiPP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAlPwB,SAkPpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAlPhB,OAmPO,W;MAlPX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAoPP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WArPwB,SAqPpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QArPhB,OAsPO,W;MArPX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAuPP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAxPwB,SAwPpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAxPhB,OAyPO,W;MAxPX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA0PP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA3PwB,SA2PpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA3PhB,OA4PO,W;MA3PX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA6PP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA9PwB,SA8PpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA9PhB,OA+PO,W;MA9PX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAgQP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAjQwB,SAiQpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAjQhB,OAkQO,W;MAjQX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAmQP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WApQwB,SAoQpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QApQhB,OAqQO,W;MApQX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAsQP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAvQwB,SAuQpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAvQhB,OAwQO,W;MAvQX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAyQP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA1QwB,SA0QpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA1QhB,OA2QO,W;MA1QX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA4QP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA7QwB,SA6QpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA7QhB,OA8QO,W;MA7QX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA+QP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhRwB,SAgRpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAhRhB,OAiRO,W;MAhRX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAkRP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAnRwB,SAmRpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAnRhB,OAoRO,W;MAnRX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAqRP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAtRwB,SAsRpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAtRhB,OAuRO,W;MAtRX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAwRP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAzRwB,SAyRpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAzRhB,OA0RO,W;MAzRX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA2RP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA5RwB,SA4RpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA5RhB,OA6RO,W;MA5RX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA8RP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA/RwB,SA+RpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA/RhB,OAgSO,W;MA/RX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAiSP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAlSwB,SAkSpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAlShB,OAmSO,W;MAlSX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAoSP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WArSwB,SAqSpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QArShB,OAsSO,W;MArSX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAuSP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAxSwB,SAwSpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAxShB,OAySO,W;MAxSX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA0SP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA3SwB,SA2SpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA3ShB,OA4SO,W;MA3SX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA6SP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA9SwB,SA8SpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA9ShB,OA+SO,W;MA9SX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAgTP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAjTwB,SAiTpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAjThB,OAkTO,W;MAjTX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAmTP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WApTwB,SAoTpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QApThB,OAqTO,W;MApTX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAsTP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAvTwB,SAuTpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAvThB,OAwTO,W;MAvTX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAyTP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA1TwB,SA0TpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA1ThB,OA2TO,W;MA1TX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA4TP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA7TwB,SA6TpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA7ThB,OA8TO,W;MA7TX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA+TP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhUwB,SAgUpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAhUhB,OAiUO,W;MAhUX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAkUP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAnUwB,SAmUpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAnUhB,OAoUO,W;MAnUX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAqUP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAtUwB,SAsUpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAtUhB,OAuUO,W;MAtUX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAwUP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAzUwB,SAyUpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAzUhB,OA0UO,W;MAzUX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA2UP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA5UwB,SA4UpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA5UhB,OA6UO,W;MA5UX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA8UP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA/UwB,SA+UpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA/UhB,OAgVO,W;MA/UX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAiVP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAlVwB,SAkVpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAlVhB,OAmVO,W;MAlVX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAoVP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WArVwB,SAqVpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QArVhB,OAsVO,W;MArVX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAuVP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAxVwB,SAwVpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAxVhB,OAyVO,W;MAxVX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA0VP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA3VwB,SA2VpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA3VhB,OA4VO,W;MA3VX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA6VP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA9VwB,SA8VpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA9VhB,OA+VO,W;MA9VX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAgWP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAjWwB,SAiWpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAjWhB,OAkWO,W;MAjWX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAmWP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WApWwB,SAoWpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QApWhB,OAqWO,W;MApWX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAsWP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAvWwB,SAuWpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAvWhB,OAwWO,W;MAvWX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAyWP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA1WwB,SA0WpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA1WhB,OA2WO,W;MA1WX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA4WP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA7WwB,SA6WpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA7WhB,OA8WO,W;MA7WX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA+WP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhXwB,SAgXpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAhXhB,OAiXO,W;MAhXX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAkXP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAnXwB,SAmXpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAnXhB,OAoXO,W;MAnXX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAqXP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAtXwB,SAsXpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAtXhB,OAuXO,W;MAtXX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAwXP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAzXwB,SAyXpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QAzXhB,OA0XO,W;MAzXX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA2XP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA5XwB,SA4XpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA5XhB,OA6XO,W;MA5XX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA8XP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA/XwB,SA+XpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAAJ,C;;QA/XhB,

C;IACX,C;;MAO4B,mB;QAAE,+C;MAAF,C;IAAA,C;;MAAxB,OAAO,qBAAiB,6BAAjB,C;IACX,C;;MAO4B,mB;QAAE,gD;MAAF,C;IAAA,C;;MAAxB,OAAO,qBAAiB,6BAAjB,C;IACX,C;;MAO4B,mB;QAAE,8C;MAAF,C;IAAA,C;;MAAxB,OAAO,qBAAiB,6BAAjB,C;IACX,C;;MAO4B,mB;QAAE,+C;MAAF,C;IAAA,C;;MAAxB,OAAO,qBAAiB,6BAAjB,C;IACX,C;;MAO4B,mB;QAAE,gD;MAAF,C;IAAA,C;;MAAxB,OAAO,qBAAiB,6BAAjB,C;IACX,C;;MAO4B,mB;QAAE,iD;MAAF,C;IAAA,C;;MAAxB,OAAO,qBAAiB,6BAAjB,C;IACX,C;;MAO4B,mB;QAAE,kD;MAAF,C;IAAA,C;;MAAxB,OAAO,qBAAiB,6BAAjB,C;IACX,C;;MAO4B,mB;QAAE,+C;MAAF,C;IAAA,C;;MAAxB,OAAO,qBAAiB,6BAAjB,C;IACX,C;;MAQI,OAA2B,SAAf,aAAL,SAAK,CAAe,C;IAAC/B,C;;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;IAAC/B,C;;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;IAAC/B,C;;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;IAAC/B,C;;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;IAAC/B,C;;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;IAAC/B,C;;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;IAAC/B,C;0FAEA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QASc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAI,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;MACX,C;KAfA,C;4FAiB

AAV,C;MACJ,OAAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAI,EAAU,KAAV,C;MACJ,OAAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAiB,YAAY,gBAAZ,CAAjB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,GAAI,WAAI,IAAJ,C;;MACvB,OAAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAoB,YAAY,gBAAZ,CAAjB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,GAAI,WAAI,IAAJ,C;;MACvB,OAAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAqB,YAAY,gBAAZ,CAArB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,GAAI,WAAI,IAAJ,C;;MACvB,OAAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAmB,YAAY,gBAAZ,CAAnB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,GAAI,WAAI,IAAJ,C;;MACvB,OAAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAqB,YAAY,gBAAZ,CAArB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,GAAI,WAAI,IAAJ,C;;MACvB,OAAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAoB,YAAY,gBAAZ,CAAjB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,GAAI,WAAI,IAAJ,C;;MACvB,OAAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAqB,YAAY,gBAAZ,CAArB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,GAAI,WAAI,IAAJ,C;;MACvB,OAAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAsB,YAAY,gBAAZ,CAAtB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,GAAI,WAAI,IAAJ,C;;MACvB,OAAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAoB,YAAY,gBAAZ,CAAjB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,GAAI,WAAI,IAAJ,C;;MACvB,OAAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAqB,YAAY,gBAAZ,CAArB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,GAAI,WAAI,IAAJ,C;;MACvB,OAAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAuB,YAAY,gBAAZ,CAAvB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,GAAI,WAAI,IAAJ,C;;MACvB,OAAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAoB,YAAY,gBAAZ,CAAjB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,GAAI,WAAI,IAAJ,C;;MACvB,OAAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAqB,YAAY,gBAAZ,CAAr

AAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;IACX,C;;MAQoB,Q;MAAhB,wBAAg
B,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAA
O,K;IACX,C;;MAQoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,
CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;IACX,C;+EAEA,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q
;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAA
wB,OAAO,I;;QACrD,OAAO,K;MACX,C;KARA,C;;MAeI,OAAO,gB;IACX,C;;MAOI,OAAO,gB;IACX,C;;MAO
I,OAAO,gB;IACX,C;;MAOI,OAAO,gB;IACX,C;;MAOI,OAAO,gB;IACX,C;;MAOI,OAAO,gB;IACX,C;;MAOI,
OAAO,gB;IACX,C;;MAOI,OAAO,gB;IACX,C;;MAOI,OAAO,gB;IACX,C;;MAOoB,Q;MADhB,YAAY,C;MAC
Z,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,CAAJ,C;UAAwB,qB;;MAC9C,O
AAO,K;IACX,C;;MAOoB,Q;MADhB,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,
IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;IACX,C;;MAOoB,Q;MADhB,YAAY,C;MACZ,wB
AAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO
,K;IACX,C;;MAOoB,Q;MADhB,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI
,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;IACX,C;;MAOoB,Q;MADhB,YAAY,C;MACZ,wBAAg
B,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;I
ACX,C;;MAOoB,Q;MADhB,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UA
AU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;IACX,C;;MAOoB,Q;MADhB,YAAY,C;MACZ,wBAAgB,S
AAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;IAC
X,C;;MAOoB,Q;MADhB,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU
,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;IACX,C;mFAEA,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAKoB,Q
,Q;QADhB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,UAAU,oBA
AV,CAAJ,C;YAAwB,qB;;QAC9C,OAAO,K;MACX,C;KAPA,C;;MAcoB,Q;MADhB,kBAAkB,O;MAClB,wBAA
gB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;I
ACX,C;;MAOoB,Q;MADhB,kBAAkB,O;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,
UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;IACX,C;;MAO

WoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAAkB,O;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;IACX,C;;MAWoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAAkB,O;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;IACX,C;8FAEA,yB;MAAA,oC;MAAA,gC;MAAA,gD;QASoB,UAA8B,M;QAF9C,YAAY,C;QACZ,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAnB,EAAgC,oBAAhC,C;;QACpC,OAAO,W;MACX,C;KAXA,C;wFAAa,yB;MAAA,8D;MAAA,gD;QAOoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,B,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAI,oBAAJ,EAAI,OAAJ,EAAI,e

C1B,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;IAC

8D;MAAA,sC;QAMI,IA/lJO,qBAAQ,CA+lJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KApBA,C;kFAAe,C;kFAAS,C;kFAAT,C;kFAAa,C;kFAAb,C;kFAAmB,C;kFAAnB,C;kFAAyB,C;kFAAzB,C;kFAA+B,C;kFAA/B,C;kFAAqC,C;kFAArC,C;kFAA2C,C;kFAA3C,C;kFAAiD,C;kFAAjD,C;kFAAuD,C;kFAAvD,C;kFAA6D,C;kFAA7D,C;kFAAmE,C;kFAAnE,C;kFAAyE,C;kFAAzE,C;kFAA+E,C;kFAA/E,C;kFAAqF,C;kFAArF,C;kFAA2F,C;kFAA3F,C;kFAAiG,C;kFAAjG,C;kFAAuG,C;kFAAvG,C;kFAA6G,C;kFAA7G,C;kFAAmH,C;kFAAnH,C;kFAAyH,C;kFAAzH,C;kFAA+H,C;kFAA/H,C;kFAAqI,C;kFAArI,C;kFAA2I,C;kFAA3I,C;kFAAiJ,C;kFAAjJ,C;kFAAuJ,C;kFAAvJ,C;kFAA6J,C;kFAA7J,C;kFAAmK,C;kFAAnK,C;kFAAyK,C;kFAAzK,C;kFAA+K,C;kFAA/K,C;kFAAqL,C;kFAArL,C;kFAA2L,C;kFAA3L,C;kFAAiM,C;kFAAjM,C;kFAAuM,C;kFAAvM,C;kFAA6M,C;kFAA7M,C;kFAAmN,C;kFAAnN,C;kFAAyN,C;kFAAzN,C;kFAA+N,C;kFAA/N,C;kFAAqO,C;kFAArO,C;kFAA2O,C;kFAA3O,C;kFAAiP,C;kFAAjP,C;kFAAuP,C;kFAAvP,C;kFAA6P,C;kFAA7P,C;kFAAmQ,C;kFAAnQ,C;kFAAyQ,C;kFAAzQ,C;kFAA+Q,C;kFAA/Q,C;kFAAqR,C;kFAArR,C;kFAA2R,C;kFAA3R,C;kFAAiS,C;kFAAjS,C;kFAAuS,C;kFAAvS,C;kFAA6S,C;kFAA7S,C;kFAAmT,C;kFAAnT,C;kFAAyT,C;kFAAzT,C;kFAA+T,C;kFAA/T,C;kFAAqU,C;kFAArU,C;kFAA2U,C;kFAA3U,C;kFAAiV,C;kFAAjV,C;kFAAuV,C;kFAAvV,C;kFAA6V,C;kFAA7V,C;kFAAmW,C;kFAAnW,C;kFAAyW,C;kFAAzW,C;kFAA+W,C;kFAA/W,C;kFAAqX,C;kFAArX,C;kFAA2X,C;kFAA3X,C;kFAAiY,C;kFAAjY,C;kFAAuY,C;kFAAvY,C;kFAA6Y,C;kFAA7Y,C;kFAAmZ,C;kFAAnZ,C;kFAAyZ,C;kFAAzZ,C;kFAA+Z,C;kFAA/Z,C;kFAAqa,C;kFAAra,C;kFAA2a,C;kFAA3a,C;kFAAib,C;kFAAjb,C;kFAAub,C;kFAAvb,C;kFAA6b,C;kFAA7b,C;kFAAmc,C;kFAAnc,C;kFAAyc,C;kFAAzc,C;kFAA+c,C;kFAA/c,C;kFAAqd,C;kFAArd,C;kFAA2d,C;kFAA3d,C;kFAAie,C;kFAAje,C;kFAAue,C;kFAAve,C;kFAA6e,C;kFAA7e,C;kFAAmf,C;kFAAnf,C;kFAAyf,C;kFAAzf,C;kFAA+f,C;kFAA/f,C;kFAAqg,C;kFAArg,C;kFAA2g,C;kFAA3g,C;kFAAih,C;kFAAjh,C;kFAAuh,C;kFAAvh,C;kFAA6h,C;kFAA7h,C;kFAAmi,C;kFAAni,C;kFAAyi,C;kFAAzi,C;kFAA+i,C;kFAA/i,C;kFAAqj,C;kFAArj,C;kFAA2j,C;kFAA3j,C;kFAAik,C;kFAAjk,C;kFAAuk,C;kFAAvk,C;kFAA6k,C;kFAA7k,C;kFAAml,C;kFAAnl,C;kFAAyl,C;kFAAzl,C;kFAA+l,C;kFAA/l,C;kFAAqm,C;kFAArm,C;kFAA2m,C;kFAA3m,C;kFAAin,C;kFAAjn,C;kFAAun,C;kFAAvn,C;kFAA6n,C;kFAA7n,C;kFAAmo,C;kFAAno,C;kFAAyo,C;kFAAzo,C;kFAA+o,C;kFAA/o,C;kFAAqp,C;kFAArp,C;kFAA2p,C;kFAA3p,C;kFAAiq,C;kFAAjq,C;kFAAuq,C;kFAAvq,C;kFAA6q,C;kFAA7q,C;kFAAmr,C;kFAAnr,C;kFAAyr,C;kFAAzr,C;kFAA+r,C;kFAA/r,C;kFAAqs,C;kFAArs,C;kFAA2s,C;kFAA3s,C;kFAAit,C;kFAAjt,C;kFAAut,C;kFAAvt,C;kFAA6t,C;kFAA7t,C;kFAAmu,C;kFAAnu,C;kFAAyu,C;kFAAzu,C;kFAA+u,C;kFAA/u,C;kFAAqv,C;kFAArv,C;kFAA2v,C;kFAA3v,C;kFAAiw,C;kFAAjw,C;kFAAuw,C;kFAAvw,C;kFAA6w,C;kFAA7w,C;kFAAmx,C;kFAAnx,C;kFAAyx,C;kFAAzx,C;kFAA+x,C;kFAA/x,C;kFAAqy,C;kFAAry,C;kFAA2y,C;kFAA3y,C;kFAAiz,C;kFAAjz,C;kFAAuz,C;kFAAvz,C;kFAA6z,C;kFAA7z,C;kFAAm0,C;kFAAn0,C;kFAAy0,C;kFAAz0,C;kFAA+0,C;kFAA/0,C;kFAAq1,C;kFAAr1,C;kFAA21,C;kFAA31,C;kFAAi2,C;kFAAj2,C;kFAAu2,C;kFAAv2,C;kFAA62,C;kFAA72,C;kFAAm3,C;kFAAn3,C;kFAAy3,C;kFAAz3,C;kFAA+3,C;kFAA/3,C;kFAAq4,C;kFAAr4,C;kFAA24,C;kFAA34,C;kFAAi5,C;kFAAj5,C;kFAAu5,C;kFAAv5,C;kFAA65,C;kFAA75,C;kFAAm6,C;kFAAn6,C;kFAAy6,C;kFAAz6,C;kFAA+6,C;kFAA/6,C;kFAAq7,C;kFAAr7,C;kFAA27,C;kFAA37,C;kFAAi8,C;kFAAj8,C;kFAAu8,C;kFAAv8,C;kFAA68,C;kFAA78,C;kFAAm9,C;kFAAn9,C;kFAAy9,C;kFAAz9,C;kFAA+9,C;kFAA/9,C;kFAAq+,C;kFAAr+,C;kFAA2+,C;kFAA3+,C;kFAAi/,C;kFAAj/,C;kFAAu/,C;kFAAv/,C;kFAA6/,C;kFAA7/,C;kFAAmgB,C;kFAAngB,C;kFAAygB,C;kFAAzgB,C;kFAA+gB,C;kFAA/gB,C;kFAAqhB,C;kFAArhB,C;kFAA2hB,C;kFAA3hB,C;kFAAii,C;kFAAji,C;kFAAui,C;kFAAvi,C;kFAA6i,C;kFAA7i,C;kFAAmj,C;kFAAnj,C;kFAAyj,C;kFAAzj,C;kFAA+j,C;kFAA/j,C;kFAAqk,C;kFAArk,C;kFAA2k,C;kFAA3k,C;kFAAil,C;kFAAjl,C;kFAAul,C;kFAAvl,C;kFAA6l,C;kFAA7l,C;kFAAmm,C;kFAAnm,C;kFAAym,C;kFAAzm,C;kFAA+m,C;kFAA/m,C;kFAAqn,C;kFAArn,C;kFAA2n,C;kFAA3n,C;kFAAio,C;kFAAjo,C;kFAAuo,C;kFAAvo,C;kFAA6o,C;kFAA7o,C;kFAAmp,C;kFAAnp,C;kFAAyp,C;kFAAzp,C;kFAA+p,C;kFAA/p,C;kFAAqq,C;kFAArq,C;kFAA2q,C;kFAA3q,C;kFAAir,C;kFAAjr,C;kFAAur,C;kFAAvr,C;kFAA6r,C;kFAA7r,C;kFAAms,C;kFAAns,C;kFAAys,C;kFAAzs,C;kFAA+s,C;kFAA/s,C;kFAAqt,C;kFAArt,C;kFAA2t,C;kFAA3t,C;kFAAiu,C;kFAAju,C;kFAAuu,C;kFAAvu,C;kFAA6u,C;kFAA7u,C;kFAAmv,C;kFAAnv,C;kFAAyv,C;kFAAzv,C;kFAA+v,C;kFAA/v,C;kFAAqw,C;kFAArw,C;kFAA2w,C;kFAA3w,C;kFAAix,C;kFAAjx,C;kFAAux,C;kFAAvx,C;kFAA6x,C;kFAA7x,C;kFAAmy,C;kFAAny,C;kFAAyy,C;kFAAzy,C;kFAA+y,C;kFAA/y,C;kFAAqz,C;kFAArz,C;kFAA2z,C;kFAA3z,C;kFAAi0,C;kFAAj0,C;kFAAu0,C;kFAAv0,C;kFAA60,C;kFAA70,C;kFAAm1,C;kFAAn1,C;kFAAy1,C;kFAAz1,C;kFAA+1,C;kFAA/1,C;kFAAq2,C;kFAAr2,C;kFAA22,C;kFAA32,C;kFAAi3,C;kFAAj3,C;kFAAu3,C;kFAAv3,C;kFAA63,C;kFAA73,C;kFAAm4,C;kFAAn4,C;kFAAy4,C;kFAAz4,C;kFAA+4,C;kFAA/4,C;kFAAq5,C;kFAAr5,C;kFAA25,C;kFAA35,C;kFAAi6,C;kFAAj6,C;kFAAu6,C;kFAAv6,C;kFAA66,C;kFAA76,C;kFAAm7,C;kFAAn7,C;kFAAy7,C;kFAAz7,C;kFAA+7,C;kFAA/7,C;kFAAq8,C;kFAAr8,C;kFAA28,C;kFAA38,C;kFAAi9,C;kFAAj9,C;kFAAu9,C;kFAAv9,C;kFAA69,C;kFAA79,C;kFAAm+,C;kFAAn+,C;kFAAy+,C;kFAAz+,C;kFAA++,C;kFAA/+,C;kFAAq/,C;kFAAr/,C;kFAA2/,C;kFAA3/,C;kFAAigB,C;kFAAjgB,C;kFAAugB,C;kFAAvgB,C;kFAA6gB,C;kFAA7gB,C;kFAAmhB,C;kFAAnhB,C;kFAAyhB,C;kFAAzhB,C;kFAA+hB,C;kFAA/hB,C;kFAAqi,C;kFAAri,C;kFAA2i,C;kFAA3i,C;kFAAij,C;kFAAjj,C;kFAAuj,C;kFAAvj,C;kFAA6j,C;kFAA7j,C;kFAAmk,C;kFAAnk,C;kFAAyk,C;kFAAzk,C;kFAA+k,C;kFAA/k,C;kFAAql,C;kFAArl,C;kFAA2l,C;kFAA3l,C;kFAAim,C;kFAAjm,C;kFAAum,C;kFAAvm,C;kFAA6m,C;kFAA7m,C;kFAAmn,C;kFAAnn,C;kFAAyn,C;kFAAzn,C;kFAA+n,C;kFAA/n,C;kFAAqo,C;kFAAro,C;kFAA2o,C;kFAA3o,C;kFAAip,C;kFAAjp,C;kFAAup,C;kFAAvp,C;kFAA6p,C;kFAA7p,C;kFAAmq,C;kFAAnq,C;kFAAyq,C;kFAAzq,C;kFAA+q,C;kFAA/q,C;kFAAqr,C;kFAArr,C;kFAA2r,C;kFAA3r,C;kFAAis,C;kFAAjs,C;kFAAus,C;kFAAvs,C;kFAA6s,C;kFAA7s,C;kFAAmt,C;kFAAnt,C;kFAAyt,C;kFAAzt,C;kFAA+t,C;kFAA/t,C;kFAAqu,C;kFAAru,C;kFAA2u,C;kFAA3u,C;kFAAiv,C;kFAAjv,C;kFAAuv,C;kFAAvv,C;kFAA6v,C;kFAA7v,C;kFAAmw,C;kFAAnw,C;kFAAyw,C;kFAAzw,C;kFAA+w,C;kFAA/w,C;kFAAqx,C;kFAArx,C;kFAA2x,C;kFAA3x,C;kFAAiy,C;kFAAjy,C;kFAAuy,C;kFAAvy,C;kFAA6y,C;kFAA7y,C;kFAAmz,C;kFAAnz,C;kFAAyz,C;kFAAzz,C;kFAA+z,C;kFAA/z,C;kFAAq0,C;kFAAr0,C;kFAA20,C;kFAA30,C;kFAAi1,C;kFAAj1,C;kFAAu1,C;kFAAv1,C;kFAA61,C;kFAA71,C;kFAAm2,C;kFAAn2,C;kFAAy2,C;kFAAz2,C;kFAA+2,C;kFAA/2,C;kFAAq3,C;kFAAr3,C;kFAA23,C;kFAA33,C;kFAAi4,C;kFAAj4,C;kFAAu4,C;kFAAv4,C;kFAA64,C;kFAA74,C;kFAAm5,C;kFAAn5,C;kFAAy5,C;kFAAz5,C;kFAA+5,C;kFAA/5,C;kFAAq6,C;kFAAr6,C;kFAA26,C;kFAA36,C;kFAAi7,C;kFAAj7,C;kFAAu7,C;kFAAv7,C;kFAA67,C;kFAA77,C;kFAAm8,C;kFAAn8,C;kFAAy8,C;kFAAz8,C;kFAA+8,C;kFAA/8,C;kFAAq9,C;kFAAr9,C;kFAA29,C;kFAA39,C;kFAAi+,C;kFAAj+,C;kFAAu+,C;kFAAv+,C;kFAA6+,C;kFAA7+

CI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAxzJO,qBAAQ,CAwzJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA7zJO,qBAAQ,CA6zJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAYiB,Q;MAFb,IA74JO,qBAAQ,CA64Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACV,IAAI,QAAJ,EAAc,GAAd,EAAmB,CAAnB,C;QAAsB,OAAO,I;MAC7B,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAn7JO,qBAAQ,CAm7Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAx7JO,qBAAQ,CAw7Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA77JO,qBAAQ,CA67Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAl8JO,qBAAQ,CAk8Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAv8JO,qBAAQ,CAu8Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA98JO,qBAAQ,CA88Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAr9JO,qBAAQ,CAq9Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA59JO,qBAAQ,CA49Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAn+JO,qBAAQ,CAm+Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA1+JO,qBAAQ,CA0+Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAj/JO,qBAAQ,CAi/Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAx/JO,qBAAQ,CAw/Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA7/JO,qBAAQ,CA6/Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAlgKO,qBAAQ,CAkgKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAvgKO,qBAAQ,CAugKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA5gKO,qBAAQ,CA4gKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAjhKO,qBAAQ,CAihKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAxhKO,qBAAQ,CAwhKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA7hKO,qBAAQ,CA6hKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAljKO,qBAAQ,CAkjKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAvjKO,qBAAQ,CAujKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA5jKO,qBAAQ,CA4jKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAjkKO,qBAAQ,CAikKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAxkKO,qBAAQ,CAwkKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA7kKO,qBAAQ,CA6kKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAllKO,qBAAQ,CAklKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAvlKO,qBAAQ,CAulKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA5lKO,qBAAQ,CA4lKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAjmKO,qBAAQ,CAimKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAxmKO,qBAAQ,CAwmKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA7mKO,qBAAQ,CA6mKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAlnKO,qBAAQ,CAknKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAvnKO,qBAAQ,CAunKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA5nKO,qBAAQ,CA4nKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAjoKO,qBAAQ,CAioKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAxoKO,qBAAQ,CAwoKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA7oKO,qBAAQ,CA6oKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAlpKO,qBAAQ,CAkpKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAvpKO,qBAAQ,CAupKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA5pKO,qBAAQ,CA4pKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAjqKO,qBAAQ,CAiqKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAxqKO,qBAAQ,CAwqKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA7qKO,qBAAQ,CA6qKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAlrKO,qBAAQ,CAkrKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAvrKO,qBAAQ,CAurKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA5rKO,qBAAQ,CA4rKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAjsKO,qBAAQ,CAisKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAxsKO,qBAAQ,CAwsKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA7sKO,qBAAQ,CA6sKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAltKO,qBAAQ,CAktKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAvtKO,qBAAQ,CAutKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA5tKO,qBAAQ,CA4tKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAjuKO,qBAAQ,CAiuKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAxuKO,qBAAQ,CAwuKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA7uKO,qBAAQ,CA6uKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAlvKO,qBAAQ,CAkvKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAvvKO,qBAAQ,CAuvKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA5vKO,qBAAQ,CA4vKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAjwKO,qBAAQ,CAiwKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAxwKO,qBAAQ,CAwwKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA7wKO,qBAAQ,CA6wKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAlxKO,qBAAQ,CAkxKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAvxKO,qBAAQ,CAuxKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA5xKO,qBAAQ,CA4xKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAjyKO,qBAAQ,CAiyKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAxyKO,qBAAQ,CAwyKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA7yKO,qBAAQ,CA6yKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAlzKO,qBAAQ,CAkzKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAvzKO,qBAAQ,CAuzKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA5zKO,qBAAQ,CA4zKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAj0KO,qBAAQ,CAi0Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAx0KO,qBAAQ,CAw0Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA70KO,qBAAQ,CA60Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAl1KO,qBAAQ,CAk1Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX

AMI,IAxlKO,qBAAQ,CAwlKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C
;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SA
Ab,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAC
I,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KApBA,C;kFAsBA,yB;MAAA,8D;MAAA,sC;QAMI
,IAtmKO,qBAAQ,CAsmKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;Q
ACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,
M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,U
AAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KApBA,C;kFAsBA,yB;MAAA,8D;MAAA,sC;QAMI,IA
pnKO,qBAAQ,CAonKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACr
B,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;
UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAA
U,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KApBA,C;kFAsBA,yB;MAAA,8D;MAAA,sC;QAMI,IAloK
O,qBAAQ,CAkoKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IA
AI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI
,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;
YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KApBA,C;kFAsBA,yB;MAAA,8D;MAAA,oC;MAAA,sC;QAMI
,IAhpKO,qBAAQ,CAgpKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QA
CrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,
M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,U
AAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;;MA4BiB,Q;MAFb,IApuKO,qBAAQ,CAouK
f,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,C
AAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,
OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAzuKO,qBAAQ,CAyuKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,
C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,C
AAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA9uKO,qBAAQ,
CA8uKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,
CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,
OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAnvKO,qBAAQ,CAmvKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,
C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,C
AAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAxvKO,qBAAQ,
CAwvKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB
;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAA
oC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA7vKO,qBAAQ,CA6vKf,C;QAAe,OAAO,I;MACt
B,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAA
W,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAlwKO,qBAAQ,CAkwKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAA
U,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C
AjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAvwKO,qBAAQ,CAuwKf,C;QAAe,O
AAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IA
CX,C;;MAQiB,Q;MAFb,IA5wKO,qBAAQ,CA4wKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAkB,cAAlB,CAAX,GAAkD,CAAtD,C;UAAyD,MAAM,C;;MAEnE,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA31KO,qBAAQ,CA21KK,C;IA41KnB,C;;MAQiB,Q;MAFb,IA51KO,qBAAQ,CA41KK,C;IA61KnB,C;;MAQiB,Q;MAFb,IA71KO,qBAAQ,CA61KK,C;IA81KnB,C;;MAQiB,Q;MAFb,IA91KO,qBAAQ,CA81KK,C;IA
+1KnB,C;;MAQiB,Q;MAFb,IA/1KO,qBAAQ,CA+1KK,C;IAg2KnB,C;;MAQiB,Q;MAFb,IAh2KO,qBAAQ,CAg2KK,C;IAi2KnB,C;;MAQiB,Q;MAFb,IAj2KO,qBAAQ,CAi2KK,C;IAk2KnB,C;;MAQiB,Q;MAFb,IAl2KO,qBAAQ,CAk2KK,C;IAm2KnB,C;;MAQiB,Q;MAFb,IAn2KO,qBAAQ,CAm2KK,C;IAo2KnB,C;;MAQoB,Q
;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAAhE,O;MAAA,K;;MACrD,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;QAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAr2KO,qBAAQ,CAq2KK,C;IAs2KnB,C;;MAQiB,Q;MAFb,IAt2KO,qBAAQ,CAs2KK,C;IAu2KnB,C;;MAQiB,Q;MAFb,IAv2KO,qBAAQ,CAu2KK,C;IAw2KnB,C;;MAQiB,Q;MAFb,IAx2KO,qBAAQ,CAw2KK,C;IAy2KnB,C;;MAQiB,Q;MAFb,IAz2KO,qBAAQ,CAy2KK,C;IA02KnB,C;;MAQiB,Q;MAFb,IA12KO,qBAAQ,CA02KK,C;IA22KnB,C;;MAQiB,Q;MAFb,IA32KO,qBAAQ,CA22KK,C;IA42KnB,C;;MAQiB,Q;MAFb,IA52KO,qBAAQ,CA42KK,C;IA62KnB,C;;MAQiB,Q;MAFb,IA72KO,qBAAQ,CA62KK,C;IA82KnB,C;;MAQiB,Q;MAFb,IA92KO,qBAAQ,CA82KK,C;IA+2KnB,C;;MAQiB,Q;MAFb,IA/2KO,qBAAQ,CA+2KK,C;IAg3KnB,C;;MAQiB,Q;MAFb,IAh3KO,qBAAQ,CAg3KK,C;IAi3KnB,C;;MAQiB,Q;MAFb,IAj3KO,qBAAQ,CAi3KK,C;IAk3KnB,C;;MAQiB,Q;MAFb,IAl3KO,qBAAQ,CAk3KK,C;IAm3KnB,C;;MAQiB,Q;MAFb,IAn3KO,qBAAQ,CAm3KK,C;IAo3KnB,C;;MAQiB,Q;MAFb,IAp3KO,qBAAQ,CAo3KK,C;IAq3KnB,C;;MAQiB,Q;MAFb,IAr3KO,qBAAQ,CAq3KK,C;IAs3KnB,C;;MAQiB,Q;MAFb,IAt3KO,qBAAQ,CAs3KK,C;IAu3KnB,C;;MAQiB,Q;MAFb,IAv3KO,qBAAQ,CAu3KK,C;IAw3KnB,C;;MAQiB,Q;MAFb,IAx3KO,qBAAQ,CAw3KK,C;IAy3KnB,C;;MAQiB,Q;MAFb,IAz3KO,qBAAQ,CAy3KK,C;IA03KnB,C;;MAQiB,Q;MAFb,IA13KO,qBAAQ,CA03KK,C;IA23KnB,C;;MAQiB,Q;MAFb,IA33KO,qBAAQ,CA23KK,C;IA43KnB,C;;MAQiB,Q;MAFb,IA53KO,qBAAQ,CA43KK,C;IA63KnB,C;;MAQiB,Q;MAFb,IA73KO,qBAAQ,CA63KK,C;IA83KnB,C;;MAQiB,Q;MAFb,IA93KO,qBAAQ,CA83KK,C;IA+3KnB,C;;MAQiB,Q;MAFb,IA/3KO,qBAAQ,CA+3KK,C;IAg4KnB,C;;MAQiB,Q;MAFb,IAh4KO,qBAAQ,CAg4KK,C;IAi4KnB,C;;MAQiB,Q;MAFb,IAj4KO,qBAAQ,CAi4KK,C;IAk4KnB,C;;MAQiB,Q;MAFb,IAl4KO,qBAAQ,CAk4KK,C;IAm4KnB,C;;MAQiB,Q;MAFb,IAn4KO,qBAAQ,CAm4KK,C;IAo4KnB,C;;MAQiB,Q;MAFb,IAp4KO,qBAAQ,CAo4KK,C;IAq4KnB,C;;MAQiB,Q;MAFb,IAr4KO,qBAAQ,CAq4KK,C;IAs4KnB,C;;MAQiB,Q;MAFb,IAt4KO,qBAAQ,CAs4KK,C;IAu4KnB,C;;MAQiB,Q;MAFb,IAv4KO,qBAAQ,CAu4KK,C;IAw4KnB,C;;MAQiB,Q;MAFb,IAx4KO,qBAAQ,CAw4KK,C;IAy4KnB,C;;MAQiB,Q;MAFb,IAz4KO,qBAAQ,CAy4KK,C;IA04KnB,C;;MAQiB,Q;MAFb,IA14KO,qBAAQ,CA04KK,C;IA24KnB,C;;MAQiB,Q;MAFb,IA34KO,qBAAQ,CA24KK,C;IA44KnB,C;;MAQiB,Q;MAFb,IA54KO,qBAAQ,CA44KK,C;IA64KnB,C;;MAQiB,Q;MAFb,IA74KO,qBAAQ,CA64KK,C;IA84KnB,C;;MAQiB,Q;MAFb,IA94KO,qBAAQ,CA84KK,C;IA+4KnB,C;;MAQiB,Q;MAFb,IA/4KO,qBAAQ,CA+4KK,C;IAg5KnB,C;;MAQiB,Q;MAFb,IAh5KO,qBAAQ,CAg5KK,C;IAi5KnB,C;;MAQiB,Q;MAFb,IAj5KO,qBAAQ,CAi5KK,C;IAk5KnB,C;;MAQiB,Q;MAFb,IAl5KO,qBAAQ,CAk5KK,C;IAm5KnB,C;;MAQiB,Q;MAFb,IAn5KO,qBAAQ,CAm5KK,C;IAo5KnB,C;;MAQiB,Q;MAFb,IAp5KO,qBAAQ,CAo5KK,C;IAq5KnB,C;;MAQiB,Q;MAFb,IAr5KO,qBAAQ,CAq5KK,C;IAs5KnB,C;;MAQiB,Q;MAFb,IAt5KO,qBAAQ,CAs5KK,C;IAu5KnB,C;;MAQiB,Q;MAFb,IAv5KO,qBAAQ,CAu5KK,C;IAw5KnB,C;;MAQiB,Q;MAFb,IAx5KO,qBAAQ,CAw5KK,C;IAy5KnB,C;;MAQiB,Q;MAFb,IAz5KO,qBAAQ,CAy5KK,C;IA05KnB,C;;MAQiB,Q;MAFb,IA15KO,qBAAQ,CA05KK,C;IA25KnB,C;;MAQiB,Q;MAFb,IA35KO,qBAAQ,CA25KK,C;IA45KnB,C;;MAQiB,Q;MAFb,IA55KO,qBAAQ,CA45KK,C;IA65KnB,C;;MAQiB,Q;MAFb,IA75KO,qBAAQ,CA65KK,C;IA85KnB,C;;MAQiB,Q;MAFb,IA95KO,qBAAQ,CA85KK,C;IA+5KnB,C;;MAQiB,Q;MAFb,IA/5KO,qBAAQ,CA+5KK,C;IAg6KnB,C;;MAQiB,Q;MAFb,IAh6KO,qBAAQ,CAg6KK,C;IAi6KnB,C;;MAQiB,Q;MAFb,IAj6KO,qBAAQ,CAi6KK,C;IAk6KnB,C;;MAQiB,Q;MAFb,IAl6KO,qBAAQ,CAk6KK,C;IAm6KnB,C;;MAQiB,Q;MAFb,IAn6KO,qBAAQ,CAm6KK,C;IAo6KnB,C;;MAQiB,Q;MAFb,IAp6KO,qBAAQ,CAo6KK,C;IAq6KnB,C;;MAQiB,Q;MAFb,IAr6KO,qBAAQ,CAq6KK,C;IAs6KnB,C;;MAQiB,Q;MAFb,IAt6KO,qBAAQ,CAs6KK,C;IAu6KnB,C;;MAQiB,Q;MAFb,IAv6KO,qBAAQ,CAu6KK,C;IAw6KnB,C;;MAQiB,Q;MAFb,IAx6KO,qBAAQ,CAw6KK,C;IAy6KnB,C;;MAQiB,Q;MAFb,IAz6KO,qBAAQ,CAy6KK,C;IA06KnB,C;;MAQiB,Q;MAFb,IA16KO,qBAAQ,CA06KK,C;IA26KnB,C;;MAQiB,Q;MAFb,IA36KO,qBAAQ,CA26KK,C;IA46KnB,C;;MAQiB,Q;MAFb,IA56KO,qBAAQ,CA46KK,C;IA66KnB,C;;MAQiB,Q;MAFb,IA76KO,qBAAQ,CA66KK,C;IA86KnB,C;;MAQiB,Q;MAFb,IA96KO,qBAAQ,CA86KK,C;IA+6KnB,C;;MAQiB,Q;MAFb,IA/6KO,qBAAQ,CA+6KK,C;IAg7KnB,C;;MAQiB,Q;MAFb,IAh7KO,qBAAQ,CAg7KK,C;IAi7KnB,C;;MAQiB,Q;MAFb,IAj7KO,qBAAQ,CAi7KK,C;IAk7KnB,C;;MAQiB,Q;MAFb,IAl7KO,qBAAQ,CAk7KK,C;IAm7KnB,C;;MAQiB,Q;MAFb,IAn7KO,qBAAQ,CAm7KK,C;IAo7KnB,C;;MAQiB,Q;MAFb,IAp7KO,qBAAQ,CAo7KK,C;IAq7KnB,C;;MAQiB,Q;MAFb,IAr7KO,qBAAQ,CAq7KK,C;IAs7KnB,C;;MAQiB,Q;MAFb,IAt7KO,qBAAQ,CAs7KK,C;IAu7KnB,C;;MAQiB,Q;MAFb,IAv7KO,qBAAQ,CAu7KK,C;IAw7KnB,C;;MAQiB,Q;MAFb,IAx7KO,qBAAQ,CAw7KK,C;IAy7KnB,C;;MAQiB,Q;MAFb,IAz7KO,qBAAQ,CAy7KK,C;IA07KnB,C;;MAQiB,Q;MAFb,IA17KO,qBAAQ,CA07KK,C;IA27KnB,C;;MAQiB,Q;MAFb,IA37KO,qBAAQ,CA27KK,C;IA47KnB,C;;MAQiB,Q;MAFb,IA57KO,qBAAQ,CA47KK,C;IA67KnB,C;;MAQiB,Q;MAFb,IA77KO,qBAAQ,CA67KK,C;IA87KnB,C;;MAQiB,Q;MAFb,IA97KO,qBAAQ,CA87KK,C;IA+7KnB,C;;MAQiB,Q;MAFb,IA/7KO,qBAAQ,CA+7KK,C;IAg8KnB,C;;MAQiB,Q;MAFb,IAh8KO,qBAAQ,CAg8KK,C;IAi8KnB,C;;MAQiB,Q;MAFb,IAj8KO,qBAAQ,CAi8KK,C;IAk8KnB,C;;MAQiB,Q;MAFb,IAl8KO,qBAAQ,CAk8KK,C;IAm8KnB,C;;MAQiB,Q;MAFb,IAn8KO,qBAAQ,CAm8KK,C;IAo8KnB,C;;MAQiB,Q;MAFb,IAp8KO,qBAAQ,CAo8KK,C;IAq8KnB,C;;MAQiB,Q;MAFb,IAr8KO,qBAAQ,CAq8KK,C;IAs8KnB,C;;MAQiB,Q;MAFb,IAt8KO,qBAAQ,CAs8KK,C;IAu8KnB,C;;MAQiB,Q;MAFb,IAv8KO,qBAAQ,CAu8KK,C;IAw8KnB,C;;MAQiB,Q;MAFb,IAx8KO,qBAAQ,CAw8KK,C;IAy8KnB,C;;MAQiB,Q;MAFb,IAz8KO,qBAAQ,CAy8KK,C;IA08KnB,C;;MAQiB,Q;MAFb,IA18KO,qBAAQ,CA08KK,C;IA28KnB,C;;MAQiB,Q;MAFb,IA38KO,qBAAQ,CA28KK,C;IA48KnB,C;;MAQiB,Q;MAFb,IA58KO,qBAAQ,CA48KK,C;IA68KnB,C;;MAQiB,Q;MAFb,IA78KO,qBAAQ,CA68KK,C;IA88KnB,C;;MAQiB,Q;MAFb,IA98KO,qBAAQ,CA88KK,C;IA+8KnB,C;;MAQiB,Q;MAFb,IA/8KO,qBAAQ,CA+8KK,C;IAg9KnB,C;;MAQiB,Q;MAFb,IAh9KO,qBAAQ,CAg9KK,C;IAi9KnB,C;;MAQiB,Q;MAFb,IAj9KO,qBAAQ,CAi9KK,C;IAk9KnB,C;;MAQiB,Q;MAFb,IAl9KO,qBAAQ,CAk9KK,C;IAm9KnB,C;;MAQiB,Q;MAFb,IAn9KO,qBAAQ,CAm9KK,C;IAo9KnB,C;;MAQiB,Q;MAFb,IAp9KO,qBAAQ,CAo9KK,C;IAq9KnB,C;;MAQiB,Q;MAFb,IAr9KO,qBAAQ,CAq9KK,C;IAs9KnB,C;;MAQiB,Q;MAFb,IAt9KO,qBAAQ,CAs9KK,C;IAu9KnB,C;;MAQiB,Q;MAFb,IAv9KO,qBAAQ,CAu9KK,C;IAw9KnB,C;;MAQiB,Q;MAFb,IAx9KO,qBAAQ,CAw9KK,C;IAy9KnB,C;;MAQiB,Q;MAFb,IAz9KO,qBAAQ,CAy9KK,C;IA09KnB,C;;MAQiB,Q;MAFb,IA19KO,qBAAQ,CA09KK,C;IA29KnB,C;;MAQiB,Q;MAFb,IA39KO,qBAAQ,CA29KK,C;IA49KnB,C;;MAQiB,Q;MAFb,IA59KO,qBAAQ,CA49KK,C;IA69KnB,C;;MAQiB,Q;MAFb,IA79KO,qBAAQ,CA69KK,C;IA89KnB,C;;MAQiB,Q;MAFb,IA99KO,qBAAQ,CA89KK,C;IA+9KnB,C;;MAQiB,Q;MAFb,IA/9KO,qBAAQ,CA+9KK,C;IAg+KnB,C;;MAQiB,Q;MAFb,IAh+KO,qBAAQ,CAg+KK,C;IAi+KnB,C;;MAQiB,Q;MAFb,IAj+KO,qBAAQ,CAi+KK,C;IAk+KnB,C;;MAQiB,Q;MAFb,IAl+KO,qBAAQ,CAk+KK,C;IAm+KnB,C;;MAQiB,Q;MAFb,IAn+KO,qBAAQ,CAm+KK,C;IAo+KnB,C;;MAQiB,Q;MAFb,IAp+KO,qBAAQ,CAo+KK,C;IAq+KnB,C;;MAQiB,Q;MAFb,IAr+KO,qBAAQ,CAq+KK,C;IAs+KnB,C;;MAQiB,Q;MAFb,IAt+KO,qBAAQ,CAs+KK,C;IAu+KnB,C;;MAQiB,Q;MAFb,IAv+KO,qBAAQ,CAu+KK,C;IAw+KnB,C;;MAQiB,Q;MAFb,IAx+KO,qBAAQ,CAw+KK,C;IAy+KnB,C;;MAQiB,Q;MAFb,IAz+KO,qBAAQ,CAy+KK,C;IA0+KnB,C;;MAQiB,Q;MAFb,IA1+KO,qBAAQ,CA0+KK,C;IA2+KnB,C;;MAQiB,Q;MAFb,IA3+KO,qBAAQ,CA2+KK,C;IA4+KnB,C;;MAQiB,Q;MAFb,IA5+KO,qBAAQ,CA4+KK,C;IA6+KnB,C;;MAQiB,Q;MAFb,IA7+KO,qBAAQ,CA6+KK,C;IA8+KnB,C;;MAQiB,Q;MAFb,IA9+KO,qBAAQ,CA8+KK,C;IA++KnB,C;;MAQiB,Q;MAFb,IA/+KO,qBAAQ,CA++KK,C;IAg/KnB,C;;MAQiB,Q;MAFb,IAh/KO,qBAAQ,CAg/KK,C;IAi/KnB,C;;MAQiB,Q;MAFb,IAj/KO,qBAAQ,CAi/KK,C;IAk/KnB,C;;MAQiB,Q;MAFb,IAl/KO,qBAAQ,CAk/KK,C;IAm/KnB,C;;MAQiB,Q;MAFb,IAn/KO,qBAAQ,CAm/KK,C;IAo/KnB,C;;MAQiB,Q;MAFb,IAp/KO,qBAAQ,CAo/KK,C;IAq/KnB,C;;MAQiB,Q;MAFb,IAr/KO,qBAAQ,CAq/KK,C;IAs/KnB,C;;MAQiB,Q;MAFb,IAt/KO,qBAAQ,CAs/KK,C;IAu/KnB,C;;MAQiB,Q;MAFb,IAv/KO,qBAAQ,CAu/KK,C;IAw/KnB,C;;MAQiB,Q;MAFb,IAx/KO,qBAAQ,CAw/KK,C;IAy/KnB,C;;MAQiB,Q;MAFb,IAz/KO,qBAAQ,CAy/KK,C;IA0/KnB,C;;MAQiB,Q;MAFb,IA1/KO,qBAAQ,CA0/KK,C;IA2/KnB,C;;MAQiB,Q;MAFb,IA3/KO,qBAAQ,CA2/KK,C;IA4/KnB,C;;MAQiB,Q;MAFb,IA5/KO,qBAAQ,CA4/KK,C;IA6/KnB,C;;MAQiB,Q;MAFb,IA7/KO,qBAAQ,CA6/KK,C;IA8/KnB,C;;MAQiB,Q;MAFb,IA9/KO,qBAAQ,CA8/KK,C;IA+/KnB,C;;MAQiB,Q;MAFb,IA/
/KO,qBAAQ,CA+/KK,C;IAggLnB,C;;MAQiB,Q;MAFb,IAhgLO,qBAAQ,CAggLK,C;IAigLnB,C;;MAQiB,Q;MAFb,IAjgLO,qBAAQ,CAigLK,C;IAkgLnB,C;;MAQiB,Q;MAFb,IAlgLO,qBAAQ,CAkgLK,C;IAmgLnB,C;;MAQiB,Q;MAFb,IAngLO,qBAAQ,CAmgLK,C;IAogLnB,C;;MAQiB,Q;MAFb,IApgLO,qBAAQ,CAogLK,C;IAqgLnB,C;;MAQiB,Q;MAFb,IArgLO,qBAAQ,CAqgLK,C;IAsgLnB,C;;MAQiB,Q;MAFb,IAtgLO,qBAAQ,CAsgLK,C;IAugLnB,C;;MAQiB,Q;MAFb,IAvgLO,qBAAQ,CAugLK,C;IAwgLnB,C;;MAQiB,Q;MAFb,IAxgLO,qBAAQ,CAwgLK,C;IAygLnB,C;;MAQiB,Q;MAFb,IAzgLO,qBAAQ,CAygLK,C;IA0gLnB,C;;MAQiB,Q;MAFb,IA1gLO,qBAAQ,CA0gLK,C;IA2gLnB,C;;MAQiB,Q;MAFb,IA3gLO,qBAAQ,CA2gLK,C;IA4gLnB,C;;MAQiB,Q;MAFb,IA5gLO,qBAAQ,CA4gLK,C;IA6gLnB,C;;MAQiB,Q;MAFb,IA7gLO,qBAAQ,CA6gLK,C;IA8gLnB,C;;MAQiB,Q;MAFb,IA9gLO,qBAAQ,CA8gLK,C;IA+gLnB,C;;MAQiB,Q;MAFb,IA/gLO,qBAAQ,CA+gLK,C;IAghLnB,C;;MAQiB,Q;MAFb,IAhhLO,qBAAQ,CAghLK,C;IAihLnB,C;;MAQiB,Q;MAFb,IAjhLO,qBAAQ,CAihLK,C;IAkhLnB,C;;MAQiB,Q;MAFb,IAlhLO,qBAAQ,CAkhLK,C;IAmhLnB,C;;MAQiB,Q;MAFb,IAnhLO,qBAAQ,CAmhLK,C;IAohLnB,C;;MAQiB,Q;MAFb,IAphLO,qBAAQ,CAohLK,C;IAqhLnB,C;;MAQiB,Q;MAFb,IArhLO,qBAAQ,CAqhLK,C;IAshLnB,C;;MAQiB,Q;MAFb,IAthLO,qBAAQ,CAshLK,C;IAuhLnB,C;;MAQiB,Q;MAFb,IAvhLO,qBAAQ,CAuhLK,C;IAwhLnB,C;;MAQiB,Q;MAFb,IAxhLO,qBAAQ,CAwhLK,C;IAyhLnB,C;;MAQiB,Q;MAFb,IAzhLO,qBAAQ,CAyhLK,C;IA0hLnB,C;;MAQiB,Q;MAFb,IA1hLO,qBAAQ,CA0hLK,C;IA2hLnB,C;;MAQiB,Q;MAFb,IA3hLO,qBAAQ,CA2hLK,C;IA4hLnB,C;;MAQiB,Q;MAFb,IA5hLO,qBAAQ,CA4hLK,C;IA6hLnB,C;;MAQiB,Q;MAFb,IA7hLO,qBAAQ,CA6hLK,C;IA8hLnB,C;;MAQiB,Q;MAFb,IA9hLO,qBAAQ,CA8hLK,C;IA+hLnB,C;;MAQiB,Q;MAFb,IA/hLO,qBAAQ,CA+hLK,C;IAgiLnB,C;;MAQiB,Q;MAFb,IAhiLO,qBAAQ,CAgiLK,C;IAiiLnB,C;;MAQiB,Q;MAFb,IAjiLO,qBAAQ,CAiiLK,C;IAkiLnB,C;;MAQiB,Q;MAFb,IAliLO,qBAAQ,CAkiLK,C;IAmiLnB,C;;MAQiB,Q;MAFb,IAniLO,qBAAQ,CAmiLK,C;IAoiLnB,C;;MAQiB,Q;MAFb,IApiLO,qBAAQ,CAoiLK,C;IAqiLnB,C;;MAQiB,Q;MAFb,IAriLO,qBAAQ,CAqiLK,C;IAsiLnB,C;;MAQiB,Q;MAFb,IAtiLO,qBAAQ,CAsiLK,C;IAuiLnB,C;;MAQiB,Q;MAFb,IAviLO,qBAAQ,CAuiLK,C;IAwiLnB,C;;MAQiB,Q;MAFb,IAxiLO,qBAAQ,CAwiLK,C;IAyiLnB,C;;MAQiB,Q;MAFb,IAziLO,qBAAQ,CAyiLK,C;IA0iLnB,C;;MAQiB,Q;MAFb,IA1iLO,qBAAQ,CA0iLK,C;IA2iLnB,C;;MAQiB,Q;MAFb,IA3iLO,qBAAQ,CA2iLK,C;IA4iLnB,C;;MAQiB,Q;MAFb,IA5iLO,qBAAQ,CA4iLK,C;IA6iLnB,C;;MAQiB,Q;MAFb,IA7iLO,qBAAQ,CA6iLK,C;IA8iLnB,C;;MAQiB,Q;MAFb,IA9iLO,qBAAQ,CA8iLK,C;IA+iLnB,C;;MAQiB,Q;MAFb,IA/iLO,qBAAQ,CA+iLK,C;IAgjLnB,C;;MAQiB,Q;MAFb,IAhjLO,qBAAQ,CAgjLK,C;IAijLnB,C;;MAQiB,Q;MAFb,IAjjLO,qBAAQ,CAijLK,C;IAkjLnB,C;;MAQiB,Q;MAFb,IAljLO,qBAAQ,CAkjLK,C;IAmjLnB,C;;MAQiB,Q;MAFb,IAnjLO,qBAAQ,CAmjLK,C;IAojLnB,C;;MAQiB,Q;MAFb,IApjLO,qBAAQ,CAojLK,C;IAqjLnB,C;;MAQiB,Q;MAFb,IArjLO,qBAAQ,CAqjLK,C;IAsjLnB,C;;MAQiB,Q;MAFb,IAtjLO,qBAAQ,CAsjLK,C;IAujLnB,C;;MAQiB,Q;MAFb,IAvjLO,qBAAQ,CAujLK,C;IAwjLnB,C;;MAQiB,Q;MAFb,IAxjLO,qBAAQ,CAwjLK,C;IAyjLnB,C;;MAQiB,Q;MAFb,IAzjLO,qBAAQ,CAyjLK,C;IA0jLnB,C;;MAQiB,Q;MAFb,IA1jLO,qBAAQ,CA0jLK,C;IA2jLnB,C;;MAQiB,Q;MAFb,IA3jLO,qBAAQ,CA2jLK,C;IA4jLnB,C;;MAQiB,Q;MAFb,IA5jLO,qBAAQ,CA4jLK,C;IA6jLnB,C;;MAQiB,Q;MAFb,IA7jLO,qBAAQ,CA6jLK,C;IA8jLnB,C;;MAQiB,Q;MAFb,IA9jLO,qBAAQ,CA8jLK,C;IA+jLnB,C;;MAQiB,Q;MAFb,IA/jLO,qBAAQ,CA+jLK,C;IAgkLnB,C;;MAQiB,Q;MAFb,IAhkLO,qBAAQ,CAgkLK,C;IAikLnB,C;;MAQiB,Q;MAFb,IAjkLO,qBAAQ,CAikLK,C;IAkkLnB,C;;MAQiB,Q;MAFb,IAlkLO,qBAAQ,CAkkLK,C;IAmkLnB,C;;MAQiB,Q;MAFb,IAnkLO,qBAAQ,CAmkLK,C;IAokLnB,C;;MAQiB,Q;MAFb,IApkLO,qBAAQ,CAokLK,C;IAqkLnB,C;;MAQiB,Q;MAFb,IArkLO,qBAAQ,CAqkLK,C;IAskLnB,C;;MAQiB,Q;MAFb,IAtkLO,qBAAQ,CAskLK,C;IAukLnB,C;;MAQiB,Q;MAFb,IAvkLO,qBAAQ,CAukLK,C;IAwkLnB,C;;MAQiB,Q;MAFb,IAxkLO,qBAAQ,CAwkLK,C;IAykLnB,C;;MAQiB,Q;MAFb,IAzkLO,qBAAQ,CAykLK,C;IA0kLnB,C;;MAQiB,Q;MAFb,IA1kLO,qBAAQ,CA0kLK,C;IA2kLnB,C;;MAQiB,Q;MAFb,IA3kLO,qBAAQ,CA2kLK,C;IA4kLnB,C;;MAQiB,Q;MAFb,IA5kLO,qBAAQ,CA4kLK,C;IA6kLnB,C;;MAQiB,Q;MAFb,IA7kLO,qBAAQ,CA6kLK,C;IA8kLnB,C;;MAQiB,Q;MAFb,IA9kLO,qBAAQ,CA8kLK,C;IA+kLnB,C;;MAQiB,Q;MAFb,IA/kLO,qBAAQ,CA+kLK,C;IAglLnB,C;;MAQiB,Q;MAFb,IAhlLO,qBAAQ,CAglLK,C;IAilLnB,C;;MAQiB,Q;MAFb,IAjlLO,qBAAQ,CAilLK,C;IAklLnB,C;;MAQiB,Q;MAFb,IAllLO,qBAAQ,CAklLK,C;IAmlLnB,C;;MAQiB,Q;MAFb,IAnlLO,qBAAQ,CAmlLK,C;IAolLnB,C;;MAQiB,Q;MAFb,IAplLO,qBAAQ,CAolLK,C;IAqlLnB,C;;MAQiB,Q;MAFb,IArlLO,qBAAQ,CAqlLK,C;IAslLnB,C;;MAQiB,Q;MAFb,IAtlLO,qBAAQ,CAslLK,C;IAulLnB,C;;MAQiB,Q;MAFb,IAvlLO,qBAAQ,CAulLK,C;IAwlLnB,C;;MAQiB,Q;MAFb,IAxlLO,qBAAQ,CAwlLK,C;IAylLnB,C;;MAQiB,Q;MAFb,IAzlLO,qBAAQ,CAylLK,C;IA0lLnB,C;;MAQiB,Q;MAFb,IA1lLO,qBAAQ,CA0lLK,C;IA2lLnB,C;;MAQiB,Q;MAFb,IA3lLO,qBAAQ,CA2lLK,C;IA4lLnB,C;;MAQiB,Q;MAFb,IA5lLO,qBAAQ,CA4lLK,C;IA6lLnB,C;;MAQiB,Q;MAFb,IA7lLO,qBAAQ,CA6lLK,C;IA8lLnB,C;;MAQiB,Q;MAFb,IA9lLO,qBAAQ,CA8lLK,C;IA+lLnB,C;;MAQiB,Q;MAFb,IA/lLO,qBAAQ,CA+lLK,C;IAgmLnB,C;;M

I,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;IACX,C;;MAQoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI

CV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IApqLO,qBAAQ,CAoqLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA5qLO,qBAAQ,CA4qLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAprLO,qBAAQ,CAorLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAUqB,Q;QAHjB,IA5rLO,qBAAQ,CA4rLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAe,KAAf,EAAsB,wBAAtB,EAAmC,sBAAnC,EAAwD,KAAxD,EAA+D,E;;QAEjF,lB,OAAO,W;MACX,C;KAdA,C;4FAgBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAUqB,Q;QAHjB,IAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,UAAV,EAAsB,cAAtB,EAAqC,sBAArC,EAA0D,SAA1D,EAAqE,cAArE,EAAqF,sBAArF,EAA0G,SAA1G,EAAqH,cAArH,EAAqI,sBAArI,EAA0J,SAA1J,EAAqK,cAArK,EAAqL,sBAArL,EAA0M,SAA1M,EAAqN,cAArN,EAAqO,sBAArO,EAA0P,SAA1P,EAAqQ,cAArQ,EAAqR,sBAArR,EAA0S,SAA1S,EAAqT,cAArT,EAAqU,sBAArU,EAA0V,SAA1V,EAAqW,cAArW,EAAqX,sBAArX,EAA0Y,SAA1Y,EAAqZ,cAArZ,EAAqa,sBAAra,EAA0b,SAA1b,EAAqc,cAArc,EAAqd,sBAArd,EAA0e,SAA1e,EAAqf,cAArf,EAAqgB,sBAArgB,EAA0hB,SAA1hB,EAAqiB,cAAriB,EAAqjB,sBAArjB,EAA0kB,SAA1kB,EAAqlB,cAArlB,EAAqmB,sBAArmB,EAA0nB,SAA1nB,EAAqoB,cAAroB,EAAqpB,sBAArpB,EAA0qB,SAA1qB,EAAqrB,cAArrB,EAAqsB,sBAArsB,EAA0tB,SAA1tB,EAAquB,cAAruB,EAAqvB,sBAArvB,EAA0wB,SAA1wB,EAAqxB,cAArxB,EAAqyB,sBAAryB,EAA0zB,SAA1zB,EAAq0B,cAAr0B,EAAq1B,sBAAr1B,EAA02B,SAA12B,EAAq3B,cAAr3B,EAAq4B,sBAAr4B,EAA05B,SAA15B,EAAq6B,cAAr6B,EAAq7B,sBAAr7B,EAA08B,SAA18B,EAAq9B,cAAr9B,EAAq+B,sBAAr+B,EAA0/B,SAA1/B,EAAqgC,cAArgC,EAAqhC,sBAArhC,EAA0iC,SAA1iC,EAAqjC,cAArjC,EAAqkC,sBAArkC,EAA0lC,SAA1lC,EAAqmC,cAArmC,EAAqnC,sBAArnC,EAA0oC,SAA1oC,EAAqpC,cAArpC,EAAqqC,sBAArqC,EAA0rC,SAA1rC,EAAqsC,cAArsC,EAAqtC,sBAArtC,EAA0uC,SAA1uC,EAAqvC,cAArvC,EAAqwC,sBAArwC,EAA0xC,SAA1xC,EAAqyC,cAAryC,EAAqzC,sBAArzC,EAA00C,SAA10C,EAAq1C,cAAr1C,EAAq2C,sBAAr2C,EAA03C,SAA13C,EAAq4C,cAAr4C,EAAq5C,sBAAr5C,EAA06C,SAA16C,EAAq7C,cAAr7C,EAAq8C,sBAAr8C,EAA09C,SAA19C,EAAq+C,cAAr+C,EAAq/C,sBAAr/C,EAA0gD,SAA1gD,EAAqhD,cAArhD,EAAqiD,sBAAriD,EAA0jD,SAA1jD,EAAqkD,cAArkD,EAAqlD,sBAArlD,EAA0mD,SAA1mD,EAAqnD,cAArnD,EAAqoD,sBAAroD,EAA0pD,SAA1pD,EAAqqD,cAArqD,EAAqrD,sBAArrD,EAA0sD,SAA1sD,EAAqtD,cAArtD,EAAquD,sBAAruD,EAA0vD,SAA1vD,EAAqwD,cAArwD,EAAqxD,sBAArxD,EAA0yD,SAA1yD,EAAqzD,cAArzD,EAAq0D,sBAAr0D,EAA01D,SAA11D,EAAq2D,cAAr2D,EAAq3D,sBAAr3D,EAA04D,SAA14D,EAAq5D,cAAr5D,EAAq6D,sBAAr6D,EAA07D,SAA17D,EAAq8D,cAAr8D,EAAq9D,sBAAr9D,EAA0+D,SAA1+D,EAAq/D,cAAr/D,EAAqgE,sBAArgE,EAA0hE,SAA1hE,EAAqiE,cAAriE,EAAqjE,sBAArjE,EAA0kE,SAA1kE,EAAqlE,cAArlE,EAAqmE,sBAArmE,EAA0nE,SAA1nE,EAAqoE,cAAroE,EAAqpE,sBAArpE,EAA0qE,SAA1qE,EAAqrE,cAArrE,EAAqsE,sBAArsE,EAA0tE,SAA1tE,EAAquE,cAAruE,EAAqvE,sBAArvE,EAA0wE,SAA1wE,EAAqxE,cAArxE,EAAqyE,sBAAryE,EAA0zE,SAA1zE,EAAq0E,cAAr0E,EAAq1E,sBAAr1E,EAA02E,SAA12E,EAAq3E,cAAr3E,EAAq4E,sBAAr4E,EAA05E,SAA15E,EAAq6E,cAAr6E,EAAq7E,sBAAr7E,EAA08E,SAA18E,EAAq9E,cAAr9E,EAAq+E,sBAAr+E,EAA0/E,SAA1/E,EAAqgF,cAArgF,EAAqhF,sBAArhF,EAA0iF,SAA1iF,EAAqjF,cAArjF,EAAqkF,sBAArkF,EAA0lF,SAA1lF,EAAqmF,cAArmF,EAAqnF,sBAArnF,EAA0oF,SAA1oF,EAAqpF,cAArpF,EAAqqF,sBAArqF,EAA0rF,SAA1rF,EAAqsF,cAArsF,EAAqtF,sBAArtF,EAA0uF,SAA1uF,EAAqvF,cAArvF,EAAqwF,sBAArwF,EAA0xF,SAA1xF,EAAqyF,cAAryF,EAAqzF,sBAArzF,EAA00F,SAA10F,EAAq1F,cAAr1F,EAAq2F,sBAAr2F,EAA03F,SAA13F,EAAq4F,cAAr4F,EAAq5F,sBAAr5F,EAA06F,SAA16F,EAAq7F,cAAr7F,EAAq8F,sBAAr8F,EAA09F,SAA19F,EAAq+F,cAAr+F,EAAq/F,sBAAr/F,EAA0gG,SAA1gG,EAAqhG,cAArhG,EAAqiG,sBAAriG,EAA0jG,SAA1jG,EAAqkG,cAArkG,EAAqlG,sBAArlG,EAA0mG,SAA1mG,EAAqnG,cAArnG,EAAqoG,sBAAroG,EAA0pG,SAA1pG,EAAqqG,cAArqG,EAAqrG,sBAArrG,EAA0sG,SAA1sG,EAAqtG,cAArtG,EAAquG,sBAAruG,EAA0vG,SAA1vG,EAAqwG,cAArwG,EAAqxG,sBAArxG,EAA0yG,SAA1yG,EAAqzG,cAArzG,EAAq0G,sBAAr0G,EAA01G,SAA11G,EAAq2G,cAAr2G,EAAq3G,sBAAr3G,EAA04G,SAA14G,EAAq5G,cAAr5G,EAAq6G,sBAAr6G,EAA07G,SAA17G,EAAq8G,cAAr8G,EAAq9G,sBAAr9G,EAA0+G,SAA1+G,EAAq/G,cAAr/G,EAAqgH,sBAArgH,EAA0hH,SAA1hH,EAAqiH,cAAriH,EAAqjH,sBAArjH,EAA0kH,SAA1kH,EAAqlH,cAArlH,EAAqmH,sBAArmH,EAA0nH,SAA1nH,EAAqoH,cAAroH,EAAqpH,sBAArpH,EAA0qH,SAA1qH,EAAqrH,cAArrH,EAAqsH,sBAArsH,EAA0tH,SAA1tH,EAAquH,cAAruH,EAAqvH,sBAArvH,EAA0wH,SAA1wH,EAAqxH,cAArxH,EAAqyH,sBAAryH,EAA0zH,SAA1zH,EAAq0H,cAAr0H,EAAq1H,sBAAr1H,EAA02H,SAA12H,EAAq3H,cAAr3H,EAAq4H,sBAAr4H,EAA05H,SAA15H,EAAq6H,cAAr6H,EAAq7H,sBAAr7H,EAA08H,SAA18H,EAAq9H,cAAr9H,EAAq+H,sBAAr+H,EAA0/H,SAA1/H,EAAqgI,cAArgI,EAAqhI,sBAArhI,EAA0iI,SAA1iI,EAAqjI,cAArjI,EAAqkI,sBAArkI,EAA0lI,SAA1lI,EAAqmI,cAArmI,EAAqnI,sBAArnI,EAA0oI,SAA1oI,EAAqpI,cAArpI,EAAqqI,sBAArqI,EAA0rI,SAA1rI,EAAqsI,cAArsI,EAAqtI,sBAArtI,EAA0uI,SAA1uI,EAAqvI,cAArvI,EAAqwI,sBAArwI,EAA0xI,SAA1xI,EAAqyI,cAAryI,EAAqzI,sBAArzI,EAA00I,SAA10I,EAAq1I,cAAr1I,EAAq2I,sBAAr2I,EAA03I,SAA13I,EAAq4I,cAAr4I,EAAq5I,sBAAr5I,EAA06I,SAA16I,EAAq7I,cAAr7I,EAAq8I,sBAAr8I,EAA09I,SAA19I,EAAq+I,cAAr+I,EAAq/I,sBAAr/I,EAA0gJ,SAA1gJ,EAAqhJ,cAArhJ,EAAqiJ,sBAAriJ,EAA0jJ,SAA1jJ,EAAqkJ,cAArkJ,EAAqlJ,sBAArlJ,EAA0mJ,SAA1mJ,EAAqnJ,cAArnJ,EAAqoJ,sBAAroJ,EAA0pJ,SAA1pJ,EAAqqJ,cAArqJ,EAAqrJ,sBAArrJ,EAA0sJ,SAA1sJ,EAAqtJ,cAArtJ,EAAquJ,sBAAruJ,EAA0vJ,SAA1vJ,EAAqwJ,cAArwJ,EAAqxJ,sBAArxJ,EAA0yJ,SAA1yJ,EAAqzJ,cAArzJ,EAAq0J,sBAAr0J,EAA01J,SAA11J,EAAq2J,cAAr2J,EAAq3J,sBAAr3J,EAA04J,SAA14J,EAAq5J,cAAr5J,EAAq6J,sBAAr6J,EAA07J,SAA17J,EAAq8J,cAAr8J,EAAq9J,sBAAr9J,EAA0+J,SAA1+J,EAAq/J,cAAr/J,EAAqgK,sBAArgK,EAA0hK,SAA1hK,EAAqiK,cAAriK,EAAqjK,sBAArjK,EAA0kK,SAA1kK,EAAqlK,cAArlK,EAAqmK,sBAArmK,EAA0nK,SAA1nK,EAAqoK,cAAroK,EAAqpK,sBAArpK,EAA0qK,SAA1qK,EAAqrK,cAArrK,EAAqsK,sBAArsK,EAA0tK,SAA1tK,EAAquK,cAAruK,EAAqvK,sBAArvK,EAA0wK,SAA1wK,EAAqxK,cAArxK,EAAqyK,sBAAryK,EAA0zK,SAA1zK,EAAq0K,cAAr0K,EAAq1K,sBAAr1K,EAA02K,SAA12K,EAAq3K,cAAr3K,EAAq4K,sBAAr4K,EAA05K,SAA15K,EAAq6K,cAAr6K,EAAq7K,sBAAr7K,EAA08K,SAA18K,EAAq9K,cAAr9K,EAAq+K,sBAAr+K,EAA0/K,SAA1/K,EAAqgL,cAArgL,EAAqhL,sBAArhL,EAA0iL,SAA1iL,EAAqjL,cAArjL,EAAqkL,sBAArkL,EAA0lL,SAA1lL,EAAqmL,cAArmL,EAAqnL,sBAArnL,EAA0oL,SAA1oL,EAAqpL,cAArpL,EAAqqL,sBAArqL,EAA0rL,SAA1rL,EAAqsL,cAArsL,EAAqtL,sBAArtL,EAA0uL,SAA1uL,EAAqvL,cAArvL,EAAqwL,sBAArwL,EAA0xL,SAA1xL,EAAqyL,cAAryL,EAAqzL,sBAArzL,EAA00L,SAA10L,EAAq1L,cAAr1L,EAAq2L,sBAAr2L,EAA03L,SAA13L,EAAq4L,cAAr4L,EAAq5L,sBAAr5L,EAA06L,SAA16L,EAAq7L,cAAr7L,EAAq8L,sBAAr8L,EAA09L,SAA19L,EAAq+L,cAAr+L,EAAq/L,sBAAr/L,EAA0gM,SAA1gM,EAAqhM,cAArhM,EAAqiM,sBAAriM,EAA0jM,SAA1jM,EAAqkM,cAArkM,EAAqlM,sBAArlM,EAA0mM,SAA1mM,EAAqnM,cAArnM,EAAqoM,sBAAroM,EAA0pM,SAA1pM,EAAqqM,cAArqM,EAAqrM,sBAArrM,EAA0sM,SAA1sM,EAAqtM,cAArtM,EAAquM,sBAAruM,EAA0vM,SAA1vM,EAAqwM,cAArwM,EAAqxM,sBAArxM,EAA0yM,SAA1yM,EAAqzM,cAArzM,EAAq0M,sBAAr0M,EAA01M,SAA11M,EAAq2M,cAAr2M,EAAq3M,sBAAr3M,EAA04M,SAA14M,EAAq5M,cAAr5M,EAAq6M,sBAAr6M,EAA07M,SAA17M,EAAq8M,cAAr8M,EAAq9M,sBAAr9M,EAA0+M,SAA1+M,EAAq/M,cAAr/M,EAAqgN,sBAArgN,EAA0hN,SAA1hN,EAAqiN,cAAriN,EAAqjN,sBAArjN,EAA0kN,SAA1kN,EAAqlN,cAArlN,EAAqmN,sBAArmN,EAA0nN,SAA1nN,EAAqoN,cAAroN,EAAqpN,sBAArpN,EAA0qN,SAA1qN,EAAqrN,cAArrN,EAAqsN,sBAArsN,EAA0tN,SAA1tN,EAAquN,cAAruN,EAAqvN,sBAArvN,EAA0wN,SAA1wN,EAAqxN,cAArxN,EAAqyN,sBAAryN,EAA0zN,SAA1zN,EAAq0N,cAAr0N,EAAq1N,sBAAr1N,EAA02N,SAA12N,EAAq3N,cAAr3N,EAAq4N,sBAAr4N,EAA05N,SAA15N,EAAq6N,cAAr6N,EAAq7N,sBAAr7N,EAA08N,SAA18N,EAAq9N,cAAr9N,EAAq+N,sBAAr+N,EAA0/N,SAA1/N,EAAqgO,cAArgO,EAAqhO,sBAArhO,EAA0iO,SAA1iO,EAAqjO,cAArjO,EAAqkO,sBAArkO,EAA0lO,SAA1lO,EAAqmO,cAArmO,EAAqnO,sBAArnO,EAA0oO,SAA1oO,EAAqpO,cAArpO,EAAqqO,sBAArqO,EAA0rO,SAA1rO,EAAqsO,cAArsO,EAAqtO,sBAArtO,EAA0uO,SAA1uO,EAAqvO,cAArvO,EAAqwO,sBAArwO,EAA0xO,SAA1xO,EAAqyO,cAAryO,EAAqzO,sBAArzO,EAA00O,SAA10O,EAAq1O,cAAr1O,EAAq2O,sBAAr2O,EAA03O,SAA13O,EAAq4O,cAAr4O,EAAq5O,sBAAr5O,EAA06O,SAA16O,EAAq7O,cAAr7O,EAAq8O,sBAAr8O,EAA09O,SAA19O,EAAq+O,cAAr+O,EAAq/O,sBAAr/O,EAA0gP,SAA1gP,EAAqhP,cAArhP,EAAqiP,sBAAriP,EAA0jP,SAA1jP,EAAqkP,cAArkP,EAAqlP,sBAArlP,EAA0mP,SAA1mP,EAAqnP,cAArnP,EAAqoP,sBAAroP,EAA0pP,SAA1pP,EAAqqP,cAArqP,EAAqrP,sBAArrP,EAA0sP,SAA1sP,EAAqtP,cAArtP,EAAquP,sBAAruP,EAA0vP,SAA1vP,EAAqwP,cAArwP,EAAqxP,sBAArxP,EAA0yP,SAA1yP,EAAqzP,cAArzP,EAAq0P,sBAAr0P,EAA01P,SAA11P,EAAq2P,cAAr2P,EAAq3P,sBAAr3P,EAA04P,SAA14P,EAAq5P,cAAr5P,EAAq6P,sBAAr6P,EAA07P,SAA17P,EAAq8P,cAAr8P,EAAq9P,sBAAr9P,EAA0+P,SAA1+P,EAAq/P,cAAr/P,EAAqgQ,sBAArgQ,EAA0hQ,SAA1hQ,EAAqiQ,cAAriQ,EAAqjQ,sBAArjQ,EAA0kQ,SAA1kQ,EAAqlQ,cAArlQ,EAAqmQ,sBAArmQ,EAA0nQ,SAA1nQ,EAAqoQ,cAAroQ,EAAqpQ,sBAArpQ,EAA0qQ,SAA1qQ,EAAqrQ,cAArrQ,EAAqsQ,sBAArsQ,EAA0tQ,SAA1tQ,EAAquQ,cAAruQ,EAAqvQ,sBAArvQ,EAA0wQ,SAA1wQ,EAAqxQ,cAArxQ,EAAqyQ,sBAAryQ,EAA0zQ,SAA1zQ,EAAq0Q,cAAr0Q,EAAq1Q,sBAAr1Q,EAA02Q,SAA12Q,EAAq3Q,cAAr3Q,EAAq4Q,sBAAr4Q,EAA05Q,SAA15Q,EAAq6Q,cAAr6Q,EAAq7Q,sBAAr7Q,EAA08Q,SAA18Q,EAAq9Q,cAAr9Q,EAAq+Q,sBAAr+Q,EAA0/Q,SAA1/Q,EAAqgR,cAArgR,EAAqhR,sBAArhR,EAA0iR,SAA1iR,EAAqjR,cAArjR,EAAqkR,sBAArkR,EAA0lR,SAA1lR,EAAqmR,cAArmR,EAAqnR,sBAArnR,EAA0oR,SAA1oR,EAAqpR,cAArpR,EAAqqR,sBAArqR,EAA0rR,SAA1rR,EAAqsR,cAArsR,EAAqtR,sBAArtR,EAA0uR,SAA1uR,EAAqvR,cAArvR,EAAqwR,sBAArwR,EAA0xR,SAA1xR,EAAqyR,cAAryR,EAAqzR,sBAArzR,EAA00R,SAA10R,EAAq1R,cAAr1R,EAAq2R,sBAAr2R,EAA03R,SAA13R,EAAq4R,cAAr4R,EAAq5R,sBAAr5R,EAA06R,SAA16R,EAAq7R,cAAr7R,EAAq8R,sBAAr8R,EAA09R,SAA19R,EAAq+R,cAAr+R,EAAq/R,sBAAr/R,EAA0gS,SAA1gS,EAAqhS,cAArhS,EAAqiS,sBAAriS,EAA0jS,SAA1jS,EAAqkS,cAArkS,EAAqlS,sBAArlS,EAA0mS,SAA1mS,EAAqnS,cAArnS,EAAqoS,sBAAroS,EAA0pS,SAA1pS,EAAqqS,cAArqS,EAAqrS,sBAArrS,EAA0sS,SAA1sS,EAAqtS,cAArtS,EAAquS,sBAAruS,EAA0vS,SAA1vS,EAAqwS,cAArwS,EAAqxS,sBAArxS,EAA0yS,SAA1yS,EAAqzS,cAArzS,EAAq0S,sBAAr0S,EAA01S,SAA11S,EAAq2S,cAAr2S,EAAq3S,sBAAr3S,EAA04S,SAA14S,EAAq5S,cAAr5S,EAAq6S,sBAAr6S,EAA07S,SAA17S,EAAq8S,cAAr8S,EAAq9S,sBAAr9S,EAA0+S,SAA1+S,EAAq/S,cAAr/S,EAAqgT,sBAArgT,EAA0hT,SAA1hT,EAAqiT,cAAriT,EAAqjT,sBAArjT,EAA0kT,SAA1kT,EAAqlT,cAArlT,EAAqmT,sBAArmT,EAA0nT,SAA1nT,EAAqoT,cAAroT,EAAqpT,sBAArpT,EAA0qT,SAA1qT,EAAqrT,cAArrT,EAAqsT,sBAArsT,EAA0tT,SAA1tT,EAAquT,cAAruT,EAAqvT,sBAArvT,EAA0wT,SAA1wT,EAAqxT,cAArxT,EAAqyT,sBAAryT,EAA0zT,SAA1zT,EAAq0T,cAAr0T,EAAq1T,sBAAr1T,EAA02T,SAA12T,EAAq3T,cAAr3T,EAAq4T,sBAAr4T,EAA05T,SAA15T,EAAq6T,cAAr6T,EAAq7T,sBAAr7T,EAA08T,SAA18T,EAAq9T,cAAr9T,EAAq+T,sBAAr+T,EAA0/T,SAA1/T,EAAqgU,cAArgU,EAAqhU,sBAArhU,EAA0iU,SAA1iU,EAAqjU,cAArjU,EAAqkU,sBAArkU,EAA0lU,SAA1lU,EAAqmU,cAArmU,EAAqnU,sBAArnU,EAA0oU,SAA1oU,EAAqpU,cAArpU,EAAqqU,sBAArqU,EAA0rU,SAA1rU,EAAqsU,cAArsU,EAAqtU,sBAArtU,EAA0uU,SAA1uU,EAAqvU,cAArvU,EAAqwU,sBAArwU,EAA0xU,SAA1xU,EAAqyU,cAAryU,EAAqzU,sBAArzU,EAA00U,SAA10U,EAAq1U,cAAr1U,EAAq2U,sBAAr2U,EAA03U,SAA13U,EAAq4U,cAAr4U,EAAq5U,sBAAr5U,EAA06U,SAA16U,EAAq7U,cAAr7U,EAAq8U,sBAAr8U,EAA09U,SAA19U,EAAq+U,cAAr+U,EAAq/U,sBAAr/U,EAA0gV,SAA1gV,EAAqhV,cAArhV,EAAqiV,sBAAriV,EAA0jV,SAA1jV,EAAqkV,cAArkV,EAAqlV,sBAArlV,EAA0mV,SAA1mV,EAAqnV,cAArnV,EAAqoV,sBAAroV,EAA0pV,SAA1pV,EAAqqV,cAArqV,EAAqrV,sBAArrV,EAA0sV,SAA1sV,EAAqtV,cAArtV,EAAquV,sBAAruV,EAA0vV,SAA1vV,EAAqwV,cAArwV,EAAqxV,sBAArxV,EAA0yV,SAA1yV,EAAqzV,cAArzV,EAAq0V,sBAAr0V,EAA01V,SAA11V,EAAq2V,cAAr2V,EAAq3V,sBAAr3V,EAA04V,SAA14V,EAAq5V,cAAr5V,EAAq6V,sBAAr6V,EAA07V,SAA17V,EAAq8V,cAAr8V,EAAq9V,sBAAr9V,EAA0+V,SAA1+V,EAAq/V,cAAr/V,EAAqgW,sBAArgW,EAA0hW,SAA1hW,EAAqiW,cAAriW,EAAqjW,sBAArjW,EAA0kW,SAA1kW,EAAqlW,cAArlW,EAAqmW,sBAArmW,EAA0nW,SAA1nW,EAAqoW,cAAroW,EAAqpW,sBAArpW,EAA0qW,SAA1qW,EAAqrW,cAArrW,EAAqsW,sBAArsW,EAA0tW,SAA1tW,EAAquW,cAAruW,EAAqvW,sBAArvW,EAA0wW,SAA1wW,EAAqxW,cAArxW,EAAqyW,sBAAryW,EAA0zW,SAA1zW,EAAq0W,cAAr0W,EAAq1W,sBAAr1W,EAA02W,SAA12W,EAAq3W,cAAr3W,EAAq4W,sBAAr4W,EAA05W,SAA15W,EAAq6W,cAAr6W,EAAq7W,sBAAr7W,EAA08W,SAA18W,EAAq9W,cAAr9W,EAAq+W,sBAAr+W,EAA0/W,SAA1/W,EAAqgX,cAArgX,EAAqhX,sBAArhX,EAA0iX,SAA1iX,EAAqjX,cAArjX,EAAqkX,sBAArkX,EAA0lX,SAA1lX,EAAqmX,cAArmX,EAAqnX,sBAArnX,EAA0oX,SAA1oX,EAAqpX,cAArpX,EAAqqX,sBAArqX,EAA0rX,SAA1rX,EAAqsX,cAArsX,EAAqtX,sBAArtX,EAA0uX,SAA1uX,EAAqvX,cAArvX,EAAqwX,sBAArwX,EAA0xX,SAA1xX,EAAqyX,cAAryX,EAAqzX,sBAArzX,EAA00X,SAA10X,EAAq1X,cAAr1X,EAAq2X,sBAAr2X,EAA03X,SAA13X,EAAq4X,cAAr4X,EAAq5X,sBAAr5X,EAA06X,SAA16X,EAAq7X,cAAr7X,EAAq8X,sBAAr8X,EAA09X,SAA19X,EAAq+X,cAAr+X,EAAq/X,sBAAr/X,EAA0gY,SAA1gY,EAAqhY,cAArhY,EAAqiY,sBAAriY,EAA0jY,SAA1jY,EAAqkY,cAArkY,EAAqlY,sBAArlY,EAA0mY,SAA1mY,EAAqnY,cAArnY,EAAqoY,sBAAroY,EAA0pY,SAA1pY,EAAqqY,cAArqY,EAAqrY,sBAArrY,EAA0sY,SAA1sY,EAAqtY,cAArtY,EAAquY,sBAAruY,EAA0vY,SAA1vY,EAAqwY,cAArwY,EAAqxY,sBAArxY,EAA0yY,SAA1yY,EAAqzY,cAArzY,EAAq0Y,sBAAr0Y,EAA01Y,SAA11Y,EAAq2Y,cAAr2Y,EAAq3Y,sBAAr3Y,EAA04Y,SAA14Y,EAAq5Y,cAAr5Y,EAAq6Y,sBAAr6Y,EAA07Y,SAA17Y,EAAq8Y,cAAr8Y,EAAq9Y,sBAAr9Y,EAA0+Y,SAA1+Y,EAAq/Y,cAAr/Y,EAAqgZ,sBAArgZ,EAA0hZ,SAA1hZ,EAAqiZ,cAAriZ,EAAqjZ,sBAArjZ,EAA0kZ,SAA1kZ,EAAqlZ,cAArlZ,EAAqmZ,sBAArmZ,EAA0nZ,SAA1nZ,EAAqoZ,cAAroZ,EAAqpZ,sBAArpZ,EAA0qZ,SAA1qZ,EAAqrZ,cAArrZ,EAAqsZ,sBAArsZ,EAA0tZ,SAA1tZ,EAAquZ,cAAruZ,EAAqvZ,sBAArvZ,EAA0wZ,SAA1wZ,EAAqxZ,cAArxZ,EAAqyZ,sBAAryZ,EAA0zZ,SAA1zZ,EAAq0Z,cAAr0Z,EAAq1Z,sBAAr1Z,EAA02Z,SAA12Z,EAAq3Z,cAAr3Z,EAAq4Z,sBAAr4Z,EAA05Z,SAA15Z,EAAq6Z,cAAr6Z,EAAq7Z,sBAAr7Z,EAA08Z,SAA18Z,EAAq9Z,cAAr9Z,EAAq+Z,sBAAr+Z,EAA0/Z,SAA1/Z,EAAqgaA,cAArgaA,EAAqhaA,sBAArhaA,EAA0iaA,SAA1iaA,EAAqjaA,cAArjaA,EAAqkaA,sBAArkaA,EAA0laA,SAA1laA,EAAqmaA,cAArmaA,EAAqnaA,sBAArnaA,EAA0oaA,SAA1oaA,EAAqpaA,cAArpaA,EAAqqaA,sBAArqaA,EAA0raA,SAA1raA,EAAqsaA,cAArsaA,EAAqtaA,sBAArtaA,EAA0uaA,SAA1uaA,EAAqvaA,cAArvaA,EAAqwaA,sBAArwaA,EAA0xaA,SAA1xaA,EAAqyaA,cAAryaA,EAAqzaA,sBAArzaA,EAA00aA,SAA10aA,EAAq1aA,cAAr1aA,EAAq2aA,sBAAr2aA,EAA03aA,SAA13aA,EAAq4aA,cAAr4aA,EAAq5aA,sBAAr5aA,EAA06aA,SAA16aA,EAAq7aA,cAAr7aA,EAAq8aA,sBAAr8aA,EAA09aA,SAA19aA,EAAq+aA,cAAr+aA,EAAq/aA,sBAAr/aA,EAA0gbA,SAA1gbA,EAAqhbA,cAArhbA,EAAqibA,sBAAribA,EAA0jbA,SAA1jbA,EAAqkbA,cAArkbA,EAAqlbA,sBAArlbA,EAA0mbA,SAA1mbA,EAAqnbA,cAArnbA,EAAqobA,sBAArobA,EAA0pbA,SAA1pbA,EAAqqbA,cAArqbA,EAAqrbA,sBAArrbA,EAA0sbA,SAA1sbA,EAAqtbA,cAArtbA,EAAqubA,sBAArubA,EAA0vbA,SAA1vbA,EAAqwbA,cAArwbA,EAAqxbA,sBAArxbA,EAA0ybA,SAA1ybA,EAAqzbA,cAArzbA,EAAq0bA,sBAAr0bA,EAA01bA,SAA11bA,EAAq2bA,cAAr2bA,EAAq3bA,sBAAr3bA,EAA04bA,SAA14bA,EAAq5bA,cAAr5bA,EAAq6bA,sBAAr6bA,EAA07bA,SAA17bA,EAAq8bA,cAAr8bA,EAAq9bA,sBAAr9bA,EAA0+bA,SAA1+bA,EAAq/bA,cAAr/bA,EAAqgcA,sBAArgcA,EAA0hcA,SAA1hcA,EAAqicA,cAAricA,EAAqjcA,sBAArjcA,EAA0kcA,SAA1kcA,EAAqlcA,cAArlcA,EAAqmcA,sBAArmcA,EAA0ncA,SAA1ncA,EAAqocA,cAArocA,EAAqpcA,sBAArpcA,EAA0qcA,SAA1qcA,EAAqrcA,cAArrcA,EAAqscA,sBAArscA,EAA0tcA,SAA1tcA,EAAqucA,cAArucA,EAAqvcA,sBAArvcA,EAA0wcA,SAA1wcA,EAAqxcA,cAArxcA,EAAqycA,sBAAryc,EAA0zcA,SAA1zcA,EAAq0cA,cAAr0cA,EAAq1cA,sBAAr1cA,EAA02cA,SAA12cA,EAAq3cA,cAAr3cA,EAAq4cA,sBAAr4cA,EAA05cA,SAA15cA,EAAq6cA,cAAr6cA,EAAq7cA,sBAAr7cA,EAA08cA,SAA18cA,EAAq9cA,cAAr9cA,EAAq+cA,sBAAr+cA,EAA0/cA,SAA1/cA,EAAqgdA,cAArgdA,EAAqhdA,sBAArhdA,EAA0idA,SAA1idA,EAAqjdA,cAArjdA,EAAqkdA,sBAArkdA,EAA0ldA,SAA1ldA,EAAqmdA,cAArmdA,EAAqndA,sBAArndA,EAA0odA,SAA1odA,EAAqpdA,cAArpdA,EAAqqdA,sBAArqdA,EAA0rdA,SAA1rdA,EAAqsdA,cAArsdA,EAAqtdA,sBAArtdA,EAA0udA,SAA1udA,EAAqvdA,cAArvdA,EAAqwdA,sBAArwdA,EAA0xdA,SAA1xdA,EAAqydA,cAAryd,EAAqzdA,sBAArzdA,EAA00dA,SAA10dA,EAAq1dA,cAAr1dA,EAAq2dA,sBAAr2dA,EAA03dA,SAA13dA,EAAq4dA,cAAr4dA,EAAq5dA,sBAAr5dA,EAA06dA,SAA16dA,EAAq7dA,cAAr7dA,EAAq8dA,sBAAr8dA,EAA09dA,SAA19dA,EAAq+dA,cAAr+dA,EAAq/dA,sBAAr/dA,EAA0geA,SAA1geA,EAAqheA,cAArheA,EAAqieA,sBAAriea,EAA0jeA,SAA1jeA,EAAqkeA,cAArkeA,EAAqleA,sBAArleA,EAA0meA,SAA1meA,EAAqneA,cAArneA,EAAqoeA,sBAAroeA,EAA0peA,SAA1peA,EAAqqeA,cAArqeA,EAAqreA,sBAArreA,EAA0seA,SAA1seA,EAAqteA,cAArteA,EAAqueA,sBAAruea,EAA0veA,SAA1veA,EAAqweA,cAArweA,EAAqxeA,sBAArxeA,EAA0yeA,SAA1yeA,EAAqzeA,cAArzeA,EAAq0eA,sBAAr0eA,EAA01eA,SAA11eA,EAAq2eA,cAAr2eA,EAAq3eA,sBAAr3eA,EAA04eA,SAA14eA,EAAq5eA,cAAr5eA,EAAq6eA,sBAAr6eA,EAA07eA,SAA17eA,EAAq8eA,cAAr8eA,EAAq9eA,sBAAr9eA,EAA0+eA,SAA1+eA,EAAq/eA,cAAr/eA,EAAqgfA,sBAArgfA,EAA0hfA,SAA1hfA,EAAqifA,cAArifA,EAAqjfA,sBAArjfA,EAA0kfA,SAA1kfA,EAAqlfA,cAArlfA,EAAqmfA,sBAArmfA,EAA0nfA,SAA1nfA,EAAqofA,cAArofA,EAAqpfA,sBAArpfA,EAA0qfA,SAA1qfA,EAAqrfA,cAArrfA,EAAqsfA,sBAArsfA,EAA0tfA,SAA1tfA,EAAqufA,cAArufA,EAAqvfA,sBAArvfA,EAA0wfA,SAA1wfA,EAAqxfA,cAArxfA,EAAqyfA,sBAAryfA,EAA0zfA,SAA1zfA,EAAq0fA,cAAr0fA,EAAq1fA,sBAAr1fA,EAA02fA,SAA12fA,EAAq3fA,cAAr3fA,EAAq4fA,sBAAr4fA,EAA05fA,SAA15fA,EAAq6fA,cAAr6fA,EAAq7fA,sBAAr7fA,EAA08fA,SAA18fA,EAAq9fA,cAAr9fA,EAAq+fA,sBAAr+fA,EAA0/fA,SAA1/fA,EAAqggA,cAArggA,EAAqhgA,sBAArhgA,EAA0igA,SAA1igA,EAAqjgA,cAArjgA,EAAqkgA,sBAArkgA,EAA0lgA,SAA1lgA,EAAqmgA,cAArmgA,EAAqngA,sBAArngA,EAA0ogA,SAA1ogA,EAAqpgA,cAArpgA,EAAqqgA,sBAArqgA,EAA0rgA,SAA1rgA,EAAqsgA,cAArsgA,EAAqtgA,sBAArtgA,EAA0ugA,SAA1ugA,EAAqvgA,cAArvgA,EAAqwgA,sBAArwgA,EAA0xgA,SAA1

0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,CAAjB,EAAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;MACX,C;KAfA,C;4GAiBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAS

ACX,C;wFAEA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;MACX,C;KAhBA,C;0FAkB

U,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA9IqB,GA8IP,sBAAK,CAAL,EA9IO,EAAnB,KA8IqB,CAAM,CAAN,CA9IF,CA8IrB,C;;MA9IT,OAgJO,I;IA/IX,C;8EAEA,yB;MAAA,gE;MkB3pZA,iB;MlB2pZA,8C;QAQI,WkB5pZO,MAAK,KlB4pZK,gBkB5pZL,ElB4pZW,KAAM,OkB5pZjB,C;QlB6pZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;8EAgBA,yB;MAAA,gE;MkB3qZA,iB;MlB2qZA,8C;QAQI,WkB5qZO,MAAK,KlB4qZK,gBkB5qZL,ElB4qZW,KAAM,OkB5qZjB,C;QlB6qZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MkB3rZA,iB;MlB2rZA,8C;QAQI,WkB5rZO,MAAK,KlB4rZK,gBkB5rZL,ElB4rZW,KAAM,OkB5rZjB,C;QlB6rZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;8EAgBA,yB;MAAA,gE;MkB3sZA,iB;MlB2sZA,8C;QAQI,WkB5sZO,MAAK,KlB4sZK,gBkB5sZL,ElB4sZW,KAAM,OkB5sZjB,C;QlB6sZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MkB3tZA,iB;MlB2tZA,8C;QAQI,WkB5tZO,MAAK,KlB4tZK,gBkB5tZL,ElB4tZW,KAAM,OkB5tZjB,C;QlB6tZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MkB3uZA,iB;MlB2uZA,8C;QAQI,WkB5uZO,MAAK,KlB4uZK,gBkB5uZL,ElB4uZW,KAAM,OkB5uZjB,C;QlB6uZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MkB3vZA,iB;MlB2vZA,8C;QAQI,WkB5vZO,MAAK,KlB4vZK,gBkB5vZL,ElB4vZW,KAAM,OkB5vZjB,C;QlB6vZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MkB3wZA,iB;MlB2wZA,8C;QAQI,WkB5wZO,MAAK,KlB4wZK,gBkB5wZL,ElB4wZW,KAAM,OkB5wZjB,C;QlB6wZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MkB3xZA,iB;MlB2xZA,8C;QAQI,WkB5xZO,MAAK,KlB4xZK,gBkB5xZL,ElB4xZW,KAAM,OkB5xZjB,C;QlB6xZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MkB3yZA,iB;MlB2yZA,8C;QAQI,WkB5yZO,MAAK,KlB4yZK,gBkB5yZL,ElB4yZW,KAAM,OkB5yZjB,C;QlB6yZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MkB3zZA,iB;MlB2zZA,8C;QAQI,WkB5zZO,MAAK,KlB4zZK,gBkB5zZL,ElB4zZW,KAAM,OkB5zZjB,C;QlB6zZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MkB30ZA,iB;MlB20ZA,8C;QAQI,WkB50ZO,MAAK,KlB40ZK,gBkB50ZL,ElB40ZW,KAAM,OkB50ZjB,C;QlB60ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MkB31ZA,iB;MlB21ZA,8C;QAQI,WkB51ZO,MAAK,KlB41ZK,gBkB51ZL,ElB41ZW,KAAM,OkB51ZjB,C;QlB61ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MkB32ZA,iB;MlB22ZA,8C;QAQI,WkB52ZO,MAAK,KlB42ZK,gBkB52ZL,ElB42ZW,KAAM,OkB52ZjB,C;QlB62ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MkB33ZA,iB;MlB23ZA,8C;QAQI,WkB53ZO,MAAK,KlB43ZK,gBkB53ZL,ElB43ZW,KAAM,OkB53ZjB,C;QlB63ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MkB34ZA,iB;MlB24ZA,8C;QAQI,WkB54ZO,MAAK,KlB44ZK,gBkB54ZL,ElB44ZW,KAAM,OkB54ZjB,C;QlB64ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MkB35ZA,iB;MlB25ZA,8C;QAQI,WkB55ZO,MAAK,KlB45ZK,gBkB55ZL,ElB45ZW,KAAM,OkB55ZjB,C;QlB65ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MkB35aA,iB;MlB25aA,8C;QAQI,WkB55aO,MAAK,KlB45aK,gBkB55aL,ElB45aW,KAAM,OkB55ajB,C;QlB65a

BApIzB,KAoIyB,EAAwB,EAAxB,CkBj+ZxB,ElBi+ZqD,SkBj+ZrD,ClBi+ZD,C;MACX,QAAQ,C;MACQ,OAtIL,KAsIK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxIqB,GAwIP,UAAK,UAAL,EAAK,kBAAL,SAAxIO,EAAwII,OAAxIJ,CAAwIrB,C;;MAAxIT,OA0IO,I;IAzIX,C;;MAuJoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5I5IzB,IA4I4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9IL,KA8IK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhJqB,GAgJP,UAAK,UAAL,EAAK,kBAAL,SAAhJO,EAAgJI,OAAhJJ,CAAgJrB,C;;MAAhJT,OAkJO,I;IAjJX,C;;MA+JoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApJ5IzB,IAoJ4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtJL,KAsJK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxJqB,GAwJP,UAAK,UAAL,EAAK,kBAAL,SAAxJO,EAAwJI,OAAxJJ,CAAwJrB,C;;MAAxJT,OA0JO,I;IAzJX,C;;MAuKoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5J5IzB,IA4J4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9JL,KA8JK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhKqB,GAgKP,UAAK,UAAL,EAAK,kBAAL,SAAhKO,EAAgKI,OAAhKJ,CAAgKrB,C;;MAAhKT,OAkKO,I;IAjKX,C;;MA+KoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApK5IzB,IAoK4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtKL,KAsKK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxKqB,GAwKP,UAAK,UAAL,EAAK,kBAAL,SAAxKO,EAAwKI,OAAxKJ,CAAwKrB,C;;MAAxKT,OA0KO,I;IAzKX,C;;MAuLoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5K5IzB,IA4K4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9KL,KA8KK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhLqB,GAgLP,UAAK,UAAL,EAAK,kBAAL,SAAhLO,EAAgLI,OAAhLJ,CAAgLrB,C;;MAAhLT,OAkLO,I;IAjLX,C;;MA+LoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApL5IzB,IAoL4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtLL,KAsLK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxLqB,GAwLP,UAAK,UAAL,EAAK,kBAAL,SAAxLO,EAAwLI,OAAxLJ,CAAwLrB,C;;MAAxLT,OA0LO,I;IAzLX,C;;MAuMoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5L5IzB,IA4L4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9LL,KA8LK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhMqB,GAgMP,UAAK,UAAL,EAAK,kBAAL,SAAhMO,EAAgMI,OAAhMJ,CAAgMrB,C;;MAAhMT,OAkMO,I;IAjMX,C;;MA+MoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApM5IzB,IAoM4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtML,KAsMK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxMqB,GAwMP,UAAK,UAAL,EAAK,kBAAL,SAAxMO,EAAwMI,OAAxMJ,CAAwMrB,C;;MAAxMT,OA0MO,I;IAzMX,C;;MAuNoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5M5IzB,IA4M4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9ML,KA8MK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhNqB,GAgNP,UAAK,UAAL,EAAK,kBAAL,SAAhNO,EAAgNI,OAAhNJ,CAAgNrB,C;;MAAhNT,OAkNO,I;IAjNX,C;;MA+NoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApN5IzB,IAoN4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtNL,KAsNK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxNqB,GAwNP,UAAK,UAAL,EAAK,kBAAL,SAAxNO,EAAwNI,OAAxNJ,CAAwNrB,C;;MAAxNT,OA0NO,I;IAzNX,C;;MAuOoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5N5IzB,IA4N4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9NL,KA8NK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhOqB,GAgOP,UAAK,UAAL,EAAK,kBAAL,SAAhOO,EAAgOI,OAAhOJ,CAAgOrB,C;;MAAhOT,OAkOO,I;IAjOX,C;;MA+OoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApO5IzB,IAoO4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtOL,KAsOK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxOqB,GAwOP,UAAK,UAAL,EAAK,kBAAL,SAAxOO,EAAwOI,OAAxOJ,CAAwOrB,C;;MAAxOT,OA0OO,I;IAzOX,C;;MAuPoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5O5IzB,IA4O4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9OL,KA8OK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhPqB,GAgPP,UAAK,UAAL,EAAK,kBAAL,SAAhPO,EAAgPI,OAAhPJ,CAAgPrB,C;;MAAhPT,OAkPO,I;IAjPX,C;;MA+PoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApP5IzB,IAoP4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtPL,KAsPK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxPqB,GAwPP,UAAK,UAAL,EAAK,kBAAL,SAAxPO,EAAwPI,OAAxPJ,CAAwPrB,C;;MAAxPT,OA0PO,I;IAzPX,C;;MAuQoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5P5IzB,IA4P4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9PL,KA8PK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhQqB,GAgQP,UAAK,UAAL,EAAK,kBAAL,SAAhQO,EAAgQI,OAAhQJ,CAAgQrB,C;;MAAhQT,OAkQO,I;IAjQX,C;;MA+QoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApQ5IzB,IAoQ4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtQL,KAsQK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxQqB,GAwQP,UAAK,UAAL,EAAK,kBAAL,SAAxQO,EAAwQI,OAAxQJ,CAAwQrB,C;;MAAxQT,OA0QO,I;IAzQX,C;;MAuRoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5Q5IzB,IA4Q4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9QL,KA8QK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhRqB,GAgRP,UAAK,UAAL,EAAK,kBAAL,SAAhRO,EAAgRI,OAAhRJ,CAAgRrB,C;;MAAhRT,OAkRO,I;IAjRX,C;;MA+RoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApR5IzB,IAoR4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtRL,KAsRK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxRqB,GAwRP,UAAK,UAAL,EAAK,kBAAL,SAAxRO,EAAwRI,OAAxRJ,CAAwRrB,C;;MAAxRT,OA0RO,I;IAzRX,C;;MAuSoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5R5IzB,IA4R4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9RL,KA8RK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhSqB,GAgSP,UAAK,UAAL,EAAK,kBAAL,SAAhSO,EAAgSI,OAAhSJ,CAAgSrB,C;;MAAhST,OAkSO,I;IAjSX,C;;MA+SoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApS5IzB,IAoS4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtSL,KAsSK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxSqB,GAwSP,UAAK,UAAL,EAAK,kBAAL,SAAxSO,EAAwSI,OAAxSJ,CAAwSrB,C;;MAAxST,OA0SO,I;IAzSX,C;;MAuToB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5S5IzB,IA4S4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9SL,KA8SK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhTqB,GAgTP,UAAK,UAAL,EAAK,kBAAL,SAAhTO,EAAgTI,OAAhTJ,CAAgTrB,C;;MAAhTT,OAkTO,I;IAjTX,C;;MA+ToB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApT5IzB,IAoT4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtTL,KAsTK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxTqB,GAwTP,UAAK,UAAL,EAAK,kBAAL,SAAxTO,EAAwTI,OAAxTJ,CAAwTrB,C;;MAAxTT,OA0TO,I;IAzTX,C;;MAuUoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5T5IzB,IA4T4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9TL,KA8TK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhUqB,GAgUP,UAAK,UAAL,EAAK,kBAAL,SAAhUO,EAAgUI,OAAhUJ,CAAgUrB,C;;MAAhUT,OAkUO,I;IAjUX,C;;MA+UoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApU5IzB,IAoU4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtUL,KAsUK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxUqB,GAwUP,UAAK,UAAL,EAAK,kBAAL,SAAxUO,EAAwUI,OAAxUJ,CAAwUrB,C;;MAAxUT,OA0UO,I;IAzUX,C;;MAuVoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5U5IzB,IA4U4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9UL,KA8UK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhVqB,GAgVP,UAAK,UAAL,EAAK,kBAAL,SAAhVO,EAAgVI,OAAhVJ,CAAgVrB,C;;MAAhVT,OAkVO,I;IAjVX,C;;MA+VoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApV5IzB,IAoV4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtVL,KAsVK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxVqB,GAwVP,UAAK,UAAL,EAAK,kBAAL,SAAxVO,EAAwVI,OAAxVJ,CAAwVrB,C;;MAAxVT,OA0VO,I;IAzVX,C;;MAuWoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5V5IzB,IA4V4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9VL,KA8VK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhWqB,GAgWP,UAAK,UAAL,EAAK,kBAAL,SAAhWO,EAAgWI,OAAhWJ,CAAgWrB,C;;MAAhWT,OAkWO,I;IAjWX,C;;MA+WoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApW5IzB,IAoW4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtWL,KAsWK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxWqB,GAwWP,UAAK,UAAL,EAAK,kBAAL,SAAxWO,EAAwWI,OAAxWJ,CAAwWrB,C;;MAAxWT,OA0WO,I;IAzWX,C;;MAuXoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5W5IzB,IA4W4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9WL,KA8WK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhXqB,GAgXP,UAAK,UAAL,EAAK,kBAAL,SAAhXO,EAAgXI,OAAhXJ,CAAgXrB,C;;MAAhXT,OAkXO,I;IAjXX,C;;MA+XoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApX5IzB,IAoX4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtXL,KAsXK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxXqB,GAwXP,UAAK,UAAL,EAAK,kBAAL,SAAxXO,EAAwXI,OAAxXJ,CAAwXrB,C;;MAAxXT,OA0XO,I;IAzXX,C;;MAuYoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5X5IzB,IA4X4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9XL,KA8XK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhYqB,GAgYP,UAAK,UAAL,EAAK,kBAAL,SAAhYO,EAAgYI,OAAhYJ,CAAgYrB,C;;MAAhYT,OAkYO,I;IAjYX,C;;MA+YoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApY5IzB,IAoY4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtYL,KAsYK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxYqB,GAwYP,UAAK,UAAL,EAAK,kBAAL,SAAxYO,EAAwYI,OAAxYJ,CAAwYrB,C;;MAAxYT,OA0YO,I;IAzYX,C;;MAuZoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5Y5IzB,IA4Y4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9YL,KA8YK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhZqB,GAgZP,UAAK,UAAL,EAAK,kBAAL,SAAhZO,EAAgZI,OAAhZJ,CAAgZrB,C;;MAAhZT,OAkZO,I;IAjZX,C;;MA+ZoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApZ5IzB,IAoZ4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtZL,KAsZK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxZqB,GAwZP,UAAK,UAAL,EAAK,kBAAL,SAAxZO,EAAwZI,OAAxZJ,CAAwZrB,C;;MAAxZT,OA0ZO,I;IAzZX,C;;MAuaoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5Z5IzB,IA4Z4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9ZL,KA8ZK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhaqB,GAgaP,UAAK,UAAL,EAAK,kBAAL,SAAhaO,EAAgaI,OAAhaJ,CAAgarB,C;;MAAhaT,OAkaO,I;IAjaX,C;;MA+aoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApa5IzB,IAoa4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtaL,KAsaK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxaqB,GAwaP,UAAK,UAAL,EAAK,kBAAL,SAAxaO,EAAwaI,OAAxaJ,CAAwarB,C;;MAAxaT,OA0aO,I;IAzaX,C;;MAubqB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5a5IzB,IA4a4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9aL,KA8aK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhbqB,GAgbP,UAAK,UAAL,EAAK,kBAAL,SAAhbO,EAAgbI,OAAhbJ,CAAgbrB,C;;MAAhbT,OAkbO,I;IAjbX,C;;MA+boB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApb5IzB,IAob4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtbL,KAsbK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxbqB,GAwbP,UAAK,UAAL,EAAK,kBAAL,SAAxbO,EAAwbI,OAAxbJ,CAAwbrB,C;;MAAxbT,OA0bO,I;IAzbX,C;;MAucqB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5b5IzB,IA4b4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9bL,KA8bK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhcqB,GAgcP,UAAK,UAAL,EAAK,kBAAL,SAAhcO,EAAgcI,OAAhcJ,CAAgcrB,C;;MAAhcT,OAkcO,I;IAjcX,C;;MA+coB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApc5IzB,IAoc4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtcL,KAscK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxcqB,GAwcP,UAAK,UAAL,EAAK,kBAAL,SAAxcO,EAAwcI,OAAxcJ,CAAwcrB,C;;MAAxcT,OA0cO,I;IAzcX,C;;MAudqB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5c5IzB,IA4c4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9cL,KA8cK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhdqB,GAgdP,UAAK,UAAL,EAAK,kBAAL,SAAhdO,EAAgdI,OAAhdJ,CAAgdrB,C;;MAAhdT,OAkdO,I;IAjdX,C;;MA+doB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApd5IzB,IAod4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtdL,KAsdK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxdqB,GAwdP,UAAK,UAAL,EAAK,kBAAL,SAAxdO,EAAwdI,OAAxdJ,CAAwdrB,C;;MAAxdT,OA0dO,I;IAzdX,C;;MAuepB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5e5IzB,IA4e4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9eL,KA8eK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhfqB,GAgfP,UAAK,UAAL,EAAK,kBAAL,SAAhfO,EAAgfI,OAAhfJ,CAAgfrB,C;;MAAhfT,OAkfO,I;IAjfX,C;;MA+foB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApf5IzB,IAof4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtfL,KAsfK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxfqB,GAwfP,UAAK,UAAL,EAAK,kBAAL,SAAxfO,EAAwfI,OAAxfJ,CAAwfrB,C;;MAAxfT,OA0fO,I;IAzfX,C;;MAugBoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5f5IzB,IA4f4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9fL,KA8fK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhgBqB,GAgfP,UAAK,UAAL,EAAK,kBAAL,SAAhgBO,EAAgfI,OAAhfJ,CAAgfrB,C;;MAAhfT,OAkgBO,I;IAjgBX,C;;MA+gBoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApgB5IzB,IAogB4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtgBL,KAsgBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxgBqB,GAwgBP,UAAK,UAAL,EAAK,kBAAL,SAAxgBO,EAAwgBI,OAAxgBJ,CAAwgBrB,C;;MAAxgBT,OA0gBO,I;IAzgBX,C;;MAuhBoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBA5gB5IzB,IA4gB4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OA9gBL,KA8gBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhhBqB,GAghBP,UAAK,UAAL,EAAK,kBAAL,SAAhhBO,EAAghBI,OAAhhBJ,CAAghBrB,C;;MAAhhBT,OAkhBO,I;IAjhBX,C;;MA+hBoB,gB;MAAhH,gBAAgB,gB;MAAhB,ChB,WAAW,iBkBn/ZJ,MAAK,KlBm/ZwB,wBApgB5IzB,IAogB4IyB,EAAwB,EAAxB,CkBn/ZxB,ElBm/ZqD,SkBn/ZrD,ClBm/ZD,C;MACX,QAAQ,C;MACQ,OAtgBL,KAsgBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SA

A,iB;MlBqhaA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBvhaJ,MAAK,KlBuhawB,wBAAN,KAAM,EAAwB,EAAxB,CkBvhaxB,ElBuhaqD,SkBvharD,ClBuhaD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,sBAAK,UAAAL,EAAK,kBAAL,UAAAV,EAAK,EAAqB,OAAAR,B,CAAA,C;;QAAE,T,OAAA,O,I;MACX,C;KAAhB,BA,C;;MA0GI,WkBxnaO,MAAK,KlBwnaK,gBkBxnaL,ElBuiaD,KAiFkB,OkBxnajB,C;MlBynaZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApFqB,GAAoF,UAAK,CAAL,EAAK,EAAnB,KAAoB,GAAqB,CAAM,CAAN,EAAM,CAAN,EAAM,CAAN,E

AAM,CAAN,EAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;;MAwB8D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YA0B,K;MAAO,yB;QAAA,YAAoC,I;MAGvN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KA1B,C;UACW,gBAAP,MAAO,EAAc,OAAd,EAAuB,SAAvB,C;;;UACJ,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAUwD,yB;QAAA,YA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KA1B,C;UACW,gBAAP,MAAO,EAAc,OAAd,EAAuB,SAAvB,C;;;UACJ,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAUuD,yB;QAAA,YA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YA0B,K;MAAO,yB;QAAA,YAAwC,I;MAGt

AAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAUwD,yB;QAAA,YAA0B,I;MA
AM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;
MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,S
AAhB,gB;QAAgB,cAAhB,UAAgB,SAAhB,O;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;Q
ACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,oBAAV,
CAAP,C;;YAEP,MAAO,gBAAO,OAAP,C;;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KA1B,C;QAAi
C,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAUyC,yB;QAAA,Y
AA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,
YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MAClN,OAAO,kBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EA
A2C,OAA3C,EAAoD,KApD,EAA2D,SA3D,EAAsE,SAAtE,CAAiF,W;IAC5F,C;;MAUkC,yB;QAAA,YA0B
,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YA0
B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,kBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,O
AA3C,EAAoD,KApD,EA2D,SA3D,EAAsE,SAAtE,CAAiF,W;IAC5F,C;;MAUmC,yB;QAAA,YA0B,I;MAAM,
sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YA0B,K;MAAO
,yB;QAAA,YAAwC,I;MAC5N,OAAO,kBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAA
oD,KApD,EA2D,SA3D,EAAsE,SAAtE,CAAiF,W;IAC5F,C;;MAUiC,yB;QAAA,YA0B,I;MAAM,sB;QAAA,
SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YA0B,K;MAAO,yB;QAAA,
YAAsC,I;MAC5M,OAAO,kBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAA
pD,EA2D,SA3D,EAAsE,SAAtE,CAAiF,W;IAC5F,C;;MAUkC,yB;QAAA,YA0B,I;MAAM,sB;QAAA,SAAuB,E;M
AAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YA0B,K;MAAO,yB;QAAA,YAAuC,I;
MAClN,OAAO,kBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KApD,EA2D,SA
3D,EAAsE,SAAtE,CAAiF,W;IAC5F,C;;MAUqC,yB;QAAA,YA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;
QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YA0B,K;MAAO,yB;QAAA,YA0C,I;MACpN,OAA
O,kBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KApD,EA2D,SA3D,EAAsE,SA
AtE,CAAiF,W;IAC5F,C;;MAUkC,yB;QAAA,YA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;
MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,kBAAO,sBA
AP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KApD,EA2D,SA3D,EAAsE,SAAtE,CAAiF,W;
IAC5F,C;;MAUmC,yB;QAAA,YA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QA
AA,QAAa,E;MAAI,yB;QAAA,YA0B,K;MAAO,yB;QAAA,YAAwC,I;MAC5N,OAAO,kBAAO,sBAAP,EAAwB,
SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KApD,EA2D,SA3D,EAAsE,SAAtE,CAAiF,W;IAC5F,C;;
MAUoC,yB;QAAA,YA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,
E;MAAI,yB;QAAA,YA0B,K;MAAO,yB;QAAA,YAAyC,I;MAClO,OAAO,kBAAO,sBAAP,EAAwB,SAAxB,EAAmC
,MAAnC,EAA2C,OAA3C,EAAoD,KApD,EA2D,SA3D,EAAsE,SAAtE,CAAiF,W;IAC5F,C;;MAUqC,yB;QA
AA,QAAa,E;MAAI,yB;QAAA,YA0B,K;MAAO,yB;QAAA,YAAuC,I;MACpN,OAAO,kBAAO,sBAAP,EAAwB,
SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KApD,EA2D,SA3D,EAAsE,SAAtE,CAAiF,W;IAC5F,C;;
MAUkC,yB;QAAA,YA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,
E;MAAI,yB;QAAA,YA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,kBAAO,sBAAP,EAAwB,SAAxB,EAAmC
,MAAnC,EAA2C,OAA3C,EAAoD,KApD,EA2D,SA3D,EAAsE,SAAtE,CAAiF,W;IAC5F,C;;MAUmC,yB;QAA
AA,QAAa,E;MAAI,yB;QAAA,YA0B,K;MAAO,yB;QAAA,YAAwC,I;MAC5N,OAAO,kBAAO,sBAAP,EAAwB,
SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KApD,EA2D,SA3D,EAAsE,SAAtE,CAAiF,W;IAC5F,C;;
MAUoC,yB;QAAA,YA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,
E;MAAI,yB;QAAA,YA0B,K;MAAO,yB;QAAA,YAAyC,I;MAClO,OAAO,kBAAO,sBAAP,EAAwB,SAAxB,EAAmC
,MAAnC,EAA2C,OAA3C,EAAoD,KApD,EA2D,SA3D,EAAsE,SAAtE,CAAiF,W;IAC5F,C;;MAUqC,yB;QA
AA,QAAa,E;MAAI,yB;QAAA,YA0B,K;MAAO,yB;QAAA,YA0C,I;MACpN,OAAO,kBAAO,sBAAP,EAAwB,
SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KApD,EA2D,SA3D,EAAsE,SAAtE,CAAiF,W;IAC5F,C;;
MAUkC,yB;QAAA,YA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,
E;MAAI,yB;QAAA,YA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,kBAAO,sBAAP,EAAwB,SAAxB,EAAmC
,MAAnC,EAA2C,OAA3C,EAAoD,KApD,EA2D,SA3D,EAAsE,SAAtE,CAAiF,W;IAC5F,C;;MAUmC,yB;QAAA
AA,QAAa,E;MAAI,yB;QAAA,YA0B,K;MAAO,yB;QAAA,YAAwC,I;MAC5N,OAAO,kBAAO,sBAAP,EAAwB,
SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KApD,EA2D,SA3D,EAAsE,SAAtE,CAAiF,W;IAC5F,C;;
MAUoC,yB;QAAA,YA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,
E;MAAI,yB;QAAA,YA0B,K;MAAO,yB;QAAA,YAAyC,I;MAClO,OAAO,kBAAO,sBAAP,EAAwB,SAAxB,EAAmC
,MAAnC,EAA2C,OAA3C,EAAoD,KApD,EA2D,SA3D,EAAsE,SAAtE,CAAiF,W;IAC5F,C;;MAUqC,yB;QA
AA,QAAa,E;MAAI,yB;QAAA,YA0B,K;M

C;IAAA,C;;MADhB,IAx9OO,qBAAQ,CAw9Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA19OO,qBAAQ,CA09Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,wBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA59OO,qBAAQ,CA49Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA99OO,qBAAQ,CA89Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAh+OO,qBAAQ,CAg+Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAl+OO,qBAAQ,CAk+Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAp+OO,qBAAQ,CAo+Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAt+OO,qBAAQ,CAs+Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAx+OO,qBAAQ,CAw+Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA1+OO,qBAAQ,CA0+Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA5+OO,qBAAQ,CA4+Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA9+OO,qBAAQ,CA8+Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAh/OO,qBAAQ,CAg/Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAl/OO,qBAAQ,CAk/Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAp/OO,qBAAQ,CAo/Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAt/OO,qBAAQ,CAs/Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAx/OO,qBAAQ,CAw/Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA1/OO,qBAAQ,CA0/Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA5/OO,qBAAQ,CA4/Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA9/OO,qBAAQ,CA8/Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAhgPO,qBAAQ,CAggPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAlgPO,qBAAQ,CAkgPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IApgPO,qBAAQ,CAogPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAtgPO,qBAAQ,CAsgPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAxgPO,qBAAQ,CAwgPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA1gPO,qBAAQ,CA0gPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA5gPO,qBAAQ,CA4gPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA9gPO,qBAAQ,CA8gPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAhhPO,qBAAQ,CAghPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAlhPO,qBAAQ,CAkhPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAphPO,qBAAQ,CAohPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAthPO,qBAAQ,CAshPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAxhPO,qBAAQ,CAwhPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA1hPO,qBAAQ,CA0hPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA5hPO,qBAAQ,CA4hPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA9hPO,qBAAQ,CA8hPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAhiPO,qBAAQ,CAgiPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAliPO,qBAAQ,CAkiPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IApiPO,qBAAQ,CAoiPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAtiPO,qBAAQ,CAsiPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAxiPO,qBAAQ,CAwiPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA1iPO,qBAAQ,CA0iPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA5iPO,qBAAQ,CA4iPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA9iPO,qBAAQ,CA8iPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAhjPO,qBAAQ,CAgjPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAljPO,qBAAQ,CAkjPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IApjPO,qBAAQ,CAojPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAtjPO,qBAAQ,CAsjPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAxjPO,qBAAQ,CAwjPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA1jPO,qBAAQ,CA0jPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA5jPO,qBAAQ,CA4jPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA9jPO,qBAAQ,CA8jPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAhkPO,qBAAQ,CAgkPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAlkPO,qBAAQ,CAkkPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IApkPO,qBAAQ,CAokPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAtkPO,qBAAQ,CAskPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAxkPO,qBAAQ,CAwkPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA1kPO,qBAAQ,CA0kPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA5kPO,qBAAQ,CA4kPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA9kPO,qBAAQ,CA8kPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAhlPO,qBAAQ,CAglPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAllPO,qBAAQ,CAklPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAplPO,qBAAQ,CAolPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAtlPO,qBAAQ,CAslPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAxlPO,qBAAQ,CAwlPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA1lPO,qBAAQ,CA0lPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA5lPO,qBAAQ,CA4lPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA9lPO,qBAAQ,CA8lPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAhmPO,qBAAQ,CAgmPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAlmPO,qBAAQ,CAkmPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IApmPO,qBAAQ,CAomPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAtmPO,qBAAQ,CAsmPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAxmPO,qBAAQ,CAwmPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA1mPO,qBAAQ,CA0mPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA5mPO,qBAAQ,CA4mPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA9mPO,qBAAQ,CA8mPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAhnPO,qBAAQ,CAgnPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAlnPO,qBAAQ,CAknPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IApnPO,qBAAQ,CAonPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAtnPO,qBAAQ,CAsnPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAxnPO,qBAAQ,CAwnPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA1nPO,qBAAQ,CA0nPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA5nPO,qBAAQ,CA4nPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA9nPO,qBAAQ,CA8nPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAhoPO,qBAAQ,CAgoPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAloPO,qBAAQ,CAkoPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IApoPO,qBAAQ,CAooPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAtoPO,qBAAQ,CAsoPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAxoPO,qBAAQ,CAwoPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA1oPO,qBAAQ,CA0oPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA5oPO,qBAAQ,CA4oPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA9oPO,qBAAQ,CA8oPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAhpPO,qBAAQ,CAgpPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAlpPO,qBAAQ,CAkpPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAppPO,qBAAQ,CAopPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAtpPO,qBAAQ,CAspPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAxpPO,qBAAQ,CAwpPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA1pPO,qBAAQ,CA0pPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA5pPO,qBAAQ,CA4pPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA9pPO,qBAAQ,CA8pPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAhqPO,qBAAQ,CAgqPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAlqPO,qBAAQ,CAkqPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IApqPO,qBAAQ,CAoqPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAtqPO,qBAAQ,CAsqPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAxqPO,qBAAQ,CAwqPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA1qPO,qBAAQ,CA0qPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA5qPO,qBAAQ,CA4qPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA9qPO,qBAAQ,CA8qPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAhrPO,qBAAQ,CAgrPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAlrPO,qBAAQ,CAkrPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAprPO,qBAAQ,CAorPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAtrPO,qBAAQ,CAsrPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAxrPO,qBAAQ,CAwrPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA1rPO,qBAAQ,CA0rPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA5rPO,qBAAQ,CA4rPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA9rPO,qBAAQ,CA8rPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAhsPO,qBAAQ,CAgsPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAlsPO,qBAAQ,CAksPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IApsPO,qBAAQ,CAosPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAtsPO,qBAAQ,CAssPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAxsPO,qBAAQ,CAwsPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA1sPO,qBAAQ,CA0sPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA5sPO,qBAAQ,CA4sPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA9sPO,qBAAQ,CA8sPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAhtPO,qBAAQ,CAgtPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAltPO,qBAAQ,CAktPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAptPO,qBAAQ,CAotPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAttPO,qBAAQ,CAstPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAxtPO,qBAAQ,CAwtPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA1tPO,qBAAQ,CA0tPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA5tPO,qBAAQ,CA4tPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA9tPO,qBAAQ,CA8tPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAhuPO,qBAAQ,CAguPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAluPO,qBAAQ,CAkuPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IApuPO,qBAAQ,CAouPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAtuPO,qBAAQ,CAsuPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAxuPO,qBAAQ,CAwuPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA1uPO,qBAAQ,CA0uPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA5uPO,qBAAQ,CA4uPf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA9uPO,qBAAQ,CA8uPf,C;QAAe,OAAO,e;MACtB,kCAA

EX,OAAO,G;IACX,C;;MY7qcuF,wC;IARvF,C;IAAA,0D;MAS2C,8B;IAAA,C;IAT3C,gF;;MOcI,OAAO,sBAAI,CAAJ,C;IACX,C;;MAOI,OAAO,sBAAI,CAAJ,C;IACX,C;;MAOI,OAAO,sBAAI,CAAJ,C;IACX,C;;MAOI,OAAO,sBAAI,CAAJ,C;IACX,C;;MAOI,OAAO,sBAAI,CAAJ,C;IACX,C;;MAMI,IAAI,oCAAJ,C;QACI,OAAO,yBAAS,OAAT,C;MACX,OAAO,qBAAQ,OAAR,EAAQ,KAAR,oB,C;IAC/B,OAAR,C;;MAUkC,qB;QAAE,MAAM,8BAA0B,iDAA8C,aAA9C,MAA1B,C;MAAR,C;IAAA,C;;MAAF,8BAAI,8BAAJ,C;QAAI,OAAO,yBAAS,OAAT,C;MAAP

AS,cAAhB,C;UACI,cAAc,QAAS,W;UACvB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAAuB,kDAAAvB,C;MACV,C;KAXA,C;;MAoBiB,Q;MAHb,IAAI,8BAAJ,C;QAAkB,OAAO,SAAK,mBAAAY,OAAZ,C;MAC9B,gBAAAgB,E;MAChB,YAAAY,C;MACC,2B;MAAb,OAAa,cAAAb,C;QAAa,sB;QACT,mBAAAmB,KAAnB,C;QACA,IAAI,gBAAAW,IAAAX,CAAJ,C;UACI,YAAAY,K;QAChB,qB;;MAEJ,OAAO,S;IACX,C;;MAOI,OAAO,4BAAAY,OAAAZ,C;IACX,C;;MAOQ,kBADE,SACF,Q;QAAW,OAAAW,W,mBAAAE,IAAAC,gBAAAC,sBAAAC,iBAAAC,OAAAC,QAAAC,OAAAC,SAAAC,OAAAC,QAAAC,OAAAC,SAAAC,OAAAC,QAAAC,OAAAC,S

E/C,OAAO,W;MACX,C;KAVA,C;wGAYA,yB;MAAA,+D;MAAA,sC;QAIW,kBAAmB,gB;QAOV,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,YAAJ,C;YAAkB,WAAY,WAAI,OAAJ,C;;QAPpD,OAQO,W;MAPX,C;KALA,C;;MAWoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,YAAJ,C;UAAkB,WAAY,WAAI,OAAJ,C;;MACpD,OAAO,W;IACX,C;0FAEA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAsBH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAtBS,SAsBR,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAtBH,OAuBO,W;MAtBX,C;KALA,C;;MAWI,OAAO,6BAAgB,gBAAhB,C;IACX,C;;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAAY,WAAI,OAAJ,C;;MAMvD,OAAO,W;IACX,C;;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAMvD,OAAO,W;IACX,C;;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAMvD,OAAO,W;IACX,C;;MAMI,OAAO,W;IACX,C;;MAMI,OAAO,W;IACX,C;;MAMI

AAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MIiyBf,sC;QAMI,OAAO,mDJvyBI,2BIuyB2B,QJvyB3B,CIuyBJ,E;MACX,C;KAPA,C;;MAeI,OAAO,wBAAW,cAAX,C;IACX,C;;MAWe,Q;MAHX,IAAI,oCAAJ,C;QACG,IAAI,kBAAQ,CAAZ,C;UAAe,OAAY,SAAL,SAAK,C;QAEe,kBAAlC,sBCr6BuD,sBDq6BvD,uB;QAA0C,iC;QAAlD,OAAyE,OFj2BrE,WEi2BqE,C;;MAErD,kBAAhB,0B;MAAwB,mC;MAA/B,OFn2BO,W;IEo2BX,C;;MAQoB,UACL,M;MAHX,aAAa,oBAAa,cAAb,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,EAAO,YAAkB,O;;MACtB,OAAO,M;IACX,C;;MAQoB,UACL,M;MAHX,aAAa,cAAb,EAAa,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,EAAO,YAAkB,O;;MACtB,OAAO,M;IACX,C;;MAQoB,UACL,M;MAHX,aAAa,iB

Y,EAAO,IAAP,C;;QAThB,OAWO,W;MAVX,C;KALA,C;0FAOA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;MACX,C;KATA,C;uFAWA,yB;MAAA,wE;MAyBA,+D;MAzBA,yC;QASW,kBAAU,oB;QAyBD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA1BiD,WA0BvC,CAAY,OAAZ,C;UZj8BP,U;UADP,YYm8Be,WZn8BH,WYm8BwB,GZn8BxB,C;UACL,IAAI,aAAJ,C;YACH,aYi8BuC,gB;YAA5B,WZh8BX,aYg8BgC,GZh8BhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UY67BA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5BT,OA8BO,W;MA7BX,C;KAVA,C;uFAYA,yB;MAAA,wE;MA8BA,+D;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA/BiD,WA+BvC,CAAY,OAAZ,C;UZn9BP,U;UADP,YYq9Be,WZr9BH,WYq9BwB,GZr9BxB,C;UACL,IAAI,aAAJ,C;YACH,aYm9BuC,gB;YAA5B,WZl9BX,aYk9BgC,GZl9BhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UY+8BA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAjCT,OAmCO,W;MAlCX,C;KAXA,C;2FAaA,iB;MAAA,sE;QAAU,oB;QAmCD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UZj8BP,U;UADP,YYm8Be,WZn8BH,WYm8BwB,GZn8BxB,C;UACL,IAAI,aAAJ,C;YACH,aYi8BuC,gB;YAA5B,WZh8BX,aYg8BgC,GZh8BhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UY67BA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtCT,OAwCO,W;MAvCX,C;KAZA,C;2FAcA,yB;MAAA,wE;MAwCA,+D;MAxCA,yC;QAWW,kBAAU,oB;QAwCD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UZn9BP,U;UADP,YYq9Be,WZr9BH,WYq9BwB,GZr9BxB,C;UACL,IAAI,aAAJ,C;YACH,aYm9BuC,gB;YAA5B,WZl9BX,aYk9BgC,GZl9BhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UY+8BA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA3CT,OA6CO,W;MA5CX,C;KAbA,C;2FAeA,yB;MAAA,wE;MA6CA,+D;MA7CA,yC;QAYW,kBAAU,oB;QA6CD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UZj8BP,U;UADP,YYm8Be,WZn8BH,WYm8BwB,GZn8BxB,C;UACL,IAAI,aAAJ,C;YACH,aYi8BuC,gB;YAA5B,WZh8BX,aYg8BgC,GZh8BhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UY67BA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7CT,OA+CO,W;MA9CX,C;KAdA,C;2FAgBA,yB;MAAA,wE;MA+CA,+D;MA/CA,yC;QAaW,kBAAU,oB;QA+CD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UZn9BP,U;UADP,YYq9Be,WZr9BH,WYq9BwB,GZr9BxB,C;UACL,IAAI,aAAJ,C;YACH,aYm9BuC,gB;YAA5B,WZl9BX,aYk9BgC,GZl9BhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UY+8

C5B,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,I;;QACrD,OAAO,K;MACX,C;KATA,C;;MAiBoB,Q;MAFhB,IAAI,oCAAJ,C;QAAwB,OAAO,c;MAC/B,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,oBAAmB,qBAAnB,EAAmB,KAAnB,E;;MACtB,OAAO,K;IACX,C;;MAOI,OAAO,c;IACX,C;mFAEA,yB;MAAA,gD;MAAA,wE;MAAA,uC;QAMoB,Q;QAFhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,C;QAC5C,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,oBAAmB,qBAAnB,EAAmB,KAAnB,E;;QAC9C,OAAO,K;MACX,C;KAXA,C;;MAaoB,Q;MADhB,kBAAkB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,EAAgC,C;;QAEpE,OAAO,W;IACX,C;8FAEA,yB;MAAA,wE;MAAA,gD;QASoB,sBAAqB,kBAArB,EAAqB,KAArB,E;QAAuB,OAAO,K;MAClD,YAAY,C;QACZ,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,cAAc,UAAU,oBAAmB,cAAnB,EAAmB,KAAnB,EAA4B,sBAAqB,kBAArB,EAAqB,KAArB,EAA8B,UAAU,WAAV,EAAuB,OAAvB,EAAgC,OAAO,C;;QAEtI,OAAO,W;IACX,C;KAKA,C;;MAAA,kBAAkB,O;MAClB,IAAI,CAAC,mBAAL,C;QAAyB,eAAe,+BAAa,C;QAAb,OAAa,cAAb,C;UAAa,yB;UAAM,OAAO,W;QAAb,C;;MACxC,OAAO,W;IACX,C;;MAAA,OAAO,W;IACX,C;;MAAA,OAAO,W;IACX,C;;MAAA

C,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;IACJ,C;oFAEA,yB
;MAAA,4F;MAAA,uC;QAII,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,MAAM,mCAA8B,o
CAA9B,C;QAC/B,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,WAAV,EAAuB,QA
AS,OAAhC,C;;QAElB,OAAO,W;MACX,C;KAXA,C;kGAaA,yB;MAAA,4F;MAAA,wE;MAAA,uC;QAYmD,Q;
QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,MAAM,mCAA8B,oCAA9B,C;QAC/B,Y
AAY,C;QACZ,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAmB,YAAnB,EA
AmB,oBAAnB,QAAV,EAAuC,WAAvC,EAAoD,QAAS,OAA7D,C;;QAElB,OAAO,W;MACX,C;KAfA,C;8FAiB
A,yB;MAAA,4F;MAAA,uC;QAII,eAAe,+BAAa,cAAb,C;QACf,IAAI,CAAC,QAAS,cAAd,C;UACI,MAAM,mCA
A8B,8BAA9B,C;QACV,kBAAqB,QAAS,W;QAC9B,OAAO,QAAS,cAAhB,C;UACI,cAAc,UAAU,QAAS,WAAn
B,EAA+B,WAA/B,C;;QAElB,OAAO,W;MACX,C;KAZA,C;4GAcA,yB;MAAA,4F;MAAA,uC;QAOI,eAAe,+BA
Aa,cAAb,C;QACf,IAAI,CAAC,QAAS,cAAd,C;UACI,MAAM,mCAA8B,8BAA9B,C;QACV,kBAAqB,QAAS,W;
QAC9B,OAAO,QAAS,cAAhB,C;UACI,YAAY,QAAS,gB;UACrB,cAAc,UAAU,KAAV,EAAiB,QAAS,WA1B,
EAAsC,WAAtC,C;;QAElB,OAAO,W;MACX,C;KAhBA,C;;MAuBoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,O
AAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;IACX,C;;MAOoB,Q;MADh
B,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,
G;IACX,C;;MAMoB,UAMT,M;MANS,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,eAAJ,C;UACI,M
AAM,gCAAyB,2BAAwB,SAAxB,MAAzB,C;;;MAId,OAAO,mE;IACX,C;;MAMoB,UAMT,M;MANS,2B;MAAh
B,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAAyB,2BAAwB,SAAxB,MAAzB,C;;;M
AId,OAAO,+D;IACX,C;;MAaI,OAAO,oBAAS,IAAT,EAAe,IAAf,EAAsC,IAAtC,C;IACX,C;;MAkBI,OAAO,sB
AAS,IAAT,EAAe,IAAf,EAAsC,IAAtC,EAAwD,SAAxD,C;IACX,C;;MAMI,aAAa,iBAAa,mCAAwB,EAAxB,CA
Ab,C;MACb,kBAAc,KAAd,C;MAvrCgB,Q;MAAA,OAAwrCT,SAAxrCS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,2B
;QAAU,oB;QAwrCK,IAAI,CAAC,SAAD,IAAY,OAAxrCX,SAAwrCW,UAAhB,C;UAAiC,YAAU,I;UA3C,mBAAi
D,K;;;UAAjD,mBAA8D,I;;QAxrCvCvE,qB;UAwrCD,MAAxrCqC,WAAI,SAAJ,C;;MAwrCC1D,OAAqB,M;IACzB,C;;
MASI,IAAI,QnBg8IG,YAAQ,CmBh8If,C;QAAwB,OAAY,SAAL,SAAK,C;MACpC,YAAqB,UAAT,QAAS,C;M
AjuCd,kBAAY,gB;MAsBH,Q;MAAA,OA4sCT,SA5sCS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI
,CA4sCF,qBA5sCa,OA4sCb,CA5sCF,C;UAAyB,WAAY,WAAI,OAAJ,C;;MA4sC3D,OA3sCO,W;IA4sCX,C;;MA
SI,YAAqB,gCAAT,QAAS,EAAgC,SAAhC,C;MACrB,IAAI,KAAM,UAAV,C;MACI,CAAC,QAAS,OAAT,C;MA9uCT,kBAAY,gB;MAsBH,Q;MAAA,OAytCT,SAztCS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,
CAytCF,qBAztCa,OAytCb,CAztCF,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAytC3D,OAxtCO,W;IAytCX,C;;MASI,
YAAqB,gCAAT,QAAS,EAAgC,SAAhC,C;MACrB,IAAI,KAAM,UAAV,C;MACI,CAAC,QAAS,OAAT,C;MA3vCT,kBAAY,gB;MAsBH,Q;MAAA,OAsuCT,SAtuCS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,
CAsuCF,qBAtuCa,OAsuCb,CAtuCF,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAsuC3D,OAruCO,W;IAsuCX,C;;MAWI,
OAAO,iBAAM,IAAN,EAAY,IAAZ,C;IACX,C;;MAMI,OAAO,iBAAM,IAAN,EAAY,IAAZ,C;IACX,C;;MAMI,OAAO,
iBAAM,IAAN,EAAY,IAAZ,C;IACX,C;;MAMI,OAAO,iBAAM,IAAN,EAAY,IAAZ,C;IACX,C;;MAMI,OAAO,iBAAM,
IAAN,EAAY,IAAZ,C;IACX,C;;MAMI,OAAO,iBAAM,IAAN,EAAY,IAAZ,C;IACX,C;;MAMI,OAAO,iBAAM,IAAN,
EAAY,IAAZ,C;IACX,C;;MAMI,OAAO,iBAAM,IAAN,EAAY,IAAZ,C;IACX,C;;MAMI,OAAO,iBAAM,IAAN,EAAY,
IAAZ,C;IACX,C;;MAMI,OAAO,iBAAM,IAAN,EAAY,IAAZ,C;IACX,C;;MAMI,OAAO,iBAAM,IAAN,EAAY,IAAZ,
C;IACX,C;;MAMI,OAAO,iBAAM,IAAN,EAAY,IAAZ,C;IACX,C;;MAMI,OAAO,iBAAM,IAAN,EAAY,IAAZ,C;IA
CX,C;;MAMI,OAAO,iBAAM,IAAN,EAAY,IAAZ,C;IACX,C;;MAMI,OAAO,iBAAM,IAAN,EAAY,IAAZ,C;IACX,C;
;MAMI,OAAO,iBAAM,IAAN,EAAY,IAAZ,C;IACX,C;;MAMI,OAAO,iBAAM,IAAN,EAAY,IAAZ,C;IACX,C;;MA
MI,OAAO,iBAAM,IAAN,EAAY,IAAZ,C;IACX,C;;MAMI,OAAO,iBAAM,IAAN,EAAY,IAAZ,C;IACX,C;;MAMI,O
A

AAO,M;IACX,C;4FAEA,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;MACX,C;KANA,C;8FAQA,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;MACX,C;KANA,C;;MAwB+C,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACpF,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAAwB,8BAA5B,C;QACI,eAAe,SAAK,K;QACpB,aAAa,iBAAmB,CAAC,WAAW,IAAX,GAAkB,CAAlB,IAAD,IAAwB,IAAxB,IAAnB,C;QACb,gBAAY,CAAZ,C;QACA,OAAO,UAAQ,QAAf,C;UACI,iBAAsB,eAAL,IAAK,EAAa,WAAW,OAAX,IAAb,C;UACtB,IAAI,aAAa,IAAb,IAAqB,CAAC,cAA1B,C;YAA0C,K;Ub/8DlD,WAAW,iBag9Da,Ubh9Db,C;UWDX,mBAAc,CAAd,YEi9DwB,UFj9DxB,Y;YXE6B,ea+8DS,sBFh9D3B,OEg9DgC,GAAK,OAAL,IAAL,Cb/8DT,C;;Ua+8DrB,MAAO,Wb98DR,Ia88DQ,C;UACP,oBAAS,IAAT,I;;QAEJ,OAAO,M;;MAEX,eAAa,gB;MACiE,kBAA9E,iBAAiB,oBAAjB,EAA6B,IAA7B,EAAmC,IAAnC,EAAyC,cAAzC,EAAuE,KAAvE,C;ME7kEA,OAAgB,qBAAhB,C;QAAgB,gC;QF8kEL,mBE9kEqB,OF8kErB,C;;MAEX,OAAO,Q;IACX,C;;MAoBkD,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACvF,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAAwB,8BAA5B,C;QACI,eAAe,SAAK,K;QACpB,aAAa,iBAAb,CAAmB,WAAW,IAAX,GAAkB,CAAlB,IAAqB,IAAxC,IAAb,C;QACb,eAAa,kBAAb,CAAmB,SAAS,Ad,C;QAAT,YAAS,C;QAAT,OAAS,UAAT,QAAS,QAAT,f,C;UAAT,YAAS,C;U

QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MASoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;

P,C;;IAC1B,C;;MASmB,kBAAR,iB;MAAQ,gB;;QJ29Cf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eI/9CqB,QJ+9CN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIl+CiB,QJk+CT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MIx+CP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJkiDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eItiDqB,QJsiDN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIziDiB,QJyiDT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MI/iDP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJ0jDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eI7jDqB,QJ6jDN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIhkDiB,QJgkDT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MIvkDP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJmlDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eIllDqB,QJklDN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIrlDiB,QJqlDT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MI5lDP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJ4mDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eI3mDqB,QJ2mDN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI9mDiB,QJ8mDT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MIrnDP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJqoDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eIpoDqB,QJooDN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIvoDiB,QJuoDT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MI9oDP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJ8pDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eI7pDqB,QJ6pDN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIhqDiB,QJgqDT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MIvqDP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJ+rDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eI9rDqB,QJ8rDN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIjsDiB,QJisDT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MIxsDP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJguDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eI/tDqB,QJ+tDN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIluDiB,QJkuDT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MIzuDP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJiwDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eIhwDqB,QJgwDN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QInwDiB,QJmwDT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MI1wDP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJkyDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eIjyDqB,QJiyDN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIpyDiB,QJoyDT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MI3yDP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJmzDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eIlzDqB,QJkzDN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIrzDiB,QJqzDT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MI50DP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJo1Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eInzDqB,QJmzDN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIt1DiB,QJs1DT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MI71DP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJq3Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eIp3DqB,QJo3DN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIv3DiB,QJu3DT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MI94DP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJs5Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eIr5DqB,QJq5DN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIx5DiB,QJw5DT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MI/6DP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJu7Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eIt7DqB,QJs7DN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIz7DiB,QJy7DT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MIh8DP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJw9Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eIv9DqB,QJu9DN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI19DiB,QJ09DT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MIj+DP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJy/Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eIx/DqB,QJw/DN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI3/DiB,QJ2/DT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MIlgEP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJ0hEf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eIzhEqB,QJyhEN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI5hEiB,QJ4hET,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MInhEP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJ2jEf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eI1jEqB,QJ0jEN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI7jEiB,QJ6jET,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MIpkEP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJ4lEf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eI3lEqB,QJ2lEN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI9lEiB,QJ8lET,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MIrmEP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJ6nEf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eI5nEqB,QJ4nEN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI/nEiB,QJ+nET,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MItoEP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJ8pEf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eI7pEqB,QJ6pEN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIhqEiB,QJgqET,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MIvqEP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJ+rEf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eI9rEqB,QJ8rEN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIjsEiB,QJisET,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MIxsEP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJguEf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eI/tEqB,QJ+tEN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIluEiB,QJkuET,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MIzuEP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJiwEf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eIhwEqB,QJgwEN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QInwEiB,QJmwET,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MI1wEP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJkyEf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eIjyEqB,QJiyEN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIpyEiB,QJoyET,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MI3yEP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJmzEf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eIlzEqB,QJkzEN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIrzEiB,QJqzET,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MI50EP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJo1Ef,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eInzEqB,QJmzEN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIt1EiB,QJs1ET,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MI71EP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJq3Ef,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eIp3EqB,QJo3EN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIv3EiB,QJu3ET,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MI94EP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJs5Ef,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eIr5EqB,QJq5EN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIx5EiB,QJw5ET,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MI/6EP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJu7Ef,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eIt7EqB,QJs7EN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIz7EiB,QJy7ET,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MIh8EP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJw9Ef,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eIv9EqB,QJu9EN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI19EiB,QJ09ET,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MIj+EP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJy/Ef,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eIx/EqB,QJw/EN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI3/EiB,QJ2/ET,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MIlgFP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJ0hFf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eIzhFqB,QJyhFN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI5hFiB,QJ4hFT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MInhFP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJ2jFf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eI1jFqB,QJ0jFN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI7jFiB,QJ6jFT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MIpkFP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJ4lFf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eI3lFqB,QJ2lFN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI9lFiB,QJ8lFT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MIrmFP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJ6nFf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eI5nFqB,QJ4nFN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI/nFiB,QJ+nFT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MItoFP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MAEnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJ8pFf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;;QACzB,eI7pFqB,QJ6pFN,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIhqFiB,QJgqFT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MIvqFP,mB;IACJ,C;sFAEA,yB;

MASI,OAAO,sCAAe,yBAAqB,SAArB,EAA8B,EAA9B,EAAkC,EAAlC,C;IAC1B,C;;MASI,OAAO,sCAAe,yBAAqB,SAArB,EAA8B,EAA9B,EAAkC,EAAlC,C;IAC1B,C;;MASI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,CArB,EAA+B,E/B,M;IAC3B,C;;MASI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAsB,EAAtB,M;IAC3B,C;;MASI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,CAArB,EAA+B,E/B,M;IAC3B,C;;MASI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,CAArB,EAA+B,E/B,M;IAC3B,C;;MASI,OAAO,sCAAe,yBAAgB,SAAhB,EAAsB,EAAyB,EAAzB,EAAgC,EAAhC,C;IAC1B,C;;MASI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAsB,EAAyB,oBAAL,EAAW,EAAX,EAAc,M;IAC3B,C;;MASI,OAAO,sCAAe,yBAAqB,SAArB,EAA8B,EAA9B,EAAkC,EAAlC,C;IAC1B,C;;MASI,OAAO,sCAAe,yBAAqB,SAArB,EAA8B,EAA9B,EAAkC,EAAlC,C;IAC1B,C;;MAMI,OAAO,sCAAe,yBAAgB,cAAhB,EAAsB,EAAtB,EAAyB,EAAzB,EAAgC,EAAhC,C;IAC1B,C;;MAMI,OAAO,uCAAgB,yBAAgB,cAAhB,EAAsB,EAAtB,EAAyB,EAAzB,EAAgC,EAAhC,C;IAC1B,C;;MAMI,OAAO,uCAAgB,yBAAgB,cAAhB,EAAsB,EAAtB,EAAyB,EAAzB,EAAgC,EAAhC,C;IAC1B,C;;MAMI,oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,sCAAe,yBAAgB,eAAhB,EAAsB,EAAtB,EAAyB,EAAzB,EAAgC,EAAhC,C;IAC1B,C;;MAMI,oBAAoB,kBAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAgB,eAAhB,EAAsB,EAAtB,EAAyB,EAAzB,EAAgC,EAAhC,C;IAC1B,C;;MAMI,oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAgB,eAAhB,EAAsB,EAAtB,EAAyB,EAAzB,EAAgC,EAAhC,C;IAC1B,C;;MAGI,OAAmB,IAAR,EAAQ,CAAhB,EAAmB,IAAnB,C;MACA,OAAO,CAAP,EAAU,IAAV,C;IAC1F,C;;MAGI,OAAW,IAAX,EAAiB,IAAj

X,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,0BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;IACtD
,C;;MAUI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,YAAX,GAAyB,Y
AAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,4BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,O
AAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA
2C,S;IACtD,C;;MAUI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,0BAAO,YAA
P,KAAJ,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;IACtD,
C;;MAUI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,IAAI,iBAAiB,IAAjB,IAAyB,iBA
AiB,IAA9C,C;QACI,IAAI,+BAAe,YAAf,KAAJ,C;UAAiC,MAAM,gCAAyB,6DAAiD,YAAjD,wCAAoF,YAApF,
OAAzB,C;QACvC,IAAI,4BAAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;QAChC,IAAI,4BAAO,YAAP,KAAJ,C;UAA
yB,OAAO,Y;;;QAGhC,IAAI,iBAAiB,IAAjB,IAAyB,4BAAO,YAAP,KA7B,C;UAAkD,OAAO,Y;QACzD,IAAI,
iBAAiB,IAAjB,IAAyB,4BAAO,YAAP,KA7B,C;UAAkD,OAAO,Y;;MAE7D,OAAO,S;IACX,C;;MAUI,IAAI,e
AAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,
YAAX,C;QAAyB,OAAO,Y;MAChC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,OAAO,S;IACX,C;;MAUI,IAAI,e
AAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,OAAO,S
;IACX,C;;MAUI,IAAI,6BAAe,YAAf,KAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,yCAAoF,YAApF,iBA
AzB,C;MACvC,IAAI,0BAAO,YAAP,KAAJ,C;QAAyB,OAAO,Y;MAChC,IAAI,0BAAO,YAAP,KAAJ,C;QAAy
B,OAAO,Y;MAChC,OAAO,S;IACX,C;;MAUI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAj
D,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,IAAI,YAAO,YAAX,
C;QAAyB,OAAO,Y;MAChC,OAAO,S;IACX,C;;MAUI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAi
D,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,IAAI,YAAO,
YAAX,C;QAAyB,OAAO,Y;MAChC,OAAO,S;IACX,C;;MAYW,Q;MADP,IAAI,KAAM,UAAV,C;QAAqB,MAAM
,gCAAyB,4CAAyC,KAAzC,zC,KAAzB,C;MAGvB,IAAI,KAAM,0BAAiB,SAAjB,EAAuB,KAAM,MA7B,CA
AN,IAA6C,CAAC,KAAM,0BAAiB,KAAM,MAAvB,EAA8B,SA9B,CApD,C;QAAiG,OAAN,KAAM,M;WA
EjG,IAAA,KAAM,0BAAiB,KAAM,aAAvB,EAAqC,SArC,CAAN,IAAoD,CAAC,KAAM,0BAAiB,SAAjB,EAA
uB,KAAM,aA7B,CAA3D,C;QAA+G,OAAN,KAAM,a;;QACvG,gB;MALZ,W;IAOJ,C;;MAcW,Q;MAJP,IAAI,8
CAAJ,C;QAAI,OAAY,WAAL,SAAK,EAAY,KAAZ,C;;MAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,zC,KAAzB,C;MAGvB,IAAI,KAAM,0BAAiB,SAAjB,EAAuB,KAAM,MAAvB,EAA8B,SAA9B,CAAN,IAAoD,CAAC,KAAM,0BAAiB,KAAM,MAAvB,EAA8B,SA9B,CAAN,IAAoD,CAAC,KAAM,0BAAiB,KAAM,aAAvB,EAAqC,SArC,CAAN,IAAoD,CAAC,KAAM,0BAAiB,SAAjB,EAA
uB,KAAM,aA7B,CAA3D,C;QAA+G,OAAN,KAAM,a;;QACvG,gB;MALZ,W;IAOJ,C;;MAcW,Q;MAJP,IAAI,8
CAAJ,C;QAAI,OAAY,WAAL,SAAK,EAAY,KAAZ,C;;MAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,zC,KAAzB,C;MAGvB,IAAI,KAAM,0BAAiB,SAAjB,EAAuB,KAAM,MAAvB,EAA8B,SA9B,CAAN,IAAoD,CAAC,KAAM,0BAAiB,KAAM,MAAvB,EAA8B,SA9B,CAAN,IAAoD,CAAC,KAAM,0BAAiB,KAAM,aAAvB,EAAqC,SArC,CAAN,IAAoD,CAAC,KAAM,0BAAiB,SAAjB,EAA
uB,KAAM,aA7B,C

E;MAAA,uC;QAOoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,sDAAvB,C;MACV,C;KATA,C;;MAiBI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QACI,OAAO,I;MACX,OAAO,QAAS,O;IACpB,C;;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;;MASiB,Q;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAnB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;IACX,C;+FAEA,yB;MAAA,wE;MAAA,uC;QAOiB,Q;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAnB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,OAAO,K;UACX,qB;;QAEJ,OAAO,E;MACX,C;KAdA,C;6FAgBA,yB;MAAA,wE;MAAA,uC;QAQiB,Q;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAnB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,YAAY,K;UAChB,qB;;QAEJ,OAAO,S;MACX,C;KAfA,C;;MAwBI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QACI,OAAO,I;MACX,OAAO,QAAS,O;IACpB,C;+EAEA,yB;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAoBoB,Q;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,OAAO,I;MACX,C;KAtBA,C;;MAwBI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QACI,OAAO,I;MACX,OAAO,QAAS,O;IACpB,C;;MAQoB,Q;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;;MAQiB,Q;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAnB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E

AK,CAAL,C;;QACzB,wBAAa,SAAb,EAAmB,CAAnB,C;MAHZ,W;IAKJ,C;;MAUI,OAAO,sBAAkB,SAAlB,EA
AwB,SAAxB,C;IACX,C;;MAUW,8B;IAAA,C;;MAEC,iBAA6B,iBAAZ,gBAAY,C;MAClB,QAAX,UAAW,C;M
ACX,OAAO,UAAW,W;IACtB,C;;;MALJ,0C;IAOJ,C;sFAEA,yB;MAAA,sD;MV7aA,sC;MCjFA,kC;MAAA,oC;;
QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,uBAO
e,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,
CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MUsaf,sC;QAQI,OAAO,mDV9aI,iBU8aiB,QV9ajB,CU8aJ,E;M
ACX,C;KATA,C;0GAWA,yB;MAAA,sD;MVraA,sC;MCpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;
QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU
U,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA
A,C;OAAA,C;MU8Zf,sC;QAQI,OAAO,mDVtaI,2BUsaJ,QVta3B,CUsaJ,E;MACX,C;KATA,C;;MAmBI,OAAO,
wBAAW,cAAX,C;IACX,C;;MAUW,sC;MAAA,4C;IAAA,C;;MAEC,iBAAiC,iBAAhB,oBAAgB,C;MACtB,WAAX
X,UAAW,EAAS,uBAAT,C;MACX,OAAO,UAAW,W;IACtB,C;;;MALJ,0D;IAOJ,C;wFAEA,yB;MAAA,wE;MA
AA,uC;QAWW,kBAAY,oB;QAuEH,Q;QAAA,2B;QAAhB,hB,OAAgB,cAAhB,hB,C;UAAgB,yB;UACZ,WAxEsC,SAw
EvB,CAAU,OAAV,C;UlBrCnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QkBnCA,OA0EO,W;MAzEX,C
;KAZA,C;6FAcA,yB;MAAA,wE;MAAA,yC;QAWW,kBAAc,oB;QA0DL,Q;QAAA,2B;QAAhB,hB,OAAgB,cAAhB,hB,
C;UAAgB,yB;UACZ,WAAY,aA3B4B,SA2BxB,CAAY,OAAZ,CAAU,EAAV,EA0B0C,CA8Bf,CAAe,OAAf,
MA5BX,C;KAZA,C;6FAcA,yB;MAAA,wE;MAAA,yD;QAWW,kBAAc,oB;QA6CL,Q;QAAA,2B;QAAhB,hB,OAAgB,
cAAhB,hB,C;UAAgB,yB;UACZ,WAAY,aA9B4B,SA8BxB,CAAY,OAAZ,CAAU,EAAV,EA6B0C,CAiBf,CAAe,OAAf,
CAA1B,C;;QA9BhB,OAgCO,W;MA/BX,C;KAXA,C;6FAaA,yB;MAAA,wE;MAAA,yC;QAWW,kBAAc,oB;QAoBL,
Q;QAAA,2B;QAAhB,hB,OAAgB,cAAhB,hB,C;UAAgB,yB;UACZ,WAAY,aAAI,YAAY,OAAZ,CAAU,EAAV,EAAc,CAAd,
C;;MAEhB,OAAO,W;IACX,C;;MAUW,sC;MAAA,4C;QAAhB,hB,OAAgB,cAAhB,hB,C;UAAgB,yB;UACZ,WAAY,
aAAI,YAAY,OAAZ,CAAU,EAAV,EAAc,eAAd,OAAe,CAAf,
CA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUW,sC;MAAA,4C;QAAhB,hB,OAAgB,cAAhB,hB,C;UAAgB,yB;UACZ,WAAY,
aAAI,YAAY,OAAZ,CAAU,EAAV,EAAc,CAAd

AAA,oBAAgB,W;MAAhB,C;MAXrD,oE;QAY4C,gCAAY,OAAZ,C;MAAA,C;MAZ5C,gF;MAAA,yC;QAUI,2D;MAIJ,C;KAdA,C;;MAyBI,OAAO,yBAAqB,SAArB,EAA2B,SAA3B,C;IACX,C;;MAWI,OAAO,gCAA4B,SAA5B,EAAkC,SAAlC,C;IACX,C;;MAWI,OAAoD,gBAA7C,gCAA4B,SAA5B,EAAkC,SAAlC,C;IACX,C;;MAWI,OAAoD,gBAA7C,gCAA4B,SAA5B,EAAkC,SAAlC,C;IACX,C;4GAEA,yB;MAuMA,wE;MAvMA,oD;QAgNiB,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAvMsB,U;UAAA,wBAuMT,oBAAmB,cAAnB,EAAmB,sBAAnB,EAAmB,UAvMV,SAuMU,EAvMoB,IAuMpB,MAvMoB,W;YAA6C,6B;;;QAChF,OAAO,W;MACX,C;KAXA,C;8FAaA,yB;MAAA,wE;MAAA,oD;QAAU,iBAAV,OAAU,W;MAAA,C;KAAV,C;;MAAA,yBAAU,OAAO,W;MAAjB,C;KAAA

C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAUI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,cAAc,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,O;MAChC,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;;MAED,QAAT,QAAS,W;MAClB,OAAO,O;IACX,C;;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,KAAJ,C;UAAwB,MAAM,C;;MAE9B,OAAO,G;IACX,C;;MAU

AA,Q;;cACA,qBAAU,e;cAHd,gB;;;cAKJ,W;;;;;;;;;;;;;;;IAAA,C;;MATwB,yD;uBAAA,4G;YAAA,S;iBAAA,Q;;iBAAA,uB;MAAA,C;IAAA,C;;MAAxB,OAAO,SAAS,0CAAT,C;IAUX,C;;MAY6D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,C;UAAW,MAAO,gBAAO,SAAP,C;QAAU,IAAI,KAAK,1B,C;;UACjC,J,K;;MAEX,IAAI,SAAS,CAAT,C;UAAY,MAAO,gBAAO,SAAP,C;QAAU,IAAI,QAAQ,CAAR,C;UAAW,MAAO,gBAAO,SAAP,C;QAAU,IAAI,KAAK,1B,C;;UAAgB

AO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;8FAEA,yB;MAAA,4C;MAAA,qC;QAOI,OAAO,gBAAK,OAAL,C;MACX,C;KARA,C;;MhB1HuF,wC;IANvF,C;IAAA,0D;MAO2C,8B;IAAA,C;IAP3C,gF;;MCSuF,wC;IARvF,C;IAAA,0D;MAS2C,8B;IAAA,C;IAT3C,gF;gGgBcA,yB;MAAA,uD;MAAA,gC;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,qBAAI,KAAJ,CAAU,CAAV,IAAe,GAAf,sBAAuB,uBAAa,KAAb,E;MACjE,C;KARA,C;gGAUA,yB;MAAA,+C;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAAV,C;MAChB,C;KARA,C;0EAUA,yB;MA0CA,6C;MAAA,oC;MAAA,gC;MA1CA,uC;QAKW,sB;;UAyCS,Q;UAAA,0B;UAAhB,OAAgB,cAAhB,C;YAAA,oBAAgB,C;YAAA,OAAA,C;UAAA,C;QAzCX,C;;UAAA,uCAAA,qBAAI,KAAJ,CAAU,CAAV,IAAe,GAAf,sBAAuB,uBAAa,KAAb,E;QAAvB,C;;UAAA,OAAA,C;QAAA,C;MAAA,C;IAAA,C;;MAAA,OAAA,C;IAAA,C;KAAA,C;gGAA

AAY,EAAc,CAAd,CAAlB,C;IACX,C;2FAEA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WA
A+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAY,CAAZ,EAAe,
QAAQ,CAAR,IAAf,C;QACf,OAAO,E;MACX,C;KAVA,C;4FAYA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,
iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OEvHoF,o
BFuHnE,CEvHmE,EFuHhE,QAAQ,CAAR,IEvHgE,C;;QFwH5F,OAAO,E;MACX,C;KAVA,C;oFAYA,yB;MAA
A,mD;MAAA,oC;MAAA,uC;QAMuB,UAAL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,
mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8
BAAY,KAAZ,EAAmB,gBAAnB,C;QACf,OAAO,E;MACX,C;KAVA,C;oFAYA,yB;MAAA,mD;MAAA,oC;MA
AA,uC;QAMuB,UAAL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA
,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OElJqE,oBFkJpD,KElJoD,C;;QF
mJ7E,OAAO,E;MACX,C;KAVA,C;8EAYA,yB;MAAA,yD;MAkEA,oC;MAlEA,uC;QAIW,kBAAS,oB;QAkEM,
Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,KAAJ,C;UACd,IApE6B,SAoEzB,CAAU,oBAAV,C
AAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QApExC,OAsEO,W;MArEX,C;KALA,C;8EAOA,yB;MAAA,yD;MA
2DA,oC;MA3DA,uC;QAIW,kBAAS,oB;QA2DM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,K
AAJ,C;UACd,IA7D6B,SA6DzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA7DxC,OA+DO,
WA/DqC,W;MAChD,C;KALA,C;4FAOA,yB;MAAA,yD;MAkBA,gC;MAkoBA,6C;MAAA,oC;MAppBA,uC;QA
MW,kBAAgB,oB;QAqpBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP
,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAloB/B,IAAnBoC,SAAmBhC,C;UAAqB,oBAAjB,CAAiB,C;YAA2
C,2BAAO,kBAAP,C;;QAnB/C,OAqBO,W;MApBX,C;KALA,C;4FASA,yB;MAAA,yD;MASA,gC;MAkoBA,6C;
MAAA,oC;MA3oBA,uC;QAMW,kBAAgB,oB;QA4oBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;U
AAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAAhB,IAAVoB,SAAUhB,C;UAAqB,oBAAjB
,CAAiB,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAAxC,OAAwDO,WAAxD,C;MAAhB,C;KALA,C;gGAS
A,yB;MAAA,yD;MAAA,gC;MAAA,6C;MAAA,oC;MAAA,uC;QAIW,kBAAS,oB;QAAT,IAAVoB,SAAUhB,C;UAAqB
,oBAAjB,CAAiB,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAAxC,OAAwDO,WAAxD,C;MAAhB,C;KALA,C;
gGAOA

AR,IAAZ,EAAuB,gBAAvB,C;;;QAGf,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;MACX,C;KAZA,C;4FAcA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OEhVqE,oBFgVpD,QAAQ,CAAR,IEhVoD,C;;;QFmV7E,OAAO,S;MACX,C;KAZA,C;oFAcA,yB;MAAA,oC;MAAA,uC;QAM0B,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,IAAI,CAAC,UAAU,iCAAI,KAAJ,EAAV,CAAL,C;YACI,OAAO,8BAAY,CAAZ,EAAe,KAAf,C;;QAEf,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;MACX,C;KAAA,C;oFAAA,yB;MAAA,oC;MAAA,uC;QAM0B,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,IAAI,CAAC,UAAU,iCAAI,KAAJ,EAAV,CAAL,C;YACI,OExWoF,oBFwWnE,CExWmE,EFwWhE,KExWgE,C;;QF0W5F,OAAO,S;MACX,C;KAZA,C;;MAiBI,OAAO,qBAAc,SAAd,CAAoB,U;IAC/B,C;kFAAA,E;MAAA,8B;MAAA,6C;MAAA,4B;QAKY,Q;QAAA,0B;QAAA,wB;MAAA,C

IAAI,aAAJ,C;YACH,aqBqfuC,gB;YAA5B,WrBpfX,aqBofgC,GrBpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UqBifA,iB;UACA,IAAK,WAjCyD,cAiCrD,CAAe,oBAAf,CAAJ,C;;QAjCT,OAmCO,W;MAlCX,C;KAXA,C;oFAaA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAAZ,C;UrBneP,U;UADP,YqBqee,WrBreH,WqBqewB,GrBrexB,C;UACL,IAAI,aAAJ,C;YACH,aqBmeuC,gB;YAA5B,WrBleX,aqBkegC,GrBlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UqB+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;oFAiBA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAUoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAAZ,C;UrBrfP,U;UADP,YqBufe,WrBvfH,WqBufwB,GrBvfxB,C;UACL,IAAI,aAAJ,C;YACH,aqBqfuC,gB;YAA5B,WrBpfX,aqBofgC,GrBpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UqBifA,iB;UACA,IAAK,WAAI,eAAAe,e,oBAAJf,f,kBAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;qFAkBA,yB;MAAA,6C;MAAA,oC;MAAA,kC;MAAA,4C;;QAQW,sC;QAAA,8C;MARX,C;MAAA,gE;QASwD,OAAgB,SAAhB,oBAAgB,C;MAAhB,C;MATxD,oE;QAU+C,gCAAY,oBAAZ,C;MAAA,C;MAV/C,gF;MAAA,yC;QAAA,2D;MAAA,C;KAAA,C;wEAcA,yB;MAAA,6C;MAAA,gE;QAAA,kC;MAAA,C;KAAA,C;wEAAA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,yC;QAAA,2D

ALA,C;8FAOA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAOiB,UAAa,M;QAD1B,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,B,C;;MACvB,C;KARA,C;;MAgBiB,Q;MAFb,IChyBgD,qBAAU,CDgyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;4EAEA,yB;MAAA,uD;MAAA,oC;MAAA,sC;QAMI,IC/yBgD,qBAAU,CD+yB1D,C;UAAe,OAAO,I;QACtB,cAAc,qBAAK,CAAL,C;QACd,gBAAgB,cAAhB,qB,cAAL,SAAK,C;QACR,IAAI,cAAa,CAAjB,B,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,CAAS,C;QACf,aAAU,CAAV,EAAU,SAAb,M;UACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,2BAAW,CAAX,EAAc,KAAd,CAAc,C;UAAa,IAAI,C;QAC/B,IAAI,2BAAW,CAAX,EAAc,KAAd,CAAc,C;UAAa,IAAI,C;QAC/B,IAAI,2BAAW,CAAX,EAAc,KAAd,CAAc,C;UAAa,IAAI,C;;;QAGnB

AgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,KAAM,gBAAO,OAAP,C;;;YAEN,MAAO,gBAAO,OAAP,C;;;QAGf,OAAO,cAAK,KAAM,WAAX,EAAuB,MAAO,WA9B,C;MACX,C;KAhBA,C;;MAmCkD,OAAA,EAAG,W;IAAW,C;;MADpB,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACjF,OAAO,sBAAS,IAAT,EAAe,eAAf,EAAqB,cAArB,EAAqC,eAArC,C;IACX,C;;MAoBgD,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MAOhE,Q;MANrB,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,eAAe,SAAK,O;MACpB,aAAa,iBAAa,CAAC,WAAW,IAAX,EAAiB,GAAkB,CAAlB,EAAqB,CAAC,C;MACb,WAAW,IAAX,EAAiB,GAAkB,CAAlB,EAAqB,CAAC,C;MAAC

AU,KAAV,C;MAChB,C;KAVA,C;uGAYA,yB;MAAA,sD;MAAA,mC;QASI,OAAY,UAAL,SAAK,EAAU,KAAA
V,C;MAChB,C;KAVA,C;;MAmBW,sB;;QAgNS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA
hNH,SAgNO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;MAjNP,yB;IACJ,C;;M
ASW,sB;;QAiNS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjNH,SAiNO,CAAU,OAAV,CA
AJ,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;MAlNP,yB;IACJ,C;;MASW,sB;;QAkNS,Q;QAAA,2B;
QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAlNH,SAkNO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAA
P,uB;;;QAC9C,qBAAO,I;;;MAnNP,yB;IACJ,C;;MASW,sB;;QAmNS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;U
AAgB,yB;UAAM,IAnNH,SAmNO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;
MApNP,yB;IACJ,C;yFAEA,yB;MA4kBA,+C;MA8wEI,0D;MA11FJ,uC;QAOW,qB;;UA4kBO,Q;UAAA,OAAa,S
AuwEX,YAAR,iBAAQ,CAvwEW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YA
Cd,IA9kBc,SA8kBV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhlBP,wB;MA
CJ,C;KARA,C;yFAUA,yB;MAglBA,+C;MAwwEI,0D;MAx1FJ,uC;QAOW,qB;;UAglBO,Q;UAAA,OAAa,SAiwE
X,YAAR,iBAAQ,CAjwEW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAl
lBc,SAklBV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAplBP,wB;MACJ,C;K
ARA,C;yFAUA,yB;MAolBA,+C;MAkwEI,0D;MAt1FJ,uC;QAOW,qB;;UAolBO,Q;UAAA,OAAa,SA2vEX,YAA
R,iBAAQ,CA3vEW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtlBc,SA
slBV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxlBP,wB;MACJ,C;KARA,C;
yFAUA,yB;MAwlBA,+C;MA4vEI,0D;MAp1FJ,uC;QAOW,qB;;UAwlBO,Q;UAAA,OAAa,SAqvEX,YAAR,iBA
Q,CArvEW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1lBc,SA0lBV,C
AAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5lBP,wB;MACJ,C;KARA,C;mFAU
A,yB;MAAA,8C;MjChJA,6B;MiCgJA,4B;QAQI,OjC9ImC,ciC8IpB,MAAR,iBAAQ,CjC9IoB,C;MiC+IvC,C;KAT
A,C;mFAWA,yB;MAAA,8C;MF5IA,+B;ME4IA,4B;QAQI,OF1IsC,eE0IvB,MAAR,iBAAQ,CF1IuB,C;ME2I1C,C;
KATA,C;mFAWA,yB;MAAA,8C;MlCxMA,+B;MkCwMA,4B;QAQI,OlCtMsC,ekCsMvB,MAAR,iBAAQ,ClCtM
uB,C;MkCuM1C,C;KATA,C;mFAWA,yB;MAAA,8C;MhCtMA,iC;MgCsMA,4B;QAQI,OhCpMyC,gBgCoM1B,
MAAR,iBAAQ,ChCpM0B,C;MgCqM7C,C;KATA,C;mFAWA,yB;MAAA,iE;MAAA,uC;QAQoB,Q;QAAA,2B;QAAhB,
OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,
gCAAuB,mDAAvB,C;MACV,C;KAVA,C;mFAYA,yB;MAAA,iE;MAAA,uC;QAQoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,
C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,
mDAAvB,C;MACV,C;KAVA,C;mFAYA,yB;MAAA,iE;MAAA,uC;QAQoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,
yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;MACV,C;
KAVA,C;;MAkBI,0D;MAwBJ,+C;MAwBA,+C;MAwBA,+C;MAwBA

AQe,oBAAS,C;MAAT,S;QAAc,gBAunFT,gBAAR,iBAAQ,C;;MAvnFhB,OAAO,OAAsC,sBAAI,KAAJ,CAAtC,GAAsD,I;IACjE,C;;MAQe,oBAAS,C;MAAT,S;QAAc,gBAsnFT,gBAAR,iBAAQ,C;;MAtnFhB,OAAO,OAAsC,sBAAI,KAAJ,CAAtC,GAAsD,I;IACjE,C;;MAQe,oBAAS,C;MAAT,S;QAAc,gBAqnFT,gBAAR,iBAAQ,C;;MArnFhB,OAAO,OAAsC,sBAAI,KAAJ,CAAtC,GAAsD,I;IACjE,C;uFAEA,yB;MAAA,kD;MAAA,qC;QAAO,IAAO,AAAR,iBAAQ,EAAQ,OjC1eU,KiC0elB,C;MACnB,C;KARA,C;uFAUA,yB;MAAA,kD;MAAA,qC;QAAO,IAAO,AAAR,iBAAQ,EAAQ,OFzeY,KEyepB,C;MACnB,C;KARA,C;uFAUA,yB;MAAA,kD;MAAA,qC;QAAO,IAAO,AAAR,iBAAQ,EAAQ,OlC1hBY,KkC0hBpB,C;MACnB,C;KARA,C;uFAUA,yB;MAAA,kD;MAAA,qC;QAAO,IAAO,AAAR,iBAAQ,EAAQ,OhCzhBc,KgCyhBtB,C;MACnB,C;KARA,C;iGAUA,yB;MAAA,sC;MjChbA,6B;MiCgbA,0BAOgC,yB;QjCvbhC,6B;;UiCubgC,qB;YAAA,yBjC7a7B,CiC6aH,CjC7aG,EiC6aH,CjC7aG,C;UAAA,C;QAAA,C;OAAA,C;MAPhC,uC;QAOmB,kBAAR,iBAAQ,EAAQ,OAAO,uB;;UAAA,2CjCpb7B,0BiCob6B,EjCpb7B,EiCob6B,EjCpb7B,EiCob6B,EjCpb7B,E

AU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAbA,C;iFAeA,yB;MAAA,+C;MAAA,iE;MAw4EI,0D;MAx4EJ,uC;QAQkB,Q;QAAA,OAAa,SAg4EX,YAh4EF,SAg4EN,QAAQ,CAh4EW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAbA,C;iFAeA,yB;MAAA,+C;MAAA,iE;MAi4EI,0D;MAj4EJ,uC;QAQkB,Q;QAAA,OAAa,SAy3EX,YAz3EF,SAy3EN,QAAQ,CAz3EW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;+BAAA,C;MAAA,0D;MAAA,qC;QAOI,OAAe,cAAf,C;UAAe,uB;UACX

A,yB;MAAA,kF;MAAA,iE;MAAA,4B;MAAA,8B;MAAA,uC;QASoB,UAST,M;QAXP,aAAsB,I;QACtB,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,4D;MACX,C;KAAnBA,C;;MA2BI,2BAAW,OAAX,W;MAAA,mBAAA,QAAA,CAAA,CAAA,C

a,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;2FAqBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAwOA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAxOa,SAAwOT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAxO1D,OAAyO,W;MAAxOX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAyOA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAzOa,SAAyOT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAzO3D,OAA0O,W;MAAzOX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA0OA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAA1OqB,SA0OVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA1O5D,OAA2O,W;MAA1OX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA2OA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAA3OqB,SA2OVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA3O7D,OA4OA,W;MA5OAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA4OA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAA5OqB,SA4OVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA5O9D,OA6OA,W;MA7OAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA6OA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA7OvBqB,SA6OVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA7O/D,OA8OA,W;MA9OAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA8OA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA9OvBqB,SA8OVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA9OhE,OA+OA,W;MA/OAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA+OA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA/OvBqB,SA+OVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA/OjE,OAgPA,W;MAhPAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAgPA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhPvBqB,SAgPVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAhPlE,OAiPA,W;MAjPAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAiPA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjPvBqB,SAiPVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAjPnE,OAkPA,W;MAlPAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAkPA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAlPvBqB,SAkPVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAlPpE,OAmPA,W;MAnPAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAmPA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAnPvBqB,SAmPVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAnPrE,OAoPA,W;MApPAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAoPA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IApPvBqB,SAoPVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QApPtE,OAqPA,W;MArPAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAqPA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IArPvBqB,SAqPVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QArPvE,OAsPA,W;MAtPAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAsPA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAtPvBqB,SAsPVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAtPxE,OAuPA,W;MAvPAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAuPA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAvPvBqB,SAuPVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAvPzE,OAwPA,W;MAxPAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAwPA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAxPvBqB,SAwPVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAxP1E,OAyPA,W;MAzPAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAyPA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAzPvBqB,SAyPVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAzP3E,OA0PA,W;MA1PAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA0PA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA1PvBqB,SA0PVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA1P5E,OA2PA,W;MA3PAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA2PA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3PvBqB,SA2PVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA3P7E,OA4PA,W;MA5PAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA4PA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA5PvBqB,SA4PVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA5P9E,OA6PA,W;MA7PAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA6PA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA7PvBqB,SA6PVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA7P/E,OA8PA,W;MA9PAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA8PA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA9PvBqB,SA8PVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA9PhF,OA+PA,W;MA/PAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA+PA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA/PvBqB,SA+PVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA/PjF,OAgQA,W;MAhQAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAgQA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhQvBqB,SAgQVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAhQlF,OAiQA,W;MAjQAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAiQA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjQvBqB,SAiQVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAjQnF,OAkQA,W;MAlQAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAkQA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAlQvBqB,SAkQVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAlQpF,OAmQA,W;MAnQAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAmQA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAnQvBqB,SAmQVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAnQrF,OAoQA,W;MApQAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAoQA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IApQvBqB,SAoQVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QApQtF,OAqQA,W;MArQAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAqQA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IArQvBqB,SAqQVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QArQvF,OAsQA,W;MAtQAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAsQA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAtQvBqB,SAsQVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAtQxF,OAuQA,W;MAvQAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAuQA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAvQvBqB,SAuQVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAvQzF,OAwQA,W;MAxQAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAwQA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAxQvBqB,SAwQVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAxQ1F,OAyQA,W;MAzQAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAyQA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAzQvBqB,SAyQVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAzQ3F,OA0QA,W;MA1QAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA0QA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA1QvBqB,SA0QVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA1Q5F,OA2QA,W;MA3QAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA2QA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3QvBqB,SA2QVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA3Q7F,OA4QA,W;MA5QAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA4QA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA5QvBqB,SA4QVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA5Q9F,OA6QA,W;MA7QAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA6QA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA7QvBqB,SA6QVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA7Q/F,OA8QA,W;MA9QAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA8QA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA9QvBqB,SA8QVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA9QhG,OA+QA,W;MA/QAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA+QA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA/QvBqB,SA+QVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA/QjG,OAgRA,W;MAhRAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAgRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhRvBqB,SAgRVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAhRlG,OAiRA,W;MAjRAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAiRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjRvBqB,SAiRVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAjRnG,OAkRA,W;MAlRAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAkRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAlRvBqB,SAkRVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAlRpG,OAmRA,W;MAnRAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAmRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAnRvBqB,SAmRVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAnRrG,OAoRA,W;MApRAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAoRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IApRvBqB,SAoRVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QApRtG,OAqRA,W;MArRAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAqRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IArRvBqB,SAqRVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QArRvG,OAsRA,W;MAtRAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAsRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAtRvBqB,SAsRVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAtRxG,OAuRA,W;MAvRAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAuRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAvRvBqB,SAuRVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAvRzG,OAwRA,W;MAxRAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAwRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAxRvBqB,SAwRVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAxR1H,OAyRA,W;MAzRAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAyRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAzRvBqB,SAyRVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAzR3H,OA0RA,W;MA1RAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA0RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA1RvBqB,SA0RVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA1R5H,OA2RA,W;MA3RAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA2RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3RvBqB,SA2RVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA3R7H,OA4RA,W;MA5RAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA4RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA5RvBqB,SA4RVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA5R9H,OA6RA,W;MA7RAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA6RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA7RvBqB,SA6RVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA7R/H,OA8RA,W;MA9RAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA8RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA9RvBqB,SA8RVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA9RhJ,OA+RA,W;MA/RAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA+RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA/RvBqB,SA+RVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA/RjJ,OAgSA,W;MAhSAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAgSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhSvBqB,SAgSVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAhSlJ,OAiSA,W;MAjSAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAiSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjSvBqB,SAiSVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAjSnJ,OAkSA,W;MAlSAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAkSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAlSvBqB,SAkSVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAlSpJ,OAmSA,W;MAnSAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAmSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAnSvBqB,SAmSVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAnSrJ,OAoSA,W;MApSAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAoSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IApSvBqB,SAoSVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QApStJ,OAqSA,W;MArSAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAqSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IArSvBqB,SAqSVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QArSvJ,OAsSA,W;MAtSAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAsSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAtSvBqB,SAsSVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAtSxJ,OAuSA,W;MAvSAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAuSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAvSvBqB,SAuSVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAvSzJ,OAwSA,W;MAxSAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAwSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAxSvBqB,SAwSVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAxS1K,OAySA,W;MAzSAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAySA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAzSvBqB,SAySVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAzS3K,OA0SA,W;MA1SAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA0SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA1SvBqB,SA0SVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA1S5K,OA2SA,W;MA3SAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA2SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3SvBqB,SA2SVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA3S7K,OA4SA,W;MA5SAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA4SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA5SvBqB,SA4SVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA5S9K,OA6SA,W;MA7SAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA6SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA7SvBqB,SA6SVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA7S/K,OA8SA,W;MA9SAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA8SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA9SvBqB,SA8SVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA9SjM,OA+SA,W;MA/SAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA+SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA/SvBqB,SA+SVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA/SlM,OAgTA,W;MAhTAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAgTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhTvBqB,SAgTVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAhTlM,OAiTA,W;MAjTAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAiTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjTvBqB,SAiTVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAjTnM,OAkTA,W;MAlTAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAkTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAlTvBqB,SAkTVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAlTpM,OAmTA,W;MAnTAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAmTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAnTvBqB,SAmTVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAnTrM,OAoTA,W;MApTAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAoTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IApTvBqB,SAoTVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QApTtM,OAqTA,W;MArTAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAqTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IArTvBqB,SAqTVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QArTvM,OAsTA,W;MAtTAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAsTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAtTvBqB,SAsTVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAtTxM,OAuTA,W;MAvTAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAuTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAvTvBqB,SAuTVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAvTzM,OAwTA,W;MAxTAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAwTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAxTvBqB,SAwTVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAxT1N,OAyTA,W;MAzTAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAyTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAzTvBqB,SAyTVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QAzT3N,OA0TA,W;MA1TAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA0TA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA1TvBqB,SA0TVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA1T5N,OA2TA,W;MA3TAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA2TA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3TvBqB,SA2TVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA3T7N,OA4TA,W;MA5TAX,CAAC,C;KAAD,C;qFAAC,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA4TA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA5TvBqB,SA4TVT,CAAU,OAAV,CAAU,C;YAAwB,WAAY,WAAI,IAAJ,C;;QA5T9N,OA6TA,W;MA7TAX,CAAC,C;KAAD,C;qFAAC,yB

D,OAAO,W;IACX,C;;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAA
V,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;IACX,C;;MASoB,Q;MAAA,2B;MAAhB,OAAg
B,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO
,W;IACX,C;;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C
;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;IACX,C;;MAQI,IAAI,OAAQ,UAAZ,C;QAAuB,O9BjzDe,
W;;M8BkzDtC,OAA4D,SAmvCrD,cAAkB,cAAR,iBAAQ,EAnvCN,OAAQ,MAmvCF,EAnvCS,OAAQ,aAAR,GA
AuB,CAAvB,IAmvCT,CAAlB,CAnvCqD,C;IAChE,C;;MAQI,IAAI,OAAQ,UAAZ,C;QAAuB,O9B3zDe,W;;M8B
4zDtC,OAA4D,SAsvCrD,eAAmB,cAAR,iBAAQ,EAtvCP,OAAQ,MAsvCD,EAtvCQ,OAAQ,aAAR,GAAuB,CAA
vB,IAsvCR,CAAnB,CAtvCqD,C;IAChE,C;;MAQI,IAAI,OAAQ,UAAZ,C;QAAuB,O9Br0De,W;;M8Bs0DtC,OAA
4D,UAyvCrD,eAAmB,cAAR,iBAAQ,EAzvCP,OAAQ,MAyvCD,EAzvCQ,OAAQ,aAAR,GAAuB,CAAvB,IAyvC
R,CAAnB,CAzvCqD,C;IAChE,C;;MAQI,IAAI,OAAQ,UAAZ,C;QAAuB,O9B/0De,W;;M8Bg1DtC,OAA4D,UA4v
CrD,gBAAoB,cAAR,iBAAQ,EA5vCR,OAAQ,MA4vCA,EA5vCO,OAAQ,aAAR,GAAuB,CAAvB,IA4vCP,CAAp
B,CA5vCqD,C;IAChE,C;;MAWkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ
,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAgB,IAAhB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QA
CV,IAAK,WAAI,sBAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MAWkB,Q;MAHd,WAAmB,wBAAR,OAAQ
,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAiB,IAAjB,C;MACG,
yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,sBAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MA
WkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;M
ACtB,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,sBAAI,KAAJ
,CAAJ,C;;MAET,OAAO,I;IACX,C;;MAWkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,I
AAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAkB,IAAlB,C;MACG,yB;MAAd,OAAc,cAAd,C;QA
Ac,uB;QACV,IAAK,WAAI,sBAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MAQI,IAAI,OAAO,cAAkB,aAAR,iBA
AQ,EAAW,OAAX,CAAlB,C;IACX,C;;MAQI,IAAI,OAAO,eAAmB,aAAR,iBAAQ,EAAW,OAAX,CAAnB,C;IACX,C;
;MAQI,IAAI,OAAO,eAAmB,aAAR,iBAAQ,EAAW,OAAX,CAAnB,C;IACX,C;;MAQI,IAAI,OAAO,gBAAoB,aAAR,iBA
AQ,EAAW,OAAX,CAApB,C;IACX,C;;MAQI,IAAI,OAAO,cAAkB,cAAR,iBAAQ,EAAW,OAAX,CAAlB,C;IACX,C;;M
AQI,IAAI,OAAO,eAAmB,cAAR,iBAAQ,EAAW,OAAX,CAAnB,C;IACX,C;;MAQI,IAAI,OAAO,eAAmB,cAAR,iBAAQ,E
AAW,OAAX,CAAnB,C;IACX,C;;MAQI,IAAI,OAAO,gBAAoB,cAAR,iBAAQ,EAAW,OAAX,CAApB,C;IACX,C;;M
AkBiB,UACL,M;MvBthER,IAAI,EuB+gEI,KAAK,CvB/gET,CAAJ,C;QACI,cuB8gEc,sD;QvB7gEd,MAAM,gCA
AyB,OAAQ,WAAjC,C;;MuB8gEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QA
Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C
;MACZ,WAAW,iBAAgB,CAAhB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;
UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvB9iER,IAAI,EuBuiEI,KA
AK,CvBviET,CAAJ,C;QACI,cuBsiEc,sD;QvBriEd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuBsiEV,IAAI,MAAK,
CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QA
AY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACE,2B;M
AAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO
,I;IACX,C;;MAkBiB,UACL,M;MvBtkER,IAAI,EuB+jEI,KAAK,CvB/jET,CAAJ,C;QACI,cuB8jEc,sD;QvB7jEd,
MAAM,gCAAyB,OAAQ,WAAjC,C;;MuB8jEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,c
AAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C
;MACZ,WAAW,iBAAiB,CAAjB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvBplER,IAAI,EuB6kEI,KAAK,CvB7kET,CAAJ,C;QACI,cuB4kEc,sD;QvB3kEd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuB4kEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvBtmER,IAAI,EuB+lEI,KAAK,CvB/lET,CAAJ,C;QACI,cuB8lEc,sD;QvB7lEd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuB8lEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvBxoER,IAAI,EuBioEI,KAAK,CvBjoET,CAAJ,C;QACI,cuBgoEc,sD;QvB/nEd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuBgoEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvB1qER,IAAI,EuBmqEI,KAAK,CvBnqET,CAAJ,C;QACI,cuBkqEc,sD;QvBjqEd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuBkqEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvB5sER,IAAI,EuBqsEI,KAAK,CvBrsET,CAAJ,C;QACI,cuBosEc,sD;QvBnsEd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuBosEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvB9uER,IAAI,EuBuuEI,KAAK,CvBvuET,CAAJ,C;QACI,cuBsuEc,sD;QvBruEd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuBsuEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvBhxER,IAAI,EuByvEI,KAAK,CvBzvET,CAAJ,C;QACI,cuBwvEc,sD;QvBvvEd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuBwvEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvBlzER,IAAI,EuB2yEI,KAAK,CvB3yET,CAAJ,C;QACI,cuB0yEc,sD;QvBzyEd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuB0yEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvB51ER,IAAI,EuBq1EI,KAAK,CvBr1ET,CAAJ,C;QACI,cuBo1Ec,sD;QvBn1Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuBo1EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvB94ER,IAAI,EuBu4EI,KAAK,CvBv4ET,CAAJ,C;QACI,cuBs4Ec,sD;QvBr4Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuBs4EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvBh8ER,IAAI,EuBy7EI,KAAK,CvBz7ET,CAAJ,C;QACI,cuBw7Ec,sD;QvBv7Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuBw7EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvBl/ER,IAAI,EuB2+EI,KAAK,CvB3+ET,CAAJ,C;QACI,cuB0+Ec,sD;QvBz+Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuB0+EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvBpiFR,IAAI,EuB6hFI,KAAK,CvB7hFT,CAAJ,C;QACI,cuB4hFc,sD;QvB3hFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuB4hFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvBtlFR,IAAI,EuB+kFI,KAAK,CvB/kFT,CAAJ,C;QACI,cuB8kFc,sD;QvB7kFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuB8kFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvBxoFR,IAAI,EuBioFI,KAAK,CvBjoFT,CAAJ,C;QACI,cuBgoFc,sD;QvB/nFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuBgoFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvB1rFR,IAAI,EuBmrFI,KAAK,CvBnrFT,CAAJ,C;QACI,cuBkrFc,sD;QvBjrFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuBkrFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvB5uFR,IAAI,EuBquFI,KAAK,CvBruFT,CAAJ,C;QACI,cuBouFc,sD;QvBnuFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuBouFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvB9xFR,IAAI,EuBuxFI,KAAK,CvBvxFT,CAAJ,C;QACI,cuBsxFc,sD;QvBrxFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuBsxFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvBh1FR,IAAI,EuBy0FI,KAAK,CvBz0FT,CAAJ,C;QACI,cuBw0Fc,sD;QvBv0Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuBw0FV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvBl4FR,IAAI,EuB23FI,KAAK,CvB33FT,CAAJ,C;QACI,cuB03Fc,sD;QvBz3Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuB03FV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvBp7FR,IAAI,EuB67FI,KAAK,CvB77FT,CAAJ,C;QACI,cuB47Fc,sD;QvB37Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuB47FV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvBt/FR,IAAI,EuB+/FI,KAAK,CvB//FT,CAAJ,C;QACI,cuB8/Fc,sD;QvB7/Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuB8/FV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvBxjGR,IAAI,EuBijGI,KAAK,CvBjjGT,CAAJ,C;QACI,cuBgjGc,sD;QvB/iGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuBgjGV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvB1mGR,IAAI,EuBmmGI,KAAK,CvBnmGT,CAAJ,C;QACI,cuBkmGc,sD;QvBjmGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuBkmGV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvB5pGR,IAAI,EuBqpGI,KAAK,CvBrpGT,CAAJ,C;QACI,cuBopGc,sD;QvBnpGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuBopGV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvB9sGR,IAAI,EuBusGI,KAAK,CvBvsGT,CAAJ,C;QACI,cuBssGc,sD;QvBrsGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuBssGV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvBhwGR,IAAI,EuBywGI,KAAK,CvBzwGT,CAAJ,C;QACI,cuBwwGc,sD;QvBvwGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuBwwGV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvBl0GR,IAAI,EuB20GI,KAAK,CvB30GT,CAAJ,C;QACI,cuB00Gc,sD;QvBz0Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuB00GV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvBp4GR,IAAI,EuB64GI,KAAK,CvB74GT,CAAJ,C;QACI,cuB44Gc,sD;QvB34Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuB44GV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvBt8GR,IAAI,EuB+8GI,KAAK,CvB/8GT,CAAJ,C;QACI,cuB88Gc,sD;QvB78Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuB88GV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvBx/GR,IAAI,EuBigHI,KAAK,CvBjgHT,CAAJ,C;QACI,cuBggHc,sD;QvB//Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuBggHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvB1jHR,IAAI,EuBmjHI,KAAK,CvBnjHT,CAAJ,C;QACI,cuBkjHc,sD;QvBjjHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuBkjHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvB5mHR,IAAI,EuBqmHI,KAAK,CvBrmHT,CAAJ,C;QACI,cuBomHc,sD;QvBnmHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuBomHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;MvB9pHR,IAAI,EuBuoHI,KAAK,CvBvoHT,CAAJ,C;QACI,cuBsoHc,sD;QvBroHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MuBsoHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M

AO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvBxnEI,IAAI,EuBooEI,KAAK,CvBpoET,CAAJ,C;QACI,cuBmoEc,sD;QvBloEd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBmoEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvB7oEI,IAAI,EuBypEI,KAAK,CvBzpET,CAAJ,C;QACI,cuBwpEc,sD;QvBvpEd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBwpEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvBlqEI,IAAI,EuB8qEI,KAAK,CvB9qET,CAAJ,C;QACI,cuB6qEc,sD;QvB5qEd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuB6qEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvBvsEI,IAAI,EuBmtEI,KAAK,CvBntET,CAAJ,C;QACI,cuBktEc,sD;QvBjtEd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBktEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvB3uEI,IAAI,EuBuvEI,KAAK,CvBvvET,CAAJ,C;QACI,cuBsvEc,sD;QvBrvEd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBsvEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvB/wEI,IAAI,EuB2xEI,KAAK,CvB3xET,CAAJ,C;QACI,cuB0xEc,sD;QvBzxEd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuB0xEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvBnzEI,IAAI,EuB+zEI,KAAK,CvB/zET,CAAJ,C;QACI,cuB8zEc,sD;QvB7zEd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuB8zEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvBv1EI,IAAI,EuBm2EI,KAAK,CvBn2ET,CAAJ,C;QACI,cuBk2Ec,sD;QvBj2Ed,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBk2EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvB33EI,IAAI,EuBu4EI,KAAK,CvBv4ET,CAAJ,C;QACI,cuBs4Ec,sD;QvBr4Ed,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBs4EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvB/5EI,IAAI,EuB26EI,KAAK,CvB36ET,CAAJ,C;QACI,cuB06Ec,sD;QvBz6Ed,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuB06EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvBn8EI,IAAI,EuB+8EI,KAAK,CvB/8ET,CAAJ,C;QACI,cuB88Ec,sD;QvB78Ed,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuB88EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvBv+EI,IAAI,EuBm/EI,KAAK,CvBn/ET,CAAJ,C;QACI,cuBk/Ec,sD;QvBj/Ed,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBk/EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvB3gFI,IAAI,EuBuhFI,KAAK,CvBvhFT,CAAJ,C;QACI,cuBshFc,sD;QvBrhFd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBshFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvB/iFI,IAAI,EuB2jFI,KAAK,CvB3jFT,CAAJ,C;QACI,cuB0jFc,sD;QvBzjFd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuB0jFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvBnlFI,IAAI,EuB+lFI,KAAK,CvB/lFT,CAAJ,C;QACI,cuB8lFc,sD;QvB7lFd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuB8lFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvBvnFI,IAAI,EuBmoFI,KAAK,CvBnoFT,CAAJ,C;QACI,cuBkoFc,sD;QvBjoFd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBkoFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvB3pFI,IAAI,EuBuqFI,KAAK,CvBvqFT,CAAJ,C;QACI,cuBsqFc,sD;QvBrqFd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBsqFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvB/rFI,IAAI,EuB2sFI,KAAK,CvB3sFT,CAAJ,C;QACI,cuB0sFc,sD;QvBzsFd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuB0sFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvBnuFI,IAAI,EuB+uFI,KAAK,CvB/uFT,CAAJ,C;QACI,cuB8uFc,sD;QvB7uFd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuB8uFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvBvwFI,IAAI,EuBmxFI,KAAK,CvBnxFT,CAAJ,C;QACI,cuBkxFc,sD;QvBjxFd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBkxFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvB3yFI,IAAI,EuBuzFI,KAAK,CvBvzFT,CAAJ,C;QACI,cuBszFc,sD;QvBrzFd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBszFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvB/0FI,IAAI,EuB21FI,KAAK,CvB31FT,CAAJ,C;QACI,cuB01Fc,sD;QvBz1Fd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuB01FV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvBn3FI,IAAI,EuB+3FI,KAAK,CvB/3FT,CAAJ,C;QACI,cuB83Fc,sD;QvB73Fd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuB83FV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvBv5FI,IAAI,EuBm6FI,KAAK,CvBn6FT,CAAJ,C;QACI,cuBk6Fc,sD;QvBj6Fd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBk6FV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvB37FI,IAAI,EuBu8FI,KAAK,CvBv8FT,CAAJ,C;QACI,cuBs8Fc,sD;QvBr8Fd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBs8FV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvB/+FI,IAAI,EuB2/FI,KAAK,CvB3/FT,CAAJ,C;QACI,cuB0/Fc,sD;QvBz/Fd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuB0/FV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvBnhGI,IAAI,EuB+hGI,KAAK,CvB/hGT,CAAJ,C;QACI,cuB8hGc,sD;QvB7hGd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuB8hGV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvBvjGI,IAAI,EuBmkGI,KAAK,CvBnkGT,CAAJ,C;QACI,cuBkkGc,sD;QvBjkGd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBkkGV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvB3lGI,IAAI,EuBumGI,KAAK,CvBvmGT,CAAJ,C;QACI,cuBsmGc,sD;QvBrmGd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBsmGV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvB/nGI,IAAI,EuB2oGI,KAAK,CvB3oGT,CAAJ,C;QACI,cuB0oGc,sD;QvBzoGd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuB0oGV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvBvqGI,IAAI,EuBmrGI,KAAK,CvBnrGT,CAAJ,C;QACI,cuBkrGc,sD;QvBjrGd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBkrGV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvB3sGI,IAAI,EuBuuGI,KAAK,CvBvuGT,CAAJ,C;QACI,cuBsuGc,sD;QvBruGd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBsuGV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvB/vGI,IAAI,EuB2wGI,KAAK,CvB3wGT,CAAJ,C;QACI,cuB0wGc,sD;QvBzwGd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuB0wGV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvBnyGI,IAAI,EuB+yGI,KAAK,CvB/yGT,CAAJ,C;QACI,cuB8yGc,sD;QvB7yGd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuB8yGV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvBv0GI,IAAI,EuBm1GI,KAAK,CvBn1GT,CAAJ,C;QACI,cuBk1Gc,sD;QvBj1Gd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBk1GV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvB32GI,IAAI,EuBu3GI,KAAK,CvBv3GT,CAAJ,C;QACI,cuBs3Gc,sD;QvBr3Gd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBs3GV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvB/4GI,IAAI,EuB25GI,KAAK,CvB35GT,CAAJ,C;QACI,cuB05Gc,sD;QvBz5Gd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuB05GV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvBn7GI,IAAI,EuB+7GI,KAAK,CvB/7GT,CAAJ,C;QACI,cuB87Gc,sD;QvB77Gd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuB87GV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvBv9GI,IAAI,EuBm+GI,KAAK,CvBn+GT,CAAJ,C;QACI,cuBk+Gc,sD;QvBj+Gd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBk+GV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvB3gHI,IAAI,EuBuhHI,KAAK,CvBvhHT,CAAJ,C;QACI,cuBshHc,sD;QvBrhHd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBshHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvBnjHI,IAAI,EuB+jHI,KAAK,CvB/jHT,CAAJ,C;QACI,cuB8jHc,sD;QvB7jHd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuB8jHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvBvlHI,IAAI,EuBmmHI,KAAK,CvBnmHT,CAAJ,C;QACI,cuBkmHc,sD;QvBjmHd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBkmHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvB3nHI,IAAI,EuBuoHI,KAAK,CvBvoHT,CAAJ,C;QACI,cuBsoHc,sD;QvBroHd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuBsoHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvB/pHI,IAAI,EuB2qHI,KAAK,CvB3qHT,CAAJ,C;QACI,cuB0qHc,sD;QvBzqHd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuB0qHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MvBnsHI,IAAI,EuB+sHI,KAAK,CvB/sHT,CAAJ,C;QACI,cuB8sHc,sD;QvB7sHd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MuB8sHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT

mB;MAAxB,OAAiC,SnBp9E1B,WmBo9E0B,C;IACrC,C;;MAQoB,kBAqfT,eAAW,iBtB/yEM,QsB+yEjB,C;MArfiB,mB;MAAxB,OAAiC,UnB79E1B,WmB69E0B,C;IACrC,C;;MAQoB,kBAwfT,gBAAY,iBtBjzEK,QsBizEjB,C;MAxfiB,mB;MAAxB,OAAiC,UnBt+E1B,WmBs+E0B,C;IACrC,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0cd,cA1cA,SA0cU,QtBnwEO,QsBmwEjB,C;MA1csB,mB;MAA7B,OnBh/EO,W;ImBi/EX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4cd,eAAmB,UA5cnB,SA4cW,QAAQ,CAAnB,C;MA5csB,mB;MAA7B,OnB1/EO,W;ImB2/EX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA8cd,eA9cA,SA8cU,QtBjzEO,QsBizEjB,C;MA9csB,mB;MAA7B,OnBpgFO,W;ImBqgFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAgdd,gBAAY,SAhdZ,SAgdoB,QtBzwEO,QsBywEjB,C;MAhdsB,mB;MAA7B,OnB9gFO,W;ImB+gFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAkdd,cAldA,SAkdU,QtBvwEO,QsBuwEjB,C;MAldsB,mB;MAA7B,OnBxhFO,W;ImByhFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAodd,eAAmB,UApdnB,SAodW,QAAQ,CAAnB,C;MApdsB,mB;MAA7B,OnBliFO,W;ImBmiFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAsdd,eAtdA,SAsdU,QtB7wEO,QsB6wEjB,C;MAtdsB,mB;MAA7B,OnB5iFO,W;ImB6iFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwdd,gBAAY,SAxdZ,SAwdoB,QtBnxEO,QsBmxEjB,C;MAxdsB,mB;MAA7B,OnBpjFO,W;ImBqjFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0dd,cA1dA,SA0dU,QtBzxEO,QsByxEjB,C;MA1dsB,mB;MAA7B,OnB9jFO,W;ImB+jFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4dd,eAAmB,UA5dnB,SA4dW,QAAQ,CAAnB,C;MA5dsB,mB;MAA7B,OnBxkFO,W;ImBykFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA8dd,eA9dA,SA8dU,QtB/xEO,QsB+xEjB,C;MA9dsB,mB;MAA7B,OnBlmFO,W;ImBmmFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAgedd,gBAAY,SAheZ,SAgeoB,QtBvyEO,QsBuyEjB,C;MAheqB,mB;MAA5B,OnB5nFO,W;ImB6nFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAkeb,cAleA,SAkeS,QtB7yEO,QsB6yEjB,C;MAlesB,mB;MAA7B,OnBloFO,W;ImBmoFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAoeb,eAAmB,UApenB,SAoeW,QAAQ,CAAnB,C;MApesB,mB;MAA7B,OnB9oFO,W;ImB+oFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAseb,eAteA,SAseS,QtBnzEO,QsBmzEjB,C;MAtesB,mB;MAA7B,OnBtpFO,W;ImBupFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAweb,gBAAY,SAxeZ,SAweoB,QtB3zEO,QsB2zEjB,C;MAxesB,mB;MAA7B,OnB1qFO,W;ImB2qFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0eb,cA1eA,SA0eS,QtBj0EO,QsBi0EjB,C;MA1esB,mB;MAA7B,OnBhrFO,W;ImBirFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4eb,eAAmB,UA5enB,SA4eW,QAAQ,CAAnB,C;MA5esB,mB;MAA7B,OnB5rFO,W;ImB6rFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA8eb,eA9eA,SA8eS,QtBv0EO,QsBu0EjB,C;MA9esB,mB;MAA7B,OnBxsFO,W;ImBysFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAgfb,gBAAY,SAhfZ,SAgfoB,QtB/0EO,QsB+0EjB,C;MAhfsB,mB;MAA7B,OnBltFO,W;ImBmtFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAkfb,cAlfA,SAkfS,QtBr1EO,QsBq1EjB,C;MAlfsB,mB;MAA7B,OnBttFO,W;ImButFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAofb,eAAmB,UApfnB,SAofW,QAAQ,CAAnB,C;MApfsB,mB;MAA7B,OnB1uFO,W;ImB2uFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAsfb,eAtfA,SAsfS,QtB32EO,QsB22EjB,C;MAtfsB,mB;MAA7B,OnB5vFO,W;ImB6vFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwfb,gBAAY,SAxfZ,SAwfoB,QtBv3EO,QsBu3EjB,C;MAxfsB,mB;MAA7B,OnBtwFO,W;ImBuwFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0fb,cA1fA,SA0fS,QtB73EO,QsB63EjB,C;MA1fsB,mB;MAA7B,OnB1wFO,W;ImB2wFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4fb,eAAmB,UA5fnB,SA4fW,QAAQ,CAAnB,C;MA5fsB,mB;MAA7B,OnBtxFO,W;ImBuxFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA8fb,eA9fA,SA8fS,QtBn4EO,QsBm4EjB,C;MA9fsB,mB;MAA7B,OnBpyFO,W;ImBqyFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAggBb,gBAAY,SAhgBZ,SAggBoB,QtB34EO,QsB24EjB,C;MAhgBsB,mB;MAA7B,OnBlzFO,W;ImBmzFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAkgBb,cAlgBA,SAkgBS,QtBj5EO,QsBi5EjB,C;MAlgBsB,mB;MAA7B,OnBt0FO,W;ImBu0FX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAogBb,eAAmB,UApgBnB,SAogBW,QAAQ,CAAnB,C;MApgBsB,mB;MAA7B,OnB11FO,W;ImB21FX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAsgBb,eAtgBA,SAsgBS,QtBv5EO,QsBu5EjB,C;MAtgBsB,mB;MAA7B,OnB52FO,W;ImB62FX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwgBb,gBAAY,SAxgBZ,SAwgBoB,QtBn6EO,QsBm6EjB,C;MAxgBsB,mB;MAA7B,OnBt3FO,W;ImBu3FX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0gBb,cA1gBA,SA0gBS,QtBz6EO,QsBy6EjB,C;MA1gBsB,mB;MAA7B,OnB94FO,W;ImB+4FX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4gBb,eAAmB,UA5gBnB,SA4gBW,QAAQ,CAAnB,C;MA5gBsB,mB;MAA7B,OnBx5FO,W;ImBy5FX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA8gBb,eA9gBA,SA8gBS,QtB/6EO,QsB+6EjB,C;MA9gBsB,mB;MAA7B,OnBl6FO,W;ImBm6FX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAghBb,gBAAY,SAhhBZ,SAghBoB,QtBv7EO,QsBu7EjB,C;MAhhBsB,mB;MAA7B,OnBt7FO,W;ImBu7FX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAkhBb,cAlhBA,SAkhBS,QtBz7EO,QsBy7EjB,C;MAlhBsB,mB;MAA7B,OnB98FO,W;ImB+8FX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAohBb,eAAmB,UAphBnB,SAohBW,QAAQ,CAAnB,C;MAphBsB,mB;MAA7B,OnBx9FO,W;ImBy9FX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAshBb,eAthBA,SAshBS,QtBn8EO,QsBm8EjB,C;MAthBsB,mB;MAA7B,OnBp+FO,W;ImBq+FX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwhBb,gBAAY,SAxhBZ,SAwhBoB,QtB38EO,QsB28EjB,C;MAxhBsB,mB;MAA7B,OnBl/FO,W;ImBm/FX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0hBb,cA1hBA,SA0hBS,QtBj9EO,QsBi9EjB,C;MA1hBsB,mB;MAA7B,OnBxgGO,W;ImBygGX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4hBb,eAAmB,UA5hBnB,SA4hBW,QAAQ,CAAnB,C;MA5hBsB,mB;MAA7B,OnBlhGO,W;ImBmhGX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA8hBb,eA9hBA,SA8hBS,QtBv9EO,QsBu9EjB,C;MA9hBsB,mB;MAA7B,OnB5hGO,W;ImB6hGX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAgiBb,gBAAY,SAhiBZ,SAgiBoB,QtB/9EO,QsB+9EjB,C;MAhiBsB,mB;MAA7B,OnBtiGO,W;ImBuiGX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAkiBb,cAliBA,SAkiBS,QtBr+EO,QsBq+EjB,C;MAliBsB,mB;MAA7B,OnB1jGO,W;ImB2jGX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAoiBb,eAAmB,UApiBnB,SAoiBW,QAAQ,CAAnB,C;MApiBsB,mB;MAA7B,OnB9kGO,W;ImB+kGX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAsiBb,eAtiBA,SAsiBS,QtB3+EO,QsB2+EjB,C;MAtiBsB,mB;MAA7B,OnBhmGO,W;ImBimGX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwiBb,gBAAY,SAxiBZ,SAwiBoB,QtBv/EO,QsBu/EjB,C;MAxiBsB,mB;MAA7B,OnB1mGO,W;ImB2mGX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0iBb,cA1iBA,SA0iBS,QtB7/EO,QsB6/EjB,C;MA1iBsB,mB;MAA7B,OnBpnGO,W;ImBqnGX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4iBb,eAAmB,UA5iBnB,SA4iBW,QAAQ,CAAnB,C;MA5iBsB,mB;MAA7B,OnB5nGO,W;ImB6nGX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA8iBb,eA9iBA,SA8iBS,QtBngFO,QsBmgFjB,C;MA9iBsB,mB;MAA7B,OnBhpGO,W;ImBipGX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAgjBb,gBAAY,SAhjBZ,SAgjBoB,QtB3gFO,QsB2gFjB,C;MAhjBsB,mB;MAA7B,OnBlqGO,W;ImBmqGX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAkjBb,cAljBA,SAkjBS,QtBjhFO,QsBihFjB,C;MAljBsB,mB;MAA7B,OnBtrGO,W;ImBurGX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAojBb,eAAmB,UApjBnB,SAojBW,QAAQ,CAAnB,C;MApjBsB,mB;MAA7B,OnB1sGO,W;ImB2sGX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAsjBb,eAtjBA,SAsjBS,QtBvhFO,QsBuhFjB,C;MAtjBsB,mB;MAA7B,OnB5tGO,W;ImB6tGX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwjBb,gBAAY,SAxjBZ,SAwjBoB,QtBniFO,QsBmiFjB,C;MAxjBsB,mB;MAA7B,OnBtuGO,W;ImBuuGX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0jBb,cA1jBA,SA0jBS,QtBziFO,QsByiFjB,C;MA1jBsB,mB;MAA7B,OnB9uGO,W;ImB+uGX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4jBb,eAAmB,UA5jBnB,SA4jBW,QAAQ,CAAnB,C;MA5jBsB,mB;MAA7B,OnBxvGO,W;ImByvGX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA8jBb,eA9jBA,SA8jBS,QtB/iFO,QsB+iFjB,C;MA9jBsB,mB;MAA7B,OnBlwGO,W;ImBmwGX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAgkBb,gBAAY,SAhkBZ,SAgkBoB,QtBvjFO,QsBujFjB,C;MAhkBsB,mB;MAA7B,OnBtxGO,W;ImBuxGX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAkkBb,cAlkBA,SAkkBS,QtBrjFO,QsBqjFjB,C;MAlkBsB,mB;MAA7B,OnB1yGO,W;ImB2yGX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAokBb,eAAmB,UApkBnB,SAokBW,QAAQ,CAAnB,C;MApkBsB,mB;MAA7B,OnB9zGO,W;ImB+zGX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAskBb,eAtkBA,SAskBS,QtB3jFO,QsB2jFjB,C;MAtkBsB,mB;MAA7B,OnBp0GO,W;ImBq0GX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwkBb,gBAAY,SAxkBZ,SAwkBoB,QtBvkFO,QsBukFjB,C;MAxkBsB,mB;MAA7B,OnBt1GO,W;ImBu1GX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0kBb,cA1kBA,SA0kBS,QtBzkFO,QsBykFjB,C;MA1kBsB,mB;MAA7B,OnB92GO,W;ImB+2GX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4kBb,eAAmB,UA5kBnB,SA4kBW,QAAQ,CAAnB,C;MA5kBsB,mB;MAA7B,OnBx3GO,W;ImBy3GX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA8kBb,eA9kBA,SA8kBS,QtB/kFO,QsB+kFjB,C;MA9kBsB,mB;MAA7B,OnBl4GO,W;ImBm4GX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAglBb,gBAAY,SAhlBZ,SAglBoB,QtBvlFO,QsBulFjB,C;MAhlBsB,mB;MAA7B,OnBt5GO,W;ImBu5GX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAklBb,cAllBA,SAklBS,QtBrlFO,QsBqlFjB,C;MAllBsB,mB;MAA7B,OnB16GO,W;ImB26GX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAolBb,eAAmB,UAplBnB,SAolBW,QAAQ,CAAnB,C;MAplBsB,mB;MAA7B,OnB97GO,W;ImB+7GX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAslBb,eAtlBA,SAslBS,QtB3lFO,QsB2lFjB,C;MAtlBsB,mB;MAA7B,OnBp8GO,W;ImBq8GX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwlBb,gBAAY,SAxlBZ,SAwlBoB,QtBvmFO,QsBumFjB,C;MAxlBsB,mB;MAA7B,OnBt9GO,W;ImBu9GX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0lBb,cA1lBA,SA0lBS,QtBzmFO,QsBymFjB,C;MA1lBsB,mB;MAA7B,OnB9+GO,W;ImB++GX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4lBb,eAAmB,UA5lBnB,SA4lBW,QAAQ,CAAnB,C;MA5lBsB,mB;MAA7B,OnBx/GO,W;ImBy/GX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA8lBb,eA9lBA,SA8lBS,QtB/mFO,QsB+mFjB,C;MA9lBsB,mB;MAA7B,OnBlgHO,W;ImBmgHX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAgmBb,gBAAY,SAhmBZ,SAgmBoB,QtBvnFO,QsBunFjB,C;MAhmBsB,mB;MAA7B,OnBthHO,W;ImBuhHX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAkmBb,cAlmBA,SAkmBS,QtBrnFO,QsBqnFjB,C;MAlmBsB,mB;MAA7B,OnB1iHO,W;ImB2iHX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAomBb,eAAmB,UApmBnB,SAomBW,QAAQ,CAAnB,C;MApmBsB,mB;MAA7B,OnB9jHO,W;ImB+jHX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAsmBb,eAtmBA,SAsmBS,QtB3nFO,QsB2nFjB,C;MAtmBsB,mB;MAA7B,OnBplHO,W;ImBqlHX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwmBb,gBAAY,SAxmBZ,SAwmBoB,QtBvoFO,QsBuoFjB,C;MAxmBsB,mB;MAA7B,OnBtmHO,W;ImBumHX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0mBb,cA1mBA,SA0mBS,QtBzoFO,QsByoFjB,C;MA1mBsB,mB;MAA7B,OnB9nHO,W;ImB+nHX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4mBb,eAAmB,UA5mBnB,SA4mBW,QAAQ,CAAnB,C;MA5mBsB,mB;MAA7B,OnBxoHO,W;ImByoHX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA8mBb,eA9mBA,SA8mBS,QtB/oFO,QsB+oFjB,C;MA9mBsB,mB;MAA7B,OnBlpHO,W;ImBmpHX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAgnBb,gBAAY,SAhnBZ,SAgnBoB,QtBvpFO,QsBupFjB,C;MAhnBsB,mB;MAA7B,OnBtqHO,W;ImBuqHX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAknBb,cAlnBA,SAknBS,QtBrpFO,QsBqpFjB,C;MAlnBsB,mB;MAA7B,OnB1rHO,W;ImB2rHX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAonBb,eAAmB,UApnBnB,SAonBW,QAAQ,CAAnB,C;MApnBsB,mB;MAA7B,OnB9sHO,W;ImB+sHX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAsnBb,eAtnBA,SAsnBS,QtB3pFO,QsB2pFjB,C;MAtnBsB,mB;MAA7B,OnBptHO,W;ImBqtHX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwnBb,gBAAY,SAxnBZ,SAwnBoB,QtBvqFO,QsBuqFjB,C;MAxnBsB,mB;MAA7B,OnBttHO,W;ImButHX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0nBb,cA1nBA,SA0nBS,QtBzqFO,QsByqFjB,C;MA1nBsB,mB;MAA7B,OnB9uHO,W;ImB+uHX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4nBb,eAAmB,UA5nBnB,SA4nBW,QAAQ,CAAnB,C;MA5nBsB,mB;MAA7B,OnBxvHO,W;ImByvHX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA8nBb,eA9nBA,SA8nBS,QtB/qFO,QsB+qFjB,C;MA9nBsB,mB;MAA7B,OnBlwHO,W;ImBmwHX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAgoBb,gBAAY,SAhoBZ,SAgoBoB,QtBvrFO,QsBurFjB,C;MAhoBsB,mB;MAA7B,OnBtxHO,W;ImBuxHX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAkoBb,cAloBA,SAkoBS,QtBrrFO,QsBqrFjB,C;MAloBsB,mB;MAA7B,OnB1yHO,W;ImB2yHX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAooBb,eAAmB,UApoBnB,SAooBW,QAAQ,CAAnB,C;MApoBsB,mB;MAA7B,OnB9zHO,W;ImB+zHX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAsoBb,eAtoBA,SAsoBS,QtB3rFO,QsB2rFjB,C;MAtoBsB,mB;MAA7B,OnBp0HO,W;ImBq0HX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwoBb,gBAAY,SAxoBZ,SAwoBoB,QtBvsFO,QsBusFjB,C;MAxoBsB,mB;MAA7B,OnBt1HO,W;ImBu1HX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0oBb,cA1oBA,SA0oBS,QtBzsFO,QsBysFjB,C;MA1oBsB,mB;MAA7B,OnB92HO,W;ImB+2HX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4oBb,eAAmB,UA5oBnB,SA4oBW,QAAQ,CAAnB,C;MA5oBsB,mB;MAA7B,OnBx3HO,W;ImBy3HX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA8oBb,eA9oBA,SA8oBS,QtB/sFO,QsB+sFjB,C;MA9oBsB,mB;MAA7B,OnBl4HO,W;ImBm4HX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAgpBb,gBAAY,SAhpBZ,SAgpBoB,QtBvtFO,QsButFjB,C;MAhpBsB,mB;MAA7B,OnBt5HO,W;ImBu5HX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAkpBb,cAlpBA,SAkpBS,QtBrtFO,QsBqtFjB,C;MAlpBsB,mB;MAA7B,OnB16HO,W;ImB26HX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAopBb,eAAmB,UAppBnB,SAopBW,QAAQ,CAAnB,C;MAppBsB,mB;MAA7B,OnB97HO,W;ImB+7HX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAspBb,eAtpBA,SAspBS,QtB3tFO,QsB2tFjB,C;MAtpBsB,mB;MAA7B,OnBp8HO,W;ImBq8HX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwpBb,gBAAY,SAxpBZ,SAwpBoB,QtBvuFO,QsBuuFjB,C;MAxpBsB,mB;MAA7B,OnBt9HO,W;ImBu9HX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0pBb,cA1pBA,SA0pBS,QtBzuFO,QsByuFjB,C;MA1pBsB,mB;MAA7B,OnB9+HO,W;ImB++HX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4pBb,eAAmB,UA5pBnB,SA4pBW,QAAQ,CAAnB,C;MA5pBsB,mB;MAA7B,OnBxgIO,W;ImBygIX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA8pBb,eA9pBA,SA8pBS,QtB/uFO,QsB+uFjB,C;MA9pBsB,mB;MAA7B,OnBlhIO,W;ImBmhIX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAgqBb,gBAAY,SAhqBZ,SAgqBoB,QtBvvFO,QsBuvFjB,C;MAhqBsB,mB;MAA7B,OnBtiIO,W;ImBuiIX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAkqBb,cAlqBA,SAkqBS,QtBrvFO,QsBqvFjB,C;MAlqBsB,mB;MAA7B,OnB1jIO,W;ImB2jIX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAoqBb,eAAmB,UApqBnB,SAoqBW,QAAQ,CAAnB,C;MApqBsB,mB;MAA7B,OnB9kIO,W;ImB+kIX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAsqBb,eAtqBA,SAsqBS,QtB3vFO,QsB2vFjB,C;MAtqBsB,mB;MAA7B,OnBpmIO,W;ImBqmIX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwqBb,gBAAY,SAxqBZ,SAwqBoB,QtBvwFO,QsBuwFjB,C;MAxqBsB,mB;MAA7B,OnBtnIO,W;ImBunIX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0qBb,cA1qBA,SA0qBS,QtBzwFO,QsBywFjB,C;MA1qBsB,mB;MAA7B,OnB9oIO,W;ImB+oIX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4qBb,eAAmB,UA5qBnB,SA4qBW,QAAQ,CAAnB,C;MA5qBsB,mB;MAA7B,OnBxpIO,W;ImBypIX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA8qBb,eA9qBA,SA8qBS,QtB/wFO,QsB+wFjB,C;MA9qBsB,mB;MAA7B,OnBlqIO,W;ImBmqIX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAgrBb,gBAAY,SAhrBZ,SAgrBoB,QtBvxFO,QsBuxFjB,C;MAhrBsB,mB;MAA7B,OnBtrIO,W;ImBurIX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAkrBb,cAlrBA,SAkrBS,QtBrxFO,QsBqxFjB,C;MAlrBsB,mB;MAA7B,OnB1sIO,W;ImB2sIX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAorBb,eAAmB,UAprBnB,SAorBW,QAAQ,CAAnB,C;MAprBsB,mB;MAA7B,OnB9tIO,W;ImB+tIX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAsrBb,eAtrBA,SAsrBS,QtB3xFO,QsB2xFjB,C;MAtrBsB,mB;MAA7B,OnBpuIO,W;ImBquIX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwrBb,gBAAY,SAxrBZ,SAwrBoB,QtBvyFO,QsBuyFjB,C;MAxrBsB,mB;MAA7B,OnBtvIO,W;ImBuvIX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0rBb,cA1rBA,SA0rBS,QtBzyFO,QsByyFjB,C;MA1rBsB,mB;MAA7B,OnB9wIO,W;ImB+wIX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4rBb,eAAmB,UA5rBnB,SA4rBW,QAAQ,CAAnB,C;MA5rBsB,mB;MAA7B,OnBxxIO,W;ImByxIX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA8rBb,eA9rBA,SA8rBS,QtB/yFO,QsB+yFjB,C;MA9rBsB,mB;MAA7B,OnBlyIO,W;ImBmyIX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAgsBb,gBAAY,SAhsBZ,SAgsBoB,QtBvzFO,QsBuzFjB,C;MAhsBsB,mB;MAA7B,OnBtzIO,W;ImBuzIX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAksBb,cAlsBA,SAksBS,QtBrzFO,QsBqzFjB,C;MAlsBsB,mB;MAA7B,OnB10IO,W;ImB20IX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAosBb,eAAmB,UApsBnB,SAosBW,QAAQ,CAAnB,C;MApsBsB,mB;MAA7B,OnB91IO,W;ImB+1IX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAssBb,eAtsBA,SAssBS,QtB3zFO,QsB2zFjB,C;MAtsBsB,mB;MAA7B,OnBp2IO,W;ImBq2IX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwsBb,gBAAY,SAxsBZ,SAwsBoB,QtBv0FO,QsBu0FjB,C;MAxsBsB,mB;MAA7B,OnBt3IO,W;ImBu3IX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0sBb,cA1sBA,SA0sBS,QtBz0FO,QsBy0FjB,C;MA1sBsB,mB;MAA7B,OnB94IO,W;ImB+4IX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4sBb,eAAmB,UA5sBnB,SA4sBW,QAAQ,CAAnB,C;MA5sBsB,mB;MAA7B,OnBx5IO,W;ImBy5IX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA8sBb,eA9sBA,SA8sBS,QtB/0FO,QsB+0FjB,C;MA9sBsB,mB;MAA7B,OnBl6IO,W;ImBm6IX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAgtBb,gBAAY,SAhtBZ,SAgtBoB,QtBv1FO,QsBu1FjB,C;MAhtBsB,mB;MAA7B,OnBt7IO,W;ImBu7IX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAktBb,cAltBA,SAktBS,QtBr1FO,QsBq1FjB,C;MAltBsB,mB;MAA7B,OnB18IO,W;ImB28IX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAotBb,eAAmB,UAptBnB,SAotBW,QAAQ,CAAnB,C;MAptBsB,mB;MAA7B,OnB99IO,W;ImB+9IX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAstBb,eAttBA,SAstBS,QtB31FO,QsB21FjB,C;MAttBsB,mB;MAA7B,OnBp+IO,W;ImBq+IX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwtBb,gBAAY,SAxtBZ,SAwtBoB,QtBv2FO,QsBu2FjB,C;MAxtBsB,mB;MAA7B,OnBt/IO,W;ImBu/IX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0tBb,cA1tBA,SA0tBS,QtBz2FO,QsBy2FjB,C;MA1tBsB,mB;MAA7B,OnB9gJO,W;ImB+gJX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4tBb,eAAmB,UA5tBnB,SA4tBW,QAAQ,CAAnB,C;MA5tBsB,mB;MAA7B,OnBxhJO,W;ImByhJX,C;;MAQI,IAAI,mBAAJ,C;QA

AY,SAAZ,EAAuB,OAAvB,CAAlB,C;MACX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yC;MAAA,gD;QAUI,OAAO,oBAAmB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAAnB,C;MACX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yC;MAAA,gD;QAUI,OAAO,oBAAmB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAAnB,C;MACX,C;KAXA,C;6FAaA,yB;MAAA,0D;MAAA,2C;MAAA,gD;QAUI,OAAO,qBAAoB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAApB,C;;MAwByC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAChE,E,OAAA,RAAQ,iBAAQ,EAAK,OjCv+FoB,KiCu+FpB,FzB,EAAsB,SAAtB,EAAiC,OAAjC,CAAyC,C;IAAZ,C;;MAa2C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAClE,E,OAAA,RAAQ,iBAAQ,EAAK,OAAF,+BAAE,EAAK,KAAF,6BAAE,EAAK,SAAL,EAAgB,OAAhB,CAAwB

yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,StBnzFM,QsBmzFjB,C;MACX,C;KATA,C;;MAiB2B,wB;QAAW,wBAAK,KAAL,C;MAAX,C;IAAA,C;;MAAvB,OJv+GO,cAAU,gCIu+GA,gBJv+GA,GAAe,iBIu+GT,6BJv+GS,CAAf,CAAV,C;IIw+GX,C;8FAEA,yB;MAAA,uC;MAAA,4B;QAQI,OAAO,mBAAU,StBnzFO,QsBmzFjB,C;MACX,C;KATA,C;;MAiB4B,wB;QAAW,yBAAK,KAAL,C;MAAX,C;IAAA,C;;MAAxB,OH3/GO,eAAW,kBG2/GA,gBH3/GA,EAAgB,kBG2/GV,8BH3/GU,CAAhB,CAAX,C;IG4/GX,C;gGAEA,yB;MAAA,gD;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAgB,OAAL,SAAK,KAAhB,CAAhB,C;MACX,C;KATA,C;;MAiB6B,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAzB,OD/gHO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICghHX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiB8B,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA1B,OHnhHO,eAAW,kBGmhHA,gBHnhHA,EAAgB,kBGmhHV,8BHnhHU,CAAhB,CAAX,C;IGohHX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiB+B,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA3B,OD/hHO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICgiHX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBgC,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA5B,OHnjHO,eAAW,kBGmjHA,gBHnjHA,EAAgB,kBGmjHV,8BHnjHU,CAAhB,CAAX,C;IGojHX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiBiC,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA7B,OD/jHO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICgkHX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBkC,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA9B,OHnlHO,eAAW,kBGmlHA,gBHnlHA,EAAgB,kBGmlHV,8BHnlHU,CAAhB,CAAX,C;IGolHX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiBmC,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA/B,OD/lHO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICgmHX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBoC,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAhC,OHnnHO,eAAW,kBGmnHA,gBHnnHA,EAAgB,kBGmnHV,8BHnnHU,CAAhB,CAAX,C;IGonHX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiBqC,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAjC,OD/nHO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICgoHX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBsC,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAlC,OHnpHO,eAAW,kBGmpHA,gBHnpHA,EAAgB,kBGmpHV,8BHnpHU,CAAhB,CAAX,C;IGopHX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiBuC,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAnC,OD/pHO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICgqHX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBwC,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAApC,OHnrHO,eAAW,kBGmrHA,gBHnrHA,EAAgB,kBGmrHV,8BHnrHU,CAAhB,CAAX,C;IGorHX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiByC,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAArC,OD/rHO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICgsHX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiB0C,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAtC,OHntHO,eAAW,kBGmtHA,gBHntHA,EAAgB,kBGmtHV,8BHntHU,CAAhB,CAAX,C;IGotHX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiB2C,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAvC,OD/tHO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICguHX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiB4C,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAxC,OHnvHO,eAAW,kBGmvHA,gBHnvHA,EAAgB,kBGmvHV,8BHnvHU,CAAhB,CAAX,C;IGovHX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiB6C,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAzC,OD/vHO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICgwHX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiB8C,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA1C,OHnxHO,eAAW,kBGmxHA,gBHnxHA,EAAgB,kBGmxHV,8BHnxHU,CAAhB,CAAX,C;IGoxHX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiB+C,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA3C,OD/xHO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICgyHX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBgD,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA5C,OHnzHO,eAAW,kBGmzHA,gBHnzHA,EAAgB,kBGmzHV,8BHnzHU,CAAhB,CAAX,C;IGozHX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiBiD,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA7C,OD/zHO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICg0HX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBkD,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA9C,OH31HO,eAAW,kBG21HA,gBH31HA,EAAgB,kBG21HV,8BH31HU,CAAhB,CAAX,C;IG41HX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiBmD,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA/C,OD/1HO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICg2HX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBoD,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAhD,OHn3HO,eAAW,kBGm3HA,gBHn3HA,EAAgB,kBGm3HV,8BHn3HU,CAAhB,CAAX,C;IGo3HX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiBqD,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAjD,OD/3HO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICg4HX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBsD,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAlD,OHn5HO,eAAW,kBGm5HA,gBHn5HA,EAAgB,kBGm5HV,8BHn5HU,CAAhB,CAAX,C;IGo5HX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiBuD,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAnD,OD/5HO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICg6HX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBwD,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAApD,OHn7HO,eAAW,kBGm7HA,gBHn7HA,EAAgB,kBGm7HV,8BHn7HU,CAAhB,CAAX,C;IGo7HX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiByD,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAArD,OD/7HO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICg8HX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiB0D,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAtD,OHn9HO,eAAW,kBGm9HA,gBHn9HA,EAAgB,kBGm9HV,8BHn9HU,CAAhB,CAAX,C;IGo9HX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiB2D,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAvD,OD/9HO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICg+HX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiB4D,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAxD,OHn/HO,eAAW,kBGm/HA,gBHn/HA,EAAgB,kBGm/HV,8BHn/HU,CAAhB,CAAX,C;IGo/HX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiB6D,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAzD,OD/+HO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICggIX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiB8D,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA1D,OHnhIO,eAAW,kBGmhIA,gBHnhIA,EAAgB,kBGmhIV,8BHnhIU,CAAhB,CAAX,C;IGohIX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiB+D,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA3D,OD/hIO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICgiIX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBgE,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA5D,OHnjIO,eAAW,kBGmjIA,gBHnjIA,EAAgB,kBGmjIV,8BHnjIU,CAAhB,CAAX,C;IGojIX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiBiE,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA7D,OD/jIO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICgkIX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBkE,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA9D,OHnlIO,eAAW,kBGmlIA,gBHnlIA,EAAgB,kBGmlIV,8BHnlIU,CAAhB,CAAX,C;IGolIX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiBmE,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA/D,OD/lIO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICgmIX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBoE,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAhE,OHnnIO,eAAW,kBGmnIA,gBHnnIA,EAAgB,kBGmnIV,8BHnnIU,CAAhB,CAAX,C;IGonIX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiBqE,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAjE,OD/nIO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICgoIX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBsE,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAlE,OHnpIO,eAAW,kBGmpIA,gBHnpIA,EAAgB,kBGmpIV,8BHnpIU,CAAhB,CAAX,C;IGopIX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiBuE,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAnE,OD/pIO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICgqIX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBwE,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAApE,OHnrIO,eAAW,kBGmrIA,gBHnrIA,EAAgB,kBGmrIV,8BHnrIU,CAAhB,CAAX,C;IGorIX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiByE,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAArE,OD/rIO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICgsIX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiB0E,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAtE,OHntIO,eAAW,kBGmtIA,gBHntIA,EAAgB,kBGmtIV,8BHntIU,CAAhB,CAAX,C;IGotIX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiB2E,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAvE,OD/tIO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICguIX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiB4E,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAxE,OHnvIO,eAAW,kBGmvIA,gBHnvIA,EAAgB,kBGmvIV,8BHnvIU,CAAhB,CAAX,C;IGovIX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiB6E,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAzE,OD/vIO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICgwIX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiB8E,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA1E,OHnxIO,eAAW,kBGmxIA,gBHnxIA,EAAgB,kBGmxIV,8BHnxIU,CAAhB,CAAX,C;IGoxIX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiB+E,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA3E,OD/xIO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICgyIX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBgF,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA5E,OHnzIO,eAAW,kBGmzIA,gBHnzIA,EAAgB,kBGmzIV,8BHnzIU,CAAhB,CAAX,C;IGozIX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiBiF,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA7E,OD/zIO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICg0IX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBkF,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA9E,OH31IO,eAAW,kBG21IA,gBH31IA,EAAgB,kBG21IV,8BH31IU,CAAhB,CAAX,C;IG41IX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiBmF,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA/E,OD/1IO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICg2IX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBoF,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAhF,OHn3IO,eAAW,kBGm3IA,gBHn3IA,EAAgB,kBGm3IV,8BHn3IU,CAAhB,CAAX,C;IGo3IX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiBqF,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAjF,OD/3IO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICg4IX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBsF,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAlF,OHn5IO,eAAW,kBGm5IA,gBHn5IA,EAAgB,kBGm5IV,8BHn5IU,CAAhB,CAAX,C;IGo5IX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiBuF,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAnF,OD/5IO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICg6IX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBwF,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAApF,OHn7IO,eAAW,kBGm7IA,gBHn7IA,EAAgB,kBGm7IV,8BHn7IU,CAAhB,CAAX,C;IGo7IX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiByF,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAArF,OD/7IO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICg8IX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiB0F,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAtF,OHn9IO,eAAW,kBGm9IA,gBHn9IA,EAAgB,kBGm9IV,8BHn9IU,CAAhB,CAAX,C;IGo9IX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiB2F,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAvF,OD/9IO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICg+IX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiB4F,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAxF,OHn/IO,eAAW,kBGm/IA,gBHn/IA,EAAgB,kBGm/IV,8BHn/IU,CAAhB,CAAX,C;IGo/IX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiB6F,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAzF,OD/+IO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICggJX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiB8F,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA1F,OHnhJO,eAAW,kBGmhJA,gBHnhJA,EAAgB,kBGmhJV,8BHnhJU,CAAhB,CAAX,C;IGohJX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiB+F,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA3F,OD/hJO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICgiJX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBgG,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA5F,OHnjJO,eAAW,kBGmjJA,gBHnjJA,EAAgB,kBGmjJV,8BHnjJU,CAAhB,CAAX,C;IGojJX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiBiG,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA7F,OD/jJO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICgkJX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBkG,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA9F,OHnlJO,eAAW,kBGmlJA,gBHnlJA,EAAgB,kBGmlJV,8BHnlJU,CAAhB,CAAX,C;IGolJX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiBmG,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAA/F,OD/lJO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICgmJX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBoG,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAhG,OHnnJO,eAAW,kBGmnJA,gBHnnJA,EAAgB,kBGmnJV,8BHnnJU,CAAhB,CAAX,C;IGonJX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiBqG,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAjG,OD/nJO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICgoJX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBsG,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAlG,OHnpJO,eAAW,kBGmpJA,gBHnpJA,EAAgB,kBGmpJV,8BHnpJU,CAAhB,CAAX,C;IGopJX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiBuG,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAnG,OD/pJO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICgqJX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiBwG,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAApG,OHnrJO,eAAW,kBGmrJA,gBHnrJA,EAAgB,kBGmrJV,8BHnrJU,CAAhB,CAAX,C;IGorJX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiByG,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAArG,OD/rJO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICgsJX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,StBr2FK,QsBq2FjB,C;MACX,C;KATA,C;;MAiB0G,2B;QAAW,2BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAtG,OHntJO,eAAW,kBGmtJA,gBHntJA,EAAgB,kBGmtJV,8BHntJU,CAAhB,CAAX,C;IGotJX,C;uFAEA,yB;MAAA,+C;MAAA,yC;MAAA,4B;QAQI,OAAO,mBAAU,StBr2FO,QsBq2FjB,C;MACX,C;KATA,C;;MAiB2G,0B;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAvG,OD/tJO,gHO,gBAAY,gCAAC,+gHA,gBD+gHA,mBC/gHA,+BD+gHA,CAAZ,CAAX,C;ICguJX,C;kGAEA,yB;MAAA,2C;MAAA,4

A,iB;UACA,IAAK,WAxJyD,cAwJrD,CAAe,OAAf,CAAJ,C;;QAxJT,OA0JO,W;MAzJX,C;KAdA,C;uFAgBA,yB;MAAA,wE;MA0JA,+D;MA1JA,yD;QAaW,kBAAU,oB;QA0JD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA3JiD,WA2JvC,CAAY,OAAZ,C;U7B3pHP,U;UADP,Y6B6pHe,W7B7pHH,W6B6pHwB,G7B7pHx B,C;UACL,IAAI,aAAJ,C;YACH,a6B2pHuC,gB;YAA5B,W7B1pHX,a6B0pHgC,G7B1pHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6BupHA,iB;UACA,IAAK,WA7JyD,cA6JrD,CAAe,OAAf,CAAJ,C;;QA7JT,OA+JO,W;MA9JX,C;KAdA,C;uFAgBA,yB;MAAA,wE;MA+JA,+D;MA/JA,yD;QAaW,kBAAU,oB;QA+JD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAhKiD,WAgKvC,CAAY,OAAZ,C;U7BhrHP,U;UADP,Y6BkrHe,W7BlrHH,W6BkrHwB,G7BlrHx B,C;UACL,IAAI,aAAJ,C;YACH,a6BgrHuC,gB;YAA5B,W7B/qHX,a6B+qHgC,G7B/qHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B4qHA,iB;UACA,IAAK,WAlKyD,cAkKrD,CAAe,OAAf,CAAJ,C;;QAlKT,OAoKO,W;MAnKX,C;KAdA,C;2FAgBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U7BjsHP,U;UADP,Y6BmsHe,W7BnsHH,W6BmsHwB,G7BnsHx B,C;UACL,IAAI,aAAJ,C;YACH,a6BisHuC,gB;YAA5B,W7BhsHX,a6BgsHgC,G7BhsHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B6rHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7BrsHP,U;UADP,Y6BusHe,W7BvsHH,W6BusHwB,G7BvsHx B,C;UACL,IAAI,aAAJ,C;YACH,a6BqsHuC,gB;YAA5B,W7BpsHX,a6BosHgC,G7BpsHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6BisHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7BzsHP,U;UADP,Y6B2sHe,W7B3sHH,W6B2sHwB,G7B3sHx B,C;UACL,IAAI,aAAJ,C;YACH,a6BysHuC,gB;YAA5B,W7BxsHX,a6BwsHgC,G7BxsHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6BqsHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B7sHP,U;UADP,Y6B+sHe,W7B/sHH,W6B+sHwB,G7B/sHx B,C;UACL,IAAI,aAAJ,C;YACH,a6B6sHuC,gB;YAA5B,W7B5sHX,a6B4sHgC,G7B5sHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6BysHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7BjtHP,U;UADP,Y6BmtHe,W7BntHH,W6BmtHwB,G7BntHx B,C;UACL,IAAI,aAAJ,C;YACH,a6BitHuC,gB;YAA5B,W7BhtHX,a6BgtHgC,G7BhtHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B6sHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7BrtHP,U;UADP,Y6ButHe,W7BvtHH,W6ButHwB,G7BvtHx B,C;UACL,IAAI,aAAJ,C;YACH,a6BqtHuC,gB;YAA5B,W7BptHX,a6BotHgC,G7BptHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6BitHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7BztHP,U;UADP,Y6B2tHe,W7B3tHH,W6B2tHwB,G7B3tHx B,C;UACL,IAAI,aAAJ,C;YACH,a6BytHuC,gB;YAA5B,W7BxtHX,a6BwtHgC,G7BxtHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6BqtHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B7tHP,U;UADP,Y6B+tHe,W7B/tHH,W6B+tHwB,G7B/tHx B,C;UACL,IAAI,aAAJ,C;YACH,a6B6tHuC,gB;YAA5B,W7B5tHX,a6B4tHgC,G7B5tHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6BytHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7BjuHP,U;UADP,Y6BmuHe,W7BnuHH,W6BmuHwB,G7BnuHx B,C;UACL,IAAI,aAAJ,C;YACH,a6BiuHuC,gB;YAA5B,W7BhuHX,a6BguHgC,G7BhuHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B6tHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7BruHP,U;UADP,Y6BuuHe,W7BvuHH,W6BuuHwB,G7BvuHx B,C;UACL,IAAI,aAAJ,C;YACH,a6BquHuC,gB;YAA5B,W7BpuHX,a6BouHgC,G7BpuHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6BiuHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7BzuHP,U;UADP,Y6B2uHe,W7B3uHH,W6B2uHwB,G7B3uHx B,C;UACL,IAAI,aAAJ,C;YACH,a6ByuHuC,gB;YAA5B,W7BxuHX,a6BwuHgC,G7BxuHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6BquHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B7uHP,U;UADP,Y6B+uHe,W7B/uHH,W6B+uHwB,G7B/uHx B,C;UACL,IAAI,aAAJ,C;YACH,a6B6uHuC,gB;YAA5B,W7B5uHX,a6B4uHgC,G7B5uHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6BuuHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B/uHP,U;UADP,Y6BivHe,W7BjvHH,W6BivHwB,G7BjvHx B,C;UACL,IAAI,aAAJ,C;YACH,a6B+uHuC,gB;YAA5B,W7B9uHX,a6B8uHgC,G7B9uHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B2uHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7BnvHP,U;UADP,Y6BqvHe,W7BrvHH,W6BqvHwB,G7BrvHx B,C;UACL,IAAI,aAAJ,C;YACH,a6BmvHuC,gB;YAA5B,W7BlvHX,a6BkvHgC,G7BlvHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B+uHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7BvvHP,U;UADP,Y6ByvHe,W7BzvHH,W6ByvHwB,G7BzvHx B,C;UACL,IAAI,aAAJ,C;YACH,a6BuvHuC,gB;YAA5B,W7BtvHX,a6BsvHgC,G7BtvHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6BmvHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B3vHP,U;UADP,Y6B6vHe,W7B7vHH,W6B6vHwB,G7B7vHx B,C;UACL,IAAI,aAAJ,C;YACH,a6B2vHuC,gB;YAA5B,W7B1vHX,a6B0vHgC,G7B1vHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6BuvHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B/vHP,U;UADP,Y6BiwHe,W7BjwHH,W6BiwHwB,G7BjwHx B,C;UACL,IAAI,aAAJ,C;YACH,a6B+vHuC,gB;YAA5B,W7B9vHX,a6B8vHgC,G7B9vHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B2vHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7BnwHP,U;UADP,Y6BqwHe,W7BrwHH,W6BqwHwB,G7BrwHx B,C;UACL,IAAI,aAAJ,C;YACH,a6BmwHuC,gB;YAA5B,W7BlwHX,a6BkwHgC,G7BlwHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B+vHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7BvwHP,U;UADP,Y6BywHe,W7BzwHH,W6BywHwB,G7BzwHx B,C;UACL,IAAI,aAAJ,C;YACH,a6BuwHuC,gB;YAA5B,W7BtwHX,a6BswHgC,G7BtwHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6BmwHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B3wHP,U;UADP,Y6B6wHe,W7B7wHH,W6B6wHwB,G7B7wHx B,C;UACL,IAAI,aAAJ,C;YACH,a6B2wHuC,gB;YAA5B,W7B1wHX,a6B0wHgC,G7B1wHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6BuwHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B/wHP,U;UADP,Y6BixHe,W7BjxHH,W6BixHwB,G7BjxHx B,C;UACL,IAAI,aAAJ,C;YACH,a6B+wHuC,gB;YAA5B,W7B9wHX,a6B8wHgC,G7B9wHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B2wHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7BnxHP,U;UADP,Y6BqxHe,W7BrxHH,W6BqxHwB,G7BrxHx B,C;UACL,IAAI,aAAJ,C;YACH,a6BmxHuC,gB;YAA5B,W7BlxHX,a6BkxHgC,G7BlxHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B+wHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7BvxHP,U;UADP,Y6ByxHe,W7BzxHH,W6ByxHwB,G7BzxHx B,C;UACL,IAAI,aAAJ,C;YACH,a6BuxHuC,gB;YAA5B,W7BtxHX,a6BsxHgC,G7BtxHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6BmxHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B3xHP,U;UADP,Y6B6xHe,W7B7xHH,W6B6xHwB,G7B7xHx B,C;UACL,IAAI,aAAJ,C;YACH,a6B2xHuC,gB;YAA5B,W7B1xHX,a6B0xHgC,G7B1xHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6BuxHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B/xHP,U;UADP,Y6BiyHe,W7BjyHH,W6BiyHwB,G7BjyHx B,C;UACL,IAAI,aAAJ,C;YACH,a6B+xHuC,gB;YAA5B,W7B9xHX,a6B8xHgC,G7B9xHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B2xHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7BnyHP,U;UADP,Y6BqyHe,W7BryHH,W6BqyHwB,G7BryHx B,C;UACL,IAAI,aAAJ,C;YACH,a6BmyHuC,gB;YAA5B,W7BlyHX,a6BkyHgC,G7BlyHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B+xHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7BvyHP,U;UADP,Y6ByyHe,W7BzyHH,W6ByyHwB,G7BzyHx B,C;UACL,IAAI,aAAJ,C;YACH,a6BuyHuC,gB;YAA5B,W7BtyHX,a6BsyHgC,G7BtyHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6BmyHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B3yHP,U;UADP,Y6B6yHe,W7B7yHH,W6B6yHwB,G7B7yHx B,C;UACL,IAAI,aAAJ,C;YACH,a6B2yHuC,gB;YAA5B,W7B1yHX,a6B0yHgC,G7B1yHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6BuyHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B/yHP,U;UADP,Y6BizHe,W7BjzHH,W6BizHwB,G7BjzHx B,C;UACL,IAAI,aAAJ,C;YACH,a6B+yHuC,gB;YAA5B,W7B9yHX,a6B8yHgC,G7B9yHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B2yHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7BnzHP,U;UADP,Y6BqzHe,W7BrzHH,W6BqzHwB,G7BrzHx B,C;UACL,IAAI,aAAJ,C;YACH,a6BmzHuC,gB;YAA5B,W7BlzHX,a6BkzHgC,G7BlzHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B+yHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7BvzHP,U;UADP,Y6ByzHe,W7BzzHH,W6ByzHwB,G7BzzHx B,C;UACL,IAAI,aAAJ,C;YACH,a6BuzHuC,gB;YAA5B,W7BtzHX,a6BszHgC,G7BtzHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6BmzHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B3zHP,U;UADP,Y6B6zHe,W7B7zHH,W6B6zHwB,G7B7zHx B,C;UACL,IAAI,aAAJ,C;YACH,a6B2zHuC,gB;YAA5B,W7B1zHX,a6B0zHgC,G7B1zHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6BuzHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B/zHP,U;UADP,Y6Bi0He,W7Bj0HH,W6Bi0HwB,G7Bj0Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6B+zHuC,gB;YAA5B,W7B9zHX,a6B8zHgC,G7B9zHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B2zHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7Bn0HP,U;UADP,Y6Bq0He,W7Br0HH,W6Bq0HwB,G7Br0Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6Bm0HuC,gB;YAA5B,W7Bl0HX,a6Bk0HgC,G7Bl0HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B+zHA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7Bv0HP,U;UADP,Y6By0He,W7Bz0HH,W6By0HwB,G7Bz0Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6Bu0HuC,gB;YAA5B,W7Bt0HX,a6Bs0HgC,G7Bt0HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6Bm0HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B30HP,U;UADP,Y6B60He,W7B70HH,W6B60HwB,G7B70Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6B20HuC,gB;YAA5B,W7B10HX,a6B00HgC,G7B10HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6Bu0HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B/0HP,U;UADP,Y6Bi1He,W7Bj1HH,W6Bi1HwB,G7Bj1Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6B+0HuC,gB;YAA5B,W7B90HX,a6B80HgC,G7B90HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B20HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7Bn1HP,U;UADP,Y6Bq1He,W7Br1HH,W6Bq1HwB,G7Br1Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6Bm1HuC,gB;YAA5B,W7Bl1HX,a6Bk1HgC,G7Bl1HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B+0HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7Bv1HP,U;UADP,Y6By1He,W7Bz1HH,W6By1HwB,G7Bz1Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6Bu1HuC,gB;YAA5B,W7Bt1HX,a6Bs1HgC,G7Bt1HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6Bm1HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B31HP,U;UADP,Y6B61He,W7B71HH,W6B61HwB,G7B71Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6B21HuC,gB;YAA5B,W7B11HX,a6B01HgC,G7B11HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6Bu1HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B/1HP,U;UADP,Y6Bi2He,W7Bj2HH,W6Bi2HwB,G7Bj2Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6B+1HuC,gB;YAA5B,W7B91HX,a6B81HgC,G7B91HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B21HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7Bn2HP,U;UADP,Y6Bq2He,W7Br2HH,W6Bq2HwB,G7Br2Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6Bm2HuC,gB;YAA5B,W7Bl2HX,a6Bk2HgC,G7Bl2HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B+1HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7Bv2HP,U;UADP,Y6By2He,W7Bz2HH,W6By2HwB,G7Bz2Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6Bu2HuC,gB;YAA5B,W7Bt2HX,a6Bs2HgC,G7Bt2HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6Bm2HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B32HP,U;UADP,Y6B62He,W7B72HH,W6B62HwB,G7B72Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6B22HuC,gB;YAA5B,W7B12HX,a6B02HgC,G7B12HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6Bu2HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B/2HP,U;UADP,Y6Bi3He,W7Bj3HH,W6Bi3HwB,G7Bj3Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6B+2HuC,gB;YAA5B,W7B92HX,a6B82HgC,G7B92HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B22HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7Bn3HP,U;UADP,Y6Bq3He,W7Br3HH,W6Bq3HwB,G7Br3Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6Bm3HuC,gB;YAA5B,W7Bl3HX,a6Bk3HgC,G7Bl3HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B+2HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7Bv3HP,U;UADP,Y6By3He,W7Bz3HH,W6By3HwB,G7Bz3Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6Bu3HuC,gB;YAA5B,W7Bt3HX,a6Bs3HgC,G7Bt3HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6Bm3HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B33HP,U;UADP,Y6B63He,W7B73HH,W6B63HwB,G7B73Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6B23HuC,gB;YAA5B,W7B13HX,a6B03HgC,G7B13HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6Bu3HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B/3HP,U;UADP,Y6Bi4He,W7Bj4HH,W6Bi4HwB,G7Bj4Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6B+3HuC,gB;YAA5B,W7B93HX,a6B83HgC,G7B93HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B23HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7Bn4HP,U;UADP,Y6Bq4He,W7Br4HH,W6Bq4HwB,G7Br4Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6Bm4HuC,gB;YAA5B,W7Bl4HX,a6Bk4HgC,G7Bl4HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B+3HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7Bv4HP,U;UADP,Y6By4He,W7Bz4HH,W6By4HwB,G7Bz4Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6Bu4HuC,gB;YAA5B,W7Bt4HX,a6Bs4HgC,G7Bt4HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6Bm4HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B34HP,U;UADP,Y6B64He,W7B74HH,W6B64HwB,G7B74Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6B24HuC,gB;YAA5B,W7B14HX,a6B04HgC,G7B14HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6Bu4HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B/4HP,U;UADP,Y6Bi5He,W7Bj5HH,W6Bi5HwB,G7Bj5Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6B+4HuC,gB;YAA5B,W7B94HX,a6B84HgC,G7B94HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B24HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7Bn5HP,U;UADP,Y6Bq5He,W7Br5HH,W6Bq5HwB,G7Br5Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6Bm5HuC,gB;YAA5B,W7Bl5HX,a6Bk5HgC,G7Bl5HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B+4HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7Bv5HP,U;UADP,Y6By5He,W7Bz5HH,W6By5HwB,G7Bz5Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6Bu5HuC,gB;YAA5B,W7Bt5HX,a6Bs5HgC,G7Bt5HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6Bm5HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B35HP,U;UADP,Y6B65He,W7B75HH,W6B65HwB,G7B75Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6B25HuC,gB;YAA5B,W7B15HX,a6B05HgC,G7B15HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6Bu5HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B/5HP,U;UADP,Y6Bi6He,W7Bj6HH,W6Bi6HwB,G7Bj6Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6B+5HuC,gB;YAA5B,W7B95HX,a6B85HgC,G7B95HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B25HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7Bn6HP,U;UADP,Y6Bq6He,W7Br6HH,W6Bq6HwB,G7Br6Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6Bm6HuC,gB;YAA5B,W7Bl6HX,a6Bk6HgC,G7Bl6HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B+5HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7Bv6HP,U;UADP,Y6By6He,W7Bz6HH,W6By6HwB,G7Bz6Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6Bu6HuC,gB;YAA5B,W7Bt6HX,a6Bs6HgC,G7Bt6HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6Bm6HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B36HP,U;UADP,Y6B66He,W7B76HH,W6B66HwB,G7B76Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6B26HuC,gB;YAA5B,W7B16HX,a6B06HgC,G7B16HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6Bu6HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B/6HP,U;UADP,Y6Bi7He,W7Bj7HH,W6Bi7HwB,G7Bj7Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6B+6HuC,gB;YAA5B,W7B96HX,a6B86HgC,G7B96HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B26HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7Bn7HP,U;UADP,Y6Bq7He,W7Br7HH,W6Bq7HwB,G7Br7Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6Bm7HuC,gB;YAA5B,W7Bl7HX,a6Bk7HgC,G7Bl7HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B+6HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7Bv7HP,U;UADP,Y6By7He,W7Bz7HH,W6By7HwB,G7Bz7Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6Bu7HuC,gB;YAA5B,W7Bt7HX,a6Bs7HgC,G7Bt7HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6Bm7HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B37HP,U;UADP,Y6B67He,W7B77HH,W6B67HwB,G7B77Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6B27HuC,gB;YAA5B,W7B17HX,a6B07HgC,G7B17HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6Bu7HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B/7HP,U;UADP,Y6Bi8He,W7Bj8HH,W6Bi8HwB,G7Bj8Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6B+7HuC,gB;YAA5B,W7B97HX,a6B87HgC,G7B97HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B27HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7Bn8HP,U;UADP,Y6Bq8He,W7Br8HH,W6Bq8HwB,G7Br8Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6Bm8HuC,gB;YAA5B,W7Bl8HX,a6Bk8HgC,G7Bl8HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6B+7HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7Bv8HP,U;UADP,Y6By8He,W7Bz8HH,W6By8HwB,G7Bz8Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6Bu8HuC,gB;YAA5B,W7Bt8HX,a6Bs8HgC,G7Bt8HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U6Bm8HA,iB;UACA,IAAK,WAAU,OAAV,C;;QAAL,OAAK,cAAL,C;UAAK,yB;UACD,UAAU,YAAY,OAAZ,C;U7B38HP,U;UADP,Y6B68He,W7B78HH,W6B68HwB,G7B78Hx B,C;UACL,IAAI,aAAJ,C;YACH,a6B28HuC,gB;YAA

AsDpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtDhB,OAuDO,W;MAtDX,C;KAXA,C;6FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAwDP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAzDwB,SAyDpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzDhB,OA0DO,W;MAzDX,C;KAXA,C;6FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA2DP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA5DwB,SA4DpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5DhB,OA6DO,W;MA5DX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA8DP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA/DwB,SA+DpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/DhB,OAgEO,W;MA/DX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAiEP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAlEwB,SAkEpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlEhB,OAmEO,W;MAlEX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAoEP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WArEwB,SAqEpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArEhB,OAsEO,W;MArEX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAuEP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAxEwB,SAwEpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxEhB,OAyEO,W;MAxEX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA0EP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA3EwB,SA2EpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3EhB,OA4EO,W;MA3EX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA6EP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA9EwB,SA8EpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9EhB,OA+EO,W;MA9EX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAgFP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAjFwB,SAiFpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjFhB,OAkFO,W;MAjFX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAmFP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WApFwB,SAoFpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApFhB,OAqFO,W;MApFX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAsFP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvFwB,SAuFpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvFhB,OAwFO,W;MAvFX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAyFP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA1FwB,SA0FpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1FhB,OA2FO,W;MA1FX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA4FP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA7FwB,SA6FpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7FhB,OA8FO,W;MA7FX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA+FP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAhGwB,SAgGpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhGhB,OAiGO,W;MAhGX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAkGP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAnGwB,SAmGpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnGhB,OAoGO,W;MAnGX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAqGP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAtGwB,SAsGpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtGhB,OAuGO,W;MAtGX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAwGP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAzGwB,SAyGpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzGhB,OA0GO,W;MAzGX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA2GP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA5GwB,SA4GpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5GhB,OA6GO,W;MA5GX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA8GP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA/GwB,SA+GpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/GhB,OAgHO,W;MA/GX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAiHP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAlHwB,SAkHpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlHhB,OAmHO,W;MAlHX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAoHP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WArHwB,SAqHpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArHhB,OAsHO,W;MArHX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAuHP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAxHwB,SAwHpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxHhB,OAyHO,W;MAxHX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA0HP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA3HwB,SA2HpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3HhB,OA4HO,W;MA3HX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA6HP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA9HwB,SA8HpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9HhB,OA+HO,W;MA9HX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAgIP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAjIwB,SAiIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjIhB,OAkIO,W;MAjIX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAmIP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WApIwB,SAoIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApIhB,OAqIO,W;MApIX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAsIP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvIwB,SAuIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvIhB,OAwIO,W;MAvIX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAyIP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA1IwB,SA0IpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1IhB,OA2IO,W;MA1IX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA4IP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA7IwB,SA6IpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7IhB,OA8IO,W;MA7IX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA+IP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAhJwB,SAgJpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhJhB,OAiJO,W;MAhJX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAkJP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAnJwB,SAmJpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnJhB,OAoJO,W;MAnJX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAqJP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAtJwB,SAsJpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtJhB,OAuJO,W;MAtJX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAwJP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAzJwB,SAyJpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzJhB,OA0JO,W;MAzJX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA2JP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA5JwB,SA4JpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5JhB,OA6JO,W;MA5JX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA8JP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA/JwB,SA+JpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/JhB,OAgKO,W;MA/JX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAiKP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAlKwB,SAkKpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlKhB,OAmKO,W;MAlKX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAoKP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WArKwB,SAqKpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArKhB,OAsKO,W;MArKX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAuKP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAxKwB,SAwKpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxKhB,OAyKO,W;MAxKX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA0KP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA3KwB,SA2KpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3KhB,OA4KO,W;MA3KX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA6KP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA9KwB,SA8KpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9KhB,OA+KO,W;MA9KX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAgLP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAjLwB,SAiLpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjLhB,OAkLO,W;MAjLX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAmLP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WApLwB,SAoLpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApLhB,OAqLO,W;MApLX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAsLP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvLwB,SAuLpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvLhB,OAwLO,W;MAvLX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAyLP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA1LwB,SA0LpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1LhB,OA2LO,W;MA1LX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA4LP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA7LwB,SA6LpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7LhB,OA8LO,W;MA7LX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA+LP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAhMwB,SAgMpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhMhB,OAiMO,W;MAhMX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAkMP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAnMwB,SAmMpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnMhB,OAoMO,W;MAnMX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAqMP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAtMwB,SAsMpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtMhB,OAuMO,W;MAtMX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAwMP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAzMwB,SAyMpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzMhB,OA0MO,W;MAzMX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA2MP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA5MwB,SA4MpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5MhB,OA6MO,W;MA5MX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA8MP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA/MwB,SA+MpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/MhB,OAgNO,W;MA/MX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAiNP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAlNwB,SAkNpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlNhB,OAmNO,W;MAlNX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAoNP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WArNwB,SAqNpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArNhB,OAsNO,W;MArNX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAuNP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAxNwB,SAwNpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxNhB,OAyNO,W;MAxNX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA0NP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA3NwB,SA2NpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3NhB,OA4NO,W;MA3NX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA6NP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA9NwB,SA8NpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9NhB,OA+NO,W;MA9NX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAgOP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAjOwB,SAiOpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjOhB,OAkOO,W;MAjOX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAmOP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WApOwB,SAoOpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApOhB,OAqOO,W;MApOX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAsOP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvOwB,SAuOpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvOhB,OAwOO,W;MAvOX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAyOP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA1OwB,SA0OpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1OhB,OA2OO,W;MA1OX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA4OP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA7OwB,SA6OpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7OhB,OA8OO,W;MA7OX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA+OP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAhPwB,SAgPpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhPhB,OAiPO,W;MAhPX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAkPP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAnPwB,SAmPpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnPhB,OAoPO,W;MAnPX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAqPP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAtPwB,SAsPpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtPhB,OAuPO,W;MAtPX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAwPP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAzPwB,SAyPpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzPhB,OA0PO,W;MAzPX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA2PP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA5PwB,SA4PpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5PhB,OA6PO,W;MA5PX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA8PP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA/PwB,SA+PpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/PhB,OAgQO,W;MA/PX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAiQP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAlQwB,SAkQpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlQhB,OAmQO,W;MAlQX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAoQP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WArQwB,SAqQpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArQhB,OAsQO,W;MArQX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAuQP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAxQwB,SAwQpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxQhB,OAyQO,W;MAxQX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA0QP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA3QwB,SA2QpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3QhB,OA4QO,W;MA3QX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA6QP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA9QwB,SA8QpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9QhB,OA+QO,W;MA9QX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAgRP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAjRwB,SAiRpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjRhB,OAkRO,W;MAjRX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAmRP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WApRwB,SAoRpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApRhB,OAqRO,W;MApRX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAsRP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvRwB,SAuRpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvRhB,OAwRO,W;MAvRX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAyRP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA1RwB,SA0RpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1RhB,OA2RO,W;MA1RX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA4RP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA7RwB,SA6RpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7RhB,OA8RO,W;MA7RX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA+RP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAhSwB,SAgSpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhShB,OAiSO,W;MAhSX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAkSP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAnSwB,SAmSpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnShB,OAoSO,W;MAnSX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAqSP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAtSwB,SAsSpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtShB,OAuSO,W;MAtSX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAwSP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAzSwB,SAySpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzShB,OA0SO,W;MAzSX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA2SP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA5SwB,SA4SpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,

AvB,C;;MACpC,OAAO,W;IACX,C;;MAcoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAAkB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAnB,EAAgC,OAAhC,C

e,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA7kDgB,cA6kDA,SA7kDR,QAAQ,C;QA8kDhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAnlDI,8D;MAmlDJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA9lDgB,cA8lDA,SA9lDR,QAAQ,C;QA+lDhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAplDI,8D;MAolDJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA/mDgB,cA+mDA,SA/mDR,QAAQ,C;QAgnDhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAnnDI,8D;MAmnDJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA9oDgB,cA8oDA,SA9oDR,QAAQ,C;QA+oDhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAppDI,8D;MAopDJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA/qDgB,cA+qDA,SA/qDR,QAAQ,C;QAgrDhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MArqDI,8D;MAqqDJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAhsDgB,cAgsDA,SAhsDR,QAAQ,C;QAisDhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAtsDI,8D;MAssDJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjuDgB,cAiuDA,SAjuDR,QAAQ,C;QAkuDhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAvuDI,8D;MAuuDJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAlwDgB,cAkwDA,SAlwDR,QAAQ,C;QAmwDhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAxvDI,8D;MAwvDJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAnxDgB,cAmxDA,SAnxDR,QAAQ,C;QAoxDhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAzwDI,8D;MAywDJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBApyDgB,cAoyDA,SApyDR,QAAQ,C;QAqyDhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MA1xDI,8D;MA0xDJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBArzDgB,cAqzDA,SArzDR,QAAQ,C;QAszDhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MA3yDI,8D;MA2yDJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAt0DgB,cAs0DA,SAt0DR,QAAQ,C;QAu0DhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MA50DI,8D;MA40DJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAv1DgB,cAu1DA,SAv1DR,QAAQ,C;QAw1DhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MA71DI,8D;MA61DJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAx2DgB,cAw2DA,SAx2DR,QAAQ,C;QAy2DhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MA93DI,8D;MA83DJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAz4DgB,cAy4DA,SAz4DR,QAAQ,C;QA04DhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MA/4DI,8D;MA+4DJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA16DgB,cA06DA,SA16DR,QAAQ,C;QA26DhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAh6DI,8D;MAg6DJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA37DgB,cA27DA,SA37DR,QAAQ,C;QA47DhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAj7DI,8D;MAi7DJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA58DgB,cA48DA,SA58DR,QAAQ,C;QA68DhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAl8DI,8D;MAk8DJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA79DgB,cA69DA,SA79DR,QAAQ,C;QA89DhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAn9DI,8D;MAm9DJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA9+DgB,cA8+DA,SA9+DR,QAAQ,C;QA++DhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAp+DI,8D;MAo+DJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA/gEgB,cA+gEA,SA/gER,QAAQ,C;QAghEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAr/DI,8D;MAq/DJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAhiEgB,cAgiEA,SAhiER,QAAQ,C;QAiiEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAtgEI,8D;MAsgEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjjEgB,cAijEA,SAjjER,QAAQ,C;QAkjEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAvhEI,8D;MAuhEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAlkEgB,cAkkEA,SAlkER,QAAQ,C;QAmkEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAxiEI,8D;MAwiEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAnlEgB,cAmlEA,SAnlER,QAAQ,C;QAolEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAzjEI,8D;MAyjEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBApmEgB,cAomEA,SApmER,QAAQ,C;QAqmEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MA1kEI,8D;MA0kEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBArnEgB,cAqnEA,SArnER,QAAQ,C;QAsnEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MA3lEI,8D;MA2lEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAtoEgB,cAsoEA,SAtoER,QAAQ,C;QAuoEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MA5mEI,8D;MA4mEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAvpEgB,cAupEA,SAvpER,QAAQ,C;QAwpEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MA7nEI,8D;MA6nEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAxqEgB,cAwqEA,SAxqER,QAAQ,C;QAyqEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MA9oEI,8D;MA8oEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAzrEgB,cAyrEA,SAzrER,QAAQ,C;QA0rEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MA/pEI,8D;MA+pEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA1sEgB,cA0sEA,SA1sER,QAAQ,C;QA2sEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAhrEI,8D;MAgrEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA3tEgB,cA2tEA,SA3tER,QAAQ,C;QA4tEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAjsEI,8D;MAisEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA5uEgB,cA4uEA,SA5uER,QAAQ,C;QA6uEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAltEI,8D;MAktEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA7vEgB,cA6vEA,SA7vER,QAAQ,C;QA8vEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAnuEI,8D;MAmuEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA9wEgB,cA8wEA,SA9wER,QAAQ,C;QA+wEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MApvEI,8D;MAovEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA/xEgB,cA+xEA,SA/xER,QAAQ,C;QAgyEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MArwEI,8D;MAqwEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAhzEgB,cAgzEA,SAhzER,QAAQ,C;QAizEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAtxEI,8D;MAsxEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAj0EgB,cAi0EA,SAj0ER,QAAQ,C;QAk0EhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAvyEI,8D;MAuyEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAl1EgB,cAk1EA,SAl1ER,QAAQ,C;QAm1EhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAxzEI,8D;MAwzEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAn2EgB,cAm2EA,SAn2ER,QAAQ,C;QAo2EhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAz0EI,8D;MAy0EJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAp3EgB,cAo3EA,SAp3ER,QAAQ,C;QAq3EhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MA11EI,8D;MA01EJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAr4EgB,cAq4EA,SAr4ER,QAAQ,C;QAs4EhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MA32EI,8D;MA22EJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAt5EgB,cAs5EA,SAt5ER,QAAQ,C;QAu5EhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MA54EI,8D;MA44EJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAv6EgB,cAu6EA,SAv6ER,QAAQ,C;QAw6EhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MA75EI,8D;MA65EJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAx7EgB,cAw7EA,SAx7ER,QAAQ,C;QAy7EhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MA98EI,8D;MA88EJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAz9EgB,cAy9EA,SAz9ER,QAAQ,C;QA09EhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MA/+EI,8D;MA++EJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA1gFgB,cA0gFA,SA1gFR,QAAQ,C;QA2gFhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAhhFI,8D;MAghFJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA3iFgB,cA2iFA,SA3iFR,QAAQ,C;QA4iFhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QA

R,QAAQ,C;QA40DhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAvBA,C;mFAyBA,yB;MAj1DI,8D;MAi1DJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA51DgB,cA41DA,SA51DA,QA41DA,C;QAAA,QAAQ,C;QA61DhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;;;QAGA,OAAO,O;MACX,C;KAvBA,C;;;MAyBA,yB;MAAA,iC;QAAA,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAAgB,SAAS,CAAT,C;QAAA,QAAQ,C;QAAA,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3C

EJ,uC;QAS0B,UAEU,M;QAJhC,YArrEgB,cAAR,iBAAQ,C;QAsrEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mC
AA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAA
c,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;+FAgBA
,yB;MAAA,4F;MAtrEI,8D;MAsrEJ,uC;QAS0B,UAEU,M;QAJhC,YA7rEgB,cAAR,iBAAQ,C;QA8rEhB,IAAI,QA
AQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OA
AO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAA
O,W;MACX,C;KAdA,C;+FAgBA,yB;MAAA,4F;MA9rEI,8D;MA8rEJ,uC;QAS0B,UAEU,M;QAJhC,YArsEgB,c
AAR,iBAAQ,C;QAssEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,
YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,
EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;+FAgBA,yB;MAAA,4F;MAtsEI,8D;MAssEJ,uC;QAS
0B,UAEU,M;QAJhC,YA7sEgB,cAAR,iBAAQ,C;QA8sEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BA
9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uB
AAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6GAgBA,yB;MAAA,
4F;MA9uEI,8D;MA8uEJ,uC;QAY0B,Q;QAFtB,YAxvEgB,cAAR,iBAAQ,C;QAyvEhB,IAAI,QAAQ,CAAZ,C;UA
Ae,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAh
B,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;M
ACX,C;KAlBA,C;6GAoBA,yB;MAAA,4F;MA1vEI,8D;MA0vEJ,uC;QAY0B,Q;QAFtB,YApwEgB,cAAR,iBAAQ
,C;QAqwEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI
,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,W
AA7B,C;UACd,qB;;QAEJ,OAAO,W;MACX,C;KAlBA,C;6GAoBA,yB;MAAA,4F;MAxwEI,8D;MAwwEJ,uC;QA
Y0B,Q;QAFtB,YAhxEgB,cAAR,iBAAQ,C;QAixEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BA9B,C;
QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,
EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;MACX,C;KAlBA,C;6GAoBA,yB;
MAAA,4F;MAlxEI,8D;MAkxEJ,uC;QAY0B,Q;QAFtB,YA5xEgB,cAAR,iBAAQ,C;QA6xEhB,IAAI,QAAQ,CAAZ,C;
UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CA
Ah,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;
MACX,C;KAlBA,C;mFAoBA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,
C;UAAgB,yB;UACZ,MjC1/KiD,SiC0/KjD,GjC1/K2D,KAAK,GiC0/KhE,SAAS,OAAT,CjC1/KoE,KAAX,IAAf,C;;QiC4/K
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjCxgLiD,SiCwgLjD,GjCxgL2D,KAAK,GiCwgLhE,SAAS,OAAT,CjCxgLoE,KAAX,IAAf,C;;QiC0gL
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjCxhLiD,SiCwhLjD,GjCxhL2D,KAAK,GiCwhLhE,SAAS,OAAT,CjCxhLoE,KAAX,IAAf,C;;QiC0hL
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjCxiLiD,SiCwiLjD,GjCxiL2D,KAAK,GiCwiLhE,SAAS,OAAT,CjCxiLoE,KAAX,IAAf,C;;QiC0iL
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjCxjLiD,SiCwjLjD,GjCxjL2D,KAAK,GiCwjLhE,SAAS,OAAT,CjCxjLoE,KAAX,IAAf,C;;QiC0jL
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjCxkLiD,SiCwkLjD,GjCxkL2D,KAAK,GiCwkLhE,SAAS,OAAT,CjCxkLoE,KAAX,IAAf,C;;QiC0kL
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjCxlLiD,SiCwlLjD,GjCxlL2D,KAAK,GiCwlLhE,SAAS,OAAT,CjCxlLoE,KAAX,IAAf,C;;QiC0lL
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjCxmLiD,SiCwmLjD,GjCxmL2D,KAAK,GiCwmLhE,SAAS,OAAT,CjCxmLoE,KAAX,IAAf,C;;QiC0mL
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjCxnLiD,SiCwnLjD,GjCxnL2D,KAAK,GiCwnLhE,SAAS,OAAT,CjCxnLoE,KAAX,IAAf,C;;QiC0nL
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjCxoLiD,SiCwoLjD,GjCxoL2D,KAAK,GiCwoLhE,SAAS,OAAT,CjCxoLoE,KAAX,IAAf,C;;QiC0oL
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjCxpLiD,SiCwpLjD,GjCxpL2D,KAAK,GiCwpLhE,SAAS,OAAT,CjCxpLoE,KAAX,IAAf,C;;QiC0pL
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjCxqLiD,SiCwqLjD,GjCxqL2D,KAAK,GiCwqLhE,SAAS,OAAT,CjCxqLoE,KAAX,IAAf,C;;QiC0qL
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjCxrLiD,SiCwrLjD,GjCxrL2D,KAAK,GiCwrLhE,SAAS,OAAT,CjCxrLoE,KAAX,IAAf,C;;QiC0rL
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjCxsLiD,SiCwsLjD,GjCxsL2D,KAAK,GiCwsLhE,SAAS,OAAT,CjCxsLoE,KAAX,IAAf,C;;QiC0sL
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjCxtLiD,SiCwtLjD,GjCxtL2D,KAAK,GiCwtLhE,SAAS,OAAT,CjCxtLoE,KAAX,IAAf,C;;QiC0tL
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjCxuLiD,SiCwuLjD,GjCxuL2D,KAAK,GiCwuLhE,SAAS,OAAT,CjCxuLoE,KAAX,IAAf,C;;QiC0uL
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjCxvLiD,SiCwvLjD,GjCxvL2D,KAAK,GiCwvLhE,SAAS,OAAT,CjCxvLoE,KAAX,IAAf,C;;QiC0vL
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjCxwLiD,SiCwwLjD,GjCxwL2D,KAAK,GiCwwLhE,SAAS,OAAT,CjCxwLoE,KAAX,IAAf,C;;QiC0wL
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjCxxLiD,SiCwxLjD,GjCxxL2D,KAAK,GiCwxLhE,SAAS,OAAT,CjCxxLoE,KAAX,IAAf,C;;QiC0xL
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjCxyLiD,SiCwyLjD,GjCxyL2D,KAAK,GiCwyLhE,SAAS,OAAT,CjCxyLoE,KAAX,IAAf,C;;QiC0yL
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjCxzLiD,SiCwzLjD,GjCxzL2D,KAAK,GiCwzLhE,SAAS,OAAT,CjCxzLoE,KAAX,IAAf,C;;QiC0zL
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjC10LiD,SiC00LjD,GjC10L2D,KAAK,GiC00LhE,SAAS,OAAT,CjC10LoE,KAAX,IAAf,C;;QiC40L
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjC11LiD,SiC01LjD,GjC11L2D,KAAK,GiC01LhE,SAAS,OAAT,CjC11LoE,KAAX,IAAf,C;;QiC41L
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjC12LiD,SiC02LjD,GjC12L2D,KAAK,GiC02LhE,SAAS,OAAT,CjC12LoE,KAAX,IAAf,C;;QiC42L
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjC13LiD,SiC03LjD,GjC13L2D,KAAK,GiC03LhE,SAAS,OAAT,CjC13LoE,KAAX,IAAf,C;;QiC43L
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjC14LiD,SiC04LjD,GjC14L2D,KAAK,GiC04LhE,SAAS,OAAT,CjC14LoE,KAAX,IAAf,C;;QiC44L
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjC15LiD,SiC05LjD,GjC15L2D,KAAK,GiC05LhE,SAAS,OAAT,CjC15LoE,KAAX,IAAf,C;;QiC45L
pB,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,MjC16LiD,SiC06LjD,GjC16L2D,KAAK,GiC06LhE,SAAS,OAAT,CjC16LoE,KAAX,IAAf,C;;QiC46

AmErB,C;;MAnET,OAqEO,I;IApEX,C;;MAkFI,WlB3mLO,MAAK,KkB2mLK,clB3mLL,EkBoiLD,KAuEkB,OlB3mLjB,C;MkB4mLZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA1EqB,GA0EP,sBAAK,CAAL,CA1EO,EAAnB,KA0EqB,CAAM,CAAN,CA1EF,CA0ErB,C;;MA1ET,OA4EO,I;IA3EX,C;+EAEA,yB;MAAA,gE;MlB9iLA,iB;MkB8iLA,8C;QAWI,WlBljLO,MAAK,KkBkjLK,clBljLL,EkBkjLW,KAAM,OlBljLjB,C;QkBmjLZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBjkLA,iB;MkBikLA,8C;QAWI,WlBrkLO,MAAK,KkBqkLK,clBrkLL,EkBqkLW,KAAM,OlBrkLjB,C;QkBskLZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBxlLA,iB;MkBwlLA,8C;QAWI,WlB5lLO,MAAK,KkB4lLK,clB5lLL,EkB4lLW,KAAM,OlB5lLjB,C;QkB6lLZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBvmLA,iB;MkBumLA,8C;QAWI,WlB3mLO,MAAK,KkB2mLK,clB3mLL,EkB2mLW,KAAM,OlB3mLjB,C;QkB4mLZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBtnLA,iB;MkBsnLA,8C;QAWI,WlB1nLO,MAAK,KkB0nLK,clB1nLL,EkB0nLW,KAAM,OlB1nLjB,C;QkB2nLZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBroLA,iB;MkBqoLA,8C;QAWI,WlBzoLO,MAAK,KkByoLK,clBzoLL,EkByoLW,KAAM,OlBzoLjB,C;QkB0oLZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBppLA,iB;MkBopLA,8C;QAWI,WlBxpLO,MAAK,KkBwpLK,clBxpLL,EkBwpLW,KAAM,OlBxpLjB,C;QkBypLZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBnqLA,iB;MkBmqLA,8C;QAWI,WlBvqLO,MAAK,KkBuqLK,clBvqLL,EkBuqLW,KAAM,OlBvqLjB,C;QkBwqLZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBlrLA,iB;MkBkrLA,8C;QAWI,WlBtrLO,MAAK,KkBsrLK,clBtrLL,EkBsrLW,KAAM,OlBtrLjB,C;QkBurLZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBjsLA,iB;MkBisLA,8C;QAWI,WlBrsLO,MAAK,KkBqsLK,clBrsLL,EkBqsLW,KAAM,OlBrsLjB,C;QkBssLZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBhtLA,iB;MkBgtLA,8C;QAWI,WlBptLO,MAAK,KkBotLK,clBptLL,EkBotLW,KAAM,OlBptLjB,C;QkBqtLZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB/tLA,iB;MkB+tLA,8C;QAWI,WlBnuLO,MAAK,KkBmuLK,clBnuLL,EkBmuLW,KAAM,OlBnuLjB,C;QkBouLZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB9vLA,iB;MkB8vLA,8C;QAWI,WlBlwLO,MAAK,KkBkwLK,clBlwLL,EkBkwLW,KAAM,OlBlwLjB,C;QkBmwLZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB7xLA,iB;MkB6xLA,8C;QAWI,WlBjyLO,MAAK,KkBiyLK,clBjyLL,EkBiyLW,KAAM,OlBjyLjB,C;QkBkyLZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB5zLA,iB;MkB4zLA,8C;QAWI,WlBh0LO,MAAK,KkBg0LK,clBh0LL,EkBg0LW,KAAM,OlBh0LjB,C;QkBi0LZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB31LA,iB;MkB21LA,8C;QAWI,WlB/1LO,MAAK,KkB+1LK,clB/1LL,EkB+1LW,KAAM,OlB/1LjB,C;QkBg2LZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB13LA,iB;MkB03LA,8C;QAWI,WlB93LO,MAAK,KkB83LK,clB93LL,EkB83LW,KAAM,OlB93LjB,C;QkB+3LZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBz5LA,iB;MkBy5LA,8C;QAWI,WlB75LO,MAAK,KkB65LK,clB75LL,EkB65LW,KAAM,OlB75LjB,C;QkB85LZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBx7LA,iB;MkBw7LA,8C;QAWI,WlB57LO,MAAK,KkB47LK,clB57LL,EkB47LW,KAAM,OlB57LjB,C;QkB67LZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBv9LA,iB;MkBu9LA,8C;QAWI,WlB39LO,MAAK,KkB29LK,clB39LL,EkB29LW,KAAM,OlB39LjB,C;QkB49LZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBt/LA,iB;MkBs/LA,8C;QAWI,WlB1/LO,MAAK,KkB0/LK,clB1/LL,EkB0/LW,KAAM,OlB1/LjB,C;QkB2/LZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBrhMA,iB;MkBqhMA,8C;QAWI,WlBzhMO,MAAK,KkByhML,clBzhMK,EkByhMW,KAAM,OlBzhMjB,C;QkB0hMZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBpjMA,iB;MkBojMA,8C;QAWI,WlBxjMO,MAAK,KkBwjML,clBxjMK,EkBwjMW,KAAM,OlBxjMjB,C;QkByjMZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBrlMA,iB;MkBqlMA,8C;QAWI,WlBzlMO,MAAK,KkBylML,clBzlMK,EkBylMW,KAAM,OlBzlMjB,C;QkB0lMZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBtnMA,iB;MkBsnMA,8C;QAWI,WlB1nMO,MAAK,KkB0nML,clB1nMK,EkB0nMW,KAAM,OlB1nMjB,C;QkB2nMZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBvpMA,iB;MkBupMA,8C;QAWI,WlB3pMO,MAAK,KkB2pML,clB3pMK,EkB2pMW,KAAM,OlB3pMjB,C;QkB4pMZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBxrMA,iB;MkBwrMA,8C;QAWI,WlB5rMO,MAAK,KkB4rML,clB5rMK,EkB4rMW,KAAM,OlB5rMjB,C;QkB6rMZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBztMA,iB;MkBytMA,8C;QAWI,WlB7tMO,MAAK,KkB6tML,clB7tMK,EkB6tMW,KAAM,OlB7tMjB,C;QkB8tMZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB1vMA,iB;MkB0vMA,8C;QAWI,WlB9vMO,MAAK,KkB8vML,clB9vMK,EkB8vMW,KAAM,OlB9vMjB,C;QkB+vMZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB3xMA,iB;MkB2xMA,8C;QAWI,WlB/xMO,MAAK,KkB+xML,clB/xMK,EkB+xMW,KAAM,OlB/xMjB,C;QkBgyMZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB50MA,iB;MkB40MA,8C;QAWI,WlBh1MO,MAAK,KkBg1ML,clBh1MK,EkBg1MW,KAAM,OlBh1MjB,C;QkBi1MZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB72MA,iB;MkB62MA,8C;QAWI,WlBj3MO,MAAK,KkBi3ML,clBj3MK,EkBi3MW,KAAM,OlBj3MjB,C;QkBk3MZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB94MA,iB;MkB84MA,8C;QAWI,WlBl5MO,MAAK,KkBk5ML,clBl5MK,EkBk5MW,KAAM,OlBl5MjB,C;QkBm5MZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB/6MA,iB;MkB+6MA,8C;QAWI,WlBn7MO,MAAK,KkBm7ML,clBn7MK,EkBm7MW,KAAM,OlBn7MjB,C;QkBo7MZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBh9MA,iB;MkBg9MA,8C;QAWI,WlBp9MO,MAAK,KkBo9ML,clBp9MK,EkBo9MW,KAAM,OlBp9MjB,C;QkBq9MZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBj/MA,iB;MkBi/MA,8C;QAWI,WlBr/MO,MAAK,KkBq/ML,clBr/MK,EkBq/MW,KAAM,OlBr/MjB,C;QkBs/MZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBlhNA,iB;MkBkhNA,8C;QAWI,WlBthNO,MAAK,KkBshNL,clBthNK,EkBshNW,KAAM,OlBthNjB,C;QkBuhNZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBniNA,iB;MkBmiNA,8C;QAWI,WlBviNO,MAAK,KkBuiNL,clBviNK,EkBuiNW,KAAM,OlBviNjB,C;QkBwiNZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBpjNA,iB;MkBojNA,8C;QAWI,WlBxjNO,MAAK,KkBwjNL,clBxjNK,EkBwjNW,KAAM,OlBxjNjB,C;QkByjNZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBrkNA,iB;MkBqkNA,8C;QAWI,WlBzkNO,MAAK,KkBykNL,clBzkNK,EkBykNW,KAAM,OlBzkNjB,C;QkB0kNZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBtlNA,iB;MkBslNA,8C;QAWI,WlB1lNO,MAAK,KkB0lNL,clB1lNK,EkB0lNW,KAAM,OlB1lNjB,C;QkB2lNZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBvmNA,iB;MkBumNA,8C;QAWI,WlB3mNO,MAAK,KkB2mNL,clB3mNK,EkB2mNW,KAAM,OlB3mNjB,C;QkB4mNZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBxnNA,iB;MkBwnNA,8C;QAWI,WlB5nNO,MAAK,KkB4nNL,clB5nNK,EkB4nNW,KAAM,OlB5nNjB,C;QkB6nNZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBzoNA,iB;MkByoNA,8C;QAWI,WlB7oNO,MAAK,KkB6oNL,clB7oNK,EkB6oNW,KAAM,OlB7oNjB,C;QkB8oNZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB1pNA,iB;MkB0pNA,8C;QAWI,WlB9pNO,MAAK,KkB8pNL,clB9pNK,EkB8pNW,KAAM,OlB9pNjB,C;QkB+pNZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB3qNA,iB;MkB2qNA,8C;QAWI,WlB/qNO,MAAK,KkB+qNL,clB/qNK,EkB+qNW,KAAM,OlB/qNjB,C;QkBgrNZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB5rNA,iB;MkB4rNA,8C;QAWI,WlBhsNO,MAAK,KkBgsNL,clBhsNK,EkBgsNW,KAAM,OlBhsNjB,C;QkBisNZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB7sNA,iB;MkB6sNA,8C;QAWI,WlBjtNO,MAAK,KkBitNL,clBjtNK,EkBitNW,KAAM,OlBjtNjB,C;QkBktNZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB9uNA,iB;MkB8uNA,8C;QAWI,WlBlvNO,MAAK,KkBkvNL,clBlvNK,EkBkvNW,KAAM,OlBlvNjB,C;QkBmvNZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB/wNA,iB;MkB+wNA,8C;QAWI,WlBnxNO,MAAK,KkBmxNL,clBnxNK,EkBmxNW,KAAM,OlBnxNjB,C;QkBoxNZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBhyNA,iB;MkBgyNA,8C;QAWI,WlBpyNO,MAAK,KkBoyNL,clBpyNK,EkBoyNW,KAAM,OlBpyNjB,C;QkBqyNZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBjzNA,iB;MkBizNA,8C;QAWI,WlBrzNO,MAAK,KkBqzNL,clBrzNK,EkBqzNW,KAAM,OlBrzNjB,C;QkBszNZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBl0NA,iB;MkBk0NA,8C;QAWI,WlBt0NO,MAAK,KkBs0NL,clBt0NK,EkBs0NW,KAAM,OlBt0NjB,C;QkBu0NZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBn1NA,iB;MkBm1NA,8C;QAWI,WlBv1NO,MAAK,KkBu1NL,clBv1NK,EkBu1NW,KAAM,OlBv1NjB,C;QkBw1NZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBp2NA,iB;MkBo2NA,8C;QAWI,WlBx2NO,MAAK,KkBw2NL,clBx2NK,EkBw2NW,KAAM,OlBx2NjB,C;QkBy2NZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBr3NA,iB;MkBq3NA,8C;QAWI,WlBz3NO,MAAK,KkBy3NL,clBz3NK,EkBy3NW,KAAM,OlBz3NjB,C;QkB03NZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBt4NA,iB;MkBs4NA,8C;QAWI,WlB14NO,MAAK,KkB04NL,clB14NK,EkB04NW,KAAM,OlB14NjB,C;QkB24NZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBv5NA,iB;MkBu5NA,8C;QAWI,WlB35NO,MAAK,KkB25NL,clB35NK,EkB25NW,KAAM,OlB35NjB,C;QkB45NZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBx6NA,iB;MkBw6NA,8C;QAWI,WlB56NO,MAAK,KkB46NL,clB56NK,EkB46NW,KAAM,OlB56NjB,C;QkB66NZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlBz7NA,iB;MkBy7NA,8C;QAWI,WlB77NO,MAAK,KkB67NL,clB77NK,EkB67NW,KAAM,OlB77NjB,C;QkB87NZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB18NA,iB;MkB08NA,8C;QAWI,WlB98NO,MAAK,KkB88NL,clB98NK,EkB88NW,KAAM,OlB98NjB,C;QkB+8NZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB39NA,iB;MkB29NA,8C;QAWI,WlB/9NO,MAAK,KkB+9NL,clB/9NK,EkB+9NW,KAAM,OlB/9NjB,C;QkBg+NZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB5+NA,iB;MkB4+NA,8C;QAWI,WlBh/NO,MAAK,KkBg/NL,clBh/NK,EkBg/NW,KAAM,OlBh/NjB,C;QkBi/NZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB7/NA,iB;MkB6/NA,8C;QAWI,WlBjgOO,MAAK,KkBigOL,clBjgOK,EkBigOW,KAAM,OlBjgOjB,C;QkBkgOZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB9gOA,iB;MkB8gOA,8C;QAWI,WlBlhOO,MAAK,KkBkhOL,clBlhOK,EkBkhOW,KAAM,OlBlhOjB,C;QkBmhOZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAnB,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MlB/hOA,iB;MkB+hOA,8C;QAWI,WlBniOO,MAAK,KkBmiOL,clBniOK,EkBmiOW,KAAM,OlBniOjB,C;QkBoiOZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,C

I,IAAK,WArDqB,GAqDP,sBAAK,CAAL,CArDO,EAAnB,KAqDqB,aAAM,CAAN,CArDF,CAqDrB,C;;MArDT,OAuDO,I;IAtDX,C;;MAoEI,WlBr0LO,MAAK,KkBq0LK,clBr0LL,EkB4wLD,KAyDkB,KlBr0LjB,C;MkBs0LZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5DqB,GA4DP,sBAAK,CAAL,CA5DO,EAAnB,KA4DqB,aAAM,CAAN,CA5DF,CA4DrB,C;;MA5DT,OA8DO,I;IA7DX,C;;MA2EI,WlBx1LO,MAAK,KkBw1LK,clBx1LL,EkBwxLD,KAgEkB,KlBx1LjB,C;MkBy1LZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnEqB,GAmEP,sBAAK,CAAL,CAnEO,EAAnB,KAmEqB,aAAM,CAAN,CAnEF,CAmErB,C;;MAnET,OAqEO,I;IApEX,C;;MAkFI,WlBv4LO,MAAK,KkBu4LK,clBv4LL,EkBuzLD,KAuEkB,KlBv4LjB,C;MkBw4LZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA1EqB,GA0EP,sBAAK,CAAL,CA1EO,EAAnB,KA0EqB,aAAM,CAAN,CA1EF,CA0ErB,C;;MA1ET,OA4EO,I;IA3EX,C;+EAEA,yB;MAAA,gE;MlB9yLA,iB;MkB8yLA,8C;QAAW,IlBzLX,WlBlnLO,MAAK,KkB2yLK,clBzLL,EkBkzLD,KAyFkB,KlBzLjB,C;MkB0LZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5FqB,GA4FP,sBAAK,CAAL,CA5FO,EAAnB,KA4FqB,aAAM,CAAN,CA5FF,CA4FrB,C;;MA5FT,OA8FO,I;IA7FX,C;;MA2GI,WlBr7LO,MAAK,KkBq7LK,clBr7LL,EkBqyLD,KAgGkB,KlBr7LjB,C;MkBs7LZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnGqB,GAmGP,sBAAK,CAAL,CAnGO,EAAnB,KAmGqB,aAAM,CAAN,CAnGF,CAmGrB,C;;MAnGT,OAqGO,I;IApGX,C;;MAkHI,WlBp+LO,MAAK,KkBo+LK,clBp+LL,EkBoxLD,KAuGkB,KlBp+LjB,C;MkBq+LZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA1GqB,GA0GP,sBAAK,CAAL,CA1GO,EAAnB,KA0GqB,aAAM,CAAN,CA1GF,CA0GrB,C;;MA1GT,OA4GO,I;IA3GX,C;;MAyHI,WlBhhMO,MAAK,KkBghMK,clBhhML,EkBgwLD,KA8GkB,KlBhhMjB,C;MkBihMZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAjHqB,GAiHP,sBAAK,CAAL,CAjHO,EAAnB,KAiHqB,aAAM,CAAN,CAjHF,CAiHrB,C;;MAjHT,OAmHO,I;IAlHX,C;;MAgIK,WlBzjMM,MAAK,KkByjMM,clBzjMN,EkByuLD,KAqHkB,KlBzjMjB,C;MkB0jMb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxHqB,GAwHP,sBAAK,CAAL,CAxHO,EAAnB,KAwHqB,aAAM,CAAN,CAxHF,CAwHrB,C;;MAxHT,OA0HO,I;IAzHX,C;;MAuIK,WlBlmMM,MAAK,KkBkmMM,clBlmMN,EkBktLD,KA4HkB,KlBlmMjB,C;MkBmmMb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA/HqB,GA+HP,sBAAK,CAAL,CA/HO,EAAnB,KA+HqB,aAAM,CAAN,CA/HF,CA+HrB,C;;MA/HT,OAiIO,I;IAhIX,C;;MA8IK,WlB3oMM,MAAK,KkB2oMM,clB3oMN,EkB2sLD,KAmIkB,KlB3oMjB,C;MkB4oMb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAtIqB,GAsIP,sBAAK,CAAL,CAtIO,EAAnB,KAsIqB,aAAM,CAAN,CAtIF,CAsIrB,C;;MAtIT,OAwIO,I;IAvIX,C;;MAqJK,WlBpqMM,MAAK,KkBoqMM,clBpqMN,EkBorLD,KA0IkB,KlBpqMjB,C;MkBqqMb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA7IqB,GA6IP,sBAAK,CAAL,CA7IO,EAAnB,KA6IqB,aAAM,CAAN,CA7IF,CA6IrB,C;;MA7IT,OA+IO,I;IA9IX,C;;MA4JK,WlB7sMM,MAAK,KkB6sMM,clB7sMN,EkB6qLD,KAiJkB,KlB7sMjB,C;MkB8sMb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApJqB,GAoJP,sBAAK,CAAL,CApJO,EAAnB,KAoJqB,aAAM,CAAN,CApJF,CAoJrB,C;;MApJT,OAsJO,I;IArJX,C;;MAmKK,WlBtuMM,MAAK,KkBsuMM,clBtuMN,EkBsqLD,KAwJkB,KlBtuMjB,C;MkBuuMb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3JqB,GA2JP,sBAAK,CAAL,CA3JO,EAAnB,KA2JqB,aAAM,CAAN,CA3JF,CA2JrB,C;;MA3JT,OA6JO,I;IA5JX,C;;MA0LK,WlB/wMM,MAAK,KkB+wMM,clB/wMN,EkB+pLD,KA+JkB,KlB/wMjB,C;MkBgxMb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlKqB,GAkKP,sBAAK,CAAL,CAlKO,EAAnB,KAkKqB,aAAM,CAAN,CAlKF,CAkKrB,C;;MAlKT,OAoKO,I;IAnKX,C;;MAiMK,WlBxzMM,MAAK,KkBwzMM,clBxzMN,EkBwoLD,KAsKkB,KlBxzMjB,C;MkByzMb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAzKqB,GAyKP,sBAAK,CAAL,CAzKO,EAAnB,KAyKqB,aAAM,CAAN,CAzKF,CAyKrB,C;;MAzKT,OA2KO,I;IA1KX,C;;MAwMK,WlBj2MM,MAAK,KkBi2MM,clBj2MN,EkBioLD,KA6KkB,KlBj2MjB,C;MkBk2Mb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhLqB,GAgLP,sBAAK,CAAL,CAhLO,EAAnB,KAgLqB,aAAM,CAAN,CAhLF,CAgLrB,C;;MAhLT,OAkLO,I;IAjLX,C;;MA+MK,WlB14MM,MAAK,KkB04MM,clB14MN,EkB0mLD,KAoLkB,KlB14MjB,C;MkB24Mb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAvLqB,GAuLP,sBAAK,CAAL,CAvLO,EAAnB,KAuLqB,aAAM,CAAN,CAvLF,CAuLrB,C;;MAvLT,OAyLO,I;IAxLX,C;;MAsNK,WlBn7MM,MAAK,KkBm7MM,clBn7MN,EkBmlLD,KA2LkB,KlBn7MjB,C;MkBo7Mb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA9LqB,GA8LP,sBAAK,CAAL,CA9LO,EAAnB,KA8LqB,aAAM,CAAN,CA9LF,CA8LrB,C;;MA9LT,OAgMO,I;IA/LX,C;;MA6OK,WlBx+MM,MAAK,KkBw+MM,clBx+MN,EkBwjLD,KAkMkB,KlBx+MjB,C;MkBy+Mb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WArMqB,GAqMP,sBAAK,CAAL,CArMO,EAAnB,KAqMqB,aAAM,CAAN,CArMF,CAqMrB,C;;MArMT,OAuMO,I;IAtMX,C;;MAoPK,WlB7hNM,MAAK,KkB6hNM,clB7hNN,EkB6hLD,KAyMkB,KlB7hNjB,C;MkB8hNb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5MqB,GA4MP,sBAAK,CAAL,CA5MO,EAAnB,KA4MqB,aAAM,CAAN,CA5MF,CA4MrB,C;;MA5MT,OA8MO,I;IA7MX,C;;MA2QK,WlBlkNM,MAAK,KkBkkNM,clBlkNN,EkBkgLD,KAgNkB,KlBlkNjB,C;MkBmkNb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnNqB,GAmNP,sBAAK,CAAL,CAnNO,EAAnB,KAmNqB,aAAM,CAAN,CAnNF,CAmNrB,C;;MAnNT,OAqNO,I;IApNX,C;;MAkRK,WlBvmNM,MAAK,KkBumNM,clBvmNN,EkBufLD,KAuNkB,KlBvmNjB,C;MkBwmNb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA1NqB,GA0NP,sBAAK,CAAL,CA1NO,EAAnB,KA0NqB,aAAM,CAAN,CA1NF,CA0NrB,C;;MA1NT,OA4NO,I;IA3NX,C;;MAyRK,WlB5oNM,MAAK,KkB4oNM,clB5oNN,EkB4dLD,KA8NkB,KlB5oNjB,C;MkB6oNb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAjOqB,GAiOP,sBAAK,CAAL,CAjOO,EAAnB,KAiOqB,aAAM,CAAN,CAjOF,CAiOrB,C;;MAjOT,OAmOO,I;IAlOX,C;;MAgSK,WlBjqNM,MAAK,KkBiqNM,clBjqNN,EkBicLD,KAqOkB,KlBjqNjB,C;MkBkqNb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxOqB,GAwOP,sBAAK,CAAL,CAxOO,EAAnB,KAwOqB,aAAM,CAAN,CAxOF,CAwOrB,C;;MAxOT,OA0OO,I;IAzOX,C;;MAuSK,WlBtrNM,MAAK,KkBsrNM,clBtrNN,EkBsbLD,KA4OkB,KlBtrNjB,C;MkBurNb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA/OqB,GA+OP,sBAAK,CAAL,CA/OO,EAAnB,KA+OqB,aAAM,CAAN,CA/OF,CA+OrB,C;;MA/OT,OAiPO,I;IAhPX,C;;MA8SK,WlB3sNM,MAAK,KkB2sNM,clB3sNN,EkB2aLD,KAmPkB,KlB3sNjB,C;MkB4sNb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WAtPqB,GAsPP,sBAAK,CAAL,CAtPO,EAAnB,KAsPqB,aAAM,CAAN,CAtPF,CAsPrB,C;;MAtPT,OAwPO,I;IAvPX,C;;MAqTK,WlBhuNM,MAAK,KkBguNM,clBhuNN,EkBgZLD,KA0PkB,KlBhuNjB,C;MkBiuNb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA7PqB,GA6PP,sBAAK,CAAL,CA7PO,EAAnB,KA6PqB,aAAM,CAAN,CA7PF,CA6PrB,C;;MA7PT,OA+PO,I;IA9PX,C;;MA4TK,WlBrvNM,MAAK,KkBqvNM,clBrvNN,EkBqYLD,KAiQkB,KlBrvNjB,C;MkBsvNb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApQqB,GAoQP,sBAAK,CAAL,CApQO,EAAnB,KAoQqB,aAAM,CAAN,CApQF,CAoQrB,C;;MApQT,OAsQO,I;IArQX,C;;MAmUK,WlB1wNM,MAAK,KkB0wNM,clB1wNN,EkB0XLD,KAwQkB,KlB1wNjB,C;MkB2wNb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3QqB,GA2QP,sBAAK,CAAL,CA3QO,EAAnB,KA2QqB,aAAM,CAAN,CA3QF,CA2QrB,C;;MA3QT,OA6QO,I;IA5QX,C;;MA0VK,WlB/xNM,MAAK,KkB+xNM,clB/xNN,EkB+VLD,KA+QkB,KlB/xNjB,C;MkBgyNb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlRqB,GAkRP,sBAAK,CAAL,CAlRO,EAAnB,KAkRqB,aAAM,CAAN,CAlRF,CAkRrB,C;;MAlRT,OAoRO,I;IAnRX,C;;MAiWK,WlBpzNM,MAAK,KkBozNM,clBpzNN,EkBoULD,KAsRkB,KlBpzNjB,C;MkBqzNb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAzRqB,GAyRP,sBAAK,CAAL,CAzRO,EAAnB,KAyRqB,aAAM,CAAN,CAzRF,CAyRrB,C;;MAzRT,OA2RO,I;IA1RX,C;;MAwWK,WlBz0NM,MAAK,KkBy0NM,clBz0NN,EkBySLD,KA6RkB,KlBz0NjB,C;MkB00Nb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhSqB,GAgSP,sBAAK,CAAL,CAhSO,EAAnB,KAgSqB,aAAM,CAAN,CAhSF,CAgSrB,C;;MAhST,OAkSO,I;IAjSX,C;;MA+WK,WlB91NM,MAAK,KkB81NM,clB91NN,EkB8QLD,KAoSkB,KlB91NjB,C;MkB+1Nb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAvSqB,GAuSP,sBAAK,CAAL,CAvSO,EAAnB,KAuSqB,aAAM,CAAN,CAvSF,CAuSrB,C;;MAvST,OAySO,I;IAxSX,C;;MAsXK,WlBn4NM,MAAK,KkBm4NM,clBn4NN,EkBmOLD,KA2SkB,KlBn4NjB,C;MkBo4Nb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA9SqB,GA8SP,sBAAK,CAAL,CA9SO,EAAnB,KA8SqB,aAAM,CAAN,CA9SF,CA8SrB,C;;MA9ST,OAgTO,I;IA/SX,C;;MA6XK,WlBx6NM,MAAK,KkBw6NM,clBx6NN,EkBwMLD,KAkTkB,KlBx6NjB,C;MkBy6Nb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WArTqB,GAqTP,sBAAK,CAAL,CArTO,EAAnB,KAqTqB,aAAM,CAAN,CArTF,CAqTrB,C;;MArTT,OAuTO,I;IAtTX,C;;MAoYK,WlB78NM,MAAK,KkB68NM,clB78NN,EkB6KLD,KAyTkB,KlB78NjB,C;MkB88Nb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5TqB,GA4TP,sBAAK,CAAL,CA5TO,EAAnB,KA4TqB,aAAM,CAAN,CA5TF,CA4TrB,C;;MA5TT,OA8TO,I;IA7TX,C;;MA2YK,WlBl/NM,MAAK,KkBk/NM,clBl/NN,EkBkJLD,KAgUkB,KlBl/NjB,C;MkBm/Nb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnUqB,GAmUP,sBAAK,CAAL,CAnUO,EAAnB,KAmUqB,aAAM,CAAN,CAnUF,CAmUrB,C;;MAnUT,OAqUO,I;IApUX,C;;MAkZK,WlBvhOM,MAAK,KkBuhOM,clBvhON,EkBuHLD,KAuUkB,KlBvhOjB,C;MkBwhOb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA1UqB,GA0UP,sBAAK,CAAL,CA1UO,EAAnB,KA0UqB,aAAM,CAAN,CA1UF,CA0UrB,C;;MA1UT,OA4UO,I;IA3UX,C;;MAyZK,WlB5jOM,MAAK,KkB4jOM,clB5jON,EkB4FLD,KA8UkB,KlB5jOjB,C;MkB6jOb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAjVqB,GAiVP,sBAAK,CAAL,CAjVO,EAAnB,KAiVqB,aAAM,CAAN,CAjVF,CAiVrB,C;;MAjVT,OAmVO,I;IAlVX,C;;MAgaK,WlBzlOM,MAAK,KkBylOM,clBzlON,EkByDLD,KAqVkB,KlBzlOjB,C;MkB0lOb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxVqB,GAwVP,sBAAK,CAAL,CAxVO,EAAnB,KAwVqB,aAAM,CAAN,CAxVF,CAwVrB,C;;MAxVT,OA0VO,I;IAzVX,C;;MAuaK,WlB9mOM,MAAK,KkB8mOM,clB9mON,EkBsCLD,KA4VkB,KlB9mOjB,C;MkB+mOb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA/VqB,GA+VP,sBAAK,CAAL,CA/VO,EAAnB,KA+VqB,aAAM,CAAN,CA/VF,CA+VrB,C;;MA/VT,OAiWO,I;IAhWX,C;;MA8aK,WlBnoOM,MAAK,KkBmoOM,clBnoON,EkBmBLD,KAmWkB,KlBnoOjB,C;MkBooOb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAtWqB,GAsWP,sBAAK,CAAL,CAtWO,EAAnB,KAsWqB,aAAM,CAAN,CAtWF,CAsWrB,C;;MAtWT,OAwWO,I;IAvWX,C;;MAqbK,WlBxpOM,MAAK,KkBwpOM,clBxpON,EkBgBLD,KA0WkB,KlBxpOjB,C;MkBypOb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA7WqB,GA6WP,sBAAK,CAAL,CA7WO,EAAnB,KA6WqB,aAAM,CAAN,CA7WF,CA6WrB,C;;MA7WT,OA+WO,I;IA9WX,C;;MA4bK,WlB7qOM,MAAK,KkB6qOM,clB7qON,EkBaLD,KAiXkB,KlB7qOjB,C;MkB8qOb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApXqB,GAoXP,sBAAK,CAAL,CApXO,EAAnB,KAoXqB,aAAM,CAAN,CApXF,CAoXrB,C;;MApXT,OAsXO,I;IArXX,C;;MAmcK,WlBlsOM,MAAK,KkBksOM,clBlsON,EkBULD,KAwXkB,KlBlsOjB,C;MkBmsOb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3XqB,GA2XP,sBAAK,CAAL,CA3XO,EAAnB,KA2XqB,aAAM,CAAN,CA3XF,CA2XrB,C;;MA3XT,OA6XO,I;IA5XX,C;;MA0cK,WlB/tOM,MAAK,KkB+tOM,clB/tON,EkBOLD,KA+XkB,KlB/tOjB,C;MkBguOb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlYqB,GAkYP,sBAAK,CAAL,CAlYO,EAAnB,KAkYqB,aAAM,CAAN,CAlYF,CAkYrB,C;;MAlYT,OAoYO,I;IAnYX,C;;MAidK,WlBxvOM,MAAK,KkBwvOM,clBxvON,EkBILD,KAsYkB,KlBxvOjB,C;MkByvOb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAzYqB,GAyYP,sBAAK,CAAL,CAzYO,EAAnB,KAyYqB,aAAM,CAAN,CAzYF,CAyYrB,C;;MAzYT,OA2YO,I;IA1YX,C;;MAweK,WlBjxOM,MAAK,KkBixOM,clBjxON,EkBCLD,KA6YkB,KlBjxOjB,C;MkBkxOb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhZqB,GAgZP,sBAAK,CAAL,CAhZO,EAAnB,KAgZqB,aAAM,CAAN,CAhZF,CAgZrB,C;;MAhZT,OAkZO,I;IAjZX,C;;MA+eK,WlB1yOM,MAAK,KkB0yOM,clB1yON,EkBWLD,KAoZkB,KlB1yOjB,C;MkB2yOb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAvZqB,GAuZP,sBAAK,CAAL,CAvZO,EAAnB,KAuZqB,aAAM,CAAN,CAvZF,CAuZrB,C;;MAvZT,OAyZO,I;IAxZX,C;;MAsfK,WlBn0OM,MAAK,KkBm0OM,clBn0ON,EkBKLD,KA2ZkB,KlBn0OjB,C;MkBo0Ob,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA9ZqB,GA8ZP,sBAAK,CAAL,CA9ZO,EAAnB,KA8ZqB,aAAM,CAAN,CA9ZF,CA8ZrB,C;;MA9ZT,OAgaO,I;IA/ZX,C;;MA6fK,WlBx1OM,MAAK,KkBw1OM,clBx1ON,EkBOLD,KAkakB,KlBx1OjB,C;MkBy1Ob,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WArarB,GAqaqB,sBAAK,CAAL,CAraO,EAAnB,KAqaqB,aAAM,CAAN,CAraF,CAqarB,C;;MAraT,OAuaO,I;IAtaX,C;;MAogBK,WlB72OM,MAAK,KkB62OM,clB72ON,EkBSLD,KAybkB,KlB72OjB,C;MkB82Ob,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5brB,GA4baqB,sBAAK,CAAL,CA5bO,EAAnB,KA4baqB,aAAM,CAAN,CA5bF,CA4brB,C;;MA5bT,OA8bO,I;IA7bX,C;;MA2hBK,WlBl4OM,MAAK,KkBk4OM,clBl4ON,EkBWLD,KAgckB,KlBl4OjB,C;MkBm4Ob,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAncrB,GAmcqB,sBAAK,CAAL,CAncO,EAAnB,KAmcqB,aAAM,CAAN,CAncF,CAmcrB,C;;MAncT,OAqcO,I;IApcX,C;;MAkiBK,WlBv5OM,MAAK,KkBu5OM,clBv5ON,EkBaLD,KAudkB,KlBv5OjB,C;MkBw5Ob,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA1drB,GA0dqB,sBAAK,CAAL,CA1dO,EAAnB,KA0dqB,aAAM,CAAN,CA1dF,CA0drB,C;;MA1dT,OA4dO,I;IA3dX,C;;MAyiBK,WlB56OM,MAAK,KkB46OM,clB56ON,EkBeLD,KA8dkB,KlB56OjB,C;MkB66Ob,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAjerB,GAieqB,sBAAK,CAAL,CAjeO,EAAnB,KAieqB,aAAM,CAAN,CAjeF,CAierB,C;;MAjeT,OAmeO,I;IAleX,C;;MAgjBK,WlBj8OM,MAAK,KkBi8OM,clBj8ON,EkBiBLD,KAqekB,KlBj8OjB,C;MkBk8Ob,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxerB,GAweqB,sBAAK,CAAL,CAxeO,EAAnB,KAweqB,aAAM,CAAN,CAxeF,CAwerB,C;;MAxeT,OA0eO,I;IAzeX,C;;MAujBK,WlBt9OM,MAAK,KkBs9OM,clBt9ON,EkBmBLD,KA4fkB,KlBt9OjB,C;MkBu9Ob,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA/frB,GA+fqB,sBAAK,CAAL,CA/fO,EAAnB,KA+fqB,aAAM,CAAN,CA/fF,CA+frB,C;;MA/fT,OAigBO,I;IAhgBX,C;;MA8jBK,WlB3+OM,MAAK,KkB2+OM,clB3+ON,EkBqBLD,KAmgBkB,KlB3+OjB,C;MkB4+Ob,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAtgBrB,GAsgBqB,sBAAK,CAAL,CAtgBO,EAAnB,KAsgBqB,aAAM,CAAN,CAtgBF,CAsgBrB,C;;MAtgBT,OAwgBO,I;IAvgBX,C;;MAqkBK,WlBhgPM,MAAK,KkBggPM,clBhgPN,EkBuBLD,KA0gBkB,KlBhgPjB,C;MkBigPb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA7gBrB,GA6gBqB,sBAAK,CAAL,CA7gBO,EAAnB,KA6gBqB,aAAM,CAAN,CA7gBF,CA6gBrB,C;;MA7gBT,OA+gBO,I;IA9gBX,C;;MA4kBK,WlBrhPM,MAAK,KkBqhPM,clBrhPN,EkBwBLD,KAihBkB,KlBrhPjB,C;MkBshPb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAphBrB,GAohBqB,sBAAK,CAAL,CAphBO,EAAnB,KAohBqB,aAAM,CAAN,CAphBF,CAohBrB,C;;MAphBT,OAshBO,I;IArhBX,C;;MAmlBK,WlB1hPM,MAAK,KkB0hPM,clB1hPN,EkBwBLD,KAwhBkB,KlB1hPjB,C;MkB2hPb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3hBrB,GA2hBqB,sBAAK,CAAL,CA3hBO,EAAnB,KA2hBqB,aAAM,CAAN,CA3hBF,CA2hBrB,C;;MA3hBT,OA6hBO,I;IA5hBX,C;;MA0lBK,WlB/iPM,MAAK,KkB+iPM,clB/iPN,EkBwBLD,KA+hBkB,KlB/iPjB,C;MkBgjPb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAliBrB,GAkiBqB,sBAAK,CAAL,CAliBO,EAAnB,KAkiBqB,aAAM,CAAN,CAliBF,CAkiBrB,C;;MAliBT,OAoiBO,I;IAniBX,C;;MAimBK,WlBtkPM,MAAK,KkBskPM,clBtkPN,EkBwBLD,KAsiBkB,KlBtkPjB,C;MkBukPb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAziBrB,GAyiBqB,sBAAK,CAAL,CAziBO,EAAnB,KAyiBqB,aAAM,CAAN,CAziBF,CAyiBrB,C;;MAziBT,OA2iBO,I;IA1iBX,C;;MAwmBK,WlB7lPM,MAAK,KkB6lPM,clB7lPN,EkBwBLD,KA6jBkB,KlB7lPjB,C;MkB8lPb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhkBrB,GAgkBqB,sBAAK,CAAL,CAhkBO,EAAnB,KAgkBqB,aAAM,CAAN,CAhkBF,CAgkBrB,C;;MAhkBT,OAkkBO,I;IAjkBX,C;;MA+mBK,WlBpnPM,MAAK,KkBonPM,clBpnPN,EkBwBLD,KAokBkB,KlBpnPjB,C;MkBqnPb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAvkBrB,GAukBqB,sBAAK,CAAL,CAvkBO,EAAnB,KAukBqB,aAAM,CAAN,CAvkBF,CAukBrB,C;;MAvkBT,OAykBO,I;IAxkBX,C;;MAsnBK,WlB3oPM,MAAK,KkB2oPM,clB3oPN,EkBwBLD,KA2kBkB,KlB3oPjB,C;MkB4oPb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA9kBrB,GA8kBqB,sBAAK,CAAL,CA9kBO,EAAnB,KA8kBqB,aAAM,CAAN,CA9kBF,CA8kBrB,C;;MA9kBT,OAglBO,I;IA/kBX,C;;MA6nBK,WlBlpPM,MAAK,KkBkpPM,clBlpPN,EkBwBLD,KAklBkB,KlBlpPjB,C;MkBmpPb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WArlBrB,GAqlBqB,sBAAK,CAAL,CArlBO,EAAnB,KAqlBqB,aAAM,CAAN,CArlBF,CAqlBrB,C;;MArlBT,OAulBO,I;IAtlBX,C;;MAooBK,WlBzpPM,MAAK,KkBypPM,clBzpPN,EkBwBLD,KAylBkB,KlBzpPjB,C;MkB0pPb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5lBrB,GA4lBqB,sBAAK,CAAL,CA5lBO,EAAnB,KA4lBqB,aAAM,CAAN,CA5lBF,CA4lBrB,C;;MA5lBT,OA8lBO,I;IA7lBX,C;;MA2oBK,WlBhqPM,MAAK,KkBgqPM,clBhqPN,EkBwBLD,KAgmBkB,KlBhqPjB,C;MkBiqPb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnmBrB,GAmmBqB,sBAAK,CAAL,CAnmBO,EAAnB,KAmmBqB,aAAM,CAAN,CAnmBF,CAmmBrB,C;;MAnmBT,OAqmBO,I;IApmBX,C;;MAkpBK,WlBvqPM,MAAK,KkBuqPM,clBvqPN,EkBwBLD,KAumBkB,KlBvqPjB,C;MkBwqPb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA1mBrB,GA0mBqB,sBAAK,CAAL,CA1mBO,EAAnB,KA0mBqB,aAAM,CAAN,CA1mBF,CA0mBrB,C;;MA1mBT,OA4mBO,I;IA3mBX,C;;MAyqBK,WlB9rPM,MAAK,KkB8rPM,clB9rPN,EkBwBLD,KA8mBkB,KlB9rPjB,C;MkB+rPb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAjnBrB,GAinBqB,sBAAK,CAAL,CAjnBO,EAAnB,KAinBqB,aAAM,CAAN,CAjnBF,CAinBrB,C;;MAjnBT,OAmnBO,I;IAlnBX,C;;MAgrBK,WlBrsPM,MAAK,KkBqsPM,clBrsPN,EkBwBLD,KAqnBkB,KlBrsPjB,C;MkBssPb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxnBrB,GAwnBqB,sBAAK,CAAL,CAxnBO,EAAnB,KAwnBqB,aAAM,CAAN,CAxnBF,CAwnBrB,C;;MAxnBT,OA0nBO,I;IAznBX,C;;MAurBK,WlB5tPM,MAAK,KkB4tPM,clB5tPN,EkBwBLD,KA4nBkB,KlB5tPjB,C;MkB6tPb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA/nBrB,GA+nBqB,sBAAK,CAAL,CA/nBO,EAAnB,KA+nBqB,aAAM,CAAN,CA/nBF,CA+nBrB,C;;MA/nBT,OAioBO,I;IAhoBX,C;;MA8rBK,WlBnvPM,MAAK,KkBmvPM,clBnvPN,EkBwBLD,KAmoBkB,KlBnvPjB,C;MkBovPb,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAA

oE,KAAX,IAAf,C;;MkCGrD,OAAO,G;IACX,C;;MAUoB,Q;MADhB,UAAiB,2B;MACD,2B;MAAhB,OAAgB,cA
AhB,C;QAAgB,yB;QACZ,MHZmD,UGYnD,GHZ8D,KAAK,KGY5D,OHZuE,KAAX,CAAhB,C;;MGcvD,OAAO
,G;IACX,C;;MAUoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MlC7BiD
,SkC6BjD,GlC7B2D,KAAK,GAAW,CDgJ5C,SmCnHxB,OnCmHkC,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IA
Af,C;;MkC+BrD,OAAO,G;IACX,C;;MAUoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QA
AgB,yB;QACZ,MlC3CiD,SkC2CjD,GlC3C2D,KAAK,GAAW,CCiJ5C,SiCtGxB,OjCsGkC,KAAL,GAAiB,KAAtB
,CDjJ4C,MAAX,IAAf,C;;MkC6CrD,OAAO,G;IACX,C;;MCtGI,OnCsCkE,YmCtCvD,CnCsCwE,KAAjB,EmCtCl
D,CnCsC+E,KAA7B,CmCtCvD,KAAJ,GAAY,CAAZ,GAAmB,C;IAC9B,C;;MAQI,OJqCmE,aIrCxD,CJqC0E,KA
AlB,EIrCnD,CJqCiF,KAA9B,CIrCxD,KAAJ,GAAY,CAAZ,GAAmB,C;IAC9B,C;;MAQI,OpCIgF,0BoCJrE,CpCo
J2B,KAAL,GAAiB,GAhJ8B,EoCJhE,CpCoJsB,KAAL,GAAiB,GAhJ8B,CoCJrE,KAAJ,GAAY,CAAZ,GAAmB,C;
IAC9B,C;;MAQI,OlCGiF,0BkCHtE,ClC4I2B,KAAL,GAAiB,KAzI+B,EkCHjE,ClC4IsB,KAAL,GAAiB,KAzI+B,
CkCHtE,KAAJ,GAAY,CAAZ,GAAmB,C;IAC9B,C;kFAEA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CA
AN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;MACX,C;KARA,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,
OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;MACX,C;KARA,C;kFAUA,yB;MAAA,8C;
MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;MACX,C;KARA,C;kFA
UA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;MAC
X,C;KARA,C;;MAgBI,OnCyCkE,YmCzCvD,CnCyCwE,KAAjB,EmCzClD,CnCyC+E,KA7B,CmCzCvD,KAAJ,GAAY,
CAAZ,GAAmB,C;IAC9B,C;;MAQI,OJvCmE,aIuCxD,CJvC0E,KAAlB,EIuCnD,CJvCiF,KAA9B,CIuCxD,K
AAJ,GAAY,CAAZ,GAAmB,C;IAC9B,C;;MAQI,OpCxEgF,0BoCwErE,CpCwE2B,KAAL,GAAiB,GAhJ8B,EoCw
EhE,CpCwEsB,KAAL,GAAiB,GAhJ8B,CoCwErE,KAAJ,GAAY,CAAZ,GAAmB,C;IAC9B,C;;MAQI,OlCzEiF,0
BkCyEtE,ClCgE2B,KAAL,GAAiB,KAzI+B,EkCyEjE,ClCgEsB,KAAL,GAAiB,KAzI+B,CkCyEtE,KAAJ,GAAY,
CAAZ,GAAmB,C;IAC9B,C;kFAEA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;MACX,C;KARA,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;MACX,C;KARA,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;MACX,C;KARA,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;MACX,C;KARA,C;gFC9IA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;MACX,C;KAVA,C;gFAYA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;;;QAqBP,OAAc,WAAP,MAAO,EAAS,SAAT,C;;;QAAd

tE,6BAAM,UrCtDsB,KAAL,GAAiB,GAhJ8B,CqCsM5E,KAAJ,C;QAA2B,OAAO,iCAAU,M;MAChC,WrCrBuB,SqCqB5B,SrCrBsC,KAAL,GAAiB,GAAtB,C;MqCqBV,YAAK,W;MAA9B,OpCnG6D,oBArDP,SAAU,CDmI7B,SqCqBV,ErCrBoB,KAAL,GAAiB,GAAtB,CCnI6B,MAAK,GDAK,KCAO,KAAZ,IAAf,CAqDO,C;IoCoGjE,C;;MAUI,IpClMkE,YoCkM9D,EpClM+E,KAAjB,EoCkMxD,4BAAK,UpClMgF,KAA7B,CoCkM9D,KAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OpC/G6D,coC+GtD,SpC/GsD,EArDP,SoCoKtC,EpCpKgD,KAAK,GAAY,CoCoK5D,WpCpK4D,MAAZ,IAAf,CAqDO,C;IoCgHjE,C;;MAUI,ILtMmE,aKsM9D,ELtMiF,KAAlB,EKsMzD,6BAAK,ULtMiF,KAA9B,CKsM9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OL3H+D,iBK2HxD,SL3HwD,EAlDP,UK6KxC,EL7KmD,KAAK,GAAY,CAAK,C/BkJ/D,SoCwCoB,MAAK,GAAY,CAAK,iBAAN,C+BlJ+B,MAAZ,IAAf,CAqDO,C;IoCsHjE,C;;MAUI,IpCxHmE,aoCwH9D,EpCxH+E,KAAlB,EoCwHxD,4BAAK,UpCxHgF,KAA9B,CoCwH9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCrI+D,iBoCqIxD,SpCrIwD,EArDP,UoC0LxC,EpC1LmD,KAAK,GAAY,CoC0L/D,WpC1L+D,MAAZ,IAAf,CAqDO,C;IoC4IjE,C;;MAUI,IpC9ImE,aoC8I9D,EpC9I+E,KAAlB,EoC8IxD,4BAAK,UpC9IgF,KAA9B,CoC8I9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC3J+D,iBoC2JxD,SpC3JwD,EArDP,UoCgMxC,EpChMmD,KAAK,GAAY,CoCgM/D,WpChM+D,MAAZ,IAAf,CAqDO,C;IoCkJjE,C;;MAUI,IpCpJmE,aoCoJ9D,EpCpJ+E,KAAlB,EoCoJxD,4BAAK,UpCpJgF,KAA9B,CoCoJ9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCjK+D,iBoCiKxD,SpCjKwD,EArDP,UoCsMxC,EpCtMmD,KAAK,GAAY,CoCsM/D,WpCtM+D,MAAZ,IAAf,CAqDO,C;IoCwJjE,C;;MAUI,IpC1JmE,aoC0J9D,EpC1J+E,KAAlB,EoC0JxD,4BAAK,UpC1JgF,KAA9B,CoC0J9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCvK+D,iBoCuKxD,SpCvKwD,EArDP,UoC4MxC,EpC5MmD,KAAK,GAAY,CoC4M/D,WpC5M+D,MAAZ,IAAf,CAqDO,C;IoC8JjE,C;;MAUI,IpChKmE,aoCgK9D,EpChK+E,KAAlB,EoCgKxD,4BAAK,UpChKgF,KAA9B,CoCgK9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC7K+D,iBoC6KxD,SpC7KwD,EArDP,UoCkNxC,EpClNmD,KAAK,GAAY,CoCkN/D,WpClN+D,MAAZ,IAAf,CAqDO,C;IoCoKjE,C;;MAUI,IpCtKmE,aoCsK9D,EpCtK+E,KAAlB,EoCsKxD,4BAAK,UpCtKgF,KAA9B,CoCsK9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCnL+D,iBoCmLxD,SpCnLwD,EArDP,UoCwNxC,EpCxNmD,KAAK,GAAY,CoCwN/D,WpCxN+D,MAAZ,IAAf,CAqDO,C;IoC0KjE,C;;MAUI,IpC5KmE,aoC4K9D,EpC5K+E,KAAlB,EoC4KxD,4BAAK,UpC5KgF,KAA9B,CoC4K9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCzL+D,iBoCyLxD,SpCzLwD,EArDP,UoC8NxC,EpC9NmD,KAAK,GAAY,CoC8N/D,WpC9N+D,MAAZ,IAAf,CAqDO,C;IoCgLjE,C;;MAUI,IpClLmE,aoCkL9D,EpClL+E,KAAlB,EoCkLxD,4BAAK,UpClLgF,KAA9B,CoCkL9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC/L+D,iBoC+LxD,SpC/LwD,EArDP,UoCoOxC,EpCpOmD,KAAK,GAAY,CoCoO/D,WpCpO+D,MAAZ,IAAf,CAqDO,C;IoCsLjE,C;;MAUI,IpCxLmE,aoCwL9D,EpCxL+E,KAAlB,EoCwLxD,4BAAK,UpCxLgF,KAA9B,CoCwL9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCrM+D,iBoCqMxD,SpCrMwD,EArDP,UoC0OxC,EpC1OmD,KAAK,GAAY,CoC0O/D,WpC1O+D,MAAZ,IAAf,CAqDO,C;IoC4LjE,C;;MAUI,IpC9LmE,aoC8L9D,EpC9L+E,KAAlB,EoC8LxD,4BAAK,UpC9LgF,KAA9B,CoC8L9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC3M+D,iBoC2MxD,SpC3MwD,EArDP,UoCgPxC,EpChPmD,KAAK,GAAY,CoCgP/D,WpChP+D,MAAZ,IAAf,CAqDO,C;IoCkMjE,C;;MAUI,IpCpMmE,aoCoM9D,EpCpM+E,KAAlB,EoCoMxD,4BAAK,UpCpMgF,KAA9B,CoCoM9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCjN+D,iBoCiNxD,SpCjNwD,EArDP,UoCsPxC,EpCtPmD,KAAK,GAAY,CoCsP/D,WpCtP+D,MAAZ,IAAf,CAqDO,C;IoCwMjE,C;;MAUI,IpC1MmE,aoC0M9D,EpC1M+E,KAAlB,EoC0MxD,4BAAK,UpC1MgF,KAA9B,CoC0M9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCvN+D,iBoCuNxD,SpCvNwD,EArDP,UoC4PxC,EpC5PmD,KAAK,GAAY,CoC4P/D,WpC5P+D,MAAZ,IAAf,CAqDO,C;IoC8MjE,C;;MAUI,IpChNmE,aoCgN9D,EpChN+E,KAAlB,EoCgNxD,4BAAK,UpChNgF,KAA9B,CoCgN9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC7N+D,iBoC6NxD,SpC7NwD,EArDP,UoCkQxC,EpClQmD,KAAK,GAAY,CoCkQ/D,WpClQ+D,MAAZ,IAAf,CAqDO,C;IoCoNjE,C;;MAUI,IpCtNmE,aoCsN9D,EpCtN+E,KAAlB,EoCsNxD,4BAAK,UpCtNgF,KAA9B,CoCsN9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCnO+D,iBoCmOxD,SpCnOwD,EArDP,UoCwRxC,EpCxRmD,KAAK,GAAY,CoCwR/D,WpCxR+D,MAAZ,IAAf,CAqDO,C;IoC0OjE,C;;MAUI,IpC5NmE,aoC4N9D,EpC5N+E,KAAlB,EoC4NxD,4BAAK,UpC5NgF,KAA9B,CoC4N9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCzO+D,iBoCyOxD,SpCzOwD,EArDP,UoC8RxC,EpC9RmD,KAAK,GAAY,CoC8R/D,WpC9R+D,MAAZ,IAAf,CAqDO,C;IoCgPjE,C;;MAUI,IpClOmE,aoCkO9D,EpClO+E,KAAlB,EoCkOxD,4BAAK,UpClOgF,KAA9B,CoCkO9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC/O+D,iBoC+OxD,SpC/OwD,EArDP,UoCoSxC,EpCpSmD,KAAK,GAAY,CoCoS/D,WpCpS+D,MAAZ,IAAf,CAqDO,C;IoCsPjE,C;;MAUI,IpCxOmE,aoCwO9D,EpCxO+E,KAAlB,EoCwOxD,4BAAK,UpCxOgF,KAA9B,CoCwO9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCrP+D,iBoCqPxD,SpCrPwD,EArDP,UoC0SxC,EpC1SmD,KAAK,GAAY,CoC0S/D,WpC1S+D,MAAZ,IAAf,CAqDO,C;IoC4PjE,C;;MAUI,IpC9OmE,aoC8O9D,EpC9O+E,KAAlB,EoC8OxD,4BAAK,UpC9OgF,KAA9B,CoC8O9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC3P+D,iBoC2PxD,SpC3PwD,EArDP,UoCgTxC,EpChTmD,KAAK,GAAY,CoCgT/D,WpChT+D,MAAZ,IAAf,CAqDO,C;IoCkQjE,C;;MAUI,IpCpPmE,aoCoP9D,EpCpP+E,KAAlB,EoCoPxD,4BAAK,UpCpPgF,KAA9B,CoCoP9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCjQ+D,iBoCiQxD,SpCjQwD,EArDP,UoCsTxC,EpCtTmD,KAAK,GAAY,CoCsT/D,WpCtT+D,MAAZ,IAAf,CAqDO,C;IoCwQjE,C;;MAUI,IpC1PmE,aoC0P9D,EpC1P+E,KAAlB,EoC0PxD,4BAAK,UpC1PgF,KAA9B,CoC0P9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCvQ+D,iBoCuQxD,SpCvQwD,EArDP,UoC4TxC,EpC5TmD,KAAK,GAAY,CoC4T/D,WpC5T+D,MAAZ,IAAf,CAqDO,C;IoC8QjE,C;;MAUI,IpChQmE,aoCgQ9D,EpChQ+E,KAAlB,EoCgQxD,4BAAK,UpChQgF,KAA9B,CoCgQ9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC7Q+D,iBoC6QxD,SpC7QwD,EArDP,UoCkUxC,EpClUmD,KAAK,GAAY,CoCkU/D,WpClU+D,MAAZ,IAAf,CAqDO,C;IoCoRjE,C;;MAUI,IpCtQmE,aoCsQ9D,EpCtQ+E,KAAlB,EoCsQxD,4BAAK,UpCtQgF,KAA9B,CoCsQ9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCnR+D,iBoCmRxD,SpCnRwD,EArDP,UoCwUxC,EpCxUmD,KAAK,GAAY,CoCwU/D,WpCxU+D,MAAZ,IAAf,CAqDO,C;IoC0RjE,C;;MAUI,IpC5QmE,aoC4Q9D,EpC5Q+E,KAAlB,EoC4QxD,4BAAK,UpC5QgF,KAA9B,CoC4Q9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCzR+D,iBoCyRxD,SpCzRwD,EArDP,UoC8UxC,EpC9UmD,KAAK,GAAY,CoC8U/D,WpC9U+D,MAAZ,IAAf,CAqDO,C;IoCgSjE,C;;MAUI,IpClRmE,aoCkR9D,EpClR+E,KAAlB,EoCkRxD,4BAAK,UpClRgF,KAA9B,CoCkR9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC/R+D,iBoC+RxD,SpC/RwD,EArDP,UoCoVxC,EpCpVmD,KAAK,GAAY,CoCoV/D,WpCpV+D,MAAZ,IAAf,CAqDO,C;IoCsSjE,C;;MAUI,IpCxRmE,aoCwR9D,EpCxR+E,KAAlB,EoCwRxD,4BAAK,UpCxRgF,KAA9B,CoCwR9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCrS+D,iBoCqSxD,SpCrSwD,EArDP,UoC0VxC,EpC1VmD,KAAK,GAAY,CoC0V/D,WpC1V+D,MAAZ,IAAf,CAqDO,C;IoC4SjE,C;;MAUI,IpC9RmE,aoC8R9D,EpC9R+E,KAAlB,EoC8RxD,4BAAK,UpC9RgF,KAA9B,CoC8R9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC3S+D,iBoC2SxD,SpC3SwD,EArDP,UoCgWxC,EpChWmD,KAAK,GAAY,CoCgW/D,WpChW+D,MAAZ,IAAf,CAqDO,C;IoCkTjE,C;;MAUI,IpCpSmE,aoCoS9D,EpCpS+E,KAAlB,EoCoSxD,4BAAK,UpCpSgF,KAA9B,CoCoS9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCjT+D,iBoCiTxD,SpCjTwD,EArDP,UoCsWxC,EpCtWmD,KAAK,GAAY,CoCsW/D,WpCtW+D,MAAZ,IAAf,CAqDO,C;IoCwTjE,C;;MAUI,IpC1SmE,aoC0S9D,EpC1S+E,KAAlB,EoC0SxD,4BAAK,UpC1SgF,KAA9B,CoC0S9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCvT+D,iBoCuTxD,SpCvTwD,EArDP,UoC4WxC,EpC5WmD,KAAK,GAAY,CoC4W/D,WpC5W+D,MAAZ,IAAf,CAqDO,C;IoC8TjE,C;;MAUI,IpChTmE,aoCgT9D,EpChT+E,KAAlB,EoCgTxD,4BAAK,UpChTgF,KAA9B,CoCgT9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC7T+D,iBoC6TxD,SpC7TwD,EArDP,UoCkXxC,EpClXmD,KAAK,GAAY,CoCkX/D,WpClX+D,MAAZ,IAAf,CAqDO,C;IoCoUjE,C;;MAUI,IpCtTmE,aoCsT9D,EpCtT+E,KAAlB,EoCsTxD,4BAAK,UpCtTgF,KAA9B,CoCsT9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCnU+D,iBoCmUxD,SpCnUwD,EArDP,UoCwXxC,EpCxXmD,KAAK,GAAY,CoCwX/D,WpCxX+D,MAAZ,IAAf,CAqDO,C;IoC0UjE,C;;MAUI,IpC5TmE,aoC4T9D,EpC5T+E,KAAlB,EoC4TxD,4BAAK,UpC5TgF,KAA9B,CoC4T9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCzU+D,iBoCyUxD,SpCzUwD,EArDP,UoC8XxC,EpC9XmD,KAAK,GAAY,CoC8X/D,WpC9X+D,MAAZ,IAAf,CAqDO,C;IoCgVjE,C;;MAUI,IpClUmE,aoCkU9D,EpClU+E,KAAlB,EoCkUxD,4BAAK,UpClUgF,KAA9B,CoCkU9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC/U+D,iBoC+UxD,SpC/UwD,EArDP,UoCoYxC,EpCpYmD,KAAK,GAAY,CoCoY/D,WpCpY+D,MAAZ,IAAf,CAqDO,C;IoCsVjE,C;;MAUI,IpCxUmE,aoCwU9D,EpCxU+E,KAAlB,EoCwUxD,4BAAK,UpCxUgF,KAA9B,CoCwU9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCrV+D,iBoCqVxD,SpCrVwD,EArDP,UoC0YxC,EpC1YmD,KAAK,GAAY,CoC0Y/D,WpC1Y+D,MAAZ,IAAf,CAqDO,C;IoC4VjE,C;;MAUI,IpC9UmE,aoC8U9D,EpC9U+E,KAAlB,EoC8UxD,4BAAK,UpC9UgF,KAA9B,CoC8U9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC3V+D,iBoC2VxD,SpC3VwD,EArDP,UoCgZxC,EpChZmD,KAAK,GAAY,CoCgZ/D,WpChZ+D,MAAZ,IAAf,CAqDO,C;IoCkWjE,C;;MAUI,IpCpVmE,aoCoV9D,EpCpV+E,KAAlB,EoCoVxD,4BAAK,UpCpVgF,KAA9B,CoCoV9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCjW+D,iBoCiWxD,SpCjWwD,EArDP,UoCsZxC,EpCtZmD,KAAK,GAAY,CoCsZ/D,WpCtZ+D,MAAZ,IAAf,CAqDO,C;IoCwWjE,C;;MAUI,IpC1VmE,aoC0V9D,EpC1V+E,KAAlB,EoC0VxD,4BAAK,UpC1VgF,KAA9B,CoC0V9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCvW+D,iBoCuWxD,SpCvWwD,EArDP,UoC4ZxC,EpC5ZmD,KAAK,GAAY,CoC4Z/D,WpC5Z+D,MAAZ,IAAf,CAqDO,C;IoC8WjE,C;;MAUI,IpChWmE,aoCgW9D,EpChW+E,KAAlB,EoCgWxD,4BAAK,UpChWgF,KAA9B,CoCgW9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC7W+D,iBoC6WxD,SpC7WwD,EArDP,UoCkaxC,EpClamD,KAAK,GAAY,CoCka/D,WpCla+D,MAAZ,IAAf,CAqDO,C;IoCoXjE,C;;MAUI,IpCtWmE,aoCsW9D,EpCtW+E,KAAlB,EoCsWxD,4BAAK,UpCtWgF,KAA9B,CoCsW9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCnX+D,iBoCmXxD,SpCnXwD,EArDP,UoCwaxC,EpCxamD,KAAK,GAAY,CoCwa/D,WpCxa+D,MAAZ,IAAf,CAqDO,C;IoC0XjE,C;;MAUI,IpC5WmE,aoC4W9D,EpC5W+E,KAAlB,EoC4WxD,4BAAK,UpC5WgF,KAA9B,CoC4W9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCzX+D,iBoCyXxD,SpCzXwD,EArDP,UoC8axC,EpC9amD,KAAK,GAAY,CoC8a/D,WpC9a+D,MAAZ,IAAf,CAqDO,C;IoCgYjE,C;;MAUI,IpClXmE,aoCkX9D,EpClX+E,KAAlB,EoCkXxD,4BAAK,UpClXgF,KAA9B,CoCkX9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC/X+D,iBoC+XxD,SpC/XwD,EArDP,UoCobxC,EpCpbmD,KAAK,GAAY,CoCob/D,WpCpb+D,MAAZ,IAAf,CAqDO,C;IoCsYjE,C;;MAUI,IpCxXmE,aoCwX9D,EpCxX+E,KAAlB,EoCwXxD,4BAAK,UpCxXgF,KAA9B,CoCwX9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCrY+D,iBoCqYxD,SpCrYwD,EArDP,UoC0bxC,EpC1bmD,KAAK,GAAY,CoC0b/D,WpC1b+D,MAAZ,IAAf,CAqDO,C;IoC4YjE,C;;MAUI,IpC9XmE,aoC8X9D,EpC9X+E,KAAlB,EoC8XxD,4BAAK,UpC9XgF,KAA9B,CoC8X9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC3Y+D,iBoC2YxD,SpC3YwD,EArDP,UoCgcxC,EpChcmD,KAAK,GAAY,CoCgc/D,WpChc+D,MAAZ,IAAf,CAqDO,C;IoCkZjE,C;;MAUI,IpCpYmE,aoCoY9D,EpCpY+E,KAAlB,EoCoYxD,4BAAK,UpCpYgF,KAA9B,CoCoY9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCjZ+D,iBoCiZxD,SpCjZwD,EArDP,UoCscxC,EpCtcmD,KAAK,GAAY,CoCsc/D,WpCtc+D,MAAZ,IAAf,CAqDO,C;IoCwZjE,C;;MAUI,IpC1YmE,aoC0Y9D,EpC1Y+E,KAAlB,EoC0YxD,4BAAK,UpC1YgF,KAA9B,CoC0Y9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCvZ+D,iBoCuZxD,SpCvZwD,EArDP,UoC4cxC,EpC5cmD,KAAK,GAAY,CoC4c/D,WpC5c+D,MAAZ,IAAf,CAqDO,C;IoC8ZjE,C;;MAUI,IpChZmE,aoCgZ9D,EpChZ+E,KAAlB,EoCgZxD,4BAAK,UpChZgF,KAA9B,CoCgZ9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC7Z+D,iBoC6ZxD,SpC7ZwD,EArDP,UoCkdxC,EpCldmD,KAAK,GAAY,CoCkd/D,WpCld+D,MAAZ,IAAf,CAqDO,C;IoCoajE,C;;MAUI,IpCtZmE,aoCsZ9D,EpCtZ+E,KAAlB,EoCsZxD,4BAAK,UpCtZgF,KAA9B,CoCsZ9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCnajE,iBoCmaxD,SpCnawD,EArDP,UoCwdxC,EpCxdmD,KAAK,GAAY,CoCwd/D,WpCxd+D,MAAZ,IAAf,CAqDO,C;IoC0ajE,C;;MAUI,IpC5ZmE,aoC4Z9D,EpC5Z+E,KAAlB,EoC4ZxD,4BAAK,UpC5ZgF,KAA9B,CoC4Z9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCzajE,iBoCyaxD,SpCzawD,EArDP,UoC8exC,EpC9emD,KAAK,GAAY,CoC8e/D,WpC9e+D,MAAZ,IAAf,CAqDO,C;IoCgbjE,C;;MAUI,IpClamE,aoCkb9D,EpClb+E,KAAlB,EoCkbxD,4BAAK,UpClbgF,KAA9B,CoCkb9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC/bjE,iBoC+bxD,SpC/bwD,EArDP,UoCofxC,EpCpfmD,KAAK,GAAY,CoCof/D,WpCpf+D,MAAZ,IAAf,CAqDO,C;IoCscjE,C;;MAUI,IpCxbmE,aoCwb9D,EpCxb+E,KAAlB,EoCwbxD,4BAAK,UpCxbgF,KAA9B,CoCwb9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCrcjE,iBoCqcxD,SpCrcwD,EArDP,UoC0fxC,EpC1fmD,KAAK,GAAY,CoC0f/D,WpC1f+D,MAAZ,IAAf,CAqDO,C;IoC4cjE,C;;MAUI,IpC9bmE,aoC8b9D,EpC9b+E,KAAlB,EoC8bxD,4BAAK,UpC9bgF,KAA9B,CoC8b9D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC3cjE,iBoC2cxD,SpC3cwD,EArDP,UoCggBxC,EpChgBmD,KAAK,GAAY,CoCggB/D,WpChgB+D,MAAZ,IAAf,CAqDO,C;IoCkdjE,C;;MAUI,IpCpcmE,aoCocjE,EpCpc+E,KAAlB,EoCocxD,4BAAK,UpCpcgF,KAA9B,CoCocjE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCjdjE,iBoCidxD,SpCjdwD,EArDP,UoCsgBxC,EpCtgBmD,KAAK,GAAY,CoCsgB/D,WpCtgB+D,MAAZ,IAAf,CAqDO,C;IoCwdjE,C;;MAUI,IpC1cmE,aoC0cjE,EpC1c+E,KAAlB,EoC0cxD,4BAAK,UpC1cgF,KAA9B,CoC0cjE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCvdjE,iBoCudxD,SpCvdwD,EArDP,UoC4gBxC,EpC5gBmD,KAAK,GAAY,CoC4gB/D,WpC5gB+D,MAAZ,IAAf,CAqDO,C;IoC8djE,C;;MAUI,IpChdmE,aoCgdjE,EpChd+E,KAAlB,EoCgdxD,4BAAK,UpChdgF,KAA9B,CoCgdjE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC7djE,iBoC6dxD,SpC7dwD,EArDP,UoCkhBxC,EpClhBmD,KAAK,GAAY,CoCkhB/D,WpClhB+D,MAAZ,IAAf,CAqDO,C;IoCoejE,C;;MAUI,IpCtdmE,aoCsdjE,EpCtd+E,KAAlB,EoCsdxD,4BAAK,UpCtdgF,KAA9B,CoCsdjE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCnejE,iBoCmexD,SpCnewD,EArDP,UoCwhBxC,EpCxhBmD,KAAK,GAAY,CoCwhB/D,WpCxhB+D,MAAZ,IAAf,CAqDO,C;IoC0ejE,C;;MAUI,IpC5dmE,aoC4djE,EpC5d+E,KAAlB,EoC4dxD,4BAAK,UpC5dgF,KAA9B,CoC4djE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCzejE,iBoCyexD,SpCzewD,EArDP,UoC8hBxC,EpC9hBmD,KAAK,GAAY,CoC8hB/D,WpC9hB+D,MAAZ,IAAf,CAqDO,C;IoCgfjE,C;;MAUI,IpClemE,aoCkejE,EpCle+E,KAAlB,EoCkexD,4BAAK,UpClegF,KAA9B,CoCkejE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC/fjE,iBoC+exD,SpC/ewD,EArDP,UoCoiBxC,EpCpiBmD,KAAK,GAAY,CoCoiB/D,WpCpiB+D,MAAZ,IAAf,CAqDO,C;IoCsfjE,C;;MAUI,IpCxemE,aoCwejE,EpCxe+E,KAAlB,EoCwexD,4BAAK,UpCxegF,KAA9B,CoCwejE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCrgjE,iBoCqgxD,SpCrgwD,EArDP,UoC0jBxC,EpC1jBmD,KAAK,GAAY,CoC0jB/D,WpC1jB+D,MAAZ,IAAf,CAqDO,C;IoC4gjE,C;;MAUI,IpC9fmE,aoC8fjE,EpC9f+E,KAAlB,EoC8fxD,4BAAK,UpC9fgF,KAA9B,CoC8fjE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC3gjE,iBoC2gxD,SpC3gwD,EArDP,UoCgkBxC,EpChkBmD,KAAK,GAAY,CoCgkB/D,WpChkB+D,MAAZ,IAAf,CAqDO,C;IoCkhjE,C;;MAUI,IpCpgmE,aoCogjE,EpCpgf+E,KAAlB,EoCogxD,4BAAK,UpCpggF,KAA9B,CoCogjE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCjhjE,iBoCihxD,SpCjhwD,EArDP,UoCslBxC,EpCtlBmD,KAAK,GAAY,CoCslB/D,WpCtlB+D,MAAZ,IAAf,CAqDO,C;IoCwijE,C;;MAUI,IpC1hmE,aoC0hjE,EpC1hf+E,KAAlB,EoC0hxD,4BAAK,UpC1hgF,KAA9B,CoC0hjE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCvijE,iBoCuixD,SpCvhwD,EArDP,UoC4mBxC,EpC5mBmD,KAAK,GAAY,CoC4mB/D,WpC5mB+D,MAAZ,IAAf,CAqDO,C;IoC8jjE,C;;MAUI,IpChimE,aoCgijE,EpChif+E,KAAlB,EoCgixD,4BAAK,UpChigF,KAA9B,CoCgijE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC7jjE,iBoC6jxD,SpC7iwD,EArDP,UoCkoBxC,EpCloBmD,KAAK,GAAY,CoCkoB/D,WpCloB+D,MAAZ,IAAf,CAqDO,C;IoCokjE,C;;MAUI,IpCtjmE,aoCsjjE,EpCtjf+E,KAAlB,EoCsjxD,4BAAK,UpCtjgF,KAA9B,CoCsjjE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCnkjE,iBoCmkxD,SpCnkwD,EArDP,UoCwpBxC,EpCxpBmD,KAAK,GAAY,CoCwpB/D,WpCxpB+D,MAAZ,IAAf,CAqDO,C;IoC0ljE,C;;MAUI,IpC5kmE,aoC4kjE,EpC5kf+E,KAAlB,EoC4kxD,4BAAK,UpC5kgF,KAA9B,CoC4kjE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCzljE,iBoCylxD,SpCzkwD,EArDP,UoC8qBxC,EpC9qBmD,KAAK,GAAY,CoC8qB/D,WpC9qB+D,MAAZ,IAAf,CAqDO,C;IoCgmjE,C;;MAUI,IpClmmE,aoCkmjE,EpClmf+E,KAAlB,EoCkmxD,4BAAK,UpClmgF,KAA9B,CoCkmjE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC/mjE,iBoC+mxD,SpC/lwD,EArDP,UoCosBxC,EpCpsBmD,KAAK,GAAY,CoCosB/D,WpCpsB+D,MAAZ,IAAf,CAqDO,C;IoCsnjE,C;;MAUI,IpCxnmE,aoCwnjE,EpCxnf+E,KAAlB,EoCwnxD,4BAAK,UpCxngF,KAA9B,CoCwnjE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCrojE,iBoCqoxD,SpCrnwD,EArDP,UoC0tBxC,EpC1tBmD,KAAK,GAAY,CoC0tB/D,WpC1tB+D,MAAZ,IAAf,CAqDO,C;IoC4ojE,C;;MAUI,IpC9omE,aoC8ojE,EpC9of+E,KAAlB,EoC8oxD,4BAAK,UpC9ogF,KAA9B,CoC8ojE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC3pjE,iBoC2pxD,SpC3owD,EArDP,UoCgvBxC,EpChvBmD,KAAK,GAAY,CoCgvB/D,WpChvB+D,MAAZ,IAAf,CAqDO,C;IoCkqjE,C;;MAUI,IpCpqmE,aoCoqjE,EpCpqf+E,KAAlB,EoCoqxD,4BAAK,UpCpqgF,KAA9B,CoCoqjE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCjrjE,iBoCirxD,SpCjqwD,EArDP,UoCswBxC,EpCtwBmD,KAAK,GAAY,CoCswB/D,WpCtwB+D,MAAZ,IAAf,CAqDO,C;IoCwrjE,C;;MAUI,IpC1rmE,aoC0rjE,EpC1rf+E,KAAlB,EoC0rxD,4BAAK,UpC1rgF,KAA9B,CoC0rjE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCvsjE,iBoCusxD,SpCvrwD,EArDP,UoC4xBxC,EpC5xBmD,KAAK,GAAY,CoC4xB/D,WpC5xB+D,MAAZ,IAAf,CAqDO,C;IoC8sjE,C;;MAUI,IpChtmE,aoCgtjE,EpChtf+E,KAAlB,EoCgtxD,4BAAK,UpChtgF,KAA9B,CoCgtjE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC7tjE,iBoC6txD,SpC7swD,EArDP,UoCkzBxC,EpClzBmD,KAAK,GAAY,CoCkzB/D,WpClzB+D,MAAZ,IAAf,CAqDO,C;IoCoujE,C;;MAUI,IpCtumE,aoCsujE,EpCtuf+E,KAAlB,EoCsuxD,4BAAK,UpCtugF,KAA9B,CoCsujE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCnvjE,iBoCmvxD,SpCnuwD,EArDP,UoCw0BxC,EpCx0BmD,KAAK,GAAY,CoCw0B/D,WpCx0B+D,MAAZ,IAAf,CAqDO,C;IoC0vjE,C;;MAUI,IpC5vmE,aoC4vjE,EpC5vf+E,KAAlB,EoC4vxD,4BAAK,UpC5vgF,KAA9B,CoC4vjE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCzwjE,iBoCywxD,SpCzvwD,EArDP,UoC81BxC,EpC91BmD,KAAK,GAAY,CoC81B/D,WpC91B+D,MAAZ,IAAf,CAqDO,C;IoCgxjE,C;;MAUI,IpClxmE,aoCkxjE,EpClxf+E,KAAlB,EoCkxxD,4BAAK,UpClxgF,KAA9B,CoCkxjE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC/xjE,iBoC+xxD,SpC/wwD,EArDP,UoCo3BxC,EpCp3BmD,KAAK,GAAY,CoCo3B/D,WpCp3B+D,MAAZ,IAAf,CAqDO,C;IoCsyjE,C;;MAUI,IpCxymE,aoCwyjE,EpCxyf+E,KAAlB,EoCwyxD,4BAAK,UpCxygF,KAA9B,CoCwyjE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpCrzjE,iBoCqzxD,SpCrywD,EArDP,UoC04BxC,EpC14BmD,KAAK,GAAY,CoC04B/D,WpC14B+D,MAAZ,IAAf,CAqDO,C;IoC4zjE,C;;MAUI,IpC9zmE,aoC8zjE,EpC9zf+E,KAAlB,EoC8zxD,4BAAK,UpC9zgF,KAA9B,CoC8zjE,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OpC30jE,iBoC20xD,SpC3zwD,EArDP,UoCg6BxC,EpCh6BmD,KAAK,GAAY,CoCg6B/D,WpCh6B+D,MAAZ,IAAf,CAqDO,C;IoCk1jE,C;;MAUI,IpCp1mE,aoCo1jE,EpCp1f+E,KAAlB,EoCo1xD,4BAAK,UpCp1gF,KAA9B,CoCo1jE,KAAJ,C;QAA2B,

AAK,GqCnDzD,OrCmDoE,KAAX,IAAf,C;;MqCjDrD,OAAO,G;IACX,C;;MAYoB,Q;MADhB,UAAiB,2B;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MNsCmD,UMtCnD,GNsC8D,KAAK,KMtC5D,ONsCuE,KAAX,CAAhB,C;;MMpCvD,OAAO,G;IACX,C;;MAYoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MrCmBiD,SqCnBjD,GrCmB2D,KAAK,GAAW,CDgJ5C,SsCnKxB,OtCmKkC,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;;MqCjBrD,OAAO,G;IACX,C;;MAYoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MrCGiD,SqCHjD,GrCG2D,KAAK,GAAW,CCiJ5C,SoCpJxB,OpCoJkC,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;;MqCDrD,OAAO,G;IACX,C;;;;;;;MC3DA,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,0C;MAAA,C;MAII,kE;MAEA,wF;MAEA,oF;MAEA,wE;MAEA,kE;MAEA,oF;MAEA,sF;MAEA,8E;MAEA,wE;MAEA,sF;MAEA,uF;MAEA,iE;MAEA,6E;MAEA,iE;MAEA,2E;IAhCJ,C;;;MAII,6B;MAAA,sC;IAAA,C;;;MAEA,6B;MAAA,iD;IAAA,C;;;MAEA,6B;MAAA,+C;IAAA,C;;;MAEA,6B;MAAA,yC;IAAA,C;;;MAEA,6B;MAAA,sC;IAAA,C;;;MAEA,6B;MAAA,+C;IAAA,C;;;MAEA,6B;MAAA,gD;IAAA,C;;;MAEA,6B;MAAA,4C;IAAA,C;;;MAEA,6B;MAAA,yC;IAAA,C;;;MAEA,6B;MAAA,gD;IAAA,C;;;MAEA,6B;MAAA,gD;IAAA,C;;;MAEA,6B;MAAA,qC;IAAA,C;;;MAEA,6B;MAAA,2C;IAAA,C;;;MAEA,6B;MAAA,qC;IAAA,C;;;MAEA,6B;MAAA,0C;IAAA,C;;;MAhCJ,+oB;IAAA,C;;;MAAA,a;aAAA,O;UAAA,2C;aAAA,kB;UAAA,sD;aAAA,gB;UAAA,oD;aAAA,U;UAAA,8C;aAAA,O;UAAA,2C;aAAA,gB;UAAA,oD;aAAA,iB;UAAA,qD;aAAA,a;UAAA,iD;aAAA,U;UAAA,8C;aAAA,iB;UAAA,qD;aAAA,iB;UAAA,qD;aAAA,M;UAAA,0C;aAAA,Y;UAAA,gD;aAAA,M;UAAA,0C;aAAA,W;UAAA,+C;gBAAA,uE;;IAAA,C;;;MAqCA,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,6C;MAAA,C;MAMI,0E;MAEA,0E;MAEA,4E;IAVJ,C;;;MAMI,gC;MAAA,0C;IAAA,C;;;MAEA,gC;MAAA,0C;IAAA,C;;;MAEA,gC;MAAA,2C;IAAA,C;;;MAVJ,sI;IAAA,C;;;MAAA,a;aAAA,Q;UAAA,+C;aAAA,Q;UAAA,+C;aAAA,S;UAAA,gD;gBAAA,0E;;IAAA,C;;;MAwB+B,oC;IAAD,C;;;MAQI,qB;QAAA,iD;MAAA,kB;IAAD,C;;;IAEjC,C;;;IAMA,C;;;;;;;

;;MAGH,OAAI,YAAO,CAAX,GAAc,aAAQ,SAAtB,GAAgC,aAAQ,S;IAAxC,C;;MAGjC,iDAA6B,kBAAa,KAAAM,UAAAnB,KAC7B,eAAS,KAAAM,MAAAf,IAAAwB,cAAAQ,KAAAM,KAAAtC,IAA8C,cAAAQ,KAAAM,KAD/B,CAA7B,C;IAAA,C;;MAIA,OAAI,cAAJ,GAAAe,EAAAf,GAAAwB,OAAAM,OAAAK,UAAAM,IAAAX,UAAAqB,SAAAK,IA1B,KAAAN,SA2C,SA3C,I;IAAxB,C;;MAE8B,OAAI,YAAO,CAAX,GAAc,oBAAAE,UAAAF,+BAAAU,SAAAV,eAAAqB,SAAAnC,GAA8C,oBAAAE,UAAAF,qCAAAgB,SAAAhB,gBAAA4B,IAAAC,IAAAC,IAAAC

XR,C;;MAeQ,gB;IAfR,C;;MAAA,2BAWQ,8CAXR,EAeQ,kCAfR,C;IAAA,C;;MAAA,OAWQ,4DAXR,IAeQ,sCAfR,O;IAAA,C;;MAAA,c;MAWQ,yD;MAIA,qD;MAfR,a;IAAA,C;;MAAA,4IAWQ,4CAXR,IAeQ,oCAfR,I;IAAA,C;;;;;MClCA,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,mC;MAAA,C;MAYI,4D;MAKA,8C;MAKA,gD;IAtBJ,C;;;MAYI,sB;MAAA,mC;IAAA,C;;;MAKA,sB;MAAA,4B;IAAA,C;;;MAKA,sB;MAAA,6B;IAAA,C;;;MAtBJ,mG;IAAA,C;;;MAAA,a;aAAA,W;UAAA,wC;aAAA,I;UAAA,iC;aAAA,K;UAAA,kC;gBAAA,6D;;IAAA,C;;;MCAA,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,qC;MAAA,C;MAYI,0D;MAKA,gE;MAKA,8D;MAKA,4D;IA3BJ,C;;;MAYI,wB;MAAA,kC;IAAA,C;;;MAKA,wB;MAAA,qC;IAAA,C;;;MAKA,wB;MAAA,oC;IAAA,C;;;MAKA,wB;MAAA,mC;IAAA,C;;;MA3BJ,qJ;IAAA,C;;;MAAA,a;aAAA,Q;UAAA,uC;aAAA,W;UAAA,0C;aAAA,U;UAAA,yC;aAAA,S;UAAA,wC;gBAAA,+D;;IAAA,C;;;MCAA,oB;IAAA,C;;;MAI8B,oB;IAAA,C;;;;MAJ9B,2B;QAAA,U;;MAAA,oB;IAAA,C;;MCTQ,8B;MACI,aAAY,C;IADhB,C;;MAE6B,oBAAQ,gBAAI,O;IAAZ,C;;MACuB,Q;MAA1B,IAAI,aAAQ,gBAAI,OAAhB,C;QAAA,OAAsB,gBAAI,OAA1B,C;;QAAA,iBAAI,aAAJ,kBAAI,OAAJ,C;;;QAAA,k

E1B,MAAM,CAAN,IAAW,G;;;MAYnB,OATO,EAAS,OAAO,OAAM,EAAN,EAAgB,KAAhB,C;IAU3B,C;;MAaI,WAAqB,S;MACrB,IAAI,qBAAmB,CAAY,OAAd,KAA2B,SAAhD,C;QAjCA,YAAY,MAkCM,IAlCW,OAAjB,C;QACZ,sBAiCkB,IAjClB,a;UACI,UAgCc,IAhCJ,CAAK,CAAL,C;UACV,IAAI,oBAAJ,C;YACI,MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,GAAL,C;;;YAE1B,MAAM,CAAN,IAAW,G;;;QA4Bf,OAAzBG,EAAS,OAAO,OAAM,EAAN,EAAgB,KAAhB,C;;;QA2BnB,WAAW,C;QACX,0BAAU,IAAV,e;UACY,IAAoB,I;UAA5B,eAAQ,QAAoB,OAApB,pB,IAAQ,CAAR,CAAY,CAAZ,CAAe,CAAf,CAAkB,CAAlB,CAAqB,CAArB,CAAwB,CAAxB,CAA2B,CAA3B,CAA8B,CAA9B,CAAiC,CAAjC,CAAoC,CAApC,CAAuC,CAAvC,CAA0C,CAA1C,CAA6C,CAA7C,CAAgD,CAAhD,CAAmD,CAAnD,CAAsD,CAAtD,CAAyD,CAAzD,CAA4D,CAA5D,CAA+D,CAA/D,CAAkE,CAAlE,CAAqE,CAArE,CAAwE,CAAxE,CAA2E,CAA3E,CAA8E,CAA9E,CAAiF,CAAjF,CAAoF,CAApF,CAAuF,CAAvF,CAA0F,CAA1F,CAA6F,CAA7F,CAAgG,CAAhG,CAAmG,CAAnG,CAAsG,CAAtG,CAAyG,CAAzG,CAA4G,CAA5G,CAA+G,CAA/G,CAAkH,CAAlH,CAAqH,CAArH,CAAwH,CAAxH,CAA2H,CAA3H,CAA8H,CAA9H,CAAiI,CAAjI,CAAoI,CAApI,CAAuI,CAAvI,CAA0I,CAA1I,CAA6I,CAA7I,CAAgJ,CAAhJ,CAAmJ,CAAnJ,CAAsJ,CAAtJ,CAAyJ,CAAzJ,CAA4J,CAA5J,CAA+J,CAA/J,CAAkK,CAAlK,CAAqK,CAArK,CAAwK,CAAxK,CAA2K,CAA3K,CAA8K,CAA9K,CAAiL,CAAjL,CAAoL,CAApL,CAAuL,CAAvL,CAA0L,CAA1L,CAA6L,CAA7L,CAAgM,CAAhM,CAAmM,CAAnM,CAAsM,CAAtM,CAAyM,CAAzM,CAA4M,CAA5M,CAA+M,CAA/M,CAAkN,CAAlN,CAAqN,CAArN,CAAwN,CAAxN,CAA2N,CAA3N,CAA8N,CAA9N,CAAiO,CAAjO,CAAoO,CAApO,CAAuO,CAAvO,CAA0O,CAA1O,CAA6O,CAA7O,CAAgP,CAAhP,CAAmP,CAAnP,CAAsP,CAAtP,CAAyP,CAAzP,CAA4P,CAA5P,CAA+P,CAA/P,CAAkQ,CAAlQ,CAAqQ,CAArQ,CAAwQ,CAAxQ,CAA2Q,CAA3Q,CAA8Q,CAA9Q,CAAiR,CAAjR,CAAoR,CAApR,CAAuR,CAAvR,CAA0R,CAA1R,CAA6R,CAA7R,CAAgS,CAAhS,CAAmS,CAAnS,CAAsS,CAAtS,CAAyS,CAAzS,CAA4S,CAA5S,CAA+S,CAA/S,CAAkT,CAAlT,CAAqT,CAArT,CAAwT,CAAxT,CAA2T,CAA3T,CAA8T,CAA9T,CAAiU,CAAjU,CAAoU,CAApU,CAAuU,CAAvU,CAA0U,CAA1U,CAA6U,CAA7U,CAAgV,CAAhV,CAAmV,CAAnV,CAAsV,CAAtV,CAAyV,CAAzV,CAA4V,CAA5V,CAA+V,CAA/V,CAAkW,CAAlW,CAAqW,CAArW,CAAwW,CAAxW,CAA2W,CAA3W,CAA8W,CAA9W,CAAiX,CAAjX,CAAoX,CAApX,CAAuX,CAAvX,CAA0X,CAA1X,CAA6X,CAA7X,CAAgY,CAAhY,CAAmY,CAAnY,CAAsY,CAAtY,CAAyY,CAAzY,CAA4Y,CAA5Y,CAA+Y,CAA/Y,CAAkZ,CAAlZ,CAAqZ,CAArZ,CAAwZ,CAAxZ,CAA2Z,CAA3Z,CAA8Z,CAA9Z,CAAia,CAAja,CAAoa,CAApa,CAAua,CAAva,CAA0a,CAA1a,CAA6a,CAA7a,CAAgb,CAAhb,CAAmb,CAAnb,CAAsb,CAAtb,CAAyb,CAAzb,CAA4b,CAA5b,CAA+b,CAA/b,CAAkc,CAAlc,CAAqc,CAArc,CAAwc,CAAxc,CAA2c,CAA3c,CAA8c,CAA9c,CAAid,CAAjd,CAAod,CAApd,CAAud,CAAvd,CAA0d,CAA1d,CAA6d,CAA7d,CAAge,CAAhe,CAAme,CAAne,CAAse,CAAte,CAAye,CAAze,CAA4e,CAA5e,CAA+e,CAA/e,CAAkf,CAAlf,CAAqf,CAArf,CAAwf,CAAxf,CAA2f,CAA3f,CAA8f,CAA9f,CAAigB,CAAjgB,CAAogB,CAApgB,CAAugB,CAAvgB,CAA0gB,CAA1gB,CAA6gB,CAA7gB,CAAghB,CAAhhB,CAAmhB,CAAnhB,CAAshB,CAAthB,CAAyhB,CAAzhB,CAA4hB,CAA5hB,CAA+hB,CAA/hB,CAAkiB,CAAliB,CAAqiB,CAAriB,CAAwiB,CAAxiB,CAA2iB,CAA3iB,CAA8iB,CAA9iB,CAAijB,CAAjjB,CAAojB,CAApjB,CAAujB,CAAvjB,CAA0jB,CAA1jB,CAA6jB,CAA7jB,CAAgkB,CAAhkB,CAAmkB,CAAnkB,CAAskB,CAAtkB,CAAykB,CAAzkB,CAA4kB,CAA5kB,CAA+kB,CAA/kB,CAAklB,CAAllB,CAAqlB,CAArlB,CAAwlB,CAAxlB,CAA2lB,CAA3lB,CAA8lB,CAA9lB,CAAimB,CAAjmB,CAAomB,CAApmB,CAAumB,CAAvmB,CAA0mB,CAA1mB,CAA6mB,CAA7mB,CAAgnB,CAAhnB,CAAmnB,CAAnnB,CAAsnB,CAAtnB,CAAynB,CAAznB,CAA4nB,CAA5nB,CAA+nB,CAA/nB,CAAkoB,CAAloB,CAAqoB,CAAroB,CAAwoB,CAAxoB,CAA2oB,CAA3oB,CAA8oB,CAA9oB,CAAipB,CAAjpB,CAAopB,CAAppB,CAAupB,CAAvpB,CAA0pB,CAA1pB,CAA6pB,CAA7pB,CAAgqB,CAAhqB,CAAmqB,CAAnqB,CAAsqB,CAAtqB,CAAyqB,CAAzqB,CAA4qB,CAA5qB,CAA+qB,CAA/qB,CAAkrB,CAAlrB,CAAqrB,CAArrB,CAAwrB,CAAxrB,CAA2rB,CAA3rB,CAA8rB,CAA9rB,CAAisB,CAAjsB,CAAosB,CAApsB,CAAusB,CAAvsB,CAA0sB,CAA1sB,CAA6sB,CAA7sB,CAAgtB,CAAhtB,CAAmtB,CAAntB,CAAstB,CAAttB,CAAytB,CAAztB,CAA4tB,CAA5tB,CAA+tB,CAA/tB,CAAkuB,CAAluB,CAAquB,CAAruB,CAAwuB,CAAxuB,CAA2uB,CAA3uB,CAA8uB,CAA9uB,CAAivB,CAAjvB,CAAovB,CAApvB,CAAuvB,CAAvvB,CAA0vB,CAA1vB,CAA6vB,CAA7vB,CAAgwB,CAAhwB,CAAmwB,CAAnwB,CAAswB,CAAtwB,CAAywB,CAAzwB,CAA4wB,CAA5wB,CAA+wB,CAA/wB,CAAkxB,CAAlxB,CAAqxB,CAArxB,CAAwxB,CAAxxB,CAA2xB,CAA3xB,CAA8xB,CAA9xB,CAAiyB,CAAjyB,CAAoyB,CAApyB,CAAuyB,CAAvyB,CAA0yB,CAA1yB,CAA6yB,CAA7yB,CAAgzB,CAAhzB,CAAmzB,CAAnzB,CAAszB,CAAtzB,CAAyzB,CAAzzB,CAA4zB,CAA5zB,CAA+zB,CAA/zB,CAAk0B,CAAl0B,CAAq0B,CAAr0B,CAAw0B,CAAx0B,CAA20B,CAA30B,CAA80B,CAA90B,CAAi1B,CAAj1B,CAAo1B,CAAp1B,CAAu1B,CAAv1B,CAA01B,CAA11B,CAA61B,CAA71B,CAAg2B,CAAh2B,CAAm2B,CAAn2B,CAAs2B,CAAt2B,CAAy2B,CAAz2B,CAA42B,CAA52B,CAA+2B,CAA/2B,CAAk3B,CAAl3B,CAAq3B,CAAr3B,CAAw3B,CAAx3B,CAA23B,CAA33B,CAA83B,CAA93B,CAAi4B,CAAj4B,CAAo4B,CAAp4B,CAAu4B,CAAv4B,CAA04B,CAA14B,CAA64B,CAA74B,CAAg5B,CAAh5B,CAAm5B,CAAn5B,CAAs5B,CAAt5B,CAAy5B,CAAz5B,CAA45B,CAA55B,CAA+5B,CAA/5B,CAAk6B,CAAl6B,CAAq6B,CAAr6B,CAAw6B,CAAx6B,CAA26B,CAA36B,CAA86B,CAA96B,CAAi7B,CAAj7B,CAAo7B,CAAp7B,CAAu7B,CAAv7B,CAA07B,CAA17B,CAA67B,CAA77B,CAAg8B,CAAh8B,CAAm8B,CAAn8B,CAAs8B,CAAt8B,CAAy8B,CAAz8B,CAA48B,CAA58B,CAA+8B,CAA/8B,CAAk9B,CAAl9B,CAAq9B,CAAr9B,CAAw9B,CAAx9B,CAA29B,CAA39B,CAA89B,CAA99B,CAAi+B,CAAj+B,CAAo+B,CAAp+B,CAAu+B,CAAv+B,CAA0+B,CAA1+B,CAA6+B,CAA7+B,CAAg/B,CAAh/B,CAAm/B,CAAn/B,CAAs/B,CAAt/B,CAAy/B,CAAz/B,CAA4/B,CAA5/B,CAA+/B,CAA//B,CAAkgC,CAAlgC,CAAqgC,CAArgC,CAAwgC,CAAxgC,CAA2gC,CAA3gC,CAA8gC,CAA9gC,CAAihC,CAAjhC,CAAohC,CAAphC,CAAuhC,CAAvhC,CAA0hC,CAA1hC,CAA6hC,CAA7hC,CAAgiC,CAAhiC,CAAmiC,CAAniC,CAAsiC,CAAtiC,CAAyiC,CAAziC,CAA4iC,CAA5iC,CAA+iC,CAA/iC,CAAkjC,CAAljC,CAAqjC,CAArjC,CAAwjC,CAAxjC,CAA2jC,CAA3jC,CAA8jC,CAA9jC,CAAikC,CAAjkC,CAAokC,CAApkC,CAAukC,CAAvkC,CAA0kC,CAA1kC,CAA6kC,CAA7kC,CAAglC,CAAhlC,CAAmlC,CAAnlC,CAAslC,CAAtlC,CAAylC,CAAzlC,CAA4lC,CAA5lC,CAA+lC,CAA/lC,CAAkmC,CAAlmC,CAAqmC,CAArmC,CAAwmC,CAAxmC,CAA2mC,CAA3mC,CAA8mC,CAA9mC,CAAinC,CAAjnC,CAAonC,CAApnC,CAAunC,CAAvnC,CAA0nC,CAA1nC,CAA6nC,CAA7nC,CAAgoC,CAAhoC,CAAmoC,CAAnoC,CAAsoC,CAAtoC,CAAyoC,CAAzoC,CAA4oC,CAA5oC,CAA+oC,CAA/oC,CAAkpC,CAAlpC,CAAqpC,CAArpC,CAAwpC,CAAxpC,CAA2pC,CAA3pC,CAA8pC,CAA9pC,CAAiqC,CAAjqC,CAAoqC,CAApqC,CAAuqC,CAAvqC,CAA0qC,CAA1qC,CAA6qC,CAA7qC,CAAgrC,CAAhrC,CAAmrC,CAAnrC,CAAsrC,CAAtrC,CAAyrC,CAAzrC,CAA4rC,CAA5rC,CAA+rC,CAA/rC,CAAksC,CAAlsC,CAAqsC,CAArsC,CAAwsC,CAAxsC,CAA2sC,CAA3sC,CAA8sC,CAA9sC,CAAitC,CAAjtC,CAAotC,CAAptC,CAAutC,CAAvtC,CAA0tC,CAA1tC,CAA6tC,CAA7tC,CAAguC,CAAhuC,CAAmuC,CAAnuC,CAAsuC,CAAtuC,CAAyuC,CAAzuC,CAA4uC,CAA5uC,CAA+uC,CAA/uC,CAAkvC,CAAlvC,CAAqvC,CAArvC,CAAwvC,CAAxvC,CAA2vC,CAA3vC,CAA8vC,CAA9vC,CAAiwC,CAAjwC,CAAowC,CAApwC,CAAuwC,CAAvwC,CAA0wC,CAA1wC,CAA6wC,CAA7wC,CAAgxC,CAAhxC,CAAmxC,CAAnxC,CAAsxC,CAAtxC,CAAyxC,CAAzxC,CAA4xC,CAA5xC,CAA+xC,CAA/xC,CAAkyC,CAAlyC,CAAqyC,CAAryC,CAAwyC,CAAxyC,CAA2yC,CAA3yC,CAA8yC,CAA9yC,CAAizC,CAAjzC,CAAozC,CAApzC,CAAuzC,CAAvzC,CAA0zC,CAA1zC,CAA6zC,CAA7zC,CAAg0C,CAAh0C,CAAm0C,CAAn0C,CAAs0C,CAAt0C,CAAy0C,CAAz0C,CAA40C,CAA50C,CAA+0C,CAA/0C,CAAk1C,CAAl1C,CAAq1C,CAAr1C,CAAw1C,CAAx1C,CAA21C,CAA31C,CAA81C,CAA91C,CAAi2C,CAAj2C,CAAo2C,CAAp2C,CAAu2C,CAAv2C,CAA02C,CAA12C,CAA62C,CAA72C,CAAg3C,CAAh3C,CAAm3C,CAAn3C,CAAs3C,CAAt3C,CAAy3C,CAAz3C,CAA43C,CAA53C,CAA+3C,CAA/3C,CAAk4C,CAAl4C,CAAq4C,CAAr4C,CAAw4C,CAAx4C,CAA24C,CAA34C,CAA84C,CAA94C,CAAi5C,CAAj5C,CAAo5C,CAAp5C,CAAu5C,CAAv5C,CAA05C,CAA15C,CAA65C,CAA75C,CAAg6C,CAAh6C,CAAm6C,CAAn6C,CAAs6C,CAAt6C,CAAy6C,CAAz6C,CAA46C,CAA56C,CAA+6C,CAA/6C,CAAk7C,CAAl7C,CAAq7C,CAAr7C,CAAw7C,CAAx7C,CAA27C,CAA37C,CAA87C,CAA97C,CAAi8C,CAAj8C,CAAo8C,CAAp8C,CAAu8C,CAAv8C,CAA08C,CAA18C,CAA68C,CAA78C,CAAg9C,CAAh9C,CAAm9C,CAAn9C,CAAs9C,CAAt9C,CAAy9C,CAAz9C,CAA49C,CAA59C,CAA+9C,CAA/9C,CAAk+C,CAAl+C,CAAq+C,CAAr+C,CAAw+C,CAAx+C,CAA2+C,CAA3+C,CAA8+C,CAA9+C,CAAi/C,CAAj/C,CAAo/C,CAAp/C,CAAu/C,CAAv/C,CAA0/C,CAA1/C,CAA6/C,CAA7/C,CAAggD,CAAhgD,CAAmgD,CAAngD,CAAsgD,CAAtgD,CAAygD,CAAzgD,CAA4gD,CAA5gD,CAA+gD,CAA/gD,CAAkhD,CAAlhD,CAAqhD,CAArhD,CAAwhD,CAAxhD,CAA2hD,CAA3hD,CAA8hD,CAA9hD,CAAiiD,CAAjiD,CAAoiD,CAApiD,CAAuiD,CAAviD,CAA0iD,CAA1iD,CAA6iD,CAA7iD,CAAgjD,CAAhjD,CAAmjD,CAAnjD,CAAsjD,CAAtjD,CAAyjD,CAAzjD,CAA4jD,CAA5jD,CAA+jD,CAA/jD,CAAkkD,CAAlkD,CAAqkD,CAArkD,CAAwkD,CAAxkD,CAA2kD,CAA3kD,CAA8kD,CAA9kD,CAAilD,CAAjlD,CAAolD,CAAplD,CAAulD,CAAvlD,CAA0lD,CAA1lD,CAA6lD,CAA7lD,CAAgmD,CAAhmD,CAAmmD,CAAnmD,CAAsmD,CAAtmD,CAAymD,CAAzmD,CAA4mD,CAA5mD,CAA+mD,CAA/mD,CAAknD,CAAlnD,CAAqnD,CAArnD,CAAwnD,CAAxnD,CAA2nD,CAA3nD,CAA8nD,CAA9nD,CAAioD,CAAjoD,CAAooD,CAApoD,CAAuoD,CAAvoD,CAA0oD,CAA1oD,CAA6oD,CAA7oD,CAAgpD,CAAhpD,CAAmpD,CAAnpD,CAAspD,CAAtpD,CAAypD,CAAzpD,CAA4pD,CAA5pD,CAA+pD,CAA/pD,CAAkqD,CAAlqD,CAAqqD,CAArqD,CAAwqD,CAAxqD,CAA2qD,CAA3qD,CAA8qD,CAA9qD,CAAirD,CAAjrD,CAAorD,CAAprD,CAAurD,CAAvrD,CAA0rD,CAA1rD,CAA6rD,CAA7rD,CAAgsD,CAAhsD,CAAmsD,CAAnsD,CAAssD,CAAtsD,CAAysD,CAAzsD,CAA4sD,CAA5sD,CAA+sD,CAA/sD,CAAktD,CAAltD,CAAqtD,CAArtD,CAAwtD,CAAxtD,CAA2tD,CAA3tD,CAA8tD,CAA9tD,CAAiuD,CAAjuD,CAAouD,CAApuD,CAAuuD,CAAvuD,CAA0uD,CAA1uD,CAA6uD,CAA7uD,CAAgvD,CAAhvD,CAAmvD,CAAnvD,CAAsvD,CAAtvD,CAAyvD,CAAzvD,CAA4vD,CAA5vD,CAA+vD,CAA/vD,CAAkwD,CAAlwD,CAAqwD,CAArwD,CAAwwD,CAAxwD,CAA2wD,CAA3wD,CAA8wD,CAA9wD,CAAixD,CAAjxD,CAAoxD,CAApxD,CAAuxD,CAAvxD,CAA0xD,CAA1xD,CAA6xD,CAA7xD,CAAgyD,CAAhyD,CAAmyD,CAAnyD,CAAsyD,CAAtyD,CAAyyD,CAAzyD,CAA4yD,CAA5yD,CAA+yD,CAA/yD,CAAkzD,CAAlzD,CAAqzD,CAArzD,CAAwzD,CAAxzD,CAA2zD,CAA3zD,CAA8zD,CAA9zD,CAAi0D,CAAj0D,CAAo0D,CAAp0D,CAAu0D,CAAv0D,CAA00D,CAA10D,CAA60D,CAA70D,CAAg1D,CAAh1D,CAAm1D,CAAn1D,CAAs1D,CAAt1D,CAAy1D,CAAz1D,CAA41D,CAA51D,CAA+1D,CAA/1D,CAAk2D,CAAl2D,CAAq2D,CAAr2D,CAAw2D,CAAx2D,CAA22D,CAA32D,CAA82D,CAA92D,CAAi3D,CAAj3D,CAAo3D,CAAp3D,CAAu3D,CAAv3D,CAA03D,CAA13D,CAA63D,CAA73D,CAAg4D,CAAh4D,CAAm4D,CAAn4D,CAAs4D,CAAt4D,CAAy4D,CAAz4D,CAA44D,CAA54D,CAA+4D,CAA/4D,CAAk5D,CAAl5D,CAAq5D,CAAr5D,CAAw5D,CAAx5D,CAA25D,CAA35D,CAA85D,CAA95D,CAAi6D,CAAj6D,CAAo6D,CAAp6D,CAAu6D,CAAv6D,CAA06D,CAA16D,CAA66D,CAA76D,CAAg7D,CAAh7D,CAAm7D,CAAn7D,CAAs7D,CAAt7D,CAAy7D,CAAz7D,CAA47D,CAA57D,CAA+7D,CAA/7D,CAAk8D,CAAl8D,CAAq8D,CAAr8D,CAAw8D,CAAx8D,CAA28D,CAA38D,CAA88D,CAA98D,CAAi9D,CAAj9D,CAAo9D,CAAp9D,CAAu9D,CAAv9D,CAA09D,CAA19D,CAA69D,CAA79D,CAAg+D,CAAh+D,CAAm+D,CAAn+D,CAAs+D,CAAt+D,CAAy+D,CAAz+D,CAA4+D,CAA5+D,CAA++D,CAA/+D,CAAk/D,CAAl/D,CAAq/D,CAAr/D,CAAw/D,CAAx/D,CAA2/D,CAA3/D,CAA8/D,CAA9/D,CAAigE,CAAjgE,CAAogE,CAApgE,CAAugE,CAAvgE,CAA0gE,CAA1gE,CAA6gE,CAA7gE,CAAghE,CAAhhE,CAAmhE,CAAnhE,CAAshE,CAAthE,CAAyhE,CAAzhE,CAA4hE,CAA5hE,CAA+hE,CAA/hE,CAAkiE,CAAliE,CAAqiE,CAAriE,CAAwiE,CAAxiE,CAA2iE,CAA3iE,CAA8iE,CAA9iE,CAAijE,CAAjjE,CAAojE,CAApjE,CAAujE,CAAvjE,CAA0jE,CAA1jE,CAA6jE,CAA7jE,CAAgkE,CAAhkE,CAAmkE,CAAnkE,CAAskE,CAAtkE,CAAykE,CAAzkE,CAA4kE,CAA5kE,CAA+kE,CAA/kE,CAAklE,CAAllE,CAAqlE,CAArlE,CAAwlE,CAAxlE,CAA2lE,CAA3lE,CAA8lE,CAA9lE,CAAimE,CAAjmE,CAAomE,CAApmE,CAAumE,CAAvmE,CAA0mE,CAA1mE,CAA6mE,CAA7mE,CAAgnE,CAAhnE,CAAmnE,CAAnnE,CAAsnE,CAAtnE,CAAynE,CAAznE,CAA4nE,CAA5nE,CAA+nE,CAA/nE,CAAkoE,CAAloE,CAAqoE,CAAroE,CAAwoE,CAAxoE,CAA2oE,CAA3oE,CAA8oE,CAA9oE,CAAipE,CAAjpE,CAAopE,CAAppE,CAAupE,CAAvpE,CAA0pE,CAA1pE,CAA6pE,CAA7pE,CAAgqE,CAAhqE,CAAmqE,CAAnqE,CAAsqE,CAAtqE,CAAyqE,CAAzqE,CAA4qE,CAA5qE,CAA+qE,CAA/qE,CAAkrE,CAAlrE,CAAqrE,CAArrE,CAAwrE,CAAxrE,CAA2rE,CAA3rE,CAA8rE,CAA9rE,CAAisE,CAAjsE,CAAosE,CAApsE,CAAusE,CAAvsE,CAA0sE,CAA1sE,CAA6sE,CAA7sE,CAAgtE,CAAhtE,CAAmtE,CAAntE,CAAstE,CAAttE,CAAytE,CAAztE,CAA4tE,CAA5tE,CAA+tE,CAA/tE,CAAkuE,CAAluE,CAAquE,CAAruE,CAAwuE,CAAxuE,CAA2uE,CAA3uE,CAA8uE,CAA9uE,CAAivE,CAAjvE,CAAovE,CAApvE,CAAuvE,CAAvvE,CAA0vE,CAA1vE,CAA6vE,CAA7vE,CAAgwE,CAAhwE,CAAmwE,CAAnwE,CAAswE,CAAtwE,CAAywE,CAAzwE,CAA4wE,CAA5wE,CAA+wE,CAA/wE,CAAkxE,CAAlxE,CAAqxE,CAArxE,CAAwxE,CAAxxE,CAA2xE,CAA3xE,CAA8xE,CAA9xE,CAAiyE,CAAjyE,CAAoyE,CAApyE,CAAuyE,CAAvyE,CAA0yE,CAA1yE,CAA6yE,CAA7yE,CAAgzE,CAAhzE,CAAmzE,CAAnzE,CAAszE,CAAtzE,CAAyzE,CAAzzE,CAA4zE,CAA5zE,CAA+zE,CAA/zE,CAAk0E,CAAl0E,CAAq0E,CAAr0E,CAAw0E,CAAx0E,CAA20E,CAA30E,CAA80E,CAA90E,CAAi1E,CAAj1E,CAAo1E,CAAp1E,CAAu1E,CAAv1E,CAA01E,CAA11E,CAA61E,CAA71E,CAAg2E,CAAh2E,CAAm2E,CAAn2E,CAAs2E,CAAt2E,CAAy2E,CAAz2E,CAA42E,CAA52E,CAA+2E,CAA/2E,CAAk3E,CAAl3E,CAAq3E,CAAr3E,CAAw3E,CAAx3E,CAA23E,CAA33E,CAA83E,CAA93E,CAAi4E,CAAj4E,CAAo4E,CAAp4E,CAAu4E,CAAv4E,CAA04E,CAA14E,CAA64E,CAA74E,CAAg5E,CAAh5E,CAAm5E,CAAn5E,CAAs5E,CAAt5E,CAAy5E,CAAz5E,CAA45E,CAA55E,CAA+5E,CAA/5E,CAAk6E,CAAl6E,CAAq6E,CAAr6E,CAAw6E,CAAx6E,CAA26E,CAA36E,CAA86E,CAA96E,CAAi7E,CAAj7E,CAAo7E,CAAp7E,CAAu7E,CAAv7E,CAA07E,CAA17E,CAA67E,CAA77E,CAAg8E,CAAh8E,CAAm8E,CAAn8E,CAAs8E,CAAt8E,CAAy8E,CAAz8E,CAA48E,CAA58E,CAA+8E,CAA/8E,CAAk9E,CAAl9E,CAAq9E,CAAr9E,CAAw9E,CAAx9E,CAA29E,CAA39E,CAA89E,CAA99E,CAAi+E,CAAj+E,CAAo+E,CAAp+E,CAAu+E,CAAv+E,CAA0+E,CAA1+E,CAA6+E,CAA7+E,CAAg/E,CAAh/E,CAAm/E,CAAn/E,CAAs/E,CAAt/E,CAAy/E,CAAz/E,CAA4/E,CAA5/E,CAA+/E,CAA//E,CAAkgF,CAAlgF,CAAqgF,CAArgF,CAAwgF,CAAxgF,CAA2gF,CAA3gF,CAA8gF,CAA9gF,CAAihF,CAAjhF,CAAohF,CAAphF,CAAuhF,CAAvhF,CAA0hF,CAA1hF,CAA6hF,CAA7hF,CAAgiF,CAAhiF,CAAmiF,CAAniF,CAAsiF,CAAtiF,CAAyiF,CAAziF,CAA4iF,CAA5iF,CAA+iF,CAA/iF,CAAkjF,CAAljF,CAAqjF,CAArjF,CAAwjF,CAAxjF,CAA2jF,CAA3jF,CAA8jF,CAA9jF,CAAikF,CAAjkF,CAAokF,CAApkF,CAAukF,CAAvkF,CAA0kF,CAA1kF,CAA6kF,CAA7kF,CAAglF,CAAhlF,CAAmlF,CAAnlF,CAAslF,CAAtlF,CAAylF,CAAzlF,CAA4lF,CAA5lF,CAA+lF,CAA/lF,CAAkmF,CAAlmF,CAAqmF,CAArmF,CAAwmF,CAAxmF,CAA2mF,CAA3mF,CAA8mF,CAA9mF,CAAinF,CAAjnF,CAAonF,CAApnF,CAAunF,CAAvnF,CAA0nF,CAA1nF,CAA6nF,CAA7nF,CAAgoF,CAAhoF,CAAmoF,CAAnoF,CAAsoF,CAAtoF,CAAyoF,CAAzoF,CAA4oF,CAA5oF,CAA+oF,CAA/oF,CAAkpF,CAAlpF,CAAqpF,CAArpF,CAAwpF,CAAxpF,CAA2pF,CAA3pF,CAA8pF,CAA9pF,CAAiqF,CAAjqF,CAAoqF,CAApqF,CAAuqF,CAAvqF,CAA0qF,CAA1qF,CAA6qF,CAA7qF,CAAgrF,CAAhrF,CAAmrF,CAAnrF,CAAsrF,CAAtrF,CAAyrF,CAAzrF,CAA4rF,CAA5rF,CAA+rF,CAA/rF,CAAksF,CAAlsF,CAAqsF,CAArsF,CAAwsF,CAAxsF,CAA2sF,CAA3sF,CAA8sF,CAA9sF,CAAitF,CAAjtF,CAAotF,CAAptF,CAAutF,CAAvtF,CAA0tF,CAA1tF,CAA6tF,CAA7tF,CAAguF,CAAhuF,CAAmuF,CAAnuF,CAAsuF,CAAtuF,CAAyuF,CAAzuF,CAA4uF,CAA5uF,CAA+uF,CAA/uF,CAAkvF,CAAlvF,CAAqvF,CAArvF,CAAwvF,CAAxvF,CAA2vF,CAA3vF,CAA8vF,CAA9vF,CAAiwF,CAAjwF,CAAowF,CAApwF,CAAuwF,CAAvwF,CAA0wF,CAA1wF,CAA6wF,CAA7wF,CAAgxF,CAAhxF,CAAmxF,CAAnxF,CAAsxF,CAAtxF,CAAyxF,CAAzxF,CAA4xF,CAA5xF,CAA+xF,CAA/xF,CAAkyF,CAAlyF,CAAqyF,CAAryF,CAAwyF,CAAxyF,CAA2yF,CAA3yF,CAA8yF,CAA9yF,CAAizF,CAAjzF,CAAozF,CAApzF,CAAuzF,CAAvzF,CAA0zF,CAA1zF,CAA6zF,CAA7zF,CAAg0F,CAAh0F,CAAm0F,CAAn0F,CAAs0F,CAAt0F,CAAy0F,CAAz0F,CAA40F,CAA50F,CAA+0F,CAA/0F,CAAk1F,CAAl1F,CAAq1F,CAAr1F,CAAw1F,CAAx1F,CAA21F,CAA31F,CAA81F,CAA91F,CAAi2F,CAAj2F,CAAo2F,CAAp2F,CAAu2F,CAAv2F,CAA02F,CAA12F,CAA62F,CAA72F,CAAg3F,CAAh3F,CAAm3F,CAAn3F,CAAs3F,CAAt3F,CAAy3F,CAAz3F,CAA43F,CAA53F,CAA+3F,CAA/3F,CAAk4F,CAAl4F,CAAq4F,CAAr4F,CAAw4F,CAAx4F,CAA24F,CAA34F,CAA84F,CAA94F,CAAi5F,CAAj5F,CAAo5F,CAAp5F,CAAu5F,CAAv5F,CAA05F,CAA15F,CAA65F,CAA75F,CAAg6F,CAAh6F,CAAm6F,CAAn6F,CAAs6F,CAAt6F,CAAy6F,CAAz6F,CAA46F,CAA56F,CAA+6F,CAA/6F,CAAk7F,CAAl7F,CAAq7F,CAAr7F,CAAw7F,CAAx7F,CAA27F,CAA37F,CAA87F,CAA97F,CAAi8F,CAAj8F,CAAo8F,CAAp8F,CAAu8F,CAAv8F,CAA08F,CAA18F,CAA68F,CAA78F,CAAg9F,CAAh9F,CAAm9F,CAAn9F,CAAs9F,CAAt9F,CAAy9F,CAAz9F,CAA49F,CAA59F,CAA+9F,CAA/9F,CAAk+F,CAAl+F,CAAq+F,CAAr+F,CAAw+F,CAAx+F,CAA2+F,CAA3+F,CAA8+F,CAA9+F,CAAi/F,CAAj/F,CAAo/F,CAAp/F,CAAu/F,CAAv/F,CAA0/F,CAA1/F,CAA6/F,CAA7/F,CAAggG,CAAhgG,CAAmgG,CAAngG,CAAsgG,CAAtgG,CAAygG,CAAzgG,CAA4gG,CAA5gG,CAA+gG,CAA/gG,CAAkhG,CAAlhG,CAAqhG,CAArhG,CAAwhG,CAAxhG,CAA2hG,CAA3hG,CAA8hG,CAA9hG,CAAiiG,CAAjiG,CAAoiG,CAApiG,CAAuiG,CAAviG,CAA0iG,CAA1iG,CAA6iG,CAA7iG,CAAgjG,CAAhjG,CAAmjG,CAAnjG,CAAsjG,CAAtjG,CAAyjG,CAAzjG,CAA4jG,CAA5jG,CAA+jG,CAA/jG,CAAkkG,CAAlkG,CAAqkG,CAArkG,CAAwkG,CAAxkG,CAA2kG,CAA3kG,CAA8kG,CAA9kG,CAAilG,CAAjlG,CAAolG,CAAplG,CAAulG,CAAvlG,CAA0lG,CAA1lG,CAA6lG,CAA7lG,CAAgmG,CAAhmG,CAAmmG,CAAnmG,CAAsmG,CAAtmG,CAAymG,CAAzmG,CAA4mG,CAA5mG,CAA+mG,CAA/mG,CAAknG,CAAlnG,CAAqnG,CAArnG,CAAwnG,CAAxnG,CAA2nG,CAA3nG,CAA8nG,CAA9nG,CAAioG,CAAjoG,CAAooG,CAApoG,CAAuoG,CAAvoG,CAA0oG,CAA1oG,CAA6oG,CAA7oG,CAAgpG,CAAhpG,CAAmpG,CAAnpG,CAAspG,CAAtpG,CAAypG,CAAzpG,CAA4pG,CAA5pG,CAA+pG,CAA/pG,CAAkqG,CAAlqG,CAAqqG,CAArqG,CAAwqG,CAAxqG,CAA2qG,CAA3qG,CAA8qG,CAA9qG,CAAirG,CAAjrG,CAAorG,CAAprG,CAAurG,CAAvrG,CAA0rG,CAA1rG,CAA6rG,CAA7rG,CAAgsG,CAAhsG,CAAmsG,CAAnsG,CAAssG,CAAtsG,CAAysG,CAAzsG,CAA4sG,CAA5sG,CAA+sG,CAA/sG,CAAktG,CAAltG,CAAqtG,CAArtG,CAAwtG,CAAxtG,CAA2tG,CAA3tG,CAA8tG,CAA9tG,CAAiuG,CAAjuG,CAAouG,CAApuG,CAAuuG,CAAvuG,CAA0uG,CAA1uG,CAA6uG,CAA7uG,CAAgvG,CAAhvG,CAAmvG,CAAnvG,CAAsvG,CAAtvG,CAAyvG,CAAzvG,CAA4vG,CAA5vG,CAA+vG,CAA/vG,CAAkwG,CAAlwG,CAAqwG,CAArwG,CAAwwG,CAAxwG,CAA2wG,CAA3wG,CAA8wG,CAA9wG,CAAixG,CAAjxG,CAAoxG,CAApxG,CAAuxG,CAAvxG,CAA0xG,CAA1xG,CAA6xG,CAA7xG,CAAgyG,CAAhyG,CAAmyG,CAAnyG,CAAsyG,CAAtyG,CAAyyG,CAAzyG,CAA4yG,CAA5yG,CAA+yG,CAA/yG,CAAkzG,CAAlzG,CAAqzG,CAArzG,CAAwzG,CAAxzG,CAA2zG,CAA3zG,CAA8zG,CAA9zG,CAAi0G,CAAj0G,CAAo0G,CAAp0G,CAAu0G,CAAv0G,CAA00G,CAA10G,CAA60G,CAA70G,CAAg1G,CAAh1G,CAAm1G,CAAn1G,CAAs1G,CAAt1G,CAAy1G,CAAz1G,CAA41G,CAA51G,CAA+1G,CAA/1G,CAAk2G,CAAl2G,CAAq2G,CAAr2G,CAAw2G,CAAx2G,CAA22G,CAA32G,CAA82G,CAA92G,CAAi3G,CAAj3G,CAAo3G,CAAp3G,CAAu3G,CAAv3G,CAA03G,CAA13G,CAA63G,CAA73G,CAAg4G,CAAh4G,CAAm4G,CAAn4G,CAAs4G,CAAt4G,CAAy4G,CAAz4G,CAA44G,CAA54G,CAA+4G,CAA/4G,CAAk5G,CAAl5G,CAAq5G,CAAr5G,CAAw5G,CAAx5G,CAA25G,CAA35G,CAA85G,CAA95G,CAAi6G,CAAj6G,CAAo6G,CAAp6G,CAAu6G,CAAv6G,CAA06G,CAA16G,CAA66G,CAA76G,CAAg7G,CAAh7G,CAAm7G,CAAn7G,CAAs7G,CAAt7G,

sBAAJ,YAAe,O;;MAC3C,OAAO,G;IACX,C;;MAGI,IAAI,IAAK,OAAL,KAAkB,SAAtB,C;QACI,YAAc,IAAK,O;;IAE3B,C;;MAE+D,OAAA,MAAa,QAAO,GAAP,EAAY,OAAZ,C;IAAb,C;;MOxF3D,kBAAkB,MAAa,eAAc,SAAd,C;MAC/B,iBAAiB,MAAa,eAAc,IAAd,C;MAC9B,OAAW,gBAAe,UAAnB,GAAA+B,SAAA/B,B,UAAA,C;IACrD,C;;MCcyE,OAAA,MAAa,gBAAe,IAAf,C;IAAb,C;;MA8BH,OAAA,MAAa,eAAc,IAAd,C;IAAb,C;;MAGtB,OAAA,MAAa,KAAK,UAAS,GAAT,EAAc,IAAd,C;IAAlB,C;;MACN,OAAK,SAAY,a;IAAjB,C;;MACC,OAAK,SAAY,c;IAAjB,C;;MCpDW,OAAA,SAAY,UAAS,WAAW,KAAX,EAAkB,KAAlB,C;IAAvB,C;;MjEmf3C,Q;MAAA,IAAA,cAAA,EAAA,KAAA,EAAA,IAAA,EAAA,KAAA,EAAA,IAAA,EAAA,KAAA,EAAA,I

W;MACX,C;KAtBA,C;yFAwBA,yB;MAAA,8C;MAAA,kF;QAmB0E,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACvI,UAAU,SAAV,EAA6C,WAA7C,EAAuF,iBAAvF,EAA0G,UAA1G,EAAsH,QAAtH,C;QACA,OAAO,W;MACX,C;KAtBA,C;yFAwBA,yB;MAAA,8C;MAAA,kF;QAmBoE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACjI,UAAU,SAAV,EAA0C,WAA1C,EAAoF,iBAApF,EAAuG,UAAvG,EAAmH,QAAnH,C;QACA,OAAO,W;MACX,C;KAtBA,C;;MA+BI,OAAY,SAAZ,Q;IAC5B,C;;MASI,OAAY,SAAZ,Q;IAC5B,C;;MASI,OAAY,SAAZ,Q;IAC5B,C;;MASI,OAAY,SAAZ,Q;IAC5B,C;;MAQW,WAAS,W;MAAT,YAA2B,SAA3B,Q;MwCjkB9C,eAAiB,I;MxCikBjB,BjB,OwChkBO,K;IxCikBP,BX,C;;MASI,OAAY,SAAZ,Q;IAC5B,C;;MASI,OAAY,SAAZ,Q;IAC5B,C;;MAQW,WAAS,c;MAAT,YAA8B,SAA9B,Q;MwC9lB9C,eAAiB,I;MxC+lBjB,BjB,OwC7lBO,K;IxC8lBP,BX,C;;MAQW,WAAS,W;MAAT,YAA2B,SAA3B,Q;MwCvnB9C,eAAiB,I;MxCwnBjB,BjB,OwCtnBO,K;IxCunBP,BX,C;;MDvxBI,IAAI,ECmyBI,WAAW,CDnyBf,CAAJ,C;QACI,cCkyBoB,0C;QDjyBpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCkyBnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MDryBI,IAAI,ECizBI,WAAW,CDjzBf,CAAJ,C;QACI,cCgzBoB,0C;QD/yBpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCgzBnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MDnzBI,IAAI,EC+zBI,WAAW,CD/zBf,CAAJ,C;QACI,cC8zBoB,0C;QD7zBpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MC8zBnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MDj0BI,IAAI,EC60BI,WAAW,CD70Bf,CAAJ,C;QACI,cC40BoB,0C;QD30BpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MC40BnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD/0BI,IAAI,EC21BI,WAAW,CD31Bf,CAAJ,C;QACI,cC01BoB,0C;QDz1BpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MC01BnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD71BI,IAAI,EC22BI,WAAW,CD32Bf,CAAJ,C;QACI,cC02BoB,0C;QDz2BpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MC02BnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD72BI,IAAI,EC23BI,WAAW,CD33Bf,CAAJ,C;QACI,cC03BoB,0C;QDz3BpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MC03BnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD73BI,IAAI,EC44BI,WAAW,CD54Bf,CAAJ,C;QACI,cC24BoB,0C;QD14BpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MC24BnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD94BI,IAAI,EC05BI,WAAW,CD15Bf,CAAJ,C;QACI,cCy5BoB,0C;QDx5BpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy5BnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD55BI,IAAI,EC06BI,WAAW,CD16Bf,CAAJ,C;QACI,cCy6BoB,0C;QDx6BpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy6BnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD56BI,IAAI,EC07BI,WAAW,CD17Bf,CAAJ,C;QACI,cCy7BoB,0C;QDx7BpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy7BnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD57BI,IAAI,EC08BI,WAAW,CD18Bf,CAAJ,C;QACI,cCy8BoB,0C;QDx8BpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy8BnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD58BI,IAAI,EC09BI,WAAW,CD19Bf,CAAJ,C;QACI,cCy9BoB,0C;QDx9BpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy9BnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD59BI,IAAI,EC0+BI,WAAW,CD1+Bf,CAAJ,C;QACI,cCy+BoB,0C;QDx+BpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy+BnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD5+BI,IAAI,EC0/BI,WAAW,CD1/Bf,CAAJ,C;QACI,cCy/BoB,0C;QDx/BpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy/BnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD5/BI,IAAI,EC0gCI,WAAW,CD1gCf,CAAJ,C;QACI,cCygCoB,0C;QDxgCpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCygCnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD5gCI,IAAI,EC0hCI,WAAW,CD1hCf,CAAJ,C;QACI,cCyhCoB,0C;QDxhCpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyhCnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD5hCI,IAAI,EC0iCI,WAAW,CD1iCf,CAAJ,C;QACI,cCyiCoB,0C;QDxiCpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyiCnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD5iCI,IAAI,EC0jCI,WAAW,CD1jCf,CAAJ,C;QACI,cCyjCoB,0C;QDxjCpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyjCnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD5jCI,IAAI,EC0kCI,WAAW,CD1kCf,CAAJ,C;QACI,cCykCoB,0C;QDxkCpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCykCnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD5kCI,IAAI,EC0lCI,WAAW,CD1lCf,CAAJ,C;QACI,cCylCoB,0C;QDxlCpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCylCnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD5lCI,IAAI,EC0mCI,WAAW,CD1mCf,CAAJ,C;QACI,cCymCoB,0C;QDxmCpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCymCnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD5mCI,IAAI,EC0nCI,WAAW,CD1nCf,CAAJ,C;QACI,cCynCoB,0C;QDxnCpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCynCnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD5nCI,IAAI,EC0oCI,WAAW,CD1oCf,CAAJ,C;QACI,cCyoCoB,0C;QDxoCpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyoCnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD5oCI,IAAI,EC0pCI,WAAW,CD1pCf,CAAJ,C;QACI,cCypCoB,0C;QDxpCpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCypCnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD5pCI,IAAI,EC0qCI,WAAW,CD1qCf,CAAJ,C;QACI,cCyqCoB,0C;QDxqCpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyqCnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD5qCI,IAAI,EC0rCI,WAAW,CD1rCf,CAAJ,C;QACI,cCyrCoB,0C;QDxrCpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyrCnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD5rCI,IAAI,EC0sCI,WAAW,CD1sCf,CAAJ,C;QACI,cCysCoB,0C;QDxsCpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCysCnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD5sCI,IAAI,EC0tCI,WAAW,CD1tCf,CAAJ,C;QACI,cCytCoB,0C;QDxtCpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCytCnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD5tCI,IAAI,EC0uCI,WAAW,CD1uCf,CAAJ,C;QACI,cCyuCoB,0C;QDxuCpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyuCnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD5uCI,IAAI,EC0vCI,WAAW,CD1vCf,CAAJ,C;QACI,cCyvCoB,0C;QDxvCpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyvCnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD5vCI,IAAI,EC0wCI,WAAW,CD1wCf,CAAJ,C;QACI,cCywCoB,0C;QDxwCpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCywCnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD5wCI,IAAI,EC0xCI,WAAW,CD1xCf,CAAJ,C;QACI,cCyxCoB,0C;QDxxCpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyxCnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD5xCI,IAAI,EC0yCI,WAAW,CD1yCf,CAAJ,C;QACI,cCyyCoB,0C;QDxyCpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyyCnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD5yCI,IAAI,EC0zCI,WAAW,CD1zCf,CAAJ,C;QACI,cCyzCoB,0C;QDxzCpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyzCnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD5zCI,IAAI,EC00CI,WAAW,CD10Cf,CAAJ,C;QACI,cCy0CoB,0C;QDx0CpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy0CnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC01CI,WAAW,CD11Cf,CAAJ,C;QACI,cCy1CoB,0C;QDx1CpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy1CnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC02CI,WAAW,CD12Cf,CAAJ,C;QACI,cCy2CoB,0C;QDx2CpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy2CnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC03CI,WAAW,CD13Cf,CAAJ,C;QACI,cCy3CoB,0C;QDx3CpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy3CnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC04CI,WAAW,CD14Cf,CAAJ,C;QACI,cCy4CoB,0C;QDx4CpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy4CnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC05CI,WAAW,CD15Cf,CAAJ,C;QACI,cCy5CoB,0C;QDx5CpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy5CnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC06CI,WAAW,CD16Cf,CAAJ,C;QACI,cCy6CoB,0C;QDx6CpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy6CnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC07CI,WAAW,CD17Cf,CAAJ,C;QACI,cCy7CoB,0C;QDx7CpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy7CnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC08CI,WAAW,CD18Cf,CAAJ,C;QACI,cCy8CoB,0C;QDx8CpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy8CnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC09CI,WAAW,CD19Cf,CAAJ,C;QACI,cCy9CoB,0C;QDx9CpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy9CnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0+CI,WAAW,CD1+Cf,CAAJ,C;QACI,cCy+CoB,0C;QDx+CpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy+CnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0/CI,WAAW,CD1/Cf,CAAJ,C;QACI,cCy/CoB,0C;QDx/CpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy/CnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0gDI,WAAW,CD1gDf,CAAJ,C;QACI,cCygDoB,0C;QDxgDpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCygDnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0hDI,WAAW,CD1hDf,CAAJ,C;QACI,cCyhDoB,0C;QDxhDpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyhDnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0iDI,WAAW,CD1iDf,CAAJ,C;QACI,cCyiDoB,0C;QDxiDpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyiDnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0jDI,WAAW,CD1jDf,CAAJ,C;QACI,cCyjDoB,0C;QDxjDpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyjDnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0kDI,WAAW,CD1kDf,CAAJ,C;QACI,cCykDoB,0C;QDxkDpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCykDnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0lDI,WAAW,CD1lDf,CAAJ,C;QACI,cCylDoB,0C;QDxlDpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCylDnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0mDI,WAAW,CD1mDf,CAAJ,C;QACI,cCymDoB,0C;QDxmDpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCymDnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0nDI,WAAW,CD1nDf,CAAJ,C;QACI,cCynDoB,0C;QDxnDpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCynDnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0oDI,WAAW,CD1oDf,CAAJ,C;QACI,cCyoDoB,0C;QDxoDpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyoDnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0pDI,WAAW,CD1pDf,CAAJ,C;QACI,cCypDoB,0C;QDxpDpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCypDnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0qDI,WAAW,CD1qDf,CAAJ,C;QACI,cCyqDoB,0C;QDxqDpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyqDnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0rDI,WAAW,CD1rDf,CAAJ,C;QACI,cCyrDoB,0C;QDxrDpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyrDnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0sDI,WAAW,CD1sDf,CAAJ,C;QACI,cCysDoB,0C;QDxsDpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCysDnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0tDI,WAAW,CD1tDf,CAAJ,C;QACI,cCytDoB,0C;QDxtDpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCytDnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0uDI,WAAW,CD1uDf,CAAJ,C;QACI,cCyuDoB,0C;QDxuDpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyuDnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0vDI,WAAW,CD1vDf,CAAJ,C;QACI,cCyvDoB,0C;QDxvDpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyvDnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0wDI,WAAW,CD1wDf,CAAJ,C;QACI,cCywDoB,0C;QDxwDpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCywDnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0xDI,WAAW,CD1xDf,CAAJ,C;QACI,cCyxDoB,0C;QDxxDpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyxDnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0yDI,WAAW,CD1yDf,CAAJ,C;QACI,cCyyDoB,0C;QDxyDpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyyDnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0zDI,WAAW,CD1zDf,CAAJ,C;QACI,cCyzDoB,0C;QDxzDpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyzDnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC00DI,WAAW,CD10Df,CAAJ,C;QACI,cCy0DoB,0C;QDx0DpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy0DnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC01DI,WAAW,CD11Df,CAAJ,C;QACI,cCy1DoB,0C;QDx1DpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy1DnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC02DI,WAAW,CD12Df,CAAJ,C;QACI,cCy2DoB,0C;QDx2DpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy2DnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC03DI,WAAW,CD13Df,CAAJ,C;QACI,cCy3DoB,0C;QDx3DpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy3DnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC04DI,WAAW,CD14Df,CAAJ,C;QACI,cCy4DoB,0C;QDx4DpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy4DnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC05DI,WAAW,CD15Df,CAAJ,C;QACI,cCy5DoB,0C;QDx5DpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy5DnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC06DI,WAAW,CD16Df,CAAJ,C;QACI,cCy6DoB,0C;QDx6DpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy6DnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC07DI,WAAW,CD17Df,CAAJ,C;QACI,cCy7DoB,0C;QDx7DpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy7DnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC08DI,WAAW,CD18Df,CAAJ,C;QACI,cCy8DoB,0C;QDx8DpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy8DnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC09DI,WAAW,CD19Df,CAAJ,C;QACI,cCy9DoB,0C;QDx9DpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy9DnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0+DI,WAAW,CD1+Df,CAAJ,C;QACI,cCy+DoB,0C;QDx+DpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy+DnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0/DI,WAAW,CD1/Df,CAAJ,C;QACI,cCy/DoB,0C;QDx/DpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCy/DnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0gEI,WAAW,CD1gEf,CAAJ,C;QACI,cCygEoB,0C;QDxgEpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCygEnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0hEI,WAAW,CD1hEf,CAAJ,C;QACI,cCyhEoB,0C;QDxhEpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyhEnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0iEI,WAAW,CD1iEf,CAAJ,C;QACI,cCyiEoB,0C;QDxiEpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyiEnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0jEI,WAAW,CD1jEf,CAAJ,C;QACI,cCyjEoB,0C;QDxjEpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCyjEnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0kEI,WAAW,CD1kEf,CAAJ,C;QACI,cCykEoB,0C;QDxkEpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCykEnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0lEI,WAAW,CD1lEf,CAAJ,C;QACI,cCylEoB,0C;QDxlEpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCylEnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0mEI,WAAW,CD1mEf,CAAJ,C;QACI,cCymEoB,0C;QDxmEpB,MAAM,gCAAyB,OAAO,QAAhC,EAAyC,C;;MCymEnC,OAAO,SAAP,EAAkB,SAAlB,EAA6B,EAA7B,EAAiC,cAAjC,EAAiD,OAAjD,EACV,CAAf,C;IACX,C;;MD50CI,IAAI,EC0nEI,WAAW,CD1nEf,C

d,EAAyB,OAAzB,C;IACrB,C;;MAakD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACjF,oCAAa,2BAA
kB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAc,SAAd,EAAyB,OAAzB,C;IA
CrB,C;;MAaoD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACnF,oCAAa,2BAAkB,SAAlB,EAA6B,OA
A7B,EAAsC,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAc,SAAd,EAAyB,OAAzB,C;IACrB,C;;MAasD,yB;QA
AA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACrF,oCAAa,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,
C;MACR,SAAY,MAAK,OAAL,EAAc,SAAd,EAAyB,OAAzB,C;IACrB,C;;MAagD,yB;QAAA,YAAiB,C;MAAG
,uB;QAAA,UAAe,gB;MAC/E,oCAAa,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACR,SAAY,MAA
K,OAAL,EAAc,SAAd,EAAyB,OAAzB,C;IACrB,C;;MAOI,OAAY,SAAY,QAAO,CAAQ,OAAR,C;IAC5B
,C;iFAEA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,eAAY,OAAZ,EAwIL,C;MAvIX,C;KANA,C;iFAQ
A,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,gBAAa,OAAb,EAwIL,C;MAvIX,C;KANA,C;iFAQA,yB;M
AwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,gBAAW,OAAX,EAwIL,C;MAvIX,C;KANA,C;iFAQA,yB;MAwIA,
iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,mBAAY,OAAZ,EAwIL,C;MAvIX,C;KANA,C;iFAQA,yB;MAwIA,iD;M
AxIA,qC;QAKI,OAwIO,gCAxIK,kBAAa,OAAb,EAwIL,C;MAvIX,C;KANA,C;gFAQA,yB;MAwIA,iD;MAxIA,q
C;QAKI,OAwIO,gCAxIK,kBAAc,OAAd,EAwIL,C;MAvIX,C;KANA,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI
,OAwIO,gCAxIK,sBAAe,OAAf,CAwIL,C;MAvIX,C;KANA,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,
gCAxIK,mBAAY,OAAZ,EAwIL,C;MAvIX,C;KANA,C;;MAaI,OAAO,oBAAoB,SAApB,EAA0B,QAA1B,C;IAC
X,C;;MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OA
A3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,
CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,mB
AAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,oBAAoB,
SAApB,EAA0B,QAA1B,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IA
AP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,
mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,oBAA
oB,SAApB,EAA0B,QAA1B,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,
IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAaI,OAAY,SAAY,QAAO,CAAQ,QAAR,C;
,C;iFAEA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;MAAX,C;KANA,C;iFAQ
A,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;MAAX,C;KANA,C;iFAQA,yB;M
AAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;MAAX,C;KANA,C;iFAQA,yB;MAAA,iD
;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;MAAX,C;KANA,C;iFAQA,yB;MAAA,iD;MAAA
,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;MAAX,C;KANA,C;iFAQA,yB;MAAA,iD;MAAA,sC;QA
KI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;MAAX,C;KANA,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OA
AO,qBAAqB,SAArB,EAA2B,QAA3B,C;MAAX,C;KANA,C;;MAaI,OAAY,SAAY,QAAO,CAAQ,QAAR,C;IAC5B
5B,C;;MAkB6C,OAAA,CAAE,iBAAU,CAAV,C;IAAa,C;;MAAxD,IAAI,mBAAO,CAAX,C;QAsGY,eAtGO,WA
sGP,C;;IArGhB,C;;MA4DI,IAAI,mBAAO,CAAX,C;QAAc,UAAU,SAAV,C;IAClB,C;;MAQI,IAAI,mBAAO,CA
AX,C;QAAc,cAAc,SAAd,EAAoB,UAApB,C;IAClB,C;;MAOI,SAAY,MAAK,UAAL,C;IAChB,C;;MAOI,SAAY,
MAAK,UAAL,C;IAChB,C;;MAOI,SAAY,MAAK,UAAL,C;IAChB,C;;MAOI,SAAY,MAAK,UAAL,C;IAChB,C;;
MAOI,SAAY,MAAK,UAAL,C;IAChB,C;;MAOI,SAAY,MAAK,UAAL,C;IAChB,C;;MAOI,SAAY,MAAK,UAA
L,C;IAChB,C;;MAQI,IAAI,mBAAO,CAAX,C;QAAc,gBAAc,SAAd,EAAoB,UAApB,C;IAClB,C;;MAMI,OAAO,
EAAS,MAAM,MAAK,SAAL,C;IAC1B,C;;MAMI,OAAO,EAAS,MAAM,MAAK,SAAL,C;IAC1B,C;;MAMI,OA
AO,EAAS,MAAM,MAAK,SAAL,C;IAC1B,C;;MAMI,OAAO,EAAS,MAAM,MAAK,SAAL,C;IAC1B,C;;MAMI,
OAAO,EAAS,MAAM,MAAK,SAAL,C;IAC1B,C;;MAMI,OAAO,EAAS,MAAM,MAAK,SAAL,C;IAC1B,C;;MA
MI,OAAO,EAAS,MAAM,MAAK,SAAL,C;IAC1B,C;;MAMuB,wB;QAAW,qCAAK,KAAL,E;MAAX,C;IAAa,C
;;MAAnB,OAAO,iBAAM,gBAAN,EAAY,gCAAZ,C;IACX,C;;MoDnkDI,eAAe,CAAC,iBAAO,CAAP,EAAU,IAAV,
CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MAClB,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB
B,U;QACI,UAAU,sBAAK,KAAL,C;QACV,sBAAK,KAAL,EAAc,CAAd,sBAAK,YAAL,EAAkB,CAAlB,C;QACA,sBAAK,YAA
L,EAAqB,GAArB,C;QACA,mC;;IAER,C;;MhDTI,iBAAW,oBAAK,CAAL,EAAQ,CAAR,EAAW,CAAX,C;IAC
9B,C;mFAEA,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAM,MAAX,CAAP,EAAyB,CAAzB,EAA4B,CAAC,CAAD,
CAA5B,C;MAAA,C;KARA,C;;MAaI,OAAO,oBAAoB,SAApB,EAA0B,QAA1B,C;IACX,C;;MAMI,OAAO,mBA
AwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C
;;MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OA
A3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,
CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,mB
AAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,mBAAwB,
UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;
MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,
EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB
,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QA
AS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAL,SA
AK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,
mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IA
CX,C;;MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA
3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAx
B

A,C;mFAUA,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAM,CAAN,EAAiB,CAAjB,C;MAChB,C;KAR
A,C;mFAUA,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,C;MAChB,C;KARA,C;
;MAgBI,OAAW,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAmB,C;IAC9B,C;mFAEA,yB;MAAA,iB;MAAA,uB;Q
AOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,C;MAChB,C;KARA,C;mFAUA,yB;MAAA,iB;MAAA,uB;QAOI,
OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,C;MAChB,C;KARA,C;;MAeI,OAAO,QAAM,CAAN,EAAS,QAAM,C
AAN,EAAS,CAAT,CAAT,C;IACX,C;mFAEA,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,KAAM,CAAN,EAAS,E
AAiB,CAAjB,EAA4B,CAA5B,C;MAChB,C;KARA,C;mFAUA,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,
KAAM,CAAN,EAAS,EAAiB,CAAjB,EAA4B,CAA5B,C;MAChB,C;KARA,C;mFAUA,yB;MAAA,iB;MAAA,0B;QAOI,
OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;MAChB,C;KARA,C;;MAgBW,UAAe,CAAnE,X,iBAm
Ec,CAAnEd,MAAJ,GAAmB,CAAnEe,CAAnEf,GAAmEkB,C;MAAzB,OAAa,CAAnEF,iBAAK,CAAL,GAAa,CAAJ,GAAmE,CAAnEM,GAAmEN,CAAnEO,G
AAmB,G;IAAoE9B,C;mFAEA,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,EAAa,
CAAV,C;MAChB,C;KARA,C;mFAUA,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,EAAa,CA
AP,EAAU,CAAV,C;MAChB,C;KARA,C;;MAgBI,OAAW,oBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAmB,C;IAC9B,C;mFAEA,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAM,CAAN,EAAS,CAAT,EAAY,CAAZ,EAAe,CAAf,C;MAChB,C;KARA,C;mFAUA,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAM,CAAN,EAAS,CAAT,EAAY,CAAZ,EAAe,CAAf,C;MAChB,C;KARA,C;mFAUA,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;MAChB,C;KARA,C;;MAgBI,OAAW,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAmB,C;IAC9B,C;mFAEA,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,EAAa,
CAAV,C;MAChB,C;KARA,C;mFAUA,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,EAAa,CA
AP,EAAU,CAAV,C;MAChB,C;KARA,C;;MAeI,OAAO,QAAM,CAAN,EAAS,QAAM,C
AAN,EAAS,CAAT,CAAT,C;IACX,C;mFAEA,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,KAAM,CAAN,EAAS,E
AAiB,CAAjB,EAA4B,CAA5B,C;MAChB,C;KARA,C;mFAUA,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,
KAAM,CAAN,EAAS,EAAiB,CAAjB,EAA4B,CAA5B,C;MAChB,C;KARA,C;mFAUA,yB;MAAA,iB;MAAA,0B;QAOI,
OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;MAChB,C;KARA,C;;MAgBW,UAAe,CAAnE,X,iBAm
Ec,CAAnEd,MAAJ,GAAmB,CAAnEe,CAAnEf,GAAmEkB,C;MAAzB,OAAa,CAAnEF,iBAAK,CAAL,GAAa,CAAJ,GAAmE,CAAnEM,GAAmEN,CAAnEO,G
AAmB,G;IAAoE9B,C;mFAEA,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,EAAa,
CAAV,C;MAChB,C;KARA,C;mFAUA,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,EAAa,CA
AP,EAAU,CAAV,C;MAChB,C;KARA,C;;MUnPW,Q;MAAA,IuCXgB,KvCWZ,IAAS,CAAT,IuCXY,KvCWE,IA
AS,2BAA3B,C;QAAA,OAAsC,qBuCXtB,KvCWsB,C;;QuCXb,MAAM,8BAA0B,mCAAyB,gBAAzB,MAA1B,C;
;MAAtC,W;IACJ,C;;M/BoPe,WgCjPY,KhCiPZ,IAAS,C;MAAT,S;QAAc,OgCjPF,KhCiPE,IAy/FT,gBAAR,iBAAA
Q,C;;MAz/FT,U;MAAA,S;QAAA,SAAsC,sBgCjPtB,KhCiPsB,C;;QgCjPb,MAAM,8BAA0B,iCAAuB,cAAvB,MA
A1B,C;;MAAtC,a;IACJ,C;;MhC4Pe,WgClPY,KhCkPZ,IAAS,C;MAAT,S;QAAc,OgClPF,KhCkPE,IAq/FT,gBAAR,iBAA
R,C;;MAr/FT,U;MAAA,S;QAAA,SAAsC,sBgClPtB,KhCkPsB,C;;QgClPb,MAAM,8BAA0B,iCAAuB,cA
AvB,MAA1B,C;;MAAtC,a;IACJ,C;;MhC6Pe,WgCnPY,KhCmPZ,IAAS,C;MAAT,S;QAAc,OgCnPF,KhCmPE,IAi
/FT,gBAAR,iBAAA,Q,C;;MAj/FT,U;MAAA,S;QAAA,SAAsC,sBgCnPtB,KhCmPsB,C;;QgCnPb,MAAM,8BAA0B,i
CAAuB,cAAvB,MAA1B,C;;MAAtC,a;IACJ,C;;MhC8Pe,WgCpPY,KhCoPZ,IAAS,C;MAAT,S;QAAc,OgCpPF,KhCoPE,IA6+FT,gBAAR,iBAAA
,Q,C;;MA7+FT,U;MAAA,S;QAAA,SAAsC,sBgCpPtB,KhCoPsB,C;;QgCpPb,MAAM,8BAA0B,iCAAuB,cAAvB,MAAM
,8BAA0B,iCAAuB,cAAvB,MA1B,C;;MAAtC,a;IACJ,C;;MAQW,8B;MAAS,uB;IAAT,C;;MAC4B,OAAA,gBA
AY,K;IAAZ,C;;MACG,OAAA,gBAAY,U;IAAZ,C;;MACc,OAAA,gBAAY,gBAAS,OAAT,C;IAAZ,C;;MAE5C,o
CAAa,2BAAkB,KAAlB,EAAyB,EAAAyB,SAAAzB,GAAmB,C;MAAb,OAAO,6BAAY,KAAZ,GAAmB,C;IAAX,C;;MAES,Q;MAAL,IAAI,eA
AC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmmBO,UgCnmBA,gBhCmmBR,QAAQ,EgCnmBA,oBhCmmBR,OjEyH
F,KiC0elB,C;IgClmBX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhC+mBO,UgC/mBA,gBhC+mBR,QAAQ,EgC/mBA,oBhC+mBR,OjEqH
F,KiC0elB,C;IgC9mBX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhC2nBO,UgC3nBA,gBhC2nBR,QAAQ,EgC3nBA,oBhC2nBR,OjEiH
F,KiC0elB,C;IgC1nBX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCuoBO,UgCvoBA,gBhCuoBR,QAAQ,EgCvoBA,oBhCuoBR,OjE6G
F,KiC0elB,C;IgCtoBX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmpBO,UgCnpBA,gBhCmpBR,QAAQ,EgCnpBA,oBhCmpBR,OjEyG
F,KiC0elB,C;IgCtpBX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmqBO,UgCnqBA,gBhCmqBR,QAAQ,EgCnqBA,oBhCmqBR,OjEyG
F,KiC0elB,C;IgCtqBX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmrBO,UgCnrBA,gBhCmrBR,QAAQ,EgCnrBA,oBhCmrBR,OjEyG
F,KiC0elB,C;IgCtrBX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmsBO,UgCnsBA,gBhCmsBR,QAAQ,EgCnsBA,oBhCmsBR,OjEyG
F,KiC0elB,C;IgCtsBX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmtBO,UgCntBA,gBhCmtBR,QAAQ,EgCntBA,oBhCmtBR,OjEyG
F,KiC0elB,C;IgCttBX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmuBO,UgCnuBA,gBhCmuBR,QAAQ,EgCnuBA,oBhCmuBR,OjEyG
F,KiC0elB,C;IgCtuBX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmvBO,UgCnvBA,gBhCmvBR,QAAQ,EgCnvBA,oBhCmvBR,OjEyG
F,KiC0elB,C;IgCtvBX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmwBO,UgCnwBA,gBhCmwBR,QAAQ,EgCnwBA,oBhCmwBR,OjEyG
F,KiC0elB,C;IgCtwBX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmxBO,UgCnxBA,gBhCmxBR,QAAQ,EgCnxBA,oBhCmxBR,OjEyG
F,KiC0elB,C;IgCtxBX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmyBO,UgCnyBA,gBhCmyBR,QAAQ,EgCnyBA,oBhCmyBR,OjEyG
F,KiC0elB,C;IgCtyBX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmzBO,UgCnzBA,gBhCmzBR,QAAQ,EgCnzBA,oBhCmzBR,OjEyG
F,KiC0elB,C;IgCtzBX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm0BO,UgCn0BA,gBhCm0BR,QAAQ,EgCn0BA,oBhCm0BR,OjEyG
F,KiC0elB,C;IgCt0BX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm1BO,UgCn1BA,gBhCm1BR,QAAQ,EgCn1BA,oBhCm1BR,OjEyG
F,KiC0elB,C;IgCt1BX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm2BO,UgCn2BA,gBhCm2BR,QAAQ,EgCn2BA,oBhCm2BR,OjEyG
F,KiC0elB,C;IgCt2BX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm3BO,UgCn3BA,gBhCm3BR,QAAQ,EgCn3BA,oBhCm3BR,OjEyG
F,KiC0elB,C;IgCt3BX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm4BO,UgCn4BA,gBhCm4BR,QAAQ,EgCn4BA,oBhCm4BR,OjEyG
F,KiC0elB,C;IgCt4BX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm5BO,UgCn5BA,gBhCm5BR,QAAQ,EgCn5BA,oBhCm5BR,OjEyG
F,KiC0elB,C;IgCt5BX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm6BO,UgCn6BA,gBhCm6BR,QAAQ,EgCn6BA,oBhCm6BR,OjEyG
F,KiC0elB,C;IgCt6BX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm7BO,UgCn7BA,gBhCm7BR,QAAQ,EgCn7BA,oBhCm7BR,OjEyG
F,KiC0elB,C;IgCt7BX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm8BO,UgCn8BA,gBhCm8BR,QAAQ,EgCn8BA,oBhCm8BR,OjEyG
F,KiC0elB,C;IgCt8BX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm9BO,UgCn9BA,gBhCm9BR,QAAQ,EgCn9BA,oBhCm9BR,OjEyG
F,KiC0elB,C;IgCt9BX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm+BO,UgCn+BA,gBhCm+BR,QAAQ,EgCn+BA,oBhCm+BR,OjEyG
F,KiC0elB,C;IgCt+BX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm/BO,UgCn/BA,gBhCm/BR,QAAQ,EgCn/BA,oBhCm/BR,OjEyG
F,KiC0elB,C;IgCt/BX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmgCO,UgCngCA,gBhCmgCR,QAAQ,EgCngCA,oBhCmgCR,OjEyG
F,KiC0elB,C;IgCtgCX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmhCO,UgCnhCA,gBhCmhCR,QAAQ,EgCnhCA,oBhCmhCR,OjEyG
F,KiC0elB,C;IgCthCX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmiCO,UgCniCA,gBhCmiCR,QAAQ,EgCniCA,oBhCmiCR,OjEyG
F,KiC0elB,C;IgCtiCX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmjCO,UgCnjCA,gBhCmjCR,QAAQ,EgCnjCA,oBhCmjCR,OjEyG
F,KiC0elB,C;IgCtjCX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmkCO,UgCnkCA,gBhCmkCR,QAAQ,EgCnkCA,oBhCmkCR,OjEyG
F,KiC0elB,C;IgCtkCX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmlCO,UgCnlCA,gBhCmlCR,QAAQ,EgCnlCA,oBhCmlCR,OjEyG
F,KiC0elB,C;IgCtlCX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmmCO,UgCnmCA,gBhCmmCR,QAAQ,EgCnmCA,oBhCmmCR,OjEyG
F,KiC0elB,C;IgCtmCX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmnCO,UgCnnCA,gBhCmnCR,QAAQ,EgCnnCA,oBhCmnCR,OjEyG
F,KiC0elB,C;IgCtnCX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmoCO,UgCnoCA,gBhCmoCR,QAAQ,EgCnoCA,oBhCmoCR,OjEyG
F,KiC0elB,C;IgCtoCX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmpCO,UgCnpCA,gBhCmpCR,QAAQ,EgCnpCA,oBhCmpCR,OjEyG
F,KiC0elB,C;IgCtpCX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmqCO,UgCnqCA,gBhCmqCR,QAAQ,EgCnqCA,oBhCmqCR,OjEyG
F,KiC0elB,C;IgCtqCX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmrCO,UgCnrCA,gBhCmrCR,QAAQ,EgCnrCA,oBhCmrCR,OjEyG
F,KiC0elB,C;IgCtrCX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmsCO,UgCnsCA,gBhCmsCR,QAAQ,EgCnsCA,oBhCmsCR,OjEyG
F,KiC0elB,C;IgCtsCX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmtCO,UgCntCA,gBhCmtCR,QAAQ,EgCntCA,oBhCmtCR,OjEyG
F,KiC0elB,C;IgCttCX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmuCO,UgCnuCA,gBhCmuCR,QAAQ,EgCnuCA,oBhCmuCR,OjEyG
F,KiC0elB,C;IgCtuCX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmvCO,UgCnvCA,gBhCmvCR,QAAQ,EgCnvCA,oBhCmvCR,OjEyG
F,KiC0elB,C;IgCtvCX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmwCO,UgCnwCA,gBhCmwCR,QAAQ,EgCnwCA,oBhCmwCR,OjEyG
F,KiC0elB,C;IgCtwCX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmxCO,UgCnxCA,gBhCmxCR,QAAQ,EgCnxCA,oBhCmxCR,OjEyG
F,KiC0elB,C;IgCtxCX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmyCO,UgCnyCA,gBhCmyCR,QAAQ,EgCnyCA,oBhCmyCR,OjEyG
F,KiC0elB,C;IgCtyCX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmzCO,UgCnzCA,gBhCmzCR,QAAQ,EgCnzCA,oBhCmzCR,OjEyG
F,KiC0elB,C;IgCtzCX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm0CO,UgCn0CA,gBhCm0CR,QAAQ,EgCn0CA,oBhCm0CR,OjEyG
F,KiC0elB,C;IgCt0CX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm1CO,UgCn1CA,gBhCm1CR,QAAQ,EgCn1CA,oBhCm1CR,OjEyG
F,KiC0elB,C;IgCt1CX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm2CO,UgCn2CA,gBhCm2CR,QAAQ,EgCn2CA,oBhCm2CR,OjEyG
F,KiC0elB,C;IgCt2CX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm3CO,UgCn3CA,gBhCm3CR,QAAQ,EgCn3CA,oBhCm3CR,OjEyG
F,KiC0elB,C;IgCt3CX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm4CO,UgCn4CA,gBhCm4CR,QAAQ,EgCn4CA,oBhCm4CR,OjEyG
F,KiC0elB,C;IgCt4CX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm5CO,UgCn5CA,gBhCm5CR,QAAQ,EgCn5CA,oBhCm5CR,OjEyG
F,KiC0elB,C;IgCt5CX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm6CO,UgCn6CA,gBhCm6CR,QAAQ,EgCn6CA,oBhCm6CR,OjEyG
F,KiC0elB,C;IgCt6CX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm7CO,UgCn7CA,gBhCm7CR,QAAQ,EgCn7CA,oBhCm7CR,OjEyG
F,KiC0elB,C;IgCt7CX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm8CO,UgCn8CA,gBhCm8CR,QAAQ,EgCn8CA,oBhCm8CR,OjEyG
F,KiC0elB,C;IgCt8CX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm9CO,UgCn9CA,gBhCm9CR,QAAQ,EgCn9CA,oBhCm9CR,OjEyG
F,KiC0elB,C;IgCt9CX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm+CO,UgCn+CA,gBhCm+CR,QAAQ,EgCn+CA,oBhCm+CR,OjEyG
F,KiC0elB,C;IgCt+CX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm/CO,UgCn/CA,gBhCm/CR,QAAQ,EgCn/CA,oBhCm/CR,OjEyG
F,KiC0elB,C;IgCt/CX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmgDO,UgCngDA,gBhCmgDR,QAAQ,EgCngDA,oBhCmgDR,OjEyG
F,KiC0elB,C;IgCtgDX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmhDO,UgCnhDA,gBhCmhDR,QAAQ,EgCnhDA,oBhCmhDR,OjEyG
F,KiC0elB,C;IgCthDX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmiDO,UgCniDA,gBhCmiDR,QAAQ,EgCniDA,oBhCmiDR,OjEyG
F,KiC0elB,C;IgCtiDX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmjDO,UgCnjDA,gBhCmjDR,QAAQ,EgCnjDA,oBhCmjDR,OjEyG
F,KiC0elB,C;IgCtjDX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmkDO,UgCnkDA,gBhCmkDR,QAAQ,EgCnkDA,oBhCmkDR,OjEyG
F,KiC0elB,C;IgCtkDX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmlDO,UgCnlDA,gBhCmlDR,QAAQ,EgCnlDA,oBhCmlDR,OjEyG
F,KiC0elB,C;IgCtlDX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmmDO,UgCnmDA,gBhCmmDR,QAAQ,EgCnmDA,oBhCmmDR,OjEyG
F,KiC0elB,C;IgCtmDX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmnDO,UgCnnDA,gBhCmnDR,QAAQ,EgCnnDA,oBhCmnDR,OjEyG
F,KiC0elB,C;IgCtnDX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmoDO,UgCnoDA,gBhCmoDR,QAAQ,EgCnoDA,oBhCmoDR,OjEyG
F,KiC0elB,C;IgCtoDX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmpDO,UgCnpDA,gBhCmpDR,QAAQ,EgCnpDA,oBhCmpDR,OjEyG
F,KiC0elB,C;IgCtpDX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmqDO,UgCnqDA,gBhCmqDR,QAAQ,EgCnqDA,oBhCmqDR,OjEyG
F,KiC0elB,C;IgCtqDX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmrDO,UgCnrDA,gBhCmrDR,QAAQ,EgCnrDA,oBhCmrDR,OjEyG
F,KiC0elB,C;IgCtrDX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmsDO,UgCnsDA,gBhCmsDR,QAAQ,EgCnsDA,oBhCmsDR,OjEyG
F,KiC0elB,C;IgCtsDX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmtDO,UgCntDA,gBhCmtDR,QAAQ,EgCntDA,oBhCmtDR,OjEyG
F,KiC0elB,C;IgCttDX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmuDO,UgCnuDA,gBhCmuDR,QAAQ,EgCnuDA,oBhCmuDR,OjEyG
F,KiC0elB,C;IgCtuDX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmvDO,UgCnvDA,gBhCmvDR,QAAQ,EgCnvDA,oBhCmvDR,OjEyG
F,KiC0elB,C;IgCtvDX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmwDO,UgCnwDA,gBhCmwDR,QAAQ,EgCnwDA,oBhCmwDR,OjEyG
F,KiC0elB,C;IgCtwDX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmxDO,UgCnxDA,gBhCmxDR,QAAQ,EgCnxDA,oBhCmxDR,OjEyG
F,KiC0elB,C;IgCtxDX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmyDO,UgCnyDA,gBhCmyDR,QAAQ,EgCnyDA,oBhCmyDR,OjEyG
F,KiC0elB,C;IgCtyDX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCmzDO,UgCnzDA,gBhCmzDR,QAAQ,EgCnzDA,oBhCmzDR,OjEyG
F,KiC0elB,C;IgCtzDX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm0DO,UgCn0DA,gBhCm0DR,QAAQ,EgCn0DA,oBhCm0DR,OjEyG
F,KiC0elB,C;IgCt0DX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MAAvC,OAAuC,C;IAAvC,C;;MAEvC,OhCm1DO,UgCn1DA,gBhCm1DR,QAAQ,EgCn1DA,oBhCm1DR,OjEyG
F,KiC0elB,C;IgCt1DX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO

C;;MACe,OAAA,gBAAY,gBAAS,OAAT,C;IAAZ,C;;MAE7C,oCAAa,2BAAkB,KAAlB,EAAyB,SAAzB,C;MACb,OAAO,6BAAY,KAAZ,C;IACX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,E;MACxC,OhCqkBO,UgCrkBA,gBhCqkBR,QAAQ,EgCrkBoB,OlE2CA,KkC0hBpB,C;IgCpkBX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,E;MACxC,OhCiyBO,cgCjyBA,gBhCiyBR,QAAQ,EgCjyBwB,OlEuCJ,KkC0vBpB,C;IgChyBX,C;;;MAfJ,4C;IAiBJ,C;;MAQW,8B;MAAS,uB;IAAT,C;;MAC4B,OAAA,gBAAY,K;IAAZ,C;;MACG,OAAA,gBAAY,U;IAAZ,C;;MACgB,OAAA,gBAAY,gBAAS,OAAT,C;IAAZ,C;;MAE9C,oCAAa,2BAAkB,KAAlB,EAAyB,SAAzB,C;MACb,OAAO,6BAAY,KAAZ,C;IACX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,E;MACxC,OhCCzBE,KgCDA,gBhCCR,QAAQ,EgCDwB,OlEuCJ,KkC0vBpB,C;IgCxyB

AAN,mB;MAAF,C;IAAA,C;;MAAV,yBAAU,8CAAV,C;IAAA,C;;MACU,qB;QAAE,QAAO,gBAAP,mB;MAAF,C;IAAA,C;;MAAV,yBAAU,8CAAV,C;IAAA,C;;MAGb,iD;IAAA,C;;MAED,0BAAQ,OAAR,KAAoB,C;IAApB,C;;MAG/B,Q;MAAA,6B;MAAjB,iBAAc,CAAd,yB;QACI,IAAI,wBAAI,KAAJ,GAAc,OAAd,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;IACX,C;;MAGI,iBAAc,sBAAd,WAA+B,CAA/B,U;QACI,IAAI,wBAAI,KAAJ,GAAc,OAAd,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;IACX,C;;MAE6D,iCAAa,CAAb,C;IAAA,C;;MACU,sDAAiB,KAAjB,C;IAAjB,C;;MAGK,uCAAQ,IAAR,EAAc,SAAd,EAAyB,OAAzB,C;IAAA,C;;MAMxE,eAAe,0BAAa,CAAb,C;MACf,YAAO,UAAU,SAAV,I;MxDgEX,iBAAc,CAAd,UAAsB,SAAtB,UAAuC,KAAvC,C;QwDhEW,e;QACI,iB;;;IxDiEf,C;;MwDjEe,aAAQ,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAAP,6C;MAAnC,iBAAc,CAAd,UAAsB,SAAtB,UAAuC,KAAvC,C;QAAA,e;QAAA,iB;;;IAAA,C;;MAAA

AK,OAAL,C;MAClB,qC;MACA,OAAO,I;IACX,C;;MAGU,oBAAY,QAAO,mCAAoB,KAApB,CAAP,EAAmC,CAAnC,EAAsC,OAAtC,C;MAClB,qC;IACJ,C;;MAGI,IAAI,QAAS,UAAb,C;QAAwB,OAAO,K;MAE/B,uBAAA,oB9D8vCoB,QM7yC0C,YwD+CrD,QxD/CqD,CN6yC1C,C;M8D7vCpB,qC;MACA,OAAO,I;IACX,C;;MAGI,mCAAoB,KAApB,C;MAEA,IAAI,UAAS,SAAb,C;QAAmB,OAAO,oBAAO,QAAP,C;MAC1B,IAAI,QAAS,UAAb,C;QAAwB,OAAO,K;MAE3B,IADE,KACF,e;QAAQ,OAAO,oBAAO,QAAP,C;WACf,IAFE,KAEF,O;QAAK,uBxD3DqD,YwD2D7C,QxD3D6D6C,CN6yC1C,Q8DlvC6B,oB9DkvC7B,C;;;Q8DjvCR,uBAAoC,cAA5B,B,oBAA4B,EAAV,CAAU,EAAP,EAAO,EAAY,KAAZ,EAAkB,KAAlB,EAAwB,KAAxB,EAA8B,KAA9B,EAAoC,cAApC,EAAmD,cAAnD,EAAkE,cAAlE,EAAiF,cAAjF,EAAgG,cAAhG,EAA+G,cAA/G,EAA8H,cAA9H,EAA6I,cAA7I,EAA4J,cAA5J,EAA2K,cAA3K,EAA0L,cAA1L,EAAyM,cAAzM,EAAwN,cAAxN,EAAuO,cAAvO,EAAsP,cAAtP,EAAqQ,cAArQ,EAAoR,cAApR,EAAmS,cAAnS,EAAkT,cAAlT,EAAiU,cAAjU,EAAgV,cAAhV,EAA+V,cAA/V,EAA8W,cAA9W,EAA6X,cAA7X,EAA4Y,cAA5Y,EAA2Z,cAA3Z,EAA0a,cAA1a,EAAyb,cAAzb,EAAwc,cAAxc,EAAud,cAAvd,EAAse,cAAte,EAAqf,cAArf,EAAog,cAApg,EAAmhB,cAAnhB,EAAkiB,cAAliB,EAAijB,cAAjjB,EAAgkB,cAAhkB,EAA+kB,cAA/kB,EAA8lB,cAA9lB,EAA6mB,cAA7mB,EAA4nB,cAA5nB,EAA2oB,cAA3oB,EAA0pB,cAA1pB,EAAyqB,cAAzqB,EAAwrB,cAAxrB,EAAusB,cAAvsB,EAAstB,cAAttB,EAAquB,cAAruB,EAAovB,cAApvB,EAAmwB,cAAnwB,EAAkxB,cAAlxB,EAAiyB,cAAjyB,EAAgzB,cAAhzB,EAA+zB,cAA/zB,EAA80B,cAA90B,EAA61B,cAA71B,EAA42B,cAA52B,EAA23B,cAA33B,EAA04B,cAA14B,EAAy5B,cAAz5B,EAAw6B,cAAx6B,EAAu7B,cAAv7B,EAAs8B,cAAt8B,EAAq9B,cAAr9B,EAAo+B,cAAp+B,EAAm/B,cAAn/B,EAAkgC,cAAlgC,EAAihC,cAAjhC,EAAgiC,cAAhiC,EAA+iC,cAA/iC,EAA8jC,cAA9jC,EAA6kC,cAA7kC,EAA4lC,cAA5lC,EAA2mC,cAA3mC,EAA0nC,cAA1nC,EAAyoC,cAAzoC,EAAwpC,cAAxpC,EAAuqC,cAAvqC,EAAsrC,cAAtrC,EAAqsC,cAArsC,EAAotC,cAAptC,EAAmuC,cAAnuC,EAAkvC,cAAlvC,EAAiwC,cAAjwC,EAAgxC,cAAhxC,EAA+xC,cAA/xC,EAA8yC,cAA9yC,EAA6zC,cAA7zC,EAA40C,cAA50C,EAA21C,cAA31C,EAA02C,cAA12C,EAAy3C,cAAz3C,EAAw4C,cAAx4C,EAAu5C,cAAv5C,EAAs6C,cAAt6C,EAAq7C,cAAr7C,EAAo8C,cAAp8C,EAAm9C,cAAn9C,EAAk+C,cAAl+C,EAAi/C,cAAj/C,EAAggD,cAAhgD,EAA+gD,cAA/gD,EAA8hD,cAA9hD,EAA6iD,cAA7iD,EAA4jD,cAA5jD,EAA2kD,cAA3kD,EAA0lD,cAA1lD,EAAymD,cAAzmD,EAAwnD,cAAxnD,EAAuoD,cAAvoD,EAAspD,cAAtpD,EAAqqD,cAArqD,EAAorD,cAAprD,EAAmsD,cAAnsD,EAAktD,cAAltD,EAAiuD,cAAjuD,EAAgvD,cAAhvD,EAA+vD,cAA/vD,EAA8wD,cAA9wD,EAA6xD,cAA7xD,EAA4yD,cAA5yD,EAA2zD,cAA3zD,EAA00D,cAA10D,EAAy1D,cAAz1D,EAAw2D,cAAx2D,EAAu3D,cAAv3D,EAAs4D,cAAt4D,EAAq5D,cAAr5D,EAAo6D,cAAp6D,EAAm7D,cAAn7D,EAAk8D,cAAl8D,EAAi9D,cAAj9D,EAAg+D,cAAh+D,EAA++D,cAA/+D,EAA8/D,cAA9/D,EAA6gE,cAA7gE,EAA4hE,cAA5hE,EAA2iE,cAA3iE,EAA0jE,cAA1jE,EAAykE,cAAzkE,EAAwlE,cAAxlE,EAAumE,cAAvmE,EAAsnE,cAAtnE,EAAqoE,cAAroE,EAAopE,cAAppE,EAAmqE,cAAnqE,EAAkrE,cAAlrE,EAAisE,cAAjsE,EAAgtE,cAAhtE,EAA+tE,cAA/tE,EAA8uE,cAA9uE,EAA6vE,cAA7vE,EAA4wE,cAA5wE,EAA2xE,cAA3xE,EAA0yE,cAA1yE,EAAyzE,cAAzzE,EAAw0E,cAAx0E,EAAu1E,cAAv1E,EAAs2E,cAAt2E,EAAq3E,cAAr3E,EAAo4E,cAAp4E,EAAm5E,cAAn5E,EAAk6E,cAAl6E,EAAi7E,cAAj7E,EAAg8E,cAAh8E,EAA+8E,cAA/8E,EAA89E,cAA99E,EAA6+E,cAA7+E,EAA4/E,cAA5/E,EAA2gF,cAA3gF,EAA0hF,cAA1hF,EAAyiF,cAAziF,EAAwjF,cAAxjF,EAAukF,cAAvkF,EAAslF,cAAtlF,EAAqmF,cAArmF,EAAonF,cAApnF,EAAmoF,cAAnoF,EAAkpF,cAAlpF,EAAiqF,cAAjqF,EAAgrF,cAAhrF,EAA+rF,cAA/rF,EAA8sF,cAA9sF,EAA6tF,cAA7tF,EAA4uF,cAA5uF,EAA2vF,cAA3vF,EAA0wF,cAA1wF,EAAyxF,cAAzxF,EAAwyF,cAAxyF,EAAuzF,cAAvzF,EAAs0F,cAAt0F,EAAq1F,cAAr1F,EAAo2F,cAAp2F,EAAm3F,cAAn3F,EAAk4F,cAAl4F,EAAi5F,cAAj5F,EAAg6F,cAAh6F,EAA+6F,cAA/6F,EAA87F,cAA97F,EAA68F,cAA78F,EAA49F,cAA59F,EAA2+F,cAA3+F,EAA0/F,cAA1/F,EAAygG,cAAzgG,EAAwhG,cAAxhG,EAAuiG,cAAviG,EAAsjG,cAAtjG,EAAqkG,cAArkG,EAAolG,cAAplG,EAAmmG,cAAnmG,EAAknG,cAAlnG,EAAioG,cAAjoG,EAAgpG,cAAhpG,EAA+pG,cAA/pG,EAA8qG,cAA9qG,EAA6rG,cAA7rG,EAA4sG,cAA5sG,EAA2tG,cAA3tG,EAA0uG,cAA1uG,EAAyvG,cAAzvG,EAAwwG,cAAxwG,EAAuxG,cAAvxG,EAAsyG,cAAtyG,EAAqzG,cAArzG,EAAo0G,cAAp0G,EAAm1G,cAAn1G,EAAk2G,cAAl2G,EAAi3G,cAAj3G,EAAg4G,cAAh4G,EAA+4G,cAA/4G,EAA85G,cAA95G,EAA66G,cAA76G,EAA47G,cAA57G,EAA28G,cAA38G,EAA09G,cAA19G,EAAy+G,cAAz+G,EAAw/G,cAAx/G,EAAugH,cAAvgH,EAAshH,cAAthH,EAAqiH,cAAriH,EAAojH,cAApjH,EAAmkH,cAAnkH,EAAklH,cAAllH,EAAimH,cAAjmH,EAAgnH,cAAhnH,EAA+nH,cAA/nH,EAA8oH,cAA9oH,EAA6pH,cAA7pH,EAA4qH,cAA5qH,EAA2rH,cAA3rH,EAA0sH,cAA1sH,EAAytH,cAAztH,EAAwuH,cAAxuH,EAAuvH,cAAvvH,EAAswH,cAAtwH,EAAqxH,cAArxH,EAAoyH,cAApyH,EAAmzH,cAAnzH,EAAk0H,cAAl0H,EAAi1H,cAAj1H,EAAg2H,cAAh2H,EAA+2H,cAA/2H,EAA83H,cAA93H,EAA64H,cAA74H,EAA45H,cAA55H,EAA26H,cAA36H,EAA07H,cAA17H,EAAy8H,cAAz8H,EAAw9H,cAAx9H,EAAu+H,cAAv+H,EAAs/H,cAAt/H,EAAqgI,cAArgI,EAAohI,cAAphI,EAAmiI,cAAniI,EAAkjI,cAAljI,EAAikI,cAAjkI,EAAglI,cAAhlI,EAA+lI,cAA/lI,EAA8mI,cAA9mI,EAA6nI,cAA7nI,EAA4oI,cAA5oI,EAA2pI,cAA3pI,EAA0qI,cAA1qI,EAAyrI,cAAzrI,EAAwsI,cAAxsI,EAAutI,cAAvtI,EAAsuI,cAAtuI,EAAqvI,cAArvI,EAAowI,cAApwI,EAAmxI,cAAnxI,EAAkyI,cAAlyI,EAAizI,cAAjzI,EAAg0I,cAAh0I,EAA+0I,cAA/0I,EAA81I,cAA91I,EAA62I,cAA72I,EAA43I,cAA53I,EAA24I,cAA34I,EAA05I,cAA15I,EAAy6I,cAAz6I,EAAw7I,cAAx7I,EAAu8I,cAAv8I,EAAs9I,cAAt9I,EAAq+I,cAAr+I,EAAo/I,cAAp/I,EAAmgJ,cAAngJ,EAAkhJ,cAAlhJ,EAAiiJ,cAAjiJ,EAAgjJ,cAAhjJ,EAA+jJ,cAA/jJ,EAA8kJ,cAA9kJ,EAA6lJ,cAA7lJ,EAA4mJ,cAA5mJ,EAA2nJ,cAA3nJ,EAA0oJ,cAA1oJ,EAAypJ,cAAzpJ,EAAwqJ,cAAxqJ,EAAurJ,cAAvrJ,EAAssJ,cAAtsJ,EAAqtJ,cAArtJ,EAAouJ,cAApuJ,EAAmvJ,cAAnvJ,EAAkwJ,cAAlwJ,EAAixJ,cAAjxJ,EAAgyJ,cAAhyJ,EAA+yJ,cAA/yJ,EAA8zJ,cAA9zJ,EAA601J,cAA71J,EAA412J,cAA512J,EAA213J,cAA313J,EAA014J,cAA14J,EAAy15J,cAAz15J,EAAw25J,cAAx25J,EAAu35J,cAAv35J,EAAs45J,cAAt45J,EAAq55J,cAAr55J,EAAo65J,cAAp65J,EAAm75J,cAAn75J,EAAk85J,cAAl85J,EAAi95J,cAAj95J,EAAg+5J,cAAh+5J,EAA+/5J,cAA//5J,EAA8g6J,cAA9g6J,EAA6h6J,cAA7h6J,EAA4i6J,cAA5i6J,EAA2j6J,cAA3j6J,EAA0k6J,cAA1k6J,EAAyl6J,cAAzl6J,EAAwm6J,cAAxm6J,EAAun6J,cAAvn6J,EAAso6J,cAAto6J,EAAqp6J,cAArp6J,EAAoq6J,cAApq6J,EAAmr6J,cAAnr6J,EAAks6J,cAAls6J,EAAit6J,cAAjt6J,EAAgu6J,cAAhu6J,EAA+v6J,cAA/v6J,EAA8w6J,cAA9w6J,EAA6x6J,cAA7x6J,EAA4y6J,cAA5y6J,EAA2z6J,cAA3z6J,EAA061J,cAA161J,EAAy26J,cAAz26J,EAAw36J,cAAx36J,EAAu46J,cAAv46J,EAAs56J,cAAt56J,EAAq66J,cAAr66J,EAAo76J,cAAp76J,EAAm86J,cAAn86J,EAAk96J,cAAl96J,EAAi+6J,cAAj+6J,EAAg/6J,cAAh/6J,EAA+/6J,cAA//6J,EAA8g7J,cAA9g7J,EAA6h7J,cAA7h7J,EAA4i7J,cAA5i7J,EAA2j7J,cAA3j7J,EAA0k7J,cAA1k7J,EAAyl7J,cAAzl7J,EAAwm7J,cAAxm7J,EAAun7J,cAAvn7J,EAAso7J,cAAto7J,EAAqp7J,cAArp7J,EAAoq7J,cAApq7J,EAAmr7J,cAAnr7J,EAAks7J,cAAls7J,EAAit7J,cAAjt7J,EAAgu7J,cAAhu7J,EAA+v7J,cAA/v7J,EAA8w7J,cAA9w7J,EAA6x7J,cAA7x7J,EAA4y7J,cAA5y7J,EAA2z7J,cAA3z7J,EAA061J,cAA161J,EAAy27J,cAAz27J,EAAw37J,cAAx37J,EAAu47J,cAAv47J,EAAs57J,cAAt57J,EAAq67J,cAAr67J,EAAo77J,cAAp77J,EAAm87J,cAAn87J,EAAk97J,cAAl97J,EAAi+7J,cAAj+7J,EAAg/7J,cAAh/7J,EAA+/7J,cAA//7J,EAA8g8J,cAA9g8J,EAA6h8J,cAA7h8J,EAA4i8J,cAA5i8J,EAA2j8J,cAA3j8J,EAA0k8J,cAA1k8J,EAAyl8J,cAAzl8J,EAAwm8J,cAAxm8J,EAAun8J,cAAvn8J,EAAso8J,cAAto8J,EAAqp8J,cAArp8J,EAAoq8J,cAApq8J,EAAmr8J,cAAnr8J,EAAks8J,cAAls8J,EAAit8J,cAAjt8J,EAAgu8J,cAAhu8J,EAA+v8J,cAA/v8J,EAA8w8J,cAA9w8J,EAA6x8J,cAA7x8J,EAA4y8J,cAA5y8J,EAA2z8J,cAA3z8J,EAA061J,cAA161J,EAAy29J,cAAz29J,EAAw39J,cAAx39J,EAAu49J,cAAv49J,EAAs59J,cAAt59J,EAAq69J,cAAr69J,EAAo79J,cAAp79J,EAAm89J,cAAn89J,EAAk99J,cAAl99J,EAAi+9J,cAAj+9J,EAAg/9J,cAAh/9J,EAA+/9J,cAA//9J,EAA8g+J,cAA9g+J,EAA6h+J,cAA7h+J,EAA4i+J,cAA5i+J,EAA2j+J,cAA3j+J,EAA0k+J,cAA1k+J,EAAyl+J,cAAzl+J,EAAwm+J,cAAxm+J,EAAun+J,cAAvn+J,EAAso+J,cAAto+J,EAAqp+J,cAArp+J,EAAoq+J,cAApq+J,EAAmr+J,cAAnr+J,EAAks+J,cAAls+J,EAAit+J,cAAjt+J,EAAgu+J,cAAhu+J,EAA+v+J,cAA/v+J,EAA8w+J,cAA9w+J,EAA6x+J,cAA7x+J,EAA4y+J,cAA5y+J,EAA2z+J,cAA3z+J,EAA061J,cAA161J,EAAy2+J,cAAz2+J,EAAw3+J,cAAx3+J,EAAu4+J,cAAv4+J,EAAs5+J,cAAt5+J,EAAq6+J,cAAr6+J,EAAo7+J,cAAp7+J,EAAm8+J,cAAn8+J,EAAk9+J,cAAl9+J,EAAi++J,cAAj++J,EAAg/+J,cAAh/+J,EAA+/+J,cAA//+J,EAA8g/J,cAA9g/J,EAA6h/J,cAA7h/J,EAA4i/J,cAA5i/J,EAA2j/J,cAA3j/J,EAA0k/J,cAA1k/J,EAAyl/J,cAAzl/J,EAAwm/J,cAAxm/J,EAAun/J,cAAvn/J,EAAso/J,cAAto/J,EAAqp/J,cAArp/J,EAAoq/J,cAApq/J,EAAmr/J,cAAnr/J,EAAks/J,cAAls/J,EAAit/J,cAAjt/J,EAAgu/J,cAAhu/J,EAA+v/J,cAA/v/J,EAA8w/J,cAA9w/J,EAA6x/J,cAA7x/J,EAA4y/J,cAA5y/J,EAA2z/J,cAA3z/J,EAA061J,cAA161J,EAAy2gK,cAAz2gK,EAAw3gK,cAAx3gK,EAAu4gK,cAAv4gK,EAAs5gK,cAAt5gK,EAAq6gK,cAAr6gK,EAAo7gK,cAAp7gK,EAAm8gK,cAAn8gK,EAAk9gK,cAAl9gK,EAAi+gK,cAAj+gK,EAAg/gK,cAAh/gK,EAA+/gK,cAA//gK,EAA8ghK,cAA9ghK,EAA6hhK,cAA7hhK,EAA4ihK,cAA5ihK,EAA2jhK,cAA3jhK,EAA0khK,cAA1khK,EAAylhK,cAAzlhK,EAAwmhK,cAAxmhK,EAAunhK,cAAvnhK,EAAsohK,cAAtohK,EAAqphK,cAArphK,EAAoqhK,cAApqhK,EAAmrhK,cAAnrhK,EAAkshK,cAAlshK,EAAithK,cAAjthK,EAAguhK,cAAhuhK,EAA+vhK,cAA/vhK,EAA8whK,cAA9whK,EAA6xhK,cAA7xhK,EAA4yhK,cAA5yhK,EAA2zhK,cAA3zhK,EAA061hK,cAA161hK,EAAy2iK,cAAz2iK,EAAw3iK,cAAx3iK,EAAu4iK,cAAv4iK,EAAs5iK,cAAt5iK,EAAq6iK,cAAr6iK,EAAo7iK,cAAp7iK,EAAm8iK,cAAn8iK,EAAk9iK,cAAl9iK,EAAi+iK,cAAj+iK,EAAg/iK,cAAh/iK,EAA+/iK,cAA//iK,EAA8gjK,cAA9gjK,EAA6hjK,cAA7hjK,EAA4ijK,cAA5ijK,EAA2jjK,cAA3jjK,EAA0kjK,cAA1kjK,EAAyljK,cAAzljK,EAAwmjK,cAAxmjK,EAAunjK,cAAvnjK,EAAsojK,cAAtojK,EAAqpjK,cAArpjK,EAAoqjK,cAApqjK,EAAmrjK,cAAnrjK,EAAksjK,cAAlsjK,EAAitjK,cAAjtjK,EAAgujK,cAAhujK,EAA+vjK,cAA/vjK,EAA8wjK,cAA9wjK,EAA6xjK,cAA7xjK,EAA4yjK,cAA5yjK,EAA2zjK,cAA3zjK,EAA061jK,cAA161jK,EAAy2kK,cAAz2kK,EAAw3kK,cAAx3kK,EAAu4kK,cAAv4kK,EAAs5kK,cAAt5kK,EAAq6kK,cAAr6kK,EAAo7kK,cAAp7kK,EAAm8kK,cAAn8kK,EAAk9kK,cAAl9kK,EAAi+kK,cAAj+kK,EAAg/kK,cAAh/kK,EAA+/kK,cAA//kK,EAA8glK,cAA9glK,EAA6hlK,cAA7hlK,EAA4ilK,cAA5ilK,EAA2jlK,cAA3jlK,EAA0klK,cAA1klK,EAAyllK,cAAzllK,EAAwmlK,cAAxmlK,EAAunlK,cAAvnlK,EAAsolK,cAAtolK,EAAqplK,cAArplK,EAAoqlK,cAApqlK,EAAmrlK,cAAnrlK,EAAkslK,cAAlslK,EAAitlK,cAAjtlK,EAAgulK,cAAhulK,EAA+vlK,cAA/vlK,EAA8wlK,cAA9wlK,EAA6xlK,cAA7xlK,EAA4ylK,cAA5ylK,EAA2zlK,cAA3zlK,EAA061lK,cAA161lK,EAAy2mK,cAAz2mK,EAAw3mK,cAAx3mK,EAAu4mK,cAAv4mK,EAAs5mK,cAAt5mK,EAAq6mK,cAAr6mK,EAAo7mK,cAAp7mK,EAAm8mK,cAAn8mK,EAAk9mK,cAAl9mK,EAAi+mK,cAAj+mK,EAAg/mK,cAAh/mK,EAA+/mK,cAA//mK,EAA8gnK,cAA9gnK,EAA6hnK,cAA7hnK,EAA4inK,cAA5inK,EAA2jnK,cAA3jnK,EAA0knK,cAA1knK,EAAylnK,cAAzlnK,EAAwmnK,cAAxmnK,EAAunnK,cAAvnnK,EAAsonK,cAAtonK,EAAqpnK,cAArpnK,EAAoqnK,cAApqnK,EAAmrnK,cAAnrnK,EAAksnK,cAAlsnK,EAAitnK,cAAjtnK,EAAgunK,cAAhunK,EAA+vnK,cAA/vnK,EAA8wnK,cAA9wnK,EAA6xnK,cAA7xnK,EAA4ynK,cAA5ynK,EAA2znK,cAA3znK,EAA061nK,cAA161nK,EAAy2oK,cAAz2oK,EAAw3oK,cAAx3oK,EAAu4oK,cAAv4oK,EAAs5oK,cAAt5oK,EAAq6oK,cAAr6oK,EAAo7oK,cAAp7oK,EAAm8oK,cAAn8oK,EAAk9oK,cAAl9oK,EAAi+oK,cAAj+oK,EAAg/oK,cAAh/oK,EAA+/oK,cAA//oK,EAA8gpK,cAA9gpK,EAA6hpK,cAA7hpK,EAA4ipK,cAA5ipK,EAA2jpK,cAA3jpK,EAA0kpK,cAA1kpK,EAAylpK,cAAzlpK,EAAwmpK,cAAxmpK,EAAunpK,cAAvnpK,EAAsopK,cAAtopK,EAAqppK,cAArppK,EAAoqpK,cAApqpK,EAAmrpK,cAAnrpK,EAAkspK,cAAlspK,EAAitpK,cAAjtpK,EAAgupK,cAAhupK,EAA+vpK,cAA/vpK,EAA8wpK,cAA9wpK,EAA6xpK,cAA7xpK,EAA4ypK,cAA5ypK,EAA2zpK,cAA3zpK,EAA061pK,cAA161pK,EAAy2qK,cAAz2qK,EAAw3qK,cAAx3qK,EAAu4qK,cAAv4qK,EAAs5qK,cAAt5qK,EAAq6qK,cAAr6qK,EAAo7qK,cAAp7qK,EAAm8qK,cAAn8qK,EAAk9qK,cAAl9qK,EAAi+qK,cAAj+qK,EAAg/qK,cAAh/qK,EAA+/qK,cAA//qK,EAA8grK,cAA9grK,EAA6hrK,cAA7hrK,EAA4irK,cAA5irK,EAA2jrK,cAA3jrK,EAA0krK,cAA1krK,EAAylrK,cAAzlrK,EAAwmrK,cAAxmrK,EAAunrK,cAAvnrK,EAAsorK,cAAtorK,EAAqprK,cAArprK,EAAoqrK,cAApqrK,EAAmrrK,cAAnrrK,EAAksrK,cAAlsrK,EAAitrK,cAAjtrK,EAAgurK,cAAhurK,EAA+vrK,cAA/vrK,EAA8wrK,cAA9wrK,EAA6xrK,cAA7xrK,EAA4yrK,cAA5yrK,EAA2zrK,cAA3zrK,EAA061rK,cAA161rK,EAAy2sK,cAAz2sK,EAAw3sK,cAAx3sK,EAAu4sK,cAAv4sK,EAAs5sK,cAAt5sK,EAAq6sK,cAAr6sK,EAAo7sK,cAAp7sK,EAAm8sK,cAAn8sK,EAAk9sK,cAAl9sK,EAAi+sK,cAAj+sK,EAAg/sK,cAAh/sK,EAA+/sK,cAA//sK,EAA8gtK,cAA9gtK,EAA6htK,cAA7htK,EAA4itK,cAA5itK,EAA2jtK,cAA3jtK,EAA0ktK,cAA1ktK,EAAyltK,cAAzltK,EAAwmtK,cAAxmtK,EAAuntK,cAAvntK,EAAsotK,cAAtotK,EAAqptK,cAArptK,EAAoqtK,cAApqtK,EAAmrtK,cAAnrtK,EAAkstK,cAAlstK,EAAittK,cAAjttK,EAAgutK,cAAhutK,EAA+vtK,cAA/vtK,EAA8wtK,cAA9wtK,EAA6xtK,cAA7xtK,EAA4ytK,cAA5ytK,EAA2ztK,cAA3ztK,EAA061tK,cAA161tK,EAAy2uK,cAAz2uK,EAAw3uK,cAAx3uK,EAAu4uK,cAAv4uK,EAAs5uK,cAAt5uK,EAAq6uK,cAAr6uK,EAAo7uK,cAAp7uK,EAAm8uK,cAAn8uK,EAAk9uK,cAAl9uK,EAAi+uK,cAAj+uK,EAAg/uK,cAAh/uK,EAA+/uK,cAA//uK,EAA8gvK,cAA9gvK,EAA6hvK,cAA7hvK,EAA4ivK,cAA5ivK,EAA2jvK,cAA3jvK,EAA0kvK,cAA1kvK,EAAylvK,cAAzlvK,EAAwmvK,cAAxmvK,EAAunvK,cAAvnvK,EAAsovK,cAAtovK,EAAqpvK,cAArpvK,EAAoqvK,cAApqvK,EAAmrvK,cAAnrvK,EAAksvK,cAAlsvK,EAAitvK,cAAjtvK,EAAguvK,cAAhuvK,EAA+vvK,cAA/vvK,EAA8wvK,cAA9wvK,EAA6xvK,cAA7xvK,EAA4yvK,cAA5yvK,EAA2zvK,cAA3zvK,EAA061vK,cAA161vK,EAAy2wK,cAAz2wK,EAAw3wK,cAAx3wK,EAAu4wK,cAAv4wK,EAAs5wK,cAAt5wK,EAAq6wK,cAAr6wK,EAAo7wK,cAAp7wK,EAAm8wK,cAAn8wK,EAAk9wK,cAAl9wK,EAAi+wK,cAAj+wK,EAAg/wK,cAAh/wK,EAA+/wK,cAA//wK,EAA8gxK,cAA9gxK,EAA6hxK,cAA7hxK,EAA4ixK,cAA5ixK,EAA2jxK,cAA3jxK,EAA0kxK,cAA1kxK,EAAylxK,cAAzlxK,EAAwmxK,cAAxmxK,EAAunxK,cAAvnxK,EAAsoxK,cAAtoxK,EAAqpxK,cAArpxK,EAAoqxK,cAApqxK,EAAmrxK,cAAnrxK,EAAksxK,cAAlsxK,EAAitxK,cAAjtxK,EAAguxK,cAAhuxK,EAA+vxK,cAA/vxK,EAA8wxK,cAA9wxK,EAA6xxK,cAA7xxK,EAA4yxK,cAA5yxK,EAA2zxK,cAA3zxK,EAA061xK,cAA161xK,EAAy2yK,cAAz2yK,EAAw3yK,cAAx3yK,EAAu4yK,cAAv4yK,EAAs5yK,cAAt5yK,EAAq6yK,cAAr6yK,EAAo7yK,cAAp7yK,EAAm8yK,cAAn8yK,EAAk9yK,cAAl9yK,EAAi+yK,cAAj+yK,EAAg/yK,cAAh/yK,EAA+/yK,cAA//yK,EAA8gzK,cAA9gzK,EAA6hzK,cAA7hzK,EAA4izK,cAA5izK,EAA2jzK,cAA3jzK,EAA0kzK,cAA1kzK,EAAylzK,cAAzlzK,EAAwmzK,cAAxmzK,EAAunzK,cAAvnzK,EAAsozK,cAAtozK,EAAqpzK,cAArpzK,EAAoqzK,cAApqzK,EAAmrzK,cAAnrzK,EAAkszK,cAAlszK,EAAitzK,cAAjtzK,EAAguzK,cAAhuzK,EAA+vzK,cAA/vzK,EAA8wzK,cAA9wzK,EAA6xzK,cAA7xzK,EAA4yzK,cAA5yzK,EAA2zzK,cAA3zzK,EAA061zK,cAA161zK,EAAy20K,cAAz20K,EAAw30K,cAAx30K,EAAu40K,cAAv40K,EAAs50K,cAAt50K,EAAq60K,cAAr60K,EAAo70K,cAAp70K,EAAm80K,cAAn80K,EAAk90K,cAAl90K,EAAi+0K,cAAj+0K,EAAg/0K,cAAh/0K,EAA+/0K,cAA//0K,EAA8g1K,cAA9g1K,EAA6h1K,cAA7h1K,EAA4i1K,cAA5i1K,EAA2j1K,cAA3j1K,EAA0k1K,cAA1k1K,EAAyl1K,cAAzl1K,EAAwm1K,cAAxm1K,EAAun1K,cAAvn1K,EAAso1K,cAAto1K,EAAqp1K,cAArp1K,EAAoq1K,cAApq1K,EAAmr1K,cAAnr1K,EAAks1K,cAAls1K,EAAit1K,cAAjt1K,EAAgu1K,cAAhu1K,EAA+v1K,cAA/v1K,EAA8w1K,cAA9w1K,EAA6x1K,cAA7x1K,EAA4y1K,cAA5y1K,EAA2z1K,cAA3z1K,EAA061K,cAA161K,EAAy22K,cAAz22K,EAAw32K,cAAx32K,EAAu42K,cAAv42K,EAAs52K,cAAt52K,EAAq62K,cAAr62K,EAAo72K,cAAp72K,EAAm82K,cAAn82K,EAAk92K,cAAl92K,EAAi+2K,cAAj+2K,EAAg/2K,cAAh/2K,EAA+/2K,cAA//2K,EAA8g3K,cAA9g3K,EAA6h3K,cAA7h3K,EAA4i3K,cAA5i3K,EAA2j3K,cAA3j3K,EAA0k3K,cAA1k3K,EAAyl3K,cAAzl3K,EAAwm3K,cAAxm3K,EAAun3K,cAAvn3K,EAAso3K,cAAto3K,EAAqp3K,cAArp3K,EAAoq3K,cAApq3K,EAAmr3K,cAAnr3K,EAAks3K,cAAls3K,EAAit3K,cAAjt3K,EAAgu3K,cAAhu3K,EAA+v3K,cAA/v3K,EAA8w3K,cAA9w3K,EAA6x3K,cAA7x3K,EAA4y3K,cAA5y3K,EAA2z3K,cAA3z3K,EAA061K,cAA161K,EAAy24K,cAAz24K,EAAw34K,cAAx34K,EAAu44K,cAAv44K,EAAs54K,cAAt54K,EAAq64K,cAAr64K,EAAo74K,cAAp74K,EAAm84K,cAAn84K,EAAk94K,cAAl94K,EAAi+4K,cAAj+4K,EAAg/4K,cAAh/4K,EAA+/4K,cAA//4K,EAA8g5K,cAA9g5K,EAA6h5K,cAA7h5K,EAA4i5K,cAA5i5K,EAA2j5K,cAA3j5K,EAA0k5K,cAA1k5K,EAAyl5K,cAAzl5K,EAAwm5K,cAAxm5K,EAAun5K,cAAvn5K,EAAso5K,cAAto5K,EAAqp5K,cAArp5K,EAAoq5K,cAApq5K,EAAmr5K,cAAnr5K,EAAks5K,cAAls5K,EAAit5K,cAAjt5K,EAAgu5K,cAAhu5K,EAA+v5K,cAA/v5K,EAA8w5K,cAA9w5K,EAA6x5K,cAA7x5K,EAA4y5K,cAA5y5K,EAA2z5K,cAA3z5K,EAA061K,cAA161K,EAAy26K,cAAz26K,EAAw36K,cAAx36K,EAAu46K,cAAv46K,EAAs56K,cAAt56K,EAAq66K,cAAr66K,EAAo76K,cAAp76K,EAAm86K,cAAn86K,EAAk96K,cAAl96K,EAAi+6K,cAAj+6K,EAAg/6K,cAAh/6K,EAA+/6K,cAA//6K,EAA8g7K,cAA9g7K,EAA6h7K,cAA7h7K,EAA4i7K,cAA5i7K,EAA2j7K,cAA3j7K,EAA0k7K,cAA1k7K,EAAyl7K,cAAzl7K,EAAwm7K,cAAxm7K,EAAun7K,cAAvn7K,EAAso7K,cAAto7K,EAAqp7K,cAArp7K,EAAoq7K,cAApq7K,EAAmr7K,cAAnr7K,EAAks7K,cAAls7K,EAAit7K,cAAjt7K,EAAgu7K,cAAhu7K,EAA+v7K,cAA/v7K,EAA8w7K,cAA9w7K,EAA6x7K,cAA7x7K,EAA4y7K,cAA5y7K,EAA2z7K,cAA3z7K,EAA061K,cAA161K,EAAy28K,cAAz28K,EAAw38K,cAAx38K,EAAu48K,cAAv48K,EAAs58K,cAAt58K,EAAq68K,cAAr68K,EAAo78K,cAAp78K,EAAm88K,cAAn88K,EAAk98K,cAAl98K,EAAi+8K,cAAj+8K,EAAg/8K,cAAh/8K,EAA+/8K,cAA//8K,EAA8g9K,cAA9g9K,EAA6h9K,cAA7h9K,EAA4i9K,cAA5i9K,EAA2j9K,cAA3j9K,EAA0k9K,cAA1k9K,EAAyl9K,cAAzl9K,EAAwm9K,cAAxm9K,EAAun9K,cAAvn9K,EAAso9K,cAAto9K,EAAqp9K,cAArp9K,EAAoq9K,cAApq9K,EAAmr9K,cAAnr9K,EAAks9K,cAAls9K,EAAit9K,cAAjt9K,EAAgu9K,cAAhu9K,EAA+v9K,cAA/v9K,EAA8w9K,cAA9w9K,EAA6x9K,cAA7x9K,EAA4y9K,cAA5y9K,EAA2z9K,cAA3z9K,EAA061K,cAA161K,EAAy2+K,cAAz2+K,EAAw3+K,cAAx3+K,EAAu4+K,cAAv4+K,EAAs5+K,cAAt5+K,EAAq6+K,cAAr6+K,EAAo7+K,cAAp7+K,EAAm8+K,cAAn8+K,EAAk9+K,cAAl9+K,EAAi++K,cAAj++K,EAAg/+K,cAAh/+K,EAA+/+K,cAA//+K,EAA8g/K,cAA9g/K,EAA6h/K,cAA7h/K,EAA4i/K,cAA5i/K,EAA2j/K,cAA3j/K,EAA0k/K,cAA1k/K,EAAyl/K,cAAzl/K,EAAwm/K,cAAxm/K,EAAun/K,cAAvn/K,EAAso/K,cAAto/K,EAAqp/K,cAArp/K,EAAoq/K,cAApq/K,EAAmr/K,cAAnr/K,EAAks/K,cAAls/K,EAAit/K,cAAjt/K,EAAgu/K,cAAhu/K,EAA+v/K,cAA/v/K,EAA8w/K,cAA9w/K,EAA6x/K,cAA7x/K,EAA4y/K,cAA5y/K,EAA2z/K,cAA3z/K,EAA061K,cAA161K,EAAy2gL,cAAz2gL,EAAw3gL,cAAx3gL,EAAu4gL,cAAv4gL,EAAs5gL,cAAt5gL,EAAq6gL,cAAr6gL,EAAo7gL,cAAp7gL,EAAm8gL,cAAn8gL,EAAk9gL,cAAl9gL,EAAi+gL,cAAj+gL,EAAg/gL,cAAh/gL,EAA+/gL,cAA//gL,EAA8ghL,cAA9ghL,EAA6hhL,cAA7hhL,EAA4ihL,cAA5ihL,EAA2jhL,cAA3jhL,EAA0khL,cAA1khL,EAAylhL,cAAzlhL,EAAwmhL,cAAxmhL,EAAunhL,cAAvnhL,EAAsohL,cAAtohL,EAAqphL,cAArphL,EAAoqhL,cAApqhL,EAAmrhL,cAAnrhL,EAAkshL,cAAlshL,EAAithL,cAAjthL,EAAguhL,cAAhuhL,EAA+vhL,cAA/vhL,EAA8whL,cAA9whL,EAA6xhL,cAA7xhL,EAA4yhL,cAA5yhL,EAA2zhL,cAA3zhL,EAA061hL,cAA161hL,EAAy2iL,cAAz2iL,EAAw3iL,cAAx3iL,EAAu4iL,cAAv4iL,EAAs5iL,cAAt5iL,EAAq6iL,cAAr6iL,EAAo7iL,cAAp7iL,EAAm8iL,cAAn8iL,EAAk9iL,cAAl9iL,EAAi+iL,cAAj+iL,EAAg/iL,cAAh/iL,EAA+/iL,cAA//iL,EAA8gjL,cAA9gjL,

Aa,cAAO,OAAQ,IAAf,C;QACb,OAAO,I;;MAEX,OAAO,K;IACX,C;;MAE+B,OAAA,WAAa,K;IAAb,C;;;MA+C
/B,0BAAY,Q;IAEhB,C;;MAEmD,OAAA,0BAAY,gBAAS,GAAT,C;IAAZ,C;;MAEgB,gBAAZ,0B;MAAY,c;;Q7
D23CnD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAP,e;;QACrB,2B;QAAhB,OAAgB,cAAhB
,C;UAAgB,yB;UAAM,I6D33CmD,uBAAS,gB7D23C9C,O6D33CwD,MAAV,Q7D23C5D,C;YAAwB,aAAO,I;YA
AP,e;;;QAC9C,aAAO,K;;;M6D53CgD,iB;IAAA,C;;MAK/C,IAAI,+BAAJ,C;QACI,0BAAW,qB;;MAEf,OAAO,sC
;IACX,C;;MAE6E,iC;IAAA,C;;MAElC,OAAA,0BAAY,WAAI,GAAJ,C;IAAZ,C;;MAEC,OAAA,0BAAY,aAAI,G
AAJ,EAAS,KAAT,C;IAAZ,C;;MAEP,OAAA,0BAAY,cAAO,GAAP,C;IAAZ,C;;MAEH,OAAA,0BAAY,K;IAAZ,
C;;;MA7DtC,iD;MAAuD,8B;MArC3D,mB;MAsCQ,8BAAmB,W;MACnB,2BAAgB,WAAY,S;MAFhC,Y;IAAA,
C;;MAKA,iD;MAGuB,aAAK,kEAAL,Q;MAHvB,Y;IAAA,C;;MAcyC,0B;QAAA,aAAoB,G;MAT7D,iD;MASqE,
qB;MnElCrE,IAAI,EmEoCQ,mBAAmB,CnEpC3B,CAAJ,C;QACI,cmEmCgC,+C;QnElChC,MAAM,gCAAyB,OA
AQ,WAAjC,C;;MAFV,IAAI,EmEqCQ,cAAc,CnErCtB,CAAJ,C;QACI,gBmEoC2B,yC;QnEnC3B,MAAM,gCAAy
B,SAAQ,WAAjC,C;;MmEuBV,Y;IAAA,C;;MAeA,iD;MAA2C,eAAK,eAAL,EAAsB,GAAtB,Q;MA3C,Y;IAAA
,C;;MAGA,iD;MAG8C,qB;MAC1C,KAAK,gBAAO,QAAP,C;MAJT,Y;IAAA,C;;MA0C0E,gBAAnE,aAAmB,gE
AAnB,C;MAA2E,wB;MAAlF,O/DrCO,S;I+DsCX,C;;MCzGI,yB;;;MA2CI,UAAU,kBAAI,aAAI,OAAJ,EAAa,EAAa,IAA
b,C;MACd,OAAO,W;IACX,C;;MAGI,kBAAI,Q;IACR,C;;MAM6D,OAAA,kBAAI,mBAAY,OAAZ,C;IAAJ,C;;M
AEpB,OAAA,kBAAI,U;IAAJ,C;;MAEY,OAAA,kBAAI,KAAK,W;IAAT,C;;MAEH,OAAA,kBAAI,cAAO,OAAP
,CAAJ,Q;IAAA,C;;MAEZ,OAAA,kBAAI,K;IAAJ,C;;;MA7DtC,iD;MAGoB,8B;MAVxB,mB;MAWQ,sBAAmB,gB
;MAJV,Y;IAAA,C;;MAOA,iD;MAG2C,8B;MAjB3C/C,mB;MAkBQ,sBAAmB,eAAgB,QAAS,KAAzB,C;MACN,qBA
AO,QAAP,C;MALJ,Y;IAAA,C;;MAiByC,0B;QAAA,aAAoB,G;MAT7D,iD;MASkE,8B;MA/BtE,mB;MAgCQ,sB
AAM,eAAgB,eAAhB,EAAiC,UAAjC,C;MAhCR,Y;IAAA,C;;MAmCA,iD;MAA2C,eAAK,eAAL,EAAsB,GAAtB,Q;MA3C
MAA3C,Y;IAAA,C;;MAEA,iD;MAAmC,8B;MA4C9C,mB;MA4CQ,sBAAW,G;MAPf,Y;IAAA,C;;MAwCmC,gB
AA5B,eAAQ,eAAR,C;MAAoC,6B;MAAxC,OhELO,S;IgEMX,C;;MC/DyC,kC;MAAzC,kB;MAAA,oBAAkC,kB;MAAlC
,sBAAyC,C;MAAzC,IAHW,C;;MAMX,8B;MAAA,IAAA,C;;MAGA,0B;MAAA,IAAA,C;;MAAA,0B;MAAA,IAAA,C;;MAII,eAAe,aAAS,qBAAY,G
AAZ,C;MACxB,mBAAmB,6BAAsB,QAAtB,C;MACnB,IAAI,oBAAJ,C;QAEI,kBAAW,QAAX,EAAqB,mCAAY,
GAAZ,C;MAAZ,C;;MAEA,IAAI,6BAAJ,C;QAEI,QAAS,YAA+B,Y;UAAxC,C;YAAA,C;;MAEA,IAAI,6BAAJ,C;QAEI,QAAS,YAAb,Y;UAAA

R,IqEgDyB,crEhDrB,QAAJ,C;QACI,cAhByB,0B;QAiBzB,MAAM,6BAAsB,OAAQ,WAA9B,C;;MqE+CE,6BAA
yB,cAAO,6BAAY,IAAnB,C;MACzB,iBAAY,I;MAEZ,uC;IACJ,C;;;MArDJ,2D;IAuDJ,C;;MAGI,mBAAmB,kBA
AW,QAAX,C;MACnB,OAAW,iBAAiB,SAArB,GAAgC,IAAhC,GAA0C,Y;IACrD,C;;;;;MCtKI,aAAR,MAAM,O
AAe,CAAP,IAAO,C;MAEb,OAAO,KAAP,IAAgB,C;MrBXpB,OqBYqB,MrBZf,CqBYuB,KrBZvB,C;MqBaF,OA
AO,M;IACX,C;;;MCPmC,kC;MAEnC,oBAAkC,kB;MAClC,sBAAyB,C;IAHS,C;;MAAC,8B;IAAA,C;;MAGnC,0
B;IAAA,C;MAAA,0B;IAAA,C;;MAYI,IAAI,0BAAJ,C;QAAoB,OAAO,K;MAC3B,OAAO,kBAAW,GAAX,MAA
oB,S;IAC/B,C;;MAGI,IAAI,0BAAJ,C;QAAoB,OAAO,I;MAC3B,YAAY,kBAAW,GAAX,C;MACZ,OAAW,UAA
U,SAArB,GAAgC,KAAhC,GAA2D,I;IAC/D,C;;MvEPA,IAAI,EuEWQ,uBvEXR,CAAJ,C;QACI,cAda,qB;QAeb,
MAAM,gCAAyB,OAAQ,WAAjC,C;;MuEUN,eAAe,kBAAW,GAAX,C;MACf,kBAAW,GAAX,IAAkB,K;MAElB
,IAAI,aAAa,SAAjB,C;QACI,6B;QAEA,OAAO,I;;;QAGP,OAAO,Q;;IAEf,C;;MAGI,IAAI,0BAAJ,C;QAAoB,OA
AO,I;MAC3B,YAAY,kBAAW,GAAX,C;MACZ,IAAI,UAAU,SAAd,C;QtBnDJ,OsBoDyB,iBtBpDnB,CsBoD+B,
GtBpD/B,C;QsBqDE,6B;QAEA,OAAO,K;;;QAGP,OAAO,I;;IAEf,C;;MAII,oBAAa,kB;MACb,YAAO,C;IACX,C;
;MAIW,oD;MACH,cAAkC,MAAa,MAAK,mCAAL,C;MAC/C,kBAA4B,qBAAL,WAAK,C;MAC5B,iBAA+B,I;I
AH5B,C;;MAK+B,OAAA,eAAS,U;IAAT,C;;MAMX,gB;MAHnB,UAAU,eAAS,O;MACnB,iBAAU,G;MAES,+E;
MAAnB,OAAO,iD;IACX,C;;MAIkC,UAA9B,M;MAAA,oC;MAA8B,YAAa,c;MvEchD,uB;MAeP,IAAfoB,KAAehB,
QAAJ,C;QACI,cAAhByB,0B;QAiBzB,MAAM,6BAAsB,OAAQ,WAA9B,C;;QAEN,sBAAnBgB,K;;MuEde,oBAAO,
sFAAP,C;IAC3B,C;;;MAjBJ,yD;IAmBJ,C;;MAEsD,8B;MAAA,oD;IAAA,C;;MACtB,uB;IAAA,C;;MACE,6CAAu
B,gBAAvB,C;IAAA,C;;MAEU,OAAA,2BAAuB,aAAI,gBAAJ,EAAS,QAAT,C;IAAvB,C;;MAET,OAAA,mCAA
Y,uBAAc,IAAd,C;IAAZ,C;;MACG,OAAA,mCAAY,uBAAc,IAAd,C;IAAZ,C;;MACU,OAAA,mCAAY,qBAAY,I
AAZ,EAAkB,KAAlB,C;IAAZ,C;;;MAIR,iE;IAAA,C;;;MCNtD,sBAOsC,I;MA6CtC,yB;;;MArHmD,0CAAqC,G
AArC,EA0C,KA1C,C;MAC/C,oBAAuC,I;MAAvC,oBAAuC,I;IAFb,C;;;MAK9B,oB;MAA+B,6B;IAA/B,C;;M
AEI,oB;MACI,cACsC,I;MAEtC,cACsC,I;MAGlC,cAAO,iC;IARf,C;;MAaQ,OAAO,gBAAS,I;IACpB,C;;MAII,IA
AI,CAAC,cAAL,C;QAAgB,MAAM,6B;MAEtB,cAAc,0B;MACd,cAAO,O;MACa,gBAAb,OAAQ,a;;MAAf,cpE8
DS,SoE9DoB,KAAO,iCpE8DzC,GAAqB,SAArB,GAA+B,I;MoE7D1B,OAAO,O;IACX,C;;MxEgCR,IAAI,EwE7
Bc,eAAQ,IxE6BtB,CAAJ,C;QACI,cAdW,e;QAeX,MAAM,6BAAsB,OAAQ,WAA9B,C;;MwE5BS,oCAAP,0BAA
O,C;MACP,gCAAI,cAAO,0BAAO,IAAd,C;MAEJ,cAAO,I;IACX,C;;;MAGqD,MAAM,qCAA8B,iCAA9B,N,C;IAA
N,C;;MAErD,WAAmB,Q;IACvB,C;;MAEuE,yCAAc,OAAd,C;IAAA,C;;MAEC,qD;IAAA,C;;MAGpE,IAAI,oBA
AS,OAAT,CAAJ,C;QACI,WAAmB,cAAO,OAAQ,IAAf,C;QACnB,OAAO,I;;MAEX,OAAO,K;IACX,C;;MAE+B,
,OAAA,WAAmB,K;IAAnB,C;;;MxEEnC,IAAI,EwEgBM,0BAAQ,IAAR,EAAgB,0BAAQ,IAAR,EAAgB,IxEhBpC,B9B,CAAJ,C;QAC
I,cAdW,e;QAeX,MAAM,6BAAsB,OAAQ,WAA9B,C;;MwEgBN,YAAY,mB;MACZ,cAAO,SAAS,IAAT,C;MACP,cAAO,
yBAAO,S;QACd,yBAAO,S;QACP,yBAAO,S;;;QAGP,OAAO,KAAP,IAAgB,C;QAChB,qBAAa,S;QACb,qBAAa,S;;IAEjB,C;;MAEI,
gBAAS,K;MACT,YAAO,K;MACP,qBAAa,S;QACb,qBAAa,S;;IAErB,C;;MAEI,IAAI,SAAS,IAAb,C;QACI,OAAO,I;MAEX,
IAAI,SAAS,IAAb,C;QACI,OAAO,I;MAEX,IAAI,SAAS,IAAb,C;QACI,OAAO,I;MAEX,IAAI,SAAS,IAAb,C;QACI,OAAO,I;MAEX,
IAAI,SAAS,IAAb,C;QACI,OAAO,I;MAEX,

,uD;MAGuB,eAAM,oBAAN,Q;MAZ3B,yB;MASI,Y;IAAA,C;;MAKA,uD;MAG8C,eAAM,oBAAN,Q;MAjBlD,yB;MAkBQ,qBAAO,QAAP,C;MAJJ,Y;IAAA,C;;MAgByC,0B;QAAA,aAAoB,G;MAT7D,uD;MASqE,eAAM,qBAAsB,eAAtB,EAAuC,UAAvC,CAAN,Q;MA9BzE,yB;MAqBI,Y;IAAA,C;;MAWA,uD;MAA2C,qBAAK,eAAL,EAAsB,GAAtB,Q;MAA3C,Y;IAAA,C;;MAa+C,gBAAxC,mBAAc,qBAAd,C;MAAgD,6B;MAAvD,OrE2BO,S;IqE1BX,C;;;;;;;gFtE5CA,yB;MAAA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MAAA,6B;QAAsG,+C;MAAA,C;KAAtG,C;;MuEQI,OAAO,O;IACX,C;;ICfA,C;;MAEQ,mBAAM,IAAN,C;IACJ,C;;MAGI,mBAAM,OAAN,C;MACA,c;IACJ,C;;IAIkB,C;;;MAKmC,qB;MA7B,gC;IAAD,C;;MAGnB,oBA+DyC,OA/Dd,OA+Dc,C;MA9DzC,iBAAa,OAAM,aAAN,C;IACjB,C;;;MAKgC,qB;IAFpC,C;;MAIQ,OAAQ,KAAI,OAAJ,C;IACZ,C;;MAGI,OAAQ,KAAI,OAAJ,C;IACZ,C;;MAGI,OAAQ,KAAI,EAAJ,C;IACZ,C;;;MAKiC,C;IAAjC,C;;MAIQ,eAAoC,yC,OAApC,cAAoC,wB,OAApC,cAAoC,wB,C;IAAnC7C,C;;MAGI,cAAS,E;IACb,C;;;MAKwC,yB;IAF5C,C;;MAIQ,QAAwB,yC,OAAxB,cAAwB,1B,OAAxB,cAAwB,0B,C;MAAvBzC,C;MAAD,QAAC,EAAD,EAAK,CAAL,C;MAAA,C;MAAA,6D;QAAA,4B;UAAA,4B;UAAA,4B;U

D;MAAwC,oBAAK,SAAL,EAAgB,KAAhB,C;MACpB,0BAAY,MAAK,KAAL,EAAW,SAAX,EAAsB,KAAtB,C;MADhC,Y;IAAA,C;;;MAM4G,Q;MAAA,+BAAS,I;sCAAlB,O,2DAAA,O;;;;IAApE,C;;;;;;;;;MAC/B,mD;MAAuB,sBAAK,IAAL,EAAW,IAAX,C;MACC,4BAAY,MAAK,KAAL,EAAW,IAAX,EAAiB,IAAjB,C;MADpC,Y;IAAA,C;;MAIA,mD;MAAuC,sBAAK,OAAL,EAAc,IAAd,C;MACf,4BAAY,MAAK,KAAL,EAAW,OAAX,EAAoB,IApB,C;MADpC,Y;IAAA,C;;MAIA,mD;MAAwC,sBAAK,SAAL,EAAgB,KAAhB,C;MAChB,4BAAY,MAAK,KAAL,EAAW,SAAX,EAAsB,KAAtB,C;MADpC,Y;IAAA,C;;MAKgG,qBAAU,OAAV,EAAmB,KAAnB,C;;IAA1D,C;;;MACtC,Q;MAAA,6BAAS,O,2DAAT,C;MAAuB,6BAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;IAAA,C;;MACA,0D;MAAuC,6BAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;IAAA,C;;MACA,0D;MAAwC,6BAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;IAAA,C;;MAGwG,4BAAiB,OAAjB,EAA0B,KAA1B,C;;IAA1D,C;;;MAC9C,kE;MAAuB,qCAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;IAAA,C;;MACA,kE;MAAuC,qCAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;IAAA,C;;MACA,kE;MAAwC,qCAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;IAAA,C;;MAGqG,4BAAiB,OAAjB,EAA0B,KAA1B,C;;IAA1D,C;;;MAC3C,+D;MAAuB,kCAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;IAAA,C;;MACA,+D;MAAuC,kCAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;IAAA,C;;MACA,+D;MAAwC,kCAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;IAAA,C;;8BAGuG,O;;IAAxD,C;;;MAC/C,mE;MAAuB,sCAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;IAAA,C;;MAG+G,4BAAiB,OAAjB,EAA0B,KAA1B,C;;IAA1D,C;;;MACrD,yE;MAAuB,4CAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;IAAA,C;;MACA,yE;MAAuC,4CAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;IAAA,C;;MACA,yE;MAAwC,4CAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;IAAA,C;;MAGqG,4BAAiB,OAAjB,EAA0B,KAA1B,C;;IAA1D,C;;;MACnD,uE;MAAuB,0CAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;IAAA,C;;MACA,uE;MAAuC,0CAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;IAAA,C;;MACA,uE;MAAwC,0CAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;IAAA,C;;sCAGuG,O;;IAAxD,C;;;MAC/C,+D;MAAuB,kCAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;IAAA,C;;8BAGuG,O;;IAAxD,C;;;MAC/C,+D;MAAuB,k

AAW,MAAK,CAAL,C;MAAX,C;KATnD,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAAW,MAAK
,CAAL,C;MAAX,C;KAVnD,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAYoD,OAAA,MAAW,OAAM,CAAN,C;MA
AX,C;KAZpD,C;yEAcA,yB;MAAA,iB;MAAA,oB;QAYoD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAZpD,
C;yEAcA,yB;MAAA,iB;MAAA,oB;QAaoD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAbpD,C;yEAeA,yB;M
AAA,iB;MAAA,uB;QAS+D,OAAA,MAAW,OAAM,CAAN,EAAS,CAAT,C;MAAX,C;KAT/D,C;uEAWA,yB;M
AAA,iB;MAAA,oB;QAQmD,OAAA,MAAW,MAAK,CAAL,C;MAAX,C;KARnD,C;qEAUA,yB;MAAA,iB;MA
AA,oB;QAUkD,OAAA,MAAW,KAAI,CAAJ,C;MAAX,C;KAVlD,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAcoD,
OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAdpD,C;;MA8BI,IAAI,QAAQ,GAAR,IAAe,SAAQ,GAA3B,C;QA
AgC,OAAO,wCAAO,I;MAC9C,OAAO,IAAW,KAAI,CAAJ,CAAX,GAAoB,IAAW,KAAI,IAAJ,C;IAC1C,C;mE
AEA,yB;MAAA,iB;MAAA,oB;QAWiD,OAAA,MAAW,KAAI,CAAJ,C;MAAX,C;KAXjD,C;yEAaA,yB;MAAA,i
B;MAAA,oB;QAOoD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAPpD,C;uEASA,yB;MAAA,iB;MAAA,oB;
QAOmD,OAAA,MAAW,MAAK,CAAL,C;MAAX,C;KAPnD,C;uEASA,yB;MAAA,iB;MAAA,oB;QAgBmD,OA
AA,MAAW,OAAM,CAAN,C;MAAX,C;KAhBnD,C;uEAkBA,yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAAW
,MAAK,CAAL,C;MAAX,C;KAVnD,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAUoD,OAAA,MAAW,OAAM,CA
AN,C;MAAX,C;KAVpD,C;+EAYA,yB;MAAA,iB;MAAA,oB;QAUuD,OAAA,MAAW,OAAM,CAAN,C;MAAX,
C;KAVvD,C;;MAoBI,IAAI,IAAI,GAAJ,KAAW,GAAf,C;QACI,OAAO,IAAW,OAAM,CAAN,C;MAEtB,YAzBg
D,MAAW,OAyBzC,CAzByC,C;MA0B3D,OAAW,QAAQ,CAAR,KAAa,GAAxB,GAA6B,KAA7B,GAAtC+C,MA
AW,MAsCb,CAtCa,C;IAuC9D,C;qEAEA,yB;MAAA,iB;MAAA,oB;QAUkD,OAAA,MAAW,KAAI,CAAJ,C;MA
AX,C;KAVlD,C;uEAYA,yB;MAAA,iB;MAAA,oB;QAWmD,OAAA,MAAW,MAAK,CAAL,C;MAAX,C;KAXn
D,C;wEAcA,yB;MAAA,iB;MAAA,uB;QAO6D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;MAAX,C;KAP7D,
C;wEASA,yB;MAAA,iB;MAAA,uB;QAO6D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;MAAX,C;KAP7D,C;
qEAWA,yB;MAAA,iB;MAAA,+B;QAayD,OAAA,MAAW,KAAI,SAAJ,EAAU,CAAV,C;MAAX,C;KAbzD,C;uE
AeA,yB;MAAA,iB;MAAA,+B;QAOsD,OAAA,MAAW,KAAI,SAAJ,EAAY,CAAZ,C;MAAX,C;KAPtD,C;iGAm
BsD,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAW,KAAI,SAAJ,C;MAAX,C;KAAR,C;+EAaT,yB;MAAA,iB;
MAAA,4B;QAAQ,OAAA,MAAW,MAAK,SAAL,C;MAAX,C;KAAR,C;iFAE7C,yB;MAAA,6C;MAAA,kC;QAK8D,
OAAK,SAAL,SAAK,EAAc,IAAd,C;MAAL,C;KAL9D,C;;MAmBI,gBAAO,CAAP,C;QADyC,OACrB,QAAM,SAAM,C
AAC,SAAM,C;WACpB,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAAO,kBAA/B,C;QAFyC,OAEW,S;WA
CpD,kBAAQ,wCAAO,UAAf,C;QAHyC,OAGb,YAAY,SAAL,SAAK,C;;QAHC,OAI5B,OAAL,SAAK,CAAL,GA
AgB,S;IAJiB,C;;MAYzC,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAAO,kBAA/B,C;QADyC,OACrB,OACY,S;WA
CpD,kBAAQ,GAAR,C;QAFyC,OAEzB,wCAAO,U;;QACP,WAAc,UAAL,SAAK,CAAL,yBAAuB,YAAO,CAA
X,GAAc,CAAd,GAAqB,EAAxC,E;QAHgB,O3Cjb6B,MAAa,gBAAe,IAAf,C;;I2Cib1C,C;;MAWxC,IAAK,QAAL
,SAAK,CAAL,IAAgB,cAAQ,wCAAO,kBAA/B,C;QADyC,OACrB,QAAD0C,OACU,S;WACpD,kBAAQ,GAAR,C;QAF
yC,OAE3B,CAAC,wCAAO,U;;QACR,WAAc,UAAL,SAAK,CAAL,yBAAuB,YAAO,CAAX,GAAc,EAAd,GAAqB,CAAzC,E
;QAHkB,O3C3b2B,MAAa,gBAAe,IAAf,C;;I2C2bxC,C;;MAiB1C,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,
wCAAO,kBAA/B,C;QADyC,OACrB,QAAM,SAAM,CAAC,SAAM,C;WACpD,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,
wCAAO,kBAA/B,C;QAFyC,OAEW,S;WACpD,kBAAQ,GAAR,C;QAHyC,OAGb,YAAY,SAAL,SAAK,C;;QAHC,OAI5B,OAAL,SAAK,CAAL,GA
AgB,S;IAJiB,C;;MAYzC,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAAO,kBAA/B,C;QADyC,OACrB,OACY,S;WA
CpD,kBAAQ,GAAR,C;QAFyC,OAEzB,wCAAO,U;;QACP,WAAc,UAAL,SAAK,CAAL,yBAAuB,YAAO,CAA
X,GAAc,CAAd,GAAqB,EAAxC,E;QAHg

C;2EAYA,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;MAA/B,C;KAZlD,C;2EAcA,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;MAA/B,C;KAZlD,C;2EAcA,yB;MAAA,iB;MAAA,oB;QAakD,OAAA,MAA+B,OAAZ,CAAY,C;MAA/B,C;KAblD,C;2EAeA,yB;MAAA,iB;MAAA,uB;QAS4D,OAAA,MAA6C,OAA1A,CAA0B,EAAZ,CAAY,C;MAA7C,C;KAT5D,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAQiD,OAAA,MAA8B,OAAZ,CAAY,C;MAA9B,C;KARjD,C;uEAUA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MAA6B,OAAZ,CAAY,C;MAA7B,C;KAVhD,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAckD,OAAA,MA+B,OAAZ,CAAY,C;MAA/B,C;KAdlD,C;uEAgBgBA,yB;MAAA,mC;MAAA,0B;QAc6D,OAAA,mC,IAA7B,CAA6B,EAAZ,CAAY,C;MAAnC,C;KAd7D,C;qEAgBgBA,yB;MAAA,iB;MAAA,oB;QAW+C,OAAA,MA6B,OAAZ,CAAY,C;MAA7B,C;KAX/C,C;2EAaaA,yB;MAAA,iB;MAAA,oB;QAOkD,OAAA,MA+B,OAAZ,CAAY,C;MAA/B,C;KAPlD,C;yEASA,yB;MAAA,iB;MAAA,oB;QAOiD,OAAA,MA8B,OAAZ,CAAY,C;MA9B,C;KAPjD,C;yEASA,yB;MAAA,iB;MAAA,oB;QAgBiD,OAAA,MA+B,OAAZ,CAAY,C;MAA/B,C;KAhBjD,C;yEAkBA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MA8B,OAAZ,CAAY,C;MA9B,C;KAVjD,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAUkD,OAAA,MA+B,OAAZ,CAAY,C;MAA/B,C;KAVlD,C;iFAYA,yB;MA3gBA,iB;MA2gBA,oB;QAUqD,OA3gBrD,MA2gBqC,OAAZ,CAAY,C;MA3gBrC,C;KAVrD,C;2EAYgBA,yB;MAAA,uC;MAAA,oB;QAQkD,OAAA,MAAgC,OAAZ,CAAY,C;MAAhC,C;KARlD,C;uEAUA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MA6B,OAAZ,CAAY,C;MA7B,C;KAVhD,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAWiD,OAAA,MA8B,OAAZ,CAAY,C;MA9B,C;KAXjD,C;wEAaA,yB;MAAA,iB;MAAA,uB;QAO0D,OAAA,MAAiC,OAAZ,CAAY,C;MAAjC,C;KAP1D,C;wEASA,yB;MAAA,iB;MAAA,uB;QAO0D,OAAA,MAAiC,OAAZ,CAAY,C;MAAjC,C;KAP1D,C;sEASA,yB;MAAA,iB;MAAA,+B;QAOyD,OAAA,MAA8B,OAAZ,CAAY,C;MAA9B,C;KAPzD,C;uEASA,yB;MAAA,iB;MAAA,+B;QAO0D,OAAA,MA8B,OAAZ,CAAY,C;MA9B,C;KAP1D,C;kGASgBA,yB;MAAA,iB;MAAA,4B;QAOqF,OAAA,MAAgC,OAAZ,CAAY,C;MAAhC,C;KAPrF,C;gGASgBA,yB;MAAA,iB;MAAA,4B;QAOqF,OAAA,MAAgC,OAAZ,CAAY,C;MAAhC,C;KAPrF,C;2GASgBA,yB;MAAA,mC;MAAA,4B;QAOgG,OAAA,MAAgC,OAAZ,CAAY,C;MAAhC,C;KAPhG,C;2EASA,yB;MAAA,iB;MAAA,uB;QAOkD,OAAA,MAAgC,OAAZ,CAAY,C;MAAhC,C;KAPlD,C;wEASA,yB;MAAA,iB;MAAA,uB;QAOuD,OAAA,MAAgC,OAAZ,CAAY,C;MAAhC,C;KAPv

C,c;M4CkGpD,e;QAAK,UAAS,kB5CnGqC,sB4CmGrC,C;QADlB,O5CnG4C,MAAa,KAAK,UAAS,GAAT,E4CoGvB,C5CpGuB,C;;;Q4CqGlD,aAAa,kBAAL,IAAK,C;QAFzB,O5CnG4C,MAAa,KAAK,U4CqG7C,C5CrG6C,EAAc,MAAd,C;;I4CmG9D,C;;MAYM,UAAU,S5C9GuC,a;M4C+GnD,c;QAAK,WAAa,iB5C9GkC,uB4C8GlC,C;QADtB,O5C/G4C,MAAa,KAAK,U4ChHhD,C5ChHgD,EAAc,IAAd,C;;;Q4CiHlD,YAAS,iBAAJ,GAAI,C;QAFrB,O5C/G4C,MAAa,KAAK,UAAS,KAAT,E4CiHrB,C5CjHqB,C;;I4C+G9D,C;;MAkBA,IAAI,CAAC,WAAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,S5CjIyC,a;Q4CkInD,WAAW,S5CjIyC,c;Q4CkIpD,aAAa,GAAI,IAAI,QAAR,GAAQ,IAAqB,IAAK,MAAK,CAAC,QAAD,IAAL,C;QAAvB,IAAL,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAS,EAAb,IAAK,C;QAAL,IAAL,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAS,EAAb,IAAK,C;QAAL,IAAL,C;QACxC,OAAW,CAAC,WAAa,EAAd,MAAqB,CAAhC,C;QAAiC,OAAjC,C;QAAiC,OAAjC,C;QAAiC,OAAj

AGd,yB;IAAe,C;;MAGd,6B;IAAa,C;;MAGL,mC;IAAgB,C;;MAGP,gC;IAAmB,C;;MAGtB,6B;IAAgB,C;;MAGlB,6B;IAAgB,C;;MAGZ,8B;IAAiB,C;;MAGvB,4B;IAAe,C;;MAGjB,6B;IAAgB,C;;MAGN,8B;IAAiB,C;;MAGd,+B;IAAkB,C;;;;MA5DzI,uC;QAAAA,sB;;MAAAA,gC;IAAAA,C;;;MCEkE,yBAAkB,MAAlB,C;IAAAA,C;;MAIxD,IAAAN,I;MAAAA,Q3DH0C,O2DG3B,CAAf,C;aACI,Q;UAA6B,OAAjB,8BAAiB,Y;UAA7B,K;aACA,Q;UAAY,OAAI,CAAY,CpDAhC,GoDAmC,CAAf,MAAkC,CAAtC,GAAyC,8BAAiB,SAA1D,GAAwE,8BAAiB,Y;UAArG,K;aACA,S;UAA8B,OAAjB,8BAAiB,a;UAA9B,K;aACA,U;UAA+B,OAAjB,8BAAiB,eAAgB,CAAY,OAA5B,C;UAA/B,K;gBAGQ,6B;YAAsC,OAAjB,8BAAiB,kB;eACtC,C,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,C,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,C,2B;YAAoC,OAAjB,8BAAiB,gB;eACpC,yB;YAAkC,OAAjB,8BAAiB,c;eAClC,C,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,C,2B;YAAoC,OAAjB,8BAAiB,gB;eACpC,C,4B;YAAqC,OAAjB,8BAAiB,iB;eACrC,C,6B;;eACA,sB;YAAkC,OAAjB,8BAAiB,W;;YAE9B,kBAAkB,MAAlB,gBAAkB,CAAf,CAAkB,Y;YAAlC,C;;cAAiD,oBAAgB,MAAhB,C;cAAjD,C;;MAAAA,sC;IAAAA,C;;;MCAiD

AhC,IAAqC,oBAAc,UAAd,KAA2B,KAAM,O;IACjF,C;;MAIkB,MAAd,oBAAc,C;MACd,OAAO,oBAAc,MAAK
,KAAM,WAAX,C;IACzB,C;;MAQ4C,0B;QAAA,aAAkB,C;MAAmB,OAAc,SAAd,oBAAc,EAAS,KAAM,WAAf
,EAA2B,UAA3B,C;IAAd,C;;MAS5D,mB;QAAE,+BAAK,aAAL,EAAY,kBAAZ,C;MAAF,C;IAAA,C;;MAAwC,
OAAA,KAAM,O;IAAO,C;;MAD3B,0B;QAAA,aAAkB,C;MAC7D,0BAAiB,6CAAjB,EAA8C,sBAA9C,C;IAAA,
C;;MAQA,IAAY,aAAR,YAAQ,EAAW,EAAX,CAAR,IAAmC,WAAR,YAAQ,EAAS,EAAT,CAAvC,C;QACI,O
AAO,kBAAK,KAAL,C;;QAEP,OAAkE,CAA3D,UAAM,MA2B,UAAf,YAAR,YAAQ,qBAAU,EAAV,EAAe,qB
AAQ,EAAR,EAA3B,MAAN,EAAkD,YAAlD,CAA2D,eAAK,KAAL,C;IAC1E,C;;MAO8E,OAAA,KAAM,WzF4
Ga,SyF5GY,oBzF4GZ,EyF5G2B,WzF4G3B,C;IyF5GnB,C;uGAE9E,yB;MAAA,iE;MAAA,wC;MAAA,mC;QAMI
,YAAY,kBAAK,KAAL,C;QACZ,IAAI,aAAJ,C;UAAmB,OAAO,KAAM,W;QAEhC,gBAAgB,C;QAChB,aAAa,K
AAM,O;QACnB,SAAS,mBAAc,MAAd,C;;UAEL,iBAAiB,oB;UACjB,EAAG,gBAAO,KAAP,EAAc,SAAd,EAAyB
,UAAW,MAAM,MA1C,C;UACH,EAAG,gBAAO,UAAU,UAAV,CAAP,C;UACH,YAAY,UAAW,MAAM,aA
AjB,GAAgC,CAAhC,I;UACZ,QAAQ,UAAW,O;;QACd,oBAAY,MAAZ,IAAsB,aAAtB,C;QAET,IAAI,YAAY,M
AAhB,C;UACI,EAAG,gBAAO,KAAP,EAAc,SAAd,EAAyB,MAAzB,C;;QAGP,OAAO,EAAG,W;MACd,C;KAz
BA,C;;MAiCmC,gBAAR,Y;MpGupCpB,kBAAM,iBAAa,mCAAwB,EAAxB,CAAb,C;MAqEA,Q;MAAA,2B;MA
Ab,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAc,IoG7tCc,MpG6tC5B,C;;MoG7tCZ,uBAAgD,epG8tC7C,WoG
9tC6C,EAAyB,EAAzB,C;MAChD,OAAO,KAAM,WzFwEgF,SyFxEvD,WAAO,YAAP,EAAgB,gBAAhB,hB,CzFwE
uD,EyFxEpB,WzFwEoB,C;IyFvEjG,C;;MAS6C,qB;QAAA,aAAa,C;MAMxC,Q;M1GvHlB,IAAI,E0GkHQ,SAAS
,C1GlHjB,CAAJ,C;QACI,c0GiHsB,8C;Q1GhHtB,MAAM,gCAAyB,OAAQ,WAAjC,C;;MI0EH,SsGuCW,qBAAQ
,KAAR,C;MAAd,cAAuC,UAAS,CAAb,GAAgB,EAAhB,hB,GAA2B,OAAH,EAAG,EAAK,QAAQ,CAAR,IAAL,C;
MAC9D,ajH9DgD,gB;MiH+DhD,gBAAgB,C;MAEF,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,MAAO,WAAU
,mBAAN,KAAM,EAAY,EAAZ,EAAiB,SAAjB,EAA4B,MAA5B,C;QAAuC,uB;QAAK,MAAM,MAAM,MAAnC,C;MAAC,
MAAM,aAAZ,GAA2B,CAA3B,C;QAAA,sB;QAAA,WAAY,WAAU,mBAAN,KAAM,EAAY,EAAZ,EAAiB,SAAjB,EAA4B,MA
AM,OAA7B,C;QAAA,CAAA,qC,CAAA,WAA/C,C,C;MACP,OAAO,M;IACX,C;;MASyC,OAAA,oBAAc,W;IAAd,
C;;MAEzC,+B;QAAA,aAAa,C;MAAb,0BAAuB,uBAAA4B,WAAA,KAAA,WAAA,KAAA,WAAA,KAAA

AlB,C;IACX,C;;MAgB4C,qB;QAAE,+CAAI,qBAAa,EAAb,IAAJ,E;MAAF,C;IAAA,C;;MAFP,0B;QAAA,aAAkB
,C;MAAG,wB;QAAA,WAAgB,SAAK,O;MAC3E,oCAAa,4BAAmB,UAAnB,EAA+B,QAA/B,EAAyC,gBAAzC,
C;MACb,OAAO,kBAAU,WAAW,UAAX,IAAV,EAAiC,2CAAjC,C;IACX,C;;MAUI,OAAO,WAAW,SAAX,EAAA
iB,CAAjB,EAAoB,gBAApB,EAA0B,KAA1B,C;IACX,C;;MAiBI,0B;QAAA,aAAkB,C;MAClB,wB;QAAA,WAA
gB,SAAK,O;MACrB,sC;QAAA,yBAAkC,K;MAElC,oCAAa,4BAAmB,UAAnB,EAA+B,QAA/B,EAAyC,SAAK,
OAA9C,C;MACb,OAAO,WAAW,SAAX,EAAiB,UAAjB,EAA6B,QAA7B,EAAuC,sBAAvC,C;IACX,C;;MAUI,
OAAO,WAAW,SAAX,EAAiB,CAAjB,EAAoB,gBAApB,EAA4B,KAA5B,C;IACX,C;;MAiBI,0B;QAAA,aAAkB,
C;MAClB,wB;QAAA,WAAgB,SAAK,O;MACrB,sC;QAAA,yBAAkC,K;MAElC,oCAAa,4BAAmB,UAAnB,EAA+
B,QAA/B,EAAyC,gBAAzC,C;MACb,OAAO,WAAW,SAAX,EAAiB,UAAjB,EAA6B,QAA7B,EAAuC,sBAAvC
,C;IACX,C;;MAQwD,OAAA,SAAY,c;IAAZ,C;;MAQA,OAAA,SAAY,c;IAAZ,C;;MAG4B,OAAA,SAAY,SAAQ,
GAAR,EAAa,SAAb,C;IAAZ,C;;MAGI,OAAA,SAAY,aAAY,GAAZ,EAAiB,SAAjB,C;IAAZ,C;;MAGP,OAAA,S
AAY,YAAW,CAAX,EAAc,QAAd,C;IAAZ,C;;MAGjB,OAAA,SAAY,UAAS,CAAT,C;IAAZ,C;;MAGK,OAAA,S
AAY,WAAU,UAAV,C;IAAZ,C;;MAGe,OAAA,SAAY,WAAU,UAAV,EAAsB,QAAtB,C;IAAZ,C;;MAG7B,OAA
A,SAAY,QAAO,GAAP,C;IAAZ,C;;MAGS,OAAA,SAAY,OAAM,KAAN,C;IAAZ,C;;MAMyB,OAAA,SAAY,SA
AQ,OAAR,EAAiB,WAAjB,C;IAAZ,C;;MAIvC,0B;QAAA,aAAsB,K;MACpE,IAAI,UAAJ,C;QACI,SAAS,SAAK,
O;QACd,SAAS,KAAM,O;QACf,UZjCG,MAAK,KYiCQ,EZjCR,EYiCY,EZjCZ,C;QYkCR,IAAI,QAAO,CAAX,C
;UAAc,OAAO,KAAK,EAAL,I;QACrB,YAAY,C;QACZ,OAAO,IAAP,C;UACI,UZrCD,MAAK,KYqCY,QAAQ,E
AAR,IZrCZ,EYqCwB,GZrCxB,C;UYsCJ,SAAS,SAzB2E,WAyB5D,KAzB4D,EAyBrD,GAzBqD,C;UA0BpF,SAA
S,KA1B2E,WA0B3D,KA1B2D,EA0BpD,GA1BoD,C;UA2BpF,IAAI,YAAM,EAAN,CAAJ,C;YACI,KAAK,EAtD
+C,c;YAuDpD,KAAK,EAvD+C,c;YAwDpD,IAAI,YAAM,EAAN,CAAJ,C;cACI,KAAK,EAjD2C,c;cAkDhD,KA
AK,EAlD2C,c;cAmDhD,IAAI,YAAM,EAAN,CAAJ,C;gBACI,OAAU,iBAAH,EAAG,EAAU,EAAV,C;;;;UAItB,I
AAI,QAAO,GAAX,C;YAAgB,K;UAChB,QAAQ,G;;QAEZ,OAAO,KAAK,EAAL,I;;;QAEP,OAAO,4BAAU,KAAA
V,C;;IAEf,C;;MAGyE,OAAE,UAAF,CAAE,EAAU,CAAV,EAAa,EAA0B,IAA1B,C;IAAgC,C;;;MAI/F,oC;IAA
oC,C;;M0FhPqE,O1F6Ke,kB0F7KE,oBAAH,EAAG,C1F6KF,E0F7Kc,S1F6Kd,C;I0F7Kf,C;;MAGI,O1F6Ke,sB0F7KM,oB
AAH,EAAG,C1F6KN,E0F7KkB,S1F6KlB,C;I0F7Kf,C;;MAMjC,0B;QAAA,aAAsB,K;MACtE,IAAI,CAAC,UAA
L,C;QACI,O1FwKqF,qB0FxK7D,M1FwK6D,E0FxKrD,C1FwKqD,C;;;Q0FtKrF,OAAO,yBAAc,CAAd,EAAiB,M
AAjB,EAAyB,CAAzB,EAA4B,EAA4B,MAAO,OAAnC,C,EAA2C,UA3C,C;IACf,C;;MAMqE,0B;QAAA,aAAsB,K;MAC
vF,IAAI,CAAC,UAAL,C;QACI,O1F6JqF,qB0F7J7D,M1F6J6D,E0F7JrD,U1F6JqD,C;;;Q0F3JrF,OAAO,yBAAc,U
AAd,EAA0B,MAA1B,B,EAAkC,CAAlC,EAAqC,EAAO,OAAP,C,EAAe,UAApD,C,EAA4D,UAA5D,C;IACf,C;;MAMqE,
aAAsB,K;MACpE,IAAI,CAAC,UAAL,C;QACI,O1FqJoE,mB0FrJ9C,M1FqJ8C,C;;;Q0FnJpE,OAAO,yBAAc,mB
AAS,MAAO,OAAhB,B,EAAwB,IAAxB,EAAqC,EAAO,OAAP,C,EAAe,UAAf,C,EAAuB,UAAvB,C;IAAgC,C;;MAII
;;MAII,aAAa,S1F0J2D,O0F1JhD,K1F0JgD,C;M0FzJxE,OAAO,kBAAkB,MAAO,OAAP,C,EAAe,KAAe,C;IAC5C,C;;MA
EoD,4BAAU,CAAV,IAA+D,QAA3C,C,EAA6C,UAA7C,C,EAAqD,UAArD,C,EAA6D,UAA7D,C,EAAqE,SAArE,C,EAA+E,WAA/E,C,EAAyF,QAAzF,C,EAAmG,CAAnG,C;IAA/D,C;
;MAGH,0B;QAAA,aAAsB,K;MACnE,Q;MAAA,IAAI,iBAAJ,C;QAAA,OACI,a;;QACC,U;QAAA,IAAI,CAAC,UAAL,C;UAAA,SACD,kBAAU,KAAA,EAAV,C;UAAA,WAAgB,SAAK,O;UAAA,SAAK

hB,GAA0B,GAAnE,C1FmFmF,E0FnFF,oBAAR,OAAQ,C1FmFE,C;I0FnFjG,C;;MAGsE,0B;QAAA,aAAsB,K;MAC5F,O1F+EiG,kB0F/EnF,WAAO,6BAAM,gBAAO,QAAP,CAAb,EAAmC,UAAJ,GAAgB,GAAhB,GAAyB,EAAxD,C1F+EmF,E0F/EtB,6BAAM,2BAAkB,QAAlB,C1F+EgB,C;I0F/EjG,C;;MAGgE,0B;QAAA,aAAsB,K;MACtF,O1F2EiG,kB0F3EnF,WAAO,6BAAM,gBAAe,oBAAR,OAAQ,CAAf,CAAb,EAA6C,UAAJ,GAAgB,GAAhB,GAAyB,EAAlE,C1F2EmF,E0F3EtB,oBAAR,OAAQ,C1F2EI,C;I0F3EjG,C;;;;;MCzH8B,uB;QAAA,UAAkB,E;MAOhD,gBAA6B,O;IAPA,C;;MAUjB,OAAO,aAAY,O;IAAnB,C;;MAGD,gBAAP,a;M7FwEG,Q;MAAA,I6FxEc,C,K7FwEV,IAAS,CAAT,I6FxEU,K7FwEV,IAAS,2BAAT,C,C;Q6FxEf,MAAM,8BAAN,0B,mCAAyB,WAAzB,B,MAA0C,C;;MAAhC,WAAgC,C;IAAhC,C;;MAAuC,0BAAvC,C;IAAuC,C;;MAAvC,0BAAuC,C;IAAv

C;UACI,MAAM,kBAAN,EAAM,0BAAN,YAA0B,OAAL,IAAK,C;;cAC9B,WAAO,IAAP,C;UACI,MAAM,kBAAN,EAAM,0BAAN,YAA4C,OAArB,QAAS,CAAV,GAAgB,GAAM,C;UAC5C,MAAM,kBAAN,EAAM,0BAAN,YAA+C,OAAxB,OAAS,EAAV,GAAmB,GAAM,C;;cAEnD,WAAO,KAAP,IAAiB,QAAQ,KAAzB,C;UACI,MAAM,kBAAN,EAAM,0BAAN,YAA6C,OAAtB,QAAS,EAAV,GAAiB,GAAM,C;UAC7C,MAAM,kBAAN,EAAM,0BAAN,YAAuD,OAAhC,QAAS,CAAV,GAAwB,GAAM,C;UACvD,MAAM,kBAAN,EAAM,0BAAN,YAA+C,OAAxB,OAAS,EAAV,GAAmB,GAAM,C;;;UAG/C,C,gBAAgB,uBAAuB,MAAvB,vB,EAA+B,IAA/B,B,EAAqC,C;UAChD,IAAI,aAAa,CAAjB,B,C;YACI,MAAM,kBAAN,EAAM,0BAAN,YAAqC,OAAd,OAAS,EAAV,GAAS,GAAM,C;UAC1C,MAAM,kBAAN,EAAM,0BAAN,YAAqC,OAAd,OAAS,EAAV,GAAS,GAAM,C;;;YAGvC,C;UACI,MAAM,kBAAN,EAAM,0BAAN,YAAqC,OAAd,OAAS,EAAV,GAAS,GAAM,C;UAC1C,MAAM,kBAAN,EAAM,0BAAN,YAAqC,OAAd,OAAS,EAAV,GAAS,GAAM,C;;;UAGvC,C;;;YAEE,C,gBAAgB,uBAAuB,MAAvB,vB,EAA+B,IAA/B,B,EAAqC,C;UACr

C;QAAA,kB;;MAAA,4B;IAAA,C;;MCKyC,qB;QAAA,QAAkB,I;MAAM,qB;QAAA,QAAkB,I;MAAM,uB;QAA
A,UAAoB,K;MAAO,yB;QAAA,YAAsB,I;MAAM,kC;QAAA,qBAA+B,I;MAAM,qC;QAAA,wBAAkC,K;MAAO
,+C;QAAA,kCAA4C,K;MAAO,4C;QAAA,+BAAyC,K;MACtT,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,E
AAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,WAAF,IAAiB,S;MACjB,EAAE,oBAAF,IAA0B,
kB;MAC1B,EAAE,uBAAF,IAA6B,qB;MAC7B,EAAE,iCAAF,IAAuC,+B;MACvC,EAAE,8BAAF,IAAoC,4B;M
AEpC,OAAO,C;IACX,C;;MAy0BwC,6B;QAAA,gBAAyB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aA
AuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/I,QAAQ,E;MAER,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IA
Ae,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MA2CkF,iBA
AY,KAAZ,C;IAAA,C;;MACa,UAAY,KAAZ,IAAqB,K;IAAO,C;;MAsBxC,iBAAY,KAAZ,C;IAAA,C;;MACa,UA
AY,KAAZ,IAAqB,K;IAAO,C;;MAsBlC,iBAAY,KAAZ,C;IAAA,C;;MACa,UAAY,KAAZ,IAAqB,K;IAAO,C;;M
AsB/C,iBAAY,KAAZ,C;IAAA,C;;MACa,UAAY,KAAZ,IAAqB,K;IAAO,C;;MAsBxC,iBAAY,KAAZ,C;IAAA,C;
;MACa,UAAY,KAAZ,IAAqB,K;IAAO,C;;MAsB5C,iBAAY,KAAZ,C;IAAA,C;;MACa,UAAY,KAAZ,IAAqB,K;I
AAO,C;;MAsBxC,iBAAY,KAAZ,C;IAAA,C;;MACa,UAAY,KAAZ,IAAqB,K;IAAO,C;;MAsBtC,iBAAY,KAAZ,
C;IAAA,C;;MACa,UAAY,KAAZ,IAAqB,K;IAAO,C;;MAsBxC,iBAAY,KAAZ,C;IAAA,C;;MACa,UAAY,KAAZ,
IAAqB,K;IAAO,C;;MCxlC3F,6B;QAAA,gBAA+B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;
MAAO,wB;QAAA,WAAqB,K;MACpJ,QAAQ,E;MAER,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;M
ACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MA0BgD,mC;QAAA,s
BAAgC,K;MAC5E,QAAQ,E;MAER,EAAE,qBAAF,IAA2B,mB;MAE3B,OAAO,C;IACX,C;;MCkM+F,iBAAY,K
AAZ,C;IAAA,C;;MASV,iBAAY,KAAZ,C;IAAA,C;;MAgCS,iBAAY,KAAZ,C;IAAA,C;;MAgBN,iBAAY,KAAZ,
C;IAAA,C;;MCzR1D,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;
QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAChJ,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,
QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;M
AEhB,OAAO,C;IACX,C;;MAgBiC,6B;QAAA,gBAA8B,I;MAAM,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe
,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACvL,QAAQ,E;
MAER,EAAE,eAAF,IAAqB,a;MACrB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF
,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAkDiC,uB
;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACnG,QAAQ,E;MAER,EAAE,
SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE
,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE
,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE
,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oB
AAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAkBoC,oC;QAAA,uBAAiC,K;MAAO,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC5K,QAAQ,E;MAER,EAAE,eAAF,IAAqB,a;MACrB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAgBiC,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACtG,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oB
AAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B

kB,U;MAClB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAkCiC,sB;QAAA,SAAkB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,yB;QAAA,YAAkB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBA8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBA6B,K;MAAO,gC;QAAA,mBA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBA2B,K;MAAO,6B;QAAA,gBA0B,K;MAAO,+B;QAAA,kBA4B,K;MAAO,kC;QAAA,qBA+B,K;MAAO,6B;QAAA,gBA0B,K;MAAO,8B;QAAA,iBA2B,K;MAAO,kC;QAAA,qBA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC70B,QAAQ,E;MAER,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAoBiC,oB;QAAA,OAAgB,E;MAAG,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sC;QAAA,yBAAkC,Q;MAAG,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAoCiC,oB;QAAA,OAAgB,E;MAAG,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBA6B,K;MAAO,gC;QAAA,mBA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBA2B,K;MAAO,6B;QAAA,gBA0B,K;MAAO,+B;QAAA,kBA4B,K;MAAO,kC;QAAA,qBA+B,K;MAAO,6B;QAAA,gBA0B,K;MAAO,8B;QAAA,iBA2B,K;MAAO,kC;QAAA,qBA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB

X,C;;MAgJ4F,iBAAY,KAAZ,C;IAAA,C;;MACsB,iBAAY,IAAZ,C;IAAA,C;;MAgIpB,iBAAY,KAAZ,C;IAAA,C;;MACwB,UAAY,KAAZ,IAAqB,M;IAAQ,C;;MAsThH,6B;QAAA,gBAA8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MAER,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAmDuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAoBmD,qB;QAAA,QAAkB,I;MACjE,QAAQ,E;MAER,EAAE,OAAF,IAAa,IAAa,K;MAEb,OAAO,C;IACX,C;;MAsMmC,oB;QAAA,OAAgB,I;MAAM,wB;QAAA,WAAoE4B,S;;MAprEwB,kB;QAAA,KAAc,E;MAAI,wB;QAAA,WAAoB,W;MAAoB,I;MAAM,sB;QAAA,SAAkB,S;MAAW,uB;QAAA,UAAoB,I;MAAM,qB;QAAA,QAAiB,I;MAAM,oB;QAAA,OAAgB,I;MACnP,QAAQ,E;MAER,EAAE,MAAF,IAAY,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MAEhB,EAAE,UAAF,IAAgB,Q;MAEhB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAkBuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAkB2C,yB;QAAA,YAAsB,S;MACjE,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAgC0G,iBAAY,KAAZ,C;IAAA,C;;MA0B1E,4B;QAAA,eAA4B,I;MAAM,uB;QAAA,UAAoB,C;MAAG,uB;QAAA,UAAoB,C;MAAG,uB;QAAA,UAAoB,C;MAAG,uB;QAAA,UAAoB,C;MAAG,uB;QAAA,UAAoB,C;MAAG,sB;QAAA,SAAqB,C;MAAG,uB;QAAA,UAAoB,K;MAAO,6B;QAAA,gBAA8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAAgC,K;MAAO,gC;QAAA,mBAAgC,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAAkC,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAAkC,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAsB,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,yB;QAAA,YAAsB,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,gC;QAAA,mBAAgC,K;MAAO,gC;QAAA,mBAAgC,K;MAAO,gC;QAAA,mBAAgC

QAAQ,E;MAER,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,sBAAF,IAA4B,oB;MAC5B,EAAE,aAAF,IAAmB,W;MACnB,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,eAAF,IAAqB,a;MAErB,OAAO,C;IACX,C;;MAiCmC,oB;QAAA,OAAa,I;MAAM,sB;QAAA,SAAkB,E;MAAI,2B;QAAA,cAAuB,E;MAAI,sB;QAAA,SAAoC,I;MAAM,qB;QAAA,QAA6B,E;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACnQ,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MA4BkC,+B;QAAA,kBAA4B,K;MAAO,iB;QAAA,oBAAiC,e;MAEvF,OAAO,C;IACX,C;;MAoDiC,wB;QAAA,WAAqB,K;MAAO,oB;QAAA,OAAa,C;MAAG,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/K,QAAQ,E;MAER,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAEmC,wB;QAAA,WAAqB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,gC;QAAA,mBAAgC,K;MAAO,wB;QAAA,WAAqB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,mB;QAAA,MAAe,E;MAC/O,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB

IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAYiC,mB;QAAA,MA+P0C,Q;;MA/PJ,0B;QAAA,aAAsB,S;MACzF,QAAQ,E;MAER,EAAE,KAAF,IAAW,G;MACX,EAAE,YAAF,IAAkB,U;MAElB,OAAO,C;IACX,C;;MAY2C,uB;QAAA,UA4OgC,Q;;MA5OU,qB;QAAA,QA4OV,Q;;MA3OvE,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MAEb,OAAO,C;IACX,C;;MAiDmF,OAAU,S;IAAV,C;;MACI,OAAc,a;IAAd,C;;MACH,OAAW,U;IAAX,C;;MACL,OAAG,E;IAAH,C;;MACA,OAAQ,O;IAAR,C;;MACG,OAAW,U;IAAX,C;;MACR,OAAW,U;IAAX,C;;MACF,OAAS,Q;IAAT,C;;MACC,OAAU,S;IAAV,C;;MACE,OAAY,W;IAAZ,C;;MACD,OAAW,U;IAAX,C;;MACI,OAAe,c;IAAf,C;;MACJ,OAAW,U;IAAX,C;;MACA,OAAW,U;IAAX,C;;MACF,OAAS,Q;IAAT,C;;MACD,OAAQ,O;IAAR,C;;MACF,OAAM,K;IAAN,C;;MACK,OAAW,U;IAAX,C;;MACC,OAAU,S;IAAV,C;;MACA,OAAU,S;IAAV,C;;MACU,OAAU,S;IAAV,C;;MACf,OAAM,K;IAAN,C;;MACG,OAAS,Q;IAAT,C;;MACF,OAAO,M;IAAP,C;;MAChB,OAAO,M;IAAP,C;;MACC,OAAQ,O;IAAR,C;;MACC,OAAS,Q;IAAT,C;;MACA,OAAQ,O;IAAR,C;;MACA,OAAQ,O;IAAR,C;;MACE,OAAQ,O;IAAR,C;;MACF,OAAM,K;IAAN,C;;MACC,OAAO,M;IAAP,C;;MACC,OAAQ,O;IAAR,C;;MACG,OAAM,K;IAAN,C;;MACA,OAAS,Q;IAAT,C;;MACF,OAAM,K;IAAN,C;;MACA,OAAU,S;IAAV,C;;MACF

BAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAsD0C,qB;QAAA,QAAiB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,+B;QAAA,kBAA2B,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,uB;QAAA,UAAmB,S;MAAW,4B;QAAA,eAAwB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MACziB,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAyDqC,qB;QAAA,QAAiB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,0B;QAAA,aAAmB,S;MAAW,0B;QAAA,aAAmB,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,+B;QAAA,kBAA2B,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,uB;QAAA,UAAmB,S;MAAW,4B;QAAA,eAAqB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MACxhB,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAgBsE,qB;QAAA,QAAiB,S;MAAW,uB;QAAA,UAAmB,K;MAAO,0B;QAAA,aAAsB,K;MAAO,wB;QAAA,WAAoB,K;MAAO,uB;QAAA,UAAmB,K;MAAO,4B;QAAA,eAAwB,K;MAAO,wB;QAAA,WAAoB,K;MAAO,uB;QAAA,UAAm

;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC19B,QAAQ,E;MAER,EAAE,WAAF,IAAiB,S;MACjB,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,aAAF,IAAqB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,EAAE,OAAF,IAAa,C;MACb,EAAE,OAAF,IAAa,C;;MC/CwC,oB;QAAA,OAAiB,I;MAAM,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,uB;QAAA,UAAoB,K;MACpI,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;IACA,C;;MACe,UAAY,KAAZ,IAAqB,O;IAAS,C;;MAGxC,iBAAY,KAAZ,C;IAAqB,C;IAAC,C;;MACtB

QAAA,SAAmB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,sB;QAAA,SAAmB,K;MAAO,oB;QAAA,OAAa,I;MAAM,uB;QAAA,UAAsC,E;MAC/gB,QAAQ,E;MAER,EAAE,KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,KAAF,IAAW,G;MACX,EAAE,OAAF,IAAa,KAAK;MACb,EAAE,MAAF,IAAY,I;MACZ,EAAE,OAAF,IAAa,KAAK;MACb,EAAE,OAAF,IAAa,KAAK;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,WAAF,IAAiB,S;MACjB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,QAAF,IAAc,M;MACd,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAesE,oB;QAAA,OAAgB,S;MAClF,QAAQ,E;MAER,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MAEZ,OAAO,C;IACX,C;;MASyC,mB;QAAA,MAAe,E;MACpD,QAAQ,E;MAER,EAAE,KAAF,IAAW,G;MAEX,OAAO,C;IACX,C;;MAoBqE,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACrK,QAAQ,E;MAER,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,QAAF,IAAc,M;MACd,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAAmC,2F;QAAA,OAAU,S;IAAI,2F;QAAA,OAAU,S;IAAI,2F;QAAA,OAAU,S;IAAI

AE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAMiG,OAAG,E;IAAH,C;;MACM,OAAc,a;IAAd,C;;MACP,OAAO,M;IAAP,C;;MACI,OAAW,U;IAAX,C;;MACJ,OAAO,M;IAAP,C;;MACA,OAAO,M;IAAP,C;;MC7G3D,qB;QAAA,8C;MAAA,kB;IAAD,C;;MAChC,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,4C;MAAA,C;MAKI,0E;MAEA,sE;IAPJ,C;;;MAKI,+B;MAAA,0C;IAAA,C;;;MAEA,+B;MAAA,wC;IAAA,C;;;MAPJ,yF;IAAA,C;;;MAAA,a;aAAA,S;UAAA,+C;aAAA,O;UAAA,6C;gBAAA,8D;;IAAA,C;;;;MAyBA,8B;IADmC,C;;;MAQnC,8B;IADqC,C;;;ICxDzC,C;;;ICMA,C;;;ICCA,C;;;IA0BA,C;;;ICvBgD,C;;MAIiB,c;;Q5Hq8C7C,Q;QADhB,IAAI,mCAAsB,cAA1B,C;UAAqC,aAAO,K;UAAP,e;;QACrB,sB;QAAhB,OAAgB,cAAhB,C;UAAgB,2B;UAAA,MAAI,I4Hr8C6C,O5Hq8C/B,S4Hr8C+B,U5Hq8C7C,C;YAAwB,aAAO,I;YAAP,e;;;QAC9C,aAAO,K;;;M4Ht8CsD,iB;IAAA,C;;MAGhD,c;;Q5H66CG,Q;QADhB,IAAI,c4H56CA,Q5H46CA,iB4H56CA,Q5H46CsB,UAA1B,C;UAAqC,aAAO,I;UAAP,e;;QACrB,O4H76CZ,Q5H66CY,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAA,MAAI,IAAI,C4H76CP,oB5H66CO,kB,O4H76CP,ClB,C5H66CG,C;YAAyB,aAAO,K;YAAP,e;;;QAC9C,aAAO,I;;;M4H96CH,iB;IAAA,C;;MAAA,8B,qBAAA,Q,C;IAAA,R,C;;MAAA,6B,qB;QAAA,C3D,OAAI,OAAO,uBAAX,X,GAAA,iB,mBAAA,jB,GAAA,6C,SAAA,H,EAAA,G,C;MADc,c,C;IAAA,C;;MAAA,6B,4BAAa,a,IAAb,E,AAAmB,mB,GAAA,kB,EAAA,kB,kBAAA,kB,kBAAA,kB,kB

ACX,C;;MAEwE,gBAAR,Y;MAAQ,c;;Q/H67CxD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAP,e;;QACrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,I+H77CwD,O/H67C1C,O+H77C6C,MAAH,Q/H67CxD,C;YAAwB,aAAO,I;YAAP,e;;;QAC9C,aAAO,K;;;M+H97CyD,iB;IAAA,C;;MAI5D,IAAI,gCAAJ,C;QAA+B,OAAO,K;;MACtC,UAAU,KAAM,I;MAChB,YAAY,KAAM,M;M3I8JO,Q;M2I7JzB,e3I6J4C,CAAnB,mDAAmB,Y2I7JzB,G3I6JyB,C;M2I3J5C,IAAI,eAAS,QAAT,CAAJ,C;QACI,OAAO,K;;MAIP,6B;MAAA,W;Q3IuKqB,U;Q2IvKD,U3IuKoB,CAAnB,uDAAmB,oB2IvKpB,G3IuKoB,C;;M2IvK5C,W;QACI,OAAO,K;;MAGX,OAAO,I;IACX,C;;MASI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,0BAAJ,C;QAAyB,OAAO,K;MAChC,IAAI,cAAJ,C;QAAqB,OAAO,K;MAEhC,IAAI,cAAJ,C;QAAqB,OAAO,K;MAC5B,IAAI,kBAAJ,C;QAAyB,OAAO,K;MAEp

R,C;YAA2B,OAAO,K;;cAE9E,qCAAsB,6BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAAc,EAAd,CAAR,C;YAA2B,OAAO,K;;cAC9E,sCAAsB,8BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAAc,EAAd,CAAR,C;YAA2B,OAAO,K;;cAC9E,oCAAsB,4BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAAc,EAAd,CAAR,C;YAA2B,OAAO,K;;cAC9E,qCAAsB,6BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAAc,EAAd,CAAR,C;YAA2B,OAAO,K;;cAEtE,IAAI,YAAM,EAAN,CAAJ,C;UAAc,OAAO,K;;MAIrC,OAAO,I;IACX,C;;MAOI,aAAa,CAAK,eAAL,gBAAK,EAAL,CAAK,gBAAK,EAAL,CAAK,QAAK,iD,CAAL,CAAK,I;MrD3FW,kBAAxB,mBqD4FmB,MrD5FnB,C;MqD6FI,oD9I7BgD,gB8I6BhD,C;MADJ,OnIlCO,W8E1DsC,W;IqD+FjD,C;;MAII,IAAY,SAAR,0BAAJ,C;QACI,IAAI,MAAK,CAAT,C;UACI,MAAO,gBAAP,OAAO,EAAP,CAAO,gBAAK,EAAL,CAAK,QAAK,iD,CAAL,CAAK,I;QAAhB,MAAO,C;MAEX,OAAO,C;IACX,C;;MAEI,OAAO,C;IACX,C;;MAEI,OAAO,C;IACX,C;;MAEI

IAHsC,C;;MAsBgB,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACjG,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,GAAY,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,cAAc,MAAd,EAAsB,OAAtB,C;QAEV,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;IACX,C;;MAiB8E,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC7G,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,GAAY,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,UAAU,SAAV,EAAqB,MAArB,EAA6B,OAA7B,C;QAEV,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;IACX,C;kGAAiB,yB;MAAA,YAAiB,C;IAAG,C;QAAA,UAAe,c;MAAA,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAAA,UAAU,S;MAAA,WAAW,UAAU,CAAV,I;MAAA,OAAO,OAAO,IAAd,C;QAAA,UAAW,GAAY,GAAN,IAAM,KAAK,C;QAAA,aAAa,sBAAI,GAAJ,C;QAAA,UAAU,cAAc,MAAd,EAAsB,OAAtB,C;QAAA,IAAI,MAAM,CAAV,C;UAAA,MAAM,MAAM,CAAN,I;aAAA,IAAI,MAAM,CAAV,C;UAAA,OAAO,MAAM,CAAN,I;;UAAA,OAAO,G;;MAAA,OAAO,EAAE,MAAM,CAAN,IAAF,K;IAAA,C;;;

P,C;KAnBJ,C;sFAwBA,yB;MAAA,gB;MAAA,8B;MAAA,oD;QAxIc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBA6JQ,WA7JU,WAAY,GAAZ,C;UACC,oB;UA8Jc,U;UAAjC,IA9JkD,uBAAuB,CA4JjE,WA5J8E,mBAAY,GAAZ,CA8JtF,C;YADA,mBA7J+C,C,C;;;YA6J/C,mBACkB,UA9JW,GA8JX,EAAe,UA9JC,WA8JD,6DAAf,EA9J6B,CA8J7B,C;;UAFV,WhGzCZ,agGnHgB,GhGmHhB,mB;;QgGyCA,OAAY,W;MAAZ,C;KAvBJ,C;;MAxIc,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;QACV,kBA+BQ,WA/BU,WAAY,GAAZ,C;QAgCC,oB;QAhCc,U;QAAjC,IAgCkD,uBAAuB,EAhCzE,WAgCsF,mBAAY,GAAZ,EAhCtG,CAgCsH,C;UADA,mBA/BjE,C,C;;;UA+BiE,mBACkB,UAhCnF,GAgCmF,EAAe,UAhCvE,WAgCuE,6DAAf,EAhCrD,CAgCqD,C;;QAFV,WhGzCZ,agGnHgB,GhGmHhB,EgG2D

gE,qBAAK,aAAL,EAAU,eAAV,C;MAAA,C;KAJhE,C;;MAYiF,Q;MAAA,mCAAI,GAAJ,oBAAY,c;IAAZ,C;uG
AGjF,yB;MAAA,gB;MAAA,8B;MAAA,+C;QAMe,Q;QALX,YAAY,oBAAI,GAAJ,C;QACZ,IAAI,iBAAiB,CAA
C,4BAAY,GAAZ,CAAtB,C;UACI,OAAO,c;;;UAGP,OAAO,sE;;MAEf,C;KARA,C;;MAoBkD,uCAAqB,GAArB,
C;IAAA,C;;MAYvC,Q;MADP,YAAY,oBAAI,GAAJ,C;MACL,IAAI,aAAJ,C;QACH,aAAa,c;QACb,sBAAI,GAAJ
,EAAS,MAAT,C;QACA,a;;;QAEA,Y;;MALJ,W;IAOJ,C;;MAQwF,OAAA,iBAAQ,W;IAAR,C;;MAQwB,OAAA,i
BAAQ,W;IAAR,C;;MYqwB5F,Q;MAAA,OZ9vBT,iBY8vBS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QZ9vBa
,WY+vBb,aAAgB,OZ/vBe,IY+vB/B,EZ/vBsC,SY+vBZ,CAAe,OAAf,CAA1B,C;;MZ/vBhB,OAA6B,W;IACjC,C;;
MY6vBoB,Q;MAAA,OZnvBT,iBYmvBS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QZnvBa,WYovBb,aZpvB0B
,SYovBtB,CAAY,OAAZ,CAAJ,EAAyC,OZpvBC,MYovB1C,C;;MZpvBhB,OAA6B,W;IACjC,C;;MAMyB,Q;MA
ArB,wBAAqB,KAArB,gB;QAAqB,aAAA,KAArB,M;QAAK,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EA
AS,KAAT,C;;IAER,C;;MAMyB,Q;MAAA,uB;MAArB,OAAqB,cAArB,C;QAAqB,wB;QAAhB,IAAC,yBAAD,E
AAM,2B;QACP,sBAAI,GAAJ,EAAS,KAAT,C;;IAER,C;;MAMyB,Q;MAAA,uB;MAArB,OAAqB,cAArB,C;QA
AqB,wB;QAAhB,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,KAAT,C;;IAER,C;wFAEA,yB;MAAA,0
D;MAAA,uE;MAAA,uC;QASW,kBAAY,mBAAoB,YAAY,cAAZ,CAApB,C;QY4sBH,Q;QAAA,OZ9vBT,iBY8vB
S,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UZ9vBa,WY+vBb,aAAgB,OZ/vBe,IY+vB/B,EZ7sB2C,SY6sBjB,C
AAe,OAAf,CAA1B,C;;QZ7sBhB,OAlD6B,W;MAmDjC,C;KAVA,C;oFAYA,yB;MAAA,0D;MAAA,uE;MAAA,u
C;QAYW,kBAAU,mBAAoB,YAAY,cAAZ,CAApB,C;QY6rBD,Q;QAAA,OZnvBT,iBYmvBS,W;QAAhB,OAAgB
,cAAhB,C;UAAgB,yB;UZnvBa,WYovBb,aZ9rByC,SY8rBrC,CAAY,OAAZ,CAAJ,EAAyC,OZpvBC,MYovB1C
,C;;QZ9rBhB,OAtD6B,W;MAuDjC,C;KAbA,C;0FAeA,yB;MAAA,wE;MAAA,uC;QAQkB,Q;QADd,aAAa,oB;Q
ACC,OAAA,SA3FsE,QAAQ,W;QA2F5F,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,KAAM,IAAhB,CAAJ,C;
YACI,MAAO,aAAI,KAAM,IAAV,EAAe,KAAM,MAArB,C;;;QAGf,OAAO,M;MACX,C;KAdA,C;8FAgBA,yB;
MAAA,wE;MAAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,OAAA,SA3GsE,QAAQ,W;QA2G5F,OAAc,cAAd,C;U
AAc,uB;UACV,IAAI,UAAU,KAAM,MAAhB,CAAJ,C;YACI,MAAO,aAAI,KAAM,IAAV,EAAe,KAAM,MAAr
B,C;;;QAGf,OAAO,M;MACX,C;KAdA,C;;MAwBoB,Q;MAAA,OAAA,SA3HoE,QAAQ,W;MA2H5F,OAAgB,cA
AhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;qF
AEA,yB;MAAA,wE;MAAA,uC;QAOW,kBAAS,oB;QAAf,OAAe,cAAf,C;UAAe,yB;UZ7sBa,WY8sBb,aAAI,O
AAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3IoE,QAAQ,W;MA
2I5F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,O
AAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3JoE,QAAQ,W;MA2J5F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa
,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3KoE
,QAAQ,W;MA2K5F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3LoE,QAAQ,W;MA2L5F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
MoE,QAAQ,W;MA2M5F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3NoE,QAAQ,W;MA2N5F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
OoE,QAAQ,W;MA2O5F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3PoE,QAAQ,W;MA2P5F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
QoE,QAAQ,W;MA2Q5F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3RoE,QAAQ,W;MA2R5F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
SoE,QAAQ,W;MA2S5F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3ToE,QAAQ,W;MA2T5F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
UoE,QAAQ,W;MA2U5F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3VoE,QAAQ,W;MA2V5F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
WoE,QAAQ,W;MA2W5F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3XoE,QAAQ,W;MA2X5F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
YoE,QAAQ,W;MA2Y5F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3ZoE,QAAQ,W;MA2Z5F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
aoE,QAAQ,W;MA2a5F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3boE,QAAQ,W;MA2b5F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
coE,QAAQ,W;MA2c5F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3doE,QAAQ,W;MA2d5F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
eoE,QAAQ,W;MA2e5F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3foE,QAAQ,W;MA2f5F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
goE,QAAQ,W;MA2g5F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3hoE,QAAQ,W;MA2h5F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
ioE,QAAQ,W;MA2i5F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3joE,QAAQ,W;MA2j5F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
koE,QAAQ,W;MA2k5F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3loE,QAAQ,W;MA2l5F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
moE,QAAQ,W;MA2m5F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3noE,QAAQ,W;MA2n5F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
ooE,QAAQ,W;MA2o5F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3poE,QAAQ,W;MA2p5F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
qoE,QAAQ,W;MA2q5F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3roE,QAAQ,W;MA2r5F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
soE,QAAQ,W;MA2s5F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3toE,QAAQ,W;MA2t5F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
uoE,QAAQ,W;MA2u5F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3voE,QAAQ,W;MA2v5F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
woE,QAAQ,W;MA2w5F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3xoE,QAAQ,W;MA2x5F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
yoE,QAAQ,W;MA2y5F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3zoE,QAAQ,W;MA2z5F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
0oE,QAAQ,W;MA2050F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA31oE,QAAQ,W;MA2150F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
2oE,QAAQ,W;MA2250F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA33oE,QAAQ,W;MA2350F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
4oE,QAAQ,W;MA2450F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA35oE,QAAQ,W;MA2550F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
6oE,QAAQ,W;MA2650F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA37oE,QAAQ,W;MA2750F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
8oE,QAAQ,W;MA2850F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA39oE,QAAQ,W;MA2950F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
+oE,QAAQ,W;MA3050F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3/oE,QAAQ,W;MA3150F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
goE,QAAQ,W;MA3250F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3hoE,QAAQ,W;MA3350F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
ioE,QAAQ,W;MA3450F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3joE,QAAQ,W;MA3550F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
koE,QAAQ,W;MA3650F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3loE,QAAQ,W;MA3750F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
moE,QAAQ,W;MA3850F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3noE,QAAQ,W;MA3950F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
ooE,QAAQ,W;MA4050F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3poE,QAAQ,W;MA4150F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
qoE,QAAQ,W;MA4250F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3roE,QAAQ,W;MA4350F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
soE,QAAQ,W;MA4450F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3toE,QAAQ,W;MA4550F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
uoE,QAAQ,W;MA4650F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3voE,QAAQ,W;MA4750F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
woE,QAAQ,W;MA4850F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3xoE,QAAQ,W;MA4950F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
yoE,QAAQ,W;MA5050F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3zoE,QAAQ,W;MA5150F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
0oE,QAAQ,W;MA5250F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA31oE,QAAQ,W;MA5350F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
2oE,QAAQ,W;MA5450F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA33oE,QAAQ,W;MA5550F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
4oE,QAAQ,W;MA5650F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA35oE,QAAQ,W;MA5750F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
6oE,QAAQ,W;MA5850F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA37oE,QAAQ,W;MA5950F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
8oE,QAAQ,W;MA6050F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA39oE,QAAQ,W;MA6150F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
+oE,QAAQ,W;MA6250F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3/oE,QAAQ,W;MA6350F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
goE,QAAQ,W;MA6450F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3hoE,QAAQ,W;MA6550F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
ioE,QAAQ,W;MA6650F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3joE,QAAQ,W;MA6750F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
koE,QAAQ,W;MA6850F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3loE,QAAQ,W;MA6950F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
moE,QAAQ,W;MA7050F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3noE,QAAQ,W;MA7150F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
ooE,QAAQ,W;MA7250F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3poE,QAAQ,W;MA7350F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
qoE,QAAQ,W;MA7450F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;
;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3roE,QAAQ,W;MA7550F,OAAgB,cAAhB,C;QAAgB,yB;QZ
7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGf,OAAO,W;IACX,C;;MAMyB,Q;MAAA,OAAA,SA3
soE,QAAQ,W;MA7650F,OAAgB,cAAhB,C;QAAgB,yB;QZ7sBa,WY8sBb,aAAI,OAAQ,IAAZ,EA

mC;QAKI,kBAAO,KAAP,C;MACJ,C;KANA,C;4FAQA,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;MACJ,C;KANA,C;4FAQA,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;MACJ,C;KANA,C;;MAaI,yBAAO,GAAP,C;IACJ,C;;MASwB,kBAAf,aAAL,SAAK,C;MAsCL,6B;MAtCA,OAA+C,oBUlkBxC,WVkkBwC,C;IAA/C,C;;MAUoB,kBAAf,aAAL,SAAK,C;MAqCK,YAAL,gBAAK,O;MArCV,OAAgD,oBU5kBzC,WV4kByC,C;IAAhD,C;;MAUoB,kBAAf,aAAL,SAAK,C;MAoCK,YAAL,gBAAK,O;MApCV,OAAgD,oBUtlBzC,WVslByC,C;IAAhD,C;;MAUoB,kBAAf,aAAL,SAAK,C;MAmCK,YAAL,gBAAK,O;MAnCV,OAAgD,oBUhmBzC,WVgmByC,C;IAAhD,C;;MAQA,uBAAO,GAAP,C;IACJ,C;8FAEA,yB;MAAA,sD;MAAA,kC;QAMc,c,UAAV,SAAU,KAAV,SAAU,C;MAJd,C;KAPA,C;8FASA,yB;MAAA,sD;MAAA,kC;QAMc,c,UAAV,SAAU,KAAV,SAAU,C;MAJd,C;KAPA,C;8FASA,yB;MAAA,sD;MAAA,kC;QAMc,c,UAAV,SAAU,KAAV,SAAU,C;MAJd,C;KAPA,C;;MAWsD,QAAA,MAAA,cAAA,N,C;aAAA,C;IAAtD,C;;MAgB

UAAU,OAAV,MAAsB,uBAA1B,C;UACI,Q;QAEJ,IAAI,eAAc,SAAlB,C;UACI,sBAAK,UAAL,EAAmB,OAAnB
,C;QAEJ,+B;;MAEJ,IAAI,aAAa,cAAjB,C;QACwB,oC;QAAiB,mB;QAArC,oE;UACI,2BAAS,WAAT,C;QAEJ,O
AAO,I;;;QAEP,OAAO,K;;IAEf,C;;MAMW,iBAAmB,gCAAT,QAAS,EAAgC,SAAhC,C;MAnLG,Q;MAmL7B,O
AnL2D,CAA9B,sEAA8B,oBAAU,UAAV,C;IAoL/D,C;;MAMI,UAAmB,YAAT,QAAS,C;MACnB,OlJ7CwD,CkJ
6CjD,GlJ7CkD,UkJ6ClD,IAAoB,4BAAU,GAAV,C;IAC/B,C;;MAMI,OxJgtMO,EwJhtMA,QxJwoMA,YAAQ,CA
wER,CwJhtMA,IAAyB,4BAAmB,UAAT,QAAS,CAAnB,C;IACpC,C;;MAMW,iBAAmB,gCAAT,QAAS,EAAgC,
SAAhC,C;MA9LG,Q;MA8L7B,OA9L2D,CAA9B,sEAA8B,oBAAU,UAAV,C;IA+L/D,C;;MAMI,IxJksMO,EwJls
MH,QxJ0nMG,YAAQ,CAwER,CwJlsMP,C;QACI,OAAO,4BAAmB,UAAT,QAAS,CAAnB,C;;QAEP,OAAO,wB;
IACf,C;;MAMI,UAAmB,YAAT,QAAS,C;MACnB,IlJ7EwD,CkJ6EpD,GlJ7EqD,UkJ6EzD,C;QACI,OAAO,4BAA
U,GAAV,C;;QAEP,OAAO,wB;IACf,C;;MAGI,alJpFwD,CAAC,mB;MkJqFzD,iB;MACA,OAAO,M;IACX,C;;MA
SI,aAAU,2BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,sBAAK
,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBAAK,CAAL,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C;;IAER,
C;;MAO+E,kBAAhB,0B;MAAwB,8B;MAAxB,OvIzMpD,W;IuIyMoD,C;;MClRiB,uB;MAAjC,0B;IAAD,C;;MA
CX,OAAA,eAAS,K;IAAT,C;;MACG,mCAAS,0BAAoB,KAApB,CAAT,C;IAAA,C;;;MAGgC,8B;MAAxC,0B;IA
AD,C;;MACM,OAAA,eAAS,K;IAAT,C;;MACG,mCAAS,0BAAoB,KAApB,CAAT,C;IAAA,C;;MAEX,eAAS,Q;I
AAT,C;;MACgB,OAAA,eAAS,kBAAS,0BAAoB,KAApB,CAAT,C;IAAT,C;;MAEO,OAAA,eAAS,aAAI,0BAAo
B,KAApB,CAAJ,EAAmB,OAAnB,C;IAAT,C;;MAE1C,eAAS,aAAI,2BAAqB,KAArB,CAAJ,EAAmB,OAAnB,C;IA
Cb,C;;;MAIgB,Q;MAAA,kC;MAAhB,IAAa,CAAT,0BAAJ,C;QAAA,OA2B,8BAAY,KAAZ,I;;QAAuB,MAAM,
8BAA0B,mBAAgB,KAAhB,CAA1B,2BAAoC,CAApC,gBAAwC,2BAAI,CAA1C,C;IAAxD,C;;MAGgB,Q;MAAA,qB;MA
AhB,IAAa,CAAT,0BAAJ,C;QAAA,OAAsB,iBAAO,KAAP,I;;QAAkB,MAAM,8BAA0B,oBAAiB,KAAjB,CAA1B,2
2C,gBAAG,cAAH,CAA3C,OA1B,C;IA9C,C;;MAQ2C,gCAAqB,SAArB,C;IAAA,C;;MAQc,wBAAa,SAAb,C;
IAAA,C;;;;;M7I9B0B,wC;IArvF,C;IAAA,0D;MAS2C,8B;IAAA,C;IAT3C,gF;;M8Ic8G,mB;QAAE,kBAAS,aAAT
,C;MAAF,C;IAAA,C;;MAAT,oCAAS,sBAAT,C;IAAA,C;8FAErG,yB;MAAA,kD;M9IhBA,kC;MAAA,0C;;QAQ
uF,wC;MARvF,C;MAAA,wD;QAS2C,8B;MAAA,C;MAT3C,8E;;Q8ImB2I,mB;UAAE,gBAAS,qBAAT,C;QAAF,
C;MAAA,C;MAH3I,gC;QAGkI,kCAAS,mCAAT,C;MAAA,C;KAHlI,C;;MAaI,eAAe,6B;MACf,oBAA0B,+BAAN,KAAM,EAAwC,QAAxC,EAA+D,QAA/D,C;MAC1B,OAAO,Q;IACX,C;8FAEA,yB;MAAA,kD;MAAA,gC;QAGkI,gBAAS,aAAT,C;MAAA,C;KAHlI,C;;IAgB0C,C;;MA2BlC,IAAI,uCAA0B,QAAS,UAAnC,C;QAAkD,OAAO,M;MAAzD,OAAO,sBAAS,QAAS,WAAlB,C;IAAP,C;;MAAA

BAAA,Q;;;gBAEA,gB;gCAAA,sCAAS,iCAAT,O;oBAAA,kBcnER,yB;yBdmEQ,yB;gBAAA,Q;;;;;;cAJJ,W;;cAAA,W;;;;;;;;;;;;;;;;IAMJ,C;;MAP4F,yD;uBAAA,uG;YAAA,S;iBAAA,Q;;iBAAA,uB;MAAA,C;IAAA,C;;MAAT,gBAAS,uCAAT,C;IAAA,C;;MAcX,OAAA,EAAG,W;IAAW,C;;MAAxB,4BAAQ,cAAR,C;IAAA,C;;MAQU,OAAA,EAAG,W;IAAW,C;;MAAxB,gBAAR,C;IAAA,C;;MAMxB,S;IAAG,C;;MAFzB,Q;MADZ,IAAI,8CAAJ,C;QACI,OAA4C,CAApC,2EAAoC,kBAAQ,QAAR,C;;MAEhD,uBAAmB,SAAnB,uBAAyB,EAAzB,gBAAgC,EAAhC,iC,QAAiC,C;IACjC,C;;MAYiB,Q;MAFb,YAAY,gB;MACZ,YAAY,gB;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,KAAM,WAAI,IAAK,MAAT,C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;IACX,C;;MAWI,wB;QAAA,WAAgC,I;MADhC,0B;MACA,0B;MACA,4B;IAH+B,C;;MAMQ,oD;MACnC,gBAAe,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;IAHgB,C;;MAM/B,OAAO,aAAS,UAAhB,C;QACI,O;QACpB,IAAI,wCAAU,IAAV,mBAAmB,sCAAvB,C;UACI,gBAAW,I;UACX,iBAAY,C;UACZ,M;;;MAGR,iBAAY,C;IAChB,C;;MAWW,Q;MARP,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,a;MACb,gBAAW,I;MACX,iBAAY,E;MAEZ,OAAO,yE;IACX,C;;MAGI,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;IACxB,C;;MAGI,OAAO,C;IACX,C;;MAGI,OAAO,C;IACX,C;;MAGI,OAAO,C;IACX

MC7YA,IAAI,EDgZQ,gBAAS,CChZjB,CAAJ,C;QACI,cD+YsB,yCAAsC,YAAtC,M;QC9YtB,MAAM,gCAAyB,OAAQ,WAAjC,C;;IDyYgB,C;;MK/TnB,SLuUmC,eAAQ,CAAR,I;MAAD,OAA4B,KAAK,CAAT,GAAY,yBAAZ,GAAuC,iBAAa,eAAb,EAAuB,EAAvB,C;IAA/D,C;;MKvUlC,SLwUmC,eAAQ,CAAR,I;MAAD,OAA4B,KAAK,CAAT,GAAY,yBAAZ,GAAuC,gBAAY,eAAZ,EAAsB,YAAtB,EAA6B,EAA7B,C;IAAnE,C;;MAGrC,gBAAe,4BAAS,W;MACxB,YAAW,yB;IAFwB,C;;MAM/B,OAAO,YAAO,CAAP,EAAU,IAAY,aAAS,UAA5B,C;QACI,aAAS,O;QACT,6B;;IAER,C;;MAGI,a;MACA,OAAO,aAAS,O;IACpB,C;;MAGI,a;MACA,OAAO,aAAS,U;IACpB,C;;;MApBmC,oD;IAAA,C;;;MA8BvC,0B;MACA,4B;IAFJ,C;;MAK2C,oD;MACnC,gBAAe,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;IAHgB,C;;MAM/B,OAAO,aAAS,UAAhB,C;QACI,WAAW,aAAS,O;QACpB,IAAI,CAAC,wCAAU,IAAV,CAAe,CAAf,C;QAAD,OAAq

KAAU,yBAAV,C;gBAAA,iB;;;;6BAAU,sB;cACN,IAAI,kBAAO,CAAX,C;gBAAgB,oCAAQ,CAAR,I;gBAAW,iB;;;;gBAA3B,iB;;;;;cACA,iBAAO,WAAI,YAAJ,C;cACP,IAAI,iBAAO,KAAP,KAAe,uBAAAnB,C;gBACI,iB;gCAAA,iCAAM,iBAAN,O;oBAAA,kBjI/BpB,yB;yBiI+BoB,yB;gBAAA,Q;;;gBADJ,iB;;;;;cAEI,IAAI,8BAAJ,C;gBAAiB,iBAAO,Q;;gBAAa,oBAAS,iBAAU,uBAAV,C;cAC9C,kBAAO,c;cAHX,iB;;;cAHJ,iB;;;cASA,IrJ0IgD,CqJ1I5C,iBrJ0I6C,UqJ1IjD,C;gBACI,IAAI,qCAAkB,iBAAO,KAAP,KAAe,uBAArC,C;kBAA2C,iB;kCAAA,iCAAM,iBAAN,O;sBAAA,kBjIrC3D,yB;2BiIqC2D,yB;kBAAA,Q;;;kBAA3C,iB;;;;;gBADJ,iB;;;;cAbJ,iB;;;cAgBJ,W;;;;;;;;;;;;;;;IAAA,C;;MAlCyB,yD;uBAAA,6K;YAAA,S;iBAAA,Q;;iBAAA,uB;MAAA,C;IAAA,C;;MADzB,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,2B;MAChC,OAAO,WAAkB,0EAAlB,C;IAAmC,C;;MAEiE,uB;MAA7G,kB;MAChC,mBAA6B,C;MAC7B,eAAyB,C;IAFM,C;;MAK3B,+DAAkB,SAAlB,EAA6B,OAA7B,E,EAAsC,WAAK,KAA3C,C,C;MACA,mBAAiB,S;MACjB,eAAa,UAAU,SAAV,I;IACjB,C;;MAGI,+DAAkB,KAAlB,EAA6B,EAAyB,yBAAzB,C;IAAyB,C;;MAAzB,yBAAzB,C;MAEA,OAAO,wBAAK,mBAAL,KAAa,IAAb,C;IAAgB,C;;MAAhB,uB;MAAA,C;;MAAA,uB;MAAA,C;IAAA,C;;MAAA,uB;MAAA,C;IAAA,C;;MAAA,uB;MAAA,C;I

BAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OzJpB8D,YyJoBvD,kBAAM,CAAN,CzJpBwE,KAAjB,EyJoB5C,KzJpByE,KAA7B,CyJoBvD,IAAP,C;UACI,a;;QACJ,OzJtB8D,YyJsBvD,kBAAM,CAAN,CzJtBwE,KAAjB,EyJsB5C,KzJtByE,KAA7B,CyJsBvD,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;;MAGR,OAAO,C;IACX,C;;MAKI,YAAY,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,B,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,C;MACJ

A,C;MAD5C,kF;;QD8Ie,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAAtB,eAAkC,gB;YAAjF,OAxGG,UAAW,SAAQ,SAwGyC,CAxGzC,CAAR,EAAqB,SAAwG+B,CAxG/B,CAArB,C;;UAuGd,W;QADO,C;MAAA,C;MARf,kD;QAQI,oCAAW,8CAAX,C;MAAA,C;KARJ,C;sGAaA,y B;MAAA,sC;MCnJA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDmJA,8BAAQe,yB;QAAxIf,8D;;UAAwIe,uB;YACpI,sBAAsB,qBAAsB,SAAQ,CAAR,EAAW,CAAX,C;YAAC5C,Q;YAAA,IAAI,oBAAmB,CAAvB,C;cAAA,OAA0B,e;;cAAqB,iBAAsB,kB;cAAtB,eAAkC,gB;cAAjF,OAAlIG,UAAW,SAAQ,SAAkIyC,CAAlIzC,CAAR,EAAqB,SAAkI+B,CAAlI/B,CAArB,C;;UAAiId,Id;QAAjI,C;MAAA,C;MAAA,kD;QAAA,OAAA,C;MAAA,C;MAAA,kD;QAAA,OAAA,C;MAAA,C;MAAA,kD;QAAA,OAAA

yC;;;MAAA,2C;IAAA,C;;;;MAAA,kD;QAAA,iC;;MAAA,2C;IAAA,C;;IA6BA,C;;MAKqB,Q;MADjB,OACI,QA
AQ,yCAAZ,GAAiB,0EAAjB,GAAgC,I;IADhC,C;;MAKA,OAAI,QAAQ,yCAAZ,GAAiB,mCAAjB,GAA4C,I;IA
A5C,C;;;;;MCpBQ,cAAc,GAAI,kBAAS,OAAQ,IAAjB,C;MAClB,IAAI,YAAY,mCAAhB,C;QADA,OACuC,O;;Q
AEnC,kBAAkB,oBAAQ,yCAAR,C;QAClB,IAAI,mBAAJ,C;UAJJ,OAI6B,oBAAgB,OAAhB,EAAyB,OAAzB,C;;
UACrB,WAAW,OAAQ,kBAAS,yCAAT,C;UAL3B,OAMY,SAAS,mCAAb,GAAoC,oBAAgB,OAAhB,EAAyB,W
AAzB,CAApC,GACI,oBAAgB,oBAAgB,IAAhB,EAAsB,OAAtB,CAAhB,EAAgD,WAAhD,C;;;IAGhB,C;;MAZJ,
OAAI,YAAY,mCAAhB,GAAuC,IAAvC,GACI,OAAQ,cAAK,IAAL,EAAW,4BAAX,C;IADZ,C;;;;;;;MAOC,Q;
MADrB,OACI,OAAA,IAAK,IAAL,EAAY,GAAZ,CAAJ,GAAqB,0EAArB,GAAoC,I;IADpC,C;;MAIA,iBAAU,O
AAV,EAAmB,IAAnB,C;IAAA,C;;MAGA,OAAI,OAAA,IAAK,IAAL,EAAY,GAAZ,CAAJ,GAAqB,mCAArB,G
AAgD,I;IAAhD,C;;;;MC1D0C,wB;IAAD,C;;MAAC,yB;IAAA,C;;;MAEtD,qC;MAKI,4B;IALJ,C;;MAMqC,0C;IA
AA,C;;MAEwB,W;IAAA,C;;MACmB,c;IAAA,C;;MACJ,c;IAAA,C;;MACV,W;IAAA,C;;MACxB,Q;IAAA,C;;M
ACG,8B;IAAA,C;;;;MAb7C,4C;QAAA,2B;;MAAA,qC;IAAA,C;;MAsBI,kB;MACA,wB;IAF0B,C;;MAQlB,Q;M
AFJ,UAAU,I;MACV,OAAO,IAAP,C;QACI,YAAA,GAAI,UAAJ,aAAY,GAAZ,W;UAAwB,W;;QACxB,WAAW,
GAAI,O;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;;UAEN,OAAO,iBAAK,GAAL,C;;;IAGnB,C;;MAGI,iBAAU,WA
AK,cAAK,OAAL,EAAc,SAAd,CAAf,EAAyC,cAAzC,C;IAAA,C;;UAKO,I;MAFP,+BAAQ,GAAR,U;QAAoB,O
AAO,W;;MAC3B,cAAc,WAAK,kBAAS,GAAT,C;MAEf,gBAAY,WAAZ,C;QAAoB,W;WACpB,gBAAY,mCAA
Z,C;QAAqC,qB;;QAC7B,2BAAgB,OAAhB,EAAyB,cAAzB,C;MAHZ,W;IAKJ,C;;MAMc,W;IAKJ,C;;MAMc,iBAAI,IAAJ,Q;MAHV,
UAAU,I;MACV,WAAW,C;MACX,OAAO,IAAP,C;QACU,uBAAI,OAAJ,GAAI,OAAJ,gC;QAAA,mB;UAAgC,O
AAO,I;;QAA7C,MAAM,M;QACN,mB;;IAER,C;;MAGI,+BAAI,OAAQ,IAAZ,GAAoB,oBAApB,C;IAAA,C;;MAU
wB,Q;MAPxB,UAAU,O;MACV,OAAO,IAAP,C;QACI,IAAI,CAAC,gBAAS,GAAI,UAAb,CAAL,C;UAA4B,OA
AO,K;QACnC,WAAW,GAAI,O;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;;UAEN,OAAO,gBAAS,0EAAT,C;;IAGnB,C;;MAGI,gBAAS,KAAT,,KAAkB,yCAA4B,SAAN,KAAM,EAAgB,IAAhB,EAAsB,eAAtB,EAAyC,IAAzC,EAAgD,eAAhD,EAAmE,IAAnE,EAAyE,CA
A9E,C;IAAA,C;;MAE2B,OAAK,SAAL,EAAgB,WAAK,GAAA,0B,CAAA,IAAL,EAAW,CAAA,IAAX,EAAiB,SAAjB,EAAwB,IAAxB,EAA8B,MAAIvB,
GnIqIoC,YAAU,CmIrIlD,GAAmB,OAAQ,WAA3B,GAA6C,GAAF,UAAQ,O;IACvD,C;;MAFA,aAAM,kBAAK,
EAAL,EAAS,+BAAT,CAAN,GAAE,I;IAFJ,C;;MAQW,6B;QAAyB,Q;QAAT,IAAS,iBAAT,sBAAS,EAAT,8BAAS,UA
AoB,O;QAAQ,W;MAA5C,C;IAAA,C;;MAGO,Q;MANlB,QAAQ,a;MACR,eAAe,gBAA+B,B,CAA/B,O;MACf,gBA
AY,CAAZ,C;MACA,kBAAK,kBAAL,EAAW,oDAAX,C;MnJZJ,IAAI,EmJaM,YAAS,CnJbf,CAAJ,C;QACI,cAd
W,e;QAeX,MAAM,6BAAsB,OAAQ,WA9B,C;;MmJaN,OAAO,+BAAW,qDAAX,C;IACX,C;;MAGI,kD;MADq
B,wB;IAAD,C;;MACpB,oD;MACI,4B;IADJ,C;;;;MAAA,2D;QAAA,0C;;MAAA,oD;IAAA,C;;MAI0C,gBAAT,a;
MhKslUrB,Q;MADhB,kBgKrlUmD,mC;MhKslUnD,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cA
AwB,W0B3sUlD,c1B2sU+D,O0B3sU/D,C;;MsIqHyC,OhKulU9B,W;IgKvlU8B,C;;;;MC9ErC,MAAM,wBAAoB,s
EAApB,C;IAAN,C;8GA3BJ,yB;MAAA,2D;MAAA,sC;QA2BI,MAAM,6BAAsB,OAAQ,WAAR,C;MAAN,C;KA3BJ,C;
;MAwC4C,4D;IAAA,C;;MAE5C,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,6C;MAAA,C;MAK0C,oG;MAAqB,g
F;MAAW,4E;IAL1E,C;;;MAK0C,gC;MAAA,uD;IAAA,C;;;MAAqB,gC;MAAA,6C;IAAA,C;;;MAAW,gC;MAAA
,2C;IAAA,C;;;MAL1E,sJ;IAAA,C;;;MAAA,a;aAAA,qB;UAAA,4D;aAAA,W;UAAA,kD;aAAA,S;UAAA,gD;gBA
AA,qF;;IAAA,C;;6EAChDA,yB;MAAA,0B;MAAA,mC;QAAGsD,OAAiC,OAA3B,SAAL,EAAgB,GAAhB,uB,EAAuB,KAAvB,EAA6B,OAA7B,EAAqC,IAArC,EAA2C,IAA3C,EAAiD,IAAjD,EAAuD,IAAvD,EAA6D,IAA7D,EAAmE,IAAnE,EAAyE,IAAzE,EAA+E,IAA/E,EAAqF,IAArF,EAA2F,IAA3F,EAAiG,IAAjG,EAAuG,IAAvG,EAA6G,IAA7G,EAAmH,IAAnH,EAAyH,IAAzH,EAA+H,IAA/H,EAAqI,IAArI,EAA2I,IAA3I,EAAiJ,IAAjJ,EAAuJ,IAAvJ,EAA6J,IAA7J,EAAmK,IAAnK,EAAyK,IAAzK,EAA+K,IAA/K,EAAqL,IAArL,EAA2L,IAA3L,EAAiM,IAAjM,EAAuM,IAAvM,EAA6M,IAA7M,EAAmN,IAAnN,EAAyN,IAAzN,EAA+N,IAA/N,EAAqO,IAArO,EAA2O,IAA3O,EAAiP,IAAjP,EAAuP,IAAvP,EAA6P,IAA7P,EAAmQ,IAAnQ,EAAyQ,IAAzQ,EAA+Q,IAA/Q,EAAqR,IAArR,EAA2R,IAA3R,EAAiS,IAAjS,EAAuS,IAAvS,EAA6S,IAA7S,EAAmT,IAAnT,EAAyT,IAAzT,EAA+T,IAA/T,EAAqU,IAArU,EAA2U,IAA3U,EAAiV,IAAjV,EAAuV,IAAvV,EAA6V,IAA7V,EAAmW,IAAnW,EAAyW,IAAzW,EAA+W,IAA/W,EAAqX,IAArX,EAA2X,IAA3X,EAAiY,IAAjY,EAAuY,IAAvY,EAA6Y,IAA7Y,EAAmZ,IAAnZ,EAAyZ,IAAzZ,EAA+Z,IAA/Z,EAAqa,IAAra,EAA2a,IAA3a,EAAib,IAAjb,EAAub,IAAvb,EAA6b,IAA7b,EAAmc,IAAnc,EAAyc,IAAzc,EAA+c,IAA/c,EAAqd,IAArd,EAA2d,IAA3d,EAAie,IAAje,EAAue,IAAve,EAA6e,IAA7e,EAAmf,IAAnf,EAAyf,IAAzf,EAA+f,IAA/f,EAAqgB,IAArgB,EAA2gB,IAA3gB,EAAihB,IAAjhB,EAAuhB,IAAvhB,EAA6hB,IAA7hB,EAAmiB,IAAniB,EAAyiB,IAAziB,EAA+iB,IAA/iB,EAAqjB,IAArjB,EAA2jB,IAA3jB,EAAikB,IAAjkB,EAAukB,IAAvkB,EAA6kB,IAA7kB,EAAmlB,IAAnlB,EAAylB,IAAzlB,EAA+lB,IAA/lB,EAAqmB,IAArmB,EAA2mB,IAA3mB,EAAinB,IAAjnB,EAAunB,IAAvnB,EAA6nB,IAA7nB,EAAmoB,IAAnoB,EAAyoB,IAAzoB,EAA+oB,IAA/oB,EAAqpB,IAArpB,EAA2pB,IAA3pB,EAAiqB,IAAjqB,EAAuqB,IAAvqB,EAA6qB,IAA7qB,EAAmrB,IAAnrB,EAAyrB,IAAzrB,EAA+rB,IAA/rB,EAAqsB,IAArsB,EAA2sB,IAA3sB,EAAitB,IAAjtB,EAAutB,IAAvtB,EAA6tB,IAA7tB,EAAmuB,IAAnuB,EAAyuB,IAAzuB,EAA+uB,IAA/uB,EAAqvB,IAArvB,EAA2vB,IAA3vB,EAAiwB,IAAjwB,EAAuwB,IAAvwB,EAA6wB,IAA7wB,EAAmxB,IAAnxB,EAAyxB,IAAzxB,EAA+xB,IAA/xB,EAAqyB,IAAryB,EAA2yB,IAA3yB,EAAizB,IAAjzB,EAAuzB,IAAvzB,EAA6zB,IAA7zB,EAAm0B,IAAn0B,EAAy0B,IAAz0B,EAA+0B,IAA/0B,EAAq1B,IAAr1B,EAA21B,IAA31B,EAAi2B,IAAj2B,EAAu2B,IAAv2B,EAA62B,IAA72B,EAAm3B,IAAn3B,EAAy3B,IAAz3B,EAA+3B,IAA/3B,EAAq4B,IAAr4B,EAA24B,IAA34B,EAAi5B,IAAj5B,EAAu5B,IAAv5B,EAA65B,IAA75B,EAAm6B,IAAn6B,EAAy6B,IAAz6B,EAA+6B,IAA/6B,EAAq7B,IAAr7B,EAA27B,IAA37B,EAAi8B,IAAj8B,EAAu8B,IAAv8B,EAA68B,IAA78B,EAAm9B,IAAn9B,EAAy9B,IAAz9B,EAA+9B,IAA/9B,EAAq+B,IAAr+B,EAA2+B,IAA3+B,EAAi/B,IAAj/B,EAAu/B,IAAv/B,EAA6/B,IAA7/B,EAAmgC,IAAngC,EAAygC,IAAzgC,EAA+gC,IAA/gC,EAAqhC,IAArhC,EAA2hC,IAA3hC,EAAiiC,IAAjiC,EAAuiC,IAAviC,EAA6iC,IAA7iC,EAAmjC,IAAnjC,EAAyjC,IAAzjC,EAA+jC,IAA/jC,EAAqkC,IAArkC,EAA2kC,IAA3kC,EAAilC,IAAjlC,EAAulC,IAAvlC,EAA6lC,IAA7lC,EAAmmC,IAAnmC,EAAymC,IAAzmC,EAA+mC,IAA/mC,EAAqnC,IAArnC,EAA2nC,IAA3nC,EAAioC,IAAjoC,EAAuoC,IAAvoC,EAA6oC,IAA7oC,EAAmpC,IAAnpC,EAAypC,IAAzpC,EAA+pC,IAA/pC,EAAqqC,IAArqC,EAA2qC,IAA3qC,EAAirC,IAAjrC,EAAurC,IAAvrC,EAA6rC,IAA7rC,EAAmsC,IAAnsC,EAAysC,IAAzsC,EAA+sC,IAA/sC,EAAqtC,IAArtC,EAA2tC,IAA3tC,EAAiuC,IAAjuC,EAAuuC,IAAvuC,EAA6uC,IAA7uC,EAAmvC,IAAnvC,EAAyvC,IAAzvC,EAA+vC,IAA/vC,EAAqwC,IAArwC,EAA2wC,IAA3wC,EAAixC,IAAjxC,EAAuxC,IAAvxC,EAA6xC,IAA7xC,EAAmyC,IAAnyC,EAAyyC,IAAzyC,EAA+yC,IAA/yC,EAAqzC,IAArzC,EAA2zC,IAA3zC,EAAi0C,IAAj0C,EAAu0C,IAAv0C,EAA60C,IAA70C,EAAm1C,IAAn1C,EAAy1C,IAAz1C,EAA+1C,IAA/1C,EAAq2C,IAAr2C,EAA22C,IAA32C,EAAi3C,IAAj3C,EAAu3C,IAAv3C,EAA63C,IAA73C,EAAm4C,IAAn4C,EAAy4C,IAAz4C,EAA+4C,IAA/4C,EAAq5C,IAAr5C,EAA25C,IAA35C,EAAi6C,IAAj6C,EAAu6C,IAAv6C,EAA66C,IAA76C,EAAm7C,IAAn7C,EAAy7C,IAAz7C,EAA+7C,IAA/7C,EAAq8C,IAAr8C,EAA28C,IAA38C,EAAi9C,IAAj9C,EAAu9C,IAAv9C,EAA69C,IAA79C,EAAm+C,IAAn+C,EAAy+C,IAAz+C,EAA++C,IAA/+C,EAAq/C,IAAr/C,EAA2/C,IAA3/C,EAAigD,IAAjgD,EAAugD,IAAvgD,EAA6gD,IAA7gD,EAAmhD,IAAnhD,EAAyhD,IAAzhD,EAA+hD,IAA/hD,EAAqiD,IAAriD,EAA2iD,IAA3iD,EAAijD,IAAjjD,EAAujD,IAAvjD,EAA6jD,IAA7jD,EAAmkD,IAAnkD,EAAykD,IAAzkD,EAA+kD,IAA/kD,EAAqlD,IAArlD,EAA2lD,IAA3lD,EAAimD,IAAjmD,EAAumD,IAAvmD,EAA6mD,IAA7mD,EAAmnD,IAAnnD,EAAynD,IAAznD,EAA+nD,IAA/nD,EAAqoD,IAAroD,EAA2oD,IAA3oD,EAAipD,IAAjpD,EAAupD,IAAvpD,EAA6pD,IAA7pD,EAAmqD,IAAnqD,EAAyqD,IAAzqD,EAA+qD,IAA/qD,EAAqrD,IAArrD,EAA2rD,IAA3rD,EAAisD,IAAjsD,EAAusD,IAAvsD,EAA6sD,IAA7sD,EAAmtD,IAAntD,EAAytD,IAAztD,EAA+tD,IAA/tD,EAAquD,IAAruD,EAA2uD,IAA3uD,EAAivD,IAAjvD,EAAuvD,IAAvvD,EAA6vD,IAA7vD,EAAmwD,IAAnwD,EAAywD,IAAzwD,EAA+wD,IAA/wD,EAAqxD,IAArxD,EAA2xD,IAA3xD,EAAiyD,IAAjyD,EAAuyD,IAAvyD,EAA6yD,IAA7yD,EAAmzD,IAAnzD,EAAyzD,IAAzzD,EAA+zD,IAA/zD,EAAq0D,IAAr0D,EAA20D,IAA30D,EAAi1D,IAAj1D,EAAu1D,IAAv1D,EAA61D,IAA71D,EAAm2D,IAAn2D,EAAy2D,IAAz2D,EAA+2D,IAA/2D,EAAq3D,IAAr3D,EAA23D,IAA33D,EAAi4D,IAAj4D,EAAu4D,IAAv4D,EAA64D,IAA74D,EAAm5D,IAAn5D,EAAy5D,IAAz5D,EAA+5D,IAA/5D,EAAq6D,IAAr6D,EAA26D,IAA36D,EAAi7D,IAAj7D,EAAu7D,IAAv7D,EAA67D,IAA77D,EAAm8D,IAAn8D,EAAy8D,IAAz8D,EAA+8D,IAA/8D,EAAq9D,IAAr9D,EAA29D,IAA39D,EAAi+D,IAAj+D,EAAu+D,IAAv+D,EAA6+D,IAA7+D,EAAm/D,IAAn/D,EAAy/D,IAAz/D,EAA+/D,IAA/gE,EAAqhE,IAArhE,EAA2hE,IAA3hE,EAAiiE,IAAjiE,EAAuiE,IAAviE,EAA6iE,IAA7iE,EAAmjE,IAAnjE,EAAyjE,IAAzjE,EAA+jE,IAA/jE,EAAqkE,IAArkE,EAA2kE,IAA3kE,EAAilE,IAAjlE,EAAulE,IAAvlE,EAA6lE,IAA7lE,EAAmmE,IAAnmE,EAAymE,IAAzmE,EAA+mE,IAA/mE,EAAqnE,IAArnE,EAA2nE,IAA3nE,EAAioE,IAAjoE,EAAuoE,IAAvoE,EAA6oE,IAA7oE,EAAmpE,IAAnpE,EAAypE,IAAzpE,EAA+pE,IAA/pE,EAAqqE,IAArqE,EAA2qE,IAA3qE,EAAirE,IAAjrE,EAAurE,IAAvrE,EAA6rE,IAA7rE,EAAmsE,IAAnsE,EAAysE,IAAzsE,EAA+sE,IAA/sE,EAAqtE,IAArtE,EAA2tE,IAA3tE,EAAiuE,IAAjuE,EAAuuE,IAAvuE,EAA6uE,IAA7uE,EAAmvE,IAAnvE,EAAyvE,IAAzvE,EAA+vE,IAA/vE,EAAqwE,IAArwE,EAA2wE,IAA3wE,EAAixE,IAAjxE,EAAuxE,IAAvxE,EAA6xE,IAA7xE,EAAmyE,IAAnyE,EAAyyE,IAAzyE,EAA+yE,IAA/yE,EAAqzE,IAArzE,EAA2zE,IAA3zE,EAAi0E,IAAj0E,EAAu0E,IAAv0E,EAA60E,IAA70E,EAAm1E,IAAn1E,EAAy1E,IAAz1E,EAA+1E,IAA/1E,EAAq2E,IAAr2E,EAA22E,IAA32E,EAAi3E,IAAj3E,EAAu3E,IAAv3E,EAA63E,IAA73E,EAAm4E,IAAn4E,EAAy4E,IAAz4E,EAA+4E,IAA/4E,EAAq5E,IAAr5E,EAA25E,IAA35E,EAAi6E,IAAj6E,EAAu6E,IAAv6E,EAA66E,IAA76E,EAAm7E,IAAn7E,EAAy7E,IAAz7E,EAA+7E,IAA/7E,EAAq8E,IAAr8E,EAA28E,IAA38E,EAAi9E,IAAj9E,EAAu9E,IAAv9E,EAA69E,IAA79E,EAAm+E,IAAn+E,EAAy+E,IAAz+E,EAA++E,IAA/+E,EAAq/E,IAAr/E,EAA2/E,IAA3/E,EAAigF,IAAjgF,EAAugF,IAAvgF,EAA6gF,IAA7gF,EAAmhF,IAAnhF,EAAyhF,IAAzhF,EAA+hF,IAA/hF,EAAqiF,IAAriF,EAA2iF,IAA3iF,EAAijF,IAAjjF,EAAujF,IAAvjF,EAA6jF,IAA7jF,EAAmkF,IAAnkF,EAAykF,IAAzkF,EAA+kF,IAA/kF,EAAqlF,IAArlF,EAA2lF,IAA3lF,EAAimF,IAAjmF,EAAumF,IAAvmF,EAA6mF,IAA7mF,EAAmnF,IAAnnF,EAAynF,IAAznF,EAA+nF,IAA/nF,EAAqoF,IAAroF,EAA2oF,IAA3oF,EAAipF,IAAjpF,EAAupF,IAAvpF,EAA6pF,IAA7pF,EAAmqF,IAAnqF,EAAyqF,IAAzqF,EAA+qF,IAA/qF,EAAqrF,IAArrF,EAA2rF,IAA3rF,EAAisF,IAAjsF,EAAusF,IAAvsF,EAA6sF,IAA7sF,EAAmtF,IAAntF,EAAytF,IAAztF,EAA+tF,IAA/tF,EAAquF,IAAruF,EAA2uF,IAA3uF,EAAivF,IAAjvF,EAAuvF,IAAvvF,EAA6vF,IAA7vF,EAAmwF,IAAnwF,EAAywF,IAAzwF,EAA+wF,IAA/wF,EAAqxF,IAArxF,EAA2xF,IAA3xF,EAAiyF,IAAjyF,EAAuyF,IAAvyF,EAA6yF,IAA7yF,EAAmzF,IAAnzF,EAAyzF,IAAzzF,EAA+zF,IAA/zF,EAAq0F,IAAr0F,EAA20F,IAA30F,EAAi1F,IAAj1F,EAAu1F,IAAv1F,EAA61F,IAA71F,EAAm2F,IAAn2F,EAAy2F,IAAz2F,EAA+2F,IAA/2F,EAAq3F,IAAr3F,EAA23F,IAA33F,EAAi4F,IAAj4F,EAAu4F,IAAv4F,EAA64F,IAA74F,EAAm5F,IAAn5F,EAAy5F,IAAz5F,EAA+5F,IAA/5F,EAAq6F,IAAr6F,EAA26F,IAA36F,EAAi7F,IAAj7F,EAAu7F,IAAv7F,EAA67F,IAA77F,EAAm8F,IAAn8F,EAAy8F,IAAz8F,EAA+8F,IAA/8F,EAAq9F,IAAr9F,EAA29F,IAA39F,EAAi+F,IAAj+F,EAAu+F,IAAv+F,EAA6+F,IAA7+F,EAAm/F,IAAn/F,EAAy/F,IAAz/F,EAA+/F,IAA/gG,EAAqhG,IAArhG,EAA2hG,IAA3hG,EAAiiG,IAAjiG,EAAuiG,IAAviG,EAA6iG,IAA7iG,EAAmjG,IAAnjG,EAAyjG,IAAzjG,EAA+jG,IAA/jG,EAAqkG,IAArkG,EAA2kG,IAA3kG,EAAilG,IAAjlG,EAAulG,IAAvlG,EAA6lG,IAA7lG,EAAmmG,IAAnmG,EAAymG,IAAzmG,EAA+mG,IAA/mG,EAAqnG,IAArnG,EAA2nG,IAA3nG,EAAioG,IAAjoG,EAAuoG,IAAvoG,EAA6oG,IAA7oG,EAAmpG,IAAnpG,EAAypG,IAAzpG,EAA+pG,IAA/pG,EAAqqG,IAArqG,EAA2qG,IAA3qG,EAAirG,IAAjrG,EAAurG,IAAvrG,EAA6rG,IAA7rG,EAAmsG,IAAnsG,EAAysG,IAAzsG,EAA+sG,IAA/sG,EAAqtG,IAArtG,EAA2tG,IAA3tG,EAAiuG,IAAjuG,EAAuuG,IAAvuG,EAA6uG,IAA7uG,EAAmvG,IAAnvG,EAAyvG,IAAzvG,EAA+vG,IAA/vG,EAAqwG,IAArwG,EAA2wG,IAA3wG,EAAixG,IAAjxG,EAAuxG,IAAvxG,EAA6xG,IAA7xG,EAAmyG,IAAnyG,EAAyyG,IAAzyG,EAA+yG,IAA/yG,EAAqzG,IAArzG,EAA2zG,IAA3zG,EAAi0G,IAAj0G,EAAu0G,IAAv0G,EAA60G,IAA70G,EAAm1G,IAAn1G,EAAy1G,IAAz1G,EAA+1G,IAA/1G,EAAq2G,IAAr2G,EAA22G,IAA32G,EAAi3G,IAAj3G,EAAu3G,IAAv3G,EAA63G,IAA73G,EAAm4G,IAAn4G,EAAy4G,IAAz4G,EAA+4G,IAA/4G,EAAq5G,IAAr5G,EAA25G,IAA35G,EAAi6G,IAAj6G,EAAu6G,IAAv6G,EAA66G,IAA76G,EAAm7G,IAAn7G,EAAy7G,IAAz7G,EAA+7G,IAA/7G,EAAq8G,IAAr8G,EAA28G,IAA38G,EAAi9G,IAAj9G,EAAu9G,IAAv9G,EAA69G,IAA79G,EAAm+G,IAAn+G,EAAy+G,IAAz+G,EAA++G,IAA/+G,EAAq/G,IAAr/G,EAA2/G,IAA3/G,EAAigH,IAAjgH,EAAugH,IAAvgH,EAA6gH,IAA7gH,EAAmhH,IAAnhH,EAAyhH,IAAzhH,EAA+hH,IAA/hH,EAAqiH,IAAriH,EAA2iH,IAA3iH,EAAijH,IAAjjH,EAAujH,IAAvjH,EAA6jH,IAA7jH,EAAmkH,IAAnkH,EAAykH,IAAzkH,EAA+kH,IAA/kH,EAAqlH,IAArlH,EAA2lH,IAA3lH,EAAimH,IAAjmH,EAAumH,IAAvmH,EAA6mH,IAA7mH,EAAmnH,IAAnnH,EAAynH,IAAznH,EAA+nH,IAA/nH,EAAqoH,IAAroH,EAA2oH,IAA3oH,EAAipH,IAAjpH,EAAupH,IAAvpH,EAA6pH,IAA7pH,EAAmqH,IAAnqH,EAAyqH,IAAzqH,EAA+qH,IAA/qH,EAAqrH,IAArrH,EAA2rH,IAA3rH,EAAisH,IAAjsH,EAAusH,IAAvsH,EAA6sH,IAA7sH,EAAmtH,IAAntH,EAAytH,IAAztH,EAA+tH,IAA/tH,EAAquH,IAAruH,EAA2uH,IAA3uH,EAAivH,IAAjvH,EAAuvH,IAAvvH,EAA6vH,IAA7vH,EAAmwH,IAAnwH,EAAywH,IAAzwH,EAA+wH,IAA/wH,EAAqxH,IAArxH,EAA2xH,IAA3xH,EAAiyH,IAAjyH,EAAuyH,IAAvyH,EAA6yH,IAA7yH,EAAmzH,IAAnzH,EAAyzH,IAAzzH,EAA+zH,IAA/zH,EAAq0H,IAAr0H,EAA20H,IAA30H,EAAi1H,IAAj1H,EAAu1H,IAAv1H,EAA61H,IAA71H,EAAm2H,IAAn2H,EAAy2H,IAAz2H,EAA+2H,IAA/2H,EAAq3H,IAAr3H,EAA23H,IAA33H,EAAi4H,IAAj4H,EAAu4H,IAAv4H,EAA64H,IAA74H,EAAm5H,IAAn5H,EAAy5H,IAAz5H,EAA+5H,IAA/5H,EAAq6H,IAAr6H,EAA26H,IAA36H,EAAi7H,IAAj7H,EAAu7H,IAAv7H,EAA67H,IAA77H,EAAm8H,IAAn8H,EAAy8H,IAAz8H,EAA+8H,IAA/8H,EAAq9H,IAAr9H,EAA29H,IAA39H,EAAi+H,IAAj+H,EAAu+H,IAAv+H,EAA6+H,IAA7+H,EAAm/H,IAAn/H,EAAy/H,IAAz/H,EAA+/H,IAA/gI,EAAqhI,IAArhI,EAA2hI,IAA3hI,EAAiiI,IAAjiI,EAAuiI,IAAviI,EAA6iI,IAA7iI,EAAmjI,IAAnjI,EAAyjI,IAAzjI,EAA+jI,IAA/jI,EAAqkI,IAArkI,EAA2kI,IAA3kI,EAAilI,IAAjlI,EAAulI,IAAvlI,EAA6lI,IAA7lI,EAAmmI,IAAnmI,EAAymI,IAAzmI,EAA+mI,IAA/mI,EAAqnI,IAArnI,EAA2nI,IAA3nI,EAAioI,IAAjoI,EAAuoI,IAAvoI,EAA6oI,IAA7oI,EAAmpI,IAAnpI,EAAypI,IAAzpI,EAA+pI,IAA/pI,EAAqqI,IAArqI,EAA2qI,IAA3qI,EAAirI,IAAjrI,EAAurI,IAAvrI,EAA6rI,IAA7rI,EAAmsI,IAAnsI,EAAysI,IAAzsI,EAA+sI,IAA/sI,EAAqtI,IAArtI,EAA2tI,IAA3tI,EAAiuI,IAAjuI,EAAuuI,IAAvuI,EAA6uI,IAA7uI,EAAmvI,IAAnvI,EAAyvI,IAAzvI,EAA+vI,IAA/vI,EAAqwI,IAArwI,EAA2wI,IAA3wI,EAAixI,IAAjxI,EAAuxI,IAAvxI,EAA6xI,IAA7xI,EAAmyI,IAAnyI,EAAyyI,IAAzyI,EAA+yI,IAA/yI,EAAqzI,IAArzI,EAA2zI,IAA3zI,EAAi0I,IAAj0I,EAAu0I,IAAv0I,EAA60I,IAA70I,EAAm1I,IAAn1I,EAAy1I,IAAz1I,EAA+1I,IAA/1I,EAAq2I,IAAr2I,EAA22I,IAA32I,EAAi3I,IAAj3I,EAAu3I,IAAv3I,EAA63I,IAA73I,EAAm4I,IAAn4I,EAAy4I,IAAz4I,EAA+4I,IAA/4I,EAAq5I,IAAr5I,EAA25I,IAA35I,EAAi6I,IAAj6I,EAAu6I,IAAv6I,EAA66I,IAA76I,EAAm7I,IAAn7I,EAAy7I,IAAz7I,EAA+7I,IAA/7I,EAAq8I,IAAr8I,EAA28I,IAA38I,EAAi9I,IAAj9I,EAAu9I,IAAv9I,EAA69I,IAA79I,EAAm+I,IAAn+I,EAAy+I,IAAz+I,EAA++I,IAA/+I,EAAq/I,IAAr/I,EAA2/I,IAA3/I,EAAigJ,IAAjgJ,EAAugJ,IAAvgJ,EAA6gJ,IAA7gJ,EAAmhJ,IAAnhJ,EAAyhJ,IAAzhJ,EAA+hJ,IAA/hJ,EAAqiJ,IAAriJ,EAA2iJ,IAA3iJ,EAAijJ,IAAjjJ,EAAujJ,IAAvjJ,EAA6jJ,IAA7jJ,EAAmkJ,IAAnkJ,EAAykJ,IAAzkJ,EAA+kJ,IAA/kJ,EAAqlJ,IAArlJ,EAA2lJ,IAA3lJ,EAAimJ,IAAjmJ,EAAumJ,IAAvmJ,EAA6mJ,IAA7mJ,EAAmnJ,IAAnnJ,EAAynJ,IAAznJ,EAA+nJ,IAA/nJ,EAAqoJ,IAAroJ,EAA2oJ,IAA3oJ,EAAipJ,IAAjpJ,EAAupJ,IAAvpJ,EAA6pJ,IAA7pJ,EAAmqJ,IAAnqJ,EAAyqJ,IAAzqJ,EAA+qJ,IAA/qJ,EAAqrJ,IAArrJ,EAA2rJ,IAA3rJ,EAAisJ,IAAjsJ,EAAusJ,IAAvsJ,EAA6sJ,IAA7sJ,EAAmtJ,IAAntJ,EAAytJ,IAAztJ,EAA+tJ,IAA/tJ,EAAquJ,IAAruJ,EAA2uJ,IAA3uJ,EAAivJ,IAAjvJ,EAAuvJ,IAAvvJ,EAA6vJ,IAA7vJ,EAAmwJ,IAAnwJ,EAAywJ,IAAzwJ,EAA+wJ,IAA/wJ,EAAqxJ,IAArxJ,EAA2xJ,IAA3xJ,EAAiyJ,IAAjyJ,EAAuyJ,IAAvyJ,EAA6yJ,IAA7yJ,EAAmzJ,IAAnzJ,EAAyzJ,IAAzzJ,EAA+zJ,IAA/zJ,EAAq0J,IAAr0J,EAA20J,IAA30J,EAAi1J,IAAj1J,EAAu1J,IAAv1J,EAA61J,IAA71J,EAAm2J,IAAn2J,EAAy2J,IAAz2J,EAA+2J,IAA/2J,EAAq3J,IAAr3J,EAA23J,IAA33J,EAAi4J,IAAj4J,EAAu4J,IAAv4J,EAA64J,IAA74J,EAAm5J,IAAn5J,EAAy5J,IAAz5J,EAA+5J,IAA/5J,EAAq6J,IAAr6J,EAA26J,IAA36J,EAAi7J,IAAj7J,EAAu7J,IAAv7J,EAA67J,IAA77J,EAAm8J,IAAn8J,EAAy8J,IAAz8J,EAA+8J,IAA/8J,EAAq9J,IAAr9J,EAA29J,IAA39J,EAAi+J,IAAj+J,EAAu+J,IAAv+J,EAA6+J,IAA7+J,EAAm/J,IAAn/J,EAAy/J,IAAz/J,EAA+/J,IAA/gK,EAAqhK,IAArhK,EAA2hK,IAA3hK,EAAiiK,IAAjiK,EAAuiK,IAAviK,EAA6iK,IAA7iK,EAAmjK,IAAnjK,EAAyjK,IAAzjK,EAA+jK,IAA/jK,EAAqkK,IAArkK,EAA2kK,IAA3kK,EAAilK,IAAjlK,EAAulK,IAAvlK,EAA6lK,IAA7lK,EAAmmK,IAAnmK,EAAymK,IAAzmK,EAA+mK,IAA/mK,EAAqnK,IAArnK,EAA2nK,IAA3nK,EAAioK,IAAjoK,EAAuoK,IAAvoK,EAA6oK,IAA7oK,EAAmpK,IAAnpK,EAAypK,IAAzpK,EAA+pK,IAA/pK,EAAqqK,IAArqK,EAA2qK,IAA3qK,EAAirK,IAAjrK,EAAurK,IAAvrK,EAA6rK,IAA7rK,EAAmsK,IAAnsK,EAAysK,IAAzsK,EAA+sK,IAA/sK,EAAqtK,IAArtK,EAA2tK,IAA3tK,EAAiuK,IAAjuK,EAAuuK,IAAvuK,EAA6uK,IAA7uK,EAAmvK,IAAnvK,EAAyvK,IAAzvK,EAA+vK,IAA/vK,EAAqwK,IAArwK,EAA2wK,IAA3wK,EAAixK,IAAjxK,EAAuxK,IAAvxK,EAA6xK,IAA7xK,EAAmyK,IAAnyK,EAAyyK,IAAzyK,EAA+yK,IAA/yK,EAAqzK,IAArzK,EAA2zK,IAA3zK,EAAi0K,IAAj0K,EAAu0K,IAAv0K,EAA60K,IAA70K,EAAm1K,IAAn1K,EAAy1K,IAAz1K,EAA+1K,IAA/1K,EAAq2K,IAAr2K,EAA22K,IAA32K,EAAi3K,IAAj3K,EAAu3K,IAAv3K,EAA63K,IAA73K,EAAm4K,IAAn4K,EAAy4K,IAAz4K,EAA+4K,IAA/4K,EAAq5K,IAAr5K,EAA25K,IAA35K,EAAi6K,IAAj6K,EAAu6K,IAAv6K,EAA66K,IAA76K,EAAm7K,IAAn7K,EAAy7K,IAAz7K,EAA+7K,IAA/7K,EAAq8K,IAAr8K,EAA28K,IAA38K,EAAi9K,IAAj9K,EAAu9K,IAAv9K,EAA69K,IAA79K,EAAm+K,IAAn+K,EAAy+K,IAAz+K,EAA++K,IAA/+K,EAAq/K,IAAr/K,EAA2/K,IAA3/K,EAAigL,IAAjgL,EAAugL,IAAvgL,EAA6gL,IAA7gL,EAAmhL,IAAnhL,EAAyhL,IAAzhL,EAA+hL,IAA/hL,EAAqiL,IAAriL,EAA2iL,IAA3iL,EAAijL,IAAjjL,EAAujL,IAAvjL,EAA6jL,IAA7jL,EAAmkL,IAAnkL,EAAykL,IAAzkL,EAA+kL,IAA/kL,EAAqlL,IAArlL,EAA2lL,IAA3lL,EAAimL,IAAjmL,EAAumL,IAAvmL,EAA6mL,IAA7mL,EAAmnL,IAAnnL,EAAynL,IAAznL,EAA+nL,IAA/nL,EAAqoL,IAAroL,EAA2oL,IAA3oL,EAAipL,IAAjpL,EAAupL,I

C;;;MCjGA,yB;IAAA,C;;MAWiE,uB;IAAA,C;2HAE7D,yB;MAAA,+D;MAAA,kC;MAAA,0F;MAAA,6F;;QAUI,wC;QAAS,6C;MAVb,C;MAAA,2G;QAWqF,sBAAS,QAAT,EAAmB,QAAnB,EAA6B,QAA7B,C;MAAA,C;MAXrF,oG;MAAA,yC;QAUI,wDAA+B,YAA/B,C;MAAA,C;KAVJ,C;uHAcA,yB;MAAA,+D;MAAA,kC;MAAA,wF;MAAA,yF;;QAcI,wC;QAAS,6C;MAdb,C;MAAA,0G;QAAe+F,6BAAS,QAAT,EAAmB,QAAnB,EAA6B,QAA7B,C;MAAA,C;MAAf/F,kG;MAAA,yC;QAcI,sDAA+B,YAA/B,C;MAAA,C;KAdJ,C;;;;MA3BJ,gC;QAAA,e;;MAAA,yB;IAAA,C;;MAiDI,eAAwB,I;IADK,C;;MAIlB,Q;MAAA,mB;MAAA,iB;QAAS,MAAM,6BAAsB,cAAY,QAAS,aAArB,uCAAtB,B,C;;MAAtB,OAAO,I;IACX,C;;MAGI,eAAa,K;IACjB,C;;;;;;;;;MCpDA,uBAAoB,Y;IADmB,C;;MASsD,W;IAAA,C;;IAML,C;;MAGpF,OAAO,oB;IACX,C;;MAGI,eAAe,IAAK,gB;MACpB,IAAI,CAAC,0BAAa,QAAb,EAAuB,QAAvB,EAAiC,QAAjC,C;QAAA,M;;MAAJ,QAAI,C;QAAA,M;;MAAJ,QAAI,C;QAAA,M;;MAAJ,QAAI

A,oBAAc,mBAAU,IAAV,C;IAAd,C;;MACqC,OAAA,oBAAc,mBAAU,KAAV,EAAiB,SAAjB,EAA4B,OAA5B,C;IAAd,C;;;;MA9BxF,qC;QAAA,oB;;MAAA,8B;IAAA,C;;MAsCA,gC;MAC0B,iB;IAD1B,C;;MAEgD,OAAA,4BAAQ,kBAAS,QAAT,C;IAAR,C;;;;MAFhD,uC;QAAA,sB;;MAAA,gC;IAAA,C;;;MAiBmC,yBAAa,IAAb,EAAmB,IAAK,IAAL,EAA5B,EAA5B,C;IAAA,C;;MAaC,yBAAa,IAAK,QAAlB,EAA4B,EAA5B,IAAK,IAAL,EAAA,EAAA,CAAA,QAAA,xC,C;IAAA,C;;MAcpC,IAAA,KAAM,UAAN,C;QAAA,mB,MAAA,gCAAA,yB,uCAAA,K,KA7D,C;WAAzB,C;IAAA,C;;MAcA

AK,KAAL,EAAY,KAAZ,EAAmB,CAAnB,EAAsB,CAAtB,EAA+B,CAAN,KAAzB,EAAuC,SAAU,EAAX,GAA
oB,UAAW,CAArE,C;MADR,Y;IAAA,C;;;;MCL2C,qCAAiB,UAAjB,EAAwB,KAAxB,KAAkC,8BAAiB,KAAjB,
EAAwB,iBAAxB,C;IAAlC,C;;MACT,QAAC,8BAAiB,UAAjB,EAAwB,iBAAxB,C;IAAD,C;;;MAYlC,4B;MACA
,0C;IAFiD,C;;MACjD,2B;IAAA,C;;MACA,kC;IAAA,C;;MAII,OAAO,0CAAgC,kBAAa,KAAM,UAAnB,KAC/B,
mBAAS,KAAM,MAAf,KAAwB,0BAAgB,KAAM,aAAtB,CADO,CAAhC,C;IAEX,C;;MAGI,OAAW,cAAJ,GAAA,
e,EAAf,GAAuB,MAAW,SAAN,UAAM,CAAX,QAAqC,SAAb,iBAAa,CAAA,rC,I;IAClC,C;;MAEkC,OAAE,UAAF
,qBAAU,iB;IAAV,C;;;MAYlC,gBAAqB,K;MACrB,uBAA4B,Y;IALD,C;;MAMQ,oB;IAAA,C;;MACO,2B;IAAA,
C;;MAEqB,YAAK,C;IAAL,C;;MAEf,gBAAS,aAAT,IAAmB,SAAS,oB;IA5B,C;;MACd,SAAE,iBAAU,oBAAZ,
C;IAAA,C;;MAG9B,OAAO,4CAA+B,kBAAa,KAAM,UAAnB,KAC9B,kBAAU,KAAM,SAAhB,HB,yBAAiB
,KAAM,gBADnB,CAA/B,C;IAEX,C;;MAGI,OAAW,cAAJ,GAAA,GAAe,EAAf,GAAuB,MAAW,SAAN,UAAM,CAAX,QAAqC,SAAb,iBAAa,CAAA,Q
AAuC,SAAd,oBAAc,CAAA,vC,I;IAClC,C;;MAEkC,OAAE,aAAF,qBAAU,oB;IAAV,C;;;MAUuC,2BAAgB,SAAh
B,EAAsB,IAAtB,C;IAAA,C;;MASQ,6BAAkB,SAAlB,EAAwB,IAAxB,C;IAAA,C;;MAWjF,0BAAmB,2BAAS,O
AAT,C;IAAnB,C;;MAIA,IAAI,CAAC,UAAL,C;QAAiB,MAAM,gCAAyB,iCAA8B,8B,IAA9B,iBAAzB,C;IAC3B,C;
6ECxGA,yB;MAAA,4F;MAAA,2B;QAOI,MAAM,mCAA8B,0EAA9B,C;MAAN,C;KAPJ,C;;MCS8D,OAAK,oB
AAL,SAAK,CAAL,GAAkB,K;IAAlB,C;;MAc1B,0B,0B;QAAA,aAAsB,K;MACtD,IAAI,CAAC,UAAL,C;QAAiB,OAAO,I;MAC1B,IAAI,CAAC,UAAL,C;QAAiB,OAAO,K;MAExB,IvDpBiI,OAArI,MAAoD,cuDoB5C,SvDpBsE,I
AA1B,CAAmC,cAAc,YAAW,CAAX,GAAe,CAAf,GAAmB,CuDoB7H,KvDpB6E,OAArI,MAAoD,cuDoBtB,KvDpBgD,IAA1B
,CAAmC,cAAc,YAAW,CAAX,GAAe,CAAf,GAAmB,CuDoBjI,C;QAA+B,OAAO,I;MACtD,IvDxBiI,OAArI,MAAoD,cuDwB5C,SvDxBsE,IAA1B,CAAmC,cAAc,YAAW,CAAX,GAAe,CAAf,GAAmB,CuDwB7H,KvDxB6E,OAArI,MAAoD,cuDwBtB,KvDxBgD,IA1B
DxBgD,IAA1B,CAAmC,cAAc,YAAW,CAAX,GAAe,CAAf,GAAmB,CuDwBjI,C;QAA+B,OAAO,I;MACtD,OAAO,K;IACX,C;
;MAKyC,QAAQ,cAAR,sCAAQ,CAAR,EAAoB,sCAAQ,CAAR,EAAoB,cAAzB,6B;IAAA,C;;MAClBZ,4B;QAAA,eAAuB,
G;MAChD,wCAAsB,EAAtB,EAA0B,EAA1B,YAA1B,C;IAAA,C;;MAOoC,yB;QAAA,YAAoB,E;MAAI,4B;QAAA,eAAA
uB,G;MhKGnF,IAAI,CgB0N+C,CAAC,QgJ5N5C,YhJ4N4C,ChB1NpD,C;QACI,cgKHiC,wC;QhKIjC,MAAM,gC
AAyB,OAAQ,WAAjC,C;;MgKHV,cAAY,gB;MAEC,yBAAS,mBAAT,YAAS,SAAT,OAAS,EAAT,mBAAS,OAAT,KAAS,
AAzB,CAAT,I;MAAT,wBAAiD,kBAAkB,SAAlB,iB,IA1ET,OA0ES,C;M1JssCT,kBAAoB,gB;MAAwB,gB;MAwQd,gB;MADb,YAAY,C;MACC,O0JxhDN,O1JwhDM,W;kBAAb,OAAa,cAAb,C;QAAa,sB;QA9PsB,U;Q
AAA,cA8PT,oBAAmB,cAAnB,EAAmB,sBAAnB,U;Q0Jz8ClB,kB;;YAHA,CAAC,YAAS,CAAT,IAAc,qBAAf,K
AA4C,Q1J48CG,I0J58CH,C;UAC5C,a;;UAEA,4B;UA9E+B,uB;;YjJ4EzB,kC;YAAA,wBT28CyC,IS38CzC,C;YA
AA,qB;YAAA,oB;YAAA,oB;YAAd,gE;cACI,IiJ7EkD,CAAI,aAAH,UjJ6ErC,YT08CqC,IS18CrC,YAAK,OAAL,
EiJ7EqC,CAAG,CjJ6EtD,C;gBACI,sBAAO,O;gBAAP,wB;;;YAGR,sBAAO,E;;;UiJjFH,iD;UAGI,gCAA2B,EAA3
B,C;YAHJ,2BAGqC,I;;gBACjC,IAAK,a1JmhD0C,I0JnhD1C,gBAAyB,uBAAzB,CAAL,C;YAJJ,2B1JuhDmD,IW
z3CsB,W+I1JI,0BAAuC,mBAAvC,I/I0JJ,C;;;Y+I9JzE,2BAKY,I;;UAYER,iE5JJD,yB4JIC,4B1Jy8C+C,I;;QA9PpB,
8B;UAA6C,6B;;;M0J1xChF,OAiFK,S1J0sCE,W0J1sCF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W
;IAzET,C;;MAiByC,gCAAc,EAAd,C;IAAA,C;;MAKT,yB;QAAA,YAAoB,E;MAAI,4B;QAAA,eAAuB,G;MAM3C,Q;MALL,cAAY,gB;M1J4lBL,kBAAoB,gB;MAAwB,gB;MAyEA,U;MAAA,S0JnqBM,O1JmqBN,W;MAAhB,gBAAgB,gBAAhB,C;MAAgB,2B;MAAA,2B;MAAA,C;QAAA,gBAAA,2B;MAAA,C;MAAA

L,EiJhBkC,CAAG,CjJgBnD,C;YACI,sBAAO,K;YAAP,wB;;;QAGR,sBAAO,E;;;MXPA,4B;M4Jb6B,OAA8C,OA
AM,EAAV,GAAc,gBAAd,GAA0B,E;IAApE,C;;MAGE,W;IAAK,C;;MACnC,uB;QAAkB,wBAAS,I;MAA3B,C;I
AAA,C;;MADR,IAAA,MhJoIgD,YAAU,CgJpI1D,C;QAD4C,OACxB,wB;;QADwB,OAEpC,kC;IAFoC,C;mBAK
hD,yB;M1JosCA,+D;MAwQA,wE;M0J58CA,sF;QAKI,gBAAgB,2B;Q1JssCT,kBAAoB,gB;QAwQd,gB;QADb,Y
AAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA9PsB,U;UAAA,cA8PT,oBAAmB,cAAnB,EAAmB,sBAAn
B,U;U0Jz8ClB,kB;U1J2sC2B,c0J9sC3B,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,Q1J48CG,I0J58CH,C1J8sCj
B,G0J7sC3B,I1J6sC2B,G0J3sC3B,sC1Jy8C+C,I0Jz8C/C,a5JJD,yB4JIC,4B1Jy8C+C,IA9PpB,U;YAA6C,6B;;;Q0J/
sChF,OAMK,S1J0sCE,W0J1sCF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;MACT,C;KAdA,C;;;;;
;;;;;MC3BkD,oCAAa,IAAb,C;IAAA,C;;MAiBC,kB;IAArB,C;;MAE6B,OAAA,UAAM,YAAN,aAAkB,CAAlB,C;I
AAA,C;;MAEA,OAAA,UAAM,YAAN,aAAkB,CAAlB,C;IAAA,C;;MAEA,OAAA,UAAM,YAAN,aAAkB,CAAl
B,C;IAAA,C;;MAEA,OAAA,UAAM,YAAN,aAAkB,CAAlB,C;IAAA,C;;MAEA,OAAA,UAAM,YAAN,aAAkB,
CAAlB,C;IAAA,C;;MAEA,OAAA,UAAM,YAAN,aAAkB,CAAlB,C;IAAA,C;;MAEA,OAAA,UAAM,YAAN,aA
AkB,CAAlB,C;IAAA,C;;MAEA,OAAA,UAAM,YAAN,aAAkB,CAAlB,C;IAAA,C;;MAEA,OAAA,UAAM,YAA
N,aAAkB,CAAlB,C;IAAA,C;;MAEA,OAAA,UAAM,YAAN,aAAkB,EAAlB,C;IAAA,C;;MAQf,OAAA,UAAM,
YAAY,iBAAQ,CAAR,EAAW,UAAM,YAAY,KAA7B,C;IAAlB,C;;6EhFjH5C,yB;MAAA,iD;MAAA,4B;QAI4C,
kBAAM,SAAN,C;MAAA,C;KAJ5C,C;+EAMA,yB;MAAA,gD;MAAA,oC;QAI+D,kBAAM,SAAN,EAAY,MA
Z,C;MAAA,C;KAJ/D,C;+EAMA,yB;MAAA,oC;MAAA,qC;QAIqE,sBAAM,SAAN,EAAY,OAAZ,C;MAAA,C;K
AJrE,C;qFCZA,yB;MAAA,yD;MAAA,gC;QAMoB,gBAAhB,oB;QAAsB,a9EkEtB,W;Q8ElEA,O9EmEO,S8EnE8
B,W;MAArC,C;KANJ,C;uFAQA,yB;MAAA,iE;MAAA,0C;QAO4B,gBAAxB,mBAAc,QAAd,C;QAA8B,a9EyD9
B,W;Q8EzDA,O9E0DO,S8E1DsC,W;MAA7C,C;KAPJ,C;;MAaiB,Q;MAAb,wBAAa,KAAb,gB;QAAa,WAAA,K
AAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;IACX,C;;MAMiB,Q;MAAb,wBAAa,KAAb,gB;QAAa,WAAA,
KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;IACX,C;;MAMiB,Q;MAAb,wBAAa,KAAb,gB;QAAa,WAAA
,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;IACX,C;;MAKQ,sB;QAAqB,yBAAO,UAAU,OAAV,CAAP,
C;WACrB,sD;QAA4B,yBAAO,OAAP,C;WAC5B,2B;QAAmB,yBAAO,kBAAP,C;;QACX,yBAAe,SAAR,OAAQ,
CAAf,C;IAEhB,C;;MtF9C0C,iCAAqB,EAArB,C;IAAA,C;;MAUvB,Q;MAAA,qBAAL,SAAK,EAAY,KAAZ,C;M
AAL,iB;QAA2B,OAAO,I;;MA5C,UAAU,I;MACV,IAAI,MAAM,sCAAK,UAAX,IAAwB,MAAM,sCAAK,UA
AvC,C;QAAkD,OAAO,I;MACzD,OAAW,OAAJ,GAAI,C;IACf,C;;MAO4C,kCAAsB,EAAtB,C;IAAA,C;;MAUz
B,Q;MAAA,qBAAL,SAAK,EAAY,KAAZ,C;MAAL,iB;QAA2B,OAAO,I;;MA5C,UAAU,I;MACV,IAAI,MAA
M,uCAAM,UAAZ,IAAyB,MAAM,uCAAM,UAAzC,C;QAAoD,OAAO,I;MAC3D,OAAW,QAAJ,GAAI,C;IACf,C
;;MAOwC,gCAAoB,EAApB,C;IAAA,C;;MA0ClB,Q;MAAhB,wBAAgB,WAAhB,KAAX,C;MAEA,aAAa,SAAK,O;MAClB,
IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c;MACA,S;MAEA,gBAAgB,qBAAK,CAAL,C;MAChB,IAAI,YAAY,EAAhB,C;QACI,IAAI,WAAU,CAAd,C;UAAiB,OAAO,I;QAExB,QAAQ,C;QAER,IAAI,cAAa,E
AAjB,C;UACI,aAAa,I;UACb,QAAQ,W;;cACL,IAAI,cAAa,EAAjB,C;UACH,aAAa,K;UACb,QAAQ,W;;;UAER,
OAAO,I;;;QAEX,QAAQ,C;QACR,aAAa,K;QACb,QAAQ,W;;MAIZ,qBAAqB,QAAQ,KAAR,I;MACrB,aAAa,C;
MACK,gBAAS,CAAT,I;MAAlB,aAAU,KAAV,iB;QACI,YAAY,QAAQ,qBAAK,CAAL,CAAR,EAAiB,KAAjB,C;
QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IAAI,SAAS,cAAb,C;UAA6B,OAAO,I;QAEpC,6B,OAAO,I;QAEX,pC,6BAAU,KAAV,C;UAAA,IAAI,KAAK,KAAT,C;YAAA,KAAK,KAAL,GAAa,C;UAAb,C;QAAA,C;QAEA,IAAI,UAAS,QAAQ,KAAR,IAAb,C;UACI,IAAI,KAAK,KAAT,C;YAAA,KAAK,KAAL,GAAa,C;UAAb,C;QAAA,C;QAEJ,IAAI,KAAK,KAAT,C;UAAA,KAAK,KAAL,GAAa,C;QAAb,C;QAAA,C;QAEA

AAL,GAAiB,UAAjB,GAAiC,Q;UAC7C,YAAY,UAAU,iCAAK,KAAL,EAAV,C;UAEZ,IAAI,CAAC,UAAL,C;YACI,IAAI,CAAC,KAAL,C;cACI,aAAa,I;;cAEb,0BAAc,CAAd,I;;;YAEJ,IAAI,CAAC,KAAL,C;cACI,K;;cAEA,sBAAY,CAAZ,I;;;QAIZ,OAAO,8BAAY,UAAZ,EAAwB,WAAW,CAAX,IAAxB,C;MACX,C;KA1BA,C;yEA4BA,yB;MAAA,8B;MA5BA,oC;MA4BA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QA5BD,iBAAiB,C;QACjB,eAAe,qBAAS,CAAT,I;QACf,iBAAiB,K;QAEjB,OAAO,cAAc,QAAQ,B,C;UACI,YAAgB,B,CAAK,UAAL,EAAS,GAAiB,C,Q;UAC7C,YAAsB,wB,SAAtB,Z,CAAA,U,mCAAA,K,KAAA,E,C;UAEZ,IAAI,CAAC,UAAL,C;YACI,IAAI,CAAC,KAAL,C;cACI,aAAa,I;;cAEb,0BAAc,CAAd,I;;;YAEJ,IAAI,CAAC,KAAL,C;cACI,K;;cAEA,sBAAY,CAAZ,I;;;QAIZ

Y,W;MAAnC,C;KAJ/C,C;;MASkD,kB;;QApEhC,Q;QAAA,OAAa,WAAR,yBAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,CHnEZ,uBGmEuB,iCAAK,KAAL,EHnEvB,EGmEQ,C;YACI,iBAAO,8BAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;YAAP,mB;;;QAER,iBAAO,E;;;MAgEuC,qB;IAAA,C;+EAElD,yB;MAAA,8B;MAAA,2C;MAAA,4B;QAI8C,Q;QAAD,OAAuB,QAAtB,2DAAsB,CAAU,W;MAAjC,C;KAJ7C,C;;MAgB8C,uB;QAAA,UAAgB,E;MAO5C,Q;MAAN,IAAI,SAAS,CAAb,C;QACI,MAAM,gCAAyB,oBAAiB,MAAjB,wBAAiC,C;MACrE,CAAC,IAAI,UAAU,SAAS,CAAb,CAAgB,OAAO,KAAK,EAAZ,CAAe,SAAS,CAAT,CAAY

GAAqB,UAArB,KAAd,C;MACT,EAAG,gBAAO,SAAP,EAAa,CAAb,EAAgB,UAAhB,C;MACH,EAAG,gBAAO
,SAAP,EAAa,QAAb,EAAuB,gBAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,k
D;QASK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAY,UAAZ,EAAwB,QAAxB,CAAkC,W;MAAzD,C;KATJ,C;;M
AgBqE,8BAAY,KAAM,MAAlB,EAAyB,KAAM,aAAN,GAAqB,CAArB,IAAzB,C;IAAA,C;uFAErE,yB;MAAA,
8B;MAAA,mD;MAAA,mC;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAY,KAAZ,CAAmB,W;MAA1D,C;K
APJ,C;;MAcI,IAAI,wBAAW,MAAX,CAAJ,C;QACI,OAAO,8BAAY,MAAO,OAAnB,EAA2B,gBAA3B,C;;MAE
X,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;IACX,C;;MAOI,IAAI,wBAAW,MAAX,CAAJ,C;QACI,OC3VyE,oBD
2VxD,MAAO,OC3ViD,C;;MD6V7E,OAAO,S;IACX,C;;MAOI,IAAI,sBAAS,MAAT,CAAJ,C;QACI,OAAO,8BA
AY,CAAZ,EAAe,mBAAS,MAAO,OAAhB,IAAf,C;;MAEX,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;IACX,C;;M
AOI,IAAI,sBAAS,MAAT,CAAJ,C;QACI,OC9WwF,oBD8WvE,CC9WuE,ED8WpE,mBAAS,MAAO,OAAhB,IC9
WoE,C;;MDgX5F,OAAO,S;IACX,C;;MAQI,IAAK,qBAAU,MAAO,OAAP,GAAgB,MAAO,OAAvB,IAAV,CAA
D,IAA6C,wBAAW,MAAX,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C;QACI,OAAO,8BAAY,MAAO,OAAnB,EA
A2B,mBAAS,MAAO,OAAhB,IA3B,C;;MAEX,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;IACX,C;;MAQI,IAA
K,qBAAU,MAAO,OAAP,GAAgB,MAAO,OAAvB,IAAV,CAAD,IAA6C,wBAAW,MAAX,CAA7C,IAAmE,sBA
AS,MAAT,CAAvE,C;QACI,OCtYwF,oBDsYvE,MAAO,OCtYgE,EDsYxD,mBAAS,MAAO,OAAhB,ICtYwD,C;;
MDwY5F,OAAO,S;IACX,C;;MAOmF,oCAAkB,SAAlB,EAA6B,EAA7B,CAAiC,C;IAAA,C;;MAOZ,sCAAkB,SAAlB,E
AA6B,EAA7B,CAAiC,C;IAAA,C;;MAMD,qC;QAAA,wBAAgC,S;MAClG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,I
AAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA5JvB,U;QA4JM,OA5JgB,aAAtB,+DAAsB,EA4JyC,CA5JzC,EA4J4C
,KA5J5C,EA4JmD,WA5JnD,CAAgD,W;;MA4JvE,W;IACJ,C;;MAMwE,qC;QAAA,wBAAgC,S;MACpG,YAAY,s
BAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QArKvB,U;QAqKM,OAAqB,qBAAU,
KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAqKvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA9KvB,U;QA8KM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA8KvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAvLvB,U;QAuLM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAuLvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAhMvB,U;QAgMM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAgMvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAzMvB,U;QAyMM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAyMvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAlNvB,U;QAkNM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAkNvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA3NvB,U;QA2NM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA2NvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QApOvB,U;QAoOM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAoOvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA7OvB,U;QA6OM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA6OvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAtPvB,U;QAsPM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAsPvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA/PvB,U;QA+PM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA+PvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAxQvB,U;QAwQM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAwQvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAjRvB,U;QAiRM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAiRvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA1RvB,U;QA0RM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA0RvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAnSvB,U;QAmSM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAmSvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA5SvB,U;QA4SM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA4SvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QArTvB,U;QAqTM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAqTvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA9TvB,U;QA8TM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA8TvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAvUvB,U;QAuUM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAuUvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAhVvB,U;QAgVM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAgVvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAzVvB,U;QAyVM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAyVvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAlWvB,U;QAkWM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAkWvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA3WvB,U;QA2WM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA2WvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QApXvB,U;QAoXM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAoXvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA7XvB,U;QA6XM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA6XvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAtYvB,U;QAsYM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAsYvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA/YvB,U;QA+YM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA+YvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAxZvB,U;QAwZM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAwZvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAjavB,U;QAiaM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAiavE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA1avB,U;QA0aM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA0avE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAnbvB,U;QAmbM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAmbvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA5bvB,U;QA4bM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA4bvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QArcvB,U;QAqcM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAqcvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA9cvB,U;QA8cM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA8cvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAvevB,U;QAueM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAueuE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAxfvB,U;QAwfM,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAwfuE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAzgvB,U;QAygvB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAygvB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA1hvB,U;QA0hvB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA0hvB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA3ivB,U;QA2ivB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA2ivB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA5jvB,U;QA4jvB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA4jvB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA7kvB,U;QA6kvB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA6kvB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA9lvB,U;QA8lvB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA8lvB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA/mvB,U;QA+mvB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA+mvB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAhovB,U;QAgovB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAgovB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAjpvB,U;QAipvB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAipvB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAlqvB,U;QAkqvB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAkqvB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAnrvB,U;QAmrvB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAmrvB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAptvB,U;QAotvB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAotvB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QArtvB,U;QAqtvB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAqtvB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAttvB,U;QAstvB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAstvB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAvuvB,U;QAuuvB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAuuvB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAxvvB,U;QAwvvB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAwvvB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAzwvB,U;QAywvB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAywvB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA1xvB,U;QA0xvB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA0xvB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA3yvB,U;QA2yvB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA2yvB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA5zvB,U;QA4zvB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA4zvB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA71vB,U;QA61vB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA61vB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA92vB,U;QA82vB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA82vB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA/3vB,U;QA+3vB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MA+3vB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAh5vB,U;QAg5vB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAg5vB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAj6vB,U;QAi6vB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAi6vB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAl7vB,U;QAk7vB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAk7vB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAn8vB,U;QAm8vB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAm8vB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAp9vB,U;QAo9vB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAo9vB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAr+vB,U;QAq+vB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAq+vB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAt/vB,U;QAs/vB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAs/vB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAvgwB,U;QAugwB,OAAqB,qBAAU,KAAV,EAAiB,aAAtB,+DAAsB,EAAqB,CAArB,EAAwB,KAAxB,EAA+B,EAA/B,EAAmC,WAAnC,CAAgD,W;;MAugwB,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,

AmC,UAAnC,CAA9B,C;UACI,OAAO,K;;MAEf,OAAO,I;IACX,C;;MAK+C,0B;QAAA,aAAsB,K;MACjE,OAAA,SAAK,OAAL,GAAc,CAAd,IAA2B,SAAR,qBAAK,K,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAA3B,C;;MAKyC,0B;QAAA,aAAsB,K;MAC/D,OAAA,SAAK,OAAL,GAAc,CAAd,IAAmC,SAAhB,hB,qBAAK,K,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAnC,C;;MAAyE,0B;QAAA,aAAsB,K;MAC3E

AAkB,CAAlB,sBV/pBlB,SU+pBuD,OAArC,aV/pBhC,C;gBAAwB,uBAAO,S;gBAAP,uB;;;YAC9C,uBAAO,I;;;U
U8pBC,2C;UACA,IAAI,wBAAJ,C;YACI,OAAO,YAAS,gBAAT,C;;;MAInB,OAAO,I;IACX,C;;MAc+D,0B;QAA
A,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACtG,4BAAU,OAAV,EAAmB,UAAnB,EAA+B,UAA/B,EAAkD,KA
AlD,C;IAAA,C;;MAc+D,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MAClH,4BAAU,OAAV,EAAmB,
UAAnB,EAA+B,UAA/B,EAAkD,IAAlD,C;IAAA,C;;MAa4D,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;
MACvG,gB;MAAA,8CAAU,OAAV,EAAmB,UAAnB,EAA+B,UAA/B,EAAkD,KAAlD,mDAAmE,E;IAAnE,C;;
MAcgE,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACnH,gB;MAAA,8CAAU,OAAV,EAAmB,UAAn
B,EAA+B,UAA/B,EAAkD,IAAlD,mDAAkE,E;IAAlE,C;;MAWwC,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAA
sB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAW,mBAAY,IAAZ,CAAX,EAA8B,UAA9B,EAA0C,UA1C,C
ADJ,GCryB4F,kB0F7KE,oB3Fq9B5E,I2Fr9B4E,C1F6KF,EDwyBpE,UCxyBoE,C;IDyyBhG,C;;MASgD,0B;QAA
A,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACvF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAh
B,EAA4B,gBAA5B,EAAoC,UAApC,CADJ,GCnzB4F,kBDszB1E,MCtzB0E,EDszBlE,UCtzBkE,C;IDuzBhG,C;;
MAUgD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MAC/F,cAAc,gCAAzB,GACI,0BAAe,mB
AAY,IAAZ,CAAf,EAAkC,UAAlC,EAA8C,UA9C,CADJ,GC/zBgG,sB0F7KM,oB3F++BhF,I2F/+BgF,C1F6KN,
EDk0BpE,UCl0BoE,C;IDm0BpG,C;;MAUoD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACnG,OAA
W,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,UA4B,EAA+B,UAA/B,EAAkD,IAAlD,CAD
J,GC90BgG,sBDi1B1E,MCj1B0E,EDi1BlE,UCj1BkE,C;IDk1BpG,C;;MAQ+D,0B;QAAA,aAAsB,K;MACjF,OAA
I,yBAAJ,GACI,sBAAQ,KAAR,UA4B,UA5B,KAA2C,CAD/C,GAGI,sBAAQ,KAAR,EAAe,CAAf,EAAkB,gB
AAlB,EAA0B,UA1B,KAAyC,C;IAH7C,C;;MAakD,0B;QAAA,aAAsB,K;MACxE,6BAAQ,IAAR,UA2B,UA
3B,KAA0C,C;IAA1C,C;;MAMsE,OAAA,KAAM,yBAAgB,SAAhB,C;IAAN,C;;MAOtE,oB;MACA,8B;MACA,o
B;MACA,kC;IAJiC,C;;MAOa,gE;MAC1C,iBAAqB,E;MACrB,yBAAwC,WAAX,yCAAW,EAAS,CAAT,EAAY,o
CAAM,OAAlB,C;MACxC,uBAA2B,sB;MAC3B,gBAA0B,I;MAC1B,eAAmB,C;IALuB,C;;MAQtC,IAAI,uBAAk
B,CAAtB,C;QACI,iBAAY,C;QACZ,gBAAW,I;;;QAEX,IAAI,4CAAQ,CAAR,IAAa,uDAAa,yCAA1B,IAAmC,uB
AAkB,yCAAM,OAA/D,C;UACI,gBAAW,qCAAyB,iBAAN,yCAAM,CAAzB,C;UACX,uBAAkB,E;;;UAElB,YA
AkB,iDAAN,yCAAM,EAAa,oBAAb,C;UAClB,IAAI,SAAS,IAAb,C;YACI,gBAAW,qCAAyB,iBAAN,yCAAM,C
AAzB,C;YACX,uBAAkB,E;;;YAElB,IAAK,QAAiB,KAAjB,aAAiB,EAAY,SAAU,KAAV,a;YAC5C,gBAAW,gCA
AwB,KAAxB,C;YACX,yBAAoB,QAAQ,MAAR,I;YACpB,uBAAkB,0BAAwB,WAAU,CAAd,GAAiB,CAAjB,G
AAwB,CAA5C,K;;;QAG1B,iBAAY,C;;IAEpB,C;;MAOiB,Q;MAJb,IAAI,mBAAa,EAAjB,C;QACI,QAAI,IAAI,mBAAa,CAAjB,C;MAEb,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,mE;MAEb,gBAAW,I;MACX,iBAAY,E;MACZ,OAAO,M;I
ACX,C;;MAGI,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;IACxB,C;;;MA/C0C,+D;IAAA,C;;;M
AgEU,0C;QZvgCjD,SYwgCH,sBAAW,kBAAX,EAAuB,YAAvB,EAAkD,kBAAlD,C;QAAA,OAAwE,KAAK,CA
AT,GAAY,IAAZ,CAAe,GAAsB,IAAtB,CAAyB,OAAM,CAAN,C;MADtC,C;IAAA,C;;MAHM,0B;QAAA,aAAkB,C;MAAG,0B;QAAA
,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBhlC7H,IAAI,EgBilCI,SAAS,ChBjlCb,CAAJ,C;QACI,cgBglCkB,oD;Q
hB/kClB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgBilCV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,gDAAjD,C;IAGX,C;;MAqB4D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBvmCrI,IAAI,EgBwmCI,SAAS,ChBxmCb,CAAJ,C;QACI,cgBumCkB,oD;QhBtmCtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgBwmCV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBhnCtI,IAAI,EgBinCI,SAAS,ChBjnCb,CAAJ,C;QACI,cgBgnCkB,oD;QhB/mCtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgBinCV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBznCtI,IAAI,EgB0nCI,SAAS,ChB1nCb,CAAJ,C;QACI,cgBynCkB,oD;QhBxnCtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgB0nCV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBloCtI,IAAI,EgBmoCI,SAAS,ChBnoCb,CAAJ,C;QACI,cgBkoCkB,oD;QhBjoCtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgBmoCV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhB3pCtI,IAAI,EgB4pCI,SAAS,ChB5pCb,CAAJ,C;QACI,cgB2pCkB,oD;QhB1pCtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgB4pCV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBrrCtI,IAAI,EgBsrCI,SAAS,ChBtrCb,CAAJ,C;QACI,cgBqrCkB,oD;QhBprCtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgBsrCV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBvtCtI,IAAI,EgBwtCI,SAAS,ChBxtCb,CAAJ,C;QACI,cgButCkB,oD;QhBttCtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgBwtCV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBzvCtI,IAAI,EgB0vCI,SAAS,ChB1vCb,CAAJ,C;QACI,cgByvCkB,oD;QhBxvCtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgB0vCV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhB3xCtI,IAAI,EgB4xCI,SAAS,ChB5xCb,CAAJ,C;QACI,cgB2xCkB,oD;QhB1xCtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgB4xCV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBr0CtI,IAAI,EgBs0CI,SAAS,ChBt0Cb,CAAJ,C;QACI,cgBq0CkB,oD;QhBp0CtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgBs0CV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBn3CtI,IAAI,EgBo3CI,SAAS,ChBp3Cb,CAAJ,C;QACI,cgBm3CkB,oD;QhBl3CtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgBo3CV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhB75CtI,IAAI,EgB85CI,SAAS,ChB95Cb,CAAJ,C;QACI,cgB65CkB,oD;QhB55CtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgB85CV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBr8CtI,IAAI,EgBs8CI,SAAS,ChBt8Cb,CAAJ,C;QACI,cgBq8CkB,oD;QhBp8CtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgBs8CV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBn/CtI,IAAI,EgBo/CI,SAAS,ChBp/Cb,CAAJ,C;QACI,cgBm/CkB,oD;QhBl/CtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgBo/CV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBzhDtI,IAAI,EgB0hDI,SAAS,ChB1hDb,CAAJ,C;QACI,cgByhDkB,oD;QhBxhDtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgB0hDV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBvkDtI,IAAI,EgBwkDI,SAAS,ChBxkDb,CAAJ,C;QACI,cgBukDkB,oD;QhBtkDtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgBwkDV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBnnDtI,IAAI,EgBonDI,SAAS,ChBpnDb,CAAJ,C;QACI,cgBmnDkB,oD;QhBlnDtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgBonDV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhB7pDtI,IAAI,EgB8pDI,SAAS,ChB9pDb,CAAJ,C;QACI,cgB6pDkB,oD;QhB5pDtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgB8pDV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBrsDtI,IAAI,EgBssDI,SAAS,ChBtsDb,CAAJ,C;QACI,cgBqsDkB,oD;QhBpsDtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgBssDV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBzvDtI,IAAI,EgB0vDI,SAAS,ChB1vDb,CAAJ,C;QACI,cgByvDkB,oD;QhBxvDtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgB0vDV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhB3xDtI,IAAI,EgB4xDI,SAAS,ChB5xDb,CAAJ,C;QACI,cgB2xDkB,oD;QhB1xDtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgB4xDV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBr0DtI,IAAI,EgBs0DI,SAAS,ChBt0Db,CAAJ,C;QACI,cgBq0DkB,oD;QhBp0DtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgBs0DV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBn3DtI,IAAI,EgBo3DI,SAAS,ChBp3Db,CAAJ,C;QACI,cgBm3DkB,oD;QhBl3DtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgBo3DV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhB75DtI,IAAI,EgB85DI,SAAS,ChB95Db,CAAJ,C;QACI,cgB65DkB,oD;QhB55DtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgB85DV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBr8DtI,IAAI,EgBs8DI,SAAS,ChBt8Db,CAAJ,C;QACI,cgBq8DkB,oD;QhBp8DtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgBs8DV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBn/DtI,IAAI,EgBo/DI,SAAS,ChBp/Db,CAAJ,C;QACI,cgBm/DkB,oD;QhBl/DtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgBo/DV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBzhEtI,IAAI,EgB0hEI,SAAS,ChB1hEb,CAAJ,C;QACI,cgByhEkB,oD;QhBxhEtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgB0hEV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBvkEtI,IAAI,EgBwkEI,SAAS,ChBxkEb,CAAJ,C;QACI,cgBukEkB,oD;QhBtkEtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgBwkEV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBnnEtI,IAAI,EgBonEI,SAAS,ChBpnEb,CAAJ,C;QACI,cgBmnEkB,oD;QhBlnEtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgBonEV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhB7pEtI,IAAI,EgB8pEI,SAAS,ChB9pEb,CAAJ,C;QACI,cgB6pEkB,oD;QhB5pEtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgB8pEV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBrsEtI,IAAI,EgBssEI,SAAS,ChBtsEb,CAAJ,C;QACI,cgBqsEkB,oD;QhBpsEtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgBssEV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBzvEtI,IAAI,EgB0vEI,SAAS,ChB1vEb,CAAJ,C;QACI,cgByvEkB,oD;QhBxvEtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgB0vEV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhB3xEtI,IAAI,EgB4xEI,SAAS,ChB5xEb,CAAJ,C;QACI,cgB2xEkB,oD;QhB1xEtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgB4xEV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBr0EtI,IAAI,EgBs0EI,SAAS,ChBt0Eb,CAAJ,C;QACI,cgBq0EkB,oD;QhBp0EtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgBs0EV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhBn3EtI,IAAI,EgBo3EI,SAAS,ChBp3Eb,CAAJ,C;QACI,cgBm3EkB,oD;QhBl3EtB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MgBo3EV,OAAO,4BAAwB,SAAxB,EAAmC,8BAAnC,EAAkD,KA
A1C,EAAiD,sDAAjD,C;IAGX,C;;MAiB+D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kB
AArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAf,EAA4B,OAA5B,CAAtF,O;MAAlB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MhB75EtI,IAAI,EgB85EI,SAAS,ChB95Eb,CAAJ,C;

SmD,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MAC7F,IAAI,UAAW,OAAX,KAAmB,CAAvB,C;QACI,OAAO,mBAAoB,oBAAd,WAAW,CAAX,CAAc,CAApB,EAAgC,UAAhC,EAA4C,KAA5C,C;;MAG+E,kBAAb,cAAtE,6BAAkB,UAAlB,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,C;MViFtE,kBAAM,iBAAa,qCAAwB,EAAxB,CAAb,C;MAqEA,Q;MAAA,6B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WUvJgF,uBVuJlE,IUvJkE,CVuJhF,C;;MUvJhB,OVwJO,W;IUvJX,C;;MhB7qCI,IAAI,EgBwrCI,SAAS,ChBxrCb,CAAJ,C;QACI,cgBurCkB,oD;QhBtrCtB,lBAAM,gCAAyB,OAAzB,QAAkC,WAAlC,jC,C;;MgBwrCV,oBAAoB,C;MAC1B,cAAc,sBAAd,Q,SAAc,EAAd,mBAAc,UAAd,SAAc,CAAd,C;QAAc,IAAI,cAAa,EAAb,EAAiB,IAAjB,mBAAJ,UAAS,CAAT,C;UAAc,QAAd,C;;MAAc,C;MAAd,OAAc,KAAd,C;IAAc,C;;MAAd,OAAc,KAAd,C;EAAc,C;;MAAd,OAAc,KAAd,C;AAAc,C;;MAAd,OAAc,KAAd,C;;MAAc,OAAd,C;;MAAc,OAAd,C;;MAAc,O

C;uHAeA,yB;MAAA,oC;MAAA,yB;QAYI,cAAe,YAAR,YAAQ,CAAf,EAAwB,qBAAxB,EAA0C,qBAA1C,EAA4D,yBAA5D,C;MAAA,C;KAZJ,C;uHAcA,yB;MAAA,oC;MAAA,yB;QAWI,cAAiB,YAAV,cAAU,CAAjB,EAA0BqBAA1B,EAA4C,yBAA5C,C;MAAA,C;KAXJ,C;;MAuBI,cAAiB,uBAAV,cAAU,CAAjB,EAA2C,yBAA3C,C;;MAAA,C;;MAGqC,OAAe,YAAd,eAAc,EAAI,CAAJ,C;IAAf,C;;MAEE,OAAiB,YAAhB,iBAAgB,EAAI,CAAJ,C;IAAjB,B,C;;MAEA,OAAiB,YAAhB,iBAAgB,EAAI,CAAJ,C;IAAjB,B,C;;MAEI,OAAsB,YAArB,sBAAqB,EAAI,CAAJ,C;IAAtB,B,C;;MAMG,2BAAoB,kBAAoB,0CAAwC,IAAxC,C,C;IAAA,C;;MAOJ,OAAe,uBAAf,sBAAe,EAAI,CAAJ,C;IAAf,C;;MAOF,OAAe,YAAf,sBAAe,EAAI,CAAJ,C;IAAf,C;;MAGV,6D;IAAA,C;;MAGC,8D;IAAA,C;;MAGE,gE;IAAA,C;;MAGA,gE;IAAA,C;;MAGK,qE;IAAA,C;;MAGA,qE;IAAA,C;;MAGD,oE;IAAA,C;;MAWF,kE;IAAA,C;;MASC,mE;IAAA,C;;MAsBrB,UAaX,M;MAnBJ,sB;QAD8B,OACd,kBAAM,W;WACtB,2BAAS,GAAT,C;QAF8B,OAEd,I;;QAEZ,YAAY,kBAAc,c;QAC1B,qBAAiB,kBAAjB,sB,C;QACA,sBAAkB,CAAlB,B,C;QAEI,YAAQ,MAAR,C;UAAqC,kD;UAAO,OAAO,eAAa,I;UAApB,sB,OjK7I1C,S;;ciK8IK,YAAQ,CAAR,C;UAAsC,wD;UAAO,OAAO,gBAAc,C;UAArB,sB,OjK9I3C,W;;ciK+IK,YAAQ,MAAR,C;;aACA,YAAQ,SAAR,C;;aACA,YAAQ,KAAR,C;;aACA,YAAQ,MAAR,C;;aACA,YAAQ,MAAR,C;;aACA,YAAQ,MAAR,C;;aACA,YAAQ,UAAR,KAAkB,CAAlB,B,C;;;UAAuC,0B,iD;UAAO,OAAO,eAAa,I;UAApB,sB,OjKtJ/B,W;;QiKuJK,e;QAEZ,YAAY,kBAAc,c;QAC1B,iB;UAAsC,0B,0BAAc,GAAd,C;aAAtC,C;QAAA,C;;QAEA

MAAgB,kB;MAMvD,iBAAsB,iBAAU,UAAV,EAAiB,UAAjB,EAAwB,UAAxB,C;IANA,C;;M1KmBtB,IAAI,E0KViB,CAAT,sBAAY,GAAZ,KAA4C,CAAT,sBAAY,GAA/C,MAA+E,CAAT,sBAAY,GAAlF,C1KUR,CAAJ,C;QACI,c0KVI,2E;Q1KWJ,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;M0KTN,OAAO,CAAA,A,KAAM,IAAI,EAAV,KAAgB,KAAM,IAAI,CAA1B,IAA+B,KAA/B,B,I;IACX,C,C;;MAKkC,OAAE,UAAF,oBAAS,UAAT,SAAgB,U;IAAhB,C;;MAIV,gB;MADpB,IAAI,SAAS,KAAb,C;QAAoB,OAAO,I;MACP,iE;MAAD,mB;QAA6B,OAAO,K;;MAAvD,mBAAmB,M;MACnB,OAAO,IAAK,UAAL,KAAgB,yBAAhB,C;IAAyC,C,C;;ME+B,qB;IAAA,C,C;;ME5BqB,wBAAU,KAAM,UAAhB,I;IAAsB,C,C;;MAOhD,OAAA,IAAK,MAAL,GAAa,KAAb,iBAAuB,KAAvB,iBAAiC,KAAjC,iBAAyC,KAAzC,iBAAiD,KAAjD,iBAAyD,KAAzD,iBAAiE,KAAjE,iBAAyE,KAAzE,iBAAiF,KAAjF,iBAAyF,KAAzF,iBAAiG,KAAjG,iBAAyG,KAAzG,iBAAiH,KAAjH,iBAAyH,KAAzH,iBAAiI,KAAjI,iBAAyI,KAAzI,iBAAiJ,KAAjJ,iBAAyJ,KAAzJ,iBAAiK,KAAjK,iBAAyK,KAAzK,iBAAiL,KAAjL,iBAAyL,KAAzL,iBAAiM,KAAjM,iBAAyM,KAAzM,iBAAiN,KAAjN,iBAAyN,KAAzN,iBAAiO,KAAjO,iBAAyO,KAAzO,iBAAiP,KAAjP,iBAAyP,KAAzP,iBAAiQ,KAAjQ,iBAAyQ,KAAzQ,iBAAiR,KAAjR,iBAAyR,KAAzR,iBAAiS,KAAjS,iBAAyS,KAAzS,iBAAiT,KAAjT,iBAAyT,KAAzT,iBAAiU,KAAjU,iBAAyU,KAAzU,iBAAiV,KAAjV,iBAAyV,KAAzV,iBAAiW,KAAjW,iBAAyW,KAAzW,iBAAiX,KAAjX,iBAAyX,KAAzX,iBAAiY,KAAjY,iBAAyY,KAAzY,iBAAiZ,KAAjZ,iBAAyZ,KAAzZ,iBAAia,KAAja,iBAAya,KAAza,iBAAib,KAAjb,iBAAyb,KAAzb,iBAAic,KAAjc,iBAAyc,KAAzc,iBAAid,KAAjd,iBAAyd,KAAzd,iBAAie,KAAje,iBAAye,KAAze,iBAAif,KAAjf,iBAAyf,KAAzf,iBAAig,KAAjg,iBAAyg,KAAzg,iBAAih,KAAjh,iBAAyh,KAAzh,iBAAii,KAAji,iBAAyi,KAAzi,iBAAij,KAAjj,iBAAyj,KAAzj,iBAAik,KAAjk,iBAAyk,KAAzk,iBAAil,KAAjl,iBAAyl,KAAzl,iBAAim,KAAjm,iBAAym,KAAzm,iBAAin,KAAjn,iBAAyn,KAAzn,iBAAio,KAAjo,iBAAyo,KAAzo,iBAAip,KAAjp,iBAAyp,KAAzp,iBAAiq,KAAjq,iBAAyq,KAAzq,iBAAir,KAAjr,iBAAyr,KAAzr,iBAAis,KAAjs,iBAAys,KAAzs,iBAAit,KAAjt,iBAAyt,KAAzt,iBAAiu,KAAju,iBAAyu,KAAzu,iBAAiv,KAAjv,iBAAyv,KAAzv,iBAAiw,KAAjw,iBAAyw,KAAzw,iBAAix,KAAjx,iBAAyx,KAAzx,iBAAiy,KAAjy,iBAAyy,KAAzy,iBAAiz,KAAjz,iBAAyz,KAAzz,iBAAi0,KAAj0,iBAAy0,KAAz0,iBAAi1,KAAj1,iBAAy1,KAAz1,iBAAi2,KAAj2,iBAAy2,KAAz2,iBAAi3,KAAj3,iBAAy3,KAAz3,iBAAi4,KAAj4,iBAAy4,KAAz4,iBAAi5,KAAj5,iBAAy5,KAAz5,iBAAi6,KAAj6,iBAAy6,KAAz6,iBAAi7,KAAj7,iBAAy7,KAAz7,iBAAi8,KAAj8,iBAAy8,KAAz8,iBAAi9,KAAj9,iBAAy9,KAAz9,iBAAi+,KAAj+,iBAAy+,KAAz+,iBAAi/,KAAj/,iBAAy/,KAAz/,iBAAigB,KAAjgB,iBAAygB,KAAzgB,iBAAihB,KAAjhB,iBAAyhB,KAAzhB,iBAAiiB,KAAjiB,iBAAyiB,KAAziB,iBAAijB,KAAjjB,iBAAyjB,KAAzjB,iBAAikB,KAAjkB,iBAAykB,KAAzkB,iBAAilB,KAAjlB,iBAAylB,KAAzlB,iBAAimB,KAAjmB,iBAAymB,KAAzmB,iBAAinB,KAAjnB,iBAAynB,KAAznB

1DA,kB;IAD8B,C;;MAUQ,iD;IAAA,C;;MAMA,gD;IAAA,C;wFAItC,yB;MAAA,gB;MAAA,8B;MAAA,mB;QA
WgB,Q;QADR,mB;UADJ,OACiB,I;;UADjB,OAEY,2E;MAFZ,C;KATJ,C;;MAsBQ,kBADE,UACF,kB;QADJ,OA
CkB,UAAM,U;;QADxB,OAEY,I;IAFZ,C;;MAYI,kBADE,UACF,kB;QADJ,OACkB,UAAM,W;;QADxB,OAEY,s
BAAU,UAAV,O;IAFZ,C;;MAOJ,gC;IAAA,C;wHAKI,yB;MAAA,iC;MAAA,wB;QAKI,uBAAO,KAAP,C;MAAA
,C;KALJ,C;wHAOA,yB;MAAA,kD;MAAA,iC;MAAA,4B;QAKI,uBAAO,cAAc,SAAd,CAAP,C;MAAA,C;KALJ,
C;;;;MAZJ,uC;QAAA,sB;;MAAA,gC;IAAA,C;;MAqBI,0B;IADkB,C;;MAI0B,+CAAoB,uBAAa,KAAM,UAAnB,
C;IAApB,C;;MACb,OAAU,SAAV,cAAU,C;IAAV,C;;MACG,oBAAU,cAAV,M;IAAA,C;;;;;;;MA3F1C,c;MAOI,s
D;MAPJ,a;IAAA,C;;MAAA,2IAOI,sCAPJ,G;IAAA,C;;MAsGI,OAAO,mBAAQ,SAAR,C;IAAP,C;;MAUA,IAAI,8
CAAJ,C;QAA6B,MAAM,eAAM,U;IAC7C,C;gFAEA,yB;MAAA,4B;MAAA,qB;MAtCQ,kD;MAsCR,wB;QAOW
,Q;;UACI,OAhDH,WAgDW,OAhDX,C;;;UAiDN,gC;YACS,OA3CH,WAAO,cA2CI,CA3CJ,CAAP,C;;;YAwCD,
O;;QAAP,W;MAKJ,C;KAZA,C;kFAcA,yB;MAAA,4B;MAAA,qB;MApDQ,kD;MAoDR,mC;QAOW,Q;;UACI,O
A9DH,WA8DW,gBA9DX,C;;;UA+DN,gC;YACS,OAzDH,WAAO,cAyDI,CAzDJ,CAAP,C;;;YAsDD,O;;QAAP,
W;MAKJ,C;KAZA,C;8EAgBA,yB;MAAA,oD;MAAA,gB;MAAA,8B;MAAA,4B;QAUW,Q;QADP,yB;QACA,O
AAO,gF;MACX,C;KAXA,C;+EAaA,yB;MAAA,gB;MAAA,8B;MAAA,uC;QAegB,UADL,M;QAAM,gBAAgB,2
B;QACzB,sB;UAAQ,yF;;UACA,mBAAU,SAAV,C;QAFZ,a;MAIJ,C;KAlBA,C;kFAoBA,yB;MAAA,gB;MAAA,8
B;MAAA,0C;QAUW,Q;QADP,IAAI,mBAAJ,C;UAAe,OAAO,Y;QACtB,OAAO,gF;MACX,C;KAXA,C;qEAaA,y
B;MAAA,gB;MAAA,8B;MAAA,kD;QAiB0B,UADf,M;QAAM,gBAAgB,2B;QACzB,sB;UAAQ,mBAAU,gFAAV
,C;;;UACA,mBAAU,SAAV,C;QAFZ,a;MAIJ,C;KApBA,C;mEAwBA,yB;MAAA,4B;MAAA,gB;MAAA,8B;MAA
A,uC;YAe8C,I;YADnC,M;QACH,wB;UAAa,gB;UAAO,SA3JhB,WA2JU,gFAAV,CA3JxB,C;;;UA4JI,oBAAO,eAAP,C;QAFZ,a;MAIJ,C;KAlBA,C;gFAoBA,yB;MAAA,gB;MAAA,8B;MAAA,iC;MA1GA,qB;MAtCQ,kD;MAsJR,uC;QAOW,Q;QACH,wB;UAAa,gB;UAAO,SAzJhB,WAyJU,gFAAV,CAzJxB,C;;;UA0JI,oBAAO,eAAP,C;QAFZ,a;MAIJ,C;KAXA,C;+EAaA,yB;MAAA,gB;MAAA,8B;MAAA,uC;QAegB,UADL,M;QAAM,gBAAgB,2B;QACzB,sB;UAAQ,mBAAU,gFAAV,C;QAFZ,a;MAIJ,C;KAlBA,C;sEAoBA,yB;MAAA,4B;MAAA,qB;MAtCQ,kD;MAsCR,wB;QAOW,Q;QADP,yB;QACA,O
AAO,gF;MACX,C;KAXA,C;qEAa

MhCCA,wB;QAM0D,OgCAS,aAAkB,ChCoKhD,eAAW,oBAAL,SAAK,CAAL,UAAN,CgCpKgD,MAAlB,EhCAgB,KgCAc,KAA9B,C;MhCAT,C;KAN1D,C;4FAQA,yB;MA+IA,6B;MA/IA,wB;QAEsD,OCMD,cAAU,CDgJ5B,cAAU,SAAL,GAAAiB,GAAAtB,CChJ4B,MAAK,GAAAW,CDgJ5C,cAtJsC,KAsJ5B,KAAL,GAAAiB,GAAAtB,CChJ4C,MAAX,IAAAf,C;MDNC,C;KAFtD,C;4FAGA,yB;MA4IA,6B;MA5IA,wB;QAEuD,OCGF,cAAU,CDgJ5B,cAAU,SAAL,GAAAiB,GAAAtB,CCiJ5C,cFpJuC,KEoJ7B,KAAL,GAAAiB,GAAAtB,CDjJ4C,MAAX,IAAAf,C;MDHE,C;KAFvD,C;4FAGA,yB;MAyIA,6B;MAzIA,wB;QAEqD,OCAA,cAAU,CDgJ5B,cAAU,SAAL,GAAAiB,GAAAtB,CChJ4B,MAAK,GAAAW,CDgJ9C,cAAU,SAAL,GAAAiB,GAAAtB,CDj

ACrC,yB;MAAA,iC;MgKhLJ,4B;MhKgLI,mB;QASuC,uBgKtL+C,QhKsLnC,SgKtLG,GhKsLW,GgKtLqB,ChKsL/C,C;MAAA,C;KATvC,C;gFAUA,yB;MAAA,6B;MAAA,mB;QASmC,qBAAU,SAAL,GAAiB,GAAtB,C;MAAA,C;KATnC,C;kFAUA,yB;MAAA,WAS6D,wB;MAT7D,+B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,UAAN,C;MAAA,C;KATrC,C;;MAiBqC,OApDC,SAAL,GAAiB,G;IAoDb,C;;MAOE,OA3DD,SAAL,GAAiB,G;IA2DX,C;;MAEE,OAAQ,CA7DX,SAAL,GAAiB,GA6DD,Y;IAAR,C;;;;;;MA/O7C,c;MAG6D,qD;MAH7D,a;IAAA,C;;MAAA,2IAG6D,oCAH7D,G;IAAA,C;wEAmPA,yB;MAAA,+B;MAAA,4B;QAU0C,sBAAW,SAAX,GAAW,C,SAAN,C;MAAA,C;KAV1C,C;0EAWA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAW2C,sBAAW,OAAL,SAAK,CAAL,UAAX,C;MAAA,C;KAX3C,C;0EAYA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAWyC,sBAAW,OAAL,SAAK,CAAL,UAAX,C;MAAA,C;KAXzC,C;0EAYA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAW0C,sBAAW,OAAL,SAAK,CAAL,UAAX,C;MAAA,C;KAX1C,C;;M6BnRnC,qB,sB;IAFrB,C;;MAai,D,O7B+OP,U6B/O,OAaA,aAAQ,KAAR,C7B+OP,C,C;I6B/O,OAaA,C;;MASzC,aAAQ,KAAR,IAAiB,K7BuIc,K;I6BtInC,C;;MAGsC,OAAA,YAAQ,O;IAAR,C;;MAGmB,+BAAS,YAAT,C;IAAA,C;;MAEF,wB;MAAhC,oB;MAAnB,eAAoB,C;IADF,C;;MAEO,sBAAQ,YAAR,O;IAAd,C;;MAEgB,oBAAQ,O;IAAR,C;;MAEA,Q;MAA9B,gBAA+B,gBAA/B,gE;MAA8B,c;;QAAA,oBAAQ,C;MAAR,C

CAAL,iBAAN,C+BrI8B,MAAK,U/BAK,K+BAO,KAAZ,CAAhB,C;M/BAA,C;KAFxD,C;wFAIA,yB;MDwGA,6B;MClGA,4C;MANA,wB;QAEqD,OAMD,WAAW,IAAX,EDyGjB,cC/G2B,KD+GjB,KAAL,GAAiB,GAAtB,CCzGiB,C;MANC,C;KAFrD,C;wFAGA,yB;MCsGA,6B;MDnGA,4C;MAHA,wB;QAEsD,OAGF,WAAW,IAAX,EC0GjB,cD7G4B,KC6GlB,KAAL,GAAiB,KAAtB,CD1GiB,C;MAHE,C;KAFtD,C;wFAGA,yB;MAAA,4C;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;MAAA,C;KAFpD,C;wFAGA,yB;MAiHA,kBAS6D,sB;MAT7D,+B;M+BjHA,8C;M/BAA,wB;QAEsD,O+BAA,Y/BwHjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,C+BxHiB,E/BAmB,K+BAnB,C;M/BAA,C;KAFtD,C;wFAIA,yB;MD2FA,6B;MCrFA,kD;MANA,wB;QAEqD,OAMD,cAAc,IAAd,ED4FjB,cCl G2B,KDkGjB,KAAL,GAAiB,GAAtB,CC5FiB,C;MANC,C;KAFrD,C;wFAGA,yB;MCyFA,6B;MDtFA,kD;MAHA,wB;QAEsD,OAGF,cAAc,IAAd,EC6FjB,cDhG4B,KCgGlB,KAAL,GAAiB,KAAtB,CD7FiB,C;MAHE,C;KAFtD,C;wFAGA,yB;MAAA,kD;MAAA,wB;QAEoD,qBAAc,IAAd,EAAoB,KAApB,C;MAAA,C;KAFpD,C;wFAGA,yB;MAoGA,kBAS6D,sB;MAT7D,+B;M+BpGA,oD;M/BAA,wB;QAEsD,O+BAA,e/B2GjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,C+B3GiB,E/BAmB,K+BAnB,C;M/BAA,C;KAFtD,C;wFAIA,yB;MAAA,6B;MAAA,6B;MAAA,mB;QAEyC,qBAAK,IAAL,SAAK,CAAL,iBAAN,C;MAAA,C;KAFzC,C;wFAGA,yB;MAAA,6B;MAAA,mB;QAEyC,qBAAK,IAAL,SAAK,CAAL,iBAAN,C;MAAA,C;KAFzC,C;wFAGA,yB;MAAA,8C;MAAA,wB;QAE6D,0BAAU,IAAV,EAAgB,KAAhB,C;MAAA,C;KAF7D,C;wFAGA,yB;MAAA,6B;MAAA,2B;QAEmD,qBAAK,IAAL,SAAK,CAAL,iBAAN,C;MAAA,C;KAFnD,C;wFAGA,yB;MAAA,6B;MAAA,2B;QAEmD,qBAAK,IAAL,SAAK,CAAL,iBAAN,C;MAAA,C;KAFnD,C;wFAGA,yB;MAAA,wB;QAEiD,qBAAK,IAAL,SAAK,CAAL,iBAAN,C;MAAA,C;KAFjD,C;wFAGA,yB;MAAA,6B;MAAA,2B;QAEmD,qBAAK,IAAL,SAAK,CAAL,iBAAN,C;MAAA,C;KAFnD,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEgD,qBAAK,IAAL,SAAK,CAAL,iBAAN,C;MAAA,C;KAFhD,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEgD,qBAAK,IAAL,SAAK,CAAL,iBAAN,C;MAAA,C;KAFhD,C;wFAGA,yB;MAAA,6B;MAAA,mB;QAEyC,qBAAK,IAAL,SAAK,CAAL,iBAAN,C;MAAA,C;KAFzC,C;wFAGA,yB;MAAA,0B;MAAA,mB;QAEuC,qBAAK,IAAL,SAAK,CAAL,iBAAN,C;MAAA,C;KAFvC,C;wFAGA,yB;MAAA,4B;MAAA,mB;QAE2C,qBAAK,IAAL,SAAK,CAAL,iBAAN,C;MAAA,C;KAF3C,C;wFAGA,yB;MAAA,4B;MAAA,mB;QAE2C,qBAAK,IAAL,SAAK,CAAL,iBAAN,C;MAAA,C;KAF3C,C;wFAGA,yB;MAAA,6B;MAAA,mB;QAEyC,qBAAK,IAAL,SAAK,CAAL,iBAAN,C;MAAA,C;KAFzC

AA7B,C2LvCpB,K;MAAA,S;QAAkB,O3LuCE,Y2LvCF,K3LuCmB,KAAjB,E2LvCO,S3LuCsB,KAA7B,C2LvCF
,K;;MAAlB,W;IAAA,C;;MAEZ,O3LqCgC,Y2LrChC,U3LqCiD,KAAjB,E2LrCxB,S3LqCqD,KAA7B,C2LrChC,I;I
AAA,C;;MAItB,UAAwB,M;MADhC,2CAAuB,kBAAa,KAAM,UAAnB,KACf,2CAAS,KAAM,MAAf,cAAwB,6C
AAQ,KAAM,KAAd,QAAxB,CADe,CAAvB,C;IAAA,C;;MAIA,OAAI,cAAJ,GAAe,EAAf,GAAwB,MAAK,U3Ls
KA,K2LtKL,QAAqB,S3LsKhB,K2LtKL,I;IAAxB,C;;MAE8B,OAAE,UAAF,qBAAU,S;IAAV,C;;MAElC,mC;MA
CI,aAC8B,cAAU,4BAAK,UAAf,EAA0B,4BAAK,UA/B,C;IAFlC,C;;;;MAAA,0C;QAAA,yB;;MAAA,mC;IAAA
,C;;;MAmDA,uC;MAjCI,IAAI,SAAQ,CAAZ,C;QAAuB,MAAa,gCAAyB,wBAAzB,C;MACpC,IAAI,SAAQ,WA
AZ,C;QAA2B,MAAa,gCAAyB,wEAAzB,C;MAG5C,aAGyB,K;MAEzB,YAGwB,4BAA0B,KAA1B,EAAiC,YAA
jC,EAA+C,IAA/C,C;MAExB,YAGuB,I;IAvB3B,C;;MAyB4C,mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAAr
C,C;IAAA,C;;MAGH,OAAI,YAAO,CAAX,G3Ld6B,Y2Lcf,U3LdgC,KAAjB,E2LcP,S3LdoC,KA7B7B,C2Lcf,IAA
d,G3Ld6B,Y2LcG,U3Ldc,KAAjB,E2LcW,S3LdkB,KA7B7B,C2LcG,I;IAAhC,C;;MAIzB,UAAwB,M;MADhC,iDA
A6B,kBAAa,KAAM,UAAnB,KCrB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,CAAe,CAAvB,C;IAA
AA,C;;MAIA,OAAI,cAAJ,GAAe,EAAf,GAAwB,MAAK,UAAL,EAAgB,SAAhB,EAAsB,SAAtB,EAA4B,MAAK,U
AAL,EAAgB,SAAhB,EAAsB,SAAtB,EAA4B

Y,C9B8H/C,eAAW,oB8BpIoB,K9BoIzB,KAAK,CAAL,YAAN,C8B9H+C,MAAZ,CAAhB,C;MANC,C;KAFzD,C
;8FAGA,yB;M/BiIA,kBAS6D,sB;MAT7D,+B;M+BjIA,wB;QAEuD,OAGC,eAAM,IAAK,KAAK,UAAY,C/BqI/C,
eAAW,oB+BxIkB,K/BwIvB,KAAK,CAAL,iBAAN,C+BrI+C,MAAZ,CAAhB,C;MAHD,C;KAFvD,C;8FAGA,yB;
MAAA,+B;MAAA,wB;QAEwD,sBAAM,IAAK,KAAK,UAAM,KAAM,KAAZ,CAAhB,C;MAAA,C;KAFxD,C;0
FAIA,yB;MhCkHA,WAS6D,wB;MAT7D,+B;MgCzGA,8C;MATA,wB;QAEsD,OASA,YAAY,IAAZ,EhCgHjB,e
AAW,oBgCzHe,KhCyHpB,KAAK,CAAL,UAAN,CgChHiB,C;MATA,C;KAFtD,C;0FAGA,yB;M9BgHA,aAS6D,
0B;MAT7D,+B;M8B1GA,8C;MANA,wB;QAEuD,OAMD,YAAY,IAAZ,E9BiHjB,eAAW,oB8BvHgB,K9BuHrB,
KAAK,CAAL,YAAN,C8BjHiB,C;MANC,C;KAFvD,C;0FAGA,yB;M/BoHA,kBAS6D,sB;MAT7D,+B;M+BjHA,
8C;MAHA,wB;QAEqD,OAGC,YAAY,IAAZ,E/BwHjB,eAAW,oB+B3HhB,K/B2HnB,KAAK,CAAL,iBAAN,C+BxHiB,C+BxHx
HiB,C;MAHD,C;KAFrD,C;0FAGA,yB;MAAA,8C;MAAA,wB;QAEsD,mBAAY,IAAZ,EAAkB,KAAlB,C;MAAA
,C;KAFtD,C;0FAIA,yB;MhCqGA,WAS6D,wB;MAT7D,+B;MgC5FA,oD;MATA,wB;QAEsD,OASA,eAAe,IAAf,
EhCmGjB,eAAW,oBgC5Ge,KhC4GpB,KAAK,CAAL,UAAN,CgCnGiB,C;MATA,C;KAFtD,C;0FAGA,yB;M9B
mGA,aAS6D,0B;MAT7D,+B;M8B7FA,oD;MANA,wB;QAEuD,OAMD,eAAe,IAAf,E9BoGjB,eAAW,oB8B1GgB,K9B0GrB
,K9B0GrB,KAAK,CAAL,YAAN,C8BpGiB,C;MANC,C;KAFvD,C;0FAGA,yB;M/BuGA,kBAS6D,sB;MAT7D,+B
;M+BpGA,oD;MAHA,wB;QAEqD,OAGC,eAAe,IAAf,E/B2GjB,eAAW,oB+B9GhB,K/B8GnB,KAAK,CAAL,iBAAN
,C+B3GiB,C;MAHD,C;KAFrD,C;0FAGA,yB;MAAA,oD;MAAA,wB;QAEsD,sBAAe,IAAf,EAAqB,KAArB,C;
MAAA,C;KAFtD,C;0EAIA,yB;MAAA,+B;MAAA,mB;QAE0C,sBAAM,SAAK,MAAX,C;MAAA,C;KAF1C,C;0
EAGA,yB;MAAA,+B;MAAA,mB;QAE0C,sBAAM,SAAK,MAAX,C;MAAA,C;KAF1C,C;kGAIA,yB;MAAA,gD;
MAAA,wB;QAE+D,2BAAW,IAAX,EAAiB,KAAjB,C;MAAA,C;KAF/D,C;0FAIA,yB;MAAA,+B;MAAA,2B;QA
EoD,sBAAM,oBAAS,QAAT,CAAN,C;MAAA,C;KAFpD,C;0FAGA,yB;MAAA,+B;MAAA,2B;QAEoD,sBAAM,
6BAAU,QAAV,CAAN,C;MAAA,C;KAFpD,C;0FAGA,yB;MAAA,+B;MAAA,wB;QAEmD,sBAAM,IAAK,KAA
L,KAAc,KAAM,KAApB,CAAN,C;MAAA,C;KAFnD,C;wFAGA,yB;MAAA,+B;MAAA,wB;QAEkD,sBAAM,IA
AK,KAAL,IAAa,KAAM,KAAnB,CAAN,C;MAAA,C;KAFlD,C;0FAGA,yB;MAAA,+B;MAAA,wB;QAEmD,sB
AAM,IAAK,KAAL,KAAc,KAAM,KAApB,CAAN,C;MAAA,C;KAFnD,C;0EAGA,yB;MAAA,+B;MAAA,mB;Q
AEiC,sBAAM,SAAK,MAAX,C;MAAA,C;KAFjC,C;gFAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAL,,S
AAK,S;MAAL,C;KAVnC,C;kFAWA,yB;MAAA,4B;MAAA,mB;QAUqC,OAAK,QAAL,,SAAK,S;MAAL,C;KAV
rC,C;;MAqBiC,OAAA,SAAK,Q;IAAL,C;;MAUE,gB;IAAA,C;kFAEnC,yB;MhC+EJ,0B;MAAA,+B;MgC/EI,
QASqC,OhCiFC,eAAW,OgCjFZ,ShCiFY,SAAX,C;MgCjFD,C;KATrC,C;oFAUA,yB;M9BsEJ,4B;MAAA,iC;M8
BtEI,mB;QASuC,O9BwEC,gBAAY,Q8BxEb,S9BwEa,SAAZ,C;M8BxED,C;KATvC,C;gFAUA,yB;M/BqEJ,6B;M
+BrEI,mB;QASmC,O/BuEC,c+BvED,S/BuEW,QAAV,C;M+BvED,C;KATnC,C;;MAYqC,W;IAAA,C;kFAErC,y
B;MASA,kD;MATA,mB;QAQqC,OASE,cAAc,SAAd,C;MATF,C;KARrC,C;oFASA,yB;MAAA,kD;MAAA,mB;
QAQuC,qBAAc,SAAd,C;MAAA,C;KARvC,C;;;;;;MA5P7C,c;MAG6D,qD;M
AH7D,a;IAAA,C;;MAAA,2IAG6D,oCAH7D,G;IAAA,C;wEAgQA,yB;MAAA,+B;MAAA,4B;QAW0C,sBAW1C,oB
BAAL,SAAK,CAAX,C;MAAA,C;KAX1C,C;0EAYA,yB;MAAA,+B;MAAA,4B;QAW2C,sBAW3C,oBBAAL,SAA
K,CAAX,C;MAAA,C;KAX3C,C;0EAYA,yB;MAAA,+B;MAAA,4B;QAWyC,sBAWzC,oBBAAL,SAAK,CAAX,C;
MAAA,C;KAXzC,C;0EAYA,yB;MAAA,+B;MAAA,4B;QAWwC,sBAWxC,oBBAAM,SAAN,CAAa,C;MAAA,C;KAV
1C,C;yEAWA,yB;MAAA,kD;MAAA,4B;QAWqC,qBAAmB,SAAnB,C;MAAA,C;KAX3C,C;0EAYA,yB;MAAA,
kD;MAAA,4B;QAWsC,qBAAc,SAAd,C;MAAA,C;KAX5C,C;0EAYA,yB;MAAA,kD;MAAA,4B;QAWuC,qBAAc
,SAAd,C;MAAA,C;KAX7C,C;0EAYA,yB;MAAA,kD;MAAA,4B;QAWuC,qBAAc,SAAd,C;MAAA,C;KAX7C,C;
MAqDqC,OAAK,OAAL,,SAAK,S;MAAL,C;KAVnC,C;kFAWA,yB;MAAA,4B;MAAA,mB;QAUqC,OAAK,QAAL,,
SAAK,S;MAAL,C;KAVrC,C;;MAqBiC,OAAA,SAAK,Q;IAAL,C;;MAUE,gB;IAAA,C;kFAEnC,yB;MhCsIJ,
0B;MAAA,+B;MgCtII,QASqC,OhCwIC,eAAW,OgCxIZ,ShCwIY,SAAX,C;MgCxID,C;KATrC,C;oFAUA,yB;M9B
6HJ,4B;MAAA,iC;M8B7HI,mB;QASuC,O9B+HC,gBAAY,Q8B/Hb,S9B+Ha,SAAZ,C;M8B/HD,C;KATvC,C;
gFAUA,yB;M/B4HJ,6B;M+B5HI,mB;QASmC,O/B8HC,c+B9HD,S/B8HW,QAAV,C;M+B9HD,C;KATnC,C;;MA
YqC,W;IAAA,C;kFAErC,yB;MASA,kD;MATA,mB;QAQqC,OASE,cAAc,SAAd,C;MATF,C;KARrC,C;oF
ASA,yB;MAAA,kD;MAAA,mB;

,C;;MAAA,2IAKqB,0CALrB,G;IAAA,C;gFAuDA,yB;MAAA,yC;;QAWsC,wB;UAAW,OAAA,aAAK,KAAL,CC
qIV,K;QDrID,C;MAAA,C;MAXtC,6B;QAWI,OAAO,oBAAW,kBAAU,IAAV,EAAgB,uBAAhB,CAAX,C;MAC
X,C;KAZA,C;;MAiBqE,e;IAAA,C;;M+J9CjE,kC;MAjByD,4BAAiB,KAAjB,EAAwB,YAAxB,K;IAAtC,C;;MACe
,iB;IAAA,C;;MACO,gB;IAAA,C;;MAEM,W9J+CoB,a8J/CpB,U9J+CsC,KAAlB,E8J/CX,K9J+CyC,KAA9B,C8J/
CpB,K;MAAA,S;QAAkB,O9J+CE,a8J/CF,K9J+CoB,KAAlB,E8J/CO,S9J+CuB,KAA9B,C8J/CF,K;;MAAlB,W;IA
AA,C;;MAEb,O9J6CiC,a8J7CjC,U9J6CmD,KAAlB,E8J7CzB,S9J6CuD,KAA9B,C8J7CjC,I;IAAA,C;;MAItB,UA
AwB,M;MADhC,8CAAwB,kBAAa,KAAM,UAAnB,KAChB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KA
Ad,QAAxB,CADgB,CAAxB,C;IAAA,C;;MAIA,OAAI,cAAJ,GAAe,EAAf,GAAwB,M9JuKK,CArCkB,U8JlIjB,U
9JkI4B,KAAL,KAAoB,CATzB,U8JzHP,U9JyHa,yB8JzHH,E9JyHG,CAAN,CASyB,MAApB,CAAN,CAqClB,MA
AK,Q8JvKV,Q9JuKK,CArCkB,U8JlIoB,S9JkIT,KAAL,KAAoB,CATzB,U8JzH6B,S9JyHvB,yB8JzHgC,E9JyHhC
,CAAN,CASyB,MAApB,CAAN,CAqClB,MAAK,Q8JvKV,I;IAAxB,C;;MAE8B,OAAE,UAAF,qBAAU,S;IAAV,
C;;MAElC,oC;MACI,aAC+B,iBAAW,6BAAM,UAAjB,EAA4B,6BAAM,UAAlC,C;IAFnC,C;;;;MAAA,2C;QAA
A,0B;;MAAA,oC;IAAA,C;;;MAmDA,wC;MAjCI,IAAI,gBAAJ,C;QAAwB,MAAa,gCAAyB,wBAAzB,C;MACrC,
IAAI,sCAAJ,C;QAA4B,MAAa,gCAAyB,yEAAzB,C;MAG7C,aAG0B,K;MAE1B,YAGyB,4BAA0B,KAA1B,EA
AiC,YAAjC,EAA+C,C,IAA/C,C,C;MAEzB,YAGwB,I;IAvB5B,C;;MAyB6C,oCAAyB,UAAzB,EAAgC,SAAhC,EAAsC,EAAAs
C,SAAtC,C;IAAA,C;;MAGJ,OAAI,uBAAO,CAAX,G9JN8B,a8JMhB,U9JNkC,KAAlB,E8JMR,S9JNsC,KAA9B,
C8JMhB,IAAd,G9JN8B,a8JME,U9JNgB,KAAlB,E8JMU,S9JNoB,KAA9B,C8JME,I;IAAhC,C;;MAIzB,UAAwB,
M;MADhC,kDAA8B,kBAAa,KAAM,UAAnB,KAChB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,Q
AAxB,KAA8C,kBAAQ,KAAM,KAAd,CADxB,CAA9B,C;IAAA,C;;MAIA,OAAI,cAAJ,GAAe,EAAf,GAAwB,O
AAM,M9JoHD,CArCkB,U8J/EX,U9J+EsB,KAAL,KAAoB,CATzB,U8JtED,U9JsEO,yB8JtEG,E9JsEH,CAAN,C
ASyB,MAApB,CAAN,CAqClB,MAAK,Q8JpJpHJ,Q9JoHD,CArCkB,U8J/E0B,S9J+Ef,KAAL,KAAoB,CATzB,U8JtEmC,S9JsE7B,yB8JtEsC,E9JsEtC,CAAN,CASyB,MAApB,CAAN,CAqClB,MAAK,Q8JpJpHJ,IAAN,SAAqF,cAAAu
,6BAAU,EAAV,CAAU,CAAV,EAAa,6BAAU,EAAV,CAAU,CAAV,EAAa,CAAb,EAAgB,CAAhB,EAAmB,CAAnB,EAAsB,CAAtB,EAAyB,CAAzB,EAA4B,CAA5B,EAA+B,CAA/B,EAAkC,CAAlC,EAAqC,CAArC,EAAwC,CAAxC,EAA2C,CAA3C,EAA8C,CAA9C,EAAiD,CAAjD,EAAoD,CAApD,EAAuD,CAAvD,EAA0D,CAA1D,EAA6D,CAA7D,EAAgE,CAAhE,EAAmE,CAAnE,EAAsE,CAAtE,EAAyE,CAAzE,EAA4E,CAA5E,EAA+E,CAA/E,EAAkF,CAAlF,EAAqF,CAArF,EAAwF,CAAxF,EAA2F,CAA3F,EAA8F,CAA9F,EAAiG,CAAjG,EAAoG,CAApG,EAAuG,CAAvG,EAA0G,CAA1G,EAA6G,CAA7G,EAAgH,CAAhH,EAAmH,CAAnH,EAAsH,CAAtH,EAAyH,CAAzH,EAA4H,CAA5H,EAA+H,CAA/H,EAAkI,CAAlI,EAAqI,CAArI,EAAwI,CAAxI,EAA2I,CAA3I,EAA8I,CAA9I,EAAiJ,CAAjJ,EAAoJ,CAApJ,EAAuJ,CAAvJ,EAA0J,CAA1J,EAA6J,CAA7J,EAAgK,CAAhK,EAAmK,CAAnK,EAAsK,CAAtK,EAAyK,CAAzK,EAA4K,CAA5K,EAA+K,CAA/K,EAAkL,CAAlL,EAAqL,CAArL,EAAwL,CAAxL,EAA2L,CAA3L,EAA8L,CAA9L,EAAiM,CAAjM,EAAoM,CAApM,EAAuM,CAAvM,EAA0M,CAA1M,EAA6M,CAA7M,EAAgN,CAAhN,EAAmN,CAAnN,EAAsN,CAAtN,EAAyN,CAAzN,EAA4N,CAA5N,EAA+N,CAA/N,EAAkO,CAAlO,EAAqO,CAArO,EAAwO,CAAxO,EAA2O,CAA3O,EAA8O,CAA9O,EAAiP,CAAjP,EAAoP,CAApP,EAAuP,CAAvP,EAA0P,CAA1P,EAA6P,CAA7P,EAAgQ,CAAhQ,EAAmQ,CAAnQ,EAAsQ,CAAtQ,EAAyQ,CAAzQ,EAA4Q,CAA5Q,EAA+Q,CAA/Q,EAAkR,CAAlR,EAAqR,CAArR,EAAwR,CAAxR,EAA2R,CAA3R,EAA8R,CAA9R,EAAiS,CAAjS,EAAoS,CAApS,EAAuS,CAAvS,EAA0S,CAA1S,EAA6S,CAA7S,EAAgT,CAAhT,EAAmT,CAAnT,EAAsT,CAAtT,EAAyT,CAAzT,EAA4T,CAA5T,EAA+T,CAA/T,EAAkU,CAAlU,EAAqU,CAArU,EAAwU,CAAxU,EAA2U,CAA3U,EAA8U,CAA9U,EAAiV,CAAjV,EAAoV,CAApV,EAAuV,CAAvV,EAA0V,CAA1V,EAA6V,CAA7V,EAAgW,CAAhW,EAAmW,CAAnW,EAAsW,CAAtW,EAAyW,CAAzW,EAA4W,CAA5W,EAA+W,CAA/W,EAAkX,CAAlX,EAAqX,CAArX,EAAwX,CAAxX,EAA2X,CAA3X,EAA8X,CAA9X,EAAiY,CAAjY,EAAoY,CAApY,EAAuY,CAAvY,EAA0Y,CAA1Y,EAA6Y,CAA7Y,EAAgZ,CAAhZ,EAAmZ,CAAnZ,EAAsZ,CAAtZ,EAAyZ,CAAzZ,EAA4Z,CAA5Z,EAA+Z,CAA/Z,EAAka,CAAla,EAAqa,CAAra,EAAwa,CAAxa,EAA2a,CAA3a,EAA8a,CAA9a,EAAib,CAAjb,EAAob,CAApb,EAAub,CAAvb,EAA0b,CAA1b,EAA6b,CAA7b,EAAgc,CAAhc,EAAmc,CAAnc,EAAsc,CAAtc,EAAyc,CAAzc,EAA4c,CAA5c,EAA+c,CAA/c,EAAkd,CAAld,EAAqd,CAArd,EAAwd,CAAxd,EAA2d,CAA3d,EAA8d,CAA9d,EAAie,CAAje,EAAoe,CAApe,EAAue,CAAve,EAA0e,CAA1e,EAA6e,CAA7e,EAAgf,CAAhf,EAAmf,CAAnf,EAAsf,CAAtf,EAAyf,CAAzf,EAA4f,CAA5f,EAA+f,CAA/f,EAAkgB,CAAlgB,EAAqgB,CAArgB,EAAwgB,CAAxgB,EAA2gB,CAA3gB,EAA8gB,CAA9gB,EAAihB,CAAjhB,EAAohB,CAAphB,EAAuhB,CAAvhB,EAA0hB,CAA1hB,EAA6hB,CAA7hB,EAAgiB,CAAhiB,EAAmiB,CAAniB,EAAsiB,CAAtiB,EAAyiB,CAAziB,EAA4iB,CAA5iB,EAA+iB,CAA/iB,EAAkjB,CAAljB,EAAqjB,CAArjB,EAAwjB,CAAxjB,EAA2jB,CAA3jB,EAA8jB,CAA9jB,EAAikB,CAAjkB,EAAokB,CAApkB,EAAukB,CAAvkB,EAA0kB,CAA1kB,EAA6kB,CAA7kB,EAAglB,CAAhlB,EAAmlB,CAAnlB,EAAslB,CAAtlB,EAAylB,CAAzlB,EAA4lB,CAA5lB,EAA+lB,CAA/lB,EAAkmB,CAAlmB,EAAqmB,CAArmB,EAAwmB,CAAxmB,EAA2mB,CAA3mB,EAA8mB,CAA9mB,EAAinB,CAAjnB,EAAonB,CAApnB,EAAunB,CAAvnB,EAA0nB,CAA1nB,EAA6nB,CAA7nB,EAAgoB,CAAhoB,EAAmoB,CAAnoB,EAAsoB,CAAtoB,EAAyoB,CAAzoB,EAA4oB,CAA5oB,EAA+oB,CAA/oB,EAAkpB,CAAlpB,EAAqpB,CAArpB,EAAwpB,CAAxpB,EAA2pB,CAA3pB,EAA8pB,CAA9pB,EAAiqB,CAAjqB,EAAoqB,CAApqB,EAAuqB,CAAvqB,EAA0qB,CAA1qB,EAA6qB,CAA7qB,EAAgrB,CAAhrB,EAAmrB,CAAnrB,EAAsrB,CAAtrB,EAAyrB,CAAzrB,EAA4rB,CAA5rB,EAA+rB,CAA/rB,EAAksB,CAAlsB,EAAqsB,CAArsB,EAAwsB,CAAxsB,EAA2sB,CAA3sB,EAA8sB,CAA9sB,EAAitB,CAAjtB,EAAotB,CAAptB,EAAutB,CAAvtB,EAA0tB,CAA1tB,EAA6tB,CAA7tB,EAAguB,CAAhuB,EAAmuB,CAAnuB,EAAsuB,CAAtuB,EAAyuB,CAAzuB,EAA4uB,CAA5uB,EAA+uB,CAA/uB,EAAkvB,CAAlvB,EAAqvB,CAArvB,EAAwvB,CAAxvB,EAA2vB,CAA3vB,EAA8vB,CAA9vB,EAAiwB,CAAjwB,EAAowB,CAApwB,EAAuwB,CAAvwB,EAA0wB,CAA1wB,EAA6wB,CAA7wB,EAAgxB,CAAhxB,EAAmxB,CAAnxB,EAAsxB,CAAtxB,EAAyxB,CAAzxB,EAA4xB,CAA5xB,EAA+xB,CAA/xB,EAAkyB,CAAlyB,EAAqyB,CAAryB,EAAwyB,CAAxyB,EAA2yB,CAA3yB,EAA8yB,CAA9yB,EAAizB,CAAjzB,EAAozB,CAApzB,EAAuzB,CAAvzB,EAA0zB,CAA1zB,EAA6zB,CAA7zB,EAAg0B,CAAh0B,EAAm0B,CAAn0B,EAAs0B,CAAt0B,EAAy0B,CAAz0B,EAA40B,CAA50B,EAA+0B,CAA/0B,EAAk1B,CAAl1B,EAAq1B,CAAr1B,EAAw1B,CAAx1B,EAA21B,CAA31B,EAA81B,CAA91B,EAAi2B,CAAj2B,EAAo2B,CAAp2B,EAAu2B,CAAv2B,EAA02B,CAA12B,EAA62B,CAA72B,EAAg3B,CAAh3B,EAAm3B,CAAn3B,EAAs3B,CAAt3B,EAAy3B,CAAz3B,EAA43B,CAA53B,EAA+3B,CAA/3B,EAAk4B,CAAl4B,EAAq4B,CAAr4B,EAAw4B,CAAx4B,EAA24B,CAA34B,EAA84B,CAA94B,EAAi5B,CAAj5B,EAAo5B,CAAp5B,EAAu5B,CAAv5B,EAA05B,CAA15B,EAA65B,CAA75B,EAAg6B,CAAh6B,EAAm6B,CAAn6B,EAAs6B,CAAt6B,EAAy6B,CAAz6B,EAA46B,CAA56B,EAA+6B,CAA/6B,EAAk7B,CAAl7B,EAAq7B,CAAr7B,EAAw7B,CAAx7B,EAA27B,CAA37B,EAA87B,CAA97B,EAAi8B,CAAj8B,EAAo8B,CAAp8B,EAAu8B,CAAv8B,EAA08B,CAA18B,EAA68B,CAA78B,EAAg9B,CAAh9B,EAAm9B,CAAn9B,EAAs9B,CAAt9B,EAAy9B,CAAz9B,EAA49B,CAA59B,EAA+9B,CAA/9B,EAAk+B,CAAl+B,EAAq+B,CAAr+B,EAAw+B,CAAx+B,EAA2+B,CAA3+B,EAA8+B,CAA9+B,EAAi/B,CAAj/B,EAAo/B,CAAp/B,EAAu/B,CAAv/B,EAA0/B,CAA1/B,EAA6/B,CAA7/B,EAAggC,CAAhgC,EAAmgC,CAAngC,EAAsgC,CAAtgC,EAAygC,CAAzgC,EAA4gC,CAA5gC,EAA+gC,CAA/gC,EAAkhC,CAAlhC,EAAqhC,CAArhC,EAAwhC,CAAxhC,EAA2hC,CAA3hC,EAA8hC,CAA9hC,EAAiiC,CAAjiC,EAAoiC,CAApiC,EAAuiC,CAAviC,EAA0iC,CAA1iC,EAA6iC,CAA7iC,EAAgjC,CAAhjC,EAAmjC,CAAnjC,EAAsjC,CAAtjC,EAAyjC,CAAzjC,EAA4jC,CAA5jC,EAA+jC,CAA/jC,EAAkkC,CAAlkC,EAAqkC,CAArkC,EAAwkC,CAAxkC,EAA2kC,CAA3kC,EAA8kC,CAA9kC,EAAilC,CAAjlC,EAAolC,CAAplC,EAAulC,CAAvlC,EAA0lC,CAA1lC,EAA6lC,CAA7lC,EAAgmC,CAAhmC,EAAmmC,CAAnmC,EAAsmC,CAAtmC,EAAymC,CAAzmC,EAA4mC,CAA5mC,EAA+mC,CAA/mC,EAAknC,CAAlnC,EAAqnC,CAArnC,EAAwnC,CAAxnC,EAA2nC,CAA3nC,EAA8nC,CAA9nC,EAAioC,CAAjoC,EAAooC,CAApoC,EAAuoC,CAAvoC,EAA0oC,CAA1oC,EAA6oC,CAA7oC,EAAgpC,CAAhpC,EAAmpC,CAAnpC,EAAspC,CAAtpC,EAAypC,CAAzpC,EAA4pC,CAA5pC,EAA+pC,CAA/pC,EAAkqC,CAAlqC,EAAqqC,CAArqC,EAAwqC,CAAxqC,EAA2qC,CAA3qC,EAA8qC,CAA9qC,EAAirC,CAAjrC,EAAorC,CAAprC,EAAurC,CAAvrC,EAA0rC,CAA1rC,EAA6rC,CAA7rC,EAAgsC,CAAhsC,EAAmsC,CAAnsC,EAAssC,CAAtsC,EAAysC,CAAzsC,EAA4sC,CAA5sC,EAA+sC,CAA/sC,EAAktC,CAAltC,EAAqtC,CAArtC,EAAwtC,CAAxtC,EAA2tC,CAA3tC,EAA8tC,CAA9tC,EAAiuC,CAAjuC,EAAouC,CAApuC,EAAuuC,CAAvuC,EAA0uC,CAA1uC,EAA6uC,CAA7uC,EAAgvC,CAAhvC,EAAmvC,CAAnvC,EAAsvC,CAAtvC,EAAyvC,CAAzvC,EAA4vC,CAA5vC,EAA+vC,CAA/vC,EAAkwC,CAAlwC,EAAqwC,CAArwC,EAAwwC,CAAxwC,EAA2wC,CAA3wC,EAA8wC,CAA9wC,EAAixC,CAAjxC,EAAoxC,CAApxC,EAAuxC,CAAvxC,EAA0xC,CAA1xC,EAA6xC,CAA7xC,EAAgyC,CAAhyC,EAAmyC,CAAnyC,EAAsyC,CAAtyC,EAAyyC,CAAzyC,EAA4yC,CAA5yC,EAA+yC,CAA/yC,EAAkzC,CAAlzC,EAAqzC,CAArzC,EAAwzC,CAAxzC,EAA2zC,CAA3zC,EAA8zC,CAA9zC,EAAi0C,CAAj0C,EAAo0C,CAAp0C,EAAu0C,CAAv0C,EAA00C,CAA10C,EAA60C,CAA70C,EAAg1C,CAAh1C,EAAm1C,CAAn1C,EAAs1C,CAAt1C,EAAy1C,CAAz1C,EAA41C,CAA51C,EAA+1C,CAA/1C,EAAk2C,CAAl2C,EAAq2C,CAAr2C,EAAw2C,CAAx2C,EAA22C,CAA32C,EAA82C,CAA92C,EAAi3C,CAAj3C,EAAo3C,CAAp3C,EAAu3C,CAAv3C,EAA03C,CAA13C,EAA63C,CAA73C,EAAg4C,CAAh4C,EAAm4C,CAAn4C,EAAs4C,CAAt4C,EAAy4C,CAAz4C,EAA44C,CAA54C,EAA+4C,CAA/4C,EAAk5C,CAAl5C,EAAq5C,CAAr5C,EAAw5C,CAAx5C,EAA25C,CAA35C,EAA85C,CAA95C,EAAi6C,CAAj6C,EAAo6C,CAAp6C,EAAu6C,CAAv6C,EAA06C,CAA16C,EAA66C,CAA76C,EAAg7C,CAAh7C,EAAm7C,CAAn7C,EAAs7C,CAAt7C,EAAy7C,CAAz7C,EAA47C,CAA57C,EAA+7C,CAA/7C,EAAk8C,CAAl8C,EAAq8C,CAAr8C,EAAw8C,CAAx8C,EAA28C,CAA38C,EAA88C,CAA98C,EAAi9C,CAAj9C,EAAo9C,CAAp9C,EAAu9C,CAAv9C,EAA09C,CAA19C,EAA69C,CAA79C,EAAg+C,CAAh+C,EAAm+C,CAAn+C,EAAs+C,CAAt+C,EAAy+C,CAAz+C,EAA4+C,CAA5+C,EAA++C,CAA/+C,EAAk/C,CAAl/C,EAAq/C,CAAr/C,EAAw/C,CAAx/C,EAA2/C,CAA3/C,EAA8/C,CAA9/C,EAAigD,CAAjgD,EAAogD,CAApgD,EAAugD,CAAvgD,EAA0gD,CAA1gD,EAA6gD,CAA7gD,EAAghD,CAAhhD,EAAmhD,CAAnhD,EAAshD,CAAthD,EAAyhD,CAAzhD,EAA4hD,CAA5hD,EAA+hD,CAA/hD,EAAkiD,CAAliD,EAAqiD,CAAriD,EAAwiD,CAAxiD,EAA2iD,CAA3iD,EAA8iD,CAA9iD,EAAijD,CAAjjD,EAAojD,CAApjD,EAAujD,CAAvjD,EAA0jD,CAA1jD,EAA6jD,CAA7jD,EAAgkD,CAAhkD,EAAmkD,CAAnkD,EAAskD,CAAtkD,EAAykD,CAAzkD,EAA4kD,CAA5kD,EAA+kD,CAA/kD,EAAklD,CAAllD,EAAqlD,CAArlD,EAAwlD,CAAxlD,EAA2lD,CAA3lD,EAA8lD,CAA9lD,EAAimD,CAAjmD,EAAomD,CAApmD,EAAumD,CAAvmD,EAA0mD,CAA1mD,EAA6mD,CAA7mD,EAAgnD,CAAhnD,EAAmnD,CAAnnD,EAAsnD,CAAtnD,EAAynD,CAAznD,EAA4nD,CAA5nD,EAA+nD,CAA/nD,EAAkoD,CAAloD,EAAqoD,CAAroD,EAAwoD,CAAxoD,EAA2oD,CAA3oD,EAA8oD,CAA9oD,EAAipD,CAAjpD,EAAopD,CAAppD,EAAupD,CAAvpD,EAA0pD,CAA1pD,EAA6pD,CAA7pD,EAAgqD,CAAhqD,EAAmqD,CAAnqD,EAAsqD,CAAtqD,EAAyqD,CAAzqD,EAA4qD,CAA5qD,EAA+qD,CAA/qD,EAAkrD,CAAlrD,EAAqrD,CAArrD,EAAwrD,CAAxrD,EAA2rD,CAA3rD,EAA8rD,CAA9rD,EAAisD,CAAjsD,EAAosD,CAApsD,EAAusD,CAAvsD,EAA0sD,CAA1sD,EAA6sD,CAA7sD,EAAgtD,CAAhtD,EAAmtD,CAAntD,EAAstD,CAAttD,EAAytD,CAAztD,EAA4tD,CAA5tD,EAA+tD,CAA/tD,EAAkuD,CAAluD,EAAquD,CAAruD,EAAwuD,CAAxuD,EAA2uD,CAA3uD,EAA8uD,CAA9uD,EAAivD,CAAjvD,EAAovD,CAApvD,EAAuvD,CAAvvD,EAA0vD,CAA1vD,EAA6vD,CAA7vD,EAAgwD,CAAhwD,EAAmwD,CAAnwD,EAAswD,CAAtwD,EAAywD,CAAzwD,EAA4wD,CAA5wD,EAA+wD,CAA/wD,EAAkxD,CAAlxD,EAAqxD,CAArxD,EAAwxD,CAAxxD,EAA2xD,CAA3xD,EAA8xD,CAA9xD,EAAiyD,CAAjyD,EAAoyD,CAApyD,EAAuyD,CAAvyD,EAA0yD,CAA1yD,EAA6yD,CAA7yD,EAAgzD,CAAhzD,EAAmzD,CAAnzD,EAAszD,CAAtzD,EAAyzD,CAAzzD,EAA4zD,CAA5zD,EAA+zD,CAA/zD,EAAk0D,CAAl0D,EAAq0D,CAAr0D,EAAw0D,CAAx0D,EAA20D,CAA30D,EAA80D,CAA90D,EAAi1D,CAAj1D,EAAo1D,CAAp1D,EAAu1D,CAAv1D,EAA01D,CAA11D,EAA61D,CAA71D,EAAg2D,CAAh2D,EAAm2D,CAAn2D,EAAs2D,CAAt2D,EAAy2D,CAAz2D,EAA42D,CAA52D,EAA+2D,CAA/2D,EAAk3D,CAAl3D,EAAq3D,CAAr3D,EAAw3D,CAAx3D,EAA23D,CAA33D,EAA83D,CAA93D,EAAi4D,CAAj4D,EAAo4D,CAAp4D,EAAu4D,CAAv4D,EAA04D,CAA14D,EAA64D,CAA74D,EAAg5D,CAAh5D,EAAm5D,CAAn5D,EAAs5D,CAAt5D,EAAy5D,CAAz5D,EAA45D,CAA55D,EAA+5D,CAA/5D,EAAk6D,CAAl6D,EAAq6D,CAAr6D,EAAw6D,CAAx6D,EAA26D,CAA36D,EAA86D,CAA96D,EAAi7D,CAAj7D,EAAo7D,CAAp7D,EAAu7D,CAAv7D,EAA07D,CAA17D,EAA67D,CAA77D,EAAg8D,CAAh8D,EAAm8D,CAAn8D,EAAs8D,CAAt8D,EAAy8D,CAAz8D,EAA48D,CAA58D,EAA+8D,CAA/8D,EAAk9D,CAAl9D,EAAq9D,CAAr9D,EAAw9D,CAAx9D,EAA29D,CAA39D,EAA89D,CAA99D,EAAi+D,CAAj+D,EAAo+D,CAAp+D,EAAu+D,CAAv+D,EAA0+D,CAA1+D,EAA6+D,CAA7+D,EAAg/D,CAAh/D,EAAm/D,CAAn/D,EAAs/D,CAAt/D,EAAy/D,CAAz/D,EAA4/D,CAA5/D,EAA+/D,CAA/gE,EAAkhE,CAAlhE,EAAqhE,CAArhE,EAAwhE,CAAxhE,EAA2hE,CAA3hE,EAA8hE,CAA9hE,EAAiiE,CAAjiE,EAAoiE,CAApiE,EAAuiE,CAAviE,EAA0iE,CAA1iE,EAA6iE,CAA7iE,EAAgjE,CAAhjE,EAAmjE,CAAnjE,EAAsjE,CAAtjE,EAAyjE,CAAzjE,EAA4jE,CAA5jE,EAA+jE,CAA/jE,EAAkkE,CAAlkE,EAAqkE,CAArkE,EAAwkE,CAAxkE,EAA2kE,CAA3kE,EAA8kE,CAA9kE,EAAilE,CAAjlE,EAAolE,CAAplE,EAAulE,CAAvlE,EAA0lE,CAA1lE,EAA6lE,CAA7lE,EAAgmE,CAAhmE,EAAmmE,CAAnmE,EAAsmE,CAAtmE,EAAymE,CAAzmE,EAA4mE,CAA5mE,EAA+mE,CAA/mE,EAAknE,CAAlnE,EAAqnE,CAArnE,EAAwnE,CAAxnE,EAA2nE,CAA3nE,EAA8nE,CAA9nE,EAAioE,CAAjoE,EAAooE,CAApoE,EAAuoE,CAAvoE,EAA0oE,CAA1oE,EAA6oE,CAA7oE,EAAgpE,CAAhpE,EAAmpE,CAAnpE,EAAspE,CAAtpE,EAAypE,CAAzpE,EAA4pE,CAA5pE,EAA+pE,CAA/pE,EAAkqE,CAAlqE,EAAqqE,CAArqE,EAAwqE,CAAxqE,EAA2qE,CAA3qE,EAA8qE,CAA9qE,EAAirE,CAAjrE,EAAorE,CAAprE,EAAurE,CAAvrE,EAA0rE,CAA1rE,EAA6rE,CAA7rE,EAAgsE,CAAhsE,EAAmsE,CAAnsE,EAAssE,CAAtsE,EAAysE,CAAzsE,EAA4sE,CAA5sE,EAA+sE,CAA/sE,EAAktE,CAAltE,EAAqtE,CAArtE,EAAwtE,CAAxtE,EAA2tE,CAA3tE,EAA8tE,CAA9tE,EAAiuE,CAAjuE,EAAouE,CAApuE,EAAuuE,CAAvuE,EAA0uE,CAA1uE,EAA6uE,CAA7uE,EAAgvE,CAAhvE,EAAmvE,CAAnvE,EAAsvE,CAAtvE,EAAyvE,CAAzvE,EAA4vE,CAA5vE,EAA+vE,CAA/vE,EAAkwE,CAAlwE,EAAqwE,CAArwE,EAAwwE,CAAxwE,EAA2wE,CAA3wE,EAA8wE,CAA9wE,EAAixE,CAAjxE,EAAoxE,CAApxE,EAAuxE,CAAvxE,EAA0xE,CAA1xE,EAA6xE,CAA7xE,EAAgyE,CAAhyE,EAAmyE,CAAnyE,EAAsyE,CAAtyE,EAAyyE,CAAzyE,EAA4yE,CAA5yE,EAA+yE,CAA/yE,EAAkzE,CAAlzE,EAAqzE,CAArzE,EAAwzE,CAAxzE,EAA2zE,CAA3zE,EAA8zE,CAA9zE,EAAi0E,CAAj0E,EAAo0E,CAAp0E,EAAu0E,CAAv0E,EAA00E,CAA10E,EAA60E,CAA70E,EAAg1E,CAAh1E,EAAm1E,CAAn1E,EAAs1E,CAAt1E,EAAy1E,CAAz1E,EAA41E,CAA51E,EAA+1E,CAA/1E,EAAk2E,CAAl2E,EAAq2E,CAAr2E,EAAw2E,CAAx2E,EAA22E,CAA32E,EAA82E,CAA92E,EAAi3E,CAAj3E,EAAo3E,CAAp3E,EAAu3E,CAAv3E,EAA03E,CAA13E,EAA63E,CAA73E,EAAg4E,CAAh4E,EAAm4E,CAAn4E,EAAs4E,CAAt4E,EAAy4E,CAAz4E,EAA44E,CAA54E,EAA+4E,CAA/4E,EAAk5E,CAAl5E,EAAq5E,CAAr5E,EAAw5E,CAAx5E,EAA25E,CAA35E,EAA85E,CAA95E,EAAi6E,CAAj6E,EAAo6E,CAAp6E,EAAu6E,CAAv6E,EAA06E,CAA16E,EAA66E,CAA76E,EAAg7E,CAAh7E,EAAm7E,CAAn7E,EAAs7E,CAAt7E,EAAy7E,CAAz7E,EAA47E,CAA57E,EAA+7E,CAA/7E,EAAk8E,CAAl8E,EAAq8E,CAAr8E,EAAw8E,CAAx8E,EAA28E,CAA38E,EAA88E,CAA98E,EAAi9E,CAAj9E,EAAo9E,CAAp9E,EAAu9E,CAAv9E,EAA09E,CAA19E,EAA69E,CAA79E,EAAg+E,CAAh+E,EAAm+E,CAAn+E,EAAs+E,CAAt+E,EAAy+E,CAAz+E,EAA4+E,CAA5+E,EAA++E,CAA/+E,EAAk/E,CAAl/E,EAAq/E,CAAr/E,EAAw/E,CAAx/E,EAA2/E,CAA3/E,EAA8/E,CAA9/E,EAAigF,CAAjgF,EAAogF,CAApgF,EAAugF,CAAvgF,EAA0gF,CAA1gF,EAA6gF,CAA7gF,EAAghF,CAAhhF,EAAmhF,CAAnhF,EAAshF,CAAthF,EAAyhF,CAAzhF,EAA4hF,CAA5hF,EAA+hF,CAA/hF,EAAkiF,CAAliF,EAAqiF,CAAriF,EAAwiF,CAAxiF,EAA2iF,CAA3iF,EAA8iF,CAA9iF,EAAijF,CAAjjF,EAAojF,CAApjF,EAAujF,CAAvjF,EAA0jF,CAA1jF,EAA6jF,CAA7jF,EAAgkF,CAAhkF,EAAmkF,CAAnkF,EAAskF,CAAtkF,EAAykF,CAAzkF,EAA4kF,CAA5kF,EAA+kF,CAA/kF,EAAklF,CAAllF,EAAqlF,CAArlF,EAAwlF,CAAxlF,EAA2lF,CAA3lF,EAA8lF,CAA9lF,EAAimF,CAAjmF,EAAomF,CAApmF,EAAumF,CAAvmF,EAA0mF,CAA1mF,EAA6mF,CAA7mF,EAAgnF,CAAhnF,EAAmnF,CAAnnF,EAAsnF,CAAtnF,EAAynF,CAAznF,EAA4nF,CAA5nF,EAA+nF,CAA/nF,EAAkoF,CAAloF,EAAqoF,CAAroF,EAAwoF,CAAxoF,EAA2oF,CAA3oF,EAA8oF,CAA9oF,EAAipF,CAAjpF,EAAopF,CAAppF,EAAupF,CAAvpF,EAA0pF,CAA1pF,EAA6pF,CAA7pF,EAAgqF,CAAhqF,EAAmqF,CAAnqF,EAAsqF,CAAtqF,EAAyqF,CAAzqF,EAA4qF,CAA5qF,EAA+qF,CAA/qF,EAAkrF,CAAlrF,EAAqrF,CAArrF,EAAwrF,CAAxrF,EAA2rF,CAA3rF,EAA8rF,CAA9rF,EAAisF,CAAjsF,EAAosF,CAApsF,EAAusF,CAAvsF,EAA0sF,CAA1sF,EAA6sF,CAA7sF,EAAgtF,CAAhtF,EAAmtF,CAAntF,EAAstF,CAAttF,EAAytF,CAAztF,EAA4tF,CAA5tF,EAA+tF,CAA/tF,EAAkuF,CAAluF,EAAquF,CAAruF,EAAwuF,CAAxuF,EAA2uF,CAA3uF,EAA8uF,CAA9uF,EAAivF,CAAjvF,EAAovF,CAApvF,EAAuvF,CAAvvF,EAA0vF,CAA1vF,EAA6vF,CAA7vF,EAAgwF,CAAhwF,EAAmwF,CAAnwF,EAAswF,CAAtwF,EAAywF,CAAzwF,EAA4wF,CAA5wF,EAA+wF,CAA/wF,EAAkxF,CAAlxF,EAAqxF,CAArxF,EAAwxF,CAAxxF,EAA2xF,CAA3xF,EAA8xF,CAA9xF,EAAiyF,CAAjyF,EAAoyF,CAApyF,EAAuyF,CAAvyF,EAA0yF,CAA1yF,EAA6yF,CAA7yF,EAAgzF,CAAhzF,EAAmzF,CAAnzF,EAAszF,CAAtzF,EAAyzF,CAAzzF,EAA4zF,CAA5zF,EAA+zF,CAA/zF,EAAk0F,CAAl0F,EAAq0F,CAAr0F,EAAw0F,CAAx0F,EAA20F,CAA30F,EAA80F,CAA90F,EAAi1F,CAAj1F,EAAo1F,CAAp1F,EAAu1F,CAAv1F,EAA01F,CAA11F,EAA61F,CAA71F,EAAg2F,CAAh2F,EAAm2F,CAAn2F,EAAs2F,CAAt2F,EAAy2F,CAAz2F,EAA42F,CAA52F,EAA+2F,CAA/2F,EAAk3F,CAAl3F,EAAq3F,CAAr3F,EAAw3F,CAAx3F,EAA23F,CAA33F,EAA83F,CAA93F,EAAi4F,CAAj4F,EAAo4F,CAAp4F,EAAu4F,CAAv4F,EAA04F,CAA14F,EAA64F,CAA74F,EAAg5F,CAAh5F,EAAm5F,CAAn5F,EAAs5F,CAAt5F,EAAy5F,CAAz5F,EAA45F,CAA55F,EAA+5F,CAA/5F,EAAk6F,CAAl6F,EAAq6F,CAAr6F,EAAw6F,CAAx6F,EAA26F,CAA36F,EAA86F,CAA96F,EAAi7F,CAAj7F,EAAo7F,CAAp7F,EAAu7F,CAAv7F,EAA07F,CAA17F,EAA67F,CAA77F,EAAg8F,CAAh8F,EAAm8F,CAAn8F,EAAs8F,CAAt8F,EAAy8F,CAAz8F,EAA48F,CAA58F,EAA+8F,CAA/8F,EAAk9F,CAAl9F,EAAq9F,CAAr9F,EAAw9F,CAAx9F,EAA29F,CAA39F,EAA89F,CAA99F,EAAi+F,CAAj+F,EAAo+F,CAAp+F,EAAu+F,CAAv+F,EAA0+F,CAA1+F,EAA6+F,CAA7+F,EAAg/F,CAAh/F,EAAm/F,CAAn/F,EAAs/F,CAAt/F,EAAy/F,CAAz/F,EAA4/F,CAA5/F,EAA+/F,CAA/gG,EAAkhG,CAAlhG,EAAqhG,CAArhG,EAAwhG,CAAxhG,EAA2hG,CAA3hG,EAA8hG,CAA9hG,EAAiiG,CAAjiG,EAAoiG,CAApiG,EAAuiG,CAAviG,EAA0iG,CAA1iG,EAA6iG,CAA7iG,EAAgjG,CAAhjG,EAAmjG,CAAnjG,EAAsjG,CAAtjG,EAAyjG,CAAzjG,EAA4jG,CAA5jG,EAA+jG,CAA/jG,EAAkkG,CAAlkG,EAAqkG,CAArkG,EAAwkG,CAAxkG,EAA2kG,CAA3kG,EAA8kG,CAA9kG,EAAilG,CAAjlG,EAAolG,CAAplG,EAAulG,CAAvlG,EAA0lG,CAA1lG,EAA6lG,CAA7lG,EAAgmG,CAAhmG,EAAmmG,CAAnmG,EAAsmG,CAAtmG,EAAymG,CAAzmG,EAA4mG,CAA5mG,EAA+mG,CAA/mG,EAAknG,CAAlnG,EAAqnG,CAArnG,EAAwnG,CAAxnG,EAA2nG,CAA3nG,EAA8nG,CAA9nG,EAAioG,CAAjoG,EAAooG,CAApoG,EAAuoG,CAAvoG,EAA0oG,CAA1oG,EAA6oG,CAA7o

W,OAAX,CAAX,C;MACV,OAAO,UAAM,awBQsD,aAAkB,CxBR9D,UAAM,GAAN,CwBQ8D,MAAlB,EAA8B,CxBR5D,UAAM,OAAN,CwBQ4D,MAA9B,CxBR5C,KAAJ,GAAkC,OAAlC,KAAN,CAAN,C;IACX,C;;MAII,IAAAE,QAAAF,CAAAE,CAAAF,C;QADyC,OAC5B,W;;QACb,SP+LuC,aO/LlC,4BAAK,UP+L0C,KAAAb,CO/LxC,CO/LvC,C;UAFyC,OAEP,4BAAK,U;;UACvC,SP8LuC,aO9LlC,4BAAK,UP8L0C,KAAAb,CO9LxC,CO9LvC,C;YAHyC,OAGP,4BAAK,U;eACvC,SAAK,UAAL,C;YAJyC,OAIP,OPyON,SOrOX,YAAF,CAAE,CPqOW,C;;;YOzOM,OPcY,SAAU,CA2N5B,SOpOP,YAAnB,IAAI,UAAe,CPoOO,CA3N4B,MAAK,GAAW,CA2N5C,SOpOY,UPoOZ,CA3N4C,MAAX,IAAf,C;;;;IOdZ,C;;MAUzC,IAAAE,QAAAF,CAAAE,CAAAF,C;QADyC,QAC5B,2B,CAAb,C;QACb,SwByLuC,cxBzLlC,6BAAK,UwByL0C,KAAAb,CxBzLxC,CO/LvC,C;UAFyC,OAEP,4BAAK,U;;UACvC,SwBwLuC,cxBxLlC,6BAAK,UwBwL0C,KAAAb,CxBxLxC,CO9LvC,C;YAHyC,OAGP,4BAAK,U;eACvC,SAAK,UAAL,C;YAJyC,OAIP,OAER,4BAAK,UAAL,C;YAJyC,OAIP,OAER,4BAAK,UAAL,C;YAJyC,OAIP,OAER,4B

7BA,iC;M8L6BA,sC;QAc6D,O9LjChB,gB8LiC0B,W9LlI9B,c8LkI8B,EAAW,QAAX,C9LjC1B,C;M8LiCgB,C;KAd7D,C;kFAgBA,yB;MAAA,8C;M9L7CA,iC;M8L6CA,sC;QAc8D,O9LjDjB,gB8LiD2B,Y9LlJ/B,c8LkJ+B,EAAY,QAAZ,C9LjD3B,C;M8LiDiB,C;KAd9D,C;;MC9SI,ShMyHoD,cgMzH3C,ChMyH2C,EgMzHvC,ChMyHuC,C;MgMxHpD,ShMwHoD,cgMxH3C,ChMwH2C,EgMxHvC,ChMwHuC,C;MgMvHpD,OhMiDkE,YgMjDvD,EhMiDwE,KAAjB,EgMjDjD,EhMiD8E,KAA7B,CgMjDvD,KAAX,GhMgFsD,SgMhFjC,EhMgF2C,KAAK,GgMhF3C,EhMgFuD,KAAZ,IAAf,CgMhFtD,GhMmEqD,SAAU,CAAaT,SgMhFpB,EhMgF8B,KAAK,GgMhF9B,EhMgF0C,KAAZ,IAAf,CAbS,MAAK,GgMnExB,ChMmEmC,KAAX,IAAf,C;IgMlEzD,C;;MAGI,SjKsHsD,eiKtH7C,CjKsH6C,EiKtHzC,CjKsHyC,C;MiKrHtD,SjKqHsD,eiKrH7C,CjKqH6C,EiKrHzC,CjKqHyC,C;MiKpHtD,OjKmDmE,aiKnDxD,EjKmD0E,KAAlB,EiKnDlD,EjKmDgF,KAA9B,CiKnDxD,KAAX,GjK6EwD,UiK7EnC,EjK6E8C,KAAK,UiK7E9C,EjK6E0D,KAAZ,CAAhB,CiK7ExD,GjKgEuD,UAAW,CAAaV,UiK7EtB,EjK6EiC,KAAK,UiK7EjC,EjK6E6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IiK/D3D,C;;MAGI,SlKmHsD,eiKnH7C,ClKmH6C,EiKnHzC,ClKmHyC,C;MiKlHtD,SlKkHsD,eiKlH7C,ClKkH6C,EiKlHzC,ClKkHyC,C;MiKjHtD,OlKgDmE,aiKhDxD,EjKgD0E,KAAlB,EiKhDlD,EjKgDgF,KAA9B,CiKhDxD,KAAX,GlK0EwD,UiK1EnC,EjK0E8C,KAAK,UiK1E9C,EjK0E0D,KAAZ,CAAhB,CiK1ExD,GlK6DuD,UAAW,CAAaV,UiK1EtB,EjK0EiC,KAAK,UiK1EjC,EjK0E6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IiK5D3D,C;;MAGI,SnKgHsD,eiKhH7C,CnKgH6C,EiKhHzC,CnKgHyC,C;MiK/GtD,SnK+GsD,eiK/G7C,CnK+G6C,EiK/GzC,CnK+GyC,C;MiK9GtD,OnK6CmE,aiK7CxD,EjK6C0E,KAAlB,EiK7ClD,EjK6CgF,KAA9B,CiK7CxD,KAAX,GnKuEwD,UiKvEnC,EjKuE8C,KAAK,UiKvE9C,EjKuE0D,KAAZ,CAAhB,CiKvExD,GnK0DuD,UAAW,CAAaV,UiKvEtB,EjKuEiC,KAAK,UiKvEjC,EjKuE6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IiKzD3D,C;;MAGI,SpK6GsD,eiK7G7C,CpK6G6C,EiK7GzC,CpK6GyC,C;MiK5GtD,SpK4GsD,eiK5G7C,CpK4G6C,EiK5GzC,CpK4GyC,C;MiK3GtD,OpK0CmE,aiK1CxD,EjK0C0E,KAAlB,EiK1ClD,EjK0CgF,KAA9B,CiK1CxD,KAAX,GpKoEwD,UiKpEnC,EjKoE8C,KAAK,UiKpE9C,EjKoE0D,KAAZ,CAAhB,CiKpExD,GpKuDuD,UAAW,CAAaV,UiKpEtB,EjKoEiC,KAAK,UiKpEjC,EjKoE6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IiKtD3D,C;;MAGI,SrK0GsD,eiK1G7C,CrK0G6C,EiK1GzC,CrK0GyC,C;MiKzGtD,SrKyGsD,eiKzG7C,CrKyG6C,EiKzGzC,CrKyGyC,C;MiKxGtD,OrKuCmE,aiKvCxD,EjKuC0E,KAAlB,EiKvClD,EjKuCgF,KAA9B,CiKvCxD,KAAX,GrKiEwD,UiKjEnC,EjKiE8C,KAAK,UiKjE9C,EjKiE0D,KAAZ,CAAhB,CiKjExD,GrKoDuD,UAAW,CAAaV,UiKjEtB,EjKiEiC,KAAK,UiKjEjC,EjKiE6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IiKnD3D,C;;MAGI,SuKuGsD,eiKvG7C,CvKuG6C,EiKvGzC,CvKuGyC,C;MiKtGtD,SvKsGsD,eiKtG7C,CvKsG6C,EiKtGzC,CvKsGyC,C;MiKrGtD,OvKoCmE,aiKpCxD,EjKoC0E,KAAlB,EiKpClD,EjKoCgF,KAA9B,CiKpCxD,KAAX,GvK8DwD,UiK9DnC,EjK8D8C,KAAK,UiK9D9C,EjK8D0D,KAAZ,CAAhB,CiK9DxD,GvKiDuD,UAAW,CAAaV,UiK9DtB,EjK8DiC,KAAK,UiK9DjC,EjK8D6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IiKhD3D,C;;MAGI,SxKoGsD,eiKpG7C,CxKoG6C,EiKpGzC,CxKoGyC,C;MiKnGtD,SxKmGsD,eiKnG7C,CxKmG6C,EiKnGzC,CxKmGyC,C;MiKlGtD,OxKiCmE,aiKjCxD,EjKiC0E,KAAlB,EiKjClD,EjKiCgF,KAA9B,CiKjCxD,KAAX,GxK2DwD,UiK3DnC,EjK2D8C,KAAK,UiK3D9C,EjK2D0D,KAAZ,CAAhB,CiK3DxD,GxK8CuD,UAAW,CAAaV,UiK3DtB,EjK2DiC,KAAK,UiK3DjC,EjK2D6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IiK7C3D,C;;MAGI,SzKiGsD,eiKjG7C,CzKiG6C,EiKjGzC,CzKiGyC,C;MiKhGtD,SzKgGsD,eiKhG7C,CzKgG6C,EiKhGzC,CzKgGyC,C;MiK/FtD,OzK8BmE,aiK9BxD,EjK8B0E,KAAlB,EiK9BlD,EjK8BgF,KAA9B,CiK9BxD,KAAX,GzKwDwD,UiKxDnC,EjKwD8C,KAAK,UiKxD9C,EjKwD0D,KAAZ,CAAhB,CiKxDxD,GzK2CuD,UAAW,CAAaV,UiKxDtB,EjKwDiC,KAAK,UiKxDjC,EjKwD6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IiK1C3D,C;;MAGI,S2KoFsD,eiKpF7C,C3KoF6C,EiKpFzC,C3KoFyC,C;MiKnFtD,S3KmFsD,eiKnF7C,C3KmF6C,EiKnFzC,C3KmFyC,C;MiKlFtD,O3KiBmE,aiKjBxD,EjKiB0E,KAAlB,EiKjBlD,EjKiBgF,KAA9B,CiKjBxD,KAAX,G3KqDwD,UiKrDnC,EjKqD8C,KAAK,UiKrD9C,EjKqD0D,KAAZ,CAAhB,CiKrDxD,G3KwCuD,UAAW,CAAaV,UiKrDtB,EjKqDiC,KAAK,UiKrDjC,EjKqD6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IiKvC3D,C;;MAGI,S4KyEsD,eiKzE7C,C5KyE6C,EiKzEzC,C5KyEyC,C;MiKxEtD,S5KwEsD,eiKxE7C,C5KwE6C,EiKxEzC,C5KwEyC,C;MiKvEtD,O5KSmE,aiKTxD,EjKS0E,KAAlB,EiKTlD,EjKSgF,KAA9B,CiKTxD,KAAX,G5KkDwD,UiKlDnC,EjKkD8C,KAAK,UiKlD9C,EjKkD0D,KAAZ,CAAhB,CiKlDxD,G5KqCuD,UAAW,CAAaV,UiKlDtB,EjKkDiC,KAAK,UiKlDjC,EjKkD6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IiKpC3D,C;;MAGI,S6KsDsD,eiKtD7C,C7KsD6C,EiKtDzC,C7KsDyC,C;MiKrDtD,S7KqDsD,eiKrD7C,C7KqD6C,EiKrDzC,C7KqDyC,C;MiKpDtD,O7KHmE,aiKGxD,EjKH0E,KAAlB,EiKGlD,EjKHgF,KAA9B,CiKGxD,KAAX,G7K+CwD,UiK/CnC,EjK+C8C,KAAK,UiK/C9C,EjK+C0D,KAAZ,CAAhB,CiK/CxD,G7KkCuD,UAAW,CAAaV,UiK/CtB,EjK+CiC,KAAK,UiK/CjC,EjK+C6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IiKjC3D,C;;MAGI,S8KmDsD,eiKnD7C,C9KmD6C,EiKnDzC,C9KmDyC,C;MiKlDtD,S9KkDsD,eiKlD7C,C9KkD6C,EiKlDzC,C9KkDyC,C;MiKjDtD,O9KBmE,aiKAxD,EjKA0E,KAAlB,EiKAlD,EjKAgF,KAA9B,CiKAxD,KAAX,G9K4CwD,UiK5CnC,EjK4C8C,KAAK,UiK5C9C,EjK4C0D,KAAZ,CAAhB,CiK5CxD,G9K+BuD,UAAW,CAAaV,UiK5CtB,EjK4CiC,KAAK,UiK5CjC,EjK4C6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IiK9B3D,C;;MAGI,S+KgDsD,eiKhD7C,C/KgD6C,EiKhDzC,C/KgDyC,C;MiK/CtD,S/K+CsD,eiK/C7C,C/K+C6C,EiK/CzC,C/K+CyC,C;MiK9CtD,O/KGmE,aiKHxD,EjKG0E,KAAlB,EiKHlD,EjKGgF,KAA9B,CiKHxD,KAAX,G/KyCwD,UiKzCnC,EjKyC8C,KAAK,UiKzC9C,EjKyC0D,KAAZ,CAAhB,CiKzCxD,G/K4BuD,UAAW,CAAaV,UiKzCtB,EjKyCiC,KAAK,UiKzCjC,EjKyC6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IiK3B3D,C;;MAGI,SgLyCsD,eiKzC7C,ChLyC6C,EiKzCzC,ChLyCyC,C;MiKxCtD,ShLwCsD,eiKxC7C,ChLwC6C,EiKxCzC,ChLwCyC,C;MiKvCtD,OhLNmE,aiKMxD,EjKN0E,KAAlB,EiKMlD,EjKNgF,KAA9B,CiKMxD,KAAX,GhLsCwD,UiKtCnC,EjKsC8C,KAAK,UiKtC9C,EjKsC0D,KAAZ,CAAhB,CiKtCxD,GhLyBuD,UAAW,CAAaV,UiKtCtB,EjKsCiC,KAAK,UiKtCjC,EjKsC6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IiKxB3D,C;;MAGI,SiLsCsD,eiKtC7C,CjLsC6C,EiKtCzC,CjLsCyC,C;MiKrCtD,SjLqCsD,eiKrC7C,CjLqC6C,EiKrCzC,CjLqCyC,C;MiKpCtD,OjLTmE,aiKSxD,EjKT0E,KAAlB,EiKSlD,EjKTgF,KAA9B,CiKSxD,KAAX,GjLmCwD,UiKnCnC,EjKmC8C,KAAK,UiKnC9C,EjKmC0D,KAAZ,CAAhB,CiKnCxD,GjLsBuD,UAAW,CAAaV,UiKnCtB,EjKmCiC,KAAK,UiKnCjC,EjKmC6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IiKrB3D,C;;MAGI,SkLmCsD,eiKnC7C,ClLmC6C,EiKnCzC,ClLmCyC,C;MiKlCtD,SlLkCsD,eiKlC7C,ClLkC6C,EiKlCzC,ClLkCyC,C;MiKjCtD,OlLZmE,aiKYxD,EjKZ0E,KAAlB,EiKYlD,EjKZgF,KAA9B,CiKYxD,KAAX,GlLgCwD,UiKhCnC,EjKgC8C,KAAK,UiKhC9C,EjKgC0D,KAAZ,CAAhB,CiKhCxD,GlLmBuD,UAAW,CAAaV,UiKhCtB,EjKgCiC,KAAK,UiKhCjC,EjKgC6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IiKlB3D,C;;MAGI,SoLgCsD,epK7B7C,CpL6B6C,EoK7BzC,CpL6ByC,C;MoK5BtD,SpL4BsD,epK5B7C,CpL4B6C,EoK5BzC,CpL4ByC,C;MoK3BtD,OpLfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,GpL6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,GpLgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,SqLgCsD,epK7B7C,CrL6B6C,EoK7BzC,CrL6ByC,C;MoK5BtD,SrL4BsD,epK5B7C,CrL4B6C,EoK5BzC,CrL4ByC,C;MoK3BtD,OrLfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,GrL6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,GrLgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,StLgCsD,epK7B7C,CtL6B6C,EoK7BzC,CtL6ByC,C;MoK5BtD,StL4BsD,epK5B7C,CtL4B6C,EoK5BzC,CtL4ByC,C;MoK3BtD,OtLfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,GtL6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,GtLgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,SuLgCsD,epK7B7C,CvL6B6C,EoK7BzC,CvL6ByC,C;MoK5BtD,SvL4BsD,epK5B7C,CvL4B6C,EoK5BzC,CvL4ByC,C;MoK3BtD,OvLfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,GvL6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,GvLgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,SwLgCsD,epK7B7C,CxL6B6C,EoK7BzC,CxL6ByC,C;MoK5BtD,SxL4BsD,epK5B7C,CxL4B6C,EoK5BzC,CxL4ByC,C;MoK3BtD,OxLfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,GxL6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,GxLgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,SyLgCsD,epK7B7C,CzL6B6C,EoK7BzC,CzL6ByC,C;MoK5BtD,SzL4BsD,epK5B7C,CzL4B6C,EoK5BzC,CzL4ByC,C;MoK3BtD,OzLfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,GzL6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,GzLgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,S0LgCsD,epK7B7C,C1L6B6C,EoK7BzC,C1L6ByC,C;MoK5BtD,S1L4BsD,epK5B7C,C1L4B6C,EoK5BzC,C1L4ByC,C;MoK3BtD,O1LfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,G1L6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,G1LgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,S2LgCsD,epK7B7C,C3L6B6C,EoK7BzC,C3L6ByC,C;MoK5BtD,S3L4BsD,epK5B7C,C3L4B6C,EoK5BzC,C3L4ByC,C;MoK3BtD,O3LfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,G3L6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,G3LgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,S4LgCsD,epK7B7C,C5L6B6C,EoK7BzC,C5L6ByC,C;MoK5BtD,S5L4BsD,epK5B7C,C5L4B6C,EoK5BzC,C5L4ByC,C;MoK3BtD,O5LfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,G5L6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,G5LgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,S6LgCsD,epK7B7C,C7L6B6C,EoK7BzC,C7L6ByC,C;MoK5BtD,S7L4BsD,epK5B7C,C7L4B6C,EoK5BzC,C7L4ByC,C;MoK3BtD,O7LfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,G7L6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,G7LgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,S8LgCsD,epK7B7C,C9L6B6C,EoK7BzC,C9L6ByC,C;MoK5BtD,S9L4BsD,epK5B7C,C9L4B6C,EoK5BzC,C9L4ByC,C;MoK3BtD,O9LfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,G9L6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,G9LgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,S+LgCsD,epK7B7C,C/L6B6C,EoK7BzC,C/L6ByC,C;MoK5BtD,S/L4BsD,epK5B7C,C/L4B6C,EoK5BzC,C/L4ByC,C;MoK3BtD,O/LfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,G/L6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,G/LgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,SgMgCsD,epK7B7C,ChM6B6C,EoK7BzC,ChM6ByC,C;MoK5BtD,ShM4BsD,epK5B7C,ChM4B6C,EoK5BzC,ChM4ByC,C;MoK3BtD,OhMfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,GhM6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,GhMgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,SiMgCsD,epK7B7C,CjM6B6C,EoK7BzC,CjM6ByC,C;MoK5BtD,SjM4BsD,epK5B7C,CjM4B6C,EoK5BzC,CjM4ByC,C;MoK3BtD,OjMfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,GjM6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,GjMgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,SkMgCsD,epK7B7C,ClM6B6C,EoK7BzC,ClM6ByC,C;MoK5BtD,SlM4BsD,epK5B7C,ClM4B6C,EoK5BzC,ClM4ByC,C;MoK3BtD,OlMfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,GlM6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,GlMgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,SmMgCsD,epK7B7C,CnM6B6C,EoK7BzC,CnM6ByC,C;MoK5BtD,SnM4BsD,epK5B7C,CnM4B6C,EoK5BzC,CnM4ByC,C;MoK3BtD,OnMfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,GnM6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,GnMgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,SoMgCsD,epK7B7C,CpM6B6C,EoK7BzC,CpM6ByC,C;MoK5BtD,SpM4BsD,epK5B7C,CpM4B6C,EoK5BzC,CpM4ByC,C;MoK3BtD,OpMfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,GpM6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,GpMgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,SqMgCsD,epK7B7C,CrM6B6C,EoK7BzC,CrM6ByC,C;MoK5BtD,SrM4BsD,epK5B7C,CrM4B6C,EoK5BzC,CrM4ByC,C;MoK3BtD,OrMfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,GrM6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,GrMgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,SsMgCsD,epK7B7C,CtM6B6C,EoK7BzC,CtM6ByC,C;MoK5BtD,StM4BsD,epK5B7C,CtM4B6C,EoK5BzC,CtM4ByC,C;MoK3BtD,OtMfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,GtM6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,GtMgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,SuMgCsD,epK7B7C,CvM6B6C,EoK7BzC,CvM6ByC,C;MoK5BtD,SvM4BsD,epK5B7C,CvM4B6C,EoK5BzC,CvM4ByC,C;MoK3BtD,OvMfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,GvM6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,GvMgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,SwMgCsD,epK7B7C,CxM6B6C,EoK7BzC,CxM6ByC,C;MoK5BtD,SxM4BsD,epK5B7C,CxM4B6C,EoK5BzC,CxM4ByC,C;MoK3BtD,OxMfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,GxM6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,GxMgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,SyMgCsD,epK7B7C,CzM6B6C,EoK7BzC,CzM6ByC,C;MoK5BtD,SzM4BsD,epK5B7C,CzM4B6C,EoK5BzC,CzM4ByC,C;MoK3BtD,OzMfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,GzM6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,GzMgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,S0MgCsD,epK7B7C,C1M6B6C,EoK7BzC,C1M6ByC,C;MoK5BtD,S1M4BsD,epK5B7C,C1M4B6C,EoK5BzC,C1M4ByC,C;MoK3BtD,O1MfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,G1M6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,G1MgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,S2MgCsD,epK7B7C,C3M6B6C,EoK7BzC,C3M6ByC,C;MoK5BtD,S3M4BsD,epK5B7C,C3M4B6C,EoK5BzC,C3M4ByC,C;MoK3BtD,O3MfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,G3M6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,G3MgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,S4MgCsD,epK7B7C,C5M6B6C,EoK7BzC,C5M6ByC,C;MoK5BtD,S5M4BsD,epK5B7C,C5M4B6C,EoK5BzC,C5M4ByC,C;MoK3BtD,O5MfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,G5M6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,G5MgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,S6MgCsD,epK7B7C,C7M6B6C,EoK7BzC,C7M6ByC,C;MoK5BtD,S7M4BsD,epK5B7C,C7M4B6C,EoK5BzC,C7M4ByC,C;MoK3BtD,O7MfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,G7M6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,G7MgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,S8MgCsD,epK7B7C,C9M6B6C,EoK7BzC,C9M6ByC,C;MoK5BtD,S9M4BsD,epK5B7C,C9M4B6C,EoK5BzC,C9M4ByC,C;MoK3BtD,O9MfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,G9M6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,G9MgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,S+MgCsD,epK7B7C,C/M6B6C,EoK7BzC,C/M6ByC,C;MoK5BtD,S/M4BsD,epK5B7C,C/M4B6C,EoK5BzC,C/M4ByC,C;MoK3BtD,O/MfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,G/M6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,G/MgBuD,UAAW,CAAaV,UoK7BtB,EpK6BiC,KAAK,UoK7BjC,EpK6B6C,KAAZ,CAAhB,CAbU,MAAK,GgMnEzB,ChMmEoC,KAAX,IAAf,C;IoKfzD,C;;MAGI,SgNgCsD,epK7B7C,ChN6B6C,EoK7BzC,ChN6ByC,C;MoK5BtD,ShN4BsD,epK5B7C,ChN4B6C,EoK5BzC,ChN4ByC,C;MoK3BtD,OhNfmE,aoKWxD,EpKX0E,KAAlB,EoKWlD,EpKXgF,KAA9B,CoKWxD,KAAX,GhN6BwD,UoK7BnC,EpK6B8C,KAAK,UoK7B9C,EpK6B0D,KAAZ,CAAhB,CoK7BxD,GhNgBuD,UAAW

QAEsD,ODAA,cAAe,YAAL,CCuH7B,cAAU,SAAL,GAAiB,KAAtB,CDvH6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;MCAA,C;KAFtD,C;gGAGA,yB;MAuHA,aAS6D,0B;MAT7D,+B;MAvHA,wB;QAEwD,O8BAA,eAAW,C9B8H9B,eAAW,oBAAL,SAAK,CAAL,YAAN,C8B9H8B,MAAK,U9BAK,K8BAO,KAAZ,CAAhB,C;M9BAA,C;KAFxD,C;4FAIA,yB;MAyGA,6B;MDnGA,4C;MCNA,wB;QAEqD,ODMD,WC0GjB,cAAU,SAAL,GAAiB,KAAtB,CD1GiB,EDyGjB,cE/GoC,KF+G1B,KAAL,GAAiB,GAAtB,CCzGiB,C;MCNC,C;KAFrD,C;4FAGA,yB;MAsGA,6B;MDnGA,4C;MCHA,wB;QAEsD,ODGF,WC0GjB,cAAU,SAAL,GAAiB,KAAtB,CD1GiB,EC0GjB,cA7GqC,KA6G3B,KAAL,GAAiB,KAAtB,CD1GiB,C;MCHE,C;KAFtD,C;4FAGA,yB;MAmGA,6B;MDnGA,4C;MCAA,wB;QAEoD,ODAA,WC0GjB,cAAU,SAAL,GAAiB,KAAtB,CD1GiB,ECAkB,KDAlB,C;MCAA,C;KAFpD,C;4FAGA,yB;MA0GA,aAS6D,0B;MAT7D,+B;M8B1GA,8C;M9BAA,wB;QAEsD,O8BAA,Y9BiHjB,eAAW,oBAAL,SAAK,CAAL,YAAN,C8BjHiB,E9BAmB,K8BAnB,C;M9BAA,C;KAFtD,C;4FAIA,yB;MA4FA,6B;MDtFA,4C;MCNA,wB;QAEqD,ODMD,cC6FjB,cAAU,SAAL,GAAiB,KAAtB,CD7FiB,ED4FjB,cElGoC,KFkG1B,KAAL,GAAiB,GAAtB,CC5FiB,C;MCNC,C;KAFrD,C;4FAGA,yB;MAyFA,6B;MDtFA,4C;MCHA,wB;QAEsD,ODGF,cC6FjB,cAAU,SAAL,GAAiB,KAAtB,CD7FiB,EC6FjB,cAhGqC,KAgG3B,KAAL,GAAiB,KAAtB,CD7FiB,C;MCHE,C;KAFtD,C;4FAGA,yB;MAsFA,6B;MDtFA,4C;MCAA,wB;QAEoD,ODAA,cC6FjB,cAAU,SAAL,GAAiB,KAAtB,CD7FiB,ECAkB,KDAlB,C;MCAA,C;KAFpD,C;4FAGA,yB;MA6FA,aAS6D,0B;MAT7D,+B;M8B7FA,8C;M9BAA,wB;QAEsD,O8BAA,e9BoGjB,eAAW,oBAAL,SAAK,CAAL,YAAN,C8BpGiB,E9BAmB,K8BAnB,C;M9BAA,C;KAFtD,C;4FAIA,yB;MAAA,4B;MAAA,iC;MAAA,mB;QAAA,2C,uBAAA,Y,QAAA,S,SAAA,S,KAAA,C,C;MAAA,C;KAAA,C;4FAAA,yB;MAAA,4B;MAAA,iC;MAAA,mB;QAAA,2C,uBAAA,Y,QAAA,S,SAAA,S,KAAA,C,C;MAAA,C;KAAA,C;4FAAA,yB;MAAA,8C;MAwEA,6B;MAxEA,wB;QAAA,+D,0BAAA,+E,cAAA,S,SAAA,S,KAAA,C,EAAA,+E,cAAA,qD,KAAA,+D,KAAA,S,SAAA,S,KAAA,C,EAAA,K,KAAA,S,SAAA,S,KAAA,C,C;MAAA,C;KAAA,C;4FAAA,yB;MAAA,4B;MAAA,iC;MAAA,mB;QAAA,2C,uBAAA,Y,QAAA,S,SAAA,S,KAAA,C,C;MAAA,C;KAAA,C;4FAAA,yB;MAAA,8C;MAwEA,6B;MAxEA,wB;QAAA,+D,0BAAA,+E,cAAA,S,SAAA,S,KAAA,C,EAAA,+E,cAAA,qD,KAAA,+D,KAAA,S,SAAA,S,KAAA,C,EAAA,K,K

AA,C;MAXxC,6B;QAWI,OAAO,qBAAY,gCAAW,IAAX,GAAiB,wBAAjB,CAAZ,C;MACX,C;KAZA,C;;MAiB
wE,e;IAAA,C;;MiKhEb,OAAa,WAAb,SlM4KjB,KAAL,GAAiB,GkM5KkB,EAAS,KAAT,C;IAAb,C;;MAUC,OA
Aa,WAAb,ShMmKlB,KAAL,GAAiB,KgMnKmB,EAAS,KAAT,C;IAAb,C;;MAWF,OAAc,WjMyK5B,oBiMzKc,
SjMyKnB,KAAK,CAAL,iBiMzKiC,EAAS,KAAT,C;IAAd,C;;MASV,uBAAc,SlKiKvB,KkKjKS,EAA6B,WAAW,
KAAX,CAA7B,C;IAAA,C;;MASX,Q;MAAA,0DAAmB,kBAAkB,SAAlB,C;IAAnB,C;;MASU,Q;MAAA,0CAAc,
KAAd,oBAAwB,kBAAkB,SAAlB,C;IAAxB,C;;MASR,Q;MAAA,2DAAoB,kBAAkB,SAAlB,C;IAApB,C;;MASU
,Q;MAAA,2CAAe,KAAf,oBAAyB,kBAAkB,SAAlB,C;IAAzB,C;;MAQd,Q;MAAA,yDAAkB,kBAAkB,SAAlB,C
;IAAlB,C;;MASU,Q;MAAA,yCAAa,KAAb,oBAAuB,kBAAkB,SAAlB,C;IAAvB,C;;MAQR,Q;MAAA,0DAAmB,
kBAAkB,SAAlB,C;IAAnB,C;;MASU,Q;MAAA,0CAAc,KAAd,oBAAwB,kBAAkB,SAAlB,C;IAAxB,C;;MAYH,
kCAAsB,EAAtB,C;IAAA,C;;MAWzB,Q;MAAA,sBAAL,SAAK,EAAa,KAAb,C;MAAL,iB;QAA4B,OAAO,I;;M
AA7C,UAAU,I;MACV,IjMhFkE,YiMgF9D,GjMhF+E,KAAjB,EAA6B,CDkK5D,SkMlFzB,6BAAM,UlMkF6B,K
AAL,GAAiB,GAAtB,CClK4D,MAA7B,CiMgF9D,IAAJ,C;QAA2B,OAAO,I;MAClC,OlMkJqC,UAAW,OkMlJzC
,GjM4E8B,KDsEW,CAAX,C;IkMjJzC,C;;MAQ8C,mCAAuB,EAAvB,C;IAAA,C;;MAW3B,Q;MAAA,sBAAL,SA
AK,EAAa,KAAb,C;MAAL,iB;QAA4B,OAAO,I;;MAA7C,UAAU,I;MACV,IjMtGkE,YiMsG9D,GjMtG+E,KAAjB
,EAA6B,CCmK5D,SgM7DzB,8BAAO,UhM6D4B,KAAL,GAAiB,KAAtB,CDnK4D,MAA7B,CiMsG9D,IAAJ,C
;QAA4B,OAAO,I;MACnC,OhM6HuC,WAAY,QgM7H5C,GjMgEgC,KC6DY,CAAZ,C;IgM5H3C,C;;MAQ0C,iC
AAqB,EAArB,C;IAAA,C;;MAWtC,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MAClB,IAAI,WAAU,CAAd,C;QA
AiB,OAAO,I;MAExB,YAAkB,4BAAK,U;MACvB,S;MAEA,gBAAgB,qBAAK,CAAL,C;MAChB,IAAI,YAAY,E
AAhB,C;QACI,IAAI,WAAU,CAAV,IAAe,cAAa,EAAhC,C;UAAqC,OAAO,I;QAC5C,QAAQ,C;;;QAER,QAAQ,
C;;MAGZ,ajMkGmC,SiMlGtB,KjMkGsB,C;MiMjGnC,qBjMnFoD,WiMmF/B,KjMnF+B,EiMmFvB,MjMnFuB,C;
MiMoFpD,aAAa,W;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAY,QAAQ,qBAAK,CAAL,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IjMlJ8D,YiMkJ1D,MjMlJ2E,KAAjB,EAA6B,EiMkJ5D,cjMlJ8E,KAA7B,CiMkJ1D,IAAJ,C;UAA6B,OAAO,I;QAEpC,SjMxGkD,SAAe,YiMwGjE,MjMxGkG,G4D,KAAK,Ei
MwGvD,MjMxGmE,KAAZ,CAAf,C;QiM0GlD,mBAAmB,M;QACnB,SjMrIiD,SiMqIjD,MjMrI2D,KAAK,GAAA
W,CA2N5C,SiMtFrB,KjMsFqB,CA3N4C,MAAX,IAAf,C;QiMsIjD,IjMxJ8D,YiMwJ1D,MjMxJ2E,KAAjB,EAA6B,EiMwJ5D,cjMxJ8E,KAA7B,CiMwJ1D,IAAJ,C;UAA6B,OAAO,I;QAEpC,SjM9GkD,SAAe,YiM8GjE,MjM9GkG,G4D,KAAK,EiMwJ5D,YjMxJ8E,KAA7B,CiMwJ1D,IAAJ,C;UAA6B,OAAO,I;QAEpC,SjM9GkD,SAAe,YiM8GjE,MjM9GkG,G4D,KAAK,EiM
wJvD,MjMxJmE,KAAZ,CAAf,C;QiM0JlD,mBAAmB,M;QACnB,SjMrKiD,SiMqKjD,MjMrK2D,KAAK,GAAA,C;MAAL,iB;QAA4B,OAAO,I;;MAAnC,UAAU,I;MACV,IjMlJ8D,YiMkJ1D,MjMlJ2E,KAAjB,EAA6B,EiMkJ5D,cjMlJ8E,KAA7B,CiMkJ1D,IAAJ,C;UAA6B,OAAO,I;QAEpC,SjMxGkD,SAAe,YiMwGjE,MjMxGkG,G4D,KAAK,Ei
MwGvD,MjMxGmE,KAAZ,CAAf,C;QiM0GlD,mBAAmB,M;QACnB,SjMrIiD,SiMqIjD,MjMrI2D,KAAK,GAAA
W,CA2N5C,SiMtFrB,KjMsFqB,CA3N4C,MAAX,IAAf,C;QiMsIjD,IjMxJ8D,YiMwJ1D,MjMxJ2E,KAAjB,EAA6B,EiMwJ5D,cjMxJ8E,KAA7B,CiMwJ1D,IAAJ,C;UAA6B,OAAO,I;QAEpC,SjM9GkD,SAAe,YiM8GjE,MjM9GkG,G4D,KAAK,EiMwJ5D,YjMxJ8E,KAA7B,CiMwJ1D,IAAJ,C;UAA6B,OAAO,I;QAEpC,SjM9GkD,SAAe,YiM8GjE,MjM9GkG,G4D,KAAK,EiM
wJvD,MjMxJmE,KAAZ,CAAf,C;QiM0JlD,mBAAmB,M;QACnB,SjMrKiD,SiMqKjD,MjMrK2D,KAAK,GAAA,C;;;

;;;

vB,OAAI,G9KoJoC,YAAU,C8KpJlD,GAAmB,OAAQ,WAA3B,GAA2C,MAAM,IAAN,YAAa,OAAb,C;IAC/C,C;;MAFA,aAAM,kBAAK,EAAL,EAAS,+BAAT,CAAN,GAEI,G;IAFJ,C;;;;;;ICvDR,C;;;MCI0C,uB;QAAU,qBAAM,IAAK,OAAX,C;MAAV,C;IAAA,C;;MNgDb,oB;QACrB,WAAW,sBAAiB,CAAjB,B,C;QACX,cAAM,IAAN,C;QADA,OAEA,IAAK,Y;MAHgB,C;IAAA,C;;MAvDzB,oCAAyB,QAAzB,EAAmC,UAAnC,CAA+C,+C,cAAO,IAAP,P,C;IACnD,C;;MAYI,sCAAyB,UAAzB,B,CAAqC,cAAO,IAAP,P,C;IAAzC,C,C;;MAewB,4BAAiB,oCAAyB,QAAzB,B,CAAmC,UAAnC,C,CAA+C,EAAM,C,UAAnC,C,CAAiD,CAAjB,B,EAAoB,mBAAM,vD,C;IAAzI,C;;MAYpB,OMhDsC,gCNgDb,8BMhDa,CAAtC,C,c;INgDA,C;2FAVJ,yB;MAAA,0F;;QMtC0C,uB;UAAU,qBAAM,IAAK,OAAX,C;QAAV,C;MAAA,C;;QNgDb,oB;UACrB,WAAW,sBAAiB,CAAjB,B,C;UACX,cAAM,IAAN,C;UADA,OAEA,IAAK,Y;QAHgB,C;M

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer in the
 documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its
 contributors may be used to endorse or promote products derived from
 this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND
 FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2019 Google LLC

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

This product contains a modified portion of 'Catapult', an open source
Trace Event viewer for Chome, Linux, and Android applications, which can
be obtained at:

 * LICENSE:
   * traceviewer/src/main/resources/io/perfmark/traceviewer/third_party/catapult/LICENSE (New BSD License)
 * HOMEPAGE:

* https://github.com/catapult-project/catapult

This product contains a modified
portion of 'Polymer', a library for Web
Components, which can be obtained at:
* LICENSE:
* traceviewer/src/main/resources/io/perfmark/traceviewer/third_party/polymer/LICENSE (New BSD License)
* HOMEPAGE:
* https://github.com/Polymer/polymer

This product contains a modified portion of 'ASM', an open source
Java Bytecode library, which can be obtained at:

* LICENSE:
* agent/src/main/resources/io/perfmark/agent/third_party/asm/LICENSE (BSD style License)
* HOMEPAGE:
* https://asm.ow2.io/

Copyright 2015 The Chromium Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

* Neither the name of catapult nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER
OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
// Copyright (c) 2012 The Polymer Authors. All rights reserved.
//
// Redistribution and use in source and binary forms, with or without

// modification, are permitted provided that the following conditions are
// met:
//
//   * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
//   * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
// distribution.
//   * Neither the name of Google Inc. nor the names of its
// contributors may be used to endorse or promote products derived from
// this software without specific prior written permission.
//
// THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
// "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
// LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
// A PARTICULAR
 PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
// OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
// SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
// LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
// DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
// THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
// (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
// OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
                    Apache License
                Version 2.0, January 2004
             http://www.apache.org/licenses/

 TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

 1. Definitions.

    "License" shall mean the terms and conditions for use, reproduction,
    and distribution as defined by Sections 1 through 9 of this document.

    "Licensor" shall mean the copyright owner or entity authorized by
    the copyright owner that is granting the License.

    "Legal Entity" shall mean the union of the acting entity and all
    other entities that control, are controlled by, or are under common
    control with that entity. For the purposes of this definition,
    "control" means (i) the power, direct or indirect, to cause the
    direction or management of such entity, whether by contract or
    otherwise, or (ii) ownership of fifty percent (50%) or more of the
    outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```
/*
* Copyright 2019 Google LLC
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
```

*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

1.565 apache-commons-text 1.2

1.565.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Apache Commons Text
Copyright 2001-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.566 kotlin 1.2.51

1.566.1 Available under license :

No license file was found, but licenses were detected in source scan.

{"version":3,"file":"kotlin.js","sources":["wrapper.js","arrayUtils.js","callableReferenceUtils.js","conversions.js","core.js","long.js","markerFunctions.js","misc.js","polyfills.js","rtti.js","runtime/arrayUtils.kt","runtime/Enum.kt","runtime/primitiveCompanionObjects.kt","generated/_Arrays.kt","generated/_Ranges.kt","Ranges.kt","collections/Collections.kt","collections/Maps.kt","collections/Sets.kt","text/StringNumberConversions.kt","util/Preconditions.kt","g

enerated/_ArraysJs.kt","comparisons/Comparisons.kt","kotlin/Comparator.kt","util/Standard.kt","generated/_ComparisonsJs.kt","collections/Iterables.kt","collections/Sequences.kt","generated/_Collections.kt","kotlin/collections.kt","collections/Iterators.kt","generated/_Comparisons.kt","generated/_Maps.kt","kotlin/ranges.kt","generated/_Sequences.kt","generated/_Sets.kt","generated/_Strings.kt","text/Strings.kt","kotlin/string.kt","Collections.kt","Iterators.kt","ProgressionIterators.kt","Progressions.kt","Range.kt","Unit.kt","annotation/Annotations.kt","internal/InternalAnnotations.kt","internal/progressionUtil.kt","reflect/KParameter.kt","reflect/KType.kt","reflect/KVariance.kt","reflect/KVisibility.kt","kotlin/builtins.kt","generated/_CollectionsJs.kt","jquery/ui.kt","kotlin/annotations.kt","kotlin/annotationsJVM.kt","kotlin/jsTypeOf.kt","kotlin/kotlin.kt","kotlin/char.kt","kotlin/math.kt","kotlin/collections/AbstractMutableCollection.kt","kotlin/collections/AbstractMutableList.kt","kotlin/collections/AbstractMutableMap.kt","kotlin/collections/AbstractMutableSet.kt","kotlin/collections/ArrayList.kt","kotlin/collections/EqualityComparator.kt","kotlin/collections/HashMap.kt","kotlin/collections/HashSet.kt","kotlin/collections/InternalHashCodeMap.kt","kotlin/collections/utils.kt","kotlin/collections/InternalMap.kt","kotlin/collections/InternalStringMap.kt","kotlin/collections/LinkedHashMap.kt","kotlin/collections/LinkedHashSet.kt","kotlin/concurrent.kt","kotlin/console.kt","kotlin/coroutines.kt","coroutines/experimental/CoroutinesLibrary.kt","kotlin/coroutinesIntrinsics.kt","kotlin/date.kt","kotlin/dom/Builders.kt","kotlin/dom/Classes.kt","text/regex/RegexExtensions.kt","text/StringBuilder.kt","kotlin/dom/Dom.kt","kotlin/dom/EventListener.kt","kotlin/dom/ItemArrayLike.kt","kotlin/dom/Mutations.kt","kotlin/dynamic.kt","kotlin/exceptionUtils.kt","kotlin/exceptions.kt","collections/Grouping.kt","kotlin/grouping.kt","kotlin/js.math.kt","kotlin/json.kt","kotlin/numbers.kt","kotlin/numberConversions.kt","kotlin/promise.kt","kotlin/reflect/JsClass.kt","kotlin/reflect/KClassImpl.kt","kotlin/reflect/primitives.kt","kotlin/reflect/reflection.kt","kotlin/regex.kt","kotlin/TextH.kt","kotlin/regexp.kt","kotlin/sequence.kt","kotlin/stringsCode.kt","kotlin/text.kt","org.w3c/org.khronos.webgl.kt","org.w3c/org.w3c.dom.css.kt","org.w3c/org.w3c.dom.events.kt","org.w3c/org.w3c.dom.kt","org.w3c/org.w3c.fetch.kt","org.w3c/org.w3c.dom.svg.kt","org.w3c/org.w3c.files.kt","org.w3c/org.w3c.notifications.kt","org.w3c/org.w3c.workers.kt","org.w3c/org.w3c.xhr.kt","annotations/Experimental.kt","collections/AbstractCollection.kt","collections/AbstractIterator.kt","collections/AbstractList.kt","collections/AbstractMap.kt","collections/AbstractSet.kt","collections/Arrays.kt","collections/IndexedValue.kt","collections/MapAccessors.kt","collections/MapWithDefault.kt","collections/MutableCollections.kt","collections/ReversedViews.kt","collections/SlidingWindow.kt","coroutines/experimental/ContinuationInterceptor.kt","coroutines/experimental/CoroutineContext.kt","coroutines/experimental/CoroutineContextImpl.kt","coroutines/experimental/Coroutines.kt","coroutines/experimental/SequenceBuilder.kt","coroutines/experimental/intrinsics/Intrinsics.kt","experimental/bitwiseOperations.kt","internal/Annotations.kt","internal/contracts/ContractBuilder.kt","properties/Delegates.kt","properties/ObservableProperty.kt","ranges/Ranges.kt","text/Char.kt","text/Indent.kt","dummy.kt","text/Typography.kt","text/regex/MatchResult.kt","util/KotlinVersion.kt","util/Lateinit.kt","util/Lazy.kt","util/Suspend.kt","util/Tuples.kt","kotlin/MathH.kt"],"sourcesContent":["(function (root, factory) {\n   if (typeof define === 'function' && define.amd) {\n   define('kotlin', ['exports'], factory);\n   }\n   else if (typeof exports === 'object') {\n   factory(module.exports);\n   }\n   else {\n   root.kotlin = {};\n   factory(root.kotlin);\n   }\n}(this, function (Kotlin) {\n   var _ = Kotlin;\n\n   insertContent();\n}));\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.isBooleanArray = function (a) {\n   return (Array.isArray(a) || a instanceof Int8Array) && a.$type$ === \"BooleanArray\"\n};\n\nKotlin.isByteArray = function (a) {\n   return a instanceof Int8Array && a.$type$!== \"BooleanArray\"\n};\n\nKotlin.isShortArray = function (a) {\n   return a instanceof Int16Array\n};\n\nKotlin.isCharArray = function (a) {\n   return a instanceof Uint16Array && a.$type$ === \"CharArray\"\n};\n\nKotlin.isIntArray = function (a) {\n   return a instanceof Int32Array\n};\n\nKotlin.isFloatArray = function (a) {\n   return a instanceof Float32Array\n};\n\nKotlin.isDoubleArray = function (a) {\n   return a instanceof Float64Array\n};\n\nKotlin.isLongArray = function (a) {\n   return Array.isArray(a) && a.$type$ === \"LongArray\"\n};\n\nKotlin.isArray = function (a) {\n   return Array.isArray(a) && !a.$type$;\n};\n\nKotlin.isArrayish = function (a) {\n   return Array.isArray(a) || ArrayBuffer.isView(a)\n};\n\nKotlin.arrayToString = function (a) {\n   var toString = Kotlin.isCharArray(a) ? String.fromCharCode : Kotlin.toString;\n   return \"[\" + Array.prototype.map.call(a, function(e) { return

toString(e); }).join(\", \") + \"]\";\n};\n\nKotlin.arrayDeepToString = function (a, visited)
{\n visited = visited || [a];\n var toString = Kotlin.isCharArray(a) ? String.fromCharCode : Kotlin.toString;\n
return \"[\" + Array.prototype.map.call(a, function (e) {\n if (Kotlin.isArrayish(e) && visited.indexOf(e) < 0)
{\n visited.push(e);\n var result = Kotlin.arrayDeepToString(e, visited);\n
visited.pop();\n return result;\n }\n else {\n return toString(e);\n }\n
}).join(\", \") + \"]\";\n};\n\nKotlin.arrayEquals = function (a, b) {\n if (a === b) {\n return true;\n }\n if
(!Kotlin.isArrayish(b) || a.length !== b.length) {\n return false;\n }\n\n for (var i = 0, n = a.length; i < n; i++)
{\n if (!Kotlin.equals(a[i], b[i])) {\n return false;\n }\n }\n return
true;\n};\n\nKotlin.arrayDeepEquals = function (a, b) {\n if (a === b) {\n return true;\n }\n if
(!Kotlin.isArrayish(b)
|| a.length !== b.length) {\n return false;\n }\n\n for (var i = 0, n = a.length; i < n; i++) {\n if
(Kotlin.isArrayish(a[i])) {\n if (!Kotlin.arrayDeepEquals(a[i], b[i])) {\n return false;\n }\n
}\n else if (!Kotlin.equals(a[i], b[i])) {\n return false;\n }\n }\n return
true;\n};\n\nKotlin.arrayHashCode = function (arr) {\n var result = 1;\n for (var i = 0, n = arr.length; i < n; i++)
{\n result = ((31 * result | 0) + Kotlin.hashCode(arr[i])) | 0;\n }\n return
result;\n};\n\nKotlin.arrayDeepHashCode = function (arr) {\n var result = 1;\n for (var i = 0, n = arr.length; i < n;
i++) {\n var e = arr[i];\n result = ((31 * result | 0) + (Kotlin.isArrayish(e) ? Kotlin.arrayDeepHashCode(e) :
Kotlin.hashCode(e))) | 0;\n }\n return result;\n};\n\nKotlin.primitiveArraySort = function (array) {\n
array.sort(Kotlin.doubleCompareTo)\n};\n","/*\n * Copyright
2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in
the license/LICENSE.txt file.\n */\n\nKotlin.getCallableRef = function(name, f) {\n f.callableName = name;\n
return f;\n};\n\nKotlin.getPropertyCallableRef = function(name, paramCount, getter, setter) {\n getter.get =
getter;\n getter.set = setter;\n getter.callableName = name;\n return getPropertyRefClass(getter, setter,
propertyRefClassMetadataCache[paramCount]);\n};\n\nfunction getPropertyRefClass(obj, setter, cache) {\n
obj.$metadata$ = getPropertyRefMetadata(typeof setter === \"function\" ? cache.mutable : cache.immutable);\n
obj.constructor = obj;\n return obj;\n}\n\nvar propertyRefClassMetadataCache = [\n {\n mutable: { value:
null, implementedInterface: function () {\n return Kotlin.kotlin.reflect.KMutableProperty0 }\n },\n
immutable: { value: null, implementedInterface: function () {\n
return Kotlin.kotlin.reflect.KProperty0 }\n }\n },\n {\n mutable: { value: null, implementedInterface:
function () {\n return Kotlin.kotlin.reflect.KMutableProperty1 }\n },\n immutable: { value: null,
implementedInterface: function () {\n return Kotlin.kotlin.reflect.KProperty1 }\n }\n }\n];\n\nfunction
getPropertyRefMetadata(cache) {\n if (cache.value === null) {\n cache.value = {\n interfaces:
[cache.implementedInterface()],\n baseClass: null,\n functions: {},\n properties: {},\n
types: {},\n staticMembers: {}\n };\n }\n return cache.value;\n}\n","/*\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\nKotlin.toShort = function (a) {\n return (a & 0xFFFF) << 16 >>
16;\n};\n\nKotlin.toByte = function (a) {\n return
(a & 0xFF) << 24 >> 24;\n};\n\nKotlin.toChar = function (a) {\n return a &
0xFFFF;\n};\n\nKotlin.numberToLong = function (a) {\n return a instanceof Kotlin.Long ? a :
Kotlin.Long.fromNumber(a);\n};\n\nKotlin.numberToInt = function (a) {\n return a instanceof Kotlin.Long ?
a.toInt() : Kotlin.doubleToInt(a);\n};\n\nKotlin.numberToShort = function (a) {\n return
Kotlin.toShort(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToByte = function (a) {\n return
Kotlin.toByte(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToDouble = function (a) {\n return
+a;\n};\n\nKotlin.numberToChar = function (a) {\n return
Kotlin.toChar(Kotlin.numberToInt(a));\n};\n\nKotlin.doubleToInt = function(a) {\n if (a > 2147483647) return
2147483647;\n if (a < -2147483648) return -2147483648;\n return a | 0;\n};\n\nKotlin.toBoxedChar = function
(a) {\n if (a == null) return a;\n if (a instanceof Kotlin.BoxedChar) return a;\n return new
Kotlin.BoxedChar(a);\n};\n\nKotlin.unboxChar

= function(a) {\n if (a == null) return a;\n return Kotlin.toChar(a);\n};\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.equals = function (obj1, obj2) {\n if (obj1 == null) {\n   return obj2 == null;\n }\n\n if (obj2 == null) {\n   return false;\n }\n\n if (obj1 !== obj1) {\n   return obj2 !== obj2;\n }\n\n if (typeof obj1 === \"object\" && typeof obj1.equals === \"function\") {\n   return obj1.equals(obj2);\n }\n\n if (typeof obj1 === \"number\" && typeof obj2 === \"number\") {\n   return obj1 === obj2 && (obj1 !== 0 || 1 / obj1 === 1 / obj2)\n }\n\n return obj1 === obj2;\n};\n\nKotlin.hashCode = function (obj) {\n if (obj == null) {\n   return 0;\n }\n var objType = typeof obj;\n if (\"object\" === objType) {\n   return \"function\" === typeof obj.hashCode ? obj.hashCode()
: getObjectHashCode(obj);\n }\n if (\"function\" === objType) {\n   return getObjectHashCode(obj);\n }\n if (\"number\" === objType) {\n   return Kotlin.numberHashCode(obj);\n }\n if (\"boolean\" === objType) {\n   return Number(obj)\n }\n\n var str = String(obj);\n return getStringHashCode(str);\n};\n\n\nKotlin.toString = function (o) {\n if (o == null) {\n   return \"null\";\n }\n else if (Kotlin.isArrayish(o)) {\n   return \"[...]\";\n }\n else {\n   return o.toString();\n }\n};\n\n/**\n @const */\nvar POW_2_32 = 4294967296;\n// TODO: consider switching to Symbol type once we are on ES6.\n/**\n @const */\nvar OBJECT_HASH_CODE_PROPERTY_NAME = \"kotlinHashCodeValue$\";\n\nfunction getObjectHashCode(obj) {\n if (!(OBJECT_HASH_CODE_PROPERTY_NAME in obj)) {\n   var hash = (Math.random() * POW_2_32) | 0; // Make 32-bit singed integer.\n   Object.defineProperty(obj, OBJECT_HASH_CODE_PROPERTY_NAME, { value:
hash, enumerable: false });\n }\n return obj[OBJECT_HASH_CODE_PROPERTY_NAME];\n}\n\nfunction getStringHashCode(str) {\n var hash = 0;\n for (var i = 0; i < str.length; i++) {\n   var code = str.charCodeAt(i);\n   hash = (hash * 31 + code) | 0; // Keep it 32-bit.\n }\n return hash;\n}\n\nKotlin.identityHashCode = getObjectHashCode;\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n// Copyright 2009 The Closure Library Authors. All Rights Reserved.\n//\n// Licensed under the Apache License, Version 2.0 (the \"License\");\n// you may not use this file except in compliance with the License.\n// You may obtain a copy of the License at\n//\n//   http://www.apache.org/licenses/LICENSE-2.0\n//\n// Unless required by applicable law or agreed to in writing, software\n// distributed under the License is distributed on an \"AS-IS\" BASIS,\n//
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n\n/**\n * Constructs a 64-bit two's-complement integer, given its low and high 32-bit\n * values as *signed* integers. See the from* functions below for more\n * convenient ways of constructing Longs.\n *\n * The internal representation of a long is the two given signed, 32-bit values.\n * We use 32-bit pieces because these are the size of integers on which\n * Javascript performs bit-operations. For operations like addition and\n * multiplication, we split each number into 16-bit pieces, which can easily be\n * multiplied within Javascript's floating-point representation without overflow\n * or change in sign.\n *\n * In the algorithms below, we frequently reduce the negative case to the\n * positive case by negating the input(s) and then post-processing the result.\n * Note that we must ALWAYS check specially whether those values are MIN_VALUE\n * (-2^63) because -MIN_VALUE == MIN_VALUE (since 2^63 cannot
be represented as\n * a positive number, it overflows back into a negative). Not handling this\n * case would often result in infinite recursion.\n *\n * @param {number} low The low (signed) 32 bits of the long.\n * @param {number} high The high (signed) 32 bits of the long.\n * @constructor\n * @final\n */\nKotlin.Long = function(low, high) {\n /**\n   * @type {number}\n   * @private\n   */\n this.low_ = low | 0; // force into 32 signed bits.\n\n /**\n   * @type {number}\n   * @private\n   */\n this.high_ = high | 0; // force into 32 signed bits.\n};\n\nKotlin.Long.$metadata$ = {\n kind: \"class\",\n simpleName: \"Long\",\n interfaces:[]\n};\n\n\n// NOTE: Common constant values ZERO, ONE, NEG_ONE, etc. are defined below the\n// from* methods on which they depend.\n\n\n/**\n * A cache of the Long representations of small integer values.\n * @type {!Object}\n * @private\n */\nKotlin.Long.IntCache_ = {};\n\n\n/**\n * Returns a Long representing the given (32-bit) integer

value.\n * @param {number} value The 32-bit integer in question.\n * @return {!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromInt = function(value) {\n if (-128 <= value && value < 128) {\n   var cachedObj = Kotlin.Long.IntCache_[value];\n   if (cachedObj) {\n   return cachedObj;\n   }\n }\n\n var obj = new Kotlin.Long(value | 0, value < 0 ? -1 : 0);\n if (-128 <= value && value < 128) {\n Kotlin.Long.IntCache_[value] = obj;\n }\n return obj;\n};\n\n\n/**\n * Returns a Long representing the given value, provided that it is a finite\n * number. Otherwise, zero is returned.\n * @param {number} value The number in question.\n * @return {!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromNumber = function(value) {\n if (isNaN(value) || !isFinite(value)) {\n   return Kotlin.Long.ZERO;\n } else if (value <= -Kotlin.Long.TWO_PWR_63_DBL_) {\n   return Kotlin.Long.MIN_VALUE;\n } else if (value + 1 >= Kotlin.Long.TWO_PWR_63_DBL_) {\n
  return Kotlin.Long.MAX_VALUE;\n } else if (value < 0) {\n   return Kotlin.Long.fromNumber(-value).negate();\n } else {\n   return new Kotlin.Long(\n   (value % Kotlin.Long.TWO_PWR_32_DBL_) | 0,\n
    (value / Kotlin.Long.TWO_PWR_32_DBL_) | 0);\n }\n};\n\n\n/**\n * Returns a Long representing the 64-bit integer that comes by concatenating\n * the given high and low bits. Each is assumed to use 32 bits.\n * @param {number} lowBits The low 32-bits.\n * @param {number} highBits The high 32-bits.\n * @return {!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromBits = function(lowBits, highBits) {\n return new Kotlin.Long(lowBits, highBits);\n};\n\n\n/**\n * Returns a Long representation of the given string, written using the given\n * radix.\n * @param {string} str The textual representation of the Long.\n * @param {number=} opt_radix The radix in which the text is written.\n * @return {!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromString = function(str,
  opt_radix) {\n if (str.length == 0) {\n   throw Error('number format error: empty string');\n }\n\n var radix = opt_radix || 10;\n if (radix < 2 || 36 < radix) {\n   throw Error('radix out of range: ' + radix);\n }\n\n if (str.charAt(0) == '-') {\n   return Kotlin.Long.fromString(str.substring(1), radix).negate();\n } else if (str.indexOf('-') >= 0) {\n   throw Error('number format error: interior \"-\" character: ' + str);\n }\n\n // Do several (8) digits each time through the loop, so as to\n // minimize the calls to the very expensive emulated div.\n var radixToPower = Kotlin.Long.fromNumber(Math.pow(radix, 8));\n\n var result = Kotlin.Long.ZERO;\n for (var i = 0; i < str.length; i += 8) {\n   var size = Math.min(8, str.length - i);\n   var value = parseInt(str.substring(i, i + size), radix);\n   if (size < 8) {\n   var power = Kotlin.Long.fromNumber(Math.pow(radix, size));\n   result = result.multiply(power).add(Kotlin.Long.fromNumber(value));\n
    } else {\n   result = result.multiply(radixToPower);\n   result = result.add(Kotlin.Long.fromNumber(value));\n
  }\n }\n return result;\n};\n\n\n// NOTE: the compiler should inline these constant values below and then remove\n// these variables, so there should be no runtime penalty for these.\n\n\n/**\n * Number used repeated below in calculations. This must appear before the\n * first call to any from* function below.\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_16_DBL_ = 1 << 16;\n\n\n/**\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_24_DBL_ = 1 << 24;\n\n\n/**\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_32_DBL_ =\n   Kotlin.Long.TWO_PWR_16_DBL_ * Kotlin.Long.TWO_PWR_16_DBL_;\n\n\n/**\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_31_DBL_ =\n   Kotlin.Long.TWO_PWR_32_DBL_ / 2;\n\n\n/**\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_48_DBL_ =\n   Kotlin.Long.TWO_PWR_32_DBL_ * Kotlin.Long.TWO_PWR_16_DBL_;\n\n\n/**\n
 * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_64_DBL_ =\n Kotlin.Long.TWO_PWR_32_DBL_ * Kotlin.Long.TWO_PWR_32_DBL_;\n\n\n/**\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_63_DBL_ =\n   Kotlin.Long.TWO_PWR_64_DBL_ / 2;\n\n\n/** @type {!Kotlin.Long} */\nKotlin.Long.ZERO = Kotlin.Long.fromInt(0);\n\n\n/** @type {!Kotlin.Long} */\nKotlin.Long.ONE = Kotlin.Long.fromInt(1);\n\n\n/** @type {!Kotlin.Long} */\nKotlin.Long.NEG_ONE = Kotlin.Long.fromInt(-1);\n\n\n/** @type {!Kotlin.Long} */\nKotlin.Long.MAX_VALUE =\n Kotlin.Long.fromBits(0xFFFFFFFF | 0, 0x7FFFFFFF | 0);\n\n\n/** @type {!Kotlin.Long} */\nKotlin.Long.MIN_VALUE = Kotlin.Long.fromBits(0, 0x80000000 | 0);\n\n\n/**\n * @type {!Kotlin.Long}\n *

```
@private\n */\nKotlin.Long.TWO_PWR_24_ = Kotlin.Long.fromInt(1 << 24);\n\n\n/** @return {number} The value, assuming it is a 32-bit integer. */\nKotlin.Long.prototype.toInt = function() {\n  return this.low_;\n};\n\n\n/** @return {number} The closest floating-point
 representation to this value. */\nKotlin.Long.prototype.toNumber = function() {\n  return this.high_ * Kotlin.Long.TWO_PWR_32_DBL_ +\n        this.getLowBitsUnsigned();\n};\n\n/** @return {number} The 32-bit hashCode of this value. */\nKotlin.Long.prototype.hashCode = function() {\n  return this.high_ ^ this.low_;\n};\n\n/**\n * @param {number=} opt_radix The radix in which the text should be written.\n * @return {string} The textual representation of this value.\n * @override\n */\nKotlin.Long.prototype.toString = function(opt_radix) {\n  var radix = opt_radix || 10;\n  if (radix < 2 || 36 < radix) {\n    throw Error('radix out of range: ' + radix);\n  }\n\n  if (this.isZero()) {\n    return '0';\n  }\n\n  if (this.isNegative()) {\n    if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n      // We need to change the Long value before it can be negated, so we remove\n      // the bottom-most digit in this base and then recurse to do the rest.\n      var radixLong = Kotlin.Long.fromNumber(radix);\n
      var div = this.div(radixLong);\n      var rem = div.multiply(radixLong).subtract(this);\n      return div.toString(radix) + rem.toInt().toString(radix);\n    } else {\n      return '-' + this.negate().toString(radix);\n    }\n  }\n\n  // Do several (6) digits each time through the loop, so as to\n  // minimize the calls to the very expensive emulated div.\n  var radixToPower = Kotlin.Long.fromNumber(Math.pow(radix, 6));\n\n  var rem = this;\n  var result = '';\n  while (true) {\n    var remDiv = rem.div(radixToPower);\n    var intval = rem.subtract(remDiv.multiply(radixToPower)).toInt();\n    var digits = intval.toString(radix);\n\n    rem = remDiv;\n    if (rem.isZero()) {\n      return digits + result;\n    } else {\n      while (digits.length < 6) {\n        digits = '0' + digits;\n      }\n      result = '' + digits + result;\n    }\n  }\n};\n\n\n/** @return {number} The high 32-bits as a signed value. */\nKotlin.Long.prototype.getHighBits = function() {\n
  return this.high_;\n};\n\n\n/** @return {number} The low 32-bits as a signed value.
*/\nKotlin.Long.prototype.getLowBits = function() {\n  return this.low_;\n};\n\n\n/** @return {number} The low 32-bits as an unsigned value. */\nKotlin.Long.prototype.getLowBitsUnsigned = function() {\n  return (this.low_ >= 0) ?\n      this.low_ : Kotlin.Long.TWO_PWR_32_DBL_ + this.low_;\n};\n\n\n/**\n * @return {number} Returns the number of bits needed to represent the absolute\n *     value of this Long.\n
*/\nKotlin.Long.prototype.getNumBitsAbs = function() {\n  if (this.isNegative()) {\n    if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n      return 64;\n    } else {\n      return this.negate().getNumBitsAbs();\n    }\n  } else {\n    var val = this.high_ != 0 ? this.high_ : this.low_;\n    for (var bit = 31; bit > 0; bit--) {\n      if ((val & (1 << bit)) != 0) {\n        break;\n      }\n    }\n    return this.high_ != 0 ? bit + 33 : bit + 1;\n  }\n};\n\n\n/** @return {boolean} Whether this value
 is zero. */\nKotlin.Long.prototype.isZero = function() {\n  return this.high_ == 0 && this.low_ == 0;\n};\n\n\n/** @return {boolean} Whether this value is negative. */\nKotlin.Long.prototype.isNegative = function() {\n  return this.high_ < 0;\n};\n\n\n/** @return {boolean} Whether this value is odd. */\nKotlin.Long.prototype.isOdd = function() {\n  return (this.low_ & 1) == 1;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long equals the other.\n */\nKotlin.Long.prototype.equalsLong = function(other) {\n  return (this.high_ == other.high_) && (this.low_ == other.low_);\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long does not equal the other.\n */\nKotlin.Long.prototype.notEqualsLong = function(other) {\n  return (this.high_ != other.high_) || (this.low_ != other.low_);\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether
 this Long is less than the other.\n */\nKotlin.Long.prototype.lessThan = function(other) {\n  return this.compare(other) < 0;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is less than or equal to the other.\n */\nKotlin.Long.prototype.lessThanOrEqual = function(other) {\n  return this.compare(other) <= 0;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is greater than the other.\n
*/\nKotlin.Long.prototype.greaterThan = function(other) {\n  return this.compare(other) > 0;\n};\n\n\n/**\n *
```

@param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is greater than or equal to the other.\n */\nKotlin.Long.prototype.greaterThanOrEqual = function(other) {\n return this.compare(other) >= 0;\n};\n\n\n/**\n * Compares this Long with the given one.\n * @param {Kotlin.Long} other Long to compare against.\n * @return {number} 0 if they are
 the same, 1 if the this is greater, and -1\n *   if the given one is greater.\n */\nKotlin.Long.prototype.compare = function(other) {\n if (this.equalsLong(other)) {\n   return 0;\n }\n\n var thisNeg = this.isNegative();\n var otherNeg = other.isNegative();\n if (thisNeg && !otherNeg) {\n   return -1;\n }\n if (!thisNeg && otherNeg) {\n   return 1;\n }\n\n // at this point, the signs are the same, so subtraction will not overflow\n if (this.subtract(other).isNegative()) {\n   return -1;\n } else {\n   return 1;\n }\n};\n\n\n/** @return {!Kotlin.Long} The negation of this value. */\nKotlin.Long.prototype.negate = function() {\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n   return Kotlin.Long.MIN_VALUE;\n } else {\n   return this.not().add(Kotlin.Long.ONE);\n }\n};\n\n\n/**\n * Returns the sum of this and the given Long.\n * @param {Kotlin.Long} other Long to add to this one.\n * @return {!Kotlin.Long} The sum of this and the given Long.\n */\nKotlin.Long.prototype.add
 = function(other) {\n // Divide each number into 4 chunks of 16 bits, and then sum the chunks.\n\n var a48 = this.high_ >>> 16;\n var a32 = this.high_ & 0xFFFF;\n var a16 = this.low_ >>> 16;\n var a00 = this.low_ & 0xFFFF;\n\n var b48 = other.high_ >>> 16;\n var b32 = other.high_ & 0xFFFF;\n var b16 = other.low_ >>> 16;\n var b00 = other.low_ & 0xFFFF;\n\n var c48 = 0, c32 = 0, c16 = 0, c00 = 0;\n c00 += a00 + b00;\n c16 += c00 >>> 16;\n c00 &= 0xFFFF;\n c16 += a16 + b16;\n c32 += c16 >>> 16;\n c16 &= 0xFFFF;\n c32 += a32 + b32;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c48 += a48 + b48;\n c48 &= 0xFFFF;\n return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n\n/**\n * Returns the difference of this and the given Long.\n * @param {Kotlin.Long} other Long to subtract from this.\n * @return {!Kotlin.Long} The difference of this and the given Long.\n */\nKotlin.Long.prototype.subtract = function(other) {\n return this.add(other.negate());\n};\n\n\n/**\n
 * Returns the product of this and the given long.\n * @param {Kotlin.Long} other Long to multiply with this.\n * @return {!Kotlin.Long} The product of this and the other.\n */\nKotlin.Long.prototype.multiply = function(other) {\n if (this.isZero()) {\n   return Kotlin.Long.ZERO;\n } else if (other.isZero()) {\n   return Kotlin.Long.ZERO;\n }\n\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n   return other.isOdd() ? Kotlin.Long.MIN_VALUE :
 Kotlin.Long.ZERO;\n } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n   return this.isOdd() ? Kotlin.Long.MIN_VALUE : Kotlin.Long.ZERO;\n }\n\n if (this.isNegative()) {\n   if (other.isNegative()) {\n   return this.negate().multiply(other.negate());\n   } else {\n   return this.negate().multiply(other).negate();\n   }\n } else if (other.isNegative()) {\n   return this.multiply(other.negate()).negate();\n }\n\n // If both longs are small, use float multiplication\n if (this.lessThan(Kotlin.Long.TWO_PWR_24_)
 &&\n   other.lessThan(Kotlin.Long.TWO_PWR_24_)) {\n   return Kotlin.Long.fromNumber(this.toNumber() * other.toNumber());\n }\n\n // Divide each long into 4 chunks of 16 bits, and then add up 4x4 products.\n // We can skip products that would overflow.\n\n var a48 = this.high_ >>> 16;\n var a32 = this.high_ & 0xFFFF;\n var a16 = this.low_ >>> 16;\n var a00 = this.low_ & 0xFFFF;\n\n var b48 = other.high_ >>> 16;\n var b32 = other.high_ & 0xFFFF;\n var b16 = other.low_ >>> 16;\n var b00 = other.low_ & 0xFFFF;\n\n var c48 = 0, c32 = 0, c16 = 0, c00 = 0;\n c00 += a00 * b00;\n c16 += c00 >>> 16;\n c00 &= 0xFFFF;\n c16 += a16 * b00;\n c32 += c16 >>> 16;\n c16 &= 0xFFFF;\n c16 += a00 * b16;\n c32 += c16 >>> 16;\n c16 &= 0xFFFF;\n c32 += a32 * b00;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c32 += a16 * b16;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c32 += a00 * b32;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c48 += a48 * b00 + a32 * b16 + a16 * b32 + a00 * b48;\n c48 &= 0xFFFF;\n return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n\n/**\n * Returns this Long divided by the given one.\n * @param {Kotlin.Long} other Long by which to divide.\n * @return {!Kotlin.Long} This Long divided by the given one.\n */\nKotlin.Long.prototype.div = function(other) {\n if (other.isZero()) {\n   throw Error('division by zero');\n } else if (this.isZero()) {\n   return Kotlin.Long.ZERO;\n }\n\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n   if (other.equalsLong(Kotlin.Long.ONE) ||\n   other.equalsLong(Kotlin.Long.NEG_ONE)) {\n   return Kotlin.Long.MIN_VALUE; // recall that -MIN_VALUE

```
== MIN_VALUE\n    } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n      return Kotlin.Long.ONE;\n    } else {\n      // At this point, we have |other| >= 2, so |this/other| < |MIN_VALUE|.\n      var halfThis = this.shiftRight(1);\n      var approx = halfThis.div(other).shiftLeft(1);\n      if (approx.equalsLong(Kotlin.Long.ZERO)) {\n        return other.isNegative() ? Kotlin.Long.ONE : Kotlin.Long.NEG_ONE;\n      } else {\n        var rem = this.subtract(other.multiply(approx));\n        var result = approx.add(rem.div(other));\n        return result;\n      }\n    }\n  } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n    return Kotlin.Long.ZERO;\n  }\n\n  if (this.isNegative()) {\n    if (other.isNegative()) {\n      return this.negate().div(other.negate());\n    } else {\n      return this.negate().div(other).negate();\n    }\n  } else if (other.isNegative()) {\n    return this.div(other.negate()).negate();\n  }\n\n  // Repeat the following until the remainder is less than other:  find a\n  // floating-point that approximates remainder / other *from below*, add this\n  // into the result, and subtract it from the remainder.  It is critical that\n  // the approximate value is less than or equal to the real value so that the\n  // remainder never becomes negative.\n  var res = Kotlin.Long.ZERO;\n  var rem = this;\n  while (rem.greaterThanOrEqual(other)) {\n    // Approximate the result of division. This may be a little greater or\n    // smaller than the actual value.\n    var approx = Math.max(1, Math.floor(rem.toNumber() / other.toNumber()));\n\n    // We will tweak the approximate result by changing it in the 48-th digit or\n    // the smallest non-fractional digit, whichever is larger.\n    var log2 = Math.ceil(Math.log(approx) / Math.LN2);\n    var delta = (log2 <= 48) ? 1 : Math.pow(2, log2 - 48);\n\n    // Decrease the approximation until it is smaller than the remainder.  Note\n    // that if it is too large, the product overflows and is negative.\n    var approxRes = Kotlin.Long.fromNumber(approx);\n    var approxRem = approxRes.multiply(other);\n    while (approxRem.isNegative() || approxRem.greaterThan(rem)) {\n      approx -= delta;\n      approxRes = Kotlin.Long.fromNumber(approx);\n      approxRem = approxRes.multiply(other);\n    }\n\n    // We know the answer can't be zero... and actually, zero would cause\n    // infinite recursion since we would make no progress.\n    if (approxRes.isZero()) {\n      approxRes = Kotlin.Long.ONE;\n    }\n\n    res = res.add(approxRes);\n    rem = rem.subtract(approxRem);\n  }\n  return res;\n};\n\n\n/**\n * Returns this Long modulo the given one.\n * @param {Kotlin.Long} other Long by which to mod.\n * @return {!Kotlin.Long} This Long modulo the given one.\n */\nKotlin.Long.prototype.modulo = function(other) {\n  return this.subtract(this.div(other).multiply(other));\n};\n\n\n/** @return {!Kotlin.Long} The bitwise-NOT of this value. */\nKotlin.Long.prototype.not = function() {\n  return Kotlin.Long.fromBits(~this.low_, ~this.high_);\n};\n\n\n/**\n * Returns the bitwise-AND of this Long and the given one.\n * @param {Kotlin.Long} other The Long with which to AND.\n * @return {!Kotlin.Long} The bitwise-AND of this and the other.\n */\nKotlin.Long.prototype.and = function(other) {\n  return Kotlin.Long.fromBits(this.low_ & other.low_,\n                              this.high_ & other.high_);\n};\n\n\n/**\n * Returns the bitwise-OR of this Long and the given one.\n * @param {Kotlin.Long} other The Long with which to OR.\n * @return {!Kotlin.Long} The bitwise-OR of this and the other.\n */\nKotlin.Long.prototype.or = function(other) {\n  return Kotlin.Long.fromBits(this.low_ | other.low_,\n                              this.high_ | other.high_);\n};\n\n\n/**\n * Returns the bitwise-XOR of this Long and the given one.\n * @param {Kotlin.Long} other The Long with which to XOR.\n * @return {!Kotlin.Long} The bitwise-XOR of this and the other.\n */\nKotlin.Long.prototype.xor = function(other) {\n  return Kotlin.Long.fromBits(this.low_ ^ other.low_,\n                              this.high_ ^ other.high_);\n};\n\n\n/**\n * Returns this Long with bits shifted to the left by the given amount.\n * @param {number} numBits The number of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the left by the given amount.\n */\nKotlin.Long.prototype.shiftLeft = function(numBits) {\n  numBits &= 63;\n  if (numBits == 0) {\n    return this;\n  } else {\n    var low = this.low_;\n    if (numBits < 32) {\n      var high = this.high_;\n      return Kotlin.Long.fromBits(\n          low << numBits,\n          (high << numBits) | (low >>> (32 - numBits)));\n    } else {\n      return Kotlin.Long.fromBits(0, low << (numBits - 32));\n    }\n  }\n};\n\n\n/**\n * Returns this Long with bits shifted to the right by the given amount.\n * @param {number} numBits The number of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the right by the given amount.\n
```

```
*/\nKotlin.Long.prototype.shiftRight = function(numBits) {\n  numBits &= 63;\n  if (numBits == 0) {\n    return this;\n  } else {\n    var high = this.high_;\n    if (numBits < 32) {\n      var low = this.low_;\n      return Kotlin.Long.fromBits(\n          (low >>> numBits) | (high << (32 - numBits)),\n          high >> numBits);\n    } else {\n      return Kotlin.Long.fromBits(\n          high >> (numBits - 32),\n          high >= 0 ? 0 : -1);\n    }\n  }\n};\n\n\n/**\n * Returns this Long with bits shifted to the right by the given amount, with\n * zeros placed into the new leading bits.\n * @param {number} numBits The number of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the right by the given amount, with\n *     zeros placed into the new leading bits.\n */\nKotlin.Long.prototype.shiftRightUnsigned = function(numBits) {\n  numBits &= 63;\n  if (numBits == 0) {\n return this;\n  } else {\n    var high = this.high_;\n    if (numBits < 32) {\n      var low = this.low_;\n      return Kotlin.Long.fromBits(\n          (low >>> numBits) | (high << (32 - numBits)),\n          high >>> numBits);\n    } else if (numBits == 32) {\n      return Kotlin.Long.fromBits(high, 0);\n    } else {\n      return Kotlin.Long.fromBits(high >>> (numBits - 32), 0);\n    }\n  }\n};\n\n// Support for Kotlin\nKotlin.Long.prototype.equals = function (other) {\n    return other instanceof Kotlin.Long && this.equalsLong(other);\n};\n\nKotlin.Long.prototype.compareTo_11rb$ = Kotlin.Long.prototype.compare;\n\nKotlin.Long.prototype.inc = function() {\n    return this.add(Kotlin.Long.ONE);\n};\n\nKotlin.Long.prototype.dec = function() {\n    return this.add(Kotlin.Long.NEG_ONE);\n};\n\nKotlin.Long.prototype.valueOf = function() {\n    return this.toNumber();\n};\n\nKotlin.Long.prototype.unaryPlus = function() {\n    return this;\n};\n\nKotlin.Long.prototype.unaryMinus = Kotlin.Long.prototype.negate;\nKotlin.Long.prototype.inv = Kotlin.Long.prototype.not;\n\nKotlin.Long.prototype.rangeTo = function (other) {\n    return new Kotlin.kotlin.ranges.LongRange(this, other);\n};","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n/**\n * @param {string} id\n * @param {Object} declaration\n */\nKotlin.defineModule = function (id, declaration) {\n};\n\nKotlin.defineInlineFunction = function(tag, fun) {\n    return fun;\n};\n\nKotlin.wrapFunction = function(fun) {\n    var f = function() {\n        f = fun();\n        return f.apply(this, arguments);\n    };\n    return function() {\n        return f.apply(this, arguments);\n    };\n};\n\nKotlin.isTypeOf = function(type) {\n    return function (object) {\n        return typeof object === type;\n    }\n};\n\nKotlin.isInstanceOf = function (klass) {\n    return function (object) {\n        return Kotlin.isType(object, klass);\n    }\n};\n\nKotlin.orNull = function (fn) {\n    return function (object) {\n        return object == null || fn(object);\n    }\n};\n\nKotlin.andPredicate = function (a, b) {\n    return function (object) {\n        return a(object) && b(object);\n    }\n};\n\nKotlin.kotlinModuleMetadata = function (abiVersion, moduleName, data) {\n};\n\nKotlin.suspendCall = function(value) {\n    return value;\n};\n\nKotlin.coroutineResult = function(qualifier) {\n    throwMarkerError();\n};\n\nKotlin.coroutineController = function(qualifier) {\n    throwMarkerError();\n};\n\nKotlin.coroutineReceiver = function(qualifier) {\n    throwMarkerError();\n};\n\nKotlin.setCoroutineResult = function(value, qualifier) {\n    throwMarkerError();\n};\n\nfunction throwMarkerError() {\n    throw new Error(\n        \"This marker function should never been called. \" +\n        \"Looks like compiler did not eliminate it properly. \" +\n        \"Please, report an issue if you caught this exception.\");\n}\n\nKotlin.getFunctionById = function(id, defaultValue) {\n    return function() {\n        return defaultValue;\n    }\n};","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.compareTo = function (a, b) {\n    var typeA = typeof a;\n    if (typeA === \"number\") {\n        if (typeof b === \"number\") {\n            return Kotlin.doubleCompareTo(a, b);\n        }\n        return Kotlin.primitiveCompareTo(a, b);\n    }\n    if (typeA === \"string\" || typeA === \"boolean\") {\n        return Kotlin.primitiveCompareTo(a, b);\n    }\n    return a.compareTo_11rb$(b);\n};\n\nKotlin.primitiveCompareTo = function (a, b) {\n    return a < b ? -1 : a > b ? 1 : 0;\n};\n\nKotlin.doubleCompareTo = function (a, b) {\n    if (a < b) return -1;\n    if (a > b) return 1;\n\n    if (a === b) {\n        if (a !== 0) return 0;\n\n        var ia = 1 / a;\n        return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\n    }\n\n    return a !== a ? (b !== b ? 0 : 1) : -1\n};\n\nKotlin.charInc = function
```

(value) {\n   return Kotlin.toChar(value+1);\n};\n\nKotlin.charDec = function (value) {\n   return Kotlin.toChar(value-1);\n};\n\nKotlin.imul = Math.imul || imul;\n\nKotlin.imulEmulated = imul;\n\nfunction imul(a, b) {\n   return ((a & 0xffff0000) * (b & 0xffff) + (a & 0xffff) * (b | 0)) | 0;\n}\n\n(function() {\n   var buf = new ArrayBuffer(8);\n   var bufFloat64 = new Float64Array(buf);\n   var bufFloat32 = new Float32Array(buf);\n   var bufInt32 = new Int32Array(buf);\n   var lowIndex = 0;\n   var highIndex = 1;\n\n   bufFloat64[0] = -1; // bff00000_00000000\n   if (bufInt32[lowIndex] !== 0) {\n   lowIndex = 1;\n   highIndex = 0;\n   }\n\n   Kotlin.doubleToBits = function(value) {\n   return Kotlin.doubleToRawBits(isNaN(value) ? NaN : value);\n   };\n\n   Kotlin.doubleToRawBits = function(value) {\n   bufFloat64[0] = value;\n   return Kotlin.Long.fromBits(bufInt32[lowIndex], bufInt32[highIndex]);\n   };\n\n   Kotlin.doubleFromBits = function(value) {\n   bufInt32[lowIndex] = value.low_;\n   bufInt32[highIndex] = value.high_;\n   return bufFloat64[0];\n   };\n\n   Kotlin.floatToBits = function(value) {\n   return Kotlin.floatToRawBits(isNaN(value) ? NaN : value);\n   };\n\n   Kotlin.floatToRawBits = function(value) {\n   bufFloat32[0] = value;\n   return bufInt32[0];\n   };\n\n   Kotlin.floatFromBits = function(value) {\n   bufInt32[0] = value;\n   return bufFloat32[0];\n   };\n\n   // returns zero value for number with positive sign bit and non-zero value for number with negative sign bit.\n   Kotlin.doubleSignBit = function(value) {\n   bufFloat64[0] = value;\n   return bufInt32[highIndex] & 0x80000000;\n   };\n\n   Kotlin.numberHashCode = function(obj) {\n   if ((obj | 0) === obj) {\n   return obj | 0;\n   }\n   else {\n   bufFloat64[0] = obj;\n   return (bufInt32[highIndex] * 31 | 0) + bufInt32[lowIndex] | 0;\n   }\n   }\n})();\n\nKotlin.ensureNotNull = function(x) {\n   return x != null ? x : Kotlin.throwNPE();\n};\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\nif (typeof String.prototype.startsWith === \"undefined\") {\n   String.prototype.startsWith = function(searchString, position) {\n   position = position || 0;\n   return this.lastIndexOf(searchString, position) === position;\n   };\n}\nif (typeof String.prototype.endsWith === \"undefined\") {\n   String.prototype.endsWith = function(searchString, position) {\n   var subjectString = this.toString();\n   if (position === undefined || position > subjectString.length) {\n   position = subjectString.length;\n   }\n   position -= searchString.length;\n   var lastIndex = subjectString.indexOf(searchString, position);\n   return lastIndex !== -1 && lastIndex === position;\n   };\n}\n\n// ES6 Math polyfills\nif (typeof Math.sign === \"undefined\") {\n   Math.sign = function(x) {\n   x = +x; // convert to a number\n   if (x === 0 || isNaN(x)) {\n   return Number(x);\n   }\n   return x > 0 ? 1 : -1;\n   };\n}\nif (typeof Math.trunc === \"undefined\") {\n   Math.trunc = function(x) {\n   if (isNaN(x)) {\n   return NaN;\n   }\n   if (x > 0) {\n   return Math.floor(x);\n   }\n   return Math.ceil(x);\n   };\n}\n\n(function() {\n   var epsilon = 2.220446049250313E-16;\n   var taylor_2_bound = Math.sqrt(epsilon);\n   var taylor_n_bound = Math.sqrt(taylor_2_bound);\n   var upper_taylor_2_bound = 1/taylor_2_bound;\n   var upper_taylor_n_bound = 1/taylor_n_bound;\n\n   if (typeof Math.sinh === \"undefined\") {\n   Math.sinh = function(x) {\n   if (Math.abs(x) < taylor_n_bound) {\n   var result = x;\n   if (Math.abs(x) > taylor_2_bound) {\n   result += (x * x * x) / 6;\n   }\n   return result;\n   } else {\n   var y = Math.exp(x);\n   var y1 = 1 / y;\n   if (!isFinite(y)) return Math.exp(x - Math.LN2);\n   if (!isFinite(y1))\n   return -Math.exp(-x - Math.LN2);\n   return (y - y1) / 2;\n   }\n   };\n   }\n   if (typeof Math.cosh === \"undefined\") {\n   Math.cosh = function(x) {\n   var y = Math.exp(x);\n   var y1 = 1 / y;\n   if (!isFinite(y) || !isFinite(y1)) return Math.exp(Math.abs(x) - Math.LN2);\n   return (y + y1) / 2;\n   };\n   }\n\n   if (typeof Math.tanh === \"undefined\") {\n   Math.tanh = function(x){\n   if (Math.abs(x) < taylor_n_bound) {\n   var result = x;\n   if (Math.abs(x) > taylor_2_bound) {\n   result -= (x * x * x) / 3;\n   }\n   return result;\n   }\n   else {\n   var a = Math.exp(+x), b = Math.exp(-x);\n   return a === Infinity ? 1 : b === Infinity ? -1 : (a - b) / (a + b);\n   }\n   };\n   }\n\n   // Inverse hyperbolic function implementations derived from boost

```
special math functions,\n    // Copyright Eric Ford & Hubert Holin 2001.\n\n    if (typeof Math.asinh ===
\"undefined\") {\n        var asinh = function(x) {\n            if (x >= +taylor_n_bound)\n            {\n                if (x >
upper_taylor_n_bound)\n                {\n                    if (x > upper_taylor_2_bound)\n                    {\n                        //
approximation by laurent series in 1/x at 0+ order from -1 to 0\n                        return Math.log(x) + Math.LN2;\n
                }\n                else\n                {\n                    // approximation by laurent series in 1/x at 0+ order
from -1 to 1\n                    return Math.log(x * 2 + (1 / (x * 2)));\n                }\n            }\n            else\n
        {\n                return Math.log(x + Math.sqrt(x * x + 1));\n            }\n        }\n        else if (x <= -
taylor_n_bound)\n            {\n                return -asinh(-x);\n
            }\n            else\n            {\n                // approximation by taylor series in x at 0 up to order 2\n                var
result = x;\n                if (Math.abs(x) >= taylor_2_bound)\n                {\n                    var x3 = x * x * x;\n
 // approximation by taylor series in x at 0 up to order 4\n                    result -= x3 / 6;\n                }\n                return
result;\n            }\n        };\n        Math.asinh = asinh;\n    }\n    if (typeof Math.acosh === \"undefined\") {\n
Math.acosh = function(x) {\n            if (x < 1)\n            {\n                return NaN;\n            }\n            else if (x - 1 >=
taylor_n_bound)\n            {\n                if (x > upper_taylor_2_bound)\n                {\n                    // approximation
by laurent series in 1/x at 0+ order from -1 to 0\n                    return Math.log(x) + Math.LN2;\n                }\n
  else\n
 {\n                    return Math.log(x + Math.sqrt(x * x - 1));\n                }\n            }\n            else\n            {\n
var y = Math.sqrt(x - 1);\n                // approximation by taylor series in y at 0 up to order 2\n                var result =
y;\n                if (y >= taylor_2_bound)\n                {\n                    var y3 = y * y * y;\n                    // approximation
by taylor series in y at 0 up to order 4\n                    result -= y3 / 12;\n                }\n\n                return Math.sqrt(2) *
result;\n            }\n        };\n    }\n    if (typeof Math.atanh === \"undefined\") {\n        Math.atanh = function(x) {\n
        if (Math.abs(x) < taylor_n_bound) {\n                var result = x;\n                if (Math.abs(x) > taylor_2_bound) {\n
                    result += (x * x * x) / 3;\n                }\n                return result;\n            }\n            return Math.log((1 + x)
/ (1 - x)) / 2;\n
    };\n    }\n    if (typeof Math.log1p === \"undefined\") {\n        Math.log1p = function(x) {\n            if (Math.abs(x)
< taylor_n_bound) {\n                var x2 = x * x;\n                var x3 = x2 * x;\n                var x4 = x3 * x;\n                //
approximation by taylor series in x at 0 up to order 4\n                return (-x4 / 4 + x3 / 3 - x2 / 2 + x);\n            }\n
    return Math.log(x + 1);\n        };\n    }\n    if (typeof Math.expm1 === \"undefined\") {\n        Math.expm1 =
function(x) {\n            if (Math.abs(x) < taylor_n_bound) {\n                var x2 = x * x;\n                var x3 = x2 * x;\n
            var x4 = x3 * x;\n                // approximation by taylor series in x at 0 up to order 4\n                return (x4 / 24
+ x3 / 6 + x2 / 2 + x);\n            }\n            return Math.exp(x) - 1;\n        };\n    }\n})();\nif (typeof Math.hypot ===
\"undefined\") {\n    Math.hypot = function() {\n        var y = 0;\n        var
 length = arguments.length;\n\n        for (var i = 0; i < length; i++) {\n            if (arguments[i] === Infinity ||
arguments[i] === -Infinity) {\n                return Infinity;\n            }\n            y += arguments[i] * arguments[i];\n
}\n        return Math.sqrt(y);\n    };\n}\nif (typeof Math.log10 === \"undefined\") {\n    Math.log10 = function(x) {\n
    return Math.log(x) * Math.LOG10E;\n    };\n}\nif (typeof Math.log2 === \"undefined\") {\n    Math.log2 =
function(x) {\n        return Math.log(x) * Math.LOG2E;\n    };\n}\n\n// For HtmlUnit and PhantomJs\nif (typeof
ArrayBuffer.isView === \"undefined\") {\n    ArrayBuffer.isView = function(a) {\n        return a != null &&
a.__proto__ != null && a.__proto__.__proto__ === Int8Array.prototype.__proto__;\n    };\n}\n\n\n(function() {\n
function normalizeOffset(offset, length) {\n        if (offset < 0) return Math.max(0, offset + length);\n        return
Math.min(offset, length);\n    }\n    function typedArraySlice(begin,
 end) {\n        if (typeof end === \"undefined\") {\n            end = this.length;\n        }\n        begin =
normalizeOffset(begin || 0, this.length);\n        end = Math.max(begin, normalizeOffset(end, this.length));\n
return new this.constructor(this.subarray(begin, end));\n    }\n\n    var arrays = [Int8Array, Int16Array, Uint16Array,
Int32Array, Float32Array, Float64Array];\n    for (var i = 0; i < arrays.length; ++i) {\n        var TypedArray =
arrays[i];\n        if (typeof TypedArray.prototype.slice === \"undefined\") {\n
Object.defineProperty(TypedArray.prototype, 'slice', {\n                value: typedArraySlice\n            });\n        }\n
}\n\n    // Patch apply to work with TypedArrays if needed.\n    try {\n        (function() {}).apply(null, new
```

```
Int32Array(0))\n    } catch (e) {\n        var apply = Function.prototype.apply;\n
Object.defineProperty(Function.prototype, 'apply', {\n            value: function(self, array) {\n
            return apply.call(this, self, [].slice.call(array));\n            }\n        });\n    }\n\n\n    // Patch map to work with
TypedArrays if needed.\n    for (var i = 0; i < arrays.length; ++i) {\n        var TypedArray = arrays[i];\n        if
(typeof TypedArray.prototype.map === \"undefined\") {\n            Object.defineProperty(TypedArray.prototype,
'map', {\n                value: function(callback, self) {\n                return [].slice.call(this).map(callback, self);\n
    }\n            });\n        }\n    }\n\n    // Patch sort to work with TypedArrays if needed.\n    for (var i = 0; i <
arrays.length; ++i) {\n        var TypedArray = arrays[i];\n        if (typeof TypedArray.prototype.sort ===
\"undefined\") {\n            Object.defineProperty(TypedArray.prototype, 'sort', {\n                value:
function(compareFunction) {\n                return Array.prototype.sort.call(this, compareFunction);\n                }\n
    });\n        }\n
    }\n})();\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0
license\n * that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.Kind = {\n    CLASS: \"class\",\n
INTERFACE: \"interface\",\n    OBJECT: \"object\"\n};\n\nKotlin.callGetter = function (thisObject, klass,
propertyName) {\n    var propertyDescriptor = Object.getOwnPropertyDescriptor(klass, propertyName);\n    if
(propertyDescriptor != null && propertyDescriptor.get != null) {\n        return
propertyDescriptor.get.call(thisObject);\n    }\n\n    propertyDescriptor =
Object.getOwnPropertyDescriptor(thisObject, propertyName);\n    if (propertyDescriptor != null && \"value\" in
propertyDescriptor) {\n        return thisObject[propertyName];\n    }\n\n    return Kotlin.callGetter(thisObject,
Object.getPrototypeOf(klass), propertyName);\n};\n\nKotlin.callSetter = function (thisObject, klass, propertyName,
value) {\n    var propertyDescriptor = Object.getOwnPropertyDescriptor(klass,
 propertyName);\n    if (propertyDescriptor != null && propertyDescriptor.set != null) {\n
propertyDescriptor.set.call(thisObject, value);\n        return;\n    }\n\n    propertyDescriptor =
Object.getOwnPropertyDescriptor(thisObject, propertyName);\n    if (propertyDescriptor != null && \"value\" in
propertyDescriptor) {\n        thisObject[propertyName] = value;\n        return\n    }\n\n    Kotlin.callSetter(thisObject,
Object.getPrototypeOf(klass), propertyName, value);\n};\n\nfunction isInheritanceFromInterface(ctor, iface) {\n    if
(ctor === iface) return true;\n\n    var metadata = ctor.$metadata$;\n    if (metadata != null) {\n        var interfaces =
metadata.interfaces;\n        for (var i = 0; i < interfaces.length; i++) {\n            if
(isInheritanceFromInterface(interfaces[i], iface)) {\n                return true;\n            }\n        }\n    }\n\n    var
superPrototype = ctor.prototype != null ? Object.getPrototypeOf(ctor.prototype) : null;\n
    var superConstructor = superPrototype != null ? superPrototype.constructor : null;\n    return superConstructor !=
null && isInheritanceFromInterface(superConstructor, iface);\n}\n\n/**\n *\n * @param {*} object\n * @param
{Function|Object} klass\n * @returns {Boolean}\n */\nKotlin.isType = function (object, klass) {\n    if (klass ===
Object) {\n        switch (typeof object) {\n            case \"string\":\n            case \"number\":\n            case
\"boolean\":\n            case \"function\":\n                return true;\n            default:\n                return object instanceof
Object;\n        }\n    }\n\n    if (object == null || klass == null || (typeof object !== 'object' && typeof object !==
'function')) {\n        return false;\n    }\n\n    if (typeof klass === \"function\" && object instanceof klass) {\n
return true;\n    }\n\n    var proto = Object.getPrototypeOf(klass);\n    var constructor = proto != null ?
proto.constructor : null;\n    if (constructor
 != null && \"$metadata$\" in constructor) {\n        var metadata = constructor.$metadata$;\n        if (metadata.kind
=== Kotlin.Kind.OBJECT) {\n            return object === klass;\n        }\n    }\n\n    var klassMetadata =
klass.$metadata$;\n\n    // In WebKit (JavaScriptCore) for some interfaces from DOM typeof returns \"object\",
nevertheless they can be used in RHS of instanceof\n    if (klassMetadata == null) {\n        return object instanceof
klass;\n    }\n\n    if (klassMetadata.kind === Kotlin.Kind.INTERFACE && object.constructor != null) {\n
return isInheritanceFromInterface(object.constructor, klass);\n    }\n\n    return false;\n};\n\nKotlin.isNumber =
function (a) {\n    return typeof a == \"number\" || a instanceof Kotlin.Long;\n};\n\nKotlin.isChar = function (value)
{\n    return value instanceof Kotlin.BoxedChar\n};\n\nKotlin.isComparable = function (value) {\n    var type =
typeof value;\n\n    return type === \"string\" ||\n           type === \"boolean\"
```

||\n Kotlin.isNumber(value) ||\n Kotlin.isType(value, Kotlin.kotlin.Comparable);\n};\n\nKotlin.isCharSequence = function (value) {\n return typeof value === \"string\" || Kotlin.isType(value, Kotlin.kotlin.CharSequence);\n};","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under the module\n\n@PublishedApi\nexternal internal fun <T> Array(size: Int): Array<T>\n\n@JsName(\"newArray\")\nfun <T> newArray(size: Int, initValue: T) = fillArrayVal(Array<T>(size), initValue)\n\n@JsName(\"newArrayF\")\ninline fun <T> arrayWithFun(size: Int, init: (Int) -> T) = fillArrayFun(Array<T>(size), init)\n\n@JsName(\"fillArray\")\ninline fun <T> fillArrayFun(array: Array<T>, init: (Int) -> T): Array<T> {\n for (i in 0..array.size - 1) {\n array[i] = init(i)\n }\n return array\n}\n\n@JsName(\"booleanArray\")\nfun
booleanArray(size: Int, init: dynamic): Array<Boolean> {\n val result: dynamic = Array<Boolean>(size)\n result.`$type$` = \"BooleanArray\"\n return when (init) {\n null, true -> fillArrayVal(result, false)\n false -> result\n else -> fillArrayFun<Boolean>(result, init)\n }\n}\n\n@JsName(\"booleanArrayF\")\ninline fun booleanArrayWithFun(size: Int, init: (Int) -> Boolean): Array<Boolean> = fillArrayFun(booleanArray(size, false), init)\n\n@JsName(\"charArray\")\n@Suppress(\"UNUSED_PARAMETER\")\nfun charArray(size: Int, init: dynamic): Array<Char> {\n val result = js(\"new Uint16Array(size)\")\n result.`$type$` = \"CharArray\"\n return when (init) {\n null, true, false -> result // For consistency\n else -> fillArrayFun<Char>(result, init)\n }\n}\n\n@JsName(\"charArrayF\")\ninline fun charArrayWithFun(size: Int, init: (Int) -> Char): Array<Char> {\n val array = charArray(size, null)\n for (i in 0..array.size
- 1) {\n val value = init(i)\n js(\"array[i] = value;\")\n }\n return array\n}\n\n@JsName(\"untypedCharArrayF\")\ninline fun untypedCharArrayWithFun(size: Int, init: (Int) -> Char): Array<Char> {\n val array = Array<Char>(size)\n for (i in 0..array.size - 1) {\n val value = init(i)\n js(\"array[i] = value;\")\n }\n return array\n}\n\n@JsName(\"longArray\")\nfun longArray(size: Int, init: dynamic): Array<Long> {\n val result: dynamic = Array<Long>(size)\n result.`$type$` = \"LongArray\"\n return when (init) {\n null, true -> fillArrayVal(result, 0L)\n false -> result\n else -> fillArrayFun<Long>(result, init)\n }\n}\n\n@JsName(\"longArrayF\")\ninline fun longArrayWithFun(size: Int, init: (Int) -> Long): Array<Long> = fillArrayFun(longArray(size, false), init)\n\nprivate fun <T> fillArrayVal(array: Array<T>, initValue: T): Array<T> {\n for (i in 0..array.size - 1) {\n array[i] = initValue\n }\n return array\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\npublic class Enum<T : Enum<T>> : Comparable<Enum<T>> {\n @JsName(\"name$\") private var _name: String = \"\"\n @JsName(\"ordinal$\") private var _ordinal: Int = 0\n\n val name: String\n get() = _name\n\n val ordinal: Int\n get() = _ordinal\n\n override fun compareTo(other: Enum<T>) = ordinal.compareTo(other.ordinal)\n\n override fun equals(other: Any?) = this === other\n\n override fun hashCode(): Int = js(\"Kotlin.identityHashCode\")(this)\n\n override fun toString() = name\n\n companion object\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js.internal\n\n@JsName(\"DoubleCompanionObject\")\nprivate
object DoubleCompanionObject {\n @JsName(\"MIN_VALUE\")\n val MIN_VALUE: Double = js(\"Number.MIN_VALUE\")\n\n @JsName(\"MAX_VALUE\")\n val MAX_VALUE: Double = js(\"Number.MAX_VALUE\")\n\n @JsName(\"POSITIVE_INFINITY\")\n val POSITIVE_INFINITY: Double = js(\"Number.POSITIVE_INFINITY\")\n\n @JsName(\"NEGATIVE_INFINITY\")\n val NEGATIVE_INFINITY: Double = js(\"Number.NEGATIVE_INFINITY\")\n\n @JsName(\"NaN\")\n val NaN: Double = js(\"Number.NaN\")\n}\n\n@JsName(\"FloatCompanionObject\")\nprivate object FloatCompanionObject {\n @JsName(\"MIN_VALUE\")\n val MIN_VALUE: Float = js(\"Number.MIN_VALUE\")\n\n @JsName(\"MAX_VALUE\")\n val MAX_VALUE: Float = js(\"Number.MAX_VALUE\")\n\n @JsName(\"POSITIVE_INFINITY\")\n val POSITIVE_INFINITY: Float = js(\"Number.POSITIVE_INFINITY\")\n\n @JsName(\"NEGATIVE_INFINITY\")\n val

NEGATIVE_INFINITY: Float = js(\"Number.NEGATIVE_INFINITY\")\n\n   @JsName(\"NaN\")\n   val NaN: Float = js(\"Number.NaN\")\n}\n\n@JsName(\"IntCompanionObject\")\nprivate object IntCompanionObject {\n   @JsName(\"MIN_VALUE\")\n   val MIN_VALUE: Int = -2147483647 - 1\n\n   @JsName(\"MAX_VALUE\")\n   val MAX_VALUE: Int = 2147483647\n}\n\n@JsName(\"LongCompanionObject\")\nprivate object LongCompanionObject {\n   @JsName(\"MIN_VALUE\")\n   val MIN_VALUE: Long = js(\"Kotlin.Long.MIN_VALUE\")\n\n   @JsName(\"MAX_VALUE\")\n   val MAX_VALUE: Long = js(\"Kotlin.Long.MAX_VALUE\")\n}\n\n@JsName(\"ShortCompanionObject\")\nprivate object ShortCompanionObject {\n   @JsName(\"MIN_VALUE\")\n   val MIN_VALUE: Short = -32768\n\n   @JsName(\"MAX_VALUE\")\n   val MAX_VALUE: Short = 32767\n}\n\n@JsName(\"ByteCompanionObject\")\nprivate object ByteCompanionObject {\n   @JsName(\"MIN_VALUE\")\n   val MIN_VALUE: Byte = -128\n\n   @JsName(\"MAX_VALUE\")\n   val MAX_VALUE: Byte = 127\n}\n\n@JsName(\"CharCompanionObject\")\nprivate object CharCompanionObject {\n   @JsName(\"MIN_HIGH_SURROGATE\")\n   public const val MIN_HIGH_SURROGATE: Char = '\\uD800'\n\n   @JsName(\"MAX_HIGH_SURROGATE\")\n   public const val MAX_HIGH_SURROGATE: Char = '\\uDBFF'\n\n   @JsName(\"MIN_LOW_SURROGATE\")\n   public const val MIN_LOW_SURROGATE: Char = '\\uDC00'\n\n   @JsName(\"MAX_LOW_SURROGATE\")\n   public const val MAX_LOW_SURROGATE: Char = '\\uDFFF'\n\n   @JsName(\"MIN_SURROGATE\")\n   public const val MIN_SURROGATE: Char = MIN_HIGH_SURROGATE\n\n   @JsName(\"MAX_SURROGATE\")\n   public const val MAX_SURROGATE: Char = MAX_LOW_SURROGATE\n}\n\nprivate object StringCompanionObject {}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ArraysKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.*\nimport kotlin.text.*\nimport kotlin.comparisons.*\n\n/**\n * Returns 1st *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component1(): T {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component1(): Byte {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component1(): Short {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component1(): Int {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component1(): Long {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component1(): Float {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component1(): Double {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component1(): Boolean {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component1(): Char {\n   return get(0)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component2(): T {\n   return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component2(): Byte {\n   return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component2(): Short {\n   return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component2(): Int {\n   return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component2(): Long {\n

return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component2(): Float {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component2(): Double {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component2(): Boolean {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component2(): Char {\n return get(1)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component3(): T {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component3(): Byte {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component3(): Short {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component3(): Int {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component3(): Long {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component3(): Float {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component3(): Double {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component3(): Boolean {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component3(): Char {\n return get(2)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component4(): T {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component4(): Byte {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component4(): Short {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component4(): Int {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component4(): Long {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component4(): Float {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component4(): Double {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component4(): Boolean {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component4(): Char {\n return get(3)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component5(): T {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component5(): Byte {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component5(): Short {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component5(): Int {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component5(): Long {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component5(): Float {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component5(): Double {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component5():

Boolean {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component5(): Char {\n   return get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.contains(element: T): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element]
is found in the array.\n */\npublic operator fun ByteArray.contains(element: Byte): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun ShortArray.contains(element: Short): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun IntArray.contains(element: Int): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun LongArray.contains(element: Long): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun FloatArray.contains(element: Float): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun DoubleArray.contains(element: Double): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n
* Returns `true` if [element] is found in the array.\n */\npublic operator fun BooleanArray.contains(element: Boolean): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun CharArray.contains(element: Char): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.elementAt(index: Int): T {\n   return get(index)\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.elementAt(index: Int): Byte {\n   return get(index)\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.elementAt(index: Int): Short {\n   return get(index)\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.elementAt(index: Int): Int {\n   return get(index)\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.elementAt(index: Int): Long {\n   return get(index)\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.elementAt(index: Int): Float {\n   return get(index)\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index]
is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.elementAt(index: Int): Double {\n   return get(index)\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.elementAt(index: Int): Boolean {\n   return get(index)\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.elementAt(index: Int): Char {\n   return get(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n   return if (index >= 0 && index <= lastIndex)
get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Byte): Byte {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result

of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Short): Short {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Int): Int {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Long): Long {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Float): Float {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Double): Double {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Boolean): Boolean {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.elementAtOrNull(index: Int): T? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.elementAtOrNull(index: Int): Byte? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.elementAtOrNull(index: Int): Short? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.elementAtOrNull(index: Int): Int? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.elementAtOrNull(index: Int): Long? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.elementAtOrNull(index: Int): Float? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.elementAtOrNull(index: Int): Double? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.elementAtOrNull(index: Int): Boolean? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.elementAtOrNull(index: Int): Char? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.find(predicate: (T) -> Boolean): T? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun

ByteArray.find(predicate: (Byte) -> Boolean): Byte? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.find(predicate: (Short) -> Boolean): Short? {\n return firstOrNull(predicate)\n}\n\n/**\n
 * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.find(predicate: (Int) -> Boolean): Int? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.find(predicate: (Long) -> Boolean): Long? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.find(predicate: (Float) -> Boolean): Float? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.find(predicate: (Double) -> Boolean): Double? {\n return firstOrNull(predicate)\n}\n\n/**\n
 * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.find(predicate: (Boolean) -> Boolean): Boolean? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.find(predicate: (Char) -> Boolean): Char? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.findLast(predicate: (T) -> Boolean): T? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.findLast(predicate: (Byte) -> Boolean):
 Byte? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.findLast(predicate: (Short) -> Boolean): Short? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.findLast(predicate: (Int) -> Boolean): Int? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.findLast(predicate: (Long) -> Boolean): Long? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.findLast(predicate:
 (Float) -> Boolean): Float? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.findLast(predicate: (Double) -> Boolean): Double? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.findLast(predicate: (Boolean) -> Boolean):
 Boolean? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.findLast(predicate: (Char) -> Boolean): Char? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun <T> Array<out T>.first(): T {\n
    if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ByteArray.first(): Byte {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ShortArray.first(): Short {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return

this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun IntArray.first(): Int {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun LongArray.first(): Long {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun FloatArray.first(): Float {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun DoubleArray.first(): Double {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun BooleanArray.first(): Boolean {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun CharArray.first(): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> Array<out T>.first(predicate: (T) -> Boolean): T {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ByteArray.first(predicate: (Byte) -> Boolean): Byte {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ShortArray.first(predicate: (Short) -> Boolean): Short {\n for (element
in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun IntArray.first(predicate: (Int) -> Boolean): Int {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun LongArray.first(predicate: (Long) -> Boolean): Long {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n */\npublic inline fun FloatArray.first(predicate: (Float) -> Boolean): Float {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun DoubleArray.first(predicate: (Double) -> Boolean): Double {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun BooleanArray.first(predicate: (Boolean) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n
* Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun CharArray.first(predicate: (Char) -> Boolean): Char {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun

<T> Array<out T>.firstOrNull(): T? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun ByteArray.firstOrNull(): Byte? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun ShortArray.firstOrNull(): Short? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun IntArray.firstOrNull():
Int? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun LongArray.firstOrNull(): Long? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun FloatArray.firstOrNull(): Float? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun DoubleArray.firstOrNull(): Double? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun BooleanArray.firstOrNull(): Boolean? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun CharArray.firstOrNull(): Char? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null`
if element was not found.\n */\npublic inline fun <T> Array<out T>.firstOrNull(predicate: (T) -> Boolean): T? {\n for (element in this) if (predicate(element)) return element\n   return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun ByteArray.firstOrNull(predicate: (Byte) -> Boolean): Byte? {\n   for (element in this) if (predicate(element)) return element\n   return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun ShortArray.firstOrNull(predicate: (Short) -> Boolean): Short? {\n   for (element in this) if (predicate(element)) return element\n   return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun IntArray.firstOrNull(predicate: (Int) -> Boolean): Int? {\n   for (element in this) if (predicate(element)) return element\n
    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun LongArray.firstOrNull(predicate: (Long) -> Boolean): Long? {\n   for (element in this) if (predicate(element)) return element\n   return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun FloatArray.firstOrNull(predicate: (Float) -> Boolean): Float? {\n   for (element in this) if (predicate(element)) return element\n   return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun DoubleArray.firstOrNull(predicate: (Double) -> Boolean): Double? {\n   for (element in this) if (predicate(element)) return element\n   return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun BooleanArray.firstOrNull(predicate:
(Boolean) -> Boolean): Boolean? {\n   for (element in this) if (predicate(element)) return element\n   return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun CharArray.firstOrNull(predicate: (Char) -> Boolean): Char? {\n   for (element in this) if (predicate(element)) return element\n   return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.getOrElse(index: Int, defaultValue: (Int) -> T): T {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.getOrElse(index:
Int, defaultValue: (Int) -> Byte): Byte {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.getOrElse(index: Int, defaultValue: (Int) -> Short): Short {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n

*/\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.getOrElse(index: Int, defaultValue: (Int) -> Int): Int {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out
of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.getOrElse(index: Int, defaultValue: (Int) -> Long): Long {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.getOrElse(index: Int, defaultValue: (Int) -> Float): Float {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.getOrElse(index: Int, defaultValue: (Int) -> Double): Double {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at
the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.getOrElse(index: Int, defaultValue: (Int) -> Boolean): Boolean {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.getOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun <T> Array<out T>.getOrNull(index: Int): T? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or
`null` if the [index] is out of bounds of this array.\n */\npublic fun ByteArray.getOrNull(index: Int): Byte? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun ShortArray.getOrNull(index: Int): Short? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun IntArray.getOrNull(index: Int): Int? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun LongArray.getOrNull(index: Int): Long? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of
this array.\n */\npublic fun FloatArray.getOrNull(index: Int): Float? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun DoubleArray.getOrNull(index: Int): Double? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun BooleanArray.getOrNull(index: Int): Boolean? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun CharArray.getOrNull(index: Int): Char? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes
T> Array<out T>.indexOf(element: T): Int {\n if (element == null) {\n for (index in indices) {\n if (this[index] == null) {\n return index\n }\n }\n } else {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun ByteArray.indexOf(element: Byte): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun ShortArray.indexOf(element: Short): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1

if the array does not contain element.\n */\npublic fun IntArray.indexOf(element: Int): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun LongArray.indexOf(element: Long): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun FloatArray.indexOf(element: Float): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun DoubleArray.indexOf(element: Double): Int {\n for (index in indices) {\n if (element == this[index])
{\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun BooleanArray.indexOf(element: Boolean): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun CharArray.indexOf(element: Char): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun <T> Array<out T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of
the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun ByteArray.indexOfFirst(predicate: (Byte) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun ShortArray.indexOfFirst(predicate: (Short) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun IntArray.indexOfFirst(predicate: (Int) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n
* Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun LongArray.indexOfFirst(predicate: (Long) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun FloatArray.indexOfFirst(predicate: (Float) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun DoubleArray.indexOfFirst(predicate: (Double) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n
}\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun BooleanArray.indexOfFirst(predicate: (Boolean) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun CharArray.indexOfFirst(predicate: (Char) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun <T> Array<out T>.indexOfLast(predicate: (T) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index]))
{\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun ByteArray.indexOfLast(predicate: (Byte) -> Boolean): Int {\n for (index in indices.reversed()) {\n if

(predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun ShortArray.indexOfLast(predicate: (Short) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun IntArray.indexOfLast(predicate: (Int) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun LongArray.indexOfLast(predicate: (Long) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun FloatArray.indexOfLast(predicate: (Float) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun DoubleArray.indexOfLast(predicate:
(Double) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun BooleanArray.indexOfLast(predicate: (Boolean) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun CharArray.indexOfLast(predicate: (Char) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array
is empty.\n */\npublic fun <T> Array<out T>.last(): T {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ByteArray.last(): Byte {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ShortArray.last(): Short {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun IntArray.last(): Int {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array
is empty.\n */\npublic fun LongArray.last(): Long {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun FloatArray.last(): Float {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun DoubleArray.last(): Double {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun BooleanArray.last(): Boolean {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the
array is empty.\n */\npublic fun CharArray.last(): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> Array<out T>.last(predicate: (T) -> Boolean): T {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw

NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ByteArray.last(predicate: (Byte) -> Boolean): Byte {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array
contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ShortArray.last(predicate: (Short) -> Boolean): Short {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun IntArray.last(predicate: (Int) -> Boolean): Int {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun LongArray.last(predicate: (Long) -> Boolean): Long {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun FloatArray.last(predicate: (Float) -> Boolean): Float {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun DoubleArray.last(predicate: (Double)
-> Boolean): Double {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun BooleanArray.last(predicate: (Boolean) -> Boolean): Boolean {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun CharArray.last(predicate: (Char) -> Boolean): Char {\n for (index in this.indices.reversed()) {\n val element = this[index]\n
if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.lastIndexOf(element: T): Int {\n if (element == null) {\n for (index in indices.reversed()) {\n if (this[index] == null) {\n return index\n }\n }\n } else {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun ByteArray.lastIndexOf(element: Byte): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index
of [element], or -1 if the array does not contain element.\n */\npublic fun ShortArray.lastIndexOf(element: Short): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun IntArray.lastIndexOf(element: Int): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun LongArray.lastIndexOf(element: Long): Int {\n for (index in indices.reversed())

{\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun FloatArray.lastIndexOf(element: Float): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun DoubleArray.lastIndexOf(element: Double): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun BooleanArray.lastIndexOf(element: Boolean): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun CharArray.lastIndexOf(element: Char): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun <T> Array<out T>.lastOrNull(): T? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun ByteArray.lastOrNull(): Byte? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun ShortArray.lastOrNull(): Short? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun IntArray.lastOrNull(): Int? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun LongArray.lastOrNull(): Long? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun FloatArray.lastOrNull(): Float? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun DoubleArray.lastOrNull(): Double? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun BooleanArray.lastOrNull(): Boolean? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun CharArray.lastOrNull(): Char? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun <T> Array<out T>.lastOrNull(predicate: (T) -> Boolean): T? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun ByteArray.lastOrNull(predicate: (Byte) -> Boolean): Byte? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun ShortArray.lastOrNull(predicate: (Short) -> Boolean): Short? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun IntArray.lastOrNull(predicate: (Int) -> Boolean): Int? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun LongArray.lastOrNull(predicate: (Long) -> Boolean): Long? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun FloatArray.lastOrNull(predicate: (Float) -> Boolean): Float? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun DoubleArray.lastOrNull(predicate: (Double) -> Boolean): Double? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element))

```
return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun BooleanArray.lastOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun CharArray.lastOrNull(predicate: (Char) -> Boolean): Char? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun <T> Array<out T>.single(): T {\n    return when (size) {\n        0 -> throw NoSuchElementException(\"Array is
empty.\")\n        1 -> this[0]\n        else -> throw IllegalArgumentException(\"Array has more than one element.\")\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun ByteArray.single(): Byte {\n    return when (size) {\n        0 -> throw NoSuchElementException(\"Array is empty.\")\n        1 -> this[0]\n        else -> throw IllegalArgumentException(\"Array has more than one element.\")\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun ShortArray.single(): Short {\n    return when (size) {\n        0 -> throw NoSuchElementException(\"Array is empty.\")\n        1 -> this[0]\n        else -> throw IllegalArgumentException(\"Array has more than one element.\")\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun IntArray.single():
Int {\n    return when (size) {\n        0 -> throw NoSuchElementException(\"Array is empty.\")\n        1 -> this[0]\n        else -> throw IllegalArgumentException(\"Array has more than one element.\")\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun LongArray.single(): Long {\n    return when (size) {\n        0 -> throw NoSuchElementException(\"Array is empty.\")\n        1 -> this[0]\n        else -> throw IllegalArgumentException(\"Array has more than one element.\")\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun FloatArray.single(): Float {\n    return when (size) {\n        0 -> throw NoSuchElementException(\"Array is empty.\")\n        1 -> this[0]\n        else -> throw IllegalArgumentException(\"Array has more than one element.\")\n    }\n}\n\n/**\n * Returns the single element,
or throws an exception if the array is empty or has more than one element.\n */\npublic fun DoubleArray.single(): Double {\n    return when (size) {\n        0 -> throw NoSuchElementException(\"Array is empty.\")\n        1 -> this[0]\n        else -> throw IllegalArgumentException(\"Array has more than one element.\")\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun BooleanArray.single(): Boolean {\n    return when (size) {\n        0 -> throw NoSuchElementException(\"Array is empty.\")\n        1 -> this[0]\n        else -> throw IllegalArgumentException(\"Array has more than one element.\")\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun CharArray.single(): Char {\n    return when (size) {\n        0 -> throw NoSuchElementException(\"Array is empty.\")\n        1 -> this[0]\n        else -> throw IllegalArgumentException(\"Array
has more than one element.\")\n    }\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun <T> Array<out T>.single(predicate: (T) -> Boolean): T {\n    var single: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n    @Suppress(\"UNCHECKED_CAST\")\n    return single as T\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun ByteArray.single(predicate: (Byte) -> Boolean): Byte {\n    var single: Byte? = null\n
```

var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Byte\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun ShortArray.single(predicate: (Short) -> Boolean): Short {\n var single: Short? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Short\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun IntArray.single(predicate: (Int) -> Boolean): Int {\n var single: Int? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Int\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun LongArray.single(predicate: (Long) -> Boolean): Long {\n var single: Long? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Long\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun FloatArray.single(predicate: (Float) -> Boolean): Float {\n var single: Float? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Float\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun DoubleArray.single(predicate: (Double) -> Boolean): Double {\n var single: Double? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Double\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun BooleanArray.single(predicate: (Boolean) -> Boolean): Boolean {\n var single: Boolean? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Boolean\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun CharArray.single(predicate: (Char) -> Boolean): Char {\n var single: Char? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as

```
Char\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun <T> Array<out T>.singleOrNull(): T? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun ByteArray.singleOrNull(): Byte? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun ShortArray.singleOrNull(): Short? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun IntArray.singleOrNull(): Int? {\n    return if (size
 == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun LongArray.singleOrNull(): Long? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun FloatArray.singleOrNull(): Float? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun DoubleArray.singleOrNull(): Double? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun BooleanArray.singleOrNull(): Boolean? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun CharArray.singleOrNull(): Char? {\n    return if (size == 1)
 this[0] else null\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun <T> Array<out T>.singleOrNull(predicate: (T) -> Boolean): T? {\n    var single: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun ByteArray.singleOrNull(predicate: (Byte) -> Boolean): Byte? {\n    var single: Byte? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return
 null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun ShortArray.singleOrNull(predicate: (Short) -> Boolean): Short? {\n    var single: Short? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun IntArray.singleOrNull(predicate: (Int) -> Boolean): Int? {\n    var single: Int? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found)
 return null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun LongArray.singleOrNull(predicate: (Long) -> Boolean): Long? {\n    var single: Long? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun FloatArray.singleOrNull(predicate: (Float) -> Boolean): Float? {\n    var single: Float? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun DoubleArray.singleOrNull(predicate: (Double) -> Boolean): Double? {\n    var single: Double? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the
```

single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun BooleanArray.singleOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n var single: Boolean? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun CharArray.singleOrNull(predicate: (Char) -> Boolean): Char? {\n var single: Char? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Array<out T>.drop(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ByteArray.drop(n: Int): List<Byte> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ShortArray.drop(n: Int): List<Short> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun IntArray.drop(n: Int): List<Int> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun LongArray.drop(n: Int): List<Long> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun FloatArray.drop(n: Int): List<Float> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun DoubleArray.drop(n: Int): List<Double> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun BooleanArray.drop(n: Int): List<Boolean> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun CharArray.drop(n: Int): List<Char> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Array<out T>.dropLast(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ByteArray.dropLast(n: Int): List<Byte> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ShortArray.dropLast(n: Int): List<Short> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun IntArray.dropLast(n: Int): List<Int> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n

return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun LongArray.dropLast(n: Int): List<Long> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun FloatArray.dropLast(n: Int): List<Float> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun DoubleArray.dropLast(n: Int): List<Double> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun BooleanArray.dropLast(n: Int): List<Boolean> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun CharArray.dropLast(n: Int): List<Char> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Array<out T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ByteArray.dropLastWhile(predicate: (Byte) -> Boolean): List<Byte> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ShortArray.dropLastWhile(predicate: (Short) -> Boolean): List<Short> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun IntArray.dropLastWhile(predicate: (Int) -> Boolean): List<Int> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun LongArray.dropLastWhile(predicate: (Long) -> Boolean): List<Long> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun FloatArray.dropLastWhile(predicate: (Float) -> Boolean): List<Float> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun DoubleArray.dropLastWhile(predicate: (Double) -> Boolean): List<Double> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun BooleanArray.dropLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return

emptyList()\n}\n\n/**\n
 * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun CharArray.dropLastWhile(predicate: (Char) -> Boolean): List<Char> {\n   for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n   return take(index + 1)\n   }\n   }\n   return emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Array<out T>.dropWhile(predicate: (T) -> Boolean): List<T> {\n   var yielding = false\n   val list = ArrayList<T>()\n   for (item in this)\n   if (yielding)\n   list.add(item)\n   else if (!predicate(item)) {\n   list.add(item)\n   yielding = true\n   }\n   return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ByteArray.dropWhile(predicate: (Byte) -> Boolean): List<Byte> {\n   var yielding = false\n   val list = ArrayList<Byte>()\n   for (item in this)\n   if (yielding)\n   list.add(item)\n   else if (!predicate(item)) {\n   list.add(item)\n   yielding = true\n   }\n   return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ShortArray.dropWhile(predicate: (Short) -> Boolean): List<Short> {\n   var yielding = false\n   val list = ArrayList<Short>()\n   for (item in this)\n   if (yielding)\n   list.add(item)\n   else if (!predicate(item)) {\n   list.add(item)\n   yielding = true\n   }\n   return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun IntArray.dropWhile(predicate: (Int) -> Boolean): List<Int> {\n   var yielding = false\n   val list = ArrayList<Int>()\n   for (item in this)\n   if (yielding)\n   list.add(item)\n   else if (!predicate(item)) {\n   list.add(item)\n   yielding = true\n   }\n   return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun LongArray.dropWhile(predicate: (Long) -> Boolean): List<Long> {\n   var yielding = false\n   val list = ArrayList<Long>()\n   for (item in this)\n   if (yielding)\n   list.add(item)\n   else if (!predicate(item)) {\n   list.add(item)\n   yielding = true\n   }\n   return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun FloatArray.dropWhile(predicate: (Float) -> Boolean): List<Float> {\n   var yielding = false\n   val list = ArrayList<Float>()\n   for (item in this)\n   if (yielding)\n   list.add(item)\n   else if (!predicate(item)) {\n   list.add(item)\n   yielding = true\n   }\n   return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun DoubleArray.dropWhile(predicate: (Double) -> Boolean): List<Double> {\n   var yielding = false\n   val list = ArrayList<Double>()\n   for (item in this)\n   if (yielding)\n   list.add(item)\n   else if (!predicate(item)) {\n   list.add(item)\n   yielding = true\n   }\n   return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun BooleanArray.dropWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n   var yielding = false\n   val list = ArrayList<Boolean>()\n   for (item in this)\n   if (yielding)\n   list.add(item)\n   else if (!predicate(item)) {\n   list.add(item)\n   yielding = true\n   }\n   return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun CharArray.dropWhile(predicate: (Char) -> Boolean): List<Char> {\n   var yielding = false\n   val list = ArrayList<Char>()\n   for (item in this)\n   if (yielding)\n   list.add(item)\n   else if (!predicate(item)) {\n   list.add(item)\n   yielding = true\n   }\n   return list\n}\n\n/**\n * Returns a list containing only elements

matching the given [predicate].\n */\npublic inline fun <T> Array<out T>.filter(predicate: (T) -> Boolean): List<T> {\n   return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun ByteArray.filter(predicate: (Byte) -> Boolean): List<Byte> {\n   return filterTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun ShortArray.filter(predicate: (Short) -> Boolean): List<Short> {\n   return filterTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun IntArray.filter(predicate: (Int)
 -> Boolean): List<Int> {\n   return filterTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun LongArray.filter(predicate: (Long) -> Boolean): List<Long> {\n   return filterTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun FloatArray.filter(predicate: (Float) -> Boolean): List<Float> {\n   return filterTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun DoubleArray.filter(predicate: (Double) -> Boolean): List<Double> {\n   return filterTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun BooleanArray.filter(predicate: (Boolean) -> Boolean): List<Boolean> {\n   return filterTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n
 * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun CharArray.filter(predicate: (Char) -> Boolean): List<Char> {\n   return filterTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <T> Array<out T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n   return filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun ByteArray.filterIndexed(predicate: (index: Int, Byte) -> Boolean): List<Byte> {\n   return filterIndexedTo(ArrayList<Byte>(),
 predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun ShortArray.filterIndexed(predicate: (index: Int, Short) -> Boolean): List<Short> {\n   return filterIndexedTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun IntArray.filterIndexed(predicate: (index: Int, Int) -> Boolean): List<Int> {\n   return filterIndexedTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element
 itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun LongArray.filterIndexed(predicate: (index: Int, Long) -> Boolean): List<Long> {\n   return filterIndexedTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun FloatArray.filterIndexed(predicate: (index: Int, Float) -> Boolean): List<Float> {\n   return filterIndexedTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun DoubleArray.filterIndexed(predicate: (index: Int, Double) -> Boolean): List<Double> {\n
    return filterIndexedTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun BooleanArray.filterIndexed(predicate: (index: Int, Boolean) -> Boolean): List<Boolean> {\n   return

filterIndexedTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun CharArray.filterIndexed(predicate: (index: Int, Char) -> Boolean): List<Char> {\n return filterIndexedTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterIndexedTo(destination: C, predicate: (index: Int, Byte) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterIndexedTo(destination: C, predicate: (index: Int, Short) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Int>> IntArray.filterIndexedTo(destination: C, predicate: (index: Int, Int) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Long>> LongArray.filterIndexedTo(destination: C, predicate: (index: Int, Long) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterIndexedTo(destination: C, predicate: (index: Int, Float) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index,
element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterIndexedTo(destination: C, predicate: (index: Int, Double) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterIndexedTo(destination: C, predicate: (index: Int,
Boolean) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean):

C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n return destination\n}\n\n/**\n * Returns a list containing all elements that are instances of specified type parameter R.\n */\npublic inline fun <reified R> Array<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n   return filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances
of specified type parameter R to the given [destination].\n */\npublic inline fun <reified R, C : MutableCollection<in R>> Array<*>.filterIsInstanceTo(destination: C): C {\n   for (element in this) if (element is R) destination.add(element)\n   return destination\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun <T> Array<out T>.filterNot(predicate: (T) -> Boolean): List<T> {\n return filterNotTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun ByteArray.filterNot(predicate: (Byte) -> Boolean): List<Byte> {\n   return filterNotTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun ShortArray.filterNot(predicate: (Short) -> Boolean): List<Short> {\n return filterNotTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing
all elements not matching the given [predicate].\n */\npublic inline fun IntArray.filterNot(predicate: (Int) -> Boolean): List<Int> {\n   return filterNotTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun LongArray.filterNot(predicate: (Long) -> Boolean): List<Long> {\n   return filterNotTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun FloatArray.filterNot(predicate: (Float) -> Boolean): List<Float> {\n   return filterNotTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun DoubleArray.filterNot(predicate: (Double) -> Boolean): List<Double> {\n   return filterNotTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline
fun BooleanArray.filterNot(predicate: (Boolean) -> Boolean): List<Boolean> {\n   return filterNotTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun CharArray.filterNot(predicate: (Char) -> Boolean): List<Char> {\n   return filterNotTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing all elements that are not `null`.\n */\npublic fun <T : Any> Array<out T?>.filterNotNull(): List<T> {\n   return filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n */\npublic fun <C : MutableCollection<in T>, T : Any> Array<out T?>.filterNotNullTo(destination: C): C {\n   for (element in this) if (element != null) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <T, C : MutableCollection<in T>> Array<out
T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterNotTo(destination: C, predicate: (Byte) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterNotTo(destination: C, predicate: (Short) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Int>> IntArray.filterNotTo(destination:
C, predicate: (Int) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Long>> LongArray.filterNotTo(destination: C, predicate: (Long) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterNotTo(destination: C,

predicate: (Float) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterNotTo(destination: C, predicate: (Double) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterNotTo(destination: C, predicate: (Boolean) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterTo(destination: C, predicate: (Byte) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterTo(destination: C, predicate: (Short) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Int>> IntArray.filterTo(destination: C, predicate: (Int) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Long>> LongArray.filterTo(destination: C, predicate: (Long) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterTo(destination: C, predicate: (Float) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterTo(destination: C, predicate: (Double) -> Boolean): C {\n for (element in this)
if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterTo(destination: C, predicate: (Boolean) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun <T> Array<out T>.slice(indices: IntRange): List<T> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n
* Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun ByteArray.slice(indices: IntRange): List<Byte> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun ShortArray.slice(indices: IntRange): List<Short> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic

```
fun IntArray.slice(indices: IntRange): List<Int> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun LongArray.slice(indices: IntRange): List<Long> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun FloatArray.slice(indices: IntRange): List<Float> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun DoubleArray.slice(indices: IntRange): List<Double> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun BooleanArray.slice(indices: IntRange): List<Boolean> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun CharArray.slice(indices: IntRange): List<Char> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun <T> Array<out T>.slice(indices: Iterable<Int>): List<T> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<T>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun ByteArray.slice(indices: Iterable<Int>): List<Byte> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Byte>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun ShortArray.slice(indices: Iterable<Int>): List<Short> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Short>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun IntArray.slice(indices: Iterable<Int>): List<Int> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Int>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun LongArray.slice(indices: Iterable<Int>): List<Long> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Long>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun FloatArray.slice(indices: Iterable<Int>): List<Float> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Float>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun DoubleArray.slice(indices: Iterable<Int>): List<Double> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Double>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun BooleanArray.slice(indices: Iterable<Int>): List<Boolean> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Boolean>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun CharArray.slice(indices: Iterable<Int>): List<Char> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Char>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun <T> Array<T>.sliceArray(indices: Collection<Int>): Array<T> {\n    val result = arrayOfNulls(this, indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun ByteArray.sliceArray(indices: Collection<Int>): ByteArray {\n
```

```
    val result = ByteArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n
result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing elements
of this array at specified [indices].\n */\npublic fun ShortArray.sliceArray(indices: Collection<Int>): ShortArray {\n
 val result = ShortArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n
result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing elements
of this array at specified [indices].\n */\npublic fun IntArray.sliceArray(indices: Collection<Int>): IntArray {\n    val
result = IntArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++]
= this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing elements of this array at
specified [indices].\n */\npublic fun LongArray.sliceArray(indices:
 Collection<Int>): LongArray {\n    val result = LongArray(indices.size)\n    var targetIndex = 0\n    for
(sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n *
Returns an array containing elements of this array at specified [indices].\n */\npublic fun
FloatArray.sliceArray(indices: Collection<Int>): FloatArray {\n    val result = FloatArray(indices.size)\n    var
targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return
result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
DoubleArray.sliceArray(indices: Collection<Int>): DoubleArray {\n    val result = DoubleArray(indices.size)\n
var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n
return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n
 */\npublic fun BooleanArray.sliceArray(indices: Collection<Int>): BooleanArray {\n    val result =
BooleanArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] =
this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing elements of this array at specified
[indices].\n */\npublic fun CharArray.sliceArray(indices: Collection<Int>): CharArray {\n    val result =
CharArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] =
this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns a list containing elements at indices in the specified
[indices] range.\n */\npublic fun <T> Array<T>.sliceArray(indices: IntRange): Array<T> {\n    if
(indices.isEmpty()) return copyOfRange(0, 0)\n    return copyOfRange(indices.start, indices.endInclusive +
1)\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
 fun ByteArray.sliceArray(indices: IntRange): ByteArray {\n    if (indices.isEmpty()) return ByteArray(0)\n    return
copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing elements at indices in
the specified [indices] range.\n */\npublic fun ShortArray.sliceArray(indices: IntRange): ShortArray {\n    if
(indices.isEmpty()) return ShortArray(0)\n    return copyOfRange(indices.start, indices.endInclusive +
1)\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun
IntArray.sliceArray(indices: IntRange): IntArray {\n    if (indices.isEmpty()) return IntArray(0)\n    return
copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing elements at indices in
the specified [indices] range.\n */\npublic fun LongArray.sliceArray(indices: IntRange): LongArray {\n    if
(indices.isEmpty()) return LongArray(0)\n    return copyOfRange(indices.start, indices.endInclusive
 + 1)\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun
FloatArray.sliceArray(indices: IntRange): FloatArray {\n    if (indices.isEmpty()) return FloatArray(0)\n    return
copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing elements at indices in
the specified [indices] range.\n */\npublic fun DoubleArray.sliceArray(indices: IntRange): DoubleArray {\n    if
(indices.isEmpty()) return DoubleArray(0)\n    return copyOfRange(indices.start, indices.endInclusive +
1)\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun
BooleanArray.sliceArray(indices: IntRange): BooleanArray {\n    if (indices.isEmpty()) return BooleanArray(0)\n
return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun CharArray.sliceArray(indices:
 IntRange): CharArray {\n    if (indices.isEmpty()) return CharArray(0)\n    return copyOfRange(indices.start,
indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun <T> Array<out T>.take(n: Int): List<T> {\n
```

require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<T>(n)\n   for (item in this) {\n   if (count++ == n)\n   break\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ByteArray.take(n: Int): List<Byte> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Byte>(n)\n   for (item in this) {\n   if (count++ == n)\n   break\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ShortArray.take(n: Int): List<Short> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Short>(n)\n   for (item in this) {\n   if (count++ == n)\n   break\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun IntArray.take(n: Int): List<Int> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Int>(n)\n   for (item in this) {\n   if (count++ == n)\n   break\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun LongArray.take(n: Int): List<Long> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Long>(n)\n   for (item in this) {\n   if (count++ == n)\n   break\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun FloatArray.take(n: Int): List<Float> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Float>(n)\n   for (item in this) {\n   if (count++ == n)\n   break\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun DoubleArray.take(n: Int): List<Double> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Double>(n)\n   for (item in this) {\n   if (count++ == n)\n   break\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun BooleanArray.take(n: Int): List<Boolean> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Boolean>(n)\n   for (item in this) {\n   if (count++ == n)\n   break\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun CharArray.take(n: Int): List<Char> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Char>(n)\n   for (item in this) {\n   if (count++ == n)\n   break\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Array<out T>.takeLast(n: Int): List<T> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<T>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n

```
*/\npublic fun ByteArray.takeLast(n: Int): List<Byte> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list
 = ArrayList<Byte>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ShortArray.takeLast(n: Int): List<Short> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<Short>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun IntArray.takeLast(n: Int): List<Int> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if
 (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<Int>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun LongArray.takeLast(n: Int): List<Long> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<Long>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun FloatArray.takeLast(n: Int): List<Float> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size
 = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<Float>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun DoubleArray.takeLast(n: Int): List<Double> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<Double>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun BooleanArray.takeLast(n: Int): List<Boolean> {\n    require(n >= 0) { \"Requested element count $n is less than
 zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<Boolean>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun CharArray.takeLast(n: Int): List<Char> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<Char>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> Array<out
 T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ByteArray.takeLastWhile(predicate: (Byte) -> Boolean): List<Byte> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ShortArray.takeLastWhile(predicate: (Short) -> Boolean): List<Short> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n
```

}\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun IntArray.takeLastWhile(predicate: (Int) -> Boolean): List<Int> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun LongArray.takeLastWhile(predicate: (Long) -> Boolean): List<Long> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun FloatArray.takeLastWhile(predicate: (Float) -> Boolean): List<Float> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun DoubleArray.takeLastWhile(predicate: (Double) -> Boolean): List<Double> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun BooleanArray.takeLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun CharArray.takeLastWhile(predicate: (Char) -> Boolean): List<Char> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> Array<out T>.takeWhile(predicate: (T) -> Boolean): List<T> {\n val list = ArrayList<T>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ByteArray.takeWhile(predicate: (Byte) -> Boolean): List<Byte> {\n val list = ArrayList<Byte>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ShortArray.takeWhile(predicate: (Short) -> Boolean): List<Short> {\n val list = ArrayList<Short>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun IntArray.takeWhile(predicate: (Int) -> Boolean): List<Int> {\n val list = ArrayList<Int>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun LongArray.takeWhile(predicate: (Long) -> Boolean): List<Long> {\n val list = ArrayList<Long>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun FloatArray.takeWhile(predicate: (Float) -> Boolean): List<Float> {\n val list = ArrayList<Float>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun DoubleArray.takeWhile(predicate: (Double) -> Boolean): List<Double> {\n val list = ArrayList<Double>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n *

Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun BooleanArray.takeWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n val list = ArrayList<Boolean>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun CharArray.takeWhile(predicate: (Char) -> Boolean): List<Char> {\n val list = ArrayList<Char>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun <T> Array<T>.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun ByteArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun ShortArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun IntArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun LongArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun FloatArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun DoubleArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun BooleanArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun CharArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun <T> Array<out T>.reversed(): List<T> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun ByteArray.reversed(): List<Byte> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun ShortArray.reversed(): List<Short> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun IntArray.reversed(): List<Int> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun LongArray.reversed(): List<Long> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun

```
FloatArray.reversed(): List<Float> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun DoubleArray.reversed(): List<Double> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun BooleanArray.reversed(): List<Boolean> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun CharArray.reversed(): List<Char> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun <T> Array<T>.reversedArray(): Array<T> {\n    if (isEmpty()) return this\n    val result = arrayOfNulls(this, size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun ByteArray.reversedArray(): ByteArray {\n    if (isEmpty()) return this\n
    val result = ByteArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun ShortArray.reversedArray(): ShortArray {\n    if (isEmpty()) return this\n    val result = ShortArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun IntArray.reversedArray(): IntArray {\n    if (isEmpty()) return this\n    val result = IntArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun LongArray.reversedArray(): LongArray {\n    if (isEmpty()) return this\n    val result = LongArray(size)\n
    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun FloatArray.reversedArray(): FloatArray {\n    if (isEmpty()) return this\n    val result = FloatArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun DoubleArray.reversedArray(): DoubleArray {\n    if (isEmpty()) return this\n    val result = DoubleArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun BooleanArray.reversedArray(): BooleanArray {\n    if (isEmpty()) return this\n    val result = BooleanArray(size)\n    val lastIndex = lastIndex\n
    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun CharArray.reversedArray(): CharArray {\n    if (isEmpty()) return this\n    val result = CharArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Sorts elements in the array in-place according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortBy(crossinline selector: (T) -> R?): Unit {\n    if (size > 1) sortWith(compareBy(selector))\n}\n\n/**\n * Sorts elements in the array in-place descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n    if (size > 1) sortWith(compareByDescending(selector))\n}\n\n/**\n
 * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun <T : Comparable<T>> Array<out T>.sortDescending(): Unit {\n    sortWith(reverseOrder())\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun ByteArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun ShortArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun IntArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n
```

*/\npublic
fun LongArray.sortDescending(): Unit {\n   if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun FloatArray.sortDescending(): Unit {\n   if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun DoubleArray.sortDescending(): Unit {\n   if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun CharArray.sortDescending(): Unit {\n   if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun <T : Comparable<T>> Array<out T>.sorted(): List<T> {\n   return sortedArray().asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun ByteArray.sorted(): List<Byte> {\n   return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun ShortArray.sorted(): List<Short> {\n   return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun IntArray.sorted(): List<Int> {\n   return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun LongArray.sorted(): List<Long> {\n   return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun FloatArray.sorted(): List<Float> {\n   return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun DoubleArray.sorted(): List<Double> {\n   return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun CharArray.sorted(): List<Char> {\n   return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun <T : Comparable<T>> Array<T>.sortedArray(): Array<T> {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun ByteArray.sortedArray(): ByteArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun ShortArray.sortedArray(): ShortArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun IntArray.sortedArray(): IntArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun LongArray.sortedArray(): LongArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun FloatArray.sortedArray(): FloatArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun DoubleArray.sortedArray(): DoubleArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply {
sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun CharArray.sortedArray(): CharArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun <T : Comparable<T>> Array<T>.sortedArrayDescending(): Array<T> {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortWith(reverseOrder()) }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun ByteArray.sortedArrayDescending(): ByteArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun ShortArray.sortedArrayDescending(): ShortArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun

IntArray.sortedArrayDescending(): IntArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun LongArray.sortedArrayDescending(): LongArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun FloatArray.sortedArrayDescending(): FloatArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun DoubleArray.sortedArrayDescending(): DoubleArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun CharArray.sortedArrayDescending(): CharArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according the specified [comparator].\n */\npublic fun <T> Array<out T>.sortedArrayWith(comparator: Comparator<in T>): Array<out T> {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortWith(comparator) }\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n   return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> ByteArray.sortedBy(crossinline selector: (Byte) -> R?): List<Byte> {\n   return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> ShortArray.sortedBy(crossinline selector: (Short) -> R?): List<Short> {\n   return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> IntArray.sortedBy(crossinline selector: (Int) -> R?): List<Int> {\n   return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> LongArray.sortedBy(crossinline selector: (Long) -> R?): List<Long> {\n   return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> FloatArray.sortedBy(crossinline selector: (Float) -> R?): List<Float> {\n   return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> DoubleArray.sortedBy(crossinline selector: (Double) -> R?): List<Double> {\n   return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> BooleanArray.sortedBy(crossinline selector: (Boolean) -> R?): List<Boolean> {\n   return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> CharArray.sortedBy(crossinline selector: (Char) -> R?): List<Char> {\n   return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> ByteArray.sortedByDescending(crossinline selector: (Byte) ->

R?): List<Byte> {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> ShortArray.sortedByDescending(crossinline selector: (Short) -> R?): List<Short> {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> IntArray.sortedByDescending(crossinline selector: (Int) -> R?): List<Int> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> LongArray.sortedByDescending(crossinline selector: (Long) -> R?): List<Long>
 {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> FloatArray.sortedByDescending(crossinline selector: (Float) -> R?): List<Float> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> DoubleArray.sortedByDescending(crossinline selector: (Double) -> R?): List<Double> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> BooleanArray.sortedByDescending(crossinline selector: (Boolean) -> R?): List<Boolean>
 {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> CharArray.sortedByDescending(crossinline selector: (Char) -> R?): List<Char> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun <T : Comparable<T>> Array<out T>.sortedDescending(): List<T> {\n   return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun ByteArray.sortedDescending(): List<Byte> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun ShortArray.sortedDescending(): List<Short> {\n   return copyOf().apply
 { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun IntArray.sortedDescending(): List<Int> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun LongArray.sortedDescending(): List<Long> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun FloatArray.sortedDescending(): List<Float> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun DoubleArray.sortedDescending(): List<Double> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun CharArray.sortedDescending():
 List<Char> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun <T> Array<out T>.sortedWith(comparator: Comparator<in T>): List<T> {\n   return sortedArrayWith(comparator).asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun ByteArray.sortedWith(comparator: Comparator<in Byte>): List<Byte> {\n   return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun ShortArray.sortedWith(comparator: Comparator<in Short>): List<Short> {\n   return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun IntArray.sortedWith(comparator: Comparator<in Int>): List<Int> {\n   return toTypedArray().apply
 { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun LongArray.sortedWith(comparator: Comparator<in Long>): List<Long> {\n   return

toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun FloatArray.sortedWith(comparator: Comparator<in Float>): List<Float> {\n   return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun DoubleArray.sortedWith(comparator: Comparator<in Double>): List<Double> {\n   return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun BooleanArray.sortedWith(comparator: Comparator<in Boolean>): List<Boolean> {\n   return toTypedArray().apply
{ sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun CharArray.sortedWith(comparator: Comparator<in Char>): List<Char> {\n   return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun <T> Array<out T>.asList(): List<T>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun ByteArray.asList(): List<Byte>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun ShortArray.asList(): List<Short>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun IntArray.asList(): List<Int>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun LongArray.asList(): List<Long>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun FloatArray.asList(): List<Float>\n\n/**\n *
Returns a [List] that wraps the original array.\n */\npublic expect fun DoubleArray.asList(): List<Double>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun BooleanArray.asList(): List<Boolean>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun CharArray.asList(): List<Char>\n\n/**\n * Returns `true` if the two specified arrays are *deeply* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * If two corresponding elements are nested arrays, they are also compared deeply.\n * If any of arrays contains itself on any nesting level the behavior is undefined.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun <T> Array<out T>.contentDeepEquals(other: Array<out T>): Boolean\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level the behavior
is undefined.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T> Array<out T>.contentDeepHashCode(): Int\n\n/**\n * Returns a string representation of the contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level that reference\n * is rendered as `\"[...]\"` to prevent recursion.\n * \n * @sample samples.collections.Arrays.ContentOperations.contentDeepToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T> Array<out T>.contentDeepToString(): String\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun <T> Array<out T>.contentEquals(other: Array<out T>): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n
*/\n@SinceKotlin(\"1.1\")\npublic expect infix fun ByteArray.contentEquals(other: ByteArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun ShortArray.contentEquals(other: ShortArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun IntArray.contentEquals(other: IntArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun LongArray.contentEquals(other: LongArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal
to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun FloatArray.contentEquals(other: FloatArray): Boolean\n\n/**\n

* Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun CharArray.contentEquals(other:
CharArray): Boolean\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T> Array<out T>.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun ByteArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun ShortArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun IntArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun LongArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun FloatArray.contentHashCode():
Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun DoubleArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun BooleanArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun CharArray.contentHashCode(): Int\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T> Array<out T>.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic
expect fun ByteArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun ShortArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun IntArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun LongArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin(\"1.1\")\npublic expect fun FloatArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun DoubleArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun BooleanArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun CharArray.contentToString(): String\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample

samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.copyOf(): Array<T>\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun ByteArray.copyOf(): ByteArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun ShortArray.copyOf(): ShortArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun IntArray.copyOf(): IntArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun LongArray.copyOf(): LongArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun FloatArray.copyOf(): FloatArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun DoubleArray.copyOf(): DoubleArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun BooleanArray.copyOf(): BooleanArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun CharArray.copyOf(): CharArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun ByteArray.copyOf(newSize: Int): ByteArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun ShortArray.copyOf(newSize: Int): ShortArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun IntArray.copyOf(newSize: Int): IntArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun LongArray.copyOf(newSize: Int): LongArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun FloatArray.copyOf(newSize: Int): FloatArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If

[newSize] is greater than the size of the original array, the extra elements in the copy array
are filled with zero values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun
DoubleArray.copyOf(newSize: Int): DoubleArray\n\n/**\n * Returns new array which is a copy of the original
array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `false` values if
necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the
[newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are
filled with `false` values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun
BooleanArray.copyOf(newSize: Int): BooleanArray\n\n/**\n * Returns new array which is a copy of the original
array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with null char (`\\u0000`)
values if necessary.\n * \n * - If [newSize]
is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater
than the size of the original array, the extra elements in the copy array are filled with null char (`\\u0000`) values.\n
* \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun
CharArray.copyOf(newSize: Int): CharArray\n\n/**\n * Returns new array which is a copy of the original array,
resized to the given [newSize].\n * The copy is either truncated or padded at the end with `null` values if
necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the
[newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are
filled with `null` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n
*/\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.copyOf(newSize: Int):
Array<T?>\n\n/**\n * Returns new array which is a copy of range of original array.\n
*/\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.copyOfRange(fromIndex:
Int, toIndex: Int): Array<T>\n\n/**\n * Returns new array which is a copy of range of original array.\n */\npublic
expect fun ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray\n\n/**\n * Returns new array which is
a copy of range of original array.\n */\npublic expect fun ShortArray.copyOfRange(fromIndex: Int, toIndex: Int):
ShortArray\n\n/**\n * Returns new array which is a copy of range of original array.\n */\npublic expect fun
IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray\n\n/**\n * Returns new array which is a copy of
range of original array.\n */\npublic expect fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int):
LongArray\n\n/**\n * Returns new array which is a copy of range of original array.\n */\npublic expect fun
FloatArray.copyOfRange(fromIndex: Int, toIndex: Int):
FloatArray\n\n/**\n * Returns new array which is a copy of range of original array.\n */\npublic expect fun
DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray\n\n/**\n * Returns new array which is a
copy of range of original array.\n */\npublic expect fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int):
BooleanArray\n\n/**\n * Returns new array which is a copy of range of original array.\n */\npublic expect fun
CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray\n\n/**\n * Returns the range of valid indices for
the array.\n */\npublic val <T> Array<out T>.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n *
Returns the range of valid indices for the array.\n */\npublic val ByteArray.indices: IntRange\n   get() = IntRange(0,
lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val ShortArray.indices:
IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n
*/\npublic val IntArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid
indices for the array.\n */\npublic val LongArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n *
Returns the range of valid indices for the array.\n */\npublic val FloatArray.indices: IntRange\n   get() =
IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val
DoubleArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for
the array.\n */\npublic val BooleanArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the
range of valid indices for the array.\n */\npublic val CharArray.indices: IntRange\n   get() = IntRange(0,
lastIndex)\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>

Array<out T>.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns the last valid index for the array.\n */\npublic val <T> Array<out T>.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val ByteArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val ShortArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val IntArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val LongArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val FloatArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val DoubleArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val BooleanArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val CharArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect operator fun <T> Array<T>.plus(element: T): Array<T>\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun ByteArray.plus(element: Byte): ByteArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun ShortArray.plus(element: Short): ShortArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun IntArray.plus(element: Int): IntArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun LongArray.plus(element: Long): LongArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun FloatArray.plus(element: Float): FloatArray\n\n/**\n * Returns an array containing all elements of the original array

and then the given [element].\n */\npublic expect operator fun DoubleArray.plus(element: Double): DoubleArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun BooleanArray.plus(element: Boolean): BooleanArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun CharArray.plus(element: Char): CharArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect operator fun <T> Array<T>.plus(elements: Collection<T>): Array<T>\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun ShortArray.plus(elements: Collection<Short>): ShortArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun IntArray.plus(elements: Collection<Int>): IntArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun LongArray.plus(elements: Collection<Long>): LongArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun FloatArray.plus(elements: Collection<Float>): FloatArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun CharArray.plus(elements: Collection<Char>): CharArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect operator fun <T> Array<T>.plus(elements: Array<out T>): Array<T>\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun ByteArray.plus(elements: ByteArray): ByteArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun ShortArray.plus(elements: ShortArray): ShortArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun IntArray.plus(elements: IntArray): IntArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun LongArray.plus(elements: LongArray): LongArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun FloatArray.plus(elements: FloatArray): FloatArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun DoubleArray.plus(elements: DoubleArray): DoubleArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun BooleanArray.plus(elements: BooleanArray): BooleanArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun CharArray.plus(elements: CharArray): CharArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.plusElement(element: T): Array<T>\n\n/**\n * Sorts the array in-place.\n */\npublic expect fun IntArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n */\npublic expect fun LongArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n */\npublic expect fun ByteArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n */\npublic expect fun ShortArray.sort(): Unit\n\n/**\n *

Sorts the array in-place.\n */\npublic expect fun DoubleArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n */\npublic expect fun FloatArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n */\npublic expect fun CharArray.sort(): Unit\n\n/**\n * Sorts the array in-place according to the natural order of its elements.\n */\npublic expect fun <T : Comparable<T>> Array<out T>.sort(): Unit\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparator].\n */\npublic expect fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit\n\n/**\n * Returns an array of Boolean containing all of the elements of this generic array.\n */\npublic fun Array<out Boolean>.toBooleanArray(): BooleanArray {\n   val result = BooleanArray(size)\n   for (index in indices)\n   result[index] = this[index]\n   return result\n}\n\n/**\n * Returns an array of Byte containing all of the elements of this generic array.\n */\npublic fun Array<out Byte>.toByteArray(): ByteArray {\n   val result = ByteArray(size)\n   for (index in indices)\n   result[index] = this[index]\n   return result\n}\n\n/**\n * Returns an array of Char containing all of the elements of this generic array.\n */\npublic fun Array<out Char>.toCharArray(): CharArray {\n   val result = CharArray(size)\n   for (index in indices)\n result[index] = this[index]\n   return result\n}\n\n/**\n * Returns an array of Double containing all of the elements of this generic array.\n */\npublic fun Array<out Double>.toDoubleArray(): DoubleArray {\n   val result = DoubleArray(size)\n   for (index in indices)\n   result[index] = this[index]\n   return result\n}\n\n/**\n * Returns an array of Float containing all of the elements of this generic array.\n */\npublic fun Array<out Float>.toFloatArray(): FloatArray {\n   val result = FloatArray(size)\n   for (index in indices)\n   result[index] = this[index]\n   return result\n}\n\n/**\n * Returns an array of Int containing all of the elements of this generic array.\n */\npublic fun Array<out Int>.toIntArray(): IntArray {\n   val result = IntArray(size)\n   for (index in indices)\n   result[index] = this[index]\n   return result\n}\n\n/**\n * Returns an array of Long containing all of the elements of this generic array.\n */\npublic fun Array<out Long>.toLongArray(): LongArray {\n   val result = LongArray(size)\n   for (index in indices)\n   result[index] = this[index]\n   return result\n}\n\n/**\n * Returns an array of Short containing all of the elements of this generic array.\n */\npublic fun Array<out Short>.toShortArray(): ShortArray {\n   val result = ShortArray(size)\n   for (index in indices)\n result[index] = this[index]\n   return result\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun ByteArray.toTypedArray(): Array<Byte>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun ShortArray.toTypedArray(): Array<Short>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun IntArray.toTypedArray(): Array<Int>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun LongArray.toTypedArray(): Array<Long>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun FloatArray.toTypedArray(): Array<Float>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun DoubleArray.toTypedArray(): Array<Double>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun BooleanArray.toTypedArray(): Array<Boolean>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun CharArray.toTypedArray(): Array<Char>\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <T, K, V> Array<out T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> ByteArray.associate(transform: (Byte) -> Pair<K, V>): Map<K, V> {\n   val capacity

= mapCapacity(size).coerceAtLleast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> ShortArray.associate(transform: (Short) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> IntArray.associate(transform:
(Int) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> LongArray.associate(transform: (Long) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> FloatArray.associate(transform: (Float) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> DoubleArray.associate(transform: (Double) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map
preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> BooleanArray.associate(transform: (Boolean) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> CharArray.associate(transform: (Char) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements
would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <T, K> Array<out T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, T>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> ByteArray.associateBy(keySelector: (Byte) -> K): Map<K, Byte> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Byte>(capacity),

keySelector)\n}\n\n/**\n * Returns a [Map]
containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> ShortArray.associateBy(keySelector: (Short) -> K): Map<K, Short> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Short>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> IntArray.associateBy(keySelector: (Int) -> K): Map<K, Int>
{\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Int>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> LongArray.associateBy(keySelector: (Long) -> K): Map<K, Long> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Long>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> FloatArray.associateBy(keySelector: (Float) -> K): Map<K, Float> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Float>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> DoubleArray.associateBy(keySelector: (Double) -> K): Map<K, Double> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Double>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector]
function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> BooleanArray.associateBy(keySelector: (Boolean) -> K): Map<K, Boolean> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Boolean>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> CharArray.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return
associateByTo(LinkedHashMap<K, Char>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <T, K, V> Array<out T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key

returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> ByteArray.associateBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> ShortArray.associateBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> IntArray.associateBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> LongArray.associateBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> FloatArray.associateBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> DoubleArray.associateBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> BooleanArray.associateBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> CharArray.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element

itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Byte>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Short>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Int>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Long>> LongArray.associateByTo(destination: M, keySelector: (Long) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Float>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Double>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Boolean>> BooleanArray.associateByTo(destination: M, keySelector: (Boolean) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Char>> CharArray.associateByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns

the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K, valueTransform: (Byte) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K, valueTransform: (Short) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with
key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K, valueTransform: (Int) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>>
LongArray.associateByTo(destination: M, keySelector: (Long) -> K, valueTransform: (Long) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>>
FloatArray.associateByTo(destination: M, keySelector: (Float) -> K, valueTransform: (Float) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided
by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>>
DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K, valueTransform: (Double) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>>
BooleanArray.associateByTo(destination:

M, keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): M {\n   for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n   for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n   for (element in this) {\n   destination += transform(element)\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateTo(destination: M, transform: (Byte) -> Pair<K, V>): M {\n   for (element in this) {\n destination += transform(element)\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element\n of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateTo(destination: M, transform: (Short) -> Pair<K, V>): M {\n   for (element in this) {\n   destination += transform(element)\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateTo(destination: M, transform: (Int) -> Pair<K, V>): M {\n   for (element in this) {\n destination += transform(element)\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the\n given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateTo(destination: M, transform: (Long) -> Pair<K, V>): M {\n   for (element in this) {\n   destination += transform(element)\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateTo(destination: M, transform: (Float) -> Pair<K, V>): M {\n   for (element in this) {\n destination += transform(element)\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given\n array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateTo(destination: M, transform: (Double) -> Pair<K, V>): M {\n   for (element in this) {\n   destination += transform(element)\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> BooleanArray.associateTo(destination: M, transform: (Boolean) -> Pair<K, V>): M {\n   for (element in this) {\n destination += transform(element)\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given\n array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateTo(destination: M, transform: (Char) -> Pair<K, V>): M {\n   for (element in this) {\n   destination += transform(element)\n   }\n   return destination\n}\n\n/**\n

* Appends all elements to the given [destination] collection.\n */\npublic fun <T, C : MutableCollection<in T>> Array<out T>.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Byte>> ByteArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Short>> ShortArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Int>> IntArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Long>> LongArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Float>> FloatArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Double>> DoubleArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Boolean>> BooleanArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Char>> CharArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun <T> Array<out T>.toHashSet(): HashSet<T> {\n return toCollection(HashSet<T>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun ByteArray.toHashSet(): HashSet<Byte> {\n return toCollection(HashSet<Byte>(mapCapacity(size)))\n}\n\n/**\n *
Returns a [HashSet] of all elements.\n */\npublic fun ShortArray.toHashSet(): HashSet<Short> {\n return toCollection(HashSet<Short>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun IntArray.toHashSet(): HashSet<Int> {\n return toCollection(HashSet<Int>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun LongArray.toHashSet(): HashSet<Long> {\n return toCollection(HashSet<Long>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun FloatArray.toHashSet(): HashSet<Float> {\n return toCollection(HashSet<Float>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun DoubleArray.toHashSet(): HashSet<Double> {\n return toCollection(HashSet<Double>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun BooleanArray.toHashSet(): HashSet<Boolean> {\n return toCollection(HashSet<Boolean>(mapCapacity(size)))\n}\n\n/**\n
* Returns a [HashSet] of all elements.\n */\npublic fun CharArray.toHashSet(): HashSet<Char> {\n return toCollection(HashSet<Char>(mapCapacity(size)))\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun <T> Array<out T>.toList(): List<T> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun ByteArray.toList(): List<Byte> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun ShortArray.toList(): List<Short> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun IntArray.toList(): List<Int> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun LongArray.toList(): List<Long> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List]

containing all elements.\n */\npublic fun FloatArray.toList(): List<Float> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun DoubleArray.toList(): List<Double> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun BooleanArray.toList(): List<Boolean> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun CharArray.toList(): List<Char> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun <T> Array<out T>.toMutableList(): MutableList<T> {\n return ArrayList(this.asCollection())\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun ByteArray.toMutableList(): MutableList<Byte> {\n val list = ArrayList<Byte>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun ShortArray.toMutableList(): MutableList<Short> {\n val list = ArrayList<Short>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun IntArray.toMutableList(): MutableList<Int> {\n val list = ArrayList<Int>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun LongArray.toMutableList(): MutableList<Long> {\n val list = ArrayList<Long>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun FloatArray.toMutableList(): MutableList<Float> {\n val list = ArrayList<Float>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun DoubleArray.toMutableList(): MutableList<Double> {\n val list = ArrayList<Double>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun BooleanArray.toMutableList(): MutableList<Boolean> {\n val list = ArrayList<Boolean>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun CharArray.toMutableList(): MutableList<Char> {\n val list = ArrayList<Char>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun <T> Array<out T>.toSet(): Set<T> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ByteArray.toSet(): Set<Byte> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Byte>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ShortArray.toSet(): Set<Short> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Short>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun IntArray.toSet(): Set<Int> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Int>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun LongArray.toSet(): Set<Long> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Long>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun FloatArray.toSet(): Set<Float> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun DoubleArray.toSet(): Set<Double> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n

else -> toCollection(LinkedHashSet<Double>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun BooleanArray.toSet(): Set<Boolean> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun CharArray.toSet(): Set<Char> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Char>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <T, R> Array<out T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> ByteArray.flatMap(transform: (Byte) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> ShortArray.flatMap(transform: (Short) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> IntArray.flatMap(transform: (Int) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> LongArray.flatMap(transform: (Long) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> FloatArray.flatMap(transform: (Float) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> DoubleArray.flatMap(transform: (Double) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> BooleanArray.flatMap(transform: (Boolean) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> CharArray.flatMap(transform: (Char) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.flatMapTo(destination: C, transform: (Byte) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.flatMapTo(destination: C, transform: (Short) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> IntArray.flatMapTo(destination: C, transform: (Int) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline

fun <R, C : MutableCollection<in R>> LongArray.flatMapTo(destination: C, transform: (Long) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.flatMapTo(destination: C, transform: (Float) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.flatMapTo(destination: C, transform: (Double) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.flatMapTo(destination: C, transform: (Boolean) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharArray.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K> Array<out T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n return groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> ByteArray.groupBy(keySelector: (Byte) -> K): Map<K, List<Byte>> {\n return groupByTo(LinkedHashMap<K, MutableList<Byte>>(), keySelector)\n}\n\n/**\n
* Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> ShortArray.groupBy(keySelector: (Short) -> K): Map<K, List<Short>> {\n return groupByTo(LinkedHashMap<K, MutableList<Short>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic
inline fun <K> IntArray.groupBy(keySelector: (Int) -> K): Map<K, List<Int>> {\n return groupByTo(LinkedHashMap<K, MutableList<Int>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> LongArray.groupBy(keySelector: (Long) -> K): Map<K, List<Long>> {\n return groupByTo(LinkedHashMap<K, MutableList<Long>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map

where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry
iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> FloatArray.groupBy(keySelector: (Float) -> K): Map<K, List<Float>> {\n return groupByTo(LinkedHashMap<K, MutableList<Float>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> DoubleArray.groupBy(keySelector: (Double) -> K): Map<K, List<Double>> {\n return groupByTo(LinkedHashMap<K, MutableList<Double>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n
* applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> BooleanArray.groupBy(keySelector: (Boolean) -> K): Map<K, List<Boolean>> {\n return groupByTo(LinkedHashMap<K, MutableList<Boolean>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> CharArray.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n return groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V> Array<out T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is
associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> ByteArray.groupBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> ShortArray.groupBy(keySelector:
(Short) -> K, valueTransform: (Short) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun

<K, V> IntArray.groupBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given
 [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> LongArray.groupBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> FloatArray.groupBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> DoubleArray.groupBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform]
 function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> BooleanArray.groupBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration
 order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> CharArray.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K, M : MutableMap<in K, MutableList<T>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<T>() }\n   list.add(element)\n
 }\n   return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Byte>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -> K): M {\n   for (element in

this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Byte>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Short>>> ShortArray.groupByTo(destination: M, keySelector: (Short) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Short>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Int>>> IntArray.groupByTo(destination: M, keySelector: (Int) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Int>()\n }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Long>>> LongArray.groupByTo(destination: M, keySelector: (Long) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Long>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Float>>> FloatArray.groupByTo(destination: M, keySelector: (Float) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Float>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Double>>> DoubleArray.groupByTo(destination: M, keySelector: (Double) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Double>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Boolean>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Boolean>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated
with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharArray.groupByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Char>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to

the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Array<out T>.groupByTo(destination:
M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -> K, valueTransform: (Byte) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>()
}\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ShortArray.groupByTo(destination: M, keySelector: (Short) -> K, valueTransform: (Short) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n
* by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> IntArray.groupByTo(destination: M, keySelector: (Int) -> K, valueTransform: (Int) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> LongArray.groupByTo(destination: M, keySelector: (Long) -> K, valueTransform: (Long) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> FloatArray.groupByTo(destination:
M, keySelector: (Float) -> K, valueTransform: (Float) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a

list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> DoubleArray.groupByTo(destination: M, keySelector: (Double) -> K, valueTransform: (Double) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>()
}\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original
array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> CharArray.groupByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Creates a [Grouping] source from an array to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * @sample samples.collections.Collections.Transformations.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic
inline fun <T, K> Array<out T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n return object : Grouping<T, K> {\n override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n override fun keyOf(element: T): K = keySelector(element)\n }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n */\npublic inline fun <T, R> Array<out T>.map(transform: (T) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n */\npublic inline fun <R> ByteArray.map(transform: (Byte) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n */\npublic inline fun <R> ShortArray.map(transform:
(Short) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n */\npublic inline fun <R> IntArray.map(transform: (Int) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n */\npublic inline fun <R> LongArray.map(transform: (Long) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n */\npublic inline fun <R> FloatArray.map(transform: (Float) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in
the original array.\n */\npublic inline fun <R> DoubleArray.map(transform: (Double) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n */\npublic inline fun <R> BooleanArray.map(transform: (Boolean) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each

element in the original array.\n */\npublic inline fun <R> CharArray.map(transform: (Char) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic
inline fun <T, R> Array<out T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> ByteArray.mapIndexed(transform: (index: Int, Byte) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> ShortArray.mapIndexed(transform: (index: Int, Short)
-> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> IntArray.mapIndexed(transform: (index: Int, Int) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> LongArray.mapIndexed(transform: (index: Int, Long) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n
* Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R>
FloatArray.mapIndexed(transform: (index: Int, Float) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> DoubleArray.mapIndexed(transform: (index: Int, Double) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given
[transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> BooleanArray.mapIndexed(transform: (index: Int, Boolean) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> CharArray.mapIndexed(transform: (index: Int, Char) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element and its index
in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any> Array<out T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of

the transform applied to the element.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Array<out T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform]
function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.mapIndexedTo(destination: C, transform: (index: Int, Byte) -> R): C {\n
var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.mapIndexedTo(destination: C, transform: (index: Int, Short) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n
*/\npublic inline fun <R, C : MutableCollection<in R>> IntArray.mapIndexedTo(destination: C, transform: (index: Int, Int) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> LongArray.mapIndexedTo(destination: C, transform: (index: Int, Long) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n *
@param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.mapIndexedTo(destination: C, transform: (index: Int, Float) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.mapIndexedTo(destination: C, transform: (index: Int, Double) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n
* Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.mapIndexedTo(destination: C, transform: (index: Int, Boolean) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline

fun <R, C : MutableCollection<in R>> CharArray.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element in the original array.\n */\npublic inline fun <T, R : Any> Array<out T>.mapNotNull(transform: (T) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element in the original array\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Array<out T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapTo(destination: C, transform: (T) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.mapTo(destination: C, transform: (Byte) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.mapTo(destination: C, transform: (Short) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> IntArray.mapTo(destination: C, transform: (Int) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> LongArray.mapTo(destination: C, transform: (Long) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.mapTo(destination: C, transform: (Float) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.mapTo(destination: C, transform: (Double) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.mapTo(destination: C, transform: (Boolean) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharArray.mapTo(destination: C, transform: (Char) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun <T> Array<out T>.withIndex(): Iterable<IndexedValue<T>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun ByteArray.withIndex(): Iterable<IndexedValue<Byte>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun ShortArray.withIndex(): Iterable<IndexedValue<Short>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun IntArray.withIndex(): Iterable<IndexedValue<Int>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n

```
*/\npublic fun LongArray.withIndex(): Iterable<IndexedValue<Long>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun FloatArray.withIndex(): Iterable<IndexedValue<Float>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun DoubleArray.withIndex(): Iterable<IndexedValue<Double>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun BooleanArray.withIndex(): Iterable<IndexedValue<Boolean>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun CharArray.withIndex(): Iterable<IndexedValue<Char>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n * Returns
 a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun <T> Array<out T>.distinct(): List<T> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun ByteArray.distinct(): List<Byte> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun ShortArray.distinct(): List<Short> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n
 */\npublic fun IntArray.distinct(): List<Int> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun LongArray.distinct(): List<Long> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun FloatArray.distinct(): List<Float> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun DoubleArray.distinct(): List<Double> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from
 the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun BooleanArray.distinct(): List<Boolean> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun CharArray.distinct(): List<Char> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <T, K> Array<out T>.distinctBy(selector: (T) -> K): List<T> {\n    val set = HashSet<K>()\n    val list = ArrayList<T>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n
    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <K> ByteArray.distinctBy(selector: (Byte) -> K): List<Byte> {\n    val set = HashSet<K>()\n    val list = ArrayList<Byte>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <K> ShortArray.distinctBy(selector: (Short) -> K): List<Short> {\n    val set = HashSet<K>()\n    val list = ArrayList<Short>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the
```

same order as they were in the source array.\n */\npublic inline fun <K> IntArray.distinctBy(selector: (Int) -> K): List<Int> {\n val set = HashSet<K>()\n val list = ArrayList<Int>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <K> LongArray.distinctBy(selector: (Long) -> K): List<Long> {\n val set = HashSet<K>()\n val list = ArrayList<Long>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <K> FloatArray.distinctBy(selector: (Float) -> K): List<Float> {\n val set = HashSet<K>()\n val list = ArrayList<Float>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <K> DoubleArray.distinctBy(selector: (Double) -> K): List<Double> {\n val set = HashSet<K>()\n val list = ArrayList<Double>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <K> BooleanArray.distinctBy(selector: (Boolean) -> K): List<Boolean> {\n val set = HashSet<K>()\n val list = ArrayList<Boolean>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <K> CharArray.distinctBy(selector: (Char) -> K): List<Char> {\n val set = HashSet<K>()\n val list = ArrayList<Char>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun <T> Array<out T>.intersect(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun ByteArray.intersect(other: Iterable<Byte>): Set<Byte> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun ShortArray.intersect(other: Iterable<Short>): Set<Short> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun IntArray.intersect(other: Iterable<Int>): Set<Int> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun LongArray.intersect(other: Iterable<Long>): Set<Long> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun FloatArray.intersect(other: Iterable<Float>): Set<Float> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun

DoubleArray.intersect(other: Iterable<Double>): Set<Double> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun BooleanArray.intersect(other: Iterable<Boolean>): Set<Boolean> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun CharArray.intersect(other: Iterable<Char>): Set<Char> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun <T> Array<out T>.subtract(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun ByteArray.subtract(other: Iterable<Byte>): Set<Byte> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun ShortArray.subtract(other: Iterable<Short>): Set<Short> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun IntArray.subtract(other: Iterable<Int>): Set<Int> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun LongArray.subtract(other: Iterable<Long>): Set<Long> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun FloatArray.subtract(other: Iterable<Float>): Set<Float> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun DoubleArray.subtract(other: Iterable<Double>): Set<Double> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun BooleanArray.subtract(other: Iterable<Boolean>): Set<Boolean> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun CharArray.subtract(other: Iterable<Char>): Set<Char> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun <T> Array<out T>.toMutableSet(): MutableSet<T> {\n val set = LinkedHashSet<T>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ByteArray.toMutableSet(): MutableSet<Byte> {\n val set = LinkedHashSet<Byte>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ShortArray.toMutableSet(): MutableSet<Short> {\n val set = LinkedHashSet<Short>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a

mutable set containing all distinct elements from the given array.\n
 * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun IntArray.toMutableSet(): MutableSet<Int> {\n   val set = LinkedHashSet<Int>(mapCapacity(size))\n   for (item in this) set.add(item)\n   return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun LongArray.toMutableSet(): MutableSet<Long> {\n   val set = LinkedHashSet<Long>(mapCapacity(size))\n   for (item in this) set.add(item)\n   return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun FloatArray.toMutableSet(): MutableSet<Float> {\n   val set = LinkedHashSet<Float>(mapCapacity(size))\n   for (item in this) set.add(item)\n   return set\n}\n\n/**\n * Returns a mutable set containing
 all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun DoubleArray.toMutableSet(): MutableSet<Double> {\n   val set = LinkedHashSet<Double>(mapCapacity(size))\n   for (item in this) set.add(item)\n   return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun BooleanArray.toMutableSet(): MutableSet<Boolean> {\n   val set = LinkedHashSet<Boolean>(mapCapacity(size))\n   for (item in this) set.add(item)\n   return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun CharArray.toMutableSet(): MutableSet<Char> {\n   val set = LinkedHashSet<Char>(mapCapacity(size))\n   for (item in this) set.add(item)\n
  return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun <T> Array<out T>.union(other: Iterable<T>): Set<T> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun ByteArray.union(other: Iterable<Byte>): Set<Byte> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n
 * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun ShortArray.union(other: Iterable<Short>): Set<Short> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun IntArray.union(other: Iterable<Int>): Set<Int> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of
 the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun LongArray.union(other: Iterable<Long>): Set<Long> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun FloatArray.union(other: Iterable<Float>): Set<Float> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n
 */\npublic infix fun DoubleArray.union(other: Iterable<Double>): Set<Double> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements

from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun BooleanArray.union(other: Iterable<Boolean>): Set<Boolean> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun CharArray.union(other: Iterable<Char>): Set<Char> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <T> Array<out T>.all(predicate: (T) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun ByteArray.all(predicate: (Byte) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun ShortArray.all(predicate: (Short) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun IntArray.all(predicate: (Int) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun LongArray.all(predicate: (Long) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun FloatArray.all(predicate: (Float) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun DoubleArray.all(predicate: (Double) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun BooleanArray.all(predicate: (Boolean) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun CharArray.all(predicate: (Char) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <T> Array<out T>.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun ByteArray.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun ShortArray.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun IntArray.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun LongArray.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun FloatArray.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun DoubleArray.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun BooleanArray.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample

samples.collections.Collections.Aggregates.any\n */\npublic fun CharArray.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T> Array<out T>.any(predicate: (T) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun ByteArray.any(predicate: (Byte) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun ShortArray.any(predicate: (Short) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun IntArray.any(predicate: (Int) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun LongArray.any(predicate: (Long) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun FloatArray.any(predicate: (Float) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun DoubleArray.any(predicate: (Double) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun BooleanArray.any(predicate: (Boolean) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun CharArray.any(predicate: (Char) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun <T> Array<out T>.count(predicate: (T) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) count++\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun ByteArray.count(predicate: (Byte) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) count++\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun ShortArray.count(predicate: (Short) -> Boolean): Int {\n   var count = 0\n   for

(element in this) if (predicate(element)) count++\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun IntArray.count(predicate: (Int) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) count++\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun LongArray.count(predicate: (Long) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) count++\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun FloatArray.count(predicate: (Float) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) count++\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun DoubleArray.count(predicate: (Double) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) count++\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun BooleanArray.count(predicate: (Boolean) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) count++\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun CharArray.count(predicate: (Char) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) count++\n   return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <T, R> Array<out T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> ByteArray.fold(initial: R, operation: (acc: R, Byte) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> ShortArray.fold(initial: R, operation: (acc: R, Short) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> IntArray.fold(initial: R, operation: (acc: R, Int) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> LongArray.fold(initial: R, operation: (acc: R, Long) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> FloatArray.fold(initial: R, operation: (acc: R, Float) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> DoubleArray.fold(initial: R, operation: (acc: R, Double) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> BooleanArray.fold(initial: R, operation: (acc: R, Boolean) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> CharArray.fold(initial: R, operation: (acc: R, Char) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out

T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> ShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> IntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> LongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> FloatArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> DoubleArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> CharArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying

[operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> ByteArray.foldRight(initial: R, operation: (Byte, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> ShortArray.foldRight(initial: R, operation: (Short, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> IntArray.foldRight(initial: R, operation: (Int, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> LongArray.foldRight(initial: R, operation: (Long, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> FloatArray.foldRight(initial: R, operation: (Float, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> DoubleArray.foldRight(initial: R, operation: (Double, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> BooleanArray.foldRight(initial: R, operation: (Boolean, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> CharArray.foldRight(initial: R, operation: (Char, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.foldRightIndexed(initial: R, operation: (index: Int, Byte, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of

an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> ShortArray.foldRightIndexed(initial: R, operation: (index: Int, Short, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> IntArray.foldRightIndexed(initial: R, operation: (index: Int, Int, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates
the next accumulator value.\n */\npublic inline fun <R> LongArray.foldRightIndexed(initial: R, operation: (index: Int, Long, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> FloatArray.foldRightIndexed(initial: R, operation: (index: Int, Float, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> DoubleArray.foldRightIndexed(initial: R, operation: (index: Int, Double, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator
value, and calculates the next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldRightIndexed(initial: R, operation: (index: Int, Boolean, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> CharArray.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun <T> Array<out T>.forEach(action: (T) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun ByteArray.forEach(action: (Byte) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun ShortArray.forEach(action: (Short) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun IntArray.forEach(action: (Int) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun LongArray.forEach(action: (Long) -> Unit): Unit {\n

for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun FloatArray.forEach(action: (Float) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun DoubleArray.forEach(action: (Double) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun BooleanArray.forEach(action: (Boolean) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun CharArray.forEach(action: (Char) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun <T> Array<out T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun ByteArray.forEachIndexed(action: (index: Int, Byte) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun ShortArray.forEachIndexed(action: (index: Int, Short) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun IntArray.forEachIndexed(action: (index: Int, Int) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun LongArray.forEachIndexed(action: (index: Int, Long) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun FloatArray.forEachIndexed(action: (index: Int, Float) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun DoubleArray.forEachIndexed(action: (index: Int, Double) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun BooleanArray.forEachIndexed(action: (index: Int, Boolean) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun CharArray.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Array<out Double>.max(): Double? {\n if (isEmpty()) return null\n var max = this[0]\n if (max.isNaN()) return max\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Array<out Float>.max(): Float? {\n if (isEmpty()) return null\n var max = this[0]\n if (max.isNaN()) return max\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun <T :

```
Comparable<T>> Array<out T>.max(): T? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun ByteArray.max(): Byte? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun ShortArray.max(): Short? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun IntArray.max(): Int? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun LongArray.max(): Long? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic fun FloatArray.max(): Float? {\n    if (isEmpty()) return null\n    var max = this[0]\n    if (max.isNaN()) return max\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (e.isNaN()) return e\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n *
 Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic fun DoubleArray.max(): Double? {\n    if (isEmpty()) return null\n    var max = this[0]\n    if (max.isNaN()) return max\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (e.isNaN()) return e\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun CharArray.max(): Char? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.maxBy(selector: (T) -> R): T? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    var maxValue = selector(maxElem)\n    for
 (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>> ByteArray.maxBy(selector: (Byte) -> R): Byte? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>> ShortArray.maxBy(selector: (Short) -> R): Short? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    var maxValue
 = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>> IntArray.maxBy(selector: (Int) -> R): Int? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>> LongArray.maxBy(selector: (Long) -> R): Long? {\n    if (isEmpty()) return null\n    var
 maxElem = this[0]\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>> FloatArray.maxBy(selector: (Float) -> R): Float? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex)
```

{\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>> DoubleArray.maxBy(selector: (Double) -> R): Double? {\n if (isEmpty()) return null\n var maxElem = this[0]\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>> BooleanArray.maxBy(selector: (Boolean) -> R): Boolean? {\n if (isEmpty()) return null\n var maxElem = this[0]\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>> CharArray.maxBy(selector: (Char) -> R): Char? {\n if (isEmpty()) return null\n var maxElem = this[0]\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun <T> Array<out T>.maxWith(comparator: Comparator<in T>): T? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun ByteArray.maxWith(comparator: Comparator<in Byte>): Byte? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun ShortArray.maxWith(comparator: Comparator<in Short>): Short? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun IntArray.maxWith(comparator: Comparator<in Int>): Int? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun LongArray.maxWith(comparator: Comparator<in Long>): Long? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun FloatArray.maxWith(comparator: Comparator<in Float>): Float? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun DoubleArray.maxWith(comparator: Comparator<in Double>): Double? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun BooleanArray.maxWith(comparator: Comparator<in Boolean>): Boolean? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun CharArray.maxWith(comparator: Comparator<in Char>): Char? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n

```
    if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n
 * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns
`NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Array<out Double>.min(): Double? {\n    if (isEmpty()) return
null\n    var min = this[0]\n    if (min.isNaN()) return min\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(e.isNaN()) return e\n        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or
`null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n
*/\n@SinceKotlin(\"1.1\")\npublic fun Array<out Float>.min(): Float? {\n    if (isEmpty()) return null\n    var min =
this[0]\n    if (min.isNaN()) return min\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (e.isNaN()) return e\n
    if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no
elements.\n */\npublic fun <T : Comparable<T>> Array<out T>.min():
 T? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no
elements.\n */\npublic fun ByteArray.min(): Byte? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in
1..lastIndex) {\n        val e = this[i]\n        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the smallest
element or `null` if there are no elements.\n */\npublic fun ShortArray.min(): Short? {\n    if (isEmpty()) return
null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min = e\n    }\n    return
min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun IntArray.min():
Int? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(min > e)
 min = e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*/\npublic fun LongArray.min(): Long? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in
1..lastIndex) {\n        val e = this[i]\n        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the smallest
element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic fun
FloatArray.min(): Float? {\n    if (isEmpty()) return null\n    var min = this[0]\n    if (min.isNaN()) return min\n    for
(i in 1..lastIndex) {\n        val e = this[i]\n        if (e.isNaN()) return e\n        if (min > e) min = e\n    }\n    return
min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is
`NaN` returns `NaN`.\n */\npublic fun DoubleArray.min(): Double? {\n    if (isEmpty()) return null\n    var min =
this[0]\n    if (min.isNaN()) return min\n    for (i
 in 1..lastIndex) {\n        val e = this[i]\n        if (e.isNaN()) return e\n        if (min > e) min = e\n    }\n    return
min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun CharArray.min():
Char? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element yielding the smallest value of the
given function or `null` if there are no elements.\n */\npublic inline fun <T, R : Comparable<R>> Array<out
T>.minBy(selector: (T) -> R): T? {\n    if (isEmpty()) return null\n    var minElem = this[0]\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value
 of the given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>>
ByteArray.minBy(selector: (Byte) -> R): Byte? {\n    if (isEmpty()) return null\n    var minElem = this[0]\n    var
minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if
(minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n *
Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n
*/\npublic inline fun <R : Comparable<R>> ShortArray.minBy(selector: (Short) -> R): Short? {\n    if (isEmpty())
return null\n    var minElem = this[0]\n    var minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e
= this[i]\n        val v = selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n
}\n    return minElem\n}\n\n/**\n * Returns the first
 element yielding the smallest value of the given function or `null` if there are no elements.\n */\npublic inline fun
<R : Comparable<R>> IntArray.minBy(selector: (Int) -> R): Int? {\n    if (isEmpty()) return null\n    var minElem =
```

this[0]\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>> LongArray.minBy(selector: (Long) -> R): Long? {\n if (isEmpty()) return null\n var minElem = this[0]\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>> FloatArray.minBy(selector: (Float) -> R): Float? {\n if (isEmpty()) return null\n var minElem = this[0]\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>> DoubleArray.minBy(selector: (Double) -> R): Double? {\n if (isEmpty()) return null\n var minElem = this[0]\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>> BooleanArray.minBy(selector: (Boolean) -> R): Boolean? {\n if (isEmpty()) return null\n var minElem = this[0]\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>> CharArray.minBy(selector: (Char) -> R): Char? {\n if (isEmpty()) return null\n var minElem = this[0]\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun <T> Array<out T>.minWith(comparator: Comparator<in T>): T? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun ByteArray.minWith(comparator: Comparator<in Byte>): Byte? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun ShortArray.minWith(comparator: Comparator<in Short>): Short? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun IntArray.minWith(comparator: Comparator<in Int>): Int? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun LongArray.minWith(comparator: Comparator<in Long>): Long? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun FloatArray.minWith(comparator: Comparator<in Float>): Float? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the

smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun DoubleArray.minWith(comparator: Comparator<in Double>): Double? {\n   if (isEmpty()) return null\n   var min = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(min, e) > 0) min = e\n   }\n   return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun BooleanArray.minWith(comparator: Comparator<in Boolean>): Boolean? {\n   if (isEmpty()) return null\n   var min = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(min, e) > 0) min = e\n   }\n   return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun CharArray.minWith(comparator: Comparator<in Char>): Char? {\n   if (isEmpty()) return null\n   var min = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(min, e) > 0) min = e\n   }\n   return min\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun <T> Array<out T>.none(): Boolean {\n   return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun ByteArray.none(): Boolean {\n   return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun ShortArray.none(): Boolean {\n   return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun IntArray.none(): Boolean {\n   return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun LongArray.none(): Boolean {\n   return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun FloatArray.none(): Boolean {\n   return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun DoubleArray.none(): Boolean {\n   return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun BooleanArray.none(): Boolean {\n   return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun CharArray.none(): Boolean {\n   return isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <T> Array<out T>.none(predicate: (T) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun ByteArray.none(predicate: (Byte) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun ShortArray.none(predicate: (Short) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun IntArray.none(predicate: (Int) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun LongArray.none(predicate: (Long) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun FloatArray.none(predicate: (Float) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun DoubleArray.none(predicate:

(Double) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun BooleanArray.none(predicate: (Boolean) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun CharArray.none(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <S, T : S> Array<out T>.reduce(operation: (acc: S, T) -> S): S {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator: S = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun ByteArray.reduce(operation:
(acc: Byte, Byte) -> Byte): Byte {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun ShortArray.reduce(operation: (acc: Short, Short) -> Short): Short {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun IntArray.reduce(operation:
(acc: Int, Int) -> Int): Int {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun LongArray.reduce(operation: (acc: Long, Long) -> Long): Long {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun FloatArray.reduce(operation:
(acc: Float, Float) -> Float): Float {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun DoubleArray.reduce(operation: (acc: Double, Double) -> Double): Double {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun
BooleanArray.reduce(operation: (acc: Boolean, Boolean) -> Boolean): Boolean {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun CharArray.reduce(operation: (acc: Char, Char) -> Char): Char {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator

= this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index
 in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun <S, T : S> Array<out T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator: S = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun ByteArray.reduceIndexed(operation: (index: Int, acc:
 Byte, Byte) -> Byte): Byte {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun ShortArray.reduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): Short {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index
 of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun IntArray.reduceIndexed(operation: (index: Int, acc: Int, Int) -> Int): Int {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index
 of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun LongArray.reduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): Long {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun FloatArray.reduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): Float {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty
 array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun DoubleArray.reduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): Double {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with

the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun BooleanArray.reduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): Boolean {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun CharArray.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <S, T : S> Array<out T>.reduceRight(operation: (T, acc: S) -> S): S {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator: S = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element
and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun ByteArray.reduceRight(operation: (Byte, acc: Byte) -> Byte): Byte {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun ShortArray.reduceRight(operation: (Short, acc: Short) -> Short): Short {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates
value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun IntArray.reduceRight(operation: (Int, acc: Int) -> Int): Int {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun LongArray.reduceRight(operation: (Long, acc: Long) -> Long): Long {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun FloatArray.reduceRight(operation: (Float, acc: Float) -> Float): Float {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun DoubleArray.reduceRight(operation: (Double, acc: Double) -> Double): Double {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n

}\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun BooleanArray.reduceRight(operation: (Boolean, acc: Boolean) -> Boolean): Boolean {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun CharArray.reduceRight(operation: (Char, acc: Char) -> Char): Char {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <S, T : S> Array<out T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator: S = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array
and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun ByteArray.reduceRightIndexed(operation: (index: Int, Byte, acc: Byte) -> Byte): Byte {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun ShortArray.reduceRightIndexed(operation: (index: Int, Short, acc: Short) -> Short): Short {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun IntArray.reduceRightIndexed(operation: (index: Int, Int, acc: Int) -> Int): Int {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun LongArray.reduceRightIndexed(operation: (index: Int, Long, acc: Long) -> Long): Long {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each
element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun FloatArray.reduceRightIndexed(operation: (index: Int, Float, acc: Float) -

> Float): Float {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun DoubleArray.reduceRightIndexed(operation: (index: Int, Double, acc: Double) -> Double): Double {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun BooleanArray.reduceRightIndexed(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun CharArray.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun <T> Array<out T>.sumBy(selector: (T) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun ByteArray.sumBy(selector: (Byte) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun ShortArray.sumBy(selector: (Short) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun IntArray.sumBy(selector: (Int) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun LongArray.sumBy(selector: (Long) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun FloatArray.sumBy(selector: (Float) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun DoubleArray.sumBy(selector: (Double) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun BooleanArray.sumBy(selector: (Boolean) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun CharArray.sumBy(selector: (Char) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function

applied to each element in the array.\n */\npublic inline fun <T> Array<out T>.sumByDouble(selector: (T) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun ByteArray.sumByDouble(selector: (Byte) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun ShortArray.sumByDouble(selector: (Short) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun IntArray.sumByDouble(selector: (Int) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun LongArray.sumByDouble(selector: (Long) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun FloatArray.sumByDouble(selector: (Float) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun DoubleArray.sumByDouble(selector: (Double) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun BooleanArray.sumByDouble(selector: (Boolean) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun CharArray.sumByDouble(selector: (Char) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n */\npublic fun <T : Any> Array<T?>.requireNoNulls(): Array<T> {\n for (element in this) {\n if (element == null) {\n throw IllegalArgumentException(\"null element found in $this.\")\n }\n }\n @Suppress(\"UNCHECKED_CAST\")\n return this as Array<T>\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun <T> Array<out T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n val first = ArrayList<T>()\n val second = ArrayList<T>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun ByteArray.partition(predicate: (Byte) -> Boolean): Pair<List<Byte>, List<Byte>> {\n val first = ArrayList<Byte>()\n val second = ArrayList<Byte>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun ShortArray.partition(predicate: (Short) -> Boolean): Pair<List<Short>, List<Short>> {\n val first = ArrayList<Short>()\n val second = ArrayList<Short>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun IntArray.partition(predicate: (Int) -> Boolean): Pair<List<Int>, List<Int>> {\n val first = ArrayList<Int>()\n

```
    val second = ArrayList<Int>()\n    for (element in this) {\n        if (predicate(element)) {\n
first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first,
second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which
[predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n
*/\npublic inline fun LongArray.partition(predicate: (Long) -> Boolean): Pair<List<Long>, List<Long>> {\n    val
first = ArrayList<Long>()\n    val second = ArrayList<Long>()\n    for (element in this) {\n        if
(predicate(element)) {\n            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n
return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains
elements for which [predicate] yielded `true`,\n * while *second* list
 contains elements for which [predicate] yielded `false`.\n */\npublic inline fun FloatArray.partition(predicate:
(Float) -> Boolean): Pair<List<Float>, List<Float>> {\n    val first = ArrayList<Float>()\n    val second =
ArrayList<Float>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n        } else
{\n            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original array into
pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list
contains elements for which [predicate] yielded `false`.\n */\npublic inline fun DoubleArray.partition(predicate:
(Double) -> Boolean): Pair<List<Double>, List<Double>> {\n    val first = ArrayList<Double>()\n    val second =
ArrayList<Double>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n        }
else {\n            second.add(element)\n
    }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list
contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which
[predicate] yielded `false`.\n */\npublic inline fun BooleanArray.partition(predicate: (Boolean) -> Boolean):
Pair<List<Boolean>, List<Boolean>> {\n    val first = ArrayList<Boolean>()\n    val second =
ArrayList<Boolean>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n        }
else {\n            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original array
into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list
contains elements for which [predicate] yielded `false`.\n */\npublic inline fun CharArray.partition(predicate: (Char)
-> Boolean): Pair<List<Char>, List<Char>> {\n    val first =
 ArrayList<Char>()\n    val second = ArrayList<Char>()\n    for (element in this) {\n        if (predicate(element)) {\n
first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first,
second)\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the
same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Array<out T>.zip(other:
Array<out R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun
<R> ByteArray.zip(other: Array<out R>): List<Pair<Byte, R>> {\n    return zip(other) { t1,
 t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with
the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ShortArray.zip(other: Array<out
R>): List<Pair<Short, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R>
IntArray.zip(other: Array<out R>): List<Pair<Int, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
 */\npublic infix fun <R> LongArray.zip(other: Array<out R>): List<Pair<Long, R>> {\n    return zip(other) { t1, t2
-> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the
```

same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> FloatArray.zip(other: Array<out R>): List<Pair<Float, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> DoubleArray.zip(other: Array<out R>): List<Pair<Double, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> BooleanArray.zip(other: Array<out R>): List<Pair<Boolean, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> CharArray.zip(other: Array<out R>): List<Pair<Char, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Array<out T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ByteArray.zip(other: Array<out R>, transform: (a: Byte, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ShortArray.zip(other: Array<out R>, transform: (a: Short, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> IntArray.zip(other:
Array<out R>, transform: (a: Int, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> LongArray.zip(other: Array<out R>, transform: (a: Long, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using
the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> FloatArray.zip(other: Array<out R>, transform: (a: Float, b: R) -> V): List<V> {\n   val size =

minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> DoubleArray.zip(other: Array<out R>, transform: (a: Double, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> BooleanArray.zip(other: Array<out R>, transform: (a: Boolean, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> CharArray.zip(other: Array<out R>, transform: (a: Char, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Array<out T>.zip(other: Iterable<R>): List<Pair<T, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ByteArray.zip(other: Iterable<R>): List<Pair<Byte, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ShortArray.zip(other: Iterable<R>): List<Pair<Short, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> IntArray.zip(other: Iterable<R>): List<Pair<Int, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> LongArray.zip(other: Iterable<R>): List<Pair<Long, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> FloatArray.zip(other: Iterable<R>): List<Pair<Float, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> DoubleArray.zip(other: Iterable<R>): List<Pair<Double, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic

infix fun <R> BooleanArray.zip(other: Iterable<R>): List<Pair<Boolean, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> CharArray.zip(other: Iterable<R>): List<Pair<Char, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Array<out T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ByteArray.zip(other: Iterable<R>,
transform: (a: Byte, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ShortArray.zip(other: Iterable<R>, transform: (a: Short, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> IntArray.zip(other: Iterable<R>, transform: (a: Int, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n
* \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> LongArray.zip(other: Iterable<R>, transform: (a: Long, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> FloatArray.zip(other: Iterable<R>, transform: (a: Float, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10),
arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample

samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> DoubleArray.zip(other: Iterable<R>, transform: (a: Double, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> BooleanArray.zip(other: Iterable<R>, transform: (a: Boolean, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> CharArray.zip(other: Iterable<R>, transform: (a: Char, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun ByteArray.zip(other: ByteArray): List<Pair<Byte, Byte>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun ShortArray.zip(other: ShortArray): List<Pair<Short, Short>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun IntArray.zip(other: IntArray): List<Pair<Int, Int>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun LongArray.zip(other: LongArray): List<Pair<Long, Long>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun FloatArray.zip(other: FloatArray): List<Pair<Float, Float>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun DoubleArray.zip(other: DoubleArray): List<Pair<Double, Double>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun BooleanArray.zip(other: BooleanArray): List<Pair<Boolean, Boolean>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun CharArray.zip(other: CharArray): List<Pair<Char, Char>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function

applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> ByteArray.zip(other: ByteArray, transform: (a: Byte, b: Byte) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> ShortArray.zip(other: ShortArray, transform: (a: Short, b: Short) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> IntArray.zip(other: IntArray, transform: (a: Int, b: Int) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> LongArray.zip(other: LongArray, transform: (a: Long, b: Long) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with\n * the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> FloatArray.zip(other: FloatArray, transform: (a: Float, b: Float) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> DoubleArray.zip(other: DoubleArray, transform: (a: Double, b: Double) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> BooleanArray.zip(other: BooleanArray, transform: (a: Boolean, b: Boolean) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned\n list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> CharArray.zip(other: CharArray, transform: (a: Char, b: Char) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n

}\n   return list\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <T, A : Appendable> Array<out T>.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\",
limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): A {\n buffer.append(prefix)\n   var count = 0\n   for (element in this) {\n   if (++count > 1) buffer.append(separator)\n   if (limit < 0 || count <= limit) {\n   buffer.appendElement(element, transform)\n   } else break\n   }\n   if (limit >= 0 && count > limit) buffer.append(truncated)\n   buffer.append(postfix)\n   return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> ByteArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix:
CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Byte) -> CharSequence)? = null): A {\n   buffer.append(prefix)\n   var count = 0\n   for (element in this) {\n   if (++count > 1) buffer.append(separator)\n   if (limit < 0 || count <= limit) {\n   if (transform != null)\n   buffer.append(transform(element))\n   else\n   buffer.append(element.toString())\n   } else break\n   }\n   if (limit >= 0 && count > limit) buffer.append(truncated)\n   buffer.append(postfix)\n   return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> ShortArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Short) -> CharSequence)? = null): A {\n buffer.append(prefix)\n   var count = 0\n   for (element in this) {\n   if (++count > 1) buffer.append(separator)\n   if (limit < 0 || count <= limit) {\n   if (transform != null)\n   buffer.append(transform(element))\n   else\n   buffer.append(element.toString())\n   } else break\n   }\n   if (limit >= 0 && count > limit) buffer.append(truncated)\n   buffer.append(postfix)\n   return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> IntArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Int) -> CharSequence)? = null): A {\n   buffer.append(prefix)\n   var count = 0\n   for (element in this) {\n   if (++count > 1) buffer.append(separator)\n   if (limit < 0 || count <= limit) {\n   if (transform != null)\n   buffer.append(transform(element))\n   else\n   buffer.append(element.toString())\n   } else break\n   }\n   if (limit >= 0 && count > limit) buffer.append(truncated)\n   buffer.append(postfix)\n   return buffer\n}\n\n/**\n * Appends the string from all the elements separated
using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> LongArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Long) -> CharSequence)? = null): A {\n

buffer.append(prefix)\n   var count = 0\n   for (element in this) {\n   if (++count > 1) buffer.append(separator)\n   if (limit < 0 || count <= limit) {\n   if (transform != null)\n   buffer.append(transform(element))\n   else\n   buffer.append(element.toString())\n   } else break\n   }\n   if (limit >= 0 && count > limit) buffer.append(truncated)\n   buffer.append(postfix)\n   return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> FloatArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Float) -> CharSequence)? = null): A {\n   buffer.append(prefix)\n   var count = 0\n   for (element in this) {\n   if (++count > 1) buffer.append(separator)\n   if (limit < 0 || count <= limit) {\n   if (transform != null)\n   buffer.append(transform(element))\n   else\n   buffer.append(element.toString())\n   } else break\n   }\n   if (limit >= 0 && count > limit) buffer.append(truncated)\n   buffer.append(postfix)\n   return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> DoubleArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Double) -> CharSequence)? = null): A {\n   buffer.append(prefix)\n   var count = 0\n   for (element in this) {\n   if (++count > 1) buffer.append(separator)\n   if (limit < 0 || count <= limit) {\n   if (transform != null)\n   buffer.append(transform(element))\n   else\n   buffer.append(element.toString())\n   } else break\n   }\n   if (limit >= 0 && count > limit) buffer.append(truncated)\n   buffer.append(postfix)\n   return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> BooleanArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\",\n   limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Boolean) -> CharSequence)? = null): A {\n   buffer.append(prefix)\n   var count = 0\n   for (element in this) {\n   if (++count > 1) buffer.append(separator)\n   if (limit < 0 || count <= limit) {\n   if (transform != null)\n   buffer.append(transform(element))\n   else\n   buffer.append(element.toString())\n   } else break\n   }\n   if (limit >= 0 && count > limit) buffer.append(truncated)\n   buffer.append(postfix)\n   return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> CharArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Char) -> CharSequence)? = null): A {\n   buffer.append(prefix)\n   var count = 0\n   for (element in this) {\n   if (++count > 1) buffer.append(separator)\n   if (limit < 0 || count <= limit) {\n   if (transform != null)\n   buffer.append(transform(element))\n   else\n   buffer.append(element)\n   } else break\n   }\n   if (limit >= 0 && count > limit) buffer.append(truncated)\n   buffer.append(postfix)\n   return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only

the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n */\npublic fun <T> Array<out
T>.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit:
Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): String {\n return
joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a
string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n
* If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first
[limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n */\npublic fun ByteArray.joinToString(separator:
CharSequence
= \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\",
transform: ((Byte) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix,
limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using
[separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can
specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed
by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n */\npublic fun ShortArray.joinToString(separator:
CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated:
CharSequence = \"...\", transform: ((Short) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n */\npublic fun IntArray.joinToString(separator:
CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated:
CharSequence = \"...\", transform: ((Int) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the
collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n *
elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n */\npublic fun LongArray.joinToString(separator:
CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated:
CharSequence = \"...\", transform: ((Long) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n */\npublic fun FloatArray.joinToString(separator:
CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated:
CharSequence = \"...\", transform: ((Float) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n */\npublic fun DoubleArray.joinToString(separator:
CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int =

-1, truncated: CharSequence = \"...\", transform: ((Double) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun BooleanArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Boolean) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun CharArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Char) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun <T> Array<out T>.asIterable(): Iterable<T> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun ByteArray.asIterable(): Iterable<Byte> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun ShortArray.asIterable(): Iterable<Short> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun IntArray.asIterable(): Iterable<Int> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun LongArray.asIterable(): Iterable<Long> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun FloatArray.asIterable(): Iterable<Float> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun DoubleArray.asIterable(): Iterable<Double> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun BooleanArray.asIterable(): Iterable<Boolean> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun CharArray.asIterable(): Iterable<Char> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun <T> Array<out T>.asSequence(): Sequence<T> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun ByteArray.asSequence(): Sequence<Byte> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun ShortArray.asSequence(): Sequence<Short> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun IntArray.asSequence():

Sequence<Int> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun LongArray.asSequence(): Sequence<Long> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun FloatArray.asSequence(): Sequence<Float> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun DoubleArray.asSequence(): Sequence<Double> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun BooleanArray.asSequence(): Sequence<Boolean> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun CharArray.asSequence(): Sequence<Char> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfByte\")\npublic fun Array<out Byte>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   count += 1\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfShort\")\npublic fun Array<out Short>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   count += 1\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfInt\")\npublic fun Array<out Int>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   count += 1\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfLong\")\npublic fun Array<out Long>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   count += 1\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfFloat\")\npublic fun Array<out Float>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   count += 1\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfDouble\")\npublic fun Array<out Double>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   count += 1\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun ByteArray.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   count += 1\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun ShortArray.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   count += 1\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun IntArray.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   count += 1\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun LongArray.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   count += 1\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun FloatArray.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n

```
sum += element\n        count += 1\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun DoubleArray.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        count += 1\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfByte\")\npublic fun Array<out Byte>.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfShort\")\npublic fun Array<out Short>.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfInt\")\npublic fun Array<out Int>.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfLong\")\npublic fun Array<out Long>.sum(): Long {\n    var sum: Long = 0L\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements
 in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfFloat\")\npublic fun Array<out Float>.sum(): Float {\n    var sum: Float = 0.0f\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfDouble\")\npublic fun Array<out Double>.sum(): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun ByteArray.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun ShortArray.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun IntArray.sum(): Int {\n    var sum: Int = 0\n    for (element in this)
 {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun LongArray.sum(): Long {\n    var sum: Long = 0L\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun FloatArray.sum(): Float {\n    var sum: Float = 0.0f\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun DoubleArray.sum(): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"RangesKt\")\n\npackage kotlin.ranges\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.*\nimport kotlin.text.*\nimport kotlin.comparisons.*\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Byte): Boolean {\n    return contains(value.toInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Byte): Boolean {\n    return contains(value.toLong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Byte): Boolean {\n    return contains(value.toShort())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value:
 Byte): Boolean {\n    return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Byte): Boolean {\n    return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Double): Boolean {\n    return value.toIntExactOrNull().let { if (it != null)
```

contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Double): Boolean {\n   return value.toLongExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun
ClosedRange<Byte>.contains(value: Double): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Double): Boolean {\n   return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Double): Boolean {\n   return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Float): Boolean {\n   return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic
operator fun ClosedRange<Long>.contains(value: Float): Boolean {\n   return value.toLongExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Float): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Float): Boolean {\n   return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Float): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n
* Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Int): Boolean {\n   return contains(value.toLong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Int): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Int): Boolean {\n   return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Int): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n
* Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Int): Boolean {\n   return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Long): Boolean {\n   return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Long): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Long): Boolean {\n   return value.toShortExactOrNull().let
{ if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Long): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun

ClosedRange<Float>.contains(value: Long): Boolean {\n   return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Short): Boolean {\n   return contains(value.toInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Short): Boolean {\n   return contains(value.toLong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Short): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Short): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Short): Boolean {\n   return contains(value.toFloat())\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Int.downTo(to: Byte): IntProgression {\n   return IntProgression.fromClosedRange(this, to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Byte): LongProgression {\n   return LongProgression.fromClosedRange(this, to.toLong(), -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Byte): IntProgression {\n   return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to: Byte): IntProgression {\n   return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Char.downTo(to: Char): CharProgression {\n   return CharProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Int.downTo(to: Int): IntProgression {\n   return IntProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Int): LongProgression {\n   return LongProgression.fromClosedRange(this, to.toLong(), -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Int): IntProgression {\n   return IntProgression.fromClosedRange(this.toInt(), to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to: Int): IntProgression {\n   return IntProgression.fromClosedRange(this.toInt(), to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Int.downTo(to: Long): LongProgression {\n   return LongProgression.fromClosedRange(this.toLong(), to, -1L)\n}\n\n/**\n * Returns a progression from this value

down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Long): LongProgression {\n return LongProgression.fromClosedRange(this, to, -1L)\n}\n\n/**\n * Returns
a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Long): LongProgression {\n return LongProgression.fromClosedRange(this.toLong(), to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to: Long): LongProgression {\n return LongProgression.fromClosedRange(this.toLong(), to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned
progression is empty.\n */\npublic infix fun Int.downTo(to: Short): IntProgression {\n return IntProgression.fromClosedRange(this, to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Short): LongProgression {\n return LongProgression.fromClosedRange(this, to.toLong(), -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Short): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to
the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to: Short): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\npublic fun IntProgression.reversed(): IntProgression {\n return IntProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\npublic fun LongProgression.reversed(): LongProgression {\n return LongProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\npublic fun CharProgression.reversed(): CharProgression {\n return CharProgression.fromClosedRange(last,
first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\npublic infix fun IntProgression.step(step: Int): IntProgression {\n checkStepIsPositive(step > 0, step)\n return IntProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\npublic infix fun LongProgression.step(step: Long): LongProgression {\n checkStepIsPositive(step > 0, step)\n return LongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\npublic infix fun CharProgression.step(step: Int): CharProgression {\n checkStepIsPositive(step > 0, step)\n return CharProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\ninternal fun Int.toByteExactOrNull(): Byte? {\n return if
(this in Byte.MIN_VALUE.toInt()..Byte.MAX_VALUE.toInt()) this.toByte() else null\n}\n\ninternal fun Long.toByteExactOrNull(): Byte? {\n return if (this in Byte.MIN_VALUE.toLong()..Byte.MAX_VALUE.toLong()) this.toByte() else null\n}\n\ninternal fun Short.toByteExactOrNull(): Byte? {\n return if (this in Byte.MIN_VALUE.toShort()..Byte.MAX_VALUE.toShort()) this.toByte() else null\n}\n\ninternal fun

Double.toByteExactOrNull(): Byte? {\n   return if (this in Byte.MIN_VALUE.toDouble()..Byte.MAX_VALUE.toDouble()) this.toByte() else null\n}\n\ninternal fun Float.toByteExactOrNull(): Byte? {\n   return if (this in Byte.MIN_VALUE.toFloat()..Byte.MAX_VALUE.toFloat()) this.toByte() else null\n}\n\ninternal fun Long.toIntExactOrNull(): Int? {\n   return if (this in Int.MIN_VALUE.toLong()..Int.MAX_VALUE.toLong()) this.toInt() else null\n}\n\ninternal fun Double.toIntExactOrNull(): Int? {\n   return if (this in Int.MIN_VALUE.toDouble()..Int.MAX_VALUE.toDouble()) this.toInt() else null\n}\n\ninternal fun Float.toIntExactOrNull(): Int? {\n   return if (this in Int.MIN_VALUE.toFloat()..Int.MAX_VALUE.toFloat()) this.toInt() else null\n}\n\ninternal fun Double.toLongExactOrNull(): Long? {\n   return if (this in Long.MIN_VALUE.toDouble()..Long.MAX_VALUE.toDouble()) this.toLong() else null\n}\n\ninternal fun Float.toLongExactOrNull(): Long? {\n   return if (this in Long.MIN_VALUE.toFloat()..Long.MAX_VALUE.toFloat()) this.toLong() else null\n}\n\ninternal fun Int.toShortExactOrNull(): Short? {\n   return if (this in Short.MIN_VALUE.toInt()..Short.MAX_VALUE.toInt()) this.toShort() else null\n}\n\ninternal fun Long.toShortExactOrNull(): Short? {\n   return if (this in Short.MIN_VALUE.toLong()..Short.MAX_VALUE.toLong()) this.toShort() else null\n}\n\ninternal fun Double.toShortExactOrNull(): Short? {\n   return if (this in Short.MIN_VALUE.toDouble()..Short.MAX_VALUE.toDouble()) this.toShort() else null\n}\n\ninternal fun Float.toShortExactOrNull(): Short? {\n   return if (this in Short.MIN_VALUE.toFloat()..Short.MAX_VALUE.toFloat()) this.toShort() else null\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value the returned range is empty.\n */\npublic infix fun Int.until(to: Byte): IntRange {\n   return this .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value the returned range is empty.\n */\npublic infix fun Long.until(to: Byte): LongRange {\n   return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value the returned range is empty.\n */\npublic infix fun Byte.until(to: Byte): IntRange {\n   return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value the returned range is empty.\n */\npublic infix fun Short.until(to: Byte): IntRange {\n   return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value the returned range is empty.\n * \n * If the [to] value is less than or equal to `'\\u0000'` the returned range is empty.\n */\npublic infix fun Char.until(to: Char): CharRange {\n   if (to <= '\\u0000') return CharRange.EMPTY\n   return this .. (to - 1).toChar()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value the returned range is empty.\n * \n * If the [to] value is less than or equal to [Int.MIN_VALUE] the returned range is empty.\n */\npublic infix fun Int.until(to: Int): IntRange {\n   if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n   return this .. (to - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value the returned range is empty.\n */\npublic infix fun Long.until(to: Int): LongRange {\n   return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value the returned range is empty.\n * \n * If the [to] value is less than or equal to [Int.MIN_VALUE] the returned range is empty.\n */\npublic infix fun Byte.until(to: Int): IntRange {\n   if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n   return this.toInt() .. (to - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value the returned range is empty.\n * \n * If the [to] value is less than or equal to [Int.MIN_VALUE] the returned range is empty.\n */\npublic infix fun Short.until(to: Int): IntRange {\n   if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n   return this.toInt() .. (to - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified

[to] value.\n * \n * If the [to] value is less than or equal to `this` value the returned range is empty.\n * \n * If the [to] value is less than or equal to [Long.MIN_VALUE] the returned range is empty.\n */\npublic infix fun Int.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value the returned range is empty.\n * \n * If the [to] value is less than or equal to [Long.MIN_VALUE] the returned range is empty.\n */\npublic
infix fun Long.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value the returned range is empty.\n * \n * If the [to] value is less than or equal to [Long.MIN_VALUE] the returned range is empty.\n */\npublic infix fun Byte.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value the returned range is empty.\n * \n * If the [to] value is less than or equal to [Long.MIN_VALUE] the returned range is empty.\n */\npublic infix fun Short.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this.toLong()
.. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value the returned range is empty.\n */\npublic infix fun Int.until(to: Short): IntRange {\n return this .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value the returned range is empty.\n */\npublic infix fun Long.until(to: Short): LongRange {\n return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value the returned range is empty.\n */\npublic infix fun Byte.until(to: Short): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the
[to] value is less than or equal to `this` value the returned range is empty.\n */\npublic infix fun Short.until(to: Short): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastComparable\n */\npublic fun <T : Comparable<T>> T.coerceAtLeast(minimumValue: T): T {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun
Byte.coerceAtLeast(minimumValue: Byte): Byte {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n *
Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Short.coerceAtLeast(minimumValue: Short): Short {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Int.coerceAtLeast(minimumValue: Int): Int {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n
*/\npublic fun Long.coerceAtLeast(minimumValue: Long): Long {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun

Float.coerceAtLeast(minimumValue: Float): Float {\n   return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Double.coerceAtLeast(minimumValue: Double): Double {\n   return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified
[maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostComparable\n */\npublic fun <T : Comparable<T>> T.coerceAtMost(maximumValue: T): T {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Byte.coerceAtMost(maximumValue: Byte): Byte {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun
Short.coerceAtMost(maximumValue: Short): Short {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Int.coerceAtMost(maximumValue: Int): Int {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Long.coerceAtMost(maximumValue: Long): Long {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's
less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Float.coerceAtMost(maximumValue: Float): Float {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Double.coerceAtMost(maximumValue: Double): Double {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInComparable\n */\npublic fun <T : Comparable<T>> T.coerceIn(minimumValue: T?, maximumValue: T?): T {\n   if (minimumValue !== null && maximumValue !== null) {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   }\n   else {\n   if (minimumValue !== null && this < minimumValue) return minimumValue\n   if (maximumValue !== null && this > maximumValue) return maximumValue\n   }\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Byte.coerceIn(minimumValue:
Byte, maximumValue: Byte): Byte {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than

minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Short.coerceIn(minimumValue: Short, maximumValue: Short): Short {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return
 maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Int.coerceIn(minimumValue: Int, maximumValue: Int): Int {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n
 * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Long.coerceIn(minimumValue: Long, maximumValue: Long): Long {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Float.coerceIn(minimumValue: Float, maximumValue: Float): Float {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum
 $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Double.coerceIn(minimumValue: Double, maximumValue: Double): Double {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less
 than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInFloatingPointRange\n */\n@SinceKotlin(\"1.1\")\npublic fun <T : Comparable<T>> T.coerceIn(range: ClosedFloatingPointRange<T>): T {\n   if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n   return when {\n   // this < start equiv to this <= start && !(this >= start)\n   range.lessThanOrEquals(this, range.start) && !range.lessThanOrEquals(range.start, this) -> range.start\n   // this > end equiv to this >= end && !(this <= end)\n   range.lessThanOrEquals(range.endInclusive, this) && !range.lessThanOrEquals(this, range.endInclusive) -> range.endInclusive\n   else -> this\n   }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *

@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInComparable\n */\npublic fun <T : Comparable<T>> T.coerceIn(range: ClosedRange<T>): T {\n if (range is ClosedFloatingPointRange) {\n return this.coerceIn<T>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n return when {\n this < range.start -> range.start\n this > range.endInclusive -> range.endInclusive\n else -> this\n }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Int.coerceIn(range: ClosedRange<Int>): Int {\n if (range is ClosedFloatingPointRange) {\n return this.coerceIn<Int>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n return when {\n this < range.start -> range.start\n this > range.endInclusive -> range.endInclusive\n else -> this\n }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Long.coerceIn(range: ClosedRange<Long>): Long {\n if (range is ClosedFloatingPointRange) {\n return this.coerceIn<Long>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n return when {\n this < range.start -> range.start\n this > range.endInclusive -> range.endInclusive\n else -> this\n }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n/**\n * A range of values of type `Char`.\n */\npublic class CharRange(start: Char, endInclusive: Char) : CharProgression(start, endInclusive, 1), ClosedRange<Char> {\n override val start: Char get() = first\n override val endInclusive: Char get() = last\n\n override fun contains(value: Char): Boolean = first <= value && value <= last\n\n override fun isEmpty(): Boolean = first > last\n\n override fun equals(other: Any?): Boolean =\n other is CharRange && (isEmpty() && other.isEmpty() ||\n first == other.first && last == other.last)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * first.toInt() + last.toInt())\n\n override fun toString(): String = \"$first..$last\"\n\n companion object {\n /** An empty range of values of type Char. */\n public val EMPTY: CharRange = CharRange(1.toChar(), 0.toChar())\n }\n}\n\n/**\n * A range of values of type `Int`.\n */\npublic class IntRange(start: Int, endInclusive: Int) : IntProgression(start, endInclusive, 1), ClosedRange<Int> {\n override val start: Int get() = first\n override val endInclusive: Int get() = last\n\n override fun contains(value: Int): Boolean = first <= value && value <= last\n\n override fun isEmpty(): Boolean = first > last\n\n override fun equals(other: Any?): Boolean =\n other is IntRange && (isEmpty() && other.isEmpty() ||\n first == other.first && last == other.last)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * first + last)\n\n override fun toString(): String = \"$first..$last\"\n\n companion object {\n /** An empty range of values of type Int. */\n public val EMPTY: IntRange = IntRange(1, 0)\n }\n}\n\n/**\n * A range of values of type `Long`.\n */\npublic class LongRange(start: Long, endInclusive: Long) : LongProgression(start, endInclusive, 1), ClosedRange<Long> {\n override val start: Long get() = first\n override val endInclusive: Long get() = last\n\n override fun contains(value: Long): Boolean = first <= value && value <= last\n\n override fun isEmpty(): Boolean = first > last\n\n override fun equals(other: Any?): Boolean =\n other is LongRange && (isEmpty() && other.isEmpty() ||\n first == other.first && last == other.last)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * (first xor (first ushr 32)) + (last xor (last ushr 32))).toInt()\n\n override fun toString(): String = \"$first..$last\"\n\n companion object {\n /** An empty range of values of type Long. */\n public val EMPTY: LongRange = LongRange(1, 0)\n }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage

kotlin.collections\n\nimport kotlin.*\nimport kotlin.comparisons.compareValues\n\ninternal object EmptyIterator : ListIterator<Nothing> {\n override fun hasNext(): Boolean = false\n override fun hasPrevious(): Boolean = false\n override fun nextIndex(): Int = 0\n override fun previousIndex(): Int = -1\n override fun next(): Nothing = throw NoSuchElementException()\n override fun previous(): Nothing = throw NoSuchElementException()\n}\n\ninternal object EmptyList : List<Nothing>, Serializable, RandomAccess {\n private const val serialVersionUID: Long = -7390468764508069838L\n\n override fun equals(other: Any?): Boolean = other is List<*> && other.isEmpty()\n override fun hashCode(): Int = 1\n override fun toString(): String = \"[]\"\n\n override
val size: Int get() = 0\n override fun isEmpty(): Boolean = true\n override fun contains(element: Nothing): Boolean = false\n override fun containsAll(elements: Collection<Nothing>): Boolean = elements.isEmpty()\n\n override fun get(index: Int): Nothing = throw IndexOutOfBoundsException(\"Empty list doesn't contain element at index $index.\")\n override fun indexOf(element: Nothing): Int = -1\n override fun lastIndexOf(element: Nothing): Int = -1\n\n override fun iterator(): Iterator<Nothing> = EmptyIterator\n override fun listIterator(): ListIterator<Nothing> = EmptyIterator\n override fun listIterator(index: Int): ListIterator<Nothing> {\n if (index != 0) throw IndexOutOfBoundsException(\"Index: $index\")\n return EmptyIterator\n }\n\n override fun subList(fromIndex: Int, toIndex: Int): List<Nothing> {\n if (fromIndex == 0 && toIndex == 0) return this\n throw IndexOutOfBoundsException(\"fromIndex: $fromIndex, toIndex: $toIndex\")\n }\n\n private fun readResolve(): Any = EmptyList\n}\n\ninternal fun <T> Array<out T>.asCollection(): Collection<T> = ArrayAsCollection(this, isVarargs = false)\n\nprivate class ArrayAsCollection<T>(val values: Array<out T>, val isVarargs: Boolean) : Collection<T> {\n override val size: Int get() = values.size\n override fun isEmpty(): Boolean = values.isEmpty()\n override fun contains(element: T): Boolean = values.contains(element)\n override fun containsAll(elements: Collection<T>): Boolean = elements.all { contains(it) }\n override fun iterator(): Iterator<T> = values.iterator()\n // override hidden toArray implementation to prevent copying of values array\n public fun toArray(): Array<out Any?> = values.copyToArrayOfAny(isVarargs)\n}\n\n/**\n * Returns an empty read-only list. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.emptyReadOnlyList\n */\npublic fun <T> emptyList(): List<T> = EmptyList\n\n/**\n
* Returns a new read-only list of given elements. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.readOnlyList\n */\npublic fun <T> listOf(vararg elements: T): List<T> = if (elements.size > 0) elements.asList() else emptyList()\n\n/**\n * Returns an empty read-only list. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.emptyReadOnlyList\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> listOf(): List<T> = emptyList()\n\n/**\n * Returns an empty new [MutableList].\n * @sample samples.collections.Collections.Lists.emptyMutableList\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> mutableListOf(): MutableList<T> = ArrayList()\n\n/**\n * Returns an empty new [ArrayList].\n * @sample samples.collections.Collections.Lists.emptyArrayList\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> arrayListOf(): ArrayList<T> = ArrayList()\n\n/**\n *
Returns a new [MutableList] with the given elements.\n * @sample samples.collections.Collections.Lists.mutableList\n */\npublic fun <T> mutableListOf(vararg elements: T): MutableList<T> =\n if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs = true))\n\n/**\n * Returns a new [ArrayList] with the given elements.\n * @sample samples.collections.Collections.Lists.arrayList\n */\npublic fun <T> arrayListOf(vararg elements: T): ArrayList<T> =\n if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs = true))\n\n/**\n * Returns a new read-only list either of single given element, if it is not null, or empty list if the element is null. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.listOfNotNull\n */\npublic fun <T : Any> listOfNotNull(element: T?): List<T> = if (element != null) listOf(element) else emptyList()\n\n/**\n * Returns a new read-only list only of those given elements,

that are not null. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.listOfNotNull\n */\npublic fun <T : Any> listOfNotNull(vararg elements: T?): List<T> = elements.filterNotNull()\n\n/**\n * Creates a new read-only list with the specified [size], where each element is calculated by calling the specified\n * [init] function. The [init] function returns a list element given its index.\n * @sample samples.collections.Collections.Lists.readOnlyListFromInitializer\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> List(size: Int, init: (index: Int) -> T): List<T> = MutableList(size, init)\n\n/**\n * Creates a new mutable list with the specified [size], where each element is calculated by calling the specified\n * [init] function. The [init] function returns a list element given its index.\n * @sample samples.collections.Collections.Lists.mutableListFromInitializer\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> MutableList(size: Int, init: (index: Int) -> T): MutableList<T> {\n   val list = ArrayList<T>(size)\n   repeat(size) { index -> list.add(init(index)) }\n   return list\n}\n\n/**\n * Returns an [IntRange] of the valid indices for this collection.\n * @sample samples.collections.Collections.Collections.indicesOfCollection\n */\npublic val Collection<*>.indices: IntRange\n   get() = 0..size - 1\n\n/**\n * Returns the index of the last item in the list or -1 if the list is empty.\n *\n * @sample samples.collections.Collections.Lists.lastIndexOfList\n */\npublic val <T> List<T>.lastIndex: Int\n   get() = this.size - 1\n\n/**\n * Returns `true` if the collection is not empty.\n * @sample samples.collections.Collections.Collections.collectionIsNotEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.isNotEmpty(): Boolean = !isEmpty()\n\n/**\n * Returns this Collection if it's not `null` and the empty list otherwise.\n * @sample samples.collections.Collections.Collections.collectionOrEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>?.orEmpty(): Collection<T> = this ?: emptyList()\n\n/**\n * Returns this List if it's not `null` and the empty list otherwise.\n * @sample samples.collections.Collections.Lists.listOrEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>?.orEmpty(): List<T> = this ?: emptyList()\n\n/**\n * Checks if all elements in the specified collection are contained in this collection.\n *\n * Allows to overcome type-safety restriction of `containsAll` that requires to pass a collection of type `Collection<E>`.\n * @sample samples.collections.Collections.Collections.collectionContainsAll\n */\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning, extension takes precedence in some cases\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> Collection<T>.containsAll(elements: Collection<T>): Boolean = this.containsAll(elements)\n\ninternal fun <T> List<T>.optimizeReadOnlyList() = when (size) {\n   0 -> emptyList()\n   1 -> listOf(this[0])\n   else -> this\n}\n\n/**\n * Searches this list or its range for the provided [element] using the binary search algorithm.\n * The list is expected to be sorted into ascending order according to the Comparable natural ordering of its elements,\n * otherwise the result is undefined.\n *\n * If the list contains multiple elements equal to the specified [element], there is no guarantee which one will be found.\n *\n * `null` value is considered to be less than any non-null value.\n *\n * @return the index of the element, if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\n * The insertion point is defined as the index at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains sorted.\n * @sample samples.collections.Collections.Lists.binarySearchOnComparable\n * @sample samples.collections.Collections.Lists.binarySearchWithBoundaries\n */\npublic fun <T : Comparable<T>> List<T?>.binarySearch(element: T?, fromIndex: Int = 0, toIndex: Int = size): Int {\n   rangeCheck(size, fromIndex, toIndex)\n\n   var low = fromIndex\n   var high = toIndex - 1\n\n   while (low <= high) {\n   val mid = (low + high).ushr(1) // safe from overflows\n   val midVal = get(mid)\n   val cmp = compareValues(midVal, element)\n\n   if (cmp < 0)\n   low = mid + 1\n   else if (cmp > 0)\n   high = mid - 1\n   else\n   return mid // key found\n   }\n   return -(low + 1) // key not found\n}\n\n/**\n * Searches this list or its range for the provided [element] using the binary search algorithm.\n * The list is expected to be sorted into ascending order according to the specified [comparator],\n * otherwise the result is undefined.\n *\n * If the list contains multiple elements equal to the

```
 specified [element], there is no guarantee which one will be found.\n *\n * `null` value is considered to be less than any non-null value.\n *\n * @return the index of the element, if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\n * The insertion point is defined as the index at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains sorted according to the specified [comparator].\n * @sample samples.collections.Collections.Lists.binarySearchWithComparator\n */\npublic fun <T> List<T>.binarySearch(element: T, comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Int {\n rangeCheck(size, fromIndex, toIndex)\n\n    var low = fromIndex\n    var high = toIndex - 1\n\n    while (low <= high) {\n        val mid = (low + high).ushr(1) // safe from overflows\n        val midVal = get(mid)\n        val cmp = comparator.compare(midVal, element)\n\n        if (cmp < 0)\n            low = mid + 1\n        else if (cmp > 0)\n            high = mid - 1\n        else\n            return mid // key found\n    }\n    return -(low + 1)  // key not found\n}\n\n/**\n * Searches this list or its range for an element having the key returned by the specified [selector] function\n * equal to the provided [key] value using the binary search algorithm.\n * The list is expected to be sorted into ascending order according to the Comparable natural ordering of keys of its elements.\n * otherwise the result is undefined.\n *\n * If the list contains multiple elements with the specified [key], there is no guarantee which one will be found.\n *\n * `null` value is considered to be less than any non-null value.\n *\n * @return the index of the element with the specified [key], if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\n * The insertion point is defined as the index
 at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains sorted.\n * @sample samples.collections.Collections.Lists.binarySearchByKey\n */\npublic inline fun <T, K : Comparable<K>> List<T>.binarySearchBy(\n    key: K?,\n    fromIndex: Int = 0,\n    toIndex: Int = size,\n crossinline selector: (T) -> K?\n): Int =\n    binarySearch(fromIndex, toIndex) { compareValues(selector(it), key) }\n\n// do not introduce this overload --- too rare\n//public fun <T, K> List<T>.binarySearchBy(key: K, comparator: Comparator<K>, fromIndex: Int = 0, toIndex: Int = size(), selector: (T) -> K): Int =\n//        binarySearch(fromIndex, toIndex) { comparator.compare(selector(it), key) }\n\n\n/**\n * Searches this list or its range for an element for which [comparison] function returns zero using the binary search algorithm.\n * The list is expected to be sorted into ascending order according to the provided [comparison],\n * otherwise the result
 is undefined.\n *\n * If the list contains multiple elements for which [comparison] returns zero, there is no guarantee which one will be found.\n *\n * @param comparison function that compares an element of the list with the element being searched.\n *\n * @return the index of the found element, if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\n * The insertion point is defined as the index at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains sorted.\n * @sample samples.collections.Collections.Lists.binarySearchWithComparisonFunction\n */\npublic fun <T> List<T>.binarySearch(fromIndex: Int = 0, toIndex: Int = size, comparison: (T) -> Int): Int {\n rangeCheck(size, fromIndex, toIndex)\n\n    var low = fromIndex\n    var high = toIndex - 1\n\n    while (low <= high) {\n        val mid = (low + high).ushr(1) // safe from overflows\n        val midVal
 = get(mid)\n        val cmp = comparison(midVal)\n\n        if (cmp < 0)\n            low = mid + 1\n        else if (cmp > 0)\n            high = mid - 1\n        else\n            return mid // key found\n    }\n    return -(low + 1)  // key not found\n}\n\n/**\n * Checks that `from` and `to` are in\n * the range of [0..size] and throws an appropriate exception, if they aren't.\n */\nprivate fun rangeCheck(size: Int, fromIndex: Int, toIndex: Int) {\n    when {\n        fromIndex > toIndex -> throw IllegalArgumentException(\"fromIndex ($fromIndex) is greater than toIndex ($toIndex).\")\n        fromIndex < 0 -> throw IndexOutOfBoundsException(\"fromIndex ($fromIndex) is less than zero.\")\n        toIndex > size -> throw IndexOutOfBoundsException(\"toIndex ($toIndex) is greater than size ($size).\")\n    }\n}\n\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"MapsKt\")\n\npackage
```

kotlin.collections\n\nprivate object EmptyMap : Map<Any?, Nothing>, Serializable {\n private const val serialVersionUID: Long = 8246714829545688274\n\n override fun equals(other: Any?): Boolean = other is Map<*, *> && other.isEmpty()\n override fun hashCode(): Int = 0\n override fun toString(): String = \"{}\"\n\n override val size: Int get() = 0\n override fun isEmpty(): Boolean = true\n\n override fun containsKey(key: Any?): Boolean = false\n override fun containsValue(value: Nothing): Boolean = false\n override fun get(key: Any?): Nothing? = null\n override val entries: Set<Map.Entry<Any?, Nothing>> get() = EmptySet\n override val keys: Set<Any?> get() = EmptySet\n override val values: Collection<Nothing> get() = EmptyList\n\n private fun readResolve(): Any = EmptyMap\n}\n\n/**\n * Returns an empty read-only map of specified type.\n *\n * The returned map is serializable (JVM).\n * @sample samples.collections.Maps.Instantiation.emptyReadOnlyMap\n */\npublic fun <K, V> emptyMap(): Map<K, V> = @Suppress(\"UNCHECKED_CAST\") (EmptyMap as Map<K, V>)\n\n/**\n * Returns a new read-only map with the specified contents, given as a list of pairs\n * where the first value is the key and the second is the value.\n *\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are iterated in the order they were specified.\n *\n * The returned map is serializable (JVM).\n *\n * @sample samples.collections.Maps.Instantiation.mapFromPairs\n */\npublic fun <K, V> mapOf(vararg pairs: Pair<K, V>): Map<K, V> =\n if (pairs.size > 0) pairs.toMap(LinkedHashMap(mapCapacity(pairs.size))) else emptyMap()\n\n/**\n * Returns an empty read-only map.\n *\n * The returned map is serializable (JVM).\n * @sample samples.collections.Maps.Instantiation.emptyReadOnlyMap\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> mapOf(): Map<K, V> = emptyMap()\n\n/**\n * Returns an empty new [MutableMap].\n *\n * The returned map preserves the entry iteration order.\n * @sample samples.collections.Maps.Instantiation.emptyMutableMap\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> mutableMapOf(): MutableMap<K, V> = LinkedHashMap()\n\n/**\n * Returns a new [MutableMap] with the specified contents, given as a list of pairs\n * where the first component is the key and the second is the value.\n *\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are iterated in the order they were specified.\n *\n * @sample samples.collections.Maps.Instantiation.mutableMapFromPairs\n * @sample samples.collections.Maps.Instantiation.emptyMutableMap\n */\npublic fun <K, V> mutableMapOf(vararg pairs: Pair<K, V>): MutableMap<K, V> =\n LinkedHashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }\n\n/**\n * Returns an empty new [HashMap].\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> hashMapOf(): HashMap<K, V> = HashMap<K, V>()\n\n/**\n * Returns a new [HashMap] with the specified contents, given as a list of pairs\n * where the first component is the key and the second is the value.\n *\n * @sample samples.collections.Maps.Instantiation.hashMapFromPairs\n */\npublic fun <K, V> hashMapOf(vararg pairs: Pair<K, V>): HashMap<K, V> = HashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }\n\n/**\n * Returns an empty new [LinkedHashMap].\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> linkedMapOf(): LinkedHashMap<K, V> = LinkedHashMap<K, V>()\n\n/**\n * Returns a new [LinkedHashMap] with the specified contents, given as a list of pairs\n * where the first component is the key and the second is the value.\n *\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are iterated in the order they were specified.\n *\n * @sample samples.collections.Maps.Instantiation.linkedMapFromPairs\n */\npublic fun <K, V> linkedMapOf(vararg pairs: Pair<K, V>): LinkedHashMap<K, V> = pairs.toMap(LinkedHashMap(mapCapacity(pairs.size)))\n\n/**\n * Calculate the initial capacity of a map, based on Guava's com.google.common.collect.Maps approach. This is equivalent\n * to the Collection constructor for HashSet, (c.size()/.75f) + 1, but provides further optimisations for very small or\n * very large sizes, allows support non-collection classes, and provides consistency for all map based class construction.\n */\n@PublishedApi\ninternal fun mapCapacity(expectedSize: Int): Int {\n if (expectedSize < 3) {\n return expectedSize + 1\n }\n if (expectedSize < INT_MAX_POWER_OF_TWO) {\n return

expectedSize + expectedSize / 3\n   }\n   return Int.MAX_VALUE // any large value\n}\n\nprivate
 const val INT_MAX_POWER_OF_TWO: Int = Int.MAX_VALUE / 2 + 1\n\n/** Returns `true` if this map is not empty. */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.isNotEmpty(): Boolean = !isEmpty()\n\n/**\n * Returns the [Map] if its not `null`, or the empty [Map] otherwise.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<K, V>?.orEmpty(): Map<K, V> = this ?: emptyMap()\n\n/**\n * Checks if the map contains the given key.\n *\n * This method allows to use the `x in map` syntax for checking whether an object is contained in the map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.contains(key: K): Boolean = containsKey(key)\n\n/**\n * Returns the value corresponding to the given [key], or `null` if such a key is not present in the map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.get(key: K): V? =\n   @Suppress(\"UNCHECKED_CAST\")
 (this as Map<K, V>).get(key)\n\n/**\n * Allows to use the index operator for storing values in a mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.set(key: K, value: V): Unit {\n   put(key, value)\n}\n\n/**\n * Returns `true` if the map contains the specified [key].\n *\n * Allows to overcome type-safety restriction of `containsKey` that requires to pass a key of type `K`.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes K> Map<out K, *>.containsKey(key: K): Boolean =\n   @Suppress(\"UNCHECKED_CAST\") (this as Map<K, *>).containsKey(key)\n\n/**\n * Returns `true` if the map maps one or more keys to the specified [value].\n *\n * Allows to overcome type-safety restriction of `containsValue` that requires to pass a value of type `V`.\n */\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning, extension takes precedence in some cases\n@kotlin.internal.InlineOnly\npublic inline fun
 <K, @kotlin.internal.OnlyInputTypes V> Map<K, V>.containsValue(value: V): Boolean = this.containsValue(value)\n\n\n/**\n * Removes the specified key and its corresponding value from this map.\n *\n * @return the previous value associated with the key, or `null` if the key was not present in the map.\n\n * Allows to overcome type-safety restriction of `remove` that requires to pass a key of type `K`.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes K, V> MutableMap<out K, V>.remove(key: K): V? =\n   @Suppress(\"UNCHECKED_CAST\") (this as MutableMap<K, V>).remove(key)\n\n/**\n * Returns the key component of the map entry.\n *\n * This method allows to use destructuring declarations when working with maps, for example:\n * ```\n * for ((key, value) in map) {\n *   // do something with the key and the value\n * }\n * ```\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map.Entry<K, V>.component1(): K = key\n\n/**\n * Returns the
 value component of the map entry.\n *\n * This method allows to use destructuring declarations when working with maps, for example:\n * ```\n * for ((key, value) in map) {\n *   // do something with the key and the value\n * }\n * ```\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map.Entry<K, V>.component2(): V = value\n\n/**\n * Converts entry to [Pair] with key being first component and value being second.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map.Entry<K, V>.toPair(): Pair<K, V> = Pair(key, value)\n\n/**\n * Returns the value for the given key, or the result of the [defaultValue] function if there was no entry for the given key.\n *\n * @sample samples.collections.Maps.Usage.getOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<K, V>.getOrElse(key: K, defaultValue: () -> V): V = get(key) ?: defaultValue()\n\n\ninternal inline fun <K, V> Map<K, V>.getOrElseNullable(key: K, defaultValue: () -> V): V {\n   val value
 = get(key)\n   if (value == null && !containsKey(key)) {\n   return defaultValue()\n   } else {\n@Suppress(\"UNCHECKED_CAST\")\n   return value as V\n   }\n}\n\n/**\n * Returns the value for the given [key] or throws an exception if there is no such key in the map.\n *\n * If the map was created by [withDefault], resorts to its `defaultValue` provider function\n * instead of throwing an exception.\n *\n * @throws NoSuchElementException when the map doesn't contain a value for the specified key and\n * no implicit default value was provided for that map.\n */\n@SinceKotlin(\"1.1\")\npublic fun <K, V> Map<K, V>.getValue(key: K): V = getOrImplicitDefault(key)\n\n/**\n * Returns the value for the given key. If the key is not found in the map, calls

the [defaultValue] function,\n * puts its result into the map under the given key and returns it.\n *\n * @sample samples.collections.Maps.Usage.getOrPut\n */\npublic inline fun <K, V> MutableMap<K, V>.getOrPut(key: K, defaultValue:
() -> V): V {\n val value = get(key)\n return if (value == null) {\n val answer = defaultValue()\n put(key, answer)\n answer\n } else {\n value\n }\n}\n\n/**\n * Returns an [Iterator] over the entries in the [Map].\n *\n * @sample samples.collections.Maps.Usage.forOverEntries\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map<out K, V>.iterator(): Iterator<Map.Entry<K, V>> = entries.iterator()\n\n/**\n * Returns a [MutableIterator] over the mutable entries in the [MutableMap].\n *\n */\n@kotlin.jvm.JvmName(\"mutableIterator\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.iterator(): MutableIterator<MutableMap.MutableEntry<K, V>> = entries.iterator()\n\n/**\n * Populates the given [destination] map with entries having the keys of this map and the values obtained\n * by applying the [transform] function to each entry in this [Map].\n */\npublic inline fun <K, V, R, M : MutableMap<in
K, in R>> Map<out K, V>.mapValuesTo(destination: M, transform: (Map.Entry<K, V>) -> R): M {\n return entries.associateByTo(destination, { it.key }, transform)\n}\n\n/**\n * Populates the given [destination] map with entries having the keys obtained\n * by applying the [transform] function to each entry in this [Map] and the values of this map.\n *\n * In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite\n * the value associated with the former one.\n */\npublic inline fun <K, V, R, M : MutableMap<in R, in V>> Map<out K, V>.mapKeysTo(destination: M, transform: (Map.Entry<K, V>) -> R): M {\n return entries.associateByTo(destination, transform, { it.value })\n}\n\n/**\n * Puts all the given [pairs] into this [MutableMap] with the first component in the pair being the key and the second the value.\n */\npublic fun <K, V> MutableMap<in K, in V>.putAll(pairs: Array<out Pair<K, V>>): Unit {\n for ((key, value) in pairs) {\n put(key,
value)\n }\n}\n\n/**\n * Puts all the elements of the given collection into this [MutableMap] with the first component in the pair being the key and the second the value.\n */\npublic fun <K, V> MutableMap<in K, in V>.putAll(pairs: Iterable<Pair<K, V>>): Unit {\n for ((key, value) in pairs) {\n put(key, value)\n }\n}\n\n/**\n * Puts all the elements of the given sequence into this [MutableMap] with the first component in the pair being the key and the second the value.\n */\npublic fun <K, V> MutableMap<in K, in V>.putAll(pairs: Sequence<Pair<K, V>>): Unit {\n for ((key, value) in pairs) {\n put(key, value)\n }\n}\n\n/**\n * Returns a new map with entries having the keys of this map and the values obtained by applying the [transform]\n * function to each entry in this [Map].\n *\n * The returned map preserves the entry iteration order of the original map.\n *\n * @sample samples.collections.Maps.Transformations.mapValues\n */\npublic inline fun <K, V, R>
Map<out K, V>.mapValues(transform: (Map.Entry<K, V>) -> R): Map<K, R> {\n return mapValuesTo(LinkedHashMap<K, R>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()\n}\n\n/**\n * Returns a new Map with entries having the keys obtained by applying the [transform] function to each entry in this\n * [Map] and the values of this map.\n *\n * In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite\n * the value associated with the former one.\n *\n * The returned map preserves the entry iteration order of the original map.\n *\n * @sample samples.collections.Maps.Transformations.mapKeys\n */\npublic inline fun <K, V, R> Map<out K, V>.mapKeys(transform: (Map.Entry<K, V>) -> R): Map<R, V> {\n return mapKeysTo(LinkedHashMap<R, V>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()\n}\n\n/**\n * Returns a map containing all key-value pairs with keys matching the given [predicate].\n *\n * The returned map preserves the entry iteration
order of the original map.\n * @sample samples.collections.Maps.Filtering.filterKeys\n */\npublic inline fun <K, V> Map<out K, V>.filterKeys(predicate: (K) -> Boolean): Map<K, V> {\n val result = LinkedHashMap<K, V>()\n for (entry in this) {\n if (predicate(entry.key)) {\n result.put(entry.key, entry.value)\n }\n }\n return result\n}\n\n/**\n * Returns a map containing all key-value pairs with values matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n * @sample samples.collections.Maps.Filtering.filterValues\n */\npublic inline fun <K, V> Map<out K,

V>.filterValues(predicate: (V) -> Boolean): Map<K, V> {\n val result = LinkedHashMap<K, V>()\n for (entry in this) {\n if (predicate(entry.value)) {\n result.put(entry.key, entry.value)\n }\n }\n return result\n}\n\n\n/**\n * Appends all entries matching the given [predicate] into the mutable map given as [destination] parameter.\n *\n * @return the destination map.\n * @sample samples.collections.Maps.Filtering.filterTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {\n for (element in this) {\n if (predicate(element)) {\n destination.put(element.key, element.value)\n }\n }\n return destination\n}\n\n/**\n * Returns a new map containing all key-value pairs matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n * @sample samples.collections.Maps.Filtering.filter\n */\npublic inline fun <K, V> Map<out K, V>.filter(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {\n return filterTo(LinkedHashMap<K, V>(), predicate)\n}\n\n/**\n * Appends all entries not matching the given [predicate] into the given [destination].\n *\n * @return the destination map.\n * @sample samples.collections.Maps.Filtering.filterNotTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterNotTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {\n for (element in this) {\n if (!predicate(element)) {\n destination.put(element.key, element.value)\n }\n }\n return destination\n}\n\n/**\n * Returns a new map containing all key-value pairs not matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n * @sample samples.collections.Maps.Filtering.filterNot\n */\npublic inline fun <K, V> Map<out K, V>.filterNot(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {\n return filterNotTo(LinkedHashMap<K, V>(), predicate)\n}\n\n/**\n * Returns a new map containing all key-value pairs from the given collection of pairs.\n *\n * The returned map preserves the entry iteration order of the original collection.\n */\npublic fun <K, V> Iterable<Pair<K, V>>.toMap(): Map<K, V> {\n if (this is Collection) {\n return when (size) {\n 0 -> emptyMap()\n 1 -> mapOf(if (this is List) this[0] else iterator().next())\n else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))\n }\n }\n return toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs from the given collection of pairs.\n */\npublic fun <K, V, M : MutableMap<in K, in V>> Iterable<Pair<K, V>>.toMap(destination: M): M =\n destination.apply { putAll(this@toMap) }\n\n/**\n * Returns a new map containing all key-value pairs from the given array of pairs.\n *\n * The returned map preserves the entry iteration order of the original array.\n */\npublic fun <K, V> Array<out Pair<K, V>>.toMap(): Map<K, V> = when (size) {\n 0 -> emptyMap()\n 1 -> mapOf(this[0])\n else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs from the given array of pairs.\n */\npublic fun <K, V, M : MutableMap<in K, in V>> Array<out Pair<K, V>>.toMap(destination: M): M =\n destination.apply { putAll(this@toMap) }\n\n/**\n * Returns a new map containing all key-value pairs from the given sequence of pairs.\n *\n * The returned map preserves the entry iteration order of the original sequence.\n */\npublic fun <K, V> Sequence<Pair<K, V>>.toMap(): Map<K, V> = toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs from the given sequence of pairs.\n */\npublic fun <K, V, M : MutableMap<in K, in V>> Sequence<Pair<K, V>>.toMap(destination: M): M =\n destination.apply { putAll(this@toMap) }\n\n/**\n * Returns a new read-only map containing all key-value pairs from the original map.\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic fun <K, V> Map<out K, V>.toMap(): Map<K, V> = when (size) {\n 0 -> emptyMap()\n 1 -> toSingletonMap()\n else -> toMutableMap()\n}\n\n/**\n * Returns a new mutable map containing all key-value pairs from the original map.\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic fun <K, V> Map<out K, V>.toMutableMap(): MutableMap<K, V> = LinkedHashMap(this)\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs from the given map.\n */\n@SinceKotlin(\"1.1\")\npublic fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.toMap(destination: M): M =\n destination.apply { putAll(this@toMap) }\n\n/**\n * Creates a new read-only map by replacing or

adding an entry to this map from a given key-value [pair].\n *\n * The returned map preserves the entry iteration order of the original map.\n * The [pair] is iterated in the end if it has a unique key.\n */\npublic operator fun <K, V> Map<out K, V>.plus(pair: Pair<K, V>): Map<K, V>
=\n if (this.isEmpty()) mapOf(pair) else LinkedHashMap(this).apply { put(pair.first, pair.second) }\n\n/**\n * Creates a new read-only map by replacing or adding entries to this map from a given collection of key-value [pairs].\n *\n * The returned map preserves the entry iteration order of the original map.\n * Those [pairs] with unique keys are iterated in the end in the order of [pairs] collection.\n */\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Iterable<Pair<K, V>>): Map<K, V> =\n if (this.isEmpty()) pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }\n\n/**\n * Creates a new read-only map by replacing or adding entries to this map from a given array of key-value [pairs].\n *\n * The returned map preserves the entry iteration order of the original map.\n * Those [pairs] with unique keys are iterated in the end in the order of [pairs] array.\n */\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Array<out Pair<K, V>>): Map<K, V> =\n if (this.isEmpty()) pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }\n\n/**\n * Creates a new read-only map by replacing or adding entries to this map from a given sequence of key-value [pairs].\n *\n * The returned map preserves the entry iteration order of the original map.\n * Those [pairs] with unique keys are iterated in the end in the order of [pairs] sequence.\n */\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Sequence<Pair<K, V>>): Map<K, V> =\n LinkedHashMap(this).apply { putAll(pairs) }.optimizeReadOnlyMap()\n\n/**\n * Creates a new read-only map by replacing or adding entries to this map from another [map].\n *\n * The returned map preserves the entry iteration order of the original map.\n * Those entries of another [map] that are missing in this map are iterated in the end in the order of that [map].\n */\npublic operator fun <K, V> Map<out K, V>.plus(map: Map<out K, V>): Map<K, V> =\n LinkedHashMap(this).apply { putAll(map) }\n\n\n/**\n * Appends or replaces the
given [pair] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pair: Pair<K, V>) {\n put(pair.first, pair.second)\n}\n\n/**\n * Appends or replaces all pairs from the given collection of [pairs] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Iterable<Pair<K, V>>) {\n putAll(pairs)\n}\n\n/**\n * Appends or replaces all pairs from the given array of [pairs] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Array<out Pair<K, V>>) {\n putAll(pairs)\n}\n\n/**\n * Appends or replaces all pairs from the given sequence of [pairs] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Sequence<Pair<K, V>>) {\n putAll(pairs)\n}\n\n/**\n * Appends or replaces all entries from
the given [map] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(map: Map<K, V>) {\n putAll(map)\n}\n\n/**\n * Returns a map containing all entries of the original map except the entry with the given [key].\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic operator fun <K, V> Map<out K, V>.minus(key: K): Map<K, V> =\n this.toMutableMap().apply { minusAssign(key) }.optimizeReadOnlyMap()\n\n/**\n * Returns a map containing all entries of the original map except those entries\n * the keys of which are contained in the given [keys] collection.\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic operator fun <K, V> Map<out K, V>.minus(keys: Iterable<K>): Map<K, V> =\n this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()\n\n/**\n * Returns a map containing
all entries of the original map except those entries\n * the keys of which are contained in the given [keys] array.\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic operator fun <K, V> Map<out K, V>.minus(keys: Array<out K>): Map<K, V> =\n this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()\n\n/**\n * Returns a map containing all entries of the original map except those entries\n * the keys of which are contained in the given [keys] sequence.\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic operator fun <K, V>

Map<out K, V>.minus(keys: Sequence<K>): Map<K, V> =\n   this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()\n\n/**\n * Removes the entry with the given [key] from this mutable map.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(key:
 K) {\n   remove(key)\n}\n\n/**\n * Removes all entries the keys of which are contained in the given [keys] collection from this mutable map.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Iterable<K>) {\n   this.keys.removeAll(keys)\n}\n\n/**\n * Removes all entries the keys of which are contained in the given [keys] array from this mutable map.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Array<out K>) {\n   this.keys.removeAll(keys)\n}\n\n/**\n * Removes all entries from the keys of which are contained in the given [keys] sequence from this mutable map.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Sequence<K>) {\n   this.keys.removeAll(keys)\n}\n\n\n// do not expose for now @PublishedApi\ninternal fun <K, V> Map<K, V>.optimizeReadOnlyMap()
 = when (size) {\n   0 -> emptyMap()\n   1 -> toSingletonMapOrSelf()\n   else -> this\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SetsKt\")\n\npackage kotlin.collections\n\n\ninternal object EmptySet : Set<Nothing>, Serializable {\n   private const val serialVersionUID: Long = 3406603774387020532\n\n   override fun equals(other: Any?): Boolean = other is Set<*> && other.isEmpty()\n   override fun hashCode(): Int = 0\n   override fun toString(): String = \"[]\"\n\n   override val size: Int get() = 0\n   override fun isEmpty(): Boolean = true\n   override fun contains(element: Nothing): Boolean = false\n   override fun containsAll(elements: Collection<Nothing>): Boolean = elements.isEmpty()\n\n   override fun iterator(): Iterator<Nothing> = EmptyIterator\n\n   private fun readResolve(): Any = EmptySet\n}\n\n\n/**\n * Returns an empty read-only set. The returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.emptyReadOnlySet\n */\npublic fun <T> emptySet(): Set<T> = EmptySet\n\n/**\n * Returns a new read-only set with the given elements.\n * Elements of the set are iterated in the order they were specified.\n * The returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.readOnlySet\n */\npublic fun <T> setOf(vararg elements: T): Set<T> = if (elements.size > 0) elements.toSet() else emptySet()\n\n/**\n * Returns an empty read-only set. The returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.emptyReadOnlySet\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> setOf(): Set<T> = emptySet()\n\n/**\n * Returns an empty new [MutableSet].\n *\n * The returned set preserves the element iteration order.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun
 <T> mutableSetOf(): MutableSet<T> = LinkedHashSet()\n\n/**\n * Returns a new [MutableSet] with the given elements.\n * Elements of the set are iterated in the order they were specified.\n */\npublic fun <T> mutableSetOf(vararg elements: T): MutableSet<T> = elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/** Returns an empty new [HashSet]. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> hashSetOf(): HashSet<T> = HashSet()\n\n/** Returns a new [HashSet] with the given elements. */\npublic fun <T> hashSetOf(vararg elements: T): HashSet<T> = elements.toCollection(HashSet(mapCapacity(elements.size)))\n\n/** Returns an empty new [LinkedHashSet]. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> linkedSetOf(): LinkedHashSet<T> = LinkedHashSet()\n\n/**\n * Returns a new [LinkedHashSet] with the given elements.\n * Elements of the set are iterated in the order they were specified.\n */\npublic fun <T> linkedSetOf(vararg
 elements: T): LinkedHashSet<T> = elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/** Returns this Set if it's not `null` and the empty set otherwise. */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>?.orEmpty(): Set<T> = this ?: emptySet()\n\ninternal fun <T> Set<T>.optimizeReadOnlySet() = when (size) {\n   0 -> emptySet()\n   1 -> setOf(iterator().next())\n   else -> this\n}\n","/*\n * Copyright 2010-2018 JetBrains

s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n@file:Suppress(\"PLATFORM_CLASS_MAPPED_TO_KOTLIN\")\n\npackage kotlin.text\n\nimport kotlin.*\n\n\n\n/**\n * Parses the string as a signed [Byte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toByteOrNull(): Byte? = toByteOrNull(radix = 10)\n\n/**\n * Parses the string as a signed [Byte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toByteOrNull(radix: Int): Byte? {\n val int = this.toIntOrNull(radix) ?: return null\n if (int < Byte.MIN_VALUE || int > Byte.MAX_VALUE) return null\n return int.toByte()\n}\n\n/**\n * Parses the string as a [Short] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toShortOrNull(): Short? = toShortOrNull(radix = 10)\n\n/**\n * Parses the string as a [Short] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toShortOrNull(radix: Int): Short? {\n val int = this.toIntOrNull(radix) ?: return null\n if (int < Short.MIN_VALUE || int > Short.MAX_VALUE) return null\n return int.toShort()\n}\n\n/**\n * Parses the string as an [Int] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toIntOrNull(): Int? = toIntOrNull(radix = 10)\n\n/**\n * Parses the string as an [Int] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toIntOrNull(radix: Int): Int? {\n checkRadix(radix)\n\n val length = this.length\n if (length == 0) return null\n\n val start: Int\n val isNegative: Boolean\n val limit: Int\n\n val firstChar = this[0]\n if (firstChar < '0') { // Possible leading sign\n if (length == 1) return null // non-digit (possible sign) only, no digits after\n\n start = 1\n\n if (firstChar == '-') {\n isNegative = true\n limit = Int.MIN_VALUE\n } else if (firstChar == '+') {\n isNegative = false\n limit = -Int.MAX_VALUE\n } else\n return null\n } else {\n start = 0\n isNegative = false\n limit = -Int.MAX_VALUE\n }\n\n\n val limitBeforeMul = limit / radix\n var result = 0\n for (i in start..(length - 1)) {\n val digit = digitOf(this[i], radix)\n\n if (digit < 0) return null\n if (result < limitBeforeMul) return null\n\n result *= radix\n\n if (result < limit + digit) return null\n\n result -= digit\n }\n\n return if (isNegative) result else -result\n}\n\n/**\n * Parses the string as a [Long] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toLongOrNull(): Long? = toLongOrNull(radix = 10)\n\n/**\n * Parses the string as a [Long] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toLongOrNull(radix: Int): Long? {\n checkRadix(radix)\n\n val length = this.length\n if (length == 0) return null\n\n val start: Int\n val isNegative: Boolean\n val limit: Long\n\n val firstChar = this[0]\n if (firstChar < '0') { // Possible leading sign\n if (length == 1) return null // non-digit (possible sign) only, no digits after\n\n start = 1\n\n if (firstChar == '-') {\n isNegative = true\n limit = Long.MIN_VALUE\n } else if (firstChar == '+') {\n isNegative = false\n limit = -Long.MAX_VALUE\n } else\n return null\n } else {\n start = 0\n isNegative = false\n limit = -Long.MAX_VALUE\n }\n\n\n val limitBeforeMul = limit / radix\n var result = 0L\n for (i in start..(length - 1)) {\n val digit = digitOf(this[i], radix)\n\n if (digit < 0) return null\n if (result < limitBeforeMul) return null\n\n result *= radix\n\n if (result < limit + digit) return null\n\n result -= digit\n }\n\n return if (isNegative) result else -result\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"PreconditionsKt\")\n\npackage

kotlin\n\nimport kotlin.internal.contracts.*\n\n/**\n * Throws an [IllegalArgumentException] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun require(value: Boolean): Unit {\n contract {\n returns() implies value\n }\n require(value) { \"Failed requirement.\" }\n}\n\n/**\n * Throws an [IllegalArgumentException] with the result of calling [lazyMessage] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun require(value: Boolean, lazyMessage: () -> Any): Unit {\n contract {\n returns() implies value\n }\n if (!value) {\n val message = lazyMessage()\n throw IllegalArgumentException(message.toString())\n }\n}\n\n/**\n * Throws an [IllegalArgumentException] if the [value] is null. Otherwise returns the not null value.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> requireNotNull(value: T?): T {\n contract {\n returns() implies (value != null)\n }\n return requireNotNull(value) { \"Required value was null.\" }\n}\n\n/**\n * Throws an [IllegalArgumentException] with the result of calling [lazyMessage] if the [value] is null. Otherwise\n * returns the not null value.\n *\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> requireNotNull(value: T?, lazyMessage: () -> Any): T {\n contract {\n returns() implies (value != null)\n }\n\n if (value == null) {\n val message = lazyMessage()\n throw IllegalArgumentException(message.toString())\n } else {\n return value\n }\n}\n\n/**\n * Throws an [IllegalStateException] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun check(value: Boolean): Unit {\n contract {\n returns() implies value\n }\n check(value) { \"Check failed.\" }\n}\n\n/**\n * Throws an [IllegalStateException] with the result of calling [lazyMessage] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun check(value: Boolean, lazyMessage: () -> Any): Unit {\n contract {\n returns() implies value\n }\n if (!value) {\n val message = lazyMessage()\n throw IllegalStateException(message.toString())\n }\n}\n\n/**\n * Throws an [IllegalStateException] if the [value] is null. Otherwise\n * returns the not null value.\n *\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> checkNotNull(value: T?): T = checkNotNull(value) { \"Required value was null.\" }\n\n/**\n * Throws an [IllegalStateException] with the result of calling [lazyMessage] if the [value] is null. Otherwise\n * returns the not null value.\n *\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> checkNotNull(value: T?, lazyMessage: () -> Any): T {\n contract {\n returns() implies (value != null)\n }\n\n if (value == null) {\n val message = lazyMessage()\n throw IllegalStateException(message.toString())\n } else {\n return value\n }\n}\n\n/**\n * Throws an [IllegalStateException] with the given [message].\n *\n * @sample samples.misc.Preconditions.failWithError\n */\n@kotlin.internal.InlineOnly\npublic inline fun error(message: Any): Nothing = throw IllegalStateException(message.toString())\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ArraysKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\nimport primitiveArrayConcat\nimport withType\nimport kotlin.*\nimport kotlin.text.*\nimport kotlin.comparisons.*\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic actual fun <T> Array<out T>.asList(): List<T> {\n return ArrayList<T>(this.unsafeCast<Array<Any?>>())\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun ByteArray.asList(): List<Byte> {\n return this.unsafeCast<Array<Byte>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun ShortArray.asList(): List<Short> {\n return this.unsafeCast<Array<Short>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n

*/\n@kotlin.internal.InlineOnly\npublic actual inline fun IntArray.asList(): List<Int> {\n   return this.unsafeCast<Array<Int>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun LongArray.asList(): List<Long> {\n   return this.unsafeCast<Array<Long>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun FloatArray.asList(): List<Float> {\n   return this.unsafeCast<Array<Float>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun DoubleArray.asList(): List<Double> {\n   return this.unsafeCast<Array<Double>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun BooleanArray.asList(): List<Boolean> {\n   return this.unsafeCast<Array<Boolean>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic actual fun CharArray.asList(): List<Char> {\n   return object : AbstractList<Char>(), RandomAccess {\n   override val size: Int get() = this@asList.size\n   override fun isEmpty(): Boolean = this@asList.isEmpty()\n   override fun contains(element: Char): Boolean = this@asList.contains(element)\n   override fun get(index: Int): Char = this@asList[index]\n   override fun indexOf(element: Char): Int = this@asList.indexOf(element)\n   override fun lastIndexOf(element: Char): Int = this@asList.lastIndexOf(element)\n   }\n}\n\n/**\n * Returns `true` if the two specified arrays are *deeply* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * If two corresponding elements are nested arrays, they are also compared deeply.\n * If any of arrays contains itself on any nesting level the behavior is undefined.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayDeepEquals\")\npublic actual infix fun <T> Array<out T>.contentDeepEquals(other: Array<out T>): Boolean {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level the behavior is undefined.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayDeepHashCode\")\npublic actual fun <T> Array<out T>.contentDeepHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a string representation of the contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level that reference\n * is rendered as `\"[...]\"` to prevent recursion.\n * \n * @sample samples.collections.Arrays.ContentOperations.contentDeepToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayDeepToString\")\npublic actual fun <T> Array<out T>.contentDeepToString(): String {\n   definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun <T> Array<out T>.contentEquals(other: Array<out T>): Boolean {\n   definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun ByteArray.contentEquals(other: ByteArray): Boolean {\n   definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun ShortArray.contentEquals(other: ShortArray): Boolean {\n   definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun IntArray.contentEquals(other: IntArray): Boolean {\n   definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun LongArray.contentEquals(other: LongArray): Boolean {\n   definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun

FloatArray.contentEquals(other: FloatArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun CharArray.contentEquals(other: CharArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun <T> Array<out T>.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun ByteArray.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun ShortArray.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun IntArray.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun LongArray.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun FloatArray.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun DoubleArray.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun BooleanArray.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun CharArray.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun <T> Array<out T>.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun ByteArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun ShortArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun IntArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun LongArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is

[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun FloatArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun DoubleArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun BooleanArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun CharArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline fun <T> Array<out T>.copyOf(): Array<T> {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun ByteArray.copyOf(): ByteArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun ShortArray.copyOf(): ShortArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun IntArray.copyOf(): IntArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic actual fun LongArray.copyOf(): LongArray {\n return withType(\"LongArray\", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun FloatArray.copyOf(): FloatArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun DoubleArray.copyOf(): DoubleArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic actual fun BooleanArray.copyOf(): BooleanArray {\n return withType(\"BooleanArray\", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic actual fun CharArray.copyOf(): CharArray {\n return withType(\"CharArray\", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun ByteArray.copyOf(newSize: Int): ByteArray {\n return fillFrom(this, ByteArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun

ShortArray.copyOf(newSize: Int): ShortArray {\n   return fillFrom(this, ShortArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun IntArray.copyOf(newSize: Int): IntArray {\n   return
fillFrom(this, IntArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun LongArray.copyOf(newSize: Int): LongArray {\n   return withType(\"LongArray\", arrayCopyResize(this, newSize, 0L))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n
* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun FloatArray.copyOf(newSize: Int): FloatArray {\n   return fillFrom(this, FloatArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun DoubleArray.copyOf(newSize: Int): DoubleArray {\n   return fillFrom(this, DoubleArray(newSize))\n}\n\n/**\n * Returns
new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `false` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `false` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun BooleanArray.copyOf(newSize: Int): BooleanArray {\n   return withType(\"BooleanArray\", arrayCopyResize(this, newSize, false))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with null char (`\\u0000`) values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater
than the size of the original array, the extra elements in the copy array are filled with null char (`\\u0000`) values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun CharArray.copyOf(newSize: Int): CharArray {\n   return withType(\"CharArray\", fillFrom(this, CharArray(newSize)))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `null` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `null` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")\npublic actual fun <T> Array<out T>.copyOf(newSize: Int): Array<T?> {\n   return arrayCopyResize(this,
newSize, null)\n}\n\n/**\n * Returns new array which is a copy of range of original array.\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline fun <T>

Array<out T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T> {\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns new array which is a copy of range of original array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray {\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns new array which is a copy of range of original array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray {\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns new array which is a copy of range of original array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray {\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns new array which is a copy of range of original array.\n */\npublic actual fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray {\n return withType(\"LongArray\", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns new array which is a copy of range of original array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray {\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns new array which is a copy of range of original array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray {\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns new array which is a copy of range of original array.\n */\npublic actual fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray {\n return withType(\"BooleanArray\", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns new array which is a copy of range of original array.\n */\npublic actual fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray {\n return withType(\"CharArray\", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline operator fun <T> Array<out T>.plus(element: T): Array<T> {\n return this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun ByteArray.plus(element: Byte): ByteArray {\n return plus(byteArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun ShortArray.plus(element: Short): ShortArray {\n return plus(shortArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun IntArray.plus(element: Int): IntArray {\n return plus(intArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun LongArray.plus(element: Long): LongArray {\n return plus(longArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun FloatArray.plus(element: Float): FloatArray {\n return plus(floatArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun DoubleArray.plus(element: Double): DoubleArray {\n return plus(doubleArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun BooleanArray.plus(element: Boolean): BooleanArray {\n return plus(booleanArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun CharArray.plus(element: Char): CharArray {\n return plus(charArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")\npublic actual

operator fun <T> Array<out T>.plus(elements: Collection<T>): Array<T> {\n   return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun ShortArray.plus(elements: Collection<Short>): ShortArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun IntArray.plus(elements: Collection<Int>): IntArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun LongArray.plus(elements: Collection<Long>): LongArray {\n   return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun FloatArray.plus(elements: Collection<Float>): FloatArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray {\n   return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun CharArray.plus(elements: Collection<Char>): CharArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline operator fun <T> Array<out T>.plus(elements: Array<out T>): Array<T> {\n   return this.asDynamic().concat(elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun ByteArray.plus(elements: ByteArray): ByteArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun ShortArray.plus(elements: ShortArray): ShortArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun IntArray.plus(elements: IntArray): IntArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun LongArray.plus(elements: LongArray): LongArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun FloatArray.plus(elements: FloatArray): FloatArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun DoubleArray.plus(elements: DoubleArray): DoubleArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun BooleanArray.plus(elements: BooleanArray): BooleanArray {\n   return primitiveArrayConcat(this,

```
elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun CharArray.plus(elements: CharArray): CharArray {\n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline fun <T> Array<out T>.plusElement(element: T): Array<T> {\n    return this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Sorts the array in-place.\n */\n@library(\"primitiveArraySort\")\npublic actual fun IntArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n */\npublic actual fun LongArray.sort(): Unit {\n    if (size > 1)\n        sort { a: Long, b: Long -> a.compareTo(b) }\n}\n\n/**\n * Sorts the array in-place.\n */\n@library(\"primitiveArraySort\")\npublic actual fun ByteArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n */\n@library(\"primitiveArraySort\")\npublic actual fun ShortArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n */\n@library(\"primitiveArraySort\")\npublic actual fun DoubleArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n */\n@library(\"primitiveArraySort\")\npublic actual fun FloatArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n */\n@library(\"primitiveArraySort\")\npublic actual fun CharArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place according to the natural order of its elements.\n */\npublic actual fun <T : Comparable<T>> Array<out T>.sort(): Unit {\n    if (size > 1)\n        sort { a: T, b: T -> a.compareTo(b) }\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.sort(noinline comparison: (a: T, b: T) -> Int): Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sort(noinline comparison: (a: Byte, b: Byte) -> Int): Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sort(noinline comparison: (a: Short, b: Short) -> Int): Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sort(noinline comparison: (a: Int, b: Int) -> Int): Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.sort(noinline comparison: (a: Long, b: Long) -> Int): Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sort(noinline comparison: (a: Float, b: Float) -> Int): Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.sort(noinline comparison: (a: Double, b: Double) -> Int): Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sort(noinline comparison: (a: Char, b: Char) -> Int): Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparator].\n */\npublic actual fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit {\n    if (size > 1)\n        sort { a, b -> comparator.compare(a, b) }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun ByteArray.toTypedArray(): Array<Byte> {\n    return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun ShortArray.toTypedArray(): Array<Short> {\n    return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun IntArray.toTypedArray(): Array<Int> {\n    return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n
```

```
*/\npublic actual fun LongArray.toTypedArray(): Array<Long> {\n    return
copyOf().unsafeCast<Array<Long>>()\n}\n\n/**\n * Returns a *typed* object array containing all of the elements
of this primitive array.\n */\npublic actual fun FloatArray.toTypedArray(): Array<Float> {\n    return
js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n */\npublic actual fun DoubleArray.toTypedArray(): Array<Double> {\n    return
js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n */\npublic actual fun BooleanArray.toTypedArray(): Array<Boolean> {\n    return
copyOf().unsafeCast<Array<Boolean>>()\n}\n\n/**\n * Returns a *typed* object array containing all of the
elements of this primitive array.\n */\npublic actual fun CharArray.toTypedArray(): Array<Char> {\n    return
Array<Char>(size, { i -> this[i] })\n}\n\n","/*\n * Copyright 2010-2018
 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n
*/\n@file:kotlin.jvm.JvmName(\"ComparisonsKt\")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage
kotlin.comparisons\n\n/**\n * Compares two values using the specified functions [selectors] to calculate the result
of the comparison.\n * The functions are called sequentially, receive the given values [a] and [b] and return
[Comparable]\n * objects. As soon as the [Comparable] instances returned by a function for [a] and [b] values do
not\n * compare as equal, the result of that comparison is returned.\n *\n * @sample
samples.comparisons.Comparisons.compareValuesByWithSelectors\n */\npublic fun <T> compareValuesBy(a: T,
b: T, vararg selectors: (T) -> Comparable<*>?): Int {\n    require(selectors.size > 0)\n    return
compareValuesByImpl(a, b, selectors)\n}\n\nprivate fun <T> compareValuesByImpl(a: T, b: T, selectors:
Array<out (T) -> Comparable<*>?>): Int
 {\n    for (fn in selectors) {\n        val v1 = fn(a)\n        val v2 = fn(b)\n        val diff = compareValues(v1, v2)\n
if (diff != 0) return diff\n    }\n    return 0\n}\n\n/**\n * Compares two values using the specified [selector] function
to calculate the result of the comparison.\n * The function is applied to the given values [a] and [b] and return
[Comparable] objects.\n * The result of comparison of these [Comparable] instances is returned.\n *\n * @sample
samples.comparisons.Comparisons.compareValuesByWithSingleSelector\n */\n@kotlin.internal.InlineOnly\npublic
inline fun <T> compareValuesBy(a: T, b: T, selector: (T) -> Comparable<*>?): Int {\n    return
compareValues(selector(a), selector(b))\n}\n\n/**\n * Compares two values using the specified [selector] function to
calculate the result of the comparison.\n * The function is applied to the given values [a] and [b] and return objects
of type K which are then being\n * compared with the given [comparator].\n *\n * @sample
 samples.comparisons.Comparisons.compareValuesByWithComparator\n */\n@kotlin.internal.InlineOnly\npublic
inline fun <T, K> compareValuesBy(a: T, b: T, comparator: Comparator<in K>, selector: (T) -> K): Int {\n    return
comparator.compare(selector(a), selector(b))\n}\n\n//// Not so useful without type inference for receiver of
expression\n//// compareValuesWith(v1, v2, compareBy { it.prop1 } thenByDescending { it.prop2 })\n///**\n// *
Compares two values using the specified [comparator].\n// */\n//@Suppress(\"NOTHING_TO_INLINE\")\n//public
inline fun <T> compareValuesWith(a: T, b: T, comparator: Comparator<T>): Int = comparator.compare(a,
b)\n//\n\n\n/**\n * Compares two nullable [Comparable] values. Null is considered less than any value.\n *\n *
@sample samples.comparisons.Comparisons.compareValues\n */\npublic fun <T : Comparable<*>>
compareValues(a: T?, b: T?): Int {\n    if (a === b) return 0\n    if (a == null) return -1\n    if (b == null) return 1\n\n
@Suppress(\"UNCHECKED_CAST\")\n
    return (a as Comparable<Any>).compareTo(b)\n}\n\n/**\n * Creates a comparator using the sequence of
functions to calculate a result of comparison.\n * The functions are called sequentially, receive the given values `a`
and `b` and return [Comparable]\n * objects. As soon as the [Comparable] instances returned by a function for `a`
and `b` values do not\n * compare as equal, the result of that comparison is returned from the [Comparator].\n *\n *
@sample samples.comparisons.Comparisons.compareByWithSelectors\n */\npublic fun <T> compareBy(vararg
selectors: (T) -> Comparable<*>?): Comparator<T> {\n    require(selectors.size > 0)\n    return Comparator { a, b ->
compareValuesByImpl(a, b, selectors) }\n}\n\n\n/**\n * Creates a comparator using the function to transform value
to a [Comparable] instance for comparison.\n *\n * @sample
```

samples.comparisons.Comparisons.compareByWithSingleSelector\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareBy(crossinline selector:
(T) -> Comparable<*>?): Comparator<T> =\n Comparator { a, b -> compareValuesBy(a, b, selector) }\n\n/**\n * Creates a comparator using the [selector] function to transform values being compared and then applying\n * the specified [comparator] to compare transformed values.\n *\n * @sample samples.comparisons.Comparisons.compareByWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n Comparator { a, b -> compareValuesBy(a, b, comparator, selector) }\n\n/**\n * Creates a descending comparator using the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample samples.comparisons.Comparisons.compareByDescendingWithSingleSelector\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n Comparator { a, b -> compareValuesBy(b, a, selector) }\n\n/**\n * Creates
a descending comparator using the [selector] function to transform values being compared and then applying\n * the specified [comparator] to compare transformed values.\n *\n * Note that an order of [comparator] is reversed by this wrapper.\n *\n * @sample samples.comparisons.Comparisons.compareByDescendingWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareByDescending(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n Comparator { a, b -> compareValuesBy(b, a, comparator, selector) }\n\n/**\n * Creates a comparator comparing values after the primary comparator defined them equal. It uses\n * the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample samples.comparisons.Comparisons.thenBy\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Comparator<T>.thenBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n Comparator { a, b ->\n val previousCompare = this@thenBy.compare(a,
b)\n if (previousCompare != 0) previousCompare else compareValuesBy(a, b, selector)\n }\n\n/**\n * Creates a comparator comparing values after the primary comparator defined them equal. It uses\n * the [selector] function to transform values and then compares them with the given [comparator].\n *\n * @sample samples.comparisons.Comparisons.thenByWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> Comparator<T>.thenBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n Comparator { a, b ->\n val previousCompare = this@thenBy.compare(a, b)\n if (previousCompare != 0) previousCompare else compareValuesBy(a, b, comparator, selector)\n }\n\n/**\n * Creates a descending comparator using the primary comparator and\n * the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample samples.comparisons.Comparisons.thenByDescending\n */\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Comparator<T>.thenByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n Comparator { a, b ->\n val previousCompare = this@thenByDescending.compare(a, b)\n if (previousCompare != 0) previousCompare else compareValuesBy(b, a, selector)\n }\n\n/**\n * Creates a descending comparator comparing values after the primary comparator defined them equal. It uses\n * the [selector] function to transform values and then compares them with the given [comparator].\n *\n * @sample samples.comparisons.Comparisons.thenByDescendingWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> Comparator<T>.thenByDescending(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n Comparator { a, b ->\n val previousCompare = this@thenByDescending.compare(a, b)\n if (previousCompare != 0) previousCompare else compareValuesBy(b, a, comparator, selector)\n }\n\n\n/**\n * Creates a comparator
using the primary comparator and function to calculate a result of comparison.\n *\n * @sample samples.comparisons.Comparisons.thenComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Comparator<T>.thenComparator(crossinline comparison: (a: T, b: T) -> Int): Comparator<T> =\n Comparator { a, b ->\n val previousCompare = this@thenComparator.compare(a, b)\n if (previousCompare != 0) previousCompare else comparison(a, b)\n }\n\n/**\n * Combines this comparator and the given [comparator] such

```
that the latter is applied only\n * when the former considered values equal.\n *\n * @sample samples.comparisons.Comparisons.then\n */\npublic infix fun <T> Comparator<T>.then(comparator: Comparator<in T>): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@then.compare(a, b)\n        if (previousCompare != 0) previousCompare else comparator.compare(a, b)\n    }\n\n/**\n * Combines this comparator and the given [comparator] such that the latter is applied only\n * when the former considered values equal.\n *\n * @sample samples.comparisons.Comparisons.thenDescending\n */\npublic infix fun <T> Comparator<T>.thenDescending(comparator: Comparator<in T>): Comparator<T> =\n    Comparator<T> { a, b ->\n        val previousCompare = this@thenDescending.compare(a, b)\n        if (previousCompare != 0) previousCompare else comparator.compare(b, a)\n    }\n\n// Not so useful without type inference for receiver of expression\n/**\n * Extends the given [comparator] of non-nullable values to a comparator of nullable values\n * considering `null` value less than any other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n */\npublic fun <T : Any> nullsFirst(comparator: Comparator<in T>): Comparator<T?> =\n    Comparator { a, b ->\n        when {\n            a === b -> 0\n            a == null -> -1\n            b == null -> 1\n            else -> comparator.compare(a, b)\n        }\n    }\n\n/**\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value less than any other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsFirst(): Comparator<T?> = nullsFirst(naturalOrder())\n\n/**\n * Extends the given [comparator] of non-nullable values to a comparator of nullable values\n * considering `null` value greater than any other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n */\npublic fun <T : Any> nullsLast(comparator: Comparator<in T>): Comparator<T?> =\n    Comparator { a, b ->\n        when {\n            a === b -> 0\n            a == null -> 1\n            b == null -> -1\n            else -> comparator.compare(a, b)\n        }\n    }\n\n/**\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value greater than any other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsLast(): Comparator<T?> = nullsLast(naturalOrder())\n\n/**\n * Returns a comparator that compares [Comparable] objects in natural order.\n *\n * @sample samples.comparisons.Comparisons.naturalOrderComparator\n */\npublic fun <T : Comparable<T>> naturalOrder(): Comparator<T> = @Suppress(\"UNCHECKED_CAST\") (NaturalOrderComparator as Comparator<T>)\n\n/**\n * Returns a comparator that compares [Comparable] objects in reversed natural order.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n */\npublic fun <T : Comparable<T>> reverseOrder(): Comparator<T> = @Suppress(\"UNCHECKED_CAST\") (ReverseOrderComparator as Comparator<T>)\n\n/**\n *  Returns a comparator that imposes the reverse ordering of this comparator.\n *\n *  @sample samples.comparisons.Comparisons.reversed\n */\npublic fun <T> Comparator<T>.reversed(): Comparator<T> = when (this) {\n    is ReversedComparator -> this.comparator\n    NaturalOrderComparator -> @Suppress(\"UNCHECKED_CAST\") (ReverseOrderComparator as Comparator<T>)\n    ReverseOrderComparator -> @Suppress(\"UNCHECKED_CAST\") (NaturalOrderComparator as Comparator<T>)\n    else -> ReversedComparator(this)\n}\n\n\nprivate class ReversedComparator<T>(public val comparator: Comparator<T>) : Comparator<T> {\n    override fun compare(a: T, b: T): Int = comparator.compare(b, a)\n\n    @Suppress(\"VIRTUAL_MEMBER_HIDDEN\")\n    fun reversed(): Comparator<T> = comparator\n}\n\nprivate object NaturalOrderComparator : Comparator<Comparable<Any>> {\n    override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int = a.compareTo(b)\n\n    @Suppress(\"VIRTUAL_MEMBER_HIDDEN\")\n    fun reversed(): Comparator<Comparable<Any>> = ReverseOrderComparator\n}\n\nprivate object ReverseOrderComparator : Comparator<Comparable<Any>> {\n    override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int = b.compareTo(a)\n\n    @Suppress(\"VIRTUAL_MEMBER_HIDDEN\")\n
```

fun reversed(): Comparator<Comparable<Any>> = NaturalOrderComparator\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n\npublic actual interface Comparator<T> {\n @JsName(\"compare\")\n actual fun compare(a: T, b: T): Int\n}\n\npublic actual inline fun <T> Comparator(crossinline comparison: (a: T, b: T) -> Int): Comparator<T> = object : Comparator<T> {\n override fun compare(a: T, b: T): Int = comparison(a, b)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StandardKt\")\npackage kotlin\n\nimport kotlin.internal.contracts.*\n\n/**\n * An exception is thrown to indicate that a method body remains to be implemented.\n */\npublic
class NotImplementedError(message: String = \"An operation is not implemented.\") : Error(message)\n\n/**\n * Always throws [NotImplementedError] stating that operation is not implemented.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun TODO(): Nothing = throw NotImplementedError()\n\n/**\n * Always throws [NotImplementedError] stating that operation is not implemented.\n *\n * @param reason a string explaining why the implementation is missing.\n */\n@kotlin.internal.InlineOnly\npublic inline fun TODO(reason: String): Nothing = throw NotImplementedError(\"An operation is not implemented: $reason\")\n\n\n\n/**\n * Calls the specified function [block] and returns its result.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <R> run(block: () -> R): R {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n return block()\n}\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and returns its result.\n */\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R> T.run(block: T.() -> R): R {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n return block()\n}\n\n/**\n * Calls the specified function [block] with the given [receiver] as its receiver and returns its result.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> with(receiver: T, block: T.() -> R): R {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n return receiver.block()\n}\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and returns `this` value.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> T.apply(block: T.() -> Unit): T {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n block()\n return this\n}\n\n/**\n * Calls the specified function [block] with `this` value as its argument and returns `this` value.\n */\n@kotlin.internal.InlineOnly\n@SinceKotlin(\"1.1\")\npublic inline fun
<T> T.also(block: (T) -> Unit): T {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n block(this)\n return this\n}\n\n/**\n * Calls the specified function [block] with `this` value as its argument and returns its result.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.let(block: (T) -> R): R {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n return block(this)\n}\n\n/**\n * Returns `this` value if it satisfies the given [predicate] or `null`, if it doesn't.\n */\n@kotlin.internal.InlineOnly\n@SinceKotlin(\"1.1\")\npublic inline fun <T> T.takeIf(predicate: (T) -> Boolean): T? {\n contract {\n callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)\n }\n return if (predicate(this)) this else null\n}\n\n/**\n * Returns `this` value if it _does not_ satisfy the given [predicate] or `null`, if it does.\n */\n@kotlin.internal.InlineOnly\n@SinceKotlin(\"1.1\")\npublic inline fun <T> T.takeUnless(predicate:
(T) -> Boolean): T? {\n contract {\n callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)\n }\n return if (!predicate(this)) this else null\n}\n\n/**\n * Executes the given function [action] specified number of [times].\n *\n * A zero-based index of current iteration is passed as a parameter to [action].\n */\n@kotlin.internal.InlineOnly\npublic inline fun repeat(times: Int, action: (Int) -> Unit) {\n contract { callsInPlace(action) }\n\n for (index in 0 until times) {\n action(index)\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ComparisonsKt\")\n\npackage

kotlin.comparisons\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\nimport kotlin.*\nimport kotlin.text.*\nimport kotlin.comparisons.*\n\n/**\n * Returns the greater of two values.\n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T): T {\n   return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Byte, b: Byte): Byte {\n   return Math.max(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Short, b: Short): Short {\n   return Math.max(a.toInt(), b.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Int, b: Int): Int {\n   return Math.max(a, b)\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun maxOf(a: Long, b: Long): Long {\n   return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Float, b: Float): Float {\n   return Math.max(a, b)\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Double, b: Double): Double {\n   return Math.max(a, b)\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T, c: T): T {\n   return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Byte, b: Byte, c: Byte): Byte {\n   return Math.max(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Short, b: Short, c: Short): Short {\n   return Math.max(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Int, b: Int, c: Int): Int {\n   return Math.max(a, b, c)\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Long, b: Long, c: Long): Long {\n   return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Float, b: Float, c: Float): Float {\n   return Math.max(a, b, c)\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Double, b: Double, c: Double): Double {\n   return Math.max(a, b, c)\n}\n\n/**\n * Returns the smaller of two values.\n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T : Comparable<T>> minOf(a: T, b: T): T {\n   return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Byte, b: Byte): Byte {\n   return Math.min(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Short, b: Short): Short {\n   return Math.min(a.toInt(), b.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Int, b: Int): Int {\n   return Math.min(a, b)\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun minOf(a: Long, b: Long): Long {\n   return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Float, b: Float): Float {\n   return Math.min(a, b)\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Double, b: Double): Double {\n   return Math.min(a, b)\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T : Comparable<T>> minOf(a: T, b: T, c: T): T {\n   return minOf(a,

minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Byte, b: Byte, c: Byte): Byte {\n return Math.min(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Short, b: Short, c: Short): Short {\n return Math.min(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Int, b: Int, c: Int): Int {\n return Math.min(a, b, c)\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Long, b: Long, c: Long): Long {\n return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Float, b: Float, c: Float): Float {\n return Math.min(a, b, c)\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Double, b: Double, c: Double): Double {\n return Math.min(a, b, c)\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\n/**\n * Given an [iterator] function constructs an [Iterable] instance that returns values through the [Iterator]\n * provided by that function.\n * @sample samples.collections.Iterables.Building.iterable\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable(crossinline iterator: () -> Iterator<T>): Iterable<T> = object : Iterable<T> {\n override fun iterator(): Iterator<T> = iterator()\n}\n\n/**\n * A wrapper over another [Iterable] (or any other object that can produce an [Iterator]) that returns\n * an indexing iterator.\n */\ninternal class IndexingIterable<out T>(private val iteratorFactory: () -> Iterator<T>) : Iterable<IndexedValue<T>> {\n override fun iterator(): Iterator<IndexedValue<T>> = IndexingIterator(iteratorFactory())\n}\n\n\n/**\n * Returns the size of this iterable if it is known, or `null` otherwise.\n */\n@PublishedApi\ninternal fun <T> Iterable<T>.collectionSizeOrNull(): Int? = if (this is Collection<*>) this.size else null\n\n/**\n * Returns the size of this iterable if it is known, or the specified [default] value otherwise.\n */\n@PublishedApi\ninternal fun <T> Iterable<T>.collectionSizeOrDefault(default: Int): Int = if (this is Collection<*>) this.size else default\n\n/** Returns true when it's safe to convert this collection to a set without changing contains method behavior. */\nprivate fun <T> Collection<T>.safeToConvertToSet() = size > 2 && this is ArrayList\n\n/** Converts this collection to a set, when it's worth so and it doesn't change contains method behavior. */\ninternal fun <T> Iterable<T>.convertToSetForSetOperationWith(source: Iterable<T>): Collection<T> =\n when (this) {\n is Set -> this\n is Collection -> when {\n source is Collection && source.size < 2 -> this\n else -> if (this.safeToConvertToSet()) toHashSet() else this\n }\n else -> toHashSet()\n }\n\n/** Converts this collection to a set, when it's worth so and it doesn't change contains method behavior. */\ninternal fun <T> Iterable<T>.convertToSetForSetOperation(): Collection<T> =\n when (this) {\n is Set -> this\n is Collection -> if (this.safeToConvertToSet()) toHashSet() else this\n else -> toHashSet()\n }\n\n\n/**\n * Returns a single list of all elements from all collections in the given collection.\n * @sample samples.collections.Iterables.Operations.flattenIterable\n */\npublic fun <T> Iterable<Iterable<T>>.flatten(): List<T> {\n val result = ArrayList<T>()\n for (element in this) {\n result.addAll(element)\n }\n return result\n}\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this collection,\n * *second* list is built from the second values of each pair from this collection.\n * @sample samples.collections.Iterables.Operations.unzipIterable\n */\npublic fun <T, R> Iterable<Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n val expectedSize = collectionSizeOrDefault(10)\n val listT = ArrayList<T>(expectedSize)\n val listR = ArrayList<R>(expectedSize)\n for (pair in this) {\n listT.add(pair.first)\n listR.add(pair.second)\n }\n return listT to listR\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the

license/LICENSE.txt file.\n
/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SequencesKt\")\n\npackage kotlin.sequences\n\nimport kotlin.\n\n/**\n * Given an [iterator] function constructs a [Sequence] that returns values through the [Iterator]\n * provided by that function.\n * The values are evaluated lazily, and the sequence is potentially infinite.\n *\n * @sample samples.collections.Sequences.Building.sequenceFromIterator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence(crossinline iterator: () -> Iterator<T>): Sequence<T> = object : Sequence<T> {\n override fun iterator(): Iterator<T> = iterator()\n}\n\n/**\n * Creates a sequence that returns all elements from this iterator. The sequence is constrained to be iterated only once.\n *\n * @sample samples.collections.Sequences.Building.sequenceFromIterator\n */\npublic fun <T> Iterator<T>.asSequence(): Sequence<T> = Sequence { this }.constrainOnce()\n\n/**\n * Creates a sequence that returns the specified values.\n *\n * @sample samples.collections.Sequences.Building.sequenceOfValues\n */\npublic fun <T> sequenceOf(vararg elements: T): Sequence<T> = if (elements.isEmpty()) emptySequence() else elements.asSequence()\n\n/**\n * Returns an empty sequence.\n */\npublic fun <T> emptySequence(): Sequence<T> = EmptySequence\n\nprivate object EmptySequence : Sequence<Nothing>, DropTakeSequence<Nothing> {\n override fun iterator(): Iterator<Nothing> = EmptyIterator\n override fun drop(n: Int) = EmptySequence\n override fun take(n: Int) = EmptySequence\n}\n\n/**\n * Returns a sequence of all elements from all sequences in this sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<Sequence<T>>.flatten(): Sequence<T> = flatten { it.iterator() }\n\n/**\n * Returns a sequence of all elements from all iterables in this sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n */\n@kotlin.jvm.JvmName(\"flattenSequenceOfIterable\")\npublic fun <T> Sequence<Iterable<T>>.flatten(): Sequence<T> = flatten { it.iterator() }\n\nprivate fun <T, R> Sequence<T>.flatten(iterator: (T) -> Iterator<R>): Sequence<R> {\n if (this is TransformingSequence<*, *>) {\n return (this as TransformingSequence<*, T>).flatten(iterator)\n }\n return FlatteningSequence(this, { it }, iterator)\n}\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this sequence,\n * *second* list is built from the second values of each pair from this sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T, R> Sequence<Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n val listT = ArrayList<T>()\n val listR = ArrayList<R>()\n for (pair in this) {\n listT.add(pair.first)\n listR.add(pair.second)\n }\n return listT to listR\n}\n\n/**\n * A sequence that returns the values from the underlying [sequence] that either match or do not match\n * the specified [predicate].\n *\n * @param sendWhen If `true`, values for which the predicate returns `true` are returned. Otherwise,\n * values for which the predicate returns `false` are returned\n */\ninternal class FilteringSequence<T>(\n private val sequence: Sequence<T>,\n private val sendWhen: Boolean = true,\n private val predicate: (T) -> Boolean\n) : Sequence<T> {\n\n override fun iterator(): Iterator<T> = object : Iterator<T> {\n val iterator = sequence.iterator()\n var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n var nextItem: T? = null\n\n private fun calcNext() {\n while (iterator.hasNext()) {\n val item = iterator.next()\n if (predicate(item) == sendWhen) {\n nextItem = item\n nextState = 1\n return\n }\n }\n nextState = 0\n }\n\n override fun next(): T {\n if (nextState == -1)\n calcNext()\n if (nextState == 0)\n throw NoSuchElementException()\n val result = nextItem\n nextItem = null\n nextState = -1\n @Suppress(\"UNCHECKED_CAST\")\n return result as T\n }\n\n override fun hasNext(): Boolean {\n if (nextState == -1)\n calcNext()\n return nextState == 1\n }\n }\n}\n\n/**\n * A sequence which returns the results of applying the given [transformer] function to the values\n * in the underlying [sequence].\n */\n\ninternal class TransformingSequence<T, R>\nconstructor(private val sequence: Sequence<T>, private val transformer: (T) -> R) : Sequence<R> {\n override fun iterator(): Iterator<R> = object : Iterator<R> {\n val iterator = sequence.iterator()\n override fun next(): R {\n return transformer(iterator.next())\n }\n\n override fun hasNext(): Boolean {\n return iterator.hasNext()\n }\n }\n\n internal fun <E> flatten(iterator: (R) -> Iterator<E>): Sequence<E> {\n

```
return FlatteningSequence<T, R, E>(sequence, transformer, iterator)\n    }\n}\n\n/**\n * A sequence which returns the results of applying the given [transformer] function
 to the values\n * in the underlying [sequence], where the transformer function takes the index of the value in the underlying\n * sequence along with the value itself.\n */\ninternal class TransformingIndexedSequence<T, R>\nconstructor(private val sequence: Sequence<T>, private val transformer: (Int, T) -> R) : Sequence<R> {\n override fun iterator(): Iterator<R> = object : Iterator<R> {\n        val iterator = sequence.iterator()\n        var index = 0\n        override fun next(): R {\n            return transformer(index++, iterator.next())\n        }\n\n        override fun hasNext(): Boolean {\n            return iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A sequence which combines values from the underlying [sequence] with their indices and returns them as\n * [IndexedValue] objects.\n */\ninternal class IndexingSequence<T>\nconstructor(private val sequence: Sequence<T>) : Sequence<IndexedValue<T>> {\n    override fun iterator(): Iterator<IndexedValue<T>> = object
 : Iterator<IndexedValue<T>> {\n        val iterator = sequence.iterator()\n        var index = 0\n        override fun next(): IndexedValue<T> {\n            return IndexedValue(index++, iterator.next())\n        }\n\n        override fun hasNext(): Boolean {\n            return iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A sequence which takes the values from two parallel underlying sequences, passes them to the given\n * [transform] function and returns the values returned by that function. The sequence stops returning\n * values as soon as one of the underlying sequences stops returning values.\n */\ninternal class MergingSequence<T1, T2, V>\nconstructor(\n    private val sequence1: Sequence<T1>,\n    private val sequence2: Sequence<T2>,\n    private val transform: (T1, T2) -> V\n) : Sequence<V> {\n    override fun iterator(): Iterator<V> = object : Iterator<V> {\n        val iterator1 = sequence1.iterator()\n        val iterator2 = sequence2.iterator()\n        override fun
 next(): V {\n            return transform(iterator1.next(), iterator2.next())\n        }\n\n        override fun hasNext(): Boolean {\n            return iterator1.hasNext() && iterator2.hasNext()\n        }\n    }\n}\n\ninternal class FlatteningSequence<T, R, E>\nconstructor(\n    private val sequence: Sequence<T>,\n    private val transformer: (T) -> R,\n    private val iterator: (R) -> Iterator<E>\n) : Sequence<E> {\n    override fun iterator(): Iterator<E> = object : Iterator<E> {\n        val iterator = sequence.iterator()\n        var itemIterator: Iterator<E>? = null\n\n        override fun next(): E {\n            if (!ensureItemIterator())\n                throw NoSuchElementException()\n            return itemIterator!!.next()\n        }\n\n        override fun hasNext(): Boolean {\n            return ensureItemIterator()\n        }\n\n        private fun ensureItemIterator(): Boolean {\n            if (itemIterator?.hasNext() == false)\n                itemIterator = null\n\n
            while (itemIterator == null) {\n                if (!iterator.hasNext()) {\n                    return false\n                } else {\n                    val element = iterator.next()\n                    val nextItemIterator = iterator(transformer(element))\n
            if (nextItemIterator.hasNext()) {\n                        itemIterator = nextItemIterator\n                        return true\n
                    }\n                }\n            }\n            return true\n        }\n    }\n}\n\n/**\n * A sequence that supports drop(n) and take(n) operations\n */\ninternal interface DropTakeSequence<T> : Sequence<T> {\n    fun drop(n: Int): Sequence<T>\n    fun take(n: Int): Sequence<T>\n}\n\n/**\n * A sequence that skips [startIndex] values from the underlying [sequence]\n * and stops returning values right before [endIndex], i.e. stops at `endIndex - 1`\n */\ninternal class SubSequence<T>(\n    private val sequence: Sequence<T>,\n    private val startIndex:
 Int,\n    private val endIndex: Int\n) : Sequence<T>, DropTakeSequence<T> {\n\n    init {\n        require(startIndex >= 0) { \"startIndex should be non-negative, but is $startIndex\" }\n        require(endIndex >= 0) { \"endIndex should be non-negative, but is $endIndex\" }\n        require(endIndex >= startIndex) { \"endIndex should be not less than startIndex, but was $endIndex < $startIndex\" }\n    }\n\n    private val count: Int get() = endIndex - startIndex\n\n override fun drop(n: Int): Sequence<T> = if (n >= count) emptySequence() else SubSequence(sequence, startIndex + n, endIndex)\n    override fun take(n: Int): Sequence<T> = if (n >= count) this else SubSequence(sequence, startIndex, startIndex + n)\n\n    override fun iterator() = object : Iterator<T> {\n\n        val iterator = sequence.iterator()\n        var position = 0\n\n        // Shouldn't be called from constructor to avoid premature iteration\n        private fun drop() {\n            while (position < startIndex
 && iterator.hasNext()) {\n                iterator.next()\n                position++\n            }\n        }\n\n        override fun hasNext(): Boolean {\n            drop()\n            return (position < endIndex) && iterator.hasNext()\n        }\n\n
```

```
override fun next(): T {\n drop()\n if (position >= endIndex)\n throw NoSuchElementException()\n position++\n return iterator.next()\n }\n }\n}\n\n/**\n * A sequence that returns at most [count] values from the underlying [sequence], and stops returning values\n * as soon as that count is reached.\n */\ninternal class TakeSequence<T>(\n private val sequence: Sequence<T>,\n private val count: Int\n) : Sequence<T>, DropTakeSequence<T> {\n\n init {\n require(count >= 0) { \"count must be non-negative, but was $count.\" }\n }\n\n override fun drop(n: Int): Sequence<T> = if (n >= count) emptySequence() else SubSequence(sequence, n, count)\n
override fun take(n: Int): Sequence<T> = if (n >= count) this else TakeSequence(sequence, n)\n\n override fun iterator(): Iterator<T> = object : Iterator<T> {\n var left = count\n val iterator = sequence.iterator()\n\n override fun next(): T {\n if (left == 0)\n throw NoSuchElementException()\n left--\n return iterator.next()\n }\n\n override fun hasNext(): Boolean {\n return left > 0 && iterator.hasNext()\n }\n }\n}\n\n/**\n * A sequence that returns values from the underlying [sequence] while the [predicate] function returns\n * `true`, and stops returning values once the function returns `false` for the next element.\n */\ninternal class TakeWhileSequence<T>\nconstructor(\n private val sequence: Sequence<T>,\n private val predicate: (T) -> Boolean\n) : Sequence<T> {\n override fun iterator(): Iterator<T> = object : Iterator<T> {\n val iterator = sequence.iterator()\n
var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n var nextItem: T? = null\n\n private fun calcNext() {\n if (iterator.hasNext()) {\n val item = iterator.next()\n if (predicate(item)) {\n nextState = 1\n nextItem = item\n return\n }\n }\n nextState = 0\n }\n\n override fun next(): T {\n if (nextState == -1)\n calcNext() // will change nextState\n if (nextState == 0)\n throw NoSuchElementException()\n @Suppress(\"UNCHECKED_CAST\")\n val result = nextItem as T\n\n // Clean next to avoid keeping reference on yielded instance\n nextItem = null\n nextState = -1\n return result\n }\n\n override fun hasNext(): Boolean {\n if (nextState == -1)\n
calcNext() // will change nextState\n return nextState == 1\n }\n }\n}\n\n/**\n * A sequence that skips the specified number of values from the underlying [sequence] and returns\n * all values after that.\n */\ninternal class DropSequence<T>(\n private val sequence: Sequence<T>,\n private val count: Int\n) : Sequence<T>, DropTakeSequence<T> {\n init {\n require(count >= 0) { \"count must be non-negative, but was $count.\" }\n }\n\n override fun drop(n: Int): Sequence<T> = DropSequence(sequence, count + n)\n override fun take(n: Int): Sequence<T> = SubSequence(sequence, count, count + n)\n\n override fun iterator(): Iterator<T> = object : Iterator<T> {\n val iterator = sequence.iterator()\n var left = count\n\n // Shouldn't be called from constructor to avoid premature iteration\n private fun drop() {\n while (left > 0 && iterator.hasNext()) {\n iterator.next()\n left--\n }\n }\n\n override fun next(): T {\n drop()\n return iterator.next()\n }\n\n override fun hasNext(): Boolean {\n drop()\n return iterator.hasNext()\n }\n }\n}\n\n/**\n * A sequence that skips the values from the underlying [sequence] while the given [predicate] returns `true` and returns\n * all values after that.\n */\ninternal class DropWhileSequence<T>\nconstructor(\n private val sequence: Sequence<T>,\n private val predicate: (T) -> Boolean\n) : Sequence<T> {\n\n override fun iterator(): Iterator<T> = object : Iterator<T> {\n val iterator = sequence.iterator()\n var dropState: Int = -1 // -1 for not dropping, 1 for nextItem, 0 for normal iteration\n var nextItem: T? = null\n\n private fun drop() {\n while (iterator.hasNext()) {\n val item = iterator.next()\n if (!predicate(item)) {\n nextItem = item\n dropState = 1\n return\n }\n }\n dropState = 0\n }\n\n override fun next(): T {\n if (dropState == -1)\n drop()\n\n if (dropState == 1) {\n @Suppress(\"UNCHECKED_CAST\")\n val result = nextItem as T\n nextItem = null\n dropState = 0\n return result\n }\n return iterator.next()\n }\n\n override fun hasNext(): Boolean {\n if (dropState == -1)\n drop()\n return dropState == 1 || iterator.hasNext()\n }\n }\n}\n\ninternal class DistinctSequence<T, K>(private val source: Sequence<T>, private val keySelector: (T) -> K) : Sequence<T> {\n override fun iterator(): Iterator<T> =
```

```
DistinctIterator(source.iterator(), keySelector)\n}\n\nprivate class DistinctIterator<T, K>(private val source: Iterator<T>,
 private val keySelector: (T) -> K) : AbstractIterator<T>() {\n    private val observed = HashSet<K>()\n\n    override fun computeNext() {\n        while (source.hasNext()) {\n            val next = source.next()\n            val key = keySelector(next)\n\n            if (observed.add(key)) {\n                setNext(next)\n                return\n            }\n        }\n\n        done()\n    }\n}\n\n\nprivate class GeneratorSequence<T : Any>(private val getInitialValue: () -> T?, private val getNextValue: (T) -> T?) : Sequence<T> {\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        var nextItem: T? = null\n        var nextState: Int = -2 // -2 for initial unknown, -1 for next unknown, 0 for done, 1 for continue\n\n        private fun calcNext() {\n            nextItem = if (nextState == -2) getInitialValue() else getNextValue(nextItem!!)\n            nextState = if (nextItem == null) 0 else 1\n        }\n\n        override fun next(): T {\n            if
 (nextState < 0)\n                calcNext()\n\n            if (nextState == 0)\n                throw NoSuchElementException()\n            val result = nextItem as T\n            // Do not clean nextItem (to avoid keeping reference on yielded instance) -- need to keep state for getNextValue\n            nextState = -1\n            return result\n        }\n\n        override fun hasNext(): Boolean {\n            if (nextState < 0)\n                calcNext()\n            return nextState == 1\n        }\n    }\n}\n\n/**\n * Returns a wrapper sequence that provides values of this sequence, but ensures it can be iterated only one time.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * [IllegalStateException] is thrown on iterating the returned sequence from the second time.\n *\n */\npublic fun <T> Sequence<T>.constrainOnce(): Sequence<T> {\n    // as? does not work in js\n    //return this as? ConstrainedOnceSequence<T> ?: ConstrainedOnceSequence(this)\n    return if (this
 is ConstrainedOnceSequence<T>) this else ConstrainedOnceSequence(this)\n}\n\n\n/**\n * Returns a sequence which invokes the function to calculate the next value on each iteration until the function returns `null`.\n *\n * The returned sequence is constrained to be iterated only once.\n *\n * @see constrainOnce\n * @see kotlin.coroutines.experimental.buildSequence\n *\n * @sample samples.collections.Sequences.Building.generateSequence\n */\npublic fun <T : Any> generateSequence(nextFunction: () -> T?): Sequence<T> {\n    return GeneratorSequence(nextFunction, { nextFunction() }).constrainOnce()\n}\n\n/**\n * Returns a sequence defined by the starting value [seed] and the function [nextFunction],\n * which is invoked to calculate the next value based on the previous one on each iteration.\n *\n * The sequence produces values until it encounters first `null` value.\n * If [seed] is `null`, an empty sequence is produced.\n *\n * The sequence can be iterated multiple times, each time starting
 with [seed].\n *\n * @see kotlin.coroutines.experimental.buildSequence\n *\n * @sample samples.collections.Sequences.Building.generateSequenceWithSeed\n */\n@kotlin.internal.LowPriorityInOverloadResolution\npublic fun <T : Any> generateSequence(seed: T?, nextFunction: (T) -> T?): Sequence<T> =\n    if (seed == null)\n        EmptySequence\n    else\n        GeneratorSequence({ seed }, nextFunction)\n\n/**\n * Returns a sequence defined by the function [seedFunction], which is invoked to produce the starting value,\n * and the [nextFunction], which is invoked to calculate the next value based on the previous one on each iteration.\n *\n * The sequence produces values until it encounters first `null` value.\n * If [seedFunction] returns `null`, an empty sequence is produced.\n *\n * The sequence can be iterated multiple times.\n *\n * @see kotlin.coroutines.experimental.buildSequence\n *\n * @sample samples.collections.Sequences.Building.generateSequenceWithLazySeed\n */\npublic fun
 <T : Any> generateSequence(seedFunction: () -> T?, nextFunction: (T) -> T?): Sequence<T> =\n    GeneratorSequence(seedFunction, nextFunction)\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.*\nimport kotlin.text.*\nimport kotlin.comparisons.*\n\n/**\n * Returns 1st *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component1(): T {\n    return
```

get(0)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component2(): T {\n return get(1)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component3(): T {\n return get(2)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component4(): T {\n return get(3)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component5(): T {\n return get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the collection.\n */\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.contains(element: T): Boolean {\n if (this is Collection)\n return contains(element)\n return indexOf(element) >= 0\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this collection.\n */\npublic fun <T> Iterable<T>.elementAt(index: Int): T {\n if (this is List)\n return get(index)\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"Collection doesn't contain element at index $index.\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this list.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAt(index: Int): T {\n return get(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this collection.\n */\npublic fun <T> Iterable<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n if (this is List)\n return this.getOrElse(index, defaultValue)\n if (index < 0)\n return defaultValue(index)\n val iterator = iterator()\n var count = 0\n while (iterator.hasNext()) {\n val element = iterator.next()\n if (index == count++)\n return element\n }\n return defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this list.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this collection.\n */\npublic fun <T> Iterable<T>.elementAtOrNull(index: Int): T? {\n if (this is List)\n return this.getOrNull(index)\n if (index < 0)\n return null\n val iterator = iterator()\n var count = 0\n while (iterator.hasNext()) {\n val element = iterator.next()\n if (index == count++)\n return element\n }\n return null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this list.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAtOrNull(index: Int): T? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.find(predicate: (T) -> Boolean): T? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.findLast(predicate: (T) -> Boolean): T? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.findLast(predicate: (T) -> Boolean): T? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the collection is empty.\n */\npublic fun <T> Iterable<T>.first(): T {\n when (this) {\n is List -> return this.first()\n else -> {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException(\"Collection is empty.\")\n return iterator.next()\n }\n }\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the list is empty.\n */\npublic fun <T> List<T>.first(): T {\n if (isEmpty())\n throw NoSuchElementException(\"List is empty.\")\n return this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> Iterable<T>.first(predicate: (T) -> Boolean): T {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Collection contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element, or `null` if the collection is empty.\n */\npublic fun

```
<T> Iterable<T>.firstOrNull(): T? {\n    when (this) {\n        is List -> {\n            if (isEmpty())\n                return null\n            else\n                return this[0]\n        }\n        else -> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                return null\n            return iterator.next()\n        }\n    }\n}\n\n/**\n * Returns the first element, or `null` if the list is empty.\n */\npublic fun <T> List<T>.firstOrNull(): T? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun <T> Iterable<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n    for (element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this list.\n */\n@kotlin.internal.InlineOnly\npublic
 inline fun <T> List<T>.getOrElse(index: Int, defaultValue: (Int) -> T): T {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this list.\n */\npublic fun <T> List<T>.getOrNull(index: Int): T? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element], or -1 if the collection does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.indexOf(element: T): Int {\n    if (this is List) return this.indexOf(element)\n    var index = 0\n    for (item in this) {\n        if (element == item)\n            return index\n        index++\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the list does not contain element.\n */\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning, extension takes precedence in some cases\npublic
 fun <@kotlin.internal.OnlyInputTypes T> List<T>.indexOf(element: T): Int {\n    return indexOf(element)\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the collection does not contain such element.\n */\npublic inline fun <T> Iterable<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n    var index = 0\n    for (item in this) {\n        if (predicate(item))\n            return index\n        index++\n    }\n    return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the list does not contain such element.\n */\npublic inline fun <T> List<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n    var index = 0\n    for (item in this) {\n        if (predicate(item))\n            return index\n        index++\n    }\n    return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the collection does not contain such element.\n */\npublic inline fun <T> Iterable<T>.indexOfLast(predicate:
 (T) -> Boolean): Int {\n    var lastIndex = -1\n    var index = 0\n    for (item in this) {\n        if (predicate(item))\n            lastIndex = index\n        index++\n    }\n    return lastIndex\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the list does not contain such element.\n */\npublic inline fun <T> List<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n    val iterator = this.listIterator(size)\n    while (iterator.hasPrevious()) {\n        if (predicate(iterator.previous())) {\n            return iterator.nextIndex()\n        }\n    }\n    return -1\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the collection is empty.\n */\npublic fun <T> Iterable<T>.last(): T {\n    when (this) {\n        is List -> return this.last()\n        else -> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                throw NoSuchElementException(\"Collection
 is empty.\")\n            var last = iterator.next()\n            while (iterator.hasNext())\n                last = iterator.next()\n            return last\n        }\n    }\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the list is empty.\n */\npublic fun <T> List<T>.last(): T {\n    if (isEmpty())\n        throw NoSuchElementException(\"List is empty.\")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> Iterable<T>.last(predicate: (T) -> Boolean): T {\n    var last: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            last = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException(\"Collection contains no element matching the predicate.\")\n    @Suppress(\"UNCHECKED_CAST\")\n    return last as T\n}\n\n/**\n * Returns
 the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> List<T>.last(predicate: (T) -> Boolean): T {\n    val iterator = this.listIterator(size)\n    while (iterator.hasPrevious()) {\n        val element = iterator.previous()\n        if
```

(predicate(element)) return element\n }\n throw NoSuchElementException(\"List contains no element matching the predicate.\")\n}\n\n/**\n * Returns last index of [element], or -1 if the collection does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.lastIndexOf(element: T): Int {\n if (this is List) return this.lastIndexOf(element)\n var lastIndex = -1\n var index = 0\n for (item in this) {\n if (element == item)\n lastIndex = index\n index++\n }\n return lastIndex\n}\n\n/**\n * Returns last index of [element], or -1 if the list does not contain element.\n */\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\")
// false warning, extension takes precedence in some cases\npublic fun <@kotlin.internal.OnlyInputTypes T> List<T>.lastIndexOf(element: T): Int {\n return lastIndexOf(element)\n}\n\n/**\n * Returns the last element, or `null` if the collection is empty.\n */\npublic fun <T> Iterable<T>.lastOrNull(): T? {\n when (this) {\n is List -> return if (isEmpty()) null else this[size - 1]\n else -> {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n var last = iterator.next()\n while (iterator.hasNext())\n last = iterator.next()\n return last\n }\n }\n}\n\n/**\n * Returns the last element, or `null` if the list is empty.\n */\npublic fun <T> List<T>.lastOrNull(): T? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic
inline fun <T> Iterable<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n var last: T? = null\n for (element in this) {\n if (predicate(element)) {\n last = element\n }\n }\n return last\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun <T> List<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n val iterator = this.listIterator(size)\n while (iterator.hasPrevious()) {\n val element = iterator.previous()\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the single element, or throws an exception if the collection is empty or has more than one element.\n */\npublic fun <T> Iterable<T>.single(): T {\n when (this) {\n is List -> return this.single()\n else -> {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException(\"Collection
is empty.\")\n val single = iterator.next()\n if (iterator.hasNext())\n throw IllegalArgumentException(\"Collection has more than one element.\")\n return single\n }\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the list is empty or has more than one element.\n */\npublic fun <T> List<T>.single(): T {\n return when (size) {\n 0 -> throw NoSuchElementException(\"List is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"List has more than one element.\")\n }\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun <T> Iterable<T>.single(predicate: (T) -> Boolean): T {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Collection contains
more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Collection contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as T\n}\n\n/**\n * Returns single element, or `null` if the collection is empty or has more than one element.\n */\npublic fun <T> Iterable<T>.singleOrNull(): T? {\n when (this) {\n is List -> return if (size == 1) this[0] else null\n else -> {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n val single = iterator.next()\n if (iterator.hasNext())\n return null\n return single\n }\n }\n}\n\n/**\n * Returns single element, or `null` if the list is empty or has more than one element.\n */\npublic fun <T> List<T>.singleOrNull(): T? {\n return if (size == 1) this[0] else null\n}\n\n/**\n
* Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun <T> Iterable<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return

```
single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Iterable<T>.drop(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return toList()\n    val list:
ArrayList<T>\n    if (this is Collection<*>) {\n        val resultSize = size - n\n        if (resultSize <= 0)\n
return emptyList()\n        if (resultSize == 1)\n
        return listOf(last())\n        list = ArrayList<T>(resultSize)\n        if (this is List<T>) {\n
if (this is
RandomAccess) {\n                for (index in n until size)\n                    list.add(this[index])\n            } else {\n
for (item in listIterator(n))\n                    list.add(item)\n            }\n            return list\n        }\n    }\n    else {\n
list = ArrayList<T>()\n    }\n    var count = 0\n    for (item in this) {\n        if (count++ >= n) list.add(item)\n    }\n
return list.optimizeReadOnlyList()\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n *
\n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> List<T>.dropLast(n: Int):
List<T> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
 [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T>
List<T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n    if (!isEmpty()) {\n        val iterator =
listIterator(size)\n        while (iterator.hasPrevious()) {\n            if (!predicate(iterator.previous())) {\n                return
take(iterator.nextIndex() + 1)\n            }\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing
all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Iterable<T>.dropWhile(predicate:
(T) -> Boolean): List<T> {\n    var yielding = false\n    val list = ArrayList<T>()\n    for (item in this)\n        if
(yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n            list.add(item)\n            yielding = true\n
  }\n    return list\n}\n\n/**\n * Returns a list containing
 only elements matching the given [predicate].\n */\npublic inline fun <T> Iterable<T>.filter(predicate: (T) ->
Boolean): List<T> {\n    return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only
elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <T>
Iterable<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n    return
filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to
the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n *
and returns the result of predicate evaluation on the element.\n */\npublic inline fun <T, C : MutableCollection<in
T>> Iterable<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n    forEachIndexed
 { index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return
destination\n}\n\n/**\n * Returns a list containing all elements that are instances of specified type parameter R.\n
*/\npublic inline fun <reified R> Iterable<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n    return
filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type
parameter R to the given [destination].\n */\npublic inline fun <reified R, C : MutableCollection<in R>>
Iterable<*>.filterIsInstanceTo(destination: C): C {\n    for (element in this) if (element is R)
destination.add(element)\n    return destination\n}\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n */\npublic inline fun <T> Iterable<T>.filterNot(predicate: (T) -> Boolean): List<T> {\n    return
filterNotTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing all elements that are not `null`.\n
 */\npublic fun <T : Any> Iterable<T?>.filterNotNull(): List<T> {\n    return
filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n
*/\npublic fun <C : MutableCollection<in T>, T : Any> Iterable<T?>.filterNotNullTo(destination: C): C {\n    for
(element in this) if (element != null) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <T, C :
MutableCollection<in T>> Iterable<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n    for (element
in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements
matching the given [predicate] to the given [destination].\n */\npublic inline fun <T, C : MutableCollection<in T>>
```

```
Iterable<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n    for (element in this) if (predicate(element)) destination.add(element)\n
    return destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun <T> List<T>.slice(indices: IntRange): List<T> {\n    if (indices.isEmpty()) return listOf()\n    return this.subList(indices.start, indices.endInclusive + 1).toList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun <T> List<T>.slice(indices: Iterable<Int>): List<T> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<T>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Iterable<T>.take(n: Int): List<T> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (this is Collection<T>)
 {\n        if (n >= size) return toList()\n        if (n == 1) return listOf(first())\n    }\n    var count = 0\n    val list = ArrayList<T>(n)\n    for (item in this) {\n        if (count++ == n)\n            break\n        list.add(item)\n    }\n    return list.optimizeReadOnlyList()\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> List<T>.takeLast(n: Int): List<T> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(last())\n    val list = ArrayList<T>(n)\n    if (this is RandomAccess) {\n        for (index in size - n until size)\n            list.add(this[index])\n    } else {\n        for (item in listIterator(size - n))\n            list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing last elements satisfying
 the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> List<T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n    if (isEmpty())\n        return emptyList()\n    val iterator = listIterator(size)\n    while (iterator.hasPrevious()) {\n        if (!predicate(iterator.previous())) {\n            iterator.next()\n            val expectedSize = size - iterator.nextIndex()\n            if (expectedSize == 0) return emptyList()\n            return ArrayList<T>(expectedSize).apply {\n                while (iterator.hasNext())\n                    add(iterator.next())\n            }\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> Iterable<T>.takeWhile(predicate: (T) -> Boolean): List<T> {\n    val list = ArrayList<T>()\n    for (item in this)
 {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Reverses elements in the list in-place.\n */\npublic expect fun <T> MutableList<T>.reverse(): Unit\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun <T> Iterable<T>.reversed(): List<T> {\n    if (this is Collection && size <= 1) return toList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Sorts elements in the list in-place according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <T, R : Comparable<R>> MutableList<T>.sortBy(crossinline selector: (T) -> R?): Unit {\n    if (size > 1) sortWith(compareBy(selector))\n}\n\n/**\n * Sorts elements in the list in-place descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <T, R : Comparable<R>> MutableList<T>.sortByDescending(crossinline selector:
 (T) -> R?): Unit {\n    if (size > 1) sortWith(compareByDescending(selector))\n}\n\n/**\n * Sorts elements in the list in-place descending according to their natural sort order.\n */\npublic fun <T : Comparable<T>> MutableList<T>.sortDescending(): Unit {\n    sortWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun <T : Comparable<T>> Iterable<T>.sorted(): List<T> {\n    if (this is Collection) {\n        if (size <= 1) return this.toList()\n        @Suppress(\"UNCHECKED_CAST\")\n        return (toTypedArray<Comparable<T>>() as Array<T>).apply { sort() }.asList()\n    }\n    return toMutableList().apply { sort() }\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <T, R : Comparable<R>> Iterable<T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n    return sortedWith(compareBy(selector))\n}\n\n/**\n
```

```
 * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <T, R : Comparable<R>> Iterable<T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n    return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun <T : Comparable<T>> Iterable<T>.sortedDescending(): List<T> {\n    return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun <T> Iterable<T>.sortedWith(comparator: Comparator<in T>): List<T> {\n    if (this is Collection) {\n        if (size <= 1) return this.toList()\n        @Suppress(\"UNCHECKED_CAST\")\n        return (toTypedArray<Any?>() as Array<T>).apply { sortWith(comparator) }.asList()\n    }\n    return toMutableList().apply { sortWith(comparator) }\n}\n\n/**\n * Returns an array of Boolean containing all of the elements of this collection.\n */\npublic fun Collection<Boolean>.toBooleanArray(): BooleanArray {\n    val result = BooleanArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Byte containing all of the elements of this collection.\n */\npublic fun Collection<Byte>.toByteArray(): ByteArray {\n    val result = ByteArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Char containing all of the elements of this collection.\n */\npublic fun Collection<Char>.toCharArray(): CharArray {\n    val result = CharArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Double containing all of the elements of this collection.\n */\npublic fun Collection<Double>.toDoubleArray(): DoubleArray {\n    val result = DoubleArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Float containing all of the elements of this collection.\n */\npublic fun Collection<Float>.toFloatArray(): FloatArray {\n    val result = FloatArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Int containing all of the elements of this collection.\n */\npublic fun Collection<Int>.toIntArray(): IntArray {\n    val result = IntArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Long containing all of the elements of this collection.\n */\npublic fun Collection<Long>.toLongArray(): LongArray {\n    val result = LongArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Short containing all of the elements of this collection.\n */\npublic fun Collection<Short>.toShortArray(): ShortArray {\n    val result = ShortArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given collection.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original collection.\n */\npublic inline fun <T, K, V> Iterable<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n    val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n    return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given collection indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original collection.\n */\npublic inline fun <T, K> Iterable<T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n    val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, T>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given collection.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original collection.\n */\npublic inline fun <T, K, V> Iterable<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n    val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector]
```

function applied to each element of the given collection\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given collection.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given collection.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <T, C : MutableCollection<in T>>
Iterable<T>.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun <T> Iterable<T>.toHashSet(): HashSet<T> {\n return toCollection(HashSet<T>(mapCapacity(collectionSizeOrDefault(12))))\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun <T> Iterable<T>.toList(): List<T> {\n if (this is Collection) {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(if (this is List) get(0) else iterator().next())\n else -> this.toMutableList()\n }\n }\n return this.toMutableList().optimizeReadOnlyList()\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this collection.\n */\npublic fun <T> Iterable<T>.toMutableList(): MutableList<T> {\n if (this is Collection<T>)\n return this.toMutableList()\n return toCollection(ArrayList<T>())\n}\n\n/**\n * Returns a [MutableList]
filled with all elements of this collection.\n */\npublic fun <T> Collection<T>.toMutableList(): MutableList<T> {\n return ArrayList(this)\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original collection.\n */\npublic fun <T> Iterable<T>.toSet(): Set<T> {\n if (this is Collection) {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(if (this is List) this[0] else iterator().next())\n else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))\n }\n }\n return toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original collection.\n */\npublic inline fun <T, R> Iterable<T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element of original collection, to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Groups elements of the original collection by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original collection.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K> Iterable<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n return groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups values returned
by the [valueTransform] function applied to each element of the original collection\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V>

Iterable<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original collection by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K, M : MutableMap<in K, MutableList<T>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<T>() }\n   list.add(element)\n   }\n   return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original collection\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<V>() }\n   list.add(valueTransform(element))\n   }\n   return destination\n}\n\n/**\n * Creates a [Grouping] source from a collection to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * @sample samples.collections.Collections.Transformations.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Iterable<T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n   return object : Grouping<T, K> {\n   override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n   override fun keyOf(element: T): K = keySelector(element)\n   }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original collection.\n */\npublic inline fun <T, R> Iterable<T>.map(transform: (T) -> R): List<R> {\n   return mapTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original collection.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R> Iterable<T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element and its index in the original collection.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any> Iterable<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n   return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original collection\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Iterable<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n   forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original collection\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n   var index = 0\n   for (item in this)\n   destination.add(transform(index++, item))\n   return destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element in the original collection.\n */\npublic inline fun <T, R : Any> Iterable<T>.mapNotNull(transform: (T) -> R?): List<R> {\n   return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element in the original collection\n * and

appends only the non-null results to the given [destination].\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Iterable<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each
element of the original collection\n * and appends the results to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapTo(destination: C, transform: (T) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original collection.\n */\npublic fun <T> Iterable<T>.withIndex(): Iterable<IndexedValue<T>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a list containing only distinct elements from the given collection.\n * \n * The elements in the resulting list are in the same order as they were in the source collection.\n */\npublic fun <T> Iterable<T>.distinct(): List<T> {\n return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only elements from the given collection\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting
list are in the same order as they were in the source collection.\n */\npublic inline fun <T, K> Iterable<T>.distinctBy(selector: (T) -> K): List<T> {\n val set = HashSet<K>()\n val list = ArrayList<T>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original collection.\n */\npublic infix fun <T> Iterable<T>.intersect(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this collection and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original collection.\n */\npublic infix fun <T> Iterable<T>.subtract(other: Iterable<T>):
Set<T> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given collection.\n * \n * The returned set preserves the element iteration order of the original collection.\n */\npublic fun <T> Iterable<T>.toMutableSet(): MutableSet<T> {\n return when (this) {\n is Collection<T> -> LinkedHashSet(this)\n else -> toCollection(LinkedHashSet<T>())\n }\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original collection.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun <T> Iterable<T>.union(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n
* \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <T> Iterable<T>.all(predicate: (T) -> Boolean): Boolean {\n if (this is Collection && isEmpty()) return true\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if collection has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <T> Iterable<T>.any(): Boolean {\n if (this is Collection) return !isEmpty()\n return iterator().hasNext()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T> Iterable<T>.any(predicate: (T) -> Boolean): Boolean {\n if (this is Collection && isEmpty()) return false\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns the number of elements in this collection.\n */\npublic
fun <T> Iterable<T>.count(): Int {\n if (this is Collection) return size\n var count = 0\n for (element in this) count++\n return count\n}\n\n/**\n * Returns the number of elements in this collection.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun <T> Iterable<T>.count(predicate: (T) -> Boolean): Int {\n if (this is Collection && isEmpty()) return 0\n var count = 0\n for (element in this) if (predicate(element)) count++\n return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n

*/\npublic inline fun <T, R> Iterable<T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original collection.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Iterable<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <T, R> List<T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {\n var accumulator = initial\n if (!isEmpty()) {\n val iterator = listIterator(size)\n while (iterator.hasPrevious()) {\n accumulator = operation(iterator.previous(), accumulator)\n }\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original list and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <T, R> List<T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {\n var accumulator = initial\n if (!isEmpty()) {\n val iterator = listIterator(size)\n while (iterator.hasPrevious()) {\n val index = iterator.previousIndex()\n accumulator = operation(index, iterator.previous(), accumulator)\n }\n }\n return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n */\n@kotlin.internal.HidesMembers\npublic inline fun <T> Iterable<T>.forEach(action: (T) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun <T> Iterable<T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Double>.max(): Double? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n if (max.isNaN()) return max\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Float>.max(): Float? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n if (max.isNaN()) return max\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun <T : Comparable<T>> Iterable<T>.max(): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n */\npublic inline fun <T, R : Comparable<R>> Iterable<T>.maxBy(selector: (T) -> R): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var maxElem = iterator.next()\n var maxValue = selector(maxElem)\n while (iterator.hasNext()) {\n val e = iterator.next()\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun <T> Iterable<T>.maxWith(comparator: Comparator<in T>): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n

```
 * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Double>.min(): Double? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n    if (min.isNaN()) return min\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (e.isNaN()) return e\n        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Float>.min(): Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n    if (min.isNaN()) return min\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (e.isNaN()) return e\n        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic
 fun <T : Comparable<T>> Iterable<T>.min(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n */\npublic inline fun <T, R : Comparable<R>> Iterable<T>.minBy(selector: (T) -> R): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minElem = iterator.next()\n    var minValue = selector(minElem)\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        val v = selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic
 fun <T> Iterable<T>.minWith(comparator: Comparator<in T>): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns `true` if the collection has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun <T> Iterable<T>.none(): Boolean {\n    if (this is Collection) return isEmpty()\n    return !iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <T> Iterable<T>.none(predicate: (T) -> Boolean): Boolean {\n    if (this is Collection && isEmpty()) return true\n    for (element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n * Performs the given [action] on each element
 and returns the collection itself afterwards.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, C : Iterable<T>> C.onEach(action: (T) -> Unit): C {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <S, T : S> Iterable<T>.reduce(operation: (acc: S, T) -> S): S {\n    val iterator = this.iterator()\n    if (!iterator.hasNext()) throw UnsupportedOperationException(\"Empty collection can't be reduced.\")\n    var accumulator: S = iterator.next()\n    while (iterator.hasNext()) {\n        accumulator = operation(accumulator, iterator.next())\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original collection.\n * @param [operation] function that
 takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun <S, T : S> Iterable<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n    val iterator = this.iterator()\n    if (!iterator.hasNext()) throw UnsupportedOperationException(\"Empty collection can't be reduced.\")\n    var index = 1\n    var accumulator: S = iterator.next()\n    while (iterator.hasNext()) {\n        accumulator = operation(index++, accumulator, iterator.next())\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <S, T : S> List<T>.reduceRight(operation: (T, acc: S) -> S): S {\n    val iterator = listIterator(size)\n    if (!iterator.hasPrevious())\n        throw UnsupportedOperationException(\"Empty list can't be reduced.\")\n    var accumulator: S = iterator.previous()\n    while (iterator.hasPrevious()) {\n        accumulator = operation(iterator.previous(), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n
```

* to each element with its index in the original list and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <S, T : S> List<T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {\n   val iterator = listIterator(size)\n   if (!iterator.hasPrevious())\n   throw UnsupportedOperationException(\"Empty list can't be reduced.\")\n   var accumulator: S = iterator.previous()\n   while (iterator.hasPrevious()) {\n   val index = iterator.previousIndex()\n   accumulator = operation(index, iterator.previous(), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n */\npublic inline fun <T> Iterable<T>.sumBy(selector: (T) -> Int): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n */\npublic inline fun <T> Iterable<T>.sumByDouble(selector: (T) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n */\npublic fun <T : Any> Iterable<T?>.requireNoNulls(): Iterable<T> {\n   for (element in this) {\n   if (element == null) {\n   throw IllegalArgumentException(\"null element found in $this.\")\n   }\n   }\n   @Suppress(\"UNCHECKED_CAST\")\n   return this as Iterable<T>\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n */\npublic fun <T : Any> List<T?>.requireNoNulls(): List<T> {\n   for (element in this) {\n   if (element == null) {\n   throw IllegalArgumentException(\"null element found in $this.\")\n   }\n   }\n   @Suppress(\"UNCHECKED_CAST\")\n   return this as List<T>\n}\n\n/**\n * Splits this collection into a list of lists each not exceeding the given [size].\n * \n * The last list in the resulting list may have less elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this collection.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Iterable<T>.chunked(size: Int):
List<List<T>> {\n   return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this collection into several lists each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return list of results of the [transform] applied to an each list.\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last list may have less elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this collection.\n * \n * @sample samples.text.Strings.chunkedTransform\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Iterable<T>.chunked(size: Int, transform: (List<T>) -> R): List<R> {\n   return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Returns a list containing all elements of the original collection without the first occurrence of the given [element].\n */\npublic operator fun <T> Iterable<T>.minus(element: T): List<T> {\n   val result = ArrayList<T>(collectionSizeOrDefault(10))\n   var removed = false\n   return this.filterTo(result) { if (!removed && it == element) { removed = true; false } else true }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the elements contained in the given [elements] array.\n */\npublic operator fun <T> Iterable<T>.minus(elements: Array<out T>): List<T> {\n   if (elements.isEmpty()) return this.toList()\n   val other = elements.toHashSet()\n   return this.filterNot { it in other }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the elements contained in the given [elements] collection.\n */\npublic operator fun <T> Iterable<T>.minus(elements: Iterable<T>): List<T> {\n   val other = elements.convertToSetForSetOperationWith(this)\n   if (other.isEmpty())\n   return this.toList()\n   return this.filterNot { it in other }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the elements contained in the given [elements] sequence.\n */\npublic operator fun <T> Iterable<T>.minus(elements: Sequence<T>): List<T> {\n   val other =

```
elements.toHashSet()\n    if (other.isEmpty())\n        return this.toList()\n    return this.filterNot { it in other
}\n}\n\n/**\n * Returns a list containing all elements of the original collection without the first occurrence of the
given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minusElement(element: T):
List<T> {\n    return minus(element)\n}\n\n/**\n * Splits the original collection into pair of lists,\n * where *first*
list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which
[predicate] yielded `false`.\n */\npublic inline fun <T>
 Iterable<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n    val first = ArrayList<T>()\n    val
second = ArrayList<T>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n
} else {\n            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Returns a list
containing all elements of the original collection and then the given [element].\n */\npublic operator fun <T>
Iterable<T>.plus(element: T): List<T> {\n    if (this is Collection) return this.plus(element)\n    val result =
ArrayList<T>()\n    result.addAll(this)\n    result.add(element)\n    return result\n}\n\n/**\n * Returns a list
containing all elements of the original collection and then the given [element].\n */\npublic operator fun <T>
Collection<T>.plus(element: T): List<T> {\n    val result = ArrayList<T>(size + 1)\n    result.addAll(this)\n
result.add(element)\n    return result\n}\n\n/**\n * Returns a list containing
 all elements of the original collection and then all elements of the given [elements] array.\n */\npublic operator fun
<T> Iterable<T>.plus(elements: Array<out T>): List<T> {\n    if (this is Collection) return this.plus(elements)\n
val result = ArrayList<T>()\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n *
Returns a list containing all elements of the original collection and then all elements of the given [elements] array.\n
*/\npublic operator fun <T> Collection<T>.plus(elements: Array<out T>): List<T> {\n    val result =
ArrayList<T>(this.size + elements.size)\n    result.addAll(this)\n    result.addAll(elements)\n    return
result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given
[elements] collection.\n */\npublic operator fun <T> Iterable<T>.plus(elements: Iterable<T>): List<T> {\n    if (this
is Collection) return this.plus(elements)\n    val result = ArrayList<T>()\n
    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all
elements of the original collection and then all elements of the given [elements] collection.\n */\npublic operator fun
<T> Collection<T>.plus(elements: Iterable<T>): List<T> {\n    if (elements is Collection) {\n        val result =
ArrayList<T>(this.size + elements.size)\n        result.addAll(this)\n        result.addAll(elements)\n        return result\n
 } else {\n        val result = ArrayList<T>(this)\n        result.addAll(elements)\n        return result\n    }\n}\n\n/**\n *
Returns a list containing all elements of the original collection and then all elements of the given [elements]
sequence.\n */\npublic operator fun <T> Iterable<T>.plus(elements: Sequence<T>): List<T> {\n    val result =
ArrayList<T>()\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list
containing all elements of the original collection and
 then all elements of the given [elements] sequence.\n */\npublic operator fun <T> Collection<T>.plus(elements:
Sequence<T>): List<T> {\n    val result = ArrayList<T>(this.size + 10)\n    result.addAll(this)\n
result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the original
collection and then the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Iterable<T>.plusElement(element: T): List<T> {\n    return plus(element)\n}\n\n/**\n * Returns a list containing all
elements of the original collection and then the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Collection<T>.plusElement(element: T): List<T> {\n    return plus(element)\n}\n\n/**\n * Returns a list of
snapshots of the window of the given [size]\n * sliding along this collection with the given [step], where each\n *
snapshot is a list.\n * \n * Several last lists may have less elements than the given [size].\n * \n * Both [size]
 and [step] must be positive and can be greater than the number of elements in this collection.\n * @param size the
number of elements to take in each window\n * @param step the number of elements to move the window forward
by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the
end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample
samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <T>
Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<List<T>> {\n
```

checkWindowSizeStep(size, step)\n   if (this is RandomAccess && this is List) {\n   val thisSize = this.size\n   val result = ArrayList<List<T>>((thisSize + step - 1) / step)\n   var index = 0\n   while (index < thisSize) {\n   val windowSize = size.coerceAtMost(thisSize - index)\n   if (windowSize < size && !partialWindows) break\n   result.add(List(windowSize) { this[it + index] })\n   index += step\n   }\n   return result\n   }\n   val result = ArrayList<List<T>>()\n   windowedIterator(iterator(), size, step, partialWindows, reuseBuffer = false).forEach {\n   result.add(it)\n   }\n   return result\n}\n\n/**\n * Returns a list of results of applying the given [transform] function to\n * an each list representing a view over the window of the given [size]\n * sliding along this collection with the given [step].\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this collection.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R): List<R> {\n   checkWindowSizeStep(size, step)\n   if (this is RandomAccess && this is List) {\n   val thisSize = this.size\n   val result = ArrayList<R>((thisSize + step - 1) / step)\n   val window = MovingSubList(this)\n   var index = 0\n   while (index < thisSize) {\n   window.move(index, (index + size).coerceAtMost(thisSize))\n   if (!partialWindows && window.size < size) break\n   result.add(transform(window))\n   index += step\n   }\n   return result\n   }\n   val result = ArrayList<R>()\n   windowedIterator(iterator(), size, step, partialWindows, reuseBuffer = true).forEach {\n   result.add(transform(it))\n   }\n   return result\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Iterable<T>.zip(other: Array<out R>): List<Pair<T, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` collection and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Iterable<T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n   val arraySize = other.size\n   val list = ArrayList<V>(minOf(collectionSizeOrDefault(10), arraySize))\n   var i = 0\n   for (element in this) {\n   if (i >= arraySize) break\n   list.add(transform(element, other[i++]))\n   }\n   return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] collection with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Iterable<T>.zip(other: Iterable<R>): List<Pair<T, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` collection and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Iterable<T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n   val first = iterator()\n   val second = other.iterator()\n   val list = ArrayList<V>(minOf(collectionSizeOrDefault(10), other.collectionSizeOrDefault(10)))\n   while (first.hasNext() && second.hasNext()) {\n   list.add(transform(first.next(), second.next()))\n   }\n   return list\n}\n\n/**\n * Returns a list of pairs of each two adjacent elements in this collection.\n * \n * The returned list is empty if this collection contains less than two elements.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n

*/\n@SinceKotlin(\"1.2\")\npublic fun <T> Iterable<T>.zipWithNext(): List<Pair<T, T>> {\n return zipWithNext { a, b -> a to b }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to an each pair of two adjacent
elements in this collection.\n * \n * The returned list is empty if this collection contains less than two elements.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n */\n@SinceKotlin(\"1.2\")\npublic inline fun <T, R> Iterable<T>.zipWithNext(transform: (a: T, b: T) -> R): List<R> {\n val iterator = iterator()\n if (!iterator.hasNext()) return emptyList()\n val result = mutableListOf<R>()\n var current = iterator.next()\n while (iterator.hasNext()) {\n val next = iterator.next()\n result.add(transform(current, next))\n current = next\n }\n return result\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <T, A : Appendable> Iterable<T>.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n buffer.appendElement(element, transform)\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed
by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun <T> Iterable<T>.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Returns this collection as an [Iterable].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.asIterable(): Iterable<T> {\n return this\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original collection returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromCollection\n */\npublic fun <T> Iterable<T>.asSequence(): Sequence<T> {\n return Sequence { this.iterator() }\n}\n\n/**\n * Returns an average value of
elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfByte\")\npublic fun Iterable<Byte>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n count += 1\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfShort\")\npublic fun Iterable<Short>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n count += 1\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfInt\")\npublic fun Iterable<Int>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n count += 1\n }\n return if (count == 0) Double.NaN else sum /
count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfLong\")\npublic fun Iterable<Long>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n count += 1\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfFloat\")\npublic fun Iterable<Float>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n count += 1\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfDouble\")\npublic fun Iterable<Double>.average(): Double {\n

var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n count += 1\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfByte\")\npublic fun Iterable<Byte>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfShort\")\npublic fun Iterable<Short>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfInt\")\npublic fun Iterable<Int>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfLong\")\npublic fun Iterable<Long>.sum(): Long {\n var sum: Long = 0L\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfFloat\")\npublic fun Iterable<Float>.sum(): Float {\n var sum: Float = 0.0f\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfDouble\")\npublic fun Iterable<Double>.sum(): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\nimport kotlin.comparisons.naturalOrder\nimport kotlin.math.floor\n\n/** Returns the array if it's not `null`, or an empty array otherwise. */\n@kotlin.internal.InlineOnly\npublic actual inline fun <T> Array<out T>?.orEmpty(): Array<out T> = this
?: emptyArray<T>()\n\n@kotlin.internal.InlineOnly\npublic actual inline fun <T> Collection<T>.toTypedArray(): Array<T> = copyToArray(this)\n\n@JsName(\"copyToArray\")\n@PublishedApi\ninternal fun <T> copyToArray(collection: Collection<T>): Array<T> {\n return if (collection.asDynamic().toArray !== undefined)\n collection.asDynamic().toArray().unsafeCast<Array<T>>()\n else\n copyToArrayImpl(collection).unsafeCast<Array<T>>()\n}\n\n@JsName(\"copyToArrayImpl\")\ninternal actual fun copyToArrayImpl(collection: Collection<*>): Array<Any?> {\n val array = emptyArray<Any?>()\n val iterator = collection.iterator()\n while (iterator.hasNext())\n array.asDynamic().push(iterator.next())\n return array\n}\n\n@JsName(\"copyToExistingArrayImpl\")\ninternal actual fun <T> copyToArrayImpl(collection: Collection<*>, array: Array<T>): Array<T> {\n if (array.size < collection.size)\n return copyToArrayImpl(collection).unsafeCast<Array<T>>()\n\n val iterator = collection.iterator()\n var index = 0\n while (iterator.hasNext()) {\n array[index++] = iterator.next().unsafeCast<T>()\n }\n if (index < array.size) {\n array[index] = null.unsafeCast<T>()\n }\n return array\n}\n\n@library(\"arrayToString\")\n@Suppress(\"UNUSED_PARAMETER\")\ninternal fun arrayToString(array: Array<*>): String = definedExternally\n\n/**\n * Returns an immutable list containing only the specified object [element].\n */\npublic fun <T> listOf(element: T): List<T> = arrayListOf(element)\n\n/**\n * Returns an immutable set containing only the specified object [element].\n */\npublic fun <T> setOf(element: T): Set<T> = hashSetOf(element)\n\n/**\n * Returns an immutable map, mapping only the specified key to the\n * specified value.\n */\npublic fun <K, V> mapOf(pair: Pair<K, V>): Map<K, V> = hashMapOf(pair)\n\n/**\n * Fills the list with the provided [value].\n *\n * Each element in the list gets replaced with the [value].\n */\n@SinceKotlin(\"1.2\")\npublic
actual fun <T> MutableList<T>.fill(value: T): Unit {\n for (index in 0..lastIndex) {\n this[index] = value\n }\n}\n\n/**\n * Randomly shuffles elements in this list.\n *\n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.2\")\npublic actual fun <T> MutableList<T>.shuffle(): Unit {\n for (i in lastIndex downTo 1) {\n val j = rand(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\nprivate fun rand(upperBound: Int) = floor(kotlin.js.Math.random() * upperBound).toInt()\n\n/**\n * Returns a new list with the elements of this list randomly shuffled.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun <T> Iterable<T>.shuffled(): List<T> = toMutableList().apply { shuffle() }\n\n/**\n * Sorts elements in the list in-place

according to their natural sort order.\n */\npublic actual fun <T : Comparable<T>> MutableList<T>.sort(): Unit {\n collectionsSort(this,
naturalOrder())\n}\n\n/**\n * Sorts elements in the list in-place according to the order specified with [comparator].\n */\npublic actual fun <T> MutableList<T>.sortWith(comparator: Comparator<in T>): Unit {\n collectionsSort(this, comparator)\n}\n\nprivate fun <T> collectionsSort(list: MutableList<T>, comparator: Comparator<in T>) {\n if (list.size <= 1) return\n\n val array = copyToArray(list)\n\n array.asDynamic().sort(comparator.asDynamic().compare.bind(comparator))\n\n for (i in 0 until array.size) {\n list[i] = array[i]\n }\n}\n\ninternal actual fun <T> arrayOfNulls(reference: Array<T>, size: Int): Array<T> {\n return arrayOfNulls<Any>(size).unsafeCast<Array<T>>()\n}\n\n// no singleton map implementation in js, return map as is\n@Suppress(\"NOTHING_TO_INLINE\")\ninternal actual inline fun <K, V> Map<K, V>.toSingletonMapOrSelf(): Map<K, V> = this\n\n@Suppress(\"NOTHING_TO_INLINE\")\ninternal actual inline fun <K, V> Map<out K, V>.toSingletonMap():
Map<K, V> = this.toMutableMap()\n\n\n@Suppress(\"NOTHING_TO_INLINE\")\ninternal actual inline fun <T> Array<out T>.copyToArrayOfAny(isVarargs: Boolean): Array<out Any?> =\n if (isVarargs)\n // no need to copy vararg array in JS\n this\n else\n this.copyOf()\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\n\n/**\n * Returns the given iterator itself. This allows to use an instance of iterator in a `for` loop.\n * @sample samples.collections.Iterators.iterator\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Iterator<T>.iterator(): Iterator<T> = this\n\n/**\n * Returns an [Iterator] wrapping each value produced by this [Iterator] with the [IndexedValue],\n * containing value and it's index.\n * @sample samples.collections.Iterators.withIndexIterator\n
*/\npublic fun <T> Iterator<T>.withIndex(): Iterator<IndexedValue<T>> = IndexingIterator(this)\n\n/**\n * Performs the given [operation] on each element of this [Iterator].\n * @sample samples.collections.Iterators.forEachIterator\n */\npublic inline fun <T> Iterator<T>.forEach(operation: (T) -> Unit): Unit {\n for (element in this) operation(element)\n}\n\n/**\n * Iterator transforming original `iterator` into iterator of [IndexedValue], counting index from zero.\n */\ninternal class IndexingIterator<out T>(private val iterator: Iterator<T>) : Iterator<IndexedValue<T>> {\n private var index = 0\n final override fun hasNext(): Boolean = iterator.hasNext()\n final override fun next(): IndexedValue<T> = IndexedValue(index++, iterator.next())\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ComparisonsKt\")\n\npackage kotlin.comparisons\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.*\nimport kotlin.text.*\nimport kotlin.comparisons.*\n\n/**\n * Returns the greater of two values.\n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T : Comparable<T>> maxOf(a: T, b: T): T\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte, b: Byte): Byte\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Short, b: Short): Short\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Int, b: Int): Int\n\n/**\n * Returns the
greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Long, b: Long): Long\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Float, b: Float): Float\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Double, b: Double): Double\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T :

```
Comparable<T>> maxOf(a: T, b: T, c: T): T\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte, b: Byte, c: Byte):
Byte\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Short, b: Short, c:
Short): Short\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic
 expect inline fun maxOf(a: Int, b: Int, c: Int): Int\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Long, b: Long, c:
Long): Long\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Float, b: Float, c:
Float): Float\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Double, b: Double, c:
Double): Double\n\n/**\n * Returns the greater of three values according to the order specified by the given
[comparator].\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> maxOf(a: T, b: T, c: T, comparator: Comparator<in T>):
T {\n    return maxOf(a, maxOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the greater of two values
according to the order specified by the given [comparator].\n
 * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> maxOf(a: T, b: T,
comparator: Comparator<in T>): T {\n    return if (comparator.compare(a, b) >= 0) a else b\n}\n\n/**\n * Returns
the smaller of two values.\n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic expect
fun <T : Comparable<T>> minOf(a: T, b: T): T\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Byte, b: Byte):
Byte\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Short, b: Short):
Short\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Int, b: Int): Int\n\n/**\n
* Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline
 fun minOf(a: Long, b: Long): Long\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Float, b: Float):
Float\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Double, b: Double):
Double\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T :
Comparable<T>> minOf(a: T, b: T, c: T): T\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Byte, b: Byte, c: Byte):
Byte\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Short, b: Short, c:
Short): Short\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Int, b: Int,
 c: Int): Int\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Long, b: Long, c:
Long): Long\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Float, b: Float, c: Float):
Float\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Double, b: Double, c:
Double): Double\n\n/**\n * Returns the smaller of three values according to the order specified by the given
[comparator].\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> minOf(a: T, b: T, c: T, comparator: Comparator<in T>):
T {\n    return minOf(a, minOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the smaller of two values
according to the order specified by the given [comparator].\n * If values are equal, returns the first one.\n
*/\n@SinceKotlin(\"1.1\")\npublic fun
```

<T> minOf(a: T, b: T, comparator: Comparator<in T>): T {\n return if (comparator.compare(a, b) <= 0) a else b\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"MapsKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.*\nimport kotlin.text.*\nimport kotlin.comparisons.*\n\n/**\n * Returns a [List] containing all key-value pairs.\n */\npublic fun <K, V> Map<out K, V>.toList(): List<Pair<K, V>> {\n if (size == 0)\n return emptyList()\n val iterator = entries.iterator()\n if (!iterator.hasNext())\n return emptyList()\n val first = iterator.next()\n if (!iterator.hasNext())\n return listOf(first.toPair())\n val result = ArrayList<Pair<K, V>>(size)\n result.add(first.toPair())\n do {\n result.add(iterator.next().toPair())\n } while (iterator.hasNext())\n return result\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each entry of original map.\n */\npublic inline fun <K, V, R> Map<out K, V>.flatMap(transform: (Map.Entry<K, V>) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each entry of original map, to the given [destination].\n */\npublic inline fun <K, V, R, C : MutableCollection<in R>> Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each entry in the original map.\n */\npublic inline fun <K, V, R> Map<out K, V>.map(transform: (Map.Entry<K, V>) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each entry in the original map.\n */\npublic inline fun <K, V, R : Any> Map<out K, V>.mapNotNull(transform: (Map.Entry<K, V>) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each entry in the original map\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <K, V, R : Any, C : MutableCollection<in R>> Map<out K, V>.mapNotNullTo(destination: C, transform: (Map.Entry<K, V>) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each entry of the original map\n * and appends the results to the given [destination].\n */\npublic inline fun <K, V, R, C : MutableCollection<in R>> Map<out K, V>.mapTo(destination: C, transform: (Map.Entry<K, V>) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns `true` if all entries match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <K, V> Map<out K, V>.all(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n if (isEmpty()) return true\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if map has at least one entry.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <K, V> Map<out K, V>.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one entry matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <K, V> Map<out K, V>.any(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n if (isEmpty()) return false\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns the number of entries in this map.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.count(): Int {\n return size\n}\n\n/**\n * Returns the number of entries matching the given [predicate].\n */\npublic inline fun <K, V> Map<out K, V>.count(predicate: (Map.Entry<K, V>) -> Boolean): Int {\n if (isEmpty()) return 0\n var count = 0\n for (element in this) if (predicate(element)) count++\n return count\n}\n\n/**\n * Performs the given [action] on each entry.\n */\n@kotlin.internal.HidesMembers\npublic inline fun <K, V> Map<out K, V>.forEach(action: (Map.Entry<K, V>) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Returns the first entry yielding the largest value of the given function or `null` if there are no entries.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.maxBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n return

entries.maxBy(selector)\n}\n\n/**\n * Returns the first entry having the largest value according to the provided [comparator] or `null` if there are no entries.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.maxWith(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n   return entries.maxWith(comparator)\n}\n\n/**\n * Returns the first entry yielding the smallest value of the given function or `null` if there are no entries.\n */\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.minBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n   return entries.minBy(selector)\n}\n\n/**\n * Returns the first entry having the smallest value according to the provided [comparator] or `null` if there are no entries.\n */\npublic fun <K, V> Map<out K, V>.minWith(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n   return entries.minWith(comparator)\n}\n\n/**\n * Returns `true` if the map has no entries.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun <K, V> Map<out K, V>.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if no entries match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <K, V> Map<out K, V>.none(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n   if (isEmpty()) return true\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Performs the given [action] on each entry and returns the map itself afterwards.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <K, V, M : Map<out K, V>> M.onEach(action: (Map.Entry<K, V>) -> Unit): M {\n   return apply { for (element in this) action(element) }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original map returning its entries when being iterated.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.asIterable(): Iterable<Map.Entry<K, V>> {\n   return entries\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original map returning its entries when being iterated.\n */\npublic fun <K, V> Map<out K, V>.asSequence(): Sequence<Map.Entry<K, V>> {\n   return entries.asSequence()\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.ranges\n\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float.rangeTo(that: Float): ClosedFloatingPointRange<Float> =\n this.toDouble().rangeTo(that.toDouble()).unsafeCast<ClosedFloatingPointRange<Float>>()\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SequencesKt\")\n\npackage kotlin.sequences\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.*\nimport kotlin.text.*\nimport kotlin.comparisons.*\nimport kotlin.coroutines.experimental.*\n\n/**\n * Returns `true` if [element] is found in the sequence.\n *\n * The operation is _terminal_.\n */\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.contains(element: T): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.elementAt(index: Int): T {\n   return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"Sequence doesn't contain element at index $index.\") }\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n   if (index < 0)\n   return defaultValue(index)\n   val iterator = iterator()\n   var count = 0\n   while (iterator.hasNext()) {\n   val element = iterator.next()\n   if (index == count++)\n   return element\n   }\n   return defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.elementAtOrNull(index: Int): T? {\n   if (index < 0)\n   return null\n   val iterator = iterator()\n   var count = 0\n   while (iterator.hasNext()) {\n   val element = iterator.next()\n   if (index == count++)\n

return element\n }\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n *\n * The operation is _terminal_.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.find(predicate: (T) -> Boolean): T? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n *\n * The operation is _terminal_.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.findLast(predicate: (T) -> Boolean): T? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the sequence is empty.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.first(): T {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException(\"Sequence is empty.\")\n return iterator.next()\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.first(predicate: (T) -> Boolean): T {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Sequence contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element, or `null` if the sequence is empty.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.firstOrNull(): T? {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n return iterator.next()\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns first
index of [element], or -1 if the sequence does not contain element.\n *\n * The operation is _terminal_.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.indexOf(element: T): Int {\n var index = 0\n for (item in this) {\n if (element == item)\n return index\n index++\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the sequence does not contain such element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n var index = 0\n for (item in this) {\n if (predicate(item))\n return index\n index++\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the sequence does not contain such element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n var
lastIndex = -1\n var index = 0\n for (item in this) {\n if (predicate(item))\n lastIndex = index\n index++\n }\n return lastIndex\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the sequence is empty.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.last(): T {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException(\"Sequence is empty.\")\n var last = iterator.next()\n while (iterator.hasNext())\n last = iterator.next()\n return last\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.last(predicate: (T) -> Boolean): T {\n var last: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n last = element\n found
= true\n }\n }\n if (!found) throw NoSuchElementException(\"Sequence contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return last as T\n}\n\n/**\n * Returns last index of [element], or -1 if the sequence does not contain element.\n *\n * The operation is _terminal_.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.lastIndexOf(element: T): Int {\n var lastIndex = -1\n var index = 0\n for (item in this) {\n if (element == item)\n lastIndex = index\n index++\n }\n return lastIndex\n}\n\n/**\n * Returns the last element, or `null` if the sequence is empty.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.lastOrNull(): T? {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n var last = iterator.next()\n while (iterator.hasNext())\n last = iterator.next()\n return last\n}\n\n/**\n * Returns the last element matching the
given [predicate], or `null` if no such element was found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n var last: T? = null\n for (element in this)

{\n if (predicate(element)) {\n last = element\n }\n }\n return last\n}\n\n/**\n * Returns the single element, or throws an exception if the sequence is empty or has more than one element.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.single(): T {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException(\"Sequence is empty.\")\n val single = iterator.next()\n if (iterator.hasNext())\n throw IllegalArgumentException(\"Sequence has more than one element.\")\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.single(predicate: (T) -> Boolean): T {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Sequence contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Sequence contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as T\n}\n\n/**\n * Returns single element, or `null` if the sequence is empty or has more than one element.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.singleOrNull(): T? {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n val single = iterator.next()\n if (iterator.hasNext())\n return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns a sequence containing all elements except first [n] elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Sequence<T>.drop(n: Int): Sequence<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return when {\n n == 0 -> this\n this is DropTakeSequence -> this.drop(n)\n else -> DropSequence(this, n)\n }\n}\n\n/**\n * Returns a sequence containing all elements except first elements that satisfy the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Sequence<T>.dropWhile(predicate: (T) -> Boolean): Sequence<T> {\n return DropWhileSequence(this, predicate)\n}\n\n/**\n * Returns a sequence containing only elements matching the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.filter(predicate: (T) -> Boolean): Sequence<T> {\n return FilteringSequence(this, true, predicate)\n}\n\n/**\n * Returns a sequence containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): Sequence<T> {\n // TODO: Rewrite with generalized MapFilterIndexingSequence\n return TransformingSequence(FilteringSequence(IndexingSequence(this), true, { predicate(it.index, it.value) }), { it.value })\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, C : MutableCollection<in T>> Sequence<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Returns a sequence containing all elements that are instances of specified type parameter R.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic inline fun <reified R> Sequence<*>.filterIsInstance(): Sequence<@kotlin.internal.NoInfer R> {\n @Suppress(\"UNCHECKED_CAST\")\n return filter { it is R } as Sequence<R>\n}\n\n/**\n * Appends all elements that are instances of specified type parameter R to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <reified R, C : MutableCollection<in R>>

Sequence<*>.filterIsInstanceTo(destination: C): C {\n for (element in this) if (element is R) destination.add(element)\n return destination\n}\n\n/**\n * Returns a sequence containing all elements not matching the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.filterNot(predicate: (T) -> Boolean): Sequence<T> {\n return FilteringSequence(this, false, predicate)\n}\n\n/**\n * Returns a sequence containing all elements that are not `null`.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T : Any> Sequence<T?>.filterNotNull(): Sequence<T> {\n @Suppress(\"UNCHECKED_CAST\")\n return filterNot { it == null } as Sequence<T>\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic fun <C : MutableCollection<in T>, T : Any> Sequence<T?>.filterNotNullTo(destination: C): C {\n for (element in this) if (element != null) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, C : MutableCollection<in T>> Sequence<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, C : MutableCollection<in T>> Sequence<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Returns a sequence containing first [n] elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Sequence<T>.take(n: Int): Sequence<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return when {\n n == 0 -> emptySequence()\n this is DropTakeSequence -> this.take(n)\n else -> TakeSequence(this, n)\n }\n}\n\n/**\n * Returns a sequence containing first elements satisfying the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Sequence<T>.takeWhile(predicate: (T) -> Boolean): Sequence<T> {\n return TakeWhileSequence(this, predicate)\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according to their natural sort order.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T : Comparable<T>> Sequence<T>.sorted(): Sequence<T> {\n return object : Sequence<T> {\n override fun iterator(): Iterator<T> {\n val sortedList = this@sorted.toMutableList()\n sortedList.sort()\n return sortedList.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according to natural sort order of the value returned by specified [selector] function.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic inline fun <T, R : Comparable<R>> Sequence<T>.sortedBy(crossinline selector: (T) -> R?): Sequence<T> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted descending according to natural sort order of the value returned by specified [selector] function.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic inline fun <T, R : Comparable<R>> Sequence<T>.sortedByDescending(crossinline selector: (T) -> R?): Sequence<T> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted descending according to their natural sort order.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T : Comparable<T>> Sequence<T>.sortedDescending(): Sequence<T> {\n return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according to the specified [comparator].\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T> Sequence<T>.sortedWith(comparator: Comparator<in T>): Sequence<T> {\n return object : Sequence<T> {\n override fun iterator(): Iterator<T> {\n val sortedList = this@sortedWith.toMutableList()\n sortedList.sortWith(comparator)\n return sortedList.iterator()\n }\n }\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given sequence.\n * \n * If any of two pairs would have the same key the last one gets added to

the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, K, V> Sequence<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n return associateTo(LinkedHashMap<K, V>(), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given sequence indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, K> Sequence<T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n return associateByTo(LinkedHashMap<K, T>(), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given sequence.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, K, V> Sequence<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n return associateByTo(LinkedHashMap<K, V>(), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given sequence\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given sequence.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n *\n * The operation is _terminal_.\n */\npublic fun <T, C : MutableCollection<in T>> Sequence<T>.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Returns a [HashSet] of all elements.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toHashSet(): HashSet<T> {\n return toCollection(HashSet<T>())\n}\n\n/**\n * Returns a [List] containing all elements.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toList(): List<T> {\n return this.toMutableList().optimizeReadOnlyList()\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toMutableList(): MutableList<T> {\n return toCollection(ArrayList<T>())\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toSet(): Set<T> {\n return toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n}\n\n/**\n * Returns a single sequence of all elements from results of [transform] function being invoked on each element of original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R> Sequence<T>.flatMap(transform: (T) -> Sequence<R>): Sequence<R> {\n return FlatteningSequence(this, transform, { it.iterator() })\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original sequence, to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R, C :

MutableCollection<in R>> Sequence<T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Groups elements of the original sequence by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K> Sequence<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n return groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original sequence\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V> Sequence<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original sequence by the key returned
by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K, M : MutableMap<in K, MutableList<T>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<T>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original sequence\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n *\n * The
operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Creates a [Grouping] source from a sequence to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each element.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Sequence<T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n return object : Grouping<T, K> {\n
override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n override fun keyOf(element: T): K = keySelector(element)\n }\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform] function\n * to each element in the original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R> Sequence<T>.map(transform: (T) -> R): Sequence<R> {\n return TransformingSequence(this, transform)\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform] function\n * to each element and its index in the original sequence.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R> Sequence<T>.mapIndexed(transform: (index: Int, T) -> R): Sequence<R> {\n return TransformingIndexedSequence(this, transform)\n}\n\n/**\n

* Returns a sequence containing only the non-null results of applying the given [transform] function\n * to each element and its index in the original sequence.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R : Any> Sequence<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): Sequence<R> {\n return TransformingIndexedSequence(this, transform).filterNotNull()\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original sequence\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original sequence\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Returns a sequence containing only the non-null results of applying the given [transform] function\n * to each element in the original sequence.\n *\n *

The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R : Any> Sequence<T>.mapNotNull(transform: (T) -> R?): Sequence<R> {\n return TransformingSequence(this, transform).filterNotNull()\n}\n\n/**\n * Applies the given [transform] function to each element in the original sequence\n * and appends only the non-null results to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original sequence\n * and appends the results to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.mapTo(destination: C, transform: (T) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a sequence of [IndexedValue] for each element of the original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.withIndex(): Sequence<IndexedValue<T>> {\n return IndexingSequence(this)\n}\n\n/**\n * Returns a sequence containing only distinct elements from the given sequence.\n * \n * The elements in the resulting sequence are in the same order as they were in the source sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T> Sequence<T>.distinct(): Sequence<T> {\n return this.distinctBy { it }\n}\n\n/**\n * Returns a sequence containing only elements from the given sequence\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting sequence are in the same order as they were in the source sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T, K> Sequence<T>.distinctBy(selector:

(T) -> K): Sequence<T> {\n return DistinctSequence(this, selector)\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given sequence.\n * \n * The returned set preserves the element iteration order of the original sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toMutableSet(): MutableSet<T> {\n val set = LinkedHashSet<T>()\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <T> Sequence<T>.all(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if sequence has at least one element.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <T>

Sequence<T>.any():
Boolean {\n return iterator().hasNext()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T> Sequence<T>.any(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns the number of elements in this sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.count(): Int {\n var count = 0\n for (element in this) count++\n return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.count(predicate: (T) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element)) count++\n return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation]
from left to right to current accumulator value and each element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R> Sequence<T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original sequence.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R> Sequence<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n
* Performs the given [action] on each element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.forEach(action: (T) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.1\")\npublic fun Sequence<Double>.max(): Double? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n
if (max.isNaN()) return max\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.1\")\npublic fun Sequence<Float>.max(): Float? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n if (max.isNaN()) return max\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\npublic fun <T : Comparable<T>> Sequence<T>.max(): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n
while (iterator.hasNext()) {\n val e = iterator.next()\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R : Comparable<R>> Sequence<T>.maxBy(selector: (T) -> R): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var maxElem = iterator.next()\n var maxValue = selector(maxElem)\n while (iterator.hasNext()) {\n val e = iterator.next()\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n
}\n }\n return maxElem\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.maxWith(comparator: Comparator<in T>): T? {\n val iterator

= iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.1\")\npublic fun Sequence<Double>.min(): Double? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var min = iterator.next()\n if (min.isNaN()) return min\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (e.isNaN()) return e\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.1\")\npublic fun Sequence<Float>.min(): Float?
{\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var min = iterator.next()\n if (min.isNaN()) return min\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (e.isNaN()) return e\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\npublic fun <T : Comparable<T>> Sequence<T>.min(): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var min = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R : Comparable<R>> Sequence<T>.minBy(selector: (T) -> R): T? {\n val iterator = iterator()\n if (!iterator.hasNext())
return null\n var minElem = iterator.next()\n var minValue = selector(minElem)\n while (iterator.hasNext()) {\n val e = iterator.next()\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.minWith(comparator: Comparator<in T>): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var min = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns `true` if the sequence has no elements.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun <T> Sequence<T>.none():
Boolean {\n return !iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <T> Sequence<T>.none(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns a sequence which performs the given [action] on each element of the original sequence as they pass through it.\n *\n * The operation is _intermediate_ and _stateless_.\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> Sequence<T>.onEach(action: (T) -> Unit): Sequence<T> {\n return map {\n action(it)\n it\n }\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <S, T : S> Sequence<T>.reduce(operation:
(acc: S, T) -> S): S {\n val iterator = this.iterator()\n if (!iterator.hasNext()) throw UnsupportedOperationException(\"Empty sequence can't be reduced.\")\n var accumulator: S = iterator.next()\n while (iterator.hasNext()) {\n accumulator = operation(accumulator, iterator.next())\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original sequence.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n *\n * The operation is _terminal_.\n */\npublic inline fun <S, T : S> Sequence<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n val iterator = this.iterator()\n if (!iterator.hasNext()) throw UnsupportedOperationException(\"Empty sequence can't be reduced.\")\n
var index = 1\n var accumulator: S = iterator.next()\n while (iterator.hasNext()) {\n accumulator = operation(index++, accumulator, iterator.next())\n }\n return accumulator\n}\n\n/**\n * Returns the sum of all

values produced by [selector] function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.sumBy(selector: (T) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.sumByDouble(selector: (T) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException]
if there are any `null` elements.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T : Any> Sequence<T?>.requireNoNulls(): Sequence<T> {\n return map { it ?: throw IllegalArgumentException(\"null element found in $this.\") }\n}\n\n/**\n * Splits this sequence into a sequence of lists each not exceeding the given [size].\n * \n * The last list in the resulting sequence may have less elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Sequence<T>.chunked(size: Int): Sequence<List<T>> {\n return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this sequence into several lists each not exceeding the given [size]\n * and applies the given [transform]
function to an each.\n * \n * @return sequence of results of the [transform] applied to an each list.\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last list may have less elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n * \n * @sample samples.text.Strings.chunkedTransform\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Sequence<T>.chunked(size: Int, transform: (List<T>) -> R): Sequence<R> {\n return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence without the first occurrence of the given [element].\n *\n * The operation
is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.minus(element: T): Sequence<T> {\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n var removed = false\n return this@minus.filter { if (!removed && it == element) { removed = true; false } else true }.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] array.\n * \n * Note that the source sequence and the array being subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic operator fun <T> Sequence<T>.minus(elements: Array<out T>): Sequence<T> {\n if (elements.isEmpty()) return this\n return object: Sequence<T> {\n override fun iterator(): Iterator<T>
{\n val other = elements.toHashSet()\n return this@minus.filterNot { it in other }.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] collection.\n * \n * Note that the source sequence and the collection being subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic operator fun <T> Sequence<T>.minus(elements: Iterable<T>): Sequence<T> {\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n val other = elements.convertToSetForSetOperation()\n if (other.isEmpty())\n return this@minus.iterator()\n else\n return this@minus.filterNot { it in other }.iterator()\n }\n
}\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] sequence.\n * \n * Note that the source sequence and the sequence being subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n * \n * The operation is _intermediate_ for this sequence and _terminal_ and

stateful for the [elements] sequence.\n */\npublic operator fun <T> Sequence<T>.minus(elements: Sequence<T>): Sequence<T> {\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n val other = elements.toHashSet()\n if (other.isEmpty())\n return this@minus.iterator()\n else\n return this@minus.filterNot { it in other }.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence without the first occurrence of the given [element].\n *\n * The operation is _intermediate_ and _stateless_.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minusElement(element: T): Sequence<T> {\n return minus(element)\n}\n\n/**\n * Splits the original sequence into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n val first = ArrayList<T>()\n val second = ArrayList<T>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence and then the given [element].\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(element: T): Sequence<T> {\n return sequenceOf(this, sequenceOf(element)).flatten()\n}\n\n/**\n * Returns a sequence containing all elements of original sequence and then all elements of the given [elements] array.\n * \n * Note that the source sequence and the array being added are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(elements: Array<out T>): Sequence<T> {\n return this.plus(elements.asList())\n}\n\n/**\n * Returns a sequence containing all elements of original sequence and then all elements of the given [elements] collection.\n * \n * Note that the source sequence and the collection being added are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(elements: Iterable<T>): Sequence<T> {\n return sequenceOf(this, elements.asSequence()).flatten()\n}\n\n/**\n * Returns a sequence containing all elements of original sequence and then all elements of the given [elements] sequence.\n * \n * Note that the source sequence and the sequence being added are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(elements: Sequence<T>): Sequence<T> {\n return sequenceOf(this, elements).flatten()\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence and then the given [element].\n *\n * The operation is _intermediate_ and _stateless_.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.plusElement(element: T): Sequence<T> {\n return plus(element)\n}\n\n/**\n * Returns a sequence of snapshots of the window of the given [size]\n * sliding along this sequence with the given [step], where each\n * snapshot is a list.\n * \n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<List<T>> {\n return windowedSequence(size, step, partialWindows, reuseBuffer = false)\n}\n\n/**\n * Returns a sequence of results of applying the given [transform] function to\n * an each list representing a view over the window of the given [size]\n * sliding along this sequence with the given [step].\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.\n * @param size the number of elements to take in each window\n * @param

step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R): Sequence<R> {\n return windowedSequence(size, step, partialWindows, reuseBuffer = true).map(transform)\n}\n\n/**\n * Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index.\n * The resulting sequence ends as soon as the shortest input sequence ends.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Sequences.Transformations.zip\n */\npublic infix fun <T, R> Sequence<T>.zip(other: Sequence<R>): Sequence<Pair<T, R>> {\n return MergingSequence(this, other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The resulting sequence ends as soon as the shortest input sequence ends.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Sequences.Transformations.zipWithTransform\n */\npublic fun <T, R, V> Sequence<T>.zip(other: Sequence<R>, transform: (a: T, b: R) -> V): Sequence<V> {\n return MergingSequence(this, other, transform)\n}\n\n/**\n * Returns a sequence of pairs of each two adjacent elements in this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Sequence<T>.zipWithNext(): Sequence<Pair<T, T>> {\n return zipWithNext { a, b -> a to b }\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform] function\n * to an each pair of two adjacent elements in this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Sequence<T>.zipWithNext(transform: (a: T, b: T) -> R): Sequence<R> {\n return buildSequence result@ {\n val iterator = iterator()\n if (!iterator.hasNext()) return@result\n var current = iterator.next()\n while (iterator.hasNext()) {\n val next = iterator.next()\n yield(transform(current, next))\n current = next\n }\n }\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <T, A : Appendable> Sequence<T>.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n buffer.appendElement(element, transform)\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n *
If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun <T> Sequence<T>.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original sequence returning its elements when being iterated.\n */\npublic fun <T>

Sequence<T>.asIterable(): Iterable<T> {\n   return Iterable { this.iterator() }\n}\n\n/**\n * Returns this sequence as a [Sequence].\n */\n@kotlin.internal.InlineOnly\npublic inline
fun <T> Sequence<T>.asSequence(): Sequence<T> {\n   return this\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfByte\")\npublic fun Sequence<Byte>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   count += 1\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfShort\")\npublic fun Sequence<Short>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   count += 1\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfInt\")\npublic fun Sequence<Int>.average():
Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   count += 1\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfLong\")\npublic fun Sequence<Long>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   count += 1\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfFloat\")\npublic fun Sequence<Float>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   count += 1\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfDouble\")\npublic fun Sequence<Double>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   count += 1\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfByte\")\npublic fun Sequence<Byte>.sum(): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfShort\")\npublic fun Sequence<Short>.sum(): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n
*\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfInt\")\npublic fun Sequence<Int>.sum():
Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfLong\")\npublic fun Sequence<Long>.sum(): Long {\n   var sum: Long = 0L\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfFloat\")\npublic fun Sequence<Float>.sum(): Float {\n   var sum: Float = 0.0f\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfDouble\")\npublic fun Sequence<Double>.sum(): Double {\n   var sum: Double = 0.0\n
    for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n
/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SetsKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.\nimport kotlin.text.*\nimport kotlin.comparisons.*\n\n/**\n * Returns a set containing all elements of the original set except the given

[element].\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.minus(element: T): Set<T> {\n val result = LinkedHashSet<T>(mapCapacity(size))\n var removed = false\n return this.filterTo(result) { if (!removed && it == element) { removed = true; false } else true }\n}\n\n/**\n * Returns a set containing all elements of the original set except the elements contained in the given [elements] array.\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.minus(elements: Array<out T>): Set<T> {\n val result = LinkedHashSet<T>(this)\n result.removeAll(elements)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set except the elements contained in the given [elements] collection.\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.minus(elements: Iterable<T>): Set<T> {\n val other = elements.convertToSetForSetOperationWith(this)\n if (other.isEmpty())\n return this.toSet()\n if (other is Set)\n return this.filterNotTo(LinkedHashSet<T>()) { it in other }\n val result = LinkedHashSet<T>(this)\n result.removeAll(other)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set except the elements contained in the given [elements] sequence.\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.minus(elements: Sequence<T>): Set<T> {\n val result = LinkedHashSet<T>(this)\n result.removeAll(elements)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set except the given [element].\n * \n * The returned set preserves the element iteration order of the original set.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>.minusElement(element: T): Set<T> {\n return minus(element)\n}\n\n/**\n * Returns a set containing all elements of the original set and then the given [element] if it isn't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(element: T): Set<T> {\n val result = LinkedHashSet<T>(mapCapacity(size + 1))\n result.addAll(this)\n result.add(element)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set and the given [elements] array,\n * which aren't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(elements: Array<out T>): Set<T> {\n val result = LinkedHashSet<T>(mapCapacity(this.size + elements.size))\n result.addAll(this)\n result.addAll(elements)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set and the given [elements] collection,\n * which aren't already in this set.\n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(elements: Iterable<T>): Set<T> {\n val result = LinkedHashSet<T>(mapCapacity(elements.collectionSizeOrNull()?.let { this.size + it } ?: this.size * 2))\n result.addAll(this)\n result.addAll(elements)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set and the given [elements] sequence,\n * which aren't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(elements: Sequence<T>): Set<T> {\n val result = LinkedHashSet<T>(mapCapacity(this.size * 2))\n result.addAll(this)\n result.addAll(elements)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set and then the given [element] if it isn't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>.plusElement(element: T): Set<T> {\n return plus(element)\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.*\nimport kotlin.text.*\nimport kotlin.comparisons.*\n\n/**\n * Returns a character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char sequence.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.elementAt(index: Int): Char {\n return get(index)\n}\n\n/**\n * Returns a character at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this char sequence.\n */\n@kotlin.internal.InlineOnly\npublic inline fun

CharSequence.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns a character at the given [index] or `null` if the [index] is out of bounds of this char sequence.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.elementAtOrNull(index: Int): Char? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns the first character matching the given [predicate], or `null` if no such character was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.find(predicate: (Char) -> Boolean): Char? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the last character matching the given [predicate], or `null` if no such character was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.findLast(predicate: (Char) -> Boolean): Char? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns first character.\n * @throws [NoSuchElementException] if the char sequence is empty.\n */\npublic fun CharSequence.first(): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Char sequence is empty.\")\n return this[0]\n}\n\n/**\n * Returns the first character matching the given [predicate].\n * @throws [NoSuchElementException] if no such character is found.\n */\npublic inline fun CharSequence.first(predicate: (Char) -> Boolean): Char {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Char sequence contains no character matching the predicate.\")\n}\n\n/**\n * Returns the first character, or `null` if the char sequence is empty.\n */\npublic fun CharSequence.firstOrNull(): Char? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first character matching the given [predicate], or `null` if character was not found.\n */\npublic inline fun CharSequence.firstOrNull(predicate: (Char) -> Boolean): Char? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns a character at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this char sequence.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.getOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns a character at the given [index] or `null` if the [index] is out of bounds of this char sequence.\n */\npublic fun CharSequence.getOrNull(index: Int): Char? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns index of the first character matching the given [predicate], or -1 if the char sequence does not contain such character.\n */\npublic inline fun CharSequence.indexOfFirst(predicate: (Char) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last character matching the given [predicate], or -1 if the char sequence does not contain such character.\n */\npublic inline fun CharSequence.indexOfLast(predicate: (Char) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns the last character.\n * @throws [NoSuchElementException] if the char sequence is empty.\n */\npublic fun CharSequence.last(): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Char sequence is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last character matching the given [predicate].\n * @throws [NoSuchElementException] if no such character is found.\n */\npublic inline fun CharSequence.last(predicate: (Char) -> Boolean): Char {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Char sequence contains no character matching the predicate.\")\n}\n\n/**\n * Returns the last character, or `null` if the char sequence is empty.\n */\npublic fun CharSequence.lastOrNull(): Char? {\n return if (isEmpty()) null else this[length - 1]\n}\n\n/**\n * Returns the last character matching the given [predicate], or `null` if no such character was found.\n */\npublic inline fun CharSequence.lastOrNull(predicate: (Char) -> Boolean): Char? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the single character, or throws an exception if the char sequence is empty or has more than one character.\n */\npublic fun CharSequence.single(): Char {\n return when (length) {\n 0 -> throw NoSuchElementException(\"Char sequence is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Char sequence has more than one element.\")\n }\n}\n\n/**\n * Returns the single character matching the given [predicate], or throws exception if there

is no or more than one matching character.\n */\npublic inline fun CharSequence.single(predicate: (Char) -> Boolean): Char {\n var single: Char? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Char sequence contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Char sequence contains no character matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Char\n}\n\n/**\n * Returns single character, or `null` if the char sequence is empty or has more than one character.\n */\npublic fun CharSequence.singleOrNull(): Char? {\n return if (length == 1) this[0] else null\n}\n\n/**\n * Returns the single character matching the given [predicate], or `null` if character was not found or more than one character was found.\n */\npublic inline fun CharSequence.singleOrNull(predicate:
(Char) -> Boolean): Char? {\n var single: Char? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns a subsequence of this char sequence with the first [n] characters removed.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun CharSequence.drop(n: Int): CharSequence {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n return subSequence(n.coerceAtMost(length), length)\n}\n\n/**\n * Returns a string with the first [n] characters removed.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun String.drop(n: Int): String {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n return substring(n.coerceAtMost(length))\n}\n\n/**\n
* Returns a subsequence of this char sequence with the last [n] characters removed.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun CharSequence.dropLast(n: Int): CharSequence {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n return take((length - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a string with the last [n] characters removed.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun String.dropLast(n: Int): String {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n return take((length - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a subsequence of this char sequence containing all characters except last characters that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun CharSequence.dropLastWhile(predicate: (Char) -> Boolean): CharSequence {\n for (index in
lastIndex downTo 0)\n if (!predicate(this[index]))\n return subSequence(0, index + 1)\n return \"\"\n}\n\n/**\n * Returns a string containing all characters except last characters that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun String.dropLastWhile(predicate: (Char) -> Boolean): String {\n for (index in lastIndex downTo 0)\n if (!predicate(this[index]))\n return substring(0, index + 1)\n return \"\"\n}\n\n/**\n * Returns a subsequence of this char sequence containing all characters except first characters that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun CharSequence.dropWhile(predicate: (Char) -> Boolean): CharSequence {\n for (index in this.indices)\n if (!predicate(this[index]))\n return subSequence(index, length)\n return \"\"\n}\n\n/**\n * Returns a string
containing all characters except first characters that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun String.dropWhile(predicate: (Char) -> Boolean): String {\n for (index in this.indices)\n if (!predicate(this[index]))\n return substring(index)\n return \"\"\n}\n\n/**\n * Returns a char sequence containing only those characters from the original char sequence that match the given [predicate].\n */\npublic inline fun CharSequence.filter(predicate: (Char) -> Boolean): CharSequence {\n return filterTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that match the given [predicate].\n */\npublic inline fun String.filter(predicate: (Char) -> Boolean): String {\n return filterTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Returns a char sequence containing only those characters from the original char sequence

that match the given [predicate].\n * @param [predicate] function that takes the index of a character and the character itself\n * and returns the result of predicate evaluation on the character.\n */\npublic inline fun CharSequence.filterIndexed(predicate: (index: Int, Char) -> Boolean): CharSequence {\n return filterIndexedTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that match the given [predicate].\n * @param [predicate] function that takes the index of a character and the character itself\n * and returns the result of predicate evaluation on the character.\n */\npublic inline fun String.filterIndexed(predicate: (index: Int, Char) -> Boolean): String {\n return filterIndexedTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Appends all characters matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of a character and the character itself\n * and returns the result of predicate evaluation on the character.\n */\npublic inline fun <C : Appendable> CharSequence.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.append(element)\n }\n return destination\n}\n\n/**\n * Returns a char sequence containing only those characters from the original char sequence that do not match the given [predicate].\n */\npublic inline fun CharSequence.filterNot(predicate: (Char) -> Boolean): CharSequence {\n return filterNotTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that do not match the given [predicate].\n */\npublic inline fun String.filterNot(predicate: (Char) -> Boolean): String {\n return filterNotTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Appends all characters not matching the given [predicate] to the given [destination].\n
*/\npublic inline fun <C : Appendable> CharSequence.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.append(element)\n return destination\n}\n\n/**\n * Appends all characters matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : Appendable> CharSequence.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n for (index in 0 until length) {\n val element = get(index)\n if (predicate(element)) destination.append(element)\n }\n return destination\n}\n\n/**\n * Returns a char sequence containing characters of the original char sequence at the specified range of [indices].\n */\npublic fun CharSequence.slice(indices: IntRange): CharSequence {\n if (indices.isEmpty()) return \"\"\n return subSequence(indices)\n}\n\n/**\n * Returns a string containing characters of the original string at the specified range of [indices].\n */\npublic
fun String.slice(indices: IntRange): String {\n if (indices.isEmpty()) return \"\"\n return substring(indices)\n}\n\n/**\n * Returns a char sequence containing characters of the original char sequence at specified [indices].\n */\npublic fun CharSequence.slice(indices: Iterable<Int>): CharSequence {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return \"\"\n val result = StringBuilder(size)\n for (i in indices) {\n result.append(get(i))\n }\n return result\n}\n\n/**\n * Returns a string containing characters of the original string at specified [indices].\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.slice(indices: Iterable<Int>): String {\n return (this as CharSequence).slice(indices).toString()\n}\n\n/**\n * Returns a subsequence of this char sequence containing the first [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun CharSequence.take(n: Int): CharSequence {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n return subSequence(0, n.coerceAtMost(length))\n}\n\n/**\n * Returns a string containing the first [n] characters from this string, or the entire string if this string is shorter.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun String.take(n: Int): String {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n return substring(0, n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this char sequence containing the last [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun CharSequence.takeLast(n: Int): CharSequence {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n val length = length\n return subSequence(length - n.coerceAtMost(length), length)\n}\n\n/**\n * Returns a string containing the last [n] characters from this string, or the entire string if this string is shorter.\n * \n * @sample

samples.collections.Collections.Transformations.take\n */\npublic fun String.takeLast(n: Int): String {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n val length = length\n return substring(length - n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this char sequence containing last characters that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun CharSequence.takeLastWhile(predicate: (Char) -> Boolean): CharSequence {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return subSequence(index + 1, length)\n }\n }\n return subSequence(0, length)\n}\n\n/**\n * Returns a string containing last characters
that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun String.takeLastWhile(predicate: (Char) -> Boolean): String {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return substring(index + 1)\n }\n }\n return this\n}\n\n/**\n * Returns a subsequence of this char sequence containing the first characters that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun CharSequence.takeWhile(predicate: (Char) -> Boolean): CharSequence {\n for (index in 0 until length)\n if (!predicate(get(index))) {\n return subSequence(0, index)\n }\n return subSequence(0, length)\n}\n\n/**\n * Returns a string containing the first characters that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun
String.takeWhile(predicate: (Char) -> Boolean): String {\n for (index in 0 until length)\n if (!predicate(get(index))) {\n return substring(0, index)\n }\n return this\n}\n\n/**\n * Returns a char sequence with characters in reversed order.\n */\npublic fun CharSequence.reversed(): CharSequence {\n return StringBuilder(this).reverse()\n}\n\n/**\n * Returns a string with characters in reversed order.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.reversed(): String {\n return (this as CharSequence).reversed().toString()\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to characters of the given char sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n */\npublic inline fun <K, V> CharSequence.associate(transform: (Char) -> Pair<K, V>): Map<K, V>
{\n val capacity = mapCapacity(length).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the characters from the given char sequence indexed by the key\n * returned from [keySelector] function applied to each character.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n */\npublic inline fun <K> CharSequence.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n val capacity = mapCapacity(length).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Char>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to characters of the given char sequence.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets
added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n */\npublic inline fun <K, V> CharSequence.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n val capacity = mapCapacity(length).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each character of the given char sequence\n * and value is the character itself.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Char>> CharSequence.associateByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates
and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to characters of the given char

sequence.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharSequence.associateByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each character of the given char sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharSequence.associateTo(destination: M, transform: (Char) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Appends all characters to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Char>> CharSequence.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Returns a [HashSet] of all characters.\n */\npublic fun CharSequence.toHashSet(): HashSet<Char> {\n return toCollection(HashSet<Char>(mapCapacity(length)))\n}\n\n/**\n * Returns a [List] containing all characters.\n */\npublic fun CharSequence.toList(): List<Char> {\n return when (length) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [MutableList] filled with all characters of this char sequence.\n */\npublic fun CharSequence.toMutableList(): MutableList<Char> {\n return toCollection(ArrayList<Char>(length))\n}\n\n/**\n * Returns a [Set] of all characters.\n * \n * The returned set preserves the element iteration order of the original char sequence.\n */\npublic fun CharSequence.toSet(): Set<Char> {\n return when (length) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Char>(mapCapacity(length)))\n }\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each character of original char sequence.\n */\npublic inline fun <R> CharSequence.flatMap(transform: (Char) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each character of original char sequence, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Groups characters of the original char sequence by the key returned by the given [keySelector] function\n * applied to each character and returns a map where each group key is associated with a list of corresponding characters.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original char sequence.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> CharSequence.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n return groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each character of the original char sequence\n * by the key returned by the given [keySelector] function applied to the character\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original char sequence.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> CharSequence.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups characters of the original char sequence by the key returned by the given [keySelector] function\n * applied to each character and puts to the [destination] map each group key associated with a list of corresponding characters.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharSequence.groupByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Char>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each character of the original char sequence\n * by the key returned by the given [keySelector] function applied to the

character\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> CharSequence.groupByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Creates a [Grouping] source
from a char sequence to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each character.\n * \n * @sample samples.collections.Collections.Transformations.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <K> CharSequence.groupingBy(crossinline keySelector: (Char) -> K): Grouping<Char, K> {\n return object : Grouping<Char, K> {\n override fun sourceIterator(): Iterator<Char> = this@groupingBy.iterator()\n override fun keyOf(element: Char): K = keySelector(element)\n }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each character in the original char sequence.\n */\npublic inline fun <R> CharSequence.map(transform: (Char) -> R): List<R> {\n return mapTo(ArrayList<R>(length), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each character and its index in the
original char sequence.\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R> CharSequence.mapIndexed(transform: (index: Int, Char) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(length), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each character and its index in the original char sequence.\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R : Any> CharSequence.mapIndexedNotNull(transform: (index: Int, Char) -> R?): List<R> {\n return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each character and its index in the original char sequence\n * and appends only the non-null
results to the given [destination].\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R : Any, C : MutableCollection<in R>> CharSequence.mapIndexedNotNullTo(destination: C, transform: (index: Int, Char) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each character and its index in the original char sequence\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each character in the original char sequence.\n */\npublic inline fun <R : Any> CharSequence.mapNotNull(transform: (Char) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each character in the original char sequence\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <R : Any, C : MutableCollection<in R>> CharSequence.mapNotNullTo(destination: C, transform: (Char) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each character of the original char sequence\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapTo(destination:
C, transform: (Char) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each character of the original char

sequence.\n */\npublic fun CharSequence.withIndex(): Iterable<IndexedValue<Char>> {\n   return IndexingIterable { iterator() }\n}\n\n/**\n * Returns `true` if all characters match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun CharSequence.all(predicate: (Char) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if char sequence has at least one character.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun CharSequence.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one character matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
 */\npublic inline fun CharSequence.any(predicate: (Char) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns the length of this char sequence.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.count(): Int {\n   return length\n}\n\n/**\n * Returns the number of characters matching the given [predicate].\n */\npublic inline fun CharSequence.count(predicate: (Char) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) count++\n   return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each character.\n */\npublic inline fun <R> CharSequence.fold(initial: R, operation: (acc: R, Char) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n
 * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each character with its index in the original char sequence.\n * @param [operation] function that takes the index of a character, current accumulator value\n * and the character itself, and calculates the next accumulator value.\n */\npublic inline fun <R> CharSequence.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each character and current accumulator value.\n */\npublic inline fun <R> CharSequence.foldRight(initial: R, operation: (Char, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator
 = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each character with its index in the original char sequence and current accumulator value.\n * @param [operation] function that takes the index of a character, the character itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> CharSequence.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Performs the given [action] on each character.\n */\npublic inline fun CharSequence.forEach(action: (Char) -> Unit): Unit {\n   for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each character,
 providing sequential index with the character.\n * @param [action] function that takes the index of a character and the character itself\n * and performs the desired action on the character.\n */\npublic inline fun CharSequence.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {\n   var index = 0\n   for (item in this) action(index++, item)\n}\n\n/**\n * Returns the largest character or `null` if there are no characters.\n */\npublic fun CharSequence.max(): Char? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (max < e) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first character yielding the largest value of the given function or `null` if there are no characters.\n */\npublic inline fun <R : Comparable<R>> CharSequence.maxBy(selector: (Char) -> R): Char? {\n   if (isEmpty()) return null\n   var maxElem = this[0]\n   var maxValue = selector(maxElem)\n   for (i in 1..lastIndex)
 {\n   val e = this[i]\n   val v = selector(e)\n   if (maxValue < v) {\n   maxElem = e\n   maxValue = v\n   }\n   }\n   return maxElem\n}\n\n/**\n * Returns the first character having the largest value according to the provided [comparator] or `null` if there are no characters.\n */\npublic fun CharSequence.maxWith(comparator: Comparator<in Char>): Char? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n

```
val e = this[i]\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the smallest character or `null` if there are no characters.\n */\npublic fun CharSequence.min(): Char? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first character yielding the smallest value of the given function or `null` if there are no characters.\n
 */\npublic inline fun <R : Comparable<R>> CharSequence.minBy(selector: (Char) -> R): Char? {\n    if (isEmpty()) return null\n    var minElem = this[0]\n    var minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first character having the smallest value according to the provided [comparator] or `null` if there are no characters.\n */\npublic fun CharSequence.minWith(comparator: Comparator<in Char>): Char? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns `true` if the char sequence has no characters.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun CharSequence.none(): Boolean {\n
   return isEmpty()\n}\n\n/**\n * Returns `true` if no characters match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun CharSequence.none(predicate: (Char) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n * Performs the given [action] on each character and returns the char sequence itself afterwards.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <S : CharSequence> S.onEach(action: (Char) -> Unit): S {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to right to current accumulator value and each character.\n */\npublic inline fun CharSequence.reduce(operation: (acc: Char, Char) -> Char): Char {\n    if (isEmpty())\n        throw UnsupportedOperationException(\"Empty char sequence can't be reduced.\")\n    var accumulator = this[0]\n
   for (index in 1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to right\n * to current accumulator value and each character with its index in the original char sequence.\n * @param [operation] function that takes the index of a character, current accumulator value\n * and the character itself and calculates the next accumulator value.\n */\npublic inline fun CharSequence.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {\n    if (isEmpty())\n        throw UnsupportedOperationException(\"Empty char sequence can't be reduced.\")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last character and applying [operation] from right to left to each character
 and current accumulator value.\n */\npublic inline fun CharSequence.reduceRight(operation: (Char, acc: Char) -> Char): Char {\n    var index = lastIndex\n    if (index < 0) throw UnsupportedOperationException(\"Empty char sequence can't be reduced.\")\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last character and applying [operation] from right to left\n * to each character with its index in the original char sequence and current accumulator value.\n * @param [operation] function that takes the index of a character, the character itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun CharSequence.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n    var index = lastIndex\n    if (index < 0) throw UnsupportedOperationException(\"Empty char sequence can't
 be reduced.\")\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char sequence.\n */\npublic inline fun CharSequence.sumBy(selector: (Char) -> Int): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char sequence.\n */\npublic inline fun CharSequence.sumByDouble(selector: (Char) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n
```

return sum\n}\n\n/**\n * Splits this char sequence into a list of strings each not exceeding the given [size].\n * \n * The last string in the resulting list may have less characters than the
given [size].\n * \n * @param size the number of elements to take in each string, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.chunked(size: Int): List<String> {\n return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this char sequence into several char sequences each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return list of results of the [transform] applied to an each char sequence.\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last char sequence may have less characters than the given [size].\n * \n * @param size the number of elements to take in each char
sequence, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.text.Strings.chunkedTransform\n */\n@SinceKotlin(\"1.2\")\npublic fun <R> CharSequence.chunked(size: Int, transform: (CharSequence) -> R): List<R> {\n return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Splits this char sequence into a sequence of strings each not exceeding the given [size].\n * \n * The last string in the resulting sequence may have less characters than the given [size].\n * \n * @param size the number of elements to take in each string, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.chunkedSequence(size: Int): Sequence<String> {\n return chunkedSequence(size) { it.toString() }\n}\n\n/**\n * Splits this char sequence into several char sequences
each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return sequence of results of the [transform] applied to an each char sequence.\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last char sequence may have less characters than the given [size].\n * \n * @param size the number of elements to take in each char sequence, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.text.Strings.chunkedTransformToSequence\n */\n@SinceKotlin(\"1.2\")\npublic fun <R> CharSequence.chunkedSequence(size: Int, transform: (CharSequence) -> R): Sequence<R> {\n return windowedSequence(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Splits the original char sequence into pair of char sequences,\n
* where *first* char sequence contains characters for which [predicate] yielded `true`,\n * while *second* char sequence contains characters for which [predicate] yielded `false`.\n */\npublic inline fun CharSequence.partition(predicate: (Char) -> Boolean): Pair<CharSequence, CharSequence> {\n val first = StringBuilder()\n val second = StringBuilder()\n for (element in this) {\n if (predicate(element)) {\n first.append(element)\n } else {\n second.append(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original string into pair of strings,\n * where *first* string contains characters for which [predicate] yielded `true`,\n * while *second* string contains characters for which [predicate] yielded `false`.\n */\npublic inline fun String.partition(predicate: (Char) -> Boolean): Pair<String, String> {\n val first = StringBuilder()\n val second = StringBuilder()\n for (element in this) {\n
if (predicate(element)) {\n first.append(element)\n } else {\n second.append(element)\n }\n }\n return Pair(first.toString(), second.toString())\n}\n\n/**\n * Returns a list of snapshots of the window of the given [size]\n * sliding along this char sequence with the given [step], where each\n * snapshot is a string.\n * \n * Several last strings may have less characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample

samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.windowed(size:
Int, step: Int = 1, partialWindows: Boolean = false): List<String> {\n return windowed(size, step, partialWindows) { it.toString() }\n}\n\n/**\n * Returns a list of results of applying the given [transform] function to\n * an each char sequence representing a view over the window of the given [size]\n * sliding along this char sequence with the given [step].\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last char sequences may have less characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls
whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <R> CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (CharSequence) -> R): List<R> {\n checkWindowSizeStep(size, step)\n val thisSize = this.length\n val result = ArrayList<R>((thisSize + step - 1) / step)\n var index = 0\n while (index < thisSize) {\n val end = index + size\n val coercedEnd = if (end > thisSize) { if (partialWindows) thisSize else break } else end\n result.add(transform(subSequence(index, coercedEnd)))\n index += step\n }\n return result\n}\n\n/**\n * Returns a sequence of snapshots of the window of the given [size]\n * sliding along this char sequence with the given [step], where each\n * snapshot is a string.\n * \n * Several last
strings may have less characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<String> {\n return windowedSequence(size, step, partialWindows) { it.toString() }\n}\n\n/**\n * Returns a sequence of results of applying the given [transform] function to\n * an each char sequence representing a view over the window of the given [size]\n * sliding along this char
sequence with the given [step].\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last char sequences may have less characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <R> CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false, transform:
(CharSequence) -> R): Sequence<R> {\n checkWindowSizeStep(size, step)\n val windows = (if (partialWindows) indices else 0 until length - size + 1) step step\n return windows.asSequence().map { index -> transform(subSequence(index, (index + size).coerceAtMost(length))) }\n}\n\n/**\n * Returns a list of pairs built from the characters of `this` and the [other] char sequences with the same index\n * The returned list has length of the shortest char sequence.\n * \n * @sample samples.text.Strings.zip\n */\npublic infix fun CharSequence.zip(other: CharSequence): List<Pair<Char, Char>> {\n return zip(other) { c1, c2 -> c1 to c2 }\n}\n\n/**\n * Returns a list of values built from the characters of `this` and the [other] char sequences with the same index\n * using the provided [transform] function applied to each pair of characters.\n * The returned list has length of the shortest char sequence.\n * \n * @sample samples.text.Strings.zipWithTransform\n */\npublic inline fun <V>

CharSequence.zip(other:
CharSequence, transform: (a: Char, b: Char) -> V): List<V> {\n val length = minOf(this.length, other.length)\n val list = ArrayList<V>(length)\n for (i in 0 until length) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of pairs of each two adjacent characters in this char sequence.\n * \n * The returned list is empty if this char sequence contains less than two characters.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.zipWithNext(): List<Pair<Char, Char>> {\n return zipWithNext { a, b -> a to b }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to an each pair of two adjacent characters in this char sequence.\n * \n * The returned list is empty if this char sequence contains less than two characters.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n */\n@SinceKotlin(\"1.2\")\npublic inline fun <R> CharSequence.zipWithNext(transform: (a: Char, b: Char) -> R): List<R> {\n val size = length - 1\n if (size < 1) return emptyList()\n val result = ArrayList<R>(size)\n for (index in 0 until size) {\n result.add(transform(this[index], this[index + 1]))\n }\n return result\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original char sequence returning its characters when being iterated.\n */\npublic fun CharSequence.asIterable(): Iterable<Char> {\n if (this is String && isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original char sequence returning its characters when being iterated.\n */\npublic fun CharSequence.asSequence(): Sequence<Char> {\n if (this is String && isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\n\npackage kotlin.text\n\nimport kotlin.*\nimport kotlin.comparisons.*\nimport kotlin.internal.contracts.*\n\n\n/**\n * Returns a sub sequence of this char sequence having leading and trailing characters matching the [predicate] removed.\n */\npublic inline fun CharSequence.trim(predicate: (Char) -> Boolean): CharSequence {\n var startIndex = 0\n var endIndex = length - 1\n var startFound = false\n\n while (startIndex <= endIndex) {\n val index = if (!startFound) startIndex else endIndex\n val match = predicate(this[index])\n\n if (!startFound) {\n if (!match)\n startFound = true\n else\n startIndex += 1\n } else {\n if (!match)\n break\n else\n endIndex -= 1\n }\n }\n\n return subSequence(startIndex, endIndex + 1)\n}\n\n/**\n * Returns a string having leading and trailing characters matching the [predicate] removed.\n */\npublic inline fun String.trim(predicate: (Char) -> Boolean): String =\n (this as CharSequence).trim(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence having leading characters matching the [predicate] removed.\n */\npublic inline fun CharSequence.trimStart(predicate: (Char) -> Boolean): CharSequence {\n for (index in this.indices)\n if (!predicate(this[index]))\n return subSequence(index, length)\n\n return \"\"\n}\n\n/**\n * Returns a string having leading characters matching the [predicate] removed.\n */\npublic inline fun String.trimStart(predicate: (Char) -> Boolean): String =\n (this as CharSequence).trimStart(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence having trailing characters matching the [predicate]
removed.\n */\npublic inline fun CharSequence.trimEnd(predicate: (Char) -> Boolean): CharSequence {\n for (index in this.indices.reversed())\n if (!predicate(this[index]))\n return subSequence(0, index + 1)\n\n return \"\"\n}\n\n/**\n * Returns a string having trailing characters matching the [predicate] removed.\n */\npublic inline fun String.trimEnd(predicate: (Char) -> Boolean): String =\n (this as CharSequence).trimEnd(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence having leading and trailing characters from the [chars] array removed.\n */\npublic fun CharSequence.trim(vararg chars: Char): CharSequence = trim { it in chars }\n\n/**\n * Returns a string having leading and trailing characters from the [chars] array removed.\n */\npublic fun String.trim(vararg chars: Char): String = trim { it in chars }\n\n/**\n * Returns a sub sequence of this char sequence having leading characters from the [chars] array removed.\n */\npublic

fun CharSequence.trimStart(vararg chars: Char): CharSequence = trimStart { it in chars }\n\n/**\n * Returns a string having leading characters from the [chars] array removed.\n */\npublic fun String.trimStart(vararg chars: Char): String = trimStart { it in chars }\n\n/**\n * Returns a sub sequence of this char sequence having trailing characters from the [chars] array removed.\n */\npublic fun CharSequence.trimEnd(vararg chars: Char): CharSequence = trimEnd { it in chars }\n\n/**\n * Returns a string having trailing characters from the [chars] array removed.\n */\npublic fun String.trimEnd(vararg chars: Char): String = trimEnd { it in chars }\n\n/**\n * Returns a sub sequence of this char sequence having leading and trailing whitespace removed.\n */\npublic fun CharSequence.trim(): CharSequence = trim(Char::isWhitespace)\n\n/**\n * Returns a string having leading and trailing whitespace removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.trim(): String = (this as CharSequence).trim().toString()\n\n/**\n * Returns a sub sequence of this char sequence having leading whitespace removed.\n */\npublic fun CharSequence.trimStart(): CharSequence = trimStart(Char::isWhitespace)\n\n/**\n * Returns a string having leading whitespace removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.trimStart(): String = (this as CharSequence).trimStart().toString()\n\n/**\n * Returns a sub sequence of this char sequence having trailing whitespace removed.\n */\npublic fun CharSequence.trimEnd(): CharSequence = trimEnd(Char::isWhitespace)\n\n/**\n * Returns a string having trailing whitespace removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.trimEnd(): String = (this as CharSequence).trimEnd().toString()\n\n/**\n * Returns a char sequence with content of this char sequence padded at the beginning\n * to the specified [length] with the specified character or space.\n *\n * @param length the desired string length.\n * @param padChar the
character to pad string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a char sequence of length at least [length] consisting of `this` char sequence prepended with [padChar] as many times\n * as are necessary to reach that length.\n */\npublic fun CharSequence.padStart(length: Int, padChar: Char = ' '): CharSequence {\n   if (length < 0)\n   throw IllegalArgumentException(\"Desired length $length is less than zero.\")\n   if (length <= this.length)\n   return this.subSequence(0, this.length)\n\n   val sb = StringBuilder(length)\n   for (i in 1..(length - this.length))\n   sb.append(padChar)\n   sb.append(this)\n   return sb\n}\n\n/**\n * Pads the string to the specified [length] at the beginning with the specified character or space.\n *\n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\n
 * @return Returns a string of length at least [length] consisting of `this` string prepended with [padChar] as many times\n * as are necessary to reach that length.\n */\npublic fun String.padStart(length: Int, padChar: Char = ' '): String =\n   (this as CharSequence).padStart(length, padChar).toString()\n\n/**\n * Returns a char sequence with content of this char sequence padded at the end\n * to the specified [length] with the specified character or space.\n *\n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a char sequence of length at least [length] consisting of `this` char sequence appended with [padChar] as many times\n * as are necessary to reach that length.\n */\npublic fun CharSequence.padEnd(length: Int, padChar: Char = ' '): CharSequence {\n   if (length < 0)\n   throw IllegalArgumentException(\"Desired length $length
 is less than zero.\")\n   if (length <= this.length)\n   return this.subSequence(0, this.length)\n\n   val sb = StringBuilder(length)\n   sb.append(this)\n   for (i in 1..(length - this.length))\n   sb.append(padChar)\n   return sb\n}\n\n/**\n * Pads the string to the specified [length] at the end with the specified character or space.\n *\n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a string of length at least [length] consisting of `this` string appended with [padChar] as many times\n * as are necessary to reach that length.\n */\npublic fun String.padEnd(length: Int, padChar: Char = ' '): String =\n   (this as CharSequence).padEnd(length, padChar).toString()\n\n/**\n * Returns `true` if this nullable char sequence is either `null` or empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence?.isNullOrEmpty():
 Boolean {\n   contract {\n   returns(false) implies (this@isNullOrEmpty != null)\n   }\n\n   return this == null || this.length == 0\n}\n\n/**\n * Returns `true` if this char sequence is empty (contains no characters).\n

*/\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isEmpty(): Boolean = length == 0\n\n/**\n * Returns `true` if this char sequence is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isNotEmpty(): Boolean = length > 0\n\n// implemented differently in JVM and JS\n//public fun String.isBlank(): Boolean = length() == 0 || all { it.isWhitespace() }\n\n\n/**\n * Returns `true` if this char sequence is not empty and contains some characters except of whitespace characters.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isNotBlank(): Boolean = !isBlank()\n\n/**\n * Returns `true` if this nullable char sequence is either `null` or empty or consists solely of whitespace characters.\n */\n@kotlin.internal.InlineOnly\npublic
inline fun CharSequence?.isNullOrBlank(): Boolean {\n contract {\n returns(false) implies (this@isNullOrBlank != null)\n }\n\n return this == null || this.isBlank()\n}\n\n/**\n * Iterator for characters of the given char sequence.\n */\npublic operator fun CharSequence.iterator(): CharIterator = object : CharIterator() {\n private var index = 0\n\n public override fun nextChar(): Char = get(index++)\n\n public override fun hasNext(): Boolean = index < length\n}\n\n/** Returns the string if it is not `null`, or the empty string otherwise.
*/\n@kotlin.internal.InlineOnly\npublic inline fun String?.orEmpty(): String = this ?: \"\"\n\n/**\n * Returns the range of valid character indices for this char sequence.\n */\npublic val CharSequence.indices: IntRange\n get() = 0..length - 1\n\n/**\n * Returns the index of the last character in the char sequence or -1 if it is empty.\n */\npublic val CharSequence.lastIndex: Int\n get() = this.length
- 1\n\n/**\n * Returns `true` if this CharSequence has Unicode surrogate pair at the specified [index].\n */\npublic fun CharSequence.hasSurrogatePairAt(index: Int): Boolean {\n return index in 0..length - 2\n && this[index].isHighSurrogate()\n && this[index + 1].isLowSurrogate()\n}\n\n/**\n * Returns a substring specified by the given [range] of indices.\n */\npublic fun String.substring(range: IntRange): String = substring(range.start, range.endInclusive + 1)\n\n/**\n * Returns a subsequence of this char sequence specified by the given [range] of indices.\n */\npublic fun CharSequence.subSequence(range: IntRange): CharSequence = subSequence(range.start, range.endInclusive + 1)\n\n/**\n * Returns a subsequence of this char sequence.\n *\n * This extension is chosen only for invocation with old-named parameters.\n * Replace parameter names with the same as those of [CharSequence.subSequence].\n
*/\n@kotlin.internal.InlineOnly\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\")
// false warning\n@Deprecated(\"Use parameters named startIndex and endIndex.\", ReplaceWith(\"subSequence(startIndex = start, endIndex = end)\"))\npublic inline fun String.subSequence(start: Int, end: Int): CharSequence = subSequence(start, end)\n\n/**\n * Returns a substring of chars from a range of this char sequence starting at the [startIndex] and ending right before the [endIndex].\n *\n * @param startIndex the start index (inclusive).\n * @param endIndex the end index (exclusive). If not specified, the length of the char sequence is used.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.substring(startIndex: Int, endIndex: Int = length): String = subSequence(startIndex, endIndex).toString()\n\n/**\n * Returns a substring of chars at indices from the specified [range] of this char sequence.\n */\npublic fun CharSequence.substring(range: IntRange): String = subSequence(range.start, range.endInclusive + 1).toString()\n\n/**\n * Returns a substring before
the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBefore(delimiter: Char, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring before the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBefore(delimiter: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring after the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic
fun String.substringAfter(delimiter: Char, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(index + 1, length)\n}\n\n/**\n * Returns a substring after the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns

[missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringAfter(delimiter: String, missingDelimiterValue: String = this): String {\n   val index = indexOf(delimiter)\n   return if (index == -1) missingDelimiterValue else substring(index + delimiter.length, length)\n}\n\n/**\n * Returns a substring before the last occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBeforeLast(delimiter: Char, missingDelimiterValue: String = this): String {\n   val index = lastIndexOf(delimiter)\n
    return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring before the last occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBeforeLast(delimiter: String, missingDelimiterValue: String = this): String {\n   val index = lastIndexOf(delimiter)\n   return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring after the last occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringAfterLast(delimiter: Char, missingDelimiterValue: String = this): String {\n   val index = lastIndexOf(delimiter)\n   return if (index == -1) missingDelimiterValue else substring(index + 1, length)\n}\n\n/**\n * Returns a substring after the last occurrence of [delimiter].\n
 * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringAfterLast(delimiter: String, missingDelimiterValue: String = this): String {\n
  val index = lastIndexOf(delimiter)\n   return if (index == -1) missingDelimiterValue else substring(index + delimiter.length, length)\n}\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the given range\n * is replaced with the [replacement] char sequence.\n * @param startIndex the index of the first character to be replaced.\n * @param endIndex the index of the first character after the replacement to keep in the string.\n */\npublic fun CharSequence.replaceRange(startIndex: Int, endIndex: Int, replacement: CharSequence): CharSequence {\n   if (endIndex < startIndex)\n   throw IndexOutOfBoundsException(\"End index ($endIndex) is less than start index ($startIndex).\")\n   val sb = StringBuilder()\n
    sb.append(this, 0, startIndex)\n   sb.append(replacement)\n   sb.append(this, endIndex, length)\n   return sb\n}\n\n/**\n * Replaces the part of the string at the given range with the [replacement] char sequence.\n * @param startIndex the index of the first character to be replaced.\n * @param endIndex the index of the first character after the replacement to keep in the string.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceRange(startIndex: Int, endIndex: Int, replacement: CharSequence): String =\n   (this as CharSequence).replaceRange(startIndex, endIndex, replacement).toString()\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the given [range]\n * is replaced with the [replacement] char sequence.\n *\n * The end index of the [range] is included in the part to be replaced.\n */\npublic fun CharSequence.replaceRange(range: IntRange, replacement: CharSequence): CharSequence =\n   replaceRange(range.start, range.endInclusive
 + 1, replacement)\n\n/**\n * Replace the part of string at the given [range] with the [replacement] string.\n *\n * The end index of the [range] is included in the part to be replaced.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceRange(range: IntRange, replacement: CharSequence): String =\n   (this as CharSequence).replaceRange(range, replacement).toString()\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the given range is removed.\n *\n * @param startIndex the index of the first character to be removed.\n * @param endIndex the index of the first character after the removed part to keep in the string.\n *\n * [endIndex] is not included in the removed part.\n */\npublic fun CharSequence.removeRange(startIndex: Int, endIndex: Int): CharSequence {\n   if (endIndex < startIndex)\n   throw IndexOutOfBoundsException(\"End index ($endIndex) is less than start index ($startIndex).\")\n\n   if (endIndex == startIndex)\n
        return this.subSequence(0, length)\n\n   val sb = StringBuilder(length - (endIndex - startIndex))\n   sb.append(this, 0, startIndex)\n   sb.append(this, endIndex, length)\n   return sb\n}\n\n/**\n * Removes the part of a string at a given range.\n * @param startIndex the index of the first character to be removed.\n * @param endIndex the index of the first character after the removed part to keep in the string.\n *\n * [endIndex] is not included in the

removed part.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.removeRange(startIndex: Int, endIndex: Int): String =\n   (this as CharSequence).removeRange(startIndex, endIndex).toString()\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the given [range] is removed.\n *\n * The end index of the [range] is included in the removed part.\n */\npublic fun CharSequence.removeRange(range: IntRange): CharSequence = removeRange(range.start, range.endInclusive + 1)\n\n/**\n * Removes the part of a string at the given [range].\n *\n * The end index of the [range] is included in the removed part.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.removeRange(range: IntRange): String =\n   (this as CharSequence).removeRange(range).toString()\n\n/**\n * If this char sequence starts with the given [prefix], returns a new char sequence\n * with the prefix removed. Otherwise, returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removePrefix(prefix: CharSequence): CharSequence {\n   if (startsWith(prefix)) {\n   return subSequence(prefix.length, length)\n   }\n   return subSequence(0, length)\n}\n\n/**\n * If this string starts with the given [prefix], returns a copy of this string\n * with the prefix removed. Otherwise, returns this string.\n */\npublic fun String.removePrefix(prefix: CharSequence): String {\n   if (startsWith(prefix)) {\n   return substring(prefix.length)\n   }\n   return this\n}\n\n/**\n * If this char sequence ends with the given [suffix], returns a new char sequence\n * with the suffix removed. Otherwise, returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removeSuffix(suffix: CharSequence): CharSequence {\n   if (endsWith(suffix)) {\n   return subSequence(0, length - suffix.length)\n   }\n   return subSequence(0, length)\n}\n\n/**\n * If this string ends with the given [suffix], returns a copy of this string\n * with the suffix removed. Otherwise, returns this string.\n */\npublic fun String.removeSuffix(suffix: CharSequence): String {\n   if (endsWith(suffix)) {\n   return substring(0, length - suffix.length)\n   }\n   return this\n}\n\n/**\n * When this char sequence starts with the given [prefix] and ends with the given [suffix],\n * returns a new char sequence having both the given [prefix] and [suffix] removed.\n * Otherwise returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removeSurrounding(prefix:
CharSequence, suffix: CharSequence): CharSequence {\n   if ((length >= prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {\n   return subSequence(prefix.length, length - suffix.length)\n   }\n   return subSequence(0, length)\n}\n\n/**\n * Removes from a string both the given [prefix] and [suffix] if and only if\n * it starts with the [prefix] and ends with the [suffix].\n * Otherwise returns this string unchanged.\n */\npublic fun String.removeSurrounding(prefix: CharSequence, suffix: CharSequence): String {\n   if ((length >= prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {\n   return substring(prefix.length, length - suffix.length)\n   }\n   return this\n}\n\n/**\n * When this char sequence starts with and ends with the given [delimiter],\n * returns a new char sequence having this [delimiter] removed both from the start and end.\n * Otherwise returns a new char sequence with the same characters.\n */\npublic
fun CharSequence.removeSurrounding(delimiter: CharSequence): CharSequence = removeSurrounding(delimiter, delimiter)\n\n/**\n * Removes the given [delimiter] string from both the start and the end of this string\n * if and only if it starts with and ends with the [delimiter].\n * Otherwise returns this string unchanged.\n */\npublic fun String.removeSurrounding(delimiter: CharSequence): String = removeSurrounding(delimiter, delimiter)\n\n/**\n * Replace part of string before the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBefore(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n   val index = indexOf(delimiter)\n   return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string before the first occurrence of given
delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBefore(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n   val index = indexOf(delimiter)\n   return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string after the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun

String.replaceAfter(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)\n}\n\n/**\n * Replace part of string after the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfter(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n/**\n * Replace part of string after the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfterLast(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n/**\n * Replace part of string after the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfterLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)\n}\n\n/**\n * Replace part of string before the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBeforeLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string before the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBeforeLast(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n\n// public fun String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean): String // JVM- and JS-specific\n// public fun String.replace(oldValue: String, newValue: String, ignoreCase: Boolean): String // JVM- and JS-specific\n\n/**\n * Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression\n * with the given [replacement].\n *\n * The [replacement] can consist of any combination of literal text and $-substitutions. To treat the replacement string\n * literally escape it with the [kotlin.text.Regex.Companion.escapeReplacement] method.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replace(regex: Regex, replacement: String): String = regex.replace(this, replacement)\n\n/**\n * Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression\n * with the result of the given function [transform] that takes [MatchResult] and returns a string to be used as a\n * replacement for that match.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replace(regex: Regex, noinline transform: (MatchResult) -> CharSequence): String =\n regex.replace(this, transform)\n\n/**\n * Replaces the first occurrence of the given regular expression [regex] in this char sequence with specified [replacement] expression.\n *\n * @param replacement A replacement expression that can include substitutions. See [Regex.replaceFirst] for details.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replaceFirst(regex: Regex, replacement: String): String = regex.replaceFirst(this, replacement)\n\n\n/**\n * Returns `true` if this char sequence matches the given regular expression.\n */\n@kotlin.internal.InlineOnly\npublic inline infix fun CharSequence.matches(regex: Regex): Boolean = regex.matches(this)\n\n/**\n * Implementation of [regionMatches] for CharSequences.\n * Invoked when it's already known that arguments are not Strings, so that no additional type checks are performed.\n */\ninternal fun CharSequence.regionMatchesImpl(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int, ignoreCase: Boolean): Boolean {\n if ((otherOffset < 0) || (thisOffset < 0) || (thisOffset > this.length - length) || (otherOffset > other.length - length)) {\n return false\n }\n\n for (index in 0 until length) {\n if (!this[thisOffset + index].equals(other[otherOffset + index], ignoreCase))\n

return false\n   }\n   return true\n}\n\n/**\n
 * Returns `true` if this char sequence starts with the specified character.\n */\npublic fun
CharSequence.startsWith(char: Char, ignoreCase: Boolean = false): Boolean =\n   this.length > 0 &&
this[0].equals(char, ignoreCase)\n\n/**\n * Returns `true` if this char sequence ends with the specified character.\n
*/\npublic fun CharSequence.endsWith(char: Char, ignoreCase: Boolean = false): Boolean =\n   this.length > 0 &&
this[lastIndex].equals(char, ignoreCase)\n\n/**\n * Returns `true` if this char sequence starts with the specified
prefix.\n */\npublic fun CharSequence.startsWith(prefix: CharSequence, ignoreCase: Boolean = false): Boolean {\n
if (!ignoreCase && this is String && prefix is String)\n   return this.startsWith(prefix)\n   else\n   return
regionMatchesImpl(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if a substring of this char
sequence starting at the specified offset [startIndex] starts with the specified prefix.\n */\npublic fun
CharSequence.startsWith(prefix:
 CharSequence, startIndex: Int, ignoreCase: Boolean = false): Boolean {\n   if (!ignoreCase && this is String &&
prefix is String)\n   return this.startsWith(prefix, startIndex)\n   else\n   return regionMatchesImpl(startIndex,
prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this char sequence ends with the specified
suffix.\n */\npublic fun CharSequence.endsWith(suffix: CharSequence, ignoreCase: Boolean = false): Boolean {\n
if (!ignoreCase && this is String && suffix is String)\n   return this.endsWith(suffix)\n   else\n   return
regionMatchesImpl(length - suffix.length, suffix, 0, suffix.length, ignoreCase)\n}\n\n\n// common prefix and
suffix\n\n/**\n * Returns the longest string `prefix` such that this char sequence and [other] char sequence both start
with this prefix,\n * taking care not to split surrogate pairs.\n * If this and [other] have no common prefix, returns
the empty string.\n\n * @param ignoreCase
 `true` to ignore character case when matching a character. By default `false`.\n */\npublic fun
CharSequence.commonPrefixWith(other: CharSequence, ignoreCase: Boolean = false): String {\n   val
shortestLength = minOf(this.length, other.length)\n\n   var i = 0\n   while (i < shortestLength &&
this[i].equals(other[i], ignoreCase = ignoreCase)) {\n   i++\n   }\n   if (this.hasSurrogatePairAt(i - 1) ||
other.hasSurrogatePairAt(i - 1)) {\n   i--\n   }\n   return subSequence(0, i).toString()\n}\n\n/**\n * Returns the
longest string `suffix` such that this char sequence and [other] char sequence both end with this suffix,\n * taking
care not to split surrogate pairs.\n * If this and [other] have no common suffix, returns the empty string.\n\n *
@param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n */\npublic fun
CharSequence.commonSuffixWith(other: CharSequence, ignoreCase: Boolean = false): String {\n   val thisLength
= this.length\n
    val otherLength = other.length\n   val shortestLength = minOf(thisLength, otherLength)\n\n   var i = 0\n   while
(i < shortestLength && this[thisLength - i - 1].equals(other[otherLength - i - 1], ignoreCase = ignoreCase)) {\n
i++\n   }\n   if (this.hasSurrogatePairAt(thisLength - i - 1) || other.hasSurrogatePairAt(otherLength - i - 1)) {\n
i--\n   }\n   return subSequence(thisLength - i, thisLength).toString()\n}\n\n\n// indexOfAny()\n\n/**\n * Finds the
index of the first occurrence of any of the specified [chars] in this char sequence,\n * starting from the specified
[startIndex] and optionally ignoring the case.\n *\n * @param ignoreCase `true` to ignore character case when
matching a character. By default `false`.\n * @return An index of the first occurrence of matched character from
[chars] or -1 if none of [chars] are found.\n *\n */\npublic fun CharSequence.indexOfAny(chars: CharArray,
startIndex: Int = 0, ignoreCase: Boolean = false): Int {\n
  if (!ignoreCase && chars.size == 1 && this is String) {\n   val char = chars.single()\n   return
nativeIndexOf(char, startIndex)\n   }\n\n   for (index in startIndex.coerceAtLeast(0)..lastIndex) {\n   val
charAtIndex = get(index)\n   if (chars.any { it.equals(charAtIndex, ignoreCase) })\n   return index\n   }\n
return -1\n}\n\n/**\n * Finds the index of the last occurrence of any of the specified [chars] in this char sequence,\n
* starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param startIndex The index of
character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param
ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of
the last occurrence of matched character from [chars] or -1 if none of [chars] are found.\n *\n */\npublic fun
CharSequence.lastIndexOfAny(chars: CharArray, startIndex: Int = lastIndex, ignoreCase:

Boolean = false): Int {\n if (!ignoreCase && chars.size == 1 && this is String) {\n val char = chars.single()\n return nativeLastIndexOf(char, startIndex)\n }\n\n\n for (index in startIndex.coerceAtMost(lastIndex) downTo 0) {\n val charAtIndex = get(index)\n if (chars.any { it.equals(charAtIndex, ignoreCase) })\n return index\n }\n\n return -1\n}\n\n\nprivate fun CharSequence.indexOf(other: CharSequence, startIndex: Int, endIndex: Int, ignoreCase: Boolean, last: Boolean = false): Int {\n val indices = if (!last)\n startIndex.coerceAtLeast(0)..endIndex.coerceAtMost(length)\n else\n startIndex.coerceAtMost(lastIndex) downTo endIndex.coerceAtLeast(0)\n\n if (this is String && other is String) { // smart cast\n for (index in indices) {\n if (other.regionMatches(0, this, index, other.length, ignoreCase))\n return index\n }\n } else {\n for (index in indices)
{\n if (other.regionMatchesImpl(0, this, index, other.length, ignoreCase))\n return index\n }\n }\n return -1\n}\n\nprivate fun CharSequence.findAnyOf(strings: Collection<String>, startIndex: Int, ignoreCase: Boolean, last: Boolean): Pair<Int, String>? {\n if (!ignoreCase && strings.size == 1) {\n val string = strings.single()\n val index = if (!last) indexOf(string, startIndex) else lastIndexOf(string, startIndex)\n return if (index < 0) null else index to string\n }\n\n val indices = if (!last) startIndex.coerceAtLeast(0)..length else startIndex.coerceAtMost(lastIndex) downTo 0\n\n if (this is String) {\n for (index in indices) {\n val matchingString = strings.firstOrNull { it.regionMatches(0, this, index, it.length, ignoreCase) }\n if (matchingString != null)\n return index to matchingString\n }\n } else {\n for (index in indices) {\n val matchingString
= strings.firstOrNull { it.regionMatchesImpl(0, this, index, it.length, ignoreCase) }\n if (matchingString != null)\n return index to matchingString\n }\n }\n\n return null\n}\n\n/**\n * Finds the first occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return A pair of an index of the first occurrence of matched string from [strings] and the string matched\n * or `null` if none of [strings] are found.\n *\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.findAnyOf(strings: Collection<String>, startIndex:
Int = 0, ignoreCase: Boolean = false): Pair<Int, String>? =\n findAnyOf(strings, startIndex, ignoreCase, last = false)\n\n/**\n * Finds the last occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return A pair of an index of the last occurrence of matched string from [strings] and the string matched or `null` if none of [strings] are found.\n *\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the end toward the beginning of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.findLastAnyOf(strings:
Collection<String>, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Pair<Int, String>? =\n findAnyOf(strings, startIndex, ignoreCase, last = true)\n\n/**\n * Finds the index of the first occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the first occurrence of matched string from [strings] or -1 if none of [strings] are found.\n *\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.indexOfAny(strings: Collection<String>, startIndex: Int = 0, ignoreCase: Boolean = false): Int =\n findAnyOf(strings, startIndex,
ignoreCase, last = false)?.first ?: -1\n\n/**\n * Finds the index of the last occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the

string.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the last occurrence of matched string from [strings] or -1 if none of [strings] are found.\n *\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the end toward the beginning of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.lastIndexOfAny(strings: Collection<String>, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int =\n findAnyOf(strings,
startIndex, ignoreCase, last = true)?.first ?: -1\n\n\n// indexOf\n\n/**\n * Returns the index within this string of the first occurrence of the specified character, starting from the specified [startIndex].\n *\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of the first occurrence of [char] or -1 if none is found.\n */\npublic fun CharSequence.indexOf(char: Char, startIndex: Int = 0, ignoreCase: Boolean = false): Int {\n return if (ignoreCase || this !is String)\n indexOfAny(charArrayOf(char), startIndex, ignoreCase)\n else\n nativeIndexOf(char, startIndex)\n}\n\n/**\n * Returns the index within this char sequence of the first occurrence of the specified [string],\n * starting from the specified [startIndex].\n *\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the first occurrence of [string] or `-1` if none is
found.\n */\npublic fun CharSequence.indexOf(string: String, startIndex: Int = 0, ignoreCase: Boolean = false): Int {\n return if (ignoreCase || this !is String)\n indexOf(string, startIndex, length, ignoreCase)\n else\n nativeIndexOf(string, startIndex)\n}\n\n/**\n * Returns the index within this char sequence of the last occurrence of the specified character,\n * starting from the specified [startIndex].\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of the first occurrence of [char] or -1 if none is found.\n */\npublic fun CharSequence.lastIndexOf(char: Char, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n return if (ignoreCase || this !is String)\n lastIndexOfAny(charArrayOf(char), startIndex, ignoreCase)\n else\n
nativeLastIndexOf(char, startIndex)\n}\n\n/**\n * Returns the index within this char sequence of the last occurrence of the specified [string],\n * starting from the specified [startIndex].\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the first occurrence of [string] or -1 if none is found.\n */\npublic fun CharSequence.lastIndexOf(string: String, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n return if (ignoreCase || this !is String)\n indexOf(string, startIndex, 0, ignoreCase, last = true)\n else\n nativeLastIndexOf(string, startIndex)\n}\n\n/**\n * Returns `true` if this char sequence contains the specified [other] sequence of characters as a substring.\n *\n * @param ignoreCase `true` to ignore character case when comparing strings.
By default `false`.\n */\n@Suppress(\"INAPPLICABLE_OPERATOR_MODIFIER\")\npublic operator fun CharSequence.contains(other: CharSequence, ignoreCase: Boolean = false): Boolean =\n if (other is String)\n indexOf(other, ignoreCase = ignoreCase) >= 0\n else\n indexOf(other, 0, length, ignoreCase) >= 0\n\n\n\n/**\n * Returns `true` if this char sequence contains the specified character [char].\n *\n * @param ignoreCase `true` to ignore character case when comparing characters. By default `false`.\n */\n@Suppress(\"INAPPLICABLE_OPERATOR_MODIFIER\")\npublic operator fun CharSequence.contains(char: Char, ignoreCase: Boolean = false): Boolean =\n indexOf(char, ignoreCase = ignoreCase) >= 0\n\n/**\n * Returns `true` if this char sequence contains at least one match of the specified regular expression [regex].\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharSequence.contains(regex: Regex): Boolean = regex.containsMatchIn(this)\n\n\n// rangesDelimitedBy\n\n\nprivate
class DelimitedRangesSequence(\n private val input: CharSequence,\n private val startIndex: Int,\n private val limit: Int,\n private val getNextMatch: CharSequence.(Int) -> Pair<Int, Int>?\n) : Sequence<IntRange> {\n\n override fun iterator(): Iterator<IntRange> = object : Iterator<IntRange> {\n var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n var currentStartIndex: Int = startIndex.coerceIn(0, input.length)\n var nextSearchIndex: Int = currentStartIndex\n var nextItem: IntRange? = null\n var counter: Int = 0\n\n

```
private fun calcNext() {\n            if (nextSearchIndex < 0) {\n                nextState = 0\n                nextItem = null\n
    } else {\n                if (limit > 0 && ++counter >= limit || nextSearchIndex > input.length) {\n
nextItem = currentStartIndex..input.lastIndex\n                nextSearchIndex = -1\n            } else {\n
    val match = input.getNextMatch(nextSearchIndex)\n                if (match == null) {\n                    nextItem
= currentStartIndex..input.lastIndex\n                    nextSearchIndex = -1\n                } else {\n                    val
(index, length) = match\n                    nextItem = currentStartIndex until index\n                    currentStartIndex
= index + length\n                    nextSearchIndex = currentStartIndex + if (length == 0) 1 else 0\n                }\n
        }\n            nextState = 1\n        }\n    }\n\n    override fun next(): IntRange {\n        if (nextState ==
-1)\n            calcNext()\n        if (nextState == 0)\n            throw NoSuchElementException()\n        val
result = nextItem as IntRange\n        // Clean next to avoid keeping reference on yielded instance\n
nextItem = null\n        nextState = -1\n        return result\n
    }\n\n    override fun hasNext(): Boolean {\n        if (nextState == -1)\n            calcNext()\n        return
nextState == 1\n    }\n}\n\n/**\n * Returns a sequence of index ranges of substrings in this char sequence
around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more characters to be used as
delimiters.\n * @param startIndex The index to start searching delimiters from.\n *  No range having its start value
less than [startIndex] is returned.\n *  [startIndex] is coerced to be non-negative and not greater than length of this
string.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n *
@param limit The maximum number of substrings to return. Zero by default means no limit is set.\n */\nprivate fun
CharSequence.rangesDelimitedBy(delimiters: CharArray, startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int
= 0): Sequence<IntRange> {\n    require(limit >= 0,
 { \"Limit must be non-negative, but was $limit.\" })\n\n    return DelimitedRangesSequence(this, startIndex, limit, {
startIndex ->\n        indexOfAny(delimiters, startIndex, ignoreCase = ignoreCase).let { if (it < 0) null else it to 1 }\n
})\n}\n\n\n/**\n * Returns a sequence of index ranges of substrings in this char sequence around occurrences of the
specified [delimiters].\n *\n * @param delimiters One or more strings to be used as delimiters.\n * @param
startIndex The index to start searching delimiters from.\n *  No range having its start value less than [startIndex] is
returned.\n *  [startIndex] is coerced to be non-negative and not greater than length of this string.\n * @param
ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The
maximum number of substrings to return. Zero by default means no limit is set.\n *\n * To avoid ambiguous results
when strings in [delimiters] have characters in common, this method proceeds
 from\n * the beginning to the end of this string, and finds at each position the first element in [delimiters]\n * that
matches this string at that position.\n */\nprivate fun CharSequence.rangesDelimitedBy(delimiters: Array<out
String>, startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int = 0): Sequence<IntRange> {\n    require(limit >=
0, { \"Limit must be non-negative, but was $limit.\" } )\n    val delimitersList = delimiters.asList()\n\n    return
DelimitedRangesSequence(this, startIndex, limit, { startIndex -> findAnyOf(delimitersList, startIndex, ignoreCase =
ignoreCase, last = false)?.let { it.first to it.second.length } })\n\n}\n\n\n// split\n\n/**\n * Splits this char sequence to
a sequence of strings around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more
strings to be used as delimiters.\n * @param ignoreCase `true` to ignore character case when matching a delimiter.
By default `false`.\n * @param limit The maximum number of substrings
 to return. Zero by default means no limit is set.\n *\n * To avoid ambiguous results when strings in [delimiters]
have characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each
position the first element in [delimiters]\n * that matches this string at that position.\n */\npublic fun
CharSequence.splitToSequence(vararg delimiters: String, ignoreCase: Boolean = false, limit: Int = 0):
Sequence<String> =\n    rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map { substring(it)
}\n\n/**\n * Splits this char sequence to a list of strings around occurrences of the specified [delimiters].\n *\n *
@param delimiters One or more strings to be used as delimiters.\n * @param ignoreCase `true` to ignore character
case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return.
Zero by default means no limit is set.\n *\n * To avoid ambiguous results when strings in [delimiters]
```

have characters in common, this method proceeds from\n * the beginning to the end of this string, and matches at each position the first element in [delimiters]\n * that is equal to a delimiter in this instance at that position.\n */\npublic fun CharSequence.split(vararg delimiters: String, ignoreCase: Boolean = false, limit: Int = 0): List<String> {\n   if (delimiters.size == 1) {\n   val delimiter = delimiters[0]\n   if (!delimiter.isEmpty()) {\n   return split(delimiter, ignoreCase, limit)\n   }\n   }\n\n   return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map { substring(it) }\n}\n\n/**\n * Splits this char sequence to a sequence of strings around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more characters to be used as delimiters.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings
to return.\n */\npublic fun CharSequence.splitToSequence(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0): Sequence<String> =\n   rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map { substring(it) }\n\n/**\n * Splits this char sequence to a list of strings around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more characters to be used as delimiters.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return.\n */\npublic fun CharSequence.split(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0): List<String> {\n   if (delimiters.size == 1) {\n   return split(delimiters[0].toString(), ignoreCase, limit)\n   }\n\n   return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map { substring(it) }\n}\n\n/**\n * Splits this char sequence to a list of strings around occurrences of the specified [delimiter].\n * This is specialized version of split which receives single non-empty delimiter and offers better performance\n *\n * @param delimiter String used as delimiter\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return.\n */\nprivate fun CharSequence.split(delimiter: String, ignoreCase: Boolean, limit: Int): List<String> {\n   require(limit >= 0, { \"Limit must be non-negative, but was $limit.\" })\n\n   var currentOffset = 0\n   var nextIndex = indexOf(delimiter, currentOffset, ignoreCase)\n   if (nextIndex == -1 || limit == 1) {\n   return listOf(this.toString())\n   }\n\n   val isLimited = limit > 0\n   val result = ArrayList<String>(if (isLimited) limit.coerceAtMost(10) else 10)\n   do {\n   result.add(substring(currentOffset, nextIndex))\n   currentOffset = nextIndex + delimiter.length\n   // Do not search
for next occurrence if we're reaching limit\n   if (isLimited && result.size == limit - 1) break\n   nextIndex = indexOf(delimiter, currentOffset, ignoreCase)\n   } while (nextIndex != -1)\n\n   result.add(substring(currentOffset, length))\n   return result\n}\n\n/**\n * Splits this char sequence around matches of the given regular expression.\n *\n * @param limit Non-negative value specifying the maximum number of substrings to return.\n * Zero by default means no limit is set.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.split(regex: Regex, limit: Int = 0): List<String> = regex.split(this, limit)\n\n/**\n * Splits this char sequence to a sequence of lines delimited by any of the following character sequences: CRLF, LF or CR.\n */\npublic fun CharSequence.lineSequence(): Sequence<String> = splitToSequence(\"\\r\\n\", \"\\n\", \"\\r\")\n\n/**\n * * Splits this char sequence to a list of lines delimited by any of the following character sequences: CRLF,
LF or CR.\n */\npublic fun CharSequence.lines(): List<String> = lineSequence().toList()\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n/**\n * Converts the characters in the specified array to a string.\n */\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun String(chars: CharArray): String {\n   return js(\"String.fromCharCode\").apply(null, chars)\n}\n\n/**\n * Converts the characters from a portion of the specified array to a string.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun String(chars: CharArray, offset: Int, length: Int): String {\n   return String(chars.copyOfRange(offset, offset + length))\n}\n\n\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toUpperCase(): String = asDynamic().toUpperCase()\n\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toLowerCase(): String = asDynamic().toLowerCase()\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeIndexOf(str: String, fromIndex: Int): Int = asDynamic().indexOf(str, fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeLastIndexOf(str: String,

fromIndex: Int): Int = asDynamic().lastIndexOf(str, fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal inline fun String.nativeStartsWith(s: String, position: Int): Boolean = asDynamic().startsWith(s, position)\n\n@kotlin.internal.InlineOnly\ninternal inline fun String.nativeEndsWith(s: String): Boolean = asDynamic().endsWith(s)\n\n@kotlin.internal.InlineOnly\npublic actual inline fun String.substring(startIndex: Int): String = asDynamic().substring(startIndex)\n\n@kotlin.internal.InlineOnly\npublic actual inline fun String.substring(startIndex: Int, endIndex: Int): String = asDynamic().substring(startIndex, endIndex)\n\n@kotlin.internal.InlineOnly\npublic inline fun String.concat(str: String): String = asDynamic().concat(str)\n\n@kotlin.internal.InlineOnly\npublic inline fun String.match(regex: String): Array<String>? = asDynamic().match(regex)\n\n//native public fun String.trim(): String\n//TODO: String.replace to implement effective trimLeading and trimTrailing\n\n@Deprecated(\"Use length property instead.\", ReplaceWith(\"length\"), level = DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic inline val CharSequence.size: Int get() = length\n\n@kotlin.internal.InlineOnly\ninternal inline fun String.nativeReplace(pattern: RegExp, replacement: String): String = asDynamic().replace(pattern, replacement)\n","/*\n * Copyright 2010-2015 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.collections\n\nimport kotlin.internal.PlatformDependent\n\n/**\n * Classes that inherit from this interface can be represented as a sequence of elements that can\n * be iterated over.\n * @param T the type of element being iterated over. The iterator is covariant on its element type.\n */\npublic interface Iterable<out T> {\n   /**\n   * Returns an iterator over the elements of this object.\n   */\n   public operator fun iterator(): Iterator<T>\n}\n\n/**\n * Classes that inherit from this interface can be represented as a sequence of elements that can\n * be iterated over and that supports removing elements during iteration.\n * @param T the type of element being iterated over. The mutable iterator is invariant on its element type.\n */\npublic interface MutableIterable<out T> : Iterable<T> {\n   /**\n   * Returns an iterator over the elements of this sequence that supports removing elements during iteration.\n   */\n   override fun iterator(): MutableIterator<T>\n}\n\n/**\n * A generic collection of elements. Methods in this interface support only read-only access to the collection;\n * read/write access is supported through the [MutableCollection] interface.\n * @param E the type of elements contained in the collection. The collection is covariant on its element type.\n */\npublic interface Collection<out E> : Iterable<E> {\n   // Query Operations\n   /**\n   * Returns the size of the collection.\n   */\n   public val size: Int\n\n   /**\n   * Returns `true` if the collection is empty (contains no elements), `false` otherwise.\n   */\n   public fun isEmpty(): Boolean\n\n   /**\n   * Checks if the specified element is contained in this collection.\n   */\n   public operator fun contains(element: @UnsafeVariance E): Boolean\n\n   override fun iterator(): Iterator<E>\n\n   // Bulk Operations\n   /**\n   * Checks if all elements in the specified collection are contained in this collection.\n   */\n   public fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n}\n\n/**\n * A generic collection of elements that supports adding and removing elements.\n *\n * @param E the type of elements contained in the collection. The mutable collection is invariant on its element type.\n */\npublic interface MutableCollection<E> : Collection<E>, MutableIterable<E> {\n   // Query Operations\n   override fun iterator(): MutableIterator<E>\n\n   // Modification Operations\n   /**\n   * Adds the specified element to the collection.\n   *\n   * @return `true` if the element has been added, `false` if the collection does not support duplicates\n   * and the element is already contained in the collection.\n   */\n   public fun add(element: E): Boolean\n\n   /**\n   * Removes a single instance of the specified element from this\n   * collection, if it is present.\n   *\n   * @return `true` if the element has been successfully removed; `false` if it was not present in the collection.\n   */\n   public fun remove(element: E): Boolean\n\n   // Bulk Modification Operations\n   /**\n   *

Adds all of the elements in the specified collection to this collection.\n *\n * @return `true` if any of the specified elements was added to the collection, `false` if the collection was not modified.\n */\n public fun addAll(elements: Collection<E>): Boolean\n\n /**\n * Removes all of this collection's elements that are also contained in the specified collection.\n *\n * @return `true` if any of the specified elements was removed from the collection, `false` if the collection was not modified.\n */\n public fun removeAll(elements: Collection<E>): Boolean\n\n /**\n * Retains
only the elements in this collection that are contained in the specified collection.\n *\n * @return `true` if any element was removed from the collection, `false` if the collection was not modified.\n */\n public fun retainAll(elements: Collection<E>): Boolean\n\n /**\n * Removes all elements from this collection.\n */\n public fun clear(): Unit\n}\n\n/**\n * A generic ordered collection of elements. Methods in this interface support only read-only access to the list;\n * read/write access is supported through the [MutableList] interface.\n * @param E the type of elements contained in the list. The list is covariant on its element type.\n */\npublic interface List<out E> : Collection<E> {\n // Query Operations\n override val size: Int\n\n override fun isEmpty(): Boolean\n override fun contains(element: @UnsafeVariance E): Boolean\n override fun iterator(): Iterator<E>\n\n // Bulk Operations\n override fun containsAll(elements: Collection<@UnsafeVariance
E>): Boolean\n\n // Positional Access Operations\n /**\n * Returns the element at the specified index in the list.\n */\n public operator fun get(index: Int): E\n\n // Search Operations\n /**\n * Returns the index of the first occurrence of the specified element in the list, or -1 if the specified\n * element is not contained in the list.\n */\n public fun indexOf(element: @UnsafeVariance E): Int\n\n /**\n * Returns the index of the last occurrence of the specified element in the list, or -1 if the specified\n * element is not contained in the list.\n */\n public fun lastIndexOf(element: @UnsafeVariance E): Int\n\n // List Iterators\n /**\n * Returns a list iterator over the elements in this list (in proper sequence).\n */\n public fun listIterator(): ListIterator<E>\n\n /**\n * Returns a list iterator over the elements in this list (in proper sequence), starting at the specified [index].\n */\n public fun listIterator(index: Int): ListIterator<E>\n\n // View\n /**\n * Returns a view of the portion of this list between the specified [fromIndex] (inclusive) and [toIndex] (exclusive).\n * The returned list is backed by this list, so non-structural changes in the returned list are reflected in this list, and vice-versa.\n *\n * Structural changes in the base list make the behavior of the view undefined.\n */\n public fun subList(fromIndex: Int, toIndex: Int): List<E>\n}\n\n/**\n * A generic ordered collection of elements that supports adding and removing elements.\n * @param E the type of elements contained in the list. The mutable list is invariant on its element type.\n */\npublic interface MutableList<E> : List<E>, MutableCollection<E> {\n // Modification Operations\n override fun add(element: E): Boolean\n\n override fun remove(element: E): Boolean\n\n // Bulk Modification Operations\n override fun addAll(elements: Collection<E>):
Boolean\n\n /**\n * Inserts all of the elements in the specified collection [elements] into this list at the specified [index].\n *\n * @return `true` if the list was changed as the result of the operation.\n */\n public fun addAll(index: Int, elements: Collection<E>): Boolean\n\n override fun removeAll(elements: Collection<E>): Boolean\n override fun retainAll(elements: Collection<E>): Boolean\n override fun clear(): Unit\n\n // Positional Access Operations\n /**\n * Replaces the element at the specified position in this list with the specified element.\n *\n * @return the element previously at the specified position.\n */\n public operator fun set(index: Int, element: E): E\n\n /**\n * Inserts an element into the list at the specified [index].\n */\n public fun add(index: Int, element: E): Unit\n\n /**\n * Removes an element at the specified [index] from the list.\n *\n * @return the element
that has been removed.\n */\n public fun removeAt(index: Int): E\n\n // List Iterators\n override fun listIterator(): MutableListIterator<E>\n\n override fun listIterator(index: Int): MutableListIterator<E>\n\n // View\n override fun subList(fromIndex: Int, toIndex: Int): MutableList<E>\n}\n\n/**\n * A generic unordered collection of elements that does not support duplicate elements.\n * Methods in this interface support only read-only access to the set;\n * read/write access is supported through the [MutableSet] interface.\n * @param E the type of elements contained in the set. The set is covariant on its element type.\n */\npublic interface Set<out E> : Collection<E> {\n // Query Operations\n override val size: Int\n\n override fun isEmpty(): Boolean\n

override fun contains(element: @UnsafeVariance E): Boolean\n override fun iterator(): Iterator<E>\n\n // Bulk Operations\n override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n}\n\n/**\n * A generic unordered collection of elements that does not support duplicate elements, and supports\n * adding and removing elements.\n * @param E the type of elements contained in the set. The mutable set is invariant on its element type.\n */\npublic interface MutableSet<E> : Set<E>, MutableCollection<E> {\n // Query Operations\n override fun iterator(): MutableIterator<E>\n\n // Modification Operations\n override fun add(element: E): Boolean\n\n override fun remove(element: E): Boolean\n\n // Bulk Modification Operations\n override fun addAll(elements: Collection<E>): Boolean\n\n override fun removeAll(elements: Collection<E>): Boolean\n override fun retainAll(elements: Collection<E>): Boolean\n override fun clear(): Unit\n}\n\n/**\n * A collection that holds pairs of objects (keys and values) and supports efficiently retrieving\n * the value corresponding to each key. Map keys are unique; the map holds only one value for each key.\n * Methods in this interface support only read-only access to the map; read-write access is supported through\n * the [MutableMap] interface.\n * @param K the type of map keys. The map is invariant on its key type, as it\n * can accept key as a parameter (of [containsKey] for example) and return it in [keys] set.\n * @param V the type of map values. The map is covariant on its value type.\n */\npublic interface Map<K, out V> {\n // Query Operations\n /**\n * Returns the number of key/value pairs in the map.\n */\n public val size: Int\n\n /**\n * Returns `true` if the map is empty (contains no elements), `false` otherwise.\n */\n public fun isEmpty(): Boolean\n\n /**\n * Returns `true` if the map contains the specified [key].\n */\n public fun containsKey(key: K): Boolean\n\n /**\n * Returns `true` if the map maps one or more keys to the specified [value].\n */\n public fun containsValue(value: @UnsafeVariance V): Boolean\n\n /**\n * Returns the value corresponding to the given [key], or `null` if such a key is not present in the map.\n */\n public operator fun get(key: K): V?\n\n /**\n * Returns the value corresponding to the given [key], or [defaultValue] if such a key is not present in the map.\n *\n * @since JDK 1.8\n */\n @SinceKotlin(\"1.1\")\n @PlatformDependent\n public fun getOrDefault(key: K, defaultValue: @UnsafeVariance V): V {\n // See default implementation in JDK sources\n return null as V\n }\n\n // Views\n /**\n * Returns a read-only [Set] of all keys in this map.\n */\n public val keys: Set<K>\n\n /**\n * Returns a read-only [Collection] of all values in this map. Note that this collection may contain duplicate values.\n */\n public val values: Collection<V>\n\n /**\n * Returns a read-only [Set] of all key/value pairs in this map.\n */\n public val entries: Set<Map.Entry<K, V>>\n\n /**\n * Represents a key/value pair held by a [Map].\n */\n public interface Entry<out K, out V> {\n /**\n * Returns the key of this key/value pair.\n */\n public val key: K\n\n /**\n * Returns the value of this key/value pair.\n */\n public val value: V\n }\n}\n\n/**\n * A modifiable collection that holds pairs of objects (keys and values) and supports efficiently retrieving\n * the value corresponding to each key. Map keys are unique; the map holds only one value for each key.\n * @param K the type of map keys. The map is invariant on its key type.\n * @param V the type of map values. The mutable map is invariant on its value type.\n */\npublic interface MutableMap<K, V> : Map<K, V> {\n // Modification Operations\n /**\n * Associates the specified [value] with the specified [key] in the map.\n *\n * @return the previous value associated with the key, or `null` if the key was not present in the map.\n */\n public fun put(key: K, value: V): V?\n\n /**\n * Removes the specified key and its corresponding value from this map.\n *\n * @return the previous value associated with the key, or `null` if the key was not present in the map.\n */\n public fun remove(key: K): V?\n\n /**\n * Removes the entry for the specified key only if it is mapped to the specified value.\n *\n * @return true if entry was removed\n */\n @SinceKotlin(\"1.1\")\n @PlatformDependent\n public fun remove(key: K, value: V): Boolean {\n // See default implementation in JDK sources\n return true\n }\n\n // Bulk Modification Operations\n /**\n * Updates this map with key/value pairs from the specified map [from].\n */\n public fun putAll(from: Map<out K, V>): Unit\n\n /**\n * Removes all elements from this map.\n */\n public fun clear(): Unit\n\n // Views\n /**\n * Returns a [MutableSet] of

all keys in this map.\n */\n override val keys: MutableSet<K>\n\n /**\n * Returns a [MutableCollection] of all values in this map. Note that this collection may contain duplicate values.\n */\n override val values: MutableCollection<V>\n\n /**\n * Returns a [MutableSet] of all key/value pairs in this map.\n */\n override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\n\n /**\n * Represents a key/value pair held by a [MutableMap].\n */\n public interface MutableEntry<K, V> : Map.Entry<K, V> {\n /**\n * Changes the value associated with the key of this entry.\n *\n * @return the previous value corresponding to the key.\n */\n public fun setValue(newValue: V): V\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.collections\n\n/** An iterator over a sequence of values of type `Byte`. */\npublic abstract class ByteIterator : Iterator<Byte> {\n override final fun next() = nextByte()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextByte(): Byte\n}\n\n/** An iterator over a sequence of values of type `Char`. */\npublic abstract class CharIterator : Iterator<Char> {\n override final fun next() = nextChar()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextChar(): Char\n}\n\n/** An iterator over a sequence of values of type `Short`. */\npublic abstract class ShortIterator : Iterator<Short> {\n override final fun next() = nextShort()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextShort(): Short\n}\n\n/** An iterator over a sequence of values of type `Int`. */\npublic abstract class IntIterator : Iterator<Int> {\n override final fun next() = nextInt()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextInt(): Int\n}\n\n/** An iterator over a sequence of values of type `Long`. */\npublic abstract class LongIterator : Iterator<Long> {\n override final fun next() = nextLong()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextLong(): Long\n}\n\n/** An iterator over a sequence of values of type `Float`. */\npublic abstract class FloatIterator : Iterator<Float> {\n override final fun next() = nextFloat()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextFloat(): Float\n}\n\n/** An iterator over a sequence of values of type `Double`. */\npublic abstract class DoubleIterator : Iterator<Double> {\n override final fun next() = nextDouble()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextDouble(): Double\n}\n\n/** An iterator over a sequence of values of type `Boolean`. */\npublic abstract class BooleanIterator : Iterator<Boolean> {\n override final fun next() = nextBoolean()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextBoolean(): Boolean\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n/**\n * An iterator over a progression of values of type `Char`.\n * @property step the number by which the value is incremented on each step.\n */\ninternal class CharProgressionIterator(first: Char, last: Char, val step: Int) : CharIterator() {\n private val finalElement = last.toInt()\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private var next = if (hasNext) first.toInt() else finalElement\n\n override fun hasNext(): Boolean = hasNext\n\n override fun nextChar(): Char {\n val value = next\n if (value == finalElement) {\n if (!hasNext) throw kotlin.NoSuchElementException()\n hasNext = false\n }\n else {\n next += step\n }\n return value.toChar()\n }\n}\n\n/**\n * An iterator over a progression of values of type `Int`.\n * @property step the number by which the value is incremented on each step.\n */\ninternal class IntProgressionIterator(first: Int, last: Int, val step: Int) : IntIterator() {\n private val finalElement = last\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private var next = if (hasNext) first else finalElement\n\n override fun hasNext(): Boolean = hasNext\n\n override fun nextInt(): Int {\n val value = next\n if (value == finalElement) {\n if (!hasNext) throw kotlin.NoSuchElementException()\n hasNext = false\n }\n else {\n next += step\n }\n return value\n }\n}\n\n/**\n * An iterator over a progression of values of type `Long`.\n * @property step the number by which the value is incremented on each step.\n */\ninternal class LongProgressionIterator(first: Long, last: Long, val step: Long) : LongIterator() {\n private val finalElement =

last\n   private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n   private var next = if (hasNext) first else finalElement\n\n   override fun hasNext(): Boolean = hasNext\n\n   override fun nextLong(): Long {\n   val value = next\n   if (value == finalElement) {\n   if (!hasNext) throw kotlin.NoSuchElementException()\n   hasNext = false\n   }\n   else {\n   next += step\n   }\n   return value\n   }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\nimport kotlin.internal.getProgressionLastElement\n\n/**\n * A progression of values of type `Char`.\n */\npublic open class CharProgression\n   internal constructor\n   (\n   start: Char,\n   endInclusive: Char,\n   step: Int\n   ) : Iterable<Char> {\n   init {\n   if (step == 0) throw kotlin.IllegalArgumentException(\"Step must be non-zero\")\n   }\n\n   /**\n   * The first element in the progression.\n   */\n   public val first: Char = start\n\n   /**\n   * The last element in the progression.\n   */\n   public val last: Char = getProgressionLastElement(start.toInt(), endInclusive.toInt(), step).toChar()\n\n   /**\n   * The step of the progression.\n   */\n   public val step: Int = step\n\n   override fun iterator(): CharIterator = CharProgressionIterator(first, last, step)\n\n   /** Checks if the progression is empty. */\n   public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n   override fun equals(other: Any?): Boolean =\n   other is CharProgression && (isEmpty() && other.isEmpty() ||\n   first == other.first && last == other.last && step == other.step)\n\n   override fun hashCode(): Int =\n   if (isEmpty()) -1 else (31 * (31 * first.toInt() + last.toInt()) + step)\n\n   override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n   companion object {\n   /**\n   * Creates CharProgression within the specified bounds of a closed range.\n\n   * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n   * In order to go backwards the [step] must be negative.\n   */\n   public fun fromClosedRange(rangeStart: Char, rangeEnd: Char, step: Int): CharProgression = CharProgression(rangeStart, rangeEnd, step)\n   }\n}\n\n/**\n * A progression of values of type `Int`.\n */\npublic open class IntProgression\n   internal constructor\n   (\n   start: Int,\n   endInclusive: Int,\n   step: Int\n   ) : Iterable<Int> {\n   init {\n   if (step == 0) throw kotlin.IllegalArgumentException(\"Step must be non-zero\")\n   }\n\n   /**\n   * The first element in the progression.\n   */\n   public val first: Int = start\n\n   /**\n   * The last element in the progression.\n   */\n   public val last: Int = getProgressionLastElement(start.toInt(), endInclusive.toInt(), step).toInt()\n\n   /**\n   * The step of the progression.\n   */\n   public val step: Int = step\n\n   override fun iterator(): IntIterator = IntProgressionIterator(first, last, step)\n\n   /** Checks if the progression is empty. */\n   public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n   override fun equals(other: Any?): Boolean =\n   other is IntProgression && (isEmpty() && other.isEmpty() ||\n   first == other.first && last == other.last && step == other.step)\n\n   override fun hashCode(): Int =\n   if (isEmpty()) -1 else (31 * (31 * first + last) + step)\n\n   override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n   companion object {\n   /**\n   * Creates IntProgression within the specified bounds of a closed range.\n\n   * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n   * In order to go backwards the [step] must be negative.\n   */\n   public fun fromClosedRange(rangeStart: Int, rangeEnd: Int, step: Int): IntProgression = IntProgression(rangeStart, rangeEnd, step)\n   }\n}\n\n/**\n * A progression of values of type `Long`.\n */\npublic open class LongProgression\n   internal constructor\n   (\n   start: Long,\n   endInclusive: Long,\n   step: Long\n   ) : Iterable<Long> {\n   init {\n   if (step == 0L) throw kotlin.IllegalArgumentException(\"Step must be non-zero\")\n   }\n\n   /**\n   * The first element in the progression.\n   */\n   public val first: Long = start\n\n   /**\n   * The last element in the progression.\n   */\n   public val last: Long = getProgressionLastElement(start.toLong(), endInclusive.toLong(), step).toLong()\n\n   /**\n   * The step of the progression.\n   */\n   public val step: Long = step\n\n   override fun iterator(): LongIterator = LongProgressionIterator(first, last, step)\n\n   /** Checks if the progression is empty. */\n   public open fun

isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n   override fun equals(other: Any?): Boolean =\n   other is LongProgression && (isEmpty() && other.isEmpty() ||\n   first == other.first && last == other.last && step == other.step)\n\n   override fun hashCode(): Int =\n   if (isEmpty()) -1 else (31 * (31 * (first xor (first ushr 32)) + (last xor (last ushr 32))) + (step xor (step ushr 32))).toInt()\n\n   override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n   companion object {\n   /**\n   * Creates LongProgression within the specified bounds of a closed range.\n\n   * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n   * In order to go backwards the [step] must be negative.\n   */\n   public fun fromClosedRange(rangeStart: Long, rangeEnd: Long, step: Long): LongProgression = LongProgression(rangeStart, rangeEnd, step)\n   }\n}\n\n","/*\n * Copyright 2010-2015 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.ranges\n\n/**\n * Represents a range of values (for example, numbers or characters).\n * See the [Kotlin language documentation](http://kotlinlang.org/docs/reference/ranges.html) for more information.\n */\npublic interface ClosedRange<T: Comparable<T>> {\n   /**\n   * The minimum value in the range.\n   */\n   public val start: T\n\n   /**\n   * The maximum value in the range (inclusive).\n   */\n   public val endInclusive: T\n\n   /**\n   * Checks whether the specified [value] belongs to the range.\n   */\n   public operator fun contains(value: T): Boolean = value >= start && value <= endInclusive\n\n   /**\n   * Checks whether the range is empty.\n   */\n   public fun isEmpty(): Boolean = start > endInclusive\n}\n","/*\n * Copyright 2010-2015 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin\n\n/**\n * The type with only one value: the Unit object. This type corresponds to the `void` type in Java.\n */\npublic object Unit {\n   override fun toString() = \"kotlin.Unit\"\n}\n","/*\n * Copyright 2010-2015 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.annotation\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * Contains the list of code elements which are the possible annotation targets\n */\npublic enum class AnnotationTarget {\n   /** Class, interface or object, annotation class is also included */\n   CLASS,\n   /** Annotation class only */\n   ANNOTATION_CLASS,\n   /** Generic type parameter (unsupported yet) */\n   TYPE_PARAMETER,\n   /** Property */\n   PROPERTY,\n   /** Field, including property's backing field */\n   FIELD,\n   /** Local variable */\n   LOCAL_VARIABLE,\n   /** Value parameter of a function or a constructor */\n   VALUE_PARAMETER,\n   /** Constructor only (primary or secondary) */\n   CONSTRUCTOR,\n   /** Function (constructors are not included) */\n   FUNCTION,\n   /** Property getter only */\n   PROPERTY_GETTER,\n   /** Property setter only */\n   PROPERTY_SETTER,\n   /** Type usage */\n   TYPE,\n   /** Any expression */\n   EXPRESSION,\n   /** File */\n   FILE,\n   /** Type alias */\n   @SinceKotlin(\"1.1\")\n   TYPEALIAS\n}\n\n/**\n * Contains the list of possible annotation's retentions.\n *\n * Determines how an annotation is stored in binary output.\n */\npublic enum

class AnnotationRetention {\n   /** Annotation isn't stored in binary output */\n   SOURCE,\n   /** Annotation is stored in binary
    output, but invisible for reflection */\n   BINARY,\n   /** Annotation is stored in binary output and visible for reflection (default retention) */\n   RUNTIME\n}\n\n/**\n * This meta-annotation indicates the kinds of code elements which are possible targets of an annotation.\n *\n * If the target meta-annotation is not present on an annotation declaration, the annotation is applicable to the following elements:\n * [CLASS], [PROPERTY], [FIELD], [LOCAL_VARIABLE], [VALUE_PARAMETER], [CONSTRUCTOR], [FUNCTION], [PROPERTY_GETTER], [PROPERTY_SETTER].\n *\n * @property allowedTargets list of allowed annotation targets\n */\n@Target(AnnotationTarget.ANNOTATION_CLASS)\n@MustBeDocumented\npublic annotation class Target(vararg val allowedTargets: AnnotationTarget)\n\n/**\n * This meta-annotation determines whether an annotation is stored in binary output and visible for reflection. By default, both are true.\n *\n * @property value necessary annotation retention (RUNTIME, BINARY or SOURCE)\n
    */\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class Retention(val value: AnnotationRetention = AnnotationRetention.RUNTIME)\n\n/**\n * This meta-annotation determines that an annotation is applicable twice or more on a single code element\n
*/\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class Repeatable\n\n/**\n * This meta-annotation determines that an annotation is a part of public API and therefore should be included in the generated\n * documentation for the element to which the annotation is applied.\n
/\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class MustBeDocumented\n","/\n * Copyright 2010-2016 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n
    * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.internal\n\n/**\n * Specifies that the corresponding type parameter is not used for unsafe operations such as casts or 'is' checks\n * That means it's completely safe to use generic types as argument for such parameter.\n
*/\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class PureReifiable\n\n/**\n * Specifies that the corresponding built-in method exists depending on platform.\n * Current implementation for JVM looks whether method with same JVM descriptor exists in the module JDK.\n * For example MutableMap.remove(K, V) available only if corresponding\n * method 'java/util/Map.remove(Ljava/lang/Object;Ljava/lang/Object;)Z' is defined in JDK (i.e. for
    major versions >= 8)\n
/\n@Target(AnnotationTarget.FUNCTION)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class PlatformDependent\n","/\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.internal\n\n// a mod b (in arithmetical sense)\nprivate fun mod(a: Int, b: Int): Int {\n   val mod = a % b\n   return if (mod >= 0) mod else mod + b\n}\n\nprivate fun mod(a: Long, b: Long): Long {\n   val mod = a % b\n   return if (mod >= 0) mod else mod + b\n}\n\n// (a - b) mod c\nprivate fun differenceModulo(a: Int, b: Int, c: Int): Int {\n   return mod(mod(a, c) - mod(b, c), c)\n}\n\nprivate fun differenceModulo(a: Long, b: Long, c: Long): Long {\n   return mod(mod(a, c) - mod(b, c), c)\n}\n\n/**\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to
    [end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n *\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\n *\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n *\n * @param start first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or difference of successive elements in the progression\n * @return the final element of the progression\n * @suppress\n */\n@PublishedApi\ninternal fun

getProgressionLastElement(start: Int, end: Int, step: Int): Int {\n   if (step > 0) {\n   return end - differenceModulo(end, start, step)\n   }\n   else if (step < 0) {\n   return end + differenceModulo(start, end, -step)\n   }\n   else {\n   throw kotlin.IllegalArgumentException(\"Step is zero.\")\n   }\n}\n\n/**\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element
 of the progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n *\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\n *\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n *\n * @param start first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or difference of successive elements in the progression\n * @return the final element of the progression\n * @suppress\n */\n@PublishedApi\ninternal fun getProgressionLastElement(start: Long, end: Long, step: Long): Long {\n   if (step > 0) {\n   return end - differenceModulo(end, start, step)\n   }\n   else if (step < 0) {\n   return end + differenceModulo(start, end, -step)\n   }\n   else {\n   throw kotlin.IllegalArgumentException(\"Step is zero.\")\n   }\n}\n","/*\n * Copyright 2010-2015
 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n *
http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.reflect\n\n/**\n * Represents a parameter passed to a function or a property getter/setter,\n * including `this` and extension receiver parameters.\n */\npublic interface KParameter : KAnnotatedElement {\n   /**\n   * 0-based index of this parameter in the parameter list of its containing callable.\n   */\n   public val index: Int\n\n   /**\n   * Name of this parameter as it was
 declared in the source code,\n   * or `null` if the parameter has no name or its name is not available at runtime.\n   * Examples of nameless parameters include `this` instance for member functions,\n   * extension receiver for extension functions or properties, parameters of Java methods\n   * compiled without the debug information, and others.\n   */\n   public val name: String?\n\n   /**\n   * Type of this parameter. For a `vararg` parameter, this is the type of the corresponding array,\n   * not the individual element.\n   */\n   public val type: KType\n\n   /**\n   * Kind of this parameter.\n   */\n   public val kind: Kind\n\n   /**\n   * Kind represents a particular position of the parameter declaration in the source code,\n   * such as an instance, an extension receiver parameter or a value parameter.\n   */\n   public enum class Kind {\n   /** Instance required to make a call to the member, or an outer class instance for an inner class constructor.
 */\n   INSTANCE,\n\n   /** Extension receiver of an extension function or property. */\n   EXTENSION_RECEIVER,\n\n   /** Ordinary named value parameter. */\n   VALUE,\n   }\n\n   /**\n   * `true` if this parameter is optional and can be omitted when making a call via [KCallable.callBy], or `false` otherwise.\n   *\n   * A parameter is optional in any of the two cases:\n   * 1. The default value is provided at the declaration of this parameter.\n   * 2. The parameter is declared in a member function and one of the corresponding parameters in the super functions is optional.\n   */\n   public val isOptional: Boolean\n\n   /**\n   * `true` if this parameter is `vararg`.\n   * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/functions.html#variable-number-of-arguments-varargs)\n   * for more information.\n   */\n   @SinceKotlin(\"1.1\")\n   public val isVararg: Boolean\n}\n","/*\n * Copyright 2010-2015
 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n *
http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.reflect\n\n/**\n * Represents a

type. Type is usually either a class with optional type arguments,\n * or a type parameter of some declaration, plus nullability.\n */\npublic interface KType {\n /**\n * The declaration of the classifier used in this type.\n * For example, in the type `List<String>` the classifier would be the [KClass] instance for [List].\n *\n * Returns `null` if this type is not denotable in Kotlin, for example if it is an intersection type.\n */\n @SinceKotlin(\"1.1\")\n public val classifier: KClassifier?\n\n /**\n * Type arguments passed for the parameters of the classifier in this type.\n * For example, in the type `Array<out Number>` the only type argument is `out Number`.\n *\n * In case this type is based on an inner class, the returned list contains the type arguments provided for the innermost class first,\n * then its outer class, and so on.\n * For example, in the type `Outer<A, B>.Inner<C, D>` the returned list is `[C, D, A, B]`.\n */\n @SinceKotlin(\"1.1\")\n public val arguments: List<KTypeProjection>\n\n /**\n * `true` if this type was marked nullable in the source code.\n *\n * For Kotlin types, it means that `null` value is allowed to be represented by this type.\n * In practice it means that the type was declared with a question mark at the end.\n

* For non-Kotlin types, it means the type or the symbol which was declared with this type\n * is annotated with a runtime-retained nullability annotation such as [javax.annotation.Nullable].\n *\n * Note that even if [isMarkedNullable] is false, values of the type can still be `null`.\n * This may happen if it is a type of the type parameter with a nullable upper bound:\n *\n * ```\n * fun <T> foo(t: T) {\n * // isMarkedNullable == false for t's type, but t can be null here when T = \"Any?\"\n * }\n * ```\n */\n public val isMarkedNullable: Boolean\n}\n\n/**\n * Represents a type projection. Type projection is usually the argument to another type in a type usage.\n * For example, in the type `Array<out Number>`, `out Number` is the covariant projection of the type represented by the class `Number`.\n *\n * Type projection is either the star projection, or an entity consisting of a specific type plus optional variance.\n *\n * See

the [Kotlin language documentation](http://kotlinlang.org/docs/reference/generics.html#type-projections)\n * for more information.\n */\n@SinceKotlin(\"1.1\")\npublic data class KTypeProjection constructor(\n /**\n * The use-site variance specified in the projection, or `null` if this is a star projection.\n */\n public val variance: KVariance?,\n /**\n * The type specified in the projection, or `null` if this is a star projection.\n */\n public val type: KType?\n) {\n public companion object {\n /**\n * Star projection, denoted by the `*` character.\n * For example, in the type `KClass<*>`, `*` is the star projection.\n * See the [Kotlin language documentation](http://kotlinlang.org/docs/reference/generics.html#star-projections)\n * for more information.\n */\n public val STAR: KTypeProjection = KTypeProjection(null, null)\n\n /**\n * Creates an invariant

projection of a given type. Invariant projection is just the type itself,\n * without any use-site variance modifiers applied to it.\n * For example, in the type `Set<String>`, `String` is an invariant projection of the type represented by the class `String`.\n */\n public fun invariant(type: KType): KTypeProjection =\n KTypeProjection(KVariance.INVARIANT, type)\n\n /**\n * Creates a contravariant projection of a given type, denoted by the `in` modifier applied to a type.\n * For example, in the type `MutableList<in Number>`, `in Number` is a contravariant projection of the type of class `Number`.\n */\n public fun contravariant(type: KType): KTypeProjection =\n KTypeProjection(KVariance.IN, type)\n\n /**\n * Creates a covariant projection of a given type, denoted by the `out` modifier applied to a type.\n * For example, in the type `Array<out Number>`, `out Number`

is a covariant projection of the type of class `Number`.\n */\n public fun covariant(type: KType): KTypeProjection =\n KTypeProjection(KVariance.OUT, type)\n }\n}\n","/*\n * Copyright 2010-2016 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.reflect\n\n/**\n * Represents variance applied to a type parameter on the declaration site (*declaration-site variance*),\n * or to a type in a

projection (*use-site
variance*).\n *\n * See the [Kotlin language
documentation](https://kotlinlang.org/docs/reference/generics.html#variance)\n * for more information.\n *\n *
@see [KTypeParameter.variance]\n * @see [KTypeProjection]\n */\n@SinceKotlin(\"1.1\")\nenum class KVariance
{\n   /**\n   * The affected type parameter or type is *invariant*, which means it has no variance applied to it.\n
*/\n   INVARIANT,\n\n   /**\n   * The affected type parameter or type is *contravariant*. Denoted by the `in`
modifier in the source code.\n   */\n   IN,\n\n   /**\n   * The affected type parameter or type is *covariant*.
Denoted by the `out` modifier in the source code.\n   */\n   OUT,\n}\n","/*\n * Copyright 2010-2016 JetBrains
s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except
in compliance with the License.\n * You may obtain a copy of the License at\n *\n *
http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required
by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\"
BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the
License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage
kotlin.reflect\n\n/**\n * Visibility is an aspect of a Kotlin declaration regulating where that declaration is accessible
in the source code.\n * Visibility can be changed with one of the following modifiers: `public`, `protected`,
`internal`, `private`.\n *\n * Note that some Java visibilities such as package-private and protected (which also gives
access to items from the same package)\n * cannot be represented in Kotlin, so there's no [KVisibility] value
corresponding to them.\n *\n * See the [Kotlin language
documentation](https://kotlinlang.org/docs/reference/visibility-modifiers.html)\n * for more information.\n
*/\n@SinceKotlin(\"1.1\")\nenum class KVisibility
{\n   /**\n   * Visibility of declarations marked with the `public` modifier, or with no modifier at all.\n   */\n
PUBLIC,\n\n   /**\n   * Visibility of declarations marked with the `protected` modifier.\n   */\n
PROTECTED,\n\n   /**\n   * Visibility of declarations marked with the `internal` modifier.\n   */\n
INTERNAL,\n\n   /**\n   * Visibility of declarations marked with the `private` modifier.\n   */\n
PRIVATE,\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache
2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@JsName(\"arrayIterator\")\ninternal fun
arrayIterator(array: dynamic, type: String?) = when (type) {\n   null -> {\n   val arr: Array<dynamic> = array\n
  object : Iterator<dynamic> {\n   var index = 0\n   override fun hasNext() = index < arr.size\n
override fun next() = if (index < arr.size) arr[index++] else throw NoSuchElementException(\"$index\")\n
        }\n   }\n   \"BooleanArray\" -> booleanArrayIterator(array)\n   \"ByteArray\" -> byteArrayIterator(array)\n
\"ShortArray\" -> shortArrayIterator(array)\n   \"CharArray\" -> charArrayIterator(array)\n   \"IntArray\" ->
intArrayIterator(array)\n   \"LongArray\" -> longArrayIterator(array)\n   \"FloatArray\" ->
floatArrayIterator(array)\n   \"DoubleArray\" -> doubleArrayIterator(array)\n   else -> throw
IllegalStateException(\"Unsupported type argument for arrayIterator:
$type\")\n}\n\n@JsName(\"booleanArrayIterator\")\ninternal fun booleanArrayIterator(array: BooleanArray) =
object : BooleanIterator() {\n   var index = 0\n   override fun hasNext() = index < array.size\n   override fun
nextBoolean() = if (index < array.size) array[index++] else throw
NoSuchElementException(\"$index\")\n}\n\n@JsName(\"byteArrayIterator\")\ninternal fun byteArrayIterator(array:
ByteArray) = object : ByteIterator() {\n   var index = 0\n   override fun hasNext()
 = index < array.size\n   override fun nextByte() = if (index < array.size) array[index++] else throw
NoSuchElementException(\"$index\")\n}\n\n@JsName(\"shortArrayIterator\")\ninternal fun
shortArrayIterator(array: ShortArray) = object : ShortIterator() {\n   var index = 0\n   override fun hasNext() =
index < array.size\n   override fun nextShort() = if (index < array.size) array[index++] else throw
NoSuchElementException(\"$index\")\n}\n\n@JsName(\"charArrayIterator\")\ninternal fun charArrayIterator(array:
CharArray) = object : CharIterator() {\n   var index = 0\n   override fun hasNext() = index < array.size\n   override
fun nextChar() = if (index < array.size) array[index++] else throw
NoSuchElementException(\"$index\")\n}\n\n@JsName(\"intArrayIterator\")\ninternal fun intArrayIterator(array:

```
IntArray) = object : IntIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override fun nextInt() = if (index < array.size) array[index++] else
 throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"floatArrayIterator\")\ninternal fun floatArrayIterator(array: FloatArray) = object : FloatIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override fun nextFloat() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"doubleArrayIterator\")\ninternal fun doubleArrayIterator(array: DoubleArray) = object : DoubleIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override fun nextDouble() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"longArrayIterator\")\ninternal fun longArrayIterator(array: LongArray) = object : LongIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override fun nextLong() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"PropertyMetadata\")\ninternal
 class PropertyMetadata(@JsName(\"callableName\") val name: String)\n\n@JsName(\"noWhenBranchMatched\")\ninternal fun noWhenBranchMatched(): Nothing = throw NoWhenBranchMatchedException()\n\n@JsName(\"subSequence\")\ninternal fun subSequence(c: CharSequence, startIndex: Int, endIndex: Int): CharSequence {\n    if (c is String) {\n        return c.substring(startIndex, endIndex)\n    } else {\n        return c.asDynamic().`subSequence_vux9f0$`(startIndex, endIndex)\n    }\n}\n\n@JsName(\"captureStack\")\ninternal fun captureStack(baseClass: JsClass<in Throwable>, instance: Throwable) {\n    if (js(\"Error\").captureStackTrace) {\n        js(\"Error\").captureStackTrace(instance, instance::class.js);\n    } else {\n        instance.asDynamic().stack = js(\"new Error()\").stack;\n    }\n}\n\n@JsName(\"newThrowable\")\ninternal fun newThrowable(message: String?, cause: Throwable?): Throwable {\n    val throwable = js(\"new Error()\")\n    throwable.message = if (jsTypeOf(message) == \"undefined\")
 {\n        if (cause != null) cause.toString() else null\n    } else {\n        message\n    }\n    throwable.cause = cause\n    throwable.name = \"Throwable\"\n    return throwable\n}\n\n@JsName(\"BoxedChar\")\ninternal class BoxedChar(val c: Int) : Comparable<Int> {\n    override fun equals(other: Any?): Boolean {\n        return other is BoxedChar && c == other.c\n    }\n\n    override fun hashCode(): Int {\n        return c\n    }\n\n    override fun toString(): String {\n        return js(\"this.c\").unsafeCast<Char>().toString()\n    }\n\n    override fun compareTo(other: Int): Int {\n        return js(\"this.c - other\").unsafeCast<Int>()\n    }\n\n
 @JsName(\"valueOf\")\n    public fun valueOf(): Int {\n        return c\n    }\n}\n\n@kotlin.internal.InlineOnly\ninternal inline fun <T> concat(args: Array<T>): T {\n    val typed = js(\"Array\")(args.size)\n    for (i in args.indices) {\n        val arr = args[i]\n        if (arr !is Array<*>) {\n            typed[i] =
 js(\"[]\").slice.call(arr)\n        } else {\n            typed[i] = arr\n        }\n    }\n    return js(\"[]\").concat.apply(js(\"[]\"), typed);\n}\n\n/** Concat regular Array's and TypedArray's into an Array.\n */\n@PublishedApi\n@JsName(\"arrayConcat\")\n@Suppress(\"UNUSED_PARAMETER\")\ninternal fun <T> arrayConcat(a: T, b: T): T {\n    return concat(js(\"arguments\"))\n}\n\n/** Concat primitive arrays. Main use: prepare vararg arguments.\n *  For compatibility with 1.1.0 the arguments may be a mixture of Array's and TypedArray's.\n *\n *  If the first argument is TypedArray (Byte-, Short-, Char-, Int-, Float-, and DoubleArray) returns a TypedArray, otherwise an Array.\n *  If the first argument has the $type$ property (Boolean-, Char-, and LongArray) copy its value to result.$type$.\n *  If the first argument is a regular Array without the $type$ property default to arrayConcat.\n
 */\n@PublishedApi\n@JsName(\"primitiveArrayConcat\")\n@Suppress(\"UNUSED_PARAMETER\")\ninternal fun <T>
 primitiveArrayConcat(a: T, b: T): T {\n    val args: Array<T> = js(\"arguments\")\n    if (a is Array<*> && a.asDynamic().`$type$` === undefined) {\n        return concat(args)\n    } else {\n        var size = 0\n        for (i in args.indices) {\n            size += args[i].asDynamic().length as Int\n        }\n        val result = js(\"new a.constructor(size)\")\n        kotlin.copyArrayType(a, result)\n        size = 0\n        for (i in args.indices) {\n            val
```

arr = args[i].asDynamic()\n for (j in 0 until arr.length) {\n result[size++] = arr[j]\n }\n }\n return result\n }\n}\n\n@JsName(\"booleanArrayOf\")\ninternal fun booleanArrayOf() = withType(\"BooleanArray\", js(\"[].slice.call(arguments)\"))\n\n@JsName(\"charArrayOf\") // The arguments have to be slice'd here because of Rhino (see KT-16974)\ninternal fun charArrayOf() = withType(\"CharArray\", js(\"new Uint16Array([].slice.call(arguments))\"))\n\n@JsName(\"longArrayOf\")\ninternal fun longArrayOf() = withType(\"LongArray\", js(\"[].slice.call(arguments)\"))\n\n@JsName(\"withType\")\n@kotlin.internal.InlineOnly\ninternal inline fun withType(type: String, array: dynamic): dynamic {\n array.`$type$` = type\n return array\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\nimport kotlin.*\nimport kotlin.text.*\nimport kotlin.comparisons.*\n\n/**\n * Reverses elements in the list in-place.\n */\npublic actual fun <T> MutableList<T>.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n","@file: Suppress(\"DEPRECATION\")\npackage jquery.ui\n\n\n//jquery UI\nimport jquery.JQuery\nimport kotlin.js.Json\n\n@Deprecated(\"JQuery is going to be removed from the standard library\")\npublic inline fun JQuery.buttonset(): JQuery = asDynamic().buttonset()\n\n@Deprecated(\"JQuery is going to be removed from the standard library\")\npublic inline fun JQuery.dialog(): JQuery = asDynamic().dialog()\n\n@Deprecated(\"JQuery is going to be removed from the standard library\")\npublic inline fun JQuery.dialog(params: Json): JQuery = asDynamic().dialog(params)\n\n@Deprecated(\"JQuery is going to be removed from the standard library\")\npublic inline fun JQuery.dialog(mode: String, param: String): Any? = asDynamic().dialog(mode, param)\n\n@Deprecated(\"JQuery is going to be removed from the standard library\")\npublic inline fun JQuery.dialog(mode: String): JQuery = asDynamic().dialog(mode)\n\n@Deprecated(\"JQuery is going to be removed from the standard library\")\npublic inline fun JQuery.dialog(mode: String, param: String, value: Any?): JQuery = asDynamic().dialog(mode, param, value)\n\n@Deprecated(\"JQuery is going to be removed from the standard library\")\npublic inline fun JQuery.button(): JQuery = asDynamic().button()\n\n@Deprecated(\"JQuery is going to be removed from the standard library\")\npublic inline fun JQuery.accordion(): JQuery = asDynamic().accordion()\n\n@Deprecated(\"JQuery is going to be removed from the standard library\")\npublic inline fun JQuery.draggable(params: Json): JQuery = asDynamic().draggable(params)\n\n@Deprecated(\"JQuery is going to be removed from the standard library\")\npublic inline fun JQuery.selectable(): JQuery = asDynamic().selectable()\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport kotlin.annotation.AnnotationTarget.*\n\n@Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR, VALUE_PARAMETER, PROPERTY_GETTER, PROPERTY_SETTER)\n@Deprecated(\"Use `external` modifier instead\", level = DeprecationLevel.ERROR)\npublic annotation class native(public val name: String = \"\")\n\n@Target(FUNCTION)\n@Deprecated(\"Use inline extension function with body using dynamic\")\npublic annotation class nativeGetter\n\n@Target(FUNCTION)\n@Deprecated(\"Use inline extension function with body using dynamic\")\npublic annotation class nativeSetter\n\n@Target(FUNCTION)\n@Deprecated(\"Use inline extension function with body using dynamic\")\npublic annotation class nativeInvoke\n\n@Target(CLASS, FUNCTION, PROPERTY)\ninternal annotation class library(public val name: String = \"\")\n\n@Target(CLASS)\ninternal annotation class marker\n\n/**\n * Gives a declaration (a function, a property or a class) specific

name in JavaScript.\n *\n * This may be useful in the following cases:\n *\n * * There are two functions for which the compiler gives same name in JavaScript, you can\n * mark one with `@JsName(...)` to prevent the compiler from reporting error.\n * * You are writing a JavaScript library in Kotlin. The compiler produces mangled names\n * for functions with parameters, which is unnatural for usual JavaScript developer.\n * You can put `@JsName(...)` on functions you want to be available from JavaScript.\n * * For some reason you want to rename declaration, e.g. there's common term in JavaScript\n * for a concept provided by the declaration, which in uncommon in Kotlin.\n *\n * Example:\n *\n * ``` kotlin\n * class Person(val name: String) {\n * fun hello() {\n * println(\"Hello $name!\")\n * }\n *\n * @JsName(\"helloWithGreeting\")\n * fun hello(greeting: String) {\n * println(\"$greeting $name!\")\n * }\n * }\n * ```\n *\n
 * @property name the name which compiler uses both for declaration itself and for all references to the declaration.\n * It's required to denote a valid JavaScript identifier.\n *\n * @since 1.1\n */\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR, PROPERTY_GETTER, PROPERTY_SETTER)\nannotation class JsName(val name: String)\n\n/**\n * Denotes an `external` declaration that must be imported from native JavaScript library.\n *\n * The compiler produces the code relevant for the target module system, for example, in case of CommonJS,\n * it will import the declaration via the `require(...)` function.\n *\n * The annotation can be used on top-level external declarations (classes, properties, functions) and files.\n * In case of file (which can't be `external`) the following rule applies: all the declarations in\n * the file must be `external`. By applying `@JsModule(...)` on a file you tell the compiler to import a JavaScript object\n * that
 contain all the declarations from the file.\n *\n * Example:\n *\n * ``` kotlin\n * @JsModule(\"jquery\")\n * external abstract class JQuery() {\n * // some declarations here\n * }\n *\n * @JsModule(\"jquery\")\n * external fun JQuery(element: Element): JQuery\n * ```\n *\n * @property import name of a module to import declaration from.\n * It is not interpreted by the Kotlin compiler, it's passed as is directly to the target module system.\n *\n * @see JsNonModule\n * @since 1.1\n */\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\nannotation class JsModule(val import: String)\n\n/**\n * Denotes an `external` declaration that can be used without module system.\n *\n * By default, an `external` declaration is available regardless your target module system.\n * However, by applying [JsModule] annotation you can make a declaration unavailable to *plain* module system.\n * Some JavaScript libraries are distributed both as a standalone downloadable
 piece of JavaScript and as a module available\n * as an npm package.\n * To tell the Kotlin compiler to accept both cases, you can augment [JsModule] with the `@JsNonModule` annotation.\n *\n * For example:\n *\n * ``` kotlin\n * @JsModule(\"jquery\")\n * @JsNonModule\n * @JsName(\"$\")\n * external abstract class JQuery() {\n * // some declarations here\n * }\n *\n * @JsModule(\"jquery\")\n * @JsNonModule\n * @JsName(\"$\")\n * external fun JQuery(element: Element): JQuery\n * ```\n *\n * @see JsModule\n * @since 1.1\n */\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\nannotation class JsNonModule\n\n/**\n * Adds prefix to `external` declarations in a source file.\n *\n * JavaScript does not have concept of packages (namespaces). They are usually emulated by nested objects.\n * The compiler turns references to `external` declarations either to plain unprefixed names (in case of *plain* modules)\n * or to plain imports.\n * However, if
 a JavaScript library provides its declarations in packages, you won't be satisfied with this.\n * You can tell the compiler to generate additional prefix before references to `external` declarations using the `@JsQuafier(...)`\n * annotation.\n *\n * Note that a file marked with the `@JsQulifier(...)` annotation can't contain non-`external` declarations.\n *\n * Example:\n *\n * ```\n * @file:JsQualifier(\"my.jsPackageName\")\n * package some.kotlinPackage\n *\n * external fun foo(x: Int)\n *\n * external fun bar(): String\n * ```\n *\n * @property value the qualifier to add to the declarations in the generated code.\n * It must be a sequence of valid JavaScript identifiers separated by the `.` character.\n * Examples of valid qualifiers are: `foo`, `bar.Baz`, `_.$0.f`.\n *\n * @see JsModule\n * @since 1.1\n */\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.FILE)\nannotation class

JsQualifier(val value: String)","/*\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.jvm\n\n// these are used in common generated code in
stdlib\n\n@Target(AnnotationTarget.FUNCTION,
AnnotationTarget.CONSTRUCTOR)\n@Retention(AnnotationRetention.SOURCE)\ninternal annotation class
JvmOverloads\n\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY_GETTER,
AnnotationTarget.PROPERTY_SETTER,
AnnotationTarget.FILE)\n@Retention(AnnotationRetention.SOURCE)\n@MustBeDocumented\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\") // TODO: KT-19507\ninternal actual annotation class JvmName(public actual val
name:
String)\n\n@Target(AnnotationTarget.FILE)\n@Retention(AnnotationRetention.SOURCE)\n@MustBeDocumented\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\") // TODO: KT-19507\ninternal actual annotation class
JvmMultifileClass\n\n@Target(AnnotationTarget.FIELD)\n@Retention(AnnotationRetention.SOURCE)\n@MustBeDocumented\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")
// TODO: KT-19507\ninternal actual annotation class
JvmField\n\n\n@Target(AnnotationTarget.FIELD)\n@Retention(AnnotationRetention.SOURCE)\npublic actual
annotation class Volatile\n\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY_GETTER,
AnnotationTarget.PROPERTY_SETTER)\n@Retention(AnnotationRetention.SOURCE)\npublic annotation class
Synchronized\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0
license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Function
corresponding to JavaScript's `typeof` operator\n
*/\n@kotlin.internal.InlineOnly\n@Suppress(\"UNUSED_PARAMETER\")\npublic inline fun jsTypeOf(a: Any?):
String = js(\"typeof a\")\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the
Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:Suppress(\"UNUSED_PARAMETER\", \"NOTHING_TO_INLINE\")\n\npackage
kotlin\n\n/**\n * Returns an empty array of the specified type [T].\n */\npublic inline fun <T> emptyArray():
Array<T> = js(\"[]\")\n\n@library\npublic fun <T> arrayOf(vararg elements: T): Array<T> =
definedExternally\n\n@library\npublic fun doubleArrayOf(vararg elements: Double): DoubleArray =
definedExternally\n\n@library\npublic fun floatArrayOf(vararg elements: Float): FloatArray =
definedExternally\n\n@library\npublic fun longArrayOf(vararg elements: Long): LongArray =
definedExternally\n\n@library\npublic fun intArrayOf(vararg elements: Int): IntArray =
definedExternally\n\n@library\npublic fun charArrayOf(vararg elements: Char): CharArray =
definedExternally\n\n@library\npublic fun shortArrayOf(vararg elements: Short): ShortArray =
definedExternally\n\n@library\npublic fun byteArrayOf(vararg elements: Byte): ByteArray =
definedExternally\n\n@library\npublic fun booleanArrayOf(vararg elements: Boolean): BooleanArray =
definedExternally\n\n/**\n * Creates a new instance of the
[Lazy] that uses the specified initialization function [initializer].\n */\npublic actual fun <T> lazy(initializer: () ->
T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified
initialization function [initializer].\n *\n * The [mode] parameter is ignored. */\npublic actual fun <T> lazy(mode:
LazyThreadSafetyMode, initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n/**\n * Creates a new
instance of the [Lazy] that uses the specified initialization function [initializer].\n *\n * The [lock] parameter is
ignored.\n */\npublic actual fun <T> lazy(lock: Any?, initializer: () -> T): Lazy<T> =
UnsafeLazyImpl(initializer)\n\n\ninternal fun fillFrom(src: dynamic, dst: dynamic): dynamic {\n   val srcLen: Int =
src.length\n   val dstLen: Int = dst.length\n   var index: Int = 0\n   while (index < srcLen && index < dstLen)
dst[index] = src[index++]\n   return dst\n}\n\n\ninternal fun arrayCopyResize(source: dynamic, newSize:
Int, defaultValue: Any?): dynamic {\n   val result = source.slice(0, newSize)\n   copyArrayType(source, result)\n
var index: Int = source.length\n   if (newSize > index) {\n   result.length = newSize\n   while (index <
newSize) result[index++] = defaultValue\n   }\n   return result\n}\n\ninternal fun <T> arrayPlusCollection(array:

dynamic, collection: Collection<T>): dynamic {\n   val result = array.slice()\n   result.length += collection.size\n copyArrayType(array, result)\n   var index: Int = array.length\n   for (element in collection) result[index++] = element\n   return result\n}\n\ninternal fun <T> fillFromCollection(dst: dynamic, startIndex: Int, collection: Collection<T>): dynamic {\n   var index = startIndex\n   for (element in collection) dst[index++] = element\n return dst\n}\n\ninternal inline fun copyArrayType(from: dynamic, to: dynamic) {\n   if (from.`$type$` !== undefined) {\n   to.`$type$` = from.`$type$`\n   }\n}\n","/*\n *
 Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n// actually \\s is enough to match all whitespace, but \\xA0 added because of different regexp behavior of Rhino used in Selenium tests\npublic actual fun Char.isWhitespace(): Boolean = toString().matches(\"[\\\\s\\\\xA0]\")\n\n@kotlin.internal.InlineOnly\npublic actual inline fun Char.toLowerCase(): Char = js(\"String.fromCharCode\")(this).toLowerCase().charCodeAt(0)\n\n@kotlin.internal.InlineOnly\npublic actual inline fun Char.toUpperCase(): Char = js(\"String.fromCharCode\")(this).toUpperCase().charCodeAt(0)\n\n/**\n * Returns `true` if this character is a Unicode high-surrogate code unit (also known as leading-surrogate code unit).\n */\npublic actual fun Char.isHighSurrogate(): Boolean = this in Char.MIN_HIGH_SURROGATE..Char.MAX_HIGH_SURROGATE\n\n/**\n * Returns `true` if this character is a Unicode
 low-surrogate code unit (also known as trailing-surrogate code unit).\n */\npublic actual fun Char.isLowSurrogate(): Boolean = this in Char.MIN_LOW_SURROGATE..Char.MAX_LOW_SURROGATE\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n@file:Suppress(\"DEPRECATION\")\npackage kotlin.math\n\n\nimport kotlin.internal.InlineOnly\nimport kotlin.js.Math as nativeMath\n\n\n// ================ Double Math ==\n\n/** Computes the sine of the angle [x] given in radians.\n *\n * Special cases:\n *   - `sin(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sin(x: Double): Double = nativeMath.sin(x)\n\n/** Computes the cosine of the angle [x] given in radians.\n *\n * Special cases:\n *   - `cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun cos(x: Double): Double = nativeMath.cos(x)\n\n/** Computes the tangent of the angle [x] given in radians.\n *\n * Special cases:\n *   - `tan(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun tan(x: Double): Double = nativeMath.tan(x)\n\n/**\n * Computes the arc sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n *   - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun asin(x: Double): Double = nativeMath.asin(x)\n\n/**\n * Computes the arc cosine of the value [x];\n * the returned value is an angle in the range from `0.0` to `PI` radians.\n *\n * Special cases:\n *   - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun acos(x: Double): Double = nativeMath.acos(x)\n\n/**\n * Computes the arc tangent of the value [x];\n * the returned value is an angle
 in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n *   - `atan(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atan(x: Double): Double = nativeMath.atan(x)\n\n/**\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\n * the returned value is an angle in the range from `-PI` to `PI` radians.\n *\n * Special cases:\n *   - `atan2(0.0, 0.0)` is `0.0`\n *   - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n *   - `atan2(-0.0, x)` is `-0.0` for 'x > 0` and `-PI` for `x < 0`\n *   - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for '-Inf < y < 0`\n *   - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n *   - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\n *   - `atan2(+Inf, x)` is `PI/2` for finite `x`y\n *   - `atan2(-Inf, x)` is `-PI/2` for finite
 `x`\n *   - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atan2(y: Double, x: Double): Double = nativeMath.atan2(y, x)\n\n/**\n * Computes the hyperbolic sine of the value [x].\n *\n * Special cases:\n *   - `sinh(NaN)` is `NaN`\n *   - `sinh(+Inf)` is `+Inf`\n *   - `sinh(-Inf)` is `-

Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sinh(x: Double): Double = nativeMath.sinh(x)\n\n/**\n * Computes the hyperbolic cosine of the value [x].\n *\n * Special cases:\n *   - `cosh(NaN)` is `NaN`\n *   - `cosh(+Inf|-Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun cosh(x: Double): Double = nativeMath.cosh(x)\n\n/**\n * Computes the hyperbolic tangent of the value [x].\n *\n * Special cases:\n *   - `tanh(NaN)` is `NaN`\n *   - `tanh(+Inf)` is `1.0`\n *   - `tanh(-Inf)` is `-1.0`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun tanh(x: Double): Double = nativeMath.tanh(x)\n\n/**\n
 * Computes the inverse hyperbolic sine of the value [x].\n *\n * The returned value is `y` such that `sinh(y) == x`.\n *\n * Special cases:\n *   - `asinh(NaN)` is `NaN`\n *   - `asinh(+Inf)` is `+Inf`\n *   - `asinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun asinh(x: Double): Double = nativeMath.asinh(x)\n\n/**\n * Computes the inverse hyperbolic cosine of the value [x].\n *\n * The returned value is positive `y` such that `cosh(y) == x`.\n *\n * Special cases:\n *   - `acosh(NaN)` is `NaN`\n *   - `acosh(x)` is `NaN` when `x < 1`\n *   - `acosh(+Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun acosh(x: Double): Double = nativeMath.acosh(x)\n\n/**\n * Computes the inverse hyperbolic tangent of the value [x].\n *\n * The returned value is `y` such that `tanh(y) == x`.\n *\n * Special cases:\n *   - `tanh(NaN)` is `NaN`\n *   - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n *   - `tanh(1.0)`
 is `+Inf`\n *   - `tanh(-1.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atanh(x: Double): Double = nativeMath.atanh(x)\n\n/**\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n *\n * Special cases:\n *   - returns `+Inf` if any of arguments is infinite\n *   - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun hypot(x: Double, y: Double): Double = nativeMath.hypot(x, y)\n\n/**\n * Computes the positive square root of the value [x].\n *\n * Special cases:\n *   - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sqrt(x: Double): Double = nativeMath.sqrt(x)\n\n/**\n * Computes Euler's number `e` raised to the power of the value [x].\n *\n * Special cases:\n *   - `exp(NaN)` is `NaN`\n *   - `exp(+Inf)` is `+Inf`\n *   - `exp(-Inf)` is `0.0`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic
 actual inline fun exp(x: Double): Double = nativeMath.exp(x)\n\n/**\n * Computes `exp(x) - 1`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n *   - `expm1(NaN)` is `NaN`\n *   - `expm1(+Inf)` is `+Inf`\n *   - `expm1(-Inf)` is `-1.0`\n *\n * @see [exp] function.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun expm1(x: Double): Double = nativeMath.expm1(x)\n\n/**\n * Computes the logarithm of the value [x] to the given [base].\n *\n * Special cases:\n *   - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\n *   - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\n *   - `log(+Inf, +Inf)` is `NaN`\n *   - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\n *   - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`\n *\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n */\n@SinceKotlin(\"1.2\")\npublic actual fun log(x: Double,
 base: Double): Double {\n   if (base <= 0.0 || base == 1.0) return Double.NaN\n   return nativeMath.log(x) / nativeMath.log(base)\n}\n\n/**\n * Computes the natural logarithm (base `E`) of the value [x].\n *\n * Special cases:\n *   - `ln(NaN)` is `NaN`\n *   - `ln(x)` is `NaN` when `x < 0.0`\n *   - `ln(+Inf)` is `+Inf`\n *   - `ln(0.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ln(x: Double): Double = nativeMath.log(x)\n\n/**\n * Computes the common logarithm (base 10) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun log10(x: Double): Double = nativeMath.log10(x)\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun log2(x: Double): Double = nativeMath.log2(x)\n\n/**\n * Computes `ln(x + 1)`.\n *\n * This function can be implemented to
 produce more precise result for [x] near zero.\n *\n * Special cases:\n *   - `ln1p(NaN)` is `NaN`\n *   - `ln1p(x)` is `NaN` where `x < -1.0`\n *   - `ln1p(-1.0)` is `-Inf`\n *   - `ln1p(+Inf)` is `+Inf`\n *\n * @see [ln] function\n * @see [expm1] function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ln1p(x: Double): Double = nativeMath.log1p(x)\n\n/**\n * Rounds the given value [x] to an integer towards positive infinity.\n\n * @return the

smallest double value that is greater than the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ceil(x: Double): Double = nativeMath.ceil(x).unsafeCast<Double>() // TODO: Remove unsafe cast after removing public js.math\n\n/**\n * Rounds the given value [x] to an integer towards negative infinity.\n\n * @return the largest double value that is smaller than the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun floor(x: Double): Double = nativeMath.floor(x).unsafeCast<Double>()\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n *\n * @return the value [x] having its fractional part truncated.\n *\n * Special cases:\n * - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun truncate(x: Double): Double = nativeMath.trunc(x)\n\n/**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n *\n * Special cases:\n * - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun round(x: Double): Double
{\n if (x % 0.5 != 0.0) {\n return nativeMath.round(x).unsafeCast<Double>()\n }\n val floor = floor(x)\n return if (floor % 2 == 0.0) floor else ceil(x)\n}\n\n/**\n * Returns the absolute value of the given value [x].\n *\n * Special cases:\n * - `abs(NaN)` is `NaN`\n *\n * @see absoluteValue extension property for [Double]\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun abs(x: Double): Double = nativeMath.abs(x)\n\n/**\n * Returns the sign of the given value [x]:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `sign(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sign(x: Double): Double = nativeMath.sign(x)\n\n\n/**\n * Returns the smaller of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun min(a: Double, b: Double): Double = nativeMath.min(a,
b)\n\n/**\n * Returns the greater of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun max(a: Double, b: Double): Double = nativeMath.max(a, b)\n\n// extensions\n\n/**\n * Raises this value to the power [x].\n *\n * Special cases:\n * - `b.pow(0.0)` is `1.0`\n * - `b.pow(1.0) == b`\n * - `b.pow(NaN)` is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Double.pow(x: Double): Double = nativeMath.pow(this, x)\n\n/**\n * Raises this value to the integer power [n].\n *\n * See the other overload of [pow] for details.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Double.pow(n: Int): Double = nativeMath.pow(this, n.toDouble())\n\n/**\n * Returns the absolute value of this
value.\n *\n * Special cases:\n * - `NaN.absoluteValue` is `NaN`\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Double.absoluteValue: Double get() = nativeMath.abs(this)\n\n/**\n * Returns the sign of this value:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `NaN.sign` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Double.sign: Double get() = nativeMath.sign(this)\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n *\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Double.withSign(sign: Double): Double {\n val thisSignBit = js(\"Kotlin\").doubleSignBit(this).unsafeCast<Int>()\n val newSignBit = js(\"Kotlin\").doubleSignBit(sign).unsafeCast<Int>()\n return if (thisSignBit == newSignBit) this else -this\n}\n\n/**\n * Returns
this value with the sign bit same as of the [sign] value.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Double.withSign(sign: Int): Double = this.withSign(sign.toDouble())\n\n/**\n * Returns the ulp (unit in the last place) of this value.\n *\n * An ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.\n *\n * Special Cases:\n * - `NaN.ulp` is `NaN`\n * - `x.ulp` is `+Inf` when `x` is `+Inf`

or `-Inf`\n * - `0.0.ulp` is `Double.MIN_VALUE`\n */\n@SinceKotlin(\"1.2\")\npublic actual val Double.ulp: Double get() = when {\n   this < 0 -> (-this).ulp\n   this.isNaN() || this == Double.POSITIVE_INFINITY -> this\n   this == Double.MAX_VALUE -> this - this.nextDown()\n   else -> this.nextUp() - this\n}\n\n/**\n * Returns the [Double] value nearest to this value in direction of positive infinity.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Double.nextUp(): Double = when {\n   this.isNaN() || this == Double.POSITIVE_INFINITY -> this\n   this == 0.0 -> Double.MIN_VALUE\n   else -> Double.fromBits(this.toRawBits() + if (this > 0) 1 else -1)\n}\n\n/**\n * Returns the [Double] value nearest to this value in direction of negative infinity.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Double.nextDown(): Double = when {\n   this.isNaN() || this == Double.NEGATIVE_INFINITY -> this\n   this == 0.0 -> -Double.MIN_VALUE\n   else -> Double.fromBits(this.toRawBits() + if (this > 0) -1 else 1)\n}\n\n\n/**\n * Returns the [Double] value nearest to this value in direction from this value towards the value [to].\n *\n * Special cases:\n * - `x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`\n * - `x.nextTowards(x) == x`\n *\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Double.nextTowards(to: Double): Double = when {\n   this.isNaN() || to.isNaN() -> Double.NaN\n   to == this -> to\n   to > this -> this.nextUp()\n   else /* to < this */ -> this.nextDown()\n}\n\n\n/**\n * Rounds this [Double] value to the nearest integer and converts the result to [Int].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Double.roundToInt(): Int = when {\n   isNaN() -> throw IllegalArgumentException(\"Cannot round NaN value.\")\n   this > Int.MAX_VALUE -> Int.MAX_VALUE\n   this < Int.MIN_VALUE -> Int.MIN_VALUE\n   else -> nativeMath.round(this).unsafeCast<Double>().toInt()\n}\n\n/**\n * Rounds this [Double] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Double.roundToLong(): Long = when {\n   isNaN() -> throw IllegalArgumentException(\"Cannot round NaN value.\")\n   this > Long.MAX_VALUE -> Long.MAX_VALUE\n   this < Long.MIN_VALUE -> Long.MIN_VALUE\n   else -> nativeMath.round(this).unsafeCast<Double>().toLong()\n}\n\n\n\n// ================ Float Math ======================================\n\n/** Computes the sine of the angle [x] given in radians.\n *\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sin(x: Float): Float = nativeMath.sin(x.toDouble()).toFloat()\n\n/** Computes the cosine of the angle [x] given in radians.\n *\n * Special cases:\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun cos(x: Float): Float = nativeMath.cos(x.toDouble()).toFloat()\n\n/** Computes the tangent of the angle [x] given in radians.\n *\n * Special cases:\n * - `tan(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun tan(x: Float): Float = nativeMath.tan(x.toDouble()).toFloat()\n\n/**\n * Computes the arc sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun asin(x: Float): Float = nativeMath.asin(x.toDouble()).toFloat()\n\n/**\n * Computes the arc cosine of the value [x];\n * the returned value is an angle in the range from `0.0` to `PI` radians.\n *\n * Special cases:\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun acos(x: Float): Float = nativeMath.acos(x.toDouble()).toFloat()\n\n/**\n * Computes the arc tangent of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `atan(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atan(x: Float): Float = nativeMath.atan(x.toDouble()).toFloat()\n\n/**\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\n * the returned value is an angle in the range from `-PI` to `PI` radians.\n *\n *

Special cases:\n * - `atan2(0.0, 0.0)` is `0.0`\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n * - `atan2(-0.0, x)` is `-0.0` for 'x > 0` and `-PI` for `x < 0`\n *  - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for '-Inf < y < 0`\n * - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n * - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\n * - `atan2(+Inf, x)` is `PI/2` for finite `x`y\n * - `atan2(-Inf, x)` is `-PI/2` for finite `x`\n * - `atan2(NaN,
 x)` and `atan2(y, NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atan2(y: Float, x: Float): Float = nativeMath.atan2(y.toDouble(), x.toDouble()).toFloat()\n\n/**\n * Computes the hyperbolic sine of the value [x].\n *\n * Special cases:\n *  - `sinh(NaN)` is `NaN`\n *  - `sinh(+Inf)` is `+Inf`\n *  - `sinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sinh(x: Float): Float = nativeMath.sinh(x.toDouble()).toFloat()\n\n/**\n * Computes the hyperbolic cosine of the value [x].\n *\n * Special cases:\n *  - `cosh(NaN)` is `NaN`\n *  - `cosh(+Inf|-Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun cosh(x: Float): Float = nativeMath.cosh(x.toDouble()).toFloat()\n\n/**\n * Computes the hyperbolic tangent of the value [x].\n *\n * Special cases:\n *  - `tanh(NaN)` is `NaN`\n *  - `tanh(+Inf)` is `1.0`\n *  - `tanh(-Inf)` is `-1.0`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic
 actual inline fun tanh(x: Float): Float = nativeMath.tanh(x.toDouble()).toFloat()\n\n/**\n * Computes the inverse hyperbolic sine of the value [x].\n *\n * The returned value is `y` such that `sinh(y) == x`.\n *\n * Special cases:\n * - `asinh(NaN)` is `NaN`\n * - `asinh(+Inf)` is `+Inf`\n * - `asinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun asinh(x: Float): Float = nativeMath.asinh(x.toDouble()).toFloat()\n\n/**\n * Computes the inverse hyperbolic cosine of the value [x].\n *\n * The returned value is positive `y` such that `cosh(y) == x`.\n *\n * Special cases:\n * - `acosh(NaN)` is `NaN`\n * - `acosh(x)` is `NaN` when `x < 1`\n * - `acosh(+Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun acosh(x: Float): Float = nativeMath.acosh(x.toDouble()).toFloat()\n\n/**\n * Computes the inverse hyperbolic tangent of the value [x].\n *\n * The returned value is `y` such that `tanh(y) == x`.\n *\n * Special
 cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n * - `tanh(1.0)` is `+Inf`\n * - `tanh(-1.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atanh(x: Float): Float = nativeMath.atanh(x.toDouble()).toFloat()\n\n/**\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n *\n * Special cases:\n * - returns `+Inf` if any of arguments is infinite\n * - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun hypot(x: Float, y: Float): Float = nativeMath.hypot(x.toDouble(), y.toDouble()).toFloat()\n\n/**\n * Computes the positive square root of the value [x].\n *\n * Special cases:\n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sqrt(x: Float): Float = nativeMath.sqrt(x.toDouble()).toFloat()\n\n/**\n * Computes Euler's number `e` raised
 to the power of the value [x].\n *\n * Special cases:\n * - `exp(NaN)` is `NaN`\n * - `exp(+Inf)` is `+Inf`\n * - `exp(-Inf)` is `0.0`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun exp(x: Float): Float = nativeMath.exp(x.toDouble()).toFloat()\n\n/**\n * Computes `exp(x) - 1`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `expm1(NaN)` is `NaN`\n * - `expm1(+Inf)` is `+Inf`\n * - `expm1(-Inf)` is `-1.0`\n *\n * @see [exp] function.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun expm1(x: Float): Float = nativeMath.expm1(x.toDouble()).toFloat()\n\n/**\n * Computes the logarithm of the value [x] to the given [base].\n *\n * Special cases:\n * - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\n * - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\n * - `log(+Inf, +Inf)` is `NaN`\n * - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\n
 * - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`\n *\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun log(x: Float, base: Float): Float = log(x.toDouble(), base.toDouble()).toFloat()\n\n/**\n * Computes the natural logarithm (base `E`) of the value [x].\n *\n * Special cases:\n * - `ln(NaN)` is `NaN`\n * - `ln(x)` is `NaN` when `x < 0.0`\n * - `ln(+Inf)` is `+Inf`\n * - `ln(0.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ln(x:

Float): Float = nativeMath.log(x.toDouble()).toFloat()\n\n/**\n * Computes the common logarithm (base 10) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun log10(x: Float): Float = nativeMath.log10(x.toDouble()).toFloat()\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun log2(x: Float): Float = nativeMath.log2(x.toDouble()).toFloat()\n\n/**\n * Computes `ln(a + 1)`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n *   - `ln1p(NaN)` is `NaN`\n *   - `ln1p(x)` is `NaN` where `x < -1.0`\n *   - `ln1p(-1.0)` is `-Inf`\n *   - `ln1p(+Inf)` is `+Inf`\n *\n * @see [ln] function\n * @see [expm1] function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ln1p(x: Float): Float = nativeMath.log1p(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] to an integer towards positive infinity.\n\n * @return the smallest Float value that is greater than the given value [x] and is a mathematical integer.\n *\n * Special cases:\n *   - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ceil(x: Float): Float = nativeMath.ceil(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] to an integer towards negative infinity.\n\n * @return the largest Float value that is smaller than the given value [x] and is a mathematical integer.\n *\n * Special cases:\n *   - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun floor(x: Float): Float = nativeMath.floor(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n *\n * @return the value [x] having its fractional part truncated.\n *\n * Special cases:\n *   - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun truncate(x: Float): Float = truncate(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n *\n * Special cases:\n *   - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun round(x: Float): Float = round(x.toDouble()).toFloat()\n\n\n/**\n * Returns the absolute value of the given value [x].\n *\n * Special cases:\n *   - `abs(NaN)` is `NaN`\n *\n * @see absoluteValue extension property for [Float]\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun abs(x: Float): Float = nativeMath.abs(x.toDouble()).toFloat()\n\n/**\n * Returns the sign of the given value [x]:\n *   - `-1.0` if the value is negative,\n *   - zero if the value is zero,\n *   - `1.0` if the value is positive\n *\n * Special case:\n *   - `sign(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sign(x: Float): Float = nativeMath.sign(x.toDouble()).toFloat()\n\n\n\n/**\n * Returns the smaller of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun min(a: Float, b: Float): Float = nativeMath.min(a, b)\n\n/**\n * Returns the greater of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun max(a: Float, b: Float): Float = nativeMath.max(a, b)\n\n// extensions\n\n\n/**\n * Raises this value to the power [x].\n *\n * Special cases:\n *   - `b.pow(0.0)` is `1.0`\n *   - `b.pow(1.0) == b`\n *   - `b.pow(NaN)` is `NaN`\n *   - `NaN.pow(x)` is `NaN` for `x != 0.0`\n *   - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n *   - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.pow(x: Float): Float = nativeMath.pow(this.toDouble(), x.toDouble()).toFloat()\n\n/**\n * Raises this value to the integer power [n].\n *\n * See the other overload of [pow] for details.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.pow(n: Int): Float = nativeMath.pow(this.toDouble(), n.toDouble()).toFloat()\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n *   - `NaN.absoluteValue` is `NaN`\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Float.absoluteValue: Float get() = nativeMath.abs(this.toDouble()).toFloat()\n\n/**\n * Returns the sign of this value:\n *   - `-1.0` if the value is negative,\n *   - zero if the value is zero,\n *   - `1.0` if the value is positive\n *\n * Special case:\n *   - `NaN.sign` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Float.sign: Float get() = nativeMath.sign(this.toDouble()).toFloat()\n\n/**\n * Returns this value with the sign bit same as of the [sign]

value.\n *\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.withSign(sign: Float): Float = this.toDouble().withSign(sign.toDouble()).toFloat()\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.withSign(sign: Int): Float = this.toDouble().withSign(sign.toDouble()).toFloat()\n\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Int].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n *   - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n *   - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.roundToInt(): Int = toDouble().roundToInt()\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n *   - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n *   - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.roundToLong(): Long = toDouble().roundToLong()\n\n\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n *   - `abs(Int.MIN_VALUE)` is `Int.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension property for [Int]\n */\n// TODO: remove manual 'or' when KT-19290 is fixed\n@SinceKotlin(\"1.2\")\npublic actual fun abs(n: Int): Int = if (n < 0) (-n or 0) else n\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun min(a: Int, b: Int): Int = nativeMath.min(a, b)\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun max(a: Int, b: Int): Int = nativeMath.max(a, b)\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n *   - `Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Int.absoluteValue: Int get() = abs(this)\n\n/**\n * Returns the sign of this value:\n *   - `-1` if the value is negative,\n *   - `0` if the value is zero,\n *   - `1` if the value is positive\n */\n@SinceKotlin(\"1.2\")\npublic actual val Int.sign: Int get() = when {\n   this < 0 -> -1\n   this > 0 -> 1\n   else -> 0\n}\n\n\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n *   - `abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension property for [Long]\n */\n@SinceKotlin(\"1.2\")\npublic actual fun abs(n: Long): Long = if (n < 0) -n else n\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.2\")\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun min(a: Long, b: Long): Long = if (a <= b) a else b\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.2\")\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun max(a: Long, b: Long): Long = if (a >= b) a else b\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n *   - `Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Long.absoluteValue: Long get() = abs(this)\n\n/**\n * Returns the sign of this value:\n *   - `-1` if the value is negative,\n *   - `0` if the value is zero,\n *   - `1` if the value is positive\n */\n@SinceKotlin(\"1.2\")\npublic actual val Long.sign: Int get() = when {\n   this < 0 -> -1\n   this > 0 -> 1\n   else -> 0\n}\n\n\n\","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the [MutableCollection] interface.\n *\n * @param E the type of elements contained in the collection. The collection is invariant on its element type.\n */\npublic abstract class AbstractMutableCollection<E> protected constructor() : AbstractCollection<E>(), MutableCollection<E> {\n\n   abstract override fun add(element: E): Boolean\n\n   override fun remove(element: E): Boolean {\n   val iterator = iterator()\n   while (iterator.hasNext()) {\n   if (iterator.next() == element) {\n   iterator.remove()\n   return true\n   }\n   }\n   return

```
false\n    }\n\n    override fun addAll(elements: Collection<E>): Boolean {\n        var modified = false\n        for (element in elements) {\n            if (add(element)) modified = true\n        }\n        return modified\n    }\n\n    override fun removeAll(elements: Collection<E>): Boolean = (this as MutableIterable<E>).removeAll { it in elements }\n    override fun retainAll(elements: Collection<E>): Boolean = (this as MutableIterable<E>).removeAll { it !in elements }\n\n    override fun clear(): Unit {\n        val iterator = this.iterator()\n        while (iterator.hasNext()) {\n            iterator.next()\n            iterator.remove()\n        }\n    }\n\n    open fun toJSON(): Any = this.toArray()\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT AbstractList\n * Copyright 2007 Google Inc.\n*/\n\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the [MutableList] interface.\n *\n * @param E the type of elements contained in the list. The list is invariant on its element type.\n */\npublic actual abstract class AbstractMutableList<E> protected actual constructor() : AbstractMutableCollection<E>(), MutableList<E> {\n    protected var modCount: Int = 0\n\n    abstract override fun add(index: Int, element: E): Unit\n    abstract override fun removeAt(index: Int): E\n    abstract override fun set(index: Int, element: E): E\n\n    actual override fun add(element: E): Boolean {\n        add(size, element)\n        return true\n    }\n\n    actual override fun addAll(index: Int, elements: Collection<E>): Boolean {\n        var _index = index\n        var changed = false\n        for (e in elements) {\n            add(_index++, e)\n            changed = true\n        }\n        return changed\n    }\n\n    actual override fun clear() {\n        removeRange(0, size)\n    }\n\n    actual override fun removeAll(elements: Collection<E>): Boolean = removeAll { it in elements }\n    actual override fun retainAll(elements: Collection<E>): Boolean = removeAll { it !in elements }\n\n\n    actual override fun iterator(): MutableIterator<E> = IteratorImpl()\n\n    actual override fun contains(element: E): Boolean = indexOf(element) >= 0\n\n    actual override fun indexOf(element: E): Int {\n        for (index in 0..lastIndex) {\n            if (get(index) == element) {\n                return index\n            }\n        }\n        return -1\n    }\n\n    actual override fun lastIndexOf(element: E): Int {\n        for (index in lastIndex downTo 0) {\n            if (get(index) == element) {\n                return index\n            }\n        }\n        return -1\n    }\n\n    actual override fun listIterator(): MutableListIterator<E> = listIterator(0)\n    actual override fun listIterator(index: Int): MutableListIterator<E> = ListIteratorImpl(index)\n\n\n    actual override fun subList(fromIndex: Int, toIndex: Int): MutableList<E> = SubList(this, fromIndex, toIndex)\n\n    /**\n     * Removes the range of elements from this list starting from [fromIndex] and ending with but not including [toIndex].\n     */\n    protected open fun removeRange(fromIndex: Int, toIndex: Int) {\n        val iterator = listIterator(fromIndex)\n        repeat(toIndex - fromIndex) {\n            iterator.next()\n            iterator.remove()\n        }\n    }\n\n    /**\n     * Compares this list with another list instance with the ordered structural equality.\n     *\n     * @return true, if [other] instance is a [List] of the same size, which contains the same elements in the same order.\n     */\n    override fun equals(other: Any?): Boolean {\n        if (other === this) return true\n        if (other !is List<*>) return false\n\n        return AbstractList.orderedEquals(this, other)\n    }\n\n    /**\n     * Returns the hash code value for this list.\n     */\n    override fun hashCode(): Int = AbstractList.orderedHashCode(this)\n\n\n    private open inner class IteratorImpl : MutableIterator<E> {\n        /** the index of the item that will be returned on the next call to [next]`()` */\n        protected var index = 0\n        /** the index of the item that was returned on the previous call to [next]`()`\n         * or [ListIterator.previous]`()` (for `ListIterator`),\n         * -1 if no such item exists\n         */\n        protected var last = -1\n\n        override fun hasNext(): Boolean = index < size\n\n        override fun next(): E {\n            if (!hasNext()) throw NoSuchElementException()\n            last = index++\n            return get(last)\n        }\n\n        override fun remove() {\n            check(last != -1) { \"Call next() or previous() before removing element from the iterator.\" }\n\n            removeAt(last)\n            index = last\n            last = -1\n        }\n    }\n\n    /**\n     * Implementation of `MutableListIterator` for abstract lists.\n     */\n    private inner class ListIteratorImpl(index: Int) : IteratorImpl(), MutableListIterator<E> {\n\n        init {\n            AbstractList.checkPositionIndex(index, this@AbstractMutableList.size)\n            this.index = index\n        }\n\n        override fun hasPrevious(): Boolean = index > 0\n\n        override fun nextIndex(): Int = index\n\n        override
```

```
 fun previous(): E {\n            if (!hasPrevious()) throw NoSuchElementException()\n\n            last = --index\n
return get(last)\n        }\n\n        override fun previousIndex(): Int = index - 1\n\n        override fun add(element: E)
{\n            add(index, element)\n            index++\n            last = -1\n        }\n\n        override fun set(element: E) {\n
      check(last != -1) { \"Call next() or previous() before updating element value with the iterator.\" }\n
this@AbstractMutableList[last] = element\n        }\n    }\n\n    private class SubList<E>(private val list:
AbstractMutableList<E>, private val fromIndex: Int, toIndex: Int) : AbstractMutableList<E>(), RandomAccess {\n
   private var _size: Int = 0\n\n        init {\n            AbstractList.checkRangeIndexes(fromIndex, toIndex, list.size)\n
      this._size = toIndex - fromIndex\n        }\n\n        override fun add(index: Int, element: E) {\n
AbstractList.checkPositionIndex(index,
 _size)\n\n            list.add(fromIndex + index, element)\n            _size++\n        }\n\n        override fun get(index:
Int): E {\n            AbstractList.checkElementIndex(index, _size)\n\n            return list[fromIndex + index]\n
}\n\n        override fun removeAt(index: Int): E {\n            AbstractList.checkElementIndex(index, _size)\n\n
val result = list.removeAt(fromIndex + index)\n            _size--\n            return result\n        }\n\n        override fun
set(index: Int, element: E): E {\n            AbstractList.checkElementIndex(index, _size)\n\n            return
list.set(fromIndex + index, element)\n        }\n\n        override val size: Int get() = _size\n    }\n\n}\n","/*\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT AbstractMap\n * Copyright 2007 Google Inc.\n
*/\n\npackage kotlin.collections\n\n/**\n
 * Provides a skeletal implementation of the [MutableMap] interface.\n *\n * The implementor is required to
implement the [entries] property, which should return mutable set of map entries, and the [put] function.\n *\n *
@param K the type of map keys. The map is invariant on its key type.\n * @param V the type of map values. The
map is invariant on its value type.\n */\npublic actual abstract class AbstractMutableMap<K, V> protected actual
constructor() : AbstractMap<K, V>(), MutableMap<K, V> {\n\n    /**\n     * A mutable [Map.Entry] shared by
several [Map] implementations.\n     */\n    internal open class SimpleEntry<K, V>(override val key: K, value: V) :
MutableMap.MutableEntry<K, V> {\n        constructor(entry: Map.Entry<K, V>) : this(entry.key, entry.value)\n\n
  private var _value = value\n\n        override val value: V get() = _value\n\n        override fun setValue(newValue:
V): V {\n            val oldValue = this._value\n            this._value
 = newValue\n            return oldValue\n        }\n\n        override fun hashCode(): Int = entryHashCode(this)\n
override fun toString(): String = entryToString(this)\n        override fun equals(other: Any?): Boolean =
entryEquals(this, other)\n\n    }\n\n    override fun clear() {\n        entries.clear()\n    }\n\n    private var _keys:
MutableSet<K>? = null\n    override val keys: MutableSet<K>\n        get() {\n            if (_keys == null) {\n
_keys = object : AbstractMutableSet<K>() {\n                override fun add(element: K): Boolean = throw
UnsupportedOperationException(\"Add is not supported on keys\")\n                override fun clear() {\n
  this@AbstractMutableMap.clear()\n                }\n\n                override operator fun contains(element: K):
Boolean = containsKey(element)\n\n                override operator fun iterator(): MutableIterator<K> {\n
   val entryIterator
 = entries.iterator()\n                    return object : MutableIterator<K> {\n                        override fun hasNext():
Boolean = entryIterator.hasNext()\n                        override fun next(): K = entryIterator.next().key\n
     override fun remove() = entryIterator.remove()\n                    }\n                }\n\n                override fun
remove(element: K): Boolean {\n                    if (containsKey(element)) {\n
this@AbstractMutableMap.remove(element)\n                        return true\n                    }\n                    return
false\n                }\n\n                override val size: Int get() = this@AbstractMutableMap.size\n            }\n
  }\n            return _keys!!\n        }\n\n    actual abstract override fun put(key: K, value: V): V?\n\n    override fun
putAll(from: Map<out K, V>) {\n        for ((key, value) in from) {\n
            put(key, value)\n        }\n    }\n\n    private var _values: MutableCollection<V>? = null\n    override val
values: MutableCollection<V>\n        get() {\n            if (_values == null) {\n                _values = object :
AbstractMutableCollection<V>() {\n                override fun add(element: V): Boolean = throw
UnsupportedOperationException(\"Add is not supported on values\")\n                override fun clear() =
```

```
this@AbstractMutableMap.clear()\n\n override operator fun contains(element: V): Boolean = containsValue(element)\n\n override operator fun iterator(): MutableIterator<V> {\n val entryIterator = entries.iterator()\n return object : MutableIterator<V> {\n override fun hasNext(): Boolean = entryIterator.hasNext()\n override fun next(): V = entryIterator.next().value\n override fun remove()
 = entryIterator.remove()\n }\n }\n\n override val size: Int get() = this@AbstractMutableMap.size\n\n // TODO: should we implement them this way? Currently it's unspecified in JVM\n override fun equals(other: Any?): Boolean {\n if (this === other) return true\n if (other !is Collection<*>) return false\n return AbstractList.orderedEquals(this, other)\n }\n\n override fun hashCode(): Int = AbstractList.orderedHashCode(this)\n }\n }\n return _values!!\n }\n\n override fun remove(key: K): V? {\n val iter = entries.iterator()\n while (iter.hasNext()) {\n var entry = iter.next()\n val k = entry.key\n if (key == k) {\n val value = entry.value\n iter.remove()\n
 return value\n }\n }\n return null\n }\n\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the [MutableSet] interface.\n *\n * @param E the type of elements contained in the set. The set is invariant on its element type.\n */\npublic actual abstract class AbstractMutableSet<E> protected actual constructor() : AbstractMutableCollection<E>(), MutableSet<E> {\n\n /**\n * Compares this set with another set instance with the unordered structural equality.\n *\n * @return true, if [other] instance is a [Set] of the same size, all elements of which are contained in this set.\n */\n override fun equals(other: Any?): Boolean {\n if (other === this) return true\n if (other !is Set<*>) return false\n return AbstractSet.setEquals(this,
 other)\n }\n\n /**\n * Returns the hash code value for this set.\n */\n override fun hashCode(): Int = AbstractSet.unorderedHashCode(this)\n\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a [MutableList] implementation, which uses a resizable array as its backing storage.\n *\n * This implementation doesn't provide a way to manage capacity, as backing JS array is resizeable itself.\n * There is no speed advantage to pre-allocating array sizes in JavaScript, so this implementation does not include any of the\n * capacity and \"growth increment\" concepts.\n */\npublic actual open class ArrayList<E> internal constructor(private var array: Array<Any?>) : AbstractMutableList<E>(), MutableList<E>, RandomAccess {\n\n /**\n * Creates an empty [ArrayList].\n */\n public actual
 constructor() : this(emptyArray()) {}\n\n /**\n * Creates an empty [ArrayList].\n * @param initialCapacity initial capacity (ignored)\n */\n @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n
 public actual constructor(initialCapacity: Int = 0) : this(emptyArray()) {}\n\n /**\n * Creates an [ArrayList] filled from the [elements] collection.\n */\n public actual constructor(elements: Collection<E>) : this(elements.toTypedArray<Any?>()) {}\n\n /** Does nothing in this ArrayList implementation. */\n public actual fun trimToSize() {}\n\n /** Does nothing in this ArrayList implementation. */\n public actual fun ensureCapacity(minCapacity: Int) {}\n\n actual override val size: Int get() = array.size\n actual override fun get(index: Int): E = array[rangeCheck(index)] as E\n actual override fun set(index: Int, element: E): E {\n rangeCheck(index)\n return array[index].apply { array[index] = element } as E\n }\n\n actual
 override fun add(element: E): Boolean {\n array.asDynamic().push(element)\n modCount++\n return true\n }\n\n actual override fun add(index: Int, element: E): Unit {\n array.asDynamic().splice(insertionRangeCheck(index), 0, element)\n modCount++\n }\n\n actual override fun addAll(elements: Collection<E>): Boolean {\n if (elements.isEmpty()) return false\n\n array += elements.toTypedArray<Any?>()\n modCount++\n return true\n }\n\n actual override fun addAll(index: Int, elements: Collection<E>): Boolean {\n insertionRangeCheck(index)\n\n if (index == size) return addAll(elements)\n if (elements.isEmpty()) return false\n when (index) {\n size -> return
```

addAll(elements)\n 0 -> array = elements.toTypedArray<Any?>() + array\n else -> array = array.copyOfRange(0, index).asDynamic().concat(elements.toTypedArray<Any?>(), array.copyOfRange(index, size))\n
}\n\n modCount++\n return true\n }\n\n actual override fun removeAt(index: Int): E {\n rangeCheck(index)\n modCount++\n return if (index == lastIndex)\n array.asDynamic().pop()\n else\n array.asDynamic().splice(index, 1)[0]\n }\n\n actual override fun remove(element: E): Boolean {\n for (index in array.indices) {\n if (array[index] == element) {\n array.asDynamic().splice(index, 1)\n modCount++\n return true\n }\n }\n return false\n }\n\n override fun removeRange(fromIndex: Int, toIndex: Int) {\n modCount++\n array.asDynamic().splice(fromIndex, toIndex - fromIndex)\n }\n\n actual override fun clear() {\n array = emptyArray()\n modCount++\n }\n\n\n actual override fun indexOf(element: E): Int = array.indexOf(element)\n\n actual override fun lastIndexOf(element: E):
Int = array.lastIndexOf(element)\n\n override fun toString() = arrayToString(array)\n override fun toArray(): Array<Any?> = js(\"[]\").slice.call(array)\n\n\n private fun rangeCheck(index: Int) = index.apply {\n AbstractList.checkElementIndex(index, size)\n }\n\n private fun insertionRangeCheck(index: Int) = index.apply {\n AbstractList.checkPositionIndex(index, size)\n }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\ninternal interface EqualityComparator {\n /**\n * Subclasses must override to return a value indicating\n * whether or not two keys or values are equal.\n */\n abstract fun equals(value1: Any?, value2: Any?): Boolean\n\n /**\n * Subclasses must override to return the hash code of a given key.\n */\n abstract fun getHashCode(value: Any?): Int\n\n\n object
HashCode : EqualityComparator {\n override fun equals(value1: Any?, value2: Any?): Boolean = value1 == value2\n\n override fun getHashCode(value: Any?): Int = value?.hashCode() ?: 0\n }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT AbstractHashMap\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n * Hash table based implementation of the [MutableMap] interface.\n *\n * This implementation makes no guarantees regarding the order of enumeration of [keys], [values] and [entries] collections.\n */\npublic actual open class HashMap<K, V> : AbstractMutableMap<K, V>, MutableMap<K, V> {\n\n private inner class EntrySet : AbstractMutableSet<MutableEntry<K, V>>() {\n\n override fun add(element: MutableEntry<K, V>): Boolean = throw UnsupportedOperationException(\"Add
is not supported on entries\")\n override fun clear() {\n this@HashMap.clear()\n }\n\n override operator fun contains(element: MutableEntry<K, V>): Boolean = containsEntry(element)\n\n override operator fun iterator(): MutableIterator<MutableEntry<K, V>> = internalMap.iterator()\n\n override fun remove(element: MutableEntry<K, V>): Boolean {\n if (contains(element)) {\n this@HashMap.remove(element.key)\n return true\n }\n return false\n }\n\n override val size: Int get() = this@HashMap.size\n }\n\n\n /**\n * Internal implementation of the map: either string-based or hashcode-based.\n */\n private val internalMap: InternalMap<K, V>\n\n private val equality: EqualityComparator\n\n internal constructor(internalMap: InternalMap<K, V>) : super() {\n this.internalMap = internalMap\n this.equality = internalMap.equality\n
}\n\n /**\n * Constructs an empty [HashMap] instance.\n */\n actual constructor() : this(InternalHashCodeMap(EqualityComparator.HashCode))\n\n /**\n * Constructs an empty [HashMap] instance.\n *\n * @param initialCapacity the initial capacity (ignored)\n * @param loadFactor the load factor (ignored)\n *\n * @throws IllegalArgumentException if the initial capacity or load factor are negative\n */\n @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n actual constructor(initialCapacity: Int, loadFactor: Float = 0.0f) : this() {\n // This implementation of HashMap has no need of load factors or capacities.\n require(initialCapacity >= 0) { \"Negative initial capacity: $initialCapacity\" }\n require(loadFactor >= 0) { \"Non-positive load factor: $loadFactor\" }\n }\n\n actual

constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n\n   /**\n   * Constructs an instance of [HashMap] filled with the contents of the specified [original] map.\n   */\n   actual constructor(original: Map<out K, V>) : this() {\n   this.putAll(original)\n   }\n\n   actual override fun clear() {\n   internalMap.clear()\n// structureChanged(this)\n   }\n\n   actual override fun containsKey(key: K): Boolean = internalMap.contains(key)\n\n   actual override fun containsValue(value: V): Boolean = internalMap.any { equality.equals(it.value, value) }\n\n   private var _entries: MutableSet<MutableMap.MutableEntry<K, V>>? = null\n   actual override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\n   get() {\n   if (_entries == null) {\n   _entries = createEntrySet()\n   }\n   return _entries!!\n   }\n\n   protected open fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\n\n   actual override operator fun get(key: K): V? = internalMap.get(key)\n\n   actual override fun put(key: K, value: V): V? = internalMap.put(key, value)\n\n   actual override fun remove(key: K): V? = internalMap.remove(key)\n\n   actual override val size: Int get() = internalMap.size\n\n}\n\n/**\n * Constructs the specialized implementation of [HashMap] with [String] keys, which stores the keys as properties of\n * JS object without hashing them.\n */\npublic fun <V> stringMapOf(vararg pairs: Pair<String, V>): HashMap<String, V> {\n   return HashMap<String, V>(InternalStringMap(EqualityComparator.HashCode)).apply { putAll(pairs) }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT HashSet\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n * The implementation of the [MutableSet] interface, backed by a [HashMap] instance.\n */\npublic actual open class HashSet<E> : AbstractMutableSet<E>, MutableSet<E> {\n\n   private val map: HashMap<E, Any>\n\n   /**\n   * Constructs a new empty [HashSet].\n   */\n   actual constructor() {\n   map = HashMap<E, Any>()\n   }\n\n   /**\n   * Constructs a new [HashSet] filled with the elements of the specified collection.\n   */\n   actual constructor(elements: Collection<E>) {\n   map = HashMap<E, Any>(elements.size)\n   addAll(elements)\n   }\n\n   /**\n   * Constructs a new empty [HashSet].\n   *\n   * @param initialCapacity the initial capacity (ignored)\n   * @param loadFactor   the load factor (ignored)\n   *\n   * @throws IllegalArgumentException if the initial capacity or load factor are negative\n   */\n   @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n   actual constructor(initialCapacity: Int, loadFactor: Float = 0.0f) {\n   map = HashMap<E, Any>(initialCapacity, loadFactor)\n   }\n\n   actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n   /**\n   * Protected constructor to specify the underlying map. This is used by\n   * LinkedHashSet.\n\n   * @param map underlying map to use.\n   */\n   internal constructor(map: HashMap<E, Any>) {\n   this.map = map\n   }\n\n   actual override fun add(element: E): Boolean {\n   val old = map.put(element, this)\n   return old == null\n   }\n\n   actual override fun clear() {\n   map.clear()\n   }\n\n//   public override fun clone(): Any {\n//   return HashSet<E>(this)\n//   }\n\n   actual override operator fun contains(element: E): Boolean = map.containsKey(element)\n\n   actual override fun isEmpty(): Boolean = map.isEmpty()\n\n   actual override fun iterator(): MutableIterator<E> = map.keys.iterator()\n\n   actual override fun remove(element: E): Boolean = map.remove(element) != null\n\n   actual override val size: Int get() = map.size\n\n}\n\n/**\n * Creates a new instance of the specialized implementation of [HashSet] with the specified [String] elements,\n * which elements the keys as properties of JS object without hashing them.\n */\npublic fun stringSetOf(vararg elements: String): HashSet<String> {\n   return HashSet(stringMapOf<Any>()).apply { addAll(elements) }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT InternalHashCodeMap\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\nimport kotlin.collections.AbstractMutableMap.SimpleEntry\n\n/**\n * A simple wrapper around JavaScriptObject to provide [java.util.Map]-like semantics for any\n * key type.\n *\n *\n * Implementation notes:\n *\n *\n * A key's hashCode is the index in backingMap which should contain that key. Since several keys may\n * have the same hash, each value in hashCodeMap is actually an array containing all entries whose\n * keys share the same hash.\n */\ninternal class InternalHashCodeMap<K,

```
V>(override val equality: EqualityComparator) : InternalMap<K, V> {\n\n    private var backingMap: dynamic =
createJsMap()\n    override var size: Int = 0\n        private set\n\n    override fun put(key: K, value: V): V? {\n
val hashCode = equality.getHashCode(key)\n        val chainOrEntry = getChainOrEntryOrNull(hashCode)\n        if
(chainOrEntry == null) {\n            // This is a new chain, put it to the map.\n            backingMap[hashCode] =
SimpleEntry(key, value)\n        } else {\n            if (chainOrEntry !is Array<*>) {\n                // It is an entry\n
  val entry: SimpleEntry<K, V> = chainOrEntry\n                if (equality.equals(entry.key, key)) {\n
return entry.setValue(value)\n                } else {\n                    backingMap[hashCode] = arrayOf(entry,
SimpleEntry(key, value))\n                    size++\n                    return null\n                }\n            } else {\n
  // Chain already exists, perhaps key also exists.\n                val chain: Array<MutableEntry<K, V>> =
chainOrEntry\n                val entry = chain.findEntryInChain(key)\n                if (entry != null) {\n                    return
entry.setValue(value)\n                }\n                chain.asDynamic().push(SimpleEntry(key, value))\n            }\n
}\n        size++\n//        structureChanged(host)\n        return null\n    }\n\n    override fun remove(key: K): V? {\n
val hashCode = equality.getHashCode(key)\n        val chainOrEntry = getChainOrEntryOrNull(hashCode) ?: return
null\n        if (chainOrEntry !is Array<*>) {\n            val entry: MutableEntry<K, V> = chainOrEntry\n            if
(equality.equals(entry.key, key)) {\n                deleteProperty(backingMap, hashCode)\n                size--\n
return entry.value\n            } else {\n                return null\n            }\n        } else {\n            val chain:
Array<MutableEntry<K,
 V>> = chainOrEntry\n            for (index in chain.indices) {\n                val entry = chain[index]\n                if
(equality.equals(key, entry.key)) {\n                    if (chain.size == 1) {\n                        chain.asDynamic().length =
0\n                        // remove the whole array\n                        deleteProperty(backingMap, hashCode)\n                    }
else {\n                        // splice out the entry we're removing\n                        chain.asDynamic().splice(index, 1)\n
                }\n                    size--\n//                    structureChanged(host)\n                    return entry.value\n                }\n
    }\n        }\n        return null\n    }\n\n    override fun clear() {\n        backingMap = createJsMap()\n        size = 0\n
  }\n\n    override fun contains(key: K): Boolean = getEntry(key) != null\n\n    override fun get(key: K): V? =
getEntry(key)?.value\n\n    private fun getEntry(key:
 K): MutableEntry<K, V>? {\n        val chainOrEntry = getChainOrEntryOrNull(equality.getHashCode(key)) ?:
return null\n        if (chainOrEntry !is Array<*>) {\n            val entry: MutableEntry<K, V> = chainOrEntry\n
if (equality.equals(entry.key, key)) {\n                return entry\n            } else {\n                return null\n            }\n
} else {\n            val chain: Array<MutableEntry<K, V>> = chainOrEntry\n            return
chain.findEntryInChain(key)\n        }\n    }\n\n    private fun Array<MutableEntry<K, V>>.findEntryInChain(key:
K): MutableEntry<K, V>? =\n        firstOrNull { entry -> equality.equals(entry.key, key) }\n\n    override fun
iterator(): MutableIterator<MutableEntry<K, V>> {\n\n        return object : MutableIterator<MutableEntry<K, V>>
{\n            var state = -1 // -1 not ready, 0 - ready, 1 - done\n\n            val keys: Array<Int> =
js(\"Object\").keys(backingMap)\n            var keyIndex = -1\n\n            var chainOrEntry:
 dynamic = null\n            var isChain = false\n            var itemIndex = -1\n            var lastEntry: MutableEntry<K,
V>? = null\n\n            private fun computeNext(): Int {\n                if (chainOrEntry != null && isChain) {\n
   val chainSize: Int = chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>().size\n                    if
(++itemIndex < chainSize)\n                        return 0\n                }\n\n                if (++keyIndex < keys.size) {\n
       chainOrEntry = backingMap[keys[keyIndex]]\n                    isChain = chainOrEntry is Array<*>\n
itemIndex = 0\n                    return 0\n                } else {\n                    chainOrEntry = null\n                    return 1\n
            }\n            }\n\n            override fun hasNext(): Boolean {\n                if (state == -1)\n                    state =
computeNext()\n                return state == 0\n            }\n\n
       override fun next(): MutableEntry<K, V> {\n                if (!hasNext()) throw NoSuchElementException()\n
     val lastEntry = if (isChain) {\n                    chainOrEntry.unsafeCast<Array<MutableEntry<K,
V>>>()[itemIndex]\n                } else {\n                    chainOrEntry.unsafeCast<MutableEntry<K, V>>()\n
}\n                this.lastEntry = lastEntry\n                state = -1\n                return lastEntry\n            }\n\n
override fun remove() {\n                checkNotNull(lastEntry)\n
this@InternalHashCodeMap.remove(lastEntry!!.key)\n                lastEntry = null\n                // the chain being
```

iterated just got modified by InternalHashCodeMap.remove\n itemIndex--\n }\n }\n }\n\n private fun getChainOrEntryOrNull(hashCode: Int): dynamic {\n val chainOrEntry = backingMap[hashCode]\n return if (chainOrEntry === undefined) null else chainOrEntry\n }\n\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n@kotlin.internal.InlineOnly\n@Suppress(\"UNUSED_PARAMETER\")\ninternal inline fun deleteProperty(obj: Any, property: Any) {\n js(\"delete obj[property]\")\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * The common interface of [InternalStringMap] and [InternalHashCodeMap].\n */\ninternal interface InternalMap<K, V> : MutableIterable<MutableMap.MutableEntry<K, V>> {\n val equality: EqualityComparator\n val size: Int\n operator fun contains(key: K): Boolean\n operator fun get(key: K): V?\n\n fun put(key: K, value: V): V?\n fun remove(key: K): V?\n fun clear(): Unit\n\n fun createJsMap(): dynamic {\n val result = js(\"Object.create(null)\")\n // force to switch object representation to dictionary mode\n result[\"foo\"] = 1;\n deleteProperty(result, \"foo\")\n return result\n }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT InternalStringMap\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n * A simple wrapper around JavaScript Map for key type is string.\n *\n * Though this map is instantiated only with K=String, the K type is not fixed to String statically,\n * because we want to have it erased to Any? in order not to generate type-safe override bridges for\n * [get], [contains], [remove] etc, if they ever are generated.\n */\ninternal class InternalStringMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V> {\n\n private var backingMap: dynamic = createJsMap()\n override var size: Int = 0\n private set\n\n// /**\n// * A mod count to track 'value' replacements in map to ensure that the 'value' that we have in the\n// * iterator entry is guaranteed to be still correct.\n// * This is to optimize for the common scenario where the values are not modified during\n// * iterations where the entries are never stale.\n// */\n// private var valueMod: Int = 0\n\n override operator fun contains(key: K): Boolean {\n if (key !is String) return false\n return backingMap[key] !== undefined\n }\n\n override operator fun get(key: K): V? {\n if (key !is String) return null\n val value = backingMap[key]\n return if (value !== undefined) value.unsafeCast<V>() else null\n }\n\n\n override fun put(key: K, value: V): V? {\n require(key is String)\n val oldValue = backingMap[key]\n backingMap[key] = value\n\n if (oldValue === undefined) {\n size++\n// structureChanged(host)\n return null\n } else {\n// valueMod++\n return oldValue.unsafeCast<V>()\n }\n }\n\n override fun remove(key: K): V? {\n if (key !is String) return null\n val value = backingMap[key]\n if (value !== undefined) {\n deleteProperty(backingMap, key)\n size--\n// structureChanged(host)\n return value.unsafeCast<V>()\n } else {\n// valueMod++\n return null\n }\n }\n\n\n override fun clear() {\n backingMap = createJsMap()\n size = 0\n }\n\n\n override fun iterator(): MutableIterator<MutableEntry<K, V>> {\n return object : MutableIterator<MutableEntry<K, V>> {\n private val keys: Array<String> = js(\"Object\").keys(backingMap)\n private val iterator = keys.iterator()\n\n private var lastKey: String? = null\n\n override fun hasNext(): Boolean = iterator.hasNext()\n\n override fun next(): MutableEntry<K, V> {\n val key = iterator.next()\n lastKey = key\n @Suppress(\"UNCHECKED_CAST\")\n return newMapEntry(key as K)\n }\n\n override fun remove() {\n @Suppress(\"UNCHECKED_CAST\")\n this@InternalStringMap.remove(checkNotNull(lastKey) as K)\n }\n }\n }\n\n private fun newMapEntry(key: K): MutableEntry<K, V> = object : MutableEntry<K, V> {\n override val key: K get() = key\n override val value: V get() = this@InternalStringMap[key].unsafeCast<V>()\n\n override fun setValue(newValue: V): V = this@InternalStringMap.put(key, newValue).unsafeCast<V>()\n\n override fun

hashCode(): Int = AbstractMap.entryHashCode(this)\n override fun toString(): String = AbstractMap.entryToString(this)\n

override fun equals(other: Any?): Boolean = AbstractMap.entryEquals(this, other)\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT LinkedHashMap\n * Copyright 2008 Google Inc.\n */\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n * Hash table based implementation of the [MutableMap] interface, which additionally preserves the insertion order\n * of entries during the iteration.\n *\n * The insertion order is preserved by maintaining a doubly-linked list of all of its entries.\n */\npublic actual open class LinkedHashMap<K, V> : HashMap<K, V>, MutableMap<K, V> {\n\n /**\n * The entry we use includes next/prev pointers for a doubly-linked circular\n * list with a head node. This reduces the special cases we have to deal with\n * in the list operations.\n\n *

Note that we duplicate the key from the underlying hash map so we can find\n * the eldest entry. The alternative would have been to modify HashMap so more\n * of the code was directly usable here, but this would have added some\n * overhead to HashMap, or to reimplement most of the HashMap code here with\n * small modifications. Paying a small storage cost only if you use\n * LinkedHashMap and minimizing code size seemed like a better tradeoff\n */\n private class ChainEntry<K, V>(key: K, value: V) : AbstractMutableMap.SimpleEntry<K, V>(key, value) {\n internal var next: ChainEntry<K, V>? = null\n internal var prev: ChainEntry<K, V>? = null\n }\n\n private inner class EntrySet : AbstractMutableSet<MutableEntry<K, V>>() {\n\n private inner class EntryIterator : MutableIterator<MutableEntry<K, V>> {\n // The last entry that was returned from this iterator.\n private var last: ChainEntry<K, V>? = null\n\n

// The next entry to return from this iterator.\n private var next: ChainEntry<K, V>? = null\n\n init {\n next = head\n// recordLastKnownStructure(map, this)\n }\n\n override fun hasNext(): Boolean {\n return next !== null\n }\n\n override fun next(): MutableEntry<K, V> {\n// checkStructuralChange(map, this)\n if (!hasNext()) throw NoSuchElementException()\n\n val current = next!!\n last = current\n next = current.next.takeIf { it !== head }\n return current\n }\n\n override fun remove() {\n check(last != null)\n// checkStructuralChange(map, this)\n\n last!!.remove()\n map.remove(last!!.key)\n// recordLastKnownStructure(map, this)\n last = null\n }\n }\n\n

override fun add(element: MutableEntry<K, V>): Boolean = throw UnsupportedOperationException(\"Add is not supported on entries\")\n override fun clear() {\n this@LinkedHashMap.clear()\n }\n\n override operator fun contains(element: MutableEntry<K, V>): Boolean = containsEntry(element)\n\n override operator fun iterator(): MutableIterator<MutableEntry<K, V>> = EntryIterator()\n\n override fun remove(element: MutableEntry<K, V>): Boolean {\n if (contains(element)) {\n this@LinkedHashMap.remove(element.key)\n return true\n }\n return false\n }\n\n override val size: Int get() = this@LinkedHashMap.size\n }\n\n\n /*\n * The head of the insert order chain, which is a doubly-linked circular\n * list.\n *\n * The most recently inserted node is at the end of the chain, ie.\n * chain.prev.\n */\n private var head: ChainEntry<K, V>? = null\n\n /**\n

* Add this node to the end of the chain.\n */\n private fun ChainEntry<K, V>.addToEnd() {\n // This entry is not in the list.\n check(next == null && prev == null)\n\n val _head = head\n if (_head == null) {\n head = this\n next = this\n prev = this\n } else {\n // Chain is valid.\n val _tail = checkNotNull(_head.prev)\n // Update me.\n prev = _tail\n next = _head\n // Update my new siblings: current head and old tail\n _head.prev = this\n _tail.next = this\n }\n }\n\n /**\n * Remove this node from the chain it is a part of.\n */\n private fun ChainEntry<K, V>.remove() {\n if (this.next === this) {\n // if this is single element, remove head\n head = null\n } else {\n if (head === this) {\n // if this is first element, move head to next\n head = next\n }\n next!!.prev = prev\n prev!!.next = next\n }\n next = null\n prev = null\n }\n\n /*\n * The hashmap that keeps track of our entries and the chain. Note that we\n *

duplicate the key here to eliminate changes to HashMap and minimize the\n * code here, at the expense of additional space.\n */\n private val map: HashMap<K, ChainEntry<K, V>>\n\n /**\n * Constructs an empty [LinkedHashMap] instance.\n */\n actual constructor() : super() {\n map = HashMap<K, ChainEntry<K, V>>()\n }\n\n internal constructor(backingMap: HashMap<K, Any>) : super() {\n @Suppress(\"UNCHECKED_CAST\") // expected to work due to erasure\n map = backingMap as HashMap<K, ChainEntry<K, V>>\n }\n\n /**\n * Constructs an empty [LinkedHashMap] instance.\n *\n * @param initialCapacity the initial capacity (ignored)\n * @param loadFactor the load factor (ignored)\n *\n * @throws IllegalArgumentException if the initial capacity or load factor are negative\n */\n @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n actual constructor(initialCapacity: Int, loadFactor: Float = 0.0f) : super(initialCapacity, loadFactor) {\n map = HashMap<K, ChainEntry<K, V>>()\n }\n\n actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n /**\n * Constructs an instance of [LinkedHashMap] filled with the contents of the specified [original] map.\n */\n actual constructor(original: Map<out K, V>) {\n map = HashMap<K, ChainEntry<K, V>>()\n this.putAll(original)\n }\n\n actual override fun clear() {\n map.clear()\n head = null\n }\n\n// override fun clone(): Any {\n// return LinkedHashMap(this)\n// }\n\n actual override fun containsKey(key: K): Boolean = map.containsKey(key)\n\n actual override fun containsValue(value: V): Boolean {\n var node: ChainEntry<K, V> = head ?: return false\n do {\n if (node.value == value) {\n return true\n }\n node = node.next!!\n } while (node !== head)\n return false\n }\n\n override fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\n\n actual override operator fun get(key: K): V? = map.get(key)?.value\n\n actual override fun put(key: K, value: V): V? {\n val old = map.get(key)\n if (old == null) {\n val newEntry = ChainEntry(key, value)\n map.put(key, newEntry)\n newEntry.addToEnd()\n return null\n } else {\n return old.setValue(value)\n }\n }\n\n actual override fun remove(key: K): V? {\n val entry = map.remove(key)\n if (entry != null) {\n entry.remove()\n return entry.value\n }\n return null\n }\n\n actual override val size: Int get() = map.size\n\n}\n\n/**\n * Constructs the specialized implementation of [LinkedHashMap] with [String] keys, which stores the keys as properties of\n * JS object without hashing them.\n */\npublic fun <V> linkedStringMapOf(vararg pairs: Pair<String, V>): LinkedHashMap<String, V> {\n return LinkedHashMap<String, V>(stringMapOf<Any>()).apply { putAll(pairs) }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT LinkedHashSet\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n * The implementation of the [MutableSet] interface, backed by a [LinkedHashMap] instance.\n *\n * This implementation preserves the insertion order of elements during the iteration.\n */\npublic actual open class LinkedHashSet<E> : HashSet<E>, MutableSet<E> {\n\n internal constructor(map: LinkedHashMap<E, Any>) : super(map)\n\n /**\n * Constructs a new empty [LinkedHashSet].\n */\n actual constructor() : super(LinkedHashMap<E, Any>())\n\n /**\n * Constructs a new [LinkedHashSet] filled with the elements of the specified collection.\n */\n actual constructor(elements: Collection<E>) : super(LinkedHashMap<E, Any>()) {\n addAll(elements)\n }\n\n /**\n * Constructs a new empty [LinkedHashSet].\n *\n * @param initialCapacity the initial capacity (ignored)\n * @param loadFactor the load factor (ignored)\n *\n * @throws IllegalArgumentException if the initial capacity or load factor are negative\n */\n @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n actual constructor(initialCapacity: Int, loadFactor: Float = 0.0f) : super(LinkedHashMap<E, Any>(initialCapacity, loadFactor))\n\n actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n// public override fun clone(): Any {\n// return LinkedHashSet(this)\n//\n }\n\n}\n\n/**\n * Creates a new instance of the specialized implementation of [LinkedHashSet] with the specified [String] elements,\n * which elements the keys as properties of JS object without hashing them.\n */\npublic fun linkedStringSetOf(vararg elements: String): LinkedHashSet<String> {\n return LinkedHashSet(linkedStringMapOf<Any>()).apply { addAll(elements) }\n}\n","/*\n * Copyright 2010-2018

JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n\n@Deprecated(\"Use Synchronized annotation from kotlin.jvm package\", ReplaceWith(\"kotlin.jvm.Synchronized\"), level = DeprecationLevel.WARNING)\npublic typealias Synchronized = kotlin.jvm.Synchronized\n\n@Deprecated(\"Use Volatile annotation from kotlin.jvm package\", ReplaceWith(\"kotlin.jvm.Volatile\"), level = DeprecationLevel.WARNING)\npublic typealias Volatile = kotlin.jvm.Volatile\n\n@kotlin.internal.InlineOnly\npublic
actual inline fun <R> synchronized(lock: Any, block: () -> R): R = block()\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.io\n\ninternal abstract class BaseOutput {\n open fun println() {\n print(\"\\n\")\n }\n\n open fun println(message: Any?) {\n print(message)\n println()\n }\n\n abstract fun print(message: Any?)\n\n open fun flush() {}\n}\n\n/** JsName used to make the declaration available outside of module to test it */\n@JsName(\"NodeJsOutput\")\ninternal class NodeJsOutput(val outputStream: dynamic) : BaseOutput() {\n override fun print(message: Any?) = outputStream.write(String(message))\n}\n\n/** JsName used to make the declaration available outside of module to test it */\n@JsName(\"OutputToConsoleLog\")\ninternal class OutputToConsoleLog : BaseOutput() {\n override fun print(message: Any?)
{\n console.log(message)\n }\n\n override fun println(message: Any?) {\n console.log(message)\n }\n\n override fun println() {\n console.log(\"\")\n }\n}\n\n/** JsName used to make the declaration available outside of module to test it and use at try.kotl.in */\n@JsName(\"BufferedOutput\")\ninternal open class BufferedOutput : BaseOutput() {\n var buffer = \"\"\n\n override fun print(message: Any?) {\n buffer += String(message)\n }\n\n override fun flush() {\n buffer = \"\"\n }\n}\n\n/** JsName used to make the declaration available outside of module to test it */\n@JsName(\"BufferedOutputToConsoleLog\")\ninternal class BufferedOutputToConsoleLog : BufferedOutput() {\n override fun print(message: Any?) {\n var s = String(message)\n val i = s.lastIndexOf('\\n')\n if (i >= 0) {\n buffer += s.substring(0, i)\n flush()\n s = s.substring(i + 1)\n }\n buffer
+= s\n }\n\n override fun flush() {\n console.log(buffer)\n buffer = \"\"\n }\n}\n\n/** JsName used to make the declaration available outside of module to test it and use at try.kotl.in */\n@JsName(\"output\")\ninternal var output = run {\n val isNode: Boolean = js(\"typeof process !== 'undefined' && process.versions && !!process.versions.node\")\n if (isNode) NodeJsOutput(js(\"process.stdout\")) else BufferedOutputToConsoleLog()\n}\n\n@kotlin.internal.InlineOnly\nprivate inline fun String(value: Any?): String = js(\"String\")(value)\n\n/** Prints a newline to the standard output stream. */\npublic actual fun println() {\n output.println()\n}\n\n/** Prints the given message and newline to the standard output stream. */\npublic actual fun println(message: Any?) {\n output.println(message)\n}\n\n/** Prints the given message to the standard output stream. */\npublic actual fun print(message: Any?) {\n output.print(message)\n}\n","/*\n * Copyright
2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines.experimental\n\nimport kotlin.coroutines.experimental.intrinsics.*\n\n@JsName(\"CoroutineImpl\")\ninternal abstract class CoroutineImpl(private val resultContinuation: Continuation<Any?>) : Continuation<Any?> {\n protected var state = 0\n protected var exceptionState = 0\n protected var result: Any? = null\n protected var exception: Throwable? = null\n protected var finallyPath: Array<Int>? = null\n\n public override val context: CoroutineContext = resultContinuation.context\n\n val facade: Continuation<Any?> = context[ContinuationInterceptor]?.interceptContinuation(this) ?: this\n\n override fun resume(value: Any?) {\n result = value\n doResumeWrapper()\n }\n\n override fun resumeWithException(exception: Throwable) {\n state = exceptionState\n this.exception
= exception\n doResumeWrapper()\n }\n\n protected fun doResumeWrapper() {\n processBareContinuationResume(resultContinuation) { doResume() }\n }\n\n protected abstract fun doResume(): Any?\n}\n\nprivate val UNDECIDED: Any? = Any()\nprivate val RESUMED: Any? = Any()\n\nprivate class Fail(val exception: Throwable)\n\n@PublishedApi\ninternal actual class SafeContinuation<in

T>\ninternal actual constructor(\n   private val delegate: Continuation<T>,\n   initialResult: Any?\n) : Continuation<T> {\n\n   @PublishedApi\n   internal actual constructor(delegate: Continuation<T>) : this(delegate, UNDECIDED)\n\n   public actual override val context: CoroutineContext\n   get() = delegate.context\n\n   private var result: Any? = initialResult\n\n   actual override fun resume(value: T) {\n   when {\n   result === UNDECIDED -> {\n   result = value\n   }\n   result === COROUTINE_SUSPENDED -> {\n   result = RESUMED\n   delegate.resume(value)\n   }\n   else -> {\n   throw IllegalStateException(\"Already resumed\")\n   }\n   }\n   }\n\n   actual override fun resumeWithException(exception: Throwable) {\n   when {\n   result === UNDECIDED -> {\n   result = Fail(exception)\n   }\n   result === COROUTINE_SUSPENDED -> {\n   result = RESUMED\n   delegate.resumeWithException(exception)\n   }\n   else -> {\n   throw IllegalStateException(\"Already resumed\")\n   }\n   }\n   }\n\n   @PublishedApi\n   internal actual fun getResult(): Any? {\n   if (result === UNDECIDED) {\n   result = COROUTINE_SUSPENDED\n   }\n   val result = this.result\n   return when {\n   result === RESUMED -> {\n   COROUTINE_SUSPENDED // already called continuation, indicate SUSPENDED upstream\n   }\n   result is Fail -> {\n   throw result.exception\n   }\n   else -> {\n   result // either SUSPENDED or data\n   }\n   }\n   }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"CoroutinesKt\")\n\npackage kotlin.coroutines.experimental\n\nimport kotlin.coroutines.experimental.intrinsics.COROUTINE_SUSPENDED\nimport kotlin.coroutines.experimental.intrinsics.createCoroutineUnchecked\nimport kotlin.coroutines.experimental.intrinsics.suspendCoroutineOrReturn\nimport kotlin.internal.InlineOnly\n\n/**\n * Starts coroutine with receiver type [R] and result type [T].\n * This function creates and start a new, fresh instance of suspendable computation every time it is invoked.\n * The [completion] continuation is invoked when coroutine completes with result or exception.\n */\n@SinceKotlin(\"1.1\")\n@Suppress(\"UNCHECKED_CAST\")\npublic fun <R, T> (suspend R.() -> T).startCoroutine(\n   receiver: R,\n   completion: Continuation<T>\n) {\n   createCoroutineUnchecked(receiver, completion).resume(Unit)\n}\n\n/**\n * Starts coroutine without receiver and with result type [T].\n * This function creates and start a new, fresh instance of suspendable computation every time it is invoked.\n * The [completion] continuation is invoked when coroutine completes with result or exception.\n */\n@SinceKotlin(\"1.1\")\n@Suppress(\"UNCHECKED_CAST\")\npublic fun <T> (suspend () -> T).startCoroutine(\n   completion: Continuation<T>\n) {\n   createCoroutineUnchecked(completion).resume(Unit)\n}\n\n/**\n * Creates a coroutine with receiver type [R] and result type [T].\n * This function creates a new, fresh instance of suspendable computation every time it is invoked.\n *\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when coroutine completes with result or exception.\n * Repeated invocation of any resume function on the resulting continuation produces [IllegalStateException].\n */\n@SinceKotlin(\"1.1\")\n@Suppress(\"UNCHECKED_CAST\")\npublic fun <R, T> (suspend R.() -> T).createCoroutine(\n   receiver: R,\n   completion: Continuation<T>\n): Continuation<Unit> = SafeContinuation(createCoroutineUnchecked(receiver, completion), COROUTINE_SUSPENDED)\n\n/**\n * Creates a coroutine without receiver and with result type [T].\n * This function creates a new, fresh instance of suspendable computation every time it is invoked.\n *\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when coroutine completes with result or exception.\n * Repeated invocation of any resume function on the resulting continuation produces [IllegalStateException].\n */\n@SinceKotlin(\"1.1\")\n@Suppress(\"UNCHECKED_CAST\")\npublic fun <T> (suspend () -> T).createCoroutine(\n   completion: Continuation<T>\n): Continuation<Unit> = SafeContinuation(createCoroutineUnchecked(completion), COROUTINE_SUSPENDED)\n\n/**\n * Obtains the

current continuation instance inside suspend functions and suspends\n * currently running coroutine.\n *\n * In this function both [Continuation.resume] and [Continuation.resumeWithException] can be used either synchronously in\n * the same stack-frame where suspension function is run or asynchronously later in the same thread or\n * from a different thread of execution. Repeated invocation of any resume function produces [IllegalStateException].\n */\n@SinceKotlin(\"1.1\")\npublic suspend inline fun <T> suspendCoroutine(crossinline block: (Continuation<T>) -> Unit): T =\n   suspendCoroutineOrReturn { c: Continuation<T> ->\n   val safe = SafeContinuation(c)\n   block(safe)\n   safe.getResult()\n   }\n\n/**\n * Continuation
 context of current coroutine.\n *\n * This allows the user code to not pass an extra [CoroutineContext] parameter in basic coroutine builders\n * like [launch](https://kotlin.github.io/kotlinx.coroutines/kotlinx-coroutines-core/kotlinx.coroutines.experimental/launch.html)\n * and [async](https://kotlin.github.io/kotlinx.coroutines/kotlinx-coroutines-core/kotlinx.coroutines.experimental/async.html),\n * but still provide easy access to coroutine context.\n */\n@SinceKotlin(\"1.2\")\n@Suppress(\"WRONG_MODIFIER_TARGET\")\n@InlineOnly\npublic suspend inline val coroutineContext: CoroutineContext\n   get() {\n   throw NotImplementedError(\"Implemented as intrinsic\")\n   }\n\n// INTERNAL DECLARATIONS\n\n@kotlin.internal.InlineOnly\ninternal inline fun processBareContinuationResume(completion: Continuation<*>, block: () -> Any?) {\n   try {\n   val result = block()\n   if (result !== COROUTINE_SUSPENDED) {\n   @Suppress(\"UNCHECKED_CAST\")\n   (completion
 as Continuation<Any?>).resume(result)\n   }\n   } catch (t: Throwable) {\n   completion.resumeWithException(t)\n   }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines.experimental.intrinsics\n\nimport kotlin.coroutines.experimental.Continuation\n\n@SinceKotlin(\"1.1\")\n@Suppress(\"UNCHECKED_CAST\")\n@kotlin.internal.InlineOnly\npublic actual inline fun <T> (suspend () -> T).startCoroutineUninterceptedOrReturn(\n   completion: Continuation<T>\n): Any? = this.asDynamic()(completion, false)\n\n@SinceKotlin(\"1.1\")\n@Suppress(\"UNCHECKED_CAST\")\n@kotlin.internal.InlineOnly\npublic actual inline fun <R, T> (suspend R.() -> T).startCoroutineUninterceptedOrReturn(\n   receiver: R,\n   completion: Continuation<T>\n): Any? = this.asDynamic()(receiver, completion, false)\n\n@SinceKotlin(\"1.1\")\npublic actual fun <R,
 T> (suspend R.() -> T).createCoroutineUnchecked(\n   receiver: R,\n   completion: Continuation<T>\n): Continuation<Unit> = this.asDynamic()(receiver, completion, true).facade\n\n@SinceKotlin(\"1.1\")\npublic actual fun <T> (suspend () -> T).createCoroutineUnchecked(\n   completion: Continuation<T>\n): Continuation<Unit> = this.asDynamic()(completion, true).facade\n\n\n/**\n * This value is used as a return value of [suspendCoroutineOrReturn] `block` argument to state that\n * the execution was suspended and will not return any result immediately.\n */\n@SinceKotlin(\"1.1\")\npublic actual val COROUTINE_SUSPENDED: Any = CoroutineSuspendedMarker\n\nprivate object CoroutineSuspendedMarker","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Exposes the [Date API](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Date)
 to Kotlin.\n */\n@Suppress(\"NOT_DOCUMENTED\")\npublic external class Date() {\n   public constructor(milliseconds: Number)\n\n   public constructor(dateString: String)\n\n   public constructor(year: Int, month: Int)\n\n   public constructor(year: Int, month: Int, day: Int)\n\n   public constructor(year: Int, month: Int, day: Int, hour: Int)\n\n   public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int)\n\n   public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int)\n\n   public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond: Number)\n\n   public fun getDate(): Int\n\n   public fun getDay(): Int\n\n   public fun getFullYear(): Int\n\n   public fun getHours(): Int\n\n   public fun getMilliseconds(): Int\n\n   public fun getMinutes(): Int\n\n   public fun getMonth(): Int\n\n   public fun getSeconds(): Int\n\n   public fun getTime(): Double\n\n   public fun getTimezoneOffset():

Int\n\n public fun getUTCDate(): Int\n\n public fun getUTCDay(): Int\n\n public fun getUTCFullYear(): Int\n\n public fun getUTCHours(): Int\n\n public fun getUTCMilliseconds(): Int\n\n public fun getUTCMinutes(): Int\n\n public fun getUTCMonth(): Int\n\n public fun getUTCSeconds(): Int\n\n public fun toDateString(): String\n\n public fun toISOString(): String\n\n public fun toJSON(): Json\n\n public fun toLocaleDateString(locales: Array<String> = definedExternally, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleDateString(locales: String, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleString(locales: Array<String> = definedExternally, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleString(locales: String, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleTimeString(locales: Array<String> = definedExternally, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleTimeString(locales: String, options: LocaleOptions = definedExternally): String\n\n public fun toTimeString(): String\n\n public fun toUTCString(): String\n\n public companion object {\n public fun now(): Double\n\n public fun parse(dateString: String): Double\n\n public fun UTC(year: Int, month: Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int, hour: Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond: Number): Double\n }\n\n public interface LocaleOptions {\n public var localeMatcher: String?\n\n public var timeZone: String?\n\n public var hour12: Boolean?\n\n public var formatMatcher: String?\n\n public var weekday: String?\n\n public var era: String?\n\n public var year: String?\n\n public var month: String?\n\n public var day: String?\n\n public var hour: String?\n\n public var minute: String?\n\n public var second: String?\n\n public var timeZoneName: String?\n }\n}\n\npublic inline fun dateLocaleOptions(init: Date.LocaleOptions.() -> Unit): Date.LocaleOptions {\n val result = js(\"new Object()\").unsafeCast<Date.LocaleOptions>()\n init(result)\n return result\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.*\n\n/**\n * Creates a new element with the specified [name].\n *\n * The element is initialized with the speicifed [init] function.\n */\npublic fun Document.createElement(name: String, init: Element.() -> Unit): Element = createElement(name).apply(init)\n\n/**\n * Appends a newly created element with the specified [name] to this element.\n *\n * The element is initialized with the speicifed [init] function.\n */\npublic fun Element.appendElement(name: String, init: Element.() -> Unit): Element =\n ownerDocument!!.createElement(name, init).also { appendChild(it) }\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.*\n\n/** Returns true if the element has the given CSS class style in its 'class' attribute */\nfun Element.hasClass(cssClass: String): Boolean = className.matches(\"\\"\"(^|.*\\s+)$cssClass($|\\s+.*)\"\\"\".toRegex())\n\n/**\n * Adds CSS class to element. Has no effect if all specified classes are already in class attribute of the element\n *\n * @return true if at least one class has been added\n */\nfun Element.addClass(vararg cssClasses: String): Boolean {\n val missingClasses = cssClasses.filterNot { hasClass(it) }\n if (missingClasses.isNotEmpty()) {\n val presentClasses = className.trim()\n className = buildString {\n append(presentClasses)\n if (!presentClasses.isEmpty()) {\n append(\" \")\n }\n missingClasses.joinTo(this, \" \")\n }\n return true\n }\n\n return false\n}\n\n/**\n * Removes all [cssClasses] from element. Has no effect if all specified classes are missing in class attribute of the element\n *\n * @return true if at least one class has been removed\n */\nfun Element.removeClass(vararg cssClasses: String): Boolean {\n if (cssClasses.any { hasClass(it) }) {\n val toBeRemoved = cssClasses.toSet()\n className = className.trim().split(\"\\\\s+\".toRegex()).filter { it !in toBeRemoved }.joinToString(\" \")\n return true\n }\n\n return false\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n

*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\n/**\n * Converts the string into a regular expression [Regex] with the default options.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.toRegex(): Regex = Regex(this)\n\n/**\n * Converts the string into a regular expression [Regex] with the specified single [option].\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.toRegex(option: RegexOption): Regex = Regex(this, option)\n\n/**\n * Converts the string into a regular expression [Regex] with the specified set of [options].\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.toRegex(options: Set<RegexOption>): Regex = Regex(this, options)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\n/**\n * Builds new string by populating newly created [StringBuilder] using provided [builderAction]\n * and then converting it to [String].\n */\n@kotlin.internal.InlineOnly\npublic inline fun buildString(builderAction: StringBuilder.() -> Unit): String =\n StringBuilder().apply(builderAction).toString()\n\n/**\n * Builds new string by populating newly created [StringBuilder] initialized with the given [capacity]\n * using provided [builderAction] and then converting it to [String].\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun buildString(capacity: Int, builderAction: StringBuilder.() -> Unit): String =\n StringBuilder(capacity).apply(builderAction).toString()\n\n/**\n * Appends all arguments to the given [Appendable].\n */\npublic
fun <T : Appendable> T.append(vararg value: CharSequence?): T {\n for (item in value)\n append(item)\n return this\n}\n\n/**\n * Appends all arguments to the given StringBuilder.\n */\npublic fun StringBuilder.append(vararg value: String?): StringBuilder {\n for (item in value)\n append(item)\n return this\n}\n\n/**\n * Appends all arguments to the given StringBuilder.\n */\npublic fun StringBuilder.append(vararg value: Any?): StringBuilder {\n for (item in value)\n append(item)\n return this\n}\n\n\ninternal fun <T> Appendable.appendElement(element: T, transform: ((T) -> CharSequence)?) {\n when {\n transform != null -> append(transform(element))\n element is CharSequence? -> append(element)\n element is Char -> append(element)\n else -> append(element.toString())\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in
the license/LICENSE.txt file.\n */\npackage kotlin.dom\n\nimport org.w3c.dom.*\nimport kotlin.collections.*\n\n\n/**\n * Gets a value indicating whether this node is a TEXT_NODE or a CDATA_SECTION_NODE.\n */\npublic val Node.isText: Boolean\n get() = nodeType == Node.TEXT_NODE || nodeType == Node.CDATA_SECTION_NODE\n\n\n/**\n * Gets a value indicating whether this node is an [Element].\n */\npublic val Node.isElement: Boolean\n get() = nodeType == Node.ELEMENT_NODE\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage org.w3c.dom.events\n\npublic fun EventListener(handler: (Event) -> Unit): EventListener = EventListenerHandler(handler)\n\nprivate class EventListenerHandler(private val handler: (Event) -> Unit) : EventListener {\n public override fun handleEvent(e: Event) {\n handler(e)\n }\n\n public override fun toString(): String = \"EventListenerHandler($handler)\"\n}\n","/*\n
* Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage org.w3c.dom\n\npublic external interface ItemArrayLike<out T> {\n val length: Int\n fun item(index: Int): T?\n}\n\n/**\n * Returns the view of this `ItemArrayLike<T>` collection as `List<T>`\n */\npublic fun <T> ItemArrayLike<T>.asList(): List<T> = object : AbstractList<T>() {\n override val size: Int get() = this@asList.length\n\n override fun get(index: Int): T = when (index) {\n in 0..lastIndex -> this@asList.item(index).unsafeCast<T>()\n else -> throw IndexOutOfBoundsException(\"index $index is not in range [0..$lastIndex]\")\n }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.*\n\n/**

Removes all the children from this node. */\npublic fun Node.clear() {\n while (hasChildNodes()) {\n removeChild(firstChild!!)\n }\n}\n\n/**\n * Creates text node and append it to the element.\n *\n * @return this element\n */\nfun Element.appendText(text: String): Element {\n appendChild(ownerDocument!!.createTextNode(text))\n return this\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Reinterprets this value as a value of the [dynamic type](/docs/reference/dynamic-type.html).\n */\n@kotlin.internal.InlineOnly\npublic inline fun Any?.asDynamic(): dynamic = this\n\n/**\n * Reinterprets this value as a value of the specified type [T] without any actual type checking.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Any?.unsafeCast(): @kotlin.internal.NoInfer T = this.asDynamic()\n\n/**\n * Reinterprets
this `dynamic` value as a value of the specified type [T] without any actual type checking.\n */\n@kotlin.internal.DynamicExtension\n@JsName(\"unsafeCastDynamic\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> dynamic.unsafeCast(): @kotlin.internal.NoInfer T = this\n\n/**\n * Allows to iterate this `dynamic` object in the following cases:\n * - when it has an `iterator` function,\n * - when it is an array\n * - when it is an instance of [kotlin.collections.Iterable]\n */\n@kotlin.internal.DynamicExtension\npublic operator fun dynamic.iterator(): Iterator<dynamic> {\n val r: Any? = this\n\n return when {\n this[\"iterator\"] != null -> \n this[\"iterator\"]()\n js(\"Kotlin\").isArrayish(r) -> \n r.unsafeCast<Array<*>>().iterator()\n\n else -> \n (r as Iterable<*>).iterator()\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under the module\n\n@JsName(\"throwNPE\")\ninternal fun throwNPE(message: String) {\n throw NullPointerException(message)\n}\n\n@JsName(\"throwCCE\")\ninternal fun throwCCE() {\n throw ClassCastException(\"Illegal cast\")\n}\n\n@JsName(\"throwISE\")\ninternal fun throwISE(message: String) {\n throw IllegalStateException(message)\n}\n\n@JsName(\"throwUPAE\")\ninternal fun throwUPAE(propertyName: String) {\n throw UninitializedPropertyAccessException(\"lateinit property ${propertyName} has not been initialized\")\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n// NOTE: Do not author your exceptions as they are written in this file, instead use this template:\n/*\npublic open class MyException : Exception {\n constructor() : super()\n constructor(message:
String?) : super(message)\n constructor(message: String?, cause: Throwable?) : super(message, cause)\n constructor(cause: Throwable?) : super(cause)\n}\n*/\n\n\n// TODO: remove workarounds for KT-22053 from direct Throwable inheritors\n// TODO: remove primary constructors, make all secondary KT-22055\n\n@Suppress(\"USELESS_ELVIS_RIGHT_IS_NULL\")\npublic actual open class Error actual constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?: null) {\n actual constructor() : this(null, null) {\n Error::class.js.asDynamic().call(this, null, null)\n }\n\n actual constructor(message: String?) : this(message, null) {\n Error::class.js.asDynamic().call(this, message, null)\n }\n\n actual constructor(cause: Throwable?) : this(undefined, cause) {\n Error::class.js.asDynamic().call(this, undefined, cause)\n }\n}\n\n@Suppress(\"USELESS_ELVIS_RIGHT_IS_NULL\")\npublic actual open class Exception actual constructor(message:
String?, cause: Throwable?) : Throwable(message, cause ?: null) {\n actual constructor() : this(null, null) {\n Exception::class.js.asDynamic().call(this, null, null)\n }\n\n actual constructor(message: String?) : this(message, null) {\n Exception::class.js.asDynamic().call(this, message, null)\n }\n\n actual constructor(cause: Throwable?) : this(undefined, cause) {\n Exception::class.js.asDynamic().call(this, undefined, cause)\n }\n}\n\npublic actual open class RuntimeException actual constructor(message: String?, cause: Throwable?) : Exception(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open class IllegalArgumentException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message:

String?) : this(message, null)\n   actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open class IllegalStateException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n   actual constructor() : this(null, null)\n   actual constructor(message: String?) : this(message, null)\n   actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open class IndexOutOfBoundsException actual constructor(message: String?) : RuntimeException(message) {\n   actual constructor() : this(null)\n}\n\npublic actual open class ConcurrentModificationException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n   actual constructor() : this(null, null)\n   actual constructor(message: String?) : this(message, null)\n   actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open class UnsupportedOperationException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n   actual constructor() : this(null, null)\n   actual constructor(message: String?) : this(message, null)\n   actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\n\npublic actual open class NumberFormatException actual constructor(message: String?) : IllegalArgumentException(message) {\n   actual constructor() : this(null)\n}\n\n\npublic actual open class NullPointerException actual constructor(message: String?) : RuntimeException(message) {\n   actual constructor() : this(null)\n}\n\npublic actual open class ClassCastException actual constructor(message: String?) : RuntimeException(message) {\n   actual constructor() : this(null)\n}\n\npublic actual open class AssertionError private constructor(message: String?, cause: Throwable?) : Error(message, cause) {\n   actual constructor() : this(null)\n   constructor(message: String?) : this(message, null)\n   actual constructor(message:
Any?) : this(message.toString(), message as? Throwable)\n}\n\npublic actual open class NoSuchElementException actual constructor(message: String?) : RuntimeException(message) {\n   actual constructor() : this(null)\n}\n\n\npublic actual open class NoWhenBranchMatchedException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n   actual constructor() : this(null, null)\n   actual constructor(message: String?) : this(message, null)\n   actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open class UninitializedPropertyAccessException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n   actual constructor() : this(null, null)\n   actual constructor(message: String?) : this(message, null)\n   actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"GroupingKt\")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin.collections\n\n/**\n * Represents a source of elements with a [keyOf] function, which can be applied to each element to get its key.\n *\n * A [Grouping] structure serves as an intermediate step in group-and-fold operations:\n * they group elements by their keys and then fold each group with some aggregating operation.\n *\n * It is created by attaching `keySelector: (T) -> K` function to a source of elements.\n * To get an instance of [Grouping] use one of `groupingBy` extension functions:\n * - [Iterable.groupingBy]\n * - [Sequence.groupingBy]\n * - [Array.groupingBy]\n * - [CharSequence.groupingBy]\n *\n * For the list of group-and-fold operations available, see the [extension functions](#extension-functions) for `Grouping`.\n */\n@SinceKotlin(\"1.1\")\npublic interface Grouping<T, out K> {\n   /** Returns an [Iterator]
over the elements of the source of this grouping. */\n   fun sourceIterator(): Iterator<T>\n   /** Extracts the key of an [element]. */\n   fun keyOf(element: T): K\n}\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments, and stores the results in a new map.\n *\n * The key for each element is provided by the [Grouping.keyOf] function.\n *\n * @param operation function is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group, can be `null` if it's the first `element` encountered in the group;\n * - `element`: the element from the source being aggregated;\n * - `first`: indicates whether it's the first `element` encountered in the group.\n *\n * @return a [Map] associating the key of each group

with the result of aggregation of the group elements.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R> Grouping<T, K>.aggregate(\n operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R\n): Map<K, R> {\n return aggregateTo(mutableMapOf<K, R>(), operation)\n}\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n *\n * The key for each element is provided by the [Grouping.keyOf] function.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group, can be `null` if it's the first `element` encountered in the group;\n * - `element`: the element from the source being aggregated;\n * - `first`: indicates whether it's the first `element` encountered in the group.\n *\n * If the [destination] map already has a value corresponding to some key,\n * then the elements being aggregated for that key are never considered as `first`.\n *\n * @return the [destination] map associating the key of each group with the result of aggregation of the group elements.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.aggregateTo(\n destination: M,\n operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R\n): M {\n for (e in this.sourceIterator()) {\n val key = keyOf(e)\n val accumulator = destination[key]\n destination[key] = operation(key, accumulator, e, accumulator == null && !destination.containsKey(key))\n }\n return destination\n}\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments, and stores the results in a new map.\n * An initial value of accumulator is provided by [initialValueSelector] function.\n *\n * @param initialValueSelector a function that provides an initial value of accumulator for each group.\n * It's invoked with parameters:\n * - `key`: the key of the group;\n * - `element`: the first element being encountered in that group.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n *\n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R> Grouping<T, K>.fold(\n initialValueSelector: (key: K, element: T) -> R,\n operation: (key: K, accumulator: R, element: T) -> R\n): Map<K, R> =\n @Suppress(\"UNCHECKED_CAST\")\n aggregate { key, acc, e, first -> operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator is provided by [initialValueSelector] function.\n *\n * @param initialValueSelector a function that provides an initial value of accumulator for each group.\n * It's invoked with parameters:\n * - `key`: the key of the group;\n * - `element`: the first element being encountered in that group.\n *\n * If the [destination] map already has a value corresponding to some key, that value is used as an initial value of\n * the accumulator for that group and the [initialValueSelector] function is not called for that group.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n *\n * @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\n destination: M,\n initialValueSelector: (key: K, element: T) -> R,\n operation: (key: K, accumulator: R, element: T) -> R\n): M =\n @Suppress(\"UNCHECKED_CAST\")\n aggregateTo(destination) { key, acc, e, first -> operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments, and stores the results in a new map.\n * An initial value of accumulator is the same [initialValue] for each group.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `accumulator`: the current value of the accumulator

of the group;\n * - `element`: the element from the source being accumulated.\n *\n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R> Grouping<T, K>.fold(\n   initialValue: R,\n   operation: (accumulator: R, element: T) -> R\n): Map<K, R> =\n   @Suppress(\"UNCHECKED_CAST\")\n   aggregate { _, acc, e, first -> operation(if (first) initialValue else acc as R, e) }\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator is the same [initialValue] for each group.\n *\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the accumulator for that group.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n *\n * @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\n   destination: M,\n   initialValue: R,\n   operation: (accumulator: R, element: T) -> R\n): M =\n   @Suppress(\"UNCHECKED_CAST\")\n   aggregateTo(destination) { _, acc, e, first -> operation(if (first) initialValue else acc as R, e) }\n\n/**\n * Groups elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group\n * sequentially starting from the second element of the group,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in a new map.\n * An initial value of accumulator is the first element of the group.\n *\n * @param operation a function that is invoked on each subsequent element of the group with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n *\n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <S, T : S, K> Grouping<T, K>.reduce(\n   operation: (key: K, accumulator: S,\n   element: T) -> S\n): Map<K, S> =\n   aggregate { key, acc, e, first ->\n   @Suppress(\"UNCHECKED_CAST\")\n   if (first) e else operation(key, acc as S, e)\n   }\n\n/**\n * Groups elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group\n * sequentially starting from the second element of the group,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator is the first element of the group.\n *\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the accumulator for that group and the first element of that group is also\n * subjected to the [operation].\n\n * @param operation a function that is invoked on each subsequent element of the group with the following parameters:\n * - `accumulator`: the current value of the accumulator
of the group;\n * - `element`: the element from the source being folded;\n *\n * @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <S, T : S, K, M : MutableMap<in K, S>> Grouping<T, K>.reduceTo(\n   destination: M,\n   operation: (key: K, accumulator: S, element: T) -> S\n): M =\n   aggregateTo(destination) { key, acc, e, first ->\n   @Suppress(\"UNCHECKED_CAST\")\n   if (first) e else operation(key, acc as S, e)\n   }\n\n\n/**\n * Groups elements from the [Grouping] source by key and counts elements in each group to the given [destination] map.\n *\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the counter for that group.\n *\n * @return the [destination] map associating the key of each group with the count of elements in the group.\n *\n * @sample samples.collections.Collections.Transformations.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachCountTo(destination: M): M =\n   foldTo(destination, 0) { acc, _ -> acc + 1 }\n\n/*\n/**\n * Groups elements from the [Grouping] source by key and sums values provided by the [valueSelector] function for elements in each group\n * to the given [destination] map.\n *\n *\n * If the [destination] map already has a value

corresponding to the key of some group,\n * that value is used as an initial value of the sum for that group.\n *\n * @return the [destination] map associating the key of each group with the sum of elements in the group.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachSumOfTo(destination: M, valueSelector: (T) -> Int): M =\n foldTo(destination, 0) { acc, e -> acc + valueSelector(e)}\n*/\n\n\n/*\n// TODO: sum by long and by double overloads\n\npublic inline fun <T, K, M : MutableMap<in K, Long>> Grouping<T, K>.sumEachByLongTo(destination: M, valueSelector: (T) -> Long): M =\n foldTo(destination, 0L) { acc, e -> acc + valueSelector(e)}\n\npublic inline fun <T, K> Grouping<T, K>.sumEachByLong(valueSelector: (T) -> Long): Map<K, Long> =\n fold(0L) { acc, e -> acc + valueSelector(e)}\n\npublic inline fun <T, K, M : MutableMap<in K, Double>> Grouping<T, K>.sumEachByDoubleTo(destination: M, valueSelector: (T) -> Double): M =\n foldTo(destination, 0.0) { acc, e -> acc + valueSelector(e)}\n\npublic inline fun <T, K> Grouping<T, K>.sumEachByDouble(valueSelector: (T) -> Double): Map<K, Double> =\n fold(0.0) { acc, e -> acc + valueSelector(e)}\n*/\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/**\n * Groups elements from the [Grouping] source by key and counts elements in each group.\n *\n * @return a [Map] associating the key of each group with the count of element in the group.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T, K> Grouping<T, K>.eachCount(): Map<K, Int> =\n fold(0) { acc, _ -> acc + 1 }\n\n/*\n/**\n * Groups elements from the [Grouping] source by key and sums values provided by the [valueSelector] function for elements in each group.\n *\n * @return a [Map] associating the key of each group with the count of element in the group.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Grouping<T, K>.eachSumOf(valueSelector: (T) -> Int): Map<K, Int> =\n fold(0) { acc, e -> acc + valueSelector(e) }\n*/","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Exposes the JavaScript [Math object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Math) to Kotlin.\n */\n@Deprecated(\"Use top-level functions from kotlin.math package instead.\")\npublic external object Math {\n @Deprecated(\"Use kotlin.math.PI instead.\", ReplaceWith(\"PI\", \"kotlin.math.PI\"))\n public val PI: Double\n public fun random(): Double\n @Deprecated(\"Use kotlin.math.abs instead.\", ReplaceWith(\"abs(value)\", \"kotlin.math.abs\"))\n public fun abs(value: Double): Double\n @Deprecated(\"Use kotlin.math.acos instead.\", ReplaceWith(\"acos(value)\", \"kotlin.math.acos\"))\n public fun acos(value: Double): Double\n @Deprecated(\"Use kotlin.math.asin instead.\", ReplaceWith(\"asin(value)\", \"kotlin.math.asin\"))\n public fun asin(value: Double): Double\n @Deprecated(\"Use kotlin.math.atan instead.\", ReplaceWith(\"atan(value)\", \"kotlin.math.atan\"))\n public fun atan(value: Double): Double\n @Deprecated(\"Use kotlin.math.atan2 instead.\", ReplaceWith(\"atan2(y, x)\", \"kotlin.math.atan2\"))\n public fun atan2(y: Double, x: Double): Double\n @Deprecated(\"Use kotlin.math.cos instead.\", ReplaceWith(\"cos(value)\", \"kotlin.math.cos\"))\n public fun cos(value: Double): Double\n @Deprecated(\"Use kotlin.math.sin instead.\", ReplaceWith(\"sin(value)\", \"kotlin.math.sin\"))\n public fun sin(value: Double): Double\n @Deprecated(\"Use kotlin.math.exp instead.\", ReplaceWith(\"exp(value)\", \"kotlin.math.exp\"))\n public fun exp(value: Double): Double\n @Deprecated(\"Use maxOf or kotlin.math.max instead\")\n public fun max(vararg values: Int): Int\n @Deprecated(\"Use maxOf or kotlin.math.max instead\")\n public fun max(vararg values: Float): Float\n @Deprecated(\"Use maxOf or kotlin.math.max instead\")\n public fun max(vararg values: Double): Double\n @Deprecated(\"Use minOf or kotlin.math.min instead\")\n public fun min(vararg values: Int): Int\n @Deprecated(\"Use minOf or kotlin.math.min instead\")\n public fun min(vararg values: Float): Float\n @Deprecated(\"Use minOf or kotlin.math.min instead\")\n public fun min(vararg values: Double): Double\n @Deprecated(\"Use kotlin.math.sqrt instead.\", ReplaceWith(\"sqrt(value)\", \"kotlin.math.sqrt\"))\n public fun sqrt(value: Double): Double\n @Deprecated(\"Use kotlin.math.tan instead.\", ReplaceWith(\"tan(value)\", \"kotlin.math.tan\"))\n public fun tan(value: Double): Double\n @Deprecated(\"Use kotlin.math.log instead.\", ReplaceWith(\"log(value)\",

\"kotlin.math.log\"))\n public fun log(value: Double): Double\n @Deprecated(\"Use kotlin.math.pow instead.\", ReplaceWith(\"pow(base, exp)\", \"kotlin.math.pow\"))\n public fun pow(base: Double, exp: Double): Double\n @Deprecated(\"Use kotlin.math.round instead.\", ReplaceWith(\"round(value)\", \"kotlin.math.round\"))\n public fun round(value: Number): Int\n @Deprecated(\"Use kotlin.math.floor instead.\", ReplaceWith(\"floor(value)\", \"kotlin.math.floor\"))\n public fun floor(value: Number): Int\n @Deprecated(\"Use kotlin.math.ceil instead.\", ReplaceWith(\"ceil(value)\", \"kotlin.math.ceil\"))\n public fun ceil(value: Number): Int\n\n @PublishedApi\n internal fun trunc(value: Number): Double\n @PublishedApi\n internal fun sign(value: Number): Double\n\n @PublishedApi\n internal fun sinh(value: Double): Double\n @PublishedApi\n internal fun cosh(value: Double): Double\n @PublishedApi\n internal fun tanh(value: Double): Double\n @PublishedApi\n internal fun asinh(value: Double): Double\n @PublishedApi\n internal fun acosh(value: Double): Double\n @PublishedApi\n internal fun atanh(value: Double): Double\n\n @PublishedApi\n internal fun hypot(x: Double, y: Double): Double\n\n @PublishedApi\n internal fun expm1(value: Double): Double\n\n @PublishedApi\n internal fun log10(value: Double): Double\n @PublishedApi\n internal fun log2(value: Double): Double\n @PublishedApi\n internal fun log1p(value: Double): Double\n}\n\n/**\n * Returns the smaller of two values.\n */\n@Suppress(\"DEPRECATION\")\n@Deprecated(\"Use minOf or kotlin.math.min instead\", ReplaceWith(\"minOf(a, b)\"))\npublic fun Math.min(a: Long, b: Long): Long = if (a <= b) a else b\n\n/**\n * Returns the greater of two values.\n */\n@Suppress(\"DEPRECATION\")\n@Deprecated(\"Use maxOf or kotlin.math.max instead\", ReplaceWith(\"maxOf(a, b)\"))\npublic fun Math.max(a: Long, b: Long): Long = if (a >= b) a else b\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * An interface for indexing access to a collection of key-value pairs, where type of key is [String] and type of value is [Any?][Any].\n */\npublic external interface Json {\n /**\n * Calls to the function will be translated to indexing operation (square brackets) on the receiver with [propertyName] as the argument.\n *\n * E.g. for next code:\n * ```kotlin\n * fun test(j: Json, p: String) = j[\"prop\"] + j.get(p)\n * ```\n *\n * will be generated:\n * ```js\n * function test(j, p) {\n * return j[\"prop\"] + j[p];\n * }\n * ```\n */\n operator fun get(propertyName: String): Any?\n\n /**\n * Calls of the function will be translated to an assignment of [value] to the receiver indexed (with square brackets/index operation) with [propertyName].\n *\n * E.g. for the following code:\n * ```kotlin\n * fun test(j: Json, p: String, newValue: Any) {\n * j[\"prop\"] = 1\n * j.set(p, newValue)\n * }\n * ```\n *\n * will be generated:\n * ```js\n * function test(j, p, newValue) {\n * j[\"prop\"] = 1;\n * j[p] = newValue;\n * }\n * }\n * ```\n */\n operator fun set(propertyName: String, value: Any?): Unit\n}\n\n/**\n * Returns a simple JavaScript object (as [Json]) using provided key-value pairs as names and values of its properties.\n */\npublic fun json(vararg pairs: Pair<String, Any?>): Json {\n val res: dynamic = js(\"({})\")\n for ((name, value) in pairs) {\n res[name] = value\n }\n return res\n}\n\n/**\n * Adds key-value pairs from [other] to [this].\n * Returns the original receiver.\n */\npublic fun Json.add(other: Json): Json {\n val keys: Array<String> = js(\"Object\").keys(other)\n for (key in keys) {\n if (other.asDynamic().hasOwnProperty(key)) {\n this[key] = other[key];\n }\n }\n return this\n}\n\n/**\n * Exposes the JavaScript [JSON object](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/JSON) to Kotlin.\n */\n@Suppress(\"NOT_DOCUMENTED\")\npublic external object JSON {\n public fun stringify(o: Any?): String\n public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)): String\n public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)? = definedExternally, space: Int): String\n public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)? = definedExternally, space: String): String\n public fun stringify(o: Any?, replacer: Array<String>): String\n public fun stringify(o: Any?, replacer: Array<String>, space: Int): String\n public fun stringify(o: Any?, replacer: Array<String>, space: String): String\n\n public fun <T> parse(text: String): T\n public fun <T> parse(text: String, reviver: ((key: String, value: Any?) -> Any?)): T\n}\n","/*\n * Copyright 2010-

2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n/**\n * Returns `true` if the specified number is a\n * Not-a-Number (NaN) value, `false` otherwise.\n */\npublic actual fun Double.isNaN(): Boolean = this != this\n\n/**\n * Returns `true` if the specified number is a\n * Not-a-Number (NaN) value,
`false` otherwise.\n */\npublic actual fun Float.isNaN(): Boolean = this != this\n\n/**\n * Returns `true` if this value is infinitely large in magnitude.\n */\npublic actual fun Double.isInfinite(): Boolean = this == Double.POSITIVE_INFINITY || this == Double.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if this value is infinitely large in magnitude.\n */\npublic actual fun Float.isInfinite(): Boolean = this == Float.POSITIVE_INFINITY || this == Float.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if the argument is a finite floating-point value; returns `false` otherwise (for `NaN` and infinity arguments).\n */\npublic actual fun Double.isFinite(): Boolean = !isInfinite() && !isNaN()\n\n/**\n * Returns `true` if the argument is a finite floating-point value; returns `false` otherwise (for `NaN` and infinity arguments).\n */\npublic actual fun Float.isFinite(): Boolean = !isInfinite() && !isNaN()\n\n/**\n * Returns a bit representation of the specified floating-point value as [Long]\n *
according to the IEEE 754 floating-point \"double format\" bit layout.\n
*/\n@SinceKotlin(\"1.2\")\n@library(\"doubleToBits\")\npublic actual fun Double.toBits(): Long = definedExternally\n\n/**\n * Returns a bit representation of the specified floating-point value as [Long]\n * according to the IEEE 754 floating-point \"double format\" bit layout,\n * preserving `NaN` values exact layout.\n */\n@SinceKotlin(\"1.2\")\n@library(\"doubleToRawBits\")\npublic actual fun Double.toRawBits(): Long = definedExternally\n\n/**\n * Returns the [Double] value corresponding to a given bit representation.\n */\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Double.Companion.fromBits(bits: Long): Double = js(\"Kotlin\").doubleFromBits(bits).unsafeCast<Double>()\n\n/**\n * Returns a bit representation of the specified floating-point value as [Int]\n * according to the IEEE 754 floating-point \"single format\" bit layout.\n *\n * Note that in Kotlin/JS [Float] range is wider
than \"single format\" bit layout can represent,\n * so some [Float] values may overflow, underflow or loose their accuracy after conversion to bits and back.\n */\n@SinceKotlin(\"1.2\")\n@library(\"floatToBits\")\npublic actual fun Float.toBits(): Int = definedExternally\n\n/**\n * Returns a bit representation of the specified floating-point value as [Int]\n * according to the IEEE 754 floating-point \"single format\" bit layout,\n * preserving `NaN` values exact layout.\n *\n * Note that in Kotlin/JS [Float] range is wider than \"single format\" bit layout can represent,\n * so some [Float] values may overflow, underflow or loose their accuracy after conversion to bits and back.\n */\n@SinceKotlin(\"1.2\")\n@library(\"floatToRawBits\")\npublic actual fun Float.toRawBits(): Int = definedExternally\n\n/**\n * Returns the [Float] value corresponding to a given bit representation.\n */\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Float.Companion.fromBits(bits:
Int): Float = js(\"Kotlin\").floatFromBits(bits).unsafeCast<Float>()","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n\n/**\n * Returns `true` if the contents of this string is equal to the word \"true\", ignoring case, and `false` otherwise.\n */\npublic actual fun String.toBoolean(): Boolean = toLowerCase() == \"true\"\n\n/**\n * Parses the string as a signed [Byte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toByte(): Byte = toByteOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a signed [Byte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*/\npublic actual fun String.toByte(radix: Int): Byte = toByteOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Short] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toShort(): Short = toShortOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Short] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun

String.toShort(radix: Int): Short = toShortOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as an [Int] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toInt(): Int = toIntOrNull() ?: numberFormatError(this)\n\n/**\n
 * Parses the string as an [Int] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun String.toInt(radix: Int): Int = toIntOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Long] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toLong(): Long = toLongOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Long] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun String.toLong(radix: Int): Long = toLongOrNull(radix) ?: numberFormatError(this)\n\n/**\n
 * Parses the string as a [Double] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toDouble(): Double = (+(this.asDynamic())).unsafeCast<Double>().also {\n   if (it.isNaN() && !this.isNaN() || it == 0.0 && this.isBlank())\n   numberFormatError(this)\n}\n\n/**\n * Parses the string as a [Float] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toFloat(): Float = toDouble().unsafeCast<Float>()\n\n/**\n * Parses the string as a [Double] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\npublic actual fun String.toDoubleOrNull(): Double? = (+(this.asDynamic())).unsafeCast<Double>().takeIf {\n   !(it.isNaN() && !this.isNaN() || it == 0.0 && this.isBlank())\n}\n\n/**\n * Parses the string
 as a [Float] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toFloatOrNull(): Float? = toDoubleOrNull().unsafeCast<Float?>()\n\n/**\n * Returns a string representation of this [Byte] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Byte.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of this [Short] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Short.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of this [Long] value
 in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Long.toString(radix: Int): String = asDynamic().toString(checkRadix(radix))\n\n/**\n * Returns a string representation of this [Int] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Int.toString(radix: Int): String = asDynamic().toString(checkRadix(radix))\n\nprivate fun String.isNaN(): Boolean = when (this.toLowerCase()) {\n   \"nan\", \"+nan\", \"-nan\" -> true\n   else -> false\n}\n\n/**\n * Checks whether the given [radix] is valid radix for string to number and number to string conversion.\n */\n@PublishedApi\ninternal actual fun checkRadix(radix: Int): Int {\n   if (radix !in 2..36) {\n   throw IllegalArgumentException(\"radix $radix was not in valid range 2..36\")\n   }\n   return radix\n}\n\ninternal actual fun digitOf(char: Char, radix: Int): Int = when {\n   char >= '0' && char <= '9' -> char - '0'\n   char >= 'A' && char <= 'Z' -> char - 'A' + 10\n   char >= 'a' && char <= 'z' -> char - 'a' + 10\n   else -> -1\n}.let { if (it >= radix) -1 else it }\n\nprivate fun numberFormatError(input: String): Nothing = throw NumberFormatException(\"Invalid number format: '$input'\")","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport kotlin.internal.LowPriorityInOverloadResolution\n\n/**\n * Exposes the JavaScript [Promise

object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Promise) to Kotlin.\n */\n@Suppress(\"NOT_DOCUMENTED\")\npublic open external class Promise<out T>(executor: (resolve: (T) -> Unit, reject: (Throwable) -> Unit) -> Unit) {\n @LowPriorityInOverloadResolution\n public open fun <S> then(onFulfilled: ((T) -> S)?): Promise<S>\n\n @LowPriorityInOverloadResolution\n public open fun <S> then(onFulfilled: ((T) -> S)?, onRejected: ((Throwable) -> S)?): Promise<S>\n\n public open fun <S> catch(onRejected: (Throwable) -> S): Promise<S>\n\n companion object {\n public fun <S> all(promise: Array<out Promise<S>>): Promise<Array<out S>>\n\n public fun <S> race(promise: Array<out Promise<S>>): Promise<S>\n\n public fun reject(e: Throwable): Promise<Nothing>\n\n public fun <S> resolve(e: S): Promise<S>\n public fun <S> resolve(e: Promise<S>): Promise<S>\n }\n}\n\n// It's workaround for KT-19672 since we can fix it properly until KT-11265 isn't fixed.\ninline fun <T, S> Promise<Promise<T>>.then(\n noinline onFulfilled: ((T) -> S)?\n): Promise<S> {\n return this.unsafeCast<Promise<T>>().then(onFulfilled)\n}\n\ninline fun <T, S> Promise<Promise<T>>.then(\n noinline onFulfilled:
((T) -> S)?,\n noinline onRejected: ((Throwable) -> S)?\n): Promise<S> {\n return this.unsafeCast<Promise<T>>().then(onFulfilled, onRejected)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport getKClass\nimport kotlin.reflect.KClass\nimport kotlin.reflect.js.internal.KClassImpl\n\n/**\n * Represents the constructor of a class. Instances of `JsClass` can be passed to JavaScript APIs that expect a constructor reference.\n */\nexternal interface JsClass<T : Any> {\n /**\n * Returns the unqualified name of the class represented by this instance.\n */\n val name: String\n}\n\n@Deprecated(\"Use class literal and extension property `js` instead.\", replaceWith = ReplaceWith(\"T::class.js\"), level = DeprecationLevel.WARNING)\nexternal fun <T : Any> jsClass(): JsClass<T>\n\n@Deprecated(\"Use class literal and extension property
`js` instead.\", replaceWith = ReplaceWith(\"this::class.js\"), level = DeprecationLevel.WARNING)\nval <T : Any> T.jsClass: JsClass<T>\n get() = when (jsTypeOf(this)) {\n \"string\" -> js(\"String\")\n \"number\" -> js(\"Number\")\n \"boolean\" -> js(\"Boolean\")\n else -> js(\"Object\").getPrototypeOf(this).constructor\n }\n\n/**\n * Obtains a constructor reference for the given `KClass`.\n */\nval <T : Any> KClass<T>.js: JsClass<T>\n get() = (this as KClassImpl<T>).jClass\n\n/**\n * Obtains a `KClass` instance for the given constructor reference.\n */\nval <T : Any> JsClass<T>.kotlin: KClass<T>\n get() = getKClass(this)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal abstract class KClassImpl<T : Any>(\n internal open val jClass: JsClass<T>\n)
: KClass<T> {\n override val annotations: List<Annotation>\n get() = TODO()\n override val constructors: Collection<KFunction<T>>\n get() = TODO()\n override val isAbstract: Boolean\n get() = TODO()\n override val isCompanion: Boolean\n get() = TODO()\n override val isData: Boolean\n get() = TODO()\n override val isFinal: Boolean\n get() = TODO()\n override val isInner: Boolean\n get() = TODO()\n override val isOpen: Boolean\n get() = TODO()\n override val isSealed: Boolean\n get() = TODO()\n override val members: Collection<KCallable<*>>\n get() = TODO()\n override val nestedClasses: Collection<KClass<*>>\n get() = TODO()\n override val objectInstance: T?\n get() = TODO()\n override val qualifiedName: String?\n get() = TODO()\n override val supertypes: List<KType>\n get() = TODO()\n override val typeParameters: List<KTypeParameter>\n
get() = TODO()\n override val visibility: KVisibility?\n get() = TODO()\n\n override fun equals(other: Any?): Boolean {\n return other is KClassImpl<*> && jClass == other.jClass\n }\n\n // TODO: use FQN\n override fun hashCode(): Int = simpleName?.hashCode() ?: 0\n\n override fun toString(): String {\n // TODO: use FQN\n return \"class $simpleName\"\n }\n}\n\ninternal class SimpleKClassImpl<T : Any>(jClass: JsClass<T>) : KClassImpl<T>(jClass) {\n override val simpleName: String? = jClass.asDynamic().`$metadata$`?.simpleName.unsafeCast<String?>()\n\n override fun isInstance(value: Any?): Boolean {\n return js(\"Kotlin\").isType(value, jClass)\n }\n}\n\ninternal class PrimitiveKClassImpl<T :

```
Any>(\n    jClass: JsClass<T>,\n    private val givenSimpleName: String,\n    private val isInstanceFunction: (Any?) -> Boolean\n) : KClassImpl<T>(jClass) {\n    override fun equals(other: Any?): Boolean {\n        if (other !is PrimitiveKClassImpl<*>)
 return false\n        return super.equals(other) && givenSimpleName == other.givenSimpleName\n    }\n\n override val simpleName: String? get() = givenSimpleName\n\n    override fun isInstance(value: Any?): Boolean {\n        return isInstanceFunction(value)\n    }\n}\n\ninternal object NothingKClassImpl : KClassImpl<Nothing>(js(\"Object\")) {\n    override val simpleName: String = \"Nothing\"\n\n    override fun isInstance(value: Any?): Boolean = false\n\n    override val jClass: JsClass<Nothing>\n        get() = throw UnsupportedOperationException(\"There's no native JS class for Nothing type\")\n\n    override fun equals(other: Any?): Boolean = other === this\n\n    override fun hashCode(): Int = 0\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.js.JsClass\n\n@JsName(\"PrimitiveClasses\")\ninternal
 object PrimitiveClasses {\n    @JsName(\"anyClass\")\n    val anyClass = PrimitiveKClassImpl(js(\"Object\").unsafeCast<JsClass<Any>>(), \"Any\", { it is Any })\n\n    @JsName(\"numberClass\")\n    val numberClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Number>>(), \"Number\", { it is Number })\n\n    @JsName(\"nothingClass\")\n    val nothingClass = NothingKClassImpl\n\n    @JsName(\"booleanClass\")\n    val booleanClass = PrimitiveKClassImpl(js(\"Boolean\").unsafeCast<JsClass<Boolean>>(), \"Boolean\", { it is Boolean })\n\n    @JsName(\"byteClass\")\n    val byteClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Byte>>(), \"Byte\", { it is Byte })\n\n    @JsName(\"shortClass\")\n    val shortClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Short>>(), \"Short\", { it is Short })\n\n    @JsName(\"intClass\")\n    val intClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Int>>(), \"Int\", { it is Int })\n\n    @JsName(\"floatClass\")\n
    val floatClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Float>>(), \"Float\", { it is Float })\n\n    @JsName(\"doubleClass\")\n    val doubleClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Double>>(), \"Double\", { it is Double })\n\n    @JsName(\"arrayClass\")\n    val arrayClass = PrimitiveKClassImpl(js(\"Array\").unsafeCast<JsClass<Array<*>>>(), \"Array\", { it is Array<*> })\n\n    @JsName(\"stringClass\")\n    val stringClass = PrimitiveKClassImpl(js(\"String\").unsafeCast<JsClass<String>>(), \"String\", { it is String })\n\n    @JsName(\"throwableClass\")\n    val throwableClass = PrimitiveKClassImpl(js(\"Error\").unsafeCast<JsClass<Throwable>>(), \"Throwable\", { it is Throwable })\n\n    @JsName(\"booleanArrayClass\")\n    val booleanArrayClass = PrimitiveKClassImpl(js(\"Array\").unsafeCast<JsClass<BooleanArray>>(), \"BooleanArray\", { it is BooleanArray })\n\n    @JsName(\"charArrayClass\")\n    val charArrayClass = PrimitiveKClassImpl(js(\"Uint16Array\").unsafeCast<JsClass<CharArray>>(),
 \"CharArray\", { it is CharArray })\n\n    @JsName(\"byteArrayClass\")\n    val byteArrayClass = PrimitiveKClassImpl(js(\"Int8Array\").unsafeCast<JsClass<ByteArray>>(), \"ByteArray\", { it is ByteArray })\n\n    @JsName(\"shortArrayClass\")\n    val shortArrayClass = PrimitiveKClassImpl(js(\"Int16Array\").unsafeCast<JsClass<ShortArray>>(), \"ShortArray\", { it is ShortArray })\n\n    @JsName(\"intArrayClass\")\n    val intArrayClass = PrimitiveKClassImpl(js(\"Int32Array\").unsafeCast<JsClass<IntArray>>(), \"IntArray\", { it is IntArray })\n\n    @JsName(\"longArrayClass\")\n    val longArrayClass = PrimitiveKClassImpl(js(\"Array\").unsafeCast<JsClass<LongArray>>(), \"LongArray\", { it is LongArray })\n\n    @JsName(\"floatArrayClass\")\n    val floatArrayClass = PrimitiveKClassImpl(js(\"Float32Array\").unsafeCast<JsClass<FloatArray>>(), \"FloatArray\", { it is FloatArray })\n\n    @JsName(\"doubleArrayClass\")\n    val doubleArrayClass
```

```
 = PrimitiveKClassImpl(js(\"Float64Array\").unsafeCast<JsClass<DoubleArray>>(), \"DoubleArray\", { it is DoubleArray })\n\n    @JsName(\"functionClass\")\n    fun functionClass(arity: Int): KClassImpl<Any> {\n return functionClasses.get(arity) ?: run {\n            val result = PrimitiveKClassImpl(js(\"Function\").unsafeCast<JsClass<Any>>(), \"Function$arity\",\n { jsTypeOf(it) === \"function\" && it.asDynamic().length == arity })\n            functionClasses.asDynamic()[arity] = result\n            result\n        }\n    }\n}\n\nprivate val functionClasses = arrayOfNulls<KClassImpl<Any>>(0)","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under the module\n\nimport kotlin.reflect.KClass\nimport kotlin.reflect.js.internal.*\n\n@JsName(\"getKClass\")\ninternal
 fun <T : Any> getKClass(jClass: JsClass<T>): KClass<T> = getOrCreateKClass(jClass)\n\n@JsName(\"getKClassFromExpression\")\ninternal fun <T : Any> getKClassFromExpression(e: T): KClass<T> =\n    when (jsTypeOf(e)) {\n        \"string\" -> PrimitiveClasses.stringClass\n        \"number\" -> if (js(\"e | 0\") === e) PrimitiveClasses.intClass else PrimitiveClasses.doubleClass\n        \"boolean\" -> PrimitiveClasses.booleanClass\n        \"function\" -> PrimitiveClasses.functionClass(e.asDynamic().length)\n        else -> {\n            when {\n                e is BooleanArray -> PrimitiveClasses.booleanArrayClass\n                e is CharArray -> PrimitiveClasses.charArrayClass\n                e is ByteArray -> PrimitiveClasses.byteArrayClass\n                e is ShortArray -> PrimitiveClasses.shortArrayClass\n                e is IntArray -> PrimitiveClasses.intArrayClass\n                e is LongArray -> PrimitiveClasses.longArrayClass\n                e is FloatArray -> PrimitiveClasses.floatArrayClass\n                e is DoubleArray -> PrimitiveClasses.doubleArrayClass\n                e is KClass<*> -> KClass::class\n                e is Array<*> -> PrimitiveClasses.arrayClass\n                else -> {\n                    val constructor = js(\"Object\").getPrototypeOf(e).constructor\n                    when {\n                        constructor === js(\"Object\") -> PrimitiveClasses.anyClass\n                        constructor === js(\"Error\") -> PrimitiveClasses.throwableClass\n                        else -> {\n                            val jsClass: JsClass<T> = constructor\n                            getOrCreateKClass(jsClass)\n                        }\n                    }\n                }\n            }\n        }\n    }.unsafeCast<KClass<T>>()\n\nprivate fun <T : Any> getOrCreateKClass(jClass: JsClass<T>): KClass<T> {\n    if (jClass === js(\"String\")) return PrimitiveClasses.stringClass.unsafeCast<KClass<T>>()\n\n    val metadata = jClass.asDynamic().`$metadata$`\n\n    return if (metadata != null) {\n        if (metadata.`$kClass$` == null) {\n            val kClass = SimpleKClassImpl(jClass)\n            metadata.`$kClass$` = kClass\n            kClass\n        } else {\n            metadata.`$kClass$`\n        }\n    } else {\n        SimpleKClassImpl(jClass)\n    }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n/**\n * Provides enumeration values to use to set regular expression options.\n */\npublic actual enum class RegexOption(val value: String) {\n    /** Enables case-insensitive matching. */\n    IGNORE_CASE(\"i\"),\n    /** Enables multiline mode.\n     *\n     * In multiline mode the expressions `^` and `$` match just after or just before,\n     * respectively, a line terminator or the end of the input sequence. */\n    MULTILINE(\"m\")\n}\n\n\n/**\n
 * Represents the results from a single capturing group within a [MatchResult] of [Regex].\n *\n * @param value The value of captured group.\n */\npublic actual data class MatchGroup(actual val value: String)\n\n/** A compiled representation of a regular expression.\n *\n * For pattern syntax reference see [https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/RegExp] and [http://www.w3schools.com/jsref/jsref_obj_regexp.asp]\n */\npublic actual class Regex actual constructor(pattern: String, options: Set<RegexOption>) {\n\n    /** Creates a regular expression from the specified [pattern] string and the specified single [option]. */\n    public actual constructor(pattern: String, option: RegexOption) : this(pattern, setOf(option))\n\n    /** Creates a regular expression from the specified [pattern] string and the default options. */\n    public actual constructor(pattern: String) : this(pattern, emptySet())\n\n\n    /** The pattern string of this regular expression. */\n    public actual val pattern: String = pattern\n    /** The set of options that were used to create this regular expression. */\n    public actual val options: Set<RegexOption> = options.toSet()\n
```

```
private val nativePattern: RegExp = RegExp(pattern, options.map { it.value }.joinToString(separator = \"\") + \"g\")\n\n    /** Indicates whether the regular expression matches the entire [input]. */\n    public actual infix fun matches(input: CharSequence): Boolean {\n        nativePattern.reset()\n        val match = nativePattern.exec(input.toString())\n        return match != null && match.index == 0 && nativePattern.lastIndex == input.length\n    }\n\n    /** Indicates whether the regular expression can find at least one match in the specified [input]. */\n    public actual fun containsMatchIn(input: CharSequence): Boolean {\n        nativePattern.reset()\n        return nativePattern.test(input.toString())\n    }\n\n    /** Returns the first match of a regular expression in the [input], beginning at the specified [startIndex].\n     *\n     * @param startIndex An index to start search with, by default 0. Must be not less than zero and not greater than `input.length()`\n     * @return An instance of [MatchResult] if match was found or `null` otherwise.\n     */\n    @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n    public actual fun find(input: CharSequence, startIndex: Int = 0): MatchResult? = nativePattern.findNext(input.toString(), startIndex)\n\n    /** Returns a sequence of all occurrences of a regular expression within the [input] string, beginning at the specified [startIndex].\n     */\n    @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n    public actual fun findAll(input: CharSequence, startIndex: Int = 0): Sequence<MatchResult> =\n        generateSequence({ find(input, startIndex) }, { match -> match.next() })\n\n    /**\n     * Attempts to match the entire [input] CharSequence against the pattern.\n     *\n     * @return An instance of [MatchResult] if the entire input matches or `null` otherwise.\n     */\n    public actual fun matchEntire(input: CharSequence): MatchResult? {\n        if (pattern.startsWith('^') && pattern.endsWith('$'))\n            return find(input)\n        else\n            return Regex(\"^${pattern.trimStart('^').trimEnd('$')}$\", options).find(input)\n    }\n\n    /**\n     * Replaces all occurrences of this regular expression in the specified [input] string with specified [replacement] expression.\n     *\n     * @param replacement A replacement expression that can include substitutions. See [https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/String/replace] for details.\n     */\n    public actual fun replace(input: CharSequence, replacement: String): String = input.toString().nativeReplace(nativePattern, replacement)\n\n    /**\n     * Replaces all occurrences of this regular expression in the specified [input] string with the result of\n     * the given function [transform] that takes [MatchResult] and returns a string to be used as a\n     * replacement for that match.\n     */\n    public actual inline fun replace(input: CharSequence, transform: (MatchResult) -> CharSequence): String {\n        var match = find(input)\n        if (match == null) return input.toString()\n\n        var lastStart = 0\n        val length = input.length\n        val sb = StringBuilder(length)\n        do {\n            val foundMatch = match!!\n            sb.append(input, lastStart, foundMatch.range.start)\n            sb.append(transform(foundMatch))\n            lastStart = foundMatch.range.endInclusive + 1\n            match = foundMatch.next()\n        } while (lastStart < length && match != null)\n\n        if (lastStart < length) {\n            sb.append(input, lastStart, length)\n        }\n\n        return sb.toString()\n    }\n\n    /**\n     * Replaces the first occurrence of this regular expression in the specified [input] string with specified [replacement] expression.\n     *\n     * @param replacement A replacement expression that can include substitutions. See [Matcher.appendReplacement] for details.\n     */\n    public actual fun replaceFirst(input: CharSequence, replacement: String): String {\n        val nonGlobalOptions = options.map { it.value }.joinToString(separator = \"\")\n        return input.toString().nativeReplace(RegExp(pattern, nonGlobalOptions), replacement)\n    }\n\n    /**\n     * Splits this string around matches of the given regular expression.\n     *\n     * @param limit The maximum number of times the split can occur.\n     */\n    @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n    public actual fun split(input: CharSequence, limit: Int = 0): List<String> {\n        require(limit >= 0) { \"Limit must be non-negative, but was $limit\" }\n        val matches = findAll(input).let { if (limit == 0) it else it.take(limit - 1) }\n        val result = mutableListOf<String>()\n\n        var lastStart = 0\n\n        for (match in matches) {\n            result.add(input.subSequence(lastStart, match.range.start).toString())\n            lastStart = match.range.endInclusive + 1\n        }\n
```

result.add(input.subSequence(lastStart, input.length).toString())\n return result\n }\n\n /** Returns the string representation of this regular expression. */\n public override fun toString(): String = nativePattern.toString()\n\n actual companion object {\n /** Returns a literal regex for the specified [literal] string. */\n public actual fun fromLiteral(literal: String): Regex = Regex(escape(literal))\n\n /** Returns a literal pattern for the specified [literal] string. */\n public actual fun escape(literal: String): String = literal.nativeReplace(patternEscape, \"\\\\$&\")\n\n /** Returns a literal replacement exression for the specified [literal] string. */\n public actual fun escapeReplacement(literal:
String): String = literal.nativeReplace(replacementEscape, \"$$$$\")\n\n private val patternEscape = RegExp(\"\\\"[-\\\\^$*+?.()|[\\]{}]\\\"\", \"g\")\n private val replacementEscape = RegExp(\"\\\"\\$\\\"\", \"g\")\n }\n}\n\n/** Creates a regular expression from the specified [pattern] string and the specified single [option]. */\n@Deprecated(\"Provided for binary compatibility\", level = DeprecationLevel.HIDDEN)\n@JsName(\"Regex_sb3q2\$\")\npublic fun Regex_0(pattern: String, option: RegexOption): Regex = Regex(pattern, setOf(option))\n\n/** Creates a regular expression from the specified [pattern] string and the default options. */\n@Deprecated(\"Provided for binary compatibility\", level = DeprecationLevel.HIDDEN)\n@JsName(\"Regex_61zpoe\$\")\npublic fun Regex_1(pattern: String): Regex = Regex(pattern, emptySet())\n\n\n\n\nprivate fun RegExp.findNext(input: String, from: Int): MatchResult? {\n this.lastIndex = from\n val match = exec(input)\n
if (match == null) return null\n val range = match.index..lastIndex - 1\n\n return object : MatchResult {\n override val range: IntRange = range\n override val value: String\n get() = match[0]!!\n\n override val groups: MatchGroupCollection = object : MatchGroupCollection, AbstractCollection<MatchGroup?>() {\n override val size: Int get() = match.length\n override fun iterator(): Iterator<MatchGroup?> = indices.asSequence().map { this[it] }.iterator()\n override fun get(index: Int): MatchGroup? = match[index]?.let { MatchGroup(it) }\n }\n\n\n private var groupValues_: List<String>? = null\n\n override val groupValues: List<String>\n get() {\n if (groupValues_ == null) {\n groupValues_ = object : AbstractList<String>() {\n override val size: Int get() = match.length\n override fun get(index: Int): String
= match[index] ?: \"\"\n }\n }\n return groupValues_!!\n }\n\n override fun next(): MatchResult? = this@findNext.findNext(input, if (range.isEmpty()) range.start + 1 else range.endInclusive + 1)\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nexpect interface Appendable {\n fun append(c: Char): Appendable\n fun append(csq: CharSequence?): Appendable\n fun append(csq: CharSequence?, start: Int, end: Int): Appendable\n}\n\nexpect class StringBuilder : Appendable, CharSequence {\n constructor()\n constructor(capacity: Int)\n constructor(content: CharSequence)\n\n override val length: Int\n override operator fun get(index: Int): Char\n override fun subSequence(startIndex: Int, endIndex: Int): CharSequence\n\n fun reverse(): StringBuilder\n
override fun append(c: Char): StringBuilder\n override fun append(csq: CharSequence?): StringBuilder\n override fun append(csq: CharSequence?, start: Int, end: Int): StringBuilder\n fun append(obj: Any?): StringBuilder\n}\n\nexpect class Regex {\n constructor(pattern: String)\n constructor(pattern: String, option: RegexOption)\n constructor(pattern: String, options: Set<RegexOption>)\n\n val pattern: String\n val options: Set<RegexOption>\n\n fun matchEntire(input: CharSequence): MatchResult?\n infix fun matches(input: CharSequence): Boolean\n fun containsMatchIn(input: CharSequence): Boolean\n fun replace(input: CharSequence, replacement: String): String\n fun replace(input: CharSequence, transform: (MatchResult) -> CharSequence): String\n fun replaceFirst(input: CharSequence, replacement: String): String\n\n /**\n * Returns the first match of a regular expression in the [input], beginning at the specified [startIndex].\n *\n
* @param startIndex An index to start search with, by default 0. Must be not less than zero and not greater than `input.length()`\n * @return An instance of [MatchResult] if match was found or `null` otherwise.\n */\n fun find(input: CharSequence, startIndex: Int = 0): MatchResult?\n\n /**\n * Returns a sequence of all occurrences of a regular expression within the [input] string, beginning at the specified [startIndex].\n */\n fun findAll(input:

CharSequence, startIndex: Int = 0): Sequence<MatchResult>\n\n /**\n * Splits the [input] CharSequence around matches of this regular expression.\n *\n * @param limit Non-negative value specifying the maximum number of substrings the string can be split to.\n * Zero by default means no limit is set.\n */\n fun split(input: CharSequence, limit: Int = 0): List<String>\n\n companion object {\n fun fromLiteral(literal: String): Regex\n fun escape(literal: String): String\n fun escapeReplacement(literal: String): String\n }\n}\n\nexpect class MatchGroup {\n val value: String\n}\n\nexpect enum class RegexOption {\n IGNORE_CASE,\n MULTILINE\n}\n\n\n// From char.kt\n\nexpect fun Char.isWhitespace(): Boolean\nexpect fun Char.toLowerCase(): Char\nexpect fun Char.toUpperCase(): Char\nexpect fun Char.isHighSurrogate(): Boolean\nexpect fun Char.isLowSurrogate(): Boolean\n\n// From string.kt\n\n\n/**\n * Converts the characters in the specified array to a string.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun String(chars: CharArray): String\n\n/**\n * Converts the characters from a portion of the specified array to a string.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun String(chars: CharArray, offset: Int, length: Int): String\n\n\ninternal expect fun String.nativeIndexOf(str: String, fromIndex: Int): Int\ninternal expect fun String.nativeLastIndexOf(str: String, fromIndex: Int): Int\n\n\npublic expect fun String.substring(startIndex: Int): String\npublic expect fun String.substring(startIndex: Int, endIndex: Int): String\n\n\npublic expect fun String.toUpperCase(): String\npublic expect fun String.toLowerCase(): String\npublic expect fun String.capitalize(): String\npublic expect fun String.decapitalize(): String\npublic expect fun CharSequence.repeat(n: Int): String\n\n\n/**\n * Returns a new string with all occurrences of [oldChar] replaced with [newChar].\n */\nexpect fun String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String\n\n/**\n * Returns a new string obtained by replacing all occurrences of the [oldValue] substring in this string\n * with the specified [newValue] string.\n */\nexpect fun String.replace(oldValue: String, newValue: String, ignoreCase: Boolean = false): String\n\n/**\n * Returns a new string with the first occurrence of [oldChar] replaced with [newChar].\n */\nexpect fun String.replaceFirst(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String\n\n/**\n * Returns a new string obtained by replacing the first occurrence of the [oldValue] substring in this string\n * with the specified [newValue] string.\n */\nexpect fun String.replaceFirst(oldValue: String, newValue: String, ignoreCase: Boolean = false): String\n\n/**\n * Returns `true` if this string is equal to [other], optionally ignoring character case.\n *\n * @param ignoreCase `true` to ignore character case when comparing strings. By default `false`.\n */\nexpect fun String?.equals(other: String?, ignoreCase: Boolean = false): Boolean\n\n// From stringsCode.kt\n\ninternal inline expect fun String.nativeIndexOf(ch: Char, fromIndex: Int): Int\ninternal inline expect fun String.nativeLastIndexOf(ch: Char, fromIndex: Int): Int\n\nexpect fun CharSequence.isBlank(): Boolean\n/**\n * Returns `true` if the specified range in this char sequence is equal to the specified range in another char sequence.\n * @param thisOffset the start offset in this char sequence of the substring to compare.\n * @param other the string against a substring of which the comparison is performed.\n * @param otherOffset the start offset in the other char sequence of the substring to compare.\n * @param length the length of the substring to compare.\n */\nexpect fun CharSequence.regionMatches(\n thisOffset: Int,\n other: CharSequence,\n otherOffset: Int,\n length: Int,\n ignoreCase: Boolean = false\n): Boolean\n\n\n/**\n * Returns `true` if the contents of this string is equal to the word \"true\", ignoring case, and `false` otherwise.\n */\nexpect fun String.toBoolean(): Boolean\n\n/**\n * Parses the string as a signed [Byte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\nexpect fun String.toByte(): Byte\n\n/**\n * Parses the string as a signed [Byte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\nexpect fun String.toByte(radix: Int): Byte\n\n\n/**\n * Parses the string as a [Short] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\nexpect fun String.toShort(): Short\n\n/**\n * Parses the string as a [Short] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\nexpect fun String.toShort(radix: Int): Short\n\n/**\n * Parses the string as an [Int] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\nexpect fun String.toInt(): Int\n\n/**\n * Parses the string as an [Int] number

and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\nexpect fun String.toInt(radix: Int): Int\n\n/**\n * Parses the string as a [Long] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\nexpect fun String.toLong(): Long\n\n/**\n * Parses the string as a [Long] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\nexpect fun String.toLong(radix: Int): Long\n\n/**\n * Parses the string as a [Double] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\nexpect fun String.toDouble(): Double\n\n/**\n * Parses the string as a [Float] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\nexpect fun String.toFloat(): Float\n\n/**\n * Parses the string as a [Double] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\nexpect fun String.toDoubleOrNull(): Double?\n\n/**\n * Parses the string as a [Float] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\nexpect fun String.toFloatOrNull(): Float?\n\n/**\n * Returns a string representation of this [Byte] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\nexpect fun Byte.toString(radix: Int): String\n\n/**\n * Returns a string representation of this [Short] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\nexpect fun Short.toString(radix: Int): String\n\n/**\n * Returns a string representation of this [Int] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\nexpect fun Int.toString(radix: Int): String\n\n/**\n * Returns a string representation of this [Long] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\nexpect fun Long.toString(radix: Int): String\n\n@PublishedApi\ninternal expect fun checkRadix(radix: Int): Int\n\ninternal expect fun digitOf(char: Char, radix: Int): Int\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Exposes the JavaScript [RegExp object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/RegExp) to Kotlin.\n */\n@Suppress(\"NOT_DOCUMENTED\")\npublic external class RegExp(pattern: String, flags: String? = definedExternally) {\n\n   public fun test(str: String): Boolean\n\n   public fun exec(str: String): RegExpMatch?\n\n   public override fun toString(): String\n\n   /**\n   * The lastIndex is a read/write integer property of regular expressions that specifies the index at which to start the next match.\n   */\n   public var lastIndex: Int\n\n   public val global: Boolean\n   public val ignoreCase: Boolean\n   public val multiline: Boolean\n}\n\n/**\n * Resets the regular expression so that subsequent [RegExp.test] and [RegExp.exec] calls will match starting with the beginning of the input string.\n */\npublic fun RegExp.reset() {\n   lastIndex = 0\n}\n\n// TODO: Inherit from array or introduce asArray() extension\n/**\n * Represents the return value of [RegExp.exec].\n */\n@Suppress(\"NOT_DOCUMENTED\")\npublic external interface RegExpMatch {\n   public val index: Int\n   public val input: String\n   public val length: Int\n}\n\n/**\n * Returns the entire text matched by [RegExp.exec] if the [index] parameter is 0, or the text matched by the capturing parenthesis\n * at the given index.\n */\npublic inline operator fun RegExpMatch.get(index: Int): String? = asDynamic()[index]\n\n/**\n * Converts the result of [RegExp.exec] to an array where the first element contains the entire matched text and each subsequent\n * element is the text matched by each capturing parenthesis.\n */\npublic inline fun RegExpMatch.asArray(): Array<out String?> = unsafeCast<Array<out String?>>()\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.sequences\n\ninternal actual class ConstrainedOnceSequence<T> actual constructor(sequence: Sequence<T>) : Sequence<T> {\n   private var sequenceRef: Sequence<T>? = sequence\n\n   actual override fun iterator(): Iterator<T> {\n   val sequence = sequenceRef ?: throw IllegalStateException(\"This sequence can be consumed only once.\")\n   sequenceRef =

```
null\n        return sequence.iterator()\n    }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeIndexOf(ch: Char, fromIndex: Int): Int = nativeIndexOf(ch.toString(), fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeLastIndexOf(ch: Char, fromIndex: Int): Int = nativeLastIndexOf(ch.toString(), fromIndex)\n\n/**\n * Returns `true` if this string starts with the specified prefix.\n */\npublic fun String.startsWith(prefix: String, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase)\n        return nativeStartsWith(prefix, 0)\n    else\n        return regionMatches(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if a substring of this string starting at the specified offset [startIndex] starts with the specified prefix.\n */\npublic fun String.startsWith(prefix: String, startIndex: Int, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase)\n        return nativeStartsWith(prefix, startIndex)\n    else\n
        return regionMatches(startIndex, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this string ends with the specified suffix.\n */\npublic fun String.endsWith(suffix: String, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase)\n        return nativeEndsWith(suffix)\n    else\n        return regionMatches(length - suffix.length, suffix, 0, suffix.length, ignoreCase)\n}\n\n\npublic fun String.matches(regex: String): Boolean {\n    val result = this.match(regex)\n    return result != null && result.size != 0\n}\n\npublic actual fun CharSequence.isBlank(): Boolean = length == 0 || (if (this is String) this else this.toString()).matches(\"^[\\\\s\\\\xA0]+$\")\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String?.equals(other: String?, ignoreCase: Boolean = false): Boolean =\n    if (this == null)\n        other == null\n    else if (!ignoreCase)\n        this == other\n    else\n        other != null && this.toLowerCase()
    == other.toLowerCase()\n\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun CharSequence.regionMatches(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int, ignoreCase: Boolean = false): Boolean =\n    regionMatchesImpl(thisOffset, other, otherOffset, length, ignoreCase)\n\n\n/**\n * Returns a copy of this string capitalised if it is not empty or already starting with an uppper case letter, otherwise returns this\n *\n * @includeFunctionBody ../../test/StringTest.kt capitalize\n */\npublic actual fun String.capitalize(): String {\n    return if (isNotEmpty()) substring(0, 1).toUpperCase() + substring(1) else this\n}\n\n/**\n * Returns a copy of this string with the first letter lower case if it is not empty or already starting with a lower case letter, otherwise returns this\n *\n * @includeFunctionBody ../../test/StringTest.kt decapitalize\n */\npublic actual fun String.decapitalize(): String {\n    return if (isNotEmpty()) substring(0, 1).toLowerCase()
    + substring(1) else this\n}\n\n/**\n * Returns a string containing this char sequence repeated [n] times.\n * @throws [IllegalArgumentException] when n < 0.\n */\npublic actual fun CharSequence.repeat(n: Int): String {\n    require(n >= 0) { \"Count 'n' must be non-negative, but was $n.\" }\n    return when (n) {\n        0 -> \"\"\n        1 -> this.toString()\n        else -> {\n            var result = \"\"\n            if (!isEmpty()) {\n                var s = this.toString()\n                var count = n\n                while (true) {\n                    if ((count and 1) == 1) {\n                        result += s\n                    }\n                    count = count ushr 1\n                    if (count == 0) {\n                        break\n                    }\n                    s += s\n                }\n            }\n            return result\n        }\n    }\n}\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.replace(oldValue:
    String, newValue: String, ignoreCase: Boolean = false): String =\n    nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) \"gi\" else \"g\"), Regex.escapeReplacement(newValue))\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n    nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) \"gi\" else \"g\"), newChar.toString())\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.replaceFirst(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n    nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) \"i\" else \"\"),
```

Regex.escapeReplacement(newValue))\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.replaceFirst(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase)
 \"i\" else \"\"), newChar.toString())\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n\npublic actual interface Appendable {\n public actual fun append(csq: CharSequence?): Appendable\n public actual fun append(csq: CharSequence?, start: Int, end: Int): Appendable\n public actual fun append(c: Char): Appendable\n}\n\npublic actual class StringBuilder(content: String = \"\") : Appendable, CharSequence {\n actual constructor(capacity: Int) : this() {}\n\n actual constructor(content: CharSequence) : this(content.toString()) {}\n\n actual constructor() : this(\"\")\n\n private var string: String = content\n\n actual override val length: Int\n get() = string.asDynamic().length\n\n actual override fun get(index: Int): Char = string[index]\n\n actual override fun subSequence(startIndex: Int, endIndex: Int):
 CharSequence = string.substring(startIndex, endIndex)\n\n actual override fun append(c: Char): StringBuilder {\n string += c\n return this\n }\n\n actual override fun append(csq: CharSequence?): StringBuilder {\n string += csq.toString()\n return this\n }\n\n actual override fun append(csq: CharSequence?, start: Int, end: Int): StringBuilder {\n string += csq.toString().substring(start, end)\n return this\n }\n\n actual fun append(obj: Any?): StringBuilder {\n string += obj.toString()\n return this\n }\n\n actual fun reverse(): StringBuilder {\n string = string.asDynamic().split(\"\").reverse().join(\"\")\n return this\n }\n\n override fun toString(): String = string\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO
 NOT EDIT!\n// See libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage org.khronos.webgl\n\nimport kotlin.js.*\nimport org.w3c.dom.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic external interface WebGLContextAttributes {\n var alpha: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var depth: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var stencil: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var antialias: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var
 premultipliedAlpha: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var preserveDrawingBuffer: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var preferLowPowerToHighPerformance: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var failIfMajorPerformanceCaveat: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun WebGLContextAttributes(alpha: Boolean? = true, depth: Boolean? = true, stencil: Boolean? = false, antialias: Boolean? = true, premultipliedAlpha: Boolean? = true, preserveDrawingBuffer: Boolean? = false, preferLowPowerToHighPerformance: Boolean? = false, failIfMajorPerformanceCaveat: Boolean? = false): WebGLContextAttributes {\n val o = js(\"({})\")\n\n o[\"alpha\"] = alpha\n o[\"depth\"] = depth\n o[\"stencil\"]
 = stencil\n o[\"antialias\"] = antialias\n o[\"premultipliedAlpha\"] = premultipliedAlpha\n o[\"preserveDrawingBuffer\"] = preserveDrawingBuffer\n o[\"preferLowPowerToHighPerformance\"] = preferLowPowerToHighPerformance\n o[\"failIfMajorPerformanceCaveat\"] = failIfMajorPerformanceCaveat\n\n return o\n}\n\npublic external abstract class WebGLObject {\n}\n\n/**\n * Exposes the JavaScript [WebGLBuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLBuffer) to Kotlin\n */\npublic external abstract class WebGLBuffer : WebGLObject {\n}\n\n/**\n * Exposes the JavaScript

[WebGLFramebuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLFramebuffer) to Kotlin\n */\npublic external abstract class WebGLFramebuffer : WebGLObject {\n}\n\n/**\n * Exposes the JavaScript [WebGLProgram](https://developer.mozilla.org/en/docs/Web/API/WebGLProgram) to Kotlin\n */\npublic external abstract class WebGLProgram : WebGLObject {\n}\n\n/**\n * Exposes the JavaScript [WebGLRenderbuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderbuffer) to Kotlin\n */\npublic external abstract class WebGLRenderbuffer : WebGLObject {\n}\n\n/**\n * Exposes the JavaScript [WebGLShader](https://developer.mozilla.org/en/docs/Web/API/WebGLShader) to Kotlin\n */\npublic external abstract class WebGLShader : WebGLObject {\n}\n\n/**\n * Exposes the JavaScript [WebGLTexture](https://developer.mozilla.org/en/docs/Web/API/WebGLTexture) to Kotlin\n */\npublic external abstract class WebGLTexture : WebGLObject {\n}\n\n/**\n * Exposes the JavaScript [WebGLUniformLocation](https://developer.mozilla.org/en/docs/Web/API/WebGLUniformLocation) to Kotlin\n */\npublic external abstract class WebGLUniformLocation {\n}\n\n/**\n * Exposes the JavaScript [WebGLActiveInfo](https://developer.mozilla.org/en/docs/Web/API/WebGLActiveInfo) to Kotlin\n */\npublic external abstract class WebGLActiveInfo {\n   open val size: Int\n   open val type: Int\n   open val name: String\n}\n\n/**\n * Exposes the JavaScript [WebGLShaderPrecisionFormat](https://developer.mozilla.org/en/docs/Web/API/WebGLShaderPrecisionFormat) to Kotlin\n */\npublic external abstract class WebGLShaderPrecisionFormat {\n   open val rangeMin: Int\n   open val rangeMax: Int\n   open val precision: Int\n}\n\npublic external interface WebGLRenderingContextBase {\n   val canvas: HTMLCanvasElement\n   val drawingBufferWidth: Int\n   val drawingBufferHeight: Int\n   fun getContextAttributes(): WebGLContextAttributes?\n   fun isContextLost(): Boolean\n   fun getSupportedExtensions(): Array<String>?\n   fun getExtension(name: String): dynamic\n   fun activeTexture(texture: Int): Unit\n   fun attachShader(program: WebGLProgram?, shader: WebGLShader?): Unit\n   fun bindAttribLocation(program: WebGLProgram?, index: Int, name: String): Unit\n   fun bindBuffer(target: Int, buffer: WebGLBuffer?): Unit\n   fun bindFramebuffer(target: Int, framebuffer: WebGLFramebuffer?): Unit\n   fun bindRenderbuffer(target: Int, renderbuffer: WebGLRenderbuffer?): Unit\n   fun bindTexture(target: Int, texture: WebGLTexture?): Unit\n   fun blendColor(red: Float, green: Float, blue: Float, alpha: Float): Unit\n   fun blendEquation(mode: Int): Unit\n   fun blendEquationSeparate(modeRGB: Int, modeAlpha: Int): Unit\n   fun blendFunc(sfactor: Int, dfactor: Int): Unit\n   fun blendFuncSeparate(srcRGB: Int, dstRGB: Int, srcAlpha: Int, dstAlpha: Int): Unit\n   fun bufferData(target: Int, size: Int, usage: Int): Unit\n   fun bufferData(target: Int, data: BufferDataSource?, usage: Int): Unit\n   fun bufferSubData(target: Int, offset: Int, data: BufferDataSource?): Unit\n   fun checkFramebufferStatus(target: Int): Int\n   fun clear(mask: Int): Unit\n   fun clearColor(red: Float, green: Float, blue: Float, alpha: Float): Unit\n   fun clearDepth(depth: Float): Unit\n   fun clearStencil(s: Int): Unit\n   fun colorMask(red: Boolean, green: Boolean, blue: Boolean, alpha: Boolean): Unit\n   fun compileShader(shader: WebGLShader?): Unit\n   fun compressedTexImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, data: ArrayBufferView): Unit\n   fun compressedTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int, format: Int, data: ArrayBufferView): Unit\n   fun copyTexImage2D(target: Int, level: Int, internalformat: Int, x: Int, y: Int, width: Int, height: Int, border: Int): Unit\n   fun copyTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, x: Int, y: Int, width: Int, height: Int): Unit\n   fun createBuffer(): WebGLBuffer?\n   fun createFramebuffer(): WebGLFramebuffer?\n   fun createProgram(): WebGLProgram?\n   fun createRenderbuffer(): WebGLRenderbuffer?\n   fun createShader(type: Int): WebGLShader?\n   fun createTexture(): WebGLTexture?\n   fun cullFace(mode: Int): Unit\n   fun deleteBuffer(buffer: WebGLBuffer?): Unit\n   fun deleteFramebuffer(framebuffer: WebGLFramebuffer?): Unit\n   fun deleteProgram(program: WebGLProgram?): Unit\n   fun deleteRenderbuffer(renderbuffer: WebGLRenderbuffer?): Unit\n   fun deleteShader(shader: WebGLShader?): Unit\n   fun deleteTexture(texture: WebGLTexture?): Unit\n   fun depthFunc(func: Int): Unit\n   fun depthMask(flag: Boolean): Unit\n   fun depthRange(zNear: Float, zFar: Float): Unit\n   fun detachShader(program: WebGLProgram?, shader:

WebGLShader?): Unit\n fun disable(cap: Int): Unit\n fun disableVertexAttribArray(index: Int): Unit\n fun drawArrays(mode: Int, first: Int, count: Int): Unit\n fun drawElements(mode: Int, count: Int, type: Int, offset: Int): Unit\n fun enable(cap: Int): Unit\n fun enableVertexAttribArray(index: Int): Unit\n fun finish(): Unit\n fun flush(): Unit\n fun framebufferRenderbuffer(target: Int, attachment: Int, renderbuffertarget: Int, renderbuffer: WebGLRenderbuffer?): Unit\n fun framebufferTexture2D(target: Int, attachment: Int, textarget: Int, texture: WebGLTexture?,
level: Int): Unit\n fun frontFace(mode: Int): Unit\n fun generateMipmap(target: Int): Unit\n fun getActiveAttrib(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n fun getActiveUniform(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n fun getAttachedShaders(program: WebGLProgram?): Array<WebGLShader>?\n fun getAttribLocation(program: WebGLProgram?, name: String): Int\n fun getBufferParameter(target: Int, pname: Int): Any?\n fun getParameter(pname: Int): Any?\n fun getError(): Int\n fun getFramebufferAttachmentParameter(target: Int, attachment: Int, pname: Int): Any?\n fun getProgramParameter(program: WebGLProgram?, pname: Int): Any?\n fun getProgramInfoLog(program: WebGLProgram?): String?\n fun getRenderbufferParameter(target: Int, pname: Int): Any?\n fun getShaderParameter(shader: WebGLShader?, pname: Int): Any?\n fun getShaderPrecisionFormat(shadertype: Int, precisiontype: Int): WebGLShaderPrecisionFormat?\n fun getShaderInfoLog(shader:
WebGLShader?): String?\n fun getShaderSource(shader: WebGLShader?): String?\n fun getTexParameter(target: Int, pname: Int): Any?\n fun getUniform(program: WebGLProgram?, location: WebGLUniformLocation?): Any?\n fun getUniformLocation(program: WebGLProgram?, name: String): WebGLUniformLocation?\n fun getVertexAttrib(index: Int, pname: Int): Any?\n fun getVertexAttribOffset(index: Int, pname: Int): Int\n fun hint(target: Int, mode: Int): Unit\n fun isBuffer(buffer: WebGLBuffer?): Boolean\n fun isEnabled(cap: Int): Boolean\n fun isFramebuffer(framebuffer: WebGLFramebuffer?): Boolean\n fun isProgram(program: WebGLProgram?): Boolean\n fun isRenderbuffer(renderbuffer: WebGLRenderbuffer?): Boolean\n fun isShader(shader: WebGLShader?): Boolean\n fun isTexture(texture: WebGLTexture?): Boolean\n fun lineWidth(width: Float): Unit\n fun linkProgram(program: WebGLProgram?): Unit\n fun pixelStorei(pname: Int, param: Int): Unit\n fun polygonOffset(factor: Float, units: Float): Unit\n fun readPixels(x: Int, y: Int, width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?): Unit\n fun renderbufferStorage(target: Int, internalformat: Int, width: Int, height: Int): Unit\n fun sampleCoverage(value: Float, invert: Boolean): Unit\n fun scissor(x: Int, y: Int, width: Int, height: Int): Unit\n fun shaderSource(shader: WebGLShader?, source: String): Unit\n fun stencilFunc(func: Int, ref: Int, mask: Int): Unit\n fun stencilFuncSeparate(face: Int, func: Int, ref: Int, mask: Int): Unit\n fun stencilMask(mask: Int): Unit\n fun stencilMaskSeparate(face: Int, mask: Int): Unit\n fun stencilOp(fail: Int, zfail: Int, zpass: Int): Unit\n fun stencilOpSeparate(face: Int, fail: Int, zfail: Int, zpass: Int): Unit\n fun texImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, format: Int, type: Int, pixels: ArrayBufferView?): Unit\n fun texImage2D(target:
Int, level: Int, internalformat: Int, format: Int, type: Int, source: TexImageSource?): Unit\n fun texParameterf(target: Int, pname: Int, param: Float): Unit\n fun texParameteri(target: Int, pname: Int, param: Int): Unit\n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?): Unit\n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, format: Int, type: Int, source: TexImageSource?): Unit\n fun uniform1f(location: WebGLUniformLocation?, x: Float): Unit\n fun uniform1fv(location: WebGLUniformLocation?, v: Float32Array): Unit\n fun uniform1fv(location: WebGLUniformLocation?, v: Array<Float>): Unit\n fun uniform1i(location: WebGLUniformLocation?, x: Int): Unit\n fun uniform1iv(location: WebGLUniformLocation?, v: Int32Array): Unit\n fun uniform1iv(location: WebGLUniformLocation?, v: Array<Int>): Unit\n fun uniform2f(location: WebGLUniformLocation?,
x: Float, y: Float): Unit\n fun uniform2fv(location: WebGLUniformLocation?, v: Float32Array): Unit\n fun uniform2fv(location: WebGLUniformLocation?, v: Array<Float>): Unit\n fun uniform2i(location: WebGLUniformLocation?, x: Int, y: Int): Unit\n fun uniform2iv(location: WebGLUniformLocation?, v: Int32Array): Unit\n fun uniform2iv(location: WebGLUniformLocation?, v: Array<Int>): Unit\n fun

uniform3f(location: WebGLUniformLocation?, x: Float, y: Float, z: Float): Unit\n fun uniform3fv(location: WebGLUniformLocation?, v: Float32Array): Unit\n fun uniform3fv(location: WebGLUniformLocation?, v: Array<Float>): Unit\n fun uniform3i(location: WebGLUniformLocation?, x: Int, y: Int, z: Int): Unit\n fun uniform3iv(location: WebGLUniformLocation?, v: Int32Array): Unit\n fun uniform3iv(location: WebGLUniformLocation?, v: Array<Int>): Unit\n fun uniform4f(location: WebGLUniformLocation?, x: Float, y: Float, z: Float, w: Float): Unit\n fun uniform4fv(location: WebGLUniformLocation?, v: Float32Array): Unit\n fun uniform4fv(location: WebGLUniformLocation?, v: Array<Float>): Unit\n fun uniform4i(location: WebGLUniformLocation?, x: Int, y: Int, z: Int, w: Int): Unit\n fun uniform4iv(location: WebGLUniformLocation?, v: Int32Array): Unit\n fun uniform4iv(location: WebGLUniformLocation?, v: Array<Int>): Unit\n fun uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array): Unit\n fun uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>): Unit\n fun uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array): Unit\n fun uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>): Unit\n fun uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array): Unit\n fun uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>): Unit\n fun useProgram(program: WebGLProgram?): Unit\n fun validateProgram(program: WebGLProgram?): Unit\n fun vertexAttrib1f(index: Int, x: Float): Unit\n fun vertexAttrib1fv(index: Int, values: dynamic): Unit\n fun vertexAttrib2f(index: Int, x: Float, y: Float): Unit\n fun vertexAttrib2fv(index: Int, values: dynamic): Unit\n fun vertexAttrib3f(index: Int, x: Float, y: Float, z: Float): Unit\n fun vertexAttrib3fv(index: Int, values: dynamic): Unit\n fun vertexAttrib4f(index: Int, x: Float, y: Float, z: Float, w: Float): Unit\n fun vertexAttrib4fv(index: Int, values: dynamic): Unit\n fun vertexAttribPointer(index: Int, size: Int, type: Int, normalized: Boolean, stride: Int, offset: Int): Unit\n fun viewport(x: Int, y: Int, width: Int, height: Int): Unit\n\n companion object {\n val DEPTH_BUFFER_BIT: Int\n val STENCIL_BUFFER_BIT: Int\n val COLOR_BUFFER_BIT: Int\n val POINTS: Int\n val LINES: Int\n val LINE_LOOP: Int\n val LINE_STRIP: Int\n val TRIANGLES: Int\n val TRIANGLE_STRIP: Int\n val TRIANGLE_FAN: Int\n val ZERO: Int\n val ONE: Int\n val SRC_COLOR: Int\n val ONE_MINUS_SRC_COLOR: Int\n val SRC_ALPHA: Int\n val ONE_MINUS_SRC_ALPHA: Int\n val DST_ALPHA: Int\n val ONE_MINUS_DST_ALPHA: Int\n val DST_COLOR: Int\n val ONE_MINUS_DST_COLOR: Int\n val SRC_ALPHA_SATURATE: Int\n val FUNC_ADD: Int\n val BLEND_EQUATION: Int\n val BLEND_EQUATION_RGB: Int\n val BLEND_EQUATION_ALPHA: Int\n val FUNC_SUBTRACT: Int\n val FUNC_REVERSE_SUBTRACT: Int\n val BLEND_DST_RGB: Int\n val BLEND_SRC_RGB: Int\n val BLEND_DST_ALPHA: Int\n val BLEND_SRC_ALPHA: Int\n val CONSTANT_COLOR: Int\n val ONE_MINUS_CONSTANT_COLOR: Int\n val CONSTANT_ALPHA: Int\n val ONE_MINUS_CONSTANT_ALPHA: Int\n val BLEND_COLOR: Int\n

val ARRAY_BUFFER: Int\n val ELEMENT_ARRAY_BUFFER: Int\n val ARRAY_BUFFER_BINDING: Int\n val ELEMENT_ARRAY_BUFFER_BINDING: Int\n val STREAM_DRAW: Int\n val STATIC_DRAW: Int\n val DYNAMIC_DRAW: Int\n val BUFFER_SIZE: Int\n val BUFFER_USAGE: Int\n val CURRENT_VERTEX_ATTRIB: Int\n val FRONT: Int\n val BACK: Int\n val FRONT_AND_BACK: Int\n val CULL_FACE: Int\n val BLEND: Int\n val DITHER: Int\n val STENCIL_TEST: Int\n val DEPTH_TEST: Int\n val SCISSOR_TEST: Int\n val POLYGON_OFFSET_FILL: Int\n val SAMPLE_ALPHA_TO_COVERAGE: Int\n val SAMPLE_COVERAGE: Int\n val NO_ERROR: Int\n val INVALID_ENUM: Int\n val INVALID_VALUE: Int\n val INVALID_OPERATION: Int\n val OUT_OF_MEMORY: Int\n val CW: Int\n val CCW: Int\n val LINE_WIDTH: Int\n val ALIASED_POINT_SIZE_RANGE: Int\n val ALIASED_LINE_WIDTH_RANGE:

Int\n val CULL_FACE_MODE: Int\n val FRONT_FACE: Int\n val DEPTH_RANGE: Int\n val DEPTH_WRITEMASK: Int\n val DEPTH_CLEAR_VALUE: Int\n val DEPTH_FUNC: Int\n val STENCIL_CLEAR_VALUE: Int\n val STENCIL_FUNC: Int\n val STENCIL_FAIL: Int\n val STENCIL_PASS_DEPTH_FAIL: Int\n val STENCIL_PASS_DEPTH_PASS: Int\n val STENCIL_REF: Int\n val STENCIL_VALUE_MASK: Int\n val STENCIL_WRITEMASK: Int\n val STENCIL_BACK_FUNC: Int\n val STENCIL_BACK_FAIL: Int\n val STENCIL_BACK_PASS_DEPTH_FAIL: Int\n val STENCIL_BACK_PASS_DEPTH_PASS: Int\n val STENCIL_BACK_REF: Int\n val STENCIL_BACK_VALUE_MASK: Int\n val STENCIL_BACK_WRITEMASK: Int\n val VIEWPORT: Int\n val SCISSOR_BOX: Int\n val COLOR_CLEAR_VALUE: Int\n val COLOR_WRITEMASK: Int\n val UNPACK_ALIGNMENT: Int\n val PACK_ALIGNMENT: Int\n val MAX_TEXTURE_SIZE: Int\n val MAX_VIEWPORT_DIMS: Int\n val SUBPIXEL_BITS: Int\n val RED_BITS: Int\n val GREEN_BITS: Int\n val BLUE_BITS: Int\n val ALPHA_BITS: Int\n val DEPTH_BITS: Int\n val STENCIL_BITS: Int\n val POLYGON_OFFSET_UNITS: Int\n val POLYGON_OFFSET_FACTOR: Int\n val TEXTURE_BINDING_2D: Int\n val SAMPLE_BUFFERS: Int\n val SAMPLES: Int\n val SAMPLE_COVERAGE_VALUE: Int\n val SAMPLE_COVERAGE_INVERT: Int\n val COMPRESSED_TEXTURE_FORMATS: Int\n val DONT_CARE: Int\n val FASTEST: Int\n val NICEST: Int\n val GENERATE_MIPMAP_HINT: Int\n val BYTE: Int\n val UNSIGNED_BYTE: Int\n val SHORT: Int\n val UNSIGNED_SHORT: Int\n val INT: Int\n val UNSIGNED_INT: Int\n val FLOAT: Int\n val DEPTH_COMPONENT: Int\n val ALPHA: Int\n val RGB: Int\n val RGBA: Int\n val LUMINANCE: Int\n val LUMINANCE_ALPHA: Int\n val UNSIGNED_SHORT_4_4_4_4: Int\n val UNSIGNED_SHORT_5_5_5_1: Int\n val UNSIGNED_SHORT_5_6_5: Int\n val FRAGMENT_SHADER: Int\n val VERTEX_SHADER: Int\n val MAX_VERTEX_ATTRIBS: Int\n val MAX_VERTEX_UNIFORM_VECTORS: Int\n val MAX_VARYING_VECTORS: Int\n val MAX_COMBINED_TEXTURE_IMAGE_UNITS: Int\n val MAX_VERTEX_TEXTURE_IMAGE_UNITS: Int\n val MAX_TEXTURE_IMAGE_UNITS: Int\n val MAX_FRAGMENT_UNIFORM_VECTORS: Int\n val SHADER_TYPE: Int\n val DELETE_STATUS: Int\n val LINK_STATUS: Int\n val VALIDATE_STATUS: Int\n val ATTACHED_SHADERS: Int\n val ACTIVE_UNIFORMS: Int\n val ACTIVE_ATTRIBUTES: Int\n val SHADING_LANGUAGE_VERSION: Int\n val CURRENT_PROGRAM: Int\n val NEVER: Int\n val LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n val DECR: Int\n val INVERT: Int\n val INCR_WRAP: Int\n val DECR_WRAP: Int\n val VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n val LINEAR: Int\n val NEAREST_MIPMAP_NEAREST: Int\n val LINEAR_MIPMAP_NEAREST: Int\n val NEAREST_MIPMAP_LINEAR: Int\n val LINEAR_MIPMAP_LINEAR: Int\n val TEXTURE_MAG_FILTER: Int\n val TEXTURE_MIN_FILTER: Int\n val TEXTURE_WRAP_S: Int\n val TEXTURE_WRAP_T: Int\n val TEXTURE_2D: Int\n val TEXTURE: Int\n val TEXTURE_CUBE_MAP: Int\n val TEXTURE_BINDING_CUBE_MAP: Int\n val TEXTURE_CUBE_MAP_POSITIVE_X: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_X: Int\n val TEXTURE_CUBE_MAP_POSITIVE_Y: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Y: Int\n val TEXTURE_CUBE_MAP_POSITIVE_Z: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Z: Int\n val MAX_CUBE_MAP_TEXTURE_SIZE: Int\n val TEXTURE0: Int\n val TEXTURE1: Int\n val TEXTURE2: Int\n val TEXTURE3: Int\n val TEXTURE4: Int\n val TEXTURE5: Int\n val TEXTURE6: Int\n val TEXTURE7: Int\n val TEXTURE8: Int\n val TEXTURE9: Int\n val TEXTURE10: Int\n val TEXTURE11: Int\n val TEXTURE12: Int\n val TEXTURE13: Int\n val TEXTURE14: Int\n val TEXTURE15: Int\n val

TEXTURE16: Int\n val TEXTURE17: Int\n val TEXTURE18: Int\n val TEXTURE19: Int\n val TEXTURE20: Int\n val TEXTURE21: Int\n val TEXTURE22: Int\n val TEXTURE23: Int\n val TEXTURE24: Int\n val TEXTURE25: Int\n val TEXTURE26: Int\n val TEXTURE27: Int\n val TEXTURE28: Int\n val TEXTURE29: Int\n val TEXTURE30: Int\n val TEXTURE31: Int\n val ACTIVE_TEXTURE:
Int\n val REPEAT: Int\n val CLAMP_TO_EDGE: Int\n val MIRRORED_REPEAT: Int\n val FLOAT_VEC2: Int\n val FLOAT_VEC3: Int\n val FLOAT_VEC4: Int\n val INT_VEC2: Int\n val INT_VEC3: Int\n val INT_VEC4: Int\n val BOOL: Int\n val BOOL_VEC2: Int\n val BOOL_VEC3: Int\n val BOOL_VEC4: Int\n val FLOAT_MAT2: Int\n val FLOAT_MAT3: Int\n val FLOAT_MAT4: Int\n val SAMPLER_2D: Int\n val SAMPLER_CUBE: Int\n val VERTEX_ATTRIB_ARRAY_ENABLED: Int\n val VERTEX_ATTRIB_ARRAY_SIZE: Int\n val VERTEX_ATTRIB_ARRAY_STRIDE: Int\n val VERTEX_ATTRIB_ARRAY_TYPE: Int\n val VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\n val VERTEX_ATTRIB_ARRAY_POINTER: Int\n val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING: Int\n val IMPLEMENTATION_COLOR_READ_TYPE: Int\n val IMPLEMENTATION_COLOR_READ_FORMAT: Int\n val COMPILE_STATUS: Int\n val LOW_FLOAT:
Int\n val MEDIUM_FLOAT: Int\n val HIGH_FLOAT: Int\n val LOW_INT: Int\n val MEDIUM_INT: Int\n val HIGH_INT: Int\n val FRAMEBUFFER: Int\n val RENDERBUFFER: Int\n val RGBA4: Int\n val RGB5_A1: Int\n val RGB565: Int\n val DEPTH_COMPONENT16: Int\n val STENCIL_INDEX: Int\n val STENCIL_INDEX8: Int\n val DEPTH_STENCIL: Int\n val RENDERBUFFER_WIDTH: Int\n val RENDERBUFFER_HEIGHT: Int\n val RENDERBUFFER_INTERNAL_FORMAT: Int\n val RENDERBUFFER_RED_SIZE: Int\n val RENDERBUFFER_GREEN_SIZE: Int\n val RENDERBUFFER_BLUE_SIZE: Int\n val RENDERBUFFER_ALPHA_SIZE: Int\n val RENDERBUFFER_DEPTH_SIZE: Int\n val RENDERBUFFER_STENCIL_SIZE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE:
Int\n val COLOR_ATTACHMENT0: Int\n val DEPTH_ATTACHMENT: Int\n val STENCIL_ATTACHMENT: Int\n val DEPTH_STENCIL_ATTACHMENT: Int\n val NONE: Int\n val FRAMEBUFFER_COMPLETE: Int\n val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n val FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT: Int\n val FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n val FRAMEBUFFER_UNSUPPORTED: Int\n val FRAMEBUFFER_BINDING: Int\n val RENDERBUFFER_BINDING: Int\n val MAX_RENDERBUFFER_SIZE: Int\n val INVALID_FRAMEBUFFER_OPERATION: Int\n val UNPACK_FLIP_Y_WEBGL: Int\n val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n val CONTEXT_LOST_WEBGL: Int\n val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n val BROWSER_DEFAULT_WEBGL: Int\n }\n}\n\n/**\n * Exposes the JavaScript [WebGLRenderingContext](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderingContext) to Kotlin\n */\npublic external abstract
class WebGLRenderingContext : WebGLRenderingContextBase, RenderingContext {\n\n companion object {\n val DEPTH_BUFFER_BIT: Int\n val STENCIL_BUFFER_BIT: Int\n val COLOR_BUFFER_BIT: Int\n val POINTS: Int\n val LINES: Int\n val LINE_LOOP: Int\n val LINE_STRIP: Int\n val TRIANGLES: Int\n val TRIANGLE_STRIP: Int\n val TRIANGLE_FAN: Int\n val ZERO: Int\n val ONE: Int\n val SRC_COLOR: Int\n val ONE_MINUS_SRC_COLOR: Int\n val SRC_ALPHA: Int\n val ONE_MINUS_SRC_ALPHA: Int\n val DST_ALPHA: Int\n val ONE_MINUS_DST_ALPHA: Int\n val DST_COLOR: Int\n val ONE_MINUS_DST_COLOR: Int\n val SRC_ALPHA_SATURATE: Int\n val FUNC_ADD: Int\n val BLEND_EQUATION: Int\n val

BLEND_EQUATION_RGB: Int\n val BLEND_EQUATION_ALPHA: Int\n val FUNC_SUBTRACT: Int\n val FUNC_REVERSE_SUBTRACT: Int\n val BLEND_DST_RGB: Int\n val BLEND_SRC_RGB: Int\n val BLEND_DST_ALPHA: Int\n val BLEND_SRC_ALPHA: Int\n val CONSTANT_COLOR: Int\n val ONE_MINUS_CONSTANT_COLOR: Int\n val CONSTANT_ALPHA: Int\n val ONE_MINUS_CONSTANT_ALPHA: Int\n val BLEND_COLOR: Int\n val ARRAY_BUFFER: Int\n val ELEMENT_ARRAY_BUFFER: Int\n val ARRAY_BUFFER_BINDING: Int\n val ELEMENT_ARRAY_BUFFER_BINDING: Int\n val STREAM_DRAW: Int\n val STATIC_DRAW: Int\n val DYNAMIC_DRAW: Int\n val BUFFER_SIZE: Int\n val BUFFER_USAGE: Int\n val CURRENT_VERTEX_ATTRIB: Int\n val FRONT: Int\n val BACK: Int\n val FRONT_AND_BACK: Int\n val CULL_FACE: Int\n val BLEND: Int\n val DITHER: Int\n val STENCIL_TEST: Int\n val DEPTH_TEST: Int\n val SCISSOR_TEST: Int\n val POLYGON_OFFSET_FILL: Int\n val SAMPLE_ALPHA_TO_COVERAGE: Int\n val SAMPLE_COVERAGE: Int\n val NO_ERROR: Int\n val INVALID_ENUM: Int\n val INVALID_VALUE: Int\n val INVALID_OPERATION: Int\n val OUT_OF_MEMORY: Int\n val CW: Int\n val CCW: Int\n val LINE_WIDTH: Int\n val ALIASED_POINT_SIZE_RANGE: Int\n val ALIASED_LINE_WIDTH_RANGE: Int\n val CULL_FACE_MODE: Int\n val FRONT_FACE: Int\n val DEPTH_RANGE: Int\n val DEPTH_WRITEMASK: Int\n val DEPTH_CLEAR_VALUE: Int\n val DEPTH_FUNC: Int\n val STENCIL_CLEAR_VALUE: Int\n val STENCIL_FUNC: Int\n val STENCIL_FAIL: Int\n val STENCIL_PASS_DEPTH_FAIL: Int\n val STENCIL_PASS_DEPTH_PASS: Int\n val STENCIL_REF: Int\n val STENCIL_VALUE_MASK: Int\n val STENCIL_WRITEMASK: Int\n val STENCIL_BACK_FUNC: Int\n val STENCIL_BACK_FAIL: Int\n val STENCIL_BACK_PASS_DEPTH_FAIL: Int\n val STENCIL_BACK_PASS_DEPTH_PASS: Int\n val STENCIL_BACK_REF: Int\n val STENCIL_BACK_VALUE_MASK: Int\n val STENCIL_BACK_WRITEMASK: Int\n val VIEWPORT: Int\n val SCISSOR_BOX: Int\n val COLOR_CLEAR_VALUE: Int\n val COLOR_WRITEMASK: Int\n val UNPACK_ALIGNMENT: Int\n val PACK_ALIGNMENT: Int\n val MAX_TEXTURE_SIZE: Int\n val MAX_VIEWPORT_DIMS: Int\n val SUBPIXEL_BITS: Int\n val RED_BITS: Int\n val GREEN_BITS: Int\n val BLUE_BITS: Int\n val ALPHA_BITS: Int\n val DEPTH_BITS: Int\n val STENCIL_BITS: Int\n val POLYGON_OFFSET_UNITS: Int\n val POLYGON_OFFSET_FACTOR: Int\n val TEXTURE_BINDING_2D: Int\n val SAMPLE_BUFFERS: Int\n val SAMPLES: Int\n val SAMPLE_COVERAGE_VALUE: Int\n val SAMPLE_COVERAGE_INVERT: Int\n val COMPRESSED_TEXTURE_FORMATS: Int\n val DONT_CARE: Int\n val FASTEST: Int\n val NICEST: Int\n val GENERATE_MIPMAP_HINT: Int\n val BYTE: Int\n val UNSIGNED_BYTE: Int\n val SHORT: Int\n val UNSIGNED_SHORT: Int\n val INT: Int\n val UNSIGNED_INT: Int\n val FLOAT: Int\n val DEPTH_COMPONENT: Int\n val ALPHA: Int\n val RGB: Int\n val RGBA: Int\n val LUMINANCE: Int\n val LUMINANCE_ALPHA: Int\n val UNSIGNED_SHORT_4_4_4_4: Int\n val UNSIGNED_SHORT_5_5_5_1: Int\n val UNSIGNED_SHORT_5_6_5: Int\n val FRAGMENT_SHADER: Int\n val VERTEX_SHADER: Int\n val MAX_VERTEX_ATTRIBS: Int\n val MAX_VERTEX_UNIFORM_VECTORS: Int\n val MAX_VARYING_VECTORS: Int\n val MAX_COMBINED_TEXTURE_IMAGE_UNITS: Int\n val MAX_VERTEX_TEXTURE_IMAGE_UNITS: Int\n val MAX_TEXTURE_IMAGE_UNITS: Int\n val MAX_FRAGMENT_UNIFORM_VECTORS: Int\n val SHADER_TYPE: Int\n val DELETE_STATUS: Int\n val LINK_STATUS: Int\n val VALIDATE_STATUS: Int\n val ATTACHED_SHADERS: Int\n val ACTIVE_UNIFORMS: Int\n val ACTIVE_ATTRIBUTES: Int\n val SHADING_LANGUAGE_VERSION: Int\n val CURRENT_PROGRAM: Int\n val NEVER: Int\n val LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n val GEQUAL: Int\n val ALWAYS:

Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n val DECR: Int\n val INVERT: Int\n val INCR_WRAP: Int\n val DECR_WRAP: Int\n val VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n val LINEAR: Int\n val NEAREST_MIPMAP_NEAREST: Int\n val LINEAR_MIPMAP_NEAREST: Int\n val NEAREST_MIPMAP_LINEAR: Int\n val LINEAR_MIPMAP_LINEAR: Int\n val TEXTURE_MAG_FILTER: Int\n val TEXTURE_MIN_FILTER: Int\n val TEXTURE_WRAP_S: Int\n val TEXTURE_WRAP_T: Int\n val TEXTURE_2D: Int\n val TEXTURE: Int\n val TEXTURE_CUBE_MAP: Int\n val TEXTURE_BINDING_CUBE_MAP: Int\n val TEXTURE_CUBE_MAP_POSITIVE_X: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_X: Int\n val TEXTURE_CUBE_MAP_POSITIVE_Y: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Y: Int\n val TEXTURE_CUBE_MAP_POSITIVE_Z: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Z: Int\n val MAX_CUBE_MAP_TEXTURE_SIZE: Int\n val TEXTURE0: Int\n val TEXTURE1: Int\n val TEXTURE2: Int\n val TEXTURE3: Int\n val TEXTURE4: Int\n val TEXTURE5: Int\n val TEXTURE6: Int\n val TEXTURE7: Int\n val TEXTURE8: Int\n val TEXTURE9: Int\n val TEXTURE10: Int\n val TEXTURE11: Int\n val TEXTURE12: Int\n val TEXTURE13: Int\n val TEXTURE14: Int\n val TEXTURE15: Int\n val TEXTURE16: Int\n val TEXTURE17: Int\n val TEXTURE18: Int\n val TEXTURE19: Int\n val TEXTURE20: Int\n val TEXTURE21: Int\n val TEXTURE22: Int\n val TEXTURE23: Int\n val TEXTURE24: Int\n val TEXTURE25: Int\n val TEXTURE26: Int\n val TEXTURE27: Int\n val TEXTURE28: Int\n val TEXTURE29: Int\n val TEXTURE30: Int\n val TEXTURE31: Int\n val ACTIVE_TEXTURE: Int\n val REPEAT: Int\n val CLAMP_TO_EDGE: Int\n val MIRRORED_REPEAT: Int\n val FLOAT_VEC2: Int\n val FLOAT_VEC3: Int\n val FLOAT_VEC4: Int\n val INT_VEC2: Int\n val INT_VEC3: Int\n val INT_VEC4: Int\n val BOOL: Int\n val BOOL_VEC2: Int\n val BOOL_VEC3: Int\n val BOOL_VEC4: Int\n val FLOAT_MAT2: Int\n val FLOAT_MAT3: Int\n val FLOAT_MAT4: Int\n val SAMPLER_2D: Int\n val SAMPLER_CUBE: Int\n val VERTEX_ATTRIB_ARRAY_ENABLED: Int\n val VERTEX_ATTRIB_ARRAY_SIZE: Int\n val VERTEX_ATTRIB_ARRAY_STRIDE: Int\n val VERTEX_ATTRIB_ARRAY_TYPE: Int\n val VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\n val VERTEX_ATTRIB_ARRAY_POINTER: Int\n val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING: Int\n val IMPLEMENTATION_COLOR_READ_TYPE: Int\n val IMPLEMENTATION_COLOR_READ_FORMAT: Int\n val COMPILE_STATUS: Int\n val LOW_FLOAT: Int\n val MEDIUM_FLOAT: Int\n val HIGH_FLOAT: Int\n val LOW_INT: Int\n val MEDIUM_INT: Int\n val HIGH_INT: Int\n val FRAMEBUFFER: Int\n val RENDERBUFFER: Int\n val RGBA4: Int\n val RGB5_A1: Int\n val RGB565: Int\n val DEPTH_COMPONENT16: Int\n val STENCIL_INDEX: Int\n val STENCIL_INDEX8: Int\n val DEPTH_STENCIL: Int\n val RENDERBUFFER_WIDTH: Int\n val RENDERBUFFER_HEIGHT: Int\n val RENDERBUFFER_INTERNAL_FORMAT: Int\n val RENDERBUFFER_RED_SIZE: Int\n val RENDERBUFFER_GREEN_SIZE: Int\n val RENDERBUFFER_BLUE_SIZE: Int\n val RENDERBUFFER_ALPHA_SIZE: Int\n val RENDERBUFFER_DEPTH_SIZE: Int\n val RENDERBUFFER_STENCIL_SIZE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\n val COLOR_ATTACHMENT0: Int\n val DEPTH_ATTACHMENT: Int\n val STENCIL_ATTACHMENT: Int\n val DEPTH_STENCIL_ATTACHMENT: Int\n val NONE: Int\n val FRAMEBUFFER_COMPLETE: Int\n val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n val FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT: Int\n val

```
FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n        val FRAMEBUFFER_UNSUPPORTED: Int\n
val FRAMEBUFFER_BINDING: Int\n        val RENDERBUFFER_BINDING: Int\n        val
MAX_RENDERBUFFER_SIZE: Int\n        val INVALID_FRAMEBUFFER_OPERATION: Int\n        val
UNPACK_FLIP_Y_WEBGL: Int\n        val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n        val
CONTEXT_LOST_WEBGL: Int\n
        val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n        val BROWSER_DEFAULT_WEBGL:
Int\n    }\n}\n\n/**\n * Exposes the JavaScript
[WebGLContextEvent](https://developer.mozilla.org/en/docs/Web/API/WebGLContextEvent) to Kotlin\n
*/\npublic external open class WebGLContextEvent(type: String, eventInit: WebGLContextEventInit =
definedExternally) : Event {\n    open val statusMessage: String\n}\n\npublic external interface
WebGLContextEventInit : EventInit {\n    var statusMessage: String? /* = \"\" */\n        get() = definedExternally\n
  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
WebGLContextEventInit(statusMessage: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): WebGLContextEventInit {\n    val o = js(\"({})\")\n\n    o[\"statusMessage\"] =
statusMessage\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n\n
return o\n}\n\n/**\n
 * Exposes the JavaScript [ArrayBuffer](https://developer.mozilla.org/en/docs/Web/API/ArrayBuffer) to Kotlin\n
*/\npublic external open class ArrayBuffer(length: Int) : BufferDataSource {\n    open val byteLength: Int\n    fun
slice(begin: Int, end: Int = definedExternally): ArrayBuffer\n\n    companion object {\n        fun isView(value:
Any?): Boolean\n    }\n}\n\n/**\n * Exposes the JavaScript
[ArrayBufferView](https://developer.mozilla.org/en/docs/Web/API/ArrayBufferView) to Kotlin\n */\npublic
external interface ArrayBufferView : BufferDataSource {\n    val buffer: ArrayBuffer\n    val byteOffset: Int\n    val
byteLength: Int\n}\n\n/**\n * Exposes the JavaScript
[Int8Array](https://developer.mozilla.org/en/docs/Web/API/Int8Array) to Kotlin\n */\npublic external open class
Int8Array : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: Int8Array)\n    constructor(array:
Array<Byte>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
 Int = definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n    override val byteOffset:
Int\n    override val byteLength: Int\n    fun set(array: Int8Array, offset: Int = definedExternally): Unit\n    fun
set(array: Array<Byte>, offset: Int = definedExternally): Unit\n    fun subarray(start: Int, end: Int): Int8Array\n\n
companion object {\n        val BYTES_PER_ELEMENT: Int\n    }\n}\n@kotlin.internal.InlineOnly inline operator
fun Int8Array.get(index: Int): Byte = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun
Int8Array.set(index: Int, value: Byte): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript
[Uint8Array](https://developer.mozilla.org/en/docs/Web/API/Uint8Array) to Kotlin\n */\npublic external open class
Uint8Array : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: Uint8Array)\n
constructor(array: Array<Byte>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally,
 length: Int = definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n    override val
byteOffset: Int\n    override val byteLength: Int\n    fun set(array: Uint8Array, offset: Int = definedExternally):
Unit\n    fun set(array: Array<Byte>, offset: Int = definedExternally): Unit\n    fun subarray(start: Int, end: Int):
Uint8Array\n\n    companion object {\n        val BYTES_PER_ELEMENT: Int\n
}\n}\n@kotlin.internal.InlineOnly inline operator fun Uint8Array.get(index: Int): Byte =
asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun Uint8Array.set(index: Int, value: Byte): Unit {
asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript
[Uint8ClampedArray](https://developer.mozilla.org/en/docs/Web/API/Uint8ClampedArray) to Kotlin\n */\npublic
external open class Uint8ClampedArray : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array:
Uint8ClampedArray)\n    constructor(array: Array<Byte>)\n    constructor(buffer:
 ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n    open val length: Int\n
override val buffer: ArrayBuffer\n    override val byteOffset: Int\n    override val byteLength: Int\n    fun set(array:
Uint8ClampedArray, offset: Int = definedExternally): Unit\n    fun set(array: Array<Byte>, offset: Int =
```

definedExternally): Unit\n   fun subarray(start: Int, end: Int): Uint8ClampedArray\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n@kotlin.internal.InlineOnly inline operator fun Uint8ClampedArray.get(index: Int): Byte = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun Uint8ClampedArray.set(index: Int, value: Byte): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript [Int16Array](https://developer.mozilla.org/en/docs/Web/API/Int16Array) to Kotlin\n */\npublic external open class Int16Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Int16Array)\n   constructor(array:
Array<Short>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Int16Array, offset: Int = definedExternally): Unit\n   fun set(array: Array<Short>, offset: Int = definedExternally): Unit\n   fun subarray(start: Int, end: Int): Int16Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n@kotlin.internal.InlineOnly inline operator fun Int16Array.get(index: Int): Short = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun Int16Array.set(index: Int, value: Short): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript [Uint16Array](https://developer.mozilla.org/en/docs/Web/API/Uint16Array) to Kotlin\n */\npublic external open class Uint16Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array:
Uint16Array)\n   constructor(array: Array<Short>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Uint16Array, offset: Int = definedExternally): Unit\n   fun set(array: Array<Short>, offset: Int = definedExternally): Unit\n   fun subarray(start: Int, end: Int): Uint16Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n@kotlin.internal.InlineOnly inline operator fun Uint16Array.get(index: Int): Short = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun Uint16Array.set(index: Int, value: Short): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript [Int32Array](https://developer.mozilla.org/en/docs/Web/API/Int32Array) to Kotlin\n */\npublic external open class Int32Array : ArrayBufferView {\n   constructor(length:
Int)\n   constructor(array: Int32Array)\n   constructor(array: Array<Int>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Int32Array, offset: Int = definedExternally): Unit\n   fun set(array: Array<Int>, offset: Int = definedExternally): Unit\n   fun subarray(start: Int, end: Int): Int32Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n@kotlin.internal.InlineOnly inline operator fun Int32Array.get(index: Int): Int = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun Int32Array.set(index: Int, value: Int): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript [Uint32Array](https://developer.mozilla.org/en/docs/Web/API/Uint32Array) to Kotlin\n */\npublic external open class Uint32Array : ArrayBufferView {\n
constructor(length: Int)\n   constructor(array: Uint32Array)\n   constructor(array: Array<Int>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Uint32Array, offset: Int = definedExternally): Unit\n   fun set(array: Array<Int>, offset: Int = definedExternally): Unit\n   fun subarray(start: Int, end: Int): Uint32Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n@kotlin.internal.InlineOnly inline operator fun Uint32Array.get(index: Int): Int = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun Uint32Array.set(index: Int, value: Int): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript [Float32Array](https://developer.mozilla.org/en/docs/Web/API/Float32Array) to Kotlin\n */\npublic external open class Float32Array
: ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Float32Array)\n   constructor(array: Array<Float>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int =

definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n override val byteLength: Int\n   fun set(array: Float32Array, offset: Int = definedExternally): Unit\n   fun set(array: Array<Float>, offset: Int = definedExternally): Unit\n   fun subarray(start: Int, end: Int): Float32Array\n\n companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n@kotlin.internal.InlineOnly inline operator fun Float32Array.get(index: Int): Float = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun Float32Array.set(index: Int, value: Float): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript [Float64Array](https://developer.mozilla.org/en/docs/Web/API/Float64Array) to Kotlin\n */\npublic external open class Float64Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Float64Array)\n   constructor(array: Array<Double>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Float64Array, offset: Int = definedExternally): Unit\n   fun set(array: Array<Double>, offset: Int = definedExternally): Unit\n   fun subarray(start: Int, end: Int): Float64Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n }\n}\n@kotlin.internal.InlineOnly inline operator fun Float64Array.get(index: Int): Double = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun Float64Array.set(index: Int, value: Double): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript [DataView](https://developer.mozilla.org/en/docs/Web/API/DataView)
 to Kotlin\n */\npublic external open class DataView(buffer: ArrayBuffer, byteOffset: Int = definedExternally, byteLength: Int = definedExternally) : ArrayBufferView {\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun getInt8(byteOffset: Int): Byte\n   fun getUint8(byteOffset: Int): Byte\n   fun getInt16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short\n   fun getUint16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short\n   fun getInt32(byteOffset: Int, littleEndian: Boolean = definedExternally): Int\n   fun getUint32(byteOffset: Int, littleEndian: Boolean = definedExternally): Int\n   fun getFloat32(byteOffset: Int, littleEndian: Boolean = definedExternally): Float\n   fun getFloat64(byteOffset: Int, littleEndian: Boolean = definedExternally): Double\n   fun setInt8(byteOffset: Int, value: Byte): Unit\n   fun setUint8(byteOffset: Int, value: Byte): Unit\n
 fun setInt16(byteOffset: Int, value: Short, littleEndian: Boolean = definedExternally): Unit\n   fun setUint16(byteOffset: Int, value: Short, littleEndian: Boolean = definedExternally): Unit\n   fun setInt32(byteOffset: Int, value: Int, littleEndian: Boolean = definedExternally): Unit\n   fun setUint32(byteOffset: Int, value: Int, littleEndian: Boolean = definedExternally): Unit\n   fun setFloat32(byteOffset: Int, value: Float, littleEndian: Boolean = definedExternally): Unit\n   fun setFloat64(byteOffset: Int, value: Double, littleEndian: Boolean = definedExternally): Unit\n}\n\npublic external @marker interface BufferDataSource {\n}\n\npublic external @marker interface TexImageSource {\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage
 org.w3c.dom.css\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [CSSStyleDeclaration](https://developer.mozilla.org/en/docs/Web/API/CSSStyleDeclaration) to Kotlin\n */\npublic external abstract class CSSStyleDeclaration : ItemArrayLike<String> {\n   open var cssText: String\n   override val length: Int\n   open val parentRule: CSSRule?\n   open var cssFloat: String\n   open var _dashed_attribute: String\n
 open var _camel_cased_attribute: String\n   open var _webkit_cased_attribute: String\n   open var alignContent: String\n   open var alignItems: String\n   open var alignSelf: String\n   open var animation: String\n
 open var animationDelay: String\n   open var animationDirection: String\n   open var animationDuration: String\n   open var animationFillMode: String\n   open var animationIterationCount: String\n   open var animationName: String\n   open var animationPlayState: String\n   open var animationTimingFunction: String\n

open var backfaceVisibility: String\n open var background: String\n open var backgroundAttachment: String\n open var backgroundClip: String\n open var backgroundColor: String\n open var backgroundImage: String\n open var backgroundOrigin: String\n open var backgroundPosition: String\n open var backgroundRepeat: String\n open var backgroundSize: String\n open var border: String\n open var borderBottom: String\n open var borderBottomColor: String\n open var borderBottomLeftRadius: String\n open var borderBottomRightRadius: String\n open var borderBottomStyle: String\n open var borderBottomWidth: String\n open
var borderCollapse: String\n open var borderColor: String\n open var borderImage: String\n open var borderImageOutset: String\n open var borderImageRepeat: String\n open var borderImageSlice: String\n open var borderImageSource: String\n open var borderImageWidth: String\n open var borderLeft: String\n open var borderLeftColor: String\n open var borderLeftStyle: String\n open var borderLeftWidth: String\n open var borderRadius: String\n open var borderRight: String\n open var borderRightColor: String\n open var borderRightStyle: String\n open var borderRightWidth: String\n open var borderSpacing: String\n open var borderStyle: String\n open var borderTop: String\n open var borderTopColor: String\n open var borderTopLeftRadius: String\n open var borderTopRightRadius: String\n open var borderTopStyle: String\n open var borderTopWidth: String\n open var borderWidth: String\n open var bottom: String\n open var
boxDecorationBreak: String\n open var boxShadow: String\n open var boxSizing: String\n open var breakAfter: String\n open var breakBefore: String\n open var breakInside: String\n open var captionSide: String\n open var clear: String\n open var clip: String\n open var color: String\n open var columnCount: String\n open var columnFill: String\n open var columnGap: String\n open var columnRule: String\n open var columnRuleColor: String\n open var columnRuleStyle: String\n open var columnRuleWidth: String\n open var columnSpan: String\n open var columnWidth: String\n open var columns: String\n open var content: String\n open var counterIncrement: String\n open var counterReset: String\n open var cursor: String\n open var direction: String\n open var display: String\n open var emptyCells: String\n open var filter: String\n open var flex: String\n open var flexBasis: String\n open var flexDirection: String\n
open var flexFlow: String\n open var flexGrow: String\n open var flexShrink: String\n open var flexWrap: String\n open var font: String\n open var fontFamily: String\n open var fontFeatureSettings: String\n open var fontKerning: String\n open var fontLanguageOverride: String\n open var fontSize: String\n open var fontSizeAdjust: String\n open var fontStretch: String\n open var fontStyle: String\n open var fontSynthesis: String\n open var fontVariant: String\n open var fontVariantAlternates: String\n open var fontVariantCaps: String\n open var fontVariantEastAsian: String\n open var fontVariantLigatures: String\n open var fontVariantNumeric: String\n open var fontVariantPosition: String\n open var fontWeight: String\n open var hangingPunctuation: String\n open var height: String\n open var hyphens: String\n open var imageOrientation: String\n open var imageRendering: String\n open var imageResolution:
String\n open var imeMode: String\n open var justifyContent: String\n open var left: String\n open var letterSpacing: String\n open var lineBreak: String\n open var lineHeight: String\n open var listStyle: String\n open var listStyleImage: String\n open var listStylePosition: String\n open var listStyleType: String\n open var margin: String\n open var marginBottom: String\n open var marginLeft: String\n open var marginRight: String\n open var marginTop: String\n open var mark: String\n open var markAfter: String\n open var markBefore: String\n open var marks: String\n open var marqueeDirection: String\n open var marqueePlayCount: String\n open var marqueeSpeed: String\n open var marqueeStyle: String\n open var mask: String\n open var maskType: String\n open var maxHeight: String\n open var maxWidth: String\n open var minHeight: String\n open var minWidth: String\n open var navDown: String\n
open var navIndex: String\n open var navLeft: String\n open var navRight: String\n open var navUp: String\n open var objectFit: String\n open var objectPosition: String\n open var opacity: String\n open var order: String\n open var orphans: String\n open var outline: String\n open var outlineColor: String\n open var outlineOffset: String\n open var outlineStyle: String\n open var outlineWidth: String\n open var overflowWrap: String\n open var overflowX: String\n open var overflowY: String\n open var padding:

String\n open var paddingBottom: String\n open var paddingLeft: String\n open var paddingRight: String\n open var paddingTop: String\n open var pageBreakAfter: String\n open var pageBreakBefore: String\n open var pageBreakInside: String\n open var perspective: String\n open var perspectiveOrigin: String\n open var phonemes: String\n open var position: String\n open var quotes: String\n open var resize: String\n open var rest: String\n open var restAfter: String\n open var restBefore: String\n open var right: String\n open var tabSize: String\n open var tableLayout: String\n open var textAlign: String\n open var textAlignLast: String\n open var textCombineUpright: String\n open var textDecoration: String\n open var textDecorationColor: String\n open var textDecorationLine: String\n open var textDecorationStyle: String\n open var textIndent: String\n open var textJustify: String\n open var textOrientation: String\n open var textOverflow: String\n open var textShadow: String\n open var textTransform: String\n open var textUnderlinePosition: String\n open var top: String\n open var transform: String\n open var transformOrigin: String\n open var transformStyle: String\n open var transition: String\n open var transitionDelay: String\n open var transitionDuration: String\n open var transitionProperty: String\n open var transitionTimingFunction: String\n open var unicodeBidi: String\n open var verticalAlign: String\n open var visibility: String\n open var voiceBalance: String\n open var voiceDuration: String\n open var voicePitch: String\n open var voicePitchRange: String\n open var voiceRate: String\n open var voiceStress: String\n open var voiceVolume: String\n open var whiteSpace: String\n open var widows: String\n open var width: String\n open var wordBreak: String\n open var wordSpacing: String\n open var wordWrap: String\n open var writingMode: String\n open var zIndex: String\n override fun item(index: Int): String\n fun getPropertyValue(property: String): String\n fun getPropertyPriority(property: String): String\n fun setProperty(property: String, value: String, priority: String = definedExternally): Unit\n fun setPropertyValue(property: String, value: String): Unit\n fun setPropertyPriority(property: String, priority: String): Unit\n fun removeProperty(property: String): String\n}\n@kotlin.internal.InlineOnly inline operator fun CSSStyleDeclaration.get(index: Int): String? = asDynamic()[index]\n\npublic external abstract class MediaList : ItemArrayLike<String> {\n open var mediaText: String\n override val length: Int\n override fun item(index: Int): String?\n fun appendMedium(medium: String): Unit\n fun deleteMedium(medium: String): Unit\n}\n@kotlin.internal.InlineOnly inline operator fun MediaList.get(index: Int): String? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [StyleSheet](https://developer.mozilla.org/en/docs/Web/API/StyleSheet) to Kotlin\n */\npublic external abstract class StyleSheet {\n open val type: String\n open val href: String?\n open val ownerNode: UnionElementOrProcessingInstruction?\n open val parentStyleSheet: StyleSheet?\n open val title: String?\n open val media: MediaList\n open var disabled: Boolean\n}\n\n/**\n * Exposes the JavaScript [CSSStyleSheet](https://developer.mozilla.org/en/docs/Web/API/CSSStyleSheet) to Kotlin\n */\npublic external abstract class CSSStyleSheet : StyleSheet {\n open val ownerRule: CSSRule?\n open val cssRules: CSSRuleList\n fun insertRule(rule: String, index: Int): Int\n fun deleteRule(index: Int): Unit\n}\n\n/**\n * Exposes the JavaScript [StyleSheetList](https://developer.mozilla.org/en/docs/Web/API/StyleSheetList) to Kotlin\n */\npublic external abstract class StyleSheetList : ItemArrayLike<StyleSheet> {\n override val length: Int\n override fun item(index: Int): StyleSheet?\n}\n@kotlin.internal.InlineOnly inline operator fun StyleSheetList.get(index: Int): StyleSheet? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [LinkStyle](https://developer.mozilla.org/en/docs/Web/API/LinkStyle) to Kotlin\n */\npublic external interface LinkStyle {\n val sheet: StyleSheet?\n}\n\n/**\n * Exposes the JavaScript [CSSRuleList](https://developer.mozilla.org/en/docs/Web/API/CSSRuleList) to Kotlin\n */\npublic external abstract class CSSRuleList : ItemArrayLike<CSSRule> {\n override val length: Int\n override fun item(index: Int): CSSRule?\n}\n@kotlin.internal.InlineOnly inline operator fun CSSRuleList.get(index: Int): CSSRule? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [CSSRule](https://developer.mozilla.org/en/docs/Web/API/CSSRule) to Kotlin\n */\npublic external abstract class CSSRule {\n open val type: Short\n open var cssText: String\n open val parentRule: CSSRule?\n open val

parentStyleSheet: CSSStyleSheet?\n\n   companion object {\n   val STYLE_RULE: Short\n   val CHARSET_RULE: Short\n   val IMPORT_RULE: Short\n   val MEDIA_RULE: Short\n   val FONT_FACE_RULE: Short\n   val PAGE_RULE: Short\n   val MARGIN_RULE: Short\n   val NAMESPACE_RULE: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [CSSStyleRule](https://developer.mozilla.org/en/docs/Web/API/CSSStyleRule) to Kotlin\n */\npublic external abstract class CSSStyleRule : CSSRule {\n   open var selectorText: String\n   open val style: CSSStyleDeclaration\n}\n\npublic external abstract class CSSImportRule : CSSRule {\n   open val href: String\n   open val media: MediaList\n   open val styleSheet: CSSStyleSheet\n}\n\n/**\n * Exposes the JavaScript [CSSGroupingRule](https://developer.mozilla.org/en/docs/Web/API/CSSGroupingRule) to Kotlin\n */\npublic external abstract class CSSGroupingRule : CSSRule {\n   open val cssRules: CSSRuleList\n   fun insertRule(rule: String, index: Int): Int\n   fun deleteRule(index: Int): Unit\n}\n\n/**\n * Exposes the JavaScript [CSSMediaRule](https://developer.mozilla.org/en/docs/Web/API/CSSMediaRule) to Kotlin\n */\npublic external abstract class CSSMediaRule : CSSGroupingRule {\n   open val media: MediaList\n}\n\n/**\n * Exposes the JavaScript [CSSPageRule](https://developer.mozilla.org/en/docs/Web/API/CSSPageRule) to Kotlin\n */\npublic external
abstract class CSSPageRule : CSSGroupingRule {\n   open var selectorText: String\n   open val style: CSSStyleDeclaration\n}\n\npublic external abstract class CSSMarginRule : CSSRule {\n   open val name: String\n   open val style: CSSStyleDeclaration\n}\n\n/**\n * Exposes the JavaScript [CSSNamespaceRule](https://developer.mozilla.org/en/docs/Web/API/CSSNamespaceRule) to Kotlin\n */\npublic external abstract class CSSNamespaceRule : CSSRule {\n   open val namespaceURI: String\n   open val prefix: String\n}\n\npublic external interface ElementCSSInlineStyle {\n   val style: CSSStyleDeclaration\n}\n\n/**\n * Exposes the JavaScript [CSS](https://developer.mozilla.org/en/docs/Web/API/CSS) to Kotlin\n */\npublic external abstract class CSS {\n\n   companion object {\n   fun escape(ident: String): String\n   }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt
file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage org.w3c.dom.events\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [UIEvent](https://developer.mozilla.org/en/docs/Web/API/UIEvent) to Kotlin\n */\npublic external open class UIEvent(type: String, eventInitDict: UIEventInit = definedExternally) : Event {\n   open val view: Window?\n   open val detail: Int\n}\n\npublic external interface UIEventInit : EventInit {\n   var view: Window? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n   var detail: Int? /*
= 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun UIEventInit(view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): UIEventInit {\n   val o = js(\"({})\")\n\n   o[\"view\"] = view\n   o[\"detail\"] = detail\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [FocusEvent](https://developer.mozilla.org/en/docs/Web/API/FocusEvent) to Kotlin\n */\npublic external open class FocusEvent(type: String, eventInitDict: FocusEventInit = definedExternally) : UIEvent {\n   open val relatedTarget: EventTarget?\n}\n\npublic external interface FocusEventInit : UIEventInit {\n   var relatedTarget: EventTarget? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline
fun FocusEventInit(relatedTarget: EventTarget? = null, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): FocusEventInit {\n   val o = js(\"({})\")\n\n   o[\"relatedTarget\"] = relatedTarget\n   o[\"view\"] = view\n   o[\"detail\"] = detail\n   o[\"bubbles\"] = bubbles\n

```
o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n\n    return o\n}\n\n/**\n * Exposes the JavaScript [MouseEvent](https://developer.mozilla.org/en/docs/Web/API/MouseEvent) to Kotlin\n */\npublic external open class MouseEvent(type: String, eventInitDict: MouseEventInit = definedExternally) : UIEvent, UnionElementOrMouseEvent {\n    open val region: String?\n    open val screenX: Int\n    open val screenY: Int\n    open val pageX: Double\n    open val pageY: Double\n    open val clientX: Int\n    open val clientY: Int\n    open val offsetX: Double\n    open val offsetY: Double\n    open val ctrlKey: Boolean\n    open val shiftKey: Boolean\n    open val altKey: Boolean\n    open val metaKey: Boolean\n    open val button: Short\n    open val buttons: Short\n    open val relatedTarget: EventTarget?\n    fun getModifierState(keyArg: String): Boolean\n}\n\npublic external interface MouseEventInit : EventModifierInit {\n    var screenX: Int? /* = 0 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var screenY: Int? /* = 0 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var clientX: Int? /* = 0 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var clientY: Int? /* = 0 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var button: Short? /* = 0 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var buttons: Short? /* = 0 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var relatedTarget: EventTarget? /* = null */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MouseEventInit(screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MouseEventInit {\n    val o = js(\"({})\")\n\n    o[\"screenX\"] = screenX\n    o[\"screenY\"] = screenY\n    o[\"clientX\"] = clientX\n    o[\"clientY\"] = clientY\n    o[\"button\"] = button\n    o[\"buttons\"] = buttons\n    o[\"relatedTarget\"] = relatedTarget\n    o[\"ctrlKey\"] = ctrlKey\n    o[\"shiftKey\"] = shiftKey\n    o[\"altKey\"] = altKey\n    o[\"metaKey\"] = metaKey\n    o[\"modifierAltGraph\"] = modifierAltGraph\n    o[\"modifierCapsLock\"] = modifierCapsLock\n    o[\"modifierFn\"] = modifierFn\n    o[\"modifierFnLock\"] = modifierFnLock\n    o[\"modifierHyper\"] = modifierHyper\n    o[\"modifierNumLock\"] = modifierNumLock\n    o[\"modifierScrollLock\"] = modifierScrollLock\n    o[\"modifierSuper\"] = modifierSuper\n    o[\"modifierSymbol\"] = modifierSymbol\n    o[\"modifierSymbolLock\"] = modifierSymbolLock\n    o[\"view\"] = view\n    o[\"detail\"] = detail\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n\n    return o\n}\n\npublic external interface EventModifierInit : UIEventInit {\n    var ctrlKey: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var shiftKey: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var altKey: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var metaKey: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var modifierAltGraph: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var modifierCapsLock: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var modifierFn: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var modifierFnLock: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var modifierHyper: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var modifierNumLock: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var modifierScrollLock: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var modifierSuper: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var modifierSymbol: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var modifierSymbolLock: Boolean? /* = false */\n        get() =
```

definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun EventModifierInit(ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): EventModifierInit {\n   val o = js(\"({})\")\n\n   o[\"ctrlKey\"] = ctrlKey\n   o[\"shiftKey\"] = shiftKey\n   o[\"altKey\"] = altKey\n   o[\"metaKey\"] = metaKey\n   o[\"modifierAltGraph\"] = modifierAltGraph\n   o[\"modifierCapsLock\"] = modifierCapsLock\n   o[\"modifierFn\"] = modifierFn\n   o[\"modifierFnLock\"] = modifierFnLock\n   o[\"modifierHyper\"] = modifierHyper\n   o[\"modifierNumLock\"] = modifierNumLock\n   o[\"modifierScrollLock\"] = modifierScrollLock\n   o[\"modifierSuper\"] = modifierSuper\n   o[\"modifierSymbol\"] = modifierSymbol\n   o[\"modifierSymbolLock\"] = modifierSymbolLock\n   o[\"view\"] = view\n   o[\"detail\"] = detail\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [WheelEvent](https://developer.mozilla.org/en/docs/Web/API/WheelEvent) to Kotlin\n */\npublic external open class WheelEvent(type: String, eventInitDict: WheelEventInit = definedExternally) : MouseEvent {\n   open val deltaX: Double\n   open val deltaY: Double\n   open val deltaZ: Double\n   open val deltaMode: Int\n\n   companion object {\n   val DOM_DELTA_PIXEL: Int\n   val DOM_DELTA_LINE: Int\n   val DOM_DELTA_PAGE: Int\n   }\n}\n\npublic external interface WheelEventInit : MouseEventInit {\n   var deltaX: Double? /* = 0.0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var deltaY: Double? /* = 0.0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var deltaZ: Double? /* = 0.0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var deltaMode: Int? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun WheelEventInit(deltaX: Double? = 0.0, deltaY: Double? = 0.0, deltaZ: Double? = 0.0, deltaMode: Int? = 0, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): WheelEventInit {\n   val o = js(\"({})\")\n\n   o[\"deltaX\"] = deltaX\n   o[\"deltaY\"] = deltaY\n   o[\"deltaZ\"] = deltaZ\n   o[\"deltaMode\"] = deltaMode\n   o[\"screenX\"] = screenX\n   o[\"screenY\"] = screenY\n   o[\"clientX\"] = clientX\n   o[\"clientY\"] = clientY\n   o[\"button\"] = button\n   o[\"buttons\"] = buttons\n   o[\"relatedTarget\"] = relatedTarget\n   o[\"ctrlKey\"] = ctrlKey\n   o[\"shiftKey\"] = shiftKey\n   o[\"altKey\"] = altKey\n   o[\"metaKey\"] = metaKey\n   o[\"modifierAltGraph\"] = modifierAltGraph\n   o[\"modifierCapsLock\"] = modifierCapsLock\n   o[\"modifierFn\"] = modifierFn\n   o[\"modifierFnLock\"] = modifierFnLock\n   o[\"modifierHyper\"] = modifierHyper\n   o[\"modifierNumLock\"] = modifierNumLock\n   o[\"modifierScrollLock\"] = modifierScrollLock\n   o[\"modifierSuper\"] = modifierSuper\n   o[\"modifierSymbol\"] = modifierSymbol\n   o[\"modifierSymbolLock\"] = modifierSymbolLock\n   o[\"view\"] = view\n   o[\"detail\"] = detail\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [InputEvent](https://developer.mozilla.org/en/docs/Web/API/InputEvent) to Kotlin\n */\npublic external open class InputEvent(type: String, eventInitDict: InputEventInit = definedExternally) : UIEvent {\n   open val data: String\n   open val isComposing: Boolean\n}\n\npublic external interface InputEventInit : UIEventInit {\n   var data: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var

isComposing: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun InputEventInit(data: String? = \"\", isComposing: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): InputEventInit {\n val o = js(\"({})\")\n\n o[\"data\"] = data\n o[\"isComposing\"] = isComposing\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n\n return o\n}\n\n/**\n * Exposes the JavaScript [KeyboardEvent](https://developer.mozilla.org/en/docs/Web/API/KeyboardEvent) to Kotlin\n */\npublic external open class KeyboardEvent(type: String, eventInitDict: KeyboardEventInit = definedExternally) : UIEvent {\n open val key: String\n open val code: String\n open val location: Int\n open val ctrlKey: Boolean\n open val shiftKey: Boolean\n open val altKey: Boolean\n open val metaKey: Boolean\n open val repeat: Boolean\n open val isComposing: Boolean\n open val charCode: Int\n open val keyCode: Int\n open val which: Int\n fun getModifierState(keyArg: String): Boolean\n\n companion object {\n val DOM_KEY_LOCATION_STANDARD: Int\n val DOM_KEY_LOCATION_LEFT: Int\n val DOM_KEY_LOCATION_RIGHT:
Int\n val DOM_KEY_LOCATION_NUMPAD: Int\n }\n}\n\npublic external interface KeyboardEventInit : EventModifierInit {\n var key: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var code: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var location: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var repeat: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var isComposing: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun KeyboardEventInit(key: String? = \"\", code: String? = \"\", location: Int? = 0, repeat: Boolean? = false, isComposing: Boolean? = false, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? =
false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): KeyboardEventInit {\n val o = js(\"({})\")\n\n o[\"key\"] = key\n o[\"code\"] = code\n o[\"location\"] = location\n o[\"repeat\"] = repeat\n o[\"isComposing\"] = isComposing\n o[\"ctrlKey\"] = ctrlKey\n o[\"shiftKey\"] = shiftKey\n o[\"altKey\"] = altKey\n o[\"metaKey\"] = metaKey\n o[\"modifierAltGraph\"] = modifierAltGraph\n o[\"modifierCapsLock\"] = modifierCapsLock\n o[\"modifierFn\"] = modifierFn\n o[\"modifierFnLock\"] = modifierFnLock\n o[\"modifierHyper\"] = modifierHyper\n
o[\"modifierNumLock\"] = modifierNumLock\n o[\"modifierScrollLock\"] = modifierScrollLock\n o[\"modifierSuper\"] = modifierSuper\n o[\"modifierSymbol\"] = modifierSymbol\n o[\"modifierSymbolLock\"] = modifierSymbolLock\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n\n return o\n}\n\n/**\n * Exposes the JavaScript [CompositionEvent](https://developer.mozilla.org/en/docs/Web/API/CompositionEvent) to Kotlin\n */\npublic external open class CompositionEvent(type: String, eventInitDict: CompositionEventInit = definedExternally) : UIEvent {\n open val data: String\n}\n\npublic external interface CompositionEventInit : UIEventInit {\n var data: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CompositionEventInit(data: String? = \"\", view: Window? = null,
detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CompositionEventInit {\n val o = js(\"({})\")\n\n o[\"data\"] = data\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n\n return o\n}\n\n/**\n * Exposes the JavaScript [Event](https://developer.mozilla.org/en/docs/Web/API/Event) to Kotlin\n */\npublic external open class Event(type: String, eventInitDict: EventInit = definedExternally) {\n open val type:

String\n   open val target: EventTarget?\n   open val currentTarget: EventTarget?\n   open val eventPhase: Short\n   open val bubbles: Boolean\n   open val cancelable: Boolean\n   open val defaultPrevented: Boolean\n   open val composed: Boolean\n   open val isTrusted: Boolean\n   open val timeStamp: Number\n   fun composedPath(): Array<EventTarget>\n   fun stopPropagation(): Unit\n   fun stopImmediatePropagation(): Unit\n   fun preventDefault(): Unit\n   fun initEvent(type: String, bubbles: Boolean, cancelable: Boolean): Unit\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [EventTarget](https://developer.mozilla.org/en/docs/Web/API/EventTarget) to Kotlin\n */\npublic external abstract class EventTarget {\n   fun addEventListener(type: String, callback: EventListener?, options: dynamic = definedExternally): Unit\n   fun addEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic = definedExternally): Unit\n   fun removeEventListener(type: String, callback: EventListener?, options: dynamic = definedExternally): Unit\n   fun removeEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic = definedExternally): Unit\n   fun dispatchEvent(event: Event): Boolean\n}\n\n/**\n * Exposes the JavaScript [EventListener](https://developer.mozilla.org/en/docs/Web/API/EventListener) to Kotlin\n */\npublic external interface EventListener {\n   fun handleEvent(event: Event): Unit\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage org.w3c.dom\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [Document](https://developer.mozilla.org/en/docs/Web/API/Document) to Kotlin\n */\npublic external open class Document : Node, GlobalEventHandlers, DocumentAndElementEventHandlers, NonElementParentNode, DocumentOrShadowRoot, ParentNode, GeometryUtils {\n   open val fullscreenEnabled: Boolean\n   open val fullscreen: Boolean\n   var onfullscreenchange: ((Event) -> dynamic)?\n   var onfullscreenerror: ((Event) -> dynamic)?\n   open val rootElement: SVGSVGElement?\n   var title: String\n   open val referrer: String\n   var domain: String\n   open val activeElement: Element?\n   open val location: Location?\n   var cookie: String\n   open val lastModified: String\n   open val readyState: DocumentReadyState\n   var dir: String\n   var body: HTMLElement?\n   open val head: HTMLHeadElement?\n   open val images: HTMLCollection\n   open val embeds: HTMLCollection\n   open val plugins: HTMLCollection\n   open val links: HTMLCollection\n   open val forms: HTMLCollection\n   open val scripts: HTMLCollection\n   open val currentScript: HTMLOrSVGScriptElement?\n   open val defaultView: Window?\n   var designMode: String\n   var onreadystatechange: ((Event) -> dynamic)?\n   var fgColor: String\n   var linkColor: String\n   var vlinkColor: String\n   var alinkColor: String\n   var bgColor: String\n   open val anchors: HTMLCollection\n   open val applets: HTMLCollection\n   open val all: HTMLAllCollection\n   open val implementation: DOMImplementation\n   open val URL: String\n   open val documentURI: String\n   open val origin: String\n   open val compatMode: String\n   open val characterSet: String\n   open val charset: String\n   open val inputEncoding: String\n   open val contentType: String\n   open val doctype: DocumentType?\n   open val documentElement: Element?\n   open val scrollingElement: Element?\n   open val styleSheets: StyleSheetList\n   override var onabort: ((Event) -> dynamic)?\n   override var onblur: ((Event) -> dynamic)?\n   override var oncancel: ((Event) -> dynamic)?\n   override var oncanplay: ((Event) -> dynamic)?\n   override var oncanplaythrough: ((Event) -> dynamic)?\n   override var onchange: ((Event) -> dynamic)?\n   override var onclick: ((Event) -> dynamic)?\n   override var onclose: ((Event) -> dynamic)?\n   override var oncontextmenu: ((Event) -> dynamic)?\n   override var oncuechange: ((Event) -> dynamic)?\n   override var ondblclick: ((Event) -> dynamic)?\n   override var ondrag: ((Event) -> dynamic)?\n   override var ondragend: ((Event) -> dynamic)?\n   override var ondragenter: ((Event) -> dynamic)?\n   override var ondragexit: ((Event) ->

dynamic)?\n   override var ondragleave: ((Event) -> dynamic)?\n   override var ondragover: ((Event) -> dynamic)?\n   override var ondragstart: ((Event) -> dynamic)?\n   override var ondrop: ((Event) -> dynamic)?\n override var ondurationchange: ((Event) -> dynamic)?\n   override var onemptied: ((Event) -> dynamic)?\n override var onended: ((Event) -> dynamic)?\n   override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n   override var onfocus: ((Event) -> dynamic)?\n   override var oninput: ((Event) -> dynamic)?\n override var oninvalid: ((Event) -> dynamic)?\n   override var onkeydown: ((Event) -> dynamic)?\n   override var onkeypress: ((Event) -> dynamic)?\n   override var onkeyup: ((Event) -> dynamic)?\n   override var onload: ((Event) -> dynamic)?\n   override var onloadeddata: ((Event) -> dynamic)?\n   override var onloadedmetadata: ((Event) -> dynamic)?\n   override var onloadend: ((Event) -> dynamic)?\n   override var onloadstart: ((Event) -> dynamic)?\n   override var onmousedown: ((Event) -> dynamic)?\n   override var onmouseenter: ((Event) -> dynamic)?\n   override var onmouseleave: ((Event) -> dynamic)?\n   override var onmousemove: ((Event) -> dynamic)?\n   override var onmouseout: ((Event) -> dynamic)?\n   override var onmouseover: ((Event) -> dynamic)?\n   override var onmouseup: ((Event) -> dynamic)?\n   override var onwheel: ((Event) -> dynamic)?\n   override var onpause: ((Event) -> dynamic)?\n   override var onplay: ((Event) -> dynamic)?\n   override var onplaying: ((Event) -> dynamic)?\n   override var onprogress: ((Event) -> dynamic)?\n   override var onratechange: ((Event) -> dynamic)?\n   override var onreset: ((Event) -> dynamic)?\n   override var onresize: ((Event) -> dynamic)?\n   override var onscroll: ((Event) -> dynamic)?\n   override var onseeked: ((Event) -> dynamic)?\n override var onseeking: ((Event) -> dynamic)?\n   override var onselect: ((Event) -> dynamic)?\n   override var onshow: ((Event) -> dynamic)?\n   override var onstalled: ((Event) -> dynamic)?\n   override var onsubmit: ((Event) -> dynamic)?\n   override var onsuspend: ((Event) -> dynamic)?\n   override var ontimeupdate: ((Event) -> dynamic)?\n   override var ontoggle: ((Event) -> dynamic)?\n   override var onvolumechange: ((Event) -> dynamic)?\n   override var onwaiting: ((Event) -> dynamic)?\n   override var oncopy: ((Event) -> dynamic)?\n   override var oncut: ((Event) -> dynamic)?\n   override var onpaste: ((Event) -> dynamic)?\n override val fullscreenElement: Element?\n   override val children: HTMLCollection\n   override val firstElementChild: Element?\n   override val lastElementChild: Element?\n   override val childElementCount: Int\n   fun exitFullscreen(): Promise<Unit>\n   fun getElementsByName(elementName: String): NodeList\n   fun open(type: String = definedExternally, replace: String = definedExternally): Document\n   fun open(url: String, name: String, features: String): Window\n   fun close(): Unit\n   fun write(vararg text: String): Unit\n   fun writeln(vararg text: String): Unit\n   fun hasFocus(): Boolean\n   fun execCommand(commandId: String, showUI: Boolean = definedExternally, value: String = definedExternally): Boolean\n   fun queryCommandEnabled(commandId: String): Boolean\n   fun queryCommandIndeterm(commandId: String): Boolean\n   fun queryCommandState(commandId: String): Boolean\n   fun queryCommandSupported(commandId: String): Boolean\n   fun queryCommandValue(commandId: String): String\n   fun clear(): Unit\n   fun captureEvents(): Unit\n   fun releaseEvents(): Unit\n   fun getElementsByTagName(qualifiedName: String): HTMLCollection\n   fun getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n   fun getElementsByClassName(classNames: String): HTMLCollection\n   fun createElement(localName: String, options: ElementCreationOptions = definedExternally): Element\n   fun createElementNS(namespace: String?, qualifiedName: String, options: ElementCreationOptions = definedExternally): Element\n   fun createDocumentFragment(): DocumentFragment\n   fun createTextNode(data: String): Text\n   fun createCDATASection(data: String): CDATASection\n   fun createComment(data: String): Comment\n   fun createProcessingInstruction(target: String, data: String): ProcessingInstruction\n   fun importNode(node: Node, deep: Boolean = definedExternally): Node\n   fun adoptNode(node: Node): Node\n   fun createAttribute(localName: String): Attr\n   fun createAttributeNS(namespace: String?, qualifiedName: String): Attr\n   fun createEvent(interface_: String): Event\n   fun createRange(): Range\n   fun createNodeIterator(root: Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally): NodeIterator\n   fun createNodeIterator(root: Node, whatToShow: Int = definedExternally, filter: ((Node) -> Short)? = definedExternally): NodeIterator\n   fun

createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally): TreeWalker\n   fun createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter: ((Node) -> Short)? = definedExternally): TreeWalker\n   fun elementFromPoint(x: Double, y: Double): Element?\n   fun elementsFromPoint(x: Double, y: Double): Array<Element>\n   fun caretPositionFromPoint(x: Double, y: Double): CaretPosition?\n
    override fun getElementById(elementId: String): Element?\n   override fun prepend(vararg nodes: dynamic): Unit\n   override fun append(vararg nodes: dynamic): Unit\n   override fun querySelector(selectors: String): Element?\n   override fun querySelectorAll(selectors: String): NodeList\n   override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n   override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n}\n@kotlin.internal.InlineOnly inline operator fun Document.get(name: String): dynamic = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [Window](https://developer.mozilla.org/en/docs/Web/API/Window)
 to Kotlin\n */\npublic external abstract class Window : EventTarget, GlobalEventHandlers, WindowEventHandlers, WindowOrWorkerGlobalScope, WindowSessionStorage, WindowLocalStorage, GlobalPerformance, UnionMessagePortOrWindow {\n   override val performance: Performance\n   open val window: Window\n   open val self: Window\n   open val document: Document\n   open var name: String\n   open val location: Location\n   open val history: History\n   open val customElements: CustomElementRegistry\n   open val locationbar: BarProp\n   open val menubar: BarProp\n   open val personalbar: BarProp\n   open val scrollbars: BarProp\n   open val statusbar: BarProp\n   open val toolbar: BarProp\n   open var status: String\n   open val closed: Boolean\n   open val frames: Window\n   open val length: Int\n   open val top: Window\n   open var opener: Any?\n   open val parent: Window\n   open val frameElement: Element?\n   open val navigator: Navigator\n
    open val applicationCache: ApplicationCache\n   open val external: External\n   open val screen: Screen\n   open val innerWidth: Int\n   open val innerHeight: Int\n   open val scrollX: Double\n   open val pageXOffset: Double\n   open val scrollY: Double\n   open val pageYOffset: Double\n   open val screenX: Int\n   open val screenY: Int\n   open val outerWidth: Int\n   open val outerHeight: Int\n   open val devicePixelRatio: Double\n   fun close(): Unit\n   fun stop(): Unit\n   fun focus(): Unit\n   fun blur(): Unit\n   fun open(url: String = definedExternally, target: String = definedExternally, features: String = definedExternally): Window?\n   fun alert(): Unit\n   fun alert(message: String): Unit\n   fun confirm(message: String = definedExternally): Boolean\n   fun prompt(message: String = definedExternally, default: String = definedExternally): String?\n   fun print(): Unit\n   fun requestAnimationFrame(callback: (Double) -> Unit): Int\n   fun cancelAnimationFrame(handle: Int): Unit\n   fun postMessage(message: Any?, targetOrigin: String, transfer: Array<dynamic> = definedExternally): Unit\n   fun captureEvents(): Unit\n   fun releaseEvents(): Unit\n   fun matchMedia(query: String): MediaQueryList\n   fun moveTo(x: Int, y: Int): Unit\n   fun moveBy(x: Int, y: Int): Unit\n   fun resizeTo(x: Int, y: Int): Unit\n   fun resizeBy(x: Int, y: Int): Unit\n   fun scroll(options: ScrollToOptions = definedExternally): Unit\n   fun scroll(x: Double, y: Double): Unit\n   fun scrollTo(options: ScrollToOptions = definedExternally): Unit\n   fun scrollTo(x: Double, y: Double): Unit\n   fun scrollBy(options: ScrollToOptions = definedExternally): Unit\n   fun scrollBy(x: Double, y: Double): Unit\n   fun getComputedStyle(elt: Element, pseudoElt: String? = definedExternally): CSSStyleDeclaration\n}\n@kotlin.internal.InlineOnly inline operator fun Window.get(name: String): dynamic = asDynamic()[name]\n\npublic external abstract class HTMLAllCollection
 {\n   open val length: Int\n//   fun namedItem(name: String): UnionElementOrHTMLCollection?\n   fun item(nameOrIndex: String = definedExternally): UnionElementOrHTMLCollection?\n}\n//@kotlin.internal.InlineOnly inline operator fun HTMLAllCollection.get(index: Int): Element? = asDynamic()[index]\n//@kotlin.internal.InlineOnly inline operator fun HTMLAllCollection.get(name: String): UnionElementOrHTMLCollection? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript

[HTMLFormControlsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLFormControlsCollection) to Kotlin\n */\npublic external abstract class HTMLFormControlsCollection : HTMLCollection {\n//   override fun namedItem(name: String): UnionElementOrRadioNodeList?\n}\n//@kotlin.internal.InlineOnly override inline operator fun HTMLFormControlsCollection.get(name: String): UnionElementOrRadioNodeList? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [RadioNodeList](https://developer.mozilla.org/en/docs/Web/API/RadioNodeList) to Kotlin\n */\npublic external abstract class RadioNodeList : NodeList, UnionElementOrRadioNodeList {\n   open var value: String\n}\n\n/**\n * Exposes the JavaScript [HTMLOptionsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionsCollection) to Kotlin\n */\npublic external abstract class HTMLOptionsCollection : HTMLCollection {\n   override var length: Int\n   open var selectedIndex: Int\n   fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally): Unit\n   fun remove(index: Int): Unit\n}\n@kotlin.internal.InlineOnly inline operator fun HTMLOptionsCollection.set(index: Int, option: HTMLOptionElement?): Unit { asDynamic()[index] = option; }\n\n/**\n * Exposes the JavaScript [HTMLElement](https://developer.mozilla.org/en/docs/Web/API/HTMLElement) to Kotlin\n */\npublic external abstract class HTMLElement : Element, ElementCSSInlineStyle, GlobalEventHandlers, DocumentAndElementEventHandlers, ElementContentEditable {\n   open var title: String\n   open var lang: String\n   open var translate: Boolean\n   open var dir: String\n   open val dataset: DOMStringMap\n   open var hidden: Boolean\n   open var tabIndex: Int\n   open var accessKey: String\n   open val accessKeyLabel: String\n   open var draggable: Boolean\n   open val dropzone: DOMTokenList\n   open var contextMenu: HTMLMenuElement?\n   open var spellcheck: Boolean\n   open var innerText: String\n   open val offsetParent: Element?\n   open val offsetTop: Int\n   open val offsetLeft: Int\n   open val offsetWidth: Int\n   open val offsetHeight: Int\n   fun click(): Unit\n   fun focus(): Unit\n   fun blur(): Unit\n   fun forceSpellCheck(): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLUnknownElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUnknownElement) to Kotlin\n */\npublic external abstract class HTMLUnknownElement : HTMLElement {\n}\n\n/**\n * Exposes the JavaScript [DOMStringMap](https://developer.mozilla.org/en/docs/Web/API/DOMStringMap) to Kotlin\n */\npublic external abstract class DOMStringMap {\n}\n@kotlin.internal.InlineOnly inline operator fun DOMStringMap.get(name: String): String? = asDynamic()[name]\n@kotlin.internal.InlineOnly inline operator fun DOMStringMap.set(name: String, value: String): Unit { asDynamic()[name] = value; }\n\n/**\n * Exposes the JavaScript [HTMLHtmlElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHtmlElement) to Kotlin\n */\npublic external abstract class HTMLHtmlElement : HTMLElement {\n   open var version: String\n}\n\n/**\n * Exposes the JavaScript [HTMLHeadElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadElement) to Kotlin\n */\npublic external abstract class HTMLHeadElement : HTMLElement {\n}\n\n/**\n * Exposes the JavaScript [HTMLTitleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTitleElement) to Kotlin\n */\npublic external abstract class HTMLTitleElement : HTMLElement {\n   open var text: String\n}\n\n/**\n * Exposes the JavaScript [HTMLBaseElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBaseElement) to Kotlin\n */\npublic external abstract class HTMLBaseElement : HTMLElement {\n   open var href: String\n   open var target: String\n}\n\n/**\n * Exposes the JavaScript [HTMLLinkElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLinkElement) to Kotlin\n */\npublic external abstract class HTMLLinkElement : HTMLElement, LinkStyle {\n   open var scope: String\n   open var workerType: WorkerType\n   open var href: String\n   open var crossOrigin: String?\n   open var rel: String\n   @JsName(\"as\") open var as_: RequestDestination\n   open val relList: DOMTokenList\n   open var media: String\n   open var nonce: String\n   open var hreflang: String\n   open var type: String\n   open val sizes: DOMTokenList\n   open var referrerPolicy: String\n   open var charset: String\n   open var rev: String\n   open var target: String\n}\n\n/**\n * Exposes

the JavaScript [HTMLMetaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMetaElement) to Kotlin\n */\npublic external abstract class HTMLMetaElement : HTMLElement {\n open var name: String\n open var httpEquiv: String\n open var content: String\n open var scheme: String\n}\n\n/**\n * Exposes the JavaScript [HTMLStyleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLStyleElement) to Kotlin\n */\npublic external abstract class HTMLStyleElement : HTMLElement, LinkStyle {\n open var media: String\n open var nonce: String\n open var type: String\n}\n\n/**\n * Exposes the JavaScript [HTMLBodyElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBodyElement) to Kotlin\n */\npublic external abstract class HTMLBodyElement : HTMLElement, WindowEventHandlers {\n open var text: String\n open var link: String\n open var vLink: String\n open var aLink: String\n open var bgColor: String\n open var background: String\n}\n\n/**\n * Exposes the JavaScript [HTMLHeadingElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadingElement) to Kotlin\n */\npublic external abstract class HTMLHeadingElement : HTMLElement {\n open var align: String\n}\n\n/**\n * Exposes the JavaScript [HTMLParagraphElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParagraphElement) to Kotlin\n */\npublic external abstract class HTMLParagraphElement : HTMLElement {\n open var align: String\n}\n\n/**\n * Exposes the JavaScript [HTMLHRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHRElement) to Kotlin\n */\npublic external abstract class HTMLHRElement : HTMLElement {\n open var align: String\n open var color: String\n open var noShade: Boolean\n open var size: String\n open var width: String\n}\n\n/**\n * Exposes the JavaScript [HTMLPreElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPreElement) to Kotlin\n */\npublic external abstract class HTMLPreElement : HTMLElement {\n open var width: Int\n}\n\n/**\n * Exposes the JavaScript [HTMLQuoteElement](https://developer.mozilla.org/en/docs/Web/API/HTMLQuoteElement) to Kotlin\n */\npublic external abstract class HTMLQuoteElement : HTMLElement {\n open var cite: String\n}\n\n/**\n * Exposes the JavaScript [HTMLOListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOListElement) to Kotlin\n */\npublic external abstract class HTMLOListElement : HTMLElement {\n open var reversed: Boolean\n open var start: Int\n open var type: String\n open var compact: Boolean\n}\n\n/**\n * Exposes the JavaScript [HTMLUListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUListElement) to Kotlin\n */\npublic external abstract class HTMLUListElement : HTMLElement {\n open var compact: Boolean\n open var type: String\n}\n\n/**\n * Exposes the JavaScript [HTMLLIElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLIElement) to Kotlin\n */\npublic external abstract class HTMLLIElement : HTMLElement {\n open var value: Int\n open var type: String\n}\n\n/**\n * Exposes the JavaScript [HTMLDListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDListElement) to Kotlin\n */\npublic external abstract class HTMLDListElement : HTMLElement {\n open var compact: Boolean\n}\n\n/**\n * Exposes the JavaScript [HTMLDivElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDivElement) to Kotlin\n */\npublic external abstract class HTMLDivElement : HTMLElement {\n open var align: String\n}\n\n/**\n * Exposes the JavaScript [HTMLAnchorElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAnchorElement) to Kotlin\n */\npublic external abstract class HTMLAnchorElement : HTMLElement, HTMLHyperlinkElementUtils {\n open var target: String\n open var download: String\n open var ping: String\n open var rel: String\n open val relList: DOMTokenList\n open var hreflang: String\n open var type: String\n open var text: String\n open var referrerPolicy: String\n open var coords: String\n open var charset: String\n open var name: String\n open var rev: String\n open var shape: String\n}\n\n/**\n * Exposes the JavaScript [HTMLDataElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataElement) to Kotlin\n */\npublic external abstract class HTMLDataElement : HTMLElement {\n open var value: String\n}\n\n/**\n * Exposes the JavaScript [HTMLTimeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTimeElement) to Kotlin\n

*/\npublic external abstract class HTMLTimeElement : HTMLElement {\n   open var dateTime: String\n}\n\n/**\n * Exposes the JavaScript [HTMLSpanElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSpanElement) to Kotlin\n */\npublic external abstract class HTMLSpanElement : HTMLElement {\n}\n\n/**\n * Exposes the JavaScript [HTMLBRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBRElement) to Kotlin\n */\npublic external abstract class HTMLBRElement : HTMLElement {\n   open var clear: String\n}\n\n/**\n * Exposes the JavaScript [HTMLHyperlinkElementUtils](https://developer.mozilla.org/en/docs/Web/API/HTMLHyperlinkElementUtils) to Kotlin\n */\npublic external interface HTMLHyperlinkElementUtils {\n   var href: String\n   val origin: String\n   var protocol: String\n   var username: String\n   var password: String\n   var host: String\n   var hostname: String\n   var port: String\n   var pathname: String\n   var search: String\n   var hash: String\n}\n\n/**\n * Exposes the JavaScript [HTMLModElement](https://developer.mozilla.org/en/docs/Web/API/HTMLModElement) to Kotlin\n */\npublic external abstract class HTMLModElement : HTMLElement {\n   open var cite: String\n   open var dateTime: String\n}\n\n/**\n * Exposes the JavaScript [HTMLPictureElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPictureElement) to Kotlin\n */\npublic external abstract class HTMLPictureElement : HTMLElement {\n}\n\n/**\n * Exposes the JavaScript [HTMLSourceElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSourceElement) to Kotlin\n */\npublic external abstract class HTMLSourceElement : HTMLElement {\n   open var src: String\n   open var type: String\n   open var srcset: String\n   open var sizes: String\n   open var media: String\n}\n\n/**\n * Exposes the JavaScript [HTMLImageElement](https://developer.mozilla.org/en/docs/Web/API/HTMLImageElement) to Kotlin\n */\npublic external abstract class HTMLImageElement : HTMLElement, TexImageSource, HTMLOrSVGImageElement {\n   open var alt: String\n   open var src: String\n   open var srcset: String\n   open var sizes: String\n   open var crossOrigin: String?\n   open var useMap: String\n   open var isMap: Boolean\n   open var width: Int\n   open var height: Int\n   open val naturalWidth: Int\n   open val naturalHeight: Int\n   open val complete: Boolean\n   open val currentSrc: String\n   open var referrerPolicy: String\n   open var name: String\n   open var lowsrc: String\n   open var align: String\n   open var hspace: Int\n   open var vspace: Int\n   open var longDesc: String\n   open var border: String\n   open val x: Int\n   open val y: Int\n}\n\n/**\n * Exposes the JavaScript [HTMLIFrameElement](https://developer.mozilla.org/en/docs/Web/API/HTMLIFrameElement) to Kotlin\n */\npublic external abstract class HTMLIFrameElement : HTMLElement {\n   open var src: String\n   open var srcdoc: String\n   open var name: String\n   open val sandbox: DOMTokenList\n   open var allowFullscreen: Boolean\n   open var allowUserMedia: Boolean\n   open var width: String\n   open var height: String\n   open var referrerPolicy: String\n   open val contentDocument: Document?\n   open val contentWindow: Window?\n   open var align: String\n   open var scrolling: String\n   open var frameBorder: String\n   open var longDesc: String\n   open var marginHeight: String\n   open var marginWidth: String\n   fun getSVGDocument(): Document?\n}\n\n/**\n * Exposes the JavaScript [HTMLEmbedElement](https://developer.mozilla.org/en/docs/Web/API/HTMLEmbedElement) to Kotlin\n */\npublic external abstract class HTMLEmbedElement : HTMLElement {\n   open var src: String\n   open var type: String\n   open var width: String\n   open var height: String\n   open var align: String\n   open var name: String\n   fun getSVGDocument(): Document?\n}\n\n/**\n * Exposes the JavaScript [HTMLObjectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLObjectElement) to Kotlin\n */\npublic external abstract class HTMLObjectElement : HTMLElement {\n   open var data: String\n   open var type: String\n   open var typeMustMatch: Boolean\n   open var name: String\n   open var useMap: String\n   open val form: HTMLFormElement?\n   open var width: String\n   open var height: String\n   open val contentDocument: Document?\n   open val contentWindow: Window?\n   open val willValidate: Boolean\n   open val validity: ValidityState\n   open val validationMessage:

String\n   open var align: String\n   open var archive: String\n   open var code: String\n   open var declare: Boolean\n   open var hspace: Int\n   open var standby: String\n   open var vspace: Int\n   open var codeBase: String\n   open var codeType: String\n   open var border: String\n   fun getSVGDocument(): Document?\n   fun checkValidity(): Boolean\n   fun reportValidity(): Boolean\n   fun setCustomValidity(error: String): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLParamElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParamElement) to Kotlin\n */\npublic external abstract class HTMLParamElement : HTMLElement {\n   open var name: String\n   open var value: String\n   open var type: String\n   open var valueType: String\n}\n\n/**\n * Exposes the JavaScript [HTMLVideoElement](https://developer.mozilla.org/en/docs/Web/API/HTMLVideoElement) to Kotlin\n */\npublic external abstract class HTMLVideoElement : HTMLMediaElement, TexImageSource {\n   open var width: Int\n   open var height: Int\n   open val videoWidth: Int\n   open val videoHeight: Int\n   open var poster: String\n   open var playsInline: Boolean\n}\n\n/**\n * Exposes the JavaScript [HTMLAudioElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAudioElement) to Kotlin\n */\npublic external abstract class HTMLAudioElement : HTMLMediaElement {\n}\n\n/**\n * Exposes the JavaScript [HTMLTrackElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTrackElement) to Kotlin\n */\npublic external abstract class HTMLTrackElement : HTMLElement {\n   open var kind: String\n   open var src: String\n   open var srclang: String\n   open var label: String\n   open var default: Boolean\n   open val readyState: Short\n   open val track: TextTrack\n\n   companion object {\n   val NONE: Short\n   val LOADING: Short\n   val LOADED: Short\n   val ERROR: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLMediaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMediaElement) to Kotlin\n */\npublic external abstract class HTMLMediaElement : HTMLElement {\n   open val error: MediaError?\n   open var src: String\n   open var srcObject: dynamic\n   open val currentSrc: String\n   open var crossOrigin: String?\n   open val networkState: Short\n   open var preload: String\n   open val buffered: TimeRanges\n   open val readyState: Short\n   open val seeking: Boolean\n   open var currentTime: Double\n   open val duration: Double\n   open val paused: Boolean\n   open var defaultPlaybackRate: Double\n   open var playbackRate: Double\n   open val played: TimeRanges\n   open val seekable: TimeRanges\n   open val ended: Boolean\n   open var autoplay: Boolean\n   open var loop: Boolean\n   open var controls: Boolean\n   open var volume: Double\n   open var muted: Boolean\n   open var defaultMuted: Boolean\n   open val audioTracks: AudioTrackList\n   open val videoTracks: VideoTrackList\n   open val textTracks: TextTrackList\n   fun load(): Unit\n   fun canPlayType(type: String): CanPlayTypeResult\n   fun fastSeek(time: Double): Unit\n   fun getStartDate(): dynamic\n   fun play(): Promise<Unit>\n   fun pause(): Unit\n   fun addTextTrack(kind: TextTrackKind, label: String = definedExternally, language: String = definedExternally): TextTrack\n\n   companion object {\n   val NETWORK_EMPTY: Short\n   val NETWORK_IDLE: Short\n   val NETWORK_LOADING: Short\n   val NETWORK_NO_SOURCE: Short\n   val HAVE_NOTHING: Short\n   val HAVE_METADATA: Short\n   val HAVE_CURRENT_DATA: Short\n   val HAVE_FUTURE_DATA: Short\n   val HAVE_ENOUGH_DATA: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [MediaError](https://developer.mozilla.org/en/docs/Web/API/MediaError) to Kotlin\n */\npublic external abstract class MediaError {\n   open val code: Short\n\n   companion object {\n   val MEDIA_ERR_ABORTED: Short\n   val MEDIA_ERR_NETWORK: Short\n   val MEDIA_ERR_DECODE: Short\n   val MEDIA_ERR_SRC_NOT_SUPPORTED: Short\n   }\n}\n\npublic external abstract class AudioTrackList : EventTarget {\n   open val length: Int\n   open var onchange: ((Event) -> dynamic)?\n   open var onaddtrack: ((Event) -> dynamic)?\n   open var onremovetrack: ((Event) -> dynamic)?\n   fun getTrackById(id: String): AudioTrack?\n}\n@kotlin.internal.InlineOnly inline operator fun AudioTrackList.get(index: Int): AudioTrack? = asDynamic()[index]\n\npublic external abstract class AudioTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n   open val id: String\n   open val kind: String\n   open val label: String\n   open val language: String\n   open var enabled: Boolean\n}\n\npublic external abstract class VideoTrackList : EventTarget {\n   open val length: Int\n   open val selectedIndex: Int\n   open var onchange: ((Event) -> dynamic)?\n   open var onaddtrack: ((Event) -> dynamic)?\n   open var onremovetrack: ((Event) ->

dynamic)?\n
fun getTrackById(id: String): VideoTrack?\n}\n@kotlin.internal.InlineOnly inline operator fun VideoTrackList.get(index: Int): VideoTrack? = asDynamic()[index]\n\npublic external abstract class VideoTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n open val id: String\n open val kind: String\n open val label: String\n open val language: String\n open var selected: Boolean\n}\n\npublic external abstract class TextTrackList : EventTarget {\n open val length: Int\n open var onchange: ((Event) -> dynamic)?\n open var onaddtrack: ((Event) -> dynamic)?\n open var onremovetrack: ((Event) -> dynamic)?\n fun getTrackById(id: String): TextTrack?\n}\n@kotlin.internal.InlineOnly inline operator fun TextTrackList.get(index: Int): TextTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [TextTrack](https://developer.mozilla.org/en/docs/Web/API/TextTrack) to Kotlin\n */\npublic external abstract class TextTrack : EventTarget, UnionAudioTrackOrTextTrackOrVideoTrack {\n open val kind: TextTrackKind\n open val label: String\n open val language: String\n open val id: String\n open val inBandMetadataTrackDispatchType: String\n open var mode: TextTrackMode\n open val cues: TextTrackCueList?\n open val activeCues: TextTrackCueList?\n open var oncuechange: ((Event) -> dynamic)?\n fun addCue(cue: TextTrackCue): Unit\n fun removeCue(cue: TextTrackCue): Unit\n}\n\npublic external abstract class TextTrackCueList {\n open val length: Int\n fun getCueById(id: String): TextTrackCue?\n}\n@kotlin.internal.InlineOnly inline operator fun TextTrackCueList.get(index: Int): TextTrackCue? = asDynamic()[index]\n\npublic external abstract class TextTrackCue : EventTarget {\n open val track: TextTrack?\n open var id: String\n open var startTime: Double\n open var endTime: Double\n open var pauseOnExit: Boolean\n open var onenter: ((Event) -> dynamic)?\n open var onexit: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript [TimeRanges](https://developer.mozilla.org/en/docs/Web/API/TimeRanges) to Kotlin\n */\npublic external abstract class TimeRanges {\n open val length: Int\n fun start(index: Int): Double\n fun end(index: Int): Double\n}\n\npublic external open class TrackEvent(type: String, eventInitDict: TrackEventInit = definedExternally) : Event {\n open val track: UnionAudioTrackOrTextTrackOrVideoTrack?\n}\n\npublic external interface TrackEventInit : EventInit {\n var track: UnionAudioTrackOrTextTrackOrVideoTrack? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun TrackEventInit(track: UnionAudioTrackOrTextTrackOrVideoTrack? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): TrackEventInit {\n val o = js(\"({})\")\n\n o[\"track\"] = track\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n\n return o\n}\n\n/**\n * Exposes the JavaScript [HTMLMapElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMapElement) to Kotlin\n */\npublic external abstract class HTMLMapElement : HTMLElement {\n open var name: String\n open val areas: HTMLCollection\n}\n\n/**\n * Exposes the JavaScript [HTMLAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAreaElement) to Kotlin\n */\npublic external abstract class HTMLAreaElement : HTMLElement, HTMLHyperlinkElementUtils {\n open var alt: String\n open var coords: String\n open var shape: String\n open var target: String\n open var download: String\n open var ping: String\n open var rel: String\n open val relList: DOMTokenList\n open var referrerPolicy: String\n open var noHref: Boolean\n}\n\n/**\n * Exposes the JavaScript [HTMLTableElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableElement) to Kotlin\n */\npublic external abstract class HTMLTableElement : HTMLElement {\n open var caption: HTMLTableCaptionElement?\n open var tHead: HTMLTableSectionElement?\n open var tFoot: HTMLTableSectionElement?\n open val tBodies: HTMLCollection\n open val rows: HTMLCollection\n open var align: String\n open var border: String\n open var frame: String\n open var rules: String\n open var summary: String\n open var width: String\n open var bgColor: String\n open var cellPadding: String\n open var cellSpacing: String\n fun createCaption(): HTMLTableCaptionElement\n fun deleteCaption(): Unit\n fun createTHead(): HTMLTableSectionElement\n fun deleteTHead(): Unit\n fun

createTFoot(): HTMLTableSectionElement\n   fun deleteTFoot(): Unit\n   fun createTBody(): HTMLTableSectionElement\n   fun insertRow(index: Int = definedExternally): HTMLTableRowElement\n   fun deleteRow(index: Int): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLTableCaptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCaptionElement) to Kotlin\n */\npublic external abstract class HTMLTableCaptionElement : HTMLElement {\n   open var align: String\n}\n\n/**\n * Exposes the JavaScript [HTMLTableColElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableColElement) to Kotlin\n */\npublic external abstract class HTMLTableColElement : HTMLElement {\n   open var span: Int\n   open var align: String\n   open var ch: String\n   open var chOff: String\n   open var vAlign: String\n   open var width: String\n}\n\n/**\n * Exposes the JavaScript [HTMLTableSectionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableSectionElement) to Kotlin\n */\npublic external abstract class HTMLTableSectionElement : HTMLElement {\n   open val rows: HTMLCollection\n   open var align: String\n   open var ch: String\n   open var chOff: String\n   open var vAlign: String\n   fun insertRow(index: Int = definedExternally): HTMLElement\n   fun deleteRow(index: Int): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLTableRowElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableRowElement) to Kotlin\n */\npublic external abstract class HTMLTableRowElement : HTMLElement {\n   open val rowIndex: Int\n   open val sectionRowIndex: Int\n   open val cells: HTMLCollection\n   open var align: String\n   open var ch: String\n   open var chOff: String\n   open var vAlign: String\n   open var bgColor: String\n   fun insertCell(index: Int = definedExternally): HTMLElement\n   fun deleteCell(index: Int): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLTableCellElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCellElement) to Kotlin\n */\npublic external abstract class HTMLTableCellElement : HTMLElement {\n   open var colSpan: Int\n   open var rowSpan: Int\n   open var headers: String\n   open val cellIndex: Int\n   open var scope: String\n   open var abbr: String\n   open var align: String\n   open var axis: String\n   open var height: String\n   open var width: String\n   open var ch: String\n   open var chOff: String\n   open var noWrap: Boolean\n   open var vAlign: String\n   open var bgColor: String\n}\n\n/**\n * Exposes the JavaScript [HTMLFormElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFormElement) to Kotlin\n */\npublic external abstract class HTMLFormElement : HTMLElement {\n   open var acceptCharset: String\n   open var action: String\n   open var autocomplete: String\n   open var enctype: String\n   open var encoding: String\n   open var method: String\n   open var name: String\n   open var noValidate: Boolean\n   open var target: String\n   open val elements: HTMLFormControlsCollection\n   open val length: Int\n   fun submit(): Unit\n   fun reset(): Unit\n   fun checkValidity(): Boolean\n   fun reportValidity(): Boolean\n}\n@kotlin.internal.InlineOnly inline operator fun HTMLFormElement.get(index: Int): Element? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun HTMLFormElement.get(name: String): UnionElementOrRadioNodeList? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [HTMLLabelElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLabelElement) to Kotlin\n */\npublic external abstract class HTMLLabelElement : HTMLElement {\n   open val form: HTMLFormElement?\n   open var htmlFor: String\n   open val control: HTMLElement?\n}\n\n/**\n * Exposes the JavaScript [HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to Kotlin\n */\npublic external abstract class HTMLInputElement : HTMLElement {\n   open var accept: String\n   open var alt: String\n   open var autocomplete: String\n   open var autofocus: Boolean\n   open var defaultChecked: Boolean\n   open var checked: Boolean\n   open var dirName: String\n   open var disabled: Boolean\n   open val form: HTMLFormElement?\n   open val files: FileList?\n   open var formAction: String\n   open var formEnctype: String\n   open var formMethod: String\n   open var formNoValidate: Boolean\n   open var formTarget: String\n   open var height: Int\n   open var indeterminate: Boolean\n   open var inputMode: String\n   open val list: HTMLElement?\n   open var max: String\n   open var maxLength: Int\n   open var min: String\n   open var minLength: Int\n   open var multiple: Boolean\n   open var name: String\n   open var pattern: String\n   open var placeholder: String\n   open var readOnly: Boolean\n   open

var required: Boolean\n   open var size: Int\n   open var src: String\n   open var step: String\n   open var type: String\n   open var defaultValue: String\n   open var value: String\n   open var valueAsDate: dynamic\n   open var valueAsNumber: Double\n   open var width: Int\n   open val willValidate: Boolean\n   open val validity: ValidityState\n   open val validationMessage: String\n   open val labels: NodeList\n   open var selectionStart: Int?\n   open var selectionEnd: Int?\n   open var selectionDirection: String?\n
    open var align: String\n   open var useMap: String\n   fun stepUp(n: Int = definedExternally): Unit\n   fun stepDown(n: Int = definedExternally): Unit\n   fun checkValidity(): Boolean\n   fun reportValidity(): Boolean\n fun setCustomValidity(error: String): Unit\n   fun select(): Unit\n   fun setRangeText(replacement: String): Unit\n fun setRangeText(replacement: String, start: Int, end: Int, selectionMode: SelectionMode = definedExternally): Unit\n   fun setSelectionRange(start: Int, end: Int, direction: String = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLButtonElement](https://developer.mozilla.org/en/docs/Web/API/HTMLButtonElement) to Kotlin\n */\npublic external abstract class HTMLButtonElement : HTMLElement {\n   open var autofocus: Boolean\n open var disabled: Boolean\n   open val form: HTMLFormElement?\n   open var formAction: String\n   open var formEnctype: String\n   open var formMethod: String\n   open var formNoValidate: Boolean\n   open var formTarget: String\n   open var name: String\n   open var type: String\n   open var value: String\n   open var menu: HTMLMenuElement?\n   open val willValidate: Boolean\n   open val validity: ValidityState\n   open val validationMessage: String\n   open val labels: NodeList\n   fun checkValidity(): Boolean\n   fun reportValidity(): Boolean\n   fun setCustomValidity(error: String): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLSelectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSelectElement) to Kotlin\n */\npublic external abstract class HTMLSelectElement : HTMLElement, ItemArrayLike<Element> {\n   open var autocomplete: String\n   open var autofocus: Boolean\n   open var disabled: Boolean\n   open val form: HTMLFormElement?\n   open var multiple: Boolean\n   open var name: String\n   open var required: Boolean\n   open var size: Int\n   open val type: String\n   open val options: HTMLOptionsCollection\n   override var length: Int\n   open val selectedOptions: HTMLCollection\n   open var selectedIndex: Int\n   open var value: String\n   open val willValidate: Boolean\n   open val validity: ValidityState\n   open val validationMessage: String\n   open val labels: NodeList\n   override fun item(index: Int): Element?\n   fun namedItem(name: String): HTMLOptionElement?\n   fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally): Unit\n   fun remove(index: Int): Unit\n   fun checkValidity(): Boolean\n   fun reportValidity(): Boolean\n   fun setCustomValidity(error: String): Unit\n}\n@kotlin.internal.InlineOnly inline operator fun HTMLSelectElement.get(index: Int): Element? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun HTMLSelectElement.set(index: Int, option: HTMLOptionElement?): Unit { asDynamic()[index] = option; }\n\n/**\n * Exposes the JavaScript [HTMLDataListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataListElement) to Kotlin\n */\npublic external abstract class HTMLDataListElement : HTMLElement {\n   open val options: HTMLCollection\n}\n\n/**\n * Exposes the JavaScript [HTMLOptGroupElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptGroupElement) to Kotlin\n */\npublic external abstract class HTMLOptGroupElement : HTMLElement, UnionHTMLOptGroupElementOrHTMLOptionElement {\n   open var disabled: Boolean\n   open var label: String\n}\n\n/**\n * Exposes the JavaScript [HTMLOptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionElement) to Kotlin\n */\npublic external abstract class HTMLOptionElement : HTMLElement, UnionHTMLOptGroupElementOrHTMLOptionElement {\n   open var disabled: Boolean\n   open val form: HTMLFormElement?\n   open var label: String\n   open var defaultSelected: Boolean\n   open var selected: Boolean\n   open var value: String\n   open var text: String\n   open val index: Int\n}\n\n/**\n * Exposes the JavaScript [HTMLTextAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTextAreaElement) to Kotlin\n */\npublic external abstract class HTMLTextAreaElement : HTMLElement {\n   open var autocomplete: String\n   open var autofocus: Boolean\n   open var cols: Int\n   open var dirName: String\n   open

var disabled: Boolean\n open val form: HTMLFormElement?\n open var inputMode: String\n open var maxLength: Int\n open var minLength: Int\n open var name: String\n open var placeholder: String\n open var readOnly: Boolean\n open var required: Boolean\n open var rows: Int\n open var wrap: String\n open val type: String\n open var defaultValue: String\n open var value: String\n open val textLength: Int\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n open var selectionStart: Int?\n open var selectionEnd: Int?\n open var selectionDirection: String?\n fun checkValidity():
Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String): Unit\n fun select(): Unit\n fun setRangeText(replacement: String): Unit\n fun setRangeText(replacement: String, start: Int, end: Int, selectionMode: SelectionMode = definedExternally): Unit\n fun setSelectionRange(start: Int, end: Int, direction: String = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLKeygenElement](https://developer.mozilla.org/en/docs/Web/API/HTMLKeygenElement) to Kotlin\n */\npublic external abstract class HTMLKeygenElement : HTMLElement {\n open var autofocus: Boolean\n open var challenge: String\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var keytype: String\n open var name: String\n open val type: String\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun checkValidity(): Boolean\n fun reportValidity():
Boolean\n fun setCustomValidity(error: String): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLOutputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOutputElement) to Kotlin\n */\npublic external abstract class HTMLOutputElement : HTMLElement {\n open val htmlFor: DOMTokenList\n open val form: HTMLFormElement?\n open var name: String\n open val type: String\n open var defaultValue: String\n open var value: String\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLProgressElement](https://developer.mozilla.org/en/docs/Web/API/HTMLProgressElement) to Kotlin\n */\npublic external abstract class HTMLProgressElement : HTMLElement {\n open var value: Double\n open var max: Double\n open val
position: Double\n open val labels: NodeList\n}\n\n/**\n * Exposes the JavaScript [HTMLMeterElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMeterElement) to Kotlin\n */\npublic external abstract class HTMLMeterElement : HTMLElement {\n open var value: Double\n open var min: Double\n open var max: Double\n open var low: Double\n open var high: Double\n open var optimum: Double\n open val labels: NodeList\n}\n\n/**\n * Exposes the JavaScript [HTMLFieldSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFieldSetElement) to Kotlin\n */\npublic external abstract class HTMLFieldSetElement : HTMLElement {\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var name: String\n open val type: String\n open val elements: HTMLCollection\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n
fun setCustomValidity(error: String): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLLegendElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLegendElement) to Kotlin\n */\npublic external abstract class HTMLLegendElement : HTMLElement {\n open val form: HTMLFormElement?\n open var align: String\n}\n\n/**\n * Exposes the JavaScript [ValidityState](https://developer.mozilla.org/en/docs/Web/API/ValidityState) to Kotlin\n */\npublic external abstract class ValidityState {\n open val valueMissing: Boolean\n open val typeMismatch: Boolean\n open val patternMismatch: Boolean\n open val tooLong: Boolean\n open val tooShort: Boolean\n open val rangeUnderflow: Boolean\n open val rangeOverflow: Boolean\n open val stepMismatch: Boolean\n open val badInput: Boolean\n open val customError: Boolean\n open val valid: Boolean\n}\n\n/**\n * Exposes the JavaScript [HTMLDetailsElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDetailsElement) to Kotlin\n

/\npublic external abstract class HTMLDetailsElement : HTMLElement {\n   open var open: Boolean\n}\n\npublic external abstract class HTMLMenuElement : HTMLElement {\n   open var type: String\n   open var label: String\n   open var compact: Boolean\n}\n\npublic external abstract class HTMLMenuItemElement : HTMLElement {\n   open var type: String\n   open var label: String\n   open var icon: String\n   open var disabled: Boolean\n   open var checked: Boolean\n   open var radiogroup: String\n   open var default: Boolean\n}\n\npublic external open class RelatedEvent(type: String, eventInitDict: RelatedEventInit = definedExternally) : Event {\n   open val relatedTarget: EventTarget?\n}\n\npublic external interface RelatedEventInit : EventInit {\n   var relatedTarget: EventTarget? / = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun RelatedEventInit(relatedTarget: EventTarget? = null,
    bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): RelatedEventInit {\n   val o = js(\"({})\")\n\n   o[\"relatedTarget\"] = relatedTarget\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [HTMLDialogElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDialogElement) to Kotlin\n */\npublic external abstract class HTMLDialogElement : HTMLElement {\n   open var open: Boolean\n   open var returnValue: String\n   fun show(anchor: UnionElementOrMouseEvent = definedExternally): Unit\n   fun showModal(anchor: UnionElementOrMouseEvent = definedExternally): Unit\n   fun close(returnValue: String = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLScriptElement](https://developer.mozilla.org/en/docs/Web/API/HTMLScriptElement) to Kotlin\n */\npublic external abstract class HTMLScriptElement : HTMLElement, HTMLOrSVGScriptElement {\n   open var src: String\n   open var type: String\n   open var charset: String\n   open var async: Boolean\n   open var defer: Boolean\n   open var crossOrigin: String?\n   open var text: String\n   open var nonce: String\n   open var event: String\n   open var htmlFor: String\n}\n\n/**\n * Exposes the JavaScript [HTMLTemplateElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTemplateElement) to Kotlin\n */\npublic external abstract class HTMLTemplateElement : HTMLElement {\n   open val content: DocumentFragment\n}\n\n/**\n * Exposes the JavaScript [HTMLSlotElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSlotElement) to Kotlin\n */\npublic external abstract class HTMLSlotElement : HTMLElement {\n   open var name: String\n   fun assignedNodes(options: AssignedNodesOptions = definedExternally): Array<Node>\n}\n\npublic external interface AssignedNodesOptions {\n   var flatten: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
    inline fun AssignedNodesOptions(flatten: Boolean? = false): AssignedNodesOptions {\n   val o = js(\"({})\")\n\n   o[\"flatten\"] = flatten\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [HTMLCanvasElement](https://developer.mozilla.org/en/docs/Web/API/HTMLCanvasElement) to Kotlin\n */\npublic external abstract class HTMLCanvasElement : HTMLElement, TexImageSource {\n   open var width: Int\n   open var height: Int\n   fun getContext(contextId: String, vararg arguments: Any?): RenderingContext?\n   fun toDataURL(type: String = definedExternally, quality: Any? = definedExternally): String\n   fun toBlob(_callback: (Blob?) -> Unit, type: String = definedExternally, quality: Any? = definedExternally): Unit\n}\n\npublic external interface CanvasRenderingContext2DSettings {\n   var alpha: Boolean? /* = true */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
    inline fun CanvasRenderingContext2DSettings(alpha: Boolean? = true): CanvasRenderingContext2DSettings {\n   val o = js(\"({})\")\n\n   o[\"alpha\"] = alpha\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [CanvasRenderingContext2D](https://developer.mozilla.org/en/docs/Web/API/CanvasRenderingContext2D) to Kotlin\n */\npublic external abstract class CanvasRenderingContext2D : CanvasState, CanvasTransform, CanvasCompositing, CanvasImageSmoothing, CanvasFillStrokeStyles, CanvasShadowStyles, CanvasFilters, CanvasRect, CanvasDrawPath, CanvasUserInterface, CanvasText, CanvasDrawImage, CanvasHitRegion, CanvasImageData, CanvasPathDrawingStyles, CanvasTextDrawingStyles, CanvasPath, RenderingContext {\n   open val canvas: HTMLCanvasElement\n}\n\npublic external interface CanvasState {\n   fun save(): Unit\n   fun

```
restore(): Unit\n}\n\npublic external interface CanvasTransform {\n    fun scale(x: Double, y: Double): Unit\n    fun rotate(angle: Double): Unit\n    fun translate(x: Double,
 y: Double): Unit\n    fun transform(a: Double, b: Double, c: Double, d: Double, e: Double, f: Double): Unit\n    fun getTransform(): DOMMatrix\n    fun setTransform(a: Double, b: Double, c: Double, d: Double, e: Double, f: Double): Unit\n    fun setTransform(transform: dynamic = definedExternally): Unit\n    fun resetTransform(): Unit\n}\n\npublic external interface CanvasCompositing {\n    var globalAlpha: Double\n    var globalCompositeOperation: String\n}\n\npublic external interface CanvasImageSmoothing {\n    var imageSmoothingEnabled: Boolean\n    var imageSmoothingQuality: ImageSmoothingQuality\n}\n\npublic external interface CanvasFillStrokeStyles {\n    var strokeStyle: dynamic\n    var fillStyle: dynamic\n    fun createLinearGradient(x0: Double, y0: Double, x1: Double, y1: Double): CanvasGradient\n    fun createRadialGradient(x0: Double, y0: Double, r0: Double, x1: Double, y1: Double, r1: Double): CanvasGradient\n    fun createPattern(image: dynamic, repetition: String):
 CanvasPattern?\n}\n\npublic external interface CanvasShadowStyles {\n    var shadowOffsetX: Double\n    var shadowOffsetY: Double\n    var shadowBlur: Double\n    var shadowColor: String\n}\n\npublic external interface CanvasFilters {\n    var filter: String\n}\n\npublic external interface CanvasRect {\n    fun clearRect(x: Double, y: Double, w: Double, h: Double): Unit\n    fun fillRect(x: Double, y: Double, w: Double, h: Double): Unit\n    fun strokeRect(x: Double, y: Double, w: Double, h: Double): Unit\n}\n\npublic external interface CanvasDrawPath {\n    fun beginPath(): Unit\n    fun fill(fillRule: CanvasFillRule = definedExternally): Unit\n    fun fill(path: Path2D, fillRule: CanvasFillRule = definedExternally): Unit\n    fun stroke(): Unit\n    fun stroke(path: Path2D): Unit\n    fun clip(fillRule: CanvasFillRule = definedExternally): Unit\n    fun clip(path: Path2D, fillRule: CanvasFillRule = definedExternally): Unit\n    fun resetClip(): Unit\n    fun isPointInPath(x: Double,
 y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n    fun isPointInPath(path: Path2D, x: Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n    fun isPointInStroke(x: Double, y: Double): Boolean\n    fun isPointInStroke(path: Path2D, x: Double, y: Double): Boolean\n}\n\npublic external interface CanvasUserInterface {\n    fun drawFocusIfNeeded(element: Element): Unit\n    fun drawFocusIfNeeded(path: Path2D, element: Element): Unit\n    fun scrollPathIntoView(): Unit\n    fun scrollPathIntoView(path: Path2D): Unit\n}\n\npublic external interface CanvasText {\n    fun fillText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally): Unit\n    fun strokeText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally): Unit\n    fun measureText(text: String): TextMetrics\n}\n\npublic external interface CanvasDrawImage {\n    fun drawImage(image: dynamic, dx: Double, dy: Double): Unit\n    fun drawImage(image: dynamic,
 dx: Double, dy: Double, dw: Double, dh: Double): Unit\n    fun drawImage(image: dynamic, sx: Double, sy: Double, sw: Double, sh: Double, dx: Double, dy: Double, dw: Double, dh: Double): Unit\n}\n\npublic external interface CanvasHitRegion {\n    fun addHitRegion(options: HitRegionOptions = definedExternally): Unit\n    fun removeHitRegion(id: String): Unit\n    fun clearHitRegions(): Unit\n}\n\npublic external interface CanvasImageData {\n    fun createImageData(sw: Double, sh: Double): ImageData\n    fun createImageData(imagedata: ImageData): ImageData\n    fun getImageData(sx: Double, sy: Double, sw: Double, sh: Double): ImageData\n    fun putImageData(imagedata: ImageData, dx: Double, dy: Double): Unit\n    fun putImageData(imagedata: ImageData, dx: Double, dy: Double, dirtyX: Double, dirtyY: Double, dirtyWidth: Double, dirtyHeight: Double): Unit\n}\n\npublic external interface CanvasPathDrawingStyles {\n    var lineWidth: Double\n    var lineCap: CanvasLineCap\n    var lineJoin:
 CanvasLineJoin\n    var miterLimit: Double\n    var lineDashOffset: Double\n    fun setLineDash(segments: Array<Double>): Unit\n    fun getLineDash(): Array<Double>\n}\n\npublic external interface CanvasTextDrawingStyles {\n    var font: String\n    var textAlign: CanvasTextAlign\n    var textBaseline: CanvasTextBaseline\n    var direction: CanvasDirection\n}\n\npublic external interface CanvasPath {\n    fun closePath(): Unit\n    fun moveTo(x: Double, y: Double): Unit\n    fun lineTo(x: Double, y: Double): Unit\n    fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double): Unit\n    fun bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double): Unit\n    fun arcTo(x1: Double, y1: Double, x2:
```

Double, y2: Double, radius: Double): Unit\n fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY: Double, rotation: Double): Unit\n fun rect(x: Double, y: Double, w: Double, h: Double): Unit\n fun arc(x: Double,
y: Double, radius: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean = definedExternally): Unit\n fun ellipse(x: Double, y: Double, radiusX: Double, radiusY: Double, rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript [CanvasGradient](https://developer.mozilla.org/en/docs/Web/API/CanvasGradient) to Kotlin\n */\npublic external abstract class CanvasGradient {\n fun addColorStop(offset: Double, color: String): Unit\n}\n\n/**\n * Exposes the JavaScript [CanvasPattern](https://developer.mozilla.org/en/docs/Web/API/CanvasPattern) to Kotlin\n */\npublic external abstract class CanvasPattern {\n fun setTransform(transform: dynamic = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript
[TextMetrics](https://developer.mozilla.org/en/docs/Web/API/TextMetrics) to Kotlin\n */\npublic external abstract class TextMetrics {\n open val width: Double\n open val actualBoundingBoxLeft:
Double\n open val actualBoundingBoxRight: Double\n open val fontBoundingBoxAscent: Double\n open val fontBoundingBoxDescent: Double\n open val actualBoundingBoxAscent: Double\n open val actualBoundingBoxDescent: Double\n open val emHeightAscent: Double\n open val emHeightDescent: Double\n open val hangingBaseline: Double\n open val alphabeticBaseline: Double\n open val ideographicBaseline: Double\n}\n\npublic external interface HitRegionOptions {\n var path: Path2D? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var fillRule: CanvasFillRule? /* = CanvasFillRule.NONZERO */\n get() = definedExternally\n set(value) = definedExternally\n var id: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var parentID: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var cursor: String? /* = \"inherit\" */\n get() = definedExternally\n set(value) = definedExternally\n var control: Element? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var label: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var role: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun HitRegionOptions(path: Path2D? = null, fillRule: CanvasFillRule? = CanvasFillRule.NONZERO, id: String? = \"\", parentID: String? = null, cursor: String? = \"inherit\", control: Element? = null, label: String? = null, role: String? = null): HitRegionOptions {\n val o = js(\"({})\")\n\n o[\"path\"] = path\n o[\"fillRule\"] = fillRule\n o[\"id\"] = id\n o[\"parentID\"] = parentID\n o[\"cursor\"] = cursor\n o[\"control\"] = control\n o[\"label\"] = label\n o[\"role\"] = role\n\n return o\n}\n\n/**\n
* Exposes the JavaScript [ImageData](https://developer.mozilla.org/en/docs/Web/API/ImageData) to Kotlin\n */\npublic external open class ImageData : TexImageSource {\n constructor(sw: Int, sh: Int)\n constructor(data: Uint8ClampedArray, sw: Int, sh: Int = definedExternally)\n open val width: Int\n open val height: Int\n open val data: Uint8ClampedArray\n}\n\n/**\n * Exposes the JavaScript
[Path2D](https://developer.mozilla.org/en/docs/Web/API/Path2D) to Kotlin\n */\npublic external open class Path2D() : CanvasPath {\n constructor(path: Path2D)\n constructor(paths: Array<Path2D>, fillRule: CanvasFillRule = definedExternally)\n constructor(d: String)\n fun addPath(path: Path2D, transform: dynamic = definedExternally): Unit\n override fun closePath(): Unit\n override fun moveTo(x: Double, y: Double): Unit\n override fun lineTo(x: Double, y: Double): Unit\n override fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double): Unit\n
override fun bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double): Unit\n override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius: Double): Unit\n override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY: Double, rotation: Double): Unit\n override fun rect(x: Double, y: Double, w: Double, h: Double): Unit\n override fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean /* = definedExternally */): Unit\n override fun ellipse(x: Double, y: Double, radiusX: Double, radiusY: Double, rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean /* = definedExternally */): Unit\n}\n\n/**\n * Exposes the

JavaScript [Touch](https://developer.mozilla.org/en/docs/Web/API/Touch) to Kotlin\n */\npublic external abstract class Touch {\n open val region: String?\n}\n\n/**\n * Exposes the JavaScript [ImageBitmapRenderingContext](https://developer.mozilla.org/en/docs/Web/API/ImageBitmapRenderingContext) to Kotlin\n */\npublic external abstract class ImageBitmapRenderingContext {\n open val canvas: HTMLCanvasElement\n fun transferFromImageBitmap(bitmap: ImageBitmap?): Unit\n}\n\npublic external interface ImageBitmapRenderingContextSettings {\n var alpha: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ImageBitmapRenderingContextSettings(alpha: Boolean? = true): ImageBitmapRenderingContextSettings {\n val o = js(\"({})\")\n\n o[\"alpha\"] = alpha\n\n return o\n}\n\n/**\n * Exposes the JavaScript [CustomElementRegistry](https://developer.mozilla.org/en/docs/Web/API/CustomElementRegistry) to Kotlin\n */\npublic external abstract class CustomElementRegistry {\n fun define(name: String, constructor: () -> dynamic, options: ElementDefinitionOptions = definedExternally): Unit\n fun get(name: String): Any?\n fun whenDefined(name: String): Promise<Unit>\n}\n\npublic external interface ElementDefinitionOptions {\n var extends: String?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ElementDefinitionOptions(extends: String? = null): ElementDefinitionOptions {\n val o = js(\"({})\")\n\n o[\"extends\"] = extends\n\n return o\n}\n\npublic external interface ElementContentEditable {\n var contentEditable: String\n val isContentEditable: Boolean\n}\n\n/**\n * Exposes the JavaScript [DataTransfer](https://developer.mozilla.org/en/docs/Web/API/DataTransfer) to Kotlin\n */\npublic external abstract class DataTransfer {\n open var dropEffect: String\n open var effectAllowed: String\n open val items: DataTransferItemList\n open val types: Array<out String>\n open val files: FileList\n fun setDragImage(image: Element, x: Int, y: Int): Unit\n fun getData(format: String): String\n fun setData(format: String, data: String): Unit\n fun clearData(format: String = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript [DataTransferItemList](https://developer.mozilla.org/en/docs/Web/API/DataTransferItemList) to Kotlin\n */\npublic external abstract class DataTransferItemList {\n open val length: Int\n fun add(data: String, type: String): DataTransferItem?\n fun add(data: File): DataTransferItem?\n fun remove(index: Int): Unit\n fun clear(): Unit\n}\n@kotlin.internal.InlineOnly inline operator fun DataTransferItemList.get(index: Int): DataTransferItem? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [DataTransferItem](https://developer.mozilla.org/en/docs/Web/API/DataTransferItem) to Kotlin\n */\npublic external abstract class DataTransferItem {\n open val kind: String\n open val type: String\n fun getAsString(_callback: ((String) -> Unit)?): Unit\n fun getAsFile(): File?\n}\n\n/**\n * Exposes the JavaScript [DragEvent](https://developer.mozilla.org/en/docs/Web/API/DragEvent) to Kotlin\n */\npublic external open class DragEvent(type: String, eventInitDict: DragEventInit = definedExternally) : MouseEvent {\n open val dataTransfer: DataTransfer?\n}\n\npublic external interface DragEventInit : MouseEventInit {\n var dataTransfer: DataTransfer? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DragEventInit(dataTransfer: DataTransfer? = null, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): DragEventInit {\n val o = js(\"({})\")\n\n o[\"dataTransfer\"] = dataTransfer\n o[\"screenX\"] = screenX\n o[\"screenY\"] = screenY\n o[\"clientX\"] = clientX\n o[\"clientY\"] = clientY\n o[\"button\"] = button\n o[\"buttons\"] = buttons\n o[\"relatedTarget\"] = relatedTarget\n o[\"ctrlKey\"] = ctrlKey\n o[\"shiftKey\"] = shiftKey\n o[\"altKey\"] = altKey\n

o[\"metaKey\"] = metaKey\n   o[\"modifierAltGraph\"] = modifierAltGraph\n   o[\"modifierCapsLock\"] = modifierCapsLock\n   o[\"modifierFn\"] = modifierFn\n   o[\"modifierFnLock\"] = modifierFnLock\n   o[\"modifierHyper\"] = modifierHyper\n   o[\"modifierNumLock\"] = modifierNumLock\n   o[\"modifierScrollLock\"] =
 modifierScrollLock\n   o[\"modifierSuper\"] = modifierSuper\n   o[\"modifierSymbol\"] = modifierSymbol\n   o[\"modifierSymbolLock\"] = modifierSymbolLock\n   o[\"view\"] = view\n   o[\"detail\"] = detail\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n\n   return o\n}\n\npublic external abstract class BarProp {\n   open val visible: Boolean\n}\n\n/**\n * Exposes the JavaScript [History](https://developer.mozilla.org/en/docs/Web/API/History) to Kotlin\n */\npublic external abstract class History {\n   open val length: Int\n   open var scrollRestoration: ScrollRestoration\n   open val state: Any?\n   fun go(delta: Int = definedExternally): Unit\n   fun back(): Unit\n   fun forward(): Unit\n   fun pushState(data: Any?, title: String, url: String? = definedExternally): Unit\n   fun replaceState(data: Any?, title: String, url: String? = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript [Location](https://developer.mozilla.org/en/docs/Web/API/Location)
 to Kotlin\n */\npublic external abstract class Location {\n   open var href: String\n   open val origin: String\n   open var protocol: String\n   open var host: String\n   open var hostname: String\n   open var port: String\n   open var pathname: String\n   open var search: String\n   open var hash: String\n   open val ancestorOrigins: Array<out String>\n   fun assign(url: String): Unit\n   fun replace(url: String): Unit\n   fun reload(): Unit\n}\n\n/**\n * Exposes the JavaScript [PopStateEvent](https://developer.mozilla.org/en/docs/Web/API/PopStateEvent) to Kotlin\n */\npublic external open class PopStateEvent(type: String, eventInitDict: PopStateEventInit = definedExternally) : Event {\n   open val state: Any?\n}\n\npublic external interface PopStateEventInit : EventInit {\n   var state: Any? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
 PopStateEventInit(state: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PopStateEventInit {\n   val o = js(\"({})\")\n\n   o[\"state\"] = state\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [HashChangeEvent](https://developer.mozilla.org/en/docs/Web/API/HashChangeEvent) to Kotlin\n */\npublic external open class HashChangeEvent(type: String, eventInitDict: HashChangeEventInit = definedExternally) : Event {\n   open val oldURL: String\n   open val newURL: String\n}\n\npublic external interface HashChangeEventInit : EventInit {\n   var oldURL: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var newURL: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun HashChangeEventInit(oldURL:
 String? = \"\", newURL: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): HashChangeEventInit {\n   val o = js(\"({})\")\n\n   o[\"oldURL\"] = oldURL\n   o[\"newURL\"] = newURL\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [PageTransitionEvent](https://developer.mozilla.org/en/docs/Web/API/PageTransitionEvent) to Kotlin\n */\npublic external open class PageTransitionEvent(type: String, eventInitDict: PageTransitionEventInit = definedExternally) : Event {\n   open val persisted: Boolean\n}\n\npublic external interface PageTransitionEventInit : EventInit {\n   var persisted: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun PageTransitionEventInit(persisted: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false,
 composed: Boolean? = false): PageTransitionEventInit {\n   val o = js(\"({})\")\n\n   o[\"persisted\"] = persisted\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [BeforeUnloadEvent](https://developer.mozilla.org/en/docs/Web/API/BeforeUnloadEvent) to Kotlin\n */\npublic external open class BeforeUnloadEvent : Event {\n   var returnValue: String\n}\n\npublic external abstract class ApplicationCache : EventTarget {\n   open val status: Short\n   open var onchecking: ((Event) -> dynamic)?\n

```
open var onerror: ((Event) -> dynamic)?\n    open var onnoupdate: ((Event) -> dynamic)?\n    open var
ondownloading: ((Event) -> dynamic)?\n    open var onprogress: ((Event) -> dynamic)?\n    open var onupdateready:
((Event) -> dynamic)?\n    open var oncached: ((Event) -> dynamic)?\n    open var onobsolete: ((Event) ->
dynamic)?\n    fun update(): Unit\n    fun abort(): Unit\n    fun swapCache():
 Unit\n\n    companion object {\n        val UNCACHED: Short\n        val IDLE: Short\n        val CHECKING:
Short\n        val DOWNLOADING: Short\n        val UPDATEREADY: Short\n        val OBSOLETE: Short\n
}\n}\n\n/**\n * Exposes the JavaScript
[NavigatorOnLine](https://developer.mozilla.org/en/docs/Web/API/NavigatorOnLine) to Kotlin\n */\npublic
external interface NavigatorOnLine {\n    val onLine: Boolean\n}\n\n/**\n * Exposes the JavaScript
[ErrorEvent](https://developer.mozilla.org/en/docs/Web/API/ErrorEvent) to Kotlin\n */\npublic external open class
ErrorEvent(type: String, eventInitDict: ErrorEventInit = definedExternally) : Event {\n    open val message: String\n
  open val filename: String\n    open val lineno: Int\n    open val colno: Int\n    open val error: Any?\n}\n\npublic
external interface ErrorEventInit : EventInit {\n    var message: String? /* = \"\" */\n        get() = definedExternally\n
      set(value) = definedExternally\n    var filename: String?
 /* = \"\" */\n        get() = definedExternally\n        set(value) = definedExternally\n    var lineno: Int? /* = 0 */\n
get() = definedExternally\n        set(value) = definedExternally\n    var colno: Int? /* = 0 */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var error: Any? /* = null */\n        get() =
definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ErrorEventInit(message: String? = \"\", filename: String? = \"\", lineno: Int? = 0, colno: Int? = 0, error: Any? = null,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ErrorEventInit {\n    val o =
js(\"({})\")\n\n    o[\"message\"] = message\n    o[\"filename\"] = filename\n    o[\"lineno\"] = lineno\n    o[\"colno\"]
= colno\n    o[\"error\"] = error\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"]
= composed\n\n    return o\n}\n\n/**\n * Exposes the
 JavaScript [PromiseRejectionEvent](https://developer.mozilla.org/en/docs/Web/API/PromiseRejectionEvent) to
Kotlin\n */\npublic external open class PromiseRejectionEvent(type: String, eventInitDict:
PromiseRejectionEventInit) : Event {\n    open val promise: Promise<Any?>\n    open val reason:
Any?\n}\n\npublic external interface PromiseRejectionEventInit : EventInit {\n    var promise: Promise<Any?>?\n
  get() = definedExternally\n        set(value) = definedExternally\n    var reason: Any?\n        get() =
definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
PromiseRejectionEventInit(promise: Promise<Any?>?, reason: Any? = null, bubbles: Boolean? = false, cancelable:
Boolean? = false, composed: Boolean? = false): PromiseRejectionEventInit {\n    val o = js(\"({})\")\n\n
o[\"promise\"] = promise\n    o[\"reason\"] = reason\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] =
cancelable\n    o[\"composed\"] = composed\n\n
    return o\n}\n\n/**\n * Exposes the JavaScript
[GlobalEventHandlers](https://developer.mozilla.org/en/docs/Web/API/GlobalEventHandlers) to Kotlin\n
*/\npublic external interface GlobalEventHandlers {\n    var onabort: ((Event) -> dynamic)?\n    var onblur: ((Event)
-> dynamic)?\n    var oncancel: ((Event) -> dynamic)?\n    var oncanplay: ((Event) -> dynamic)?\n    var
oncanplaythrough: ((Event) -> dynamic)?\n    var onchange: ((Event) -> dynamic)?\n    var onclick: ((Event) ->
dynamic)?\n    var onclose: ((Event) -> dynamic)?\n    var oncontextmenu: ((Event) -> dynamic)?\n    var
oncuechange: ((Event) -> dynamic)?\n    var ondblclick: ((Event) -> dynamic)?\n    var ondrag: ((Event) ->
dynamic)?\n    var ondragend: ((Event) -> dynamic)?\n    var ondragenter: ((Event) -> dynamic)?\n    var ondragexit:
((Event) -> dynamic)?\n    var ondragleave: ((Event) -> dynamic)?\n    var ondragover: ((Event) -> dynamic)?\n
var ondragstart: ((Event) -> dynamic)?\n    var ondrop: ((Event) -> dynamic)?\n
    var ondurationchange: ((Event) -> dynamic)?\n    var onemptied: ((Event) -> dynamic)?\n    var onended: ((Event)
-> dynamic)?\n    var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n    var onfocus: ((Event) ->
dynamic)?\n    var oninput: ((Event) -> dynamic)?\n    var oninvalid: ((Event) -> dynamic)?\n    var onkeydown:
((Event) -> dynamic)?\n    var onkeypress: ((Event) -> dynamic)?\n    var onkeyup: ((Event) -> dynamic)?\n    var
onload: ((Event) -> dynamic)?\n    var onloadeddata: ((Event) -> dynamic)?\n    var onloadedmetadata: ((Event) ->
```

dynamic)?\n   var onloadend: ((Event) -> dynamic)?\n   var onloadstart: ((Event) -> dynamic)?\n   var onmousedown: ((Event) -> dynamic)?\n   var onmouseenter: ((Event) -> dynamic)?\n   var onmouseleave: ((Event) -> dynamic)?\n   var onmousemove: ((Event) -> dynamic)?\n   var onmouseout: ((Event) -> dynamic)?\n   var onmouseover: ((Event) -> dynamic)?\n   var onmouseup: ((Event) -> dynamic)?\n   var onwheel: ((Event) -> dynamic)?\n   var onpause: ((Event) -> dynamic)?\n   var onplay: ((Event) -> dynamic)?\n   var onplaying: ((Event) -> dynamic)?\n   var onprogress: ((Event) -> dynamic)?\n   var onratechange: ((Event) -> dynamic)?\n   var onreset: ((Event) -> dynamic)?\n   var onresize: ((Event) -> dynamic)?\n   var onscroll: ((Event) -> dynamic)?\n   var onseeked: ((Event) -> dynamic)?\n   var onseeking: ((Event) -> dynamic)?\n   var onselect: ((Event) -> dynamic)?\n   var onshow: ((Event) -> dynamic)?\n   var onstalled: ((Event) -> dynamic)?\n   var onsubmit: ((Event) -> dynamic)?\n   var onsuspend: ((Event) -> dynamic)?\n   var ontimeupdate: ((Event) -> dynamic)?\n   var ontoggle: ((Event) -> dynamic)?\n   var onvolumechange: ((Event) -> dynamic)?\n   var onwaiting: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript [WindowEventHandlers](https://developer.mozilla.org/en/docs/Web/API/WindowEventHandlers) to Kotlin\n */\npublic external interface WindowEventHandlers {\n   var onafterprint: ((Event) -> dynamic)?\n   var onbeforeprint: ((Event) -> dynamic)?\n   var onbeforeunload: ((Event) -> String?)?\n   var onhashchange: ((Event) -> dynamic)?\n   var onlanguagechange: ((Event) -> dynamic)?\n   var onmessage: ((Event) -> dynamic)?\n   var onoffline: ((Event) -> dynamic)?\n   var ononline: ((Event) -> dynamic)?\n   var onpagehide: ((Event) -> dynamic)?\n   var onpageshow: ((Event) -> dynamic)?\n   var onpopstate: ((Event) -> dynamic)?\n   var onrejectionhandled: ((Event) -> dynamic)?\n   var onstorage: ((Event) -> dynamic)?\n   var onunhandledrejection: ((Event) -> dynamic)?\n   var onunload: ((Event) -> dynamic)?\n}\n\npublic external interface DocumentAndElementEventHandlers {\n   var oncopy: ((Event) -> dynamic)?\n   var oncut: ((Event) -> dynamic)?\n   var onpaste: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript [WindowOrWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WindowOrWorkerGlobalScope) to Kotlin\n */\npublic external interface WindowOrWorkerGlobalScope {\n   val caches: CacheStorage\n   val origin: String\n   fun fetch(input: dynamic, init: RequestInit = definedExternally): Promise<Response>\n   fun btoa(data: String): String\n   fun atob(data: String): String\n   fun setTimeout(handler: dynamic, timeout: Int = definedExternally, vararg arguments: Any?): Int\n   fun clearTimeout(handle: Int = definedExternally): Unit\n   fun setInterval(handler: dynamic, timeout: Int = definedExternally, vararg arguments: Any?): Int\n   fun clearInterval(handle: Int = definedExternally): Unit\n   fun createImageBitmap(image: dynamic, options: ImageBitmapOptions = definedExternally): Promise<ImageBitmap>\n   fun createImageBitmap(image: dynamic, sx: Int, sy: Int, sw: Int, sh: Int, options: ImageBitmapOptions = definedExternally): Promise<ImageBitmap>\n}\n\n/**\n * Exposes the JavaScript [Navigator](https://developer.mozilla.org/en/docs/Web/API/Navigator) to Kotlin\n */\npublic external abstract class Navigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorContentUtils, NavigatorCookies, NavigatorPlugins, NavigatorConcurrentHardware {\n   open val serviceWorker: ServiceWorkerContainer\n   fun vibrate(pattern: dynamic): Boolean\n}\n\n/**\n * Exposes the JavaScript [NavigatorID](https://developer.mozilla.org/en/docs/Web/API/NavigatorID) to Kotlin\n */\npublic external interface NavigatorID {\n   val appCodeName: String\n   val appName: String\n   val appVersion: String\n   val platform: String\n   val product: String\n   val productSub: String\n   val userAgent: String\n   val vendor: String\n   val vendorSub: String\n   val oscpu: String\n   fun taintEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript [NavigatorLanguage](https://developer.mozilla.org/en/docs/Web/API/NavigatorLanguage) to Kotlin\n */\npublic external interface NavigatorLanguage {\n   val language: String\n   val languages: Array<out String>\n}\n\npublic external interface NavigatorContentUtils {\n   fun registerProtocolHandler(scheme: String, url: String, title: String): Unit\n   fun registerContentHandler(mimeType: String, url: String, title: String): Unit\n   fun isProtocolHandlerRegistered(scheme: String, url: String): String\n   fun isContentHandlerRegistered(mimeType:

String, url: String): String\n   fun unregisterProtocolHandler(scheme: String, url: String): Unit\n   fun unregisterContentHandler(mimeType: String, url: String): Unit\n}\n\npublic external interface NavigatorCookies {\n   val cookieEnabled: Boolean\n}\n\n/**\n * Exposes the JavaScript [NavigatorPlugins](https://developer.mozilla.org/en/docs/Web/API/NavigatorPlugins) to Kotlin\n */\npublic external interface NavigatorPlugins {\n   val plugins: PluginArray\n   val mimeTypes: MimeTypeArray\n   fun javaEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript [PluginArray](https://developer.mozilla.org/en/docs/Web/API/PluginArray) to Kotlin\n */\npublic external abstract class PluginArray : ItemArrayLike<Plugin> {\n   override val length: Int\n   fun refresh(reload: Boolean = definedExternally): Unit\n   override fun item(index: Int): Plugin?\n   fun namedItem(name: String): Plugin?\n}\n@kotlin.internal.InlineOnly inline operator fun PluginArray.get(index: Int): Plugin? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun PluginArray.get(name: String): Plugin? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [MimeTypeArray](https://developer.mozilla.org/en/docs/Web/API/MimeTypeArray) to Kotlin\n */\npublic external abstract class MimeTypeArray : ItemArrayLike<MimeType> {\n   override val length: Int\n   override fun item(index: Int): MimeType?\n   fun namedItem(name: String): MimeType?\n}\n@kotlin.internal.InlineOnly inline operator fun MimeTypeArray.get(index: Int): MimeType? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun MimeTypeArray.get(name: String): MimeType? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [Plugin](https://developer.mozilla.org/en/docs/Web/API/Plugin) to Kotlin\n */\npublic external abstract class Plugin : ItemArrayLike<MimeType> {\n   open val name: String\n   open val description: String\n   open val filename: String\n   override val length: Int\n   override fun item(index: Int): MimeType?\n   fun namedItem(name: String): MimeType?\n}\n@kotlin.internal.InlineOnly inline operator fun Plugin.get(index: Int): MimeType? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun Plugin.get(name: String): MimeType? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [MimeType](https://developer.mozilla.org/en/docs/Web/API/MimeType) to Kotlin\n */\npublic external abstract class MimeType {\n   open val type: String\n   open val description: String\n   open val suffixes: String\n   open val enabledPlugin: Plugin\n}\n\n/**\n * Exposes the JavaScript [ImageBitmap](https://developer.mozilla.org/en/docs/Web/API/ImageBitmap) to Kotlin\n */\npublic external abstract class ImageBitmap : TexImageSource {\n   open val width: Int\n   open val height: Int\n   fun close(): Unit\n}\n\npublic external interface ImageBitmapOptions {\n   var imageOrientation: ImageOrientation? /* = ImageOrientation.NONE */\n   get() = definedExternally\n   set(value) = definedExternally\n   var premultiplyAlpha: PremultiplyAlpha? /* = PremultiplyAlpha.DEFAULT */\n   get() = definedExternally\n   set(value) = definedExternally\n   var colorSpaceConversion: ColorSpaceConversion? /* = ColorSpaceConversion.DEFAULT */\n   get() = definedExternally\n   set(value) = definedExternally\n   var resizeWidth: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n   var resizeHeight: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n   var resizeQuality: ResizeQuality? /* = ResizeQuality.LOW */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ImageBitmapOptions(imageOrientation: ImageOrientation? = ImageOrientation.NONE, premultiplyAlpha: PremultiplyAlpha? = PremultiplyAlpha.DEFAULT, colorSpaceConversion: ColorSpaceConversion? = ColorSpaceConversion.DEFAULT, resizeWidth: Int? = null, resizeHeight: Int? = null, resizeQuality: ResizeQuality? = ResizeQuality.LOW): ImageBitmapOptions {\n   val o = js(\"({})\")\n\n   o[\"imageOrientation\"] = imageOrientation\n   o[\"premultiplyAlpha\"] = premultiplyAlpha\n   o[\"colorSpaceConversion\"] = colorSpaceConversion\n   o[\"resizeWidth\"] = resizeWidth\n   o[\"resizeHeight\"] = resizeHeight\n   o[\"resizeQuality\"] = resizeQuality\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [MessageEvent](https://developer.mozilla.org/en/docs/Web/API/MessageEvent) to Kotlin\n */\npublic external open class MessageEvent(type: String, eventInitDict: MessageEventInit = definedExternally) : Event {\n   open val data: Any?\n   open

```
 val origin: String\n    open val lastEventId: String\n    open val source: UnionMessagePortOrWindow?\n    open val ports: Array<out MessagePort>\n    fun initMessageEvent(type: String, bubbles: Boolean, cancelable: Boolean, data: Any?, origin: String, lastEventId: String, source: UnionMessagePortOrWindow?, ports: Array<MessagePort>): Unit\n}\n\npublic external interface MessageEventInit : EventInit {\n    var data: Any? /* = null */\n        get() = definedExternally\n        set(value) = definedExternally\n    var origin: String? /* = \"\" */\n        get() = definedExternally\n        set(value) = definedExternally\n    var lastEventId: String? /* = \"\" */\n        get() = definedExternally\n        set(value) = definedExternally\n    var source: UnionMessagePortOrWindow? /* = null */\n        get() = definedExternally\n        set(value) = definedExternally\n    var ports: Array<MessagePort>? /* = arrayOf() */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
 inline fun MessageEventInit(data: Any? = null, origin: String? = \"\", lastEventId: String? = \"\", source: UnionMessagePortOrWindow? = null, ports: Array<MessagePort>? = arrayOf(), bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MessageEventInit {\n    val o = js(\"({})\")\n\n    o[\"data\"] = data\n    o[\"origin\"] = origin\n    o[\"lastEventId\"] = lastEventId\n    o[\"source\"] = source\n    o[\"ports\"] = ports\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n\n    return o\n}\n\n/**\n * Exposes the JavaScript [EventSource](https://developer.mozilla.org/en/docs/Web/API/EventSource) to Kotlin\n */\npublic external open class EventSource(url: String, eventSourceInitDict: EventSourceInit = definedExternally) : EventTarget {\n    open val url: String\n    open val withCredentials: Boolean\n    open val readyState: Short\n    var onopen: ((Event) -> dynamic)?\n
    var onmessage: ((Event) -> dynamic)?\n    var onerror: ((Event) -> dynamic)?\n    fun close(): Unit\n\n    companion object {\n        val CONNECTING: Short\n        val OPEN: Short\n        val CLOSED: Short\n    }\n}\n\npublic external interface EventSourceInit {\n    var withCredentials: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun EventSourceInit(withCredentials: Boolean? = false): EventSourceInit {\n    val o = js(\"({})\")\n\n    o[\"withCredentials\"] = withCredentials\n\n    return o\n}\n\n/**\n * Exposes the JavaScript [WebSocket](https://developer.mozilla.org/en/docs/Web/API/WebSocket) to Kotlin\n */\npublic external open class WebSocket(url: String, protocols: dynamic = definedExternally) : EventTarget {\n    open val url: String\n    open val readyState: Short\n    open val bufferedAmount: Int\n    var onopen: ((Event) -> dynamic)?\n    var onerror: ((Event)
 -> dynamic)?\n    var onclose: ((Event) -> dynamic)?\n    open val extensions: String\n    open val protocol: String\n
    var onmessage: ((Event) -> dynamic)?\n    var binaryType: BinaryType\n    fun close(code: Short = definedExternally, reason: String = definedExternally): Unit\n    fun send(data: String): Unit\n    fun send(data: Blob): Unit\n    fun send(data: ArrayBuffer): Unit\n    fun send(data: ArrayBufferView): Unit\n\n    companion object {\n        val CONNECTING: Short\n        val OPEN: Short\n        val CLOSING: Short\n        val CLOSED: Short\n    }\n}\n\n/**\n * Exposes the JavaScript [CloseEvent](https://developer.mozilla.org/en/docs/Web/API/CloseEvent) to Kotlin\n */\npublic external open class CloseEvent(type: String, eventInitDict: CloseEventInit = definedExternally) : Event {\n    open val wasClean: Boolean\n    open val code: Short\n    open val reason: String\n}\n\npublic external interface CloseEventInit : EventInit {\n    var wasClean: Boolean? /* = false */\n
        get() = definedExternally\n        set(value) = definedExternally\n    var code: Short? /* = 0 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var reason: String? /* = \"\" */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CloseEventInit(wasClean: Boolean? = false, code: Short? = 0, reason: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CloseEventInit {\n    val o = js(\"({})\")\n\n    o[\"wasClean\"] = wasClean\n    o[\"code\"] = code\n    o[\"reason\"] = reason\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n\n    return o\n}\n\n/**\n * Exposes the JavaScript [MessageChannel](https://developer.mozilla.org/en/docs/Web/API/MessageChannel) to Kotlin\n */\npublic external
```

open class MessageChannel {\n   open val port1: MessagePort\n   open val port2: MessagePort\n}\n\n/**\n
 * Exposes the JavaScript [MessagePort](https://developer.mozilla.org/en/docs/Web/API/MessagePort) to Kotlin\n
*/\npublic external abstract class MessagePort : EventTarget, UnionMessagePortOrWindow,
UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n   open var onmessage:
((Event) -> dynamic)?\n   fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally): Unit\n
 fun start(): Unit\n   fun close(): Unit\n}\n\n/**\n * Exposes the JavaScript
[BroadcastChannel](https://developer.mozilla.org/en/docs/Web/API/BroadcastChannel) to Kotlin\n */\npublic
external open class BroadcastChannel(name: String) : EventTarget {\n   open val name: String\n   var onmessage:
((Event) -> dynamic)?\n   fun postMessage(message: Any?): Unit\n   fun close(): Unit\n}\n\n/**\n * Exposes the
JavaScript [WorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WorkerGlobalScope) to Kotlin\n
*/\npublic external abstract class WorkerGlobalScope
 : EventTarget, WindowOrWorkerGlobalScope, GlobalPerformance {\n   open val self: WorkerGlobalScope\n
open val location: WorkerLocation\n   open val navigator: WorkerNavigator\n   open var onerror: ((dynamic,
String, Int, Int, Any?) -> dynamic)?\n   open var onlanguagechange: ((Event) -> dynamic)?\n   open var onoffline:
((Event) -> dynamic)?\n   open var ononline: ((Event) -> dynamic)?\n   open var onrejectionhandled: ((Event) ->
dynamic)?\n   open var onunhandledrejection: ((Event) -> dynamic)?\n   fun importScripts(vararg urls: String):
Unit\n}\n\n/**\n * Exposes the JavaScript
[DedicatedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/DedicatedWorkerGlobalScope) to
Kotlin\n */\npublic external abstract class DedicatedWorkerGlobalScope : WorkerGlobalScope {\n   open var
onmessage: ((Event) -> dynamic)?\n   fun postMessage(message: Any?, transfer: Array<dynamic> =
definedExternally): Unit\n   fun close(): Unit\n}\n\n/**\n * Exposes the JavaScript
[SharedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/SharedWorkerGlobalScope)
 to Kotlin\n */\npublic external abstract class SharedWorkerGlobalScope : WorkerGlobalScope {\n   open val
name: String\n   open val applicationCache: ApplicationCache\n   open var onconnect: ((Event) -> dynamic)?\n
fun close(): Unit\n}\n\n/**\n * Exposes the JavaScript
[AbstractWorker](https://developer.mozilla.org/en/docs/Web/API/AbstractWorker) to Kotlin\n */\npublic external
interface AbstractWorker {\n   var onerror: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript
[Worker](https://developer.mozilla.org/en/docs/Web/API/Worker) to Kotlin\n */\npublic external open class
Worker(scriptURL: String, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n   var
onmessage: ((Event) -> dynamic)?\n   override var onerror: ((Event) -> dynamic)?\n   fun terminate(): Unit\n   fun
postMessage(message: Any?, transfer: Array<dynamic> = definedExternally): Unit\n}\n\npublic
 external interface WorkerOptions {\n   var type: WorkerType? /* = WorkerType.CLASSIC */\n   get() =
definedExternally\n   set(value) = definedExternally\n   var credentials: RequestCredentials? /* =
RequestCredentials.OMIT */\n   get() = definedExternally\n   set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun WorkerOptions(type: WorkerType? =
WorkerType.CLASSIC, credentials: RequestCredentials? = RequestCredentials.OMIT): WorkerOptions {\n   val o
= js(\"({})\")\n\n   o[\"type\"] = type\n   o[\"credentials\"] = credentials\n\n   return o\n}\n\n/**\n * Exposes the
JavaScript [SharedWorker](https://developer.mozilla.org/en/docs/Web/API/SharedWorker) to Kotlin\n */\npublic
external open class SharedWorker(scriptURL: String, name: String = definedExternally, options: WorkerOptions =
definedExternally) : EventTarget, AbstractWorker {\n   open val port: MessagePort\n   override var onerror:
((Event) -> dynamic)?\n}\n\n/**\n
 * Exposes the JavaScript
[NavigatorConcurrentHardware](https://developer.mozilla.org/en/docs/Web/API/NavigatorConcurrentHardware) to
Kotlin\n */\npublic external interface NavigatorConcurrentHardware {\n   val hardwareConcurrency:
Int\n}\n\n/**\n * Exposes the JavaScript
[WorkerNavigator](https://developer.mozilla.org/en/docs/Web/API/WorkerNavigator) to Kotlin\n */\npublic
external abstract class WorkerNavigator : NavigatorID, NavigatorLanguage, NavigatorOnLine,
NavigatorConcurrentHardware {\n   open val serviceWorker: ServiceWorkerContainer\n}\n\n/**\n * Exposes the

JavaScript [WorkerLocation](https://developer.mozilla.org/en/docs/Web/API/WorkerLocation) to Kotlin\n */\npublic external abstract class WorkerLocation {\n open var href: String\n open val origin: String\n open val protocol: String\n open val host: String\n open val hostname: String\n open val port: String\n open val pathname: String\n open val search: String\n open val hash: String\n}\n\n/**\n * Exposes the JavaScript [Storage](https://developer.mozilla.org/en/docs/Web/API/Storage) to Kotlin\n */\npublic external abstract class Storage {\n open val length: Int\n fun key(index: Int): String?\n fun getItem(key: String): String?\n fun setItem(key: String, value: String): Unit\n fun removeItem(key: String): Unit\n fun clear(): Unit\n}\n@kotlin.internal.InlineOnly inline operator fun Storage.get(key: String): String? = asDynamic()[key]\n@kotlin.internal.InlineOnly inline operator fun Storage.set(key: String, value: String): Unit { asDynamic()[key] = value; }\n\n/**\n * Exposes the JavaScript [WindowSessionStorage](https://developer.mozilla.org/en/docs/Web/API/WindowSessionStorage) to Kotlin\n */\npublic external interface WindowSessionStorage {\n val sessionStorage: Storage\n}\n\n/**\n * Exposes the JavaScript [WindowLocalStorage](https://developer.mozilla.org/en/docs/Web/API/WindowLocalStorage) to Kotlin\n */\npublic external interface WindowLocalStorage {\n val localStorage: Storage\n}\n\n/**\n * Exposes the JavaScript [StorageEvent](https://developer.mozilla.org/en/docs/Web/API/StorageEvent) to Kotlin\n */\npublic external open class StorageEvent(type: String, eventInitDict: StorageEventInit = definedExternally) : Event {\n open val key: String?\n open val oldValue: String?\n open val newValue: String?\n open val url: String\n open val storageArea: Storage?\n}\n\npublic external interface StorageEventInit : EventInit {\n var key: String? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n var oldValue: String? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n var newValue: String? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n var url: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n var storageArea: Storage? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun StorageEventInit(key: String? = null, oldValue: String? = null, newValue: String? = null, url: String? = \"\", storageArea: Storage? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): StorageEventInit {\n val o = js(\"({})\")\n\n o[\"key\"] = key\n o[\"oldValue\"] = oldValue\n o[\"newValue\"] = newValue\n o[\"url\"] = url\n o[\"storageArea\"] = storageArea\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n\n return o\n}\n\npublic external abstract class HTMLAppletElement : HTMLElement {\n open var align: String\n open var alt: String\n open var archive: String\n open var code: String\n open var codeBase: String\n open var height: String\n open var hspace: Int\n open var name: String\n open var _object: String\n open var vspace: Int\n open var width: String\n}\n\npublic external abstract class HTMLMarqueeElement : HTMLElement {\n open var behavior: String\n open var bgColor: String\n open var direction: String\n open var height: String\n open var hspace: Int\n open var loop: Int\n open var scrollAmount: Int\n open var scrollDelay: Int\n open var trueSpeed: Boolean\n open var vspace: Int\n open var width: String\n open var onbounce: ((Event) -> dynamic)?\n open var onfinish: ((Event) -> dynamic)?\n open var onstart: ((Event) -> dynamic)?\n fun start(): Unit\n fun stop(): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLFrameSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFrameSetElement) to Kotlin\n */\npublic external abstract class HTMLFrameSetElement : HTMLElement, WindowEventHandlers {\n open var cols: String\n open var rows: String\n}\n\npublic external abstract class HTMLFrameElement : HTMLElement {\n open var name: String\n open var scrolling: String\n open var src: String\n open var frameBorder: String\n open var longDesc: String\n open var noResize: Boolean\n open val contentDocument: Document?\n open val contentWindow: Window?\n open var marginHeight: String\n open var marginWidth: String\n}\n\npublic external abstract class HTMLDirectoryElement : HTMLElement {\n open var compact: Boolean\n}\n\n/**\n * Exposes the JavaScript [HTMLFontElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFontElement) to Kotlin\n */\npublic external abstract class HTMLFontElement : HTMLElement {\n open var color: String\n open var face: String\n

```
open var size: String\n}\n\npublic external interface External {\n    fun AddSearchProvider(): Unit\n    fun IsSearchProviderInstalled(): Unit\n}\n\npublic external interface EventInit {\n    var bubbles: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var cancelable: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var composed: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun EventInit(bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): EventInit {\n    val o = js(\"({})\")\n\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n\n    return o\n}\n\n/**\n * Exposes the JavaScript [CustomEvent](https://developer.mozilla.org/en/docs/Web/API/CustomEvent) to Kotlin\n */\npublic external open class CustomEvent(type: String, eventInitDict: CustomEventInit = definedExternally) : Event {\n    open val detail: Any?\n    fun initCustomEvent(type: String, bubbles: Boolean, cancelable: Boolean, detail: Any?): Unit\n}\n\npublic external interface CustomEventInit : EventInit {\n    var detail: Any? /* = null */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CustomEventInit(detail: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CustomEventInit {\n    val o = js(\"({})\")\n\n    o[\"detail\"] = detail\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n\n    return o\n}\n\npublic external interface EventListenerOptions {\n    var capture: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun EventListenerOptions(capture: Boolean? = false): EventListenerOptions {\n    val o = js(\"({})\")\n\n    o[\"capture\"] = capture\n\n    return o\n}\n\npublic external interface AddEventListenerOptions : EventListenerOptions {\n    var passive: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var once: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun AddEventListenerOptions(passive: Boolean? = false, once: Boolean? = false, capture: Boolean? = false): AddEventListenerOptions {\n    val o = js(\"({})\")\n\n    o[\"passive\"] = passive\n    o[\"once\"] = once\n    o[\"capture\"] = capture\n\n    return o\n}\n\npublic external interface NonElementParentNode {\n    fun getElementById(elementId: String): Element?\n}\n\n/**\n * Exposes the JavaScript [DocumentOrShadowRoot](https://developer.mozilla.org/en/docs/Web/API/DocumentOrShadowRoot) to Kotlin\n */\npublic external interface DocumentOrShadowRoot {\n    val fullscreenElement: Element?\n}\n\n/**\n * Exposes the JavaScript [ParentNode](https://developer.mozilla.org/en/docs/Web/API/ParentNode) to Kotlin\n */\npublic external interface ParentNode {\n    val children: HTMLCollection\n    val firstElementChild: Element?\n    val lastElementChild: Element?\n    val childElementCount: Int\n    fun prepend(vararg nodes: dynamic): Unit\n    fun append(vararg nodes: dynamic): Unit\n    fun querySelector(selectors: String): Element?\n    fun querySelectorAll(selectors: String): NodeList\n}\n\n/**\n * Exposes the JavaScript [NonDocumentTypeChildNode](https://developer.mozilla.org/en/docs/Web/API/NonDocumentTypeChildNode) to Kotlin\n */\npublic external interface NonDocumentTypeChildNode {\n    val previousElementSibling: Element?\n    val nextElementSibling: Element?\n}\n\n/**\n * Exposes the JavaScript [ChildNode](https://developer.mozilla.org/en/docs/Web/API/ChildNode) to Kotlin\n */\npublic external interface ChildNode {\n    fun before(vararg nodes: dynamic): Unit\n    fun after(vararg nodes: dynamic): Unit\n    fun replaceWith(vararg nodes: dynamic): Unit\n    fun remove(): Unit\n}\n\n/**\n * Exposes the JavaScript [Slotable](https://developer.mozilla.org/en/docs/Web/API/Slotable) to Kotlin\n */\npublic external interface Slotable {\n    val assignedSlot: HTMLSlotElement?\n}\n\n/**\n * Exposes the JavaScript [NodeList](https://developer.mozilla.org/en/docs/Web/API/NodeList) to Kotlin\n */\npublic external abstract class NodeList : ItemArrayLike<Node> {\n    override val length: Int\n    override fun item(index: Int): Node?\n}\n\n@kotlin.internal.InlineOnly inline operator fun NodeList.get(index: Int): Node? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
```

[HTMLCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLCollection) to Kotlin\n */\npublic external abstract class HTMLCollection : UnionElementOrHTMLCollection, ItemArrayLike<Element> {\n override val length: Int\n override fun item(index: Int): Element?\n fun namedItem(name: String): Element?\n}\n@kotlin.internal.InlineOnly inline operator fun HTMLCollection.get(index: Int): Element? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun HTMLCollection.get(name: String): Element? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [MutationObserver](https://developer.mozilla.org/en/docs/Web/API/MutationObserver) to Kotlin\n */\npublic external open class MutationObserver(callback: (Array<MutationRecord>, MutationObserver) -> Unit) {\n fun observe(target: Node, options: MutationObserverInit = definedExternally): Unit\n fun disconnect(): Unit\n fun takeRecords(): Array<MutationRecord>\n}\n\npublic external interface MutationObserverInit {\n var childList: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var attributes: Boolean?\n get() = definedExternally\n set(value) = definedExternally\n var characterData: Boolean?\n get() = definedExternally\n set(value) = definedExternally\n var subtree: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var attributeOldValue: Boolean?\n get() = definedExternally\n set(value) = definedExternally\n var characterDataOldValue: Boolean?\n get() = definedExternally\n set(value) = definedExternally\n var attributeFilter: Array<String>?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MutationObserverInit(childList: Boolean? = false, attributes: Boolean? = null, characterData: Boolean? = null, subtree: Boolean? = false, attributeOldValue: Boolean? = null, characterDataOldValue: Boolean? = null, attributeFilter: Array<String>? = null): MutationObserverInit {\n val o = js(\"({})\")\n\n o[\"childList\"] = childList\n o[\"attributes\"] = attributes\n o[\"characterData\"] = characterData\n o[\"subtree\"] = subtree\n o[\"attributeOldValue\"] = attributeOldValue\n o[\"characterDataOldValue\"] = characterDataOldValue\n o[\"attributeFilter\"] = attributeFilter\n\n return o\n}\n\n/**\n * Exposes the JavaScript [MutationRecord](https://developer.mozilla.org/en/docs/Web/API/MutationRecord) to Kotlin\n */\npublic external abstract class MutationRecord {\n open val type: String\n open val target: Node\n open val addedNodes: NodeList\n open val removedNodes: NodeList\n open val previousSibling: Node?\n open val nextSibling: Node?\n open val attributeName: String?\n open val attributeNamespace: String?\n open val oldValue: String?\n}\n\n/**\n * Exposes the JavaScript [Node](https://developer.mozilla.org/en/docs/Web/API/Node) to Kotlin\n */\npublic external abstract class Node : EventTarget {\n open val nodeType: Short\n open val nodeName: String\n open val baseURI: String\n open val isConnected: Boolean\n open val ownerDocument: Document?\n open val parentNode: Node?\n open val parentElement: Element?\n open val childNodes: NodeList\n open val firstChild: Node?\n open val lastChild: Node?\n open val previousSibling: Node?\n open val nextSibling: Node?\n open var nodeValue: String?\n open var textContent: String?\n

 fun getRootNode(options: GetRootNodeOptions = definedExternally): Node\n fun hasChildNodes(): Boolean\n fun normalize(): Unit\n fun cloneNode(deep: Boolean = definedExternally): Node\n fun isEqualNode(otherNode: Node?): Boolean\n fun isSameNode(otherNode: Node?): Boolean\n fun compareDocumentPosition(other: Node): Short\n fun contains(other: Node?): Boolean\n fun lookupPrefix(namespace: String?): String?\n fun lookupNamespaceURI(prefix: String?): String?\n fun isDefaultNamespace(namespace: String?): Boolean\n fun insertBefore(node: Node, child: Node?): Node\n fun appendChild(node: Node): Node\n fun replaceChild(node: Node, child: Node): Node\n fun removeChild(child: Node): Node\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE:

Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface GetRootNodeOptions {\n var composed: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun GetRootNodeOptions(composed: Boolean? = false): GetRootNodeOptions {\n val o = js(\"({})\")\n\n o[\"composed\"] = composed\n\n return o\n}\n\n/**\n * Exposes the JavaScript [XMLDocument](https://developer.mozilla.org/en/docs/Web/API/XMLDocument) to Kotlin\n */\npublic external open class XMLDocument : Document {\n override fun getElementById(elementId: String): Element?\n override fun prepend(vararg nodes: dynamic): Unit\n override fun append(vararg nodes: dynamic): Unit\n override fun querySelector(selectors: String): Element?\n override fun querySelectorAll(selectors: String): NodeList\n override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n}\n\npublic external interface ElementCreationOptions {\n @JsName(\"is\") var is_: String?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ElementCreationOptions(is_: String? = null): ElementCreationOptions {\n val o = js(\"({})\")\n\n o[\"is\"] = is_\n\n return o\n}\n\n/**\n * Exposes the JavaScript [DOMImplementation](https://developer.mozilla.org/en/docs/Web/API/DOMImplementation) to Kotlin\n */\npublic external abstract class DOMImplementation {\n fun createDocumentType(qualifiedName: String, publicId: String, systemId: String): DocumentType\n fun createDocument(namespace: String?, qualifiedName: String, doctype: DocumentType? = definedExternally): XMLDocument\n fun createHTMLDocument(title: String = definedExternally): Document\n fun hasFeature(): Boolean\n}\n\n/**\n * Exposes the JavaScript [DocumentType](https://developer.mozilla.org/en/docs/Web/API/DocumentType) to Kotlin\n */\npublic external abstract class DocumentType : Node, ChildNode {\n open val name: String\n open val publicId: String\n open val systemId: String\n}\n\n/**\n * Exposes the JavaScript [DocumentFragment](https://developer.mozilla.org/en/docs/Web/API/DocumentFragment) to Kotlin\n */\npublic external open class DocumentFragment : Node, NonElementParentNode, ParentNode {\n override val children: HTMLCollection\n override val firstElementChild: Element?\n override val lastElementChild: Element?\n override val childElementCount: Int\n override fun getElementById(elementId: String): Element?\n override fun prepend(vararg nodes: dynamic): Unit\n override fun append(vararg nodes: dynamic): Unit\n override fun querySelector(selectors: String): Element?\n override fun querySelectorAll(selectors: String): NodeList\n}\n\n/**\n * Exposes the JavaScript [ShadowRoot](https://developer.mozilla.org/en/docs/Web/API/ShadowRoot) to Kotlin\n */\npublic external open class ShadowRoot : DocumentFragment, DocumentOrShadowRoot {\n open val mode: ShadowRootMode\n open val host: Element\n override val fullscreenElement: Element?\n override fun getElementById(elementId: String): Element?\n override fun prepend(vararg nodes: dynamic): Unit\n override fun append(vararg nodes: dynamic): Unit\n override fun querySelector(selectors: String): Element?\n override fun querySelectorAll(selectors: String): NodeList\n}\n\n/**\n * Exposes the JavaScript [Element](https://developer.mozilla.org/en/docs/Web/API/Element) to Kotlin\n */\npublic external abstract class Element : Node, ParentNode, NonDocumentTypeChildNode, ChildNode, Slotable, GeometryUtils,

UnionElementOrProcessingInstruction, UnionElementOrHTMLCollection, UnionElementOrRadioNodeList, UnionElementOrMouseEvent {\n open var innerHTML: String\n open var outerHTML: String\n open val namespaceURI: String?\n open val prefix: String?\n open val localName: String\n open val tagName: String\n open var id: String\n open var className: String\n open val classList: DOMTokenList\n open var slot: String\n open val attributes: NamedNodeMap\n open val shadowRoot: ShadowRoot?\n open var scrollTop: Double\n open var scrollLeft: Double\n open val scrollWidth: Int\n open val scrollHeight: Int\n open val clientTop: Int\n open val clientLeft: Int\n open val clientWidth: Int\n open val clientHeight: Int\n fun requestFullscreen(): Promise<Unit>\n fun insertAdjacentHTML(position: String, text: String): Unit\n fun hasAttributes(): Boolean\n fun getAttributeNames(): Array<String>\n fun getAttribute(qualifiedName: String): String?\n fun getAttributeNS(namespace: String?, localName: String): String?\n fun setAttribute(qualifiedName: String, value: String): Unit\n fun setAttributeNS(namespace: String?, qualifiedName: String, value: String): Unit\n fun removeAttribute(qualifiedName: String): Unit\n fun removeAttributeNS(namespace: String?, localName: String): Unit\n fun hasAttribute(qualifiedName: String): Boolean\n fun hasAttributeNS(namespace: String?, localName: String): Boolean\n fun getAttributeNode(qualifiedName: String): Attr?\n fun getAttributeNodeNS(namespace: String?, localName: String): Attr?\n fun setAttributeNode(attr: Attr): Attr?\n fun setAttributeNodeNS(attr: Attr): Attr?\n fun removeAttributeNode(attr: Attr): Attr\n fun attachShadow(init: ShadowRootInit): ShadowRoot\n fun closest(selectors: String): Element?\n fun matches(selectors: String): Boolean\n fun webkitMatchesSelector(selectors: String): Boolean\n fun getElementsByTagName(qualifiedName: String): HTMLCollection\n fun getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n fun getElementsByClassName(classNames: String): HTMLCollection\n fun insertAdjacentElement(where: String, element: Element): Element?\n fun insertAdjacentText(where: String, data: String): Unit\n fun getClientRects(): Array<DOMRect>\n fun getBoundingClientRect(): DOMRect\n fun scrollIntoView(): Unit\n fun scrollIntoView(arg: dynamic): Unit\n fun scroll(options: ScrollToOptions = definedExternally): Unit\n fun scroll(x: Double, y: Double): Unit\n fun scrollTo(options: ScrollToOptions = definedExternally): Unit\n fun scrollTo(x: Double, y: Double): Unit\n fun scrollBy(options: ScrollToOptions = definedExternally): Unit\n fun scrollBy(x: Double, y: Double): Unit\n}\n\npublic external interface ShadowRootInit {\n var mode: ShadowRootMode?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ShadowRootInit(mode: ShadowRootMode?): ShadowRootInit {\n val o = js(\"({})\")\n\n o[\"mode\"] = mode\n\n return o\n}\n\n/**\n * Exposes the JavaScript [NamedNodeMap](https://developer.mozilla.org/en/docs/Web/API/NamedNodeMap) to Kotlin\n */\npublic external abstract class NamedNodeMap : ItemArrayLike<Attr> {\n override val length: Int\n override fun item(index: Int): Attr?\n fun getNamedItem(qualifiedName: String): Attr?\n fun getNamedItemNS(namespace: String?, localName: String): Attr?\n fun setNamedItem(attr: Attr): Attr?\n fun setNamedItemNS(attr: Attr): Attr?\n fun removeNamedItem(qualifiedName: String): Attr\n fun removeNamedItemNS(namespace: String?, localName: String): Attr\n}\n@kotlin.internal.InlineOnly inline operator fun NamedNodeMap.get(index: Int): Attr? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun NamedNodeMap.get(qualifiedName: String): Attr? = asDynamic()[qualifiedName]\n\n/**\n * Exposes the JavaScript [Attr](https://developer.mozilla.org/en/docs/Web/API/Attr) to Kotlin\n */\npublic external abstract class Attr : Node {\n open val namespaceURI: String?\n open val prefix: String?\n open val localName: String\n open val name: String\n open var value: String\n open val ownerElement: Element?\n open val specified: Boolean\n}\n\n/**\n * Exposes the JavaScript [CharacterData](https://developer.mozilla.org/en/docs/Web/API/CharacterData) to Kotlin\n */\npublic external abstract class CharacterData : Node, NonDocumentTypeChildNode, ChildNode {\n open var data: String\n open val length: Int\n fun substringData(offset: Int, count: Int): String\n fun appendData(data: String): Unit\n fun insertData(offset: Int, data: String): Unit\n fun deleteData(offset: Int, count: Int): Unit\n fun replaceData(offset: Int, count: Int, data: String): Unit\n}\n\n/**\n * Exposes the JavaScript

[Text](https://developer.mozilla.org/en/docs/Web/API/Text) to Kotlin\n */\npublic external open class Text(data: String = definedExternally) : CharacterData, Slotable, GeometryUtils {\n   open val wholeText: String\n   override val previousElementSibling: Element?\n   override val nextElementSibling: Element?\n   override val assignedSlot: HTMLSlotElement?\n   fun splitText(offset: Int): Text\n   override fun before(vararg nodes: dynamic): Unit\n   override
 fun after(vararg nodes: dynamic): Unit\n   override fun replaceWith(vararg nodes: dynamic): Unit\n   override fun remove(): Unit\n   override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n   override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n}\n\n/**\n * Exposes the JavaScript [CDATASection](https://developer.mozilla.org/en/docs/Web/API/CDATASection) to Kotlin\n */\npublic external open class CDATASection : Text {\n   override fun before(vararg nodes: dynamic): Unit\n   override fun after(vararg nodes: dynamic): Unit\n   override fun replaceWith(vararg nodes: dynamic): Unit\n   override fun remove(): Unit\n   override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n   override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n}\n\n/**\n * Exposes the JavaScript [ProcessingInstruction](https://developer.mozilla.org/en/docs/Web/API/ProcessingInstruction) to Kotlin\n */\npublic external abstract class ProcessingInstruction : CharacterData, LinkStyle, UnionElementOrProcessingInstruction {\n   open val target: String\n}\n\n/**\n * Exposes the JavaScript [Comment](https://developer.mozilla.org/en/docs/Web/API/Comment) to Kotlin\n */\npublic external open class Comment(data: String = definedExternally) : CharacterData {\n   override val previousElementSibling: Element?\n   override val nextElementSibling: Element?\n   override fun before(vararg nodes: dynamic): Unit\n   override fun after(vararg nodes: dynamic): Unit\n   override fun replaceWith(vararg nodes: dynamic): Unit\n   override fun remove(): Unit\n}\n\n/**\n * Exposes the JavaScript [Range](https://developer.mozilla.org/en/docs/Web/API/Range) to Kotlin\n */\npublic external open class Range {\n   open val startContainer: Node\n   open val startOffset: Int\n   open val endContainer: Node\n   open val endOffset: Int\n   open val collapsed: Boolean\n   open val commonAncestorContainer: Node\n   fun createContextualFragment(fragment: String): DocumentFragment\n   fun setStart(node: Node, offset: Int): Unit\n   fun setEnd(node: Node, offset: Int): Unit\n   fun setStartBefore(node: Node): Unit\n   fun setStartAfter(node: Node): Unit\n   fun setEndBefore(node: Node): Unit\n   fun setEndAfter(node: Node): Unit\n   fun collapse(toStart: Boolean = definedExternally): Unit\n   fun selectNode(node: Node): Unit\n   fun selectNodeContents(node: Node): Unit\n   fun compareBoundaryPoints(how: Short, sourceRange: Range): Short\n   fun deleteContents(): Unit\n   fun extractContents(): DocumentFragment\n   fun cloneContents(): DocumentFragment\n   fun insertNode(node: Node): Unit\n   fun surroundContents(newParent: Node): Unit\n   fun cloneRange(): Range\n   fun detach(): Unit\n   fun isPointInRange(node: Node, offset: Int): Boolean\n   fun comparePoint(node: Node, offset: Int): Short\n   fun intersectsNode(node: Node): Boolean\n   fun getClientRects(): Array<DOMRect>\n   fun getBoundingClientRect(): DOMRect\n\n   companion object {\n   val START_TO_START: Short\n   val START_TO_END: Short\n   val END_TO_END: Short\n   val END_TO_START: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [NodeIterator](https://developer.mozilla.org/en/docs/Web/API/NodeIterator) to Kotlin\n */\npublic external abstract class NodeIterator {\n   open val root: Node\n   open val referenceNode: Node\n   open val pointerBeforeReferenceNode: Boolean\n   open val whatToShow: Int\n   open val filter: NodeFilter?\n   fun nextNode(): Node?\n   fun previousNode(): Node?\n   fun detach(): Unit\n}\n\n/**\n * Exposes

the JavaScript [TreeWalker](https://developer.mozilla.org/en/docs/Web/API/TreeWalker) to Kotlin\n */\npublic external abstract class TreeWalker {\n open val root: Node\n open val whatToShow: Int\n open val filter: NodeFilter?\n open var currentNode: Node\n fun parentNode(): Node?\n fun firstChild(): Node?\n fun lastChild(): Node?\n fun previousSibling(): Node?\n fun nextSibling(): Node?\n fun previousNode(): Node?\n fun nextNode(): Node?\n}\n\n/**\n * Exposes the JavaScript [NodeFilter](https://developer.mozilla.org/en/docs/Web/API/NodeFilter) to Kotlin\n */\npublic external interface NodeFilter {\n fun acceptNode(node: Node): Short\n\n companion object {\n val FILTER_ACCEPT: Short\n val FILTER_REJECT: Short\n val FILTER_SKIP: Short\n val SHOW_ALL: Int\n val SHOW_ELEMENT: Int\n val SHOW_ATTRIBUTE: Int\n val SHOW_TEXT: Int\n val SHOW_CDATA_SECTION: Int\n val SHOW_ENTITY_REFERENCE: Int\n val SHOW_ENTITY: Int\n val SHOW_PROCESSING_INSTRUCTION: Int\n val SHOW_COMMENT: Int\n val SHOW_DOCUMENT: Int\n val SHOW_DOCUMENT_TYPE: Int\n val SHOW_DOCUMENT_FRAGMENT: Int\n val SHOW_NOTATION: Int\n }\n}\n\n/**\n * Exposes the JavaScript [DOMTokenList](https://developer.mozilla.org/en/docs/Web/API/DOMTokenList) to Kotlin\n */\npublic external abstract class DOMTokenList : ItemArrayLike<String> {\n override val length: Int\n open var value: String\n override fun item(index: Int): String?\n fun contains(token: String): Boolean\n fun add(vararg tokens: String): Unit\n fun remove(vararg tokens: String): Unit\n fun toggle(token: String, force: Boolean = definedExternally): Boolean\n fun replace(token: String, newToken: String): Unit\n fun supports(token: String): Boolean\n}\n@kotlin.internal.InlineOnly inline operator fun DOMTokenList.get(index: Int): String? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [DOMPointReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMPointReadOnly) to Kotlin\n */\npublic external open class DOMPointReadOnly(x: Double, y: Double, z: Double, w: Double) {\n open val x: Double\n open val y: Double\n open val z: Double\n open val w: Double\n fun matrixTransform(matrix: DOMMatrixReadOnly): DOMPoint\n}\n\n/**\n * Exposes the JavaScript [DOMPoint](https://developer.mozilla.org/en/docs/Web/API/DOMPoint) to Kotlin\n */\npublic external open class DOMPoint : DOMPointReadOnly {\n constructor(point: DOMPointInit)\n constructor(x: Double = definedExternally, y: Double = definedExternally, z: Double = definedExternally, w: Double = definedExternally)\n override var x: Double\n override var y: Double\n override var z: Double\n override var w: Double\n}\n\npublic external interface DOMPointInit {\n var x: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var y: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var z: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var w: Double? /* = 1.0 */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DOMPointInit(x: Double? = 0.0, y: Double? = 0.0, z: Double? = 0.0, w: Double? = 1.0): DOMPointInit {\n val o = js(\"({})\")\n\n o[\"x\"] = x\n o[\"y\"] = y\n o[\"z\"] = z\n o[\"w\"] = w\n\n return o\n}\n\n/**\n * Exposes the JavaScript [DOMRect](https://developer.mozilla.org/en/docs/Web/API/DOMRect) to Kotlin\n */\npublic external open class DOMRect(x: Double = definedExternally, y: Double = definedExternally, width: Double = definedExternally, height: Double = definedExternally) : DOMRectReadOnly {\n override var x: Double\n override var y: Double\n override var width: Double\n override var height: Double\n}\n\n/**\n * Exposes the JavaScript [DOMRectReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMRectReadOnly) to Kotlin\n */\npublic external open class DOMRectReadOnly(x: Double, y: Double, width: Double, height: Double) {\n open val x: Double\n open val y: Double\n open val width: Double\n open val height: Double\n open val top: Double\n open val right: Double\n open val bottom: Double\n open val left: Double\n}\n\npublic external interface DOMRectInit {\n var x: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var y: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var width: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var height: Double? /* = 0.0 */\n get() =

definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DOMRectInit(x: Double? = 0.0, y: Double? = 0.0, width: Double? = 0.0, height: Double? = 0.0): DOMRectInit {\n val o = js(\"({})\")\n\n   o[\"x\"] = x\n   o[\"y\"] = y\n   o[\"width\"] = width\n   o[\"height\"] = height\n\n   return o\n}\n\npublic external interface DOMRectList : ItemArrayLike<DOMRect> {\n   override fun item(index: Int): DOMRect?\n}\n@kotlin.internal.InlineOnly inline operator fun DOMRectList.get(index: Int): DOMRect? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [DOMQuad](https://developer.mozilla.org/en/docs/Web/API/DOMQuad) to Kotlin\n */\npublic external open class DOMQuad {\n   constructor(p1: DOMPointInit = definedExternally, p2: DOMPointInit = definedExternally, p3: DOMPointInit = definedExternally, p4: DOMPointInit = definedExternally)\n   constructor(rect: DOMRectInit)\n   open val p1: DOMPoint\n   open val p2: DOMPoint\n   open val p3: DOMPoint\n   open val p4: DOMPoint\n   open val bounds: DOMRectReadOnly\n}\n\n/**\n * Exposes the JavaScript [DOMMatrixReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMMatrixReadOnly) to Kotlin\n */\npublic external open class DOMMatrixReadOnly(numberSequence: Array<Double>) {\n   open val a: Double\n   open val b: Double\n   open val c: Double\n   open val d: Double\n   open val e: Double\n   open val f: Double\n   open val m11: Double\n   open val m12: Double\n   open val m13: Double\n   open val m14: Double\n   open val m21: Double\n   open val m22: Double\n   open val m23: Double\n   open val m24: Double\n   open val m31: Double\n   open val m32: Double\n   open val m33: Double\n   open val m34: Double\n   open val m41: Double\n   open val m42: Double\n   open val m43: Double\n   open val m44: Double\n   open val is2D: Boolean\n   open val isIdentity: Boolean\n   fun translate(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\n   fun scale(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n   fun scale3d(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n   fun scaleNonUniform(scaleX: Double, scaleY: Double = definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n   fun rotate(angle: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n   fun rotateFromVector(x: Double, y: Double): DOMMatrix\n   fun rotateAxisAngle(x: Double, y: Double, z: Double, angle: Double): DOMMatrix\n   fun skewX(sx: Double): DOMMatrix\n   fun skewY(sy: Double): DOMMatrix\n   fun multiply(other: DOMMatrix): DOMMatrix\n   fun flipX(): DOMMatrix\n   fun flipY(): DOMMatrix\n   fun inverse(): DOMMatrix\n   fun transformPoint(point: DOMPointInit = definedExternally): DOMPoint\n   fun toFloat32Array(): Float32Array\n   fun toFloat64Array(): Float64Array\n}\n\n/**\n * Exposes the JavaScript [DOMMatrix](https://developer.mozilla.org/en/docs/Web/API/DOMMatrix) to Kotlin\n */\npublic external open class DOMMatrix() : DOMMatrixReadOnly {\n   constructor(transformList: String)\n   constructor(other: DOMMatrixReadOnly)\n   constructor(array32: Float32Array)\n   constructor(array64: Float64Array)\n   constructor(numberSequence: Array<Double>)\n   override var a: Double\n   override var b: Double\n   override var c: Double\n   override var d: Double\n   override var e: Double\n   override var f: Double\n   override var m11: Double\n   override var m12: Double\n   override var m13: Double\n   override var m14: Double\n   override var m21: Double\n   override var m22: Double\n   override var m23: Double\n   override var m24: Double\n   override var m31: Double\n   override var m32: Double\n   override var m33: Double\n   override var m34: Double\n   override var m41: Double\n   override var m42: Double\n   override var m43: Double\n   override var m44: Double\n   fun multiplySelf(other: DOMMatrix): DOMMatrix\n   fun preMultiplySelf(other: DOMMatrix): DOMMatrix\n   fun translateSelf(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\n   fun scaleSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n   fun scale3dSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n   fun scaleNonUniformSelf(scaleX: Double, scaleY: Double = definedExternally, scaleZ: Double = definedExternally,

originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n fun rotateSelf(angle: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n fun rotateFromVectorSelf(x: Double, y: Double): DOMMatrix\n fun rotateAxisAngleSelf(x: Double, y: Double, z: Double, angle: Double): DOMMatrix\n fun skewXSelf(sx: Double): DOMMatrix\n fun skewYSelf(sy: Double): DOMMatrix\n fun invertSelf(): DOMMatrix\n fun setMatrixValue(transformList: String): DOMMatrix\n}\n\npublic external interface ScrollOptions {\n var behavior: ScrollBehavior? /* = ScrollBehavior.AUTO */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ScrollOptions(behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollOptions {\n val o = js(\"({})\")\n\n o[\"behavior\"] = behavior\n\n return o\n}\n\npublic external interface ScrollToOptions
: ScrollOptions {\n var left: Double?\n get() = definedExternally\n set(value) = definedExternally\n var top: Double?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ScrollToOptions(left: Double? = null, top: Double? = null, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollToOptions {\n val o = js(\"({})\")\n\n o[\"left\"] = left\n o[\"top\"] = top\n o[\"behavior\"] = behavior\n\n return o\n}\n\n/**\n * Exposes the JavaScript [MediaQueryList](https://developer.mozilla.org/en/docs/Web/API/MediaQueryList) to Kotlin\n */\npublic external abstract class MediaQueryList : EventTarget {\n open val media: String\n open val matches: Boolean\n open var onchange: ((Event) -> dynamic)?\n fun addListener(listener: EventListener?): Unit\n fun addListener(listener: ((Event) -> Unit)?): Unit\n fun removeListener(listener: EventListener?): Unit\n fun removeListener(listener: ((Event) -> Unit)?): Unit\n}\n\n/**\n * Exposes the JavaScript [MediaQueryListEvent](https://developer.mozilla.org/en/docs/Web/API/MediaQueryListEvent) to Kotlin\n */\npublic external open class MediaQueryListEvent(type: String, eventInitDict: MediaQueryListEventInit = definedExternally) : Event {\n open val media: String\n open val matches: Boolean\n}\n\npublic external interface MediaQueryListEventInit : EventInit {\n var media: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var matches: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaQueryListEventInit(media: String? = \"\", matches: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MediaQueryListEventInit {\n val o = js(\"({})\")\n\n o[\"media\"] = media\n o[\"matches\"] = matches\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n\n return o\n}\n\n/**\n * Exposes the JavaScript [Screen](https://developer.mozilla.org/en/docs/Web/API/Screen) to Kotlin\n */\npublic external abstract class Screen {\n open val availWidth: Int\n open val availHeight: Int\n open val width: Int\n open val height: Int\n open val colorDepth: Int\n open val pixelDepth: Int\n}\n\n/**\n * Exposes the JavaScript [CaretPosition](https://developer.mozilla.org/en/docs/Web/API/CaretPosition) to Kotlin\n */\npublic external abstract class CaretPosition {\n open val offsetNode: Node\n open val offset: Int\n fun getClientRect(): DOMRect?\n}\n\npublic external interface ScrollIntoViewOptions : ScrollOptions {\n var block: ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n get() = definedExternally\n set(value) = definedExternally\n var inline: ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ScrollIntoViewOptions(block: ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, inline: ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollIntoViewOptions {\n val o = js(\"({})\")\n\n o[\"block\"] = block\n o[\"inline\"] = inline\n o[\"behavior\"] = behavior\n\n return o\n}\n\npublic external interface BoxQuadOptions {\n var box: CSSBoxType? /* = CSSBoxType.BORDER */\n get() = definedExternally\n set(value) = definedExternally\n var relativeTo: dynamic\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun BoxQuadOptions(box: CSSBoxType? = CSSBoxType.BORDER, relativeTo: dynamic = null): BoxQuadOptions {\n val o = js(\"({})\")\n\n o[\"box\"] = box\n o[\"relativeTo\"]

= relativeTo\n\n   return o\n}\n\npublic external interface ConvertCoordinateOptions {\n   var fromBox: CSSBoxType? /* = CSSBoxType.BORDER */\n   get() = definedExternally\n   set(value) = definedExternally\n   var toBox: CSSBoxType? /* = CSSBoxType.BORDER */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ConvertCoordinateOptions(fromBox: CSSBoxType? = CSSBoxType.BORDER, toBox: CSSBoxType? = CSSBoxType.BORDER): ConvertCoordinateOptions {\n   val o = js(\"({})\")\n\n   o[\"fromBox\"] = fromBox\n   o[\"toBox\"] = toBox\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [GeometryUtils](https://developer.mozilla.org/en/docs/Web/API/GeometryUtils) to Kotlin\n */\npublic external interface GeometryUtils {\n   fun getBoxQuads(options: BoxQuadOptions = definedExternally): Array<DOMQuad>\n   fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMQuad\n   fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMQuad\n   fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMPoint\n}\n\npublic external @marker interface UnionElementOrProcessingInstruction {\n}\n\npublic external @marker interface UnionElementOrHTMLCollection {\n}\n\npublic external @marker interface UnionElementOrRadioNodeList {\n}\n\npublic external @marker interface UnionHTMLOptGroupElementOrHTMLOptionElement {\n}\n\npublic external @marker interface UnionAudioTrackOrTextTrackOrVideoTrack {\n}\n\npublic external @marker interface UnionElementOrMouseEvent {\n}\n\npublic external @marker interface UnionMessagePortOrWindow {\n}\n\npublic external @marker interface UnionMessagePortOrServiceWorker {\n}\n\npublic external @marker interface HTMLOrSVGScriptElement {\n}\n\npublic external @marker interface RenderingContext {\n}\n\npublic external @marker interface HTMLOrSVGImageElement {\n}\n\n/* please, don't implement this interface! */\npublic external interface DocumentReadyState {\n   companion object\n}\npublic inline val DocumentReadyState.Companion.LOADING: DocumentReadyState get() = \"loading\".asDynamic().unsafeCast<DocumentReadyState>()\npublic inline val DocumentReadyState.Companion.INTERACTIVE: DocumentReadyState get() = \"interactive\".asDynamic().unsafeCast<DocumentReadyState>()\npublic inline val DocumentReadyState.Companion.COMPLETE: DocumentReadyState get() = \"complete\".asDynamic().unsafeCast<DocumentReadyState>()\n\n/* please, don't implement this interface! */\npublic external interface CanPlayTypeResult {\n   companion object\n}\npublic inline val CanPlayTypeResult.Companion.EMPTY: CanPlayTypeResult get() = \"\".asDynamic().unsafeCast<CanPlayTypeResult>()\npublic inline val CanPlayTypeResult.Companion.MAYBE: CanPlayTypeResult get() = \"maybe\".asDynamic().unsafeCast<CanPlayTypeResult>()\npublic inline val CanPlayTypeResult.Companion.PROBABLY: CanPlayTypeResult get() = \"probably\".asDynamic().unsafeCast<CanPlayTypeResult>()\n\n/* please, don't implement this interface! */\npublic external interface TextTrackMode {\n   companion object\n}\npublic inline val TextTrackMode.Companion.DISABLED: TextTrackMode get() = \"disabled\".asDynamic().unsafeCast<TextTrackMode>()\npublic inline val TextTrackMode.Companion.HIDDEN: TextTrackMode get() = \"hidden\".asDynamic().unsafeCast<TextTrackMode>()\npublic inline val TextTrackMode.Companion.SHOWING: TextTrackMode get() = \"showing\".asDynamic().unsafeCast<TextTrackMode>()\n\n/* please, don't implement this interface! */\npublic external interface TextTrackKind {\n   companion object\n}\npublic inline val TextTrackKind.Companion.SUBTITLES: TextTrackKind get() = \"subtitles\".asDynamic().unsafeCast<TextTrackKind>()\npublic inline val TextTrackKind.Companion.CAPTIONS: TextTrackKind get() = \"captions\".asDynamic().unsafeCast<TextTrackKind>()\npublic inline val TextTrackKind.Companion.DESCRIPTIONS: TextTrackKind get() = \"descriptions\".asDynamic().unsafeCast<TextTrackKind>()\npublic inline val TextTrackKind.Companion.CHAPTERS: TextTrackKind get() =

\"chapters\".asDynamic().unsafeCast<TextTrackKind>()\npublic inline val TextTrackKind.Companion.METADATA: TextTrackKind get() = \"metadata\".asDynamic().unsafeCast<TextTrackKind>()\n\n/* please, don't implement this interface! */\npublic external interface SelectionMode {\n   companion object\n}\npublic inline val SelectionMode.Companion.SELECT: SelectionMode get() = \"select\".asDynamic().unsafeCast<SelectionMode>()\npublic inline val SelectionMode.Companion.START: SelectionMode get() = \"start\".asDynamic().unsafeCast<SelectionMode>()\npublic inline val SelectionMode.Companion.END: SelectionMode get() = \"end\".asDynamic().unsafeCast<SelectionMode>()\npublic inline val SelectionMode.Companion.PRESERVE: SelectionMode get() = \"preserve\".asDynamic().unsafeCast<SelectionMode>()\n\n/* please, don't implement this interface! */\npublic external interface CanvasFillRule {\n   companion object\n}\npublic inline val CanvasFillRule.Companion.NONZERO: CanvasFillRule get() = \"nonzero\".asDynamic().unsafeCast<CanvasFillRule>()\npublic inline val CanvasFillRule.Companion.EVENODD: CanvasFillRule get() = \"evenodd\".asDynamic().unsafeCast<CanvasFillRule>()\n\n/* please, don't implement this interface! */\npublic external interface ImageSmoothingQuality {\n   companion object\n}\npublic inline val ImageSmoothingQuality.Companion.LOW: ImageSmoothingQuality get() = \"low\".asDynamic().unsafeCast<ImageSmoothingQuality>()\npublic inline val ImageSmoothingQuality.Companion.MEDIUM: ImageSmoothingQuality get() = \"medium\".asDynamic().unsafeCast<ImageSmoothingQuality>()\npublic inline val ImageSmoothingQuality.Companion.HIGH: ImageSmoothingQuality get() = \"high\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\n/* please, don't implement this interface! */\npublic
 external interface CanvasLineCap {\n   companion object\n}\npublic inline val CanvasLineCap.Companion.BUTT: CanvasLineCap get() = \"butt\".asDynamic().unsafeCast<CanvasLineCap>()\npublic inline val CanvasLineCap.Companion.ROUND: CanvasLineCap get() = \"round\".asDynamic().unsafeCast<CanvasLineCap>()\npublic inline val CanvasLineCap.Companion.SQUARE: CanvasLineCap get() = \"square\".asDynamic().unsafeCast<CanvasLineCap>()\n\n/* please, don't implement this interface! */\npublic external interface CanvasLineJoin {\n   companion object\n}\npublic inline val CanvasLineJoin.Companion.ROUND: CanvasLineJoin get() = \"round\".asDynamic().unsafeCast<CanvasLineJoin>()\npublic inline val CanvasLineJoin.Companion.BEVEL: CanvasLineJoin get() = \"bevel\".asDynamic().unsafeCast<CanvasLineJoin>()\npublic inline val CanvasLineJoin.Companion.MITER: CanvasLineJoin get() = \"miter\".asDynamic().unsafeCast<CanvasLineJoin>()\n\n/* please, don't implement this interface! */\npublic external interface CanvasTextAlign
 {\n   companion object\n}\npublic inline val CanvasTextAlign.Companion.START: CanvasTextAlign get() = \"start\".asDynamic().unsafeCast<CanvasTextAlign>()\npublic inline val CanvasTextAlign.Companion.END: CanvasTextAlign get() = \"end\".asDynamic().unsafeCast<CanvasTextAlign>()\npublic inline val CanvasTextAlign.Companion.LEFT: CanvasTextAlign get() = \"left\".asDynamic().unsafeCast<CanvasTextAlign>()\npublic inline val CanvasTextAlign.Companion.RIGHT: CanvasTextAlign get() = \"right\".asDynamic().unsafeCast<CanvasTextAlign>()\npublic inline val CanvasTextAlign.Companion.CENTER: CanvasTextAlign get() = \"center\".asDynamic().unsafeCast<CanvasTextAlign>()\n\n/* please, don't implement this interface! */\npublic external interface CanvasTextBaseline {\n   companion object\n}\npublic inline val CanvasTextBaseline.Companion.TOP: CanvasTextBaseline get() = \"top\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val CanvasTextBaseline.Companion.HANGING: CanvasTextBaseline
 get() = \"hanging\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val CanvasTextBaseline.Companion.MIDDLE: CanvasTextBaseline get() =

\"middle\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val CanvasTextBaseline.Companion.ALPHABETIC: CanvasTextBaseline get() = \"alphabetic\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val CanvasTextBaseline.Companion.IDEOGRAPHIC: CanvasTextBaseline get() = \"ideographic\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val CanvasTextBaseline.Companion.BOTTOM: CanvasTextBaseline get() = \"bottom\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\n/* please, don't implement this interface! */\npublic external interface CanvasDirection {\n companion object\n}\npublic inline val CanvasDirection.Companion.LTR: CanvasDirection get() = \"ltr\".asDynamic().unsafeCast<CanvasDirection>()\npublic inline val CanvasDirection.Companion.RTL: CanvasDirection get() = \"rtl\".asDynamic().unsafeCast<CanvasDirection>()\npublic inline val CanvasDirection.Companion.INHERIT: CanvasDirection get() = \"inherit\".asDynamic().unsafeCast<CanvasDirection>()\n\n/* please, don't implement this interface! */\npublic external interface ScrollRestoration {\n companion object\n}\npublic inline val ScrollRestoration.Companion.AUTO: ScrollRestoration get() = \"auto\".asDynamic().unsafeCast<ScrollRestoration>()\npublic inline val ScrollRestoration.Companion.MANUAL: ScrollRestoration get() = \"manual\".asDynamic().unsafeCast<ScrollRestoration>()\n\n/* please, don't implement this interface! */\npublic external interface ImageOrientation {\n companion object\n}\npublic inline val ImageOrientation.Companion.NONE: ImageOrientation get() = \"none\".asDynamic().unsafeCast<ImageOrientation>()\npublic inline val ImageOrientation.Companion.FLIPY: ImageOrientation get() = \"flipY\".asDynamic().unsafeCast<ImageOrientation>()\n\n/* please, don't implement this interface! */\npublic external interface PremultiplyAlpha {\n companion object\n}\npublic inline val PremultiplyAlpha.Companion.NONE: PremultiplyAlpha get() = \"none\".asDynamic().unsafeCast<PremultiplyAlpha>()\npublic inline val PremultiplyAlpha.Companion.PREMULTIPLY: PremultiplyAlpha get() = \"premultiply\".asDynamic().unsafeCast<PremultiplyAlpha>()\npublic inline val PremultiplyAlpha.Companion.DEFAULT: PremultiplyAlpha get() = \"default\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\n/* please, don't implement this interface! */\npublic external interface ColorSpaceConversion {\n companion object\n}\npublic inline val ColorSpaceConversion.Companion.NONE: ColorSpaceConversion get() = \"none\".asDynamic().unsafeCast<ColorSpaceConversion>()\npublic inline val ColorSpaceConversion.Companion.DEFAULT: ColorSpaceConversion get() = \"default\".asDynamic().unsafeCast<ColorSpaceConversion>()\n\n/* please, don't implement this interface! */\npublic external interface ResizeQuality {\n companion object\n}\npublic inline val ResizeQuality.Companion.PIXELATED: ResizeQuality get() = \"pixelated\".asDynamic().unsafeCast<ResizeQuality>()\npublic inline val ResizeQuality.Companion.LOW: ResizeQuality get() = \"low\".asDynamic().unsafeCast<ResizeQuality>()\npublic inline val ResizeQuality.Companion.MEDIUM: ResizeQuality get() = \"medium\".asDynamic().unsafeCast<ResizeQuality>()\npublic inline val ResizeQuality.Companion.HIGH: ResizeQuality get() = \"high\".asDynamic().unsafeCast<ResizeQuality>()\n\n/* please, don't implement this interface! */\npublic external interface BinaryType {\n companion object\n}\npublic inline val BinaryType.Companion.BLOB: BinaryType get() = \"blob\".asDynamic().unsafeCast<BinaryType>()\npublic inline val BinaryType.Companion.ARRAYBUFFER: BinaryType get() = \"arraybuffer\".asDynamic().unsafeCast<BinaryType>()\n\n/* please, don't implement this interface! */\npublic external interface WorkerType {\n companion object\n}\npublic inline val WorkerType.Companion.CLASSIC: WorkerType get() = \"classic\".asDynamic().unsafeCast<WorkerType>()\npublic inline val WorkerType.Companion.MODULE: WorkerType get() = \"module\".asDynamic().unsafeCast<WorkerType>()\n\n/* please, don't implement this interface! */\npublic

external interface ShadowRootMode {\n   companion object\n}\npublic inline val ShadowRootMode.Companion.OPEN: ShadowRootMode get() = \"open\".asDynamic().unsafeCast<ShadowRootMode>()\npublic inline val ShadowRootMode.Companion.CLOSED: ShadowRootMode get() = \"closed\".asDynamic().unsafeCast<ShadowRootMode>()\n\n/* please, don't implement this interface! */\npublic external interface ScrollBehavior {\n   companion object\n}\npublic inline val ScrollBehavior.Companion.AUTO: ScrollBehavior get() = \"auto\".asDynamic().unsafeCast<ScrollBehavior>()\npublic inline val ScrollBehavior.Companion.INSTANT: ScrollBehavior get() = \"instant\".asDynamic().unsafeCast<ScrollBehavior>()\npublic inline val ScrollBehavior.Companion.SMOOTH: ScrollBehavior get() = \"smooth\".asDynamic().unsafeCast<ScrollBehavior>()\n\n/*
 please, don't implement this interface! */\npublic external interface ScrollLogicalPosition {\n   companion object\n}\npublic inline val ScrollLogicalPosition.Companion.START: ScrollLogicalPosition get() = \"start\".asDynamic().unsafeCast<ScrollLogicalPosition>()\npublic inline val ScrollLogicalPosition.Companion.CENTER: ScrollLogicalPosition get() = \"center\".asDynamic().unsafeCast<ScrollLogicalPosition>()\npublic inline val ScrollLogicalPosition.Companion.END: ScrollLogicalPosition get() = \"end\".asDynamic().unsafeCast<ScrollLogicalPosition>()\npublic inline val ScrollLogicalPosition.Companion.NEAREST: ScrollLogicalPosition get() = \"nearest\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\n/* please, don't implement this interface! */\npublic external interface CSSBoxType {\n   companion object\n}\npublic inline val CSSBoxType.Companion.MARGIN: CSSBoxType get() = \"margin\".asDynamic().unsafeCast<CSSBoxType>()\npublic inline val CSSBoxType.Companion.BORDER: CSSBoxType get() = \"border\".asDynamic().unsafeCast<CSSBoxType>()\npublic inline val CSSBoxType.Companion.PADDING: CSSBoxType get() = \"padding\".asDynamic().unsafeCast<CSSBoxType>()\npublic inline val CSSBoxType.Companion.CONTENT: CSSBoxType get() = \"content\".asDynamic().unsafeCast<CSSBoxType>()\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage org.w3c.fetch\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n
 * Exposes the JavaScript [Headers](https://developer.mozilla.org/en/docs/Web/API/Headers) to Kotlin\n */\npublic external open class Headers(init: dynamic = definedExternally) {\n   fun append(name: String, value: String): Unit\n   fun delete(name: String): Unit\n   fun get(name: String): String?\n   fun has(name: String): Boolean\n   fun set(name: String, value: String): Unit\n}\n\n/**\n * Exposes the JavaScript [Body](https://developer.mozilla.org/en/docs/Web/API/Body) to Kotlin\n */\npublic external interface Body {\n   val bodyUsed: Boolean\n   fun arrayBuffer(): Promise<ArrayBuffer>\n   fun blob(): Promise<Blob>\n   fun formData(): Promise<FormData>\n   fun json(): Promise<Any?>\n   fun text(): Promise<String>\n}\n\n/**\n * Exposes the JavaScript [Request](https://developer.mozilla.org/en/docs/Web/API/Request) to Kotlin\n */\npublic external open class Request(input: dynamic, init: RequestInit = definedExternally) : Body {\n   open val method: String\n
  open val url: String\n   open val headers: Headers\n   open val type: RequestType\n   open val destination: RequestDestination\n   open val referrer: String\n   open val referrerPolicy: dynamic\n   open val mode: RequestMode\n   open val credentials: RequestCredentials\n   open val cache: RequestCache\n   open val redirect: RequestRedirect\n   open val integrity: String\n   open val keepalive: Boolean\n   override val bodyUsed: Boolean\n   fun clone(): Request\n   override fun arrayBuffer(): Promise<ArrayBuffer>\n   override fun blob():

Promise<Blob>\n   override fun formData(): Promise<FormData>\n   override fun json(): Promise<Any?>\n override fun text(): Promise<String>\n}\n\npublic external interface RequestInit {\n   var method: String?\n get() = definedExternally\n   set(value) = definedExternally\n   var headers: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n   var body: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n   var referrer: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var referrerPolicy: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n   var mode: RequestMode?\n   get() = definedExternally\n   set(value) = definedExternally\n   var credentials: RequestCredentials?\n   get() = definedExternally\n   set(value) = definedExternally\n   var cache: RequestCache?\n   get() = definedExternally\n   set(value) = definedExternally\n   var redirect: RequestRedirect?\n   get() = definedExternally\n   set(value) = definedExternally\n   var integrity: String?\n   get() = definedExternally\n   set(value) = definedExternally\n var keepalive: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var window: Any?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
 inline fun RequestInit(method: String? = null, headers: dynamic = null, body: dynamic = null, referrer: String? = null, referrerPolicy: dynamic = null, mode: RequestMode? = null, credentials: RequestCredentials? = null, cache: RequestCache? = null, redirect: RequestRedirect? = null, integrity: String? = null, keepalive: Boolean? = null, window: Any? = null): RequestInit {\n   val o = js(\"({})\")\n\n   o[\"method\"] = method\n   o[\"headers\"] = headers\n   o[\"body\"] = body\n   o[\"referrer\"] = referrer\n   o[\"referrerPolicy\"] = referrerPolicy\n o[\"mode\"] = mode\n   o[\"credentials\"] = credentials\n   o[\"cache\"] = cache\n   o[\"redirect\"] = redirect\n o[\"integrity\"] = integrity\n   o[\"keepalive\"] = keepalive\n   o[\"window\"] = window\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [Response](https://developer.mozilla.org/en/docs/Web/API/Response) to Kotlin\n */\npublic external open class Response(body: dynamic
 = definedExternally, init: ResponseInit = definedExternally) : Body {\n   open val type: ResponseType\n   open val url: String\n   open val redirected: Boolean\n   open val status: Short\n   open val ok: Boolean\n   open val statusText: String\n   open val headers: Headers\n   open val body: dynamic\n   open val trailer: Promise<Headers>\n   override val bodyUsed: Boolean\n   fun clone(): Response\n   override fun arrayBuffer(): Promise<ArrayBuffer>\n   override fun blob(): Promise<Blob>\n   override fun formData(): Promise<FormData>\n   override fun json(): Promise<Any?>\n   override fun text(): Promise<String>\n\n companion object {\n   fun error(): Response\n   fun redirect(url: String, status: Short = definedExternally): Response\n   }\n}\n\npublic external interface ResponseInit {\n   var status: Short? /* = 200 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var statusText: String? /* = \"OK\" */\n   get()
 = definedExternally\n   set(value) = definedExternally\n   var headers: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ResponseInit(status: Short? = 200, statusText: String? = \"OK\", headers: dynamic = null): ResponseInit {\n   val o = js(\"({})\")\n\n   o[\"status\"] = status\n   o[\"statusText\"] = statusText\n   o[\"headers\"] = headers\n\n   return o\n}\n\n/* please, don't implement this interface! */\npublic external interface RequestType {\n   companion object\n}\npublic inline val RequestType.Companion.EMPTY: RequestType get() = \"\".asDynamic().unsafeCast<RequestType>()\npublic inline val RequestType.Companion.AUDIO: RequestType get() = \"audio\".asDynamic().unsafeCast<RequestType>()\npublic inline val RequestType.Companion.FONT: RequestType get() = \"font\".asDynamic().unsafeCast<RequestType>()\npublic inline val RequestType.Companion.IMAGE: RequestType get() = \"image\".asDynamic().unsafeCast<RequestType>()\npublic
 inline val RequestType.Companion.SCRIPT: RequestType get() = \"script\".asDynamic().unsafeCast<RequestType>()\npublic inline val RequestType.Companion.STYLE: RequestType get() = \"style\".asDynamic().unsafeCast<RequestType>()\npublic inline val RequestType.Companion.TRACK: RequestType get() = \"track\".asDynamic().unsafeCast<RequestType>()\npublic inline val RequestType.Companion.VIDEO: RequestType get() =

\"video\".asDynamic().unsafeCast<RequestType>()\n\n/* please, don't implement this interface! */\npublic external interface RequestDestination {\n   companion object\n}\npublic inline val RequestDestination.Companion.EMPTY: RequestDestination get() = \"\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val RequestDestination.Companion.DOCUMENT: RequestDestination get() = \"document\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val RequestDestination.Companion.EMBED: RequestDestination get() = \"embed\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val RequestDestination.Companion.FONT: RequestDestination get() = \"font\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val RequestDestination.Companion.IMAGE: RequestDestination get() = \"image\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val RequestDestination.Companion.MANIFEST: RequestDestination get() = \"manifest\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val RequestDestination.Companion.MEDIA: RequestDestination get() = \"media\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val RequestDestination.Companion.OBJECT: RequestDestination get() = \"object\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val RequestDestination.Companion.REPORT: RequestDestination get() = \"report\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val RequestDestination.Companion.SCRIPT: RequestDestination get() = \"script\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val RequestDestination.Companion.SERVICEWORKER: RequestDestination get() = \"serviceworker\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val RequestDestination.Companion.SHAREDWORKER: RequestDestination get() = \"sharedworker\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val RequestDestination.Companion.STYLE: RequestDestination get() = \"style\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val RequestDestination.Companion.WORKER: RequestDestination get() = \"worker\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val RequestDestination.Companion.XSLT: RequestDestination get() = \"xslt\".asDynamic().unsafeCast<RequestDestination>()\n\n/* please, don't implement this interface! */\npublic external interface RequestMode {\n   companion object\n}\npublic inline val RequestMode.Companion.NAVIGATE: RequestMode get() = \"navigate\".asDynamic().unsafeCast<RequestMode>()\npublic inline val RequestMode.Companion.SAME_ORIGIN: RequestMode get() = \"same-origin\".asDynamic().unsafeCast<RequestMode>()\npublic inline val RequestMode.Companion.NO_CORS: RequestMode get() = \"no-cors\".asDynamic().unsafeCast<RequestMode>()\npublic inline val RequestMode.Companion.CORS: RequestMode get() = \"cors\".asDynamic().unsafeCast<RequestMode>()\n\n/* please, don't implement this interface! */\npublic external interface RequestCredentials {\n   companion object\n}\npublic inline val RequestCredentials.Companion.OMIT: RequestCredentials get() = \"omit\".asDynamic().unsafeCast<RequestCredentials>()\npublic inline val RequestCredentials.Companion.SAME_ORIGIN: RequestCredentials get() = \"same-origin\".asDynamic().unsafeCast<RequestCredentials>()\npublic inline val RequestCredentials.Companion.INCLUDE: RequestCredentials get() = \"include\".asDynamic().unsafeCast<RequestCredentials>()\n\n/* please, don't implement this interface! */\npublic external interface RequestCache {\n   companion object\n}\npublic inline val RequestCache.Companion.DEFAULT:

RequestCache get() = \"default\".asDynamic().unsafeCast<RequestCache>()\npublic inline val RequestCache.Companion.NO_STORE: RequestCache get() = \"no-store\".asDynamic().unsafeCast<RequestCache>()\npublic inline val RequestCache.Companion.RELOAD: RequestCache get() = \"reload\".asDynamic().unsafeCast<RequestCache>()\npublic inline val RequestCache.Companion.NO_CACHE: RequestCache get() = \"no-cache\".asDynamic().unsafeCast<RequestCache>()\npublic inline val RequestCache.Companion.FORCE_CACHE: RequestCache get() = \"force-cache\".asDynamic().unsafeCast<RequestCache>()\npublic inline val RequestCache.Companion.ONLY_IF_CACHED: RequestCache get() = \"only-if-cached\".asDynamic().unsafeCast<RequestCache>()\n\n/* please, don't implement this interface! */\npublic external interface RequestRedirect {\n   companion object\n}\npublic inline val RequestRedirect.Companion.FOLLOW: RequestRedirect get() = \"follow\".asDynamic().unsafeCast<RequestRedirect>()\npublic inline val RequestRedirect.Companion.ERROR: RequestRedirect get() = \"error\".asDynamic().unsafeCast<RequestRedirect>()\npublic inline val RequestRedirect.Companion.MANUAL: RequestRedirect get() = \"manual\".asDynamic().unsafeCast<RequestRedirect>()\n\n/* please, don't implement this interface! */\npublic external interface ResponseType {\n   companion object\n}\npublic inline val ResponseType.Companion.BASIC: ResponseType get() = \"basic\".asDynamic().unsafeCast<ResponseType>()\npublic inline val ResponseType.Companion.CORS: ResponseType get() = \"cors\".asDynamic().unsafeCast<ResponseType>()\npublic inline val ResponseType.Companion.DEFAULT: ResponseType get() = \"default\".asDynamic().unsafeCast<ResponseType>()\npublic inline val ResponseType.Companion.ERROR: ResponseType get() = \"error\".asDynamic().unsafeCast<ResponseType>()\npublic inline val ResponseType.Companion.OPAQUE: ResponseType get() = \"opaque\".asDynamic().unsafeCast<ResponseType>()\npublic inline val ResponseType.Companion.OPAQUEREDIRECT: ResponseType get() = \"opaqueredirect\".asDynamic().unsafeCast<ResponseType>()\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage org.w3c.dom.svg\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [SVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGElement) to Kotlin\n */\npublic external abstract class SVGElement : Element, ElementCSSInlineStyle, GlobalEventHandlers, SVGElementInstance {\n   open val dataset: DOMStringMap\n   open val ownerSVGElement: SVGSVGElement?\n   open val viewportElement: SVGElement?\n   open var tabIndex: Int\n   fun focus(): Unit\n   fun blur(): Unit\n}\n\npublic external interface SVGBoundingBoxOptions {\n   var fill: Boolean? /* = true */\n   get() = definedExternally\n   set(value) = definedExternally\n   var stroke: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var markers: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var clipped: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun SVGBoundingBoxOptions(fill: Boolean? = true, stroke: Boolean? = false, markers: Boolean? = false, clipped: Boolean? = false): SVGBoundingBoxOptions {\n   val o = js(\"({})\")\n\n   o[\"fill\"] = fill\n   o[\"stroke\"] = stroke\n   o[\"markers\"] = markers\n   o[\"clipped\"] = clipped\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [SVGGraphicsElement](https://developer.mozilla.org/en/docs/Web/API/SVGGraphicsElement) to Kotlin\n */\npublic external abstract class SVGGraphicsElement : SVGElement, SVGTests {\n   open val transform: SVGAnimatedTransformList\n   fun getBBox(options: SVGBoundingBoxOptions = definedExternally):

DOMRect\n   fun getCTM(): DOMMatrix?\n   fun getScreenCTM(): DOMMatrix?\n}\n\n/**\n * Exposes the JavaScript [SVGGeometryElement](https://developer.mozilla.org/en/docs/Web/API/SVGGeometryElement) to Kotlin\n */\npublic external abstract class SVGGeometryElement : SVGGraphicsElement {\n   open val pathLength: SVGAnimatedNumber\n   fun isPointInFill(point: DOMPoint): Boolean\n   fun isPointInStroke(point: DOMPoint): Boolean\n   fun getTotalLength(): Float\n   fun getPointAtLength(distance: Float): DOMPoint\n}\n\n/**\n * Exposes the JavaScript [SVGNumber](https://developer.mozilla.org/en/docs/Web/API/SVGNumber) to Kotlin\n */\npublic external abstract class SVGNumber {\n   open var value: Float\n}\n\n/**\n * Exposes the JavaScript [SVGLength](https://developer.mozilla.org/en/docs/Web/API/SVGLength) to Kotlin\n */\npublic external abstract class SVGLength {\n   open val unitType: Short\n   open var value: Float\n   open var valueInSpecifiedUnits: Float\n   open var valueAsString: String\n   fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits: Float): Unit\n   fun convertToSpecifiedUnits(unitType: Short): Unit\n\n   companion object {\n   val SVG_LENGTHTYPE_UNKNOWN: Short\n   val SVG_LENGTHTYPE_NUMBER: Short\n   val SVG_LENGTHTYPE_PERCENTAGE: Short\n   val SVG_LENGTHTYPE_EMS: Short\n   val SVG_LENGTHTYPE_EXS: Short\n   val SVG_LENGTHTYPE_PX: Short\n   val SVG_LENGTHTYPE_CM: Short\n   val SVG_LENGTHTYPE_MM: Short\n   val SVG_LENGTHTYPE_IN: Short\n   val SVG_LENGTHTYPE_PT: Short\n   val SVG_LENGTHTYPE_PC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [SVGAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAngle) to Kotlin\n */\npublic external abstract class SVGAngle {\n   open val unitType: Short\n   open var value: Float\n   open var valueInSpecifiedUnits: Float\n   open var valueAsString: String\n   fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits: Float): Unit\n   fun convertToSpecifiedUnits(unitType: Short): Unit\n\n   companion object {\n   val SVG_ANGLETYPE_UNKNOWN: Short\n   val SVG_ANGLETYPE_UNSPECIFIED: Short\n   val SVG_ANGLETYPE_DEG: Short\n   val SVG_ANGLETYPE_RAD: Short\n   val SVG_ANGLETYPE_GRAD: Short\n   }\n}\n\npublic external abstract class SVGNameList {\n   open val length: Int\n   open val numberOfItems: Int\n   fun clear(): Unit\n   fun initialize(newItem: dynamic): dynamic\n   fun getItem(index: Int): dynamic\n   fun insertItemBefore(newItem: dynamic, index: Int): dynamic\n   fun replaceItem(newItem: dynamic, index: Int): dynamic\n   fun removeItem(index: Int): dynamic\n   fun appendItem(newItem: dynamic): dynamic\n}\n@kotlin.internal.InlineOnly inline operator fun SVGNameList.get(index: Int): dynamic = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun SVGNameList.set(index: Int, newItem: dynamic): Unit { asDynamic()[index] = newItem; }\n\n/**\n * Exposes the JavaScript [SVGNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGNumberList) to Kotlin\n */\npublic external abstract class SVGNumberList {\n   open val length: Int\n   open val numberOfItems: Int\n   fun clear(): Unit\n   fun initialize(newItem: SVGNumber): SVGNumber\n   fun getItem(index: Int): SVGNumber\n   fun insertItemBefore(newItem: SVGNumber, index: Int): SVGNumber\n   fun replaceItem(newItem: SVGNumber, index: Int): SVGNumber\n   fun removeItem(index: Int): SVGNumber\n   fun appendItem(newItem: SVGNumber): SVGNumber\n}\n@kotlin.internal.InlineOnly inline operator fun SVGNumberList.get(index: Int): SVGNumber? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun SVGNumberList.set(index: Int, newItem: SVGNumber): Unit { asDynamic()[index] = newItem; }\n\n/**\n * Exposes the JavaScript [SVGLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGLengthList) to Kotlin\n */\npublic external abstract class SVGLengthList {\n   open val length: Int\n   open val numberOfItems: Int\n   fun clear(): Unit\n   fun initialize(newItem: SVGLength): SVGLength\n   fun getItem(index: Int): SVGLength\n   fun insertItemBefore(newItem: SVGLength, index: Int): SVGLength\n   fun replaceItem(newItem: SVGLength, index: Int): SVGLength\n   fun removeItem(index: Int): SVGLength\n   fun appendItem(newItem: SVGLength): SVGLength\n}\n@kotlin.internal.InlineOnly inline operator fun SVGLengthList.get(index: Int): SVGLength? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun SVGLengthList.set(index:

Int, newItem: SVGLength): Unit { asDynamic()[index] = newItem; }\n\n/**\n * Exposes the JavaScript [SVGAnimatedBoolean](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedBoolean) to Kotlin\n */\npublic external abstract class SVGAnimatedBoolean {\n open var baseVal: Boolean\n open val animVal: Boolean\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedEnumeration](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedEnumeration) to Kotlin\n */\npublic external abstract class SVGAnimatedEnumeration {\n open var baseVal: Short\n open val animVal: Short\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedInteger](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedInteger) to Kotlin\n */\npublic external abstract class SVGAnimatedInteger {\n open var baseVal: Int\n open val animVal: Int\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedNumber](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumber) to Kotlin\n */\npublic external abstract class SVGAnimatedNumber
{\n open var baseVal: Float\n open val animVal: Float\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedLength](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLength) to Kotlin\n */\npublic external abstract class SVGAnimatedLength {\n open val baseVal: SVGLength\n open val animVal: SVGLength\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedAngle) to Kotlin\n */\npublic external abstract class SVGAnimatedAngle {\n open val baseVal: SVGAngle\n open val animVal: SVGAngle\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedString](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedString) to Kotlin\n */\npublic external abstract class SVGAnimatedString {\n open var baseVal: String\n open val animVal: String\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedRect](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedRect) to Kotlin\n */\npublic external abstract class SVGAnimatedRect
{\n open val baseVal: DOMRect\n open val animVal: DOMRectReadOnly\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumberList) to Kotlin\n */\npublic external abstract class SVGAnimatedNumberList {\n open val baseVal: SVGNumberList\n open val animVal: SVGNumberList\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLengthList) to Kotlin\n */\npublic external abstract class SVGAnimatedLengthList {\n open val baseVal: SVGLengthList\n open val animVal: SVGLengthList\n}\n\n/**\n * Exposes the JavaScript [SVGStringList](https://developer.mozilla.org/en/docs/Web/API/SVGStringList) to Kotlin\n */\npublic external abstract class SVGStringList {\n open val length: Int\n open val numberOfItems: Int\n fun clear(): Unit\n fun initialize(newItem: String): String\n fun getItem(index: Int): String\n fun insertItemBefore(newItem:
String, index: Int): String\n fun replaceItem(newItem: String, index: Int): String\n fun removeItem(index: Int): String\n fun appendItem(newItem: String): String\n}\n@kotlin.internal.InlineOnly inline operator fun SVGStringList.get(index: Int): String? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun SVGStringList.set(index: Int, newItem: String): Unit { asDynamic()[index] = newItem; }\n\n/**\n * Exposes the JavaScript [SVGUnitTypes](https://developer.mozilla.org/en/docs/Web/API/SVGUnitTypes) to Kotlin\n */\npublic external interface SVGUnitTypes {\n\n companion object {\n val SVG_UNIT_TYPE_UNKNOWN: Short\n
val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTests](https://developer.mozilla.org/en/docs/Web/API/SVGTests) to Kotlin\n */\npublic external interface SVGTests {\n val requiredExtensions: SVGStringList\n val systemLanguage: SVGStringList\n}\n\npublic
external interface SVGFitToViewBox {\n val viewBox: SVGAnimatedRect\n val preserveAspectRatio: SVGAnimatedPreserveAspectRatio\n}\n\n/**\n * Exposes the JavaScript [SVGZoomAndPan](https://developer.mozilla.org/en/docs/Web/API/SVGZoomAndPan) to Kotlin\n */\npublic external interface SVGZoomAndPan {\n var zoomAndPan: Short\n\n companion object {\n val SVG_ZOOMANDPAN_UNKNOWN: Short\n val SVG_ZOOMANDPAN_DISABLE: Short\n val

SVG_ZOOMANDPAN_MAGNIFY: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGURIReference](https://developer.mozilla.org/en/docs/Web/API/SVGURIReference) to Kotlin\n */\npublic external interface SVGURIReference {\n val href: SVGAnimatedString\n}\n\n/**\n * Exposes the JavaScript [SVGSVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGSVGElement) to Kotlin\n */\npublic external abstract class SVGSVGElement : SVGGraphicsElement, SVGFitToViewBox, SVGZoomAndPan, WindowEventHandlers {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n open var currentScale: Float\n open val currentTranslate: DOMPointReadOnly\n fun getIntersectionList(rect: DOMRectReadOnly, referenceElement: SVGElement?): NodeList\n fun getEnclosureList(rect: DOMRectReadOnly, referenceElement: SVGElement?): NodeList\n fun checkIntersection(element: SVGElement, rect: DOMRectReadOnly): Boolean\n fun checkEnclosure(element: SVGElement, rect: DOMRectReadOnly): Boolean\n fun deselectAll(): Unit\n fun createSVGNumber(): SVGNumber\n fun createSVGLength(): SVGLength\n fun createSVGAngle(): SVGAngle\n fun createSVGPoint(): DOMPoint\n fun createSVGMatrix(): DOMMatrix\n fun createSVGRect(): DOMRect\n fun createSVGTransform(): SVGTransform\n fun createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly): SVGTransform\n fun getElementById(elementId: String): Element\n fun suspendRedraw(maxWaitMilliseconds:
Int): Int\n fun unsuspendRedraw(suspendHandleID: Int): Unit\n fun unsuspendRedrawAll(): Unit\n fun forceRedraw(): Unit\n\n companion object {\n val SVG_ZOOMANDPAN_UNKNOWN: Short\n val SVG_ZOOMANDPAN_DISABLE: Short\n val SVG_ZOOMANDPAN_MAGNIFY: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGGElement](https://developer.mozilla.org/en/docs/Web/API/SVGGElement) to Kotlin\n */\npublic external abstract class SVGGElement : SVGGraphicsElement {\n}\n\npublic external abstract class SVGUnknownElement : SVGGraphicsElement {\n}\n\n/**\n * Exposes the JavaScript [SVGDefsElement](https://developer.mozilla.org/en/docs/Web/API/SVGDefsElement) to Kotlin\n */\npublic external abstract class SVGDefsElement : SVGGraphicsElement {\n}\n\n/**\n * Exposes the JavaScript [SVGDescElement](https://developer.mozilla.org/en/docs/Web/API/SVGDescElement) to Kotlin\n */\npublic external abstract class SVGDescElement : SVGElement {\n}\n\n/**\n * Exposes the JavaScript [SVGMetadataElement](https://developer.mozilla.org/en/docs/Web/API/SVGMetadataElement) to Kotlin\n */\npublic external abstract class SVGMetadataElement : SVGElement {\n}\n\n/**\n * Exposes the JavaScript [SVGTitleElement](https://developer.mozilla.org/en/docs/Web/API/SVGTitleElement) to Kotlin\n */\npublic external abstract class SVGTitleElement : SVGElement {\n}\n\n/**\n * Exposes the JavaScript [SVGSymbolElement](https://developer.mozilla.org/en/docs/Web/API/SVGSymbolElement) to Kotlin\n */\npublic external abstract class SVGSymbolElement : SVGGraphicsElement, SVGFitToViewBox {\n}\n\n/**\n * Exposes the JavaScript [SVGUseElement](https://developer.mozilla.org/en/docs/Web/API/SVGUseElement) to Kotlin\n */\npublic external abstract class SVGUseElement : SVGGraphicsElement, SVGURIReference {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n open val instanceRoot: SVGElement?\n open val animatedInstanceRoot: SVGElement?\n}\n\npublic external open class SVGUseElementShadowRoot : ShadowRoot {\n override fun getElementById(elementId: String): Element?\n override fun prepend(vararg nodes: dynamic): Unit\n override fun append(vararg nodes: dynamic): Unit\n override fun querySelector(selectors: String): Element?\n override fun querySelectorAll(selectors: String): NodeList\n}\n\npublic external interface SVGElementInstance {\n val correspondingElement: SVGElement?\n val correspondingUseElement: SVGUseElement?\n}\n\npublic external open class ShadowAnimation(source: dynamic, newTarget: dynamic) {\n open val sourceAnimation: dynamic\n}\n\n/**\n * Exposes the JavaScript [SVGSwitchElement](https://developer.mozilla.org/en/docs/Web/API/SVGSwitchElement) to Kotlin\n */\npublic external abstract class SVGSwitchElement : SVGGraphicsElement {\n}\n\npublic external interface GetSVGDocument {\n fun getSVGDocument(): Document\n}\n\n/**\n * Exposes

the JavaScript [SVGStyleElement](https://developer.mozilla.org/en/docs/Web/API/SVGStyleElement) to Kotlin\n */\npublic external abstract class SVGStyleElement : SVGElement, LinkStyle {\n open var type: String\n open var media: String\n open var title: String\n}\n\n/**\n * Exposes the JavaScript [SVGTransform](https://developer.mozilla.org/en/docs/Web/API/SVGTransform) to Kotlin\n */\npublic external abstract class SVGTransform {\n open val type: Short\n open val matrix: DOMMatrix\n open val angle: Float\n fun setMatrix(matrix: DOMMatrixReadOnly): Unit\n fun setTranslate(tx: Float, ty: Float): Unit\n fun setScale(sx: Float, sy: Float): Unit\n fun setRotate(angle: Float, cx: Float, cy: Float): Unit\n fun setSkewX(angle: Float): Unit\n fun setSkewY(angle: Float): Unit\n\n companion object {\n val SVG_TRANSFORM_UNKNOWN: Short\n val SVG_TRANSFORM_MATRIX: Short\n val SVG_TRANSFORM_TRANSLATE: Short\n val SVG_TRANSFORM_SCALE: Short\n val SVG_TRANSFORM_ROTATE: Short\n val SVG_TRANSFORM_SKEWX: Short\n val SVG_TRANSFORM_SKEWY: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGTransformList) to Kotlin\n */\npublic external abstract class SVGTransformList {\n open val length: Int\n open val numberOfItems: Int\n fun clear(): Unit\n fun initialize(newItem: SVGTransform): SVGTransform\n fun getItem(index: Int): SVGTransform\n fun insertItemBefore(newItem: SVGTransform, index: Int): SVGTransform\n fun replaceItem(newItem: SVGTransform, index: Int): SVGTransform\n fun removeItem(index: Int): SVGTransform\n fun appendItem(newItem: SVGTransform): SVGTransform\n fun createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly): SVGTransform\n fun consolidate(): SVGTransform?\n}\n@kotlin.internal.InlineOnly inline operator fun SVGTransformList.get(index: Int): SVGTransform? = asDynamic()[index]\n@kotlin.internal.InlineOnly
inline operator fun SVGTransformList.set(index: Int, newItem: SVGTransform): Unit { asDynamic()[index] = newItem; }\n\n/**\n * Exposes the JavaScript [SVGAnimatedTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedTransformList) to Kotlin\n */\npublic external abstract class SVGAnimatedTransformList {\n open val baseVal: SVGTransformList\n open val animVal: SVGTransformList\n}\n\n/**\n * Exposes the JavaScript [SVGPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGPreserveAspectRatio) to Kotlin\n */\npublic external abstract class SVGPreserveAspectRatio {\n open var align: Short\n open var meetOrSlice: Short\n\n companion object {\n val SVG_PRESERVEASPECTRATIO_UNKNOWN: Short\n val SVG_PRESERVEASPECTRATIO_NONE: Short\n val SVG_PRESERVEASPECTRATIO_XMINYMIN: Short\n val SVG_PRESERVEASPECTRATIO_XMIDYMIN: Short\n val SVG_PRESERVEASPECTRATIO_XMAXYMIN: Short\n val SVG_PRESERVEASPECTRATIO_XMINYMID:
Short\n val SVG_PRESERVEASPECTRATIO_XMIDYMID: Short\n val SVG_PRESERVEASPECTRATIO_XMAXYMID: Short\n val SVG_PRESERVEASPECTRATIO_XMINYMAX: Short\n val SVG_PRESERVEASPECTRATIO_XMIDYMAX: Short\n val SVG_PRESERVEASPECTRATIO_XMAXYMAX: Short\n val SVG_MEETORSLICE_UNKNOWN: Short\n val SVG_MEETORSLICE_MEET: Short\n val SVG_MEETORSLICE_SLICE: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPreserveAspectRatio) to Kotlin\n */\npublic external abstract class SVGAnimatedPreserveAspectRatio {\n open val baseVal: SVGPreserveAspectRatio\n open val animVal: SVGPreserveAspectRatio\n}\n\n/**\n * Exposes the JavaScript [SVGPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGPathElement) to Kotlin\n */\npublic external abstract class SVGPathElement : SVGGeometryElement {\n}\n\n/**\n * Exposes the JavaScript [SVGRectElement](https://developer.mozilla.org/en/docs/Web/API/SVGRectElement)
to Kotlin\n */\npublic external abstract class SVGRectElement : SVGGeometryElement {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val

```
height: SVGAnimatedLength\n    open val rx: SVGAnimatedLength\n    open val ry:
SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript
[SVGCircleElement](https://developer.mozilla.org/en/docs/Web/API/SVGCircleElement) to Kotlin\n */\npublic
external abstract class SVGCircleElement : SVGGeometryElement {\n    open val cx: SVGAnimatedLength\n
open val cy: SVGAnimatedLength\n    open val r: SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript
[SVGEllipseElement](https://developer.mozilla.org/en/docs/Web/API/SVGEllipseElement) to Kotlin\n */\npublic
external abstract class SVGEllipseElement : SVGGeometryElement {\n    open val cx: SVGAnimatedLength\n
open val cy: SVGAnimatedLength\n    open val rx: SVGAnimatedLength\n
  open val ry: SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript
[SVGLineElement](https://developer.mozilla.org/en/docs/Web/API/SVGLineElement) to Kotlin\n */\npublic
external abstract class SVGLineElement : SVGGeometryElement {\n    open val x1: SVGAnimatedLength\n    open
val y1: SVGAnimatedLength\n    open val x2: SVGAnimatedLength\n    open val y2:
SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript
[SVGMeshElement](https://developer.mozilla.org/en/docs/Web/API/SVGMeshElement) to Kotlin\n */\npublic
external abstract class SVGMeshElement : SVGGeometryElement, SVGURIReference {\n}\n\n/**\n * Exposes the
JavaScript [SVGAnimatedPoints](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPoints) to Kotlin\n
*/\npublic external interface SVGAnimatedPoints {\n    val points: SVGPointList\n    val animatedPoints:
SVGPointList\n}\n\npublic external abstract class SVGPointList {\n    open val length: Int\n    open val
numberOfItems: Int\n    fun clear(): Unit\n    fun initialize(newItem:
 DOMPoint): DOMPoint\n    fun getItem(index: Int): DOMPoint\n    fun insertItemBefore(newItem: DOMPoint,
index: Int): DOMPoint\n    fun replaceItem(newItem: DOMPoint, index: Int): DOMPoint\n    fun removeItem(index:
Int): DOMPoint\n    fun appendItem(newItem: DOMPoint): DOMPoint\n}\n@kotlin.internal.InlineOnly inline
operator fun SVGPointList.get(index: Int): DOMPoint? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline
operator fun SVGPointList.set(index: Int, newItem: DOMPoint): Unit { asDynamic()[index] = newItem; }\n\n/**\n
* Exposes the JavaScript
[SVGPolylineElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolylineElement) to Kotlin\n
*/\npublic external abstract class SVGPolylineElement : SVGGeometryElement, SVGAnimatedPoints {\n}\n\n/**\n
* Exposes the JavaScript
[SVGPolygonElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolygonElement) to Kotlin\n
*/\npublic external abstract class SVGPolygonElement : SVGGeometryElement, SVGAnimatedPoints {\n}\n\n/**\n
 * Exposes the JavaScript
[SVGTextContentElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextContentElement) to Kotlin\n
*/\npublic external abstract class SVGTextContentElement : SVGGraphicsElement {\n    open val textLength:
SVGAnimatedLength\n    open val lengthAdjust: SVGAnimatedEnumeration\n    fun getNumberOfChars(): Int\n
fun getComputedTextLength(): Float\n    fun getSubStringLength(charnum: Int, nchars: Int): Float\n    fun
getStartPositionOfChar(charnum: Int): DOMPoint\n    fun getEndPositionOfChar(charnum: Int): DOMPoint\n    fun
getExtentOfChar(charnum: Int): DOMRect\n    fun getRotationOfChar(charnum: Int): Float\n    fun
getCharNumAtPosition(point: DOMPoint): Int\n    fun selectSubString(charnum: Int, nchars: Int): Unit\n\n
companion object {\n        val LENGTHADJUST_UNKNOWN: Short\n        val LENGTHADJUST_SPACING:
Short\n        val LENGTHADJUST_SPACINGANDGLYPHS: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGTextPositioningElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPositioningElement)
 to Kotlin\n */\npublic external abstract class SVGTextPositioningElement : SVGTextContentElement {\n    open
val x: SVGAnimatedLengthList\n    open val y: SVGAnimatedLengthList\n    open val dx:
SVGAnimatedLengthList\n    open val dy: SVGAnimatedLengthList\n    open val rotate:
SVGAnimatedNumberList\n}\n\n/**\n * Exposes the JavaScript
[SVGTextElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextElement) to Kotlin\n */\npublic
external abstract class SVGTextElement : SVGTextPositioningElement {\n}\n\n/**\n * Exposes the JavaScript
[SVGTSpanElement](https://developer.mozilla.org/en/docs/Web/API/SVGTSpanElement) to Kotlin\n */\npublic
```

external abstract class SVGTSpanElement : SVGTextPositioningElement {\n}\n\n/**\n * Exposes the JavaScript [SVGTextPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPathElement) to Kotlin\n */\npublic external abstract class SVGTextPathElement : SVGTextContentElement, SVGURIReference {\n open val startOffset: SVGAnimatedLength\n open val method: SVGAnimatedEnumeration\n open val spacing: SVGAnimatedEnumeration\n\n companion object {\n val TEXTPATH_METHODTYPE_UNKNOWN: Short\n val TEXTPATH_METHODTYPE_ALIGN: Short\n val TEXTPATH_METHODTYPE_STRETCH: Short\n val TEXTPATH_SPACINGTYPE_UNKNOWN: Short\n val TEXTPATH_SPACINGTYPE_AUTO: Short\n val TEXTPATH_SPACINGTYPE_EXACT: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGImageElement](https://developer.mozilla.org/en/docs/Web/API/SVGImageElement) to Kotlin\n */\npublic external abstract class SVGImageElement : SVGGraphicsElement, SVGURIReference, HTMLOrSVGImageElement {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n open val preserveAspectRatio: SVGAnimatedPreserveAspectRatio\n open var crossOrigin: String?\n}\n\n/**\n * Exposes the JavaScript [SVGForeignObjectElement](https://developer.mozilla.org/en/docs/Web/API/SVGForeignObjectElement) to Kotlin\n */\npublic external abstract class SVGForeignObjectElement : SVGGraphicsElement {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n}\n\npublic external abstract class SVGMarkerElement : SVGElement, SVGFitToViewBox {\n open val refX: SVGAnimatedLength\n open val refY: SVGAnimatedLength\n open val markerUnits: SVGAnimatedEnumeration\n open val markerWidth: SVGAnimatedLength\n open val markerHeight: SVGAnimatedLength\n open val orientType: SVGAnimatedEnumeration\n open val orientAngle: SVGAnimatedAngle\n open var orient: String\n fun setOrientToAuto(): Unit\n fun setOrientToAngle(angle: SVGAngle): Unit\n\n companion object {\n val SVG_MARKERUNITS_UNKNOWN: Short\n val SVG_MARKERUNITS_USERSPACEONUSE: Short\n val SVG_MARKERUNITS_STROKEWIDTH: Short\n val SVG_MARKER_ORIENT_UNKNOWN: Short\n val SVG_MARKER_ORIENT_AUTO: Short\n val SVG_MARKER_ORIENT_ANGLE: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGSolidcolorElement](https://developer.mozilla.org/en/docs/Web/API/SVGSolidcolorElement) to Kotlin\n */\npublic external abstract class SVGSolidcolorElement : SVGElement {\n}\n\n/**\n * Exposes the JavaScript [SVGGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGGradientElement) to Kotlin\n */\npublic external abstract class SVGGradientElement : SVGElement, SVGURIReference, SVGUnitTypes {\n open val gradientUnits: SVGAnimatedEnumeration\n open val gradientTransform: SVGAnimatedTransformList\n open val spreadMethod: SVGAnimatedEnumeration\n\n companion object {\n val SVG_SPREADMETHOD_UNKNOWN: Short\n val SVG_SPREADMETHOD_PAD: Short\n val SVG_SPREADMETHOD_REFLECT: Short\n val SVG_SPREADMETHOD_REPEAT: Short\n val SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGLinearGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGLinearGradientElement) to Kotlin\n */\npublic external abstract class SVGLinearGradientElement : SVGGradientElement {\n open val x1: SVGAnimatedLength\n open val y1: SVGAnimatedLength\n open val x2: SVGAnimatedLength\n open val y2: SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript [SVGRadialGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGRadialGradientElement) to Kotlin\n */\npublic external abstract class SVGRadialGradientElement : SVGGradientElement {\n open val cx: SVGAnimatedLength\n open val cy: SVGAnimatedLength\n open val r: SVGAnimatedLength\n open val fx: SVGAnimatedLength\n open val fy: SVGAnimatedLength\n open val fr: SVGAnimatedLength\n}\n\npublic external abstract class SVGMeshGradientElement

: SVGGradientElement {\n}\n\npublic external abstract class SVGMeshrowElement : SVGElement {\n}\n\npublic external abstract class SVGMeshpatchElement : SVGElement {\n}\n\n/**\n * Exposes the JavaScript [SVGStopElement](https://developer.mozilla.org/en/docs/Web/API/SVGStopElement) to Kotlin\n */\npublic external abstract class SVGStopElement : SVGElement {\n open val offset: SVGAnimatedNumber\n}\n\n/**\n * Exposes the JavaScript [SVGPatternElement](https://developer.mozilla.org/en/docs/Web/API/SVGPatternElement) to Kotlin\n */\npublic external abstract class SVGPatternElement : SVGElement, SVGFitToViewBox, SVGURIReference, SVGUnitTypes {\n open val patternUnits: SVGAnimatedEnumeration\n open val patternContentUnits: SVGAnimatedEnumeration\n open val patternTransform: SVGAnimatedTransformList\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n\n companion object {\n val SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n }\n}\n\npublic external abstract class SVGHatchElement : SVGElement {\n}\n\npublic external abstract class SVGHatchpathElement : SVGElement {\n}\n\n/**\n * Exposes the JavaScript [SVGCursorElement](https://developer.mozilla.org/en/docs/Web/API/SVGCursorElement) to Kotlin\n */\npublic external abstract class SVGCursorElement : SVGElement, SVGURIReference {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript [SVGScriptElement](https://developer.mozilla.org/en/docs/Web/API/SVGScriptElement) to Kotlin\n */\npublic external abstract class SVGScriptElement : SVGElement, SVGURIReference, HTMLOrSVGScriptElement {\n open var type: String\n open var crossOrigin: String?\n}\n\n/**\n * Exposes the JavaScript [SVGAElement](https://developer.mozilla.org/en/docs/Web/API/SVGAElement) to Kotlin\n */\npublic external abstract class SVGAElement : SVGGraphicsElement, SVGURIReference {\n open val target: SVGAnimatedString\n open val download: SVGAnimatedString\n open val rel: SVGAnimatedString\n open val relList: SVGAnimatedString\n open val hreflang: SVGAnimatedString\n open val type: SVGAnimatedString\n}\n\n/**\n * Exposes the JavaScript [SVGViewElement](https://developer.mozilla.org/en/docs/Web/API/SVGViewElement) to Kotlin\n */\npublic external abstract class SVGViewElement : SVGElement, SVGFitToViewBox, SVGZoomAndPan {\n\n companion object {\n val SVG_ZOOMANDPAN_UNKNOWN: Short\n val SVG_ZOOMANDPAN_DISABLE: Short\n val SVG_ZOOMANDPAN_MAGNIFY: Short\n }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage org.w3c.files\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [Blob](https://developer.mozilla.org/en/docs/Web/API/Blob) to Kotlin\n */\npublic external open class Blob(blobParts: Array<dynamic> = definedExternally, options: BlobPropertyBag = definedExternally) {\n open val size: Int\n open val type: String\n open val isClosed: Boolean\n fun slice(start: Int = definedExternally, end: Int = definedExternally, contentType: String = definedExternally): Blob\n fun close(): Unit\n}\n\npublic external interface BlobPropertyBag {\n var type: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun BlobPropertyBag(type: String? = \"\"): BlobPropertyBag {\n val o = js(\"({})\")\n o[\"type\"] = type\n return o\n}\n\n/**\n * Exposes the JavaScript [File](https://developer.mozilla.org/en/docs/Web/API/File) to Kotlin\n */\npublic external open class File(fileBits: Array<dynamic>, fileName: String, options: FilePropertyBag = definedExternally) : Blob {\n open val name: String\n open val lastModified: Int\n}\n\npublic external interface FilePropertyBag : BlobPropertyBag {\n var lastModified: Int?\n get() = definedExternally\n set(value) =

definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun FilePropertyBag(lastModified: Int? = null, type: String? = \"\"): FilePropertyBag {\n   val o = js(\"({})\")\n\n   o[\"lastModified\"] = lastModified\n   o[\"type\"] = type\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [FileList](https://developer.mozilla.org/en/docs/Web/API/FileList) to Kotlin\n */\npublic external abstract class FileList : ItemArrayLike<File> {\n   override val length: Int\n   override fun item(index: Int): File?\n}\n\n@kotlin.internal.InlineOnly inline operator fun FileList.get(index: Int): File? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [FileReader](https://developer.mozilla.org/en/docs/Web/API/FileReader) to Kotlin\n */\npublic external open class FileReader : EventTarget {\n   open val readyState: Short\n   open val result: dynamic\n   open val error: dynamic\n   var onloadstart: ((Event) -> dynamic)?\n   var onprogress: ((Event) -> dynamic)?\n   var onload: ((Event) -> dynamic)?\n   var onabort: ((Event) -> dynamic)?\n   var onerror: ((Event) -> dynamic)?\n   var onloadend: ((Event) -> dynamic)?\n   fun readAsArrayBuffer(blob: Blob): Unit\n   fun readAsBinaryString(blob: Blob): Unit\n   fun readAsText(blob: Blob, label: String = definedExternally): Unit\n   fun readAsDataURL(blob: Blob): Unit\n   fun abort(): Unit\n\n   companion object {\n   val EMPTY: Short\n   val LOADING: Short\n   val DONE: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [FileReaderSync](https://developer.mozilla.org/en/docs/Web/API/FileReaderSync) to Kotlin\n */\npublic external open class FileReaderSync {\n   fun readAsArrayBuffer(blob: Blob): ArrayBuffer\n   fun readAsBinaryString(blob: Blob): String\n   fun readAsText(blob: Blob, label: String = definedExternally): String\n   fun readAsDataURL(blob: Blob): String\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage org.w3c.notifications\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [Notification](https://developer.mozilla.org/en/docs/Web/API/Notification) to Kotlin\n */\npublic external open class Notification(title: String, options: NotificationOptions = definedExternally) : EventTarget {\n   var onclick: ((Event) -> dynamic)?\n   var onerror: ((Event) -> dynamic)?\n   open val title: String\n   open val dir: NotificationDirection\n   open val lang: String\n   open val body: String\n   open val tag: String\n   open val image: String\n   open val icon: String\n   open val badge: String\n   open val sound: String\n   open val vibrate: Array<out Int>\n   open val timestamp: Number\n   open val renotify: Boolean\n   open val silent: Boolean\n   open val noscreen: Boolean\n   open val requireInteraction: Boolean\n   open val sticky: Boolean\n   open val data: Any?\n   open val actions: Array<out NotificationAction>\n   fun close(): Unit\n\n   companion object {\n   var permission: NotificationPermission\n   var maxActions: Int\n   fun requestPermission(deprecatedCallback: (NotificationPermission) -> Unit = definedExternally): Promise<NotificationPermission>\n   }\n}\n\npublic external interface NotificationOptions {\n   var dir: NotificationDirection? /* = NotificationDirection.AUTO */\n   get() = definedExternally\n   set(value) = definedExternally\n   var lang: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var body: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var tag: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var image: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var icon: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var badge: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var sound: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var vibrate: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n   var timestamp: Number?\n   get() = definedExternally\n   set(value) = definedExternally\n   var renotify: Boolean? /* = false */\n   get() =

definedExternally\n set(value) = definedExternally\n var silent: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var noscreen: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var requireInteraction: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n
var sticky: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var data: Any? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var actions: Array<NotificationAction>? /* = arrayOf() */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun NotificationOptions(dir: NotificationDirection? = NotificationDirection.AUTO, lang: String? = \"\", body: String? = \"\", tag: String? = \"\", image: String? = null, icon: String? = null, badge: String? = null, sound: String? = null, vibrate: dynamic = null, timestamp: Number? = null, renotify: Boolean? = false, silent: Boolean? = false, noscreen: Boolean? = false, requireInteraction: Boolean? = false, sticky: Boolean? = false, data: Any? = null, actions: Array<NotificationAction>? = arrayOf()): NotificationOptions {\n val o = js(\"({})\")\n\n o[\"dir\"] = dir\n o[\"lang\"]
= lang\n o[\"body\"] = body\n o[\"tag\"] = tag\n o[\"image\"] = image\n o[\"icon\"] = icon\n o[\"badge\"] = badge\n o[\"sound\"] = sound\n o[\"vibrate\"] = vibrate\n o[\"timestamp\"] = timestamp\n o[\"renotify\"] = renotify\n o[\"silent\"] = silent\n o[\"noscreen\"] = noscreen\n o[\"requireInteraction\"] = requireInteraction\n o[\"sticky\"] = sticky\n o[\"data\"] = data\n o[\"actions\"] = actions\n\n return o\n}\n\npublic external interface NotificationAction {\n var action: String?\n get() = definedExternally\n set(value) = definedExternally\n var title: String?\n get() = definedExternally\n set(value) = definedExternally\n var icon: String?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun NotificationAction(action: String?, title: String?, icon: String? = null): NotificationAction {\n val o = js(\"({})\")\n\n
o[\"action\"] = action\n o[\"title\"] = title\n o[\"icon\"] = icon\n\n return o\n}\n\npublic external interface GetNotificationOptions {\n var tag: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun GetNotificationOptions(tag: String? = \"\"): GetNotificationOptions {\n val o = js(\"({})\")\n\n o[\"tag\"] = tag\n\n return o\n}\n\n/**\n * Exposes the JavaScript [NotificationEvent](https://developer.mozilla.org/en/docs/Web/API/NotificationEvent) to Kotlin\n */\npublic external open class NotificationEvent(type: String, eventInitDict: NotificationEventInit) : ExtendableEvent {\n open val notification: Notification\n open val action: String\n}\n\npublic external interface NotificationEventInit : ExtendableEventInit {\n var notification: Notification?\n get() = definedExternally\n set(value) = definedExternally\n var action: String? /* = \"\" */\n
get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun NotificationEventInit(notification: Notification?, action: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): NotificationEventInit {\n val o = js(\"({})\")\n\n o[\"notification\"] = notification\n o[\"action\"] = action\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n\n return o\n}\n\n/* please, don't implement this interface! */\npublic external interface NotificationPermission {\n companion object\n}\npublic inline val NotificationPermission.Companion.DEFAULT: NotificationPermission get() = \"default\".asDynamic().unsafeCast<NotificationPermission>()\npublic inline val NotificationPermission.Companion.DENIED: NotificationPermission get() = \"denied\".asDynamic().unsafeCast<NotificationPermission>()\npublic inline val NotificationPermission.Companion.GRANTED:
NotificationPermission get() = \"granted\".asDynamic().unsafeCast<NotificationPermission>()\n\n/* please, don't implement this interface! */\npublic external interface NotificationDirection {\n companion object\n}\npublic inline val NotificationDirection.Companion.AUTO: NotificationDirection get() = \"auto\".asDynamic().unsafeCast<NotificationDirection>()\npublic inline val NotificationDirection.Companion.LTR: NotificationDirection get() =

\"ltr\".asDynamic().unsafeCast<NotificationDirection>()\npublic inline val NotificationDirection.Companion.RTL: NotificationDirection get() = \"rtl\".asDynamic().unsafeCast<NotificationDirection>()\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage org.w3c.workers\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [ServiceWorkerRegistration](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerRegistration) to Kotlin\n */\npublic external abstract class ServiceWorkerRegistration : EventTarget {\n   open val installing: ServiceWorker?\n   open val waiting: ServiceWorker?\n   open val active: ServiceWorker?\n   open val scope: String\n   open var onupdatefound: ((Event) -> dynamic)?\n   open val APISpace: dynamic\n   fun update(): Promise<Unit>\n   fun unregister(): Promise<Boolean>\n   fun methodName(): Promise<dynamic>\n   fun showNotification(title: String, options: NotificationOptions = definedExternally): Promise<Unit>\n   fun getNotifications(filter: GetNotificationOptions = definedExternally): Promise<dynamic>\n}\n\n/**\n * Exposes the JavaScript [ServiceWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerGlobalScope) to Kotlin\n */\npublic external abstract class ServiceWorkerGlobalScope : WorkerGlobalScope {\n   open val clients: Clients\n   open val registration: ServiceWorkerRegistration\n   open var oninstall: ((Event) -> dynamic)?\n   open var onactivate: ((Event) -> dynamic)?\n   open var onfetch: ((Event) -> dynamic)?\n   open var onforeignfetch: ((Event) -> dynamic)?\n   open var onmessage: ((Event) -> dynamic)?\n   open var onfunctionalevent: ((Event) -> dynamic)?\n   open var onnotificationclick: ((Event) -> dynamic)?\n   open var onnotificationclose: ((Event) -> dynamic)?\n   fun skipWaiting(): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript [ServiceWorker](https://developer.mozilla.org/en/docs/Web/API/ServiceWorker) to Kotlin\n */\npublic external abstract class ServiceWorker : EventTarget, AbstractWorker, UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n   open val scriptURL: String\n   open val state: ServiceWorkerState\n   open var onstatechange: ((Event) -> dynamic)?\n   fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript [ServiceWorkerContainer](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerContainer) to Kotlin\n */\npublic external abstract class ServiceWorkerContainer : EventTarget {\n   open val controller: ServiceWorker?\n   open val ready: Promise<ServiceWorkerRegistration>\n   open var oncontrollerchange: ((Event) -> dynamic)?\n   open var onmessage: ((Event) -> dynamic)?\n   fun register(scriptURL: String, options: RegistrationOptions = definedExternally): Promise<ServiceWorkerRegistration>\n   fun getRegistration(clientURL: String = definedExternally): Promise<Any?>\n   fun getRegistrations(): Promise<dynamic>\n   fun startMessages(): Unit\n}\n\npublic external interface RegistrationOptions {\n   var scope: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var type: WorkerType? /* = WorkerType.CLASSIC */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun RegistrationOptions(scope: String? = null, type: WorkerType? = WorkerType.CLASSIC): RegistrationOptions {\n   val o = js(\"({})\")\n\n   o[\"scope\"] = scope\n   o[\"type\"] = type\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [ServiceWorkerMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerMessageEvent) to Kotlin\n */\npublic external open class ServiceWorkerMessageEvent(type: String, eventInitDict: ServiceWorkerMessageEventInit = definedExternally) : Event {\n   open val data: Any?\n   open val origin: String\n   open val lastEventId: String\n   open val source: UnionMessagePortOrServiceWorker?\n   open val ports: Array<out MessagePort>?\n}\n\npublic external interface ServiceWorkerMessageEventInit : EventInit {\n   var data: Any?\n   get() = definedExternally\n   set(value) = definedExternally\n   var origin: String?\n   get() = definedExternally\n

```
set(value) = definedExternally\n    var lastEventId: String?\n        get() = definedExternally\n        set(value) = definedExternally\n    var source: UnionMessagePortOrServiceWorker?\n        get() = definedExternally\n        set(value) = definedExternally\n    var ports: Array<MessagePort>?\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ServiceWorkerMessageEventInit(data: Any? = null, origin: String? = null, lastEventId: String? = null, source: UnionMessagePortOrServiceWorker? = null, ports: Array<MessagePort>? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ServiceWorkerMessageEventInit {\n    val o = js(\"({})\")\n\n    o[\"data\"] = data\n    o[\"origin\"] = origin\n    o[\"lastEventId\"] = lastEventId\n    o[\"source\"] = source\n    o[\"ports\"] = ports\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n\n    return o\n}\n\n/**\n * Exposes the JavaScript [Client](https://developer.mozilla.org/en/docs/Web/API/Client) to Kotlin\n */\npublic external abstract class Client : UnionClientOrMessagePortOrServiceWorker {\n    open val url: String\n    open val frameType: FrameType\n    open val id: String\n    fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript [WindowClient](https://developer.mozilla.org/en/docs/Web/API/WindowClient) to Kotlin\n */\npublic external abstract class WindowClient : Client {\n    open val visibilityState: dynamic\n    open val focused: Boolean\n    fun focus(): Promise<WindowClient>\n    fun navigate(url: String): Promise<WindowClient>\n}\n\n/**\n * Exposes the JavaScript [Clients](https://developer.mozilla.org/en/docs/Web/API/Clients) to Kotlin\n */\npublic external abstract class Clients {\n    fun get(id: String): Promise<Any?>\n    fun matchAll(options: ClientQueryOptions = definedExternally): Promise<dynamic>\n    fun openWindow(url: String): Promise<WindowClient?>\n    fun claim(): Promise<Unit>\n}\n\npublic external interface ClientQueryOptions {\n    var includeUncontrolled: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var type: ClientType? /* = ClientType.WINDOW */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ClientQueryOptions(includeUncontrolled: Boolean? = false, type: ClientType? = ClientType.WINDOW): ClientQueryOptions {\n    val o = js(\"({})\")\n\n    o[\"includeUncontrolled\"] = includeUncontrolled\n    o[\"type\"] = type\n\n    return o\n}\n\n/**\n * Exposes the JavaScript [ExtendableEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableEvent) to Kotlin\n */\npublic external open class ExtendableEvent(type: String, eventInitDict: ExtendableEventInit = definedExternally) : Event {\n    fun waitUntil(f: Promise<Any?>): Unit\n}\n\npublic external interface ExtendableEventInit : EventInit {\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ExtendableEventInit(bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableEventInit {\n    val o = js(\"({})\")\n\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n\n    return o\n}\n\n/**\n * Exposes the JavaScript [InstallEvent](https://developer.mozilla.org/en/docs/Web/API/InstallEvent) to Kotlin\n */\npublic external open class InstallEvent(type: String, eventInitDict: ExtendableEventInit = definedExternally) : ExtendableEvent {\n    fun registerForeignFetch(options: ForeignFetchOptions): Unit\n}\n\npublic external interface ForeignFetchOptions {\n    var scopes: Array<String>?\n        get() = definedExternally\n        set(value) = definedExternally\n    var origins: Array<String>?\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchOptions(scopes: Array<String>?, origins: Array<String>?): ForeignFetchOptions {\n    val o = js(\"({})\")\n\n    o[\"scopes\"] = scopes\n    o[\"origins\"] = origins\n\n    return o\n}\n\n/**\n * Exposes the JavaScript [FetchEvent](https://developer.mozilla.org/en/docs/Web/API/FetchEvent) to Kotlin\n */\npublic external open class FetchEvent(type: String, eventInitDict: FetchEventInit) : ExtendableEvent {\n    open val request: Request\n    open val clientId: String?\n    open val isReload: Boolean\n    fun respondWith(r: Promise<Response>): Unit\n}\n\npublic external interface FetchEventInit : ExtendableEventInit {\n    var request: Request?\n        get() = definedExternally\n        set(value) = definedExternally\n    var clientId: String? /* = null */\n        get() = definedExternally\n        set(value) = definedExternally\n    var isReload: Boolean?
```

```
/* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun FetchEventInit(request: Request?, clientId:
String? = null, isReload: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): FetchEventInit {\n    val o = js(\"({})\")\n\n    o[\"request\"] = request\n    o[\"clientId\"] =
clientId\n    o[\"isReload\"] = isReload\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n
o[\"composed\"] = composed\n\n    return o\n}\n\npublic external open class ForeignFetchEvent(type: String,
eventInitDict: ForeignFetchEventInit) : ExtendableEvent {\n    open val request: Request\n    open val origin:
 String\n    fun respondWith(r: Promise<ForeignFetchResponse>): Unit\n}\n\npublic external interface
ForeignFetchEventInit : ExtendableEventInit {\n    var request: Request?\n        get() = definedExternally\n
set(value) = definedExternally\n    var origin: String? /* = \"null\" */\n        get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchEventInit(request:
Request?, origin: String? = \"null\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): ForeignFetchEventInit {\n    val o = js(\"({})\")\n\n    o[\"request\"] = request\n    o[\"origin\"] = origin\n
o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n\n    return
o\n}\n\npublic external interface ForeignFetchResponse {\n    var response: Response?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var origin: String?\n        get()
 = definedExternally\n        set(value) = definedExternally\n    var headers: Array<String>?\n        get() =
definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ForeignFetchResponse(response: Response?, origin: String? = null, headers: Array<String>? = null):
ForeignFetchResponse {\n    val o = js(\"({})\")\n\n    o[\"response\"] = response\n    o[\"origin\"] = origin\n
o[\"headers\"] = headers\n\n    return o\n}\n\n/**\n * Exposes the JavaScript
[ExtendableMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableMessageEvent) to Kotlin\n
*/\npublic external open class ExtendableMessageEvent(type: String, eventInitDict: ExtendableMessageEventInit =
definedExternally) : ExtendableEvent {\n    open val data: Any?\n    open val origin: String\n    open val lastEventId:
String\n    open val source: UnionClientOrMessagePortOrServiceWorker?\n    open val ports: Array<out
MessagePort>?\n}\n\npublic external interface
 ExtendableMessageEventInit : ExtendableEventInit {\n    var data: Any?\n        get() = definedExternally\n
set(value) = definedExternally\n    var origin: String?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var lastEventId: String?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var source: UnionClientOrMessagePortOrServiceWorker?\n        get() = definedExternally\n
   set(value) = definedExternally\n    var ports: Array<MessagePort>?\n        get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ExtendableMessageEventInit(data: Any? = null, origin: String? = null, lastEventId: String? = null, source:
UnionClientOrMessagePortOrServiceWorker? = null, ports: Array<MessagePort>? = null, bubbles: Boolean? =
false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableMessageEventInit {\n    val o =
js(\"({})\")\n\n    o[\"data\"] =
 data\n    o[\"origin\"] = origin\n    o[\"lastEventId\"] = lastEventId\n    o[\"source\"] = source\n    o[\"ports\"] =
ports\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n\n    return
o\n}\n\n/**\n * Exposes the JavaScript [Cache](https://developer.mozilla.org/en/docs/Web/API/Cache) to Kotlin\n
*/\npublic external abstract class Cache {\n    fun match(request: dynamic, options: CacheQueryOptions =
definedExternally): Promise<Any?>\n    fun matchAll(request: dynamic = definedExternally, options:
CacheQueryOptions = definedExternally): Promise<dynamic>\n    fun add(request: dynamic): Promise<Unit>\n
fun addAll(requests: Array<dynamic>): Promise<Unit>\n    fun put(request: dynamic, response: Response):
Promise<Unit>\n    fun delete(request: dynamic, options: CacheQueryOptions = definedExternally):
Promise<Boolean>\n    fun keys(request: dynamic = definedExternally, options: CacheQueryOptions =
definedExternally): Promise<dynamic>\n}\n\npublic
 external interface CacheQueryOptions {\n    var ignoreSearch: Boolean? /* = false */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var ignoreMethod: Boolean? /* = false */\n        get() =
```

definedExternally\n set(value) = definedExternally\n var ignoreVary: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var cacheName: String?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CacheQueryOptions(ignoreSearch: Boolean? = false, ignoreMethod: Boolean? = false, ignoreVary: Boolean? = false, cacheName: String? = null): CacheQueryOptions {\n val o = js(\"({})\")\n\n o[\"ignoreSearch\"] = ignoreSearch\n o[\"ignoreMethod\"] = ignoreMethod\n o[\"ignoreVary\"] = ignoreVary\n o[\"cacheName\"] = cacheName\n\n return o\n}\n\npublic external interface CacheBatchOperation {\n var type: String?\n get() = definedExternally\n set(value) = definedExternally\n var request: Request?\n get() = definedExternally\n set(value) = definedExternally\n var response: Response?\n get() = definedExternally\n set(value) = definedExternally\n var options: CacheQueryOptions?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CacheBatchOperation(type: String? = null, request: Request? = null, response: Response? = null, options: CacheQueryOptions? = null): CacheBatchOperation {\n val o = js(\"({})\")\n\n o[\"type\"] = type\n o[\"request\"] = request\n o[\"response\"] = response\n o[\"options\"] = options\n\n return o\n}\n\n/**\n * Exposes the JavaScript [CacheStorage](https://developer.mozilla.org/en/docs/Web/API/CacheStorage) to Kotlin\n */\npublic external abstract class CacheStorage {\n fun match(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Any?>\n fun has(cacheName: String): Promise<Boolean>\n fun open(cacheName: String): Promise<Cache>\n fun delete(cacheName: String): Promise<Boolean>\n fun keys(): Promise<dynamic>\n}\n\npublic external open class FunctionalEvent : ExtendableEvent {\n}\n\npublic external @marker interface UnionClientOrMessagePortOrServiceWorker {\n}\n\n/* please, don't implement this interface! */\npublic external interface ServiceWorkerState {\n companion object\n}\npublic inline val ServiceWorkerState.Companion.INSTALLING: ServiceWorkerState get() = \"installing\".asDynamic().unsafeCast<ServiceWorkerState>()\npublic inline val ServiceWorkerState.Companion.INSTALLED: ServiceWorkerState get() = \"installed\".asDynamic().unsafeCast<ServiceWorkerState>()\npublic inline val ServiceWorkerState.Companion.ACTIVATING: ServiceWorkerState get() = \"activating\".asDynamic().unsafeCast<ServiceWorkerState>()\npublic inline val ServiceWorkerState.Companion.ACTIVATED: ServiceWorkerState get() = \"activated\".asDynamic().unsafeCast<ServiceWorkerState>()\npublic inline val ServiceWorkerState.Companion.REDUNDANT: ServiceWorkerState get() = \"redundant\".asDynamic().unsafeCast<ServiceWorkerState>()\n\n/* please, don't implement this interface! */\npublic external interface FrameType {\n companion object\n}\npublic inline val FrameType.Companion.AUXILIARY: FrameType get() = \"auxiliary\".asDynamic().unsafeCast<FrameType>()\npublic inline val FrameType.Companion.TOP_LEVEL: FrameType get() = \"top-level\".asDynamic().unsafeCast<FrameType>()\npublic inline val FrameType.Companion.NESTED: FrameType get() = \"nested\".asDynamic().unsafeCast<FrameType>()\npublic inline val FrameType.Companion.NONE: FrameType get() = \"none\".asDynamic().unsafeCast<FrameType>()\n\n/* please, don't implement this interface! */\npublic external interface ClientType {\n companion object\n}\npublic inline val ClientType.Companion.WINDOW: ClientType get() = \"window\".asDynamic().unsafeCast<ClientType>()\npublic inline val ClientType.Companion.WORKER: ClientType get() = \"worker\".asDynamic().unsafeCast<ClientType>()\npublic inline val ClientType.Companion.SHAREDWORKER: ClientType get() = \"sharedworker\".asDynamic().unsafeCast<ClientType>()\npublic inline val ClientType.Companion.ALL: ClientType get() = \"all\".asDynamic().unsafeCast<ClientType>()\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for

details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage org.w3c.xhr\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\n\n/**\n * Exposes the JavaScript [XMLHttpRequestEventTarget](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequestEventTarget) to Kotlin\n */\npublic external abstract class XMLHttpRequestEventTarget : EventTarget {\n   open var onloadstart: ((Event) -> dynamic)?\n   open var onprogress: ((Event) -> dynamic)?\n   open var onabort: ((Event) -> dynamic)?\n   open var onerror: ((Event) -> dynamic)?\n   open var onload: ((Event) -> dynamic)?\n   open var ontimeout: ((Event) -> dynamic)?\n   open var onloadend: ((Event) -> dynamic)?\n}\n\npublic external abstract class XMLHttpRequestUpload : XMLHttpRequestEventTarget {\n}\n\n/**\n * Exposes the JavaScript [XMLHttpRequest](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequest) to Kotlin\n */\npublic external open class XMLHttpRequest : XMLHttpRequestEventTarget {\n   var onreadystatechange: ((Event) -> dynamic)?\n   open val readyState: Short\n   var timeout: Int\n   var withCredentials: Boolean\n   open val upload: XMLHttpRequestUpload\n   open val responseURL: String\n   open val status: Short\n   open val statusText: String\n   var responseType: XMLHttpRequestResponseType\n   open val response: Any?\n   open val responseText: String\n   open val responseXML: Document?\n   fun open(method: String, url: String): Unit\n   fun open(method: String, url: String, async: Boolean, username: String? = definedExternally, password: String? = definedExternally): Unit\n   fun setRequestHeader(name: String, value: String): Unit\n   fun send(body: dynamic = definedExternally): Unit\n   fun abort(): Unit\n   fun getResponseHeader(name: String): String?\n   fun getAllResponseHeaders(): String\n   fun overrideMimeType(mime: String): Unit\n\n   companion object {\n   val UNSENT: Short\n   val OPENED: Short\n   val HEADERS_RECEIVED: Short\n   val LOADING: Short\n   val DONE: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [FormData](https://developer.mozilla.org/en/docs/Web/API/FormData) to Kotlin\n */\npublic external open class FormData(form: HTMLFormElement = definedExternally) {\n   fun append(name: String, value: String): Unit\n   fun append(name: String, value: Blob, filename: String = definedExternally): Unit\n   fun delete(name: String): Unit\n   fun get(name: String): dynamic\n   fun getAll(name: String): Array<dynamic>\n   fun has(name: String): Boolean\n   fun set(name: String, value: String): Unit\n   fun set(name: String, value: Blob, filename: String = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript [ProgressEvent](https://developer.mozilla.org/en/docs/Web/API/ProgressEvent) to Kotlin\n */\npublic external open class ProgressEvent(type: String, eventInitDict: ProgressEventInit = definedExternally) : Event {\n   open val lengthComputable: Boolean\n   open val loaded: Int\n   open val total: Int\n}\n\npublic external interface ProgressEventInit : EventInit {\n   var lengthComputable: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var loaded: Int? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var total: Int? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ProgressEventInit(lengthComputable: Boolean? = false, loaded: Int? = 0, total: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ProgressEventInit {\n   val o = js(\"({})\")\n\n   o[\"lengthComputable\"] = lengthComputable\n   o[\"loaded\"] = loaded\n   o[\"total\"] = total\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n\n   return o\n}\n\n/* please, don't implement this interface! */\npublic external interface XMLHttpRequestResponseType {\n   companion object\n}\npublic inline val XMLHttpRequestResponseType.Companion.EMPTY: XMLHttpRequestResponseType get() = \"\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\npublic inline val XMLHttpRequestResponseType.Companion.ARRAYBUFFER: XMLHttpRequestResponseType get() = \"arraybuffer\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\npublic inline val XMLHttpRequestResponseType.Companion.BLOB: XMLHttpRequestResponseType get() =

\"blob\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\npublic inline val XMLHttpRequestResponseType.Companion.DOCUMENT: XMLHttpRequestResponseType get() = \"document\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\npublic inline val XMLHttpRequestResponseType.Companion.JSON: XMLHttpRequestResponseType get() = \"json\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\npublic inline val XMLHttpRequestResponseType.Companion.TEXT: XMLHttpRequestResponseType get() = \"text\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this
source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.annotation.AnnotationRetention.BINARY\nimport kotlin.annotation.AnnotationRetention.SOURCE\nimport kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\nimport kotlin.reflect.KClass\n\n/**\n * Signals that the annotated annotation class is a marker of an experimental API. Any declaration annotated with that marker is thus\n * considered an experimental declaration and its call sites should accept the experimental aspect of it either by using [UseExperimental],\n * or by being annotated with that marker themselves, effectively causing further propagation of that experimental aspect.\n *\n * This class is experimental itself and can only be used with the compiler argument `-Xuse-experimental=kotlin.Experimental`.\n */\n@Target(ANNOTATION_CLASS)\n@Retention(BINARY)\n@SinceKotlin(\"1.2\")\n@RequireKotlin(\"1.2.50\",
versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n@Suppress(\"ANNOTATION_CLASS_MEMBER\")\nannotation class Experimental(val level: Level = Level.ERROR) {\n   /**\n   * Severity of the diagnostic that should be reported on usages of experimental API which did not explicitly accept the experimental aspect\n   * of that API either by using [UseExperimental] or by being annotated with the corresponding marker annotation.\n   */\n   enum class Level {\n   /** Specifies that a warning should be reported on incorrect usages of this experimental API. */\n   WARNING,\n   /** Specifies that an error should be reported on incorrect usages of this experimental API. */\n   ERROR,\n   }\n\n   @Deprecated(\"This enum is going to be removed and should no longer be used.\")\n   public enum class Impact {\n   COMPILATION,\n   LINKAGE,\n   RUNTIME,\n   }\n}\n\n/**\n * Allows to use experimental API denoted by
the given markers in the annotated file, declaration, or expression.\n * If a declaration is annotated with [UseExperimental], its usages are **not** required to opt-in to that experimental API.\n *\n * This class is experimental itself and can only be used with the compiler argument `-Xuse-experimental=kotlin.Experimental`.\n */\n@Target(\n   CLASS, PROPERTY, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY_GETTER, PROPERTY_SETTER, EXPRESSION, FILE, TYPEALIAS\n)\n@Retention(SOURCE)\n@SinceKotlin(\"1.2\")\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\nannotation class UseExperimental(\n   vararg val markerClass: KClass<out Annotation>\n)\n\n\n@Target(CLASS, PROPERTY, CONSTRUCTOR, FUNCTION, TYPEALIAS)\n@Retention(BINARY)\ninternal annotation class WasExperimental(\n   vararg val markerClass: KClass<out Annotation>\n)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n
* that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the read-only [Collection] interface.\n *\n * @param E the type of elements contained in the collection. The collection is covariant on its element type.\n */\n@SinceKotlin(\"1.1\")\npublic abstract class AbstractCollection<out E> protected constructor() : Collection<E> {\n   abstract override val size: Int\n   abstract override fun iterator(): Iterator<E>\n\n   override fun contains(element: @UnsafeVariance E): Boolean = any { it == element }\n\n   override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean =\n   elements.all { contains(it) } // use when js will support bound refs: elements.all(this::contains)\n\n   override fun isEmpty(): Boolean = size == 0\n\n   override fun toString(): String = joinToString(\", \", \"[\", \"]\") {\n   if (it

=== this) \"(this Collection)\" else it.toString()\n }\n\n /**\n *
Returns new array of type `Array<Any?>` with the elements of this collection.\n */\n protected open fun toArray(): Array<Any?> = copyToArrayImpl(this)\n\n /**\n * Fills the provided [array] or creates new array of the same type\n * and fills it with the elements of this collection.\n */\n protected open fun <T> toArray(array: Array<T>): Array<T> = copyToArrayImpl(this, array)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n\nprivate enum class State {\n Ready,\n NotReady,\n Done,\n Failed\n}\n\n/**\n * A base class to simplify implementing iterators so that implementations only have to implement [computeNext]\n * to implement the iterator, calling [done] when the iteration is complete.\n */\npublic abstract class AbstractIterator<T> : Iterator<T> {\n private var state = State.NotReady\n private
var nextValue: T? = null\n\n override fun hasNext(): Boolean {\n require(state != State.Failed)\n return when (state) {\n State.Done -> false\n State.Ready -> true\n else -> tryToComputeNext()\n }\n }\n\n override fun next(): T {\n if (!hasNext()) throw NoSuchElementException()\n state = State.NotReady\n @Suppress(\"UNCHECKED_CAST\")\n return nextValue as T\n }\n\n private fun tryToComputeNext(): Boolean {\n state = State.Failed\n computeNext()\n return state == State.Ready\n }\n\n /**\n * Computes the next item in the iterator.\n *\n * This callback method should call one of these two methods:\n *\n * * [setNext] with the next value of the iteration\n * * [done] to indicate there are no more elements\n *\n * Failure to call either method will result in the iteration terminating with a failed state\n */\n abstract protected
fun computeNext(): Unit\n\n /**\n * Sets the next value in the iteration, called from the [computeNext] function\n */\n protected fun setNext(value: T): Unit {\n nextValue = value\n state = State.Ready\n }\n\n /**\n * Sets the state to done so that the iteration terminates.\n */\n protected fun done() {\n state = State.Done\n }\n}\n\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT AbstractList\n * Copyright 2007 Google Inc.\n*/\n\npackage kotlin.collections\n\nimport kotlin.*\n\n/**\n * Provides a skeletal implementation of the read-only [List] interface.\n *\n * This class is intended to help implementing read-only lists so it doesn't support concurrent modification tracking.\n *\n * @param E the type of elements contained in the list. The list is covariant on its element type.\n */\n@SinceKotlin(\"1.1\")\npublic
abstract class AbstractList<out E> protected constructor() : AbstractCollection<E>(), List<E> {\n abstract override val size: Int\n abstract override fun get(index: Int): E\n\n override fun iterator(): Iterator<E> = IteratorImpl()\n\n override fun indexOf(element: @UnsafeVariance E): Int = indexOfFirst { it == element }\n\n override fun lastIndexOf(element: @UnsafeVariance E): Int = indexOfLast { it == element }\n\n override fun listIterator(): ListIterator<E> = ListIteratorImpl(0)\n\n override fun listIterator(index: Int): ListIterator<E> = ListIteratorImpl(index)\n\n override fun subList(fromIndex: Int, toIndex: Int): List<E> = SubList(this, fromIndex, toIndex)\n\n private class SubList<out E>(private val list: AbstractList<E>, private val fromIndex: Int, toIndex: Int) : AbstractList<E>(), RandomAccess {\n private var _size: Int = 0\n\n init {\n checkRangeIndexes(fromIndex, toIndex, list.size)\n
this._size = toIndex - fromIndex\n }\n\n override fun get(index: Int): E {\n checkElementIndex(index, _size)\n\n return list[fromIndex + index]\n }\n\n override val size: Int get() = _size\n }\n\n /**\n * Compares this list with other list instance with the ordered structural equality.\n *\n * @return true, if [other] instance is a [List] of the same size, which contains the same elements in the same order.\n */\n override fun equals(other: Any?): Boolean {\n if (other === this) return true\n if (other !is List<*>) return false\n\n return orderedEquals(this, other)\n }\n\n /**\n * Returns the hash code value for this list.\n */\n override fun hashCode(): Int = orderedHashCode(this)\n\n private open inner class IteratorImpl : Iterator<E> {\n /** the index of the item that will be returned on the next call to [next]`()` */\n protected var index = 0\n\n

```
    override fun hasNext(): Boolean = index < size\n\n        override fun next(): E {\n            if (!hasNext()) throw NoSuchElementException()\n            return get(index++)\n        }\n    }\n\n    /**\n     * Implementation of [ListIterator] for abstract lists.\n     */\n    private open inner class ListIteratorImpl(index: Int) : IteratorImpl(), ListIterator<E> {\n\n        init {\n            checkPositionIndex(index, this@AbstractList.size)\n            this.index = index\n        }\n\n        override fun hasPrevious(): Boolean = index > 0\n\n        override fun nextIndex(): Int = index\n\n        override fun previous(): E {\n            if (!hasPrevious()) throw NoSuchElementException()\n            return get(--index)\n        }\n\n        override fun previousIndex(): Int = index - 1\n    }\n\n    internal companion object {\n        internal fun checkElementIndex(index: Int, size: Int) {\n            if (index < 0 || index >= size) {\n                throw IndexOutOfBoundsException(\"index: $index, size: $size\")\n            }\n        }\n\n        internal fun checkPositionIndex(index: Int, size: Int) {\n            if (index < 0 || index > size) {\n                throw IndexOutOfBoundsException(\"index: $index, size: $size\")\n            }\n        }\n\n        internal fun checkRangeIndexes(fromIndex: Int, toIndex: Int, size: Int) {\n            if (fromIndex < 0 || toIndex > size) {\n                throw IndexOutOfBoundsException(\"fromIndex: $fromIndex, toIndex: $toIndex, size: $size\")\n            }\n            if (fromIndex > toIndex) {\n                throw IllegalArgumentException(\"fromIndex: $fromIndex > toIndex: $toIndex\")\n            }\n        }\n\n        internal fun orderedHashCode(c: Collection<*>): Int {\n            var hashCode = 1\n            for (e in c) {\n                hashCode = 31 * hashCode + (e?.hashCode() ?: 0)\n            }\n            return hashCode\n        }\n\n        internal fun orderedEquals(c: Collection<*>, other: Collection<*>): Boolean {\n            if (c.size != other.size) return false\n\n            val otherIterator = other.iterator()\n            for (elem in c) {\n                val elemOther = otherIterator.next()\n                if (elem != elemOther) {\n                    return false\n                }\n            }\n            return true\n        }\n    }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT AbstractMap\n * Copyright 2007 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the read-only [Map] interface.\n *\n * The implementor is required to implement [entries] property, which should return read-only set of map entries.\n *\n * @param K the type of map keys. The map is invariant on its key type.\n * @param V the type of map values. The map is covariant on its value type.\n */\n@SinceKotlin(\"1.1\")\npublic abstract class AbstractMap<K, out V> protected constructor() : Map<K, V> {\n\n    override fun containsKey(key: K): Boolean {\n        return implFindEntry(key) != null\n    }\n\n    override fun containsValue(value: @UnsafeVariance V): Boolean = entries.any { it.value == value }\n\n    internal fun containsEntry(entry: Map.Entry<*, *>?): Boolean {\n        // since entry comes from @UnsafeVariance parameters it can be virtually anything\n        if (entry !is Map.Entry<*, *>) return false\n        val key = entry.key\n        val value = entry.value\n        val ourValue = get(key)\n\n        if (value != ourValue) {\n            return false\n        }\n\n        // Perhaps it was null and we don't contain the key?\n        if (ourValue == null && !containsKey(key)) {\n            return false\n        }\n\n        return true\n    }\n\n    /**\n     * Compares this map with other instance with the ordered structural equality.\n     *\n     * @return true, if [other] instance is a [Map] of the same size, all entries of which are contained in the [entries] set of this map.\n     */\n    override fun equals(other: Any?): Boolean {\n        if (other === this) return true\n        if (other !is Map<*, *>) return false\n        if (size != other.size) return false\n\n        return other.entries.all { containsEntry(it) }\n    }\n\n    override operator fun get(key: K): V? = implFindEntry(key)?.value\n\n    /**\n     * Returns the hash code value for this map.\n     *\n     * It is the same as the hashCode of [entries] set.\n     */\n    override fun hashCode(): Int = entries.hashCode()\n\n    override fun isEmpty(): Boolean = size == 0\n    override val size: Int get() = entries.size\n\n    /**\n     * Returns a read-only [Set] of all keys in this map.\n     *\n     * Accessing this property first time creates a keys view from [entries].\n     * All subsequent accesses just return the created instance.\n     */\n    override val keys: Set<K>\n        get() {\n            if (_keys == null) {\n                _keys = object : AbstractSet<K>() {\n                    override operator fun contains(element: K): Boolean = containsKey(element)\n\n                    override operator fun iterator(): Iterator<K> {\n                        val entryIterator = entries.iterator()\n
```

return object : Iterator<K> {\n override fun hasNext(): Boolean = entryIterator.hasNext()\n override fun next(): K = entryIterator.next().key\n }\n }\n\n override val size: Int get() = this@AbstractMap.size\n }\n }\n return _keys!!\n }\n\n @kotlin.jvm.Volatile\n private var _keys: Set<K>? = null\n\n\n override fun toString(): String = entries.joinToString(\", \", \"{\", \"}\") { toString(it) }\n\n private fun toString(entry: Map.Entry<K, V>): String = toString(entry.key) + \"=\" + toString(entry.value)\n\n private fun toString(o: Any?): String = if (o === this) \"(this Map)\" else o.toString()\n\n /**\n * Returns a read-only [Collection] of all values in this map.\n *\n * Accessing this property first time creates a values view from [entries].\n * All subsequent accesses just return the created instance.\n */\n override val values: Collection<V>\n get() {\n if (_values == null) {\n _values = object : AbstractCollection<V>() {\n override operator fun contains(element: @UnsafeVariance V): Boolean = containsValue(element)\n\n override operator fun iterator(): Iterator<V> {\n val entryIterator = entries.iterator()\n return object : Iterator<V> {\n override fun hasNext(): Boolean = entryIterator.hasNext()\n override fun next(): V = entryIterator.next().value\n }\n }\n\n override val size: Int get() = this@AbstractMap.size\n }\n }\n return _values!!\n }\n\n @kotlin.jvm.Volatile\n private var _values: Collection<V>? = null\n\n private fun implFindEntry(key: K): Map.Entry<K, V>? = entries.firstOrNull { it.key == key }\n\n internal companion object {\n\n internal fun entryHashCode(e: Map.Entry<*, *>): Int = with(e) { (key?.hashCode() ?: 0) xor (value?.hashCode() ?: 0) }\n internal fun entryToString(e: Map.Entry<*, *>): String = with(e) { \"$key=$value\" }\n internal fun entryEquals(e: Map.Entry<*, *>, other: Any?): Boolean {\n if (other !is Map.Entry<*, *>) return false\n return e.key == other.key && e.value == other.value\n }\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n *
that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the read-only [Set] interface.\n *\n * This class is intended to help implementing read-only sets so it doesn't support concurrent modification tracking.\n *\n * @param E the type of elements contained in the set. The set is covariant on its element type.\n */\n@SinceKotlin(\"1.1\")\npublic abstract class AbstractSet<out E> protected constructor() : AbstractCollection<E>(), Set<E> {\n\n /**\n * Compares this set with other set instance with the unordered structural equality.\n *\n * @return true, if [other] instance is a [Set] of the same size, all elements of which are contained in this set.\n */\n override fun equals(other: Any?): Boolean {\n if (other === this) return true\n if (other !is Set<*>) return false\n return setEquals(this, other)\n }\n\n /**\n * Returns the hash code value for this set.\n
/\n override fun hashCode(): Int = unorderedHashCode(this)\n\n internal companion object {\n internal fun unorderedHashCode(c: Collection<>): Int {\n var hashCode = 0\n for (element in c) {\n hashCode += (element?.hashCode() ?: 0)\n }\n return hashCode\n }\n\n internal fun setEquals(c: Set<*>, other: Set<*>): Boolean {\n if (c.size != other.size) return false\n return c.containsAll(other)\n }\n }\n\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ArraysKt\")\n\n\npackage kotlin.collections\n\n\n/**\n * Returns a single list of all elements from all arrays in the given array.\n * @sample samples.collections.Arrays.Transformations.flattenArray\n */\npublic fun <T> Array<out Array<out T>>.flatten(): List<T> {\n val result = ArrayList<T>(sumBy { it.size })\n for (element in this) {\n result.addAll(element)\n }\n return result\n}\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this array,\n * *second* list is built from the second values of each pair from this array.\n * @sample samples.collections.Arrays.Transformations.unzipArray\n */\npublic fun <T, R> Array<out Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n val listT = ArrayList<T>(size)\n val listR = ArrayList<R>(size)\n for (pair in this) {\n listT.add(pair.first)\n listR.add(pair.second)\n }\n return listT to listR\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Data

class representing a value from a collection or sequence, along with its
 index in that collection or sequence.\n *\n * @property value the underlying value.\n * @property index the index of the value in the collection or sequence.\n */\npublic data class IndexedValue<out T>(public val index: Int, public val value: T)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName(\"MapAccessorsKt\")\n\npackage kotlin.collections\n\nimport kotlin.reflect.KProperty\nimport kotlin.internal.Exact\n\n/**\n * Returns the value of the property for the given object from this read-only map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and lookup the value corresponding to this name in the map.\n * @return the property value.\n *\n * @throws NoSuchElementException when the map doesn't contain value for the property name and
 doesn't provide an implicit default (see [withDefault]).\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V> Map<in String, @Exact V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n @Suppress(\"UNCHECKED_CAST\") (getOrImplicitDefault(property.name) as V1)\n\n/**\n * Returns the value of the property for the given object from this mutable map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and lookup the value corresponding to this name in the map.\n * @return the property value.\n *\n * @throws NoSuchElementException when the map doesn't contain value for the property name and doesn't provide an implicit default (see [withDefault]).\n */\n@kotlin.jvm.JvmName(\"getVar\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V> MutableMap<in String, out @Exact V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n   @Suppress(\"UNCHECKED_CAST\")
 (getOrImplicitDefault(property.name) as V1)\n\n@Deprecated(\"Use getValue() with two type parameters instead\")\n@kotlin.jvm.JvmName(\"getVarContravariant\")\n@kotlin.internal.LowPriorityInOverloadResolution\n @kotlin.internal.InlineOnly\npublic inline fun <V> MutableMap<in String, in V>.getValue(thisRef: Any?, property: KProperty<*>): V =\n   @Suppress(\"UNCHECKED_CAST\") (getOrImplicitDefault(property.name) as V)\n\n/**\n * Stores the value of the property for the given object in this mutable map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and store the value associated with that name in the map.\n * @param value the value to set.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <V> MutableMap<in String, in V>.setValue(thisRef: Any?, property: KProperty<*>, value: V) {\n   this.put(property.name, value)\n}\n","/*\n * Copyright 2010-2018
 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"MapsKt\")\n\npackage kotlin.collections\n\n/**\n * Returns the value for the given key, or the implicit default value for this map.\n * By default no implicit value is provided for maps and a [NoSuchElementException] is thrown.\n * To create a map with implicit default value use [withDefault] method.\n *\n * @throws NoSuchElementException when the map doesn't contain a value for the specified key and no implicit default was provided for that map.\n
*/\n@kotlin.jvm.JvmName(\"getOrImplicitDefaultNullable\")\n@PublishedApi\ninternal fun <K, V> Map<K, V>.getOrImplicitDefault(key: K): V {\n   if (this is MapWithDefault)\n   return this.getOrImplicitDefault(key)\n\n   return getOrElseNullable(key, { throw NoSuchElementException(\"Key $key is missing in the map.\") })\n}\n\n/**\n * Returns
 a wrapper of this read-only map, having the implicit default value provided with the specified function [defaultValue].\n *\n * This implicit default value is used when the original map doesn't contain a value for the key specified\n * and a value is obtained with [Map.getValue] function, for example when properties are delegated to the map.\n *\n * When this map already has an implicit default value provided with a former call to [withDefault], it is being replaced by this call.\n */\npublic fun <K, V> Map<K, V>.withDefault(defaultValue: (key: K) -> V): Map<K, V> =\n   when (this) {\n   is MapWithDefault -> this.map.withDefault(defaultValue)\n   else -> MapWithDefaultImpl(this, defaultValue)\n   }\n\n/**\n * Returns a wrapper of this mutable map, having the

implicit default value provided with the specified function [defaultValue].\n *\n * This implicit default value is used when the original map doesn't contain a value for the key specified\n * and a value is obtained with [Map.getValue] function, for example when properties are delegated to the map.\n *\n * When this map already has an implicit default value provided with a former call to [withDefault], it is being replaced by this call.\n */\n@kotlin.jvm.JvmName(\"withDefaultMutable\")\npublic fun <K, V> MutableMap<K, V>.withDefault(defaultValue: (key: K) -> V): MutableMap<K, V> =\n   when (this) {\n   is MutableMapWithDefault -> this.map.withDefault(defaultValue)\n   else -> MutableMapWithDefaultImpl(this, defaultValue)\n   }\n\n\nprivate interface MapWithDefault<K, out V> : Map<K, V> {\n   public val map: Map<K, V>\n   public fun getOrImplicitDefault(key: K): V\n}\n\nprivate interface MutableMapWithDefault<K, V> : MutableMap<K, V>, MapWithDefault<K, V> {\n   public override val map: MutableMap<K, V>\n}\n\n\nprivate class MapWithDefaultImpl<K, out V>(public override val map: Map<K, V>, private val default: (key: K) -> V) : MapWithDefault<K, V> {\n   override fun equals(other: Any?): Boolean = map.equals(other)\n   override fun hashCode(): Int = map.hashCode()\n   override fun toString(): String = map.toString()\n   override val size: Int get() = map.size\n   override fun isEmpty(): Boolean = map.isEmpty()\n   override fun containsKey(key: K): Boolean = map.containsKey(key)\n   override fun containsValue(value: @UnsafeVariance V): Boolean = map.containsValue(value)\n   override fun get(key: K): V? = map.get(key)\n   override val keys: Set<K> get() = map.keys\n   override val values: Collection<V> get() = map.values\n   override val entries: Set<Map.Entry<K, V>> get() = map.entries\n\n   override fun getOrImplicitDefault(key: K): V = map.getOrElseNullable(key, { default(key) })\n}\n\nprivate class MutableMapWithDefaultImpl<K, V>(public override val map: MutableMap<K, V>, private val default: (key: K) -> V) : MutableMapWithDefault<K, V> {\n   override fun equals(other: Any?): Boolean = map.equals(other)\n   override fun hashCode(): Int = map.hashCode()\n   override fun toString(): String = map.toString()\n   override val size: Int get() = map.size\n   override fun isEmpty(): Boolean = map.isEmpty()\n   override fun containsKey(key: K): Boolean = map.containsKey(key)\n   override fun containsValue(value: @UnsafeVariance V): Boolean = map.containsValue(value)\n   override fun get(key: K): V? = map.get(key)\n   override val keys: MutableSet<K> get() = map.keys\n   override val values: MutableCollection<V> get() = map.values\n   override val entries: MutableSet<MutableMap.MutableEntry<K, V>> get() = map.entries\n\n   override fun put(key: K, value: V): V? = map.put(key, value)\n   override fun remove(key: K): V? = map.remove(key)\n   override fun putAll(from: Map<out K, V>) = map.putAll(from)\n   override fun clear() = map.clear()\n\n   override fun getOrImplicitDefault(key: K): V = map.getOrElseNullable(key, { default(key) })\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\n/**\n * Removes a single instance of the specified element from this\n * collection, if it is present.\n *\n * Allows to overcome type-safety restriction of `remove` that requires to pass an element of type `E`.\n *\n * @return `true` if the element has been successfully removed; `false` if it was not present in the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.remove(element: T): Boolean =\n   @Suppress(\"UNCHECKED_CAST\") (this as MutableCollection<T>).remove(element)\n\n/**\n * Removes all of this collection's elements that are also contained in the specified collection.\n\n * Allows to overcome type-safety restriction of `removeAll` that requires to pass a collection of type `Collection<E>`.\n *\n * @return `true` if any of the specified elements was removed from the collection, `false` if the collection was not modified.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.removeAll(elements: Collection<T>): Boolean =\n   @Suppress(\"UNCHECKED_CAST\") (this as MutableCollection<T>).removeAll(elements)\n\n/**\n * Retains only the elements in this collection that are contained in the specified collection.\n *\n * Allows to overcome type-safety restriction of `retainAll` that requires to pass a collection of type `Collection<E>`.\n *\n * @return `true` if any element was removed from the collection, `false` if the collection was not modified.\n */\n@kotlin.internal.InlineOnly\npublic inline fun

<@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.retainAll(elements: Collection<T>): Boolean =\n @Suppress(\"UNCHECKED_CAST\") (this as MutableCollection<T>).retainAll(elements)\n\n/**\n * Removes the element at the specified
[index] from this list.\n * In Kotlin one should use the [MutableList.removeAt] function instead.\n */\n@Deprecated(\"Use removeAt(index) instead.\", ReplaceWith(\"removeAt(index)\"), level = DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic inline fun <T> MutableList<T>.remove(index: Int): T = removeAt(index)\n\n/**\n * Adds the specified [element] to this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(element: T) {\n this.add(element)\n}\n\n/**\n * Adds all elements of the given [elements] collection to this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Iterable<T>) {\n this.addAll(elements)\n}\n\n/**\n * Adds all elements of the given [elements] array to this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Array<T>) {\n this.addAll(elements)\n}\n\n/**\n
* Adds all elements of the given [elements] sequence to this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Sequence<T>) {\n this.addAll(elements)\n}\n\n/**\n * Removes a single instance of the specified [element] from this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(element: T) {\n this.remove(element)\n}\n\n/**\n * Removes all elements contained in the given [elements] collection from this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements: Iterable<T>) {\n this.removeAll(elements)\n}\n\n/**\n * Removes all elements contained in the given [elements] array from this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements: Array<T>) {\n
this.removeAll(elements)\n}\n\n/**\n * Removes all elements contained in the given [elements] sequence from this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements: Sequence<T>) {\n this.removeAll(elements)\n}\n\n/**\n * Adds all elements of the given [elements] collection to this [MutableCollection].\n */\npublic fun <T> MutableCollection<in T>.addAll(elements: Iterable<T>): Boolean {\n when (elements) {\n is Collection -> return addAll(elements)\n else -> {\n var result: Boolean = false\n for (item in elements)\n if (add(item)) result = true\n return result\n }\n }\n}\n\n/**\n * Adds all elements of the given [elements] sequence to this [MutableCollection].\n */\npublic fun <T> MutableCollection<in T>.addAll(elements: Sequence<T>): Boolean {\n var result: Boolean = false\n for (item in elements) {\n if (add(item))
result = true\n }\n return result\n}\n\n/**\n * Adds all elements of the given [elements] array to this [MutableCollection].\n */\npublic fun <T> MutableCollection<in T>.addAll(elements: Array<out T>): Boolean {\n return addAll(elements.asList())\n}\n\n/**\n * Removes all elements from this [MutableIterable] that match the given [predicate].\n */\npublic fun <T> MutableIterable<T>.removeAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, true)\n\n/**\n * Retains only elements of this [MutableIterable] that match the given [predicate].\n */\npublic fun <T> MutableIterable<T>.retainAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, false)\n\nprivate fun <T> MutableIterable<T>.filterInPlace(predicate: (T) -> Boolean, predicateResultToRemove: Boolean): Boolean {\n var result = false\n with(iterator()) {\n while (hasNext())\n if (predicate(next()) == predicateResultToRemove) {\n remove()\n result = true\n }\n }\n return result\n}\n\n/**\n * Removes all elements from this [MutableList] that match the given [predicate].\n */\npublic fun <T> MutableList<T>.removeAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, true)\n\n/**\n * Retains only elements of this [MutableList] that match the given [predicate].\n */\npublic fun <T> MutableList<T>.retainAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, false)\n\nprivate fun <T> MutableList<T>.filterInPlace(predicate: (T) -> Boolean, predicateResultToRemove: Boolean): Boolean {\n if (this !is RandomAccess)\n return (this as MutableIterable<T>).filterInPlace(predicate, predicateResultToRemove)\n\n var writeIndex: Int = 0\n for

(readIndex in 0..lastIndex) {\n val element = this[readIndex]\n if (predicate(element) == predicateResultToRemove)\n continue\n\n if (writeIndex != readIndex)\n this[writeIndex] = element\n\n writeIndex++\n }\n if (writeIndex < size) {\n for (removeIndex in lastIndex downTo writeIndex)\n removeAt(removeIndex)\n\n return true\n } else {\n return false\n }\n}\n\n/**\n * Removes all elements from this [MutableCollection] that are also contained in the given [elements] collection.\n */\npublic fun <T> MutableCollection<in T>.removeAll(elements: Iterable<T>): Boolean {\n return removeAll(elements.convertToSetForSetOperationWith(this))\n}\n\n/**\n * Removes all elements from this [MutableCollection] that are also contained in the given [elements] sequence.\n */\npublic fun <T> MutableCollection<in T>.removeAll(elements: Sequence<T>): Boolean {\n val set = elements.toHashSet()\n return set.isNotEmpty() && removeAll(set)\n}\n\n/**\n * Removes all elements from this [MutableCollection] that are also contained in the given [elements] array.\n */\npublic fun <T> MutableCollection<in T>.removeAll(elements: Array<out T>): Boolean {\n return elements.isNotEmpty() && removeAll(elements.toHashSet())\n}\n\n/**\n * Retains only elements of this [MutableCollection] that are contained in the given [elements] collection.\n */\npublic fun <T> MutableCollection<in T>.retainAll(elements: Iterable<T>): Boolean {\n return retainAll(elements.convertToSetForSetOperationWith(this))\n}\n\n/**\n * Retains only elements of this [MutableCollection] that are contained in the given [elements] array.\n */\npublic fun <T> MutableCollection<in T>.retainAll(elements: Array<out T>): Boolean {\n if (elements.isNotEmpty())\n return retainAll(elements.toHashSet())\n else\n return retainNothing()\n}\n\n/**\n * Retains only elements of this [MutableCollection] that are contained in the given [elements] sequence.\n */\npublic fun <T> MutableCollection<in T>.retainAll(elements: Sequence<T>): Boolean {\n val set = elements.toHashSet()\n if (set.isNotEmpty())\n return retainAll(set)\n else\n return retainNothing()\n}\n\nprivate fun MutableCollection<*>.retainNothing(): Boolean {\n val result = isNotEmpty()\n clear()\n return result\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\nimport kotlin.*\n\n\nprivate open class ReversedListReadOnly<out T>(private val delegate: List<T>) : AbstractList<T>() {\n override val size: Int get() = delegate.size\n override fun get(index: Int): T = delegate[reverseElementIndex(index)]\n}\n\nprivate class ReversedList<T>(private val delegate: MutableList<T>) : AbstractMutableList<T>() {\n override val size: Int get() = delegate.size\n override fun get(index: Int): T = delegate[reverseElementIndex(index)]\n\n override fun clear() = delegate.clear()\n override fun removeAt(index: Int): T = delegate.removeAt(reverseElementIndex(index))\n\n override fun set(index: Int, element: T): T = delegate.set(reverseElementIndex(index), element)\n override fun add(index: Int, element: T) {\n delegate.add(reversePositionIndex(index), element)\n }\n}\n\nprivate fun List<*>.reverseElementIndex(index: Int) =\n if (index in 0..lastIndex) lastIndex - index else throw IndexOutOfBoundsException(\"Element index $index must be in range [${0..lastIndex}].\")\n\nprivate fun List<*>.reversePositionIndex(index: Int) =\n if (index in 0..size) size - index else throw IndexOutOfBoundsException(\"Position index $index must be in range [${0..size}].\")\n\n\n/**\n * Returns a reversed read-only view of the original List.\n * All changes made in the original list will be reflected in the reversed one.\n * @sample samples.collections.ReversedViews.asReversedList\n */\npublic fun <T> List<T>.asReversed(): List<T> = ReversedListReadOnly(this)\n\n/**\n * Returns a reversed mutable view of the original mutable List.\n * All changes made in the original list will be reflected in the reversed one and vice versa.\n * @sample samples.collections.ReversedViews.asReversedMutableList\n */\n@kotlin.jvm.JvmName(\"asReversedMutable\")\npublic fun <T> MutableList<T>.asReversed(): MutableList<T> = ReversedList(this)\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\nimport kotlin.*\nimport kotlin.coroutines.experimental.buildIterator\n\ninternal fun

```
checkWindowSizeStep(size: Int, step: Int) {\n    require(size > 0 && step > 0) {\n        if (size != step)\n \"Both size $size and step $step must be greater than zero.\"\n        else\n            \"size $size must be greater than zero.\"\n    }\n}\n\ninternal fun <T> Sequence<T>.windowedSequence(size: Int, step: Int, partialWindows: Boolean, reuseBuffer: Boolean): Sequence<List<T>>
 {\n    checkWindowSizeStep(size, step)\n    return Sequence { windowedIterator(iterator(), size, step, partialWindows, reuseBuffer) }\n}\n\ninternal fun <T> windowedIterator(iterator: Iterator<T>, size: Int, step: Int, partialWindows: Boolean, reuseBuffer: Boolean): Iterator<List<T>> {\n    if (!iterator.hasNext()) return EmptyIterator\n    return buildIterator<List<T>> {\n        val gap = step - size\n        if (gap >= 0) {\n            var buffer = ArrayList<T>(size)\n            var skip = 0\n            for (e in iterator) {\n                if (skip > 0) { skip -= 1; continue }\n                buffer.add(e)\n                if (buffer.size == size) {\n                    yield(buffer)\n                    if (reuseBuffer) buffer.clear() else buffer = ArrayList(size)\n                    skip = gap\n                }\n            }\n            if (buffer.isNotEmpty()) {\n                if (partialWindows || buffer.size == size) yield(buffer)\n            }\n        } else {\n
            val buffer = RingBuffer<T>(size)\n            for (e in iterator) {\n                buffer.add(e)\n                if (buffer.isFull()) {\n                    yield(if (reuseBuffer) buffer else ArrayList(buffer))\n                    buffer.removeFirst(step)\n                }\n            }\n            if (partialWindows) {\n                while (buffer.size > step) {\n                    yield(if (reuseBuffer) buffer else ArrayList(buffer))\n                    buffer.removeFirst(step)\n                }\n                if (buffer.isNotEmpty()) yield(buffer)\n            }\n        }\n    }\n}\n\ninternal class MovingSubList<out E>(private val list: List<E>) : AbstractList<E>(), RandomAccess {\n    private var fromIndex: Int = 0\n    private var _size: Int = 0\n\n    fun move(fromIndex: Int, toIndex: Int) {\n        checkRangeIndexes(fromIndex, toIndex, list.size)\n        this.fromIndex = fromIndex\n        this._size = toIndex - fromIndex\n    }\n\n    override fun get(index: Int): E {\n        checkElementIndex(index, _size)\n\n        return list[fromIndex + index]\n    }\n\n    override val size: Int get() = _size\n}\n\n\n/**\n * Provides ring buffer implementation.\n *\n * Buffer overflow is not allowed so [add] doesn't overwrite tail but raises an exception.\n */\nprivate class RingBuffer<T>(val capacity: Int) : AbstractList<T>(), RandomAccess {\n    init {\n        require(capacity >= 0) { \"ring buffer capacity should not be negative but it is $capacity\" }\n    }\n\n    private val buffer = arrayOfNulls<Any?>(capacity)\n    private var startIndex: Int = 0\n\n    override var size: Int = 0\n        private set\n\n    override fun get(index: Int): T {\n        checkElementIndex(index, size)\n        @Suppress(\"UNCHECKED_CAST\")\n        return buffer[startIndex.forward(index)] as T\n    }\n\n    fun isFull() = size == capacity\n\n    override fun iterator(): Iterator<T> = object : AbstractIterator<T>() {\n        private var count = size\n
        private var index = startIndex\n\n        override fun computeNext() {\n            if (count == 0) {\n                done()\n            } else {\n                @Suppress(\"UNCHECKED_CAST\")\n                setNext(buffer[index] as T)\n
                index = index.forward(1)\n                count--\n            }\n        }\n    }\n\n    @Suppress(\"UNCHECKED_CAST\")\n    override fun <T> toArray(array: Array<T>): Array<T> {\n        val result: Array<T?> =\n            if (array.size < this.size) array.copyOf(this.size) else array as Array<T?>\n\n        val size = this.size\n\n        var widx = 0\n        var idx = startIndex\n\n        while (widx < size && idx < capacity) {\n            result[widx] = buffer[idx] as T\n            widx++\n            idx++\n        }\n\n        idx = 0\n        while (widx < size) {\n            result[widx] = buffer[idx] as T\n            widx++\n            idx++\n        }\n        if (result.size > this.size) result[this.size]
 = null\n\n        return result as Array<T>\n    }\n\n    override fun toArray(): Array<Any?> {\n        return toArray(arrayOfNulls(size))\n    }\n\n    /**\n     * Add [element] to the buffer or fail with [IllegalStateException] if no free space available in the buffer\n     */\n    fun add(element: T) {\n        if (isFull()) {\n            throw IllegalStateException(\"ring buffer is full\")\n        }\n\n        buffer[startIndex.forward(size)] = element\n        size++\n    }\n\n    /**\n     * Removes [n] first elements from the buffer or fails with [IllegalArgumentException] if not enough elements in the buffer to remove\n     */\n    fun removeFirst(n: Int) {\n        require(n >= 0) { \"n shouldn't be negative but it is $n\" }\n        require(n <= size) { \"n shouldn't be greater than the buffer size: n = $n, size = $size\" }\n\n        if (n > 0) {\n            val start = startIndex\n            val end = start.forward(n)\n\n            if (start > end) {\n
```

```
 buffer.fill(null, start, capacity)\n                buffer.fill(null, 0, end)\n            } else {\n                buffer.fill(null, start, end)\n            }\n\n            startIndex = end\n            size -= n\n        }\n    }\n\n\n    @Suppress(\"NOTHING_TO_INLINE\")\n    private inline fun Int.forward(n: Int): Int = (this + n) % capacity\n\n    // TODO: replace with Array.fill from stdlib when available in common\n    private fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit {\n        for (idx in fromIndex until toIndex) {\n            this[idx] = element\n        }\n    }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines.experimental\n\n/**\n * Marks coroutine context element that intercepts coroutine continuations.\n * The coroutines framework uses [ContinuationInterceptor.Key] to retrieve the
 interceptor and\n * intercepts all coroutine continuations with [interceptContinuation] invocations.\n */\n@SinceKotlin(\"1.1\")\npublic interface ContinuationInterceptor : CoroutineContext.Element {\n    /**\n     * The key that defines *the* context interceptor.\n     */\n    companion object Key : CoroutineContext.Key<ContinuationInterceptor>\n\n    /**\n     * Returns continuation that wraps the original [continuation], thus intercepting all resumptions.\n     * This function is invoked by coroutines framework when needed and the resulting continuations are\n     * cached internally per each instance of the original [continuation].\n     *\n     * By convention, implementations that install themselves as *the* interceptor in the context with\n     * the [Key] shall also scan the context for other element that implement [ContinuationInterceptor] interface\n     * and use their [interceptContinuation] functions, too.\n     */\n    public fun <T> interceptContinuation(continuation: Continuation<T>):
 Continuation<T>\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines.experimental\n\n/**\n * Persistent context for the coroutine. It is an indexed set of [Element] instances.\n * An indexed set is a mix between a set and a map.\n * Every element in this set has a unique [Key]. Keys are compared _by reference_.\n */\n@SinceKotlin(\"1.1\")\npublic interface CoroutineContext {\n    /**\n     * Returns the element with the given [key] from this context or `null`.\n     * Keys are compared _by reference_, that is to get an element from the context the reference to its actual key\n     * object must be presented to this function.\n     */\n    public operator fun <E : Element> get(key: Key<E>): E?\n\n    /**\n     * Accumulates entries of this context starting with [initial] value and applying [operation]\n     * from left to right
 to current accumulator value and each element of this context.\n     */\n    public fun <R> fold(initial: R, operation: (R, Element) -> R): R\n\n    /**\n     * Returns a context containing elements from this context and elements from other [context].\n     * The elements from this context with the same key as in the other one are dropped.\n     */\n    public operator fun plus(context: CoroutineContext): CoroutineContext =\n        if (context === EmptyCoroutineContext) this else // fast path -- avoid lambda creation\n            context.fold(this) { acc, element ->\n                val removed = acc.minusKey(element.key)\n                if (removed === EmptyCoroutineContext) element else {\n                    // make sure interceptor is always last in the context (and thus is fast to get when present)\n                    val interceptor = removed[ContinuationInterceptor]\n                    if (interceptor == null) CombinedContext(removed, element) else {\n                        val left = removed.minusKey(ContinuationInterceptor)\n                        if (left === EmptyCoroutineContext) CombinedContext(element, interceptor) else\n                            CombinedContext(CombinedContext(left, element), interceptor)\n                    }\n                }\n            }\n\n    /**\n     * Returns a context containing elements from this context, but without an element with\n     * the specified [key]. Keys are compared _by reference_, that is to remove an element from the context\n     * the reference to its actual key object must be presented to this function.\n     */\n    public fun minusKey(key: Key<*>): CoroutineContext\n\n    /**\n     * An element of the [CoroutineContext]. An element of the coroutine context is a singleton context by itself.\n     */\n    public interface Element : CoroutineContext {\n        /**\n         * A key of this coroutine context element.\n         */\n        public val key: Key<*>\n\n        @Suppress(\"UNCHECKED_CAST\")\n        public override operator fun <E : Element> get(key: Key<E>): E? =\n            if (this.key === key) this as E else null\n\n        public override fun <R> fold(initial: R, operation: (R, Element) -> R): R =\n            operation(initial,
```

this)\n\n public override fun minusKey(key: Key<*>): CoroutineContext =\n if (this.key === key) EmptyCoroutineContext else this\n }\n\n /**\n * Key for the elements of [CoroutineContext]. [E] is a type of element with this key.\n * Keys in the context are compared _by reference_.\n */\n public interface Key<E : Element>\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines.experimental\n\nimport kotlin.coroutines.experimental.CoroutineContext.*\n\n/**\n * Base class for [CoroutineContext.Element] implementations.\n */\n@SinceKotlin(\"1.1\")\npublic abstract class AbstractCoroutineContextElement(public override val key: Key<*>) : Element\n\n/**\n * An empty coroutine context.\n */\n@SinceKotlin(\"1.1\")\npublic object EmptyCoroutineContext : CoroutineContext {\n public override fun <E : Element> get(key: Key<E>): E? = null\n public override fun <R> fold(initial: R, operation: (R, Element) -> R): R = initial\n public override fun plus(context: CoroutineContext): CoroutineContext = context\n public override fun minusKey(key: Key<*>): CoroutineContext = this\n public override fun hashCode(): Int = 0\n public override fun toString(): String = \"EmptyCoroutineContext\"\n}\n\n//---------- internal impl ----------\n\n// this class is not exposed, but is hidden inside implementations\n// this is a left-biased list, so that `plus` works naturally\ninternal class CombinedContext(val left: CoroutineContext, val element: Element) : CoroutineContext {\n override fun <E : Element> get(key: Key<E>): E?
{\n var cur = this\n while (true) {\n cur.element[key]?.let { return it }\n val next = cur.left\n if (next is CombinedContext) {\n cur = next\n } else {\n return next[key]\n }\n }\n }\n\n public override fun <R> fold(initial: R, operation: (R, Element) -> R): R = operation(left.fold(initial, operation), element)\n\n public override fun minusKey(key: Key<*>): CoroutineContext {\n element[key]?.let { return left }\n val newLeft = left.minusKey(key)\n return when {\n newLeft === left -> this\n newLeft === EmptyCoroutineContext -> element\n else -> CombinedContext(newLeft, element)\n }\n }\n\n private fun size(): Int =\n if (left is CombinedContext) left.size() + 1 else 2\n\n private fun contains(element: Element): Boolean =\n get(element.key) == element\n\n private fun containsAll(context:
CombinedContext): Boolean {\n var cur = context\n while (true) {\n if (!contains(cur.element)) return false\n val next = cur.left\n if (next is CombinedContext) {\n cur = next\n } else {\n return contains(next as Element)\n }\n }\n }\n\n override fun equals(other: Any?): Boolean =\n this === other || other is CombinedContext && other.size() == size() && other.containsAll(this)\n\n override fun hashCode(): Int = left.hashCode() + element.hashCode()\n\n override fun toString(): String =\n \"[\" + fold(\"\") { acc, element ->\n if (acc.isEmpty()) element.toString() else acc + \", \" + element\n } + \"]\"\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines.experimental\n\n/**\n * Interface
representing a continuation after a suspension point that returns value of type `T`.\n */\n@SinceKotlin(\"1.1\")\npublic interface Continuation<in T> {\n /**\n * Context of the coroutine that corresponds to this continuation.\n */\n public val context: CoroutineContext\n\n /**\n * Resumes the execution of the corresponding coroutine passing [value] as the return value of the last suspension point.\n */\n public fun resume(value: T)\n\n /**\n * Resumes the execution of the corresponding coroutine so that the [exception] is re-thrown right after the\n * last suspension point.\n */\n public fun resumeWithException(exception: Throwable)\n}\n\n/**\n * Classes and interfaces marked with this annotation are restricted when used as receivers for extension\n * `suspend` functions. These `suspend` extensions can only invoke other member or extension `suspend` functions on this particular\n * receiver only and are restricted from calling arbitrary
suspension functions.\n */\n@SinceKotlin(\"1.1\")\n@Target(AnnotationTarget.CLASS)\n@Retention(AnnotationRetention.BINARY)\npublic annotation class RestrictsSuspension\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is

```
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SequenceBuilderKt\")\n\npackage kotlin.coroutines.experimental\n\nimport kotlin.*\nimport kotlin.coroutines.experimental.intrinsics.*\n\n/**\n * Builds a [Sequence] lazily yielding values one by one.\n *\n * @see kotlin.sequences.generateSequence\n *\n * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample samples.collections.Sequences.Building.buildFibonacciSequence\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> buildSequence(builderAction: suspend SequenceBuilder<T>.() -> Unit): Sequence<T> = Sequence { buildIterator(builderAction) }\n\n/**\n * Builds an [Iterator]
 lazily yielding values one by one.\n *\n * @sample samples.collections.Sequences.Building.buildIterator\n * @sample samples.collections.Iterables.Building.iterable\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> buildIterator(builderAction: suspend SequenceBuilder<T>.() -> Unit): Iterator<T> {\n    val iterator = SequenceBuilderIterator<T>()\n    iterator.nextStep = builderAction.createCoroutineUnchecked(receiver = iterator, completion = iterator)\n    return iterator\n}\n\n/**\n * Builder for a [Sequence] or an [Iterator], provides [yield] and [yieldAll] suspension functions.\n *\n * @see buildSequence\n * @see buildIterator\n *\n * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample samples.collections.Sequences.Building.buildFibonacciSequence\n */\n@RestrictsSuspension\n@SinceKotlin(\"1.1\")\npublic abstract class SequenceBuilder<in T> internal constructor() {\n    /**\n     * Yields a value to the [Iterator] being built.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n
    * @sample samples.collections.Sequences.Building.buildFibonacciSequence\n     */\n    public abstract suspend fun yield(value: T)\n\n    /**\n     * Yields all values from the `iterator` to the [Iterator] being built.\n     *\n     * The sequence of values returned by the given iterator can be potentially infinite.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     */\n    public abstract suspend fun yieldAll(iterator: Iterator<T>)\n\n    /**\n     * Yields a collections of values to the [Iterator] being built.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     */\n    public suspend fun yieldAll(elements: Iterable<T>) {\n        if (elements is Collection && elements.isEmpty()) return\n        return yieldAll(elements.iterator())\n    }\n\n    /**\n     * Yields potentially infinite sequence of values  to the [Iterator] being built.\n     *\n
     * The sequence can be potentially infinite.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     */\n    public suspend fun yieldAll(sequence: Sequence<T>) = yieldAll(sequence.iterator())\n}\n\nprivate typealias State = Int\n\nprivate const val State_NotReady: State = 0\nprivate const val State_ManyNotReady: State = 1\nprivate const val State_ManyReady: State = 2\nprivate const val State_Ready: State = 3\nprivate const val State_Done: State = 4\nprivate const val State_Failed: State = 5\n\nprivate class SequenceBuilderIterator<T> : SequenceBuilder<T>(), Iterator<T>, Continuation<Unit> {\n    private var state = State_NotReady\n    private var nextValue: T? = null\n    private var nextIterator: Iterator<T>? = null\n    var nextStep: Continuation<Unit>? = null\n\n    override fun hasNext(): Boolean {\n        while (true) {\n            when (state) {\n                State_NotReady -> {}\n                State_ManyNotReady ->\n                    if
 (nextIterator!!.hasNext()) {\n                        state = State_ManyReady\n                        return true\n                    } else {\n                        nextIterator = null\n                    }\n                State_Done -> return false\n                State_Ready, State_ManyReady -> return true\n                else -> throw exceptionalState()\n            }\n\n            state = State_Failed\n            val step = nextStep!!\n            nextStep = null\n            step.resume(Unit)\n        }\n    }\n\n    override fun next(): T {\n        when (state) {\n            State_NotReady, State_ManyNotReady -> return nextNotReady()\n            State_ManyReady -> {\n                state = State_ManyNotReady\n                return nextIterator!!.next()\n            }\n            State_Ready -> {\n                state = State_NotReady\n                @Suppress(\"UNCHECKED_CAST\")\n                val result = nextValue as T\n                nextValue = null\n                return result\n            }\n            else -> throw exceptionalState()\n        }\n    }\n\n    private fun nextNotReady(): T {\n        if (!hasNext()) throw NoSuchElementException() else return next()\n    }\n\n    private
```

fun exceptionalState(): Throwable = when (state) {\n State_Done -> NoSuchElementException()\n State_Failed -> IllegalStateException(\"Iterator has failed.\")\n else -> IllegalStateException(\"Unexpected state of the iterator: $state\")\n }\n\n\n suspend override fun yield(value: T) {\n nextValue = value\n state = State_Ready\n return suspendCoroutineOrReturn { c ->\n nextStep = c\n COROUTINE_SUSPENDED\n }\n }\n\n suspend override fun yieldAll(iterator: Iterator<T>) {\n if (!iterator.hasNext()) return\n nextIterator = iterator\n state = State_ManyReady\n return suspendCoroutineOrReturn { c ->\n nextStep = c\n COROUTINE_SUSPENDED\n }\n }\n\n // Completion continuation implementation\n override fun resume(value: Unit) {\n state = State_Done\n }\n\n override fun resumeWithException(exception: Throwable) {\n throw exception // just rethrow\n }\n\n override val context: CoroutineContext\n get() = EmptyCoroutineContext\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"IntrinsicsKt\")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin.coroutines.experimental.intrinsics\n\nimport kotlin.coroutines.experimental.*\n\n/**\n * Obtains the current continuation instance inside suspend functions and either suspends\n * currently running coroutine or returns result immediately without suspension.\n *\n * If the [block] returns the special [COROUTINE_SUSPENDED] value, it means that suspend function did suspend the
execution and will\n * not return any result immediately. In this case, the [Continuation] provided to the [block] shall be invoked at some moment in the\n * future when the result becomes available to resume the computation.\n *\n * Otherwise, the return value of the [block] must have a type assignable to [T] and represents the result of this suspend function.\n * It means that the execution was not suspended and the [Continuation] provided to the [block] shall not be invoked.\n * As the result type of the [block] is declared as `Any?` and cannot be correctly type-checked,\n * its proper return type remains on the conscience of the suspend function's author.\n *\n * Note that it is not recommended to call either [Continuation.resume] nor [Continuation.resumeWithException] functions synchronously\n * in the same stackframe where suspension function is run. Use [suspendCoroutine] as a safer way to obtain current\n * continuation instance.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"UNUSED_PARAMETER\")\npublic
suspend inline fun <T> suspendCoroutineOrReturn(crossinline block: (Continuation<T>) -> Any?): T =\n suspendCoroutineUninterceptedOrReturn { cont -> block(cont.intercepted()) }\n\n/**\n * Obtains the current continuation instance inside suspend functions and either suspends\n * currently running coroutine or returns result immediately without suspension.\n *\n * Unlike [suspendCoroutineOrReturn] it does not intercept continuation.\n */\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic suspend inline fun <T> suspendCoroutineUninterceptedOrReturn(crossinline block: (Continuation<T>) -> Any?): T =\n throw NotImplementedError(\"Implementation of suspendCoroutineUninterceptedOrReturn is intrinsic\")\n\n/**\n * Intercept continuation with [ContinuationInterceptor].\n */\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Continuation<T>.intercepted(): Continuation<T> =\n throw NotImplementedError(\"Implementation
of intercepted is intrinsic\")\n\n/**\n * This value is used as a return value of [suspendCoroutineOrReturn] `block` argument to state that\n * the execution was suspended and will not return any result immediately.\n */\n@SinceKotlin(\"1.1\")\npublic expect val COROUTINE_SUSPENDED: Any // get() = CoroutineSuspendedMarker\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.experimental\n\n/** Performs a bitwise AND operation between the two values.
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.and(other: Byte): Byte = (this.toInt() and other.toInt()).toByte()\n\n/** Performs a bitwise OR operation between the two values.
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.or(other: Byte): Byte = (this.toInt() or other.toInt()).toByte()\n\n/** Performs a bitwise XOR operation

between the two values. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.xor(other: Byte): Byte = (this.toInt() xor other.toInt()).toByte()\n\n/** Inverts the bits in this value. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.inv(): Byte = (this.toInt().inv()).toByte()\n\n\n/** Performs a bitwise AND operation between the two values. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.and(other: Short): Short = (this.toInt() and other.toInt()).toShort()\n\n/** Performs a bitwise OR operation between the two values. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.or(other: Short): Short = (this.toInt() or other.toInt()).toShort()\n\n/** Performs a bitwise XOR operation between the two values. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.xor(other: Short): Short = (this.toInt() xor other.toInt()).toShort()\n\n/**
Inverts the bits in this value. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun Short.inv(): Short = (this.toInt().inv()).toShort()\n\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.internal\n\n/**\n * Specifies that the corresponding type should be ignored during type inference.\n */\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class NoInfer\n\n/**\n * Specifies that the constraint built for the type during type inference should be an equality one.\n */\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class Exact\n\n/**\n * Specifies that a corresponding member has the lowest priority in overload resolution.\n */\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal
annotation class LowPriorityInOverloadResolution\n\n/**\n * Specifies that the corresponding member has the highest priority in overload resolution. Effectively this means that\n * an extension annotated with this annotation will win in overload resolution over a member with the same signature.\n */\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class HidesMembers\n\n/**\n * The value of this type parameter should be mentioned in input types (argument types, receiver type or expected type).\n */\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class OnlyInputTypes\n\n/**\n * Specifies that this function should not be called directly without inlining\n */\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.PROPERTY_GETTER, AnnotationTarget.PROPERTY_SETTER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class InlineOnly\n\n/**\n
* Specifies that this declaration can have dynamic receiver type.\n */\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class DynamicExtension\n\n/**\n * The value of this parameter should be a property reference expression (`this::foo`), referencing a `lateinit` property,\n * the backing field of which is accessible at the point where the corresponding argument is passed.\n */\n@Target(AnnotationTarget.VALUE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin(\"1.2\")\ninternal annotation class AccessibleLateinitPropertyLiteral\n\n/**\n * Specifies that this declaration is only completely supported since the specified version.\n *\n * The Kotlin compiler of an earlier version is going to report a diagnostic on usages of this declaration.\n * The diagnostic message can be specified with [message], or via [errorCode] (takes less space, but might not be immediately clear\n * to the
user). The diagnostic severity can be specified with [level]: WARNING/ERROR mean that either a warning or an error\n * is going to be reported, HIDDEN means that the declaration is going to be removed from resolution completely.\n *\n * [versionKind] specifies which version should be compared with the [version] value, when compiling the usage of the annotated declaration.\n * Note that prior to 1.2, only [RequireKotlinVersionKind.LANGUAGE_VERSION] was supported, so the Kotlin compiler before 1.2 is going

to\n * treat any [RequireKotlin] as if it requires the language version. Since 1.2, the Kotlin compiler supports\n * [RequireKotlinVersionKind.LANGUAGE_VERSION], [RequireKotlinVersionKind.COMPILER_VERSION] and [RequireKotlinVersionKind.API_VERSION].\n * If the actual value of [versionKind] is something different (e.g. a new version kind, added in future versions of Kotlin),\n * Kotlin 1.2 is going to ignore this [RequireKotlin] altogether, where as Kotlin before 1.2 is going to treat this
as a requirement\n * on the language version.\n *\n * This annotation is erased at compile time; its arguments are stored in a more compact form in the Kotlin metadata.\n */\n@Target(AnnotationTarget.CLASS, AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.CONSTRUCTOR, AnnotationTarget.TYPEALIAS)\n@Retention(AnnotationRetention.SOURCE)\n@SinceKotlin(\"1.2\")\ninternal annotation class RequireKotlin(\n   val version: String,\n   val message: String = \"\",\n   val level: DeprecationLevel = DeprecationLevel.ERROR,\n   val versionKind: RequireKotlinVersionKind = RequireKotlinVersionKind.LANGUAGE_VERSION,\n   val errorCode: Int = -1\n)\n\n/**\n * The kind of the version that is required by [RequireKotlin].\n */\n@SinceKotlin(\"1.2\")\ninternal enum class RequireKotlinVersionKind {\n   LANGUAGE_VERSION,\n   COMPILER_VERSION,\n   API_VERSION,\n}\n\n/**\n * Specifies that this declaration is a part of special DSL, used for constructing function's contract.\n */\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin(\"1.2\")\ninternal annotation class ContractsDsl\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.internal.contracts\n\nimport kotlin.internal.ContractsDsl\nimport kotlin.internal.InlineOnly\n\n@ContractsDsl\n@SinceKotlin(\"1.2\")\ninternal interface ContractBuilder {\n   @ContractsDsl fun returns(): Returns\n   @ContractsDsl fun returns(value: Any?): Returns\n   @ContractsDsl fun returnsNotNull(): ReturnsNotNull\n   @ContractsDsl fun <R> callsInPlace(lambda: Function<R>, kind: InvocationKind = InvocationKind.UNKNOWN): CallsInPlace\n}\n\n@ContractsDsl\n@SinceKotlin(\"1.2\")\ninternal enum class InvocationKind {\n   @ContractsDsl AT_MOST_ONCE,\n   @ContractsDsl AT_LEAST_ONCE,\n   @ContractsDsl EXACTLY_ONCE,\n   @ContractsDsl UNKNOWN\n}\n\n@ContractsDsl\n@InlineOnly\n@SinceKotlin(\"1.2\")\ninternal inline fun contract(builder: ContractBuilder.() -> Unit) { }","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport kotlin.*\nimport kotlin.reflect.KProperty\n\n/**\n * Standard property delegates.\n */\npublic object Delegates {\n   /**\n   * Returns a property delegate for a read/write property with a non-`null` value that is initialized not during\n   * object construction time but at a later time. Trying to read the property before the initial value has been\n   * assigned results in an exception.\n   *\n   * @sample samples.properties.Delegates.notNullDelegate\n   */\n   public fun <T : Any> notNull(): ReadWriteProperty<Any?, T> = NotNullVar()\n\n   /**\n   * Returns a property delegate for a read/write property that calls a specified callback function when changed.\n   * @param initialValue the initial value of the property.\n   * @param onChange the callback which is called after the change of the property is made. The value of the property\n   * has already been changed when this callback is invoked.\n   *\n   * @sample samples.properties.Delegates.observableDelegate\n   */\n   public inline fun <T> observable(initialValue: T, crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Unit):\n   ReadWriteProperty<Any?, T> =\n   object : ObservableProperty<T>(initialValue) {\n   override fun afterChange(property: KProperty<*>, oldValue: T, newValue: T) = onChange(property, oldValue, newValue)\n   }\n\n   /**\n   * Returns a property delegate for a read/write property that calls a specified callback function when changed,\n   * allowing the callback to veto the modification.\n   * @param initialValue the initial value of the property.\n   * @param onChange the callback which is called before a change to the property value is attempted.\n   * The value of the property hasn't been changed yet, when this callback is invoked.\n   * If the callback returns `true` the value of the property is being set to the new value,\n   * and if the callback returns `false` the new value is discarded and the property remains its old value.\n   *\n   * @sample

samples.properties.Delegates.vetoableDelegate\n * @sample samples.properties.Delegates.throwVetoableDelegate\n */\n public inline fun <T> vetoable(initialValue: T, crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Boolean):\n ReadWriteProperty<Any?, T> =\n object : ObservableProperty<T>(initialValue) {\n override fun beforeChange(property: KProperty<*>, oldValue: T, newValue: T): Boolean = onChange(property, oldValue, newValue)\n }\n\n}\n\n\nprivate class NotNullVar<T : Any>() : ReadWriteProperty<Any?, T> {\n private var value: T? = null\n\n public override fun getValue(thisRef: Any?, property: KProperty<*>): T {\n return value ?: throw IllegalStateException(\"Property ${property.name} should be initialized before get.\")\n }\n\n public override fun setValue(thisRef: Any?, property: KProperty<*>, value: T) {\n this.value = value\n }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n * Implements the core logic of a property delegate for a read/write property that calls callback functions when changed.\n * @param initialValue the initial value of the property.\n */\npublic abstract class ObservableProperty<T>(initialValue: T) : ReadWriteProperty<Any?, T> {\n private var value = initialValue\n\n /**\n * The callback which is called before a change to the property value is attempted.\n * The value of the property hasn't been changed yet, when this callback is invoked.\n * If the callback returns `true` the value of the property is being set to the new value,\n * and if the callback returns `false` the new value is discarded and the property remains its old value.\n */\n protected open fun beforeChange(property: KProperty<*>, oldValue: T, newValue: T): Boolean = true\n\n /**\n * The callback which is called after the change of the property is made. The value of the property\n * has already been changed when this callback is invoked.\n */\n protected open fun afterChange(property: KProperty<*>, oldValue: T, newValue: T): Unit {}\n\n public override fun getValue(thisRef: Any?, property: KProperty<*>): T {\n return value\n }\n\n public override fun setValue(thisRef: Any?, property: KProperty<*>, value: T) {\n val oldValue = this.value\n if (!beforeChange(property, oldValue, value)) {\n return\n }\n this.value = value\n afterChange(property, oldValue, value)\n }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"RangesKt\")\n\npackage kotlin.ranges\n\nimport kotlin.*\n\n/**\n * Represents a range of floating point numbers.\n * Extends [ClosedRange] interface providing custom operation [lessThanOrEquals] for comparing values of range domain type.\n *\n * This interface is implemented by floating point ranges returned by [Float.rangeTo] and [Double.rangeTo] operators to\n * achieve IEEE-754 comparison order instead of total order of floating point numbers.\n */\n@SinceKotlin(\"1.1\")\npublic interface ClosedFloatingPointRange<T : Comparable<T>> : ClosedRange<T> {\n override fun contains(value: T): Boolean = lessThanOrEquals(start, value) && lessThanOrEquals(value, endInclusive)\n override fun isEmpty(): Boolean = !lessThanOrEquals(start, endInclusive)\n\n /**\n * Compares two values of range domain type and returns true if first is less than or equal to second.\n */\n fun lessThanOrEquals(a: T, b: T): Boolean\n}\n\n/**\n * Represents a range of [Comparable] values.\n */\nprivate open class ComparableRange<T : Comparable<T>>(\n override val start: T,\n override val endInclusive: T\n) : ClosedRange<T> {\n\n override fun equals(other: Any?): Boolean {\n return other is ComparableRange<*> && (isEmpty() && other.isEmpty() ||\n start == other.start && endInclusive == other.endInclusive)\n }\n\n override fun hashCode(): Int {\n return if (isEmpty()) -1 else 31 * start.hashCode() + endInclusive.hashCode()\n }\n\n override fun toString(): String = \"$start..$endInclusive\"\n}\n\n/**\n * A closed range of values of type `Double`.\n *\n * Numbers are compared with the ends of this range according to IEEE-754.\n */\nprivate class ClosedDoubleRange(\n start: Double,\n endInclusive: Double\n) : ClosedFloatingPointRange<Double> {\n private val _start = start\n private val _endInclusive = endInclusive\n override val start: Double get() = _start\n override val endInclusive: Double get() = _endInclusive\n\n override fun lessThanOrEquals(a: Double, b:

Double): Boolean = a <= b\n\n   override fun contains(value: Double): Boolean = value >= _start && value <= _endInclusive\n   override fun isEmpty(): Boolean = !(_start <= _endInclusive)\n\n   override fun equals(other: Any?): Boolean {\n   return other is ClosedDoubleRange && (isEmpty() && other.isEmpty() ||\n   _start == other._start && _endInclusive == other._endInclusive)\n   }\n\n   override fun hashCode(): Int {\n   return if (isEmpty()) -1 else 31 * _start.hashCode() + _endInclusive.hashCode()\n   }\n\n   override fun toString(): String = \"$_start..$_endInclusive\"\n}\n\n\n/**\n * Creates a range from this [Comparable] value to the specified [that] value.\n *\n * This value needs to be smaller than [that] value, otherwise the returned range will be empty.\n * @sample samples.ranges.Ranges.rangeFromComparable\n */\npublic operator fun <T : Comparable<T>> T.rangeTo(that: T): ClosedRange<T> = ComparableRange(this, that)\n\n/**\n * Creates a range from this [Double] value to the specified [that] value.\n *\n * Numbers are compared with the ends of this range according to IEEE-754.\n * @sample samples.ranges.Ranges.rangeFromDouble\n */\n@SinceKotlin(\"1.1\")\npublic operator fun Double.rangeTo(that: Double): ClosedFloatingPointRange<Double> = ClosedDoubleRange(this, that)\n\n\ninternal fun checkStepIsPositive(isPositive: Boolean, step: Number) {\n   if (!isPositive) throw IllegalArgumentException(\"Step must be positive, was: $step.\")\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CharsKt\")\n\npackage kotlin.text\n\n/**\n * Concatenates this Char and a String.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun Char.plus(other: String): String = this.toString() + other\n\n/**\n * Returns `true` if this character is equal to the [other] character, optionally ignoring character case.\n *\n * @param ignoreCase `true` to ignore character case when comparing characters. By default `false`.\n *\n * Two characters are considered the same ignoring case if at least one of the following is `true`:\n *   - The two characters are the same (as compared by the == operator)\n *   - Applying the method [toUpperCase] to each character produces the same result\n *   - Applying the method [toLowerCase] to each character produces the same result\n */\npublic fun Char.equals(other: Char, ignoreCase: Boolean = false): Boolean {\n   if (this == other) return true\n   if (!ignoreCase) return false\n\n   if (this.toUpperCase() == other.toUpperCase()) return true\n   if (this.toLowerCase() == other.toLowerCase()) return true\n   return false\n}\n\n/**\n * Returns `true` if this character is a Unicode surrogate code unit.\n */\npublic fun Char.isSurrogate(): Boolean = this in Char.MIN_SURROGATE..Char.MAX_SURROGATE\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\n/**\n * Trims leading whitespace characters followed by [marginPrefix] from every line of a source string and removes\n * the first and the last lines if they are blank (notice difference blank vs empty).\n *\n * Doesn't affect a line if it doesn't contain [marginPrefix] except the first and the last blank lines.\n *\n * Doesn't preserve the original line endings.\n *\n * @param marginPrefix non-blank string, which is used as a margin delimiter. Default is `|` (pipe character).\n *\n * @sample samples.text.Strings.trimMargin\n * @see trimIndent\n * @see kotlin.text.isWhitespace\n */\npublic fun String.trimMargin(marginPrefix: String = \"|\"): String =\n   replaceIndentByMargin(\"\", marginPrefix)\n\n/**\n * Detects indent by [marginPrefix] as it does [trimMargin] and replace it with [newIndent].\n *\n * @param marginPrefix non-blank string, which is used as a margin delimiter. Default is `|` (pipe character).\n */\npublic fun String.replaceIndentByMargin(newIndent: String = \"\", marginPrefix: String = \"|\"): String {\n   require(marginPrefix.isNotBlank()) { \"marginPrefix must be non-blank string.\" }\n   val lines = lines()\n\n   return lines.reindent(length + newIndent.length * lines.size, getIndentFunction(newIndent), { line ->\n   val firstNonWhitespaceIndex = line.indexOfFirst { !it.isWhitespace() }\n\n   when {\n   firstNonWhitespaceIndex == -1 -> null\n   line.startsWith(marginPrefix, firstNonWhitespaceIndex) -> line.substring(firstNonWhitespaceIndex + marginPrefix.length)\n   else -> null\n   }\n   })\n}\n\n/**\n * Detects a common minimal indent of all the input lines, removes it from every line and also removes the first and the last\n * lines if they are blank (notice

difference blank vs empty).\n *\n * Note that blank lines do not affect the detected indent level.\n *\n * In case if there are non-blank lines with no leading whitespace characters (no indent at all) then the\n * common indent is 0, and therefore this function doesn't change the indentation.\n *\n * Doesn't preserve the original line endings.\n *\n * @sample samples.text.Strings.trimIndent\n * @see trimMargin\n * @see kotlin.text.isBlank\n */\npublic fun String.trimIndent(): String = replaceIndent(\"\")\n\n/**\n * Detects a common minimal indent like it does [trimIndent] and replaces it with the specified [newIndent].\n */\npublic fun String.replaceIndent(newIndent: String = \"\"): String {\n val lines = lines()\n\n val minCommonIndent = lines\n .filter(String::isNotBlank)\n .map(String::indentWidth)\n .min() ?: 0\n\n return lines.reindent(length + newIndent.length * lines.size, getIndentFunction(newIndent), { line -> line.drop(minCommonIndent) })\n}\n\n/**\n * Prepends [indent] to every line of the original string.\n *\n * Doesn't preserve the original line endings.\n */\npublic fun String.prependIndent(indent: String = \" \"): String =\n lineSequence()\n .map {\n when {\n it.isBlank() -> {\n when {\n it.length < indent.length -> indent\n else -> it\n }\n }\n else -> indent + it\n }\n }\n .joinToString(\"\\n\")\n\nprivate fun String.indentWidth(): Int = indexOfFirst { !it.isWhitespace() }.let { if (it == -1) length else it }\n\nprivate fun getIndentFunction(indent: String) = when {\n indent.isEmpty() -> { line: String -> line }\n else -> { line: String -> indent + line }\n}\n\nprivate inline fun List<String>.reindent(\n resultSizeEstimate: Int,\n indentAddFunction: (String) -> String,\n indentCutFunction: (String) -> String?\n): String {\n val lastIndex = lastIndex\n return mapIndexedNotNull { index, value ->\n if ((index == 0 || index == lastIndex) && value.isBlank())\n null\n else\n indentCutFunction(value)?.let(indentAddFunction) ?: value\n }\n .joinTo(StringBuilder(resultSizeEstimate), \"\\n\")\n .toString()\n}\n",null,"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Defines names for Unicode symbols used in proper Typography.\n */\npublic object Typography {\n /** The character " \u2013 quotation mark */\n public const val quote: Char = '\\u0022'\n /** The character $ \u2013 dollar sign */\n public const val dollar: Char = '\\u0024'\n /** The character & \u2013 ampersand */\n public const val amp: Char = '\\u0026'\n /** The character < \u2013 less-than sign */\n public const val less: Char = '\\u003C'\n /** The character > \u2013 greater-than sign */\n public const val greater: Char = '\\u003E'\n /** The non-breaking space character */\n public const val nbsp: Char = '\\u00A0'\n /** The character × */\n public const val times: Char = '\\u00D7'\n /** The character ¢ */\n public const val cent: Char = '\\u00A2'\n /** The character £ */\n public const val pound: Char = '\\u00A3'\n /** The character § */\n public const val section: Char = '\\u00A7'\n /** The character © */\n public const val copyright: Char = '\\u00A9'\n /** The character « */\n public const val leftGuillemete: Char = '\\u00AB'\n /** The character » */\n public const val rightGuillemete: Char = '\\u00BB'\n /** The character ® */\n public const val registered: Char = '\\u00AE'\n /** The character ° */\n public const val degree: Char = '\\u00B0'\n /** The character ± */\n public const val plusMinus: Char = '\\u00B1'\n /** The character ¶ */\n public const val paragraph: Char = '\\u00B6'\n /** The character · */\n public const val middleDot: Char = '\\u00B7'\n /** The character ½ */\n public const val half: Char = '\\u00BD'\n /** The character – */\n public const val ndash: Char = '\\u2013'\n /** The character — */\n public const val mdash: Char = '\\u2014'\n /** The character ‘ */\n public const val leftSingleQuote: Char = '\\u2018'\n /** The character ’ */\n public const val rightSingleQuote: Char = '\\u2019'\n /** The character ‚ */\n public const val lowSingleQuote: Char = '\\u201A'\n /** The character “ */\n public const val leftDoubleQuote: Char = '\\u201C'\n /** The character ” */\n public const val rightDoubleQuote: Char = '\\u201D'\n /** The character „ */\n public const val lowDoubleQuote: Char = '\\u201E'\n /** The character † */\n public const val dagger: Char = '\\u2020'\n /** The character ‡ */\n public const val doubleDagger: Char = '\\u2021'\n /** The character • */\n public const val bullet: Char = '\\u2022'\n /** The character … */\n public const val ellipsis: Char = '\\u2026'\n /** The character ′ */\n public const val prime: Char = '\\u2032'\n

/** The character ″ */\n public const val doublePrime: Char = '\\u2033'\n /** The character € */\n public const val euro: Char = '\\u20AC'\n /** The character ™ */\n public const val tm: Char = '\\u2122'\n /** The character ≈ */\n public const val almostEqual: Char = '\\u2248'\n /** The character ≠ */\n public const val notEqual: Char = '\\u2260'\n /** The character ≤ */\n public const val lessOrEqual: Char = '\\u2264'\n /** The character ≥ */\n public const val greaterOrEqual: Char = '\\u2265'\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Represents a collection of captured groups in a single match of a regular expression.\n *\n * This collection has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n *\n * An element of the collection at the particular index can be `null`,\n * if the corresponding group in the regular expression is optional and\n * there was no match captured by that group.\n */\npublic interface MatchGroupCollection : Collection<MatchGroup?> {\n\n /** Returns a group with the specified [index].\n *\n * @return An instance of [MatchGroup] if the group with the specified [index] was matched or `null` otherwise.\n *\n * Groups are indexed from 1 to the count of groups in the regular expression. A group with the index 0\n * corresponds to the entire match.\n */\n public operator fun get(index: Int): MatchGroup?\n}\n\n/**\n * Extends [MatchGroupCollection] by introducing a way to get matched groups by name, when regex supports it.\n */\n@SinceKotlin(\"1.1\")\npublic interface MatchNamedGroupCollection : MatchGroupCollection {\n /**\n * Returns a named group with the specified [name].\n * @return An instance of [MatchGroup] if the group with the specified [name] was matched or `null` otherwise.\n */\n public operator fun get(name: String): MatchGroup?\n}\n\n/**\n * Represents the results from a single regular expression match.\n */\npublic interface MatchResult {\n /** The range of indices in the original string where match was captured. */\n public val range: IntRange\n /** The substring from the input string captured by this match. */\n public val value: String\n /**\n * A collection of groups matched by the regular expression.\n *\n * This collection has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n */\n public val groups: MatchGroupCollection\n /**\n * A list of matched indexed group values.\n *\n * This list has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n *\n * If the group in the regular expression is optional and there were no match captured by that group,\n * corresponding item in [groupValues] is an empty string.\n *\n * @sample: samples.text.Regexps.matchDestructuringToGroupValues\n */\n public val groupValues: List<String>\n\n /**\n * An instance of [MatchResult.Destructured] wrapper providing components for destructuring assignment of group values.\n *\n * component1 corresponds to the value of the first group, component2 \u2014 of the second, and so on.\n *\n * @sample: samples.text.Regexps.matchDestructuring\n */\n public val destructured: Destructured get() = Destructured(this)\n\n /** Returns a new [MatchResult] with the results for the next match, starting at the position\n * at which the last match ended (at the character after the last matched character).\n */\n public fun next(): MatchResult?\n\n /**\n * Provides components for destructuring assignment of group values.\n *\n * [component1] corresponds to the value of the first group, [component2] \u2014 of the second, and so on.\n *\n * If the group in the regular expression is optional and there were no match captured by that group,\n * corresponding component value is an empty string.\n *\n * @sample: samples.text.Regexps.matchDestructuringToGroupValues\n */\n public class Destructured internal constructor(public val match: MatchResult) {\n @kotlin.internal.InlineOnly\n public operator inline fun component1(): String = match.groupValues[1]\n @kotlin.internal.InlineOnly\n public operator inline fun component2(): String = match.groupValues[2]\n @kotlin.internal.InlineOnly\n public operator inline fun component3(): String = match.groupValues[3]\n @kotlin.internal.InlineOnly\n public operator inline fun component4(): String = match.groupValues[4]\n @kotlin.internal.InlineOnly\n

public operator inline fun component5(): String = match.groupValues[5]\n @kotlin.internal.InlineOnly\n public operator inline fun component6(): String = match.groupValues[6]\n @kotlin.internal.InlineOnly\n public operator inline fun component7(): String = match.groupValues[7]\n @kotlin.internal.InlineOnly\n public operator inline fun component8(): String = match.groupValues[8]\n @kotlin.internal.InlineOnly\n public operator inline fun component9(): String = match.groupValues[9]\n @kotlin.internal.InlineOnly\n public operator inline fun component10(): String = match.groupValues[10]\n\n /**\n * Returns destructured group values as a list of strings.\n * First value in the returned list corresponds to the value of the first group, and so on.\n *\n * @sample: samples.text.Regexps.matchDestructuringToGroupValues\n */\n public fun toList(): List<String> = match.groupValues.subList(1, match.groupValues.size)\n }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n/**\n * Represents a version of the Kotlin standard library.\n *\n * [major], [minor] and [patch] are integer components of a version,\n * they must be non-negative and not greater than 255 ([MAX_COMPONENT_VALUE]).\n *\n * @constructor Creates a version from all three components.\n */\n@SinceKotlin(\"1.1\")\npublic class KotlinVersion(val major: Int, val minor: Int, val patch: Int) : Comparable<KotlinVersion> {\n /**\n * Creates a version from [major] and [minor] components, leaving [patch] component zero.\n */\n public constructor(major: Int, minor: Int) : this(major, minor, 0)\n\n private val version = versionOf(major, minor, patch)\n\n private fun versionOf(major: Int, minor: Int, patch: Int): Int {\n require(major in 0..MAX_COMPONENT_VALUE && minor in 0..MAX_COMPONENT_VALUE && patch in 0..MAX_COMPONENT_VALUE) {\n \"Version components are out of range: $major.$minor.$patch\"\n }\n return major.shl(16) + minor.shl(8) + patch\n }\n\n /**\n * Returns the string representation of this version\n */\n override fun toString(): String = \"$major.$minor.$patch\"\n\n override fun equals(other: Any?): Boolean {\n if (this === other) return true\n val otherVersion = (other as? KotlinVersion) ?: return false\n return this.version == otherVersion.version\n }\n\n override fun hashCode(): Int = version\n\n override fun compareTo(other: KotlinVersion): Int = version - other.version\n\n /**\n * Returns `true` if this version is not less than the version specified\n * with the provided [major] and [minor] components.\n */\n public fun isAtLeast(major: Int, minor: Int): Boolean = // this.version >= versionOf(major, minor, 0)\n this.major > major || (this.major == major &&\n this.minor >= minor)\n\n /**\n * Returns `true` if this version is not less than the version specified\n * with the provided [major], [minor] and [patch] components.\n */\n public fun isAtLeast(major: Int, minor: Int, patch: Int): Boolean = // this.version >= versionOf(major, minor, patch)\n this.major > major || (this.major == major &&\n (this.minor > minor || this.minor == minor &&\n this.patch >= patch))\n\n companion object {\n /**\n * Maximum value a version component can have, a constant value 255.\n */\n // NOTE: Must be placed before CURRENT because its initialization requires this field being initialized in JS\n public const val MAX_COMPONENT_VALUE = 255\n\n /**\n * Returns the current version of the Kotlin standard library.\n */\n @kotlin.jvm.JvmField\n public val CURRENT: KotlinVersion = KotlinVersion(1, 2, 51) // value is written here automatically during build\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"LateinitKt\")\n@file:Suppress(\"unused\")\n\npackage kotlin\n\nimport kotlin.internal.InlineOnly\nimport kotlin.internal.AccessibleLateinitPropertyLiteral\nimport kotlin.reflect.KProperty0\n\n/**\n * Returns `true` if this lateinit property has been assigned a value, and `false` otherwise.\n *\n * Cannot be used in an inline function, to avoid binary compatibility issues.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\ninline val @receiver:AccessibleLateinitPropertyLiteral KProperty0<*>.isInitialized: Boolean\n get() = throw NotImplementedError(\"Implementation is intrinsic\")\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"LazyKt\")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin\n\nimport

kotlin.reflect.KProperty\n\n/**\n * Represents a value with lazy initialization.\n *\n * To create an instance of [Lazy] use the [lazy] function.\n */\npublic interface Lazy<out T> {\n /**\n * Gets the lazily initialized value of the current Lazy instance.\n * Once the value was initialized it must not change during the rest of lifetime of this Lazy instance.\n */\n public val value: T\n\n /**\n * Returns `true` if a value for this Lazy instance has been already initialized, and `false` otherwise.\n * Once this function has returned `true` it stays `true` for the rest of lifetime of this Lazy instance.\n */\n public fun isInitialized(): Boolean\n}\n\n/**\n * Creates a new instance of the [Lazy] that is already initialized with the specified [value].\n */\npublic fun <T> lazyOf(value: T): Lazy<T> = InitializedLazyImpl(value)\n\n/**\n * An extension to delegate a read-only property of type [T] to an instance of [Lazy].\n *\n * This extension allows to use instances of Lazy for property delegation:\n * `val property: String by lazy { initializer }`\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Lazy<T>.getValue(thisRef: Any?, property: KProperty<*>): T = value\n\n/**\n * Specifies how a [Lazy] instance synchronizes initialization among multiple threads.\n */\npublic enum class LazyThreadSafetyMode {\n\n /**\n * Locks are used to ensure that only a single thread can initialize the [Lazy] instance.\n */\n SYNCHRONIZED,\n\n /**\n * Initializer function can be called several times on concurrent access to uninitialized [Lazy] instance value,\n * but only the first returned value will be used as the value of [Lazy] instance.\n */\n PUBLICATION,\n\n /**\n * No locks are used to synchronize an access to the [Lazy] instance value; if the instance is accessed from multiple threads, its behavior is undefined.\n *\n * This mode should not be used unless the [Lazy] instance is guaranteed never to be initialized from more than one thread.\n */\n NONE,\n}\n\n\ninternal object UNINITIALIZED_VALUE\n\n// internal to be called from lazy in JS\ninternal class UnsafeLazyImpl<out T>(initializer: () -> T) : Lazy<T>, Serializable {\n private var initializer: (() -> T)? = initializer\n private var _value: Any? = UNINITIALIZED_VALUE\n\n override val value: T\n get() {\n if (_value === UNINITIALIZED_VALUE) {\n _value = initializer!!()\n initializer = null\n }\n @Suppress(\"UNCHECKED_CAST\")\n return _value as T\n }\n\n override fun isInitialized(): Boolean = _value !== UNINITIALIZED_VALUE\n\n override fun toString(): String = if (isInitialized()) value.toString() else \"Lazy value not initialized yet.\"\n\n private fun writeReplace(): Any = InitializedLazyImpl(value)\n}\n\ninternal class InitializedLazyImpl<out T>(override val value: T) : Lazy<T>, Serializable {\n\n override fun isInitialized(): Boolean = true\n\n override fun toString(): String = value.toString()\n\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\nimport kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\n\n@kotlin.internal.InlineOnly\n@SinceKotlin(\"1.2\")\n@Suppress(\"INVISIBLE_MEMBER\", \"INVISIBLE_REFERENCE\")\n@RequireKotlin(\"1.2.30\", level = DeprecationLevel.HIDDEN, versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic inline fun <R> suspend(noinline block: suspend () -> R): suspend () -> R = block\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"TuplesKt\")\n\npackage kotlin\n\n\n/**\n * Represents a generic pair of two values.\n *\n * There is no meaning attached to values in this class, it can be used for any purpose.\n * Pair exhibits value semantics, i.e. two pairs are equal if both components are equal.\n *\n * An example of decomposing it into values:\n * @sample samples.misc.Tuples.pairDestructuring\n *\n * @param A type of the first value.\n * @param B type of the second value.\n * @property first First value.\n * @property second Second value.\n * @constructor Creates a new instance of Pair.\n */\npublic data class Pair<out A, out B>(\n public val first: A,\n public val second: B\n) : Serializable {\n\n /**\n * Returns string representation of the [Pair] including its [first] and [second] values.\n */\n public override fun toString(): String = \"($first, $second)\"\n}\n\n/**\n * Creates a tuple of type [Pair] from this and [that].\n *\n * This can be useful for creating [Map] literals with less noise, for example:\n * @sample samples.collections.Maps.Instantiation.mapFromPairs\n */\npublic infix fun <A, B> A.to(that: B): Pair<A, B> = Pair(this, that)\n\n/**\n * Converts this pair into a list.\n */\npublic fun <T> Pair<T, T>.toList(): List<T> = listOf(first, second)\n\n/**\n * Represents a triad of values\n *\n * There is no meaning attached to values in this

class, it can be used for any purpose.\n * Triple exhibits value semantics, i.e. two triples are equal if all three components are equal.\n * An example of decomposing it into values:\n * @sample samples.misc.Tuples.tripleDestructuring\n *\n * @param A type of the first value.\n * @param B type of the second value.\n * @param C type of the third value.\n * @property first First value.\n * @property second Second value.\n * @property third Third value.\n */\npublic data class Triple<out A, out B, out C>(\n   public val first: A,\n   public val second: B,\n   public val third: C\n) : Serializable {\n\n   /**\n   * Returns string representation of the [Triple] including its [first], [second] and [third] values.\n   */\n   public override fun toString(): String = \"($first, $second, $third)\"\n}\n\n/**\n * Converts this triple into a list.\n */\npublic fun <T> Triple<T, T, T>.toList(): List<T> = listOf(first, second, third)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"MathKt\")\n\n\npackage kotlin.math\n\n\n\n// constants, can't use them from nativeMath as they are not constants there\n\n/** Ratio of the circumference of a circle to its diameter, approximately 3.14159. */\n@SinceKotlin(\"1.2\")\npublic const val PI: Double = 3.141592653589793\n/** Base of the natural logarithms, approximately 2.71828. */\n@SinceKotlin(\"1.2\")\npublic
 const val E: Double = 2.718281828459045\n\n// ================ Double Math ==\n\n/** Computes the sine of the angle [x] given in radians.\n *\n * Special cases:\n *   - `sin(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sin(x: Double): Double\n\n/** Computes the cosine of the angle [x] given in radians.\n *\n * Special cases:\n *   - `cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun cos(x: Double): Double\n\n/** Computes the tangent of the angle [x] given in radians.\n *\n * Special cases:\n *   - `tan(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun tan(x: Double): Double\n\n/**\n * Computes the arc sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n *   - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun asin(x: Double): Double\n\n/**\n
 * Computes the arc cosine of the value [x];\n * the returned value is an angle in the range from `0.0` to `PI` radians.\n *\n * Special cases:\n *   - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun acos(x: Double): Double\n\n/**\n * Computes the arc tangent of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n *   - `atan(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atan(x: Double): Double\n\n/**\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\n * the returned value is an angle in the range from `-PI` to `PI` radians.\n *\n * Special cases:\n *   - `atan2(0.0, 0.0)` is `0.0`\n *   - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n *   - `atan2(-0.0, x)` is `-0.0` for 'x > 0' and `-PI` for `x < 0`\n *
    - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for '-Inf < y < 0`\n *    - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n *    - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\n *    - `atan2(+Inf, x)` is `PI/2` for finite `x`y\n *    - `atan2(-Inf, x)` is `-PI/2` for finite `x`\n *    - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atan2(y: Double, x: Double): Double\n\n/**\n * Computes the hyperbolic sine of the value [x].\n *\n * Special cases:\n *    - `sinh(NaN)` is `NaN`\n *    - `sinh(+Inf)` is `+Inf`\n *    - `sinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sinh(x: Double): Double\n\n/**\n * Computes the hyperbolic cosine of the value [x].\n *\n * Special cases:\n *    - `cosh(NaN)` is `NaN`\n *    - `cosh(+Inf|-Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun cosh(x: Double): Double\n\n/**\n * Computes the hyperbolic tangent of the value [x].\n *\n * Special
 cases:\n *   - `tanh(NaN)` is `NaN`\n *   - `tanh(+Inf)` is `1.0`\n *   - `tanh(-Inf)` is `-1.0`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun tanh(x: Double): Double\n\n/**\n * Computes the inverse hyperbolic sine of the value [x].\n *\n * The returned value is `y` such that `sinh(y) == x`.\n *\n * Special cases:\n *   - `asinh(NaN)` is `NaN`\n *   - `asinh(+Inf)` is `+Inf`\n *   - `asinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun asinh(x: Double): Double\n\n/**\n * Computes the inverse hyperbolic cosine of the value [x].\n *\n * The

returned value is positive `y` such that `cosh(y) == x`.\n *\n * Special cases:\n * - `acosh(NaN)` is `NaN`\n * - `acosh(x)` is `NaN` when `x < 1`\n * - `acosh(+Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun acosh(x: Double): Double\n\n/**\n * Computes the inverse hyperbolic tangent of the value [x].\n *\n * The returned value is `y` such that `tanh(y) == x`.\n *\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n * - `tanh(1.0)` is `+Inf`\n * - `tanh(-1.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atanh(x: Double): Double\n\n/**\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n *\n * Special cases:\n * - returns `+Inf` if any of arguments is infinite\n * - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n */\n@SinceKotlin(\"1.2\")\npublic expect fun hypot(x: Double, y: Double): Double\n\n/**\n * Computes the positive square root of the value [x].\n *\n * Special cases:\n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sqrt(x: Double): Double\n\n/**\n * Computes Euler's number `e` raised to the power of the value [x].\n *\n * Special cases:\n * - `exp(NaN)` is `NaN`\n * - `exp(+Inf)` is `+Inf`\n * - `exp(-Inf)` is `0.0`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun exp(x: Double): Double\n\n/**\n * Computes
 `exp(x) - 1`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `expm1(NaN)` is `NaN`\n * - `expm1(+Inf)` is `+Inf`\n * - `expm1(-Inf)` is `-1.0`\n *\n * @see [exp] function.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun expm1(x: Double): Double\n\n/**\n * Computes the logarithm of the value [x] to the given [base].\n *\n * Special cases:\n * - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\n * - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\n * - `log(+Inf, +Inf)` is `NaN`\n * - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\n * - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`\n *\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log(x: Double, base: Double): Double\n\n/**\n * Computes the natural logarithm (base `E`) of the value [x].\n *\n * Special cases:\n * - `ln(NaN)`
 is `NaN`\n * - `ln(x)` is `NaN` when `x < 0.0`\n * - `ln(+Inf)` is `+Inf`\n * - `ln(0.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ln(x: Double): Double\n\n/**\n * Computes the common logarithm (base 10) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log10(x: Double): Double\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log2(x: Double): Double\n\n/**\n * Computes `ln(x + 1)`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `ln1p(NaN)` is `NaN`\n * - `ln1p(x)` is `NaN` where `x < -1.0`\n * - `ln1p(-1.0)` is `-Inf`\n * - `ln1p(+Inf)` is `+Inf`\n *\n * @see [ln] function\n * @see [expm1] function\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ln1p(x: Double): Double\n\n/**\n * Rounds the given value [x] to an integer towards positive infinity.\n\n * @return the smallest double value that is greater than the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ceil(x: Double): Double\n\n/**\n * Rounds the given value [x] to an integer towards negative infinity.\n\n * @return the largest double value that is smaller than the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun floor(x: Double): Double\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n *\n * @return the value [x] having its fractional part truncated.\n *\n * Special cases:\n * - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic
 expect fun truncate(x: Double): Double\n\n/**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n *\n * Special cases:\n * - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun round(x: Double): Double\n\n/**\n * Returns the absolute value of the given value [x].\n *\n * Special cases:\n * - `abs(NaN)` is `NaN`\n *\n * @see absoluteValue extension property for [Double]\n */\n@SinceKotlin(\"1.2\")\npublic expect fun abs(x: Double): Double\n\n/**\n * Returns the sign of the given value [x]:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `sign(NaN)` is `NaN`\n

*/\n@SinceKotlin(\"1.2\")\npublic expect fun sign(x: Double): Double\n\n\n/**\n * Returns the smaller of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun min(a: Double, b: Double): Double\n\n/**\n * Returns the greater of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun max(a: Double, b: Double): Double\n\n// extensions\n\n/**\n * Raises this value to the power [x].\n *\n * Special cases:\n * - `b.pow(0.0)` is `1.0`\n * - `b.pow(1.0) == b`\n * - `b.pow(NaN)` is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.pow(x: Double): Double\n\n/**\n * Raises this value to the integer power [n].\n *\n * See the other overload of [pow] for details.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.pow(n: Int): Double\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `NaN.absoluteValue` is `NaN`\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\npublic expect val Double.absoluteValue: Double\n\n/**\n * Returns the sign of this value:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `NaN.sign` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect val Double.sign: Double\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n *\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.withSign(sign: Double): Double\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.withSign(sign: Int): Double\n\n/**\n * Returns the ulp (unit in the last place) of this value.\n *\n * An ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.\n *\n * Special Cases:\n * - `NaN.ulp` is `NaN`\n * - `x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`\n * - `0.0.ulp` is `Double.MIN_VALUE`\n */\n@SinceKotlin(\"1.2\")\npublic expect val Double.ulp: Double\n\n/**\n * Returns the [Double] value nearest to this value in direction of positive infinity.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.nextUp(): Double\n\n/**\n * Returns the [Double] value nearest to this value in direction of negative infinity.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.nextDown(): Double\n\n/**\n * Returns the [Double] value nearest to this value in direction from this value towards the value [to].\n *\n * Special cases:\n * - `x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`\n * - `x.nextTowards(x) == x`\n *\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.nextTowards(to: Double): Double\n\n/**\n * Rounds this [Double] value to the nearest integer and converts the result to [Int].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.roundToInt(): Int\n\n/**\n * Rounds this [Double] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.roundToLong(): Long\n\n\n\n// ================ Float Math ==\n\n/** Computes the sine of the angle [x] given in radians.\n *\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sin(x: Float): Float\n\n/** Computes the cosine of the angle [x] given in radians.\n *\n * Special cases:\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun cos(x: Float): Float\n\n/** Computes the tangent of the angle [x] given in radians.\n *\n * Special cases:\n * - `tan(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun tan(x: Float): Float\n\n/**\n * Computes the arc sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun asin(x: Float): Float\n\n/**\n * Computes the arc cosine of the value [x];\n * the returned value is an angle in the range from `0.0` to `PI` radians.\n *\n * Special cases:\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun acos(x: Float): Float\n\n/**\n * Computes the arc tangent of the value [x];\n * the returned value is an angle in the

range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `atan(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atan(x: Float): Float\n\n/**\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\n * the returned value is an angle in the range from `-PI` to `PI` radians.\n *\n * Special cases:\n * - `atan2(0.0, 0.0)` is `0.0`\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n * - `atan2(-0.0, x)` is `-0.0` for 'x > 0` and `-PI` for `x < 0`\n *  - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for '-Inf < y < 0`\n * - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n * - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\n * - `atan2(+Inf, x)` is `PI/2` for finite `x`y\n * - `atan2(-Inf, x)` is `-PI/2` for finite `x`\n * - `atan2(NaN, x)` and `atan2(y, NaN)` is
`NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atan2(y: Float, x: Float): Float\n\n/**\n * Computes the hyperbolic sine of the value [x].\n *\n * Special cases:\n * - `sinh(NaN)` is `NaN`\n * - `sinh(+Inf)` is `+Inf`\n * - `sinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sinh(x: Float): Float\n\n/**\n * Computes the hyperbolic cosine of the value [x].\n *\n * Special cases:\n * - `cosh(NaN)` is `NaN`\n * - `cosh(+Inf|-Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun cosh(x: Float): Float\n\n/**\n * Computes the hyperbolic tangent of the value [x].\n *\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(+Inf)` is `1.0`\n * - `tanh(-Inf)` is `-1.0`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun tanh(x: Float): Float\n\n/**\n * Computes the inverse hyperbolic sine of the value [x].\n *\n * The returned value is `y` such that `sinh(y) == x`.\n *\n * Special cases:\n * - `asinh(NaN)` is `NaN`\n * - `asinh(+Inf)` is `+Inf`\n
 * - `asinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun asinh(x: Float): Float\n\n/**\n * Computes the inverse hyperbolic cosine of the value [x].\n *\n * The returned value is positive `y` such that `cosh(y) == x`.\n *\n * Special cases:\n * - `acosh(NaN)` is `NaN`\n * - `acosh(x)` is `NaN` when `x < 1`\n * - `acosh(+Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun acosh(x: Float): Float\n\n/**\n * Computes the inverse hyperbolic tangent of the value [x].\n *\n * The returned value is `y` such that `tanh(y) == x`.\n *\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n * - `tanh(1.0)` is `+Inf`\n * - `tanh(-1.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atanh(x: Float): Float\n\n/**\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n *\n * Special cases:\n * - returns `+Inf` if any of arguments is infinite\n * - returns `NaN` if any of arguments
 is `NaN` and the other is not infinite\n */\n@SinceKotlin(\"1.2\")\npublic expect fun hypot(x: Float, y: Float): Float\n\n/**\n * Computes the positive square root of the value [x].\n *\n * Special cases:\n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sqrt(x: Float): Float\n\n/**\n * Computes Euler's number `e` raised to the power of the value [x].\n *\n * Special cases:\n * - `exp(NaN)` is `NaN`\n * - `exp(+Inf)` is `+Inf`\n * - `exp(-Inf)` is `0.0`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun exp(x: Float): Float\n\n/**\n * Computes `exp(x) - 1`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `expm1(NaN)` is `NaN`\n * - `expm1(+Inf)` is `+Inf`\n * - `expm1(-Inf)` is `-1.0`\n *\n * @see [exp] function.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun expm1(x: Float): Float\n\n/**\n * Computes the logarithm of the value [x] to the given [base].\n
 *\n * Special cases:\n * - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\n * - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\n * - `log(+Inf, +Inf)` is `NaN`\n * - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\n * - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`\n *\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log(x: Float, base: Float): Float\n\n/**\n * Computes the natural logarithm (base `E`) of the value [x].\n *\n * Special cases:\n * - `ln(NaN)` is `NaN`\n * - `ln(x)` is `NaN` when `x < 0.0`\n * - `ln(+Inf)` is `+Inf`\n * - `ln(0.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ln(x: Float): Float\n\n/**\n * Computes the common logarithm (base 10) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log10(x: Float): Float\n\n/**\n * Computes the binary logarithm (base
 2) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log2(x: Float): Float\n\n/**\n * Computes `ln(a + 1)`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `ln1p(NaN)` is `NaN`\n * - `ln1p(x)` is `NaN` where `x

< -1.0`\n *  - `ln1p(-1.0)` is `-Inf`\n *  - `ln1p(+Inf)` is `+Inf`\n *\n * @see [ln] function\n * @see [expm1] function\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ln1p(x: Float): Float\n\n/**\n * Rounds the given value [x] to an integer towards positive infinity.\n\n * @return the smallest Float value that is greater than the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ceil(x: Float): Float\n\n/**\n * Rounds the given value [x] to an integer towards negative infinity.\n\n
 * @return the largest Float value that is smaller than the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun floor(x: Float): Float\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n *\n * @return the value [x] having its fractional part truncated.\n *\n * Special cases:\n * - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun truncate(x: Float): Float\n\n/**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n *\n * Special cases:\n * - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun round(x: Float): Float\n\n\n/**\n * Returns the absolute value of the given value [x].\n
 *\n * Special cases:\n * - `abs(NaN)` is `NaN`\n *\n * @see absoluteValue extension property for [Float]\n */\n@SinceKotlin(\"1.2\")\npublic expect fun abs(x: Float): Float\n\n/**\n * Returns the sign of the given value [x]:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `sign(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sign(x: Float): Float\n\n\n\n/**\n * Returns the smaller of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun min(a: Float, b: Float): Float\n\n/**\n * Returns the greater of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun max(a: Float, b: Float): Float\n\n// extensions\n\n\n\n/**\n * Raises this value to the power [x].\n *\n * Special cases:\n * - `b.pow(0.0)` is `1.0`\n * - `b.pow(1.0) == b`\n * - `b.pow(NaN)`
 is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.pow(x: Float): Float\n\n/**\n * Raises this value to the integer power [n].\n *\n * See the other overload of [pow] for details.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.pow(n: Int): Float\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `NaN.absoluteValue` is `NaN`\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\npublic expect val Float.absoluteValue: Float\n\n/**\n * Returns the sign of this value:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `NaN.sign` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect val Float.sign: Float\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n
 *\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.withSign(sign: Float): Float\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.withSign(sign: Int): Float\n\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Int].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.roundToInt(): Int\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong()
 == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.roundToLong(): Long\n\n\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n *  - `abs(Int.MIN_VALUE)` is `Int.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension property for [Int]\n */\n@SinceKotlin(\"1.2\")\npublic expect fun abs(n: Int): Int\n\n/**\n * Returns the smaller of two values.\n

*/\n@SinceKotlin(\"1.2\")\npublic expect fun min(a: Int, b: Int): Int\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun max(a: Int, b: Int): Int\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\npublic expect val Int.absoluteValue: Int\n\n/**\n * Returns the sign of this value:\n *
 - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n */\n@SinceKotlin(\"1.2\")\npublic expect val Int.sign: Int\n\n\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n * - `abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension property for [Long]\n */\n@SinceKotlin(\"1.2\")\npublic expect fun abs(n: Long): Long\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun min(a: Long, b: Long): Long\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun max(a: Long, b: Long): Long\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\npublic expect val Long.absoluteValue: Long\n\n/**\n * Returns the sign of this value:\n * - `-1` if
 the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n */\n@SinceKotlin(\"1.2\")\npublic expect val Long.sign: Int\n\n\n\n\n\"],\"names\":[],\"mappings\":\"AAWC,0B;EAVG,IAAI,OAAO,MAAO,KAAI,UAAW,IAAG,MAAM,IAA1C,C;IACI,MAAM,CAAC,QAAD,EAAW,CAAC,SAAD,CAAX,EAAwB,OAAxB,C;;QAEL,IAAI,OAAO,OAAQ,KAAI,QAAvB,C;IACD,OAAO,CAAC,MAAM,QAAP,C;;IAGP,IAAI,OAAQ,GAAE,E;IACd,OAAO,CAAC,IAAI,OAAL,C;;AAEf,CAAC,CAAD,EAAI,IAAG,CAAH,EAAM,CAAN,CAAJ,C;EACG,IAAI,IAAG,M;ECPZ,IAAI,IAAG,M;EAQH

D,OAAO,K;;;IAGf,OAAO,I;EACX,C;EAEA,MAAM,cAAe,kB;IACjB,IAAI,SAAS,C;IACb,KAAK,IAAI,IAAI,C
AAR,EAAW,IAAI,GAAG,OAAvB,EAAgC,CAAE,GAAE,CAApC,EAAuC,CAAC,EAAxC,C;MACI,MAAO,GA
AqB,CAAjB,EAAG,GAAE,MAAO,GAAE,CAAG,IAAE,MAAM,SAAS,CAAC,GAAG,CAAC,CAAD,CAAJ,CA
AU,GAAE,C;;IAE7D,OAAO,M;EACX,C;EAEA,MAAM,kBAAmB,kB;IACrB,IAAI,SAAS,C;IACb,KAAK,IAAI,
IAAI,CAAR,EAAW,IAAI,GAAG,OAAvB,EAAgC,CAAE,GAAE,CAApC,EAAuC,CAAC,EAAxC,C;MACI,IAAI
,IAAI,GAAG,CAAC,CAAD,C;MACX,MAAO,GAAqB,CAAjB,EAAG,GAAE,MAAO,GAAE,CAAG,KAAG,MA
AM,WAAW,CAAC,CAAD,CAAI,GAAE,MAAM,kBAAkB,CAAC,CAAD,CAA1B,GAAgC,MAAM,SAAS,CAA
C,CAAD,CAAvE,CAA6E,GAAE,C;;IAE//G,OAAO,M;EACX,C;EAEA,MAAM,mBAAoB,oB;IACtB,KAAK,KAA
K,CAAC,MAAM,gBAAP,C;ECd,C;ECrHA,MAAM,eAAgB,sB;IAClB,CAAC,aAAc,GAAE,I;IACjB,OAAO,C;E
ACX,C;EAEA,MAAM,uBAAwB,+C;IAC1B,MAAM,IAAK,GAAE,M;IACb,MAAM,IAAK,GAAE,M;IACb,MAA
M,aAAc,GAAE,I;IACtB,OAAO,mBAAmB,CAAC,MAAD,EAAS,MAAT,EAAiB,6BAA6B,CAAC,UAAD,CAA9
C,C;EAC9B,C;;IAGI,GAAG,WAAY,GAAE,sBAAsB,CAAC,OAAO,MAAO,KAAI,UAAW,GAAE,KAAK,QAAP
,GAAkB,KAAK,UAArD,C;IACvC,GAAG,YAAa,GAAE,G;IAClB,OAAO,G;EACX,C;EAEA,IAAI,gCAAgC,CA
ChC,UACa,QAAS,IAAT,oC;IACL,OAAO,MAAM,OAAO,QAAQ,kB;EAAmB,CAD1C,CADb,aAIe,QAAS,IAAT
,oC;IACP,OAAO,MAAM,OAAO,QAAQ,W;EAAY,CADjC,CAJf,CADgC,EAShC,UACa,QAAS,IAAT,oC;IACL,
OAAO,MAAM,OAAO,QAAQ,kB;EAAmB,CAD1C,CADb,aAIe,QAAS,IAAT,oC;IACP,OAAO,MAAM,OAAO,Q
AAQ,W;EAAY,CADjC,CAJf,CADgC,EAShC,UACa,QAAS,IAAT,oC;IACL,

MACI,IAAI,OAAQ,GAAG,WAAW,CAAC,CAAD,C;MAC1B,IAAM,GAAG,IAAK,GAAE,EAAG,GAAE,IAAM,GAAE,C;;IAEjC,OAAO,I;EACX,C;EAEA,MAAM,iBAAkB,GAAE,iB;EC9C1B,MAAM,KAAM,wB;IAKV,IAAI,KAAM,GAAE,GAAI,GAAE,C;IAMlB,IAAI,MAAO,GAAE,IAAK,GAAE,C;EACtB,C;EAEA,MAAM,KAAK,WAAY,GAAE,OACf,OADe,cAET,MAFS,cAGV,EAHU,C;EAGzB,MAAM,KAAK,UAAW,GAAE,E;EAQxB,MAAM,KAAK,QAAS,oB;IAClB,IAAI,IAAK,IAAG,KAAM,IAAG,KAAM,GAAE,GAA7B,C;MACE,IAAI,YAAY,MAAM,KAAK,UAAU,CAAC,KAAD,C;MACrC,IAAI,SAAJ,C;QACE,QACE,OAAO,S;;;IAIX,IAAI,MAAM,IAAI,MAAM,KAAK,WAAW,oB;IAClC,IAAI,IAAK,IAAG,KAAM,IAAG,KAAM,GAAE,GAA7B,C;MACE,IAAI,YAAY,MAAM,KAAK,UAAU,CAAC,KAAD,C;MACrC,IAAI,SAAJ,C;QACE,QACE,OAAO,G;EAIb,C;EAEA,MAAM,KAAK,SAAU,G;EACnB

WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,CAAR,CAAT,C;IAEzC,IAAI,MAAM,I;IACV,IAAI,SAAS,E;IACb,OAAO,IAAP,C;MACE,IAAI,SAAS,GAAG,IAAI,CAAC,YAAD,C;MACpB,IAAI,SAAS,GAAG,SAAS,CAAC,MAAM,SAAS,CAAC,YAAD,CAAhB,B,CAAA+B,MAAM,E;MAC9D,IAAI,SAAS,MAAM,IAAI,SAAS,MAAM,SAAS,CAAC,KAAD,C;MAE5E,GAAG,IAAI,CAAC,IAAI,CAAC,IAAI,CAAC

AO,KAAI,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,IAAI,MAAM,IAAI,KAAM,KAAI,E;IACxB,IA
AI,MAAM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KAAK,MAAO,KAAI,E;IAC1B,IAAI,MAAM,KAAK,M
AAO,GAAE,K;IACxB,IAAI,MAAM,KAAK,KAAM,KAAI,E;IACzB,IAAI,MAAM,KAAK,KAAM,GAAE,K;IAE
vB,IAAI,MAAM,CAAV,EAAa,MAAM,CAAnB,EAAsB,MAAM,CAA5B,EA+B,MAAM,C;IACrC,GAAI,IAAG
,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IAC
b,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI
,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI
,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAA
I,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAA
E,GAAI,GAAE,GAAI,GAAE,GAAI,GAAE,GAAI,GAAE,GAAI,GAAE,GAAI,GAAE,G;IACjD,GAAI,IAAG,K;I
ACP,OAAO,MAAM,KAAK,SAAS,CAAE,GAAI,IAAG,EAAI,GAAE,GAAf,EAAqB,GAAI,IAAG,EAAI,GAAE,
GAAlC,C;EAC7B,C;EAQA,MAAM,KAAK,UAAU,IAAK,oB;IACxB,IAAI,KAAK,OAAO,EAAhB,C;MACE,MA
AM,KAAK,CAAC,kBAAD,C;;UACN,IAAI,IAAI,OAAO,EAAf,C;MACL,OAAO,MAAM,KAAK,K;;IAGpB,IAA
I,IAAI,WAAW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;MACE,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,IA
AZ,CAAkB,IAAlC,KAAK,WAAW,CAAC,MAAM,KAAK,QAAZ,CAAD,pB,C;QAEE,OAAO,MAAM,KAAK,U;;Y
ACb,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAAD,pB,C;QACL,OAAO,MAAM,KAAK,I;;;QAGlB,IA
AI,WAAW,IAAI,WAAW,CAAC,CAAD,C;QAC9B,IAAI,SAAS,QAAQ,IAAI,CAAC,KAAD,C,CAAO,CAAO,UAAU,CAA
C,CAAD,C;QAC1C,IAAI,MAAM,WAAW,CAAC,MAAM,KAAK,KAAZ,CAAD,rB,C;UACE,OAAO,KAAK,WAA
W,EAAG,GAAE,MAAM,KAAK,IAAb,GAAoB,MAAM,KAAK,Q;;;UAEzD,IAAI,MAAM,IAAI,SAAS,CAAC,K
AAK,SAAS,CAAC,MAAD,CAAf,C;UACvB,IAAI,SAAS,MAAM,IAAI,CAAC,GAAG,IAAI,CAAC,KAAD,CAAR,C;UACvB,OAAO,M;;;;UAGN,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAAD,pB,C;MACL,OAAO,MAAM,KAAK,K;;IAGpB,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,KAAK,WAAW,EAAE,pB,C;QACE,OAAO,IAAI,OAAO,EAAE,IAAI,CAAC,KAAD,CAAO,OAAO,E;;;QAEnD,IAAI,KAAK,WAAW,EAAE,pB,C;MACL,OAAO,IAAI,IAAI,CAAC,KAAK,OAAO,IAAI,CAAC,KAAD,CAAO,OAAO,E;;;UAEnD,IAAI,MAAM,WAAW,EAAE,pB,C;MACL,OAAO,IAAI,IAAI,CAAC,KAAK,OAAO,IAAI,CAAC,KAAD,CAAO,OAAO,E;;IAEnD,IAAI,MAAM,IAAI,SAAS,CAAC,MAAM,KAAK,IAAZ,CAAD,C;MACE,OAAO,MAAM,KAAK,IAAI,CAAC,GAAG,IAAI,CAAC,KAAD,CAAR,C

AAG,OAFe,C;;;QAI3B,OAAO,MAAM,KAAK,SAAS,CACvB,IAAK,IAAI,OAAQ,GAAE,EADI,EAEvB,IAAK,IAAG,CAAE,GAAE,CAAF,GAAM,EAFO,C;;;EAKjC,C;EAUA,MAAM,KAAK,UAAU,mBAAoB,sB;IACvC,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAf,C;MACE,OAAO,I;;;MAEP,IAAI,OAAO,IAAI,M;MACf,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,MAAM,IAAI,K;QACd,OAAO,MAAM,KAAK,SAAS,CACtB,GAAI,IAAK,IAAI,EAAG,GAAE,OADZ,EAEvB,IAAK,KAAI,OAFc,C;;YAGtB,IAAI,OAAQ,IAAG,EAAf,C;QACL,OAAO,MAAM,KAAK,SAAS,CAAC,IAAD,EAAO,OAAO,MAAM,KAAK,SAAS,CAAC,IAAK,KAAK,OAAQ,GAAE,EAAG,GAAE,EAAE,C;;QAE3B,OAAO,MAAM,KAAK,SAAS,CAAC,IAAK,KAAK,OAAQ,GAAE,EAAG,oB;IACzE,OAAO,MAAM,YAAW,MAAM,KAAM,IAAG,IAAI,WAAW,CAAC,KAAD,C;EAC1D,C;EAEA,MAAM,KAAK,UAAU,gBAAiB,IAAI,MAAM,KAAK,UAAU,Q;EAE7D,MAAM,KAAK,UAAU,IAAK,e;IACtB,OAAO,IAAI,IAAI,CAAC,MAAM,KAAK,SAAS,CAAC,IAAK,KAAK,UAAU,IAAK,e;IACtB,OAAO,IAAI,IAAI,CAAC,MAAM,KAAK,SAAS,CAAC,QAAS,C;EACnB,B,C;EAEA,MAAM,KAAK,UAAU,QAAS,e;IAC1B,B,OAAO,IAAI,IAAI,CAAC,MAAM,KAAK,SAAS,CAAC,UAAW,UAAW,e;IAC5B,B,OAAO,I;EACxC,C;EAEA,MAAM,KAAK,UAAU,UAAW,WAAY,GAAE,EAAE,MAAM,KAAK,UAAU,UAAW,I;EAEjD,D,MAAM,KAAK,UAAU,IAAK,GAAE,EAAE,MAAM,KAAK,UAAU,I;EAEjD,D,MAAM,KAAK,UAAU,QAAS,oB;IAC1B,B,OAAO,IAAI,IAAI,MAAM,OAAO,OAAO,UAAW,xB,CAAyB,MAAM,IAAI,C,EAAE,MAAM,IAAI,C,EAAE,MAAM,KAAK,MAAM,KAAK,MAAM,KAAK

A,MAAM,YAAa,oB;MACf,OAAO,MAAM,eAAe,CAAC,KAAK,CAAC,KAAD,CAAQ,GAAE,GAAF,GAAQ,KA
AtB,C;IAChC,C;IAEA,MAAM,eAAgB,oB;MAClB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MAChB,OAAO,QAA
Q,CAAC,CAAD,C;IACnB,C;IAEA,MAAM,cAAe,oB;MACjB,QAAQ,CAAC,CAAD,CAAI,GAAE,K;MACd,OA
AO,UAAU,CAAC,CAAD,C;IACrB,C;IAGA,MAAM,cAAe,oB;MACjB,UAAU,CAAC,CAAD,CAAI,GAAE,K;M
AChB,OAAO,QAAQ,CAAC,SAAD,CAAY,GAAE,a;IACjC,C;IAEA,MAAM,eAAgB,kB;MAClB,IAAc,CAAT,G
AAI,GAAE,CAAG,MAAI,GAAlB,C;QACI,OAAO,GAAI,GAAE,C;;;QAGb,UAAU,CAAC,CAAD,CAAI,GAAE,
G;QAChB,OAAsC,CAA9B,QAAQ,CAAC,SAAD,CAAY,GAAE,EAAG,GAAE,CAAG,IAAE,QAAQ,CAAC,QA
AD,CAAW,GAAE,C;;IAErE,C;EACJ,CAAE,G;EAEF,MAAM,cAAe,gB;IACjB,OAAO,CAAE,IAAG,GAAE,IAAG,K,GAAE
,CAAF,GAAM,MAAM,SAAS,E;EAC1C,C;EC9GA,IAAI,OAAO,MAAM,UAAU,WAAY,KAAI,WA3C,C;IAC
I,MAAM,UAAU,WAAY,qC;MACxB,QAAS,GAAE,QAAS,IAAG,C;MACvB,OAAO,IAAI,YAAY,CAAC,YAAD
,EAAe,QAAf,CAAyB,KAAI,Q;IACxD,C;;EAEJ,IAAI,OAAO,MAAM,UAAU,SAAU,KAAI,WAAzC,C;IACI,MA
AM,UAAU,SAAU,qC;MACtB,IAAI,gBAAgB,IAAI,SAAS,E;MACjC,IAAI,QAAS,KAAI,SAAU,IAAG,QAAS,G
AAE,aAAa,OAAtD,C;QACI,QAAS,GAAE,aAAa,O;;MAE5B,QAAS,IAAG,YAAY,O;MACxB,IAAI,YAAY,aAA
a,QAAQ,CAAC,YAAD,EAAe,QAAf,C;MACrC,OAAO,SAAU,KAAI,EAAG,IAAG,SAAU,KAAI,Q;IAC7C,C;;E
AGJ,IAAI,OAAO,IAAI,KAAM,KAAI,WAAzB,C;IACI,IAAI,KAAM,gB;MACN,QAAS,IAAG,CAAE,IAAG,K
AAE,CAAC,C;MACL,IAAI,CAAE,KAAI,CAAE,IAAG,KAAK,CAAC,CAAD,CAAI,C;QACI,OAAO,MAAM,CAAC,CAAD,C;;MAEj
B,OAAO,CAAE,GAAE,CAAE,GAAE,CAAF,GAAM,E;IACvB,C;;EAEJ,IAAI,OAAO,IAAI,MAAO,KAAI,WA
1B,C;IACI,IAAI,MAAO,gB;MACP,IAAI,KAAK,CAAC,CAAD,CAAI,C;QACI,OAAO,G;;MAEX,IAAI,CAAE,GAAE,CAAR,C;;MAEErB,OAAO,IAAI,MAAM,CAAC,CAAD,C;;MAEnB,IAAI,KAAK,CAAC,CAAD,CAAI,C;IACpB,C;;EAsKF,a;IAlKE,IAAI,UAAU,qB;IACd,IAAI,iBAAiB,IAAI,KAAK,CAAC,CAAD,C;IAC9B,IAAI,iBAAiB,I
AAI,KAAK,CAAC,cAAD,C;IAC9B,IAAI,uBAAuB,CAAC,GAAC,c;IAC7B,IAAI,uBAAuB,CAAC,GAAC,c;IAE
7B,IAAI,OAAO,IAAI,KAAM,KAAI,WAAzB,C;IACI,IAAI,KAAM,gB;QACN,IAAI,KAAM,IAAG,CAAE,GAAE,CAAE,GAAE,CAAE,GAAE,CAAC,CAAD,CAAI,GAAE,K;QACpB,OAAO

T,C;YAEI,IAAI,KAAK,CAAE,GAAE,CAAE,GAAE,C;YAEjB,MAAO,IAAG,EAAG,GAAE,E;;UAGnB,OAAO,IAAI,KAAK,CAAC,CAAD,CAAI,GAAE,M;;MAE9B,C;;IAEJ,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,gB;QACP,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAlB,C;UACI,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAlB,C;YACI,MAAO,IAAI,CAAE,GAAE,CAAE,GAAE,CAAG,GAAE,CAAG,GAAE,C;;UAE5B,OAAO,M;;QAEX,OAAO,IAAI,IAAI,CAAS,CAAP,CAAE,GAAE,CAAG,KAAG,CAAE,GAAE,CAAE,GAAE,C;;IAEnC,IAAI,MAAO,gB;QACP,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAlB,C;UACI,IAAI,KAAK,CAAE,GAAE,C;UACb,IAAI,KAAK,EAAG,GAAE,C;UACd,IAAI,KAAK,EAAG,GAAE,C;UACd,OAAQ,CAAC,EAAG,GAAE,CAAE,GAAE,C;;QAEtB,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,CAAE,GAAE,CAAE,GAAE,C;;QAE7B

,IAAG,IAA5D,C;MACI,kBAAkB,IAAI,KAAK,CAAC,UAAD,EAAa,KAAb,C;MAC3B,M;;IAGJ,kBAAmB,GAAA
E,MAAM,yBAAyB,CAAC,UAAD,EAAa,YAAb,C;IACpD,IAAI,kBAAmB,IAAG,IAAK,IAAG,OAAQ,IAAG,kB
AA7C,C;MACI,UAAU,CAAC,YAAD,CAAe,GAAE,K;MAC3B,M;;IAGJ,MAAM,WAAW,CAAC,UAAD,EAAa,
MAAM,eAAe,CAAC,KAAD,CAAlC,EAA2C,YAA3C,EAAyD,KAAzD,C;EACrB,C;;IAGI,IAAI,IAAK,KAAI,KA
Ab,C;MAAoB,OAAO,I;IAE3B,IAAI,WAAW,IAAI,W;IACnB,IAAI,QAAS,IAAG,IAAhB,C;MACI,IAAI,aAAa,Q
AAQ,W;MACzB,KAAK,IAAI,IAAI,CAAb,EAAgB,CAAE,GAAE,UAAU,OAA9B,EAAuC,CAAC,EAAxC,C;QA
CI,IAAI,0BAA0B,CAAC,UAAU,CAAC,CAAD,CAAX,EAAgB,KAAhB,CAA9B,C;UACI,OAAO,I;;;;IAKnB,IAA
I,iBAAiB,IAAI,UAAW,IAAG,IAAK,GAAE,MAAM,eAAe,CAAC,IAAI,UAAL,CAAvB,C;IACtF,IAAI,m
BAAmB,cAAe,IAAG,IAAK,GAAE,cAAc,YAAhB,C;GAA+B,I;IAC7E,OAAO,gBAAiB,IAAG,IAAK,IAAG,0BAA0
B,CAAC,gBAAD,EAAmB,KAAnB,C;EACjE,C;EAQA,MAAM,OAAQ,4B;IACV,IAAI,KAAM,KAAI,MAAd,C;
MACI,QAAQ,OAAO,MAAf,C;aACS,Q;aACA,Q;aACA,S;aACA,U;UACD,OAAO,I;gBAEP,OAAO,MAAO,YAA
W,M;;;IAIrC,IAAI,MAAO,IAAG,IAAK,IAAG,KAAM,IAAG,KAAI,OAAO,MAAO,KAAI,QAAS,IAAG,O
AAO,MAAO,KAAI,UAApD,CAAqC,C;MACI,OAAO,K;;IAGX,IAAI,OAAO,KAAM,KAAI,UAAW,IAAG,MAA
O,YAAW,KAArD,C;MACI,OAAO,I;;IAGX,IAAI,QAAQ,MAAM,eAAe,CAAC,KAAD,C;IACjC,IAAI,cAAc,KA
AM,IAAG,IAAK,GAAE,KAAK,YAAP,GAAsB,I;IACtD,IAAI,WAAY,IAAG,IAAK,IAAG,YAAa,IAAG,WA3C
,C;MACI,IAAI,WAAW,WAAW,W;MAC1B,IAAI,QAAQ,KAAM,KAAI,MAAM,KAAK,OAAjC,C;QACI,OAAO,
MAAO,KAAI,K;;IAI1B,IAAI,gBAAgB,KAAK,W;IAGzB,IAAI,aAAc,IAAG,IAAK,GAAE,IAAI,aAAc,IAAG,C;MACI,OAAO,MAAO,YA
AW,K;;IAG7B,IAAI,aAAa,KAAM,KAAI,MAAM,KAAK,UAAW,IAAG,MAAM,YAAa,IAAG,IAA1E,C;MACI,
OAAO,0BAA0B,CAAC,MAAM,YAAP,EAAqB,KAArB,C;;IAGrC,OAAO,K;EACX,C;EAEA,MAAM,SAAU,gB;
IACZ,OAAO,OAAO,CAAE,IAAG,QAAS,IAAG,CAAE,YAAW,MAAM,K;EACtD,C;EAEA,MAAM,OAAQ,oB;IACV,
ACV,OAAO,KAAM,YAAW,MAAM,U;EAClC,C;EAEA,MAAM,aAAc,oB;IAChB,IAAI,OAAO,OAAO,K;IAElB
,OAAO,IAAK,KAAI,QAAS,IAAG,IAAK,KAAI,SAAU,IAAG,MAAM,SAAS,CAAC,KAAD,CAAQ,IAAG,MAAM,
AM,OAAO,CAAC,KAAD,EAAQ,MAAM,OAAO,WAArB,C;EACxB,C;EAEA,MAAM,OAAO,KAAM,KAAI,MAAM,OAAO,CAAC,KAAD,EAAQ,MAAM,OAAO,aAArB,C;EACrD,C;;;;
;;;;;aCtD2C,gB;;;;;MCjDvC,4B;MAjBA,aAA6C,E;MAC7C,gBAAgD,C;IAFpD,C;;MAKgB,iB;IAAA,C;;MAGA,o
B;IAAA,C;;MAE6B,OAAQ,0BAAR,YAAQ,EAAU,KAAM,QAAAhB,C;IAAR,C;EAAA,C;;MAAA,C;;MAEN,gBAAS,K;IAAT,C;;MA
EJ,OAAnC,MAAmC,kBAA8B,IAA9B,C;IAAA,C;;MAEL,gB;IAAA,C;;MAE1B,8B;IAA9B,C;;;;MAAA,qC;QAAA
,oB;;MAAA,8B;IAAA,C;;;MDdwC,oBAAa,MAAS,IAAT,CAAb,EAA6B,EAA7B,B,SAA7B,C;IAAA,C;gEAE5C,yB;MAAA
,mB;MAAA,6B;QAC2D,YAAa,QAAS,IAAT,CAAb,EAA6B,KAAM,QAAAA,C;IAAR,C;EAAA,C;;MAAA,C;;MAAA,qC;QAAA,oB;;MAAA,8B;IAAA,C;

IAyDmC,IAzDxB,CAAK,CAAL,C;;QAyDH,OAAmB,M;;MAH/B,W;IAKJ,C;qEAEA,yB;MAAA,2B;MAAA,6B;QAC2E,YAAa,UAAU,IAAV,EAAgB,KAAhB,C;QA/DvE,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MAAM,CAAN,IA8DwG,IA9D7F,CAAK,CAAL,C;;QA8DwD,OA5DhE,K;MA4DgE,C;KAD3E,C;;MAIiB,Q;MAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW,S;;MAEf,OAAO,K;IACX,C;;MEjFA,qC;MAEI,iBACJ,MAA4B,U;MAExB,iBACJ,MAA4B,U;MAExB,yBACJ,MAAoC,kB;MAEhC,yBACJ,MAAoC,kB;MAEhC,WACJ,MAAsB,I;IAftB,C;;;;MAAA,4C;QAAA,2B;;MAAA,qC;IAAA,C;;MAkBA,oC;MAEI,iBACJ,MAA2B,U;MAEvB,iBACJ,MAA2B,U;MAEvB,yBACJ,MAAmC,kB;MAE/B,yBACJ,MAAmC,kB;MAE/B,WACJ,MAAqB,I;IAfrB,C;;;;MAAA,2C;QAAA,0B;;MAAA,oC;IAAA,C;;MAkBA,kC;MAEI,iBACJ,qB;MAEI,iBACJ,qB;IANI,C;;;;MAAA,yC;QAAA,wB;;MAAA,kC;IAAA,C;;MASA,mC;MAEI,iBACJ,MAAM,KAAoB,oB;MAEtB,iBACJ,MAAM,KAAoB,oB;MAEtB,yBACJ,MAAM,KAAoB,oB;IAPtB,C;;;;MAAA,0C;QAAA,yB;;MAAA,mC;IAAA,C;;MAUA,oC;MAEI,iBACJ,qB;MAEI,iBACJ,qB;IANI,C;;;;MAAA,2C;QAAA,0B;;MAAA,oC;IAAA,C;;MASA,mC;MAEI,iBACJ,MAAM,KAAoB,oB;MAEtB,iBACJ,MAAM,KAAoB,oB;MAEtB,yBACJ,MAAM,KAAoB,oB;IAPtB,C;;;;MAAA,0C;QAAA,yB;;MAAA,mC;IAAA,C;;MAUA,mC;MAEI,0BAAC,4C;MAEG,0BAAC,4C;MAEG,0BAAC,4C;MAEG,yBAAC,2C;MAEG,yBAAC,2C;MAEG,yBAAC,2C;MAEG,qBACJ,CAAC,uB;MAEG,qBACJ,CAAC,uB;MAEG,qBACJ,CAAC,sB;MAEG,iBAAC,2B;QAAD,C;;;;MAAA,0C;QAAA,yB;;MAAA,mC;MAAA,iBAAC,C;;;;MAAA,qC;QAAA,oC;;MAAA,iBAAC,C;;;;MAAA,2C;QAAA,0B;;MAAA,oC;MAAA,qC;IAAA,C;;;;

yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KANA,C;sGAQA,

MAAA,oD;MA3tCA,uC;QAKW,qB;;UA0tCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA5tCc,SA4tCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA9tCP,wB;MACJ,C;KANA,C;wFAQA,yB;MA8tCA,0D;MAAA,oD;MAAA,oC;MA9tCA,uC;QAKW,qB;;UA6tCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA/tCc,SA+tCV,CAAU,oBAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAjuCP,wB;MACJ,C;KANA,C;;MAaI,IA46JO,qBAAQ,CA56Jf,C;QACI,IAAM,2BAAuB,iBAAvB,B,C;MACV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IA06JO,qBAAQ,CA16Jf,C;QACI,IAAM,2BAAuB,iBAAvB,B,C;MACV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IAw6JO,qBAAQ,CAx6Jf,C;QACI,IAAM,2BAAuB,iBAAvB,B,C;MACV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IAs6JO,qBAAQ,CAt6Jf,C;QACI,IAAM,2BAAuB,iBAAvB,B,C;MACV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IAo6JO,qBAAQ,CAp6Jf,C;QACI,IAAM,2BAAuB,iBAAvB,B,C;MACV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IAk6JO,qBAAQ,CAl6Jf,C;QACI,IAAM,2BAAuB,iBAAvB,B,C;MACV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IAg6JO,qBAAQ,CAh6Jf,C;QACI,IAAM,2BAAuB,iBAAvB,B,C;MACV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IA85JO,qBAAQ,CA95Jf,C;QACI,IAAM,2BAAuB,iBAAvB,B,C;MACV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IA45JO,qBAAQ,CA55Jf,C;QACI,IAAM,2BAAuB,iBAAvB,B,C;MACV,OAAO,UAAK,CAAL,C;IACX,C;kFAEA,yB;MAAA,iE;MAAA,uC;QAAoB,Q;QAAA,wB;QAAA,sB;QAAA,sB;QAAA,s

UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;+FAEA,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,MAAgB,oBAAhB,CAAJ,C;YAAwB,OAAO,O;;QACrD,OAAO,I;MACX,C;KANA,C;wFAQA,yB;MAAA,8D;MAAA,iD;QAAKI,OAAW,SAAS,CAAT,CAAX,C;QAAL,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;UAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;YAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;cAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0BAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4BAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8BAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gCAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kCAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oCAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sCAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wCAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0CAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4CAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8CAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gDAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kDAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oDAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sDAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wDAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0DAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4DAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8DAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gEAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kEAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oEAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sEAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wEAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0EAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4EAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8EAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gFAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kFAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oFAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sFAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wFAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0FAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4FAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8FAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gGAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kGAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oGAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sGAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wGAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0GAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4GAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8GAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gHAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kHAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oHAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sHAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wHAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0HAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4HAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8HAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gIAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kIAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oIAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sIAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wIAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0IAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4IAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8IAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gJAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kJAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oJAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sJAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wJAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0JAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4JAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8JAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gKAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kKAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oKAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sKAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wKAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0KAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4KAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8KAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gLAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kLAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oLAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sLAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wLAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0LAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4LAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8LAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gMAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kMAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oMAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sMAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wMAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0MAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4MAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8MAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gNAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kNAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oNAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sNAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wNAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0NAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4NAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8NAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gOAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kOAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oOAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sOAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wOAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0OAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4OAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8OAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gPAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kPAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oPAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sPAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wPAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0PAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4PAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8PAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gQAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kQAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oQAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sQAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wQAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0QAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4QAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8QAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gRAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kRAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oRAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sRAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wRAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0RAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4RAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8RAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gSAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kSAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oSAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sSAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wSAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0SAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4SAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8SAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gTAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kTAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oTAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sTAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wTAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0TAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4TAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8TAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gUAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kUAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oUAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sUAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wUAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0UAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4UAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8UAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gVAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kVAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oVAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sVAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wVAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0VAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4VAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8VAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gWAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kWAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oWAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sWAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wWAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0WAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4WAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8WAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gXAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kXAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oXAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sXAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wXAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0XAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4XAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8XAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gYAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kYAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oYAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sYAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wYAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0YAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4YAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8YAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gZAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kZAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oZAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sZAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wZAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0ZAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4ZAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8ZAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gaAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kaAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oaAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;saAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;waAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0aAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4aAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8aAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gbAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kbAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;obAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sbAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wbAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0bAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4bAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8bAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gcAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kcAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;ocAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;scAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wcAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0cAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4cAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8cAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gdAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kdAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;odAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sdAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wdAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0dAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4dAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8dAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gfAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kfAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;ofAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sfAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wfAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0fAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4fAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8fAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;ggBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kgBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;ogBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sgBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wgBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0gBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4gBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8gBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;ghBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;khBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;ohBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;shBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;whBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0hBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4hBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8hBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;giBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kiBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oiBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;siBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wiBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0iBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4iBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8iBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gjBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kjBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;ojBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sjBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wjBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0jBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4jBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8jBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gkBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kkBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;okBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;skBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wkBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0kBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4kBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8kBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;glBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;klBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;olBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;slBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wlBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0lBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4lBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8lBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gmBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kmBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;omBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;smBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wmBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0mBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4mBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8mBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gnBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;knBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;onBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;snBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wnBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0nBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4nBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8nBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gpBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kpBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;opBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;spBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wpBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0pBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4pBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8pBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;grBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;krBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;orBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;srBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wrBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0rBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4rBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8rBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gsBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;ksBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;osBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;ssBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wsBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0sBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4sBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8sBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gtBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;ktBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;otBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;stBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wtBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0tBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4tBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8tBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gvBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kvBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;ovBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;svBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wvBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0vBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4vBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8vBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gwBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kwBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;owBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;swBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wwBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0wBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4wBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8wBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gxBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kxBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oxBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;sxBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wxBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0xBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4xBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8xBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gyBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kyBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;oyBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;syBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wyBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0yBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4yBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8yBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;gzBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;kzBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;ozBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;szBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;wzBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0zBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;4zBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;8zBAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;g0BAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;k0BAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;o0BAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;s0BAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;w0BAAK,IAAK,IAAL,EAAK,GAAL,OAAK,EAAL,E;0;

R,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QA
Gf,OAAO,E;MACX,C;KAVA,C;8FAYA,yB;MAAA,0D;MAAA,oD;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,s
BAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OA
AO,K;;;QAGf,OAAO,E;MACX,C;KAVA,C;8FAYA,yB;MAAA,0D;MAAA,oD;MAAA,uC;QAIkB,Q;QAAA,OA
AQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,
C;YACI,OAAO,K;;;QAGf,OAAO,E;MACX,C;KAVA,C;8FAYA,yB;MAAA,0D;MAAA,oD;MAAA,uC;QAIkB,Q
;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,C
AAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;MACX,C;KAVA,C;8FAYA,yB;MAAA,0D;MAAA,oD;MAAA,
uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UA
AK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;MACX,C;KAVA,C;8FAYA,yB;MAAA,0D;MAAA
,oD;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,
UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;MACX,C;KAVA,C;8FAYA,yB;MAAA,
0D;MAAA,oD;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;
UAAc,uB;UACV,IAAI,UAAU,sBAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;MACX,C;KAV
A,C;;MAiBI,IAuqIO,qBAAQ,CAvqIf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,wBAAL,C;IA
CX,C;;MAOI,IAqqIO,qBAAQ,CArqIf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;IA
CX,C;;MAOI,IAmqIO,qBAAQ,CAnqIf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;I
ACX,C;;MAOI,IAiqIO,qBAAQ,CAjqIf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;I
ACX,C;;MAOI,IA+pIO,qBAAQ,CA/pIf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;I
ACX,C;;MAOI,IA6pIO,qBAAQ,CA7pIf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;
IACX,C;;MAOI,IA2pIO,qBAAQ,CA3pIf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C
;IACX,C;;MAOI,IAypIO,qBAAQ,CAzpIf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAL,
C;IACX,C;;MAOI,IAupIO,qBAAQ,CAvpIf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL
,C;IACX,C;gFAEA,yB;MAAA,0D;MAAA,oD;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,aAAR,YAAL,SA
AK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,
CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAVA,C;gFAYA,yB;MAAA,0D;
MAAA,oD;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,aAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,
C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,
gCAAuB,mDAAvB,C;MACV,C;KAVA,C;iFAYA,yB;MAAA,0D;MAAA,oD;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,
OAAa,aAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,
IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAVA,C;iF
AYA,yB;MAAA,0D;MAAA,oD;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,aAAR,YAAL,SAAK,CAAQ,CAAb,W;
QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO
,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAVA,C;iFAYA,yB;MAAA,0D;MAAA,oD;MAAA,iE;MAAA,
uC;QAKkB,Q;QAAA,OAAa,aAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc
,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;
MACV,C;KAVA,C;iFAYA,yB;MAAA,0D;MAAA,oD;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,aAAR,YAAL,S
AAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,
CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAVA,C;i

AAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAK,KAAL,SAAJ,C;YACI,OAAO,K;;;;;QAID,SAAQ,WAAR,sBAAQ,CAAR,W;QAAd,OAAc,gBAAd,C;UAAc,2B;UACV,IAAI,gBAAW,UAAK,OAAL,CAAX,CAAJ,C;YACI,OAAO,O;;;;MAInB,OAAO,E;IACX,C;;MAMkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;;MAGf,OAAO,E;IACX,C;;MAMkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;;MAGf,OAAO,E;IACX,C;;MAMkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAI,gBAAW,UAAK,OAAL,CAAX,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;IACX,C;;MAMkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAf

AAzB,C;;MAHlB,W;IAKJ,C;;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCA

,CAAf,GAA4B,I;IACvC,C;;MAMI,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MAMI,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MAMI,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MAMI,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MAMI,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MAQoB,Q;MAFhB,aAAiB,I;MACjB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAoB,I;MACpB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAmB,I;MACnB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAoB,I;MACpB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAsB,I;MACtB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAuB,I;MACvB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAuB,I;MACvB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAsB,I;MACtB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAsB,I;MACtB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAuB,I;MACvB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAqB,I;MACr

AK,COjjFT,CAAJ,C;QACI,cPgjFc,sD;QO/iFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPgjFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;IACX,C;;MOnjFI,IAAI,EP2jFI,KAAK,CO3jFT,CAAJ,C;QACI,cP0jFc,sD;QOzjFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP0jFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;IACX,C;;MO7jFI,IAAI,EPqkFI,KAAK,COrkFT,CAAJ,C;QACI,cPokFc,sD;QOnkFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPokFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;IACX,C;;MOvkFI,IAAI,EP+kFI,KAAK,CO/kFT,CAAJ,C;QACI,cP8kFc,sD;QO7kFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP8kFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;IACX,C;;MOjlFI,IAAI,EPylFI,KAAK,COzlFT,CAAJ,C;QACI,cPwlFc,sD;QOvlFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPwlFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;IACX,C;;MO3lFI,IAAI,EPmmFI,KAAK,COnmFT,CAAJ,C;QACI,cPkmFc,sD;QOjmFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPkmFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;IACX,C;;MOrmFI,IAAI,EP6mFI,KAAK,CO7mFT,CAAJ,C;QACI,cP4mFc,sD;QO3mFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP4mFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;gGAAX,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAAA,iBAAA,wBAAA,WAAA,+B,CAAA,CAAA,U;QAAA,IAAA,IAAA,CAAA,CAAA,C

L,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAhBA,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACCf,WAAW,gB;QACCX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACCI,IAAI,QAAJ,C;YACCI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,C,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAhBA,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACCf,WAAW,gB;QACCX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACCI,IAAI,QAAJ,C;YACCI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,C,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAhBA,C;kF

QA+iOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,0B;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAg
B,iB;UAr8N/B,IA1GsC,SA0GlC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,sBAAI,OAAJ,C;;QA1G/C,OA4
GO,W;MA3GX,C;KAPA,C;oGASA,yB;MAAA,oD;QA49NiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA
r9NI,IAAI,WAq9NkB,cAr9NlB,EAq9NkB,sBAr9NlB,WAq9N2B,IAr9N3B,CAAJ,C;YAA2C,sBAq9NZ,IAr9NY,
C;;QAE/C,OAAO,W;MACX,C;KAVA,C;qGAYA,yB;MAAA,oD;QA09NiB,gB;QADb,YAAY,C;QACZ,iD;UAAa
,WAAb,e;UAn9NI,IAAI,WAm9NkB,cAn9NlB,EAm9NkB,sBAn9NlB,WAm9N2B,IAn9N3B,CAAJ,C;YAA2C,sB
Am9NZ,IAn9NY,C;;QAE/C,OAAO,W;MACX,C;KAVA,C;sGAYA,yB;MAAA,oD;QAw9NiB,gB;QADb,YAAY,
C;QACZ,iD;UAAa,WAAb,e;UAj9NI,IAAI,WAi9NkB,cAj9NlB,EAi9NkB,sBAj9NlB,WAi9N2B,IAj9N3B,CAAJ,
C;YAA2C,sBAi9NZ,IAj9NY,C;;QAE/C,OAAO,W;MACX,C;KAVA,C;qGAYA,yB;MAAA,oD;QAs9NiB,gB;QAD
b,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA/8NI,IAAI,WA+8NkB,cA/8NlB,EA+8NkB,sBA/8NlB,WA+8N2B,IA/8N3B,CAAJ,
C;YAA2C,sBA+8NZ,IA/8NY,C;;QAE/C,OAAO,W;MACX,C;KAVA,C;sGAYA,yB;MAAA,oD;QAo9NiB,gB;QAD
b,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA78NI,IAAI,WA68NkB,cA78NlB,EA68NkB,sBA78NlB,WA68N2B,IA78N3B,CAAJ,
C;YAA2C,sBA68NZ,IA78NY,C;;QAE/C,OAAO,W;MACX,C;KAVA,C;sGAYA,yB;MAAA,oD;QAk9NiB,gB;QAD
b,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA38NI,IAAI,WA28NkB,cA38NlB,EA28NkB,sBA38NlB,WA28N2B,IA38N3B,CAAJ,
C;YAA2C,sBA28NZ,IA38NY,C;;QAE/C,OAAO,W;MACX,C;KAVA,C;sGAYA,yB;MAAA,oD;QAg9NiB,gB;QAD
b,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAz8NI,IAAI,WAy8NkB,cAz8NlB,EAy8NkB,sBAz8NlB,WAy8N2B,IAz8N3B,CAAJ,
C;YAA2C,sBAy8NZ,IAz8NY,C;;QAE/C,OAAO,W;MACX,C;KAVA,C;sGAYA,yB;MAAA,oD;QA88NiB,gB;QAD
b,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAv8NI,IAAI,WAu8NkB,cAv8NlB,EAu8NkB,sBAv8NlB,WAu8N2B,IAv8N3B,CAAJ,
C;YAA2C,sBAu8NZ,IAv8NY,C;;QAE/C,OAAO,W;MACX,C;KAVA,C;sGAYA,yB;MAAA,gC;MAq8NA,oC;MAr8NA,oD;QA48NiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,0B;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAr8N/B,IAAI,WAq8NkB,cAr8NlB,EAq8NkB,sBAr8NlB,S;;QAE/C,OAAO,W;MACX,C;KAVA,C;sGAYA,yB;MAAA,+D;MAAA,sC;QAAW,kBAAY,gB;QAOnB,Q;QAAA,iB;UAAA,gB;UAAA,e;UAAA,sB;UAAA,IAAI,YAAJ,C;YAAA,kB;UAAA,IAAI,WAAJ,C;YAAA,kB;UAAA,IAAI,O

IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;

B,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAe,IAAf,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAgB,IAAhB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAgB,IAAhB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAmB,IAAnB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAgB,IAAh

AY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,iB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,
OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;Q
AAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IAC
X,C;;MAciB,UACL,M;MO5wHR,IAAI,EPqwHI,KAAK,COrwHT,CAAJ,C;QACI,cPowHc,sD;QOnwHd,MAAM,
gCAAyB,OAAQ,WAAjC,C;;MPowHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C
;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAA
Y,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW
,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOhyHR,IAAI,EPyx
HI,KAAK,COzxHT,CAAJ,C;QACI,cPwxHc,sD;QOvxHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPwxHV,IAAI,M
AAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT
,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,
wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;
MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOpzHR,IAAI,EP6yHI,KAAK,CO7yHT,CAAJ,C;QACI,cP4yHc,sD;
QO3yHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP4yHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,
KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,
C;MACnB,YAAY,C;MACZ,WAAW,iBAAe,CAAf,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,I
AAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOx0
HR,IAAI,EPi0HI,KAAK,COj0HT,CAAJ,C;QACI,cPg0Hc,sD;QO/zHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPg
0HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,
MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CA
AhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,IAAK,
WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MO51HR,IAAI,EPq1HI,KAAK,COr1HT,CAAJ,C;Q
ACI,cPo1Hc,sD;QOn1Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPo1HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,
W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UA
AK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WA
AA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAc
iB,UACL,M;MOh3HR,IAAI,EPy2HI,KAAK,COz2HT,CAAJ,C;QACI,cPw2Hc,sD;QOv2Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPw2HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOp4HR,IAAI,EP63HI,KAAK,CO73HT,CAAJ,C;QACI,cP43Hc,sD;QO33Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP43HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAmB,CAAnB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOx5HR,IAAI,EPi5HI,KAAK,COj5HT,CAAJ,C;QACI,cPg5Hc,sD;QO/4Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPg5HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MO75HR,IAAI,EPs5HI,KAAK,COt5HT,CAAJ,C;QACI,cPq5Hc,sD;QOp5Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPq5HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MO95HR,IAAI,EPu5HI,KAAK,COv5HT,CAAJ,C;QACI,cPs5Hc,sD;QOr5Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPs5HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MO/5HR,IAAI,EPw5HI,KAAK,COx5HT,CAAJ,C;QACI,cPu5Hc,sD;QOt5Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPu5HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOh6HR,IAAI,EPy5HI,KAAK,COz5HT,CAAJ,C;QACI,cPw5Hc,sD;QOv5Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPw5HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOj6HR,IAAI,EP05HI,KAAK,CO15HT,CAAJ,C;QACI,cPy5Hc,sD;QOx5Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPy5HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAmB,CAAnB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOl6HR,IAAI,EP25HI,KAAK,COn6HT,CAAJ,C;QACI,cP05Hc,sD;QOz5Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP05HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOn6HR,IAAI,EP45HI,KAAK,COp6HT,CAAJ,C;QACI,cP25Hc,sD;QO15Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP25HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOp6HR,IAAI,EP65HI,KAAK,COr6HT,CAAJ,C;QACI,cP45Hc,sD;QO35Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP45HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOr6HR,IAAI,EP85HI,KAAK,COt6HT,CAAJ,C;QACI,cP65Hc,sD;QO55Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP65HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOt6HR,IAAI,EP+5HI,KAAK,COv6HT,CAAJ,C;QACI,cP85Hc,sD;QO75Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP85HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOv6HR,IAAI,EPg6HI,KAAK,COx6HT,CAAJ,C;QACI,cP+5Hc,sD;QO95Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP+5HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOx6HR,IAAI,EPi6HI,KAAK,COz6HT,CAAJ,C;QACI,cPg6Hc,sD;QO/5Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPg6HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOz6HR,IAAI,EPk6HI,KAAK,COl6HT,CAAJ,C;QACI,cPi6Hc,sD;QOh6Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPi6HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MO16HR,IAAI,EPm6HI,KAAK,COn6HT,CAAJ,C;QACI,cPk6Hc,sD;QOj6Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPk6HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MO36HR,IAAI,EPo6HI,KAAK,COp6HT,CAAJ,C;QACI,cPm6Hc,sD;QOl6Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPm6HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MO56HR,IAAI,EPq6HI,KAAK,COr6HT,CAAJ,C;QACI,cPo6Hc,sD;QOn6Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPo6HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MO76HR,IAAI,EPs6HI,KAAK,COt6HT,CAAJ,C;QACI,cPq6Hc,sD;QOp6Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPq6HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MO96HR,IAAI,EPu6HI,KAAK,COv6HT,CAAJ,C;QACI,cPs6Hc,sD;QOr6Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPs6HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MO/6HR,IAAI,EPw6HI,KAAK,COx6HT,CAAJ,C;QACI,cPu6Hc,sD;QOt6Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPu6HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOh7HR,IAAI,EPy6HI,KAAK,COz6HT,CAAJ,C;QACI,cPw6Hc,sD;QOv6Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPw6HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOj7HR,IAAI,EP06HI,KAAK,CO16HT,CAAJ,C;QACI,cPy6Hc,sD;QOx6Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPy6HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAmB,CAAnB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOl7HR,IAAI,EP26HI,KAAK,COn7HT,CAAJ,C;QACI,cP06Hc,sD;QOz6Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP06HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOn7HR,IAAI,EP46HI,KAAK,COp7HT,CAAJ,C;QACI,cP26Hc,sD;QO16Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP26HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOp7HR,IAAI,EP66HI,KAAK,COr7HT,CAAJ,C;QACI,cP46Hc,sD;QO36Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP46HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOr7HR,IAAI,EP86HI,KAAK,COt7HT,CAAJ,C;QACI,cP66Hc,sD;QO56Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP66HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOt7HR,IAAI,EP+6HI,KAAK,COv7HT,CAAJ,C;QACI,cP86Hc,sD;QO76Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP86HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOv7HR,IAAI,EPg7HI,KAAK,COx7HT,CAAJ,C;QACI,cP+6Hc,sD;QO96Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP+6HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOx7HR,IAAI,EPi7HI,KAAK,COz7HT,CAAJ,C;QACI,cPg7Hc,sD;QO/6Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPg7HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOz7HR,IAAI,EPk7HI,KAAK,COl7HT,CAAJ,C;QACI,cPi7Hc,sD;QOh7Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPi7HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MO17HR,IAAI,EPm7HI,KAAK,COn7HT,CAAJ,C;QACI,cPk7Hc,sD;QOj7Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPk7HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MO37HR,IAAI,EPo7HI,KAAK,COp7HT,CAAJ,C;QACI,cPm7Hc,sD;QOl7Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPm7HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MO57HR,IAAI,EPq7HI,KAAK,COr7HT,CAAJ,C;QACI,cPo7Hc,sD;QOn7Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPo7HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MO77HR,IAAI,EPs7HI,KAAK,COt7HT,CAAJ,C;QACI,cPq7Hc,sD;QOp7Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPq7HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MO97HR,IAAI,EPu7HI,KAAK,COv7HT,CAAJ,C;QACI,cPs7Hc,sD;QOr7Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPs7HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MO/7HR,IAAI,EPw7HI,KAAK,COx7HT,CAAJ,C;QACI,cPu7Hc,sD;QOt7Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPu7HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX

,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MO/7HI,IAAI,EPu8HI,KAAK,COv8HT,CAAJ,C;QACI,cPs8Hc,sD;QOr8Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPs8HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOh9HI,IAAI,EPw9HI,KAAK,COx9HT,CAAJ,C;QACI,cPu9Hc,sD;QOt9Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPu9HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOj+HI,IAAI,EPy+HI,KAAK,COz+HT,CAAJ,C;QACI,cPw+Hc,sD;QOv+Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPw+HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOl/HI,IAAI,EP0/HI,KAAK,CO1/HT,CAAJ,C;QACI,cPy/Hc,sD;QOx/Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPy/HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOngII,IAAI,EP2gII,KAAK,CO3gIT,CAAJ,C;QACI,cP0gIc,sD;QOzgId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP0gIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOphII,IAAI,EP4hII,KAAK,CO5hIT,CAAJ,C;QACI,cP2hIc,sD;QO1hId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP2hIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOriII,IAAI,EP6iII,KAAK,CO7iIT,CAAJ,C;QACI,cP4iIc,sD;QO3iId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP4iIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOtjII,IAAI,EP8jII,KAAK,CO9jIT,CAAJ,C;QACI,cP6jIc,sD;QO5jId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP6jIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOvkII,IAAI,EP+kII,KAAK,CO/kIT,CAAJ,C;QACI,cP8kIc,sD;QO7kId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP8kIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOxlII,IAAI,EPgmII,KAAK,COhmIT,CAAJ,C;QACI,cP+lIc,sD;QO9lId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP+lIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOzmII,IAAI,EPinII,KAAK,COjnIT,CAAJ,C;QACI,cPgnIc,sD;QO/mId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPgnIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MO1nII,IAAI,EPknII,KAAK,COlnIT,CAAJ,C;QACI,cPinIc,sD;QOhnId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPinIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MO3oII,IAAI,EPmpII,KAAK,COnpIT,CAAJ,C;QACI,cPkpIc,sD;QOjpId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPkpIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MO5pII,IAAI,EPoqII,KAAK,COpqIT,CAAJ,C;QACI,cPmqIc,sD;QOlqId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPmqIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MO7qII,IAAI,EPqrII,KAAK,COrrIT,CAAJ,C;QACI,cPorIc,sD;QOnrId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPorIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MO9rII,IAAI,EPssII,KAAK,COtsIT,CAAJ,C;QACI,cPqsIc,sD;QOpsId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPqsIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MO/sII,IAAI,EPutII,KAAK,COvtIT,CAAJ,C;QACI,cPstIc,sD;QOrtId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPstIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOhuII,IAAI,EPwuII,KAAK,COxuIT,CAAJ,C;QACI,cPuuIc,sD;QOtuId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPuuIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOjvII,IAAI,EPyvII,KAAK,COzvIT,CAAJ,C;QACI,cPwvIc,sD;QOvvId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPwvIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOlwII,IAAI,EP0wII,KAAK,CO1wIT,CAAJ,C;QACI,cPywIc,sD;QOxwId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPywIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOnxII,IAAI,EP2xII,KAAK,CO3xIT,CAAJ,C;QACI,cP0xIc,sD;QOzxId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP0xIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOpyII,IAAI,EP4yII,KAAK,CO5yIT,CAAJ,C;QACI,cP2yIc,sD;QO1yId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP2yIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOrzII,IAAI,EP6zII,KAAK,CO7zIT,CAAJ,C;QACI,cP4zIc,sD;QO3zId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP4zIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOt0II,IAAI,EP80II,KAAK,CO90IT,CAAJ,C;QACI,cP60Ic,sD;QO50Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP60IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOv1II,IAAI,EP+1II,KAAK,CO/1IT,CAAJ,C;QACI,cP81Ic,sD;QO71Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP81IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOx2II,IAAI,EPg3II,KAAK,COh3IT,CAAJ,C;QACI,cP+2Ic,sD;QO92Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP+2IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOz3II,IAAI,EPi4II,KAAK,COj4IT,CAAJ,C;QACI,cPg4Ic,sD;QO/3Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPg4IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MO14II,IAAI,EPk5II,KAAK,COl5IT,CAAJ,C;QACI,cPi5Ic,sD;QOh5Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPi5IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MO35II,IAAI,EPm6II,KAAK,COn6IT,CAAJ,C;QACI,cPk6Ic,sD;QOj6Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPk6IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MO57II,IAAI,EPo7II,KAAK,COp7IT,CAAJ,C;QACI,cPm7Ic,sD;QOl7Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPm7IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MO78II,IAAI,EPq8II,KAAK,COr8IT,CAAJ,C;QACI,cPo8Ic,sD;QOn8Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPo8IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MO99II,IAAI,EPs9II,KAAK,COt9IT,CAAJ,C;QACI,cPq9Ic,sD;QOp9Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPq9IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MO/+II,IAAI,EPu/II,KAAK,COv/IT,CAAJ,C;QACI,cPs/Ic,sD;QOr/Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPs/IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOhgJI,IAAI,EPwgJI,KAAK,COxgJT,CAAJ,C;QACI,cPugJc,sD;QOtgJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPugJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOjhJI,IAAI,EPyhJI,KAAK,COzhJT,CAAJ,C;QACI,cPwhJc,sD;QOvhJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPwhJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOlhJI,IAAI,EP0hJI,KAAK,CO1hJT,CAAJ,C;QACI,cPyhJc,sD;QOxhJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPyhJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOnhJI,IAAI,EP2hJI,KAAK,CO3hJT,CAAJ,C;QACI,cP0hJc,sD;QOzhJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP0hJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOphJI,IAAI,EP4hJI,KAAK,CO5hJT,CAAJ,C;QACI,cP2hJc,sD;QO1hJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP2hJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOriJI,IAAI,EP6iJI,KAAK,CO7iJT,CAAJ,C;QACI,cP4iJc,sD;QO3iJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP4iJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOtjJI,IAAI,EP8jJI,KAAK,CO9jJT,CAAJ,C;QACI,cP6jJc,sD;QO5jJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP6jJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOvkJI,IAAI,EP+kJI,KAAK,CO/kJT,CAAJ,C;QACI,cP8kJc,sD;QO7kJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP8kJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOxlJI,IAAI,EPgmJI,KAAK,COhmJT,CAAJ,C;QACI,cP+lJc,sD;QO9lJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP+lJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOzmJI,IAAI,EPimJI,KAAK,COjmJT,CAAJ,C;QACI,cPgmJc,sD;QO/lJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPgmJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MO1nJI,IAAI,EPknJI,KAAK,COlnJT,CAAJ,C;QACI,cPinJc,sD;QOhnJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPinJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MO3oJI,IAAI,EPmpJI,KAAK,COnpJT,CAAJ,C;QACI,cPkpJc,sD;QOjpJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPkpJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MO5pJI,IAAI,EPoqJI,KAAK,COpqJT,CAAJ,C;QACI,cPmqJc,sD;QOlqJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPmqJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MO7qJI,IAAI,EPqrJI,KAAK,COrrJT,CAAJ,C;QACI,cPorJc,sD;QOnrJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPorJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MO9rJI,IAAI,EPssJI,KAAK,COtsJT

ACX,C;KAZA,C;kGAcA,yB;MAAA,8D;MAAA,oC;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAAR,IAAL,C;;;QAGf,OAAO,iB;MACX,C;KAZA,C;wFAcA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;MACX,C;KAbA,C;0FAe

MACN,UAAL,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IAkuCO,qBAAQ,CAluCf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,UAAL,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IAguCO,qBAAQ,CAhuCf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,UAAL,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IA8tCO,qBAAQ,CA9tCf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,UAAL,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IA4tCO,qBAAQ,CA5tCf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,UAAL,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IA0tCO,qBAAQ,CA1tCf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,UAAL,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IAwtCO,qBAAQ,CAxtCf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,UAAL,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IA8oCO,qBAAQ,CA9oCf,C;QAAe,OAAO,S;MACtB,aAAa,aAAa,SAAb,EAAmB,gBAAnB,B,C;MACb,gBAAgB,wB;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C,C;MAC5B,OAAO,M;IACX,C;;MAMI,IA0oCO,qBAAQ,CA1oCf,C;QAAe,OAAO,S;MACtB,aAAa,cAAU,gBAAV,C;MACb,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C,C;MAC5B,OAAO,M;IACX,C;;MAMI,IAsoCO,qBAAQ,CAtoCf,C;QAAe,OAAO,S;MACtB,aAAa,eAAW,gBAAX,C;MACb,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C,C;MAC5B,OAAO,M;IACX,C;;MAMI,IAkoCO,qBAAQ,CAloCf,C;QAAe,OAAO,S;MACtB,aAAa,eAAS,gBAAT,C;MACb,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C,C;MAC5B,OAAO,M;IACX,C;;MAMI,IA8nCO,qBAAQ,CA9nCf,C;QAAe,OAAO,S;MACtB,aAAa,iBAAU,gBAAV,C;MACb,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C,C;MAC5B,OAAO,M;IACX,C;;MAMI,IA0nCO,qBAAQ,CA1nCf,C;QAAe,OAAO,S;MACtB,aAAa,iBAAW,gBAAX,C;MACb,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C,C;MAC5B,OAAO,M;IACX,C;;MAMI,IAsnCO,qBAAQ,CAtnCf,C;QAAe,OAAO,S;MACtB,aAAa,iBAAY,gBAAZ,C;MACb,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C,C;MAC5B,OAAO,M;IACX,C;;MAMI,IAknCO,qBAAQ,CAlnCf,C;QAAe,OAAO,S;MACtB,aAAa,oBAAa,gBAAb,C;MACb,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C,C;MAC5B,OAAO,M;IACX,C;;MAMI,IA8mCO,qBAAQ,CA9mCf,C;QAAe,OAAO,S;MACtB,aAAa,iBAAU,gBAAV,C;MACb,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C,C;MAC5B,OAAO,M;IACX,C;kFAAE,yB;MAAA,aAAA,oD;MAAA,MAAA,kJAAA,sC;MAAA,aAAA,uBAAA,oe,yB;QAAA,rEAAA,8D;;UAAA,qEAAA,uB;YAAA,uBAAA,eAAA,sB,gB;YAAA,uBAAA,eAAA,sB,8D

MAA7B,OWlxJO,W;IXmxJX,C;;MAMI,IA+4BO,qBAAQ,CA/4Bf,C;QAAe,OAAO,S;MACD,kBAAT,SAAL,SAAK,C;MAAiB,mB;MAA7B,OW1xJO,W;IX2xJX,C;;MAMI,IA+4BO,qBAAQ,CA/4Bf,C;QAAe,OAAO,S;MACD,kBAAd,SQ55IiB,Q;MR45IK,iB;MAA7B,OWlyJO,W;IXmyJX,C;;MAMI,IA+4BO,qBAAQ,CA/4Bf,C;QAAe,OAAO,S;MACD,kBAAd,SQ15IiB,Q;MR05IK,iB;MAA7B,OW1yJO,W;IX2yJX,C;;MAMI,IAu5BO,qBAAQ,CAv5Bf,C;QAAe,OAAO,S;MACD,kBAAT,SAAL,SAAK,C;MAAiB,iB;MAA7B,OWlzJO,W;IXmzJX,C;;MAMI,IA+0BO,qBAAQ,CA/0Bf,C;QAAe,OAAO,S;MACD,kBAAd,SQr+IiB,Q;MRq+IK,sBAAS,cAAT,C;MAA7B,OW1zJO,W;IX2zJX,C;;MAMI,IA+0BO,qBAAQ,CA/0Bf,C;QAAe,OAAO,S;MACD,kBAAd,SQn+IiB,Q;MRm+IK,6B;MAA7B,OWl0JO,W;IXm0JX,C;;MAMI,IA+0BO,qBAAQ,CA/0Bf,C;QAAe,OAAO,S;MACD,kBAAd,SQj+IiB,Q;MRi+IK,6B;MAA7B,OW10JO,W;IX20JX,C;;MAMI,IA+0BO,qBAAQ,CA/0Bf,C;QAAe,OAAO,S;MACD,kBAAd,SQ/9IiB,Q;MR+9IK,6B;MAA7B,OWl1JO,W;IXm1JX,C;;MAMI,IA+0BO,qBAAQ,CA/0Bf,C;QAAe,OAAO,S;MACD,kBAAT,SAAL,SAAK,C;MAAiB,6B;MAA7B,OW11JO,W;IX21JX,C;;MAMI,IA+0BO,qBAAQ,CA/0Bf,C;QAAe,OAAO,S;MACD,kBAAd,SQ59IiB,Q;MR49IK,6B;MAA7B,OWl2JO,W;IXm2JX,C;;MAMI,IA+0BO,qBAAQ,CA/0Bf,C;QAAe,OAAO,S;MACD,kBAAd,SQ19IiB,Q;MR09IK,6B;MAA7B,OW12JO,W;IX22JX,C;;MAMI,IAu1BO,qBAAQ,CAv1Bf,C;QAAe,OAAO,S;MACD,kBAAT,SAAL,SAAK,C;MAAiB,6B;MAA7B,OWl3JO,W;IXm3JX,C;;MAMI,IA+wBO,qBAAQ,CA/wBf,C;QAAe,OAAO,S;MACD,kBAAd,SQriJiB,Q;MRqiJK,iC;MAA7B,OW13JO,W;IX23JX,C;sFAEA,yB;MAAA,wD;MS12JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV27JA,sC;QAAI,OAAO,mDSv2JI,iBTu2JiB,QSv2JjB,CTu2JJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MSj3JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVk8JA,sC;QAAI,OAAO,mDS92JI,iBT82JiB,QS92JjB,CT82JJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MSx3JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVy8JA,sC;QAAI,OAAO,mDSr3JI,iBTq3JiB,QSr3JjB,CTq3JJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MS/3JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVg9JA,sC;QAAI,OAAO,mDS53JI,iBT43JiB,QS53JjB,CT43JJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MSt4JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVu9JA,sC;QAAI,OAAO,mDSn4JI,iBTm4JiB,QSn4JjB,CTm4JJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MS74JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVs+JA,sC;QAAI,OAAO,mDSl5JI,iBTk5JiB,QSl5JjB,CTk5JJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MSp5JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVq/JA,sC;QAAI,OAAO,mDSj6JI,iBTi6JiB,QSj6JjB,CTi6JJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MS35JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVo/JA,sC;QAAI,OAAO,mDSh6JI,iBTg6JiB,QSh6JjB,CTg6JJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MSl6JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVm/JA,sC;QAAI,OAAO,mDSf6I,iBTe7I,QSf6I,CTe7I,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MSy6JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVk/JA,sC;QAAI,OAAO,mDSd6I,iBTc7I,QSd6I,CTc7I,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MSw6JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVi/JA,sC;QAAI,OAAO,mDSb6I,iBTa7I,QSb6I,CTa7I,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MSu6JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVg/JA,sC;QAAI,OAAO,mDSZ6I,iBTY7I,QSZ6I,CTY7I,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MSs

m/JA,sC;QAII,OAAO,mDS/5JI,iBT+5JiB,QS/5JjB,CT+5JJ,E;MACX,C;KALA,C;0GAOA,yB;MAAA,wD;MSt5JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV0/JA,sC;QAII,OAAO,mDSn5JI,2BTm5J2B,QSn5J3B,CTm5JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS75JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVigKA,sC;QAII,OAAO,mDS15JI,2BT05J2B,QS15J3B,CT05JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSp6JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVwgKA,sC;QAII,OAAO,mDSj6JI,2BTi6J2B,QSj6J3B,CTi6JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS36JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV+gKA,sC;QAII,OAAO,mDSx6JI,2BTw6J2B,QSx6J3B,CTw6JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSl7JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVshKA,sC;QAII,OAAO,mDS/6JI,2BT+6J2B,QS/6J3B,CT+6JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSz7JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVvhKA,sC;QAII,OAAO,mDSh7JI,2BTg7J2B,QSh7J3B,CTg7JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS17JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVwiKA,sC;QAII,OAAO,mDSj8JI,2BTi8J2B,QSj8J3B,CTi8JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS37JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVxiKA,sC;QAII,OAAO,mDSj8JI,2BTi8J2B,QSj8J3B,CTi8JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS37JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVyjKA,sC;QAII,OAAO,mDSl9JI,2BTk9J2B,QSl9J3B,CTk9JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS57JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVzjKA,sC;QAII,OAAO,mDSl9JI,2BTk9J2B,QSl9J3B,CTk9JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS57JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV0kKA,sC;QAII,OAAO,mDSn+JI,2BTm+J2B,QSn+J3B,CTm+JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS78JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV1kKA,sC;QAII,OAAO,mDSn+JI,2BTm+J2B,QSn+J3B,CTm+JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS78JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV2lKA,sC;QAII,OAAO,mDSp/JI,2BTo/J2B,QSp/J3B,CTo/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS98JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV3lKA,sC;QAII,OAAO,mDSp/JI,2BTo/J2B,QSp/J3B,CTo/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS98JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV4mKA,sC;QAII,OAAO,mDSr/JI,2BTq/J2B,QSr/J3B,CTq/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS/8JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV5mKA,sC;QAII,OAAO,mDSr/JI,2BTq/J2B,QSr/J3B,CTq/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS/8JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV6nKA,sC;QAII,OAAO,mDSt/JI,2BTs/J2B,QSt/J3B,CTs/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSh9JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV7nKA,sC;QAII,OAAO,mDSt/JI,2BTs/J2B,QSt/J3B,CTs/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSh9JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV8oKA,sC;QAII,OAAO,mDSv/JI,2BTu/J2B,QSv/J3B,CTu/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSj9JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV9oKA,sC;QAII,OAAO,mDSv/JI,2BTu/J2B,QSv/J3B,CTu/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSj9JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV+pKA,sC;QAII,OAAO,mDSx/JI,2BTw/J2B,QSx/J3B,CTw/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSl9JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV/pKA,sC;QAII,OAAO,mDSx/JI,2BTw/J2B,QSx/J3B,CTw/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSl9JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVgrKA,sC;QAII,OAAO,mDSz/JI,2BTy/J2B,QSz/J3B,CTy/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSn9JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVhrKA,sC;QAII,OAAO,mDSz/JI,2BTy/J2B,QSz/J3B,CTy/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSn9JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVirKA,sC;QAII,OAAO,mDS1/JI,2BT0/J2B,QS1/J3B,CT0/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSp9JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVjrKA,sC;QAII,OAAO,mDS1/JI,2BT0/J2B,QS1/J3B,CT0/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSp9JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVksKA,sC;QAII,OAAO,mDS3/JI,2BT2/J2B,QS3/J3B,CT2/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSr9JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVlsKA,sC;QAII,OAAO,mDS3/JI,2BT2/J2B,QS3/J3B,CT2/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSr9JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVmtKA,sC;QAII,OAAO,mDS5/JI,2BT4/J2B,QS5/J3B,CT4/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSt9JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVntKA,sC;QAII,OAAO,mDS5/JI,2BT4/J2B,QS5/J3B,CT4/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSt9JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVotKA,sC;QAII,OAAO,mDS7/JI,2BT6/J2B,QS7/J3B,CT6/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSv9JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVptKA,sC;QAII,OAAO,mDS7/JI,2BT6/J2B,QS7/J3B,CT6/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSv9JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVquKA,sC;QAII,OAAO,mDS9/JI,2BT8/J2B,QS9/J3B,CT8/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSx9JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVruKA,sC;QAII,OAAO,mDS9/JI,2BT8/J2B,QS9/J3B,CT8/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSx9JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVsvKA,sC;QAII,OAAO,mDS//JI,2BT+/J2B,QS//J3B,CT+/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSz9JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVtvKA,sC;QAII,OAAO,mDS//JI,2BT+/J2B,QS//J3B,CT+/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSz9JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVuwKA,sC;QAII,OAAO,mDSh/JI,2BTg/J2B,QSh/J3B,CTg/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS19JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVvwKA,sC;QAII,OAAO,mDSh/JI,2BTg/J2B,QSh/J3B,CTg/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS19JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVwxKA,sC;QAII,OAAO,mDSj/JI,2BTi/J2B,QSj/J3B,CTi/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS39JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVxxKA,sC;QAII,OAAO,mDSj/JI,2BTi/J2B,QSj/J3B,CTi/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS39JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVyyKA,sC;QAII,OAAO,mDSl/JI,2BTk/J2B,QSl/J3B,CTk/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS59JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVzyKA,sC;QAII,OAAO,mDSl/JI,2BTk/J2B,QSl/J3B,CTk/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS59JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV0zKA,sC;QAII,OAAO,mDSn/JI,2BTm/J2B,QSn/J3B,CTm/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS79JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV1zKA,sC;QAII,OAAO,mDSn/JI,2BTm/J2B,QSn/J3B,CTm/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS79JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV20KA,sC;QAII,OAAO,mDSp/JI,2BTo/J2B,QSp/J3B,CTo/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS99JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV30KA,sC;QAII,OAAO,mDSp/JI,2BTo/J2B,QSp/J3B,CTo/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS99JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV40KA,sC;QAII,OAAO,mDSr/JI,2BTq/J2B,QSr/J3B,CTq/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS/9JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV70KA,sC;QAII,OAAO,mDSr/JI,2BTq/J2B,QSr/J3B,CTq/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS/9JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV80KA,sC;QAII,OAAO,mDSt/JI,2BTs/J2B,QSt/J3B,CTs/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSh+JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV/0KA,sC;QAII,OAAO,mDSt/JI,2BTs/J2B,QSt/J3B,CTs/JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSh+JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVg2KA,sC;QAII,OAAO,

T,EAAY,0BAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,0BAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,
0BAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,0BAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,0BAAZ,C
;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,0BAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,0BAAZ,C;IAAA,C;
;MAOR,OAAO,qBAAQ,C;IACnB,C;;MAOI,OAAO,qBAAQ,C;IACnB,C;;MAOI,OAAO,qBAAQ,C;IACnB,C;;M
AOI,OAAO,qBAAQ,C;IACnB,C;;MAOI,OAAO,qBAAQ,C;IACnB,C;;MAOI,OAAO,qBAAQ,C;IACnB,C;;MAOI
,OAAO,qBAAQ,C;IACnB,C;;MAOI,OAAO,qBAAQ,C;IACnB,C;;MAOI,OAAO,qBAAQ,C;IACnB,C;;MAOI,OA
AO,EAxEA,qBAAQ,CAwER,C;IACX,C;;MAOI,OAAO,EAxEA,qBAAQ,CAwER,C;IACX,C;;MAOI,OAAO,EAx
EA,qBAAQ,CAwER,C;IACX,C;;MAOI,OAAO,EAxEA,qBAAQ,CAwER,C;IACX,C;;MAOI,OAAO,EAxEA,qBA
AQ,CAwER,C;IACX,C;;MAOI,OAAO,EAxEA,qBAAQ,CAwER,C;IACX,C;;MAOI,OAAO,EAxEA,qBAAQ,CA
wER,C;IACX,C;;MAOI,OAAO,EAxEA,qBAAQ,CAwER,C;IACX,C;;MAOI,OAAO,EAxEA,qBAAQ,CAwER,C;I
ACX,C;;MAMY,0BAAO,CAAP,I;IAAA,C;;MAMA,0BAAO,CAAP,I;IAAA,C;;MAMA,0BAAO,CAAP,I;IAAA,C
;;MAMA,0BAAO,CAAP,I;IAAA,C;;MAMA,0BAAO,CAAP,I;IAAA,C;;MAMA,0BAAO,CAAP,I;IAAA,C;;MAM
A,0BAAO,CAAP,I;IAAA,C;;MAMA,0BAAO,CAAP,I;IAAA,C;;MAMA,0BAAO,CAAP,I;IAAA,C;;MAmMR,aA
Aa,oBAAa,gBAAb,C;MACb,wD;QACI,OAAO,KAAP,IAAgB,UAAK,KAAL,C;;MACpB,OAAO,M;IACX,C;;MA
MI,aAAa,cAAU,gBAAV,C;MACb,wD;QACI,OAAO,KAAP,IAAgB,UAAK,KAAL,C;;MACpB,OAAO,M;IACX,
C;;MAMI,aAAa,iBAAU,gBAAV,C;MACb,wD;QACI,OAAO,KAAP,IAAgB,oBAAK,KAAL,E;;MACpB,OAAO,
M;IACX,C;;MAMI,aAAa,iBAAY,gBAAZ,C;MACb,wD;QACI,OAAO,KAAP,IAAgB,UAAK,KAAL,C;;MACpB,
OAAO,M;IACX,C;;MAMI,aAAa,iBAAW,gBAAX,C;MACb,wD;QACI,OAAO,KAAP,IAAgB,UAAK,KAAL,C;;
MACpB,OAAO,M;IACX,C;;MAMI,aAAa,eAAS,gBAAT,C;MACb,wD;QACI,OAAO,KAAP,IAAgB,UAAK,KAA
L,C;;MACpB,OAAO,M;IACX,C;;MAMI,aAAa,iBAAU,gBAAV,C;MACb,wD;QACI,OAAO,KAAP,IAAgB,UAA
K,KAAL,C;;MACpB,OAAO,M;IACX,C;;MAMI,aAAa,eAAW,gBAAX,C;MACb,wD;QACI,OAAO,KAAP,IAAgB
B,UAAK,KAAL,C;;MACpB,OAAO,M;IACX,C;wFA0CA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAS
I,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAAA,pB,C;QA+kBH,Q;QAA
hB,iD;UAAgB,cAAhB,e;UACI,WAAhlB8C,SAAglB/B,CAAU,OAAV,C;UI5tMnB,wBAAI,IAAK,MAAT,EAAgB,IA
AK,OAArB,C;;QJ4oLA,OAAlBO,W;MAAjlBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,u
C;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAAA,pB,C;QA+kBH,
Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAhlB8C,SAAglB/B,CAAU,OAAV,C;UIzuMnB,wBAAI,IAAK,MAAT,EA
AgB,IAAK,OArB,C;;QJypLA,OAAlBO,W;MAAjlBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;
MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAAA,pB,C;
QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAhlB8C,SAAglB/B,CAAU,OAAV,C;UItvMnB,wBAAI,IAAK,
MAAT,EAAgB,IAAK,OArB,C;;QJsqLA,OAAlBO,W;MAAjlBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;M
AAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,Q
AApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAhlB8C,SAAglB/B,CAAU,OAAV,C;UInwMnB,wBA
AI,IAAK,MAAT,EAAgB,IAAK,OArB,C;;QJmrLA,OAAlBO,W;MAAjlBX,C;KAXA,C;0FAaA,yB;MAAA,0D;M
AAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,m
BAAoB,QAAA,pB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAhlB8C,SAAglB/B,CAAU,OAAV,C;UIhx
MnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OArB,C;;QJgsLA,OAAlBO,W;MAAjlBX,C;KAXA,C;0FAaA,yB;MA
AA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,
kBAAY,mBAAoB,QAAA,pB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAhlB8C,SAAglB/B,CAAU,OAAV
V,C;UI7xMnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OArB,C;;QJ6sLA,OAAlBO,W;MAAjlBX,C;KAXA,C;0FAaa
A,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C
;QAC1B,kBAAY,mBAAoB,QAAA,pB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAhlB8C,SAAglB/B,CA
AU,OAAV,C;UI1yMnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OArB,C;;QJ0tLA,OAAlBO,W;MAAjlBX,C;KAXA
,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,
EAAd,C;QAC1B,kBAAY,mBAAoB,QAAA,pB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAhlB8C,SAgl
B/B,CAAU,OAAV,C;UIvzMnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OArB,C;;QJuuLA,OAAlBO,W;MAAjlBX,
C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAklBA,oC;MAAA,gC;MAllBA,uC;QASI,eAAiC,cA
AlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAAA,pB,C;QA+kBH,Q;QAAhB,iD;UAA

gB,cAAhB,0B;UACI,WAhlB8C,SAglB/B,CAAU,oBAAV,C;UIp0MnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OA
ArB,C;;QJovLA,OAklBO,W;MAjlBX,C;KAXA,C;4FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAS
I,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA+NL,Q;QAAh
B,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhOoC,WAgOhC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAhOhB,OA
kOO,W;MAjOX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAA
Y,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAuB,QAAvB,C;QAgOL,Q;QAAhB,iD;UAAgB,cAAhB,
e;UACI,WAAY,aAjOuC,WAiOnC,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QAjOhB,OAmOO,W;MAlOX,C;KA
XA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EA
Ac,EAAd,C;QAC1B,kBAAc,mBAAwB,QAAxB,C;QAiOL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAlOw
C,WAkOpC,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QAlOhB,OAoOO,W;MAnOX,C;KAXA,C;8FAaA,yB;MA
AA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,
kBAAc,mBAAsB,QAAtB,C;QAkOL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAnOsC,WAmOlC,CAAY,O
AAZ,CAAJ,EAA0B,OA1B,C;;QAnOhB,OAqOO,W;MApOX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;M
AAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAuB,QA
AvB,C;QAmOL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApOuC,WAoOnC,CAAY,OAAZ,CAAJ,EAA0B
,OA1B,C;;QApOhB,OAsOO,W;MArOX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;
QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAwB,QAAxB,C;QAoOL,Q;Q
AAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aArOwC,WAqOpC,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QArOhB,
OAuOO,W;MAtOX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,
YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAyB,QAAzB,C;QAqOL,Q;QAAhB,iD;UAAgB,cA
Ah,e;UACI,WAAY,aAtO0C,WAsOtC,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QAtOhB,OAwOO,W;MAvOX,C;
KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,
EAAc,EAAd,C;QAC1B,kBAAc,mBA0B,QAA1B,C;QAsOL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAvO
2C,WAuOvC,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QAvOhB,OAyOO,W;MAxOX,C;KAXA,C;8FAaA,yB;MAAA,
0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,
mBA2B,QAA3B,C;QAuOL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxO4C,WAwOxC,CAAY,OAAZ,CAAJ,
EAA0B,OA1B,C;;QAxOhB,OA0OO,W;MAzOX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,
yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBA4B,QA5B,C;QAwOL,Q;
QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAzO6C,WAyOzC,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QAzOhB,
OA2OO,W;MA1OX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,
YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBA6B,QA7B,C;QAyOL,Q;QAAhB,iD;UAAgB,cAAhB,e;UA
CI,WAAY,aA1O8C,WA0O1C,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QA1OhB,OA4OO,W;MA3OX,C;KAXA,C;8
FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAd,
C;QAC1B,kBAAc,mBA8B,QA9B,C;QA0OL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA3O+C,WA2O3C,CAA
Y,OAAZ,CAAJ,EAA0B,OA1B,C;;QA3OhB,OA6OO,W;MA5OX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAA
A,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBA+B,QA/B,
C;QA2OL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA5OgD,WA4O5C,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;
QA5OhB,OA8OO,W;MA7OX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cA
lB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAgC,QAhC,C;QA4OL,Q;QAAhB,iD;UAAgB,cAAhB,e;
UACI,WAAY,aA7OiD,WA6O7C,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QA7OhB,OA+OO,W;MA9OX,C;KAXA,C;8
FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAd,
C;QAC1B,kBAAc,mBAiC,QAjC,C;QA6OL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA9OkD,WA8O9C,CAA
Y,OAAZ,CAAJ,EAA0B,OA1B,C;;QA9OhB,OAgPO,W;MA/OX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAA
A,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAkC,QAlC,
C;QA8OL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA/OmD,WA+O/C,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;
QAhPhB,OAkPO,W;MAjPX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cA
lB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAmC,QAnC,C;QA+OL,Q;QAAhB,iD;UAAgB,cAAhB,e;
UACI,WAAY,aAhPoD,WAgPhD,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QAjPhB,OAmPO,W;MAlPX,C;KAXA,C;8
FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAd,
C;QAC1B,kBAAc,mBAoC,QApC,C;QAgPL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAjPqD,WAiPjD,CAA
Y,OAAZ,CAAJ,EAA0B,OA1B,C;;QAlPhB,OAoPO,W;MAnPX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAA
A,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAqC,QArC,
C;QAiPL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAlPsD,WAkPlD,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;
QAnPhB,OAqPO,W;MApPX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cA
lB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAsC,QAtC,C;QAkPL,Q;QAAhB,iD;UAAgB,cAAhB,e;
UACI,WAAY,aAnPuD,WAmPnD,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QApPhB,OAsPO,W;MArPX,C;KAXA,C;8
FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAd,
C;QAC1B,kBAAc,mBAuC,QAvC,C;QAmPL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApPwD,WAoPpD,CAA
Y,OAAZ,CAAJ,EAA0B,OA1B,C;;QArPhB,OAuPO,W;MAtPX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAA
A,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAwC,QAxC,
C;QAoPL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aArP0D,WAqPtD,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;
QAtPhB,OAwPO,W;MAvPX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cA
lB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAyC,QAzC,C;QAqPL,Q;QAAhB,iD;UAAgB,cAAhB,e;
UACI,WAAY,aAtP2D,WAsPvD,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QAvPhB,OAyPO,W;MAxPX,C;KAXA,C;8
FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAd,
C;QAC1B,kBAAc,mBA0C,QA1C,C;QAsPL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAvP4D,WAuPxD,CAA
Y,OAAZ,CAAJ,EAA0B,OA1B,C;;QAxPhB,OA0PO,W;MAzPX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAA
A,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBA2C,QA3C,
C;QAuPL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxP6D,WAwPzD,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;
QAzPhB,OA2PO,W;MA1PX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cA
lB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBA4C,QA5C,C;QAwPL,Q;QAAhB,iD;UAAgB,cAAhB,e;
UACI,WAAY,aAzP8D,WAyP1D,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QA1PhB,OA4PO,W;MA3PX,C;KAXA,C;8
FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAd,
C;QAC1B,kBAAc,mBA6C,QA7C,C;QAyPL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1P+D,WA0P3D,CAA
Y,OAAZ,CAAJ,EAA0B,OA1B,C;;QA3PhB,OA6PO,W;MA5PX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAA
A,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBA8C,QA9C,
C;QA0PL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA3PgE,WA2P5D,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;
QA5PhB,OA8PO,W;MA7PX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cA
lB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBA+C,QA/C,C;QA2PL,Q;QAAhB,iD;UAAgB,cAAhB,e;
UACI,WAAY,aA5PiE,WA4P7D,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QA7PhB,OA+PO,W;MA9PX,C;KAXA,C;8
FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAd,
C;QAC1B,kBAAc,mBAgD,QAhD,C;QA4PL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA7PkE,WA6P9D,CAA
Y,OAAZ,CAAJ,EAA0B,OA1B,C;;QA9PhB,OAgQO,W;MA/PX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAA
A,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAiD,QAjD,
C;QA6PL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA9PmE,WA8P/D,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;
QA/PhB,OAiQO,W;MAhQX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cA
lB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAkD,QAlD,C;QA8PL,Q;QAAhB,iD;UAAgB,cAAhB,e;
UACI,WAAY,aA/PoE,WA+PhE,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QAhQhB,OAkQO,W;MAjQX,C;KAXA,C;8
FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAd,
C;QAC1B,kBAAc,mBAmD,QAnD,C;QA+PL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhQqE,WAgQjE,CAA
Y,OAAZ,CAAJ,EAA0B,OA1B,C;;QAjQhB,OAmQO,W;MAlQX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAA
A,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAoD,QApD,
C;QAgQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAjQsE,WAiQlE,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;
QAlQhB,OAoQO,W;MAnQX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cA
lB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAqD,QArD,C;QAiQL,Q;QAAhB,iD;UAAgB,cAAhB,e;
UACI,WAAY,aAlQuE,WAkQnE,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QAnQhB,OAqQO,W;MApQX,C;KAXA,C;8
FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAd,
C;QAC1B,kBAAc,mBAsD,QAtD,C;QAkQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAnQwE,WAmQpE,CAA
Y,OAAZ,CAAJ,EAA0B,OA1B,C;;QApQhB,OAsQO,W;MArQX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAA
A,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAuD,QAvD,
C;QAmQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApQyE,WAoQrE,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;
QArQhB,OAuQO,W;MAtQX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cA
lB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAwD,QAxD,C;QAoQL,Q;QAAhB,iD;UAAgB,cAAhB,e;
UACI,WAAY,aAsQ0E,WAtQtE,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QAtQhB,OAwQO,W;MAvQX,C;KAXA,C;8
FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAd,
C;QAC1B,kBAAc,mBAyD,QAzD,C;QAqQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAvQ2E,WAuQvE,CAA
Y,OAAZ,CAAJ,EAA0B,OA1B,C;;QAvQhB,OAyQO,W;MAxQX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAA
A,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBA0D,QA1D,
C;QAsQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxQ4E,WAwQxE,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;
QAxQhB,OA0QO,W;MAzQX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cA
lB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBA2D,QA3D,C;QAuQL,Q;QAAhB,iD;UAAgB,cAAhB,e;
UACI,WAAY,aAzQ6E,WAyQzE,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QAzQhB,OA2QO,W;MA1QX,C;KAXA,C;8
FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAd,
C;QAC1B,kBAAc,mBA4D,QA5D,C;QAwQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1Q8E,WA0Q1E,CAA
Y,OAAZ,CAAJ,EAA0B,OA1B,C;;QA1QhB,OA4QO,W;MA3QX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAA
A,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBA6D,QA7D,
C;QAyQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA3Q+E,WA2Q3E,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;
QA3QhB,OA6QO,W;MA5QX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cA
lB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBA8D,QA9D,C;QA0QL,Q;QAAhB,iD;UAAgB,cAAhB,e;
UACI,WAAY,aA5QgF,WA4Q5E,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QA5QhB,OA8QO,W;MA7QX,C;KAXA,C;8
FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAd,
C;QAC1B,kBAAc,mBA+D,QA/D,C;QA2QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA7QiF,WA6Q7E,CAA
Y,OAAZ,CAAJ,EAA0B,OA1B,C;;QA7QhB,OA+QO,W;MA9QX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAA
A,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAgE,QAhE,
C;QA4QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA9QkF,WA8Q9E,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;
QA9QhB,OAgRO,W;MA/QX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cA
lB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAiE,QAjE,C;QA6QL,Q;QAAhB,iD;UAAgB,cAAhB,e;
UACI,WAAY,aA/QmF,WA+Q/E,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QA/QhB,OAiRO,W;MAhRX,C;KAXA,C;8
FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAd,
C;QAC1B,kBAAc,mBAkE,QAlE,C;QA8QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhRoF,WAgRhF,CAA
Y,OAAZ,CAAJ,EAA0B,OA1B,C;;QAhRhB,OAkRO,W;MAjRX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAA
A,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAmE,QAnE,
C;QA+QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAjRqF,WAiRjF,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;
QAjRhB,OAmRO,W;MAlRX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cA
lB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAoE,QApE,C;QAgRL,Q;QAAhB,iD;UAAgB,cAAhB,e;
UACI,WAAY,aAlRsF,WAkRlF,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QAlRhB,OAoRO,W;MAnRX,C;KAXA,C;8
FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAd,
C;QAC1B,kBAAc,mBAqE,QArE,C;QAiRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAnRuF,WAmRnF,CAA
Y,OAAZ,CAAJ,EAA0B,OA1B,C;;QAnRhB,OAqRO,W;MApRX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAA
A,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAsE,QAtE,
C;QAkRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApRwF,WAoRpF,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;
QArRhB,OAuRO,W;MAtRX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cA
lB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAuE,QAvE,C;QAmRL,Q;QAAhB,iD;UAAgB,cAAhB,e;
UACI,WAAY,aArRyF,WAqRrF,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QAtRhB,OAwRO,W;MAvRX,C;KAXA,C;8
FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAd,
C;QAC1B,kBAAc,mBAwE,QAxE,C;QAoRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtR0F,WAsRtF,CAA
Y,OAAZ,CAAJ,EAA0B,OA1B,C;;QAvRhB,OAyRO,W;MAxRX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAA
A,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAyE,QAzE,
C;QAqRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAvR4F,WAuRxF,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;
QAxRhB,OA0RO,W;MAzRX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cA
lB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBA0E,QA1E,C;QAsRL,Q;QAAhB,iD;UAAgB,cAAhB,e;
UACI,WAAY,aAxR6F,WAwRzF,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QAzRhB,OA2RO,W;MA1RX,C;KAXA,C;8
FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAd,
C;QAC1B,kBAAc,mBA2E,QA3E,C;QAuRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAzR+F,WAyR3F,CAA
Y,OAAZ,CAAJ,EAA0B,OA1B,C;;QA1RhB,OA4RO,W;MA3RX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAA
A,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBA4E,QA5E,
C;QAwRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1RiG,WA0R7F,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;
QA3RhB,OA6RO,W;MA5RX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cA
lB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBA6E,QA7E,C;QAyRL,Q;QAAhB,iD;UAAgB,cAAhB,e;
UACI,WAAY,aA5RkG,WA4R9F,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QA5RhB,OA8RO,W;MA7RX,C;KAXA,C;8
FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAd,
C;QAC1B,kBAAc,mBA8E,QA9E,C;QA0RL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA3RoG,WA2RhG,CAA
Y,OAAZ,CAAJ,EAA0B,OA1B,C;;QA7RhB,OA+RO,W;MA9RX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAA
A,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBA+E,QA/E,
C;QA2RL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA7RqG,WA6RjG,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;
QA9RhB,OAgSO,W;MA/RX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cA
lB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAgF,QAhF,C;QA4RL,Q;QAAhB,iD;UAAgB,cAAhB,e;
UACI,WAAY,aA9RsG,WA8RlG,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QA/RhB,OAiSO,W;MAhSX,C;KAXA,C;8
FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAd,
C;QAC1B,kBAAc,mBAiF,QAjF,C;QA6RL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA/RuG,WA+RnG,CAA
Y,OAAZ,CAAJ,EAA0B,OA1B,C;;QAhShB,OAkSO,W;MAjSX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAA
A,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAkF,QAlF,
C;QA8RL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhSwG,WAgSpG,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;
QAjShB,OAmSO,W;MAlSX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cA
lB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAmF,QAnF,C;QA+RL,Q;QAAhB,iD;UAAgB,cAAhB,e;
UACI,WAAY,aAjSyG,WAiSrG,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QAlShB,OAoSO,W;MAnSX,C;KAXA,C;8
FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAd,
C;QAC1B,kBAAc,mBAoF,QApF,C;QAgSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAlS0G,WAkStG,CAA
Y,OAAZ,CAAJ,EAA0B,OA1B,C;;QAnShB,OAqSO,W;MApSX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAA
A,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAqF,QArF,
C;QAiSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAnS2G,WAmSvG,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;
QApShB,OAsSO,W;MArSX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cA
lB,YAAY,gBAAZ,CAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAsF,QAtF,C;QAkSL,Q;QAAhB,iD;UAAgB,cAAhB,e;
UACI,WAAY,aApS4G,WAoSxG,CAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;QArShB,OAuSO,W;MAtSX,C;KAXA,C;8
FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAkB,EAAc,EAd,
C;QAC1B,kBAAc,mBAuF,QAvF,C;QAmSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aArS6G,WAqSzG,CAA
Y,OAAZ,CAAJ,EAA0B,OA1B,C;;QAtShB,OAwSO,W;MAvSX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAA
A,uE;MAAA,yC;Q

KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAuPL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxPoC,WAwPhC,CAAAY,OAAAZ,CAAAJ,EAAxPiD,cAwPvB,CAAAe,OAAAf,CAA1B,C;;QAxPhB,B,OA0PO,W;MAzPX,C;KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA0PA,oC;MAAA,gC;MA1PA,yD;QAQI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAyPL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1PoC,WA0PhC,CAAAY,OAAAZ,CAAAJ,EA1PiD,cA0PvB,CAAAe,OAAAf,CA1PhB,B,OA4PO,W;MA3PX,C;QA1PA,C;;MAoBoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,eAAgB,SAAhB,C;QACI,WAAY,aAAZ,IAAY,YAAZ,OAAY,aAAZ,CAAY,EAAc,OAA1B,B,C;;MAAc,W;IAAd,C;;MAAc

C;MAAA,gC;MAAA,oD;QAOoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAe,UAAU,oBAAV,C;UIp0MnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QJs0MA,OAAO,W;MACX,C;KAXA,C;;MAiBiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;IACX,C;;MAM

AAb,C;UAHL,K;;MAAP,W;IAKJ,C;;MAQiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iCAAa,qBAAqB,YAAY,gBAAZ,CAArB,CAAb,C;UAHL,K;;MAAP,W;IAKJ,C;;MAQiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iCAAa,qBAAmB,YAAY,gBAAZ,CAAnB,CAAb,C;UAHL,K;;MAAP,W;IAKJ,C;;MAQiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iCAAa,qBAAoB,YAAY,gBAAZ,CAApB,CAAb,C;UAHL,K;;MAAP,W;IAKJ,C;;MAQiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iCAAa,qBAAqB,YAAY,gBAAZ,CAArB,CAAb,C;UAHL,K;;MAAP,W;IAKJ,C;;MAQiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iCAAa,qBAAsB,YAAY,gBAAZ,CAAtB,CAAb,C;UAHL,K;;MAAP,W;IAKJ,C;;MAQiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iCAAa,qBAAuB,YAAY,gBAAZ,CAAvB,CAAb,C;UAHL,K;;MAAP,W;IAKJ,C;;MAQiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iCAAa,qBAAoB,YAAY,gBAAZ,CAApB,CAAb,C;UAHL,K;;MAAP,W;IAKJ,C;oFAEA,yB;MAAA,+D;MA+DA,gD;MA/DA,uC;QAIW,kBAAU,gB;QA+DD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAhE6B,SAAgElB,CAAAU,OAAAV,C;UACC,OAAAZ,WAAAY,EAAAO,IAAAP,C;;QAAjEC,EAAiEC,hBAAjED,OAAiEE,WAAjEF,EAAiEG,IAAjEH,OAAiEI,WAAjEJ,EAAiEK,IAAjEL,OAAiEM,WAAjEN,EAAiEO,IAAjEP,OAAiEQ,WAAjER,EAAiES,IAAjET,OAAiEU,WAAjEV,EAAiEW,IAAjEX,OAAiEY,WAAjEZ,EAAiEa,IAAjEb,OAAiEc,WAAjEd,EAAiEe,IAAjEf,OAAiEgB,WAAjEhB,EAAiEiB,IAAjEjB,OAAiEkB,WAAjElB,EAAiEmB,IAAjEnB,OAAiEoB,WAAjEpB,EAAiEqB,IAAjErB,OAAiEsB,WAAjEtB,EAAiEuB,IAAjEvB,OAAiEwB,WAAjExB,EAAiEyB,IAAjEzB,OAAiE0B,WAAjE1B,EAAiE2B,IAAjE3B,OAAiE4B,WAAjE5B,EAAiE6B,IAAjE7B,OAAiE8B,WAAjE9B,EAAiE+B,IAAjE/B,OAAiEgC,WAAjEhC,EAAiEiC,IAAjEjC,OAAiEkC,WAAjElC,EAAiEmC,IAAjEnC,OAAiEoC,WAAjEpC,EAAiEqC,IAAjErC,OAAiEsC,WAAjEtC,EAAiEuC,IAAjEvC,OAAiEwC,WAAjExC,EAAiEyC,IAAjEzC,OAAiE0C,WAAjE1C,EAAiE2C,IAAjE3C,OAAiE4C,WAAjE5C,EAAiE6C,IAAjE7C,OAAiE8C,WAAjE9C,EAAiE+C,IAAjE/C,OAAiEgD,WAAjEhD,EAAiEiD,IAAjEjD,OAAiEkD,WAAjElD,EAAiEmD,IAAjEnD,OAAiEoD,WAAjEpD,EAAiEqD,IAAjErD,OAAiEsD,WAAjEtD,EAAiEuD,IAAjEvD,OAAiEwD,WAAjExD,EAAiEyD,IAAjEzD,OAAiE0D,WAAjE1D,EAAiE2D,IAAjE3D,OAAiE4D,WAAjE5D,EAAiE6D,IAAjE7D,OAAiE8D,WAAjE9D,EAAiE+D,IAAjE/D,OAAiEgE,WAAjEhE,EAAiEiE,IAAjEjE,OAAiEkE,WAAjElE,EAAiEmE,IAAjEnE,OAAiEoE,WAAjEpE,EAAiEqE,IAAjErE,OAAiEsE,WAAjEtE,EAAiEuE,IAAjEvE,OAAiEwE,WAAjExE,EAAiEyE,IAAjEzE,OAAiE0E,WAAjE1E,EAAiE2E,IAAjE3E,OAAiE4E,WAAjE5E,EAAiE6E,IAAjE7E,OAAiE8E,WAAjE9E,EAAiE+E,IAAjE/E,OAAiEgF,WAAjEhF,EAAiEiF,IAAjEjF,OAAiEkF,WAAjElF,EAAiEmF,IAAjEnF,OAAiEoF,WAAjEpF,EAAiEqF,IAAjErF,OAAiEsF,WAAjEtF,EAAiEuF,IAAjEvF,OAAiEwF,WAAjExF,EAAiEyF,IAAjEzF,OAAiE0F,WAAjE1F,EAAiE2F,IAAjE3F,OAAiE4F,WAAjE5F,EAAiE6F,IAAjE7F,OAAiE8F,WAAjE9F,EAAiE+F,IAAjE/F,OAAiEgG,WAAjEhG,EAAiEiG,IAAjEjG,OAAiEkG,WAAjElG,EAAiEmG,IAAjEnG,OAAiEoG,WAAjEpG,EAAiEqG,IAAjErG,OAAiEsG,WAAjEtG,EAAiEuG,IAAjEvG,OAAiEwG,WAAjExG,EAAiEyG,IAAjEzG,OAAiE0G,WAAjE1G,EAAiE2G,IAAjE3G,OAAiE4G,WAAjE5G,EAAiE6G,IAAjE7G,OAAiE8G,WAAjE9G,EAAiE+G,IAAjE/G,OAAiEgH,WAAjEhH,EAAiEiH,IAAjEjH,OAAiEkH,WAAjElH,EAAiEmH,IAAjEnH,OAAiEoH,WAAjEpH,EAAiEqH,IAAjErH,OAAiEsH,WAAjEtH,EAAiEuH,IAAjEvH,OAAiEwH,WAAjExH,EAAiEyH,IAAjEzH,OAAiE0H,WAAjE1H,EAAiE2H,IAAjE3H,OAAiE4H,WAAjE5H,EAAiE6H,IAAjE7H,OAAiE8H,WAAjE9H,EAAiE+H,IAAjE/H,OAAiEgI,WAAjEhI,EAAiEiI,IAAjEjI,OAAiEkI,WAAjElI,EAAiEmI,IAAjEnI,OAAiEoI,WAAjEpI,EAAiEqI,IAAjErI,OAAiEsI,WAAjEtI,EAAiEuI,IAAjEvI,OAAiEwI,WAAjExI,EAAiEyI,IAAjEzI,OAAiE0I,WAAjE1I,EAAiE2I,IAAjE3I,OAAiE4I,WAAjE5I,EAAiE6I,IAAjE7I,OAAiE8I,WAAjE9I,EAAiE+I,IAAjE/I,OAAiEgJ,WAAjEhJ,EAAiEiJ,IAAjEjJ,OAAiEkJ,WAAjElJ,EAAiEmJ,IAAjEnJ,OAAiEoJ,WAAjEpJ,EAAiEqJ,IAAjErJ,OAAiEsJ,WAAjEtJ,EAAiEuJ,IAAjEvJ,OAAiEwJ,WAAjExJ,EAAiEyJ,IAAjEzJ,OAAiE0J,WAAjE1J,EAAiE2J,IAAjE3J,OAAiE4J,WAAjE5J,EAAiE6J,IAAjE7J,OAAiE8J,WAAjE9J,EAAiE+J,IAAjE/J,OAAiEgK,WAAjEhK,EAAiEiK,IAAjEjK,OAAiEkK,WAAjElK,EAAiEmK,IAAjEnK,OAAiEoK,WAAjEpK,EAAiEqK,IAAjErK,OAAiEsK,WAAjEtK,EAAiEuK,IAAjEvK,OAAiEwK,WAAjExK,EAAiEyK,IAAjEzK,OAAiE0K,WAAjE1K,EAAiE2K,IAAjE3K,OAAiE4K,WAAjE5K,EAAiE6K,IAAjE7K,OAAiE8K,WAAjE9K,EAAiE+K,IAAjE/K,OAAiEgL,WAAjEhL,EAAiEiL,IAAjEjL,OAAiEkL,WAAjElL,EAAiEmL,IAAjEnL,OAAiEoL,WAAjEpL,EAAiEqL,IAAjErL,OAAiEsL,WAAjEtL,EAAiEuL,IAAjEvL,OAAiEwL,WAAjExL,EAAiEyL,IAAjEzL,OAAiE0L,WAAjE1L,EAAiE2L,IAAjE3L,OAAiE4L,WAAjE5L,EAAiE6L,IAAjE7L,OAAiE8L,WAAjE9L,EAAiE+L,IAAjE/L,OAAiEgM,WAAjEhM,EAAiEiM,IAAjEjM,OAAiEkM,WAAjElM,EAAiEmM,IAAjEnM,OAAiEoM,WAAjEpM,EAAiEqM,IAAjErM,OAAiEsM,WAAjEtM,EAAiEuM,IAAjEvM,OAAiEwM,WAAjExM,EAAiEyM,IAAjEzM,OAAiE0M,WAAjE1M,EAAiE2M,IAAjE3M,OAAiE4M,WAAjE5M,EAAiE6M,IAAjE7M,OAAiE8M,WAAjE9M,EAAiE+M,IAAjE/M,OAAiEgN,WAAjEhN,EAAiEiN,IAAjEjN,OAAiEkN,WAAjElN,EAAiEmN,IAAjEnN,OAAiEoN,WAAjEpN,EAAiEqN,IAAjErN,OAAiEsN,WAAjEtN,EAAiEuN,IAAjEvN,OAAiEwN,WAAjExN,EAAiEyN,IAAjEzN,OAAiE0N,WAAjE1N,EAAiE2N,IAAjE3N,OAAiE4N,WAAjE5N,EAAiE6N,IAAjE7N,OAAiE8N,WAAjE9N,EAAiE+N,IAAjE/N,OAAiEgO,WAAjEhO,EAAiEiO,IAAjEjO,OAAiEkO,WAAjElO,EAAiEmO,IAAjEnO,OAAiEoO,WAAjEpO,EAAiEqO,IAAjErO,OAAiEsO,WAAjEtO,EAAiEuO,IAAjEvO,OAAiEwO,WAAjExO,EAAiEyO,IAAjEzO,OAAiE0O,WAAjE1O,EAAiE2O,IAAjE3O,OAAiE4O,WAAjE5O,EAAiE6O,IAAjE7O,OAAiE8O,WAAjE9O,EAAiE+O,IAAjE/O,OAAiEgP,WAAjEhP,EAAiEiP,IAAjEjP,OAAiEkP,WAAjElP,EAAiEmP,IAAjEnP,OAAiEoP,WAAjEpP,EAAiEqP,IAAjErP,OAAiEsP,WAAjEtP,EAAiEuP,IAAjEvP,OAAiEwP,WAAjExP,EAAiEyP,IAAjEzP,OAAiE0P,WAAjE1P,EAAiE2P,IAAjE3P,OAAiE4P,WAAjE5P,EAAiE6P,IAAjE7P,OAAiE8P,WAAjE9P,EAAiE+P,IAAjE/P,OAAiEgQ,WAAjEhQ,EAAiEiQ,IAAjEjQ,OAAiEkQ,WAAjElQ,EAAiEmQ,IAAjEnQ,OAAiEoQ,WAAjEpQ,EAAiEqQ,IAAjErQ,OAAiEsQ,WAAjEtQ,EAAiEuQ,IAAjEvQ,OAAiEwQ,WAAjExQ,EAAiEyQ,IAAjEzQ,OAAiE0Q,WAAjE1Q,EAAiE2Q,IAAjE3Q,OAAiE4Q,WAAjE5Q,EAAiE6Q,IAAjE7Q,OAAiE8Q,WAAjE9Q,EAAiE+Q,IAAjE/Q,OAAiEgR,WAAjEhR,EAAiEiR,IAAjEjR,OAAiEkR,WAAjElR,EAAiEmR,IAAjEnR,OAAiEoR,WAAjEpR,EAAiEqR,IAAjErR,OAAiEsR,WAAjEtR,EAAiEuR,IAAjEvR,OAAiEwR,WAAjExR,EAAiEyR,IAAjEzR,OAAiE0R,WAAjE1R,EAAiE2R,IAAjE3R,OAAiE4R,WAAjE5R,EAAiE6R,IAAjE7R,OAAiE8R,WAAjE9R,EAAiE+R,IAAjE/R,OAAiEgS,WAAjEhS,EAAiEiS,IAAjEjS,OAAiEkS,WAAjElS,EAAiEmS,IAAjEnS,OAAiEoS,WAAjEpS,EAAiEqS,IAAjErS,OAAiEsS,WAAjEtS,EAAiEuS,IAAjEvS,OAAiEwS,WAAjExS,EAAiEyS,IAAjEzS,OAAiE0S,WAAjE1S,EAAiE2S,IAAjE3S,OAAiE4S,WAAjE5S,EAAiE6S,IAAjE7S,OAAiE8S,WAAjE9S,EAAiE+S,IAAjE/S,OAAiEgT,WAAjEhT,EAAiEiT,IAAjEjT,OAAiEkT,WAAjElT,EAAiEmT,IAAjEnT,OAAiEoT,WAAjEpT,EAAiEqT,IAAjErT,OAAiEsT,WAAjEtT,EAAiEuT,IAAjEvT,OAAiEwT,WAAjExT,EAAiEyT,IAAjEzT,OAAiE0T,WAAjE1T,EAAiE2T,IAAjE3T,OAAiE4T,WAAjE5T,EAAiE6T,IAAjE7T,OAAiE8T,WAAjE9T,EAAiE+T,IAAjE/T,OAAiEgU,WAAjEhU,EAAiEiU,IAAjEjU,OAAiEkU,WAAjElU,EAAiEmU,IAAjEnU,OAAiEoU,WAAjEpU,EAAiEqU,IAAjErU,OAAiEsU,WAAjEtU,EAAiEuU,IAAjEvU,OAAiEwU,WAAjExU,EAAiEyU,IAAjEzU,OAAiE0U,WAAjE1U,EAAiE2U,IAAjE3U,OAAiE4U,WAAjE5U,EAAiE6U,IAAjE7U,OAAiE8U,WAAjE9U,EAAiE+U,IAAjE/U,OAAiEgV,WAAjEhV,EAAiEiV,IAAjEjV,OAAiEkV,WAAjElV,EAAiEmV,IAAjEnV,OAAiEoV,WAAjEpV,EAAiEqV,IAAjErV,OAAiEsV,WAAjEtV,EAAiEuV,IAAjEvV,OAAiEwV,WAAjExV,EAAiEyV,IAAjEzV,OAAiE0V,WAAjE1V,EAAiE2V,IAAjE3V,OAAiE4V,WAAjE5V,EAAiE6V,IAAjE7V,OAAiE8V,WAAjE9V,EAAiE+V,IAAjE/V,OAAiEgW,WAAjEhW,EAAiEiW,IAAjEjW,OAAiEkW,WAAjElW,EAAiEmW,IAAjEnW,OAAiEoW,WAAjEpW,EAAiEqW,IAAjErW,OAAiEsW,WAAjEtW,EAAiEuW,IAAjEvW,OAAiEwW,WAAjExW,EAAiEyW,IAAjEzW,OAAiE0W,WAAjE1W,EAAiE2W,IAAjE3W,OAAiE4W,WAAjE5W,EAAiE6W,IAAjE7W,OAAiE8W,WAAjE9W,EAAiE+W,IAAjE/W,OAAiEgX,WAAjEhX,EAAiEiX,IAAjEjX,OAAiEkX,WAAjElX,EAAiEmX,IAAjEnX,OAAiEoX,WAAjEpX,EAAiEqX,IAAjErX,OAAiEsX,WAAjEtX,EAAiEuX,IAAjEvX,OAAiEwX,WAAjExX,EAAiEyX,IAAjEzX,OAAiE0X,WAAjE1X,EAAiE2X,IAAjE3X,OAAiE4X,WAAjE5X,EAAiE6X,IAAjE7X,OAAiE8X,WAAjE9X,EAAiE+X,IAAjE/X,OAAiEgY,WAAjEhY,EAAiEiY,IAAjEjY,OAAiEkY,WAAjElY,EAAiEmY,IAAjEnY,OAAiEoY,WAAjEpY,EAAiEqY,IAAjErY,OAAiEsY,WAAjEtY,EAAiEuY,IAAjEvY,OAAiEwY,WAAjExY,EAAiEyY,IAAjEzY,OAAiE0Y,WAAjE1Y,EAAiE2Y,IAAjE3Y,OAAiE4Y,WAAjE5Y,EAAiE6Y,IAAjE7Y,OAAiE8Y,WAAjE9Y,EAAiE+Y,IAAjE/Y,OAAiEgZ,WAAjEhZ,EAAiEiZ,IAAjEjZ,OAAiEkZ,WAAjElZ,EAAiEmZ,IAAjEnZ,OAAiEoZ,WAAjEpZ,EAAiEqZ,IAAjErZ,OAAiEsZ,WAAjEtZ,EAAiEuZ,IAAjEvZ,OAAiEwZ,WAAjExZ,EAAiEyZ,IAAjEzZ,OAAiE0Z,WAAjE1Z,EAAiE2Z,IAAjE3Z,OAAiE4Z,WAAjE5Z,EAAiE6Z,IAAjE7Z,OAAiE8Z,WAAjE9Z,EAAiE+Z,IAAjE/Z,OAAiEga,WAAjEha,EAAiEia,IAAjEja,OAAiEka,WAAjEla,EAAiEma,IAAjEna,OAAiEoa,WAAjEpa,EAAiEqa,IAAjEra,OAAiEsa,WAAjEta,EAAiEua,IAAjEva,OAAiEwa,WAAjExa,EAAiEya,IAAjEza,OAAiE0a,WAAjE1a,EAAiE2a,IAAjE3a,OAAiE4a,WAAjE5a,EAAiE6a,IAAjE7a,OAAiE8a,WAAjE9a,EAAiE+a,IAAjE/a,OAAiEgb,WAAjEhb,EAAiEib,IAAjEjb,OAAiEkb,WAAjElb,EAAiEmb,IAAjEnb,OAAiEob,WAAjEpb,EAAiEqb,IAAjErb,OAAiEsb,WAAjEtb,EAAiEub,IAAjEvb,OAAiEwb,WAAjExb,EAAiEyb,IAAjEzb,OAAiE0b,WAAjE1b,EAAiE2b,IAAjE3b,OAAiE4b,WAAjE5b,EAAiE6b,IAAjE7b,OAAiE8b,WAAjE9b,EAAiE+b,IAAjE/b,OAAiEgc,WAAjEhc,EAAiEic,IAAjEjc,OAAiEkc,WAAjElc,EAAiEmc,IAAjEnc,OAAiEoc,WAAjEpc,EAAiEqc,IAAjErc,OAAiEsc,WAAjEtc,EAAiEuc,IAAjEvc,OAAiEwc,WAAjExc,EAAiEyc,IAAjEzc,OAAiE0c,WAAjE1c,EAAiE2c,IAAjE3c,OAAiE4c,WAAjE5c,EAAiE6c,IAAjE7c,OAAiE8c,WAAjE9c,EAAiE+c,IAAjE/c,OAAiEgd,WAAjEhd,EAAiEid,IAAjEjd,OAAiEkd,WAAjEld,EAAiEmd,IAAjEnd,OAAiEod,WAAjEpd,EAAiEqd,IAAjErd,OAAiEsd,WAAjEtd,EAAiEud,IAAjEvd,OAAiEwd,WAAjExd,EAAiEyd,IAAjEzd,OAAiE0d,WAAjE1d,EAAiE2d,IAAjE3d,OAAiE4d,WAAjE5d,EAAiE6d,IAAjE7d,OAAiE8d,WAAjE9d,EAAiE+d,IAAjE/d,OAAiEge,WAAjEhe,EAAiEie,IAAjEje,OAAiEke,WAAjEle,EAAiEme,IAAjEne,OAAiEoe,WAAjEpe,EAAiEqe,IAAjEre,OAAiEse,WAAjEte,EAAiEue,IAAjEve,OAAiEwe,WAAjExe,EAAiEye,IAAjEze,OAAiE0e,WAAjE1e,EAAiE2e,IAAjE3e,OAAiE4e,WAAjE5e,EAAiE6e,IAAjE7e,OAAiE8e,WAAjE9e,EAAiE+e,IAAjE/e,OAAiEgf,WAAjEhf,EAAiEif,IAAjEjf,OAAiEkf,WAAjElf,EAAiEmf,IAAjEnf,OAAiEof,WAAjEpf,EAAiEqf,IAAjErf,OAAiEsf,WAAjEtf,EAAiEuf,IAAjEvf,OAAiEwf,WAAjExf,EAAiEyf,IAAjEzf,OAAiE0f,WAAjE1f,EAAiE2f,IAAjE3f,OAAiE4f,WAAjE5f,EAAiE6f,IAAjE7f,OAAiE8f,WAAjE9f,EAAiE+f,IAAjE/f,OAAiEggB,WAAjEhgB,EAAiEigB,IAAjEjgB,OAAiEkgB,WAAjElgB,EAAiEmgB,IAAjEngB,OAAiEogB,WAAjEpgB,EAAiEqgB,IAAjErgB,OAAiEsgB,WAAjEtgB,EAAiEugB,IAAjEvgB,OAAiEwgB,WAAjExgB,EAAiEygB,IAAjEzgB,OAAiE0gB,WAAjE1gB,EAAiE2gB,IAAjE3gB,OAAiE4gB,WAAjE5gB,EAAiE6gB,IAAjE7gB,OAAiE8gB,WAAjE9gB,EAAiE+gB,IAAjE/gB,OAAiEghB,WAAjEhhB,EAAiEihB,IAAjEjhB,OAAiEkhB,WAAjElhB,EAAiEmhB,IAAjEnhB,OAAiEohB,WAAjEphB,EAAiEqhB,IAAjErhB,OAAiEshB,WAAjEthB,EAAiEuhB,IAAjEvhB,OAAiEwhB,WAAjExhB,EAAiEyhB,IAAjEzhB,OAAiE0hB,WAAjE1hB,EAAiE2hB,IAAjE3hB,OAAiE4hB,WAAjE5hB,EAAiE6hB,IAAjE7hB,OAAiE8hB,WAAjE9hB,EAAiE+hB,IAAjE/hB,OAAiEgiB,WAAjEhiB,EAAiEiiB,IAAjEjiB,OAAiEkiB,WAAjEliB,EAAiEmiB,IAAjEniB,OAAiEoiB,WAAjEpiB,EAAiEqiB,IAAjEriB,OAAiEsiB,WAAjEtiB,EAAiEuiB,IAAjEviB,OAAiEwiB,WAAjExiB,EAAiEyiB,IAAjEziB,OAAiE0iB,WAAjE1iB,EAAiE2iB,IAAjE3iB,OAAiE4iB,WAAjE5iB,EAAiE6iB,IAAjE7iB,OAAiE8iB,WAAjE9iB,EAAiE+iB,IAAjE/iB,OAAiEgjB,WAAjEhjB,EAAiEijB,IAAjEjjB,OAAiEkjB,WAAjEljB,EAAiEmjB,IAAjEnjB,OAAiEojB,WAAjEpjB,EAAiEqjB,IAAjErjB,OAAiEsjB,WAAjEtjB,EAAiEujB,IAAjEvjB,OAAiEwjB,WAAjExjB,EAAiEyjB,IAAjEzjB,OAAiE0jB,WAAjE1jB,EAAiE2jB,IAAjE3jB,OAAiE4jB,WAAjE5jB,EAAiE6jB,IAAjE7jB,OAAiE8jB,WAAjE9jB,EAAiE+jB,IAAjE/jB,OAAiEgkB,WAAjEhkB,EAAiEikB,IAAjEjkB,OAAiEkkB,WAAjElkB,EAAiEmkB,IAAjEnkB,OAAiEokB,WAAjEpkB,EAAiEqkB,IAAjErkB,OAAiEskB,WAAjEtkB,EAAiEukB,IAAjEvkB,OAAiEwkB,WAAjExkB,EAAiEykB,IAAjEzkB,OAAiE0kB,WAAjE1kB,EAAiE2kB,IAAjE3kB,OAAiE4kB,WAAjE5kB,EAAiE6kB,IAAjE7kB,OAAiE8kB,WAAjE9kB,EAAiE+kB,IAAjE/kB,OAAiEglB,WAAjEhlB,EAAiEilB,IAAjEjlB,OAAiEklB,WAAjEllB,EAAiEmlB,IAAjEnlB,OAAiEolB,WAAjEplB,EAAiEqlB,IAAjErlB,OAAiEslB,WAAjEtlB,EAAiEulB,IAAjEvlB,OAAiEwlB,WAAjExlB,EAAiEylB,IAAjEzlB,OAAiE0lB,WAAjE1lB,EAAiE2lB,IAAjE3lB,OAAiE4lB,WAAjE5lB,EAAiE6lB,IAAjE7lB,OAAiE8lB,WAAjE9lB,EAAiE+lB,IAAjE/lB,OAAiEgmB,WAAjEhmB,EAAiEimB,IAAjEjmB,OAAiEkmB,WAAjElmB,EAAiEmmB,IAAjEnmB,OAAiEomB,WAAjEpmB,EAAiEqmB,IAAjErmB,OAAiEsmB,WAAjEtmB,EAAiEumB,IAAjEvmB,OAAiEwmB,WAAjExmB,EAAiEymB,IAAjEzmB,OAAiE0mB,WAAjE1mB,EAAiE2mB,IAAjE3mB,OAAiE4mB,WAAjE5mB,EAAiE6mB,IAAjE7mB,OAAiE8mB,WAAjE9mB,EAAiE+mB,IAAjE/mB,OAAiEgnB,WAAjEhnB,EAAiEinB,IAAjEjnB,OAAiEknB,WAAjElnB,EAAiEmnB,IAAjEnnB,OAAiEonB,WAAjEpnB,EAAiEqnB,IAAjErnB,OAAiEsnB,WAAjEtnB,EAAiEunB,IAAjEvnB,OAAiEwnB,WAAjExnB,EAAiEynB,IAAjEznB,OAAiE0nB,WAAjE1nB,EAAiE2nB,IAAjE3nB,OAAiE4nB,WAAjE5nB,EAAiE6nB,IAAjE7nB,OAAiE8nB,WAAjE9nB,EAAiE+nB,IAAjE/nB,OAAiEgoB,WAAjEhoB,EAAiEioB,IAAjEjoB,OAAiEkoB,WAAjEloB,EAAiEmoB,IAAjEnoB,OAAiEooB,WAAjEpoB,EAAiEqoB,IAAjEroB,OAAiEsoB,WAAjEtoB,EAAiEuoB,IAAjEvoB,OAAiEwoB,WAAjExoB,EAAiEyoB,IAAjEzoB,OAAiE0oB,WAAjE1oB,EAAiE2oB,IAAjE3oB,OAAiE4oB,WAAjE5oB,EAAiE6oB,IAAjE7oB,OAAiE8oB,WAAjE9oB,EAAiE+oB,IAAjE/oB,OAAiEgpB,WAAjEhpB,EAAiEipB,IAAjEjpB,OAAiEkpB,WAAjElpB,EAAiEmpB,IAAjEnpB,OAAiEopB,WAAjEppB,EAAiEqpB,IAAjErpB,OAAiEspB,WAAjEtpB,EAAiEupB,IAAjEvpB,OAAiEwpB,WAAjExpB,EAAiEypB,IAAjEzpB,OAAiE0pB,WAAjE1pB,EAAiE2pB,IAAjE3pB,OAAiE4pB,WAAjE5pB,EAAiE6pB,IAAjE7pB,OAAiE8pB,WAAjE9pB,EAAiE+pB,IAAjE/pB,OAAiEgqB,WAAjEhqB,EAAiEiqB,IAAjEjqB,OAAiEkqB,WAAjElqB,EAAiEmqB,IAAjEnqB,OAAiEoqB,WAAjEpqB,EAAiEqqB,IAAjErqB,OAAiEsqB,WAAjEtqB,EAAiEuqB,IAAjEvqB,OAAiEwqB,WAAjExqB,EAAiEyqB,IAAjEzqB,OAAiE0qB,WAAjE1qB,EAAiE2qB,IAAjE3qB,OAAiE4qB,WAAjE5qB,EAAiE6qB,IAAjE7qB,OAAiE8qB,WAAjE9qB,EAAiE+qB,IAAjE/qB,OAAiEgrB,WAAjEhrB,EAAiEirB,IAAjEjrB,OAAiEkrB,WAAjElrB,EAAiEmrB,IAAjEnrB,OAAiEorB,WAAjEprB,EAAiEqrB,IAAjErrB,OAAiEsrB,WAAjEtrB,EAAiEurB,IAAjEvrB,OAAiEwrB,WAAjExrB,EAAiEyrB,IAAjEzrB,OAAiE0rB,WAAjE1rB,EAAiE2rB,IAAjE3rB,OAAiE4rB,WAAjE5rB,EAAiE6rB,IAAjE7rB,OAAiE8rB,WAAjE9rB,EAAiE+rB,IAAjE/rB,OAAiEgsB,WAAjEhsB,EAAiEisB,IAAjEjsB,OAAiEksB,WAAjElsB,EAAiEmsB,IAAjEnsB,OAAiEosB,WAAjEpsB,EAAiEqsB,IAAjErsB,OAAiEssB,WAAjEtsB,EAAiEusB,IAAjEvsB,OAAiEwsB,WAAjExsB,EAAiEysB,IAAjEzsB,OAAiE0sB,WAAjE1sB,EAAiE2sB,IAAjE3sB,OAAiE4sB,WAAjE5sB,EAAiE6sB,IAAjE7sB,OAAiE8sB,WAAjE9sB,EAAiE+sB,IAAjE/sB,OAAiEgtB,WAAjEhtB,EAAiEitB,IAAjEjtB,OAAiEktB,WAAjEltB,EAAiEmtB,IAAjEntB,OAAiEotB,WAAjEptB,EAAiEqtB,IAAjErtB,OAAiEstB,WAAjEttB,EAAiEutB,IAAjEvtB,OAAiEwtB,WAAjExtB,EAAiEytB,IAAjEztB,OAAiE0tB,WAAjE1tB,EAAiE2tB,IAAjE3tB,OAAiE4tB,WAAjE5tB,EAAiE6tB,IAAjE7tB,OAAiE8tB,WAAjE9tB,EAAiE+tB,IAAjE/tB,OAAiEguB,WAAjEhuB,EAAiEiuB,IAAjEjuB,OAAiEkuB,WAAjEluB,EAAiEmuB,IAAjEnuB,OAAiEouB,WAAjEpuB,EAAiEquB,IAAjEruB,OAAiEsuB,WAAjEtuB,EAAiEuuB,IAAjEvuB,OAAiEwuB,WAAjExuB,EAAiEyuB,IAAjEzuB,OAAiE0uB,WAAjE1uB,EAAiE2uB,IAAjE3uB,OAAiE4uB,WAAjE5uB,EAAiE6uB,IAAjE7uB,OAAiE8uB,WAAjE9uB,EAAiE+uB,IAAjE/uB,OAAiEgvB,WAAjEhvB,EAAiEivB,IAAjEjvB,OAAiEkvB,WAAjElvB,EAAiEmvB,IAAjEnvB,OAAiEovB,WAAjEpvB,EAAiEqvB,IAAjErvB,OAAiEsvB,WAAjEtvB,EAAiEuvB,IAAjEvvB,OAAiEwvB,WAAjExvB,EAAiEyvB,IAAjEzvB,OAAiE0vB,WAAjE1vB,EAAiE2vB,IAAjE3vB,OAAiE4vB,WAAjE5vB,EAAiE6vB,IAAjE7vB,OAAiE8vB,WAAjE9vB,EAAiE+vB,IAAjE/vB,OAAiEgwB,WAAjEhwB,EAAiEiwB,IAAjEjwB,OAAiEkwB,WAAjElwB,EAAiEmwB,IAAjEnwB,OAAiEowB,WAAjEpwB,EAAiEqwB,IAAjErwB,OAAiEswB,WAAjEtwB,EAAiEuwB,IAAjEvwB,OAAiEwwB,WAAjExwB,EAAiEywB,IAAjEzwB,OAAiE0wB,WAAjE1wB,EAAiE2wB,IAAjE3wB,OAAiE4wB,WAAjE5wB,EAAiE6wB,IAAjE7wB,OAAiE8wB,WAAjE9wB,EAAiE+wB,IAAjE/wB,OAAiEgxB,WAAjEhxB,EAAiEixB,IAAjEjxB,OAAiEkxB,WAAjElxB,EAAiEmxB,IAAjEnxB,OAAiEoxB,WAAjEpxB,EAAiEqxB,IAAjErxB,OAAiEsxB,WAAjEtxB,EAAiEuxB,IAAjEvxB,OAAiEwxB,WAAjExxB,EAAiEyxB,IAAjEzxB,OAAiE0xB,WAAjE1xB,EAAiE2xB,IAAjE3xB,OAAiE4xB,WAAjE5xB,EAAiE6xB,IAAjE7xB,OAAiE8xB,WAAjE9xB,EAAiE+xB,IAAjE/xB,OAAiEgyB,WAAjEhyB,EAAiEiyB,IAAjEjyB,OAAiEkyB,WAAjElyB,EAAiEmyB,IAAjEnyB,OAAiEoyB,WAAjEpyB,EAAiEqyB,IAAjEryB,OAAiEsyB,WAAjEtyB,EAAiEuyB,IAAjEvyB,OAAiEwyB,WAAjExyB,EAAiEyyB,IAAjEzyB,OAAiE0yB,WAAjE1yB,EAAiE2yB,IAAjE3yB,OAAiE4yB,WAAjE5yB,EAAiE6yB,IAAjE7yB,OAAiE8yB,WAAjE9yB,EAAiE+yB,IAAjE/yB,OAAiEgzB,WAAjEhzB,EAAiEizB,IAAjEjzB,OAAiEkzB,WAAjElzB,EAAiEmzB,IAAjEnzB,OAAiEozB,WAAjEpzB,EAAiEqzB,IAAjErzB,OAAiEszB,WAAjEtzB,EAAiEuzB,IAAjEvzB,OAAiEwzB,WAAjExzB,EAAiEyzB,IAAjEzzB,OAAiE0zB,WAAjE1zB,EAAiE2zB,IAAjE3zB,OAAiE4zB,WAAjE5zB,EAAiE6zB,IAAjE7zB,OAAiE8zB,WAAjE9zB,EAAiE+zB,IAAjE/zB,OAAiEg0B,WAAjEh0B,EAAiEi0B,IAAjEj0B,OAAiEk0B,WAAjEl0B,EAAiEm0B,IAAjEn0B,OAAiEo0B,WAAjEp0B,EAAiEq0B,IAAjEr0B,OAAiEs0B,WAAjEt0B,EAAiEu0B,IAAjEv0B,OAAiEw0B,WAAjEx0B,EAAiEy0B,IAAjEz0B,OAAiE00B,WAAjE10B,EAAiE20B,IAAjE30B,OAAiE40B,WAAjE50B,EAAiE60B,IAAjE70B,OAAiE80B,WAAjE90B,EAAiE+0B,IAAjE/0B,OAAiEg1B,WAAjEh1B,EAAiEi1B,IAAjEj1B,OAAiEk1B,WAAjEl1B,EAAiEm1B,IAAjEn1B,OAAiEo1B,WAAjEp1B,EAAiEq1B,IAAjEr1B,OAAiEs1B,WAAjEt1B,EAAiEu1B,IAAjEv1B,OAAiEw1B,WAAjEx1B,EAAiEy1B,IAAjEz1B,OAAiE01B,WAAjE11B,EAAiE21B,IAAjE31B,OAAiE41B,WAAjE51B,EAAiE61B,IAAjE71B,OAAiE81B,WAAjE91B,EAAiE+1B,IAAjE/1B,OAAiEg2B,WAAjEh2B,EAAiEi2B,IAAjEj2B,OAAiEk2B,WAAjEl2B,EAAiEm2B,IAAjEn2B,OAAiEo2B,WAAjEp2B,EAAiEq2B,IAAjEr2B,OAAiEs2B,WAAjEt2B,EAAiEu2B,IAAjEv2B,OAAiEw2B,WAAjEx2B,EAAiEy2B,IAAjEz2B,OAAiE02B,WAAjE12B,EAAiE22B,IAAjE32B,OAAiE42B,WAAjE52B,EAAiE62B,IAAjE72B,OAAiE82B,WAAjE92B,EAAiE+2B,IAAjE/2B,OAAiEg3B,WAAjEh3B,EAAiEi3B,IAAjEj3B,OAAiEk3B,WAAjEl3B,EAAiEm3B,IAAjEn3B,OAAiEo3B,WAAjEp3B,EAAiEq3B,IAAjEr3B,OAAiEs3B,WAAj

MACX,C;KATA,C;0FAWA,yB;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAW,UAAU,oBAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;MACX,C;KATA,C;oFAWA,yB;MAAA,wE;MAiOA,+D;MAjOA,yC;QASW,kBAAU,oB;QAiOD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAlOiD,WAkOvC,CAAY,OAAZ,C;UI78OP,U;UADP,YJ+8Oe,WI/8OH,WJ+8OwB,GI/8OxB,C;UACL,IAAI,aAAJ,C;YACH,aJ68OuC,gB;YAA5B,WI58OX,aJ48OgC,GI58OhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJy8OA,iB;UACA,IAAK,WAAI,OAAJ,C;;QApOT,OAsOO,W;MArOX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAsOA,+D;MAtOA,yC;QASW,kBAAU,oB;QAsOD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAvOoD,WAuO1C,CAAY,OAAZ,C;UI99OP,U;UADP,YJg+Oe,WIh+OH,WJg+OwB,GIh+OxB,C;UACL,IAAI,aAAJ,C;YACH,aJ89OuC,gB;YAA5B,WI79OX,aJ69OgC,GI79OhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ09OA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAzOT,OA2OO,W;MA1OX,C;KAXA,C;sFAaA,yB;MAAA,wE;MA2OA,+D;MA3OA,yC;QASW,kBAAU,oB;QA2OD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA5OoD,WA4O1C,CAAY,OAAZ,C;UIp/OP,U;UADP,YJs/Oe,WIt/OH,WJs/OwB,GIt/OxB,C;UACL,IAAI,aAAJ,C;YACH,aJo/OuC,gB;YAA5B,WIn/OX,aJm/OgC,GIn/OhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJg/OA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9OT,OAgPO,W;MA/OX,C;KAZA,C;sFAcA,yB;MAAA,wE;MAgPA,+D;MAhPA,yC;QASW,kBAAU,oB;QAgPD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjPoD,WAiP1C,CAAY,OAAZ,C;UI1gPP,U;UADP,YJ4gPe,WI5gPH,WJ4gPwB,GI5gPxB,C;UACL,IAAI,aAAJ,C;YACH,aJ0gPuC,gB;YAA5B,WIzgPX,aJygPgC,GIzgPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJsgPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnPT,OAqPO,W;MApPX,C;KAbA,C;sFAeA,yB;MAAA,wE;MAqPA,+D;MArPA,yC;QASW,kBAAU,oB;QAqPD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAtPoD,WAsP1C,CAAY,OAAZ,C;UIhiPP,U;UADP,YJkiPe,WIliPH,WJkiPwB,GIliPxB,C;UACL,IAAI,aAAJ,C;YACH,aJgiPuC,gB;YAA5B,WI/hPX,aJ+hPgC,GI/hPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ4hPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxPT,OA0PO,W;MAzPX,C;KAdA,C;sFAgBA,yB;MAAA,wE;MA0PA,+D;MA1PA,yC;QASW,kBAAU,oB;QA0PD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3PoD,WA2P1C,CAAY,OAAZ,C;UIpjPP,U;UADP,YJsjPe,WItjPH,WJsjPwB,GItjPxB,C;UACL,IAAI,aAAJ,C;YACH,aJojPuC,gB;YAA5B,WInjPX,aJmjPgC,GInjPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJgjPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7PT,OA+PO,W;MA9PX,C;KAfA,C;sFAiBA,yB;MAAA,wE;MA+PA,+D;MA/PA,yC;QASW,kBAAU,oB;QA+PD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAhQoD,WAgQ1C,CAAY,OAAZ,C;UIxkPP,U;UADP,YJ0kPe,WI1kPH,WJ0kPwB,GI1kPxB,C;UACL,IAAI,aAAJ,C;YACH,aJwkPuC,gB;YAA5B,WIvkPX,aJukPgC,GIvkPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJokPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlQT,OAoQO,W;MAnQX,C;KAhBA,C;sFAkBA,yB;MAAA,wE;MAoQA,+D;MApQA,yC;QASW,kBAAU,oB;QAoQD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UArQoD,WAqQ1C,CAAY,OAAZ,C;UI5lPP,U;UADP,YJ8lPe,WI9lPH,WJ8lPwB,GI9lPxB,C;UACL,IAAI,aAAJ,C;YACH,aJ4lPuC,gB;YAA5B,WI3lPX,aJ2lPgC,GI3lPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJwlPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvQT,OAyQO,W;MAxQX,C;KAjBA,C;sFAmBA,yB;MAAA,wE;MAyQA,+D;MAzQA,yC;QASW,kBAAU,oB;QAyQD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1QoD,WA0Q1C,CAAY,OAAZ,C;UIhnPP,U;UADP,YJknPe,WIlnPH,WJknPwB,GIlnPxB,C;UACL,IAAI,aAAJ,C;YACH,aJgnPuC,gB;YAA5B,WI/mPX,aJ+mPgC,GI/mPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ4mPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5QT,OA8QO,W;MA7QX,C;KAlBA,C;sFAoBA,yB;MAAA,wE;MA8QA,+D;MA9QA,yC;QASW,kBAAU,oB;QA8QD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/QoD,WA+Q1C,CAAY,OAAZ,C;UIxoPP,U;UADP,YJ0oPe,WI1oPH,WJ0oPwB,GI1oPxB,C;UACL,IAAI,aAAJ,C;YACH,aJwoPuC,gB;YAA5B,WIvoPX,aJuoPgC,GIvoPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJooPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAjRT,OAmRO,W;MAlRX,C;KAnBA,C;sFAqBA,yB;MAAA,wE;MAmRA,+D;MAnRA,yC;QASW,kBAAU,oB;QAmRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UApRoD,WAoR1C,CAAY,OAAZ,C;UI5pPP,U;UADP,YJ8pPe,WI9pPH,WJ8pPwB,GI9pPxB,C;UACL,IAAI,aAAJ,C;YACH,aJ4pPuC,gB;YAA5B,WI3pPX,aJ2pPgC,GI3pPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJwpPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtRT,OAwRO,W;MAvRX,C;KApBA,C;sFAsBA,yB;MAAA,wE;MAwRA,+D;MAxRA,yC;QASW,kBAAU,oB;QAwRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAzRoD,WAyR1C,CAAY,OAAZ,C;UIhrPP,U;UADP,YJkrPe,WIlrPH,WJkrPwB,GIlrPxB,C;UACL,IAAI,aAAJ,C;YACH,aJgrPuC,gB;YAA5B,WI/qPX,aJ+qPgC,GI/qPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ4qPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA3RT,OA6RO,W;MA5RX,C;KArBA,C;sFAuBA,yB;MAAA,wE;MA6RA,+D;MA7RA,yC;QASW,kBAAU,oB;QA6RD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA9RoD,WA8R1C,CAAY,OAAZ,C;UIpsPP,U;UADP,YJssPe,WItsPH,WJssPwB,GItsPxB,C;UACL,IAAI,aAAJ,C;YACH,aJosPuC,gB;YAA5B,WInsPX,aJmsPgC,GInsPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJgsPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhST,OAkSO,W;MAjSX,C;KAtBA,C;sFAwBA,yB;MAAA,wE;MAkSA,+D;MAlSA,yC;QASW,kBAAU,oB;QAkSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAnSoD,WAmS1C,CAAY,OAAZ,C;UI5tPP,U;UADP,YJ8tPe,WI9tPH,WJ8tPwB,GI9tPxB,C;UACL,IAAI,aAAJ,C;YACH,aJ4tPuC,gB;YAA5B,WI3tPX,aJ2tPgC,GI3tPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJwtPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvST,OAySO,W;MAxSX,C;KAvBA,C;sFAyBA,yB;MAAA,wE;MAySA,+D;MAzSA,yC;QASW,kBAAU,oB;QAySD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1SoD,WA0S1C,CAAY,OAAZ,C;UIhvPP,U;UADP,YJkvPe,WIlvPH,WJkvPwB,GIlvPxB,C;UACL,IAAI,aAAJ,C;YACH,aJgvPuC,gB;YAA5B,WI/uPX,aJ+uPgC,GI/uPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ4uPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5TT,OA8TO,W;MA7TX,C;KAxBA,C;sFA0BA,yB;MAAA,wE;MA8TA,+D;MA9TA,yC;QASW,kBAAU,oB;QA8TD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/ToD,WA+T1C,CAAY,OAAZ,C;UIxwPP,U;UADP,YJ0wPe,WI1wPH,WJ0wPwB,GI1wPxB,C;UACL,IAAI,aAAJ,C;YACH,aJwwPuC,gB;YAA5B,WIvwPX,aJuwPgC,GIvwPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJowPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnUT,OAqUO,W;MApUX,C;KAzBA,C;sFA2BA,yB;MAAA,wE;MAqUA,+D;MArUA,yC;QASW,kBAAU,oB;QAqUD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAtUoD,WAsU1C,CAAY,OAAZ,C;UI5xPP,U;UADP,YJ8xPe,WI9xPH,WJ8xPwB,GI9xPxB,C;UACL,IAAI,aAAJ,C;YACH,aJ4xPuC,gB;YAA5B,WI3xPX,aJ2xPgC,GI3xPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJwxPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvUT,OAyUO,W;MAxUX,C;KA1BA,C;sFA4BA,yB;MAAA,wE;MAyUA,+D;MAzUA,yC;QASW,kBAAU,oB;QAyUD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1UoD,WA0U1C,CAAY,OAAZ,C;UIhzPP,U;UADP,YJkzPe,WIlzPH,WJkzPwB,GIlzPxB,C;UACL,IAAI,aAAJ,C;YACH,aJgzPuC,gB;YAA5B,WI/yPX,aJ+yPgC,GI/yPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ4yPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5UT,OA8UO,W;MA7UX,C;KA3BA,C;sFA6BA,yB;MAAA,wE;MA8UA,+D;MA9UA,yC;QASW,kBAAU,oB;QA8UD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/UoD,WA+U1C,CAAY,OAAZ,C;UIx0PP,U;UADP,YJ00PO,WI10PK,WJ00PoB,GI10PpB,C;UACL,IAAI,aAAJ,C;YACH,aJw0PuC,gB;YAA5B,WIv0PX,aJu0PgC,GIv0PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJo0PA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnVT,OAqVO,W;MApVX,C;KA5BA,C;sFA8BA,yB;MAAA,wE;MAqVA,+D;MArVA,yC;QASW,kBAAU,oB;QAqVD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAtVoD,WAsV1C,CAAY,OAAZ,C;UI51PP,U;UADP,YJ81PO,WI91PK,WJ81PoB,GI91PpB,C;UACL,IAAI,aAAJ,C;YACH,aJ41PuC,gB;YAA5B,WI31PX,aJ21PgC,GI31PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJw1PA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvVT,OAyVO,W;MAxVX,C;KA7BA,C;sFA+BA,yB;MAAA,wE;MAyVA,+D;MAzVA,yC;QASW,kBAAU,oB;QAyVD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1VoD,WA0V1C,CAAY,OAAZ,C;UIh3PP,U;UADP,YJk3PO,WIl3PK,WJk3PoB,GIl3PpB,C;UACL,IAAI,aAAJ,C;YACH,aJg3PuC,gB;YAA5B,WI/2PX,aJ+2PgC,GI/2PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ42PA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5VT,OA8VO,W;MA7VX,C;KA9BA,C;sFAgCA,yB;MAAA,wE;MA8VA,+D;MA9VA,yC;QASW,kBAAU,oB;QA8VD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/VoD,WA+V1C,CAAY,OAAZ,C;UIx4PP,U;UADP,YJ04PO,WI14PK,WJ04PoB,GI14PpB,C;UACL,IAAI,aAAJ,C;YACH,aJw4PuC,gB;YAA5B,WIv4PX,aJu4PgC,GIv4PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJo4PA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnWT,OAqWO,W;MApWX,C;KA/BA,C;sFAiCA,yB;MAAA,wE;MAqWA,+D;MArWA,yC;QASW,kBAAU,oB;QAqWD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAtWoD,WAsW1C,CAAY,OAAZ,C;UI56PP,U;UADP,YJ86PO,WI96PK,WJ86PoB,GI96PpB,C;UACL,IAAI,aAAJ,C;YACH,aJ46PuC,gB;YAA5B,WI36PX,aJ26PgC,GI36PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJw6PA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvWT,OAyWO,W;MAxWX,C;KAhCA,C;sFAkCA,yB;MAAA,wE;MAyWA,+D;MAzWA,yC;QASW,kBAAU,oB;QAyWD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1WoD,WA0W1C,CAAY,OAAZ,C;UIh8PP,U;UADP,YJk8PO,WIl8PK,WJk8PoB,GIl8PpB,C;UACL,IAAI,aAAJ,C;YACH,aJg8PuC,gB;YAA5B,WI/7PX,aJ+7PgC,GI/7PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ47PA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5WT,OA8WO,W;MA7WX,C;KAjCA,C;sFAmCA,yB;MAAA,wE;MA8WA,+D;MA9WA,yC;QASW,kBAAU,oB;QA8WD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/WoD,WA+W1C,CAAY,OAAZ,C;UIx9PP,U;UADP,YJ09PO,WI19PK,WJ09PoB,GI19PpB,C;UACL,IAAI,aAAJ,C;YACH,aJw9PuC,gB;YAA5B,WIv9PX,aJu9PgC,GIv9PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJo9PA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnXT,OAqXO,W;MApXX,C;KAlCA,C;sFAoCA,yB;MAAA,wE;MAqXA,+D;MArXA,yC;QASW,kBAAU,oB;QAqXD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAtXoD,WAsX1C,CAAY,OAAZ,C;UI5+PP,U;UADP,YJ8+PO,WI9+PK,WJ8+PoB,GI9+PpB,C;UACL,IAAI,aAAJ,C;YACH,aJ4+PuC,gB;YAA5B,WI3+PX,aJ2+PgC,GI3+PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJw+PA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvXT,OAyXO,W;MAxXX,C;KAnCA,C;sFAqCA,yB;MAAA,wE;MAyXA,+D;MAzXA,yC;QASW,kBAAU,oB;QAyXD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1XoD,WA0X1C,CAAY,OAAZ,C;UIhgQP,U;UADP,YJkgQO,WIlgQK,WJkgQoB,GIlgQpB,C;UACL,IAAI,aAAJ,C;YACH,aJggQuC,gB;YAA5B,WI/fQ,aJ+fgC,GI/fhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ4fA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5XT,OA8XO,W;MA7XX,C;KApCA,C;sFAsCA,yB;MAAA,wE;MA8XA,+D;MA9XA,yC;QASW,kBAAU,oB;QA8XD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/XoD,WA+X1C,CAAY,OAAZ,C;UIxhQP,U;UADP,YJ0hQO,WI1hQK,WJ0hQoB,GI1hQpB,C;UACL,IAAI,aAAJ,C;YACH,aJwhQuC,gB;YAA5B,WIvhQX,aJuhQgC,GIvhQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJohQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnYT,OAqYO,W;MApYX,C;KArCA,C;sFAuCA,yB;MAAA,wE;MAqYA,+D;MArYA,yC;QASW,kBAAU,oB;QAqYD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAtYoD,WAsY1C,CAAY,OAAZ,C;UI5iQP,U;UADP,YJ8iQO,WI9iQK,WJ8iQoB,GI9iQpB,C;UACL,IAAI,aAAJ,C;YACH,aJ4iQuC,gB;YAA5B,WI3iQX,aJ2iQgC,GI3iQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJwiQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvYT,OAyYO,W;MAxYX,C;KAtCA,C;sFAwCA,yB;MAAA,wE;MAyYA,+D;MAzYA,yC;QASW,kBAAU,oB;QAyYD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1YoD,WA0Y1C,CAAY,OAAZ,C;UIhkQP,U;UADP,YJkkQO,WIlkQK,WJkkQoB,GIlkQpB,C;UACL,IAAI,aAAJ,C;YACH,aJgkQuC,gB;YAA5B,WI/jQX,aJ+jQgC,GI/jQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ4jQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5YT,OA8YO,W;MA7YX,C;KAvCA,C;sFAyCA,yB;MAAA,wE;MA8YA,+D;MA9YA,yC;QASW,kBAAU,oB;QA8YD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/YoD,WA+Y1C,CAAY,OAAZ,C;UIxlQP,U;UADP,YJ0lQO,WI1lQK,WJ0lQoB,GI1lQpB,C;UACL,IAAI,aAAJ,C;YACH,aJwlQuC,gB;YAA5B,WIvlQX,aJulQgC,GIvlQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJolQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnZT,OAqZO,W;MApZX,C;KAxCA,C;sFA0CA,yB;MAAA,wE;MAqZA,+D;MArZA,yC;QASW,kBAAU,oB;QAqZD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAtZoD,WAsZ1C,CAAY,OAAZ,C;UI5mQP,U;UADP,YJ8mQO,WI9mQK,WJ8mQoB,GI9mQpB,C;UACL,IAAI,aAAJ,C;YACH,aJ4mQuC,gB;YAA5B,WI3mQX,aJ2mQgC,GI3mQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJwmQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvZT,OAyZO,W;MAxZX,C;KA3CA,C;sFA6CA,yB;MAAA,wE;MAyZA,+D;MAzZA,yC;QASW,kBAAU,oB;QAyZD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1ZoD,WA0Z1C,CAAY,OAAZ,C;UIhoQP,U;UADP,YJkoQO,WIloQK,WJkoQoB,GIloQpB,C;UACL,IAAI,aAAJ,C;YACH,aJgoQuC,gB;YAA5B,WI/nQX,aJ+nQgC,GI/nQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ4nQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5ZT,OA8ZO,W;MA7ZX,C;KA9CA,C;sFAgDA,yB;MAAA,wE;MA8ZA,+D;MA9ZA,yC;QASW,kBAAU,oB;QA8ZD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/ZoD,WA+Z1C,CAAY,OAAZ,C;UIxpQP,U;UADP,YJ0pQO,WI1pQK,WJ0pQoB,GI1pQpB,C;UACL,IAAI,aAAJ,C;YACH,aJwpQuC,gB;YAA5B,WIvpQX,aJupQgC,GIvpQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJopQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnaT,OAqaO,W;MApaX,C;KAjDA,C;sFAmDA,yB;MAAA,wE;MAqaA,+D;MAraA,yC;QASW,kBAAU,oB;QAqaD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAtaoD,WAsa1C,CAAY,OAAZ,C;UI5qQP,U;UADP,YJ8qQO,WI9qQK,WJ8qQoB,GI9qQpB,C;UACL,IAAI,aAAJ,C;YACH,aJ4qQuC,gB;YAA5B,WI3qQX,aJ2qQgC,GI3qQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJwqQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvaT,OAyaO,W;MAxaX,C;KApDA,C;sFAsDA,yB;MAAA,wE;MAyaA,+D;MAzaA,yC;QASW,kBAAU,oB;QAyaD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1aoD,WA0a1C,CAAY,OAAZ,C;UIhsQP,U;UADP,YJksQO,WIlsQK,WJksQoB,GIlsQpB,C;UACL,IAAI,aAAJ,C;YACH,aJgsQuC,gB;YAA5B,WI/rQX,aJ+rQgC,GI/rQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ4rQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5aT,OA8aO,W;MA7aX,C;KAvDA,C;sFAyDA,yB;MAAA,wE;MA8aA,+D;MA9aA,yC;QASW,kBAAU,oB;QA8aD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/aoD,WA+a1C,CAAY,OAAZ,C;UIxtQP,U;UADP,YJ0tQO,WI1tQK,WJ0tQoB,GI1tQpB,C;UACL,IAAI,aAAJ,C;YACH,aJwtQuC,gB;YAA5B,WIvtQX,aJutQgC,GIvtQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJotQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnbT,OAqbO,W;MApbX,C;KA1DA,C;sFA4DA,yB;MAAA,wE;MAqbA,+D;MArbA,yC;QASW,kBAAU,oB;QAqbD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAtboD,WAsb1C,CAAY,OAAZ,C;UI5uQP,U;UADP,YJ8uQO,WI9uQK,WJ8uQoB,GI9uQpB,C;UACL,IAAI,aAAJ,C;YACH,aJ4uQuC,gB;YAA5B,WI3uQX,aJ2uQgC,GI3uQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJwuQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvbT,OAybO,W;MAxbX,C;KA7DA,C;sFA+DA,yB;MAAA,wE;MAybA,+D;MAzbA,yC;QASW,kBAAU,oB;QAybD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1boD,WA0b1C,CAAY,OAAZ,C;UIhwQP,U;UADP,YJkwQO,WIlwQK,WJkwQoB,GIlwQpB,C;UACL,IAAI,aAAJ,C;YACH,aJgwQuC,gB;YAA5B,WI/vQX,aJ+vQgC,GI/vQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ4vQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5bT,OA8bO,W;MA7bX,C;KAhEA,C;sFAkEA,yB;MAAA,wE;MA8bA,+D;MA9bA,yC;QASW,kBAAU,oB;QA8bD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/boD,WA+b1C,CAAY,OAAZ,C;UIxxQP,U;UADP,YJ0xQO,WI1xQK,WJ0xQoB,GI1xQpB,C;UACL,IAAI,aAAJ,C;YACH,aJwxQuC,gB;YAA5B,WIvxQX,aJuxQgC,GIvxQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJoxQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAncT,OAqcO,W;MApcX,C;KAnEA,C;sFAqEA,yB;MAAA,wE;MAqcA,+D;MArcA,yC;QASW,kBAAU,oB;QAqcD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAtcoD,WAsc1C,CAAY,OAAZ,C;UI5yQP,U;UADP,YJ8yQO,WI9yQK,WJ8yQoB,GI9yQpB,C;UACL,IAAI,aAAJ,C;YACH,aJ4yQuC,gB;YAA5B,WI3yQX,aJ2yQgC,GI3yQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJwyQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvcT,OAycO,W;MAxcX,C;KAtEA,C;sFAwEA,yB;MAAA,wE;MAycA,+D;MAzcA,yC;QASW,kBAAU,oB;QAycD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1coD,WA0c1C,CAAY,OAAZ,C;UIh0QP,U;UADP,YJk0QO,WIl0QK,WJk0QoB,GIl0QpB,C;UACL,IAAI,aAAJ,C;YACH,aJg0QuC,gB;YAA5B,WI/zQX,aJ+zQgC,GI/zQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ4zQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5cT,OA8cO,W;MA7cX,C;KAzEA,C;sFA2EA,yB;MAAA,wE;MA8cA,+D;MA9cA,yC;QASW,kBAAU,oB;QA8cD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/coD,WA+c1C,CAAY,OAAZ,C;UIx1QP,U;UADP,YJ01QO,WI11QK,WJ01QoB,GI11QpB,C;UACL,IAAI,aAAJ,C;YACH,aJw1QuC,gB;YAA5B,WIv1QX,aJu1QgC,GIv1QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJo1QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAndT,OAqdO,W;MApdX,C;KA5EA,C;sFA8EA,yB;MAAA,wE;MAqdA,+D;MArdA,yC;QASW,kBAAU,oB;QAqdD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAtdoD,WAsd1C,CAAY,OAAZ,C;UI52QP,U;UADP,YJ82QO,WI92QK,WJ82QoB,GI92QpB,C;UACL,IAAI,aAAJ,C;YACH,aJ42QuC,gB;YAA5B,WI32QX,aJ22QgC,GI32QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJw2QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvdT,OAydO,W;MAxdX,C;KA/EA,C;sFAiFA,yB;MAAA,wE;MAydA,+D;MAzdA,yC;QASW,kBAAU,oB;QAydD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1doD,WA0d1C,CAAY,OAAZ,C;UIh4QP,U;UADP,YJk4QO,WIl4QK,WJk4QoB,GIl4QpB,C;UACL,IAAI,aAAJ,C;YACH,aJg4QuC,gB;YAA5B,WI/3QX,aJ+3QgC,GI/3QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ43QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5dT,OA8dO,W;MA7dX,C;KAlFA,C;sFAoFA,yB;MAAA,wE;MA8dA,+D;MA9dA,yC;QASW,kBAAU,oB;QA8dD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/doD,WA+d1C,CAAY,OAAZ,C;UIx5QP,U;UADP,YJ05QO,WI15QK,WJ05QoB,GI15QpB,C;UACL,IAAI,aAAJ,C;YACH,aJw5QuC,gB;YAA5B,WIv5QX,aJu5QgC,GIv5QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJo5QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAneT,OAqeO,W;MApeX,C;KArFA,C;sFAuFA,yB;MAAA,wE;MAqeA,+D;MAreA,yC;QASW,kBAAU,oB;QAqeD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAteoD,WAse1C,CAAY,OAAZ,C;UI57QP,U;UADP,YJ87QO,WI97QK,WJ87QoB,GI97QpB,C;UACL,IAAI,aAAJ,C;YACH,aJ47QuC,gB;YAA5B,WI37QX,aJ27QgC,GI37QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJw7QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvfT,OAyfO,W;MAxfX,C;KA3FA,C;sFA6FA,yB;MAAA,wE;MAyfA,+D;MAzfA,yC;QASW,kBAAU,oB;QAyfD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1foD,WA0f1C,CAAY,OAAZ,C;UIh9QP,U;UADP,YJk9QO,WIl9QK,WJk9QoB,GIl9QpB,C;UACL,IAAI,aAAJ,C;YACH,aJg9QuC,gB;YAA5B,WI/8QX,aJ+8QgC,GI/8QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ48QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5fT,OA8fO,W;MA7fX,C;KAlGA,C;sFAoGA,yB;MAAA,wE;MA8fA,+D;MA9fA,yC;QASW,kBAAU,oB;QA8fD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/foD,WA+f1C,CAAY,OAAZ,C;UIx+QP,U;UADP,YJ0+QO,WI1+QK,WJ0+QoB,GI1+QpB,C;UACL,IAAI,aAAJ,C;YACH,aJw+QuC,gB;YAA5B,WIv+QX,aJu+QgC,GIv+QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJo+QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAngBT,OAqgBO,W;MApgBX,C;KArGA,C;sFAuGA,yB;MAAA,wE;MAqgBA,+D;MArgBA,yC;QASW,kBAAU,oB;QAqgBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAtgBoD,WAsgB1C,CAAY,OAAZ,C;UI5gRP,U;UADP,YJ8gRO,WI9gRK,WJ8gRoB,GI9gRpB,C;UACL,IAAI,aAAJ,C;YACH,aJ4gRuC,gB;YAA5B,WI3gRX,aJ2gRgC,GI3gRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJwgRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvgBT,OAygBO,W;MAxgBX,C;KA3GA,C;sFA6GA,yB;MAAA,wE;MAygBA,+D;MAzgBA,yC;QASW,kBAAU,oB;QAygBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1goD,WA0g1C,CAAY,OAAZ,C;UIhiRP,U;UADP,YJkiRO,WIliRK,WJkiRoB,GIliRpB,C;UACL,IAAI,aAAJ,C;YACH,aJgiRuC,gB;YAA5B,WI/hRX,aJ+hRgC,GI/hRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ4hRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5gBT,OA8gBO,W;MA7gBX,C;KAlHA,C;sFAoHA,yB;MAAA,wE;MA8gBA,+D;MA9gBA,yC;QASW,kBAAU,oB;QA8gBD,Q;QAAhB,i

e;UACI,UA9RiD,WA8RvC,CAAY,OAAZ,C;UI7pPP,U;UADP,YJ+pPe,WI/pPH,WJ+pPwB,GI/pPxB,C;UACL,IAAI,aAAJ,C;YACH,aJ6pPuC,gB;YAA5B,WI5pPX,aJ4pPgC,GI5pPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJypPA,iB;UACA,IAAK,WAhSyD,cAgSrD,CAAe,OAAf,CAAJ,C;;QAhST,OAkSO,W;MAjSX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAkSA,+D;MAlSA,yD;QAUW,kBAAU,oB;QAkSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAnSiD,WAmSvC,CAAY,OAAZ,C;UI/qPP,U;UADP,YJirPe,WIjrPH,WJirPwB,GIjrPxB,C;UACL,IAAI,aAAJ,C;YACH,aJ+qPuC,gB;YAA5B,WI9qPX,aJ8qPgC,GI9qPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ2qPA,iB;UACA,IAAK,WArSyD,cAqSrD,CAAe,OAAf,CAAJ,C;;QArST,OAuSO,W;MAtSX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAuSA,+D;MAvSA,yD;QAUW,kBAAU,oB;QAuSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAxSiD,WAwSvC,CAAY,OAAZ,C;UIjsPP,U;UADP,YJmsPe,WInsPH,WJmsPwB,GInsPxB,C;UACL,IAAI,aAAJ,C;YACH,aJisPuC,gB;YAA5B,WIhsPX,aJgsPgC,GIhsPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ6rPA,iB;UACA,IAAK,WA1SyD,cA0SrD,CAAe,OAAf,CAAJ,C;;QA1ST,OA4SO,W;MA3SX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA4SA,+D;MA5SA,yD;QAUW,kBAAU,oB;QA4SD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7SiD,WA6SvC,CAAY,OAAZ,C;UIntPP,U;UADP,YJqtPe,WIrtPH,WJqtPwB,GIrtPxB,C;UACL,IAAI,aAAJ,C;YACH,aJmtPuC,gB;YAA5B,WIltPX,aJktPgC,GIltPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ+sPA,iB;UACA,IAAK,WA/SyD,cA+SrD,CAAe,OAAf,CAAJ,C;;QA/ST,OAiTO,W;MAhTX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAiTA,+D;MAjTA,yD;QAUW,kBAAU,oB;QAiTD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAlTiD,WAkTvC,CAAY,OAAZ,C;UIruPP,U;UADP,YJuuPe,WIvuPH,WJuuPwB,GIvuPxB,C;UACL,IAAI,aAAJ,C;YACH,aJquPuC,gB;YAA5B,WIpuPX,aJouPgC,GIpuPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJiuPA,iB;UACA,IAAK,WApTyD,cAoTrD,CAAe,OAAf,CAAJ,C;;QApTT,OAsTO,W;MArTX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAsTA,+D;MAtTA,yD;QAUW,kBAAU,oB;QAsTD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAvTiD,WAuTvC,CAAY,OAAZ,C;UIvvPP,U;UADP,YJyvPe,WIzvPH,WJyvPwB,GIzvPxB,C;UACL,IAAI,aAAJ,C;YACH,aJuvPuC,gB;YAA5B,WItvPX,aJsvPgC,GItvPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJmvPA,iB;UACA,IAAK,WAzTyD,cAyTrD,CAAe,OAAf,CAAJ,C;;QAzTT,OA2TO,W;MA1TX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA2TA,+D;MA3TA,yD;QAUW,kBAAU,oB;QA2TD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA5TiD,WA4TvC,CAAY,OAAZ,C;UIzwPP,U;UADP,YJ2wPe,WI3wPH,WJ2wPwB,GI3wPxB,C;UACL,IAAI,aAAJ,C;YACH,aJywPuC,gB;YAA5B,WIxwPX,aJwwPgC,GIxwPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJqwPA,iB;UACA,IAAK,WA9TyD,cA8TrD,CAAe,OAAf,CAAJ,C;;QA9TT,OAgUO,W;MA/TX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAgUA,+D;MAhUA,yD;QAUW,kBAAU,oB;QAgUD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjUiD,WAiUvC,CAAY,OAAZ,C;UI3xPP,U;UADP,YJ6xPe,WI7xPH,WJ6xPwB,GI7xPxB,C;UACL,IAAI,aAAJ,C;YACH,aJ2xPuC,gB;YAA5B,WI1xPX,aJ0xPgC,GI1xPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJuxPA,iB;UACA,IAAK,WAnUyD,cAmUrD,CAAe,OAAf,CAAJ,C;;QAnUT,OAqUO,W;MApUX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAqUA,+D;MArUA,yD;QAUW,kBAAU,oB;QAqUD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAtUiD,WAsUvC,CAAY,OAAZ,C;UI7yPP,U;UADP,YJ+yPe,WI/yPH,WJ+yPwB,GI/yPxB,C;UACL,IAAI,aAAJ,C;YACH,aJ6yPuC,gB;YAA5B,WI5yPX,aJ4yPgC,GI5yPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJyyPA,iB;UACA,IAAK,WAxUyD,cAwUrD,CAAe,OAAf,CAAJ,C;;QAxUT,OA0UO,W;MAzUX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA0UA,+D;MA1UA,yD;QAUW,kBAAU,oB;QA0UD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3UiD,WA2UvC,CAAY,OAAZ,C;UI/zPP,U;UADP,YJi0Pe,WIj0PH,WJi0PwB,GIj0PxB,C;UACL,IAAI,aAAJ,C;YACH,aJ+zPuC,gB;YAA5B,WI9zPX,aJ8zPgC,GI9zPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ2zPA,iB;UACA,IAAK,WA7UyD,cA6UrD,CAAe,OAAf,CAAJ,C;;QA7UT,OA+UO,W;MA9UX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA+UA,+D;MA/UA,yD;QAUW,kBAAU,oB;QA+UD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAhViD,WAgVvC,CAAY,OAAZ,C;UIn1PP,U;UADP,YJq1Pe,WIr1PH,WJq1PwB,GIr1PxB,C;UACL,IAAI,aAAJ,C;YACH,aJm1PuC,gB;YAA5B,WIl1PX,aJk1PgC,GIl1PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ+0PA,iB;UACA,IAAK,WAlVyD,cAkVrD,CAAe,OAAf,CAAJ,C;;QAlVT,OAoVO,W;MAnVX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAoVA,+D;MApVA,yD;QAUW,kBAAU,oB;QAoVD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UArViD,WAqVvC,CAAY,OAAZ,C;UIr2PP,U;UADP,YJu2Pe,WIv2PH,WJu2PwB,GIv2PxB,C;UACL,IAAI,aAAJ,C;YACH,aJq2PuC,gB;YAA5B,WIp2PX,aJo2PgC,GIp2PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJi2PA,iB;UACA,IAAK,WAvVyD,cAuVrD,CAAe,OAAf,CAAJ,C;;QAvVT,OAyVO,W;MAxVX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAyVA,+D;MAzVA,yD;QAUW,kBAAU,oB;QAyVD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1ViD,WA0VvC,CAAY,OAAZ,C;UIv3PP,U;UADP,YJy3Pe,WIz3PH,WJy3PwB,GIz3PxB,C;UACL,IAAI,aAAJ,C;YACH,aJu3PuC,gB;YAA5B,WIt3PX,aJs3PgC,GIt3PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJm3PA,iB;UACA,IAAK,WA5VyD,cA4VrD,CAAe,OAAf,CAAJ,C;;QA5VT,OA8VO,W;MA7VX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA8VA,+D;MA9VA,yD;QAUW,kBAAU,oB;QA8VD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/ViD,WA+VvC,CAAY,OAAZ,C;UIz4PP,U;UADP,YJ24Pe,WI34PH,WJ24PwB,GI34PxB,C;UACL,IAAI,aAAJ,C;YACH,aJy4PuC,gB;YAA5B,WIx4PX,aJw4PgC,GIx4PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJq4PA,iB;UACA,IAAK,WAjWyD,cAiWrD,CAAe,OAAf,CAAJ,C;;QAjWT,OAmWO,W;MAlWX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAmWA,+D;MAnWA,yD;QAUW,kBAAU,oB;QAmWD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UApWiD,WAoWvC,CAAY,OAAZ,C;UI35PP,U;UADP,YJ65Pe,WI75PH,WJ65PwB,GI75PxB,C;UACL,IAAI,aAAJ,C;YACH,aJ25PuC,gB;YAA5B,WI15PX,aJ05PgC,GI15PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJu5PA,iB;UACA,IAAK,WAtWyD,cAsWrD,CAAe,OAAf,CAAJ,C;;QAtWT,OAwWO,W;MAvWX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAwWA,+D;MAxWA,yD;QAUW,kBAAU,oB;QAwWD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAzWiD,WAyWvC,CAAY,OAAZ,C;UI75PP,U;UADP,YJ+5Pe,WI/5PH,WJ+5PwB,GI/5PxB,C;UACL,IAAI,aAAJ,C;YACH,aJ65PuC,gB;YAA5B,WI55PX,aJ45PgC,GI55PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJy5PA,iB;UACA,IAAK,WA3WyD,cA2WrD,CAAe,OAAf,CAAJ,C;;QA3WT,OA6WO,W;MA5WX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA6WA,+D;MA7WA,yD;QAUW,kBAAU,oB;QA6WD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA9WiD,WA8WvC,CAAY,OAAZ,C;UIj7PP,U;UADP,YJm7Pe,WIn7PH,WJm7PwB,GIn7PxB,C;UACL,IAAI,aAAJ,C;YACH,aJi7PuC,gB;YAA5B,WIh7PX,aJg7PgC,GIh7PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ66PA,iB;UACA,IAAK,WAhXyD,cAgXrD,CAAe,OAAf,CAAJ,C;;QAhXT,OAkXO,W;MAjXX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAkXA,+D;MAlXA,yD;QAUW,kBAAU,oB;QAkXD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAnXiD,WAmXvC,CAAY,OAAZ,C;UIr8PP,U;UADP,YJu8Pe,WIv8PH,WJu8PwB,GIv8PxB,C;UACL,IAAI,aAAJ,C;YACH,aJq8PuC,gB;YAA5B,WIp8PX,aJo8PgC,GIp8PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJi8PA,iB;UACA,IAAK,WAvXyD,cAuXrD,CAAe,OAAf,CAAJ,C;;QAvXT,OAyXO,W;MAxXX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAyXA,+D;MAzXA,yD;QAUW,kBAAU,oB;QAyXD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1XiD,WA0XvC,CAAY,OAAZ,C;UIz9PP,U;UADP,YJ29Pe,WI39PH,WJ29PwB,GI39PxB,C;UACL,IAAI,aAAJ,C;YACH,aJy9PuC,gB;YAA5B,WIx9PX,aJw9PgC,GIx9PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJq9PA,iB;UACA,IAAK,WA9XyD,cA8XrD,CAAe,OAAf,CAAJ,C;;QA9XT,OAgYO,W;MA/XX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAgYA,+D;MAhYA,yD;QAUW,kBAAU,oB;QAgYD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjYiD,WAiYvC,CAAY,OAAZ,C;UI3+PP,U;UADP,YJ6+Pe,WI7+PH,WJ6+PwB,GI7+PxB,C;UACL,IAAI,aAAJ,C;YACH,aJ2+PuC,gB;YAA5B,WI1+PX,aJ0+PgC,GI1+PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJu+PA,iB;UACA,IAAK,WAnYyD,cAmYrD,CAAe,OAAf,CAAJ,C;;QAnYT,OAqYO,W;MApYX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAqYA,+D;MArYA,yD;QAUW,kBAAU,oB;QAqYD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAtYiD,WAsYvC,CAAY,OAAZ,C;UI7/PP,U;UADP,YJ+/Pe,WI//PH,WJ+/PwB,GI//PxB,C;UACL,IAAI,aAAJ,C;YACH,aJ6/PuC,gB;YAA5B,WI5/PX,aJ4/PgC,GI5/PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJy/PA,iB;UACA,IAAK,WAxYyD,cAwYrD,CAAe,OAAf,CAAJ,C;;QAxYT,OA0YO,W;MAzYX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA0YA,+D;MA1YA,yD;QAUW,kBAAU,oB;QA0YD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3YiD,WA2YvC,CAAY,OAAZ,C;UIjhQP,U;UADP,YJmhQe,WInhQH,WJmhQwB,GInhQxB,C;UACL,IAAI,aAAJ,C;YACH,aJihQuC,gB;YAA5B,WIhhQX,aJghQgC,GIhhQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ6gQA,iB;UACA,IAAK,WA5YyD,cA4YrD,CAAe,OAAf,CAAJ,C;;QA5YT,OA8YO,W;MA7YX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA8YA,+D;MA9YA,yD;QAUW,kBAAU,oB;QA8YD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/YiD,WA+YvC,CAAY,OAAZ,C;UIrhQP,U;UADP,YJuhQe,WIvhQH,WJuhQwB,GIvhQxB,C;UACL,IAAI,aAAJ,C;YACH,aJqhQuC,gB;YAA5B,WIphQX,aJohQgC,GIphQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJihQA,iB;UACA,IAAK,WAhZyD,cAgZrD,CAAe,OAAf,CAAJ,C;;QAhZT,OAkZO,W;MAjZX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAkZA,+D;MAlZA,yD;QAUW,kBAAU,oB;QAkZD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAnZiD,WAmZvC,CAAY,OAAZ,C;UIziQP,U;UADP,YJ2iQe,WI3iQH,WJ2iQwB,GI3iQxB,C;UACL,IAAI,aAAJ,C;YACH,aJyiQuC,gB;YAA5B,WIxiQX,aJwiQgC,GIxiQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJqiQA,iB;UACA,IAAK,WApZyD,cAoZrD,CAAe,OAAf,CAAJ,C;;QApZT,OAsZO,W;MArZX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAsZA,+D;MAtZA,yD;QAUW,kBAAU,oB;QAsZD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAvZiD,WAuZvC,CAAY,OAAZ,C;UI7jQP,U;UADP,YJ+jQe,WI/jQH,WJ+jQwB,GI/jQxB,C;UACL,IAAI,aAAJ,C;YACH,aJ6jQuC,gB;YAA5B,WI5jQX,aJ4jQgC,GI5jQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJyjQA,iB;UACA,IAAK,WAxZyD,cAwZrD,CAAe,OAAf,CAAJ,C;;QAxZT,OA0ZO,W;MAzZX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA0ZA,+D;MA1ZA,yD;QAUW,kBAAU,oB;QA0ZD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3ZiD,WA2ZvC,CAAY,OAAZ,C;UIjlQP,U;UADP,YJmlQe,WInlQH,WJmlQwB,GInlQxB,C;UACL,IAAI,aAAJ,C;YACH,aJilQuC,gB;YAA5B,WIhlQX,aJglQgC,GIhlQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ6kQA,iB;UACA,IAAK,WA5ZyD,cA4ZrD,CAAe,OAAf,CAAJ,C;;QA5ZT,OA8ZO,W;MA7ZX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA8ZA,+D;MA9ZA,yD;QAUW,kBAAU,oB;QA8ZD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/ZiD,WA+ZvC,CAAY,OAAZ,C;UIrmQP,U;UADP,YJumQe,WIvmQH,WJumQwB,GIvmQxB,C;UACL,IAAI,aAAJ,C;YACH,aJqmQuC,gB;YAA5B,WIpmQX,aJomQgC,GIpmQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJimQA,iB;UACA,IAAK,WAhayD,cAgarD,CAAe,OAAf,CAAJ,C;;QAhaT,OAkaO,W;MAjaX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAkaA,+D;MAlaA,yD;QAUW,kBAAU,oB;QAkaD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAnaiD,WAmavC,CAAY,OAAZ,C;UIzmQP,U;UADP,YJ2mQe,WI3mQH,WJ2mQwB,GI3mQxB,C;UACL,IAAI,aAAJ,C;YACH,aJymQuC,gB;YAA5B,WIxmQX,aJwmQgC,GIxmQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJqmQA,iB;UACA,IAAK,WApayD,cAoarD,CAAe,OAAf,CAAJ,C;;QApaT,OAsaO,W;MAraX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAsaA,+D;MAtaA,yD;QAUW,kBAAU,oB;QAsaD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAvaiD,WAuavC,CAAY,OAAZ,C;UI7nQP,U;UADP,YJ+nQe,WI/nQH,WJ+nQwB,GI/nQxB,C;UACL,IAAI,aAAJ,C;YACH,aJ6nQuC,gB;YAA5B,WI5nQX,aJ4nQgC,GI5nQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJynQA,iB;UACA,IAAK,WAxayD,cAwarD,CAAe,OAAf,CAAJ,C;;QAxaT,OA0aO,W;MAzaX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA0aA,+D;MA1aA,yD;QAUW,kBAAU,oB;QA0aD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3aiD,WA2avC,CAAY,OAAZ,C;UIjpQP,U;UADP,YJmpQe,WInpQH,WJmpQwB,GInpQxB,C;UACL,IAAI,aAAJ,C;YACH,aJipQuC,gB;YAA5B,WIhpQX,aJgpQgC,GIhpQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ6oQA,iB;UACA,IAAK,WA5ayD,cA4arD,CAAe,OAAf,CAAJ,C;;QA5aT,OA8aO,W;MA7aX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA8aA,+D;MA9aA,yD;QAUW,kBAAU,oB;QA8aD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/aiD,WA+avC,CAAY,OAAZ,C;UIrqQP,U;UADP,YJuqQe,WIvqQH,WJuqQwB,GIvqQxB,C;UACL,IAAI,aAAJ,C;YACH,aJqqQuC,gB;YAA5B,WIpqQX,aJoqQgC,GIpqQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJiqQA,iB;UACA,IAAK,WAhbyD,cAgbrD,CAAe,OAAf,CAAJ,C;;QAhbT,OAkbO,W;MAjbX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAkbA,+D;MAlbA,yD;QAUW,kBAAU,oB;QAkbD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAnbiD,WAmbvC,CAAY,OAAZ,C;UIzqQP,U;UADP,YJ2qQe,WI3qQH,WJ2qQwB,GI3qQxB,C;UACL,IAAI,aAAJ,C;YACH,aJyqQuC,gB;YAA5B,WIxqQX,aJwqQgC,GIxqQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJqqQA,iB;UACA,IAAK,WApbyD,cAobrD,CAAe,OAAf,CAAJ,C;;QApbT,OAsbO,W;MArbX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAsbA,+D;MAtbA,yD;QAUW,kBAAU,oB;QAsbD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAvbiD,WAubvC,CAAY,OAAZ,C;UI7rQP,U;UADP,YJ+rQe,WI/rQH,WJ+rQwB,GI/rQxB,C;UACL,IAAI,aAAJ,C;YACH,aJ6rQuC,gB;YAA5B,WI5rQX,aJ4rQgC,GI5rQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJyrQA,iB;UACA,IAAK,WAxbyD,cAwbrD,CAAe,OAAf,CAAJ,C;;QAxbT,OA0bO,W;MAzbX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA0bA,+D;MA1bA,yD;QAUW,kBAAU,oB;QA0bD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3biD,WA2bvC,CAAY,OAAZ,C;UIjtQP,U;UADP,YJmtQe,WIntQH,WJmtQwB,GIntQxB,C;UACL,IAAI,aAAJ,C;YACH,aJitQuC,gB;YAA5B,WIhtQX,aJgtQgC,GIhtQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ6sQA,iB;UACA,IAAK,WA5byD,cA4brD,CAAe,OAAf,CAAJ,C;;QA5bT,OA8bO,W;MA7bX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA8bA,+D;MA9bA,yD;QAUW,kBAAU,oB;QA8bD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/biD,WA+bvC,CAAY,OAAZ,C;UIruQP,U;UADP,YJuuQe,WIvuQH,WJuuQwB,GIvuQxB,C;UACL,IAAI,aAAJ,C;YACH,aJquQuC,gB;YAA5B,WIpuQX,aJouQgC,GIpuQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJiuQA,iB;UACA,IAAK,WAhcyD,cAgcrD,CAAe,OAAf,CAAJ,C;;QAhcT,OAkcO,W;MAjcX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAkcA,+D;MAlcA,yD;QAUW,kBAAU,oB;QAkcD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAnciD,WAmcvC,CAAY,OAAZ,C;UIzuQP,U;UADP,YJ2uQe,WI3uQH,WJ2uQwB,GI3uQxB,C;UACL,IAAI,aAAJ,C;YACH,aJyuQuC,gB;YAA5B,WIxuQX,aJwuQgC,GIxuQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJquQA,iB;UACA,IAAK,WApcyD,cAocrD,CAAe,OAAf,CAAJ,C;;QApcT,OAscO,W;MArcX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAscA,+D;MAtcA,yD;QAUW,kBAAU,oB;QAscD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAvciD,WAucvC,CAAY,OAAZ,C;UI7vQP,U;UADP,YJ+vQe,WI/vQH,WJ+vQwB,GI/vQxB,C;UACL,IAAI,aAAJ,C;YACH,aJ6vQuC,gB;YAA5B,WI5vQX,aJ4vQgC,GI5vQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJyvQA,iB;UACA,IAAK,WAxcyD,cAwcrD,CAAe,OAAf,CAAJ,C;;QAxcT,OA0cO,W;MAzcX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA0cA,+D;MA1cA,yD;QAUW,kBAAU,oB;QA0cD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3ciD,WA2cvC,CAAY,OAAZ,C;UIjxQP,U;UADP,YJmxQe,WInxQH,WJmxQwB,GInxQxB,C;UACL,IAAI,aAAJ,C;YACH,aJixQuC,gB;YAA5B,WIhxQX,aJgxQgC,GIhxQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ6wQA,iB;UACA,IAAK,WA5cyD,cA4crD,CAAe,OAAf,CAAJ,C;;QA5cT,OA8cO,W;MA7cX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA8cA,+D;MA9cA,yD;QAUW,kBAAU,oB;QA8cD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/ciD,WA+cvC,CAAY,OAAZ,C;UIryQP,U;UADP,YJuyQe,WIvyQH,WJuyQwB,GIvyQxB,C;UACL,IAAI,aAAJ,C;YACH,aJqyQuC,gB;YAA5B,WIpyQX,aJoyQgC,GIpyQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJiyQA,iB;UACA,IAAK,WAhdyD,cAgdrD,CAAe,OAAf,CAAJ,C;;QAhdT,OAkdO,W;MAjdX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAkdA,+D;MAldA,yD;QAUW,kBAAU,oB;QAkdD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAndiD,WAmdvC,CAAY,OAAZ,C;UIzyQP,U;UADP,YJ2yQe,WI3yQH,WJ2yQwB,GI3yQxB,C;UACL,IAAI,aAAJ,C;YACH,aJyyQuC,gB;YAA5B,WIxyQX,aJwyQgC,GIxyQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJqyQA,iB;UACA,IAAK,WApdyD,cAodrD,CAAe,OAAf,CAAJ,C;;QApdT,OAsdO,W;MArdX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAsdA,+D;MAtdA,yD;QAUW,kBAAU,oB;QAsdD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAvdiD,WAudvC,CAAY,OAAZ,C;UI7zQP,U;UADP,YJ+zQe,WI/zQH,WJ+zQwB,GI/zQxB,C;UACL,IAAI,aAAJ,C;YACH,aJ6zQuC,gB;YAA5B,WI5zQX,aJ4zQgC,GI5zQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJyzQA,iB;UACA,IAAK,WAxdyD,cAwdrD,CAAe,OAAf,CAAJ,C;;QAxdT,OA0dO,W;MAzdX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA0dA,+D;MA1dA,yD;QAUW,kBAAU,oB;QA0dD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3diD,WA2dvC,CAAY,OAAZ,C;UIj0QP,U;UADP,YJm0Qe,WIn0QH,WJm0QwB,GIn0QxB,C;UACL,IAAI,aAAJ,C;YACH,aJi0QuC,gB;YAA5B,WIh0QX,aJg0QgC,GIh0QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ6zQA,iB;UACA,IAAK,WA5dyD,cA4drD,CAAe,OAAf,CAAJ,C;;QA5dT,OA8dO,W;MA7dX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA8dA,+D;MA9dA,yD;QAUW,kBAAU,oB;QA8dD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/diD,WA+dvC,CAAY,OAAZ,C;UIr1QP,U;UADP,YJu1Qe,WIv1QH,WJu1QwB,GIv1QxB,C;UACL,IAAI,aAAJ,C;YACH,aJq1QuC,gB;YAA5B,WIp1QX,aJo1QgC,GIp1QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJi1QA,iB;UACA,IAAK,WAheyD,cAgerD,CAAe,OAAf,CAAJ,C;;QAheT,OAkeO,W;MAjeX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAkeA,+D;MAleA,yD;QAUW,kBAAU,oB;QAkeD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAneiD,WAmevC,CAAY,OAAZ,C;UIz1QP,U;UADP,YJ21Qe,WI31QH,WJ21QwB,GI31QxB,C;UACL,IAAI,aAAJ,C;YACH,aJy1QuC,gB;YAA5B,WIx1QX,aJw1QgC,GIx1QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJq1QA,iB;UACA,IAAK,WApeyD,cAoerD,CAAe,OAAf,CAAJ,C;;QApeT,OAseO,W;MAreX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAseA,+D;MAteA,yD;QAUW,kBAAU,oB;QAseD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAveiD,WAuevC,CAAY,OAAZ,C;UI72QP,U;UADP,YJ+2Qe,WI/2QH,WJ+2QwB,GI/2QxB,C;UACL,IAAI,aAAJ,C;YACH,aJ62QuC,gB;YAA5B,WI52QX,aJ42QgC,GI52QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJy2QA,iB;UACA,IAAK,WAxeyD,cAwerD,CAAe,OAAf,CAAJ,C;;QAxeT,OA0eO,W;MAzeX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA0eA,+D;MA1eA,yD;QAUW,kBAAU,oB;QA0eD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3eiD,WA2evC,CAAY,OAAZ,C;UIj4QP,U;UADP,YJm4Qe,WIn4QH,WJm4QwB,GIn4QxB,C;UACL,IAAI,aAAJ,C;YACH,aJi4QuC,gB;YAA5B,WIh4QX,aJg4QgC,GIh4QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ63QA,iB;UACA,IAAK,WA5eyD,cA4erD,CAAe,OAAf,CAAJ,C;;QA5eT,OA8eO,W;MA7eX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA8eA,+D;MA9eA,yD;QAUW,kBAAU,oB;QA8eD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/eiD,WA+evC,CAAY,OAAZ,C;UIr5QP,U;UADP,YJu5Qe,WIv5QH,WJu5QwB,GIv5QxB,C;UACL,IAAI,aAAJ,C;YACH,aJq5QuC,gB;YAA5B,WIp5QX,aJo5QgC,GIp5QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJi5QA,iB;UACA,IAAK,WAhfyD,cAgfrD,CAAe,OAAf,CAAJ,C;;QAhfT,OAkfO,W;MAjfX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAkfA,+D;MAlfA,yD;QAUW,kBAAU,oB;QAkfD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAnfiD,WAmfvC,CAAY,OAAZ,C;UIz5QP,U;UADP,YJ25Qe,WI35QH,WJ25QwB,GI35QxB,C;UACL,IAAI,aAAJ,C;YACH,aJy5QuC,gB;YAA5B,WIx5QX,aJw5QgC,GIx5QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJq5QA,iB;UACA,IAAK,WApfyD,cAofrD,CAAe,OAAf,CAAJ,C;;QApfT,OAsfO,W;MArfX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAsfA,+D;MAtfA,yD;QAUW,kBAAU,oB;QAsfD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAvfiD,WAufvC,CAAY,OAAZ,C;UI76QP,U;UADP,YJ+6Qe,WI/6QH,WJ+6QwB,GI/6QxB,C;UACL,IAAI,aAAJ,C;YACH,aJ66QuC,gB;YAA5B,WI56QX,aJ46QgC,GI56QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJy6QA,iB;UACA,IAAK,WAxfyD,cAwfrD,CAAe,OAAf,CAAJ,C;;QAxfT,OA0fO,W;MAzfX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA0fA,+D;MA1fA,yD;QAUW,kBAAU,oB;QA0fD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3fiD,WA2f

kPxB,C;UACL,IAAI,aAAJ,C;YACH,aJokPuC,gB;YAA5B,WInkPX,aJmkPgC,GInkPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJgkPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,UAAU,YAAY,oBAAZ,C;UIrlPP,U;UADP,YJulPe,WIvlPH,WJulPwB,GIvlPxB,C;UACL,IAAI,aAAJ,C;YACH,aJqlPuC,gB;YAA5B,WIplPX,aJolPgC,GIplPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJilPA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UIvmPP,U;UADP,YJymPe,WIzmPH,WJymPwB,GIzmPxB,C;UACL,IAAI,aAAJ,C;YACH,aJumPuC,gB;YAA5B,WItmPX,aJsmPgC,GItmPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJmmPA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;0FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UIznPP,U;UADP,YJ2nPe,WI3nPH,WJ2nPwB,GI3nPxB,C;UACL,IAAI,aAAJ,C;YACH,aJynPuC,gB;YAA5B,WIxnPX,aJwnPgC,GIxnPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJqnPA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI3oPP,U;UADP,YJ6oPe,WI7oPH,WJ6oPwB,GI7oPxB,C;UACL,IAAI,aAAJ,C;YACH,aJ2oPuC,gB;YAA5B,WI1oPX,aJ0oPgC,GI1oPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJuoPA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI7pPP,U;UADP,YJ+pPe,WI/pPH,WJ+pPwB,GI/pPxB,C;UACL,IAAI,aAAJ,C;YACH,aJ6pPuC,gB;YAA5B,WI5pPX,aJ4pPgC,GI5pPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJypPA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI/sPP,U;UADP,YJitPe,WIjtPH,WJitPwB,GIjtPxB,C;UACL,IAAI,aAAJ,C;YACH,aJ+sPuC,gB;YAA5B,WI9sPX,aJ8sPgC,GI9sPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ2sPA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UIjwPP,U;UADP,YJmwPe,WInwPH,WJmwPwB,GInwPxB,C;UACL,IAAI,aAAJ,C;YACH,aJiwPuC,gB;YAA5B,WIhwPX,aJgwPgC,GIhwPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ6vPA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UInzPP,U;UADP,YJqzPe,WIrzPH,WJqzPwB,GIrzPxB,C;UACL,IAAI,aAAJ,C;YACH,aJmzPuC,gB;YAA5B,WIlzPX,aJkzPgC,GIlzPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ+yPA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UIr2PP,U;UADP,YJu2Pe,WIv2PH,WJu2PwB,GIv2PxB,C;UACL,IAAI,aAAJ,C;YACH,aJq2PuC,gB;YAA5B,WIp2PX,aJo2PgC,GIp2PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJi2PA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UIv5PP,U;UADP,YJy5Pe,WIz5PH,WJy5PwB,GIz5PxB,C;UACL,IAAI,aAAJ,C;YACH,aJu5PuC,gB;YAA5B,WIt5PX,aJs5PgC,GIt5PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJm5PA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UIz8PP,U;UADP,YJ28Pe,WI38PH,WJ28PwB,GI38PxB,C;UACL,IAAI,aAAJ,C;YACH,aJy8PuC,gB;YAA5B,WIx8PX,aJw8PgC,GIx8PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJq8PA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI3/PP,U;UADP,YJ6/Pe,WI7/PH,WJ6/PwB,GI7/PxB,C;UACL,IAAI,aAAJ,C;YACH,aJ2/PuC,gB;YAA5B,WI1/PX,aJ0/PgC,GI1/PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJu/PA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UIjjQP,U;UADP,YJmjQe,WInjQH,WJmjQwB,GInjQxB,C;UACL,IAAI,aAAJ,C;YACH,aJijQuC,gB;YAA5B,WIhjQX,aJgjQgC,GIhjQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ6iQA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UIvmQP,U;UADP,YJymQe,WIzmQH,WJymQwB,GIzmQxB,C;UACL,IAAI,aAAJ,C;YACH,aJumQuC,gB;YAA5B,WItmQX,aJsmQgC,GItmQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJmmQA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UIzpQP,U;UADP,YJ2pQe,WI3pQH,WJ2pQwB,GI3pQxB,C;UACL,IAAI,aAAJ,C;YACH,aJypQuC,gB;YAA5B,WIxpQX,aJwpQgC,GIxpQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJqpQA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI3sQP,U;UADP,YJ6sQe,WI7sQH,WJ6sQwB,GI7sQxB,C;UACL,IAAI,aAAJ,C;YACH,aJ2sQuC,gB;YAA5B,WI1sQX,aJ0sQgC,GI1sQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJusQA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI7vQP,U;UADP,YJ+vQe,WI/vQH,WJ+vQwB,GI/vQxB,C;UACL,IAAI,aAAJ,C;YACH,aJ6vQuC,gB;YAA5B,WI5vQX,aJ4vQgC,GI5vQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJyvQA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI/yQP,U;UADP,YJizQe,WIjzQH,WJizQwB,GIjzQxB,C;UACL,IAAI,aAAJ,C;YACH,aJ+yQuC,gB;YAA5B,WI9yQX,aJ8yQgC,GI9yQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ2yQA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI31QP,U;UADP,YJ61Qe,WI71QH,WJ61QwB,GI71QxB,C;UACL,IAAI,aAAJ,C;YACH,aJ21QuC,gB;YAA5B,WI11QX,aJ01QgC,GI11QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJu1QA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UIn4QP,U;UADP,YJq4Qe,WIr4QH,WJq4QwB,GIr4QxB,C;UACL,IAAI,aAAJ,C;YACH,aJm4QuC,gB;YAA5B,WIl4QX,aJk4QgC,GIl4QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ+3QA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI35QP,U;UADP,YJ65Qe,WI75QH,WJ65QwB,GI75QxB,C;UACL,IAAI,aAAJ,C;YACH,aJ25QuC,gB;YAA5B,WI15QX,aJ05QgC,GI15QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJu5QA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UIn8QP,U;UADP,YJq8Qe,WIr8QH,WJq8QwB,GIr8QxB,C;UACL,IAAI,aAAJ,C;YACH,aJm8QuC,gB;YAA5B,WIl8QX,aJk8QgC,GIl8QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ+7QA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI39QP,U;UADP,YJ69Qe,WI79QH,WJ69QwB,GI79QxB,C;UACL,IAAI,aAAJ,C;YACH,aJ29QuC,gB;YAA5B,WI19QX,aJ09QgC,GI19QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJu9QA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UIn/QP,U;UADP,YJq/Qe,WIr/QH,WJq/QwB,GIr/QxB,C;UACL,IAAI,aAAJ,C;YACH,aJm/QuC,gB;YAA5B,WIl/QX,aJk/QgC,GIl/QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ+9QA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UIzhRP,U;UADP,YJ2hRe,WI3hRH,WJ2hRwB,GI3hRxB,C;UACL,IAAI,aAAJ,C;YACH,aJyhRuC,gB;YAA5B,WIxhRX,aJwhRgC,GIxhRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJqhRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UIvkRP,U;UADP,YJykRe,WIzkRH,WJykRwB,GIzkRxB,C;UACL,IAAI,aAAJ,C;YACH,aJukRuC,gB;YAA5B,WItkRX,aJskRgC,GItkRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJmkRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UIrnRP,U;UADP,YJunRe,WIvnRH,WJunRwB,GIvnRxB,C;UACL,IAAI,aAAJ,C;YACH,aJqnRuC,gB;YAA5B,WIpnRX,aJonRgC,GIpnRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJinRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UIrqRP,U;UADP,YJuqRe,WIvqRH,WJuqRwB,GIvqRxB,C;UACL,IAAI,aAAJ,C;YACH,aJqqRuC,gB;YAA5B,WIpqRX,aJoqRgC,GIpqRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJiqRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UIvtRP,U;UADP,YJytRe,WIztRH,WJytRwB,GIztRxB,C;UACL,IAAI,aAAJ,C;YACH,aJutRuC,gB;YAA5B,WIttRX,aJstRgC,GIttRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJmtRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UIzwRP,U;UADP,YJ2wRe,WI3wRH,WJ2wRwB,GI3wRxB,C;UACL,IAAI,aAAJ,C;YACH,aJywRuC,gB;YAA5B,WIxwRX,aJwwRgC,GIxwRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJqwRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI3zRP,U;UADP,YJ6zRe,WI7zRH,WJ6zRwB,GI7zRxB,C;UACL,IAAI,aAAJ,C;YACH,aJ2zRuC,gB;YAA5B,WI1zRX,aJ0zRgC,GI1zRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJuzRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI32RP,U;UADP,YJ62Re,WI72RH,WJ62RwB,GI72RxB,C;UACL,IAAI,aAAJ,C;YACH,aJ22RuC,gB;YAA5B,WI12RX,aJ02RgC,GI12RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJu2RA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI35RP,U;UADP,YJ65Re,WI75RH,WJ65RwB,GI75RxB,C;UACL,IAAI,aAAJ,C;YACH,aJ25RuC,gB;YAA5B,WI15RX,aJ05RgC,GI15RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJu5RA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI38RP,U;UADP,YJ68Re,WI78RH,WJ68RwB,GI78RxB,C;UACL,IAAI,aAAJ,C;YACH,aJ28RuC,gB;YAA5B,WI18RX,aJ08RgC,GI18RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJu8RA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI39RP,U;UADP,YJ69Re,WI79RH,WJ69RwB,GI79RxB,C;UACL,IAAI,aAAJ,C;YACH,aJ29RuC,gB;YAA5B,WI19RX,aJ09RgC,GI19RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJu9RA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI3+RP,U;UADP,YJ6+Re,WI7+RH,WJ6+RwB,GI7+RxB,C;UACL,IAAI,aAAJ,C;YACH,aJ2+RuC,gB;YAA5B,WI1+RX,aJ0+RgC,GI1+RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJu+RA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI3gSP,U;UADP,YJ6gSe,WI7gSH,WJ6gSwB,GI7gSxB,C;UACL,IAAI,aAAJ,C;YACH,aJ2gSuC,gB;YAA5B,WI1gSX,aJ0gSgC,GI1gShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJugSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI3iSP,U;UADP,YJ6iSe,WI7iSH,WJ6iSwB,GI7iSxB,C;UACL,IAAI,aAAJ,C;YACH,aJ2iSuC,gB;YAA5B,WI1iSX,aJ0iSgC,GI1iShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJuiSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI3kSP,U;UADP,YJ6kSe,WI7kSH,WJ6kSwB,GI7kSxB,C;UACL,IAAI,aAAJ,C;YACH,aJ2kSuC,gB;YAA5B,WI1kSX,aJ0kSgC,GI1kShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJukSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI3mSP,U;UADP,YJ6mSe,WI7mSH,WJ6mSwB,GI7mSxB,C;UACL,IAAI,aAAJ,C;YACH,aJ2mSuC,gB;YAA5B,WI1mSX,aJ0mSgC,GI1mShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJumSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI3oSP,U;UADP,YJ6oSe,WI7oSH,WJ6oSwB,GI7oSxB,C;UACL,IAAI,aAAJ,C;YACH,aJ2oSuC,gB;YAA5B,WI1oSX,aJ0oSgC,GI1oShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJuoSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI3qSP,U;UADP,YJ6qSe,WI7qSH,WJ6qSwB,GI7qSxB,C;UACL,IAAI,aAAJ,C;YACH,aJ2qSuC,gB;YAA5B,WI1qSX,aJ0qSgC,GI1qShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJuqSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI3sSP,U;UADP,YJ6sSe,WI7sSH,WJ6sSwB,GI7sSxB,C;UACL,IAAI,aAAJ,C;YACH,aJ2sSuC,gB;YAA5B,WI1sSX,aJ0sSgC,GI1sShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJusSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI3uSP,U;UADP,YJ6uSe,WI7uSH,WJ6uSwB,GI7uSxB,C;UACL,IAAI,aAAJ,C;YACH,aJ2uSuC,gB;YAA5B,WI1uSX,aJ0uSgC,GI1uShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJuuSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI3wSP,U;UADP,YJ6wSe,WI7wSH,WJ6wSwB,GI7wSxB,C;UACL,IAAI,aAAJ,C;YACH,aJ2wSuC,gB;YAA5B,WI1wSX,aJ0wSgC,GI1wShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJuwSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI3ySP,U;UADP,YJ6ySe,WI7ySH,WJ6ySwB,GI7ySxB,C;UACL,IAAI,aAAJ,C;YACH,aJ2ySuC,gB;YAA5B,WI1ySX,aJ0ySgC,GI1ySlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJuySA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI30SP,U;UADP,YJ60Se,WI70SH,WJ60SwB,GI70SxB,C;UACL,IAAI,aAAJ,C;YACH,aJ20SuC,gB;YAA5B,WI10SX,aJ00SgC,GI10SlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJuzSA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI31SP,U;UADP,YJ61Se,WI71SH,WJ61SwB,GI71SxB,C;UACL,IAAI,aAAJ,C;YACH,aJ21SuC,gB;YAA5B,WI11SX,aJ01SgC,GI11

QAqUA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAtUiB,SAsUb,CAAU,IAAV,CAAJ,C;;QAtUhB,OAuUO,W;MAtUX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAuUA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAxUiB,SAwUb,CAAU,IAAV,CAAJ,C;;QAxUhB,OAyUO,W;MAxUX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAyUA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA1UiB,SA0Ub,CAAU,IAAV,CAAJ,C;;QA1UhB,OA2UO,W;MA1UX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA2UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA5UiB,SA4Ub,CAAU,IAAV,CAAJ,C;;QA5UhB,OA6UO,W;MA5UX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA6UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9UiB,SA8Ub,CAAU,IAAV,CAAJ,C;;QA9UhB,OA+UO,W;MA9UX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OAiVO,W;MAhVX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAiVA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAlViB,SAkVb,CAAU,IAAV,CAAJ,C;;QAlVhB,OAmVO,W;MAlVX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAmVA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WApViB,SAoVb,CAAU,IAAV,CAAJ,C;;QApVhB,OAqVO,W;MApVX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAqVA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAtViB,SAsVb,CAAU,IAAV,CAAJ,C;;QAtVhB,OAuVO,W;MAtVX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAuVA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAxViB,SAwVb,CAAU,IAAV,CAAJ,C;;QAxVhB,OAyVO,W;MAxVX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAyVA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA1ViB,SA0Vb,CAAU,IAAV,CAAJ,C;;QA1VhB,OA2VO,W;MA1VX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA2VA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA5ViB,SA4Vb,CAAU,IAAV,CAAJ,C;;QA5VhB,OA6VO,W;MA5VX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA6VA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9ViB,SA8Vb,CAAU,IAAV,CAAJ,C;;QA9VhB,OA+VO,W;MA9VX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA+VA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhWiB,SAgWb,CAAU,IAAV,CAAJ,C;;QAhWhB,OAiWO,W;MAhWX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAiWA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAlWiB,SAkWb,CAAU,IAAV,CAAJ,C;;QAlWhB,OAmWO,W;MAlWX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAmWA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WApWiB,SAoWb,CAAU,IAAV,CAAJ,C;;QApWhB,OAqWO,W;MApWX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAqWA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAtWiB,SAsWb,CAAU,IAAV,CAAJ,C;;QAtWhB,OAuWO,W;MAtWX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAuWA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAxWiB,SAwWb,CAAU,IAAV,CAAJ,C;;QAxWhB,OAyWO,W;MAxWX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAyWA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA1WiB,SA0Wb,CAAU,IAAV,CAAJ,C;;QA1WhB,OA2WO,W;MA1WX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA2WA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA5WiB,SA4Wb,CAAU,IAAV,CAAJ,C;;QA5WhB,OA6WO,W;MA5WX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA6WA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9WiB,SA8Wb,CAAU,IAAV,CAAJ,C;;QA9WhB,OA+WO,W;MA9WX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA+WA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhXiB,SAgXb,CAAU,IAAV,CAAJ,C;;QAhXhB,OAiXO,W;MAhXX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAiXA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAlXiB,SAkXb,CAAU,IAAV,CAAJ,C;;QAlXhB,OAmXO,W;MAlXX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAmXA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WApXiB,SAoXb,CAAU,IAAV,CAAJ,C;;QApXhB,OAqXO,W;MApXX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAqXA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAtXiB,SAsXb,CAAU,IAAV,CAAJ,C;;QAtXhB,OAuXO,W;MAtXX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAuXA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAxXiB,SAwXb,CAAU,IAAV,CAAJ,C;;QAxXhB,OAyXO,W;MAxXX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAyXA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA1XiB,SA0Xb,CAAU,IAAV,CAAJ,C;;QA1XhB,OA2XO,W;MA1XX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA2XA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA5XiB,SA4Xb,CAAU,IAAV,CAAJ,C;;QA5XhB,OA6XO,W;MA5XX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA6XA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9XiB,SA8Xb,CAAU,IAAV,CAAJ,C;;QA9XhB,OA+XO,W;MA9XX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA+XA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhYiB,SAgYb,CAAU,IAAV,CAAJ,C;;QAhYhB,OAiYO,W;MAhYX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAiYA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAlYiB,SAkYb,CAAU,IAAV,CAAJ,C;;QAlYhB,OAmYO,W;MAlYX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAmYA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WApYiB,SAoYb,CAAU,IAAV,CAAJ,C;;QApYhB,OAqYO,W;MApYX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAqYA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAtYiB,SAsYb,CAAU,IAAV,CAAJ,C;;QAtYhB,OAuYO,W;MAtYX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAuYA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAxYiB,SAwYb,CAAU,IAAV,CAAJ,C;;QAxYhB,OAyYO,W;MAxYX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAyYA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA1YiB,SA0Yb,CAAU,IAAV,CAAJ,C;;QA1YhB,OA2YO,W;MA1YX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA2YA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA5YiB,SA4Yb,CAAU,IAAV,CAAJ,C;;QA5YhB,OA6YO,W;MA5YX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA6YA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9YiB,SA8Yb,CAAU,IAAV,CAAJ,C;;QA9YhB,OA+YO,W;MA9YX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA+YA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhZiB,SAgZb,CAAU,IAAV,CAAJ,C;;QAhZhB,OAiZO,W;MAhZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAiZA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAlZiB,SAkZb,CAAU,IAAV,CAAJ,C;;QAlZhB,OAmZO,W;MAlZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAmZA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WApZiB,SAoZb,CAAU,IAAV,CAAJ,C;;QApZhB,OAqZO,W;MApZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAqZA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAtZiB,SAsZb,CAAU,IAAV,CAAJ,C;;QAtZhB,OAuZO,W;MAtZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAuZA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAxZiB,SAwZb,CAAU,IAAV,CAAJ,C;;QAxZhB,OAyZO,W;MAxZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAyZA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA1ZiB,SA0Zb,CAAU,IAAV,CAAJ,C;;QA1ZhB,OA2ZO,W;MA1ZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA2ZA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA5ZiB,SA4Zb,CAAU,IAAV,CAAJ,C;;QA5ZhB,OA6ZO,W;MA5ZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA6ZA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9ZiB,SA8Zb,CAAU,IAAV,CAAJ,C;;QA9ZhB,OA+ZO,W;MA9ZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA+ZA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhaiB,SAgab,CAAU,IAAV,CAAJ,C;;QAhahB,OAiaO,W;MAhaX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAiaA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAlaiB,SAkab,CAAU,IAAV,CAAJ,C;;QAlahB,OAmaO,W;MAlaX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAmaA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WApaiB,SAoab,CAAU,IAAV,CAAJ,C;;QApahB,OAqaO,W;MApaX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAqaA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAtaiB,SAsab,CAAU,IAAV,CAAJ,C;;QAtahB,OAuaO,W;MAtaX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAuaA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAxaiB,SAwab,CAAU,IAAV,CAAJ,C;;QAxahB,OAyaO,W;MAxaX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAyaA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA1aiB,SA0ab,CAAU,IAAV,CAAJ,C;;QA1ahB,OA2aO,W;MA1aX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA2aA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA5aiB,SA4ab,CAAU,IAAV,CAAJ,C;;QA5ahB,OA6aO,W;MA5aX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA6aA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9aiB,SA8ab,CAAU,IAAV,CAAJ,C;;QA9ahB,OA+aO,W;MA9aX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA+aA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhbiB,SAgbb,CAAU,IAAV,CAAJ,C;;QAhbhB,OAibO,W;MAhbX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAibA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAlbiB,SAkbb,CAAU,IAAV,CAAJ,C;;QAlbhB,OAmbO,W;MAlbX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAmbA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WApbiB,SAobb,CAAU,IAAV,CAAJ,C;;QApbhB,OAqbO,W;MApbX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAqbA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAtbiB,SAsbb,CAAU,IAAV,CAAJ,C;;QAtbhB,OAubO,W;MAtbX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAubA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAxbiB,SAwbb,CAAU,IAAV,CAAJ,C;;QAxbhB,OAybO,W;MAxbX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAybA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA1biB,SA0bb,CAAU,IAAV,CAAJ,C;;QA1bhB,OA2bO,W;MA1bX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA2bA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA5biB,SA4bb,CAAU,IAAV,CAAJ,C;;QA5bhB,OA6bO,W;MA5bX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA6bA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9biB,SA8bb,CAAU,IAAV,CAAJ,C;;QA9bhB,OA+bO,W;MA9bX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA+bA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhciB,SAgcb,CAAU,IAAV,CAAJ,C;;QAhchB,OAicO,W;MAhcX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAicA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAlciB,SAkcb,CAAU,IAAV,CAAJ,C;;QAlchB,OAmcO,W;MAlcX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAmcA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WApciB,SAocb,CAAU,IAAV,CAAJ,C;;QApchB,OAqcO,W;MApcX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAqcA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAtciB,SAscb,CAAU,IAAV,CAAJ,C;;QAtchB,OAucO,W;MAtcX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAucA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAxciB,SAwcb,CAAU,IAAV,CAAJ,C;;QAxchB,OAycO,W;MAxcX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAycA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA1ciB,SA0cb,CAAU,IAAV,CAAJ,C;;QA1chB,OA2cO,W;MA1cX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA2cA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA5ciB,SA4cb,CAAU,IAAV,CAAJ,C;;QA5chB,OA6cO,W;MA5cX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA6cA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9ciB,SA8cb,CAAU,IAAV,CAAJ,C;;QA9chB,OA+cO,W;MA9cX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA+cA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhdiB,SAgdb,CAAU,IAAV,CAAJ,C;;QAhdhB,OAidO,W;MAhdX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAidA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAldiB,SAkdb,CAAU,IAAV,CAAJ,C;;QAldhB,OAmdO,W;MAldX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAmdA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WApdiB,SAodb,CAAU,IAAV,CAAJ,C;;QApdhB,OAqdO,W;MApdX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAqdA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAtdiB,SAsdb,CAAU,IAAV,CAAJ,C;;QAtdhB,OAudO,W;MAtdX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAudA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAxdiB,SAwdb,CAAU,IAAV,CAAJ,C;;QAxdhB,OAydO,W;MAxdX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAydA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA1diB,SA0db,CAAU,IAAV,CAAJ,C;;QA1dhB,OA2dO,W;MA1dX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA2dA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA5diB,SA4db,CAAU,IAAV,CAAJ,C;;QA5dhB,OA6dO,W;MA5dX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA6dA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9diB,SA8db,CAAU,IAAV,CAAJ,C;;QA9dhB,OA+dO,W;MA9dX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA+dA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAheiB,SAgeb,CAAU,IAAV,CAAJ,C;;QAhehB,OAieO,W;MAheX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAieA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAleiB,SAkeb,CAAU,IAAV,CAAJ,C;;QAlehB,OAmeO,W;MAleX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAmeA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WApeiB,SAoeb,CAAU,IAAV,CAAJ,C;;QApehB,OAqeO,W;MApeX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAqeA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAteiB,SAseb,CAAU,IAAV,CAAJ,C;;QAtehB,OAueO,W;MAteX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAueA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAxeiB,SAweb,CAAU,IAAV,CAAJ,C;;QAxehB,OAyeO,W;MAxeX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAyeA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA1eiB,SA0eb,CAAU,IAAV,CAAJ,C;;QA1ehB,OA2eO,W;MA1eX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA2eA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA5eiB,SA4eb,CAAU,IAAV,CAAJ,C;;QA5ehB,OA6eO,W;MA5eX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA6eA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9eiB,SA8eb,CAAU,IAAV,CAAJ,C;;QA9ehB,OA+eO,W;MA9eX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA+eA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhfiB,SAgfb,CAAU,IAAV,CAAJ,C;;QAhfhB,OAifO,W;MAhfX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAifA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAlfiB,SAkfb,CAAU,IAAV,CAAJ,C;;QAlfhB,OAmfO,W;MAlfX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAmfA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WApfiB,SAofb,CAAU,IAAV,CAAJ,C;;QApfhB,OAqfO,W;MApfX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAqfA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAtfiB,SAsfb,CAAU,IAAV,CAAJ,C;;QAtfhB,OAufO,W;MAtfX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAufA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAxfiB,SAwfb,CAAU,IAAV,CAAJ,C;;QAxfhB,OAyfO,W;MAxfX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAyfA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA1fiB,SA0fb,CAAU,IAAV,CAAJ,C;;QA1fhB,OA2fO,W;MA1fX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA2fA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA5fiB,SA4fb,CAAU,IAAV,CAAJ,C;;QA5fhB,OA6fO,W;MA5fX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA6fA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9fiB,SA8fb,CAAU,IAAV,CAAJ,C;;QA9fhB,OA+fO,W;MA9fX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA+fA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhgiB,SAggb,CAAU,IAAV,CAAJ,C;;QAhghB,OAigO,W;MAhgX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAigA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAlgiB,SAkgb,CAAU,IAAV,CAAJ,C;;QAlghB,OAmgO,W;MAlgX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAmgA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WApgiB,SAogb,CAAU,IAAV,CAAJ,C;;QApghB,OAqgO,W;MApgX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAqgA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAtgiB,SAsgb,CAAU,IAAV,CAAJ,C;;QAtghB,OAugO,W;MAtgX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAugA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAxgiB,SAwgb,CAAU,IAAV,CAAJ,C;;QAxghB,OAygO,W;MAxgX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAygA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA1giB,SA0gb,CAAU,IAAV,CAAJ,C;;QA1ghB,OA2gO,W;MA1gX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA2gA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA5giB,SA4gb,CAAU,IAAV,CAAJ,C;;QA5ghB,OA6gO,W;MA5gX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA6gA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9giB,SA8gb,CAAU,IAAV,CAAJ,C;;QA9ghB,OA+gO,W;MA9gX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA+gA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhhiB,SAghb,CAAU,IAAV,CAAJ,C;;QAhhhB,OAihO,W;MAhhX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAihA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAlhiB,SAkhb,CAAU,IAAV,CAAJ,C;;QAlhhB,OAmhO,W;MAlhX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAmhA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAphiB,SAohb,CAAU,IAAV,CAAJ,C;;QAphhB,OAqhO,W;MAphX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAqhA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAthiB,SAshb,CAAU,IAAV,CAAJ,C;;QAthhB,OAuhO,W;MAthX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAuhA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAxhiB,SAwhb,CAAU,IAAV,CAAJ,C;;QAxhhB,OAyhO,W;MAxhX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAyhA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA1hiB,SA0hb,CAAU,IAAV,CAAJ,C;;QA1hhB,OA2hO,W;MA1hX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA2hA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA5hiB,SA4hb,CAAU,IAAV,CAAJ,C;;QA5hhB,OA6hO,W;MA5hX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA6hA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9hiB,SA8hb,CAAU,IAAV,CAAJ,C;;QA9hhB,OA+hO,W;MA9hX,C;KANA,C;8EAQA,yB;MAAA,gE;MA

;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MAChB,OAAO,W;IACX,C;;MAUiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MAChB,OAAO,W;IACX,C;gGAEA,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAQiB,UACiB,M;QAF9B,YAAY,C;QACZ,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QAChB,OAAO,W;MACX,C;KAXA,C;0FAaA,yB;MAAA,+D;MAQA,sC;MAAA,6B;MAAA,0BAKY,yB;;UAAA,0B;YAAa,Q;YAAb,8BAAU,OAAV,W;cAAU,C;cAAV,mC;;;YAAU,W;UAAV,7D,C;QAAA,C;OAAA,C;MAbtB,uC;QAAA,kBAAW,kBAAX,yB;UAAW,gC;UAAX,iD;YAAW,Q;YAAX,8BAAU,OAAV,W;cAAU,C;cAAV,mC;;;YAAU,W;UAAV,7D,C;QAAA,C;OAAA,C;MAAA,yC;QAAA,o

AAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;MACX,C;KAfA,C;4FAiBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QASc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;MACX,C;KAfA,C;4FAiBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QASc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;MACX,C;KAfA,C;4FAiBA,yB;MAAA,2D;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,sC;QASc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,O;UACI,UAAU,SAAS,cAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAR,C;YACI,IAAK,WAAI,c

,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;IACX,C;;MAQoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU

AkB,O;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;IACX,C;;MAOoB,Q;MADhB,kBAA

YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAVA,C;sGAYA,yB;MAAA,8D;MAAA,gD;QAOI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,B,C;UAEd,qB;;QAEJ,OAAO,W;MACX,C;KAdA,C;wGAgB

MAQiB,Q;MAFb,IAx8IO,qBAAQ,CAw8If,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb
,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEv
B,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA78IO,qBAAQ,CA68If,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL
,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MA
AM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAl9IO,qBAAQ,CAk9If,C;QAAe,OAAO,I;MACtB,UAAU,
UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,
C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAv9IO,qBAAQ,CAu9If,C;QAAe,OAAO,I;M
ACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,M
AAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA59IO,qBAAQ,CA49If,C;QAA
e,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;Q
ACR,IAAI,oBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAWiB,Q;MAHb,IAn+IO,q
BAAQ,CAm+If,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,iB
,OAAO,G;MACX,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN
,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAWiB,Q;M
AHb,IA5+IO,qBAAQ,CA4+If,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAI,CA
AR,C;QAAiB,iB,OAAO,G;MACX,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,
CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;
MAQiB,Q;MAFb,IA3+IO,qBAAQ,CA2+If,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,
aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,
O;IACX,C;gFAEA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAxjJO,qBAAQ,CAwjJf,C;UAAe,OAAO,I;QA
CtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UA
AK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAA
W,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAlkJO,qBA
AQ,CAkkJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aA
AU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ
,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,s
C;QAOiB,Q;QAHb,IA5kJO,qBAAQ,CA4kJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS
,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR
,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kF
AkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAtlJO,qBAAQ,CAslJf,C;UAAe,OAAO,I;QACtB,cAAc,UA
AK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR
,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO
,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAhmJO,qBAAQ,CAgmJf,C;UAAe,
OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,
QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YA
CV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA1mJO,
qBAAQ,CA0mJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,
aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;
YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,
Q;QAHb,IAtnJO,qBAAQ,CAsnJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,
C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BA
AW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;
MAAA,sC;QAOiB,Q;QAHb,IApoJO,qBAAQ,CAooJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,
SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UA
CR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,
yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAxpJO,qBAAQ,CAwpJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,
C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS
,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,
C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAhqJO,qBAAQ,CAgqJf,C;UAAe,OAAO,I;QACtB,cAAc,UA
AK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR
,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO
,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAxqJO,qBAAQ,CAwqJf,C;UAAe,
OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,
QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YA
CV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAhrJO,
qBAAQ,CAgrJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,
aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;
YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,
Q;QAHb,IAtsJO,qBAAQ,CAssJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,
C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BA
AW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;
MAAA,sC;QAOiB,Q;QAHb,IApuJO,qBAAQ,CAouJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,
SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UA
CR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,
yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAxvJO,qBAAQ,CAwvJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,
C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS
,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,
C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAhwJO,qBAAQ,CAgwJf,C;UAAe,OAAO,I;QACtB,cAAc,UA
AK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR
,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO
,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAxwJO,qBAAQ,CAwwJf,C;UAAe,
OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,
QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YA
CV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAhxJO,
qBAAQ,CAgxJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,
aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;
YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,
Q;QAHb,IAtyJO,qBAAQ,CAsyJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,
C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BA
AW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;
MAAA,sC;QAOiB,Q;QAHb,IApzJO,qBAAQ,CAozJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,
SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UA
CR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,
yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAx0JO,qBAAQ,CAw0Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,
C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS
,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,
C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA10JO,qBAAQ,CA00Jf,C;UAAe,OAAO,I;QACtB,cAAc,UA
AK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR
,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO
,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA50JO,qBAAQ,CA40Jf,C;UAAe,
OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,
QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YA
CV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA91JO,
qBAAQ,CA81Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,
aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;
YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,
Q;QAHb,IAh3JO,qBAAQ,CAg3Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,
C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BA
AW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;
MAAA,sC;QAOiB,Q;QAHb,IAp4JO,qBAAQ,CAo4Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,
SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UA
CR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,
yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAx5JO,qBAAQ,CAw5Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,
C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS
,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,
C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA15JO,qBAAQ,CA05Jf,C;UAAe,OAAO,I;QACtB,cAAc,UA
AK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR
,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO
,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAx6JO,qBAAQ,CAw6Jf,C;UAAe,
OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,
QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YA
CV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA76JO,
qBAAQ,CA66Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,
aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;
YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,
Q;QAHb,IAr8JO,qBAAQ,CAq8Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,
C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BA
AW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;
MAAA,sC;QAOiB,Q;QAHb,IAj9JO,qBAAQ,CAi9Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,
SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UA
CR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,
yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAz+JO,qBAAQ,CAy+Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,
C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS
,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,
C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA3/JO,qBAAQ,CA2/Jf,C;UAAe,OAAO,I;QACtB,cAAc,UA
AK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR
,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO
,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA5gKO,qBAAQ,CA4gKf,C;UAAe,
OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,
QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YA
CV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAhhKO,
qBAAQ,CAghKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,
aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;
YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,
Q;QAHb,IAqiKO,qBAAQ,CAriKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,
C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BA
AW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;
MAAA,sC;QAOiB,Q;QAHb,IAzjKO,qBAAQ,CAyjKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,
SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UA
CR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,
yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA7kKO,qBAAQ,CA6kKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,
C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS
,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,
C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAjmKO,qBAAQ,CAimKf,C;UAAe,OAAO,I;QACtB,cAAc,UA
AK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR
,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO
,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAnnKO,qBAAQ,CAmnKf,C;UAAe,
OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,
QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YA
CV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAtoKO,
qBAAQ,CAsoKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,
aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;
YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,
Q;QAHb,IA3pKO,qBAAQ,CA2pKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,
C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BA
AW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;
MAAA,sC;QAOiB,Q;QAHb,IAjrKO,qBAAQ,CAirKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,
SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UA
CR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,
yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAtsKO,qBAAQ,CAssKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,
C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS
,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,
C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAvtKO,qBAAQ,CAutKf,C;UAAe,OAAO,I;QACtB,cAAc,UA
AK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR
,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO
,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAxuKO,qBAAQ,CAwuKf,C;UAAe,
OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,
QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YA
CV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAhvKO,
qBAAQ,CAgvKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,
aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;
YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,
Q;QAHb,IAqwKO,qBAAQ,CArwKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,
C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BA
AW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;
MAAA,sC;QAOiB,Q;QAHb,IAzxKO,qBAAQ,CAyxKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,
SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UA
CR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,
yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA7yKO,qBAAQ,CA6yKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,
C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS
,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,
C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAjzKO,qBAAQ,CAizKf,C;UAAe,OAAO,I;QACtB,cAAc,UA
AK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR
,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO
,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAxzKO,qBAAQ,CAwzKf,C;UAAe,
OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,
QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YA
CV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA70KO,
qBAAQ,CA60Kf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,
aAAU,CAAV,iB;UACI,QAAQ

W,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IA1tJO,qBAAQ,CA0tJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA/tJO,qBAAQ,CA+tJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IApuJO,qBAAQ,CAouJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAzuJO,qBAAQ,CAyuJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA9uJO,qBAAQ,CA8uJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAnvJO,qBAAQ,CAmvJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAxvJO,qBAAQ,CAwvJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA7vJO,qBAAQ,CA6vJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAlwJO,qBAAQ,CAkwJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAl1JO,qBAAQ,CAk1JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAp2JO,qBAAQ,CAo2JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAt3JO,qBAAQ,CAs3JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAx4JO,qBAAQ,CAw4JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA15JO,qBAAQ,CA05JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA55JO,qBAAQ,CA45JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA95JO,qBAAQ,CA85JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAh6JO,qBAAQ,CAg6JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAl6JO,qBAAQ,CAk6JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAp6JO,qBAAQ,CAo6JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAt6JO,qBAAQ,CAs6JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAx6JO,qBAAQ,CAw6JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA16JO,qBAAQ,CA06JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA56JO,qBAAQ,CA46JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAl7JO,qBAAQ,CAk7JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAp7JO,qBAAQ,CAo7JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAt7JO,qBAAQ,CAs7JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAx7JO,qBAAQ,CAw7JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA17JO,qBAAQ,CA07JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA57JO,qBAAQ,CA47JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAl8JO,qBAAQ,CAk8JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAp8JO,qBAAQ,CAo8JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAt8JO,qBAAQ,CAs8JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAx8JO,qBAAQ,CAw8JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA18JO,qBAAQ,CA08JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA58JO,qBAAQ,CA48JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAl9JO,qBAAQ,CAk9JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAp9JO,qBAAQ,CAo9JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAt9JO,qBAAQ,CAs9JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAx9JO,qBAAQ,CAw9JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA19JO,qBAAQ,CA09JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA59JO,qBAAQ,CA49JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAl+JO,qBAAQ,CAk+JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAp+JO,qBAAQ,CAo+JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAt+JO,qBAAQ,CAs+JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAx+JO,qBAAQ,CAw+JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA1+JO,qBAAQ,CA0+JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA5+JO,qBAAQ,CA4+JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAl/JO,qBAAQ,CAk/JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAp/JO,qBAAQ,CAo/JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAt/JO,qBAAQ,CAs/JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAx/JO,qBAAQ,CAw/JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA1/JO,qBAAQ,CA0/JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA5/JO,qBAAQ,CA4/JX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAlgKO,qBAAQ,CAkgKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IApgKO,qBAAQ,CAogKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAtgKO,qBAAQ,CAsgKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAxgKO,qBAAQ,CAwgKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA1gKO,qBAAQ,CA0gKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA5gKO,qBAAQ,CA4gKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAlhKO,qBAAQ,CAkhKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAphKO,qBAAQ,CAohKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAthKO,qBAAQ,CAshKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAxhKO,qBAAQ,CAwhKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA1hKO,qBAAQ,CA0hKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA5hKO,qBAAQ,CA4hKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAliKO,qBAAQ,CAkiKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IApiKO,qBAAQ,CAoiKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAtiKO,qBAAQ,CAsiKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAxiKO,qBAAQ,CAwiKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA1iKO,qBAAQ,CA0iKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA5iKO,qBAAQ,CA4iKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAljKO,qBAAQ,CAkjKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IApjKO,qBAAQ,CAojKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAtjKO,qBAAQ,CAsjKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAxjKO,qBAAQ,CAwjKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA1jKO,qBAAQ,CA0jKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA5jKO,qBAAQ,CA4jKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAlkKO,qBAAQ,CAkkKX,C;QAAW,OAAO,I;MAClB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,

CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;gFAEA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAn+JO,qBAAQ,CAm+Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA7+JO,qBAAQ,CA6+Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAv/JO,qBAAQ,CAu/Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAjgKO,qBAAQ,CAigKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA3gKO,qBAAQ,CA2gKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAvhKO,qBAAQ,CAuhKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAniKO,qBAAQ,CAmiKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAviKO,qBAAQ,CAuiKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA3jKO,qBAAQ,CA2jKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA/kKO,qBAAQ,CA+kKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAnmKO,qBAAQ,CAmmKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAvnKO,qBAAQ,CAunKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAnoKO,qBAAQ,CAmoKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAvpKO,qBAAQ,CAupKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA3qKO,qBAAQ,CA2qKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAvrKO,qBAAQ,CAurKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAnsKO,qBAAQ,CAmsKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAvtKO,qBAAQ,CAutKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA3uKO,qBAAQ,CA2uKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAnvKO,qBAAQ,CAmvKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAvwKO,qBAAQ,CAuwKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA3xKO,qBAAQ,CA2xKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAnyKO,qBAAQ,CAmyKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAvzKO,qBAAQ,CAuzKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA30KO,qBAAQ,CA20Kf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA31KO,qBAAQ,CA21

EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAxqKO,qBAAQ,CAwqKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA7qKO,qBAAQ,CA6qKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA5qKO,qBAAQ,CA4qKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA3qKO,qBAAQ,CA2qKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA1qKO,qBAAQ,CA0qKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAzqKO,qBAAQ,CAyqKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAxqKO,qBAAQ,CAwqKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAvqKO,qBAAQ,CAuqKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAtqKO,qBAAQ,CAsqKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IArqKO,qBAAQ,CAqqKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IApqKO,qBAAQ,CAoqKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAnqKO,qBAAQ,CAmqKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAlqKO,qBAAQ,CAkqKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAjqKO,qBAAQ,CAiqKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAhqKO,qBAAQ,CAgqKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA/pKO,qBAAQ,CA+pKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA9pKO,qBAAQ,CA8pKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA7pKO,qBAAQ,CA6pKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA5pKO,qBAAQ,CA4pKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA3pKO,qBAAQ,CA2pKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA1pKO,qBAAQ,CA0pKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAzpKO,qBAAQ,CAypKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAxpKO,qBAAQ,CAwpKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAvpKO,qBAAQ,CAupKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAtpKO,qBAAQ,CAspKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IArpKO,qBAAQ,CAqp

;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAriLO,qBAAQ,CAqiLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA7iLO,qBAAQ,CA6iLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA7jLO,qBAAQ,CA6jLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAvkLO,qBAAQ,CAukLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA7kLO,qBAAQ,CA6kLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA7lLO,qBAAQ,CA6lLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAvlLO,qBAAQ,CAul

AI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAXA,C;8FAaA,yB;MAAA,8D;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAM0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,sBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,wBAAxB,E;;QAElB,OAAO,W;MACX,C;KAXA,C;0GAaA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAAS,6B,Q;QAAF,zB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,wBAAxB,C;QACp

AO,G;IACX,C;;MAOoB,Q;MADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAA

+XO,MAAK,KZ4+XK,gBY5+XL,EZy3XD,KAmHkB,OY5+XjB,C;MZ6+XZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAtHqB,GAsHP,UAAK,CAAL,CAtHO,EAAnB,KAsHqB,CAAM,CAAN,CAtHF,CAsHrB,C;;MAtHT,OAwHO,I;IAvHX,C;;MAkII,WY5/XO,MAAK,KZ4/XK,gBY5/XL,EZm4XD,KAyHkB,OY5/XjB,C;MZ6/XZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5HqB,GA4HP,UAAK,CAAL,CA5HO,EA4HnB,KA4HqB,CAAM,CAAN,CA5HF,CA4HrB,C;;MA5HT,OA8HO,I;IA7HX,C;;MAwII,WY5gYO,MAAK,KZ4gYK,gBY5gYL,EZ64XD,KA+HkB,OY5gYjB,C;MZ6gYZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlIqB,GAkIP,UAAK,CAAL,CAlIO,EAkInB,KAkIqB,CAAM,CAAN,CAlIF,CAkIrB,C;;MAlIT,OAoIO,I;IAnIX,C;;MA8II,WY5hYO,MAAK,KZ4hYK,gBY5hYL,EZu5XD,KAqIkB,OY5hYjB,C;MZ6hYZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxIqB,GAwIP,UAAK,CAAL,CAxIO,EAwInB,KAwIqB,CAAM,CAAN,CAxIF,CAwIrB,C;;MAxIT,OA0IO,I;IAzIX,C;;MAoJI,WY5iYO,MAAK,KZ4iYK,gBY5iYL,EZi6XD,KA2IkB,OY5iYjB,C;MZ6iYZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA9IqB,GA8IP,UAAK,CAAL,CA9IO,EA8InB,KA8IqB,CAAM,CAAN,CA9IF,CA8IrB,C;;MA9IT,OAgJO,I;IA/IX,C;;MA0JI,WY5jYO,MAAK,KZ4jYK,gBY5jYL,EZ27XD,KAiJkB,OY5jYjB,C;MZ6jYZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApJqB,GAoJP,UAAK,CAAL,CApJO,EAoJnB,KAoJqB,CAAM,CAAN,CApJF,CAoJrB,C;;MApJT,OAsJO,I;IArJX,C;;MAgKI,WY5kYO,MAAK,KZ4kYK,gBY5kYL,EZ+9XD,KAuJkB,OY5kYjB,C;MZ6kYZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA1JqB,GA0JP,UAAK,CAAL,CA1JO,EA0JnB,KA0JqB,CAAM,CAAN,CA1JF,CA0JrB,C;;MA1JT,OA4JO,I;IA3JX,C;;MAsKI,WY5lYO,MAAK,KZ4lYK,gBY5lYL,EZm/XD,KA6JkB,OY5lYjB,C;MZ6lYZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhKqB,GAgKP,UAAK,CAAL,CAhKO,EAgKnB,KAgKqB,CAAM,CAAN,CAhKF,CAgKrB,C;;MAhKT,OAkKO,I;IAjKX,C;;MA4KI,WY5mYO,MAAK,KZ4mYK,gBY5mYL,EZugYD,KAmKkB,OY5mYjB,C;MZ6mYZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAtKqB,GAsKP,UAAK,CAAL,CAtKO,EAsKnB,KAsKqB,CAAM,CAAN,CAtKF,CAsKrB,C;;MAtKT,OAwKO,I;IAvKX,C;;MAkLI,WY5nYO,MAAK,KZ4nYK,gBY5nYL,EZ2hYD,KAyKkB,OY5nYjB,C;MZ6nYZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5KqB,GA4KP,UAAK,CAAL,CA5KO,EA4KnB,KA4KqB,CAAM,CAAN,CA5KF,CA4KrB,C;;MA5KT,OA8KO,I;IA7KX,C;;MAwLI,WY5oYO,MAAK,KZ4oYK,gBY5oYL,EZ+iYD,KA+KkB,OY5oYjB,C;MZ6oYZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlLqB,GAkLP,UAAK,CAAL,CAlLO,EAkLnB,KAkLqB,CAAM,CAAN,CAlLF,CAkLrB,C;;MAlLT,OAoLO,I;IAnLX,C;;MA8LI,WY5pYO,MAAK,KZ4pYK,gBY5pYL,EZumYD,KAqLkB,OY5pYjB,C;MZ6pYZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxLqB,GAwLP,UAAK,CAAL,CAxLO,EAwLnB,KAwLqB,CAAM,CAAN,CAxLF,CAwLrB,C;;MAxLT,OA0LO,I;IAzLX,C;;MAoMI,WY5qYO,MAAK,KZ4qYK,gBY5qYL,EZ2pYD,KAyLkB,OY5qYjB,C;MZ6qYZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5LqB,GA4LP,UAAK,CAAL,CA5LO,EA4LnB,KA4LqB,CAAM,CAAN,CA5LF,CA4LrB,C;;MA5LT,OA8LO,I;IA7LX,C;;MAwMI,WY5rYO,MAAK,KZ4rYK,gBY5rYL,EZ+qYD,KA+LkB,OY5rYjB,C;MZ6rYZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlMqB,GAkMP,UAAK,CAAL,CAlMO,EAkMnB,KAkMqB,CAAM,CAAN,CAlMF,CAkMrB,C;;MAlMT,OAoMO,I;IAnMX,C;;MA8MI,WY5sYO,MAAK,KZ4sYK,gBY5sYL,EZ2rYD,KAqMkB,OY5sYjB,C;MZ6sYZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxMqB,GAwMP,UAAK,CAAL,CAxMO,EAwMnB,KAwMqB,CAAM,CAAN,CAxMF,CAwMrB,C;;MAxMT,OA0MO,I;IAzMX,C;;MAoNI,WY5tYO,MAAK,KZ4tYK,gBY5tYL,EZ2sYD,KAyMkB,OY5tYjB,C;MZ6tYZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5MqB,GA4MP,UAAK,CAAL,CA5MO,EA4MnB,KA4MqB,CAAM,CAAN,CA5MF,CA4MrB,C;;MA5MT,OA8MO,I;IA7MX,C;;MAwNI,WY5uYO,MAAK,KZ4uYK,gBY5uYL,EZ+tYD,KA+MkB,OY5uYjB,C;MZ6uYZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlNqB,GAkNP,UAAK,CAAL,CAlNO,EAkNnB,KAkNqB,CAAM,CAAN,CAlNF,CAkNrB,C;;MAlNT,OAoNO,I;IAnNX,C;;MA8NI,WY5vYO,MAAK,KZ4vYK,gBY5vYL,EZ2uYD,KAqNkB,OY5vYjB,C;MZ6vYZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxNqB,GAwNP,UAAK,CAAL,CAxNO,EAwNnB,KAwNqB,CAAM,CAAN,CAxNF,CAwNrB,C;;MAxNT,OA0NO,I;IAzNX,C;;MAoOI,WY5wYO,MAAK,KZ4wYK,gBY5wYL,EZ2vYD,KAyNkB,OY5wYjB,C;MZ6wYZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5NqB,GA4NP,UAAK,CAAL,CA5NO,EA4NnB,KA4NqB,CAAM,CAAN,CA5NF,CA4NrB,C;;MA5NT,OA8NO,I;IA7NX,C;;MAwOI,WY5xYO,MAAK,KZ4xYK,gBY5xYL,EZ+wYD,KA+NkB,OY5xYjB,C;MZ6xYZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlOqB,GAkOP,UAAK,CAAL,CAlOO,EAkOnB,KAkOqB,CAAM,CAAN,CAlOF,CAkOrB,C;;MAlOT,OAoOO,I;IAnOX,C;;MA8OI,WY5yYO,MAAK,KZ4yYK,gBY5yYL,EZ2xYD,KAqOkB,OY5yYjB,C;MZ6yYZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxOqB,GAwOP,UAAK,CAAL,CAxOO,EAwOnB,KAwOqB,CAAM,CAAN,CAxOF,CAwOrB,C;;MAxOT,OA0OO,I;IAzOX,C;;MAoPI,WY5zYO,MAAK,KZ4zYK,gBY5zYL,EZ2yYD,KAyOkB,OY5zYjB,C;MZ6zYZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5OqB,GA4OP,UAAK,CAAL,CA5OO,EA4OnB,KA4OqB,CAAM,CAAN,CA5OF,CA4OrB,C;;MA5OT,OA8OO,I;IA7OX,C;;MAwPI,WY50YO,MAAK,KZ40YK,gBY50YL,EZ+zYD,KA+OkB,OY50YjB,C;MZ60YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlPqB,GAkPP,UAAK,CAAL,CAlPO,EAkPnB,KAkPqB,CAAM,CAAN,CAlPF,CAkPrB,C;;MAlPT,OAoPO,I;IAnPX,C;;MA8PI,WY51YO,MAAK,KZ41YK,gBY51YL,EZ20YD,KAqPkB,OY51YjB,C;MZ61YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxPqB,GAwPP,UAAK,CAAL,CAxPO,EAwPnB,KAwPqB,CAAM,CAAN,CAxPF,CAwPrB,C;;MAxPT,OA0PO,I;IAzPX,C;;MAoQI,WY52YO,MAAK,KZ42YK,gBY52YL,EZ21YD,KAyPkB,OY52YjB,C;MZ62YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5PqB,GA4PP,UAAK,CAAL,CA5PO,EA4PnB,KA4PqB,CAAM,CAAN,CA5PF,CA4PrB,C;;MA5PT,OA8PO,I;IA7PX,C;;MAwQI,WY53YO,MAAK,KZ43YK,gBY53YL,EZ+2YD,KA+PkB,OY53YjB,C;MZ63YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlQqB,GAkQP,UAAK,CAAL,CAlQO,EAkQnB,KAkQqB,CAAM,CAAN,CAlQF,CAkQrB,C;;MAlQT,OAoQO,I;IAnQX,C;;MA8QI,WY54YO,MAAK,KZ43YK,gBY53YL,EZ23YD,KAqQkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxQqB,GAwQP,UAAK,CAAL,CAxQO,EAwQnB,KAwQqB,CAAM,CAAN,CAxQF,CAwQrB,C;;MAxQT,OA0QO,I;IAzQX,C;;MAoRI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ24YD,KAyQkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5QqB,GA4QP,UAAK,CAAL,CA5QO,EA4QnB,KA4QqB,CAAM,CAAN,CA5QF,CA4QrB,C;;MA5QT,OA8QO,I;IA7QX,C;;MAwRI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ+3YD,KA+QkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlRqB,GAkRP,UAAK,CAAL,CAlRO,EAkRnB,KAkRqB,CAAM,CAAN,CAlRF,CAkRrB,C;;MAlRT,OAoRO,I;IAnRX,C;;MA8RI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ23YD,KAqRkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxRqB,GAwRP,UAAK,CAAL,CAxRO,EAwRnB,KAwRqB,CAAM,CAAN,CAxRF,CAwRrB,C;;MAxRT,OA0RO,I;IAzRX,C;;MAoSI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ24YD,KAyRkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5RqB,GA4RP,UAAK,CAAL,CA5RO,EA4RnB,KA4RqB,CAAM,CAAN,CA5RF,CA4RrB,C;;MA5RT,OA8RO,I;IA7RX,C;;MAwSI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ+3YD,KA+RkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlSqB,GAkSP,UAAK,CAAL,CAlSO,EAkSnB,KAkSqB,CAAM,CAAN,CAlSF,CAkSrB,C;;MAlST,OAoSO,I;IAnSX,C;;MA8SI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ23YD,KAqSkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxSqB,GAwSP,UAAK,CAAL,CAxSO,EAwSnB,KAwSqB,CAAM,CAAN,CAxSF,CAwSrB,C;;MAxST,OA0SO,I;IAzSX,C;;MAoTI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ24YD,KAyTkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5TqB,GA4TP,UAAK,CAAL,CA5TO,EA4TnB,KA4TqB,CAAM,CAAN,CA5TF,CA4TrB,C;;MA5TT,OA8TO,I;IA7TX,C;;MAwUI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ+3YD,KA+TkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlUqB,GAkUP,UAAK,CAAL,CAlUO,EAkUnB,KAkUqB,CAAM,CAAN,CAlUF,CAkUrB,C;;MAlUT,OAoUO,I;IAnUX,C;;MA8UI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ23YD,KAqUkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxUqB,GAwUP,UAAK,CAAL,CAxUO,EAwUnB,KAwUqB,CAAM,CAAN,CAxUF,CAwUrB,C;;MAxUT,OA0UO,I;IAzUX,C;;MAoVI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ24YD,KAyVkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5VqB,GA4VP,UAAK,CAAL,CA5VO,EA4VnB,KA4VqB,CAAM,CAAN,CA5VF,CA4VrB,C;;MA5VT,OA8VO,I;IA7VX,C;;MAwWI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ+3YD,KA+VkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlWqB,GAkWP,UAAK,CAAL,CAlWO,EAkWnB,KAkWqB,CAAM,CAAN,CAlWF,CAkWrB,C;;MAlWT,OAoWO,I;IAnWX,C;;MA8WI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ23YD,KAqWkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxWqB,GAwWP,UAAK,CAAL,CAxWO,EAwWnB,KAwWqB,CAAM,CAAN,CAxWF,CAwWrB,C;;MAxWT,OA0WO,I;IAzWX,C;;MAoXI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ24YD,KAyXkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5XqB,GA4XP,UAAK,CAAL,CA5XO,EA4XnB,KA4XqB,CAAM,CAAN,CA5XF,CA4XrB,C;;MA5XT,OA8XO,I;IA7XX,C;;MAwYI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ+3YD,KA+XkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlYqB,GAkYP,UAAK,CAAL,CAlYO,EAkYnB,KAkYqB,CAAM,CAAN,CAlYF,CAkYrB,C;;MAlYT,OAoYO,I;IAnYX,C;;MA8YI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ23YD,KAqYkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxYqB,GAwYP,UAAK,CAAL,CAxYO,EAwYnB,KAwYqB,CAAM,CAAN,CAxYF,CAwYrB,C;;MAxYT,OA0YO,I;IAzYX,C;;MAoZI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ24YD,KAyZkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5ZqB,GA4ZP,UAAK,CAAL,CA5ZO,EA4ZnB,KA4ZqB,CAAM,CAAN,CA5ZF,CA4ZrB,C;;MA5ZT,OA8ZO,I;IA7ZX,C;;MAwaI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ+3YD,KA+ZkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlaqB,GAkaP,UAAK,CAAL,CAlaO,EAkanB,KAkaqB,CAAM,CAAN,CAlaF,CAkarB,C;;MAlaT,OAoaO,I;IAnaX,C;;MA8aI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ23YD,KAqakB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxaqB,GAwaP,UAAK,CAAL,CAxaO,EAwanB,KAwaqB,CAAM,CAAN,CAxaF,CAwarB,C;;MAxaT,OA0aO,I;IAzaX,C;;MAobI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ24YD,KAybkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5bqB,GA4bP,UAAK,CAAL,CA5bO,EA4bnB,KA4bqB,CAAM,CAAN,CA5bF,CA4brB,C;;MA5bT,OA8bO,I;IA7bX,C;;MAwcI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ+3YD,KA+bkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlcqB,GAkcP,UAAK,CAAL,CAlcO,EAkcnB,KAkcqB,CAAM,CAAN,CAlcF,CAkcrB,C;;MAlcT,OAocO,I;IAncX,C;;MA8cI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ23YD,KAqckB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxcqB,GAwcP,UAAK,CAAL,CAxcO,EAwcnB,KAwcqB,CAAM,CAAN,CAxcF,CAwcrB,C;;MAxcT,OA0cO,I;IAzcX,C;;MAodI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ24YD,KAydkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5dqB,GA4dP,UAAK,CAAL,CA5dO,EA4dnB,KA4dqB,CAAM,CAAN,CA5dF,CA4drB,C;;MA5dT,OA8dO,I;IA7dX,C;;MAweI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ+3YD,KA+dkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAleqB,GAkeP,UAAK,CAAL,CAleO,EAkenB,KAkeqB,CAAM,CAAN,CAleF,CAkerB,C;;MAleT,OAoeO,I;IAneX,C;;MA8eI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ23YD,KAqekB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxeqB,GAweP,UAAK,CAAL,CAxeO,EAwenB,KAweqB,CAAM,CAAN,CAxeF,CAwerB,C;;MAxeT,OA0eO,I;IAzeX,C;;MAofI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ24YD,KAyfkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5fqB,GA4fP,UAAK,CAAL,CA5fO,EA4fnB,KA4fqB,CAAM,CAAN,CA5fF,CA4frB,C;;MA5fT,OA8fO,I;IA7fX,C;;MAwgBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ+3YD,KA+fkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlgBqB,GAkgBP,UAAK,CAAL,CAlgBO,EAkgBnB,KAkgBqB,CAAM,CAAN,CAlgBF,CAkgBrB,C;;MAlgBT,OAogBO,I;IAngBX,C;;MA8gBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ23YD,KAqgBkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxgBqB,GAwgBP,UAAK,CAAL,CAxgBO,EAwgBnB,KAwgBqB,CAAM,CAAN,CAxgBF,CAwgBrB,C;;MAxgBT,OA0gBO,I;IAzgBX,C;;MAohBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ24YD,KAyhBkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5hBqB,GA4hBP,UAAK,CAAL,CA5hBO,EA4hBnB,KA4hBqB,CAAM,CAAN,CA5hBF,CA4hBrB,C;;MA5hBT,OA8hBO,I;IA7hBX,C;;MAwiBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ+3YD,KA+hBkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAliBqB,GAkiBP,UAAK,CAAL,CAliBO,EAkiBnB,KAkiBqB,CAAM,CAAN,CAliBF,CAkiBrB,C;;MAliBT,OAoiBO,I;IAniBX,C;;MA8iBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ23YD,KAqiBkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxiBqB,GAwiBP,UAAK,CAAL,CAxiBO,EAwiBnB,KAwiBqB,CAAM,CAAN,CAxiBF,CAwiBrB,C;;MAxiBT,OA0iBO,I;IAziBX,C;;MAojBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ24YD,KAyjBkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5jBqB,GA4jBP,UAAK,CAAL,CA5jBO,EA4jBnB,KA4jBqB,CAAM,CAAN,CA5jBF,CA4jBrB,C;;MA5jBT,OA8jBO,I;IA7jBX,C;;MAwkBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ+3YD,KA+jBkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlkBqB,GAkkBP,UAAK,CAAL,CAlkBO,EAkkBnB,KAkkBqB,CAAM,CAAN,CAlkBF,CAkkBrB,C;;MAlkBT,OAokBO,I;IAnkBX,C;;MA8kBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ23YD,KAqkBkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxkBqB,GAwkBP,UAAK,CAAL,CAxkBO,EAwkBnB,KAwkBqB,CAAM,CAAN,CAxkBF,CAwkBrB,C;;MAxkBT,OA0kBO,I;IAzkBX,C;;MAolBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ24YD,KAylBkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5lBqB,GA4lBP,UAAK,CAAL,CA5lBO,EA4lBnB,KA4lBqB,CAAM,CAAN,CA5lBF,CA4lBrB,C;;MA5lBT,OA8lBO,I;IA7lBX,C;;MAwmBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ+3YD,KA+lBkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlmBqB,GAkmBP,UAAK,CAAL,CAlmBO,EAkmBnB,KAkmBqB,CAAM,CAAN,CAlmBF,CAkmBrB,C;;MAlmBT,OAomBO,I;IAnmBX,C;;MA8mBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ23YD,KAqmBkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxmBqB,GAwmBP,UAAK,CAAL,CAxmBO,EAwmBnB,KAwmBqB,CAAM,CAAN,CAxmBF,CAwmBrB,C;;MAxmBT,OA0mBO,I;IAzmBX,C;;MAonBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ24YD,KAynBkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5nBqB,GA4nBP,UAAK,CAAL,CA5nBO,EA4nBnB,KA4nBqB,CAAM,CAAN,CA5nBF,CA4nBrB,C;;MA5nBT,OA8nBO,I;IA7nBX,C;;MAwoBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ+3YD,KA+nBkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WAloBqB,GAkoBP,UAAK,CAAL,CAloBO,EAkoBnB,KAkoBqB,CAAM,CAAN,CAloBF,CAkoBrB,C;;MAloBT,OAooBO,I;IAnoBX,C;;MA8oBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ23YD,KAqoBkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WAxoBqB,GAwoBP,UAAK,CAAL,CAxoBO,EAwoBnB,KAwoBqB,CAAM,CAAN,CAxoBF,CAwoBrB,C;;MAxoBT,OA0oBO,I;IAzoBX,C;;MAopBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ24YD,KAyoBkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WA5oBqB,GA4oBP,UAAK,CAAL,CA5oBO,EA4oBnB,KA4oBqB,CAAM,CAAN,CA5oBF,CA4oBrB,C;;MA5oBT,OA8oBO,I;IA7oBX,C;;MAwpBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ+3YD,KA+oBkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WAlpBqB,GAkpBP,UAAK,CAAL,CAlpBO,EAkpBnB,KAkpBqB,CAAM,CAAN,CAlpBF,CAkpBrB,C;;MAlpBT,OAopBO,I;IAnpBX,C;;MA8pBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ23YD,KAqpBkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WAxpBqB,GAwpBP,UAAK,CAAL,CAxpBO,EAwpBnB,KAwpBqB,CAAM,CAAN,CAxpBF,CAwpBrB,C;;MAxpBT,OA0pBO,I;IAzpBX,C;;MAoqBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ24YD,KAyqBkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WA5qBqB,GA4qBP,UAAK,CAAL,CA5qBO,EA4qBnB,KA4qBqB,CAAM,CAAN,CA5qBF,CA4qBrB,C;;MA5qBT,OA8qBO,I;IA7qBX,C;;MAwrBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ+3YD,KA+qBkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WAlrBqB,GAkrBP,UAAK,CAAL,CAlrBO,EAkrBnB,KAkrBqB,CAAM,CAAN,CAlrBF,CAkrBrB,C;;MAlrBT,OAorBO,I;IAnrBX,C;;MA8rBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ23YD,KAqrBkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WAxrBqB,GAwrBP,UAAK,CAAL,CAxrBO,EAwrBnB,KAwrBqB,CAAM,CAAN,CAxrBF,CAwrBrB,C;;MAxrBT,OA0rBO,I;IAzrBX,C;;MAosBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ24YD,KAysBkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WA5sBqB,GA4sBP,UAAK,CAAL,CA5sBO,EA4sBnB,KA4sBqB,CAAM,CAAN,CA5sBF,CA4sBrB,C;;MA5sBT,OA8sBO,I;IA7sBX,C;;MAwtBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ+3YD,KA+sBkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WAltBqB,GAktBP,UAAK,CAAL,CAltBO,EAktBnB,KAktBqB,CAAM,CAAN,CAltBF,CAktBrB,C;;MAltBT,OAotBO,I;IAntBX,C;;MA8tBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ23YD,KAqtBkB,OY54YjB,C;MZ64YZ,WAAW,eAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WAxtBqB,GAwtBP,UAAK,CAAL,CAxtBO,EAwtBnB,KAwtBqB,CAAM,CAAN,CAxtBF,CAwtBrB,C;;MAxtBT,OA0tBO,I;IAztBX,C;;MAouBI,WY54YO,MAAK,KZ44YK,gBY54YL,EZ24YD,KAyuBkB,OY54YjB,C;MZ

2rYD,C;MACX,QAAQ,C;MACQ,OA9GL,KA8GK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhHqB,GAgHP,UAAK,UAAL,EAAK,kBAAL,SAhHO,EAgHI,OAhHJ,CAgHrB,C;;MAhHT,OAkHO,I;IAjHX,C;;MA+HoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY7sYJ,MAAK,KZ6sYwB,EZ6sYqD,SY7sYrD,CZ6sYD,C;MACX,QAAQ,C;MACQ,OAtHL,KAsHK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxHqB,GAwHP,UAAK,UAAL,EAAK,kBAAL,SAxHO,EAwHI,OAxHJ,CAwHrB,C;;MAxHT,OA0HO,I;IAzHX,C;;MAuIoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY/tYJ,MAAK,KZ+tYwB,EZ+tYqD,SY/tYrD,CZ+tYD,C;MACX,QAAQ,C;MACQ,OA9HL,KA8HK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhIqB,GAgIP,UAAK,UAAL,EAAK,kBAAL,SAhIO,EAgII,OAhIJ,CAgIrB,C;;MAhIT,OAkIO,I;IAjIX,C;;MA+IoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYjvYJ,MAAK,KZivYwB,EZivYqD,SYjvYrD,CZivYD,C;MACX,QAAQ,C;MACQ,OAtIL,KAsIK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxIqB,GAwIP,UAAK,UAAL,EAAK,kBAAL,SAxIO,EAwII,OAxIJ,CAwIrB,C;;MAxIT,OA0IO,I;IAzIX,C;;MAuJoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYvxYJ,MAAK,KZuxYwB,EZuxYqD,SYvxYrD,CZuxYD,C;MACX,QAAQ,C;MACQ,OA9IL,KA8IK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhJqB,GAgJP,UAAK,UAAL,EAAK,kBAAL,SAhJO,EAgJI,OAhJJ,CAgJrB,C;;MAhJT,OAkJO,I;IAjJX,C;;MA+JoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYzzYJ,MAAK,KZyzYwB,EZyzYqD,SYzzYrD,CZyzYD,C;MACX,QAAQ,C;MACQ,OAtJL,KAsJK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxJqB,GAwJP,UAAK,UAAL,EAAK,kBAAL,SAxJO,EAwJI,OAxJJ,CAwJrB,C;;MAxJT,OA0JO,I;IAzJX,C;;MAuKoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY31YJ,MAAK,KZ21YwB,EZ21YqD,SY31YrD,CZ21YD,C;MACX,QAAQ,C;MACQ,OA9JL,KA8JK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhKqB,GAgKP,UAAK,UAAL,EAAK,kBAAL,SAhKO,EAgKI,OAhKJ,CAgKrB,C;;MAhKT,OAkKO,I;IAjKX,C;;MA+KoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY73YJ,MAAK,KZ63YwB,EZ63YqD,SY73YrD,CZ63YD,C;MACX,QAAQ,C;MACQ,OAtKL,KAsKK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxKqB,GAwKP,UAAK,UAAL,EAAK,kBAAL,SAxKO,EAwKI,OAxKJ,CAwKrB,C;;MAxKT,OA0KO,I;IAzKX,C;;MAuLoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY/5YJ,MAAK,KZ+5YwB,EZ+5YqD,SY/5YrD,CZ+5YD,C;MACX,QAAQ,C;MACQ,OA9KL,KA8KK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhLqB,GAgLP,UAAK,UAAL,EAAK,kBAAL,SAhLO,EAgLI,OAhLJ,CAgLrB,C;;MAhLT,OAkLO,I;IAjLX,C;;MA+LoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYj8YJ,MAAK,KZi8YwB,EZi8YqD,SYj8YrD,CZi8YD,C;MACX,QAAQ,C;MACQ,OAtLL,KAsLK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxLqB,GAwLP,UAAK,UAAL,EAAK,kBAAL,SAxLO,EAwLI,OAxLJ,CAwLrB,C;;MAxLT,OA0LO,I;IAzLX,C;;MAuMoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYn+YJ,MAAK,KZm+YwB,EZm+YqD,SYn+YrD,CZm+YD,C;MACX,QAAQ,C;MACQ,OA9ML,KA8MK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhNqB,GAgNP,UAAK,UAAL,EAAK,kBAAL,SAhNO,EAgNI,OAhNJ,CAgNrB,C;;MAhNT,OAkNO,I;IAjNX,C;;MA+NoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYrgZJ,MAAK,KZqgZwB,EZqgZqD,SYrgZrD,CZqgZD,C;MACX,QAAQ,C;MACQ,OAtNL,KAsNK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxNqB,GAwNP,UAAK,UAAL,EAAK,kBAAL,SAxNO,EAwNI,OAxNJ,CAwNrB,C;;MAxNT,OA0NO,I;IAzNX,C;;MAuOoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYvhZJ,MAAK,KZuhZwB,EZuhZqD,SYvhZrD,CZuhZD,C;MACX,QAAQ,C;MACQ,OA9OL,KA8OK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhPqB,GAgPP,UAAK,UAAL,EAAK,kBAAL,SAhPO,EAgPI,OAhPJ,CAgPrB,C;;MAhPT,OAkPO,I;IAjPX,C;;MA+PoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYziZJ,MAAK,KZyiZwB,EZyiZqD,SYziZrD,CZyiZD,C;MACX,QAAQ,C;MACQ,OAtPL,KAsPK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxPqB,GAwPP,UAAK,UAAL,EAAK,kBAAL,SAxPO,EAwPI,OAxPJ,CAwPrB,C;;MAxPT,OA0PO,I;IAzPX,C;;MAuQoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY3kZJ,MAAK,KZ2kZwB,EZ3kZqD,SY2kZrD,CZ3kZD,C;MACX,QAAQ,C;MACQ,OA9QL,KA8QK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhRqB,GAgRP,UAAK,UAAL,EAAK,kBAAL,SAhRO,EAgRI,OAhRJ,CAgRrB,C;;MAhRT,OAkRO,I;IAjRX,C;;MA+RoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY7mZJ,MAAK,KZ6mZwB,EZ7mZqD,SY6mZrD,CZ7mZD,C;MACX,QAAQ,C;MACQ,OAtRL,KAsRK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxRqB,GAwRP,UAAK,UAAL,EAAK,kBAAL,SAxRO,EAwRI,OAxRJ,CAwRrB,C;;MAxRT,OA0RO,I;IAzRX,C;;MAuSoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY/oZJ,MAAK,KZ+oZwB,EZ/oZqD,SY+oZrD,CZ/oZD,C;MACX,QAAQ,C;MACQ,OA9SL,KA8SK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhTqB,GAgTP,UAAK,UAAL,EAAK,kBAAL,SAhTO,EAgTI,OAhTJ,CAgTrB,C;;MAhTT,OAkTO,I;IAjTX,C;;MA+ToB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYjrZJ,MAAK,KZirZwB,EZirZqD,SYjrZrD,CZirZD,C;MACX,QAAQ,C;MACQ,OAtTL,KAsTK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxTqB,GAwTP,UAAK,UAAL,EAAK,kBAAL,SAxTO,EAwTI,OAxTJ,CAwTrB,C;;MAxTT,OA0TO,I;IAzTX,C;;MAuUoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYnuZJ,MAAK,KZmuZwB,EZnuZqD,SYmuZrD,CZnuZD,C;MACX,QAAQ,C;MACQ,OA9UL,KA8UK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhVqB,GAgVP,UAAK,UAAL,EAAK,kBAAL,SAhVO,EAgVI,OAhVJ,CAgVrB,C;;MAhVT,OAkVO,I;IAjVX,C;;MA+VoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYrxZJ,MAAK,KZqxZwB,EZrxZqD,SYqxZrD,CZrxZD,C;MACX,QAAQ,C;MACQ,OAtVL,KAsVK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxVqB,GAwVP,UAAK,UAAL,EAAK,kBAAL,SAxVO,EAwVI,OAxVJ,CAwVrB,C;;MAxVT,OA0VO,I;IAzVX,C;;MAuWoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY/0ZJ,MAAK,KZ+0ZwB,EZ/0ZqD,SY+0ZrD,CZ/0ZD,C;MACX,QAAQ,C;MACQ,OA9WL,KA8WK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhXqB,GAgXP,UAAK,UAAL,EAAK,kBAAL,SAhXO,EAgXI,OAhXJ,CAgXrB,C;;MAhXT,OAkXO,I;IAjXX,C;;MA+XoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYj5ZJ,MAAK,KZi5ZwB,EZj5ZqD,SYi5ZrD,CZj5ZD,C;MACX,QAAQ,C;MACQ,OAtXL,KAsXK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxXqB,GAwXP,UAAK,UAAL,EAAK,kBAAL,SAxXO,EAwXI,OAxXJ,CAwXrB,C;;MAxXT,OA0XO,I;IAzXX,C;;MAuYoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYn9ZJ,MAAK,KZm9ZwB,EZn9ZqD,SYm9ZrD,CZn9ZD,C;MACX,QAAQ,C;MACQ,OA9YL,KA8YK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhZqB,GAgZP,UAAK,UAAL,EAAK,kBAAL,SAhZO,EAgZI,OAhZJ,CAgZrB,C;;MAhZT,OAkZO,I;IAjZX,C;;MA+ZoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYr+ZJ,MAAK,KZq+ZwB,EZr+ZqD,SYq+ZrD,CZr+ZD,C;MACX,QAAQ,C;MACQ,OAtZL,KAsZK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxZqB,GAwZP,UAAK,UAAL,EAAK,kBAAL,SAxZO,EAwZI,OAxZJ,CAwZrB,C;;MAxZT,OA0ZO,I;IAzZX,C;;MAuaoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYv/ZJ,MAAK,KZu/ZwB,EZv/ZqD,SYu/ZrD,CZv/ZD,C;MACX,QAAQ,C;MACQ,OA9aL,KA8aK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhbqB,GAgbP,UAAK,UAAL,EAAK,kBAAL,SAhbO,EAgbI,OAhbJ,CAgbrB,C;;MAhbT,OAkbO,I;IAjbX,C;;MA+boB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYzgaJ,MAAK,KZygawB,EZzgaqD,SYygarD,CZzgaD,C;MACX,QAAQ,C;MACQ,OAtbL,KAsbK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxbqB,GAwbP,UAAK,UAAL,EAAK,kBAAL,SAxbO,EAwbI,OAxbJ,CAwbrB,C;;MAxbT,OA0bO,I;IAzbX,C;;MAucoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY3haJ,MAAK,KZ2hawB,EZ3haqD,SY2harD,CZ3haD,C;MACX,QAAQ,C;MACQ,OA9cL,KA8cK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhdqB,GAgdP,UAAK,UAAL,EAAK,kBAAL,SAhdO,EAgdI,OAhdJ,CAgdrB,C;;MAhdT,OAkdO,I;IAjdX,C;;MA+doB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYjiaJ,MAAK,KZiiawB,EZjiaqD,SYiiarD,CZjiaD,C;MACX,QAAQ,C;MACQ,OAteL,KAseK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxeqB,GAweP,UAAK,UAAL,EAAK,kBAAL,SAxeO,EAweI,OAxeJ,CAweqB,C;;MAxeT,OA0eO,I;IAzeX,C;;MAufoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYvjaJ,MAAK,KZujawB,EZvjaqD,SYujarD,CZvjaD,C;MACX,QAAQ,C;MACQ,OA9fL,KA8fK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhgBqB,GAgfP,UAAK,UAAL,EAAK,kBAAL,SAhgBO,EAgfI,OAhgBJ,CAgfrB,C;;MAhgBT,OAkgBO,I;IAjgBX,C;;MA+gBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYrkaJ,MAAK,KZqkawB,EZrkaqD,SYqkarD,CZrkaD,C;MACX,QAAQ,C;MACQ,OAthBL,KAshBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxhBqB,GAwhBP,UAAK,UAAL,EAAK,kBAAL,SAxhBO,EAwhBI,OAxhBJ,CAwhBrB,C;;MAxhBT,OA0hBO,I;IAzhBX,C;;MAuiBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY/laJ,MAAK,KZ+lawB,EZ/laqD,SY+larD,CZ/laD,C;MACX,QAAQ,C;MACQ,OA9iBL,KA8iBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhjBqB,GAgjBP,UAAK,UAAL,EAAK,kBAAL,SAhjBO,EAgjBI,OAhjBJ,CAgjBrB,C;;MAhjBT,OAkjBO,I;IAjjBX,C;;MA+jBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYjnaJ,MAAK,KZinawB,EZjnaqD,SYinarD,CZjnaD,C;MACX,QAAQ,C;MACQ,OAtkBL,KAskBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxkBqB,GAwkBP,UAAK,UAAL,EAAK,kBAAL,SAxkBO,EAwkBI,OAxkBJ,CAwkBrB,C;;MAxkBT,OA0kBO,I;IAzkBX,C;;MAulBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY/oaJ,MAAK,KZ+oawB,EZ/oaqD,SY+oarD,CZ/oaD,C;MACX,QAAQ,C;MACQ,OA9lBL,KA8lBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhmBqB,GAgmBP,UAAK,UAAL,EAAK,kBAAL,SAhmBO,EAgmBI,OAhmBJ,CAgmBrB,C;;MAhmBT,OAkmBO,I;IAjmBX,C;;MA+mBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYjqaJ,MAAK,KZiqawB,EZjqaqD,SYiqarD,CZjqaD,C;MACX,QAAQ,C;MACQ,OAtnBL,KAsnBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxnBqB,GAwnBP,UAAK,UAAL,EAAK,kBAAL,SAxnBO,EAwnBI,OAxnBJ,CAwnBrB,C;;MAxnBT,OA0nBO,I;IAznBX,C;;MAupBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY/raJ,MAAK,KZ+rawB,EZ/raqD,SY+rarD,CZ/raD,C;MACX,QAAQ,C;MACQ,OA9pBL,KA8pBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhqBqB,GAgqBP,UAAK,UAAL,EAAK,kBAAL,SAhqBO,EAgqBI,OAhqBJ,CAgqBrB,C;;MAhqBT,OAkqBO,I;IAjqBX,C;;MA+qBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYjuaJ,MAAK,KZiuawB,EZjuaqD,SYiuarD,CZjuaD,C;MACX,QAAQ,C;MACQ,OAtrBL,KAsrBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxrBqB,GAwrBP,UAAK,UAAL,EAAK,kBAAL,SAxrBO,EAwrBI,OAxrBJ,CAwrBrB,C;;MAxrBT,OA0rBO,I;IAzrBX,C;;MAusBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY/vaJ,MAAK,KZ+vawB,EZ/vaqD,SY+varD,CZ/vaD,C;MACX,QAAQ,C;MACQ,OA9sBL,KA8sBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhtBqB,GAgtBP,UAAK,UAAL,EAAK,kBAAL,SAhtBO,EAgtBI,OAhtBJ,CAgtBrB,C;;MAhtBT,OAktBO,I;IAjtBX,C;;MA+tBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYjxaJ,MAAK,KZixawB,EZjxaqD,SYixarD,CZjxaD,C;MACX,QAAQ,C;MACQ,OAtuBL,KAsuBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxuBqB,GAwuBP,UAAK,UAAL,EAAK,kBAAL,SAxuBO,EAwuBI,OAxuBJ,CAwuBrB,C;;MAxuBT,OA0uBO,I;IAzuBX,C;;MAuvBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY/yaJ,MAAK,KZ+yawB,EZ/yaqD,SY+yarD,CZ/yaD,C;MACX,QAAQ,C;MACQ,OA9vBL,KA8vBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhwBqB,GAgwBP,UAAK,UAAL,EAAK,kBAAL,SAhwBO,EAgwBI,OAhwBJ,CAgwBrB,C;;MAhwBT,OAkwBO,I;IAjwBX,C;;MA+wBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYj1aJ,MAAK,KZi1awB,EZj1aqD,SYi1arD,CZj1aD,C;MACX,QAAQ,C;MACQ,OAtxBL,KAsxBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxxBqB,GAwxBP,UAAK,UAAL,EAAK,kBAAL,SAxxBO,EAwxBI,OAxxBJ,CAwxBrB,C;;MAxxBT,OA0xBO,I;IAzxBX,C;;MAuyBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY/2aJ,MAAK,KZ+2awB,EZ/2aqD,SY+2arD,CZ/2aD,C;MACX,QAAQ,C;MACQ,OA9yBL,KA8yBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhzBqB,GAgzBP,UAAK,UAAL,EAAK,kBAAL,SAhzBO,EAgzBI,OAhzBJ,CAgzBrB,C;;MAhzBT,OAkzBO,I;IAjzBX,C;;MA+0BoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYj5aJ,MAAK,KZi5awB,EZj5aqD,SYi5arD,CZj5aD,C;MACX,QAAQ,C;MACQ,OAt1BL,KAs1BK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAx1BqB,GAw1BP,UAAK,UAAL,EAAK,kBAAL,SAx1BO,EAw1BI,OAx1BJ,CAw1BrB,C;;MAx1BT,OA01BO,I;IAz1BX,C;;MAu2BoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY/6aJ,MAAK,KZ+6awB,EZ/6aqD,SY+6arD,CZ/6aD,C;MACX,QAAQ,C;MACQ,OA92BL,KA82BK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAh3BqB,GAg3BP,UAAK,UAAL,EAAK,kBAAL,SAh3BO,EAg3BI,OAh3BJ,CAg3BrB,C;;MAh3BT,OAk3BO,I;IAj3BX,C;;MA+4BoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYj9aJ,MAAK,KZi9awB,EZj9aqD,SYi9arD,CZj9aD,C;MACX,QAAQ,C;MACQ,OAt4BL,KAs4BK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAx4BqB,GAw4BP,UAAK,UAAL,EAAK,kBAAL,SAx4BO,EAw4BI,OAx4BJ,CAw4BrB,C;;MAx4BT,OA04BO,I;IAz4BX,C;;MAu5BoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY/+aJ,MAAK,KZ++awB,EZ/+aqD,SY++arD,CZ/+aD,C;MACX,QAAQ,C;MACQ,OA95BL,KA85BK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAh6BqB,GAg5BP,UAAK,UAAL,EAAK,kBAAL,SAh5BO,EAg5BI,OAh5BJ,CAg5BrB,C;;MAh5BT,OAk5BO,I;IAj5BX,C;;MA+6BoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYjgbJ,MAAK,KZigbwB,EZjgbqD,SYigbrD,CZjgbD,C;MACX,QAAQ,C;MACQ,OAt6BL,KAs6BK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAx6BqB,GAw6BP,UAAK,UAAL,EAAK,kBAAL,SAx6BO,EAw6BI,OAx6BJ,CAw6BrB,C;;MAx6BT,OA06BO,I;IAz6BX,C;;MAu7BoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY/hbJ,MAAK,KZ+hbwB,EZ/hbqD,SY+hbrD,CZ/hbD,C;MACX,QAAQ,C;MACQ,OA97BL,KA87BK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAh8BqB,GAg7BP,UAAK,UAAL,EAAK,kBAAL,SAh7BO,EAg7BI,OAh7BJ,CAg7BrB,C;;MAh7BT,OAk7BO,I;IAj7BX,C;;MA+8BoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYjjbJ,MAAK,KZijbwB,EZjjbqD,SYijbrD,CZjjbD,C;MACX,QAAQ,C;MACQ,OAt8BL,KAs8BK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAx8BqB,GAw8BP,UAAK,UAAL,EAAK,kBAAL,SAx8BO,EAw8BI,OAx8BJ,CAw8BrB,C;;MAx8BT,OA08BO,I;IAz8BX,C;;MAu9BoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY/kbJ,MAAK,KZ+kbwB,EZ/kbqD,SY+kbrD,CZ/kbD,C;MACX,QAAQ,C;MACQ,OA99BL,KA89BK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAh9BqB,GAg9BP,UAAK,UAAL,EAAK,kBAAL,SAh9BO,EAg9BI,OAh9BJ,CAg9BrB,C;;MAh9BT,OAk9BO,I;IAj9BX,C;;MA++BoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYjmbJ,MAAK,KZimbwB,EZjmbqD,SYimbrD,CZjmbD,C;MACX,QAAQ,C;MACQ,OAt+BL,KAs+BK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAx+BqB,GAw+BP,UAAK,UAAL,EAAK,kBAAL,SAx+BO,EAw+BI,OAx+BJ,CAw+BrB,C;;MAx+BT,OA0+BO,I;IAz+BX,C;;MAugCoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY/nbJ,MAAK,KZ+nbwB,EZ/nbqD,SY+nbrD,CZ/nbD,C;MACX,QAAQ,C;MACQ,OA9gCL,KA8gCK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhhCqB,GAggCP,UAAK,UAAL,EAAK,kBAAL,SAhgCO,EAggCI,OAhgCJ,CAggCrB,C;;MAhgCT,OAkgCO,I;IAjgCX,C;;MA+hCoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYjpbJ,MAAK,KZipbwB,EZjpbqD,SYipbrD,CZjpbD,C;MACX,QAAQ,C;MACQ,OAtiCL,KAsiCK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxiCqB,GAwiCP,UAAK,UAAL,EAAK,kBAAL,SAxiCO,EAwiCI,OAxiCJ,CAwiCrB,C;;MAxiCT,OA0iCO,I;IAziCX,C;;MAukCoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY/qbJ,MAAK,KZ+qbwB,EZ/qbqD,SY+qbrD,CZ/qbD,C;MACX,QAAQ,C;MACQ,OA9kCL,KA8kCK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhlCqB,GAgkCP,UAAK,UAAL,EAAK,kBAAL,SAhkCO,EAgkCI,OAhkCJ,CAgkCrB,C;;MAhkCT,OAkkCO,I;IAjkCX,C;;MA+lCoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYjsbJ,MAAK,KZisbwB,EZjsbqD,SYisbrD,CZjsbD,C;MACX,QAAQ,C;MACQ,OAtmCL,KAsmCK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxmCqB,GAwmCP,UAAK,UAAL,EAAK,kBAAL,SAxmCO,EAwmCI,OAxmCJ,CAwmCrB,C;;MAxmCT,OA0mCO,I;IAzmCX,C;;MAunCoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY/tbJ,MAAK,KZ+tbwB,EZ/tbqD,SY+tbrD,CZ/tbD,C;MACX,QAAQ,C;MACQ,OA9nCL,KA8nCK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhoCqB,GAgoCP,UAAK,UAAL,EAAK,kBAAL,SAhoCO,EAgoCI,OAhoCJ,CAgoCrB,C;;MAhoCT,OAkoCO,I;IAjoCX,C;;MA+pCoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYjvbJ,MAAK,KZivbwB,EZjvbqD,SYivbrD,CZjvbD,C;MACX,QAAQ,C;MACQ,OAtpCL,KAspCK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxpCqB,GAwpCP,UAAK,UAAL,EAAK,kBAAL,SAxpCO,EAwpCI,OAxpCJ,CAwpCrB,C;;MAxpCT,OA0pCO,I;IAzpCX,C;;MAuqCoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY/wbJ,MAAK,KZ+wbwB,EZ/wbqD,SY+wbrD,CZ/wbD,C;MACX,QAAQ,C;MACQ,OA9qCL,KA8qCK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhrCqB,GAgrCP,UAAK,UAAL,EAAK,kBAAL,SAhrCO,EAgrCI,OAhrCJ,CAgrCrB,C;;MAhrCT,OAkrCO,I;IAjrCX,C;;MA+sCoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBYjybJ,MAAK,KZiybwB,EZjybqD,SYiybrD,CZjybD,C;MACX,QAAQ,C;MACQ,OAttCL,KAstCK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxtCqB,GAwtCP,UAAK,UAAL,EAAK,kBAAL,SAxtCO,EAwtCI,OAxtCJ,CAwtCrB,C;;MAxtCT,OA0tCO,I;IAztCX,C;;MAuuCoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBY/zbJ,MAAK,KZ+zbwB,EZ/zbqD,SY+zbrD,CZ/zbD,C;MACX,QAAQ,C;MACQ,OA9uCL,KA8uCK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB

,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAE
T,OAAO,I;MACX,C;KAhBA,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MYhwYA,iB;MZgwYA,8C;QAWoB,UAEY,
M;QAL5B,gBAAgB,gB;QAChB,WAAW,eYnwYJ,MAAK,KZmwYwB,wBAAN,KAAM,EAAwB,EAAxB,CYnw
YxB,EZmwYqD,SYnwYrD,CZmwYD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UA
CZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB
,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MYlxYA,iB;MZkxY
A,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,eYrxYJ,MAAK,KZqxYwB,wBAAN,KAAM,EA
AwB,EAAxB,CYrxYrD,EZqxYqD,SYrxYrD,CZqxYD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;
UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL
,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MAA
A,oC;MYpyYA,iB;MZoyYA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,eYvyYJ,MAAK,KZu
yYwB,wBAAN,KAAM,EAAwB,EAAxB,CYvyYrD,EZuyYqD,SYvyYrD,CZuyYD,C;QACX,QAAQ,C;QACQ,uB
;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,sB
AAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;;MA0GI,W
Yx4YO,MAAK,KZw4YK,gBYx4YL,EZuzYD,KAiFkB,OYx4YjB,C;MZy4YZ,WAAW,iBAAa,IAAb,C;MACX,a
AAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApFqB,GAoFP,UAAK,CAAL,CApFO,EAAnB,KAoFqB,CAAM,
CAAN,CApFF,CAoFrB,C;;MApFT,OAsFO,I;IArFX,C;;MAgGI,WYx5YO,MAAK,KZw5YK,gBYx5YL,EZi0YD,
KAuFkB,OYx5YjB,C;MZy5YZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,
WA1FqB,GA0FP,UAAK,CAAL,CA1FO,EAAnB,KA0FqB,CAAM,CAAN,CA1FF,CA0FrB,C;;MA1FT,OA4FO,I;
IA3FX,C;;MAsGI,WYx6YO,MAAK,KZw6YK,gBYx6YL,EZ20YD,KA6FkB,OYx6YjB,C;MZy6YZ,WAAW,iBA
Aa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhGqB,GAgGP,UAAK,CAAL,CAhGO,EAAnB,
KAgGqB,CAAM,CAAN,CAhGF,CAgGrB,C;;MAhGT,OAkGO,I;IAjGX,C;;MA4GI,WYx7YO,MAAK,KZw7YK,
gBYx7YL,EZq1YD,KAmGkB,OYx7YjB,C;MZy7YZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,
IAAlB,M;QACI,IAAK,WAtGqB,GAsGP,UAAK,CAAL,CAtGO,EAAnB,KAsGqB,CAAM,CAAN,CAtGF,CAsGrB,
C;;MAtGT,OAwGO,I;IAvGX,C;;MAkHI,WYx8YO,MAAK,KZw8YK,gBYx8YL,EZ+1YD,KAyGkB,OYx8Y
jB,C;MZy8YZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5GqB,GA4GP,
UAAK,CAAL,CA5GO,EAAnB,KA4GqB,CAAM,CAAN,CA5GF,CA4GrB,C;;MA5GT,OA8GO,I;IA7GX,C;;MAwHI,
WYx9YO,MAAK,KZw9YK,gBYx9YL,EZy2YD,KA+GkB,OYx9YjB,C;MZy9YZ,WAAW,iBAAa,IAAb,C;MACX,
aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlHqB,GAkHP,UAAK,CAAL,CAlHO,EAAnB,KAkHqB,CAAM,
CAAN,CAlHF,CAkHrB,C;;MAlHT,OAoHO,I;IAnHX,C;;MA8HI,WYx+YO,MAAK,KZw+YK,gBYx+YL,EZm3YD,
KAqHkB,OYx+YjB,C;MZy+YZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,
WAxHqB,GAwHP,UAAK,CAAL,CAxHO,EAAnB,KAwHqB,CAAM,CAAN,CAxHF,CAwHrB,C;;MAxHT,OA0HO,I;
IAzHX,C;;MAoII,WYx/YO,MAAK,KZw/YK,gBYx/YL,EZ63YD,KA2HkB,OYx/YjB,C;MZy/YZ,WAAW,iBA
Aa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA9HqB,GA8HP,UAAK,CAAL,CA9HO,EAAnB,
KA8HqB,CAAM,CAAN,CA9HF,CA8HrB,C;;MA9HT,OAgIO,I;IA/HX,C;;MA0JI,WYx3ZO,MAAK,KZw3ZK,
gBYx3ZL,EZ+5YD,KAiJkB,OYx3ZjB,C;MZy3ZZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,
IAAlB,M;QACI,IAAK,WApJqB,GAoJP,UAAK,CAAL,CApJO,EAAnB,KAoJqB,CAAM,CAAN,CApJF,CAoJrB,
C;;MApJT,OAsJO,I;IArJX,C;;MAgKI,WYx4ZO,MAAK,KZw4ZK,gBYx4ZL,EZo7YD,KAuJkB,OYx4ZjB,C;
MZy4ZZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA1JqB,GA0JP,UA
AK,CAAL,CA1JO,EAAnB,KA0JqB,CAAM,CAAN,CA1JF,CA0JrB,C;;MA1JT,OA4JO,I;IA3JX,C;;MAsKI,WYx5
ZO,MAAK,KZw5ZK,gBYx5ZL,EZy8YD,KA6JkB,OYx5ZjB,C;MZy5ZZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,
CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhKqB,GAgKP,UAAK,CAAL,CAhKO,EAAnB,KAgKqB,CAAM,CAAN,
CAhKF,CAgKrB,C;;MAhKT,OAkKO,I;IAjKX,C;;MA4KI,WYx6ZO,MAAK,KZw6ZK,gBYx6ZL,EZ89YD,KAmK
kB,OYx6ZjB,C;MZy6ZZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAtKqB,
GAsKP,UAAK,CAAL,CAtKO,EAAnB,KAsKqB,CAAM,CAAN,CAtKF,CAsKrB,C;;MAtKT,OAwKO,I;IAvKX,C;;
MAkLI,WYx8ZO,MAAK,KZw8ZK,gBYx8ZL,EZ++YD,KAyKkB,OYx8ZjB,C;MZy8ZZ,WAAW,iBAAa,IAAb,C;
MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5KqB,GA4KP,UAAK,CAAL,CA5KO,EAAnB,KA4KqB,
CAAM,CAAN,CA5KF,CA4KrB,C;;MA5KT,OA8KO,I;IA7KX,C;;MAwLI,WYx+ZO,MAAK,KZw+ZK,gBYx+ZL,
EZmhZD,KA+KkB,OYx+ZjB,C;MZy+ZZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,
IAAK,WAlLqB,GAkLP,UAAK,CAAL,CAlLO,EAAnB,KAkLqB,CAAM,CAAN,CAlLF,CAkLrB,C;;MAlLT,OAo
LO,I;IAnLX,C;;MA8LI,WYx/ZO,MAAK,KZw/ZK,gBYx/ZL,EZuiZD,KAqLkB,OYx/ZjB,C;MZy/ZZ,WAAW,iB
AAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxLqB,GAwLP,UAAK,CAAL,CAxLO,EAAnB,
KAwLqB,CAAM,CAAN,CAxLF,CAwLrB,C;;MAxLT,OA0LO,I;IAzLX,C;;MAoMI,WYxgaO,MAAK,KZwgaK,
gBYxgaL,EZ2jZD,KA2LkB,OYxgajB,C;MZygaZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;
QACI,IAAK,WA9LqB,GA8LP,UAAK,CAAL,CA9LO,EAAnB,KA8LqB,CAAM,CAAN,CA9LF,CA8LrB,C;;MA9LT,
OAgMO,I;IA/LX,C;;MA0NI,WYxiaO,MAAK,KZwiaK,gBYxiaL,EZ+lZD,KAiNkB,OYxiajB,C;MZyiaZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApNqB,GAoNP,UAAK,CAAL,CApNO,EAAnB,
KAoNqB,CAAM,CAAN,CApNF,CAoNrB,C;;MApNT,OAsNO,I;IArNX,C;;MAgOI,WYxkaO,MAAK,KZwkaK,
gBYxkaL,EZonZD,KAuNkB,OYxkajB,C;MZykaZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;
QACI,IAAK,WA1NqB,GA0NP,UAAK,CAAL,CA1NO,EAAnB,KA0NqB,CAAM,CAAN,CA1NF,CA0NrB,C;;MA1NT,
OA4NO,I;IA3NX,C;;MAsOI,WYxmaO,MAAK,KZwmaK,gBYxmaL,EZyoZD,KA6NkB,OYxmajB,C;MZymaZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhOqB,GAgOP,UAAK,CAAL,CAhOO,EAAnB,
KAgOqB,CAAM,CAAN,CAhOF,CAgOrB,C;;MAhOT,OAkOO,I;IAjOX,C;;MA4OI,WYxoaO,MAAK,KZwoaK,
gBYxoaL,EZ8pZD,KAmOkB,OYxoajB,C;MZyoaZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;
QACI,IAAK,WAtOqB,GAsOP,UAAK,CAAL,CAtOO,EAAnB,KAsOqB,CAAM,CAAN,CAtOF,CAsOrB,C;;MAtOT,
OAwOO,I;IAvOX,C;;MAkPI,WYxqaO,MAAK,KZwqaK,gBYxqaL,EZ+rZD,KAyOkB,OYxqajB,C;MZyqaZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5OqB,GA4OP,UAAK,CAAL,CA5OO,EAAnB,
KA4OqB,CAAM,CAAN,CA5OF,CA4OrB,C;;MA5OT,OA8OO,I;IA7OX,C;;MAwPI,WYxsaO,MAAK,KZwsaK,
gBYxsaL,EZmuZD,KA+OkB,OYxsajB,C;MZysaZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;
QACI,IAAK,WAlPqB,GAkPP,UAAK,CAAL,CAlPO,EAAnB,KAkPqB,CAAM,CAAN,CAlPF,CAkPrB,C;;MAlPT,
OAoPO,I;IAnPX,C;;MA8PI,WYxuaO,MAAK,KZwuaK,gBYxuaL,EZuvZD,KAqPkB,OYxuajB,C;MZyuaZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxPqB,GAwPP,UAAK,CAAL,CAxPO,EAAnB,
KAwPqB,CAAM,CAAN,CAxPF,CAwPrB,C;;MAxPT,OA0PO,I;IAzPX,C;;MAoQI,WYxwaO,MAAK,KZwwaK,
gBYxwaL,EZ2xZD,KA2PkB,OYxwajB,C;MZywaZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;
QACI,IAAK,WA9PqB,GA8PP,UAAK,CAAL,CA9PO,EAAnB,KA8PqB,CAAM,CAAN,CA9PF,CA8PrB,C;;MA9PT,
OAgQO,I;IA/PX,C;;MA0RI,WYxyaO,MAAK,KZwyaK,gBYxyaL,EZ+zZD,KAiRkB,OYxyajB,C;MZyyaZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApRqB,GAoRP,UAAK,CAAL,CApRO,EAAnB,
KAoRqB,CAAM,CAAN,CApRF,CAoRrB,C;;MApRT,OAsRO,I;IArRX,C;;MAgSI,WYx0aO,MAAK,KZw0aK,
gBYx0aL,EZo2ZD,KAuRkB,OYx0ajB,C;MZy0aZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;
QACI,IAAK,WA1RqB,GA0RP,UAAK,CAAL,CA1RO,EAAnB,KA0RqB,CAAM,CAAN,CA1RF,CA0RrB,C;;MA1RT,
OA4RO,I;IA3RX,C;;MAsSI,WYx2aO,MAAK,KZw2aK,gBYx2aL,EZy3ZD,KA6RkB,OYx2ajB,C;MZy2aZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhSqB,GAgSP,UAAK,CAAL,CAhSO,EAAnB,
KAgSqB,CAAM,CAAN,CAhSF,CAgSrB,C;;MAhST,OAkSO,I;IAjSX,C;;MA4SI,WYx4aO,MAAK,KZw4aK,
gBYx4aL,EZ84ZD,KAmSkB,OYx4ajB,C;MZy4aZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;
QACI,IAAK,WAtSqB,GAsSP,UAAK,CAAL,CAtSO,EAAnB,KAsSqB,CAAM,CAAN,CAtSF,CAsSrB,C;;MAtST,
OAwSO,I;IAvSX,C;;MAkTI,WYx6aO,MAAK,KZw6aK,gBYx6aL,EZ+5ZD,KAySkB,OYx6ajB,C;MZy6aZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5SqB,GA4SP,UAAK,CAAL,CA5SO,EAAnB,
KA4SqB,CAAM,CAAN,CA5SF,CA4SrB,C;;MA5ST,OA8SO,I;IA7SX,C;;MAwTI,WYx8aO,MAAK,KZw8aK,
gBYx8aL,EZm7ZD,KA+SkB,OYx8ajB,C;MZy8aZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;
QACI,IAAK,WAlTqB,GAkTP,UAAK,CAAL,CAlTO,EAAnB,KAkTqB,CAAM,CAAN,CAlTF,CAkTrB,C;;MAlTT,
OAoTO,I;IAnTX,C;;MA8TI,WYx+aO,MAAK,KZw+aK,gBYx+aL,EZu8ZD,KAqTkB,OYx+ajB,C;MZy+aZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxTqB,GAwTP,UAAK,CAAL,CAxTO,EAAnB,
KAwTqB,CAAM,CAAN,CAxTF,CAwTrB,C;;MAxTT,OA0TO,I;IAzTX,C;;MAoUI,WYxgbO,MAAK,KZwgbK,
gBYxgbL,EZ2+ZD,KA2TkB,OYxgbjB,C;MZygbZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;
QACI,IAAK,WA9TqB,GA8TP,UAAK,CAAL,CA9TO,EAAnB,KA8TqB,CAAM,CAAN,CA9TF,CA8TrB,C;;MA9TT,
OAgUO,I;IA/TX,C;;MA0VI,WYxibO,MAAK,KZwibK,gBYxibL,EZ+haD,KAiVkB,OYxibjB,C;MZyibZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WApVqB,GAoVP,UAAK,CAAL,CApVO,EAAnB,
KAoVqB,CAAM,CAAN,CApVF,CAoVrB,C;;MApVT,OAsVO,I;IArVX,C;;MAgWI,WYxkbO,MAAK,KZwkbK,
gBYxkbL,EZoiaD,KAuVkB,OYxkbjB,C;MZykbZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;
QACI,IAAK,WA1VqB,GA0VP,UAAK,CAAL,CA1VO,EAAnB,KA0VqB,CAAM,CAAN,CA1VF,CA0VrB,C;;MA1VT,
OA4VO,I;IA3VX,C;;MAsWI,WYxmbO,MAAK,KZwmbK,gBYxmbL,EZyjaD,KA6VkB,OYxmbjB,C;MZymbZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WAhWqB,GAgWP,UAAK,CAAL,CAhWO,EAAnB,
KAgWqB,CAAM,CAAN,CAhWF,CAgWrB,C;;MAhWT,OAkWO,I;IAjWX,C;;MA4WI,WYxobO,MAAK,KZwobK,
gBYxobL,EZ8kaD,KAmWkB,OYxobjB,C;MZyobZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;
QACI,IAAK,WAtWqB,GAsWP,UAAK,CAAL,CAtWO,EAAnB,KAsWqB,CAAM,CAAN,CAtWF,CAsWrB,C;;MAtWT,
OAwWO,I;IAvWX,C;;MAkXI,WYxqbO,MAAK,KZwqbK,gBYxqbL,EZ+maD,KAyWkB,OYxqbjB,C;MZyqbZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WA5WqB,GA4WP,UAAK,CAAL,CA5WO,EAAnB,
KA4WqB,CAAM,CAAN,CA5WF,CA4WrB,C;;MA5WT,OA8WO,I;IA7WX,C;;MAwXI,WYxsbO,MAAK,KZwsbK,
gBYxsbL,EZmoaD,KA+WkB,OYxsbjB,C;MZysbZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;
QACI,IAAK,WAlXqB,GAkXP,UAAK,CAAL,CAlXO,EAAnB,KAkXqB,CAAM,CAAN,CAlXF,CAkXrB,C;;MAlXT,
OAoXO,I;IAnXX,C;;MA8XI,WYxubO,MAAK,KZwubK,gBYxubL,EZuqaD,KAqXkB,OYxubjB,C;MZyubZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WAxXqB,GAwXP,UAAK,CAAL,CAxXO,EAAnB,
KAwXqB,CAAM,CAAN,CAxXF,CAwXrB,C;;MAxXT,OA0XO,I;IAzXX,C;;MAoYI,WYxwbO,MAAK,KZwwbK,
gBYxwbL,EZ2raD,KA2XkB,OYxwbjB,C;MZywbZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;
QACI,IAAK,WA9XqB,GA8XP,UAAK,CAAL,CA9XO,EAAnB,KA8XqB,CAAM,CAAN,CA9XF,CA8XrB,C;;MA9XT,
OAgYO,I;IA/XX,C;;MA0ZI,WYxybO,MAAK,KZwybK,gBYxybL,EZ+taD,KAiZkB,OYxybjB,C;MZyybZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WApZqB,GAoZP,UAAK,CAAL,CApZO,EAAnB,
KAoZqB,CAAM,CAAN,CApZF,CAoZrB,C;;MApZT,OAsZO,I;IArZX,C;;MAgaI,WYx0bO,MAAK,KZw0bK,
gBYx0bL,EZovaD,KAuZkB,OYx0bjB,C;MZy0bZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;
QACI,IAAK,WA1ZqB,GA0ZP,UAAK,CAAL,CA1ZO,EAAnB,KA0ZqB,CAAM,CAAN,CA1ZF,CA0ZrB,C;;MA1ZT,
OA4ZO,I;IA3ZX,C;;MAsaI,WYx2bO,MAAK,KZw2bK,gBYx2bL,EZyxaD,KA6ZkB,OYx2bjB,C;MZy2bZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WAhaqB,GAgaP,UAAK,CAAL,CAhaO,EAAnB,
KAgaqB,CAAM,CAAN,CAhaF,CAgarB,C;;MAhaT,OAkaO,I;IAjaX,C;;MA4aI,WYx4bO,MAAK,KZw4bK,
gBYx4bL,EZ80aD,KAmakB,OYx4bjB,C;MZy4bZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;
QACI,IAAK,WAtaqB,GAsaP,UAAK,CAAL,CAtaO,EAAnB,KAsaqB,CAAM,CAAN,CAtaF,CAsarB,C;;MAtaT,
OAwaO,I;IAvaX,C;;MAkbI,WYx6bO,MAAK,KZw6bK,gBYx6bL,EZ+5aD,KAyakB,OYx6bjB,C;MZy6bZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WA5aqB,GA4aP,UAAK,CAAL,CA5aO,EAAnB,
KA4aqB,CAAM,CAAN,CA5aF,CA4arB,C;;MA5aT,OA8aO,I;IA7aX,C;;MAwbI,WYx8bO,MAAK,KZw8bK,
gBYx8bL,EZm7aD,KA+akB,OYx8bjB,C;MZy8bZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;
QACI,IAAK,WAlbqB,GAkbP,UAAK,CAAL,CAlbO,EAAnB,KAkbqB,CAAM,CAAN,CAlbF,CAkbrB,C;;MAlbT,
OAobO,I;IAnbX,C;;MA8bI,WYx+bO,MAAK,KZw+bK,gBYx+bL,EZu8aD,KAqbkB,OYx+bjB,C;MZy+bZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WAxbqB,GAwbP,UAAK,CAAL,CAxbO,EAAnB,
KAwbqB,CAAM,CAAN,CAxbF,CAwbrB,C;;MAxbT,OA0bO,I;IAzbX,C;;MAocI,WYxgcO,MAAK,KZwgcK,
gBYxgcL,EZ2+aD,KA2bkB,OYxgcjB,C;MZygcZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;
QACI,IAAK,WA9bqB,GA8bP,UAAK,CAAL,CA9bO,EAAnB,KA8bqB,CAAM,CAAN,CA9bF,CA8brB,C;;MA9bT,
OAgcO,I;IA/bX,C;;MA0dI,WYxicO,MAAK,KZwicK,gBYxicL,EZ+hbD,KAidkB,OYxicjB,C;MZyicZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WApdqB,GAodP,UAAK,CAAL,CApdO,EAAnB,
KAodqB,CAAM,CAAN,CApdF,CAodrB,C;;MApdT,OAsdO,I;IArdX,C;;MAgeI,WYxkcO,MAAK,KZwkcK,
gBYxkcL,EZoibD,KAudkB,OYxkcjB,C;MZykcZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;
QACI,IAAK,WA1dqB,GA0dP,UAAK,CAAL,CA1dO,EAAnB,KA0dqB,CAAM,CAAN,CA1dF,CA0drB,C;;MA1dT,
OA4dO,I;IA3dX,C;;MAsfI,WYxmcO,MAAK,KZwmcK,gBYxmcL,EZyjbD,KA6dkB,OYxmcjB,C;MZymcZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WAhfqB,GAgfP,UAAK,CAAL,CAhfO,EAAnB,
KAgfqB,CAAM,CAAN,CAhfF,CAgfrB,C;;MAhfT,OAkfO,I;IAjfX,C;;MA4gBI,WYxocO,MAAK,KZwocK,
gBYxocL,EZ8kbD,KAmfkB,OYxocjB,C;MZyocZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;
QACI,IAAK,WAtfqB,GAsfP,UAAK,CAAL,CAtfO,EAAnB,KAsfqB,CAAM,CAAN,CAtfF,CAsfrB,C;;MAtfT,
OAwfO,I;IAvfX,C;;MAkhBI,WYxqcO,MAAK,KZwqcK,gBYxqcL,EZ+maD,KAyfkB,OYxqcjB,C;MZyqcZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WA5fqB,GA4fP,UAAK,CAAL,CA5fO,EAAnB,
KA4fqB,CAAM,CAAN,CA5fF,CA4frB,C;;MA5fT,OA8fO,I;IA7fX,C;;MAwhBI,WYxscO,MAAK,KZwscK,
gBYxscL,EZmobD,KA+fkB,OYxscjB,C;MZyscZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;
QACI,IAAK,WAlhBqB,GAkhBP,UAAK,CAAL,CAlhBO,EAAnB,KAkhBqB,CAAM,CAAN,CAlhBF,CAkhBrB,C;;MAlhBT,
OAohBO,I;IAnhBX,C;;MA8iBI,WYxucO,MAAK,KZwucK,gBYxucL,EZuqbD,KAqhBkB,OYxucjB,C;MZyucZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WAxhBqB,GAwhBP,UAAK,CAAL,CAxhBO,EAAnB,
KAwhBqB,CAAM,CAAN,CAxhBF,CAwhBrB,C;;MAxhBT,OA0hBO,I;IAzhBX,C;;MAojBI,WYxwcO,MAAK,KZwwcK,
gBYxwcL,EZ2rbD,KA2hBkB,OYxwcjB,C;MZywcZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;
QACI,IAAK,WA9hBqB,GA8hBP,UAAK,CAAL,CA9hBO,EAAnB,KA8hBqB,CAAM,CAAN,CA9hBF,CA8hBrB,C;;MA9hBT,
OAgiBO,I;IA/hBX,C;;MA0kBI,WYxycO,MAAK,KZwycK,gBYxycL,EZ+tbD,KAilBkB,OYxycjB,C;MZyycZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WAplBqB,GAolBP,UAAK,CAAL,CAplBO,EAAnB,
KAolBqB,CAAM,CAAN,CAplBF,CAolBrB,C;;MAplBT,OAslBO,I;IArlBX,C;;MAgmBI,WYx0cO,MAAK,KZw0cK,
gBYx0cL,EZovbD,KAumBkB,OYx0cjB,C;MZy0cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;
QACI,IAAK,WA1mBqB,GA0mBP,UAAK,CAAL,CA1mBO,EAAnB,KA0mBqB,CAAM,CAAN,CA1mBF,CA0mBrB,C;;MA1mBT,
OA4mBO,I;IA3mBX,C;;MAsnBI,WYx2cO,MAAK,KZw2cK,gBYx2cL,EZyxbD,KA6mBkB,OYx2cjB,C;MZy2cZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WAhnBqB,GAgnBP,UAAK,CAAL,CAhnBO,EAAnB,
KAgnBqB,CAAM,CAAN,CAhnBF,CAgnBrB,C;;MAhnBT,OAknBO,I;IAjnBX,C;;MA4oBI,WYx4cO,MAAK,KZw4cK,
gBYx4cL,EZ80bD,KAmoBkB,OYx4cjB,C;MZy4cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;
QACI,IAAK,WAtoBqB,GAsoBP,UAAK,CAAL,CAtoBO,EAAnB,KAsoBqB,CAAM,CAAN,CAtoBF,CAsoBrB,C;;MAtoBT,
OAwoBO,I;IAvoBX,C;;MAkqBI,WYx6cO,MAAK,KZw6cK,gBYx6cL,EZ+5bD,KAyoBkB,OYx6cjB,C;MZy6cZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WA5oBqB,GA4oBP,UAAK,CAAL,CA5oBO,EAAnB,
KA4oBqB,CAAM,CAAN,CA5oBF,CA4oBrB,C;;MA5oBT,OA8oBO,I;IA7oBX,C;;MAwqBI,WYx8cO,MAAK,KZw8cK,
gBYx8cL,EZm7bD,KA+pBkB,OYx8cjB,C;MZy8cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;
QACI,IAAK,WAlqBqB,GAkqBP,UAAK,CAAL,CAlqBO,EAAnB,KAkqBqB,CAAM,CAAN,CAlqBF,CAkqBrB,C;;MAlqBT,
OAoqBO,I;IAnqBX,C;;MA8rBI,WYx+cO,MAAK,KZw+cK,gBYx+cL,EZu8bD,KAqqBkB,OYx+cjB,C;MZy+cZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WAxqBqB,GAwqBP,UAAK,CAAL,CAxqBO,EAAnB,
KAwqBqB,CAAM,CAAN,CAxqBF,CAwqBrB,C;;MAxqBT,OA0qBO,I;IAzqBX,C;;MAosBI,WYxgdO,MAAK,KZwgdK,
gBYxgdL,EZ2+bD,KA2rBkB,OYxgdjB,C;MZygdZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;
QACI,IAAK,WA9rBqB,GA8rBP,UAAK,CAAL,CA9rBO,EAAnB,KA8rBqB,CAAM,CAAN,CA9rBF,CA8rBrB,C;;MA9rBT,
OAgsBO,I;IA/rBX,C;;MA0tBI,WYxidO,MAAK,KZwidK,gBYxidL,EZ+hcD,KAitBkB,OYxidjB,C;MZyidZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WAptBqB,GAotBP,UAAK,CAAL,CAptBO,EAAnB,
KAotBqB,CAAM,CAAN,CAptBF,CAotBrB,C;;MAptBT,OAstBO,I;IArtBX,C;;MAguBI,WYxkdO,MAAK,KZwkdK,
gBYxkdL,EZoicD,KAuuBkB,OYxkdjB,C;MZykdZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;
QACI,IAAK,WA1uBqB,GA0uBP,UAAK,CAAL,CA1uBO,EAAnB,KA0uBqB,CAAM,CAAN,CA1uBF,CA0uBrB,C;;MA1uBT,
OA4uBO,I;IA3uBX,C;;MAsvBI,WYxmdO,MAAK,KZwmdK,gBYxmdL,EZyjcD,KA6uBkB,OYxmdjB,C;MZymdZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WAhvBqB,GAgvBP,UAAK,CAAL,CAhvBO,EAAnB,
KAgvBqB,CAAM,CAAN,CAhvBF,CAgvBrB,C;;MAhvBT,OAkvBO,I;IAjvBX,C;;MA4wBI,WYxodO,MAAK,KZwodK,
gBYxodL,EZ8kcD,KAmwBkB,OYxodjB,C;MZyodZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;
QACI,IAAK,WAtwBqB,GAswBP,UAAK,CAAL,CAtwBO,EAAnB,KAswBqB,CAAM,CAAN,CAtwBF,CAswBrB,C;;MAtwBT,
OAwwBO,I;IAvwBX,C;;MAkyBI,WYxqdO,MAAK,KZwqdK,gBYxqdL,EZ+mcD,KAyxBkB,OYxqdjB,C;MZyqdZ,WAAW,
iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WA5xBqB,GA4xBP,UAAK,CAAL,CA5xBO,EAAnB,
KA4xBqB,CAAM,CAAN,CA5xBF,CA4xBrB,C;;MA5xBT,OA8xBO,I;IA7xBX,C;;MAwzBI,WYxsdO,MAAK,KZwsdK,
gBYxsdL,EZmocD,KA+yBkB,OYxsdjB,C;MZysdZ,WAAW,iBAAa,IAAb,C;MACX,

AAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB
,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MYt9YA,iB;MZs
9YA,8C;QAQI,WYx9YO,MAAK,KZw9YK,gBYx9YL,EZw9YW,KAAM,OYx9YjB,C;QZy9YZ,WAAW,eAAa,I
AAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MA
AM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MYt+YA,iB;MZs+YA
,8C;QAQI,WYx+YO,MAAK,KZw+YK,gBYx+YL,EZw+YW,KAAM,OYx+YjB,C;QZy+YZ,WAAW,eAAa,IAAb,
C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,C
AAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MYt/YA,iB;MZs
/YA,8C;QAQI,WYx/YO,MAAK,KZw/YK,gBYx/YL,EZw/YW,KAAM,OYx/YjB,C;QZy/YZ,WAAW,eAAa,IAAb,
C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,kBAAM,
CAAN,EAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;;MAwB8D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,
SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAA
A,YAAoC,I;MAGvN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,
cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KA1B,C;UACI,IAAI,iBAAJ,C;
YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;;UACR,K;;MAEX,IAA
I,SAAS,CAAT,IAAc,QAAQ,KA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MA
CP,OAAO,M;IACX,C;;MAUyD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;
MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAGtN,Q;MAFhB,MAA
O,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KA1B,C;UACI,IAAI,iBAAJ,C;
YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;;UACR,K;;MAEX,IAA
I,SAAS,CAAT,IAAc,QAAQ,KA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MA
CP,OAAO,M;IACX,C;;MAUuD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;
MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAsC,I;MAGlN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,

AyC,I;MAGxN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cA
AA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa
,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,
OAAQ,WAAf,C;;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,
C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAU2D,yB;QAAA,YAA0B,I;MAAM,sB;QAA
A,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;Q
AAA,YAA0C,I;MAG1N,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;Q
AAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,C
AAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAA
O,gBAAO,OAAQ,WAAf,C;;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBA
AO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAUwD,yB;QAAA,YAA0B,I;MAA
M,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;M
AAO,yB;QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SA
AhB,gB;QAAgB,cAAhB,UAAgB,SAAhB,O;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QA
CxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,oBAAV,C
AAP,C;;YAEP,MAAO,gBAAO,OAAP,C;;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,
,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAUyC,yB;QAAA,YA
A0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,Y
AA0B,K;MAAO,yB;QAAA,YAAoC,I;MAClN,OAAO,kBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,EAA2
C,OAA3C,EAAoD,KApD,EA2D,SA3D,EAAsE,SAAtE,CAAiF,W;IAC5F,C;;MAUkC,yB;QAAA,YA0B,I;
MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,
K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,EA2C,OA
A3C,EAAoD,KApD,EA2D,SA3D,EAAsE,SAAtE,CAAiF,W;IAC5F,C;;MAUmC,yB;QAAA,YA0B,I;MAA
M,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;M
AAO,yB;QAAA,YAAwC,I;MAChN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,EA2C,OAA3C
,EAAoD,KApD,EA2D,SA3D,EAAsE,SAAtE,CAAiF,W;IAC5F,C;;MAUiC,yB;QAAA,YA0B,I;MAAM,sB;
QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,y
B;QAAA,YAAsC,I;MAC5M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,EA2C,OA3C,EAAoD,
KApD,EA2D,SA3D,EAAsE,SAAtE,CAAiF,W;IAC5F,C;;MAUkC,yB;QAAA,YA0B,I;MAAM,sB;QAA
A,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;Q
AAA,YAAwC,I;MAChN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,EA2C,OAA3C,EAAoD,KA
pD,EA2D,SA3D,EAAsE,SAAtE,CAAiF,W;IAC5F,C;;MAUoC,yB;QAAA,YA0B,I;MAAM,sB;QAAA,SAAu
B,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YA
AyC,I;MAClN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,EA2C,OA3C,EAAoD,KAApD,EA
A2D,SA3D,EAAsE,SAAtE,CAAiF,W;IAC5F,C;;MAUqC,yB;QAAA,YA0B,I;MAAM,sB;QAAA,SAAuB,E;M
AAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAA0C,I;
MACpN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,EA2C,OA3C,EAAoD,KApD,EA2D,S
A3D,EAAsE,SAAtE,CAAiF,W;IAC5F,C;;MAUkC,yB;QAAA,YA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,u
B;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M
,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,EA2C,OA3C,EAAoD,KApD,EA2D,SA3D,EAAsE
,SAAtE,CAAiF,W;IAC5F,C;;MAOoB,mB;QAAE,OAAK,qBAAL,eAAK,C;MAAP,C;IAAA,C;;Mal/Zm
E,wC;IANvF,C;IAAA,wD;MAO2C,8B;IAAA,C;IAP3C,8E;;Mbu/ZI,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,
W;MACtB,kCAAgB,4BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MAD
hB,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OA
AK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACtB,kCAAg

B,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,wBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,qBAAL,eAAK,C;MAAP,C;IAAA,C;;MAAhB,IAAyOO,qBAAQ,CAAyOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7yOO,qBAAQ,CA6y

MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;IAC
X,C;;MAQoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I
;;MAEJ,OAAO,G;IACX,C;;MAQoB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAC
I,cAAO,OAAP,C;;MAEJ,OAAO,G;IACX,C;;MAQoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QAAg
B,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;IACX,C;;MAQoB,Q;MADhB,UAAkB,G;MAClB,wBAAg
B,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAe,
C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;IACX,C;;MAOoB,Q
;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;IA
CX,C;;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP
,I;;MAEJ,OAAO,G;IACX,C;;MAOoB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QA
CI,cAAO,OAAP,C;;MAEJ,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QA
AgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAkB,G;MAClB,wBA
AgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;IACX,C;;Meh7aI,OAAO,sBAAI,C
AAJ,C;IACX,C;;MAOI,OAAO,sBAAI,CAAJ,C;IACX,C;;MAOI,OAAO,sBAAI,CAAJ,C;IACX,C;;MAOI,OAAO,
sBAAI,CAAJ,C;IACX,C;;MAOI,OAAO,sBAAI,CAAJ,C;IACX,C;;MAMI,IAAI,oCAAJ,C;QACI,OAAO,yBAAS,
OAAT,C;MACX,OAAO,qBAAQ,OAAR,KAAoB,C;IAC/B,C;;MAQkC,qB;QAAE,MAAM,8BAA0B,iDAA8C,aA
A9C,MAA1B,C;MAAR,C;IAAA,C;;MAF9B,IAAI,8BAAJ,C;QACI,OAAO,sBAAI,KAAJ,C;MACX,OAAO,6BA
AgB,KAAhB,EAAuB,uBAAvB,C;IACX,C;;MAOI,OAAO,sBAAI,KAAJ,C;IACX,C;;MAcqB,Q;MARjB,IAAI,8B
AAJ,C;QACI,OAAsB,KAkJf,IAAS,CAAT,IAlJe,KAkJD,IAAS,gBAlJvB,SAkJuB,CAA3B,GAlJI,SAkJkC,aAlJnB,
KAkJmB,CAAtC,GAlJ0B,YAkJ4B,CAlJnC,KAkJmC,C;;MAjJ7D,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KA
Ab,C;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,W
AAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,aAAa,KAAb,C;IACX,C;sGAEA,yB;MAAA,
8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,sBAAI,KAAJ,C;QAAtC,GAAsC,aAAa,
KAAb,C;MACjE,C;KANA,C;;MAoBqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OAAY,YAAL,SAAK,EAAU,KAAV,C;
MAChB,IAAI,QAAQ,CAAZ,C;QACI,OAAO,I;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,
C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,I;I
ACX,C;sGAEA,yB;MAAA,sD;MAAA,mC;QAKI,OAAY,UAAL,SAAK,EAAU,KAAV,C;MAChB,C;KANA,C;;M
AaW,sB;;QAqFS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IArFH,SAqFO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;MAtFP,yB;IACJ,C;;MAmSoB,Q;MADhB,WAAe,I;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;IACX,C;;MAO

E;IACX,C;;MAQiB,Q;MAFb,gBAAgB,E;MAChB,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,UAAU,IAAV,CAAJ,C;UACI,YAAY,K;QAChB,qB;;MAEJ,OAAO,S;IACX,C;;MAMI,eAAe,SAAK,sBAAa,cAAb,C;MACpB,OAAO,QAAS,cAAhB,C;QACI,IAAI,UAAU,QAAS,WAAnB,CAAJ,C;UACI,OAAO,QAAS,Y;;;MAGxB,OAAO,E;IACX,C;;MAQQ,kBADE,SACF,Q;QAAW,OAAY,QAAL,SAAK,C;;QAEnB,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UACI,MAAM,2BAAuB,sBAAvB,C;QACV,WAAW,QAAS,O;QACpB,OAAO,QAAS,UAAhB,B,C;UACI,OAAO,QAAS,O;QACpB,OAAO,I;;IAGnB,C;;MAOI,IAAI,mBAAJ,C;QACI,MAM,2BAAuB,gBAAvB,C;QACV,OAAO,sBAAK,0BAAL,C;iFAEA,yB;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAOoB,UAQT,M;QAVP,WAAe,I;QACf,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,OAAO,O;YACP,QAAQ,IAAR,CAAJ,C;;QAGA,IAAI,mBAAJ,C;UAEI,OAAO,QAAS,I;;;QAGpB,OAAO,I;IAGf,C;;MAOI,IAAI,mBAAJ,C;QAC

;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAhBA,C;oFAkBA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QAyEA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAzEU,SAyEN,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzE1D,OA0EO,W;MAzEX,C;KALA,C;kGAOA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA81BV,WAAY,WAAI,OAAJ,C;;QA91BlB,OA+1BO,W;MA91BX,C;KAVA,C;wGAYA,yB;MAAA,+D;MAAA,sC;QAIW,kBAAS,gB;QAAT,OAAS,cAAT,C;UAAS,yB;UAAM,IAAI,WAAJ,C;YAAI,WAAY,WAAI,OAAJ,C;;QAJ9B,OAKO,W;MAJX,C;KAPA,C;0FASA,yB;MAAA,+D;MAAA,u

ACI,IAAI,kBAAQ,CAAZ,C;UAAe,OAAY,SAAL,SAAK,C;QAEwB,kBAA3C,sBCr0BsD,sBDq0BtD,uB;QAAmD,mB;QAA3D,OAAoE,OJzwBjE,WIywBiE,C;;MAEjD,kBAAhB,0B;MAAwB,oB;MAA/B,OJ3wBO,W;II4wBX,C;wFAEA,yB;MAAA,wD;MN3vBA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAA5C,C;MAD5C,kF;MK40BA,sC;QAII,OAAO,mDNxvBI,iBMwvBiB,QNxvBjB,CMwvBJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MN/uBA,sC;MAAA,iCAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAA5C,C;MAD5C,kF;MKm1BA,sC;QAII,OAAO,mDN5uBI,2BM4uBJ,QN5uBI,CM4uBJ,E;MACX,C;KALA,C;;MAWI,OAAO,wBAAW,cAAX,C;IACX,C;;MASe,Q;MAHX,IAAI,oCAAJ,C;QACG,IAAI,kBAAQ,CAAR,EAAW,CAAX,C;UAAe,OAAY,SAAL,SAAK,C;QAEe,kBAAlC,sBCt2BuD,sBDs2BvD,uB;QAA0C,iC;QAAlD,OAAoE,OJ1yBjE,WI0yBiE,C;;MAErD,kBAAhB,0B;MAAwB,oB;MAA/B,OJ5yBO,W;II6yBX,C;;MAWI,OAAO,wBAAW,cAAX,C;IAC

CAAL,CAAlB,GAA+B,oBAAW,OAAhD,C;YAAL,K;kBACQ,iCAAa,qBAAiB,YAAY,cAAZ,CAAjB,CAAb,C;YAHL,K;;QAAP,W;;MAMJ,OAAwC,oBAAjC,0BAAa,sBAAb,CAAiC,C;IAC5C,C;sFAEA,yB;MAAA,+D;MAOA,gD;MAPA,uC;QAIW,kBAAU,gB;QAOD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAR6B,SAQlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAThB,O;QAIoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,O,W;MACX,C;KATA,C;uFAWA,yB;MAAA,wE;MAAyB,+D;MAAzB,yBAAyB,+D;QAAzB,kBAAyB,UAAzB,oB;QAAyB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,O,W;MACX,C;KAZA,C;uFAc

C;;MAuBI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAI,EAAU,KAAV,C;MACJ,OAAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAI,EAAU,KAAV,C;MACJ,OAAO,G;IACX,C;;MAQiB,IAAN,I;MACH,kBADS,SACT,c;QAAoB,4BAAc,SAAd,C;;QACZ,iCAAa,sBAAb,C;MAFZ,W;IAIJ,C;;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAI,EAAO,KAAP,C;MACJ,OAAO,G;IACX,C;8EAEA,yB;MAAA,gD;MAAA,uC;QAAoB,Q;QADhB,IAAI,wCAAsB,mBAA1B,B,C;UAAqC,OAAO,I;QAC5B,5B,2B;QAAhB,OAAgB,cAAhB,B,C;UAAgB,yB;UAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;YAAyB,OAAO,K;;QACtD,D,OAAO,I;MACX,C;KAAA,C;MAAA,mB;MAAA,oC;QAAoB,OAAO,I;MAAA

O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,IAAI,oCAAJ,C;QAAwB,OAAO,mB;MAC/B,OAAO,CAAC,oBAAW,U;IACvB,C;iFAEA,yB;MAAA,gD;MAAA,uC;QAAoB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,I;QAC5B,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,MAAI,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,wB;YAAM,OAAO,K;;QACrD,OAAO,I;MACX,C;KATA,C;kFAWA,yB;MAAA,oC;QAAmC,Q;QAAnC,OAAO,C;UAAgB,yB;UAAM,MAAI,OAAO,OAAP,C;YAAqB,wB;YAAM,OAAO,C;;QAAC,gB;QAAM,MAAI,CAAC,CAAL,C;UAAQ,OAAO,C;;QAAC,OAAO,I;MAAC,C;KAAtG,C;oFAAA,yB;MAAA,oC;QAAmC,Q;QAAnC,OAAO,C;UAAgB,yB;UAAM,MAAI,OAAO,OAAP,C;YAAqB,wB;YAAM,OAAO,C;;QAAC,gB;QAAM,MAAI,CAAC,CAAL,C;UAAQ,OAAO,C;;QAAC,OAAO,I;MAAC,C;KAAtG,C;QAAA,C;QAAA,C;QAAA

CX,C;;MAMI,IAAI,mCAAJ,C;QACI,aAAa,iBAAa,SAAK,KAAL,GAAY,QAAS,KAArB,IAAb,C;QACb,MAAO,gBAAO,SAAP,C;QACP,MAAO,gBAAO,QAAP,C;QACP,OAAO,M;;;QAEP,eAAa,iBAAa,SAAb,C;QACN,OAAP,QAAO,EAAO,QAAP,C;QACP,OAAO,Q;;IAEf,C;;MAMI,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;;MAMI,aAAa,iBAAa,SAAK,KAAL,GAAY,EAAAZ,,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;4FAEA,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;MACX,C;KANA,C;8FAQA,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;MACX,C;KANA,C;;MAwB+C,C,oB;QAAA,OAAA,OAAY,C;QAAG,8B;QAAA,iBAAA,0B,K;MACpF,cAAc,oBAAA,oB,IAAA,oB,IAAA,oB,C;MACd,cAAA,IAAA,0C,C;KAAA,C;MAAA,cAAA,IAAA,0C,C;KAAA,C;;UAAA,Y,C;QAAA,OAAA,OAAA,C;MAAA,C;;;

X,C;;MAUwC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACjN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAtE,CAAiF,W;IAC5F,C;;MAOI,OAAO,S;IACX,C;;MAQoB,mB;QAAE,OAAA,eAAK,W;MAAP,C;IAAA,C;;MDhqEmE,wC;IARvF,C;IAAA,0D;MAS2C,8B;IAAA,C;IAT3C,gF;;MCwqEI,oCAAgB,8BAAhB,C;IACJ,C;;MASoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,vB,GAAgC,GAAhC,C,EAAoC,MAApC,EAA4C,K;IACjD

B,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;IAC
X,C;;MAQI,OAAO,CAAC,mB;IACZ,C;;MASoB,Q;MADhB,IAAI,mBAAJ,C;QAAe,OAAO,K;MACN,OAAA,Sf
wKoE,QAAQ,W;MexK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I
;;MACrD,OAAO,K;IACX,C;;MAOI,OAAO,c;IACX,C;;MAQoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MA
CtB,YAAY,C;MACI,OAAA,SfsJoE,QAAQ,W;MetJ5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAA
V,CAAJ,C;UAAwB,qB;;;MAC9C,OAAO,K;IACX,C;;MAOoB,Q;MAAA,OAAA,Sf6IoE,QAAQ,W;Me7I5F,OAA
gB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;IAC1B,C;;MAOmB,kBAAR,iB;MAAQ,gB;;QJ63Cf,eAAe,sB;
QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,eIh4CqB,QJg4C
N,CAAS,OAAT,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,QAAS,O;UCjB,QIn4CiB,QJm4CT,CAAS,CA
AT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YCI,QAAQ,UAAU,C;YACV,WAAW,C;;;QAGnB,eAAO,O;;;MIz4CP,mB
;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MACnB,C;KANA,C;;
MAYmB,kBAAR,iB;MAAQ,gB;;QJm8Cf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,i
B;;QACzB,cAAc,QAAS,O;QACvB,eIt8CqB,QJs8CN,CAAS,OAAT,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QA
AQ,QAAS,O;UCjB,QIz8CiB,QJy8CT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YCI,QAAQ,UAAU,C;
YACV,WAAW,C;;;QAGnB,eAAO,O;;;MI/8CP,mB;IACJ,C;;MAMI,OAAe,UAAR,iBAAQ,EAAQ,UAAR,C;IACnB
B,C;;MAQI,OAAO,mB;IACX,C;;MASoB,Q;MADhB,IAAI,mBAAJ,C;QAAe,OAAO,I;MACN,OAAA,Sf4FoE,QA
AQ,W;Me5F5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD
,OAAO,I;IACX,C;oFAEA,yB;MAAA,oC;QAKmC,Q;QAAA,OfmFqD,iBAAQ,W;QenF7E,OAAgB,cAAhB,C;UA
AgB,yB;UAAM,OAAO,OAAP,C;;QAAqB,C;MACJ,C;KANA,C;;MAaI,iBAAR,I;MAAQ,gB;;QAAR,eAAQ,EAAR
,iBAAQ,C;IACnB,C;;MAMI,OAAe,UAAR,iBAAQ,EAAQ,UAAR,C;IACnB,C;;MAMI,OAAe,UAAR,iBAAQ,EAAQ,
UAAR,C;IACnB,C;;MAMI,OAAe,UAAR,iBAAQ,EAAQ,UAAR,C;IACnB,C;;MAMI,OAAe,UAAR,iBAAQ,EAAQ,
UAAR,C;IACnB,C;;MU0CW,SVnCM,mBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAI,gBAAJ,2BAAI,EAAS,EAAT,CAAhB
,GAAkC,K;IAC5E,C;;MUkCW,SV3BM,kBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAI,gBAAJ,2BAAI,EAAS,EAAT,CAAh
B,GAAkC,K;IAC7E,C;;MU0BW,SVnBM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAI,gBAAJ,2BAAI,EAAS,EAAT,CAA
hB,GAAkC,K;IAC7E,C;;MUkBW,SVXM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAI,gBAAJ,2BAAI,EAAS,EAAT,CAA
hB,GAAkC,K;IAC9E,C;;MAOI,OAAO,2BAAe,KAAf,C;IACX,C;;MUEW,SVKM,mBAAN,KAAM,C;MAAb,OA
A0C,UAAJ,GAAI,gBAAJ,2BAAI,EAAS,EAAT,CAAhB,GAAkC,K;IAC5E,C;;MUNW,SVaM,oBAAN,KAAM,C;MAAb,OAA
2C,UAAJ,GAAI,gBAAJ,2BAAI,EAAS,EAAT,CAAhB,GAAkC,K;IAC7E,C;;MUdW,SVqBM,oBAAN,KAAM,C;MAAb,OA
2C,UAAJ,GAAI,gBAAJ,2BAAI,EAAS,EAAT,CAAhB,GAAkC,K;IAC7E,C;;MUtBW,SV6BM,qBAAN,KAAM,C;MAAb,OA
A4C,UAAJ,GAAI,gBAAJ,2BAAI,EAAS,EAAT,CAAhB,GAAkC,K;IAC9E,C;;MAOI,OAAO,2BAAe,KAAf,C;IACX,C;;MAO
I,OAAO,2BAAe,KAAf,C;IACX,C;;MU9CW,SVqDM,kBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAI,gBAAJ,2BAAI,EAAS,
GAAT,CAAhB,GAAkC,K;IAC7E,C;;MUtDW,SV6DM,oBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAI,gBAAJ,2BAAI,EAAS,EAAT,CAAh
B,GAAkC,K;IAC9E,C;;MAOI,OAAO,2BAAe,KAAf,C;IACX,C;;MAOI,OAAO,2BAAe,KAAf,C;IACX,C;;MU9DW,SVqE
M,kBAAN,KAAM,C;MAAb,OA0C,UAAJ,GAAI,gBAAJ,2BAAI,EAAS,EAAT,CAAhB,GAAkC,K;IAC5E,C;;MUtEW,SV6EM,oBAAN,KAAM,C;MAAb,OA
2C,UAAJ,GAAI,gBAAJ,2BAAI,EAAS,EAAT,CAAhB,GAAkC,K;IAC7E,C;;MUpFW,SV2FM,qBAAN,KAAM,C;MAAb,OA
4C,UAAJ,GAAI,gBAAJ,2BAAI,EAAS,EAAT,CAAhB,GAAkC,K;IAC9E,C;;MAOI,OAAO,2BAAe,KAAf,C;IACX

IAC3B,C;;MASI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,CAArB,EAA+B,EAA/B,M;IAC3B,C;;MASI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,CAArB,EAA+B,EAA/B,M;IAC3B,C;;MASI,OAAO,sCAAe,yBAAgB,SAAhB,EAAyB,EAAzB,EAAkC,EAAlC,C;IAC1B,C;;MASI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAyB,EAAzB,oBAAH,EAAG,CAAzB,M;IAC3B,C;;MASI,OAAO,sCAAe,yBAAqB,SAArB,EAAgC,EAAhC,EAAyC,EAAzC,EAAkD,EAAlD,C;IAC1B,C;;MASI,OAAO,sCAAe,yBAAqB,SAArB,EAAgC,EAAhC,EAAyC,EAAzC,EAAkD,EAAlD,C;IAC1B,C;;MAMI,OAAO,sCAAe,yBAAgB,cAAhB,EAAgC,cAAhC,EAAgD,IAAhD,C;IAC1B,C;;MAMI,OAAO,uCAAgB,yBAAgB,cAAhB,EAAgC,cAAhC,EAAgD,IAAhD,C;IAC1B,C;;MAMI,OAAO,uCAAgB,yBAAgB,cAAhB,EAAgC,cAAhC,EAAgD,IAAhD,C;IAC3

GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI
,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,0BAAO,YAAP,KAAJ,GAAyB,YA
AzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YA
AO,YAAX,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,IAAI,iBAAiB,IAAjB,IAAyB,iBAAiB,IAA9C,C;QACI,I
AAI,+BAAe,YAAf,KAAJ,C;UAAiC,MAAM,gCAAyB,6DAAiD,YAAjD,wCAAoF,YAApF,OAAzB,C;QACvC,IA
AI,4BAAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;QAChC,IAAI,4BAAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;;;QAGh
C,IAAI,iBAAiB,IAAjB,IAAyB,4BAAO,YAAP,KAA7B,C;UAAkD,OAAO,Y;QACzD,IAAI,iBAAiB,IAAjB,IAAy
B,4BAAO,YAAP,KAA7B,C;UAAkD,OAAO,Y;;MAE7D,OAAO,S;IACX,C;;MAUI,IAAI,eAAe,YAAnB,C;QAAi
C,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OA
AO,Y;MAChC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,OAAO,S;IACX,C;;MAUI,IAAI,eAAe,YAAnB,
C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAA
yB,OAAO,Y;MAChC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,OAAO,S;IACX,C;;MAUI,IAAI,eAAe,Y
AAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,
C;QAAyB,OAAO,Y;MAChC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,OAAO,S;IACX,C;;MAUI,IAAI,
6BAAe,YAAf,KAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,0
BAAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;MAChC,IAAI,0BAAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;MAChC,OA
AO,S;IACX,C;;MAUI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MA
AzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAC
hC,OAAO,S;IACX,C;;MAUI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAAp
F,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,
Y;MAChC,OAAO,S;IACX,C;;MAYW,Q;MADP,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyB,4CAAzB,KA
AzC,MAAzB,C;MAGvB,IAAA,KAAM,0BAAiB,SAAjB,EAAuB,KAAM,MA7B,CAAN,IA6C,CAAC,KAAM,
0BAAiB,KAAM,MAAvB,EAA8B,SA9B,CApD,C;QAAiG,OAAN,KAAM,M;WAEjG,IAAA,KAAM,0BAAiB,
KAAM,aAAvB,EAAqC,SArC,CAAN,IAAoD,CAAC,KAAM,0BAAiB,SAAjB,EAAuB,KAAM,aA7B,B,C;QAA3D,
C;QAA+G,OAAN,KAAM,a;;QACvG,gB;MALZ,W;IAOJ,C;;MAcW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAY,WA
AL,SAAK,EAAY,KAAZ,C;;MAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyB,4CAAzB,KAAzB,C;MAGvB,IAAI,gCAAO,KAAM,MAAb,M;QAA4B,OAAN,KAAM,MAAC5B,KAAM,aAAb,M;QAAmC,
OAAN,KAAM,a;;QAC3B,gB;MAHZ,W;IAKJ,C;;MAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyB,4CAAzB,KAAzB,C;MAGvB,IAAI,gCAAO,KAAM,MAAb,M;QAA4B,OAAN,KAAM,MAAC5B,KAAM,aAAb,M;QAAmC,

D,OAAO,I;IACX,C;;MASiB,Q;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,gBAAW,IAAX,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;IACX,C;;MASiB,Q;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,UAAU,IAAV,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;IACX,C;;MAUiB,Q;MAFb,gBAAgB,E;MAChB,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,UAAU,IAAV,CAAJ,C;UACI,YAAY,K;QAChB,qB;;MAEJ,OAAO,S;IACX,C;;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QACI,MAAM,2BAAuB,oBAAvB,C;MACV,WAAW,QAAS,O;MACpB,OAAO,QAAS,UAAhB,C;QACI,OAAO,QAAS,O;MACpB,OAAO,I;IACX,C;+EAEA,yB;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QASoB,UAQT,M;QAVP,WAAe,I;QACf,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,YAAY,O;YACP,QAAQ,I;;;QAGjB,hBAAI,CAAC,KAAL,C;UAAY,yB;UACR,IAAI,YAAY,OAAhB,C;YACI,YAAY,O;YACP,QAAQ,I;;;QAGjB,YAAY,QAAS,O;QACrB,OAAO,QAAS,UAAhB,C;UACI,OAAO,QAAS,O;QACpB,OAAO,I;IACX,C;mFAEA,yB;MAAA,kF;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAAA,iC;QAAA,yB;QAAA,kB;QAAA,gB;QAAA,8B;Q

Z/ZjB,CY+ZJ,E;MACX,C;KAPA,C;0GASA,yB;MAAA,sD;MZtZA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MW0fA,sC;QAMI,OAAO,mDZrZI,2BYqZ2B,QZrZ3B,CYqZJ,E;MACX,C;KAPA,C;;MAeI,OAAO,wBAAW,cAAX,C;IACX,C;;MAQW,sC;MAAA,4C;IAAA,C;;MAEC,iBAAiC,iBAAhB,oBAAgB,B,C;MACtB,WAAX,UAAW,EAAS,uBAAT,EAAS,C;MACX,OAAO,UAAW,W;IACtB,C;;;MALJ,0D;IAOJ,C;wFAEA,yB;MAAA,wE;MAAA,uC;QAWW,kBAAY,oB;QAAuE,Q;QAAA,2B;QAAhB,oBAAgB,cAAhB,iBAAgB,oBAAgB,C;;UAAC,yB;UACzG,WAAxE,SAAwE,vB,CAAA,U;UAAA,OAAA,C;UAAA,iBAAA,oBAAA,C;;UAAA,qBAAA,C;;UAAA,qBAAA,C;;UAAA,q

YAAA,8BAAU,OAAV,W;cAAsC,mC;;YAAU,W;UAA7D,C;QAAA,C;OAAA,C;MAPZ,oD;QA6JoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAtJK,U;UAAA,wBAsJQ,OAtJR,W;YAAsC,6B;;;QAC3D,OAAO,W;MACX,C;KATA,C;;MAkBiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAAV,CAAJ,C;;MAChB,OAAO,W;IACX,C;;MAQI,OAAO,qBAAiB,SAAjB,B,C;IACX,C;;MAU6B,S;IAAG,C;;MAA5B,OAAY,aAAL,SAAK,EAAW,eAAX,C;IAChB,C;;MAWI,OAAO,qBAAiB,SAAjB,B,EAAuB,eAAvB,B,QAAuC,QAAvC,C;IACX,C;;MAWiB,Q;MADb,UAAU,sB;MACG,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,MAAN,GAAI,WAAI,UAAU,IAAAV,CAAJ,C;;MACvB,OAAO,G;IACX,C;;MAUoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,MAAN,GAAI,WAAI,UAAU,IAAAV,CAAJ,C;;MAAU,OAAV,CAAU,UAAU,OAAV,CAAU,cAAL,SAAK,EAAW,eAAX,C;IAAC,C;;MAAU,OAAO,G;IAAC,C;;MAUpE,Q;MADb,UAAU,sB;MACG,2B;MAAb,OAAa,cAAb,C;QAAa,s

,CAAC,QAAS,UAAd,C;UAAyB,MAAM,mCAA8B,kCAA9B,C;QAC/B,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;QAElB,OAAO,W;MACX,C;KAbA,C;gGAeA,yB;MAAA,4F;MAAA,uC;QAcgC,Q;QAL5B,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,MAAM,mCAA8B,kCAA9B,C;QAC/B,YAAY,C;QACZ,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,WAAU,YAAV,EAAU,oBAAV,EAAU,SAAmB,WAAnB,EAAmB,gC,QAAS,OAAzC,C;;QAElB,OAAO,W;MACX,C;KAjBA,C;;MA0BoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,G;IACX,C;;MASoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,G;IACX,C;;MAeoB,qB;QAAe,e;UAAM,MAAM,gCAAyB,2BAAzB,C;QAAyB,2B,mBAAS,OAAT,G;IAAS,C;;MAA

MQmoDI,oCAAgB,8BAAhB,C;IACJ,C;;MAOI,OAAO,S;IACX,C;;MAWoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD

O,O;;QACrD,MAAM,gCAAuB,6DAAvB,C;MACV,C;KAPA,C;;MAaI,OCmJgD,qBAAU,CDnJnD,GAAe,IAAf,GAAyB,qBAAK,CAAL,C;IACpC,C;wFAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,OAAO,I;MACX,C;KANA,C;mFAQA,yB;MAAA,uD;MAAA,gC;MAAA,iD;QAKI,OAAW,SAAS,CAAT,C;IAAc,C;KAAzB,C;wBAAA,wB3BAS,GAAA,sBAAA,CAAA,CAAA,C

BAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA7DxC,OA+DO,WA/DqC,W;MAChD,C;KALA,C;4FAOA,yB;MAAA,yD;MAkBA,gC;MAylBA,6C;MAAA,oC;MA3mBA,uC;QAMW,kBAAgB,oB;QA4mBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAnBoC,SAmBhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAnB,C/C,OAqBO,W;MApBX,C;KAPA,C;4FASA,yB;MAAA,yD;MASA,gC;MAylBA,6C;MAAA,oC;MAmlBA,uC;QAMW,kBAAgB,oB;QAmlBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAVoC,SAUhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAVA,C/C,OAYO,W;MAXX,C;KAPA,C;4FAQA,yB;MAAA,yD;MAUA,gC;MAylBA,6C;MAAA,oC;MAolBA,uC;QAMW,kBAAgB,oB;QAolBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAXoC,SAWhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAXA,C/C,OAaO,W;MAZX,C;KAPA,C;4FAOA,yB;MAAA,yD;MAWA,gC;MAylBA,6C;MAAA,oC;MAslBA,uC;QAMW,kBAAgB,oB;QAslBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAZoC,SAYhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAZA,C/C,OAcO,W;MAbX,C;KAPA,C;4FAMA,yB;MAAA,yD;MAYA,gC;MAylBA,6C;MAAA,oC;MAwlBA,uC;QAMW,kBAAgB,oB;QAwlBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAboC,SAahC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAbA,C/C,OAeO,W;MAdX,C;KAPA,C;4FAKA,yB;MAAA,yD;MAaA,gC;MAylBA,6C;MAAA,oC;MA0lBA,uC;QAMW,kBAAgB,oB;QA0lBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAdoC,SAchC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAdA,C/C,OAgBO,W;MAfX,C;KAPA,C;4FAIA,yB;MAAA,yD;MAcA,gC;MAylBA,6C;MAAA,oC;MA4lBA,uC;QAMW,kBAAgB,oB;QA4lBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAfoC,SAehC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAfA,C/C,OAiBO,W;MAhBX,C;KAPA,C;4FAGA,yB;MAAA,yD;MAeA,gC;MAylBA,6C;MAAA,oC;MA8lBA,uC;QAMW,kBAAgB,oB;QA8lBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAhBoC,SAgBhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAhBA,C/C,OAkBO,W;MAjBX,C;KAPA,C;4FAEA,yB;MAAA,yD;MAgBA,gC;MAylBA,6C;MAAA,oC;MAgmBA,uC;QAMW,kBAAgB,oB;QAgmBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAjBoC,SAiBhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAjBA,C/C,OAmBO,W;MAlBX,C;KAPA,C;4FACA,yB;MAAA,yD;MAiBA,gC;MAylBA,6C;MAAA,oC;MAkmBA,uC;QAMW,kBAAgB,oB;QAkmBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAlBoC,SAkBhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAlBA,C/C,OAoBO,W;MAnBX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAkBA,gC;MAylBA,6C;MAAA,oC;MAomBA,uC;QAMW,kBAAgB,oB;QAomBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAnBoC,SAmBhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAnBA,C/C,OAqBO,W;MApBX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAmBA,gC;MAylBA,6C;MAAA,oC;MAsmBA,uC;QAMW,kBAAgB,oB;QAsmBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IApBoC,SAoBhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QApBA,C/C,OAsBO,W;MArBX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAoBA,gC;MAylBA,6C;MAAA,oC;MAwmBA,uC;QAMW,kBAAgB,oB;QAwmBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IArBoC,SAqBhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QArBA,C/C,OAuBO,W;MAtBX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAqBA,gC;MAylBA,6C;MAAA,oC;MA0mBA,uC;QAMW,kBAAgB,oB;QA0mBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAtBoC,SAsBhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAtBA,C/C,OAwBO,W;MAvBX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAsBA,gC;MAylBA,6C;MAAA,oC;MA4mBA,uC;QAMW,kBAAgB,oB;QA4mBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAvBoC,SAuBhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAvBA,C/C,OAyBO,W;MAxBX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAuBA,gC;MAylBA,6C;MAAA,oC;MA8mBA,uC;QAMW,kBAAgB,oB;QA8mBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAxBoC,SAwBhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAxBA,C/C,OA0BO,W;MAzBX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAwBA,gC;MAylBA,6C;MAAA,oC;MAgnBA,uC;QAMW,kBAAgB,oB;QAgnBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAzBoC,SAyBhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAzBA,C/C,OA2BO,W;MA1BX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAyBA,gC;MAylBA,6C;MAAA,oC;MAknBA,uC;QAMW,kBAAgB,oB;QAknBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IA1BoC,SA0BhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QA1BA,C/C,OA4BO,W;MA3BX,C;KAPA,C;4FAAA,yB;MAAA,yD;MA0BA,gC;MAylBA,6C;MAAA,oC;MAonBA,uC;QAMW,kBAAgB,oB;QAonBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IA3BoC,SA2BhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QA3BA,C/C,OA6BO,W;MA5BX,C;KAPA,C;4FAAA,yB;MAAA,yD;MA2BA,gC;MAylBA,6C;MAAA,oC;MAsnBA,uC;QAMW,kBAAgB,oB;QAsnBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IA5BoC,SA4BhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QA5BA,C/C,OA8BO,W;MA7BX,C;KAPA,C;4FAAA,yB;MAAA,yD;MA4BA,gC;MAylBA,6C;MAAA,oC;MAwnBA,uC;QAMW,kBAAgB,oB;QAwnBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IA7BoC,SA6BhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QA7BA,C/C,OA+BO,W;MA9BX,C;KAPA,C;4FAAA,yB;MAAA,yD;MA6BA,gC;MAylBA,6C;MAAA,oC;MA0nBA,uC;QAMW,kBAAgB,oB;QA0nBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IA9BoC,SA8BhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QA9BA,C/C,OAgCO,W;MA/BX,C;KAPA,C;4FAAA,yB;MAAA,yD;MA8BA,gC;MAylBA,6C;MAAA,oC;MA4nBA,uC;QAMW,kBAAgB,oB;QA4nBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IA/BoC,SA+BhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QA/BA,C/C,OAiCO,W;MAhCX,C;KAPA,C;4FAAA,yB;MAAA,yD;MA+BA,gC;MAylBA,6C;MAAA,oC;MA8nBA,uC;QAMW,kBAAgB,oB;QA8nBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAhCoC,SAgChC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAhCA,C/C,OAkCO,W;MAjCX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAgCA,gC;MAylBA,6C;MAAA,oC;MAgoBA,uC;QAMW,kBAAgB,oB;QAgoBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAjCoC,SAiChC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAjCA,C/C,OAmCO,W;MAlCX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAiCA,gC;MAylBA,6C;MAAA,oC;MAkoBA,uC;QAMW,kBAAgB,oB;QAkoBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAlCoC,SAkChC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAlCA,C/C,OAoCO,W;MAnCX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAkCA,gC;MAylBA,6C;MAAA,oC;MAooBA,uC;QAMW,kBAAgB,oB;QAooBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAnCoC,SAmChC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAnCA,C/C,OAqCO,W;MApCX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAmCA,gC;MAylBA,6C;MAAA,oC;MAspBA,uC;QAMW,kBAAgB,oB;QAspBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IApCoC,SAoChC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QApCA,C/C,OAsCO,W;MArCX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAoCA,gC;MAylBA,6C;MAAA,oC;MAwpBA,uC;QAMW,kBAAgB,oB;QAwpBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IArCoC,SAqChC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QArCA,C/C,OAuCO,W;MAtCX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAqCA,gC;MAylBA,6C;MAAA,oC;MA0pBA,uC;QAMW,kBAAgB,oB;QA0pBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAtCoC,SAsChC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAtCA,C/C,OAwCO,W;MAvCX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAsCA,gC;MAylBA,6C;MAAA,oC;MA4pBA,uC;QAMW,kBAAgB,oB;QA4pBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAvCoC,SAuChC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAvCA,C/C,OAyCO,W;MAxCX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAuCA,gC;MAylBA,6C;MAAA,oC;MA8pBA,uC;QAMW,kBAAgB,oB;QA8pBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAxCoC,SAwChC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAxCA,C/C,OA0CO,W;MAzCX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAwCA,gC;MAylBA,6C;MAAA,oC;MAgqBA,uC;QAMW,kBAAgB,oB;QAgqBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAzCoC,SAyChC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAzCA,C/C,OA2CO,W;MA1CX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAyCA,gC;MAylBA,6C;MAAA,oC;MAkqBA,uC;QAMW,kBAAgB,oB;QAkqBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IA1CoC,SA0ChC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QA1CA,C/C,OA4CO,W;MA3CX,C;KAPA,C;4FAAA,yB;MAAA,yD;MA0CA,gC;MAylBA,6C;MAAA,oC;MAoqBA,uC;QAMW,kBAAgB,oB;QAoqBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IA3CoC,SA2ChC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QA3CA,C/C,OA6CO,W;MA5CX,C;KAPA,C;4FAAA,yB;MAAA,yD;MA2CA,gC;MAylBA,6C;MAAA,oC;MAsqBA,uC;QAMW,kBAAgB,oB;QAsqBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IA5CoC,SA4ChC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QA5CA,C/C,OA8CO,W;MA7CX,C;KAPA,C;4FAAA,yB;MAAA,yD;MA4CA,gC;MAylBA,6C;MAAA,oC;MAwqBA,uC;QAMW,kBAAgB,oB;QAwqBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IA7CoC,SA6ChC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QA7CA,C/C,OA+CO,W;MA9CX,C;KAPA,C;4FAAA,yB;MAAA,yD;MA6CA,gC;MAylBA,6C;MAAA,oC;MA0qBA,uC;QAMW,kBAAgB,oB;QA0qBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IA9CoC,SA8ChC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QA9CA,C/C,OAgDO,W;MA/CX,C;KAPA,C;4FAAA,yB;MAAA,yD;MA8CA,gC;MAylBA,6C;MAAA,oC;MA4qBA,uC;QAMW,kBAAgB,oB;QA4qBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IA/CoC,SA+ChC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QA/CA,C/C,OAiDO,W;MAhDX,C;KAPA,C;4FAAA,yB;MAAA,yD;MA+CA,gC;MAylBA,6C;MAAA,oC;MA8qBA,uC;QAMW,kBAAgB,oB;QA8qBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAhDoC,SAgDhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAhDA,C/C,OAkDO,W;MAjDX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAgDA,gC;MAylBA,6C;MAAA,oC;MAgrBA,uC;QAMW,kBAAgB,oB;QAgrBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAjDoC,SAiDhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAjDA,C/C,OAmDO,W;MAlDX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAiDA,gC;MAylBA,6C;MAAA,oC;MAkrBA,uC;QAMW,kBAAgB,oB;QAkrBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAlDoC,SAkDhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAlDA,C/C,OAoDO,W;MAnDX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAkDA,gC;MAylBA,6C;MAAA,oC;MAorBA,uC;QAMW,kBAAgB,oB;QAorBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAnDoC,SAmDhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAnDA,C/C,OAqDO,W;MApDX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAmDA,gC;MAylBA,6C;MAAA,oC;MAsrBA,uC;QAMW,kBAAgB,oB;QAsrBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IApDoC,SAoDhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QApDA,C/C,OAsDO,W;MArDX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAoDA,gC;MAylBA,6C;MAAA,oC;MAwrBA,uC;QAMW,kBAAgB,oB;QAwrBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IArDoC,SAqDhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QArDA,C/C,OAuDO,W;MAtDX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAqDA,gC;MAylBA,6C;MAAA,oC;MA0rBA,uC;QAMW,kBAAgB,oB;QA0rBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAtDoC,SAsDhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAtDA,C/C,OAwDO,W;MAvDX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAsDA,gC;MAylBA,6C;MAAA,oC;MA4rBA,uC;QAMW,kBAAgB,oB;QA4rBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAvDoC,SAuDhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAvDA,C/C,OAyDO,W;MAxDX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAuDA,gC;MAylBA,6C;MAAA,oC;MA8rBA,uC;QAMW,kBAAgB,oB;QA8rBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAxDoC,SAwDhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAxDA,C/C,OA0DO,W;MAzDX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAwDA,gC;MAylBA,6C;MAAA,oC;MAgsBA,uC;QAMW,kBAAgB,oB;QAgsBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAzDoC,SAyDhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAzDA,C/C,OA2DO,W;MA1DX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAyDA,gC;MAylBA,6C;MAAA,oC;MAksBA,uC;QAMW,kBAAgB,oB;QAksBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IA1DoC,SA0DhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QA1DA,C/C,OA4DO,W;MA3DX,C;KAPA,C;4FAAA,yB;MAAA,yD;MA0DA,gC;MAylBA,6C;MAAA,oC;MAosBA,uC;QAMW,kBAAgB,oB;QAosBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IA3DoC,SA2DhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QA3DA,C/C,OA6DO,W;MA5DX,C;KAPA,C;4FAAA,yB;MAAA,yD;MA2DA,gC;MAylBA,6C;MAAA,oC;MAssBA,uC;QAMW,kBAAgB,oB;QAssBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IA5DoC,SA4DhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QA5DA,C/C,OA8DO,W;MA7DX,C;KAPA,C;4FAAA,yB;MAAA,yD;MA4DA,gC;MAylBA,6C;MAAA,oC;MAwsBA,uC;QAMW,kBAAgB,oB;QAwsBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IA7DoC,SA6DhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QA7DA,C/C,OA+DO,W;MA9DX,C;KAPA,C;4FAAA,yB;MAAA,yD;MA6DA,gC;MAylBA,6C;MAAA,oC;MA0sBA,uC;QAMW,kBAAgB,oB;QA0sBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IA9DoC,SA8DhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QA9DA,C/C,OAgEO,W;MA/DX,C;KAPA,C;4FAAA,yB;MAAA,yD;MA8DA,gC;MAylBA,6C;MAAA,oC;MA4sBA,uC;QAMW,kBAAgB,oB;QA4sBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IA/DoC,SA+DhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QA/DA,C/C,OAiEO,W;MAhEX,C;KAPA,C;4FAAA,yB;MAAA,yD;MA+DA,gC;MAylBA,6C;MAAA,oC;MA8sBA,uC;QAMW,kBAAgB,oB;QA8sBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAhEoC,SAgEhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAhEA,C/C,OAkEO,W;MAjEX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAgEA,gC;MAylBA,6C;MAAA,oC;MAgtBA,uC;QAMW,kBAAgB,oB;QAgtBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAjEoC,SAiEhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAjEA,C/C,OAmEO,W;MAlEX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAiEA,gC;MAylBA,6C;MAAA,oC;MAktBA,uC;QAMW,kBAAgB,oB;QAktBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAlEoC,SAkEhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAlEA,C/C,OAoEO,W;MAnEX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAkEA,gC;MAylBA,6C;MAAA,oC;MAotBA,uC;QAMW,kBAAgB,oB;QAotBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IAnEoC,SAmEhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YA2C,2BAAO,kBAAP,C;;QAnEA,C/C,OAqEO,W;MApEX,C;KAPA,C;4FAAA,yB;MAAA,yD;MAmEA,gC;MAylBA,6C;MAAA,oC;MAstBA,uC;QAMW,kBAAgB,oB;QAstBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzlB/B,IApEoC,SAoEhC,CAAU,OAAV,EAAiB,OAA

5B,kBAAc,mBAAuB,QAAvB,C;QAuBL,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAY,aA
xBuC,WAwBnC,CAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QAxBhB,OA0BO,W;MAzBX,C;KAXA,C;wFAaA,y
B;MAAA,0D;MAAA,yD;MAAA,uE;MA0BA,6C;MAAA,oC;MAAA,gC;MA1BA,yD;QAQI,eAAmC,cAApB,YA
AY,gBAAZ,CAAoB,EAAc,EAAd,C;QAC5B,kBAAc,mBAAoB,QAApB,C;QAyBL,Q;QAAA,0B;QAAhB,OAAg
B,cAAhB,C;UAAgB,oC;UACZ,WAAY,aA1BoC,WA0BhC,CAAY,oBAAZ,CAAJ,EA1BiD,cA0BvB,CAAe,oBAA
f,CAA1B,C;;QA1BhB,OA4BO,W;MA3BX,C;KAVA,C;4FAYA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sD
;QAQoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAY,aAAI,YAAY,oBAAZ,CAAJ,EAA0
B,oBAA1B,C;;QAEhB,OAAO,W;MACX,C;KAZA,C;4FAcA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sE;Q
AQoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAY,aAAI,YAAY,oBAAZ,CAAJ,EAA0B,
eAAe,oBAAf,CAA1B,C;;QAEhB,OAAO,W;MACX,C;KAZA,C;wFAcA,yB;MAAA,6C;MAAA,oC;MAAA,gC;M
AAA,oD;QAOoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAe,UAAU,oBAAV,C;UnB7B
nB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QmB+BA,OAAO,W;MACX,C;KAXA,C;;MAiBiB,Q;MAAA
,4B;MAAb,OAAa,cAAAb,C;QAAa,iC;QACT,WAAY,WAAI,iBAAJ,C;;MAEhB,OAAO,W;IACX,C;;MAMI,OAAO
,2BAAa,eAAc,YAAY,gBAAZ,CAAd,CAAb,C;IACX,C;;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,CAAG,C;UA
AK,kB;UAAL,K;aACA,C;UAAK,cAAO,iCAAK,CAAL,EAAP,C;UAAL,K;gBACa,wBAAL,SAAK,C;UAHV,K;;
MAAP,W;IAKJ,C;;MAMI,OAAO,2BAAa,iBAAgB,gBAAhB,CAAb,C;IACX,C;;MAQiB,IAAN,I;MAAA,QAAM,
gBAAN,C;aACH,CAAG,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,iCAAK,CAAL,EAAN,C;UAAL,K;gBACQ,kCA
Aa,qBAAoB,YAAY,gBAAZ,CAApB,CAAb,C;UAHL,K;;MAAP,W;IAKJ,C;gFAEA,yB;MAAA,+D;MAOA,6C;M
AAA,oC;MAAA,gD;MAAA,gC;MAPA,uC;QAIW,kBAAU,gB;QAOD,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;
UAAgB,oC;UACZ,WAR6B,SAQlB,CAAU,oBAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAThB,OAWO,W
;MAVX,C;KALA,C;oFAOA,yB;MAAA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oD;QAIoB,Q;QAAA,0B;QAAhB,
OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAW,UAAU,oBAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OA
EhB,OAAO,W;MACX,C;KATA,C;gFAWA,yB;MAAA,wE;MAyBA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAzBA,yD
;QAQoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UA1BoD,WA0B1C,CAAY,oBAAZ,C;UnB9bP,U;UADP,YmBgce,WnBhcH,WmBgcwB,GnBhcxB,C;UACL,IAAI,aAAJ,C;YA
CH,amB8buC,gB;YAA5B,WnB7bX,amB6bgC,GnB7bhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UmB0bA,iB;UACA
,IAAK,WAAI,oBAAJ,C;;QA5BT,OA8BO,W;MA7BX,C;KAVA,C;gFAYA,yB;MAAA,wE;MA8BA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MA9BA,yD;QAQoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UA
AgB,oC;UACZ,WAAW,UAAU,oBAAV,C;UnBhcP,U;UADP,YmBkce,WnBlcH,WmBkcwB,GnBlcxB,C;UACL,IAAI,
aAAJ,C;YACH,amBgduC,gB;YAA5B,WnB/cX,amB+cgC,GnB/chC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UmB4cA,iB;UACA,IAAK,WAjCyD,cAiCrD,iCAAe,CAAf,EAAe,oBAAf,CAAJ,C;;QAlCT,OAoCO,W;MAnCX,C;KAVA,C;oFAYA,yB;MAAA,+D;MAAA,gC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;UnB9cP,U;UADP,YmBgde,WnBhdH,WmBgdwB,GnBhdxB,C;UACL,IAAI,aAAJ,C;YACH,amB8buC,gB;YAA5B,WnB7bX,amB6bgC,GnB7bhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UmB0bA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAET,OAAO,W;MACX,C;KAXA,C;oFAa

AA,oC;MA3KA,uC;QAOW,kBAAoB,gB;QA2Kd,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAjKsB,U;UAAA,cAVQ,SAUR,EAiKT,cAjKS,EAiKT,sBAjKS,WAiKA,iBAjKA,W;YAA6C,6B;;;QAVhF,OAWO,W;MAVX,C;KARA,C;uGAUA,yB;MAAA,gC;MAAA,sC;MAAA,6B;MAAA,iCAOmB,yB;;UAAA,iC;YAAoB,Q;YAAA,8BAAU,KAAV,EAAiB,OAAjB,W;cAA6C,mC;;YAAU,W;UAA3E,C;QAAA,C;OAAA,C;MA0JnB,6C;MAAA,oC;MAjKA,oD;QAAwKiB,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAjKsB,U;UAAA,yBAiKT,cAjKS,EAiKT,sBAjKS,WAiKA,iBAjKA,W;YAA6C,6B;;;QAVhF,OAWO,W;MAVX,C;KATA,C;0FAWA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAAQiB,UACiB,M;QAF9B,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QACZhB,OAAO,W;MACX,C;KAXA,C;qFAaA,yB;MAAA,+D;MAAQA,gC;MAAA,sC;MAAA,6B;MAAA,0BAKY,yB;;UAAA,0B;YAAA,Q;YAAA,8BAAU,OAAV,EAAmB,OAAnB,W;cAAA,mC;;YAAA,W;UAA7D,C;QAAA,C;OAAA,C;MAqHZ,6C;MAAA,oC;MAlIA,oD;QAAwKiB,gB;QAAxK,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAjKsB,U;UAAA,yBAiKT,cAjKS,EAiKT,sBAjKS,WAiKA,iBAjKA,W;YAA6C,6B;;;QAVhF,OAWO,W;MAVX,C;KAXA,C;wFAaA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAAQiB,UACiB,M;QAF9B,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QACZhB,OAAO,W;MACX,C;KAXA,C;4F

D,C;UAAe,OAAO,I;QACtB,cAAc,qBAAK,CAAL,C;QACd,eAAe,SAAS,oBAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,qBAAK,CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,ICtyBgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCrzBgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC90BgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCr1BgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC92BgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCn3BgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC54BgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCj5BgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC16BgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OC/6BgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC38BgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCh9BgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC59BgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCj+BgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC5+BgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCn/BgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC9/BgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCrgCgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IChhCgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCvhCgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IClhCgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCzlCgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC5lCgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCnmCgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC1nCgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCjoCgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC1oCgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCjpCgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC1pCgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCjqCgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC1qCgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCjrCgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC1rCgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCjsCgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC1sCgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCjtCgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC1tCgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCjuCgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC1uCgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCjvCgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC1vCgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCjwCgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC1wCgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCjxCgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC1xCgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCjyCgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC1yCgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCjzCgD,qBAAU,CDqyB1D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;6EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAhB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,MAAM,C;;QAE9B,OAAO,K;;QACX,OAAO,I;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC1zCgD,qBAAU,CDsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OCj0C

qC1B,C;MWuqCZ,WAAW,iBAAa,MAAb,C;MACX,aAAU,CAAV,MAAkB,MAAlB,M;QACI,IAAK,WAdqB,GAcP,iCAAK,CAAL,EAdO,EAcE,YAdrB,KAcqB,YAAM,CAAN,EAdF,CAcrB,C;;MAdT,OAgBO,I;IAfX,C;wEAEA,yB;MAAA,gE;MAAA,oC;MXpqCA,iB;MWoqCA,8C;QAQI,aXtqCO,MAAK,KWsqCO,SAAK,OXtqCZ,EWsqCoB,KAAM,OXtqC1B,C;QWuqCZ,WAAW,eAAa,MAAb,C;QACX,aAAU,CAAV,MAAkB,MAAlB,M;UACI,IAAK,WAAI,UAAU,iCAAK,CAAL,EAAV,EAAmB,6BAAM,CAAN,EAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;;MAyBW,sB;;QAaP,WAAW,mBAAS,CAAT,I;QACX,IAAI,OAAO,CAAX,C;UAAc,qBAAO,W;UAAP,uB;;QACd,aAAa,iBAAa,IAAb,C;QACb,iBAAc,CAAd,UAAsB,IAAtB,U;UACI,MAAO,WAAjBkB,GAAiBJ,KAAL,EAAjBI,IAAiBJ,KAAL,EAAZ,iCAAK,CAAL,EAAY,CAAZ,C;;QAEJ,OAAO,I;MACX,C;KAAA,E;MAAA,qD;MAAA,gE;MAAA,oC;MAAA,wC;QAAA,aAAA,iBAAA,IAAA,C;QAAA,iBAAA,CAAA,UAAA,IAAA,U;UAAA,MAAA,WAAA,GAAA,KAAA,EAAA,GAAA,KAAA,EAAA,iCAAA,CAAA,EAAA,CAAA,C;;QAAA,OAAA,I;MAAA

mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;IAAA,C;;MAGH,OAAI,uBAAO,CAAX,GAAc,2BAAQ,SAAR,KAAd,GAAgC,2BAAQ,SAAR,K;IAAhC,C;;MAGjC,iDAA6B,kBAAa,KAAM,UAAnB,KAC7B,mBAAS,KAAM,MAAf,KAAwB,kBAAQ,KAAM,KAAd,CAAxB,IAA8C,kBAAQ,KAAM,KAAd,CADjB,CAA7B,C;IAAA,C;;MAIA,OAAI,cAAJ,GAAe,EAAf,GAAwB,iCAAM,iCAAM,eAAW,8BAAW,EAAX,CAAX,CAAN,MAAoC,cAAU,6BAAU,EAAV,CAAV,CAApC,CAAuE,MAAvE,uBAAuE,cAAU,6BAAU,EAAV,CAAV,CAAvE,CAA0G,MAAO,IAAzH,C;;MAAE,OAAI,uBAAO,CAAX,GAAc,2BAAQ,SAAR,KAAd,GAAgC,2BAAQ,SAAR,KAAhC,GAAkD,2BAAQ,SAAR,KAAlD,GAAoE,2BAAQ,SAAR,KAApE,GAAsF,2BAAQ,SAAR,KAAtF,GAAwG,2BAAQ,SAAR,KAAxG,GAA0H,2BAAQ,SAAR,KAA1H,GAA4I,2BAAQ,SAAR,KAA5I,GAA8J,2BAAQ,SAAR,KAA9J,GAAgL,2BAAQ,SAAR,KAAhL,GAAkM,2BAAQ,SAAR,KAAlM,GAAoN,2BAAQ,SAAR,KAApN,GAAsO,2BAAQ,SAAR,KAAtO,GAAwP,2BAAQ,SAAR,KAAxP,GAA0Q,2BAAQ,SAAR,KAA1Q,GAA4R,2BAAQ,SAAR,KAA5R,GAA8S,2BAAQ,SAAR,KAA9S,GAAgU,2BAAQ,SAAR,KAAhU,GAAkV,2BAAQ,SAAR,KAAlV,GAAoW,2BAAQ,SAAR,KAApW,GAAsX,2BAAQ,SAAR,KAAtX,GAAwY,2BAAQ,SAAR,KAAxY,GAA0Z,2BAAQ,SAAR,KAA1Z,GAA4a,2BAAQ,SAAR,KAA5a,GAA8b,2BAAQ,SAAR,KAA9b,GAAgd,2BAAQ,SAAR,KAAhd,GAAke,2BAAQ,SAAR,KAAle,GAAof,2BAAQ,SAAR,KAApf,GAAsgB,2BAAQ,SAAR,KAAtgB,GAAwhB,2BAAQ,SAAR,KAAxhB,GAA0iB,2BAAQ,SAAR,KAA1iB,GAA4jB,2BAAQ,SAAR,KAA5jB,GAA8kB,2BAAQ,SAAR,KAA9kB,GAAgmB,2BAAQ,SAAR,KAAhmB,GAAkn,2BAAQ,SAAR,KAAln,GAAoo,2BAAQ,SAAR,KAApo,GAAsp,2BAAQ,SAAR,KAAtp,GAAwq,2BAAQ,SAAR,KAAxq,GAA0r,2BAAQ,SAAR,KAA1r,GAA4s,2BAAQ,SAAR,KAA5s,GAA8t,2BAAQ,SAAR,KAA9t,GAAgv,2BAAQ,SAAR,KAAhv,GAAkw,2BAAQ,SAAR,KAAlw,GAAox,2BAAQ,SAAR,KAApx,GAAsy,2BAAQ,SAAR,KAAty,GAAwz,2BAAQ,SAAR,KAAxz,GAA00,2BAAQ,SAAR,KAA10,GAA41,2BAAQ,SAAR,KAA51,GAA82,2BAAQ,SAAR,KAA92,GAAg4,2BAAQ,SAAR,KAAh4,GAAk5,2BAAQ,SAAR,KAAl5,GAAo6,2BAAQ,SAAR,KAAp6,GAAs7,2BAAQ,SAAR,KAAt7,GAAw8,2BAAQ,SAAR,KAAx8,GAA09,2BAAQ,SAAR,KAA19,GAA4+,2BAAQ,SAAR,KAA5+,GAA8/,2BAAQ,SAAR,KAA9/,GAAghB,2BAAQ,SAAR,KAAhhB,GAAkiB,2BAAQ,SAAR,KAAliB,GAAojB,2BAAQ,SAAR,KAApjB,GAAskB,2BAAQ,SAAR,KAAtkB,GAAwlB,2BAAQ,SAAR,KAAxlB,GAA0mB,2BAAQ,SAAR,KAA1mB,GAA4nB,2BAAQ,SAAR,KAA5nB,GAA8oB,2BAAQ,SAAR,KAA9oB,GAAgqB,2BAAQ,SAAR,KAAhqB,GAAkrB,2BAAQ,SAAR,KAAlrB,GAAos,2BAAQ,SAAR,KAAps,GAAst,2BAAQ,SAAR,KAAtt,GAAwu,2BAAQ,SAAR,KAAxu,GAA0v,2BAAQ,SAAR,KAA1v,GAA4w,2BAAQ,SAAR,KAA5w,GAA8x,2BAAQ,SAAR,KAA9x,GAAgz,2BAAQ,SAAR,KAAhz,GAAk0,2BAAQ,SAAR,KAAl0,GAAo1,2BAAQ,SAAR,KAAp1,GAAs2,2BAAQ,SAAR,KAAt2,GAAw3,2BAAQ,SAAR,KAAx3,GAA04,2BAAQ,SAAR,KAA14,GAA45,2BAAQ,SAAR,KAA55,GAA86,2BAAQ,SAAR,KAA96,GAAg8,2BAAQ,SAAR,KAAh8,GAAk9,2BAAQ,SAAR,KAAl9,GAAo+,2BAAQ,SAAR,KAAp+,GAAs/,2BAAQ,SAAR,KAAt/,GAAwgB,2BAAQ,SAAR,KAAxgB,GAA0hB,2BAAQ,SAAR,KAA1hB,GAA4iB,2BAAQ,SAAR,KAA5iB,GAA8jB,2BAAQ,SAAR,KAA9jB,GAAgl,2BAAQ,SAAR,KAAhl,GAAkm,2BAAQ,SAAR,KAAlm,GAAon,2BAAQ,SAAR,KAApn,GAAso,2BAAQ,SAAR,KAAto,GAAwp,2BAAQ,SAAR,KAAxp,GAA0q,2BAAQ,SAAR,KAA1q,GAA4r,2BAAQ,SAAR,KAA5r,GAA8s,2BAAQ,SAAR,KAA9s,GAAgu,2BAAQ,SAAR,KAAhu,GAAkv,2BAAQ,SAAR,KAAlv,GAAow,2BAAQ,SAAR,KAApw,GAAsx,2BAAQ,SAAR,KAAtx,GAAwy,2BAAQ,SAAR,KAAxy,GAA0z,2BAAQ,SAAR,KAA1z,GAA40,2BAAQ,SAAR,KAA50,GAA81,2BAAQ,SAAR,KAA91,GAAg3,2BAAQ,SAAR,KAAh3,GAAk4,2BAAQ,SAAR,KAAl4,GAAo5,2BAAQ,SAAR,KAAp5,GAAs6,2BAAQ,SAAR,KAAt6,GAAw7,2BAAQ,SAAR,KAAx7

,gCAAyB,eAAzB,C;;IAErB,C;;;;;;;;;;;;;;;;;;;;;;;;MCnCI,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,yC;MAAA,C;MAKI,sE;MAGA,0F;MAGA,gE;IAXJ,C;;;MAKI,4B;MAAA,wC;IAAA,C;;;MAGA,4B;MAAA,kD;IAAA,C;;;MAGA,4B;MAAA,qC;IAAA,C;;;MAXJ,sI;IAAA,C;;;MAAA,a;aAAA,U;UAAA,6C;aAAA,oB;UAAA,uD;aAAA,O;UAAA,0C;gBAAA,mE;;IAAA,C;;;;;;;;;;;;;;;;;;;

AwIO,gCAxIK,kBAAc,OAAd,EAwIL,C;MAvIX,C;KANA,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,sBAAe,OAAf,CAwIL,C;MAvIX,C;KANA,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,mBAAY,OAAZ,CAwIL,C;MAvIX,C;KANA,C;;MAaI,OAAO,oBAAoB,SAApB,EAA0B,QAA1B,C;IACX,C;;MAMI,OAAO,mBAAwB,SAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,EAAsB,IAAtB,EAA4B,CAAxB,EAA2B,EAAA,sD,SAAK,OAAL,EAAa,EAAA,iE,QAAA,EAAjE,C;IACX,C;;MAMI,OAAO,mBAAwB,SAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,EAAsB,IAAtB,EAA4B,CAAxB,EAA2B,EAAA,sD,SAAK,OAAL,EAAa,EAAA,iE,QAAA,EAAjE,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,EAAsB,IAAtB,EAA4B,CAAxB,EAA2B,EAAA,sD,SAAK,OAAL,EAAa,EAAA,iE,QAAA,EAAjE,C;IACX,C;;MAMI,OAAO,oBAAoB,SAApB,EAA0B,QAA1B,C;IACX,C;;MAMI,OAAO,mBAAwB,U

Y,CAAZ,GAAmB,C;IAC9B,C;kFAEA,yB;MAAA,iB;MAAA,uB;QAMI,OAAO,MAAK,KAAM,CAAN,EAAiB,CAAjB,C;MAChB,C;KAPA,C;kFASA,yB;MAAA,iB;MAAA,uB;QAMI,OAAO,MAAK,KAAM,CAAN,EAAiB,CAAjB,C;MAChB,C;KAPA,C;kFASA,yB;MAAA,iB;MAAA,uB;QAMI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;MAChB,C;KAPA,C;;MAeI,OAAW,kBAAK,KAAL,EAAW,MAAX,J,EAAmB,KAAnB,EAAyB,MAAzB,EAAgC,KAAhC,EAAsC,MAAtC,EAA6C,KAA7C,C;IAC9B,C;kFAEA,yB;MAAA,iB;MAAA,uB;QAMI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;MAChB,C;KAPA,C;kFASA,yB;MAAA,iB;MAAA,uB;QAMI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;MAChB,C;KAPA,C;;MAc

B,C;IAAlD,C;;;MAHqB,iD;IAAA,C;;MAOnB,wB;IAAD,C;;;MAGe,MAAM,mC;IAAN,C;;MAI1C,IAAI,qBAAJ,C;QACI,OAAO,Cd1CiF,Wc0CrE,Ud1CqE,Ec0CzD,Qd1CyD,C;;;Qc4CxF,OAAS,CAAY,qBAAsB,UAAtB,EAAkC,QAAlC,C;;IAE7B,C;;MAII,IAAI,KAAY,kBAAhB,C;QACI,KAAY,mBAAkB,QAAlB,EAA4C,sCAAhB,QAAgB,EAA5C,C;;;QAEH,QAAT,SAA+C,C,CAAlB,IAAjC,KAAiC,EAAkB,O;;IAEvD,C;;MAKwB,Q;MADpB,gBAAgB,IAAhB,KAAgB,E;MACI,IAAI,OKjGkB,OLiGT,OAAT,EAAqB,WAArB,CAAJ,C;QAChB,OAAI,aAAJ,GAAmB,KAAnB,WAAyB,GAAzB,EAAyC,QAAzC,EAAyD,IAAzD,C;;QAEE,c,c;;MAGH,sBAAsB,OAAtB,EAAuC,OAAvC,EAAwD,OAAxD,EAAyE,OAAzE,EAA0F,OAA1F,EAA2G,OAA3G,EAA4H,OAA5H,EAA6I,OAA7I,EAA8J,OAA9J,EAA+K,OAA/K,EAAgM,OAAhM,EAAiN,OAAjN,EAAkO,OAAlO,EAAmP,OAAnP,EAAoQ,OAApQ,EAAqR,OAArR,EAAsS,OAAtS,EAAuT,OAAvT,EAAwU,OAAxU,EAAyV,OAAzV,EAA0W,OAA1W,EAA2X,OAA3X,EAA4Y,OAA5Y,EAA6Z,OAA7Z,EAA8a,OAA9a,EAA+b,OAA/b,EAAgd,OAAhd,EAAie,OAAje,EAAkf,OAAlf,EAAmgB,OAAngB,EAAohB,OAAphB,EAAqiB,OAAriB,EAAsjB,OAAtjB,EAAukB,OAAvkB,EAAwlB,OAAxlB,EAAymB,OAAzmB,EAA0nB,OAA1nB,EAA2oB,OAA3oB,EAA4pB,OAA5pB,EAA6qB,OAA7qB,EAA8rB,OAA9rB,EAA+sB,OAA/sB,EAAguB,OAAhuB,EAAivB,OAAjvB,EAAkwB,OAAlwB,EAAmxB,OAAnxB,EAAoyB,OAApyB,EAAqzB,OAArzB,EAAs0B,OAAt0B,EAAu1B,OAAv1B,EAAw2B,OAAx2B,EAAy3B,OAAz3B,EAA04B,OAA14B,EAA25B,OAA35B,EAA46B,OAA56B,EAA67B,OAA77B,EAA88B,OAA98B,EAA+9B,OAA/9B,EAAg/B,OAAh/B,EAAigC,OAAjgC,EAAkhC,OAAlhC,EAAmiC,OAAniC,EAAojC,OAApjC,EAAqkC,OAArkC,EAAslC,OAAtlC,EAAumC,OAAvmC,EAAwnC,OAAxnC,EAAyoC,OAAzoC,EAA0pC,OAA1pC,EAA2qC,OAA3qC,EAA4rC,OAA5rC,EAA6sC,OAA7sC,EAA8tC,OAA9tC,EAA+uC,OAA/uC,EAAgwC,OAAhwC,EAAixC,OAAjxC,EAAkyC,OAAlyC,EAAmzC,OAAnzC,EAAo0C,OAAp0C,EAAq1C,OAAr1C,EAAs2C,OAAt2C,EAAu3C,OAAv3C,EAAw4C,OAAx4C,EAAy5C,OAAz5C,EAA06C,OAA16C,EAA27C,OAA37C,EAA48C,OAA58C,EAA69C,OAA79C,EAA8+C,OAA9+C,EAA+/C,OAA//C,EAAghD,OAAhhD,EAAiiD,OAAjiD,EAAkjD,OAAljD,EAAmkD,OAAnkD,EAAolD,OAAplD,EAAqmD,OAArmD,EAAsnD,OAAtnD,EAAuoD,OAAvoD,EAAwpD,OAAxpD,EAAyqD,OAAzqD,EAA0rD,OAA1rD,EAA2sD,OAA3sD,EAA4tD,OAA5tD,EAA6uD,OAA7uD,EAA8vD,OAA9vD,EAA+wD,OAA/wD,EAAgyD,OAAhyD,EAAizD,OAAjzD,EAAk0D,OAAl0D,EAAm1D,OAAn1D,EAAo2D,OAAp2D,EAAq3D,OAAr3D,EAAs4D,OAAt4D,EAAu5D,OAAv5D,EAAw6D,OAAx6D,EAAy7D,OAAz7D,EAA08D,OAA18D,EAA29D,OAA39D,EAA4+D,OAA5+D,EAA6/D,OAA7/D,EAA8gE,OAA9gE,EAA+hE,OAA/hE,EAAgjE,OAAhjE,EAAikE,OAAjkE,EAAklE,OAAllE,EAAmmE,OAAnmE,EAAonE,OAApnE,EAAqoE,OAAroE,EAAspE,OAAtpE,EAAuqE,OAAvqE,EAAwrE,OAAxrE,EAAysE,OAAzsE,EAA0tE,OAA1tE,EAA2uE,OAA3uE,EAA4vE,OAA5vE,EAA6wE,OAA7wE,EAA8xE,OAA9xE,EAA+yE,OAA/yE,EAAgzE,OAAhzE,EAAi0E,OAAj0E,EAAk1E,OAAl1E,EAAm2E,OAAn2E,EAAo3E,OAAp3E,EAAq4E,OAAr4E,EAAs5E,OAAt5E,EAAu6E,OAAv6E,EAAw7E,OAAx7E,EAAy8E,OAAz8E,EAA09E,OAA19E,EAA2+E,OAA3+E,EAA4/E,OAA5/E,EAA6gF,OAA7gF,EAA8hF,OAA9hF,EAA+iF,OAA/iF,EAAgkF,OAAhkF,EAAilF,OAAjlF,EAAkmF,OAAlmF,EAAmnF,OAAnnF,EAAooF,OAApoF,EAAqpF,OAArpF,EAAsqF,OAAtqF,EAAurF,OAAvrF,EAAwsF,OAAxsF,EAAytF,OAAztF,EAA0uF,OAA1uF,EAA2vF,OAA3vF,EAA4wF,OAA5wF,EAA6xF,OAA7xF,EAA8yF,OAA9yF,EAA+zF,OAA/zF,EAAg1F,OAAh1F,EAAi2F,OAAj2F,EAAk3F,OAAl3F,EAAm4F,OAAn4F,EAAo5F,OAAp5F,EAAq6F,OAAr6F,EAAs7F,OAAt7F,EAAu8F,OAAv8F,EAAw9F,OAAx9F,EAAy+F,OAAz+F,EAA0/F,OAA1/F,EAA2gG,OAA3gG,EAA4hG,OAA5hG,EAA6iG,OAA7iG,EAA8jG,OAA9jG,EAA+kG,OAA/kG,EAAgmG,OAAhmG,EAAinG,OAAjnG,EAAkoG,OAAloG,EAAmpG,OAAnpG,EAAoqG,OAApqG,EAAqrG,OAArrG,EAAssG,OAAtsG,EAAutG,OAAvtG,EAAwuG,OAAxuG,EAAyvG,OAAzvG,EAA0wG,OAA1wG,EAA2xG,OAA3xG,EAA4yG,OAA5yG,EAA6zG,OAA7zG,EAA80G,OAA90G,EAA+1G,OAA/1G,EAAg3G,OAAh3G,EAAi4G,OAAj4G,EAAk5G,OAAl5G,EAAm6G,OAAn6G,EAAo7G,OAAp7G,EAAq8G,OAAr8G,EAAs9G,OAAt9G,EAAu+G,OAAv+G,EAAw/G,OAAx/G,EAAygH,OAAzgH,EAA0hH,OAA1hH,EAA2iH,OAA3iH,EAA4jH,OAA5jH,EAA6kH,OAA7kH,EAA8lH,OAA9lH,EAA+mH,OAA/mH,EAAgoH,OAAhoH,EAAipH,OAAjpH,EAAkqH,OAAlqH,EAAmrH,OAAnrH,EAAosH,OAApsH,EAAqtH,OAArtH,EAAsuH,OAAtuH,EAAuvH,OAAvvH,EAAwwH,OAAxwH,EAAyxH,OAAzxH,EAA0yH,OAA1yH,EAA2zH,OAA3zH,EAA40H,OAA50H,EAA61H,OAA71H,EAA82H,OAA92H,EAA+3H,OAA/3H,EAAg5H,OAAh5H,EAAi6H,OAAj6H,EAAk7H,OAAl7H,EAAm8H,OAAn8H,EAAo9H,OAAp9H,EAAq+H,OAAr+H,EAAs/H,OAAt/H,EAAugI,OAAvgI,EAAwhI,OAAxhI,EAAyiI,OAAziI,EAA0jI,OAA1jI,EAA2kI,OAA3kI,EAA4lI,OAA5lI,EAA6mI,OAA7mI,EAA8nI,OAA9nI,EAA+oI,OAA/oI,EAAgqI,OAAhqI,EAAirI,OAAjrI,EAAksI,OAAlsI,EAAmtI,OAAntI,EAAouI,OAApuI,EAAqvI,OAArvI,EAAswI,OAAtwI,EAAuxI,OAAvxI,EAAwyI,OAAxyI,EAAyzI,OAAzzI,EAA00I,OAA10I,EAA21I,OAA31I,EAA42I,OAA52I,EAA63I,OAA73I,EAA84I,OAA94I,EAA+5I,OAA/5I,EAAg7I,OAAh7I,EAAi8I,OAAj8I,EAAk9I,OAAl9I,EAAm+I,OAAn+I,EAAo/I,OAAp/I,EAAqgJ,OAArgJ,EAAshJ,OAAthJ,EAAuiJ,OAAviJ,EAAwjJ,OAAxjJ,EAAykJ,OAAzkJ,EAA0lJ,OAA1lJ,EAA2mJ,OAA3mJ,EAA4nJ,OAA5nJ,EAA6oJ,OAA7oJ,EAA8pJ,OAA9pJ,EAA+qJ,OAA/qJ,EAAgsJ,OAAhsJ,EAAitJ,OAAjtJ,EAAkuJ,OAAluJ,EAAmvJ,OAAnvJ,EAAowJ,OAApwJ,EAAqxJ,OAArxJ,EAAsyJ,OAAtyJ,EAAuzJ,OAAvzJ,EAAw0J,OAAx0J,EAAy1J,OAAz1J,EAA02J,OAA12J,EAA23J,OAA33J,EAA44J,OAA54J,EAA65J,OAA75J,EAA86J,OAA96J,EAA+7J,OAA/7J,EAAg9J,OAAh9J,EAAi+J,OAAj+J,EAAk/J,OAAl/J,EAAmgK,OAAngK,EAAohK,OAAphK,EAAqiK,OAAriK,EAAsjK,OAAtjK,EAAukK,OAAvkK,EAAwlK,OAAxlK,EAAymK,OAAzmK,EAA0nK,OAA1nK,EAA2oK,OAA3oK,EAA4pK,OAA5pK,EAA6qK,OAA7qK,EAA8rK,OAA9rK,EAA+sK,OAA/sK,EAAguK,OAAhuK,EAAivK,OAAjvK,EAAkwK,OAAlwK,EAAmxK,OAAnxK,EAAoyK,OAApyK,EAAqzK,OAArzK,EAAs0K,OAAt0K,EAAu1K,OAAv1K,EAAw2K,OAAx2K,EAAy3K,OAAz3K,EAA04K,OAA14K,EAA25K,OAA35K,EAA46K,OAA56K,EAA67K,OAA77K,EAA88K,OAA98K,EAA+9K,OAA/9K,EAAg/K,OAAh/K,EAAigL,OAAjgL,EAAkhL,OAAlhL,EAAmiL,OAAniL,EAAojL,OAApjL,EAAqkL,OAArkL,EAAslL,OAAtlL,EAAumL,OAAvmL,EAAwnL,OAAxnL,EAAyoL,OAAzoL,EAA0pL,OAA1pL,EAA2qL,OAA3qL,EAA4rL,OAA5rL,EAA6sL,OAA7sL,EAA8tL,OAA9tL,EAA+uL,OAA/uL,EAAgwL,OAAhwL,EAAixL,OAAjxL,EAAkyL,OAAlyL,EAAmzL,OAAnzL,EAAo0L,OAAp0L,EAAq1L,OAAr1L,EAAs2L,OAAt2L,EAAu3L,OAAv3L,EAAw4L,OAAx4L,EAAy5L,OAAz5L,EAA06L,OAA16L,EAA27L,OAA37L,EAA48L,OAA58L,EAA69L,OAA79L,EAA8+L,OAA9+L,EAA+/L,OAA//L,EAAghM,OAAhhM,EAAiiM,OAAjiM,EAAkjM,OAAljM,EAAmkM,OAAnkM,EAAolM,OAAplM,EAAqmM,OAArmM,EAAsnM,OAAtnM,EAAuoM,OAAvoM,EAAwpM,OAAxpM,EAAyqM,OAAzqM,EAA0rM,OAA1rM,EAA2sM,OAA3sM,EAA4tM,OAA5tM,EAA6uM,OAA7uM,EAA8vM,OAA9vM,EAA+wM,OAA/wM,EAAgyM,OAAhyM,EAAizM,OAAjzM,EAAk0M,OAAl0M,EAAm1M,OAAn1M,EAAo2M,OAAp2M,EAAq3M,OAAr3M,EAAs4M,OAAt4M,EAAu5M,OAAv5M,EAAw6M,OAAx6M,EAAy7M,OAAz7M,EAA08M,OAA18M,EAA29M,OAA39M,EAA4+M,OAA5+M,EAA6/M,OAA7/M,EAA8gN,OAA9gN,EAA+hN,OAA/hN,EAAgjN,OAAhjN,EAAikN,OAAjkN,EAAklN,OAAllN,EAAmmN,OAAnmN,EAAonN,OAApnN,EAAqoN,OAAroN,EAAspN,OAAtpN,EAAuqN,OAAvqN,EAAwrN,OAAxrN,EAAysN,OAAzsN,EAA0tN,OAA1tN,EAA2uN,OAA3uN,EAA4vN,OAA5vN,EAA6wN,OAA7wN,EAA8xN,OAA9xN,EAA+yN,OAA/yN,EAAgzN,OAAhzN,EAAi0N,OAAj0N,EAAk1N,OAAl1N,EAAm2N,OAAn2N,EAAo3N,OAAp3N,EAAq4N,OAAr4N,EAAs5N,OAAt5N,EAAu6N,OAAv6N,EAAw7N,OAAx7N,EAAy8N,OAAz8N,EAA09N,OAA19N,EAA2+N,OAA3+N,EAA4/N,OAA5/N,EAA6gO,OAA7gO,EAA8hO,OAA9hO,EAA+iO,OAA/iO,EAAgkO,OAAhkO,EAAilO,OAAjlO,EAAkmO,OAAlmO,EAAmnO,OAAnnO,EAAooO,OAApoO,EAAqpO,OAArpO,EAAsqO,OAAtqO,EAAurO,OAAvrO,EAAwsO,OAAxsO,EAAytO,OAAztO,EAA0uO,OAA1uO,EAA2vO,OAA3vO,EAA4wO,OAA5wO,EAA6xO,OAA7xO,EAA8yO,OAA9yO,EAA+zO,OAA/zO,EAAg1O,OAAh1O,EAAi2O,OAAj2O,EAAk3O,OAAl3O,EAAm4O,OAAn4O,EAAo5O,OAAp5O,EAAq6O,OAAr6O,EAAs7O,OAAt7O,EAAu8O,OAAv8O,EAAw9O,OAAx9O,EAAy+O,OAAz+O,EAA0/O,OAA1/O,EAA2gP,OAA3gP,EAA4hP,OAA5hP,EAA6iP,OAA7iP,EAA8jP,OAA9jP,EAA+kP,OAA/kP,EAAgmP,OAAhmP,EAAinP,OAAjnP,EAAkoP,OAAloP,EAAmpP,OAAnpP,EAAoqP,OAApqP,EAAqrP,OAArrP,EAAssP,OAAtsP,EAAutP,OAAvtP,EAAwuP,OAAxuP,EAAyvP,OAAzvP,EAA0wP,OAA1wP,EAA2xP,OAA3xP,EAA4yP,OAA5yP,EAA6zP,OAA7zP,EAA80P,OAA90P,EAA+1P,OAA/1P,EAAg3P,OAAh3P,EAAi4P,OAAj4P,EAAk5P,OAAl5P,EAAm6P,OAAn6P,EAAo7P,OAAp7P,EAAq8P,OAAr8P,EAAs9P,OAAt9P,EAAu+P,OAAv+P,EAAw/P,OAAx/P,EAAygQ,OAAzgQ,EAA0hQ,OAA1hQ,EAA2iQ,OAA3iQ,EAA4jQ,OAA5jQ,EAA6kQ,OAA7kQ,EAA8lQ,OAA9lQ,EAA+mQ,OAA/mQ,EAAgoQ,OAAhoQ,EAAipQ,OAAjpQ,EAAkqQ,OAAlqQ,EAAmrQ,OAAnrQ,EAAosQ,OAApsQ,EAAqtQ,OAArtQ,EAAsuQ,OAAtuQ,EAAuvQ,OAAvvQ,EAAwwQ,OAAxwQ,EAAyxQ,OAAzxQ,EAA0yQ,OAA1yQ,EAA2zQ,OAA3zQ,EAA40Q,OAA50Q,EAA61Q,OAA71Q,EAA82Q,OAA92Q,EAA+3Q,OAA/3Q,EAAg5Q,OAAh5Q,EAAi6Q,OAAj6Q,EAAk7Q,OAAl7Q,EAAm8Q,OAAn8Q,EAAo9Q,OAAp9Q,EAAq+Q,OAAr+Q,EAAs/Q,OAAt/Q,EAAugR,OAAvgR,EAAwhR,OAAxhR,EAAyiR,OAAziR,EAA0jR,OAA1jR,EAA2kR,OAA3kR,EAA4lR,OAA5lR,EAA6mR,OAA7mR,EAA8nR,OAA9nR,EAA+oR,OAA/oR,EAAgqR,OAAhqR,EAAirR,OAAjrR,EAAksR,OAAlsR,EAAmtR,OAAntR,EAAouR,OAApuR,EAAqvR,OAArvR,EAAswR,OAAtwR,EAAuxR,OAAvxR,EAAwyR,OAAxyR,EAAyzR,OAAzzR,EAA00R,OAA10R,EAA21R,OAA31R,EAA42R,OAA52R,EAA63R,OAA73R,EAA84R,OAA94R,EAA+5R,OAA/5R,EAAg7R,OAAh7R,EAAi8R,OAAj8R,EAAk9R,OAAl9R,EAAm+R,OAAn+R,EAAo/R,OAAp/R,EAAqgS,OAArgS,EAAshS,OAAthS,EAAuiS,OAAviS,EAAwjS,OAAxjS,EAAykS,OAAzkS,EAA0lS,OAA1lS,EAA2mS,OAA3mS,EAA4nS,OAA5nS,EAA6oS,OAA7oS,EAA8pS,OAA9pS,EAA+qS,OAA/qS,EAAgsS,OAAhsS,EAAitS,OAAjtS,EAAkuS,OAAluS,EAAmvS,OAAnvS,EAAowS,OAApwS,EAAqxS,OAArxS,EAAsyS,OAAtyS,EAAuzS,OAAvzS,EAAw0S,OAAx0S,EAAy1S,OAAz1S,EAA02S,OAA12S,EAA23S,OAA33S,EAA44S,OAA54S,EAA65S,OAA75S,EAA86S,OAA96S,EAA+7S,OAA/7S,EAAg9S,OAAh9S,EAAi+S,OAAj+S,EAAk/S,OAAl/S,EAAmgT,OAAngT,EAAohT,OAAphT,EAAqiT,OAAriT,EAAsjT,OAAtjT,EAAukT,OAAvkT,EAAwlT,OAAxlT,EAAymT,OAAzmT,EAA0nT,OAA1nT,EAA2oT,OAA3oT,EAA4pT,OAA5pT,EAA6qT,OAA7qT,EAA8rT,OAA9rT,EAA+sT,OAA/sT,EAAguT,OAAhuT,EAAivT,OAAjvT,EAAkwT,OAAlwT,EAAmxT,OAAnxT,EAAoyT,OAApyT,EAAqzT,OAArzT,EAAs0T,OAAt0T,EAAu1T,OAAv1T,EAAw2T,OAAx2T,EAAy3T,OAAz3T,EAA04T,OAA14T,EAA25T,OAA35T,EAA46T,OAA56T,EAA67T,OAA77T,EAA88T,OAA98T,EAA+9T,OAA/9T,EAAg/T,OAAh/T,EAAigU,OAAjgU,EAAkhU,OAAlhU,EAAmiU,OAAniU,EAAojU,OAApjU,EAAqkU,OAArkU,EAAslU,OAAtlU,EAAumU,OAAvmU,EAAwnU,OAAxnU,EAAyoU,OAAzoU,EAA0pU,OAA1pU,EAA2qU,OAA3qU,EAA4rU,OAA5rU,EAA6sU,OAA7sU,EAA8tU,OAA9tU,EAA+uU,OAA/uU,EAAgwU,OAAhwU,EAAixU,OAAjxU,EAAkyU,OAAlyU,EAAmzU,OAAnzU,EAAo0U,OAAp0U,EAAq1U,OAAr1U,EAAs2U,OAAt2U,EAAu3U,OAAv3U,EAAw4U,OAAx4U,EAAy5U,OAAz5U,EAA06U,OAA16U,EAA27U,OAA37U,EAA48U,OAA58U,EAA69U,OAA79U,EAA8+U,OAA9+U,EAA+/U,OAA//U,EAAghV,OAAhhV,EAAiiV,OAAjiV,EAAkjV,OAAljV,EAAmkV,OAAnkV,EAAolV,OAAplV,EAAqmV,OAArmV,EAAsnV,OAAtnV,EAAuoV,OAAvoV,EAAwpV,OAAxpV,EAAyqV,OAAzqV,EAA0rV,OAA1rV,EAA2sV,OAA3sV,EAA4tV,OAA5tV,EAA6uV,OAA7uV,EAA8vV,OAA9vV,EAA+wV,OAA/wV,EAAgyV,OAAhyV,EAAizV,OAAjzV,EAAk0V,OAAl0V,EAAm1V,OAAn1V,EAAo2V,OAAp2V,EAAq3V,OAAr3V,EAAs4V,OAAt4V,EAAu5V,OAAv5V,EAAw6V,OAAx6V,EAAy7V,OAAz7V,EAA08V,OAA18V,EAA29V,OAA39V,EAA4+V,OAA5+V,EAA6/V,OAA7/V,EAA8gW,OAA9gW,EAA+hW,OAA/hW,EAAgjW,OAAhjW,EAAikW,OAAjkW,EAAklW,OAAllW,EAAmmW,OAAnmW,EAAonW,OAApnW,EAAqoW,OAAroW,EAAspW,OAAtpW,EAAuqW,OAAvqW,EAAwrW,OAAxrW,EAAysW,OAAzsW,EAA0tW,OAA1tW,EAA2uW,OAA3uW,EAA4vW,OAA5vW,EAA6wW,OAA7wW,EAA8xW,OAA9xW,EAA+yW,OAA/yW,EAAgzW,OAAhzW,EAAi0W,OAAj0W,EAAk1W,OAAl1W,EAAm2W,OAAn2W,EAAo3W,OAAp3W,EAAq4W,OAAr4W,EAAs5W,OAAt5W,EAAu6W,OAAv6W,EAAw7W,OAAx7W,EAAy8W,OAAz8W,EAA09W,OAA19W,EAA2+W,OAA3+W,EAA4/W,OAA5/W,EAA6gX,OAA7gX,EAA8hX,OAA9hX,EAA+iX,OAA/iX,EAAgkX,OAAhkX,EAAilX,OAAjlX,EAAkmX,OAAlmX,EAAmnX,OAAnnX,EAAooX,OAApoX,EAAqpX,OAArpX,EAAsqX,OAAtqX,EAAurX,OAAvrX,EAAwsX,OAAxsX,EAAytX,OAAztX,EAA0uX,OAA1uX,EAA2vX,OAA3vX,EAA4wX,OAA5wX,EAA6xX,OAA7xX,EAA8yX,OAA9yX,EAA+zX,OAA/zX,EAAg1X,OAAh1X,EAAi2X,OAAj2X,EAAk3X,OAAl3X,EAAm4X,OAAn4X,EAAo5X,OAAp5X,EAAq6X,OAAr6X,EAAs7X,OAAt7X,EAAu8X,OAAv8X,EAAw9X,OAAx9X,EAAy+X,OAAz+X,EAA0/X,OAA1/X,EAA2gY,OAA3gY,EAA4hY,OAA5hY,EAA6iY,OAA7iY,EAA8jY,OAA9jY,EAA+kY,OAA/kY,EAAgmY,OAAhmY,EAAinY,OAAjnY,EAAkoY,OAAloY,EAAmpY,OAAnpY,EAAoqY,OAApqY,EAAqrY,OAArrY,EAAssY,OAAtsY,EAAutY,OAAvtY,EAAwuY,OAAxuY,EAAyvY,OAAzvY,EAA0wY,OAA1wY,EAA2xY,OAA3xY,EAA4yY,OAA5yY,EAA6zY,OAA7zY,EAA80Y,OAA90Y,EAA+1Y,OAA/1Y,EAAg3Y,OAAh3Y,EAAi4Y,OAAj4Y,EAAk5Y,OAAl5Y,EAAm6Y,OAAn6Y,EAAo7Y,OAAp7Y,EAAq8Y,OAAr8Y,EAAs9Y,OAAt9Y,EAAu+Y,OAAv+Y,EAAw/Y,OAAx/Y,EAAygZ,OAAzgZ,EAA0hZ,OAA1hZ,EAA2iZ,OAA3iZ,EAA4jZ,OAA5jZ,EAA6kZ,OAA7kZ,EAA8lZ,OAA9lZ,EAA+mZ,OAA/mZ,EAAgoZ,OAAhoZ,EAAipZ,OAAjpZ,EAAkqZ,OAAlqZ,EAAmrZ,OAAnrZ,EAAosZ,OAApsZ,EAAqtZ,OAArtZ,EAAsuZ,OAAtuZ,EAAuvZ,OAAvvZ,EAAwwZ,OAAxwZ,EAAyxZ,OAAzxZ,EAA0yZ,OAA1yZ,EAA2zZ,OAA3zZ,EAA40Z,OAA50Z,EAA61Z,OAA71Z,EAA82Z,OAA92Z,EAA+3Z,OAA/3Z,EAAg5Z,OAAh5Z,EAAi6Z,OAAj6Z,EAAk7Z,OAAl7Z,EAAm8Z,OAAn8Z,EAAo9Z,OAAp9Z,EAAq+Z,OAAr+Z,EAAs/Z,OAAt/Z,EAAugaA,OAAvgaA,EAAwhaA,OAAxhaA,EAAyiaA,OAAziaA,EAA0jaA,OAA1jaA,EAA2kaA,OAA3kaA,EAA4laA,OAA5laA,EAA6maA,OAA7maA,EAA8naA,OAA9naA,EAA+oaA,OAA/oaA,EAAgqaA,OAAhqaA,EAAiraA,OAAjraA,EAAksaA,OAAlsaA,EAAmtaA,OAAntaA,EAAouaA,OAApuaA,EAAqvaA,OAArvaA,EAAswaA,OAAtwaA,EAAuxaA,OAAvxaA,EAAwyaA,OAAxyaA,EAAyzaA,OAAzzaA,EAA00aA,OAA10aA,EAA21aA,OAA31aA,EAA42aA,OAA52aA,EAA63aA,OAA73aA,EAA84aA,OAA94aA,EAA+5aA,OAA/5aA,EAAg7aA,OAAh7aA,EAAi8aA,OAAj8aA,EAAk9aA,OAAl9aA,EAAm+aA,OAAn+aA,EAAo/aA,OAAp/aA,EAAqgbA,OAArgbA,EAAshbA,OAAthbA,EAAuibA,OAAvibA,EAAwjbA,OAAxjbA,EAAykbA,OAAzkbA,EAA0lbA,OAA1lbA,EAA2mbA,OAA3mbA,EAA4nbA,OAA5nbA,EAA6obA,OAA7obA,EAA8pbA,OAA9pbA,EAA+qbA,OAA/qbA,EAAgsbA,OAAhsbA,EAAitbA,OAAjtbA,EAAkubA,OAAlubA,EAAmvbA,OAAnvbA,EAAowbA,OAApwbA,EAAqxbA,OAArxbA,EAAsybA,OAAtybA,EAAuzbA,OAAvzbA,EAAw0bA,OAAx0bA,EAAy1bA,OAAz1bA,EAA02bA,OAA12bA,EAA23bA,OAA33bA,EAA44bA,OAA54bA,EAA65bA,OAA75bA,EAA86bA,OAA96bA,EAA+7bA,OAA/7bA,EAAg9bA,OAAh9bA,EAAi+bA,OAAj+bA,EAAk/bA,OAAl/bA,EAAmgcA,OAAngcA,EAAohcA,OAAphcA,EAAqicA,OAAricA,EAAsjcA,OAAtjcA,EAAukcA,OAAvkcA,EAAwlcA,OAAxlcA,EAAymcA,OAAzmcA,EAA0ncA,OAA1ncA,EAA2ocA,OAA3ocA,EAA4pcA,OAA5pcA,EAA6qcA,OAA7qcA,EAA8rcA,OAA9rcA,EAA+scA,OAA/scA,EAAgucA,OAAhucA,EAAivcA,OAAjvcA,EAAkwcA,OAAlwcA,EAAmxcA,OAAnxcA,EAAoycA,OAApycA,EAAqzcA,OAArzcA,EAAs0cA,OAAt0cA,EAAu1cA,OAAv1cA,EAAw2cA,OAAx2cA,EAAy3cA,OAAz3cA,EAA04cA,OAA14cA,EAA25cA,OAA35cA,EAA46cA,OAA56cA,EAA67cA,OAA77cA,EAA88cA,OAA98cA,EAA+9cA,OAA/9cA,EAAg/cA,OAAh/cA,EAAigdA,OAAjgdA,EAAkhdA,OAAlhdA,EAAmidA,OAAnidA,EAAojdA,OAApjdA,EAAqkdA,OAArkdA,EAAsldA,OAAtldA,EAAumdA,OAAvmdA,EAAwndA,OAAxndA,EAAyodA,OAAzodA,EAA0pdA,OAA1pdA,EAA2qdA,OAA3qdA,EAA4rdA,OAA5rdA,EAA6sdA,OAA7sdA,EAA8tdA,OAA9tdA,EAA+udA,OAA/udA,EAAgvdA,OAAhvdA,EAAiwdA,OAAjwdA,EAAkxdA,OAAlxdA,EAAmydA,OAAnydA,EAAozdA,OAApzdA,EAAq0dA,OAAr0dA,EAAs1dA,OAAt1dA,EAAu2dA,OAAv2dA,EAAw3dA,OAAx3dA,EAAy4dA,OAAz4dA,EAA05dA,OAA15dA,EAA26dA,OAA36dA,EAA47dA,OAA57dA,EAA68dA,OAA78dA,EAA89dA,OAA99dA,EAA+9dA,OAA/9dA,EAAg/dA,OAAh/dA,EAAigeA,OAAjgeA,EAAkheA,OAAlheA,EAAmieA,OAAnieA,EAAojeA,OAApjeA,EAAqkeA,OAArkeA,EAAsleA,OAAtleA,EAAumeA,OAAvmeA,EAAwneA,OAAxneA,EAAyoeA,OAAzoeA,EAA0peA,OAA1peA,EAA2qeA,OAA3qeA,EAA4reA,OAA5reA,EAA6seA,OAA7seA,EAA8teA,OAA9teA,EAA+ueA,OAA/ueA,EAAgveA,OAAhveA,EAAiweA,OAAjweA,EAAkxeA,OAAlxeA,EAAmyeA,OAAnyeA,EAAozeA,OAApzeA,EAAq0eA,OAAr0eA,EAAs1eA,OAAt1eA,EAAu2eA,OAAv2eA,EAAw3eA,OAAx3eA,EAAy4eA,OAAz4eA,EAA05eA,OAA15eA,EAA26eA,OAA36eA,EAA47eA,OAA57eA,EAA68eA,OAA78eA,EAA89eA,OAA99eA,EAA+/eA,OAA//eA,EAAghfA,OAAhhfA,EAAiifA,OAAjifA,EAAkjfA,OAAljfA,EAAmkfA,OAAnkfA,EAAolfA,OAAplfA,EAAqmfA,OAArmfA,EAAsnfA,OAAtnfA,EAAuofA,OAAvofA,EAAwpfA,OAAxpfA,EAAyqfA,OAAzqfA,EAA0rfA,OAA1rfA,EAA2sfA,OAA3sfA,EAA4tfA,OAA5tfA,EAA6ufA,OAA7ufA,EAA8vfA,OAA9vfA,EAA+wfA,OAA/wfA,EAAgxfA,OAAhxfA,EAAiyfA,OAAjyfA,EAAkzfA,OAAlzfA,EAAm0fA,OAAn0fA,EAAo1fA,OAAp1fA,EAAq2fA,OAAr2fA,EAAs3fA,OAAt3fA,EAAu4fA,OAAv4fA,EAAw5fA,OAAx5fA,EAAy6fA,OAAz6fA,EAA07fA,OAA17fA,EAA28fA,OAA38fA,EAA49fA,OAA59fA,EAA69fA,OAA79fA,EAA8+fA,OAA9+fA,EAA+/fA,OAA//fA,EAAghgA,OAAhhgA,EAAiigA,OAAjigA,EAAkjgA,OAAljgA,EAAmkgA,OAAnkgA,EAAolgA,OAAplgA,EAAqmgA,OAArmgA,EAAsngA,OAAtngA,EAAuogA,OAAvogA,EAAwpgA,OAAxpgA,EAAyqgA,OAAzqgA,EAA0rgA,OAA1rgA,EAA2sgA,OAA3sgA,EAA4tgA,OAA5tgA,EAA6ugA,OAA7ugA,EAA8vgA,OAA9vgA,EAA+wgA,OAA/wgA,EAAgxgA,OAAhxgA,EAAiygA,OAAjygA,EAAkzgA,OAAlzgA,EAAm0gA,OAAn0gA,EAAo1gA,OAAp1gA,EAAq2gA,OAAr2gA,EAAs3gA,OAAt3gA,EAAu4gA,OAAv4gA,EAAw5gA,OAAx5gA,EAAy6gA,OAAz6gA,EAA07gA,OAA17gA,EAA28gA,OAA38gA,EAA49gA,OAA59gA,EAA69gA,OAA79gA,EAA8+gA,OAA9+gA,EAA+/gA,OAA//gA,EAAghhA,OAAhhhA,EAAiihA,OAAjihA,EAAkjhA,OAAljhA,EAAmkhA,OAAnkhA,EAAolhA,OAAplhA,EAAqmhA,OAArmhA,EAAsnhA,OAAtnhA,EAAuohA,OAAvohA,EAAwphA,OAAxphA,EAAyqhA,OAAzqhA,EAA0rhA,OAA1rhA,EAA2shA,OAA3shA,EAA4thA,OAA5thA,EAA6uhA,OAA7uhA,EAA8vhA,OAA9vhA,EAA+whA,OAA/whA,EAAgxhA,OAAhxhA,EAAiyhA,OAAjyhA,EAAkzhA,OAAlzhA,EAAm0hA,OAAn0hA,EAAo1hA,OAAp1hA,EAAq2hA,OAAr2hA,EAAs3hA,OAAt3hA,EAAu4hA,OAAv4hA,EAAw5hA,OAAx5hA,EAAy6hA,OAAz6hA,EAA07hA,OAA17hA,EAA28hA,OAA38hA,EAA49hA,OAA59hA,EAA69hA,OAA79hA,EAA8+hA,OAA9+hA,EAA+/hA,OAA//hA,EAAghiA,OAAhhiA,EAAiiiA,OAAjiiA,EAAkjiA,OAAljiA,EAAmkiA,OAAnkiA,EAAoliA,OAApliA,EAAqmiA,OAArmiA,EAAsniA,OAAtniA,EAAuoiA,OAAvoiA,EAAwpiA,OAAxpiA,EAAyqiA,OAAzqiA,EAA0riA,OAA1riA,EAA2siA,OAA3siA,EAA4tiA,OAA5tiA,EAA6uiA,OAA7uiA,EAA8viA,OAA9viA,EAA+wiA,OAA/wiA,EAAgxiA,OAAhxiA,EAAiyiA,OAAjyiA,EAAkziA,OAAlziA,EAAm0iA,OAAn0iA,EAAo1iA,OAAp1iA,EAAq2iA,OAAr2iA,EAAs3iA,OAAt3iA,EAAu4iA,OAAv4iA,EAAw5iA,OAAx5iA,EAAy6iA,OAAz6iA,EAA07iA,OAA17iA,EAA28iA,OAA38iA,EAA49iA,OAA59iA,EAA69iA,OAA79iA,EAA8+iA,OAA9+iA,EAA+/iA,OAA//iA,EAAghjA,OAAhhjA,EAAiijA,OAAjijA,EAAkjjA,OAAljjA,EAAmkjA,OAAnkjA,EAAoljA,OAAplja,EAAqmja,OAArmja,EAAsnja,OAAtnja,EAAuoja,OAAvoja,EAAwpja,OAAxpja,EAAyqja,OAAzqja,EAA0rja,OAA1rja,EAA2sja,OAA3sja,EAA4tja,OAA5tja,EAA6uja,OAA7uja,EAA8vja,OAA9vja,EAA+wja,OAA/wja,EAAgxja,OAAhxja,EAAiyja,OAAjyja,EAAkzja,OAAlzja,EAAm0ja,OAAn0ja,EAAo1ja,OAAp1ja,EAAq2ja,OAAr2ja,EAAs3ja,OAAt3ja,EAAu4ja,OAAv4ja,EAAw5ja,OAAx5ja,EAAy6ja,OAAz6ja,EAA07ja,OAA17ja,EAA28ja,OAA38ja,EAA49ja,OAA59ja,EAA69ja,OAA79ja,EAA8+ja,OAA9+ja,

OAAT,EAAmB,OAAnB,CAAJ,C;UACI,QAAS,S;UACT,OAAO,I;;;MAGf,OAAO,K;IACX,C;;MAIoB,Q;MADhB
,eAAe,K;MACC,0B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,eAAI,OAAJ,CAAJ,C;UAAkB,WAAW,
I;;MAEjC,OAAO,Q;IACX,C;;MAEkG,qB;QAAE,OAAM,gBAAN,mB;MAAF,C;IAAA,C;;MAAtC,Q;MAAD,OA
A6B,YAA5B,iEAA4B,EAAU,oDAAV,C;IAA7B,C;;MACuC,qB;QAAE,QAAO,gBAAP,mB;MAAF,C;IAAA,C;;
MAAtC,Q;MAAD,OAA6B,YAA5B,iEAA4B,EAAU,oDAAV,C;IAA7B,C;;MAGvD,eAAe,IAAK,W;MACpB,OA
AO,QAAS,UAAhB,C;QACI,QAAS,O;QACT,QAAS,S;;IAEjB,C;;MAEyB,OAAA,IAAK,U;IAAL,C;;;MC7BwD,o
C;MACjF,gBAA8B,C;IADkB,C;;MAQ5C,iBAAI,SAAJ,EAAU,OAAV,C;MACA,OAAO,I;IACX,C;;MAKc,UACF
,M;MAHR,aAAa,K;MACb,cAAc,K;MACJ,0B;MAAV,OAAU,cAAV,C;QAAU,mB;QACN,kBAAI,eAAJ,EAAI,u
BAAJ,WAAc,CAAd,C;QACA,UAAU,I;;MAEd,OAAO,O;IACX,C;;MAGI,yBAAY,CAAZ,EAAe,SAAf,C;IACJ,C
;;MAE4E,qB;QAAE,OAAM,gBAAN,mB;MAAF,C;IAAA,C;;MAAV,yBAAU,8CAAV,C;IAAA,C;;MACU,qB;Q
AAE,QAAO,gBAAP,mB;MAAF,C;IAAA,C;;MAAV,yBAAU,8CAAV,C;IAAA,C;;MAGb,iD;IAAA,C;;MAED,0B
AAQ,OAAR,KAAoB,C;IApB,C;;MAG/B,Q;MAAA,4B;MAAjB,iBAAc,CAAd,yB;QACI,IAAI,wBAAI,KAAJ,G
AAc,OAAd,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;IACX,C;;MAGI,iBAAc,qBAAd,WA+B,CAA/B,U;QAC
I,IAAI,wBAAI,KAAJ,GAAc,OAAd,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;IACX,C;;MAE6D,iCAAa,CAAb,
C;IAAA,C;;MACU,sDAAiB,KAAjB,C;IAAA,C;;MAGK,uCAAQ,IAAR,EAAc,SAAd,EAAyB,OAAzB,C;IAAA,C
;;MAMxE,eAAe,0BAAa,SAAb,C;MACf,YAAO,UAAU,SAAV,I;MtCuDX,iBAAc,CAAd,UAAsB,KAAtB,U;QsCt
DiB,e;QACA,iB;;IAEjB,C;;MAQI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,2BAAJ,C;QAAuB,OAA
O,K;MAE9B,OAAO,oCAAa,uBAAc,IAAd,EAAoB,KAApB,C;IACxB,C;;MAK+B,oCAAa,yBAAgB,IAA
hB,C;IAAb,C;;MAG/B,oB;MACI,eACsB,C;MACtB,cAAqB,E;IAPzB,C;;MASsC,sBAAQ,gB;IAAR,C;;MAIvB,Q;
MADP,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACtB,eAAO,mBAAP,EAAO,2BAAP,O;MACA,OAAO,wBA
AI,WAAJ,C;IACX,C;;M1CxBJ,IAAI,E0C2BU,gBAAQ,E1C3BlB,CAAJ,C;QACI,c0C0BwB,sE;Q1CzBxB,MAAM
,6BAAsB,OAAQ,WAA9B,C;;M0C2BF,6BAAS,WAAT,C;MACA,eAAQ,W;MACR,cAAO,E;IACX,C;;MAGJ,oB
;MAGmD,wD;MAG3C,oCAAa,4BAAmB,KAAnB,EAA0B,WAAyB,KAAnD,C;MACb,eAAa,K;IAJe,C;;MAOM,s
BAAQ,C;IAAR,C;;MAEN,mB;IAAA,C;;MAG5B,IAAI,CAAC,kBAAL,C;QAAoB,MAAM,6B;MAE1B,eAAO,mBAAP,E
CAAP,EAAO,YAAP,C;MACA,OAAO,wBAAI,WAAJ,C;IACX,C;;MAEoC,sBAAQ,CAAR,I;IAAA,C;;MAGhC,w
BAAI,YAAJ,EAAW,OAAX,C;MACA,mC;MACA,cAAO,E;IACX,C;;M1C9DJ,IAAI,E0CiEU,gBAAQ,E1CjElB,C
AAJ,C;QACI,c0CgEwB,4E;Q1C/DxB,MAAM,6BAAsB,OAAQ,WA9B,C;;M0CgEF,wBAAyB,WAAzB,EAAiC,
OAAjC,C;MACA,eAAa,K;IAJe,C;;MAOhC,oB;MAAA,8B;MAAA,kBAAc,CAAd,yB;QACI,IAAI,wBAAI,KAAJ,
GAAc,OAAd,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;IACX,C;;MAEiE,iCAAa,CAAb,C;IAAA,C;;MAGjE,
oB;MAAA,8B;MAAA,kBAAc,CAAd,yB;QACI,IAAI,wBAAI,KAAJ,GAAc,OAAd,CAAJ,C;UACI,OAAO,K;;;MAGf,
OAAO,E;IACX,C;;MAEiE,iCAAa,CAAb,C;IAAA,C;;MAGjE,oB;MAAA,8B;MAAA,kBAAc,CAAd,yB;QACI,IAAI,
wBAAI,KAAJ,

O,I;MAC3B,IAAI,iCAAJ,C;QAA6B,OAAO,K;MACpC,OAAO,oCAAa,uBAAc,IAAd,EAAoB,KAApB,C;IACxB,C;;MAE+B,OAAA,oCAAa,yBAAgB,IAAhB,C;IAAb,C;;;MAzBvC,IAAI,8BAAJ,C;QACI,iG;;MA2BJ,OAAO,qC;IACX,C;;MAGA,WAAW,YAAQ,W;MACnB,OAAO,IAAK,UAAZ,C;QACI,YAAY,IAAK,O;QACjB,QAAQ,KAAM,I;QACd,IAAI,YAAO,CAAP,CAAJ,C;UACI,YAAY,KAAM,M;UAClB,IAAK,S;UACL,OAAO,K;;;MAGf,OAAO,I;IACX,C;;;MC7HgF,oC;IAAjC,C;;MAQ3C,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,0BAAJ,C;QAAsB,OAAO,K;MAC7B,OAAO,mCAAY,mBAAU,IAAV,EAAgB,KAAhB,C;IACvB,C;;MAK+B,mCAAY,2BAAK,IAAL,C;IAAZ,C;;;MCb/B,IAAI,C;;MAAJ,IAAI,C;;MAAJ,IAAI,C;;MAAJ

C;MACN,qBAAO,QAAP,C;MALJ,Y;IAAA,C;;MAiByC,0B;QAAA,aAAoB,G;MAT7D,iD;MASkE,8B;MA/BtE,mB;MAgCQ,sBAAM,eAAgB,eAAhB,EAAiC,UAAjC,C;MAVV,Y;IAAA,C;;MAaA,iD;MAA2C,eAAK,eAAL,EAAAsB,GAAtB,Q;MAA3C,Y;IAAA,C;;MAEA,iD;MAM0C,8B;MA3C9C,mB;MA4CQ,sBAAW,G;MAPf,Y;IAAA,C;;MAwCmC,gBAA5B,eAAQ,eAAR,C;MAAoC,6B;MAA3C,O5CbO,S;I4CcX,C;;MC/DyC,kC;MAErC,oBAAkB,kB;MAClC,sBAAyB,C;IAHW,C;;MAAC,8B;IAAA,C;;MAGrC,0B;IAAA,C;MAAA,0B;IAAA,C;;MAII,eAAe,aAAS,qBAAY,GAAZ,Z,C;MACxB,mBAAmB,6BAAsB,QAAtB,C;MACnB,IAAI,oBAAJ,C;QAEI,kBAAW,QAAX,IAAuB,mCAAY,GAAZ,Z,EAAiB,KAAjB,B,C;;;QAEvB,IAAI,6BAAJ,C;UAEI,YA+B,Y;UAAC,IAAI,aAAS,gBAAT,EAAkB,KAAlB,EAAwB,gBAAxB,EAAiC,CAAjC,C;YAAoC,YAAK,CAAL,C;UAAzC,C;;UAAD,IAAI,eAAJ,C;YAAqB,YAAK,CAAL,C;UAArB,C;;UAAA

c,IAAd,C;IAAZ,C;;MACG,OAAA,mCAAY,uBAAc,IAAd,C;IAAZ,C;;MACU,OAAA,mCAAY,qBAAY,IAAZ,EA
AkB,KAAlB,C;IAAZ,C;;;MARM,iE;IAAA,C;;;MCNtD,sBAOsC,I;MA6CtC,yB;;;MArHmD,0CAAqC,GAArC,EA
A0C,KAA1C,C;MAC/C,oBAAuC,I;MACvC,oBAAuC,I;IAFb,C;;;MAK9B,oB;MAA+B,6B;IAA/B,C;;MAEI,oB;M
ACI,cACsC,I;MAEtC,cACsC,I;MAGlC,cAAO,iC;IARf,C;;MAaQ,OAAO,gBAAS,I;IACpB,C;;MAII,IAAI,CAAC,
cAAL,C;QAAgB,MAAM,6B;MAEtB,cAAc,0B;MACd,cAAO,O;MACa,gBAAb,OAAQ,a;;MAAf,cjDkDS,SiDlDo
B,KAAO,iCjDkDzC,GAAqB,SAArB,GAA+B,I;MiDjD1B,OAAO,O;IACX,C;;MrDgCR,IAAI,EqD7Bc,eAAQ,IrD
6BtB,CAAJ,C;QACI,cAdW,e;QAeX,MAAM,6BAAsB,OAAQ,WA9B,C;;MqD5BS,oCAAP,0BAAO,C;MACP,g
CAAI,cAAO,0BAAO,IAAd,C;MAEJ,cAAO,I;IACX,C;;;MAGqD,MAAM,qCAA8B,iCAA9B,C;IAAN,C;;MAErD,
WAAmB,Q;IACvB,C;;MAEuE,yCAAc,OAAd,C;IAAA,C;;MAEC,qD;IAAA,C;;MAGpE,IAAI,oBAAS,OAAT,CA
AJ,C;QACI,WAAmB,cAAO,OAAQ,IAAf,C;QACnB,OAAO,I;;MAEX,OAAO,K;IACX,C;;MAE+B,OAAA,WAA
mB,K;IAAnB,C;;;MrDEnC,IAAI,EqDgBM,0BAAQ,IAAR,IAAgB,0BAAQ,IrDhB9B,CAAJ,C;QACI,cAdW,e;QAe
X,MAAM,6BAAsB,OAAQ,WA9B,C;;MqDgBN,YAAY,mB;MACZ,IAAI,SAAS,IAAb,C;QACI,sBAAO,S;QAC
P,yBAAO,S;QACP,yBAAO,S;;;QAGK,YAAa,KAAM,a;QrDZc,uB;QAcrD,IAdkE,KAc9D,QAAJ,C;UACI,gBAfu
E,0B;UAgBvE,MAAM,6BAAsB,SAAQ,WA9B,C;;;UAEN,sBAlB8D,K;;QqDY1D,+B;QAEA,yBAAO,K;QACP,
yBAAO,K;QAEP,qBAAa,S;QACb,qBAAa,S;;IAErB,C;;MAMI,IAAI,SAAK,aAAL,KAAc,SAAlB,C;QAEI,sBAA
O,I;;;QAEP,IAAI,wBAAS,SAAb,C;UAEI,sBAAO,sB;;QAEX,qDAAc,sB;QACd,qDAAc,sB;;MAElB,yBAAO,I;M
ACP,yBAAO,I;IACX,C;;MA6CI,kBAAI,Q;MACJ,sBAAO,I;IACX,C;;MAQmD,OAAA,kBAAI,mBAAY,GAAZ,C
;IAAJ,C;;MAGlB,Q;MAAA,0B;MAAA,iB;QAAQ,OAAO,K;;MA5C,WA6B,I;;QAEzB,OAAO,cAAA,IAAK,cAAL,
sBAAK,IAAL,EAAc,KAAd,CAAJ,C;UACI,OAAO,I;;QAEX,OAAO,cAAA,IAAK,cAAL,sBAAK,IAAL,EAAc,KAAd,C
AAJ,C;UACI,OAAO,I;IACX,C;;MACF,iBAAS,mBAAT,C;MACA,CAAJ,C;UACI,OAAO,K;IACX,C;;MAG2E,uC;IAAA,C;;MAExB,Q;MAAJ,QAAI,OAAJ,kBAAI,WAAI,GAAJ,CAAJ,6B;IAAA,C;;MAG3C,UAAU,kBAAI,WAAI,GAAJ,C;MACd,IAAI,OAAO,IAAX,C;QACI,OAAO,IAAX,C;;MAEA,OAAO,IAAX,C;IACA,C;;MAQI,OAAO,IAAX,C;IACA,C;;MAEI,OAAO,IAAX,C;IACA,C;;MAEI,OAAO,IAAX,C;IACA,C;;MAE

,O;;IDxEA,C;;;;;MAQe,0B;IAAD,C;;;MAKd,0B;MAUA,gBAA2B,a;IAX/B,C;;MASgB,OAAA,eAAS,Q;IAAT,C;;MAMJ,sBAAW,SAAX,C;QACI,gBAAS,K;WAEb,sBAAW,mBAAX,C;QACI,gBAAS,O;QACT,eAAS,cAAO,KAAP,C;;;QAGT,MAAM,6BAAsB,iBAAtB,C;;IAGlB,C;;MAIQ,sBAAW,SAAX,C;QACI,gBAAS,SAAK,SAAL,C;WAEb,sBAAW,mBAAX,C;QACI,gBAAS,O;QACT,eAAS,6BAAoB,SAApB,C;;;QAGT,MAAM,6BAAsB,iBAAtB,C;;IAGlB,C;;MAQW,Q;MAJP,IAAI,kBAAW,SAAf,C;QACI,gBAAS,mB;;MAEb,aAAa,IAAK,S;MAEd,eAAW,OAAX,C;QACI,0B;WAEJ,gC;QACI,MAAM,MAAO,U;;QAGb,a;;MAGR,W;IAWJ,C;;;MAvDA,0D;MACC,yD,6BAAK,QAAL,EAAe,EAAf,e,SAAf,C;MADzD,zD,Y;IAAA,C;;MAErC,CAAC,iB,UAAjB,jB,EAAA6B,EAAA,C,KAAA,C;IAAA,C;;MAAA,CAAC,C;;MAAD

AA,C;;MAGqG,4BAAiB,OAAjB,EAA0B,KAA1B,C;;IAA1D,C;;;MAC3C,+D;MAAuB,kCAAK,IAAL,EAAW,IA
AX,C;MAAvB,Y;IAAA,C;;MACA,+D;MAAuC,kCAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;IAAA,C;;MACA,+D;
MAAwC,kCAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;IAAA,C;;8BAGuG,O;;IAAxD,C;;;MAC/C,mE;MAAuB,s
CAAK,IAAL,C;MAAvB,Y;IAAA,C;;MAG+G,4BAAiB,OAAjB,EAA0B,KAA1B,C;;IAA1D,C;;;MACrD,yE;MAA
uB,4CAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;IAAA,C;;MACA,yE;MAAuC,4CAAK,OAAL,EAAc,IAAd,C;MA
AvC,Y;IAAA,C;;MACA,yE;MAAwC,4CAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;IAAA,C;;MAG6G,4BAAiB,
OAAjB,EAA0B,KAA1B,C;;IAA1D,C;;;MACnD,uE;MAAuB,0CAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;IAAA,C
;;MACA,uE;MAAuC,0CAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;IAAA,C;;MACA,uE;MAAwC,0CAAK,SAAL,E
AAgB,KAAhB,C;MAAxC,Y;IAAA,C;;sCAI2G,O;;IAAhE,C;;;MAC3C,+D;MAAuB,kCAAK,IAAL,C;MAAvB,Y;
IAAA,C;;8BAIkG,O;;IAAxD,C;;;MAC1C,8D;MAAuB,iCAAK,IAAL,C;MAAvB,Y;IAAA,C;;8BAGgG,O;;IAAxD
,C;;;MACxC,4D;MAAuB,+BAAK,IAAL,C;MAAvB,Y;IAAA,C;;MAG+F,mBAAM,OAAN,EAAe,KAAf,C;;IAA3
D,C;;;MACpC,wD;MAAuB,sBAAK,IAAL,Q;MAAvB,Y;IAAA,C;;MACA,wD;MAAgC,2BAAK,OAAL,EAAc,IA
Ad,C;MAAhC,Y;IAAA,C;;MACA,wD;MAAiD,IAAY,I;MAAzB,2BAAa,SAAR,OAAQ,CAAb,EAAyB,sDAAzB,
C;MAApC,Y;IAAA,C;;8BAGoG,O;;IAAxD,C;;;MAC5C,gE;MAAuB,mCAAK,IAAL,C;MAAvB,Y;IAAA,C;;MAI
4G,4BAAiB,OAAjB,EAA0B,KAA1B,C;;IAA1D,C;;;MAClD,sE;MAAuB,yCAAK,IAAL,EAAW,IAAX,C;MAAv
B,Y;IAAA,C;;MACA,sE;MAAuC,yCAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;IAAA,C;;MACA,sE;MAAwC,yCA
AK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;IAAA,C;;MAGoH,4BAAiB,OAAjB,EAA0B,KAA1B,C;;IAA1D,C;;;M
AC1D,8E;MAAuB,iDAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;IAAA,C;;MACA,8E;MAAuC,iDAAK,OAAL,EAA
c,IAAd,C;MAAvC,Y;IAAA,C;;MACA,8E;MAAwC,iDAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;IAAA,C;;MCp
EO,kB3EmBiD,oB;M2EO9C,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,C
AAN,C;QACV,kBAAkB,sBAAY,GAAZ,C;QA+EiD,U;QA9EnE,W3EwFJ,a2ExFgB,G3EwFhB,E4E3JoB,CDmEk
C,uBAAuB,CAAC,WAAY,mBAAY,GAAZ,CA8EhD,GCjJrC,CDiJqC,GAA6B,UA9EjC,WA8EiC,6DCjJnD,IAA
M,CAAN,I5E2JpB,C;;M4E3JA,ODqEO,W;ICrEP,C;;;;;MCkF0C,OAAI,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GA
AmB,C;IAAnB,C;;MAOA,OAAI,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAmB,C;IAAnB,C;;MrC1FA,cAAvC,C
;IAAuC,C;;MsC4CpB,Q;MADtB,UAAmB,E;MACnB,wBAAsB,KAAtB,gB;QAAsB,aAAA,KAAtB,M;QAAK,IA
AC,0BAAD,EAAO,2B;QACR,IAAI,IAAJ,IAAY,K;;MAEhB,OAAO,G;IACX,C;;MAQgB,Q;MADZ,WAA0B,MA
Aa,MAAK,KAAL,C;MAAvC,wBAAY,IAAZ,gB;QAAY,UAAA,IAAZ,M;QAAK,IAAU,IAAV,M;QACI,IAAU,KAAY,gBAAe,GAAf,CA
AtB,C;UACI,UAAK,GAAL,IAAY,MAAM,GAAN,C;;;MAGpB,OAAO,S;IACX,C;;MrC9D+C,S;IAAA,C;;MAgC
a,0BAAe,WAAf,C;IAAA,C;;MAM4B,0BAAe,WAAf,C;IAAA,C;;MAOhB,0BAAe,WAAf,C;IAAA,C;;MAOV,Q;
MAH1D,aAAkB,GAAI,O;MACtB,aAAkB,GAAI,O;MACtB,YAAiB,C;MACjB,OAAO,QAAQ,MAAR,IAAkB,Q
AAQ,MAAjC,C,C;QAAyC,IAAI,KAAJ,IAAa,IAAa,IAAI,YAAJ,EAAI,oBAAJ,O;;MACtD,OAAO,G;IACX,C;;MASuC,Q;
MALnC,aAAa,MAAO,OAAM,CAAN,EAAS,OAAT,C;MAA0B,IAAzB,cAAyB,MAAY,OAAL,EAAK,KAAkB,SAAtB,B,C;QAAzB
sB,MA0BlB,UA1BU,MA0BS,O;;MAzBvB,YAAiB,MAAO,O;MACxB,IAAI,UAAU,KAAd,I,C;QAAoB,UAAK,gBAAe,GAAf,CAAL,C;;MAAzB,
QAChB,OAAO,QAAQ,OAAf,C;UAAwB,OAAO,YAAP,EAAO,oBAAP,EAAoB,UAAkB,Y;;;MAE9C,M;IACX,C;;MAOoB,UAAmB,M;MAJnC,aAAa,MAAO,O;MACxB,IAAI,UAAU,KAAd,I,C;QAAoB,UAAK,gBAAe,GAAf,CAAL,C;;MAAzB,K;MAAK,IAAU,KAAV,M;QAAK,IAAU,IAAV,M;QAAK,IAAU,KAAY,gBAAe,GAAf,CAAtB,C;UACI,UAAK,GAAL,IAAY,MAAM,GAAN,C;;;MAGpB,OAAO,S;IACX,C;;MAQgB,Q;MADZ,WAA0B,MAAO,OAAM,CAAN,EAAS,OAAT,C;MAA0B,IAAzB,cAAyB,MAAY,OAAL,EAAK,KAAkB,SAAtB,B,C;QAAzB
sB,MA0BlB,UA1BU,MA0BS,O;;MAzBvB,YAAiB,MAAO,O;MACxB,IAAI,UAAU,KAAd,I,C;QAAoB,UAAK,gBAAe,GAAf,CAAL,C;;MAAzB,
QAChB,OAAO,QAAQ,OAAf,C;UAAwB,OAAO,YAAP,EAAO,oBAAP,EAAoB,UAAkB,Y;;;MAE9C,M;IACX,C;;MAOoB,UAAmB,M;MAJnC,aAAa,MAAO,OAAM,CAAN,EAAS,OAAT,C;MAA0B,IAAzB,cAAyB,MAAY,OAAL,EAAK,KAAkB,SAAtB,B,C;QAAzB
sB,MA0BlB,UA1BU,MA0BS,O;;MAzBvB,YAAiB,MAAO,O;MACxB,IAAI,UAAU,KAAd,I,C;QAAoB,UAAK,gBAAe,GAAf,CAAL,C;;MAAzB,
QAChB,OAAO,QAAQ,OAAf,C;UAAwB,OAAO,YAAP,EAAO,oBAAP,EAAoB,UAAkB,Y;;;MAE9C,M;IACX,C;;MAOoB,UAAmB,M;MAJnC,aAAa,MAAO,OAAM,CAAN,EAAS,OAAT,C;MAA0B,IAAzB,cAAyB,MAAY,OAAL,EAAK,KAAkB,S

A,iB;MAAA,oB;QAYoD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAZpD,C;yEAcA,yB;MAAA,iB;MAAA,oB;QAYoD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAZpD,C;yEAcA,yB;MAAA,iB;MAAA,oB;QAaoD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAbpD,C;yEAeA,yB;MAAA,iB;MAAA,uB;QAS+D,OAAA,MAAW,OAAM,CAAN,EAAS,CAAT,C;MAAX,C;KAT/D,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAQmD,OAAA,MAAW,MAAK,CAAL,C;MAAX,C;KARnD,C;qEAUA,yB;MAAA,iB;MAAA,oB;QAUkD,OAAA,MAAW,KAAI,CAAJ,C;MAAX,C;KAVlD,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAAcoD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAAdpD,C;;MA8BI,IAAI,QAAQ,GAAR,IAAe,SAAQ,GAA3B,C;QAAgC,OAAO,wCAAO,I;MAC9C,OAAO,IAAW,K,AAAI,CAAJ,CAAM,CAAN,GAAU,GAAV,IAAiB,GAAjB,C;MAAoB,IAAI,QAAQ,GAAR,IAAe,IAAW,C;QAAC,IAAC,C;MAAF,OAAK,C;KAAL,C;IAAC,C;mEAAD,yB;MAAA,iB;MAAA,oB;QAAwiD,OAAA,MAAW,KAAI,CAAJ,C;MAAX,C;KAAxiD,C;uEAAA,yB;MAAA,iB;MAAA,oB;QAAwlD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAAxlD,C;uEAAA,yB;MAAA,iB;MAAA,oB;QAAwoD,OAAA,MAAW,MAAK,CAAL,C;MAAX,C;KAAxoD,C;uEAAA,yB;MAAA,iB;MAAA,oB;QAAwrD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAAxrD,C;uEAAA,yB;MAAA,iB;MAAA,oB;QAAwuD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAAxuD,C;uEAAA,yB;MAAA,iB;MAAA,oB;QAAwxD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAAxxD,C;uEAAA,yB;MAAA,iB;MAAA,oB;QAA0zD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAA1zD,C;uEAA4B,yB;MAAA,iB;MAAA,oB;QAAC,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAAD,C;uEAA5

C;2EAYA,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;MAA/B,C;KAZlD,C;2EAcA,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;MAA/B,C;KAZlD,C;2EAcA,yB;MAAA,iB;MAAA,oB;QAakD,OAAA,MAA+B,OAAZ,CAAY,C;MAA/B,C;KAblD,C;2EAeA,yB;MAAA,iB;MAAA,uB;QAS4D,OAAA,MA6C,OAA1B,CAA0B,EAAZ,CAAY,C;MAA7C,C;KAT5D,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAQiD,OAAA,MA8B,OAAZ,CAAY,C;MA9B9C,C;KARjD,C;uEAUA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MA6B,OAAZ,CAAY,C;MA7B7C,C;KAVhD,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAckD,OAAA,MA+B,OAAZ,CAAY,C;MA/B9C,C;KAdlD,C;uEAgBA,yB;MAAA,mC;MAAA,0B;QAc6D,OAAA,mC,IAA7B,CAA6B,EAAZ,CAAY,C;MAAnC,C;KAd7D,C;qEAgBA,yB;MAAA,iB;MAAA,oB;QAW+C,OAAA,MA6B,OAAZ,CAAY,C;MA7B7C,C;KAX/C,C;2EAaA,yB;MAAA,iB;MAAA,oB;QAOkD,OAAA,MA+B,OAAZ,CAAY,C;MA/B9C,C;KAPlD,C;yEASA,yB;MAAA,iB;MAAA,oB;QAOiD,OAAA,MA8B,OAAZ,CAAY,C;MA9B7C,C;KAPjD,C;yEASA,yB;MAAA,iB;MAAA,oB;QAgBiD,OAAA,MA+B,OAAZ,CAAY,C;MA/B7C,C;KAhBjD,C;yEAkBA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MA8B,OAAZ,CAAY,C;MA9B7C,C;KAVjD,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAUkD,OAAA,MA+B,OAAZ,CAAY,C;MA/B9C,C;KAVlD,C;iFAYA,yB;MAthBA,iB;MAshBA,oB;QAUqD,OAAA,MAAW,OAAX,CAAW,EAAb,CAAa,C;MAAhC,C;KAVrD,C;2EAYA,yB;MAAA,uC;MAAA,oB;QAQkD,OAAA,MA6B,OAAZ,CAAY,C;MA7B9C,C;KARlD,C;uEAUA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MA6B,OAAZ,CAAY,C;MA7B7C,C;KAVhD,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAWiD,OAAA,MA8B,OAAZ,CAAY,C;MA9B7C,C;KAXjD,C;wEAaA,yB;MAAA,iB;MAAA,uB;QAQ0D,OAAA,MAAW,OAAX,CAAW,EAAb,CAAa,C;MAAhC,C;KAR1D,C;wEAUA,yB;MAAA,iB;MAAA,uB;QAQ0D,OAAA,MAAW,OAAX,CAAW,EAAb,CAAa,C;MAAhC,C;KAR1D,C;sEAUA,yB;MAAA,iB;MAAA,+B;QAasD,OAAA,MAA8C,OAA1B,CAA0B,EAAZ,CAAY,C;MAAhD,C;KAbtD,C;uEAeA,yB;MAAA,iB;MAAA,+B;QAOoD,OAAA,MAA8C,OAA1B,CAA0B,EAAZ,CAAY,C;MAAhD,C;KAPpD,C;kGAmBoD,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAgC,OAAZ,CAAY,EAAb,CAAa,C;MAAhC,C;KAAR,C;gFAaT,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAiC,OAAZ,CAAY,EAAb,CAAa,C;MAAjC,C;KAAR,C;gFAaT,yB;MAAA,mC;MAAA,4B;QAAQ,OAAA,MAAgC,OAAZ,CAAY,EAAb,CAAa,C;MAAhC,C;KAAR,C;;MAAU,C;KAAV,C;;MAAU,C;KAAV,C;;MAAU,C;KAAV

AI,EAAU,CAAV,sBAAa,EAAb,CAAJ,C;QACI,MAAM,gCAAyB,WAAQ,KAAR,kCAAzB,C;;MAEV,OAAO,K;IACX,C;;MAE2D,Q;MACvD,YAAQ,EAAR,IAAe,QAAQ,EAAvB,C;QAA8B,cAAO,E;WACrC,YAAQ,EAAR,IAAe,QAAQ,EAAvB,C;QAA8B,cAAO,EAAP,GAAa,EAAb,I;WAC9B,YAAQ,EAAR,IAAe,QAAQ,GAAvB,C;QAA8B,cAAO,EAAP,GAAa,EAAb,I;;QACtB,S;MzEpDD,a;MyEgDgD,OAK/C,WAAJ,GAAiB,EAAjB,E;IAL0B,C;;MAOH,MAAM,0BAAsB,6BAA0B,KAA1B,MAAtB,C;IAAN,C;;MAD/I,qBAAQ,S;IAAR,C;;MAAA,qBAAQ,S;IAAR,C;;MAAA,qBAAQ,wCAAO,kBAAf,IAAoC,cAAQ,wCAAO,kB;IAAnD,C;;MAAA,qBAAQ,uCAAO,kBAAf,IAAoC,cAAQ,uCAAO,kB;IAAnD,C;;MAAA,qBAAQ,QAAO,qBAAf,IAAiC,cAAQ,QAAO,kB;IAAhD,C;;MAAA,qBAAQ,QAAO,uBAAf,IAAmC,cAAQ,QAAO,kB;IAAl

AA9B,K;aACA,U;UAA+B,OAAjB,8BAAiB,eAAgB,CAAY,OAA5B,C;UAA/B,K;gBAGQ,6B;YAAsC,OAAjB,8BAAiB,kB;eACtC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,2B;YAAoC,OAAjB,8BAAiB,gB;eACpC,yB;YAAkC,OAAjB,8BAAiB,c;eAClC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,2B;YAAoC,OAAjB,8BAAiB,gB;eACpC,4B;YAAqC,OAAjB,8BAAiB,iB;eACrC,6B;;eACA,sB;YAAkC,OAAjB,8BAAiB,W;;YAE9B,kBAAkB,MAAa,gBAAe,CAAf,CAAkB,Y;YAE7C,oBAAgB,MAAhB,B,C;cAAiD,OAAjB,8BAAiB,S;iBACjD,oBAAgB,KAAhB,B,C;cAAgD,OAAjB,8BAAiB,e;;cAE5C,cAA0B,W;cAC1B,yBAAkB,OAAlB,B,C;;;;UAAxB xB,K;;MAAA,W;IAAA,C;;MAAqC O,Q;MAJP,IAAI,WAAW,MAAf,C;QAA6B,OAAO,8BAAiB,Y;;MAAtD,eAAsB,MAAY,W;MAE3B,IAAI,gBAAgB,J,C;QAAC,H,IAAI,QAAS,SAAT,OAAA,T,QAAA,S;;;;QAAG,Gb,4BAAiB,MAAjB,J,C;;MAAT,J,W;IAAW,J,C;;MAAC,CtD,A,e;MAAG,qC,kB;MAAH,rC,iB;MAAA,uB;IAAG,oC,C;;MAAH,pC,qC;MAAA,C;MAAI,qEAAC,Y,GAAD,Z,C;MAAE,iEAAI,U,GAAJ,V,C;IAAN,J,C;;;MAAI,I,wB;MAAA,uC;IAAA,C;;;MAAE,A,wB;MAAA,qC;IAAA,C;;;MAAN,J,mF;IAAA,C;;;MAAA,a;aAAA,a;UAAA,4C;aAAA,W;UAAA,0C;gBAAA,4D;;IAAA,C;;;MAAmC,oC,kB;IAAD,C;;;MAAC,iB;IALpC,C,C;MAAA,sBAKoC,oC,qCALpC,C,C;IAAA,C;;MAAA,OAKoC,oD,iDALpC,C,M;IAAA,C;;MAAA,c;MAKoC,oC,sD;MALpC,a;IAAA,C;;MAAA,2IAKoC,oC,sCALpC,C,G;IAAA,C;;MAAA,oII,6B;MAhHA,eACoC,oC,O;MADpC,eACsD,QAAR,OAAQ,C;M3EmpC/C,kBAAM,iBAAa,wB2ElpC0B,O3EkpC1B,EAAwB,EAAxB,CAAb,C;MAqEA,Q;MAAA,O2EvtCuC,O3EutCvC,W;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAZ,I2ExtCuC,M3EwtCvC,rD,C;;M2ExtChB,uBAAoC,WAAP,O,C;MAAA,OAAA,EAAA,YAAA,C,eAAA,E,e3EytCtC,tE,W2EztCsE,EAAyB,EAAzB,CAAA,CAAA,EAAA,GAAA,wD,GAAA,E,C;IAAA,C;;MAAA,gBAAA,C;;MAAA,OAAA,EAAA,YAAA,C,eAAA,E,e

C,CF6I9C,C;IAAA,C;;MAEZ,4B;IAAA,C;;MAY2B,kC;MAAS,uB;IAAT,C;;MACoB,OAAA,kBAAM,O;IAAN,C;;MACQ,Q;MAAA,eAAA,kBE7JG,CF6JG,KE7JH,CF6JH,mBAAgB,E;IAAhB,C;;;MAH/C,IAAI,2BAAJ,C;QACI,yH;;MAKJ,OAAO,kC;IACX,C;;MAEgC,OAAc,SAAd,kBAAc,EAAS,kBAAT,EAAoB,kBAAM,UAAV,GAAqB,kBAAM,MAAN,GAAa,CAAd,IAAa,rB,GAAA,GAAc,CAAd,IAAa,1D,C;IAAd,C;;MApBQ,kC;MAA+B,6B;IAA/B,B,C;;MACT,OAAA,kBAAM,O;IAAN,C;;MAC2C,qB;QAAE,yBAAK,EAAL,C;MAAF,C;IAAA,C;;MAAzB,OAAqB,OAAb,QAAa,eAAA,kBAAM,EAAN,kBE,lJU,CFkJJ,KElJI,CFkJV,YAAoB,oBAApB,O;IAAA,C;;;;MAbpD,sBAAiB,I;MACjB,YAAY,eAAK,KAAL,C;MACZ,IAAI,aAAJ,C;QAAmB,OAAO,I;MAC1B,1B,YAAY,aAAA,KAAM,MAAN,EAAa,sBAAY,CAAZ,IAAa,CAAb,C;MAAzB,IAAI,iE;IAAJ,BJ,C;;MEvLI,sBAAY,C;IAAZ,ChB,C;;MAAiB,gB;IAAjB,C;;MAAA,gB;IAAA,C;;MAAA,gB;IAAA,C;;MAAA,gB;IAAA

O,aAAY,O;IAAnB,C;;MAEgC,gCAAO,KAAP,C;IAAA,C;;MAEoC,OAAA,atEqBY,WsErBK,UtEqBL,EsErBiB,QtEqBjB,C;IsErBZ,C;;MAG5E,qCAAU,CAAV,C;MACA,OAAO,I;IACX,C;;MAGI,iBAAc,SAAJ,GAAI,C;MACd,OAAO,I;IACX,C;;MAGI,iBAAc,SAAJ,GAAI,CtEQ0E,WsERrD,KtEQqD,EsER9C,GtEQ8C,C;MsEPxF,OAAO,I;IACX,C;;MAGI,iBAAc,SAAJ,GAAI,C;MACd,OAAO,I;IACX,C;;MAGI,gBAAgB,aAAY,OAAM,EAAN,CAAU,UAAU,MAAK,EAAL,C;MAChD,OAAO,I;IACX,C;;MAEkC,oB;IAAA,C;;;MAxClC,uD;MAAoC,2B;MAApC,Y;IAAA,C;;MAEA,uD;MAA4C,0BAAK,OAAQ,WAAb,C;MAA5C,Y;IAAA,C;;MAEA,uD;MAAuB,0BAAK,EAAL,C;MAAvB,Y;IAAA,C;;MCkCqC,qB;QAAA,QAAkB,I;MAAlB,qB;QAAA,QAAkB,I;MAAlB,uB;QAAA,UAAoB,K;MAApB,yB;QAAA,YAAsB,I;MAAtB,kC;QAAA,qBAA+B,I;MAA/B,qC;QAAA,wBAAkC,K;MAAlC,+C;QAAA,kCAA4C,K;MAA5C,4C;QAAA,+BAAyC,K;MCtT,Q;MAER,E;AAAE,OAAF,IAAa,K;MAAb,mB;AAAE,OAAF,IAAa,K;MAAb,mB;AAAE,OAAF,IAAa,K;MAAb,mB

QAAA,WAAqB,K;MAC7lB,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EA
AE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAA
wB,gB;MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB
,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBA
AF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;M
ACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IA
CX,C;;MAkCiC,sB;QAAA,SAAkB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,yB;QA
AA,YAAkB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,
uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;
MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,U
AAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8
B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBA+B,
K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBA+B,K;MAAO,oB;QAA
A,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;
QAAA,WAAqB,K;MAC70B,QAAQ,E;MAER,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAA
E,QAAF,IAAc,M;MACd,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MA
Cf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,
O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,Q
AAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB
;MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAA
E,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IA
AsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,E
AAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;
MAoBiC,oB;QAAA,OAAgB,E;MAAI,2B;QAAA,cAAwB,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA
Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACtM,QAAQ,
E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MA
EhB,OAAO,C;IACX,C;;MA+CoC,mB;QAAA,MAAe,E;MAAI,oB;QAAA,OAAgB,E;MAAI,wB;QAAA,WAAiB,
C;MAAG,sB;QAAA,SAAmB,K;MAAO,2B;QAAA,cAAwB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,
WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,g
C;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,
K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAA
A,iBAA2B,K;MAAO,kC;QAAA,qBA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,u
B;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjtB,QAAQ,E;MAER,EAA
E,KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAc,M
;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,Q
AAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB
;MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAA
E,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IA
AsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAc,M;MACd,E
AAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;
MAgBuC,oB;QAAA,OAAgB,E;MAAI,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAA
oB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7K,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MClPsF,iBAAY,IAAAZ,C;IAAA,C;;M
AuEF,iBAAY,IAAAZ,C;IAAA,C;;MAkCsC,UAAY,KAAAZ,IAAqB,M;IAAQ,C;;MA0C7D,iBAAY,IAAAZ,C;IAAA,C
;;MACY,UAAY,IAAAZ,IAAoB,K;IAAO,C;;MAudnC,iBAAY,KAAAZ,C;IAAA,C;;MAkBA,iBAAY,KAAAZ,C;IAAA
,C;;MAiBF,iBAAY,KAAAZ,C;IAAA,C;;MAuBM,iBAAY,KAAAZ,C;IAAA,C;;MAgCjE,qB;QAAA,QAAiD,I;MAA

M,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAClK,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAgJ4F,iBAAY,KAAZ,C;IAAA,C;;MACsB,iBAAY,IAAZ,C;IAAA,C;;MAgIpB,iBAAY,KAAZ,C;IAAA,C;;MACwB,UAAY,KAAZ,IAAqB,M;IAAQ,C;;MAgNhH,6B;QAAA,gBAA8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MAER,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAmDuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAoBmD,qB;QAAA,QAAkB,I;MACjE,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MAEb,OAAO,C;IACX,C;;MAsMmC,oB;QAAA,OAAgB,I;MAAM,wB;QAAA,WAAmqE4B,S;;MAnqEwB,kB;QAAA,KAAc,E;MAAM,I,wB;QAAA,WAAoB,I;MAAM,sB;QAAA,SAAkB,S;MAAW,uB;QAAA,UAAoB,I;MAAM,qB;QAAA,QAAiB,I;MAAM,oB;QAAA,OAAgB,I;MACnP,QAAQ,E;MAER,EAAE,MAAF,IAAY,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MAEhB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAuDsD,qB;QAAA,QAAkB,I;MACpE,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MAEb,OAAO,C;IACX,C;;MAoBsB,2C,yB;QAAA,YAAmB,I;MACzC,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAoBgC,0G,iBAAY,KAAZ,C;IAAA,C;;MAoBhC,0B1E,4B;QAAA,eAA8B,I;MAAM,uB;QAAA,UAAoB,C;MAAG,uB;QAAA,UAAoB,C;MAAG,uB;QAAA,UAAoB,C;MAAG,uB;QAAA,UAAoB,C;MAAG,sB;QAAA,SAAkB,C;MAAG,uB;QAAA,UAAoB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAAgC,K;MAAO,gC;QAAA,mBAAgC,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,4B;QAAA,eAAyB,K;MAAO,kC;QAAA,qBAAkC,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAAkC,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAkB,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,qC;QAAA,wBAAqC,K;MAAO,qB;QAAA,QAAiB,I;MAAM,cAAc,E;MAAM,eAAe,E;MAAM,eAAe,E;MAAM,eAAe

BAAY,IAAZ,C;IAAA,C;;MA2CjD,gC;QAAA,mBA8kD8C,M;;MA9kDe,gC;QAAA,mBAulDT,S;;MAvlDyE,oC;QAAA,uBA8lDjE,S;;MA9lD6I,2B;QAAA,cAAoB,I;MAAM,4B;QAAA,eAAqB,I;MAAM,6B;QAAA,gBAqmDxN,K;;MApmDvE,QAAQ,E;MAER,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,sBAAF,IAA4B,oB;MAC5B,EAAE,aAAF,IAAmB,W;MACnB,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,eAAF,IAAqB,a;MAErB,OAAO,C;IACX,C;;MAiCmC,oB;QAAA,OAAa,I;MAAM,sB;QAAA,SAAkB,E;MAAI,2B;QAAA,cAAuB,E;MAAI,sB;QAAA,SAAoC,I;MAAM,qB;QAAA,QAA6B,E;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAnQ,Q;MAAQ,E;MAER,EAAE,MAAF,IAAY,IAAZ,I;MAAkB,Z;MAAU

AAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAiCwC,qB
;QAAA,QA0QyD,Q;;MA1QK,sB;QAAA,SA0QL,Q;;MA1QoE,wB;QAAA,WAiQtF,M;;MAhQ3E,QAAQ,E;MAE
R,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,
C;;MAYiC,mB;QAAA,MA+P0C,Q;;MA/PJ,0B;QAAA,aAAsB,I;MACzF,QAAQ,E;MAER,EAAE,KAAF,IAAW,G
;MACX,EAAE,YAAF,IAAkB,U;MAElB,OAAO,C;IACX,C;;MAY2C,uB;QAAA,UA4OgC,Q;;MA5OU,qB;QAA
A,QA4OV,Q;;MA3OvE,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MAEb,OAAO,C;IA
CX,C;;MAiDmF,OAAU,S;IAAV,C;;MACI,OAAc,a;IAAd,C;;MACH,OAAW,U;IAAX,C;;MAML,OAAG,E;IAAH
,C;;MACA,OAAQ,O;IAAR,C;;MACG,OAAW,U;IAAX,C;;MAMR,OAAW,U;IAAX,C;;MACF,OAAS,Q;IAAT,C;
;MACC,OAAU,S;IAAV,C;;MAME,OAAY,W;IAAZ,C;;MACD,OAAW,U;IAAX,C;;MACI,OAAe,c;IAAf,C;;MA
CJ,OAAW,U;IAAX,C;;MACA,OAAW,U;IAAX,C;;MAMF,OAAS,Q;IAAT,C;;MACD,OAAQ,O;IAAR,C;;MACF,
OAAM,K;IAAN,C;;MACK,OAAW,U;IAAX,C;;MAMC,OAAU,S;IAAV,C;;MACA,OAAU,S;IAAV,C;;MAMU,O
AAM,K;IAAN,C;;MACG,OAAS,Q;IAAT,C;;MACF,OAAO,M;IAAP,C;;MAMhB,OAAO,M;IAAP,C;;MACC,OA
AQ,O;IAAR,C;;MACC,OAAS,Q;IAAT,C;;MAMC,OAAQ,O;IAAR,C;;MACA,OAAQ,O;IAAR,C;;MACA,OAAQ
,O;IAAR,C;;MAME,OAAQ,O;IAAR,C;;MACF,OAAM,K;IAAN,C;;MACC,OAAO,M;IAAP,C;;MACC,OAAQ,O;
IAAR,C;;MACC,OAAS,Q;IAAT,C;;MAMG,OAAM,K;IAAN,C;;MACI,OAAU,S;IAAV,C;;MACD,OAAS,Q;IAA
T,C;;MACI,OAAa,Y;IAAb,C;;MACC,OAAc,a;IAAd,C;;MACL,OAAS,Q;IAAT,C;;MAMT,OAAM,K;IAAN,C;;M
ACA,OAAM,K;IAAN,C;;MACI,OAAU,S;IAAV,C;;MAMC,OAAO,M;IAAP,C;;MACE,OAAS,Q;IAAT,C;;MAM
J,OAAO,M;IAAP,C;;MACC,OAAQ,O;IAAR,C;;MAMD,OAAO,M;IAAP,C;;MACO,OAAc,a;IAAd,C;;MACJ,OA
AU,S;IAAV,C;;MAMK,OAAO,M;IAAP,C;;MACG,OAAU,S;IAAV,C;;MAMZ,OAAY,W;IAAZ,C;;MACN,OAA
M,K;IAAN,C;;MACG,OAAS,Q;IAAT,C;;MACF,OAAO,M;IAAP,C;;MAMN,OAAO,M;IAAP,C;;MACO,OAAc,a
;IAAd,C;;MAMJ,OAAU,S;IAAV,C;;MACD,OAAS,Q;IAAT,C;;MAMM,OAAO,M;IAAP,C;;MACE,OAAS,Q;IA
AT,C;;MAMF,OAAO,M;IAAP,C;;MACG,OAAU,S;IAAV,C;;MACD,OAAS,Q;IAAT,C;;MAMa,OAAQ,O;IAAR,
C;;MACC,OAAS,Q;IAAT,C;;MACH,OAAM,K;IAAN,C;;MACI,OAAU,S;IAAV,C;;MAMvB,OAAS,Q;IAAT,C;;
MACA,OAAS,Q;IAAT,C;;MACC,OAAU,S;IAAV,C;;MACA,OAAU,S;IAAV,C;;ME94H3B,oB;QAAA,OAAiB,I;
MAAM,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,uB;QAAA,UAAoB,K;MACpI,QAAQ,E;MA
ER,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O
;MAEf,OAAO,C;IACX,C;;MAuFuF,iBAAY,KAAZ,C;IAAA,C;;MACe,UAAY,KAAZ,IAAqB,O;IAAS,C;;MAg
BxC,iBAAY,KAAZ,C;IAAA,C;;MACc,UAAY,KAAZ,IAAqB,O;IAAS,C;;MAgB5C,iBAAY,KAAZ,C;IAAA,C;;
MACc,UAAY,KAAZ,IAAqB,O;IAAS,C;;MAgG/C,iBAAY,KAAZ,C;IAAA,C;;MACc,UAAY,KAAZ,IAAqB,O;I
AAS,C;;MAmNnC,iBAAY,KAAZ,C;IAAA,C;;MACc,UAAY,KAAZ,IAAqB,O;IAAS,C;;MAmHpD,iBAAY,KAA
Z,C;IAAA,C;;MACc,UAAY,KAAZ,IAAqB,O;IAAS,C;;MD/exG,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAm
B,I;MAAM,oB;QAAA,OAAgB,I;MAAM,wB;QAAA,WAAoB,I;MAAM,8B;QAAA,iBAA0B,I;MAAM,oB;QAAA
,OAAqB,I;MAAM,2B;QAAA,cAAmC,I;MAAM,qB;QAAA,QAAuB,I;MAAM,wB;QAAA,WA6B,I;MAAM,yB;
QAAA,YAAqB,I;MAAM,yB;QAAA,YAAsB,I;MAAM,wB;QAAA,WAAe,I;MACrW,QAAQ,E;MAER,EAAE,QA
AF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MAChB,
EAAE,gBAAF,IAAsB,c;MACtB,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,EAAE,OAAF,I
AAa,K;MACb,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,WAAF,IAAiB,S;MACjB,
EAAE,QAAF,IAAc,M;MACd,EAAE,OAAO,C;IACX,C;;MA0C+B,sB;QAAA,SAAiB,G;MAAK,0B;QAAA,aAAsB,I;MA
AM,uB;QAAA,UAAmB,I;MAChG,QAAQ,E;MAER,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MAElB,
EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAmEmE,OAAG,E;IAAH,C;;MACA,OAAQ,O;IAAR,C;;MACA,
OAAQ,O;IAAR,C;;MACA,OAAQ,O;IAAR,C;;MAMc,OAAG,E;IAAH,C;;MACG,OAAW,U;IAAX,C;;MACH,O
AAQ,O;IAAR,C;;MACD,OAAO,M;IAAP,C;;MACC,OAAQ,O;IAAR,C;;MACG,OAAW,U;IAAX,C;;MACH,OA
AQ,O;IAAR,C;;MACC,OAAS,Q;IAAT,C;;MACA,OAAS,Q;IAAT,C;;MACA,OAAS,Q;IAAT,C;;MACO,OAAgB,
e;IAAhB,C;;MACD,OAAe,c;IAAf,C;;MACP,OAAQ,O;IAAR,C;;MACC,OAAS,Q;IAAT,C;;MACF,OAAO,M;IA
AP,C;;MAMV,OAAW,U;IAAX,C;;MACG,OAAc,a;IAAd,C;;MACJ,OAAU,S;IAAV,C;;MACH,OAAO,M;IAAP,
C;;MAMc,OAAO,M;IAAP,C;;MACO,OAAc,a;IAAd,C;;MACJ,OAAU,S;IAAV,C;;MAMZ,OAAU,S;IAAV,C;;M
ACC,OAAW,U;IAAX,C;;MACF,OAAS,Q;IAAT,C;;MACE,OAAW,U;IAAX,C;;MACG,OAAc,a;IAAd,C;;MACG

,OAAiB,gB;IAAjB,C;;MAMF,OAAS,Q;IAAT,C;;MACD,OAAQ,O;IAAR,C;;MACC,OAAS,Q;IAAT,C;;MAMP,OAAQ,O;IAAR,C;;MACD,OAAO,M;IAAP,C;;MACG,OAAU,S;IAAV,C;;MACF,OAAQ,O;IAAR,C;;MACC,OAAS,Q;IAAT,C;;MACQ,OAAiB,gB;IAAjB,C;;ME1N5C,oB;QAAA,OAAgB,E;MAC9C,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MAEZ,OAAO,C;IACX,C;;MAiBkC,4B;QAAA,eAAqB,I;MAAM,oB;QAAA,OAAgB,E;MACzE,QAAQ,E;MAER,EAAE,cAAF,IAAoB,IAAoB,oB,Y;MACpB,EAAE,MAAF,IAAY,I;MAEZ,OAAO,C;IACX,C;;MASkF,kB;QAAA,KAAc,C;IAAA,C;;MAAd,kB;QAAA,KAAc,C;IAAA,C;;MAAd,kB;QAAA,KAAc,C;IAAA,C;;MAAd

AAA,OAAgB,I;MAAM,uB;QAAA,UAAoB,I;MAAM,wB;QAAA,WAAsB,I;MAAM,uB;QAAA,UAA8B,I;MAC5I,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAuBsF,OAAa,Y;IAAb,C;;MACD,OAAY,W;IAAZ,C;;MACC,OAAa,Y;IAAb,C;;MACD,OAAY,W;IAAZ,C;;MACA,OAAY,W;IAAZ,C;;MAMlB,OAAY,W;IAAZ,C;;MACA,OAAY,W;IAAZ,C;;MACH,OAAS,Q;IAAT,C;;MACF,OAAO,M;IAAP,C;;MAMI,OAAS,Q;IAAT,C;;MACA,OAAS,Q;IAAT,C;;MACM,OAAe,c;IAAf,C;;MACT,OAAM,K;IAAN,C;;MCtX3B,gC;QAAA,mBAA6B,K;MAAO,sB;QAAA,SAAe,C;MAAG,qB;QAAA,QAAc,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACrL,QAAQ,E;MAER,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAMiG,OAAa,E;IAAb,C;;MACE,OAAO,M;IAAP,C;;MACF,OAAO,M;IAAP,C;;MACA,OAAO,M;IAAP,C;;MC3GlE,qB;QAAA,8C;MAAA,kB;IAAD,C;;MACzB,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,4C;MAAA,C;MAKI,0E;MAEA,sE;IAPJ,C;;;MAKI,+B;MAAA,0C;IAAA,C;;;MAEA,+B;MAAA,wC;IAAA,C;;;MAPJ,yF;IAAA,C;;;MAAA,a;aAAA,S;UAAA,+C;aAAA,O;UAAA,6C;gBAAA,8D;;IAAA,C;;;MAWA,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,6C;MAAA,C;MAEI,oF;MACA,4E;MACA,4E;IAJJ,C;;;MAEI,gC;MAAA,+C;IAAA,C;;;MAEA,gC;MAAA,2C;IAAA,C;;;MAEA,gC;MAAA,2C;IAAA,C;;;MAJJ,4I;IAAA,C;;;MAAA,a;aAAA,a;UAAA,oD;aAAA,S;UAAA,gD;aAAA,S;UAAA,gD;gBAAA,+D;IAAA,C;;;MAOA,qBA,8B;IAAD4B,C;;;MAAA,8C;MAAA,C;MAAA,uB;IAAA,C;;;MAAA,kB;MAAA,C;MAAA,w

D,C;;IAEd,C;;MAGI,IAAI,QAAQ,CAAR,IAAa,QAAQ,IAAzB,C;QACI,MAAM,8BAA0B,YAAS,KAAT,gBAAuB,IAAAjD,C;;IAEd,C;;MAGI,IAAI,YAAY,CAAZ,IAAiB,UAAU,IAA/B,C;QACI,MAAM,8BAA0B,gBAAa,SAAb,mBAAkC,OAAAlC,gBAAkD,IAA5E,C;;MAEV,IAAI,YAAY,OAAhB,C;QACI,MAAM,gCAAyB,gBAAa,SAAb,oBAAmC,OAA5D,C;;IAEd,C;;MAIc,UAAsB,M;MAFhC,iBAAe,C;MACL,mB;MAAV,OAAU,cAAV,C;QAAU,UAAB;QACN,QACN,aAAW,MAAK,UAAL,SAAiB,6DAAiB,CAAlC,K;;MAEf,OAAO,U;IACX,C;;MAMiB,QAAb,MAAK,UAAL,SAAiB,IAAjB,CAAa,CAAb,CAAa,CAAb,CAAa,CAAb

B,MAAM,8BAA0B,iDAA8C,KAA9C,MAA1B,C;IAAN,C;;MACM,S;IAAA,C;;MACI,S;IAAA,C;;MAEL,kC;IAAA,C;;MACQ,kC;IAAA,C;;MAEjD,IAAI,UAAS,CAAb,C;QAAgB,MAAM,8BAA0B,YAAS,KAAnC,C;MACtB,OAAO,2B;IACX,C;;MAGI,IAAI,cAAa,CAAb,IAAkB,YAAW,CAAjC,C;QAAoC,OAAO,I;MAC3C,MAAM,8BAA0B,gBAAa,SAAb,mBAAkC,OAA5D,C;IACV,C;;MAEiC,8B;IAAA,C;;;;MA5BrC,gC;QAAA,e;;MAAA,yB;IAAA,C;;MA+B8D,6BAAkB,SAAlB,EAAoC,KAApC,C;IAAA,C;;MAE3B,oB;MAA0B,0B;IAA3B,C;;MACC,OAAA,WAAO,O;IAAP,C;;MACG,OAAA,WH0pL3B,YAAQ,C;IG1pLmB,C;;MACW,OAAO,SAAP,WAAO,EAAS,OAAT,C;IAAP,C;;MACyB,c;;QAAyC,Q;QADhB,IAAI,cAAtB,CAAyC,QAAzC,CAAsD,iBAAtB,CAAyC,QAAzC,CAAsD,UAA1B,C;UAAqC,aAAO,I;UAAP,eAAO;;QACrH,CADqH,gBAAO,OAAyC,C6C/C,OAAzC,CAAsD,QAAtD,C;QAAA,CAAO,OAAyC,CAAzC,CAAsD,QAAtD,CAAO,W;QAAP,OAAO,CAAP,CAAO,CAAP,CAAO,CAAP,C

B,sBAAY,GAAZ,C;QAClB,W3EwFJ,a2ExFgB,G3EwFhB,E2ExFuB,UAAU,GAAV,EAAe,WAAf,EAA4B,CAA5B,EAA+B,uBAAuB,CAAC,WAAY,mBAAY,GAAZ,CAAnE,C3EwFvB,C;;M2EtFA,OAAO,W;IACX,C;iFAEA,yB;MAAA,gB;MAAA,8B;M3EvBA,wE;M2EuBA,6D;QAlCW,kB3EmBiD,oB;Q2EO9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UA6BwE,U;UA5B1F,W3EwFJ,a2ExFgB,G3EwFhB,E2E5DkC,UA5BD,GA4BC,EA5BoB,uBAAuB,CAAC,WAAY,mBAAY,GAAZ,CA4BzC,GAAW,qBA5B3B,GA4B2B,EA5BT,CA4BS,CAAX,GAA6C,UA5BxD,WA4BwD,6DAA5D,EA5BiB,CA4BjB,C3E4DlC,C;;Q2E7DA,OAzBO,W;MAyBP,C;KAtBJ,C;kFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,0E;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBA2DQ,WA3DU,WAAY,GAAZ,C;UA2DuF,U;UAAjG,W3E8BZ,a2ExFgB,G3EwFhB,E2E9BiD,UA1DhB,GA0DgB,EA1DK,UA0DL,GA1DK,qBA0DL,C1D1BjC,GA0DiC,EA1DlB,CA0DkB,CAAX,GAAwC,UA1DnE,WA0DmE,6DAAvE,EA1DoB,CA0DpB,C3E8BjD,C;;Q2E/D,BA,OACY,W;MADZ,C;KA3DA,C;iFA+DA,yB;MAAA,gB;MAAA,8B;M3E/BA,wE;M2E+BA,qD;QAlCW,kB3EmBiD,oB;Q2EO9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UA+DA,U;UA9DA,W3EwFJ,a2ExFgB,G3EwFhB,E2E1BiD,UA9DhB,GA8DgB,EA9DK,UA8DL,GA9DK,qBA8DL,C1DtBjC,GA8DiC,EA9DlB,CA8DkB,CAAX,GAAwC,UA9DnE,WA8DmE,6DAAvE,EA9DoB,CA8DpB,C3E0BjD,C;;Q2E3DA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UAmEA,U;UAlEA,W3EwFJ,a2ExFgB,G3EwFhB,E2EtBiD,UAlEhB,GAkEgB,EAlEK,UAkEL,GAlEK,qBAkEL,C1DlBjC,GAkEiC,EAlElB,CAkEkB,CAAX,GAAwC,UAlEnE,WAkEmE,6DAAvE,EAlEoB,CAkEpB,C3EsBjD,C;;Q2EvDA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UAuEA,U;UAtEA,W3EwFJ,a2ExFgB,G3EwFhB,E2ElBiD,UAtEhB,GAsEgB,EAtEK,UAsEL,GAtEK,qBAsEL,C1DdjC,GAsEiC,EAtElB,CAsEkB,CAAX,GAAwC,UAtEnE,WAsEmE,6DAAvE,EAtEoB,CAsEpB,C3EkBjD,C;;Q2EnDA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UA2EA,U;UA1EA,W3EwFJ,a2ExFgB,G3EwFhB,E2EdiD,UA1EhB,GA0EgB,EA1EK,UA0EL,GA1EK,qBA0EL,C1DVjC,GA0EiC,EA1ElB,CA0EkB,CAAX,GAAwC,UA1EnE,WA0EmE,6DAAvE,EA1EoB,CA0EpB,C3EcjD,C;;Q2E/CA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UA+EA,U;UA9EA,W3EwFJ,a2ExFgB,G3EwFhB,E2EViD,UA9EhB,GA8EgB,EA9EK,UA8EL,GA9EK,qBA8EL,C1DNjC,GA8EiC,EA9ElB,CA8EkB,CAAX,GAAwC,UA9EnE,WA8EmE,6DAAvE,EA9EoB,CA8EpB,C3EUjD,C;;Q2E3CA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UAmFA,U;UAlFA,W3EwFJ,a2ExFgB,G3EwFhB,E2EMiD,UAlFhB,GAkFgB,EAlFK,UAkFL,GAlFK,qBAkFL,C1DFjC,GAkFiC,EAlFlB,CAkFkB,CAAX,GAAwC,UAlFnE,WAkFmE,6DAAvE,EAlFoB,CAkFpB,C3EMjD,C;;Q2EvCA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UAuFA,U;UAtFA,W3EwFJ,a2ExFgB,G3EwFhB,E2EEiD,UAtFhB,GAsFgB,EAtFK,UAsFL,GAtFK,qBAsFL,C1DNjC,GAsFiC,EAtFlB,CAsFkB,CAAX,GAAwC,UAtFnE,WAsFmE,6DAAvE,EAtFoB,CAsFpB,C3EEjD,C;;Q2EnCA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UA2FA,U;UA1FA,W3EwFJ,a2ExFgB,G3EwFhB,E2EFiD,UA1FhB,GA0FgB,EA1FK,UA0FL,GA1FK,qBA0FL,C1DVjC,GA0FiC,EA1FlB,CA0FkB,CAAX,GAAwC,UA1FnE,WA0FmE,6DAAvE,EA1FoB,CA0FpB,C3EFjD,C;;Q2E/BA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UA+FA,U;UA9FA,W3EwFJ,a2ExFgB,G3EwFhB,E2EJiD,UA9FhB,GA8FgB,EA9FK,UA8FL,GA9FK,qBA8FL,C1DdjC,GA8FiC,EA9FlB,CA8FkB,CAAX,GAAwC,UA9FnE,WA8FmE,6DAAvE,EA9FoB,CA8FpB,C3EIjD,C;;Q2E3BA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UAmGA,U;UAlGA,W3EwFJ,a2ExFgB,G3EwFhB,E2EEiD,UAlGhB,GAkGgB,EAlGK,UAkGL,GAlGK,qBAkGL,C1DlBjC,GAkGiC,EAlGlB,CAkGkB,CAAX,GAAwC,UAlGnE,WAkGmE,6DAAvE,EAlGoB,CAkGpB,C3EEjD,C;;Q2EvBA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UAuGA,U;UAtGA,W3EwFJ,a2ExFgB,G3EwFhB,E2EAiD,UAtGhB,GAsGgB,EAtGK,UAsGL,GAtGK,qBAsGL,C1DtBjC,GAsGiC,EAtGlB,CAsGkB,CAAX,GAAwC,UAtGnE,WAsGmE,6DAAvE,EAtGoB,CAsGpB,C3EAjD,C;;Q2EnBA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UA2GA,U;UA1GA,W3EwFJ,a2ExFgB,G3EwFhB,E2E2BiD,UA1GhB,GA0GgB,EA1GK,UA0GL,GA1GK,qBA0GL,C1DzBjC,GA0GiC,EA1GlB,CA0GkB,CAAX,GAAwC,UA1GnE,WA0GmE,6DAAvE,EA1GoB,CA0GpB,C3E2BjD,C;;Q2EfA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UA+GA,U;UA9GA,W3EwFJ,a2ExFgB,G3EwFhB,E2EuBiD,UA9GhB,GA8GgB,EA9GK,UA8GL,GA9GK,qBA8GL,C1DrBjC,GA8GiC,EA9GlB,CA8GkB,CAAX,GAAwC,UA9GnE,WA8GmE,6DAAvE,EA9GoB,CA8GpB,C3EuBjD,C;;Q2EXA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UAmHA,U;UAlHA,W3EwFJ,a2ExFgB,G3EwFhB,E2EmBiD,UAlHhB,GAkHgB,EAlHK,UAkHL,GAlHK,qBAkHL,C1DjBjC,GAkHiC,EAlHlB,CAkHkB,CAAX,GAAwC,UAlHnE,WAkHmE,6DAAvE,EAlHoB,CAkHpB,C3EmBjD,C;;Q2EPA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UAuHA,U;UAtHA,W3EwFJ,a2ExFgB,G3EwFhB,E2EeiD,UAtHhB,GAsHgB,EAtHK,UAsHL,GAtHK,qBAsHL,C1DbjC,GAsHiC,EAtHlB,CAsHkB,CAAX,GAAwC,UAtHnE,WAsHmE,6DAAvE,EAtHoB,CAsHpB,C3EejD,C;;Q2EHA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UA2HA,U;UA1HA,W3EwFJ,a2ExFgB,G3EwFhB,E2EWiD,UA1HhB,GA0HgB,EA1HK,UA0HL,GA1HK,qBA0HL,C1DTjC,GA0HiC,EA1HlB,CA0HkB,CAAX,GAAwC,UA1HnE,WA0HmE,6DAAvE,EA1HoB,CA0HpB,C3EWjD,C;;Q2EJA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UA+HA,U;UA9HA,W3EwFJ,a2ExFgB,G3EwFhB,E2EOiD,UA9HhB,GA8HgB,EA9HK,UA8HL,GA9HK,qBA8HL,C1DLjC,GA8HiC,EA9HlB,CA8HkB,CAAX,GAAwC,UA9HnE,WA8HmE,6DAAvE,EA9HoB,CA8HpB,C3EOjD,C;;Q2EQA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UAmIA,U;UAlIA,W3EwFJ,a2ExFgB,G3EwFhB,E2EGiD,UAlIhB,GAkIgB,EAlIK,UAkIL,GAlIK,qBAkIL,C1DDjC,GAkIiC,EAlIlB,CAkIkB,CAAX,GAAwC,UAlInE,WAkImE,6DAAvE,EAlIoB,CAkIpB,C3EGjD,C;;Q2EIA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UAuIA,U;UAtIA,W3EwFJ,a2ExFgB,G3EwFhB,E2EIiD,UAtIhB,GAsIgB,EAtIK,UAsIL,GAtIK,qBAsIL,C1DFjC,GAsIiC,EAtIlB,CAsIkB,CAAX,GAAwC,UAtInE,WAsImE,6DAAvE,EAtIoB,CAsIpB,C3EIjD,C;;Q2EGA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UA2IA,U;UA1IA,W3EwFJ,a2ExFgB,G3EwFhB,E2EKiD,UA1IhB,GA0IgB,EA1IK,UA0IL,GA1IK,qBA0IL,C1DHjC,GA0IiC,EA1IlB,CA0IkB,CAAX,GAAwC,UA1InE,WA0ImE,6DAAvE,EA1IoB,CA0IpB,C3EKjD,C;;Q2EEA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UA+IA,U;UA9IA,W3EwFJ,a2ExFgB,G3EwFhB,E2EMiD,UA9IhB,GA8IgB,EA9IK,UA8IL,GA9IK,qBA8IL,C1DJjC,GA8IiC,EA9IlB,CA8IkB,CAAX,GAAwC,UA9InE,WA8ImE,6DAAvE,EA9IoB,CA8IpB,C3EMjD,C;;Q2EKA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UAmJA,U;UAlJA,W3EwFJ,a2ExFgB,G3EwFhB,E2EOiD,UAlJhB,GAkJgB,EAlJK,UAkJL,GAlJK,qBAkJL,C1DLjC,GAkJiC,EAlJlB,CAkJkB,CAAX,GAAwC,UAlJnE,WAkJmE,6DAAvE,EAlJoB,CAkJpB,C3EOjD,C;;Q2EMA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UAuJA,U;UAtJA,W3EwFJ,a2ExFgB,G3EwFhB,E2EQiD,UAtJhB,GAsJgB,EAtJK,UAsJL,GAtJK,qBAsJL,C1DNjC,GAsJiC,EAtJlB,CAsJkB,CAAX,GAAwC,UAtJnE,WAsJmE,6DAAvE,EAtJoB,CAsJpB,C3EQjD,C;;Q2EOA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UA2JA,U;UA1JA,W3EwFJ,a2ExFgB,G3EwFhB,E2ESiD,UA1JhB,GA0JgB,EA1JK,UA0JL,GA1JK,qBA0JL,C1DPjC,GA0JiC,EA1JlB,CA0JkB,CAAX,GAAwC,UA1JnE,WA0JmE,6DAAvE,EA1JoB,CA0JpB,C3ESjD,C;;Q2EAA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UA+JA,U;UA9JA,W3EwFJ,a2ExFgB,G3EwFhB,E2EUiD,UA9JhB,GA8JgB,EA9JK,UA8JL,GA9JK,qBA8JL,C1DRjC,GA8JiC,EA9JlB,CA8JkB,CAAX,GAAwC,UA9JnE,WA8JmE,6DAAvE,EA9JoB,CA8JpB,C3EUjD,C;;Q2EDA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UAmKA,U;UAlKA,W3EwFJ,a2ExFgB,G3EwFhB,E2EWiD,UAlKhB,GAkKgB,EAlKK,UAkKL,GAlKK,qBAkKL,C1DTjC,GAkKiC,EAlKlB,CAkKkB,CAAX,GAAwC,UAlKnE,WAkKmE,6DAAvE,EAlKoB,CAkKpB,C3EWjD,C;;Q2EFA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UAuKA,U;UAtKA,W3EwFJ,a2ExFgB,G3EwFhB,E2EYiD,UAtKhB,GAsKgB,EAtKK,UAsKL,GAtKK,qBAsKL,C1DVjC,GAsKiC,EAtKlB,CAsKkB,CAAX,GAAwC,UAtKnE,WAsKmE,6DAAvE,EAtKoB,CAsKpB,C3EYjD,C;;Q2EHA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UA2KA,U;UA1KA,W3EwFJ,a2ExFgB,G3EwFhB,E2EaiD,UA1KhB,GA0KgB,EA1KK,UA0KL,GA1KK,qBA0KL,C1DXjC,GA0KiC,EA1KlB,CA0KkB,CAAX,GAAwC,UA1KnE,WA0KmE,6DAAvE,EA1KoB,CA0KpB,C3EajD,C;;Q2EJA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UA+KA,U;UA9KA,W3EwFJ,a2ExFgB,G3EwFhB,E2EciD,UA9KhB,GA8KgB,EA9KK,UA8KL,GA9KK,qBA8KL,C1DZjC,GA8KiC,EA9KlB,CA8KkB,CAAX,GAAwC,UA9KnE,WA8KmE,6DAAvE,EA9KoB,CA8KpB,C3EcjD,C;;Q2EDA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UAmLA,U;UAlLA,W3EwFJ,a2ExFgB,G3EwFhB,E2EeiD,UAlLhB,GAkLgB,EAlLK,UAkLL,GAlLK,qBAkLL,C1DbjC,GAkLiC,EAlLlB,CAkLkB,CAAX,GAAwC,UAlLnE,WAkLmE,6DAAvE,EAlLoB,CAkLpB,C3EejD,C;;Q2EFA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UAuLA,U;UAtLA,W3EwFJ,a2ExFgB,G3EwFhB,E2EgBiD,UAtLhB,GAsLgB,EAtLK,UAsLL,GAtLK,qBAsLL,C1DdjC,GAsLiC,EAtLlB,CAsLkB,CAAX,GAAwC,UAtLnE,WAsLmE,6DAAvE,EAtLoB,CAsLpB,C3EgBjD,C;;Q2EHA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UA2LA,U;UA1LA,W3EwFJ,a2ExFgB,G3EwFhB,E2EiBiD,UA1LhB,GA0LgB,EA1LK,UA0LL,GA1LK,qBA0LL,C1DfjC,GA0LiC,EA1LlB,CA0LkB,CAAX,GAAwC,UA1LnE,WA0LmE,6DAAvE,EA1LoB,CA0LpB,C3EiBjD,C;;Q2EJA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UA+LA,U;UA9LA,W3EwFJ,a2ExFgB,G3EwFhB,E2EkBiD,UA9LhB,GA8LgB,EA9LK,UA8LL,GA9LK,qBA8LL,C1DhBjC,GA8LiC,EA9LlB,CA8LkB,CAAX,GAAwC,UA9LnE,WA8LmE,6DAAvE,EA9LoB,CA8LpB,C3EkBjD,C;;Q2EDA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UAmMA,U;UAlMA,W3EwFJ,a2ExFgB,G3EwFhB,E2EmBiD,UAlMhB,GAkMgB,EAlMK,UAkML,GAlMK,qBAkML,C1DjBjC,GAkMiC,EAlMlB,CAkMkB,CAAX,GAAwC,UAlMnE,WAkMmE,6DAAvE,EAlMoB,CAkMpB,C3EmBjD,C;;Q2EFA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UAuMA,U;UAtMA,W3EwFJ,a2ExFgB,G3EwFhB,E2EoBiD,UAtMhB,GAsMgB,EAtMK,UAsML,GAtMK,qBAsML,C1DlBjC,GAsMiC,EAtMlB,CAsMkB,CAAX,GAAwC,UAtMnE,WAsMmE,6DAAvE,EAtMoB,CAsMpB,C3EoBjD,C;;Q2EHA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UA2MA,U;UA1MA,W3EwFJ,a2ExFgB,G3EwFhB,E2EqBiD,UA1MhB,GA0MgB,EA1MK,UA0ML,GA1MK,qBA0ML,C1DnBjC,GA0MiC,EA1MlB,CA0MkB,CAAX,GAAwC,UA1MnE,WA0MmE,6DAAvE,EA1MoB,CA0MpB,C3EqBjD,C;;Q2EJA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UA+MA,U;UA9MA,W3EwFJ,a2ExFgB,G3EwFhB,E2EsBiD,UA9MhB,GA8MgB,EA9MK,UA8ML,GA9MK,qBA8ML,C1DpBjC,GA8MiC,EA9MlB,CA8MkB,CAAX,GAAwC,UA9MnE,WA8MmE,6DAAvE,EA9MoB,CA8MpB,C3EsBjD,C;;Q2EDA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UAmNA,U;UAlNA,W3EwFJ,a2ExFgB,G3EwFhB,E2EuBiD,UAlNhB,GAkNgB,EAlNK,UAkNL,GAlNK,qBAkNL,C1DrBjC,GAkNiC,EAlNlB,CAkNkB,CAAX,GAAwC,UAlNnE,WAkNmE,6DAAvE,EAlNoB,CAkNpB,C3EuBjD,C;;Q2EFA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UAuNA,U;UAtNA,W3EwFJ,a2ExFgB,G3EwFhB,E2EwBiD,UAtNhB,GAsNgB,EAtNK,UAsNL,GAtNK,qBAsNL,C1DtBjC,GAsNiC,EAtNlB,CAsNkB,CAAX,GAAwC,UAtNnE,WAsNmE,6DAAvE,EAtNoB,CAsNpB,C3EwBjD,C;;Q2EHA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UA2NA,U;UA1NA,W3EwFJ,a2ExFgB,G3EwFhB,E2EyBiD,UA1NhB,GA0NgB,EA1NK,UA0NL,GA1NK,qBA0NL,C1DvBjC,GA0NiC,EA1NlB,CA0NkB,CAAX,GAAwC,UA1NnE,WA0NmE,6DAAvE,EA1NoB,CA0NpB,C3EyBjD,C;;Q2EJA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UA+NA,U;UA9NA,W3EwFJ,a2ExFgB,G3EwFhB,E2E0BiD,UA9NhB,GA8NgB,EA9NK,UA8NL,GA9NK,qBA8NL,C1DxBjC,GA8NiC,EA9NlB,CA8NkB,CAAX,GAAwC,UA9NnE,WA8NmE,6DAAvE,EA9NoB,CA8NpB,C3E0BjD,C;;Q2EDA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UAmOA,U;UAlOA,W3EwFJ,a2ExFgB,G3EwFhB,E2E2BiD,UAlOhB,GAkOgB,EAlOK,UAkOL,GAlOK,qBAkOL,C1DzBjC,GAkOiC,EAlOlB,CAkOkB,CAAX,GAAwC,UAlOnE,WAkOmE,6DAAvE,EAlOoB,CAkOpB,C3E2BjD,C;;Q2EFA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UAuOA,U;UAtOA,W3EwFJ,a2ExFgB,G3EwFhB,E2E4BiD,UAtOhB,GAsOgB,EAtOK,UAsOL,GAtOK,qBAsOL,C1D1BjC,GAsOiC,EAtOlB,CAsOkB,CAAX,GAAwC,UAtOnE,WAsOmE,6DAAvE,EAtOoB,CAsOpB,C3E4BjD,C;;Q2EHA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UA2OA,U;UA1OA,W3EwFJ,a2ExFgB,G3EwFhB,E2E6BiD,UA1OhB,GA0OgB,EA1OK,UA0OL,GA1OK,qBA0OL,C1D3BjC,GA0OiC,EA1OlB,CA0OkB,CAAX,GAAwC,UA1OnE,WA0OmE,6DAAvE,EA1OoB,CA0OpB,C3E6BjD,C;;Q2EJA,OAzBO,W;MAyBP,C;KAtBJ,C;iFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAjCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAAlB,C;UA+OA,U;UA9OA,W3EwFJ,a2ExFgB,G3EwFhB,E2E8BiD,UA9OhB,GA8OgB,EA9OK,UA8OL,GA9OK,qBA8OL,C1D5BjC,GA8OiC,EA9O

wCAAqB,QAAS,aAA9B,0D;MAA7B,C;KAVJ,C;wFAYA,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QA
WiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;MAA7B,C;KAXJ,C;wFAaA,yB;MAAA,4E;MAAA,gB;MA
AA,8B;MAAA,+C;QAKiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;MAA7B,C;KALJ,C;;MAeI,SAAK,a
AAI,QAAS,aAAb,EAAmB,KAAnB,C;IACT,C;;MCjCI,IAAI,wCAAJ,C;QACI,OAAO,SAAK,4BAAqB,GAAArB,C;
MAET,4B;M/GiOI,Q;MALX,YAAY,oB+G5Na,G/G4Nb,C;MACZ,IAAI,iBAAiB,CAAC,4B+G7NG,G/G6NH,CA
AtB,C;Q+G7NgC,MAAM,2BAAuB,wCAAvB,C;;;Q/GiOlC,2BAAO,sE;;M+GjOX,+B;IACJ,C;;MAYQ,kBADE,S
ACF,kB;QADJ,OACkC,YAAT,SAAK,IAAI,EAAY,YAAZ,C;;QADlC,OAEY,uBAAmB,SAAnB,EAAyB,YAAzB,
C;IAFZ,C;;MAgBI,kBADE,SACF,yB;QADJ,OACyC,cAAT,SAAK,IAAI,EAAY,YAAZ,C;;QADzC,OAEY,8BAA
0B,SAA1B,EAAgC,YAAhC,C;IAFZ,C;;;;;;;;MAgBuC,wB;MAAoC,0B;IAArC,C;;MAAC,yB;IAAA,C;;MACK,O
AAI,OAAJ,QAAI,EAAO,KAAP,C;IAAJ,C;;MACb,OAAI,SAAJ,QAAI,C;IAAJ,C;;MACG,OAAA,QAAI,W;IAAJ,
C;;MACH,OAAA,QAAI,K;IAAJ,C;;MACG,OAAA,QAAI,U;IAAJ,C;;MACU,OAAA,QAAI,mBAAY,GAAZ,C;I
AAJ,C;;MACoB,OAAA,QAAI,qBAAc,KAAd,C;IAAJ,C;;MACjC,OAAA,QAAI,WAAI,GAAJ,C;IAAJ,C;;MACG,
OAAA,QAAI,K;IAAJ,C;;MACS,OAAA,QAAI,O;IAAJ,C;;MACQ,OAAA,QAAI,Q;IAAJ,C;;MAEA,gBAAJ,Q;M
AAI,4B;M/GyKxC,Q;MALX,YAAY,oB+GpKyD,G/GoKzD,C;MACZ,IAAI,iBAAiB,CAAC,4B+GrK+C,G/GqK/C
,CAAtB,C;QACI,2B+GtKwE,mB;;;Q/GyKxE,2BAAO,sE;;M+GzKX,+B;IAAA,C;;;MAGL,wB;MAA2C,0B;IAA
5C,C;;MAAC,yB;IAAA,C;;MACE,OAAI,OAAJ,QAAI,EAAO,KAAP,C;IAAJ,C;;MACb,OAAI,SAAJ,QAAI,C;IA
AJ,C;;MACG,OAAA,QAAI,W;IAAJ,C;;MACH,OAAA,QAAI,K;IAAJ,C;;MACG,OAAA,QAAI,U;IAAJ,C;;MAC
U,OAAA,QAAI,mBAAY,GAAZ,C;IAAJ,C;;MACoB,OAAA,QAAI,qBAAc,KAAd,C;IAAJ,C;;MACjC,OAAA,QA
AI,WAAI,GAAJ,C;IAAJ,C;;MACU,OAAA,QAAI,K;IAAJ,C;;MACS,OAAA,QAAI,O;IAAJ,C;;MACsB,OAAA,Q
AAI,Q;IAAJ,C;;MAE/B,OAAA,QAAI,aAAI,GAAJ,EAAS,KAAT,C;IAAJ,C;;MACP,OAAA,QAAI,cAAO,GAAP,
C;IAAJ,C;;MACS,QAAI,gBAAO,IAAP,C;IAAJ,C;;MACpB,QAAI,Q;IAAJ,C;;MAE4B,gBAAJ,Q;MAAI,4B;M/G
oJxC,Q;MALX,YAAY,oB+G/IyD,G/G+IzD,C;MACZ,IAAI,iBAAiB,CAAC,4B+GhJ+C,G/GgJ/C,CAAtB,C;QACI
,2B+GjJwE,mB;;;Q/GoJxE,2BAAO,sE;;M+GpJoC,+B;IAAA,C;;;M/G1FnD,wB;MACI,8C;IADJ,C;;MAGgD,oCA
AsB,KAAM,U;IAA5B,C;;MACb,Q;IAAA,C;;MACG,W;IAAA,C;;MAEH,Q;IAAA,C;;MACG,W;IAAA,C;;MAEa,
Y;IAAA,C;;MACO,Y;IAAA,C;;MACd,W;IAAA,C;;MACoB,6B;IAAA,C;;MACvB,6B;IAAA,C;;MACY,8B;IAA
A,C;;MAEhB,6B;IAAA,C;;;;MAjBrC,+B;QAAA,c;;MAAA,wB;IAAA,C;;MA0BuE,Q;MAA7B,OAA6B,uE;IAA7
B,C;;MAetC,OAAI,KAAM,OAAN,GAAa,CAAjB,GAA0B,QAAN,KAAM,EAAM,qBAAc,YAAY,KAAM,OAAl
B,CAAd,CAAN,CAA1B,GAA6E,U;IAA7E,C;kFAEJ,yB;MAAA,oD;MAAA,mB;QAO8C,iB;MAAA,C;KAP9C,C;
8FASA,yB;MAAA,wE;MAAA,mB;QAQ4D,2B;MAAA,C;KAR5D,C;;MAsBiD,gBAA7C,qBAAoB,YAAY,KAA
M,OAAlB,CAApB,C;MAAqD,wB;MAArD,OOTO,S;IPSP,C;wFAEJ,yB;MAAA,4D;MAAA,mB;QAKsD,qB;MA
AA,C;KALtD,C;;MAa8G,gBAAvC,eAAc,YAAY,KAAM,OAAlB,CAAd,C;MAA+C,wB;MAA/C,OOxB5D,S;IPw
B4D,C;4FAEvE,yB;MAAA,wE;MAAA,mB;QAK8D,2B;MAAA,C;KAL9D,C;;MAiB+E,OAAM,QAAN,KAAM,E
AAM,qBAAc,YAAY,KAAM,OAAlB,CAAd,CAAN,C;IAAN,C;;MAS3E,IAAI,eAAe,CAAnB,C;QACI,OAAO,eA
Ae,CAAf,I;;MAEX,IAAI,eAAe,UAAnB,C;QACI,OAAO,gBAAe,eAAe,CAAf,IAAf,K;;MAEX,OAAO,U;IACX,C;
;;MAM+D,QAAC,mB;IAAD,C;sFAE/D,yB;MAAA,oD;MAAA,4B;QAI2D,uCAAQ,U;MAAR,C;KAJ3D,C;yFAMA
,yB;MAuBA,kC;MAAA,8B;MAvBA,iC;QA8BiC,Q;QAxB2E,OAAwBxD,CAAnB,wDAAmB,oBAAxBoE,GAAwBp
E,C;MAxBwD,C;KAN5G,C;+EAQA,yB;MAAA,kC;MAAA,8B;MAAA,iC;QAKiC,Q;QAA7B,OAAgD,CAAnB,wDAAmB,
oBAAY,GAAZ,C;MAAhD,C;KALjC,C;;MAgBsG,gBAAtC,SAAK,IAAI,EAAY,YAAZ,C;IAAnD,C;4FAEJ,yB;
MAAA,kD;MAAA,C;KAFI,C;;MAIsG,gBAAtC,SAAK,IAAI,EAAY,YAAZ,C;IAAnD,C;4FAEJ,yB;MAAA,kD;
QAAA,oB

uBZ,CAAe,OAAf,CAA1B,C;;QXjuBhB,OAA6B,W;MACjC,C;KANA,C;wFAQA,yB;MAAA,oD;QW6tBoB,Q;Q
AAA,OXrtBT,iBWqtBS,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UXrtBa,WWstBb,aXttB0B,SWstBtB,CAAY,
OAAZ,CAAJ,EAAyC,OXttBC,MWstB1C,C;;QXttBhB,OAA6B,W;MACjC,C;KATA,C;;MAeyB,Q;MAArB,wBA
AqB,KAArB,gB;QAAqB,aAAA,KArB,M;QAAK,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,KAAT,
C;;IAER,C;;MAMyB,Q;MAAA,uB;MArB,OAAqB,cArB,C;QAAqB,wB;QAAhB,IAAC,yBAAD,EAAM,2B;Q
ACP,sBAAI,GAAJ,EAAS,KAAT,C;;IAER,C;;MAMyB,Q;MAAA,uB;MArB,OAAqB,cArB,C;QAAqB,wB;QA
AhB,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,KAAT,C;;IAER,C;wFAEA,yB;MAAA,0D;MAAA,uE
;MAAA,uC;QASW,kBAAY,mBAAoB,YAAY,cAAZ,CAApB,C;QW8qBH,Q;QAAA,OXhuBT,iBWguBS,W;QAA
hB,OAAgB,cAAhB,C;UAAgB,yB;UXhuBa,WWiuBb,aAAgB,OXjuBe,IWiuB/B,EX/qB2C,SW+qBjB,CAAe,OAA
f,CAA1B,C;;QX/qBhB,OAlD6B,W;MAmDjC,C;KAVA,C;oFAYA,yB;MAAA,0D;MAAA,uE;MAAA,uC;QAYW,
kBAAU,mBAAoB,YAAY,cAAZ,CApB,C;QW+pBD,Q;QAAA,OXrtBT,iBWqtBS,W;QAAhB,OAAgB,cAAhB,
C;UAAgB,yB;UXrtBa,WWstBb,aXhqByC,SWgqBrC,CAAY,OAAZ,CAAJ,EAAyC,OXttBC,MWstB1C,C;;QXhq
BhB,OAtD6B,W;MAuDjC,C;KAbA,C;0FAeA,yB;MAAA,wE;MAAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,OA
AA,SA3FsE,QAAQ,W;QA2F5F,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,KAAM,IAAhB,CAAJ,C;YACI,M
AAO,aAAI,KAAM,IAAV,EAAe,KAAM,MArB,C;;;QAGf,OAAO,M;MACX,C;KAdA,C;8FAgBA,yB;MAAA,w
E;MAAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,OAAA,SA3GsE,QAAQ,W;QA2G5F,OAAc,cAAd,C;UAAc,uB;
UACV,IAAI,UAAU,KAAM,MAAhB,CAAJ,C;YACI,MAAO,aAAI,KAAM,IAAV,EAAe,KAAM,MArB,C;;;QA
Gf,OAAO,M;MACX,C;KAdA,C;;MAwBoB,Q;MAAA,OAAA,SA3HoE,QAAQ,W;MA2H5F,OAAgB,cAAhB,C;Q
AAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;;M
AGpB,OAAO,W;IACX,C;qFAEA,yB;MAAA,wE;MAAA,uC;QAOW,kBAAS,oB;QAfA,Q;QAAA,OA3HoE,iBA
AQ,W;QA2H5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAcmC,SAd/B,CAAU,OAAV,CAAJ,C;YACI,WAAY,aAA
I,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;;QApapB,OAVO,W;MAWX,C;KARA,C;;MAiBoB,Q;MAAA,OAAA,S
ApJoE,QAAQ,W;MAoJ5F,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,CAAC,UAAU,OAAV,CAAJ,C;UACI,W
AAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;;MAGpB,OAAO,W;IACX,C;2FAEA,yB;MAAA,wE;MAAA
,uC;QAOW,kBAAY,oB;QAfH,Q;QAAA,OApJoE,iBAAQ,W;QAoJ5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAA
I,CAckC,SAdjC,CAAU,OAAV,CAAJ,C;YACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;;QAapB,
OAVO,W;MAWX,C;;IAqBiB,I;MADX,IAAI,oCAAJ,C;QACW,QAAW,IAAM,cAAN,EAAM,cAAN,EAAM,cAAN,C;eACX
K,iB;YAAL,K;eACA,C;YAAK,aAAU,8BAAJ,GAAkB,sBAAK,CAAL,EAAlB,GAA+B,oBAAW,OAAhD,C;YAA
L,K;kBACQ,0BAAM,qBAAoB,YAAY,cAAZ,CAApB,CAAN,C;YAHL,K;;QAAP,W;;MAMJ,OAAoC,oBAA7B,C,oB
mBAAM,oBAAN,CAA6B,C;IACxC,C;;MAMwB,SAApB,WAAoB,Y;MAApB,kB;IAAA,C;;MAOyD,QAAM,gB
AAN,C;aACzD,C;UADyD,OACpD,U;aACL,C;UAFyD,OAEpD,MAAM,UAAK,CAAL,EAAM,CAAN,C;gBAFoD,OAGj
D,mBAAM,qBAAoB,YAAY,gBAAZ,CAApB,CAAN,C;;IAHiB,C;;MAUrC,OAApB,WAAoB,Y;MAApB,kB;IAA
A,C;;MAOwD,OAA6B,oBAA7B,mBAAM,oBAAN,CAA6B,C;IAA7B,C;;MAMpC,SAApB,WAAoB,Y;MAApB,k
B;IAAA,C;;MAQiD,QAAM,cAAN,C;aACjD,C;UADiD,OAC5C,U;aACL,C;UAFiD,OAYlX8B,uB;gBZkX9B,OAG
zC,uB;;IAHyC,C;;MAYc,SAAd,MAAc,4B;IAAA,C;;MAOA,SAAd,MAAc,kB;IAAA,C;;MAOA,QAAM,SA
AN,C;aAAM,IAAI,SAAK,CAAL,EAAJ,C;;IAAN,C;;MAOA,QAAM,SAAN,C;aAAM,IAAI,SAAK,CAAL,EAAJ,C;;IA
AN,C;;MAOA,QAAM,SAAN,C;aAAM,IAAI,SAAK,CAAL,EAAJ,C;;IAAN,C;;MAOA,QAAM,SAAN,C;aAAM,IAAI,
SAAK,CAAL,EAAJ,C;;IAAN,C;;MAOA,QAAM,SAAN,C;aAAM,IAAI,SAAK,CAAL,EAAJ,C;;IAAN,C;;MAOA,QA
AM,SAAN,C;aAAM,IAAI,SAAK,CAAL,EAAJ,C;;IAAN,C;;MAOA,QAAM,SAAN,C;aAAM,IAAI,SAAK,CAAL,EAAJ,
C;;IAAN,C;;MAOA,QAAM,SAAN,C;aAAM,IAAI,SAAK,CAAL,EAAJ,C;;IAAN,C;;MAOA,QAAM,SAAN,C;aAAM,
IAAI,SAAK,CAAL,EAAJ,C;;IAAN,C;;MAOA,QAAM,SAAN,C;aAAM,IAAI,SAAK,CAAL,EAAJ,C;;IAAN,C;;MAOA,
QAA

AO,GAAP,C;IACJ,C;8FAEA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAK,EAAU,IAAV,C;MACd,C;KAPA,C;8FASA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAK,EAAU,IAAV,C;MACd,C;KAPA,C;8FASA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAK,EAAU,IAAV,C;MACd,C;KAPA,C;;MAWsD,QAAM,cAAN,C;aACld,C;UADkD,OAC7C,C,U;aACL,C;UAFkD,gB;gBAAA,OAG1C,S;;IAH0C,C;oFgH7qBtD,yB;MAAA,8D;MAAA,8B;MAAA,qC;QAUiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,eAAO,OAAP,C;MAA3D,C;KAVJ,C;wFAYA,yB;MAAA,8D;MAAA,8B;MAAA,sC;QASiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,oBAAU,QAAV,C;MAA3D,C;KATJ,C;wFAWA,yB;MAAA,8D;MAAA,8B;MAAA,sC;QASiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,oBAAU,QAAV,C;MAA3D,C;KATJ,C;;MAiB6D,kCAAS,KAAT,C;IAAA,C;;MAOzD,SAAK,WAAL,OAAK,C;IAAL,C;4FAAA,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,OAAO,C;QAAP,OAAO,C;MALhB,C;KAAA,C;4FAAA,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,OAAO,C;QAAP,OAAO,C;MALhB,C;KAAA,C;4FAAA,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,OAAO,C;QAAP,OAAO,C;MALhB,C;KAAA,C;;MAaI,SAAK,WAAL,OAAK,C;IAAL,C;;MAOA,SAAK,WAAL,OAAK,C;IAAL,C;8FAAA,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,OAAO,C;QAAP,OAAO,C;MALhB,C;KAAA,C;8FAAA,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,OAAO,C;QAAP,OAAO,C;MALhB,C;KAAA,C;8FAAA,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,OAAO,C;QAAP,OAAO,C;MALhB,C;KAAA,C;;MAaI,SAAK,WAAL,OAAK,C;IAAL,C;;MAOA

ACI,OAA4C,CAApC,2EAAoC,kBAAQ,QAAR,C;;MAEhD,OAAO,uBAAmB,SAAnB,EAAyB,gBAAzB,EAAiC,QAAjC,C;IACX,C;;MAYiB,Q;MAFb,YAAY,gB;MACZ,YAAY,gB;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,KAAM,WAAI,IAAK,MAAT,C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;IACX,C;;MAWI,wB;QAAA,WAAgC,I;MADhC,0B;MACA,0B;MACA,4B;IAH+B,C;;MAMQ,oD;MACnC,gBAAe,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;IAHgB,C;;MAM/B,OAAO,aAAS,UAAhB,C;QACI,WAAW,aAAS,O;QACpB,IAAI,wCAAU,IAAV,EAAgB,sCAAvB,C;UACI,gBAAW,I;UACX,iBAAY,C;UACZ,M;;;MAGR,iBAAY,C;IAChB,C;;MAWW,Q;MARP,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,a;MACb,gBAAW,I;MACX,iBAAY,E;MAEZ,OAAO,yE;IACX,C;;MAMI,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;IACxB,C;;;MAMI,mCAAyD;IAAA,C;;;MAMzD,2C/B,0B;MAAmC,gC;IAAA/C,C;;MAMnC,2C,0D;MACnC,gBAAe,oCAAS,W;IADW,C;;MAMnC,gD,6CAAY,OAAO,qBAAnB,C;QAAmB,sB;MAAA,OAAnB,C;IAAmB,C;;MAMnB,gD,6CAAY,OAAO,aAAnB,C;QAAmB,sB;MAAA,OAAnB,C;IAAmB,C;;;MAMnB,mCAAyD;IAAA,C;;;MAMzD,gCAAsD;IAAA,C;;MAMtD,2C,wE;MACnC,gBAAe,2CAAS,W;MACxB,iBAAqB,aAAY,C;IAFE

AAO,aAAS,U;IACpB,C;;;MApBmC,oD;IAAA,C;;;MA8BvC,0B;MACA,4B;IAFJ,C;;MAK2C,oD;MACnC,gBAAe
,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;IAHgB,C;;MAM/B,OAAO,aAAS,UAAhB,C;QACI,WAAW,a
AAS,O;QACpB,IAAI,CAAC,wCAAU,IAAV,CAAL,C;UACI,gBAAW,I;UACX,iBAAY,C;UACZ,M;;;MAGR,iBA
AY,C;IAChB,C;;MAQqB,Q;MALjB,IAAI,mBAAa,EAAjB,C;QACI,a;MAEJ,IAAI,mBAAa,CAAjB,C;QACI,aACa
,gF;QACb,gBAAW,I;QACX,iBAAY,C;QACZ,OAAO,M;;MAEX,OAAO,aAAS,O;IACpB,C;;MAGI,IAAI,mBAA
a,EAAjB,C;QACI,a;MACJ,OAAO,mBAAa,CAAb,IAAkB,aAAS,U;IACtC,C;;;MAnCmC,yD;IAAA,C;;;MAuCL,s
B;MAAiC,gC;IAAlC,C;;MACM,4BAAiB,aAAO,WAAxB,EAAoC,kBAApC,C;IAAA,C;;;MAGgE,2B;MAAtE,sB;
MAAiC,gC;MAClE,kBAAuB,c;IADS,C;;MAI5B,OAAO,aAAO,UAAd,C;QACI,WAAW,aAAO,O;QAClB,UAAU,
mBAAY,IAAZ,C;QAEV,IAAI,eAAS,WAAI,GAAJ,CAAb,C;UACI,mBAAQ,IAAR,C;UACA,M;;;MAIR,W;IACJ,
C;;;MAIqC,wC;MAAuC,kC;IAAxC,C;;MACG,oD;MACnC,gBAAmB,I;MACnB,iBAAqB,E;IAFc,C;;MAK/B,gB
AAe,mBAAa,EAAjB,GAAqB,+CAArB,GAA4C,2CAAa,4BAAb,C;MACvD,iBAAgB,qBAAJ,GAAsB,CAAtB,GA
A6B,C;IAC7C,C;;MAQiB,Q;MALb,IAAI,iBAAY,CAAhB,C;QACI,iB;MAEJ,IAAI,mBAAa,CAAjB,C;QACI,MA
AM,6B;MACV,aAAa,8D;MAEb,iBAAY,E;MACZ,OAAO,M;IACX,C;;MAGI,IAAI,iBAAY,CAAhB,C;QACI,iB;
MACJ,OAAO,mBAAa,C;IACxB,C;;;MAzBmC,yD;IAAA,C;;;MAwCvC,OAAW,iDAAJ,GAAwC,SAAxC,GAAkd
,4BAAwB,SAAxB,C;IAC7D,C;;MAc2C,qB;QAAE,6B;MAAF,C;IAAA,C;;MAAvC,OAA2D,cAApD,sBAAkB,
YAAlB,EAAgC,qCAAhC,CAAoD,C;IAC/D,C;;MAoB0B,mB;QAAE,mB;MAAF,C;IAAA,C;;MAHtB,OAAI,YAA
J,GACI,2BADJ,GAGI,sBAAkB,+BAAlB,EAA4B,YAA5B,C;IAHJ,C;;MAmBA,6BAAkB,YAAlB,EAAgC,YAAh
C,C;IAAA,C;;MAQlBJ,wB;MACI,8C;IADJ,C;;MAGgD,oCAAmB,KAAM,U;IAAzB,zC;;MACb,Q;IAAA,C;;MAC
G,W;IAAA,C;;MAEH,Q;IAAA,C;;MACG,W;IAAA,C;;MACiB,Y;IAAA,C;;MAGgB,OAAA,QAAS,U;IAAT,C;;M
AEtB,kC;IAAA,C;;MAEZ,6B;IAAA,C;;;;MAdrC,+B;QAAA,c;;MAAA,wB;IAAA,C;;MAsBoC,6B;IAAA,C;;MAQ
e,OAAI,QAAS,OAAT,GAAgB,CAApB,GAAgC,MAAT,QAAS,CAAhC,GAA6C,U;IAA7C,C;iFAEnD,yB;MAAA
,mD;MAAA,mB;QAKwC,iB;MAAA,C;KALxC,C;6FAOA,yB;MAAA,uE;MAAA,mB;QAOsD,2B;MAAA,C;KAP
tD,C;;MAaiE,OAAS,aAAT,QAAS,EAAa,qBAAc,YAAd,QAAS,OAAa,rB,CAAd,CAAb,C;IAAT,C;uFAEjE,yB;MA
AA,2D;MAAA,mB;QAGgD,mB;MAAA,C;KAHhD,C;;MAM2D,OAAS,aAAT,QAAS,EAAa,eAAQ,YAAR,QAAS,
OAArB,CAAqB,CAAb,C;IAAT,C;2FAE3D,yB;MAAA,uE;MAAA,mB;QAGwD,2B;MAAA,C;KAHxD,C;;MASmE,OAAS
E,OAAS,aAAT,QAAS,EAAa,qBAAc,YAAd,QAAS,OAAa,rB,CAAd,CAAb,C;IAAT,C;sFAEnE,yB;MAAA,mD;M
AAA,4B;QAEkD,uCAAQ,U;MAAR,C;KAFlD,C;;MAIgD,QAAM,cAAN,C;aAC5C,C;UAD4C,OACvC,C;U;aACL,
C;UAF4C,OAEvC,C;MAAM,oBAAW,OAAjB,C;gBAFuC,OAGpC,S;;IAHoC,C;;MAErD5C,IAAI,E+GxBI,OAAO,C
AAP,IAAY,OAAO,C/GwBvB,CAAJ,C;QACI,c+GxBI,aAAJ,GACI,yEADJ,GAGI,8C;Q/GsBJ,MAAM,gCAAyB,O
AAQ,WAAjC,C;;I+GpBd,C;;MAIoB,mB;QAAE,wBAAiB,gCAAjB,C;aAAiC,EAA6B,YAA7B,EAAmC,C,YAAnC,C,
sBAAzC,EAAyD,mBAAzD,C;MAAF,C;IAAA,C;;MAMuB,C;IAAA,C;;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,wC;MAA
AA,wC;MAAA,gD;MAAA,sD;MAAA,4D;MAAA,wB;MAAA,0B;MAAA,uB;MAAA,0B;MAAA,wB;MAAA,qB;MAAA,4B;MAAA,kC;IAkC9B,C;;;;;;;;;+BAjCc,0BAAO,uBAAP,I;cACV,IAAI,kBAAO,CAAX,C;oCACA,iB,iBAAa,uBAAb,C;kCACF,C;gBACD,6C;gBAAV,iB;;;;sCAaa,eAAc,uBAAd,C;gBACH,+C;gBAAV,iBAAW,gB;;;;;;;cAAX,KAAU,2BAAV
,C;gBAAA,gB;;;;cAAU,kC;cACN,mBAAO,WAAI,GAAJ,C;cACP,IAAI,mBAAO,SAAX,C;gBACI,gBAAI,IAAJ,C;gBAAV,iB;gCAAU,iC
AAU,8BAAV,GAAiB,mBAAjB,GAAwB,6BAAxB,GAAiC,iBAAjC,GAAwC,uBAAxC,GAAiD,mBAAjD,GAAwD,CAAxD,C;oBAAV,gB;oBAAU,qC;yBAAA,mB;gBAAA,Q;;;gBADJ,gBAAI,gBAAJ,C;gBAAV,iB;;;;;cAEI,IAAI,mBAAO,qBAAX,C;gBACI,uBAAI,IAAJ,C;gBAAV,iB;;;;;cAEI,IAAI,mBAAO,u

AAA,Q;;;kBAA3C,iB;;;;;gBADJ,iB;;;;;cAbJ,W;;cAaI,iB;;;cAZJ,iB;;;cAgCJ,W;;;;;;;;;;;;;IAAA,C;;MAnCA,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,2B;MAChC,OAAO,cAAuB,0EAAvB,C;IAmCX,C;;MAEiE,uB;MAA7B,kB;MAChC,mBAA6B,C;MAC7B,eAAyB,C;IAFM,C;;MAK3B,+DAAkB,SAAlB,EAA6B,OAA7B,EAAsC,WAAK,KAA3C,C;MACA,mBAAiB,S;MACjB,eAAa,UAAU,SAAV,I;IACjB,C;;MAGI,+DAAkB,KAAlB,EAAyB,YAAzB,C;MAEA,OAAO,wBAAK,mBAAY,KAAZ,IAAqB,C;IACX,C;;MAE+B,mB;IAAA,C;;;MASc,uB;MAArB,wB;M/GrDxB,IAAI,E+GuDQ,iBAAY,C/GvDpB,CAAJ,C;QACI,c+GsDyB,2DAAwD,a;Q/GrDjF,MAAM,gCAAyB,OAAQ,WAAjC,C;;M+GwDW,gBAAqB,gBAAmB,aAAnB,O;MACrB,oBAA8B,C;MAE9B,sBAAyB,C;IAAzB,RAAF,C;;MAAE,0B;MAAA,0B;IAAA,C;;MAAA,0B;IAAA,C;;MAMX,Q;MAFP,+DAAkB,KAAlB,EAAyB,SAAzB,EAAoC,OAAO,sBAAyB,C;MAAzB,eAAyB,OAAO,sBAAyB,C;MAAzB,eAAyB,OAAO,sBAAyB,C;MAAzB,eAAyB

R,EAAqB,SA+EC,CA/ED,CAArB,C;QA+EP,C;MAAA,C;MCvHf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MD6GA,uC;QAUI,oCAAW,gDAAX,C;MAAA,C;KAVJ,C;kFAYA,yB;MAAA,sC;MAAA,oBAQe,yB;QA9Gf,8D;;UA8Ge,uB;YACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;YAClC,Q;YAAA,IAAI,oBAAmB,CAAvB,C;cAAA,OAA0B,e;;cAAqB,eAAsB,gB;cAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDyHA,sC;QAQI,oCAAW,kCAAX,C;MAAA,C;KARJ,C;oFAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDmJA,sC;QAQI,oCAAW,4CAAX,C;MAAA,C;KARJ,C;wGAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDsIA,sC;QAQI,oCAAW,8CAAX,C;MAAA,C;KARJ,C;sGAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDyJA,sC;QAQI,oCAAW,kDAAX,C;MAAA,C;KARJ,C;0GAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDmKA,sC;QAQI,oCAAW,wDAAX,C;MAAA,C;KARJ,C;kHAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDuLA,sC;QAQI,oCAAW,sDAAX,C;MAAA,C;KARJ,C;gHAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDyMA,sC;QAQI,oCAAW,kDAAX,C;MAAA,C;KARJ,C;0GAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MD2NA,sC;QAQI,oCAAW,0CAAX,C;MAAA,C;KARJ,C;wFAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MD6OA,sC;QAQI,oCAAW,gDAAX,C;MAAA,C;KARJ,C;oGAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MD+PA,sC;QAQI,oCAAW,sDAAX,C;MAAA,C;KARJ,C;gHAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiRA,sC;QAQI,oCAAW,kDAAX,C;MAAA,C;KARJ,C;0GAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDmSA,sC;QAQI,oCAAW,wDAAX,C;MAAA,C;KARJ,C;kHAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDuTA,sC;QAQI,oCAAW,4CAAX,C;MAAA,C;KARJ,C;wGAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MD2UA,sC;QAQI,oCAAW,8CAAX,C;MAAA,C;KARJ,C;sGAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDiWA,sC;QAQI,oCAAW,kDAAX,C;MAAA,C;KARJ,C;0GAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDqXA,sC;QAQI,oCAAW,sDAAX,C;MAAA,C;KARJ,C;gHAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDuYA,sC;QAQI,oCAAW,kDAAX,C;MAAA,C;KARJ,C;0GAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDmZA,sC;QAQI,oCAAW,wDAAX,C;MAAA,C;KARJ,C;kHAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDuaA,sC;QAQI,oCAAW,4CAAX,C;MAAA,C;KARJ,C;wGAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDibA,sC;QAQI,oCAAW,8CAAX,C;MAAA,C;KARJ,C;sGAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDmcA,sC;QAQI,oCAAW,kDAAX,C;MAAA,C;KARJ,C;0GAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDqdA,sC;QAQI,oCAAW,wDAAX,C;MAAA,C;KARJ,C;kHAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDyeA,sC;QAQI,oCAAW,4CAAX,C;MAAA,C;KARJ,C;wGAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDmgBA,sC;QAQI,oCAAW,8CAAX,C;MAAA,C;KARJ,C;sGAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDqhBA,sC;QAQI,oCAAW,kDAAX,C;MAAA,C;KARJ,C;0GAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDqiBA,sC;QAQI,oCAAW,wDAAX,C;MAAA,C;KARJ,C;kHAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDujBA,sC;QAQI,oCAAW,4CAAX,C;MAAA,C;KARJ,C;wGAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDmlBA,sC;QAQI,oCAAW,8CAAX,C;MAAA,C;KARJ,C;sGAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDqnBA,sC;QAQI,oCAAW,kDAAX,C;MAAA,C;KARJ,C;0GAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDqoBA,sC;QAQI,oCAAW,wDAAX,C;MAAA,C;KARJ,C;kHAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDuqBA,sC;QAQI,oCAAW,4CAAX,C;MAAA,C;KARJ,C;wGAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDurBA,sC;QAQI,oCAAW,8CAAX,C;MAAA,C;KARJ,C;sGAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDysBA,sC;QAQI,oCAAW,kDAAX,C;MAAA,C;KARJ,C;0GAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MD2tBA,sC;QAQI,oCAAW,wDAAX,C;MAAA,C;KARJ,C;kHAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MD6uBA,sC;QAQI,oCAAW,4CAAX,C;MAAA,C;KARJ,C;wGAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDmwBA,sC;QAQI,oCAAW,8CAAX,C;MAAA,C;KARJ,C;sGAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDqxBA,sC;QAQI,oCAAW,kDAAX,C;MAAA,C;KARJ,C;0GAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDqyBA,sC;QAQI,oCAAW,wDAAX,C;MAAA,C;KARJ,C;kHAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDuzBA,sC;QAQI,oCAAW,4CAAX,C;MAAA,C;KARJ,C;wGAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MD20BA,sC;QAQI,oCAAW,8CAAX,C;MAAA,C;KARJ,C;sGAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MD61BA,sC;QAQI,oCAAW,kDAAX,C;MAAA,C;KARJ,C;0GAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MD+2BA,sC;QAQI,oCAAW,wDAAX,C;MAAA,C;KARJ,C;kHAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDi4BA,sC;QAQI,oCAAW,4CAAX,C;MAAA,C;KARJ,C;wGAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MDq5BA,sC;QAQI,oCAAW,8CAAX,C;MAAA,C;KARJ,C;sGAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;UADO,C;QAAA,C;OAAA,C;MCjIf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MD26BA,sC;QAQI,oCAAW,kDAAX,C;MAAA,C;KARJ,C;0GAaA,yB;;QAQe,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAvG,cAAc,SAAuG8C,CAAvG9C,CAAd,EAA2B,SAAuGoC,CAAvGpC,CAA3B,C;;YAAsH,W;U

W;IAAA,C;;MACxB,Q;IAAA,C;;MACG,8B;IAAA,C;;;;MAV7C,4C;QAAA,2B;;MAAA,qC;IAAA,C;;MAiB+B,gB;MAA4B,sB;IAA7B,C;;MAIlB,Q;MAFJ,UAAU,I;MACV,OAAO,IAAP,C;QACI,YAAA,GAAI,QAAJ,aAAY,GAAZ,W;UAAwB,W;;QACxB,WAAW,GAAI,K;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;;UAEN,OAAO,iBAAK,GAAL,C;;;IAGnB,C;;MAGI,iBAAU,SAAK,cAAK,OAAL,EAAc,SAAd,CAAf,EAAyC,YAAzC,C,C;IAAA,C;;UAKO,I;MAFP,6BAAQ,GAAR,U;QAAoB,OAAO,S;;MAC3B,cAAc,SAAK,kBAAS,GAAT,C;MAEf,gBAAY,SAAZ,C;QAAoB,W;WACpB,gBAAY,mCAAZ,C;QAAqC,mB;;QAC7B,2BAAQ,GAAR,EAAa,YAAb,EAAyB,YAAzB,C;MAHZ,WAAW,IAAK,,C;;MAKhB,OAAI,yCAAJ,GAAgB,6BAAhB,SAAK,cAAL,SAAK,kBAAL,C;;UAAA,C;;MAAA,+BAAQ,GAAR,EAAa,OAAb,gBAAoB,OAAO,C;IAA3B

AArB,C;KAHvC,C;;ICpCA,C;;;IAOA,C;;;IAOA,C;;;IAOA,C;;;IAQA,C;;;IAOA,C;;;IAOA,C;;;IAOA,C;;;MAgCI,uB;QAAA,UAAsB,E;MACtB,qB;QAAA,8B;MACA,2B;QAAA,qE;MACA,yB;QAAA,YAAqB,E;MAJrB,sB;MACA,sB;MACA,kB;MACA,8B;MACA,0B;IALmC,C;;;MAQvC,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,kD;MAAA,C;MAKI,wG;MACA,wG;MACA,8F;IAPJ,C;;;MAKI,qC;MAAA,yD;IAAA,C;;;MACA,qC;MAAA,yD;IAAA,C;;;MACA,qC;MAAA,oD;IAAA,C;;;MAPJ,6K;IAAA,C;;;MAAA,a;aAAA,kB;UAAA,8D;aAAA,kB;UAAA,8D;aAAA,a;UAAA,yD;gBAAA,6E;;IAAA,C;;;IAUA,C;;;;;MCzF4D,oB;QAAA,2C;aAAxD,mG;IAAA,C;;;MAGJ,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,wC;MAAA,C;MAGI,4E;MACA,8E;MACA,4E;MACA,kE;IANJ,C;;;MAGI,2B;MAAA,2C;IAAA,C;;;MACA,2B;MAAA,4C;IAAA,C;;;MACA,2B;MAAA,2C;IAAA,C;;;MACA,2B;MAAA,sC;IAAA,C;;;MANJ,+K;IAAA,C;;;MAAA,a;aAAA,c;UAAA,gD;aAAA,e;UAAA,iD;aAAA,c;UAAA,gD;aAAA,S;UAAA,2C;gBAAA,6E;;IAAA,C;;;IAYoE,C;;;;;;;;;;;;;;;;;;;MCrBpE,yB;IAAA,C;;MAWiE,uB;IAAA,C;2HAE7D,yB;MAAA,+D;MAAA,kC;MAAA,0F;MAAA,6F;;QAUI,wC;QAAS,6C;MAVb,C;MAAA,2G;QAWqF,sBAAS,QAAT,EAAmB,QAAnB,EAA6B,QAA7B,C;MAAA,C;MAXrF,oG;MAAA,yC;QAUI,wDAA+B,B,YAA/B,B,C;MAAA,C;KAVJ,C;uHAcA,yB;MAAA,+D;MAAA,kC;MAAA,wF;MAAA,yF;;QAcI,wC;QAAS,6C;MAdb,C;MAAA,0G;QAeqF,6BAAS,QAAT,EAAmB,QAAnB,EAA6B,QAA7B,C;MAAA,C;MAfrF,oG;MAAA,yC;QAcI,sDAA+B,B,YAA/B,B,C;MAAA,C;KAdJ,C;;;;;;;;;MCrDA,uBAAoB,B,Y;IADmB,C;;MASsD,W;IAAA,C;;IAAL,C;;MAGpF,OAAO,oB;IACX,C;;MAGI,eAAe,IAAK,gB;MACpB,IAAI,CAAC,0BAAa,QAAb,EAAuB,QAAvB,EAAiC,QAAvB,EAAiC,KAAjC,C,CAAuC,C,CAAvC,C;QAAA,C;MAAA,C;MAAA,C;M

C,mBAAvC,I3GKJ,C;;;Y2GTzE,2BAKY,I;;UAyER,iEzHhBD,yByHgBC,4BrHy2C2B,I;;QA7PA,8B;UAA6C,6B;;;MqH3rChF,OAiFK,SrH2mCE,WqH3mCF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;IAzET,C;;MAiByC,gCAAc,EAAd,C;IAAA,C;;MAKT,yB;QAAA,YAAoB,E;MAM3C,Q;MALL,cAAY,gB;MrHijBL,kBAAS,gB;MAyEA,U;MAAA,SqHxnBM,OrHwnBN,W;MAAhB,OAAgB,gBAAhB,C;QAAgB,2B;QAAM,ISzc6B,CAAC,QTychB,OSzcgB,CTyc9B,C;UAAwB,WAAY,WAAI,OAAJ,C;;MqHtnBrD,kBrHunBE,W;MAkgBA,oBAAM,iBAAa,qCAAwB,EAAxB,CAAwB,C;MAqEA,U;MAAA,+B;MAAb,OAAa,gBAAb,C;QAAa,wB;QACT,aAAY,WsHtwCpB,YtHswCkC,IsHtwClC,CtHswCoB,C;;MqHjsChB,sBAAsB,CAAgB,crH+rCE,aqH/rCF,CAAiB,mBAAgB,C;MAED,yBAAS,mBAAS,YAAA,SAAU,OAAV,EAAmB,mBAAnB,KAAmC,zB;MAAnC,wBAAiD,kBAAjD,kBAAkE,SAAlE,C;MAAkE,mC9D,gBAAgB,gBAAnC,CAAmC,OAAnC,CAAmC,C;MrHumCT,oBAAoB,gB;MAuQd,kB;MADb,YAAY,C;MACC,SqHj5CN,OrHi5CM,W;MAAb,OAAa,gBAAb,C;QAAa,0B;QAAM,QA7PsB,U;QAAA,eA6PT,cA7PS,EA6PT,sBA7PS,S;QqH5mC3B,kB,CAAA,qCrH4mCE,qBAAqB,CAAgB,cAAhB,CAAgB,CAAhB,CAAgB,C;MAAhB,qBAAgB,CAAhB,CAAgB,C;MAAhB,qBAAgB,CAAhB,CAAgB,C;MAAhB,qB

ClB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c;MACA,S;MAEA,gBAAgB,qBAAK,CAAL,C;MAChB,IAAI,YAAY,EAAhB,C;QACI,IAAI,WAAU,CAAd,C;UAAiB,OAAO,I;QAExB,QAAQ,C;QAER,IAAI,cAAa,EAAjB,C;UACI,aAAa,I;UACb,gC;;cACG,IAAI,cAAa,EAAjB,C;UACH,aAAa,K;UACb,6B;;;UAEA,OAAO,I;;;QAEX,QAAQ,C;QACR,aAAa,K;QACb,6B;;MAIJ,qBAAqB,8BAAQ,KAAR,E;MACrB,e;MACkB,gBAAS,CAAAT,I;MAAlB,aAAU,KAAV,iB;QACI,YAAY,QAAQ,qBAAK,CAAL,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IAAI,uBAAS,cAAT,KAAJ,C;QAAwB,6CAAU,IAAI,CAAd,C;QAAiB,IAAI,CAAJ,C;QAAO,IAAI,CAAJ,C;QAAO,IAAI,CAAJ,C;QAAO

AP,mB;;;QAER,iBAAO,E;;;MAqC6C,OA9BV,yB;IA8BU,C;;MA5FpD,iBAAiB,C;MACjB,eAAe,mBAAS,CAAT,I;MACf,iBAAiB,K;MAEjB,OAAO,cAAc,QAARB,C;QACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;QAC7C,Y6GzBR,uB7GyB8B,iCAAK,KAAL,E6GzB9B,E;Q7G2BQ,IAAI,CAAC,UAAL,C;UACI,IAAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,CAAZ,I;;;MAgF+B,OA5EpC,8BAAY,UAAZ,EAAwB,WAAW,CAAX,IAAxB,C;IA4EoC,C;yEAE/C,yB;MAAA,8B;MAAA,qC;MAAA,4B;QAI2C,Q;QAAD,OAAuB,KAAtB,2DAAsB,CAAO,W;MA9B,C;KAJ1C,C;;MASoD,oB;;QA1E7B,gC;QAAD,+B;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,C6GtDZ,uB7GsDuB,iCAAK,KAAL,E6GtDvB,E7GsDQ,C;YACI,mBAAO,8BAAY,KAAZ,EAAmB,gBAAnB,C;YAAP,qB;;;QAER,mBAAO,E;;;MAsEyC,uB;IAAA,C;mFAEpD,yB;MAAA,8B;MAAA,+C;MAAA,4B;QAIgD,Q;QAAD,OAAuB,UAAtB,2DAAsB,CAAO,W;MAnBnC,C;KAJ1C,C;;MAUkD,oB;;QAAd,0D;UAAA,C;;MAAA,C;KAAA,C;;MAAA,C;KAAA,C;;MAAA,C;K

SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CAAb,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MAC
H,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,gBAAvB,C;MACH,OAAO,E;IACX,C;yFAEA,yB;MAAA,8B;MA
AA,qD;MAAA,+D;QAOK,Q;QAAD,OAAuB,aAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,
CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,+BAAa,KAAM,MAAnB,EAA0B,KAAM,0B,KAAM,aAAN,GAAqB,CAArB,IA1B
,EAAkD,WAAlD,C;IAAA,C;yFAEJ,yB;MAAA,8B;MAAA,qD;MAAA,gD;QAOK,Q;QAAD,OAAuB,aAAtB,2DA
AsB,EAAa,KAAb,EAAoB,WAAvB,pB,CAAiC,W;MAAxD,C;KAPJ,C;;MAkBI,IAAI,WAAW,UAAf,C;QACI,
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MAEV,IAAI,aAAY,UAAhB,C;QACI,OAAY,mBAAL,S
AAK,EAAY,CAAZ,EAAe,gBAAf,C;MAEhB,SAAS,mBAAc,oBAAvB,gBAAqC,KAAd,EAAqB,KAAd,EAAqB,KAAd,C;MACT,E
AAG,gBAAO,SAAP,EAAa,CAAb,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,gBA
AvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QASK,Q;QAAD,OAAuB,YAAtB
B,2DAAsB,EAAY,UAAZ,EAAwB,QAAxB,C;MAAA,kC;MAAA,W;MAAA,C;MAAA,C;MAAA,C

AAd,EAAyB,UAAW,MAAM,MAA1C,C;YACH,EAAG,gBlE8iBS,SkE9iBF,CAAU,UAAV,CAAP,C;YACH,YA
AY,UAAW,MAAM,aAAjB,GAAgC,CAAhC,I;YACZ,QAAQ,UAAW,O;;UACd,oBAAY,MAAZ,IAAsB,aAAtB,C
;UAET,IAAI,YAAY,MAAhB,C;YACI,EAAG,gBlEwiBG,SkExiBH,EAAc,SAAd,EAAyB,MAAzB,C;;UAGP,wB
AAO,EAAG,W;;;QlEqiBd,4B;MAAA,C;KAPJ,C;;MAeyF,OAAA,KAAM,sBAAa,SAAb,EAAmB,WAAnB,C;IAA
N,C;;MAOnB,OAAA,KAAM,iBAAQ,SAAR,C;IAAN,C;;MAOlE,IAAK,cAAc,CAAf,IAAsB,aAAa,CAAnC,IAA0
C,cAAa,SAAK,OAAL,GAAc,MAAd,IAAb,CAA1C,IAAiF,eAAc,KAAM,OAAN,GAAe,MAAf,IAAd,CAArF,C;Q
ACI,OAAO,K;;MAGX,iBAAc,CAAd,UAAsB,MAAtB,U;QACI,IAAI,CAA0B,SAAzB,qBAAK,aAAa,KAAb,IAA
L,CAAyB,EAAO,iBAAM,cAAc,KAAd,IAAN,CAAP,EAAmC,UAAnC,CAA9B,C;UACI,OAAO,K;;MAEf,OAAO
,I;IACX,C;;MAK+C,0B;QAAA,aAAsB,K;MACjE,OAAA,SAAK,OAAL,GAAc,CAAd,IAA2B,SAAR,qBAAK,CA
AL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAA3B,C;;MAKyC,0B;QAAA,aAAsB,K;MAC/D,OAAA,SAAK,OAAL,
GAAc,CAAd,IAAwB,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAxB,C;;MAKuC,0B;QAAA,
aAAsB,K;MAC7D,OAAA,SAAK,OAAL,GAAc,CAAd,IAAsB,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;
IAAtB,C;;MAKqC,0B;QAAA,aAAsB,K;MAC3D,OAAA,SAAK,OAAL,GAAc,CAAd,IAAoB,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAApB,C;;MAKmC,0B;QAAA,
aAAsB,K;MACzD,OAAA,SAAK,OAAL,GAAc,CAAd,IAAkB,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAlB,C;;MAKiC,0B;QAAA,aAAsB,K;MACvD,OAAA,SAAK,OAAL,GAAc,CAAd,IAAgB,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAhB,C;;MAK+B,0B;QAAA,aAAsB,K;MACrD,OAAA,SAAK,OAAL,GAAc,CAAd,IAAc,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAd,C;;MAK6B,0B;QAAA,aAAsB,K;MACnD,OAAA,SAAK,OAAL,GAAc,CAAd,IAAY,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAZ,C;;MAK2B,0B;QAAA,aAAsB,K;MACjD,OAAA,SAAK,OAAL,GAAc,CAAd,IAAU,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAV,C;;MAKyB,0B;QAAA,aAAsB,K;MAC/C,OAAA,SAAK,OAAL,GAAc,CAAd,IAAQ,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAR,C;;MAKuB,0B;QAAA,aAAsB,K;MAC7C,OAAA,SAAK,OAAL,GAAc,CAAd,IAAM,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAN,C;;MAKqB,0B;QAAA,aAAsB,K;MAC3C,OAAA,SAAK,OAAL,GAAc,CAAd,IAAI,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAJ,C;;MAKmB,0B;QAAA,aAAsB,K;MACzC,OAAA,SAAK,OAAL,GAAc,CAAd,IAAE,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAF,C;;MAKiB,0B;QAAA,aAAsB,K;MACvC,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKe,0B;QAAA,aAAsB,K;MACrC,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKa,0B;QAAA,aAAsB,K;MACnC,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKW,0B;QAAA,aAAsB,K;MACjC,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKS,0B;QAAA,aAAsB,K;MAC/B,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKO,0B;QAAA,aAAsB,K;MAC7B,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKK,0B;QAAA,aAAsB,K;MAC3B,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKG,0B;QAAA,aAAsB,K;MACzB,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKC,0B;QAAA,aAAsB,K;MACvB,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKD,0B;QAAA,aAAsB,K;MACrB,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKA,0B;QAAA,aAAsB,K;MACnB,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKF,0B;QAAA,aAAsB,K;MACjB,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKJ,0B;QAAA,aAAsB,K;MACf,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKN,0B;QAAA,aAAsB,K;MACb,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKR,0B;QAAA,aAAsB,K;MACX,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKV,0B;QAAA,aAAsB,K;MACT,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKZ,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKd,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKhB,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKlB,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKpB,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKtB,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKxB,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK1B,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK5B,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK9B,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKhC,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKlC,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKpC,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKtC,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKxC,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK1C,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK5C,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK9C,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKhD,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKlD,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKpD,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKtD,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKxD,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK1D,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK5D,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK9D,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKhE,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKlE,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKpE,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKtE,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKxE,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK1E,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK5E,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK9E,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKhF,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKlF,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKpF,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKtF,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKxF,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK1F,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK5F,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK9F,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKhG,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKlG,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKpG,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKtG,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKxG,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK1G,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK5G,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK9G,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKhH,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKlH,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKpH,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKtH,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKxH,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK1H,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK5H,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK9H,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKhI,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKlI,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKpI,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKtI,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKxI,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK1I,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK5I,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK9I,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKhJ,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKlJ,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKpJ,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKtJ,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKxJ,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK1J,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK5J,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK9J,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKhK,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKlK,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKpK,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKtK,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKxK,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK1K,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK5K,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK9K,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKhL,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKlL,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKpL,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKtL,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKxL,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK1L,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK5L,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK9L,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKhM,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKlM,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKpM,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKtM,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKxM,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK1M,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK5M,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK9M,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKhN,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKlN,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKpN,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKtN,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKxN,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK1N,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK5N,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK9N,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKhO,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKlO,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKpO,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKtO,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAKxO,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GAAc,CAAd,IAAA,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAAA,C;;MAK1O,0B;QAAA,aAAsB,K;MAAA,OAAA,SAAK,OAAL,GA

Y,MAAZ,EAAoB,UAApB,C;QACxD,OAAW,QAAQ,CAAZ,GAAe,IAAf,GAAyB,UAAS,MAAT,C;;MAGpC,cA
AkB,CAAC,IAAL,GAAW,aAAW,gBAAX,UAAW,EAAc,CAAd,CAAX,EAA6B,gBAA7B,CAAX,GAAoD,SAA
W,eAAX,UAAW,EAAa,0BAAb,CAAX,EAA0C,CAA1C,C;MAElE,IAAI,6BAAJ,C;QACkB,yB;QAAd,OAAc,cA
Ad,C;UAAc,yB;UACmB,sB;;YTnoBrB,U;YAAA,SSmoBa,OTnoBb,W;YAAhB,OAAgB,gBAAhB,C;cAAgB,2B;c
AAM,ISmoBgC,cTnoBlB,OSmoBkB,EAAc,CAAd,sBTnoBlB,OSmoBmD,OAAjC,aTnoBhC,C;gBAAwB,qBAAO,
O;gBAAP,uB;;;YAC9C,qBAAO,I;;;USkoBC,uC;UACA,IAAI,sBAAJ,C;YACI,OAAO,YAAS,cAAT,C;;;;QAGD,2
B;QAAd,OAAc,gBAAd,C;UAAc,2B;UACmB,wB;;YTzoBrB,U;YAAA,SSyoBa,OTzoBb,W;YAAhB,OAAgB,gB
AAhB,C;cAAgB,6B;cAAM,ISyoBgC,kBTzoBlB,SSyoBkB,EAAkB,CAAlB,sBTzoBlB,SSyoBuD,OAArC,aTzoBh
C,C;gBAAwB,uBAAO,S;gBAAP,uB;;;YAC9C,uBAAO,I;;;USwoBC,2C;UACA,IAAI,wBAAJ,C;YACI,OAAO,Y
AAS,gBAAT,C;;;MAInB,OAAO,I;IACX,C;;MAc+D,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACtG,4
BAAU,OAAV,EAAmB,UAAnB,EAA+B,UAA/B,EAAkD,KAAlD,C;IAAA,C;;MAc+D,0B;QAAA,aAAkB,0B;M
AAW,0B;QAAA,aAAsB,K;MAClH,4BAAU,OAAV,EAAmB,UAAnB,EAA+B,UAA/B,EAAkD,IAAlD,C;IAAA,
C;;MAa4D,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACvG,gB;MAAA,8CAAU,OAAV,EAAmB,UA
AnB,EAA+B,UAA/B,EAAkD,KAAlD,mDAAmE,E;IAAnE,C;;MAcgE,0B;QAAA,aAAkB,0B;MAAW,0B;QAAA,
aAAsB,K;MACnH,gB;MAAA,8CAAU,OAAV,EAAmB,UAAnB,EAA+B,UAA/B,EAAkD,IAAlD,mDAAkE,E;IA
AlE,C;;MAWwC,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GAAC,I,sBA
AW,mBAAY,IAAZ,CAAX,EAA8B,UAA9B,EAA0C,UAA1C,CADJ,GCx5B4F,kBqExBE,oBtEm7B5E,IsEn7B4E,
CrEwBF,ED25BpE,UC35BoE,C;ID45BhG,C;;MASgD,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACv
F,OAAW,cAAc,gCAAzB,GAAC,I,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,UAA5B,EAAgD,UAAhD,C,UAApC,CADJ,GCt6
B4F,kBDy6B1E,MCz6B0E,EDy6BlE,UCz6BkE,C;ID06BhG,C;;MAUgD,0B;QAAA,aAAkB,0B;MAAW,0B;QAA
A,aAAsB,K;MAC/F,OAAW,cAAc,gCAAzB,GAAC,I,0BAAe,mBAAY,IAAZ,CAAf,EAAkC,UAAlC,C,UAA8C,EAA8C,UAA9
C,CADJ,GCl7BgG,sBqExBM,oBtE68BhF,IsE78BgF,CrEwBN,EDq7BpE,UCr7BoE,C;IDs7BpG,C;;MAUoD,0B;Q
AAA,aAAkB,0B;MAAW,0B;QAAA,aAAsB,K;MACnG,OAAW,cAAc,gCAAzB,GAAC,I,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,UAA5B,EAAgD,UAAhD,C,UAApC,CADJ,GCj8
BkE,C;IDq8BpG,C;;MAQ+D,0B;QAAA,aAAsB,K;MACjF,OAAI,yBAAY,IAAZ,GAAC,I,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,UAA5B,EAAgD,UAAhD,C,UAAwE,EAAwE,UAAxE
,KAA2C,CAD/C,GAAI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,UAA5B,EAAgD,IAAhD,C,UAAwE,EAAwE,UAAxE

3C,EAA+D,KAA/D,CAAsE,EAAI,iCAAJ,C;IAAtE,C;;MAaqD,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MAC/F,IAAI,UAAW,OAAX,KAAmB,CAAvB,C;QACI,gBAAgB,WAAW,CAAX,C;QAChB,IAAI,EAAC,SA16BuC,YAAU,CA06BlD,CAAJ,C;UACI,OAAO,mBAAM,SAAN,EAAiB,UAAjB,EAA6B,KAA7B,C;;;MAI2E,kBAAb,cAAAtE,+BAAkB,KAAlB,CAAwB,UAAlB,UAA2B,UAA3C,EAA+C,KAA/C,D,KAA/D,CAAsE,C;MT6CtE,kBAAM,iBAAa,qCAAwB,EAAxB,CAA2B,CAAb,C;MAqEA,Q;MAAA,6B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAnB,GAAmB,uBTmHlE,ISnHkE,CTmHhF,C;;MSnHhB,OToHO,W;ISnHX,C;;MAU8E,qB;QAAE,yCAAU,EAAV,C;MAAF,C;IAAA,C;;MADb,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MACvG,OAAsE,OAAtE,6BAAkB,UAAlB,UAA2B,UAA3C,EAA+C,KAA/C,D,KAAA,CAAsE,EAAI,mCAAJ,C;IAAtE,C;;MASsD,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MAAb,OAAa,cAAb,C;QAAa,sB;QAAA,WAAY,WAAnB,GAAmB,uBAAT,IAAS,CAAT,C;;MAAT,OAAS,cAAT,C;QAAS

AEvC,eAIoC,kBAAc,CAAd,EAAiB,CAAjB,EAAoB,EAApB,C;IAXxC,C;;;;MAAA,8C;QAAA,6B;;MAAA,uC;IAAA,C;;;MA9CA,uD;MAG6C,0BAAK,KAAL,EAAY,KAAZ,EAAmB,CAAnB,C;MAH7C,Y;IAAA,C;4FCKA,yB;MAAA,2D;MAAA,4B;QAAQ,MAAM,6BAAoB,6BAApB,C;MAAN,C;KAAR,C;;;;;MCYuC,+BAAoB,KAApB,C;;IAAA,C;;MASiD,sB;IAAA,C;;MAE5F,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,8C;MAAA,C;MAKI,wF;MAKA,sF;MAMA,wE;IAhBJ,C;;;MAKI,iC;MAAA,iD;IAAA,C;;;MAKA,iC;MAAA,gD;IAAA,C;;;MAMA,iC;MAAA,yC;IAAA,C;;;MAhBJ,iJ;IAAA,C;;;MAAA,a;aAAA,c;UAAA,sD;aAAA,a;UAAA,qD;aAAA,M;UAAA,8C;gBAAA,gE;;IAAA,C;;;MAyBA,mC;IAAA,C;;;;MAAA,0C;QAAA,yB;;MAAA,mC;IAAA,C;;MAII,qBAAsC,W;MACtC,gBAA2B,iC;IAFK,C;;MAWjB,Q;MALP,IAAI,kBAAW,iCAAf,C;QACI,gBAAS,mC;QACT,qBAAc,I;;MAGlB,OAAO,gF;IACX,C;;MAEoC,yBAAW,iC;IAAX,C;;MAEN,OAAI,oBAAJ,GAAA2B,SAAN,UAAAA,CAAM,CAAA,iBAAA,C;IAAA,C;;MAEA,+BAAoB,UAApB,C;IAAA,C;;MAGI,4B;IAAA,C;;MAAA,2B;IAAA,C;;MAEE,W;IAAA,C;;MAEN,OAAM,SAAN,UAAM,C;QAAN,0BAAM,qBAAN,C;;MAAM,C;;0EnItFtC,yB;MAAa,kF;MAAb,wB;QAAuB,IAAI,CAAJ,IAAI,KAAJ,aAAI,CAAA,iBAAA,C;MAAJ,C;KAAvB,C;UCI,cAAa,qB;UAAb,wB;QAAuB,MAAM,8BAAN,WAAM,CAAA,iBAAA,C;MAAN,C;KAAvB,C;;MAAA,2B;IAAA,C;;MAAA,kC;IAAA,C;;MAAA,kC;IAAA,C;;MAAA,kC

;;;

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/extensions/compactnotation/CompactConstructor.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/util/ArrayStack.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/LoaderOptions.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/error/MissingEnvironmentVariableException.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/extensions/compactnotation/CompactData.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/reader/ReaderException.java
*
 /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/CommentToken.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/comments/CommentLine.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/introspector/Property.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/CommentEvent.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/StreamEndToken.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/resolver/Resolver.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/serializer/Serializer.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/ScalarToken.java
*
 /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/introspector/BeanAccess.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/constructor/CustomClassLoaderConstructor.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/constructor/AbstractConstruct.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/util/ArrayUtils.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/scanner/ScannerImpl.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/DumperOptions.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/resolver/ResolverTuple.java
*
 /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/FlowEntryToken.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-

jar/org/yaml/snakeyaml/tokens/FlowMappingEndToken.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/reader/UnicodeReader.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/AliasEvent.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/composer/Composer.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/constructor/DuplicateKeyException.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/DocumentStartEvent.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/ImplicitTuple.java
*
 /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/KeyToken.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/StreamEndEvent.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/MappingStartEvent.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/nodes/ScalarNode.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/scanner/ScannerException.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/representer/Represent.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/serializer/SerializerException.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/DocumentEndEvent.java
*
 /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/error/Mark.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/DocumentEndToken.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/FlowSequenceStartToken.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/constructor/Constructor.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/extensions/compactnotation/PackageCompactConstructor.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/AnchorToken.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/Event.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/DirectiveToken.java
*

/opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/BlockEntryToken.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/Yaml.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/nodes/CollectionNode.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/error/YAMLException.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/nodes/MappingNode.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/constructor/BaseConstructor.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/Token.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/TypeDescription.java
*
/opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/representer/SafeRepresenter.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/emitter/EmitterException.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/BlockEndToken.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/parser/Parser.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/scanner/Scanner.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/StreamStartEvent.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/SequenceEndEvent.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/BlockMappingStartToken.java
*
/opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/parser/ParserImpl.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/CollectionEndEvent.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/NodeEvent.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/ValueToken.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/constructor/SafeConstructor.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/comments/CommentType.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/nodes/Node.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/ScalarEvent.java
*
 /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/serializer/NumberAnchorGenerator.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/nodes/Tag.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/scanner/Constant.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/constructor/Construct.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/parser/VersionTagsTuple.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/parser/ParserException.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/TagTuple.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/emitter/Emitable.java
*
 /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/emitter/Emitter.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/FlowSequenceEndToken.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/introspector/MethodProperty.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/constructor/ConstructorException.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/reader/StreamReader.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/emitter/ScalarAnalysis.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/comments/CommentEventsCollector.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/AliasToken.java
*
 /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/BlockSequenceStartToken.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/SequenceStartEvent.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/serializer/AnchorGenerator.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/util/PlatformFeatureDetector.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/nodes/SequenceNode.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-

jar/org/yaml/snakeyaml/nodes/NodeId.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/representer/BaseRepresenter.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/DocumentStartToken.java
*
/opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/introspector/PropertyUtils.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/introspector/MissingProperty.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/StreamStartToken.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/introspector/GenericProperty.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/util/UriEncoder.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/FlowMappingStartToken.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/util/EnumUtils.java
*
/opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/CollectionStartEvent.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/representer/Representer.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/composer/ComposerException.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/nodes/AnchorNode.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/emitter/EmitterState.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/nodes/NodeTuple.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/env/EnvScalarConstructor.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/scanner/SimpleKey.java
*
/opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/error/MarkedYAMLException.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2008 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/UnicodeEscaper.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/PercentEscaper.java
*
 /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/Escaper.java
No license file was found, but licenses were detected in source scan.

// This module is multi-licensed and may be used under the terms
// EPL, Eclipse Public License, V1.0 or later, http://www.eclipse.org/legal
// LGPL, GNU Lesser General Public License, V2.1 or later, http://www.gnu.org/licenses/lgpl.html
// GPL, GNU General Public License, V2 or later, http://www.gnu.org/licenses/gpl.html
// AL, Apache License, V2.0 or later, http://www.apache.org/licenses
// BSD, BSD License, http://www.opensource.org/licenses/bsd-license.php
/**
* A Base64 encoder/decoder.
*
* <p>
* This class is used to encode and decode data in Base64 format as described in RFC 1521.
*
* <p>
* Project home page: www.
* source-code.biz/base64coder/java
* Author: Christian d'Heureuse, Inventec Informatik AG, Zurich, Switzerland
* Multi-licensed: EPL / LGPL / GPL / AL / BSD.
*/

Found in path(s):
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/external/biz/base64Coder/Base64Coder.java
No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>
<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/META-

INF/maven/org.yaml/snakeyaml/pom.xml

1.568 io-grpc-grpc-okhttp 1.46.0

1.568.1 Available under license :

Envoy
Copyright The Envoy Project Authors

Licensed under Apache License 2.0. See LICENSE for terms.
/*
* Copyright 2015 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner].

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

protoc-gen-validate

Copyright 2019 Envoy Project Authors

Licensed under Apache License 2.0. See LICENSE for terms.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

zero-allocation-hashing
Copyright 2015 Higher Frequency Trading http://www.higherfrequencytrading.com

Licensed under Apache License 2.0. See LICENSE for terms.
Copyright 2014 The gRPC Authors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

This product contains a modified portion of 'OkHttp', an open source
HTTP & SPDY client for Android and Java applications, which can be obtained
at:

 * LICENSE:
   * okhttp/third_party/okhttp/LICENSE (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/square/okhttp
 * LOCATION_IN_GRPC:
   * okhttp/third_party/okhttp

This product contains a modified portion
 of 'Envoy', an open source
cloud-native high-performance edge/middle/service proxy, which can be
obtained at:

 * LICENSE:
   * xds/third_party/envoy/LICENSE (Apache License 2.0)
 * NOTICE:
   * xds/third_party/envoy/NOTICE
 * HOMEPAGE:
   * https://www.envoyproxy.io
 * LOCATION_IN_GRPC:
   * xds/third_party/envoy

This product contains a modified portion of 'protoc-gen-validate (PGV)',
an open source protoc plugin to generate polyglot message validators,
which can be obtained at:

 * LICENSE:
   * xds/third_party/protoc-gen-validate/LICENSE (Apache License 2.0)
 * NOTICE:
     * xds/third_party/protoc-gen-validate/NOTICE
 * HOMEPAGE:
   * https://github.com/envoyproxy/protoc-gen-validate
 * LOCATION_IN_GRPC:
   * xds/third_party/protoc-gen-validate

This product contains a modified portion of 'udpa',

an open source universal data plane API, which can be obtained at:

 * LICENSE:
   * xds/third_party/udpa/LICENSE (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/cncf/udpa
 * LOCATION_IN_GRPC:
   * xds/third_party/udpa

1.569 io-grpc-grpc-context 1.46.0

1.569.1 Available under license :

Envoy
Copyright The Envoy Project Authors

Licensed under Apache License 2.0. See LICENSE for terms.
/*
* Copyright 2015 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner].

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.
protoc-gen-validate
Copyright 2019 Envoy Project Authors

Licensed under Apache License 2.0. See LICENSE for terms.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

zero-allocation-hashing

Copyright 2015 Higher Frequency Trading http://www.higherfrequencytrading.com

Licensed under Apache License 2.0. See LICENSE for terms.

Copyright 2014 The gRPC Authors

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

This product contains a modified portion of 'OkHttp', an open source
HTTP & SPDY client for Android and Java applications, which can be obtained
at:

 * LICENSE:
   * okhttp/third_party/okhttp/LICENSE (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/square/okhttp
 * LOCATION_IN_GRPC:
   * okhttp/third_party/okhttp

This product contains a modified portion
 of 'Envoy', an open source
cloud-native high-performance edge/middle/service proxy, which can be
obtained at:

 * LICENSE:
   * xds/third_party/envoy/LICENSE (Apache License 2.0)
 * NOTICE:
   * xds/third_party/envoy/NOTICE
 * HOMEPAGE:
   * https://www.envoyproxy.io
 * LOCATION_IN_GRPC:
   * xds/third_party/envoy

This product contains a modified portion of 'protoc-gen-validate (PGV)',
an open source protoc plugin to generate polyglot message validators,
which can be obtained at:

 * LICENSE:
   * xds/third_party/protoc-gen-validate/LICENSE (Apache License 2.0)
 * NOTICE:
     * xds/third_party/protoc-gen-validate/NOTICE
 * HOMEPAGE:
   * https://github.com/envoyproxy/protoc-gen-validate

* LOCATION_IN_GRPC:
  * xds/third_party/protoc-gen-validate

This product contains a modified portion of 'udpa',
an open source universal data plane API, which can be obtained at:

* LICENSE:
  * xds/third_party/udpa/LICENSE (Apache License 2.0)
* HOMEPAGE:
  * https://github.com/cncf/udpa
* LOCATION_IN_GRPC:
  * xds/third_party/udpa

1.570 io-grpc-grpc-core 1.46.0

1.570.1 Available under license :

Envoy
Copyright The Envoy Project Authors

Licensed under Apache License 2.0. See LICENSE for terms.
/*
* Copyright 2015 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner].

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

protoc-gen-validate

Copyright 2019 Envoy Project Authors

Licensed under Apache License 2.0. See LICENSE for terms.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
zero-allocation-hashing
Copyright 2015 Higher Frequency Trading http://www.higherfrequencytrading.com

Licensed under Apache License 2.0. See LICENSE for terms.
Copyright 2014 The gRPC Authors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

This product contains a modified portion of 'OkHttp', an open source
HTTP & SPDY client for Android and Java applications, which can be obtained
at:

 * LICENSE:
   * okhttp/third_party/okhttp/LICENSE (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/square/okhttp
 * LOCATION_IN_GRPC:
   * okhttp/third_party/okhttp

This product contains a modified portion
 of 'Envoy', an open source
cloud-native high-performance edge/middle/service proxy, which can be
obtained at:

 * LICENSE:
   * xds/third_party/envoy/LICENSE (Apache License 2.0)
 * NOTICE:
   * xds/third_party/envoy/NOTICE
 * HOMEPAGE:
   * https://www.envoyproxy.io
 * LOCATION_IN_GRPC:
   * xds/third_party/envoy

This product contains a modified portion of 'protoc-gen-validate (PGV)',
an open source protoc plugin to generate polyglot message validators,
which can be obtained at:

 * LICENSE:

* xds/third_party/protoc-gen-validate/LICENSE (Apache License 2.0)
* NOTICE:
* xds/third_party/protoc-gen-validate/NOTICE
* HOMEPAGE:
* https://github.com/envoyproxy/protoc-gen-validate
* LOCATION_IN_GRPC:
* xds/third_party/protoc-gen-validate

This product contains a modified portion of 'udpa',
an open source universal data plane API, which can be obtained at:

* LICENSE:
* xds/third_party/udpa/LICENSE (Apache License 2.0)
* HOMEPAGE:
* https://github.com/cncf/udpa
* LOCATION_IN_GRPC:
* xds/third_party/udpa

1.571 io-grpc-grpc-api 1.46.0

1.571.1 Available under license :

Envoy
Copyright The Envoy Project Authors

Licensed under Apache License 2.0. See LICENSE for terms.

```
/*
* Copyright 2015 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner].

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

protoc-gen-validate

Copyright 2019 Envoy Project Authors

Licensed under Apache License 2.0. See LICENSE for terms.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this
License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.
zero-allocation-hashing
Copyright 2015 Higher Frequency Trading http://www.higherfrequencytrading.com

Licensed under Apache License 2.0. See LICENSE for terms.
Copyright 2014 The gRPC Authors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

This product contains a modified portion of 'OkHttp', an open source
HTTP & SPDY client for Android and Java applications, which can be obtained
at:

* LICENSE:
  * okhttp/third_party/okhttp/LICENSE (Apache License 2.0)
* HOMEPAGE:
  * https://github.com/square/okhttp
* LOCATION_IN_GRPC:
  * okhttp/third_party/okhttp

This product contains a modified portion
of 'Envoy', an open source
cloud-native high-performance edge/middle/service proxy, which can be
obtained at:

* LICENSE:
  * xds/third_party/envoy/LICENSE (Apache License 2.0)
* NOTICE:
  * xds/third_party/envoy/NOTICE
* HOMEPAGE:
  * https://www.envoyproxy.io
* LOCATION_IN_GRPC:
  * xds/third_party/envoy

This product contains a modified portion of 'protoc-gen-validate (PGV)',

an open source protoc plugin to generate polyglot message validators,
which can be obtained at:

 * LICENSE:
   * xds/third_party/protoc-gen-validate/LICENSE (Apache License 2.0)
 * NOTICE:
     * xds/third_party/protoc-gen-validate/NOTICE
 * HOMEPAGE:
   * https://github.com/envoyproxy/protoc-gen-validate
 * LOCATION_IN_GRPC:
   * xds/third_party/protoc-gen-validate

This product contains a modified portion of 'udpa',
an open source universal data plane API, which can be obtained at:

 * LICENSE:
   * xds/third_party/udpa/LICENSE (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/cncf/udpa
  * LOCATION_IN_GRPC:
   * xds/third_party/udpa

1.572 apache-log4j-slf4j-binding 2.11.0

1.572.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Akshay Raj Gollahalli

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT
 OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.573 jta 1.2

1.573.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.
Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under
intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software
with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the
combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available
in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices
contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients. rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You
offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms

which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms

herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the

Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for
compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California
and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,
we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer
you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any
program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute
verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute
the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear

what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits
your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program

is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular
source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but
you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.574 protobuf-java 2.6.0

1.574.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright 2008 Google Inc. All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
//   * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
//   * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
//   * Neither the name of Google Inc. nor the names of its
// this software without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/MessageLite.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/BlockingRpcChannel.java
*

/opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/CodedOutputStream.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/BlockingService.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/RepeatedFieldBuilder.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/CodedInputStream.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/GeneratedMessage.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/WireFormat.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/LazyStringArrayList.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/AbstractMessageLite.java
*
/opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/RpcChannel.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/MessageOrBuilder.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/UnknownFieldSet.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/Descriptors.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/ExtensionRegistryLite.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/ServiceException.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/LiteralByteString.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/LazyField.java
*
/opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/ByteString.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/MessageLiteOrBuilder.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/Message.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/LazyFieldLite.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/FieldSet.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/InvalidProtocolBufferException.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/SmallSortedMap.java

* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/Parser.java
*
 /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/ProtocolStringList.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/LazyStringList.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/MessageReflection.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/UninitializedMessageException.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/AbstractMessage.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/GeneratedMessageLite.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/RopeByteString.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/Utf8.java
*
 /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/RpcCallback.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/RpcController.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/ExtensionRegistry.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/UnmodifiableLazyStringList.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/BoundedByteString.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/SingleFieldBuilder.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/Internal.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/Extension.java
*
 /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/AbstractParser.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/Service.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/DynamicMessage.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/RpcUtil.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-jar/com/google/protobuf/TextFormat.java
* /opt/cola/permits/1474112846_1668527013.1878967/0/protobuf-java-2-6-0-sources-2-

jar/com/google/protobuf/ProtocolMessageEnum.java

1.575 commons-jexl 2.1.1

1.575.1 Available under license :

Apache Commons JEXL
Copyright 2001-2011 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.576 protobuf-java 3.12.0

1.576.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright 2008 Google Inc. All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
// * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
// * Neither the name of Google Inc. nor the names of its
// this software without specific prior written permission.

Found in path(s):

* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/ExtensionLite.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/StructuralMessageInfo.java
*
 /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/TextFormatEscaper.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/ExperimentalApi.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/GeneratedMessageV3.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/RpcController.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/AllocatedBuffer.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/MessageInfoFactory.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/AbstractMessageLite.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/MutabilityOracle.java
*
 /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/MapFieldSchemaLite.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/BufferAllocator.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/Android.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/UnsafeByteOperations.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/Utf8.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/Internal.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/RpcUtil.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/ServiceException.java
*
 /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/PrimitiveNonBoxingCollection.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/SingleFieldBuilderV3.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/Schema.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/RopeByteString.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-

jar/google/protobuf/timestamp.proto
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/Writer.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/FieldInfo.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/FieldSet.java
*
/opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/ByteOutput.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/CodedOutputStream.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/MessageLite.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/UnknownFieldSetLiteSchema.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/ExtensionSchemaFull.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/MessageLiteOrBuilder.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/LazyStringList.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/Protobuf.java
*
/opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/ExtensionSchema.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/ProtoSyntax.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/SchemaFactory.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/SchemaUtil.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/OneofInfo.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/BlockingService.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/ProtobufLists.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/google/protobuf/empty.proto
*
/opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/CodedInputStream.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/SingleFieldBuilder.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/AbstractProtobufList.java

* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/GeneratedMessage.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/LazyStringArrayList.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/BinaryWriter.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/RepeatedFieldBuilderV3.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/google/protobuf/compiler/plugin.proto
*
 /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/BinaryReader.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/SmallSortedMap.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/GeneratedMessageInfoFactory.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/MessageReflection.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/RawMessageInfo.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/MapField.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/NewInstanceSchemaFull.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/MessageSchema.java
*
 /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/ArrayDecoders.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/ProtocolMessageEnum.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/MessageLiteToString.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/UnknownFieldSetLite.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/google/protobuf/source_context.proto
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/IntArrayList.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/NioByteString.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/LazyFieldLite.java
*
 /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/WireFormat.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-

jar/com/google/protobuf/MapFieldSchemas.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/AbstractMessage.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/ExtensionSchemaLite.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/RpcCallback.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/ManifestSchemaFactory.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/UnknownFieldSchema.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/UnmodifiableLazyStringList.java
*
 /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/ProtocolStringList.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/ExtensionRegistry.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/GeneratedMessageLite.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/BooleanArrayList.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/CodedInputStreamReader.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/MapFieldSchema.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/MessageOrBuilder.java
*
 /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/MapFieldSchemaFull.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/ExtensionSchemas.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/ProtobufArrayList.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/UnknownFieldSet.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/google/protobuf/any.proto
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/google/protobuf/struct.proto
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/Parser.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/InvalidProtocolBufferException.java
*
 /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/MessageInfo.java

* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/ByteString.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/FieldType.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/JavaType.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/google/protobuf/field_mask.proto
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/BlockingRpcChannel.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/CodedOutputStreamWriter.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/FloatArrayList.java
*
 /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/MapEntry.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/NewInstanceSchemas.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/google/protobuf/duration.proto
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/google/protobuf/descriptor.proto
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/MessageSetSchema.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/NewInstanceSchemaLite.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/UnsafeUtil.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/DoubleArrayList.java
*
 /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/TextFormatParseLocation.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/NewInstanceSchema.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/DescriptorMessageInfoFactory.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/ByteBufferWriter.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/MapFieldLite.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/Descriptors.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/Reader.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/TextFormatParseInfoTree.java

*
 /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/google/protobuf/type.proto
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/DiscardUnknownFieldsParser.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/ExtensionRegistryLite.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/UninitializedMessageException.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/MapEntryLite.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/google/protobuf/wrappers.proto
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/DynamicMessage.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/LongArrayList.java
*
 /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/IterableByteBufferInputStream.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/google/protobuf/api.proto
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/RepeatedFieldBuilder.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/Service.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/RpcChannel.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/Message.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/AbstractParser.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/TypeRegistry.java
*
 /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/ListFieldSchema.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/ExtensionRegistryFactory.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/UnknownFieldSetSchema.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/LazyField.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/Extension.java
* /opt/cola/permits/1474112833_1668527010.424092/0/protobuf-java-3-12-0-sources-2-jar/com/google/protobuf/TextFormat.java

1.577 mockito v3.5.15

1.577.1 Available under license :

The MIT License

Copyright (c) 2007 Mockito contributors

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.578 mariadb-java-client 2.7.2

1.578.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* MariaDB Client for Java
*
* Copyright (c) 2012-2014 Monty Program Ab.
* Copyright (c) 2015-2020 MariaDB Corporation Ab.
*
* This library is free software; you can redistribute it and/or modify it under
* the terms of the GNU Lesser General Public License as published by the Free
* Software Foundation; either version 2.1 of the License, or (at your option)
* any later version.
*
* This library is distributed in the hope that it will be useful, but
* WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
* FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License

* for more details.
*
* You should have received a copy of the GNU Lesser General Public License along
* with this library; if not, write to Monty Program Ab info@montyprogram.com.
*
*/

Found in path(s):
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/credential/aws/AwsCredentialGenerator.java
*
 /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/credential/CredentialPluginLoader.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/credential/aws/AwsIamCredentialPlugin.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/credential/CredentialPlugin.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/credential/env/EnvCredentialPlugin.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/credential/Credential.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/credential/system/PropertiesCredentialPlugin.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012-2020 MariaDB Corporation Ab
*
* This library is free software; you can redistribute it and/or modify it under the terms of the
* GNU Lesser General Public License as published by the Free Software Foundation; either version
* 2.1 of the License, or (at your option) any later version.
*
* This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY;
* without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
* GNU Lesser General Public License for more details.
*
* You should have received a copy of the GNU Lesser General Public License along with this
* library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor,
* Boston, MA 02110-1301 USA
*/

Found in path(s):
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/DeRegister.java
*
 /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/OptionUtils.java

No license file was found, but licenses were detected in source scan.

MariaDB Client for Java
#
Copyright (c) 2012-2014 Monty Program Ab.
Copyright (c) 2015-2020 MariaDB Corporation Ab.
#
This library is free software; you can redistribute it and/or modify it under
the terms of the GNU Lesser General Public License as published by the Free
Software Foundation; either version 2.1 of the License, or (at your option)
any later version.
#
This library is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License
for more details.
#
You should have received a copy of the GNU Lesser General Public License along
with this library; if not, write to Monty Program Ab info@montyprogram.com.

org.mariadb.jdbc.internal.com.send.authentication.ClearPasswordPlugin
org.mariadb.jdbc.internal.com.send.authentication.SendGssApiAuthPacket
org.mariadb.jdbc.internal.com.send.authentication.Ed25519PasswordPlugin
org.mariadb.jdbc.internal.com.send.authentication.NativePasswordPlugin
org.mariadb.jdbc.internal.com.send.authentication.OldPasswordPlugin
org.mariadb.jdbc.internal.com.send.authentication.SendPamAuthPacket
org.mariadb.jdbc.internal.com.send.authentication.Sha256PasswordPlugin
org.mariadb.jdbc.internal.com.send.authentication.CachingSha2PasswordPlugin

Found
 in path(s):
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/META-INF/services/org.mariadb.jdbc.authentication.AuthenticationPlugin
No license file was found, but licenses were detected in source scan.

MariaDB Client for Java
#
Copyright (c) 2012-2014 Monty Program Ab.
Copyright (c) 2015-2020 MariaDB Corporation Ab.
#
This library is free software; you can redistribute it and/or modify it under
the terms of the GNU Lesser General Public License as published by the Free
Software Foundation; either version 2.1 of the License, or (at your option)
any later version.
#
This library is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License

for more details.
#
You should have received a copy of the GNU Lesser General Public License along
with this library; if not, write to Monty Program Ab info@montyprogram.com.

org.mariadb.jdbc.internal.protocol.tls.DefaultTlsSocketPlugin

Found in path(s):
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/META-INF/services/org.mariadb.jdbc.tls.TlsSocketPlugin
No license file was found, but licenses were detected in source scan.

MariaDB Client for Java
#
Copyright (c) 2012-2014 Monty Program Ab.
Copyright (c) 2015-2020 MariaDB Corporation Ab.
#
This library is free software; you can redistribute it and/or modify it under
the terms of the GNU Lesser General Public License as published by the Free
Software Foundation; either version 2.1 of the License, or (at your option)
any later version.
#
This library is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License
for more details.
#
You should have received a copy of the GNU Lesser General Public License along
with this library; if not, write to Monty Program Ab info@montyprogram.com.

org.mariadb.jdbc.credential.aws.AwsIamCredentialPlugin
org.mariadb.jdbc.credential.env.EnvCredentialPlugin
org.mariadb.jdbc.credential.system.PropertiesCredentialPlugin

Found
 in path(s):
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/META-INF/services/org.mariadb.jdbc.credential.CredentialPlugin
No license file was found, but licenses were detected in source scan.

#
#
MariaDB Client for Java
#
Copyright (c) 2012-2014 Monty Program Ab.
Copyright (c) 2015-2020 MariaDB Corporation Ab.
#
This library is free software; you can redistribute it and/or modify it under

the terms of the GNU Lesser General Public License as published by the Free
Software Foundation; either version 2.1 of the License, or (at your option)
any later version.
#
This library is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License
for more details.
#
You should have received a copy of the GNU Lesser General Public License along
with this library; if not, write to Monty Program Ab info@montyprogram.com.
#
This particular MariaDB Client for Java file is work
derived from a Drizzle-JDBC. Drizzle-JDBC file which is covered by subject
 to
the following copyright and notice provisions:
#
Copyright (c) 2009-2011, Marcus Eriksson
#
Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:
Redistributions of source code must retain the above copyright notice, this list
of conditions and the following disclaimer.
#
Redistributions in binary form must reproduce the above copyright notice, this
list of conditions and the following disclaimer in the documentation and/or
other materials provided with the distribution.
#
Neither the name of the driver nor the names of its contributors may not be
used to endorse or promote products derived from this software without specific
prior written permission.
#
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY
OF SUCH DAMAGE.
#

#

org.mariadb.jdbc.Driver

Found in path(s):
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/META-INF/services/java.sql.Driver
No license file was found, but licenses were detected in source scan.

This plugin uses public domain ed25519 code by str4d (https://github.com/str4d/ed25519-java).
It is "ref10" java implementation from the SUPERCOP ed25519:

==========
MariaDB changes:
- doesn't register ed25519 to global java providers
- remove unused classes

Found in path(s):
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/authentication/ed25519/README
No license file was found, but licenses were detected in source scan.

/*
*
* MariaDB Client for Java
*
* Copyright (c) 2019 Christoph Läubrich
*
* This library is free software; you can redistribute it and/or modify it under
* the terms of the GNU Lesser General Public License as published by the Free
* Software Foundation; either version 2.1 of the License, or (at your option)
* any later version.
*
* This library is distributed in the hope that it will be useful, but
* WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
* FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License
* for more details.
*
* You should have received a copy of the GNU Lesser General Public License along
* with this library; if not, write to Monty Program Ab info@montyprogram.com.
*
* This particular MariaDB Client for Java file is work
* derived from a Drizzle-JDBC. Drizzle-JDBC file which is covered by subject to
* the following copyright and
 notice provisions:
*
* Copyright (c) 2009-2011, Marcus Eriksson

*
* Redistribution and use in source and binary forms, with or without modification,
* are permitted provided that the following conditions are met:
* Redistributions of source code must retain the above copyright notice, this list
* of conditions and the following disclaimer.
*
* Redistributions in binary form must reproduce the above copyright notice, this
* list of conditions and the following disclaimer in the documentation and/or
* other materials provided with the distribution.
*
* Neither the name of the driver nor the names of its contributors may not be
* used to endorse or promote products derived from this software without specific
* prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
* WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 DISCLAIMED.
* IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY,
* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY
* OF SUCH DAMAGE.
*
*/

Found in path(s):
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-
jar/org/mariadb/jdbc/internal/osgi/MariaDbActivator.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-
jar/org/mariadb/jdbc/internal/osgi/MariaDbDataSourceFactory.java
No license file was found, but licenses were detected in source scan.

/*
*
* MariaDB Client for Java
*
* Copyright (c) 2012-2014 Monty Program Ab.
* Copyright (c) 2015-2020 MariaDB Corporation Ab.
*
* This library is free software; you can redistribute it and/or modify it under
* the terms of the GNU Lesser General Public License as published by the Free

* Software Foundation; either version 2.1 of the License, or (at your option)
* any later version.
*
* This library is distributed in the hope that it will be useful, but
* WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
* FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License
* for more details.
*
* You should have received a copy of the GNU Lesser General Public License along
* with this library; if not, write to Monty Program Ab info@montyprogram.com.
*
*
*/

Found in path(s):
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/parameters/LocalTimeParameter.java
No license file was found, but licenses were detected in source scan.

<!--
~ /*
~ MariaDB Client for Java
~
~ Copyright (c) 2012-2014 Monty Program Ab.
~ Copyright (c) 2015-2020 MariaDB Corporation Ab.
~
~ This library is free software; you can redistribute it and/or modify it under
~ the terms of the GNU Lesser General Public License as published by the Free
~ Software Foundation; either version 2.1 of the License, or (at your option)
~ any later version.
~
~ This library is distributed in the hope that it will be useful, but
~ WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
~ FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License
~ for more details.
~
~ You should have received a copy of the GNU Lesser General Public License along
~ with this library; if not, write to Monty Program Ab info@montyprogram.com.
~
~ This particular MariaDB Client for Java file is work
~ derived from a Drizzle-JDBC.
Drizzle-JDBC file which is covered by subject to
~ the following copyright and notice provisions:
~
~ Copyright (c) 2009-2011, Marcus Eriksson
~
~ Redistribution and use in source and binary forms, with or without modification,
~ are permitted provided that the following conditions are met:

~ Redistributions of source code must retain the above copyright notice, this list
~ of conditions and the following disclaimer.
~
~ Redistributions in binary form must reproduce the above copyright notice, this
~ list of conditions and the following disclaimer in the documentation and/or
~ other materials provided with the distribution.
~
~ Neither the name of the driver nor the names of its contributors may not be
~ used to endorse or promote products derived from this software without specific
~ prior written permission.
~
~ THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
~ AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED
~ WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED.
~ IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY
DIRECT,
~ INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT
~ NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA,
OR
~ PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY,
~ WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE)
~ ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY
~ OF SUCH DAMAGE.
~ */
-->

Found in path(s):
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/META-INF/maven/org.mariadb.jdbc/mariadb-java-client/pom.xml
No license file was found, but licenses were detected in source scan.

/*
*
* MariaDB Client for Java
*
* Copyright (c) 2012-2014 Monty Program Ab.
* Copyright (c) 2015-2020 MariaDB Corporation Ab.
*
* This library is free software; you can redistribute it and/or modify it under
* the terms of the GNU Lesser General Public License as published by the Free
* Software Foundation; either version 2.1 of the License, or (at your option)
* any later version.

*
* This library is distributed in the hope that it will be useful, but
* WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
* FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License
* for more details.
*
* You should have received a copy of the GNU Lesser General Public License along
* with this library; if not, write to Monty Program Ab info@montyprogram.com.
*
*/

Found in path(s):
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/pool/Pool.java
*
 /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/parameters/BooleanParameter.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/pool/GlobalStateInfo.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/tls/TlsSocketPlugin.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/MariaDbResultSetMetaData.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/authentication/AuthenticationPlugin.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/util/DefaultOptions.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/MariaDbPoolDataSource.java
*
 /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/authentication/CachingSha2PasswordPlugin.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/ConnectionState.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/pool/Pools.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/tls/TlsSocketPluginLoader.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/util/Options.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/read/resultset/SelectResultSet.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/authentication/Ed25519PasswordPlugin.java
*
 /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/authentication/AuthenticationPluginLoader.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-

jar/org/mariadb/jdbc/internal/util/pool/PoolMBean.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/ServerSidePreparedStatement.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/authentication/Sha256PasswordPlugin.java
No license file was found, but licenses were detected in source scan.

```
/*
*
* MariaDB Client for Java
*
* Copyright (c) 2012-2014 Monty Program Ab.
* Copyright (c) 2015-2020 MariaDB Corporation Ab.
*
* This library is free software; you can redistribute it and/or modify it under
* the terms of the GNU Lesser General Public License as published by the Free
* Software Foundation; either version 2.1 of the License, or (at your option)
* any later version.
*
* This library is distributed in the hope that it will be useful, but
* WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
* FITNESS FOR A PARTICULAR PURPOSE.  See the GNU Lesser General Public License
* for more details.
*
* You should have received a copy of the GNU Lesser General Public License along
* with this library; if not, write to Monty Program Ab info@montyprogram.com.
*
*/
// Use proprietary verify method in order to have an exception with a better description
```

Found in path(s):
*
/opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/protocol/tls/DefaultTlsSocketPlugin.java
No license file was found, but licenses were detected in source scan.

```
/*
*
* MariaDB Client for Java
*
* Copyright (c) 2012-2014 Monty Program Ab.
* Copyright (c) 2015-2020 MariaDB Corporation Ab.
*
* This library is free software; you can redistribute it and/or modify it under
* the terms of the GNU Lesser General Public License as published by the Free
* Software Foundation; either version 2.1 of the License, or (at your option)
* any later version.
*
```

* This library is distributed in the hope that it will be useful, but
* WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
* FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License
* for more details.
*
* You should have received a copy of the GNU Lesser General Public License along
* with this library; if not, write to Monty Program Ab info@montyprogram.com.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES,
 INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
* WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED.
* IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY,
* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY
* OF SUCH DAMAGE.
*
*/

Found in path(s):
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-
jar/org/mariadb/jdbc/internal/io/input/ReadAheadBufferedStream.java
No license file was found, but licenses were detected in source scan.

/*
*
* MariaDB Client for Java
*
* Copyright (c) 2012-2014 Monty Program Ab.
* Copyright (c) 2015-2020 MariaDB Corporation Ab.
*
* This library is free software; you can redistribute it and/or modify it under
* the terms of the GNU Lesser General Public License as published by the Free
* Software Foundation; either version 2.1 of the License, or (at your option)
* any later version.
*
* This library is distributed in the hope that it will be useful, but
* WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
* FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License
* for more details.

```
*
* You should have received a copy of the GNU Lesser General Public License along
* with this library; if not, write to Monty Program Ab info@montyprogram.com.
*
* This particular MariaDB Client for Java file is work
* derived from a Drizzle-JDBC. Drizzle-JDBC file which
 is covered by subject to
* the following copyright and notice provisions:
*
* Copyright (c) 2009-2011, Marcus Eriksson
*
* Redistribution and use in source and binary forms, with or without modification,
* are permitted provided that the following conditions are met:
* Redistributions of source code must retain the above copyright notice, this list
* of conditions and the following disclaimer.
*
* Redistributions in binary form must reproduce the above copyright notice, this
* list of conditions and the following disclaimer in the documentation and/or
* other materials provided with the distribution.
*
* Neither the name of the driver nor the names of its contributors may not be
* used to endorse or promote products derived from this software without specific
* prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS  AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
* WARRANTIES OF
 MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY,
* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY
* OF SUCH DAMAGE.
*
*/
```

Found in path(s):
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/MariaDbConnection.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/MariaDbDataSource.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-

jar/org/mariadb/jdbc/MariaDbStatement.java
*
/opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/authentication/NativePasswordPlugin.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/authentication/gssapi/StandardGssapiAuthentication.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/protocol/AbstractConnectProtocol.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/authentication/gssapi/WindowsNativeSspiAuthentication.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/io/output/CompressPacketOutputStream.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/MariaDbFunctionStatement.java
*
/opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/ComQuery.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/SendClosePacket.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/protocol/MastersReplicasProtocol.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/protocol/AuroraProtocol.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/CallableProcedureStatement.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/failover/AbstractMastersListener.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/dao/ReconnectDuringTransactionException.java
*
/opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/CallableStatementCache.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/CallParameter.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/io/output/AbstractPacketOutputStream.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/parameters/OffsetTimeParameter.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/authentication/OldPasswordPlugin.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/dao/ServerPrepareResult.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/MariaDbParameterMetaData.java
*
/opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/SendChangeDbPacket.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-

jar/org/mariadb/jdbc/internal/com/send/ComStmtPrepare.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/read/dao/CmdInformation.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/parameters/SerializableParameter.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/io/output/StandardPacketOutputStream.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/MariaDbServerCapabilities.java
*
/opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/BasePrepareStatement.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/io/TraceObject.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/Utils.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/parameters/ByteParameter.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/SendHandshakeResponsePacket.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/SqlStates.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/MariaDbBlob.java
*
/opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/MariaDbPooledConnection.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/ComStmtExecute.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/authentication/SendGssApiAuthPacket.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/ClientSidePreparedStatement.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/MariaDbXid.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/read/dao/CmdInformationBatch.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/failover/AbstractMastersReplicasListener.java
*
/opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/CallableParameterMetaData.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/authentication/gssapi/GssapiAuth.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/MariaXaResource.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/io/socket/NamedPipeSocket.java

* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/parameters/ParameterHolder.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/parameters/BigDecimalParameter.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/MySQLDataSource.java
*
 /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/parameters/DefaultParameter.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/protocol/AsyncMultiReadResult.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/read/ErrorPacket.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/parameters/StreamParameter.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/read/dao/CmdInformationSingle.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/io/input/DecompressPacketInputStream.java
*
 /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/failover/thread/FailoverLoop.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/parameters/NullParameter.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/parameters/FloatParameter.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/protocol/AbstractMultiSend.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/io/LruTraceCache.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/dao/CallableStatementCacheKey.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/io/socket/SocketUtility.java
*
 /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/ColumnType.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/logging/NoLogger.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/constant/ColumnFlags.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/dao/ClientPrepareResult.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/parameters/TimeParameter.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/parameters/ZonedDateTimeParameter.java
*

/opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/read/resultset/UpdatableResultSet.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/protocol/Protocol.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/constant/HaMode.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/pid/PidFactory.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/failover/impl/AuroraListener.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/protocol/MasterProtocol.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/authentication/gssapi/GssUtility.java
*
/opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/protocol/tls/MariaDbX509TrustManager.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/read/resultset/rowprotocol/TextRowProtocol.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/read/Buffer.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/Driver.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/parameters/ByteArrayParameter.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/scheduler/MariaDbThreadFactory.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/failover/HandleErrorResult.java
*
/opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/parameters/ReaderParameter.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/parameters/DoubleParameter.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/SimpleParameterMetaData.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/io/input/PacketInputStream.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/io/socket/SocketHandlerFunction.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/constant/ServerStatus.java
*
/opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/BlobOutputStream.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/exceptions/MaxAllowedPacketException.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-

jar/org/mariadb/jdbc/internal/util/pid/JnaPidFactory.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/dao/PrepareResult.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/CallableFunctionStatement.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/read/dao/ColumnLabelIndexer.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/read/dao/CmdInformationMultiple.java
*
/opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/parameters/IntParameter.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/failover/FailoverProxy.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/parameters/TimestampParameter.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/logging/LoggerFactory.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/dao/Identifier.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/Packet.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/logging/Logger.java
*
/opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/protocol/AsyncMultiRead.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/BulkStatus.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/read/resultset/rowprotocol/BinaryRowProtocol.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/protocol/tls/HostnameVerifierImpl.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/io/input/StandardPacketInputStream.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/parameters/StringParameter.java
*
/opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/dao/CloneableCallableStatement.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/protocol/tls/MariaDbX509KeyManager.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/read/ReadInitialHandShakePacket.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/LogQueryTool.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/io/socket/SharedMemorySocket.java

* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/ServerPrepareStatementCache.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/LocalInfileInterceptor.java
*
 /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/constant/StateChange.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/MariaDbClob.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/SendSslConnectionRequestPacket.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/failover/thread/TerminableRunnable.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/failover/Listener.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/parameters/LongParameter.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/UrlParser.java
*
 /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/parameters/ShortParameter.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/scheduler/DynamicSizedSchedulerInterface.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/authentication/SendPamAuthPacket.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/read/resultset/ColumnDefinition.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/parameters/DateParameter.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/failover/thread/ConnectionValidator.java
*
 /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/protocol/AbstractQueryProtocol.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/read/resultset/rowprotocol/RowProtocol.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/MariaDbDatabaseMetaData.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/read/dao/Results.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/constant/Version.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/constant/ParameterConstant.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/MariaDbSavepoint.java
*

/opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/read/resultset/UpdatableColumnDefinition.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/failover/tools/SearchFilter.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/logging/ProtocolLoggingProxy.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/io/output/PacketOutputStream.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/MariaXaConnection.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/scheduler/DynamicSizedSchedulerImpl.java
*
/opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/logging/Slf4JLogger.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/scheduler/FixedSizedSchedulerImpl.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/util/scheduler/SchedulerServiceProviderHolder.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/HostAddress.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/MariaDbProcedureStatement.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/failover/impl/MastersReplicasListener.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/com/send/authentication/ClearPasswordPlugin.java
*
/opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/io/socket/UnixDomainSocket.java
* /opt/cola/permits/1474112856_1668527026.5660055/0/mariadb-java-client-2-7-2-sources-1-jar/org/mariadb/jdbc/internal/failover/impl/MastersFailoverListener.java

1.579 protobuf-java 3.19.6

1.579.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Automatic-Module-Name: com.google.protobuf
Bnd-LastModified: 1664485905970
Build-Jdk: 1.8.0_181-google-v7
Built-By: mkruskal
Bundle-Description: Core Protocol Buffers library. Protocol Buffers are
a way of encoding structured data in an efficient yet extensible for
mat.
Bundle-DocURL: https://developers.google.com/protocol-buffers/

Bundle-License: https://opensource.org/licenses/BSD-3-Clause
Bundle-ManifestVersion: 2
Bundle-Name: Protocol Buffers [Core]
Bundle-SymbolicName: com.google.protobuf
Bundle-Version: 3.19.6
Created-By: Apache Maven Bundle Plugin
Export-Package: com.google.protobuf;version="3.19.6"
Import-Package: sun.misc;resolution:=optional,com.google.protobuf;versio
n="[3.19,4)"
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"
Tool: Bnd-3.0.0.201509101326

Found in path(s):
* /opt/cola/permits/1474112839_1668527029.4033446/0/protobuf-java-3-19-6-2-jar/META-INF/MANIFEST.MF
No license file was found, but licenses were detected in source scan.

// Copyright 2008 Google Inc. All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
//   * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
//   * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
//   * Neither the name of Google Inc. nor the names of its
// this software without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1474112839_1668527029.4033446/0/protobuf-java-3-19-6-2-jar/google/protobuf/any.proto
* /opt/cola/permits/1474112839_1668527029.4033446/0/protobuf-java-3-19-6-2-
jar/google/protobuf/source_context.proto
* /opt/cola/permits/1474112839_1668527029.4033446/0/protobuf-java-3-19-6-2-jar/google/protobuf/type.proto
*
 /opt/cola/permits/1474112839_1668527029.4033446/0/protobuf-java-3-19-6-2-
jar/google/protobuf/field_mask.proto
* /opt/cola/permits/1474112839_1668527029.4033446/0/protobuf-java-3-19-6-2-jar/google/protobuf/struct.proto
* /opt/cola/permits/1474112839_1668527029.4033446/0/protobuf-java-3-19-6-2-jar/google/protobuf/empty.proto
* /opt/cola/permits/1474112839_1668527029.4033446/0/protobuf-java-3-19-6-2-
jar/google/protobuf/timestamp.proto
* /opt/cola/permits/1474112839_1668527029.4033446/0/protobuf-java-3-19-6-2-jar/google/protobuf/api.proto
* /opt/cola/permits/1474112839_1668527029.4033446/0/protobuf-java-3-19-6-2-
jar/google/protobuf/descriptor.proto
* /opt/cola/permits/1474112839_1668527029.4033446/0/protobuf-java-3-19-6-2-
jar/google/protobuf/compiler/plugin.proto
* /opt/cola/permits/1474112839_1668527029.4033446/0/protobuf-java-3-19-6-2-jar/google/protobuf/duration.proto
* /opt/cola/permits/1474112839_1668527029.4033446/0/protobuf-java-3-19-6-2-
jar/google/protobuf/wrappers.proto

1.580 jaxen 1.1.3

1.580.1 Available under license :

/*
$Id: LICENSE.txt 1128 2006-02-05 21:49:04Z elharo $

Copyright 2003-2006 The Werken Company. All Rights Reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

 * Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

 * Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

 * Neither the name of the Jaxen Project nor the names of its
   contributors may be used to endorse or promote products derived
   from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
 AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

1.581 protobuf-java 2.5.0

1.581.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>New BSD license</name>

Found in path(s):
* /opt/cola/permits/1474112832_1668526993.4060051/0/protobuf-java-2-5-0-11-jar/META-INF/maven/com.google.protobuf/protobuf-java/pom.xml
No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Bnd-LastModified: 1362700108682
Build-Jdk: 1.7.0-google-v5
Built-By: xiaofeng
Bundle-Description: Protocol Buffers are a way of encoding structured da
ta in an efficient yet extensible format.
Bundle-DocURL: http://code.google.com/p/protobuf
Bundle-License: http://www.opensource.org/licenses/bsd-license.php
Bundle-ManifestVersion: 2
Bundle-Name: Protocol Buffer Java API
Bundle-SymbolicName: com.google.protobuf
Bundle-Vendor: Google
Bundle-Version: 2.5.0
Created-By: Apache Maven Bundle Plugin
Export-Package: com.google.protobuf;version="2.5.0"
Tool: Bnd-1.50.0

Found in path(s):
* /opt/cola/permits/1474112832_1668526993.4060051/0/protobuf-java-2-5-0-11-jar/META-INF/MANIFEST.MF

1.582 commons-csv 1.0

1.582.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Commons CSV
Copyright 2005-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

src/main/resources/contract.txt
This file was downloaded from http://www.ferc.gov/docs-filing/eqr/soft-tools/sample-csv/contract.txt and contains neither copyright notice nor license.

src/main/resources/transaction.txt
This file was downloaded from http://www.ferc.gov/docs-filing/eqr/soft-tools/sample-csv/transaction.txt and contains neither copyright notice nor license.

src/test/resources/CSVFileParser/bom.csv
src/test/resources/CSVFileParser/test.csv
src/test/resources/CSVFileParser/test_default.txt
src/test/resources/CSVFileParser/test_default_comment.txt
src/test/resources/CSVFileParser/test_rfc4180.txt
src/test/resources/CSVFileParser/test_rfc4180_trim.txt
src/test/resources/CSVFileParser/testCSV85.csv
src/test/resources/CSVFileParser/testCSV85_default.txt
src/test/resources/CSVFileParser/testCSV85_ignoreEmpty.txt
These
files are used as test data and test result specifications.

1.583 jersey's-jersey 1.18.1

1.583.1 Available under license :

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

- Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

- Neither the name of the Eclipse Foundation, Inc. nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/*
* Copyright (c) YYYY Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Distribution License v. 1.0, which is available at
* http://www.eclipse.org/org/documents/edl-v10.php.
*
* SPDX-License-Identifier: BSD-3-Clause
*/

Notice for Jersey Core Common module

This content is produced and maintained by the Eclipse Jersey project.

* https://projects.eclipse.org/projects/ee4j.jersey

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Google Guava Version 18.0
* License: Apache License, 2.0
* Copyright: (C) 2009 The Guava Authors

JSR-166 Extension - JEP 266
* License: Creative Commons 1.0 (CC0)
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166
* Expert Group and released to the public domain, as explained at
* http://creativecommons.org/publicdomain/zero/1.0/
# Notice for Jersey Core Server module
This content is produced and maintained by the Eclipse Jersey project.

* https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier: EPL-2.0
OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

org.glassfish.jersey.server.internal.monitoring.core
* License: Apache License, 2.0
* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
* Copyright 2010-2013 Coda Hale and Yammer, Inc.

org.objectweb.asm Version 9.4
* License: Modified BSD (https://asm.ow2.io/license.html)
* Copyright: (c) 2000-2011 INRIA, France Telecom. All rights reserved.

W3.org documents
* License: W3C License
* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. http://www.w3.org/Consortium/Legal/
# Notice for Jersey
This content is produced and maintained by the Eclipse Jersey project.

* Project home: https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Distribution License v. 1.0 which is available at
https://www.eclipse.org/org/documents/edl-v10.php.

SPDX-License-Identifier: BSD-3-Clause

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey/examples

Third-party Content

Angular JS, v1.6.6
* License MIT (http://www.opensource.org/licenses/mit-license.php)
* Project: http://angularjs.org
* Coyright: (c) 2010-2017 Google,
Inc.

aopalliance Version 1
* License: all the source code provided by AOP Alliance is Public Domain.
* Project: http://aopalliance.sourceforge.net
* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2
* License: Apache License, 2.0
* Project: http://beanvalidation.org/1.1/
* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag.

Bootstrap v3.3.7
* License: MIT license (https://github.com/twbs/bootstrap/blob/master/LICENSE)
* Project: http://getbootstrap.com
* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0
* License: Apache License, 2.0
* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1
* License: Apache License, 2.0
* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA
* License: Apache License, 2.0
* Project: http://www.javassist.org/
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.9.9
* License:
Apache License, 2.0
* Project: https://github.com/FasterXML/jackson-jaxrs-providers
* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4
* License: jquery.org/license
* Project: jquery.org
* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3
* License: MIT & GPL (http://www.opensource.org/licenses/mit-license.php &

http://www.gnu.org/licenses/gpl.html)
* Project: http://www.pasella.it/projects/jQuery/barcode
* Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266
* License: CC0
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/

KineticJS, v4.7.1
* License: MIT license (http://www.opensource.org/licenses/mit-license.php)
* Project: http://www.kineticjs.com, https://github.com/ericdrowell/KineticJS
* Copyright: Eric Rowell

org.objectweb.asm
 Version 7.2
* License: Modified BSD (https://asm.ow2.io/license.html)
* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0
* License: Apache License, 2.0
* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core
* License: Apache License, 2.0
* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents
* License: W3C License
* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. http://www.w3.org/Consortium/Legal/
# Notice for Jersey
This content is produced and maintained by the Eclipse Jersey project.

* Project home: https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier: EPL-2.0
OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Angular JS, v1.6.6
* License MIT (http://www.opensource.org/licenses/mit-license.php)
* Project: http://angularjs.org
* Coyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1
* License: all the source code provided by AOP Alliance is Public Domain.
* Project: http://aopalliance.sourceforge.net
* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2
* License: Apache License, 2.0
* Project: http://beanvalidation.org/1.1/
* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final
* License: Apache License, 2.0
* Project: https://beanvalidation.org/
* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap v3.3.7
* License: MIT license (https://github.com/twbs/bootstrap/blob/master/LICENSE)
*
Project: http://getbootstrap.com
* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

* License: Apache License, 2.0
* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1
* License: Apache License, 2.0
* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA
* License: Apache License, 2.0
* Project: http://www.javassist.org/
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.14.1
* License: Apache License, 2.0
* Project: https://github.com/FasterXML/jackson-jaxrs-providers
* Copyright: (c) 2009-2022 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4
* License: jquery.org/license
* Project: jquery.org
* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3
* License: MIT & GPL (http://www.opensource.org/licenses/mit-license.php &
http://www.gnu.org/licenses/gpl.html)
* Project: http://www.pasella.it/projects/jQuery/barcode
*
Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266
* License: CC0
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/

KineticJS, v4.7.1
* License: MIT license (http://www.opensource.org/licenses/mit-license.php)
* Project: http://www.kineticjs.com, https://github.com/ericdrowell/KineticJS
* Copyright: Eric Rowell

org.objectweb.asm Version 9.3
* License: Modified BSD (https://asm.ow2.io/license.html)
* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0
* License: Apache License, 2.0
* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core
* License: Apache License, 2.0
* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org
documents
* License: W3C License
* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.
http://www.w3.org/Consortium/Legal/
/*
* Copyright (c) YYYY Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Public License v. 2.0, which is available at
* http://www.eclipse.org/legal/epl-2.0.
*
* This Source Code may also be made available under the following Secondary
* Licenses when the conditions for such availability set forth in the
* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
* version 2 with the GNU Classpath Exception, which is available at
* https://www.gnu.org/software/classpath/license.html.
*
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
*/
Notice for Jersey Json Jackson module
This content is produced and maintained by the Eclipse Jersey project.

* https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is

available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Jackson JAX-RS Providers version 2.14.1
* License: Apache License, 2.0
* Project: https://github.com/FasterXML/jackson-jaxrs-providers
* Copyright: (c) 2009-2022 FasterXML, LLC. All rights reserved unless otherwise indicated.
# Notice for Jersey Bean Validation module
This content is produced and maintained by the Eclipse Jersey project.

* https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Hibernate Validator CDI, 6.1.2.Final
* License: Apache License, 2.0
* Project: https://beanvalidation.org/
* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate
# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity
that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that

results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that
contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright
license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands
that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims

brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements

of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial

product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other

software
or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves
the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel
or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely
to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to
share and change it. By contrast, the GNU General Public License is
intended to guarantee your freedom to share and change free software--to
make sure the software is free for all its users. This General Public
License applies to most of the Free Software Foundation's software and
to any other program whose authors commit to using it. (Some other Free
Software Foundation software is covered by the GNU Library General
Public License instead.)
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.
Our General Public Licenses are designed to make sure that you have the
freedom to distribute copies of free software (and charge for this
service if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone
to deny you these rights or to ask you to surrender the rights. These
restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis
or for a fee, you must give the recipients all the rights that you have.
You must make sure that they, too, receive or can get the source code.

And you
must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software patents.
We wish to avoid the danger that redistributors of a free program will
individually obtain patent licenses, in effect making the program
proprietary. To prevent this, we have made it clear that any patent must
be licensed for everyone's free use or not licensed at
all.

The precise terms and conditions for copying, distribution and
modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a
notice placed by the copyright holder saying it may be distributed under
the terms of this General Public License. The "Program", below, refers
to any such program or work, and a "work based on the Program" means
either the Program or any derivative work under copyright law: that is
to say, a work containing the Program or a portion of it, either
verbatim or with modifications and/or translated into another language.
(Hereinafter, translation is included without limitation in the term
"modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of running
the Program is not restricted,
and the output from the Program is
covered only if its contents constitute a work based on the Program
(independent of having been made by running the Program). Whether that
is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source
code as you receive it, in any medium, provided that you conspicuously
and appropriately publish on each copy an appropriate copyright notice
and disclaimer of warranty; keep intact all the notices that refer to

this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications
or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how
to view a copy of this License.
(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you;
rather, the intent is to
exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of
physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed
need not include anything that is
normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will

automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have
their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible
for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular
circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that

system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER
EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL

NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.

The hypothetical commands `show w'
and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU Library
General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is
making a combined work based on this library. Thus, the terms and
conditions of the GNU General Public License version 2 cover the whole
combination.

As a special exception, the copyright holders of this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent
modules, and to copy and distribute the resulting executable under
terms of your choice, provided that you also meet, for each linked
independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or
based on this library. If you modify this library, you may extend this
exception to your version of the library, but you are not obligated to
do so. If

you do not wish to do so, delete this exception statement
from your version.

1.584 apache-log4j-api 2.11.0

1.584.1 Available under license :

Apache Log4j Core
Copyright 1999-2012 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

ResolverUtil.java
Copyright 2005-2006 Tim Fennell

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this
License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Log4j
Copyright 1999-2012 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Dumbster SMTP test server
Copyright 2004 Jason Paul Kitchen
Apache Log4j
Copyright 1999-2023 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

ResolverUtil.java
Copyright 2005-2006 Tim Fennell

Dumbster SMTP test server
Copyright 2004 Jason Paul Kitchen

TypeUtil.java
Copyright 2002-2012 Ramnivas Laddad, Juergen Hoeller, Chris Beams

picocli (http://picocli.info)
Copyright 2017 Remko Popma

TimeoutBlockingWaitStrategy.java and parts of Util.java
Copyright 2011 LMAX Ltd.

1.585 hpack 1.0.2

1.585.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
HPACK - Header Compression for HTTP/2
Copyright 2015 Ringo Leese

This product was converted from the Java code at
https://github.com/twitter/hpack/ to the current C# code.

1.586 macros 1.6.1

1.586.1 Available under license :

Cats Copyright (c) 2015 Cats Contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Code in Cats is derived in part from Scalaz. The Scalaz license follows:

Copyright (c) 2009-2014 Tony Morris, Runar Bjarnason, Tom Adams,
Kristian Domagala, Brad Clow, Ricky Clarkson, Paul Chiusano, Trygve
Laugstl, Nick Partridge, Jason Zaugg. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED
BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code in Cats is derived in part from the Scala standard library. The Scala license follows:

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer
to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must
give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within
the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions
stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License
to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY
KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.587 apache-commons-bsf 2.4.0

1.587.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and

limitations under the License.
Apache Commons BSF (Beans Scripting Framework)
Copyright 2002-2016 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

1.588 opentelemetry-java 1.19.0

1.588.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.589 jackson-databind 2.14.1

1.589.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.590 jackson-annotations 2.14.1

1.590.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.591 jackson-core 2.14.1

1.591.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this
License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.592 apache-commons-i-o 2.5

1.592.1 Available under license :

Apache Commons IO
Copyright 2002-2023 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.593 apache-commons-i-o 2.8.0

1.593.1 Available under license :

Apache Commons IO
Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and

limitations under the License.

1.594 apache-commons-i-o 2.7

1.594.1 Available under license :

Apache Commons IO
Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.595 okio 3.0.0

1.595.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2015 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/SegmentedByteString.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/ForwardingTimeout.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/SegmentedByteString.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/HashingSink.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/ForwardingFileSystem.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/internal/-Path.kt
*
 /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/FileMetadata.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/Path.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/ExperimentalFileSystem.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/FileSystem.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/NioSystemFileSystem.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/Path.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/JvmSystemFileSystem.kt

* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/HashingSource.kt
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2019 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/RealBufferedSource.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/Sink.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/RealBufferedSink.kt
*
 /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/Buffer.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/BufferedSource.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/Okio.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/internal/-Buffer.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/BufferedSink.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/Timeout.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/Source.kt
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2014 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
```

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/ForwardingSink.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/RealBufferedSink.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/Buffer.kt
*
/opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/Segment.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/AsyncTimeout.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/DeflaterSink.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/ForwardingSource.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/GzipSink.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/JvmOkio.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/SegmentPool.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/GzipSource.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/SegmentPool.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/Timeout.kt
*
/opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/BufferedSink.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/RealBufferedSource.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/BufferedSource.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/InflaterSource.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2021 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/JvmFileHandle.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/internal/FixedLengthSource.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/internal/-FileSystem.kt
*
/opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/internal/ResourceFileSystem.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/FileHandle.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/FileSystem.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/ByteString.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/-Util.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/-CommonPlatform.kt
*
/opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/internal/-ByteString.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/-JvmPlatform.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/internal/-Utf8.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 Square, Inc. and others.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/CipherSink.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/CipherSource.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/Utf8.kt
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/internal/ZipEntry.kt
*
 /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/ZipFileSystem.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/internal/zip.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/Options.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/HashingSink.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/Pipe.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/HashingSource.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/-DeprecatedUpgrade.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/-DeprecatedUtf8.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/PeekSource.kt
*
 /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/-DeprecatedOkio.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/Throttler.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 Square Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/jvmMain/okio/ByteString.kt
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/-Base64.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2019 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/internal/-SegmentedByteString.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/internal/-RealBufferedSource.kt
* /opt/cola/permits/1519136853_1671710551.8664162/0/okio-3-0-0-sources-2-jar/commonMain/okio/internal/-RealBufferedSink.kt

1.596 okhttp 4.10.0

1.596.1 Available under license :

Note that publicsuffixes.gz is compiled from The Public Suffix List:
https://publicsuffix.org/list/public_suffix_list.dat

It is subject to the terms of the Mozilla Public License, v. 2.0:
https://mozilla.org/MPL/2.0/

1.597 apache-common-codec 1.15

1.597.1 Available under license :

Apache Commons Codec
Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java
contains test data from http://aspell.net/test/orig/batch0.tab.
Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

==========

The content of package org.apache.commons.codec.language.bm has been translated
from the original php source code available at http://stevemorse.org/phoneticinfo.htm
with permission from the original authors.
Original source copyright:
Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements.  See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License.  You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
```

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

1.598 apache-common-codec 1.11

1.598.1 Available under license :

Apache Commons Codec
Copyright 2002-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java
contains test data from http://aspell.net/test/orig/batch0.tab.
Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

==========

The content of package org.apache.commons.codec.language.bm has been translated
from the original php source code available at http://stevemorse.org/phoneticinfo.htm
with permission from the original authors.
Original source copyright:
Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements.  See the NOTICE file distributed with
```

* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

1.599 apache-common-codec 1.10

1.599.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* SHA2-based Unix crypt implementation.
* <p>
* Based on the C implementation released into the Public Domain by Ulrich
 Drepper <drepper@redhat.com>
* http://www.akkadia.org/drepper/SHA-crypt.txt
* <p>
* Conversion to Kotlin and from there to Java in 2012 by Christian Hammers <ch@lathspell.de> and likewise put
* into the Public Domain.
* <p>
* This class is immutable and thread-safe.

*
* @version $Id: Sha2Crypt.java 1619948 2014-08-22 22:53:55Z ggregory $
* @since 1.7
*/

Found in path(s):
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/digest/Sha2Crypt.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/binary/Hex.java
*
 /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/DecoderException.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/language/bm/RuleType.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/language/DaitchMokotoffSoundex.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/language/Caverphone1.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/language/DoubleMetaphone.java
*

/opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/language/bm/NameType.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/BinaryEncoder.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/net/BCodec.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/language/ColognePhonetic.java
*
/opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/language/bm/PhoneticEngine.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/net/QCodec.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/Decoder.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/EncoderException.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/binary/Base64OutputStream.java
*
/opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/language/bm/ResourceConstants.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/net/Utils.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/Encoder.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/digest/B64.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/StringDecoder.java
*
/opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/StringEncoder.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/digest/HmacAlgorithms.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/digest/UnixCrypt.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-

tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/binary/BaseNCodecOutputStream.java
*
/opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/net/RFC1522Codec.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/binary/BaseNCodecInputStream.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/binary/Base64InputStream.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/digest/Crypt.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/binary/StringUtils.java
*
/opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/language/SoundexUtils.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/binary/Base64.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/binary/Base32OutputStream.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/language/bm/Lang.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/digest/DigestUtils.java
*
/opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/language/AbstractCaverphone.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/digest/HmacUtils.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/Charsets.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/net/URLCodec.java
*
/opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-

caa8093/apache/src/main/java/apache/commons/codec/language/MatchRatingApproachEncoder.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/CharEncoding.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/language/Nysiis.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/binary/Base32.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/net/QuotedPrintableCodec.java
*
/opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/digest/MessageDigestAlgorithms.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/language/Caverphone2.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/language/bm/BeiderMorseEncoder.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/binary/BinaryCodec.java
*
/opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/StringEncoderComparator.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/language/Caverphone.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/language/Soundex.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/language/bm/Languages.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/language/bm/Rule.java
*
/opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/BinaryDecoder.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/language/RefinedSoundex.java

* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/binary/CharSequenceUtils.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/language/Metaphone.java
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/binary/Base32InputStream.java
*
/opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/binary/BaseNCodec.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* The libc crypt() "1" and Apache "$apr1$" MD5-based hash algorithm.
* <p>
* Based on the public domain ("beer-ware")
C implementation from Poul-Henning Kamp which was found at: <a
* href="http://www.freebsd.org/cgi/cvsweb.cgi/src/lib/libcrypt/crypt-md5.c?rev=1.1;content-type=text%2Fplain">
* crypt-md5.c @ freebsd.org
* <p>
* Source:
*
* <pre>
* $FreeBSD: src/lib/libcrypt/crypt-md5.c,v 1.1 1999/01/21 13:50:09 brandon Exp $
* </pre>
* <p>
* Conversion to Kotlin and from there to Java in 2012.
* <p>
* The C style comments are from the original C code, the ones with "//" from the port.

* <p>
* This class is immutable and thread-safe.
*
* @version $Id: Md5Crypt.java 1563226 2014-01-31 19:38:06Z ggregory $
* @since 1.7
*/

Found in path(s):
* /opt/cola/permits/1530515190_1673519223.8258314/0/nikitakraev-apache-common-codec-1-10-0-g84dd72c-1-tar-gz/nikitakraev-apache-common-codec-caa8093/apache/src/main/java/apache/commons/codec/digest/Md5Crypt.java

1.600 google-guava 18.0

1.600.1 Available under license :

Doug Lea

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.601 apache-commons-i-o 2.2

1.601.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

1.602 apache-commons-i-o 2.6

1.602.1 Available under license :

Apache Commons IO
Copyright 2002-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.603 apache-common-codec 1.14

1.603.1 Available under license :

Apache Commons Codec
Copyright 2002-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java
contains test data from http://aspell.net/test/orig/batch0.tab.
Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

==========

The content of package org.apache.commons.codec.language.bm has been translated
from the original php source code available at http://stevemorse.org/phoneticinfo.htm
with permission from the original authors.
Original source copyright:
Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.604 jackson-dataformat-yaml 2.14.1

1.604.1 Available under license :

This copy of Jackson JSON processor YAML module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers, as well as supported
commercially by FasterXML.com.

Licensing

Jackson core and extension components may be licensed under different licenses.
To find the details that apply to this artifact see the accompanying LICENSE file.
For more information, including possible other licensing options, contact
FasterXML.com (http://fasterxml.com).

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.605 aws-sdk-for-java 1.11.30

1.605.1 Available under license :

Apache License
Version 2.0, January 2004
TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
1. Definitions.

“License” shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

“Licensor” shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

“Legal Entity” shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, “control” means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

“You” (or “Your”) shall mean an individual or Legal Entity exercising permissions granted by this License.

“Source” form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation source, and configuration files.

“Object” form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

“Work” shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

“Derivative Works” shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and
Derivative Works thereof.

“Contribution” shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, “submitted” means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as “Not a Contribution.”

“Contributor” shall mean Licensor and any individual or Legal Entity on behalf of whom
a Contribution has been received by Licensor and subsequently incorporated within the Work.
2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and
You must cause any modified files to carry prominent notices stating that You changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source
form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
If the Work includes a “NOTICE” text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices

cannot be construed as modifying the License.
You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as
required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an “AS IS” BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages,
including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.
END OF TERMS AND CONDITIONS

1.606 google-guava v24.1.1

1.606.1 Available under license :

Doug Lea

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.607 open-telemetry/opentelemetry-java 1.19.0

1.607.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.608 google-guava v23.6

1.608.1 Available under license :

Doug Lea

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.609 opengeospatial/geoapi 3.0.1

1.609.1 Available under license :

No license file was found, but licenses were detected in source scan.

/opt/cola/permits/1545877150_1674825152.4752572/0/geoapi-3-0-1-
jar/org/opengis/metadata/constraint/Classification.class: binary file matches

Found in path(s):
* /bin/grep
No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Bnd-LastModified: 1504977705137
Build-Jdk: 1.7.0_80
Built-By: kevins
Bundle-Description: The development community in building GIS solution
s is sustaining an enormous level of effort. The GeoAPI project aims
to reduce duplication and increase interoperability by providing neut
ral, interface-only APIs derived from OGC/ISO Standards.
Bundle-DocURL: http://www.geoapi.org
Bundle-License: https://raw.githubusercontent.com/opengeospatial/geoap
i/master/LICENSE.txt
Bundle-ManifestVersion: 2
Bundle-Name: GeoAPI
Bundle-SymbolicName: org.opengis.geoapi
Bundle-Vendor: Open Geospatial Consortium
Bundle-Version: 3.0.1
Class-Path: unit-api-1.0.jar
Created-By: Apache Maven Bundle Plugin
Export-Package: org.opengis.metadata.identification;uses:="org.opengis
.annotation,org.opengis.metadata,org.opengis.metadata.citation,org.op
engis.metadata.constraint,org.opengis.metadata.distribution,org.openg
is.metadata.extent,org.opengis.metadata.maintenance,org.opengis.metad

ata.spatial,org.opengis.util";version="3.0.1",org.opengis.metadata;us
es:="org.opengis.annotation,org.opengis.metadata.acquisition,org.open
gis.metadata.citation,org.opengis.metadata.constraint,org.opengis.met
adata.content,org.opengis.metadata.distribution,org.opengis.metadata.
identification,org.opengis.metadata.maintenance,org.opengis.metadata.
quality,org.opengis.metadata.spatial,org.opengis.referencing,org.open
gis.util";version="3.0.1",org.opengis.metadata.spatial;uses:="org.ope
ngis.annotation,org.opengis.geometry,org.opengis.geometry.primitive,o
rg.opengis.metadata.citation,org.opengis.metadata.quality,org.opengis
.referencing,org.opengis.util";version="3.0.1",org.opengis.metadata.a
cquisition;uses:="org.opengis.annotation,org.opengis.geometry,org.ope
ngis.metadata,org.opengis.metadata.citation,org.opengis.metadata.exte
nt,org.opengis.metadata.identification,org.opengis.util";version="3.0
.1",org.opengis.metadata.extent;uses:="org.opengis.annotation,org.ope
ngis.geometry,org.opengis.metadata,org.opengis.referencing.crs,org.op
engis.temporal,org.opengis.util";version="3.0.1",org.opengis.metadata
.distribution;uses:="javax.measure,org.opengis.annotation,org.opengis
.metadata.citation,org.opengis.util";version="3.0.1",org.opengis.meta
data.constraint;uses:="org.opengis.annotation,org.opengis.util";versi
on="3.0.1",org.opengis.metadata.citation;uses:="org.opengis.annotatio
n,org.opengis.metadata,org.opengis.util";version="3.0.1",org.opengis.
metadata.content;uses:="javax.measure,javax.measure.quantity,org.open
gis.annotation,org.opengis.metadata,org.opengis.metadata.citation,org
.opengis.util";version="3.0.1",org.opengis.metadata.maintenance;uses:
="org.opengis.annotation,org.opengis.feature.type,org.opengis.metadat
a.citation,org.opengis.temporal,org.opengis.util";version="3.0.1",org
.opengis.metadata.quality;uses:="javax.measure,org.opengis.annotation
,org.opengis.metadata,org.opengis.metadata.citation,org.opengis.metad
ata.content,org.opengis.metadata.distribution,org.opengis.metadata.ex
tent,org.opengis.metadata.lineage,org.opengis.metadata.maintenance,or
g.opengis.metadata.spatial,org.opengis.util";version="3.0.1",org.open
gis.metadata.lineage;uses:="org.opengis.annotation,org.opengis.metada
ta,org.opengis.metadata.citation,org.opengis.metadata.extent,org.open
gis.metadata.identification,org.opengis.referencing,org.opengis.util"
;version="3.0.1",org.opengis.annotation;version="3.0.1",org.opengis.u
til;uses:="org.opengis.annotation,org.opengis.metadata.citation";vers
ion="3.0.1",org.opengis.temporal;version="3.0.1",org.opengis.referenc
ing.datum;uses:="javax.measure,javax.measure.quantity,org.opengis.ann
otation,org.opengis.metadata.extent,org.opengis.referencing,org.openg
is.util";version="3.0.1",org.opengis.referencing.cs;uses:="javax.meas
ure,org.opengis.annotation,org.opengis.referencing,org.opengis.util";
version="3.0.1",org.opengis.referencing;uses:="org.opengis.annotation
,org.opengis.metadata,org.opengis.metadata.citation,org.opengis.metad
ata.extent,org.opengis.util";version="3.0.1",org.opengis.referencing.
crs;uses:="org.opengis.annotation,org.opengis.referencing,org.opengis
.referencing.cs,org.opengis.referencing.datum,org.opengis.referencing
.operation,org.opengis.util";version="3.0.1",org.opengis.referencing.
operation;uses:="org.opengis.annotation,org.opengis.geometry,org.open

gis.metadata.citation,org.opengis.metadata.extent,org.opengis.metadat
a.quality,org.opengis.parameter,org.opengis.referencing,org.opengis.r
eferencing.crs,org.opengis.referencing.cs,org.opengis.util";version="
3.0.1",org.opengis.parameter;uses:="javax.measure,org.opengis.annotat
ion,org.opengis.referencing";version="3.0.1",org.opengis.feature.type
;version="3.0.1",org.opengis.geometry.coordinate;uses:="org.opengis.a
nnotation,org.opengis.geometry";version="3.0.1",org.opengis.geometry.
primitive;uses:="org.opengis.geometry";version="3.0.1",org.opengis.ge
ometry;uses:="org.opengis.annotation,org.opengis.geometry.coordinate,
org.opengis.referencing.crs";version="3.0.1"
Implementation-URL: http://www.geoapi.org
Implementation-Vendor: The GeoAPI project
Import-Package: javax.measure;version="[1.0,2)",javax.measure.quantity
;version="[1.0,2)",org.opengis.annotation,org.opengis.feature.type,or
g.opengis.geometry,org.opengis.geometry.coordinate,org.opengis.geomet
ry.primitive,org.opengis.metadata,org.opengis.metadata.acquisition,or
g.opengis.metadata.citation,org.opengis.metadata.constraint,org.openg
is.metadata.content,org.opengis.metadata.distribution,org.opengis.met
adata.extent,org.opengis.metadata.identification,org.opengis.metadata
.lineage,org.opengis.metadata.maintenance,org.opengis.metadata.qualit
y,org.opengis.metadata.spatial,org.opengis.parameter,org.opengis.refe
rencing,org.opengis.referencing.crs,org.opengis.referencing.cs,org.op
engis.referencing.datum,org.opengis.referencing.operation,org.opengis
.temporal,org.opengis.util
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"
Specification-Title: GeoAPI
Specification-Vendor: Open Geospatial Consortium
Specification-Version: 3.0.1
Tool: Bnd-3.3.0.201609221906

Found in path(s):
* /opt/cola/permits/1545877150_1674825152.4752572/0/geoapi-3-0-1-jar/META-INF/MANIFEST.MF
No license file was found, but licenses were detected in source scan.

CI_Address=Location of the responsible individual or organization.
CI_Address.administrativeArea=State, province of the location.
CI_Address.city=The city of the location.
CI_Address.country=Country of the physical address.
CI_Address.deliveryPoint=Address line for the location (as described in ISO 11180, Annex A).
CI_Address.electronicMailAddress=Address of the electronic mailbox of the responsible organization or individual.
CI_Address.postalCode=ZIP or other postal code.
CI_Citation=Standardized resource reference.
CI_Citation.ISBN=International Standard Book Number.
CI_Citation.ISSN=International Standard Serial Number.
CI_Citation.alternateTitle=Short name or other language name by which the cited information is known. Example: "DCW" as an alternative title for "Digital Chart of the World".
CI_Citation.citedResponsibleParty=Name and position information for an individual or organization that is responsible for the

resource.
CI_Citation.collectiveTitle=Common title with holdings note. Note: title identifies elements of a series collectively, combined with information about what volumes are available at the source cited.
CI_Citation.date=Reference date for the cited resource.
CI_Citation.edition=Version of the cited resource.
CI_Citation.editionDate=Date of the edition.
CI_Citation.identifier=Unique identifier for the resource. Example: Universal Product Code (UPC), National Stock Number (NSN).
CI_Citation.otherCitationDetails=Other information required to complete the citation that is not recorded elsewhere.
CI_Citation.presentationForm=Mode in which the resource is represented.
CI_Citation.series=Information about the series, or aggregate dataset, of which the dataset is a part.
CI_Citation.title=Name by which the cited resource is known.
CI_Contact=Information required to enable contact with the responsible person and/or organization.
CI_Contact.address=Physical and email address at which the
organization or individual may be contacted.
CI_Contact.contactInstructions=Supplemental instructions on how or when to contact the individual or organization.
CI_Contact.hoursOfService=Time period (including time zone) when individuals can contact the organization or individual.
CI_Contact.onlineResource=On-line information that can be used to contact the individual or organization.
CI_Contact.phone=Telephone numbers at which the organization or individual may be contacted.
CI_Date=Reference date and event used to describe it.
CI_Date.date=Reference date for the cited resource.
CI_Date.dateType=Event used for reference date.
CI_DateTypeCode=Identification of when a given event occurred.
CI_DateTypeCode.creation=Date identifies when the resource was brought into existence.
CI_DateTypeCode.publication=Date identifies when the resource was issued.
CI_DateTypeCode.revision=Date identifies when the resource was examined or re-examined and improved or amended.
CI_OnLineFunctionCode=Function
performed by the resource.
CI_OnLineFunctionCode.download=Online instructions for transferring data from one storage device or system to another.
CI_OnLineFunctionCode.information=Online information about the resource.
CI_OnLineFunctionCode.offlineAccess=Online instructions for requesting the resource from the provider.
CI_OnLineFunctionCode.order=Online order process for obtaining the resource.
CI_OnLineFunctionCode.search=Online search interface for seeking out information about the resource.
CI_OnlineResource=Information about on-line sources from which the dataset, specification, or community profile name and extended metadata elements can be obtained.
CI_OnlineResource.applicationProfile=Name of an application profile that can be used with the online resource.
CI_OnlineResource.description=Detailed text description of what the online resource is/does.
CI_OnlineResource.function=Code for function performed by the online resource.
CI_OnlineResource.linkage=Location (address) for
on-line access using a Uniform Resource Locator address or similar addressing scheme such as http://www.statkart.no/isotc211.
CI_OnlineResource.name=Name of the online resource.
CI_OnlineResource.protocol=Connection protocol to be used.
CI_PresentationFormCode=Mode in which the data is represented.
CI_PresentationFormCode.documentDigital=Digital representation of a primarily textual item (can contain

illustrations also).
CI_PresentationFormCode.documentHardcopy=Likeness of natural or man-made features, objects, and activities acquired through the sensing of visual or any other segment of the electromagnetic spectrum by sensors, such as thermal infrared, and high resolution radar and stored in digital format.
CI_PresentationFormCode.imageDigital=Representation of a primarily textual item (can contain illustrations also) on paper, photographic material, or other media.
CI_PresentationFormCode.imageHardcopy=Likeness of natural or man-made features, objects, and activities acquired through
the sensing of visual or any other segment of the electromagnetic spectrum by sensors, such as thermal infrared, and high resolution radar and reproduced on paper, photographic material, or other media for use directly by the human user.
CI_PresentationFormCode.mapDigital=Map represented in raster or vector form.
CI_PresentationFormCode.mapHardcopy=Map printed on paper, photographic material, or other media for use directly by the human user.
CI_PresentationFormCode.modelDigital=Multi-dimensional digital representation of a feature, process, etc.
CI_PresentationFormCode.modelHardcopy=3-dimensional, physical model.
CI_PresentationFormCode.profileDigital=Vertical cross-section in digital form.
CI_PresentationFormCode.profileHardcopy=Vertical cross-section printed on paper, etc.
CI_PresentationFormCode.tableDigital=Digital representation of facts or figures systematically displayed, especially in columns.
CI_PresentationFormCode.tableHardcopy=Representation of facts or figures systematically
displayed, especially in columns, printed on papers, photographic material, or other media.
CI_PresentationFormCode.videoDigital=Digital video recording.
CI_PresentationFormCode.videoHardcopy=Video recording on film.
CI_ResponsibleParty=Identification of, and means of communication with, person(s) and organizations associated with the dataset.
CI_ResponsibleParty.contactInfo=Address of the responsible party.
CI_ResponsibleParty.individualName=Name of the responsible person- surname, given name, title separated by a delimiter.
CI_ResponsibleParty.organisationName=Name of the responsible organization.
CI_ResponsibleParty.positionName=Role or position of the responsible person.
CI_ResponsibleParty.role=Function performed by the responsible party.
CI_RoleCode=Function performed by the responsible party.
CI_RoleCode.author=Party who authored the resource.
CI_RoleCode.custodian=Party that accepts accountability and responsibility for the data and ensures appropriate care and maintenance
of the resource.
CI_RoleCode.distributor=Party who distributes the resource.
CI_RoleCode.originator=Party who created the resource.
CI_RoleCode.owner=Party that owns the resource.
CI_RoleCode.pointOfContact=Party who can be contacted for acquiring knowledge about or acquisition of the resource.
CI_RoleCode.principalInvestigator=Key party responsible for gathering information and conducting research.
CI_RoleCode.processor=Party wha has processed the data in a manner such that the resource has been modified.
CI_RoleCode.publisher=Party who published the resource.
CI_RoleCode.resourceProvider=Party that supplies the resource.
CI_RoleCode.user=Party who uses the resource.
CI_Series=Information about the series, or aggregate dataset, to which a dataset belongs.

CI_Series.issueIdentification=Information identifying the issue of the series.
CI_Series.name=Name of the series, or aggregate dataset, of which the dataset is a part.
CI_Series.page=Details on which pages of the publication the article
was published.
CI_Telephone=Telephone numbers for contacting the responsible individual or organization.
CI_Telephone.facsimile=Telephone numbers of a facsimile machine for the responsible organization or individual.
CI_Telephone.voice=Telephone numbers by which individuals can speak to the responsible organization or individual.
DQ_AbsoluteExternalPositionalAccuracy=Closeness of reported coordinate values to values accepted as or being true.
DQ_AccuracyOfATimeMeasurement=Correctness of the temporal references of an item (reporting of error in time measurement).
DQ_Completeness=Presence and absence of features, their attributes and their relationships.
DQ_CompletenessCommission=Excess data present in the dataset, as described by the scope.
DQ_CompletenessOmission=Data absent from the dataset, as described by the scope.
DQ_ConceptualConsistency=Adherence to rules of the conceptual schema.
DQ_ConformanceResult=Information about the outcome of evaluating the obtained value (or set of
values) against a specified acceptable conformance quality level.
DQ_ConformanceResult.explanation=Explanation of the meaning of conformance for this result.
DQ_ConformanceResult.pass=Indication of the conformance result.
DQ_ConformanceResult.specification=Citation of product specification or user requirement against which data is being evaluated.
DQ_DataQuality=Quality information for the data specified by a data quality scope.
DQ_DataQuality.lineage=Non-quantitative quality information about the lineage of the data specified by the scope.
DQ_DataQuality.report=Quantitative quality information for the data specified by the scope.
DQ_DataQuality.scope=The specific data to which the data quality information applies.
DQ_DomainConsistency=Adherence of values to the value domains.
DQ_Element=Type of test applied to the data specified by a data quality scope.
DQ_Element.dateTime=Date or range of dates on which a data quality measure was applied. The collection size is 1 for a single date,
or 2 for a range.
DQ_Element.evaluationMethodDescription=Description of the evaluation method.
DQ_Element.evaluationMethodType=Type of method used to evaluate quality of the dataset.
DQ_Element.evaluationProcedure=Reference to the procedure information.
DQ_Element.measureDescription=Description of the measure being determined.
DQ_Element.measureIdentification=Code identifying a registered standard procedure.
DQ_Element.nameOfMeasure=Name of the test applied to the data.
DQ_Element.result=Value (or set of values) obtained from applying a data quality measure or the out come of evaluating the obtained value (or set of values) against a specified acceptable conformance quality level.
DQ_EvaluationMethodTypeCode=Type or method for evaluating an identified data quality measure.
DQ_EvaluationMethodTypeCode.directExternal=Method of evaluating the quality of a dataset based on inspection of items within the dataset, where reference data external to the dataset being evaluated is required.
DQ_EvaluationMethodTypeCode.directInternal=Method
of evaluating the quality of a dataset based on inspection of items within the dataset, where all data required is internal to the dataset being evaluated.
DQ_EvaluationMethodTypeCode.indirect=Method of evaluating the quality of a dataset based on external knowledge.
DQ_FormatConsistency=Degree to which data is stored in accordance with the physical structure of the dataset, as

described by the scope.
DQ_GriddedDataPositionalAccuracy=Closeness of gridded data position values to values accepted as or being true.
DQ_LogicalConsistency=Degree of adherence to logical rules of data structure, attribution and relationships (data structure can be conceptual, logical or physical).
DQ_NonQuantitativeAttributeAccuracy=Accuracy of non-quantitative attributes.
DQ_PositionalAccuracy=Accuracy of the position of features.
DQ_QuantitativeAttributeAccuracy=Accuracy of quantitative attributes.
DQ_QuantitativeResult=Information about the value (or set of values)
obtained from applying a data quality measure.
DQ_QuantitativeResult.errorStatistic=Statistical method used to determine the value.
DQ_QuantitativeResult.value=Quantitative value or values, content determined by the evaluation procedure used.
DQ_QuantitativeResult.valueType=Value type for reporting a data quality result.
DQ_QuantitativeResult.valueUnit=Value unit for reporting a data quality result.
DQ_RelativeInternalPositionalAccuracy=Closeness of the relative positions of features in the scope to their respective relative positions accepted as or being true.
DQ_Result=Base interface of more specific result classes.
DQ_Scope=Description of the data specified by the scope.
DQ_Scope.extent=Information about the spatial, vertical and temporal extent of the data specified by the scope.
DQ_Scope.level=Hierarchical level of the data specified by the scope.
DQ_Scope.levelDescription=Detailed description about the level of the data specified by the scope.
DQ_TemporalAccuracy=Accuracy of
the temporal attributes and temporal relationships of features.
DQ_TemporalConsistency=Correctness of ordered events or sequences, if reported.
DQ_TemporalValidity=Validity of data specified by the scope with respect to time.
DQ_ThematicAccuracy=Accuracy of quantitative attributes and the correctness of non-quantitative attributes and of the classifications of features and their relationships.
DQ_ThematicClassificationCorrectness=Comparison of the classes assigned to features or their attributes to a universe of discourse.
DQ_TopologicalConsistency=Correctness of the explicitly encoded topological characteristics of the dataset as described by the scope.
DS_AssociationTypeCode=Justification for the correlation of two datasets.
DS_AssociationTypeCode.crossReference=Reference from one dataset to another.
DS_AssociationTypeCode.largerWorkCitation=Reference to a master dataset of which this one is a part.
DS_AssociationTypeCode.partOfSeamlessDatabase=Part of the same structured set of data
held in a computer.
DS_AssociationTypeCode.source=Mapping and charting information from which the dataset content originates.
DS_AssociationTypeCode.stereoMate=Part of a set of imagery that when used together, provides three-dimensional images.
DS_InitiativeTypeCode=Type of aggregation activity in which datasets are related.
DS_InitiativeTypeCode.campaign=Series of organized planned actions.
DS_InitiativeTypeCode.collection=Accumulation of datasets assembled for a specific purpose.
DS_InitiativeTypeCode.exercise=Specific performance of a function or group of functions.
DS_InitiativeTypeCode.experiment=Process designed to find if something is effective or valid.
DS_InitiativeTypeCode.investigation=Search or systematic inquiry.
DS_InitiativeTypeCode.mission=Specific operation of a data collection system.
DS_InitiativeTypeCode.operation=Action that is part of a series of actions.
DS_InitiativeTypeCode.platform=Vehicle or other support base that holds a sensor.
DS_InitiativeTypeCode.process=Method

of doing something involving a number of steps.
DS_InitiativeTypeCode.program=Specific planned activity.
DS_InitiativeTypeCode.project=Organized undertaking, research, or development.
DS_InitiativeTypeCode.sensor=Device or piece of equipment which detects or records.
DS_InitiativeTypeCode.study=Examination or investigation.
DS_InitiativeTypeCode.task=Piece of work.
DS_InitiativeTypeCode.trial=Process of testing to discover or demonstrate something.
EX_BoundingPolygon=Boundary enclosing the dataset, expressed as the closed set of (x,y) coordinates of the polygon. The last point replicates first point.
EX_BoundingPolygon.polygon=The sets of points defining the bounding polygon.
EX_Extent=Information about spatial, vertical, and temporal extent.
EX_Extent.description=The spatial and temporal extent for the referring object.
EX_Extent.geographicElement=Provides geographic component of the extent of the referring object
EX_Extent.temporalElement=Provides temporal component of the
extent of the referring object
EX_Extent.verticalElement=Provides vertical component of the extent of the referring object
EX_GeographicBoundingBox=Geographic position of the dataset. This is only an approximate so specifying the co-ordinate reference system is unnecessary.
EX_GeographicBoundingBox.eastBoundLongitude=The eastern-most coordinate of the limit of the dataset extent. The value is expressed in longitude in decimal degrees (positive east).
EX_GeographicBoundingBox.northBoundLatitude=The northern-most, coordinate of the limit of the dataset extent. The value is expressed in latitude in decimal degrees (positive north).
EX_GeographicBoundingBox.southBoundLatitude=The southern-most coordinate of the limit of the dataset extent. The value is expressed in latitude in decimal degrees (positive north).
EX_GeographicBoundingBox.westBoundLongitude=The western-most coordinate of the limit of the dataset extent. The value is expressed in longitude in decimal degrees (positive east).
EX_GeographicDescription=Description
of the geographic area using identifiers.
EX_GeographicDescription.geographicIdentifier=The identifier used to represent a geographic area.
EX_GeographicExtent=Base interface for geographic area of the dataset.
EX_GeographicExtent.extentTypeCode=Indication of whether the bounding polygon encompasses an area covered by the data (inclusion) or an area where data is not present (exclusion).
EX_SpatialTemporalExtent=Extent with respect to date/time and spatial boundaries.
EX_SpatialTemporalExtent.spatialExtent=The spatial extent component of composite spatial and temporal extent.
EX_TemporalExtent=Time period covered by the content of the dataset.
EX_TemporalExtent.extent=The date and time for the content of the dataset.
EX_VerticalExtent=Vertical domain of dataset.
EX_VerticalExtent.maximumValue=The highest vertical extent contained in the dataset.
EX_VerticalExtent.minimumValue=The lowest vertical extent contained in the dataset.
EX_VerticalExtent.verticalCRS=Provides
information about the vertical coordinate reference system to which the maximum and minimum elevation values are measured. The CRS identification includes unit of measure.
LE_Algorithm=Details of the methodology by which geographic information was derived from the instrument readings.
LE_Algorithm.citation=Information identifying the algorithm and version or date.
LE_Algorithm.description=Information describing the algorithm used to generate the data.
LE_NominalResolution=Distance between consistent parts of (centre, left side, right side) adjacent pixels.
LE_NominalResolution.groundResolution=Distance between consistent parts of (centre, left side, right side)

adjacent pixels in the object space.
LE_NominalResolution.scanningResolution=Distance between consistent parts of (centre, left side, right side) adjacent pixels in the scan plane.
LE_ProcessStepReport=Report of what occurred during the process step.
LE_ProcessStepReport.description=Textual description of what occurred
during the process step.
LE_ProcessStepReport.fileType=Type of file that contains the processing report.
LE_ProcessStepReport.name=Name of the processing report.
LE_Processing=Comprehensive information about the procedure(s), process(es) and algorithm(s) applied in the process step.
LE_Processing.algorithm=Details of the methodology by which geographic information was derived from the instrument readings.
LE_Processing.documentation=Reference to documentation describing the processing.
LE_Processing.identifier=Information to identify the processing package that produced the data.
LE_Processing.procedureDescription=Additional details about the processing procedures.
LE_Processing.runTimeParameters=Parameters to control the processing operations, entered at run time.
LE_Processing.softwareReference=Reference to document describing processing software.
LI_Lineage=Information about the events or source data used in constructing the data specified by the scope or lack of knowledge about
lineage.
LI_Lineage.processStep=Information about an event in the creation process for the data specified by the scope.
LI_Lineage.source=Information about the source data used in creating the data specified by the scope.
LI_Lineage.statement=General explanation of the data producer's knowledge about the lineage of a dataset.
LI_ProcessStep=Description of the event, including related parameters or tolerances.
LI_ProcessStep.dateTime=Date and time or range of date and time on or over which the process step occurred.
LI_ProcessStep.description=Description of the event, including related parameters or tolerances.
LI_ProcessStep.output=Description of the product generated as a result of the process step.
LI_ProcessStep.processingInformation=Comprehensive information about the procedure by which the algorithm was applied to derive geographic data from the raw instrument measurements, such as datasets, software used, and the processing environment.
LI_ProcessStep.processor=Identification
of, and means of communication with, person(s) and organization(s) associated with the process step.
LI_ProcessStep.rationale=Requirement or purpose for the process step.
LI_ProcessStep.report=Report generated by the process step.
LI_ProcessStep.source=Information about the source data used in creating the data specified by the scope.
LI_Source=Information about the source data used in creating the data specified by the scope.
LI_Source.description=Detailed description of the level of the source data.
LI_Source.processedLevel=Processing level of the source data.
LI_Source.resolution=Distance between consistent parts (centre, left side, right side) of two adjacent pixels.
LI_Source.scaleDenominator=Denominator of the representative fraction on a source map.
LI_Source.sourceCitation=Recommended reference to be used for the source data.
LI_Source.sourceExtent=Information about the spatial, vertical and temporal extent of the source data.
LI_Source.sourceReferenceSystem=Spatial reference
system used by the source data.
LI_Source.sourceStep=Information about an event in the creation process for the source data.
MD_AggregateInformation=Aggregate dataset information.
MD_AggregateInformation.aggregateDataSetIdentifier=Identification information about aggregate dataset.
MD_AggregateInformation.aggregateDataSetName=Citation information about the aggregate dataset.

MD_AggregateInformation.associationType=Association type of the aggregate dataset.
MD_AggregateInformation.initiativeType=Type of initiative under which the aggregate dataset was produced.
MD_ApplicationSchemaInformation=Information about the application schema used to build the dataset.
MD_ApplicationSchemaInformation.constraintLanguage=Formal language used in Application Schema.
MD_ApplicationSchemaInformation.graphicsFile=Full application schema given as a graphics file.
MD_ApplicationSchemaInformation.name=Name of the application schema used.
MD_ApplicationSchemaInformation.schemaAscii=Full application schema given
as an ASCII file.
MD_ApplicationSchemaInformation.schemaLanguage=Identification of the schema language used.
MD_ApplicationSchemaInformation.softwareDevelopmentFile=Full application schema given as a software development file.
MD_ApplicationSchemaInformation.softwareDevelopmentFileFormat=Software dependent format used for the application schema software dependent file.
MD_Band=Range of wavelengths in the electromagnetic spectrum.
MD_Band.bandBoundaryDefinition=Designation of criterion for defining maximum and minimum wavelengths for a spectral band.
MD_Band.bitsPerValue=Maximum number of significant bits in the uncompressed representation for the value in each band of each pixel.
MD_Band.detectedPolarization=Polarization of the radiation detected.
MD_Band.maxValue=Longest wavelength that the sensor is capable of collecting within a designated band.
MD_Band.minValue=Shortest wavelength that the sensor is capable of collecting within a designated band.
MD_Band.nominalSpatialResolution=Smallest
distance between which separate points can be distinguished, as specified in instrument design.
MD_Band.offset=The physical value corresponding to a cell value of zero.
MD_Band.peakResponse=Wavelength at which the response is the highest.
MD_Band.scaleFactor=Scale factor which has been applied to the cell value.
MD_Band.toneGradation=Number of discrete numerical values in the grid data.
MD_Band.transferFunctionType=Type of transfer function to be used when scaling a physical value for a given element.
MD_Band.transmittedPolarization=Polarization of the radiation transmitted.
MD_Band.units=Units in which sensor wavelengths are expressed.
MD_BrowseGraphic=Graphic that provides an illustration of the dataset (should include a legend for the graphic).
MD_BrowseGraphic.fileDescription=Text description of the illustration.
MD_BrowseGraphic.fileName=Name of the file that contains a graphic that provides an illustration of the dataset.
MD_BrowseGraphic.fileType=Format in which the
illustration is encoded. Examples: CGM, EPS, GIF, JPEG, PBM, PS, TIFF, XWD.
MD_CellGeometryCode=Code indicating whether grid data is point or area.
MD_CellGeometryCode.area=Each cell represents an area.
MD_CellGeometryCode.point=Each cell represents a point.
MD_CharacterSetCode=Name of the character coding standard used in the resource.
MD_CharacterSetCode.8859part1=ISO/IEC 8859-1, Information technology - 8-bit single byte coded graphic character sets - Part 1 : Latin alphabet No.1.
MD_CharacterSetCode.8859part2=ISO/IEC 8859-2, Information technology - 8-bit single byte coded graphic character sets - Part 2 : Latin alphabet No.2.
MD_CharacterSetCode.8859part3=ISO/IEC 8859-3, Information technology - 8-bit single byte coded graphic character sets - Part 3 : Latin alphabet No.3.
MD_CharacterSetCode.8859part4=ISO/IEC 8859-4, Information technology - 8-bit single byte coded graphic character sets - Part 4 : Latin alphabet No.4.

MD_CharacterSetCode.8859part5=ISO/IEC 8859-5, Information technology
- 8-bit single byte coded graphic character sets - Part 5 : Latin/Cyrillic alphabet.
MD_CharacterSetCode.8859part6=ISO/IEC 8859-6, Information technology - 8-bit single byte coded graphic character sets - Part 6 : Latin/Arabic alphabet.
MD_CharacterSetCode.8859part7=ISO/IEC 8859-7, Information technology - 8-bit single byte coded graphic character sets - Part 7 : Latin/Greek alphabet.
MD_CharacterSetCode.8859part8=ISO/IEC 8859-8, Information technology - 8-bit single byte coded graphic character sets - Part 8 : Latin/Hebrew alphabet.
MD_CharacterSetCode.8859part9=ISO/IEC 8859-9, Information technology - 8-bit single byte coded graphic character sets - Part 9 : Latin alphabet No.5.
MD_CharacterSetCode.8859part10=ISO/IEC 8859-10, Information technology - 8-bit single byte coded graphic character sets - Part 10 : Latin alphabet No.6.
MD_CharacterSetCode.8859part11=ISO/IEC 8859-11, Information technology - 8-bit single byte coded graphic character sets - Part 11 : Latin/Thai alphabet.
MD_CharacterSetCode.8859part13=ISO/IEC
8859-13, Information technology - 8-bit single byte coded graphic character sets - Part 13 : Latin alphabet No.7.
MD_CharacterSetCode.8859part14=ISO/IEC 8859-14, Information technology - 8-bit single byte coded graphic character sets - Part 14 : Latin alphabet No.8 (Celtic).
MD_CharacterSetCode.8859part15=ISO/IEC 8859-15, Information technology - 8-bit single byte coded graphic character sets - Part 15 : Latin alphabet No.9.
MD_CharacterSetCode.8859part16=ISO/IEC 8859-16, Information technology - 8-bit single byte coded graphic character sets - Part 16 : Latin alphabet No.10.
MD_CharacterSetCode.GB2312=Simplified Chinese code set.
MD_CharacterSetCode.big5=Traditional Chinese code set used in Taiwan, Hong Kong of China and other areas.
MD_CharacterSetCode.ebcdic=IBM mainframe code set.
MD_CharacterSetCode.eucJP=Japanese code set used on UNIX based machines.
MD_CharacterSetCode.eucKR=Korean code set.
MD_CharacterSetCode.jis=Japanese code set used
for electronic transmission.
MD_CharacterSetCode.shiftJIS=Japanese code set used on MS-DOS machines.
MD_CharacterSetCode.ucs2=16-bit fixed size Universal Character Set, based on ISO/IEC 10646.
MD_CharacterSetCode.ucs4=32-bit fixed size Universal Character Set, based on ISO/IEC 10646.
MD_CharacterSetCode.usAscii=United States ASCII code set (ISO 646 US).
MD_CharacterSetCode.utf7=7-bit variable size UCS Transfer Format, based on ISO/IEC 10646.
MD_CharacterSetCode.utf8=8-bit variable size UCS Transfer Format, based on ISO/IEC 10646.
MD_CharacterSetCode.utf16=16-bit variable size UCS Transfer Format, based on ISO/IEC 10646.
MD_ClassificationCode=Name of the handling restrictions on the dataset.
MD_ClassificationCode.confidential=Available for someone who can be entrusted with information.
MD_ClassificationCode.restricted=Not for general disclosure.
MD_ClassificationCode.secret=Kept or meant to be kept private, unknown, or hidden from all but a select group of people.
MD_ClassificationCode.topSecret=Of
the highest secrecy.
MD_ClassificationCode.unclassified=Available for general disclosure.
MD_Constraints=Restrictions on the access and use of a resource or metadata.
MD_Constraints.useLimitation=Limitation affecting the fitness for use of the resource. Example: "not to be used for navigation".
MD_ContentInformation=Description of the content of a dataset.

MD_CoverageContentTypeCode=Specific type of information represented in the cell.
MD_CoverageContentTypeCode.image=Meaningful numerical representation of a physical parameter that is not the actual value of the physical parameter.
MD_CoverageContentTypeCode.physicalMeasurement=Value in physical units of the quantity being measured.
MD_CoverageContentTypeCode.thematicClassification=Code value with no quantitative meaning, used to represent a physical quantity.
MD_CoverageDescription=Information about the content of a grid data cell.
MD_CoverageDescription.attributeDescription=Description of the attribute described by the measurement value.
MD_CoverageDescription.contentType=Type of information represented by the cell value.
MD_CoverageDescription.dimension=Information on the dimensions of the cell measurement value.
MD_CoverageDescription.rangeElementDescription=Provides the description of the specific range elements of a coverage.
MD_DataIdentification=Information required to identify a dataset.
MD_DataIdentification.characterSet=Full name of the character coding standard(s) used for the dataset.
MD_DataIdentification.environmentDescription=Description of the dataset in the producer's processing environment, including items such as the software, the computer operating system, file name, and the dataset size.
MD_DataIdentification.extent=Additional extent information including the bounding polygon, vertical, and temporal extent of the dataset.
MD_DataIdentification.language=Language(s) used within the dataset.
MD_DataIdentification.spatialRepresentationType=Method used to spatially represent geographic information.
MD_DataIdentification.spatialResolution=Factor which provides a general understanding of the density of spatial data in the dataset.
MD_DataIdentification.supplementalInformation=Any other descriptive information about the dataset.
MD_DataIdentification.topicCategory=Main theme(s) of the dataset.
MD_DatatypeCode=Datatype of element or entity.
MD_DatatypeCode.abstractClass=Class that cannot be directly instantiated.
MD_DatatypeCode.aggregateClass=Class that is composed of classes it is connected to by an aggregate relationship.
MD_DatatypeCode.association=Semantic relationship between two classes that involves connections among their instances.
MD_DatatypeCode.characterString=Free text field.
MD_DatatypeCode.class=Descriptor of a set of objects that share the same attributes, operations, methods, relationships, and behavior.
MD_DatatypeCode.codelist=Descriptor of a set of objects that share the same attributes, operations, methods, relationships, and behavior.
MD_DatatypeCode.codelistElement=Permissible value for a codelist or enumeration.
MD_DatatypeCode.datatypeClass=Class with few or no operations whose primary purpose is to hold the abstract state of another class for transmittal, storage, encoding or persistent storage.
MD_DatatypeCode.enumeration=Data type whose instances form a list of named literal values, not extendable.
MD_DatatypeCode.integer=Numerical field.
MD_DatatypeCode.interfaceClass=Named set of operations that characterize the behavior of an element.
MD_DatatypeCode.metaClass=Class whose instances are classes.
MD_DatatypeCode.specifiedClass=Subclass that may be substituted for its superclass.
MD_DatatypeCode.typeClass=Class used for specification of a domain of instances (objects), together with the operations applicable to the objects. A type may have attributes and associations.

MD_DatatypeCode.unionClass=Class describing a selection of one of the specified types.
MD_DigitalTransferOptions=Technical means and media by which a resource
is obtained from the distributor.
MD_DigitalTransferOptions.offLine=Information about offline media on which the resource can be obtained.
MD_DigitalTransferOptions.onLine=Information about online sources from which the resource can be obtained.
MD_DigitalTransferOptions.transferSize=Estimated size of a unit in the specified transfer format, expressed in megabytes.
MD_DigitalTransferOptions.unitsOfDistribution=Tiles, layers, geographic areas, etc., in which data is available.
MD_Dimension=Axis properties.
MD_Dimension.dimensionName=Name of the axis.
MD_Dimension.dimensionSize=Number of elements along the axis.
MD_Dimension.resolution=Degree of detail in the grid dataset.
MD_DimensionNameTypeCode=Name of the dimension.
MD_DimensionNameTypeCode.column=Abscissa (x) axis.
MD_DimensionNameTypeCode.crossTrack=Perpendicular to the direction of motion of the scan point.
MD_DimensionNameTypeCode.line=Scan line of a sensor.
MD_DimensionNameTypeCode.row=Ordinate (y) axis.
MD_DimensionNameTypeCode.sample=Element
along a scan line.
MD_DimensionNameTypeCode.time=Duration.
MD_DimensionNameTypeCode.track=Along the direction of motion of the scan point.
MD_DimensionNameTypeCode.vertical=Vertical (z) axis.
MD_Distribution=Information about the distributor of and options for obtaining the resource.
MD_Distribution.distributionFormat=Provides a description of the format of the data to be distributed.
MD_Distribution.distributor=Provides information about the distributor.
MD_Distribution.transferOptions=Provides information about technical means and media by which a resource is obtained from the distributor.
MD_Distributor=Information about the distributor.
MD_Distributor.distributionOrderProcess=Provides information about how the resource may be obtained, and related instructions and fee information.
MD_Distributor.distributorContact=Party from whom the resource may be obtained. This list need not be exhaustive.
MD_Distributor.distributorFormat=Provides information about the format
used by the distributor.
MD_Distributor.distributorTransferOptions=Provides information about the technical means and media used by the distributor.
MD_ExtendedElementInformation=New metadata element, not found in ISO 19115, which is required to describe geographic data.
MD_ExtendedElementInformation.condition=Condition under which the extended element is mandatory.
MD_ExtendedElementInformation.dataType=Code which identifies the kind of value provided in the extended element.
MD_ExtendedElementInformation.definition=Definition of the extended element.
MD_ExtendedElementInformation.domainCode=Three digit code assigned to the extended element.
MD_ExtendedElementInformation.domainValue=Valid values that can be assigned to the extended element.
MD_ExtendedElementInformation.maximumOccurrence=Maximum occurrence of the extended element.
MD_ExtendedElementInformation.name=Name of the extended metadata element.
MD_ExtendedElementInformation.obligation=Obligation of the extended element.
MD_ExtendedElementInformation.parentEntity=Name

of the metadata entity(s) under which this extended metadata element may appear. The name(s) may be standard metadata element(s) or other extended metadata element(s).
MD_ExtendedElementInformation.rationale=Reason for creating the extended element.
MD_ExtendedElementInformation.rule=Specifies how the extended element relates to other existing elements and entities.
MD_ExtendedElementInformation.shortName=Short form suitable for use in an implementation method such as XML or SGML.
MD_ExtendedElementInformation.source=Name of the person or organization creating the extended element.
MD_FeatureCatalogueDescription=Information identifying the feature catalogue.
MD_FeatureCatalogueDescription.complianceCode=Indication of whether or not the cited feature catalogue complies with ISO 19110. This value is optional, and therefore may be null.
MD_FeatureCatalogueDescription.featureCatalogueCitation=Complete bibliographic reference to one or more external
feature catalogues.
MD_FeatureCatalogueDescription.featureTypes=Subset of feature types from cited feature catalogue occurring in dataset.
MD_FeatureCatalogueDescription.includedWithDataset=Indication of whether or not the feature catalogue is included with the dataset.
MD_FeatureCatalogueDescription.language=Language(s) used within the catalogue.
MD_FeatureTypeList=List of names of feature types with the same spatial representation (same as spatial attributes).
MD_FeatureTypeList.spatialObject=Instance of a type defined in the spatial schema.
MD_FeatureTypeList.spatialSchemaName=Name of the spatial schema used.
MD_Format=Description of the computer language construct that specifies the representation of data objects in a record, file, message, storage device or transmission channel.
MD_Format.amendmentNumber=Amendment number of the format version.
MD_Format.fileDecompressionTechnique=Recommendations of algorithms or processes that can be applied to read or expand resources to which
compression techniques have been applied.
MD_Format.formatDistributor=Provides information about the distributor's format.
MD_Format.name=Name of the data transfer format(s).
MD_Format.specification=Name of a subset, profile, or product specification of the format.
MD_Format.version=Version of the format (date, number, etc.).
MD_GeometricObjectTypeCode=Name of point or vector objects used to locate zero-, one-, two-, or three-dimensional spatial locations in the dataset.
MD_GeometricObjectTypeCode.complex=Set of geometric primitives such that their boundaries can be represented as a union of other primitives.
MD_GeometricObjectTypeCode.composite=Connected set of curves, solids or surfaces.
MD_GeometricObjectTypeCode.curve=Bounded, 1-dimensional geometric primitive, representing the continuous image of a line.
MD_GeometricObjectTypeCode.point=Zero-dimensional geometric primitive, representing a position but not having an extent.
MD_GeometricObjectTypeCode.solid=Bounded, connected 3-dimensional
geometric primitive, representing the continuous image of a region of space.
MD_GeometricObjectTypeCode.surface=Bounded, connected 2-dimensional geometric primitive, representing the continuous image of a region of a plane.
MD_GeometricObjects=Number of objects, listed by geometric object type, used in the dataset.
MD_GeometricObjects.geometricObjectCount=Total number of the point or vector object type occurring in the

dataset.
MD_GeometricObjects.geometricObjectType=Name of point and vector spatial objects used to locate zero-, one-, and twodimensional spatial locations in the dataset.
MD_Georectified=Grid whose cells are regularly spaced in a geographic (i.e., lat / long) or map coordinate system defined in the Spatial Referencing System (SRS) so that any cell in the grid can be geolocated given its grid coordinate and the grid origin, cell spacing, and orientation indication of whether or not geographic.
MD_Georectified.centerPoint=Earth location in the coordinate system defined
by the Spatial Reference System and the grid coordinate of the cell halfway between opposite ends of the grid in the spatial dimensions.
MD_Georectified.checkPoint=Geographic references used to validate georectification of the data.
MD_Georectified.checkPointAvailability=Indication of whether or not geographic position points are available to test the accuracy of the georeferenced grid data.
MD_Georectified.checkPointDescription=Description of geographic position points used to test the accuracy of the georeferenced grid data.
MD_Georectified.cornerPoints=Earth location in the coordinate system defined by the Spatial Reference System and the grid coordinate of the cells at opposite ends of grid coverage along two diagonals in the grid spatial dimensions. There are four corner points in a georectified grid; at least two corner points along one diagonal are required.
MD_Georectified.pointInPixel=Point in a pixel corresponding to the Earth location of the pixel.
MD_Georectified.transformationDimensionDescription=Description
of the information about which grid dimensions are the spatial dimensions.
MD_Georectified.transformationDimensionMapping=Information about which grid dimensions are the spatial dimensions.
MD_Georeferenceable=Grid with cells irregularly spaced in any given geographic/map projection coordinate system, whose individual cells can be geolocated using geolocation information supplied with the data but cannot be geolocated from the grid properties alone.
MD_Georeferenceable.controlPointAvailability=Indication of whether or not control point(s) exists.
MD_Georeferenceable.geolocationInformation=Information that can be used to geolocate the data.
MD_Georeferenceable.georeferencedParameters=Terms which support grid data georeferencing.
MD_Georeferenceable.orientationParameterAvailability=Indication of whether or not orientation parameters are available.
MD_Georeferenceable.orientationParameterDescription=Description of parameters used to describe sensor orientation.
MD_Georeferenceable.parameterCitation=Reference providing description of the parameters.
MD_GridSpatialRepresentation=Basic information required to uniquely identify a resource or resources.
MD_GridSpatialRepresentation.axisDimensionProperties=Information about spatial-temporal axis properties.
MD_GridSpatialRepresentation.cellGeometry=Identification of grid data as point or cell.
MD_GridSpatialRepresentation.numberOfDimensions=Number of independent spatial-temporal axes.
MD_GridSpatialRepresentation.transformationParameterAvailability=Indication of whether or not parameters for transformation exists.
MD_Identification=Basic information required to uniquely identify a resource or resources.
MD_Identification.abstract=Brief narrative summary of the content of the resource(s).
MD_Identification.aggregationInfo=Provides aggregate dataset information.
MD_Identification.citation=Citation data for the resource(s).
MD_Identification.credit=Recognition of those who contributed
to the resource(s).
MD_Identification.descriptiveKeywords=Provides category keywords, their type, and reference source.
MD_Identification.graphicOverview=Provides a graphic that illustrates the resource(s) (should include a legend for

the graphic).
MD_Identification.pointOfContact=Identification of, and means of communication with, person(s) and organizations(s) associated with the resource(s).
MD_Identification.purpose=Summary of the intentions with which the resource(s) was developed.
MD_Identification.resourceConstraints=Provides information about constraints which apply to the resource(s).
MD_Identification.resourceFormat=Provides a description of the format of the resource(s).
MD_Identification.resourceMaintenance=Provides information about the frequency of resource updates, and the scope of those updates.
MD_Identification.resourceSpecificUsage=Provides basic information about specific application(s) for which the resource(s) has/have been or is being used by different users.
MD_Identification.status=Status
of the resource(s).
MD_Identifier=Value uniquely identifying an object within a namespace.
MD_Identifier.authority=Organization or party responsible for definition and maintenance of the code.
MD_Identifier.code=Alphanumeric value identifying an instance in the namespace.
MD_ImageDescription=Information about an image's suitability for use.
MD_ImageDescription.cameraCalibrationInformationAvailability=Indication of whether or not constants are available which allow for camera calibration corrections.
MD_ImageDescription.cloudCoverPercentage=Area of the dataset obscured by clouds, expressed as a percentage of the spatial extent.
MD_ImageDescription.compressionGenerationQuantity=Count of the number of lossy compression cycles performed on the image.
MD_ImageDescription.filmDistortionInformationAvailability=Indication of whether or not Calibration Reseau information is available.
MD_ImageDescription.illuminationAzimuthAngle=Illumination azimuth measured in degrees
clockwise from true north at the time the image is taken. For images from a scanning device, refer to the centre pixel of the image.
MD_ImageDescription.illuminationElevationAngle=Illumination elevation measured in degrees clockwise from the target plane at intersection of the optical line of sight with the Earth's surface. For images from a scanning device, refer to the centre pixel of the image.
MD_ImageDescription.imageQualityCode=Specifies the image quality.
MD_ImageDescription.imagingCondition=Conditions affected the image.
MD_ImageDescription.lensDistortionInformationAvailability=Indication of whether or not lens aberration correction information is available.
MD_ImageDescription.processingLevelCode=Image distributor's code that identifies the level of radiometric and geometric processing that has been applied.
MD_ImageDescription.radiometricCalibrationDataAvailability=Indication of whether or not the radiometric calibration information for generating the radiometrically calibrated
standard data product is available.
MD_ImageDescription.triangulationIndicator=Indication of whether or not triangulation has been performed upon the image.
MD_ImagingConditionCode=Code which indicates conditions which may affect the image.
MD_ImagingConditionCode.blurredImage=Portion of the image is blurred.
MD_ImagingConditionCode.cloud=Portion of the image is partially obscured by cloud cover.
MD_ImagingConditionCode.degradingObliquity=Acute angle between the plane of the ecliptic (the plane of the Earth s orbit) and the plane of the celestial equator.
MD_ImagingConditionCode.fog=Portion of the image is partially obscured by fog.
MD_ImagingConditionCode.heavySmokeOrDust=Portion of the image is partially obscured by heavy smoke or

dust.
MD_ImagingConditionCode.night=Image was taken at night.
MD_ImagingConditionCode.rain=Image was taken during rainfall.
MD_ImagingConditionCode.semiDarkness=Image was taken during semi-dark conditions -- twilight conditions.
MD_ImagingConditionCode.shadow=Portion
of the image is obscured by shadow.
MD_ImagingConditionCode.snow=Portion of the image is obscured by snow.
MD_ImagingConditionCode.terrainMasking=The absence of collection data of a given point or area caused by the relative location of topographic features which obstruct the collection path between the collector(s) and the subject(s) of interest.
MD_KeywordTypeCode=Methods used to group similar keywords.
MD_KeywordTypeCode.discipline=Keyword identifies a branch of instruction or specialized learning.
MD_KeywordTypeCode.place=Keyword identifies a location.
MD_KeywordTypeCode.stratum=Keyword identifies the layer(s) of any deposited substance.
MD_KeywordTypeCode.temporal=Keyword identifies a time period related to the dataset.
MD_KeywordTypeCode.theme=Keyword identifies a particular subject or topic.
MD_Keywords=Keywords, their type and reference source.
MD_Keywords.keyword=Commonly used word(s) or formalised word(s) or phrase(s) used to describe the subject.
MD_Keywords.thesaurusName=Name
of the formally registered thesaurus or a similar authoritative source of keywords.
MD_Keywords.type=Subject matter used to group similar keywords.
MD_LegalConstraints=Restrictions and legal prerequisites for accessing and using the resource.
MD_LegalConstraints.accessConstraints=Access constraints applied to assure the protection of privacy or intellectual property, and any special restrictions or limitations on obtaining the resource.
MD_LegalConstraints.otherConstraints=Other restrictions and legal prerequisites for accessing and using the resource.
MD_LegalConstraints.useConstraints=Constraints applied to assure the protection of privacy or intellectual property, and any special restrictions or limitations or warnings on using the resource.
MD_MaintenanceFrequencyCode=Frequency with which modifications and deletions are made to the data after it is first produced.
MD_MaintenanceFrequencyCode.annually=Data is updated every year.
MD_MaintenanceFrequencyCode.asNeeded=Data
is updated as deemed necessary.
MD_MaintenanceFrequencyCode.biannually=Data is updated twice each year.
MD_MaintenanceFrequencyCode.continual=Data is repeatedly and frequently updated.
MD_MaintenanceFrequencyCode.daily=Data is updated each day.
MD_MaintenanceFrequencyCode.fortnightly=Data is updated every two weeks.
MD_MaintenanceFrequencyCode.irregular=Data is updated in intervals that are uneven in duration.
MD_MaintenanceFrequencyCode.monthly=Data is updated each month.
MD_MaintenanceFrequencyCode.notPlanned=There are no plans to update the data.
MD_MaintenanceFrequencyCode.quarterly=Data is updated every three months.
MD_MaintenanceFrequencyCode.unknown=Frequency of maintenance for the data is not known.
MD_MaintenanceFrequencyCode.weekly=Data is updated on a weekly basis.
MD_MaintenanceInformation=Information about the scope and frequency of updating.
MD_MaintenanceInformation.contact=Identification of, and means of communicating with, person(s) and organization(s) with responsibility
for maintaining the metadata.
MD_MaintenanceInformation.dateOfNextUpdate=Scheduled revision date for resource.

MD_MaintenanceInformation.maintenanceAndUpdateFrequency=Frequency with which changes and additions are made to the resource after the initial resource is completed.
MD_MaintenanceInformation.maintenanceNote=Information regarding specific requirements for maintaining the resource.
MD_MaintenanceInformation.updateScope=Scope of data to which maintenance is applied.
MD_MaintenanceInformation.updateScopeDescription=Additional information about the range or extent of the resource.
MD_MaintenanceInformation.userDefinedMaintenanceFrequency=Maintenance period other than those defined.
MD_Medium=Information about the media on which the resource can be distributed.
MD_Medium.density=Density at which the data is recorded. The numbers should be greater than zero.
MD_Medium.densityUnits=Units of measure for the recording density.
MD_Medium.mediumFormat=Method used to write to
the medium.
MD_Medium.mediumNote=Description of other limitations or requirements for using the medium.
MD_Medium.name=Name of the medium on which the resource can be received.
MD_Medium.volumes=Number of items in the media identified.
MD_MediumFormatCode=Method used to write to the medium.
MD_MediumFormatCode.cpio=CoPy In / Out (UNIX file format and command).
MD_MediumFormatCode.highSierra=High sierra file system.
MD_MediumFormatCode.iso9660=Information processing volume and file structure of CD-ROM.
MD_MediumFormatCode.iso9660AppleHFS=Hierarchical file system (Macintosh).
MD_MediumFormatCode.iso9660RockRidge=Rock ridge interchange protocol (UNIX).
MD_MediumFormatCode.tar=Tape ARchive.
MD_MediumNameCode=Name of the medium.
MD_MediumNameCode.1quarterInchCartridgeTape=0,25 inch magnetic tape.
MD_MediumNameCode.3480Cartridge=3480 cartridge tape drive.
MD_MediumNameCode.3490Cartridge=3490 cartridge tape drive.
MD_MediumNameCode.3580Cartridge=3580 cartridge tape drive.
MD_MediumNameCode.3halfInchFloppy=3,5
inch magnetic disk.
MD_MediumNameCode.4mmCartridgeTape=4 millimetre magnetic tape.
MD_MediumNameCode.5quarterInchFloppy=5,25 inch magnetic disk.
MD_MediumNameCode.7trackTape=7 track magnetic tape.
MD_MediumNameCode.8mmCartridgeTape=8 millimetre magnetic tape.
MD_MediumNameCode.9trackTape=9 track magnetic tape.
MD_MediumNameCode.cdRom=Read-only optical disk.
MD_MediumNameCode.digitalLinearTape=Half inch cartridge streaming tape drive.
MD_MediumNameCode.dvd=Digital versatile disk.
MD_MediumNameCode.dvdRom=Digital versatile disk, read only.
MD_MediumNameCode.hardcopy=Pamphlet or leaflet giving descriptive information.
MD_MediumNameCode.onLine=Direct computer linkage.
MD_MediumNameCode.satellite=Linkage through a satellite communication system.
MD_MediumNameCode.telephoneLink=Communication through a telephone network.
MD_Metadata=Root entity which defines metadata about a resource or resources.
MD_Metadata.acquisitionInformation=Provides information about the acquisition
of the data.
MD_Metadata.applicationSchemaInfo=Provides information about the conceptual schema of a dataset.
MD_Metadata.characterSet=Full name of the character coding standard used for the metadata set.

MD_Metadata.contact=Parties responsible for the metadata information.
MD_Metadata.contentInfo=Provides information about the feature catalogue and describes the coverage and image data characteristics.
MD_Metadata.dataQualityInfo=Provides overall assessment of quality of a resource(s).
MD_Metadata.dataSetURI=Uniformed Resource Identifier (URI) of the dataset to which the metadata applies.
MD_Metadata.dateStamp=Date that the metadata was created.
MD_Metadata.distributionInfo=Provides information about the distributor of and options for obtaining the resource(s).
MD_Metadata.fileIdentifier=Unique identifier for this metadata file.
MD_Metadata.hierarchyLevel=Scope to which the metadata applies.
MD_Metadata.hierarchyLevelName=Name of the hierarchy levels for which the metadata is provided.
MD_Metadata.identificationInfo=Basic
information about the resource(s) to which the metadata applies.
MD_Metadata.language=Language used for documenting metadata.
MD_Metadata.locale=Provides information about an alternatively used localized character string for a linguistic extension.
MD_Metadata.metadataConstraints=Provides restrictions on the access and use of metadata.
MD_Metadata.metadataExtensionInfo=Information describing metadata extensions.
MD_Metadata.metadataMaintenance=Provides information about the frequency of metadata updates, and the scope of those updates.
MD_Metadata.metadataStandardName=Name of the metadata standard (including profile name) used.
MD_Metadata.metadataStandardVersion=Version (profile) of the metadata standard used.
MD_Metadata.parentIdentifier=File identifier of the metadata to which this metadata is a subset (child).
MD_Metadata.portrayalCatalogueInfo=Provides information about the catalogue of rules defined for the portrayal of a resource(s).
MD_Metadata.referenceSystemInfo=Description
of the spatial and temporal reference systems used in the dataset.
MD_Metadata.spatialRepresentationInfo=Digital representation of spatial information in the dataset.
MD_MetadataExtensionInformation=Information describing metadata extensions.
MD_MetadataExtensionInformation.extendedElementInformation=Provides information about a new metadata element, not found in ISO 19115, which is required to describe geographic data.
MD_MetadataExtensionInformation.extensionOnLineResource=Information about on-line sources containing the community profile name and the extended metadata elements. Information for all new metadata elements.
MD_ObligationCode=Obligation of the element or entity.
MD_ObligationCode.conditional=Element is required when a specific condition is met.
MD_ObligationCode.mandatory=Element is always required.
MD_ObligationCode.optional=Element is not required.
MD_PixelOrientationCode=Point in a pixel corresponding to the Earth location of the
pixel.
MD_PixelOrientationCode.center=Point halfway between the lower left and the upper right of the pixel.
MD_PixelOrientationCode.lowerLeft=The corner in the pixel closest to the origin of the SRS; if two are at the same distance from the origin, the one with the smallest x-value.
MD_PixelOrientationCode.lowerRight=Next corner counterclockwise from the lower left.
MD_PixelOrientationCode.upperLeft=Next corner counterclockwise from the upper right.
MD_PixelOrientationCode.upperRight=Next corner counterclockwise from the lower right.
MD_PortrayalCatalogueReference=Information identifying the portrayal catalogue used.
MD_PortrayalCatalogueReference.portrayalCatalogueCitation=Bibliographic reference to the portrayal catalogue cited.

MD_ProgressCode=Status of the dataset or progress of a review.
MD_ProgressCode.completed=Production of the data has been completed.
MD_ProgressCode.historicalArchive=Data has been stored in an offline storage facility.
MD_ProgressCode.obsolete=Data is no
longer relevant.
MD_ProgressCode.onGoing=Data is continually being updated.
MD_ProgressCode.planned=Fixed date has been established upon or by which the data will be created or updated.
MD_ProgressCode.required=Data needs to be generated or updated.
MD_ProgressCode.underDevelopment=Data is currently in the process of being created.
MD_RangeDimension=Information on the range of each dimension of a cell measurement value.
MD_RangeDimension.descriptor=Description of the range of a cell measurement value.
MD_RangeDimension.sequenceIdentifier=Number that uniquely identifies instances of bands of wavelengths on which a sensor operates.
MD_RepresentativeFraction=A scale defined as the inverse of a denominator.
MD_RepresentativeFraction.denominator=The number below the line in a vulgar fraction.
MD_Resolution=Level of detail expressed as a scale factor or a ground distance.
MD_Resolution.distance=Ground sample distance.
MD_Resolution.equivalentScale=Level of detail expressed as the scale of a
comparable hardcopy map or chart.
MD_RestrictionCode=Limitation(s) placed upon the access or use of the data.
MD_RestrictionCode.copyright=Exclusive right to the publication, production, or sale of the rights to a literary, dramatic, musical, or artistic work, or to the use of a commercial print or label, granted by law for a specified period of time to an author, composer, artist, distributor.
MD_RestrictionCode.intellectualPropertyRights=Rights to financial benefit from and control of distribution of non-tangible property that is a result of creativity.
MD_RestrictionCode.license=Formal permission to do something.
MD_RestrictionCode.otherRestrictions=Limitation not listed.
MD_RestrictionCode.patent=Government has granted exclusive right to make, sell, use or license an invention or discovery.
MD_RestrictionCode.patentPending=Produced or sold information awaiting a patent.
MD_RestrictionCode.restricted=Withheld from general circulation or disclosure.
MD_RestrictionCode.trademark=A name,
symbol, or other device identifying a product, officially registered and legally restricted to the use of the owner or manufacturer.
MD_ScopeCode=Class of information to which the referencing entity applies.
MD_ScopeCode.attribute=Information applies to the attribute class.
MD_ScopeCode.attributeType=Information applies to the characteristic of a feature.
MD_ScopeCode.collectionHardware=Information applies to the collection hardware class.
MD_ScopeCode.collectionSession=Information applies to the collection session.
MD_ScopeCode.dataset=Information applies to the dataset.
MD_ScopeCode.dimensionGroup=Information applies to a dimension group.
MD_ScopeCode.feature=Information applies to a feature.
MD_ScopeCode.featureType=Information applies to a feature type.
MD_ScopeCode.fieldSession=Information applies to a field session.
MD_ScopeCode.model=Information applies to a copy or imitation of an existing or hypothetical object.
MD_ScopeCode.nonGeographicDataset=Information applies to non-geographic
data.
MD_ScopeCode.propertyType=Information applies to a property type.

MD_ScopeCode.series=Information applies to the series.
MD_ScopeCode.service=Information applies to a capability which a service provider entity makes available to a service user entity through a set of interfaces that define a behaviour, such as a use case.
MD_ScopeCode.software=Information applies to a computer program or routine.
MD_ScopeCode.tile=Information applies to a tile, a spatial subset of geographic data.
MD_ScopeDescription=Description of the class of information covered by the information.
MD_ScopeDescription.attributeInstances=Attribute instances to which the information applies.
MD_ScopeDescription.attributes=Attributes to which the information applies.
MD_ScopeDescription.dataset=Dataset to which the information applies.
MD_ScopeDescription.featureInstances=Feature instances to which the information applies.
MD_ScopeDescription.features=Features to which the information applies.
MD_ScopeDescription.other=Class
of information that does not fall into the other categories to which the information applies.
MD_SecurityConstraints=Handling restrictions imposed on the resource for national security or similar security concerns.
MD_SecurityConstraints.classification=Name of the handling restrictions on the resource.
MD_SecurityConstraints.classificationSystem=Name of the classification system.
MD_SecurityConstraints.handlingDescription=Additional information about the restrictions on handling the resource.
MD_SecurityConstraints.userNote=Explanation of the application of the legal constraints or other restrictions and legal prerequisites for obtaining and using the resource.
MD_SpatialRepresentation=Digital mechanism used to represent spatial information.
MD_SpatialRepresentationTypeCode=Method used to represent geographic information in the dataset.
MD_SpatialRepresentationTypeCode.grid=Grid data is used to represent geographic data.
MD_SpatialRepresentationTypeCode.stereoModel=Three-dimensional
view formed by the intersecting homologous rays of an overlapping pair of images.
MD_SpatialRepresentationTypeCode.textTable=Textual or tabular data is used to represent geographic data.
MD_SpatialRepresentationTypeCode.tin=Triangulated irregular network.
MD_SpatialRepresentationTypeCode.vector=Vector data is used to represent geographic data.
MD_SpatialRepresentationTypeCode.video=Scene from a video recording.
MD_StandardOrderProcess=Common ways in which the resource may be obtained or received, and related instructions and fee information.
MD_StandardOrderProcess.fees=Fees and terms for retrieving the resource. Include monetary units (as specified in ISO 4217).
MD_StandardOrderProcess.orderingInstructions=General instructions, terms and services provided by the distributor.
MD_StandardOrderProcess.plannedAvailableDateTime=Date and time when the dataset will be available.
MD_StandardOrderProcess.turnaround=Typical turnaround time for the filling of an order.
MD_TopicCategoryCode=High-level
geographic data thematic classification to assist in the grouping and search of available geographic data sets. Can be used to group keywords as well. Listed examples are not exhaustive.
MD_TopicCategoryCode.biota=Flora and/or fauna in natural environment. Examples: wildlife, vegetation, biological sciences, ecology, wilderness, sealife, wetlands, habitat.
MD_TopicCategoryCode.boundaries=Legal land descriptions. Examples: political and administrative boundaries.
MD_TopicCategoryCode.climatologyMeteorologyAtmosphere=Processes and phenomena of the atmosphere. Examples: cloud cover, weather, climate, atmospheric conditions, climate change, precipitation.
MD_TopicCategoryCode.economy=Economic activities, conditions and employment. Examples: production, labour, revenue, commerce, industry, tourism and ecotourism, forestry, fisheries, commercial or subsistence hunting,

exploration and exploitation of resources such as minerals, oil and gas.
MD_TopicCategoryCode.elevation=Height
above or below sea level. Examples: altitude, bathymetry, digital elevation models, slope, derived products.
MD_TopicCategoryCode.environment=Environmental resources, protection and conservation. Examples: environmental pollution, waste storage and treatment, environmental impact assessment, monitoring environmental risk, nature reserves, landscape.
MD_TopicCategoryCode.farming=Rearing of animals and/or cultivation of plants. Examples: agriculture, irrigation, aquaculture, plantations, herding, pests and diseases affecting crops and livestock.
MD_TopicCategoryCode.geoscientificInformation=Information pertaining to earth sciences. Examples: geophysical features and processes, geology, minerals, sciences dealing with the composition, structure and origin of the earth s rocks, risks of earthquakes, volcanic activity, landslides, gravity information, soils, permafrost, hydrogeology, erosion.
MD_TopicCategoryCode.health=Health, health services, human ecology, and safety. Examples:
disease and illness, factors affecting health, hygiene, substance abuse, mental and physical health, health services.
MD_TopicCategoryCode.imageryBaseMapsEarthCover=Base maps. Examples: land cover, topographic maps, imagery, unclassified images, annotations.
MD_TopicCategoryCode.inlandWaters=Inland water features, drainage systems and their characteristics. Examples: rivers and glaciers, salt lakes, water utilization plans, dams, currents, floods, water quality, hydrographic charts.
MD_TopicCategoryCode.intelligenceMilitary=Military bases, structures, activities. Examples: barracks, training grounds, military transportation, information collection.
MD_TopicCategoryCode.location=Positional information and services. Examples: addresses, geodetic networks, control points, postal zones and services, place names.
MD_TopicCategoryCode.oceans=Features and characteristics of salt water bodies (excluding inland waters). Examples: tides, tidal waves, coastal information, reefs.
MD_TopicCategoryCode.planningCadastre=Information
used for appropriate actions for future use of the land. Examples: land use maps, zoning maps, cadastral surveys, land ownership.
MD_TopicCategoryCode.society=Characteristics of society and cultures. Examples: settlements, anthropology, archaeology, education, traditional beliefs, manners and customs, demographic data, recreational areas and activities, social impact assessments, crime and justice, census information.
MD_TopicCategoryCode.structure=Man-made construction. Examples: buildings, museums, churches, factories, housing, monuments, shops, towers.
MD_TopicCategoryCode.transportation=Means and aids for conveying persons and/or goods. Examples: roads, airports/airstrips, shipping routes, tunnels, nautical charts, vehicle or vessel location, aeronautical charts, railways.
MD_TopicCategoryCode.utilitiesCommunication=Energy, water and waste systems and communications infrastructure and services. Examples: hydroelectricity, geothermal, solar and nuclear
sources of energy, water purification and distribution, sewage collection and disposal, electricity and gas distribution, data communication, telecommunication, radio, communication networks.
MD_TopologyLevelCode=Degree of complexity of the spatial relationships.
MD_TopologyLevelCode.abstract=Topological complex without any specified geometric realisation.
MD_TopologyLevelCode.fullPlanarGraph=2-dimensional topological complex that is planar. (A 2-dimensional topological complex is commonly called full topology in a cartographic 2D environment.).
MD_TopologyLevelCode.fullSurfaceGraph=2-dimensional topological complex that is isomorphic to a subset of a surface.
MD_TopologyLevelCode.fullTopology3D=Complete coverage of a 3D Euclidean coordinate space.
MD_TopologyLevelCode.geometryOnly=Geometry objects without any additional structure which describes topology.
MD_TopologyLevelCode.planarGraph=1-dimensional topological complex that is planar. (A planar graph is a graph

that can be
drawn in a plane in such a way that no two edges intersect except at a vertex.).
MD_TopologyLevelCode.surfaceGraph=1-dimensional topological complex that is isomorphic to a subset of a surface. (A geometric complex is isomorphic to a topological complex if their elements are in a one-to-one, dimensional-and boundry-preserving correspondence to one another.).
MD_TopologyLevelCode.topology1D=1-dimensional topological complex -- commonly called chain-node topology.
MD_TopologyLevelCode.topology3D=3-dimensional topological complex. (A topological complex is a collection of topological primitives that are closed under the boundary operations.).
MD_Usage=Brief description of ways in which the resource(s) is/are currently used.
MD_Usage.specificUsage=Brief description of the resource and/or resource series usage.
MD_Usage.usageDateTime=Date and time of the first use or range of uses of the resource and/or resource series.
MD_Usage.userContactInfo=Identification of and means of communicating
with person(s) and organization(s) using the resource(s).
MD_Usage.userDeterminedLimitations=Applications, determined by the user for which the resource and/or resource series is not suitable.
MD_VectorSpatialRepresentation=Information about the vector spatial objects in the dataset.
MD_VectorSpatialRepresentation.geometricObjects=Information about the geometric objects used in the dataset.
MD_VectorSpatialRepresentation.topologyLevel=Code which identifies the degree of complexity of the spatial relationships.
MI_AcquisitionInformation=Designations for the measuring instruments, the platform carrying them, and the mission to which the data contributes.
MI_AcquisitionInformation.acquisitionPlan=Identifies the plan as implemented by the acquisition.
MI_AcquisitionInformation.acquisitionRequirement=Identifies the requirement the data acquisition intends to satisfy.
MI_AcquisitionInformation.environmentalConditions=A record of the environmental circumstances during the data acquisition.
MI_AcquisitionInformation.instrument=General
information about the instrument used in data acquisition.
MI_AcquisitionInformation.objective=Identification of the area or object to be sensed.
MI_AcquisitionInformation.operation=General information about an identifiable activity which provided the data.
MI_AcquisitionInformation.platform=General information about the platform from which the data were taken.
MI_EnvironmentalRecord=Information about the environmental conditions during the acquisition.
MI_EnvironmentalRecord.averageAirTemperature=Average air temperature along the flight pass during the photo flight.
MI_EnvironmentalRecord.maxAltitude=Maximum altitude during the photo flight.
MI_EnvironmentalRecord.maxRelativeHumidity=Maximum relative humidity along the flight pass during the photo flight.
MI_EnvironmentalRecord.meteorologicalConditions=Meteorological conditions in the photo flight area, in particular clouds, snow and wind.
MI_Event=Identification of a significant collection
point within an operation.
MI_Event.context=Meaning of the event.
MI_Event.expectedObjective=Objective or objectives satisfied by an event.
MI_Event.identifier=Event name or number.
MI_Event.relatedPass=Pass during which an event occurs.
MI_Event.relatedSensor=Instrument or instruments for which the event is meaningful.
MI_Event.sequence=Relative time ordering of the event.

MI_Event.time=Time the event occurred.
MI_Event.trigger=Initiator of the event.
MI_GCP=Information on ground control point.
MI_GCP.accuracyReport=Accuracy of a ground control point.
MI_GCP.geographicCoordinates=Geographic or map position of the control point, in either two or three dimensions.
MI_GCPCollection=Information about a control point collection.
MI_GCPCollection.collectionIdentification=Identifier of the GCP collection.
MI_GCPCollection.collectionName=Name of the GCP collection.
MI_GCPCollection.coordinateReferenceSystem=Coordinate system in which the ground control points are defined.
MI_GCPCollection.gcp=Ground
control point(s) used in the collection.
MI_GeolocationInformation=Information used to determine geographic location corresponding to image location.
MI_GeolocationInformation.qualityInfo=Provides an overall assessment of quality of geolocation information.
MI_Instrument=Designations for the measuring instruments.
MI_Instrument.citation=Complete citation of the instrument.
MI_Instrument.description=Textual description of the instrument.
MI_Instrument.identifier=Unique identification of the instrument.
MI_Instrument.mountedOn=Platform on which the instrument is mounted.
MI_Instrument.type=Name of the type of instrument. Examples: framing, line-scan, push-broom, pan-frame.
MI_Objective=Describes the characteristics, spatial and temporal extent of the intended object to be observed.
MI_Objective.extent=Extent information including the bounding box, bounding polygon, vertical and temporal extent of the objective.
MI_Objective.function=Role or purpose performed by or activity performed
at the objective.
MI_Objective.identifier=Code used to identify the objective.
MI_Objective.objectiveOccurence=Event or events associated with objective completion.
MI_Objective.pass=Pass of the platform over the objective.
MI_Objective.priority=Priority applied to the target.
MI_Objective.sensingInstrument=Instrument which senses the objective data.
MI_Objective.type=Collection technique for the objective.
MI_Operation=Designations for the operation used to acquire the dataset.
MI_Operation.childOperation=Sub-missions that make up part of a larger mission.
MI_Operation.citation=Identification of the mission.
MI_Operation.description=Description of the mission on which the platform observations are made and the objectives of that mission.
MI_Operation.identifier=Unique identification of the operation.
MI_Operation.objective=Object(s) or area(s) of interest to be sensed.
MI_Operation.parentOperation=Heritage of the operation.
MI_Operation.plan=Plan satisfied by the operation.
MI_Operation.platform=Platform
(or platforms) used in the operation.
MI_Operation.significantEvent=Record of an event occurring during an operation.
MI_Operation.status=Status of the data acquisition.
MI_Operation.type=Collection technique for the operation.
MI_Plan=Designations for the planning information related to meeting the data acquisition requirements.
MI_Plan.citation=Identification of authority requesting target collection.
MI_Plan.operation=Identification of the activity or activities that satisfy a plan.

MI_Plan.satisfiedRequirement=Requirement satisfied by the plan.
MI_Plan.status=Current status of the plan (pending, completed, etc.)
MI_Plan.type=Manner of sampling geometry that the planner expects for collection of objective data.
MI_Platform=Designation of the platform used to acquire the dataset.
MI_Platform.citation=Source where information about the platform is described.
MI_Platform.description=Narrative description of the platform supporting the instrument.
MI_Platform.identifier=Unique
identification of the platform.
MI_Platform.instrument=Instrument(s) mounted on a platform.
MI_Platform.sponsor=Organization responsible for building, launch, or operation of the platform.
MI_PlatformPass=Identification of collection coverage.
MI_PlatformPass.extent=Area covered by the pass.
MI_PlatformPass.identifier=Unique name of the pass.
MI_PlatformPass.relatedEvent=Occurrence of one or more events for a pass.
MI_RangeElementDescription=Description of specific range elements.
MI_RangeElementDescription.definition=Description of a set of specific range elements.
MI_RangeElementDescription.name=Designation associated with a set of range elements.
MI_RangeElementDescription.rangeElement=Specific range elements, i.e. range elements associated with a name and their definition.
MI_RequestedDate=Range of date validity.
MI_RequestedDate.latestAcceptableDate=Latest date and time collection must be completed.
MI_RequestedDate.requestedDateOfCollection=Preferred date and time
of collection.
MI_Requirement=Requirement to be satisfied by the planned data acquisition.
MI_Requirement.citation=Identification of reference or guidance material for the requirement.
MI_Requirement.expiryDate=Date and time after which collection is no longer valid.
MI_Requirement.identifier=Unique name, or code, for the requirement.
MI_Requirement.priority=Relative ordered importance, or urgency, of the requirement.
MI_Requirement.recipient=Person(s), or body(ies), to receive results of requirement.
MI_Requirement.requestedDate=Required or preferred acquisition date and time.
MI_Requirement.requestor=Origin of requirement.
MI_Requirement.satisfiedPlan=Plan that identifies solution to satisfy the requirement.
MX_DataFile=Description of a transfer data file.
MX_DataFile.featureType=Provides the list of feature types concerned by the transfer data file. Depending on the transfer choices, a data file may contain data related to one or many feature types. This attribute may be omitted when
the dataset is composed of a single file and/or the data does not relate to a feature catalogue.
MX_DataFile.fileFormat=Defines the format of the transfer data file.
QE_CoverageResult=Result of a data quality measure organising the measured values as a coverage.
QE_CoverageResult.resultContentDescription=Provides the description of the content of the result coverage, i.e. semantic definition of the data quality measures.
QE_CoverageResult.resultFile=Provides information about the data file containing the result coverage data.
QE_CoverageResult.resultFormat=Provides information about the format of the result coverage data.
QE_CoverageResult.resultSpatialRepresentation=Provides the digital representation of data quality measures composing the coverage result.
QE_CoverageResult.spatialRepresentationType=Method used to spatially represent the coverage result.
QE_Usability=Degree of adherence of a dataset to a specific set of user requirements.
SV_ServiceIdentification=Identification of

capabilities which a service provider makes available to a service user through a set of interfaces that define a behaviour - See ISO 19119 for further information.

Found in path(s):
* /opt/cola/permits/1545877150_1674825152.4752572/0/geoapi-3-0-1-jar/org/opengis/metadata/Descriptions.properties

1.610 aws-sdk-for-java 1.11.297

1.610.1 Available under license :

Apache License
Version 2.0, January 2004

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work
and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the

Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom
a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

1. You must give any other recipients of the Work or Derivative Works a copy of this License; and
2. You must cause any modified files to carry prominent notices stating that You changed the files; and
3. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution
notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
4. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that
such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions

stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any
Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims
asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.
AWS SDK for Java
Copyright 2010-2014 Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by
Amazon Technologies, Inc (http://www.amazon.com/).

****
THIRD PARTY COMPONENTS
****
This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.

The licenses for these third party components are included in LICENSE.txt

1.611 aws-sdk-for-java 1.11.762

1.611.1 Available under license :

Apache License
Version 2.0, January 2004

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work
and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright

owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom
a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

1. You must give any other recipients of the Work or Derivative Works a copy of this License; and
2. You must cause any modified files to carry prominent notices stating that You changed the files; and
3. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution
notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
4. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that
such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any
Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims
asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.
AWS SDK for Java
Copyright 2010-2014 Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by
Amazon Technologies, Inc (http://www.amazon.com/).

****
THIRD PARTY COMPONENTS
****
This software includes third party software subject to the following copyrights:
- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.

- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.

The licenses for these third party components are included in LICENSE.txt

1.612 kotlin-stdlib-common 1.6.20

1.612.1 Available under license :

Apache-2.0

1.613 opentelemetry-java---io.opentelemetry:opentelemetry-sdk-metrics 1.19.0

1.613.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
    incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

 Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.614 google-guava v25.1

1.614.1 Available under license :

Doug Lea

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.615 google-guava v28.2

1.615.1 Available under license :

Doug Lea

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this
License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
    incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

 Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.616 aws-sdk-for-java 1.11.73

1.616.1 Available under license :

Apache License
Version 2.0, January 2004

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work
and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom
a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to

You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

1. You must give any other recipients of the Work or Derivative Works a copy of this License; and
2. You must cause any modified files to carry prominent notices stating that You changed the files; and
3. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution
notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
4. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that
such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and

assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any
Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims
asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.
AWS SDK for Java
Copyright 2010-2014 Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by
Amazon Technologies, Inc (http://www.amazon.com/).

****
THIRD PARTY COMPONENTS
****
This software includes third party software subject to the following copyrights:
- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.

The licenses for these third party components are included in LICENSE.txt

1.617 opentelemetry 1.19.0

1.617.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.618 google-guava 31.0.1-android

1.618.1 Available under license :

Doug Lea

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.619 google-guava v27.0.1

1.619.1 Available under license :

Doug Lea

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.620 kotlin 1.6.20

1.620.1 Available under license :

No license file was found, but licenses were detected in source scan.

{"version":3,"file":"kotlin.js","sources":["wrapper.js","js/arrayUtils.js","js/callableReferenceUtils.js","js/conversions.js","js/core.js","js/long.js","js/markerFunctions.js","js/misc.js","js/polyfills.js","js/rtti.js","runtime/arrayUtils.kt","runtime/Enum.kt","primitiveCompanionObjects.kt","common/src/generated/_Arrays.kt","common/src/generated/_Ranges.kt","unsigned/src/kotlin/UByte.kt","unsigned/src/kotlin/UInt.kt","unsigned/src/kotlin/UShort.kt","builtin-sources/Ranges.kt","src/kotlin/collections/Collections.kt","src/kotlin/collections/Maps.kt","src/kotlin/collections/Sets.kt","src/kotlin/text/StringNumberConversions.kt","src/kotlin/time/Duration.kt","unsigned/src/kotlin/UnsignedUtils.kt","src/kotlin/collections/Iterables.kt","src/kotlin/collections/Sequences.kt","src/kotlin/util/Preconditions.kt","js/src/generated/_ArraysJs.kt","src/kotlin/comparisons/Comparisons.kt","src/kotlin/util/Standard.kt","js/src/generated/_ComparisonsJs.kt","unsigned/src/kotlin/ULong.kt","common/src/generated/_Collections.kt","js/src/kotlin/collections.kt","src/kotlin/collections/Iterators.kt","common/src/generated/_Comparisons.kt","common/src/generated/_Maps.kt","common/src/generated/_OneToManyTitlecaseMappings.kt","js/src/kotlin/text/char.kt","js/src/kotlin/text/string.kt","src/kotlin/text/Char.kt","src/kotlin/CharCode.kt","common/src/generated/_Sequences.kt","common/src/generated/_Sets.kt","common/src/generated/_Strings.kt","src/kotlin/text/Strings.kt","unsigned/src/kotlin/UByteArray.kt","unsigned/src/kotlin/UIntArray.kt","unsigned/src/kotlin/ULongArray.kt","unsigned/src/kotlin/UShortArray.kt","common/src/generated/_UArrays.kt","common/src/generated/_UCollections.kt","common/src/generated/_UComparisons.kt","common/src/generated/_URanges.kt","common/src/generated/_USequences.kt","common/src/kotlin/ExceptionsH.kt","common/src/kotlin/JsAnnotationsH.kt","common/src/kotlin/ioH.kt","builtin-sources/Collections.kt","builtin-sources/Iterators.kt","builtin-sources/ProgressionIterators.kt","builtin-sources/Progressions.kt","builtin-sources/Range.kt","builtin-sources/Unit.kt","builtin-sources/annotation/Annotations.kt","builtin-sources/internal/InternalAnnotations.kt","builtin-sources/internal/progressionUtil.kt","src/kotlin/builtins.kt","src/kotlin/jsTypeOf.kt","src/kotlin/kotlin.kt","src/kotlin/charCode_js-v1.kt","src/kotlin/coroutines/CoroutineImpl.kt","src/kotlin/util/Result.kt","src/kotlin/coroutines/Continuation.kt","src/kotlin/coroutines/intrinsics/IntrinsicsJs.kt","src/kotlin/currentBeMisc.kt","src/kotlin/exceptions.kt","src/kotlin/jsOperators.kt","src/kotlin/math_js-v1.kt","src/kotlin/numbers_js-v1.kt","src/kotlin/reflection_js-v1.kt","src/kotlin/text/numberConversions_js-v1.kt","js/src/generated/_CharCategories.kt","js/src/generated/_CollectionsJs.kt","js/src/generated/_DigitChars.kt","js/src/generated/_LetterChars.kt","js/src/generated/_OtherLowercaseChars.kt","js/src/generated/_OtherUppercaseChars.kt","js/src/generated/_StringsJs.kt","js/src/generated/_TitlecaseMappings.kt","js/src/generated/_UArraysJs.kt","js/src/generated/_WhitespaceChars.kt","js/src/kotlin/Comparator.kt","js/src/kotlin/annotations.kt","js/src/kotlin/annot

ationsJVM.kt","js/src/kotlin/collections/AbstractMutableCollection.kt","js/src/kotlin/collections/AbstractMutableList.kt","js/src/kotlin/collections/AbstractMutableMap.kt","js/src/kotlin/collections/AbstractMutableSet.kt","js/src/kotlin/collections/ArrayList.kt","js/src/kotlin/collections/ArraySorting.kt","js/src/kotlin/collections/ArraysJs.kt","js/src/kotlin/collections/EqualityComparator.kt","js/src/kotlin/collections/HashMap.kt","js/src/kotlin/collections/HashSet.kt","js/src/kotlin/collections/InternalHashCodeMap.kt","js/src/kotlin/collections/InternalMap.kt","js/src/kotlin/collections/InternalStringMap.kt","js/src/kotlin/collections/LinkedHashMap.kt","js/src/kotlin/collections/LinkedHashSet.kt","js/src/kotlin/concurrent.kt","js/src/kotlin/console.kt","js/src/kotlin/coroutines/SafeContinuationJs.kt","js/src/kotlin/coroutines/cancellation/CancellationException.kt","js/src/kotlin/coroutines/js/internal/EmptyContinuation.kt","js/src/kotlin/date.kt","js/src/kotlin/dom/Builders.kt","js/src/kotlin/dom/Classes.kt","js/src/kotlin/dom/Dom.kt","js/src/kotlin/dom/EventListener.kt","js/src/kotlin/dom/ItemArrayLike.kt","js/src/kotlin/dom/Mutations.kt","js/src/kotlin/dynamic.kt","js/src/kotlin/exceptionUtils.kt","js/src/kotlin/grouping.kt","src/kotlin/collections/Grouping.kt","js/src/kotlin/internalAnnotations.kt","js/src/kotlin/json.kt","js/src/kotlin/math.kt","js/src/kotlin/numbers.kt","js/src/kotlin/promise.kt","js/src/kotlin/random/PlatformRandom.kt","js/src/kotlin/reflect/AssociatedObjects.kt","js/src/kotlin/reflect/JsClass.kt","js/src/kotlin/reflect/KClassImpl.kt","js/src/kotlin/reflect/KClassesImpl.kt","js/src/kotlin/reflect/KTypeHelpers.kt","js/src/kotlin/reflect/KTypeImpl.kt","js/src/kotlin/reflect/KTypeParameterImpl.kt","js/src/kotlin/reflect/primitives.kt","js/src/kotlin/reflect/reflection.kt","js/src/kotlin/regexp.kt","js/src/kotlin/sequence.kt","js/src/kotlin/text/CharCategoryJS.kt","js/src/kotlin/text/CharacterCodingExceptionJs.kt","js/src/kotlin/text/StringBuilderJs.kt","js/src/kotlin/text/numberConversions.kt","js/src/kotlin/text/regex.kt","src/kotlin/text/StringBuilder.kt","js/src/kotlin/text/stringsCode.kt","js/src/kotlin/text/utf8Encoding.kt","js/src/kotlin/throwableExtensions.kt","js/src/kotlin/time/DurationJs.kt","js/src/kotlin/time/DurationUnit.kt","js/src/kotlin/time/MonoTimeSource.kt","js/src/kotlinx/dom/Builders.kt","js/src/kotlinx/dom/Classes.kt","src/kotlin/text/regex/RegexExtensions.kt","js/src/kotlinx/dom/Dom.kt","js/src/kotlinx/dom/Mutations.kt","js/src/org.w3c/deprecated.kt","js/src/org.w3c/org.khronos.webgl.kt","js/src/org.w3c/org.w3c.dom.clipboard.kt","js/src/org.w3c/org.w3c.dom.css.kt","js/src/org.w3c/org.w3c.dom.encryptedmedia.kt","js/src/org.w3c/org.w3c.dom.events.kt","js/src/org.w3c/org.w3c.dom.kt","js/src/org.w3c/org.w3c.fetch.kt","js/src/org.w3c/org.w3c.dom.mediacapture.kt","js/src/org.w3c/org.w3c.dom.mediasource.kt","js/src/org.w3c/org.w3c.dom.pointerevents.kt","js/src/org.w3c/org.w3c.dom.svg.kt","js/src/org.w3c/org.w3c.files.kt","js/src/org.w3c/org.w3c.notifications.kt","js/src/org.w3c/org.w3c.workers.kt","js/src/org.w3c/org.w3c.xhr.kt","src/kotlin/annotations/Experimental.kt","src/kotlin/annotations/ExperimentalStdlibApi.kt","src/kotlin/annotations/Inference.kt","src/kotlin/annotations/Multiplatform.kt","src/kotlin/annotations/OptIn.kt","src/kotlin/collections/AbstractCollection.kt","src/kotlin/collections/AbstractIterator.kt","src/kotlin/collections/AbstractList.kt","src/kotlin/collections/AbstractMap.kt","src/kotlin/collections/AbstractSet.kt","src/kotlin/collections/ArrayDeque.kt","src/kotlin/collections/Arrays.kt","src/kotlin/collections/BrittleContainsOptimization.kt","src/kotlin/collections/IndexedValue.kt","src/kotlin/collections/MapAccessors.kt","src/kotlin/collections/MapWithDefault.kt","src/kotlin/collections/MutableCollections.kt","src/kotlin/collections/ReversedViews.kt","src/kotlin/collections/SequenceBuilder.kt","src/kotlin/collections/SlidingWindow.kt","src/kotlin/collections/UArraySorting.kt","src/kotlin/comparisons/compareTo.kt","src/kotlin/contracts/ContractBuilder.kt","src/kotlin/coroutines/ContinuationInterceptor.kt","src/kotlin/coroutines/CoroutineContext.kt","src/kotlin/coroutines/CoroutineContextImpl.kt","src/kotlin/coroutines/intrinsics/Intrinsics.kt","src/kotlin/experimental/bitwiseOperations.kt","src/kotlin/experimental/inferenceMarker.kt","src/kotlin/internal/Annotations.kt","src/kotlin/properties/Delegates.kt","src/kotlin/properties/Interfaces.kt","src/kotlin/properties/ObservableProperty.kt","src/kotlin/properties/PropertyReferenceDelegates.kt","src/kotlin/random/Random.kt","src/kotlin/random/URandom.kt","src/kotlin/random/XorWowRandom.kt","src/kotlin/ranges/Ranges.kt","src/kotlin/reflect/KClasses.kt","src/kotlin/reflect/KTypeProjection.kt","src/kotlin/reflect/KVariance.kt","src/kotlin/reflect/typeOf.kt","src/kotlin/text/Appendable.kt","src/kotlin/text/Indent.kt","src/kotlin/text/Typography.kt","src/kotlin/text/regex/MatchResult.kt","src/kotlin/time/DurationUnit.kt","src/kotlin/time/ExperimentalTime.kt","src/kotlin/time/TimeSource.kt","src/kotlin/time/TimeSources.kt","src/kotlin/time/measureTime.kt","src/kotlin/util/DeepRecursive.kt","src/kotlin/util/FloorDivMod.kt","src/kotlin/util/HashCode.kt","src/kotlin/util/KotlinVersion.kt","src/kotlin/util/Lateinit.kt","src/kotlin/util/Lazy.kt","src/kotlin/util/Numbers.kt","src/kotlin/util/Suspend.kt","src/kotlin/util/Tuples.kt","unsigned/src/kotlin/UIntRange.kt","unsigned/src/kotlin/UIterators.kt","unsigned/src/kotlin/ULongRange.kt","unsigned/src/kotlin/UMath.kt","unsigned/src/kotlin/UNumbers.kt","unsigned/src/kotlin/UPr

ogressionUtil.kt","unsigned/src/kotlin/UStrings.kt","unsigned/src/kotlin/annotations/Unsigned.kt","common/src/kotlin/MathH.kt"],"sourcesContent":["(function
(root, factory) {\n if (typeof define === 'function' && define.amd) {\n   define('kotlin', ['exports'], factory);\n}\n else if (typeof exports === 'object') {\n   factory(module.exports);\n }\n else {\n   root.kotlin = {};\n factory(root.kotlin);\n }\n}(this, function (Kotlin) {\n var _ = Kotlin;\n\n insertContent();\n}));\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.isBooleanArray = function (a) {\n return (Array.isArray(a) || a instanceof Int8Array) && a.$type$ === \"BooleanArray\"\n};\n\nKotlin.isByteArray = function (a) {\n return a instanceof Int8Array && a.$type$!== \"BooleanArray\"\n};\n\nKotlin.isShortArray = function (a) {\n return a instanceof Int16Array\n};\n\nKotlin.isCharArray = function (a) {\n return a instanceof Uint16Array && a.$type$ === \"CharArray\"\n};\n\nKotlin.isIntArray = function (a) {\n return a instanceof Int32Array\n};\n\nKotlin.isFloatArray = function (a) {\n return a instanceof Float32Array\n};\n\nKotlin.isDoubleArray = function (a) {\n return a instanceof Float64Array\n};\n\nKotlin.isLongArray = function (a) {\n return Array.isArray(a) && a.$type$ === \"LongArray\"\n};\n\nKotlin.isArray = function (a) {\n return Array.isArray(a) && !a.$type$;\n};\n\nKotlin.isArrayish = function (a) {\n return Array.isArray(a) || ArrayBuffer.isView(a)\n};\n\nKotlin.arrayToString = function (a) {\n if (a === null) return \"null\"\n var toString = Kotlin.isCharArray(a) ? String.fromCharCode : Kotlin.toString;\n return \"[\" + Array.prototype.map.call(a, function(e) { return toString(e); }).join(\", \") + \"]\";\n};\n\nKotlin.arrayDeepToString = function (arr) {\n return Kotlin.kotlin.collections.contentDeepToStringImpl(arr);\n};\n\nKotlin.arrayEquals = function (a, b) {\n if (a === b) {\n   return true;\n }\n if (a === null || b === null || !Kotlin.isArrayish(b) || a.length !== b.length) {\n   return false;\n }\n\n for (var i = 0, n = a.length; i < n; i++) {\n   if (!Kotlin.equals(a[i], b[i])) {\n   return false;\n   }\n }\n return true;\n};\n\nKotlin.arrayDeepEquals = function (a, b) {\n return Kotlin.kotlin.collections.contentDeepEqualsImpl(a, b);\n};\n\nKotlin.arrayHashCode = function (arr) {\n if (arr === null) return 0\n var result = 1;\n for (var i = 0, n = arr.length; i < n; i++) {\n   result = ((31 * result | 0) + Kotlin.hashCode(arr[i])) | 0;\n }\n return result;\n};\n\nKotlin.arrayDeepHashCode = function (arr) {\n return Kotlin.kotlin.collections.contentDeepHashCodeImpl(arr);\n};\n\nKotlin.primitiveArraySort = function (array) {\n array.sort(Kotlin.doubleCompareTo)\n};\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.getCallableRef = function(name, f) {\n f.callableName = name;\n return f;\n};\n\nKotlin.getPropertyCallableRef = function(name, paramCount, getter, setter) {\n getter.get = getter;\n getter.set = setter;\n getter.callableName = name;\n return getPropertyRefClass(getter, setter, propertyRefClassMetadataCache[paramCount]);\n};\n\nfunction getPropertyRefClass(obj, setter, cache) {\n obj.$metadata$ = getPropertyRefMetadata(typeof setter === \"function\" ? cache.mutable : cache.immutable);\n obj.constructor = obj;\n return obj;\n}\n\nvar propertyRefClassMetadataCache = [\n {\n   mutable: { value: null, implementedInterface: function () {\n   return Kotlin.kotlin.reflect.KMutableProperty0\n   }\n   },\n   immutable: { value: null, implementedInterface: function () {\n   return Kotlin.kotlin.reflect.KProperty0\n   }\n   }\n },\n {\n   mutable: { value: null, implementedInterface: function () {\n   return Kotlin.kotlin.reflect.KMutableProperty1\n   }\n   },\n   immutable: { value: null, implementedInterface: function () {\n   return Kotlin.kotlin.reflect.KProperty1\n   }\n   }\n }];\n\nfunction getPropertyRefMetadata(cache) {\n if (cache.value === null) {\n   cache.value = {\n   interfaces: [cache.implementedInterface()],\n   baseClass: null,\n   functions: {},\n   properties: {},\n   types: {},\n   staticMembers: {}\n   };\n }\n return cache.value;\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.toShort = function (a) {\n return (a & 0xFFFF) << 16 >>

16;\n};\n\nKotlin.toByte = function (a) {\n
  return (a & 0xFF) << 24 >> 24;\n};\n\nKotlin.toChar = function (a) {\n return a &
0xFFFF;\n};\n\nKotlin.numberToLong = function (a) {\n return a instanceof Kotlin.Long ? a :
Kotlin.Long.fromNumber(a);\n};\n\nKotlin.numberToInt = function (a) {\n return a instanceof Kotlin.Long ?
a.toInt() : Kotlin.doubleToInt(a);\n};\n\nKotlin.numberToShort = function (a) {\n return
Kotlin.toShort(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToByte = function (a) {\n return
Kotlin.toByte(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToDouble = function (a) {\n return
+a;\n};\n\nKotlin.numberToChar = function (a) {\n return
Kotlin.toChar(Kotlin.numberToInt(a));\n};\n\nKotlin.doubleToInt = function(a) {\n if (a > 2147483647) return
2147483647;\n if (a < -2147483648) return -2147483648;\n return a | 0;\n};\n\nKotlin.toBoxedChar = function
(a) {\n if (a == null) return a;\n if (a instanceof Kotlin.BoxedChar) return a;\n return new
Kotlin.BoxedChar(a);\n};\n\nKotlin.unboxChar
 = function(a) {\n if (a == null) return a;\n return Kotlin.toChar(a);\n};\n","/*\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.equals = function (obj1, obj2) {\n if (obj1
== null) {\n   return obj2 == null;\n }\n\n if (obj2 == null) {\n   return false;\n }\n\n if (obj1 !== obj1)
{\n   return obj2 !== obj2;\n }\n\n if (typeof obj1 === \"object\" && typeof obj1.equals === \"function\") {\n
    return obj1.equals(obj2);\n }\n\n if (typeof obj1 === \"number\" && typeof obj2 === \"number\") {\n
return obj1 === obj2 && (obj1 !== 0 || 1 / obj1 === 1 / obj2)\n }\n\n return obj1 ===
obj2;\n};\n\nKotlin.hashCode = function (obj) {\n if (obj == null) {\n   return 0;\n }\n var objType = typeof
obj;\n if (\"object\" === objType) {\n
  return \"function\" === typeof obj.hashCode ? obj.hashCode() : getObjectHashCode(obj);\n }\n if
(\"function\" === objType) {\n   return getObjectHashCode(obj);\n }\n if (\"number\" === objType) {\n
return Kotlin.numberHashCode(obj);\n }\n if (\"boolean\" === objType) {\n   return Number(obj)\n }\n\n
var str = String(obj);\n return getStringHashCode(str);\n};\n\n\nKotlin.toString = function (o) {\n if (o == null)
{\n   return \"null\";\n }\n else if (Kotlin.isArrayish(o)) {\n   return \"[...]\";\n }\n else {\n   return
o.toString();\n }\n};\n\n/** @const */\nvar POW_2_32 = 4294967296;\n// TODO: consider switching to Symbol
type once we are on ES6.\n/** @const */\nvar OBJECT_HASH_CODE_PROPERTY_NAME =
\"kotlinHashCodeValue$\";\n\nfunction getObjectHashCode(obj) {\n if
(!(OBJECT_HASH_CODE_PROPERTY_NAME in obj)) {\n   var hash = (Math.random() * POW_2_32) | 0; //
Make 32-bit singed integer.\n   Object.defineProperty(obj,
 OBJECT_HASH_CODE_PROPERTY_NAME, { value: hash, enumerable: false });\n }\n return
obj[OBJECT_HASH_CODE_PROPERTY_NAME];\n}\n\nfunction getStringHashCode(str) {\n var hash = 0;\n
for (var i = 0; i < str.length; i++) {\n   var code = str.charCodeAt(i);\n   hash = (hash * 31 + code) | 0; // Keep
it 32-bit.\n }\n return hash;\n}\n\nKotlin.identityHashCode = getObjectHashCode;\n","/*\n * Copyright 2010-
2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by
the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Copyright 2009 The Closure
Library Authors. All Rights Reserved.\n//\n// Licensed under the Apache License, Version 2.0 (the \"License\");\n//
you may not use this file except in compliance with the License.\n// You may obtain a copy of the License at\n//\n//
  http://www.apache.org/licenses/LICENSE-2.0\n//\n// Unless required by applicable law
 or agreed to in writing, software\n// distributed under the License is distributed on an \"AS-IS\" BASIS,\n//
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n\n/**\n * Constructs a
64-bit two's-complement integer, given its low and high 32-bit\n * values as *signed* integers. See the from*
functions below for more\n * convenient ways of constructing Longs.\n *\n * The internal representation of a long is
the two given signed, 32-bit values.\n * We use 32-bit pieces because these are the size of integers on which\n *
Javascript performs bit-operations. For operations like addition and\n * multiplication, we split each number into
16-bit pieces, which can easily be\n * multiplied within Javascript's floating-point representation without overflow\n
* or change in sign.\n *\n * In the algorithms below, we frequently reduce the negative case to the\n * positive case

```
by negating the input(s) and then post-processing the result.\n * Note that we must ALWAYS check
 specially whether those values are MIN_VALUE\n * (-2^63) because -MIN_VALUE == MIN_VALUE (since
2^63 cannot be represented as\n * a positive number, it overflows back into a negative).  Not handling this\n * case
would often result in infinite recursion.\n *\n * @param {number} low  The low (signed) 32 bits of the long.\n *
@param {number} high  The high (signed) 32 bits of the long.\n * @constructor\n * @final\n */\nKotlin.Long =
function(low, high) {\n  /**\n   * @type {number}\n   * @private\n   */\n  this.low_ = low | 0;  // force into 32
signed bits.\n\n  /**\n   * @type {number}\n   * @private\n   */\n  this.high_ = high | 0;  // force into 32 signed
bits.\n};\n\nKotlin.Long.$metadata$ = {\n  kind: \"class\",\n  simpleName: \"Long\",\n  interfaces:[]\n};\n\n\n//
NOTE: Common constant values ZERO, ONE, NEG_ONE, etc. are defined below the\n// from* methods on which
they depend.\n\n\n/**\n * A cache of the Long representations of small integer values.\n * @type {!Object}\n *
@private\n
 */\nKotlin.Long.IntCache_ = {};\n\n\n/**\n * Returns a Long representing the given (32-bit) integer value.\n *
@param {number} value The 32-bit integer in question.\n * @return {!Kotlin.Long} The corresponding Long
value.\n */\nKotlin.Long.fromInt = function(value) {\n  if (-128 <= value && value < 128) {\n    var cachedObj =
Kotlin.Long.IntCache_[value];\n    if (cachedObj) {\n      return cachedObj;\n    }\n  }\n\n  var obj = new
Kotlin.Long(value | 0, value < 0 ? -1 : 0);\n  if (-128 <= value && value < 128) {\n    Kotlin.Long.IntCache_[value]
= obj;\n  }\n  return obj;\n};\n\n\n/**\n * Converts this number value to `Long`.\n * The fractional part, if any, is
rounded down towards zero.\n * Returns zero if this `Double` value is `NaN`, `Long.MIN_VALUE` if it's less than
`Long.MIN_VALUE`,\n * `Long.MAX_VALUE` if it's bigger than `Long.MAX_VALUE`.\n * @param {number}
value The number in question.\n * @return {!Kotlin.Long} The corresponding Long value.\n
*/\nKotlin.Long.fromNumber
 = function(value) {\n  if (isNaN(value)) {\n    return Kotlin.Long.ZERO;\n  } else if (value <= -
Kotlin.Long.TWO_PWR_63_DBL_) {\n    return Kotlin.Long.MIN_VALUE;\n  } else if (value + 1 >=
Kotlin.Long.TWO_PWR_63_DBL_) {\n    return Kotlin.Long.MAX_VALUE;\n  } else if (value < 0) {\n    return
Kotlin.Long.fromNumber(-value).negate();\n  } else {\n    return new Kotlin.Long(\n        (value %
Kotlin.Long.TWO_PWR_32_DBL_) | 0,\n        (value / Kotlin.Long.TWO_PWR_32_DBL_) | 0);\n
}\n};\n\n\n/**\n * Returns a Long representing the 64-bit integer that comes by concatenating\n * the given high and
low bits.  Each is assumed to use 32 bits.\n * @param {number} lowBits The low 32-bits.\n * @param {number}
highBits The high 32-bits.\n * @return {!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromBits
= function(lowBits, highBits) {\n  return new Kotlin.Long(lowBits, highBits);\n};\n\n\n/**\n * Returns a Long
representation of the given string, written using the given\n *
 radix.\n * @param {string} str The textual representation of the Long.\n * @param {number=} opt_radix The radix
in which the text is written.\n * @return {!Kotlin.Long} The corresponding Long value.\n
*/\nKotlin.Long.fromString = function(str, opt_radix) {\n  if (str.length == 0) {\n    throw Error('number format
error: empty string');\n  }\n\n  var radix = opt_radix || 10;\n  if (radix < 2 || 36 < radix) {\n    throw Error('radix out of
range: ' + radix);\n  }\n\n  if (str.charAt(0) == '-') {\n    return Kotlin.Long.fromString(str.substring(1),
radix).negate();\n  } else if (str.indexOf('-') >= 0) {\n    throw Error('number format error: interior \"-\" character: ' +
str);\n  }\n\n  // Do several (8) digits each time through the loop, so as to\n  // minimize the calls to the very
expensive emulated div.\n  var radixToPower = Kotlin.Long.fromNumber(Math.pow(radix, 8));\n\n  var result =
Kotlin.Long.ZERO;\n  for (var i = 0; i < str.length; i += 8) {\n    var size = Math.min(8, str.length
 - i);\n    var value = parseInt(str.substring(i, i + size), radix);\n    if (size < 8) {\n      var power =
Kotlin.Long.fromNumber(Math.pow(radix, size));\n      result =
result.multiply(power).add(Kotlin.Long.fromNumber(value));\n    } else {\n      result =
result.multiply(radixToPower);\n      result = result.add(Kotlin.Long.fromNumber(value));\n    }\n  }\n  return
result;\n};\n\n\n// NOTE: the compiler should inline these constant values below and then remove\n// these
variables, so there should be no runtime penalty for these.\n\n\n/**\n * Number used repeated below in calculations.
This must appear before the\n * first call to any from* function below.\n * @type {number}\n * @private\n
*/\nKotlin.Long.TWO_PWR_16_DBL_ = 1 << 16;\n\n\n/**\n * @type {number}\n * @private\n
```

```
*/\nKotlin.Long.TWO_PWR_24_DBL_ = 1 << 24;\n\n\n/**\n * @type {number}\n * @private\n
*/\nKotlin.Long.TWO_PWR_32_DBL_ =\n    Kotlin.Long.TWO_PWR_16_DBL_ *
Kotlin.Long.TWO_PWR_16_DBL_;\n\n\n/**\n * @type {number}\n
 * @private\n */\nKotlin.Long.TWO_PWR_31_DBL_ =\n    Kotlin.Long.TWO_PWR_32_DBL_ / 2;\n\n\n/**\n *
@type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_48_DBL_ =\n    Kotlin.Long.TWO_PWR_32_DBL_
* Kotlin.Long.TWO_PWR_16_DBL_;\n\n\n/**\n * @type {number}\n * @private\n
*/\nKotlin.Long.TWO_PWR_64_DBL_ =\n    Kotlin.Long.TWO_PWR_32_DBL_ *
Kotlin.Long.TWO_PWR_32_DBL_;\n\n\n/**\n * @type {number}\n * @private\n
*/\nKotlin.Long.TWO_PWR_63_DBL_ =\n    Kotlin.Long.TWO_PWR_64_DBL_ / 2;\n\n\n/** @type
{!Kotlin.Long} */\nKotlin.Long.ZERO = Kotlin.Long.fromInt(0);\n\n\n/** @type {!Kotlin.Long}
*/\nKotlin.Long.ONE = Kotlin.Long.fromInt(1);\n\n\n/** @type {!Kotlin.Long} */\nKotlin.Long.NEG_ONE =
Kotlin.Long.fromInt(-1);\n\n\n/** @type {!Kotlin.Long} */\nKotlin.Long.MAX_VALUE =\n
Kotlin.Long.fromBits(0xFFFFFFFF | 0, 0x7FFFFFFF | 0);\n\n\n/** @type {!Kotlin.Long}
*/\nKotlin.Long.MIN_VALUE = Kotlin.Long.fromBits(0, 0x80000000 | 0);\n\n\n/**\n * @type {!Kotlin.Long}\n *
@private\n */\nKotlin.Long.TWO_PWR_24_
 = Kotlin.Long.fromInt(1 << 24);\n\n\n/** @return {number} The value, assuming it is a 32-bit integer.
*/\nKotlin.Long.prototype.toInt = function() {\n  return this.low_;\n};\n\n\n/** @return {number} The closest
floating-point representation to this value. */\nKotlin.Long.prototype.toNumber = function() {\n  return this.high_ *
Kotlin.Long.TWO_PWR_32_DBL_ +\n        this.getLowBitsUnsigned();\n};\n\n/** @return {number} The 32-bit
hashCode of this value. */\nKotlin.Long.prototype.hashCode = function() {\n  return this.high_ ^
this.low_;\n};\n\n/**\n * @param {number=} opt_radix The radix in which the text should be written.\n * @return
{string} The textual representation of this value.\n * @override\n */\nKotlin.Long.prototype.toString =
function(opt_radix) {\n  var radix = opt_radix || 10;\n  if (radix < 2 || 36 < radix) {\n    throw Error('radix out of
range: ' + radix);\n  }\n\n  if (this.isZero()) {\n    return '0';\n  }\n\n  if (this.isNegative()) {\n    if
(this.equalsLong(Kotlin.Long.MIN_VALUE))
 {\n      // We need to change the Long value before it can be negated, so we remove\n      // the bottom-most digit in
this base and then recurse to do the rest.\n      var radixLong = Kotlin.Long.fromNumber(radix);\n      var div =
this.div(radixLong);\n      var rem = div.multiply(radixLong).subtract(this);\n      return div.toString(radix) +
rem.toInt().toString(radix);\n    } else {\n      return '-' + this.negate().toString(radix);\n    }\n  }\n\n  // Do several (6)
digits each time through the loop, so as to\n  // minimize the calls to the very expensive emulated div.\n  var
radixToPower = Kotlin.Long.fromNumber(Math.pow(radix, 6));\n\n  var rem = this;\n  var result = '';\n  while (true)
{\n    var remDiv = rem.div(radixToPower);\n    var intval =
rem.subtract(remDiv.multiply(radixToPower)).toInt();\n    var digits = intval.toString(radix);\n\n    rem = remDiv;\n
 if (rem.isZero()) {\n      return digits + result;\n    } else {\n      while (digits.length
 < 6) {\n        digits = '0' + digits;\n      }\n      result = '' + digits + result;\n    }\n  }\n};\n\n\n/** @return {number}
The high 32-bits as a signed value. */\nKotlin.Long.prototype.getHighBits = function() {\n  return
this.high_;\n};\n\n\n/** @return {number} The low 32-bits as a signed value.
*/\nKotlin.Long.prototype.getLowBits = function() {\n  return this.low_;\n};\n\n\n/** @return {number} The low
32-bits as an unsigned value. */\nKotlin.Long.prototype.getLowBitsUnsigned = function() {\n  return (this.low_ >=
0) ?\n      this.low_ : Kotlin.Long.TWO_PWR_32_DBL_ + this.low_;\n};\n\n\n/**\n * @return {number} Returns
the number of bits needed to represent the absolute\n *     value of this Long.\n
*/\nKotlin.Long.prototype.getNumBitsAbs = function() {\n  if (this.isNegative()) {\n    if
(this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n      return 64;\n    } else {\n      return
this.negate().getNumBitsAbs();\n    }\n  } else {\n    var val = this.high_ != 0 ? this.high_
 : this.low_;\n    for (var bit = 31; bit > 0; bit--) {\n      if ((val & (1 << bit)) != 0) {\n        break;\n      }\n    }\n
return this.high_ != 0 ? bit + 33 : bit + 1;\n  }\n};\n\n\n/** @return {boolean} Whether this value is zero.
*/\nKotlin.Long.prototype.isZero = function() {\n  return this.high_ == 0 && this.low_ == 0;\n};\n\n\n/** @return
{boolean} Whether this value is negative. */\nKotlin.Long.prototype.isNegative = function() {\n  return this.high_ <
```

0;\n};\n\n\n/** @return {boolean} Whether this value is odd. */\nKotlin.Long.prototype.isOdd = function() {\n return (this.low_ & 1) == 1;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long equals the other.\n */\nKotlin.Long.prototype.equalsLong = function(other) {\n return (this.high_ == other.high_) && (this.low_ == other.low_);\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long does not equal the other.\n */\nKotlin.Long.prototype.notEqualsLong = function(other) {\n return (this.high_ != other.high_) || (this.low_ != other.low_);\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is less than the other.\n */\nKotlin.Long.prototype.lessThan = function(other) {\n return this.compare(other) < 0;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is less than or equal to the other.\n */\nKotlin.Long.prototype.lessThanOrEqual = function(other) {\n return this.compare(other) <= 0;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is greater than the other.\n */\nKotlin.Long.prototype.greaterThan = function(other) {\n return this.compare(other) > 0;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is greater than or equal to the other.\n */\nKotlin.Long.prototype.greaterThanOrEqual = function(other) {\n return this.compare(other) >= 0;\n};\n\n\n/**\n * Compares this Long with the given one.\n * @param {Kotlin.Long} other Long to compare against.\n * @return {number} 0 if they are the same, 1 if the this is greater, and -1\n * if the given one is greater.\n */\nKotlin.Long.prototype.compare = function(other) {\n if (this.equalsLong(other)) {\n return 0;\n }\n\n var thisNeg = this.isNegative();\n var otherNeg = other.isNegative();\n if (thisNeg && !otherNeg) {\n return -1;\n }\n if (!thisNeg && otherNeg) {\n return 1;\n }\n\n // at this point, the signs are the same, so subtraction will not overflow\n if (this.subtract(other).isNegative()) {\n return -1;\n } else {\n return 1;\n }\n};\n\n\n/** @return {!Kotlin.Long} The negation of this value. */\nKotlin.Long.prototype.negate = function() {\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return Kotlin.Long.MIN_VALUE;\n } else {\n return this.not().add(Kotlin.Long.ONE);\n }\n};\n\n\n/**\n * Returns the sum of this and the given Long.\n * @param {Kotlin.Long} other Long to add to this one.\n * @return {!Kotlin.Long} The sum of this and the given Long.\n */\nKotlin.Long.prototype.add = function(other) {\n // Divide each number into 4 chunks of 16 bits, and then sum the chunks.\n\n var a48 = this.high_ >>> 16;\n var a32 = this.high_ & 0xFFFF;\n var a16 = this.low_ >>> 16;\n var a00 = this.low_ & 0xFFFF;\n\n var b48 = other.high_ >>> 16;\n var b32 = other.high_ & 0xFFFF;\n var b16 = other.low_ >>> 16;\n var b00 = other.low_ & 0xFFFF;\n\n var c48 = 0, c32 = 0, c16 = 0, c00 = 0;\n c00 += a00 + b00;\n c16 += c00 >>> 16;\n c00 &= 0xFFFF;\n c16 += a16 + b16;\n c32 += c16 >>> 16;\n c16 &= 0xFFFF;\n c32 += a32 + b32;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c48 += a48 + b48;\n c48 &= 0xFFFF;\n return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n\n/**\n * Returns the difference of this and the given Long.\n * @param {Kotlin.Long} other Long to subtract from this.\n * @return {!Kotlin.Long} The difference of this and the given Long.\n */\nKotlin.Long.prototype.subtract = function(other) {\n return this.add(other.negate());\n};\n\n\n/**\n * Returns the product of this and the given long.\n * @param {Kotlin.Long} other Long to multiply with this.\n * @return {!Kotlin.Long} The product of this and the other.\n */\nKotlin.Long.prototype.multiply = function(other) {\n if (this.isZero()) {\n return Kotlin.Long.ZERO;\n } else if (other.isZero()) {\n return Kotlin.Long.ZERO;\n }\n\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return other.isOdd() ? Kotlin.Long.MIN_VALUE : Kotlin.Long.ZERO;\n } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return this.isOdd() ? Kotlin.Long.MIN_VALUE : Kotlin.Long.ZERO;\n }\n\n if (this.isNegative()) {\n if (other.isNegative()) {\n return this.negate().multiply(other.negate());\n } else {\n return this.negate().multiply(other).negate();\n }\n } else if (other.isNegative()) {\n return this.multiply(other.negate()).negate();\n }\n\n // If both longs are small, use float multiplication\n if (this.lessThan(Kotlin.Long.TWO_PWR_24_) &&\n other.lessThan(Kotlin.Long.TWO_PWR_24_)) {\n return Kotlin.Long.fromNumber(this.toNumber() * other.toNumber());\n }\n\n // Divide each long into 4 chunks of 16 bits, and then add up 4x4 products.\n // We can skip products that would overflow.\n\n var a48 = this.high_ >>> 16;\n var a32 = this.high_ & 0xFFFF;\n var a16 =

```
this.low_ >>> 16;\n  var a00 = this.low_ & 0xFFFF;\n\n  var b48 = other.high_ >>> 16;\n  var b32 = other.high_ & 0xFFFF;\n  var b16 = other.low_ >>> 16;\n  var b00 = other.low_ & 0xFFFF;\n\n  var c48 = 0, c32 = 0, c16 = 0, c00 = 0;\n  c00 += a00 * b00;\n  c16 += c00 >>> 16;\n  c00 &= 0xFFFF;\n  c16 += a16 * b00;\n  c32 += c16 >>> 16;\n  c16 &= 0xFFFF;\n  c16 += a00 * b16;\n  c32 += c16 >>> 16;\n  c16 &= 0xFFFF;\n  c32 +=
 a32 * b00;\n  c48 += c32 >>> 16;\n  c32 &= 0xFFFF;\n  c32 += a16 * b16;\n  c48 += c32 >>> 16;\n  c32 &=
0xFFFF;\n  c32 += a00 * b32;\n  c48 += c32 >>> 16;\n  c32 &= 0xFFFF;\n  c48 += a48 * b00 + a32 * b16 + a16 *
b32 + a00 * b48;\n  c48 &= 0xFFFF;\n  return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) |
c32);\n};\n\n\n/**\n * Returns this Long divided by the given one.\n * @param {Kotlin.Long} other Long by which
to divide.\n * @return {!Kotlin.Long} This Long divided by the given one.\n */\nKotlin.Long.prototype.div =
function(other) {\n  if (other.isZero()) {\n    throw Error('division by zero');\n  } else if (this.isZero()) {\n    return
Kotlin.Long.ZERO;\n  }\n\n  if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n    if
(other.equalsLong(Kotlin.Long.ONE) ||\n        other.equalsLong(Kotlin.Long.NEG_ONE)) {\n      return
Kotlin.Long.MIN_VALUE;  // recall that -MIN_VALUE == MIN_VALUE\n    } else if
(other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n      return Kotlin.Long.ONE;\n
 } else {\n      // At this point, we have |other| >= 2, so |this/other| < |MIN_VALUE|.\n      var halfThis =
this.shiftRight(1);\n      var approx = halfThis.div(other).shiftLeft(1);\n      if
(approx.equalsLong(Kotlin.Long.ZERO)) {\n        return other.isNegative() ? Kotlin.Long.ONE :
Kotlin.Long.NEG_ONE;\n      } else {\n        var rem = this.subtract(other.multiply(approx));\n        var result =
approx.add(rem.div(other));\n        return result;\n      }\n    }\n  } else if
(other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n    return Kotlin.Long.ZERO;\n  }\n\n  if (this.isNegative()) {\n
if (other.isNegative()) {\n      return this.negate().div(other.negate());\n    } else {\n      return
this.negate().div(other).negate();\n    }\n  } else if (other.isNegative()) {\n    return
this.div(other.negate()).negate();\n  }\n\n  // Repeat the following until the remainder is less than other:  find a\n  //
floating-point that approximates remainder / other *from below*, add this\n  // into
 the result, and subtract it from the remainder.  It is critical that\n  // the approximate value is less than or equal to the
real value so that the\n  // remainder never becomes negative.\n  var res = Kotlin.Long.ZERO;\n  var rem = this;\n
while (rem.greaterThanOrEqual(other)) {\n    // Approximate the result of division. This may be a little greater or\n
// smaller than the actual value.\n    var approx = Math.max(1, Math.floor(rem.toNumber() / other.toNumber()));\n\n
 // We will tweak the approximate result by changing it in the 48-th digit or\n    // the smallest non-fractional digit,
whichever is larger.\n    var log2 = Math.ceil(Math.log(approx) / Math.LN2);\n    var delta = (log2 <= 48) ? 1 :
Math.pow(2, log2 - 48);\n\n    // Decrease the approximation until it is smaller than the remainder.  Note\n    // that if
it is too large, the product overflows and is negative.\n    var approxRes = Kotlin.Long.fromNumber(approx);\n
var approxRem = approxRes.multiply(other);\n
  while (approxRem.isNegative() || approxRem.greaterThan(rem)) {\n      approx -= delta;\n      approxRes =
Kotlin.Long.fromNumber(approx);\n      approxRem = approxRes.multiply(other);\n    }\n\n    // We know the
answer can't be zero... and actually, zero would cause\n    // infinite recursion since we would make no progress.\n
if (approxRes.isZero()) {\n      approxRes = Kotlin.Long.ONE;\n    }\n\n    res = res.add(approxRes);\n    rem =
rem.subtract(approxRem);\n  }\n  return res;\n};\n\n\n/**\n * Returns this Long modulo the given one.\n * @param
{Kotlin.Long} other Long by which to mod.\n * @return {!Kotlin.Long} This Long modulo the given one.\n
*/\nKotlin.Long.prototype.modulo = function(other) {\n  return
this.subtract(this.div(other).multiply(other));\n};\n\n\n/** @return {!Kotlin.Long} The bitwise-NOT of this value.
*/\nKotlin.Long.prototype.not = function() {\n  return Kotlin.Long.fromBits(~this.low_, ~this.high_);\n};\n\n\n/**\n
* Returns the bitwise-AND of this Long and
 the given one.\n * @param {Kotlin.Long} other The Long with which to AND.\n * @return {!Kotlin.Long} The
bitwise-AND of this and the other.\n */\nKotlin.Long.prototype.and = function(other) {\n  return
Kotlin.Long.fromBits(this.low_ & other.low_,\n                                 this.high_ & other.high_);\n};\n\n\n/**\n *
Returns the bitwise-OR of this Long and the given one.\n * @param {Kotlin.Long} other The Long with which to
OR.\n * @return {!Kotlin.Long} The bitwise-OR of this and the other.\n */\nKotlin.Long.prototype.or =
```

```
function(other) {\n  return Kotlin.Long.fromBits(this.low_ | other.low_,\n                this.high_ | other.high_);\n};\n\n\n/**\n * Returns the bitwise-XOR of this Long and the given one.\n * @param {Kotlin.Long} other The Long with which to XOR.\n * @return {!Kotlin.Long} The bitwise-XOR of this and the other.\n */\nKotlin.Long.prototype.xor = function(other) {\n  return Kotlin.Long.fromBits(this.low_ ^ other.low_,\n

        this.high_ ^ other.high_);\n};\n\n\n/**\n * Returns this Long with bits shifted to the left by the given amount.\n * @param {number} numBits The number of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the left by the given amount.\n */\nKotlin.Long.prototype.shiftLeft = function(numBits) {\n  numBits &= 63;\n  if (numBits == 0) {\n    return this;\n  } else {\n    var low = this.low_;\n    if (numBits < 32) {\n      var high = this.high_;\n      return Kotlin.Long.fromBits(\n          low << numBits,\n          (high << numBits) | (low >>> (32 - numBits)));\n    } else {\n      return Kotlin.Long.fromBits(0, low << (numBits - 32));\n    }\n  }\n};\n\n\n/**\n * Returns this Long with bits shifted to the right by the given amount.\n * @param {number} numBits The number of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the right by the given amount.\n */\nKotlin.Long.prototype.shiftRight = function(numBits) {\n  numBits &= 63;\n  if (numBits == 0) {\n    return this;\n  } else {\n    var high = this.high_;\n    if (numBits < 32) {\n      var low = this.low_;\n      return Kotlin.Long.fromBits(\n          (low >>> numBits) | (high << (32 - numBits)),\n          high >> numBits);\n    } else {\n      return Kotlin.Long.fromBits(\n          high >> (numBits - 32),\n          high >= 0 ? 0 : -1);\n    }\n  }\n};\n\n\n/**\n * Returns this Long with bits shifted to the right by the given amount, with\n * zeros placed into the new leading bits.\n * @param {number} numBits The number of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the right by the given amount, with\n *     zeros placed into the new leading bits.\n */\nKotlin.Long.prototype.shiftRightUnsigned = function(numBits) {\n  numBits &= 63;\n  if (numBits == 0) {\n    return this;\n  } else {\n    var high = this.high_;\n    if (numBits < 32) {\n      var low = this.low_;\n      return Kotlin.Long.fromBits(\n          (low >>> numBits) | (high <<
  (32 - numBits)),\n          high >>> numBits);\n    } else if (numBits == 32) {\n      return Kotlin.Long.fromBits(high, 0);\n    } else {\n      return Kotlin.Long.fromBits(high >>> (numBits - 32), 0);\n    }\n  }\n};\n\n// Support for Kotlin\nKotlin.Long.prototype.equals = function (other) {\n    return other instanceof Kotlin.Long &&
  this.equalsLong(other);\n};\n\nKotlin.Long.prototype.compareTo_11rb$ =
  Kotlin.Long.prototype.compare;\n\nKotlin.Long.prototype.inc = function() {\n    return
  this.add(Kotlin.Long.ONE);\n};\n\nKotlin.Long.prototype.dec = function() {\n    return
  this.add(Kotlin.Long.NEG_ONE);\n};\n\nKotlin.Long.prototype.valueOf = function() {\n    return
  this.toNumber();\n};\n\nKotlin.Long.prototype.unaryPlus = function() {\n    return
  this;\n};\n\nKotlin.Long.prototype.unaryMinus = Kotlin.Long.prototype.negate;\nKotlin.Long.prototype.inv =
  Kotlin.Long.prototype.not;\n\nKotlin.Long.prototype.rangeTo = function (other) {\n    return new
  Kotlin.kotlin.ranges.LongRange(this,
   other);\n};","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n/**\n * @param {string} id\n * @param {Object} declaration\n */\nKotlin.defineModule = function (id, declaration) {\n};\n\nKotlin.defineInlineFunction = function(tag, fun) {\n    return fun;\n};\n\nKotlin.wrapFunction = function(fun) {\n    var f = function() {\n        f = fun();\n        return f.apply(this, arguments);\n    };\n    return function() {\n        return f.apply(this, arguments);\n    };\n};\n\nKotlin.isTypeOf = function(type) {\n    return function (object) {\n        return typeof object === type;\n    }\n};\n\nKotlin.isInstanceOf = function (klass) {\n    return function (object) {\n        return Kotlin.isType(object, klass);\n    }\n};\n\nKotlin.orNull = function (fn) {\n    return function (object) {\n        return object == null || fn(object);\n
  }\n};\n\nKotlin.andPredicate = function (a, b) {\n    return function (object) {\n        return a(object) &&
  b(object);\n    }\n};\n\nKotlin.kotlinModuleMetadata = function (abiVersion, moduleName, data)
  {\n};\n\nKotlin.suspendCall = function(value) {\n    return value;\n};\n\nKotlin.coroutineResult = function(qualifier)
  {\n    throwMarkerError();\n};\n\nKotlin.coroutineController = function(qualifier) {\n
  throwMarkerError();\n};\n\nKotlin.coroutineReceiver = function(qualifier) {\n
```

throwMarkerError();\n};\n\nKotlin.setCoroutineResult = function(value, qualifier) {\n throwMarkerError();\n};\n\nKotlin.getReifiedTypeParameterKType = function(typeParameter) {\n throwMarkerError();\n};\n\nfunction throwMarkerError() {\n throw new Error(\n \"This marker function should never been called. \" +\n \"Looks like compiler did not eliminate it properly. \" +\n \"Please, report an issue if you caught this exception.\");\n}\n\nKotlin.getFunctionById
= function(id, defaultValue) {\n return function() {\n return defaultValue;\n }\n};","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.compareTo = function (a, b) {\n var typeA = typeof a;\n if (typeA === \"number\") {\n if (typeof b === \"number\") {\n return Kotlin.doubleCompareTo(a, b);\n }\n return Kotlin.primitiveCompareTo(a, b);\n }\n if (typeA === \"string\" || typeA === \"boolean\") {\n return Kotlin.primitiveCompareTo(a, b);\n }\n return a.compareTo_11rb$(b);\n};\n\nKotlin.primitiveCompareTo = function (a, b) {\n return a < b ? -1 : a > b ? 1 : 0;\n};\n\nKotlin.doubleCompareTo = function (a, b) {\n if (a < b) return -1;\n if (a > b) return 1;\n\n if (a === b) {\n if (a !== 0) return 0;\n\n var ia = 1 / a;\n
return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\n }\n\n return a !== a ? (b !== b ? 0 : 1) : -1\n};\n\nKotlin.charInc = function (value) {\n return Kotlin.toChar(value+1);\n};\n\nKotlin.charDec = function (value) {\n return Kotlin.toChar(value-1);\n};\n\nKotlin.imul = Math.imul || imul;\n\nKotlin.imulEmulated = imul;\n\nfunction imul(a, b) {\n return ((a & 0xffff0000) * (b & 0xffff) + (a & 0xffff) * (b | 0)) | 0;\n}\n\n\n(function() {\n var buf = new ArrayBuffer(8);\n var bufFloat64 = new Float64Array(buf);\n var bufFloat32 = new Float32Array(buf);\n var bufInt32 = new Int32Array(buf);\n var lowIndex = 0;\n var highIndex = 1;\n\n bufFloat64[0] = -1; // bff00000_00000000\n if (bufInt32[lowIndex] !== 0) {\n lowIndex = 1;\n highIndex = 0;\n }\n\n Kotlin.doubleToBits = function(value) {\n return Kotlin.doubleToRawBits(isNaN(value) ? NaN : value);\n };\n\n Kotlin.doubleToRawBits = function(value) {\n bufFloat64[0]
= value;\n return Kotlin.Long.fromBits(bufInt32[lowIndex], bufInt32[highIndex]);\n };\n\n Kotlin.doubleFromBits = function(value) {\n bufInt32[lowIndex] = value.low_;\n bufInt32[highIndex] = value.high_;\n return bufFloat64[0];\n };\n\n Kotlin.floatToBits = function(value) {\n return Kotlin.floatToRawBits(isNaN(value) ? NaN : value);\n };\n\n Kotlin.floatToRawBits = function(value) {\n bufFloat32[0] = value;\n return bufInt32[0];\n };\n\n Kotlin.floatFromBits = function(value) {\n bufInt32[0] = value;\n return bufFloat32[0];\n };\n\n // returns zero value for number with positive sign bit and non-zero value for number with negative sign bit.\n Kotlin.doubleSignBit = function(value) {\n bufFloat64[0] = value;\n return bufInt32[highIndex] & 0x80000000;\n };\n\n Kotlin.numberHashCode = function(obj) {\n if ((obj | 0) === obj) {\n return obj | 0;\n
}\n else {\n bufFloat64[0] = obj;\n return (bufInt32[highIndex] * 31 | 0) + bufInt32[lowIndex] | 0;\n }\n }\n})();\n\nKotlin.ensureNotNull = function(x) {\n return x != null ? x : Kotlin.throwNPE();\n};\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nif (typeof String.prototype.startsWith === \"undefined\") {\n Object.defineProperty(String.prototype, \"startsWith\", {\n value: function (searchString, position) {\n position = position || 0;\n return this.lastIndexOf(searchString, position) === position;\n }\n });\n}\n\nif (typeof String.prototype.endsWith === \"undefined\") {\n Object.defineProperty(String.prototype, \"endsWith\", {\n value: function (searchString, position) {\n var subjectString = this.toString();\n
if (position === undefined || position > subjectString.length) {\n position = subjectString.length;\n
}\n position -= searchString.length;\n var lastIndex = subjectString.indexOf(searchString, position);\n return lastIndex !== -1 && lastIndex === position;\n }\n });\n}\n\n// ES6 Math polyfills\n\nif (typeof Math.sign === \"undefined\") {\n Math.sign = function(x) {\n x = +x; // convert to a number\n if (x === 0 || isNaN(x)) {\n return Number(x);\n }\n return x > 0 ? 1 : -1;\n };\n}\n\nif (typeof Math.trunc === \"undefined\") {\n Math.trunc = function(x) {\n if (isNaN(x)) {\n return NaN;\n }\n if (x > 0) {\n return Math.floor(x);\n }\n return Math.ceil(x);\n };\n}\n\n\n(function() {\n

```
var epsilon = 2.220446049250313E-16;\n    var taylor_2_bound = Math.sqrt(epsilon);\n    var taylor_n_bound = Math.sqrt(taylor_2_bound);\n
    var upper_taylor_2_bound = 1/taylor_2_bound;\n    var upper_taylor_n_bound = 1/taylor_n_bound;\n\n    if (typeof Math.sinh === \"undefined\") {\n        Math.sinh = function(x) {\n            if (Math.abs(x) < taylor_n_bound) {\n                var result = x;\n                if (Math.abs(x) > taylor_2_bound) {\n                    result += (x * x * x) / 6;\n                }\n                return result;\n            } else {\n                var y = Math.exp(x);\n                var y1 = 1 / y;\n    if (!isFinite(y)) return Math.exp(x - Math.LN2);\n                if (!isFinite(y1)) return -Math.exp(-x - Math.LN2);\n                return (y - y1) / 2;\n            }\n        };\n    }\n    if (typeof Math.cosh === \"undefined\") {\n        Math.cosh = function(x) {\n            var y = Math.exp(x);\n            var y1 = 1 / y;\n            if (!isFinite(y) || !isFinite(y1)) return Math.exp(Math.abs(x) - Math.LN2);\n            return (y + y1) / 2;\n        };\n    }\n\n    if (typeof Math.tanh === \"undefined\") {\n        Math.tanh = function(x){\n            if (Math.abs(x) < taylor_n_bound) {\n                var result = x;\n                if (Math.abs(x) > taylor_2_bound) {\n                    result -= (x * x * x) / 3;\n                }\n                return result;\n            }\n            else {\n                var a = Math.exp(+x), b = Math.exp(-x);\n                return a === Infinity ? 1 : b === Infinity ? -1 : (a - b) / (a + b);\n            }\n        };\n    }\n\n    // Inverse hyperbolic function implementations derived from boost special math functions,\n    // Copyright Eric Ford & Hubert Holin 2001.\n\n    if (typeof Math.asinh === \"undefined\") {\n        var asinh = function(x) {\n            if (x >= +taylor_n_bound)\n            {\n                if (x > upper_taylor_n_bound)\n                {\n                    if (x > upper_taylor_2_bound)\n                    {\n                        //
     approximation by laurent series in 1/x at 0+ order from -1 to 0\n                        return Math.log(x) + Math.LN2;\n                    }\n                    else\n                    {\n                        // approximation by laurent series in 1/x at 0+ order from -1 to 1\n                        return Math.log(x * 2 + (1 / (x * 2)));\n                    }\n                }\n                else\n                {\n                    return Math.log(x + Math.sqrt(x * x + 1));\n                }\n            }\n            else if (x <= -taylor_n_bound)\n            {\n                return -asinh(-x);\n            }\n            else\n            {\n                //
     approximation by taylor series in x at 0 up to order 2\n                var result = x;\n                if (Math.abs(x) >= taylor_2_bound)\n                {\n                    var x3 = x * x * x;\n                    // approximation by taylor series in x at 0 up to order 4\n                    result
     -= x3 / 6;\n                }\n                return result;\n            }\n        };\n        Math.asinh = asinh;\n    }\n    if (typeof Math.acosh === \"undefined\") {\n        Math.acosh = function(x) {\n            if (x < 1)\n            {\n                return NaN;\n            }\n            else if (x - 1 >= taylor_n_bound)\n            {\n                if (x > upper_taylor_2_bound)\n                {\n                    // approximation by laurent series in 1/x at 0+ order from -1 to 0\n                    return Math.log(x) + Math.LN2;\n                }\n                else\n                {\n                    return Math.log(x + Math.sqrt(x * x - 1));\n                }\n            }\n            else\n            {\n                var y = Math.sqrt(x - 1);\n                //
     approximation by taylor series in y at 0 up to order 2\n                var result = y;\n                if (y >= taylor_2_bound)\n                {\n                    var y3 = y * y *
     y;\n                    // approximation by taylor series in y at 0 up to order 4\n                    result -= y3 / 12;\n                }\n\n                return Math.sqrt(2) * result;\n            }\n        };\n    }\n    if (typeof Math.atanh === \"undefined\") {\n        Math.atanh = function(x) {\n            if (Math.abs(x) < taylor_n_bound) {\n                var result = x;\n                if (Math.abs(x) > taylor_2_bound) {\n                    result += (x * x * x) / 3;\n                }\n                return result;\n            }\n            return Math.log((1 + x) / (1 - x)) / 2;\n        };\n    }\n    if (typeof Math.log1p === \"undefined\") {\n        Math.log1p = function(x) {\n            if (Math.abs(x) < taylor_n_bound) {\n                var x2 = x * x;\n                var x3 = x2 * x;\n                var x4 = x3 * x;\n                // approximation by taylor series in x at 0 up to order 4\n                return (-x4 / 4 + x3 / 3 - x2 / 2 + x);\n            }\n            return Math.log(x + 1);\n        };\n    }\n    if (typeof Math.expm1 === \"undefined\") {\n        Math.expm1 = function(x) {\n            if (Math.abs(x) < taylor_n_bound) {\n                var x2 = x * x;\n                var x3 = x2 * x;\n                var x4 = x3 * x;\n                // approximation by taylor series in x at 0 up to order 4\n                return (x4 / 24 + x3 / 6 + x2 / 2 + x);\n            }\n            return Math.exp(x) - 1;\n        };\n    }\n})();\nif (typeof Math.hypot === \"undefined\") {\n    Math.hypot = function() {\n        var y = 0;\n        var length = arguments.length;\n\n        for (var i = 0; i < length; i++) {\n            if (arguments[i] === Infinity || arguments[i] ===
```

-Infinity) {\n return Infinity;\n }\n y += arguments[i] * arguments[i];\n }\n return Math.sqrt(y);\n };\n}\nif (typeof Math.log10 === \"undefined\") {\n Math.log10 = function(x) {\n return Math.log(x) * Math.LOG10E;\n };\n}\nif (typeof Math.log2 === \"undefined\") {\n Math.log2 = function(x) {\n return Math.log(x) * Math.LOG2E;\n };\n}\nif (typeof Math.clz32 === \"undefined\") {\n Math.clz32 = (function(log, LN2) {\n return function(x) {\n var asUint = x >>> 0;\n if (asUint === 0) {\n return 32;\n }\n return 31 - (log(asUint) / LN2 | 0) | 0; // the \"| 0\" acts like math.floor\n };\n })(Math.log, Math.LN2);\n}\n\n// For HtmlUnit and PhantomJs\nif (typeof ArrayBuffer.isView === \"undefined\") {\n ArrayBuffer.isView = function(a) {\n return a != null && a.__proto__ != null && a.__proto__.__proto__ === Int8Array.prototype.__proto__;\n };\n}\n\nif (typeof Array.prototype.fill === \"undefined\") {\n // Polyfill from https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Array/fill#Polyfill\n Object.defineProperty(Array.prototype, 'fill', {\n value: function (value) {\n\n // Steps 1-2.\n if (this == null) {\n throw new TypeError('this is null or not defined');\n }\n\n var O = Object(this);\n\n // Steps 3-5.\n var len = O.length >>> 0;\n\n // Steps 6-7.\n var start = arguments[1];\n var relativeStart = start >> 0;\n\n // Step 8.\n var k = relativeStart < 0 ?\n Math.max(len + relativeStart, 0) :\n Math.min(relativeStart, len);\n\n // Steps 9-10.\n var end = arguments[2];\n var relativeEnd = end === undefined ?\n len : end >> 0;\n\n // Step 11.\n var finalValue = relativeEnd < 0 ?\n Math.max(len + relativeEnd, 0) :\n Math.min(relativeEnd, len);\n\n // Step 12.\n while (k < finalValue)\n {\n O[k] = value;\n k++;\n }\n\n // Step 13.\n return O;\n }\n });\n}\n\n\n(function() {\n function normalizeOffset(offset, length) {\n if (offset < 0) return Math.max(0, offset + length);\n return Math.min(offset, length);\n }\n function typedArraySlice(begin, end) {\n if (typeof end === \"undefined\") {\n end = this.length;\n }\n begin = normalizeOffset(begin || 0, this.length);\n end = Math.max(begin, normalizeOffset(end, this.length));\n return new this.constructor(this.subarray(begin, end));\n }\n\n var arrays = [Int8Array, Int16Array, Uint16Array, Int32Array, Float32Array, Float64Array];\n for (var i = 0; i < arrays.length; ++i) {\n var TypedArray = arrays[i];\n if (typeof TypedArray.prototype.fill === \"undefined\") {\n Object.defineProperty(TypedArray.prototype, 'fill', {\n value: Array.prototype.fill\n });\n }\n if (typeof TypedArray.prototype.slice === \"undefined\") {\n Object.defineProperty(TypedArray.prototype, 'slice', {\n value: typedArraySlice\n });\n }\n }\n\n // Patch apply to work with TypedArrays if needed.\n try {\n (function() {}).apply(null, new Int32Array(0))\n } catch (e) {\n var apply = Function.prototype.apply;\n Object.defineProperty(Function.prototype, 'apply', {\n value: function(self, array) {\n return apply.call(this, self, [].slice.call(array));\n }\n });\n }\n\n\n // Patch map to work with TypedArrays if needed.\n for (var i = 0; i < arrays.length; ++i) {\n var TypedArray = arrays[i];\n if (typeof TypedArray.prototype.map === \"undefined\") {\n Object.defineProperty(TypedArray.prototype, 'map', {\n value: function(callback, self) {\n return [].slice.call(this).map(callback, self);\n }\n });\n }\n }\n\n // Patch sort to work with TypedArrays if needed.\n // TODO: consider to remove following function and replace it with `Kotlin.doubleCompareTo` (see misc.js)\n var totalOrderComparator = function (a, b) {\n if (a < b) return -1;\n if (a > b) return 1;\n\n if (a === b) {\n if (a !== 0) return 0;\n\n var ia = 1 / a;\n return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\n }\n\n return a !== a ? (b !== b ? 0 : 1) : -1\n };\n\n for (var i = 0; i < arrays.length; ++i) {\n var TypedArray = arrays[i];\n if (typeof TypedArray.prototype.sort === \"undefined\") {\n Object.defineProperty(TypedArray.prototype, 'sort', {\n value: function(compareFunction) {\n return Array.prototype.sort.call(this, compareFunction || totalOrderComparator);\n }\n });\n }\n }\n})();\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the

license/LICENSE.txt file.\n */\n\nKotlin.Kind = {\n CLASS: \"class\",\n INTERFACE: \"interface\",\n OBJECT: \"object\"\n};\n\nKotlin.callGetter = function (thisObject, klass, propertyName) {\n var propertyDescriptor = Object.getOwnPropertyDescriptor(klass, propertyName);\n if (propertyDescriptor != null && propertyDescriptor.get != null) {\n return propertyDescriptor.get.call(thisObject);\n }\n\n propertyDescriptor = Object.getOwnPropertyDescriptor(thisObject, propertyName);\n if (propertyDescriptor != null && \"value\" in propertyDescriptor) {\n return thisObject[propertyName];\n }\n\n return Kotlin.callGetter(thisObject, Object.getPrototypeOf(klass), propertyName);\n};\n\nKotlin.callSetter = function (thisObject, klass,
propertyName, value) {\n var propertyDescriptor = Object.getOwnPropertyDescriptor(klass, propertyName);\n if (propertyDescriptor != null && propertyDescriptor.set != null) {\n propertyDescriptor.set.call(thisObject, value);\n return;\n }\n\n propertyDescriptor = Object.getOwnPropertyDescriptor(thisObject, propertyName);\n if (propertyDescriptor != null && \"value\" in propertyDescriptor) {\n thisObject[propertyName] = value;\n return\n }\n\n Kotlin.callSetter(thisObject, Object.getPrototypeOf(klass), propertyName, value);\n};\n\nfunction isInheritanceFromInterface(ctor, iface) {\n if (ctor === iface) return true;\n\n var metadata = ctor.$metadata$;\n if (metadata != null) {\n var interfaces = metadata.interfaces;\n for (var i = 0; i < interfaces.length; i++) {\n if (isInheritanceFromInterface(interfaces[i], iface)) {\n return true;\n }\n }\n }\n\n var superPrototype
= ctor.prototype != null ? Object.getPrototypeOf(ctor.prototype) : null;\n var superConstructor = superPrototype != null ? superPrototype.constructor : null;\n return superConstructor != null && isInheritanceFromInterface(superConstructor, iface);\n}\n\n/**\n *\n * @param {*} object\n * @param {Function|Object} klass\n * @returns {Boolean}\n */\nKotlin.isType = function (object, klass) {\n if (klass === Object) {\n switch (typeof object) {\n case \"string\":\n case \"number\":\n case \"boolean\":\n case \"function\":\n return true;\n default:\n return object instanceof Object;\n }\n }\n\n if (object == null || klass == null || (typeof object !== 'object' && typeof object !== 'function')) {\n return false;\n }\n\n if (typeof klass === \"function\" && object instanceof klass) {\n return true;\n }\n\n var proto = Object.getPrototypeOf(klass);\n
var constructor = proto != null ? proto.constructor : null;\n if (constructor != null && \"$metadata$\" in constructor) {\n var metadata = constructor.$metadata$;\n if (metadata.kind === Kotlin.Kind.OBJECT) {\n return object === klass;\n }\n }\n\n var klassMetadata = klass.$metadata$;\n\n // In WebKit (JavaScriptCore) for some interfaces from DOM typeof returns \"object\", nevertheless they can be used in RHS of instanceof\n if (klassMetadata == null) {\n return object instanceof klass;\n }\n\n if (klassMetadata.kind === Kotlin.Kind.INTERFACE && object.constructor != null) {\n return isInheritanceFromInterface(object.constructor, klass);\n }\n\n return false;\n};\n\nKotlin.isNumber = function (a) {\n return typeof a == \"number\" || a instanceof Kotlin.Long;\n};\n\nKotlin.isChar = function (value) {\n return value instanceof Kotlin.BoxedChar\n};\n\nKotlin.isComparable = function (value) {\n var type = typeof
value;\n\n return type === \"string\" ||\n type === \"boolean\" ||\n Kotlin.isNumber(value) ||\n Kotlin.isType(value, Kotlin.kotlin.Comparable);\n};\n\nKotlin.isCharSequence = function (value) {\n return typeof value === \"string\" || Kotlin.isType(value, Kotlin.kotlin.CharSequence);\n};","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under the module\n\n@PublishedApi\nexternal internal fun <T> Array(size: Int): Array<T>\n\n@JsName(\"newArray\")\nfun <T> newArray(size: Int, initValue: T) = fillArrayVal(Array<T>(size), initValue)\n\n@JsName(\"newArrayF\")\ninline fun <T> arrayWithFun(size: Int, init: (Int) -> T) = fillArrayFun(Array<T>(size), init)\n\n@JsName(\"fillArray\")\ninline fun <T> fillArrayFun(array: Array<T>, init: (Int)
-> T): Array<T> {\n for (i in 0..array.size - 1) {\n array[i] = init(i)\n }\n return array\n}\n\n@JsName(\"booleanArray\")\nfun booleanArray(size: Int, init: dynamic): Array<Boolean> {\n val

result: dynamic = Array<Boolean>(size)\n result.`$type$` = \"BooleanArray\"\n return when (init) {\n null, true -> fillArrayVal(result, false)\n false -> result\n else -> fillArrayFun<Boolean>(result, init)\n }\n}\n\n@JsName(\"booleanArrayF\")\ninline fun booleanArrayWithFun(size: Int, init: (Int) -> Boolean): Array<Boolean> = fillArrayFun(booleanArray(size, false), init)\n\n@JsName(\"charArray\")\n@Suppress(\"UNUSED_PARAMETER\")\nfun charArray(size: Int, init: dynamic): Array<Char> {\n val result = js(\"new Uint16Array(size)\")\n result.`$type$` = \"CharArray\"\n return when (init) {\n null, true, false -> result // For consistency\n else -> fillArrayFun<Char>(result, init)\n }\n}\n\n@JsName(\"charArrayF\")\ninline fun charArrayWithFun(size: Int, init: (Int) -> Char): Array<Char> {\n val array = charArray(size, null)\n for (i in 0..array.size - 1) {\n @Suppress(\"UNUSED_VARIABLE\") // used in js block\n val value = init(i)\n js(\"array[i] = value;\")\n }\n return array\n}\n\n@JsName(\"untypedCharArrayF\")\ninline fun untypedCharArrayWithFun(size: Int, init: (Int) -> Char): Array<Char> {\n val array = Array<Char>(size)\n for (i in 0..array.size - 1) {\n @Suppress(\"UNUSED_VARIABLE\") // used in js block\n val value = init(i)\n js(\"array[i] = value;\")\n }\n return array\n}\n\n@JsName(\"longArray\")\nfun longArray(size: Int, init: dynamic): Array<Long> {\n val result: dynamic = Array<Long>(size)\n result.`$type$` = \"LongArray\"\n return when (init) {\n null, true -> fillArrayVal(result, 0L)\n false -> result\n else -> fillArrayFun<Long>(result, init)\n }\n}\n\n@JsName(\"longArrayF\")\ninline fun longArrayWithFun(size: Int, init: (Int) -> Long): Array<Long> = fillArrayFun(longArray(size, false), init)\n\nprivate fun <T> fillArrayVal(array: Array<T>, initValue: T): Array<T> {\n for (i in 0..array.size - 1) {\n array[i] = initValue\n }\n return array\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\npublic class Enum<T : Enum<T>> : Comparable<Enum<T>> {\n @JsName(\"name$\") private var _name: String = \"\"\n @JsName(\"ordinal$\") private var _ordinal: Int = 0\n\n val name: String\n get() = _name\n\n val ordinal: Int\n get() = _ordinal\n\n override fun compareTo(other: Enum<T>) = ordinal.compareTo(other.ordinal)\n\n override fun equals(other: Any?) = this === other\n\n override fun hashCode(): Int = js(\"Kotlin.identityHashCode\")(this)\n\n override fun toString() = name\n\n companion object\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js.internal\n\n@JsName(\"DoubleCompanionObject\")\ninternal object DoubleCompanionObject {\n @JsName(\"MIN_VALUE\")\n const val MIN_VALUE: Double = 4.9E-324\n\n @JsName(\"MAX_VALUE\")\n const val MAX_VALUE: Double = 1.7976931348623157E308\n\n @JsName(\"POSITIVE_INFINITY\")\n @Suppress(\"DIVISION_BY_ZERO\")\n const val POSITIVE_INFINITY: Double = 1.0 / 0.0\n\n @JsName(\"NEGATIVE_INFINITY\")\n @Suppress(\"DIVISION_BY_ZERO\")\n const val NEGATIVE_INFINITY: Double = -1.0 / 0.0\n\n @JsName(\"NaN\")\n @Suppress(\"DIVISION_BY_ZERO\")\n const val NaN: Double = -(0.0 / 0.0)\n\n @JsName(\"SIZE_BYTES\")\n const val SIZE_BYTES = 8\n\n @JsName(\"SIZE_BITS\")\n const val SIZE_BITS = 64\n}\n\n@JsName(\"FloatCompanionObject\")\ninternal object FloatCompanionObject {\n @JsName(\"MIN_VALUE\")\n const val MIN_VALUE: Float = 1.4E-45F\n\n @JsName(\"MAX_VALUE\")\n const val MAX_VALUE: Float = 3.4028235E38F\n\n @JsName(\"POSITIVE_INFINITY\")\n @Suppress(\"DIVISION_BY_ZERO\")\n const val POSITIVE_INFINITY: Float = 1.0F / 0.0F\n\n @JsName(\"NEGATIVE_INFINITY\")\n @Suppress(\"DIVISION_BY_ZERO\")\n const val NEGATIVE_INFINITY: Float = -1.0F / 0.0F\n\n @JsName(\"NaN\")\n @Suppress(\"DIVISION_BY_ZERO\")\n const val NaN: Float = -(0.0F / 0.0F)\n\n @JsName(\"SIZE_BYTES\")\n const val SIZE_BYTES = 4\n\n @JsName(\"SIZE_BITS\")\n const val SIZE_BITS = 32\n}\n\n@JsName(\"IntCompanionObject\")\ninternal object IntCompanionObject {\n @JsName(\"MIN_VALUE\")\n val MIN_VALUE: Int = -2147483647 - 1\n\n @JsName(\"MAX_VALUE\")\n

val MAX_VALUE: Int = 2147483647\n\n   @JsName(\"SIZE_BYTES\")\n   const val SIZE_BYTES = 4\n\n   @JsName(\"SIZE_BITS\")\n   const val SIZE_BITS = 32\n}\n\n@JsName(\"LongCompanionObject\")\ninternal object LongCompanionObject {\n   @JsName(\"MIN_VALUE\")\n   val MIN_VALUE: Long = js(\"Kotlin.Long.MIN_VALUE\")\n\n   @JsName(\"MAX_VALUE\")\n   val MAX_VALUE: Long = js(\"Kotlin.Long.MAX_VALUE\")\n\n   @JsName(\"SIZE_BYTES\")\n   const val SIZE_BYTES = 8\n\n   @JsName(\"SIZE_BITS\")\n   const val SIZE_BITS = 64\n}\n\n@JsName(\"ShortCompanionObject\")\ninternal object ShortCompanionObject {\n   @JsName(\"MIN_VALUE\")\n   val MIN_VALUE: Short = -32768\n\n   @JsName(\"MAX_VALUE\")\n   val MAX_VALUE: Short = 32767\n\n   @JsName(\"SIZE_BYTES\")\n   const val SIZE_BYTES = 2\n\n   @JsName(\"SIZE_BITS\")\n   const val SIZE_BITS = 16\n}\n\n@JsName(\"ByteCompanionObject\")\ninternal object ByteCompanionObject {\n   @JsName(\"MIN_VALUE\")\n   val MIN_VALUE: Byte = -128\n\n   @JsName(\"MAX_VALUE\")\n   val MAX_VALUE: Byte = 127\n\n   @JsName(\"SIZE_BYTES\")\n   const val SIZE_BYTES = 1\n\n   @JsName(\"SIZE_BITS\")\n   const val SIZE_BITS = 8\n}\n\n@JsName(\"CharCompanionObject\")\ninternal object CharCompanionObject {\n   @JsName(\"MIN_VALUE\")\n   public const val MIN_VALUE: Char = '\\u0000'\n\n   @JsName(\"MAX_VALUE\")\n   public const val MAX_VALUE: Char = '\\uFFFF'\n\n   @JsName(\"MIN_HIGH_SURROGATE\")\n   public const val MIN_HIGH_SURROGATE: Char = '\\uD800'\n\n   @JsName(\"MAX_HIGH_SURROGATE\")\n   public const val MAX_HIGH_SURROGATE: Char = '\\uDBFF'\n\n   @JsName(\"MIN_LOW_SURROGATE\")\n   public const val MIN_LOW_SURROGATE: Char = '\\uDC00'\n\n   @JsName(\"MAX_LOW_SURROGATE\")\n   public const val MAX_LOW_SURROGATE: Char = '\\uDFFF'\n\n   @JsName(\"MIN_SURROGATE\")\n   public const val MIN_SURROGATE: Char = MIN_HIGH_SURROGATE\n\n   @JsName(\"MAX_SURROGATE\")\n   public const val MAX_SURROGATE: Char = MAX_LOW_SURROGATE\n\n   @JsName(\"SIZE_BYTES\")\n   const val SIZE_BYTES = 2\n\n   @JsName(\"SIZE_BITS\")\n   const val SIZE_BITS = 16\n}\n\ninternal object StringCompanionObject {}\n\ninternal object BooleanCompanionObject {}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ArraysKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component1(): T {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component1(): Byte {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component1(): Short {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component1(): Int {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component1(): Long {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1,

throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component1(): Float {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component1(): Double {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException]
except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component1(): Boolean {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component1(): Char {\n return get(0)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component2(): T {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior
is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component2(): Byte {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component2(): Short {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component2(): Int {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline
operator fun LongArray.component2(): Long {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component2(): Float {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component2(): Double {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component2(): Boolean {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component2(): Char {\n return get(1)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component3(): T {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component3(): Byte {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n
* \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component3(): Short {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less

than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component3(): Int {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component3(): Long {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component3(): Float {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component3(): Double {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component3(): Boolean {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component3(): Char {\n return get(2)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component4(): T {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component4(): Byte {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component4(): Short {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component4(): Int {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component4(): Long {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component4(): Float {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component4(): Double {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component4(): Boolean {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component4(): Char {\n return get(3)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component5(): T {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n *

\n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component5(): Byte {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component5(): Short {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component5(): Int {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component5(): Long {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component5(): Float {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component5(): Double {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component5(): Boolean {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component5(): Char {\n   return get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.contains(element: T): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun ByteArray.contains(element: Byte): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun ShortArray.contains(element: Short): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun IntArray.contains(element: Int): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun LongArray.contains(element: Long): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\n@Deprecated(\"The function has unclear behavior when searching for NaN or zero values and will be removed soon. Use 'any { it == element }' instead to continue using this behavior, or '.asList().contains(element: T)' to get the same search behavior as in a list.\", ReplaceWith(\"any { it == element }\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\n@Suppress(\"DEPRECATION_ERROR\")\npublic operator fun FloatArray.contains(element: Float): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\n@Deprecated(\"The function has unclear behavior when searching for NaN or zero values and will be removed soon. Use 'any { it == element }' instead to continue using this behavior, or '.asList().contains(element: T)' to get the same search behavior as in a list.\", ReplaceWith(\"any { it == element }\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\n@Suppress(\"DEPRECATION_ERROR\")\npublic operator fun DoubleArray.contains(element: Double): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun BooleanArray.contains(element: Boolean): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun CharArray.contains(element: Char): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n *

@sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun <T> Array<out T>.elementAt(index: Int): T\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun ByteArray.elementAt(index: Int): Byte\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun ShortArray.elementAt(index:
Int): Short\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun IntArray.elementAt(index: Int): Int\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun LongArray.elementAt(index: Int): Long\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun FloatArray.elementAt(index: Int): Float\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*/\npublic expect fun DoubleArray.elementAt(index: Int): Double\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun BooleanArray.elementAt(index: Int): Boolean\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun CharArray.elementAt(index: Int): Char\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n   return
if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Byte): Byte {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Short): Short {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at
the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Int): Int {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Long): Long {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n
* \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Float): Float {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of

bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Double): Double {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic
inline fun BooleanArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Boolean): Boolean {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.elementAtOrNull(index: Int): T? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given
[index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.elementAtOrNull(index: Int): Byte? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.elementAtOrNull(index: Int): Short? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.elementAtOrNull(index: Int): Int? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of
bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.elementAtOrNull(index: Int): Long? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.elementAtOrNull(index: Int): Float? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.elementAtOrNull(index: Int): Double? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.elementAtOrNull(index: Int): Boolean? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.elementAtOrNull(index: Int): Char? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.find(predicate: (T) -> Boolean): T? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.find(predicate: (Byte) -> Boolean): Byte? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such

element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.find(predicate: (Short) -> Boolean): Short? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.find(predicate: (Int) -> Boolean): Int? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic
inline fun LongArray.find(predicate: (Long) -> Boolean): Long? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.find(predicate: (Float) -> Boolean): Float? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.find(predicate: (Double) -> Boolean): Double? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.find(predicate:
(Boolean) -> Boolean): Boolean? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.find(predicate: (Char) -> Boolean): Char? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.findLast(predicate: (T) -> Boolean): T? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.findLast(predicate: (Byte) -> Boolean): Byte? {\n
return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.findLast(predicate: (Short) -> Boolean): Short? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.findLast(predicate: (Int) -> Boolean): Int? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.findLast(predicate: (Long) -> Boolean): Long? {\n return lastOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.findLast(predicate: (Float) -> Boolean): Float? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.findLast(predicate: (Double) -> Boolean): Double? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.findLast(predicate: (Boolean) -> Boolean): Boolean? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element

matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.findLast(predicate: (Char) -> Boolean): Char? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun <T> Array<out T>.first(): T {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ByteArray.first(): Byte {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ShortArray.first(): Short {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun IntArray.first(): Int {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun LongArray.first(): Long {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun FloatArray.first(): Float {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun DoubleArray.first(): Double {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun BooleanArray.first(): Boolean {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun CharArray.first(): Char {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> Array<out T>.first(predicate: (T) -> Boolean): T {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ByteArray.first(predicate: (Byte) -> Boolean): Byte {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ShortArray.first(predicate: (Short) -> Boolean): Short {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun IntArray.first(predicate: (Int) -> Boolean): Int {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun LongArray.first(predicate: (Long) -> Boolean): Long {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun FloatArray.first(predicate: (Float) -> Boolean): Float {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun DoubleArray.first(predicate: (Double) -> Boolean): Double {\n   for (element in this) if (predicate(element)) return element\n   throw

NoSuchElementException(\"Array
contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun BooleanArray.first(predicate: (Boolean) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun CharArray.first(predicate: (Char) -> Boolean): Char {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to elements of this array in iteration order,\n * or throws [NoSuchElementException] if no non-null
value was produced.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Any> Array<out T>.firstNotNullOf(transform: (T) -> R?): R {\n return firstNotNullOfOrNull(transform) ?: throw NoSuchElementException(\"No element of the array was transformed to a non-null value.\")\n}\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to elements of this array in iteration order,\n * or `null` if no non-null value was produced.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Any> Array<out T>.firstNotNullOfOrNull(transform: (T) -> R?): R? {\n for (element in this) {\n val result = transform(element)\n if (result != null) {\n return result\n }\n }\n return null\n}\n\n/**\n * Returns the first
element, or `null` if the array is empty.\n */\npublic fun <T> Array<out T>.firstOrNull(): T? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun ByteArray.firstOrNull(): Byte? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun ShortArray.firstOrNull(): Short? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun IntArray.firstOrNull(): Int? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun LongArray.firstOrNull(): Long? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun FloatArray.firstOrNull(): Float? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n
* Returns the first element, or `null` if the array is empty.\n */\npublic fun DoubleArray.firstOrNull(): Double? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun BooleanArray.firstOrNull(): Boolean? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun CharArray.firstOrNull(): Char? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun <T> Array<out T>.firstOrNull(predicate: (T) -> Boolean): T? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun ByteArray.firstOrNull(predicate: (Byte) -> Boolean): Byte? {\n for (element in this)
if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun ShortArray.firstOrNull(predicate: (Short) -> Boolean): Short? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun IntArray.firstOrNull(predicate: (Int) -> Boolean): Int? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun LongArray.firstOrNull(predicate: (Long) -> Boolean): Long? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element

matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun FloatArray.firstOrNull(predicate: (Float) -> Boolean): Float? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun DoubleArray.firstOrNull(predicate: (Double) -> Boolean): Double? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun BooleanArray.firstOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun CharArray.firstOrNull(predicate: (Char) -> Boolean): Char? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.getOrElse(index: Int, defaultValue: (Int) -> T): T {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.getOrElse(index: Int, defaultValue: (Int) -> Byte): Byte {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.getOrElse(index: Int, defaultValue: (Int) -> Short): Short {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.getOrElse(index: Int, defaultValue: (Int) -> Int): Int {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.getOrElse(index: Int, defaultValue: (Int) -> Long): Long {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.getOrElse(index: Int, defaultValue: (Int) -> Float): Float {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.getOrElse(index: Int, defaultValue: (Int) -> Double): Double {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.getOrElse(index: Int, defaultValue: (Int) -> Boolean): Boolean {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.getOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun <T> Array<out T>.getOrNull(index: Int): T? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun ByteArray.getOrNull(index: Int): Byte? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun ShortArray.getOrNull(index: Int): Short? {\n return if (index >= 0 && index <= lastIndex) get(index) else

null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun IntArray.getOrNull(index: Int): Int? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun LongArray.getOrNull(index: Int): Long? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun FloatArray.getOrNull(index: Int): Float? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun DoubleArray.getOrNull(index: Int): Double? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun BooleanArray.getOrNull(index: Int): Boolean? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun CharArray.getOrNull(index: Int): Char? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.indexOf(element: T): Int {\n if (element == null) {\n for (index in indices) {\n if (this[index] == null) {\n return index\n }\n }\n } else {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun ByteArray.indexOf(element: Byte): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun ShortArray.indexOf(element:
Short): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun IntArray.indexOf(element: Int): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun LongArray.indexOf(element: Long): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\n@Deprecated(\"The function has unclear behavior when searching for NaN or zero values and will be removed soon. Use 'indexOfFirst { it == element }' instead to continue using this behavior, or '.asList().indexOf(element:
T)' to get the same search behavior as in a list.\", ReplaceWith(\"indexOfFirst { it == element }\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic fun FloatArray.indexOf(element: Float): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\n@Deprecated(\"The function has unclear behavior when searching for NaN or zero values and will be removed soon. Use 'indexOfFirst { it == element }' instead to continue using this behavior, or '.asList().indexOf(element: T)' to get the same search behavior as in a list.\", ReplaceWith(\"indexOfFirst { it == element }\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic fun DoubleArray.indexOf(element: Double): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun BooleanArray.indexOf(element: Boolean): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun CharArray.indexOf(element: Char): Int {\n

for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun <T> Array<out T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element
matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun ByteArray.indexOfFirst(predicate: (Byte) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun ShortArray.indexOfFirst(predicate: (Short) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun IntArray.indexOfFirst(predicate: (Int) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n *
Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun LongArray.indexOfFirst(predicate: (Long) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun FloatArray.indexOfFirst(predicate: (Float) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun DoubleArray.indexOfFirst(predicate: (Double) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n
}\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun BooleanArray.indexOfFirst(predicate: (Boolean) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun CharArray.indexOfFirst(predicate: (Char) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun <T> Array<out T>.indexOfLast(predicate: (T) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index]))
{\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun ByteArray.indexOfLast(predicate: (Byte) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun ShortArray.indexOfLast(predicate: (Short) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun IntArray.indexOfLast(predicate: (Int) -> Boolean): Int {\n for (index
in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun LongArray.indexOfLast(predicate: (Long) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun FloatArray.indexOfLast(predicate: (Float) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n

* Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun DoubleArray.indexOfLast(predicate:
(Double) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun BooleanArray.indexOfLast(predicate: (Boolean) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun CharArray.indexOfLast(predicate: (Char) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun <T> Array<out T>.last(): T {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun ByteArray.last(): Byte {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun ShortArray.last(): Short {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun IntArray.last(): Int {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun LongArray.last(): Long {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun FloatArray.last(): Float {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun DoubleArray.last(): Double
{\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun BooleanArray.last(): Boolean {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun CharArray.last(): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun <T> Array<out T>.last(predicate:
(T) -> Boolean): T {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun ByteArray.last(predicate: (Byte) -> Boolean): Byte {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample

samples.collections.Collections.Elements.last\n */\npublic inline fun ShortArray.last(predicate:
(Short) -> Boolean): Short {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if
(predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element
matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun IntArray.last(predicate: (Int) -> Boolean): Int
{\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return
element\n }\n throw NoSuchElementException(\"Array contains no element matching the
predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun LongArray.last(predicate:
(Long) -> Boolean): Long {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if
(predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element
matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun FloatArray.last(predicate: (Float) -> Boolean):
Float {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element))
return element\n }\n throw NoSuchElementException(\"Array contains no element matching the
predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline
fun DoubleArray.last(predicate: (Double) -> Boolean): Double {\n for (index in this.indices.reversed()) {\n
val element = this[index]\n if (predicate(element)) return element\n }\n throw
NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n
* \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun BooleanArray.last(predicate:
(Boolean) -> Boolean): Boolean {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if
(predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element
matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*/\npublic inline fun CharArray.last(predicate: (Char) -> Boolean): Char {\n for (index in this.indices.reversed())
{\n val element = this[index]\n if (predicate(element)) return element\n }\n throw
NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns last index
of [element], or -1 if the array does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T>
Array<out T>.lastIndexOf(element: T): Int {\n if (element == null) {\n for (index in indices.reversed()) {\n
if (this[index] == null) {\n return index\n }\n }\n } else {\n for (index in
indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n }\n
return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun
ByteArray.lastIndexOf(element: Byte): Int
{\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n
return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun
ShortArray.lastIndexOf(element: Short): Int {\n for (index in indices.reversed()) {\n if (element ==
this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if
the array does not contain element.\n */\npublic fun IntArray.lastIndexOf(element: Int): Int {\n for (index in
indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n
* Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun
LongArray.lastIndexOf(element: Long): Int {\n for (index in indices.reversed()) {\n if (element ==

this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\n@Deprecated(\"The function has unclear behavior when searching for NaN or zero values and will be removed soon. Use 'indexOfLast { it == element }' instead to continue using this behavior, or '.asList().lastIndexOf(element: T)' to get the same search behavior as in a list.\", ReplaceWith(\"indexOfLast { it == element }\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic fun FloatArray.lastIndexOf(element: Float): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\n@Deprecated(\"The function has unclear behavior when searching for NaN or zero values and will be removed soon. Use 'indexOfLast { it == element }' instead to continue using this behavior, or '.asList().lastIndexOf(element:
T)' to get the same search behavior as in a list.\", ReplaceWith(\"indexOfLast { it == element }\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic fun DoubleArray.lastIndexOf(element: Double): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun BooleanArray.lastIndexOf(element: Boolean): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun CharArray.lastIndexOf(element: Char): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n
* Returns the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun <T> Array<out T>.lastOrNull(): T? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun ByteArray.lastOrNull(): Byte? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun ShortArray.lastOrNull(): Short? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun IntArray.lastOrNull(): Int? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the
array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun LongArray.lastOrNull(): Long? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun FloatArray.lastOrNull(): Float? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun DoubleArray.lastOrNull(): Double? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun BooleanArray.lastOrNull(): Boolean? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n
*/\npublic fun CharArray.lastOrNull(): Char? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun <T> Array<out T>.lastOrNull(predicate: (T) -> Boolean): T? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun ByteArray.lastOrNull(predicate: (Byte) -> Boolean): Byte? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element

matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun ShortArray.lastOrNull(predicate: (Short) -> Boolean): Short? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun IntArray.lastOrNull(predicate: (Int) -> Boolean): Int? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun LongArray.lastOrNull(predicate: (Long) -> Boolean): Long? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun FloatArray.lastOrNull(predicate: (Float) -> Boolean): Float? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun DoubleArray.lastOrNull(predicate: (Double) -> Boolean): Double? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun BooleanArray.lastOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun CharArray.lastOrNull(predicate: (Char) -> Boolean): Char? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.random(): T {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.random(): Byte {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.random(): Short {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.random(): Int {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.random(): Long {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.random(): Float {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.random(): Double {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.random(): Boolean {\n

return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.random(): Char {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> Array<out T>.random(random: Random): T {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun ByteArray.random(random: Random): Byte {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun ShortArray.random(random: Random): Short {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun IntArray.random(random: Random): Int {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun LongArray.random(random: Random): Long {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun FloatArray.random(random: Random): Float {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun DoubleArray.random(random: Random): Double {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun BooleanArray.random(random: Random): Boolean {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun CharArray.random(random: Random): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.randomOrNull(): T? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.randomOrNull(): Byte? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.randomOrNull(): Short? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.randomOrNull(): Int? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random

element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun LongArray.randomOrNull(): Long? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun FloatArray.randomOrNull():
Float? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this
array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun DoubleArray.randomOrNull(): Double? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun BooleanArray.randomOrNull(): Boolean? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun CharArray.randomOrNull(): Char? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T> Array<out
T>.randomOrNull(random: Random): T? {\n   if (isEmpty())\n   return null\n   return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
ByteArray.randomOrNull(random: Random): Byte? {\n   if (isEmpty())\n   return null\n   return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
ShortArray.randomOrNull(random: Random): Short? {\n   if (isEmpty())\n   return null\n   return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from
this array using the specified source of randomness, or `null` if this array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
IntArray.randomOrNull(random: Random): Int? {\n   if (isEmpty())\n   return null\n   return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
LongArray.randomOrNull(random: Random): Long? {\n   if (isEmpty())\n   return null\n   return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
FloatArray.randomOrNull(random: Random): Float? {\n   if (isEmpty())\n   return null\n   return
get(random.nextInt(size))\n}\n\n/**\n
* Returns a random element from this array using the specified source of randomness, or `null` if this array is
empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
DoubleArray.randomOrNull(random: Random): Double? {\n   if (isEmpty())\n   return null\n   return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
BooleanArray.randomOrNull(random: Random): Boolean? {\n   if (isEmpty())\n   return null\n   return

get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun CharArray.randomOrNull(random: Random): Char? {\n   if (isEmpty())\n   return null\n   return get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun <T> Array<out T>.single(): T {\n   return when (size) {\n   0 -> throw NoSuchElementException(\"Array is empty.\")\n   1 -> this[0]\n   else -> throw IllegalArgumentException(\"Array has more than one element.\")\n   }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun ByteArray.single(): Byte {\n   return when (size) {\n   0 -> throw NoSuchElementException(\"Array is empty.\")\n   1 -> this[0]\n   else -> throw IllegalArgumentException(\"Array has more than one element.\")\n   }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun ShortArray.single(): Short {\n   return when (size) {\n   0 -> throw NoSuchElementException(\"Array is empty.\")\n   1 -> this[0]\n   else -> throw IllegalArgumentException(\"Array has more than one element.\")\n   }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun IntArray.single(): Int {\n   return when (size) {\n   0 -> throw NoSuchElementException(\"Array is empty.\")\n   1 -> this[0]\n   else -> throw IllegalArgumentException(\"Array has more than one element.\")\n   }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun LongArray.single(): Long {\n   return when (size) {\n   0 -> throw NoSuchElementException(\"Array is empty.\")\n   1 -> this[0]\n   else -> throw IllegalArgumentException(\"Array has more than one element.\")\n   }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun FloatArray.single(): Float {\n   return when (size) {\n   0 -> throw NoSuchElementException(\"Array is empty.\")\n   1 -> this[0]\n   else -> throw IllegalArgumentException(\"Array has more than one element.\")\n   }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun DoubleArray.single(): Double {\n   return when (size) {\n   0 -> throw NoSuchElementException(\"Array is empty.\")\n   1 -> this[0]\n   else -> throw IllegalArgumentException(\"Array has more than one element.\")\n   }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun BooleanArray.single(): Boolean {\n   return when (size) {\n   0 -> throw NoSuchElementException(\"Array is empty.\")\n   1 -> this[0]\n   else -> throw IllegalArgumentException(\"Array has more than one element.\")\n   }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun CharArray.single(): Char {\n   return when (size) {\n   0 -> throw NoSuchElementException(\"Array is empty.\")\n   1 -> this[0]\n   else -> throw IllegalArgumentException(\"Array has more than one element.\")\n   }\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun <T> Array<out T>.single(predicate: (T) -> Boolean): T {\n   var single: T? = null\n   var found = false\n   for (element in this) {\n   if (predicate(element)) {\n   if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n   single = element\n   found = true\n   }\n   }\n   if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n   @Suppress(\"UNCHECKED_CAST\")\n   return single as T\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun ByteArray.single(predicate: (Byte) -> Boolean): Byte {\n   var single: Byte? = null\n   var found = false\n   for (element in this) {\n   if (predicate(element)) {\n   if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n   single = element\n   found = true\n   }\n   }\n   if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n   @Suppress(\"UNCHECKED_CAST\")\n   return single as Byte\n}\n\n/**\n * Returns the single element matching

the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun ShortArray.single(predicate: (Short) -> Boolean): Short {\n var single: Short? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Short\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun IntArray.single(predicate: (Int) -> Boolean): Int {\n var single: Int? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Int\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun LongArray.single(predicate: (Long) -> Boolean): Long {\n var single: Long? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Long\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun FloatArray.single(predicate: (Float) -> Boolean): Float {\n var single: Float? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Float\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun DoubleArray.single(predicate: (Double) -> Boolean): Double {\n var single: Double? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Double\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun BooleanArray.single(predicate: (Boolean) -> Boolean): Boolean {\n var single: Boolean? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Boolean\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun CharArray.single(predicate: (Char) -> Boolean): Char {\n var single: Char? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Char\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun <T> Array<out T>.singleOrNull(): T? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun ByteArray.singleOrNull(): Byte? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has

more than one element.\n */\npublic fun ShortArray.singleOrNull(): Short? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun IntArray.singleOrNull(): Int? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun LongArray.singleOrNull(): Long? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun FloatArray.singleOrNull(): Float? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun DoubleArray.singleOrNull(): Double? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one
element.\n */\npublic fun BooleanArray.singleOrNull(): Boolean? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun CharArray.singleOrNull(): Char? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun <T> Array<out T>.singleOrNull(predicate: (T) -> Boolean): T? {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun ByteArray.singleOrNull(predicate:
(Byte) -> Boolean): Byte? {\n var single: Byte? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun ShortArray.singleOrNull(predicate: (Short) -> Boolean): Short? {\n var single: Short? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun IntArray.singleOrNull(predicate:
(Int) -> Boolean): Int? {\n var single: Int? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun LongArray.singleOrNull(predicate: (Long) -> Boolean): Long? {\n var single: Long? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun FloatArray.singleOrNull(predicate:
(Float) -> Boolean): Float? {\n var single: Float? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun DoubleArray.singleOrNull(predicate: (Double) -> Boolean): Double? {\n var single: Double? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic
inline fun BooleanArray.singleOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n var single: Boolean? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n *

Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun CharArray.singleOrNull(predicate: (Char) -> Boolean): Char? {\n var single: Char? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if
[n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Array<out T>.drop(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ByteArray.drop(n: Int): List<Byte> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ShortArray.drop(n: Int): List<Short> {\n require(n >= 0) { \"Requested element count $n is less than zero.\"
}\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun IntArray.drop(n: Int): List<Int> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun LongArray.drop(n: Int): List<Long> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*/\npublic fun FloatArray.drop(n: Int): List<Float> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun DoubleArray.drop(n: Int): List<Double> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun BooleanArray.drop(n: Int): List<Boolean> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n
* Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun CharArray.drop(n: Int): List<Char> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Array<out T>.dropLast(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n

```
*/\npublic fun ByteArray.dropLast(n: Int): List<Byte> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ShortArray.dropLast(n: Int): List<Short> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun IntArray.dropLast(n: Int): List<Int> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun LongArray.dropLast(n: Int): List<Long> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun FloatArray.dropLast(n: Int): List<Float> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun DoubleArray.dropLast(n: Int): List<Double> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun BooleanArray.dropLast(n: Int): List<Boolean> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun CharArray.dropLast(n: Int): List<Char> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Array<out T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ByteArray.dropLastWhile(predicate: (Byte) -> Boolean): List<Byte> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ShortArray.dropLastWhile(predicate: (Short) -> Boolean): List<Short> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun IntArray.dropLastWhile(predicate: (Int) -> Boolean): List<Int> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun LongArray.dropLastWhile(predicate:
```

(Long) -> Boolean): List<Long> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun FloatArray.dropLastWhile(predicate: (Float) -> Boolean): List<Float> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun DoubleArray.dropLastWhile(predicate: (Double) -> Boolean): List<Double> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun BooleanArray.dropLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun CharArray.dropLastWhile(predicate: (Char) -> Boolean): List<Char> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Array<out T>.dropWhile(predicate: (T) -> Boolean): List<T> {\n var yielding = false\n val list = ArrayList<T>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ByteArray.dropWhile(predicate: (Byte) -> Boolean): List<Byte> {\n var yielding = false\n val list = ArrayList<Byte>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n *\n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ShortArray.dropWhile(predicate: (Short) -> Boolean): List<Short> {\n var yielding = false\n val list = ArrayList<Short>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun IntArray.dropWhile(predicate: (Int) -> Boolean): List<Int> {\n var yielding = false\n val list = ArrayList<Int>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun LongArray.dropWhile(predicate: (Long) -> Boolean): List<Long> {\n var yielding = false\n val list = ArrayList<Long>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun FloatArray.dropWhile(predicate: (Float) -> Boolean): List<Float> {\n var yielding = false\n val list = ArrayList<Float>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n

```
 * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun DoubleArray.dropWhile(predicate: (Double) -> Boolean): List<Double> {\n    var yielding = false\n    val list = ArrayList<Double>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n            list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun BooleanArray.dropWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n    var yielding = false\n    val list = ArrayList<Boolean>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n            list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun CharArray.dropWhile(predicate: (Char) -> Boolean): List<Char> {\n    var yielding = false\n    val list = ArrayList<Char>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n            list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun <T> Array<out T>.filter(predicate: (T) -> Boolean): List<T> {\n    return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun ByteArray.filter(predicate: (Byte) -> Boolean): List<Byte> {\n    return filterTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun ShortArray.filter(predicate: (Short) -> Boolean): List<Short> {\n    return filterTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun IntArray.filter(predicate: (Int) -> Boolean): List<Int> {\n    return filterTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun LongArray.filter(predicate: (Long) -> Boolean): List<Long> {\n    return filterTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun FloatArray.filter(predicate: (Float) -> Boolean): List<Float> {\n    return filterTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun DoubleArray.filter(predicate: (Double) -> Boolean): List<Double> {\n    return filterTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun BooleanArray.filter(predicate: (Boolean) -> Boolean): List<Boolean> {\n    return filterTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun CharArray.filter(predicate: (Char) -> Boolean): List<Char> {\n    return filterTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun <T> Array<out T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n    return filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun ByteArray.filterIndexed(predicate: (index: Int, Byte) -> Boolean): List<Byte> {\n    return filterIndexedTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
```

given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun ShortArray.filterIndexed(predicate: (index: Int, Short) -> Boolean): List<Short> {\n return filterIndexedTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun IntArray.filterIndexed(predicate:
(index: Int, Int) -> Boolean): List<Int> {\n return filterIndexedTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun LongArray.filterIndexed(predicate: (index: Int, Long) -> Boolean): List<Long> {\n return filterIndexedTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun FloatArray.filterIndexed(predicate: (index: Int, Float) ->
Boolean): List<Float> {\n return filterIndexedTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun DoubleArray.filterIndexed(predicate: (index: Int, Double) -> Boolean): List<Double> {\n return filterIndexedTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun BooleanArray.filterIndexed(predicate: (index: Int, Boolean) -> Boolean): List<Boolean> {\n return filterIndexedTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun CharArray.filterIndexed(predicate: (index: Int, Char) -> Boolean): List<Char> {\n return filterIndexedTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean):
C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterIndexedTo(destination: C, predicate: (index: Int, Byte) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n
* \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterIndexedTo(destination: C, predicate: (index: Int, Short) ->
Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element))

destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Int>> IntArray.filterIndexedTo(destination: C, predicate: (index: Int, Int) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements
 matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Long>> LongArray.filterIndexedTo(destination: C, predicate: (index: Int, Long) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterIndexedTo(destination:
 C, predicate: (index: Int, Float) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterIndexedTo(destination: C, predicate: (index: Int, Double) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns
 the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterIndexedTo(destination: C, predicate: (index: Int, Boolean) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n
 }\n   return destination\n}\n\n/**\n * Returns a list containing all elements that are instances of specified type parameter R.\n * \n * @sample samples.collections.Collections.Filtering.filterIsInstance\n */\npublic inline fun <reified R> Array<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n   return filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type parameter R to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterIsInstanceTo\n */\npublic inline fun <reified R, C : MutableCollection<in R>> Array<*>.filterIsInstanceTo(destination: C): C {\n   for (element in this) if (element is R) destination.add(element)\n   return destination\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun <T> Array<out T>.filterNot(predicate: (T) -> Boolean): List<T> {\n
 return filterNotTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun ByteArray.filterNot(predicate: (Byte) -> Boolean): List<Byte> {\n   return filterNotTo(ArrayList<Byte>(),

predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun ShortArray.filterNot(predicate: (Short) -> Boolean): List<Short> {\n   return filterNotTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun IntArray.filterNot(predicate: (Int) -> Boolean): List<Int> {\n   return filterNotTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching
the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun LongArray.filterNot(predicate: (Long) -> Boolean): List<Long> {\n   return filterNotTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun FloatArray.filterNot(predicate: (Float) -> Boolean): List<Float> {\n   return filterNotTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun DoubleArray.filterNot(predicate: (Double) -> Boolean): List<Double> {\n   return filterNotTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic
inline fun BooleanArray.filterNot(predicate: (Boolean) -> Boolean): List<Boolean> {\n   return filterNotTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun CharArray.filterNot(predicate: (Char) -> Boolean): List<Char> {\n   return filterNotTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing all elements that are not `null`.\n * \n * @sample samples.collections.Collections.Filtering.filterNotNull\n */\npublic fun <T : Any> Array<out T?>.filterNotNull(): List<T> {\n   return filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterNotNullTo\n */\npublic fun <C : MutableCollection<in T>, T : Any> Array<out T?>.filterNotNullTo(destination: C): C {\n   for (element in this) if
(element != null) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterNotTo(destination: C, predicate: (Byte) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*/\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterNotTo(destination: C, predicate: (Short) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Int>> IntArray.filterNotTo(destination: C, predicate: (Int) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Long>> LongArray.filterNotTo(destination: C, predicate: (Long) -> Boolean): C {\n   for (element in this) if (!predicate(element))
destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n

*/\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterNotTo(destination: C, predicate: (Float) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterNotTo(destination: C, predicate: (Double) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterNotTo(destination: C, predicate: (Boolean) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterTo(destination: C, predicate: (Byte) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterTo(destination: C, predicate: (Short) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic
inline fun <C : MutableCollection<in Int>> IntArray.filterTo(destination: C, predicate: (Int) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Long>> LongArray.filterTo(destination: C, predicate: (Long) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterTo(destination: C, predicate: (Float) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n
* Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterTo(destination: C, predicate: (Double) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterTo(destination: C, predicate: (Boolean) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in
Char>> CharArray.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun <T> Array<out T>.slice(indices: IntRange): List<T> {\n

```
if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun ByteArray.slice(indices: IntRange): List<Byte> {\n    if (indices.isEmpty()) return listOf()\n    return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun ShortArray.slice(indices: IntRange): List<Short> {\n    if
(indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive
 + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun IntArray.slice(indices: IntRange): List<Int> {\n    if (indices.isEmpty()) return listOf()\n    return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun LongArray.slice(indices: IntRange): List<Long> {\n    if
(indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun FloatArray.slice(indices: IntRange): List<Float> {\n    if (indices.isEmpty()) return listOf()\n    return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun DoubleArray.slice(indices: IntRange):
 List<Double> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive
+ 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun BooleanArray.slice(indices: IntRange): List<Boolean> {\n    if (indices.isEmpty()) return listOf()\n    return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun CharArray.slice(indices: IntRange): List<Char> {\n    if
(indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun <T> Array<out
T>.slice(indices: Iterable<Int>): List<T> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0)
return emptyList()\n    val list = ArrayList<T>(size)\n    for (index in indices) {\n
        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n
*/\npublic fun ByteArray.slice(indices: Iterable<Int>): List<Byte> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Byte>(size)\n    for
(index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at
specified [indices].\n */\npublic fun ShortArray.slice(indices: Iterable<Int>): List<Short> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Short>(size)\n
for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing
elements at specified [indices].\n */\npublic fun IntArray.slice(indices: Iterable<Int>): List<Int> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n
    val list = ArrayList<Int>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return
list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun LongArray.slice(indices:
Iterable<Int>): List<Long> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return
emptyList()\n    val list = ArrayList<Long>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n
return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun
FloatArray.slice(indices: Iterable<Int>): List<Float> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size
== 0) return emptyList()\n    val list = ArrayList<Float>(size)\n    for (index in indices) {\n
list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n
*/\npublic fun DoubleArray.slice(indices: Iterable<Int>): List<Double> {\n    val size
 = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Double>(size)\n
  for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing
elements at specified [indices].\n */\npublic fun BooleanArray.slice(indices: Iterable<Int>): List<Boolean> {\n    val
size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list =
ArrayList<Boolean>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n *
Returns a list containing elements at specified [indices].\n */\npublic fun CharArray.slice(indices: Iterable<Int>):
```

List<Char> {\n   val size = indices.collectionSizeOrDefault(10)\n   if (size == 0) return emptyList()\n   val list = ArrayList<Char>(size)\n   for (index in indices) {\n   list.add(get(index))\n   }\n   return list\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun <T> Array<T>.sliceArray(indices: Collection<Int>): Array<T> {\n   val result = arrayOfNulls(this, indices.size)\n   var targetIndex = 0\n   for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n   }\n   return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun ByteArray.sliceArray(indices: Collection<Int>): ByteArray {\n val result = ByteArray(indices.size)\n   var targetIndex = 0\n   for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n   }\n   return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun ShortArray.sliceArray(indices: Collection<Int>): ShortArray {\n val result = ShortArray(indices.size)\n   var targetIndex = 0\n   for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n   }\n   return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun IntArray.sliceArray(indices: Collection<Int>): IntArray {\n   val result = IntArray(indices.size)\n   var targetIndex = 0\n   for (sourceIndex in indices) {\n   result[targetIndex++] = this[sourceIndex]\n   }\n   return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun LongArray.sliceArray(indices: Collection<Int>): LongArray {\n   val result = LongArray(indices.size)\n   var targetIndex = 0\n   for (sourceIndex in indices) {\n   result[targetIndex++] = this[sourceIndex]\n   }\n   return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun FloatArray.sliceArray(indices: Collection<Int>): FloatArray {\n   val result = FloatArray(indices.size)\n   var targetIndex = 0\n   for (sourceIndex in indices) {\n   result[targetIndex++] = this[sourceIndex]\n   }\n   return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun DoubleArray.sliceArray(indices: Collection<Int>): DoubleArray {\n   val result = DoubleArray(indices.size)\n var targetIndex = 0\n   for (sourceIndex in indices) {\n   result[targetIndex++] = this[sourceIndex]\n   }\n return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun BooleanArray.sliceArray(indices: Collection<Int>): BooleanArray {\n   val result = BooleanArray(indices.size)\n var targetIndex = 0\n   for (sourceIndex in indices) {\n   result[targetIndex++] = this[sourceIndex]\n   }\n return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun CharArray.sliceArray(indices: Collection<Int>): CharArray {\n   val result = CharArray(indices.size)\n   var targetIndex = 0\n   for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n   }\n   return result\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun <T> Array<T>.sliceArray(indices: IntRange): Array<T> {\n   if (indices.isEmpty()) return copyOfRange(0, 0)\n   return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun ByteArray.sliceArray(indices: IntRange): ByteArray {\n   if (indices.isEmpty()) return ByteArray(0)\n   return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun ShortArray.sliceArray(indices: IntRange): ShortArray {\n   if (indices.isEmpty()) return ShortArray(0)\n   return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun IntArray.sliceArray(indices: IntRange): IntArray {\n   if (indices.isEmpty()) return IntArray(0)\n   return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun LongArray.sliceArray(indices: IntRange): LongArray {\n   if (indices.isEmpty()) return LongArray(0)\n   return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun FloatArray.sliceArray(indices: IntRange): FloatArray {\n   if (indices.isEmpty()) return FloatArray(0)\n   return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun DoubleArray.sliceArray(indices: IntRange): DoubleArray {\n   if (indices.isEmpty()) return DoubleArray(0)\n   return copyOfRange(indices.start,

indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun BooleanArray.sliceArray(indices: IntRange): BooleanArray {\n if (indices.isEmpty()) return BooleanArray(0)\n return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun CharArray.sliceArray(indices: IntRange): CharArray {\n if (indices.isEmpty()) return CharArray(0)\n return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Array<out T>.take(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<T>(n)\n for (item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ByteArray.take(n: Int): List<Byte> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Byte>(n)\n for (item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ShortArray.take(n: Int): List<Short> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Short>(n)\n for (item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun IntArray.take(n: Int): List<Int> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Int>(n)\n for (item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun LongArray.take(n: Int): List<Long> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Long>(n)\n for (item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun FloatArray.take(n: Int): List<Float> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Float>(n)\n for (item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun DoubleArray.take(n: Int): List<Double> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Double>(n)\n for (item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun BooleanArray.take(n: Int): List<Boolean> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n

>= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Boolean>(n)\n   for (item in this) {\n   list.add(item)\n   if (++count == n)\n   break\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun CharArray.take(n: Int): List<Char> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Char>(n)\n   for (item in this) {\n   list.add(item)\n   if (++count == n)\n   break\n   }\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Array<out T>.takeLast(n: Int): List<T> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<T>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ByteArray.takeLast(n: Int): List<Byte> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<Byte>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ShortArray.takeLast(n: Int): List<Short> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<Short>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun IntArray.takeLast(n: Int): List<Int> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<Int>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun LongArray.takeLast(n: Int): List<Long> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<Long>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun FloatArray.takeLast(n: Int): List<Float> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<Float>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun DoubleArray.takeLast(n: Int): List<Double> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<Double>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample

samples.collections.Collections.Transformations.take\n */\npublic fun BooleanArray.takeLast(n: Int): List<Boolean> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Boolean>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun CharArray.takeLast(n: Int): List<Char> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Char>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> Array<out T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ByteArray.takeLastWhile(predicate: (Byte) -> Boolean): List<Byte> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ShortArray.takeLastWhile(predicate: (Short) -> Boolean): List<Short> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun IntArray.takeLastWhile(predicate: (Int) -> Boolean): List<Int> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun LongArray.takeLastWhile(predicate: (Long) -> Boolean): List<Long> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun FloatArray.takeLastWhile(predicate: (Float) -> Boolean): List<Float> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun DoubleArray.takeLastWhile(predicate: (Double) -> Boolean): List<Double> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun BooleanArray.takeLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun CharArray.takeLastWhile(predicate: (Char) -> Boolean): List<Char> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> Array<out T>.takeWhile(predicate: (T) -> Boolean): List<T> {\n val list = ArrayList<T>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ByteArray.takeWhile(predicate: (Byte)

-> Boolean): List<Byte> {\n val list = ArrayList<Byte>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ShortArray.takeWhile(predicate: (Short) -> Boolean): List<Short> {\n val list = ArrayList<Short>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun IntArray.takeWhile(predicate: (Int) -> Boolean): List<Int> {\n val list = ArrayList<Int>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun LongArray.takeWhile(predicate: (Long) -> Boolean): List<Long> {\n val list = ArrayList<Long>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun FloatArray.takeWhile(predicate: (Float) -> Boolean): List<Float> {\n val list = ArrayList<Float>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun DoubleArray.takeWhile(predicate: (Double) -> Boolean): List<Double> {\n val list = ArrayList<Double>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun BooleanArray.takeWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n val list = ArrayList<Boolean>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun CharArray.takeWhile(predicate: (Char) -> Boolean): List<Char> {\n val list = ArrayList<Char>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun <T> Array<T>.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun ByteArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun ShortArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun IntArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun LongArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun FloatArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array

in-place.\n */\npublic fun DoubleArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun BooleanArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun CharArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun <T> Array<T>.reverse(fromIndex: Int, toIndex: Int): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val midPoint = (fromIndex + toIndex) / 2\n if (fromIndex == midPoint) return\n var reverseIndex = toIndex - 1\n for (index in fromIndex until midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun ByteArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val midPoint = (fromIndex + toIndex) / 2\n if (fromIndex == midPoint) return\n var reverseIndex = toIndex - 1\n for (index in fromIndex until midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun ShortArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val midPoint = (fromIndex + toIndex) / 2\n if (fromIndex == midPoint) return\n var reverseIndex = toIndex - 1\n for (index in fromIndex until midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun IntArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val midPoint = (fromIndex + toIndex) / 2\n if (fromIndex == midPoint) return\n var reverseIndex = toIndex - 1\n for (index in fromIndex until midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException

if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun LongArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val midPoint = (fromIndex + toIndex) / 2\n if (fromIndex == midPoint) return\n var reverseIndex = toIndex - 1\n for (index in fromIndex until midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun FloatArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val midPoint = (fromIndex + toIndex) / 2\n if (fromIndex == midPoint) return\n var reverseIndex = toIndex - 1\n for (index in fromIndex until midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun DoubleArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val midPoint = (fromIndex + toIndex) / 2\n if (fromIndex == midPoint) return\n var reverseIndex = toIndex - 1\n for (index in fromIndex until midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun BooleanArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val midPoint = (fromIndex + toIndex) / 2\n if (fromIndex == midPoint) return\n var reverseIndex = toIndex - 1\n for (index in fromIndex until midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun CharArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val midPoint = (fromIndex + toIndex) / 2\n if (fromIndex == midPoint) return\n var reverseIndex = toIndex - 1\n for (index in fromIndex until midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun <T> Array<out T>.reversed(): List<T> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun ByteArray.reversed(): List<Byte> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun ShortArray.reversed(): List<Short> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun IntArray.reversed(): List<Int> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun LongArray.reversed(): List<Long> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun FloatArray.reversed(): List<Float> {\n if (isEmpty()) return emptyList()\n val list =

toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun DoubleArray.reversed(): List<Double> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun BooleanArray.reversed(): List<Boolean> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun CharArray.reversed(): List<Char> {\n   if (isEmpty()) return
emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun <T> Array<T>.reversedArray(): Array<T> {\n   if (isEmpty()) return this\n   val result = arrayOfNulls(this, size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun ByteArray.reversedArray(): ByteArray {\n   if (isEmpty()) return this\n   val result = ByteArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun ShortArray.reversedArray(): ShortArray {\n   if (isEmpty()) return this\n   val result = ShortArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n
result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun IntArray.reversedArray(): IntArray {\n   if (isEmpty()) return this\n   val result = IntArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun LongArray.reversedArray(): LongArray {\n   if (isEmpty()) return this\n   val result = LongArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun FloatArray.reversedArray(): FloatArray {\n   if (isEmpty()) return this\n   val result = FloatArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n
return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun DoubleArray.reversedArray(): DoubleArray {\n   if (isEmpty()) return this\n   val result = DoubleArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun BooleanArray.reversedArray(): BooleanArray {\n   if (isEmpty()) return this\n   val result = BooleanArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun CharArray.reversedArray(): CharArray {\n   if (isEmpty()) return this\n   val result = CharArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n
* Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T> Array<T>.shuffle(): Unit {\n   shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\npublic fun ByteArray.shuffle(): Unit {\n   shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\npublic fun ShortArray.shuffle(): Unit {\n   shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\npublic fun IntArray.shuffle(): Unit {\n   shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\npublic fun LongArray.shuffle(): Unit {\n   shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\npublic fun FloatArray.shuffle(): Unit {\n   shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\npublic
fun DoubleArray.shuffle(): Unit {\n   shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\npublic fun BooleanArray.shuffle(): Unit {\n   shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\npublic fun CharArray.shuffle(): Unit {\n   shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See:

https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\npublic fun <T> Array<T>.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n *
See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\npublic fun ByteArray.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\npublic fun ShortArray.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\npublic fun IntArray.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\npublic fun LongArray.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\npublic fun
FloatArray.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\npublic fun DoubleArray.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\npublic fun BooleanArray.shuffle(random: Random): Unit {\n for (i in
lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\npublic fun CharArray.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Sorts elements in the array in-place according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortBy(crossinline selector: (T) -> R?): Unit {\n if (size >

1) sortWith(compareBy(selector))\n}\n\n/**\n * Sorts elements in the array in-place descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n if (size > 1) sortWith(compareByDescending(selector))\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<out T>.sortDescending(): Unit {\n sortWith(reverseOrder())\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun ByteArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun ShortArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun IntArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun LongArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun FloatArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun DoubleArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun CharArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<out T>.sorted(): List<T> {\n return sortedArray().asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun ByteArray.sorted(): List<Byte> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun ShortArray.sorted(): List<Short> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun IntArray.sorted(): List<Int> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun LongArray.sorted(): List<Long> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun FloatArray.sorted(): List<Float> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun DoubleArray.sorted(): List<Double> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun CharArray.sorted(): List<Char> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<T>.sortedArray(): Array<T> {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun ByteArray.sortedArray(): ByteArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun ShortArray.sortedArray(): ShortArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun IntArray.sortedArray(): IntArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun LongArray.sortedArray(): LongArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array

with all elements of this array sorted according to their natural sort order.\n */\npublic fun FloatArray.sortedArray(): FloatArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun DoubleArray.sortedArray(): DoubleArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun CharArray.sortedArray(): CharArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<T>.sortedArrayDescending(): Array<T> {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortWith(reverseOrder()) }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun ByteArray.sortedArrayDescending(): ByteArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun ShortArray.sortedArrayDescending(): ShortArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun IntArray.sortedArrayDescending(): IntArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun LongArray.sortedArrayDescending(): LongArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun FloatArray.sortedArrayDescending(): FloatArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun DoubleArray.sortedArrayDescending(): DoubleArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun CharArray.sortedArrayDescending(): CharArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according the specified [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T> Array<out T>.sortedArrayWith(comparator: Comparator<in T>): Array<out T> {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortWith(comparator) }\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n   return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>> ByteArray.sortedBy(crossinline selector: (Byte) -> R?): List<Byte> {\n   return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>> ShortArray.sortedBy(crossinline selector: (Short) -> R?): List<Short> {\n   return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>> IntArray.sortedBy(crossinline selector: (Int) -> R?): List<Int> {\n   return

sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>> LongArray.sortedBy(crossinline selector: (Long) -> R?): List<Long> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>> FloatArray.sortedBy(crossinline selector: (Float) -> R?): List<Float> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>> DoubleArray.sortedBy(crossinline selector: (Double) -> R?): List<Double> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>> BooleanArray.sortedBy(crossinline selector: (Boolean) -> R?): List<Boolean> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>> CharArray.sortedBy(crossinline selector: (Char) -> R?): List<Char> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> ByteArray.sortedByDescending(crossinline selector: (Byte) -> R?): List<Byte> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> ShortArray.sortedByDescending(crossinline selector: (Short) -> R?): List<Short> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> IntArray.sortedByDescending(crossinline selector: (Int) -> R?): List<Int> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> LongArray.sortedByDescending(crossinline selector: (Long) -> R?): List<Long> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> FloatArray.sortedByDescending(crossinline selector: (Float) -> R?): List<Float> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> DoubleArray.sortedByDescending(crossinline selector: (Double) -> R?): List<Double> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> BooleanArray.sortedByDescending(crossinline selector: (Boolean) -> R?): List<Boolean> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to

natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> CharArray.sortedByDescending(crossinline selector: (Char) -> R?): List<Char> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<out T>.sortedDescending(): List<T> {\n return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun ByteArray.sortedDescending(): List<Byte> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun ShortArray.sortedDescending(): List<Short> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun IntArray.sortedDescending(): List<Int> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun LongArray.sortedDescending(): List<Long> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun FloatArray.sortedDescending(): List<Float> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun DoubleArray.sortedDescending(): List<Double> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun CharArray.sortedDescending():
List<Char> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T> Array<out T>.sortedWith(comparator: Comparator<in T>): List<T> {\n return sortedArrayWith(comparator).asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun ByteArray.sortedWith(comparator: Comparator<in Byte>): List<Byte> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun ShortArray.sortedWith(comparator: Comparator<in Short>): List<Short> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n
*/\npublic fun IntArray.sortedWith(comparator: Comparator<in Int>): List<Int> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun LongArray.sortedWith(comparator: Comparator<in Long>): List<Long> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun FloatArray.sortedWith(comparator: Comparator<in Float>): List<Float> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun DoubleArray.sortedWith(comparator: Comparator<in Double>): List<Double> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic
fun BooleanArray.sortedWith(comparator: Comparator<in Boolean>): List<Boolean> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun CharArray.sortedWith(comparator: Comparator<in Char>): List<Char> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun <T> Array<out T>.asList(): List<T>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun ByteArray.asList(): List<Byte>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun ShortArray.asList(): List<Short>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun IntArray.asList(): List<Int>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun LongArray.asList(): List<Long>\n\n/**\n * Returns a [List]

that wraps the original array.\n */\npublic expect fun FloatArray.asList(): List<Float>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun DoubleArray.asList(): List<Double>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun BooleanArray.asList(): List<Boolean>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun CharArray.asList(): List<Char>\n\n/**\n * Returns `true` if the two specified arrays are *deeply* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * If two corresponding elements are nested arrays, they are also compared deeply.\n * If any of arrays contains itself on any nesting level the behavior is undefined.\n * \n * The elements of other types are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic
expect infix fun <T> Array<out T>.contentDeepEquals(other: Array<out T>): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *deeply* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The specified arrays are also considered deeply equal if both are `null`.\n * \n * If two corresponding elements are nested arrays, they are also compared deeply.\n * If any of arrays contains itself on any nesting level the behavior is undefined.\n * \n * The elements of other types are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\npublic expect infix fun <T> Array<out T>?.contentDeepEquals(other: Array<out T>?): Boolean\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n * Nested
arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level the behavior is undefined.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic expect fun <T> Array<out T>.contentDeepHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level the behavior is undefined.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun <T> Array<out T>?.contentDeepHashCode(): Int\n\n/**\n * Returns a string representation of the contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level that reference\n * is rendered as `\"[...]\"` to prevent recursion.\n * \n * @sample samples.collections.Arrays.ContentOperations.contentDeepToString\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic
expect fun <T> Array<out T>.contentDeepToString(): String\n\n/**\n * Returns a string representation of the contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level that reference\n * is rendered as `\"[...]\"` to prevent recursion.\n * \n * @sample samples.collections.Arrays.ContentOperations.contentDeepToString\n */\n@SinceKotlin(\"1.4\")\npublic expect fun <T> Array<out T>?.contentDeepToString(): String\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince
= \"1.4\")\npublic expect infix fun <T> Array<out T>.contentEquals(other: Array<out T>): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect infix fun ByteArray.contentEquals(other: ByteArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN`

is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect infix fun ShortArray.contentEquals(other: ShortArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect infix fun IntArray.contentEquals(other: IntArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same
elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect infix fun LongArray.contentEquals(other: LongArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect infix fun FloatArray.contentEquals(other:
FloatArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use
Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect infix fun CharArray.contentEquals(other: CharArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality
with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\npublic expect infix fun <T> Array<out T>?.contentEquals(other: Array<out T>?): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\npublic expect infix fun ByteArray?.contentEquals(other: ByteArray?): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating

point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\npublic expect infix fun ShortArray?.contentEquals(other: ShortArray?): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\npublic expect infix fun IntArray?.contentEquals(other: IntArray?): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\npublic expect infix fun LongArray?.contentEquals(other: LongArray?): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\npublic expect infix fun FloatArray?.contentEquals(other: FloatArray?): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\npublic expect infix fun DoubleArray?.contentEquals(other: DoubleArray?): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\npublic expect infix fun BooleanArray?.contentEquals(other: BooleanArray?): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\npublic expect infix fun CharArray?.contentEquals(other: CharArray?): Boolean\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun <T> Array<out T>.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun ByteArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun ShortArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun IntArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun LongArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun FloatArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun DoubleArray.contentHashCode():

Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun BooleanArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun CharArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\npublic expect fun <T> Array<out T>?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\npublic expect fun ByteArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\npublic expect fun ShortArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\npublic expect fun IntArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\npublic expect fun LongArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\npublic expect fun FloatArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\npublic expect fun DoubleArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\npublic expect fun BooleanArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\npublic expect fun CharArray?.contentHashCode(): Int\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun <T> Array<out T>.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun ByteArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun ShortArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun IntArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun LongArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun FloatArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun DoubleArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the

specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use
Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun BooleanArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun CharArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\npublic expect fun <T> Array<out T>?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\npublic expect fun ByteArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\npublic expect fun ShortArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\npublic expect fun IntArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\npublic expect fun LongArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n
* \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\npublic expect fun FloatArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\npublic expect fun DoubleArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\npublic expect fun BooleanArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\npublic expect fun CharArray?.contentToString(): String\n\n/**\n * Copies this array or its subrange
into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect
fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): Array<T>\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n *

@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified
[destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ByteArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ShortArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): IntArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position
in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): LongArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination]
and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun

FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): FloatArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.copyOf(): Array<T>\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun ByteArray.copyOf(): ByteArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun ShortArray.copyOf(): ShortArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun IntArray.copyOf(): IntArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun LongArray.copyOf(): LongArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun FloatArray.copyOf(): FloatArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample

samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun DoubleArray.copyOf(): DoubleArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun BooleanArray.copyOf(): BooleanArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun CharArray.copyOf(): CharArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun ByteArray.copyOf(newSize: Int): ByteArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun ShortArray.copyOf(newSize: Int): ShortArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun IntArray.copyOf(newSize: Int): IntArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun LongArray.copyOf(newSize: Int): LongArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun FloatArray.copyOf(newSize: Int): FloatArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun DoubleArray.copyOf(newSize: Int): DoubleArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `false` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `false` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun BooleanArray.copyOf(newSize: Int): BooleanArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with null char (`\\u0000`) values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are

filled with null char (`\\u0000`) values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun CharArray.copyOf(newSize: Int): CharArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `null` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `null` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.copyOf(newSize: Int): Array<T?>\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T>\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the

size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun ByteArray.fill(element: Byte, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun ShortArray.fill(element: Short, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun IntArray.fill(element: Int, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun LongArray.fill(element: Long, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun FloatArray.fill(element: Float, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun DoubleArray.fill(element: Double, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic

expect fun BooleanArray.fill(element: Boolean, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun CharArray.fill(element: Char, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val <T> Array<out T>.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val ByteArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val ShortArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val IntArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val LongArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val FloatArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val DoubleArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val BooleanArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val CharArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic
inline fun DoubleArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic
inline fun IntArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns the last valid index for the array.\n */\npublic val <T> Array<out
T>.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val ByteArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val

ShortArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val IntArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val LongArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val FloatArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val DoubleArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val BooleanArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val CharArray.lastIndex: Int\n   get() = size
- 1\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect operator fun <T> Array<T>.plus(element: T): Array<T>\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun ByteArray.plus(element: Byte): ByteArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun ShortArray.plus(element: Short): ShortArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun IntArray.plus(element: Int): IntArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun LongArray.plus(element: Long): LongArray\n\n/**\n * Returns an array containing all elements of the original array
and then the given [element].\n */\npublic expect operator fun FloatArray.plus(element: Float): FloatArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun DoubleArray.plus(element: Double): DoubleArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun BooleanArray.plus(element: Boolean): BooleanArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun CharArray.plus(element: Char): CharArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect operator fun <T> Array<T>.plus(elements: Collection<T>): Array<T>\n\n/**\n * Returns an array containing all elements of the original array and then all
elements of the given [elements] collection.\n */\npublic expect operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun ShortArray.plus(elements: Collection<Short>): ShortArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun IntArray.plus(elements: Collection<Int>): IntArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun LongArray.plus(elements: Collection<Long>): LongArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun FloatArray.plus(elements: Collection<Float>):
FloatArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun CharArray.plus(elements: Collection<Char>): CharArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect operator fun <T> Array<T>.plus(elements: Array<out T>): Array<T>\n\n/**\n * Returns an array containing all elements of the original
array and then all elements of the given [elements] array.\n */\npublic expect operator fun ByteArray.plus(elements: ByteArray): ByteArray\n\n/**\n * Returns an array containing all elements of the original array and then all

elements of the given [elements] array.\n */\npublic expect operator fun ShortArray.plus(elements: ShortArray): ShortArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun IntArray.plus(elements: IntArray): IntArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun LongArray.plus(elements: LongArray): LongArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun FloatArray.plus(elements: FloatArray): FloatArray\n\n/**\n * Returns an array
 containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun DoubleArray.plus(elements: DoubleArray): DoubleArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun BooleanArray.plus(elements: BooleanArray): BooleanArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun CharArray.plus(elements: CharArray): CharArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.plusElement(element: T): Array<T>\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun IntArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n
 * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun LongArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun ByteArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun ShortArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun DoubleArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun FloatArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun CharArray.sort(): Unit\n\n/**\n * Sorts the array in-place according to the natural order of its elements.\n * \n * The sort is _stable_. It means that equal elements preserve their
 order relative to each other after sorting.\n * \n * @sample samples.collections.Arrays.Sorting.sortArrayOfComparable\n */\npublic expect fun <T : Comparable<T>> Array<out T>.sort(): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArrayOfComparable\n */\n@SinceKotlin(\"1.4\")\npublic expect fun <T : Comparable<T>> Array<out T>.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n
 * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\npublic expect fun ByteArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
 * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\npublic expect fun ShortArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n *

\n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\npublic expect fun IntArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\npublic expect fun LongArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\npublic expect fun FloatArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\npublic expect fun DoubleArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\npublic expect fun CharArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun <T : Comparable<T>> Array<out T>.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n   sortWith(reverseOrder(), fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun ByteArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n   sort(fromIndex, toIndex)\n   reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun ShortArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n   sort(fromIndex, toIndex)\n   reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the

range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun IntArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n sort(fromIndex, toIndex)\n reverse(fromIndex, toIndex)\n}\n\n/**\n *
Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun LongArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n sort(fromIndex, toIndex)\n reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than
zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun FloatArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n sort(fromIndex, toIndex)\n reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun DoubleArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n sort(fromIndex, toIndex)\n reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the
array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun CharArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n sort(fromIndex, toIndex)\n reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic expect fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit\n\n/**\n * Sorts a range in the array in-place with the given [comparator].\n
* \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun <T> Array<out T>.sortWith(comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Returns an array of Boolean containing all of the elements of this generic array.\n */\npublic fun Array<out Boolean>.toBooleanArray(): BooleanArray {\n return BooleanArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Byte containing all of the elements of this generic array.\n */\npublic fun Array<out Byte>.toByteArray(): ByteArray
{\n return ByteArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Char containing all of the elements of this generic array.\n */\npublic fun Array<out Char>.toCharArray(): CharArray {\n return CharArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Double containing all of the elements of this generic array.\n */\npublic fun Array<out Double>.toDoubleArray(): DoubleArray {\n return DoubleArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Float containing all of the elements of this generic array.\n */\npublic fun Array<out Float>.toFloatArray(): FloatArray {\n return FloatArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Int containing all of the elements of this generic array.\n

*/\npublic fun Array<out Int>.toIntArray(): IntArray {\n   return IntArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Long containing all of the elements of this generic array.\n */\npublic fun
Array<out Long>.toLongArray(): LongArray {\n   return LongArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Short containing all of the elements of this generic array.\n */\npublic fun Array<out Short>.toShortArray(): ShortArray {\n   return ShortArray(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun ByteArray.toTypedArray(): Array<Byte>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun ShortArray.toTypedArray(): Array<Short>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun IntArray.toTypedArray(): Array<Int>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun LongArray.toTypedArray(): Array<Long>\n\n/**\n * Returns a *typed* object array containing
all of the elements of this primitive array.\n */\npublic expect fun FloatArray.toTypedArray():
Array<Float>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun DoubleArray.toTypedArray(): Array<Double>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun BooleanArray.toTypedArray():
Array<Boolean>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun CharArray.toTypedArray(): Array<Char>\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic
inline fun <T, K, V> Array<out T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> ByteArray.associate(transform: (Byte) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have
the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> ShortArray.associate(transform: (Short) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> IntArray.associate(transform: (Int) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return
associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> LongArray.associate(transform: (Long) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity),

transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> FloatArray.associate(transform: (Float) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> DoubleArray.associate(transform: (Double) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> BooleanArray.associate(transform: (Boolean) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> CharArray.associate(transform: (Char) -> Pair<K,
V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <T, K> Array<out T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, T>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> ByteArray.associateBy(keySelector: (Byte) -> K): Map<K, Byte> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Byte>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> ShortArray.associateBy(keySelector: (Short) ->
K): Map<K, Short> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Short>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to

the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> IntArray.associateBy(keySelector: (Int) -> K): Map<K, Int> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Int>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> LongArray.associateBy(keySelector: (Long) -> K): Map<K, Long> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Long>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> FloatArray.associateBy(keySelector: (Float) -> K): Map<K, Float> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Float>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> DoubleArray.associateBy(keySelector: (Double) -> K): Map<K, Double> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Double>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> BooleanArray.associateBy(keySelector: (Boolean) -> K): Map<K, Boolean> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Boolean>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> CharArray.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Char>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <T, K, V> Array<out T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]

and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> ByteArray.associateBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> ShortArray.associateBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> IntArray.associateBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> LongArray.associateBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> FloatArray.associateBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> DoubleArray.associateBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n

*/\npublic inline fun <K, V> BooleanArray.associateBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> CharArray.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n
* \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n   for (element in this) {\n   destination.put(keySelector(element), element)\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Byte>> ByteArray.associateByTo(destination: M, keySelector: (Byte)
-> K): M {\n   for (element in this) {\n   destination.put(keySelector(element), element)\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Short>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K): M {\n   for (element in this) {\n   destination.put(keySelector(element), element)\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n *
and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Int>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K): M {\n   for (element in this) {\n   destination.put(keySelector(element), element)\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Long>> LongArray.associateByTo(destination:
M, keySelector: (Long) -> K): M {\n   for (element in this) {\n   destination.put(keySelector(element), element)\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Float>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K): M {\n   for

(element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element
of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Double>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in
Boolean>> BooleanArray.associateByTo(destination: M, keySelector: (Boolean) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Char>> CharArray.associateByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the
map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K, valueTransform: (Byte) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K, valueTransform: (Short) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic

inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K, valueTransform: (Int) -> V): M {\n   for (element in this) {\n   destination.put(keySelector(element), valueTransform(element))\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with
 key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateByTo(destination: M, keySelector: (Long) -> K, valueTransform: (Long) -> V): M {\n   for (element in this) {\n   destination.put(keySelector(element), valueTransform(element))\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned
 by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K, valueTransform: (Float) -> V): M {\n   for (element in this) {\n   destination.put(keySelector(element), valueTransform(element))\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateByTo(destination:
 M, keySelector: (Double) -> K, valueTransform: (Double) -> V): M {\n   for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> BooleanArray.associateByTo(destination: M, keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): M {\n   for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n   }\n   return destination\n}\n\n/**\n
 * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n   for (element in this) {\n   destination.put(keySelector(element), valueTransform(element))\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added
 to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n   for (element in this) {\n   destination += transform(element)\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key

the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateTo(destination: M, transform: (Byte) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateTo(destination: M, transform: (Short) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateTo(destination: M, transform: (Int) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateTo(destination: M, transform: (Long) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateTo(destination: M, transform: (Float) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateTo(destination: M, transform: (Double) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element
of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> BooleanArray.associateTo(destination: M, transform: (Boolean) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateTo(destination: M, transform: (Char) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\npublic

inline fun <K, V> Array<out K>.associateWith(valueSelector: (K) -> V): Map<K, V> {\n   val result = LinkedHashMap<K, V>(mapCapacity(size).coerceAtLeast(16))\n   return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V> ByteArray.associateWith(valueSelector: (Byte) -> V): Map<Byte, V> {\n   val result = LinkedHashMap<Byte, V>(mapCapacity(size).coerceAtLeast(16))\n   return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V> ShortArray.associateWith(valueSelector: (Short) -> V): Map<Short, V> {\n   val result = LinkedHashMap<Short, V>(mapCapacity(size).coerceAtLeast(16))\n   return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V> IntArray.associateWith(valueSelector: (Int) -> V): Map<Int, V> {\n   val result = LinkedHashMap<Int, V>(mapCapacity(size).coerceAtLeast(16))\n   return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order\n * of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V> LongArray.associateWith(valueSelector: (Long) -> V): Map<Long, V> {\n   val result = LinkedHashMap<Long, V>(mapCapacity(size).coerceAtLeast(16))\n   return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V> FloatArray.associateWith(valueSelector: (Float) -> V): Map<Float, V> {\n   val result = LinkedHashMap<Float, V>(mapCapacity(size).coerceAtLeast(16))\n   return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V> DoubleArray.associateWith(valueSelector: (Double) -> V): Map<Double, V> {\n   val result = LinkedHashMap<Double, V>(mapCapacity(size).coerceAtLeast(16))\n   return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned

map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V> BooleanArray.associateWith(valueSelector: (Boolean) -> V): Map<Boolean, V> {\n   val result = LinkedHashMap<Boolean, V>(mapCapacity(size).coerceAtLeast(16))\n   return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V> CharArray.associateWith(valueSelector: (Char) -> V): Map<Char, V> {\n   val result = LinkedHashMap<Char, V>(mapCapacity(size.coerceAtMost(128)).coerceAtLeast(16))\n   return associateWithTo(result, valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <K, V, M : MutableMap<in K, in V>> Array<out K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {\n   for (element in this) {\n   destination.put(element, valueSelector(element))\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Byte, in V>> ByteArray.associateWithTo(destination: M, valueSelector: (Byte) -> V): M {\n   for (element in this) {\n   destination.put(element, valueSelector(element))\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Short, in V>> ShortArray.associateWithTo(destination: M, valueSelector: (Short) -> V): M {\n   for (element in this) {\n   destination.put(element, valueSelector(element))\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Int, in V>> IntArray.associateWithTo(destination: M, valueSelector: (Int) -> V): M {\n   for (element in this) {\n   destination.put(element, valueSelector(element))\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Long, in V>> LongArray.associateWithTo(destination: M, valueSelector: (Long) -> V): M {\n   for (element in this) {\n   destination.put(element, valueSelector(element))\n   }\n   return destination\n}\n\n/**\n * Populates and returns the

[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n
 * @sample samples.collections.Collections.Transformations.associateWithTo\n
*/\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Float, in V>> FloatArray.associateWithTo(destination: M, valueSelector: (Float) -> V): M {\n   for (element in this) {\n   destination.put(element, valueSelector(element))\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n
*/\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Double, in V>> DoubleArray.associateWithTo(destination: M, valueSelector: (Double) -> V): M {\n   for (element
 in this) {\n   destination.put(element, valueSelector(element))\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n
*/\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Boolean, in V>> BooleanArray.associateWithTo(destination: M, valueSelector: (Boolean) -> V): M {\n   for (element in this) {\n   destination.put(element, valueSelector(element))\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided
 by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n
*/\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Char, in V>> CharArray.associateWithTo(destination: M, valueSelector: (Char) -> V): M {\n   for (element in this) {\n   destination.put(element, valueSelector(element))\n   }\n   return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <T, C : MutableCollection<in T>> Array<out T>.toCollection(destination: C): C {\n   for (item in this) {\n   destination.add(item)\n   }\n   return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Byte>> ByteArray.toCollection(destination: C): C {\n   for (item in this) {\n   destination.add(item)\n
    }\n   return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Short>> ShortArray.toCollection(destination: C): C {\n   for (item in this) {\n   destination.add(item)\n   }\n   return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Int>> IntArray.toCollection(destination: C): C {\n   for (item in this) {\n   destination.add(item)\n   }\n   return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Long>> LongArray.toCollection(destination: C): C {\n   for (item in this) {\n   destination.add(item)\n   }\n   return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Float>> FloatArray.toCollection(destination: C): C {\n   for (item
 in this) {\n   destination.add(item)\n   }\n   return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Double>> DoubleArray.toCollection(destination: C): C {\n   for (item in this) {\n   destination.add(item)\n   }\n   return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Boolean>> BooleanArray.toCollection(destination: C): C {\n   for (item in this) {\n   destination.add(item)\n   }\n   return destination\n}\n\n/**\n * Appends all elements to the given [destination]

collection.\n */\npublic fun <C : MutableCollection<in Char>> CharArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic fun <T> Array<out T>.toHashSet(): HashSet<T> {\n return toCollection(HashSet<T>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic fun ByteArray.toHashSet(): HashSet<Byte> {\n return toCollection(HashSet<Byte>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic fun ShortArray.toHashSet(): HashSet<Short> {\n return toCollection(HashSet<Short>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic fun IntArray.toHashSet(): HashSet<Int> {\n return toCollection(HashSet<Int>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic fun LongArray.toHashSet(): HashSet<Long> {\n return toCollection(HashSet<Long>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic fun FloatArray.toHashSet(): HashSet<Float> {\n return toCollection(HashSet<Float>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic fun DoubleArray.toHashSet(): HashSet<Double> {\n return toCollection(HashSet<Double>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic fun BooleanArray.toHashSet(): HashSet<Boolean> {\n return toCollection(HashSet<Boolean>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic fun CharArray.toHashSet(): HashSet<Char> {\n return toCollection(HashSet<Char>(mapCapacity(size.coerceAtMost(128))))\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun <T> Array<out T>.toList(): List<T> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun ByteArray.toList(): List<Byte> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun ShortArray.toList(): List<Short> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun IntArray.toList(): List<Int> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun LongArray.toList(): List<Long> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun FloatArray.toList(): List<Float> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun DoubleArray.toList(): List<Double> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun BooleanArray.toList(): List<Boolean> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun CharArray.toList(): List<Char> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n */\npublic fun <T> Array<out T>.toMutableList(): MutableList<T> {\n return ArrayList(this.asCollection())\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n */\npublic fun ByteArray.toMutableList(): MutableList<Byte> {\n val list = ArrayList<Byte>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n */\npublic fun ShortArray.toMutableList(): MutableList<Short> {\n val list = ArrayList<Short>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n */\npublic fun IntArray.toMutableList(): MutableList<Int> {\n val list = ArrayList<Int>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n */\npublic fun LongArray.toMutableList():

MutableList<Long> {\n val list = ArrayList<Long>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n */\npublic fun FloatArray.toMutableList(): MutableList<Float> {\n val list = ArrayList<Float>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n */\npublic fun DoubleArray.toMutableList(): MutableList<Double> {\n val list = ArrayList<Double>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n */\npublic fun BooleanArray.toMutableList(): MutableList<Boolean> {\n val list = ArrayList<Boolean>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n */\npublic fun CharArray.toMutableList(): MutableList<Char> {\n val list = ArrayList<Char>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun <T> Array<out T>.toSet(): Set<T> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ByteArray.toSet(): Set<Byte> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Byte>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ShortArray.toSet(): Set<Short> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Short>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun IntArray.toSet(): Set<Int> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Int>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun LongArray.toSet(): Set<Long> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Long>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun FloatArray.toSet(): Set<Float> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun DoubleArray.toSet(): Set<Double> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Double>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun BooleanArray.toSet(): Set<Boolean> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun CharArray.toSet(): Set<Char> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Char>(mapCapacity(size.coerceAtMost(128))))\n }\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <T, R> Array<out T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> ByteArray.flatMap(transform: (Byte) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R>

ShortArray.flatMap(transform: (Short) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> IntArray.flatMap(transform: (Int) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> LongArray.flatMap(transform: (Long) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> FloatArray.flatMap(transform: (Float) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> DoubleArray.flatMap(transform: (Double) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> BooleanArray.flatMap(transform: (Boolean) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> CharArray.flatMap(transform: (Char) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapSequence\")\npublic inline fun <T, R> Array<out T>.flatMap(transform: (T) -> Sequence<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out T>.flatMapIndexed(transform: (index: Int, T) -> Iterable<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.flatMapIndexed(transform: (index: Int, Byte) -> Iterable<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.flatMapIndexed(transform: (index: Int, Short) -> Iterable<R>): List<R> {\n   return

flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.flatMapIndexed(transform: (index: Int, Int) -> Iterable<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.flatMapIndexed(transform: (index: Int, Long) -> Iterable<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.flatMapIndexed(transform: (index: Int, Float) -> Iterable<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.flatMapIndexed(transform: (index: Int, Double) -> Iterable<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.flatMapIndexed(transform: (index: Int, Boolean) -> Iterable<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.flatMapIndexed(transform: (index: Int, Char) -> Iterable<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedSequence\")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out T>.flatMapIndexed(transform: (index: Int, T) -> Sequence<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npublic

c
 inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapIndexedTo(destination: C, transform: (index: Int, T) -> Iterable<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(index++, element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.flatMapIndexedTo(destination: C, transform: (index: Int, Byte) -> Iterable<R>): C {\n   var index = 0\n   for (element in this) {\n   val
 list = transform(index++, element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.flatMapIndexedTo(destination: C, transform: (index: Int, Short) -> Iterable<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(index++, element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npublic
 inline fun <R, C : MutableCollection<in R>> IntArray.flatMapIndexedTo(destination: C, transform: (index: Int, Int) -> Iterable<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(index++, element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> LongArray.flatMapIndexedTo(destination: C, transform: (index: Int, Long)
 -> Iterable<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(index++, element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.flatMapIndexedTo(destination: C, transform: (index: Int, Float) -> Iterable<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(index++, element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and
 its index in the original array, to the given [destination].\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.flatMapIndexedTo(destination: C, transform: (index: Int, Double) -> Iterable<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(index++, element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from

results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.flatMapIndexedTo(destination: C, transform: (index: Int, Boolean) -> Iterable<R>): C {\n var index = 0\n for (element in this) {\n val list = transform(index++, element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> CharArray.flatMapIndexedTo(destination: C, transform: (index: Int, Char) -> Iterable<R>): C {\n var index = 0\n for (element in this) {\n val list = transform(index++, element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedSequenceTo\")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapIndexedTo(destination: C, transform: (index: Int, T) -> Sequence<R>): C {\n var index = 0\n for (element in this) {\n val list = transform(index++, element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.flatMapTo(destination: C, transform: (Byte) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.flatMapTo(destination: C, transform: (Short) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> IntArray.flatMapTo(destination: C, transform: (Int) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> LongArray.flatMapTo(destination: C, transform: (Long) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.flatMapTo(destination: C, transform: (Float) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.flatMapTo(destination: C, transform: (Double) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of

[transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.flatMapTo(destination: C, transform: (Boolean) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharArray.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapSequenceTo\")\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K> Array<out T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n return groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> ByteArray.groupBy(keySelector: (Byte) -> K): Map<K, List<Byte>> {\n return groupByTo(LinkedHashMap<K, MutableList<Byte>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> ShortArray.groupBy(keySelector: (Short) -> K): Map<K, List<Short>> {\n return groupByTo(LinkedHashMap<K, MutableList<Short>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> IntArray.groupBy(keySelector: (Int) -> K): Map<K, List<Int>> {\n return groupByTo(LinkedHashMap<K, MutableList<Int>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> LongArray.groupBy(keySelector: (Long) -> K): Map<K, List<Long>> {\n return groupByTo(LinkedHashMap<K, MutableList<Long>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> FloatArray.groupBy(keySelector: (Float) -> K): Map<K, List<Float>> {\n return groupByTo(LinkedHashMap<K,

MutableList<Float>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> DoubleArray.groupBy(keySelector:
(Double) -> K): Map<K, List<Double>> {\n return groupByTo(LinkedHashMap<K, MutableList<Double>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> BooleanArray.groupBy(keySelector: (Boolean) -> K): Map<K, List<Boolean>> {\n return groupByTo(LinkedHashMap<K, MutableList<Boolean>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration
order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
CharArray.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n return groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V>
Array<out T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n
* Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V>
ByteArray.groupBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned
map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V>
ShortArray.groupBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V>
IntArray.groupBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, List<V>> {\n
return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is

associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> LongArray.groupBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> FloatArray.groupBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> DoubleArray.groupBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> BooleanArray.groupBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> CharArray.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K, M : MutableMap<in K, MutableList<T>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<T>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Byte>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Byte>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n *

@sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Short>>> ShortArray.groupByTo(destination: M, keySelector: (Short) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Short>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Int>>> IntArray.groupByTo(destination: M, keySelector: (Int) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Int>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Long>>> LongArray.groupByTo(destination: M, keySelector: (Long) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Long>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Float>>> FloatArray.groupByTo(destination: M, keySelector: (Float) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Float>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Double>>> DoubleArray.groupByTo(destination: M, keySelector: (Double) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Double>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Boolean>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Boolean>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharArray.groupByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Char>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -> K,

valueTransform: (T) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>>
ByteArray.groupByTo(destination: M, keySelector: (Byte) -> K, valueTransform: (Byte) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>>
ShortArray.groupByTo(destination: M, keySelector: (Short) -> K, valueTransform: (Short) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key)
{ ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>>
IntArray.groupByTo(destination: M, keySelector: (Int) -> K, valueTransform: (Int) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each
element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>>
LongArray.groupByTo(destination: M, keySelector: (Long) -> K, valueTransform: (Long) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding
values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>>
FloatArray.groupByTo(destination: M, keySelector: (Float) -> K, valueTransform: (Float) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>>
DoubleArray.groupByTo(destination: M, keySelector: (Double) -> K, valueTransform: (Double) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) {

ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> CharArray.groupByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Creates a [Grouping] source from an array to be used later
with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Array<out T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n return object : Grouping<T, K> {\n override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n override fun keyOf(element: T): K = keySelector(element)\n }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <T, R> Array<out T>.map(transform: (T) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> ByteArray.map(transform: (Byte) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> ShortArray.map(transform: (Short) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> IntArray.map(transform: (Int) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> LongArray.map(transform: (Long) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> FloatArray.map(transform: (Float) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> DoubleArray.map(transform: (Double) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> BooleanArray.map(transform: (Boolean) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R>

CharArray.map(transform: (Char) -> R): List<R> {\n   return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R> Array<out T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n *
 Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> ByteArray.mapIndexed(transform: (index: Int, Byte) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> ShortArray.mapIndexed(transform: (index: Int, Short) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n
 * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> IntArray.mapIndexed(transform: (index: Int, Int) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> LongArray.mapIndexed(transform: (index: Int, Long) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform]
 function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> FloatArray.mapIndexed(transform: (index: Int, Float) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> DoubleArray.mapIndexed(transform: (index: Int, Double) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element
 itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> BooleanArray.mapIndexed(transform: (index: Int, Boolean) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> CharArray.mapIndexed(transform: (index: Int, Char) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied
 to the element.\n */\npublic inline fun <T, R : Any> Array<out T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n   return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n

* and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Array<out T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.mapIndexedTo(destination: C, transform: (index: Int, Byte) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.mapIndexedTo(destination: C, transform: (index: Int, Short) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> IntArray.mapIndexedTo(destination: C, transform: (index: Int, Int) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> LongArray.mapIndexedTo(destination: C, transform: (index: Int, Long) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.mapIndexedTo(destination: C, transform: (index: Int, Float) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.mapIndexedTo(destination: C, transform: (index: Int, Double) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.mapIndexedTo(destination: C, transform: (index: Int, Boolean) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>>

CharArray.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.mapNotNull\n */\npublic inline fun <T, R : Any> Array<out T>.mapNotNull(transform: (T) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element in the original array\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Array<out T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapTo(destination: C, transform: (T) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.mapTo(destination: C, transform: (Byte) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.mapTo(destination: C, transform: (Short) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> IntArray.mapTo(destination: C, transform: (Int) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> LongArray.mapTo(destination: C, transform: (Long) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.mapTo(destination: C, transform: (Float) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.mapTo(destination: C, transform: (Double) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.mapTo(destination: C, transform: (Boolean) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharArray.mapTo(destination: C, transform: (Char) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun <T> Array<out T>.withIndex(): Iterable<IndexedValue<T>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun ByteArray.withIndex(): Iterable<IndexedValue<Byte>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun ShortArray.withIndex(): Iterable<IndexedValue<Short>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable]

that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n
*/\npublic fun IntArray.withIndex(): Iterable<IndexedValue<Int>> {\n   return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun LongArray.withIndex(): Iterable<IndexedValue<Long>> {\n   return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun FloatArray.withIndex(): Iterable<IndexedValue<Float>> {\n   return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun DoubleArray.withIndex(): Iterable<IndexedValue<Double>> {\n   return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun BooleanArray.withIndex(): Iterable<IndexedValue<Boolean>> {\n   return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun CharArray.withIndex(): Iterable<IndexedValue<Char>> {\n   return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * Among equal elements of the given array, only the first one will be present in the resulting list.\n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun <T> Array<out T>.distinct(): List<T>
{\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun ByteArray.distinct(): List<Byte> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun ShortArray.distinct(): List<Short> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun IntArray.distinct(): List<Int> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun LongArray.distinct(): List<Long> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun FloatArray.distinct(): List<Float> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting
list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun DoubleArray.distinct(): List<Double> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun BooleanArray.distinct(): List<Boolean> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample

samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun CharArray.distinct(): List<Char> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * Among elements of the given array with equal keys, only the first one will be present in the resulting list.\n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <T, K> Array<out T>.distinctBy(selector: (T) -> K): List<T> {\n   val set = HashSet<K>()\n   val list = ArrayList<T>()\n   for (e in this) {\n   val key = selector(e)\n   if (set.add(key))\n   list.add(e)\n   }\n   return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> ByteArray.distinctBy(selector: (Byte) -> K): List<Byte> {\n   val set = HashSet<K>()\n   val list = ArrayList<Byte>()\n   for (e in this) {\n   val key = selector(e)\n   if (set.add(key))\n   list.add(e)\n   }\n   return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> ShortArray.distinctBy(selector: (Short) -> K): List<Short> {\n   val set = HashSet<K>()\n   val list = ArrayList<Short>()\n   for (e in this) {\n   val key = selector(e)\n   if (set.add(key))\n   list.add(e)\n   }\n   return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> IntArray.distinctBy(selector: (Int) -> K): List<Int> {\n   val set = HashSet<K>()\n   val list = ArrayList<Int>()\n   for (e in this) {\n   val key = selector(e)\n   if (set.add(key))\n   list.add(e)\n   }\n   return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> LongArray.distinctBy(selector: (Long) -> K): List<Long> {\n   val set = HashSet<K>()\n   val list = ArrayList<Long>()\n   for (e in this) {\n   val key = selector(e)\n   if (set.add(key))\n   list.add(e)\n   }\n   return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> FloatArray.distinctBy(selector: (Float) -> K): List<Float> {\n   val set = HashSet<K>()\n   val list = ArrayList<Float>()\n   for (e in this) {\n   val key = selector(e)\n   if (set.add(key))\n   list.add(e)\n   }\n   return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> DoubleArray.distinctBy(selector: (Double) -> K): List<Double> {\n   val set = HashSet<K>()\n   val list = ArrayList<Double>()\n   for (e in this) {\n   val key = selector(e)\n   if (set.add(key))\n   list.add(e)\n   }\n   return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> BooleanArray.distinctBy(selector: (Boolean) -> K): List<Boolean> {\n   val set = HashSet<K>()\n   val list = ArrayList<Boolean>()\n   for (e in this) {\n   val key = selector(e)\n   if (set.add(key))\n   list.add(e)\n

}\n   return list\n}\n\n/**\n * Returns
 a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> CharArray.distinctBy(selector: (Char) -> K): List<Char> {\n   val set = HashSet<K>()\n   val list = ArrayList<Char>()\n   for (e in this) {\n   val key = selector(e)\n   if (set.add(key))\n   list.add(e)\n   }\n
 return list\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun <T> Array<out T>.intersect(other: Iterable<T>): Set<T> {\n   val set
 = this.toMutableSet()\n   set.retainAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun ByteArray.intersect(other: Iterable<Byte>): Set<Byte> {\n   val set = this.toMutableSet()\n   set.retainAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun ShortArray.intersect(other: Iterable<Short>): Set<Short> {\n   val set = this.toMutableSet()\n   set.retainAll(other)\n
    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun IntArray.intersect(other: Iterable<Int>): Set<Int> {\n   val set = this.toMutableSet()\n   set.retainAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun LongArray.intersect(other: Iterable<Long>): Set<Long> {\n   val set = this.toMutableSet()\n   set.retainAll(other)\n   return set\n}\n\n/**\n * Returns
 a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun FloatArray.intersect(other: Iterable<Float>): Set<Float> {\n   val set = this.toMutableSet()\n   set.retainAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun DoubleArray.intersect(other: Iterable<Double>): Set<Double> {\n   val set = this.toMutableSet()\n   set.retainAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that
 are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun BooleanArray.intersect(other: Iterable<Boolean>): Set<Boolean> {\n   val set = this.toMutableSet()\n   set.retainAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun CharArray.intersect(other: Iterable<Char>): Set<Char> {\n   val set = this.toMutableSet()\n   set.retainAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not
 contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun <T> Array<out T>.subtract(other: Iterable<T>): Set<T> {\n   val set =

this.toMutableSet()\n   set.removeAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun ByteArray.subtract(other: Iterable<Byte>): Set<Byte> {\n   val set = this.toMutableSet()\n   set.removeAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun ShortArray.subtract(other: Iterable<Short>): Set<Short> {\n   val set = this.toMutableSet()\n   set.removeAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun IntArray.subtract(other: Iterable<Int>): Set<Int> {\n   val set = this.toMutableSet()\n   set.removeAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun LongArray.subtract(other: Iterable<Long>): Set<Long> {\n   val set = this.toMutableSet()\n   set.removeAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun FloatArray.subtract(other: Iterable<Float>): Set<Float> {\n   val set = this.toMutableSet()\n   set.removeAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun DoubleArray.subtract(other: Iterable<Double>): Set<Double> {\n   val set = this.toMutableSet()\n   set.removeAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun BooleanArray.subtract(other: Iterable<Boolean>): Set<Boolean> {\n   val set = this.toMutableSet()\n   set.removeAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array
and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun CharArray.subtract(other: Iterable<Char>): Set<Char> {\n   val set = this.toMutableSet()\n   set.removeAll(other)\n   return set\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun <T> Array<out T>.toMutableSet(): MutableSet<T> {\n   return toCollection(LinkedHashSet<T>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ByteArray.toMutableSet(): MutableSet<Byte> {\n   return toCollection(LinkedHashSet<Byte>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given
array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ShortArray.toMutableSet(): MutableSet<Short> {\n   return toCollection(LinkedHashSet<Short>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun IntArray.toMutableSet(): MutableSet<Int> {\n   return toCollection(LinkedHashSet<Int>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun LongArray.toMutableSet(): MutableSet<Long> {\n   return toCollection(LinkedHashSet<Long>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order
of the original array.\n */\npublic fun FloatArray.toMutableSet(): MutableSet<Float> {\n   return toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all

distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun DoubleArray.toMutableSet(): MutableSet<Double> {\n   return toCollection(LinkedHashSet<Double>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun BooleanArray.toMutableSet(): MutableSet<Boolean> {\n   return toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun CharArray.toMutableSet():
MutableSet<Char> {\n   return toCollection(LinkedHashSet<Char>(mapCapacity(size.coerceAtMost(128))))\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun <T> Array<out T>.union(other: Iterable<T>): Set<T> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing
all elements that are contained in both collections use [intersect].\n */\npublic infix fun ByteArray.union(other: Iterable<Byte>): Set<Byte> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun ShortArray.union(other: Iterable<Short>): Set<Short> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are
unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun IntArray.union(other: Iterable<Int>): Set<Int> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun LongArray.union(other: Iterable<Long>): Set<Long> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the
element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun FloatArray.union(other: Iterable<Float>): Set<Float> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun DoubleArray.union(other: Iterable<Double>): Set<Double> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n *
Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both

collections use [intersect].\n */\npublic infix fun BooleanArray.union(other: Iterable<Boolean>): Set<Boolean> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun CharArray.union(other: Iterable<Char>):
Set<Char> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <T> Array<out T>.all(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun ByteArray.all(predicate: (Byte) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun ShortArray.all(predicate: (Short) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun IntArray.all(predicate: (Int) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun LongArray.all(predicate: (Long) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun FloatArray.all(predicate: (Float) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun DoubleArray.all(predicate: (Double) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun BooleanArray.all(predicate: (Boolean) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun CharArray.all(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <T> Array<out T>.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun ByteArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun ShortArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun IntArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun LongArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun FloatArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns
`true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun DoubleArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun

BooleanArray.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun CharArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T> Array<out T>.any(predicate: (T) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun ByteArray.any(predicate: (Byte) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun ShortArray.any(predicate: (Short) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun IntArray.any(predicate: (Int) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun LongArray.any(predicate: (Long) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun FloatArray.any(predicate: (Float) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun DoubleArray.any(predicate: (Double) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun BooleanArray.any(predicate: (Boolean) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun CharArray.any(predicate: (Char) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements in this
array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun <T> Array<out
T>.count(predicate: (T) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun ByteArray.count(predicate: (Byte) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given

[predicate].\n */\npublic inline fun ShortArray.count(predicate: (Short) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun IntArray.count(predicate: (Int) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun LongArray.count(predicate: (Long) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun FloatArray.count(predicate: (Float) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun DoubleArray.count(predicate: (Double) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun BooleanArray.count(predicate: (Boolean) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun CharArray.count(predicate: (Char) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.fold(initial: R, operation: (acc: R, Byte) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R> ShortArray.fold(initial: R, operation: (acc: R, Short) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R> IntArray.fold(initial: R, operation: (acc: R, Int) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R> LongArray.fold(initial: R, operation: (acc: R, Long) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R> FloatArray.fold(initial: R, operation: (acc: R, Float) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns

the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R> DoubleArray.fold(initial: R, operation: (acc: R, Double) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R> BooleanArray.fold(initial: R, operation: (acc: R, Boolean) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R> CharArray.fold(initial: R, operation: (acc: R, Char) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> ShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> IntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> LongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n

* to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> FloatArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates
the next accumulator value.\n */\npublic inline fun <R> DoubleArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n
* Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> CharArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and
current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.foldRight(initial: R, operation: (Byte, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> ShortArray.foldRight(initial: R, operation: (Short, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R>
IntArray.foldRight(initial: R, operation: (Int, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to

left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> LongArray.foldRight(initial: R, operation: (Long, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> FloatArray.foldRight(initial: R, operation: (Float, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> DoubleArray.foldRight(initial: R, operation: (Double, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldRight(initial: R, operation: (Boolean, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> CharArray.foldRight(initial: R, operation: (Char, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.foldRightIndexed(initial: R, operation: (index: Int, Byte, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> ShortArray.foldRightIndexed(initial: R, operation: (index: Int, Short, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with

[initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the
element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> IntArray.foldRightIndexed(initial: R, operation: (index: Int, Int, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> LongArray.foldRightIndexed(initial: R, operation: (index: Int, Long, acc: R) -> R): R {\n var index = lastIndex\n var accumulator
= initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> FloatArray.foldRightIndexed(initial: R, operation: (index: Int, Float, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> DoubleArray.foldRightIndexed(initial: R, operation: (index: Int, Double, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element
itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldRightIndexed(initial: R, operation: (index: Int, Boolean, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> CharArray.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {\n var index = lastIndex\n var accumulator
= initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun <T> Array<out T>.forEach(action: (T) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun ByteArray.forEach(action: (Byte) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun ShortArray.forEach(action: (Short) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun IntArray.forEach(action: (Int) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun LongArray.forEach(action: (Long) -> Unit): Unit {\n for

(element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun FloatArray.forEach(action: (Float) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun DoubleArray.forEach(action: (Double) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun BooleanArray.forEach(action: (Boolean) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun CharArray.forEach(action: (Char) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic
inline fun <T> Array<out T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun ByteArray.forEachIndexed(action: (index: Int, Byte) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun ShortArray.forEachIndexed(action: (index: Int, Short) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing
sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun IntArray.forEachIndexed(action: (index: Int, Int) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun LongArray.forEachIndexed(action: (index: Int, Long) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun FloatArray.forEachIndexed(action:
(index: Int, Float) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun DoubleArray.forEachIndexed(action: (index: Int, Double) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun BooleanArray.forEachIndexed(action: (index: Int, Boolean) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun CharArray.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Array<out Double>.max(): Double? {\n return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Array<out Float>.max(): Float? {\n return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince

= \"1.6\")\npublic fun <T : Comparable<T>> Array<out T>.max(): T? {\n   return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun ByteArray.max(): Byte? {\n   return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun ShortArray.max(): Short? {\n   return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun IntArray.max(): Int? {\n   return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun LongArray.max(): Long? {\n   return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun FloatArray.max(): Float? {\n   return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun DoubleArray.max(): Double? {\n   return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun CharArray.max(): Char? {\n   return maxOrNull()\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <T, R : Comparable<R>> Array<out T>.maxBy(selector: (T) -> R): T? {\n   return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> ByteArray.maxBy(selector: (Byte) -> R): Byte? {\n   return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> ShortArray.maxBy(selector: (Short) -> R): Short? {\n   return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> IntArray.maxBy(selector: (Int) -> R): Int? {\n   return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> LongArray.maxBy(selector: (Long) -> R): Long? {\n   return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> FloatArray.maxBy(selector: (Float) -> R): Float? {\n   return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> DoubleArray.maxBy(selector: (Double) -> R): Double? {\n   return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> BooleanArray.maxBy(selector: (Boolean) -> R): Boolean? {\n   return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> CharArray.maxBy(selector: (Char) -> R): Char? {\n   return maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the

given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <T, R : Comparable<R>> Array<out T>.maxByOrNull(selector: (T) -> R): T? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> ByteArray.maxByOrNull(selector: (Byte) -> R): Byte? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> ShortArray.maxByOrNull(selector: (Short) -> R): Short? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> IntArray.maxByOrNull(selector: (Int) -> R): Int? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> LongArray.maxByOrNull(selector: (Long) -> R): Long? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> FloatArray.maxByOrNull(selector: (Float) -> R): Float? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> DoubleArray.maxByOrNull(selector: (Double) -> R): Double? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> BooleanArray.maxByOrNull(selector: (Boolean) -> R): Boolean? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex =

this.lastIndex\n   if (lastIndex == 0) return maxElem\n   var maxValue = selector(maxElem)\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   val v = selector(e)\n   if (maxValue < v) {\n   maxElem = e\n   maxValue = v\n   }\n   }\n   return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> CharArray.maxByOrNull(selector: (Char) -> R): Char? {\n   if (isEmpty()) return null\n   var maxElem = this[0]\n   val lastIndex = this.lastIndex\n   if (lastIndex == 0) return maxElem\n   var maxValue = selector(maxElem)\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   val v = selector(e)\n   if (maxValue < v) {\n   maxElem = e\n   maxValue = v\n   }\n   }\n   return maxElem\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOf(selector: (T) -> Double): Double {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOf(selector: (Byte) -> Double): Double {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOf(selector: (Short) -> Double): Double {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOf(selector: (Int) -> Double): Double {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOf(selector: (Long) -> Double): Double {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n

*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOf(selector: (Float) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOf(selector: (Double) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOf(selector: (Boolean) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n
 * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOf(selector: (Char) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOf(selector: (T) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOf(selector: (Byte) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n
 * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOf(selector: (Short) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return

maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException
if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOf(selector: (Int) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOf(selector: (Long) -> Float):
Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOf(selector: (Float) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the
largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOf(selector: (Double) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array
is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOf(selector: (Boolean) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOf(selector: (Char) -> Float): Float {\n if
(isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n *

@throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out
T>.maxOf(selector: (T) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue =
selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n
maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied
to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ByteArray.maxOf(selector: (Byte) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var
maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n
maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ShortArray.maxOf(selector:
(Short) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for
(i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n
return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n *
applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
IntArray.maxOf(selector: (Int) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue =
selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n
maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all
values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
LongArray.maxOf(selector: (Long) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var
maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n
maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline
fun <R : Comparable<R>> FloatArray.maxOf(selector: (Float) -> R): R {\n   if (isEmpty()) throw
NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v =
selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n *
Returns the largest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
DoubleArray.maxOf(selector: (Double) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var
maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n
maxValue = v\n   }\n   }\n   return

maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> BooleanArray.maxOf(selector: (Boolean) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> CharArray.maxOf(selector: (Char) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOfOrNull(selector: (T) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOfOrNull(selector: (Byte) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOfOrNull(selector: (Short) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOfOrNull(selector: (Int) -> Double): Double?\n {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOfOrNull(selector: (Long) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOfOrNull(selector: (Float) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOfOrNull(selector: (Double) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOfOrNull(selector: (Boolean) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOfOrNull(selector: (Char) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOfOrNull(selector: (T) -> Float): Float? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOfOrNull(selector: (Byte) -> Float): Float? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOfOrNull(selector: (Short) -> Float): Float? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOfOrNull(selector: (Int) -> Float): Float? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOfOrNull(selector: (Long) -> Float): Float? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOfOrNull(selector: (Float) -> Float): Float? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOfOrNull(selector: (Double) -> Float): Float? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOfOrNull(selector: (Boolean) -> Float): Float? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOfOrNull(selector: (Char) -> Float): Float? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if

there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out
T>.maxOfOrNull(selector: (T) -> R): R? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for
(i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n
return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n *
applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> ByteArray.maxOfOrNull(selector: (Byte) -> R): R? {\n   if (isEmpty()) return
null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if
(maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value
among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no
elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ShortArray.maxOfOrNull(selector: (Short) -> R): R? {\n   if (isEmpty()) return null\n   var maxValue =
selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n
maxValue = v\n   }\n
    }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n
* applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
IntArray.maxOfOrNull(selector: (Int) -> R): R? {\n   if (isEmpty()) return null\n   var maxValue =
selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n
maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> LongArray.maxOfOrNull(selector: (Long) -> R): R? {\n   if (isEmpty()) return
null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if
(maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value
among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no
elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
FloatArray.maxOfOrNull(selector: (Float) -> R): R? {\n   if (isEmpty()) return null\n   var maxValue =
selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n
maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among
all values produced by [selector] function\n * applied to each element in the array or `null` if there are no
elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
DoubleArray.maxOfOrNull(selector: (Double) -> R): R? {\n   if (isEmpty()) return null\n   var maxValue =
selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n
maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
BooleanArray.maxOfOrNull(selector:
(Boolean) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex)
{\n val v = selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n }\n return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
CharArray.maxOfOrNull(selector: (Char) -> R): R? {\n if (isEmpty()) return null\n var maxValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided
[comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out
T>.maxOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ByteArray.maxOfWith(comparator: Comparator<in R>, selector: (Byte) -> R): R {\n if
(isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n
val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n
return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all
values produced by [selector] function applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.maxOfWith(comparator:
Comparator<in R>, selector: (Short) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n
for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided
[comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n *
@throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.maxOfWith(comparator:
Comparator<in R>, selector: (Int) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue
= selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n *
Returns the largest value according
to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.maxOfWith(comparator:

Comparator<in R>, selector: (Long) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (comparator.compare(maxValue, v) < 0) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
 inline fun <R> FloatArray.maxOfWith(comparator: Comparator<in R>, selector: (Float) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (comparator.compare(maxValue, v) < 0) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.maxOfWith(comparator: Comparator<in R>, selector: (Double) -> R): R {\n   if (isEmpty())
 throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (comparator.compare(maxValue, v) < 0) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.maxOfWith(comparator: Comparator<in R>, selector: (Boolean) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (comparator.compare(maxValue, v) < 0) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.maxOfWith(comparator: Comparator<in R>, selector: (Char) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (comparator.compare(maxValue, v) < 0) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
 inline fun <T, R> Array<out T>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (comparator.compare(maxValue, v) < 0) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Byte) -> R): R? {\n   if (isEmpty())
 return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (comparator.compare(maxValue, v) < 0) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n *

Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Short) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Int) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Long) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Float) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Double) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Boolean) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>

CharArray.maxOfWithOrNull(comparator:
Comparator<in R>, selector: (Char) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic fun Array<out Double>.maxOrNull(): Double? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n max = maxOf(max, e)\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic fun Array<out Float>.maxOrNull(): Float? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n
val e = this[i]\n max = maxOf(max, e)\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T : Comparable<T>> Array<out T>.maxOrNull(): T? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun ByteArray.maxOrNull(): Byte? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun ShortArray.maxOrNull(): Short? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max
= e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun IntArray.maxOrNull(): Int? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun LongArray.maxOrNull(): Long? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic fun FloatArray.maxOrNull(): Float? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n max = maxOf(max, e)\n
}\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic fun DoubleArray.maxOrNull(): Double? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n max = maxOf(max, e)\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun CharArray.maxOrNull(): Char? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\",
ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun <T> Array<out T>.maxWith(comparator: Comparator<in T>): T? {\n return maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use
maxWithOrNull instead.\",
ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun ByteArray.maxWith(comparator: Comparator<in Byte>): Byte? {\n return maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\",
ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun ShortArray.maxWith(comparator: Comparator<in Short>): Short? {\n return maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\",
ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun IntArray.maxWith(comparator: Comparator<in Int>): Int? {\n return maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\",

ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun LongArray.maxWith(comparator: Comparator<in Long>): Long? {\n return maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun FloatArray.maxWith(comparator: Comparator<in Float>): Float? {\n return maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun DoubleArray.maxWith(comparator: Comparator<in Double>): Double? {\n return maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun BooleanArray.maxWith(comparator: Comparator<in Boolean>): Boolean? {\n return maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun CharArray.maxWith(comparator: Comparator<in Char>): Char? {\n return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T> Array<out T>.maxWithOrNull(comparator: Comparator<in T>): T? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun ByteArray.maxWithOrNull(comparator: Comparator<in Byte>): Byte? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun ShortArray.maxWithOrNull(comparator: Comparator<in Short>): Short? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun IntArray.maxWithOrNull(comparator: Comparator<in Int>): Int? {\n if (isEmpty())\n return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun LongArray.maxWithOrNull(comparator: Comparator<in Long>): Long? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun FloatArray.maxWithOrNull(comparator: Comparator<in Float>): Float? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun DoubleArray.maxWithOrNull(comparator: Comparator<in Double>): Double? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun BooleanArray.maxWithOrNull(comparator: Comparator<in Boolean>): Boolean? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max =

e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun CharArray.maxWithOrNull(comparator: Comparator<in Char>): Char? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Array<out Double>.min(): Double? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Array<out Float>.min(): Float? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun <T : Comparable<T>> Array<out T>.min(): T? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun ByteArray.min(): Byte? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun ShortArray.min(): Short? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun IntArray.min(): Int? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun LongArray.min(): Long? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun FloatArray.min(): Float? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun DoubleArray.min(): Double? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun CharArray.min(): Char? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <T, R : Comparable<R>> Array<out T>.minBy(selector: (T) -> R): T? {\n   return minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> ByteArray.minBy(selector: (Byte) -> R): Byte? {\n   return minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> ShortArray.minBy(selector: (Short) -> R): Short? {\n   return minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> IntArray.minBy(selector: (Int) -> R): Int? {\n   return minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> LongArray.minBy(selector: (Long) -> R): Long? {\n   return minByOrNull(selector)\n}\n\n@Deprecated(\"Use

minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> FloatArray.minBy(selector: (Float) -> R): Float? {\n return minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> DoubleArray.minBy(selector: (Double) -> R): Double? {\n return minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> BooleanArray.minBy(selector: (Boolean) -> R): Boolean? {\n return minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> CharArray.minBy(selector: (Char) -> R): Char? {\n return minByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <T, R : Comparable<R>> Array<out T>.minByOrNull(selector: (T) -> R): T? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> ByteArray.minByOrNull(selector: (Byte) -> R): Byte? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> ShortArray.minByOrNull(selector: (Short) -> R): Short? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> IntArray.minByOrNull(selector: (Int) -> R): Int? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> LongArray.minByOrNull(selector: (Long) -> R): Long? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R :

Comparable<R>> FloatArray.minByOrNull(selector: (Float) -> R): Float? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>>
DoubleArray.minByOrNull(selector: (Double) -> R): Double? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> BooleanArray.minByOrNull(selector: (Boolean) -> R): Boolean? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n
val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> CharArray.minByOrNull(selector: (Char) -> R): Char? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOf(selector: (T) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun ByteArray.minOf(selector: (Byte) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOf(selector: (Short) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val
v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If

any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOf(selector: (Int) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.minOf(selector: (Long) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOf(selector: (Float) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOf(selector: (Double) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOf(selector: (Boolean) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOf(selector: (Char) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n

*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Array<out T>.minOf(selector: (T) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOf(selector: (Byte) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n
minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOf(selector: (Short) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOf(selector: (Int) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun LongArray.minOf(selector: (Long) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOf(selector: (Float) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue =
minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOf(selector: (Double) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in

1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOf(selector: (Boolean) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOf(selector: (Char) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out T>.minOf(selector: (T) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ByteArray.minOf(selector: (Byte) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ShortArray.minOf(selector: (Short) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> IntArray.minOf(selector: (Int) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> LongArray.minOf(selector: (Long) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> FloatArray.minOf(selector: (Float) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> DoubleArray.minOf(selector: (Double) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> BooleanArray.minOf(selector: (Boolean) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> CharArray.minOf(selector: (Char) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOfOrNull(selector: (T) -> Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOfOrNull(selector: (Byte) -> Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element

in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOfOrNull(selector: (Short) -> Double): Double? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   minValue = minOf(minValue, v)\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun IntArray.minOfOrNull(selector: (Int) -> Double): Double? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   minValue = minOf(minValue, v)\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.minOfOrNull(selector: (Long) -> Double): Double? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   minValue = minOf(minValue, v)\n   }\n   return minValue\n}\n\n/**\n
* Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOfOrNull(selector: (Float) -> Double): Double? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   minValue = minOf(minValue, v)\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun DoubleArray.minOfOrNull(selector: (Double) -> Double): Double? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   minValue = minOf(minValue, v)\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOfOrNull(selector: (Boolean) -> Double): Double? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   minValue = minOf(minValue, v)\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOfOrNull(selector: (Char) -> Double): Double? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   minValue = minOf(minValue, v)\n   }\n   return minValue\n}\n\n/**\n * Returns

the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
 * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOfOrNull(selector: (T) -> Float): Float? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   minValue = minOf(minValue, v)\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOfOrNull(selector: (Byte) -> Float): Float? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   minValue = minOf(minValue, v)\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOfOrNull(selector: (Short) -> Float): Float? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   minValue = minOf(minValue, v)\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among
 all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOfOrNull(selector: (Int) -> Float): Float? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   minValue = minOf(minValue, v)\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
 inline fun LongArray.minOfOrNull(selector: (Long) -> Float): Float? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   minValue = minOf(minValue, v)\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOfOrNull(selector: (Float) -> Float): Float? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n
        minValue = minOf(minValue, v)\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOfOrNull(selector: (Double) -> Float): Float? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in

1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOfOrNull(selector: (Boolean) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOfOrNull(selector: (Char) -> Float): Float? {\n if (isEmpty())
return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out T>.minOfOrNull(selector: (T) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ByteArray.minOfOrNull(selector: (Byte) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ShortArray.minOfOrNull(selector: (Short) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex)
{\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> IntArray.minOfOrNull(selector: (Int) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> LongArray.minOfOrNull(selector: (Long) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no

elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
FloatArray.minOfOrNull(selector: (Float) -> R): R? {\n if (isEmpty()) return null\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
DoubleArray.minOfOrNull(selector: (Double) -> R): R? {\n if (isEmpty()) return null\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> BooleanArray.minOfOrNull(selector: (Boolean) -> R): R? {\n if (isEmpty())
return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value
among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no
elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
CharArray.minOfOrNull(selector: (Char) -> R): R? {\n if (isEmpty()) return null\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out
T>.minOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array
is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.minOfWith(comparator:
Comparator<in R>, selector: (Byte) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.minOfWith(comparator:
Comparator<in

R>, selector: (Short) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.minOfWith(comparator: Comparator<in R>, selector: (Int) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v)
> 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.minOfWith(comparator: Comparator<in R>, selector: (Long) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.minOfWith(comparator: Comparator<in R>, selector: (Float) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R> DoubleArray.minOfWith(comparator: Comparator<in R>, selector: (Double) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.minOfWith(comparator: Comparator<in R>, selector: (Boolean) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.minOfWith(comparator: Comparator<in R>, selector: (Char) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if

(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among
all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out T>.minOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ByteArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Byte) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Short) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue,
v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Int) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there
are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Long) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Float)
-> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
DoubleArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Double) -> R): R? {\n if (isEmpty())
return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n
* Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
BooleanArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Boolean) -> R): R? {\n if (isEmpty())
return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R> CharArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n if
(isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return
minValue\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is
`NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic fun Array<out Double>.minOrNull(): Double? {\n if
(isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n min = minOf(min,
e)\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any
of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic fun Array<out
Float>.minOrNull(): Float? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n
val e = this[i]\n min = minOf(min, e)\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if
there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T : Comparable<T>> Array<out T>.minOrNull():
T? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min
> e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\npublic fun ByteArray.minOrNull(): Byte? {\n if (isEmpty()) return null\n var min =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n *
Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun
ShortArray.minOrNull(): Short? {\n
if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e)
min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\npublic fun IntArray.minOrNull(): Int? {\n if (isEmpty()) return null\n var min =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n *
Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun
LongArray.minOrNull(): Long? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n
val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if
there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic fun
FloatArray.minOrNull(): Float? {\n if
(isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n min =
minOf(min, e)\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n *
\n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic fun DoubleArray.minOrNull():
Double? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n
min = minOf(min, e)\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no
elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun CharArray.minOrNull(): Char? {\n if (isEmpty()) return null\n
var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return

min\n}\n\n@Deprecated(\"Use minWithOrNull instead.\",
ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\",
hiddenSince = \"1.6\")\npublic fun <T> Array<out T>.minWith(comparator: Comparator<in T>): T? {\n return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\",
ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun ByteArray.minWith(comparator: Comparator<in Byte>): Byte? {\n return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\",
ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun ShortArray.minWith(comparator: Comparator<in Short>): Short? {\n return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\",
ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun IntArray.minWith(comparator: Comparator<in Int>):
Int? {\n return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\",
ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun LongArray.minWith(comparator: Comparator<in Long>): Long? {\n return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\",
ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun FloatArray.minWith(comparator: Comparator<in Float>): Float? {\n return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\",
ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun DoubleArray.minWith(comparator: Comparator<in Double>): Double? {\n return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull
instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun BooleanArray.minWith(comparator: Comparator<in Boolean>): Boolean? {\n return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun CharArray.minWith(comparator: Comparator<in Char>): Char? {\n return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T> Array<out T>.minWithOrNull(comparator: Comparator<in T>): T? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun ByteArray.minWithOrNull(comparator: Comparator<in Byte>): Byte? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun ShortArray.minWithOrNull(comparator: Comparator<in Short>): Short? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if
there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun IntArray.minWithOrNull(comparator: Comparator<in Int>): Int? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun LongArray.minWithOrNull(comparator: Comparator<in Long>): Long? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the

smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun FloatArray.minWithOrNull(comparator: Comparator<in Float>): Float? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun DoubleArray.minWithOrNull(comparator: Comparator<in Double>): Double? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun BooleanArray.minWithOrNull(comparator: Comparator<in Boolean>): Boolean? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun CharArray.minWithOrNull(comparator: Comparator<in Char>): Char? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun <T> Array<out T>.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun ByteArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun ShortArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun IntArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun LongArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun FloatArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun DoubleArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun BooleanArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun CharArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <T> Array<out T>.none(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun ByteArray.none(predicate: (Byte) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun ShortArray.none(predicate: (Short) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun IntArray.none(predicate: (Int) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun LongArray.none(predicate: (Long) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return

true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun FloatArray.none(predicate: (Float)
-> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun DoubleArray.none(predicate: (Double) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun BooleanArray.none(predicate: (Boolean) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun CharArray.none(predicate: (Char) -> Boolean): Boolean {\n for (element in this)
if (predicate(element)) return false\n return true\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.onEach(action: (T) -> Unit): Array<out T> {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.onEach(action: (Byte) -> Unit): ByteArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.onEach(action: (Short) -> Unit): ShortArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns
the array itself afterwards.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.onEach(action: (Int) -> Unit): IntArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.onEach(action: (Long) -> Unit): LongArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.onEach(action: (Float) -> Unit): FloatArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.onEach(action:
(Double) -> Unit): DoubleArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.onEach(action: (Boolean) -> Unit): BooleanArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.onEach(action: (Char) -> Unit): CharArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Array<out T>.onEachIndexed(action: (index: Int, T) -> Unit): Array<out T> {\n return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.onEachIndexed(action:

(index: Int, Byte) -> Unit): ByteArray {\n   return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.onEachIndexed(action:
(index: Int, Short) -> Unit): ShortArray {\n   return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.onEachIndexed(action: (index: Int, Int) -> Unit): IntArray {\n   return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.onEachIndexed(action: (index: Int, Long) -> Unit):
LongArray {\n   return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.onEachIndexed(action: (index: Int, Float) -> Unit): FloatArray {\n   return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.onEachIndexed(action: (index: Int, Double) -> Unit): DoubleArray {\n   return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.onEachIndexed(action: (index: Int, Boolean) -> Unit): BooleanArray {\n   return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.onEachIndexed(action: (index: Int, Char) -> Unit): CharArray {\n   return apply { forEachIndexed(action) }\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun <S, T : S> Array<out T>.reduce(operation: (acc: S, T) -> S): S {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator: S = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun ByteArray.reduce(operation: (acc: Byte, Byte) -> Byte): Byte {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in

1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty in
an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun ShortArray.reduce(operation: (acc: Short, Short) -> Short): Short {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun IntArray.reduce(operation: (acc: Int, Int) -> Int): Int {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun LongArray.reduce(operation: (acc: Long, Long) -> Long): Long {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun FloatArray.reduce(operation: (acc: Float, Float) -> Float): Float {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun DoubleArray.reduce(operation: (acc: Double, Double) -> Double): Double {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun BooleanArray.reduce(operation: (acc: Boolean, Boolean) -> Boolean): Boolean {\n if (isEmpty())\n throw

UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun CharArray.reduce(operation: (acc: Char, Char) -> Char): Char {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun <S, T : S> Array<out T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator: S = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun ByteArray.reduceIndexed(operation: (index: Int, acc: Byte, Byte) -> Byte): Byte {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun ShortArray.reduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): Short {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun IntArray.reduceIndexed(operation: (index: Int, acc: Int, Int) -> Int): Int {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n

```
 * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun LongArray.reduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): Long {\n    if (isEmpty())\n        throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n
 * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun FloatArray.reduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): Float {\n    if (isEmpty())\n        throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n *
 Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun DoubleArray.reduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): Double {\n    if (isEmpty())\n        throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n
 * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun BooleanArray.reduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): Boolean {\n    if (isEmpty())\n        throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n
 * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun CharArray.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {\n    if (isEmpty())\n        throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n    var accumulator = this[0]\n    for (index in
```

1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <S, T : S> Array<out T>.reduceIndexedOrNull(operation: (index: Int, acc: S, T) -> S): S? {\n if (isEmpty())\n return null\n var accumulator: S = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the
original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun ByteArray.reduceIndexedOrNull(operation: (index: Int, acc: Byte, Byte) -> Byte): Byte? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element
itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun ShortArray.reduceIndexedOrNull(operation: (index: Int, acc: Short, Short) -> Short): Short? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\npublic
inline fun IntArray.reduceIndexedOrNull(operation: (index: Int, acc: Int, Int) -> Int): Int? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun LongArray.reduceIndexedOrNull(operation: (index: Int, acc: Long, Long) -> Long): Long? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun FloatArray.reduceIndexedOrNull(operation: (index: Int, acc: Float, Float) -> Float): Float? {\n if (isEmpty())\n

return null\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun DoubleArray.reduceIndexedOrNull(operation: (index: Int, acc: Double, Double) -> Double): Double? {\n   if (isEmpty())\n   return null\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun BooleanArray.reduceIndexedOrNull(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): Boolean? {\n   if (isEmpty())\n   return null\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun CharArray.reduceIndexedOrNull(operation: (index: Int, acc: Char, Char) -> Char): Char? {\n   if (isEmpty())\n   return null\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S> Array<out T>.reduceOrNull(operation: (acc: S, T) -> S): S? {\n   if (isEmpty())\n   return null\n   var accumulator: S = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun ByteArray.reduceOrNull(operation: (acc: Byte, Byte) -> Byte): Byte? {\n   if (isEmpty())\n   return null\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun ShortArray.reduceOrNull(operation: (acc: Short, Short) -> Short): Short? {\n   if (isEmpty())\n   return null\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n

}\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun IntArray.reduceOrNull(operation: (acc: Int, Int) -> Int): Int? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun LongArray.reduceOrNull(operation: (acc: Long, Long) -> Long): Long? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun FloatArray.reduceOrNull(operation: (acc: Float, Float) -> Float): Float? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun DoubleArray.reduceOrNull(operation: (acc: Double, Double) -> Double): Double? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying\n [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun BooleanArray.reduceOrNull(operation: (acc: Boolean, Boolean) -> Boolean): Boolean? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and\n an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun CharArray.reduceOrNull(operation: (acc: Char, Char) -> Char): Char? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is

empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun <S, T : S> Array<out T>.reduceRight(operation: (T, acc: S) -> S): S {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator: S = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun ByteArray.reduceRight(operation: (Byte, acc: Byte) -> Byte): Byte {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun ShortArray.reduceRight(operation: (Short, acc: Short) -> Short): Short {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun IntArray.reduceRight(operation: (Int, acc: Int) -> Int): Int {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun LongArray.reduceRight(operation: (Long, acc: Long) -> Long): Long {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next

accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun FloatArray.reduceRight(operation: (Float, acc: Float) -> Float): Float {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun DoubleArray.reduceRight(operation: (Double, acc: Double) -> Double): Double {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the
last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun BooleanArray.reduceRight(operation: (Boolean, acc: Boolean) -> Boolean): Boolean {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each
element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun CharArray.reduceRight(operation: (Char, acc: Char) -> Char): Char {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n
* \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun <S, T : S> Array<out T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator: S = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original
array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun ByteArray.reduceRightIndexed(operation: (index: Int, Byte, acc: Byte) -> Byte): Byte {\n   var index = lastIndex\n

if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each
element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun ShortArray.reduceRightIndexed(operation: (index: Int, Short, acc: Short) -> Short): Short {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying
[operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun IntArray.reduceRightIndexed(operation: (index: Int, Int, acc: Int) -> Int): Int {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with
the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun LongArray.reduceRightIndexed(operation: (index: Int, Long, acc: Long) -> Long): Long {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n
* Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun FloatArray.reduceRightIndexed(operation: (index: Int, Float, acc: Float) -> Float): Float {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n
    }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the

next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun DoubleArray.reduceRightIndexed(operation: (index: Int, Double, acc: Double) -> Double): Double {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun BooleanArray.reduceRightIndexed(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun CharArray.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <S, T : S> Array<out T>.reduceRightIndexedOrNull(operation: (index: Int, T, acc: S) -> S): S? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator: S = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun ByteArray.reduceRightIndexedOrNull(operation: (index: Int, Byte, acc: Byte) -> Byte): Byte? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right\n to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun ShortArray.reduceRightIndexedOrNull(operation: (index: Int, Short, acc: Short) -> Short): Short? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n *

Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun IntArray.reduceRightIndexedOrNull(operation: (index: Int, Int, acc: Int) -> Int): Int? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun LongArray.reduceRightIndexedOrNull(operation: (index: Int, Long, acc: Long) -> Long): Long? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun FloatArray.reduceRightIndexedOrNull(operation: (index: Int, Float, acc: Float) -> Float): Float? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun DoubleArray.reduceRightIndexedOrNull(operation: (index: Int, Double, acc: Double) -> Double): Double? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun BooleanArray.reduceRightIndexedOrNull(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun CharArray.reduceRightIndexedOrNull(operation: (index: Int, Char, acc: Char) -> Char): Char? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n

```
 * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S> Array<out T>.reduceRightOrNull(operation: (T, acc: S) -> S): S? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator: S = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n
 * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun ByteArray.reduceRightOrNull(operation: (Byte, acc: Byte) -> Byte): Byte? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun ShortArray.reduceRightOrNull(operation: (Short, acc: Short) -> Short): Short? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun IntArray.reduceRightOrNull(operation: (Int, acc: Int) -> Int): Int? {\n    var
 index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun LongArray.reduceRightOrNull(operation: (Long, acc: Long) -> Long): Long? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n
 * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun FloatArray.reduceRightOrNull(operation: (Float, acc: Float) -> Float): Float? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the
```

last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the
array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun DoubleArray.reduceRightOrNull(operation: (Double, acc: Double) -> Double): Double? {\n   var index = lastIndex\n   if (index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun BooleanArray.reduceRightOrNull(operation: (Boolean, acc: Boolean) -> Boolean): Boolean? {\n   var index = lastIndex\n   if (index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun CharArray.reduceRightOrNull(operation: (Char,
acc: Char) -> Char): Char? {\n   var index = lastIndex\n   if (index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <T, R> Array<out T>.runningFold(initial: R, operation: (acc: R, T) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result
= ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n   accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.runningFold(initial: R, operation: (acc: R, Byte) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result
= ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n   accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next

accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.runningFold(initial: R, operation: (acc: R, Short) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.runningFold(initial: R, operation: (acc: R, Int) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.runningFold(initial: R, operation: (acc: R, Long) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.runningFold(initial: R, operation: (acc: R, Float) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.runningFold(initial: R, operation: (acc: R, Double) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.runningFold(initial: R, operation: (acc: R, Boolean) -> R): List<R> {\n   if (isEmpty())

return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n for (element in this) {\n   accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.runningFold(initial: R, operation: (acc: R, Char) -> R): List<R> {\n   if (isEmpty())
return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n for (element in this) {\n   accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <T, R> Array<out T>.runningFoldIndexed(initial: R,
operation: (index: Int, acc: R, T) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ByteArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (index in indices) {\n   accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n for (index in indices) {\n   accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the

index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise
it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n
* \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n *
to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns
a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): List<R> {\n if

(isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (index in indices) {\n   accumulator = operation(index,
 accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial)
 }\n   var accumulator = initial\n   for (index in indices) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and the element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S> Array<out T>.runningReduce(operation: (acc: S, T) -> S): List<S> {\n   if (isEmpty()) return emptyList()\n   var accumulator: S = this[0]\n   val result = ArrayList<S>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.runningReduce(operation: (acc: Byte, Byte) -> Byte): List<Byte> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<Byte>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.runningReduce(operation: (acc: Short, Short) -> Short): List<Short> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<Short>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n
 * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.runningReduce(operation: (acc: Int, Int) -> Int): List<Int> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<Int>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each

element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.runningReduce(operation: (acc: Long, Long) -> Long): List<Long> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Long>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.runningReduce(operation: (acc: Float, Float) -> Float): List<Float> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Float>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.runningReduce(operation: (acc: Double, Double) -> Double): List<Double> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Double>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline
fun BooleanArray.runningReduce(operation: (acc: Boolean, Boolean) -> Boolean): List<Boolean> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Boolean>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.runningReduce(operation: (acc: Char, Char) -> Char): List<Char> {\n if (isEmpty()) return
emptyList()\n var accumulator = this[0]\n val result = ArrayList<Char>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <S, T : S> Array<out T>.runningReduceIndexed(operation:

(index: Int, acc: S, T) -> S): List<S> {\n   if (isEmpty()) return emptyList()\n   var accumulator: S = this[0]\n   val result = ArrayList<S>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.runningReduceIndexed(operation: (index: Int, acc: Byte, Byte) -> Byte): List<Byte> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<Byte>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.runningReduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): List<Short> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<Short>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.runningReduceIndexed(operation: (index: Int, acc: Int, Int) -> Int): List<Int> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<Int>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.runningReduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): List<Long> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<Long>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun

FloatArray.runningReduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): List<Float> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<Float>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.runningReduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): List<Double> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<Double>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.runningReduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): List<Boolean> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<Boolean>(size).apply {\n   add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.runningReduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): List<Char> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<Char>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R> Array<out T>.scan(initial: R, operation: (acc: R, T) -> R): List<R> {\n   return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli

c inline fun <R> ByteArray.scan(initial: R, operation: (acc: R, Byte) -> R): List<R> {\n   return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.scan(initial: R, operation: (acc: R, Short) -> R): List<R> {\n   return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.scan(initial: R, operation: (acc: R, Int) -> R): List<R> {\n   return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline
fun <R> LongArray.scan(initial: R, operation: (acc: R, Long) -> R): List<R> {\n   return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.scan(initial: R, operation: (acc: R, Float) -> R): List<R> {\n   return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values
generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.scan(initial: R, operation: (acc: R, Double) -> R): List<R> {\n   return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function
should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.scan(initial: R, operation: (acc: R, Boolean) -> R): List<R> {\n   return

runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates
the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.scan(initial: R, operation: (acc: R, Char) -> R): List<R> {\n return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
inline fun <T, R> Array<out T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.scanIndexed(initial:
R, operation: (index: Int, acc: R, Byte) -> R): List<R> {\n return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): List<R> {\n return runningFoldIndexed(initial, operation)\n}\n\n/**\n
* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): List<R> {\n return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation]
from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n *

@sample samples.collections.Collections.Aggregates.scan\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun <R> LongArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): List<R> {\n return
runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values
generated by applying [operation] from left to right\n * to each element, its index in the original array and current
accumulator
value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be
mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun <R> FloatArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): List<R> {\n return
runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values
generated by applying [operation] from left to right\n * to each element, its index in the original array and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function
should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param
[operation] function that takes the index of an element, current accumulator value\n * and the element itself, and
calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun <R> DoubleArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): List<R> {\n
return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values
generated by applying [operation] from left to right\n * to each element, its index in the original array and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n *
\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element
itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun <R> BooleanArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): List<R> {\n
return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values
generated by applying [operation] from left to right\n * to each element, its index in the original array and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n
* and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun <R> CharArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n return
runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\",
ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun <T>
Array<out T>.sumBy(selector: (T) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum +=
selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\",
ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince
= \"1.5\")\npublic inline fun ByteArray.sumBy(selector: (Byte) -> Int): Int {\n var sum: Int = 0\n for (element in
this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\",

ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun ShortArray.sumBy(selector: (Short) -> Int): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun IntArray.sumBy(selector: (Int) -> Int): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun LongArray.sumBy(selector: (Long) -> Int): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun FloatArray.sumBy(selector: (Float) -> Int): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun DoubleArray.sumBy(selector: (Double) -> Int): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun BooleanArray.sumBy(selector: (Boolean) -> Int): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun CharArray.sumBy(selector: (Char) -> Int): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun <T> Array<out T>.sumByDouble(selector: (T) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun ByteArray.sumByDouble(selector: (Byte) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun ShortArray.sumByDouble(selector: (Short) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun IntArray.sumByDouble(selector: (Int) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun

LongArray.sumByDouble(selector: (Long) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun FloatArray.sumByDouble(selector: (Float) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun DoubleArray.sumByDouble(selector: (Double) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun BooleanArray.sumByDouble(selector: (Boolean) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun CharArray.sumByDouble(selector: (Char) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.sumOf(selector: (T) -> Double): Double {\n   var sum: Double = 0.toDouble()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sumOf(selector: (Byte) -> Double): Double\n{\n   var sum: Double = 0.toDouble()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sumOf(selector: (Short) -> Double): Double {\n   var sum: Double = 0.toDouble()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sumOf(selector: (Int) -> Double):\nDouble {\n   var sum: Double = 0.toDouble()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.sumOf(selector: (Long) -> Double): Double {\n   var sum: Double = 0.toDouble()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun

FloatArray.sumOf(selector: (Float)
 -> Double): Double {\n   var sum: Double = 0.toDouble()\n   for (element in this) {\n   sum +=
selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.sumOf(selector: (Double) -> Double): Double {\n   var sum: Double = 0.toDouble()\n   for (element
in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.sumOf(selector:
 (Boolean) -> Double): Double {\n   var sum: Double = 0.toDouble()\n   for (element in this) {\n   sum +=
selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.sumOf(selector: (Char) -> Double): Double {\n   var sum: Double = 0.toDouble()\n   for (element in
this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic inline fun <T>
 Array<out T>.sumOf(selector: (T) -> Int): Int {\n   var sum: Int = 0.toInt()\n   for (element in this) {\n   sum +=
selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.sumOf(selector: (Byte) -> Int): Int {\n   var sum: Int = 0.toInt()\n   for (element in this) {\n   sum +=
selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.sumOf(selector:
 (Short) -> Int): Int {\n   var sum: Int = 0.toInt()\n   for (element in this) {\n   sum += selector(element)\n   }\n
return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in
the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.sumOf(selector: (Int) -> Int): Int {\n   var sum: Int = 0.toInt()\n   for (element in this) {\n   sum +=
selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.sumOf(selector: (Long) -> Int):
 Int {\n   var sum: Int = 0.toInt()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sumOf(selector: (Float) -> Int): Int {\n var sum: Int = 0.toInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.sumOf(selector: (Double) -> Int): Int {\n var sum: Int = 0.toInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.sumOf(selector: (Boolean) -> Int): Int {\n var sum: Int = 0.toInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sumOf(selector: (Char) -> Int): Int {\n var sum: Int\n = 0.toInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.sumOf(selector: (T) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sumOf(selector: (Byte) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sumOf(selector: (Short) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sumOf(selector: (Int) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.sumOf(selector: (Long) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sumOf(selector: (Float) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element

in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.sumOf(selector: (Double) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.sumOf(selector: (Boolean) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sumOf(selector: (Char) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.sumOf(selector: (T) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sumOf(selector: (Byte) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun ShortArray.sumOf(selector: (Short) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sumOf(selector: (Int) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun LongArray.sumOf(selector: (Long) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sumOf(selector: (Float) -> UInt): UInt {\n var

sum: UInt = 0.toUInt()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun DoubleArray.sumOf(selector: (Double) -> UInt): UInt {\n   var sum: UInt = 0.toUInt()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.sumOf(selector: (Boolean) -> UInt): UInt {\n   var sum: UInt = 0.toUInt()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sumOf(selector: (Char) -> UInt): UInt {\n   var sum: UInt = 0.toUInt()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.sumOf(selector: (T) -> ULong): ULong {\n   var sum: ULong = 0.toULong()\n   for (element in this)
{\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sumOf(selector: (Byte) -> ULong): ULong {\n   var sum: ULong = 0.toULong()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sumOf(selector:
(Short) -> ULong): ULong {\n   var sum: ULong = 0.toULong()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sumOf(selector: (Int) -> ULong): ULong {\n   var sum: ULong = 0.toULong()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun LongArray.sumOf(selector: (Long) -> ULong): ULong {\n   var sum: ULong = 0.toULong()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values

produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sumOf(selector: (Float) -> ULong): ULong
{\n var sum: ULong = 0.toULong()\n for (element in this) {\n sum += selector(element)\n }\n return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun DoubleArray.sumOf(selector: (Double) -> ULong): ULong {\n var sum: ULong = 0.toULong()\n for
(element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.sumOf(selector: (Boolean) -> ULong):
ULong {\n var sum: ULong = 0.toULong()\n for (element in this) {\n sum += selector(element)\n }\n
return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sumOf(selector: (Char) -> ULong): ULong
{\n var sum: ULong = 0.toULong()\n for (element in this) {\n sum += selector(element)\n }\n return
sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an
[IllegalArgumentException] if there are any `null` elements.\n */\npublic fun <T : Any>
Array<T?>.requireNoNulls(): Array<T> {\n for (element in this) {\n if (element == null) {\n throw
IllegalArgumentException(\"null element found in $this.\")\n }\n }\n
@Suppress(\"UNCHECKED_CAST\")\n return this as Array<T>\n}\n\n/**\n * Splits the original array into pair
of lists,\n *
where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements
for which [predicate] yielded `false`.\n * \n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun <T> Array<out
T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n val first = ArrayList<T>()\n val second =
ArrayList<T>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n
second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair
of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains
elements for which [predicate] yielded `false`.\n * \n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
ByteArray.partition(predicate: (Byte) -> Boolean): Pair<List<Byte>,
List<Byte>> {\n val first = ArrayList<Byte>()\n val second = ArrayList<Byte>()\n for (element in this) {\n
if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n
return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains
elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate]
yielded `false`.\n * \n * @sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n
*/\npublic inline fun ShortArray.partition(predicate: (Short) -> Boolean): Pair<List<Short>, List<Short>> {\n val
first = ArrayList<Short>()\n val second = ArrayList<Short>()\n for (element in this) {\n if
(predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n
return Pair(first, second)\n}\n\n/**\n * Splits the

original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n * @sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun IntArray.partition(predicate: (Int) -> Boolean): Pair<List<Int>, List<Int>> {\n val first = ArrayList<Int>()\n val second = ArrayList<Int>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n * @sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun LongArray.partition(predicate:
(Long) -> Boolean): Pair<List<Long>, List<Long>> {\n val first = ArrayList<Long>()\n val second = ArrayList<Long>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n * @sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun FloatArray.partition(predicate: (Float) -> Boolean): Pair<List<Float>, List<Float>> {\n val first = ArrayList<Float>()\n val second = ArrayList<Float>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return
Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n * @sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun DoubleArray.partition(predicate: (Double) -> Boolean): Pair<List<Double>, List<Double>> {\n val first = ArrayList<Double>()\n val second = ArrayList<Double>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n * @sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n
*/\npublic inline fun BooleanArray.partition(predicate: (Boolean) -> Boolean): Pair<List<Boolean>, List<Boolean>> {\n val first = ArrayList<Boolean>()\n val second = ArrayList<Boolean>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n * @sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun CharArray.partition(predicate: (Char) -> Boolean): Pair<List<Char>, List<Char>> {\n val first = ArrayList<Char>()\n val second = ArrayList<Char>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n
} else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Array<out T>.zip(other: Array<out R>): List<Pair<T, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ByteArray.zip(other: Array<out R>): List<Pair<Byte, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned

list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ShortArray.zip(other: Array<out R>): List<Pair<Short, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> IntArray.zip(other: Array<out R>): List<Pair<Int, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> LongArray.zip(other: Array<out R>): List<Pair<Long, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> FloatArray.zip(other: Array<out R>): List<Pair<Float, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> DoubleArray.zip(other: Array<out R>): List<Pair<Double, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> BooleanArray.zip(other: Array<out R>): List<Pair<Boolean, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> CharArray.zip(other: Array<out R>): List<Pair<Char, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Array<out T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ByteArray.zip(other: Array<out R>, transform: (a: Byte, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ShortArray.zip(other: Array<out R>, transform: (a: Short, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> IntArray.zip(other: Array<out R>, transform: (a: Int, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until

size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> LongArray.zip(other: Array<out R>, transform: (a: Long, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> FloatArray.zip(other: Array<out R>, transform: (a: Float, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> DoubleArray.zip(other: Array<out R>, transform: (a: Double, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns
a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> BooleanArray.zip(other: Array<out R>, transform: (a: Boolean, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> CharArray.zip(other:
Array<out R>, transform: (a: Char, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Array<out T>.zip(other: Iterable<R>): List<Pair<T, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ByteArray.zip(other: Iterable<R>): List<Pair<Byte, R>> {\n return zip(other) { t1,
t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ShortArray.zip(other: Iterable<R>): List<Pair<Short, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> IntArray.zip(other: Iterable<R>): List<Pair<Int, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n

*/\npublic infix fun <R> LongArray.zip(other: Iterable<R>): List<Pair<Long, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> FloatArray.zip(other: Iterable<R>): List<Pair<Float, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> DoubleArray.zip(other: Iterable<R>): List<Pair<Double, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> BooleanArray.zip(other: Iterable<R>): List<Pair<Boolean, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> CharArray.zip(other: Iterable<R>): List<Pair<Char, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Array<out T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ByteArray.zip(other: Iterable<R>, transform: (a: Byte, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ShortArray.zip(other: Iterable<R>, transform: (a: Short, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> IntArray.zip(other: Iterable<R>, transform: (a: Int, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> LongArray.zip(other: Iterable<R>,

transform: (a: Long, b: R) -> V): List<V> {\n   val arraySize = size\n   val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n   var i = 0\n   for (element in other) {\n   if (i >= arraySize) break\n   list.add(transform(this[i++], element))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> FloatArray.zip(other: Iterable<R>, transform: (a: Float, b: R) -> V): List<V> {\n   val arraySize = size\n   val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n   var i = 0\n   for (element in other) {\n   if (i >= arraySize) break\n   list.add(transform(this[i++], element))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> DoubleArray.zip(other: Iterable<R>, transform: (a: Double, b: R) -> V): List<V> {\n   val arraySize = size\n   val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n   var i = 0\n   for (element in other) {\n   if (i >= arraySize) break\n   list.add(transform(this[i++], element))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> BooleanArray.zip(other: Iterable<R>, transform: (a: Boolean, b: R) -> V): List<V> {\n   val arraySize = size\n   val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n   var i = 0\n   for (element in other) {\n   if (i >= arraySize) break\n   list.add(transform(this[i++], element))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> CharArray.zip(other: Iterable<R>, transform: (a: Char, b: R) -> V): List<V> {\n   val arraySize = size\n   val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10),
arraySize))\n   var i = 0\n   for (element in other) {\n   if (i >= arraySize) break\n   list.add(transform(this[i++], element))\n   }\n   return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun ByteArray.zip(other: ByteArray): List<Pair<Byte, Byte>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun ShortArray.zip(other: ShortArray): List<Pair<Short, Short>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun IntArray.zip(other: IntArray): List<Pair<Int, Int>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun LongArray.zip(other: LongArray): List<Pair<Long, Long>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun FloatArray.zip(other:

FloatArray): List<Pair<Float, Float>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun DoubleArray.zip(other: DoubleArray): List<Pair<Double, Double>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun BooleanArray.zip(other: BooleanArray): List<Pair<Boolean, Boolean>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun CharArray.zip(other: CharArray): List<Pair<Char, Char>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> ByteArray.zip(other: ByteArray, transform: (a: Byte, b: Byte) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> ShortArray.zip(other: ShortArray, transform: (a: Short, b: Short) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> IntArray.zip(other: IntArray, transform: (a: Int, b: Int) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> LongArray.zip(other: LongArray, transform: (a: Long, b: Long) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> FloatArray.zip(other: FloatArray, transform: (a: Float, b: Float) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> DoubleArray.zip(other: DoubleArray, transform: (a: Double, b: Double) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n

```
 * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> BooleanArray.zip(other: BooleanArray, transform: (a: Boolean, b: Boolean) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> CharArray.zip(other:
 CharArray, transform: (a: Char, b: Char) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <T, A : Appendable> Array<out T>.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): A {\n    buffer.append(prefix)\n    var count = 0\n    for
 (element in this) {\n        if (++count > 1) buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            buffer.appendElement(element, transform)\n        } else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> ByteArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Byte) -> CharSequence)? = null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1) buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if (transform != null)\n                buffer.append(transform(element))\n            else\n                buffer.append(element.toString())\n        } else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> ShortArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix:
 CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Short) -> CharSequence)? = null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1) buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if (transform != null)\n                buffer.append(transform(element))\n            else\n                buffer.append(element.toString())\n        } else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
 samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> IntArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1,
```

truncated: CharSequence = \"...\", transform: ((Int) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit],
in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> LongArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Long) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using
[separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> FloatArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Float) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> DoubleArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Double) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> BooleanArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Boolean) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection

could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> CharArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\",
limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Char) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element)\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic
fun <T> Array<out T>.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun ByteArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Byte) -> CharSequence)?
= null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun ShortArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Short) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using
the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun IntArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Int) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the
[truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun LongArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Long) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be

appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun FloatArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence
= \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Float) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun DoubleArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Double) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix,
limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun BooleanArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Boolean) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could
be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun CharArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Char) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun <T> Array<out T>.asIterable(): Iterable<T> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic
fun ByteArray.asIterable(): Iterable<Byte> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun ShortArray.asIterable(): Iterable<Short> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun IntArray.asIterable(): Iterable<Int> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun LongArray.asIterable(): Iterable<Long> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements
when being iterated.\n */\npublic fun FloatArray.asIterable(): Iterable<Float> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun DoubleArray.asIterable(): Iterable<Double> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun BooleanArray.asIterable(): Iterable<Boolean> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun CharArray.asIterable(): Iterable<Char> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator()

}\n}\n\n/**\n * Creates a [Sequence] instance that wraps the
original array returning its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun <T> Array<out T>.asSequence():
Sequence<T> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun ByteArray.asSequence():
Sequence<Byte> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun ShortArray.asSequence():
Sequence<Short> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps
the original array returning its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun IntArray.asSequence():
Sequence<Int> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun LongArray.asSequence():
Sequence<Long> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun FloatArray.asSequence():
Sequence<Float> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that
wraps the original array returning its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun DoubleArray.asSequence():
Sequence<Double> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun
BooleanArray.asSequence(): Sequence<Boolean> {\n   if (isEmpty()) return emptySequence()\n   return Sequence
{ this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements
when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic
fun CharArray.asSequence(): Sequence<Char> {\n   if (isEmpty()) return emptySequence()\n   return Sequence {
this.iterator() }\n}\n\n/**\n * Returns an average value
of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfByte\")\npublic fun Array<out Byte>.average():
Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n
++count\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of
elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfShort\")\npublic fun Array<out Short>.average():
Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n
++count\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of
elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfInt\")\npublic fun Array<out Int>.average(): Double
{\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   ++count\n
}\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n
* Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfLong\")\npublic fun
Array<out Long>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n
sum += element\n   ++count\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n *
Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfFloat\")\npublic fun
Array<out Float>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n
sum += element\n   ++count\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n *
Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfDouble\")\npublic fun
Array<out Double>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this)

{\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN
else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun
ByteArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n
sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the array.\n */\npublic fun ShortArray.average(): Double {\n var sum: Double =
0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count
== 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic
fun IntArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n
sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the array.\n */\npublic fun LongArray.average():
Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n
++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of
elements in the array.\n */\npublic fun FloatArray.average(): Double {\n var sum: Double = 0.0\n var count: Int
= 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN
else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun
DoubleArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n
sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfByte\")\npublic fun Array<out
Byte>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n
sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*/\n@kotlin.jvm.JvmName(\"sumOfShort\")\npublic fun Array<out Short>.sum(): Int {\n var sum: Int = 0\n for
(element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the
array.\n */\n@kotlin.jvm.JvmName(\"sumOfInt\")\npublic fun Array<out Int>.sum(): Int {\n var sum: Int = 0\n
for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in
the array.\n */\n@kotlin.jvm.JvmName(\"sumOfLong\")\npublic fun Array<out Long>.sum(): Long {\n var sum:
Long = 0L\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of
all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfFloat\")\npublic fun Array<out Float>.sum(): Float
{\n var sum: Float = 0.0f\n for (element in this) {\n sum += element\n }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*/\n@kotlin.jvm.JvmName(\"sumOfDouble\")\npublic fun Array<out Double>.sum(): Double {\n var sum:
Double = 0.0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of
all elements in the array.\n */\npublic fun ByteArray.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n
sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun
ShortArray.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return
sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun IntArray.sum(): Int {\n var sum:
Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all
elements in the array.\n */\npublic fun LongArray.sum(): Long {\n var sum: Long = 0L\n for (element
in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*/\npublic fun FloatArray.sum(): Float {\n var sum: Float = 0.0f\n for (element in this) {\n sum +=
element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun
DoubleArray.sum(): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += element\n }\n
return sum\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"RangesKt\")\n\npackage
kotlin.ranges\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns a
random

element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun IntRange.random(): Int {\n return random(Random)\n}\n\n/**\n * Returns a random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun LongRange.random(): Long {\n return random(Random)\n}\n\n/**\n * Returns a random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun CharRange.random(): Char {\n return random(Random)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun IntRange.random(random: Random): Int {\n try {\n return random.nextInt(this)\n } catch(e: IllegalArgumentException) {\n throw NoSuchElementException(e.message)\n }\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun LongRange.random(random: Random): Long {\n try {\n return random.nextLong(this)\n } catch(e: IllegalArgumentException) {\n throw NoSuchElementException(e.message)\n }\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun CharRange.random(random: Random): Char {\n try {\n return random.nextInt(first.code, last.code + 1).toChar()\n } catch(e: IllegalArgumentException) {\n throw NoSuchElementException(e.message)\n }\n}\n\n/**\n * Returns a random element from this range, or `null` if this range is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun IntRange.randomOrNull(): Int? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range, or `null` if this range is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun LongRange.randomOrNull(): Long? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range, or `null` if this range is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharRange.randomOrNull(): Char? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness, or `null` if this range is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun IntRange.randomOrNull(random:
Random): Int? {\n if (isEmpty())\n return null\n return random.nextInt(this)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness, or `null` if this range is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun LongRange.randomOrNull(random: Random): Long? {\n if (isEmpty())\n return null\n return random.nextLong(this)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness, or `null` if this range is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun CharRange.randomOrNull(random: Random): Char? {\n if (isEmpty())\n return null\n return random.nextInt(first.code, last.code + 1).toChar()\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic
inline operator fun IntRange.contains(element: Int?): Boolean {\n return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline operator fun LongRange.contains(element: Long?): Boolean {\n return element != null && contains(element)\n}\n\n/**\n *

Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline operator fun CharRange.contains(element: Char?): Boolean {\n return element != null && contains(element)\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Byte): Boolean {\n return contains(value.toInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Byte): Boolean {\n return contains(value.toLong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Byte): Boolean {\n return contains(value.toShort())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Byte): Boolean {\n return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Byte): Boolean {\n return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Double): Boolean {\n return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Double): Boolean {\n return value.toLongExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Double): Boolean {\n return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Double): Boolean {\n return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Double): Boolean {\n return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Float): Boolean {\n return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n

*/\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Float): Boolean {\n   return value.toLongExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Float): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Float): Boolean {\n   return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Float): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Int): Boolean {\n   return contains(value.toLong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Int): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Int): Boolean {\n   return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Int): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Int): Boolean {\n   return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Long): Boolean {\n   return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Long): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Long): Boolean {\n   return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Long): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n

*/\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Long): Boolean {\n return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Short): Boolean {\n return contains(value.toInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Short): Boolean {\n return contains(value.toLong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value:
Short): Boolean {\n return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Short): Boolean {\n return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value:
Short): Boolean {\n return contains(value.toFloat())\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Int.downTo(to: Byte): IntProgression {\n return IntProgression.fromClosedRange(this, to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Byte): LongProgression {\n return LongProgression.fromClosedRange(this, to.toLong(), -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this`
value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Byte): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to: Byte): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Char.downTo(to: Char): CharProgression {\n return CharProgression.fromClosedRange(this, to,
-1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Int.downTo(to: Int): IntProgression {\n return IntProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Int): LongProgression {\n return LongProgression.fromClosedRange(this, to.toLong(), -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the

returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Int): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to: Int): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Int.downTo(to: Long): LongProgression {\n return LongProgression.fromClosedRange(this.toLong(), to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the
specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Long): LongProgression {\n return LongProgression.fromClosedRange(this, to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Long): LongProgression {\n return LongProgression.fromClosedRange(this.toLong(), to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to:
Long): LongProgression {\n return LongProgression.fromClosedRange(this.toLong(), to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Int.downTo(to: Short): IntProgression {\n return IntProgression.fromClosedRange(this, to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Short): LongProgression {\n return LongProgression.fromClosedRange(this, to.toLong(), -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to]
value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Short): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to: Short): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\npublic fun IntProgression.reversed(): IntProgression {\n return IntProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction
with the same step.\n */\npublic fun LongProgression.reversed(): LongProgression {\n return LongProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\npublic fun CharProgression.reversed(): CharProgression {\n return CharProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\npublic infix fun IntProgression.step(step: Int): IntProgression {\n checkStepIsPositive(step > 0, step)\n return IntProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\npublic infix fun LongProgression.step(step: Long): LongProgression {\n checkStepIsPositive(step > 0, step)\n return LongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a
progression that goes over the same range with the given step.\n */\npublic infix fun CharProgression.step(step: Int): CharProgression {\n checkStepIsPositive(step > 0, step)\n return CharProgression.fromClosedRange(first,

last, if (this.step > 0) step else -step)\n}\n\ninternal fun Int.toByteExactOrNull(): Byte? {\n return if (this in Byte.MIN_VALUE.toInt()..Byte.MAX_VALUE.toInt()) this.toByte() else null\n}\n\ninternal fun Long.toByteExactOrNull(): Byte? {\n return if (this in Byte.MIN_VALUE.toLong()..Byte.MAX_VALUE.toLong()) this.toByte() else null\n}\n\ninternal fun Short.toByteExactOrNull(): Byte? {\n return if (this in Byte.MIN_VALUE.toShort()..Byte.MAX_VALUE.toShort()) this.toByte() else null\n}\n\ninternal fun Double.toByteExactOrNull(): Byte? {\n return if (this in Byte.MIN_VALUE.toDouble()..Byte.MAX_VALUE.toDouble()) this.toInt().toByte() else null\n}\n\ninternal fun Float.toByteExactOrNull(): Byte? {\n return if (this in Byte.MIN_VALUE.toFloat()..Byte.MAX_VALUE.toFloat())
this.toInt().toByte() else null\n}\n\ninternal fun Long.toIntExactOrNull(): Int? {\n return if (this in Int.MIN_VALUE.toLong()..Int.MAX_VALUE.toLong()) this.toInt() else null\n}\n\ninternal fun Double.toIntExactOrNull(): Int? {\n return if (this in Int.MIN_VALUE.toDouble()..Int.MAX_VALUE.toDouble()) this.toInt() else null\n}\n\ninternal fun Float.toIntExactOrNull(): Int? {\n return if (this in Int.MIN_VALUE.toFloat()..Int.MAX_VALUE.toFloat()) this.toInt() else null\n}\n\ninternal fun Double.toLongExactOrNull(): Long? {\n return if (this in Long.MIN_VALUE.toDouble()..Long.MAX_VALUE.toDouble()) this.toLong() else null\n}\n\ninternal fun Float.toLongExactOrNull(): Long? {\n return if (this in Long.MIN_VALUE.toFloat()..Long.MAX_VALUE.toFloat()) this.toLong() else null\n}\n\ninternal fun Int.toShortExactOrNull(): Short? {\n return if (this in Short.MIN_VALUE.toInt()..Short.MAX_VALUE.toInt()) this.toShort() else null\n}\n\ninternal fun Long.toShortExactOrNull():
Short? {\n return if (this in Short.MIN_VALUE.toLong()..Short.MAX_VALUE.toLong()) this.toShort() else null\n}\n\ninternal fun Double.toShortExactOrNull(): Short? {\n return if (this in Short.MIN_VALUE.toDouble()..Short.MAX_VALUE.toDouble()) this.toInt().toShort() else null\n}\n\ninternal fun Float.toShortExactOrNull(): Short? {\n return if (this in Short.MIN_VALUE.toFloat()..Short.MAX_VALUE.toFloat()) this.toInt().toShort() else null\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Byte): IntRange {\n return this .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Byte): LongRange {\n
return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Byte): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Byte): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Char.until(to: Char): CharRange {\n if (to <= '\\u0000') return CharRange.EMPTY\n return this .. (to - 1).toChar()\n}\n\n/**\n * Returns
a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Int): IntRange {\n if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n return this .. (to - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Int): LongRange {\n return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Int): IntRange {\n if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n return this.toInt() .. (to -

1).toInt()\n}\n\n/**\n * Returns a range from this value
up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Int): IntRange {\n if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n return this.toInt() .. (to - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this .. (to - 1).toLong()\n}\n\n/**\n
* Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Short): IntRange {\n return this .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns
a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Short): LongRange {\n return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Short): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Short): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value
if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastComparable\n */\npublic fun <T : Comparable<T>> T.coerceAtLeast(minimumValue: T): T {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Byte.coerceAtLeast(minimumValue: Byte): Byte {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Short.coerceAtLeast(minimumValue: Short):
Short {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Int.coerceAtLeast(minimumValue: Int): Int {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Long.coerceAtLeast(minimumValue: Long): Long {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue]

```
 or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Float.coerceAtLeast(minimumValue: Float): Float {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Double.coerceAtLeast(minimumValue: Double): Double {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostComparable\n */\npublic fun <T : Comparable<T>> T.coerceAtMost(maximumValue: T): T {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Byte.coerceAtMost(maximumValue: Byte): Byte {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Short.coerceAtMost(maximumValue: Short): Short {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n
 * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Int.coerceAtMost(maximumValue: Int): Int {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Long.coerceAtMost(maximumValue: Long): Long {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Float.coerceAtMost(maximumValue: Float): Float {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is
 not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Double.coerceAtMost(maximumValue: Double): Double {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInComparable\n */\npublic fun <T : Comparable<T>> T.coerceIn(minimumValue: T?, maximumValue: T?): T {\n    if (minimumValue !== null && maximumValue !== null) {\n        if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n
        if (this < minimumValue) return minimumValue\n        if (this > maximumValue) return maximumValue\n    }\n    else {\n        if (minimumValue !== null && this < minimumValue) return minimumValue\n        if (maximumValue !== null && this > maximumValue) return maximumValue\n    }\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Byte.coerceIn(minimumValue: Byte, maximumValue: Byte): Byte {\n    if (minimumValue > maximumValue)
```

throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n

    return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Short.coerceIn(minimumValue: Short, maximumValue: Short): Short {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Int.coerceIn(minimumValue: Int, maximumValue: Int): Int {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Long.coerceIn(minimumValue: Long, maximumValue: Long): Long {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n

    if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Float.coerceIn(minimumValue: Float, maximumValue: Float): Float {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Double.coerceIn(minimumValue: Double, maximumValue: Double): Double {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInFloatingPointRange\n */\n@SinceKotlin(\"1.1\")\npublic fun <T : Comparable<T>> T.coerceIn(range: ClosedFloatingPointRange<T>): T {\n   if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n   return when {\n   // this < start equiv to this <= start && !(this >= start)\n   range.lessThanOrEquals(this, range.start) && !range.lessThanOrEquals(range.start, this) -> range.start\n   // this > end equiv to this >= end && !(this <= end)\n   range.lessThanOrEquals(range.endInclusive, this) && !range.lessThanOrEquals(this, range.endInclusive) ->

range.endInclusive\n else -> this\n }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInComparable\n */\npublic fun <T : Comparable<T>> T.coerceIn(range: ClosedRange<T>): T {\n if (range is ClosedFloatingPointRange) {\n return this.coerceIn<T>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n return when {\n this < range.start -> range.start\n this > range.endInclusive -> range.endInclusive\n else -> this\n }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Int.coerceIn(range: ClosedRange<Int>): Int {\n if (range is ClosedFloatingPointRange) {\n return this.coerceIn<Int>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n return when {\n this < range.start -> range.start\n this > range.endInclusive -> range.endInclusive\n else -> this\n }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Long.coerceIn(range: ClosedRange<Long>): Long {\n if (range is ClosedFloatingPointRange) {\n return this.coerceIn<Long>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n return when {\n this < range.start -> range.start\n this > range.endInclusive -> range.endInclusive\n else -> this\n }\n}\n\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.experimental.*\nimport kotlin.jvm.*\n\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@JvmInline\npublic value class UByte @PublishedApi internal constructor(@PublishedApi internal val data: Byte) : Comparable<UByte> {\n\n companion object {\n /**\n * A constant holding the minimum value an instance of UByte can have.\n */\n public const val MIN_VALUE: UByte = UByte(0)\n\n /**\n * A constant holding the maximum value an instance of UByte can have.\n */\n public const val MAX_VALUE: UByte = UByte(-1)\n\n /**\n * The number of bytes used to represent an instance of UByte in a binary form.\n */\n public const val SIZE_BYTES: Int = 1\n\n /**\n * The number of bits used to represent an instance of UByte in a binary form.\n */\n public const val SIZE_BITS: Int = 8\n }\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n @Suppress(\"OVERRIDE_BY_INLINE\")\n public override inline operator fun compareTo(other: UByte): Int = this.toInt().compareTo(other.toInt())\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: UShort): Int = this.toInt().compareTo(other.toInt())\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: UInt): Int = this.toUInt().compareTo(other)\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n

public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n   /** Adds the other value to this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun plus(other: UByte): UInt = this.toUInt().plus(other.toUInt())\n   /** Adds the other value to this value. */\n   @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UShort): UInt = this.toUInt().plus(other.toUInt())\n   /** Adds the other value to this value. */\n   @kotlin.internal.InlineOnly\n   public
 inline operator fun plus(other: UInt): UInt = this.toUInt().plus(other)\n   /** Adds the other value to this value. */\n
 @kotlin.internal.InlineOnly\n   public inline operator fun plus(other: ULong): ULong =
this.toULong().plus(other)\n\n   /** Subtracts the other value from this value. */\n   @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UByte): UInt = this.toUInt().minus(other.toUInt())\n   /** Subtracts the other value from this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun minus(other: UShort): UInt = this.toUInt().minus(other.toUInt())\n   /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n   public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)\n /** Subtracts the other value from this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun minus(other: ULong): ULong = this.toULong().minus(other)\n\n   /** Multiplies this value by
 the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun times(other: UByte): UInt = this.toUInt().times(other.toUInt())\n   /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n   public inline operator fun times(other: UShort): UInt = this.toUInt().times(other.toUInt())\n   /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n   public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\n /** Multiplies this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun times(other: ULong): ULong = this.toULong().times(other)\n\n   /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun div(other: UByte): UInt = this.toUInt().div(other.toUInt())\n   /** Divides this value by the other value, truncating the result to an integer
 that is closer to zero. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun div(other: UShort): UInt = this.toUInt().div(other.toUInt())\n   /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun div(other: UInt): UInt = this.toUInt().div(other)\n   /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun div(other: ULong): ULong = this.toULong().div(other)\n\n   /**\n   * Calculates the remainder of truncating division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UByte): UInt = this.toUInt().rem(other.toUInt())\n   /**\n   * Calculates the remainder of truncating division of this value by the other
 value.\n   * \n   * The result is always less than the divisor.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UShort): UInt = this.toUInt().rem(other.toUInt())\n   /**\n   * Calculates the remainder of truncating division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UInt): UInt = this.toUInt().rem(other)\n   /**\n   * Calculates the remainder of truncating division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n   /**\n   * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring division and truncating division are
 the same.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun floorDiv(other: UByte): UInt = this.toUInt().floorDiv(other.toUInt())\n   /**\n   * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring division and truncating division are the same.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun floorDiv(other: UShort): UInt = this.toUInt().floorDiv(other.toUInt())\n   /**\n   * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring

division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UInt): UInt = this.toUInt().floorDiv(other)\n /**\n * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: ULong): ULong = this.toULong().floorDiv(other)\n\n /**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UByte): UByte = this.toUInt().mod(other.toUInt()).toUByte()\n /**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UShort): UShort = this.toUInt().mod(other.toUInt()).toUShort()\n /**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UInt): UInt = this.toUInt().mod(other)\n /**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun mod(other: ULong): ULong = this.toULong().mod(other)\n\n /**\n * Returns this value incremented by one.\n *\n * @sample samples.misc.Builtins.inc\n */\n @kotlin.internal.InlineOnly\n public inline operator fun inc(): UByte = UByte(data.inc())\n\n /**\n * Returns this value decremented by one.\n *\n * @sample samples.misc.Builtins.dec\n */\n @kotlin.internal.InlineOnly\n public inline operator fun dec(): UByte = UByte(data.dec())\n\n /** Creates a range from this value to the specified [other] value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rangeTo(other: UByte): UIntRange = UIntRange(this.toUInt(), other.toUInt())\n\n /** Performs a bitwise AND operation between the two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun and(other: UByte): UByte = UByte(this.data and other.data)\n /** Performs a bitwise OR operation between the two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun or(other: UByte): UByte = UByte(this.data or other.data)\n /** Performs a bitwise XOR operation between the two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun xor(other: UByte): UByte = UByte(this.data xor other.data)\n /** Inverts the bits in this value. */\n @kotlin.internal.InlineOnly\n public inline fun inv(): UByte = UByte(data.inv())\n\n /**\n * Converts this [UByte] value to [Byte].\n *\n * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same numerical value as this `UByte`. Otherwise the result is negative.\n *\n * The resulting `Byte` value has the same binary representation as this `UByte` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toByte(): Byte = data\n /**\n * Converts this [UByte] value to [Short].\n *\n * The resulting `Short` value represents the same numerical value as this `UByte`.\n *\n * The least significant 8 bits of the resulting `Short` value are the same as the bits of this `UByte` value,\n * whereas the most significant 8 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toShort(): Short = data.toShort() and 0xFF\n /**\n * Converts this [UByte] value to [Int].\n *\n * The resulting `Int` value represents the same numerical value as this `UByte`.\n *\n * The least significant 8 bits of the resulting `Int` value are the same as the bits of this `UByte` value,\n * whereas the most significant 24 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toInt(): Int = data.toInt() and 0xFF\n /**\n * Converts this [UByte] value to [Long].\n *\n * The resulting `Long` value represents the same numerical value as this `UByte`.\n *\n * The least significant 8 bits of the resulting `Long` value are the same as the bits of this `UByte` value,\n * whereas the most significant 56 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toLong(): Long = data.toLong() and 0xFF\n\n /** Returns this value. */\n

@kotlin.internal.InlineOnly\n public inline fun toUByte(): UByte = this\n /**\n * Converts this [UByte] value to [UShort].\n *\n * The resulting `UShort` value represents the same numerical value as this `UByte`.\n *\n * The least significant 8 bits of the resulting `UShort` value are the same as the bits of this `UByte` value,\n * whereas the most significant 8 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUShort(): UShort = UShort(data.toShort() and 0xFF)\n /**\n * Converts this [UByte] value to [UInt].\n *\n * The resulting `UInt` value represents the same numerical value as this `UByte`.\n *\n * The least significant 8 bits of the resulting `UInt` value are the same as the bits of this `UByte` value,\n * whereas the most significant 24 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUInt(): UInt = UInt(data.toInt() and 0xFF)\n

/**\n * Converts this [UByte] value to [ULong].\n *\n * The resulting `ULong` value represents the same numerical value as this `UByte`.\n *\n * The least significant 8 bits of the resulting `ULong` value are the same as the bits of this `UByte` value,\n * whereas the most significant 56 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toULong(): ULong = ULong(data.toLong() and 0xFF)\n\n /**\n * Converts this [UByte] value to [Float].\n *\n * The resulting `Float` value represents the same numerical value as this `UByte`.\n */\n @kotlin.internal.InlineOnly\n public inline fun toFloat(): Float = this.toInt().toFloat()\n /**\n * Converts this [UByte] value to [Double].\n *\n * The resulting `Double` value represents the same numerical value as this `UByte`.\n */\n @kotlin.internal.InlineOnly\n public inline fun toDouble(): Double = this.toInt().toDouble()\n\n public

override fun toString(): String = toInt().toString()\n\n}\n\n/**\n * Converts this [Byte] value to [UByte].\n *\n * If this value is positive, the resulting `UByte` value represents the same numerical value as this `Byte`.\n *\n * The resulting `UByte` value has the same binary representation as this `Byte` value.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.toUByte(): UByte = UByte(this)\n/**\n * Converts this [Short] value to [UByte].\n *\n * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `Short`.\n *\n * The resulting `UByte` value is represented by the least significant 8 bits of this `Short` value.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Short.toUByte(): UByte = UByte(this.toByte())\n/**\n * Converts this [Int]

value to [UByte].\n *\n * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `Int`.\n *\n * The resulting `UByte` value is represented by the least significant 8 bits of this `Int` value.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Int.toUByte(): UByte = UByte(this.toByte())\n/**\n * Converts this [Long] value to [UByte].\n *\n * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `Long`.\n *\n * The resulting `UByte` value is represented by the least significant 8 bits of this `Long` value.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Long.toUByte(): UByte = UByte(this.toByte())\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and

Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.experimental.*\nimport kotlin.jvm.*\n\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@JvmInline\npublic value class UInt @PublishedApi internal constructor(@PublishedApi internal val data: Int) : Comparable<UInt> {\n\n companion object {\n /**\n * A constant holding the minimum value an instance of UInt can have.\n */\n public const val MIN_VALUE: UInt = UInt(0)\n\n /**\n * A constant holding the maximum value an instance of UInt can have.\n */\n public const val MAX_VALUE: UInt = UInt(-1)\n\n /**\n * The number of bytes used to represent an instance of UInt in a binary form.\n

```
 */\n        public const val SIZE_BYTES: Int = 4\n\n
 /**\n         * The number of bits used to represent an instance of UInt in a binary form.\n         */\n        public const val SIZE_BITS: Int = 32\n    }\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UByte): Int = this.compareTo(other.toUInt())\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UShort): Int = this.compareTo(other.toUInt())\n\n    /**\n     * Compares this value with the specified value for order.\n
     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    @Suppress(\"OVERRIDE_BY_INLINE\")\n    public override inline operator fun compareTo(other: UInt): Int = uintCompare(this.data, other.data)\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n    /** Adds the other value to this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UByte): UInt = this.plus(other.toUInt())\n    /** Adds the other value to this value. */\n    @kotlin.internal.InlineOnly\n
    public inline operator fun plus(other: UShort): UInt = this.plus(other.toUInt())\n    /** Adds the other value to this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UInt): UInt = UInt(this.data.plus(other.data))\n    /** Adds the other value to this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n    /** Subtracts the other value from this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UByte): UInt = this.minus(other.toUInt())\n    /** Subtracts the other value from this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UShort): UInt = this.minus(other.toUInt())\n    /** Subtracts the other value from this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UInt): UInt = UInt(this.data.minus(other.data))\n    /** Subtracts the other value from
    this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: ULong): ULong = this.toULong().minus(other)\n\n    /** Multiplies this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UByte): UInt = this.times(other.toUInt())\n    /** Multiplies this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UShort): UInt = this.times(other.toUInt())\n    /** Multiplies this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UInt): UInt = UInt(this.data.times(other.data))\n    /** Multiplies this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: ULong): ULong = this.toULong().times(other)\n\n    /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n    @kotlin.internal.InlineOnly\n    public
    inline operator fun div(other: UByte): UInt = this.div(other.toUInt())\n    /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UShort): UInt = this.div(other.toUInt())\n    /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UInt): UInt = uintDivide(this, other)\n    /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: ULong): ULong = this.toULong().div(other)\n\n    /**\n     * Calculates the remainder of truncating division of this value by the other value.\n     * \n     * The result is always less than the divisor.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other:
    UByte): UInt = this.rem(other.toUInt())\n    /**\n     * Calculates the remainder of truncating division of this value by the other value.\n     * \n     * The result is always less than the divisor.\n     */\n    @kotlin.internal.InlineOnly\n
```

public inline operator fun rem(other: UShort): UInt = this.rem(other.toUInt())\n /**\n * Calculates the remainder of truncating division of this value by the other value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UInt): UInt = uintRemainder(this, other)\n /**\n * Calculates the remainder of truncating division of this value by the other value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n /**\n * Divides this value by the other value, flooring the result to an integer that is
closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UByte): UInt = this.floorDiv(other.toUInt())\n /**\n * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UShort): UInt = this.floorDiv(other.toUInt())\n /**\n * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UInt): UInt = div(other)\n /**\n * Divides this value
by the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: ULong): ULong = this.toULong().floorDiv(other)\n\n /**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UByte): UByte = this.mod(other.toUInt()).toUByte()\n /**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the same.\n
*/\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UShort): UShort = this.mod(other.toUInt()).toUShort()\n /**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UInt): UInt = rem(other)\n /**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun mod(other: ULong): ULong = this.toULong().mod(other)\n\n /**\n * Returns this value incremented by one.\n *\n * @sample samples.misc.Builtins.inc\n */\n
@kotlin.internal.InlineOnly\n public inline operator fun inc(): UInt = UInt(data.inc())\n\n /**\n * Returns this value decremented by one.\n *\n * @sample samples.misc.Builtins.dec\n */\n @kotlin.internal.InlineOnly\n public inline operator fun dec(): UInt = UInt(data.dec())\n\n /** Creates a range from this value to the specified [other] value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rangeTo(other: UInt): UIntRange = UIntRange(this, other)\n\n /**\n * Shifts this value left by the [bitCount] number of bits.\n *\n * Note that only the five lowest-order bits of the [bitCount] are used as the shift distance.\n * The shift distance actually used is therefore always in the range `0..31`.\n */\n @kotlin.internal.InlineOnly\n public inline infix fun shl(bitCount: Int): UInt = UInt(data shl bitCount)\n\n /**\n * Shifts this value right by the [bitCount] number of bits, filling the leftmost bits
with zeros.\n *\n * Note that only the five lowest-order bits of the [bitCount] are used as the shift distance.\n * The shift distance actually used is therefore always in the range `0..31`.\n */\n @kotlin.internal.InlineOnly\n public inline infix fun shr(bitCount: Int): UInt = UInt(data ushr bitCount)\n\n /** Performs a bitwise AND operation between the two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun and(other: UInt): UInt = UInt(this.data and other.data)\n /** Performs a bitwise OR operation between the two values. */\n

@kotlin.internal.InlineOnly\n public inline infix fun or(other: UInt): UInt = UInt(this.data or other.data)\n /** Performs a bitwise XOR operation between the two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun xor(other: UInt): UInt = UInt(this.data xor other.data)\n /** Inverts the bits in this value. */\n @kotlin.internal.InlineOnly\n public inline fun inv(): UInt
= UInt(data.inv())\n\n /**\n * Converts this [UInt] value to [Byte].\n *\n * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same numerical value as this `UInt`.\n *\n * The resulting `Byte` value is represented by the least significant 8 bits of this `UInt` value.\n * Note that the resulting `Byte` value may be negative.\n */\n @kotlin.internal.InlineOnly\n public inline fun toByte(): Byte = data.toByte()\n /**\n * Converts this [UInt] value to [Short].\n *\n * If this value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value represents\n * the same numerical value as this `UInt`.\n *\n * The resulting `Short` value is represented by the least significant 16 bits of this `UInt` value.\n * Note that the resulting `Short` value may be negative.\n */\n @kotlin.internal.InlineOnly\n public inline fun toShort(): Short = data.toShort()\n
/**\n * Converts this [UInt] value to [Int].\n *\n * If this value is less than or equals to [Int.MAX_VALUE], the resulting `Int` value represents\n * the same numerical value as this `UInt`. Otherwise the result is negative.\n *\n * The resulting `Int` value has the same binary representation as this `UInt` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toInt(): Int = data\n /**\n * Converts this [UInt] value to [Long].\n *\n * The resulting `Long` value represents the same numerical value as this `UInt`.\n *\n * The least significant 32 bits of the resulting `Long` value are the same as the bits of this `UInt` value,\n * whereas the most significant 32 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toLong(): Long = data.toLong() and 0xFFFF_FFFF\n\n /**\n * Converts this [UInt] value to [UByte].\n *\n * If this value is less than or equals to
[UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `UInt`.\n *\n * The resulting `UByte` value is represented by the least significant 8 bits of this `UInt` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUByte(): UByte = data.toUByte()\n /**\n * Converts this [UInt] value to [UShort].\n *\n * If this value is less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\n * the same numerical value as this `UInt`.\n *\n * The resulting `UShort` value is represented by the least significant 16 bits of this `UInt` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUShort(): UShort = data.toUShort()\n /** Returns this value. */\n @kotlin.internal.InlineOnly\n public inline fun toUInt(): UInt = this\n /**\n * Converts this [UInt] value to [ULong].\n *\n * The resulting `ULong` value represents the same numerical value
as this `UInt`.\n *\n * The least significant 32 bits of the resulting `ULong` value are the same as the bits of this `UInt` value,\n * whereas the most significant 32 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toULong(): ULong = ULong(data.toLong() and 0xFFFF_FFFF)\n\n /**\n * Converts this [UInt] value to [Float].\n *\n * The resulting value is the closest `Float` to this `UInt` value.\n * In case when this `UInt` value is exactly between two `Float`s,\n * the one with zero at least significant bit of mantissa is selected.\n */\n @kotlin.internal.InlineOnly\n public inline fun toFloat(): Float = this.toDouble().toFloat()\n /**\n * Converts this [UInt] value to [Double].\n *\n * The resulting `Double` value represents the same numerical value as this `UInt`.\n */\n @kotlin.internal.InlineOnly\n public inline fun toDouble(): Double = uintToDouble(data)\n\n public
override fun toString(): String = toLong().toString()\n\n}\n\n/**\n * Converts this [Byte] value to [UInt].\n *\n * If this value is positive, the resulting `UInt` value represents the same numerical value as this `Byte`.\n *\n * The least significant 8 bits of the resulting `UInt` value are the same as the bits of this `Byte` value,\n * whereas the most significant 24 bits are filled with the sign bit of this value.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.toUInt(): UInt = UInt(this.toInt())\n/**\n * Converts this [Short] value to [UInt].\n *\n * If this value is positive, the resulting `UInt` value represents the same numerical value as this `Short`.\n *\n * The least significant 16 bits of the resulting `UInt` value are the same as the bits of this `Short` value,\n * whereas the most

significant 16 bits are filled with the sign bit of this value.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun Short.toUInt(): UInt = UInt(this.toInt())\n/**\n * Converts this [Int] value to [UInt].\n *\n * If this value is positive, the resulting `UInt` value represents the same numerical value as this `Int`.\n *\n * The resulting `UInt` value has the same binary representation as this `Int` value.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Int.toUInt(): UInt = UInt(this)\n/**\n * Converts this [Long] value to [UInt].\n *\n * If this value is positive and less than or equals to [UInt.MAX_VALUE], the resulting `UInt` value represents\n * the same numerical value as this `Long`.\n *\n * The resulting `UInt` value is represented by the least significant 32 bits of this `Long` value.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Long.toUInt(): UInt =
UInt(this.toInt())\n\n/**\n * Converts this [Float] value to [UInt].\n *\n * The fractional part, if any, is rounded down towards zero.\n * Returns zero if this `Float` value is negative or `NaN`, [UInt.MAX_VALUE] if it's bigger than `UInt.MAX_VALUE`.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Float.toUInt(): UInt = doubleToUInt(this.toDouble())\n/**\n * Converts this [Double] value to [UInt].\n *\n * The fractional part, if any, is rounded down towards zero.\n * Returns zero if this `Double` value is negative or `NaN`, [UInt.MAX_VALUE] if it's bigger than `UInt.MAX_VALUE`.\n
/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Double.toUInt(): UInt = doubleToUInt(this)\n","/\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.experimental.*\nimport kotlin.jvm.*\n\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@JvmInline\npublic value class UShort @PublishedApi internal constructor(@PublishedApi internal val data: Short) : Comparable<UShort> {\n\n   companion object {\n   /**\n   * A constant holding the minimum value an instance of UShort can have.\n   */\n   public const val MIN_VALUE: UShort = UShort(0)\n\n   /**\n   * A constant holding the maximum value an instance of UShort can have.\n   */\n   public const val MAX_VALUE: UShort = UShort(-1)\n\n   /**\n   * The number of bytes used to represent an instance of UShort in a binary form.\n   */\n   public const val SIZE_BYTES: Int = 2\n\n   /**\n   * The number of bits used to represent an instance of UShort in a binary form.\n
         */\n   public const val SIZE_BITS: Int = 16\n   }\n\n   /**\n   * Compares this value with the specified value for order.\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n   * or a positive number if it's greater than other.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun compareTo(other: UByte): Int = this.toInt().compareTo(other.toInt())\n\n   /**\n   * Compares this value with the specified value for order.\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n   * or a positive number if it's greater than other.\n   */\n   @kotlin.internal.InlineOnly\n   @Suppress(\"OVERRIDE_BY_INLINE\")\n   public override inline operator fun compareTo(other: UShort): Int = this.toInt().compareTo(other.toInt())\n\n   /**\n   * Compares this value with the specified value for order.\n   * Returns zero if
this value is equal to the specified other value, a negative number if it's less than other,\n   * or a positive number if it's greater than other.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun compareTo(other: UInt): Int = this.toUInt().compareTo(other)\n\n   /**\n   * Compares this value with the specified value for order.\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n   * or a positive number if it's greater than other.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n   /** Adds the other value to this value. */\n

@kotlin.internal.InlineOnly\n public inline operator fun plus(other: UByte): UInt = this.toUInt().plus(other.toUInt())\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UShort): UInt = this.toUInt().plus(other.toUInt())\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UInt): UInt = this.toUInt().plus(other)\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UByte): UInt = this.toUInt().minus(other.toUInt())\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UShort): UInt = this.toUInt().minus(other.toUInt())\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: ULong): ULong = this.toULong().minus(other)\n\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UByte): UInt = this.toUInt().times(other.toUInt())\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UShort): UInt = this.toUInt().times(other.toUInt())\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: ULong): ULong = this.toULong().times(other)\n\n /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UByte): UInt = this.toUInt().div(other.toUInt())\n /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UShort): UInt = this.toUInt().div(other.toUInt())\n /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UInt): UInt = this.toUInt().div(other)\n /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: ULong): ULong = this.toULong().div(other)\n\n /**\n * Calculates the remainder of truncating division of this value by the other value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UByte): UInt = this.toUInt().rem(other.toUInt())\n /**\n * Calculates the remainder of truncating division of this value by the other value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UShort): UInt = this.toUInt().rem(other.toUInt())\n /**\n * Calculates the remainder of truncating division of this value by the other value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UInt): UInt = this.toUInt().rem(other)\n /**\n * Calculates the remainder of truncating division of this value by the other value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n /**\n * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UByte): UInt = this.toUInt().floorDiv(other.toUInt())\n /**\n * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UShort): UInt = this.toUInt().floorDiv(other.toUInt())\n /**\n * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun

floorDiv(other: UInt): UInt = this.toUInt().floorDiv(other)\n   /**\n
* Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n   * \n
* For unsigned types, the results of flooring division and truncating division are the same.\n   */\n
@kotlin.internal.InlineOnly\n   public inline fun floorDiv(other: ULong): ULong =
this.toULong().floorDiv(other)\n\n   /**\n   * Calculates the remainder of flooring division of this value by the
other value.\n   * \n   * The result is always less than the divisor.\n   * \n   * For unsigned types, the remainders
of flooring division and truncating division are the same.\n   */\n   @kotlin.internal.InlineOnly\n   public inline
fun mod(other: UByte): UByte = this.toUInt().mod(other.toUInt()).toUByte()\n   /**\n   * Calculates the remainder
of flooring division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   * \n
* For unsigned types, the remainders of flooring division and truncating
division are the same.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun mod(other: UShort): UShort =
this.toUInt().mod(other.toUInt()).toUShort()\n   /**\n   * Calculates the remainder of flooring division of this
value by the other value.\n   * \n   * The result is always less than the divisor.\n   * \n   * For unsigned types, the
remainders of flooring division and truncating division are the same.\n   */\n   @kotlin.internal.InlineOnly\n
public inline fun mod(other: UInt): UInt = this.toUInt().mod(other)\n   /**\n   * Calculates the remainder of
flooring division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   * \n
* For unsigned types, the remainders of flooring division and truncating division are the same.\n   */\n
@kotlin.internal.InlineOnly\n   public inline fun mod(other: ULong): ULong = this.toULong().mod(other)\n\n
/**\n   * Returns this value incremented by one.\n
*\n   * @sample samples.misc.Builtins.inc\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun
inc(): UShort = UShort(data.inc())\n\n   /**\n   * Returns this value decremented by one.\n   *\n   * @sample
samples.misc.Builtins.dec\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun dec(): UShort =
UShort(data.dec())\n\n   /** Creates a range from this value to the specified [other] value. */\n
@kotlin.internal.InlineOnly\n   public inline operator fun rangeTo(other: UShort): UIntRange =
UIntRange(this.toUInt(), other.toUInt())\n\n   /** Performs a bitwise AND operation between the two values. */\n
@kotlin.internal.InlineOnly\n   public inline infix fun and(other: UShort): UShort = UShort(this.data and
other.data)\n   /** Performs a bitwise OR operation between the two values. */\n   @kotlin.internal.InlineOnly\n
public inline infix fun or(other: UShort): UShort = UShort(this.data or other.data)\n   /** Performs a
bitwise XOR operation between the two values. */\n   @kotlin.internal.InlineOnly\n   public inline infix fun
xor(other: UShort): UShort = UShort(this.data xor other.data)\n   /** Inverts the bits in this value. */\n
@kotlin.internal.InlineOnly\n   public inline fun inv(): UShort = UShort(data.inv())\n\n   /**\n   * Converts this
[UShort] value to [Byte].\n   *\n   * If this value is less than or equals to [Byte.MAX_VALUE], the resulting
`Byte` value represents\n   * the same numerical value as this `UShort`.\n   *\n   * The resulting `Byte` value is
represented by the least significant 8 bits of this `UShort` value.\n   * Note that the resulting `Byte` value may be
negative.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toByte(): Byte = data.toByte()\n   /**\n   *
Converts this [UShort] value to [Short].\n   *\n   * If this value is less than or equals to [Short.MAX_VALUE],
the resulting `Short` value represents\n   * the same numerical
value as this `UShort`. Otherwise the result is negative.\n   *\n   * The resulting `Short` value has the same binary
representation as this `UShort` value.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toShort(): Short =
data\n   /**\n   * Converts this [UShort] value to [Int].\n   *\n   * The resulting `Int` value represents the same
numerical value as this `UShort`.\n   *\n   * The least significant 16 bits of the resulting `Int` value are the same as
the bits of this `UShort` value,\n   * whereas the most significant 16 bits are filled with zeros.\n   */\n
@kotlin.internal.InlineOnly\n   public inline fun toInt(): Int = data.toInt() and 0xFFFF\n   /**\n   * Converts this
[UShort] value to [Long].\n   *\n   * The resulting `Long` value represents the same numerical value as this
`UShort`.\n   *\n   * The least significant 16 bits of the resulting `Long` value are the same as the bits of this
`UShort` value,\n   * whereas the most
significant 48 bits are filled with zeros.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toLong(): Long
= data.toLong() and 0xFFFF\n\n   /**\n   * Converts this [UShort] value to [UByte].\n   *\n   * If this value is

less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `UShort`.\n *\n * The resulting `UByte` value is represented by the least significant 8 bits of this `UShort` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUByte(): UByte = data.toUByte()\n /** Returns this value. */\n @kotlin.internal.InlineOnly\n public inline fun toUShort(): UShort = this\n /**\n * Converts this [UShort] value to [UInt].\n *\n * The resulting `UInt` value represents the same numerical value as this `UShort`.\n *\n * The least significant 16 bits of the resulting `UInt` value are the same as the bits of this `UShort` value,\n * whereas
the most significant 16 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUInt(): UInt = UInt(data.toInt() and 0xFFFF)\n /**\n * Converts this [UShort] value to [ULong].\n *\n * The resulting `ULong` value represents the same numerical value as this `UShort`.\n *\n * The least significant 16 bits of the resulting `ULong` value are the same as the bits of this `UShort` value,\n * whereas the most significant 48 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toULong(): ULong = ULong(data.toLong() and 0xFFFF)\n\n /**\n * Converts this [UShort] value to [Float].\n *\n * The resulting `Float` value represents the same numerical value as this `UShort`.\n */\n @kotlin.internal.InlineOnly\n public inline fun toFloat(): Float = this.toInt().toFloat()\n /**\n * Converts this [UShort] value to [Double].\n *\n * The resulting `Double` value
represents the same numerical value as this `UShort`.\n */\n @kotlin.internal.InlineOnly\n public inline fun toDouble(): Double = this.toInt().toDouble()\n\n public override fun toString(): String = toInt().toString()\n\n}\n\n/**\n * Converts this [Byte] value to [UShort].\n *\n * If this value is positive, the resulting `UShort` value represents the same numerical value as this `Byte`.\n *\n * The least significant 8 bits of the resulting `UShort` value are the same as the bits of this `Byte` value,\n * whereas the most significant 8 bits are filled with the sign bit of this value.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.toUShort(): UShort = UShort(this.toShort())\n/**\n * Converts this [Short] value to [UShort].\n *\n * If this value is positive, the resulting `UShort` value represents the same numerical value as this `Short`.\n *\n * The resulting `UShort` value has the same binary
representation as this `Short` value.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Short.toUShort(): UShort = UShort(this)\n/**\n * Converts this [Int] value to [UShort].\n *\n * If this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\n * the same numerical value as this `Int`.\n *\n * The resulting `UShort` value is represented by the least significant 16 bits of this `Int` value.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Int.toUShort(): UShort = UShort(this.toShort())\n/**\n * Converts this [Long] value to [UShort].\n *\n * If this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\n * the same numerical value as this `Long`.\n *\n * The resulting `UShort` value is represented by the least significant 16
bits of this `Long` value.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Long.toUShort(): UShort = UShort(this.toShort())\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n/**\n * A range of values of type `Char`.\n */\npublic class CharRange(start: Char, endInclusive: Char) : CharProgression(start, endInclusive, 1), ClosedRange<Char> {\n override val start: Char get() = first\n override val endInclusive: Char get() = last\n\n override fun contains(value: Char): Boolean = first <= value && value <= last\n\n /** \n * Checks whether the range is empty.\n *\n * The range is empty if its start value is greater than the end value.\n */\n override fun

```
 isEmpty(): Boolean = first > last\n\n    override fun equals(other: Any?): Boolean =\n        other is CharRange &&
(isEmpty() && other.isEmpty() ||\n        first == other.first && last == other.last)\n\n    override fun hashCode(): Int
=\n        if (isEmpty()) -1 else (31 * first.code + last.code)\n\n    override fun toString(): String = \"$first..$last\"\n\n
companion object {\n        /** An empty range of values of type Char. */\n        public val EMPTY: CharRange =
CharRange(1.toChar(), 0.toChar())\n    }\n}\n\n/**\n * A range of values of type `Int`.\n */\npublic class
IntRange(start: Int, endInclusive: Int) : IntProgression(start, endInclusive, 1), ClosedRange<Int> {\n    override val
start: Int get() = first\n    override val endInclusive: Int get() = last\n\n    override fun contains(value: Int): Boolean =
first <= value && value <= last\n\n    /** \n     * Checks whether the range is empty.\n     *\n     * The range is empty
if its start value is greater than the end value.\n
     */\n    override fun isEmpty(): Boolean = first > last\n\n    override fun equals(other: Any?): Boolean =\n
other is IntRange && (isEmpty() && other.isEmpty() ||\n        first == other.first && last == other.last)\n\n
override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * first + last)\n\n    override fun toString(): String =
\"$first..$last\"\n\n    companion object {\n        /** An empty range of values of type Int. */\n        public val
EMPTY: IntRange = IntRange(1, 0)\n    }\n}\n\n/**\n * A range of values of type `Long`.\n */\npublic class
LongRange(start: Long, endInclusive: Long) : LongProgression(start, endInclusive, 1), ClosedRange<Long> {\n
override val start: Long get() = first\n    override val endInclusive: Long get() = last\n\n    override fun
contains(value: Long): Boolean = first <= value && value <= last\n\n    /** \n     * Checks whether the range is
empty.\n     *\n     * The range is empty if its start value is greater than
 the end value.\n     */\n    override fun isEmpty(): Boolean = first > last\n\n    override fun equals(other: Any?):
Boolean =\n        other is LongRange && (isEmpty() && other.isEmpty() ||\n        first == other.first && last ==
other.last)\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * (first xor (first ushr 32)) + (last xor
(last ushr 32))).toInt()\n\n    override fun toString(): String = \"$first..$last\"\n\n    companion object {\n        /** An
empty range of values of type Long. */\n        public val EMPTY: LongRange = LongRange(1, 0)\n    }\n}\n\n","/*\n
* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n@file:OptIn(kotlin.exper
imental.ExperimentalTypeInference::class)\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\nimport
 kotlin.random.Random\n\ninternal object EmptyIterator : ListIterator<Nothing> {\n    override fun hasNext():
Boolean = false\n    override fun hasPrevious(): Boolean = false\n    override fun nextIndex(): Int = 0\n    override
fun previousIndex(): Int = -1\n    override fun next(): Nothing = throw NoSuchElementException()\n    override fun
previous(): Nothing = throw NoSuchElementException()\n}\n\ninternal object EmptyList : List<Nothing>,
Serializable, RandomAccess {\n    private const val serialVersionUID: Long = -7390468764508069838L\n\n
override fun equals(other: Any?): Boolean = other is List<*> && other.isEmpty()\n    override fun hashCode(): Int
= 1\n    override fun toString(): String = \"[]\"\n\n    override val size: Int get() = 0\n    override fun isEmpty():
Boolean = true\n    override fun contains(element: Nothing): Boolean = false\n    override fun containsAll(elements:
Collection<Nothing>): Boolean = elements.isEmpty()\n\n    override fun get(index:
 Int): Nothing = throw IndexOutOfBoundsException(\"Empty list doesn't contain element at index $index.\")\n
override fun indexOf(element: Nothing): Int = -1\n    override fun lastIndexOf(element: Nothing): Int = -1\n\n
override fun iterator(): Iterator<Nothing> = EmptyIterator\n    override fun listIterator(): ListIterator<Nothing> =
EmptyIterator\n    override fun listIterator(index: Int): ListIterator<Nothing> {\n        if (index != 0) throw
IndexOutOfBoundsException(\"Index: $index\")\n        return EmptyIterator\n    }\n\n    override fun
subList(fromIndex: Int, toIndex: Int): List<Nothing> {\n        if (fromIndex == 0 && toIndex == 0) return this\n
throw IndexOutOfBoundsException(\"fromIndex: $fromIndex, toIndex: $toIndex\")\n    }\n\n    private fun
readResolve(): Any = EmptyList\n}\n\ninternal fun <T> Array<out T>.asCollection(): Collection<T> =
ArrayAsCollection(this, isVarargs = false)\n\nprivate class ArrayAsCollection<T>(val values: Array<out T>, val
isVarargs:
 Boolean) : Collection<T> {\n    override val size: Int get() = values.size\n    override fun isEmpty(): Boolean =
values.isEmpty()\n    override fun contains(element: T): Boolean = values.contains(element)\n    override fun
```

containsAll(elements: Collection<T>): Boolean = elements.all { contains(it) }\n   override fun iterator(): Iterator<T> = values.iterator()\n   // override hidden toArray implementation to prevent copying of values array\n public fun toArray(): Array<out Any?> = values.copyToArrayOfAny(isVarargs)\n}\n\n/**\n * Returns an empty read-only list. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.emptyReadOnlyList\n */\npublic fun <T> emptyList(): List<T> = EmptyList\n\n/**\n * Returns a new read-only list of given elements. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.readOnlyList\n */\npublic fun <T> listOf(vararg elements: T): List<T> = if (elements.size > 0) elements.asList()
 else emptyList()\n\n/**\n * Returns an empty read-only list. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.emptyReadOnlyList\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> listOf(): List<T> = emptyList()\n\n/**\n * Returns an empty new [MutableList].\n * @sample samples.collections.Collections.Lists.emptyMutableList\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> mutableListOf(): MutableList<T> = ArrayList()\n\n/**\n * Returns an empty new [ArrayList].\n * @sample samples.collections.Collections.Lists.emptyArrayList\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> arrayListOf(): ArrayList<T> = ArrayList()\n\n/**\n * Returns a new [MutableList] with the given elements.\n * @sample samples.collections.Collections.Lists.mutableList\n */\npublic fun <T> mutableListOf(vararg elements: T): MutableList<T> =\n   if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements,
 isVarargs = true))\n\n/**\n * Returns a new [ArrayList] with the given elements.\n * @sample samples.collections.Collections.Lists.arrayList\n */\npublic fun <T> arrayListOf(vararg elements: T): ArrayList<T> =\n   if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs = true))\n\n/**\n * Returns a new read-only list either of single given element, if it is not null, or empty list if the element is null. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.listOfNotNull\n */\npublic fun <T : Any> listOfNotNull(element: T?): List<T> = if (element != null) listOf(element) else emptyList()\n\n/**\n * Returns a new read-only list only of those given elements, that are not null. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.listOfNotNull\n */\npublic fun <T : Any> listOfNotNull(vararg elements: T?): List<T> = elements.filterNotNull()\n\n/**\n * Creates
 a new read-only list with the specified [size], where each element is calculated by calling the specified\n * [init] function.\n *\n * The function [init] is called for each list element sequentially starting from the first one.\n * It should return the value for a list element given its index.\n *\n * @sample samples.collections.Collections.Lists.readOnlyListFromInitializer\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> List(size: Int, init: (index: Int) -> T): List<T> = MutableList(size, init)\n\n/**\n * Creates a new mutable list with the specified [size], where each element is calculated by calling the specified\n * [init] function.\n *\n * The function [init] is called for each list element sequentially starting from the first one.\n * It should return the value for a list element given its index.\n *\n * @sample samples.collections.Collections.Lists.mutableListFromInitializer\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline
 fun <T> MutableList(size: Int, init: (index: Int) -> T): MutableList<T> {\n   val list = ArrayList<T>(size)\n repeat(size) { index -> list.add(init(index)) }\n   return list\n}\n\n/**\n * Builds a new read-only [List] by populating a [MutableList] using the given [builderAction]\n * and returning a read-only list with the same elements.\n *\n * The list passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified behavior.\n *\n * The returned list is serializable (JVM).\n *\n * @sample samples.collections.Builders.Lists.buildListSample\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <E> buildList(@BuilderInference builderAction: MutableList<E>.() -> Unit): List<E> {\n   contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n   return buildListInternal(builderAction)\n}\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\ninter

nal
 expect inline fun <E> buildListInternal(builderAction: MutableList<E>.() -> Unit): List<E>\n\n/**\n * Builds a new read-only [List] by populating a [MutableList] using the given [builderAction]\n * and returning a read-only list with the same elements.\n *\n * The list passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified behavior.\n *\n * The returned list is serializable (JVM).\n *\n * [capacity] is used to hint the expected number of elements added in the [builderAction].\n *\n * @throws IllegalArgumentException if the given [capacity] is negative.\n *\n * @sample samples.collections.Builders.Lists.buildListSampleWithCapacity\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <E> buildList(capacity: Int, @BuilderInference builderAction: MutableList<E>.() -> Unit): List<E> {\n contract
 { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n   return buildListInternal(capacity, builderAction)\n}\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\ninternal expect inline fun <E> buildListInternal(capacity: Int, builderAction: MutableList<E>.() -> Unit): List<E>\n\n/**\n * Returns an [IntRange] of the valid indices for this collection.\n * @sample samples.collections.Collections.Collections.indicesOfCollection\n */\npublic val Collection<*>.indices: IntRange\n get() = 0..size - 1\n\n/**\n * Returns the index of the last item in the list or -1 if the list is empty.\n *\n * @sample samples.collections.Collections.Lists.lastIndexOfList\n */\npublic val <T> List<T>.lastIndex: Int\n   get() = this.size - 1\n\n/**\n * Returns `true` if the collection is not empty.\n * @sample samples.collections.Collections.Collections.collectionIsNotEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.isNotEmpty(): Boolean = !isEmpty()\n\n/**\n
 * Returns `true` if this nullable collection is either null or empty.\n * @sample samples.collections.Collections.Collections.collectionIsNullOrEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>?.isNullOrEmpty(): Boolean {\n   contract {\n   returns(false) implies (this@isNullOrEmpty != null)\n   }\n\n   return this == null || this.isEmpty()\n}\n\n/**\n * Returns this Collection if it's not `null` and the empty list otherwise.\n * @sample samples.collections.Collections.Collections.collectionOrEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>?.orEmpty(): Collection<T> = this ?: emptyList()\n\n/**\n * Returns this List if it's not `null` and the empty list otherwise.\n * @sample samples.collections.Collections.Lists.listOrEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>?.orEmpty(): List<T> = this ?: emptyList()\n\n/**\n * Returns this collection if it's not empty\n * or the
 result of calling [defaultValue] function if the collection is empty.\n *\n * @sample samples.collections.Collections.Collections.collectionIfEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : Collection<*>, C : R =\n   if (isEmpty()) defaultValue() else this\n\n\n/**\n * Checks if all elements in the specified collection are contained in this collection.\n *\n * Allows to overcome type-safety restriction of `containsAll` that requires to pass a collection of type `Collection<E>`.\n * @sample samples.collections.Collections.Collections.collectionContainsAll\n */\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning, extension takes precedence in some cases\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> Collection<T>.containsAll(elements: Collection<T>): Boolean = this.containsAll(elements)\n\n\n/**\n * Returns a new list with the elements of this list randomly
 shuffled\n * using the specified [random] instance as the source of randomness.\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> Iterable<T>.shuffled(random: Random): List<T> = toMutableList().apply { shuffle(random) }\n\n\ninternal fun <T> List<T>.optimizeReadOnlyList() = when (size) {\n 0 -> emptyList()\n   1 -> listOf(this[0])\n   else -> this\n}\n\n/**\n * Searches this list or its range for the provided [element] using the binary search algorithm.\n * The list is expected to be sorted into ascending order according to the Comparable natural ordering of its elements,\n * otherwise the result is undefined.\n *\n * If the list contains

multiple elements equal to the specified [element], there is no guarantee which one will be found.\n *\n * `null` value is considered to be less than any non-null value.\n *\n * @return the index of the element, if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\n * The insertion point is defined as the index at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains sorted.\n * @sample samples.collections.Collections.Lists.binarySearchOnComparable\n * @sample samples.collections.Collections.Lists.binarySearchWithBoundaries\n */\npublic fun <T : Comparable<T>> List<T?>.binarySearch(element: T?, fromIndex: Int = 0, toIndex: Int = size): Int {\n rangeCheck(size, fromIndex, toIndex)\n\n var low = fromIndex\n var high = toIndex - 1\n\n while (low <= high) {\n val mid = (low + high).ushr(1) // safe from overflows\n val midVal = get(mid)\n val cmp = compareValues(midVal, element)\n\n if (cmp < 0)\n low = mid + 1\n else if (cmp > 0)\n high = mid - 1\n else\n return mid // key found\n }\n return -(low + 1) // key not found\n}\n\n/**\n * Searches this list or its range for the provided [element] using the binary search algorithm.\n * The list is expected to be sorted into ascending order according to the specified [comparator],\n * otherwise the result is undefined.\n *\n * If the list contains multiple elements equal to the specified [element], there is no guarantee which one will be found.\n *\n * `null` value is considered to be less than any non-null value.\n *\n * @return the index of the element, if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\n * The insertion point is defined as the index at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains sorted according to the specified [comparator].\n * @sample samples.collections.Collections.Lists.binarySearchWithComparator\n */\npublic fun <T> List<T>.binarySearch(element: T, comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Int {\n rangeCheck(size, fromIndex, toIndex)\n\n var low = fromIndex\n var high = toIndex - 1\n\n while (low <= high) {\n val mid = (low + high).ushr(1) // safe from overflows\n val midVal = get(mid)\n val cmp = comparator.compare(midVal, element)\n\n if (cmp < 0)\n low = mid + 1\n else if (cmp > 0)\n high = mid - 1\n else\n return mid // key found\n }\n return -(low + 1) // key not found\n}\n\n/**\n * Searches this list or its range for an element having the key returned by the specified [selector] function\n * equal to the provided [key] value using the binary search algorithm.\n * The list is expected to be sorted into ascending order according to the Comparable natural ordering of keys of its elements.\n * otherwise the result is undefined.\n *\n * If the list contains multiple elements with the specified [key], there is no guarantee which one will be found.\n *\n * `null` value is considered to be less than any non-null value.\n *\n * @return the index of the element with the specified [key], if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\n * The insertion point is defined as the index at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains sorted.\n * @sample samples.collections.Collections.Lists.binarySearchByKey\n */\npublic inline fun <T, K : Comparable<K>> List<T>.binarySearchBy(\n key: K?,\n fromIndex: Int = 0,\n toIndex: Int = size,\n crossinline selector: (T) -> K?\n): Int =\n binarySearch(fromIndex, toIndex) { compareValues(selector(it), key) }\n\n// do not introduce this overload --- too rare\n//public fun <T, K> List<T>.binarySearchBy(key: K, comparator: Comparator<K>, fromIndex: Int = 0, toIndex: Int = size(), selector: (T) -> K): Int =\n// binarySearch(fromIndex, toIndex) { comparator.compare(selector(it), key) }\n\n\n/**\n * Searches this list or its range for an element for which the given [comparison] function returns zero using the binary search algorithm.\n *\n * The list is expected to be sorted so that the signs of the [comparison] function's return values ascend on the list elements,\n * i.e. negative values come before zero and zeroes come before positive values.\n * Otherwise, the result is undefined.\n *\n * If the list contains multiple elements for which [comparison] returns zero, there is no guarantee which one will be found.\n *\n * @param comparison function that returns zero when called on the list element being searched.\n * On the elements coming before the target element, the function must return negative values;\n * on the elements coming after the target element, the function must return positive values.\n *\n * @return the index of the found element, if it is contained in the list within the specified range;\n * otherwise, the inverted insertion

point `(-insertion point - 1)`.\n * The insertion point is defined as the index
at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains sorted.\n * @sample samples.collections.Collections.Lists.binarySearchWithComparisonFunction\n */\npublic fun <T> List<T>.binarySearch(fromIndex: Int = 0, toIndex: Int = size, comparison: (T) -> Int): Int {\n rangeCheck(size, fromIndex, toIndex)\n\n var low = fromIndex\n var high = toIndex - 1\n\n while (low <= high) {\n val mid = (low + high).ushr(1) // safe from overflows\n val midVal = get(mid)\n val cmp = comparison(midVal)\n\n if (cmp < 0)\n low = mid + 1\n else if (cmp > 0)\n high = mid - 1\n else\n return mid // key found\n }\n return -(low + 1) // key not found\n}\n\n/**\n * Checks that `from` and `to` are in\n * the range of [0..size] and throws an appropriate exception, if they aren't.\n */\nprivate fun rangeCheck(size: Int, fromIndex: Int, toIndex: Int) {\n when {\n fromIndex > toIndex -> throw IllegalArgumentException(\"fromIndex ($fromIndex) is greater than toIndex ($toIndex).\")\n fromIndex < 0 -> throw IndexOutOfBoundsException(\"fromIndex ($fromIndex) is less than zero.\")\n toIndex > size -> throw IndexOutOfBoundsException(\"toIndex ($toIndex) is greater than size ($size).\")\n }\n}\n\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal expect fun checkIndexOverflow(index: Int): Int\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal expect fun checkCountOverflow(count: Int): Int\n\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal fun throwIndexOverflow() { throw ArithmeticException(\"Index overflow has happened.\") }\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal fun throwCountOverflow() { throw ArithmeticException(\"Count overflow has happened.\") }\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can
be found in the license/LICENSE.txt file.\n
/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"MapsKt\")\n@file:OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n\npackage kotlin.collections\n\nimport kotlin.contracts.\n\nprivate object EmptyMap : Map<Any?, Nothing>, Serializable {\n private const val serialVersionUID: Long = 8246714829545688274\n\n override fun equals(other: Any?): Boolean = other is Map<*, *> && other.isEmpty()\n override fun hashCode(): Int = 0\n override fun toString(): String = \"{}\"\n\n override val size: Int get() = 0\n override fun isEmpty(): Boolean = true\n\n override fun containsKey(key: Any?): Boolean = false\n override fun containsValue(value: Nothing): Boolean = false\n override fun get(key: Any?): Nothing? = null\n override val entries: Set<Map.Entry<Any?, Nothing>> get() = EmptySet\n override val keys: Set<Any?> get() = EmptySet\n override val values: Collection<Nothing> get() = EmptyList\n\n
private fun readResolve(): Any = EmptyMap\n}\n\n/**\n * Returns an empty read-only map of specified type.\n *\n * The returned map is serializable (JVM).\n * @sample
samples.collections.Maps.Instantiation.emptyReadOnlyMap\n */\npublic fun <K, V> emptyMap(): Map<K, V> = @Suppress(\"UNCHECKED_CAST\") (EmptyMap as Map<K, V>)\n\n/**\n * Returns a new read-only map with the specified contents, given as a list of pairs\n * where the first value is the key and the second is the value.\n *\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are iterated in the order they were specified.\n *\n * The returned map is serializable (JVM).\n *\n * @sample samples.collections.Maps.Instantiation.mapFromPairs\n */\npublic fun <K, V> mapOf(vararg pairs: Pair<K, V>): Map<K, V> =\n if (pairs.size > 0) pairs.toMap(LinkedHashMap(mapCapacity(pairs.size))) else emptyMap()\n\n/**\n * Returns an empty read-only map.\n
*\n * The returned map is serializable (JVM).\n * @sample
samples.collections.Maps.Instantiation.emptyReadOnlyMap\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> mapOf(): Map<K, V> = emptyMap()\n\n/**\n * Returns an empty new [MutableMap].\n *\n * The returned map preserves the entry iteration order.\n * @sample samples.collections.Maps.Instantiation.emptyMutableMap\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> mutableMapOf(): MutableMap<K, V> = LinkedHashMap()\n\n/**\n * Returns a new [MutableMap] with the specified contents, given as a list of pairs\n * where the first component is the key and the second is the value.\n *\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are

iterated in the order they were specified.\n *\n * @sample samples.collections.Maps.Instantiation.mutableMapFromPairs\n * @sample samples.collections.Maps.Instantiation.emptyMutableMap\n */\npublic fun <K, V> mutableMapOf(vararg pairs: Pair<K, V>): MutableMap<K, V> =\n   LinkedHashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }\n\n/**\n * Returns an empty new [HashMap].\n *\n * @sample samples.collections.Maps.Instantiation.emptyHashMap\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> hashMapOf(): HashMap<K, V> = HashMap<K, V>()\n\n/**\n * Returns a new [HashMap] with the specified contents, given as a list of pairs\n * where the first component is the key and the second is the value.\n *\n * @sample samples.collections.Maps.Instantiation.hashMapFromPairs\n */\npublic fun <K, V> hashMapOf(vararg pairs: Pair<K, V>): HashMap<K, V> = HashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }\n\n/**\n * Returns an empty new [LinkedHashMap].\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> linkedMapOf(): LinkedHashMap<K, V> = LinkedHashMap<K, V>()\n\n/**\n * Returns a new [LinkedHashMap]
with the specified contents, given as a list of pairs\n * where the first component is the key and the second is the value.\n *\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are iterated in the order they were specified.\n *\n * @sample samples.collections.Maps.Instantiation.linkedMapFromPairs\n */\npublic fun <K, V> linkedMapOf(vararg pairs: Pair<K, V>): LinkedHashMap<K, V> = pairs.toMap(LinkedHashMap(mapCapacity(pairs.size)))\n\n/**\n * Builds a new read-only [Map] by populating a [MutableMap] using the given [builderAction]\n * and returning a read-only map with the same key-value pairs.\n *\n * The map passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified behavior.\n *\n * Entries of the map are iterated in the order they were added by the [builderAction].\n *\n * The returned map is serializable (JVM).\n *\n * @sample samples.collections.Builders.Maps.buildMapSample\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> buildMap(@BuilderInference builderAction: MutableMap<K, V>.() -> Unit): Map<K, V> {\n   contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n   return buildMapInternal(builderAction)\n}\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\ninternal expect inline fun <K, V> buildMapInternal(builderAction: MutableMap<K, V>.() -> Unit): Map<K, V>\n\n/**\n * Builds a new read-only [Map] by populating a [MutableMap] using the given [builderAction]\n * and returning a read-only map with the same key-value pairs.\n *\n * The map passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified behavior.\n *\n * [capacity] is used to hint the expected number of pairs added in the [builderAction].\n *\n * Entries of the map are iterated in the order they were added by the [builderAction].\n *\n * The returned map is serializable (JVM).\n *\n * @throws IllegalArgumentException if the given [capacity] is negative.\n *\n * @sample samples.collections.Builders.Maps.buildMapSample\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> buildMap(capacity: Int, @BuilderInference builderAction: MutableMap<K, V>.() -> Unit): Map<K, V> {\n   contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n   return buildMapInternal(capacity, builderAction)\n}\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\ninternal expect inline fun <K, V> buildMapInternal(capacity: Int, builderAction: MutableMap<K, V>.() -> Unit): Map<K, V>\n\n/**\n * Calculate the initial capacity of a map.\n */\n@PublishedApi\ninternal expect fun mapCapacity(expectedSize: Int): Int\n\n/**\n * Returns
`true` if this map is not empty.\n * @sample samples.collections.Maps.Usage.mapIsNotEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.isNotEmpty(): Boolean = !isEmpty()\n\n/**\n * Returns `true` if this nullable map is either null or empty.\n * @sample samples.collections.Maps.Usage.mapIsNullOrEmpty\n

```
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>?.isNullOrEmpty(): Boolean {\n    contract {\n        returns(false) implies (this@isNullOrEmpty != null)\n    }\n\n    return this == null || isEmpty()\n}\n\n/**\n * Returns the [Map] if its not `null`, or the empty [Map] otherwise.\n *\n * @sample samples.collections.Maps.Usage.mapOrEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<K, V>?.orEmpty(): Map<K, V> = this ?: emptyMap()\n\n/**\n * Returns this map if it's not empty\n * or the result of calling [defaultValue] function if the map is empty.\n *\n * @sample samples.collections.Maps.Usage.mapIfEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <M, R> M.ifEmpty(defaultValue: () -> R): R where M : Map<*, *>, M : R =\n    if (isEmpty()) defaultValue() else this\n\n/**\n * Checks if the map contains the given key.\n *\n * This method allows to use the `x in map` syntax for checking whether an object is contained in the map.\n *\n * @sample samples.collections.Maps.Usage.containsKey\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.contains(key: K): Boolean = containsKey(key)\n\n/**\n * Returns the value corresponding to the given [key], or `null` if such a key is not present in the map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.get(key: K): V? =\n@Suppress(\"UNCHECKED_CAST\") (this as Map<K, V>).get(key)\n\n/**\n * Allows to use the index operator for storing values in a mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.set(key: K, value: V): Unit {\n    put(key, value)\n}\n\n/**\n * Returns `true` if the map contains the specified [key].\n *\n * Allows to overcome type-safety restriction of `containsKey` that requires to pass a key of type `K`.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes K> Map<out K, *>.containsKey(key: K): Boolean =\n@Suppress(\"UNCHECKED_CAST\") (this as Map<K, *>).containsKey(key)\n\n/**\n * Returns `true` if the map maps one or more keys to the specified [value].\n *\n * Allows to overcome type-safety restriction of `containsValue` that requires to pass a value of type `V`.\n *\n * @sample samples.collections.Maps.Usage.containsValue\n */\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning, extension takes precedence in some cases\n@kotlin.internal.InlineOnly\npublic inline fun <K, @kotlin.internal.OnlyInputTypes V> Map<K, V>.containsValue(value: V): Boolean\n    = this.containsValue(value)\n\n\n/**\n * Removes the specified key and its corresponding value from this map.\n *\n * @return the previous value associated with the key, or `null` if the key was not present in the map.\n\n * Allows to overcome type-safety restriction of `remove` that requires to pass a key of type `K`.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes K, V> MutableMap<out K, V>.remove(key: K): V? =\n    @Suppress(\"UNCHECKED_CAST\") (this as MutableMap<K, V>).remove(key)\n\n/**\n * Returns the key component of the map entry.\n *\n * This method allows to use destructuring declarations when working with maps, for example:\n * ```\n * for ((key, value) in map) {\n *     // do something with the key and the value\n * }\n * ```\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map.Entry<K, V>.component1(): K = key\n\n/**\n * Returns the value component of the map entry.\n *\n * This method allows to use destructuring\n declarations when working with maps, for example:\n * ```\n * for ((key, value) in map) {\n *     // do something with the key and the value\n * }\n * ```\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map.Entry<K, V>.component2(): V = value\n\n/**\n * Converts entry to [Pair] with key being first component and value being second.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map.Entry<K, V>.toPair(): Pair<K, V> = Pair(key, value)\n\n/**\n * Returns the value for the given key, or the result of the [defaultValue] function if there was no entry for the given key.\n *\n * @sample samples.collections.Maps.Usage.getOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<K, V>.getOrElse(key: K, defaultValue: () -> V): V = get(key) ?: defaultValue()\n\n\ninternal inline fun <K, V> Map<K, V>.getOrElseNullable(key: K, defaultValue: () -> V): V {\n    val value = get(key)\n    if (value == null && !containsKey(key)) {\n        return defaultValue()\n    } else {\n        @Suppress(\"UNCHECKED_CAST\")\n        return value as V\n    }\n}\n\n/**\n * Returns the value for the given [key] or throws an exception if there is no such key in the map.\n *\n * If the map was created by
```

[withDefault], resorts to its `defaultValue` provider function\n * instead of throwing an exception.\n *\n * @throws NoSuchElementException when the map doesn't contain a value for the specified key and\n * no implicit default value was provided for that map.\n */\n@SinceKotlin(\"1.1\")\npublic fun <K, V> Map<K, V>.getValue(key: K): V = getOrImplicitDefault(key)\n\n/**\n * Returns the value for the given key. If the key is not found in the map, calls the [defaultValue] function,\n * puts its result into the map under the given key and returns it.\n *\n * Note that the operation is not guaranteed to be atomic if the map is being modified concurrently.\n *\n * @sample samples.collections.Maps.Usage.getOrPut\n */\npublic inline fun <K, V> MutableMap<K, V>.getOrPut(key: K, defaultValue: () -> V): V {\n val value = get(key)\n return if (value == null) {\n val answer = defaultValue()\n put(key, answer)\n answer\n } else {\n value\n }\n}\n\n/**\n * Returns an [Iterator] over the entries in the [Map].\n *\n * @sample samples.collections.Maps.Usage.forOverEntries\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map<out K, V>.iterator(): Iterator<Map.Entry<K, V>> = entries.iterator()\n\n/**\n * Returns a [MutableIterator] over the mutable entries in the [MutableMap].\n *\n */\n@kotlin.jvm.JvmName(\"mutableIterator\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.iterator(): MutableIterator<MutableMap.MutableEntry<K, V>> = entries.iterator()\n\n/**\n * Populates the given [destination] map with entries having the keys of this map and the values obtained\n * by applying the [transform] function to each entry in this [Map].\n */\npublic inline fun <K, V, R, M : MutableMap<in K, in R>> Map<out K, V>.mapValuesTo(destination: M, transform: (Map.Entry<K, V>) -> R): M {\n return entries.associateByTo(destination, { it.key }, transform)\n}\n\n/**\n * Populates the given [destination] map with entries having the keys obtained\n * by applying the [transform] function to each entry in this [Map] and the values of this map.\n *\n * In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite\n * the value associated with the former one.\n */\npublic inline fun <K, V, R, M : MutableMap<in R, in V>> Map<out K, V>.mapKeysTo(destination: M, transform: (Map.Entry<K, V>) -> R): M {\n return entries.associateByTo(destination, transform, { it.value })\n}\n\n/**\n * Puts all the given [pairs] into this [MutableMap] with the first component in the pair being the key and the second the value.\n */\npublic fun <K, V> MutableMap<in K, in V>.putAll(pairs: Array<out Pair<K, V>>): Unit {\n for ((key, value) in pairs) {\n put(key, value)\n }\n}\n\n/**\n * Puts all the elements of the given collection into this [MutableMap] with the first component in the pair being the key and the second the value.\n */\npublic fun <K, V> MutableMap<in K, in V>.putAll(pairs: Iterable<Pair<K, V>>): Unit {\n for ((key, value) in pairs) {\n put(key, value)\n }\n}\n\n/**\n * Puts all the elements of the given sequence into this [MutableMap] with the first component in the pair being the key and the second the value.\n */\npublic fun <K, V> MutableMap<in K, in V>.putAll(pairs: Sequence<Pair<K, V>>): Unit {\n for ((key, value) in pairs) {\n put(key, value)\n }\n}\n\n/**\n * Returns a new map with entries having the keys of this map and the values obtained by applying the [transform]\n * function to each entry in this [Map].\n *\n * The returned map preserves the entry iteration order of the original map.\n *\n * @sample samples.collections.Maps.Transformations.mapValues\n */\npublic inline fun <K, V, R> Map<out K, V>.mapValues(transform: (Map.Entry<K, V>) -> R): Map<K, R> {\n return mapValuesTo(LinkedHashMap<K, R>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()\n}\n\n/**\n * Returns a new Map with entries having the keys obtained by applying the [transform] function to each entry in this\n * [Map] and the values of this map.\n *\n * In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite\n * the value associated with the former one.\n *\n * The returned map preserves the entry iteration order of the original map.\n *\n * @sample samples.collections.Maps.Transformations.mapKeys\n */\npublic inline fun <K, V, R> Map<out K, V>.mapKeys(transform: (Map.Entry<K, V>) -> R): Map<R, V> {\n return mapKeysTo(LinkedHashMap<R, V>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()\n}\n\n/**\n * Returns a map containing all key-value pairs with keys matching the given [predicate].\n *\n * The returned map preserves
the entry iteration order of the original map.\n * @sample samples.collections.Maps.Filtering.filterKeys\n */\npublic inline fun <K, V> Map<out K, V>.filterKeys(predicate: (K) -> Boolean): Map<K, V> {\n val result = LinkedHashMap<K, V>()\n for (entry in this) {\n if (predicate(entry.key)) {\n result.put(entry.key, entry.value)\n }\n }\n return result\n}\n\n/**\n * Returns a map containing all key-value pairs with values

matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n * @sample samples.collections.Maps.Filtering.filterValues\n */\npublic inline fun <K, V> Map<out K, V>.filterValues(predicate: (V) -> Boolean): Map<K, V> {\n val result = LinkedHashMap<K, V>()\n for (entry in this) {\n if (predicate(entry.value)) {\n result.put(entry.key, entry.value)\n }\n }\n return result\n}\n\n\n/**\n * Appends all entries matching the given [predicate] into the mutable map given as [destination] parameter.\n *\n * @return the destination map.\n * @sample samples.collections.Maps.Filtering.filterTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {\n for (element in this) {\n if (predicate(element)) {\n destination.put(element.key, element.value)\n }\n }\n return destination\n}\n\n/**\n * Returns a new map containing all key-value pairs matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n * @sample samples.collections.Maps.Filtering.filter\n */\npublic inline fun <K, V> Map<out K, V>.filter(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {\n return filterTo(LinkedHashMap<K, V>(), predicate)\n}\n\n/**\n * Appends all entries not matching the given [predicate] into the given [destination].\n *\n * @return the destination map.\n * @sample samples.collections.Maps.Filtering.filterNotTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterNotTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {\n for (element in this) {\n if (!predicate(element)) {\n destination.put(element.key, element.value)\n }\n }\n return destination\n}\n\n/**\n * Returns a new map containing all key-value pairs not matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n * @sample samples.collections.Maps.Filtering.filterNot\n */\npublic inline fun <K, V> Map<out K, V>.filterNot(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {\n return filterNotTo(LinkedHashMap<K, V>(), predicate)\n}\n\n/**\n * Returns a new map containing all key-value pairs from the given collection of pairs.\n *\n * The returned map preserves the entry iteration order of the original collection.\n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic fun <K, V> Iterable<Pair<K, V>>.toMap(): Map<K, V> {\n if (this is Collection) {\n return when (size) {\n 0 -> emptyMap()\n 1 -> mapOf(if (this is List) this[0] else iterator().next())\n else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))\n }\n }\n return toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs from the given collection of pairs.\n */\npublic fun <K, V, M : MutableMap<in K, in V>> Iterable<Pair<K, V>>.toMap(destination: M): M =\n destination.apply { putAll(this@toMap) }\n\n/**\n * Returns a new map containing all key-value pairs from the given array of pairs.\n *\n * The returned map preserves the entry iteration order of the original array.\n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic fun <K, V> Array<out Pair<K, V>>.toMap(): Map<K, V> = when (size) {\n 0 -> emptyMap()\n 1 -> mapOf(this[0])\n else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs from the given array of pairs.\n */\npublic fun <K, V, M : MutableMap<in K, in V>> Array<out Pair<K, V>>.toMap(destination: M): M =\n destination.apply { putAll(this@toMap) }\n\n/**\n * Returns a new map containing all key-value pairs from the given sequence of pairs.\n *\n * The returned map preserves the entry iteration order of the original sequence.\n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic fun <K, V> Sequence<Pair<K, V>>.toMap(): Map<K, V> = toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs from the given sequence of pairs.\n */\npublic fun <K, V, M : MutableMap<in K, in V>> Sequence<Pair<K, V>>.toMap(destination: M): M =\n destination.apply { putAll(this@toMap) }\n\n/**\n * Returns a new read-only map containing all key-value pairs from the original map.\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic fun <K, V> Map<out K, V>.toMap(): Map<K, V> = when (size) {\n 0 -> emptyMap()\n 1 -> toSingletonMap()\n else -> toMutableMap()\n}\n\n/**\n * Returns a new mutable map containing all key-value pairs from the original map.\n *\n * The returned map preserves the entry iteration order of

the original map.\n */\n@SinceKotlin(\"1.1\")\npublic fun <K, V> Map<out K, V>.toMutableMap(): MutableMap<K, V> = LinkedHashMap(this)\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs from the given map.\n */\n@SinceKotlin(\"1.1\")\npublic fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.toMap(destination: M): M =\n   destination.apply { putAll(this@toMap) }\n\n/**\n * Creates a new read-only map by replacing or adding an
 entry to this map from a given key-value [pair].\n *\n * The returned map preserves the entry iteration order of the original map.\n * The [pair] is iterated in the end if it has a unique key.\n */\npublic operator fun <K, V> Map<out K, V>.plus(pair: Pair<K, V>): Map<K, V> =\n   if (this.isEmpty()) mapOf(pair) else LinkedHashMap(this).apply { put(pair.first, pair.second) }\n\n/**\n * Creates a new read-only map by replacing or adding entries to this map from a given collection of key-value [pairs].\n *\n * The returned map preserves the entry iteration order of the original map.\n * Those [pairs] with unique keys are iterated in the end in the order of [pairs] collection.\n */\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Iterable<Pair<K, V>>): Map<K, V> =\n   if (this.isEmpty()) pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }\n\n/**\n * Creates a new read-only map by replacing or adding entries to this map from a given array of key-value [pairs].\n *\n * The
 returned map preserves the entry iteration order of the original map.\n * Those [pairs] with unique keys are iterated in the end in the order of [pairs] array.\n */\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Array<out Pair<K, V>>): Map<K, V> =\n   if (this.isEmpty()) pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }\n\n/**\n * Creates a new read-only map by replacing or adding entries to this map from a given sequence of key-value [pairs].\n *\n * The returned map preserves the entry iteration order of the original map.\n * Those [pairs] with unique keys are iterated in the end in the order of [pairs] sequence.\n */\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Sequence<Pair<K, V>>): Map<K, V> =\n   LinkedHashMap(this).apply { putAll(pairs) }.optimizeReadOnlyMap()\n\n/**\n * Creates a new read-only map by replacing or adding entries to this map from another [map].\n *\n * The returned map preserves the entry iteration order of the original map.\n * Those
 entries of another [map] that are missing in this map are iterated in the end in the order of that [map].\n */\npublic operator fun <K, V> Map<out K, V>.plus(map: Map<out K, V>): Map<K, V> =\n   LinkedHashMap(this).apply { putAll(map) }\n\n\n/**\n * Appends or replaces the given [pair] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pair: Pair<K, V>) {\n   put(pair.first, pair.second)\n}\n\n/**\n * Appends or replaces all pairs from the given collection of [pairs] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Iterable<Pair<K, V>>) {\n   putAll(pairs)\n}\n\n/**\n * Appends or replaces all pairs from the given array of [pairs] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Array<out Pair<K, V>>) {\n   putAll(pairs)\n}\n\n/**\n * Appends or
 replaces all pairs from the given sequence of [pairs] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Sequence<Pair<K, V>>) {\n   putAll(pairs)\n}\n\n/**\n * Appends or replaces all entries from the given [map] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(map: Map<K, V>) {\n   putAll(map)\n}\n\n/**\n * Returns a map containing all entries of the original map except the entry with the given [key].\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic operator fun <K, V> Map<out K, V>.minus(key: K): Map<K, V> =\n   this.toMutableMap().apply { minusAssign(key) }.optimizeReadOnlyMap()\n\n/**\n * Returns a map containing all entries of the original map except those entries\n * the keys of which are contained in the given [keys] collection.\n *\n * The returned map preserves
 the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic operator fun <K, V> Map<out K, V>.minus(keys: Iterable<K>): Map<K, V> =\n   this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()\n\n/**\n * Returns a map containing all entries of the original map except those entries\n * the keys of which are contained in the given [keys] array.\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic operator fun <K, V> Map<out K, V>.minus(keys:

Array<out K>): Map<K, V> =\n   this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()\n\n/**\n * Returns a map containing all entries of the original map except those entries\n * the keys of which are contained in the given [keys] sequence.\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic operator fun <K, V> Map<out K, V>.minus(keys: Sequence<K>): Map<K, V>
=\n   this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()\n\n/**\n * Removes the entry with the given [key] from this mutable map.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(key: K) {\n   remove(key)\n}\n\n/**\n * Removes all entries the keys of which are contained in the given [keys] collection from this mutable map.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Iterable<K>) {\n   this.keys.removeAll(keys)\n}\n\n/**\n * Removes all entries the keys of which are contained in the given [keys] array from this mutable map.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Array<out K>) {\n   this.keys.removeAll(keys)\n}\n\n/**\n * Removes all entries from the keys of which are contained in the given [keys] sequence from this mutable map.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Sequence<K>) {\n   this.keys.removeAll(keys)\n}\n\n// do not expose for now @PublishedApi\ninternal fun <K, V> Map<K, V>.optimizeReadOnlyMap() = when (size) {\n   0 -> emptyMap()\n   1 -> toSingletonMapOrSelf()\n   else -> this\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SetsKt\")\n@file:OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\n\ninternal object EmptySet : Set<Nothing>, Serializable {\n   private const val serialVersionUID: Long = 3406603774387020532\n\n   override fun equals(other: Any?): Boolean = other is Set<*> && other.isEmpty()\n   override fun hashCode(): Int = 0\n   override fun toString(): String = \"[]\"\n\n   override val size: Int get() = 0\n   override fun isEmpty(): Boolean = true\n   override fun contains(element: Nothing): Boolean = false\n   override fun containsAll(elements: Collection<Nothing>): Boolean = elements.isEmpty()\n\n   override fun iterator(): Iterator<Nothing> = EmptyIterator\n\n   private fun readResolve(): Any = EmptySet\n}\n\n/**\n * Returns an empty read-only set. The returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.emptyReadOnlySet\n */\npublic fun <T> emptySet(): Set<T> = EmptySet\n\n/**\n * Returns a new read-only set with the given elements.\n * Elements of the set are iterated in the order they were specified.\n * The returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.readOnlySet\n */\npublic fun <T> setOf(vararg elements: T): Set<T> = if (elements.size > 0) elements.toSet() else emptySet()\n\n/**\n
 * Returns an empty read-only set. The returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.emptyReadOnlySet\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> setOf(): Set<T> = emptySet()\n\n/**\n * Returns an empty new [MutableSet].\n *\n * The returned set preserves the element iteration order.\n * @sample samples.collections.Collections.Sets.emptyMutableSet\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> mutableSetOf(): MutableSet<T> = LinkedHashSet()\n\n/**\n * Returns a new [MutableSet] with the given elements.\n * Elements of the set are iterated in the order they were specified.\n * @sample samples.collections.Collections.Sets.mutableSet\n */\npublic fun <T> mutableSetOf(vararg elements: T): MutableSet<T> = elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/** Returns an empty new [HashSet]. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> hashSetOf(): HashSet<T>
= HashSet()\n\n/** Returns a new [HashSet] with the given elements. */\npublic fun <T> hashSetOf(vararg elements: T): HashSet<T> = elements.toCollection(HashSet(mapCapacity(elements.size)))\n\n/**\n * Returns an empty new [LinkedHashSet].\n * @sample samples.collections.Collections.Sets.emptyLinkedHashSet\n

*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> linkedSetOf(): LinkedHashSet<T> = LinkedHashSet()\n\n/**\n * Returns a new [LinkedHashSet] with the given elements.\n * Elements of the set are iterated in the order they were specified.\n * @sample samples.collections.Collections.Sets.linkedHashSet\n */\npublic fun <T> linkedSetOf(vararg elements: T): LinkedHashSet<T> = elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/**\n * Returns a new read-only set either with single given element, if it is not null, or empty set if the element is null.\n * The returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.setOfNotNull\n */\n@SinceKotlin(\"1.4\")\npublic fun <T : Any> setOfNotNull(element: T?): Set<T> = if (element != null) setOf(element) else emptySet()\n\n/**\n * Returns a new read-only set only with those given elements, that are not null.\n * Elements of the set are iterated in the order they were specified.\n * The returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.setOfNotNull\n */\n@SinceKotlin(\"1.4\")\npublic fun <T : Any> setOfNotNull(vararg elements: T?): Set<T> {\n   return elements.filterNotNullTo(LinkedHashSet())\n}\n\n/**\n * Builds a new read-only [Set] by populating a [MutableSet] using the given [builderAction]\n * and returning a read-only set with the same elements.\n *\n * The set passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified behavior.\n *\n * Elements of the set are iterated in the order they were added by the [builderAction].\n *\n * The returned set is serializable (JVM).\n *\n * @sample samples.collections.Builders.Sets.buildSetSample\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <E> buildSet(@BuilderInference builderAction: MutableSet<E>.() -> Unit): Set<E> {\n   contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n   return buildSetInternal(builderAction)\n}\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\ninternal expect inline fun <E> buildSetInternal(builderAction: MutableSet<E>.() -> Unit): Set<E>\n\n/**\n * Builds a new read-only [Set] by populating a [MutableSet] using the given [builderAction]\n * and returning a read-only set with the same elements.\n *\n * The set passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified behavior.\n *\n * [capacity] is used to hint the expected number of elements added in the [builderAction].\n *\n * Elements of the set are iterated in the order they were added by the [builderAction].\n *\n * The returned set is serializable (JVM).\n *\n * @throws IllegalArgumentException if the given [capacity] is negative.\n *\n * @sample samples.collections.Builders.Sets.buildSetSample\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <E> buildSet(capacity: Int, @BuilderInference builderAction: MutableSet<E>.() -> Unit): Set<E> {\n   contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n   return buildSetInternal(capacity, builderAction)\n}\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\ninternal expect inline fun <E> buildSetInternal(capacity: Int, builderAction: MutableSet<E>.() -> Unit): Set<E>\n\n\n/** Returns this Set if it's not `null` and the empty set otherwise. */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>?.orEmpty(): Set<T> = this ?: emptySet()\n\ninternal fun <T> Set<T>.optimizeReadOnlySet() = when (size) {\n   0 -> emptySet()\n   1 -> setOf(iterator().next())\n   else -> this\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n@file:Suppress(\"PLATFORM_CLASS_MAPPED_TO_KOTLIN\")\n\npackage kotlin.text\n\n/**\n * Parses the string as a signed [Byte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toByteOrNull(): Byte? = toByteOrNull(radix = 10)\n\n/**\n * Parses the string as a signed [Byte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for

```
 string to number conversion.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toByteOrNull(radix: Int): Byte? {\n val int = this.toIntOrNull(radix) ?: return null\n    if (int < Byte.MIN_VALUE || int > Byte.MAX_VALUE) return null\n    return int.toByte()\n}\n\n/**\n * Parses the string as a [Short] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toShortOrNull(): Short? = toShortOrNull(radix = 10)\n\n/**\n * Parses the string as a [Short] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toShortOrNull(radix: Int): Short? {\n    val int = this.toIntOrNull(radix) ?: return null\n    if (int < Short.MIN_VALUE || int > Short.MAX_VALUE) return null\n    return int.toShort()\n}\n\n/**\n *
 Parses the string as an [Int] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toIntOrNull(): Int? = toIntOrNull(radix = 10)\n\n/**\n * Parses the string as an [Int] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toIntOrNull(radix: Int): Int? {\n    checkRadix(radix)\n\n  val length = this.length\n    if (length == 0) return null\n\n    val start: Int\n    val isNegative: Boolean\n    val limit: Int\n\n    val firstChar = this[0]\n    if (firstChar < '0') {  // Possible leading sign\n        if (length == 1) return null  // non-digit (possible sign) only, no digits after\n\n        start = 1\n\n        if (firstChar == '-') {\n            isNegative = true\n            limit = Int.MIN_VALUE\n
        } else if (firstChar == '+') {\n            isNegative = false\n            limit = -Int.MAX_VALUE\n        } else\n
 return null\n    } else {\n        start = 0\n        isNegative = false\n        limit = -Int.MAX_VALUE\n    }\n\n\n    val limitForMaxRadix = (-Int.MAX_VALUE) / 36\n\n    var limitBeforeMul = limitForMaxRadix\n    var result = 0\n    for (i in start until length) {\n        val digit = digitOf(this[i], radix)\n\n        if (digit < 0) return null\n        if (result < limitBeforeMul) {\n            if (limitBeforeMul == limitForMaxRadix) {\n                limitBeforeMul = limit / radix\n\n                if (result < limitBeforeMul) {\n                    return null\n                }\n            } else {\n                return null\n            }\n        }\n\n        result *= radix\n\n        if (result < limit + digit) return null\n\n        result -= digit\n    }\n\n    return if (isNegative) result else -result\n}\n\n/**\n * Parses
 the string as a [Long] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toLongOrNull(): Long? = toLongOrNull(radix = 10)\n\n/**\n * Parses the string as a [Long] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toLongOrNull(radix: Int): Long? {\n    checkRadix(radix)\n\n    val length = this.length\n    if (length == 0) return null\n\n    val start: Int\n    val isNegative: Boolean\n    val limit: Long\n\n    val firstChar = this[0]\n    if (firstChar < '0') {  // Possible leading sign\n        if (length == 1) return null  // non-digit (possible sign) only, no digits after\n\n        start = 1\n\n        if (firstChar == '-') {\n            isNegative = true\n            limit = Long.MIN_VALUE\n
        } else if (firstChar == '+') {\n            isNegative = false\n            limit = -Long.MAX_VALUE\n        } else\n
    return null\n    } else {\n        start = 0\n        isNegative = false\n        limit = -Long.MAX_VALUE\n    }\n\n\n    val limitForMaxRadix = (-Long.MAX_VALUE) / 36\n\n    var limitBeforeMul = limitForMaxRadix\n    var result = 0L\n    for (i in start until length) {\n        val digit = digitOf(this[i], radix)\n\n        if (digit < 0) return null\n        if (result < limitBeforeMul) {\n            if (limitBeforeMul == limitForMaxRadix) {\n                limitBeforeMul = limit / radix\n\n                if (result < limitBeforeMul) {\n                    return null\n                }\n            } else {\n                return null\n            }\n        }\n\n        result *= radix\n\n        if (result < limit + digit) return null\n\n        result -= digit\n    }\n\n    return if (isNegative) result else -result\n}\n\n\ninternal
 fun numberFormatError(input: String): Nothing = throw NumberFormatException(\"Invalid number format: '$input'\")\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport kotlin.contracts.*\nimport kotlin.jvm.JvmInline\nimport kotlin.math.*\n\n/**\n * Represents the amount of time one instant of time is away from another instant.\n *\n * A negative duration is
```

possible in a situation when the second instant is earlier than the first one.\n *\n * The type can store duration values up to \u00b1146 years with nanosecond precision,\n * and up to \u00b1146 million years with millisecond precision.\n * If a duration-returning operation provided in `kotlin.time` produces a duration value that doesn't fit into the above range,\n * the returned `Duration` is infinite.\n *\n * An infinite duration value [Duration.INFINITE] can be used to represent infinite timeouts.\n *\n * To construct a duration use either the extension function [toDuration],\n * or the extension properties [hours], [minutes], [seconds], and so on,\n * available on [Int], [Long], and [Double] numeric types.\n *\n * To get the value of this duration expressed in a particular [duration units][DurationUnit]\n * use the functions [toInt], [toLong], and [toDouble]\n * or the properties [inWholeHours], [inWholeMinutes], [inWholeSeconds], [inWholeNanoseconds], and so on.\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalTime::class)\n@JvmInline\npublic value class Duration internal constructor(private val rawValue: Long) : Comparable<Duration> {\n\n   private val value: Long get() = rawValue shr 1\n   private inline val unitDiscriminator: Int get() = rawValue.toInt() and 1\n   private fun isInNanos() = unitDiscriminator == 0\n   private fun isInMillis() = unitDiscriminator == 1\n   private val storageUnit get()\n   = if (isInNanos()) DurationUnit.NANOSECONDS else DurationUnit.MILLISECONDS\n\n   init {\n   if (durationAssertionsEnabled) {\n   if (isInNanos()) {\n   if (value !in -MAX_NANOS..MAX_NANOS) throw AssertionError(\"$value ns is out of nanoseconds range\")\n   } else {\n   if (value !in -MAX_MILLIS..MAX_MILLIS) throw AssertionError(\"$value ms is out of milliseconds range\")\n   if (value in -MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) throw AssertionError(\"$value ms is denormalized\")\n   }\n   }\n   }\n\n   companion object {\n   /** The duration equal to exactly 0 seconds. */\n   public val ZERO: Duration = Duration(0L)\n\n   /** The duration whose value is positive infinity. It is useful for representing timeouts that should never expire. */\n   public val INFINITE: Duration = durationOfMillis(MAX_MILLIS)\n   internal val NEG_INFINITE: Duration = durationOfMillis(-MAX_MILLIS)\n\n   /** Converts the given time duration [value] expressed in the specified [sourceUnit] into the specified [targetUnit]. */\n   @ExperimentalTime\n   public fun convert(value: Double, sourceUnit: DurationUnit, targetUnit: DurationUnit): Double =\n   convertDurationUnit(value, sourceUnit, targetUnit)\n\n   // Duration construction extension properties in Duration companion scope\n\n   /** Returns a [Duration] equal to this [Int] number of nanoseconds. */\n   @kotlin.internal.InlineOnly\n   public inline val Int.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n   /** Returns a [Duration] equal to this [Long] number of nanoseconds. */\n   @kotlin.internal.InlineOnly\n   public inline val Long.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n   /**\n   * Returns a [Duration] equal to this [Double] number of nanoseconds.\n   *\n   * Depending on its magnitude, the value is rounded to an integer number of nanoseconds or milliseconds.\n   *\n   * @throws IllegalArgumentException if this [Double] value is `NaN`.\n   */\n   @kotlin.internal.InlineOnly\n   public inline val Double.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n\n   /** Returns a [Duration] equal to this [Int] number of microseconds. */\n   @kotlin.internal.InlineOnly\n   public inline val Int.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n   /** Returns a [Duration] equal to this [Long] number of microseconds. */\n   @kotlin.internal.InlineOnly\n   public inline val Long.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n   /**\n   * Returns a [Duration] equal to this [Double] number of microseconds.\n   *\n   * Depending on its magnitude, the value is rounded to an integer number of nanoseconds or milliseconds.\n   *\n   * @throws IllegalArgumentException if this [Double] value is `NaN`.\n   */\n   @kotlin.internal.InlineOnly\n   public inline val Double.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n\n   /** Returns a [Duration] equal to this [Int] number of milliseconds. */\n   @kotlin.internal.InlineOnly\n   public inline val Int.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n   /** Returns a [Duration] equal to this [Long] number of milliseconds. */\n   @kotlin.internal.InlineOnly\n   public inline val Long.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n   /**\n   * Returns a [Duration] equal to this [Double]

number of milliseconds.\n *\n * Depending on its magnitude, the value is rounded to an integer number of nanoseconds or milliseconds.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n */\n @kotlin.internal.InlineOnly\n public inline val Double.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n\n /** Returns a [Duration] equal to this [Int] number of seconds. */\n @kotlin.internal.InlineOnly\n public inline val Int.seconds get() = toDuration(DurationUnit.SECONDS)\n\n /** Returns a [Duration] equal to this [Long] number of seconds. */\n @kotlin.internal.InlineOnly\n public inline val Long.seconds get() = toDuration(DurationUnit.SECONDS)\n\n /**\n * Returns a [Duration] equal to this [Double] number of seconds.\n *\n * Depending on its magnitude, the value is rounded to an integer number of nanoseconds or milliseconds.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n */\n @kotlin.internal.InlineOnly\n public inline val Double.seconds get() = toDuration(DurationUnit.SECONDS)\n\n\n /** Returns a [Duration] equal to this [Int] number of minutes. */\n @kotlin.internal.InlineOnly\n public inline val Int.minutes get() = toDuration(DurationUnit.MINUTES)\n\n /** Returns a [Duration] equal to this [Long] number of minutes. */\n @kotlin.internal.InlineOnly\n public inline val Long.minutes get() = toDuration(DurationUnit.MINUTES)\n\n /**\n * Returns a [Duration] equal to this [Double] number of minutes.\n *\n * Depending on its magnitude, the value is rounded to an integer number of nanoseconds or milliseconds.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n */\n @kotlin.internal.InlineOnly\n public inline val Double.minutes get() = toDuration(DurationUnit.MINUTES)\n\n\n /** Returns a [Duration] equal to this [Int] number of hours. */\n @kotlin.internal.InlineOnly\n public inline val Int.hours get() = toDuration(DurationUnit.HOURS)\n\n /** Returns a [Duration] equal to this [Long] number of hours. */\n @kotlin.internal.InlineOnly\n public inline val Long.hours get() = toDuration(DurationUnit.HOURS)\n\n /**\n * Returns a [Duration] equal to this [Double] number of hours.\n *\n * Depending on its magnitude, the value is rounded to an integer number of nanoseconds or milliseconds.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n */\n @kotlin.internal.InlineOnly\n public inline val Double.hours get() = toDuration(DurationUnit.HOURS)\n\n\n /** Returns a [Duration] equal to this [Int] number of days. */\n @kotlin.internal.InlineOnly\n public inline val Int.days get() = toDuration(DurationUnit.DAYS)\n\n /** Returns a [Duration] equal to this [Long] number of days. */\n @kotlin.internal.InlineOnly\n public inline val Long.days get() = toDuration(DurationUnit.DAYS)\n\n /**\n * Returns a [Duration] equal to this [Double] number of days.\n *\n * Depending on its magnitude, the value is rounded to an integer number of nanoseconds or milliseconds.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n */\n @kotlin.internal.InlineOnly\n public inline val Double.days get() = toDuration(DurationUnit.DAYS)\n\n\n // deprecated static factory functions\n\n /** Returns a [Duration] representing the specified [value] number of nanoseconds. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Int.nanoseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.nanoseconds\", \"kotlin.time.Duration.Companion.nanoseconds\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun nanoseconds(value: Int): Duration = value.toDuration(DurationUnit.NANOSECONDS)\n\n /** Returns a [Duration] representing the specified [value] number of nanoseconds. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Long.nanoseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.nanoseconds\", \"kotlin.time.Duration.Companion.nanoseconds\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun nanoseconds(value: Long): Duration = value.toDuration(DurationUnit.NANOSECONDS)\n\n /**\n * Returns a [Duration] representing the specified [value] number of nanoseconds.\n *\n * @throws IllegalArgumentException if the provided `Double` [value] is `NaN`.\n */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Double.nanoseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.nanoseconds\", \"kotlin.time.Duration.Companion.nanoseconds\"))\n

@DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun nanoseconds(value: Double): Duration = value.toDuration(DurationUnit.NANOSECONDS)\n\n\n /**
Returns a [Duration] representing the specified [value] number of microseconds. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Int.microseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.microseconds\", \"kotlin.time.Duration.Companion.microseconds\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun microseconds(value: Int): Duration = value.toDuration(DurationUnit.MICROSECONDS)\n\n /** Returns a [Duration] representing the specified [value] number of microseconds. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Long.microseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.microseconds\", \"kotlin.time.Duration.Companion.microseconds\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun microseconds(value: Long): Duration = value.toDuration(DurationUnit.MICROSECONDS)\n\n /**\n * Returns a [Duration] representing the specified [value] number of microseconds.\n *\n * @throws IllegalArgumentException if the provided `Double` [value] is `NaN`.\n */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Double.microseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.microseconds\", \"kotlin.time.Duration.Companion.microseconds\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun microseconds(value: Double): Duration = value.toDuration(DurationUnit.MICROSECONDS)\n\n\n /** Returns a [Duration] representing the specified [value] number of milliseconds. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Int.milliseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.milliseconds\", \"kotlin.time.Duration.Companion.milliseconds\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun milliseconds(value: Int): Duration = value.toDuration(DurationUnit.MILLISECONDS)\n\n /** Returns a [Duration] representing the specified [value] number of milliseconds. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Long.milliseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.milliseconds\", \"kotlin.time.Duration.Companion.milliseconds\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun milliseconds(value: Long): Duration = value.toDuration(DurationUnit.MILLISECONDS)\n\n /**\n * Returns a [Duration] representing the specified [value] number of milliseconds.\n *\n * @throws IllegalArgumentException if the provided `Double` [value] is `NaN`.\n */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Double.milliseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.milliseconds\", \"kotlin.time.Duration.Companion.milliseconds\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun milliseconds(value: Double): Duration = value.toDuration(DurationUnit.MILLISECONDS)\n\n\n /** Returns a [Duration] representing the specified [value] number of seconds. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Int.seconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.seconds\", \"kotlin.time.Duration.Companion.seconds\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun seconds(value: Int): Duration = value.toDuration(DurationUnit.SECONDS)\n\n /** Returns a [Duration] representing the specified [value] number of seconds. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Long.seconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.seconds\", \"kotlin.time.Duration.Companion.seconds\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun seconds(value: Long): Duration = value.toDuration(DurationUnit.SECONDS)\n\n /**\n * Returns a [Duration] representing the specified [value] number of seconds.\n *\n * @throws IllegalArgumentException if the provided `Double` [value] is `NaN`.\n */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Double.seconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.seconds\", \"kotlin.time.Duration.Companion.seconds\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public

fun seconds(value: Double): Duration = value.toDuration(DurationUnit.SECONDS)\n\n\n /** Returns a [Duration] representing the specified [value] number of minutes. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Int.minutes' extension property from Duration.Companion instead.\", ReplaceWith(\"value.minutes\", \"kotlin.time.Duration.Companion.minutes\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun minutes(value: Int): Duration = value.toDuration(DurationUnit.MINUTES)\n\n /** Returns a [Duration] representing the specified [value] number of minutes. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Long.minutes' extension property from Duration.Companion instead.\", ReplaceWith(\"value.minutes\", \"kotlin.time.Duration.Companion.minutes\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun minutes(value: Long): Duration = value.toDuration(DurationUnit.MINUTES)\n\n /**\n * Returns a [Duration] representing the specified [value] number of minutes.\n *\n * @throws IllegalArgumentException if the provided `Double` [value] is `NaN`.\n */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Double.minutes' extension property from Duration.Companion instead.\", ReplaceWith(\"value.minutes\", \"kotlin.time.Duration.Companion.minutes\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun minutes(value: Double): Duration = value.toDuration(DurationUnit.MINUTES)\n\n\n /** Returns a [Duration] representing the specified [value] number of hours. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Int.hours' extension property from Duration.Companion instead.\", ReplaceWith(\"value.hours\", \"kotlin.time.Duration.Companion.hours\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun hours(value: Int): Duration = value.toDuration(DurationUnit.HOURS)\n\n /** Returns a [Duration] representing the specified [value] number of hours. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Long.hours' extension property from Duration.Companion instead.\", ReplaceWith(\"value.hours\", \"kotlin.time.Duration.Companion.hours\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun hours(value: Long): Duration = value.toDuration(DurationUnit.HOURS)\n\n /**\n * Returns a [Duration] representing the specified [value] number of hours.\n *\n * @throws IllegalArgumentException if the provided `Double` [value] is `NaN`.\n */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Double.hours' extension property from Duration.Companion instead.\", ReplaceWith(\"value.hours\", \"kotlin.time.Duration.Companion.hours\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun hours(value: Double): Duration = value.toDuration(DurationUnit.HOURS)\n\n\n /** Returns a [Duration] representing the specified [value] number of days. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Int.days' extension property from Duration.Companion instead.\", ReplaceWith(\"value.days\", \"kotlin.time.Duration.Companion.days\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun days(value: Int): Duration = value.toDuration(DurationUnit.DAYS)\n\n /** Returns a [Duration] representing the specified [value] number of days. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Long.days' extension property from Duration.Companion instead.\", ReplaceWith(\"value.days\", \"kotlin.time.Duration.Companion.days\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun days(value: Long): Duration = value.toDuration(DurationUnit.DAYS)\n\n /**\n * Returns a [Duration] representing the specified [value] number of days.\n *\n * @throws IllegalArgumentException if the provided `Double` [value] is `NaN`.\n */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Double.days' extension property from Duration.Companion instead.\", ReplaceWith(\"value.days\", \"kotlin.time.Duration.Companion.days\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun days(value: Double): Duration = value.toDuration(DurationUnit.DAYS)\n\n /**\n * Parses a string that represents a duration and returns the parsed [Duration] value.\n *\n * The following formats are accepted:\n *\n * - ISO-8601

```
Duration format, e.g. `P1DT2H3M4.058S`, see [toIsoString] and [parseIsoString].\n * - The format of string returned by the default [Duration.toString] and `toString` in a specific unit,\n * e.g. `10s`, `1h 30m` or `-(1h 30m)`.\n *\n * @throws IllegalArgumentException if the string doesn't represent a duration in any of the supported formats.\n * @sample samples.time.Durations.parse\n */\n public fun parse(value: String): Duration = try {\n parseDuration(value, strictIso = false)\n } catch (e: IllegalArgumentException) {\n throw IllegalArgumentException(\"Invalid duration string format: '$value'.\", e)\n }\n\n /**\n * Parses a string that represents a duration in ISO-8601 format and returns the parsed [Duration] value.\n *\n * @throws IllegalArgumentException if the string doesn't represent a duration in ISO-8601 format.\n * @sample samples.time.Durations.parseIsoString\n */\n public fun parseIsoString(value: String): Duration = try {\n parseDuration(value, strictIso = true)\n } catch (e: IllegalArgumentException) {\n throw IllegalArgumentException(\"Invalid ISO duration string format: '$value'.\", e)\n }\n\n /**\n * Parses a string that represents a duration and returns the parsed [Duration] value,\n * or `null` if the string doesn't represent
a duration in any of the supported formats.\n *\n * The following formats are accepted:\n *\n * - ISO-8601 Duration format, e.g. `P1DT2H3M4.058S`, see [toIsoString] and [parseIsoString].\n * - The format of string returned by the default [Duration.toString] and `toString` in a specific unit,\n * e.g. `10s`, `1h 30m` or `-(1h 30m)`.\n * @sample samples.time.Durations.parse\n */\n public fun parseOrNull(value: String): Duration? = try {\n parseDuration(value, strictIso = false)\n } catch (e: IllegalArgumentException) {\n null\n }\n\n /**\n * Parses a string that represents a duration in ISO-8601 format and returns the parsed [Duration] value,\n * or `null` if the string doesn't represent a duration in ISO-8601 format.\n * @sample samples.time.Durations.parseIsoString\n */\n public fun parseIsoStringOrNull(value: String): Duration? =
try {\n parseDuration(value, strictIso = true)\n } catch (e: IllegalArgumentException) {\n null\n }\n }\n\n // arithmetic operators\n\n /** Returns the negative of this value. */\n public operator fun unaryMinus(): Duration = durationOf(-value, unitDiscriminator)\n\n /**\n * Returns a duration whose value is the sum of this and [other] duration values.\n *\n * @throws IllegalArgumentException if the operation results in an undefined value for the given arguments,\n * e.g. when adding infinite durations of different sign.\n */\n public operator fun plus(other: Duration): Duration {\n when {\n this.isInfinite() -> {\n if (other.isFinite() || (this.rawValue xor other.rawValue >= 0))\n return this\n else\n throw IllegalArgumentException(\"Summing infinite durations of different signs yields an undefined result.\")\n }\n
other.isInfinite() -> return other\n }\n\n return when {\n this.unitDiscriminator == other.unitDiscriminator -> {\n val result = this.value + other.value // never overflows long, but can overflow long63\n when {\n isInNanos() ->\n durationOfNanosNormalized(result)\n else ->\n durationOfMillisNormalized(result)\n }\n }\n this.isInMillis() ->\n addValuesMixedRanges(this.value, other.value)\n else ->\n addValuesMixedRanges(other.value, this.value)\n }\n }\n\n private fun addValuesMixedRanges(thisMillis: Long, otherNanos: Long): Duration {\n val otherMillis = nanosToMillis(otherNanos)\n val resultMillis = thisMillis + otherMillis\n return if (resultMillis in -MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) {\n val otherNanoRemainder
= otherNanos - millisToNanos(otherMillis)\n durationOfNanos(millisToNanos(resultMillis) + otherNanoRemainder)\n } else {\n durationOfMillis(resultMillis.coerceIn(-MAX_MILLIS, MAX_MILLIS))\n }\n }\n\n /**\n * Returns a duration whose value is the difference between this and [other] duration values.\n *\n * @throws IllegalArgumentException if the operation results in an undefined value for the given arguments,\n * e.g. when subtracting infinite durations of the same sign.\n */\n public operator fun minus(other: Duration): Duration = this + (-other)\n\n /**\n * Returns a duration whose value is this duration value multiplied by the given [scale] number.\n *\n * @throws IllegalArgumentException if the operation results in an undefined value for the given arguments,\n * e.g. when multiplying an infinite duration by
```

```
zero.\n     */\n    public operator fun times(scale: Int): Duration {\n        if (isInfinite())
 {\n            return when {\n                scale == 0 -> throw IllegalArgumentException(\"Multiplying infinite duration
by zero yields an undefined result.\")\n                scale > 0 -> this\n                else -> -this\n            }\n        }\n        if
(scale == 0) return ZERO\n\n        val value = value\n        val result = value * scale\n        return if (isInNanos()) {\n
        if (value in (MAX_NANOS / Int.MIN_VALUE)..(-MAX_NANOS / Int.MIN_VALUE)) {\n                // can't
overflow nanos range for any scale\n                durationOfNanos(result)\n            } else {\n                if (result / scale
== value) {\n                    durationOfNanosNormalized(result)\n                } else {\n                    val millis =
nanosToMillis(value)\n                    val remNanos = value - millisToNanos(millis)\n                    val resultMillis =
millis * scale\n                    val totalMillis = resultMillis + nanosToMillis(remNanos * scale)\n
                if (resultMillis / scale == millis && totalMillis xor resultMillis >= 0) {\n
durationOfMillis(totalMillis.coerceIn(-MAX_MILLIS..MAX_MILLIS))\n                    } else {\n                        if
(value.sign * scale.sign > 0) INFINITE else NEG_INFINITE\n                    }\n                }\n            }\n        } else
{\n            if (result / scale == value) {\n                durationOfMillis(result.coerceIn(-
MAX_MILLIS..MAX_MILLIS))\n            } else {\n                if (value.sign * scale.sign > 0) INFINITE else
NEG_INFINITE\n            }\n        }\n    }\n\n    /**\n     * Returns a duration whose value is this duration value
multiplied by the given [scale] number.\n     *\n     * The operation may involve rounding when the result cannot be
represented exactly with a [Double] number.\n     *\n     * @throws IllegalArgumentException if the operation
results in an undefined value for the given arguments,\n     * e.g. when
 multiplying an infinite duration by zero.\n     */\n    public operator fun times(scale: Double): Duration {\n        val
intScale = scale.roundToInt()\n        if (intScale.toDouble() == scale) {\n            return times(intScale)\n        }\n\n
 val unit = storageUnit\n        val result = toDouble(unit) * scale\n        return result.toDuration(unit)\n    }\n\n
/**\n     * Returns a duration whose value is this duration value divided by the given [scale] number.\n     *\n     *
@throws IllegalArgumentException if the operation results in an undefined value for the given arguments,\n     *
e.g. when dividing zero duration by zero.\n     */\n    public operator fun div(scale: Int): Duration {\n        if (scale ==
0) {\n            return when {\n                isPositive() -> INFINITE\n                isNegative() -> NEG_INFINITE\n
    else -> throw IllegalArgumentException(\"Dividing zero duration by zero yields an undefined result.\")\n
}\n
 }\n        if (isInNanos()) {\n            return durationOfNanos(value / scale)\n        } else {\n            if (isInfinite())\n
            return this * scale.sign\n\n            val result = value / scale\n\n            if (result in -
MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) {\n                val rem = millisToNanos(value - (result *
scale)) / scale\n                return durationOfNanos(millisToNanos(result) + rem)\n            }\n            return
durationOfMillis(result)\n        }\n    }\n\n    /**\n     * Returns a duration whose value is this duration value divided
by the given [scale] number.\n     *\n     * @throws IllegalArgumentException if the operation results in an
undefined value for the given arguments,\n     * e.g. when dividing an infinite duration by infinity or zero duration
by zero.\n     */\n    public operator fun div(scale: Double): Duration {\n        val intScale = scale.roundToInt()\n
if (intScale.toDouble() == scale && intScale != 0) {\n
            return div(intScale)\n        }\n\n        val unit = storageUnit\n        val result = toDouble(unit) / scale\n
return result.toDuration(unit)\n    }\n\n    /** Returns a number that is the ratio of this and [other] duration values.
*/\n    public operator fun div(other: Duration): Double {\n        val coarserUnit = maxOf(this.storageUnit,
other.storageUnit)\n        return this.toDouble(coarserUnit) / other.toDouble(coarserUnit)\n    }\n\n    /** Returns
true, if the duration value is less than zero. */\n    public fun isNegative(): Boolean = rawValue < 0\n\n    /** Returns
true, if the duration value is greater than zero. */\n    public fun isPositive(): Boolean = rawValue > 0\n\n    /**
Returns true, if the duration value is infinite. */\n    public fun isInfinite(): Boolean = rawValue ==
INFINITE.rawValue || rawValue == NEG_INFINITE.rawValue\n\n    /** Returns true, if the duration value is finite.
*/\n    public fun isFinite(): Boolean = !isInfinite()\n\n    /**
 Returns the absolute value of this value. The returned value is always non-negative. */\n    public val absoluteValue:
Duration get() = if (isNegative()) -this else this\n\n    override fun compareTo(other: Duration): Int {\n        val
compareBits = this.rawValue xor other.rawValue\n        if (compareBits < 0 || compareBits.toInt() and 1 == 0) //
```

```
different signs or same sign/same range\n            return this.rawValue.compareTo(other.rawValue)\n        // same sign/different ranges\n        val r = this.unitDiscriminator - other.unitDiscriminator // compare ranges\n        return if (isNegative()) -r else r\n    }\n\n\n    // splitting to components\n\n    /**\n     * Splits this duration into days, hours, minutes, seconds, and nanoseconds and executes the given [action] with these components.\n     * The result of [action] is returned as the result of this function.\n     *\n     * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value
 is less than 1_000_000_000;\n     * - `seconds` represents the whole number of seconds in this duration, and its absolute value is less than 60;\n     * - `minutes` represents the whole number of minutes in this duration, and its absolute value is less than 60;\n     * - `hours` represents the whole number of hours in this duration, and its absolute value is less than 24;\n     * - `days` represents the whole number of days in this duration.\n     *\n     *  Infinite durations are represented as either [Long.MAX_VALUE] days, or [Long.MIN_VALUE] days (depending on the sign of infinity),\n     *  and zeroes in the lower components.\n     */\n    public inline fun <T> toComponents(action: (days: Long, hours: Int, minutes: Int, seconds: Int, nanoseconds: Int) -> T): T {\n        contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE) }\n        return action(inWholeDays, hoursComponent, minutesComponent, secondsComponent, nanosecondsComponent)\n    }\n\n    /**\n     * Splits this
 duration into hours, minutes, seconds, and nanoseconds and executes the given [action] with these components.\n     * The result of [action] is returned as the result of this function.\n     *\n     * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\n     * - `seconds` represents the whole number of seconds in this duration, and its absolute value is less than 60;\n     * - `minutes` represents the whole number of minutes in this duration, and its absolute value is less than 60;\n     * - `hours` represents the whole number of hours in this duration.\n     *\n     *  Infinite durations are represented as either [Long.MAX_VALUE] hours, or [Long.MIN_VALUE] hours (depending on the sign of infinity),\n     *  and zeroes in the lower components.\n     */\n    public inline fun <T> toComponents(action: (hours: Long, minutes: Int, seconds: Int, nanoseconds: Int) -> T): T {\n        contract { callsInPlace(action,
 InvocationKind.EXACTLY_ONCE) }\n        return action(inWholeHours, minutesComponent, secondsComponent, nanosecondsComponent)\n    }\n\n    /**\n     * Splits this duration into minutes, seconds, and nanoseconds and executes the given [action] with these components.\n     * The result of [action] is returned as the result of this function.\n     *\n     * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\n     * - `seconds` represents the whole number of seconds in this duration, and its absolute value is less than 60;\n     * - `minutes` represents the whole number of minutes in this duration.\n     *\n     *  Infinite durations are represented as either [Long.MAX_VALUE] minutes, or [Long.MIN_VALUE] minutes (depending on the sign of infinity),\n     *  and zeroes in the lower components.\n     */\n    public inline fun <T> toComponents(action: (minutes: Long, seconds: Int, nanoseconds: Int) -> T): T {\n
        contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE) }\n        return action(inWholeMinutes, secondsComponent, nanosecondsComponent)\n    }\n\n    /**\n     * Splits this duration into seconds, and nanoseconds and executes the given [action] with these components.\n     * The result of [action] is returned as the result of this function.\n     *\n     * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\n     * - `seconds` represents the whole number of seconds in this duration.\n     *\n     *  Infinite durations are represented as either [Long.MAX_VALUE] seconds, or [Long.MIN_VALUE] seconds (depending on the sign of infinity),\n     *  and zero nanoseconds.\n     */\n    public inline fun <T> toComponents(action: (seconds: Long, nanoseconds: Int) -> T): T {\n        contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE) }\n        return action(inWholeSeconds, nanosecondsComponent)\n
    }\n\n    @PublishedApi\n    internal val hoursComponent: Int\n        get() = if (isInfinite()) 0 else (inWholeHours % 24).toInt()\n\n    @PublishedApi\n    internal val minutesComponent: Int\n        get() = if (isInfinite()) 0 else (inWholeMinutes % 60).toInt()\n\n    @PublishedApi\n    internal val secondsComponent: Int\n        get() = if (isInfinite()) 0 else (inWholeSeconds % 60).toInt()\n\n    @PublishedApi\n    internal val nanosecondsComponent: Int\n        get() = when {\n            isInfinite() -> 0\n            isInMillis() -> millisToNanos(value % 1_000).toInt()\n
```

```
else -> (value % 1_000_000_000).toInt()\n        }\n\n\n    // conversion to units\n\n    /**\n     * Returns the value of this duration expressed as a [Double] number of the specified [unit].\n     *\n     * The operation may involve rounding when the result cannot be represented exactly with a [Double] number.\n     *\n     * An infinite duration value is converted either to [Double.POSITIVE_INFINITY]
 or [Double.NEGATIVE_INFINITY] depending on its sign.\n     */\n    public fun toDouble(unit: DurationUnit): Double {\n        return when (rawValue) {\n            INFINITE.rawValue -> Double.POSITIVE_INFINITY\n            NEG_INFINITE.rawValue -> Double.NEGATIVE_INFINITY\n            else -> {\n                // TODO: whether it's ok to convert to Double before scaling\n                convertDurationUnit(value.toDouble(), storageUnit, unit)\n            }\n        }\n    }\n\n    /**\n     * Returns the value of this duration expressed as a [Long] number of the specified [unit].\n     *\n     * If the result doesn't fit in the range of [Long] type, it is coerced into that range:\n     * - [Long.MIN_VALUE] is returned if it's less than `Long.MIN_VALUE`,\n     * - [Long.MAX_VALUE] is returned if it's greater than `Long.MAX_VALUE`.\n     *\n     * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n     */\n    public fun
 toLong(unit: DurationUnit): Long {\n        return when (rawValue) {\n            INFINITE.rawValue -> Long.MAX_VALUE\n            NEG_INFINITE.rawValue -> Long.MIN_VALUE\n            else -> convertDurationUnit(value, storageUnit, unit)\n        }\n    }\n\n    /**\n     * Returns the value of this duration expressed as an [Int] number of the specified [unit].\n     *\n     * If the result doesn't fit in the range of [Int] type, it is coerced into that range:\n     * - [Int.MIN_VALUE] is returned if it's less than `Int.MIN_VALUE`,\n     * - [Int.MAX_VALUE] is returned if it's greater than `Int.MAX_VALUE`.\n     *\n     * An infinite duration value is converted either to [Int.MAX_VALUE] or [Int.MIN_VALUE] depending on its sign.\n     */\n    public fun toInt(unit: DurationUnit): Int =\n        toLong(unit).coerceIn(Int.MIN_VALUE.toLong(), Int.MAX_VALUE.toLong()).toInt()\n\n    /** The value of this duration expressed as a [Double] number of days. */\n    @ExperimentalTime\n    @Deprecated(\"Use
 inWholeDays property instead or convert toDouble(DAYS) if a double value is required.\", ReplaceWith(\"toDouble(DurationUnit.DAYS)\"))\n    public val inDays: Double get() = toDouble(DurationUnit.DAYS)\n\n    /** The value of this duration expressed as a [Double] number of hours. */\n    @ExperimentalTime\n    @Deprecated(\"Use inWholeHours property instead or convert toDouble(HOURS) if a double value is required.\", ReplaceWith(\"toDouble(DurationUnit.HOURS)\"))\n    public val inHours: Double get() = toDouble(DurationUnit.HOURS)\n\n    /** The value of this duration expressed as a [Double] number of minutes. */\n    @ExperimentalTime\n    @Deprecated(\"Use inWholeMinutes property instead or convert toDouble(MINUTES) if a double value is required.\", ReplaceWith(\"toDouble(DurationUnit.MINUTES)\"))\n    public val inMinutes: Double get() = toDouble(DurationUnit.MINUTES)\n\n    /** The value of this duration expressed as a [Double] number of seconds. */\n    @ExperimentalTime\n
    @Deprecated(\"Use inWholeSeconds property instead or convert toDouble(SECONDS) if a double value is required.\", ReplaceWith(\"toDouble(DurationUnit.SECONDS)\"))\n    public val inSeconds: Double get() = toDouble(DurationUnit.SECONDS)\n\n    /** The value of this duration expressed as a [Double] number of milliseconds. */\n    @ExperimentalTime\n    @Deprecated(\"Use inWholeMilliseconds property instead or convert toDouble(MILLISECONDS) if a double value is required.\", ReplaceWith(\"toDouble(DurationUnit.MILLISECONDS)\"))\n    public val inMilliseconds: Double get() = toDouble(DurationUnit.MILLISECONDS)\n\n    /** The value of this duration expressed as a [Double] number of microseconds. */\n    @ExperimentalTime\n    @Deprecated(\"Use inWholeMicroseconds property instead or convert toDouble(MICROSECONDS) if a double value is required.\", ReplaceWith(\"toDouble(DurationUnit.MICROSECONDS)\"))\n    public val inMicroseconds: Double get() = toDouble(DurationUnit.MICROSECONDS)\n\n
    /** The value of this duration expressed as a [Double] number of nanoseconds. */\n    @ExperimentalTime\n    @Deprecated(\"Use inWholeNanoseconds property instead or convert toDouble(NANOSECONDS) if a double value is required.\", ReplaceWith(\"toDouble(DurationUnit.NANOSECONDS)\"))\n    public val inNanoseconds: Double get() = toDouble(DurationUnit.NANOSECONDS)\n\n\n    /**\n     * The value of this duration expressed as
```

a [Long] number of days.\n *\n * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n */\n public val inWholeDays: Long\n get() = toLong(DurationUnit.DAYS)\n\n /**\n * The value of this duration expressed as a [Long] number of hours.\n *\n * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n */\n public val inWholeHours: Long\n get() = toLong(DurationUnit.HOURS)\n\n /**\n * The value of this
duration expressed as a [Long] number of minutes.\n *\n * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n */\n public val inWholeMinutes: Long\n get() = toLong(DurationUnit.MINUTES)\n\n /**\n * The value of this duration expressed as a [Long] number of seconds.\n *\n * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n */\n public val inWholeSeconds: Long\n get() = toLong(DurationUnit.SECONDS)\n\n /**\n * The value of this duration expressed as a [Long] number of milliseconds.\n *\n * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n */\n public val inWholeMilliseconds: Long\n get() {\n return if (isInMillis() && isFinite()) value else toLong(DurationUnit.MILLISECONDS)\n }\n\n /**\n * The value of this
duration expressed as a [Long] number of microseconds.\n *\n * If the result doesn't fit in the range of [Long] type, it is coerced into that range:\n * - [Long.MIN_VALUE] is returned if it's less than `Long.MIN_VALUE`,\n * - [Long.MAX_VALUE] is returned if it's greater than `Long.MAX_VALUE`.\n *\n * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n */\n public val inWholeMicroseconds: Long\n get() = toLong(DurationUnit.MICROSECONDS)\n\n /**\n * The value of this duration expressed as a [Long] number of nanoseconds.\n *\n * If the result doesn't fit in the range of [Long] type, it is coerced into that range:\n * - [Long.MIN_VALUE] is returned if it's less than `Long.MIN_VALUE`,\n * - [Long.MAX_VALUE] is returned if it's greater than `Long.MAX_VALUE`.\n *\n * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n */\n public val inWholeNanoseconds: Long\n get() {\n val value = value\n return when {\n isInNanos() -> value\n value > Long.MAX_VALUE / NANOS_IN_MILLIS -> Long.MAX_VALUE\n value < Long.MIN_VALUE / NANOS_IN_MILLIS -> Long.MIN_VALUE\n else -> millisToNanos(value)\n }\n }\n\n // shortcuts\n\n /**\n * Returns the value of this duration expressed as a [Long] number of nanoseconds.\n *\n * If the value doesn't fit in the range of [Long] type, it is coerced into that range, see the conversion [Double.toLong] for details.\n *\n * The range of durations that can be expressed as a `Long` number of nanoseconds is approximately \u00b1292 years.\n */\n @ExperimentalTime\n @Deprecated(\"Use inWholeNanoseconds property instead.\", ReplaceWith(\"this.inWholeNanoseconds\"))\n public fun toLongNanoseconds(): Long = inWholeNanoseconds\n\n /**\n * Returns the value of this duration expressed as a [Long] number of milliseconds.\n *\n * The value is coerced to the range of [Long] type, if it doesn't fit in that range, see the conversion [Double.toLong] for details.\n *\n * The range of durations that can be expressed as a `Long` number of milliseconds is approximately \u00b1292 million years.\n */\n @ExperimentalTime\n @Deprecated(\"Use inWholeMilliseconds property instead.\", ReplaceWith(\"this.inWholeMilliseconds\"))\n public fun toLongMilliseconds(): Long = inWholeMilliseconds\n\n /**\n * Returns a string representation of this duration value\n * expressed as a combination of numeric components, each in its own unit.\n *\n * Each component is a number followed by the unit abbreviated name: `d`, `h`, `m`, `s`:\n * `5h`, `1d 12h`, `1h 0m 30.340s`.\n * The last component, usually seconds, can be a number with a fractional part.\n *\n * If the duration
is less than a second, it is represented as a single number\n * with one of sub-second units: `ms` (milliseconds), `us` (microseconds), or `ns` (nanoseconds):\n * `140.884ms`, `500us`, `24ns`.\n *\n * A negative duration is prefixed with `-` sign and, if it consists of multiple components, surrounded with parentheses:\n * `-12m` and `-(1h 30m)`.\n *\n * Special cases:\n * - an infinite duration is formatted as `\"Infinity\"` or `\"-Infinity\"`

```
without a unit.\n     *\n     * It's recommended to use [toIsoString] that uses more strict ISO-8601 format instead of this `toString`\n     * when you want to convert a duration to a string in cases of serialization, interchange, etc.\n     *\n     * @sample samples.time.Durations.toStringDefault\n     */\n    override fun toString(): String = when (rawValue) {\n        0L -> \"0s\"\n        INFINITE.rawValue -> \"Infinity\"\n        NEG_INFINITE.rawValue -> \"-Infinity\"\n        else -> {\n            val isNegative = isNegative()\n            buildString {\n                if (isNegative) append('-')\n                absoluteValue.toComponents { days, hours, minutes, seconds, nanoseconds ->\n                    val hasDays = days != 0L\n                    val hasHours = hours != 0\n                    val hasMinutes = minutes != 0\n                    val hasSeconds = seconds != 0 || nanoseconds != 0\n                    var components = 0\n                    if (hasDays) {\n                        append(days).append('d')\n                        components++\n                    }\n                    if (hasHours || (hasDays && (hasMinutes || hasSeconds))) {\n                        if (components++ > 0) append(' ')\n                        append(hours).append('h')\n                    }\n                    if (hasMinutes || (hasSeconds && (hasHours || hasDays))) {\n                        if (components++ > 0) append(' ')\n                        append(minutes).append('m')\n                    }\n                    if (hasSeconds) {\n                        if (components++ > 0) append(' ')\n                        when {\n                            seconds != 0 || hasDays || hasHours || hasMinutes ->\n                                appendFractional(seconds, nanoseconds, 9, \"s\", isZeroes = false)\n                            nanoseconds >= 1_000_000 ->\n                                appendFractional(nanoseconds / 1_000_000, nanoseconds % 1_000_000, 6, \"ms\", isZeroes = false)\n                            nanoseconds >= 1_000 ->\n                                appendFractional(nanoseconds / 1_000, nanoseconds % 1_000, 3, \"us\", isZeroes = false)\n                            else ->\n                                append(nanoseconds).append(\"ns\")\n                        }\n                    }\n                    if (isNegative && components > 1) insert(1, '(').append(')')\n                }\n            }\n        }\n    }\n\n    private fun StringBuilder.appendFractional(whole: Int, fractional: Int, fractionalSize: Int, unit: String, isoZeroes: Boolean) {\n        append(whole)\n        if (fractional != 0) {\n            append('.')\n            val fracString = fractional.toString().padStart(fractionalSize, '0')\n            val nonZeroDigits = fracString.indexOfLast { it != '0' } + 1\n            when {\n                !isoZeroes && nonZeroDigits < 3 -> appendRange(fracString, 0, nonZeroDigits)\n                else -> appendRange(fracString, 0, ((nonZeroDigits + 2) / 3) * 3)\n            }\n        }\n        append(unit)\n    }\n\n    /**\n     * Returns a string representation of this duration value expressed in the given [unit]\n     * and formatted with the specified [decimals] number of digits after decimal point.\n     *\n     * Special cases:\n     *  - an infinite duration is formatted as `\"Infinity\"` or `\"-Infinity\"` without a unit.\n     *\n     * @param decimals the number of digits after decimal point to show. The value must be non-negative.\n     * No more than 12 decimals will be shown, even if a larger number is requested.\n     *\n     * @return the value of duration in the specified [unit] followed by that unit abbreviated name: `d`, `h`, `m`, `s`, `ms`, `us`, or `ns`.\n     *\n     * @throws IllegalArgumentException if [decimals] is less than zero.\n     *\n     * @sample samples.time.Durations.toStringDecimals\n     */\n    public fun toString(unit: DurationUnit, decimals: Int = 0): String {\n        require(decimals >= 0) { \"decimals must be not negative, but was $decimals\" }\n        val number = toDouble(unit)\n        if (number.isInfinite()) return number.toString()\n        return formatToExactDecimals(number, decimals.coerceAtMost(12)) + unit.shortName()\n    }\n\n    /**\n     * Returns an ISO-8601 based string representation of this duration.\n     *\n     * The returned value is presented in the format `PThHmMs.fS`, where `h`, `m`, `s` are the integer components of this duration (see [toComponents])\n     * and `f` is a fractional part of second. Depending on the roundness of the value the fractional part can be formatted with either\n     * 0, 3, 6, or 9 decimal digits.\n     *\n     * The infinite duration is represented as `\"PT9999999999999H\"` which is larger than any possible finite duration in Kotlin.\n     *\n     * Negative durations are indicated with the sign `-` in the beginning of the returned string, for example, `\"-PT5M30S\"`.\n     *\n     * @sample samples.time.Durations.toIsoString\n     */\n    public fun toIsoString(): String = buildString {\n        if (isNegative()) append('-')\n        append(\"PT\")\n        this@Duration.absoluteValue.toComponents { hours, minutes, seconds, nanoseconds ->\n            @Suppress(\"NAME_SHADOWING\")\n            var hours = hours\n            if (isInfinite()) {\n                // use large enough value instead of Long.MAX_VALUE\n                hours = 9_999_999_999_999\n
```

```
}\n            val hasHours = hours != 0L\n            val hasSeconds = seconds != 0 || nanoseconds != 0\n            val
hasMinutes = minutes != 0 || (hasSeconds && hasHours)\n            if (hasHours) {\n
append(hours).append('H')\n            }\n            if (hasMinutes) {\n                append(minutes).append('M')\n
}\n            if (hasSeconds || (!hasHours && !hasMinutes)) {\n                appendFractional(seconds, nanoseconds, 9,
\"S\", isoZeroes = true)\n            }\n        }\n    }\n\n}\n\n// constructing from number of units\n// extension
functions\n\n/** Returns a [Duration] equal to this [Int] number of the specified [unit].
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalTime::class)\npublic fun Int.toDuration(unit:
DurationUnit): Duration {\n    return if (unit <= DurationUnit.SECONDS) {\n
durationOfNanos(convertDurationUnitOverflow(this.toLong(), unit, DurationUnit.NANOSECONDS))\n    } else\n
    toLong().toDuration(unit)\n}\n\n/**
 Returns a [Duration] equal to this [Long] number of the specified [unit].
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalTime::class)\npublic fun Long.toDuration(unit:
DurationUnit): Duration {\n    val maxNsInUnit = convertDurationUnitOverflow(MAX_NANOS,
DurationUnit.NANOSECONDS, unit)\n    if (this in -maxNsInUnit..maxNsInUnit) {\n        return
durationOfNanos(convertDurationUnitOverflow(this, unit, DurationUnit.NANOSECONDS))\n    } else {\n        val
millis = convertDurationUnit(this, unit, DurationUnit.MILLISECONDS)\n        return
durationOfMillis(millis.coerceIn(-MAX_MILLIS, MAX_MILLIS))\n    }\n}\n\n/**\n * Returns a [Duration] equal
to this [Double] number of the specified [unit].\n *\n * Depending on its magnitude, the value is rounded to an
integer number of nanoseconds or milliseconds.\n *\n * @throws IllegalArgumentException if this `Double` value is
`NaN`.\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalTime::class)\npublic fun
Double.toDuration(unit:
 DurationUnit): Duration {\n    val valueInNs = convertDurationUnit(this, unit, DurationUnit.NANOSECONDS)\n
require(!valueInNs.isNaN()) { \"Duration value cannot be NaN.\" }\n    val nanos = valueInNs.roundToLong()\n
return if (nanos in -MAX_NANOS..MAX_NANOS) {\n        durationOfNanos(nanos)\n    } else {\n        val millis =
convertDurationUnit(this, unit, DurationUnit.MILLISECONDS).roundToLong()\n
durationOfMillisNormalized(millis)\n    }\n}\n\n// constructing from number of units\n// deprecated extension
properties\n\n/** Returns a [Duration] equal to this [Int] number of nanoseconds.
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Int.nanoseconds' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.nanoseconds\",
\"kotlin.time.Duration.Companion.nanoseconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Int.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n/** Returns a [Duration] equal to
 this [Long] number of nanoseconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use
'Long.nanoseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"this.nanoseconds\",
\"kotlin.time.Duration.Companion.nanoseconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Long.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n/**\n * Returns a [Duration] equal to this
[Double] number of nanoseconds.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.nanoseconds' extension property
from Duration.Companion instead.\", ReplaceWith(\"this.nanoseconds\",
\"kotlin.time.Duration.Companion.nanoseconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Double.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n\n/** Returns a [Duration] equal to
this [Int] number of microseconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use
 'Int.microseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"this.microseconds\",
\"kotlin.time.Duration.Companion.microseconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Int.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n/** Returns a [Duration] equal to this
[Long] number of microseconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use
'Long.microseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"this.microseconds\",
\"kotlin.time.Duration.Companion.microseconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Long.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n/**\n * Returns a [Duration] equal to
```

this [Double] number of microseconds.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.microseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"this.microseconds\", \"kotlin.time.Duration.Companion.microseconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Double.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n\n/** Returns a [Duration] equal to this [Int] number of milliseconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Int.milliseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"this.milliseconds\", \"kotlin.time.Duration.Companion.milliseconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Int.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/** Returns a [Duration] equal to this [Long] number of milliseconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Long.milliseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"this.milliseconds\", \"kotlin.time.Duration.Companion.milliseconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Long.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/**\n * Returns a [Duration] equal to this [Double] number of milliseconds.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.milliseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"this.milliseconds\", \"kotlin.time.Duration.Companion.milliseconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Double.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n\n/** Returns a [Duration] equal to this [Int] number of seconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Int.seconds' extension property from Duration.Companion instead.\", ReplaceWith(\"this.seconds\", \"kotlin.time.Duration.Companion.seconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Int.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/** Returns a [Duration] equal to this [Long] number of seconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Long.seconds' extension property from Duration.Companion instead.\", ReplaceWith(\"this.seconds\", \"kotlin.time.Duration.Companion.seconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Long.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/**\n * Returns a [Duration] equal to this [Double] number of seconds.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.seconds' extension property from Duration.Companion instead.\", ReplaceWith(\"this.seconds\", \"kotlin.time.Duration.Companion.seconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Double.seconds get() = toDuration(DurationUnit.SECONDS)\n\n\n/** Returns a [Duration] equal to this [Int] number of minutes. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Int.minutes' extension property from Duration.Companion instead.\", ReplaceWith(\"this.minutes\", \"kotlin.time.Duration.Companion.minutes\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Int.minutes get() = toDuration(DurationUnit.MINUTES)\n\n/** Returns a [Duration] equal to this [Long] number of minutes. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Long.minutes' extension property from Duration.Companion instead.\", ReplaceWith(\"this.minutes\", \"kotlin.time.Duration.Companion.minutes\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Long.minutes get() = toDuration(DurationUnit.MINUTES)\n\n/**\n * Returns a [Duration] equal to this [Double] number of minutes.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.minutes' extension property from Duration.Companion instead.\", ReplaceWith(\"this.minutes\", \"kotlin.time.Duration.Companion.minutes\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Double.minutes get() = toDuration(DurationUnit.MINUTES)\n\n\n/** Returns a [Duration] equal to this [Int] number of hours. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Int.hours' extension property from Duration.Companion instead.\", ReplaceWith(\"this.hours\",

\"kotlin.time.Duration.Companion.hours\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Int.hours get() = toDuration(DurationUnit.HOURS)\n\n/** Returns a [Duration] equal to this [Long] number of hours. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Long.hours' extension property from Duration.Companion instead.\", ReplaceWith(\"this.hours\", \"kotlin.time.Duration.Companion.hours\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Long.hours get() = toDuration(DurationUnit.HOURS)\n\n/**\n * Returns a [Duration] equal to this [Double] number of hours.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.hours' extension property from Duration.Companion instead.\", ReplaceWith(\"this.hours\", \"kotlin.time.Duration.Companion.hours\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Double.hours get() = toDuration(DurationUnit.HOURS)\n\n\n/** Returns a [Duration] equal to this [Int] number of days. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Int.days' extension property from Duration.Companion instead.\", ReplaceWith(\"this.days\", \"kotlin.time.Duration.Companion.days\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Int.days get() = toDuration(DurationUnit.DAYS)\n\n/** Returns a [Duration] equal to this [Long] number of days. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Long.days' extension property from Duration.Companion instead.\", ReplaceWith(\"this.days\", \"kotlin.time.Duration.Companion.days\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Long.days get() = toDuration(DurationUnit.DAYS)\n\n/**\n * Returns a [Duration] equal to this [Double] number of days.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.days' extension property from Duration.Companion instead.\", ReplaceWith(\"this.days\", \"kotlin.time.Duration.Companion.days\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Double.days get() = toDuration(DurationUnit.DAYS)\n\n\n/** Returns a duration whose value is the specified [duration] value multiplied by this number. */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalTime::class)\n@kotlin.internal.InlineOnly\npublic inline operator fun Int.times(duration: Duration): Duration = duration * this\n\n/**\n * Returns a duration whose value is the specified [duration] value multiplied by this number.\n *\n * The operation may involve rounding when the result cannot be represented exactly with a [Double] number.\n *\n * @throws IllegalArgumentException if the operation results in a `NaN` value.\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalTime::class)\n@kotlin.internal.InlineOnly\npublic inline operator fun Double.times(duration: Duration): Duration = duration * this\n\n\n\nprivate fun parseDuration(value: String, strictIso: Boolean): Duration {\n var length = value.length\n if (length == 0) throw IllegalArgumentException(\"The string is empty\")\n var index = 0\n var result = Duration.ZERO\n val infinityString = \"Infinity\"\n when (value[index]) {\n '+', '-' -> index++\n }\n val hasSign = index > 0\n val isNegative = hasSign && value.startsWith('-')\n when {\n length <= index ->\n throw IllegalArgumentException(\"No components\")\n value[index] == 'P' -> {\n if (++index == length) throw IllegalArgumentException()\n val nonDigitSymbols = \"+-.\"\n var isTimeComponent = false\n var prevUnit: DurationUnit? = null\n while (index < length) {\n if (value[index] == 'T') {\n if (isTimeComponent || ++index == length) throw IllegalArgumentException()\n isTimeComponent = true\n continue\n }\n val component = value.substringWhile(index) { it in '0'..'9' || it in nonDigitSymbols }\n if (component.isEmpty()) throw IllegalArgumentException()\n index += component.length\n val unitChar = value.getOrElse(index) { throw IllegalArgumentException(\"Missing unit for value $component\") }\n index++\n val unit = durationUnitByIsoChar(unitChar, isTimeComponent)\n if (prevUnit != null && prevUnit <= unit) throw IllegalArgumentException(\"Unexpected order of duration components\")\n prevUnit = unit\n val dotIndex = component.indexOf('.')\n

```
            if (unit == DurationUnit.SECONDS && dotIndex > 0) {\n                val whole =
component.substring(0, dotIndex)\n                result += parseOverLongIsoComponent(whole).toDuration(unit)\n
            result += component.substring(dotIndex).toDouble().toDuration(unit)\n            } else {\n
result += parseOverLongIsoComponent(component).toDuration(unit)\n            }\n        }\n    }\n    strictIso
->\n        throw IllegalArgumentException()\n    value.regionMatches(index, infinityString, 0, length =
maxOf(length - index, infinityString.length), ignoreCase = true) -> {\n        result = Duration.INFINITE\n    }\n
    else -> {\n        // parse default string format\n        var prevUnit: DurationUnit? = null\n        var
afterFirst = false\n        var allowSpaces = !hasSign\n        if (hasSign && value[index] == '(' && value.last()
== ')') {\n            allowSpaces
 = true\n            if (++index == --length) throw IllegalArgumentException(\"No components\")\n        }\n
while (index < length) {\n            if (afterFirst && allowSpaces) {\n                index = value.skipWhile(index) {
it == ' ' }\n            }\n            afterFirst = true\n            val component = value.substringWhile(index) { it in
'0'..'9' || it == '.' }\n            if (component.isEmpty()) throw IllegalArgumentException()\n            index +=
component.length\n            val unitName = value.substringWhile(index) { it in 'a'..'z' }\n            index +=
unitName.length\n            val unit = durationUnitByShortName(unitName)\n            if (prevUnit != null &&
prevUnit <= unit) throw IllegalArgumentException(\"Unexpected order of duration components\")\n
prevUnit = unit\n            val dotIndex = component.indexOf('.')\n            if (dotIndex > 0) {\n
    val whole = component.substring(0, dotIndex)\n                result += whole.toLong().toDuration(unit)\n
    result += component.substring(dotIndex).toDouble().toDuration(unit)\n                if (index < length) throw
IllegalArgumentException(\"Fractional component must be last\")\n            } else {\n                result +=
component.toLong().toDuration(unit)\n            }\n        }\n    }\n    return if (isNegative) -result else
result\n}\n\n\nprivate fun parseOverLongIsoComponent(value: String): Long {\n    val length = value.length\n    var
startIndex = 0\n    if (length > 0 && value[0] in \"+-\") startIndex++\n    if ((length - startIndex) > 16 &&
(startIndex..value.lastIndex).all { value[it] in '0'..'9' }) {\n        // all chars are digits, but more than
ceiling(log10(MAX_MILLIS / 1000)) of them\n        return if (value[0] == '-') Long.MIN_VALUE else
Long.MAX_VALUE\n    }\n    // TODO: replace with just toLong after
 min JDK becomes 8\n    return if (value.startsWith(\"+\")) value.drop(1).toLong() else
value.toLong()\n}\n\n\n\nprivate inline fun String.substringWhile(startIndex: Int, predicate: (Char) -> Boolean):
String =\n    substring(startIndex, skipWhile(startIndex, predicate))\n\nprivate inline fun
String.skipWhile(startIndex: Int, predicate: (Char) -> Boolean): Int {\n    var i = startIndex\n    while (i < length &&
predicate(this[i])) i++\n    return i\n}\n\n\n\n\n\n// The ranges are chosen so that they are:\n// - symmetric relative to
zero: this greatly simplifies operations with sign, e.g. unaryMinus and minus.\n// - non-overlapping, but adjacent:
the first value that doesn't fit in nanos range, can be exactly represented in millis.\n\ninternal const val
NANOS_IN_MILLIS = 1_000_000\n// maximum number duration can store in nanosecond range\ninternal const
val MAX_NANOS = Long.MAX_VALUE / 2 / NANOS_IN_MILLIS * NANOS_IN_MILLIS - 1 // ends in
..._999_999\n// maximum number duration can store
 in millisecond range, also encodes an infinite value\ninternal const val MAX_MILLIS = Long.MAX_VALUE /
2\n// MAX_NANOS expressed in milliseconds\nprivate const val MAX_NANOS_IN_MILLIS = MAX_NANOS /
NANOS_IN_MILLIS\n\nprivate fun nanosToMillis(nanos: Long): Long = nanos / NANOS_IN_MILLIS\nprivate
fun millisToNanos(millis: Long): Long = millis * NANOS_IN_MILLIS\n\nprivate fun
durationOfNanos(normalNanos: Long) = Duration(normalNanos shl 1)\nprivate fun durationOfMillis(normalMillis:
Long) = Duration((normalMillis shl 1) + 1)\nprivate fun durationOf(normalValue: Long, unitDiscriminator: Int) =
Duration((normalValue shl 1) + unitDiscriminator)\nprivate fun durationOfNanosNormalized(nanos: Long) =\n    if
(nanos in -MAX_NANOS..MAX_NANOS) {\n        durationOfNanos(nanos)\n    } else {\n
durationOfMillis(nanosToMillis(nanos))\n    }\n\nprivate fun durationOfMillisNormalized(millis: Long) =\n    if
(millis in -MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) {\n
durationOfNanos(millisToNanos(millis))\n
```

} else {\n duration OfMillis(millis.coerceIn(-MAX_MILLIS, MAX_MILLIS))\n }\n\ninternal expect val durationAssertionsEnabled: Boolean\n\ninternal expect fun formatToExactDecimals(value: Double, decimals: Int): String\ninternal expect fun formatUpToDecimals(value: Double, decimals: Int): String","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n@file:kotlin.jvm.JvmName(\"UnsignedKt\")\npackage kotlin\n\n@PublishedApi\ninternal fun uintCompare(v1: Int, v2: Int): Int = (v1 xor Int.MIN_VALUE).compareTo(v2 xor Int.MIN_VALUE)\n@PublishedApi\ninternal fun ulongCompare(v1: Long, v2: Long): Int = (v1 xor Long.MIN_VALUE).compareTo(v2 xor Long.MIN_VALUE)\n\n@PublishedApi\ninternal fun uintDivide(v1: UInt, v2: UInt): UInt = (v1.toLong() / v2.toLong()).toUInt()\n@PublishedApi\ninternal fun uintRemainder(v1: UInt, v2: UInt): UInt = (v1.toLong() % v2.toLong()).toUInt()\n\n// Division and remainder are based on Guava's UnsignedLongs implementation\n// Copyright 2011 The Guava Authors\n\n@PublishedApi\ninternal fun ulongDivide(v1: ULong, v2: ULong): ULong {\n val dividend = v1.toLong()\n val divisor = v2.toLong()\n if (divisor < 0) { // i.e., divisor >= 2^63:\n return if (v1 < v2) ULong(0) else ULong(1)\n }\n\n // Optimization - use signed division if both dividend and divisor < 2^63\n if (dividend >= 0) {\n return ULong(dividend / divisor)\n }\n\n // Otherwise, approximate the quotient, check, and correct if necessary.\n val quotient = ((dividend ushr 1) / divisor) shl 1\n val rem = dividend - quotient * divisor\n return ULong(quotient + if (ULong(rem) >= ULong(divisor)) 1 else 0)\n\n}\n\n@PublishedApi\ninternal fun ulongRemainder(v1: ULong, v2: ULong): ULong {\n val dividend = v1.toLong()\n val divisor = v2.toLong()\n if (divisor < 0) { // i.e., divisor >= 2^63:\n return if (v1 < v2) {\n v1 // dividend < divisor\n } else {\n v1 - v2 // dividend >= divisor\n }\n }\n\n // Optimization - use signed modulus if both dividend and divisor < 2^63\n if (dividend >= 0) {\n return ULong(dividend % divisor)\n }\n\n // Otherwise, approximate the quotient, check, and correct if necessary.\n val quotient = ((dividend ushr 1) / divisor) shl 1\n val rem = dividend - quotient * divisor\n return ULong(rem - if (ULong(rem) >= ULong(divisor)) divisor else 0)\n}\n\n@PublishedApi\ninternal fun doubleToUInt(v: Double): UInt = when {\n v.isNaN() -> 0u\n v <= UInt.MIN_VALUE.toDouble() -> UInt.MIN_VALUE\n v >= UInt.MAX_VALUE.toDouble() -> UInt.MAX_VALUE\n v <= Int.MAX_VALUE -> v.toInt().toUInt()\n else -> (v - Int.MAX_VALUE).toInt().toUInt() + Int.MAX_VALUE.toUInt() // Int.MAX_VALUE < v < UInt.MAX_VALUE\n}\n\n@PublishedApi\ninternal fun doubleToULong(v: Double): ULong = when {\n v.isNaN() -> 0u\n v <= ULong.MIN_VALUE.toDouble() -> ULong.MIN_VALUE\n v >= ULong.MAX_VALUE.toDouble() -> ULong.MAX_VALUE\n v < Long.MAX_VALUE -> v.toLong().toULong()\n\n // Real values from Long.MAX_VALUE to (Long.MAX_VALUE + 1) are not representable in Double, so don't handle them.\n else -> (v - 9223372036854775808.0).toLong().toULong() + 9223372036854775808uL // Long.MAX_VALUE + 1 < v < ULong.MAX_VALUE\n}\n\n\n@PublishedApi\ninternal fun uintToDouble(v: Int): Double = (v and Int.MAX_VALUE).toDouble() + (v ushr 31 shl 30).toDouble() * 2\n\n@PublishedApi\ninternal fun ulongToDouble(v: Long): Double = (v ushr 11).toDouble() * 2048 + (v and 2047)\n\n\ninternal fun ulongToString(v: Long): String = ulongToString(v, 10)\n\ninternal fun ulongToString(v: Long, base: Int): String {\n if (v >= 0) return v.toString(base)\n\n var quotient = ((v ushr 1) / base) shl 1\n var rem = v - quotient * base\n if (rem >= base) {\n rem -= base\n quotient += 1\n }\n return quotient.toString(base) + rem.toString(base)\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\n/**\n * Given an [iterator] function constructs an [Iterable] instance that returns values through the [Iterator]\n * provided by that function.\n * @sample samples.collections.Iterables.Building.iterable\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable(crossinline iterator: () -> Iterator<T>): Iterable<T> = object : Iterable<T> {\n override fun iterator(): Iterator<T> = iterator()\n}\n\n/**\n * A wrapper over another

[Iterable] (or any other object that can produce an [Iterator]) that returns\n * an indexing iterator.\n */\ninternal class IndexingIterable<out
 T>(private val iteratorFactory: () -> Iterator<T>) : Iterable<IndexedValue<T>> {\n   override fun iterator(): Iterator<IndexedValue<T>> = IndexingIterator(iteratorFactory())\n}\n\n\n/**\n * Returns the size of this iterable if it is known, or `null` otherwise.\n */\n@PublishedApi\ninternal fun <T> Iterable<T>.collectionSizeOrNull(): Int? = if (this is Collection<*>) this.size else null\n\n/**\n * Returns the size of this iterable if it is known, or the specified [default] value otherwise.\n */\n@PublishedApi\ninternal fun <T> Iterable<T>.collectionSizeOrDefault(default: Int): Int = if (this is Collection<*>) this.size else default\n\n\n/**\n * Returns a single list of all elements from all collections in the given collection.\n * @sample samples.collections.Iterables.Operations.flattenIterable\n */\npublic fun <T> Iterable<Iterable<T>>.flatten(): List<T> {\n   val result = ArrayList<T>()\n   for (element in this) {\n   result.addAll(element)\n   }\n   return
 result\n}\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this collection,\n * *second* list is built from the second values of each pair from this collection.\n * @sample samples.collections.Iterables.Operations.unzipIterable\n */\npublic fun <T, R> Iterable<Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n   val expectedSize = collectionSizeOrDefault(10)\n   val listT = ArrayList<T>(expectedSize)\n   val listR = ArrayList<R>(expectedSize)\n   for (pair in this) {\n   listT.add(pair.first)\n   listR.add(pair.second)\n   }\n   return listT to listR\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SequencesKt\")\n\npackage kotlin.sequences\n\nimport kotlin.random.Random\n\n/**\n
 * Given an [iterator] function constructs a [Sequence] that returns values through the [Iterator]\n * provided by that function.\n * The values are evaluated lazily, and the sequence is potentially infinite.\n *\n * @sample samples.collections.Sequences.Building.sequenceFromIterator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence(crossinline iterator: () -> Iterator<T>): Sequence<T> = object : Sequence<T> {\n   override fun iterator(): Iterator<T> = iterator()\n}\n\n/**\n * Creates a sequence that returns all elements from this iterator. The sequence is constrained to be iterated only once.\n *\n * @sample samples.collections.Sequences.Building.sequenceFromIterator\n */\npublic fun <T> Iterator<T>.asSequence(): Sequence<T> = Sequence { this }.constrainOnce()\n\n/**\n * Creates a sequence that returns the specified values.\n *\n * @sample samples.collections.Sequences.Building.sequenceOfValues\n */\npublic fun <T> sequenceOf(vararg elements: T): Sequence<T> = if (elements.isEmpty())
 emptySequence() else elements.asSequence()\n\n/**\n * Returns an empty sequence.\n */\npublic fun <T> emptySequence(): Sequence<T> = EmptySequence\n\nprivate object EmptySequence : Sequence<Nothing>, DropTakeSequence<Nothing> {\n   override fun iterator(): Iterator<Nothing> = EmptyIterator\n   override fun drop(n: Int) = EmptySequence\n   override fun take(n: Int) = EmptySequence\n}\n\n/**\n * Returns this sequence if it's not `null` and the empty sequence otherwise.\n * @sample samples.collections.Sequences.Usage.sequenceOrEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>?.orEmpty(): Sequence<T> = this ?: emptySequence()\n\n\n/**\n * Returns a sequence that iterates through the elements either of this sequence\n * or, if this sequence turns out to be empty, of the sequence returned by [defaultValue] function.\n *\n * @sample samples.collections.Sequences.Usage.sequenceIfEmpty\n */\n@SinceKotlin(\"1.3\")\npublic fun <T>
 Sequence<T>.ifEmpty(defaultValue: () -> Sequence<T>): Sequence<T> = sequence {\n   val iterator = this@ifEmpty.iterator()\n   if (iterator.hasNext()) {\n   yieldAll(iterator)\n   } else {\n   yieldAll(defaultValue())\n   }\n}\n\n/**\n * Returns a sequence of all elements from all sequences in this sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample samples.collections.Sequences.Transformations.flattenSequenceOfSequences\n */\npublic fun <T> Sequence<Sequence<T>>.flatten(): Sequence<T> = flatten { it.iterator() }\n\n/**\n * Returns a sequence of all

elements from all iterables in this sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample samples.collections.Sequences.Transformations.flattenSequenceOfLists\n */\n@kotlin.jvm.JvmName(\"flattenSequenceOfIterable\")\npublic fun <T> Sequence<Iterable<T>>.flatten(): Sequence<T> = flatten { it.iterator() }\n\nprivate fun <T, R> Sequence<T>.flatten(iterator: (T) -> Iterator<R>): Sequence<R> {\n if (this is TransformingSequence<*, *>) {\n return (this as TransformingSequence<*, T>).flatten(iterator)\n }\n return FlatteningSequence(this, { it }, iterator)\n}\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this sequence,\n * *second* list is built from the second values of each pair from this sequence.\n *\n * The operation is _terminal_.\n *\n * @sample samples.collections.Sequences.Transformations.unzip\n */\npublic fun <T, R> Sequence<Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n val listT = ArrayList<T>()\n val listR = ArrayList<R>()\n for (pair in this) {\n listT.add(pair.first)\n listR.add(pair.second)\n }\n return listT to listR\n}\n\n/**\n * Returns a sequence that yields elements of this sequence randomly shuffled.\n *\n * Note that every iteration of the sequence returns elements in a different order.\n *\n * The operation is _intermediate_ and _stateful_.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T> Sequence<T>.shuffled(): Sequence<T> = shuffled(Random)\n\n/**\n * Returns a sequence that yields elements of this sequence randomly shuffled\n * using the specified [random] instance as the source of randomness.\n *\n * Note that every iteration of the sequence returns elements in a different order.\n *\n * The operation is _intermediate_ and _stateful_.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T> Sequence<T>.shuffled(random: Random): Sequence<T> = sequence<T> {\n val buffer = toMutableList()\n while (buffer.isNotEmpty()) {\n val j = random.nextInt(buffer.size)\n val last = buffer.removeLast()\n val value = if (j < buffer.size) buffer.set(j, last) else last\n yield(value)\n }\n}\n\n/**\n * A sequence that returns the values from the underlying [sequence] that either match or do not match\n * the specified [predicate].\n *\n * @param sendWhen If `true`, values for which the predicate returns `true` are returned. Otherwise,\n * values for which the predicate returns `false` are returned\n */\ninternal class FilteringSequence<T>(\n private val sequence: Sequence<T>,\n private val sendWhen: Boolean = true,\n private val predicate: (T) -> Boolean\n) : Sequence<T> {\n\n override fun iterator(): Iterator<T> = object : Iterator<T> {\n val iterator = sequence.iterator()\n var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n var nextItem: T? = null\n\n private fun calcNext() {\n while (iterator.hasNext()) {\n val item = iterator.next()\n if (predicate(item) == sendWhen) {\n nextItem = item\n nextState = 1\n return\n }\n }\n nextState = 0\n }\n\n override fun next(): T {\n if (nextState == -1)\n calcNext()\n if (nextState == 0)\n throw NoSuchElementException()\n val result = nextItem\n nextItem = null\n nextState = -1\n @Suppress(\"UNCHECKED_CAST\")\n return result as T\n }\n\n override fun hasNext(): Boolean {\n if (nextState == -1)\n calcNext()\n return nextState == 1\n }\n}\n\n/**\n * A sequence which returns the results of applying the given [transformer] function to the values\n * in the underlying [sequence].\n */\n\ninternal class TransformingSequence<T, R>\nconstructor(private val sequence: Sequence<T>, private val transformer: (T) -> R) : Sequence<R> {\n override fun iterator(): Iterator<R> = object : Iterator<R> {\n val iterator = sequence.iterator()\n override fun next(): R {\n return transformer(iterator.next())\n }\n\n override fun hasNext(): Boolean {\n return iterator.hasNext()\n }\n }\n\n internal fun <E> flatten(iterator: (R) -> Iterator<E>): Sequence<E> {\n return FlatteningSequence<T, R, E>(sequence, transformer, iterator)\n }\n}\n\n/**\n * A sequence which returns the results of applying the given [transformer] function to the values\n * in the underlying [sequence], where the transformer function takes the index of the value in the underlying\n * sequence along with the value itself.\n */\ninternal class TransformingIndexedSequence<T, R>\nconstructor(private val sequence: Sequence<T>, private val transformer: (Int, T) -> R) : Sequence<R> {\n override fun iterator(): Iterator<R> = object : Iterator<R> {\n val iterator = sequence.iterator()\n var index = 0\n override fun next(): R {\n return transformer(checkIndexOverflow(index++), iterator.next())\n }\n\n override fun hasNext(): Boolean {\n return iterator.hasNext()\n }\n }\n}\n\n/**\n * A

```
sequence which combines values from the underlying [sequence] with
 their indices and returns them as\n * [IndexedValue] objects.\n */\ninternal class
IndexingSequence<T>\nconstructor(private val sequence: Sequence<T>) : Sequence<IndexedValue<T>> {\n
override fun iterator(): Iterator<IndexedValue<T>> = object : Iterator<IndexedValue<T>> {\n        val iterator =
sequence.iterator()\n        var index = 0\n        override fun next(): IndexedValue<T> {\n            return
IndexedValue(checkIndexOverflow(index++), iterator.next())\n        }\n\n        override fun hasNext(): Boolean {\n
        return iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A sequence which takes the values from two parallel
underlying sequences, passes them to the given\n * [transform] function and returns the values returned by that
function. The sequence stops returning\n * values as soon as one of the underlying sequences stops returning
values.\n */\ninternal class MergingSequence<T1, T2, V>\nconstructor(\n    private val sequence1:
Sequence<T1>,\n    private val
 sequence2: Sequence<T2>,\n    private val transform: (T1, T2) -> V\n) : Sequence<V> {\n    override fun iterator():
Iterator<V> = object : Iterator<V> {\n        val iterator1 = sequence1.iterator()\n        val iterator2 =
sequence2.iterator()\n        override fun next(): V {\n            return transform(iterator1.next(), iterator2.next())\n
}\n\n        override fun hasNext(): Boolean {\n            return iterator1.hasNext() && iterator2.hasNext()\n        }\n
}\n}\n\ninternal class FlatteningSequence<T, R, E>\nconstructor(\n    private val sequence: Sequence<T>,\n
private val transformer: (T) -> R,\n    private val iterator: (R) -> Iterator<E>\n) : Sequence<E> {\n    override fun
iterator(): Iterator<E> = object : Iterator<E> {\n        val iterator = sequence.iterator()\n        var itemIterator:
Iterator<E>? = null\n\n        override fun next(): E {\n            if (!ensureItemIterator())\n                throw
NoSuchElementException()\n            return itemIterator!!.next()\n
        }\n\n        override fun hasNext(): Boolean {\n            return ensureItemIterator()\n        }\n\n        private fun
ensureItemIterator(): Boolean {\n            if (itemIterator?.hasNext() == false)\n                itemIterator = null\n\n
 while (itemIterator == null) {\n                if (!iterator.hasNext()) {\n                    return false\n                } else {\n
                    val element = iterator.next()\n                    val nextItemIterator = iterator(transformer(element))\n
if (nextItemIterator.hasNext()) {\n                        itemIterator = nextItemIterator\n                        return true\n
    }\n                }\n            }\n            return true\n        }\n    }\n}\n\ninternal fun <T, C, R> flatMapIndexed(source:
Sequence<T>, transform: (Int, T) -> C, iterator: (C) -> Iterator<R>): Sequence<R> =\n    sequence {\n        var
index = 0\n        for (element in source) {\n
            val result = transform(checkIndexOverflow(index++), element)\n            yieldAll(iterator(result))\n        }\n
}\n\n/**\n * A sequence that supports drop(n) and take(n) operations\n */\ninternal interface
DropTakeSequence<T> : Sequence<T> {\n    fun drop(n: Int): Sequence<T>\n    fun take(n: Int):
Sequence<T>\n}\n\n/**\n * A sequence that skips [startIndex] values from the underlying [sequence]\n * and stops
returning values right before [endIndex], i.e. stops at `endIndex - 1`\n */\ninternal class SubSequence<T>(\n
private val sequence: Sequence<T>,\n    private val startIndex: Int,\n    private val endIndex: Int\n) : Sequence<T>,
DropTakeSequence<T> {\n\n    init {\n        require(startIndex >= 0) { \"startIndex should be non-negative, but is
$startIndex\" }\n        require(endIndex >= 0) { \"endIndex should be non-negative, but is $endIndex\" }\n
require(endIndex >= startIndex) { \"endIndex should be not less than startIndex, but was $endIndex < $startIndex\"
 }\n    }\n\n    private val count: Int get() = endIndex - startIndex\n\n    override fun drop(n: Int): Sequence<T> = if
(n >= count) emptySequence() else SubSequence(sequence, startIndex + n, endIndex)\n    override fun take(n: Int):
Sequence<T> = if (n >= count) this else SubSequence(sequence, startIndex, startIndex + n)\n\n    override fun
iterator() = object : Iterator<T> {\n\n        val iterator = sequence.iterator()\n        var position = 0\n\n        //
Shouldn't be called from constructor to avoid premature iteration\n        private fun drop() {\n            while (position
< startIndex && iterator.hasNext()) {\n                iterator.next()\n                position++\n            }\n        }\n\n
override fun hasNext(): Boolean {\n            drop()\n            return (position < endIndex) && iterator.hasNext()\n
}\n\n        override fun next(): T {\n            drop()\n            if (position >= endIndex)\n                throw
NoSuchElementException()\n
            position++\n            return iterator.next()\n        }\n    }\n}\n\n/**\n * A sequence that returns at most [count]
values from the underlying [sequence], and stops returning values\n * as soon as that count is reached.\n */\ninternal
```

```
class TakeSequence<T>(\n    private val sequence: Sequence<T>,\n    private val count: Int\n) : Sequence<T>, DropTakeSequence<T> {\n\n    init {\n        require(count >= 0) { \"count must be non-negative, but was $count.\" }\n    }\n\n    override fun drop(n: Int): Sequence<T> = if (n >= count) emptySequence() else SubSequence(sequence, n, count)\n    override fun take(n: Int): Sequence<T> = if (n >= count) this else TakeSequence(sequence, n)\n\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        var left = count\n        val iterator = sequence.iterator()\n\n        override fun next(): T {\n            if (left == 0)\n                throw NoSuchElementException()\n            left--\n            return iterator.next()\n        }\n\n        override fun hasNext(): Boolean {\n            return left > 0 && iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A sequence that returns values from the underlying [sequence] while the [predicate] function returns\n * `true`, and stops returning values once the function returns `false` for the next element.\n */\ninternal class TakeWhileSequence<T>\nconstructor(\n    private val sequence: Sequence<T>,\n    private val predicate: (T) -> Boolean\n) : Sequence<T> {\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        val iterator = sequence.iterator()\n        var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n        var nextItem: T? = null\n\n        private fun calcNext() {\n            if (iterator.hasNext()) {\n                val item = iterator.next()\n                if (predicate(item)) {\n                    nextState = 1\n                    nextItem = item\n                    return\n                }\n            }\n            nextState = 0\n        }\n\n        override fun next(): T {\n            if (nextState == -1)\n                calcNext() // will change nextState\n            if (nextState == 0)\n                throw NoSuchElementException()\n            @Suppress(\"UNCHECKED_CAST\")\n            val result = nextItem as T\n\n            // Clean next to avoid keeping reference on yielded instance\n            nextItem = null\n            nextState = -1\n            return result\n        }\n\n        override fun hasNext(): Boolean {\n            if (nextState == -1)\n                calcNext() // will change nextState\n            return nextState == 1\n        }\n    }\n}\n\n/**\n * A sequence that skips the specified number of values from the underlying [sequence] and returns\n * all values after that.\n */\ninternal class DropSequence<T>(\n    private val sequence: Sequence<T>,\n    private val count: Int\n) : Sequence<T>, DropTakeSequence<T> {\n    init {\n        require(count >= 0) { \"count must be non-negative, but was $count.\" }\n    }\n\n    override fun drop(n: Int): Sequence<T> = (count + n).let { n1 -> if (n1 < 0) DropSequence(this, n) else DropSequence(sequence, n1) }\n    override fun take(n: Int): Sequence<T> = (count + n).let { n1 -> if (n1 < 0) TakeSequence(this, n) else SubSequence(sequence, count, n1) }\n\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        val iterator = sequence.iterator()\n        var left = count\n\n        // Shouldn't be called from constructor to avoid premature iteration\n        private fun drop() {\n            while (left > 0 && iterator.hasNext()) {\n                iterator.next()\n                left--\n            }\n        }\n\n        override fun next(): T {\n            drop()\n            return iterator.next()\n        }\n\n        override fun hasNext(): Boolean {\n            drop()\n            return iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A sequence
 that skips the values from the underlying [sequence] while the given [predicate] returns `true` and returns\n * all values after that.\n */\ninternal class DropWhileSequence<T>\nconstructor(\n    private val sequence: Sequence<T>,\n    private val predicate: (T) -> Boolean\n) : Sequence<T> {\n\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        val iterator = sequence.iterator()\n        var dropState: Int = -1 // -1 for not dropping, 1 for nextItem, 0 for normal iteration\n        var nextItem: T? = null\n\n        private fun drop() {\n            while (iterator.hasNext()) {\n                val item = iterator.next()\n                if (!predicate(item)) {\n                    nextItem = item\n                    dropState = 1\n                    return\n                }\n            }\n            dropState = 0\n        }\n\n        override fun next(): T {\n            if (dropState == -1)\n                drop()\n\n            if (dropState == 1) {\n                @Suppress(\"UNCHECKED_CAST\")\n                val result = nextItem as T\n                nextItem = null\n                dropState = 0\n                return result\n            }\n            return iterator.next()\n        }\n\n        override fun hasNext(): Boolean {\n            if (dropState == -1)\n                drop()\n            return dropState == 1 || iterator.hasNext()\n        }\n    }\n}\n\ninternal class DistinctSequence<T, K>(private val source: Sequence<T>, private val keySelector: (T) -> K) : Sequence<T> {\n    override fun iterator(): Iterator<T> = DistinctIterator(source.iterator(), keySelector)\n}\n\nprivate class DistinctIterator<T, K>(private val source: Iterator<T>, private val keySelector: (T) -> K) : AbstractIterator<T>() {\n    private val observed =
```

```
HashSet<K>()\n\n    override fun computeNext() {\n        while (source.hasNext()) {\n            val next = source.next()\n            val key = keySelector(next)\n\n            if (observed.add(key)) {\n                setNext(next)\n                return\n            }\n        }\n\n        done()\n    }\n}\n\n\nprivate class GeneratorSequence<T : Any>(private val getInitialValue: () -> T?, private val getNextValue: (T) -> T?) : Sequence<T> {\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        var nextItem: T? = null\n        var nextState: Int = -2 // -2 for initial unknown, -1 for next unknown, 0 for done, 1 for continue\n\n        private fun calcNext() {\n            nextItem = if (nextState == -2) getInitialValue() else getNextValue(nextItem!!)\n            nextState = if (nextItem == null) 0 else 1\n        }\n\n        override fun next(): T {\n            if (nextState < 0)\n                calcNext()\n\n            if (nextState == 0)\n                throw NoSuchElementException()\n            val result = nextItem as T\n            // Do not clean nextItem (to avoid keeping reference on yielded instance) -- need to keep state for getNextValue\n            nextState = -1\n            return result\n        }\n\n        override fun hasNext(): Boolean {\n            if (nextState < 0)\n                calcNext()\n            return nextState == 1\n        }\n    }\n}\n\n/**\n * Returns a wrapper sequence that provides values of this sequence, but ensures it can be iterated only one time.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * [IllegalStateException] is thrown on iterating the returned sequence for the second time and the following times.\n *\n */\npublic fun <T> Sequence<T>.constrainOnce(): Sequence<T> {\n    // as? does not work in js\n    //return this as? ConstrainedOnceSequence<T> ?: ConstrainedOnceSequence(this)\n    return if (this is ConstrainedOnceSequence<T>) this else ConstrainedOnceSequence(this)\n}\n\n\n/**\n * Returns a sequence which invokes the function to calculate the next value on each iteration until the function returns `null`.\n *\n * The returned sequence is constrained to be iterated only once.\n *\n * @see constrainOnce\n * @see kotlin.sequences.sequence\n *\n * @sample samples.collections.Sequences.Building.generateSequence\n */\npublic fun <T : Any> generateSequence(nextFunction: () -> T?): Sequence<T> {\n    return GeneratorSequence(nextFunction, { nextFunction() }).constrainOnce()\n}\n\n/**\n * Returns a sequence defined by the starting value [seed] and the function [nextFunction],\n * which is invoked to calculate the next value based on the previous one on each iteration.\n *\n * The sequence produces values until it encounters first `null` value.\n * If [seed] is `null`, an empty sequence is produced.\n *\n * The sequence can be iterated multiple times, each time starting with [seed].\n *\n * @see kotlin.sequences.sequence\n *\n * @sample samples.collections.Sequences.Building.generateSequenceWithSeed\n */\n@kotlin.internal.LowPriorityInOverloadResolution\npublic fun <T : Any> generateSequence(seed: T?, nextFunction: (T) -> T?): Sequence<T> =\n    if (seed == null)\n        EmptySequence\n    else\n        GeneratorSequence({ seed }, nextFunction)\n\n/**\n * Returns a sequence defined by the function [seedFunction], which is invoked to produce the starting value,\n * and the [nextFunction], which is invoked to calculate the next value based on the previous one on each iteration.\n *\n * The sequence produces values until it encounters first `null` value.\n * If [seedFunction] returns `null`, an empty sequence is produced.\n *\n * The sequence can be iterated multiple times.\n *\n * @see kotlin.sequences.sequence\n *\n * @sample samples.collections.Sequences.Building.generateSequenceWithLazySeed\n */\npublic fun <T : Any> generateSequence(seedFunction: () -> T?, nextFunction: (T) -> T?): Sequence<T> =\n    GeneratorSequence(seedFunction, nextFunction)\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"PreconditionsKt\")\n\npackage kotlin\n\nimport kotlin.contracts.contract\n\n/**\n * Throws an [IllegalArgumentException] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun require(value: Boolean): Unit {\n    contract {\n        returns() implies value\n    }\n    require(value) { \"Failed requirement.\" }\n}\n\n/**\n * Throws an [IllegalArgumentException] with the result of calling [lazyMessage] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n
```

*/\n@kotlin.internal.InlineOnly\npublic inline fun require(value: Boolean, lazyMessage: () -> Any): Unit {\n contract {\n returns() implies value\n }\n if (!value) {\n val message = lazyMessage()\n throw IllegalArgumentException(message.toString())\n }\n}\n\n/**\n * Throws an [IllegalArgumentException] if the [value] is null. Otherwise returns the not null value.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> requireNotNull(value: T?): T {\n contract {\n returns() implies (value != null)\n }\n return requireNotNull(value) { \"Required value was null.\" }\n}\n\n/**\n * Throws an [IllegalArgumentException] with the result of calling [lazyMessage] if the [value] is null. Otherwise\n * returns the not null value.\n *\n * @sample samples.misc.Preconditions.failRequireNotNullWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> requireNotNull(value: T?, lazyMessage: () -> Any): T {\n contract {\n returns() implies (value != null)\n }\n\n if (value == null) {\n val message = lazyMessage()\n throw IllegalArgumentException(message.toString())\n } else {\n return value\n }\n}\n\n/**\n * Throws an [IllegalStateException] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun check(value: Boolean): Unit {\n contract {\n returns() implies value\n }\n check(value) { \"Check failed.\" }\n}\n\n/**\n * Throws an [IllegalStateException] with the result of calling [lazyMessage] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun check(value: Boolean, lazyMessage: () -> Any): Unit {\n contract {\n returns() implies value\n }\n if (!value) {\n val message = lazyMessage()\n throw IllegalStateException(message.toString())\n }\n}\n\n/**\n * Throws an [IllegalStateException] if the [value] is null. Otherwise\n * returns the not null value.\n *\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> checkNotNull(value: T?): T {\n contract {\n returns() implies (value != null)\n }\n return checkNotNull(value) { \"Required value was null.\" }\n}\n\n/**\n * Throws an [IllegalStateException] with the result of calling [lazyMessage] if the [value] is null. Otherwise\n * returns the not null value.\n *\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> checkNotNull(value: T?, lazyMessage: () -> Any): T {\n contract {\n returns() implies (value != null)\n }\n\n if (value == null) {\n val message = lazyMessage()\n throw IllegalStateException(message.toString())\n } else {\n return value\n }\n}\n\n/**\n * Throws an [IllegalStateException] with the given [message].\n *\n * @sample samples.misc.Preconditions.failWithError\n */\n@kotlin.internal.InlineOnly\npublic inline fun error(message: Any): Nothing = throw IllegalStateException(message.toString())\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\nimport primitiveArrayConcat\nimport withType\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun <T> Array<out T>.elementAt(index: Int): T {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun ByteArray.elementAt(index: Int): Byte {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun ShortArray.elementAt(index: Int): Short {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\")

}\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun IntArray.elementAt(index: Int): Int {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun LongArray.elementAt(index: Int): Long {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun FloatArray.elementAt(index: Int): Float {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun DoubleArray.elementAt(index:
Int): Double {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun BooleanArray.elementAt(index: Int): Boolean {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun CharArray.elementAt(index: Int): Char {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic actual fun <T> Array<out T>.asList():
List<T> {\n return ArrayList<T>(this.unsafeCast<Array<Any?>>())\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun ByteArray.asList(): List<Byte> {\n return this.unsafeCast<Array<Byte>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun ShortArray.asList(): List<Short> {\n return this.unsafeCast<Array<Short>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun IntArray.asList(): List<Int> {\n return this.unsafeCast<Array<Int>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun LongArray.asList(): List<Long> {\n return this.unsafeCast<Array<Long>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic
actual inline fun FloatArray.asList(): List<Float> {\n return this.unsafeCast<Array<Float>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun DoubleArray.asList(): List<Double> {\n return this.unsafeCast<Array<Double>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun BooleanArray.asList(): List<Boolean> {\n return this.unsafeCast<Array<Boolean>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic actual fun CharArray.asList(): List<Char> {\n return object : AbstractList<Char>(), RandomAccess {\n override val size: Int get() = this@asList.size\n override fun isEmpty(): Boolean = this@asList.isEmpty()\n override fun contains(element: Char): Boolean = this@asList.contains(element)\n override fun get(index: Int): Char {\n AbstractList.checkElementIndex(index,
size)\n return this@asList[index]\n }\n override fun indexOf(element: Char): Int {\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is Char) return -1\n return this@asList.indexOf(element)\n }\n override fun lastIndexOf(element: Char): Int {\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is Char) return -1\n return this@asList.lastIndexOf(element)\n }\n }\n}\n\n/**\n * Returns `true` if the two specified arrays are *deeply*

equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * If two corresponding elements are nested arrays, they are also compared deeply.\n * If any of arrays contains itself on any nesting level the behavior is undefined.\n * \n * The elements of other types are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic actual infix fun <T> Array<out T>.contentDeepEquals(other: Array<out T>): Boolean {\n   return this.contentDeepEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *deeply* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The specified arrays are also considered deeply equal if both are `null`.\n * \n * If two corresponding elements are nested arrays, they are also compared deeply.\n * If any of arrays contains itself on any nesting level the behavior is undefined.\n * \n * The elements of other types are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayDeepEquals\")\npublic actual infix fun <T> Array<out T>?.contentDeepEquals(other: Array<out T>?): Boolean {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level the behavior is undefined.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic actual fun <T> Array<out T>.contentDeepHashCode(): Int {\n   return this.contentDeepHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level the behavior is undefined.\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayDeepHashCode\")\npublic actual fun <T> Array<out T>?.contentDeepHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a string representation of the contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level that reference\n * is rendered as `\"[...]\"` to prevent recursion.\n * \n * @sample samples.collections.Arrays.ContentOperations.contentDeepToString\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic actual fun <T> Array<out T>.contentDeepToString(): String {\n   return this.contentDeepToString()\n}\n\n/**\n * Returns a string representation of the contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level that reference\n * is rendered as `\"[...]\"` to prevent recursion.\n * \n * @sample samples.collections.Arrays.ContentOperations.contentDeepToString\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayDeepToString\")\npublic actual fun <T> Array<out T>?.contentDeepToString(): String {\n   definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual infix fun <T> Array<out T>.contentEquals(other: Array<out T>): Boolean {\n   return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual infix fun ByteArray.contentEquals(other: ByteArray): Boolean {\n   return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are

compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual infix fun ShortArray.contentEquals(other: ShortArray): Boolean {\n   return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for
equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual infix fun IntArray.contentEquals(other: IntArray): Boolean {\n   return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual infix fun LongArray.contentEquals(other: LongArray): Boolean
{\n   return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual infix fun FloatArray.contentEquals(other: FloatArray): Boolean {\n   return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and
`-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean {\n   return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean {\n   return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally*
equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual infix fun CharArray.contentEquals(other: CharArray): Boolean {\n   return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayEquals\")\npublic actual infix fun
<T> Array<out T>?.contentEquals(other: Array<out T>?): Boolean {\n   definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n

*/\n@SinceKotlin(\"1.4\")\n@library(\"arrayEquals\")\npublic actual infix fun ByteArray?.contentEquals(other: ByteArray?): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayEquals\")\npublic actual infix fun ShortArray?.contentEquals(other: ShortArray?): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayEquals\")\npublic actual infix fun IntArray?.contentEquals(other: IntArray?): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayEquals\")\npublic actual infix fun LongArray?.contentEquals(other: LongArray?): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayEquals\")\npublic actual infix fun FloatArray?.contentEquals(other: FloatArray?): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayEquals\")\npublic actual infix fun DoubleArray?.contentEquals(other: DoubleArray?): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayEquals\")\npublic actual infix fun BooleanArray?.contentEquals(other: BooleanArray?): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayEquals\")\npublic actual infix fun CharArray?.contentEquals(other: CharArray?): Boolean {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun <T> Array<out T>.contentHashCode(): Int {\n return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun ByteArray.contentHashCode(): Int {\n return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun ShortArray.contentHashCode(): Int {\n return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation

warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun IntArray.contentHashCode(): Int {\n   return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun LongArray.contentHashCode(): Int {\n   return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun FloatArray.contentHashCode(): Int {\n   return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun DoubleArray.contentHashCode(): Int {\n   return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun BooleanArray.contentHashCode(): Int {\n   return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun CharArray.contentHashCode(): Int {\n   return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayHashCode\")\npublic actual fun <T> Array<out T>?.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayHashCode\")\npublic actual fun ByteArray?.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayHashCode\")\npublic actual fun ShortArray?.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayHashCode\")\npublic actual fun IntArray?.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayHashCode\")\npublic actual fun LongArray?.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayHashCode\")\npublic actual fun FloatArray?.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayHashCode\")\npublic actual fun DoubleArray?.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayHashCode\")\npublic actual fun BooleanArray?.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayHashCode\")\npublic actual fun CharArray?.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun <T> Array<out T>.contentToString(): String {\n   return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun ByteArray.contentToString(): String {\n   return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to

avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun ShortArray.contentToString(): String {\n   return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun IntArray.contentToString(): String {\n   return this.contentToString()\n}\n\n/**\n * Returns a string representation of the
 contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun LongArray.contentToString(): String {\n   return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun FloatArray.contentToString(): String {\n   return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use
 Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun DoubleArray.contentToString(): String {\n   return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun BooleanArray.contentToString(): String {\n   return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun CharArray.contentToString():
 String {\n   return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayToString\")\npublic actual fun <T> Array<out T>?.contentToString(): String {\n   definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayToString\")\npublic actual fun ByteArray?.contentToString(): String {\n   definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayToString\")\npublic actual fun ShortArray?.contentToString():
 String {\n   definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayToString\")\npublic actual fun IntArray?.contentToString(): String {\n   definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayToString\")\npublic actual fun LongArray?.contentToString(): String {\n   definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayToString\")\npublic actual fun FloatArray?.contentToString(): String {\n   definedExternally\n}\n\n/**\n

```
 * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin(\"1.4\")\n@library(\"arrayToString\")\npublic actual fun DoubleArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin(\"1.4\")\n@library(\"arrayToString\")\npublic actual fun BooleanArray?.contentToString():
String {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as
if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin(\"1.4\")\n@library(\"arrayToString\")\npublic actual fun CharArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Copies this array or
 its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the
[destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param
destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by
default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param
endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this
array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange
doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the
[destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT
_ARGUMENTS\")\npublic
 actual inline fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset: Int = 0, startIndex: Int = 0,
endIndex: Int = size): Array<T> {\n    arrayCopy(this, destination, destinationOffset, startIndex, endIndex)\n
return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n
* \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with
the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in
the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to
copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n
* \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex]
 or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws
IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified
[destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the
[destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT
_ARGUMENTS\")\npublic actual inline fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0,
startIndex: Int = 0, endIndex: Int = size): ByteArray {\n    arrayCopy(this.unsafeCast<Array<Byte>>(),
destination.unsafeCast<Array<Byte>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n
* Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the
same array in the [destination] and even specify the subrange so that it overlaps with the destination
 range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n *
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is
out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT
_ARGUMENTS\")\npublic actual inline fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int =
```

0, startIndex: Int =
0, endIndex: Int = size): ShortArray {\n arrayCopy(this.unsafeCast<Array<Short>>(), destination.unsafeCast<Array<Short>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't
fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): IntArray {\n arrayCopy(this.unsafeCast<Array<Int>>(), destination.unsafeCast<Array<Int>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n
* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): LongArray {\n arrayCopy(this.unsafeCast<Array<Long>>(), destination.unsafeCast<Array<Long>>(), destinationOffset, startIndex,
endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n
* \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): FloatArray {\n arrayCopy(this.unsafeCast<Array<Float>>(), destination.unsafeCast<Array<Float>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to

copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy,
size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray {\n arrayCopy(this.unsafeCast<Array<Double>>(), destination.unsafeCast<Array<Double>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n *
\n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic
actual inline fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray {\n arrayCopy(this.unsafeCast<Array<Boolean>>(), destination.unsafeCast<Array<Boolean>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or
[endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray {\n arrayCopy(this.unsafeCast<Array<Char>>(), destination.unsafeCast<Array<Char>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline fun <T> Array<out
T>.copyOf(): Array<T> {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun ByteArray.copyOf(): ByteArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun ShortArray.copyOf(): ShortArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new

array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun IntArray.copyOf(): IntArray {\n   return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic actual fun LongArray.copyOf(): LongArray {\n   return withType(\"LongArray\", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun FloatArray.copyOf(): FloatArray {\n   return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun DoubleArray.copyOf(): DoubleArray {\n   return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic actual fun BooleanArray.copyOf(): BooleanArray {\n   return withType(\"BooleanArray\", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic actual fun CharArray.copyOf(): CharArray {\n   return withType(\"CharArray\", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun ByteArray.copyOf(newSize: Int): ByteArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return fillFrom(this, ByteArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun ShortArray.copyOf(newSize: Int): ShortArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return fillFrom(this, ShortArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun IntArray.copyOf(newSize: Int): IntArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return fillFrom(this, IntArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun LongArray.copyOf(newSize: Int): LongArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return withType(\"LongArray\", arrayCopyResize(this, newSize, 0L))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n *

@sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun FloatArray.copyOf(newSize: Int): FloatArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return fillFrom(this, FloatArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the
 original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun DoubleArray.copyOf(newSize: Int): DoubleArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return fillFrom(this, DoubleArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `false` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `false` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic
 actual fun BooleanArray.copyOf(newSize: Int): BooleanArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return withType(\"BooleanArray\", arrayCopyResize(this, newSize, false))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with null char (`\\u0000`) values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with null char (`\\u0000`) values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun CharArray.copyOf(newSize: Int): CharArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return withType(\"CharArray\", fillFrom(this, CharArray(newSize)))\n}\n\n/**\n * Returns
 new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `null` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `null` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")\npublic actual fun <T> Array<out T>.copyOf(newSize: Int): Array<T?> {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return arrayCopyResize(this, newSize, null)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if
 [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")\npublic actual fun <T> Array<out T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T> {\n   AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n   return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray {\n   AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n
    return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if

[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return withType(\"LongArray\", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return withType(\"BooleanArray\", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return withType(\"CharArray\", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size

```
 of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic
actual fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic
actual fun ByteArray.fill(element: Byte, fromIndex:
 Int = 0, toIndex: Int = size): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n
this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified
[element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param
toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic
actual fun ShortArray.fill(element: Short, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified
 [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param
toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic
actual fun IntArray.fill(element: Int, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException
 if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic
actual fun LongArray.fill(element: Long, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic
 actual fun FloatArray.fill(element: Float, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
```

than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun DoubleArray.fill(element: Double, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun BooleanArray.fill(element: Boolean, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to
fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun CharArray.fill(element: Char, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline operator fun <T> Array<out T>.plus(element: T): Array<T> {\n return this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic
actual inline operator fun ByteArray.plus(element: Byte): ByteArray {\n return plus(byteArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun ShortArray.plus(element: Short): ShortArray {\n return plus(shortArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun IntArray.plus(element: Int): IntArray {\n return plus(intArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun LongArray.plus(element: Long): LongArray {\n return plus(longArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun FloatArray.plus(element: Float): FloatArray {\n return plus(floatArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun DoubleArray.plus(element: Double): DoubleArray {\n return plus(doubleArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun BooleanArray.plus(element: Boolean): BooleanArray {\n return plus(booleanArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun CharArray.plus(element: Char): CharArray {\n return plus(charArrayOf(element))\n}\n\n/**\n * Returns
an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")\npublic actual operator fun <T> Array<out T>.plus(elements:

Collection<T>): Array<T> {\n   return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun ShortArray.plus(elements: Collection<Short>): ShortArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and
then all elements of the given [elements] collection.\n */\npublic actual operator fun IntArray.plus(elements: Collection<Int>): IntArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun LongArray.plus(elements: Collection<Long>): LongArray {\n   return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun FloatArray.plus(elements: Collection<Float>): FloatArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray {\n   return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun CharArray.plus(elements: Collection<Char>): CharArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline operator fun <T> Array<out T>.plus(elements: Array<out T>): Array<T> {\n   return this.asDynamic().concat(elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun ByteArray.plus(elements: ByteArray): ByteArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun ShortArray.plus(elements: ShortArray): ShortArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun IntArray.plus(elements: IntArray): IntArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing
all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun LongArray.plus(elements: LongArray): LongArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun FloatArray.plus(elements: FloatArray): FloatArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun DoubleArray.plus(elements: DoubleArray): DoubleArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements]
array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun BooleanArray.plus(elements: BooleanArray): BooleanArray {\n   return primitiveArrayConcat(this,

```
elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun CharArray.plus(elements: CharArray): CharArray {\n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline fun <T> Array<out T>.plusElement(element: T): Array<T> {\n    return this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@library(\"primitiveArraySort\")\npublic actual fun IntArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic actual fun LongArray.sort(): Unit {\n    @Suppress(\"DEPRECATION\")\n    if (size > 1) sort { a: Long, b: Long -> a.compareTo(b) }\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@library(\"primitiveArraySort\")\npublic actual fun ByteArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@library(\"primitiveArraySort\")\npublic actual fun ShortArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@library(\"primitiveArraySort\")\npublic actual fun DoubleArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@library(\"primitiveArraySort\")\npublic actual fun FloatArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@library(\"primitiveArraySort\")\npublic actual fun CharArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place according to the natural order of its elements.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @sample samples.collections.Arrays.Sorting.sortArrayOfComparable\n */\npublic actual fun <T : Comparable<T>> Array<out T>.sort(): Unit {\n    if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\n@Deprecated(\"Use sortWith instead\", ReplaceWith(\"this.sortWith(Comparator(comparison))\"))\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\npublic fun <T> Array<out T>.sort(comparison: (a: T, b: T) -> Int): Unit {\n    if (size > 1) sortArrayWith(this, comparison)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArrayOfComparable\n */\n@SinceKotlin(\"1.4\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun <T : Comparable<T>> Array<out T>.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    sortArrayWith(this, fromIndex, toIndex, naturalOrder())\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun ByteArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val subarray = this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<ByteArray>()\n    subarray.sort()\n}\n\n/**\n * Sorts a range
```

in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun ShortArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val subarray = this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<ShortArray>()\n subarray.sort()\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive)
to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun IntArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val subarray = this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<IntArray>()\n subarray.sort()\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size
of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun LongArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n sortArrayWith(this.unsafeCast<Array<Long>>(), fromIndex, toIndex, naturalOrder())\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun FloatArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val subarray = this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<FloatArray>()\n subarray.sort()\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun DoubleArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val subarray = this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<DoubleArray>()\n subarray.sort()\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample

samples.collections.Arrays.Sorting.sortRangeOfArray\n
*/\n@SinceKotlin(\"1.4\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun CharArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val subarray = this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<CharArray>()\n subarray.sort()\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@Deprecated(\"Use other sorting functions from the Standard Library\")\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sort(noinline comparison: (a: Byte, b: Byte) -> Int): Unit {\n asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@Deprecated(\"Use other sorting functions from the Standard Library\")\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sort(noinline comparison: (a: Short, b: Short) -> Int): Unit {\n asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@Deprecated(\"Use other sorting functions from the Standard Library\")\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sort(noinline comparison: (a: Int, b: Int) -> Int): Unit {\n asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@Deprecated(\"Use other sorting functions from the Standard Library\")\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.sort(noinline comparison: (a: Long, b: Long) -> Int): Unit {\n asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@Deprecated(\"Use other sorting functions from the Standard Library\")\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sort(noinline comparison: (a: Float, b: Float) -> Int): Unit {\n asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@Deprecated(\"Use other sorting functions from the Standard Library\")\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.sort(noinline comparison: (a: Double, b: Double) -> Int): Unit {\n asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@Deprecated(\"Use other sorting functions from the Standard Library\")\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sort(noinline comparison: (a: Char, b: Char) -> Int): Unit {\n asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic actual fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit {\n if (size > 1) sortArrayWith(this, comparator)\n}\n\n/**\n * Sorts a range in the array in-place with the given [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun <T> Array<out T>.sortWith(comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n sortArrayWith(this, fromIndex, toIndex, comparator)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun ByteArray.toTypedArray(): Array<Byte> {\n return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed*

object array containing all of the elements of this primitive array.\n */\npublic actual fun ShortArray.toTypedArray(): Array<Short> {\n   return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun IntArray.toTypedArray(): Array<Int> {\n   return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun LongArray.toTypedArray(): Array<Long> {\n   return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun FloatArray.toTypedArray(): Array<Float> {\n   return js(\"[]\").slice.call(this)\n}\n\n/**\n
 * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun DoubleArray.toTypedArray(): Array<Double> {\n   return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun BooleanArray.toTypedArray(): Array<Boolean> {\n   return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun CharArray.toTypedArray(): Array<Char> {\n   return Array(size) { index -> this[index] }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n@file:kotlin.jvm.JvmName(\"ComparisonsKt\")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin.comparisons\n\n/**\n * Compares
 two values using the specified functions [selectors] to calculate the result of the comparison.\n * The functions are called sequentially, receive the given values [a] and [b] and return [Comparable]\n * objects. As soon as the [Comparable] instances returned by a function for [a] and [b] values do not\n * compare as equal, the result of that comparison is returned.\n *\n * @sample samples.comparisons.Comparisons.compareValuesByWithSelectors\n */\npublic fun <T> compareValuesBy(a: T, b: T, vararg selectors: (T) -> Comparable<*>?): Int {\n   require(selectors.size > 0)\n   return compareValuesByImpl(a, b, selectors)\n}\n\nprivate fun <T> compareValuesByImpl(a: T, b: T, selectors: Array<out (T) -> Comparable<*>?>): Int {\n   for (fn in selectors) {\n   val v1 = fn(a)\n   val v2 = fn(b)\n   val diff = compareValues(v1, v2)\n   if (diff != 0) return diff\n   }\n   return 0\n}\n\n/**\n * Compares two values using the specified [selector] function to calculate the
 result of the comparison.\n * The function is applied to the given values [a] and [b] and return [Comparable] objects.\n * The result of comparison of these [Comparable] instances is returned.\n *\n * @sample samples.comparisons.Comparisons.compareValuesByWithSingleSelector\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareValuesBy(a: T, b: T, selector: (T) -> Comparable<*>?): Int {\n   return compareValues(selector(a), selector(b))\n}\n\n/**\n * Compares two values using the specified [selector] function to calculate the result of the comparison.\n * The function is applied to the given values [a] and [b] and return objects of type K which are then being\n * compared with the given [comparator].\n *\n * @sample samples.comparisons.Comparisons.compareValuesByWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareValuesBy(a: T, b: T, comparator: Comparator<in K>, selector: (T) -> K): Int {\n   return comparator.compare(selector(a), selector(b))\n}\n\n////
 Not so useful without type inference for receiver of expression\n//// compareValuesWith(v1, v2, compareBy { it.prop1 } thenByDescending { it.prop2 })\n///**\n// * Compares two values using the specified [comparator].\n// */\n//@Suppress(\"NOTHING_TO_INLINE\")\n//public inline fun <T> compareValuesWith(a: T, b: T, comparator: Comparator<T>): Int = comparator.compare(a, b)\n//\n\n/**\n * Compares two nullable [Comparable] values. Null is considered less than any value.\n *\n * @sample samples.comparisons.Comparisons.compareValues\n */\npublic fun <T : Comparable<*>> compareValues(a: T?, b: T?): Int {\n   if (a === b) return 0\n   if (a == null) return -1\n   if (b == null) return 1\n\n   @Suppress(\"UNCHECKED_CAST\")\n   return (a as Comparable<Any>).compareTo(b)\n}\n\n/**\n * Creates a comparator using the sequence of functions to calculate a result of comparison.\n * The functions are called sequentially, receive the given values `a` and `b` and return [Comparable]\n

```
 * objects. As soon as the [Comparable] instances returned by a function for `a` and `b` values do not\n * compare as equal, the result of that comparison is returned from the [Comparator].\n *\n * @sample samples.comparisons.Comparisons.compareByWithSelectors\n */\npublic fun <T> compareBy(vararg selectors: (T) -> Comparable<*>?): Comparator<T> {\n    require(selectors.size > 0)\n    return Comparator { a, b -> compareValuesByImpl(a, b, selectors) }\n}\n\n\n/**\n * Creates a comparator using the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample samples.comparisons.Comparisons.compareByWithSingleSelector\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n    Comparator { a, b -> compareValuesBy(a, b, selector) }\n\n/**\n * Creates a comparator using the [selector] function to transform values being compared and then applying\n * the specified [comparator] to compare transformed values.\n *\n * @sample samples.comparisons.Comparisons.compareByWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b -> compareValuesBy(a, b, comparator, selector) }\n\n/**\n * Creates a descending comparator using the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample samples.comparisons.Comparisons.compareByDescendingWithSingleSelector\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n    Comparator { a, b -> compareValuesBy(b, a, selector) }\n\n/**\n * Creates a descending comparator using the [selector] function to transform values being compared and then applying\n * the specified [comparator] to compare transformed values.\n *\n * Note that an order of [comparator] is reversed by this wrapper.\n *\n * @sample samples.comparisons.Comparisons.compareByDescendingWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareByDescending(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b -> compareValuesBy(b, a, comparator, selector) }\n\n/**\n * Creates a comparator comparing values after the primary comparator defined them equal. It uses\n * the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample samples.comparisons.Comparisons.thenBy\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Comparator<T>.thenBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenBy.compare(a, b)\n        if (previousCompare != 0) previousCompare else compareValuesBy(a, b, selector)\n    }\n\n/**\n * Creates a comparator comparing values after the primary comparator defined them equal. It uses\n * the [selector] function to transform values
 and then compares them with the given [comparator].\n *\n * @sample samples.comparisons.Comparisons.thenByWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> Comparator<T>.thenBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenBy.compare(a, b)\n        if (previousCompare != 0) previousCompare else compareValuesBy(a, b, comparator, selector)\n    }\n\n/**\n * Creates a descending comparator using the primary comparator and\n * the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample samples.comparisons.Comparisons.thenByDescending\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Comparator<T>.thenByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenByDescending.compare(a, b)\n        if (previousCompare != 0) previousCompare else compareValuesBy(b,
 a, selector)\n    }\n\n/**\n * Creates a descending comparator comparing values after the primary comparator defined them equal. It uses\n * the [selector] function to transform values and then compares them with the given [comparator].\n *\n * @sample samples.comparisons.Comparisons.thenByDescendingWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> Comparator<T>.thenByDescending(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenByDescending.compare(a, b)\n        if (previousCompare != 0) previousCompare else compareValuesBy(b, a, comparator, selector)\n    }\n\n\n/**\n * Creates a comparator using the primary comparator
```

and function to calculate a result of comparison.\n *\n * @sample samples.comparisons.Comparisons.thenComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Comparator<T>.thenComparator(crossinline comparison: (a: T, b: T) -> Int): Comparator<T> =\n Comparator { a, b ->\n val previousCompare = this@thenComparator.compare(a, b)\n if (previousCompare != 0) previousCompare else comparison(a, b)\n }\n\n/**\n * Combines this comparator and the given [comparator] such that the latter is applied only\n * when the former considered values equal.\n *\n * @sample samples.comparisons.Comparisons.then\n */\npublic infix fun <T> Comparator<T>.then(comparator: Comparator<in T>): Comparator<T> =\n Comparator { a, b ->\n val previousCompare = this@then.compare(a, b)\n if (previousCompare != 0) previousCompare else comparator.compare(a, b)\n }\n\n/**\n * Combines this comparator and the given [comparator] such that the latter is applied only\n * when the former considered values equal.\n *\n * @sample samples.comparisons.Comparisons.thenDescending\n */\npublic infix fun <T> Comparator<T>.thenDescending(comparator: Comparator<in T>): Comparator<T> =\n Comparator<T> { a, b ->\n val previousCompare = this@thenDescending.compare(a, b)\n if (previousCompare != 0) previousCompare else comparator.compare(b, a)\n }\n\n// Not so useful without type inference for receiver of expression\n/**\n * Extends the given [comparator] of non-nullable values to a comparator of nullable values\n * considering `null` value less than any other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n */\npublic fun <T : Any> nullsFirst(comparator: Comparator<in T>): Comparator<T?> =\n Comparator { a, b ->\n when {\n a === b -> 0\n a == null -> -1\n b == null -> 1\n else -> comparator.compare(a, b)\n }\n }\n\n/**\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value less than any other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsFirst(): Comparator<T?> = nullsFirst(naturalOrder())\n\n/**\n * Extends the given [comparator] of non-nullable values to a comparator of nullable values\n * considering `null` value greater than any other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n */\npublic fun <T : Any> nullsLast(comparator: Comparator<in T>): Comparator<T?> =\n Comparator { a, b ->\n when {\n a === b -> 0\n a == null -> 1\n b == null -> -1\n else -> comparator.compare(a, b)\n }\n }\n\n/**\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value greater than any other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsLast(): Comparator<T?> = nullsLast(naturalOrder())\n\n/**\n * Returns a comparator that compares [Comparable] objects in natural order.\n *\n * @sample samples.comparisons.Comparisons.naturalOrderComparator\n */\npublic fun <T : Comparable<T>> naturalOrder(): Comparator<T> = @Suppress(\"UNCHECKED_CAST\") (NaturalOrderComparator as Comparator<T>)\n\n/**\n * Returns a comparator that compares [Comparable] objects in reversed natural order.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n */\npublic fun <T : Comparable<T>> reverseOrder(): Comparator<T> = @Suppress(\"UNCHECKED_CAST\") (ReverseOrderComparator as Comparator<T>)\n\n/**\n * Returns a comparator that imposes the reverse ordering of this comparator.\n *\n * @sample samples.comparisons.Comparisons.reversed\n */\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\")\npublic fun <T> Comparator<T>.reversed(): Comparator<T> = when (this) {\n is ReversedComparator -> this.comparator\n NaturalOrderComparator -> @Suppress(\"UNCHECKED_CAST\") (ReverseOrderComparator as Comparator<T>)\n ReverseOrderComparator -> @Suppress(\"UNCHECKED_CAST\") (NaturalOrderComparator as Comparator<T>)\n else -> ReversedComparator(this)\n}\n\n\nprivate class ReversedComparator<T>(public val comparator: Comparator<T>) : Comparator<T> {\n override fun compare(a: T, b: T): Int = comparator.compare(b, a)\n @Suppress(\"VIRTUAL_MEMBER_HIDDEN\")\n fun reversed(): Comparator<T> = comparator\n}\n\nprivate object NaturalOrderComparator : Comparator<Comparable<Any>> {\n override fun compare(a:

Comparable<Any>, b: Comparable<Any>): Int = a.compareTo(b)\n @Suppress(\"VIRTUAL_MEMBER_HIDDEN\")\n fun reversed(): Comparator<Comparable<Any>> = ReverseOrderComparator\n}\n\nprivate object ReverseOrderComparator : Comparator<Comparable<Any>> {\n override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int = b.compareTo(a)\n @Suppress(\"VIRTUAL_MEMBER_HIDDEN\")\n fun reversed(): Comparator<Comparable<Any>> = NaturalOrderComparator\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StandardKt\")\npackage kotlin\n\nimport kotlin.contracts.*\n\n/**\n * An exception is thrown to indicate that a method body remains to be implemented.\n */\npublic class NotImplementedError(message: String = \"An operation is not implemented.\") : Error(message)\n\n/**\n * Always throws [NotImplementedError] stating that operation is not implemented.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun TODO(): Nothing = throw NotImplementedError()\n\n/**\n * Always throws [NotImplementedError] stating that operation is not implemented.\n *\n * @param reason a string explaining why the implementation is missing.\n */\n@kotlin.internal.InlineOnly\npublic inline fun TODO(reason: String): Nothing = throw NotImplementedError(\"An operation is not implemented: $reason\")\n\n\n\n/**\n * Calls the specified function [block] and returns its result.\n *\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).\n */\n@kotlin.internal.InlineOnly\npublic inline fun <R> run(block: () -> R): R {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n return block()\n}\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and returns its result.\n *\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.run(block: T.() -> R): R {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n return block()\n}\n\n/**\n * Calls the specified function [block] with the given [receiver] as its receiver and returns its result.\n *\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#with).\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> with(receiver: T, block: T.() -> R): R {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n return receiver.block()\n}\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and returns `this` value.\n *\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#apply).\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> T.apply(block: T.() -> Unit): T {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n block()\n return this\n}\n\n/**\n * Calls the specified function [block] with `this` value as its argument and returns `this` value.\n *\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#also).\n */\n@kotlin.internal.InlineOnly\n@SinceKotlin(\"1.1\")\npublic inline fun <T> T.also(block: (T) -> Unit): T {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n block(this)\n return this\n}\n\n/**\n * Calls the specified function [block] with `this` value as its argument and returns its result.\n *\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#let).\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.let(block: (T) -> R): R {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n return block(this)\n}\n\n/**\n * Returns `this` value if it satisfies the given [predicate] or `null`, if it doesn't.\n *\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#takeif-and-takeunless).\n */\n@kotlin.internal.InlineOnly\n@SinceKotlin(\"1.1\")\npublic inline fun <T> T.takeIf(predicate: (T) -> Boolean): T? {\n contract {\n callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)\n }\n return if (predicate(this)) this else null\n}\n\n/**\n * Returns `this`

value if it _does not_ satisfy the given [predicate] or `null`, if it does.\n *\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#takeif-and-takeunless).\n */\n@kotlin.internal.InlineOnly\n@SinceKotlin(\"1.1\")\npublic inline fun <T> T.takeUnless(predicate: (T) -> Boolean): T? {\n contract {\n callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)\n }\n return if (!predicate(this)) this else null\n}\n\n/**\n * Executes the given function [action] specified number of [times].\n *\n * A zero-based index of current iteration is passed as a parameter to [action].\n *\n * @sample samples.misc.ControlFlow.repeat\n */\n@kotlin.internal.InlineOnly\npublic inline fun repeat(times: Int, action: (Int) -> Unit) {\n contract { callsInPlace(action) }\n\n for (index in 0 until times) {\n action(index)\n }\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.comparisons\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\n\n/**\n * Returns the greater of two values.\n * \n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T): T {\n return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Byte, b: Byte): Byte {\n return maxOf(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Short, b: Short): Short {\n return maxOf(a.toInt(), b.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Int, b: Int): Int {\n return JsMath.max(a, b)\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun maxOf(a: Long, b: Long): Long {\n return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Float, b: Float): Float {\n return JsMath.max(a, b)\n}\n\n/**\n * Returns the greater of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Double, b: Double): Double {\n return JsMath.max(a, b)\n}\n\n/**\n * Returns the greater of three values.\n * \n * If there are multiple equal maximal values, returns the first of them.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T, c: T): T {\n return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Byte, b: Byte, c: Byte): Byte {\n return JsMath.max(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Short, b: Short, c: Short): Short {\n return JsMath.max(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Int, b: Int, c: Int): Int {\n return JsMath.max(a, b, c)\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Long, b: Long, c: Long): Long {\n return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Float, b: Float, c: Float): Float {\n return JsMath.max(a, b, c)\n}\n\n/**\n * Returns the greater of three values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Double, b: Double, c: Double): Double {\n return JsMath.max(a, b, c)\n}\n\n/**\n * Returns the greater of the given values.\n * \n * If there are multiple equal maximal values, returns the first of them.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun <T : Comparable<T>> maxOf(a: T, vararg other: T): T {\n var max = a\n for (e in other) max = maxOf(max, e)\n return max\n}\n\n/**\n * Returns the greater of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun maxOf(a:

Byte, vararg other: Byte): Byte {\n   var max = a\n   for (e in other) max = maxOf(max, e)\n   return max\n}\n\n/**\n * Returns the greater of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun maxOf(a: Short, vararg other: Short): Short {\n   var max = a\n   for (e in other) max = maxOf(max, e)\n   return max\n}\n\n/**\n * Returns the greater of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun maxOf(a: Int, vararg other: Int): Int {\n   var max = a\n   for (e in other) max = maxOf(max, e)\n   return max\n}\n\n/**\n * Returns the greater of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun maxOf(a: Long, vararg other: Long): Long {\n   var max = a\n   for (e in other) max = maxOf(max, e)\n   return max\n}\n\n/**\n * Returns the greater of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun maxOf(a: Float, vararg other: Float): Float {\n   var max = a\n   for (e in other) max = maxOf(max, e)\n   return max\n}\n\n/**\n * Returns the greater of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun maxOf(a: Double, vararg other: Double): Double {\n   var max = a\n   for (e in other) max = maxOf(max, e)\n   return max\n}\n\n/**\n * Returns the smaller of two values.\n * \n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T : Comparable<T>> minOf(a: T, b: T): T {\n   return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Byte, b: Byte): Byte {\n   return minOf(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Short, b: Short): Short {\n   return minOf(a.toInt(), b.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Int, b: Int): Int {\n   return JsMath.min(a, b)\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun minOf(a: Long, b: Long): Long {\n   return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Float, b: Float): Float {\n   return JsMath.min(a, b)\n}\n\n/**\n * Returns the smaller of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Double, b: Double): Double {\n   return JsMath.min(a, b)\n}\n\n/**\n * Returns the smaller of three values.\n * \n * If there are multiple equal minimal values, returns the first of them.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T : Comparable<T>> minOf(a: T, b: T, c: T): T {\n   return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Byte, b: Byte, c: Byte): Byte {\n   return JsMath.min(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Short, b: Short, c: Short): Short {\n   return JsMath.min(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Int, b: Int, c: Int): Int {\n   return JsMath.min(a, b, c)\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Long, b: Long, c: Long): Long {\n   return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Float, b: Float, c: Float): Float {\n   return JsMath.min(a, b, c)\n}\n\n/**\n * Returns the smaller of three values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Double, b: Double, c: Double): Double {\n   return JsMath.min(a, b, c)\n}\n\n/**\n * Returns the smaller of the given values.\n * \n * If there are multiple equal minimal values, returns the first of them.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun <T : Comparable<T>> minOf(a: T, vararg other: T): T {\n   var min = a\n   for (e in other) min = minOf(min, e)\n   return min\n}\n\n/**\n * Returns the smaller of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun minOf(a: Byte, vararg other: Byte): Byte {\n   var min = a\n   for (e in other) min = minOf(min, e)\n   return min\n}\n\n/**\n * Returns the smaller of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun minOf(a: Short, vararg

other: Short): Short {\n   var min = a\n   for (e in other) min = minOf(min, e)\n   return min\n}\n\n/**\n * Returns the smaller of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun minOf(a: Int, vararg other: Int): Int {\n   var min = a\n   for (e in other) min = minOf(min, e)\n   return min\n}\n\n/**\n * Returns the smaller of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun minOf(a: Long, vararg other: Long): Long {\n   var min = a\n   for (e in other) min = minOf(min, e)\n   return min\n}\n\n/**\n
 * Returns the smaller of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\npublic actual fun minOf(a: Float, vararg other: Float): Float {\n   var min = a\n   for (e in other) min = minOf(min, e)\n   return min\n}\n\n/**\n * Returns the smaller of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun minOf(a: Double, vararg other: Double): Double {\n   var min = a\n   for (e in other) min = minOf(min, e)\n   return min\n}\n\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.experimental.*\nimport
kotlin.jvm.*\n\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@JvmInline\npublic value class ULong @PublishedApi
 internal constructor(@PublishedApi internal val data: Long) : Comparable<ULong> {\n\n   companion object {\n
    /**\n   * A constant holding the minimum value an instance of ULong can have.\n   */\n   public const
val MIN_VALUE: ULong = ULong(0)\n\n   /**\n   * A constant holding the maximum value an instance of
ULong can have.\n   */\n   public const val MAX_VALUE: ULong = ULong(-1)\n\n   /**\n   * The
number of bytes used to represent an instance of ULong in a binary form.\n   */\n   public const val
SIZE_BYTES: Int = 8\n\n   /**\n   * The number of bits used to represent an instance of ULong in a binary
form.\n   */\n   public const val SIZE_BITS: Int = 64\n   }\n\n   /**\n   * Compares this value with the
specified value for order.\n   * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n   * or a positive number if it's greater
 than other.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun compareTo(other: UByte): Int =
this.compareTo(other.toULong())\n\n   /**\n   * Compares this value with the specified value for order.\n   *
Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n   * or a
positive number if it's greater than other.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun
compareTo(other: UShort): Int = this.compareTo(other.toULong())\n\n   /**\n   * Compares this value with the
specified value for order.\n   * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n   * or a positive number if it's greater than other.\n   */\n   @kotlin.internal.InlineOnly\n
public inline operator fun compareTo(other: UInt): Int = this.compareTo(other.toULong())\n\n   /**\n   *
Compares this value with the specified value for order.\n
     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n   * or a
positive number if it's greater than other.\n   */\n   @kotlin.internal.InlineOnly\n
@Suppress(\"OVERRIDE_BY_INLINE\")\n   public override inline operator fun compareTo(other: ULong): Int =
ulongCompare(this.data, other.data)\n\n   /** Adds the other value to this value. */\n
@kotlin.internal.InlineOnly\n   public inline operator fun plus(other: UByte): ULong = this.plus(other.toULong())\n
    /** Adds the other value to this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun plus(other:
UShort): ULong = this.plus(other.toULong())\n   /** Adds the other value to this value. */\n
@kotlin.internal.InlineOnly\n   public inline operator fun plus(other: UInt): ULong = this.plus(other.toULong())\n
/** Adds the other value to this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun plus(other:
ULong): ULong
 = ULong(this.data.plus(other.data))\n\n   /** Subtracts the other value from this value. */\n
@kotlin.internal.InlineOnly\n   public inline operator fun minus(other: UByte): ULong =
this.minus(other.toULong())\n   /** Subtracts the other value from this value. */\n   @kotlin.internal.InlineOnly\n
public inline operator fun minus(other: UShort): ULong = this.minus(other.toULong())\n   /** Subtracts the other
value from this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun minus(other: UInt): ULong =

this.minus(other.toULong())\n   /** Subtracts the other value from this value. */\n   @kotlin.internal.InlineOnly\n public inline operator fun minus(other: ULong): ULong = ULong(this.data.minus(other.data))\n\n   /** Multiplies this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun times(other: UByte): ULong = this.times(other.toULong())\n   /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n
    public inline operator fun times(other: UShort): ULong = this.times(other.toULong())\n   /** Multiplies this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun times(other: UInt): ULong = this.times(other.toULong())\n   /** Multiplies this value by the other value. */\n   @kotlin.internal.InlineOnly\n public inline operator fun times(other: ULong): ULong = ULong(this.data.times(other.data))\n\n   /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n   @kotlin.internal.InlineOnly\n
  public inline operator fun div(other: UByte): ULong = this.div(other.toULong())\n   /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun div(other: UShort): ULong = this.div(other.toULong())\n   /** Divides this value by the other value, truncating the result
 to an integer that is closer to zero. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun div(other: UInt): ULong = this.div(other.toULong())\n   /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun div(other: ULong): ULong = ulongDivide(this, other)\n\n   /**\n   * Calculates the remainder of truncating division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UByte): ULong = this.rem(other.toULong())\n   /**\n   * Calculates the remainder of truncating division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UShort): ULong = this.rem(other.toULong())\n   /**\n   * Calculates the remainder
 of truncating division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UInt): ULong = this.rem(other.toULong())\n   /**\n   * Calculates the remainder of truncating division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: ULong): ULong = ulongRemainder(this, other)\n\n   /**\n   * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring division and truncating division are the same.\n   */\n   @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UByte): ULong = this.floorDiv(other.toULong())\n   /**\n   * Divides this value by the other value, flooring the result to an integer that is
 closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring division and truncating division are the same.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun floorDiv(other: UShort): ULong = this.floorDiv(other.toULong())\n   /**\n   * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring division and truncating division are the same.\n   */\n   @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UInt): ULong = this.floorDiv(other.toULong())\n   /**\n   * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring division and truncating division are the same.\n   */\n   @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: ULong): ULong = div(other)\n\n   /**\n   * Calculates
 the remainder of flooring division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   * \n   * For unsigned types, the remainders of flooring division and truncating division are the same.\n */\n   @kotlin.internal.InlineOnly\n   public inline fun mod(other: UByte): UByte = this.mod(other.toULong()).toUByte()\n   /**\n   * Calculates the remainder of flooring division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   * \n   * For unsigned types, the remainders of flooring division and truncating division are the same.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun mod(other: UShort): UShort = this.mod(other.toULong()).toUShort()\n   /**\n   * Calculates the remainder of

flooring division of this value by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders of flooring division
and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UInt): UInt = this.mod(other.toULong()).toUInt()\n /**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun mod(other: ULong): ULong = rem(other)\n\n /**\n * Returns this value incremented by one.\n *\n * @sample samples.misc.Builtins.inc\n */\n @kotlin.internal.InlineOnly\n public inline operator fun inc(): ULong = ULong(data.inc())\n\n /**\n * Returns this value decremented by one.\n *\n * @sample samples.misc.Builtins.dec\n */\n @kotlin.internal.InlineOnly\n public inline operator fun dec(): ULong = ULong(data.dec())\n\n /** Creates a range from
this value to the specified [other] value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rangeTo(other: ULong): ULongRange = ULongRange(this, other)\n\n /**\n * Shifts this value left by the [bitCount] number of bits.\n *\n * Note that only the six lowest-order bits of the [bitCount] are used as the shift distance.\n * The shift distance actually used is therefore always in the range `0..63`.\n */\n @kotlin.internal.InlineOnly\n public inline infix fun shl(bitCount: Int): ULong = ULong(data shl bitCount)\n\n /**\n * Shifts this value right by the [bitCount] number of bits, filling the leftmost bits with zeros.\n *\n * Note that only the six lowest-order bits of the [bitCount] are used as the shift distance.\n * The shift distance actually used is therefore always in the range `0..63`.\n */\n @kotlin.internal.InlineOnly\n public inline infix fun shr(bitCount: Int): ULong = ULong(data ushr bitCount)\n\n /**
Performs a bitwise AND operation between the two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun and(other: ULong): ULong = ULong(this.data and other.data)\n /** Performs a bitwise OR operation between the two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun or(other: ULong): ULong = ULong(this.data or other.data)\n /** Performs a bitwise XOR operation between the two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun xor(other: ULong): ULong = ULong(this.data xor other.data)\n /** Inverts the bits in this value. */\n @kotlin.internal.InlineOnly\n public inline fun inv(): ULong = ULong(data.inv())\n\n /**\n * Converts this [ULong] value to [Byte].\n *\n * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same numerical value as this `ULong`.\n *\n * The resulting `Byte` value is represented by the least significant 8 bits
of this `ULong` value.\n * Note that the resulting `Byte` value may be negative.\n */\n @kotlin.internal.InlineOnly\n public inline fun toByte(): Byte = data.toByte()\n /**\n * Converts this [ULong] value to [Short].\n *\n * If this value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value represents\n * the same numerical value as this `ULong`.\n *\n * The resulting `Short` value is represented by the least significant 16 bits of this `ULong` value.\n * Note that the resulting `Short` value may be negative.\n */\n @kotlin.internal.InlineOnly\n public inline fun toShort(): Short = data.toShort()\n /**\n * Converts this [ULong] value to [Int].\n *\n * If this value is less than or equals to [Int.MAX_VALUE], the resulting `Int` value represents\n * the same numerical value as this `ULong`.\n *\n * The resulting `Int` value is represented by the least significant 32 bits of this `ULong`
value.\n * Note that the resulting `Int` value may be negative.\n */\n @kotlin.internal.InlineOnly\n public inline fun toInt(): Int = data.toInt()\n /**\n * Converts this [ULong] value to [Long].\n *\n * If this value is less than or equals to [Long.MAX_VALUE], the resulting `Long` value represents\n * the same numerical value as this `ULong`. Otherwise the result is negative.\n *\n * The resulting `Long` value has the same binary representation as this `ULong` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toLong(): Long = data\n\n /**\n * Converts this [ULong] value to [UByte].\n *\n * If this value is less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `ULong`.\n *\n * The resulting `UByte` value is represented by the least significant 8 bits of this `ULong` value.\n */\n @kotlin.internal.InlineOnly\n public inline

fun toUByte(): UByte = data.toUByte()\n /**\n * Converts this [ULong] value to [UShort].\n *\n * If this value is less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\n * the same numerical value as this `ULong`.\n *\n * The resulting `UShort` value is represented by the least significant 16 bits of this `ULong` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUShort(): UShort = data.toUShort()\n /**\n * Converts this [ULong] value to [UInt].\n *\n * If this value is less than or equals to [UInt.MAX_VALUE], the resulting `UInt` value represents\n * the same numerical value as this `ULong`.\n *\n * The resulting `UInt` value is represented by the least significant 32 bits of this `ULong` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUInt(): UInt = data.toUInt()\n /** Returns this value. */\n @kotlin.internal.InlineOnly\n public inline fun toULong():
ULong = this\n\n /**\n * Converts this [ULong] value to [Float].\n *\n * The resulting value is the closest `Float` to this `ULong` value.\n * In case when this `ULong` value is exactly between two `Float`s,\n * the one with zero at least significant bit of mantissa is selected.\n */\n @kotlin.internal.InlineOnly\n public inline fun toFloat(): Float = this.toDouble().toFloat()\n /**\n * Converts this [ULong] value to [Double].\n *\n * The resulting value is the closest `Double` to this `ULong` value.\n * In case when this `ULong` value is exactly between two `Double`s,\n * the one with zero at least significant bit of mantissa is selected.\n */\n @kotlin.internal.InlineOnly\n public inline fun toDouble(): Double = ulongToDouble(data)\n\n public override fun toString(): String = ulongToString(data)\n\n}\n\n/**\n * Converts this [Byte] value to [ULong].\n *\n * If this value is positive, the resulting `ULong` value
represents the same numerical value as this `Byte`.\n *\n * The least significant 8 bits of the resulting `ULong` value are the same as the bits of this `Byte` value,\n * whereas the most significant 56 bits are filled with the sign bit of this value.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.toULong(): ULong = ULong(this.toLong())\n/**\n * Converts this [Short] value to [ULong].\n *\n * If this value is positive, the resulting `ULong` value represents the same numerical value as this `Short`.\n *\n * The least significant 16 bits of the resulting `ULong` value are the same as the bits of this `Short` value,\n * whereas the most significant 48 bits are filled with the sign bit of this value.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Short.toULong(): ULong = ULong(this.toLong())\n/**\n * Converts this [Int]
value to [ULong].\n *\n * If this value is positive, the resulting `ULong` value represents the same numerical value as this `Int`.\n *\n * The least significant 32 bits of the resulting `ULong` value are the same as the bits of this `Int` value,\n * whereas the most significant 32 bits are filled with the sign bit of this value.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Int.toULong(): ULong = ULong(this.toLong())\n/**\n * Converts this [Long] value to [ULong].\n *\n * If this value is positive, the resulting `ULong` value represents the same numerical value as this `Long`.\n *\n * The resulting `ULong` value has the same binary representation as this `Long` value.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Long.toULong(): ULong = ULong(this)\n\n/**\n * Converts this [Float] value to [ULong].\n *\n * The fractional part,
if any, is rounded down towards zero.\n * Returns zero if this `Float` value is negative or `NaN`, [ULong.MAX_VALUE] if it's bigger than `ULong.MAX_VALUE`.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Float.toULong(): ULong = doubleToULong(this.toDouble())\n/**\n * Converts this [Double] value to [ULong].\n *\n * The fractional part, if any, is rounded down towards zero.\n * Returns zero if this `Double` value is negative or `NaN`, [ULong.MAX_VALUE] if it's bigger than `ULong.MAX_VALUE`.\n
/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Double.toULong(): ULong = doubleToULong(this)\n","/\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 1.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component1(): T {\n return get(0)\n}\n\n/**\n * Returns 2nd *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 2.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component2(): T {\n return get(1)\n}\n\n/**\n * Returns 3rd *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 3.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component3(): T {\n return get(2)\n}\n\n/**\n * Returns 4th *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 4.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component4(): T {\n return get(3)\n}\n\n/**\n * Returns 5th *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 5.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component5(): T {\n return get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the collection.\n */\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.contains(element: T): Boolean {\n if (this is Collection)\n return contains(element)\n return indexOf(element) >= 0\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this collection.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic fun <T> Iterable<T>.elementAt(index: Int): T {\n if (this is List)\n return get(index)\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"Collection doesn't contain element at index $index.\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAt(index: Int): T {\n return get(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this collection.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\npublic fun <T> Iterable<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n if (this is List)\n return this.getOrElse(index,
defaultValue)\n if (index < 0)\n return defaultValue(index)\n val iterator = iterator()\n var count = 0\n while (iterator.hasNext()) {\n val element = iterator.next()\n if (index == count++)\n return element\n }\n return defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this collection.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\npublic fun <T> Iterable<T>.elementAtOrNull(index: Int): T? {\n if (this
is List)\n return this.getOrNull(index)\n if (index < 0)\n return null\n val iterator = iterator()\n var count = 0\n while (iterator.hasNext()) {\n val element = iterator.next()\n if (index == count++)\n return element\n }\n return null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAtOrNull(index: Int): T? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.find(predicate: (T) -> Boolean): T? {\n return

firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate],
or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.findLast(predicate: (T) -> Boolean): T? {\n
return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no
such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.findLast(predicate: (T) -> Boolean): T? {\n return
lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the collection
is empty.\n */\npublic fun <T> Iterable<T>.first(): T {\n when (this) {\n is List -> return this.first()\n else
-> {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw
NoSuchElementException(\"Collection is empty.\")\n return iterator.next()\n }\n }\n}\n\n/**\n
* Returns first element.\n * @throws [NoSuchElementException] if the list is empty.\n */\npublic fun <T>
List<T>.first(): T {\n if (isEmpty())\n throw NoSuchElementException(\"List is empty.\")\n return
this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> Iterable<T>.first(predicate: (T)
-> Boolean): T {\n for (element in this) if (predicate(element)) return element\n throw
NoSuchElementException(\"Collection contains no element matching the predicate.\")\n}\n\n/**\n * Returns the
first non-null value produced by [transform] function being applied to elements of this collection in iteration order,\n
* or throws [NoSuchElementException] if no non-null value was produced.\n * \n * @sample
samples.collections.Collections.Transformations.firstNotNullOf\n
*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Any>
Iterable<T>.firstNotNullOf(transform:
(T) -> R?): R {\n return firstNotNullOfOrNull(transform) ?: throw NoSuchElementException(\"No element of the
collection was transformed to a non-null value.\")\n}\n\n/**\n * Returns the first non-null value produced by
[transform] function being applied to elements of this collection in iteration order,\n * or `null` if no non-null value
was produced.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n
*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Any>
Iterable<T>.firstNotNullOfOrNull(transform: (T) -> R?): R? {\n for (element in this) {\n val result =
transform(element)\n if (result != null) {\n return result\n }\n }\n return null\n}\n\n/**\n *
Returns the first element, or `null` if the collection is empty.\n */\npublic fun <T> Iterable<T>.firstOrNull(): T? {\n
when (this) {\n is List -> {\n if (isEmpty())\n
return null\n else\n return this[0]\n }\n else -> {\n val iterator = iterator()\n
if (!iterator.hasNext())\n return null\n return iterator.next()\n }\n }\n}\n\n/**\n * Returns the
first element, or `null` if the list is empty.\n */\npublic fun <T> List<T>.firstOrNull(): T? {\n return if (isEmpty())
null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not
found.\n */\npublic inline fun <T> Iterable<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n for (element in this)
if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns an element at the given [index] or the
result of calling the [defaultValue] function if the [index] is out of bounds of this list.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.getOrElse(index: Int, defaultValue: (Int) -> T): T
{\n return if (index >= 0 && index
<= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if
the [index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n
*/\npublic fun <T> List<T>.getOrNull(index: Int): T? {\n return if (index >= 0 && index <= lastIndex) get(index)
else null\n}\n\n/**\n * Returns first index of [element], or -1 if the collection does not contain element.\n */\npublic
fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.indexOf(element: T): Int {\n if (this is List) return
this.indexOf(element)\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (element
== item)\n return index\n index++\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1
if the list does not contain element.\n */\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false
warning, extension takes precedence in some cases\npublic fun <@kotlin.internal.OnlyInputTypes

```
T> List<T>.indexOf(element: T): Int {\n    return indexOf(element)\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the collection does not contain such element.\n */\npublic inline fun <T> Iterable<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (predicate(item))\n            return index\n        index++\n    }\n    return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the list does not contain such element.\n */\npublic inline fun <T> List<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n    var index = 0\n    for (item in this) {\n        if (predicate(item))\n            return index\n        index++\n    }\n    return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the collection does not contain such element.\n */\npublic inline fun
<T> Iterable<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n    var lastIndex = -1\n    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (predicate(item))\n            lastIndex = index\n        index++\n    }\n    return lastIndex\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the list does not contain such element.\n */\npublic inline fun <T> List<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n    val iterator = this.listIterator(size)\n    while (iterator.hasPrevious()) {\n        if (predicate(iterator.previous())) {\n            return iterator.nextIndex()\n        }\n    }\n    return -1\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the collection is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun <T> Iterable<T>.last(): T {\n    when (this) {\n        is List -> return this.last()\n        else -> {\n            val iterator
= iterator()\n            if (!iterator.hasNext())\n                throw NoSuchElementException(\"Collection is empty.\")\n            var last = iterator.next()\n            while (iterator.hasNext())\n                last = iterator.next()\n            return last\n        }\n    }\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the list is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun <T> List<T>.last(): T {\n    if (isEmpty())\n        throw NoSuchElementException(\"List is empty.\")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun <T> Iterable<T>.last(predicate: (T) -> Boolean): T {\n    var last: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            last = element\n            found = true\n        }\n    }\n    if (!found) throw
NoSuchElementException(\"Collection contains no element matching the predicate.\")\n    @Suppress(\"UNCHECKED_CAST\")\n    return last as T\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun <T> List<T>.last(predicate: (T) -> Boolean): T {\n    val iterator = this.listIterator(size)\n    while (iterator.hasPrevious()) {\n        val element = iterator.previous()\n        if (predicate(element)) return element\n    }\n    throw NoSuchElementException(\"List contains no element matching the predicate.\")\n}\n\n/**\n * Returns last index of [element], or -1 if the collection does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.lastIndexOf(element: T): Int {\n    if (this is List) return this.lastIndexOf(element)\n    var lastIndex = -1\n    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (element == item)\n            lastIndex = index\n        index++\n    }\n    return lastIndex\n}\n\n/**\n * Returns last index of [element], or -1 if the list does not contain element.\n */\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning, extension takes precedence in some cases\npublic fun <@kotlin.internal.OnlyInputTypes T> List<T>.lastIndexOf(element: T): Int {\n    return lastIndexOf(element)\n}\n\n/**\n * Returns the last element, or `null` if the collection is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun <T> Iterable<T>.lastOrNull(): T? {\n    when (this) {\n        is List -> return if (isEmpty()) null else this[size - 1]\n        else -> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                return null\n            var last = iterator.next()\n            while (iterator.hasNext())\n                last = iterator.next()\n            return last\n        }\n    }\n}\n\n/**\n * Returns the last element, or `null` if the list is empty.\n * \n * @sample
```

samples.collections.Collections.Elements.last\n */\npublic fun <T> List<T>.lastOrNull(): T? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun <T> Iterable<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n var last: T? = null\n for (element in this) {\n if (predicate(element)) {\n last = element\n }\n }\n return last\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun <T> List<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n val iterator = this.listIterator(size)\n while (iterator.hasPrevious()) {\n val element = iterator.previous()\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns a random element from this collection.\n * \n * @throws NoSuchElementException if this collection is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.random(): T {\n return random(Random)\n}\n\n/**\n * Returns a random element from this collection using the specified source of randomness.\n * \n * @throws NoSuchElementException if this collection is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> Collection<T>.random(random: Random): T {\n if (isEmpty())\n throw NoSuchElementException(\"Collection is empty.\")\n return elementAt(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this collection, or `null` if this collection is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Collection<T>.randomOrNull(): T? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this collection using the specified source of randomness, or `null` if this collection is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T> Collection<T>.randomOrNull(random: Random): T? {\n if (isEmpty())\n return null\n return elementAt(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the collection is empty or has more than one element.\n */\npublic fun <T> Iterable<T>.single(): T {\n when (this) {\n is List -> return this.single()\n else -> {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException(\"Collection is empty.\")\n val single = iterator.next()\n if (iterator.hasNext())\n throw IllegalArgumentException(\"Collection has more than one element.\")\n return single\n }\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the list is empty or has more than one element.\n */\npublic fun <T> List<T>.single(): T {\n return when (size) {\n 0 -> throw NoSuchElementException(\"List is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"List has more than one element.\")\n }\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun <T> Iterable<T>.single(predicate: (T) -> Boolean): T {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Collection contains more than one matching element.\")\n single = element\n found
= true\n }\n }\n if (!found) throw NoSuchElementException(\"Collection contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as T\n}\n\n/**\n * Returns single element, or `null` if the collection is empty or has more than one element.\n */\npublic fun <T> Iterable<T>.singleOrNull(): T? {\n when (this) {\n is List -> return if (size == 1) this[0] else null\n else -> {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n val single = iterator.next()\n if (iterator.hasNext())\n return null\n return single\n }\n }\n}\n\n/**\n * Returns single element, or `null` if the list is empty or has more than one element.\n */\npublic fun <T> List<T>.singleOrNull(): T? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was
not found or more than one element was found.\n */\npublic inline fun <T> Iterable<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n var single: T? = null\n var found = false\n for (element in this) {\n if

```
(predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n
 if (!found) return null\n    return single\n}\n\n/**\n * Returns a list containing all elements except first [n]
elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Iterable<T>.drop(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return toList()\n    val list:
ArrayList<T>\n    if (this is Collection<*>) {\n        val resultSize = size - n\n        if (resultSize <= 0)\n            return
emptyList()\n        if (resultSize == 1)\n            return listOf(last())\n
        list = ArrayList<T>(resultSize)\n        if (this is List<T>) {\n            if (this is RandomAccess) {\n                for
(index in n until size)\n                    list.add(this[index])\n            } else {\n                for (item in listIterator(n))\n
            list.add(item)\n            }\n            return list\n        }\n    }\n    else {\n        list = ArrayList<T>()\n    }\n    var
count = 0\n    for (item in this) {\n        if (count >= n) list.add(item) else ++count\n    }\n    return
list.optimizeReadOnlyList()\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n *
@throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun <T> List<T>.dropLast(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements
 except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T>
List<T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n    if (!isEmpty()) {\n        val iterator =
listIterator(size)\n        while (iterator.hasPrevious()) {\n            if (!predicate(iterator.previous())) {\n                return
take(iterator.nextIndex() + 1)\n            }\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing
all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Iterable<T>.dropWhile(predicate:
(T) -> Boolean): List<T> {\n    var yielding = false\n    val list = ArrayList<T>()\n    for (item in this)\n        if
(yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n            list.add(item)\n            yielding = true\n
    }\n
    return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n */\npublic inline fun <T> Iterable<T>.filter(predicate: (T) ->
Boolean): List<T> {\n    return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only
elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun <T>
Iterable<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n    return
filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to
the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n *
and returns the result of predicate
 evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic
inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -
> Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))
destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Returns a list containing all elements that are
instances of specified type parameter R.\n * \n * @sample
samples.collections.Collections.Filtering.filterIsInstance\n */\npublic inline fun <reified R>
Iterable<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n    return
filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type
parameter R to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterIsInstanceTo\n */\npublic inline fun <reified R, C :
MutableCollection<in R>> Iterable<*>.filterIsInstanceTo(destination:
```

C): C {\n for (element in this) if (element is R) destination.add(element)\n return destination\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun <T> Iterable<T>.filterNot(predicate: (T) -> Boolean): List<T> {\n return filterNotTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing all elements that are not `null`.\n * \n * @sample samples.collections.Collections.Filtering.filterNotNull\n */\npublic fun <T : Any> Iterable<T?>.filterNotNull(): List<T> {\n return filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterNotNullTo\n */\npublic fun <C : MutableCollection<in T>, T : Any> Iterable<T?>.filterNotNullTo(destination: C): C {\n for (element in this) if (element != null) destination.add(element)\n
return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun <T> List<T>.slice(indices: IntRange): List<T> {\n if (indices.isEmpty()) return
listOf()\n return this.subList(indices.start, indices.endInclusive + 1).toList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun <T> List<T>.slice(indices: Iterable<Int>): List<T> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<T>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Iterable<T>.take(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (this is Collection<T>) {\n if (n >= size) return toList()\n if (n == 1) return listOf(first())\n }\n var count = 0\n val list = ArrayList<T>(n)\n for (item in this)
{\n list.add(item)\n if (++count == n)\n break\n }\n return list.optimizeReadOnlyList()\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> List<T>.takeLast(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(last())\n val list = ArrayList<T>(n)\n if (this is RandomAccess) {\n for (index in size - n until size)\n list.add(this[index])\n } else {\n for (item in listIterator(size - n))\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> List<T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n if (isEmpty())\n return emptyList()\n val iterator = listIterator(size)\n while (iterator.hasPrevious()) {\n if (!predicate(iterator.previous())) {\n iterator.next()\n val expectedSize = size - iterator.nextIndex()\n if (expectedSize == 0) return emptyList()\n return ArrayList<T>(expectedSize).apply {\n while (iterator.hasNext())\n add(iterator.next())\n }\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> Iterable<T>.takeWhile(predicate: (T) -> Boolean): List<T> {\n val list = ArrayList<T>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n

```
 * Reverses elements in the list in-place.\n */\npublic expect fun <T> MutableList<T>.reverse(): Unit\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun <T> Iterable<T>.reversed(): List<T> {\n    if (this is Collection && size <= 1) return toList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Randomly shuffles elements in this list in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> MutableList<T>.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo 1) {\n        val j = random.nextInt(i + 1)\n        this[j] = this.set(i, this[j])\n    }\n}\n\n/**\n * Sorts elements in the list in-place according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order
 relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> MutableList<T>.sortBy(crossinline selector: (T) -> R?): Unit {\n    if (size > 1) sortWith(compareBy(selector))\n}\n\n/**\n * Sorts elements in the list in-place descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> MutableList<T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n    if (size > 1) sortWith(compareByDescending(selector))\n}\n\n/**\n * Sorts elements in the list in-place descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> MutableList<T>.sortDescending(): Unit {\n    sortWith(reverseOrder())\n}\n\n/**\n * Returns a list
 of all elements sorted according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Iterable<T>.sorted(): List<T> {\n    if (this is Collection) {\n        if (size <= 1) return this.toList()\n        @Suppress(\"UNCHECKED_CAST\")\n        return (toTypedArray<Comparable<T>>() as Array<T>).apply { sort() }.asList()\n    }\n    return toMutableList().apply { sort() }\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <T, R : Comparable<R>> Iterable<T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n    return sortedWith(compareBy(selector))\n}\n\n/**\n *
 Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Iterable<T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n    return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Iterable<T>.sortedDescending(): List<T> {\n    return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun
 <T> Iterable<T>.sortedWith(comparator: Comparator<in T>): List<T> {\n    if (this is Collection) {\n        if (size <= 1) return this.toList()\n        @Suppress(\"UNCHECKED_CAST\")\n        return (toTypedArray<Any?>() as Array<T>).apply { sortWith(comparator) }.asList()\n    }\n    return toMutableList().apply { sortWith(comparator) }\n}\n\n/**\n * Returns an array of Boolean containing all of the elements of this collection.\n */\npublic fun Collection<Boolean>.toBooleanArray(): BooleanArray {\n    val result = BooleanArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Byte containing all of the elements of this collection.\n */\npublic fun Collection<Byte>.toByteArray(): ByteArray {\n    val result = ByteArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Char containing all of the elements of this
```

collection.\n */\npublic fun Collection<Char>.toCharArray(): CharArray {\n val result = CharArray(size)\n var index = 0\n for (element in this)\n result[index++] = element\n return result\n}\n\n/**\n * Returns an array of Double containing all of the elements of this collection.\n */\npublic fun Collection<Double>.toDoubleArray(): DoubleArray {\n val result = DoubleArray(size)\n var index = 0\n for (element in this)\n result[index++] = element\n return result\n}\n\n/**\n * Returns an array of Float containing all of the elements of this collection.\n */\npublic fun Collection<Float>.toFloatArray(): FloatArray {\n val result = FloatArray(size)\n var index = 0\n for (element in this)\n result[index++] = element\n return result\n}\n\n/**\n * Returns an array of Int containing all of the elements of this collection.\n */\npublic fun Collection<Int>.toIntArray(): IntArray {\n val result = IntArray(size)\n var index = 0\n for
(element in this)\n result[index++] = element\n return result\n}\n\n/**\n * Returns an array of Long containing all of the elements of this collection.\n */\npublic fun Collection<Long>.toLongArray(): LongArray {\n val result = LongArray(size)\n var index = 0\n for (element in this)\n result[index++] = element\n return result\n}\n\n/**\n * Returns an array of Short containing all of the elements of this collection.\n */\npublic fun Collection<Short>.toShortArray(): ShortArray {\n val result = ShortArray(size)\n var index = 0\n for (element in this)\n result[index++] = element\n return result\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given collection.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original collection.\n * \n * @sample samples.collections.Collections.Transformations.associate\n */\npublic inline fun <T, K, V> Iterable<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given collection indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original collection.\n * \n * @sample samples.collections.Collections.Transformations.associateBy\n */\npublic inline fun <T, K> Iterable<T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, T>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map]
containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given collection.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original collection.\n * \n * @sample samples.collections.Collections.Transformations.associateByWithValueTransform\n */\npublic inline fun <T, K, V> Iterable<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given collection\n * and value is the element itself.\n * \n * If any two elements would have the same
key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Collections.Transformations.associateByTo\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given collection.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Collections.Transformations.associateByToWithValueTransform\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T)

-> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given collection.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Collections.Transformations.associateTo\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Returns a [Map] where keys are elements from the given collection and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original collection.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <K, V> Iterable<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {\n val result = LinkedHashMap<K, V>(mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given collection,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <K, V, M : MutableMap<in K, in V>> Iterable<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <T, C : MutableCollection<in T>> Iterable<T>.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic fun <T> Iterable<T>.toHashSet(): HashSet<T> {\n return toCollection(HashSet<T>(mapCapacity(collectionSizeOrDefault(12))))\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun <T> Iterable<T>.toList(): List<T> {\n if (this is Collection) {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(if (this is List) get(0) else iterator().next())\n else -> this.toMutableList()\n }\n }\n return this.toMutableList().optimizeReadOnlyList()\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this
collection.\n */\npublic fun <T> Iterable<T>.toMutableList(): MutableList<T> {\n if (this is Collection<T>)\n return this.toMutableList()\n return toCollection(ArrayList<T>())\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this collection.\n */\npublic fun <T> Collection<T>.toMutableList(): MutableList<T> {\n return ArrayList(this)\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original collection.\n */\npublic fun <T> Iterable<T>.toSet(): Set<T> {\n if (this is Collection) {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(if (this is List) this[0] else iterator().next())\n else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))\n }\n }\n return toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on
each element of original collection.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <T, R> Iterable<T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original collection.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapSequence\")\npublic inline fun <T, R> Iterable<T>.flatMap(transform: (T) -> Sequence<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being

invoked on each element\n * and its index in the original collection.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Iterable<T>.flatMapIndexed(transform: (index: Int, T) -> Iterable<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original collection.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedSequence\")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Iterable<T>.flatMapIndexed(transform: (index: Int, T) -> Sequence<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(),
 transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original collection, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapIndexedTo(destination: C, transform: (index: Int, T) -> Iterable<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(checkIndexOverflow(index++), element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original collection, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedSequenceTo\")\n@kotlin.internal.InlineOnly\npublic
 inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapIndexedTo(destination: C, transform: (index: Int, T) -> Sequence<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(checkIndexOverflow(index++), element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original collection, to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on
 each element of original collection, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapSequenceTo\")\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Groups elements of the original collection by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original collection.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K> Iterable<T>.groupBy(keySelector: (T) -> K): Map<K,
 List<T>> {\n   return groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original collection\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original collection.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V>

Iterable<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original collection by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list
 of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K, M : MutableMap<in K, MutableList<T>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<T>() }\n   list.add(element)\n   }\n   return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original collection\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Iterable<T>.groupByTo(destination:
 M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<V>() }\n   list.add(valueTransform(element))\n   }\n   return destination\n}\n\n/**\n * Creates a [Grouping] source from a collection to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Iterable<T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n   return object : Grouping<T, K> {\n   override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n   override fun keyOf(element: T): K = keySelector(element)\n   }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original collection.\n
 * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <T, R> Iterable<T>.map(transform: (T) -> R): List<R> {\n   return mapTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original collection.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R> Iterable<T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element and its index in the original collection.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result
 of the transform applied to the element.\n */\npublic inline fun <T, R : Any> Iterable<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n   return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original collection\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Iterable<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n   forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original collection\n * and appends the results to the given [destination].\n * @param
 [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n   var index = 0\n   for (item in this)\n   destination.add(transform(checkIndexOverflow(index++), item))\n   return destination\n}\n\n/**\n *

Returns a list containing only the non-null results of applying the given [transform] function\n * to each element in the original collection.\n * \n * @sample samples.collections.Collections.Transformations.mapNotNull\n */\npublic inline fun <T, R : Any> Iterable<T>.mapNotNull(transform: (T) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element in the original collection\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <T, R
: Any, C : MutableCollection<in R>> Iterable<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original collection\n * and appends the results to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapTo(destination: C, transform: (T) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original collection\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun <T> Iterable<T>.withIndex(): Iterable<IndexedValue<T>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a list containing only distinct elements from the given collection.\n * \n * Among equal elements of the given collection,
only the first one will be present in the resulting list.\n * The elements in the resulting list are in the same order as they were in the source collection.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun <T> Iterable<T>.distinct(): List<T> {\n return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only elements from the given collection\n * having distinct keys returned by the given [selector] function.\n * \n * Among elements of the given collection with equal keys, only the first one will be present in the resulting list.\n * The elements in the resulting list are in the same order as they were in the source collection.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <T, K> Iterable<T>.distinctBy(selector: (T) -> K): List<T> {\n val set = HashSet<K>()\n val list = ArrayList<T>()\n for (e in this) {\n val key = selector(e)\n
if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a set containing all elements that are contained by both this collection and the specified collection.\n * \n * The returned set preserves the element iteration order of the original collection.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun <T> Iterable<T>.intersect(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this collection and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original collection.\n */\npublic infix fun <T> Iterable<T>.subtract(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a new [MutableSet] containing
all distinct elements from the given collection.\n * \n * The returned set preserves the element iteration order of the original collection.\n */\npublic fun <T> Iterable<T>.toMutableSet(): MutableSet<T> {\n return when (this) {\n is Collection<T> -> LinkedHashSet(this)\n else -> toCollection(LinkedHashSet<T>())\n }\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original collection.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun <T> Iterable<T>.union(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*/\npublic inline fun <T> Iterable<T>.all(predicate: (T) -> Boolean): Boolean {\n if (this is Collection && isEmpty()) return true\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if collection has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <T> Iterable<T>.any(): Boolean {\n if (this is

Collection) return !isEmpty()\n   return iterator().hasNext()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T> Iterable<T>.any(predicate: (T) -> Boolean): Boolean {\n   if (this is Collection && isEmpty()) return false\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns the number of elements in this collection.\n */\npublic fun <T> Iterable<T>.count(): Int {\n   if (this is Collection) return size\n   var count = 0\n   for (element in this) checkCountOverflow(++count)\n   return count\n}\n\n/**\n * Returns the number of elements in this collection.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun <T> Iterable<T>.count(predicate: (T) -> Boolean): Int {\n   if (this is Collection && isEmpty()) return 0\n   var count = 0\n   for (element in this) if (predicate(element)) checkCountOverflow(++count)\n   return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the collection is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Iterable<T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original collection.\n * \n * Returns the specified [initial] value if the collection is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Iterable<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(checkIndexOverflow(index++), accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the list is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <T, R> List<T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {\n   var accumulator = initial\n   if (!isEmpty()) {\n   val iterator = listIterator(size)\n   while (iterator.hasPrevious()) {\n   accumulator = operation(iterator.previous(), accumulator)\n   }\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original list and current accumulator value.\n * \n * Returns the specified [initial] value if the list is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <T, R> List<T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {\n   var accumulator = initial\n   if (!isEmpty()) {\n   val iterator = listIterator(size)\n   while (iterator.hasPrevious()) {\n   val index = iterator.previousIndex()\n   accumulator = operation(index, iterator.previous(), accumulator)\n   }\n   }\n   return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n */\n@kotlin.internal.HidesMembers\npublic inline fun <T> Iterable<T>.forEach(action: (T) -> Unit): Unit {\n   for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun <T> Iterable<T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {\n   var index = 0\n   for (item in this) action(checkIndexOverflow(index++), item)\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Double>.max(): Double? {\n   return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\",

hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Float>.max(): Float? {\n return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun <T : Comparable<T>> Iterable<T>.max(): T? {\n return maxOrNull()\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <T, R : Comparable<R>> Iterable<T>.maxBy(selector: (T) -> R): T? {\n return maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <T, R : Comparable<R>> Iterable<T>.maxByOrNull(selector: (T) -> R): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var maxElem = iterator.next()\n if (!iterator.hasNext()) return maxElem\n var maxValue = selector(maxElem)\n do {\n val e = iterator.next()\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n } while (iterator.hasNext())\n return maxElem\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the collection.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the collection is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.maxOf(selector: (T) -> Double): Double {\n val iterator = iterator()\n if (!iterator.hasNext()) throw NoSuchElementException()\n var maxValue = selector(iterator.next())\n while (iterator.hasNext()) {\n val v = selector(iterator.next())\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the collection.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the collection is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.maxOf(selector: (T) -> Float): Float {\n val iterator = iterator()\n if (!iterator.hasNext()) throw NoSuchElementException()\n var maxValue = selector(iterator.next())\n while (iterator.hasNext()) {\n val v = selector(iterator.next())\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the collection.\n * \n * @throws NoSuchElementException if the collection is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Iterable<T>.maxOf(selector: (T) -> R): R {\n val iterator = iterator()\n if (!iterator.hasNext()) throw NoSuchElementException()\n var maxValue = selector(iterator.next())\n while (iterator.hasNext()) {\n val v = selector(iterator.next())\n if (maxValue < v) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the collection or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.maxOfOrNull(selector: (T) -> Double): Double? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var maxValue = selector(iterator.next())\n while (iterator.hasNext()) {\n val v = selector(iterator.next())\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the collection or `null` if there are no elements.\n * \n * If any of values produced by [selector]

function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.maxOfOrNull(selector: (T)
-> Float): Float? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var maxValue =
selector(iterator.next())\n while (iterator.hasNext()) {\n val v = selector(iterator.next())\n maxValue =
maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each
element in the collection or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.maxOfOrNull(selector: (T) -> R): R? {\n val iterator = iterator()\n if (!iterator.hasNext()) return
null\n var maxValue = selector(iterator.next())\n while (iterator.hasNext()) {\n val v =
selector(iterator.next())\n if (maxValue < v) {\n maxValue = v\n }\n }\n return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the collection.\n * \n * @throws
NoSuchElementException if the collection is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R> Iterable<T>.maxOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n val iterator
= iterator()\n if (!iterator.hasNext()) throw NoSuchElementException()\n var maxValue =
selector(iterator.next())\n while (iterator.hasNext()) {\n val v = selector(iterator.next())\n if
(comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the collection or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>
Iterable<T>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n val iterator =
iterator()\n if (!iterator.hasNext()) return null\n var
maxValue = selector(iterator.next())\n while (iterator.hasNext()) {\n val v = selector(iterator.next())\n if
(comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n *
Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\npublic fun Iterable<Double>.maxOrNull(): Double? {\n val iterator = iterator()\n if
(!iterator.hasNext()) return null\n var max = iterator.next()\n while (iterator.hasNext()) {\n val e =
iterator.next()\n max = maxOf(max, e)\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if
there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic fun
Iterable<Float>.maxOrNull(): Float? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max
= iterator.next()\n while (iterator.hasNext())
{\n val e = iterator.next()\n max = maxOf(max, e)\n }\n return max\n}\n\n/**\n * Returns the largest
element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T : Comparable<T>>
Iterable<T>.maxOrNull(): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max =
iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (max < e) max = e\n }\n
return max\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\",
ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince
= \"1.5\", hiddenSince = \"1.6\")\npublic fun <T> Iterable<T>.maxWith(comparator: Comparator<in T>): T? {\n
return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the largest value according to the
provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T>
Iterable<T>.maxWithOrNull(comparator:

Comparator<in T>): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Double>.min(): Double? {\n return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Float>.min(): Float? {\n return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun
<T : Comparable<T>> Iterable<T>.min(): T? {\n return minOrNull()\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <T, R : Comparable<R>> Iterable<T>.minBy(selector: (T) -> R): T? {\n return minByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <T, R : Comparable<R>> Iterable<T>.minByOrNull(selector: (T) -> R): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var minElem = iterator.next()\n if (!iterator.hasNext()) return minElem\n var minValue = selector(minElem)\n do {\n val e = iterator.next()\n val v = selector(e)\n if (minValue > v) {\n minElem
= e\n minValue = v\n }\n } while (iterator.hasNext())\n return minElem\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the collection.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the collection is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOf(selector: (T) -> Double): Double {\n val iterator = iterator()\n if (!iterator.hasNext()) throw NoSuchElementException()\n var minValue = selector(iterator.next())\n while (iterator.hasNext()) {\n val v = selector(iterator.next())\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each element in the collection.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the collection is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOf(selector: (T) -> Float): Float {\n val iterator = iterator()\n if (!iterator.hasNext()) throw NoSuchElementException()\n var minValue = selector(iterator.next())\n while (iterator.hasNext()) {\n val v = selector(iterator.next())\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the collection.\n * \n * @throws NoSuchElementException if the collection is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R : Comparable<R>> Iterable<T>.minOf(selector: (T) -> R): R {\n val iterator = iterator()\n if (!iterator.hasNext()) throw NoSuchElementException()\n var minValue = selector(iterator.next())\n while (iterator.hasNext()) {\n val v = selector(iterator.next())\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the collection or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

```
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOfOrNull(selector: (T)
-> Double): Double?
 {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minValue = selector(iterator.next())\n
while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue = minOf(minValue, v)\n    }\n
return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n *
applied to each element in the collection or `null` if there are no elements.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOfOrNull(selector: (T)
-> Float): Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue =
minOf(minValue,
 v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each element in the collection or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.minOfOrNull(selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return
null\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v =
selector(iterator.next())\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the collection.\n * \n * @throws
NoSuchElementException if the collection is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
 inline fun <T, R> Iterable<T>.minOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n    val iterator
= iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var minValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if
(comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the collection or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>
Iterable<T>.minOfWithOrNull(comparator:
 Comparator<in R>, selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n
var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n *
Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\npublic fun Iterable<Double>.minOrNull(): Double? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e =
iterator.next()\n        min = minOf(min, e)\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if
there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic fun
Iterable<Float>.minOrNull():
 Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n    while
(iterator.hasNext()) {\n        val e = iterator.next()\n        min = minOf(min, e)\n    }\n    return min\n}\n\n/**\n *
Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T :
Comparable<T>> Iterable<T>.minOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n
 var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (min > e) min = e\n
```

}\n   return min\n}\n\n@Deprecated(\"Use minWithOrNull instead.\",
ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince
= \"1.5\", hiddenSince = \"1.6\")\npublic fun <T> Iterable<T>.minWith(comparator: Comparator<in T>): T? {\n
return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the smallest
value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic
fun <T> Iterable<T>.minWithOrNull(comparator: Comparator<in T>): T? {\n   val iterator = iterator()\n   if
(!iterator.hasNext()) return null\n   var min = iterator.next()\n   while (iterator.hasNext()) {\n   val e =
iterator.next()\n   if (comparator.compare(min, e) > 0) min = e\n   }\n   return min\n}\n\n/**\n * Returns `true` if
the collection has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun
<T> Iterable<T>.none(): Boolean {\n   if (this is Collection) return isEmpty()\n   return
!iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <T>
Iterable<T>.none(predicate: (T) -> Boolean): Boolean {\n   if (this is Collection && isEmpty()) return true\n   for
(element
in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Performs the given [action] on each element
and returns the collection itself afterwards.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, C : Iterable<T>>
C.onEach(action: (T) -> Unit): C {\n   return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs
the given [action] on each element, providing sequential index with the element,\n * and returns the collection itself
afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the action on the element.\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <T, C : Iterable<T>>
C.onEachIndexed(action: (index: Int, T) -> Unit): C {\n   return apply { forEachIndexed(action) }\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element.\n * \n * Throws an exception if this collection is empty.
If the collection can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its
receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n *
and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*/\npublic inline fun <S, T : S> Iterable<T>.reduce(operation: (acc: S, T) -> S): S {\n   val iterator = this.iterator()\n
if (!iterator.hasNext()) throw UnsupportedOperationException(\"Empty collection can't be reduced.\")\n   var
accumulator: S = iterator.next()\n   while (iterator.hasNext()) {\n   accumulator = operation(accumulator,
iterator.next())\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and
applying [operation] from left to right\n * to current accumulator value and each element with its index in the
original collection.\n * \n * Throws an exception if this collection is empty.
If the collection can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null`
when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current
accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun <S, T : S>
Iterable<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n   val iterator = this.iterator()\n   if
(!iterator.hasNext()) throw UnsupportedOperationException(\"Empty collection can't be reduced.\")\n   var index =
1\n   var accumulator: S = iterator.next()\n   while (iterator.hasNext()) {\n   accumulator =
operation(checkIndexOverflow(index++), accumulator, iterator.next())\n   }\n   return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element
with its index in the original collection.\n * \n * Returns `null` if the collection is empty.\n * \n * @param
[operation] function that takes the index of an element, current accumulator value and the element itself,\n * and
calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n@SinceKotlin(\"1.4\")\npublic inline fun <S, T : S> Iterable<T>.reduceIndexedOrNull(operation: (index: Int,
acc: S, T) -> S): S? {\n   val iterator = this.iterator()\n   if (!iterator.hasNext()) return null\n   var index = 1\n   var
accumulator: S = iterator.next()\n   while (iterator.hasNext()) {\n   accumulator =

operation(checkIndexOverflow(index++), accumulator, iterator.next())\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the collection is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S> Iterable<T>.reduceOrNull(operation: (acc: S, T) -> S): S? {\n   val iterator = this.iterator()\n   if (!iterator.hasNext()) return null\n   var accumulator: S = iterator.next()\n   while (iterator.hasNext()) {\n   accumulator = operation(accumulator, iterator.next())\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this list is empty. If the list can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes
an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun <S, T : S> List<T>.reduceRight(operation: (T, acc: S) -> S): S {\n   val iterator = listIterator(size)\n   if (!iterator.hasPrevious())\n   throw UnsupportedOperationException(\"Empty list can't be reduced.\")\n   var accumulator: S = iterator.previous()\n   while (iterator.hasPrevious()) {\n   accumulator = operation(iterator.previous(), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original list and current accumulator value.\n * \n * Throws an exception if this list is empty. If the list can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation]
function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun <S, T : S> List<T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {\n   val iterator = listIterator(size)\n   if (!iterator.hasPrevious())\n   throw UnsupportedOperationException(\"Empty list can't be reduced.\")\n   var accumulator: S = iterator.previous()\n   while (iterator.hasPrevious()) {\n   val index = iterator.previousIndex()\n   accumulator = operation(index, iterator.previous(), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original list and current accumulator value.\n * \n * Returns `null` if the list is empty.\n * \n * @param [operation] function that takes
the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <S, T : S> List<T>.reduceRightIndexedOrNull(operation: (index: Int, T, acc: S) -> S): S? {\n   val iterator = listIterator(size)\n   if (!iterator.hasPrevious())\n   return null\n   var accumulator: S = iterator.previous()\n   while (iterator.hasPrevious()) {\n   val index = iterator.previousIndex()\n   accumulator = operation(index, iterator.previous(), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the list is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S> List<T>.reduceRightOrNull(operation: (T, acc: S) -> S): S? {\n   val iterator = listIterator(size)\n   if (!iterator.hasPrevious())\n   return null\n   var accumulator: S = iterator.previous()\n   while (iterator.hasPrevious()) {\n   accumulator = operation(iterator.previous(), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n

* Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <T, R> Iterable<T>.runningFold(initial: R, operation: (acc: R, T) -> R): List<R> {\n val estimatedSize = collectionSizeOrDefault(9)\n if (estimatedSize == 0) return listOf(initial)\n val result = ArrayList<R>(estimatedSize + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original collection and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <T, R> Iterable<T>.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n val estimatedSize = collectionSizeOrDefault(9)\n if (estimatedSize == 0) return listOf(initial)\n val result = ArrayList<R>(estimatedSize + 1).apply { add(initial) }\n var index = 0\n var accumulator = initial\n for (element in this) {\n accumulator = operation(index++, accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this collection.\n * \n * Note that `acc`
value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and the element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S> Iterable<T>.runningReduce(operation: (acc: S, T) -> S): List<S> {\n val iterator = this.iterator()\n if (!iterator.hasNext()) return emptyList()\n var accumulator: S = iterator.next()\n val result = ArrayList<S>(collectionSizeOrDefault(10)).apply { add(accumulator) }\n while (iterator.hasNext()) {\n accumulator = operation(accumulator, iterator.next())\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n
* to each element, its index in the original collection and current accumulator value that starts with the first element of this collection.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <S, T : S> Iterable<T>.runningReduceIndexed(operation: (index: Int, acc: S, T) -> S): List<S> {\n val iterator = this.iterator()\n if (!iterator.hasNext()) return emptyList()\n var accumulator: S = iterator.next()\n val result = ArrayList<S>(collectionSizeOrDefault(10)).apply { add(accumulator) }\n var index = 1\n while (iterator.hasNext()) {\n accumulator = operation(index++, accumulator,
iterator.next())\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R>

Iterable<T>.scan(initial: R, operation: (acc: R, T) -> R): List<R> {\n return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element,
its index in the original collection and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R> Iterable<T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun <T> Iterable<T>.sumBy(selector: (T) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun <T> Iterable<T>.sumByDouble(selector: (T) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.sumOf(selector: (T) -> Double): Double {\n var sum: Double = 0.toDouble()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.sumOf(selector: (T) -> Int): Int {\n var sum: Int = 0.toInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.sumOf(selector: (T) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.sumOf(selector: (T) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Iterable<T>.sumOf(selector: (T) -> ULong): ULong {\n var sum: ULong = 0.toULong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns an original collection

containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n */\npublic fun <T : Any> Iterable<T?>.requireNoNulls(): Iterable<T> {\n for (element in this) {\n if (element == null) {\n throw IllegalArgumentException(\"null element found in $this.\")\n }\n }\n @Suppress(\"UNCHECKED_CAST\")\n return this as Iterable<T>\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n */\npublic fun <T : Any> List<T?>.requireNoNulls(): List<T> {\n for (element in this) {\n if (element == null) {\n throw IllegalArgumentException(\"null element found in $this.\")\n }\n }\n @Suppress(\"UNCHECKED_CAST\")\n return this as List<T>\n}\n\n/**\n * Splits this collection into a list of lists each not exceeding the given [size].\n * \n * The last list in the resulting list may have fewer elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this collection.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Iterable<T>.chunked(size: Int): List<List<T>> {\n return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this collection into several lists each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return list of results of the [transform] applied to an each list.\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last list may have fewer elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this collection.\n * \n * @sample samples.text.Strings.chunkedTransform\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Iterable<T>.chunked(size: Int, transform: (List<T>) -> R): List<R> {\n return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Returns a list containing all elements of the original collection without the first occurrence of the given [element].\n */\npublic operator fun <T> Iterable<T>.minus(element: T): List<T> {\n val result = ArrayList<T>(collectionSizeOrDefault(10))\n var removed = false\n return this.filterTo(result) { if (!removed && it == element) { removed = true; false } else true }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the elements contained in the given [elements] array.\n * \n * Before Kotlin 1.6, the [elements] array may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n * a correct and stable implementation of `hashCode()` that didn't change between successive invocations.\n * On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n */\npublic operator fun <T> Iterable<T>.minus(elements: Array<out T>): List<T> {\n if (elements.isEmpty()) return this.toList()\n val other = elements.convertToSetForSetOperation()\n return this.filterNot { it in other }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the elements contained in the given [elements] collection.\n * \n * Before Kotlin 1.6, the [elements] collection may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n * a correct and stable implementation of `hashCode()` that didn't change between successive invocations.\n * On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n */\npublic operator fun <T> Iterable<T>.minus(elements: Iterable<T>): List<T> {\n val other = elements.convertToSetForSetOperationWith(this)\n if (other.isEmpty())\n return this.toList()\n return this.filterNot { it in other }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the elements contained in the given [elements] sequence.\n * \n * Before Kotlin 1.6, the [elements] sequence may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n * a correct and stable implementation of `hashCode()` that didn't change between successive invocations.\n * On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n */\npublic operator fun <T> Iterable<T>.minus(elements: Sequence<T>): List<T> {\n val other = elements.convertToSetForSetOperation()\n if (other.isEmpty())\n return this.toList()\n return this.filterNot {

it in other }\n}\n\n/**\n * Returns a list containing all elements of the original collection without the first occurrence of the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minusElement(element: T): List<T> {\n   return minus(element)\n}\n\n/**\n * Splits the original collection into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n * @sample samples.collections.Iterables.Operations.partition\n */\npublic inline fun <T> Iterable<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n   val first = ArrayList<T>()\n   val second = ArrayList<T>()\n   for (element in this) {\n   if (predicate(element)) {\n   first.add(element)\n   } else {\n   second.add(element)\n   }\n   }\n   return Pair(first, second)\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given [element].\n */\npublic operator fun <T> Iterable<T>.plus(element: T): List<T> {\n   if (this is Collection) return this.plus(element)\n   val result = ArrayList<T>()\n   result.addAll(this)\n   result.add(element)\n   return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given [element].\n */\npublic operator fun <T> Collection<T>.plus(element: T): List<T> {\n   val result = ArrayList<T>(size + 1)\n   result.addAll(this)\n   result.add(element)\n   return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] array.\n */\npublic operator fun <T> Iterable<T>.plus(elements: Array<out T>): List<T> {\n   if (this is Collection) return this.plus(elements)\n   val result = ArrayList<T>()\n   result.addAll(this)\n   result.addAll(elements)\n   return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] array.\n */\npublic operator fun <T> Collection<T>.plus(elements: Array<out T>): List<T> {\n   val result = ArrayList<T>(this.size + elements.size)\n   result.addAll(this)\n   result.addAll(elements)\n   return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] collection.\n */\npublic operator fun <T> Iterable<T>.plus(elements: Iterable<T>): List<T> {\n   if (this is Collection) return this.plus(elements)\n   val result = ArrayList<T>()\n   result.addAll(this)\n   result.addAll(elements)\n   return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] collection.\n */\npublic operator fun <T> Collection<T>.plus(elements: Iterable<T>): List<T> {\n   if (elements is Collection) {\n   val result = ArrayList<T>(this.size + elements.size)\n   result.addAll(this)\n   result.addAll(elements)\n   return result\n   } else {\n   val result = ArrayList<T>(this)\n   result.addAll(elements)\n   return result\n   }\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] sequence.\n */\npublic operator fun <T> Iterable<T>.plus(elements: Sequence<T>): List<T> {\n   val result = ArrayList<T>()\n   result.addAll(this)\n   result.addAll(elements)\n   return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] sequence.\n */\npublic operator fun <T> Collection<T>.plus(elements: Sequence<T>): List<T> {\n   val result = ArrayList<T>(this.size + 10)\n   result.addAll(this)\n   result.addAll(elements)\n   return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.plusElement(element: T): List<T> {\n   return plus(element)\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.plusElement(element: T): List<T> {\n   return plus(element)\n}\n\n/**\n * Returns a list of snapshots of the window of the given [size]\n * sliding along this collection with the given [step], where each\n * snapshot is a list.\n * \n * Several last lists may have fewer elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this collection.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean

= false): List<List<T>> {\n checkWindowSizeStep(size, step)\n if (this is RandomAccess && this is List) {\n val thisSize = this.size\n val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n val result = ArrayList<List<T>>(resultCapacity)\n var index = 0\n while (index in 0 until thisSize) {\n val windowSize = size.coerceAtMost(thisSize - index)\n if (windowSize < size && !partialWindows) break\n result.add(List(windowSize) { this[it + index] })\n index += step\n }\n return result\n }\n val result = ArrayList<List<T>>()\n windowedIterator(iterator(), size, step, partialWindows, reuseBuffer = false).forEach {\n result.add(it)\n }\n return result\n}\n\n/**\n * Returns a list of results of applying the given [transform] function to\n * an each list representing a view over the window of the given [size]\n * sliding along this collection with the given [step].\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last lists may have fewer elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this collection.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R): List<R> {\n checkWindowSizeStep(size, step)\n if (this is RandomAccess && this is List) {\n val thisSize = this.size\n val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n val result = ArrayList<R>(resultCapacity)\n val window = MovingSubList(this)\n var index = 0\n while (index in 0 until thisSize) {\n val windowSize = size.coerceAtMost(thisSize - index)\n if (!partialWindows && windowSize < size) break\n window.move(index, index + windowSize)\n result.add(transform(window))\n index += step\n }\n return result\n }\n val result = ArrayList<R>()\n windowedIterator(iterator(), size, step, partialWindows, reuseBuffer = true).forEach {\n result.add(transform(it))\n }\n return result\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Iterable<T>.zip(other: Array<out R>): List<Pair<T, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` collection and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Iterable<T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n val arraySize = other.size\n val list = ArrayList<V>(minOf(collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in this) {\n if (i >= arraySize) break\n list.add(transform(element, other[i++]))\n }\n return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] collection with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Iterable<T>.zip(other: Iterable<R>): List<Pair<T, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` collection and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Iterable<T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n val first = iterator()\n val second = other.iterator()\n val list = ArrayList<V>(minOf(collectionSizeOrDefault(10), other.collectionSizeOrDefault(10)))\n while (first.hasNext() && second.hasNext()) {\n list.add(transform(first.next(), second.next()))\n }\n return list\n}\n\n/**\n * Returns a list of pairs of each two adjacent elements in this collection.\n * \n * The returned list is empty if this collection contains less than two

```
elements.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Iterable<T>.zipWithNext(): List<Pair<T, T>> {\n    return zipWithNext { a, b -> a to b }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to an each pair of two adjacent elements in this collection.\n * \n * The returned list is empty if this collection contains less than two elements.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n */\n@SinceKotlin(\"1.2\")\npublic inline fun <T, R> Iterable<T>.zipWithNext(transform: (a: T, b: T) -> R): List<R> {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return emptyList()\n    val result = mutableListOf<R>()\n    var current = iterator.next()\n    while (iterator.hasNext()) {\n        val next = iterator.next()\n        result.add(transform(current, next))\n        current = next\n    }\n    return result\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <T, A : Appendable> Iterable<T>.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1) buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            buffer.appendElement(element, transform)\n        } else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun <T> Iterable<T>.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): String {\n    return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Returns this collection as an [Iterable].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.asIterable(): Iterable<T> {\n    return this\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original collection returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromCollection\n */\npublic fun <T> Iterable<T>.asSequence(): Sequence<T> {\n    return Sequence { this.iterator() }\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfByte\")\npublic fun Iterable<Byte>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfShort\")\npublic fun Iterable<Short>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfInt\")\npublic fun Iterable<Int>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfLong\")\npublic fun Iterable<Long>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfFloat\")\npublic fun Iterable<Float>.average(): Double {\n    var sum:
```

```
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfDouble\")\npublic
 fun Iterable<Double>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this)
{\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum
/ count\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*/\n@kotlin.jvm.JvmName(\"sumOfByte\")\npublic fun Iterable<Byte>.sum(): Int {\n    var sum: Int = 0\n    for
(element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the
collection.\n */\n@kotlin.jvm.JvmName(\"sumOfShort\")\npublic fun Iterable<Short>.sum(): Int {\n    var sum: Int
= 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all
elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfInt\")\npublic fun Iterable<Int>.sum(): Int {\n    var
sum: Int = 0\n    for (element in this) {\n        sum += element\n
    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*/\n@kotlin.jvm.JvmName(\"sumOfLong\")\npublic fun Iterable<Long>.sum(): Long {\n    var sum: Long = 0L\n
for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in
the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfFloat\")\npublic fun Iterable<Float>.sum(): Float {\n    var
sum: Float = 0.0f\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the
sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfDouble\")\npublic fun
Iterable<Double>.sum(): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += element\n
}\n    return sum\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage
 kotlin.collections\n\nimport kotlin.comparisons.naturalOrder\nimport kotlin.random.Random\n\n/**\n * Returns
the array if it's not `null`, or an empty array otherwise.\n * @sample
samples.collections.Arrays.Usage.arrayOrEmpty\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun <T>
Array<out T>?.orEmpty(): Array<out T> = this ?: emptyArray<T>()\n\n/**\n * Returns a *typed* array containing
all of the elements of this collection.\n *\n * Allocates an array of runtime type `T` having its size equal to the size
of this collection\n * and populates the array with the elements of this collection.\n * @sample
samples.collections.Collections.Collections.collectionToTypedArray\n */\n@kotlin.internal.InlineOnly\npublic
actual inline fun <T> Collection<T>.toTypedArray(): Array<T> =
copyToArray(this)\n\n@JsName(\"copyToArray\")\n@PublishedApi\ninternal fun <T> copyToArray(collection:
Collection<T>): Array<T> {\n    return if (collection.asDynamic().toArray !== undefined)\n
  collection.asDynamic().toArray().unsafeCast<Array<T>>()\n    else\n
copyToArrayImpl(collection).unsafeCast<Array<T>>()\n}\n\n@JsName(\"copyToArrayImpl\")\ninternal actual fun
copyToArrayImpl(collection: Collection<*>): Array<Any?> {\n    val array = emptyArray<Any?>()\n    val iterator
= collection.iterator()\n    while (iterator.hasNext())\n        array.asDynamic().push(iterator.next())\n    return
array\n}\n\n@JsName(\"copyToExistingArrayImpl\")\ninternal actual fun <T> copyToArrayImpl(collection:
Collection<*>, array: Array<T>): Array<T> {\n    if (array.size < collection.size)\n        return
copyToArrayImpl(collection).unsafeCast<Array<T>>()\n\n    val iterator = collection.iterator()\n    var index = 0\n
while (iterator.hasNext()) {\n        array[index++] = iterator.next().unsafeCast<T>()\n    }\n    if (index < array.size)
{\n        array[index] = null.unsafeCast<T>()\n    }\n    return array\n}\n\n\n/**\n * Returns an immutable list
containing only the specified object
 [element].\n */\npublic fun <T> listOf(element: T): List<T> =
arrayListOf(element)\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\ninternal actual
inline fun <E> buildListInternal(builderAction: MutableList<E>.() -> Unit): List<E> {\n    return
ArrayList<E>().apply(builderAction).build()\n}\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.Inlin
eOnly\ninternal actual inline fun <E> buildListInternal(capacity: Int, builderAction: MutableList<E>.() -> Unit):
List<E> {\n    checkBuilderCapacity(capacity)\n    return
```

ArrayList<E>(capacity).apply(builderAction).build()\n}\n\n\n/**\n * Returns an immutable set containing only the specified object [element].\n */\npublic fun <T> setOf(element: T): Set<T> = hashSetOf(element)\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\ninternal actual inline fun <E> buildSetInternal(builderAction: MutableSet<E>.() -> Unit): Set<E> {\n return LinkedHashSet<E>().apply(builderAction).build()\n}\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\ninternal
actual inline fun <E> buildSetInternal(capacity: Int, builderAction: MutableSet<E>.() -> Unit): Set<E> {\n return LinkedHashSet<E>(capacity).apply(builderAction).build()\n}\n\n\n/**\n * Returns an immutable map, mapping only the specified key to the\n * specified value.\n */\npublic fun <K, V> mapOf(pair: Pair<K, V>): Map<K, V> = hashMapOf(pair)\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\ninternal actual inline fun <K, V> buildMapInternal(builderAction: MutableMap<K, V>.() -> Unit): Map<K, V> {\n return LinkedHashMap<K,
V>().apply(builderAction).build()\n}\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\ninternal actual inline fun <K, V> buildMapInternal(capacity: Int, builderAction: MutableMap<K, V>.() -> Unit): Map<K, V> {\n return LinkedHashMap<K, V>(capacity).apply(builderAction).build()\n}\n\n\n/**\n * Fills the list with the provided [value].\n *\n *
Each element in the list gets replaced with the [value].\n */\n@SinceKotlin(\"1.2\")\npublic actual fun <T> MutableList<T>.fill(value: T): Unit {\n for (index in 0..lastIndex) {\n this[index] = value\n }\n}\n\n/**\n * Randomly shuffles elements in this list.\n *\n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.2\")\npublic actual fun <T> MutableList<T>.shuffle(): Unit = shuffle(Random)\n\n/**\n * Returns a new list with the elements of this list randomly shuffled.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun <T> Iterable<T>.shuffled(): List<T> = toMutableList().apply { shuffle() }\n\n/**\n * Sorts elements in the list in-place according to their natural sort order.\n *\n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * @sample samples.collections.Collections.Sorting.sortMutableList\n */\npublic actual fun <T : Comparable<T>> MutableList<T>.sort():
Unit {\n collectionsSort(this, naturalOrder())\n}\n\n/**\n * Sorts elements in the list in-place according to the order specified with [comparator].\n *\n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * @sample samples.collections.Collections.Sorting.sortMutableListWith\n */\npublic actual fun <T> MutableList<T>.sortWith(comparator: Comparator<in T>): Unit {\n collectionsSort(this, comparator)\n}\n\nprivate fun <T> collectionsSort(list: MutableList<T>, comparator: Comparator<in T>) {\n if (list.size <= 1) return\n\n val array = copyToArray(list)\n sortArrayWith(array, comparator)\n\n for (i in 0 until array.size) {\n list[i] = array[i]\n }\n}\n\ninternal actual fun <T> arrayOfNulls(reference: Array<T>, size: Int): Array<T> {\n return arrayOfNulls<Any>(size).unsafeCast<Array<T>>()\n}\n\n@SinceKotlin(\"1.3\")\n@PublishedApi\n@JsName(\"arrayCopy\")\ninternal fun <T> arrayCopy(source:
Array<out T>, destination: Array<in T>, destinationOffset: Int, startIndex: Int, endIndex: Int) {\n AbstractList.checkRangeIndexes(startIndex, endIndex, source.size)\n val rangeSize = endIndex - startIndex\n AbstractList.checkRangeIndexes(destinationOffset, destinationOffset + rangeSize, destination.size)\n\n if (js(\"ArrayBuffer\").isView(destination) && js(\"ArrayBuffer\").isView(source)) {\n val subrange = source.asDynamic().subarray(startIndex, endIndex)\n destination.asDynamic().set(subrange, destinationOffset)\n } else {\n if (source !== destination || destinationOffset <= startIndex) {\n for (index in 0 until rangeSize) {\n destination[destinationOffset + index] = source[startIndex + index]\n }\n } else {\n for (index in rangeSize - 1 downTo 0) {\n destination[destinationOffset + index] = source[startIndex + index]\n }\n }\n }\n}\n\n// no singleton
map implementation in js, return map as is\n@Suppress(\"NOTHING_TO_INLINE\")\ninternal actual inline fun <K, V> Map<K, V>.toSingletonMapOrSelf(): Map<K, V> = this\n\n@Suppress(\"NOTHING_TO_INLINE\")\ninternal actual inline fun <K, V> Map<out K,

V>.toSingletonMap(): Map<K, V> = this.toMutableMap()\n\n\n@Suppress(\"NOTHING_TO_INLINE\")\ninternal actual inline fun <T> Array<out T>.copyToArrayOfAny(isVarargs: Boolean): Array<out Any?> =\n   if (isVarargs)\n   // no need to copy vararg array in JS\n   this\n   else\n this.copyOf()\n\n\n\n@PublishedApi\ninternal actual fun checkIndexOverflow(index: Int): Int {\n   if (index < 0) {\n   throwIndexOverflow()\n   }\n   return index\n}\n\n@PublishedApi\ninternal actual fun checkCountOverflow(count: Int): Int {\n   if (count < 0) {\n   throwCountOverflow()\n   }\n   return count\n}\n\n\n/**\n * JS map and set implementations do not make use of capacities or load factors.\n */\n@PublishedApi\ninternal actual fun mapCapacity(expectedSize:
 Int) = expectedSize\n\n/**\n * Checks a collection builder function capacity argument.\n * In JS no validation is made in Map/Set constructor yet.\n */\n@SinceKotlin(\"1.3\")\n@PublishedApi\ninternal fun checkBuilderCapacity(capacity: Int) {\n   require(capacity >= 0) { \"capacity must be non-negative.\" }\n}\n\ninternal actual fun brittleContainsOptimizationEnabled(): Boolean = false","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\n\n/**\n * Returns the given iterator itself. This allows to use an instance of iterator in a `for` loop.\n * @sample samples.collections.Iterators.iterator\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Iterator<T>.iterator(): Iterator<T> =
 this\n\n/**\n * Returns an [Iterator] that wraps each element produced by the original iterator\n * into an [IndexedValue] containing the index of that element and the element itself.\n *\n * @sample samples.collections.Iterators.withIndexIterator\n */\npublic fun <T> Iterator<T>.withIndex(): Iterator<IndexedValue<T>> = IndexingIterator(this)\n\n/**\n * Performs the given [operation] on each element of this [Iterator].\n * @sample samples.collections.Iterators.forEachIterator\n */\npublic inline fun <T> Iterator<T>.forEach(operation: (T) -> Unit): Unit {\n   for (element in this) operation(element)\n}\n\n/**\n * Iterator transforming original `iterator` into iterator of [IndexedValue], counting index from zero.\n */\ninternal class IndexingIterator<out T>(private val iterator: Iterator<T>) : Iterator<IndexedValue<T>> {\n   private var index = 0\n   final override fun hasNext(): Boolean = iterator.hasNext()\n   final override fun next(): IndexedValue<T> = IndexedValue(checkIndexOverflow(index++),
 iterator.next())\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ComparisonsKt\")\n\npackage kotlin.comparisons\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns the greater of two values.\n * \n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T : Comparable<T>> maxOf(a: T, b: T): T\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte, b: Byte): Byte\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Short, b: Short): Short\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Int, b: Int): Int\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Long, b: Long): Long\n\n/**\n * Returns the greater of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Float, b: Float): Float\n\n/**\n * Returns the greater of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Double, b: Double): Double\n\n/**\n * Returns the greater of three values.\n * \n * If there are multiple equal maximal values, returns the first of them.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T : Comparable<T>> maxOf(a: T,

b: T, c: T): T\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte, b: Byte, c: Byte): Byte\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Short, b: Short, c: Short): Short\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Int, b: Int, c: Int): Int\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Long, b: Long, c: Long): Long\n\n/**\n * Returns the greater of three values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Float, b: Float, c: Float): Float\n\n/**\n * Returns the greater of three values.\n * \n * If any value is `NaN`, returns
`NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Double, b: Double, c: Double): Double\n\n/**\n * Returns the greater of three values according to the order specified by the given [comparator].\n * \n * If there are multiple equal maximal values, returns the first of them.\n
*/\n@SinceKotlin(\"1.1\")\npublic fun <T> maxOf(a: T, b: T, c: T, comparator: Comparator<in T>): T {\n   return maxOf(a, maxOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the greater of two values according to the order specified by the given [comparator].\n * \n * If values are equal, returns the first one.\n
*/\n@SinceKotlin(\"1.1\")\npublic fun <T> maxOf(a: T, b: T, comparator: Comparator<in T>): T {\n   return if (comparator.compare(a, b) >= 0) a else b\n}\n\n/**\n * Returns the greater of the given values.\n * \n * If there are multiple equal maximal values, returns the first of them.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun <T : Comparable<T>>
maxOf(a: T, vararg other: T): T\n\n/**\n * Returns the greater of the given values.\n
*/\n@SinceKotlin(\"1.4\")\npublic expect fun maxOf(a: Byte, vararg other: Byte): Byte\n\n/**\n * Returns the greater of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun maxOf(a: Short, vararg other: Short): Short\n\n/**\n * Returns the greater of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun maxOf(a: Int, vararg other: Int): Int\n\n/**\n * Returns the greater of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun maxOf(a: Long, vararg other: Long): Long\n\n/**\n * Returns the greater of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun maxOf(a: Float, vararg other: Float): Float\n\n/**\n * Returns the greater of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\npublic expect fun maxOf(a: Double, vararg other: Double): Double\n\n/**\n * Returns the
greater of the given values according to the order specified by the given [comparator].\n * \n * If there are multiple equal maximal values, returns the first of them.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T> maxOf(a: T, vararg other: T, comparator: Comparator<in T>): T {\n   var max = a\n   for (e in other) if (comparator.compare(max, e) < 0) max = e\n   return max\n}\n\n/**\n * Returns the smaller of two values.\n * \n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T : Comparable<T>> minOf(a: T, b: T): T\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Byte, b: Byte): Byte\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Short, b: Short): Short\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic
expect inline fun minOf(a: Int, b: Int): Int\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Long, b: Long): Long\n\n/**\n * Returns the smaller of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Float, b: Float): Float\n\n/**\n * Returns the smaller of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Double, b: Double): Double\n\n/**\n * Returns the smaller of three values.\n * \n * If there are multiple equal minimal values, returns the

first of them.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T : Comparable<T>> minOf(a: T, b: T, c: T): T\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Byte, b:
Byte, c: Byte): Byte\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Short, b: Short, c: Short): Short\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Int, b: Int, c: Int): Int\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Long, b: Long, c: Long): Long\n\n/**\n * Returns the smaller of three values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Float, b: Float, c: Float): Float\n\n/**\n * Returns the smaller of three values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Double, b: Double, c: Double): Double\n\n/**\n * Returns the
smaller of three values according to the order specified by the given [comparator].\n * \n * If there are multiple equal minimal values, returns the first of them.\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> minOf(a: T, b: T, c: T, comparator: Comparator<in T>): T {\n   return minOf(a, minOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the smaller of two values according to the order specified by the given [comparator].\n * \n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> minOf(a: T, b: T, comparator: Comparator<in T>): T {\n   return if (comparator.compare(a, b) <= 0) a else b\n}\n\n/**\n * Returns the smaller of the given values.\n * \n * If there are multiple equal minimal values, returns the first of them.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun <T : Comparable<T>> minOf(a: T, vararg other: T): T\n\n/**\n * Returns the smaller of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun minOf(a: Byte, vararg other:
Byte): Byte\n\n/**\n * Returns the smaller of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun minOf(a: Short, vararg other: Short): Short\n\n/**\n * Returns the smaller of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun minOf(a: Int, vararg other: Int): Int\n\n/**\n * Returns the smaller of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun minOf(a: Long, vararg other: Long): Long\n\n/**\n * Returns the smaller of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun minOf(a: Float, vararg other: Float): Float\n\n/**\n * Returns the smaller of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun minOf(a: Double, vararg other: Double): Double\n\n/**\n * Returns the smaller of the given values according to the order specified by the given [comparator].\n * \n * If there are multiple equal minimal values, returns the first
of them.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T> minOf(a: T, vararg other: T, comparator: Comparator<in T>): T {\n   var min = a\n   for (e in other) if (comparator.compare(min, e) > 0) min = e\n   return min\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"MapsKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to entries of this map in iteration order,\n * or throws [NoSuchElementException] if no non-null value was produced.\n * \n *
@sample samples.collections.Collections.Transformations.firstNotNullOf\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Any> Map<out K, V>.firstNotNullOf(transform: (Map.Entry<K, V>) -> R?): R {\n   return firstNotNullOfOrNull(transform) ?: throw NoSuchElementException(\"No element of the map was transformed to a non-null value.\")\n}\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to entries of this map in iteration order,\n *

or `null` if no non-null value was produced.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Any> Map<out K, V>.firstNotNullOfOrNull(transform: (Map.Entry<K, V>) -> R?): R? {\n for (element in this) {\n val result = transform(element)\n if (result != null) {\n return result\n }\n }\n return null\n}\n\n/**\n * Returns a [List] containing all key-value pairs.\n */\npublic fun <K, V> Map<out K, V>.toList(): List<Pair<K, V>> {\n if (size == 0)\n return emptyList()\n val iterator = entries.iterator()\n if (!iterator.hasNext())\n return emptyList()\n val first = iterator.next()\n if (!iterator.hasNext())\n return listOf(first.toPair())\n val result = ArrayList<Pair<K, V>>(size)\n result.add(first.toPair())\n do {\n result.add(iterator.next().toPair())\n } while (iterator.hasNext())\n return result\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each entry of original map.\n * \n * @sample samples.collections.Maps.Transformations.flatMap\n */\npublic inline fun <K, V, R> Map<out K, V>.flatMap(transform: (Map.Entry<K, V>) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each entry of original map.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapSequence\")\npublic inline fun <K, V, R> Map<out K, V>.flatMap(transform: (Map.Entry<K, V>) -> Sequence<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each entry of original map, to the given [destination].\n */\npublic inline fun <K, V, R, C : MutableCollection<in R>> Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each entry of original map, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapSequenceTo\")\npublic inline fun <K, V, R, C : MutableCollection<in R>> Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>) -> Sequence<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each entry in the original map.\n * \n * @sample samples.collections.Maps.Transformations.mapToList\n */\npublic inline fun <K, V, R> Map<out K, V>.map(transform: (Map.Entry<K, V>) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each entry in the original map.\n * \n * @sample samples.collections.Maps.Transformations.mapNotNull\n */\npublic inline fun <K, V, R : Any> Map<out K, V>.mapNotNull(transform: (Map.Entry<K, V>) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each entry in the original map\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <K, V, R : Any, C : MutableCollection<in R>> Map<out K, V>.mapNotNullTo(destination: C, transform: (Map.Entry<K, V>) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each entry of the original map\n * and appends the results to the given [destination].\n */\npublic inline fun <K, V, R, C : MutableCollection<in R>> Map<out K, V>.mapTo(destination: C, transform: (Map.Entry<K, V>) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns `true` if all entries match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <K, V> Map<out K, V>.all(predicate:

(Map.Entry<K, V>) -> Boolean): Boolean {\n   if (isEmpty()) return true\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if map has at least one entry.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <K, V> Map<out K, V>.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one entry matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <K, V> Map<out K, V>.any(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n   if (isEmpty()) return false\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns the number of entries in this map.\n */\n@kotlin.internal.InlineOnly\npublic
 inline fun <K, V> Map<out K, V>.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of entries matching the given [predicate].\n */\npublic inline fun <K, V> Map<out K, V>.count(predicate: (Map.Entry<K, V>) -> Boolean): Int {\n   if (isEmpty()) return 0\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Performs the given [action] on each entry.\n */\n@kotlin.internal.HidesMembers\npublic inline fun <K, V> Map<out K, V>.forEach(action: (Map.Entry<K, V>) -> Unit): Unit {\n   for (element in this) action(element)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.maxBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n   return maxByOrNull(selector)\n}\n\n/**\n
 * Returns the first entry yielding the largest value of the given function or `null` if there are no entries.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.maxByOrNull(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n   return entries.maxByOrNull(selector)\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the map is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.maxOf(selector: (Map.Entry<K, V>) -> Double): Double {\n   return entries.maxOf(selector)\n}\n\n/**\n * Returns
 the largest value among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the map is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.maxOf(selector: (Map.Entry<K, V>) -> Float): Float {\n   return entries.maxOf(selector)\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * @throws NoSuchElementException if the map is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.maxOf(selector: (Map.Entry<K, V>) -> R):
 R {\n   return entries.maxOf(selector)\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each entry in the map or `null` if there are no entries.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> Double): Double? {\n   return entries.maxOfOrNull(selector)\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each entry in the map or `null` if there are no entries.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <K, V> Map<out K, V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> Float): Float? {\n return entries.maxOfOrNull(selector)\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each entry in the map or `null` if there are no entries.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> R): R? {\n return entries.maxOfOrNull(selector)\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each entry in the map.\n * \n * @throws NoSuchElementException if the map is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <K, V, R> Map<out K, V>.maxOfWith(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R {\n return entries.maxOfWith(comparator, selector)\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each entry in the map or `null` if there are no entries.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K, V>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R? {\n return entries.maxOfWithOrNull(comparator, selector)\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.maxWith(comparator:
Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first entry having the largest value according to the provided [comparator] or `null` if there are no entries.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.maxWithOrNull(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n return entries.maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.minBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n return minByOrNull(selector)\n}\n\n/**\n * Returns the first entry yielding the smallest value of the given function or `null` if there are no entries.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n
*/\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.minByOrNull(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n return entries.minByOrNull(selector)\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the map is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.minOf(selector: (Map.Entry<K, V>) -> Double): Double {\n return entries.minOf(selector)\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * If any of values produced by [selector] function is `NaN`, the
returned result is `NaN`.\n * \n * @throws NoSuchElementException if the map is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.minOf(selector: (Map.Entry<K, V>) -> Float): Float {\n return entries.minOf(selector)\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * @throws

NoSuchElementException if the map is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,
V>.minOf(selector: (Map.Entry<K, V>) -> R): R {\n   return entries.minOf(selector)\n}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each entry in the map or `null` if
there are no entries.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.minOfOrNull(selector: (Map.Entry<K, V>) -> Double): Double? {\n   return
entries.minOfOrNull(selector)\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each entry in the map or `null` if there are no entries.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.minOfOrNull(selector: (Map.Entry<K, V>) -> Float): Float? {\n   return
entries.minOfOrNull(selector)\n}\n\n/**\n * Returns
the smallest value among all values produced by [selector] function\n * applied to each entry in the map or `null` if
there are no entries.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,
V>.minOfOrNull(selector: (Map.Entry<K, V>) -> R): R? {\n   return entries.minOfOrNull(selector)\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each entry in the map.\n * \n * @throws NoSuchElementException if the map is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K,
V>.minOfWith(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R {\n   return
entries.minOfWith(comparator,
selector)\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each entry in the map or `null` if there are no entries.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K,
V>.minOfWithOrNull(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R? {\n   return
entries.minOfWithOrNull(comparator, selector)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\",
ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince
= \"1.5\", hiddenSince = \"1.6\")\npublic fun <K, V> Map<out K, V>.minWith(comparator: Comparator<in
Map.Entry<K, V>>): Map.Entry<K, V>? {\n   return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first
entry having the smallest value according to the provided [comparator]
or `null` if there are no entries.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
Map<out K, V>.minWithOrNull(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n   return
entries.minWithOrNull(comparator)\n}\n\n/**\n * Returns `true` if the map has no entries.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun <K, V> Map<out K, V>.none(): Boolean {\n
return isEmpty()\n}\n\n/**\n * Returns `true` if no entries match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <K, V> Map<out K,
V>.none(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n   if (isEmpty()) return true\n   for (element in
this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Performs the given [action] on each entry and
returns the map itself afterwards.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <K, V, M : Map<out K, V>>
M.onEach(action:

(Map.Entry<K, V>) -> Unit): M {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each entry, providing sequential index with the entry,\n * and returns the map itself afterwards.\n * @param [action] function that takes the index of an entry and the entry itself\n * and performs the action on the entry.\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <K, V, M : Map<out K, V>> M.onEachIndexed(action: (index: Int, Map.Entry<K, V>) -> Unit): M {\n return apply { entries.forEachIndexed(action) }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original map returning its entries when being iterated.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.asIterable(): Iterable<Map.Entry<K, V>> {\n return entries\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original map returning its entries when being iterated.\n */\npublic fun <K, V> Map<out K, V>.asSequence(): Sequence<Map.Entry<K, V>> {\n return entries.asSequence()\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\n// 10 mappings totally\ninternal fun Char.titlecaseImpl(): String {\n val uppercase = uppercase()\n if (uppercase.length > 1) {\n return if (this == '\\u0149') uppercase else uppercase[0] + uppercase.substring(1).lowercase()\n }\n return titlecaseChar().toString()\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the invariant locale.\n */\n@Deprecated(\"Use lowercaseChar() instead.\", ReplaceWith(\"lowercaseChar()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Char.toLowerCase(): Char = lowercaseChar()\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the invariant locale.\n *\n * This function performs one-to-one character mapping.\n * To support one-to-many character mapping use the [lowercase] function.\n * If this character has no mapping equivalent, the character itself is returned.\n *\n * @sample samples.text.Chars.lowercase\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic actual inline fun Char.lowercaseChar(): Char = lowercase()[0]\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the invariant locale.\n *\n * This function supports one-to-many character mapping, thus the length of the returned string can be greater than one.\n * For example, `'\\u0130'.lowercase()` returns `\"\\u0069\\u0307\"`,\n * where `'\\u0130'` is the LATIN CAPITAL LETTER I WITH DOT ABOVE character (`\u0130`).\n * If this character has no lower case mapping, the result of `toString()` of this char is returned.\n *\n * @sample samples.text.Chars.lowercase\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic actual inline fun Char.lowercase(): String = toString().asDynamic().toLowerCase().unsafeCast<String>()\n\n/**\n * Converts this character to upper case using Unicode mapping rules of the invariant locale.\n */\n@Deprecated(\"Use uppercaseChar() instead.\", ReplaceWith(\"uppercaseChar()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Char.toUpperCase(): Char = uppercaseChar()\n\n/**\n * Converts this character to upper case using Unicode mapping rules of the invariant locale.\n *\n * This function performs one-to-one character mapping.\n * To support one-to-many character mapping use the [uppercase] function.\n * If this character has no mapping equivalent, the character itself is returned.\n *\n * @sample samples.text.Chars.uppercase\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Char.uppercaseChar(): Char {\n val uppercase = uppercase()\n return if (uppercase.length > 1) this else uppercase[0]\n}\n\n/**\n * Converts this character to upper case using Unicode mapping rules of the invariant locale.\n *\n * This function supports one-to-many character mapping, thus the length of the returned string can be

greater than one.\n * For example, `\\uFB00'.uppercase()` returns `\"\\u0046\\u0046\"`,\n * where `\\uFB00'` is the LATIN SMALL LIGATURE FF character (`\ufb00`).\n * If this character has no upper case mapping, the result of `toString()` of this char is returned.\n *\n * @sample
samples.text.Chars.uppercase\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c actual inline fun Char.uppercase(): String = toString().asDynamic().toUpperCase().unsafeCast<String>()\n\n/**\n
* Converts this character to title case using Unicode mapping rules of the invariant locale.\n *\n * This function performs one-to-one character mapping.\n * To support one-to-many character mapping use the [titlecase] function.\n * If this character has no mapping equivalent, the result of calling [uppercaseChar] is returned.\n *\n * @sample samples.text.Chars.titlecase\n */\n@SinceKotlin(\"1.5\")\npublic actual fun Char.titlecaseChar(): Char = titlecaseCharImpl()\n\n/**\n * Returns `true` if this character is a Unicode high-surrogate code unit (also known as leading-surrogate code unit).\n */\npublic actual fun Char.isHighSurrogate(): Boolean = this in Char.MIN_HIGH_SURROGATE..Char.MAX_HIGH_SURROGATE\n\n/**\n * Returns `true` if this
character is a Unicode low-surrogate code unit (also known as trailing-surrogate code unit).\n */\npublic actual fun Char.isLowSurrogate(): Boolean = this in Char.MIN_LOW_SURROGATE..Char.MAX_LOW_SURROGATE\n\n/**\n * Returns the Unicode general category of this character.\n */\n@SinceKotlin(\"1.5\")\npublic actual val Char.category: CharCategory\n get() = CharCategory.valueOf(getCategoryValue())\n\n/**\n * Returns `true` if this character (Unicode code point) is defined in Unicode.\n *\n * A character is considered to be defined in Unicode if its [category] is not [CharCategory.UNASSIGNED].\n */\n@SinceKotlin(\"1.5\")\npublic actual fun Char.isDefined(): Boolean {\n if (this < '\\u0080') {\n return true\n }\n return getCategoryValue() != CharCategory.UNASSIGNED.value\n}\n\n/**\n * Returns `true` if this character is a letter.\n *\n * A character is considered to be a letter if its [category] is [CharCategory.UPPERCASE_LETTER],\n * [CharCategory.LOWERCASE_LETTER],
[CharCategory.TITLECASE_LETTER], [CharCategory.MODIFIER_LETTER], or [CharCategory.OTHER_LETTER].\n *\n * @sample samples.text.Chars.isLetter\n
*/\n@SinceKotlin(\"1.5\")\npublic actual fun Char.isLetter(): Boolean {\n if (this in 'a'..'z' || this in 'A'..'Z') {\n return true\n }\n if (this < '\\u0080') {\n return false\n }\n return isLetterImpl()\n}\n\n/**\n * Returns `true` if this character is a letter or digit.\n *\n * @see isLetter\n * @see isDigit\n *\n * @sample samples.text.Chars.isLetterOrDigit\n */\n@SinceKotlin(\"1.5\")\npublic actual fun Char.isLetterOrDigit(): Boolean {\n if (this in 'a'..'z' || this in 'A'..'Z' || this in '0'..'9') {\n return true\n }\n if (this < '\\u0080') {\n return false\n }\n\n return isDigitImpl() || isLetterImpl()\n}\n\n/**\n * Returns `true` if this character is a digit.\n *\n * A character is considered to be a digit if its [category] is [CharCategory.DECIMAL_DIGIT_NUMBER].\n *\n * @sample samples.text.Chars.isDigit\n
*/\n@SinceKotlin(\"1.5\")\npublic actual fun Char.isDigit(): Boolean {\n if (this in '0'..'9') {\n return true\n }\n if (this < '\\u0080') {\n return false\n }\n return isDigitImpl()\n}\n\n/**\n * Returns `true` if this character is upper case.\n *\n * A character is considered to be an upper case character if its [category] is [CharCategory.UPPERCASE_LETTER],\n * or it has contributory property `Other_Uppercase` as defined by the Unicode Standard.\n *\n * @sample samples.text.Chars.isUpperCase\n */\n@SinceKotlin(\"1.5\")\npublic actual fun Char.isUpperCase(): Boolean {\n if (this in 'A'..'Z') {\n return true\n }\n if (this < '\\u0080') {\n return false\n }\n return isUpperCaseImpl()\n}\n\n/**\n * Returns `true` if this character is lower case.\n *\n * A character is considered to be a lower case character if its [category] is [CharCategory.LOWERCASE_LETTER],\n * or it has contributory property `Other_Lowercase`
as defined by the Unicode Standard.\n *\n * @sample samples.text.Chars.isLowerCase\n
*/\n@SinceKotlin(\"1.5\")\npublic actual fun Char.isLowerCase(): Boolean {\n if (this in 'a'..'z') {\n return true\n }\n if (this < '\\u0080') {\n return false\n }\n return isLowerCaseImpl()\n}\n\n/**\n * Returns `true` if this character is a title case letter.\n *\n * A character is considered to be a title case letter if its [category] is [CharCategory.TITLECASE_LETTER].\n *\n * @sample samples.text.Chars.isTitleCase\n

*/\n@SinceKotlin(\"1.5\")\npublic actual fun Char.isTitleCase(): Boolean {\n   if (this < '\\u0080') {\n   return false\n   }\n   return getCategoryValue() == CharCategory.TITLECASE_LETTER.value\n}\n\n/**\n * Returns `true` if this character is an ISO control character.\n *\n * A character is considered to be an ISO control character if its [category] is [CharCategory.CONTROL],\n * meaning the Char is in the range `'\\u0000'..'\\u001F'` or in the range `'\\u007F'..'\\u009F'`.\n *\n * @sample samples.text.Chars.isISOControl\n */\n@SinceKotlin(\"1.5\")\npublic actual fun Char.isISOControl(): Boolean {\n   return this <= '\\u001F' || this in '\\u007F'..'\\u009F'\n}\n\n/**\n * Determines whether a character is whitespace according to the Unicode standard.\n * Returns `true` if the character is whitespace.\n *\n * @sample samples.text.Chars.isWhitespace\n */\npublic actual fun Char.isWhitespace(): Boolean = isWhitespaceImpl()","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n/**\n * Converts the characters in the specified array to a string.\n */\n@SinceKotlin(\"1.2\")\n@Deprecated(\"Use CharArray.concatToString() instead\", ReplaceWith(\"chars.concatToString()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\")\npublic actual fun String(chars: CharArray): String {\n   var result = \"\"\n   for (char in chars) {\n   result += char\n   }\n   return result\n}\n\n/**\n * Converts the characters from a portion of the specified array to a string.\n *\n * @throws IndexOutOfBoundsException if either [offset] or [length] are less than zero\n * or `offset + length` is out of [chars] array bounds.\n */\n@SinceKotlin(\"1.2\")\n@Deprecated(\"Use CharArray.concatToString(startIndex, endIndex) instead\", ReplaceWith(\"chars.concatToString(offset, offset + length)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\")\npublic actual fun String(chars: CharArray, offset: Int, length: Int): String {\n   if (offset < 0 || length < 0 || chars.size - offset < length)\n   throw IndexOutOfBoundsException(\"size: ${chars.size}; offset: $offset; length: $length\")\n   var result = \"\"\n   for (index in offset until offset + length) {\n   result += chars[index]\n   }\n   return result\n}\n\n/**\n * Concatenates characters in this [CharArray] into a String.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun CharArray.concatToString(): String {\n   var result = \"\"\n   for (char in this) {\n   result += char\n   }\n   return result\n}\n\n/**\n * Concatenates characters in this [CharArray] or its subrange into a String.\n *\n * @param startIndex the beginning (inclusive) of the subrange of characters, 0 by default.\n * @param endIndex the end (exclusive) of the subrange of characters, size of this array by default.\n *\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun CharArray.concatToString(startIndex: Int = 0, endIndex: Int = this.size): String {\n   AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)\n   var result = \"\"\n   for (index in startIndex until endIndex) {\n   result += this[index]\n   }\n   return result\n}\n\n/**\n * Returns a [CharArray] containing characters of this string.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun String.toCharArray(): CharArray {\n   return CharArray(length) { get(it) }\n}\n\n/**\n * Returns a [CharArray] containing characters of this string or its substring.\n *\n * @param startIndex the beginning (inclusive) of the substring, 0 by default.\n * @param endIndex the end (exclusive) of the substring, length of this string by default.\n *\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the length of this string.\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.toCharArray(startIndex: Int = 0, endIndex: Int = this.length): CharArray {\n   AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n   return CharArray(endIndex - startIndex) { get(startIndex + it) }\n}\n\n/**\n * Decodes a string from the bytes in UTF-8 encoding in this array.\n *\n * Malformed byte sequences are replaced by the replacement char `\\uFFFD`.\n

*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun ByteArray.decodeToString(): String {\n   return decodeUtf8(this, 0, size, false)\n}\n\n/**\n * Decodes a string from the bytes in UTF-8 encoding in this array or its subrange.\n *\n * @param startIndex the beginning (inclusive) of the subrange to decode, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to decode, size of this array by default.\n * @param throwOnInvalidSequence
 specifies whether to throw an exception on malformed byte sequence or replace it by the replacement char `\\uFFFD`.\n *\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n * @throws CharacterCodingException if the byte array contains malformed UTF-8 byte sequence and [throwOnInvalidSequence] is true.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun ByteArray.decodeToString(\n   startIndex: Int = 0,\n   endIndex: Int = this.size,\n   throwOnInvalidSequence: Boolean = false\n): String {\n   AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)\n   return decodeUtf8(this, startIndex, endIndex, throwOnInvalidSequence)\n}\n\n/**\n * Encodes this string to an array of bytes in UTF-8 encoding.\n *\n *
 Any malformed char sequence is replaced by the replacement byte sequence.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun String.encodeToByteArray(): ByteArray {\n   return encodeUtf8(this, 0, length, false)\n}\n\n/**\n * Encodes this string or its substring to an array of bytes in UTF-8 encoding.\n *\n * @param startIndex the beginning (inclusive) of the substring to encode, 0 by default.\n * @param endIndex the end (exclusive) of the substring to encode, length of this string by default.\n * @param throwOnInvalidSequence specifies whether to throw an exception on malformed char sequence or replace.\n *\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the length of this string.\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n * @throws CharacterCodingException if this string contains malformed char sequence and [throwOnInvalidSequence] is true.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic
 actual fun String.encodeToByteArray(\n   startIndex: Int = 0,\n   endIndex: Int = this.length,\n   throwOnInvalidSequence: Boolean = false\n): ByteArray {\n   AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n   return encodeUtf8(this, startIndex, endIndex, throwOnInvalidSequence)\n}\n\n/**\n * Returns a copy of this string converted to upper case using the rules of the default locale.\n */\n@Deprecated(\"Use uppercase() instead.\", ReplaceWith(\"uppercase()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toUpperCase(): String = asDynamic().toUpperCase()\n\n/**\n * Returns a copy of this string converted to upper case using Unicode mapping rules of the invariant locale.\n *\n * This function supports one-to-many and many-to-one character mapping,\n * thus the length of the
 returned string can be different from the length of the original string.\n *\n * @sample samples.text.Strings.uppercase\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic actual inline fun String.uppercase(): String = asDynamic().toUpperCase()\n\n/**\n * Returns a copy of this string converted to lower case using the rules of the default locale.\n */\n@Deprecated(\"Use lowercase() instead.\", ReplaceWith(\"lowercase()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toLowerCase(): String = asDynamic().toLowerCase()\n\n/**\n * Returns a copy of this string converted to lower case using Unicode mapping rules of the invariant locale.\n *\n * This function supports one-to-many and many-to-one character mapping,\n * thus the length of the returned string can be different from the length of the original string.\n *\n * @sample samples.text.Strings.lowercase\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli

c
 actual inline fun String.lowercase(): String = asDynamic().toLowerCase()\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeIndexOf(str: String, fromIndex: Int): Int = asDynamic().indexOf(str, fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeLastIndexOf(str: String, fromIndex: Int): Int = asDynamic().lastIndexOf(str, fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal inline fun String.nativeStartsWith(s: String, position: Int): Boolean = asDynamic().startsWith(s, position)\n\n@kotlin.internal.InlineOnly\ninternal inline fun String.nativeEndsWith(s: String): Boolean = asDynamic().endsWith(s)\n\n@kotlin.internal.InlineOnly\npublic actual inline fun String.substring(startIndex: Int): String = asDynamic().substring(startIndex)\n\n@kotlin.internal.InlineOnly\npublic actual inline fun String.substring(startIndex: Int, endIndex: Int):
 String = asDynamic().substring(startIndex, endIndex)\n\n@Deprecated(\"Use String.plus() instead\", ReplaceWith(\"this + str\"))\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\n@kotlin.internal.InlineOnly\npublic inline fun String.concat(str: String): String = asDynamic().concat(str)\n\n@Deprecated(\"Use Regex.findAll() instead or invoke matches() on String dynamically: this.asDynamic().match(regex)\")\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\n@kotlin.internal.InlineOnly\npublic inline fun String.match(regex: String): Array<String>? = asDynamic().match(regex)\n\n//native public fun String.trim(): String\n//TODO: String.replace to implement effective trimLeading and trimTrailing\n\n@kotlin.internal.InlineOnly\ninternal inline fun String.nativeReplace(pattern: RegExp, replacement: String): String = asDynamic().replace(pattern, replacement)\n\n/**\n * Compares two strings lexicographically, optionally ignoring case differences.\n *\n * If [ignoreCase] is true, the result of `Char.uppercaseChar().lowercaseChar()`
 on each character is compared.\n */\n@SinceKotlin(\"1.2\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.compareTo(other: String, ignoreCase: Boolean = false): Int {\n   if (ignoreCase) {\n   val n1 = this.length\n   val n2 = other.length\n   val min = minOf(n1, n2)\n   if (min == 0) return n1 - n2\n   for (index in 0 until min) {\n   var thisChar = this[index]\n   var otherChar = other[index]\n\n   if (thisChar != otherChar) {\n   thisChar = thisChar.uppercaseChar()\n   otherChar = otherChar.uppercaseChar()\n\n   if (thisChar != otherChar) {\n   thisChar = thisChar.lowercaseChar()\n   otherChar = otherChar.lowercaseChar()\n\n   if (thisChar != otherChar) {\n   return thisChar.compareTo(otherChar)\n   }\n   }\n   }\n   }\n   return n1 - n2\n   } else {\n   return compareTo(other)\n   }\n}\n\n/**\n * Returns `true` if the contents of this char sequence are equal to the contents of the specified [other],\n * i.e. both char sequences contain the same number of the same characters in the same order.\n *\n * @sample samples.text.Strings.contentEquals\n */\n@SinceKotlin(\"1.5\")\npublic actual infix fun CharSequence?.contentEquals(other: CharSequence?): Boolean = contentEqualsImpl(other)\n\n/**\n * Returns `true` if the contents of this char sequence are equal to the contents of the specified [other], optionally ignoring case difference.\n *\n * @param ignoreCase `true` to ignore character case when comparing contents.\n *\n * @sample samples.text.Strings.contentEquals\n */\n@SinceKotlin(\"1.5\")\npublic actual fun CharSequence?.contentEquals(other: CharSequence?, ignoreCase: Boolean): Boolean {\n   return if (ignoreCase)\n   this.contentEqualsIgnoreCaseImpl(other)\n   else\n   this.contentEqualsImpl(other)\n}\n\n\nprivate val STRING_CASE_INSENSITIVE_ORDER = Comparator<String> { a, b -> a.compareTo(b, ignoreCase = true) }\n\n@SinceKotlin(\"1.2\")\npublic actual val String.Companion.CASE_INSENSITIVE_ORDER: Comparator<String>\n   get() = STRING_CASE_INSENSITIVE_ORDER\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CharsKt\")\n\npackage kotlin.text\n\n/**\n * Returns the numeric value of the decimal digit that this Char represents.\n * Throws an exception if this Char is not a valid decimal digit.\n *\n * A Char is considered to represent a decimal digit if [isDigit] is true for the Char.\n

* In this case, the Unicode decimal digit value of the character is returned.\n *\n * @sample samples.text.Chars.digitToInt\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Char.digitToInt(): Int {\n return digitOf(this, 10).also {\n if (it < 0) throw IllegalArgumentException(\"Char $this is not a decimal digit\")\n }\n}\n\n/**\n * Returns the numeric value of the digit that this Char represents in the specified [radix].\n * Throws an exception if the [radix] is not in the range `2..36` or if this Char is not a valid digit in the specified [radix].\n *\n * A Char is considered to represent a digit in the specified [radix] if at least one of the following is true:\n * - [isDigit] is `true` for the Char and the Unicode decimal digit value of the character is less than the specified [radix]. In this case the decimal digit value is returned.\n * - The Char is one of the uppercase Latin letters 'A' through 'Z' and its [code] is less than `radix + 'A'.code - 10`. In this case, `this.code - 'A'.code + 10` is returned.\n * - The Char is one of the lowercase Latin letters 'a' through 'z' and its [code] is less than `radix + 'a'.code - 10`. In this case, `this.code - 'a'.code + 10` is returned.\n * - The Char is one of the fullwidth Latin capital letters '\\uFF21' through '\\uFF3A' and its [code] is less than `radix + 0xFF21 - 10`. In this case, `this.code - 0xFF21 + 10` is returned.\n * - The Char is one of the fullwidth Latin small letters '\\uFF41' through '\\uFF5A' and its [code] is less than `radix + 0xFF41 - 10`. In this case, `this.code - 0xFF41 + 10` is returned.\n *\n * @sample samples.text.Chars.digitToInt\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Char.digitToInt(radix: Int): Int {\n return digitToIntOrNull(radix) ?: throw IllegalArgumentException(\"Char $this is not a digit in the given radix=$radix\")\n}\n\n/**\n *\n * Returns the numeric value of the decimal digit that this Char represents, or `null` if this Char is not a valid decimal digit.\n *\n * A Char is considered to represent a decimal digit if [isDigit] is true for the Char.\n * In this case, the Unicode decimal digit value of the character is returned.\n *\n * @sample samples.text.Chars.digitToIntOrNull\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Char.digitToIntOrNull(): Int? {\n return digitOf(this, 10).takeIf { it >= 0 }\n}\n\n/**\n * Returns the numeric value of the digit that this Char represents in the specified [radix], or `null` if this Char is not a valid digit in the specified [radix].\n * Throws an exception if the [radix] is not in the range `2..36`.\n *\n * A Char is considered to represent a digit in the specified [radix] if at least one of the following is true:\n * - [isDigit] is `true` for the Char and the Unicode decimal digit value of the character is less than the specified [radix]. In this case the decimal digit value is returned.\n * - The Char is one of the uppercase Latin letters 'A' through 'Z' and its [code] is less than `radix + 'A'.code - 10`. In this case, `this.code - 'A'.code + 10` is returned.\n * - The Char is one of the lowercase Latin letters 'a' through 'z' and its [code] is less than `radix + 'a'.code - 10`. In this case, `this.code - 'a'.code + 10` is returned.\n * - The Char is one of the fullwidth Latin capital letters '\\uFF21' through '\\uFF3A' and its [code] is less than `radix + 0xFF21 - 10`. In this case, `this.code - 0xFF21 + 10` is returned.\n * - The Char is one of the fullwidth Latin small letters '\\uFF41' through '\\uFF5A' and its [code] is less than `radix + 0xFF41 - 10`. In this case, `this.code - 0xFF41 + 10` is returned.\n *\n * @sample samples.text.Chars.digitToIntOrNull\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Char.digitToIntOrNull(radix: Int): Int? {\n checkRadix(radix)\n return digitOf(this, radix).takeIf { it >= 0 }\n}\n\n/**\n * Returns the Char that represents this decimal digit.\n * Throws an exception if this value is not in the range `0..9`.\n *\n * If this value is in `0..9`, the decimal digit Char with code `'0'.code + this` is returned.\n *\n * @sample samples.text.Chars.digitToChar\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Int.digitToChar(): Char {\n if (this in 0..9) {\n return '0' + this\n }\n throw IllegalArgumentException(\"Int $this is not a decimal digit\")\n}\n\n/**\n * Returns the Char that represents this numeric digit value in the specified [radix].\n * Throws an exception if the [radix] is not in the range `2..36` or if this value is not in the range `0 until radix`.\n *\n * If this value is less than `10`, the decimal digit Char with code `'0'.code + this` is returned.\n * Otherwise, the uppercase

Latin letter with code `'A'.code + this - 10` is returned.\n *\n * @sample samples.text.Chars.digitToChar\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Int.digitToChar(radix: Int): Char {\n if (radix
!in 2..36) {\n throw IllegalArgumentException(\"Invalid radix: $radix. Valid radix values are in range 2..36\")\n }\n if (this < 0 || this >= radix) {\n throw IllegalArgumentException(\"Digit $this does not represent a valid digit in radix $radix\")\n }\n return if (this < 10) {\n '0' + this\n } else {\n 'A' + this - 10\n }\n}\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the invariant locale.\n */\n@Deprecated(\"Use lowercaseChar() instead.\",
ReplaceWith(\"lowercaseChar()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic expect fun Char.toLowerCase(): Char\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the invariant locale.\n *\n * This function performs one-to-one character mapping.\n * To support one-to-many character mapping use the [lowercase] function.\n * If this character has no mapping equivalent, the character itself is returned.\n *\n * @sample samples.text.Chars.lowercase\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Char.lowercaseChar(): Char\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the invariant locale.\n *\n * This function supports one-to-many character mapping, thus the length of the returned string can be greater than one.\n * For example, `'\\u0130'.lowercase()` returns `\"\\u0069\\u0307\"`,\n * where `'\\u0130'` is the LATIN CAPITAL LETTER I WITH DOT ABOVE character (`\ufffd\ufffd`).\n * If this character has no lower case mapping, the result of `toString()` of this char is returned.\n *\n * @sample samples.text.Chars.lowercase\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Char.lowercase(): String\n\n/**\n * Converts this character to upper case using Unicode mapping rules of the invariant locale.\n */\n@Deprecated(\"Use uppercaseChar() instead.\",
ReplaceWith(\"uppercaseChar()\"))\n@DeprecatedSinceKotlin(warningSince
= \"1.5\")\npublic expect fun Char.toUpperCase(): Char\n\n/**\n * Converts this character to upper case using Unicode mapping rules of the invariant locale.\n *\n * This function performs one-to-one character mapping.\n * To support one-to-many character mapping use the [uppercase] function.\n * If this character has no mapping equivalent, the character itself is returned.\n *\n * @sample samples.text.Chars.uppercase\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Char.uppercaseChar(): Char\n\n/**\n * Converts this character to upper case using Unicode mapping rules of the invariant locale.\n *\n * This function supports one-to-many character mapping, thus the length of the returned string can be greater than one.\n * For example, `'\\uFB00'.uppercase()` returns `\"\\u0046\\u0046\"`,\n * where `'\\uFB00'` is the LATIN SMALL LIGATURE FF character (`\ufffd\ufffd\ufffd`).\n * If this character has no upper case mapping,
the result of `toString()` of this char is returned.\n *\n * @sample samples.text.Chars.uppercase\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Char.uppercase(): String\n\n/**\n * Converts this character to title case using Unicode mapping rules of the invariant locale.\n *\n * This function performs one-to-one character mapping.\n * To support one-to-many character mapping use the [titlecase] function.\n * If this character has no mapping equivalent, the result of calling [uppercaseChar] is returned.\n *\n * @sample samples.text.Chars.titlecase\n */\n@SinceKotlin(\"1.5\")\npublic expect fun Char.titlecaseChar(): Char\n\n/**\n * Converts this character to title case using Unicode mapping rules of the invariant locale.\n *\n * This function supports one-to-many character mapping, thus the length of the returned string can be greater than one.\n * For example, `'\\uFB00'.titlecase()` returns `\"\\u0046\\u0066\"`,\n * where `'\\uFB00'`
is the LATIN SMALL LIGATURE FF character (`\ufffd\ufffd\ufffd`).\n * If this character has no title case mapping, the result of [uppercase] is returned instead.\n *\n * @sample samples.text.Chars.titlecase\n
*/\n@SinceKotlin(\"1.5\")\npublic fun Char.titlecase(): String = titlecaseImpl()\n\n/**\n * Concatenates this Char and a String.\n *\n * @sample samples.text.Chars.plus\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun

Char.plus(other: String): String = this.toString() + other\n\n/**\n * Returns `true` if this character is equal to the [other] character, optionally ignoring character case.\n *\n * Two characters are considered equal ignoring case if `Char.uppercaseChar().lowercaseChar()` on each character produces the same result.\n *\n * @param ignoreCase `true` to ignore character case when comparing characters. By default `false`.\n * @sample samples.text.Chars.equals\n */\npublic fun Char.equals(other: Char, ignoreCase: Boolean = false): Boolean {\n if (this ==
other) return true\n if (!ignoreCase) return false\n\n val thisUpper = this.uppercaseChar()\n val otherUpper = other.uppercaseChar()\n\n return thisUpper == otherUpper || thisUpper.lowercaseChar() == otherUpper.lowercaseChar()\n}\n\n/**\n * Returns `true` if this character is a Unicode surrogate code unit.\n */\npublic fun Char.isSurrogate(): Boolean = this in Char.MIN_SURROGATE..Char.MAX_SURROGATE\n\n/**\n * Returns the Unicode general category of this character.\n */\n@SinceKotlin(\"1.5\")\npublic expect val Char.category: CharCategory\n\n/**\n * Returns `true` if this character (Unicode code point) is defined in Unicode.\n *\n * A character is considered to be defined in Unicode if its [category] is not [CharCategory.UNASSIGNED].\n */\n@SinceKotlin(\"1.5\")\npublic expect fun Char.isDefined(): Boolean\n\n/**\n * Returns `true` if this character is a letter.\n *\n * A character is considered to be a letter if its [category] is [CharCategory.UPPERCASE_LETTER],\n * [CharCategory.LOWERCASE_LETTER], [CharCategory.TITLECASE_LETTER], [CharCategory.MODIFIER_LETTER], or [CharCategory.OTHER_LETTER].\n *\n * @sample samples.text.Chars.isLetter\n */\n@SinceKotlin(\"1.5\")\npublic expect fun Char.isLetter(): Boolean\n\n/**\n * Returns `true` if this character is a letter or digit.\n *\n * @see isLetter\n * @see isDigit\n *\n * @sample samples.text.Chars.isLetterOrDigit\n */\n@SinceKotlin(\"1.5\")\npublic expect fun Char.isLetterOrDigit(): Boolean\n\n/**\n * Returns `true` if this character is a digit.\n *\n * A character is considered to be a digit if its [category] is [CharCategory.DECIMAL_DIGIT_NUMBER].\n *\n * @sample samples.text.Chars.isDigit\n */\n@SinceKotlin(\"1.5\")\npublic expect fun Char.isDigit(): Boolean\n\n/**\n * Returns `true` if this character is upper case.\n *\n * A character is considered to be an upper case character if its [category] is [CharCategory.UPPERCASE_LETTER],\n * or it has contributory property `Other_Uppercase` as defined by the Unicode Standard.\n *\n * @sample samples.text.Chars.isUpperCase\n */\n@SinceKotlin(\"1.5\")\npublic expect fun Char.isUpperCase(): Boolean\n\n/**\n * Returns `true` if this character is lower case.\n *\n * A character is considered to be a lower case character if its [category] is [CharCategory.LOWERCASE_LETTER],\n * or it has contributory property `Other_Lowercase` as defined by the Unicode Standard.\n *\n * @sample samples.text.Chars.isLowerCase\n */\n@SinceKotlin(\"1.5\")\npublic expect fun Char.isLowerCase(): Boolean\n\n/**\n * Returns `true` if this character is a title case letter.\n *\n * A character is considered to be a title case letter if its [category] is [CharCategory.TITLECASE_LETTER].\n *\n * @sample samples.text.Chars.isTitleCase\n */\n@SinceKotlin(\"1.5\")\npublic expect fun Char.isTitleCase(): Boolean\n\n/**\n * Returns `true` if this character is an ISO control character.\n *\n * A character is considered to be an ISO control character if its [category] is [CharCategory.CONTROL],\n * meaning the Char is in the range `'\\u0000'..'\\u001F'` or in the range `'\\u007F'..'\\u009F'`.\n *\n * @sample samples.text.Chars.isISOControl\n */\n@SinceKotlin(\"1.5\")\npublic expect fun Char.isISOControl(): Boolean\n\n/**\n * Determines whether a character is whitespace according to the Unicode standard.\n * Returns `true` if the character is whitespace.\n *\n * @sample samples.text.Chars.isWhitespace\n */\npublic expect fun Char.isWhitespace(): Boolean\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n/**\n * Creates a Char with the specified [code], or throws an exception if the [code] is out of `Char.MIN_VALUE.code..Char.MAX_VALUE.code`.\n *\n * If the program that calls this function is written in a way that only valid [code] is passed as the argument,\n * using the overload that takes a [UShort] argument is preferable (`Char(intValue.toUShort())`).\n * That overload doesn't check validity of the argument, and may improve program performance when the function is called routinely inside a loop.\n *\n * @sample samples.text.Chars.charFromCode\n

*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Char(code: Int): Char {\n   if (code < Char.MIN_VALUE.code || code > Char.MAX_VALUE.code) {\n
    throw IllegalArgumentException(\"Invalid Char code: $code\")\n   }\n   return code.toChar()\n}\n\n/**\n *
Creates a Char with the specified [code].\n *\n * @sample samples.text.Chars.charFromCode\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"NO_ACTUAL_FOR
_EXPECT\")\npublic expect fun Char(code: UShort): Char\n\n/**\n * Returns the code of this Char.\n *\n * Code of
a Char is the value it was constructed with, and the UTF-16 code unit corresponding to
this Char.\n *\n * @sample samples.text.Chars.code\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\n@Su
ppress(\"DEPRECATION\")\npublic inline val Char.code: Int get() = this.toInt()\n","/*\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SequencesKt\")\n\npackage
kotlin.sequences\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns
`true` if [element] is found in the sequence.\n *\n * The operation is _terminal_.\n */\npublic operator fun
<@kotlin.internal.OnlyInputTypes T> Sequence<T>.contains(element: T): Boolean {\n   return indexOf(element)
>= 0\n}\n\n/**\n * Returns
an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this
sequence.\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n */\npublic fun <T> Sequence<T>.elementAt(index: Int): T
{\n   return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"Sequence doesn't contain element at
index $index.\") }\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this sequence.\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\npublic fun <T>
Sequence<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n   if (index < 0)\n   return
defaultValue(index)\n   val iterator = iterator()\n   var count = 0\n   while (iterator.hasNext()) {\n   val element
= iterator.next()\n   if (index == count++)\n
    return element\n   }\n   return defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null`
if the [index] is out of bounds of this sequence.\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\npublic fun <T>
Sequence<T>.elementAtOrNull(index: Int): T? {\n   if (index < 0)\n   return null\n   val iterator = iterator()\n
var count = 0\n   while (iterator.hasNext()) {\n   val element = iterator.next()\n   if (index == count++)\n
    return element\n   }\n   return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null`
if no such element was found.\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Sequence<T>.find(predicate: (T) -> Boolean): T? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the last
element matching the
given [predicate], or `null` if no such element was found.\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Sequence<T>.findLast(predicate: (T) -> Boolean): T? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns first
element.\n * @throws [NoSuchElementException] if the sequence is empty.\n *\n * The operation is _terminal_.\n
*/\npublic fun <T> Sequence<T>.first(): T {\n   val iterator = iterator()\n   if (!iterator.hasNext())\n   throw
NoSuchElementException(\"Sequence is empty.\")\n   return iterator.next()\n}\n\n/**\n * Returns the first element
matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n *\n * The
operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.first(predicate: (T) -> Boolean): T {\n   for
(element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Sequence

```
 contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to elements of this sequence in iteration order,\n * or throws [NoSuchElementException] if no non-null value was produced.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Any> Sequence<T>.firstNotNullOf(transform: (T) -> R?): R {\n    return firstNotNullOfOrNull(transform) ?: throw NoSuchElementException(\"No element of the sequence was transformed to a non-null value.\")\n}\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to elements of this sequence in iteration order,\n * or `null` if no non-null value was produced.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic
 inline fun <T, R : Any> Sequence<T>.firstNotNullOfOrNull(transform: (T) -> R?): R? {\n    for (element in this) {\n        val result = transform(element)\n        if (result != null) {\n            return result\n        }\n    }\n    return null\n}\n\n/**\n * Returns the first element, or `null` if the sequence is empty.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.firstOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext())\n        return null\n    return iterator.next()\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n    for (element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns first index of [element], or -1 if the sequence does not contain element.\n *\n * The operation
 is _terminal_.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.indexOf(element: T): Int {\n    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (element == item)\n            return index\n        index++\n    }\n    return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the sequence does not contain such element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (predicate(item))\n            return index\n        index++\n    }\n    return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the sequence does not contain such element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n    var lastIndex = -1\n
    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (predicate(item))\n            lastIndex = index\n        index++\n    }\n    return lastIndex\n}\n\n/**\n * Returns the last element.\n *\n * The operation is _terminal_.\n * \n * @throws NoSuchElementException if the sequence is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun <T> Sequence<T>.last(): T {\n    val iterator = iterator()\n    if (!iterator.hasNext())\n        throw NoSuchElementException(\"Sequence is empty.\")\n    var last = iterator.next()\n    while (iterator.hasNext())\n        last = iterator.next()\n    return last\n}\n\n/**\n * Returns the last element matching the given [predicate].\n *\n * The operation is _terminal_.\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun <T> Sequence<T>.last(predicate: (T) -> Boolean): T {\n    var last:
 T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            last = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException(\"Sequence contains no element matching the predicate.\")\n    @Suppress(\"UNCHECKED_CAST\")\n    return last as T\n}\n\n/**\n * Returns last index of [element], or -1 if the sequence does not contain element.\n *\n * The operation is _terminal_.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.lastIndexOf(element: T): Int {\n    var lastIndex = -1\n    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (element == item)\n            lastIndex = index\n        index++\n    }\n    return lastIndex\n}\n\n/**\n * Returns the last element, or `null` if the sequence is empty.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun <T> Sequence<T>.lastOrNull(): T? {\n
```

```
    val iterator = iterator()\n    if (!iterator.hasNext())\n        return null\n    var last = iterator.next()\n    while (iterator.hasNext())\n        last = iterator.next()\n    return last\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun <T> Sequence<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n    var last: T? = null\n    for (element in this) {\n        if (predicate(element)) {\n            last = element\n        }\n    }\n    return last\n}\n\n/**\n * Returns the single element, or throws an exception if the sequence is empty or has more than one element.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.single(): T {\n    val iterator = iterator()\n    if (!iterator.hasNext())\n        throw NoSuchElementException(\"Sequence is empty.\")\n    val single = iterator.next()\n    if (iterator.hasNext())\n        throw IllegalArgumentException(\"Sequence has more than one element.\")\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.single(predicate: (T) -> Boolean): T {\n    var single: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException(\"Sequence contains more than one matching element.\")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException(\"Sequence contains no element matching the predicate.\")\n    @Suppress(\"UNCHECKED_CAST\")\n    return single as T\n}\n\n/**\n * Returns single element, or `null` if the sequence is empty or has more than one element.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.singleOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext())\n        return null\n    val single = iterator.next()\n    if (iterator.hasNext())\n        return null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n    var single: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns a sequence containing all elements except first [n] elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Sequence<T>.drop(n: Int): Sequence<T> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return when {\n        n == 0 -> this\n        this is DropTakeSequence -> this.drop(n)\n        else -> DropSequence(this, n)\n    }\n}\n\n/**\n * Returns a sequence containing all elements except first elements that satisfy the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Sequence<T>.dropWhile(predicate: (T) -> Boolean): Sequence<T> {\n    return DropWhileSequence(this, predicate)\n}\n\n/**\n * Returns a sequence containing only elements matching the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic fun <T> Sequence<T>.filter(predicate: (T) -> Boolean): Sequence<T> {\n    return FilteringSequence(this, true, predicate)\n}\n\n/**\n * Returns a sequence containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic fun <T> Sequence<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): Sequence<T> {\n    // TODO: Rewrite with generalized MapFilterIndexingSequence\n    return TransformingSequence(FilteringSequence(IndexingSequence(this), true, { predicate(it.index, it.value) }), { it.value })\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n *\n * The operation is _terminal_.\n
```

```
 * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <T, C :
MutableCollection<in T>> Sequence<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C
{\n    forEachIndexed { index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n
return destination\n}\n\n/**\n * Returns a sequence containing all elements that are instances of specified type
parameter R.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample
samples.collections.Collections.Filtering.filterIsInstance\n */\npublic inline fun <reified R>
Sequence<*>.filterIsInstance(): Sequence<@kotlin.internal.NoInfer R> {\n
@Suppress(\"UNCHECKED_CAST\")\n    return filter { it is R } as Sequence<R>\n}\n\n/**\n * Appends all
elements that are instances of specified type parameter R to the given [destination].\n *\n * The operation is
_terminal_.\n * \n * @sample samples.collections.Collections.Filtering.filterIsInstanceTo\n
 */\npublic inline fun <reified R, C : MutableCollection<in R>> Sequence<*>.filterIsInstanceTo(destination: C): C
{\n    for (element in this) if (element is R) destination.add(element)\n    return destination\n}\n\n/**\n * Returns a
sequence containing all elements not matching the given [predicate].\n *\n * The operation is _intermediate_ and
_stateless_.\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic fun <T>
Sequence<T>.filterNot(predicate: (T) -> Boolean): Sequence<T> {\n    return FilteringSequence(this, false,
predicate)\n}\n\n/**\n * Returns a sequence containing all elements that are not `null`.\n *\n * The operation is
_intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Filtering.filterNotNull\n
*/\npublic fun <T : Any> Sequence<T?>.filterNotNull(): Sequence<T> {\n
@Suppress(\"UNCHECKED_CAST\")\n    return filterNot { it == null } as Sequence<T>\n}\n\n/**\n * Appends all
elements that are not `null`
 to the given [destination].\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Filtering.filterNotNullTo\n */\npublic fun <C : MutableCollection<in T>, T : Any>
Sequence<T?>.filterNotNullTo(destination: C): C {\n    for (element in this) if (element != null)
destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements not matching the given
[predicate] to the given [destination].\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <T, C : MutableCollection<in T>>
Sequence<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n    for (element in this) if
(!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun
 <T, C : MutableCollection<in T>> Sequence<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n    for
(element in this) if (predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Returns a
sequence containing first [n] elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun <T> Sequence<T>.take(n: Int): Sequence<T>
{\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return when {\n        n == 0 ->
emptySequence()\n        this is DropTakeSequence -> this.take(n)\n        else -> TakeSequence(this, n)\n
}\n}\n\n/**\n * Returns a sequence containing first elements satisfying the given [predicate].\n *\n * The operation
is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.take\n
*/\npublic fun <T> Sequence<T>.takeWhile(predicate:
 (T) -> Boolean): Sequence<T> {\n    return TakeWhileSequence(this, predicate)\n}\n\n/**\n * Returns a sequence
that yields elements of this sequence sorted according to their natural sort order.\n * \n * The sort is _stable_. It
means that equal elements preserve their order relative to each other after sorting.\n *\n * The operation is
_intermediate_ and _stateful_.\n */\npublic fun <T : Comparable<T>> Sequence<T>.sorted(): Sequence<T> {\n
return object : Sequence<T> {\n        override fun iterator(): Iterator<T> {\n            val sortedList =
this@sorted.toMutableList()\n            sortedList.sort()\n            return sortedList.iterator()\n        }\n    }\n}\n\n/**\n
* Returns a sequence that yields elements of this sequence sorted according to natural sort order of the value
returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their
```

order relative to each other after sorting.\n *\n * The operation is
intermediate and _stateful_.\n * \n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <T, R : Comparable<R>> Sequence<T>.sortedBy(crossinline selector: (T) -> R?): Sequence<T> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic inline fun <T, R : Comparable<R>> Sequence<T>.sortedByDescending(crossinline selector: (T) -> R?): Sequence<T> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative
to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T : Comparable<T>> Sequence<T>.sortedDescending(): Sequence<T> {\n return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according to the specified [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T> Sequence<T>.sortedWith(comparator: Comparator<in T>): Sequence<T> {\n return object : Sequence<T> {\n override fun iterator(): Iterator<T> {\n val sortedList = this@sortedWith.toMutableList()\n sortedList.sortWith(comparator)\n return sortedList.iterator()\n }\n }\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given sequence.\n * \n * If any
of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associate\n */\npublic inline fun <T, K, V> Sequence<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n return associateTo(LinkedHashMap<K, V>(), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given sequence indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateBy\n */\npublic inline fun <T, K> Sequence<T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n
return associateByTo(LinkedHashMap<K, T>(), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given sequence.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateByWithValueTransform\n */\npublic inline fun <T, K, V> Sequence<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n return associateByTo(LinkedHashMap<K, V>(), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given sequence\n * and value is the element itself.\n * \n * If any
two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateByTo\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given sequence.\n * \n * If any two elements would have the same key returned by

[keySelector] the last one gets added to the map.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateByToWithValueTransform\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateTo\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Returns a [Map] where keys are elements from the given sequence and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <K, V> Sequence<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {\n val result = LinkedHashMap<K, V>()\n return associateWithTo(result, valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given sequence,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <K, V, M : MutableMap<in K, in V>> Sequence<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n *\n * The operation is _terminal_.\n */\npublic fun <T, C : MutableCollection<in T>> Sequence<T>.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toHashSet(): HashSet<T> {\n return toCollection(HashSet<T>())\n}\n\n/**\n * Returns a [List] containing all elements.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toList(): List<T> {\n return this.toMutableList().optimizeReadOnlyList()\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toMutableList(): MutableList<T> {\n return toCollection(ArrayList<T>())\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toSet(): Set<T> {\n return toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n}\n\n/**\n * Returns a single sequence of all elements from results of [transform] function being invoked on each element of original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIterable\")\npublic fun <T, R> Sequence<T>.flatMap(transform: (T) -> Iterable<R>): Sequence<R> {\n return FlatteningSequence(this, transform, Iterable<R>::iterator)\n}\n\n/**\n * Returns a single sequence of all elements from results of [transform] function being invoked on each element of original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic fun <T, R> Sequence<T>.flatMap(transform: (T) -> Sequence<R>): Sequence<R> {\n return FlatteningSequence(this, transform, Sequence<R>::iterator)\n}\n\n/**\n * Returns a single sequence of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample

samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\npublic fun <T, R>
Sequence<T>.flatMapIndexed(transform:
(index: Int, T) -> Iterable<R>): Sequence<R> {\n return flatMapIndexed(this, transform,
Iterable<R>::iterator)\n}\n\n/**\n * Returns a single sequence of all elements yielded from results of [transform]
function being invoked on each element\n * and its index in the original sequence.\n *\n * The operation is
intermediate and _stateless_.\n * \n * @sample
samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedSequence\")\npublic fun <T, R>
Sequence<T>.flatMapIndexed(transform: (index: Int, T) -> Sequence<R>): Sequence<R> {\n return
flatMapIndexed(this, transform, Sequence<R>::iterator)\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original sequence, to the given
[destination].\n *\n * The
operation is _terminal_.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npubli
c inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.flatMapIndexedTo(destination: C, transform:
(index: Int, T) -> Iterable<R>): C {\n var index = 0\n for (element in this) {\n val list =
transform(checkIndexOverflow(index++), element)\n destination.addAll(list)\n }\n return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element\n * and its index in the original sequence, to the given [destination].\n *\n * The operation is _terminal_.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedSequenceTo\")\n@kotlin.internal.InlineOnly\npu
blic
inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.flatMapIndexedTo(destination: C, transform: (index:
Int, T) -> Sequence<R>): C {\n var index = 0\n for (element in this) {\n val list =
transform(checkIndexOverflow(index++), element)\n destination.addAll(list)\n }\n return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original sequence, to the given [destination].\n *\n * The operation is _terminal_.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIterableTo\")\npublic inline fun <T, R, C :
MutableCollection<in R>> Sequence<T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n for
(element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return
destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element of original sequence, to the given [destination].\n *\n
* The operation is _terminal_.\n */\npublic inline fun <T, R, C : MutableCollection<in R>>
Sequence<T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n for (element in this) {\n val
list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Groups elements of
the original sequence by the key returned by the given [keySelector] function\n * applied to each element and
returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map
preserves the entry iteration order of the keys produced from the original sequence.\n *\n * The operation is
terminal.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T,
K> Sequence<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n return groupByTo(LinkedHashMap<K,
MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to
each element of the original sequence\n * by the key returned by the given [keySelector] function applied to the
element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The

returned map preserves the entry iteration order of the keys produced from the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V> Sequence<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original sequence by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K, M : MutableMap<in K, MutableList<T>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<T>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original sequence\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Creates a [Grouping] source from a sequence to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each element.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Sequence<T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n return object : Grouping<T, K> {\n override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n override fun keyOf(element: T): K = keySelector(element)\n }\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform] function\n * to each element in the original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic fun <T, R> Sequence<T>.map(transform: (T) -> R): Sequence<R> {\n return TransformingSequence(this, transform)\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform] function\n * to each element and its index in the original sequence.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R> Sequence<T>.mapIndexed(transform: (index: Int, T) -> R): Sequence<R> {\n return TransformingIndexedSequence(this, transform)\n}\n\n/**\n * Returns a sequence containing only the non-null results of applying the given [transform] function\n * to each element and its index in the original sequence.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R : Any> Sequence<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): Sequence<R> {\n return TransformingIndexedSequence(this, transform).filterNotNull()\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original sequence\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original sequence\n * and appends the

results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(checkIndexOverflow(index++), item))\n return destination\n}\n\n/**\n * Returns a sequence containing only the non-null results of applying the given [transform] function\n * to each element in the original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.mapNotNull\n */\npublic fun <T, R : Any> Sequence<T>.mapNotNull(transform: (T) -> R?): Sequence<R> {\n return TransformingSequence(this, transform).filterNotNull()\n}\n\n/**\n * Applies the given [transform] function to each element in the original sequence\n * and appends only the non-null results to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original sequence\n * and appends the results to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.mapTo(destination: C, transform: (T) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a sequence that wraps each element of the original sequence\n * into an [IndexedValue] containing the index of that element and the element itself.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.withIndex(): Sequence<IndexedValue<T>> {\n return IndexingSequence(this)\n}\n\n/**\n * Returns a sequence containing only distinct elements from the given sequence.\n * \n * Among equal elements of the given sequence, only the first one will be present in the resulting sequence.\n * The elements in the resulting sequence are in the same order as they were in the source sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun <T> Sequence<T>.distinct(): Sequence<T> {\n return this.distinctBy { it }\n}\n\n/**\n * Returns a sequence containing only elements from the given sequence\n * having distinct keys returned by the given [selector] function.\n * \n * Among elements of the given sequence with equal keys, only the first one will be present in the resulting sequence.\n * The elements in the resulting sequence are in the same order as they were in the source sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun <T, K> Sequence<T>.distinctBy(selector: (T) -> K): Sequence<T> {\n return DistinctSequence(this, selector)\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given sequence.\n * \n * The returned set preserves the element iteration order of the original sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toMutableSet(): MutableSet<T> {\n val set = LinkedHashSet<T>()\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <T> Sequence<T>.all(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if sequence has at least one element.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <T> Sequence<T>.any(): Boolean {\n return iterator().hasNext()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T> Sequence<T>.any(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns the number of elements in this sequence.\n *\n * The operation is _terminal_.\n */\npublic fun

<T> Sequence<T>.count(): Int {\n var count = 0\n for (element in this) checkCountOverflow(++count)\n return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.count(predicate: (T) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element)) checkCountOverflow(++count)\n return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the sequence is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R> Sequence<T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original sequence.\n * \n * Returns the specified [initial] value if the sequence is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R> Sequence<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(checkIndexOverflow(index++), accumulator, element)\n return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.forEach(action: (T) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {\n var index = 0\n for (item in this) action(checkIndexOverflow(index++), item)\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Sequence<Double>.max(): Double? {\n return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Sequence<Float>.max(): Float? {\n return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun <T : Comparable<T>> Sequence<T>.max(): T? {\n return maxOrNull()\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <T, R : Comparable<R>> Sequence<T>.maxBy(selector: (T) -> R): T? {\n return maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <T, R : Comparable<R>> Sequence<T>.maxByOrNull(selector: (T) -> R): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var maxElem = iterator.next()\n if (!iterator.hasNext()) return maxElem\n var maxValue = selector(maxElem)\n do {\n val e = iterator.next()\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n } while (iterator.hasNext())\n return maxElem\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the sequence is empty.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.maxOf(selector: (T) -> Double): Double {\n val iterator = iterator()\n if (!iterator.hasNext()) throw NoSuchElementException()\n

```
    var maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
 maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all
values produced by [selector] function\n * applied to each element in the sequence.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException
if the sequence is empty.\n *\n * The operation is _terminal_.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.maxOf(selector: (T) ->
Float): Float {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
maxValue = maxOf(maxValue,
 v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector]
function\n * applied to each element in the sequence.\n * \n * @throws NoSuchElementException if the sequence is
empty.\n *\n * The operation is _terminal_.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.maxOf(selector: (T) -> R): R {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw
NoSuchElementException()\n    var maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v
= selector(iterator.next())\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the sequence or `null` if there are no elements.\n
 * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n *\n * The operation
is _terminal_.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.maxOfOrNull(selector:
(T) -> Double): Double? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var maxValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        maxValue =
maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the sequence or `null` if there are no elements.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n *\n * The operation is _terminal_.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
 inline fun <T> Sequence<T>.maxOfOrNull(selector: (T) -> Float): Float? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n
val v = selector(iterator.next())\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n *
Returns the largest value among all values produced by [selector] function\n * applied to each element in the
sequence or `null` if there are no elements.\n *\n * The operation is _terminal_.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.maxOfOrNull(selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return
null\n    var maxValue = selector(iterator.next())\n
    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (maxValue < v) {\n            maxValue =
v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided
[comparator]\n * among all values produced by [selector] function applied to each element in the sequence.\n * \n *
@throws NoSuchElementException if the sequence is empty.\n *\n * The operation is _terminal_.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>
Sequence<T>.maxOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) throw NoSuchElementException()\n    var maxValue = selector(iterator.next())\n    while
```

(iterator.hasNext()) {\n val v = selector(iterator.next())\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the sequence or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Sequence<T>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var maxValue = selector(iterator.next())\n while (iterator.hasNext()) {\n val v = selector(iterator.next())\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\npublic fun Sequence<Double>.maxOrNull(): Double? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n max = maxOf(max, e)\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\npublic fun Sequence<Float>.maxOrNull(): Float? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n max = maxOf(max, e)\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T : Comparable<T>> Sequence<T>.maxOrNull(): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (max < e) max = e\n }\n return max\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun <T> Sequence<T>.maxWith(comparator: Comparator<in T>): T? {\n return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T> Sequence<T>.maxWithOrNull(comparator: Comparator<in T>): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Sequence<Double>.min(): Double? {\n return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Sequence<Float>.min(): Float? {\n return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun <T : Comparable<T>> Sequence<T>.min(): T? {\n return minOrNull()\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <T, R : Comparable<R>> Sequence<T>.minBy(selector: (T) -> R): T? {\n return minByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <T, R : Comparable<R>> Sequence<T>.minByOrNull(selector: (T) -> R): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var minElem = iterator.next()\n if (!iterator.hasNext()) return minElem\n var minValue = selector(minElem)\n do {\n val e = iterator.next()\n

```
    val v = selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    } while (iterator.hasNext())\n    return minElem\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the sequence is empty.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minOf(selector: (T) -> Double): Double {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the sequence is empty.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minOf(selector: (T) -> Float): Float {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the sequence.\n * \n * @throws NoSuchElementException if the sequence is empty.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Sequence<T>.minOf(selector: (T) -> R): R {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the sequence or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minOfOrNull(selector: (T) -> Double): Double? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the sequence or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minOfOrNull(selector: (T) -> Float): Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the sequence or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Sequence<T>.minOfOrNull(selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v =
```

selector(iterator.next())\n   if (minValue > v) {\n   minValue = v\n   }\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the sequence.\n * \n * @throws NoSuchElementException
 if the sequence is empty.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Sequence<T>.minOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n   val iterator = iterator()\n   if (!iterator.hasNext()) throw NoSuchElementException()\n   var minValue = selector(iterator.next())\n   while (iterator.hasNext()) {\n   val v = selector(iterator.next())\n   if (comparator.compare(minValue, v) > 0) {\n   minValue = v\n   }\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the sequence or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
 inline fun <T, R> Sequence<T>.minOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var minValue = selector(iterator.next())\n   while (iterator.hasNext()) {\n   val v = selector(iterator.next())\n   if (comparator.compare(minValue, v) > 0) {\n   minValue = v\n   }\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\npublic fun Sequence<Double>.minOrNull(): Double? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var min = iterator.next()\n   while (iterator.hasNext()) {\n   val e = iterator.next()\n   min = minOf(min, e)\n   }\n   return min\n}\n\n/**\n * Returns the smallest
 element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\npublic fun Sequence<Float>.minOrNull(): Float? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var min = iterator.next()\n   while (iterator.hasNext()) {\n   val e = iterator.next()\n   min = minOf(min, e)\n   }\n   return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T : Comparable<T>> Sequence<T>.minOrNull(): T? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var min = iterator.next()\n   while (iterator.hasNext()) {\n   val e = iterator.next()\n   if (min > e) min = e\n   }\n   return min\n}\n\n@Deprecated(\"Use minWithOrNull instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince
 = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun <T> Sequence<T>.minWith(comparator: Comparator<in T>): T? {\n   return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T> Sequence<T>.minWithOrNull(comparator: Comparator<in T>): T? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var min = iterator.next()\n   while (iterator.hasNext()) {\n   val e = iterator.next()\n   if (comparator.compare(min, e) > 0) min = e\n   }\n   return min\n}\n\n/**\n * Returns `true` if the sequence has no elements.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun <T> Sequence<T>.none(): Boolean {\n   return !iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match the
 given [predicate].\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <T> Sequence<T>.none(predicate: (T) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Returns a sequence which performs the given [action] on each element of the original sequence as they pass through it.\n *\n * The operation is _intermediate_ and _stateless_.\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> Sequence<T>.onEach(action: (T) -> Unit): Sequence<T> {\n   return

map {\n action(it)\n it\n }\n}\n\n/**\n * Returns a sequence which performs the given [action] on each element of the original sequence as they pass through it.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n *\n * The operation is _intermediate_ and _stateless_.\n */\n@SinceKotlin(\"1.4\")\npublic
fun <T> Sequence<T>.onEachIndexed(action: (index: Int, T) -> Unit): Sequence<T> {\n return mapIndexed { index, element ->\n action(index, element)\n element\n }\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this sequence is empty. If the sequence can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun <S, T : S> Sequence<T>.reduce(operation: (acc: S, T) -> S): S {\n val iterator = this.iterator()\n if (!iterator.hasNext()) throw UnsupportedOperationException(\"Empty sequence can't be reduced.\")\n
var accumulator: S = iterator.next()\n while (iterator.hasNext()) {\n accumulator = operation(accumulator, iterator.next())\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original sequence.\n * \n * Throws an exception if this sequence is empty. If the sequence can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun <S, T : S> Sequence<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n val iterator = this.iterator()\n if (!iterator.hasNext())
throw UnsupportedOperationException(\"Empty sequence can't be reduced.\")\n var index = 1\n var accumulator: S = iterator.next()\n while (iterator.hasNext()) {\n accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original sequence.\n * \n * Returns `null` if the sequence is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <S, T : S> Sequence<T>.reduceIndexedOrNull(operation: (index: Int, acc: S, T) -> S): S? {\n val iterator = this.iterator()\n
if (!iterator.hasNext()) return null\n var index = 1\n var accumulator: S = iterator.next()\n while (iterator.hasNext()) {\n accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the sequence is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S> Sequence<T>.reduceOrNull(operation: (acc: S, T) -> S): S? {\n val iterator = this.iterator()\n if (!iterator.hasNext()) return null\n var accumulator: S = iterator.next()\n
while (iterator.hasNext()) {\n accumulator = operation(accumulator, iterator.next())\n }\n return accumulator\n}\n\n/**\n * Returns a sequence containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * The [initial] value should also be immutable (or should not be mutated)\n * as it may be passed to [operation] function later because of sequence's lazy nature.\n * \n * @param [operation]

function that takes current accumulator value and an element, and calculates the next accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\npublic fun <T, R> Sequence<T>.runningFold(initial:
R, operation: (acc: R, T) -> R): Sequence<R> {\n return sequence {\n yield(initial)\n var accumulator = initial\n for (element in this@runningFold) {\n accumulator = operation(accumulator, element)\n yield(accumulator)\n }\n }\n}\n\n/**\n * Returns a sequence containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original sequence and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * The [initial] value should also be immutable (or should not be mutated)\n * as it may be passed to [operation] function later because of sequence's lazy nature.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates
the next accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\npublic fun <T, R> Sequence<T>.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): Sequence<R> {\n return sequence {\n yield(initial)\n var index = 0\n var accumulator = initial\n for (element in this@runningFoldIndexed) {\n accumulator = operation(checkIndexOverflow(index++), accumulator, element)\n yield(accumulator)\n }\n }\n}\n\n/**\n * Returns a sequence containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this sequence.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * \n
* @param [operation] function that takes current accumulator value and the element, and calculates the next accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <S, T : S> Sequence<T>.runningReduce(operation: (acc: S, T) -> S): Sequence<S> {\n return sequence {\n val iterator = iterator()\n if (iterator.hasNext()) {\n var accumulator: S = iterator.next()\n yield(accumulator)\n while (iterator.hasNext()) {\n accumulator = operation(accumulator, iterator.next())\n yield(accumulator)\n }\n }\n }\n}\n\n/**\n * Returns a sequence containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original sequence and current accumulator value that
starts with the first element of this sequence.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\npublic fun <S, T : S> Sequence<T>.runningReduceIndexed(operation: (index: Int, acc: S, T) -> S): Sequence<S> {\n return sequence {\n val iterator = iterator()\n if (iterator.hasNext()) {\n var accumulator: S = iterator.next()\n yield(accumulator)\n var index = 1\n while (iterator.hasNext()) {\n accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n
yield(accumulator)\n }\n }\n }\n}\n\n/**\n * Returns a sequence containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * The [initial] value should also be immutable (or should not be mutated)\n * as it may be passed to [operation] function later because of sequence's lazy nature.\n * \n * @param [operation] function that takes current accumulator value and an element,

and calculates the next accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T, R> Sequence<T>.scan(initial: R, operation: (acc: R, T) -> R): Sequence<R> {\n return runningFold(initial, operation)\n}\n\n/**\n * Returns a sequence containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original sequence and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * The [initial] value should also be immutable (or should not be mutated)\n * as it may be passed to [operation] function later because of sequence's lazy nature.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T, R> Sequence<T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): Sequence<R> {\n return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun <T> Sequence<T>.sumBy(selector: (T) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun <T> Sequence<T>.sumByDouble(selector: (T) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.sumOf(selector: (T) -> Double): Double {\n var sum: Double = 0.toDouble()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.sumOf(selector: (T) -> Int): Int {\n var sum: Int = 0.toInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.sumOf(selector: (T) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.sumOf(selector: (T) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.sumOf(selector: (T) -> ULong): ULong {\n var sum: ULong = 0.toULong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T : Any> Sequence<T?>.requireNoNulls(): Sequence<T> {\n return map { it ?: throw IllegalArgumentException(\"null element found in $this.\") }\n}\n\n/**\n * Splits this sequence into a sequence of lists each not exceeding the given [size].\n * \n * The last list in the resulting sequence may have fewer elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Sequence<T>.chunked(size: Int): Sequence<List<T>> {\n return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this sequence into several lists each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return sequence of results of the [transform] applied to an each list.\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last list may have fewer elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n * \n * @sample samples.text.Strings.chunkedTransform\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Sequence<T>.chunked(size: Int, transform: (List<T>) -> R): Sequence<R> {\n return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence without the first occurrence of the given [element].\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.minus(element: T): Sequence<T> {\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n var removed = false\n return this@minus.filter { if (!removed && it == element) { removed = true; false } else true }.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] array.\n * \n * Note that the source sequence and the array being subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n * \n * Before Kotlin 1.6, the [elements] array may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n * a correct and stable implementation of `hashCode()` that didn't change between successive invocations.\n * On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic operator fun <T> Sequence<T>.minus(elements: Array<out T>): Sequence<T> {\n if (elements.isEmpty()) return this\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n val other = elements.convertToSetForSetOperation()\n return this@minus.filterNot { it in other }.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] collection.\n * \n * Note that the source sequence and the collection being subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n * \n * Before Kotlin 1.6, the [elements] collection may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n * a correct and stable implementation of `hashCode()` that didn't change between successive invocations.\n * On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic operator fun <T> Sequence<T>.minus(elements: Iterable<T>): Sequence<T> {\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n val other =

elements.convertToSetForSetOperation()\n if (other.isEmpty())\n return this@minus.iterator()\n else\n return this@minus.filterNot { it in other }.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] sequence.\n * \n * Note that the source sequence and the sequence being subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n * \n * The operation is _intermediate_ for this sequence and _terminal_ and _stateful_ for the [elements] sequence.\n * \n * Before Kotlin 1.6, the [elements] sequence may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n * a correct and stable implementation of `hashCode()` that didn't change between successive invocations.\n * On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n */\npublic operator fun <T> Sequence<T>.minus(elements: Sequence<T>): Sequence<T> {\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n val other = elements.convertToSetForSetOperation()\n if (other.isEmpty())\n return this@minus.iterator()\n else\n return this@minus.filterNot { it in other }.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence without the first occurrence of the given [element].\n *\n * The operation is _intermediate_ and _stateless_.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minusElement(element: T): Sequence<T> {\n return minus(element)\n}\n\n/**\n * Splits the original sequence into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Sequences.Transformations.partition\n */\npublic inline fun <T> Sequence<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n val first = ArrayList<T>()\n val second = ArrayList<T>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence and then the given [element].\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(element: T): Sequence<T> {\n return sequenceOf(this, sequenceOf(element)).flatten()\n}\n\n/**\n * Returns a sequence containing all elements of original sequence and then all elements of the given [elements] array.\n * \n * Note that the source sequence and the array being added are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(elements: Array<out T>): Sequence<T> {\n return this.plus(elements.asList())\n}\n\n/**\n * Returns a sequence containing all elements of original sequence and then all elements of the given [elements] collection.\n * \n * Note that the source sequence and the collection being added are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(elements: Iterable<T>): Sequence<T> {\n return sequenceOf(this, elements.asSequence()).flatten()\n}\n\n/**\n * Returns a sequence containing all elements of original sequence and then all elements of the given [elements] sequence.\n * \n * Note that the source sequence and the sequence being added are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(elements: Sequence<T>): Sequence<T> {\n return sequenceOf(this, elements).flatten()\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence and then the given [element].\n *\n * The operation is _intermediate_ and _stateless_.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.plusElement(element: T): Sequence<T> {\n return plus(element)\n}\n\n/**\n * Returns a sequence of snapshots of the window of the given [size]\n * sliding along this sequence with the given [step], where each\n * snapshot is a list.\n * \n * Several last lists may have fewer elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.\n * @param size the

number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default
1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<List<T>> {\n return windowedSequence(size, step, partialWindows, reuseBuffer = false)\n}\n\n/**\n * Returns a sequence of results of applying the given [transform] function to\n * an each list representing a view over the window of the given [size]\n * sliding along this sequence with the given [step].\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last lists may have fewer elements than the given [size].\n * \n * Both [size] and [step]
must be positive and can be greater than the number of elements in this sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R): Sequence<R> {\n return windowedSequence(size, step, partialWindows, reuseBuffer = true).map(transform)\n}\n\n/**\n * Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index.\n * The resulting sequence ends as soon as the shortest input sequence ends.\n *\n * The operation is _intermediate_ and
stateless.\n * \n * @sample samples.collections.Sequences.Transformations.zip\n */\npublic infix fun <T, R> Sequence<T>.zip(other: Sequence<R>): Sequence<Pair<T, R>> {\n return MergingSequence(this, other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The resulting sequence ends as soon as the shortest input sequence ends.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Sequences.Transformations.zipWithTransform\n */\npublic fun <T, R, V> Sequence<T>.zip(other: Sequence<R>, transform: (a: T, b: R) -> V): Sequence<V> {\n return MergingSequence(this, other, transform)\n}\n\n/**\n * Returns a sequence of pairs of each two adjacent elements in this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Sequence<T>.zipWithNext(): Sequence<Pair<T, T>> {\n return zipWithNext { a, b -> a to b }\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform] function\n * to an each pair of two adjacent elements in this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Sequence<T>.zipWithNext(transform: (a: T, b: T) -> R): Sequence<R> {\n return sequence result@ {\n val iterator = iterator()\n if (!iterator.hasNext()) return@result\n var current = iterator.next()\n while (iterator.hasNext()) {\n val next = iterator.next()\n yield(transform(current, next))\n current = next\n }\n }\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <T, A : Appendable> Sequence<T>.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): A

{\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit)\n {\n buffer.appendElement(element, transform)\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun <T> Sequence<T>.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original sequence returning its elements when being iterated.\n */\npublic fun <T> Sequence<T>.asIterable(): Iterable<T> {\n return Iterable { this.iterator() }\n}\n\n/**\n * Returns this sequence as a [Sequence].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.asSequence(): Sequence<T> {\n return this\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfByte\")\npublic fun Sequence<Byte>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n checkCountOverflow(++count)\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfShort\")\npublic fun Sequence<Short>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n checkCountOverflow(++count)\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfInt\")\npublic fun Sequence<Int>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n checkCountOverflow(++count)\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfLong\")\npublic fun Sequence<Long>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n checkCountOverflow(++count)\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfFloat\")\npublic fun Sequence<Float>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n checkCountOverflow(++count)\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfDouble\")\npublic fun Sequence<Double>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n checkCountOverflow(++count)\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfByte\")\npublic fun Sequence<Byte>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfShort\")\npublic fun Sequence<Short>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfInt\")\npublic fun Sequence<Int>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfLong\")\npublic fun Sequence<Long>.sum(): Long {\n var sum: Long = 0L\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in

the sequence.\n
 *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfFloat\")\npublic fun Sequence<Float>.sum(): Float {\n   var sum: Float = 0.0f\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfDouble\")\npublic fun Sequence<Double>.sum(): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SetsKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns a set containing all elements of the original set except the given [element].\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.minus(element: T): Set<T> {\n   val result = LinkedHashSet<T>(mapCapacity(size))\n   var removed = false\n   return this.filterTo(result) { if (!removed && it == element) { removed = true; false } else true }\n}\n\n/**\n * Returns a set containing all elements of the original set except the elements contained in the given [elements] array.\n * \n * The returned set preserves the element iteration order of the original set.\n * \n * Before Kotlin 1.6, the [elements] array may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n * a correct and stable implementation of `hashCode()` that didn't change between successive invocations.\n
 * On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n */\npublic operator fun <T> Set<T>.minus(elements: Array<out T>): Set<T> {\n   val result = LinkedHashSet<T>(this)\n   result.removeAll(elements)\n   return result\n}\n\n/**\n * Returns a set containing all elements of the original set except the elements contained in the given [elements] collection.\n * \n * The returned set preserves the element iteration order of the original set.\n * \n * Before Kotlin 1.6, the [elements] collection may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n * a correct and stable implementation of `hashCode()` that didn't change between successive invocations.\n * On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n */\npublic operator fun <T> Set<T>.minus(elements: Iterable<T>):
 Set<T> {\n   val other = elements.convertToSetForSetOperationWith(this)\n   if (other.isEmpty())\n   return this.toSet()\n   if (other is Set)\n   return this.filterNotTo(LinkedHashSet<T>()) { it in other }\n   val result = LinkedHashSet<T>(this)\n   result.removeAll(other)\n   return result\n}\n\n/**\n * Returns a set containing all elements of the original set except the elements contained in the given [elements] sequence.\n * \n * The returned set preserves the element iteration order of the original set.\n * \n * Before Kotlin 1.6, the [elements] sequence may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n * a correct and stable implementation of `hashCode()` that didn't change between successive invocations.\n * On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n */\npublic operator fun <T> Set<T>.minus(elements: Sequence<T>):
 Set<T> {\n   val result = LinkedHashSet<T>(this)\n   result.removeAll(elements)\n   return result\n}\n\n/**\n * Returns a set containing all elements of the original set except the given [element].\n * \n * The returned set preserves the element iteration order of the original set.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>.minusElement(element: T): Set<T> {\n   return minus(element)\n}\n\n/**\n * Returns a set containing all elements of the original set and then the given [element] if it isn't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(element: T): Set<T> {\n   val result = LinkedHashSet<T>(mapCapacity(size + 1))\n   result.addAll(this)\n   result.add(element)\n   return result\n}\n\n/**\n * Returns a set containing all elements of the original set and the given [elements] array,\n * which aren't already in this set.\n * \n * The returned set preserves

the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(elements: Array<out T>): Set<T> {\n val result = LinkedHashSet<T>(mapCapacity(this.size + elements.size))\n result.addAll(this)\n result.addAll(elements)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set and the given [elements] collection,\n * which aren't already in this set.\n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(elements: Iterable<T>): Set<T> {\n val result = LinkedHashSet<T>(mapCapacity(elements.collectionSizeOrNull()?.let { this.size + it } ?: this.size * 2))\n result.addAll(this)\n result.addAll(elements)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set and the given [elements] sequence,\n * which aren't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(elements: Sequence<T>): Set<T> {\n val result = LinkedHashSet<T>(mapCapacity(this.size * 2))\n result.addAll(this)\n result.addAll(elements)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set and then the given [element] if it isn't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>.plusElement(element: T): Set<T> {\n return plus(element)\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns a character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char sequence.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun CharSequence.elementAt(index: Int): Char\n\n/**\n * Returns a character at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this char sequence.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns a character at the given [index] or `null` if the [index] is out of bounds of this char sequence.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.elementAtOrNull(index: Int): Char? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns the first character matching the given [predicate], or `null` if no such character was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.find(predicate: (Char) -> Boolean): Char? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the last character matching the given [predicate], or `null` if no such character was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.findLast(predicate: (Char) -> Boolean): Char? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns first character.\n * @throws [NoSuchElementException] if the char sequence is empty.\n */\npublic fun CharSequence.first(): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Char sequence is empty.\")\n return this[0]\n}\n\n/**\n * Returns the first character matching the given [predicate].\n * @throws [NoSuchElementException] if no such character is found.\n */\npublic inline fun CharSequence.first(predicate: (Char) -> Boolean): Char {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Char sequence contains no character matching the predicate.\")\n}\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to characters of this char sequence in iteration order,\n * or throws [NoSuchElementException] if no non-null value was produced.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun <R : Any> CharSequence.firstNotNullOf(transform: (Char) -> R?): R {\n return firstNotNullOfOrNull(transform) ?: throw

NoSuchElementException(\"No element of the char sequence was transformed to a non-null value.\")\n}\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to characters of this char sequence in iteration order,\n * or `null` if no non-null value was produced.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun <R : Any> CharSequence.firstNotNullOfOrNull(transform: (Char) -> R?): R? {\n for (element in this) {\n val result = transform(element)\n if (result != null) {\n return result\n }\n }\n return null\n}\n\n/**\n * Returns the first character, or `null` if the char sequence is empty.\n */\npublic fun CharSequence.firstOrNull(): Char? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first character matching the given [predicate], or `null` if character was not found.\n */\npublic inline fun CharSequence.firstOrNull(predicate: (Char) -> Boolean): Char? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns a character at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this char sequence.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.getOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns a character at the given [index] or `null` if the [index] is out of bounds of this char sequence.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun CharSequence.getOrNull(index: Int): Char? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns index of the first character matching the given [predicate], or -1 if the char sequence does not contain such character.\n */\npublic inline fun CharSequence.indexOfFirst(predicate: (Char) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last character matching the given [predicate], or -1 if the char sequence does not contain such character.\n */\npublic inline fun CharSequence.indexOfLast(predicate: (Char) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns the last character.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n * \n * @sample samples.text.Strings.last\n */\npublic fun CharSequence.last(): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Char sequence is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last character matching the given [predicate].\n * \n * @throws NoSuchElementException if no such character is found.\n * \n * @sample samples.text.Strings.last\n */\npublic inline fun CharSequence.last(predicate: (Char) -> Boolean): Char {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Char sequence contains no character matching the predicate.\")\n}\n\n/**\n * Returns the last character, or `null` if the char sequence is empty.\n * \n * @sample samples.text.Strings.last\n */\npublic fun CharSequence.lastOrNull(): Char? {\n return if (isEmpty()) null else this[length - 1]\n}\n\n/**\n * Returns the last character matching the given [predicate], or `null` if no such character was found.\n * \n * @sample samples.text.Strings.last\n */\npublic inline fun CharSequence.lastOrNull(predicate: (Char) -> Boolean): Char? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns a random character from this char sequence.\n * \n * @throws NoSuchElementException if this char sequence is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.random(): Char {\n return random(Random)\n}\n\n/**\n * Returns a random character from this char sequence using the specified source of randomness.\n * \n * @throws NoSuchElementException if this char sequence is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun CharSequence.random(random: Random): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Char sequence is empty.\")\n return get(random.nextInt(length))\n}\n\n/**\n * Returns a random character from this char sequence, or `null` if this char sequence is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.randomOrNull(): Char? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random character from this char sequence using the specified source of

```
 randomness, or `null` if this char sequence is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
CharSequence.randomOrNull(random: Random): Char? {\n    if (isEmpty())\n        return null\n    return
get(random.nextInt(length))\n}\n\n/**\n * Returns the single character, or throws an exception if the char sequence
is empty or has more than one character.\n */\npublic fun CharSequence.single(): Char {\n    return when (length)
{\n        0 -> throw NoSuchElementException(\"Char sequence is empty.\")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException(\"Char sequence has more than one element.\")\n    }\n}\n\n/**\n * Returns the single
character matching the given [predicate], or throws exception if there is no or more than one matching character.\n
*/\npublic inline fun CharSequence.single(predicate: (Char) -> Boolean): Char {\n    var single: Char? = null\n    var
found = false\n    for (element in this) {\n        if (predicate(element))
 {\n            if (found) throw IllegalArgumentException(\"Char sequence contains more than one matching
element.\")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw
NoSuchElementException(\"Char sequence contains no character matching the predicate.\")\n
@Suppress(\"UNCHECKED_CAST\")\n    return single as Char\n}\n\n/**\n * Returns single character, or `null` if
the char sequence is empty or has more than one character.\n */\npublic fun CharSequence.singleOrNull(): Char?
{\n    return if (length == 1) this[0] else null\n}\n\n/**\n * Returns the single character matching the given
[predicate], or `null` if character was not found or more than one character was found.\n */\npublic inline fun
CharSequence.singleOrNull(predicate: (Char) -> Boolean): Char? {\n    var single: Char? = null\n    var found =
false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single
 = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns a
subsequence of this char sequence with the first [n] characters removed.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun
CharSequence.drop(n: Int): CharSequence {\n    require(n >= 0) { \"Requested character count $n is less than zero.\"
}\n    return subSequence(n.coerceAtMost(length), length)\n}\n\n/**\n * Returns a string with the first [n] characters
removed.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.text.Strings.drop\n */\npublic fun String.drop(n: Int): String {\n    require(n >= 0) { \"Requested character
count $n is less than zero.\" }\n    return substring(n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of
this char sequence with the last [n] characters removed.\n * \n * @throws IllegalArgumentException if [n] is
negative.\n
 * \n * @sample samples.text.Strings.drop\n */\npublic fun CharSequence.dropLast(n: Int): CharSequence {\n
require(n >= 0) { \"Requested character count $n is less than zero.\" }\n    return take((length -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a string with the last [n] characters removed.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun
String.dropLast(n: Int): String {\n    require(n >= 0) { \"Requested character count $n is less than zero.\" }\n    return
take((length - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a subsequence of this char sequence containing all
characters except last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n
*/\npublic inline fun CharSequence.dropLastWhile(predicate: (Char) -> Boolean): CharSequence {\n    for (index in
lastIndex downTo 0)\n        if (!predicate(this[index]))\n            return subSequence(0, index + 1)\n    return
 \"\"\n}\n\n/**\n * Returns a string containing all characters except last characters that satisfy the given
[predicate].\n * \n * @sample samples.text.Strings.drop\n */\npublic inline fun String.dropLastWhile(predicate:
(Char) -> Boolean): String {\n    for (index in lastIndex downTo 0)\n        if (!predicate(this[index]))\n            return
substring(0, index + 1)\n    return \"\"\n}\n\n/**\n * Returns a subsequence of this char sequence containing all
characters except first characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n
*/\npublic inline fun CharSequence.dropWhile(predicate: (Char) -> Boolean): CharSequence {\n    for (index in
this.indices)\n        if (!predicate(this[index]))\n            return subSequence(index, length)\n    return \"\"\n}\n\n/**\n
* Returns a string containing all characters except first characters that satisfy the given [predicate].\n * \n *
@sample samples.text.Strings.drop\n */\npublic inline fun String.dropWhile(predicate:
```

(Char) -> Boolean): String {\n for (index in this.indices)\n if (!predicate(this[index]))\n return substring(index)\n return \"\"\n}\n\n/**\n * Returns a char sequence containing only those characters from the original char sequence that match the given [predicate].\n * \n * @sample samples.text.Strings.filter\n */\npublic inline fun CharSequence.filter(predicate: (Char) -> Boolean): CharSequence {\n return filterTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that match the given [predicate].\n * \n * @sample samples.text.Strings.filter\n */\npublic inline fun String.filter(predicate: (Char) -> Boolean): String {\n return filterTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Returns a char sequence containing only those characters from the original char sequence that match the given [predicate].\n * @param [predicate] function that takes the index of a character
and the character itself\n * and returns the result of predicate evaluation on the character.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun CharSequence.filterIndexed(predicate: (index: Int, Char) -> Boolean): CharSequence {\n return filterIndexedTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that match the given [predicate].\n * @param [predicate] function that takes the index of a character and the character itself\n * and returns the result of predicate evaluation on the character.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun String.filterIndexed(predicate: (index: Int, Char) -> Boolean): String {\n return filterIndexedTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Appends all characters matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the
index of a character and the character itself\n * and returns the result of predicate evaluation on the character.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : Appendable> CharSequence.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.append(element)\n }\n return destination\n}\n\n/**\n * Returns a char sequence containing only those characters from the original char sequence that do not match the given [predicate].\n * \n * @sample samples.text.Strings.filterNot\n */\npublic inline fun CharSequence.filterNot(predicate: (Char) -> Boolean): CharSequence {\n return filterNotTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that do not match the given [predicate].\n * \n * @sample samples.text.Strings.filterNot\n */\npublic inline fun
String.filterNot(predicate: (Char) -> Boolean): String {\n return filterNotTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Appends all characters not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : Appendable> CharSequence.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.append(element)\n return destination\n}\n\n/**\n * Appends all characters matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : Appendable> CharSequence.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n for (index in 0 until length) {\n val element = get(index)\n if (predicate(element)) destination.append(element)\n }\n return destination\n}\n\n/**\n * Returns a char sequence containing
characters of the original char sequence at the specified range of [indices].\n */\npublic fun CharSequence.slice(indices: IntRange): CharSequence {\n if (indices.isEmpty()) return \"\"\n return subSequence(indices)\n}\n\n/**\n * Returns a string containing characters of the original string at the specified range of [indices].\n */\npublic fun String.slice(indices: IntRange): String {\n if (indices.isEmpty()) return \"\"\n return substring(indices)\n}\n\n/**\n * Returns a char sequence containing characters of the original char sequence at specified [indices].\n */\npublic fun CharSequence.slice(indices: Iterable<Int>): CharSequence {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return \"\"\n val result = StringBuilder(size)\n for (i in indices) {\n result.append(get(i))\n }\n return result\n}\n\n/**\n * Returns a string containing characters of the original string at specified [indices].\n */\n@kotlin.internal.InlineOnly\npublic
inline fun String.slice(indices: Iterable<Int>): String {\n return (this as CharSequence).slice(indices).toString()\n}\n\n/**\n * Returns a subsequence of this char sequence containing the

first [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun CharSequence.take(n: Int): CharSequence {\n   require(n >= 0) { \"Requested character count $n is less than zero.\" }\n   return subSequence(0, n.coerceAtMost(length))\n}\n\n/**\n * Returns a string containing the first [n] characters from this string, or the entire string if this string is shorter.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun String.take(n: Int): String {\n   require(n >= 0) { \"Requested character count $n is less than zero.\" }\n   return substring(0, n.coerceAtMost(length))\n}\n\n/**\n
 * Returns a subsequence of this char sequence containing the last [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun CharSequence.takeLast(n: Int): CharSequence {\n   require(n >= 0) { \"Requested character count $n is less than zero.\" }\n   val length = length\n   return subSequence(length - n.coerceAtMost(length), length)\n}\n\n/**\n * Returns a string containing the last [n] characters from this string, or the entire string if this string is shorter.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun String.takeLast(n: Int): String {\n   require(n >= 0) { \"Requested character count $n is less than zero.\" }\n   val length = length\n   return substring(length - n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence
 of this char sequence containing last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\npublic inline fun CharSequence.takeLastWhile(predicate: (Char) -> Boolean): CharSequence {\n   for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n   return subSequence(index + 1, length)\n   }\n   }\n   return subSequence(0, length)\n}\n\n/**\n * Returns a string containing last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\npublic inline fun String.takeLastWhile(predicate: (Char) -> Boolean): String {\n   for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n   return substring(index + 1)\n   }\n   }\n   return this\n}\n\n/**\n * Returns a subsequence of this char sequence containing the first characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\npublic inline fun CharSequence.takeWhile(predicate:
 (Char) -> Boolean): CharSequence {\n   for (index in 0 until length)\n   if (!predicate(get(index))) {\n   return subSequence(0, index)\n   }\n   return subSequence(0, length)\n}\n\n/**\n * Returns a string containing the first characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\npublic inline fun String.takeWhile(predicate: (Char) -> Boolean): String {\n   for (index in 0 until length)\n   if (!predicate(get(index))) {\n   return substring(0, index)\n   }\n   return this\n}\n\n/**\n * Returns a char sequence with characters in reversed order.\n */\npublic fun CharSequence.reversed(): CharSequence {\n   return StringBuilder(this).reverse()\n}\n\n/**\n * Returns a string with characters in reversed order.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.reversed(): String {\n   return (this as CharSequence).reversed().toString()\n}\n\n/**\n * Returns a [Map] containing key-value
 pairs provided by [transform] function\n * applied to characters of the given char sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n * \n * @sample samples.text.Strings.associate\n */\npublic inline fun <K, V> CharSequence.associate(transform: (Char) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(length).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the characters from the given char sequence indexed by the key\n * returned from [keySelector] function applied to each character.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n * \n * @sample samples.text.Strings.associateBy\n */\npublic inline
 fun <K> CharSequence.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n   val capacity = mapCapacity(length).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Char>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to characters of the given char sequence.\n * \n * If any two characters would have

the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n * \n * @sample samples.text.Strings.associateByWithValueTransform\n */\npublic inline fun <K, V> CharSequence.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n val capacity = mapCapacity(length).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each character of the given char sequence\n * and value is the character itself.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.text.Strings.associateByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Char>> CharSequence.associateByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to characters of the given char sequence.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.text.Strings.associateByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharSequence.associateByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each character of the given char sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.text.Strings.associateTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharSequence.associateTo(destination: M, transform: (Char) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Returns a [Map] where keys are characters from the given char sequence and values are\n * produced by the [valueSelector] function applied to each character.\n * \n * If any two characters are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n * \n * @sample samples.text.Strings.associateWith\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <V> CharSequence.associateWith(valueSelector: (Char) -> V): Map<Char, V> {\n val result = LinkedHashMap<Char, V>(mapCapacity(length.coerceAtMost(128)).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each character of the given char sequence,\n * where key is the character itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two characters are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.text.Strings.associateWithTo\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <V, M : MutableMap<in Char, in V>> CharSequence.associateWithTo(destination: M, valueSelector: (Char) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Appends all characters to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Char>> CharSequence.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Returns a new [HashSet] of all characters.\n */\npublic fun CharSequence.toHashSet(): HashSet<Char> {\n return toCollection(HashSet<Char>(mapCapacity(length.coerceAtMost(128))))\n}\n\n/**\n * Returns a [List] containing all characters.\n */\npublic fun CharSequence.toList(): List<Char> {\n return when (length) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a new [MutableList] filled with all characters of this char sequence.\n */\npublic fun CharSequence.toMutableList(): MutableList<Char> {\n return toCollection(ArrayList<Char>(length))\n}\n\n/**\n * Returns a [Set] of all characters.\n * \n * The returned set preserves the element iteration order of the original char sequence.\n */\npublic fun CharSequence.toSet(): Set<Char> {\n return when (length) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else ->

toCollection(LinkedHashSet<Char>(mapCapacity(length.coerceAtMost(128))))\n   }\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each character of original char sequence.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> CharSequence.flatMap(transform: (Char) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each character\n
 * and its index in the original char sequence.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharSequence.flatMapIndexed(transform: (index: Int, Char) -> Iterable<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each character\n * and its index in the original char sequence, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.flatMapIndexedTo(destination: C, transform:
 (index: Int, Char) -> Iterable<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(index++, element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each character of original char sequence, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Groups characters of the original char sequence by the key returned by the given [keySelector] function\n * applied to each character and returns a map where each group key is associated with a list of corresponding characters.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original char sequence.\n
 * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> CharSequence.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n   return groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each character of the original char sequence\n * by the key returned by the given [keySelector] function applied to the character\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original char sequence.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> CharSequence.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups characters of the
 original char sequence by the key returned by the given [keySelector] function\n * applied to each character and puts to the [destination] map each group key associated with a list of corresponding characters.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharSequence.groupByTo(destination: M, keySelector: (Char) -> K): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<Char>() }\n   list.add(element)\n   }\n   return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each character of the original char sequence\n * by the key returned by the given [keySelector] function applied to the character\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
 map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> CharSequence.groupByTo(destination: M,

keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<V>() }\n   list.add(valueTransform(element))\n   }\n   return destination\n}\n\n/**\n * Creates a [Grouping] source from a char sequence to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each character.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <K> CharSequence.groupingBy(crossinline keySelector: (Char) -> K): Grouping<Char, K> {\n   return object : Grouping<Char, K> {\n   override fun sourceIterator(): Iterator<Char> = this@groupingBy.iterator()\n   override fun keyOf(element: Char): K = keySelector(element)\n   }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each character in the original char sequence.\n * \n * @sample samples.text.Strings.map\n */\npublic inline fun <R> CharSequence.map(transform: (Char) -> R): List<R> {\n   return mapTo(ArrayList<R>(length), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each character and its index in the original char sequence.\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R> CharSequence.mapIndexed(transform: (index: Int, Char) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(length), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each character and its index in the original char sequence.\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R : Any> CharSequence.mapIndexedNotNull(transform: (index: Int, Char) -> R?): List<R> {\n   return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each character and its index in the original char sequence\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R : Any, C : MutableCollection<in R>> CharSequence.mapIndexedNotNullTo(destination: C, transform: (index: Int, Char) -> R?): C {\n   forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each character and its index in the original char sequence\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {\n   var index = 0\n   for (item in this)\n   destination.add(transform(index++, item))\n   return destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each character in the original char sequence.\n * \n * @sample samples.collections.Collections.Transformations.mapNotNull\n */\npublic inline fun <R : Any> CharSequence.mapNotNull(transform: (Char) -> R?): List<R> {\n   return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each character in the original char sequence\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <R : Any, C : MutableCollection<in R>> CharSequence.mapNotNullTo(destination: C, transform: (Char) -> R?): C {\n   forEach { element -> transform(element)?.let { destination.add(it) } }\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each character of the original char sequence\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapTo(destination: C, transform: (Char) -> R): C {\n   for (item in this)\n   destination.add(transform(item))\n   return destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each character of the original char sequence\n * into an [IndexedValue] containing the index of that character and the character itself.\n */\npublic fun CharSequence.withIndex(): Iterable<IndexedValue<Char>> {\n   return IndexingIterable { iterator() }\n}\n\n/**\n * Returns `true` if all characters match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun

CharSequence.all(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if char sequence has at least one character.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun CharSequence.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one character matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun CharSequence.any(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns the length of this char sequence.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.count(): Int {\n return length\n}\n\n/**\n * Returns the number of characters matching the given [predicate].\n */\npublic inline fun CharSequence.count(predicate: (Char) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each character.\n * \n * Returns the specified [initial] value if the char sequence is empty.\n * \n * @param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value.\n */\npublic inline fun <R> CharSequence.fold(initial: R, operation: (acc: R, Char) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation]\n from left to right\n * to current accumulator value and each character with its index in the original char sequence.\n * \n * Returns the specified [initial] value if the char sequence is empty.\n * \n * @param [operation] function that takes the index of a character, current accumulator value\n * and the character itself, and calculates the next accumulator value.\n */\npublic inline fun <R> CharSequence.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each character and current accumulator value.\n * \n * Returns the specified [initial] value if the char sequence is empty.\n * \n * @param [operation] function that takes a character and current accumulator value, and calculates the next accumulator\n value.\n */\npublic inline fun <R> CharSequence.foldRight(initial: R, operation: (Char, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each character with its index in the original char sequence and current accumulator value.\n * \n * Returns the specified [initial] value if the char sequence is empty.\n * \n * @param [operation] function that takes the index of a character, the character itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> CharSequence.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Performs the given [action] on each character.\n */\npublic inline fun CharSequence.forEach(action: (Char) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each character, providing sequential index with the character.\n * @param [action] function that takes the index of a character and the character itself\n * and performs the action on the character.\n */\npublic inline fun CharSequence.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun CharSequence.max(): Char? {\n return maxOrNull()\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> CharSequence.maxBy(selector: (Char) -> R): Char? {\n return maxByOrNull(selector)\n}\n\n/**\n * Returns the first character yielding the largest value of the given function or `null` if there are no characters.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R :

```
Comparable<R>> CharSequence.maxByOrNull(selector: (Char) -> R): Char? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each character
 in the char sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.maxOf(selector: (Char) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each character in the char sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
 inline fun CharSequence.maxOf(selector: (Char) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each character in the char sequence.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> CharSequence.maxOf(selector: (Char) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
    val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no characters.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.maxOfOrNull(selector: (Char) -> Double): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each character in the char sequence or `null` if there
 are no characters.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.maxOfOrNull(selector: (Char) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no characters.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> CharSequence.maxOfOrNull(selector: (Char) -> R): R? {\n    if
 (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
```

function applied to each character in the char sequence.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharSequence.maxOfWith(comparator: Comparator<in R>, selector: (Char) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each character in the char sequence or `null` if there are no characters.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharSequence.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest character or `null` if there are no characters.\n */\n@SinceKotlin(\"1.4\")\npublic fun CharSequence.maxOrNull(): Char? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun CharSequence.maxWith(comparator: Comparator<in Char>): Char? {\n return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first character having the largest value according to the provided [comparator] or `null` if there are no characters.\n */\n@SinceKotlin(\"1.4\")\npublic fun CharSequence.maxWithOrNull(comparator: Comparator<in Char>): Char? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun CharSequence.min(): Char? {\n return minOrNull()\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> CharSequence.minBy(selector: (Char) -> R): Char? {\n return minByOrNull(selector)\n}\n\n/**\n * Returns the first character yielding the smallest value of the given function or `null` if there are no characters.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> CharSequence.minByOrNull(selector: (Char) -> R): Char? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOf(selector: (Char) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence.\n * \n * If any of values produced

```
by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOf(selector: (Char) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> CharSequence.minOf(selector: (Char) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no characters.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOfOrNull(selector: (Char) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no characters.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOfOrNull(selector: (Char) -> Float): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no characters.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> CharSequence.minOfOrNull(selector: (Char) -> R): R? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each character in the char sequence.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharSequence.minOfWith(comparator: Comparator<in R>, selector: (Char) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each character in the char sequence or `null` if there are no characters.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharSequence.minOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n *
```

Returns the smallest character or `null` if there are no characters.\n
*/\n@SinceKotlin(\"1.4\")\npublic fun CharSequence.minOrNull(): Char? {\n   if (isEmpty()) return null\n   var min = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (min > e) min = e\n   }\n   return min\n}\n\n@Deprecated(\"Use minWithOrNull instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun CharSequence.minWith(comparator: Comparator<in Char>): Char? {\n return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first character having the smallest value according to the provided [comparator] or `null` if there are no characters.\n */\n@SinceKotlin(\"1.4\")\npublic fun CharSequence.minWithOrNull(comparator: Comparator<in Char>): Char? {\n   if (isEmpty()) return null\n   var min = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(min, e) > 0) min = e\n   }\n   return min\n}\n\n/**\n
 * Returns `true` if the char sequence has no characters.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun CharSequence.none(): Boolean {\n   return isEmpty()\n}\n\n/**\n * Returns `true` if no characters match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun CharSequence.none(predicate: (Char) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Performs the given [action] on each character and returns the char sequence itself afterwards.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <S : CharSequence> S.onEach(action: (Char) -> Unit): S {\n   return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each character, providing sequential index with the character,\n * and returns the char sequence itself afterwards.\n * @param [action] function that takes the index of
 a character and the character itself\n * and performs the action on the character.\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <S : CharSequence> S.onEachIndexed(action: (index: Int, Char) -> Unit): S {\n   return apply { forEachIndexed(action) }\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to right\n * to current accumulator value and each character.\n * \n * Throws an exception if this char sequence is empty. If the char sequence can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and a character,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun CharSequence.reduce(operation: (acc: Char, Char) -> Char): Char {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty char sequence can't
 be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to right\n * to current accumulator value and each character with its index in the original char sequence.\n * \n * Throws an exception if this char sequence is empty. If the char sequence can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of a character, current accumulator value and the character itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun CharSequence.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty
 char sequence can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to right\n * to current accumulator value and each character with its index in the original char sequence.\n * \n * Returns `null` if the char sequence is empty.\n * \n * @param [operation] function that takes the index of a character, current accumulator value and the character itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun

CharSequence.reduceIndexedOrNull(operation: (index: Int, acc: Char, Char) -> Char): Char? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to right\n * to current accumulator value and each character.\n * \n * Returns `null` if the char sequence is empty.\n * \n * @param [operation] function that takes current accumulator value and a character,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun CharSequence.reduceOrNull(operation: (acc: Char, Char) -> Char): Char? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last character and applying [operation] from right to left\n * to each character and current accumulator value.\n * \n * Throws an exception if this char sequence is empty. If the char sequence can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes a character and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun CharSequence.reduceRight(operation: (Char, acc: Char) -> Char): Char {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty char sequence can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last character and applying [operation] from right to left\n * to each character with its index in the original char sequence and current accumulator value.\n * \n * Throws an exception if this char sequence is empty. If the char sequence can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of a character, the character itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun CharSequence.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty char sequence can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last character and applying [operation] from right to left\n * to each character with its index in the original char sequence and current accumulator value.\n * \n * Returns `null` if the char sequence is empty.\n * \n * @param [operation] function that takes the index of a character, the character itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun CharSequence.reduceRightIndexedOrNull(operation: (index: Int, Char, acc: Char) -> Char): Char? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last character and applying [operation] from right to left\n * to each character and current accumulator value.\n * \n * Returns `null` if the char sequence is empty.\n * \n * @param [operation] function that takes a character and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun CharSequence.reduceRightOrNull(operation: (Char, acc: Char) -> Char): Char? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each character and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should

not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes
current accumulator value and a character, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R> CharSequence.runningFold(initial: R, operation: (acc: R, Char) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(length + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n   accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each character, its index in the original char sequence and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of a character, current accumulator value\n * and the character itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R> CharSequence.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(length + 1).apply { add(initial) }\n   var accumulator = initial\n   for (index in indices) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each character and current accumulator value that starts with the first character of this char sequence.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise
it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\npublic inline fun CharSequence.runningReduce(operation: (acc: Char, Char) -> Char): List<Char> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<Char>(length).apply { add(accumulator) }\n   for (index in 1 until length) {\n   accumulator = operation(accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each character, its index in the original char sequence and current accumulator value that starts with the first character of this char sequence.\n * \n * Note that `acc` value passed
to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of a character, current accumulator value\n * and the character itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\npublic inline fun CharSequence.runningReduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): List<Char> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<Char>(length).apply { add(accumulator) }\n   for (index in 1 until length) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each character and current accumulator value that starts with
[initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <R> CharSequence.scan(initial: R, operation: (acc: R, Char) -> R): List<R> {\n   return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each character, its index in the original char sequence and current accumulator value that

starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation] function that takes the index of a character, current accumulator value\n * and the character itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <R> CharSequence.scanIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char sequence.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun CharSequence.sumBy(selector: (Char) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character
in the char sequence.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun CharSequence.sumByDouble(selector: (Char) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char sequence.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.sumOf(selector: (Char) -> Double): Double {\n var sum: Double = 0.toDouble()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char sequence.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic
inline fun CharSequence.sumOf(selector: (Char) -> Int): Int {\n var sum: Int = 0.toInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char sequence.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.sumOf(selector: (Char) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char sequence.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.sumOf(selector: (Char) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char sequence.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.sumOf(selector: (Char) -> ULong): ULong {\n var sum: ULong = 0.toULong()\n for (element in this) {\n sum += selector(element)\n }\n return
sum\n}\n\n/**\n * Splits this char sequence into a list of strings each not exceeding the given [size].\n * \n * The last string in the resulting list may have fewer characters than the given [size].\n * \n * @param size the number of elements to take in each string, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.text.Strings.chunked\n */\n@SinceKotlin(\"1.2\")\npublic fun

CharSequence.chunked(size: Int): List<String> {\n return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this char sequence into several char sequences each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return list of results of the [transform] applied to an each char sequence.\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last char sequence may have fewer characters than the given [size].\n * \n * @param size the number of elements to take in each char sequence, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.text.Strings.chunkedTransform\n */\n@SinceKotlin(\"1.2\")\npublic fun <R> CharSequence.chunked(size: Int, transform: (CharSequence) -> R): List<R> {\n return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Splits this char sequence into a sequence of strings each not exceeding the given [size].\n * \n * The last string in the resulting sequence may have fewer characters than the given [size].\n * \n * @param size the number of elements to take in each string, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.chunkedSequence(size: Int): Sequence<String> {\n return chunkedSequence(size) { it.toString() }\n}\n\n/**\n * Splits this char sequence into several char sequences each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return sequence of results of the [transform] applied to an each char sequence.\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last char sequence may have fewer characters than the given [size].\n * \n * @param size the number of elements to take in each char sequence, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.text.Strings.chunkedTransformToSequence\n */\n@SinceKotlin(\"1.2\")\npublic fun <R> CharSequence.chunkedSequence(size: Int, transform: (CharSequence) -> R): Sequence<R> {\n return windowedSequence(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Splits the original char sequence into pair of char sequences,\n * where *first* char sequence contains characters for which [predicate] yielded `true`,\n * while *second* char sequence contains characters for which [predicate] yielded `false`.\n * \n * @sample samples.text.Strings.partition\n */\npublic inline fun CharSequence.partition(predicate: (Char) -> Boolean): Pair<CharSequence, CharSequence> {\n val first = StringBuilder()\n val second = StringBuilder()\n for (element in this) {\n if (predicate(element)) {\n first.append(element)\n } else {\n second.append(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original string into pair of strings,\n * where *first* string contains characters for which [predicate] yielded `true`,\n * while *second* string contains characters for which [predicate] yielded `false`.\n * \n * @sample samples.text.Strings.partition\n */\npublic inline fun String.partition(predicate: (Char) -> Boolean): Pair<String, String> {\n val first = StringBuilder()\n val second = StringBuilder()\n for (element in this) {\n if (predicate(element)) {\n first.append(element)\n } else {\n second.append(element)\n }\n }\n return Pair(first.toString(), second.toString())\n}\n\n/**\n * Returns a list of snapshots of the window of the given [size]\n * sliding along this char sequence with the given [step], where each\n * snapshot is a string.\n * \n * Several last strings may have fewer characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<String> {\n return windowed(size, step, partialWindows) { it.toString() }\n}\n\n/**\n * Returns a list of results of applying the given [transform] function to\n * an each char sequence representing a view over the window of the given [size]\n * sliding along this char sequence with the given [step].\n * \n * Note that the char

sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last char sequences may have fewer characters than the given [size].\n * \n * Both [size] and [step] must be positive and
can be greater than the number of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <R> CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (CharSequence) -> R): List<R> {\n checkWindowSizeStep(size, step)\n val thisSize = this.length\n val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n val result = ArrayList<R>(resultCapacity)\n var index = 0\n while (index in 0 until thisSize) {\n val end = index + size\n val coercedEnd = if (end < 0 || end > thisSize) { if (partialWindows)
thisSize else break } else end\n result.add(transform(subSequence(index, coercedEnd)))\n index += step\n }\n return result\n}\n\n/**\n * Returns a sequence of snapshots of the window of the given [size]\n * sliding along this char sequence with the given [step], where each\n * snapshot is a string.\n * \n * Several last strings may have fewer characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.windowedSequence(size: Int,
step: Int = 1, partialWindows: Boolean = false): Sequence<String> {\n return windowedSequence(size, step, partialWindows) { it.toString() }\n}\n\n/**\n * Returns a sequence of results of applying the given [transform] function to\n * an each char sequence representing a view over the window of the given [size]\n * sliding along this char sequence with the given [step].\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last char sequences may have fewer characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether
or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <R> CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (CharSequence) -> R): Sequence<R> {\n checkWindowSizeStep(size, step)\n val windows = (if (partialWindows) indices else 0 until length - size + 1) step step\n return windows.asSequence().map { index ->\n val end = index + size\n val coercedEnd = if (end < 0 || end > length) length else end\n transform(subSequence(index, coercedEnd))\n }\n}\n\n/**\n * Returns a list of pairs built from the characters of `this` and the [other] char sequences with the same index\n * The returned list has length of the shortest char sequence.\n * \n * @sample samples.text.Strings.zip\n */\npublic infix fun CharSequence.zip(other: CharSequence):
List<Pair<Char, Char>> {\n return zip(other) { c1, c2 -> c1 to c2 }\n}\n\n/**\n * Returns a list of values built from the characters of `this` and the [other] char sequences with the same index\n * using the provided [transform] function applied to each pair of characters.\n * The returned list has length of the shortest char sequence.\n * \n * @sample samples.text.Strings.zipWithTransform\n */\npublic inline fun <V> CharSequence.zip(other: CharSequence, transform: (a: Char, b: Char) -> V): List<V> {\n val length = minOf(this.length, other.length)\n val list = ArrayList<V>(length)\n for (i in 0 until length) {\n list.add(transform(this[i], other[i]))\n }\n

return list\n}\n\n/**\n * Returns a list of pairs of each two adjacent characters in this char sequence.\n * \n * The returned list is empty if this char sequence contains less than two characters.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.zipWithNext(): List<Pair<Char, Char>> {\n   return zipWithNext { a, b -> a to b }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to an each pair of two adjacent characters in this char sequence.\n * \n * The returned list is empty if this char sequence contains less than two characters.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n */\n@SinceKotlin(\"1.2\")\npublic inline fun <R> CharSequence.zipWithNext(transform: (a: Char, b: Char) -> R): List<R> {\n   val size = length - 1\n   if (size < 1) return emptyList()\n   val result = ArrayList<R>(size)\n   for (index in 0 until size) {\n   result.add(transform(this[index], this[index + 1]))\n   }\n   return result\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original char sequence returning its characters when being iterated.\n */\npublic fun CharSequence.asIterable(): Iterable<Char> {\n   if (this is String && isEmpty()) return emptyList()\n   return Iterable { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original char sequence returning its characters when being iterated.\n */\npublic fun CharSequence.asSequence(): Sequence<Char> {\n   if (this is String && isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\nimport kotlin.contracts.contract\nimport kotlin.jvm.JvmName\n\n/**\n * Returns a copy of this string converted to upper case using the rules of the default locale.\n */\n@Deprecated(\"Use uppercase() instead.\", ReplaceWith(\"uppercase()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic expect fun String.toUpperCase(): String\n\n/**\n * Returns a copy of this string converted to upper case using Unicode mapping rules of the invariant locale.\n *\n * This function supports one-to-many and many-to-one character mapping,\n * thus the length of the returned string can be different from the length of the original string.\n *\n * @sample samples.text.Strings.uppercase\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun String.uppercase(): String\n\n/**\n * Returns a copy of this string converted to lower case using the rules of the default locale.\n */\n@Deprecated(\"Use lowercase() instead.\", ReplaceWith(\"lowercase()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic expect fun String.toLowerCase(): String\n\n/**\n * Returns a copy of this string converted to lower case using Unicode mapping rules of the invariant locale.\n *\n * This function supports one-to-many and many-to-one character mapping,\n * thus the length of the returned string can be different from the length of the original string.\n *\n * @sample samples.text.Strings.lowercase\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun String.lowercase(): String\n\n/**\n * Returns a copy of this string having its first letter titlecased using the rules of the default locale,\n * or the original string if it's empty or already starts with a title case letter.\n *\n * The title case of a character is usually the same as its upper case with several exceptions.\n * The particular list of characters with the special title case form depends on the underlying platform.\n *\n * @sample samples.text.Strings.capitalize\n */\n@Deprecated(\"Use replaceFirstChar instead.\", ReplaceWith(\"replaceFirstChar { if (it.isLowerCase()) it.titlecase() else it.toString() }\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic expect fun String.capitalize(): String\n\n/**\n * Returns a copy of this string having its first letter lowercased using the rules of the default locale,\n * or the original string if it's empty or already starts with a lower case letter.\n *\n * @sample samples.text.Strings.decapitalize\n */\n@Deprecated(\"Use replaceFirstChar instead.\", ReplaceWith(\"replaceFirstChar { it.lowercase() }\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic expect fun String.decapitalize(): String\n\n/**\n * Returns a sub sequence of this char sequence having leading and trailing characters matching the [predicate]

removed.\n */\npublic inline fun CharSequence.trim(predicate: (Char) -> Boolean): CharSequence {\n var startIndex = 0\n var endIndex = length - 1\n var startFound = false\n\n while (startIndex <= endIndex) {\n val index = if (!startFound) startIndex else endIndex\n val match = predicate(this[index])\n\n if (!startFound) {\n if (!match)\n startFound = true\n else\n startIndex += 1\n } else {\n if (!match)\n break\n else\n endIndex -= 1\n }\n }\n\n return subSequence(startIndex, endIndex + 1)\n}\n\n/**\n * Returns a string having leading and trailing characters matching the [predicate] removed.\n */\npublic inline fun String.trim(predicate: (Char) -> Boolean): String =\n (this as CharSequence).trim(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence having leading characters matching the [predicate] removed.\n */\npublic inline fun CharSequence.trimStart(predicate: (Char) -> Boolean): CharSequence {\n for (index in this.indices)\n if (!predicate(this[index]))\n return subSequence(index, length)\n\n return \"\"\n}\n\n/**\n * Returns a string having leading characters matching the [predicate] removed.\n */\npublic inline fun String.trimStart(predicate: (Char) -> Boolean): String =\n (this as CharSequence).trimStart(predicate).toString()\n\n/**\n
 * Returns a sub sequence of this char sequence having trailing characters matching the [predicate] removed.\n */\npublic inline fun CharSequence.trimEnd(predicate: (Char) -> Boolean): CharSequence {\n for (index in this.indices.reversed())\n if (!predicate(this[index]))\n return subSequence(0, index + 1)\n\n return \"\"\n}\n\n/**\n * Returns a string having trailing characters matching the [predicate] removed.\n */\npublic inline fun String.trimEnd(predicate: (Char) -> Boolean): String =\n (this as CharSequence).trimEnd(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence having leading and trailing characters from the [chars] array removed.\n */\npublic fun CharSequence.trim(vararg chars: Char): CharSequence = trim { it in chars }\n\n/**\n * Returns a string having leading and trailing characters from the [chars] array removed.\n */\npublic fun String.trim(vararg chars: Char): String = trim { it in chars }\n\n/**\n * Returns a sub
 sequence of this char sequence having leading characters from the [chars] array removed.\n */\npublic fun CharSequence.trimStart(vararg chars: Char): CharSequence = trimStart { it in chars }\n\n/**\n * Returns a string having leading characters from the [chars] array removed.\n */\npublic fun String.trimStart(vararg chars: Char): String = trimStart { it in chars }\n\n/**\n * Returns a sub sequence of this char sequence having trailing characters from the [chars] array removed.\n */\npublic fun CharSequence.trimEnd(vararg chars: Char): CharSequence = trimEnd { it in chars }\n\n/**\n * Returns a string having trailing characters from the [chars] array removed.\n */\npublic fun String.trimEnd(vararg chars: Char): String = trimEnd { it in chars }\n\n/**\n * Returns a sub sequence of this char sequence having leading and trailing whitespace removed.\n */\npublic fun CharSequence.trim(): CharSequence = trim(Char::isWhitespace)\n\n/**\n * Returns a string having leading and trailing whitespace
 removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.trim(): String = (this as CharSequence).trim().toString()\n\n/**\n * Returns a sub sequence of this char sequence having leading whitespace removed.\n */\npublic fun CharSequence.trimStart(): CharSequence = trimStart(Char::isWhitespace)\n\n/**\n * Returns a string having leading whitespace removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.trimStart(): String = (this as CharSequence).trimStart().toString()\n\n/**\n * Returns a sub sequence of this char sequence having trailing whitespace removed.\n */\npublic fun CharSequence.trimEnd(): CharSequence = trimEnd(Char::isWhitespace)\n\n/**\n * Returns a string having trailing whitespace removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.trimEnd(): String = (this as CharSequence).trimEnd().toString()\n\n/**\n * Returns a char sequence with content of this char sequence padded at the beginning\n * to the specified [length] with the specified
 character or space.\n *\n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a char sequence of length at least [length] consisting of `this` char sequence prepended with [padChar] as many times\n * as are necessary to reach that length.\n * @sample samples.text.Strings.padStart\n */\npublic fun CharSequence.padStart(length: Int, padChar: Char = ' '): CharSequence {\n if (length < 0)\n throw

IllegalArgumentException(\"Desired length $length is less than zero.\")\n if (length <= this.length)\n return this.subSequence(0, this.length)\n\n val sb = StringBuilder(length)\n for (i in 1..(length - this.length))\n sb.append(padChar)\n sb.append(this)\n return sb\n}\n\n/**\n * Pads the string to the specified [length] at the beginning with the specified character or space.\n *\n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a string of length at least [length] consisting of `this` string prepended with [padChar] as many times\n * as are necessary to reach that length.\n * @sample samples.text.Strings.padStart\n */\npublic fun String.padStart(length: Int, padChar: Char = ' '): String =\n (this as CharSequence).padStart(length, padChar).toString()\n\n/**\n * Returns a char sequence with content of this char sequence padded at the end\n * to the specified [length] with the specified character or space.\n *\n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a char sequence of length at least [length] consisting of `this` char sequence appended with [padChar] as many times\n * as are necessary to reach that length.\n * @sample samples.text.Strings.padEnd\n */\npublic fun CharSequence.padEnd(length: Int, padChar: Char = ' '): CharSequence {\n if (length < 0)\n throw IllegalArgumentException(\"Desired length $length is less than zero.\")\n if (length <= this.length)\n return this.subSequence(0, this.length)\n\n val sb = StringBuilder(length)\n sb.append(this)\n for (i in 1..(length - this.length))\n sb.append(padChar)\n return sb\n}\n\n/**\n * Pads the string to the specified [length] at the end with the specified character or space.\n *\n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a string of length at least [length] consisting of `this` string appended with [padChar] as many times\n * as are necessary to reach that length.\n * @sample samples.text.Strings.padEnd\n */\npublic fun String.padEnd(length: Int, padChar: Char = ' '): String =\n (this as CharSequence).padEnd(length, padChar).toString()\n\n/**\n * Returns `true` if this nullable char sequence is either `null` or empty.\n *\n * @sample samples.text.Strings.stringIsNullOrEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence?.isNullOrEmpty(): Boolean {\n contract {\n returns(false) implies (this@isNullOrEmpty != null)\n }\n\n return this == null || this.length == 0\n}\n\n/**\n * Returns `true` if this char sequence is empty (contains no characters).\n *\n * @sample samples.text.Strings.stringIsEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isEmpty(): Boolean = length == 0\n\n/**\n * Returns `true` if this char sequence is not empty.\n *\n * @sample samples.text.Strings.stringIsNotEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isNotEmpty(): Boolean = length > 0\n\n// implemented differently in JVM and JS\n//public fun String.isBlank(): Boolean = length() == 0 || all { it.isWhitespace() }\n\n\n/**\n * Returns `true` if this char sequence is not empty and contains some characters except of whitespace characters.\n *\n * @sample samples.text.Strings.stringIsNotBlank\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isNotBlank(): Boolean = !isBlank()\n\n/**\n * Returns `true` if this nullable char sequence is either `null` or empty or consists solely of whitespace characters.\n *\n * @sample samples.text.Strings.stringIsNullOrBlank\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence?.isNullOrBlank(): Boolean {\n contract {\n returns(false) implies (this@isNullOrBlank != null)\n }\n\n return this == null || this.isBlank()\n}\n\n/**\n * Iterator for characters of the given char sequence.\n */\npublic operator fun CharSequence.iterator(): CharIterator = object : CharIterator() {\n private var index = 0\n\n public override fun nextChar(): Char = get(index++)\n\n public override fun hasNext(): Boolean = index < length\n}\n\n/** Returns the string if it is not `null`, or the empty string otherwise. */\n@kotlin.internal.InlineOnly\npublic inline fun String?.orEmpty(): String = this ?: \"\"\n\n/**\n * Returns this char sequence if it's not empty\n * or the result of calling [defaultValue] function if the char sequence is empty.\n *\n * @sample samples.text.Strings.stringIfEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : CharSequence, C : R =\n if (isEmpty()) defaultValue() else this\n\n/**\n * Returns this char sequence if it is not empty and doesn't consist solely of whitespace characters,\n * or the result of calling

[defaultValue] function otherwise.\n *\n * @sample samples.text.Strings.stringIfBlank\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifBlank(defaultValue: () -> R): R where C : CharSequence, C : R =\n if (isBlank()) defaultValue()
else this\n\n/**\n * Returns the range of valid character indices for this char sequence.\n */\npublic val CharSequence.indices: IntRange\n get() = 0..length - 1\n\n/**\n * Returns the index of the last character in the char sequence or -1 if it is empty.\n */\npublic val CharSequence.lastIndex: Int\n get() = this.length - 1\n\n/**\n * Returns `true` if this CharSequence has Unicode surrogate pair at the specified [index].\n */\npublic fun CharSequence.hasSurrogatePairAt(index: Int): Boolean {\n return index in 0..length - 2\n && this[index].isHighSurrogate()\n && this[index + 1].isLowSurrogate()\n}\n\n/**\n * Returns a substring specified by the given [range] of indices.\n */\npublic fun String.substring(range: IntRange): String = substring(range.start, range.endInclusive + 1)\n\n/**\n * Returns a subsequence of this char sequence specified by the given [range] of indices.\n */\npublic fun CharSequence.subSequence(range: IntRange): CharSequence = subSequence(range.start, range.endInclusive + 1)\n\n/**\n * Returns a subsequence of this char sequence.\n *\n * This extension is chosen only for invocation with old-named parameters.\n * Replace parameter names with the same as those of [CharSequence.subSequence].\n */\n@kotlin.internal.InlineOnly\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning\n@Deprecated(\"Use parameters named startIndex and endIndex.\", ReplaceWith(\"subSequence(startIndex = start, endIndex = end)\"))\npublic inline fun String.subSequence(start: Int, end: Int): CharSequence = subSequence(start, end)\n\n/**\n * Returns a substring of chars from a range of this char sequence starting at the [startIndex] and ending right before the [endIndex].\n *\n * @param startIndex the start index (inclusive).\n * @param endIndex the end index (exclusive). If not specified, the length of the char sequence is used.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.substring(startIndex: Int, endIndex: Int = length): String = subSequence(startIndex, endIndex).toString()\n\n/**\n * Returns a substring of chars at indices from the specified [range] of this char sequence.\n */\npublic fun CharSequence.substring(range: IntRange): String = subSequence(range.start, range.endInclusive + 1).toString()\n\n/**\n * Returns a substring before the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBefore(delimiter: Char, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring before the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBefore(delimiter: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring after the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringAfter(delimiter: Char, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(index + 1, length)\n}\n\n/**\n * Returns a substring after the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringAfter(delimiter: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(index + delimiter.length, length)\n}\n\n/**\n * Returns a substring before the last occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBeforeLast(delimiter: Char, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring before the last occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBeforeLast(delimiter: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring after the last occurrence of

[delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue]
which defaults to the original string.\n */\npublic fun String.substringAfterLast(delimiter: Char, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(index + 1, length)\n}\n\n/**\n * Returns a substring after the last occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringAfterLast(delimiter: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(index + delimiter.length, length)\n}\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the given range\n * is replaced with the [replacement] char sequence.\n * @param startIndex the index of the first character to be replaced.\n * @param endIndex the index of the first character
after the replacement to keep in the string.\n */\npublic fun CharSequence.replaceRange(startIndex: Int, endIndex: Int, replacement: CharSequence): CharSequence {\n if (endIndex < startIndex)\n throw IndexOutOfBoundsException(\"End index ($endIndex) is less than start index ($startIndex).\")\n val sb = StringBuilder()\n sb.appendRange(this, 0, startIndex)\n sb.append(replacement)\n sb.appendRange(this, endIndex, length)\n return sb\n}\n\n/**\n * Replaces the part of the string at the given range with the [replacement] char sequence.\n * @param startIndex the index of the first character to be replaced.\n * @param endIndex the index of the first character after the replacement to keep in the string.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceRange(startIndex: Int, endIndex: Int, replacement: CharSequence): String =\n (this as CharSequence).replaceRange(startIndex, endIndex, replacement).toString()\n\n/**\n * Returns a char sequence
with content of this char sequence where its part at the given [range]\n * is replaced with the [replacement] char sequence.\n *\n * The end index of the [range] is included in the part to be replaced.\n */\npublic fun CharSequence.replaceRange(range: IntRange, replacement: CharSequence): CharSequence =\n replaceRange(range.start, range.endInclusive + 1, replacement)\n\n/**\n * Replace the part of string at the given [range] with the [replacement] string.\n *\n * The end index of the [range] is included in the part to be replaced.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceRange(range: IntRange, replacement: CharSequence): String =\n (this as CharSequence).replaceRange(range, replacement).toString()\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the given range is removed.\n *\n * @param startIndex the index of the first character to be removed.\n * @param endIndex the index of the first character after the removed
part to keep in the string.\n *\n * [endIndex] is not included in the removed part.\n */\npublic fun CharSequence.removeRange(startIndex: Int, endIndex: Int): CharSequence {\n if (endIndex < startIndex)\n throw IndexOutOfBoundsException(\"End index ($endIndex) is less than start index ($startIndex).\")\n\n if (endIndex == startIndex)\n return this.subSequence(0, length)\n\n val sb = StringBuilder(length - (endIndex - startIndex))\n sb.appendRange(this, 0, startIndex)\n sb.appendRange(this, endIndex, length)\n return sb\n}\n\n/**\n * Removes the part of a string at a given range.\n * @param startIndex the index of the first character to be removed.\n * @param endIndex the index of the first character after the removed part to keep in the string.\n *\n * [endIndex] is not included in the removed part.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.removeRange(startIndex: Int, endIndex: Int): String =\n (this as CharSequence).removeRange(startIndex, endIndex).toString()\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the given [range] is removed.\n *\n * The end index of the [range] is included in the removed part.\n */\npublic fun CharSequence.removeRange(range: IntRange): CharSequence = removeRange(range.start, range.endInclusive + 1)\n\n/**\n * Removes the part of a string at the given [range].\n *\n * The end index of the [range] is included in the removed part.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.removeRange(range: IntRange): String =\n (this as CharSequence).removeRange(range).toString()\n\n/**\n * If this char sequence starts with the given [prefix], returns a new char sequence\n * with the prefix removed. Otherwise, returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removePrefix(prefix: CharSequence): CharSequence {\n if (startsWith(prefix)) {\n return subSequence(prefix.length, length)\n }\n return

subSequence(0, length)\n}\n\n/**\n * If this string starts with the given [prefix], returns a copy of this string\n * with the prefix removed. Otherwise, returns this string.\n */\npublic fun String.removePrefix(prefix: CharSequence): String {\n if (startsWith(prefix)) {\n return substring(prefix.length)\n }\n return this\n}\n\n/**\n * If this char sequence ends with the given [suffix], returns a new char sequence\n * with the suffix removed. Otherwise, returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removeSuffix(suffix: CharSequence): CharSequence {\n if (endsWith(suffix)) {\n return subSequence(0, length - suffix.length)\n }\n return subSequence(0, length)\n}\n\n/**\n * If this string ends with the given [suffix], returns a copy of this string\n * with the suffix removed. Otherwise, returns this string.\n */\npublic fun String.removeSuffix(suffix: CharSequence): String {\n if (endsWith(suffix)) {\n return
substring(0, length - suffix.length)\n }\n return this\n}\n\n/**\n * When this char sequence starts with the given [prefix] and ends with the given [suffix],\n * returns a new char sequence having both the given [prefix] and [suffix] removed.\n * Otherwise returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removeSurrounding(prefix: CharSequence, suffix: CharSequence): CharSequence {\n if ((length >= prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {\n return subSequence(prefix.length, length - suffix.length)\n }\n return subSequence(0, length)\n}\n\n/**\n * Removes from a string both the given [prefix] and [suffix] if and only if\n * it starts with the [prefix] and ends with the [suffix].\n * Otherwise returns this string unchanged.\n */\npublic fun String.removeSurrounding(prefix: CharSequence, suffix: CharSequence): String {\n if ((length >= prefix.length + suffix.length) && startsWith(prefix) &&
endsWith(suffix)) {\n return substring(prefix.length, length - suffix.length)\n }\n return this\n}\n\n/**\n * When this char sequence starts with and ends with the given [delimiter],\n * returns a new char sequence having this [delimiter] removed both from the start and end.\n * Otherwise returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removeSurrounding(delimiter: CharSequence): CharSequence = removeSurrounding(delimiter, delimiter)\n\n/**\n * Removes the given [delimiter] string from both the start and the end of this string\n * if and only if it starts with and ends with the [delimiter].\n * Otherwise returns this string unchanged.\n */\npublic fun String.removeSurrounding(delimiter: CharSequence): String = removeSurrounding(delimiter, delimiter)\n\n/**\n * Replace part of string before the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue]
which defaults to the original string.\n */\npublic fun String.replaceBefore(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string before the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBefore(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string after the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the
original string.\n */\npublic fun String.replaceAfter(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)\n}\n\n/**\n * Replace part of string after the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfter(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n/**\n * Replace part of string after the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults

to the original string.\n */\npublic fun String.replaceAfterLast(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n   val index = lastIndexOf(delimiter)\n   return if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n/**\n * Replace part of string after the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfterLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n   val index = lastIndexOf(delimiter)\n   return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)\n}\n\n/**\n * Replace part of string before the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBeforeLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n   val index = lastIndexOf(delimiter)\n   return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string before the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBeforeLast(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n   val index = lastIndexOf(delimiter)\n   return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n\n// public fun String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean): String // JVM- and JS-specific\n// public fun String.replace(oldValue: String, newValue: String, ignoreCase: Boolean): String // JVM- and JS-specific\n\n/**\n * Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression\n * with the given [replacement].\n *\n * The [replacement] can consist of any combination of literal text and $-substitutions. To treat the replacement string\n * literally escape it with the [kotlin.text.Regex.Companion.escapeReplacement] method.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replace(regex: Regex, replacement: String): String = regex.replace(this, replacement)\n\n/**\n * Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression\n * with the result of the given function [transform] that takes [MatchResult] and returns a string to be used as a\n * replacement for that match.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replace(regex: Regex, noinline transform: (MatchResult) -> CharSequence): String =\n   regex.replace(this, transform)\n\n/**\n * Replaces the first occurrence of the given regular expression [regex] in this char sequence with specified [replacement] expression.\n *\n * @param replacement A replacement expression that can include substitutions. See [Regex.replaceFirst] for details.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replaceFirst(regex: Regex, replacement: String): String = regex.replaceFirst(this, replacement)\n\n/**\n * Returns a copy of this string having its first character replaced with the result of the specified [transform],\n * or the original string if it's empty.\n *\n * @param transform function that takes the first character and returns the result of the transform applied to the character.\n *\n * @sample samples.text.Strings.replaceFirstChar\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@JvmName(\"replaceFirstCharWithChar\")\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceFirstChar(transform: (Char) -> Char): String {\n   return if (isNotEmpty()) transform(this[0]) + substring(1) else this\n}\n\n/**\n * Returns a copy of this string having its first character replaced with the result of the specified [transform],\n * or the original string if it's empty.\n *\n * @param transform function that takes the first character and returns the result of the transform applied to the character.\n *\n * @sample samples.text.Strings.replaceFirstChar\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@JvmName(\"replaceFirstCharWithCharSequence\")\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceFirstChar(transform: (Char) -> CharSequence): String {\n   return if (isNotEmpty()) transform(this[0]).toString() + substring(1) else

```
this\n}\n\n\n/**\n
 * Returns `true` if this char sequence matches the given regular expression.\n
*/\n@kotlin.internal.InlineOnly\npublic inline infix fun CharSequence.matches(regex: Regex): Boolean =
regex.matches(this)\n\n/**\n * Implementation of [regionMatches] for CharSequences.\n * Invoked when it's
already known that arguments are not Strings, so that no additional type checks are performed.\n */\ninternal fun
CharSequence.regionMatchesImpl(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int, ignoreCase:
Boolean): Boolean {\n    if ((otherOffset < 0) || (thisOffset < 0) || (thisOffset > this.length - length) || (otherOffset >
other.length - length)) {\n        return false\n    }\n\n    for (index in 0 until length) {\n        if (!this[thisOffset +
index].equals(other[otherOffset + index], ignoreCase))\n            return false\n    }\n    return true\n}\n\n/**\n *
Returns `true` if this char sequence starts with the specified character.\n */\npublic fun
CharSequence.startsWith(char:
 Char, ignoreCase: Boolean = false): Boolean =\n    this.length > 0 && this[0].equals(char, ignoreCase)\n\n/**\n *
Returns `true` if this char sequence ends with the specified character.\n */\npublic fun CharSequence.endsWith(char:
Char, ignoreCase: Boolean = false): Boolean =\n    this.length > 0 && this[lastIndex].equals(char,
ignoreCase)\n\n/**\n * Returns `true` if this char sequence starts with the specified prefix.\n */\npublic fun
CharSequence.startsWith(prefix: CharSequence, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase &&
this is String && prefix is String)\n        return this.startsWith(prefix)\n    else\n        return regionMatchesImpl(0,
prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if a substring of this char sequence starting at the
specified offset [startIndex] starts with the specified prefix.\n */\npublic fun CharSequence.startsWith(prefix:
CharSequence, startIndex: Int, ignoreCase: Boolean = false): Boolean {\n
 if (!ignoreCase && this is String && prefix is String)\n        return this.startsWith(prefix, startIndex)\n    else\n
return regionMatchesImpl(startIndex, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this char
sequence ends with the specified suffix.\n */\npublic fun CharSequence.endsWith(suffix: CharSequence,
ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase && this is String && suffix is String)\n        return
this.endsWith(suffix)\n    else\n        return regionMatchesImpl(length - suffix.length, suffix, 0, suffix.length,
ignoreCase)\n}\n\n\n// common prefix and suffix\n\n/**\n * Returns the longest string `prefix` such that this char
sequence and [other] char sequence both start with this prefix,\n * taking care not to split surrogate pairs.\n * If this
and [other] have no common prefix, returns the empty string.\n\n * @param ignoreCase `true` to ignore character
case when matching a character. By default `false`.\n * @sample samples.text.Strings.commonPrefixWith\n
 */\npublic fun CharSequence.commonPrefixWith(other: CharSequence, ignoreCase: Boolean = false): String {\n
val shortestLength = minOf(this.length, other.length)\n\n    var i = 0\n    while (i < shortestLength &&
this[i].equals(other[i], ignoreCase = ignoreCase)) {\n        i++\n    }\n    if (this.hasSurrogatePairAt(i - 1) ||
other.hasSurrogatePairAt(i - 1)) {\n        i--\n    }\n    return subSequence(0, i).toString()\n}\n\n/**\n * Returns the
longest string `suffix` such that this char sequence and [other] char sequence both end with this suffix,\n * taking
care not to split surrogate pairs.\n * If this and [other] have no common suffix, returns the empty string.\n\n *
@param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @sample
samples.text.Strings.commonSuffixWith\n */\npublic fun CharSequence.commonSuffixWith(other: CharSequence,
ignoreCase: Boolean = false): String {\n    val thisLength = this.length\n
    val otherLength = other.length\n    val shortestLength = minOf(thisLength, otherLength)\n\n    var i = 0\n    while
(i < shortestLength && this[thisLength - i - 1].equals(other[otherLength - i - 1], ignoreCase = ignoreCase)) {\n
i++\n    }\n    if (this.hasSurrogatePairAt(thisLength - i - 1) || other.hasSurrogatePairAt(otherLength - i - 1)) {\n
i--\n    }\n    return subSequence(thisLength - i, thisLength).toString()\n}\n\n\n// indexOfAny()\n\n/**\n * Finds the
index of the first occurrence of any of the specified [chars] in this char sequence,\n * starting from the specified
[startIndex] and optionally ignoring the case.\n *\n * @param ignoreCase `true` to ignore character case when
matching a character. By default `false`.\n * @return An index of the first occurrence of matched character from
[chars] or -1 if none of [chars] are found.\n *\n */\npublic fun CharSequence.indexOfAny(chars: CharArray,
startIndex: Int = 0, ignoreCase: Boolean = false): Int {\n    if
```

(!ignoreCase && chars.size == 1 && this is String) {\n val char = chars.single()\n return nativeIndexOf(char, startIndex)\n }\n\n for (index in startIndex.coerceAtLeast(0)..lastIndex) {\n val charAtIndex = get(index)\n if (chars.any { it.equals(charAtIndex, ignoreCase) })\n return index\n }\n return -1\n}\n\n/**\n * Finds the index of the last occurrence of any of the specified [chars] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of the last occurrence of matched character from [chars] or -1 if none of [chars] are found.\n *\n */\npublic fun CharSequence.lastIndexOfAny(chars: CharArray, startIndex: Int = lastIndex, ignoreCase:
Boolean = false): Int {\n if (!ignoreCase && chars.size == 1 && this is String) {\n val char = chars.single()\n return nativeLastIndexOf(char, startIndex)\n }\n\n\n for (index in startIndex.coerceAtMost(lastIndex) downTo 0) {\n val charAtIndex = get(index)\n if (chars.any { it.equals(charAtIndex, ignoreCase) })\n return index\n }\n\n return -1\n}\n\n\nprivate fun CharSequence.indexOf(other: CharSequence, startIndex: Int, endIndex: Int, ignoreCase: Boolean, last: Boolean = false): Int {\n val indices = if (!last)\n startIndex.coerceAtLeast(0)..endIndex.coerceAtMost(length)\n else\n startIndex.coerceAtMost(lastIndex) downTo endIndex.coerceAtLeast(0)\n\n if (this is String && other is String) { // smart cast\n for (index in indices) {\n if (other.regionMatches(0, this, index, other.length, ignoreCase))\n return index\n }\n } else {\n for (index in indices) {\n if (other.regionMatchesImpl(0, this, index, other.length, ignoreCase))\n return index\n }\n }\n return -1\n}\n\nprivate fun CharSequence.findAnyOf(strings: Collection<String>, startIndex: Int, ignoreCase:
Boolean, last: Boolean): Pair<Int, String>? {\n if (!ignoreCase && strings.size == 1) {\n val string = strings.single()\n val index = if (!last) indexOf(string, startIndex) else lastIndexOf(string, startIndex)\n return if (index < 0) null else index to string\n }\n\n val indices = if (!last) startIndex.coerceAtLeast(0)..length else startIndex.coerceAtMost(lastIndex) downTo 0\n\n if (this is String) {\n for (index in indices) {\n val matchingString = strings.firstOrNull { it.regionMatches(0, this, index, it.length, ignoreCase) }\n if (matchingString != null)\n return index to matchingString\n }\n } else {\n for (index in indices) {\n val matchingString
= strings.firstOrNull { it.regionMatchesImpl(0, this, index, it.length, ignoreCase) }\n if (matchingString != null)\n return index to matchingString\n }\n }\n\n return null\n}\n\n/**\n * Finds the first occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return A pair of an index of the first occurrence of matched string from [strings] and the string matched\n * or `null` if none of [strings] are found.\n *\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.findAnyOf(strings: Collection<String>, startIndex:
Int = 0, ignoreCase: Boolean = false): Pair<Int, String>? =\n findAnyOf(strings, startIndex, ignoreCase, last = false)\n\n/**\n * Finds the last occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return A pair of an index of the last occurrence of matched string from [strings] and the string matched or `null` if none of [strings] are found.\n *\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the end toward the beginning of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.findLastAnyOf(strings:
Collection<String>, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Pair<Int, String>? =\n findAnyOf(strings, startIndex, ignoreCase, last = true)\n\n/**\n * Finds the index of the first occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the

```
case.\n *\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the first occurrence of matched string from [strings] or -1 if none of [strings] are found.\n *\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.indexOfAny(strings: Collection<String>, startIndex: Int = 0, ignoreCase: Boolean = false): Int =\n    findAnyOf(strings, startIndex, ignoreCase,
 last = false)?.first ?: -1\n\n/**\n * Finds the index of the last occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the last occurrence of matched string from [strings] or -1 if none of [strings] are found.\n *\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the end toward the beginning of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.lastIndexOfAny(strings: Collection<String>, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int =\n    findAnyOf(strings,
 startIndex, ignoreCase, last = true)?.first ?: -1\n\n// indexOf\n\n/**\n * Returns the index within this string of the first occurrence of the specified character, starting from the specified [startIndex].\n *\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of the first occurrence of [char] or -1 if none is found.\n */\npublic fun CharSequence.indexOf(char: Char, startIndex: Int = 0, ignoreCase: Boolean = false): Int {\n    return if (ignoreCase || this !is String)\n        indexOfAny(charArrayOf(char), startIndex, ignoreCase)\n    else\n        nativeIndexOf(char, startIndex)\n}\n\n/**\n * Returns the index within this char sequence of the first occurrence of the specified [string],\n * starting from the specified [startIndex].\n *\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the first occurrence of [string] or `-1` if none is found.\n
 * @sample samples.text.Strings.indexOf\n */\npublic fun CharSequence.indexOf(string: String, startIndex: Int = 0, ignoreCase: Boolean = false): Int {\n    return if (ignoreCase || this !is String)\n        indexOf(string, startIndex, length, ignoreCase)\n    else\n        nativeIndexOf(string, startIndex)\n}\n\n/**\n * Returns the index within this char sequence of the last occurrence of the specified character,\n * starting from the specified [startIndex].\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of the last occurrence of [char] or -1 if none is found.\n */\npublic fun CharSequence.lastIndexOf(char: Char, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n    return if (ignoreCase || this !is String)\n        lastIndexOfAny(charArrayOf(char), startIndex,
 ignoreCase)\n    else\n        nativeLastIndexOf(char, startIndex)\n}\n\n/**\n * Returns the index within this char sequence of the last occurrence of the specified [string],\n * starting from the specified [startIndex].\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the last occurrence of [string] or -1 if none is found.\n */\npublic fun CharSequence.lastIndexOf(string: String, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n    return if (ignoreCase || this !is String)\n        indexOf(string, startIndex, 0, ignoreCase, last = true)\n    else\n        nativeLastIndexOf(string, startIndex)\n}\n\n/**\n * Returns `true` if this char sequence contains the specified [other] sequence of characters as a substring.\n *\n * @param ignoreCase `true` to ignore character
 case when comparing strings. By default `false`.\n
 */\n@Suppress(\"INAPPLICABLE_OPERATOR_MODIFIER\")\npublic operator fun CharSequence.contains(other: CharSequence, ignoreCase: Boolean = false): Boolean =\n    if (other is String)\n        indexOf(other, ignoreCase = ignoreCase) >= 0\n    else\n        indexOf(other, 0, length, ignoreCase) >= 0\n\n\n\n/**\n * Returns `true` if this char sequence contains the specified character [char].\n *\n * @param ignoreCase `true` to ignore character case when comparing characters. By default `false`.\n
```

```
*/\n@Suppress(\"INAPPLICABLE_OPERATOR_MODIFIER\")\npublic operator fun CharSequence.contains(char: Char, ignoreCase: Boolean = false): Boolean =\n    indexOf(char, ignoreCase = ignoreCase) >= 0\n\n/**\n * Returns `true` if this char sequence contains at least one match of the specified regular expression [regex].\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharSequence.contains(regex: Regex): Boolean = regex.containsMatchIn(this)\n\n\n//
 rangesDelimitedBy\n\n\nprivate class DelimitedRangesSequence(\n    private val input: CharSequence,\n    private val startIndex: Int,\n    private val limit: Int,\n    private val getNextMatch: CharSequence.(currentIndex: Int) -> Pair<Int, Int>?\n) : Sequence<IntRange> {\n\n    override fun iterator(): Iterator<IntRange> = object : Iterator<IntRange> {\n        var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n        var currentStartIndex: Int = startIndex.coerceIn(0, input.length)\n        var nextSearchIndex: Int = currentStartIndex\n
 var nextItem: IntRange? = null\n        var counter: Int = 0\n\n        private fun calcNext() {\n            if (nextSearchIndex < 0) {\n                nextState = 0\n                nextItem = null\n            } else {\n                if (limit > 0 && ++counter >= limit || nextSearchIndex > input.length) {\n                    nextItem = currentStartIndex..input.lastIndex\n                    nextSearchIndex
 = -1\n                } else {\n                    val match = input.getNextMatch(nextSearchIndex)\n                    if (match == null) {\n                        nextItem = currentStartIndex..input.lastIndex\n                        nextSearchIndex = -1\n
    } else {\n                        val (index, length) = match\n                        nextItem = currentStartIndex until index\n                        currentStartIndex = index + length\n                        nextSearchIndex = currentStartIndex + if (length == 0) 1 else 0\n                    }\n                }\n                nextState = 1\n            }\n        }\n\n        override fun next(): IntRange {\n            if (nextState == -1)\n                calcNext()\n            if (nextState == 0)\n                throw NoSuchElementException()\n            val result = nextItem as IntRange\n            // Clean next to avoid keeping reference on yielded instance\n            nextItem = null\n
        nextState = -1\n            return result\n        }\n\n        override fun hasNext(): Boolean {\n            if (nextState == -1)\n                calcNext()\n            return nextState == 1\n        }\n    }\n}\n\n/**\n * Returns a sequence of index ranges of substrings in this char sequence around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more characters to be used as delimiters.\n * @param startIndex The index to start searching delimiters from.\n *  No range having its start value less than [startIndex] is returned.\n *  [startIndex] is coerced to be non-negative and not greater than length of this string.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return. Zero by default means no limit is set.\n */\nprivate fun CharSequence.rangesDelimitedBy(delimiters: CharArray, startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int = 0):
 Sequence<IntRange> {\n    requireNonNegativeLimit(limit)\n\n    return DelimitedRangesSequence(this, startIndex, limit, { currentIndex ->\n        indexOfAny(delimiters, currentIndex, ignoreCase = ignoreCase).let { if (it < 0) null else it to 1 }\n    })\n}\n\n\n/**\n * Returns a sequence of index ranges of substrings in this char sequence around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more strings to be used as delimiters.\n * @param startIndex The index to start searching delimiters from.\n *  No range having its start value less than [startIndex] is returned.\n *  [startIndex] is coerced to be non-negative and not greater than length of this string.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return. Zero by default means no limit is set.\n *\n * To avoid ambiguous results when strings in [delimiters] have characters in common, this method
 proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [delimiters]\n * that matches this string at that position.\n */\nprivate fun CharSequence.rangesDelimitedBy(delimiters: Array<out String>, startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int = 0): Sequence<IntRange> {\n    requireNonNegativeLimit(limit)\n    val delimitersList = delimiters.asList()\n\n    return DelimitedRangesSequence(this, startIndex, limit, { currentIndex -> findAnyOf(delimitersList, currentIndex, ignoreCase = ignoreCase, last = false)?.let { it.first to it.second.length } })\n\n}\n\ninternal fun requireNonNegativeLimit(limit: Int) =\n    require(limit >= 0) { \"Limit must be non-negative, but was $limit\" }\n\n\n// split\n\n/**\n * Splits this char sequence to a sequence of strings around
```

occurrences of the specified [delimiters].\n *\n * @param delimiters One or more strings to be used as delimiters.\n * @param ignoreCase `true` to ignore character
case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return. Zero by default means no limit is set.\n *\n * To avoid ambiguous results when strings in [delimiters] have characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [delimiters]\n * that matches this string at that position.\n */\npublic fun CharSequence.splitToSequence(vararg delimiters: String, ignoreCase: Boolean = false, limit: Int = 0): Sequence<String> =\n rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map { substring(it) }\n\n/**\n * Splits this char sequence to a list of strings around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more strings to be used as delimiters.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return. Zero by default means no limit is set.\n *\n * To avoid ambiguous results when strings in [delimiters] have characters in common, this method proceeds from\n * the beginning to the end of this string, and matches at each position the first element in [delimiters]\n * that is equal to a delimiter in this instance at that position.\n */\npublic fun CharSequence.split(vararg delimiters: String, ignoreCase: Boolean = false, limit: Int = 0): List<String> {\n if (delimiters.size == 1) {\n val delimiter = delimiters[0]\n if (!delimiter.isEmpty()) {\n return split(delimiter, ignoreCase, limit)\n }\n }\n\n return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map { substring(it) }\n}\n\n/**\n * Splits this char sequence to a sequence of strings around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more characters to be used as delimiters.\n * @param ignoreCase `true` to ignore character
case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return.\n */\npublic fun CharSequence.splitToSequence(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0): Sequence<String> =\n rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map { substring(it) }\n\n/**\n * Splits this char sequence to a list of strings around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more characters to be used as delimiters.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return.\n */\npublic fun CharSequence.split(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0): List<String> {\n if (delimiters.size == 1) {\n return split(delimiters[0].toString(), ignoreCase, limit)\n }\n\n return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map
{ substring(it) }\n}\n\n/**\n * Splits this char sequence to a list of strings around occurrences of the specified [delimiter].\n * This is specialized version of split which receives single non-empty delimiter and offers better performance\n *\n * @param delimiter String used as delimiter\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return.\n */\nprivate fun CharSequence.split(delimiter: String, ignoreCase: Boolean, limit: Int): List<String> {\n requireNonNegativeLimit(limit)\n\n var currentOffset = 0\n var nextIndex = indexOf(delimiter, currentOffset, ignoreCase)\n if (nextIndex == -1 || limit == 1) {\n return listOf(this.toString())\n }\n\n val isLimited = limit > 0\n val result = ArrayList<String>(if (isLimited) limit.coerceAtMost(10) else 10)\n do {\n result.add(substring(currentOffset, nextIndex))\n currentOffset
= nextIndex + delimiter.length\n // Do not search for next occurrence if we're reaching limit\n if (isLimited && result.size == limit - 1) break\n nextIndex = indexOf(delimiter, currentOffset, ignoreCase)\n } while (nextIndex != -1)\n\n result.add(substring(currentOffset, length))\n return result\n}\n\n/**\n * Splits this char sequence to a list of strings around matches of the given regular expression.\n *\n * @param limit Non-negative value specifying the maximum number of substrings to return.\n * Zero by default means no limit is set.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.split(regex: Regex, limit: Int = 0): List<String> = regex.split(this, limit)\n\n/**\n * Splits this char sequence to a sequence of strings around matches of the given regular expression.\n *\n * @param limit Non-negative value specifying the maximum number of substrings to return.\n * Zero by default means no limit is set.\n * @sample samples.text.Strings.splitToSequence\n

```
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun CharSequence.splitToSequence(regex: Regex, limit: Int = 0): Sequence<String> =
regex.splitToSequence(this, limit)\n\n/**\n * Splits this char sequence to a sequence of lines delimited by any of the
following character sequences: CRLF, LF or CR.\n *\n * The lines returned do not include terminating line
separators.\n */\npublic fun CharSequence.lineSequence(): Sequence<String> = splitToSequence(\"\\r\\n\", \"\\n\",
\"\\r\")\n\n/**\n * Splits this char sequence to a list of lines delimited by any of the following character sequences:
CRLF, LF or CR.\n *\n * The lines returned do not include terminating line separators.\n */\npublic fun
CharSequence.lines(): List<String> = lineSequence().toList()\n\n/**\n * Returns `true` if the contents of this char
sequence are equal to the contents of the specified [other],\n * i.e. both char sequences contain
 the same number of the same characters in the same order.\n *\n * @sample samples.text.Strings.contentEquals\n
*/\n@SinceKotlin(\"1.5\")\npublic expect infix fun CharSequence?.contentEquals(other: CharSequence?):
Boolean\n\n/**\n * Returns `true` if the contents of this char sequence are equal to the contents of the specified
[other], optionally ignoring case difference.\n *\n * @param ignoreCase `true` to ignore character case when
comparing contents.\n *\n * @sample samples.text.Strings.contentEquals\n */\n@SinceKotlin(\"1.5\")\npublic
expect fun CharSequence?.contentEquals(other: CharSequence?, ignoreCase: Boolean): Boolean\n\ninternal fun
CharSequence?.contentEqualsIgnoreCaseImpl(other: CharSequence?): Boolean {\n    if (this is String && other is
String) {\n        return this.equals(other, ignoreCase = true)\n    }\n\n    if (this === other) return true\n    if (this ==
null || other == null || this.length != other.length) return false\n\n    for (i in 0 until length) {\n
  if (!this[i].equals(other[i], ignoreCase = true)) {\n            return false\n        }\n    }\n\n    return true\n}\n\ninternal
fun CharSequence?.contentEqualsImpl(other: CharSequence?): Boolean {\n    if (this is String && other is String)
{\n        return this == other\n    }\n\n    if (this === other) return true\n    if (this == null || other == null || this.length
!= other.length) return false\n\n    for (i in 0 until length) {\n        if (this[i] != other[i]) {\n            return false\n
}\n    }\n\n    return true\n}\n\n/**\n * Returns `true` if the content of this string is equal to the word \"true\", `false`
if it is equal to \"false\",\n * and throws an exception otherwise.\n *\n * There is also a lenient version of the
function available on nullable String, [String?.toBoolean].\n * Note that this function is case-sensitive.\n *\n *
@sample samples.text.Strings.toBooleanStrict\n */\n@SinceKotlin(\"1.5\")\npublic fun String.toBooleanStrict():
Boolean = when (this)
 {\n    \"true\" -> true\n    \"false\" -> false\n    else -> throw IllegalArgumentException(\"The string doesn't represent
a boolean value: $this\")\n}\n\n/**\n * Returns `true` if the content of this string is equal to the word \"true\", `false`
if it is equal to \"false\",\n * and `null` otherwise.\n *\n * There is also a lenient version of the function available on
nullable String, [String?.toBoolean].\n * Note that this function is case-sensitive.\n *\n * @sample
samples.text.Strings.toBooleanStrictOrNull\n */\n@SinceKotlin(\"1.5\")\npublic fun
String.toBooleanStrictOrNull(): Boolean? = when (this) {\n    \"true\" -> true\n    \"false\" -> false\n    else ->
null\n}","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n//
Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport
kotlin.jvm.*\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@JvmInline\npublic
 value class UByteArray\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: ByteArray) :
Collection<UByte> {\n\n    /** Creates a new array of the specified [size], with all elements initialized to zero. */\n
public constructor(size: Int) : this(ByteArray(size))\n\n    /**\n     * Returns the array element at the given [index].
This method can be called using the index operator.\n     *\n     * If the [index] is out of bounds of this array, throws
an [IndexOutOfBoundsException] except in Kotlin/JS\n     * where the behavior is unspecified.\n     */\n    public
operator fun get(index: Int): UByte = storage[index].toUByte()\n\n    /**\n     * Sets the element at the given [index]
to the given [value]. This method can be called using the index operator.\n     *\n     * If the [index] is out of bounds
of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n     * where the behavior is
unspecified.\n
   */\n    public operator fun set(index: Int, value: UByte) {\n        storage[index] = value.toByte()\n    }\n\n    /**
Returns the number of elements in the array. */\n    public override val size: Int get() = storage.size\n\n    /** Creates
```

an iterator over the elements of the array. */\n   public override operator fun iterator(): kotlin.collections.Iterator<UByte> = Iterator(storage)\n\n   @Suppress(\"DEPRECATION_ERROR\")\n   private class Iterator(private val array: ByteArray) : UByteIterator() {\n   private var index = 0\n   override fun hasNext() = index < array.size\n   override fun nextUByte() = if (index < array.size) array[index++].toUByte() else throw NoSuchElementException(index.toString())\n   }\n\n   override fun contains(element: UByte): Boolean {\n   // TODO: Eliminate this check after KT-30016 gets fixed.\n   // Currently JS BE does not generate special bridge method for this method.\n   @Suppress(\"USELESS_CAST\")\n   if ((element as Any?) !is UByte) return false\n\n   return storage.contains(element.toByte())\n   }\n\n   override fun containsAll(elements: Collection<UByte>): Boolean {\n   return (elements as Collection<*>).all { it is UByte && storage.contains(it.toByte()) }\n   }\n\n   override fun isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n * Creates a new array of the specified [size], where each element is calculated by calling the specified\n * [init] function.\n *\n * The function [init] is called for each array element sequentially starting from the first one.\n * It should return the value for an array element given its index.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray(size: Int, init: (Int) -> UByte): UByteArray {\n   return UByteArray(ByteArray(size) { index -> init(index).toByte() })\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ubyteArrayOf(vararg elements: UByte): UByteArray = elements\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.jvm.*\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@JvmInline\npublic value class UIntArray\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: IntArray) : Collection<UInt> {\n\n   /** Creates a new array of the specified [size], with all elements initialized to zero. */\n   public constructor(size: Int) : this(IntArray(size))\n\n   /**\n   * Returns the array element at the given [index]. This method can be called using the index operator.\n   *\n   * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n   * where the behavior is unspecified.\n   */\n   public operator fun get(index: Int): UInt = storage[index].toUInt()\n\n   /**\n   * Sets the element at the given [index] to the given [value]. This method can be called using the index operator.\n   *\n   * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n   * where the behavior is unspecified.\n   */\n   public operator fun set(index: Int, value: UInt) {\n   storage[index] = value.toInt()\n   }\n\n   /** Returns the number of elements in the array. */\n   public override val size: Int get() = storage.size\n\n   /** Creates an iterator over the elements of the array. */\n   public override operator fun iterator(): kotlin.collections.Iterator<UInt> = Iterator(storage)\n\n   @Suppress(\"DEPRECATION_ERROR\")\n   private class Iterator(private val array: IntArray) : UIntIterator() {\n   private var index = 0\n   override fun hasNext() = index < array.size\n   override fun nextUInt() = if (index < array.size) array[index++].toUInt() else throw NoSuchElementException(index.toString())\n   }\n\n   override fun contains(element: UInt): Boolean {\n   // TODO: Eliminate this check after KT-30016 gets fixed.\n   // Currently JS BE does not generate special bridge method for this method.\n   @Suppress(\"USELESS_CAST\")\n   if ((element as Any?) !is UInt) return false\n\n   return storage.contains(element.toInt())\n   }\n\n   override fun containsAll(elements: Collection<UInt>): Boolean {\n   return (elements as Collection<*>).all { it is UInt && storage.contains(it.toInt()) }\n   }\n\n   override fun isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n * Creates a new array of the specified [size], where each element is calculated by calling the specified\n * [init] function.\n *\n * The function [init] is called for each array element sequentially starting from the first one.\n * It should return the value for an array element given its index.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray(size: Int, init: (Int) -> UInt): UIntArray {\n   return UIntArray(IntArray(size) { index -> init(index).toInt()

})\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun uintArrayOf(vararg elements: UInt): UIntArray = elements\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.jvm.*\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@JvmInline\npublic value class ULongArray\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: LongArray) : Collection<ULong> {\n\n /** Creates a new array of the specified [size], with all elements initialized to zero. */\n public constructor(size:
Int) : this(LongArray(size))\n\n /**\n * Returns the array element at the given [index]. This method can be called using the index operator.\n *\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public operator fun get(index: Int): ULong = storage[index].toULong()\n\n /**\n * Sets the element at the given [index] to the given [value]. This method can be called using the index operator.\n *\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public operator fun set(index: Int, value: ULong) {\n storage[index] = value.toLong()\n }\n\n /** Returns the number of elements in the array. */\n public override val size: Int get() = storage.size\n\n /** Creates an iterator over the elements of the array. */\n
public override operator fun iterator(): kotlin.collections.Iterator<ULong> = Iterator(storage)\n\n @Suppress(\"DEPRECATION_ERROR\")\n private class Iterator(private val array: LongArray) : ULongIterator() {\n private var index = 0\n override fun hasNext() = index < array.size\n override fun nextULong() = if (index < array.size) array[index++].toULong() else throw NoSuchElementException(index.toString())\n }\n\n override fun contains(element: ULong): Boolean {\n // TODO: Eliminate this check after KT-30016 gets fixed.\n // Currently JS BE does not generate special bridge method for this method.\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is ULong) return false\n\n return storage.contains(element.toLong())\n }\n\n override fun containsAll(elements: Collection<ULong>): Boolean {\n return (elements as Collection<*>).all { it is ULong && storage.contains(it.toLong()) }\n }\n\n override fun
isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n * Creates a new array of the specified [size], where each element is calculated by calling the specified\n * [init] function.\n *\n * The function [init] is called for each array element sequentially starting from the first one.\n * It should return the value for an array element given its index.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray(size: Int, init: (Int) -> ULong): ULongArray {\n return ULongArray(LongArray(size) { index -> init(index).toLong()
})\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ulongArrayOf(vararg elements: ULong): ULongArray = elements\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file.
DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.jvm.*\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@JvmInline\npublic value class UShortArray\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: ShortArray) : Collection<UShort> {\n\n /** Creates a new array of the specified [size], with all elements initialized to zero. */\n public constructor(size: Int) : this(ShortArray(size))\n\n /**\n * Returns the array element at the given [index]. This method can be called using the index operator.\n *\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public operator fun get(index: Int): UShort = storage[index].toUShort()\n\n /**\n * Sets the element at the given [index] to the given [value]. This method can be called using the index operator.\n *\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException]

except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public operator fun set(index: Int, value: UShort) {\n storage[index] = value.toShort()\n }\n\n /** Returns the number of elements in the array. */\n public override val size: Int get() = storage.size\n\n /** Creates an iterator over the elements of the array. */\n public override operator fun iterator(): kotlin.collections.Iterator<UShort> = Iterator(storage)\n\n @Suppress(\"DEPRECATION_ERROR\")\n private class Iterator(private val array: ShortArray) : UShortIterator() {\n private var index = 0\n override fun hasNext() = index < array.size\n override fun nextUShort() = if (index < array.size) array[index++].toUShort() else throw NoSuchElementException(index.toString())\n }\n\n override fun contains(element: UShort): Boolean {\n // TODO: Eliminate this check after KT-30016 gets fixed.\n // Currently JS BE does not generate special bridge method for this method.\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is UShort) return false\n\n return storage.contains(element.toShort())\n }\n\n override fun containsAll(elements: Collection<UShort>): Boolean {\n return (elements as Collection<*>).all { it is UShort && storage.contains(it.toShort()) }\n }\n\n override fun isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n * Creates a new array of the specified [size], where each element is calculated by calling the specified\n * [init] function.\n *\n * The function [init] is called for each array element sequentially starting from the first one.\n * It should return the value for an array element given its index.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray(size: Int, init: (Int) -> UShort): UShortArray {\n return UShortArray(ShortArray(size) { index -> init(index).toShort() })\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ushortArrayOf(vararg elements: UShort): UShortArray = elements\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"UArraysKt\")\n@file:kotlin.jvm.JvmPackageName(\"kotlin.collections.unsigned\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component1(): UInt {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component1(): ULong {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component1(): UByte {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component1(): UShort {\n return get(0)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component2(): UInt {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the

behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component2(): ULong {\n   return get(1)\n}\n\n/**\n * Returns 2nd *element*
 from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component2(): UByte {\n   return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component2(): UShort {\n   return get(1)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
 operator fun UIntArray.component3(): UInt {\n   return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component3(): ULong {\n   return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component3(): UByte {\n   return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
 inline operator fun UShortArray.component3(): UShort {\n   return get(2)\n}\n\n/**\n * Returns 4th *element*
 from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component4(): UInt {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component4(): ULong {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws
 an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component4(): UByte {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component4(): UShort {\n   return get(3)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component5(): UInt {\n   return get(4)\n}\n\n/**\n * Returns
 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component5(): ULong {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component5(): UByte {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
 inline operator fun UShortArray.component5(): UShort {\n   return get(4)\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.elementAt(index: Int): UInt\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.elementAt(index: Int): ULong\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect
 fun UByteArray.elementAt(index: Int): UByte\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UShortArray.elementAt(index: Int): UShort\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds
 of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this
 array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.elementAtOrNull(index: Int): UInt? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns an element

at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.elementAtOrNull(index: Int): ULong? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.elementAtOrNull(index: Int): UByte? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.elementAtOrNull(index: Int): UShort? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.find(predicate: (UInt) -> Boolean): UInt? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.find(predicate: (ULong) -> Boolean): ULong? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.find(predicate: (UByte) -> Boolean): UByte? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching
the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.find(predicate: (UShort) -> Boolean): UShort? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.findLast(predicate: (UInt) -> Boolean): UInt? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.findLast(predicate:
(ULong) -> Boolean): ULong? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.findLast(predicate: (UByte) -> Boolean): UByte? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.findLast(predicate: (UShort) -> Boolean): UShort? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic

inline fun UIntArray.first(): UInt {\n   return storage.first().toUInt()\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.first(): ULong {\n   return storage.first().toULong()\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.first(): UByte {\n   return storage.first().toUByte()\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.first(): UShort {\n   return storage.first().toUShort()\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no
such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.first(predicate: (UInt) -> Boolean): UInt {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.first(predicate: (ULong) -> Boolean): ULong {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.first(predicate: (UByte) -> Boolean): UByte {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.first(predicate: (UShort) -> Boolean): UShort {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.firstOrNull(): UInt? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
fun ULongArray.firstOrNull(): ULong? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.firstOrNull(): UByte? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.firstOrNull(): UShort? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.firstOrNull(predicate: (UInt) -> Boolean): UInt? {\n   for (element in this) if (predicate(element)) return element\n   return null\n}\n\n/**\n * Returns the first element matching the given
[predicate], or `null` if element was not found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.firstOrNull(predicate: (ULong) -> Boolean): ULong? {\n   for (element in this) if (predicate(element)) return element\n   return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.firstOrNull(predicate: (UByte) -> Boolean): UByte? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.firstOrNull(predicate: (UShort) -> Boolean): UShort? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.getOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.getOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.getOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.getOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.getOrNull(index: Int): UInt? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.getOrNull(index: Int): ULong? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.getOrNull(index: Int): UByte? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.getOrNull(index: Int): UShort? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.indexOf(element: UInt): Int {\n return storage.indexOf(element.toInt())\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.indexOf(element: ULong): Int {\n return storage.indexOf(element.toLong())\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.indexOf(element: UByte): Int {\n return storage.indexOf(element.toByte())\n}\n\n/**\n *

Returns first index of [element], or -1 if the array does not contain element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.indexOf(element: UShort): Int {\n   return storage.indexOf(element.toShort())\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.indexOfFirst(predicate: (UInt) -> Boolean): Int {\n   return storage.indexOfFirst { predicate(it.toUInt()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.indexOfFirst(predicate: (ULong) -> Boolean): Int {\n   return storage.indexOfFirst { predicate(it.toULong()) }\n}\n\n/**\n *
Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.indexOfFirst(predicate: (UByte) -> Boolean): Int {\n   return storage.indexOfFirst { predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.indexOfFirst(predicate: (UShort) -> Boolean): Int {\n   return storage.indexOfFirst { predicate(it.toUShort()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.indexOfLast(predicate: (UInt) -> Boolean): Int {\n
    return storage.indexOfLast { predicate(it.toUInt()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.indexOfLast(predicate: (ULong) -> Boolean): Int {\n   return storage.indexOfLast { predicate(it.toULong()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.indexOfLast(predicate: (UByte) -> Boolean): Int {\n   return storage.indexOfLast { predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOfLast(predicate: (UShort) -> Boolean): Int {\n   return storage.indexOfLast { predicate(it.toUShort()) }\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.last(): UInt {\n   return storage.last().toUInt()\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.last(): ULong {\n   return storage.last().toULong()\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.last(): UByte {\n   return storage.last().toUByte()\n}\n\n/**\n * Returns the last element.\n *
\n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.last(): UShort {\n   return storage.last().toUShort()\n}\n\n/**\n * Returns the last element matching

the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.last(predicate: (UInt) -> Boolean): UInt {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.last(predicate: (ULong) -> Boolean): ULong {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.last(predicate: (UByte) -> Boolean): UByte {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.last(predicate: (UShort) -> Boolean): UShort {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.lastIndexOf(element: UInt): Int {\n return storage.lastIndexOf(element.toInt())\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.lastIndexOf(element: ULong): Int {\n return storage.lastIndexOf(element.toLong())\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.lastIndexOf(element: UByte): Int {\n return storage.lastIndexOf(element.toByte())\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.lastIndexOf(element: UShort): Int {\n return storage.lastIndexOf(element.toShort())\n}\n\n/**\n * Returns
the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.lastOrNull(): UInt? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.lastOrNull(): ULong? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.lastOrNull(): UByte? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
fun UShortArray.lastOrNull(): UShort? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.lastOrNull(predicate: (UInt) -> Boolean): UInt? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.lastOrNull(predicate: (ULong) -> Boolean): ULong? {\n for (index in this.indices.reversed())
{\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.lastOrNull(predicate: (UByte) -> Boolean): UByte? {\n for (index in this.indices.reversed()) {\n
val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.lastOrNull(predicate: (UShort) -> Boolean): UShort? {\n for (index in this.indices.reversed())
{\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.random(): UInt {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n
* \n * @throws NoSuchElementException if this array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.random(): ULong {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.random(): UByte {\n return random(Random)\n}\n\n/**\n * Returns a random element from
this array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.random(): UShort {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.random(random: Random): UInt {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.random(random: Random): ULong {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n
* Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.random(random: Random): UByte {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.random(random: Random): UShort {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.randomOrNull(): UInt? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.randomOrNull(): ULong? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.randomOrNull(): UByte? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.randomOrNull(): UShort?
{\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun UIntArray.randomOrNull(random: Random): UInt? {\n if (isEmpty())\n return null\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun ULongArray.randomOrNull(random: Random): ULong? {\n if (isEmpty())\n return null\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
fun UByteArray.randomOrNull(random: Random): UByte? {\n if (isEmpty())\n return null\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun UShortArray.randomOrNull(random: Random): UShort? {\n if (isEmpty())\n return null\n return get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.single(): UInt {\n return storage.single().toUInt()\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.single(): ULong {\n return storage.single().toULong()\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.single(): UByte {\n return storage.single().toUByte()\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.single(): UShort {\n return storage.single().toUShort()\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.single(predicate: (UInt) -> Boolean): UInt {\n

```
    var single: UInt? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n    @Suppress(\"UNCHECKED_CAST\")\n    return single as UInt\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.single(predicate: (ULong) -> Boolean): ULong {\n    var single: ULong? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n    @Suppress(\"UNCHECKED_CAST\")\n    return single as ULong\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.single(predicate: (UByte) -> Boolean): UByte {\n    var single: UByte? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n    @Suppress(\"UNCHECKED_CAST\")\n    return single as UByte\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.single(predicate: (UShort) -> Boolean): UShort {\n    var single: UShort? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n    @Suppress(\"UNCHECKED_CAST\")\n    return single as UShort\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.singleOrNull(): UInt? {\n    return if (size == 1) this[0]\n    else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.singleOrNull(): ULong? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.singleOrNull(): UByte? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.singleOrNull(): UShort? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.singleOrNull(predicate: (UInt) -> Boolean): UInt? {\n    var single: UInt? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.singleOrNull(predicate: (ULong) -> Boolean): ULong? {\n    var single: ULong? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single
```

= element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given
[predicate], or `null` if element was not found or more than one element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.singleOrNull(predicate: (UByte) -> Boolean): UByte? {\n var single: UByte? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.singleOrNull(predicate: (UShort) -> Boolean): UShort? {\n var single: UShort? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.drop(n: Int): List<UInt> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.drop(n: Int): List<ULong> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.drop(n: Int): List<UByte> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.drop(n: Int): List<UShort> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException
if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.dropLast(n: Int): List<UInt> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.dropLast(n: Int): List<ULong> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
fun UByteArray.dropLast(n: Int): List<UByte> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample

samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.dropLast(n: Int):
List<UShort> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.dropLastWhile(predicate: (UInt) -> Boolean):
List<UInt> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index
+ 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements
that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.dropLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n for (index in lastIndex downTo 0)
{\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n
* Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.dropLastWhile(predicate:
(UByte) -> Boolean): List<UByte> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n
return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.dropLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n for (index in lastIndex downTo
0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return
emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.dropWhile(predicate: (UInt) -> Boolean): List<UInt> {\n var yielding = false\n val list =
ArrayList<UInt>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n
list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.dropWhile(predicate: (ULong) -> Boolean): List<ULong> {\n var yielding = false\n val list =
ArrayList<ULong>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item))
{\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all
elements except
first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.dropWhile(predicate: (UByte) -> Boolean): List<UByte> {\n var yielding = false\n val list =
ArrayList<UByte>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item))
{\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.dropWhile(predicate: (UShort) -> Boolean): List<UShort> {\n var yielding = false\n val list =
ArrayList<UShort>()\n for (item in this)\n

if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.filter(predicate: (UInt) -> Boolean): List<UInt> {\n return filterTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.filter(predicate: (ULong) -> Boolean): List<ULong> {\n return filterTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.filter(predicate: (UByte) -> Boolean): List<UByte> {\n return filterTo(ArrayList<UByte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.filter(predicate: (UShort) -> Boolean): List<UShort> {\n return filterTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.filterIndexed(predicate: (index: Int, UInt) -> Boolean): List<UInt> {\n return filterIndexedTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.filterIndexed(predicate: (index: Int, ULong) -> Boolean): List<ULong> {\n return filterIndexedTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation\n on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.filterIndexed(predicate: (index: Int, UByte) -> Boolean): List<UByte> {\n return filterIndexedTo(ArrayList<UByte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.filterIndexed(predicate: (index: Int, UShort) -> Boolean): List<UShort> {\n return filterIndexedTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UInt>> UIntArray.filterIndexedTo(destination: C, predicate: (index: Int, UInt) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *

@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in ULong>> ULongArray.filterIndexedTo(destination: C, predicate: (index: Int, ULong) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UByte>> UByteArray.filterIndexedTo(destination: C, predicate: (index: Int, UByte) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UShort>> UShortArray.filterIndexedTo(destination: C, predicate: (index: Int, UShort) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.filterNot(predicate: (UInt) -> Boolean): List<UInt> {\n   return filterNotTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.filterNot(predicate: (ULong) -> Boolean): List<ULong> {\n   return filterNotTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.filterNot(predicate: (UByte) -> Boolean): List<UByte> {\n   return filterNotTo(ArrayList<UByte>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.filterNot(predicate: (UShort) -> Boolean): List<UShort> {\n   return filterNotTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UInt>> UIntArray.filterNotTo(destination: C, predicate: (UInt) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in ULong>> ULongArray.filterNotTo(destination: C, predicate: (ULong) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :

MutableCollection<in UByte>> UByteArray.filterNotTo(destination: C, predicate: (UByte) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UShort>> UShortArray.filterNotTo(destination: C, predicate: (UShort) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UInt>> UIntArray.filterTo(destination: C, predicate: (UInt) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in ULong>> ULongArray.filterTo(destination: C, predicate: (ULong) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UByte>> UByteArray.filterTo(destination: C, predicate: (UByte) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UShort>> UShortArray.filterTo(destination: C, predicate: (UShort) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: IntRange): List<UInt> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: IntRange): List<ULong> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: IntRange): List<UByte> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: IntRange): List<UShort> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: Iterable<Int>): List<UInt> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<UInt>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: Iterable<Int>): List<ULong> {\n val size = indices.collectionSizeOrDefault(10)\n if (size ==

0) return emptyList()\n   val list = ArrayList<ULong>(size)\n   for (index in indices) {\n   list.add(get(index))\n   }\n   return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: Iterable<Int>): List<UByte> {\n   val size = indices.collectionSizeOrDefault(10)\n   if (size == 0) return emptyList()\n   val list = ArrayList<UByte>(size)\n   for (index in indices) {\n   list.add(get(index))\n   }\n   return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: Iterable<Int>): List<UShort> {\n   val size = indices.collectionSizeOrDefault(10)\n   if (size == 0) return emptyList()\n   val list = ArrayList<UShort>(size)\n   for (index in indices) {\n   list.add(get(index))\n   }\n   return list\n}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sliceArray(indices: Collection<Int>): UIntArray {\n   return UIntArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sliceArray(indices: Collection<Int>): ULongArray {\n   return ULongArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sliceArray(indices: Collection<Int>): UByteArray {\n   return UByteArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sliceArray(indices: Collection<Int>): UShortArray {\n
    return UShortArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sliceArray(indices: IntRange): UIntArray {\n   return UIntArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sliceArray(indices: IntRange): ULongArray {\n   return ULongArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sliceArray(indices: IntRange): UByteArray {\n   return UByteArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
 fun UShortArray.sliceArray(indices: IntRange): UShortArray {\n   return UShortArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.take(n: Int): List<UInt> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<UInt>(n)\n   for (item in this) {\n   list.add(item)\n   if (++count == n)\n   break\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
 fun ULongArray.take(n: Int): List<ULong> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<ULong>(n)\n   for (item in this) {\n   list.add(item)\n   if (++count == n)\n   break\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws

```
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.take(n: Int): List<UByte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UByte>(n)\n
    for (item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n *
Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.take(n: Int): List<UShort> {\n
  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UShort>(n)\n    for
(item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns
a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
 fun UIntArray.takeLast(n: Int): List<UInt> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\"
}\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return
listOf(this[size - 1])\n    val list = ArrayList<UInt>(n)\n    for (index in size - n until size)\n
list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.takeLast(n: Int): List<ULong>
{\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val
size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list =
ArrayList<ULong>(n)\n    for (index in size - n
 until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n *
@throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.takeLast(n: Int): List<UByte>
{\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val
size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list =
ArrayList<UByte>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n *
Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.takeLast(n: Int): List<UShort>
 {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val
size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list =
ArrayList<UShort>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n *
Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.takeLastWhile(predicate: (UInt) -> Boolean): List<UInt> {\n    for (index in lastIndex downTo 0) {\n
if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a
list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
 inline fun ULongArray.takeLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n    for (index in lastIndex
downTo 0) {\n        if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return
```

toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.takeLastWhile(predicate: (UByte) -> Boolean): List<UByte> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.takeLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.takeWhile(predicate: (UInt) -> Boolean): List<UInt> {\n val list = ArrayList<UInt>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.takeWhile(predicate: (ULong) -> Boolean): List<ULong> {\n val list = ArrayList<ULong>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.takeWhile(predicate: (UByte) -> Boolean): List<UByte> {\n val list = ArrayList<UByte>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.takeWhile(predicate: (UShort) -> Boolean): List<UShort> {\n val list = ArrayList<UShort>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Reverses elements in the array in-place.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reverse(): Unit {\n storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reverse(): Unit {\n storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reverse(): Unit {\n storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reverse(): Unit {\n storage.reverse()\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n storage.reverse(fromIndex, toIndex)\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is

less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n storage.reverse(fromIndex, toIndex)\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n storage.reverse(fromIndex, toIndex)\n}\n\n/**\n * Reverses elements
of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n storage.reverse(fromIndex, toIndex)\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.reversed(): List<UInt> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
fun ULongArray.reversed(): List<ULong> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.reversed(): List<UByte> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.reversed(): List<UShort> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reversedArray(): UIntArray {\n return UIntArray(storage.reversedArray())\n}\n\n/**\n * Returns an array
with elements of this array in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reversedArray(): ULongArray {\n return ULongArray(storage.reversedArray())\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reversedArray(): UByteArray {\n return UByteArray(storage.reversedArray())\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reversedArray(): UShortArray {\n return UShortArray(storage.reversedArray())\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.shuffle(): Unit {\n shuffle(Random)\n}\n\n/**\n * Randomly shuffles
elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.shuffle(): Unit {\n shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.shuffle(): Unit {\n shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.shuffle(): Unit {\n

shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sorted(): List<UInt> {\n return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sorted(): List<ULong> {\n return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sorted(): List<UByte> {\n return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sorted(): List<UShort> {\n return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedArray(): UIntArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic

fun ULongArray.sortedArray(): ULongArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedArray(): UByteArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedArray(): UShortArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedArrayDescending(): UIntArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedArrayDescending(): ULongArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedArrayDescending(): UByteArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedArrayDescending(): UShortArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedDescending(): List<UInt> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedDescending(): List<ULong> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedDescending(): List<UByte> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedDescending(): List<UShort> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns an array of type [ByteArray], which is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.asByteArray(): ByteArray {\n   return storage\n}\n\n/**\n * Returns an array of type [IntArray], which is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.asIntArray(): IntArray {\n   return storage\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.asList(): List<UInt>\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.asList(): List<ULong>\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UByteArray.asList(): List<UByte>\n\n/**\n * Returns a [List] that wraps the original array.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UShortArray.asList(): List<UShort>\n\n/**\n * Returns an array of type [LongArray], which is a view of this array where each element is a signed reinterpretation\n
* of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.asLongArray(): LongArray {\n   return storage\n}\n\n/**\n * Returns an array of type [ShortArray], which is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.asShortArray(): ShortArray {\n   return storage\n}\n\n/**\n * Returns an array of type [UByteArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.asUByteArray(): UByteArray {\n   return UByteArray(this)\n}\n\n/**\n * Returns an array of type [UIntArray], which is a view of this array where
each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.asUIntArray(): UIntArray {\n   return UIntArray(this)\n}\n\n/**\n * Returns an array of type [ULongArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.asULongArray(): ULongArray {\n   return ULongArray(this)\n}\n\n/**\n * Returns an array of type [UShortArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.asUShortArray(): UShortArray {\n   return UShortArray(this)\n}\n\n/**\n * Returns `true`
if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n@ExperimentalUnsignedTypes\npublic infix fun UIntArray.contentEquals(other: UIntArray): Boolean {\n
return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray.contentEquals(other: ULongArray): Boolean {\n   return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain
the same number of the same elements in the same order.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray.contentEquals(other: UByteArray): Boolean {\n   return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray.contentEquals(other: UShortArray): Boolean {\n   return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic
infix fun UIntArray?.contentEquals(other: UIntArray?): Boolean {\n   return this?.storage.contentEquals(other?.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally*

equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray?.contentEquals(other: ULongArray?): Boolean {\n   return this?.storage.contentEquals(other?.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray?.contentEquals(other: UByteArray?): Boolean {\n   return this?.storage.contentEquals(other?.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray?.contentEquals(other: UShortArray?): Boolean {\n   return this?.storage.contentEquals(other?.storage)\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentHashCode(): Int {\n   return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.contentHashCode(): Int {\n   return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.contentHashCode(): Int {\n   return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentHashCode(): Int {\n   return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray?.contentHashCode(): Int {\n return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray?.contentHashCode(): Int {\n   return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray?.contentHashCode(): Int {\n return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray?.contentHashCode(): Int {\n   return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentToString(): String {\n   return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.contentToString(): String {\n   return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation

warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince =
\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.contentToString(): String {\n   return
this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as
 if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince =
\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentToString(): String {\n   return
this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray?.contentToString(): String {\n
return this?.joinToString(\", \", \"[\", \"]\") ?: \"null\"\n}\n\n/**\n * Returns a string representation of the contents of
the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray?.contentToString(): String
 {\n   return this?.joinToString(\", \", \"[\", \"]\") ?: \"null\"\n}\n\n/**\n * Returns a string representation of the
contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray?.contentToString(): String {\n
 return this?.joinToString(\", \", \"[\", \"]\") ?: \"null\"\n}\n\n/**\n * Returns a string representation of the contents of
the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray?.contentToString(): String {\n
  return this?.joinToString(\", \", \"[\", \"]\") ?: \"null\"\n}\n\n/**\n * Copies this array or its subrange into the
[destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even
specify the subrange so that it overlaps with
 the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position
in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to
copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n
* \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out
of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is
out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.copyInto(destination: UIntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int =
 size): UIntArray {\n   storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n   return
destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n *
It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the
destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n *
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified
 [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the
[destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyInto(destination: ULongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):
ULongArray {\n   storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n   return

destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the
subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.copyInto(destination: UByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): UByteArray {\n storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even
specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.copyInto(destination: UShortArray, destinationOffset:
Int = 0, startIndex: Int = 0, endIndex: Int = size): UShortArray {\n storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.copyOf(): UIntArray {\n return UIntArray(storage.copyOf())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.copyOf(): ULongArray {\n return ULongArray(storage.copyOf())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.copyOf(): UByteArray {\n return UByteArray(storage.copyOf())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.copyOf(): UShortArray {\n return UShortArray(storage.copyOf())\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.copyOf(newSize:
Int): UIntArray {\n return UIntArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero

values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.copyOf(newSize: Int): ULongArray {\n   return ULongArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated
 to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.copyOf(newSize: Int): UByteArray {\n   return UByteArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.copyOf(newSize: Int): UShortArray {\n   return UShortArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.copyOfRange(fromIndex: Int, toIndex: Int): UIntArray {\n   return UIntArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this
 array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.copyOfRange(fromIndex: Int, toIndex: Int): ULongArray {\n   return ULongArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.copyOfRange(fromIndex: Int, toIndex: Int): UByteArray {\n   return UByteArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n
 * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.copyOfRange(fromIndex: Int, toIndex: Int): UShortArray {\n   return UShortArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws

IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.fill(element: UInt, fromIndex: Int = 0, toIndex: Int = size): Unit {\n storage.fill(element.toInt(), fromIndex, toIndex)\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.fill(element: ULong, fromIndex: Int = 0, toIndex: Int = size): Unit {\n storage.fill(element.toLong(), fromIndex, toIndex)\n}\n\n/**\n
* Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.fill(element: UByte, fromIndex: Int = 0, toIndex: Int = size): Unit {\n storage.fill(element.toByte(), fromIndex, toIndex)\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less
than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.fill(element: UShort, fromIndex: Int = 0, toIndex: Int = size): Unit {\n storage.fill(element.toShort(), fromIndex, toIndex)\n}\n\n/**\n * Returns the range of valid indices for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.indices: IntRange\n get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.indices: IntRange\n get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.indices: IntRange\n get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UShortArray.indices: IntRange\n get() = storage.indices\n\n/**\n * Returns the last valid index for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.lastIndex: Int\n get() = storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.lastIndex: Int\n get() = storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.lastIndex: Int\n get() = storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UShortArray.lastIndex: Int\n get() = storage.lastIndex\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline operator fun UIntArray.plus(element: UInt): UIntArray {\n return UIntArray(storage + element.toInt())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.plus(element: ULong): ULongArray {\n return ULongArray(storage + element.toLong())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.plus(element: UByte): UByteArray {\n return UByteArray(storage +

element.toByte())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.plus(element: UShort): UShortArray {\n return UShortArray(storage + element.toShort())\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun UIntArray.plus(elements: Collection<UInt>): UIntArray {\n var index = size\n val result = storage.copyOf(size + elements.size)\n for (element in elements) result[index++] = element.toInt()\n return UIntArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun ULongArray.plus(elements: Collection<ULong>): ULongArray {\n var index = size\n val result = storage.copyOf(size + elements.size)\n for (element in elements) result[index++] = element.toLong()\n return ULongArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun UByteArray.plus(elements: Collection<UByte>): UByteArray {\n var index = size\n val result = storage.copyOf(size + elements.size)\n for (element in elements) result[index++] = element.toByte()\n return UByteArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun UShortArray.plus(elements: Collection<UShort>): UShortArray {\n var index = size\n val result = storage.copyOf(size + elements.size)\n for (element in elements) result[index++] = element.toShort()\n return UShortArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array
and then all elements of the given [elements] array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.plus(elements: UIntArray): UIntArray {\n return UIntArray(storage + elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.plus(elements: ULongArray): ULongArray {\n return ULongArray(storage + elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.plus(elements: UByteArray): UByteArray {\n return UByteArray(storage + elements.storage)\n}\n\n/**\n * Returns an array containing
all elements of the original array and then all elements of the given [elements] array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.plus(elements: UShortArray): UShortArray {\n return UShortArray(storage + elements.storage)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sort(): Unit {\n if (size > 1) sortArray(this, 0, size)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sort(): Unit {\n if (size > 1) sortArray(this, 0, size)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sort(): Unit {\n if (size >
1) sortArray(this, 0, size)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sort(): Unit {\n if (size > 1) sortArray(this, 0, size)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if

[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n sortArray(this, fromIndex, toIndex)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n sortArray(this, fromIndex, toIndex)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n sortArray(this, fromIndex, toIndex)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n sortArray(this, fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n sort(fromIndex, toIndex)\n reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n sort(fromIndex, toIndex)\n reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n sort(fromIndex, toIndex)\n reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements

of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n   sort(fromIndex, toIndex)\n   reverse(fromIndex, toIndex)\n}\n\n/**\n * Returns an array of type [ByteArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.toByteArray(): ByteArray {\n   return storage.copyOf()\n}\n\n/**\n * Returns an array of type [IntArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.toIntArray(): IntArray {\n   return storage.copyOf()\n}\n\n/**\n * Returns an array of type [LongArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.toLongArray(): LongArray {\n   return storage.copyOf()\n}\n\n/**\n * Returns an array of type [ShortArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.toShortArray(): ShortArray {\n   return storage.copyOf()\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.toTypedArray(): Array<UInt> {\n   return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.toTypedArray(): Array<ULong> {\n   return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.toTypedArray(): Array<UByte> {\n   return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.toTypedArray(): Array<UShort> {\n   return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of UByte containing all of the elements of this generic array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out UByte>.toUByteArray(): UByteArray {\n   return UByteArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UByteArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.toUByteArray(): UByteArray {\n   return UByteArray(this.copyOf())\n}\n\n/**\n * Returns an array of UInt containing all of the elements of this generic array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out UInt>.toUIntArray(): UIntArray {\n   return UIntArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UIntArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.toUIntArray(): UIntArray {\n   return UIntArray(this.copyOf())\n}\n\n/**\n * Returns an array of ULong containing all of the elements of this generic array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out ULong>.toULongArray(): ULongArray {\n   return ULongArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type

[ULongArray], which is a copy of this array where
each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.toULongArray(): ULongArray {\n return ULongArray(this.copyOf())\n}\n\n/**\n * Returns an array of UShort containing all of the elements of this generic array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out UShort>.toUShortArray(): UShortArray {\n return UShortArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UShortArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.toUShortArray(): UShortArray {\n return UShortArray(this.copyOf())\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values
are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UIntArray.associateWith(valueSelector: (UInt) -> V): Map<UInt, V> {\n val result = LinkedHashMap<UInt, V>(mapCapacity(size).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> ULongArray.associateWith(valueSelector: (ULong) -> V): Map<ULong, V> {\n val result = LinkedHashMap<ULong, V>(mapCapacity(size).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UByteArray.associateWith(valueSelector: (UByte) -> V): Map<UByte, V> {\n val result = LinkedHashMap<UByte, V>(mapCapacity(size).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UShortArray.associateWith(valueSelector: (UShort) -> V): Map<UShort, V> {\n val result = LinkedHashMap<UShort, V>(mapCapacity(size).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any
two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in UInt, in V>> UIntArray.associateWithTo(destination: M, valueSelector: (UInt) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n *

where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in ULong, in V>> ULongArray.associateWithTo(destination: M, valueSelector: (ULong) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in UByte, in V>> UByteArray.associateWithTo(destination: M, valueSelector: (UByte) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in UShort, in V>> UShortArray.associateWithTo(destination: M, valueSelector: (UShort) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.flatMap(transform: (UInt) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.flatMap(transform: (ULong) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.flatMap(transform: (UByte) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.flatMap(transform: (UShort) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.flatMapIndexed(transform: (index: Int, UInt)

-> Iterable<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.flatMapIndexed(transform: (index: Int, ULong) -> Iterable<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.flatMapIndexed(transform: (index: Int, UByte) -> Iterable<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.flatMapIndexed(transform: (index: Int, UShort) -> Iterable<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UIntArray.flatMapIndexedTo(destination: C, transform: (index: Int, UInt) -> Iterable<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(index++, element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ULongArray.flatMapIndexedTo(destination: C, transform: (index: Int, ULong) -> Iterable<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(index++, element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UByteArray.flatMapIndexedTo(destination: C, transform: (index: Int, UByte) -> Iterable<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(index++, element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UShortArray.flatMapIndexedTo(destination: C, transform: (index: Int, UShort) -> Iterable<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(index++, element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UIntArray.flatMapTo(destination: C, transform: (UInt) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ULongArray.flatMapTo(destination: C, transform: (ULong) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UByteArray.flatMapTo(destination: C, transform: (UByte) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UShortArray.flatMapTo(destination: C, transform: (UShort) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K> UIntArray.groupBy(keySelector: (UInt) -> K): Map<K, List<UInt>> {\n return groupByTo(LinkedHashMap<K, MutableList<UInt>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K> ULongArray.groupBy(keySelector: (ULong) -> K): Map<K, List<ULong>> {\n return groupByTo(LinkedHashMap<K, MutableList<ULong>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K> UByteArray.groupBy(keySelector: (UByte) -> K): Map<K, List<UByte>> {\n return groupByTo(LinkedHashMap<K, MutableList<UByte>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K> UShortArray.groupBy(keySelector: (UShort) -> K): Map<K, List<UShort>> {\n return groupByTo(LinkedHashMap<K, MutableList<UShort>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the

original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> UIntArray.groupBy(keySelector: (UInt) -> K, valueTransform: (UInt) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> ULongArray.groupBy(keySelector: (ULong) -> K, valueTransform: (ULong) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> UByteArray.groupBy(keySelector: (UByte) -> K, valueTransform: (UByte) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> UShortArray.groupBy(keySelector: (UShort) -> K, valueTransform: (UShort) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M : MutableMap<in K, MutableList<UInt>>> UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<UInt>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M : MutableMap<in K, MutableList<ULong>>> ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<ULong>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M : MutableMap<in K, MutableList<UByte>>> UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K):

M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<UByte>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M : MutableMap<in K, MutableList<UShort>>> UShortArray.groupByTo(destination: M, keySelector: (UShort) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<UShort>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K, valueTransform: (UInt) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K, valueTransform: (ULong) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K, valueTransform: (UByte) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> UShortArray.groupByTo(destination: M, keySelector: (UShort) -> K, valueTransform: (UShort) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>

UIntArray.map(transform: (UInt) -> R): List<R> {\n   return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.map(transform: (ULong) -> R): List<R> {\n   return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.map(transform: (UByte) -> R): List<R> {\n   return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.map(transform: (UShort) -> R): List<R> {\n   return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.mapIndexed(transform: (index: Int, UInt) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.mapIndexed(transform: (index: Int, ULong) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.mapIndexed(transform: (index: Int, UByte) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.mapIndexed(transform: (index: Int, UShort) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and\n the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UIntArray.mapIndexedTo(destination: C, transform: (index: Int, UInt) -> R): C {\n   var index = 0\n   for (item in this)\n   destination.add(transform(index++, item))\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ULongArray.mapIndexedTo(destination: C, transform: (index: Int, ULong) -> R): C {\n   var index = 0\n   for (item in this)\n   destination.add(transform(index++, item))\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n *

@param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UByteArray.mapIndexedTo(destination: C, transform: (index: Int, UByte) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns
the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UShortArray.mapIndexedTo(destination: C, transform: (index: Int, UShort) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UIntArray.mapTo(destination: C, transform: (UInt) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R, C : MutableCollection<in R>> ULongArray.mapTo(destination: C, transform: (ULong) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UByteArray.mapTo(destination: C, transform: (UByte) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UShortArray.mapTo(destination:
C, transform: (UShort) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.withIndex(): Iterable<IndexedValue<UInt>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.withIndex(): Iterable<IndexedValue<ULong>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.withIndex(): Iterable<IndexedValue<UByte>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.withIndex(): Iterable<IndexedValue<UShort>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.all(predicate: (UInt) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n

```
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.all(predicate: (ULong) -> Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.all(predicate: (UByte) -> Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.all(predicate: (UShort) -> Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.any(): Boolean {\n    return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.any(): Boolean {\n    return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.any(): Boolean {\n    return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.any(): Boolean {\n    return storage.any()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.any(predicate: (UInt) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.any(predicate: (ULong) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return false\n}\n\n/**\n * Returns
 `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.any(predicate: (UByte) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.any(predicate: (UShort) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return false\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.count(predicate: (UInt)
 -> Boolean): Int {\n    var count = 0\n    for (element in this) if (predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.count(predicate: (ULong) -> Boolean): Int {\n    var count = 0\n    for (element in this) if (predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
```

```
inline fun UByteArray.count(predicate: (UByte) -> Boolean): Int {\n    var count = 0\n    for (element in this) if (predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.count(predicate: (UShort)
 -> Boolean): Int {\n    var count = 0\n    for (element in this) if (predicate(element)) ++count\n    return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.fold(initial: R, operation: (acc: R, UInt) -> R): R {\n    var accumulator = initial\n    for (element in this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n
 * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.fold(initial: R, operation: (acc: R, ULong) -> R): R {\n    var accumulator = initial\n    for (element in this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.fold(initial: R, operation: (acc: R, UByte) -> R): R {\n    var accumulator = initial\n
    for (element in this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.fold(initial: R, operation: (acc: R, UShort) -> R): R {\n    var accumulator = initial\n    for (element in this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial]
 value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): R {\n    var index = 0\n    var accumulator = initial\n    for (element in this) accumulator = operation(index++, accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
 inline fun <R> ULongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): R {\n    var index = 0\n    var accumulator = initial\n    for (element in this) accumulator = operation(index++, accumulator, element)\n
  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
```

element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UByte) -> R): R {\n var index = 0\n var accumulator = initial\n

for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n

* to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.foldRight(initial: R, operation: (UInt, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic

inline fun <R> ULongArray.foldRight(initial: R, operation: (ULong, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.foldRight(initial: R, operation: (UByte, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n

}\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.foldRight(initial: R, operation: (UShort, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the

array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.foldRightIndexed(initial: R, operation: (index: Int, UInt, acc: R) -> R): R {\n var index = lastIndex\n

var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.foldRightIndexed(initial: R, operation: (index: Int, ULong, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.foldRightIndexed(initial: R, operation:
(index: Int, UByte, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.foldRightIndexed(initial: R, operation: (index: Int, UShort, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.forEach(action: (UInt) -> Unit): Unit {\n   for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.forEach(action: (ULong) -> Unit): Unit {\n   for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.forEach(action: (UByte) -> Unit): Unit {\n   for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.forEach(action: (UShort) -> Unit): Unit {\n   for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.forEachIndexed(action: (index: Int, UInt) -> Unit): Unit {\n   var index = 0\n   for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.forEachIndexed(action: (index: Int, ULong) -> Unit): Unit {\n   var index
= 0\n   for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n

```
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.forEachIndexed(action: (index: Int, UByte) -> Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.forEachIndexed(action: (index: Int, UShort) -> Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.max(): UInt? {\n    return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.max(): ULong? {\n    return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.max(): UByte? {\n    return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.max(): UShort? {\n    return maxOrNull()\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UIntArray.maxBy(selector: (UInt) -> R): UInt? {\n    return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ULongArray.maxBy(selector: (ULong) -> R): ULong? {\n    return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.maxBy(selector: (UByte) -> R): UByte? {\n    return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.maxBy(selector: (UShort) -> R): UShort? {\n    return maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UIntArray.maxByOrNull(selector: (UInt) -> R): UInt? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n
```

*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ULongArray.maxByOrNull(selector: (ULong) -> R): ULong? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.maxByOrNull(selector: (UByte) -> R): UByte? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.maxByOrNull(selector: (UShort) -> R): UShort? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.maxOf(selector: (UInt) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.maxOf(selector: (ULong) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.maxOf(selector: (UByte) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.maxOf(selector: (UShort) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.maxOf(selector: (UInt) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.maxOf(selector: (ULong) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.maxOf(selector: (UByte) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n
for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.maxOf(selector: (UShort) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector]
function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UIntArray.maxOf(selector: (UInt) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic

inline fun <R : Comparable<R>> ULongArray.maxOf(selector: (ULong) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.maxOf(selector: (UByte) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.maxOf(selector: (UShort) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.maxOfOrNull(selector: (UInt) -> Double): Double? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.maxOfOrNull(selector: (ULong) -> Double): Double? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.maxOfOrNull(selector: (UByte) -> Double): Double? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.maxOfOrNull(selector: (UShort) -> Double): Double? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue =

maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.maxOfOrNull(selector: (UInt) -> Float): Float? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.maxOfOrNull(selector: (ULong) -> Float): Float? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.maxOfOrNull(selector: (UByte) -> Float): Float? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.maxOfOrNull(selector: (UShort) -> Float): Float? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UIntArray.maxOfOrNull(selector: (UInt) -> R): R? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ULongArray.maxOfOrNull(selector: (ULong) -> R): R? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.maxOfOrNull(selector: (UByte) -> R): R? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n

maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.maxOfOrNull(selector: (UShort) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.maxOfWith(comparator: Comparator<in R>, selector: (UInt) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.maxOfWith(comparator: Comparator<in R>, selector: (ULong) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.maxOfWith(comparator: Comparator<in R>, selector: (UByte) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.maxOfWith(comparator: Comparator<in R>, selector: (UShort) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (UInt) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (ULong) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (UByte) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (UShort) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.maxOrNull(): UInt? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.maxOrNull(): ULong? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.maxOrNull(): UByte? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.maxOrNull(): UShort? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.maxWith(comparator: Comparator<in UInt>): UInt? {\n return maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.maxWith(comparator: Comparator<in ULong>): ULong? {\n return maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.maxWith(comparator: Comparator<in UByte>): UByte? {\n return maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.maxWith(comparator: Comparator<in UShort>): UShort? {\n return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n

*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.maxWithOrNull(comparator: Comparator<in UInt>): UInt? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.maxWithOrNull(comparator: Comparator<in ULong>): ULong? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.maxWithOrNull(comparator: Comparator<in UByte>): UByte? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.maxWithOrNull(comparator: Comparator<in UShort>): UShort?
{\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.min(): UInt? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.min(): ULong? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.min(): UByte? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.min(): UShort? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UIntArray.minBy(selector: (UInt) -> R): UInt? {\n   return minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ULongArray.minBy(selector: (ULong) -> R): ULong? {\n   return minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.minBy(selector: (UByte) -> R): UByte? {\n   return minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.minBy(selector: (UShort) -> R): UShort? {\n   return

minByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null`
if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UIntArray.minByOrNull(selector: (UInt) -> R): UInt? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ULongArray.minByOrNull(selector:
(ULong) -> R): ULong? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.minByOrNull(selector: (UByte) -> R): UByte? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n
val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.minByOrNull(selector: (UShort) -> R): UShort? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.minOf(selector: (UInt) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.minOf(selector: (ULong) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n

*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.minOf(selector: (UByte)
-> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n
for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.minOf(selector: (UShort) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n
var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue =
minOf(minValue, v)\n
}\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`,
the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.minOf(selector: (UInt) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue =
minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the
returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.minOf(selector: (ULong) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n
var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue =
minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.minOf(selector: (UByte) -> Float): Float {\n if (isEmpty()) throw
NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.minOf(selector: (UShort) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n
var minValue = selector(this[0])\n for (i
in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :

Comparable<R>> UIntArray.minOf(selector: (UInt) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException
if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ULongArray.minOf(selector: (ULong) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.minOf(selector: (UByte)
-> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.minOf(selector: (UShort) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns
the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.minOfOrNull(selector: (UInt) -> Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.minOfOrNull(selector: (ULong) -> Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.minOfOrNull(selector: (UByte) -> Double): Double? {\n if (isEmpty())
return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all

values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.minOfOrNull(selector: (UShort) -> Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.minOfOrNull(selector: (UInt) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.minOfOrNull(selector: (ULong) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.minOfOrNull(selector: (UByte) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.minOfOrNull(selector: (UShort) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null`\n if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UIntArray.minOfOrNull(selector: (UInt) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ULongArray.minOfOrNull(selector: (ULong) -> R): R? {\n if (isEmpty())

return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (minValue > v) {\n   minValue = v\n   }\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.minOfOrNull(selector: (UByte) -> R): R? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (minValue > v) {\n   minValue = v\n   }\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.minOfOrNull(selector: (UShort) -> R): R? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (minValue > v) {\n   minValue = v\n   }\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.minOfWith(comparator: Comparator<in R>, selector: (UInt) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (comparator.compare(minValue, v) > 0) {\n   minValue = v\n   }\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.minOfWith(comparator: Comparator<in R>, selector: (ULong) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (comparator.compare(minValue, v) > 0) {\n   minValue = v\n   }\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.minOfWith(comparator: Comparator<in R>, selector: (UByte) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (comparator.compare(minValue, v) > 0) {\n   minValue = v\n   }\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value according to the\n provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.minOfWith(comparator: Comparator<in R>, selector: (UShort) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (comparator.compare(minValue, v) > 0) {\n   minValue = v\n   }\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values

produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UInt) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (ULong) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UByte) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UShort) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.minOrNull(): UInt? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.minOrNull(): ULong? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.minOrNull(): UByte? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.minOrNull(): UShort? {\n if (isEmpty()) return\n null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n@Deprecated(\"Use minWithOrNull instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.minWith(comparator: Comparator<in UInt>): UInt? {\n return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun

```
ULongArray.minWith(comparator: Comparator<in ULong>): ULong? {\n    return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.minWith(comparator: Comparator<in UByte>): UByte? {\n    return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.minWith(comparator: Comparator<in UShort>): UShort? {\n    return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.minWithOrNull(comparator: Comparator<in UInt>): UInt? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.minWithOrNull(comparator: Comparator<in ULong>): ULong? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.minWithOrNull(comparator: Comparator<in UByte>): UByte? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having
 the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.minWithOrNull(comparator: Comparator<in UShort>): UShort? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns
 `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.none(predicate: (UInt) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n
 * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.none(predicate: (ULong) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
```

samples.collections.Collections.Aggregates.noneWithPredicate\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.none(predicate: (UByte) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.none(predicate:
(UShort) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.onEach(action: (UInt) -> Unit): UIntArray {\n   return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.onEach(action: (ULong) -> Unit): ULongArray {\n   return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.onEach(action: (UByte) -> Unit): UByteArray
{\n   return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.onEach(action: (UShort) -> Unit): UShortArray {\n   return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.onEachIndexed(action: (index: Int, UInt) -> Unit): UIntArray {\n   return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n
* and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.onEachIndexed(action: (index: Int, ULong) -> Unit): ULongArray {\n   return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.onEachIndexed(action: (index: Int, UByte) -> Unit): UByteArray {\n   return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the
element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.onEachIndexed(action: (index: Int, UShort) -> Unit): UShortArray {\n   return apply { forEachIndexed(action) }\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.reduce(operation: (acc: UInt, UInt) -> UInt): UInt {\n if (isEmpty())\n throw
UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty
in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes current accumulator value and an element,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.reduce(operation: (acc: ULong, ULong) -> ULong): ULong {\n if (isEmpty())\n
throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for
(index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the
array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is
empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates
the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UByteArray.reduce(operation: (acc: UByte, UByte) -> UByte): UByte {\n if (isEmpty())\n throw
UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty
in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes current accumulator value and an element,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduce(operation:
(acc: UShort, UShort) -> UShort): UShort {\n if (isEmpty())\n throw
UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is
empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null`
when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current
accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.reduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): UInt {\n if (isEmpty())\n
throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for
(index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an
exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull]
instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.reduce\n

```
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceIndexed(operation: (index: Int, acc: ULong, ULong) -> ULong): ULong {\n    if (isEmpty())\n        throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): UByte {\n    if (isEmpty())\n        throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element,
 current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): UShort {\n    if (isEmpty())\n        throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and
 calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceIndexedOrNull(operation: (index: Int, acc: UInt, UInt) -> UInt): UInt? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
 inline fun ULongArray.reduceIndexedOrNull(operation: (index: Int, acc: ULong, ULong) -> ULong): ULong? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
```

UByteArray.reduceIndexedOrNull(operation:
(index: Int, acc: UByte, UByte) -> UByte): UByte? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceIndexedOrNull(operation: (index: Int, acc: UShort, UShort) -> UShort): UShort? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceOrNull(operation: (acc: UInt, UInt) -> UInt): UInt? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceOrNull(operation: (acc: ULong, ULong) -> ULong): ULong? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each
element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceOrNull(operation: (acc: UByte, UByte) -> UByte): UByte? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates
the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceOrNull(operation: (acc: UShort, UShort) -> UShort): UShort? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected

way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceRight(operation: (UInt, acc: UInt) -> UInt): UInt {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceRight(operation: (ULong, acc: ULong) -> ULong): ULong {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceRight(operation: (UByte, acc: UByte) -> UByte): UByte {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceRight(operation: (UShort, acc: UShort) -> UShort): UShort {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceRightIndexed(operation: (index: Int, UInt, acc: UInt) -> UInt): UInt {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n

}\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull]
instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceRightIndexed(operation: (index: Int, ULong, acc: ULong) -> ULong): ULong {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws
an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceRightIndexed(operation: (index: Int, UByte, acc: UByte) -> UByte): UByte {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation]
from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceRightIndexed(operation: (index: Int, UShort, acc: UShort) -> UShort): UShort {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n
    --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceRightIndexedOrNull(operation: (index: Int, UInt, acc: UInt) -> UInt): UInt? {\n   var index = lastIndex\n   if (index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting
with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n

*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceRightIndexedOrNull(operation: (index: Int, ULong, acc: ULong) -> ULong): ULong? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceRightIndexedOrNull(operation: (index: Int, UByte, acc: UByte) -> UByte): UByte? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceRightIndexedOrNull(operation: (index: Int, UShort, acc: UShort) -> UShort): UShort? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes
an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceRightOrNull(operation: (UInt, acc: UInt) -> UInt): UInt? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceRightOrNull(operation: (ULong, acc: ULong) -> ULong): ULong? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.reduceRightOrNull(operation: (UByte, acc: UByte) -> UByte): UByte? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value

starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceRightOrNull(operation: (UShort, acc: UShort) -> UShort): UShort? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.runningFold(initial: R, operation: (acc: R, UInt) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.runningFold(initial: R, operation: (acc: R, ULong) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.runningFold(initial: R, operation: (acc: R, UByte) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.runningFold(initial: R, operation: (acc: R, UShort) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n

accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, UByte) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element,

```
and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.runningReduce(operation: (acc: UInt, UInt) -> UInt): List<UInt> {\n    if (isEmpty()) return
emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<UInt>(size).apply { add(accumulator) }\n    for
(index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n
}\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
 values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be
mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that
takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.runningReduce(operation: (acc: ULong, ULong) -> ULong): List<ULong> {\n    if (isEmpty()) return
emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<ULong>(size).apply { add(accumulator) }\n
for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n
  }\n    return result\n}\n\n/**\n
 * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n *
to each element and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc`
value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in
resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and
calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.runningReduce(operation: (acc: UByte, UByte) -> UByte): List<UByte> {\n    if (isEmpty()) return
emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<UByte>(size).apply { add(accumulator) }\n
for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n
    result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be
mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that
takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.runningReduce(operation: (acc: UShort, UShort) -> UShort): List<UShort> {\n    if (isEmpty()) return
emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<UShort>(size).apply { add(accumulator) }\n
for (index in 1 until size)
 {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return
result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from
left to right\n * to each element, its index in the original array and current accumulator value that starts with the first
element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the
index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.runningReduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): List<UInt> {\n    if (isEmpty())
return
```

emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<UInt>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.runningReduceIndexed(operation: (index: Int, acc: ULong, ULong) -> ULong): List<ULong> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<ULong>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.runningReduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): List<UByte> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<UByte>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.runningReduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): List<UShort> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<UShort>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.scan(initial: R, operation: (acc: R, UInt) -> R): List<R> {\n   return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator

value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.scan(initial: R, operation: (acc: R, ULong) -> R): List<R> {\n   return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <R> UByteArray.scan(initial: R, operation: (acc: R, UByte) -> R): List<R> {\n   return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.scan(initial: R, operation: (acc: R,
UShort) -> R): List<R> {\n   return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.scanIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): List<R> {\n   return runningFoldIndexed(initial, operation)\n}\n\n/**\n
* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.scanIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): List<R> {\n   return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated
by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.scanIndexed(initial: R, operation: (index: Int, acc:

R, UByte) -> R): List<R> {\n   return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.scanIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): List<R> {\n   return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumBy(selector: (UInt) -> UInt): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumBy(selector: (ULong) -> UInt): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumBy(selector: (UByte) -> UInt): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumBy(selector: (UShort) -> UInt): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumByDouble(selector: (UInt) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumByDouble(selector: (ULong) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumByDouble(selector: (UByte) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

UShortArray.sumByDouble(selector: (UShort) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfDouble\ ")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
 inline fun UIntArray.sumOf(selector: (UInt) -> Double): Double {\n   var sum: Double = 0.toDouble()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfDouble\ ")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumOf(selector: (ULong) -> Double): Double {\n   var sum: Double = 0.toDouble()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return
 sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfDouble\ ")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumOf(selector: (UByte) -> Double): Double {\n   var sum: Double = 0.toDouble()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfDouble\ ")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumOf(selector: (UShort) -> Double): Double {\n   var sum: Double = 0.toDouble()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfInt\")\n @ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumOf(selector: (UInt) -> Int): Int {\n   var sum: Int = 0.toInt()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfInt\")\n @ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
 inline fun ULongArray.sumOf(selector: (ULong) -> Int): Int {\n   var sum: Int = 0.toInt()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfInt\")\n @ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumOf(selector: (UByte) -> Int): Int {\n   var sum: Int = 0.toInt()\n   for (element in this) {\n   sum += selector(element)\n   }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfInt\")\n

@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.sumOf(selector: (UShort) -> Int): Int {\n var sum: Int = 0.toInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumOf(selector: (UInt) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumOf(selector: (ULong) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumOf(selector: (UByte) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element
in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumOf(selector: (UShort) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.sumOf(selector: (UInt) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumOf(selector: (ULong) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.sumOf(selector: (UByte) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n

*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfUInt\")\
n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inline
Only\npublic inline fun UShortArray.sumOf(selector: (UShort) -> UInt): UInt {\n var sum: UInt =
0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the
sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfULong\
")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inli
neOnly\npublic inline fun UIntArray.sumOf(selector: (UInt) -> ULong): ULong {\n var sum: ULong =
0.toULong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns
the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfULong\
")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inli
neOnly\npublic
inline fun ULongArray.sumOf(selector: (ULong) -> ULong): ULong {\n var sum: ULong = 0.toULong()\n for
(element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfULong\
")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inli
neOnly\npublic inline fun UByteArray.sumOf(selector: (UByte) -> ULong): ULong {\n var sum: ULong =
0.toULong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns
the sum of all values
produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfULong\
")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inli
neOnly\npublic inline fun UShortArray.sumOf(selector: (UShort) -> ULong): ULong {\n var sum: ULong =
0.toULong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns a
list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has
length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other: Array<out
R>): List<Pair<UInt, R>> {\n return zip(other) { t1, t2 ->
t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the
same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other:
Array<out R>): List<Pair<ULong, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of
pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has
length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other: Array<out
R>): List<Pair<UByte, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n
* The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UShortArray.zip(other:

Array<out R>): List<Pair<UShort, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UIntArray.zip(other: Array<out R>, transform: (a: UInt, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> ULongArray.zip(other: Array<out R>, transform: (a: ULong, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n
 * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UByteArray.zip(other: Array<out R>, transform: (a: UByte, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UShortArray.zip(other: Array<out R>, transform: (a: UShort, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other: Iterable<R>): List<Pair<UInt, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other: Iterable<R>): List<Pair<ULong, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other: Iterable<R>): List<Pair<UByte, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UShortArray.zip(other: Iterable<R>): List<Pair<UShort, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and

the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UIntArray.zip(other: Iterable<R>, transform: (a: UInt, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> ULongArray.zip(other: Iterable<R>, transform: (a: ULong, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UByteArray.zip(other: Iterable<R>,
transform: (a: UByte, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UShortArray.zip(other: Iterable<R>, transform: (a: UShort, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in
other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UIntArray.zip(other: UIntArray): List<Pair<UInt, UInt>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray.zip(other: ULongArray): List<Pair<ULong, ULong>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns
a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray.zip(other: UByteArray): List<Pair<UByte, UByte>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray.zip(other: UShortArray): List<Pair<UShort, UShort>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform]

function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UIntArray.zip(other: UIntArray, transform: (a: UInt, b: UInt) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> ULongArray.zip(other: ULongArray, transform: (a: ULong, b: ULong) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UByteArray.zip(other: UByteArray, transform: (a: UByte, b: UByte) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UShortArray.zip(other: UShortArray, transform: (a: UShort, b: UShort) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Array<out UInt>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Array<out ULong>.sum(): ULong {\n   var sum: ULong = 0uL\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfUByte\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Array<out UByte>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfUShort\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Array<out UShort>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sum(): UInt {\n   return storage.sum().toUInt()\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sum(): ULong {\n   return storage.sum().toULong()\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sum(): UInt {\n   return sumOf { it.toUInt() }\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

UShortArray.sum(): UInt {\n   return sumOf { it.toUInt() }\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
 by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"UCollectionsKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns an array of UByte containing all of the elements of this collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Collection<UByte>.toUByteArray(): UByteArray {\n   val result = UByteArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns an array of UInt containing all of the elements of this collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Collection<UInt>.toUIntArray(): UIntArray {\n   val result = UIntArray(size)\n
    var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns an array of ULong containing all of the elements of this collection.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Collection<ULong>.toULongArray(): ULongArray {\n   val result = ULongArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns an array of UShort containing all of the elements of this collection.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Collection<UShort>.toUShortArray(): UShortArray {\n   val result = UShortArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*/\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Iterable<UInt>.sum():
 UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*/\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Iterable<ULong>.sum(): ULong {\n   var sum: ULong = 0uL\n   for (element in this) {\n
    sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*/\n@kotlin.jvm.JvmName(\"sumOfUByte\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Iterable<UByte>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n
sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*/\n@kotlin.jvm.JvmName(\"sumOfUShort\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Iterable<UShort>.sum(): UInt {\n
 var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"UComparisonsKt\")\n\npackage kotlin.comparisons\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.\n\n/**\n * Returns the greater of two values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: UInt, b: UInt): UInt {\n   return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: ULong, b: ULong): ULong {\n   return
 if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: UByte, b: UByte): UByte {\n   return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: UShort, b: UShort): UShort {\n   return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of three values.\n

*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: UInt, b: UInt, c: UInt): UInt {\n   return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: ULong, b: ULong, c: ULong): ULong {\n   return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: UByte, b: UByte, c: UByte): UByte {\n   return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: UShort, b: UShort, c: UShort): UShort {\n   return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of the given values.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UInt, vararg other: UInt): UInt {\n   var max = a\n   for (e in other) max = maxOf(max, e)\n   return max\n}\n\n/**\n * Returns the greater of the given values.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: ULong, vararg other: ULong): ULong {\n   var max = a\n   for (e in other) max = maxOf(max, e)\n   return max\n}\n\n/**\n * Returns the greater of the
 given values.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UByte, vararg other: UByte): UByte {\n   var max = a\n   for (e in other) max = maxOf(max, e)\n   return max\n}\n\n/**\n * Returns the greater of the given values.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UShort, vararg other: UShort): UShort {\n   var max = a\n   for (e in other) max = maxOf(max, e)\n   return max\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun minOf(a: UInt, b: UInt): UInt {\n   return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun minOf(a: ULong, b: ULong): ULong {\n   return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
 fun minOf(a: UByte, b: UByte): UByte {\n   return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun minOf(a: UShort, b: UShort): UShort {\n   return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: UInt, b: UInt, c: UInt): UInt {\n   return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: ULong, b: ULong, c: ULong): ULong {\n   return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: UByte, b: UByte,
 c: UByte): UByte {\n   return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: UShort, b: UShort, c: UShort): UShort {\n   return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of the given values.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UInt, vararg other: UInt): UInt {\n   var min = a\n   for (e in other) min = minOf(min, e)\n   return min\n}\n\n/**\n * Returns the smaller of the given values.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: ULong, vararg other: ULong): ULong {\n   var min = a\n   for (e in other) min = minOf(min, e)\n   return min\n}\n\n/**\n * Returns the smaller of the given values.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UByte,

vararg other: UByte): UByte {\n   var min = a\n   for (e
 in other) min = minOf(min, e)\n   return min\n}\n\n/**\n * Returns the smaller of the given values.\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UShort, vararg other: UShort):
UShort {\n   var min = a\n   for (e in other) min = minOf(min, e)\n   return min\n}\n\n","/*\n * Copyright 2010-
2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"URangesKt\")\n\npackage
kotlin.ranges\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns a
random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\
npublic
 inline fun UIntRange.random(): UInt {\n   return random(Random)\n}\n\n/**\n * Returns a random element from
this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\
npublic inline fun ULongRange.random(): ULong {\n   return random(Random)\n}\n\n/**\n * Returns a random
element from this range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if
this range is empty.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
fun UIntRange.random(random: Random): UInt {\n   try {\n   return random.nextUInt(this)\n   } catch(e:
IllegalArgumentException) {\n   throw NoSuchElementException(e.message)\n   }\n}\n\n/**\n * Returns a
random element from this range using the specified source of randomness.\n * \n * @throws
IllegalArgumentException if this range
 is empty.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
ULongRange.random(random: Random): ULong {\n   try {\n   return random.nextULong(this)\n   } catch(e:
IllegalArgumentException) {\n   throw NoSuchElementException(e.message)\n   }\n}\n\n/**\n * Returns a
random element from this range, or `null` if this range is empty.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UIntRange.randomOrNull():
UInt? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range, or `null` if this
range is empty.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULongRange.randomOrNull():
ULong? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range using the
specified
 source of randomness, or `null` if this range is empty.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\npublic fun UIntRange.randomOrNull(random: Random): UInt? {\n   if
(isEmpty())\n   return null\n   return random.nextUInt(this)\n}\n\n/**\n * Returns a random element from this
range using the specified source of randomness, or `null` if this range is empty.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\npublic fun ULongRange.randomOrNull(random: Random): ULong? {\n   if
(isEmpty())\n   return null\n   return random.nextULong(this)\n}\n\n/**\n * Returns `true` if this range contains
the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\
npublic inline operator fun UIntRange.contains(element: UInt?): Boolean
 {\n   return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range contains the specified
[element].\n * \n * Always returns `false` if the [element] is `null`.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\
npublic inline operator fun ULongRange.contains(element: ULong?): Boolean {\n   return element != null &&

contains(element)\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun UIntRange.contains(value: UByte): Boolean {\n   return contains(value.toUInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun ULongRange.contains(value: UByte): Boolean {\n   return contains(value.toULong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun ULongRange.contains(value: UInt): Boolean {\n   return contains(value.toULong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun UIntRange.contains(value: ULong): Boolean {\n   return (value shr UInt.SIZE_BITS) == 0uL && contains(value.toUInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun UIntRange.contains(value: UShort): Boolean {\n   return contains(value.toUInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun ULongRange.contains(value: UShort): Boolean {\n   return contains(value.toULong())\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun UByte.downTo(to: UByte): UIntProgression {\n   return UIntProgression.fromClosedRange(this.toUInt(), to.toUInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun UInt.downTo(to: UInt): UIntProgression {\n   return UIntProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun ULong.downTo(to: ULong): ULongProgression {\n   return ULongProgression.fromClosedRange(this, to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun UShort.downTo(to: UShort): UIntProgression {\n   return UIntProgression.fromClosedRange(this.toUInt(), to.toUInt(), -1)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun UIntProgression.reversed(): UIntProgression {\n   return UIntProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun ULongProgression.reversed(): ULongProgression {\n   return ULongProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun UIntProgression.step(step: Int): UIntProgression {\n   checkStepIsPositive(step > 0, step)\n   return UIntProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression

that goes over the same range with the given step.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
infix fun ULongProgression.step(step: Long): ULongProgression {\n checkStepIsPositive(step > 0, step)\n
return ULongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun UByte.until(to: UByte): UIntRange {\n if (to <= UByte.MIN_VALUE) return UIntRange.EMPTY\n return this.toUInt() .. (to - 1u).toUInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun UInt.until(to: UInt): UIntRange {\n if (to <= UInt.MIN_VALUE)
return UIntRange.EMPTY\n return this .. (to - 1u).toUInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun ULong.until(to: ULong): ULongRange {\n if (to <= ULong.MIN_VALUE) return ULongRange.EMPTY\n return this .. (to - 1u).toULong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun UShort.until(to: UShort): UIntRange {\n if (to <= UShort.MIN_VALUE) return UIntRange.EMPTY\n return this.toUInt() .. (to - 1u).toUInt()\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n
* \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun UInt.coerceAtLeast(minimumValue: UInt): UInt {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun ULong.coerceAtLeast(minimumValue: ULong): ULong {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or
equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun UByte.coerceAtLeast(minimumValue: UByte): UByte {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun UShort.coerceAtLeast(minimumValue: UShort): UShort {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue]
otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun UInt.coerceAtMost(maximumValue: UInt): UInt {\n return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this

value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostUnsigned\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun ULong.coerceAtMost(maximumValue: ULong): ULong {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostUnsigned\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun UByte.coerceAtMost(maximumValue: UByte): UByte {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostUnsigned\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun UShort.coerceAtMost(maximumValue: UShort): UShort {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun UInt.coerceIn(minimumValue: UInt, maximumValue: UInt): UInt {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun ULong.coerceIn(minimumValue: ULong, maximumValue: ULong): ULong {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun UByte.coerceIn(minimumValue: UByte, maximumValue: UByte): UByte {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this
    > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun UShort.coerceIn(minimumValue: UShort, maximumValue: UShort): UShort {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the

specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun UInt.coerceIn(range: ClosedRange<UInt>): UInt {\n if (range is ClosedFloatingPointRange) {\n return this.coerceIn<UInt>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n return when {\n this < range.start -> range.start\n this > range.endInclusive -> range.endInclusive\n else -> this\n }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun ULong.coerceIn(range: ClosedRange<ULong>): ULong {\n if (range is ClosedFloatingPointRange) {\n return this.coerceIn<ULong>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n return when {\n this < range.start -> range.start\n this > range.endInclusive -> range.endInclusive\n else -> this\n }\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"USequencesKt\")\n\npackage kotlin.sequences\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Sequence<UInt>.sum(): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Sequence<ULong>.sum(): ULong {\n var sum: ULong = 0uL\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfUByte\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Sequence<UByte>.sum(): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfUShort\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Sequence<UShort>.sum(): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n\npublic expect open class Error : Throwable {\n constructor()\n constructor(message: String?)\n constructor(message: String?, cause: Throwable?)\n constructor(cause: Throwable?)\n}\n\npublic expect open class Exception : Throwable {\n constructor()\n constructor(message: String?)\n constructor(message: String?, cause: Throwable?)\n constructor(cause: Throwable?)\n}\n\npublic expect open class RuntimeException : Exception {\n constructor()\n constructor(message: String?)\n constructor(message: String?, cause: Throwable?)\n constructor(cause: Throwable?)\n}\n\npublic expect open class IllegalArgumentException : RuntimeException {\n constructor()\n constructor(message: String?)\n constructor(message: String?, cause: Throwable?)\n constructor(cause: Throwable?)\n}\n\npublic expect open class IllegalStateException : RuntimeException {\n constructor()\n constructor(message: String?)\n constructor(message: String?, cause:

Throwable?)\n   constructor(cause: Throwable?)\n}\n\npublic expect open class IndexOutOfBoundsException : RuntimeException {\n   constructor()\n   constructor(message: String?)\n}\n\npublic expect open class ConcurrentModificationException : RuntimeException {\n   constructor()\n   constructor(message: String?)\n @Deprecated(\"The constructor
 is not supported on all platforms and will be removed from kotlin-stdlib-common soon.\", level = DeprecationLevel.ERROR)\n   constructor(message: String?, cause: Throwable?)\n   @Deprecated(\"The constructor is not supported on all platforms and will be removed from kotlin-stdlib-common soon.\", level = DeprecationLevel.ERROR)\n   constructor(cause: Throwable?)\n}\n\npublic expect open class UnsupportedOperationException : RuntimeException {\n   constructor()\n   constructor(message: String?)\n constructor(message: String?, cause: Throwable?)\n   constructor(cause: Throwable?)\n}\n\npublic expect open class NumberFormatException : IllegalArgumentException {\n   constructor()\n   constructor(message: String?)\n}\n\npublic expect open class NullPointerException : RuntimeException {\n   constructor()\n constructor(message: String?)\n}\n\npublic expect open class ClassCastException : RuntimeException {\n constructor()\n   constructor(message: String?)\n}\n\npublic
 expect open class AssertionError : Error {\n   constructor()\n   constructor(message: Any?)\n}\n\npublic expect open class NoSuchElementException : RuntimeException {\n   constructor()\n   constructor(message: String?)\n}\n\n@SinceKotlin(\"1.3\")\npublic expect open class ArithmeticException : RuntimeException {\n constructor()\n   constructor(message: String?)\n}\n\n@Deprecated(\"This exception type is not supposed to be thrown or caught in common code and will be removed from kotlin-stdlib-common soon.\", level = DeprecationLevel.ERROR)\npublic expect open class NoWhenBranchMatchedException : RuntimeException {\n constructor()\n   constructor(message: String?)\n   constructor(message: String?, cause: Throwable?)\n constructor(cause: Throwable?)\n}\n\n@Deprecated(\"This exception type is not supposed to be thrown or caught in common code and will be removed from kotlin-stdlib-common soon.\", level = DeprecationLevel.ERROR)\npublic expect class UninitializedPropertyAccessException
 : RuntimeException {\n   constructor()\n   constructor(message: String?)\n   constructor(message: String?, cause: Throwable?)\n   constructor(cause: Throwable?)\n}\n\n/**\n * Thrown after invocation of a function or property that was expected to return `Nothing`, but returned something instead.\n */\n@SinceKotlin(\"1.4\")\n@PublishedApi\ninternal class KotlinNothingValueException : RuntimeException {\n constructor() : super()\n   constructor(message: String?) : super(message)\n   constructor(message: String?, cause: Throwable?) : super(message, cause)\n   constructor(cause: Throwable?) : super(cause)\n}\n\n\n/**\n * Returns the detailed description of this throwable with its stack trace.\n *\n * The detailed description includes:\n * - the short description (see [Throwable.toString]) of this throwable;\n * - the complete stack trace;\n * - detailed descriptions of the exceptions that were [suppressed][suppressedExceptions] in order to deliver this exception;\n
 * - the detailed description of each throwable in the [Throwable.cause] chain.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun Throwable.stackTraceToString(): String\n\n/**\n * Prints the [detailed description][Throwable.stackTraceToString] of this throwable to the standard output or standard error output.\n */\n@SinceKotlin(\"1.4\")\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\")\npublic expect fun Throwable.printStackTrace(): Unit\n\n/**\n * When supported by the platform, adds the specified exception to the list of exceptions that were\n * suppressed in order to deliver this exception.\n */\n@SinceKotlin(\"1.4\")\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\")\npublic expect fun Throwable.addSuppressed(exception: Throwable)\n\n/**\n * Returns a list of all exceptions that were suppressed in order to deliver this exception.\n *\n * The list can be empty:\n * - if no exceptions were suppressed;\n * - if the platform doesn't support suppressed exceptions;\n * - if this [Throwable] instance has
 disabled the suppression.\n */\n@SinceKotlin(\"1.4\")\npublic expect val Throwable.suppressedExceptions: List<Throwable>\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * Gives a declaration (a function, a property or a class) specific name in JavaScript.\n */\n@Target(CLASS, FUNCTION,

PROPERTY, CONSTRUCTOR, PROPERTY_GETTER, PROPERTY_SETTER)\n@OptionalExpectation\npublic expect annotation class JsName(val name: String)\n\n/**\n * Marks experimental JS export annotations.\n *\n * Note that behavior of these annotations will likely be changed in the future.\n *\n * Usages of such annotations will be reported as warnings unless an explicit opt-in with\n * the [OptIn] annotation, e.g. `@OptIn(ExperimentalJsExport::class)`,\n * or with the `-opt-in=kotlin.js.ExperimentalJsExport` compiler option is given.\n */\n@RequiresOptIn(level = RequiresOptIn.Level.WARNING)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin(\"1.4\")\npublic annotation class ExperimentalJsExport\n\n/**\n * Exports top-level declaration on JS platform.\n *\n * Compiled module exposes declarations that are marked with this annotation without name mangling.\n *\n * This annotation can be applied to either files or top-level declarations.\n *\n * It is currently prohibited to export the following kinds of declarations:\n *\n * * `expect` declarations\n * * inline functions with reified type parameters\n * * suspend functions\n * * secondary constructors without `@JsName`\n * * extension properties\n * * enum classes\n * * annotation classes\n *\n * Signatures of exported declarations must only contain \"exportable\" types:\n *\n * * `dynamic`, `Any`, `String`, `Boolean`, `Byte`, `Short`, `Int`, `Float`, `Double`\n * * `BooleanArray`, `ByteArray`, `ShortArray`, `IntArray`, `FloatArray`, `DoubleArray`\n * * `Array<exportable-type>`\n * * Function types with exportable parameters and return types\n * * `external` or `@JsExport` classes and interfaces\n * * Nullable counterparts of types above\n * * Unit return type. Must not be nullable\n *\n * This annotation is experimental, meaning that restrictions mentioned above are subject to change.\n */\n@ExperimentalJsExport\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\n@SinceKotlin(\"1.4\")\n@OptionalExpectation\npublic expect annotation class JsExport()","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.io\n\n\n/** Prints the line separator to the standard output stream. */\npublic expect fun println()\n\n/** Prints the given [message] and the line separator to the standard output stream. */\npublic expect fun println(message: Any?)\n\n/** Prints the given [message] to the standard output stream. */\npublic expect fun print(message: Any?)\n\n/**\n * Reads a line of input from the standard input stream and returns it,\n * or throws a [RuntimeException] if EOF has already been reached when [readln] is called.\n *\n * LF or CRLF is treated as the line terminator. Line terminator is not included in the returned string.\n *\n * Currently this function is not supported in Kotlin/JS and throws [UnsupportedOperationException].\n */\n@SinceKotlin(\"1.6\")\npublic expect fun readln(): String\n\n/**\n * Reads a line of input from the standard input stream and returns it,\n * or return `null` if EOF has already been reached when [readlnOrNull] is called.\n *\n * LF or CRLF is treated as the line terminator. Line terminator is not included in the returned string.\n *\n * Currently this function is not supported in Kotlin/JS and throws [UnsupportedOperationException].\n */\n@SinceKotlin(\"1.6\")\npublic expect fun readlnOrNull(): String?\n\ninternal class ReadAfterEOFException(message: String?) : RuntimeException(message)\n\n\ninternal expect interface Serializable\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\nimport kotlin.internal.PlatformDependent\n\n/**\n * Classes that inherit from this interface can be represented as a sequence of elements that can\n * be iterated over.\n * @param T the type of element being iterated over. The iterator is covariant in its element type.\n */\npublic interface Iterable<out T> {\n   /**\n   * Returns an iterator over the elements of this object.\n   */\n   public operator fun iterator(): Iterator<T>\n}\n\n/**\n * Classes that inherit from this interface can be represented as a sequence of elements that can\n * be iterated over and that supports removing elements during iteration.\n * @param T the type of element being iterated over. The mutable iterator is invariant in its element type.\n */\npublic interface MutableIterable<out T> : Iterable<T> {\n   /**\n   * Returns an iterator over the elements of this sequence that supports removing elements during iteration.\n   */\n   override fun iterator(): MutableIterator<T>\n}\n\n/**\n * A generic collection of elements. Methods in this interface support only read-only

access to the collection;\n * read/write access is supported through the [MutableCollection] interface.\n * @param E the type of elements contained in the collection. The collection is covariant in its element type.\n */\npublic interface Collection<out E> : Iterable<E> {\n // Query Operations\n /**\n * Returns the size of the collection.\n */\n public val size: Int\n\n /**\n * Returns `true` if the collection is
empty (contains no elements), `false` otherwise.\n */\n public fun isEmpty(): Boolean\n\n /**\n * Checks if the specified element is contained in this collection.\n */\n public operator fun contains(element: @UnsafeVariance E): Boolean\n\n override fun iterator(): Iterator<E>\n\n // Bulk Operations\n /**\n * Checks if all elements in the specified collection are contained in this collection.\n */\n public fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n}\n\n/**\n * A generic collection of elements that supports adding and removing elements.\n *\n * @param E the type of elements contained in the collection. The mutable collection is invariant in its element type.\n */\npublic interface MutableCollection<E> : Collection<E>, MutableIterable<E> {\n // Query Operations\n override fun iterator(): MutableIterator<E>\n\n // Modification Operations\n /**\n * Adds the specified element to the collection.\n *\n
* @return `true` if the element has been added, `false` if the collection does not support duplicates\n * and the element is already contained in the collection.\n */\n public fun add(element: E): Boolean\n\n /**\n * Removes a single instance of the specified element from this\n * collection, if it is present.\n *\n * @return `true` if the element has been successfully removed; `false` if it was not present in the collection.\n */\n public fun remove(element: E): Boolean\n\n // Bulk Modification Operations\n /**\n * Adds all of the elements of the specified collection to this collection.\n *\n * @return `true` if any of the specified elements was added to the collection, `false` if the collection was not modified.\n */\n public fun addAll(elements: Collection<E>): Boolean\n\n /**\n * Removes all of this collection's elements that are also contained in the specified collection.\n *\n * @return `true` if any of
the specified elements was removed from the collection, `false` if the collection was not modified.\n */\n public fun removeAll(elements: Collection<E>): Boolean\n\n /**\n * Retains only the elements in this collection that are contained in the specified collection.\n *\n * @return `true` if any element was removed from the collection, `false` if the collection was not modified.\n */\n public fun retainAll(elements: Collection<E>): Boolean\n\n /**\n * Removes all elements from this collection.\n */\n public fun clear(): Unit\n}\n\n/**\n * A generic ordered collection of elements. Methods in this interface support only read-only access to the list;\n * read/write access is supported through the [MutableList] interface.\n * @param E the type of elements contained in the list. The list is covariant in its element type.\n */\npublic interface List<out E> : Collection<E> {\n // Query Operations\n\n override val size: Int\n override fun isEmpty():
Boolean\n override fun contains(element: @UnsafeVariance E): Boolean\n override fun iterator(): Iterator<E>\n\n // Bulk Operations\n override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n\n // Positional Access Operations\n /**\n * Returns the element at the specified index in the list.\n */\n public operator fun get(index: Int): E\n\n // Search Operations\n /**\n * Returns the index of the first occurrence of the specified element in the list, or -1 if the specified\n * element is not contained in the list.\n */\n public fun indexOf(element: @UnsafeVariance E): Int\n\n /**\n * Returns the index of the last occurrence of the specified element in the list, or -1 if the specified\n * element is not contained in the list.\n */\n public fun lastIndexOf(element: @UnsafeVariance E): Int\n\n // List Iterators\n /**\n * Returns a list iterator over the elements in this list (in proper sequence).\n
*/\n public fun listIterator(): ListIterator<E>\n\n /**\n * Returns a list iterator over the elements in this list (in proper sequence), starting at the specified [index].\n */\n public fun listIterator(index: Int): ListIterator<E>\n\n // View\n /**\n * Returns a view of the portion of this list between the specified [fromIndex] (inclusive) and [toIndex] (exclusive).\n * The returned list is backed by this list, so non-structural changes in the returned list are reflected in this list, and vice-versa.\n *\n * Structural changes in the base list make the behavior of the view undefined.\n */\n public fun subList(fromIndex: Int, toIndex: Int): List<E>\n}\n\n/**\n * A generic ordered collection of elements that supports adding and removing elements.\n * @param E the type of elements contained in the list. The mutable list is invariant in its element type.\n */\npublic

interface MutableList<E> : List<E>, MutableCollection<E> {\n // Modification Operations\n /**\n * Adds the specified element to the end of this list.\n *\n * @return `true` because the list is always modified as the result of this operation.\n */\n override fun add(element: E): Boolean\n\n override fun remove(element: E): Boolean\n\n // Bulk Modification Operations\n /**\n * Adds all of the elements of the specified collection to the end of this list.\n *\n * The elements are appended in the order they appear in the [elements] collection.\n *\n * @return `true` if the list was changed as the result of the operation.\n */\n override fun addAll(elements: Collection<E>): Boolean\n\n /**\n * Inserts all of the elements of the specified collection [elements] into this list at the specified [index].\n *\n * @return `true` if the list was changed as the result of the operation.\n */\n public fun addAll(index: Int, elements: Collection<E>): Boolean\n\n override fun removeAll(elements:
Collection<E>): Boolean\n override fun retainAll(elements: Collection<E>): Boolean\n override fun clear(): Unit\n\n // Positional Access Operations\n /**\n * Replaces the element at the specified position in this list with the specified element.\n *\n * @return the element previously at the specified position.\n */\n public operator fun set(index: Int, element: E): E\n\n /**\n * Inserts an element into the list at the specified [index].\n */\n public fun add(index: Int, element: E): Unit\n\n /**\n * Removes an element at the specified [index] from the list.\n *\n * @return the element that has been removed.\n */\n public fun removeAt(index: Int): E\n\n // List Iterators\n override fun listIterator(): MutableListIterator<E>\n\n override fun listIterator(index: Int): MutableListIterator<E>\n\n // View\n override fun subList(fromIndex: Int, toIndex: Int): MutableList<E>\n}\n\n/**\n * A generic
unordered collection of elements that does not support duplicate elements.\n * Methods in this interface support only read-only access to the set;\n * read/write access is supported through the [MutableSet] interface.\n * @param E the type of elements contained in the set. The set is covariant in its element type.\n */\npublic interface Set<out E> : Collection<E> {\n // Query Operations\n\n override val size: Int\n override fun isEmpty(): Boolean\n override fun contains(element: @UnsafeVariance E): Boolean\n override fun iterator(): Iterator<E>\n\n // Bulk Operations\n override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n}\n\n/**\n * A generic unordered collection of elements that does not support duplicate elements, and supports\n * adding and removing elements.\n * @param E the type of elements contained in the set. The mutable set is invariant in its element type.\n */\npublic interface MutableSet<E> : Set<E>, MutableCollection<E> {\n // Query Operations\n override fun iterator(): MutableIterator<E>\n\n // Modification Operations\n\n /**\n * Adds the specified element to the set.\n *\n * @return `true` if the element has been added, `false` if the element is already contained in the set.\n */\n override fun add(element: E): Boolean\n\n override fun remove(element: E): Boolean\n\n // Bulk Modification Operations\n\n override fun addAll(elements: Collection<E>): Boolean\n override fun removeAll(elements: Collection<E>): Boolean\n override fun retainAll(elements: Collection<E>): Boolean\n override fun clear(): Unit\n}\n\n/**\n * A collection that holds pairs of objects (keys and values) and supports efficiently retrieving\n * the value corresponding to each key. Map keys are unique; the map holds only one value for each key.\n * Methods in this interface support only read-only access to the map; read-write access is supported through\n * the [MutableMap] interface.\n * @param
K the type of map keys. The map is invariant in its key type, as it\n * can accept key as a parameter (of [containsKey] for example) and return it in [keys] set.\n * @param V the type of map values. The map is covariant in its value type.\n */\npublic interface Map<K, out V> {\n // Query Operations\n /**\n * Returns the number of key/value pairs in the map.\n */\n public val size: Int\n\n /**\n * Returns `true` if the map is empty (contains no elements), `false` otherwise.\n */\n public fun isEmpty(): Boolean\n\n /**\n * Returns `true` if the map contains the specified [key].\n */\n public fun containsKey(key: K): Boolean\n\n /**\n * Returns `true` if the map maps one or more keys to the specified [value].\n */\n public fun containsValue(value: @UnsafeVariance V): Boolean\n\n /**\n * Returns the value corresponding to the given [key], or `null` if such a key is not present in the map.\n */\n public operator
fun get(key: K): V?\n\n /**\n * Returns the value corresponding to the given [key], or [defaultValue] if such a key is not present in the map.\n *\n * @since JDK 1.8\n */\n @SinceKotlin(\"1.1\")\n

@PlatformDependent\n public fun getOrDefault(key: K, defaultValue: @UnsafeVariance V): V {\n // See default implementation in JDK sources\n throw NotImplementedError()\n }\n\n // Views\n /**\n * Returns a read-only [Set] of all keys in this map.\n */\n public val keys: Set<K>\n\n /**\n * Returns a read-only [Collection] of all values in this map. Note that this collection may contain duplicate values.\n */\n public val values: Collection<V>\n\n /**\n * Returns a read-only [Set] of all key/value pairs in this map.\n */\n public val entries: Set<Map.Entry<K, V>>\n\n /**\n * Represents a key/value pair held by a [Map].\n */\n public interface Entry<out K, out V> {\n /**\n * Returns the key of this key/value pair.\n */\n public val key: K\n\n /**\n * Returns the value of this key/value pair.\n */\n public val value: V\n }\n}\n\n/**\n * A modifiable collection that holds pairs of objects (keys and values) and supports efficiently retrieving\n * the value corresponding to each key. Map keys are unique; the map holds only one value for each key.\n * @param K the type of map keys. The map is invariant in its key type.\n * @param V the type of map values. The mutable map is invariant in its value type.\n */\npublic interface MutableMap<K, V> : Map<K, V> {\n // Modification Operations\n /**\n * Associates the specified [value] with the specified [key] in the map.\n *\n * @return the previous value associated with the key, or `null` if the key was not present in the map.\n */\n public fun put(key: K, value: V): V?\n\n /**\n * Removes the specified key and its corresponding value from this map.\n *\n * @return the previous value associated with the key, or `null` if the key was not present in the map.\n */\n public fun remove(key: K): V?\n\n /**\n * Removes the entry for the specified key only if it is mapped to the specified value.\n *\n * @return true if entry was removed\n */\n @SinceKotlin(\"1.1\")\n @PlatformDependent\n public fun remove(key: K, value: V): Boolean {\n // See default implementation in JDK sources\n return true\n }\n\n // Bulk Modification Operations\n /**\n * Updates this map with key/value pairs from the specified map [from].\n */\n public fun putAll(from: Map<out K, V>): Unit\n\n /**\n * Removes all elements from this map.\n */\n public fun clear(): Unit\n\n // Views\n /**\n * Returns a [MutableSet] of all keys in this map.\n */\n override val keys: MutableSet<K>\n\n /**\n * Returns a [MutableCollection] of all values in this map. Note that this collection may contain duplicate values.\n */\n override val values: MutableCollection<V>\n\n /**\n * Returns a [MutableSet] of all key/value pairs in this map.\n */\n override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\n\n /**\n * Represents a key/value pair held by a [MutableMap].\n */\n public interface MutableEntry<K, V> : Map.Entry<K, V> {\n /**\n * Changes the value associated with the key of this entry.\n *\n * @return the previous value corresponding to the key.\n */\n public fun setValue(newValue: V): V\n }\n}\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.collections\n\n/** An iterator over a sequence of values of type `Byte`. */\npublic abstract class ByteIterator : Iterator<Byte> {\n override final fun next() = nextByte()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextByte(): Byte\n}\n\n/** An iterator over a sequence of values of type `Char`. */\npublic abstract class CharIterator : Iterator<Char> {\n override final fun next() = nextChar()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextChar(): Char\n}\n\n/** An iterator over a sequence of values of type `Short`. */\npublic abstract class ShortIterator : Iterator<Short> {\n override final fun next() = nextShort()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextShort(): Short\n}\n\n/** An iterator over a sequence of values of type `Int`. */\npublic abstract class IntIterator : Iterator<Int> {\n override final fun next() = nextInt()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextInt(): Int\n}\n\n/** An iterator over a sequence of values of type `Long`. */\npublic abstract class LongIterator : Iterator<Long> {\n override final fun next() = nextLong()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextLong(): Long\n}\n\n/** An iterator over a sequence of values of type `Float`. */\npublic abstract class FloatIterator : Iterator<Float> {\n override final fun next() = nextFloat()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextFloat():

Float\n}\n\n/** An iterator over a sequence of values of type `Double`. */\npublic abstract class DoubleIterator : Iterator<Double> {\n override final fun next() = nextDouble()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextDouble(): Double\n}\n\n/** An iterator over a sequence of values of type `Boolean`. */\npublic abstract class BooleanIterator : Iterator<Boolean>
{\n override final fun next() = nextBoolean()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextBoolean(): Boolean\n}\n\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n/**\n * An iterator over a progression of values of type `Char`.\n * @property step the number by which the value is incremented on each step.\n */\ninternal class CharProgressionIterator(first: Char, last: Char, val step: Int) : CharIterator() {\n private val finalElement: Int = last.code\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private var next: Int = if (hasNext) first.code else finalElement\n\n override fun hasNext(): Boolean = hasNext\n\n override fun nextChar(): Char {\n val value = next\n if (value == finalElement) {\n if (!hasNext) throw kotlin.NoSuchElementException()\n hasNext = false\n }\n else {\n next += step\n }\n return value.toChar()\n }\n}\n\n/**\n * An iterator over a progression of values of type `Int`.\n * @property step the number by which the value is incremented on each step.\n */\ninternal class IntProgressionIterator(first: Int, last: Int, val step: Int) : IntIterator() {\n private val finalElement: Int = last\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private var next: Int = if (hasNext) first else finalElement\n\n override fun hasNext(): Boolean = hasNext\n\n override fun nextInt(): Int {\n val value = next\n if (value == finalElement) {\n if (!hasNext) throw kotlin.NoSuchElementException()\n hasNext = false\n }\n else {\n next += step\n
}\n return value\n }\n}\n\n/**\n * An iterator over a progression of values of type `Long`.\n * @property step the number by which the value is incremented on each step.\n */\ninternal class LongProgressionIterator(first: Long, last: Long, val step: Long) : LongIterator() {\n private val finalElement: Long = last\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private var next: Long = if (hasNext) first else finalElement\n\n override fun hasNext(): Boolean = hasNext\n\n override fun nextLong(): Long {\n val value = next\n if (value == finalElement) {\n if (!hasNext) throw kotlin.NoSuchElementException()\n hasNext = false\n }\n else {\n next += step\n }\n return value\n }\n}\n\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found
in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\nimport kotlin.internal.getProgressionLastElement\n\n/**\n * A progression of values of type `Char`.\n */\npublic open class CharProgression\n internal constructor\n (\n start: Char,\n endInclusive: Char,\n step: Int\n) : Iterable<Char> {\n init {\n if (step == 0) throw kotlin.IllegalArgumentException(\"Step must be non-zero.\")\n if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater than Int.MIN_VALUE to avoid overflow on negation.\")\n }\n\n /**\n * The first element in the progression.\n */\n public val first: Char = start\n\n /**\n * The last element in the progression.\n */\n public val last: Char = getProgressionLastElement(start.code, endInclusive.code, step).toChar()\n\n /**\n * The step of the progression.\n */\n public val step: Int
= step\n\n override fun iterator(): CharIterator = CharProgressionIterator(first, last, step)\n\n /**\n * Checks if the progression is empty.\n *\n * Progression with a positive step is empty if its first element is greater than the last element.\n * Progression with a negative step is empty if its first element is less than the last element.\n */\n public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n override fun equals(other: Any?): Boolean =\n other is CharProgression && (isEmpty() && other.isEmpty() ||\n first == other.first && last == other.last && step == other.step)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * (31 * first.code + last.code) + step)\n\n override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n companion object {\n /**\n * Creates CharProgression within

the specified bounds
 of a closed range.\n *\n * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n * In order to go backwards the [step] must be negative.\n *\n * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n */\n public fun fromClosedRange(rangeStart: Char, rangeEnd: Char, step: Int): CharProgression = CharProgression(rangeStart, rangeEnd, step)\n }\n}\n\n/**\n * A progression of values of type `Int`.\n */\npublic open class IntProgression\n internal constructor\n (\n start: Int,\n endInclusive: Int,\n step: Int\n) : Iterable<Int> {\n init {\n if (step == 0) throw kotlin.IllegalArgumentException(\"Step must be non-zero.\")\n if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater than Int.MIN_VALUE to avoid overflow on negation.\")\n }\n\n /**\n
 * The first element in the progression.\n */\n public val first: Int = start\n\n /**\n * The last element in the progression.\n */\n public val last: Int = getProgressionLastElement(start, endInclusive, step)\n\n /**\n * The step of the progression.\n */\n public val step: Int = step\n\n override fun iterator(): IntIterator = IntProgressionIterator(first, last, step)\n\n /**\n * Checks if the progression is empty.\n *\n * Progression with a positive step is empty if its first element is greater than the last element.\n * Progression with a negative step is empty if its first element is less than the last element.\n */\n public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n override fun equals(other: Any?): Boolean =\n other is IntProgression && (isEmpty() && other.isEmpty() ||\n first == other.first && last == other.last && step == other.step)\n\n override fun hashCode():
 Int =\n if (isEmpty()) -1 else (31 * (31 * first + last) + step)\n\n override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n companion object {\n /**\n * Creates IntProgression within the specified bounds of a closed range.\n *\n * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n * In order to go backwards the [step] must be negative.\n *\n * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n */\n public fun fromClosedRange(rangeStart: Int, rangeEnd: Int, step: Int): IntProgression = IntProgression(rangeStart, rangeEnd, step)\n }\n}\n\n/**\n * A progression of values of type `Long`.\n */\npublic open class LongProgression\n internal constructor\n (\n start: Long,\n endInclusive: Long,\n
 step: Long\n) : Iterable<Long> {\n init {\n if (step == 0L) throw kotlin.IllegalArgumentException(\"Step must be non-zero.\")\n if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater than Long.MIN_VALUE to avoid overflow on negation.\")\n }\n\n /**\n * The first element in the progression.\n */\n public val first: Long = start\n\n /**\n * The last element in the progression.\n */\n public val last: Long = getProgressionLastElement(start, endInclusive, step)\n\n /**\n * The step of the progression.\n */\n public val step: Long = step\n\n override fun iterator(): LongIterator = LongProgressionIterator(first, last, step)\n\n /**\n * Checks if the progression is empty.\n *\n * Progression with a positive step is empty if its first element is greater than the last element.\n * Progression with a negative step is empty if its first element is less than the last element.\n
 */\n public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n override fun equals(other: Any?): Boolean =\n other is LongProgression && (isEmpty() && other.isEmpty() ||\n first == other.first && last == other.last && step == other.step)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * (31 * (first xor (first ushr 32)) + (last xor (last ushr 32))) + (step xor (step ushr 32))).toInt()\n\n override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n companion object {\n /**\n * Creates LongProgression within the specified bounds of a closed range.\n *\n * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n * In order to go backwards the [step] must be negative.\n *\n * [step] must be greater than `Long.MIN_VALUE`
 and not equal to zero.\n */\n public fun fromClosedRange(rangeStart: Long, rangeEnd: Long, step: Long): LongProgression = LongProgression(rangeStart, rangeEnd, step)\n }\n}\n\n","/*\n * Copyright 2010-2019

JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.ranges\n\n/**\n * Represents a range of values (for example, numbers or characters).\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/ranges.html) for more information.\n */\npublic interface ClosedRange<T: Comparable<T>> {\n /**\n * The minimum value in the range.\n */\n public val start: T\n\n /**\n * The maximum value in the range (inclusive).\n */\n public val endInclusive: T\n\n /**\n * Checks whether the specified [value] belongs to the range.\n */\n public operator fun contains(value: T): Boolean = value >= start && value <= endInclusive\n\n /**\n * Checks whether the range is empty.\n *\n * The range is empty if its start value is greater than the end value.\n */\n public fun isEmpty(): Boolean = start > endInclusive\n}\n","/*\n * Copyright 2010-2015 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin\n\n/**\n * The type with only one value: the `Unit` object. This type corresponds to the `void` type in Java.\n */\npublic object Unit {\n override fun toString() = \"kotlin.Unit\"\n}\n","/*\n * Copyright 2010-2015 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.annotation\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * Contains the list of code elements which are the possible annotation targets\n */\npublic enum class AnnotationTarget {\n /** Class, interface or object, annotation class is also included\n */\n CLASS,\n /** Annotation class only */\n ANNOTATION_CLASS,\n /** Generic type parameter */\n TYPE_PARAMETER,\n /** Property */\n PROPERTY,\n /** Field, including property's backing field */\n FIELD,\n /** Local variable */\n LOCAL_VARIABLE,\n /** Value parameter of a function or a constructor */\n VALUE_PARAMETER,\n /** Constructor only (primary or secondary) */\n CONSTRUCTOR,\n /** Function (constructors are not included) */\n FUNCTION,\n /** Property getter only */\n PROPERTY_GETTER,\n /** Property setter only */\n PROPERTY_SETTER,\n /** Type usage */\n TYPE,\n /** Any expression */\n EXPRESSION,\n /** File */\n FILE,\n /** Type alias */\n @SinceKotlin(\"1.1\")\n TYPEALIAS\n}\n\n/**\n * Contains the list of possible annotation's retentions.\n *\n * Determines how an annotation is stored in binary output.\n */\npublic enum class AnnotationRetention {\n /** Annotation isn't stored in binary output */\n SOURCE,\n /** Annotation is stored in binary output, but invisible for reflection */\n BINARY,\n /** Annotation is stored in binary output and visible for reflection (default retention) */\n RUNTIME\n}\n\n/**\n * This meta-annotation indicates the kinds of code elements which are possible targets of an annotation.\n *\n * If the target meta-annotation is not present on an annotation declaration, the annotation is applicable to the following elements:\n * [CLASS], [PROPERTY], [FIELD], [LOCAL_VARIABLE], [VALUE_PARAMETER], [CONSTRUCTOR], [FUNCTION], [PROPERTY_GETTER], [PROPERTY_SETTER].\n *\n * @property allowedTargets list of allowed annotation targets\n */\n@Target(AnnotationTarget.ANNOTATION_CLASS)\n@MustBeDocumented\npublic annotation class Target(vararg val allowedTargets: AnnotationTarget)\n\n/**\n * This meta-annotation determines whether an annotation is stored in binary output and visible for reflection. By default, both are true.\n *\n * @property value necessary annotation retention (RUNTIME, BINARY or SOURCE)\n */\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class Retention(val value:

AnnotationRetention = AnnotationRetention.RUNTIME)\n\n/**\n * This meta-annotation determines that an annotation is applicable twice or more on a single code element\n */\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class Repeatable\n\n/**\n * This meta-annotation determines that an annotation is a part of public API and therefore should be included in the generated\n * documentation for the element to which the annotation is applied.\n */\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class MustBeDocumented\n","/*\n * Copyright 2010-2016 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n *
Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.internal\n\n/**\n * Specifies that the corresponding type parameter is not used for unsafe operations such as casts or 'is' checks\n * That means it's completely safe to use generic types as argument for such parameter.\n */\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class PureReifiable\n\n/**\n * Specifies that the corresponding built-in method exists depending on platform.\n * Current implementation for JVM looks whether method with same JVM descriptor exists in the module JDK.\n * For example MutableMap.remove(K, V) available only if corresponding\n * method 'java/util/Map.remove(Ljava/lang/Object;Ljava/lang/Object;)Z'
is defined in JDK (i.e. for major versions >= 8)\n */\n@Target(AnnotationTarget.FUNCTION)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class PlatformDependent\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.internal\n\n// a mod b (in arithmetical sense)\nprivate fun mod(a: Int, b: Int): Int {\n   val mod = a % b\n   return if (mod >= 0) mod else mod + b\n}\n\nprivate fun mod(a: Long, b: Long): Long {\n   val mod = a % b\n   return if (mod >= 0) mod else mod + b\n}\n\n// (a - b) mod c\nprivate fun differenceModulo(a: Int, b: Int, c: Int): Int {\n   return mod(mod(a, c) - mod(b, c), c)\n}\n\nprivate fun differenceModulo(a: Long, b: Long, c: Long): Long {\n   return mod(mod(a, c) - mod(b, c), c)\n}\n\n/**\n * Calculates the final element of a bounded
arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n *\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\n *\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n *\n * @param start first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or difference of successive elements in the progression\n * @return the final element of the progression\n * @suppress\n */\n@PublishedApi\ninternal fun getProgressionLastElement(start: Int, end: Int, step: Int): Int = when {\n   step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)\n   step < 0 -> if (start <= end) end else end + differenceModulo(start, end, -step)\n   else -> throw kotlin.IllegalArgumentException(\"Step is zero.\")\n}\n\n/**\n
* Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n *\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\n *\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n *\n * @param start first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or difference of successive elements in the progression\n * @return the final element of the progression\n * @suppress\n */\n@PublishedApi\ninternal fun getProgressionLastElement(start: Long, end: Long, step: Long): Long = when {\n   step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)\n   step < 0 -> if (start <= end) end else end + differenceModulo(start, end, -step)\n   else -> throw

```
kotlin.IllegalArgumentException(\"Step is zero.\")\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@JsName(\"arrayIterator\")\ninternal fun arrayIterator(array: dynamic, type: String?) = when (type) {\n    null -> {\n        val arr: Array<dynamic> = array\n        object : Iterator<dynamic> {\n            var index = 0\n            override fun hasNext() = index < arr.size\n            override fun next() = if (index < arr.size) arr[index++] else throw NoSuchElementException(\"$index\")\n        }\n    }\n    \"BooleanArray\" -> booleanArrayIterator(array)\n    \"ByteArray\" -> byteArrayIterator(array)\n    \"ShortArray\" -> shortArrayIterator(array)\n    \"CharArray\" -> charArrayIterator(array)\n    \"IntArray\" -> intArrayIterator(array)\n    \"LongArray\" -> longArrayIterator(array)\n    \"FloatArray\" -> floatArrayIterator(array)\n
    \"DoubleArray\" -> doubleArrayIterator(array)\n    else -> throw IllegalStateException(\"Unsupported type argument for arrayIterator: $type\")\n}\n\n@JsName(\"booleanArrayIterator\")\ninternal fun booleanArrayIterator(array: BooleanArray) = object : BooleanIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override fun nextBoolean() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"byteArrayIterator\")\ninternal fun byteArrayIterator(array: ByteArray) = object : ByteIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override fun nextByte() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"shortArrayIterator\")\ninternal fun shortArrayIterator(array: ShortArray) = object : ShortIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override fun nextShort()
 = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"charArrayIterator\")\ninternal fun charArrayIterator(array: CharArray) = object : CharIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override fun nextChar() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"intArrayIterator\")\ninternal fun intArrayIterator(array: IntArray) = object : IntIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override fun nextInt() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"floatArrayIterator\")\ninternal fun floatArrayIterator(array: FloatArray) = object : FloatIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override fun nextFloat() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"doubleArrayIterator\")\ninternal
 fun doubleArrayIterator(array: DoubleArray) = object : DoubleIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override fun nextDouble() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"longArrayIterator\")\ninternal fun longArrayIterator(array: LongArray) = object : LongIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n
override fun nextLong() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"PropertyMetadata\")\ninternal class PropertyMetadata(@JsName(\"callableName\") val name: String)\n\n@JsName(\"noWhenBranchMatched\")\ninternal fun noWhenBranchMatched(): Nothing = throw NoWhenBranchMatchedException()\n\n@JsName(\"subSequence\")\ninternal fun subSequence(c: CharSequence, startIndex: Int, endIndex: Int): CharSequence {\n    if (c is String) {\n        return c.substring(startIndex,
 endIndex)\n    } else {\n        return c.asDynamic().`subSequence_vux9f0$`(startIndex, endIndex)\n    }\n}\n\n@JsName(\"captureStack\")\ninternal fun captureStack(@Suppress(\"UNUSED_PARAMETER\") baseClass: JsClass<in Throwable>, instance: Throwable) {\n    if (js(\"Error\").captureStackTrace) {\n        // Using uncropped stack traces due to KT-37563.\n        // Precise stack traces are implemented in JS IR compiler and stdlib\n        js(\"Error\").captureStackTrace(instance);\n    } else {\n        instance.asDynamic().stack = js(\"new Error()\").stack;\n    }\n}\n\n@JsName(\"newThrowable\")\ninternal fun newThrowable(message: String?, cause: Throwable?): Throwable {\n    val throwable = js(\"new Error()\")\n    throwable.message = if (jsTypeOf(message)
```

== \"undefined\") {\n if (cause != null) cause.toString() else null\n } else {\n message\n }\n throwable.cause = cause\n throwable.name = \"Throwable\"\n return throwable\n}\n\n@JsName(\"BoxedChar\")\ninternal class BoxedChar(val c: Int) : Comparable<Int> {\n override fun equals(other: Any?): Boolean {\n return other is BoxedChar && c == other.c\n }\n\n override fun hashCode(): Int {\n return c\n }\n\n override fun toString(): String {\n return js(\"this.c\").unsafeCast<Char>().toString()\n }\n\n override fun compareTo(other: Int): Int {\n return js(\"this.c - other\").unsafeCast<Int>()\n }\n\n @JsName(\"valueOf\")\n public fun valueOf(): Int {\n return c\n }\n}\n\n@kotlin.internal.InlineOnly\ninternal inline fun <T> concat(args: Array<T>): T {\n val typed = js(\"Array\")(args.size)\n for (i in args.indices) {\n val arr = args[i]\n if (arr !is Array<*>) {\n typed[i] = js(\"[]\").slice.call(arr)\n } else {\n typed[i] = arr\n }\n }\n return js(\"[]\").concat.apply(js(\"[]\"), typed);\n}\n\n/** Concat regular Array's and TypedArray's into an Array.\n */\n@PublishedApi\n@JsName(\"arrayConcat\")\n@Suppress(\"UNUSED_PARAMETER\")\ninternal fun <T> arrayConcat(a: T, b: T): T {\n return concat(js(\"arguments\"))\n}\n\n/** Concat primitive arrays. Main use: prepare vararg arguments.\n * For compatibility with 1.1.0 the arguments may be a mixture of Array's and TypedArray's.\n *\n * If the first argument is TypedArray (Byte-, Short-, Char-, Int-, Float-, and DoubleArray) returns a TypedArray, otherwise an Array.\n * If the first argument has the $type$ property (Boolean-, Char-, and LongArray) copy its value to result.$type$.\n * If the first argument is a regular Array without the $type$ property default to arrayConcat.\n */\n@PublishedApi\n@JsName(\"primitiveArrayConcat\")\n@Suppress(\"UNUSED_PARAMETER\")\ninternal fun <T> primitiveArrayConcat(a: T, b: T): T {\n val args: Array<T> = js(\"arguments\")\n if (a is Array<*> && a.asDynamic().`$type$` === undefined) {\n return concat(args)\n } else {\n var size = 0\n for (i in args.indices) {\n size += args[i].asDynamic().length as Int\n }\n val result = js(\"new a.constructor(size)\")\n kotlin.copyArrayType(a, result)\n size = 0\n for (i in args.indices) {\n val arr = args[i].asDynamic()\n for (j in 0 until arr.length) {\n result[size++] = arr[j]\n }\n }\n return result\n }\n}\n\n@JsName(\"booleanArrayOf\")\ninternal fun booleanArrayOf() = withType(\"BooleanArray\", js(\"[].slice.call(arguments)\"))\n\n@JsName(\"charArrayOf\") // The arguments have to be slice'd here because of Rhino (see KT-16974)\ninternal fun charArrayOf() = withType(\"CharArray\", js(\"new Uint16Array([].slice.call(arguments))\"))\n\n@JsName(\"longArrayOf\")\ninternal fun longArrayOf() = withType(\"LongArray\", js(\"[].slice.call(arguments)\"))\n\n@JsName(\"withType\")\n@kotlin.internal.InlineOnly\ninternal inline fun withType(type: String, array: dynamic): dynamic {\n array.`$type$` = type\n return array\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Function corresponding to JavaScript's `typeof` operator\n */\n@kotlin.internal.InlineOnly\n@Suppress(\"UNUSED_PARAMETER\")\npublic inline fun jsTypeOf(a: Any?): String = js(\"typeof a\")\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:Suppress(\"UNUSED_PARAMETER\", \"NOTHING_TO_INLINE\")\n\npackage kotlin\n\n/**\n * Returns an empty array of the specified type [T].\n */\npublic inline fun <T> emptyArray(): Array<T> = js(\"[]\")\n\n@library\npublic fun <T> arrayOf(vararg elements: T): Array<T> = definedExternally\n\n@library\npublic fun doubleArrayOf(vararg elements: Double): DoubleArray = definedExternally\n\n@library\npublic fun floatArrayOf(vararg elements: Float): FloatArray = definedExternally\n\n@library\npublic fun longArrayOf(vararg elements: Long): LongArray = definedExternally\n\n@library\npublic fun intArrayOf(vararg elements: Int): IntArray = definedExternally\n\n@library\npublic fun charArrayOf(vararg elements: Char): CharArray = definedExternally\n\n@library\npublic fun shortArrayOf(vararg elements: Short): ShortArray = definedExternally\n\n@library\npublic fun byteArrayOf(vararg elements: Byte): ByteArray =

definedExternally\n\n@library\npublic fun booleanArrayOf(vararg elements: Boolean): BooleanArray = definedExternally\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].\n */\npublic actual fun <T> lazy(initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n/**\n * Creates a new instance of the [Lazy] that uses
the specified initialization function [initializer].\n *\n * The [mode] parameter is ignored. */\npublic actual fun <T> lazy(mode: LazyThreadSafetyMode, initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].\n *\n * The [lock] parameter is ignored.\n */\npublic actual fun <T> lazy(lock: Any?, initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n\ninternal fun fillFrom(src: dynamic, dst: dynamic): dynamic {\n val srcLen: Int = src.length\n val dstLen: Int = dst.length\n var index: Int = 0\n while (index < srcLen && index < dstLen) dst[index] = src[index++]\n return dst\n}\n\n\ninternal fun arrayCopyResize(source: dynamic, newSize: Int, defaultValue: Any?): dynamic {\n val result = source.slice(0, newSize)\n copyArrayType(source, result)\n var index: Int = source.length\n if (newSize > index) {\n result.length = newSize\n
while (index < newSize) result[index++] = defaultValue\n }\n return result\n}\n\ninternal fun <T> arrayPlusCollection(array: dynamic, collection: Collection<T>): dynamic {\n val result = array.slice()\n result.length += collection.size\n copyArrayType(array, result)\n var index: Int = array.length\n for (element in collection) result[index++] = element\n return result\n}\n\ninternal fun <T> fillFromCollection(dst: dynamic, startIndex: Int, collection: Collection<T>): dynamic {\n var index = startIndex\n for (element in collection) dst[index++] = element\n return dst\n}\n\ninternal inline fun copyArrayType(from: dynamic, to: dynamic) {\n if (from.`$type$` !== undefined) {\n to.`$type$` = from.`$type$`\n }\n}\n\ninternal inline fun jsIsType(obj: dynamic, jsClass: dynamic) = js(\"Kotlin\").isType(obj, jsClass)","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by
the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n/**\n * Creates a Char with the specified [code].\n *\n * @sample samples.text.Chars.charFromCode\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic actual inline fun Char(code: UShort): Char {\n return code.toInt().toChar()\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@SinceKotlin(\"1.3\")\n@JsName(\"CoroutineImpl\")\ninternal abstract class CoroutineImpl(private val resultContinuation: Continuation<Any?>) : Continuation<Any?> {\n protected var state = 0\n protected var exceptionState = 0\n protected var result: Any? = null\n protected var exception:
Throwable? = null\n protected var finallyPath: Array<Int>? = null\n\n public override val context: CoroutineContext = resultContinuation.context\n\n private var intercepted_: Continuation<Any?>? = null\n\n public fun intercepted(): Continuation<Any?> =\n intercepted_\n ?: (context[ContinuationInterceptor]?.interceptContinuation(this) ?: this)\n .also { intercepted_ = it }\n\n override fun resumeWith(result: Result<Any?>) {\n var current = this\n var currentResult: Any? = result.getOrNull()\n var currentException: Throwable? = result.exceptionOrNull()\n\n // This loop unrolls recursion in current.resumeWith(param) to make saner and shorter stack traces on resume\n while (true) {\n with(current) {\n val completion = resultContinuation\n\n // Set result and exception fields in the current continuation\n if (currentException == null) {\n this.result = currentResult\n } else {\n state = exceptionState\n exception = currentException\n }\n\n try {\n val outcome = doResume()\n if (outcome === COROUTINE_SUSPENDED) return\n currentResult = outcome\n currentException = null\n } catch (exception: dynamic) { // Catch all exceptions\n currentResult = null\n currentException = exception.unsafeCast<Throwable>()\n }\n releaseIntercepted() // this state machine instance is terminating\n\n if (completion is CoroutineImpl) {\n // unrolling recursion via loop\n current = completion\n } else {\n // top-level completion reached --

```
invoke and return\n                currentException?.let {\n
            completion.resumeWithException(it)\n                } ?: completion.resume(currentResult)\n
return\n            }\n        }\n    }\n\n    private fun releaseIntercepted() {\n        val intercepted =
intercepted_\n        if (intercepted != null && intercepted !== this) {\n
context[ContinuationInterceptor]!!.releaseInterceptedContinuation(intercepted)\n        }\n        this.intercepted_ =
CompletedContinuation // just in case\n    }\n\n    protected abstract fun doResume(): Any?\n}\n\ninternal object
CompletedContinuation : Continuation<Any?> {\n    override val context: CoroutineContext\n        get() =
error(\"This continuation is already complete\")\n\n    override fun resumeWith(result: Result<Any?>) {\n
error(\"This continuation is already complete\")\n    }\n\n    override fun toString(): String = \"This continuation is
already complete\"\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
 Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n@file:Suppress(\"UNCHECKED_CAST\",
\"RedundantVisibilityModifier\")\n\npackage kotlin\n\nimport kotlin.contracts.*\nimport
kotlin.internal.InlineOnly\nimport kotlin.jvm.JvmField\nimport kotlin.jvm.JvmInline\nimport
kotlin.jvm.JvmName\n\n/**\n * A discriminated union that encapsulates a successful outcome with a value of type
[T]\n * or a failure with an arbitrary [Throwable] exception.\n */\n@SinceKotlin(\"1.3\")\n@JvmInline\npublic
value class Result<out T> @PublishedApi internal constructor(\n    @PublishedApi\n    internal val value: Any?\n) :
Serializable {\n    // discovery\n\n    /**\n     * Returns `true` if this instance represents a successful outcome.\n     *
In this case [isFailure] returns `false`.\n     */\n    public val isSuccess: Boolean get() = value !is Failure\n\n    /**\n
* Returns `true` if this instance represents
 a failed outcome.\n     * In this case [isSuccess] returns `false`.\n     */\n    public val isFailure: Boolean get() =
value is Failure\n\n    // value & exception retrieval\n\n    /**\n     * Returns the encapsulated value if this instance
represents [success][Result.isSuccess] or `null`\n     * if it is [failure][Result.isFailure].\n     *\n     * This function is
a shorthand for `getOrElse { null }` (see [getOrElse]) or\n     * `fold(onSuccess = { it }, onFailure = { null })` (see
[fold]).\n     */\n    @InlineOnly\n    public inline fun getOrNull(): T? =\n        when {\n            isFailure -> null\n
    else -> value as T\n        }\n\n    /**\n     * Returns the encapsulated [Throwable] exception if this instance
represents [failure][isFailure] or `null`\n     * if it is [success][isSuccess].\n     *\n     * This function is a shorthand
for `fold(onSuccess = { null }, onFailure = { it })` (see [fold]).\n     */\n    public fun exceptionOrNull(): Throwable?
=\n
    when (value) {\n            is Failure -> value.exception\n            else -> null\n        }\n\n    /**\n     * Returns a string
`Success(v)` if this instance represents [success][Result.isSuccess]\n     * where `v` is a string representation of the
value or a string `Failure(x)` if\n     * it is [failure][isFailure] where `x` is a string representation of the exception.\n
 */\n    public override fun toString(): String =\n        when (value) {\n            is Failure -> value.toString() //
\"Failure($exception)\"\n            else -> \"Success($value)\"\n        }\n\n    // companion with constructors\n\n    /**\n
  * Companion object for [Result] class that contains its constructor functions\n     * [success] and [failure].\n     */\n
  public companion object {\n        /**\n         * Returns an instance that encapsulates the given [value] as successful
value.\n         */\n        @Suppress(\"INAPPLICABLE_JVM_NAME\")\n        @InlineOnly\n
@JvmName(\"success\")\n
        public inline fun <T> success(value: T): Result<T> =\n            Result(value)\n\n        /**\n         * Returns an
instance that encapsulates the given [Throwable] [exception] as failure.\n         */\n
@Suppress(\"INAPPLICABLE_JVM_NAME\")\n        @InlineOnly\n        @JvmName(\"failure\")\n        public
inline fun <T> failure(exception: Throwable): Result<T> =\n            Result(createFailure(exception))\n    }\n\n
internal class Failure(\n        @JvmField\n        val exception: Throwable\n    ) : Serializable {\n        override fun
equals(other: Any?): Boolean = other is Failure && exception == other.exception\n        override fun hashCode():
Int = exception.hashCode()\n        override fun toString(): String = \"Failure($exception)\"\n    }\n}\n\n/**\n *
Creates an instance of internal marker [Result.Failure] class to\n * make sure that this class is not exposed in ABI.\n
*/\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal fun createFailure(exception: Throwable):
```

```
Any =\n    Result.Failure(exception)\n\n/**\n * Throws exception if the result is failure. This internal function minimizes\n * inlined bytecode for [getOrThrow] and makes sure that in the future we can\n * add some exception-augmenting logic here (if needed).\n */\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal fun Result<*>.throwOnFailure() {\n    if (value is Result.Failure) throw value.exception\n}\n\n/**\n * Calls the specified function [block] and returns its encapsulated result if invocation was successful,\n * catching any [Throwable] exception that was thrown from the [block] function execution and encapsulating it as a failure.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R> runCatching(block: () -> R): Result<R> {\n    return try {\n        Result.success(block())\n    } catch (e: Throwable) {\n        Result.failure(e)\n    }\n}\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and returns its encapsulated result if invocation was successful,\n * catching any [Throwable] exception that was thrown from the [block] function execution and encapsulating it as a failure.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <T, R> T.runCatching(block: T.() -> R): Result<R> {\n    return try {\n        Result.success(block())\n    } catch (e: Throwable) {\n        Result.failure(e)\n    }\n}\n\n// -- extensions ---\n\n/**\n * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or throws the encapsulated [Throwable] exception\n * if it is [failure][Result.isFailure].\n *\n * This function is a shorthand for `getOrElse { throw it }` (see [getOrElse]).\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <T> Result<T>.getOrThrow(): T {\n    throwOnFailure()\n    return value as T\n}\n\n/**\n * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or the\n * result of [onFailure] function for the encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n *\n * Note, that this function rethrows any [Throwable] exception thrown by [onFailure] function.\n *\n * This function is a shorthand for `fold(onSuccess = { it }, onFailure = onFailure)` (see [fold]).\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T : R> Result<T>.getOrElse(onFailure: (exception: Throwable) -> R): R {\n    contract {\n        callsInPlace(onFailure, InvocationKind.AT_MOST_ONCE)\n    }\n    return when (val exception = exceptionOrNull()) {\n        null -> value as T\n        else -> onFailure(exception)\n    }\n}\n\n/**\n * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or the\n * [defaultValue] if it is [failure][Result.isFailure].\n *\n * This function is a shorthand for `getOrElse { defaultValue }` (see [getOrElse]).\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T : R> Result<T>.getOrDefault(defaultValue: R): R {\n    if (isFailure) return defaultValue\n    return value as T\n}\n\n/**\n * Returns the result of [onSuccess] for the encapsulated value if this instance represents [success][Result.isSuccess]\n * or the result of [onFailure] function for the encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n *\n * Note, that this function rethrows any [Throwable] exception thrown by [onSuccess] or by [onFailure] function.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T> Result<T>.fold(\n    onSuccess: (value: T) -> R,\n    onFailure: (exception: Throwable) -> R\n): R {\n    contract {\n        callsInPlace(onSuccess, InvocationKind.AT_MOST_ONCE)\n        callsInPlace(onFailure, InvocationKind.AT_MOST_ONCE)\n    }\n    return when (val exception = exceptionOrNull()) {\n        null -> onSuccess(value as T)\n        else -> onFailure(exception)\n    }\n}\n\n// transformation\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to the encapsulated value\n * if this instance represents [success][Result.isSuccess] or the\n * original encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n *\n * Note, that this function rethrows any [Throwable] exception thrown by [transform] function.\n * See [mapCatching] for an alternative that encapsulates exceptions.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T> Result<T>.map(transform: (value: T) -> R): Result<R> {\n    contract {\n        callsInPlace(transform, InvocationKind.AT_MOST_ONCE)\n    }\n    return when {\n        isSuccess -> Result.success(transform(value as T))\n        else -> Result(value)\n    }\n}\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to the encapsulated value\n * if this instance represents [success][Result.isSuccess] or the\n * original encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n *\n * This function catches any [Throwable] exception thrown by [transform] function and encapsulates
```

```
 it as a failure.\n * See [map] for an alternative that rethrows exceptions from `transform` function.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T> Result<T>.mapCatching(transform: (value: T) -> R): Result<R> {\n    return when {\n        isSuccess -> runCatching { transform(value as T) }\n        else -> Result(value)\n    }\n}\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to the encapsulated [Throwable] exception\n * if this instance represents [failure][Result.isFailure] or the\n * original encapsulated value if it is [success][Result.isSuccess].\n *\n * Note, that this function rethrows any [Throwable] exception thrown by [transform] function.\n * See [recoverCatching] for an alternative that encapsulates exceptions.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T : R> Result<T>.recover(transform: (exception: Throwable) -> R): Result<R> {\n    contract {\n        callsInPlace(transform, InvocationKind.AT_MOST_ONCE)\n
    }\n    return when (val exception = exceptionOrNull()) {\n        null -> this\n        else -> Result.success(transform(exception))\n    }\n}\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to the encapsulated [Throwable] exception\n * if this instance represents [failure][Result.isFailure] or the\n * original encapsulated value if it is [success][Result.isSuccess].\n *\n * This function catches any [Throwable] exception thrown by [transform] function and encapsulates it as a failure.\n * See [recover] for an alternative that rethrows exceptions.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T : R> Result<T>.recoverCatching(transform: (exception: Throwable) -> R): Result<R> {\n    return when (val exception = exceptionOrNull()) {\n        null -> this\n        else -> runCatching { transform(exception) }\n    }\n}\n\n// \"peek\" onto value/exception and pipe\n\n/**\n * Performs the given [action] on the encapsulated [Throwable] exception if this instance represents [failure][Result.isFailure].\n * Returns the original `Result` unchanged.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <T> Result<T>.onFailure(action: (exception: Throwable) -> Unit): Result<T> {\n    contract {\n        callsInPlace(action, InvocationKind.AT_MOST_ONCE)\n    }\n    exceptionOrNull()?.let { action(it) }\n    return this\n}\n\n/**\n * Performs the given [action] on the encapsulated value if this instance represents [success][Result.isSuccess].\n * Returns the original `Result` unchanged.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <T> Result<T>.onSuccess(action: (value: T) -> Unit): Result<T> {\n    contract {\n        callsInPlace(action, InvocationKind.AT_MOST_ONCE)\n    }\n    if (isSuccess) action(value as T)\n    return this\n}\n\n// ----------\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
 governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport kotlin.contracts.*\nimport kotlin.coroutines.intrinsics.*\nimport kotlin.internal.InlineOnly\n\n/**\n * Interface representing a continuation after a suspension point that returns a value of type `T`.\n */\n@SinceKotlin(\"1.3\")\npublic interface Continuation<in T> {\n    /**\n     * The context of the coroutine that corresponds to this continuation.\n     */\n    public val context: CoroutineContext\n\n    /**\n     * Resumes the execution of the corresponding coroutine passing a successful or failed [result] as the\n     * return value of the last suspension point.\n     */\n    public fun resumeWith(result: Result<T>)\n}\n\n/**\n * Classes and interfaces marked with this annotation are restricted when used as receivers for extension\n * `suspend` functions. These `suspend` extensions can only invoke other member or extension `suspend` functions on this particular\n * receiver and are restricted from calling arbitrary suspension functions.\n */\n@SinceKotlin(\"1.3\")\n@Target(AnnotationTarget.CLASS)\n@Retention(AnnotationRetention.BINARY)\npublic annotation class RestrictsSuspension\n\n/**\n * Resumes the execution of the corresponding coroutine passing [value] as the return value of the last suspension point.\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic inline fun <T> Continuation<T>.resume(value: T): Unit =\n    resumeWith(Result.success(value))\n\n/**\n * Resumes the execution of the corresponding coroutine so that the [exception] is re-thrown right after the\n * last suspension point.\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic inline fun <T> Continuation<T>.resumeWithException(exception: Throwable): Unit =\n    resumeWith(Result.failure(exception))\n\n\n/**\n * Creates a [Continuation] instance with the given [context] and implementation of [resumeWith] method.\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic inline fun <T>
```

```
Continuation(\n    context: CoroutineContext,\n    crossinline resumeWith: (Result<T>) -> Unit\n): Continuation<T> =\n    object : Continuation<T> {\n        override val context: CoroutineContext\n            get() = context\n\n        override fun resumeWith(result: Result<T>) =\n            resumeWith(result)\n    }\n\n/**\n * Creates a coroutine without a receiver and with result type [T].\n * This function creates a new, fresh instance of suspendable computation every time it is invoked.\n *\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when the coroutine completes with a result or an exception.\n * Subsequent invocation of any resume function on the resulting continuation will produce an [IllegalStateException].\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"UNCHECKED_CAST\")\npublic fun <T> (suspend () -> T).createCoroutine(\n    completion: Continuation<T>\n): Continuation<Unit> =\n    SafeContinuation(createCoroutineUnintercepted(completion).intercepted(), COROUTINE_SUSPENDED)\n\n/**\n * Creates a coroutine with receiver type [R] and result type [T].\n * This function creates a new, fresh instance of suspendable computation every time it is invoked.\n *\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when the coroutine completes with a result or an exception.\n * Subsequent invocation of any resume function on the resulting continuation will produce an [IllegalStateException].\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"UNCHECKED_CAST\")\npublic fun <R, T> (suspend R.() -> T).createCoroutine(\n    receiver: R,\n    completion: Continuation<T>\n): Continuation<Unit> =\n    SafeContinuation(createCoroutineUnintercepted(receiver, completion).intercepted(), COROUTINE_SUSPENDED)\n\n/**\n * Starts a coroutine without a receiver and with result type [T].\n * This function creates and starts a new, fresh instance of suspendable computation every time it is invoked.\n * The [completion] continuation is invoked when the coroutine completes with a result or an exception.\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"UNCHECKED_CAST\")\npublic fun <T> (suspend () -> T).startCoroutine(\n    completion: Continuation<T>\n) {\n    createCoroutineUnintercepted(completion).intercepted().resume(Unit)\n}\n\n/**\n * Starts a coroutine with receiver type [R] and result type [T].\n * This function creates and starts a new, fresh instance of suspendable computation every time it is invoked.\n * The [completion] continuation is invoked when the coroutine completes with a result or an exception.\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"UNCHECKED_CAST\")\npublic fun <R, T> (suspend R.() -> T).startCoroutine(\n    receiver: R,\n    completion: Continuation<T>\n) {\n    createCoroutineUnintercepted(receiver, completion).intercepted().resume(Unit)\n}\n\n/**\n * Obtains the current continuation instance inside suspend functions and suspends\n * the currently running coroutine.\n *\n * In this function both [Continuation.resume] and [Continuation.resumeWithException] can be used either synchronously in\n * the same stack-frame where the suspension function is run or asynchronously later in the same thread or\n * from a different thread of execution. Subsequent invocation of any resume function will produce an [IllegalStateException].\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic suspend inline fun <T> suspendCoroutine(crossinline block: (Continuation<T>) -> Unit): T {\n    contract { callsInPlace(block, InvocationKind.EXACTLY_ONCE) }\n    return suspendCoroutineUninterceptedOrReturn { c: Continuation<T> ->\n        val safe = SafeContinuation(c.intercepted())\n        block(safe)\n        safe.getOrThrow()\n    }\n}\n\n/**\n * Returns the context of the current coroutine.\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"WRONG_MODIFIER_TARGET\")\n@InlineOnly\npublic suspend inline val coroutineContext: CoroutineContext\n    get() {\n        throw NotImplementedError(\"Implemented as intrinsic\")\n    }\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines.intrinsics\n\nimport kotlin.coroutines.*\nimport kotlin.internal.InlineOnly\n\n/**\n * Starts an unintercepted coroutine without a receiver and with result type [T] and executes it until its first suspension.\n * Returns the result of the coroutine or throws its exception if it does not suspend or [COROUTINE_SUSPENDED] if it suspends.\n * In the latter case, the [completion] continuation is invoked when the coroutine completes with a result or an exception.\n *\n * The
```

coroutine is started directly in the invoker's thread without going through the [ContinuationInterceptor] that might\n * be present in
the completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation\n * context is established.\n *\n * This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the execution of the suspended\n * coroutine using a reference to the suspending function.\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic actual inline fun <T> (suspend () -> T).startCoroutineUninterceptedOrReturn(\n completion: Continuation<T>\n): Any? = this.asDynamic()(completion, false)\n\n/**\n * Starts an unintercepted coroutine with receiver type [R] and result type [T] and executes it until its first suspension.\n * Returns the result of the coroutine or throws its exception if it does not suspend or [COROUTINE_SUSPENDED] if it suspends.\n * In the latter case, the [completion] continuation is invoked when the coroutine completes with a result or an exception.\n *\n * The coroutine is started directly in the invoker's thread without
going through the [ContinuationInterceptor] that might\n * be present in the completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation\n * context is established.\n *\n * This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the execution of the suspended\n * coroutine using a reference to the suspending function.\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic actual inline fun <R, T> (suspend R.() -> T).startCoroutineUninterceptedOrReturn(\n receiver: R,\n completion: Continuation<T>\n): Any? = this.asDynamic()(receiver, completion, false)\n\n@InlineOnly\ninternal actual inline fun <R, P, T> (suspend R.(P) -> T).startCoroutineUninterceptedOrReturn(\n receiver: R,\n param: P,\n completion: Continuation<T>\n): Any? = this.asDynamic()(receiver, param, completion, false)\n\n/**\n * Creates unintercepted coroutine without receiver and with result type [T].\n * This function creates
a new, fresh instance of suspendable computation every time it is invoked.\n *\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when coroutine completes with result or exception.\n *\n * This function returns unintercepted continuation.\n * Invocation of `resume(Unit)` starts coroutine immediately in the invoker's call stack without going through the\n * [ContinuationInterceptor] that might be present in the completion's [CoroutineContext].\n * It is the invoker's responsibility to ensure that a proper invocation context is established.\n * Note that [completion] of this function may get invoked in an arbitrary context.\n *\n * [Continuation.intercepted] can be used to acquire the intercepted continuation.\n * Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of\n * both the coroutine and [completion] happens in the invocation context established
by\n * [ContinuationInterceptor].\n *\n * Repeated invocation of any resume function on the resulting continuation corrupts the\n * state machine of the coroutine and may result in arbitrary behaviour or exception.\n */\n@SinceKotlin(\"1.3\")\npublic actual fun <T> (suspend () -> T).createCoroutineUnintercepted(\n completion: Continuation<T>\n): Continuation<Unit> =\n // Kotlin/JS suspend lambdas have an extra parameter `suspended`\n if (this.asDynamic().length == 2) {\n // When `suspended` is true the continuation is created, but not executed\n this.asDynamic()(completion, true)\n } else {\n createCoroutineFromSuspendFunction(completion) {\n this.asDynamic()(completion)\n }\n }\n\n/**\n * Creates unintercepted coroutine with receiver type [R] and result type [T].\n * This function creates a new, fresh instance of suspendable computation every time it is invoked.\n *\n * To start executing the created coroutine, invoke `resume(Unit)`
on the returned [Continuation] instance.\n * The [completion] continuation is invoked when coroutine completes with result or exception.\n *\n * This function returns unintercepted continuation.\n * Invocation of `resume(Unit)` starts coroutine immediately in the invoker's call stack without going through the\n * [ContinuationInterceptor] that might be present in the completion's [CoroutineContext].\n * It is the invoker's responsibility to ensure that a proper invocation context is established.\n * Note that [completion] of this function may get invoked in an arbitrary context.\n *\n * [Continuation.intercepted] can be used to acquire the intercepted continuation.\n * Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of\n * both the coroutine and [completion]

happens in the invocation context established by\n * [ContinuationInterceptor].\n *\n * Repeated invocation of any resume function on the resulting continuation corrupts the\n * state machine of
the coroutine and may result in arbitrary behaviour or exception.\n */\n@SinceKotlin(\"1.3\")\npublic actual fun <R, T> (suspend R.() -> T).createCoroutineUnintercepted(\n receiver: R,\n completion: Continuation<T>\n): Continuation<Unit> =\n // Kotlin/JS suspend lambdas have an extra parameter `suspended`\n if (this.asDynamic().length == 3) {\n // When `suspended` is true the continuation is created, but not executed\n this.asDynamic()(receiver, completion, true)\n } else {\n createCoroutineFromSuspendFunction(completion) {\n this.asDynamic()(receiver, completion)\n }\n }\n\n/**\n * Intercepts this continuation with [ContinuationInterceptor].\n *\n * This function shall be used on the immediate result of [createCoroutineUnintercepted] or [suspendCoroutineUninterceptedOrReturn],\n * in which case it checks for [ContinuationInterceptor] in the continuation's [context][Continuation.context],\n * invokes [ContinuationInterceptor.interceptContinuation],
caches and returns the result.\n *\n * If this function is invoked on other [Continuation] instances it returns `this` continuation unchanged.\n */\n@SinceKotlin(\"1.3\")\npublic actual fun <T> Continuation<T>.intercepted(): Continuation<T> =\n (this as? CoroutineImpl)?.intercepted() ?: this\n\n\nprivate inline fun <T> createCoroutineFromSuspendFunction(\n completion: Continuation<T>,\n crossinline block: () -> Any?\n): Continuation<Unit> {\n @Suppress(\"UNCHECKED_CAST\")\n return object : CoroutineImpl(completion as Continuation<Any?>) {\n override fun doResume(): Any? {\n exception?.let { throw it }\n return block()\n }\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n// Mirrors signature from JS IR BE\n// Used for js.translator/testData/box/number/mulInt32.kt\n@library\n@JsName(\"imulEmulated\")\n@Suppress(\"UNUSED_PARAMETER\")\ninternal fun imul(x: Int, y: Int): Int = definedExternally\n\n@Suppress(\"NOTHING_TO_INLINE\")\ninternal inline fun isArrayish(o: dynamic) = js(\"Kotlin\").isArrayish(o)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n// NOTE: Do not author your exceptions as they are written in this file, instead use this template:\n/*\npublic open class MyException : Exception {\n constructor() : super()\n constructor(message: String?) : super(message)\n constructor(message: String?, cause: Throwable?) : super(message, cause)\n constructor(cause: Throwable?) : super(cause)\n}\n*/\n\n\n// TODO: remove primary constructors, make all secondary KT-22055\n\n@Suppress(\"USELESS_ELVIS_RIGHT_IS_NULL\")\npublic actual open class Error actual constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?: null) {\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\n@Suppress(\"USELESS_ELVIS_RIGHT_IS_NULL\")\npublic actual open class Exception actual constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?: null) {\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open class RuntimeException actual constructor(message: String?, cause: Throwable?) : Exception(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open
class IllegalArgumentException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open class IllegalStateException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open class IndexOutOfBoundsException actual constructor(message: String?) : RuntimeException(message) {\n

actual constructor() : this(null)\n}\n\npublic actual open class ConcurrentModificationException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n   actual constructor() : this(null, null)\n   actual
constructor(message: String?) : this(message, null)\n   actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open class UnsupportedOperationException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n   actual constructor() : this(null, null)\n   actual constructor(message: String?) : this(message, null)\n   actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\n\npublic actual open class NumberFormatException actual constructor(message: String?) : IllegalArgumentException(message) {\n   actual constructor() : this(null)\n}\n\n\npublic actual open class NullPointerException actual constructor(message: String?) : RuntimeException(message) {\n   actual constructor() : this(null)\n}\n\npublic actual open class ClassCastException actual constructor(message: String?) : RuntimeException(message) {\n   actual constructor() : this(null)\n}\n\npublic actual open class AssertionError\n@SinceKotlin(\"1.4\")\nconstructor(message:
String?, cause: Throwable?) : Error(message, cause) {\n   actual constructor() : this(null)\n   constructor(message: String?) : this(message, null)\n   actual constructor(message: Any?) : this(message.toString(), message as? Throwable)\n}\n\npublic actual open class NoSuchElementException actual constructor(message: String?) : RuntimeException(message) {\n   actual constructor() : this(null)\n}\n\n@SinceKotlin(\"1.3\")\npublic actual open class ArithmeticException actual constructor(message: String?) : RuntimeException(message) {\n   actual constructor() : this(null)\n}\n\npublic actual open class NoWhenBranchMatchedException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n   actual constructor() : this(null, null)\n   actual constructor(message: String?) : this(message, null)\n   actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open class UninitializedPropertyAccessException
actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n   actual constructor() : this(null, null)\n   actual constructor(message: String?) : this(message, null)\n   actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n\n@file:Suppress(\"UNUSED_PARAMETER\")\n\npackage kotlin.js\n\n@kotlin.internal.InlineOnly\ninternal inline fun jsDeleteProperty(obj: Any, property: Any) {\n   js(\"delete
obj[property]\")\n}\n\n@kotlin.internal.InlineOnly\ninternal inline fun jsBitwiseOr(lhs: Any?, rhs: Any?): Int =\n   js(\"lhs | rhs\").unsafeCast<Int>()","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage
kotlin.math\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n *\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Double.withSign(sign: Double): Double {\n   val thisSignBit = js(\"Kotlin\").doubleSignBit(this).unsafeCast<Int>()\n   val newSignBit = js(\"Kotlin\").doubleSignBit(sign).unsafeCast<Int>()\n   return if (thisSignBit == newSignBit) this else -this\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n\n/**\n * Returns a bit representation of the specified floating-point value as [Long]\n * according to the IEEE 754 floating-point \"double format\" bit layout.\n */\n@SinceKotlin(\"1.2\")\n@library(\"doubleToBits\")\npublic actual fun Double.toBits(): Long = definedExternally\n\n/**\n * Returns a bit representation
of the specified floating-point value as [Long]\n * according to the IEEE 754 floating-point \"double format\" bit layout,\n * preserving `NaN` values exact layout.\n */\n@SinceKotlin(\"1.2\")\n@library(\"doubleToRawBits\")\npublic actual fun Double.toRawBits(): Long = definedExternally\n\n/**\n * Returns the [Double] value corresponding to a given bit representation.\n */\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Double.Companion.fromBits(bits: Long): Double = js(\"Kotlin\").doubleFromBits(bits).unsafeCast<Double>()\n\n/**\n * Returns a bit representation

of the specified floating-point value as [Int]\n * according to the IEEE 754 floating-point \"single format\" bit layout.\n *\n * Note that in Kotlin/JS [Float] range is wider than \"single format\" bit layout can represent,\n * so some [Float] values may overflow, underflow or loose their accuracy after conversion to bits and back.\n */\n@SinceKotlin(\"1.2\")\n@library(\"floatToBits\")\npublic
actual fun Float.toBits(): Int = definedExternally\n\n/**\n * Returns a bit representation of the specified floating-point value as [Int]\n * according to the IEEE 754 floating-point \"single format\" bit layout,\n * preserving `NaN` values exact layout.\n *\n * Note that in Kotlin/JS [Float] range is wider than \"single format\" bit layout can represent,\n * so some [Float] values may overflow, underflow or loose their accuracy after conversion to bits and back.\n */\n@SinceKotlin(\"1.2\")\n@library(\"floatToRawBits\")\npublic actual fun Float.toRawBits(): Int = definedExternally\n\n/**\n * Returns the [Float] value corresponding to a given bit representation.\n */\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Float.Companion.fromBits(bits: Int): Float =
js(\"Kotlin\").floatFromBits(bits).unsafeCast<Float>()\n\n\n@Suppress(\"NOTHING_TO_INLINE\")\ninternal inline fun Long(low: Int, high: Int) = js(\"Kotlin\").Long.fromBits(low, high).unsafeCast<Long>()\ninternal
inline val Long.low: Int get() = this.asDynamic().getLowBits().unsafeCast<Int>()\ninternal inline val Long.high: Int get() = this.asDynamic().getHighBits().unsafeCast<Int>()\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nimport kotlin.reflect.KClass\n\n@PublishedApi\ninternal fun <T : Annotation> KClass<*>.findAssociatedObject(@Suppress(\"UNUSED_PARAMETER\") annotationClass: KClass<T>): Any? {\n   // This API is not supported in js-v1. Return `null` to be source-compatible with js-ir.\n return null\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Returns a string representation of this [Long] value
in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Long.toString(radix: Int): String = asDynamic().toString(checkRadix(radix))","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\n// 1343 ranges totally\nprivate object Category {\n   val decodedRangeStart: IntArray\n   val decodedRangeCategory: IntArray\n\n   init {\n   val toBase64 =
\"ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/\"\n   val fromBase64 = IntArray(128)\n   for (i in toBase64.indices) {\n   fromBase64[toBase64[i].code]
= i\n   }\n   \n   // rangeStartDiff.length = 1482\n   val rangeStartDiff =
\"gBCFEDCKCDCaDDaDBhBCEEDDDDDEDXBHYBH5BRwBGDCHDCIDFHDCHFDCDEIRTEE7BGHDDJlCBbSEMOFGERwDEDDDDECEFCRBJhBFDCYFFCCzBvBjBBFC3BOhDBmBDGpBDDCtBBJIbEECLGDFCLDCgBBKVKEDiDDHCFECECKCEODBebC5CLBOKhBJDDDDWEBHFCFCPBZDEL1BVBSLPBgBB2BDBDICFBHKCCKCPDBHEDWBHEDDDDEDEDIBDGDCKCCGDDDCGECCWBFMDDCDEDDCHDDHKDDBKDBHFCWBFGFDBDDFEDBPDDKCHBGDCHEDWBFGFDCEDEDBHDDGDCKCGJEGDBFDDFDDDDDMEFDBFDCGBOKDFDFDCGFCXBQDDDDDBEGEDFDDKHBHDDGFCXBKBFCEFCFCHCHECCKDNCCHFCoBEDECFDDDDHDCCKJBGDCSDYBJEHBFDDEBIGKDCMuBFHEBGBIBKCkBFBFBXEIFJDFDGCKCEgBBDPEDGKKGECIBkBEOBDFFLBkBBIBEFFEClBrBCEBEGDBKGGDDDDDCHDENDCFEKDDlBDDFrBCDpKBECGEECpBBEChBBECGEECPB5BBECjCCDJUDQKG2CCGDsTCRBaCDrCDDIHNBEDLSDCJSCMLFCCM0BDHGFLBFDDKGKGEFDDBKGjBB1BHFChBDFmCKfDDDDDDCGDCFDKeCFLsBEaGKBDiBXDDD1BDGDEIGJEKGKGHBGCMF/BEBvBCEDDFHEKHKJJDDeDDGDKsBFEDCIEkBIICCDFKDDKeGCJHrBCDIIDBNBHEBEFDBFsB/BNBiBlB6BBF1EIiDJIGCGCIIIIGCGCIIIIOCIIIIIIDFEDDBFEDDDDEBDIFDDFEDBLFGCEEICFBJCDEDCLDKBFBKCCGDDKDDNDgBQNEBDMPFFDEDEBFFHECEBEEDFBEDDQjBCEDEFFCCJHBeEEfsIIEUCHCxCBeZoBGlCZLV8BuCW3FBJB2BIvDB4HOesBFCfKQgIjEW/BEgBCiIwBVCGnBCgBBp

DvBBuBEDBHEFGCCjDCGEDCFCFlBDDF4BHCOBXJHBHBHBHBHBHBHBHBgBCECGHGEDIFBKCEDM
EtBaB5CM2GaMEDDCKCGFCJEDFDDDC2CDDDB6CDCFrBB+CDEKgBkBMQfBKeIBPgBKnBPgKguGgC9
vUDVB3jBD3BJoBGCsIBDQKCUuBDDKCcCCmCKCGIXJCNC/BBHGKDECEVFBEMCEEBqBDDGDFDXD
CEBDGEG0BEICyBQCICKGSGDEBKcICXLCLBdDDBvBDECCDNCKECFCJKFBpBFEDCJDBICCKCEQBG
DDByBEDCEFBYDCLEDDCKGCGCGJHBHBrBBEJDEwCjBIDCKGk9KMXExBEggCgoGuLCqDmBHMFFC
KBNBFBIsDQRrLCQgCC2BoBMCCQGEGQDCQDDDDFDGDECEEFBnEEBFEDCKCDCaDDaDBFCKBtBCf
DGCGCFEDDDDCECKDC\"\n
val diff = decodeVarLenBase64(rangeStartDiff, fromBase64, 1342)\n val start = IntArray(diff.size + 1)\n
for (i in diff.indices) {\n start[i + 1] = start[i] + diff[i]\n }\n decodedRangeStart = start\n \n
// rangeCategory.length = 2033\n val rangeCategory =
\"PsY44a41W54UYJYZYB14W7XC15WZPsYa84bl9Zw8b85Lr7C44brlerrYBZBCZCiBiBiBhCiiBhChiBhiCBhh
ChiCihBhChCChiBhChiClBCFhjCiBiBihDhiBhCCihBiBBhCCFCEbEbEb7EbGhCk7BixRkiCi4BRbh4BhRhCBR
BCiiBBCiBChiZBCBCiBcGHhChCiBRBxxEYC40Rx8c6RGUm4GRFRFYRQZ44acG4wRYFEFGJYllGFlYGwc
GmkEmcGFJFl8cYxwFGFGRFGFRJFGkkcYkxRm6aFGEGmmEmEGRYRFGxxYFRFRFRGQGIFmIFIGIooGF
GFGYJ4EFmoIRFlxRlxRFRFxlRxlFllRxmFIGxxIoxRomFRIRxlFlmGRJFaL86F4mRxmGoRFRFRFRFllRxGIGR
xmGxmGmxRxGRFlRRJmmFllGYRmmIRFllRlRFRFllRFxxGFIGmmRoxImxRFRllGmxRJ4aRFGxmIoRFlxRlxR
FRFllRFxxGlImoGmmRxoIxoIGRmmIRxlFlmGRJ8FLRxmFFRFllRllRxxFlRlxRxlFRFRFRooGRIooRomRxFRIR
JLc8aRmoIoGFllRlRFRFRlmGmoIooRGRGRxmGFRllGmxRJRYL8lGooYFllRlRFRFRFRmlIIxGooRGRIRlxFG
RJxlFRGIFllRlRFlmGIGxIooRomF8xRxxFllILFGRJLcFxmIoRFRFRFxlRFRxxGxxIooGmmRRIRJxxIoYRFllGG
RaFEGYJYRxlFRFRFlRFllGGlxRFxEGRJRFRFcY84c8mGcJL8G1WIFRFRGIGmmYFGRGRcGc88RYcYRFIGI
GmmIomGFJYFooGmlFllGmmFIFIFGFmoIGIomFJIm8cBhRRxxBC4ECFRFRFlRFRFRFRFRFRFRFlRFRFRFRFR
FRGYLRFcRBRCxxUF8YFMF1WRFYKFRFRFGRFGYRFGRFllRlRGRFmmIGIooGGY44E46FmxRJRLRY44
U44GmmQRJRFEFRFGFlGRFRFxmGmoIooGmoIoxRxxIoGIGRxxcx4YJFRFRFRFRJLRcFmmIomRx4YFoGG
mRomIGIGmxRJRJRYEYRGmmHRGIFmIGmIIooGFRJYcGcRmmIFomGmmIomGmlFJFmoGooGGIRYFIGIG
RYJRFJFEYCRBRBYRGYGIGFGFllGomGFRCECECEGRGhCCiBCBCRBRCBCBCRBRCxBCBCRCDCDCD
CiiRBj7CbCiiRBj7b7iCiiRxiCBRbCBbxxCiiRBj7bRMQUY9+V9+VYtOQMY9eY43X44Z1WY54XYMQRQrER
LZ12ELZ12RERaRGHGHGR88B88BihBhiChhC8hcZBc8BB8CBCFi8cihBZBC8Z8CLKhCKr8cRZcZc88ZcZc85
Z8ZcZc1WcZc1WcZcZcZcRcRLcLcZcZcZcZc1WLcZ1WZ1WZcZ1WZ1WZ1WZcZcZcRcRcBRCixBBCiBBihC
CEBhCCchCGhCRY44LCiRRxxCFRkYRGFRFRFRFRFRFRFRFRFRGY9eY49eY44U49e49e1WYEYUY04VY
48cRcRcRcRcRs4Y48ElK1Wc1W12U2cKGooUE88KqqEl4c8RFxxGm7bkkFUF4kEkFRFRFx8cLcFcRFcRLcLc
LcLcLcFcFRFEFRcRFEYFEYFJFRhClmHnnYG4EhCEGFKGYRbEbhCCiBECiBhCk7bhClBihCiBBCBhCRhiBh
hCCRhiFkkCFlGllGllGFooGmIcGRL88aRFYRIFIGRYJRGFYl4FGJFGYFGIRYFRGIFmoIGIGIYxEJRYFmEFJ
FRFGmoImoIGRFGFmIRJRYFEFcloGIFmlGmlFGFlmGFRllEYFomGo4YlkEoGRFRFRFRFRFRCbECk7bRCFo
oG4oGRJRFRFRFRTSFRFRCRCRlGFZFRFRlxFFbRF2VRFRFRF6cRGY41WRG40UX1W44V24Y44X33Y44R
44U1WY50Z5R46YRFRFxxQY44a41W54UYJYZYB14W7XC15WZ12YYFEFEFRFRFRFlxRllRxxa65b86axcZc
RQcR\"\n
decodedRangeCategory = decodeVarLenBase64(rangeCategory,
fromBase64, 1343)\n }\n}\n\nprivate fun categoryValueFrom(code: Int, ch: Int): Int {\n return when {\n
code < 0x20 -> code\n code < 0x400 -> if ((ch and 1) == 1) code shr 5 else code and 0x1f\n else ->\n
when (ch % 3) {\n 2 -> code shr 10\n 1 -> (code shr 5) and 0x1f\n else -> code and
0x1f\n }\n }\n}\n\n/**\n * Returns the Unicode general category of this character as an Int.\n */\ninternal
fun Char.getCategoryValue(): Int {\n val ch = this.code\n\n val index =
binarySearchRange(Category.decodedRangeStart, ch)\n val start = Category.decodedRangeStart[index]\n val
code = Category.decodedRangeCategory[index]\n val value = categoryValueFrom(code, ch - start)\n\n return if
(value == 17) CharCategory.UNASSIGNED.value else value\n}\n\ninternal fun decodeVarLenBase64(base64:
String, fromBase64: IntArray, resultLength: Int): IntArray {\n val result = IntArray(resultLength)\n
var index = 0\n var int = 0\n var shift = 0\n for (char in base64) {\n val sixBit =
fromBase64[char.code]\n int = int or ((sixBit and 0x1f) shl shift)\n if (sixBit < 0x20) {\n

result[index++] = int\n int = 0\n shift = 0\n } else {\n shift += 5\n }\n }\n return result\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Reverses elements in the list in-place.\n */\npublic actual fun <T> MutableList<T>.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\n// 37 ranges totally\nprivate object Digit {\n internal val rangeStart = intArrayOf(\n 0x0030, 0x0660, 0x06f0, 0x07c0, 0x0966, 0x09e6, 0x0a66, 0x0ae6, 0x0b66, 0x0be6, 0x0c66, 0x0ce6, 0x0d66, 0x0de6, 0x0e50, 0x0ed0, 0x0f20, 0x1040, 0x1090, 0x17e0, \n 0x1810, 0x1946, 0x19d0, 0x1a80, 0x1a90, 0x1b50, 0x1bb0, 0x1c40, 0x1c50, 0xa620, 0xa8d0, 0xa900, 0xa9d0, 0xa9f0, 0xaa50, 0xabf0, 0xff10, \n)\n}\n\n/**\n * Returns the index of the largest element in [array] smaller or equal to the specified [needle],\n * or -1 if [needle] is smaller than the smallest element in [array].\n */\ninternal fun binarySearchRange(array: IntArray, needle: Int): Int {\n var bottom = 0\n var top = array.size - 1\n var middle = -1\n var value = 0\n while (bottom <= top) {\n middle = (bottom + top) / 2\n value = array[middle]\n if (needle > value)\n bottom = middle + 1\n else if (needle == value)\n return middle\n else\n top = middle - 1\n }\n return middle - (if (needle < value) 1 else 0)\n}\n\n/**\n * Returns an integer from 0..9 indicating the digit this character represents,\n * or -1 if this character is not a digit.\n */\ninternal fun Char.digitToIntImpl(): Int {\n val ch = this.code\n val index = binarySearchRange(Digit.rangeStart, ch)\n\n val diff = ch - Digit.rangeStart[index]\n return if (diff < 10) diff else -1\n}\n\n/**\n * Returns `true` if this character is a digit.\n */\ninternal fun Char.isDigitImpl(): Boolean {\n return digitToIntImpl() >= 0\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\n// 222 ranges totally\nprivate object Letter {\n val decodedRangeStart: IntArray\n val decodedRangeLength: IntArray\n val decodedRangeCategory: IntArray\n \n init {\n val toBase64 = \"ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/\"\n val fromBase64 = IntArray(128)\n for (i in toBase64.indices) {\n fromBase64[toBase64[i].code] = i\n }\n \n // rangeStartDiff.length = 356\n val rangeStartDiff = \"hCgBpCQGYHZH5BRpBPPPPPPRMP5BPPlCPP6BkEPPPPcPXPzBvBrB3BOiDoBHwD+E3DauCnFmBmB2D6E1BlBTiBmBlBP5BhBiBrBvBjBqBnBPRtBiCmCtBlB0BmB5BiB7BmBgEmChBZgCoEoGVpBSfRhBPqKQ2BwBYoFgB4CJuTiEvBuCuDrF5DgEgFlJ1DgFmBQtBsBRGsB+BPiBlD1EIjDPRPPPPQPPPPPGQSQS/DxENVNU+B9zCwBwBPPCkDPNnBPqDYY1R8B7FkFgTgwGgwUwmBgKwBuBScmEP/BPPPPPPrBP8B7F1B/ErBqC6B7BiBmBfQsBUwCw/KwqIwLwETPcPjQgJxFgBlBsD\"\n val diff = decodeVarLenBase64(rangeStartDiff, fromBase64, 222)\n val start = IntArray(diff.size)\n for (i in diff.indices) {\n if (i == 0) start[i] = diff[i]\n else start[i] = start[i - 1] + diff[i]\n }\n decodedRangeStart = start\n \n // rangeLength.length = 328\n val rangeLength = \"aaMBXHYH5BRpBPPPPPPRMP5BPPlCPPzBDOOPPcPXPzBvBjB3BOhDmBBpB7DoDYxB+EiBP1DoExBkBQhBekBPmBgBhBctBiBMWOOXhCsBpBkBUV3Ba4BkB0DlCgBXgBtD4FSdBfPhBPpKP0BvBXjEQ2CGsT8DhBtCqDpFvD1D3E0IrD2EkBJrBDOBsB+BPiBlB1EIjDPPPPPPPPPPPGPPMNLsBNPNPKCvBvBPPCkDPBmBPhDXXgD4B6FzEgDguG9vUtkB9JcuBSckEP/BPPPPPPBPf4FrBjEhBpC3B5BKaWPrBOwCk/KsCuLqDHPbPxPsFt

EaaqDL\"\n
decodedRangeLength = decodeVarLenBase64(rangeLength, fromBase64, 222)\n \n // rangeCategory.length = 959\n val rangeCategory = \"GFjgggUHGGFFZZZmzpz5qB6s6020B60ptltB6smt2sB60mz22B1+vv+8BZZ5s2850BW5q1ymtB506smzBF3q1q1qB1q1q1+Bgii4wDTm74g3KiggxqM60q1q1Bq1o1q1BF1qlrqrBZ2q5wprBGFZWWZGHFsjiooLowgmOowjkwCkgoiIk7ligGogiioBkwkiYkzj2oNoi+sbkwj04DghhkQ8wgiYkgoioDsgnkwC4gikQ//v+85BkwvoIsgoyI4yguI0whiwEowri4CoghsJowgqYowgm4DkwgsY/nwnzPowhmYkg6wI8yggZswikwHgxgmIoxgqYkwgk4DkxgmIkgoioBsgssoBgzgyI8g9gL8g9kI0wgwJoxgkoC0wgioFkw/wI0w53iF4gioYowjmgBHGq1qkgwBF1q1q8qBHwghuIwghyKk0goQkwgoQk3goQHGFHkyg0pBgxj6IoinkxDswno7Ikwhz9Bo0gioB8z48Rwli0xN0mpjoX8w78pDwltoqKHFGGwwgsIHFH3q1q16BFHWFZ1q10q1B2qlwq1B1q10q1B2q1yq1B6q1gq1Biq1qhxBir1qp1Bqt1q1qB1g1q1+B//3q16B///q1qBH/qlqq9Bholqq9B1i00a1q10qD1op1HkwmigEigiy6Cptogq1Bixo1kDq7/j00B2qgoBWGFm1lz50B6s5q1+BGWhggzhwBFFhgk4//Bo2jigE8wguI8wguI8wgugUog1qoB4qjmIwwi2KgkYHHH4lBgiFWkgIWoghssMmz5smrBZ3q1y50B5sm7gzBtz1smzB5smz50BqzqtmzB5sgzqzBF2/9//5BowgoIwmnkzPkwgk4C8ys65BkgoqI0wgy6FghquZo2giY0ghiIsgh24B4ghsQ8QF/v1q1OFs0O8iCHHF1qggz/B8wg6Iznv+//B08QgohsjK0QGFk7hsQ4gB\"\n
decodedRangeCategory = decodeVarLenBase64(rangeCategory, fromBase64, 222)\n }\n}\n\n/**\n * Returns `true` if this character is a letter.\n */\ninternal fun Char.isLetterImpl(): Boolean {\n return getLetterType() != 0\n}\n\n/**\n * Returns `true` if this character is a lower case letter, or it has contributory property `Other_Lowercase`.\n */\ninternal fun Char.isLowerCaseImpl(): Boolean {\n return getLetterType() == 1 || code.isOtherLowercase()\n}\n\n/**\n * Returns `true` if this character is an upper case letter, or it has contributory property `Other_Uppercase`.\n */\ninternal fun Char.isUpperCaseImpl(): Boolean {\n return getLetterType() == 2 || code.isOtherUppercase()\n}\n\n/**\n
* Returns\n * - `1` if the character is a lower case letter,\n * - `2` if the character is an upper case letter,\n * - `3` if the character is a letter but not a lower or upper case letter,\n * - `0` otherwise.\n */\nprivate fun Char.getLetterType(): Int {\n val ch = this.code\n val index = binarySearchRange(Letter.decodedRangeStart, ch)\n\n val rangeStart = Letter.decodedRangeStart[index]\n val rangeEnd = rangeStart + Letter.decodedRangeLength[index] - 1\n val code = Letter.decodedRangeCategory[index]\n\n if (ch > rangeEnd) {\n return 0\n }\n\n val lastTwoBits = code and 0x3\n\n if (lastTwoBits == 0) { // gap pattern\n var shift = 2\n var threshold = rangeStart\n for (i in 0..1) {\n threshold += (code shr shift) and 0x7f\n if (threshold > ch) {\n return 3\n }\n shift += 7\n threshold += (code shr shift) and 0x7f\n if (threshold > ch) {\n return 0\n }\n shift += 7\n }\n return 3\n }\n\n if (code <= 0x7) {\n return lastTwoBits\n }\n\n val distance = (ch - rangeStart)\n val shift = if (code <= 0x1F) distance % 2 else distance\n return (code shr (2 * shift)) and 0x3\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nprivate object OtherLowercase {\n internal val otherLowerStart = intArrayOf(\n 0x00aa, 0x00ba, 0x02b0, 0x02c0, 0x02e0, 0x0345, 0x037a, 0x1d2c, 0x1d78, 0x1d9b, 0x2071, 0x207f, 0x2090, 0x2170, 0x24d0, 0x2c7c, 0xa69c, 0xa770, 0xa7f8, 0xab5c, \n)\n internal val otherLowerLength = intArrayOf(\n 1, 1, 9, 2, 5, 1, 1, 63, 1, 37, 1, 1, 13, 16, 26, 2, 2, 1, 2, 4, \n)\n}\n\ninternal fun Int.isOtherLowercase(): Boolean {\n val index = binarySearchRange(OtherLowercase.otherLowerStart, this)\n return index >= 0 && this < OtherLowercase.otherLowerStart[index] + OtherLowercase.otherLowerLength[index]\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\ninternal fun Int.isOtherUppercase(): Boolean {\n return this in 0x2160..0x216f\n || this in 0x24b6..0x24cf\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0

license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\n\n/**\n * Returns a character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char sequence.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun CharSequence.elementAt(index: Int): Char {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, length: $length}\") }\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\n//
4 ranges totally\ninternal fun Char.titlecaseCharImpl(): Char {\n val code = this.code\n // Letters repeating <Lu, Lt, Ll> sequence and code of the Lt is a multiple of 3, e.g. <\u01c4, \u01c5, \u01c6>\n if (code in 0x01c4..0x01cc || code in 0x01f1..0x01f3) {\n return (3 * ((code + 1) / 3)).toChar()\n }\n // Lower case letters whose title case mapping equivalent is equal to the original letter\n if (code in 0x10d0..0x10fa || code in 0x10fd..0x10ff) {\n return this\n }\n return uppercaseChar()\n}","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport
kotlin.js.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UIntArray.elementAt(index: Int): UInt {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun ULongArray.elementAt(index: Int): ULong {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException]
if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UByteArray.elementAt(index: Int): UByte {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UShortArray.elementAt(index: Int): UShort {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UIntArray.asList(): List<UInt> {\n return object : AbstractList<UInt>(),
RandomAccess {\n override val size: Int get() = this@asList.size\n override fun isEmpty(): Boolean = this@asList.isEmpty()\n override fun contains(element: UInt): Boolean = this@asList.contains(element)\n override fun get(index: Int): UInt {\n AbstractList.checkElementIndex(index, size)\n return this@asList[index]\n }\n override fun indexOf(element: UInt): Int {\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is UInt) return -1\n return this@asList.indexOf(element)\n }\n override fun lastIndexOf(element: UInt): Int {\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is UInt) return -1\n return

this@asList.lastIndexOf(element)\n }\n }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun ULongArray.asList(): List<ULong> {\n return
object : AbstractList<ULong>(), RandomAccess {\n override val size: Int get() = this@asList.size\n override fun isEmpty(): Boolean = this@asList.isEmpty()\n override fun contains(element: ULong): Boolean = this@asList.contains(element)\n override fun get(index: Int): ULong {\n AbstractList.checkElementIndex(index, size)\n return this@asList[index]\n }\n override fun indexOf(element: ULong): Int {\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is ULong) return -1\n return this@asList.indexOf(element)\n }\n override fun lastIndexOf(element: ULong): Int {\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is ULong) return -1\n return this@asList.lastIndexOf(element)\n }\n }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UByteArray.asList(): List<UByte> {\n return object : AbstractList<UByte>(), RandomAccess {\n override val size: Int get() = this@asList.size\n override fun isEmpty(): Boolean = this@asList.isEmpty()\n override fun contains(element: UByte): Boolean = this@asList.contains(element)\n override fun get(index: Int): UByte {\n AbstractList.checkElementIndex(index, size)\n return this@asList[index]\n }\n override fun indexOf(element: UByte): Int {\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is UByte) return -1\n return this@asList.indexOf(element)\n }\n override fun lastIndexOf(element: UByte): Int {\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is UByte) return -1\n return this@asList.lastIndexOf(element)\n }\n }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
actual fun UShortArray.asList(): List<UShort> {\n return object : AbstractList<UShort>(), RandomAccess {\n override val size: Int get() = this@asList.size\n override fun isEmpty(): Boolean = this@asList.isEmpty()\n override fun contains(element: UShort): Boolean = this@asList.contains(element)\n override fun get(index: Int): UShort {\n AbstractList.checkElementIndex(index, size)\n return this@asList[index]\n }\n override fun indexOf(element: UShort): Int {\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is UShort) return -1\n return this@asList.indexOf(element)\n }\n override fun lastIndexOf(element: UShort): Int {\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is UShort) return -1\n return this@asList.lastIndexOf(element)\n }\n }\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\n// 9 ranges totally\n/**\n * Returns `true` if this character is a whitespace.\n */\ninternal fun Char.isWhitespaceImpl(): Boolean {\n val ch = this.code\n return ch in 0x0009..0x000d\n || ch in 0x001c..0x0020\n || ch == 0x00a0\n || ch > 0x1000 && (\n ch == 0x1680\n || ch in 0x2000..0x200a\n || ch == 0x2028\n || ch == 0x2029\n || ch == 0x202f\n || ch == 0x205f\n || ch == 0x3000\n)\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache
2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n\npublic actual fun interface Comparator<T> {\n @JsName(\"compare\")\n public actual fun compare(a: T, b: T): Int\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport kotlin.annotation.AnnotationTarget.*\n\n@Target(FUNCTION)\n@Deprecated(\"Use inline extension function with body using dynamic\")\npublic annotation class nativeGetter\n\n@Target(FUNCTION)\n@Deprecated(\"Use inline extension function with body using dynamic\")\npublic annotation class
nativeSetter\n\n@Target(FUNCTION)\n@Deprecated(\"Use inline extension function with body using dynamic\")\npublic annotation class nativeInvoke\n\n@Target(CLASS, FUNCTION, PROPERTY)\ninternal

annotation class library(public val name: String = \"\")\n\n@Target(CLASS)\ninternal annotation class marker\n\n/**\n * Gives a declaration (a function, a property or a class) specific name in JavaScript.\n *\n * This may be useful in the following cases:\n *\n * * There are two functions for which the compiler gives same name in JavaScript, you can\n * mark one with `@JsName(...)` to prevent the compiler from reporting error.\n * * You are writing a JavaScript library in Kotlin. The compiler produces mangled names\n * for functions with parameters, which is unnatural for usual JavaScript developer.\n * You can put `@JsName(...)` on functions you want to be available from JavaScript.\n * * For some reason you want to rename declaration, e.g. there's common term in JavaScript\n * for a concept provided by the declaration, which in uncommon in Kotlin.\n *\n * Example:\n *\n * ``` kotlin\n * class Person(val name: String) {\n * fun hello() {\n * println(\"Hello $name!\")\n * }\n *\n * @JsName(\"helloWithGreeting\")\n * fun hello(greeting: String) {\n * println(\"$greeting $name!\")\n * }\n * }\n * ```\n *\n * @property name the name which compiler uses both for declaration itself and for all references to the declaration.\n * It's required to denote a valid JavaScript identifier.\n *\n */\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR, PROPERTY_GETTER, PROPERTY_SETTER)\npublic actual annotation class JsName(actual val name: String)\n\n/**\n * Denotes an `external` declaration that must be imported from native JavaScript library.\n *\n * The compiler produces the code relevant for the target module system, for example, in case of CommonJS,\n * it will import the declaration via the `require(...)` function.\n *\n * The annotation can be used on top-level external declarations (classes, properties, functions) and files.\n * In case of file (which can't be `external`) the following rule applies: all the declarations in\n * the file must be `external`. By applying `@JsModule(...)` on a file you tell the compiler to import a JavaScript object\n * that contain all the declarations from the file.\n *\n * Example:\n *\n * ``` kotlin\n * @JsModule(\"jquery\")\n * external abstract class JQuery() {\n * // some declarations here\n * }\n *\n * @JsModule(\"jquery\")\n * external fun JQuery(element: Element): JQuery\n * ```\n *\n * @property import name of a module to import declaration from.\n * It is not interpreted by the Kotlin compiler, it's passed as is directly to the target module system.\n *\n * @see JsNonModule\n */\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\npublic annotation class JsModule(val import: String)\n\n/**\n * Denotes an `external` declaration that can be used without module system.\n *\n * By default, an `external` declaration is available regardless your target module system.\n * However, by applying [JsModule] annotation you can make a declaration unavailable to *plain* module system.\n * Some JavaScript libraries are distributed both as a standalone downloadable piece of JavaScript and as a module available\n * as an npm package.\n * To tell the Kotlin compiler to accept both cases, you can augment [JsModule] with the `@JsNonModule` annotation.\n *\n * For example:\n *\n * ``` kotlin\n * @JsModule(\"jquery\")\n * @JsNonModule\n * @JsName(\"$\")\n * external abstract class JQuery() {\n * // some declarations here\n * }\n *\n * @JsModule(\"jquery\")\n * @JsNonModule\n * @JsName(\"$\")\n * external fun JQuery(element: Element): JQuery\n * ```\n *\n * @see JsModule\n */\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\npublic annotation class JsNonModule\n\n/**\n * Adds prefix to `external` declarations in a source file.\n *\n * JavaScript does not have concept of packages (namespaces). They are usually emulated by nested objects.\n * The compiler turns references to `external` declarations either to plain unprefixed names (in case of *plain* modules)\n * or to plain imports.\n * However, if a JavaScript library provides its declarations in packages, you won't be satisfied with this.\n * You can tell the compiler to generate additional prefix before references to `external` declarations using the `@JsQualifier(...)`\n * annotation.\n *\n * Note that a file marked with the `@JsQualifier(...)` annotation can't contain non-`external` declarations.\n *\n * Example:\n *\n * ```\n * @file:JsQualifier(\"my.jsPackageName\")\n * package some.kotlinPackage\n *\n * external fun foo(x: Int)\n *\n * external fun bar(): String\n * ```\n *\n * @property value the qualifier to add to the declarations in the generated code.\n * It must be a sequence of valid JavaScript identifiers separated by the `.` character.\n * Examples of valid qualifiers are: `foo`, `bar.Baz`, `_.$0.f`.\n *\n * @see JsModule\n

*/\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.FILE)\npublic annotation class JsQualifier(val value: String)\n\n/**\n * Exports top-level declaration on JS platform.\n *\n * Compiled module exposes declarations that are marked with this annotation without name mangling.\n *\n * This annotation can be applied to either files or top-level declarations.\n *\n * It is currently prohibited to export the following kinds of declarations:\n *\n * * `expect` declarations\n * * inline functions with reified type parameters\n * * suspend functions\n * * secondary constructors without `@JsName`\n * * extension properties\n * * enum classes\n * * annotation classes\n *\n * Signatures of exported declarations must only contain \"exportable\" types:\n *\n * * `dynamic`, `Any`, `String`, `Boolean`, `Byte`, `Short`, `Int`, `Float`, `Double`\n * * `BooleanArray`, `ByteArray`, `ShortArray`, `IntArray`, `FloatArray`, `DoubleArray`\n * * `Array<exportable-type>`\n * * Function types with exportable parameters and return types\n * * `external` or `@JsExport` classes and interfaces\n * * Nullable counterparts of types above\n * * Unit return type. Must not be nullable\n *\n * This annotation is experimental, meaning that restrictions mentioned above are subject to change.\n */\n@ExperimentalJsExport\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\n@SinceKotlin(\"1.3\")\npublic actual annotation class JsExport\n\n/**\n * Forces a top-level property to be initialized eagerly, opposed to lazily on the first access to file and/or property.\n */\n@ExperimentalStdlibApi\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.PROPERTY)\n@SinceKotlin(\"1.6\")\n@Deprecated(\"This annotation is a temporal migration assistance and may be removed in the future releases, please consider filing an issue about the case where it is needed\")\npublic annotation class EagerInitialization\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.jvm\n\n// these are used in common generated code in stdlib\n\n// TODO: find how to deprecate these ones\n\n@Target(AnnotationTarget.FIELD)\n@Retention(AnnotationRetention.SOURCE)\npublic actual annotation class Volatile\n\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY_GETTER, AnnotationTarget.PROPERTY_SETTER)\n@Retention(AnnotationRetention.SOURCE)\npublic actual annotation class Synchronized\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the [MutableCollection] interface.\n *\n * @param E the type of elements contained in the collection. The collection is invariant in its element type.\n */\npublic actual abstract class AbstractMutableCollection<E> protected actual constructor() : AbstractCollection<E>(), MutableCollection<E> {\n\n   actual abstract override fun add(element: E): Boolean\n\n   actual override fun remove(element: E): Boolean {\n   checkIsMutable()\n   val iterator = iterator()\n   while (iterator.hasNext()) {\n   if (iterator.next() == element) {\n   iterator.remove()\n   return true\n   }\n   }\n   return false\n   }\n\n   actual override fun addAll(elements: Collection<E>): Boolean {\n   checkIsMutable()\n   var modified = false\n   for (element in elements) {\n   if (add(element)) modified = true\n   }\n   return modified\n   }\n\n   actual override fun removeAll(elements: Collection<E>): Boolean {\n   checkIsMutable()\n   return (this as MutableIterable<E>).removeAll { it in elements }\n   }\n\n   actual override fun retainAll(elements: Collection<E>): Boolean {\n   checkIsMutable()\n   return (this as MutableIterable<E>).removeAll { it !in elements }\n   }\n\n   actual override fun clear(): Unit {\n   checkIsMutable()\n   val iterator = this.iterator()\n   while (iterator.hasNext()) {\n   iterator.next()\n   iterator.remove()\n   }\n   }\n\n   @Deprecated(\"Provided so that subclasses inherit this function\", level = DeprecationLevel.HIDDEN)\n   @JsName(\"toJSON\")\n   protected fun toJSON(): Any = this.toArray()\n\n\n   /**\n   * This method is called every time when a mutating method is called on this mutable collection.\n   * Mutable collections that are built (frozen) must throw `UnsupportedOperationException`.\n   */\n   internal open fun checkIsMutable(): Unit { }\n}\n\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of

this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n/*\n * Based on GWT AbstractList\n * Copyright 2007 Google Inc.\n*/\n\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the [MutableList] interface.\n *\n * @param E the type of elements contained in the list. The list is invariant in its element type.\n */\npublic actual abstract class AbstractMutableList<E> protected actual constructor() : AbstractMutableCollection<E>(), MutableList<E> {\n protected var modCount: Int = 0\n\n abstract override fun add(index: Int, element: E): Unit\n abstract override fun removeAt(index: Int): E\n abstract override fun set(index: Int, element: E): E\n\n /**\n * Adds the specified element to the end of this list.\n *\n * @return `true` because the list is always modified as the result of this operation.\n */\n actual override fun add(element: E): Boolean {\n checkIsMutable()\n add(size, element)\n return true\n }\n\n actual override fun addAll(index: Int, elements: Collection<E>): Boolean {\n AbstractList.checkPositionIndex(index, size)\n\n checkIsMutable()\n var _index = index\n var changed = false\n for (e in elements) {\n add(_index++, e)\n changed = true\n }\n return changed\n }\n\n actual override fun clear() {\n checkIsMutable()\n removeRange(0, size)\n }\n\n actual override fun removeAll(elements: Collection<E>): Boolean {\n checkIsMutable()\n return removeAll { it in elements }\n }\n\n actual override fun retainAll(elements: Collection<E>): Boolean {\n checkIsMutable()\n return removeAll { it !in elements }\n }\n\n\n actual override fun iterator(): MutableIterator<E> = IteratorImpl()\n\n actual override fun contains(element: E): Boolean = indexOf(element) >= 0\n\n actual override fun indexOf(element: E): Int {\n for (index in 0..lastIndex) {\n if (get(index) == element) {\n return index\n }\n }\n return -1\n }\n\n actual override fun lastIndexOf(element: E): Int {\n for (index in lastIndex downTo 0) {\n if (get(index) == element) {\n return index\n }\n }\n return -1\n }\n\n actual override fun listIterator(): MutableListIterator<E> = listIterator(0)\n actual override fun listIterator(index: Int): MutableListIterator<E> = ListIteratorImpl(index)\n\n\n actual override fun subList(fromIndex: Int, toIndex: Int): MutableList<E> = SubList(this, fromIndex, toIndex)\n\n /**\n * Removes the range of elements from this list starting from [fromIndex] and ending with but not including [toIndex].\n */\n protected open fun removeRange(fromIndex: Int, toIndex: Int) {\n val iterator = listIterator(fromIndex)\n repeat(toIndex - fromIndex) {\n iterator.next()\n iterator.remove()\n }\n }\n\n /**\n * Compares this list with another list instance with the ordered structural equality.\n *\n * @return true, if [other] instance is a [List] of the same size, which contains the same elements in the same order.\n */\n override fun equals(other: Any?): Boolean {\n if (other === this) return true\n if (other !is List<*>) return false\n\n return AbstractList.orderedEquals(this, other)\n }\n\n /**\n * Returns the hash code value for this list.\n */\n override fun hashCode(): Int = AbstractList.orderedHashCode(this)\n\n\n private open inner class IteratorImpl : MutableIterator<E> {\n /** the index of the item that will be returned on the next call to [next]`()` */\n protected var index = 0\n /** the index of the item that was returned on the previous call to [next]`()`\n * or [ListIterator.previous]`()` (for `ListIterator`),\n * -1 if no such item exists\n */\n protected var last = -1\n\n override fun hasNext(): Boolean = index < size\n\n override fun next(): E {\n if (!hasNext()) throw NoSuchElementException()\n last = index++\n return get(last)\n }\n\n override fun remove() {\n check(last != -1) { \"Call next() or previous() before removing element from the iterator.\" }\n\n removeAt(last)\n index = last\n last = -1\n }\n }\n\n /**\n * Implementation of `MutableListIterator` for abstract lists.\n */\n private inner class ListIteratorImpl(index: Int) : IteratorImpl(), MutableListIterator<E> {\n\n init {\n AbstractList.checkPositionIndex(index, this@AbstractMutableList.size)\n this.index = index\n }\n\n override fun hasPrevious(): Boolean = index > 0\n\n override fun nextIndex(): Int = index\n\n override fun previous(): E {\n if (!hasPrevious()) throw NoSuchElementException()\n\n last = --index\n return get(last)\n }\n\n override fun previousIndex(): Int = index - 1\n\n override fun add(element: E) {\n add(index,

element)\n index++\n last = -1\n }\n\n override fun set(element: E) {\n check(last != -1) { \"Call next() or previous() before updating element value with the iterator.\" }\n set(last, element)\n }\n }\n\n private class SubList<E>(private val list: AbstractMutableList<E>, private val fromIndex: Int, toIndex: Int) : AbstractMutableList<E>(), RandomAccess {\n private var _size: Int = 0\n\n init {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, list.size)\n this._size = toIndex - fromIndex\n }\n\n override fun add(index: Int, element: E) {\n AbstractList.checkPositionIndex(index, _size)\n\n list.add(fromIndex
+ index, element)\n _size++\n }\n\n override fun get(index: Int): E {\n AbstractList.checkElementIndex(index, _size)\n\n return list[fromIndex + index]\n }\n\n override fun removeAt(index: Int): E {\n AbstractList.checkElementIndex(index, _size)\n\n val result = list.removeAt(fromIndex + index)\n _size--\n return result\n }\n\n override fun set(index: Int, element: E): E {\n AbstractList.checkElementIndex(index, _size)\n\n return list.set(fromIndex + index, element)\n }\n\n override val size: Int get() = _size\n\n internal override fun checkIsMutable(): Unit = list.checkIsMutable()\n }\n\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n/*\n * Based
on GWT AbstractMap\n * Copyright 2007 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the [MutableMap] interface.\n *\n * The implementor is required to implement [entries] property, which should return mutable set of map entries, and [put] function.\n *\n * @param K the type of map keys. The map is invariant in its key type.\n * @param V the type of map values. The map is invariant in its value type.\n */\npublic actual abstract class AbstractMutableMap<K, V> protected actual constructor() : AbstractMap<K, V>(), MutableMap<K, V> {\n\n /**\n * A mutable [Map.Entry] shared by several [Map] implementations.\n */\n internal open class SimpleEntry<K, V>(override val key: K, value: V) : MutableMap.MutableEntry<K, V> {\n constructor(entry: Map.Entry<K, V>) : this(entry.key, entry.value)\n\n private var _value = value\n\n override val value: V get() = _value\n\n override fun setValue(newValue: V): V {\n // Should check if the map containing this entry is mutable.\n // However, to not increase entry memory footprint it might be worthwhile not to check it here and\n // force subclasses that implement `build()` (freezing) operation to implement their own `MutableEntry`.\n// this@AbstractMutableMap.checkIsMutable()\n val oldValue = this._value\n this._value = newValue\n return oldValue\n }\n\n override fun hashCode(): Int = entryHashCode(this)\n override fun toString(): String = entryToString(this)\n override fun equals(other: Any?): Boolean = entryEquals(this, other)\n\n }\n\n // intermediate abstract class to workaround KT-43321\n internal abstract class AbstractEntrySet<E : Map.Entry<K, V>, K, V> : AbstractMutableSet<E>() {\n final override fun contains(element: E): Boolean = containsEntry(element)\n abstract fun containsEntry(element: Map.Entry<K, V>): Boolean\n
final override fun remove(element: E): Boolean = removeEntry(element)\n abstract fun removeEntry(element: Map.Entry<K, V>): Boolean\n }\n\n actual override fun clear() {\n entries.clear()\n }\n\n private var _keys: MutableSet<K>? = null\n actual override val keys: MutableSet<K>\n get() {\n if (_keys == null) {\n _keys = object : AbstractMutableSet<K>() {\n override fun add(element: K): Boolean = throw UnsupportedOperationException(\"Add is not supported on keys\")\n override fun clear() {\n this@AbstractMutableMap.clear()\n }\n\n override operator fun contains(element: K): Boolean = containsKey(element)\n\n override operator fun iterator(): MutableIterator<K> {\n val entryIterator = entries.iterator()\n return object : MutableIterator<K> {\n override fun hasNext(): Boolean = entryIterator.hasNext()\n override fun next(): K = entryIterator.next().key\n override fun remove() = entryIterator.remove()\n }\n }\n\n override fun remove(element: K): Boolean {\n checkIsMutable()\n if (containsKey(element)) {\n this@AbstractMutableMap.remove(element)\n

return true\n }\n return false\n }\n\n override val size: Int get() = this@AbstractMutableMap.size\n\n override fun checkIsMutable(): Unit = this@AbstractMutableMap.checkIsMutable()\n }\n }\n return _keys!!\n }\n\n actual abstract override fun put(key: K, value: V): V?\n\n actual override fun putAll(from: Map<out K, V>) {\n checkIsMutable()\n for ((key, value) in from) {\n put(key, value)\n }\n }\n\n private var _values: MutableCollection<V>? = null\n actual override val values: MutableCollection<V>\n get() {\n if (_values == null) {\n _values = object : AbstractMutableCollection<V>() {\n override fun add(element: V): Boolean = throw UnsupportedOperationException(\"Add is not supported on values\")\n override fun clear() = this@AbstractMutableMap.clear()\n\n override operator fun contains(element: V): Boolean = containsValue(element)\n\n override operator fun iterator(): MutableIterator<V> {\n val entryIterator = entries.iterator()\n return object : MutableIterator<V> {\n override fun hasNext(): Boolean = entryIterator.hasNext()\n override fun next(): V = entryIterator.next().value\n override fun remove() = entryIterator.remove()\n }\n }\n\n override val size: Int get() = this@AbstractMutableMap.size\n\n override fun checkIsMutable(): Unit = this@AbstractMutableMap.checkIsMutable()\n }\n }\n return _values!!\n }\n\n actual override fun remove(key: K): V? {\n checkIsMutable()\n val iter = entries.iterator()\n while (iter.hasNext()) {\n val entry = iter.next()\n val k = entry.key\n if (key == k) {\n val value = entry.value\n iter.remove()\n return value\n }\n }\n return null\n }\n\n\n /**\n * This method is called every time when a mutating method is called on this mutable map.\n * Mutable maps that are built (frozen) must throw `UnsupportedOperationException`.\n */\n internal open fun checkIsMutable(): Unit {}\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the [MutableSet] interface.\n *\n * @param E the type of elements contained in the set. The set is invariant in its element type.\n */\npublic actual abstract class AbstractMutableSet<E> protected actual constructor() : AbstractMutableCollection<E>(), MutableSet<E> {\n\n /**\n * Compares this set with another set instance with the unordered structural equality.\n *\n * @return `true`, if [other] instance is a [Set] of the same size, all elements of which are contained in this set.\n */\n override fun equals(other: Any?): Boolean {\n if (other === this) return true\n if (other !is Set<*>) return false\n return AbstractSet.setEquals(this, other)\n }\n\n /**\n * Returns the hash code value for this set.\n */\n override fun hashCode(): Int = AbstractSet.unorderedHashCode(this)\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a [MutableList] implementation, which uses a resizable array as its backing storage.\n *\n * This implementation doesn't provide a way to manage capacity, as backing JS array is resizeable itself.\n * There is no speed advantage to pre-allocating array sizes in JavaScript, so this implementation does not include any of the\n * capacity and \"growth increment\" concepts.\n */\npublic actual open class ArrayList<E> internal constructor(private var array: Array<Any?>) : AbstractMutableList<E>(), MutableList<E>, RandomAccess {\n private var isReadOnly: Boolean = false\n\n /**\n * Creates an empty [ArrayList].\n */\n public actual constructor() : this(emptyArray()) {}\n\n /**\n * Creates an empty [ArrayList].\n *\n * @param initialCapacity initial capacity (ignored)\n */\n public actual constructor(initialCapacity: Int) : this(emptyArray()) {}\n\n /**\n * Creates an [ArrayList] filled from the [elements] collection.\n */\n public actual constructor(elements: Collection<E>) : this(elements.toTypedArray<Any?>()) {}\n\n @PublishedApi\n internal fun build(): List<E> {\n checkIsMutable()\n isReadOnly = true\n return this\n }\n\n /** Does nothing in this ArrayList implementation. */\n public actual fun trimToSize() {}\n\n /** Does nothing in this ArrayList implementation. */\n public actual fun ensureCapacity(minCapacity: Int) {}\n\n actual override val size: Int get() = array.size\n @Suppress(\"UNCHECKED_CAST\")\n

```
    actual override fun get(index: Int): E = array[rangeCheck(index)] as E\n    actual override fun set(index: Int, element: E): E {\n        checkIsMutable()\n        rangeCheck(index)\n        @Suppress(\"UNCHECKED_CAST\")\n        return array[index].apply { array[index] = element } as E\n    }\n\n    actual override fun add(element: E): Boolean {\n        checkIsMutable()\n        array.asDynamic().push(element)\n        modCount++\n        return true\n    }\n\n    actual override fun add(index: Int, element: E): Unit {\n        checkIsMutable()\n        array.asDynamic().splice(insertionRangeCheck(index), 0, element)\n        modCount++\n    }\n\n    actual override fun addAll(elements: Collection<E>): Boolean {\n        checkIsMutable()\n        if (elements.isEmpty()) return false\n\n        array += elements.toTypedArray<Any?>()\n        modCount++\n        return true\n    }\n\n    actual override fun addAll(index: Int, elements: Collection<E>): Boolean {\n        checkIsMutable()\n        insertionRangeCheck(index)\n\n        if (index == size) return addAll(elements)\n        if (elements.isEmpty()) return false\n        when (index) {\n            size -> return addAll(elements)\n            0 -> array = elements.toTypedArray<Any?>() + array\n            else -> array = array.copyOfRange(0, index).asDynamic().concat(elements.toTypedArray<Any?>(), array.copyOfRange(index, size))\n        }\n\n        modCount++\n        return true\n    }\n\n    actual override fun removeAt(index: Int): E {\n        checkIsMutable()\n        rangeCheck(index)\n        modCount++\n        return if (index == lastIndex)\n            array.asDynamic().pop()\n        else\n            array.asDynamic().splice(index, 1)[0]\n    }\n\n    actual override fun remove(element: E): Boolean {\n        checkIsMutable()\n        for (index in array.indices) {\n            if (array[index] == element) {\n                array.asDynamic().splice(index, 1)\n                modCount++\n                return true\n            }\n        }\n        return false\n    }\n\n    override fun removeRange(fromIndex: Int, toIndex: Int) {\n        checkIsMutable()\n        modCount++\n        array.asDynamic().splice(fromIndex, toIndex - fromIndex)\n    }\n\n    actual override fun clear() {\n        checkIsMutable()\n        array = emptyArray()\n        modCount++\n    }\n\n\n    actual override fun indexOf(element: E): Int = array.indexOf(element)\n\n    actual override fun lastIndexOf(element: E): Int = array.lastIndexOf(element)\n\n    override fun toString() = arrayToString(array)\n\n    @Suppress(\"UNCHECKED_CAST\")\n    override fun <T> toArray(array: Array<T>): Array<T> {\n        if (array.size < size) {\n            return toArray() as Array<T>\n        }\n\n        (this.array as Array<T>).copyInto(array)\n\n        if (array.size > size) {\n            array[size] = null as T // null-terminate\n        }\n\n        return array\n    }\n\n    override fun toArray(): Array<Any?> {\n        return js(\"[]\").slice.call(array)\n    }\n\n\n    internal override fun checkIsMutable() {\n        if (isReadOnly) throw UnsupportedOperationException()\n    }\n\n    private fun rangeCheck(index: Int) = index.apply {\n        AbstractList.checkElementIndex(index, size)\n    }\n\n    private fun insertionRangeCheck(index: Int) = index.apply {\n        AbstractList.checkPositionIndex(index, size)\n    }\n}","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\ninternal fun <T> sortArrayWith(array: Array<out T>, comparison: (T, T) -> Int) {\n    if (getStableSortingIsSupported()) {\n        array.asDynamic().sort(comparison)\n    } else {\n        mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, Comparator(comparison))\n    }\n}\n\ninternal fun <T> sortArrayWith(array:
    Array<out T>, comparator: Comparator<in T>) {\n    if (getStableSortingIsSupported()) {\n        val comparison = { a: T, b: T -> comparator.compare(a, b) }\n        array.asDynamic().sort(comparison)\n    } else {\n        mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, comparator)\n    }\n}\n\ninternal fun <T> sortArrayWith(array: Array<out T>, fromIndex: Int, toIndex: Int, comparator: Comparator<in T>) {\n    if (fromIndex < toIndex - 1) {\n        mergeSort(array.unsafeCast<Array<T>>(), fromIndex, toIndex - 1, comparator)\n    }\n}\n\ninternal fun <T : Comparable<T>> sortArray(array: Array<out T>) {\n    if (getStableSortingIsSupported()) {\n        val comparison = { a: T, b: T -> a.compareTo(b) }\n        array.asDynamic().sort(comparison)\n    } else {\n        mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, naturalOrder())\n    }\n}\n\nprivate var _stableSortingIsSupported: Boolean? = null\nprivate fun getStableSortingIsSupported(): Boolean
```

{\n _stableSortingIsSupported?.let { return it }\n _stableSortingIsSupported = false\n\n val array = js(\"[]\").unsafeCast<Array<Int>>()\n // known implementations may use stable sort for arrays of up to 512 elements\n // so we create slightly more elements to test stability\n for (index in 0 until 600) array.asDynamic().push(index)\n val comparison = { a: Int, b: Int -> (a and 3) - (b and 3) }\n array.asDynamic().sort(comparison)\n for (index in 1 until array.size) {\n val a = array[index - 1]\n val b = array[index]\n if ((a and 3) == (b and 3) && a >= b) return false\n }\n _stableSortingIsSupported = true\n return true\n}\n\n\nprivate fun <T> mergeSort(array: Array<T>, start: Int, endInclusive: Int, comparator: Comparator<in T>) {\n val buffer = arrayOfNulls<Any?>(array.size).unsafeCast<Array<T>>()\n val result = mergeSort(array, buffer, start, endInclusive, comparator)\n if (result !== array) {\n for (i in start..endInclusive) array[i] = result[i]\n }\n}\n\n// Both start and end are inclusive indices.\nprivate fun <T> mergeSort(array: Array<T>, buffer: Array<T>, start: Int, end: Int, comparator: Comparator<in T>): Array<T> {\n if (start == end) {\n return array\n }\n\n val median = (start + end) / 2\n val left = mergeSort(array, buffer, start, median, comparator)\n val right = mergeSort(array, buffer, median + 1, end, comparator)\n\n val target = if (left === buffer) array else buffer\n\n // Merge.\n var leftIndex = start\n var rightIndex = median + 1\n for (i in start..end) {\n when {\n leftIndex <= median && rightIndex <= end -> {\n val leftValue = left[leftIndex]\n val rightValue = right[rightIndex]\n\n if (comparator.compare(leftValue, rightValue) <= 0) {\n target[i] = leftValue\n leftIndex++\n } else {\n target[i] = rightValue\n rightIndex++\n }\n }\n leftIndex <= median -> {\n target[i] = left[leftIndex]\n leftIndex++\n }\n else /* rightIndex <= end */ -> {\n target[i] = right[rightIndex]\n rightIndex++\n Unit // TODO: Fix KT-31506\n }\n }\n }\n\n return target\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n\n@OptIn(ExperimentalUnsignedTypes::class)\n@SinceKotlin(\"1.3\")\n@kotlin.js.JsName(\"contentDeepHashCodeImpl\")\ninternal fun <T> Array<out T>?.contentDeepHashCodeImpl(): Int {\n if (this == null) return 0\n var result = 1\n for (element in this) {\n val elementHash = when {\n element == null -> 0\n isArrayish(element) -> (element.unsafeCast<Array<*>>()).contentDeepHashCodeImpl()\n\n element is UByteArray -> element.contentHashCode()\n element is UShortArray -> element.contentHashCode()\n element is UIntArray -> element.contentHashCode()\n element is ULongArray -> element.contentHashCode()\n\n else -> element.hashCode()\n }\n\n result = 31 * result + elementHash\n }\n return result\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\ninternal interface EqualityComparator {\n /**\n * Subclasses must override to return a value indicating\n * whether or not two keys or values are equal.\n */\n abstract fun equals(value1: Any?, value2: Any?): Boolean\n\n /**\n * Subclasses must override to return the hash code of a given key.\n */\n abstract fun getHashCode(value: Any?): Int\n\n\n object HashCode : EqualityComparator {\n override fun equals(value1: Any?, value2: Any?): Boolean = value1 == value2\n\n override fun getHashCode(value: Any?): Int = value?.hashCode() ?: 0\n }\n}","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n/*\n * Based on GWT AbstractHashMap\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n * Hash table based implementation of the [MutableMap] interface.\n *\n * This implementation makes no guarantees regarding the order of enumeration of [keys], [values] and [entries] collections.\n */\n// Classes that extend HashMap and implement `build()`
(freezing) operation\n// have to make sure mutating methods check `checkIsMutable`.\npublic actual open class HashMap<K, V> : AbstractMutableMap<K, V>, MutableMap<K, V> {\n\n private inner class EntrySet :

```
AbstractEntrySet<MutableEntry<K, V>, K, V>() {\n\n        override fun add(element: MutableEntry<K, V>): Boolean = throw UnsupportedOperationException(\"Add is not supported on entries\")\n        override fun clear() {\n            this@HashMap.clear()\n        }\n\n        override fun containsEntry(element: Map.Entry<K, V>): Boolean = this@HashMap.containsEntry(element)\n\n        override operator fun iterator(): MutableIterator<MutableEntry<K, V>> = internalMap.iterator()\n\n        override fun removeEntry(element: Map.Entry<K, V>): Boolean {\n            if (contains(element)) {\n                this@HashMap.remove(element.key)\n                return true\n            }\n            return false\n        }\n\n        override val size: Int get() = this@HashMap.size\n    }\n\n\n    /**\n     * Internal implementation of the map: either string-based or hashcode-based.\n     */\n    private val internalMap: InternalMap<K, V>\n\n    private val equality: EqualityComparator\n\n    internal constructor(internalMap: InternalMap<K, V>) : super() {\n        this.internalMap = internalMap\n        this.equality = internalMap.equality\n    }\n\n    /**\n     * Constructs an empty [HashMap] instance.\n     */\n    actual constructor() : this(InternalHashCodeMap(EqualityComparator.HashCode))\n\n    /**\n     * Constructs an empty [HashMap] instance.\n     *\n     * @param  initialCapacity the initial capacity (ignored)\n     * @param  loadFactor      the load factor (ignored)\n     *\n     * @throws IllegalArgumentException if the initial capacity or load factor are negative\n     */\n    actual constructor(initialCapacity: Int, loadFactor: Float) : this() {\n        // This implementation of HashMap has no need of load factors or capacities.\n        require(initialCapacity >= 0) { \"Negative initial capacity: $initialCapacity\" }\n        require(loadFactor >= 0) { \"Non-positive load factor: $loadFactor\" }\n    }\n\n    actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n\n    /**\n     * Constructs an instance of [HashMap] filled with the contents of the specified [original] map.\n     */\n    actual constructor(original: Map<out K, V>) : this() {\n        this.putAll(original)\n    }\n\n    actual override fun clear() {\n        internalMap.clear()\n//        structureChanged(this)\n    }\n\n    actual override fun containsKey(key: K): Boolean = internalMap.contains(key)\n\n    actual override fun containsValue(value: V): Boolean = internalMap.any { equality.equals(it.value, value) }\n\n    private var _entries: MutableSet<MutableMap.MutableEntry<K, V>>? = null\n    actual override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\n        get() {\n            if (_entries == null) {\n                _entries = createEntrySet()\n            }\n            return _entries!!\n        }\n\n    internal open fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\n\n    actual override operator fun get(key: K): V? = internalMap.get(key)\n\n    actual override fun put(key: K, value: V): V? = internalMap.put(key, value)\n\n    actual override fun remove(key: K): V? = internalMap.remove(key)\n\n    actual override val size: Int get() = internalMap.size\n\n}\n\n/**\n * Constructs the specialized implementation of [HashMap] with [String] keys, which stores the keys as properties of\n * JS object without hashing them.\n */\npublic fun <V> stringMapOf(vararg pairs: Pair<String, V>): HashMap<String, V> {\n    return HashMap<String, V>(InternalStringMap(EqualityComparator.HashCode)).apply { putAll(pairs) }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found\n * in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT HashSet\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n * The implementation of the [MutableSet] interface, backed by a [HashMap] instance.\n */\n// Classes that extend HashSet and implement `build()` (freezing) operation\n// have to make sure mutating methods check `checkIsMutable`.\npublic actual open class HashSet<E> : AbstractMutableSet<E>, MutableSet<E> {\n\n    internal val map: HashMap<E, Any>\n\n    /**\n     * Constructs a new empty [HashSet].\n     */\n    actual constructor() {\n        map = HashMap<E, Any>()\n    }\n\n    /**\n     * Constructs a new [HashSet] filled with the elements of the specified collection.\n     */\n    actual constructor(elements: Collection<E>) {\n        map = HashMap<E, Any>(elements.size)\n        addAll(elements)\n    }\n\n    /**\n     * Constructs a new empty [HashSet].\n     *\n     * @param  initialCapacity the initial capacity (ignored)\n     * @param  loadFactor      the load factor (ignored)\n     *\n     * @throws IllegalArgumentException if the initial capacity or load factor are negative\n     */\n    actual constructor(initialCapacity: Int, loadFactor: Float) {\n        map =
```

HashMap<E, Any>(initialCapacity, loadFactor)\n   }\n\n   actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n   /**\n   * Protected constructor to specify the underlying map. This is used by\n   * LinkedHashSet.\n\n   * @param map underlying map to use.\n   */\n   internal constructor(map: HashMap<E, Any>) {\n   this.map = map\n   }\n\n   actual override fun add(element: E): Boolean {\n   val old = map.put(element, this)\n   return old == null\n   }\n\n   actual override fun clear() {\n   map.clear()\n   }\n\n// public override fun clone(): Any {\n//   return HashSet<E>(this)\n// }\n\n   actual override operator fun contains(element: E): Boolean = map.containsKey(element)\n\n   actual override fun isEmpty(): Boolean = map.isEmpty()\n\n   actual override fun iterator(): MutableIterator<E> = map.keys.iterator()\n\n   actual override fun remove(element: E): Boolean = map.remove(element) != null\n\n   actual override val size: Int get() = map.size\n\n}\n\n/**\n * Creates a new instance of the specialized implementation of [HashSet] with the specified [String] elements,\n * which elements the keys as properties of JS object without hashing them.\n */\npublic fun stringSetOf(vararg elements: String): HashSet<String> {\n   return HashSet(stringMapOf<Any>()).apply { addAll(elements) }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT InternalHashCodeMap\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\nimport kotlin.collections.AbstractMutableMap.SimpleEntry\n\n/**\n * A simple wrapper around JavaScriptObject to provide [java.util.Map]-like semantics for any\n * key type.\n *\n *\n * Implementation notes:\n *\n *\n * A key's hashCode is the index in backingMap which should contain that key. Since several keys may\n * have the same hash, each value in hashCodeMap is actually an array containing all entries whose\n * keys share the same hash.\n */\ninternal class InternalHashCodeMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V> {\n\n   private var backingMap: dynamic = createJsMap()\n   override var size: Int = 0\n   private set\n\n   override fun put(key: K, value: V): V? {\n   val hashCode = equality.getHashCode(key)\n   val chainOrEntry = getChainOrEntryOrNull(hashCode)\n   if (chainOrEntry == null) {\n   // This is a new chain, put it to the map.\n   backingMap[hashCode] = SimpleEntry(key, value)\n   } else {\n   if (chainOrEntry !is Array<*>) {\n   // It is an entry\n   val entry: SimpleEntry<K, V> = chainOrEntry\n   if (equality.equals(entry.key, key)) {\n   return entry.setValue(value)\n   } else {\n   backingMap[hashCode] = arrayOf(entry, SimpleEntry(key, value))\n   size++\n   return null\n   }\n   } else {\n   // Chain already exists, perhaps key also exists.\n   val chain: Array<MutableEntry<K, V>> = chainOrEntry\n   val entry = chain.findEntryInChain(key)\n   if (entry != null) {\n   return entry.setValue(value)\n   }\n   chain.asDynamic().push(SimpleEntry(key, value))\n   }\n   }\n   size++\n//   structureChanged(host)\n   return null\n   }\n\n   override fun remove(key: K): V? {\n   val hashCode = equality.getHashCode(key)\n   val chainOrEntry = getChainOrEntryOrNull(hashCode) ?: return null\n   if (chainOrEntry !is Array<*>) {\n   val entry: MutableEntry<K, V> = chainOrEntry\n   if (equality.equals(entry.key, key)) {\n   jsDeleteProperty(backingMap, hashCode)\n   size--\n   return entry.value\n   } else {\n   return null\n   }\n   } else {\n   val chain: Array<MutableEntry<K, V>> = chainOrEntry\n   for (index in chain.indices) {\n   val entry = chain[index]\n   if (equality.equals(key, entry.key)) {\n   if (chain.size == 1) {\n   chain.asDynamic().length = 0\n   // remove the whole array\n   jsDeleteProperty(backingMap, hashCode)\n   } else {\n   // splice out the entry we're removing\n   chain.asDynamic().splice(index, 1)\n   }\n   size--\n//   structureChanged(host)\n   return entry.value\n   }\n   }\n   }\n   return null\n   }\n\n   override fun clear() {\n   backingMap = createJsMap()\n   size = 0\n   }\n\n   override fun contains(key: K): Boolean = getEntry(key) != null\n\n   override fun get(key: K): V? = getEntry(key)?.value\n\n   private fun getEntry(key: K): MutableEntry<K, V>? {\n   val chainOrEntry = getChainOrEntryOrNull(equality.getHashCode(key)) ?: return null\n   if (chainOrEntry !is Array<*>) {\n   val entry: MutableEntry<K, V> = chainOrEntry\n   if (equality.equals(entry.key, key)) {\n   return

entry\n } else {\n return null\n }\n } else {\n val chain: Array<MutableEntry<K, V>> = chainOrEntry\n return chain.findEntryInChain(key)\n }\n }\n\n private fun Array<MutableEntry<K, V>>.findEntryInChain(key: K): MutableEntry<K, V>? =\n firstOrNull { entry -> equality.equals(entry.key, key) }\n\n override fun iterator(): MutableIterator<MutableEntry<K, V>> {\n\n return object : MutableIterator<MutableEntry<K, V>> {\n var state = -1 // -1 not ready, 0 - ready, 1 - done\n\n val keys: Array<String> = js(\"Object\").keys(backingMap)\n var keyIndex = -1\n\n var chainOrEntry: dynamic = null\n var isChain = false\n var itemIndex = -1\n var lastEntry: MutableEntry<K, V>? = null\n\n private fun computeNext(): Int {\n if (chainOrEntry != null && isChain) {\n val chainSize: Int = chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>().size\n if (++itemIndex < chainSize)\n return 0\n }\n\n if (++keyIndex < keys.size) {\n chainOrEntry = backingMap[keys[keyIndex]]\n isChain = chainOrEntry is Array<*>\n itemIndex = 0\n return 0\n } else {\n chainOrEntry = null\n return 1\n }\n }\n\n override fun hasNext(): Boolean {\n if (state == -1)\n state = computeNext()\n return state == 0\n }\n\n override fun next(): MutableEntry<K, V> {\n if (!hasNext()) throw NoSuchElementException()\n val lastEntry = if (isChain) {\n chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>()[itemIndex]\n } else {\n chainOrEntry.unsafeCast<MutableEntry<K, V>>()\n }\n this.lastEntry = lastEntry\n state = -1\n return lastEntry\n }\n\n override fun remove() {\n checkNotNull(lastEntry)\n this@InternalHashCodeMap.remove(lastEntry!!.key)\n lastEntry = null\n // the chain being iterated just got modified by InternalHashCodeMap.remove\n itemIndex--\n }\n }\n }\n\n private fun getChainOrEntryOrNull(hashCode: Int): dynamic {\n val chainOrEntry = backingMap[hashCode]\n return if (chainOrEntry === undefined) null else chainOrEntry\n }\n\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * The common interface of [InternalStringMap] and [InternalHashCodeMap].\n */\ninternal interface InternalMap<K, V> : MutableIterable<MutableMap.MutableEntry<K, V>> {\n val equality: EqualityComparator\n val size: Int\n operator fun contains(key: K): Boolean\n\n operator fun get(key: K): V?\n\n fun put(key: K, value: V): V?\n fun remove(key: K): V?\n fun clear(): Unit\n\n fun createJsMap(): dynamic {\n val result = js(\"Object.create(null)\")\n // force to switch object representation to dictionary mode\n result[\"foo\"] = 1\n jsDeleteProperty(result, \"foo\")\n return result\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT InternalStringMap\n * Copyright 2008 Google Inc.\n */\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n * A simple wrapper around JavaScript Map for key type is string.\n *\n * Though this map is instantiated only with K=String, the K type is not fixed to String statically,\n * because we want to have it erased to Any? in order not to generate type-safe override bridges for\n * [get], [contains], [remove] etc, if they ever are generated.\n */\ninternal class InternalStringMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V> {\n\n private var backingMap: dynamic = createJsMap()\n override var size: Int = 0\n private set\n\n// /**\n// * A mod count to track 'value' replacements in map to ensure that the 'value' that we have in the\n// * iterator entry is guaranteed to be still correct.\n// * This is to optimize for the common scenario where the values are not modified during\n// * iterations where the entries are never stale.\n// */\n// private var valueMod: Int = 0\n\n override operator fun contains(key: K): Boolean {\n if (key !is String) return false\n return backingMap[key] !== undefined\n }\n\n override operator fun get(key: K): V? {\n if (key !is String) return null\n val value = backingMap[key]\n return if (value

```
 !== undefined) value.unsafeCast<V>() else null\n    }\n\n\n    override fun put(key: K, value: V): V? {\n
require(key is String)\n        val oldValue = backingMap[key]\n        backingMap[key] = value\n\n        if (oldValue
=== undefined) {\n            size++\n//            structureChanged(host)\n            return null\n        } else {\n//
valueMod++\n            return oldValue.unsafeCast<V>()\n        }\n    }\n\n    override fun remove(key: K): V? {\n
if (key !is String) return null\n        val value = backingMap[key]\n        if (value !== undefined) {\n
jsDeleteProperty(backingMap, key)\n            size--\n//            structureChanged(host)\n            return
value.unsafeCast<V>()\n        } else {\n//            valueMod++\n            return null\n        }\n    }\n\n\n    override fun
clear() {\n        backingMap = createJsMap()\n        size = 0\n    }\n\n\n    override fun iterator():
MutableIterator<MutableEntry<K, V>> {\n
        return object : MutableIterator<MutableEntry<K, V>> {\n            private val keys: Array<String> =
js(\"Object\").keys(backingMap)\n            private val iterator = keys.iterator()\n            private var lastKey: String? =
null\n\n            override fun hasNext(): Boolean = iterator.hasNext()\n\n            override fun next():
MutableEntry<K, V> {\n                val key = iterator.next()\n                lastKey = key\n
@Suppress(\"UNCHECKED_CAST\")\n                return newMapEntry(key as K)\n            }\n\n            override
fun remove() {\n                @Suppress(\"UNCHECKED_CAST\")\n
this@InternalStringMap.remove(checkNotNull(lastKey) as K)\n            }\n        }\n    }\n\n    private fun
newMapEntry(key: K): MutableEntry<K, V> = object : MutableEntry<K, V> {\n        override val key: K get() =
key\n        override val value: V get() = this@InternalStringMap[key].unsafeCast<V>()\n\n        override fun
setValue(newValue:
 V): V = this@InternalStringMap.put(key, newValue).unsafeCast<V>()\n\n        override fun hashCode(): Int =
AbstractMap.entryHashCode(this)\n        override fun toString(): String = AbstractMap.entryToString(this)\n
override fun equals(other: Any?): Boolean = AbstractMap.entryEquals(this, other)\n    }\n}\n","/*\n * Copyright
2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n/*\n * Based on GWT
LinkedHashMap\n * Copyright 2008 Google Inc.\n */\npackage kotlin.collections\n\nimport
kotlin.collections.MutableMap.MutableEntry\n\n/**\n * Hash table based implementation of the [MutableMap]
interface, which additionally preserves the insertion order\n * of entries during the iteration.\n *\n * The insertion
order is preserved by maintaining a doubly-linked list of all of its entries.\n */\npublic actual open class
LinkedHashMap<K, V> : HashMap<K,
 V>, MutableMap<K, V> {\n\n    /**\n     * The entry we use includes next/prev pointers for a doubly-linked
circular\n     * list with a head node. This reduces the special cases we have to deal with\n     * in the list
operations.\n\n     * Note that we duplicate the key from the underlying hash map so we can find\n     * the eldest
entry. The alternative would have been to modify HashMap so more\n     * of the code was directly usable here, but
this would have added some\n     * overhead to HashMap, or to reimplement most of the HashMap code here with\n
 * small modifications. Paying a small storage cost only if you use\n     * LinkedHashMap and minimizing code size
seemed like a better tradeoff\n     */\n    private inner class ChainEntry<K, V>(key: K, value: V) :
AbstractMutableMap.SimpleEntry<K, V>(key, value) {\n        internal var next: ChainEntry<K, V>? = null\n
internal var prev: ChainEntry<K, V>? = null\n\n        override fun setValue(newValue: V): V {\n
            this@LinkedHashMap.checkIsMutable()\n            return super.setValue(newValue)\n        }\n    }\n\n
private inner class EntrySet : AbstractEntrySet<MutableEntry<K, V>, K, V>() {\n\n        private inner class
EntryIterator : MutableIterator<MutableEntry<K, V>> {\n            // The last entry that was returned from this
iterator.\n            private var last: ChainEntry<K, V>? = null\n\n            // The next entry to return from this
iterator.\n            private var next: ChainEntry<K, V>? = null\n\n            init {\n                next = head\n//
recordLastKnownStructure(map, this)\n            }\n\n            override fun hasNext(): Boolean {\n                return
next !== null\n            }\n\n            override fun next(): MutableEntry<K, V> {\n//
checkStructuralChange(map, this)\n                if (!hasNext()) throw NoSuchElementException()\n\n                val
current = next!!\n                last = current\n
```

```
        next = current.next.takeIf { it !== head }\n                return current\n            }\n\n            override fun remove() {\n                check(last != null)\n                this@EntrySet.checkIsMutable()\n//
checkStructuralChange(map, this)\n\n                last!!.remove()\n                map.remove(last!!.key)\n//
recordLastKnownStructure(map, this)\n                last = null\n            }\n        }\n\n        override fun add(element:
MutableEntry<K, V>): Boolean = throw UnsupportedOperationException(\"Add is not supported on entries\")\n
override fun clear() {\n            this@LinkedHashMap.clear()\n        }\n\n        override fun containsEntry(element:
Map.Entry<K, V>): Boolean = this@LinkedHashMap.containsEntry(element)\n\n        override operator fun
iterator(): MutableIterator<MutableEntry<K, V>> = EntryIterator()\n\n        override fun removeEntry(element:
Map.Entry<K, V>): Boolean {\n            checkIsMutable()\n
            if (contains(element)) {\n                this@LinkedHashMap.remove(element.key)\n                return true\n
    }\n            return false\n        }\n\n        override val size: Int get() = this@LinkedHashMap.size\n\n        override
fun checkIsMutable(): Unit = this@LinkedHashMap.checkIsMutable()\n    }\n\n\n    /*\n     * The head of the insert
order chain, which is a doubly-linked circular\n     * list.\n     *\n     * The most recently inserted node is at the end of the
chain, ie.\n     * chain.prev.\n     */\n    private var head: ChainEntry<K, V>? = null\n\n    /**\n     * Add this node to
the end of the chain.\n     */\n    private fun ChainEntry<K, V>.addToEnd() {\n        // This entry is not in the list.\n
    check(next == null && prev == null)\n\n        val _head = head\n        if (_head == null) {\n            head = this\n
        next = this\n            prev = this\n        } else {\n            // Chain is valid.\n            val _tail =
checkNotNull(_head.prev)\n
            // Update me.\n            prev = _tail\n            next = _head\n            // Update my new siblings: current head
and old tail\n            _head.prev = this\n            _tail.next = this\n        }\n    }\n\n    /**\n     * Remove this node from
the chain it is a part of.\n     */\n    private fun ChainEntry<K, V>.remove() {\n        if (this.next === this) {\n
// if this is single element, remove head\n            head = null\n        } else {\n            if (head === this) {\n                //
if this is first element, move head to next\n                head = next\n            }\n            next!!.prev = prev\n
prev!!.next = next\n        }\n        next = null\n        prev = null\n    }\n\n    /*\n     * The hashmap that keeps track of
our entries and the chain. Note that we\n     * duplicate the key here to eliminate changes to HashMap and minimize
the\n     * code here, at the expense of additional space.\n     */\n    private
    val map: HashMap<K, ChainEntry<K, V>>\n\n    private var isReadOnly: Boolean = false\n\n    /**\n     *
Constructs an empty [LinkedHashMap] instance.\n     */\n    actual constructor() : super() {\n        map =
HashMap<K, ChainEntry<K, V>>()\n    }\n\n    internal constructor(backingMap: HashMap<K, Any>) : super() {\n
    @Suppress(\"UNCHECKED_CAST\") // expected to work due to erasure\n        map = backingMap as
HashMap<K, ChainEntry<K, V>>\n    }\n\n    /**\n     * Constructs an empty [LinkedHashMap] instance.\n     *\n
* @param  initialCapacity the initial capacity (ignored)\n     * @param  loadFactor      the load factor (ignored)\n
*\n     * @throws IllegalArgumentException if the initial capacity or load factor are negative\n     */\n    actual
constructor(initialCapacity: Int, loadFactor: Float) : super(initialCapacity, loadFactor) {\n        map = HashMap<K,
ChainEntry<K, V>>()\n    }\n\n    actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n
    /**\n     * Constructs an instance of [LinkedHashMap] filled with the contents of the specified [original] map.\n
*/\n    actual constructor(original: Map<out K, V>) {\n        map = HashMap<K, ChainEntry<K, V>>()\n
this.putAll(original)\n    }\n\n    @PublishedApi\n    internal fun build(): Map<K, V> {\n        checkIsMutable()\n
    isReadOnly = true\n        return this\n    }\n\n    actual override fun clear() {\n        checkIsMutable()\n
map.clear()\n        head = null\n    }\n\n\n//    override fun clone(): Any {\n//        return LinkedHashMap(this)\n//
}\n\n\n    actual override fun containsKey(key: K): Boolean = map.containsKey(key)\n\n    actual override fun
containsValue(value: V): Boolean {\n        var node: ChainEntry<K, V> = head ?: return false\n        do {\n            if
(node.value == value) {\n                return true\n            }\n            node = node.next!!\n        } while (node !==
head)\n        return false\n    }\n\n\n
    internal override fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\n\n    actual
override operator fun get(key: K): V? = map.get(key)?.value\n\n    actual override fun put(key: K, value: V): V? {\n
    checkIsMutable()\n\n        val old = map.get(key)\n        if (old == null) {\n            val newEntry =
ChainEntry(key, value)\n            map.put(key, newEntry)\n            newEntry.addToEnd()\n            return null\n
```

} else {\n return old.setValue(value)\n }\n }\n\n actual override fun remove(key: K): V? {\n checkIsMutable()\n\n val entry = map.remove(key)\n if (entry != null) {\n entry.remove()\n return entry.value\n }\n return null\n }\n\n actual override val size: Int get() = map.size\n\n internal override fun checkIsMutable() {\n if (isReadOnly) throw UnsupportedOperationException()\n }\n}\n\n/**\n * Constructs the specialized implementation
of [LinkedHashMap] with [String] keys, which stores the keys as properties of\n * JS object without hashing them.\n */\npublic fun <V> linkedStringMapOf(vararg pairs: Pair<String, V>): LinkedHashMap<String, V> {\n return LinkedHashMap<String, V>(stringMapOf<Any>()).apply { putAll(pairs) }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT LinkedHashSet\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n * The implementation of the [MutableSet] interface, backed by a [LinkedHashMap] instance.\n *\n * This implementation preserves the insertion order of elements during the iteration.\n */\npublic actual open class LinkedHashSet<E> : HashSet<E>, MutableSet<E> {\n\n internal constructor(map: LinkedHashMap<E, Any>) : super(map)\n\n /**\n * Constructs a new empty [LinkedHashSet].\n */\n actual constructor() : super(LinkedHashMap<E, Any>())\n\n /**\n * Constructs a new [LinkedHashSet] filled with the elements of the specified collection.\n */\n actual constructor(elements: Collection<E>) : super(LinkedHashMap<E, Any>()) {\n addAll(elements)\n }\n\n /**\n * Constructs a new empty [LinkedHashSet].\n *\n * @param initialCapacity the initial capacity (ignored)\n * @param loadFactor the load factor (ignored)\n *\n * @throws IllegalArgumentException if the initial capacity or load factor are negative\n */\n actual constructor(initialCapacity: Int, loadFactor: Float) : super(LinkedHashMap<E, Any>(initialCapacity, loadFactor))\n\n actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n @PublishedApi\n internal fun build(): Set<E> {\n (map as LinkedHashMap<E, Any>).build()\n return this\n }\n\n internal override fun checkIsMutable(): Unit = map.checkIsMutable()\n\n// public override fun clone(): Any {\n// return LinkedHashSet(this)\n// }\n\n}\n\n/**\n * Creates a new instance of the specialized implementation of [LinkedHashSet] with the specified [String] elements,\n * which elements the keys as properties of JS object without hashing them.\n */\npublic fun linkedStringSetOf(vararg elements: String): LinkedHashSet<String> {\n return LinkedHashSet(linkedStringMapOf<Any>()).apply { addAll(elements) }\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.contracts.*\n\n\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\n@Deprecated(\"Synchronization on any object is not supported in Kotlin/JS\", ReplaceWith(\"run(block)\"))\n@kotlin.internal.InlineOnly\n@Suppress(\"UNUSED_PARAMETER\")\npublic inline fun <R>
synchronized(lock: Any, block: () -> R): R {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n return block()\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.io\n\ninternal abstract class BaseOutput {\n open fun println() {\n print(\"\\n\")\n }\n\n open fun println(message: Any?) {\n print(message)\n println()\n }\n\n abstract fun print(message: Any?)\n\n open fun flush() {}\n}\n\n/** JsName used to make the declaration available outside of module to test it */\n@JsName(\"NodeJsOutput\")\ninternal class NodeJsOutput(val outputStream: dynamic) : BaseOutput() {\n override fun print(message: Any?) {\n // TODO: Using local variable because of bug in block decomposition lowering in IR backend\n val messageString = String(message)\n outputStream.write(messageString)\n }\n}\n\n/** JsName used to make the declaration available outside of module to test it */\n@JsName(\"OutputToConsoleLog\")\ninternal class OutputToConsoleLog : BaseOutput() {\n override fun print(message: Any?) {\n console.log(message)\n }\n\n override fun println(message: Any?) {\n console.log(message)\n }\n\n override fun println() {\n console.log(\"\")\n }\n}\n\n/** JsName used to make the declaration available outside of module to test it and use at try.kotl.in

*/\n@JsName(\"BufferedOutput\")\ninternal open class BufferedOutput : BaseOutput() {\n var buffer = \"\"\n\n override fun print(message: Any?) {\n buffer += String(message)\n }\n\n override fun flush() {\n buffer = \"\"\n }\n}\n\n/** JsName used to make the declaration available outside of module to test it */\n@JsName(\"BufferedOutputToConsoleLog\")\ninternal class BufferedOutputToConsoleLog : BufferedOutput() {\n override fun print(message: Any?) {\n var s = String(message)\n val i = s.nativeLastIndexOf(\"\\n\", 0)\n if (i >= 0) {\n buffer += s.substring(0, i)\n flush()\n s = s.substring(i + 1)\n }\n buffer += s\n }\n\n override fun flush() {\n console.log(buffer)\n buffer = \"\"\n }\n}\n\n/** JsName used to make the declaration available outside of module to test it and use at try.kotl.in */\n@JsName(\"output\")\ninternal var output = run {\n val isNode: Boolean = js(\"typeof process !== 'undefined' && process.versions && !!process.versions.node\")\n if (isNode) NodeJsOutput(js(\"process.stdout\")) else BufferedOutputToConsoleLog()\n}\n\n@kotlin.internal.InlineOnly\nprivate inline fun String(value: Any?): String = js(\"String\")(value)\n\n/** Prints the line separator to the standard output stream. */\npublic actual fun println() {\n output.println()\n}\n\n/** Prints the given [message] and the line separator to the standard output stream. */\npublic actual fun println(message: Any?) {\n output.println(message)\n}\n\n/** Prints the given [message] to the standard output stream. */\npublic actual fun print(message: Any?) {\n output.print(message)\n}\n\n@SinceKotlin(\"1.6\")\npublic actual fun readln(): String = throw UnsupportedOperationException(\"readln is not supported in Kotlin/JS\")\n\n@SinceKotlin(\"1.6\")\npublic actual fun readlnOrNull(): String? = throw UnsupportedOperationException(\"readlnOrNull is not supported in Kotlin/JS\")","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport kotlin.coroutines.intrinsics.CoroutineSingletons.*\nimport kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal actual class SafeContinuation<in T>\ninternal actual constructor(\n private val delegate: Continuation<T>,\n initialResult: Any?\n) : Continuation<T> {\n @PublishedApi\n internal actual constructor(delegate: Continuation<T>) : this(delegate, UNDECIDED)\n\n public actual override val context: CoroutineContext\n get() = delegate.context\n\n private var result: Any? = initialResult\n\n public actual override fun resumeWith(result: Result<T>) {\n val cur = this.result\n when {\n cur === UNDECIDED -> {\n this.result = result.value\n }\n cur === COROUTINE_SUSPENDED -> {\n this.result = RESUMED\n delegate.resumeWith(result)\n }\n else -> throw IllegalStateException(\"Already resumed\")\n }\n }\n\n @PublishedApi\n internal actual fun getOrThrow(): Any? {\n if (result === UNDECIDED) {\n result = COROUTINE_SUSPENDED\n return COROUTINE_SUSPENDED\n }\n val result = this.result\n return when {\n result === RESUMED -> COROUTINE_SUSPENDED // already called continuation, indicate COROUTINE_SUSPENDED upstream\n result is Result.Failure -> throw result.exception\n else -> result // either COROUTINE_SUSPENDED or data\n }\n }\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines.cancellation\n\n@SinceKotlin(\"1.4\")\npublic actual open class CancellationException : IllegalStateException {\n actual constructor() : super()\n actual constructor(message: String?) : super(message)\n constructor(message: String?, cause: Throwable?) : super(message, cause)\n constructor(cause: Throwable?) : super(cause)\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines.js.internal\n\nimport kotlin.coroutines.Continuation\nimport kotlin.coroutines.EmptyCoroutineContext\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal val EmptyContinuation = Continuation<Any?>(EmptyCoroutineContext) { result ->\n result.getOrThrow()\n}","/*\n

* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Exposes the [Date API](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Date) to Kotlin.\n */\n@Suppress(\"NOT_DOCUMENTED\")\npublic external class Date() {\n public constructor(milliseconds: Number)\n\n public constructor(dateString: String)\n\n public constructor(year: Int, month: Int)\n\n public constructor(year: Int, month: Int, day: Int)\n\n public constructor(year: Int, month: Int, day: Int, hour: Int)\n\n public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int)\n\n public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int)\n\n public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond: Number)\n\n public fun getDate(): Int\n\n public fun getDay(): Int\n\n public fun getFullYear(): Int\n\n public fun getHours(): Int\n\n public fun getMilliseconds(): Int\n\n public fun getMinutes(): Int\n\n public fun getMonth(): Int\n\n public fun getSeconds(): Int\n\n public fun getTime(): Double\n\n public fun getTimezoneOffset(): Int\n\n public fun getUTCDate(): Int\n\n public fun getUTCDay(): Int\n\n public fun getUTCFullYear(): Int\n\n public fun getUTCHours(): Int\n\n public fun getUTCMilliseconds(): Int\n\n public fun getUTCMinutes(): Int\n\n public fun getUTCMonth(): Int\n\n public fun getUTCSeconds(): Int\n\n public fun toDateString(): String\n\n public fun toISOString(): String\n\n public fun toJSON(): Json\n\n public fun toLocaleDateString(locales: Array<String> = definedExternally, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleDateString(locales: String, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleString(locales: Array<String> = definedExternally, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleString(locales: String, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleTimeString(locales: Array<String> = definedExternally, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleTimeString(locales: String, options: LocaleOptions = definedExternally): String\n\n public fun toTimeString(): String\n\n public fun toUTCString(): String\n\n public companion object {\n public fun now(): Double\n\n public fun parse(dateString: String): Double\n\n public fun UTC(year: Int, month: Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int, hour: Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond: Number): Double\n }\n\n public interface LocaleOptions {\n public var localeMatcher: String?\n\n public var timeZone: String?\n\n public var hour12: Boolean?\n\n public var formatMatcher: String?\n\n public var weekday: String?\n\n public var era: String?\n\n public var year: String?\n\n public var month: String?\n\n public var day: String?\n\n public var hour: String?\n\n public var minute: String?\n\n public var second: String?\n\n public var timeZoneName: String?\n }\n}\n\npublic inline fun dateLocaleOptions(init: Date.LocaleOptions.() -> Unit): Date.LocaleOptions {\n val result = js(\"new Object()\").unsafeCast<Date.LocaleOptions>()\n init(result)\n return result\n}","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.Document\nimport org.w3c.dom.Element\nimport kotlin.internal.LowPriorityInOverloadResolution\nimport kotlinx.dom.appendElement as newAppendElement\nimport kotlinx.dom.createElement as newCreateElement\n\n/**\n * Creates a new element with the specified [name].\n *\n * The element is initialized with the specified [init] function.\n */\n@LowPriorityInOverloadResolution\n@Deprecated(\n message = \"This API is moved to another package, use 'kotlinx.dom.createElement' instead.\",\n replaceWith = ReplaceWith(\"this.createElement(name, init)\", \"kotlinx.dom.createElement\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic inline fun Document.createElement(name: String, noinline init: Element.() -> Unit): Element =

this.newCreateElement(name, init)\n\n/**\n * Appends a newly created element with the specified [name] to this element.\n *\n * The element is initialized with the specified [init] function.\n */\n@LowPriorityInOverloadResolution\n@Deprecated(\n message = \"This API is moved to another package, use 'kotlinx.dom.appendElement' instead.\",\n replaceWith = ReplaceWith(\"this.appendElement(name, init)\", \"kotlinx.dom.appendElement\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic inline fun Element.appendElement(name:
String, noinline init: Element.() -> Unit): Element = this.newAppendElement(name, init)\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.Element\nimport kotlin.internal.LowPriorityInOverloadResolution\nimport kotlinx.dom.addClass as newAddClass\nimport kotlinx.dom.hasClass as newHasClass\nimport kotlinx.dom.removeClass as newRemoveClass\n\n/** Returns true if the element has the given CSS class style in its 'class' attribute */\n@LowPriorityInOverloadResolution\n@Deprecated(\n message = \"This API is moved to another package, use 'kotlinx.dom.hasClass' instead.\",\n replaceWith = ReplaceWith(\"this.hasClass(cssClass)\", \"kotlinx.dom.hasClass\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\ninline fun Element.hasClass(cssClass:
String): Boolean = this.newHasClass(cssClass)\n\n/**\n * Adds CSS class to element. Has no effect if all specified classes are already in class attribute of the element\n *\n * @return true if at least one class has been added\n */\n@LowPriorityInOverloadResolution\n@Deprecated(\n message = \"This API is moved to another package, use 'kotlinx.dom.addClass' instead.\",\n replaceWith = ReplaceWith(\"this.addClass(cssClasses)\", \"kotlinx.dom.addClass\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\ninline fun Element.addClass(vararg cssClasses: String): Boolean = this.newAddClass(*cssClasses)\n\n/**\n * Removes all [cssClasses] from element. Has no effect if all specified classes are missing in class attribute of the element\n *\n * @return true if at least one class has been removed\n */\n@LowPriorityInOverloadResolution\n@Deprecated(\n message = \"This API is moved to another package, use 'kotlinx.dom.removeClass' instead.\",\n replaceWith = ReplaceWith(\"this.removeClass(cssClasses)\", \"kotlinx.dom.removeClass\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\ninline fun Element.removeClass(vararg cssClasses: String): Boolean = this.newRemoveClass(*cssClasses)","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.Element\nimport org.w3c.dom.Node\nimport kotlin.internal.LowPriorityInOverloadResolution\nimport kotlinx.dom.isElement as newIsElement\nimport kotlinx.dom.isText as newIsText\n\n/**\n * Gets a value indicating whether this node is a TEXT_NODE or a CDATA_SECTION_NODE.\n */\n@LowPriorityInOverloadResolution\n@Deprecated(\n message = \"This API is moved to another package, use 'kotlinx.dom.isText' instead.\",\n replaceWith = ReplaceWith(\"this.isText\", \"kotlinx.dom.isText\")\n)\n@DeprecatedSinceKotlin(warningSince
= \"1.4\", errorSince = \"1.6\")\npublic val Node.isText: Boolean\n inline get() = this.newIsText\n\n/**\n * Gets a value indicating whether this node is an [Element].\n */\n@LowPriorityInOverloadResolution\n@Deprecated(\n message = \"This API is moved to another package, use 'kotlinx.dom.isElement' instead.\",\n replaceWith = ReplaceWith(\"this.isElement\", \"kotlinx.dom.isElement\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic val Node.isElement: Boolean\n inline get() = this.newIsElement\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage org.w3c.dom.events\n\npublic fun EventListener(handler: (Event) -> Unit): EventListener = EventListenerHandler(handler)\n\nprivate class EventListenerHandler(private val handler: (Event) ->
Unit) : EventListener {\n public override fun handleEvent(event: Event) {\n handler(event)\n }\n\n public override fun toString(): String = \"EventListenerHandler($handler)\"\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0

license that can be found in the license/LICENSE.txt file.\n */\n\npackage org.w3c.dom\n\npublic external interface ItemArrayLike<out T> {\n   val length: Int\n   fun item(index: Int): T?\n}\n\n/**\n * Returns the view of this `ItemArrayLike<T>` collection as `List<T>`\n */\npublic fun <T> ItemArrayLike<T>.asList(): List<T> = object : AbstractList<T>() {\n   override val size: Int get() = this@asList.length\n\n   override fun get(index: Int): T = when (index) {\n   in 0..lastIndex -> this@asList.item(index).unsafeCast<T>()\n   else -> throw IndexOutOfBoundsException(\"index $index is not in range [0..$lastIndex]\")\n   }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.Element\nimport org.w3c.dom.Node\nimport kotlin.internal.LowPriorityInOverloadResolution\nimport kotlinx.dom.appendText as newAppendText\nimport kotlinx.dom.clear as newClear\n\n/** Removes all the children from this node.\n */\n@LowPriorityInOverloadResolution\n@Deprecated(\n   message = \"This API is moved to another package, use 'kotlinx.dom.clear' instead.\",\n   replaceWith = ReplaceWith(\"this.clear()\", \"kotlinx.dom.clear\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic inline fun Node.clear() = this.newClear()\n\n/**\n * Creates text node and append it to the element.\n *\n * @return this element\n */\n@LowPriorityInOverloadResolution\n@Deprecated(\n   message = \"This API is moved to another package,\n   use 'kotlinx.dom.appendText' instead.\",\n   replaceWith = ReplaceWith(\"this.appendText(text)\", \"kotlinx.dom.appendText\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\ninline fun Element.appendText(text: String): Element = this.newAppendText(text)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Reinterprets this value as a value of the [dynamic type](/docs/reference/dynamic-type.html).\n */\n@kotlin.internal.InlineOnly\npublic inline fun Any?.asDynamic(): dynamic = this\n\n/**\n * Reinterprets this value as a value of the specified type [T] without any actual type checking.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Any?.unsafeCast(): @kotlin.internal.NoInfer T = this.asDynamic()\n\n/**\n * Reinterprets this `dynamic` value as a value of\n   the specified type [T] without any actual type checking.\n */\n@kotlin.internal.DynamicExtension\n@JsName(\"unsafeCastDynamic\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> dynamic.unsafeCast(): @kotlin.internal.NoInfer T = this\n\n/**\n * Allows to iterate this `dynamic` object in the following cases:\n * - when it has an `iterator` function,\n * - when it is an array\n * - when it is an instance of [kotlin.collections.Iterable]\n */\n@kotlin.internal.DynamicExtension\npublic operator fun dynamic.iterator(): Iterator<dynamic> {\n   val r: Any? = this\n\n   return when {\n   this[\"iterator\"] != null -> \n   this[\"iterator\"]()\n   isArrayish(r) -> \n   r.unsafeCast<Array<*>>().iterator()\n\n   else -> \n   (r as Iterable<*>).iterator()\n   }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt\n   file.\n */\n\n// a package is omitted to get declarations directly under the module\n\n@JsName(\"throwNPE\")\ninternal fun throwNPE(message: String) {\n   throw NullPointerException(message)\n}\n\n@JsName(\"throwCCE\")\ninternal fun throwCCE() {\n   throw ClassCastException(\"Illegal cast\")\n}\n\n@JsName(\"throwISE\")\ninternal fun throwISE(message: String) {\n   throw IllegalStateException(message)\n}\n\n@JsName(\"throwUPAE\")\ninternal fun throwUPAE(propertyName: String) {\n   throw UninitializedPropertyAccessException(\"lateinit property ${propertyName} has not been initialized\")\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/**\n * Groups elements from the [Grouping] source by key and counts elements in each group.\n *\n * @return a [Map] associating the key of\n   each group with the count of elements in the group.\n *\n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T, K>

Grouping<T, K>.eachCount(): Map<K, Int> =\n   fold(0) { acc, _ -> acc + 1 }\n\n/*\n/**\n * Groups elements from the [Grouping] source by key and sums values provided by the [valueSelector] function for elements in each group.\n *\n * @return a [Map] associating the key of each group with the count of element in the group.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Grouping<T, K>.eachSumOf(valueSelector: (T) -> Int): Map<K, Int> =\n   fold(0) { acc, e -> acc + valueSelector(e) }\n*/","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"GroupingKt\")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin.collections\n\n/**\n
 * Represents a source of elements with a [keyOf] function, which can be applied to each element to get its key.\n *\n * A [Grouping] structure serves as an intermediate step in group-and-fold operations:\n * they group elements by their keys and then fold each group with some aggregating operation.\n *\n * It is created by attaching `keySelector: (T) -> K` function to a source of elements.\n * To get an instance of [Grouping] use one of `groupingBy` extension functions:\n * - [Iterable.groupingBy]\n * - [Sequence.groupingBy]\n * - [Array.groupingBy]\n * - [CharSequence.groupingBy]\n *\n * For the list of group-and-fold operations available, see the [extension functions](#extension-functions) for `Grouping`.\n */\n@SinceKotlin(\"1.1\")\npublic interface Grouping<T, out K> {\n   /** Returns an [Iterator] over the elements of the source of this grouping. */\n   fun sourceIterator(): Iterator<T>\n   /** Extracts the key of an [element]. */\n   fun keyOf(element: T): K\n}\n\n/**\n
 * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments, and stores the results in a new map.\n *\n * The key for each element is provided by the [Grouping.keyOf] function.\n *\n * @param operation function is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group, can be `null` if it's the first `element` encountered in the group;\n * - `element`: the element from the source being aggregated;\n * - `first`: indicates whether it's the first `element` encountered in the group.\n *\n * @return a [Map] associating the key of each group with the result of aggregation of the group elements.\n * @sample samples.collections.Grouping.aggregateByRadix\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R> Grouping<T,
 K>.aggregate(\n   operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R\n): Map<K, R> {\n   return aggregateTo(mutableMapOf<K, R>(), operation)\n}\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n *\n * The key for each element is provided by the [Grouping.keyOf] function.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group, can be `null` if it's the first `element` encountered in the group;\n * - `element`: the element from the source being aggregated;\n * - `first`: indicates whether it's the first `element` encountered in the group.\n *\n * If the [destination] map
 already has a value corresponding to some key,\n * then the elements being aggregated for that key are never considered as `first`.\n *\n * @return the [destination] map associating the key of each group with the result of aggregation of the group elements.\n * @sample samples.collections.Grouping.aggregateByRadixTo\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.aggregateTo(\n   destination: M,\n   operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R\n): M {\n   for (e in this.sourceIterator()) {\n   val key = keyOf(e)\n   val accumulator = destination[key]\n   destination[key] = operation(key, accumulator, e, accumulator == null && !destination.containsKey(key))\n   }\n   return destination\n}\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments,

and stores the results in a new map.\n * An initial value of accumulator is provided by [initialValueSelector] function.\n *\n * @param initialValueSelector a function that provides an initial value of accumulator for each group.\n * It's invoked with parameters:\n * - `key`: the key of the group;\n * - `element`: the first element being encountered in that group.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n *\n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.foldByEvenLengthWithComputedInitialValue\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R> Grouping<T, K>.fold(\n initialValueSelector: (key: K, element: T) -> R,\n operation: (key: K, accumulator: R, element: T) -> R\n): Map<K, R> =\n @Suppress(\"UNCHECKED_CAST\")\n aggregate { key, acc, e, first -> operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator is provided by [initialValueSelector] function.\n *\n * @param initialValueSelector a function that provides an initial value of accumulator for each group.\n * It's invoked with parameters:\n * - `key`: the key of the group;\n * - `element`: the first element being encountered in that group.\n *\n * If the [destination] map already has a value corresponding to some key, that value is used as an initial value of\n * the accumulator for that group and the [initialValueSelector]
function is not called for that group.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n *\n * @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.foldByEvenLengthWithComputedInitialValueTo\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\n destination: M,\n initialValueSelector: (key: K, element: T) -> R,\n operation: (key: K, accumulator: R, element: T) -> R\n): M =\n @Suppress(\"UNCHECKED_CAST\")\n aggregateTo(destination) { key, acc, e, first -> operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments, and stores the results in a new map.\n * An initial value of accumulator is the same [initialValue] for each group.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n *\n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.foldByEvenLengthWithConstantInitialValue\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R> Grouping<T, K>.fold(\n initialValue: R,\n operation: (accumulator: R, element: T) -> R\n): Map<K, R> =\n @Suppress(\"UNCHECKED_CAST\")\n aggregate { _, acc, e, first -> operation(if (first) initialValue else
acc as R, e) }\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator is the same [initialValue] for each group.\n *\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the accumulator for that group.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n *\n * @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.foldByEvenLengthWithConstantInitialValueTo\n */\n@SinceKotlin(\"1.1\")\npublic

inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\n   destination: M,\n   initialValue: R,\n   operation: (accumulator: R, element: T) -> R\n): M =\n   @Suppress(\"UNCHECKED_CAST\")\n   aggregateTo(destination) { _, acc, e, first -> operation(if (first) initialValue else acc as R, e) }\n\n\n/**\n * Groups elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group\n * sequentially starting from the second element of the group,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in a new map.\n * An initial value of accumulator is the first element of the group.\n *\n * @param operation a function that is invoked on each subsequent element of the group with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element
from the source being accumulated.\n *\n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.reduceByMaxVowels\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <S, T : S, K> Grouping<T, K>.reduce(\n   operation: (key: K, accumulator: S, element: T) -> S\n): Map<K, S> =\n   aggregate { key, acc, e, first ->\n   @Suppress(\"UNCHECKED_CAST\")\n   if (first) e else operation(key, acc as S, e)\n   }\n\n/**\n * Groups elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group\n * sequentially starting from the second element of the group,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator is the first element of the group.\n *\n * If the [destination] map already has a value corresponding to the key of some group,\n
* that value is used as an initial value of the accumulator for that group and the first element of that group is also\n * subjected to the [operation].\n\n * @param operation a function that is invoked on each subsequent element of the group with the following parameters:\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being folded;\n *\n * @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.reduceByMaxVowelsTo\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <S, T : S, K, M : MutableMap<in K, S>> Grouping<T, K>.reduceTo(\n   destination: M,\n   operation: (key: K, accumulator: S, element: T) -> S\n): M =\n   aggregateTo(destination) { key, acc, e, first ->\n   @Suppress(\"UNCHECKED_CAST\")\n   if (first) e else operation(key, acc as S, e)\n   }\n\n\n/**\n * Groups elements from the [Grouping] source
by key and counts elements in each group to the given [destination] map.\n *\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the counter for that group.\n *\n * @return the [destination] map associating the key of each group with the count of elements in the group.\n *\n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachCountTo(destination: M): M =\n   foldTo(destination, 0) { acc, _ -> acc + 1 }\n\n/*\n/**\n * Groups elements from the [Grouping] source by key and sums values provided by the [valueSelector] function for elements in each group\n * to the given [destination] map.\n *\n *\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the sum for that group.\n *\n * @return the [destination] map associating the
key of each group with the sum of elements in the group.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachSumOfTo(destination: M, valueSelector: (T) -> Int): M =\n   foldTo(destination, 0) { acc, e -> acc + valueSelector(e)}\n*/\n\n\n/*\n// TODO: sum by long and by double overloads\n\npublic inline fun <T, K, M : MutableMap<in K, Long>> Grouping<T, K>.sumEachByLongTo(destination: M, valueSelector: (T) -> Long): M =\n   foldTo(destination, 0L) { acc, e -> acc + valueSelector(e)}\n\npublic inline fun <T, K> Grouping<T, K>.sumEachByLong(valueSelector: (T) -> Long): Map<K, Long> =\n   fold(0L) { acc, e -> acc + valueSelector(e)}\n\npublic inline fun <T, K, M : MutableMap<in K, Double>> Grouping<T, K>.sumEachByDoubleTo(destination: M, valueSelector: (T) -> Double): M =\n   foldTo(destination, 0.0) { acc, e -> acc + valueSelector(e)}\n\npublic inline fun <T, K> Grouping<T, K>.sumEachByDouble(valueSelector: (T) -> Double):

```
Map<K, Double> =\n        fold(0.0) { acc, e -> acc + valueSelector(e)}\n*/\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\ninternal annotation class JsNativeImplementation(val implementation: String)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * An interface for indexing access to a collection of key-value pairs, where type of key is [String] and type of value is [Any?][Any].\n */\npublic external interface Json {\n    /**\n     * Calls to the function will be translated to indexing operation (square
 brackets) on the receiver with [propertyName] as the argument.\n     *\n     * E.g. for next code:\n     * ```kotlin\n * fun test(j: Json, p: String) = j[\"prop\"] + j.get(p)\n     * ```\n     *\n     * will be generated:\n     * ```js\n     * function test(j, p) {\n     *     return j[\"prop\"] + j[p];\n     * }\n     * ```\n     */\n    operator fun get(propertyName: String): Any?\n\n    /**\n     * Calls of the function will be translated to an assignment of [value] to the receiver indexed (with square brackets/index operation) with [propertyName].\n     *\n     * E.g. for the following code:\n     * ```kotlin\n     * fun test(j: Json, p: String, newValue: Any) {\n     *     j[\"prop\"] = 1\n     *     j.set(p, newValue)\n     * }\n     * ```\n     *\n     * will be generated:\n     * ```js\n     * function test(j, p, newValue) {\n     *     j[\"prop\"] = 1;\n     *     j[p] = newValue;\n     * }\n     * }\n     * ```\n     */\n    operator fun set(propertyName: String, value: Any?): Unit\n}\n\n/**\n * Returns a simple JavaScript object (as [Json]) using provided key-value pairs as names and values of its properties.\n */\npublic fun json(vararg pairs: Pair<String, Any?>): Json {\n    val res: dynamic = js(\"({})\")\n    for ((name, value) in pairs) {\n        res[name] = value\n    }\n    return res\n}\n\n/**\n * Adds key-value pairs from [other] to [this].\n * Returns the original receiver.\n */\npublic fun Json.add(other: Json): Json {\n    val keys: Array<String> = js(\"Object\").keys(other)\n    for (key in keys) {\n        if (other.asDynamic().hasOwnProperty(key)) {\n            this[key] = other[key];\n        }\n    }\n    return this\n}\n\n/**\n * Exposes the JavaScript [JSON object](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/JSON) to Kotlin.\n */\n@Suppress(\"NOT_DOCUMENTED\")\npublic external object JSON {\n    public fun stringify(o: Any?): String\n    public fun stringify(o: Any?, replacer: ((key: String,
 value: Any?) -> Any?)): String\n    public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)? = definedExternally, space: Int): String\n    public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)? = definedExternally, space: String): String\n    public fun stringify(o: Any?, replacer: Array<String>): String\n    public fun stringify(o: Any?, replacer: Array<String>, space: Int): String\n    public fun stringify(o: Any?, replacer: Array<String>, space: String): String\n\n    public fun <T> parse(text: String): T\n    public fun <T> parse(text: String, reviver: ((key: String, value: Any?) -> Any?)): T\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.math\n\n\nimport kotlin.internal.InlineOnly\nimport kotlin.js.JsMath as nativeMath\n\n\n// region ================
 Double Math ======================================\n\n/** Computes the sine of the angle [x] given in radians.\n *\n *  Special cases:\n *    - `sin(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sin(x: Double): Double = nativeMath.sin(x)\n\n/** Computes the cosine of the angle [x] given in radians.\n *\n *  Special cases:\n *    - `cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun cos(x: Double): Double = nativeMath.cos(x)\n\n/** Computes the tangent of the angle [x] given in radians.\n *\n *  Special cases:\n *    - `tan(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun tan(x: Double): Double = nativeMath.tan(x)\n\n/**\n * Computes the arc sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n *    - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic
```

actual inline fun asin(x: Double): Double = nativeMath.asin(x)\n\n/**\n * Computes the arc cosine of the value [x];\n * the returned value is an angle in the range from `0.0` to `PI` radians.\n *\n * Special cases:\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun acos(x: Double): Double = nativeMath.acos(x)\n\n/**\n * Computes the arc tangent of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `atan(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atan(x: Double): Double = nativeMath.atan(x)\n\n/**\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\n * the returned value is an angle in the range from `-PI` to `PI` radians.\n *\n * Special cases:\n *
 - `atan2(0.0, 0.0)` is `0.0`\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n * - `atan2(-0.0, x)` is `-0.0` for 'x > 0` and `-PI` for `x < 0`\n *  - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for '-Inf < y < 0`\n * - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n * - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\n * - `atan2(+Inf, x)` is `PI/2` for finite `x`y\n * - `atan2(-Inf, x)` is `-PI/2` for finite `x`\n * - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atan2(y: Double, x: Double): Double = nativeMath.atan2(y, x)\n\n/**\n * Computes the hyperbolic sine of the value [x].\n *\n * Special cases:\n * - `sinh(NaN)` is `NaN`\n * - `sinh(+Inf)` is `+Inf`\n * - `sinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sinh(x: Double): Double = nativeMath.sinh(x)\n\n/**\n * Computes the hyperbolic
 cosine of the value [x].\n *\n * Special cases:\n * - `cosh(NaN)` is `NaN`\n * - `cosh(+Inf|-Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun cosh(x: Double): Double = nativeMath.cosh(x)\n\n/**\n * Computes the hyperbolic tangent of the value [x].\n *\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(+Inf)` is `1.0`\n * - `tanh(-Inf)` is `-1.0`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun tanh(x: Double): Double = nativeMath.tanh(x)\n\n/**\n * Computes the inverse hyperbolic sine of the value [x].\n *\n * The returned value is `y` such that `sinh(y) == x`.\n *\n * Special cases:\n * - `asinh(NaN)` is `NaN`\n * - `asinh(+Inf)` is `+Inf`\n * - `asinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun asinh(x: Double): Double = nativeMath.asinh(x)\n\n/**\n * Computes the inverse hyperbolic cosine of the value [x].\n *\n * The returned value is positive `y` such that `cosh(y) ==
 x`.\n *\n * Special cases:\n *  - `acosh(NaN)` is `NaN`\n *  - `acosh(x)` is `NaN` when `x < 1`\n *  - `acosh(+Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun acosh(x: Double): Double = nativeMath.acosh(x)\n\n/**\n * Computes the inverse hyperbolic tangent of the value [x].\n *\n * The returned value is `y` such that `tanh(y) == x`.\n *\n * Special cases:\n *  - `tanh(NaN)` is `NaN`\n *  - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n *  - `tanh(1.0)` is `+Inf`\n *  - `tanh(-1.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atanh(x: Double): Double = nativeMath.atanh(x)\n\n/**\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n *\n * Special cases:\n *  - returns `+Inf` if any of arguments is infinite\n *  - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun hypot(x: Double, y: Double): Double =
 nativeMath.hypot(x, y)\n\n/**\n * Computes the positive square root of the value [x].\n *\n * Special cases:\n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sqrt(x: Double): Double = nativeMath.sqrt(x)\n\n/**\n * Computes Euler's number `e` raised to the power of the value [x].\n *\n * Special cases:\n * - `exp(NaN)` is `NaN`\n * - `exp(+Inf)` is `+Inf`\n * - `exp(-Inf)` is `0.0`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun exp(x: Double): Double = nativeMath.exp(x)\n\n/**\n * Computes `exp(x) - 1`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `expm1(NaN)` is `NaN`\n * - `expm1(+Inf)` is `+Inf`\n * - `expm1(-Inf)` is `-1.0`\n *\n * @see [exp] function.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun expm1(x: Double): Double = nativeMath.expm1(x)\n\n/**\n * Computes the logarithm of the

value [x] to the given [base].\n *\n * Special cases:\n * - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\n * - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\n * - `log(+Inf, +Inf)` is `NaN`\n * - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\n * - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`\n *\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n */\n@SinceKotlin(\"1.2\")\npublic actual fun log(x: Double, base: Double): Double {\n   if (base <= 0.0 || base == 1.0) return Double.NaN\n   return nativeMath.log(x) / nativeMath.log(base)\n}\n\n/**\n * Computes the natural logarithm (base `E`) of the value [x].\n *\n * Special cases:\n * - `ln(NaN)` is `NaN`\n * - `ln(x)` is `NaN` when `x < 0.0`\n * - `ln(+Inf)` is `+Inf`\n * - `ln(0.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ln(x: Double): Double = nativeMath.log(x)\n\n/**\n * Computes the common logarithm
(base 10) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun log10(x: Double): Double = nativeMath.log10(x)\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun log2(x: Double): Double = nativeMath.log2(x)\n\n/**\n * Computes `ln(x + 1)`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `ln1p(NaN)` is `NaN`\n * - `ln1p(x)` is `NaN` where `x < -1.0`\n * - `ln1p(-1.0)` is `-Inf`\n * - `ln1p(+Inf)` is `+Inf`\n *\n * @see [ln] function\n * @see [expm1] function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ln1p(x: Double): Double = nativeMath.log1p(x)\n\n/**\n * Rounds the given value [x] to an integer towards positive infinity.\n\n * @return the smallest double value that is greater
than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ceil(x: Double): Double = nativeMath.ceil(x)\n\n/**\n * Rounds the given value [x] to an integer towards negative infinity.\n\n * @return the largest double value that is smaller than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun floor(x: Double): Double = nativeMath.floor(x)\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n *\n * @return the value [x] having its fractional part truncated.\n *\n * Special cases:\n * - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun truncate(x: Double): Double = nativeMath.trunc(x)\n\n/**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n *\n * Special cases:\n * - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun round(x: Double): Double {\n   if (x % 0.5 != 0.0) {\n   return nativeMath.round(x)\n   }\n   val floor = floor(x)\n   return if (floor % 2 == 0.0) floor else ceil(x)\n}\n\n/**\n * Returns the absolute value of the given value [x].\n *\n * Special cases:\n * - `abs(NaN)` is `NaN`\n *\n * @see absoluteValue extension property for [Double]\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun abs(x: Double): Double = nativeMath.abs(x)\n\n/**\n * Returns the sign of the given value [x]:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if
the value is positive\n *\n * Special case:\n * - `sign(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sign(x: Double): Double = nativeMath.sign(x)\n\n\n/**\n * Returns the smaller of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun min(a: Double, b: Double): Double = nativeMath.min(a, b)\n\n/**\n * Returns the greater of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun max(a: Double, b: Double): Double = nativeMath.max(a, b)\n\n// extensions\n\n/**\n * Raises this value to the power [x].\n *\n * Special cases:\n * - `b.pow(0.0)` is `1.0`\n * - `b.pow(1.0) == b`\n * - `b.pow(NaN)` is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not

```
an integer\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic
 actual inline fun Double.pow(x: Double): Double = nativeMath.pow(this, x)\n\n/**\n * Raises this value to the
integer power [n].\n *\n * See the other overload of [pow] for details.\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Double.pow(n: Int): Double =
nativeMath.pow(this, n.toDouble())\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n *   -
`NaN.absoluteValue` is `NaN`\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual
inline val Double.absoluteValue: Double get() = nativeMath.abs(this)\n\n/**\n * Returns the sign of this value:\n *
- `-1.0` if the value is negative,\n *   - zero if the value is zero,\n *   - `1.0` if the value is positive\n *\n * Special
case:\n *   - `NaN.sign` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Double.sign:
Double get() = nativeMath.sign(this)\n\n/**\n * Returns this value with the sign bit same as
 of the [sign] value.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Double.withSign(sign: Int):
Double = this.withSign(sign.toDouble())\n\n/**\n * Returns the ulp (unit in the last place) of this value.\n *\n * An
ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.\n *\n * Special
Cases:\n *   - `NaN.ulp` is `NaN`\n *   - `x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`\n *   - `0.0.ulp` is
`Double.MIN_VALUE`\n */\n@SinceKotlin(\"1.2\")\npublic actual val Double.ulp: Double get() = when {\n    this
< 0 -> (-this).ulp\n    this.isNaN() || this == Double.POSITIVE_INFINITY -> this\n    this ==
Double.MAX_VALUE -> this - this.nextDown()\n    else -> this.nextUp() - this\n}\n\n/**\n * Returns the [Double]
value nearest to this value in direction of positive infinity.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun
Double.nextUp(): Double = when {\n    this.isNaN() || this == Double.POSITIVE_INFINITY -> this\n    this == 0.0
 -> Double.MIN_VALUE\n    else -> Double.fromBits(this.toRawBits() + if (this > 0) 1 else -1)\n}\n\n/**\n *
Returns the [Double] value nearest to this value in direction of negative infinity.\n
*/\n@SinceKotlin(\"1.2\")\npublic actual fun Double.nextDown(): Double = when {\n    this.isNaN() || this ==
Double.NEGATIVE_INFINITY -> this\n    this == 0.0 -> -Double.MIN_VALUE\n    else ->
Double.fromBits(this.toRawBits() + if (this > 0) -1 else 1)\n}\n\n\n/**\n * Returns the [Double] value nearest to this
value in direction from this value towards the value [to].\n *\n * Special cases:\n *   - `x.nextTowards(y)` is `NaN` if
either `x` or `y` are `NaN`\n *   - `x.nextTowards(x) == x`\n *\n */\n@SinceKotlin(\"1.2\")\npublic actual fun
Double.nextTowards(to: Double): Double = when {\n    this.isNaN() || to.isNaN() -> Double.NaN\n    to == this ->
to\n    to > this -> this.nextUp()\n    else /* to < this */ -> this.nextDown()\n}\n\n\n/**\n * Rounds this [Double]
value to the nearest integer and
 converts the result to [Int].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n *   -
`x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n *   - `x.roundToInt() == Int.MIN_VALUE`
when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n
*/\n@SinceKotlin(\"1.2\")\npublic actual fun Double.roundToInt(): Int = when {\n    isNaN() -> throw
IllegalArgumentException(\"Cannot round NaN value.\")\n    this > Int.MAX_VALUE -> Int.MAX_VALUE\n
this < Int.MIN_VALUE -> Int.MIN_VALUE\n    else -> nativeMath.round(this).toInt()\n}\n\n/**\n * Rounds this
[Double] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive
infinity.\n *\n * Special cases:\n *   - `x.roundToLong() == Long.MAX_VALUE` when `x >
Long.MAX_VALUE`\n *   - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n *
@throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic
 actual fun Double.roundToLong(): Long = when {\n    isNaN() -> throw IllegalArgumentException(\"Cannot round
NaN value.\")\n    this > Long.MAX_VALUE -> Long.MAX_VALUE\n    this < Long.MIN_VALUE ->
Long.MIN_VALUE\n    else -> nativeMath.round(this).toLong()\n}\n\n// endregion\n\n\n\n// region
================ Float Math ======================================\n\n/** Computes the
sine of the angle [x] given in radians.\n *\n *  Special cases:\n *   - `sin(NaN|+Inf|-Inf)` is `NaN`\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sin(x: Float): Float =
nativeMath.sin(x.toDouble()).toFloat()\n\n/** Computes the cosine of the angle [x] given in radians.\n *\n *  Special
cases:\n *   - `cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun
cos(x: Float): Float = nativeMath.cos(x.toDouble()).toFloat()\n\n/** Computes the tangent of the angle [x] given in
```

radians.\n *\n * Special cases:\n *   - `tan(NaN|+Inf|-Inf)` is `NaN`\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic
 actual inline fun tan(x: Float): Float = nativeMath.tan(x.toDouble()).toFloat()\n\n/**\n * Computes the arc sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun asin(x: Float): Float = nativeMath.asin(x.toDouble()).toFloat()\n\n/**\n * Computes the arc cosine of the value [x];\n * the returned value is an angle in the range from `0.0` to `PI` radians.\n *\n * Special cases:\n *   - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun acos(x: Float): Float = nativeMath.acos(x.toDouble()).toFloat()\n\n/**\n * Computes the arc tangent of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n *   - `atan(NaN)` is `NaN`\n
 */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atan(x: Float): Float = nativeMath.atan(x.toDouble()).toFloat()\n\n/**\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\n * the returned value is an angle in the range from `-PI` to `PI` radians.\n *\n * Special cases:\n *   - `atan2(0.0, 0.0)` is `0.0`\n *   - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n *   - `atan2(-0.0, x)` is `-0.0` for 'x > 0` and `-PI` for `x < 0`\n *   - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for '-Inf < y < 0`\n *   - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n *   - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\n *   - `atan2(+Inf, x)` is `PI/2` for finite `x`y\n *   - `atan2(-Inf, x)` is `-PI/2` for finite `x`\n *   - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic
 actual inline fun atan2(y: Float, x: Float): Float = nativeMath.atan2(y.toDouble(), x.toDouble()).toFloat()\n\n/**\n * Computes the hyperbolic sine of the value [x].\n *\n * Special cases:\n *   - `sinh(NaN)` is `NaN`\n *   - `sinh(+Inf)` is `+Inf`\n *   - `sinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sinh(x: Float): Float = nativeMath.sinh(x.toDouble()).toFloat()\n\n/**\n * Computes the hyperbolic cosine of the value [x].\n *\n * Special cases:\n *   - `cosh(NaN)` is `NaN`\n *   - `cosh(+Inf|-Inf)` is `+Inf`\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun cosh(x: Float): Float = nativeMath.cosh(x.toDouble()).toFloat()\n\n/**\n * Computes the hyperbolic tangent of the value [x].\n *\n * Special cases:\n *   - `tanh(NaN)` is `NaN`\n *   - `tanh(+Inf)` is `1.0`\n *   - `tanh(-Inf)` is `-1.0`\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun tanh(x: Float): Float = nativeMath.tanh(x.toDouble()).toFloat()\n\n/**\n
 * Computes the inverse hyperbolic sine of the value [x].\n *\n * The returned value is `y` such that `sinh(y) == x`.\n *\n * Special cases:\n *   - `asinh(NaN)` is `NaN`\n *   - `asinh(+Inf)` is `+Inf`\n *   - `asinh(-Inf)` is `-Inf`\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun asinh(x: Float): Float = nativeMath.asinh(x.toDouble()).toFloat()\n\n/**\n * Computes the inverse hyperbolic cosine of the value [x].\n *\n * The returned value is positive `y` such that `cosh(y) == x`.\n *\n * Special cases:\n *   - `acosh(NaN)` is `NaN`\n *   - `acosh(x)` is `NaN` when `x < 1`\n *   - `acosh(+Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun acosh(x: Float): Float = nativeMath.acosh(x.toDouble()).toFloat()\n\n/**\n * Computes the inverse hyperbolic tangent of the value [x].\n *\n * The returned value is `y` such that `tanh(y) == x`.\n *\n * Special cases:\n *   - `tanh(NaN)` is `NaN`\n *   - `tanh(x)` is `NaN`
 when `x > 1` or `x < -1`\n *   - `tanh(1.0)` is `+Inf`\n *   - `tanh(-1.0)` is `-Inf`\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atanh(x: Float): Float = nativeMath.atanh(x.toDouble()).toFloat()\n\n/**\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n *\n * Special cases:\n *   - returns `+Inf` if any of arguments is infinite\n *   - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun hypot(x: Float, y: Float): Float = nativeMath.hypot(x.toDouble(), y.toDouble()).toFloat()\n\n/**\n * Computes the positive square root of the value [x].\n *\n * Special cases:\n *   - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sqrt(x: Float): Float = nativeMath.sqrt(x.toDouble()).toFloat()\n\n/**\n * Computes Euler's number `e` raised to the power of the value

[x].\n *\n * Special cases:\n *   - `exp(NaN)`
 is `NaN`\n *   - `exp(+Inf)` is `+Inf`\n *   - `exp(-Inf)` is `0.0`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun exp(x: Float): Float = nativeMath.exp(x.toDouble()).toFloat()\n\n/**\n * Computes `exp(x) - 1`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n *   - `expm1(NaN)` is `NaN`\n *   - `expm1(+Inf)` is `+Inf`\n *   - `expm1(-Inf)` is `-1.0`\n *\n * @see [exp] function.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun expm1(x: Float): Float = nativeMath.expm1(x.toDouble()).toFloat()\n\n/**\n * Computes the logarithm of the value [x] to the given [base].\n *\n * Special cases:\n *   - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\n *   - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\n *   - `log(+Inf, +Inf)` is `NaN`\n *   - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\n *   - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b >
 1`\n *\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun log(x: Float, base: Float): Float = log(x.toDouble(), base.toDouble()).toFloat()\n\n/**\n * Computes the natural logarithm (base `E`) of the value [x].\n *\n * Special cases:\n *   - `ln(NaN)` is `NaN`\n *   - `ln(x)` is `NaN` when `x < 0.0`\n *   - `ln(+Inf)` is `+Inf`\n *   - `ln(0.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ln(x: Float): Float = nativeMath.log(x.toDouble()).toFloat()\n\n/**\n * Computes the common logarithm (base 10) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun log10(x: Float): Float = nativeMath.log10(x.toDouble()).toFloat()\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual
 inline fun log2(x: Float): Float = nativeMath.log2(x.toDouble()).toFloat()\n\n/**\n * Computes `ln(a + 1)`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n *   - `ln1p(NaN)` is `NaN`\n *   - `ln1p(x)` is `NaN` where `x < -1.0`\n *   - `ln1p(-1.0)` is `-Inf`\n *   - `ln1p(+Inf)` is `+Inf`\n *\n * @see [ln] function\n * @see [expm1] function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ln1p(x: Float): Float = nativeMath.log1p(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] to an integer towards positive infinity.\n\n * @return the smallest Float value that is greater than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n *   - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ceil(x: Float): Float = nativeMath.ceil(x.toDouble()).toFloat()\n\n/**\n
 * Rounds the given value [x] to an integer towards negative infinity.\n\n * @return the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n *   - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun floor(x: Float): Float = nativeMath.floor(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n *\n * @return the value [x] having its fractional part truncated.\n *\n * Special cases:\n *   - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun truncate(x: Float): Float = truncate(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n *\n * Special cases:\n *   - `round(x)` is `x` where
 `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun round(x: Float): Float = round(x.toDouble()).toFloat()\n\n\n/**\n * Returns the absolute value of the given value [x].\n *\n * Special cases:\n *   - `abs(NaN)` is `NaN`\n *\n * @see absoluteValue extension property for [Float]\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun abs(x: Float): Float = nativeMath.abs(x.toDouble()).toFloat()\n\n/**\n * Returns the sign of the given value [x]:\n *   - `-1.0` if the value is negative,\n *   - zero if the value is zero,\n *   - `1.0` if the value is positive\n *\n * Special case:\n *   - `sign(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sign(x: Float): Float = nativeMath.sign(x.toDouble()).toFloat()\n\n\n\n/**\n * Returns the smaller of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic

actual inline fun min(a: Float, b: Float): Float = nativeMath.min(a, b)\n\n/**\n * Returns the greater of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun max(a: Float, b: Float): Float = nativeMath.max(a, b)\n\n// extensions\n\n\n/**\n * Raises this value to the power [x].\n *\n * Special cases:\n * - `b.pow(0.0)` is `1.0`\n * - `b.pow(1.0) == b`\n * - `b.pow(NaN)` is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.pow(x: Float): Float = nativeMath.pow(this.toDouble(), x.toDouble()).toFloat()\n\n/**\n * Raises this value to the integer power [n].\n *\n * See the other overload of [pow] for details.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.pow(n: Int): Float = nativeMath.pow(this.toDouble(), n.toDouble()).toFloat()\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `NaN.absoluteValue` is `NaN`\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Float.absoluteValue: Float get() = nativeMath.abs(this.toDouble()).toFloat()\n\n/**\n * Returns the sign of this value:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `NaN.sign` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Float.sign: Float get() = nativeMath.sign(this.toDouble()).toFloat()\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n *\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.withSign(sign: Float): Float = this.toDouble().withSign(sign.toDouble()).toFloat()\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.withSign(sign: Int): Float = this.toDouble().withSign(sign.toDouble()).toFloat()\n\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Int].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.roundToInt(): Int = toDouble().roundToInt()\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.roundToLong(): Long = toDouble().roundToLong()\n\n\n// endregion\n\n// region ================ Integer Math ==\n\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n * - `abs(Int.MIN_VALUE)` is `Int.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension property for [Int]\n */\n// TODO: remove manual 'or' when KT-19290 is fixed\n@SinceKotlin(\"1.2\")\npublic actual fun abs(n: Int): Int = if (n < 0) (-n or 0) else n\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun min(a: Int, b: Int): Int = nativeMath.min(a, b)\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun max(a: Int, b: Int): Int = nativeMath.max(a, b)\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Int.absoluteValue: Int get() = abs(this)\n\n/**\n * Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n */\n@SinceKotlin(\"1.2\")\npublic actual val Int.sign: Int get() = when {\n   this < 0 -> -1\n   this > 0 -> 1\n   else -> 0\n}\n\n\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n * - `abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension property for [Long]\n */\n@SinceKotlin(\"1.2\")\npublic actual fun abs(n: Long): Long = if (n < 0) -n else n\n\n/**\n * Returns the smaller of two values.\n

*/\n@SinceKotlin(\"1.2\")\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun min(a: Long, b: Long):
Long = if (a <= b) a else b\n\n/**\n * Returns the greater of two values.\n
*/\n@SinceKotlin(\"1.2\")\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun max(a: Long, b: Long): Long = if (a >= b) a else b\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow\n *\n * @see abs function\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Long.absoluteValue: Long get() = abs(this)\n\n/**\n * Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n */\n@SinceKotlin(\"1.2\")\npublic actual val Long.sign: Int get() = when {\n this < 0 -> -1\n this > 0 -> 1\n else -> 0\n}\n\n\n// endregion\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt
file.\n */\n\npackage kotlin\n\n/**\n * Returns `true` if the specified number is a\n * Not-a-Number (NaN) value, `false` otherwise.\n */\npublic actual fun Double.isNaN(): Boolean = this != this\n\n/**\n * Returns `true` if the specified number is a\n * Not-a-Number (NaN) value, `false` otherwise.\n */\npublic actual fun Float.isNaN(): Boolean = this != this\n\n/**\n * Returns `true` if this value is infinitely large in magnitude.\n */\npublic actual fun Double.isInfinite(): Boolean = this == Double.POSITIVE_INFINITY || this == Double.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if this value is infinitely large in magnitude.\n */\npublic actual fun Float.isInfinite(): Boolean = this == Float.POSITIVE_INFINITY || this == Float.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if the argument is a finite floating-point value; returns `false` otherwise (for `NaN` and infinity arguments).\n */\npublic actual fun Double.isFinite(): Boolean = !isInfinite() && !isNaN()\n\n/**\n *
Returns `true` if the argument is a finite floating-point value; returns `false` otherwise (for `NaN` and infinity arguments).\n */\npublic actual fun Float.isFinite(): Boolean = !isInfinite() && !isNaN()\n\n\n/**\n * Counts the number of set bits in the binary representation of this [Int] number.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Int.countOneBits(): Int {\n // Hacker's Delight 5-1 algorithm\n var v = this\n v = (v and 0x55555555) + (v.ushr(1) and 0x55555555)\n v = (v and 0x33333333) + (v.ushr(2) and 0x33333333)\n v = (v and 0x0F0F0F0F) + (v.ushr(4) and 0x0F0F0F0F)\n v = (v and 0x00FF00FF) + (v.ushr(8) and 0x00FF00FF)\n v = (v and 0x0000FFFF) + (v.ushr(16))\n return v\n}\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Int] number.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
actual inline fun Int.countLeadingZeroBits(): Int = JsMath.clz32(this)\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Int] number.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Int.countTrailingZeroBits(): Int =\n // Hacker's Delight 5-4 algorithm for expressing countTrailingZeroBits with countLeadingZeroBits\n Int.SIZE_BITS - (this or -this).inv().countLeadingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Int] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Int.takeHighestOneBit(): Int =\n if (this == 0) 0 else 1.shl(Int.SIZE_BITS - 1 - countLeadingZeroBits())\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Int] number,\n *
or zero, if this number is zero.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Int.takeLowestOneBit(): Int =\n // Hacker's Delight 2-1 algorithm for isolating rightmost 1-bit\n this and -this\n\n/**\n * Rotates the binary representation of this [Int] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit

```
count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 32)`\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Int.rotateLeft(bitCount: Int): Int =\n    shl(bitCount) or ushr(Int.SIZE_BITS - bitCount)\n\n\n/**\n * Rotates the binary representation of this [Int] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 32)`\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Int.rotateRight(bitCount: Int): Int =\n    shl(Int.SIZE_BITS - bitCount) or ushr(bitCount)\n\n\n/**\n * Counts the number of set bits in the binary representation of this [Long] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Long.countOneBits(): Int =\n    high.countOneBits() + low.countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Long] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Long.countLeadingZeroBits(): Int =\n    when (val high = this.high) {\n        0 -> Int.SIZE_BITS + low.countLeadingZeroBits()\n        else -> high.countLeadingZeroBits()\n    }\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Long] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Long.countTrailingZeroBits(): Int =\n    when (val low = this.low) {\n        0 -> Int.SIZE_BITS + high.countTrailingZeroBits()\n        else -> low.countTrailingZeroBits()\n    }\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Long] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Long.takeHighestOneBit(): Long =\n    when (val high = this.high) {\n        0 -> Long(low.takeHighestOneBit(), 0)\n        else -> Long(0, high.takeHighestOneBit())\n    }\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Long] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Long.takeLowestOneBit(): Long =\n    when (val low = this.low) {\n        0 -> Long(0, high.takeLowestOneBit())\n        else -> Long(low.takeLowestOneBit(), 0)\n    }\n\n/**\n * Rotates the binary representation of this [Long] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as\n rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Long.rotateLeft(bitCount: Int): Long {\n    if ((bitCount and 31) != 0) {\n        val low = this.low\n        val high = this.high\n        val newLow = low.shl(bitCount) or high.ushr(-bitCount)\n        val newHigh = high.shl(bitCount) or low.ushr(-bitCount)\n        return if ((bitCount and 32) == 0) Long(newLow, newHigh) else Long(newHigh, newLow)\n    } else {\n        return if ((bitCount and 32) == 0) this else Long(high, low)\n    }\n}\n\n/**\n * Rotates the binary representation of this [Long] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the\n most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
```

c actual inline fun Long.rotateRight(bitCount: Int): Long = rotateLeft(-bitCount)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport kotlin.internal.LowPriorityInOverloadResolution\n\n/**\n * Exposes the JavaScript [Promise object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Promise) to Kotlin.\n */\n@Suppress(\"NOT_DOCUMENTED\")\npublic open external class Promise<out T>(executor: (resolve: (T) -> Unit, reject: (Throwable) -> Unit) -> Unit) {\n   @LowPriorityInOverloadResolution\n   public open fun <S> then(onFulfilled: ((T) -> S)?): Promise<S>\n\n   @LowPriorityInOverloadResolution\n   public open fun <S> then(onFulfilled: ((T) -> S)?, onRejected: ((Throwable) -> S)?): Promise<S>\n\n   public open fun <S> catch(onRejected: (Throwable) -> S): Promise<S>\n\n   public open fun finally(onFinally: () -> Unit): Promise<T>\n\n   companion object {\n   public fun <S> all(promise: Array<out Promise<S>>): Promise<Array<out S>>\n\n   public fun <S> race(promise: Array<out Promise<S>>): Promise<S>\n\n   public fun reject(e: Throwable): Promise<Nothing>\n\n   public fun <S> resolve(e: S): Promise<S>\n   public fun <S> resolve(e: Promise<S>): Promise<S>\n   }\n}\n\n// It's workaround for KT-19672 since we can fix it properly until KT-11265 isn't fixed.\ninline fun <T, S> Promise<Promise<T>>.then(\n   noinline onFulfilled: ((T) -> S)?\n): Promise<S> {\n   return this.unsafeCast<Promise<T>>().then(onFulfilled)\n}\n\ninline fun <T, S> Promise<Promise<T>>.then(\n   noinline onFulfilled: ((T) -> S)?,\n   noinline onRejected: ((Throwable) -> S)?\n): Promise<S> {\n   return this.unsafeCast<Promise<T>>().then(onFulfilled, onRejected)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\nimport kotlin.math.pow\n\ninternal actual fun defaultPlatformRandom(): Random =\n   Random(js(\"(Math.random() * Math.pow(2, 32)) | 0\").unsafeCast<Int>())\n\n\nprivate val INV_2_26: Double = 2.0.pow(-26)\nprivate val INV_2_53: Double = 2.0.pow(-53)\ninternal actual fun doubleFromParts(hi26: Int, low27: Int): Double =\n   hi26 * INV_2_26 + low27 * INV_2_53","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect\n\nimport findAssociatedObject\n\n/**\n * The experimental marker for associated objects API.\n *\n * Any usage of a declaration annotated with `@ExperimentalAssociatedObjects` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalAssociatedObjects::class)`,\n * or by using the compiler argument `-opt-in=kotlin.reflect.ExperimentalAssociatedObjects`.\n */\n@RequiresOptIn(level = RequiresOptIn.Level.ERROR)\n@Retention(value = AnnotationRetention.BINARY)\npublic annotation class ExperimentalAssociatedObjects\n\n/**\n * Makes the annotated annotation class an associated object key.\n *\n * An associated object key annotation should have single [KClass] parameter.\n * When applied to a class with reference to an object declaration as an argument, it binds\n * the object to the class, making this binding discoverable at runtime using [findAssociatedObject].\n */\n@ExperimentalAssociatedObjects\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class AssociatedObjectKey\n\n/**\n * If [T] is an @[AssociatedObjectKey]-annotated annotation class and [this] class is annotated with @[T] (`S::class`),\n * returns object `S`.\n *\n * Otherwise returns `null`.\n */\n@ExperimentalAssociatedObjects\npublic inline fun <reified T : Annotation> KClass<*>.findAssociatedObject(): Any? =\n   this.findAssociatedObject(T::class)","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport getKClass\nimport kotlin.reflect.KClass\nimport kotlin.reflect.js.internal.KClassImpl\n\n/**\n * Represents the constructor of a class. Instances of `JsClass` can be passed to JavaScript APIs that expect a constructor reference.\n */\nexternal interface JsClass<T : Any> {\n   /**\n   * Returns the unqualified name of the class represented by this instance.\n   */\n   val name: String\n}\n\n/**\n * Obtains a constructor reference for the

given `KClass`.\n */\nval <T : Any> KClass<T>.js: JsClass<T>\n get() = (this as KClassImpl<T>).jClass\n\n/**\n * Obtains a `KClass` instance for the given constructor reference.\n */\nval <T : Any> JsClass<T>.kotlin: KClass<T>\n get() = getKClass(this)\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal abstract class KClassImpl<T : Any>(\n internal open val jClass: JsClass<T>\n) : KClass<T>
{\n\n override val qualifiedName: String?\n get() = TODO()\n\n override fun equals(other: Any?): Boolean {\n return other is KClassImpl<*> && jClass == other.jClass\n }\n\n // TODO: use FQN\n override fun hashCode(): Int = simpleName?.hashCode() ?: 0\n\n override fun toString(): String {\n // TODO: use FQN\n return \"class $simpleName\"\n }\n}\n\ninternal class SimpleKClassImpl<T : Any>(jClass: JsClass<T>) : KClassImpl<T>(jClass) {\n override val simpleName: String? = jClass.asDynamic().`$metadata$`?.simpleName.unsafeCast<String?>()\n\n override fun isInstance(value: Any?): Boolean {\n return jsIsType(value, jClass)\n }\n}\n\ninternal class PrimitiveKClassImpl<T : Any>(\n jClass: JsClass<T>,\n private val givenSimpleName: String,\n private val isInstanceFunction: (Any?) -> Boolean\n) : KClassImpl<T>(jClass) {\n override fun equals(other: Any?): Boolean {\n if (other !is PrimitiveKClassImpl<*>) return
false\n return super.equals(other) && givenSimpleName == other.givenSimpleName\n }\n\n override val simpleName: String? get() = givenSimpleName\n\n override fun isInstance(value: Any?): Boolean {\n return isInstanceFunction(value)\n }\n}\n\ninternal object NothingKClassImpl : KClassImpl<Nothing>(js(\"Object\")) {\n override val simpleName: String = \"Nothing\"\n\n override fun isInstance(value: Any?): Boolean = false\n\n override val jClass: JsClass<Nothing>\n get() = throw UnsupportedOperationException(\"There's no native JS class for Nothing type\")\n\n override fun equals(other: Any?): Boolean = other === this\n\n override fun hashCode(): Int = 0\n}\n\ninternal class ErrorKClass : KClass<Nothing> {\n override val simpleName: String? get() = error(\"Unknown simpleName for ErrorKClass\")\n override val qualifiedName: String? get() = error(\"Unknown qualifiedName for ErrorKClass\")\n\n override fun isInstance(value: Any?): Boolean
= error(\"Can's check isInstance on ErrorKClass\")\n\n override fun equals(other: Any?): Boolean = other === this\n\n override fun hashCode(): Int = 0\n}","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect\n\ninternal actual inline val KClass<*>.qualifiedOrSimpleName: String?\n get() = simpleName","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under the module\n\n// TODO: Remove once JsReflectionAPICallChecker supports more reflection types\n@file:Suppress(\"Unsupported\")\n\nimport kotlin.reflect.*\nimport kotlin.reflect.js.internal.*\n\n@JsName(\"createKType\")\ninternal
fun createKType(\n classifier: KClassifier,\n arguments: Array<KTypeProjection>,\n isMarkedNullable: Boolean\n) =\n KTypeImpl(classifier, arguments.asList(), isMarkedNullable)\n\n@JsName(\"createDynamicKType\")\ninternal fun createDynamicKType(): KType = DynamicKType\n\n@JsName(\"markKTypeNullable\")\ninternal fun markKTypeNullable(kType: KType) = KTypeImpl(kType.classifier!!, kType.arguments, true)\n\n@JsName(\"createKTypeParameter\")\ninternal fun createKTypeParameter(\n name: String,\n upperBounds: Array<KType>,\n variance: String\n): KTypeParameter {\n val kVariance = when (variance) {\n \"in\" -> KVariance.IN\n \"out\" -> KVariance.OUT\n else -> KVariance.INVARIANT\n }\n\n return KTypeParameterImpl(name, upperBounds.asList(), kVariance, false)\n}\n\n@JsName(\"getStarKTypeProjection\")\ninternal fun getStarKTypeProjection(): KTypeProjection =\n KTypeProjection.STAR\n\n@JsName(\"createCovariantKTypeProjection\")\ninternal fun
createCovariantKTypeProjection(type: KType): KTypeProjection =\n KTypeProjection.covariant(type)\n\n@JsName(\"createInvariantKTypeProjection\")\ninternal fun

createInvariantKTypeProjection(type: KType): KTypeProjection =\n KTypeProjection.invariant(type)\n\n@JsName(\"createContravariantKTypeProjection\")\ninternal fun createContravariantKTypeProjection(type: KType): KTypeProjection =\n KTypeProjection.contravariant(type)\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal class KTypeImpl(\n   override val classifier: KClassifier,\n   override val arguments: List<KTypeProjection>,\n override val isMarkedNullable: Boolean\n) : KType {\n   override fun equals(other: Any?): Boolean =\n   other is KTypeImpl &&\n   classifier == other.classifier && arguments == other.arguments && isMarkedNullable == other.isMarkedNullable\n\n override fun hashCode(): Int =\n   (classifier.hashCode() * 31 + arguments.hashCode()) * 31 + isMarkedNullable.hashCode()\n\n   override fun toString(): String {\n   val kClass = (classifier as? KClass<*>)\n   val classifierName = when {\n   kClass == null -> classifier.toString()\n   kClass.simpleName != null -> kClass.simpleName\n   else -> \"(non-denotable type)\"\n   }\n\n   val args =\n   if (arguments.isEmpty()) \"\"\n   else arguments.joinToString(\", \", \"<\", \">\")\n   val nullable = if (isMarkedNullable) \"?\" else \"\"\n\n   return classifierName + args + nullable\n   }\n}\n\ninternal object DynamicKType : KType {\n   override val classifier: KClassifier? = null\n   override val arguments: List<KTypeProjection> = emptyList()\n   override val isMarkedNullable: Boolean = false\n   override fun toString(): String = \"dynamic\"\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal data class KTypeParameterImpl(\n   override val name: String,\n   override val upperBounds: List<KType>,\n override val variance: KVariance,\n   override val isReified: Boolean\n) : KTypeParameter {\n   override fun toString(): String = name\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.js.JsClass\n\n@JsName(\"PrimitiveClasses\")\ninternal object PrimitiveClasses {\n   @JsName(\"anyClass\")\n   val anyClass = PrimitiveKClassImpl(js(\"Object\").unsafeCast<JsClass<Any>>(), \"Any\", { it is Any })\n\n   @JsName(\"numberClass\")\n   val numberClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Number>>(), \"Number\", { it is Number })\n\n   @JsName(\"nothingClass\")\n   val nothingClass = NothingKClassImpl\n\n   @JsName(\"booleanClass\")\n   val booleanClass = PrimitiveKClassImpl(js(\"Boolean\").unsafeCast<JsClass<Boolean>>(), \"Boolean\", { it is Boolean })\n\n   @JsName(\"byteClass\")\n   val byteClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Byte>>(), \"Byte\", { it is Byte })\n\n   @JsName(\"shortClass\")\n   val shortClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Short>>(), \"Short\", { it is Short })\n\n   @JsName(\"intClass\")\n   val intClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Int>>(), \"Int\", { it is Int })\n\n   @JsName(\"floatClass\")\n   val floatClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Float>>(), \"Float\", { it is Float })\n\n   @JsName(\"doubleClass\")\n   val doubleClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Double>>(), \"Double\", { it is Double })\n\n   @JsName(\"arrayClass\")\n   val arrayClass = PrimitiveKClassImpl(js(\"Array\").unsafeCast<JsClass<Array<*>>>(), \"Array\", { it is Array<*> })\n\n   @JsName(\"stringClass\")\n   val stringClass = PrimitiveKClassImpl(js(\"String\").unsafeCast<JsClass<String>>(), \"String\", { it is String })\n\n   @JsName(\"throwableClass\")\n   val throwableClass = PrimitiveKClassImpl(js(\"Error\").unsafeCast<JsClass<Throwable>>(), \"Throwable\", { it is Throwable })\n\n   @JsName(\"booleanArrayClass\")\n   val booleanArrayClass = PrimitiveKClassImpl(js(\"Array\").unsafeCast<JsClass<BooleanArray>>(), \"BooleanArray\", { it is BooleanArray })\n\n   @JsName(\"charArrayClass\")\n   val charArrayClass =

```
PrimitiveKClassImpl(js(\"Uint16Array\").unsafeCast<JsClass<CharArray>>(), \"CharArray\", { it is CharArray
})\n\n
    @JsName(\"byteArrayClass\")\n    val byteArrayClass =
PrimitiveKClassImpl(js(\"Int8Array\").unsafeCast<JsClass<ByteArray>>(), \"ByteArray\", { it is ByteArray })\n\n
@JsName(\"shortArrayClass\")\n    val shortArrayClass =
PrimitiveKClassImpl(js(\"Int16Array\").unsafeCast<JsClass<ShortArray>>(), \"ShortArray\", { it is ShortArray
})\n\n    @JsName(\"intArrayClass\")\n    val intArrayClass =
PrimitiveKClassImpl(js(\"Int32Array\").unsafeCast<JsClass<IntArray>>(), \"IntArray\", { it is IntArray })\n\n
@JsName(\"longArrayClass\")\n    val longArrayClass =
PrimitiveKClassImpl(js(\"Array\").unsafeCast<JsClass<LongArray>>(), \"LongArray\", { it is LongArray })\n\n
@JsName(\"floatArrayClass\")\n    val floatArrayClass =
PrimitiveKClassImpl(js(\"Float32Array\").unsafeCast<JsClass<FloatArray>>(), \"FloatArray\", { it is FloatArray
})\n\n    @JsName(\"doubleArrayClass\")\n    val doubleArrayClass =
PrimitiveKClassImpl(js(\"Float64Array\").unsafeCast<JsClass<DoubleArray>>(), \"DoubleArray\",
 { it is DoubleArray })\n\n    @JsName(\"functionClass\")\n    fun functionClass(arity: Int): KClassImpl<Any> {\n
  return functionClasses.get(arity) ?: run {\n            val result =
PrimitiveKClassImpl(js(\"Function\").unsafeCast<JsClass<Any>>(), \"Function$arity\",\n
 { jsTypeOf(it) === \"function\" && it.asDynamic().length === arity })\n            functionClasses.asDynamic()[arity]
= result\n            result\n        }\n    }\n}\n\nprivate val functionClasses =
arrayOfNulls<KClassImpl<Any>>(0)","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under the module\n\nimport
kotlin.reflect.*\nimport kotlin.reflect.js.internal.*\n\n@JsName(\"getKClass\")\ninternal fun <T : Any>
getKClass(jClass: Any /* JsClass<T>
| Array<JsClass<T>> */): KClass<T> {\n    return if (js(\"Array\").isArray(jClass)) {\n
getKClassM(jClass.unsafeCast<Array<JsClass<T>>>())\n    } else {\n
getKClass1(jClass.unsafeCast<JsClass<T>>())\n    }\n}\n\n@JsName(\"getKClassM\")\ninternal fun <T : Any>
getKClassM(jClasses: Array<JsClass<T>>): KClass<T> = when (jClasses.size) {\n    1 ->
getKClass1(jClasses[0])\n    0 -> NothingKClassImpl.unsafeCast<KClass<T>>()\n    else ->
ErrorKClass().unsafeCast<KClass<T>>()\n}\n\n@JsName(\"getKClassFromExpression\")\ninternal fun <T : Any>
getKClassFromExpression(e: T): KClass<T> =\n    when (jsTypeOf(e)) {\n        \"string\" ->
PrimitiveClasses.stringClass\n        \"number\" -> if (jsBitwiseOr(e, 0).asDynamic() === e)
PrimitiveClasses.intClass else PrimitiveClasses.doubleClass\n        \"boolean\" -> PrimitiveClasses.booleanClass\n
  \"function\" -> PrimitiveClasses.functionClass(e.asDynamic().length)\n        else -> {\n            when {\n                e
is BooleanArray
 -> PrimitiveClasses.booleanArrayClass\n                e is CharArray -> PrimitiveClasses.charArrayClass\n                e
is ByteArray -> PrimitiveClasses.byteArrayClass\n                e is ShortArray -> PrimitiveClasses.shortArrayClass\n
            e is IntArray -> PrimitiveClasses.intArrayClass\n                e is LongArray ->
PrimitiveClasses.longArrayClass\n                e is FloatArray -> PrimitiveClasses.floatArrayClass\n                e is
DoubleArray -> PrimitiveClasses.doubleArrayClass\n                e is KClass<*> -> KClass::class\n                e is
Array<*> -> PrimitiveClasses.arrayClass\n                else -> {\n                    val constructor =
js(\"Object\").getPrototypeOf(e).constructor\n                    when {\n                        constructor === js(\"Object\") ->
PrimitiveClasses.anyClass\n                        constructor === js(\"Error\") -> PrimitiveClasses.throwableClass\n
            else -> {\n
        val jsClass: JsClass<T> = constructor\n                        getKClass1(jsClass)\n                    }\n
}\n            }\n        }\n    }.unsafeCast<KClass<T>>()\n\n@JsName(\"getKClass1\")\ninternal fun <T :
Any> getKClass1(jClass: JsClass<T>): KClass<T> {\n    if (jClass === js(\"String\")) return
PrimitiveClasses.stringClass.unsafeCast<KClass<T>>()\n\n    val metadata = jClass.asDynamic().`$metadata$`\n\n
```

return if (metadata != null) {\n   if (metadata.`$kClass$` == null) {\n   val kClass = SimpleKClassImpl(jClass)\n   metadata.`$kClass$` = kClass\n   kClass\n   } else {\n   metadata.`$kClass$`\n   }\n   } else {\n   SimpleKClassImpl(jClass)\n   }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Exposes the JavaScript [RegExp object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/RegExp) to Kotlin.\n */\n@Suppress(\"NOT_DOCUMENTED\")\npublic external class RegExp(pattern: String, flags: String? = definedExternally) {\n\n   public fun test(str: String): Boolean\n\n   public fun exec(str: String): RegExpMatch?\n\n   public override fun toString(): String\n\n   /**\n   * The lastIndex is a read/write integer property of regular expressions that specifies the index at which to start the next match.\n   */\n   public var lastIndex: Int\n\n   public val global: Boolean\n   public val ignoreCase: Boolean\n   public val multiline: Boolean\n}\n\n/**\n * Resets the regular expression so that subsequent [RegExp.test] and [RegExp.exec] calls will match starting with the beginning of the input string.\n */\npublic fun RegExp.reset() {\n   lastIndex = 0\n}\n\n// TODO: Inherit from array or introduce asArray() extension\n/**\n * Represents the return value of [RegExp.exec].\n */\n@Suppress(\"NOT_DOCUMENTED\")\npublic external interface RegExpMatch {\n   public val index: Int\n   public val input: String\n   public val length: Int\n}\n\n/**\n * Returns the entire text matched by [RegExp.exec] if the [index] parameter is 0, or the text matched by the capturing parenthesis\n * at the given index.\n */\npublic inline operator fun RegExpMatch.get(index: Int): String? = asDynamic()[index]\n\n/**\n * Converts the result of [RegExp.exec] to an array where the first element contains the entire matched text and each subsequent\n * element is the text matched by each capturing parenthesis.\n */\npublic inline fun RegExpMatch.asArray(): Array<out String?> = unsafeCast<Array<out String?>>()\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.sequences\n\ninternal actual class ConstrainedOnceSequence<T> actual constructor(sequence: Sequence<T>) : Sequence<T> {\n   private var sequenceRef: Sequence<T>? = sequence\n\n   actual override fun iterator(): Iterator<T> {\n   val sequence = sequenceRef ?: throw IllegalStateException(\"This sequence can be consumed only once.\")\n   sequenceRef = null\n   return sequence.iterator()\n   }\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n@SinceKotlin(\"1.5\")\npublic actual enum class CharCategory(internal val value: Int, public actual val code: String) {\n   /**\n   * General category \"Cn\" in the Unicode specification.\n   */\n   UNASSIGNED(0, \"Cn\"),\n\n   /**\n   * General category \"Lu\" in the Unicode specification.\n   */\n   UPPERCASE_LETTER(1, \"Lu\"),\n\n   /**\n   * General category \"Ll\" in the Unicode specification.\n   */\n   LOWERCASE_LETTER(2, \"Ll\"),\n\n   /**\n   * General category \"Lt\" in the Unicode specification.\n   */\n   TITLECASE_LETTER(3, \"Lt\"),\n\n   /**\n   * General category \"Lm\" in the Unicode specification.\n   */\n   MODIFIER_LETTER(4, \"Lm\"),\n\n   /**\n   * General category \"Lo\" in the Unicode specification.\n   */\n   OTHER_LETTER(5, \"Lo\"),\n\n   /**\n   * General category \"Mn\" in the Unicode specification.\n   */\n   NON_SPACING_MARK(6, \"Mn\"),\n\n   /**\n   * General category \"Me\" in the Unicode specification.\n   */\n   ENCLOSING_MARK(7, \"Me\"),\n\n   /**\n   * General category \"Mc\" in the Unicode specification.\n   */\n   COMBINING_SPACING_MARK(8, \"Mc\"),\n\n   /**\n   * General category \"Nd\" in the Unicode specification.\n   */\n   DECIMAL_DIGIT_NUMBER(9, \"Nd\"),\n\n   /**\n   * General category \"Nl\" in the Unicode specification.\n   */\n   LETTER_NUMBER(10, \"Nl\"),\n\n   /**\n   * General category \"No\" in the Unicode specification.\n   */\n   OTHER_NUMBER(11, \"No\"),\n\n   /**\n   * General category \"Zs\" in the Unicode specification.\n   */\n   SPACE_SEPARATOR(12, \"Zs\"),\n\n   /**\n   * General category \"Zl\" in the Unicode specification.\n   */\n   LINE_SEPARATOR(13, \"Zl\"),\n\n   /**\n   * General category \"Zp\" in the Unicode specification.\n

```
*/\n    PARAGRAPH_SEPARATOR(14, \"Zp\"),\n\n    /**\n     * General category \"Cc\" in the Unicode specification.\n     */\n    CONTROL(15, \"Cc\"),\n\n    /**\n     * General category \"Cf\" in the Unicode specification.\n     */\n    FORMAT(16, \"Cf\"),\n\n    /**\n     * General category \"Co\" in the Unicode specification.\n     */\n    PRIVATE_USE(18, \"Co\"),\n\n    /**\n     * General category \"Cs\" in the Unicode specification.\n     */\n    SURROGATE(19, \"Cs\"),\n\n    /**\n     * General category \"Pd\" in the Unicode specification.\n     */\n    DASH_PUNCTUATION(20, \"Pd\"),\n\n    /**\n     * General category \"Ps\" in the Unicode specification.\n     */\n    START_PUNCTUATION(21, \"Ps\"),\n\n    /**\n     * General category \"Pe\" in the Unicode specification.\n     */\n    END_PUNCTUATION(22, \"Pe\"),\n\n    /**\n     * General category \"Pc\" in the Unicode specification.\n     */\n    CONNECTOR_PUNCTUATION(23, \"Pc\"),\n\n    /**\n     * General category \"Po\" in the Unicode specification.\n     */\n    OTHER_PUNCTUATION(24, \"Po\"),\n\n    /**\n     * General category \"Sm\" in the Unicode specification.\n     */\n    MATH_SYMBOL(25, \"Sm\"),\n\n    /**\n     * General category \"Sc\" in the Unicode specification.\n     */\n    CURRENCY_SYMBOL(26, \"Sc\"),\n\n    /**\n     * General category \"Sk\" in the Unicode specification.\n     */\n    MODIFIER_SYMBOL(27, \"Sk\"),\n\n    /**\n     * General category \"So\" in the Unicode specification.\n     */\n    OTHER_SYMBOL(28, \"So\"),\n\n    /**\n     * General category \"Pi\" in the Unicode specification.\n     */\n    INITIAL_QUOTE_PUNCTUATION(29, \"Pi\"),\n\n    /**\n     * General category \"Pf\" in the Unicode specification.\n     */\n    FINAL_QUOTE_PUNCTUATION(30, \"Pf\");\n\n    /**\n     * Returns `true` if [char] character belongs to this category.\n     */\n    public actual operator fun contains(char: Char): Boolean = char.getCategoryValue() == this.value\n\n    companion object {\n        internal fun valueOf(category: Int): CharCategory =\n            when (category) {\n                in 0..16 -> values()[category]\n                in 18..30 -> values()[category - 1]\n                else -> throw IllegalArgumentException(\"Category #$category is not defined.\")\n            }\n    }\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n *  The exception thrown when a character encoding or decoding error occurs.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual open class CharacterCodingException(message: String?) : Exception(message) {\n    actual constructor() : this(null)\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * A mutable sequence of characters.\n *\n * String builder can be used to efficiently perform multiple string manipulation operations.\n */\npublic actual class StringBuilder actual constructor(content: String) : Appendable, CharSequence {\n    /**\n     * Constructs an empty string builder with the specified initial [capacity].\n     *\n     * In Kotlin/JS implementation of StringBuilder the initial capacity has no effect on the further performance of operations.\n     */\n    actual constructor(capacity: Int) : this() {\n    }\n\n    /** Constructs a string builder that contains the same characters as the specified [content] char sequence. */\n    actual constructor(content: CharSequence) : this(content.toString()) {}\n\n    /** Constructs an empty string builder. */\n    actual constructor() : this(\"\")\n\n    private var string: String = if (content !== undefined) content else \"\"\n\n    actual override val length: Int\n        get() = string.asDynamic().length\n\n    actual override fun get(index: Int): Char =\n        string.getOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, length: $length}\") }\n\n    actual override fun subSequence(startIndex: Int, endIndex: Int): CharSequence = string.substring(startIndex, endIndex)\n\n    actual override fun append(value: Char): StringBuilder {\n        string += value\n        return this\n    }\n\n    actual override fun append(value: CharSequence?): StringBuilder {\n        string += value.toString()\n        return this\n    }\n\n    actual override fun append(value: CharSequence?, startIndex: Int, endIndex: Int): StringBuilder =\n        this.appendRange(value ?: \"null\", startIndex, endIndex)\n\n    /**\n     * Reverses the contents of this string builder and returns this instance.\n     *\n     * Surrogate pairs included in this string builder are treated as single characters.\n     * Therefore, the order of the high-low surrogates is never reversed.\n     *\n     * Note that the reverse operation may produce new surrogate pairs that were unpaired low-surrogates and high-surrogates before the operation.\n     * For example, reversing
```

```
`\"\\uDC00\\uD800\"` produces `\"\\uD800\\uDC00\"` which is a valid surrogate pair.\n     */\n     actual fun
reverse(): StringBuilder {\n         var reversed = \"\"\n         var index = string.length - 1\n         while (index >= 0) {\n
        val low = string[index--]\n             if (low.isLowSurrogate()
 && index >= 0) {\n                 val high = string[index--]\n                 if (high.isHighSurrogate()) {\n
reversed = reversed + high + low\n                 } else {\n                     reversed = reversed + low + high\n                 }\n
        } else {\n                 reversed += low\n             }\n         }\n         string = reversed\n         return this\n     }\n\n
/**\n     * Appends the string representation of the specified object [value] to this string builder and returns this
instance.\n     *\n     * The overall effect is exactly as if the [value] were converted to a string by the
`value.toString()` method,\n     * and then that string was appended to this string builder.\n     */\n     actual fun
append(value: Any?): StringBuilder {\n         string += value.toString()\n         return this\n     }\n\n     /**\n     *
Appends the string representation of the specified boolean [value] to this string builder and returns this instance.\n
     *\n     * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()`
method,\n     * and then that string was appended to this string builder.\n     */\n     @SinceKotlin(\"1.3\")\n     actual
fun append(value: Boolean): StringBuilder {\n         string += value\n         return this\n     }\n\n     /**\n     * Appends
characters in the specified character array [value] to this string builder and returns this instance.\n     *\n     *
Characters are appended in order, starting at the index 0.\n     */\n     @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n     actual fun append(value: CharArray): StringBuilder {\n
string += value.concatToString()\n         return this\n     }\n\n     @Deprecated(\"Provided for binary compatibility.\",
level = DeprecationLevel.HIDDEN)\n     fun append(value: String): StringBuilder = append(value)\n\n     /**\n     *
Appends the specified string [value] to this string builder and returns
 this instance.\n     *\n     * If [value] is `null`, then the four characters `\"null\"` are appended.\n     */\n
@SinceKotlin(\"1.3\")\n     actual fun append(value: String?): StringBuilder {\n         this.string += value ?: \"null\"\n
    return this\n     }\n\n     /**\n     * Returns the current capacity of this string builder.\n     *\n     * The capacity is the
maximum length this string builder can have before an allocation occurs.\n     *\n     * In Kotlin/JS implementation
of StringBuilder the value returned from this method may not indicate the actual size of the backing storage.\n
*/\n     @SinceKotlin(\"1.3\")\n//     @ExperimentalStdlibApi\n     @Deprecated(\"Obtaining StringBuilder capacity is
not supported in JS and common code.\", level = DeprecationLevel.ERROR)\n     actual fun capacity(): Int =
length\n\n     /**\n     * Ensures that the capacity of this string builder is at least equal to the specified
[minimumCapacity].\n     *\n     * If the current capacity
 is less than the [minimumCapacity], a new backing storage is allocated with greater capacity.\n     * Otherwise, this
method takes no action and simply returns.\n     *\n     * In Kotlin/JS implementation of StringBuilder the size of the
backing storage is not extended to comply the given [minimumCapacity],\n     * thus calling this method has no
effect on the further performance of operations.\n     */\n     @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n     actual fun ensureCapacity(minimumCapacity: Int) {\n
}\n\n     /**\n     * Returns the index within this string builder of the first occurrence of the specified [string].\n     *\n
     * Returns `-1` if the specified [string] does not occur in this string builder.\n     */\n     @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n     actual fun indexOf(string: String): Int =
this.string.asDynamic().indexOf(string)\n\n     /**\n     * Returns the index within this string builder of
 the first occurrence of the specified [string],\n     * starting at the specified [startIndex].\n     *\n     * Returns `-1` if
the specified [string] does not occur in this string builder starting at the specified [startIndex].\n     */\n
@SinceKotlin(\"1.4\")\n     @WasExperimental(ExperimentalStdlibApi::class)\n     actual fun indexOf(string: String,
startIndex: Int): Int = this.string.asDynamic().indexOf(string, startIndex)\n\n     /**\n     * Returns the index within
this string builder of the last occurrence of the specified [string].\n     * The last occurrence of empty string `\"\"` is
considered to be at the index equal to `this.length`.\n     *\n     * Returns `-1` if the specified [string] does not occur
in this string builder.\n     */\n     @SinceKotlin(\"1.4\")\n     @WasExperimental(ExperimentalStdlibApi::class)\n
actual fun lastIndexOf(string: String): Int = this.string.asDynamic().lastIndexOf(string)\n\n     /**\n     * Returns the
index within this string builder of the
```

```
last occurrence of the specified [string],\n     * starting from the specified [startIndex] toward the beginning.\n     *\n
   * Returns `-1` if the specified [string] does not occur in this string builder starting at the specified [startIndex].\n
*/\n    @SinceKotlin(\"1.4\")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    actual fun
lastIndexOf(string: String, startIndex: Int): Int {\n        if (string.isEmpty() && startIndex < 0) return -1\n        return
this.string.asDynamic().lastIndexOf(string, startIndex)\n    }\n\n    /**\n     * Inserts the string representation of the
specified boolean [value] into this string builder at the specified [index] and returns this instance.\n     *\n     * The
overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n     * and then
that string was inserted into this string builder at the specified [index].\n     *\n     * @throws
IndexOutOfBoundsException if [index] is less than zero
 or greater than the length of this string builder.\n     */\n    @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n    actual fun insert(index: Int, value: Boolean): StringBuilder
{\n        AbstractList.checkPositionIndex(index, length)\n\n        string = string.substring(0, index) + value +
string.substring(index)\n        return this\n    }\n\n    /**\n     * Inserts the specified character [value] into this string
builder at the specified [index] and returns this instance.\n     *\n     * @throws IndexOutOfBoundsException if
[index] is less than zero or greater than the length of this string builder.\n     */\n    @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n    actual fun insert(index: Int, value: Char): StringBuilder {\n
   AbstractList.checkPositionIndex(index, length)\n\n        string = string.substring(0, index) + value +
string.substring(index)\n        return this\n    }\n\n    /**\n     * Inserts characters in
 the specified character array [value] into this string builder at the specified [index] and returns this instance.\n     *\n
   * The inserted characters go in same order as in the [value] character array, starting at [index].\n     *\n     *
@throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n
 */\n    @SinceKotlin(\"1.4\")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    actual fun insert(index: Int,
value: CharArray): StringBuilder {\n        AbstractList.checkPositionIndex(index, length)\n\n        string =
string.substring(0, index) + value.concatToString() + string.substring(index)\n        return this\n    }\n\n    /**\n     *
Inserts characters in the specified character sequence [value] into this string builder at the specified [index] and
returns this instance.\n     *\n     * The inserted characters go in the same order as in the [value] character sequence,
starting at [index].\n     *\n     * @param
 index the position in this string builder to insert at.\n     * @param value the character sequence from which
characters are inserted. If [value] is `null`, then the four characters `\"null\"` are inserted.\n     *\n     * @throws
IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n     */\n
@SinceKotlin(\"1.4\")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    actual fun insert(index: Int, value:
CharSequence?): StringBuilder {\n        AbstractList.checkPositionIndex(index, length)\n\n        string =
string.substring(0, index) + value.toString() + string.substring(index)\n        return this\n    }\n\n    /**\n     * Inserts
the string representation of the specified object [value] into this string builder at the specified [index] and returns
this instance.\n     *\n     * The overall effect is exactly as if the [value] were converted to a string by the
`value.toString()` method,\n     * and then that string was inserted
 into this string builder at the specified [index].\n     *\n     * @throws IndexOutOfBoundsException if [index] is less
than zero or greater than the length of this string builder.\n     */\n    @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n    actual fun insert(index: Int, value: Any?): StringBuilder {\n
   AbstractList.checkPositionIndex(index, length)\n\n        string = string.substring(0, index) + value.toString() +
string.substring(index)\n        return this\n    }\n\n    @Deprecated(\"Provided for binary compatibility.\", level =
DeprecationLevel.HIDDEN)\n    fun insert(index: Int, value: String): StringBuilder = insert(index, value)\n\n    /**\n
   * Inserts the string [value] into this string builder at the specified [index] and returns this instance.\n     *\n     * If
[value] is `null`, then the four characters `\"null\"` are inserted.\n     *\n     * @throws IndexOutOfBoundsException
if [index] is less than zero or greater than the length
 of this string builder.\n     */\n    @SinceKotlin(\"1.4\")\n    @WasExperimental(ExperimentalStdlibApi::class)\n
actual fun insert(index: Int, value: String?): StringBuilder {\n        AbstractList.checkPositionIndex(index,
length)\n\n        val toInsert = value ?: \"null\"\n        this.string = this.string.substring(0, index) + toInsert +
```

```
this.string.substring(index)\n        return this\n    }\n\n    /**\n     *  Sets the length of this string builder to the specified [newLength].\n     *\n     *  If the [newLength] is less than the current length, it is changed to the specified [newLength].\n     *  Otherwise, null characters '\\u0000' are appended to this string builder until its length is less than the [newLength].\n     *\n     *  Note that in Kotlin/JS [set] operator function has non-constant execution time complexity.\n     *  Therefore, increasing length of this string builder and then updating each character by index may slow down your program.\n     *\n     *  @throws IndexOutOfBoundsException or [IllegalArgumentException] if [newLength] is less than zero.\n     */\n    @SinceKotlin(\"1.4\")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    actual fun setLength(newLength: Int) {\n        if (newLength < 0) {\n            throw IllegalArgumentException(\"Negative new length: $newLength.\")\n        }\n\n        if (newLength <= length) {\n            string = string.substring(0, newLength)\n        } else {\n            for (i in length until newLength) {\n                string += '\\u0000'\n            }\n        }\n    }\n\n    /**\n     * Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [length] (exclusive).\n     *\n     * @throws IndexOutOfBoundsException if [startIndex] is less than zero or greater than the length of this string builder.\n     */\n    @SinceKotlin(\"1.4\")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    actual fun substring(startIndex: Int): String {\n        AbstractList.checkPositionIndex(startIndex, length)\n\n        return string.substring(startIndex)\n    }\n\n    /**\n     * Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [endIndex] (exclusive).\n     *\n     * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n     */\n    @SinceKotlin(\"1.4\")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    actual fun substring(startIndex: Int, endIndex: Int): String {\n        AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n\n        return string.substring(startIndex, endIndex)\n    }\n\n    /**\n     * Attempts to reduce storage used for this string builder.\n     *\n     * If the backing storage of this string builder is larger than necessary to hold its current contents,\n     * then it may be resized to become more space efficient.\n     * Calling this method may, but is not required to, affect the value of the [capacity] property.\n     *\n     * In Kotlin/JS implementation of StringBuilder the size of the backing storage is always equal to the length of the string builder.\n     */\n    @SinceKotlin(\"1.4\")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    actual fun trimToSize() {\n    }\n\n    override fun toString(): String = string\n\n    /**\n     * Clears the content of this string builder making it empty and returns this instance.\n     *\n     * @sample samples.text.Strings.clearStringBuilder\n     */\n    @SinceKotlin(\"1.3\")\n    public fun clear(): StringBuilder {\n        string = \"\"\n        return this\n    }\n\n    /**\n     * Sets the character at the specified [index] to the specified [value].\n     *\n     * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n     */\n    @SinceKotlin(\"1.4\")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    public operator fun set(index: Int, value: Char) {\n        AbstractList.checkElementIndex(index, length)\n\n        string = string.substring(0, index) + value + string.substring(index + 1)\n    }\n\n    /**\n     * Replaces characters in the specified range of this string builder with characters in the specified string [value] and returns this instance.\n     *\n     * @param startIndex the beginning (inclusive) of the range to replace.\n     * @param endIndex the end (exclusive) of the range to replace.\n     * @param value the string to replace with.\n     *\n     * @throws IndexOutOfBoundsException or [IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder, or `startIndex > endIndex`.\n     */\n    @SinceKotlin(\"1.4\")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    public fun setRange(startIndex: Int, endIndex: Int, value: String): StringBuilder {\n        checkReplaceRange(startIndex, endIndex, length)\n\n        this.string = this.string.substring(0, startIndex) + value + this.string.substring(endIndex)\n        return this\n    }\n\n    private fun checkReplaceRange(startIndex: Int, endIndex: Int, length: Int) {\n        if (startIndex < 0 || startIndex > length) {\n            throw IndexOutOfBoundsException(\"startIndex: $startIndex, length: $length\")\n        }\n        if (startIndex > endIndex) {\n            throw IllegalArgumentException(\"startIndex($startIndex) > endIndex($endIndex)\")\n        }\n    }\n\n    /**\n     * Removes the character at the specified [index] from this string builder and returns this instance.\n     *\n     * If the `Char` at the specified [index] is part of a supplementary code
```

point, this method does not remove the entire supplementary character.\n *\n * @param index the index of `Char` to remove.\n *\n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun deleteAt(index: Int): StringBuilder {\n AbstractList.checkElementIndex(index, length)\n\n string = string.substring(0, index) + string.substring(index + 1)\n return this\n }\n\n /**\n * Removes characters in the specified range from this string builder and returns this instance.\n *\n * @param startIndex the beginning (inclusive) of the range to remove.\n * @param endIndex the end (exclusive) of the range to remove.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun deleteRange(startIndex: Int, endIndex: Int): StringBuilder {\n checkReplaceRange(startIndex, endIndex, length)\n\n string = string.substring(0, startIndex) + string.substring(endIndex)\n return this\n }\n\n /**\n * Copies characters from this string builder into the [destination] character array.\n *\n * @param destination the array to copy to.\n * @param destinationOffset the position in the array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the range to copy, 0 by default.\n * @param endIndex the end (exclusive) of the range to copy, length of this string builder by default.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = this.length) {\n AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n AbstractList.checkBoundsIndexes(destinationOffset, destinationOffset + endIndex - startIndex, destination.size)\n\n var dstIndex = destinationOffset\n for (index in startIndex until endIndex) {\n destination[dstIndex++] = string[index]\n }\n }\n\n /**\n * Appends characters in a subarray of the specified character array [value] to this string builder and returns this instance.\n *\n * Characters are appended in order, starting at specified [startIndex].\n *\n * @param value the array from which characters are appended.\n * @param startIndex the beginning (inclusive) of the subarray to append.\n * @param endIndex the end (exclusive) of the subarray to append.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun appendRange(value: CharArray, startIndex: Int, endIndex: Int): StringBuilder {\n string += value.concatToString(startIndex, endIndex)\n return this\n }\n\n /**\n * Appends a subsequence of the specified character sequence [value] to this string builder and returns this instance.\n *\n * @param value the character sequence from which a subsequence is appended.\n * @param startIndex the beginning (inclusive) of the subsequence to append.\n * @param endIndex the end (exclusive) of the subsequence to append.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun appendRange(value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder {\n val stringCsq = value.toString()\n AbstractList.checkBoundsIndexes(startIndex, endIndex, stringCsq.length)\n\n string += stringCsq.substring(startIndex, endIndex)\n return this\n }\n\n /**\n * Inserts characters in a subarray of the specified character array [value] into this string builder at the specified [index] and returns this instance.\n *\n * The inserted characters go in same order as in the [value] array, starting at [index].\n *\n * @param index the position in this string builder to insert at.\n * @param value the array from which characters are inserted.\n * @param startIndex the beginning (inclusive) of the subarray to insert.\n * @param endIndex the end (exclusive) of the subarray to insert.\n *\n * @throws IndexOutOfBoundsException

or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): StringBuilder {\n AbstractList.checkPositionIndex(index, this.length)\n\n string = string.substring(0, index) + value.concatToString(startIndex, endIndex) + string.substring(index)\n return this\n }\n\n /**\n * Inserts characters in a subsequence of the specified character sequence [value] into this string builder at the specified [index] and returns this instance.\n *\n * The inserted characters go in the same order as in the [value] character sequence, starting at [index].\n *\n * @param index the position in this string builder to insert at.\n * @param value the character sequence from which a subsequence is inserted.\n * @param startIndex the beginning (inclusive) of the subsequence to insert.\n * @param endIndex the end (exclusive) of the subsequence to insert.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun insertRange(index: Int, value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder {\n AbstractList.checkPositionIndex(index, length)\n\n val stringCsq = value.toString()\n AbstractList.checkBoundsIndexes(startIndex, endIndex, stringCsq.length)\n\n string = string.substring(0, index) + stringCsq.substring(startIndex, endIndex) + string.substring(index)\n return this\n }\n}\n\n\n/**\n * Clears the content of this string builder making it empty and returns this instance.\n *\n * @sample samples.text.Strings.clearStringBuilder\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.clear(): StringBuilder = this.clear()\n\n/**\n * Sets the character at the specified [index] to the specified [value].\n *\n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline operator fun StringBuilder.set(index: Int, value: Char) = this.set(index, value)\n\n/**\n * Replaces characters in the specified range of this string builder with characters in the specified string [value] and returns this instance.\n *\n * @param startIndex the beginning (inclusive) of the range to replace.\n * @param endIndex the end (exclusive) of the range to replace.\n * @param value the string to replace with.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder, or `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.setRange(startIndex: Int, endIndex: Int, value: String): StringBuilder =\n this.setRange(startIndex, endIndex, value)\n\n/**\n * Removes the character at the specified [index] from this string builder and returns this instance.\n *\n * If the `Char` at the specified [index] is part of a supplementary code point, this method does not remove the entire supplementary character.\n *\n * @param index the index of `Char` to remove.\n *\n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.deleteAt(index: Int): StringBuilder = this.deleteAt(index)\n\n/**\n * Removes characters in the specified range from this string builder and returns this instance.\n *\n * @param startIndex the beginning (inclusive) of the range to remove.\n * @param endIndex the end (exclusive) of the range to remove.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n

*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.deleteRange(startIndex: Int, endIndex: Int): StringBuilder = this.deleteRange(startIndex, endIndex)\n\n/**\n * Copies characters from this string builder into the [destination] character array.\n *\n * @param destination the array to copy to.\n * @param destinationOffset the position in the array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the range to copy, 0 by default.\n * @param endIndex the end (exclusive) of the range to copy, length of this string builder by default.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\", \"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun StringBuilder.toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = this.length) =\n   this.toCharArray(destination, destinationOffset, startIndex, endIndex)\n\n/**\n * Appends characters in a subarray of the specified character array [value] to this string builder and returns this instance.\n *\n * Characters are appended in order, starting at specified [startIndex].\n *\n * @param value the array from which characters are appended.\n * @param startIndex the beginning (inclusive) of the subarray to append.\n * @param endIndex the end (exclusive) of the subarray to append.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.appendRange(value: CharArray, startIndex: Int, endIndex: Int): StringBuilder =\n   this.appendRange(value, startIndex, endIndex)\n\n/**\n * Appends a subsequence of the specified character sequence [value] to this string builder and returns this instance.\n *\n * @param value the character sequence from which a subsequence is appended.\n * @param startIndex the beginning (inclusive) of the subsequence to append.\n * @param endIndex the end (exclusive) of the subsequence to append.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.appendRange(value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder =\n   this.appendRange(value, startIndex, endIndex)\n\n/**\n * Inserts characters in a subarray of the specified character array [value] into this string builder at the specified [index] and returns this instance.\n *\n * The inserted characters go in same order as in the [value] array, starting at [index].\n *\n * @param index the position in this string builder to insert at.\n * @param value the array from which characters are inserted.\n * @param startIndex the beginning (inclusive) of the subarray to insert.\n * @param endIndex the end (exclusive) of the subarray to insert.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): StringBuilder =\n   this.insertRange(index, value, startIndex, endIndex)\n\n/**\n * Inserts characters in a subsequence of the specified character sequence [value] into this string builder at the specified [index] and returns this instance.\n *\n * The inserted characters go in the same order as in the [value] character

sequence, starting at [index].\n *\n * @param index the position in this string builder to insert at.\n * @param value the character sequence from which a subsequence is inserted.\n * @param startIndex the beginning (inclusive) of the subsequence to insert.\n * @param endIndex the end (exclusive) of the subsequence to insert.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex >
endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n
/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.insertRange(index: Int, value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder =\n this.insertRange(index, value, startIndex, endIndex)\n","/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n\n/**\n * Returns `true` if the content of this string is equal to the word \"true\", ignoring case, and `false` otherwise.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n@kotlin.internal.InlineOnly\npublic actual
inline fun String.toBoolean(): Boolean = this.toBoolean()\n\n/**\n * Returns `true` if this string is not `null` and its content is equal to the word \"true\", ignoring case, and `false` otherwise.\n *\n * There are also strict versions of the function available on non-nullable String, [toBooleanStrict] and [toBooleanStrictOrNull].\n
*/\n@SinceKotlin(\"1.4\")\npublic actual fun String?.toBoolean(): Boolean = this != null && this.lowercase() == \"true\"\n\n/**\n * Parses the string as a signed [Byte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toByte(): Byte = toByteOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a signed [Byte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic
actual fun String.toByte(radix: Int): Byte = toByteOrNull(radix) ?: numberFormatError(this)\n\n\n/**\n * Parses the string as a [Short] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toShort(): Short = toShortOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Short] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun String.toShort(radix: Int): Short = toShortOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as an [Int] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toInt(): Int = toIntOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the
string as an [Int] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun String.toInt(radix: Int): Int = toIntOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Long] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toLong(): Long = toLongOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Long] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun String.toLong(radix: Int): Long = toLongOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string
as a [Double] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toDouble(): Double =

(+(this.asDynamic())).unsafeCast<Double>().also {\n   if (it.isNaN() && !this.isNaN() || it == 0.0 && this.isBlank())\n   numberFormatError(this)\n}\n\n/**\n * Parses the string as a [Float] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toFloat(): Float = toDouble().unsafeCast<Float>()\n\n/**\n * Parses the string as a [Double] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\npublic actual fun String.toDoubleOrNull(): Double? = (+(this.asDynamic())).unsafeCast<Double>().takeIf {\n   !(it.isNaN() && !this.isNaN() || it == 0.0 && this.isBlank())\n}\n\n/**\n * Parses the string as a [Float] number
 and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toFloatOrNull(): Float? = toDoubleOrNull().unsafeCast<Float?>()\n\n/**\n * Returns a string representation of this [Byte] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Byte.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of this [Short] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Short.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of this [Int] value in the specified
 [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Int.toString(radix: Int): String = asDynamic().toString(checkRadix(radix))\n\nprivate fun String.isNaN(): Boolean = when (this.lowercase()) {\n   \"nan\", \"+nan\", \"-nan\" -> true\n   else -> false\n}\n\n/**\n * Checks whether the given [radix] is valid radix for string to number and number to string conversion.\n */\n@PublishedApi\ninternal actual fun checkRadix(radix: Int): Int {\n   if (radix !in 2..36) {\n   throw IllegalArgumentException(\"radix $radix was not in valid range 2..36\")\n   }\n   return radix\n}\n\ninternal actual fun digitOf(char: Char, radix: Int): Int = when {\n   char >= '0' && char <= '9' -> char - '0'\n   char >= 'A' && char <= 'Z' -> char - 'A' + 10\n   char >= 'a' && char <= 'z' -> char - 'a' + 10\n   char < '\\u0080' -> -1\n   char >= '\\uFF21' && char <= '\\uFF3A' -> char - '\\uFF21'
 + 10 // full-width latin capital letter\n   char >= '\\uFF41' && char <= '\\uFF5A' -> char - '\\uFF41' + 10 // full-width latin small letter\n   else -> char.digitToIntImpl()\n}.let { if (it >= radix) -1 else it }\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n/**\n * Provides enumeration values to use to set regular expression options.\n */\npublic actual enum class RegexOption(val value: String) {\n   /** Enables case-insensitive matching. */\n   IGNORE_CASE(\"i\"),\n   /** Enables multiline mode.\n   *\n   * In multiline mode the expressions `^` and `$` match just after or just before,\n   * respectively, a line terminator or the end of the input sequence. */\n   MULTILINE(\"m\")\n}\n\nprivate fun Iterable<RegexOption>.toFlags(prepend: String): String
 = joinToString(\"\", prefix = prepend) { it.value }\n\n\n/**\n * Represents the results from a single capturing group within a [MatchResult] of [Regex].\n *\n * @param value The value of captured group.\n */\npublic actual data class MatchGroup(actual val value: String)\n\n\n/**\n * Represents a compiled regular expression.\n * Provides functions to match strings in text with a pattern, replace the found occurrences and split text around matches.\n *\n * For pattern syntax reference see [MDN RegExp](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/RegExp#Special_characters_meaning_in_regular_expressions)\n * and [http://www.w3schools.com/jsref/jsref_obj_regexp.asp](https://www.w3schools.com/jsref/jsref_obj_regexp.asp).\n *\n * Note that `RegExp` objects under the hood are constructed with [the \"u\" flag](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/RegExp/unicode)\n * that enables Unicode-related features in regular
 expressions. This also makes the pattern syntax more strict,\n * for example, prohibiting unnecessary escape sequences.\n *\n * @constructor Creates a regular expression from the specified [pattern] string and the specified set

```
of [options].\n */\npublic actual class Regex actual constructor(pattern: String, options: Set<RegexOption>) {\n\n /** Creates a regular expression from the specified [pattern] string and the specified single [option]. */\n    public actual constructor(pattern: String, option: RegexOption) : this(pattern, setOf(option))\n\n    /** Creates a regular expression from the specified [pattern] string and the default options. */\n    public actual constructor(pattern: String) : this(pattern, emptySet())\n\n\n    /** The pattern string of this regular expression. */\n    public actual val pattern: String = pattern\n    /** The set of options that were used to create this regular expression. */\n    public actual val options: Set<RegexOption> = options.toSet()\n
    private val nativePattern: RegExp = RegExp(pattern, options.toFlags(\"gu\"))\n    private var nativeStickyPattern: RegExp? = null\n    private fun initStickyPattern(): RegExp =\n        nativeStickyPattern ?: RegExp(pattern, options.toFlags(\"yu\")).also { nativeStickyPattern = it }\n\n    private var nativeMatchesEntirePattern: RegExp? = null\n    private fun initMatchesEntirePattern(): RegExp =\n        nativeMatchesEntirePattern ?: run {\n            if (pattern.startsWith('^') && pattern.endsWith('$'))\n                nativePattern\n            else\n                return RegExp(\"^${pattern.trimStart('^').trimEnd('$')}$\", options.toFlags(\"gu\"))\n        }.also { nativeMatchesEntirePattern = it }\n\n\n    /** Indicates whether the regular expression matches the entire [input]. */\n    public actual infix fun matches(input: CharSequence): Boolean {\n        nativePattern.reset()\n        val match = nativePattern.exec(input.toString())\n        return match != null && match.index == 0 && nativePattern.lastIndex == input.length\n    }\n\n    /** Indicates whether the regular expression can find at least one match in the specified [input]. */\n    public actual fun containsMatchIn(input: CharSequence): Boolean {\n        nativePattern.reset()\n        return nativePattern.test(input.toString())\n    }\n\n    @SinceKotlin(\"1.5\")\n    @ExperimentalStdlibApi\n    public actual fun matchesAt(input: CharSequence, index: Int): Boolean {\n        if (index < 0 || index > input.length) {\n            throw IndexOutOfBoundsException(\"index out of bounds: $index, input length: ${input.length}\")\n        }\n        val pattern = initStickyPattern()\n        pattern.lastIndex = index\n        return pattern.test(input.toString())\n    }\n\n    /**\n     * Returns the first match of a regular expression in the [input], beginning at the specified [startIndex].\n     *\n     * @param startIndex An index to start search with, by default 0. Must be not less than zero and not greater than `input.length()`\n     * @return An instance of [MatchResult] if match was found or `null` otherwise.\n     * @throws IndexOutOfBoundsException if [startIndex] is less than zero or greater than the length of the [input] char sequence.\n     * @sample samples.text.Regexps.find\n     */\n    @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n    public actual fun find(input: CharSequence, startIndex: Int = 0): MatchResult? {\n        if (startIndex < 0 || startIndex > input.length) {\n            throw IndexOutOfBoundsException(\"Start index out of bounds: $startIndex, input length: ${input.length}\")\n        }\n        return nativePattern.findNext(input.toString(), startIndex, nativePattern)\n    }\n\n    /**\n     * Returns a sequence of all occurrences of a regular expression within the [input] string, beginning at the specified [startIndex].\n     *\n     * @throws IndexOutOfBoundsException if [startIndex] is less than zero or greater than the length of the [input] char sequence.\n     *\n     * @sample samples.text.Regexps.findAll\n     */\n    @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n    public actual fun findAll(input: CharSequence, startIndex: Int = 0): Sequence<MatchResult> {\n        if (startIndex < 0 || startIndex > input.length) {\n            throw IndexOutOfBoundsException(\"Start index out of bounds: $startIndex, input length: ${input.length}\")\n        }\n        return generateSequence({ find(input, startIndex) }, { match -> match.next() })\n    }\n\n    /**\n     * Attempts to match the entire [input] CharSequence against the pattern.\n     *\n     * @return An instance of [MatchResult] if the entire input matches or `null` otherwise.\n     */\n    public actual fun matchEntire(input: CharSequence): MatchResult? =\n        initMatchesEntirePattern().findNext(input.toString(), 0, nativePattern)\n\n    @SinceKotlin(\"1.5\")\n    @ExperimentalStdlibApi\n    public actual fun matchAt(input: CharSequence, index: Int): MatchResult? {\n        if (index < 0 || index > input.length) {\n            throw IndexOutOfBoundsException(\"index out of bounds: $index, input length: ${input.length}\")\n        }\n        return initStickyPattern().findNext(input.toString(), index, nativePattern)\n    }\n\n\n    /**\n     * Replaces all occurrences
```

```
of this regular expression in the specified [input] string with specified [replacement] expression.\n     *\n     * The replacement string may contain references to the captured groups during a match. Occurrences of `$index`\n     * in the replacement string will be substituted with the subsequences corresponding to the captured groups with the specified index.\n     * The first digit after '$' is always treated as part of group reference. Subsequent digits are incorporated\n     * into `index` only if they would form a valid group reference. Only the digits '0'..'9' are considered as potential components\n     * of the group reference. Note that indexes of captured
 groups start from 1, and the group with index 0 is the whole match.\n     *\n     * Backslash character '\\' can be used to include the succeeding character as a literal in the replacement string, e.g, `\\$` or `\\\\`.\n     * [Regex.escapeReplacement] can be used if [replacement] have to be treated as a literal string.\n     *\n     * Note that referring named capturing groups by name is currently not supported in Kotlin/JS.\n     * However, you can still refer them by index.\n     *\n     * @param input the char sequence to find matches of this regular expression in\n     * @param replacement the expression to replace found matches with\n     * @return the result of replacing each occurrence of this regular expression in [input] with the result of evaluating the [replacement] expression\n     * @throws RuntimeException if [replacement] expression is malformed, or capturing group with specified `name` or `index` does not exist\n     */\n    public actual fun replace(input: CharSequence,
 replacement: String): String {\n        if (!replacement.contains('\\\\') && !replacement.contains('$')) {\n            return input.toString().nativeReplace(nativePattern, replacement)\n        }\n        return replace(input) { substituteGroupRefs(it, replacement) }\n    }\n\n    /**\n     * Replaces all occurrences of this regular expression in the specified [input] string with the result of\n     * the given function [transform] that takes [MatchResult] and returns a string to be used as a\n     * replacement for that match.\n     */\n    public actual fun replace(input: CharSequence, transform: (MatchResult) -> CharSequence): String {\n        var match = find(input)\n        if (match == null) return input.toString()\n\n        var lastStart = 0\n        val length = input.length\n        val sb = StringBuilder(length)\n        do {\n            val foundMatch = match!!\n            sb.append(input, lastStart, foundMatch.range.start)\n            sb.append(transform(foundMatch))\n
            lastStart = foundMatch.range.endInclusive + 1\n            match = foundMatch.next()\n        } while (lastStart < length && match != null)\n\n        if (lastStart < length) {\n            sb.append(input, lastStart, length)\n        }\n\n
        return sb.toString()\n    }\n\n    /**\n     * Replaces the first occurrence of this regular expression in the specified [input] string with specified [replacement] expression.\n     *\n     * The replacement string may contain references to the captured groups during a match. Occurrences of `$index`\n     * in the replacement string will be substituted with the subsequences corresponding to the captured groups with the specified index.\n     * The first digit after '$' is always treated as part of group reference. Subsequent digits are incorporated\n     * into `index` only if they would form a valid group reference. Only the digits '0'..'9' are considered as potential components\n     * of the group reference. Note that indexes
 of captured groups start from 1, and the group with index 0 is the whole match.\n     *\n     * Backslash character '\\' can be used to include the succeeding character as a literal in the replacement string, e.g, `\\$` or `\\\\`.\n     * [Regex.escapeReplacement] can be used if [replacement] have to be treated as a literal string.\n     *\n     * Note that referring named capturing groups by name is not supported currently in Kotlin/JS.\n     * However, you can still refer them by index.\n     *\n     * @param input the char sequence to find a match of this regular expression in\n     * @param replacement the expression to replace the found match with\n     * @return the result of replacing the first occurrence of this regular expression in [input] with the result of evaluating the [replacement] expression\n     * @throws RuntimeException if [replacement] expression is malformed, or capturing group with specified `name` or `index` does not exist\n     */\n    public actual fun
 replaceFirst(input: CharSequence, replacement: String): String {\n        if (!replacement.contains('\\\\') && !replacement.contains('$')) {\n            val nonGlobalOptions = options.toFlags(\"u\")\n            return input.toString().nativeReplace(RegExp(pattern, nonGlobalOptions), replacement)\n        }\n\n        val match = find(input) ?: return input.toString()\n\n        return buildString {\n            append(input.substring(0, match.range.first))\n            append(substituteGroupRefs(match, replacement))\n            append(input.substring(match.range.last + 1, input.length))\n        }\n    }\n\n    /**\n     * Splits the [input]
```

```
CharSequence to a list of strings around matches of this regular expression.\n     *\n     * @param limit Non-negative value specifying the maximum number of substrings the string can be split to.\n     * Zero by default means no limit is set.\n     */\n    @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n    public actual fun split(input:
 CharSequence, limit: Int = 0): List<String> {\n        requireNonNegativeLimit(limit)\n        val matches = findAll(input).let { if (limit == 0) it else it.take(limit - 1) }\n        val result = mutableListOf<String>()\n        var lastStart = 0\n\n        for (match in matches) {\n            result.add(input.subSequence(lastStart, match.range.start).toString())\n            lastStart = match.range.endInclusive + 1\n        }\n        result.add(input.subSequence(lastStart, input.length).toString())\n        return result\n    }\n\n    /**\n     * Splits the [input] CharSequence to a sequence of strings around matches of this regular expression.\n     *\n     * @param limit Non-negative value specifying the maximum number of substrings the string can be split to.\n     * Zero by default means no limit is set.\n     * @sample samples.text.Regexps.splitToSequence\n     */\n    @SinceKotlin(\"1.6\")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n    public actual fun splitToSequence(input: CharSequence, limit: Int = 0): Sequence<String> {\n        requireNonNegativeLimit(limit)\n\n        return sequence {\n            var match = find(input)\n            if (match == null || limit == 1) {\n                yield(input.toString())\n                return@sequence\n            }\n\n            var nextStart = 0\n            var splitCount = 0\n\n            do {\n                val foundMatch = match!!\n                yield(input.substring(nextStart, foundMatch.range.first))\n                nextStart = foundMatch.range.endInclusive + 1\n                match = foundMatch.next()\n            } while (++splitCount != limit - 1 && match != null)\n\n            yield(input.substring(nextStart, input.length))\n        }\n    }\n\n\n    /**\n     * Returns the string representation of this regular expression, namely the [pattern] of this regular expression.\n     *\n     * Note that another regular expression
 constructed from the same pattern string may have different [options]\n     * and may match strings differently.\n     */\n    public override fun toString(): String = nativePattern.toString()\n\n    actual companion object {\n        /**\n         * Returns a regular expression that matches the specified [literal] string literally.\n         * No characters of that string will have special meaning when searching for an occurrence of the regular expression.\n         */\n        public actual fun fromLiteral(literal: String): Regex = Regex(escape(literal))\n\n        /**\n         * Returns a regular expression pattern string that matches the specified [literal] string literally.\n         * No characters of that string will have special meaning when searching for an occurrence of the regular expression.\n         */\n        public actual fun escape(literal: String): String = literal.nativeReplace(patternEscape, \"\\\\$&\")\n\n        /**\n         * Returns a literal replacement
 expression for the specified [literal] string.\n         * No characters of that string will have special meaning when it is used as a replacement string in [Regex.replace] function.\n         */\n        public actual fun escapeReplacement(literal: String): String = literal.nativeReplace(replacementEscape, \"\\\\$&\")\n\n        private val patternEscape = RegExp(\"\"\"[\\\\^$*+?.()|[\\]{}]\"\"\", \"g\")\n        private val replacementEscape = RegExp(\"\"\"[\\\\$]\"\"\", \"g\")\n\n        internal fun nativeEscapeReplacement(literal: String): String = literal.nativeReplace(nativeReplacementEscape, \"$$$$\")\n        private val nativeReplacementEscape = RegExp(\"\"\"\\$\"\"\", \"g\")\n    }\n}\n\n\n\nprivate fun RegExp.findNext(input: String, from: Int, nextPattern: RegExp): MatchResult? {\n    this.lastIndex = from\n    val match = exec(input)\n    if (match == null) return null\n    val range = match.index..lastIndex - 1\n\n    return object : MatchResult {\n        override val range:
 IntRange = range\n        override val value: String\n            get() = match[0]!!\n\n        override val groups: MatchGroupCollection = object : MatchGroupCollection, AbstractCollection<MatchGroup?>() {\n            override val size: Int get() = match.length\n            override fun iterator(): Iterator<MatchGroup?> = indices.asSequence().map { this[it] }.iterator()\n            override fun get(index: Int): MatchGroup? = match[index]?.let { MatchGroup(it) }\n        }\n\n\n        private var groupValues_: List<String>? = null\n\n        override val groupValues: List<String>\n            get() {\n                if (groupValues_ == null) {\n                    groupValues_ = object : AbstractList<String>() {\n                        override val size: Int get() = match.length\n
```

override fun get(index: Int): String = match[index] ?: \"\"\n }\n }\n return groupValues_!!\n }\n\n override fun next(): MatchResult? =\n nextPattern.findNext(input, if (range.isEmpty()) advanceToNextCharacter(range.start) else range.endInclusive + 1, nextPattern)\n\n private fun advanceToNextCharacter(index: Int): Int {\n if (index < input.lastIndex) {\n val code1 = input.asDynamic().charCodeAt(index).unsafeCast<Int>()\n if (code1 in 0xD800..0xDBFF) {\n val code2 = input.asDynamic().charCodeAt(index + 1).unsafeCast<Int>()\n if (code2 in 0xDC00..0xDFFF) {\n return index + 2\n }\n }\n }\n return index + 1\n }\n }\n}\n\n// The same code from K/N Regex.kt\nprivate fun substituteGroupRefs(match: MatchResult, replacement: String): String {\n var index = 0\n val result = StringBuilder(replacement.length)\n\n while (index < replacement.length) {\n val char = replacement[index++]\n if (char == '\\\\') {\n if (index == replacement.length)\n throw IllegalArgumentException(\"The Char to be escaped is missing\")\n\n result.append(replacement[index++])\n } else if (char == '$') {\n if (index == replacement.length)\n throw IllegalArgumentException(\"Capturing group index is missing\")\n\n if (replacement[index] == '{')\n throw IllegalArgumentException(\"Named capturing group reference currently is not supported\")\n\n if (replacement[index] !in '0'..'9')\n throw IllegalArgumentException(\"Invalid capturing group reference\")\n\n val endIndex = replacement.readGroupIndex(index, match.groupValues.size)\n val groupIndex = replacement.substring(index, endIndex).toInt()\n\n if (groupIndex >= match.groupValues.size)\n throw IndexOutOfBoundsException(\"Group with index $groupIndex does not exist\")\n\n result.append(match.groupValues[groupIndex])\n index = endIndex\n } else {\n result.append(char)\n }\n }\n return result.toString()\n}\n\nprivate fun String.readGroupIndex(startIndex: Int, groupCount: Int): Int {\n // at least one digit after '$' is always captured\n var index = startIndex + 1\n var groupIndex = this[startIndex] - '0'\n\n // capture the largest valid group index\n while (index < length && this[index] in '0'..'9') {\n val newGroupIndex = (groupIndex * 10) + (this[index] - '0')\n if (newGroupIndex in 0 until groupCount) {\n groupIndex = newGroupIndex\n index++\n } else {\n break\n }\n }\n return index\n}","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n@file:Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\")\n\npackage kotlin.text\n\nimport kotlin.contracts.*\n\n/**\n * A mutable sequence of characters.\n *\n * String builder can be used to efficiently perform multiple string manipulation operations.\n */\nexpect class StringBuilder : Appendable, CharSequence {\n /** Constructs an empty string builder. */\n constructor()\n\n /** Constructs an empty string builder with the specified initial [capacity]. */\n constructor(capacity: Int)\n\n /** Constructs a string builder that contains the same characters as the specified [content] char sequence. */\n constructor(content: CharSequence)\n\n /** Constructs a string builder that contains the same characters as the specified [content] string. */\n @SinceKotlin(\"1.3\")\n// @ExperimentalStdlibApi\n constructor(content: String)\n\n override val length: Int\n\n override operator fun get(index: Int): Char\n\n override fun subSequence(startIndex: Int, endIndex: Int): CharSequence\n\n override fun append(value: Char): StringBuilder\n override fun append(value: CharSequence?): StringBuilder\n override fun append(value: CharSequence?, startIndex: Int, endIndex: Int): StringBuilder\n\n /**\n * Reverses the contents of this string builder and returns this instance.\n *\n * Surrogate pairs included in this string builder are treated as single characters.\n * Therefore, the order of the high-low surrogates is never reversed.\n *\n * Note that the reverse operation may produce new surrogate pairs that were unpaired low-surrogates and high-surrogates before the operation.\n * For example, reversing `\"\\uDC00\\uD800\"` produces `\"\\uD800\\uDC00\"` which is a valid surrogate pair.\n */\n fun reverse(): StringBuilder\n\n /**\n * Appends the string representation of the specified object [value] to this string builder and returns this instance.\n *\n * The overall

effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n * and then that string was appended to this string builder.\n */\n fun append(value: Any?): StringBuilder\n\n /**\n * Appends the string representation of the specified boolean [value] to this string builder and returns this instance.\n *\n * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n * and then that string was appended to this string builder.\n */\n @SinceKotlin(\"1.3\")\n fun append(value: Boolean): StringBuilder\n\n /**\n * Appends characters in the specified character array [value] to this string builder and returns this instance.\n *\n * Characters are appended in order, starting at the index 0.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun append(value: CharArray): StringBuilder\n\n /**\n * Appends the
specified string [value] to this string builder and returns this instance.\n *\n * If [value] is `null`, then the four characters `\"null\"` are appended.\n */\n @SinceKotlin(\"1.3\")\n fun append(value: String?): StringBuilder\n\n /**\n * Returns the current capacity of this string builder.\n *\n * The capacity is the maximum length this string builder can have before an allocation occurs.\n */\n @SinceKotlin(\"1.3\")\n// @ExperimentalStdlibApi\n @Deprecated(\"Obtaining StringBuilder capacity is not supported in JS and common code.\", level = DeprecationLevel.ERROR)\n fun capacity(): Int\n\n /**\n * Ensures that the capacity of this string builder is at least equal to the specified [minimumCapacity].\n *\n * If the current capacity is less than the [minimumCapacity], a new backing storage is allocated with greater capacity.\n * Otherwise, this method takes no action and simply returns.\n */\n @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n fun ensureCapacity(minimumCapacity: Int)\n\n /**\n * Returns the index within this string builder of the first occurrence of the specified [string].\n *\n * Returns `-1` if the specified [string] does not occur in this string builder.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun indexOf(string: String): Int\n\n /**\n * Returns the index within this string builder of the first occurrence of the specified [string],\n * starting at the specified [startIndex].\n *\n * Returns `-1` if the specified [string] does not occur in this string builder starting at the specified [startIndex].\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun indexOf(string: String, startIndex: Int): Int\n\n /**\n * Returns the index within this string builder of the last occurrence of the specified [string].\n *
The last occurrence of empty string `\"\"` is considered to be at the index equal to `this.length`.\n *\n * Returns `-1` if the specified [string] does not occur in this string builder.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun lastIndexOf(string: String): Int\n\n /**\n * Returns the index within this string builder of the last occurrence of the specified [string],\n * starting from the specified [startIndex] toward the beginning.\n *\n * Returns `-1` if the specified [string] does not occur in this string builder starting at the specified [startIndex].\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun lastIndexOf(string: String, startIndex: Int): Int\n\n /**\n * Inserts the string representation of the specified boolean [value] into this string builder at the specified [index] and returns this instance.\n *\n * The overall effect is exactly as
if the [value] were converted to a string by the `value.toString()` method,\n * and then that string was inserted into this string builder at the specified [index].\n *\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value: Boolean): StringBuilder\n\n /**\n * Inserts the specified character [value] into this string builder at the specified [index] and returns this instance.\n *\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value: Char): StringBuilder\n\n /**\n * Inserts characters in the specified character array [value] into this string builder at the specified [index] and returns this
instance.\n *\n * The inserted characters go in same order as in the [value] character array, starting at [index].\n *\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun

insert(index: Int, value: CharArray): StringBuilder\n\n   /**\n   * Inserts characters in the specified character sequence [value] into this string builder at the specified [index] and returns this instance.\n   *\n   * The inserted characters go in the same order as in the [value] character sequence, starting at [index].\n   *\n   * @param index the position in this string builder to insert at.\n   * @param value the character sequence from which characters are inserted. If [value] is `null`, then the four characters `\"null\"` are inserted.\n   *\n   * @throws IndexOutOfBoundsException if [index] is less than zero or greater
than the length of this string builder.\n   */\n   @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n   fun insert(index: Int, value: CharSequence?): StringBuilder\n\n   /**\n   * Inserts the string representation of the specified object [value] into this string builder at the specified [index] and returns this instance.\n   *\n   * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n   * and then that string was inserted into this string builder at the specified [index].\n   *\n   * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n   */\n   @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n   fun insert(index: Int, value: Any?): StringBuilder\n\n   /**\n
* Inserts the string [value] into this string builder at the specified [index] and returns this instance.\n   *\n   * If [value]
is `null`, then the four characters `\"null\"` are inserted.\n   *\n   * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n   */\n   @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n   fun insert(index: Int, value: String?): StringBuilder\n\n
/**\n   * Sets the length of this string builder to the specified [newLength].\n   *\n   * If the [newLength] is less than the current length, it is changed to the specified [newLength].\n   * Otherwise, null characters '\\u0000' are appended to this string builder until its length is less than the [newLength].\n   *\n   * Note that in Kotlin/JS [set] operator function has non-constant execution time complexity.\n   * Therefore, increasing length of this string builder and then updating each character by index may slow down your program.\n   *\n   * @throws IndexOutOfBoundsException or [IllegalArgumentException] if [newLength]
is less than zero.\n   */\n   @SinceKotlin(\"1.4\")\n   @WasExperimental(ExperimentalStdlibApi::class)\n   fun setLength(newLength: Int)\n\n   /**\n   * Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [length] (exclusive).\n   *\n   * @throws IndexOutOfBoundsException if [startIndex] is less than zero or greater than the length of this string builder.\n   */\n   @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n   fun substring(startIndex: Int): String\n\n   /**\n   * Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [endIndex] (exclusive).\n   *\n   * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n   */\n
@SinceKotlin(\"1.4\")\n   @WasExperimental(ExperimentalStdlibApi::class)\n
    fun substring(startIndex: Int, endIndex: Int): String\n\n   /**\n   * Attempts to reduce storage used for this string builder.\n   *\n   * If the backing storage of this string builder is larger than necessary to hold its current contents,\n   * then it may be resized to become more space efficient.\n   * Calling this method may, but is not required to, affect the value of the [capacity] property.\n   */\n   @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n   fun trimToSize()\n}\n\n\n/**\n * Clears the content of this string builder making it empty and returns this instance.\n *\n * @sample samples.text.Strings.clearStringBuilder\n
*/\n@SinceKotlin(\"1.3\")\npublic expect fun StringBuilder.clear(): StringBuilder\n\n/**\n * Sets the character at the specified [index] to the specified [value].\n *\n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
 expect operator fun StringBuilder.set(index: Int, value: Char)\n\n/**\n * Replaces characters in the specified range of this string builder with characters in the specified string [value] and returns this instance.\n *\n * @param startIndex the beginning (inclusive) of the range to replace.\n * @param endIndex the end (exclusive) of the range to replace.\n * @param value the string to replace with.\n *\n * @throws IndexOutOfBoundsException or

[IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder, or `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun StringBuilder.setRange(startIndex: Int, endIndex: Int, value: String): StringBuilder\n\n/**\n * Removes the character at the specified [index] from this string builder and returns this instance.\n *\n * If the `Char` at the specified [index] is part of a supplementary code point, this method
does not remove the entire supplementary character.\n *\n * @param index the index of `Char` to remove.\n *\n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun StringBuilder.deleteAt(index: Int): StringBuilder\n\n/**\n * Removes characters in the specified range from this string builder and returns this instance.\n *\n * @param startIndex the beginning (inclusive) of the range to remove.\n * @param endIndex the end (exclusive) of the range to remove.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun StringBuilder.deleteRange(startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Copies characters from this string builder into the [destination]
character array.\n *\n * @param destination the array to copy to.\n * @param destinationOffset the position in the array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the range to copy, 0 by default.\n * @param endIndex the end (exclusive) of the range to copy, length of this string builder by default.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun StringBuilder.toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = this.length)\n\n/**\n * Appends characters in
a subarray of the specified character array [value] to this string builder and returns this instance.\n *\n * Characters are appended in order, starting at specified [startIndex].\n *\n * @param value the array from which characters are appended.\n * @param startIndex the beginning (inclusive) of the subarray to append.\n * @param endIndex the end (exclusive) of the subarray to append.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun StringBuilder.appendRange(value: CharArray, startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Appends a subsequence of the specified character sequence [value] to this string builder and returns this instance.\n *\n * @param value the character sequence from which a subsequence is appended.\n * @param startIndex the beginning
(inclusive) of the subsequence to append.\n * @param endIndex the end (exclusive) of the subsequence to append.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun StringBuilder.appendRange(value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Inserts characters in a subarray of the specified character array [value] into this string builder at the specified [index] and returns this instance.\n *\n * The inserted characters go in same order as in the [value] array, starting at [index].\n *\n * @param index the position in this string builder to insert at.\n * @param value the array from which characters are inserted.\n * @param startIndex the beginning (inclusive) of the subarray to insert.\n * @param endIndex the end (exclusive)
of the subarray to insert.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n * @throws

IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun StringBuilder.insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Inserts characters in a subsequence of the specified character sequence [value] into this string builder at the specified [index] and returns this instance.\n *\n * The inserted characters go in the same order as in the [value] character sequence, starting at [index].\n *\n * @param index the position in this string builder to insert at.\n * @param value the character sequence from which a subsequence is inserted.\n * @param startIndex the beginning (inclusive) of the subsequence to insert.\n * @param endIndex the end (exclusive) of the subsequence to insert.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun StringBuilder.insertRange(index: Int, value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder\n\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\")\n@Deprecated(\"Use append(value: Any?) instead\", ReplaceWith(\"append(value = obj)\"), DeprecationLevel.WARNING)\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.append(obj: Any?): StringBuilder = this.append(obj)\n\n/**\n * Builds new string by populating newly created [StringBuilder] using provided [builderAction]\n * and then converting it to [String].\n */\n@kotlin.internal.InlineOnly\npublic inline fun buildString(builderAction: StringBuilder.() -> Unit): String {\n   contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n   return StringBuilder().apply(builderAction).toString()\n}\n\n/**\n * Builds new string by populating newly created [StringBuilder] initialized with the given [capacity]\n * using provided [builderAction] and then converting it to [String].\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun buildString(capacity: Int, builderAction: StringBuilder.() -> Unit): String {\n   contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n   return StringBuilder(capacity).apply(builderAction).toString()\n}\n\n/**\n * Appends all arguments to the given StringBuilder.\n */\npublic fun StringBuilder.append(vararg value: String?): StringBuilder {\n   for (item in value)\n   append(item)\n   return this\n}\n\n/**\n * Appends all arguments to the given StringBuilder.\n */\npublic fun StringBuilder.append(vararg value: Any?): StringBuilder {\n   for (item in value)\n   append(item)\n   return this\n}\n\n/** Appends a line feed character (`\\n`) to this StringBuilder. */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(): StringBuilder = append('\\n')\n\n/** Appends [value] to this [StringBuilder], followed by a line feed character (`\\n`). */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(value: CharSequence?): StringBuilder = append(value).appendLine()\n\n/** Appends [value] to this [StringBuilder], followed by a line feed character (`\\n`). */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(value: String?): StringBuilder = append(value).appendLine()\n\n/** Appends [value] to this [StringBuilder], followed by a line feed character (`\\n`). */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(value: Any?): StringBuilder = append(value).appendLine()\n\n/** Appends [value] to this [StringBuilder], followed by a line feed character (`\\n`). */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(value: CharArray): StringBuilder = append(value).appendLine()\n\n/** Appends [value] to this [StringBuilder], followed by a line feed character (`\\n`). */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(value: Char): StringBuilder = append(value).appendLine()\n\n/** Appends [value] to this [StringBuilder], followed by a line feed character (`\\n`). */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(value: Boolean): StringBuilder = append(value).appendLine()\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source

code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeIndexOf(ch: Char, fromIndex: Int): Int = nativeIndexOf(ch.toString(), fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeLastIndexOf(ch: Char, fromIndex: Int): Int = nativeLastIndexOf(ch.toString(), fromIndex)\n\n/**\n * Returns `true` if this string starts with the specified prefix.\n */\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.startsWith(prefix: String, ignoreCase: Boolean = false): Boolean {\n if (!ignoreCase)\n return nativeStartsWith(prefix, 0)\n else\n return regionMatches(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if a substring of this string starting at the specified offset [startIndex] starts with the specified prefix.\n */\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.startsWith(prefix: String, startIndex: Int, ignoreCase: Boolean = false): Boolean {\n if (!ignoreCase)\n return nativeStartsWith(prefix, startIndex)\n else\n return regionMatches(startIndex, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this string ends with the specified suffix.\n */\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.endsWith(suffix: String, ignoreCase: Boolean = false): Boolean {\n if (!ignoreCase)\n return nativeEndsWith(suffix)\n else\n return regionMatches(length - suffix.length, suffix, 0, suffix.length, ignoreCase)\n}\n\n@Deprecated(\"Use Regex.matches() instead\", ReplaceWith(\"regex.toRegex().matches(this)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\npublic fun String.matches(regex: String): Boolean {\n @Suppress(\"DEPRECATION\")\n val result = this.match(regex)\n return result != null
&& result.size != 0\n}\n\n/**\n * Returns `true` if this string is empty or consists solely of whitespace characters.\n *\n * @sample samples.text.Strings.stringIsBlank\n */\npublic actual fun CharSequence.isBlank(): Boolean = length == 0 || indices.all { this[it].isWhitespace() }\n\n/**\n * Returns `true` if this string is equal to [other], optionally ignoring character case.\n *\n * Two strings are considered to be equal if they have the same length and the same character at the same index.\n * If [ignoreCase] is true, the result of `Char.uppercaseChar().lowercaseChar()` on each character is compared.\n *\n * @param ignoreCase `true` to ignore character case when comparing strings. By default `false`.\n */\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String?.equals(other: String?, ignoreCase: Boolean = false): Boolean {\n if (this == null) return other == null\n if (other == null) return false\n if (!ignoreCase) return this == other\n\n if (this.length != other.length) return false\n\n for (index in 0 until this.length) {\n val thisChar = this[index]\n val otherChar = other[index]\n if (!thisChar.equals(otherChar, ignoreCase)) {\n return false\n }\n }\n\n return true\n}\n\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun CharSequence.regionMatches(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int, ignoreCase: Boolean = false): Boolean =\n regionMatchesImpl(thisOffset, other, otherOffset, length, ignoreCase)\n\n\n/**\n * Returns a copy of this string having its first letter titlecased using the rules of the default locale,\n * or the original string if it's empty or already starts with a title case letter.\n *\n * The title case of a character is usually the same as its upper case with several exceptions.\n * The particular list of characters with the special title case form depends on the underlying platform.\n *\n * @sample samples.text.Strings.capitalize\n */\n@Deprecated(\"Use replaceFirstChar instead.\", ReplaceWith(\"replaceFirstChar { if (it.isLowerCase()) it.titlecase() else it.toString() }\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic actual fun String.capitalize(): String {\n return if (isNotEmpty()) substring(0, 1).uppercase() + substring(1) else this\n}\n\n/**\n * Returns a copy of this string having its first letter lowercased using the rules of the default locale,\n * or the original string if it's empty or already starts with a lower case letter.\n *\n * @sample samples.text.Strings.decapitalize\n */\n@Deprecated(\"Use replaceFirstChar instead.\", ReplaceWith(\"replaceFirstChar { it.lowercase() }\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic actual fun String.decapitalize(): String {\n return if (isNotEmpty()) substring(0, 1).lowercase() + substring(1) else this\n}\n\n/**\n * Returns a string containing this char sequence repeated [n] times.\n * @throws [IllegalArgumentException]

```
when n < 0.\n * @sample samples.text.Strings.repeat\n */\npublic actual fun CharSequence.repeat(n: Int): String {\n    require(n >= 0) { \"Count 'n' must be non-negative, but was $n.\" }\n    return when (n) {\n        0 -> \"\"\n        1 -> this.toString()\n        else -> {\n            var result = \"\"\n            if (!isEmpty()) {\n                var s = this.toString()\n                var count = n\n                while (true) {\n                    if ((count and 1) == 1) {\n                        result += s\n                    }\n                    count = count ushr 1\n                    if (count == 0) {\n                        break\n                    }\n                    s += s\n                }\n            }\n            return result\n        }\n    }\n}\n\n/**\n * Returns a new string obtained by replacing all occurrences of the [oldValue] substring in this string\n * with the specified [newValue] string.\n *\n * @sample samples.text.Strings.replace\n */\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.replace(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n    nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) \"gui\" else \"gu\"), Regex.nativeEscapeReplacement(newValue))\n\n/**\n * Returns a new string with all occurrences of [oldChar] replaced with [newChar].\n *\n * @sample samples.text.Strings.replace\n */\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n    nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) \"gui\" else \"gu\"), newChar.toString())\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.replaceFirst(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n    nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) \"ui\" else \"u\"), Regex.nativeEscapeReplacement(newValue))\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic
actual fun String.replaceFirst(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n    nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) \"ui\" else \"u\"), newChar.toString())\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/** Returns the negative [size] if [throwOnMalformed] is false, throws [CharacterCodingException] otherwise. */\nprivate fun malformed(size: Int, index: Int, throwOnMalformed: Boolean): Int {\n    if (throwOnMalformed) throw CharacterCodingException(\"Malformed sequence starting at ${index - 1}\")\n    return -size\n}\n\n/**\n * Returns code point corresponding to UTF-16 surrogate pair,\n * where the first of the pair is the [high] and the second
is in the [string] at the [index].\n * Returns zero if the pair is malformed and [throwOnMalformed] is false.\n *\n * @throws CharacterCodingException if the pair is malformed and [throwOnMalformed] is true.\n */\nprivate fun codePointFromSurrogate(string: String, high: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n    if (high !in 0xD800..0xDBFF || index >= endIndex) {\n        return malformed(0, index, throwOnMalformed)\n    }\n    val low = string[index].code\n    if (low !in 0xDC00..0xDFFF) {\n        return malformed(0, index, throwOnMalformed)\n    }\n    return 0x10000 + ((high and 0x3FF) shl 10) or (low and 0x3FF)\n}\n\n/**\n * Returns code point corresponding to UTF-8 sequence of two bytes,\n * where the first byte of the sequence is the [byte1] and the second byte is in the [bytes] array at the [index].\n * Returns zero if the sequence is malformed and [throwOnMalformed] is false.\n *\n * @throws CharacterCodingException if the sequence of two bytes is
malformed and [throwOnMalformed] is true.\n */\nprivate fun codePointFrom2(bytes: ByteArray, byte1: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n    if (byte1 and 0x1E == 0 || index >= endIndex) {\n        return malformed(0, index, throwOnMalformed)\n    }\n    val byte2 = bytes[index].toInt()\n    if (byte2 and 0xC0 != 0x80) {\n        return malformed(0, index, throwOnMalformed)\n    }\n    return (byte1 shl 6) xor byte2 xor 0xF80\n}\n\n/**\n * Returns code point corresponding to UTF-8 sequence of three bytes,\n * where the first byte of the sequence is the [byte1] and the others are in the [bytes] array starting from the [index].\n * Returns a non-positive value indicating number of bytes from [bytes] included in malformed sequence\n * if the sequence is malformed and [throwOnMalformed] is false.\n *\n * @throws CharacterCodingException if the sequence of three bytes is malformed and [throwOnMalformed] is true.\n */\nprivate fun codePointFrom3(bytes: ByteArray,
```

```
byte1: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n    if (index >= endIndex) {\n        return malformed(0, index, throwOnMalformed)\n    }\n\n    val byte2 = bytes[index].toInt()\n    if (byte1 and 0xF == 0) {\n        if (byte2 and 0xE0 != 0xA0) {\n            // Non-shortest form\n            return malformed(0, index, throwOnMalformed)\n        }\n    } else if (byte1 and 0xF == 0xD) {\n        if (byte2 and 0xE0 != 0x80) {\n            // Surrogate code point\n            return malformed(0, index, throwOnMalformed)\n        }\n    } else if (byte2 and 0xC0 != 0x80) {\n        return malformed(0, index, throwOnMalformed)\n    }\n\n    if (index + 1 == endIndex) {\n        return malformed(1, index, throwOnMalformed)\n    }\n    val byte3 = bytes[index + 1].toInt()\n    if (byte3 and 0xC0 != 0x80) {\n        return malformed(1, index, throwOnMalformed)\n    }\n\n    return (byte1 shl 12) xor (byte2 shl 6) xor byte3 xor -0x1E080\n}\n\n/**\n * Returns code point
 corresponding to UTF-8 sequence of four bytes,\n * where the first byte of the sequence is the [byte1] and the others are in the [bytes] array starting from the [index].\n * Returns a non-positive value indicating number of bytes from [bytes] included in malformed sequence\n * if the sequence is malformed and [throwOnMalformed] is false.\n *\n * @throws CharacterCodingException if the sequence of four bytes is malformed and [throwOnMalformed] is true.\n */\nprivate fun codePointFrom4(bytes: ByteArray, byte1: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n    if (index >= endIndex) {\n        malformed(0, index, throwOnMalformed)\n    }\n\n    val byte2 = bytes[index].toInt()\n    if (byte1 and 0xF == 0x0) {\n        if (byte2 and 0xF0 <= 0x80) {\n            // Non-shortest form\n            return malformed(0, index, throwOnMalformed)\n        }\n    } else if (byte1 and 0xF == 0x4) {\n        if (byte2 and 0xF0 != 0x80) {\n            // Out of Unicode code points
 domain (larger than U+10FFFF)\n            return malformed(0, index, throwOnMalformed)\n        }\n    } else if (byte1 and 0xF > 0x4) {\n        return malformed(0, index, throwOnMalformed)\n    } else if (byte2 and 0xC0 != 0x80) {\n        return malformed(0, index, throwOnMalformed)\n    }\n\n    if (index + 1 == endIndex) {\n        return malformed(1, index, throwOnMalformed)\n    }\n    val byte3 = bytes[index + 1].toInt()\n    if (byte3 and 0xC0 != 0x80) {\n        return malformed(1, index, throwOnMalformed)\n    }\n\n    if (index + 2 == endIndex) {\n        return malformed(2, index, throwOnMalformed)\n    }\n    val byte4 = bytes[index + 2].toInt()\n    if (byte4 and 0xC0 != 0x80) {\n        return malformed(2, index, throwOnMalformed)\n    }\n    return (byte1 shl 18) xor (byte2 shl 12) xor (byte3 shl 6) xor byte4 xor 0x381F80\n}\n\n/**\n * Maximum number of bytes needed to encode a single char.\n *\n * Code points in `0..0x7F` are encoded in a single byte.\n * Code
 points in `0x80..0x7FF` are encoded in two bytes.\n * Code points in `0x800..0xD7FF` or in `0xE000..0xFFFF` are encoded in three bytes.\n * Surrogate code points in `0xD800..0xDFFF` are not Unicode scalar values, therefore aren't encoded.\n * Code points in `0x10000..0x10FFFF` are represented by a pair of surrogate `Char`s and are encoded in four bytes.\n */\nprivate const val MAX_BYTES_PER_CHAR = 3\n\n/**\n * The byte sequence a malformed UTF-16 char sequence is replaced by.\n */\nprivate val REPLACEMENT_BYTE_SEQUENCE: ByteArray = byteArrayOf(0xEF.toByte(), 0xBF.toByte(), 0xBD.toByte())\n\n/**\n * Encodes the [string] using UTF-8 and returns the resulting [ByteArray].\n *\n * @param string the string to encode.\n * @param startIndex the start offset (inclusive) of the substring to encode.\n * @param endIndex the end offset (exclusive) of the substring to encode.\n * @param throwOnMalformed whether to throw on malformed char sequence or replace by the [REPLACEMENT_BYTE_SEQUENCE].\n *\n
 * @throws CharacterCodingException if the char sequence is malformed and [throwOnMalformed] is true.\n */\ninternal fun encodeUtf8(string: String, startIndex: Int, endIndex: Int, throwOnMalformed: Boolean): ByteArray {\n    require(startIndex >= 0 && endIndex <= string.length && startIndex <= endIndex)\n\n    val bytes = ByteArray((endIndex - startIndex) * MAX_BYTES_PER_CHAR)\n    var byteIndex = 0\n    var charIndex = startIndex\n\n    while (charIndex < endIndex) {\n        val code = string[charIndex++].code\n        when {\n            code < 0x80 ->\n                bytes[byteIndex++] = code.toByte()\n            code < 0x800 -> {\n                bytes[byteIndex++] = ((code shr 6) or 0xC0).toByte()\n                bytes[byteIndex++] = ((code and 0x3F) or 0x80).toByte()\n            }\n            code < 0xD800 || code >= 0xE000 -> {\n                bytes[byteIndex++] = ((code shr 12) or 0xE0).toByte()\n                bytes[byteIndex++] = (((code shr 6) and 0x3F) or 0x80).toByte()\n                bytes[byteIndex++] = ((code and 0x3F) or 0x80).toByte()\n            }\n            else -> { // Surrogate char value\n                val codePoint = codePointFromSurrogate(string, code, charIndex, endIndex,
```

```
throwOnMalformed)\n            if (codePoint <= 0) {\n                bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[0]\n                bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[1]\n                bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[2]\n            } else {\n                bytes[byteIndex++] = ((codePoint shr
18) or 0xF0).toByte()\n                bytes[byteIndex++] = (((codePoint shr 12) and 0x3F) or 0x80).toByte()\n
    bytes[byteIndex++] = (((codePoint shr 6) and 0x3F) or 0x80).toByte()\n                bytes[byteIndex++] =
((codePoint and 0x3F) or 0x80).toByte()\n                charIndex++\n            }\n        }\n    }\n\n
return if (bytes.size == byteIndex) bytes
 else bytes.copyOf(byteIndex)\n}\n\n/**\n * The character a malformed UTF-8 byte sequence is replaced by.\n
*/\nprivate const val REPLACEMENT_CHAR = '\\uFFFD'\n\n/**\n * Decodes the UTF-8 [bytes] array and returns
the resulting [String].\n *\n * @param bytes the byte array to decode.\n * @param startIndex the start offset
(inclusive) of the array to be decoded.\n * @param endIndex the end offset (exclusive) of the array to be encoded.\n
* @param throwOnMalformed whether to throw on malformed byte sequence or replace by the
[REPLACEMENT_CHAR].\n *\n * @throws CharacterCodingException if the array is malformed UTF-8 byte
sequence and [throwOnMalformed] is true.\n */\ninternal fun decodeUtf8(bytes: ByteArray, startIndex: Int,
endIndex: Int, throwOnMalformed: Boolean): String {\n    require(startIndex >= 0 && endIndex <= bytes.size &&
startIndex <= endIndex)\n\n    var byteIndex = startIndex\n    val stringBuilder = StringBuilder()\n\n    while
(byteIndex < endIndex) {\n        val byte
 = bytes[byteIndex++].toInt()\n        when {\n            byte >= 0 ->\n                stringBuilder.append(byte.toChar())\n
        byte shr 5 == -2 -> {\n                val code = codePointFrom2(bytes, byte, byteIndex, endIndex,
throwOnMalformed)\n                if (code <= 0) {\n                    stringBuilder.append(REPLACEMENT_CHAR)\n
            byteIndex += -code\n                } else {\n                    stringBuilder.append(code.toChar())\n
byteIndex += 1\n                }\n            }\n            byte shr 4 == -2 -> {\n                val code = codePointFrom3(bytes,
byte, byteIndex, endIndex, throwOnMalformed)\n                if (code <= 0) {\n
stringBuilder.append(REPLACEMENT_CHAR)\n                    byteIndex += -code\n                } else {\n
stringBuilder.append(code.toChar())\n                    byteIndex += 2\n                }\n            }\n            byte shr 3 == -2 -
> {\n
            val code = codePointFrom4(bytes, byte, byteIndex, endIndex, throwOnMalformed)\n                if (code <= 0)
{\n                    stringBuilder.append(REPLACEMENT_CHAR)\n                    byteIndex += -code\n                } else
{\n                    val high = (code - 0x10000) shr 10 or 0xD800\n                    val low = (code and 0x3FF) or
0xDC00\n                    stringBuilder.append(high.toChar())\n                    stringBuilder.append(low.toChar())\n
        byteIndex += 3\n                }\n            }\n            else -> {\n                malformed(0, byteIndex,
throwOnMalformed)\n                stringBuilder.append(REPLACEMENT_CHAR)\n            }\n        }\n    }\n\n
return stringBuilder.toString()\n}","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin\n\n/**\n
 * Returns the detailed description of this throwable with its stack trace.\n *\n * The detailed description includes:\n
* - the short description (see [Throwable.toString]) of this throwable;\n * - the complete stack trace;\n * - detailed
descriptions of the exceptions that were [suppressed][suppressedExceptions] in order to deliver this exception;\n * -
the detailed description of each throwable in the [Throwable.cause] chain.\n */\n@SinceKotlin(\"1.4\")\npublic
actual fun Throwable.stackTraceToString(): String = ExceptionTraceBuilder().buildFor(this)\n\n/**\n * Prints the
[detailed description][Throwable.stackTraceToString] of this throwable to console error output.\n
*/\n@SinceKotlin(\"1.4\")\npublic actual fun Throwable.printStackTrace() {\n
console.error(this.stackTraceToString())\n}\n\n/**\n * Adds the specified exception to the list of exceptions that
were\n * suppressed in order to deliver this exception.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun
Throwable.addSuppressed(exception:
 Throwable) {\n    if (this !== exception) {\n        val suppressed =
this.asDynamic()._suppressed.unsafeCast<MutableList<Throwable>?>()\n        if (suppressed == null) {\n
```

this.asDynamic()._suppressed = mutableListOf(exception)\n } else {\n suppressed.add(exception)\n }\n }\n}\n\n/**\n * Returns a list of all exceptions that were suppressed in order to deliver this exception.\n */\n@SinceKotlin(\"1.4\")\npublic actual val Throwable.suppressedExceptions: List<Throwable>\n get() {\n return this.asDynamic()._suppressed?.unsafeCast<List<Throwable>>() ?: emptyList()\n }\n\n\nprivate class ExceptionTraceBuilder {\n private val target = StringBuilder()\n private val visited = arrayOf<Throwable>()\n private var topStack: String = \"\"\n private var topStackStart: Int = 0\n\n fun buildFor(exception: Throwable): String {\n exception.dumpFullTrace(\"\", \"\")\n return target.toString()\n }\n\n private fun hasSeen(exception: Throwable): Boolean = visited.any { it === exception }\n\n private fun Throwable.dumpFullTrace(indent: String, qualifier: String) {\n this.dumpSelfTrace(indent, qualifier) || return\n\n var cause = this.cause\n while (cause != null) {\n cause.dumpSelfTrace(indent, \"Caused by: \") || return\n cause = cause.cause\n }\n }\n\n private fun Throwable.dumpSelfTrace(indent: String, qualifier: String): Boolean {\n target.append(indent).append(qualifier)\n val shortInfo = this.toString()\n if (hasSeen(this)) {\n target.append(\"[CIRCULAR REFERENCE, SEE ABOVE: \").append(shortInfo).append(\"]\\n\")\n return false\n }\n visited.asDynamic().push(this)\n\n var stack = this.asDynamic().stack as String?\n if (stack != null) {\n val stackStart = stack.indexOf(shortInfo).let { if (it < 0) 0 else it + shortInfo.length }\n if (stackStart == 0) target.append(shortInfo).append(\"\\n\")\n if (topStack.isEmpty()) {\n topStack = stack\n topStackStart = stackStart\n } else {\n stack = dropCommonFrames(stack, stackStart)\n }\n if (indent.isNotEmpty()) {\n // indent stack, but avoid indenting exception message lines\n val messageLines = if (stackStart == 0) 0 else 1 + shortInfo.count { c -> c == '\\n' }\n stack.lineSequence().forEachIndexed { index: Int, line: String ->\n if (index >= messageLines) target.append(indent)\n target.append(line).append(\"\\n\")\n }\n } else {\n target.append(stack).append(\"\\n\")\n }\n } else {\n target.append(shortInfo).append(\"\\n\")\n }\n\n val suppressed = suppressedExceptions\n if (suppressed.isNotEmpty()) {\n val suppressedIndent = indent + \" \"\n for (s in suppressed) {\n s.dumpFullTrace(suppressedIndent, \"Suppressed: \")\n }\n }\n return true\n }\n\n private fun dropCommonFrames(stack: String, stackStart: Int): String {\n var commonFrames: Int = 0\n var lastBreak: Int = 0\n var preLastBreak: Int = 0\n for (pos in 0 until minOf(topStack.length - topStackStart, stack.length - stackStart)) {\n val c = stack[stack.lastIndex - pos]\n if (c != topStack[topStack.lastIndex - pos]) break\n if (c == '\\n') {\n commonFrames += 1\n preLastBreak = lastBreak\n lastBreak = pos\n }\n }\n if (commonFrames <= 1) return stack\n while (preLastBreak > 0 && stack[stack.lastIndex - (preLastBreak - 1)] == ' ')\n preLastBreak -= 1\n\n // leave 1 common frame to ease matching with the top exception\n stack\n return stack.dropLast(preLastBreak) + \"... and ${commonFrames - 1} more common stack frames skipped\"\n }\n}","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport kotlin.js.json\nimport kotlin.math.*\n\ninternal actual inline val durationAssertionsEnabled: Boolean get() = true\n\ninternal actual fun formatToExactDecimals(value: Double, decimals: Int): String {\n val rounded = if (decimals == 0) {\n value\n } else {\n val pow = 10.0.pow(decimals)\n JsMath.round(abs(value) * pow) / pow * sign(value)\n }\n return if (abs(rounded) < 1e21) {\n // toFixed switches to scientific format after 1e21\n rounded.asDynamic().toFixed(decimals).unsafeCast<String>()\n } else {\n // toPrecision outputs the specified number of digits,\n but only for positive numbers\n val positive = abs(rounded)\n val positiveString = positive.asDynamic().toPrecision(ceil(log10(positive)) + decimals).unsafeCast<String>()\n if (rounded < 0) \"-$positiveString\" else positiveString\n }\n}\n\ninternal actual fun formatUpToDecimals(value: Double, decimals: Int): String {\n return value.asDynamic().toLocaleString(\"en-us\", json(\"maximumFractionDigits\" to

```
decimals)).unsafeCast<String>()\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalTime::class)\npublic actual enum class DurationUnit(internal val scale: Double) {\n    /**\n     * Time unit representing one nanosecond, which is 1/1000 of a microsecond.\n     */\n    NANOSECONDS(1e0),\n    /**\n     * Time unit representing one microsecond, which is 1/1000 of a millisecond.\n     */\n    MICROSECONDS(1e3),\n    /**\n     * Time unit representing one millisecond, which is 1/1000 of a second.\n     */\n    MILLISECONDS(1e6),\n    /**\n     * Time unit representing one second.\n     */\n    SECONDS(1e9),\n    /**\n     * Time unit representing one minute.\n     */\n    MINUTES(60e9),\n    /**\n     * Time unit representing one hour.\n     */\n    HOURS(3600e9),\n    /**\n     * Time unit representing one day, which is always equal to 24 hours.\n     */\n    DAYS(86400e9);\n}\n\n@SinceKotlin(\"1.3\")\ninternal actual fun convertDurationUnit(value: Double, sourceUnit: DurationUnit, targetUnit: DurationUnit): Double {\n    val sourceCompareTarget = sourceUnit.scale.compareTo(targetUnit.scale)\n    return when {\n        sourceCompareTarget > 0 -> value * (sourceUnit.scale / targetUnit.scale)\n        sourceCompareTarget < 0 -> value / (targetUnit.scale / sourceUnit.scale)\n        else -> value\n    }\n}\n\n@SinceKotlin(\"1.5\")\ninternal actual fun convertDurationUnitOverflow(value: Long, sourceUnit: DurationUnit, targetUnit: DurationUnit): Long {\n    val sourceCompareTarget = sourceUnit.scale.compareTo(targetUnit.scale)\n    return when {\n        sourceCompareTarget > 0 -> value * (sourceUnit.scale / targetUnit.scale).toLong()\n        sourceCompareTarget < 0 -> value / (targetUnit.scale / sourceUnit.scale).toLong()\n        else -> value\n    }\n}\n\n@SinceKotlin(\"1.5\")\ninternal actual fun convertDurationUnit(value: Long, sourceUnit: DurationUnit, targetUnit: DurationUnit): Long {\n    val sourceCompareTarget = sourceUnit.scale.compareTo(targetUnit.scale)\n    return when {\n        sourceCompareTarget > 0 -> {\n            val scale = (sourceUnit.scale / targetUnit.scale).toLong()\n            val result = value * scale\n            when {\n                result / scale == value -> result\n                value > 0 -> Long.MAX_VALUE\n                else -> Long.MIN_VALUE\n            }\n        }\n        sourceCompareTarget < 0 -> value / (targetUnit.scale / sourceUnit.scale).toLong()\n        else -> value\n    }\n}\n\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport org.w3c.performance.GlobalPerformance\nimport org.w3c.performance.Performance\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\ninternal actual object MonotonicTimeSource : TimeSource {\n\n    private val actualSource: TimeSource = run {\n        val isNode: Boolean = js(\"typeof process !== 'undefined' && process.versions && !!process.versions.node\")\n\n        if (isNode)\n            HrTimeSource(js(\"process\").unsafeCast<Process>())\n        else\n            js(\"self\").unsafeCast<GlobalPerformance?>()?.performance?.let(::PerformanceTimeSource)\n                ?: DateNowTimeSource\n\n    }\n\n    override fun markNow(): TimeMark = actualSource.markNow()\n}\n\ninternal external interface Process {\n    fun hrtime(time: Array<Double> = definedExternally): Array<Double>\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\ninternal class HrTimeSource(val process: Process) : TimeSource {\n\n    override fun markNow(): TimeMark = object : TimeMark() {\n        val startedAt = process.hrtime()\n        override fun elapsedNow(): Duration =\n            process.hrtime(startedAt).let { (seconds, nanos) -> seconds.toDuration(DurationUnit.SECONDS) + nanos.toDuration(DurationUnit.NANOSECONDS) }\n    }\n\n    override fun toString(): String = \"TimeSource(process.hrtime())\"\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\ninternal class PerformanceTimeSource(val performance: Performance) : AbstractDoubleTimeSource(unit = DurationUnit.MILLISECONDS) {\n    override fun read(): Double = performance.now()\n    override fun toString(): String = \"TimeSource(self.performance.now())\"\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\ninternal
```

```
 object DateNowTimeSource : AbstractDoubleTimeSource(unit = DurationUnit.MILLISECONDS) {\n    override fun read(): Double = kotlin.js.Date.now()\n    override fun toString(): String = \"TimeSource(Date.now())\"\n}","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlinx.dom\n\nimport org.w3c.dom.*\nimport kotlin.contracts.*\n\n/**\n * Creates a new element with the specified [name].\n *\n * The element is initialized with the specified [init] function.\n */\n@SinceKotlin(\"1.4\")\npublic fun Document.createElement(name: String, init: Element.() -> Unit): Element {\n  contract { callsInPlace(init, InvocationKind.EXACTLY_ONCE) }\n    return createElement(name).apply(init)\n}\n\n/**\n * Appends a newly created element with the specified [name] to this element.\n
 *\n * The element is initialized with the specified [init] function.\n */\n@SinceKotlin(\"1.4\")\npublic fun Element.appendElement(name: String, init: Element.() -> Unit): Element {\n    contract { callsInPlace(init, InvocationKind.EXACTLY_ONCE) }\n    return ownerDocument!!.createElement(name, init).also { appendChild(it) }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlinx.dom\n\nimport org.w3c.dom.*\n\n/** Returns true if the element has the given CSS class style in its 'class' attribute */\n@SinceKotlin(\"1.4\")\nfun Element.hasClass(cssClass: String): Boolean = className.matches(\"\"\"(^|.*\\s+)$cssClass($|\\s+.*)\"\"\".toRegex())\n\n/**\n * Adds CSS class to element. Has no effect if all specified classes are already in class attribute of the element\n *\n * @return true if at least one class has
 been added\n */\n@SinceKotlin(\"1.4\")\nfun Element.addClass(vararg cssClasses: String): Boolean {\n    val missingClasses = cssClasses.filterNot { hasClass(it) }\n    if (missingClasses.isNotEmpty()) {\n        val presentClasses = className.trim()\n        className = buildString {\n            append(presentClasses)\n            if (!presentClasses.isEmpty()) {\n                append(\" \")\n            }\n            missingClasses.joinTo(this, \" \")\n        }\n        return true\n    }\n\n    return false\n}\n\n/**\n * Removes all [cssClasses] from element. Has no effect if all specified classes are missing in class attribute of the element\n *\n * @return true if at least one class has been removed\n */\n@SinceKotlin(\"1.4\")\nfun Element.removeClass(vararg cssClasses: String): Boolean {\n    if (cssClasses.any { hasClass(it) }) {\n        val toBeRemoved = cssClasses.toSet()\n        className = className.trim().split(\"\\\\s+\".toRegex()).filter { it !in toBeRemoved }.joinToString(\"
 \")\n        return true\n    }\n\n    return false\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\n/**\n * Converts the string into a regular expression [Regex] with the default options.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.toRegex(): Regex = Regex(this)\n\n/**\n * Converts the string into a regular expression [Regex] with the specified single [option].\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.toRegex(option: RegexOption): Regex = Regex(this, option)\n\n/**\n * Converts the string into a regular expression [Regex] with the specified set of [options].\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.toRegex(options: Set<RegexOption>): Regex = Regex(this,
 options)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlinx.dom\n\nimport org.w3c.dom.*\n\n/**\n * Gets a value indicating whether this node is a TEXT_NODE or a CDATA_SECTION_NODE.\n */\n@SinceKotlin(\"1.4\")\npublic val Node.isText: Boolean\n    get() = nodeType == Node.TEXT_NODE || nodeType == Node.CDATA_SECTION_NODE\n\n/**\n * Gets a value indicating whether this node is an [Element].\n */\n@SinceKotlin(\"1.4\")\npublic val Node.isElement: Boolean\n    get() = nodeType == Node.ELEMENT_NODE\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlinx.dom\n\nimport org.w3c.dom.*\n\n/** Removes all
```

the children from this node. */\n@SinceKotlin(\"1.4\")\npublic
fun Node.clear() {\n while (hasChildNodes()) {\n removeChild(firstChild!!)\n }\n}\n\n/**\n * Creates text node and append it to the element.\n *\n * @return this element\n */\n@SinceKotlin(\"1.4\")\nfun Element.appendText(text: String): Element {\n appendChild(ownerDocument!!.createTextNode(text))\n return this\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage org.w3c.dom\n\n@Deprecated(\"Use UnionMessagePortOrWindowProxy instead.\", ReplaceWith(\"UnionMessagePortOrWindowProxy\"))\ntypealias UnionMessagePortOrWindow = UnionMessagePortOrWindowProxy\n\n@Deprecated(\"Use `as` instead.\", ReplaceWith(\"`as`\"))\nvar HTMLLinkElement.as_\n get() = `as`\n set(value) {\n `as` = value\n }\n\n@Deprecated(\"Use `is` instead.\", ReplaceWith(\"`is`\"))\nvar
ElementCreationOptions.is_\n get() = `is`\n set(value) {\n `is` = value\n }","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.khronos.webgl\n\nimport kotlin.js.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\npublic external interface WebGLContextAttributes {\n var alpha: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var depth: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var stencil: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var antialias: Boolean? /* = true */\n get() = definedExternally\n set(value)
= definedExternally\n var premultipliedAlpha: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var preserveDrawingBuffer: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var preferLowPowerToHighPerformance: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var failIfMajorPerformanceCaveat: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun WebGLContextAttributes(alpha: Boolean? = true, depth: Boolean? = true, stencil: Boolean? = false, antialias: Boolean? = true, premultipliedAlpha: Boolean? = true, preserveDrawingBuffer: Boolean? = false, preferLowPowerToHighPerformance: Boolean? = false, failIfMajorPerformanceCaveat: Boolean? = false): WebGLContextAttributes {\n
val o = js(\"({})\")\n o[\"alpha\"] = alpha\n o[\"depth\"] = depth\n o[\"stencil\"] = stencil\n o[\"antialias\"] = antialias\n o[\"premultipliedAlpha\"] = premultipliedAlpha\n o[\"preserveDrawingBuffer\"] = preserveDrawingBuffer\n o[\"preferLowPowerToHighPerformance\"] = preferLowPowerToHighPerformance\n o[\"failIfMajorPerformanceCaveat\"] = failIfMajorPerformanceCaveat\n return o\n}\n\npublic external abstract class WebGLObject\n\n/**\n * Exposes the JavaScript [WebGLBuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLBuffer) to Kotlin\n */\npublic external abstract class WebGLBuffer : WebGLObject\n\n/**\n * Exposes the JavaScript [WebGLFramebuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLFramebuffer) to Kotlin\n */\npublic external abstract class WebGLFramebuffer : WebGLObject\n\n/**\n * Exposes the JavaScript [WebGLProgram](https://developer.mozilla.org/en/docs/Web/API/WebGLProgram) to Kotlin\n */\npublic external abstract class WebGLProgram
: WebGLObject\n\n/**\n * Exposes the JavaScript [WebGLRenderbuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderbuffer) to Kotlin\n */\npublic external abstract class WebGLRenderbuffer : WebGLObject\n\n/**\n * Exposes the JavaScript [WebGLShader](https://developer.mozilla.org/en/docs/Web/API/WebGLShader) to Kotlin\n */\npublic external abstract class WebGLShader : WebGLObject\n\n/**\n * Exposes the JavaScript [WebGLTexture](https://developer.mozilla.org/en/docs/Web/API/WebGLTexture) to Kotlin\n */\npublic external abstract class WebGLTexture : WebGLObject\n\n/**\n * Exposes the JavaScript

[WebGLUniformLocation](https://developer.mozilla.org/en/docs/Web/API/WebGLUniformLocation) to Kotlin\n */\npublic external abstract class WebGLUniformLocation\n\n/**\n * Exposes the JavaScript [WebGLActiveInfo](https://developer.mozilla.org/en/docs/Web/API/WebGLActiveInfo) to Kotlin\n */\npublic external abstract class WebGLActiveInfo {\n open val size: Int\n open val type: Int\n open val name: String\n}\n\n/**\n * Exposes the JavaScript [WebGLShaderPrecisionFormat](https://developer.mozilla.org/en/docs/Web/API/WebGLShaderPrecisionFormat) to Kotlin\n */\npublic external abstract class WebGLShaderPrecisionFormat {\n open val rangeMin: Int\n open val rangeMax: Int\n open val precision: Int\n}\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface WebGLRenderingContextBase {\n val canvas: HTMLCanvasElement\n val drawingBufferWidth: Int\n val drawingBufferHeight: Int\n fun getContextAttributes(): WebGLContextAttributes?\n fun isContextLost(): Boolean\n fun getSupportedExtensions(): Array<String>?\n fun getExtension(name: String): dynamic\n fun activeTexture(texture: Int)\n fun attachShader(program: WebGLProgram?, shader: WebGLShader?)\n fun bindAttribLocation(program: WebGLProgram?, index: Int, name: String)\n fun bindBuffer(target: Int, buffer: WebGLBuffer?)\n fun bindFramebuffer(target: Int, framebuffer: WebGLFramebuffer?)\n fun bindRenderbuffer(target: Int, renderbuffer: WebGLRenderbuffer?)\n fun bindTexture(target: Int, texture: WebGLTexture?)\n fun blendColor(red: Float, green: Float, blue: Float, alpha: Float)\n fun blendEquation(mode: Int)\n fun blendEquationSeparate(modeRGB: Int, modeAlpha: Int)\n fun blendFunc(sfactor: Int, dfactor: Int)\n fun blendFuncSeparate(srcRGB: Int, dstRGB: Int, srcAlpha: Int, dstAlpha: Int)\n fun bufferData(target: Int, size: Int, usage: Int)\n fun bufferData(target: Int, data: BufferDataSource?, usage: Int)\n fun bufferSubData(target: Int, offset: Int, data: BufferDataSource?)\n fun checkFramebufferStatus(target: Int): Int\n fun clear(mask: Int)\n fun clearColor(red: Float, green: Float, blue: Float, alpha: Float)\n fun clearDepth(depth: Float)\n fun clearStencil(s: Int)\n fun colorMask(red: Boolean, green: Boolean, blue: Boolean, alpha: Boolean)\n fun compileShader(shader: WebGLShader?)\n fun compressedTexImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, data: ArrayBufferView)\n fun compressedTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int, format: Int, data: ArrayBufferView)\n fun copyTexImage2D(target: Int, level: Int, internalformat: Int, x: Int, y: Int, width: Int, height: Int, border: Int)\n fun copyTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, x: Int, y: Int, width: Int, height: Int)\n fun createBuffer(): WebGLBuffer?\n fun createFramebuffer(): WebGLFramebuffer?\n fun createProgram(): WebGLProgram?\n fun createRenderbuffer(): WebGLRenderbuffer?\n fun createShader(type: Int): WebGLShader?\n fun createTexture(): WebGLTexture?\n fun cullFace(mode: Int)\n fun deleteBuffer(buffer: WebGLBuffer?)\n fun deleteFramebuffer(framebuffer: WebGLFramebuffer?)\n fun deleteProgram(program: WebGLProgram?)\n fun deleteRenderbuffer(renderbuffer: WebGLRenderbuffer?)\n fun deleteShader(shader: WebGLShader?)\n fun deleteTexture(texture: WebGLTexture?)\n fun depthFunc(func: Int)\n fun depthMask(flag: Boolean)\n fun depthRange(zNear: Float, zFar: Float)\n fun detachShader(program: WebGLProgram?, shader: WebGLShader?)\n fun disable(cap: Int)\n fun disableVertexAttribArray(index: Int)\n fun drawArrays(mode: Int, first: Int, count: Int)\n fun drawElements(mode: Int, count: Int, type: Int, offset: Int)\n fun enable(cap: Int)\n fun enableVertexAttribArray(index: Int)\n fun finish()\n fun flush()\n fun framebufferRenderbuffer(target: Int, attachment: Int, renderbuffertarget: Int, renderbuffer: WebGLRenderbuffer?)\n fun framebufferTexture2D(target: Int, attachment: Int, textarget: Int, texture: WebGLTexture?, level: Int)\n fun frontFace(mode: Int)\n fun generateMipmap(target: Int)\n fun getActiveAttrib(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n fun getActiveUniform(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n fun getAttachedShaders(program: WebGLProgram?): Array<WebGLShader>?\n fun getAttribLocation(program: WebGLProgram?, name: String): Int\n fun getBufferParameter(target: Int, pname: Int): Any?\n fun getParameter(pname: Int): Any?\n fun getError(): Int\n fun getFramebufferAttachmentParameter(target: Int, attachment: Int, pname: Int): Any?\n fun getProgramParameter(program: WebGLProgram?, pname: Int): Any?\n fun getProgramInfoLog(program:

WebGLProgram?): String?\n fun getRenderbufferParameter(target: Int, pname: Int): Any?\n fun getShaderParameter(shader: WebGLShader?, pname: Int): Any?\n fun getShaderPrecisionFormat(shadertype: Int, precisiontype: Int): WebGLShaderPrecisionFormat?\n fun getShaderInfoLog(shader: WebGLShader?): String?\n fun getShaderSource(shader: WebGLShader?): String?\n fun getTexParameter(target: Int, pname: Int): Any?\n fun getUniform(program: WebGLProgram?,
location: WebGLUniformLocation?): Any?\n fun getUniformLocation(program: WebGLProgram?, name: String): WebGLUniformLocation?\n fun getVertexAttrib(index: Int, pname: Int): Any?\n fun getVertexAttribOffset(index: Int, pname: Int): Int\n fun hint(target: Int, mode: Int)\n fun isBuffer(buffer: WebGLBuffer?): Boolean\n fun isEnabled(cap: Int): Boolean\n fun isFramebuffer(framebuffer: WebGLFramebuffer?): Boolean\n fun isProgram(program: WebGLProgram?): Boolean\n fun isRenderbuffer(renderbuffer: WebGLRenderbuffer?): Boolean\n fun isShader(shader: WebGLShader?): Boolean\n fun isTexture(texture: WebGLTexture?): Boolean\n fun lineWidth(width: Float)\n fun linkProgram(program: WebGLProgram?)\n fun pixelStorei(pname: Int, param: Int)\n fun polygonOffset(factor: Float, units: Float)\n fun readPixels(x: Int, y: Int, width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?)\n fun renderbufferStorage(target: Int, internalformat: Int,
width: Int, height: Int)\n fun sampleCoverage(value: Float, invert: Boolean)\n fun scissor(x: Int, y: Int, width: Int, height: Int)\n fun shaderSource(shader: WebGLShader?, source: String)\n fun stencilFunc(func: Int, ref: Int, mask: Int)\n fun stencilFuncSeparate(face: Int, func: Int, ref: Int, mask: Int)\n fun stencilMask(mask: Int)\n fun stencilMaskSeparate(face: Int, mask: Int)\n fun stencilOp(fail: Int, zfail: Int, zpass: Int)\n fun stencilOpSeparate(face: Int, fail: Int, zfail: Int, zpass: Int)\n fun texImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, format: Int, type: Int, pixels: ArrayBufferView?)\n fun texImage2D(target: Int, level: Int, internalformat: Int, format: Int, type: Int, source: TexImageSource?)\n fun texParameterf(target: Int, pname: Int, param: Float)\n fun texParameteri(target: Int, pname: Int, param: Int)\n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int,
width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?)\n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, format: Int, type: Int, source: TexImageSource?)\n fun uniform1f(location: WebGLUniformLocation?, x: Float)\n fun uniform1fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform1fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun uniform1i(location: WebGLUniformLocation?, x: Int)\n fun uniform1iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform1iv(location: WebGLUniformLocation?, v: Array<Int>)\n fun uniform2f(location: WebGLUniformLocation?, x: Float, y: Float)\n fun uniform2fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform2fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun uniform2i(location: WebGLUniformLocation?, x: Int, y: Int)\n fun uniform2iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform2iv(location: WebGLUniformLocation?,
v: Array<Int>)\n fun uniform3f(location: WebGLUniformLocation?, x: Float, y: Float, z: Float)\n fun uniform3fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform3fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun uniform3i(location: WebGLUniformLocation?, x: Int, y: Int, z: Int)\n fun uniform3iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform3iv(location: WebGLUniformLocation?, v: Array<Int>)\n fun uniform4f(location: WebGLUniformLocation?, x: Float, y: Float, z: Float, w: Float)\n fun uniform4fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform4fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun uniform4i(location: WebGLUniformLocation?, x: Int, y: Int, z: Int, w: Int)\n fun uniform4iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform4iv(location: WebGLUniformLocation?, v: Array<Int>)\n fun uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun

uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun useProgram(program: WebGLProgram?)\n fun validateProgram(program: WebGLProgram?)\n fun vertexAttrib1f(index: Int, x: Float)\n fun vertexAttrib1fv(index: Int, values: dynamic)\n fun vertexAttrib2f(index: Int, x: Float, y: Float)\n fun vertexAttrib2fv(index: Int, values: dynamic)\n fun vertexAttrib3f(index: Int, x: Float, y: Float, z: Float)\n fun vertexAttrib3fv(index: Int, values: dynamic)\n fun vertexAttrib4f(index: Int, x: Float, y: Float, z: Float, w: Float)\n

fun vertexAttrib4fv(index: Int, values: dynamic)\n fun vertexAttribPointer(index: Int, size: Int, type: Int, normalized: Boolean, stride: Int, offset: Int)\n fun viewport(x: Int, y: Int, width: Int, height: Int)\n\n companion object {\n val DEPTH_BUFFER_BIT: Int\n val STENCIL_BUFFER_BIT: Int\n val COLOR_BUFFER_BIT: Int\n val POINTS: Int\n val LINES: Int\n val LINE_LOOP: Int\n val LINE_STRIP: Int\n val TRIANGLES: Int\n val TRIANGLE_STRIP: Int\n val TRIANGLE_FAN: Int\n val ZERO: Int\n val ONE: Int\n val SRC_COLOR: Int\n val ONE_MINUS_SRC_COLOR: Int\n val SRC_ALPHA: Int\n val ONE_MINUS_SRC_ALPHA: Int\n val DST_ALPHA: Int\n val ONE_MINUS_DST_ALPHA: Int\n val DST_COLOR: Int\n val ONE_MINUS_DST_COLOR: Int\n val SRC_ALPHA_SATURATE: Int\n val FUNC_ADD: Int\n val BLEND_EQUATION: Int\n val BLEND_EQUATION_RGB: Int\n

val BLEND_EQUATION_ALPHA: Int\n val FUNC_SUBTRACT: Int\n val FUNC_REVERSE_SUBTRACT: Int\n val BLEND_DST_RGB: Int\n val BLEND_SRC_RGB: Int\n val BLEND_DST_ALPHA: Int\n val BLEND_SRC_ALPHA: Int\n val CONSTANT_COLOR: Int\n val ONE_MINUS_CONSTANT_COLOR: Int\n val CONSTANT_ALPHA: Int\n val ONE_MINUS_CONSTANT_ALPHA: Int\n val BLEND_COLOR: Int\n val ARRAY_BUFFER: Int\n val ELEMENT_ARRAY_BUFFER: Int\n val ARRAY_BUFFER_BINDING: Int\n val ELEMENT_ARRAY_BUFFER_BINDING: Int\n val STREAM_DRAW: Int\n val STATIC_DRAW: Int\n

val DYNAMIC_DRAW: Int\n val BUFFER_SIZE: Int\n val BUFFER_USAGE: Int\n val CURRENT_VERTEX_ATTRIB: Int\n val FRONT: Int\n val BACK: Int\n val FRONT_AND_BACK: Int\n val CULL_FACE: Int\n val BLEND: Int\n val DITHER: Int\n val STENCIL_TEST: Int\n val DEPTH_TEST: Int\n val

SCISSOR_TEST: Int\n val POLYGON_OFFSET_FILL: Int\n val SAMPLE_ALPHA_TO_COVERAGE: Int\n val SAMPLE_COVERAGE: Int\n val NO_ERROR: Int\n val INVALID_ENUM: Int\n val INVALID_VALUE: Int\n val INVALID_OPERATION: Int\n val OUT_OF_MEMORY: Int\n val CW: Int\n val CCW: Int\n val LINE_WIDTH: Int\n val ALIASED_POINT_SIZE_RANGE: Int\n val ALIASED_LINE_WIDTH_RANGE: Int\n val CULL_FACE_MODE: Int\n val FRONT_FACE: Int\n val DEPTH_RANGE: Int\n val DEPTH_WRITEMASK: Int\n val DEPTH_CLEAR_VALUE: Int\n val DEPTH_FUNC: Int\n val STENCIL_CLEAR_VALUE: Int\n val STENCIL_FUNC: Int\n val STENCIL_FAIL: Int\n val STENCIL_PASS_DEPTH_FAIL: Int\n val STENCIL_PASS_DEPTH_PASS: Int\n val STENCIL_REF: Int\n val STENCIL_VALUE_MASK: Int\n val STENCIL_WRITEMASK: Int\n val STENCIL_BACK_FUNC: Int\n val STENCIL_BACK_FAIL: Int\n

val STENCIL_BACK_PASS_DEPTH_FAIL: Int\n val STENCIL_BACK_PASS_DEPTH_PASS: Int\n val STENCIL_BACK_REF: Int\n val STENCIL_BACK_VALUE_MASK: Int\n val STENCIL_BACK_WRITEMASK: Int\n val VIEWPORT: Int\n val SCISSOR_BOX: Int\n val COLOR_CLEAR_VALUE: Int\n val COLOR_WRITEMASK: Int\n val UNPACK_ALIGNMENT: Int\n val PACK_ALIGNMENT: Int\n val MAX_TEXTURE_SIZE: Int\n val MAX_VIEWPORT_DIMS: Int\n val SUBPIXEL_BITS: Int\n val RED_BITS: Int\n val GREEN_BITS: Int\n val BLUE_BITS: Int\n val ALPHA_BITS: Int\n val DEPTH_BITS: Int\n val STENCIL_BITS: Int\n val POLYGON_OFFSET_UNITS: Int\n val POLYGON_OFFSET_FACTOR: Int\n val TEXTURE_BINDING_2D: Int\n val SAMPLE_BUFFERS: Int\n val SAMPLES: Int\n val SAMPLE_COVERAGE_VALUE: Int\n val SAMPLE_COVERAGE_INVERT: Int\n val COMPRESSED_TEXTURE_FORMATS: Int\n val DONT_CARE:

Int\n val FASTEST: Int\n val NICEST: Int\n val GENERATE_MIPMAP_HINT: Int\n val BYTE: Int\n val UNSIGNED_BYTE: Int\n val SHORT: Int\n val UNSIGNED_SHORT: Int\n val INT: Int\n val UNSIGNED_INT: Int\n val FLOAT: Int\n val DEPTH_COMPONENT: Int\n val ALPHA: Int\n val RGB: Int\n val RGBA: Int\n val LUMINANCE: Int\n val LUMINANCE_ALPHA: Int\n val UNSIGNED_SHORT_4_4_4_4: Int\n val UNSIGNED_SHORT_5_5_5_1: Int\n val UNSIGNED_SHORT_5_6_5: Int\n val FRAGMENT_SHADER: Int\n val VERTEX_SHADER: Int\n val MAX_VERTEX_ATTRIBS: Int\n val MAX_VERTEX_UNIFORM_VECTORS: Int\n val MAX_VARYING_VECTORS: Int\n val MAX_COMBINED_TEXTURE_IMAGE_UNITS: Int\n val MAX_VERTEX_TEXTURE_IMAGE_UNITS: Int\n val MAX_TEXTURE_IMAGE_UNITS: Int\n val MAX_FRAGMENT_UNIFORM_VECTORS: Int\n val SHADER_TYPE: Int\n val DELETE_STATUS: Int\n val LINK_STATUS: Int\n val VALIDATE_STATUS: Int\n val ATTACHED_SHADERS: Int\n val ACTIVE_UNIFORMS: Int\n val ACTIVE_ATTRIBUTES: Int\n val SHADING_LANGUAGE_VERSION: Int\n val CURRENT_PROGRAM: Int\n val NEVER: Int\n val LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n val DECR: Int\n val INVERT: Int\n val INCR_WRAP: Int\n val DECR_WRAP: Int\n val VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n val LINEAR: Int\n val NEAREST_MIPMAP_NEAREST: Int\n val LINEAR_MIPMAP_NEAREST: Int\n val NEAREST_MIPMAP_LINEAR: Int\n val LINEAR_MIPMAP_LINEAR: Int\n val TEXTURE_MAG_FILTER: Int\n val TEXTURE_MIN_FILTER: Int\n val TEXTURE_WRAP_S: Int\n val TEXTURE_WRAP_T: Int\n val TEXTURE_2D: Int\n val TEXTURE: Int\n val TEXTURE_CUBE_MAP: Int\n val TEXTURE_BINDING_CUBE_MAP: Int\n val TEXTURE_CUBE_MAP_POSITIVE_X: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_X: Int\n val TEXTURE_CUBE_MAP_POSITIVE_Y: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Y: Int\n val TEXTURE_CUBE_MAP_POSITIVE_Z: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Z: Int\n val MAX_CUBE_MAP_TEXTURE_SIZE: Int\n val TEXTURE0: Int\n val TEXTURE1: Int\n val TEXTURE2: Int\n val TEXTURE3: Int\n val TEXTURE4: Int\n val TEXTURE5: Int\n val TEXTURE6: Int\n val TEXTURE7: Int\n val TEXTURE8: Int\n val TEXTURE9: Int\n val TEXTURE10: Int\n val TEXTURE11: Int\n val TEXTURE12: Int\n val TEXTURE13: Int\n val TEXTURE14: Int\n val TEXTURE15: Int\n val TEXTURE16: Int\n val TEXTURE17: Int\n val TEXTURE18: Int\n val TEXTURE19: Int\n val TEXTURE20: Int\n val TEXTURE21: Int\n val TEXTURE22: Int\n val TEXTURE23: Int\n val TEXTURE24: Int\n val TEXTURE25: Int\n val TEXTURE26: Int\n val TEXTURE27: Int\n val TEXTURE28: Int\n val TEXTURE29: Int\n val TEXTURE30: Int\n val TEXTURE31: Int\n val ACTIVE_TEXTURE: Int\n val REPEAT: Int\n val CLAMP_TO_EDGE: Int\n val MIRRORED_REPEAT: Int\n val FLOAT_VEC2: Int\n val FLOAT_VEC3: Int\n val FLOAT_VEC4: Int\n val INT_VEC2: Int\n val INT_VEC3: Int\n val INT_VEC4: Int\n val BOOL: Int\n val BOOL_VEC2: Int\n val BOOL_VEC3: Int\n val BOOL_VEC4: Int\n val FLOAT_MAT2: Int\n val FLOAT_MAT3: Int\n val FLOAT_MAT4: Int\n val SAMPLER_2D: Int\n val SAMPLER_CUBE: Int\n val VERTEX_ATTRIB_ARRAY_ENABLED: Int\n val VERTEX_ATTRIB_ARRAY_SIZE: Int\n val VERTEX_ATTRIB_ARRAY_STRIDE: Int\n val VERTEX_ATTRIB_ARRAY_TYPE: Int\n val VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\n val VERTEX_ATTRIB_ARRAY_POINTER: Int\n val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING: Int\n val IMPLEMENTATION_COLOR_READ_TYPE: Int\n val IMPLEMENTATION_COLOR_READ_FORMAT: Int\n val COMPILE_STATUS: Int\n val LOW_FLOAT: Int\n val MEDIUM_FLOAT: Int\n val HIGH_FLOAT: Int\n val LOW_INT: Int\n val MEDIUM_INT: Int\n val HIGH_INT: Int\n val FRAMEBUFFER: Int\n val RENDERBUFFER:

Int\n val RGBA4: Int\n val RGB5_A1: Int\n val RGB565: Int\n val DEPTH_COMPONENT16: Int\n val STENCIL_INDEX: Int\n val STENCIL_INDEX8: Int\n val DEPTH_STENCIL: Int\n val RENDERBUFFER_WIDTH: Int\n val RENDERBUFFER_HEIGHT: Int\n val RENDERBUFFER_INTERNAL_FORMAT: Int\n val RENDERBUFFER_RED_SIZE: Int\n val RENDERBUFFER_GREEN_SIZE: Int\n val RENDERBUFFER_BLUE_SIZE: Int\n val RENDERBUFFER_ALPHA_SIZE: Int\n val RENDERBUFFER_DEPTH_SIZE: Int\n val RENDERBUFFER_STENCIL_SIZE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\n val COLOR_ATTACHMENT0: Int\n val DEPTH_ATTACHMENT: Int\n val STENCIL_ATTACHMENT: Int\n val DEPTH_STENCIL_ATTACHMENT: Int\n val NONE: Int\n val FRAMEBUFFER_COMPLETE: Int\n val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n val FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT: Int\n val FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n val FRAMEBUFFER_UNSUPPORTED: Int\n val FRAMEBUFFER_BINDING: Int\n val RENDERBUFFER_BINDING: Int\n val MAX_RENDERBUFFER_SIZE: Int\n val INVALID_FRAMEBUFFER_OPERATION: Int\n val UNPACK_FLIP_Y_WEBGL: Int\n val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n val CONTEXT_LOST_WEBGL: Int\n val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n val BROWSER_DEFAULT_WEBGL: Int\n }\n}\n\n/**\n * Exposes the JavaScript [WebGLRenderingContext](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderingContext) to Kotlin\n */\npublic external abstract class WebGLRenderingContext : WebGLRenderingContextBase, RenderingContext {\n companion object {\n val DEPTH_BUFFER_BIT: Int\n val STENCIL_BUFFER_BIT: Int\n val COLOR_BUFFER_BIT: Int\n val POINTS: Int\n val LINES: Int\n val LINE_LOOP: Int\n val LINE_STRIP: Int\n val TRIANGLES: Int\n val TRIANGLE_STRIP: Int\n val TRIANGLE_FAN: Int\n val ZERO: Int\n val ONE: Int\n val SRC_COLOR: Int\n val ONE_MINUS_SRC_COLOR: Int\n val SRC_ALPHA: Int\n val ONE_MINUS_SRC_ALPHA: Int\n val DST_ALPHA: Int\n val ONE_MINUS_DST_ALPHA: Int\n val DST_COLOR: Int\n val ONE_MINUS_DST_COLOR: Int\n val SRC_ALPHA_SATURATE: Int\n val FUNC_ADD: Int\n val BLEND_EQUATION: Int\n val BLEND_EQUATION_RGB: Int\n val BLEND_EQUATION_ALPHA: Int\n val FUNC_SUBTRACT: Int\n val FUNC_REVERSE_SUBTRACT: Int\n val BLEND_DST_RGB: Int\n val BLEND_SRC_RGB: Int\n val BLEND_DST_ALPHA: Int\n val BLEND_SRC_ALPHA: Int\n val CONSTANT_COLOR: Int\n val ONE_MINUS_CONSTANT_COLOR: Int\n val CONSTANT_ALPHA: Int\n val ONE_MINUS_CONSTANT_ALPHA: Int\n val BLEND_COLOR: Int\n val ARRAY_BUFFER: Int\n val ELEMENT_ARRAY_BUFFER: Int\n val ARRAY_BUFFER_BINDING: Int\n val ELEMENT_ARRAY_BUFFER_BINDING: Int\n val STREAM_DRAW: Int\n val STATIC_DRAW: Int\n val DYNAMIC_DRAW: Int\n val BUFFER_SIZE: Int\n val BUFFER_USAGE: Int\n val CURRENT_VERTEX_ATTRIB: Int\n val FRONT: Int\n val BACK: Int\n val FRONT_AND_BACK: Int\n val CULL_FACE: Int\n val BLEND: Int\n val DITHER: Int\n val STENCIL_TEST: Int\n val DEPTH_TEST: Int\n val SCISSOR_TEST: Int\n val POLYGON_OFFSET_FILL: Int\n val SAMPLE_ALPHA_TO_COVERAGE: Int\n val SAMPLE_COVERAGE: Int\n val NO_ERROR: Int\n val INVALID_ENUM: Int\n val INVALID_VALUE: Int\n val INVALID_OPERATION: Int\n val OUT_OF_MEMORY: Int\n val CW: Int\n val CCW: Int\n val LINE_WIDTH: Int\n val ALIASED_POINT_SIZE_RANGE: Int\n val ALIASED_LINE_WIDTH_RANGE: Int\n val CULL_FACE_MODE: Int\n val FRONT_FACE: Int\n val DEPTH_RANGE: Int\n val DEPTH_WRITEMASK: Int\n val DEPTH_CLEAR_VALUE: Int\n val DEPTH_FUNC: Int\n val STENCIL_CLEAR_VALUE: Int\n val STENCIL_FUNC: Int\n val

STENCIL_FAIL:
Int\n val STENCIL_PASS_DEPTH_FAIL: Int\n val STENCIL_PASS_DEPTH_PASS: Int\n val STENCIL_REF: Int\n val STENCIL_VALUE_MASK: Int\n val STENCIL_WRITEMASK: Int\n val STENCIL_BACK_FUNC: Int\n val STENCIL_BACK_FAIL: Int\n val STENCIL_BACK_PASS_DEPTH_FAIL: Int\n val STENCIL_BACK_PASS_DEPTH_PASS: Int\n val STENCIL_BACK_REF: Int\n val STENCIL_BACK_VALUE_MASK: Int\n val STENCIL_BACK_WRITEMASK: Int\n val VIEWPORT: Int\n val SCISSOR_BOX: Int\n val COLOR_CLEAR_VALUE: Int\n val COLOR_WRITEMASK: Int\n val UNPACK_ALIGNMENT: Int\n val PACK_ALIGNMENT: Int\n val MAX_TEXTURE_SIZE: Int\n val MAX_VIEWPORT_DIMS: Int\n val SUBPIXEL_BITS: Int\n val RED_BITS: Int\n val GREEN_BITS: Int\n val BLUE_BITS: Int\n val ALPHA_BITS: Int\n val DEPTH_BITS: Int\n val STENCIL_BITS: Int\n val POLYGON_OFFSET_UNITS: Int\n
val POLYGON_OFFSET_FACTOR: Int\n val TEXTURE_BINDING_2D: Int\n val SAMPLE_BUFFERS: Int\n val SAMPLES: Int\n val SAMPLE_COVERAGE_VALUE: Int\n val SAMPLE_COVERAGE_INVERT: Int\n val COMPRESSED_TEXTURE_FORMATS: Int\n val DONT_CARE: Int\n val FASTEST: Int\n val NICEST: Int\n val GENERATE_MIPMAP_HINT: Int\n
val BYTE: Int\n val UNSIGNED_BYTE: Int\n val SHORT: Int\n val UNSIGNED_SHORT: Int\n val INT: Int\n val UNSIGNED_INT: Int\n val FLOAT: Int\n val DEPTH_COMPONENT: Int\n val ALPHA: Int\n val RGB: Int\n val RGBA: Int\n val LUMINANCE: Int\n val LUMINANCE_ALPHA: Int\n val UNSIGNED_SHORT_4_4_4_4: Int\n val UNSIGNED_SHORT_5_5_5_1: Int\n val UNSIGNED_SHORT_5_6_5: Int\n val FRAGMENT_SHADER: Int\n val VERTEX_SHADER: Int\n val MAX_VERTEX_ATTRIBS: Int\n val MAX_VERTEX_UNIFORM_VECTORS: Int\n
val MAX_VARYING_VECTORS: Int\n val MAX_COMBINED_TEXTURE_IMAGE_UNITS: Int\n val MAX_VERTEX_TEXTURE_IMAGE_UNITS: Int\n val MAX_TEXTURE_IMAGE_UNITS: Int\n val MAX_FRAGMENT_UNIFORM_VECTORS: Int\n val SHADER_TYPE: Int\n val DELETE_STATUS: Int\n val LINK_STATUS: Int\n val VALIDATE_STATUS: Int\n val ATTACHED_SHADERS: Int\n val ACTIVE_UNIFORMS: Int\n val ACTIVE_ATTRIBUTES: Int\n val SHADING_LANGUAGE_VERSION: Int\n val CURRENT_PROGRAM: Int\n val NEVER: Int\n val LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n val DECR: Int\n val INVERT: Int\n val INCR_WRAP: Int\n val DECR_WRAP: Int\n val VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n val LINEAR: Int\n val NEAREST_MIPMAP_NEAREST: Int\n val LINEAR_MIPMAP_NEAREST: Int\n val NEAREST_MIPMAP_LINEAR: Int\n val LINEAR_MIPMAP_LINEAR: Int\n val TEXTURE_MAG_FILTER: Int\n val TEXTURE_MIN_FILTER: Int\n val TEXTURE_WRAP_S: Int\n val TEXTURE_WRAP_T: Int\n val TEXTURE_2D: Int\n val TEXTURE: Int\n val TEXTURE_CUBE_MAP: Int\n val TEXTURE_BINDING_CUBE_MAP: Int\n val TEXTURE_CUBE_MAP_POSITIVE_X: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_X: Int\n val TEXTURE_CUBE_MAP_POSITIVE_Y: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Y: Int\n val TEXTURE_CUBE_MAP_POSITIVE_Z: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Z: Int\n val MAX_CUBE_MAP_TEXTURE_SIZE: Int\n val TEXTURE0: Int\n val TEXTURE1: Int\n val TEXTURE2: Int\n val TEXTURE3: Int\n val TEXTURE4: Int\n val TEXTURE5: Int\n val TEXTURE6: Int\n val TEXTURE7:
Int\n val TEXTURE8: Int\n val TEXTURE9: Int\n val TEXTURE10: Int\n val TEXTURE11: Int\n val TEXTURE12: Int\n val TEXTURE13: Int\n val TEXTURE14: Int\n val TEXTURE15: Int\n val TEXTURE16: Int\n val TEXTURE17: Int\n val TEXTURE18: Int\n val TEXTURE19: Int\n val TEXTURE20: Int\n val TEXTURE21: Int\n val TEXTURE22: Int\n val TEXTURE23:

Int\n val TEXTURE24: Int\n val TEXTURE25: Int\n val TEXTURE26: Int\n val TEXTURE27: Int\n val TEXTURE28: Int\n val TEXTURE29: Int\n val TEXTURE30: Int\n val TEXTURE31: Int\n val ACTIVE_TEXTURE: Int\n val REPEAT: Int\n val CLAMP_TO_EDGE: Int\n val MIRRORED_REPEAT: Int\n val FLOAT_VEC2: Int\n val FLOAT_VEC3: Int\n val FLOAT_VEC4: Int\n val INT_VEC2: Int\n val INT_VEC3: Int\n val INT_VEC4: Int\n val BOOL: Int\n val BOOL_VEC2: Int\n val BOOL_VEC3: Int\n val BOOL_VEC4: Int\n val FLOAT_MAT2: Int\n val FLOAT_MAT3: Int\n val FLOAT_MAT4: Int\n val SAMPLER_2D: Int\n val SAMPLER_CUBE: Int\n val VERTEX_ATTRIB_ARRAY_ENABLED: Int\n val VERTEX_ATTRIB_ARRAY_SIZE: Int\n val VERTEX_ATTRIB_ARRAY_STRIDE: Int\n val VERTEX_ATTRIB_ARRAY_TYPE: Int\n val VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\n val VERTEX_ATTRIB_ARRAY_POINTER: Int\n val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING: Int\n val IMPLEMENTATION_COLOR_READ_TYPE: Int\n val IMPLEMENTATION_COLOR_READ_FORMAT: Int\n val COMPILE_STATUS: Int\n val LOW_FLOAT: Int\n val MEDIUM_FLOAT: Int\n val HIGH_FLOAT: Int\n val LOW_INT: Int\n val MEDIUM_INT: Int\n val HIGH_INT: Int\n val FRAMEBUFFER: Int\n val RENDERBUFFER: Int\n val RGBA4: Int\n val RGB5_A1: Int\n val RGB565: Int\n val DEPTH_COMPONENT16: Int\n val STENCIL_INDEX: Int\n val STENCIL_INDEX8: Int\n val DEPTH_STENCIL: Int\n val RENDERBUFFER_WIDTH: Int\n val RENDERBUFFER_HEIGHT: Int\n val RENDERBUFFER_INTERNAL_FORMAT: Int\n val RENDERBUFFER_RED_SIZE: Int\n val RENDERBUFFER_GREEN_SIZE: Int\n val RENDERBUFFER_BLUE_SIZE: Int\n val RENDERBUFFER_ALPHA_SIZE: Int\n val RENDERBUFFER_DEPTH_SIZE: Int\n val RENDERBUFFER_STENCIL_SIZE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\n val COLOR_ATTACHMENT0: Int\n val DEPTH_ATTACHMENT: Int\n val STENCIL_ATTACHMENT: Int\n val DEPTH_STENCIL_ATTACHMENT: Int\n val NONE: Int\n val FRAMEBUFFER_COMPLETE: Int\n val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n val FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT: Int\n val FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n val FRAMEBUFFER_UNSUPPORTED: Int\n val FRAMEBUFFER_BINDING: Int\n val RENDERBUFFER_BINDING: Int\n val MAX_RENDERBUFFER_SIZE: Int\n val INVALID_FRAMEBUFFER_OPERATION: Int\n val UNPACK_FLIP_Y_WEBGL: Int\n val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n val CONTEXT_LOST_WEBGL: Int\n val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n val BROWSER_DEFAULT_WEBGL: Int\n }\n}\n\n/**\n * Exposes the JavaScript [WebGLContextEvent](https://developer.mozilla.org/en/docs/Web/API/WebGLContextEvent) to Kotlin\n */\npublic external open class WebGLContextEvent(type: String, eventInit: WebGLContextEventInit = definedExternally) : Event {\n open val statusMessage: String\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface WebGLContextEventInit : EventInit {\n var statusMessage: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun WebGLContextEventInit(statusMessage: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): WebGLContextEventInit {\n val o = js(\"({})\")\n o[\"statusMessage\"] = statusMessage\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript

[ArrayBuffer](https://developer.mozilla.org/en/docs/Web/API/ArrayBuffer) to Kotlin\n */\npublic external open class ArrayBuffer(length: Int) : BufferDataSource {\n   open val byteLength: Int\n   fun slice(begin: Int, end: Int = definedExternally): ArrayBuffer\n\n   companion object {\n   fun isView(value: Any?): Boolean\n   }\n}\n\n/**\n
 * Exposes the JavaScript [ArrayBufferView](https://developer.mozilla.org/en/docs/Web/API/ArrayBufferView) to Kotlin\n */\npublic external interface ArrayBufferView : BufferDataSource {\n   val buffer: ArrayBuffer\n   val byteOffset: Int\n   val byteLength: Int\n}\n\n/**\n * Exposes the JavaScript [Int8Array](https://developer.mozilla.org/en/docs/Web/API/Int8Array) to Kotlin\n */\npublic external open class Int8Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Int8Array)\n   constructor(array: Array<Byte>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Int8Array, offset: Int = definedExternally)\n   fun set(array: Array<Byte>, offset: Int = definedExternally)\n   fun subarray(start: Int, end: Int): Int8Array\n\n   companion object {\n
        val BYTES_PER_ELEMENT: Int\n   }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int8Array.get(index: Int): Byte = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int8Array.set(index: Int, value: Byte) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [Uint8Array](https://developer.mozilla.org/en/docs/Web/API/Uint8Array) to Kotlin\n */\npublic external open class Uint8Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Uint8Array)\n   constructor(array: Array<Byte>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Uint8Array, offset: Int = definedExternally)\n   fun set(array: Array<Byte>, offset: Int = definedExternally)\n   fun subarray(start: Int, end: Int): Uint8Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint8Array.get(index: Int): Byte = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint8Array.set(index: Int, value: Byte) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [Uint8ClampedArray](https://developer.mozilla.org/en/docs/Web/API/Uint8ClampedArray) to Kotlin\n */\npublic external open class Uint8ClampedArray : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Uint8ClampedArray)\n   constructor(array: Array<Byte>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Uint8ClampedArray, offset: Int = definedExternally)\n   fun set(array: Array<Byte>, offset: Int = definedExternally)\n   fun subarray(start: Int, end: Int): Uint8ClampedArray\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint8ClampedArray.get(index: Int): Byte = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint8ClampedArray.set(index: Int, value: Byte) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [Int16Array](https://developer.mozilla.org/en/docs/Web/API/Int16Array) to Kotlin\n */\npublic external open class Int16Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Int16Array)\n   constructor(array: Array<Short>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n

override val byteLength: Int\n   fun set(array: Int16Array, offset: Int = definedExternally)\n   fun set(array: Array<Short>, offset: Int = definedExternally)\n   fun subarray(start: Int, end: Int): Int16Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int16Array.get(index: Int): Short = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int16Array.set(index: Int, value: Short) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [Uint16Array](https://developer.mozilla.org/en/docs/Web/API/Uint16Array) to Kotlin\n */\npublic external open class Uint16Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Uint16Array)\n   constructor(array: Array<Short>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Uint16Array, offset: Int = definedExternally)\n   fun set(array: Array<Short>, offset: Int = definedExternally)\n   fun subarray(start: Int, end: Int): Uint16Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint16Array.get(index: Int): Short = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint16Array.set(index: Int, value: Short) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [Int32Array](https://developer.mozilla.org/en/docs/Web/API/Int32Array) to Kotlin\n */\npublic external open class Int32Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Int32Array)\n   constructor(array: Array<Int>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Int32Array, offset: Int = definedExternally)\n   fun set(array: Array<Int>, offset: Int = definedExternally)\n   fun subarray(start: Int, end: Int): Int32Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int32Array.get(index: Int): Int = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int32Array.set(index: Int, value: Int) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [Uint32Array](https://developer.mozilla.org/en/docs/Web/API/Uint32Array) to Kotlin\n */\npublic external open class Uint32Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Uint32Array)\n   constructor(array: Array<Int>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Uint32Array, offset: Int = definedExternally)\n   fun set(array: Array<Int>, offset: Int = definedExternally)\n   fun subarray(start: Int, end: Int): Uint32Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint32Array.get(index: Int): Int = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint32Array.set(index: Int, value: Int) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [Float32Array](https://developer.mozilla.org/en/docs/Web/API/Float32Array) to Kotlin\n */\npublic external open class Float32Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Float32Array)\n   constructor(array: Array<Float>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Float32Array, offset: Int = definedExternally)\n   fun

set(array: Array<Float>, offset: Int = definedExternally)\n   fun subarray(start: Int, end: Int): Float32Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n}\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float32Array.get(index: Int): Float = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float32Array.set(index: Int, value: Float) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [Float64Array](https://developer.mozilla.org/en/docs/Web/API/Float64Array) to Kotlin\n */\npublic external open class Float64Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Float64Array)\n   constructor(array: Array<Double>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Float64Array, offset: Int = definedExternally)\n   fun set(array: Array<Double>, offset: Int = definedExternally)\n   fun subarray(start: Int, end: Int): Float64Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float64Array.get(index: Int): Double = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float64Array.set(index: Int, value: Double) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [DataView](https://developer.mozilla.org/en/docs/Web/API/DataView) to Kotlin\n */\npublic external open class DataView(buffer: ArrayBuffer, byteOffset: Int = definedExternally, byteLength: Int = definedExternally) : ArrayBufferView {\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun getInt8(byteOffset: Int): Byte\n   fun getUint8(byteOffset: Int): Byte\n   fun getInt16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short\n   fun getUint16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short\n   fun getInt32(byteOffset: Int, littleEndian: Boolean = definedExternally): Int\n   fun getUint32(byteOffset: Int, littleEndian: Boolean = definedExternally): Int\n   fun getFloat32(byteOffset: Int, littleEndian: Boolean = definedExternally): Float\n   fun getFloat64(byteOffset: Int, littleEndian: Boolean = definedExternally): Double\n   fun setInt8(byteOffset: Int, value: Byte)\n   fun setUint8(byteOffset: Int, value: Byte)\n   fun setInt16(byteOffset: Int, value: Short, littleEndian: Boolean = definedExternally)\n   fun setUint16(byteOffset: Int, value: Short, littleEndian: Boolean = definedExternally)\n   fun setInt32(byteOffset: Int, value: Int, littleEndian: Boolean = definedExternally)\n   fun setUint32(byteOffset: Int, value: Int, littleEndian: Boolean = definedExternally)\n   fun setFloat32(byteOffset: Int, value: Float, littleEndian: Boolean = definedExternally)\n   fun setFloat64(byteOffset: Int, value: Double, littleEndian: Boolean = definedExternally)\n}\n\npublic external interface BufferDataSource\n\npublic external interface TexImageSource","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.clipboard\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\npublic external interface ClipboardEventInit : EventInit {\n   var clipboardData: DataTransfer? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ClipboardEventInit(clipboardData: DataTransfer? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ClipboardEventInit {\n   val o = js(\"({})\")\n   o[\"clipboardData\"] = clipboardData\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [ClipboardEvent](https://developer.mozilla.org/en/docs/Web/API/ClipboardEvent) to Kotlin\n */\npublic external

open class ClipboardEvent(type: String, eventInitDict: ClipboardEventInit = definedExternally) : Event {\n   open val clipboardData: DataTransfer?\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [Clipboard](https://developer.mozilla.org/en/docs/Web/API/Clipboard) to Kotlin\n */\npublic external abstract class Clipboard : EventTarget {\n   fun read(): Promise<DataTransfer>\n   fun readText(): Promise<String>\n   fun write(data: DataTransfer): Promise<Unit>\n   fun writeText(data: String): Promise<Unit>\n}\n\npublic external interface ClipboardPermissionDescriptor {\n   var allowWithoutGesture: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ClipboardPermissionDescriptor(allowWithoutGesture: Boolean? = false): ClipboardPermissionDescriptor {\n   val o = js(\"({})\")\n   o[\"allowWithoutGesture\"] = allowWithoutGesture\n   return o\n}","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.css\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\n\npublic external abstract class MediaList : ItemArrayLike<String> {\n   open var mediaText: String\n   fun appendMedium(medium: String)\n   fun deleteMedium(medium: String)\n   override fun item(index: Int): String?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun MediaList.get(index: Int): String? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [StyleSheet](https://developer.mozilla.org/en/docs/Web/API/StyleSheet) to Kotlin\n */\npublic external abstract class StyleSheet {\n   open val type: String\n   open val href: String?\n   open val ownerNode: UnionElementOrProcessingInstruction?\n   open val parentStyleSheet: StyleSheet?\n   open val title: String?\n   open val media: MediaList\n   open var disabled: Boolean\n}\n\n/**\n * Exposes the JavaScript [CSSStyleSheet](https://developer.mozilla.org/en/docs/Web/API/CSSStyleSheet) to Kotlin\n */\npublic external abstract class CSSStyleSheet : StyleSheet {\n   open val ownerRule: CSSRule?\n   open val cssRules: CSSRuleList\n   fun insertRule(rule: String, index: Int): Int\n   fun deleteRule(index: Int)\n}\n\n/**\n * Exposes the JavaScript [StyleSheetList](https://developer.mozilla.org/en/docs/Web/API/StyleSheetList) to Kotlin\n */\npublic external abstract class StyleSheetList : ItemArrayLike<StyleSheet> {\n   override fun item(index: Int): StyleSheet?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun StyleSheetList.get(index: Int): StyleSheet? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [LinkStyle](https://developer.mozilla.org/en/docs/Web/API/LinkStyle) to Kotlin\n */\npublic external interface LinkStyle {\n   val sheet: StyleSheet?\n   get() = definedExternally\n}\n\n/**\n * Exposes the JavaScript [CSSRuleList](https://developer.mozilla.org/en/docs/Web/API/CSSRuleList) to Kotlin\n */\npublic external abstract class CSSRuleList : ItemArrayLike<CSSRule> {\n   override fun item(index: Int): CSSRule?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun CSSRuleList.get(index: Int): CSSRule? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [CSSRule](https://developer.mozilla.org/en/docs/Web/API/CSSRule) to Kotlin\n */\npublic external abstract class CSSRule {\n   open val type: Short\n   open var cssText: String\n   open val parentRule: CSSRule?\n   open val parentStyleSheet: CSSStyleSheet?\n\n   companion object {\n   val STYLE_RULE: Short\n   val CHARSET_RULE: Short\n   val IMPORT_RULE: Short\n   val MEDIA_RULE: Short\n   val FONT_FACE_RULE: Short\n   val PAGE_RULE: Short\n   val MARGIN_RULE: Short\n   val NAMESPACE_RULE: Short\n   }\n}\n\n/**\n * Exposes the JavaScript

[CSSStyleRule](https://developer.mozilla.org/en/docs/Web/API/CSSStyleRule)
to Kotlin\n */\npublic external abstract class CSSStyleRule : CSSRule {\n open var selectorText: String\n open val style: CSSStyleDeclaration\n\n companion object {\n val STYLE_RULE: Short\n val CHARSET_RULE: Short\n val IMPORT_RULE: Short\n val MEDIA_RULE: Short\n val FONT_FACE_RULE: Short\n val PAGE_RULE: Short\n val MARGIN_RULE: Short\n val NAMESPACE_RULE: Short\n }\n}\n\npublic external abstract class CSSImportRule : CSSRule {\n open val href: String\n open val media: MediaList\n open val styleSheet: CSSStyleSheet\n\n companion object {\n val STYLE_RULE: Short\n val CHARSET_RULE: Short\n val IMPORT_RULE: Short\n val MEDIA_RULE: Short\n val FONT_FACE_RULE: Short\n val PAGE_RULE: Short\n val MARGIN_RULE: Short\n val NAMESPACE_RULE: Short\n }\n}\n\n/**\n * Exposes the JavaScript [CSSGroupingRule](https://developer.mozilla.org/en/docs/Web/API/CSSGroupingRule)
to Kotlin\n */\npublic external abstract class CSSGroupingRule : CSSRule {\n open val cssRules: CSSRuleList\n fun insertRule(rule: String, index: Int): Int\n fun deleteRule(index: Int)\n\n companion object {\n val STYLE_RULE: Short\n val CHARSET_RULE: Short\n val IMPORT_RULE: Short\n val MEDIA_RULE: Short\n val FONT_FACE_RULE: Short\n val PAGE_RULE: Short\n val MARGIN_RULE: Short\n val NAMESPACE_RULE: Short\n }\n}\n\n/**\n * Exposes the JavaScript [CSSMediaRule](https://developer.mozilla.org/en/docs/Web/API/CSSMediaRule) to Kotlin\n */\npublic external abstract class CSSMediaRule : CSSGroupingRule {\n open val media: MediaList\n\n companion object {\n val STYLE_RULE: Short\n val CHARSET_RULE: Short\n val IMPORT_RULE: Short\n val MEDIA_RULE: Short\n val FONT_FACE_RULE: Short\n val PAGE_RULE: Short\n val MARGIN_RULE: Short\n val NAMESPACE_RULE: Short\n }\n}\n\n/**\n * Exposes the JavaScript [CSSPageRule](https://developer.mozilla.org/en/docs/Web/API/CSSPageRule) to Kotlin\n */\npublic external abstract class CSSPageRule : CSSGroupingRule {\n open var selectorText: String\n open val style: CSSStyleDeclaration\n\n companion object {\n val STYLE_RULE: Short\n val CHARSET_RULE: Short\n val IMPORT_RULE: Short\n val MEDIA_RULE: Short\n val FONT_FACE_RULE: Short\n val PAGE_RULE: Short\n val MARGIN_RULE: Short\n val NAMESPACE_RULE: Short\n }\n}\n\npublic external abstract class CSSMarginRule : CSSRule {\n open val name: String\n open val style: CSSStyleDeclaration\n\n companion object {\n val STYLE_RULE: Short\n val CHARSET_RULE: Short\n val IMPORT_RULE: Short\n val MEDIA_RULE: Short\n val FONT_FACE_RULE: Short\n val PAGE_RULE: Short\n val MARGIN_RULE:
Short\n val NAMESPACE_RULE: Short\n }\n}\n\n/**\n * Exposes the JavaScript [CSSNamespaceRule](https://developer.mozilla.org/en/docs/Web/API/CSSNamespaceRule) to Kotlin\n */\npublic external abstract class CSSNamespaceRule : CSSRule {\n open val namespaceURI: String\n open val prefix: String\n\n companion object {\n val STYLE_RULE: Short\n val CHARSET_RULE: Short\n val IMPORT_RULE: Short\n val MEDIA_RULE: Short\n val FONT_FACE_RULE: Short\n val PAGE_RULE: Short\n val MARGIN_RULE: Short\n val NAMESPACE_RULE: Short\n }\n}\n\n/**\n * Exposes the JavaScript [CSSStyleDeclaration](https://developer.mozilla.org/en/docs/Web/API/CSSStyleDeclaration) to Kotlin\n */\npublic external abstract class CSSStyleDeclaration : ItemArrayLike<String> {\n open var cssText: String\n open val parentRule: CSSRule?\n open var cssFloat: String\n open var alignContent: String\n open var alignItems: String\n open
var alignSelf: String\n open var animation: String\n open var animationDelay: String\n open var animationDirection: String\n open var animationDuration: String\n open var animationFillMode: String\n open var animationIterationCount: String\n open var animationName: String\n open var animationPlayState: String\n open var animationTimingFunction: String\n open var backfaceVisibility: String\n open var background: String\n open var backgroundAttachment: String\n open var backgroundClip: String\n open var backgroundColor: String\n open var backgroundImage: String\n open var backgroundOrigin: String\n open var backgroundPosition: String\n open var backgroundRepeat: String\n open var backgroundSize: String\n open

var border: String\n open var borderBottom: String\n open var borderBottomColor: String\n open var borderBottomLeftRadius: String\n open var borderBottomRightRadius: String\n open var borderBottomStyle: String\n
open var borderBottomWidth: String\n open var borderCollapse: String\n open var borderColor: String\n open var borderImage: String\n open var borderImageOutset: String\n open var borderImageRepeat: String\n open var borderImageSlice: String\n open var borderImageSource: String\n open var borderImageWidth: String\n open var borderLeft: String\n open var borderLeftColor: String\n open var borderLeftStyle: String\n open var borderLeftWidth: String\n open var borderRadius: String\n open var borderRight: String\n open var borderRightColor: String\n open var borderRightStyle: String\n open var borderRightWidth: String\n open var borderSpacing: String\n open var borderStyle: String\n open var borderTop: String\n open var borderTopColor: String\n open var borderTopLeftRadius: String\n open var borderTopRightRadius: String\n open var borderTopStyle: String\n open var borderTopWidth: String\n open var borderWidth: String\n open var bottom: String\n open var boxDecorationBreak: String\n open var boxShadow: String\n open var boxSizing: String\n open var breakAfter: String\n open var breakBefore: String\n open var breakInside: String\n open var captionSide: String\n open var clear: String\n open var clip: String\n open var color: String\n open var columnCount: String\n open var columnFill: String\n open var columnGap: String\n open var columnRule: String\n open var columnRuleColor: String\n open var columnRuleStyle: String\n open var columnRuleWidth: String\n open var columnSpan: String\n open var columnWidth: String\n open var columns: String\n open var content: String\n open var counterIncrement: String\n open var counterReset: String\n open var cursor: String\n open var direction: String\n open var display: String\n open var emptyCells: String\n open var filter: String\n open var flex: String\n open var flexBasis: String\n open var flexDirection: String\n open var flexFlow: String\n open var flexGrow: String\n open var flexShrink: String\n open var flexWrap: String\n open var font: String\n open var fontFamily: String\n open var fontFeatureSettings: String\n open var fontKerning: String\n open var fontLanguageOverride: String\n open var fontSize: String\n open var fontSizeAdjust: String\n open var fontStretch: String\n open var fontStyle: String\n open var fontSynthesis: String\n open var fontVariant: String\n open var fontVariantAlternates: String\n open var fontVariantCaps: String\n open var fontVariantEastAsian: String\n open var fontVariantLigatures: String\n open var fontVariantNumeric: String\n open var fontVariantPosition: String\n open var fontWeight: String\n open var hangingPunctuation: String\n open var height: String\n open var hyphens: String\n open var imageOrientation: String\n open var imageRendering: String\n open var imageResolution: String\n open var imeMode: String\n open var justifyContent: String\n open var left: String\n open var letterSpacing: String\n open var lineBreak: String\n open var lineHeight: String\n open var listStyle: String\n open var listStyleImage: String\n open var listStylePosition: String\n open var listStyleType: String\n open var margin: String\n open var marginBottom: String\n open var marginLeft: String\n open var marginRight: String\n open var marginTop: String\n open var mark: String\n open var markAfter: String\n open var markBefore: String\n open var marks: String\n open var marqueeDirection: String\n open var marqueePlayCount: String\n open var marqueeSpeed: String\n open var marqueeStyle: String\n open var mask: String\n open var maskType: String\n open var maxHeight: String\n open var maxWidth: String\n open var minHeight: String\n open var minWidth: String\n open var navDown: String\n open var navIndex: String\n open var navLeft: String\n open var navRight: String\n open var navUp: String\n open var objectFit: String\n open var objectPosition: String\n open var opacity: String\n open var order: String\n open var orphans: String\n open var outline: String\n open var outlineColor: String\n open var outlineOffset: String\n open var outlineStyle: String\n open var outlineWidth: String\n open var overflowWrap: String\n open var overflowX: String\n open var overflowY: String\n open var padding: String\n open var paddingBottom: String\n open var paddingLeft: String\n open var paddingRight: String\n open var paddingTop: String\n open var pageBreakAfter: String\n open var pageBreakBefore: String\n open var pageBreakInside: String\n open var perspective: String\n open var perspectiveOrigin: String\n open var phonemes: String\n open var position:

String\n   open var quotes: String\n   open var resize: String\n   open var rest: String\n   open var restAfter: String\n   open var restBefore: String\n   open var right: String\n   open var tabSize: String\n   open var tableLayout: String\n   open var textAlign: String\n   open var textAlignLast: String\n   open var textCombineUpright: String\n   open var textDecoration: String\n   open var textDecorationColor: String\n   open var textDecorationLine: String\n   open var textDecorationStyle: String\n   open var textIndent: String\n   open var textJustify: String\n   open var textOrientation: String\n   open var textOverflow: String\n   open var textShadow: String\n   open var textTransform: String\n   open var textUnderlinePosition: String\n   open var top: String\n   open var transform: String\n   open var transformOrigin: String\n   open var transformStyle: String\n   open var transition: String\n   open var transitionDelay: String\n   open var transitionDuration: String\n   open var transitionProperty: String\n   open var transitionTimingFunction: String\n   open var unicodeBidi: String\n   open var verticalAlign: String\n   open var visibility: String\n   open var voiceBalance: String\n   open var voiceDuration: String\n   open var voicePitch: String\n   open var voicePitchRange: String\n   open var voiceRate: String\n   open var voiceStress: String\n   open var voiceVolume: String\n   open var whiteSpace: String\n   open var widows: String\n   open var width: String\n   open var wordBreak: String\n   open var wordSpacing: String\n   open var wordWrap: String\n   open var writingMode: String\n   open var zIndex: String\n   open var _dashed_attribute: String\n   open var _camel_cased_attribute: String\n   open var _webkit_cased_attribute: String\n   fun getPropertyValue(property: String): String\n   fun getPropertyPriority(property: String): String\n   fun setProperty(property: String, value: String, priority: String = definedExternally)\n   fun setPropertyValue(property: String, value: String)\n   fun setPropertyPriority(property: String, priority: String)\n   fun removeProperty(property: String): String\n   override fun item(index: Int): String\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun CSSStyleDeclaration.get(index: Int): String? = asDynamic()[index]\n\npublic external interface ElementCSSInlineStyle {\n   val style: CSSStyleDeclaration\n}\n\n/**\n * Exposes the JavaScript [CSS](https://developer.mozilla.org/en/docs/Web/API/CSS) to Kotlin\n */\npublic external abstract class CSS {\n   companion object {\n   fun escape(ident: String): String\n   }\n}\n\npublic external interface UnionElementOrProcessingInstruction","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.encryptedmedia\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\n/**\n * Exposes the JavaScript [MediaKeySystemConfiguration](https://developer.mozilla.org/en/docs/Web/API/MediaKeySystemConfiguration) to Kotlin\n */\npublic external interface MediaKeySystemConfiguration {\n   var label: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var initDataTypes: Array<String>? /* = arrayOf() */\n   get() = definedExternally\n   set(value) = definedExternally\n   var audioCapabilities: Array<MediaKeySystemMediaCapability>? /* = arrayOf() */\n   get() = definedExternally\n   set(value) = definedExternally\n   var videoCapabilities: Array<MediaKeySystemMediaCapability>? /* = arrayOf() */\n   get() = definedExternally\n   set(value) = definedExternally\n   var distinctiveIdentifier: MediaKeysRequirement? /* = MediaKeysRequirement.OPTIONAL */\n   get() = definedExternally\n   set(value) = definedExternally\n   var persistentState: MediaKeysRequirement? /* = MediaKeysRequirement.OPTIONAL */\n   get() = definedExternally\n   set(value) = definedExternally\n   var sessionTypes: Array<String>?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaKeySystemConfiguration(label: String? = \"\", initDataTypes: Array<String>? = arrayOf(), audioCapabilities: Array<MediaKeySystemMediaCapability>? = arrayOf(), videoCapabilities: Array<MediaKeySystemMediaCapability>? = arrayOf(), distinctiveIdentifier: MediaKeysRequirement? = MediaKeysRequirement.OPTIONAL, persistentState: MediaKeysRequirement? =

MediaKeysRequirement.OPTIONAL, sessionTypes: Array<String>?
= undefined): MediaKeySystemConfiguration {\n val o = js(\"({})\")\n o[\"label\"] = label\n
o[\"initDataTypes\"] = initDataTypes\n o[\"audioCapabilities\"] = audioCapabilities\n o[\"videoCapabilities\"] =
videoCapabilities\n o[\"distinctiveIdentifier\"] = distinctiveIdentifier\n o[\"persistentState\"] = persistentState\n
o[\"sessionTypes\"] = sessionTypes\n return o\n}\n\npublic external interface MediaKeySystemMediaCapability
{\n var contentType: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n
var robustness: String? /* = \"\" */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
MediaKeySystemMediaCapability(contentType: String? = \"\", robustness: String? = \"\"):
MediaKeySystemMediaCapability {\n val o = js(\"({})\")\n o[\"contentType\"] = contentType\n
o[\"robustness\"] = robustness\n return o\n}\n\n/**\n * Exposes the JavaScript
[MediaKeySystemAccess](https://developer.mozilla.org/en/docs/Web/API/MediaKeySystemAccess) to Kotlin\n
*/\npublic external abstract class MediaKeySystemAccess {\n open val keySystem: String\n fun
getConfiguration(): MediaKeySystemConfiguration\n fun createMediaKeys(): Promise<MediaKeys>\n}\n\n/**\n
* Exposes the JavaScript [MediaKeys](https://developer.mozilla.org/en/docs/Web/API/MediaKeys) to Kotlin\n
*/\npublic external abstract class MediaKeys {\n fun createSession(sessionType: MediaKeySessionType =
definedExternally): MediaKeySession\n fun setServerCertificate(serverCertificate: dynamic):
Promise<Boolean>\n}\n\n/**\n * Exposes the JavaScript
[MediaKeySession](https://developer.mozilla.org/en/docs/Web/API/MediaKeySession) to Kotlin\n */\npublic
external abstract class MediaKeySession : EventTarget {\n open val sessionId: String\n open val expiration:
Double\n open val closed:
Promise<Unit>\n open val keyStatuses: MediaKeyStatusMap\n open var onkeystatuseschange: ((Event) ->
dynamic)?\n open var onmessage: ((MessageEvent) -> dynamic)?\n fun generateRequest(initDataType: String,
initData: dynamic): Promise<Unit>\n fun load(sessionId: String): Promise<Boolean>\n fun update(response:
dynamic): Promise<Unit>\n fun close(): Promise<Unit>\n fun remove(): Promise<Unit>\n}\n\n/**\n * Exposes
the JavaScript [MediaKeyStatusMap](https://developer.mozilla.org/en/docs/Web/API/MediaKeyStatusMap) to
Kotlin\n */\npublic external abstract class MediaKeyStatusMap {\n open val size: Int\n fun has(keyId: dynamic):
Boolean\n fun get(keyId: dynamic): Any?\n}\n\n/**\n * Exposes the JavaScript
[MediaKeyMessageEvent](https://developer.mozilla.org/en/docs/Web/API/MediaKeyMessageEvent) to Kotlin\n
*/\npublic external open class MediaKeyMessageEvent(type: String, eventInitDict: MediaKeyMessageEventInit) :
Event {\n open val messageType: MediaKeyMessageType\n
open val message: ArrayBuffer\n\n companion object {\n val NONE: Short\n val
CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface MediaKeyMessageEventInit : EventInit {\n var messageType:
MediaKeyMessageType?\n var message: ArrayBuffer?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
MediaKeyMessageEventInit(messageType: MediaKeyMessageType?, message: ArrayBuffer?, bubbles: Boolean? =
false, cancelable: Boolean? = false, composed: Boolean? = false): MediaKeyMessageEventInit {\n val o =
js(\"({})\")\n o[\"messageType\"] = messageType\n o[\"message\"] = message\n o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\npublic external open class
MediaEncryptedEvent(type: String, eventInitDict: MediaEncryptedEventInit = definedExternally) : Event {\n
open val initDataType: String\n open val initData: ArrayBuffer?\n\n companion object {\n val NONE:
Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE:
Short\n }\n}\n\npublic external interface MediaEncryptedEventInit : EventInit {\n var initDataType: String? /* =
\"\" */\n get() = definedExternally\n set(value) = definedExternally\n var initData: ArrayBuffer? /* = null
*/\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",

\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaEncryptedEventInit(initDataType: String? = \"\", initData: ArrayBuffer? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MediaEncryptedEventInit {\n   val o = js(\"({})\")\n   o[\"initDataType\"] = initDataType\n   o[\"initData\"] = initData\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface MediaKeysRequirement {\n   companion object\n}\n\npublic inline val MediaKeysRequirement.Companion.REQUIRED: MediaKeysRequirement get() = \"required\".asDynamic().unsafeCast<MediaKeysRequirement>()\n\npublic inline val MediaKeysRequirement.Companion.OPTIONAL: MediaKeysRequirement get() = \"optional\".asDynamic().unsafeCast<MediaKeysRequirement>()\n\npublic inline val MediaKeysRequirement.Companion.NOT_ALLOWED: MediaKeysRequirement get() = \"not-allowed\".asDynamic().unsafeCast<MediaKeysRequirement>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface MediaKeySessionType {\n   companion object\n}\n\npublic inline val MediaKeySessionType.Companion.TEMPORARY: MediaKeySessionType get() = \"temporary\".asDynamic().unsafeCast<MediaKeySessionType>()\n\npublic inline val MediaKeySessionType.Companion.PERSISTENT_LICENSE: MediaKeySessionType get() = \"persistent-license\".asDynamic().unsafeCast<MediaKeySessionType>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface MediaKeyStatus {\n   companion object\n}\n\npublic inline val MediaKeyStatus.Companion.USABLE: MediaKeyStatus get() = \"usable\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val MediaKeyStatus.Companion.EXPIRED: MediaKeyStatus get() = \"expired\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val MediaKeyStatus.Companion.RELEASED: MediaKeyStatus get() = \"released\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val MediaKeyStatus.Companion.OUTPUT_RESTRICTED: MediaKeyStatus get() = \"output-restricted\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val MediaKeyStatus.Companion.OUTPUT_DOWNSCALED: MediaKeyStatus get() = \"output-downscaled\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val MediaKeyStatus.Companion.STATUS_PENDING: MediaKeyStatus get() = \"status-pending\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val MediaKeyStatus.Companion.INTERNAL_ERROR: MediaKeyStatus get() = \"internal-error\".asDynamic().unsafeCast<MediaKeyStatus>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface MediaKeyMessageType {\n   companion object\n}\n\npublic inline val MediaKeyMessageType.Companion.LICENSE_REQUEST: MediaKeyMessageType get() = \"license-request\".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic inline val MediaKeyMessageType.Companion.LICENSE_RENEWAL: MediaKeyMessageType get() = \"license-renewal\".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic inline val MediaKeyMessageType.Companion.LICENSE_RELEASE: MediaKeyMessageType get() = \"license-release\".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic inline val MediaKeyMessageType.Companion.INDIVIDUALIZATION_REQUEST: MediaKeyMessageType get() = \"individualization-request\".asDynamic().unsafeCast<MediaKeyMessageType>()","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-

GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.events\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\n\n/**\n * Exposes the JavaScript [UIEvent](https://developer.mozilla.org/en/docs/Web/API/UIEvent) to Kotlin\n */\npublic external open class UIEvent(type: String, eventInitDict: UIEventInit = definedExternally) : Event {\n open val view: Window?\n open val detail: Int\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface UIEventInit : EventInit {\n var view: Window? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var detail: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun UIEventInit(view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): UIEventInit {\n val o = js(\"({})\")\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [FocusEvent](https://developer.mozilla.org/en/docs/Web/API/FocusEvent) to Kotlin\n */\npublic external open class FocusEvent(type:
String, eventInitDict: FocusEventInit = definedExternally) : UIEvent {\n open val relatedTarget: EventTarget?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface FocusEventInit : UIEventInit {\n var relatedTarget: EventTarget? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun FocusEventInit(relatedTarget: EventTarget? = null, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): FocusEventInit {\n val o = js(\"({})\")\n o[\"relatedTarget\"] = relatedTarget\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n
* Exposes the JavaScript [MouseEvent](https://developer.mozilla.org/en/docs/Web/API/MouseEvent) to Kotlin\n */\npublic external open class MouseEvent(type: String, eventInitDict: MouseEventInit = definedExternally) : UIEvent, UnionElementOrMouseEvent {\n open val screenX: Int\n open val screenY: Int\n open val clientX: Int\n open val clientY: Int\n open val ctrlKey: Boolean\n open val shiftKey: Boolean\n open val altKey: Boolean\n open val metaKey: Boolean\n open val button: Short\n open val buttons: Short\n open val relatedTarget: EventTarget?\n open val region: String?\n open val pageX: Double\n open val pageY: Double\n open val x: Double\n open val y: Double\n open val offsetX: Double\n open val offsetY: Double\n fun getModifierState(keyArg: String): Boolean\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic
external interface MouseEventInit : EventModifierInit {\n var screenX: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var screenY: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var clientX: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var clientY: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var button: Short? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var buttons: Short? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var relatedTarget: EventTarget? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var region: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MouseEventInit(screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false,

modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MouseEventInit {\n val o = js(\"({})\")\n o[\"screenX\"] = screenX\n o[\"screenY\"] = screenY\n o[\"clientX\"] = clientX\n o[\"clientY\"] = clientY\n
o[\"button\"] = button\n o[\"buttons\"] = buttons\n o[\"relatedTarget\"] = relatedTarget\n o[\"region\"] = region\n o[\"ctrlKey\"] = ctrlKey\n o[\"shiftKey\"] = shiftKey\n o[\"altKey\"] = altKey\n o[\"metaKey\"] = metaKey\n o[\"modifierAltGraph\"] = modifierAltGraph\n o[\"modifierCapsLock\"] = modifierCapsLock\n o[\"modifierFn\"] = modifierFn\n o[\"modifierFnLock\"] = modifierFnLock\n o[\"modifierHyper\"] = modifierHyper\n o[\"modifierNumLock\"] = modifierNumLock\n o[\"modifierScrollLock\"] = modifierScrollLock\n o[\"modifierSuper\"] = modifierSuper\n o[\"modifierSymbol\"] = modifierSymbol\n o[\"modifierSymbolLock\"] = modifierSymbolLock\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\npublic external interface EventModifierInit : UIEventInit {\n var ctrlKey: Boolean? /* = false */\n get() = definedExternally\n
set(value) = definedExternally\n var shiftKey: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var altKey: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var metaKey: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var modifierAltGraph: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var modifierCapsLock: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var modifierFn: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var modifierFnLock: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var modifierHyper: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n
var modifierNumLock: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var modifierScrollLock: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var modifierSuper: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var modifierSymbol: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var modifierSymbolLock: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun EventModifierInit(ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): EventModifierInit {\n val o = js(\"({})\")\n o[\"ctrlKey\"] = ctrlKey\n o[\"shiftKey\"] = shiftKey\n o[\"altKey\"] = altKey\n o[\"metaKey\"] = metaKey\n o[\"modifierAltGraph\"] = modifierAltGraph\n o[\"modifierCapsLock\"] = modifierCapsLock\n o[\"modifierFn\"] = modifierFn\n o[\"modifierFnLock\"] = modifierFnLock\n o[\"modifierHyper\"] = modifierHyper\n o[\"modifierNumLock\"] = modifierNumLock\n o[\"modifierScrollLock\"] = modifierScrollLock\n o[\"modifierSuper\"] = modifierSuper\n o[\"modifierSymbol\"] = modifierSymbol\n o[\"modifierSymbolLock\"] = modifierSymbolLock\n o[\"view\"] = view\n o[\"detail\"]
= detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [WheelEvent](https://developer.mozilla.org/en/docs/Web/API/WheelEvent) to Kotlin\n */\npublic external open class WheelEvent(type: String, eventInitDict: WheelEventInit = definedExternally) : MouseEvent {\n open val deltaX: Double\n open val deltaY: Double\n open val deltaZ:

Double\n   open val deltaMode: Int\n\n   companion object {\n   val DOM_DELTA_PIXEL: Int\n   val DOM_DELTA_LINE: Int\n   val DOM_DELTA_PAGE: Int\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface WheelEventInit : MouseEventInit {\n   var deltaX: Double? /* = 0.0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var deltaY: Double? /* = 0.0 */\n   get() = definedExternally\n
        set(value) = definedExternally\n   var deltaZ: Double? /* = 0.0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var deltaMode: Int? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun WheelEventInit(deltaX: Double? = 0.0, deltaY: Double? = 0.0, deltaZ: Double? = 0.0, deltaMode: Int? = 0, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
 modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): WheelEventInit {\n   val o = js(\"({})\")\n   o[\"deltaX\"] = deltaX\n   o[\"deltaY\"] = deltaY\n   o[\"deltaZ\"] = deltaZ\n   o[\"deltaMode\"] = deltaMode\n   o[\"screenX\"] = screenX\n   o[\"screenY\"] = screenY\n   o[\"clientX\"] = clientX\n   o[\"clientY\"] = clientY\n   o[\"button\"] = button\n   o[\"buttons\"] = buttons\n   o[\"relatedTarget\"] = relatedTarget\n   o[\"region\"] = region\n   o[\"ctrlKey\"] = ctrlKey\n   o[\"shiftKey\"] = shiftKey\n   o[\"altKey\"] = altKey\n   o[\"metaKey\"] = metaKey\n   o[\"modifierAltGraph\"] = modifierAltGraph\n   o[\"modifierCapsLock\"] = modifierCapsLock\n   o[\"modifierFn\"] = modifierFn\n   o[\"modifierFnLock\"] = modifierFnLock\n   o[\"modifierHyper\"] = modifierHyper\n   o[\"modifierNumLock\"] = modifierNumLock\n   o[\"modifierScrollLock\"] = modifierScrollLock\n   o[\"modifierSuper\"] = modifierSuper\n   o[\"modifierSymbol\"] = modifierSymbol\n   o[\"modifierSymbolLock\"] = modifierSymbolLock\n   o[\"view\"] = view\n   o[\"detail\"] = detail\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [InputEvent](https://developer.mozilla.org/en/docs/Web/API/InputEvent) to Kotlin\n */\npublic external open class InputEvent(type: String, eventInitDict: InputEventInit = definedExternally) : UIEvent {\n   open val data: String\n   open val isComposing: Boolean\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface InputEventInit : UIEventInit {\n   var data: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n
    var isComposing: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun InputEventInit(data: String? = \"\", isComposing: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): InputEventInit {\n   val o = js(\"({})\")\n   o[\"data\"] = data\n   o[\"isComposing\"] = isComposing\n   o[\"view\"] = view\n   o[\"detail\"] = detail\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [KeyboardEvent](https://developer.mozilla.org/en/docs/Web/API/KeyboardEvent) to Kotlin\n */\npublic external open class KeyboardEvent(type: String, eventInitDict: KeyboardEventInit = definedExternally) : UIEvent {\n   open val key: String\n   open val
 code: String\n   open val location: Int\n   open val ctrlKey: Boolean\n   open val shiftKey: Boolean\n   open val altKey: Boolean\n   open val metaKey: Boolean\n   open val repeat: Boolean\n   open val isComposing: Boolean\n
  open val charCode: Int\n   open val keyCode: Int\n   open val which: Int\n   fun getModifierState(keyArg:

```
String): Boolean\n\n    companion object {\n        val DOM_KEY_LOCATION_STANDARD: Int\n        val DOM_KEY_LOCATION_LEFT: Int\n        val DOM_KEY_LOCATION_RIGHT: Int\n        val DOM_KEY_LOCATION_NUMPAD: Int\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface KeyboardEventInit : EventModifierInit {\n    var key: String? /* = \"\" */\n        get() = definedExternally\n        set(value) = definedExternally\n    var code: String? /* = \"\" */\n        get() = definedExternally\n        set(value) = definedExternally\n    var location:
 Int? /* = 0 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var repeat: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var isComposing: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun KeyboardEventInit(key: String? = \"\", code: String? = \"\", location: Int? = 0, repeat: Boolean? = false, isComposing: Boolean? = false, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock:
 Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): KeyboardEventInit {\n    val o = js(\"({})\")\n    o[\"key\"] = key\n    o[\"code\"] = code\n    o[\"location\"] = location\n    o[\"repeat\"] = repeat\n    o[\"isComposing\"] = isComposing\n    o[\"ctrlKey\"] = ctrlKey\n    o[\"shiftKey\"] = shiftKey\n    o[\"altKey\"] = altKey\n    o[\"metaKey\"] = metaKey\n    o[\"modifierAltGraph\"] = modifierAltGraph\n    o[\"modifierCapsLock\"] = modifierCapsLock\n    o[\"modifierFn\"] = modifierFn\n    o[\"modifierFnLock\"] = modifierFnLock\n    o[\"modifierHyper\"] = modifierHyper\n    o[\"modifierNumLock\"] = modifierNumLock\n    o[\"modifierScrollLock\"] = modifierScrollLock\n    o[\"modifierSuper\"] = modifierSuper\n    o[\"modifierSymbol\"] = modifierSymbol\n    o[\"modifierSymbolLock\"] = modifierSymbolLock\n    o[\"view\"] = view\n    o[\"detail\"] = detail\n    o[\"bubbles\"] = bubbles\n
    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript [CompositionEvent](https://developer.mozilla.org/en/docs/Web/API/CompositionEvent) to Kotlin\n */\npublic external open class CompositionEvent(type: String, eventInitDict: CompositionEventInit = definedExternally) : UIEvent {\n    open val data: String\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface CompositionEventInit : UIEventInit {\n    var data: String? /* = \"\" */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun CompositionEventInit(data: String? = \"\", view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CompositionEventInit
 {\n    val o = js(\"({})\")\n    o[\"data\"] = data\n    o[\"view\"] = view\n    o[\"detail\"] = detail\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript [Event](https://developer.mozilla.org/en/docs/Web/API/Event) to Kotlin\n */\npublic external open class Event(type: String, eventInitDict: EventInit = definedExternally) {\n    open val type: String\n    open val target: EventTarget?\n    open val currentTarget: EventTarget?\n    open val eventPhase: Short\n    open val bubbles: Boolean\n    open val cancelable: Boolean\n    open val defaultPrevented: Boolean\n    open val composed: Boolean\n    open val isTrusted: Boolean\n    open val timeStamp: Number\n    fun composedPath(): Array<EventTarget>\n    fun stopPropagation()\n    fun stopImmediatePropagation()\n    fun preventDefault()\n    fun initEvent(type: String, bubbles: Boolean, cancelable: Boolean)\n\n    companion object
 {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
```

[EventTarget](https://developer.mozilla.org/en/docs/Web/API/EventTarget) to Kotlin\n */\npublic external abstract class EventTarget {\n fun addEventListener(type: String, callback: EventListener?, options: dynamic = definedExternally)\n fun addEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic = definedExternally)\n fun removeEventListener(type: String, callback: EventListener?, options: dynamic = definedExternally)\n fun removeEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic = definedExternally)\n fun dispatchEvent(event: Event): Boolean\n}\n\n/**\n * Exposes the JavaScript [EventListener](https://developer.mozilla.org/en/docs/Web/API/EventListener) to Kotlin\n */\npublic external interface EventListener {\n fun handleEvent(event: Event)\n}","/*\n
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.encryptedmedia.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.mediasource.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic external abstract class HTMLAllCollection {\n open val length: Int\n fun item(nameOrIndex: String = definedExternally): UnionElementOrHTMLCollection?\n fun namedItem(name: String): UnionElementOrHTMLCollection?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLAllCollection.get(index: Int): Element? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLAllCollection.get(name: String): UnionElementOrHTMLCollection? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [HTMLFormControlsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLFormControlsCollection) to Kotlin\n */\npublic external abstract class HTMLFormControlsCollection : HTMLCollection\n\n/**\n * Exposes the JavaScript [RadioNodeList](https://developer.mozilla.org/en/docs/Web/API/RadioNodeList) to Kotlin\n */\npublic external abstract class RadioNodeList : NodeList, UnionElementOrRadioNodeList {\n open var value: String\n}\n\n/**\n * Exposes the JavaScript [HTMLOptionsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionsCollection) to Kotlin\n */\npublic
 external abstract class HTMLOptionsCollection : HTMLCollection {\n override var length: Int\n open var selectedIndex: Int\n fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally)\n fun remove(index: Int)\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLOptionsCollection.set(index: Int, option: HTMLOptionElement?) { asDynamic()[index] = option }\n\n/**\n * Exposes the JavaScript [HTMLElement](https://developer.mozilla.org/en/docs/Web/API/HTMLElement) to Kotlin\n */\npublic external abstract class HTMLElement : Element, GlobalEventHandlers, DocumentAndElementEventHandlers, ElementContentEditable, ElementCSSInlineStyle {\n open var title: String\n open var lang: String\n open var translate: Boolean\n open var dir: String\n open val dataset: DOMStringMap\n open var hidden: Boolean\n open var tabIndex: Int\n open var accessKey: String\n open val accessKeyLabel: String\n open var draggable: Boolean\n open val dropzone: DOMTokenList\n open var contextMenu: HTMLMenuElement?\n open var spellcheck: Boolean\n open var innerText: String\n open val offsetParent: Element?\n open val offsetTop: Int\n open val offsetLeft: Int\n open val offsetWidth: Int\n open val offsetHeight: Int\n fun click()\n fun focus()\n fun blur()\n fun forceSpellCheck()\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val

COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLUnknownElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUnknownElement) to Kotlin\n */\npublic external abstract class HTMLUnknownElement : HTMLElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [DOMStringMap](https://developer.mozilla.org/en/docs/Web/API/DOMStringMap) to Kotlin\n */\npublic external abstract class DOMStringMap\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMStringMap.get(name: String): String? = asDynamic()[name]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMStringMap.set(name: String, value: String) { asDynamic()[name] = value }\n\n/**\n * Exposes the JavaScript [HTMLHtmlElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHtmlElement) to Kotlin\n */\npublic external abstract class HTMLHtmlElement : HTMLElement {\n open var version: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLHeadElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadElement) to Kotlin\n */\npublic external abstract class HTMLHeadElement : HTMLElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLTitleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTitleElement) to Kotlin\n */\npublic external abstract class HTMLTitleElement : HTMLElement {\n open var text: String\n\n companion object

{\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLBaseElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBaseElement) to Kotlin\n */\npublic external abstract class HTMLBaseElement : HTMLElement {\n open var href: String\n open var target: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLLinkElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLinkElement) to Kotlin\n */\npublic external abstract class HTMLLinkElement : HTMLElement, LinkStyle {\n open var href: String\n open var crossOrigin: String?\n open var rel: String\n open var `as`: RequestDestination\n open val relList: DOMTokenList\n open var media: String\n open var nonce: String\n open var hreflang: String\n open var type: String\n open val sizes: DOMTokenList\n open var referrerPolicy: String\n open var charset: String\n open var rev: String\n open var target: String\n open var scope: String\n open var workerType: WorkerType\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLMetaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMetaElement) to Kotlin\n */\npublic external abstract class HTMLMetaElement : HTMLElement {\n open var name: String\n open var httpEquiv: String\n open var content: String\n open var scheme: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLStyleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLStyleElement) to Kotlin\n */\npublic external abstract class HTMLStyleElement : HTMLElement, LinkStyle {\n open var media: String\n open var nonce: String\n open var type: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLBodyElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBodyElement) to Kotlin\n */\npublic external abstract class HTMLBodyElement : HTMLElement, WindowEventHandlers {\n open var text: String\n open var link: String\n open var vLink: String\n open var aLink: String\n open var bgColor: String\n open var background: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLHeadingElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadingElement) to Kotlin\n */\npublic external abstract class HTMLHeadingElement : HTMLElement {\n open var align: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLParagraphElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParagraphElement) to Kotlin\n */\npublic external abstract class HTMLParagraphElement : HTMLElement {\n open var align: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n

```
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLHRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHRElement) to Kotlin\n */\npublic
external abstract class HTMLHRElement : HTMLElement {\n    open var align: String\n    open var color: String\n
open var noShade: Boolean\n    open var size: String\n    open var width: String\n\n
   companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
     val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
   val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLPreElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPreElement) to Kotlin\n */\npublic
external abstract class HTMLPreElement : HTMLElement {\n    open var width: Int\n\n
   companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
     val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
   val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLQuoteElement](https://developer.mozilla.org/en/docs/Web/API/HTMLQuoteElement) to Kotlin\n */\npublic
external abstract class HTMLQuoteElement : HTMLElement {\n    open var cite:
 String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
     val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
   val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOListElement) to Kotlin\n */\npublic
external abstract class HTMLOListElement : HTMLElement {\n    open
 var reversed: Boolean\n    open var start: Int\n    open var type: String\n    open var compact: Boolean\n\n
companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
     val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
   val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
```

[HTMLUListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUListElement)
to Kotlin\n */\npublic external abstract class HTMLUListElement : HTMLElement {\n open var compact:
Boolean\n open var type: String\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLLIElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLIElement)
to Kotlin\n */\npublic external abstract class HTMLLIElement : HTMLElement {\n open var value: Int\n open
var type: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE:
Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLDListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDListElement)
to Kotlin\n */\npublic external abstract class HTMLDListElement : HTMLElement {\n open var compact:
Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLDivElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDivElement) to Kotlin\n */\npublic
external abstract class HTMLDivElement : HTMLElement {\n open var align: String\n\n companion object {\n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLAnchorElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAnchorElement) to Kotlin\n
*/\npublic external abstract class HTMLAnchorElement : HTMLElement, HTMLHyperlinkElementUtils {\n open

var target: String\n   open var download: String\n   open var ping: String\n   open var rel: String\n   open val relList: DOMTokenList\n   open var hreflang: String\n   open var type: String\n   open var text: String\n   open var referrerPolicy: String\n   open var coords: String\n   open var charset: String\n   open var name: String\n   open var rev: String\n   open var shape: String\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLDataElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataElement) to Kotlin\n */\npublic external abstract class HTMLDataElement : HTMLElement {\n   open var value: String\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLTimeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTimeElement) to Kotlin\n */\npublic external abstract class HTMLTimeElement : HTMLElement {\n   open var dateTime: String\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLSpanElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSpanElement) to Kotlin\n */\npublic external abstract class HTMLSpanElement : HTMLElement {\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLBRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBRElement) to Kotlin\n */\npublic external abstract class HTMLBRElement : HTMLElement {\n   open var clear: String\n\n   companion object {\n

val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLHyperlinkElementUtils](https://developer.mozilla.org/en/docs/Web/API/HTMLHyperlinkElementUtils) to Kotlin\n */\npublic external interface HTMLHyperlinkElementUtils {\n var href: String\n val origin: String\n var protocol: String\n var username: String\n var password: String\n var host: String\n var hostname: String\n var port: String\n var pathname: String\n var search: String\n var hash: String\n}\n\n/**\n * Exposes the JavaScript [HTMLModElement](https://developer.mozilla.org/en/docs/Web/API/HTMLModElement) to Kotlin\n */\npublic
external abstract class HTMLModElement : HTMLElement {\n open var cite: String\n open var dateTime: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLPictureElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPictureElement)
to Kotlin\n */\npublic external abstract class HTMLPictureElement : HTMLElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLSourceElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSourceElement)
to Kotlin\n */\npublic external abstract class HTMLSourceElement : HTMLElement {\n open var src: String\n open var type: String\n open var srcset: String\n open var sizes: String\n open var media: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n

}\n}\n\n/**\n * Exposes the JavaScript [HTMLImageElement](https://developer.mozilla.org/en/docs/Web/API/HTMLImageElement) to Kotlin\n */\npublic external abstract class HTMLImageElement : HTMLElement, HTMLOrSVGImageElement, TexImageSource {\n open var alt: String\n open var src: String\n open var srcset: String\n open var sizes: String\n open var crossOrigin: String?\n open var useMap: String\n open var isMap: Boolean\n open var width: Int\n open var height: Int\n open val naturalWidth: Int\n open val naturalHeight: Int\n open val complete: Boolean\n open val currentSrc: String\n open var referrerPolicy: String\n open var name: String\n open var lowsrc: String\n open var align: String\n open var hspace: Int\n open var vspace: Int\n open var longDesc: String\n open var border: String\n open val x: Int\n open val y: Int\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLIFrameElement](https://developer.mozilla.org/en/docs/Web/API/HTMLIFrameElement) to Kotlin\n */\npublic external abstract class HTMLIFrameElement : HTMLElement {\n open var src: String\n open var srcdoc: String\n open var name: String\n open val sandbox: DOMTokenList\n open var allowFullscreen: Boolean\n open var allowUserMedia: Boolean\n open var width: String\n open var height: String\n open var referrerPolicy: String\n open val contentDocument: Document?\n open val contentWindow: Window?\n open var align: String\n open var scrolling: String\n open var frameBorder: String\n open var longDesc: String\n open var marginHeight: String\n open var marginWidth: String\n fun getSVGDocument(): Document?\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLEmbedElement](https://developer.mozilla.org/en/docs/Web/API/HTMLEmbedElement) to Kotlin\n */\npublic external abstract class HTMLEmbedElement : HTMLElement {\n open var src: String\n open var type: String\n open var width: String\n open var height: String\n open var align: String\n open var name: String\n fun getSVGDocument(): Document?\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE:
Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n

val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLObjectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLObjectElement) to Kotlin\n */\npublic external abstract class HTMLObjectElement : HTMLElement {\n open var data: String\n open var type: String\n open var typeMustMatch: Boolean\n open var name: String\n open var useMap: String\n open val form: HTMLFormElement?\n open var width: String\n open var height: String\n open val contentDocument: Document?\n open val contentWindow: Window?\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open var align: String\n open var archive: String\n open var code: String\n open var declare: Boolean\n open var hspace: Int\n open var standby: String\n open var vspace: Int\n open var codeBase: String\n open var codeType: String\n open var border: String\n fun getSVGDocument(): Document?\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLParamElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParamElement) to Kotlin\n */\npublic external abstract class HTMLParamElement : HTMLElement {\n open var name: String\n open var value: String\n open var type: String\n open var valueType: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLVideoElement](https://developer.mozilla.org/en/docs/Web/API/HTMLVideoElement) to Kotlin\n */\npublic external abstract class HTMLVideoElement : HTMLMediaElement, CanvasImageSource, TexImageSource {\n open var width: Int\n open var height: Int\n open val videoWidth: Int\n open val videoHeight: Int\n open var poster: String\n open var playsInline: Boolean\n\n companion object {\n val NETWORK_EMPTY: Short\n val NETWORK_IDLE: Short\n val NETWORK_LOADING: Short\n val NETWORK_NO_SOURCE: Short\n val HAVE_NOTHING: Short\n val HAVE_METADATA: Short\n val HAVE_CURRENT_DATA: Short\n val HAVE_FUTURE_DATA: Short\n val HAVE_ENOUGH_DATA: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n

val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLAudioElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAudioElement) to Kotlin\n */\npublic external abstract class HTMLAudioElement : HTMLMediaElement {\n companion object {\n val NETWORK_EMPTY: Short\n val NETWORK_IDLE: Short\n val NETWORK_LOADING: Short\n val NETWORK_NO_SOURCE: Short\n val HAVE_NOTHING: Short\n val HAVE_METADATA: Short\n val HAVE_CURRENT_DATA: Short\n val HAVE_FUTURE_DATA: Short\n val HAVE_ENOUGH_DATA: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLTrackElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTrackElement) to Kotlin\n */\npublic external abstract class HTMLTrackElement : HTMLElement {\n open var kind: String\n open var src: String\n open var srclang: String\n open var label: String\n open var default: Boolean\n open val readyState: Short\n open val track: TextTrack\n\n companion object {\n val NONE: Short\n val LOADING: Short\n val LOADED: Short\n val ERROR: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLMediaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMediaElement) to Kotlin\n */\npublic external abstract class HTMLMediaElement : HTMLElement {\n open val error: MediaError?\n open var src: String\n open var srcObject: MediaProvider?\n open val currentSrc: String\n open var crossOrigin: String?\n open val networkState: Short\n open var preload: String\n open val buffered: TimeRanges\n open val readyState: Short\n open val seeking: Boolean\n open var currentTime: Double\n open val duration: Double\n open val paused: Boolean\n open var defaultPlaybackRate: Double\n open var playbackRate: Double\n open val played: TimeRanges\n open val seekable: TimeRanges\n open val ended: Boolean\n open var autoplay: Boolean\n open var loop: Boolean\n open var controls: Boolean\n open var volume: Double\n open var muted: Boolean\n open var defaultMuted: Boolean\n open val audioTracks: AudioTrackList\n open val videoTracks: VideoTrackList\n open val textTracks: TextTrackList\n open val mediaKeys: MediaKeys?\n open var onencrypted: ((Event) -> dynamic)?\n open var onwaitingforkey: ((Event) -> dynamic)?\n fun load()\n fun canPlayType(type: String): CanPlayTypeResult\n fun fastSeek(time: Double)\n fun getStartDate(): dynamic\n fun play(): Promise<Unit>\n fun pause()\n fun addTextTrack(kind: TextTrackKind, label: String = definedExternally, language: String = definedExternally): TextTrack\n fun setMediaKeys(mediaKeys: MediaKeys?): Promise<Unit>\n\n companion object {\n val NETWORK_EMPTY: Short\n val NETWORK_IDLE: Short\n val NETWORK_LOADING: Short\n val NETWORK_NO_SOURCE: Short\n

```
    val HAVE_NOTHING: Short\n        val HAVE_METADATA: Short\n        val HAVE_CURRENT_DATA:
Short\n        val HAVE_FUTURE_DATA: Short\n        val HAVE_ENOUGH_DATA: Short\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING:
 Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val
DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n
  val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the
JavaScript [MediaError](https://developer.mozilla.org/en/docs/Web/API/MediaError) to Kotlin\n */\npublic external
abstract class MediaError {\n    open val code: Short\n\n    companion object {\n        val
MEDIA_ERR_ABORTED: Short\n        val MEDIA_ERR_NETWORK: Short\n        val MEDIA_ERR_DECODE:
Short\n        val MEDIA_ERR_SRC_NOT_SUPPORTED: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[AudioTrackList](https://developer.mozilla.org/en/docs/Web/API/AudioTrackList) to Kotlin\n */\npublic external
abstract class AudioTrackList : EventTarget {\n    open val length: Int\n    open var onchange: ((Event) ->
dynamic)?\n    open var onaddtrack: ((TrackEvent) -> dynamic)?\n    open var onremovetrack: ((TrackEvent) ->
dynamic)?\n
    fun getTrackById(id: String): AudioTrack?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun AudioTrackList.get(index:
Int): AudioTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[AudioTrack](https://developer.mozilla.org/en/docs/Web/API/AudioTrack) to Kotlin\n */\npublic external abstract
class AudioTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n    open val id: String\n    open val kind:
String\n    open val label: String\n    open val language: String\n    open var enabled: Boolean\n    open val
sourceBuffer: SourceBuffer?\n}\n\n/**\n * Exposes the JavaScript
[VideoTrackList](https://developer.mozilla.org/en/docs/Web/API/VideoTrackList) to Kotlin\n */\npublic external
abstract class VideoTrackList : EventTarget {\n    open val length: Int\n    open val selectedIndex: Int\n    open var
onchange: ((Event) -> dynamic)?\n    open var onaddtrack: ((TrackEvent) -> dynamic)?\n    open var
onremovetrack:
 ((TrackEvent) -> dynamic)?\n    fun getTrackById(id: String):
VideoTrack?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun VideoTrackList.get(index:
Int): VideoTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[VideoTrack](https://developer.mozilla.org/en/docs/Web/API/VideoTrack) to Kotlin\n */\npublic external abstract
class VideoTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n    open val id: String\n    open val kind:
String\n    open val label: String\n    open val language: String\n    open var selected: Boolean\n    open val
sourceBuffer: SourceBuffer?\n}\n\npublic external abstract class TextTrackList : EventTarget {\n    open val length:
Int\n    open var onchange: ((Event) -> dynamic)?\n    open var onaddtrack: ((TrackEvent) -> dynamic)?\n    open
var onremovetrack: ((TrackEvent) -> dynamic)?\n    fun getTrackById(id: String):
TextTrack?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic
 inline operator fun TextTrackList.get(index: Int): TextTrack? = asDynamic()[index]\n\n/**\n * Exposes the
JavaScript [TextTrack](https://developer.mozilla.org/en/docs/Web/API/TextTrack) to Kotlin\n */\npublic external
abstract class TextTrack : EventTarget, UnionAudioTrackOrTextTrackOrVideoTrack {\n    open val kind:
TextTrackKind\n    open val label: String\n    open val language: String\n    open val id: String\n    open val
inBandMetadataTrackDispatchType: String\n    open var mode: TextTrackMode\n    open val cues:
TextTrackCueList?\n    open val activeCues: TextTrackCueList?\n    open var oncuechange: ((Event) ->
```

dynamic)?\n   open val sourceBuffer: SourceBuffer?\n   fun addCue(cue: TextTrackCue)\n   fun removeCue(cue: TextTrackCue)\n}\n\npublic external abstract class TextTrackCueList {\n   open val length: Int\n   fun getCueById(id: String): TextTrackCue?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic
 inline operator fun TextTrackCueList.get(index: Int): TextTrackCue? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [TextTrackCue](https://developer.mozilla.org/en/docs/Web/API/TextTrackCue) to Kotlin\n */\npublic external abstract class TextTrackCue : EventTarget {\n   open val track: TextTrack?\n   open var id: String\n   open var startTime: Double\n   open var endTime: Double\n   open var pauseOnExit: Boolean\n   open var onenter: ((Event) -> dynamic)?\n   open var onexit: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript [TimeRanges](https://developer.mozilla.org/en/docs/Web/API/TimeRanges) to Kotlin\n */\npublic external abstract class TimeRanges {\n   open val length: Int\n   fun start(index: Int): Double\n   fun end(index: Int): Double\n}\n\n/**\n * Exposes the JavaScript [TrackEvent](https://developer.mozilla.org/en/docs/Web/API/TrackEvent) to Kotlin\n */\npublic external open class TrackEvent(type: String, eventInitDict: TrackEventInit
 = definedExternally) : Event {\n   open val track: UnionAudioTrackOrTextTrackOrVideoTrack?\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface TrackEventInit : EventInit {\n   var track: UnionAudioTrackOrTextTrackOrVideoTrack? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun TrackEventInit(track: UnionAudioTrackOrTextTrackOrVideoTrack? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): TrackEventInit {\n   val o = js(\"({})\")\n   o[\"track\"] = track\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [HTMLMapElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMapElement)
 to Kotlin\n */\npublic external abstract class HTMLMapElement : HTMLElement {\n   open var name: String\n   open val areas: HTMLCollection\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAreaElement)
 to Kotlin\n */\npublic external abstract class HTMLAreaElement : HTMLElement, HTMLHyperlinkElementUtils {\n   open var alt: String\n   open var coords: String\n   open var shape: String\n   open var target: String\n   open var download: String\n   open var ping: String\n   open var rel: String\n   open val relList: DOMTokenList\n   open var referrerPolicy: String\n   open var noHref: Boolean\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val

DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLTableElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableElement) to Kotlin\n */\npublic external abstract class HTMLTableElement : HTMLElement {\n open var caption: HTMLTableCaptionElement?\n open var tHead: HTMLTableSectionElement?\n open var tFoot: HTMLTableSectionElement?\n open val tBodies: HTMLCollection\n open val rows: HTMLCollection\n open var align: String\n open var border: String\n open var frame: String\n open var rules: String\n open var summary: String\n open var width: String\n open var bgColor: String\n open var cellPadding: String\n open var cellSpacing: String\n fun createCaption(): HTMLTableCaptionElement\n fun deleteCaption()\n fun createTHead(): HTMLTableSectionElement\n fun deleteTHead()\n fun createTFoot(): HTMLTableSectionElement\n fun deleteTFoot()\n fun createTBody(): HTMLTableSectionElement\n fun insertRow(index: Int = definedExternally): HTMLTableRowElement\n fun deleteRow(index: Int)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLTableCaptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCaptionElement) to Kotlin\n */\npublic external abstract class HTMLTableCaptionElement : HTMLElement {\n open var align: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLTableColElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableColElement) to Kotlin\n */\npublic external abstract class HTMLTableColElement : HTMLElement {\n open var span: Int\n open var align: String\n open var ch: String\n open var chOff: String\n open var vAlign: String\n open var width: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLTableSectionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableSectionElement) to Kotlin\n */\npublic external abstract class HTMLTableSectionElement : HTMLElement {\n open val rows:

HTMLCollection\n   open var align: String\n   open var ch: String\n   open var chOff: String\n   open var vAlign: String\n   fun insertRow(index: Int = definedExternally): HTMLElement\n   fun deleteRow(index: Int)\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLTableRowElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableRowElement) to Kotlin\n */\npublic external abstract class HTMLTableRowElement : HTMLElement {\n   open val rowIndex: Int\n   open val sectionRowIndex: Int\n   open val cells: HTMLCollection\n   open var align: String\n   open var ch: String\n   open var chOff: String\n   open var vAlign: String\n   open var bgColor: String\n   fun insertCell(index: Int = definedExternally): HTMLElement\n   fun deleteCell(index: Int)\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLTableCellElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCellElement) to Kotlin\n */\npublic external abstract class HTMLTableCellElement : HTMLElement {\n   open var colSpan: Int\n   open var rowSpan: Int\n   open var headers: String\n   open val cellIndex: Int\n   open var scope: String\n   open var abbr: String\n   open var align: String\n   open var axis: String\n   open var height: String\n   open var width: String\n   open var ch: String\n   open var chOff: String\n   open var noWrap: Boolean\n   open var vAlign: String\n   open var bgColor: String\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLFormElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFormElement) to Kotlin\n */\npublic external abstract class HTMLFormElement : HTMLElement {\n   open var acceptCharset: String\n   open var action: String\n   open var autocomplete: String\n   open var enctype: String\n   open var encoding: String\n   open var method: String\n   open var name: String\n   open var noValidate: Boolean\n   open var target: String\n   open val elements: HTMLFormControlsCollection\n   open val length: Int\n   fun submit()\n   fun reset()\n   fun

checkValidity(): Boolean\n   fun reportValidity(): Boolean\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE:
Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLFormElement.get(index: Int): Element? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLFormElement.get(name: String): UnionElementOrRadioNodeList? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [HTMLLabelElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLabelElement) to Kotlin\n */\npublic external abstract class HTMLLabelElement : HTMLElement {\n   open val form: HTMLFormElement?\n   open var htmlFor: String\n   open val control: HTMLElement?\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to Kotlin\n */\npublic external abstract class HTMLInputElement : HTMLElement {\n   open var accept: String\n   open var alt: String\n   open var autocomplete: String\n   open var autofocus: Boolean\n   open var defaultChecked: Boolean\n   open var checked: Boolean\n   open var dirName: String\n   open var disabled: Boolean\n   open val form: HTMLFormElement?\n   open val files: FileList?\n   open var formAction: String\n   open var formEnctype: String\n   open var formMethod: String\n   open var formNoValidate: Boolean\n   open var formTarget: String\n   open var height: Int\n   open var indeterminate: Boolean\n   open var inputMode: String\n   open val list: HTMLElement?\n   open var
max: String\n   open var maxLength: Int\n   open var min: String\n   open var minLength: Int\n   open var multiple: Boolean\n   open var name: String\n   open var pattern: String\n   open var placeholder: String\n   open var readOnly: Boolean\n   open var required: Boolean\n   open var size: Int\n   open var src: String\n   open var step: String\n   open var type: String\n   open var defaultValue: String\n   open var value: String\n   open var valueAsDate: dynamic\n   open var valueAsNumber: Double\n   open var width: Int\n   open val willValidate: Boolean\n   open val validity: ValidityState\n   open val validationMessage: String\n   open val labels: NodeList\n   open var selectionStart: Int?\n   open var selectionEnd: Int?\n   open var selectionDirection: String?\n   open var align: String\n   open var useMap: String\n   fun stepUp(n: Int = definedExternally)\n   fun stepDown(n: Int = definedExternally)\n   fun checkValidity(): Boolean\n   fun reportValidity():

Boolean\n fun setCustomValidity(error: String)\n fun select()\n fun setRangeText(replacement: String)\n fun setRangeText(replacement: String, start: Int, end: Int, selectionMode: SelectionMode = definedExternally)\n fun setSelectionRange(start: Int, end: Int, direction: String = definedExternally)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLButtonElement](https://developer.mozilla.org/en/docs/Web/API/HTMLButtonElement) to Kotlin\n */\npublic external abstract class HTMLButtonElement : HTMLElement {\n open var autofocus: Boolean\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var formAction: String\n open var formEnctype: String\n open var formMethod: String\n open var formNoValidate: Boolean\n open var formTarget: String\n open var name: String\n open var type: String\n open var value: String\n open var menu: HTMLMenuElement?\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLSelectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSelectElement) to Kotlin\n */\npublic external abstract class HTMLSelectElement : HTMLElement, ItemArrayLike<Element> {\n open var autocomplete: String\n open var autofocus: Boolean\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var multiple: Boolean\n open var name: String\n open var required: Boolean\n open var size: Int\n open val type: String\n open val options: HTMLOptionsCollection\n override var length: Int\n open val selectedOptions: HTMLCollection\n open var selectedIndex: Int\n open var value: String\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun namedItem(name: String): HTMLOptionElement?\n fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally)\n fun remove(index: Int)\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n override fun item(index: Int): Element?\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n

```
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
}\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLSelectElement.get(index: Int): Element? =
asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLSelectElement.set(index:
 Int, option: HTMLOptionElement?) { asDynamic()[index] = option }\n\n/**\n * Exposes the JavaScript
[HTMLDataListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataListElement) to Kotlin\n
*/\npublic external abstract class HTMLDataListElement : HTMLElement {\n    open val options:
HTMLCollection\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptGroupElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptGroupElement) to Kotlin\n
*/\npublic external abstract class HTMLOptGroupElement : HTMLElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n    open var disabled: Boolean\n    open var label:
String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS:
Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionElement) to Kotlin\n
*/\npublic external abstract class HTMLOptionElement : HTMLElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n    open var disabled: Boolean\n    open val form:
HTMLFormElement?\n    open var label: String\n    open var defaultSelected: Boolean\n    open var selected:
Boolean\n    open var value: String\n    open var text: String\n    open val index: Int\n\n    companion object {\n
val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n
    val COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE:
Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
```

[HTMLTextAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTextAreaElement) to Kotlin\n */\npublic external abstract class HTMLTextAreaElement : HTMLElement {\n open var autocomplete: String\n open var autofocus: Boolean\n open var cols: Int\n open var dirName: String\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var inputMode: String\n open var maxLength: Int\n open var minLength: Int\n open var name:
String\n open var placeholder: String\n open var readOnly: Boolean\n open var required: Boolean\n open var rows: Int\n open var wrap: String\n open val type: String\n open var defaultValue: String\n open var value: String\n open val textLength: Int\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n open var selectionStart: Int?\n open var selectionEnd: Int?\n open var selectionDirection: String?\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n fun select()\n fun setRangeText(replacement: String)\n fun setRangeText(replacement: String, start: Int, end: Int, selectionMode: SelectionMode = definedExternally)\n fun setSelectionRange(start: Int, end: Int, direction: String = definedExternally)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLKeygenElement](https://developer.mozilla.org/en/docs/Web/API/HTMLKeygenElement) to Kotlin\n */\npublic external abstract class HTMLKeygenElement : HTMLElement {\n open var autofocus: Boolean\n open var challenge: String\n open var disabled: Boolean\n open val
form: HTMLFormElement?\n open var keytype: String\n open var name: String\n open val type: String\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS:
Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLOutputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOutputElement) to Kotlin\n */\npublic external abstract class HTMLOutputElement : HTMLElement {\n open val htmlFor: DOMTokenList\n
open val form: HTMLFormElement?\n open var name: String\n open val type: String\n open var defaultValue: String\n open var value: String\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n

val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLProgressElement](https://developer.mozilla.org/en/docs/Web/API/HTMLProgressElement) to Kotlin\n */\npublic external abstract class HTMLProgressElement : HTMLElement {\n open var value: Double\n open var max: Double\n open val position: Double\n open val labels: NodeList\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLMeterElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMeterElement) to Kotlin\n */\npublic external abstract class HTMLMeterElement : HTMLElement {\n open var value: Double\n open var min: Double\n open var max: Double\n open var low: Double\n open var high: Double\n open var optimum: Double\n open val labels: NodeList\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLFieldSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFieldSetElement) to Kotlin\n */\npublic external abstract class HTMLFieldSetElement : HTMLElement {\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var name: String\n open val type: String\n open val elements: HTMLCollection\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the

JavaScript [HTMLLegendElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLegendElement) to Kotlin\n */\npublic external abstract class HTMLLegendElement : HTMLElement {\n open val form: HTMLFormElement?\n open var align: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [ValidityState](https://developer.mozilla.org/en/docs/Web/API/ValidityState) to Kotlin\n */\npublic external abstract class ValidityState {\n open val valueMissing: Boolean\n open val typeMismatch: Boolean\n open val patternMismatch: Boolean\n open val tooLong: Boolean\n open val tooShort: Boolean\n open val rangeUnderflow: Boolean\n open val rangeOverflow: Boolean\n open val stepMismatch: Boolean\n open val badInput: Boolean\n open val customError: Boolean\n open val valid: Boolean\n}\n\n/**\n * Exposes the JavaScript [HTMLDetailsElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDetailsElement) to Kotlin\n */\npublic external abstract class HTMLDetailsElement : HTMLElement {\n open var open: Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class HTMLMenuElement : HTMLElement {\n open var type: String\n open var label: String\n open var compact: Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class HTMLMenuItemElement : HTMLElement {\n open var type: String\n open var label: String\n open var icon: String\n open var disabled: Boolean\n open var checked: Boolean\n open var radiogroup: String\n open var default: Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val

DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external open class RelatedEvent(type: String, eventInitDict: RelatedEventInit = definedExternally) : Event {\n open val relatedTarget: EventTarget?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface RelatedEventInit : EventInit {\n var relatedTarget: EventTarget? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun RelatedEventInit(relatedTarget: EventTarget? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): RelatedEventInit {\n val o = js(\"({})\")\n o[\"relatedTarget\"] = relatedTarget\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [HTMLDialogElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDialogElement) to Kotlin\n */\npublic external abstract class HTMLDialogElement : HTMLElement {\n open var open: Boolean\n open var returnValue: String\n fun show(anchor: UnionElementOrMouseEvent = definedExternally)\n fun showModal(anchor: UnionElementOrMouseEvent = definedExternally)\n fun close(returnValue: String = definedExternally)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLScriptElement](https://developer.mozilla.org/en/docs/Web/API/HTMLScriptElement) to Kotlin\n */\npublic external abstract class HTMLScriptElement : HTMLElement, HTMLOrSVGScriptElement {\n open var src: String\n open var type: String\n open var charset: String\n open var async: Boolean\n open var defer: Boolean\n open var crossOrigin: String?\n open var text: String\n open var nonce: String\n open var event: String\n open var htmlFor: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLTemplateElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTemplateElement) to Kotlin\n */\npublic external abstract class HTMLTemplateElement : HTMLElement {\n open val content: DocumentFragment\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val

DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE:
Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLSlotElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSlotElement) to Kotlin\n */\npublic
external abstract class HTMLSlotElement : HTMLElement {\n open var name: String\n fun
assignedNodes(options: AssignedNodesOptions = definedExternally): Array<Node>\n\n companion object {\n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n
val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE:
Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface
AssignedNodesOptions {\n var flatten: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun AssignedNodesOptions(flatten:
Boolean? = false): AssignedNodesOptions {\n val o = js(\"({})\")\n o[\"flatten\"] = flatten\n return
o\n}\n\n/**\n * Exposes the JavaScript
[HTMLCanvasElement](https://developer.mozilla.org/en/docs/Web/API/HTMLCanvasElement)
to Kotlin\n */\npublic external abstract class HTMLCanvasElement : HTMLElement, CanvasImageSource,
TexImageSource {\n open var width: Int\n open var height: Int\n fun getContext(contextId: String, vararg
arguments: Any?): RenderingContext?\n fun toDataURL(type: String = definedExternally, quality: Any? =
definedExternally): String\n fun toBlob(_callback: (Blob?) -> Unit, type: String = definedExternally, quality:
Any? = definedExternally)\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED:
Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val
DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface
CanvasRenderingContext2DSettings {\n var alpha: Boolean? /* = true */\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
CanvasRenderingContext2DSettings(alpha: Boolean? = true): CanvasRenderingContext2DSettings {\n val o =
js(\"({})\")\n o[\"alpha\"] = alpha\n return o\n}\n\n/**\n * Exposes the JavaScript
[CanvasRenderingContext2D](https://developer.mozilla.org/en/docs/Web/API/CanvasRenderingContext2D) to
Kotlin\n */\npublic external abstract class CanvasRenderingContext2D : CanvasState, CanvasTransform,
CanvasCompositing, CanvasImageSmoothing,

CanvasFillStrokeStyles, CanvasShadowStyles, CanvasFilters, CanvasRect, CanvasDrawPath, CanvasUserInterface, CanvasText, CanvasDrawImage, CanvasHitRegion, CanvasImageData, CanvasPathDrawingStyles, CanvasTextDrawingStyles, CanvasPath, RenderingContext {\n open val canvas: HTMLCanvasElement\n}\n\npublic external interface CanvasState {\n fun save()\n fun restore()\n}\n\npublic external interface CanvasTransform {\n fun scale(x: Double, y: Double)\n fun rotate(angle: Double)\n fun translate(x: Double, y: Double)\n fun transform(a: Double, b: Double, c: Double, d: Double, e: Double, f: Double)\n fun getTransform(): DOMMatrix\n fun setTransform(a: Double, b: Double, c: Double, d: Double, e: Double, f: Double)\n fun setTransform(transform: dynamic = definedExternally)\n fun resetTransform()\n}\n\npublic external interface CanvasCompositing {\n var globalAlpha: Double\n var globalCompositeOperation: String\n}\n\npublic external interface CanvasImageSmoothing {\n var imageSmoothingEnabled: Boolean\n var imageSmoothingQuality: ImageSmoothingQuality\n}\n\npublic external interface CanvasFillStrokeStyles {\n var strokeStyle: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var fillStyle: dynamic\n get() = definedExternally\n set(value) = definedExternally\n fun createLinearGradient(x0: Double, y0: Double, x1: Double, y1: Double): CanvasGradient\n fun createRadialGradient(x0: Double, y0: Double, r0: Double, x1: Double, y1: Double, r1: Double): CanvasGradient\n fun createPattern(image: CanvasImageSource, repetition: String): CanvasPattern?\n}\n\npublic external interface CanvasShadowStyles {\n var shadowOffsetX: Double\n var shadowOffsetY: Double\n var shadowBlur: Double\n var shadowColor: String\n}\n\npublic external interface CanvasFilters {\n var filter: String\n}\n\npublic external interface CanvasRect {\n fun clearRect(x: Double, y: Double,
w: Double, h: Double)\n fun fillRect(x: Double, y: Double, w: Double, h: Double)\n fun strokeRect(x: Double, y: Double, w: Double, h: Double)\n}\n\npublic external interface CanvasDrawPath {\n fun beginPath()\n fun fill(fillRule: CanvasFillRule = definedExternally)\n fun fill(path: Path2D, fillRule: CanvasFillRule = definedExternally)\n fun stroke()\n fun stroke(path: Path2D)\n fun clip(fillRule: CanvasFillRule = definedExternally)\n fun clip(path: Path2D, fillRule: CanvasFillRule = definedExternally)\n fun resetClip()\n fun isPointInPath(x: Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n fun isPointInPath(path: Path2D, x: Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n fun isPointInStroke(x: Double, y: Double): Boolean\n fun isPointInStroke(path: Path2D, x: Double, y: Double): Boolean\n}\n\npublic external interface CanvasUserInterface {\n fun drawFocusIfNeeded(element: Element)\n fun drawFocusIfNeeded(path: Path2D, element: Element)\n fun scrollPathIntoView()\n fun scrollPathIntoView(path: Path2D)\n}\n\npublic external interface CanvasText {\n fun fillText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally)\n fun strokeText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally)\n fun measureText(text: String): TextMetrics\n}\n\npublic external interface CanvasDrawImage {\n fun drawImage(image: CanvasImageSource, dx: Double, dy: Double)\n fun drawImage(image: CanvasImageSource, dx: Double, dy: Double, dw: Double, dh: Double)\n fun drawImage(image: CanvasImageSource, sx: Double, sy: Double, sw: Double, sh: Double, dx: Double, dy: Double, dw: Double, dh: Double)\n}\n\npublic external interface CanvasHitRegion {\n fun addHitRegion(options: HitRegionOptions = definedExternally)\n fun removeHitRegion(id: String)\n fun clearHitRegions()\n}\n\npublic external interface CanvasImageData {\n fun
createImageData(sw: Double, sh: Double): ImageData\n fun createImageData(imagedata: ImageData): ImageData\n fun getImageData(sx: Double, sy: Double, sw: Double, sh: Double): ImageData\n fun putImageData(imagedata: ImageData, dx: Double, dy: Double)\n fun putImageData(imagedata: ImageData, dx: Double, dy: Double, dirtyX: Double, dirtyY: Double, dirtyWidth: Double, dirtyHeight: Double)\n}\n\npublic external interface CanvasPathDrawingStyles {\n var lineWidth: Double\n var lineCap: CanvasLineCap\n var lineJoin: CanvasLineJoin\n var miterLimit: Double\n var lineDashOffset: Double\n fun setLineDash(segments: Array<Double>)\n fun getLineDash(): Array<Double>\n}\n\npublic external interface CanvasTextDrawingStyles {\n var font: String\n var textAlign: CanvasTextAlign\n var textBaseline: CanvasTextBaseline\n var direction: CanvasDirection\n}\n\npublic external interface CanvasPath {\n fun closePath()\n fun moveTo(x:

Double, y: Double)\n   fun
lineTo(x: Double, y: Double)\n   fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double)\n   fun bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double)\n   fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius: Double)\n   fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY: Double, rotation: Double)\n   fun rect(x: Double, y: Double, w: Double, h: Double)\n   fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean = definedExternally)\n   fun ellipse(x: Double, y: Double, radiusX: Double, radiusY: Double, rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean = definedExternally)\n}\n\n/**\n * Exposes the JavaScript [CanvasGradient](https://developer.mozilla.org/en/docs/Web/API/CanvasGradient) to Kotlin\n */\npublic external abstract class CanvasGradient {\n   fun addColorStop(offset: Double, color: String)\n}\n\n/**\n
* Exposes the JavaScript [CanvasPattern](https://developer.mozilla.org/en/docs/Web/API/CanvasPattern) to Kotlin\n */\npublic external abstract class CanvasPattern {\n   fun setTransform(transform: dynamic = definedExternally)\n}\n\n/**\n * Exposes the JavaScript [TextMetrics](https://developer.mozilla.org/en/docs/Web/API/TextMetrics) to Kotlin\n */\npublic external abstract class TextMetrics {\n   open val width: Double\n   open val actualBoundingBoxLeft: Double\n   open val actualBoundingBoxRight: Double\n   open val fontBoundingBoxAscent: Double\n   open val fontBoundingBoxDescent: Double\n   open val actualBoundingBoxAscent: Double\n   open val actualBoundingBoxDescent: Double\n   open val emHeightAscent: Double\n   open val emHeightDescent: Double\n   open val hangingBaseline: Double\n   open val alphabeticBaseline: Double\n   open val ideographicBaseline: Double\n}\n\npublic external interface HitRegionOptions {\n   var path: Path2D? /* = null */\n   get()
= definedExternally\n   set(value) = definedExternally\n   var fillRule: CanvasFillRule? /* = CanvasFillRule.NONZERO */\n   get() = definedExternally\n   set(value) = definedExternally\n   var id: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var parentID: String? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n   var cursor: String? /* = \"inherit\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var control: Element? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n   var label: String? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n   var role: String? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun HitRegionOptions(path: Path2D? = null, fillRule: CanvasFillRule? = CanvasFillRule.NONZERO, id: String? = \"\", parentID: String? = null, cursor: String? = \"inherit\", control: Element? = null, label: String? = null, role: String? = null): HitRegionOptions {\n   val o = js(\"({})\")\n   o[\"path\"] = path\n   o[\"fillRule\"] = fillRule\n   o[\"id\"] = id\n   o[\"parentID\"] = parentID\n   o[\"cursor\"] = cursor\n   o[\"control\"] = control\n   o[\"label\"] = label\n   o[\"role\"] = role\n   return o\n}\n\n/**\n * Exposes the JavaScript [ImageData](https://developer.mozilla.org/en/docs/Web/API/ImageData) to Kotlin\n */\npublic external open class ImageData : ImageBitmapSource, TexImageSource {\n   constructor(sw: Int, sh: Int)\n   constructor(data: Uint8ClampedArray, sw: Int, sh: Int = definedExternally)\n   open val width: Int\n   open val height: Int\n   open val data: Uint8ClampedArray\n}\n\n/**\n * Exposes the JavaScript [Path2D](https://developer.mozilla.org/en/docs/Web/API/Path2D)
to Kotlin\n */\npublic external open class Path2D() : CanvasPath {\n   constructor(path: Path2D)\n   constructor(paths: Array<Path2D>, fillRule: CanvasFillRule = definedExternally)\n   constructor(d: String)\n   fun addPath(path: Path2D, transform: dynamic = definedExternally)\n   override fun closePath()\n   override fun moveTo(x: Double, y: Double)\n   override fun lineTo(x: Double, y: Double)\n   override fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double)\n   override fun bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double)\n   override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius: Double)\n   override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY: Double, rotation: Double)\n   override fun rect(x: Double, y: Double, w: Double, h:

Double)\n   override fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle: Double, anticlockwise:
Boolean /* = definedExternally */)\n   override fun ellipse(x: Double, y: Double, radiusX: Double, radiusY: Double, rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean /* = definedExternally */)\n}\n\n/**\n * Exposes the JavaScript [ImageBitmapRenderingContext](https://developer.mozilla.org/en/docs/Web/API/ImageBitmapRenderingContext) to Kotlin\n */\npublic external abstract class ImageBitmapRenderingContext {\n   open val canvas: HTMLCanvasElement\n   fun transferFromImageBitmap(bitmap: ImageBitmap?)\n}\n\npublic external interface ImageBitmapRenderingContextSettings {\n   var alpha: Boolean? /* = true */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ImageBitmapRenderingContextSettings(alpha: Boolean? = true): ImageBitmapRenderingContextSettings {\n   val o = js(\"({})\")\n   o[\"alpha\"] = alpha\n   return o\n}\n\n/**\n
* Exposes the JavaScript [CustomElementRegistry](https://developer.mozilla.org/en/docs/Web/API/CustomElementRegistry) to Kotlin\n */\npublic external abstract class CustomElementRegistry {\n   fun define(name: String, constructor: () -> dynamic, options: ElementDefinitionOptions = definedExternally)\n   fun get(name: String): Any?\n   fun whenDefined(name: String): Promise<Unit>\n}\n\npublic external interface ElementDefinitionOptions {\n   var extends: String?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ElementDefinitionOptions(extends: String? = undefined): ElementDefinitionOptions {\n   val o = js(\"({})\")\n   o[\"extends\"] = extends\n   return o\n}\n\npublic external interface ElementContentEditable {\n   var contentEditable: String\n   val isContentEditable: Boolean\n}\n\n/**\n * Exposes the JavaScript [DataTransfer](https://developer.mozilla.org/en/docs/Web/API/DataTransfer)
to Kotlin\n */\npublic external abstract class DataTransfer {\n   open var dropEffect: String\n   open var effectAllowed: String\n   open val items: DataTransferItemList\n   open val types: Array<out String>\n   open val files: FileList\n   fun setDragImage(image: Element, x: Int, y: Int)\n   fun getData(format: String): String\n   fun setData(format: String, data: String)\n   fun clearData(format: String = definedExternally)\n}\n\n/**\n * Exposes the JavaScript [DataTransferItemList](https://developer.mozilla.org/en/docs/Web/API/DataTransferItemList) to Kotlin\n */\npublic external abstract class DataTransferItemList {\n   open val length: Int\n   fun add(data: String, type: String): DataTransferItem?\n   fun add(data: File): DataTransferItem?\n   fun remove(index: Int)\n   fun clear()\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun DataTransferItemList.get(index:
Int): DataTransferItem? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [DataTransferItem](https://developer.mozilla.org/en/docs/Web/API/DataTransferItem) to Kotlin\n */\npublic external abstract class DataTransferItem {\n   open val kind: String\n   open val type: String\n   fun getAsString(_callback: ((String) -> Unit)?)\n   fun getAsFile(): File?\n}\n\n/**\n * Exposes the JavaScript [DragEvent](https://developer.mozilla.org/en/docs/Web/API/DragEvent) to Kotlin\n */\npublic external open class DragEvent(type: String, eventInitDict: DragEventInit = definedExternally) : MouseEvent {\n   open val dataTransfer: DataTransfer?\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface DragEventInit : MouseEventInit {\n   var dataTransfer: DataTransfer? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun DragEventInit(dataTransfer: DataTransfer? = null, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey:

Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): DragEventInit {\n val o = js(\"({})\")\n o[\"dataTransfer\"]
= dataTransfer\n o[\"screenX\"] = screenX\n o[\"screenY\"] = screenY\n o[\"clientX\"] = clientX\n o[\"clientY\"] = clientY\n o[\"button\"] = button\n o[\"buttons\"] = buttons\n o[\"relatedTarget\"] = relatedTarget\n o[\"region\"] = region\n o[\"ctrlKey\"] = ctrlKey\n o[\"shiftKey\"] = shiftKey\n o[\"altKey\"] = altKey\n o[\"metaKey\"] = metaKey\n o[\"modifierAltGraph\"] = modifierAltGraph\n o[\"modifierCapsLock\"] = modifierCapsLock\n o[\"modifierFn\"] = modifierFn\n o[\"modifierFnLock\"] = modifierFnLock\n o[\"modifierHyper\"] = modifierHyper\n o[\"modifierNumLock\"] = modifierNumLock\n o[\"modifierScrollLock\"] = modifierScrollLock\n o[\"modifierSuper\"] = modifierSuper\n o[\"modifierSymbol\"] = modifierSymbol\n o[\"modifierSymbolLock\"] = modifierSymbolLock\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return
o\n}\n\n/**\n * Exposes the JavaScript [Window](https://developer.mozilla.org/en/docs/Web/API/Window) to Kotlin\n */\npublic external abstract class Window : EventTarget, GlobalEventHandlers, WindowEventHandlers, WindowOrWorkerGlobalScope, WindowSessionStorage, WindowLocalStorage, GlobalPerformance, UnionMessagePortOrWindowProxy {\n open val window: Window\n open val self: Window\n open val document: Document\n open var name: String\n open val location: Location\n open val history: History\n open val customElements: CustomElementRegistry\n open val locationbar: BarProp\n open val menubar: BarProp\n open val personalbar: BarProp\n open val scrollbars: BarProp\n open val statusbar: BarProp\n open val toolbar: BarProp\n open var status: String\n open val closed: Boolean\n open val frames: Window\n open val length: Int\n open val top: Window\n open var opener: Any?\n open val parent: Window\n open val frameElement: Element?\n
open val navigator: Navigator\n open val applicationCache: ApplicationCache\n open val external: External\n open val screen: Screen\n open val innerWidth: Int\n open val innerHeight: Int\n open val scrollX: Double\n open val pageXOffset: Double\n open val scrollY: Double\n open val pageYOffset: Double\n open val screenX: Int\n open val screenY: Int\n open val outerWidth: Int\n open val outerHeight: Int\n open val devicePixelRatio: Double\n fun close()\n fun stop()\n fun focus()\n fun blur()\n fun open(url: String = definedExternally, target: String = definedExternally, features: String = definedExternally): Window?\n fun alert()\n fun alert(message: String)\n fun confirm(message: String = definedExternally): Boolean\n fun prompt(message: String = definedExternally, default: String = definedExternally): String?\n fun print()\n fun requestAnimationFrame(callback: (Double) -> Unit): Int\n fun cancelAnimationFrame(handle:
Int)\n fun postMessage(message: Any?, targetOrigin: String, transfer: Array<dynamic> = definedExternally)\n fun captureEvents()\n fun releaseEvents()\n fun matchMedia(query: String): MediaQueryList\n fun moveTo(x: Int, y: Int)\n fun moveBy(x: Int, y: Int)\n fun resizeTo(x: Int, y: Int)\n fun resizeBy(x: Int, y: Int)\n fun scroll(options: ScrollToOptions = definedExternally)\n fun scroll(x: Double, y: Double)\n fun scrollTo(options: ScrollToOptions = definedExternally)\n fun scrollTo(x: Double, y: Double)\n fun scrollBy(options: ScrollToOptions = definedExternally)\n fun scrollBy(x: Double, y: Double)\n fun getComputedStyle(elt: Element, pseudoElt: String? = definedExternally):
CSSStyleDeclaration\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Window.get(name: String): dynamic = asDynamic()[name]\n\npublic external abstract class BarProp {\n open val visible:
Boolean\n}\n\n/**\n * Exposes the JavaScript [History](https://developer.mozilla.org/en/docs/Web/API/History) to Kotlin\n */\npublic external abstract class History {\n open val length: Int\n open var scrollRestoration: ScrollRestoration\n open val state: Any?\n fun go(delta: Int = definedExternally)\n fun back()\n fun

forward()\n   fun pushState(data: Any?, title: String, url: String? = definedExternally)\n   fun replaceState(data: Any?, title: String, url: String? = definedExternally)\n}\n\n/**\n * Exposes the JavaScript [Location](https://developer.mozilla.org/en/docs/Web/API/Location) to Kotlin\n */\npublic external abstract class Location {\n   open var href: String\n   open val origin: String\n   open var protocol: String\n   open var host: String\n   open var hostname: String\n   open var port: String\n   open var pathname: String\n   open var search: String\n   open var hash: String\n   open val ancestorOrigins: Array<out String>\n   fun assign(url: String)\n   fun replace(url: String)\n   fun reload()\n}\n\n/**\n * Exposes the JavaScript [PopStateEvent](https://developer.mozilla.org/en/docs/Web/API/PopStateEvent) to Kotlin\n */\npublic external open class PopStateEvent(type: String, eventInitDict: PopStateEventInit = definedExternally) : Event {\n   open val state: Any?\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface PopStateEventInit : EventInit {\n   var state: Any? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun PopStateEventInit(state: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PopStateEventInit {\n   val o = js(\"({})\")\n   o[\"state\"] = state\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [HashChangeEvent](https://developer.mozilla.org/en/docs/Web/API/HashChangeEvent) to Kotlin\n */\npublic external open class HashChangeEvent(type: String, eventInitDict: HashChangeEventInit = definedExternally) : Event {\n   open val oldURL: String\n   open val newURL: String\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface HashChangeEventInit : EventInit {\n   var oldURL: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var newURL: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun HashChangeEventInit(oldURL: String?
 = \"\", newURL: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): HashChangeEventInit {\n   val o = js(\"({})\")\n   o[\"oldURL\"] = oldURL\n   o[\"newURL\"] = newURL\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [PageTransitionEvent](https://developer.mozilla.org/en/docs/Web/API/PageTransitionEvent) to Kotlin\n */\npublic external open class PageTransitionEvent(type: String, eventInitDict: PageTransitionEventInit = definedExternally) : Event {\n   open val persisted: Boolean\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface PageTransitionEventInit : EventInit {\n   var persisted: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun PageTransitionEventInit(persisted: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PageTransitionEventInit {\n   val o = js(\"({})\")\n   o[\"persisted\"] = persisted\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [BeforeUnloadEvent](https://developer.mozilla.org/en/docs/Web/API/BeforeUnloadEvent) to Kotlin\n */\npublic external open class BeforeUnloadEvent : Event {\n   var returnValue: String\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external abstract class ApplicationCache : EventTarget {\n   open val status: Short\n   open var onchecking: ((Event) -> dynamic)?\n   open var onerror: ((Event) -> dynamic)?\n   open var onnoupdate: ((Event) -> dynamic)?\n   open var ondownloading: ((Event) -> dynamic)?\n   open var onprogress: ((ProgressEvent) -> dynamic)?\n   open var onupdateready: ((Event) -> dynamic)?\n   open var oncached: ((Event) -> dynamic)?\n   open var onobsolete: ((Event) -> dynamic)?\n   fun update()\n   fun abort()\n

fun swapCache()\n\n companion object {\n val UNCACHED: Short\n val IDLE: Short\n val CHECKING: Short\n val DOWNLOADING: Short\n val UPDATEREADY: Short\n val OBSOLETE: Short\n }\n}\n\n/**\n * Exposes the JavaScript [NavigatorOnLine](https://developer.mozilla.org/en/docs/Web/API/NavigatorOnLine) to Kotlin\n */\npublic external interface NavigatorOnLine {\n val onLine: Boolean\n}\n\n/**\n * Exposes the JavaScript [ErrorEvent](https://developer.mozilla.org/en/docs/Web/API/ErrorEvent) to Kotlin\n */\npublic external open class ErrorEvent(type: String, eventInitDict: ErrorEventInit = definedExternally)
: Event {\n open val message: String\n open val filename: String\n open val lineno: Int\n open val colno: Int\n open val error: Any?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface ErrorEventInit : EventInit {\n var message: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var filename: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var lineno: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var colno: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var error: Any? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic
inline fun ErrorEventInit(message: String? = \"\", filename: String? = \"\", lineno: Int? = 0, colno: Int? = 0, error: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ErrorEventInit {\n val o = js(\"({})\")\n o[\"message\"] = message\n o[\"filename\"] = filename\n o[\"lineno\"] = lineno\n o[\"colno\"] = colno\n o[\"error\"] = error\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [PromiseRejectionEvent](https://developer.mozilla.org/en/docs/Web/API/PromiseRejectionEvent) to Kotlin\n */\npublic external open class PromiseRejectionEvent(type: String, eventInitDict: PromiseRejectionEventInit) : Event {\n open val promise: Promise<Any?>\n open val reason: Any?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE:
Short\n }\n}\n\npublic external interface PromiseRejectionEventInit : EventInit {\n var promise: Promise<Any?>?\n var reason: Any?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun PromiseRejectionEventInit(promise: Promise<Any?>?, reason: Any? = undefined, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PromiseRejectionEventInit {\n val o = js(\"({})\")\n o[\"promise\"] = promise\n o[\"reason\"] = reason\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [GlobalEventHandlers](https://developer.mozilla.org/en/docs/Web/API/GlobalEventHandlers) to Kotlin\n */\npublic external interface GlobalEventHandlers {\n var onabort: ((Event) -> dynamic)?\n get() = definedExternally\n set(value)
= definedExternally\n var onblur: ((FocusEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oncancel: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oncanplay: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oncanplaythrough: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onchange: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onclick: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onclose: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oncontextmenu: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oncuechange:

((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondblclick: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondrag: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondragend: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondragenter: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondragexit: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondragleave: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondragover: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondragstart: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondrop: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondurationchange: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onemptied: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onended: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onfocus: ((FocusEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oninput: ((InputEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oninvalid: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onkeydown: ((KeyboardEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onkeypress: ((KeyboardEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onkeyup: ((KeyboardEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onload: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onloadeddata: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onloadedmetadata: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onloadend: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onloadstart: ((ProgressEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmousedown: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmouseenter: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmouseleave: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmousemove: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmouseout: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmouseover: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmouseup: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onwheel: ((WheelEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpause: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onplay: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onplaying: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onprogress: ((ProgressEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onratechange: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onreset: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onresize: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onscroll: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onseeked: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onseeking: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onselect: ((Event) -> dynamic)?\n get() =

definedExternally\n set(value) = definedExternally\n var onshow: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onstalled: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onsubmit: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onsuspend: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ontimeupdate: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ontoggle: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n
var onvolumechange: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onwaiting: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ongotpointercapture: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onlostpointercapture: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpointerdown: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpointermove: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpointerup: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpointercancel: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n
var onpointerover: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpointerout: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpointerenter: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpointerleave: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n/**\n * Exposes the JavaScript [WindowEventHandlers](https://developer.mozilla.org/en/docs/Web/API/WindowEventHandlers) to Kotlin\n */\npublic external interface WindowEventHandlers {\n var onafterprint: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onbeforeprint: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onbeforeunload: ((BeforeUnloadEvent) -> String?)?\n get() = definedExternally\n set(value) = definedExternally\n var onhashchange: ((HashChangeEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onlanguagechange: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmessage: ((MessageEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onoffline: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ononline: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpagehide: ((PageTransitionEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpageshow: ((PageTransitionEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpopstate: ((PopStateEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onrejectionhandled: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onstorage: ((StorageEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onunhandledrejection: ((PromiseRejectionEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onunload: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n}\n\npublic external interface DocumentAndElementEventHandlers {\n var oncopy: ((ClipboardEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oncut: ((ClipboardEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpaste: ((ClipboardEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n/**\n * Exposes the JavaScript [WindowOrWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WindowOrWorkerGlobalScope) to Kotlin\n */\npublic external interface WindowOrWorkerGlobalScope {\n val origin: String\n val caches: CacheStorage\n fun btoa(data: String): String\n fun atob(data: String): String\n fun setTimeout(handler:

dynamic, timeout: Int = definedExternally, vararg arguments: Any?): Int\n fun clearTimeout(handle: Int = definedExternally)\n fun setInterval(handler: dynamic, timeout: Int = definedExternally, vararg arguments: Any?): Int\n fun clearInterval(handle: Int = definedExternally)\n fun createImageBitmap(image: ImageBitmapSource, options: ImageBitmapOptions = definedExternally): Promise<ImageBitmap>\n fun createImageBitmap(image: ImageBitmapSource, sx: Int, sy: Int, sw: Int, sh: Int, options: ImageBitmapOptions = definedExternally): Promise<ImageBitmap>\n fun fetch(input: dynamic,
init: RequestInit = definedExternally): Promise<Response>\n}\n\n/**\n * Exposes the JavaScript [Navigator](https://developer.mozilla.org/en/docs/Web/API/Navigator) to Kotlin\n */\npublic external abstract class Navigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorContentUtils, NavigatorCookies, NavigatorPlugins, NavigatorConcurrentHardware {\n open val clipboard: Clipboard\n open val mediaDevices: MediaDevices\n open val maxTouchPoints: Int\n open val serviceWorker: ServiceWorkerContainer\n fun requestMediaKeySystemAccess(keySystem: String, supportedConfigurations: Array<MediaKeySystemConfiguration>): Promise<MediaKeySystemAccess>\n fun getUserMedia(constraints: MediaStreamConstraints, successCallback: (MediaStream) -> Unit, errorCallback: (dynamic) -> Unit)\n fun vibrate(pattern: dynamic): Boolean\n}\n\n/**\n * Exposes the JavaScript [NavigatorID](https://developer.mozilla.org/en/docs/Web/API/NavigatorID) to Kotlin\n */\npublic external interface NavigatorID {\n val appCodeName: String\n val appName: String\n val appVersion: String\n val platform: String\n val product: String\n val productSub: String\n val userAgent: String\n val vendor: String\n val vendorSub: String\n val oscpu: String\n fun taintEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript [NavigatorLanguage](https://developer.mozilla.org/en/docs/Web/API/NavigatorLanguage) to Kotlin\n */\npublic external interface NavigatorLanguage {\n val language: String\n val languages: Array<out String>\n}\n\npublic external interface NavigatorContentUtils {\n fun registerProtocolHandler(scheme: String, url: String, title: String)\n fun registerContentHandler(mimeType: String, url: String, title: String)\n fun isProtocolHandlerRegistered(scheme: String, url: String): String\n fun isContentHandlerRegistered(mimeType: String, url: String): String\n fun unregisterProtocolHandler(scheme: String, url: String)\n fun unregisterContentHandler(mimeType:
String, url: String)\n}\n\npublic external interface NavigatorCookies {\n val cookieEnabled: Boolean\n}\n\n/**\n * Exposes the JavaScript [NavigatorPlugins](https://developer.mozilla.org/en/docs/Web/API/NavigatorPlugins) to Kotlin\n */\npublic external interface NavigatorPlugins {\n val plugins: PluginArray\n val mimeTypes: MimeTypeArray\n fun javaEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript [PluginArray](https://developer.mozilla.org/en/docs/Web/API/PluginArray) to Kotlin\n */\npublic external abstract class PluginArray : ItemArrayLike<Plugin> {\n fun refresh(reload: Boolean = definedExternally)\n override fun item(index: Int): Plugin?\n fun namedItem(name: String): Plugin?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun PluginArray.get(index: Int): Plugin? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic
inline operator fun PluginArray.get(name: String): Plugin? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [MimeTypeArray](https://developer.mozilla.org/en/docs/Web/API/MimeTypeArray) to Kotlin\n */\npublic external abstract class MimeTypeArray : ItemArrayLike<MimeType> {\n override fun item(index: Int): MimeType?\n fun namedItem(name: String): MimeType?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun MimeTypeArray.get(index: Int): MimeType? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun MimeTypeArray.get(name: String): MimeType? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [Plugin](https://developer.mozilla.org/en/docs/Web/API/Plugin) to Kotlin\n */\npublic external abstract class Plugin : ItemArrayLike<MimeType> {\n open val name: String\n open val description: String\n open

```
 val filename: String\n    override fun item(index: Int): MimeType?\n    fun namedItem(name: String): MimeType?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Plugin.get(index: Int): MimeType? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Plugin.get(name: String): MimeType? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [MimeType](https://developer.mozilla.org/en/docs/Web/API/MimeType) to Kotlin\n */\npublic external abstract class MimeType {\n    open val type: String\n    open val description: String\n    open val suffixes: String\n    open val enabledPlugin: Plugin\n}\n\n/**\n * Exposes the JavaScript [ImageBitmap](https://developer.mozilla.org/en/docs/Web/API/ImageBitmap) to Kotlin\n */\npublic external abstract class ImageBitmap : CanvasImageSource, TexImageSource {\n    open val width: Int\n    open val height: Int\n    fun close()\n}\n\npublic external interface ImageBitmapOptions {\n    var imageOrientation: ImageOrientation? /* = ImageOrientation.NONE */\n        get() = definedExternally\n        set(value) = definedExternally\n    var premultiplyAlpha: PremultiplyAlpha? /* = PremultiplyAlpha.DEFAULT */\n        get() = definedExternally\n        set(value) = definedExternally\n    var colorSpaceConversion: ColorSpaceConversion? /* = ColorSpaceConversion.DEFAULT */\n        get() = definedExternally\n        set(value) = definedExternally\n    var resizeWidth: Int?\n        get() = definedExternally\n        set(value) = definedExternally\n    var resizeHeight: Int?\n        get() = definedExternally\n        set(value) = definedExternally\n    var resizeQuality: ResizeQuality? /* = ResizeQuality.LOW */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ImageBitmapOptions(imageOrientation: ImageOrientation? = ImageOrientation.NONE, premultiplyAlpha: PremultiplyAlpha? = PremultiplyAlpha.DEFAULT, colorSpaceConversion: ColorSpaceConversion? = ColorSpaceConversion.DEFAULT, resizeWidth: Int? = undefined, resizeHeight: Int? = undefined, resizeQuality: ResizeQuality? = ResizeQuality.LOW): ImageBitmapOptions {\n    val o = js(\"({})\")\n    o[\"imageOrientation\"] = imageOrientation\n    o[\"premultiplyAlpha\"] = premultiplyAlpha\n    o[\"colorSpaceConversion\"] = colorSpaceConversion\n    o[\"resizeWidth\"] = resizeWidth\n    o[\"resizeHeight\"] = resizeHeight\n    o[\"resizeQuality\"] = resizeQuality\n    return o\n}\n\n/**\n * Exposes the JavaScript [MessageEvent](https://developer.mozilla.org/en/docs/Web/API/MessageEvent) to Kotlin\n */\npublic external open class MessageEvent(type: String, eventInitDict: MessageEventInit = definedExternally) : Event {\n    open val data: Any?\n    open val origin: String\n    open val lastEventId: String\n    open val source: UnionMessagePortOrWindowProxy?\n    open val ports: Array<out MessagePort>\n    fun initMessageEvent(type: String, bubbles: Boolean, cancelable: Boolean, data: Any?, origin: String, lastEventId: String, source: UnionMessagePortOrWindowProxy?, ports: Array<MessagePort>)\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface MessageEventInit : EventInit {\n    var data: Any? /* = null */\n        get() = definedExternally\n        set(value) = definedExternally\n    var origin: String? /* = \"\" */\n        get() = definedExternally\n        set(value) = definedExternally\n    var lastEventId: String? /* = \"\" */\n        get() = definedExternally\n        set(value) = definedExternally\n    var source: UnionMessagePortOrWindowProxy? /* = null */\n        get() = definedExternally\n        set(value) = definedExternally\n    var ports: Array<MessagePort>? /* = arrayOf() */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MessageEventInit(data: Any? = null, origin: String? = \"\", lastEventId: String? = \"\", source: UnionMessagePortOrWindowProxy? = null, ports: Array<MessagePort>? = arrayOf(), bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MessageEventInit {\n    val o = js(\"({})\")\n    o[\"data\"] = data\n    o[\"origin\"] = origin\n    o[\"lastEventId\"] = lastEventId\n    o[\"source\"] = source\n    o[\"ports\"] = ports\n    o[\"bubbles\"] = bubbles\n
```

o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [EventSource](https://developer.mozilla.org/en/docs/Web/API/EventSource) to Kotlin\n */\npublic external open class EventSource(url: String, eventSourceInitDict: EventSourceInit = definedExternally) : EventTarget {\n   open val url: String\n   open val withCredentials: Boolean\n   open val readyState: Short\n   var onopen: ((Event) -> dynamic)?\n   var onmessage: ((MessageEvent) -> dynamic)?\n   var onerror: ((Event) -> dynamic)?\n   fun close()\n\n   companion object {\n   val CONNECTING: Short\n   val OPEN: Short\n   val CLOSED: Short\n   }\n}\n\npublic external interface EventSourceInit {\n   var withCredentials: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun EventSourceInit(withCredentials: Boolean? = false): EventSourceInit {\n   val o = js(\"({})\")\n   o[\"withCredentials\"] = withCredentials\n   return o\n}\n\n/**\n * Exposes the JavaScript [WebSocket](https://developer.mozilla.org/en/docs/Web/API/WebSocket) to Kotlin\n */\npublic external open class WebSocket(url: String, protocols: dynamic = definedExternally) : EventTarget {\n   open val url: String\n   open val readyState: Short\n   open val bufferedAmount: Number\n   var onopen: ((Event) -> dynamic)?\n   var onerror: ((Event) -> dynamic)?\n   var onclose: ((Event) -> dynamic)?\n   open val extensions: String\n   open val protocol: String\n   var onmessage: ((MessageEvent) -> dynamic)?\n   var binaryType: BinaryType\n   fun close(code: Short = definedExternally, reason: String = definedExternally)\n   fun send(data: String)\n   fun send(data: Blob)\n   fun send(data: ArrayBuffer)\n   fun send(data: ArrayBufferView)\n\n   companion object {\n   val CONNECTING: Short\n   val OPEN: Short\n   val CLOSING: Short\n   val CLOSED: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [CloseEvent](https://developer.mozilla.org/en/docs/Web/API/CloseEvent) to Kotlin\n */\npublic external open class CloseEvent(type: String, eventInitDict: CloseEventInit = definedExternally) : Event {\n   open val wasClean: Boolean\n   open val code: Short\n   open val reason: String\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface CloseEventInit : EventInit {\n   var wasClean: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var code: Short? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var reason: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun CloseEventInit(wasClean: Boolean? = false, code: Short? = 0, reason: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CloseEventInit {\n   val o = js(\"({})\")\n   o[\"wasClean\"] = wasClean\n   o[\"code\"] = code\n   o[\"reason\"] = reason\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [MessageChannel](https://developer.mozilla.org/en/docs/Web/API/MessageChannel) to Kotlin\n */\npublic external open class MessageChannel {\n   open val port1: MessagePort\n   open val port2: MessagePort\n}\n\n/**\n * Exposes the JavaScript [MessagePort](https://developer.mozilla.org/en/docs/Web/API/MessagePort) to Kotlin\n */\npublic external abstract class MessagePort : EventTarget, UnionMessagePortOrWindowProxy, UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n   open var onmessage: ((MessageEvent) -> dynamic)?\n   fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n   fun start()\n   fun close()\n}\n\n/**\n * Exposes the JavaScript [BroadcastChannel](https://developer.mozilla.org/en/docs/Web/API/BroadcastChannel) to Kotlin\n */\npublic external open class BroadcastChannel(name: String) : EventTarget {\n   open val name: String\n   var onmessage: ((MessageEvent) -> dynamic)?\n   fun postMessage(message: Any?)\n   fun close()\n}\n\n/**\n * Exposes the JavaScript [WorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WorkerGlobalScope) to Kotlin\n */\npublic external abstract class WorkerGlobalScope : EventTarget, WindowOrWorkerGlobalScope, GlobalPerformance {\n   open val self: WorkerGlobalScope\n   open val location: WorkerLocation\n   open val navigator: WorkerNavigator\n   open var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n   open var

onlanguagechange: ((Event) -> dynamic)?\n   open var onoffline: ((Event) -> dynamic)?\n   open var ononline: ((Event) -> dynamic)?\n   open var onrejectionhandled: ((Event) -> dynamic)?\n   open var onunhandledrejection: ((PromiseRejectionEvent) -> dynamic)?\n   fun importScripts(vararg urls: String)\n}\n\n/**\n * Exposes the JavaScript [DedicatedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/DedicatedWorkerGlobalScope) to Kotlin\n */\npublic external abstract class DedicatedWorkerGlobalScope : WorkerGlobalScope {\n   open var onmessage: ((MessageEvent) -> dynamic)?\n   fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n   fun close()\n}\n\n/**\n * Exposes the JavaScript [SharedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/SharedWorkerGlobalScope) to Kotlin\n */\npublic external abstract class SharedWorkerGlobalScope : WorkerGlobalScope {\n   open val name: String\n   open val applicationCache: ApplicationCache\n   open var onconnect: ((Event) -> dynamic)?\n   fun close()\n}\n\n/**\n * Exposes the JavaScript [AbstractWorker](https://developer.mozilla.org/en/docs/Web/API/AbstractWorker) to Kotlin\n */\npublic external interface AbstractWorker {\n   var onerror: ((Event) -> dynamic)?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n/**\n * Exposes the JavaScript [Worker](https://developer.mozilla.org/en/docs/Web/API/Worker) to Kotlin\n */\npublic external open class Worker(scriptURL: String, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n   var onmessage: ((MessageEvent) -> dynamic)?\n   override var onerror: ((Event) -> dynamic)?\n   fun terminate()\n   fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\npublic external interface WorkerOptions {\n   var type: WorkerType? /* = WorkerType.CLASSIC */\n   get() = definedExternally\n   set(value) = definedExternally\n   var credentials: RequestCredentials? /* = RequestCredentials.OMIT */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun WorkerOptions(type: WorkerType? = WorkerType.CLASSIC, credentials: RequestCredentials? = RequestCredentials.OMIT): WorkerOptions {\n   val o = js(\"({})\")\n   o[\"type\"] = type\n   o[\"credentials\"] = credentials\n   return o\n}\n\n/**\n * Exposes the JavaScript [SharedWorker](https://developer.mozilla.org/en/docs/Web/API/SharedWorker) to Kotlin\n */\npublic external open class SharedWorker(scriptURL: String, name: String = definedExternally, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n   open val port: MessagePort\n   override var onerror: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript [NavigatorConcurrentHardware](https://developer.mozilla.org/en/docs/Web/API/NavigatorConcurrentHardware) to Kotlin\n */\npublic external interface NavigatorConcurrentHardware {\n   val hardwareConcurrency: Number\n}\n\n/**\n * Exposes the JavaScript [WorkerNavigator](https://developer.mozilla.org/en/docs/Web/API/WorkerNavigator) to Kotlin\n */\npublic external abstract class WorkerNavigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorConcurrentHardware {\n   open val serviceWorker: ServiceWorkerContainer\n}\n\n/**\n * Exposes the JavaScript [WorkerLocation](https://developer.mozilla.org/en/docs/Web/API/WorkerLocation) to Kotlin\n */\npublic external abstract class WorkerLocation {\n   open val href: String\n   open val origin: String\n   open val protocol: String\n   open val host: String\n   open val hostname: String\n   open val port: String\n   open val pathname: String\n   open val search: String\n   open val hash: String\n}\n\n/**\n * Exposes the JavaScript [Storage](https://developer.mozilla.org/en/docs/Web/API/Storage) to Kotlin\n */\npublic external abstract class Storage {\n   open val length: Int\n   fun key(index: Int): String?\n   fun removeItem(key: String)\n   fun clear()\n   fun getItem(key: String): String?\n   fun setItem(key: String, value: String)\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Storage.get(key: String): String? = asDynamic()[key]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Storage.set(key: String, value: String) { asDynamic()[key] = value }\n\n/**\n * Exposes the JavaScript

[WindowSessionStorage](https://developer.mozilla.org/en/docs/Web/API/WindowSessionStorage) to Kotlin\n */\npublic external interface WindowSessionStorage {\n val sessionStorage: Storage\n}\n\n/**\n * Exposes the JavaScript [WindowLocalStorage](https://developer.mozilla.org/en/docs/Web/API/WindowLocalStorage) to Kotlin\n */\npublic external interface WindowLocalStorage {\n val localStorage: Storage\n}\n\n/**\n * Exposes the JavaScript [StorageEvent](https://developer.mozilla.org/en/docs/Web/API/StorageEvent) to Kotlin\n */\npublic external open class StorageEvent(type: String, eventInitDict: StorageEventInit = definedExternally) : Event {\n open val key: String?\n open val oldValue: String?\n open val newValue: String?\n open val url: String\n open val storageArea: Storage?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface StorageEventInit : EventInit {\n var key: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var oldValue: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var newValue: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var url: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var storageArea: Storage? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun StorageEventInit(key: String? = null, oldValue: String? = null, newValue: String? = null, url: String? = \"\", storageArea: Storage? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): StorageEventInit {\n val o = js(\"({})\")\n o[\"key\"] = key\n o[\"oldValue\"] = oldValue\n o[\"newValue\"] = newValue\n o[\"url\"] = url\n o[\"storageArea\"] = storageArea\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\npublic external abstract class HTMLAppletElement : HTMLElement {\n open var align: String\n open var alt: String\n open var archive: String\n open var code: String\n open var codeBase: String\n open var height: String\n open var hspace: Int\n open var name: String\n open var _object: String\n open var vspace: Int\n open var width: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLMarqueeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMarqueeElement) to Kotlin\n */\npublic external abstract class HTMLMarqueeElement : HTMLElement {\n open var behavior: String\n open var bgColor: String\n open var direction: String\n open var height: String\n open var hspace: Int\n open var loop: Int\n open var scrollAmount: Int\n open var scrollDelay: Int\n open var trueSpeed: Boolean\n open var vspace: Int\n open var width: String\n open var onbounce: ((Event) -> dynamic)?\n open var onfinish: ((Event) -> dynamic)?\n open var onstart: ((Event) -> dynamic)?\n fun start()\n fun stop()\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS:

Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLFrameSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFrameSetElement) to Kotlin\n */\npublic external abstract class HTMLFrameSetElement : HTMLElement, WindowEventHandlers {\n open var cols: String\n open var rows: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class HTMLFrameElement : HTMLElement {\n open var name: String\n open var scrolling: String\n open var src: String\n open var frameBorder: String\n open var longDesc: String\n open var noResize: Boolean\n open val contentDocument: Document?\n open val contentWindow: Window?\n open var marginHeight: String\n open var marginWidth: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class HTMLDirectoryElement : HTMLElement {\n open var compact: Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLFontElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFontElement) to Kotlin\n */\npublic external abstract class HTMLFontElement : HTMLElement {\n open var color: String\n open var face: String\n open var size: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n

```
val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external
interface External {\n    fun AddSearchProvider()\n    fun IsSearchProviderInstalled()\n}\n\npublic external interface
EventInit {\n    var bubbles: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var cancelable: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var composed: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun EventInit(bubbles: Boolean? = false,
 cancelable: Boolean? = false, composed: Boolean? = false): EventInit {\n    val o = js(\"({})\")\n    o[\"bubbles\"] =
bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the
JavaScript [CustomEvent](https://developer.mozilla.org/en/docs/Web/API/CustomEvent) to Kotlin\n */\npublic
external open class CustomEvent(type: String, eventInitDict: CustomEventInit = definedExternally) : Event {\n
open val detail: Any?\n    fun initCustomEvent(type: String, bubbles: Boolean, cancelable: Boolean, detail:
Any?)\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val
AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface CustomEventInit :
EventInit {\n    var detail: Any? /* = null */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic
 inline fun CustomEventInit(detail: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): CustomEventInit {\n    val o = js(\"({})\")\n    o[\"detail\"] = detail\n    o[\"bubbles\"] = bubbles\n
 o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\npublic external interface
EventListenerOptions {\n    var capture: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun EventListenerOptions(capture:
Boolean? = false): EventListenerOptions {\n    val o = js(\"({})\")\n    o[\"capture\"] = capture\n    return
o\n}\n\npublic external interface AddEventListenerOptions : EventListenerOptions {\n    var passive: Boolean? /* =
false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var once: Boolean? /* = false */\n
  get() = definedExternally\n
        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun AddEventListenerOptions(passive:
Boolean? = false, once: Boolean? = false, capture: Boolean? = false): AddEventListenerOptions {\n    val o =
js(\"({})\")\n    o[\"passive\"] = passive\n    o[\"once\"] = once\n    o[\"capture\"] = capture\n    return o\n}\n\npublic
external interface NonElementParentNode {\n    fun getElementById(elementId: String): Element?\n}\n\n/**\n *
Exposes the JavaScript
[DocumentOrShadowRoot](https://developer.mozilla.org/en/docs/Web/API/DocumentOrShadowRoot) to Kotlin\n
*/\npublic external interface DocumentOrShadowRoot {\n    val fullscreenElement: Element?\n        get() =
definedExternally\n}\n\n/**\n * Exposes the JavaScript
[ParentNode](https://developer.mozilla.org/en/docs/Web/API/ParentNode) to Kotlin\n */\npublic external interface
ParentNode {\n    val children: HTMLCollection\n    val firstElementChild:
 Element?\n        get() = definedExternally\n    val lastElementChild: Element?\n        get() = definedExternally\n
val childElementCount: Int\n    fun prepend(vararg nodes: dynamic)\n    fun append(vararg nodes: dynamic)\n    fun
querySelector(selectors: String): Element?\n    fun querySelectorAll(selectors: String): NodeList\n}\n\n/**\n *
Exposes the JavaScript
[NonDocumentTypeChildNode](https://developer.mozilla.org/en/docs/Web/API/NonDocumentTypeChildNode) to
Kotlin\n */\npublic external interface NonDocumentTypeChildNode {\n    val previousElementSibling: Element?\n
   get() = definedExternally\n    val nextElementSibling: Element?\n        get() = definedExternally\n}\n\n/**\n *
Exposes the JavaScript [ChildNode](https://developer.mozilla.org/en/docs/Web/API/ChildNode) to Kotlin\n
*/\npublic external interface ChildNode {\n    fun before(vararg nodes: dynamic)\n    fun after(vararg nodes:
```

dynamic)\n   fun replaceWith(vararg nodes: dynamic)\n   fun remove()\n}\n\n/**\n
 * Exposes the JavaScript [Slotable](https://developer.mozilla.org/en/docs/Web/API/Slotable) to Kotlin\n */\npublic external interface Slotable {\n   val assignedSlot: HTMLSlotElement?\n   get() = definedExternally\n}\n\n/**\n * Exposes the JavaScript [NodeList](https://developer.mozilla.org/en/docs/Web/API/NodeList) to Kotlin\n */\npublic external abstract class NodeList : ItemArrayLike<Node> {\n   override fun item(index: Int): Node?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun NodeList.get(index: Int): Node? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [HTMLCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLCollection) to Kotlin\n */\npublic external abstract class HTMLCollection : ItemArrayLike<Element>, UnionElementOrHTMLCollection {\n   override fun item(index: Int): Element?\n   fun namedItem(name: String): Element?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic
 inline operator fun HTMLCollection.get(index: Int): Element? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLCollection.get(name: String): Element? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [MutationObserver](https://developer.mozilla.org/en/docs/Web/API/MutationObserver) to Kotlin\n */\npublic external open class MutationObserver(callback: (Array<MutationRecord>, MutationObserver) -> Unit) {\n   fun observe(target: Node, options: MutationObserverInit = definedExternally)\n   fun disconnect()\n   fun takeRecords(): Array<MutationRecord>\n}\n\n/**\n * Exposes the JavaScript [MutationObserverInit](https://developer.mozilla.org/en/docs/Web/API/MutationObserverInit) to Kotlin\n */\npublic external interface MutationObserverInit {\n   var childList: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n
    var attributes: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var characterData: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var subtree: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var attributeOldValue: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var characterDataOldValue: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var attributeFilter: Array<String>?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MutationObserverInit(childList: Boolean? = false, attributes: Boolean? = undefined, characterData: Boolean? = undefined, subtree: Boolean? = false, attributeOldValue: Boolean? = undefined, characterDataOldValue:
 Boolean? = undefined, attributeFilter: Array<String>? = undefined): MutationObserverInit {\n   val o = js(\"({})\")\n   o[\"childList\"] = childList\n   o[\"attributes\"] = attributes\n   o[\"characterData\"] = characterData\n   o[\"subtree\"] = subtree\n   o[\"attributeOldValue\"] = attributeOldValue\n   o[\"characterDataOldValue\"] = characterDataOldValue\n   o[\"attributeFilter\"] = attributeFilter\n   return o\n}\n\n/**\n * Exposes the JavaScript [MutationRecord](https://developer.mozilla.org/en/docs/Web/API/MutationRecord) to Kotlin\n */\npublic external abstract class MutationRecord {\n   open val type: String\n   open val target: Node\n   open val addedNodes: NodeList\n   open val removedNodes: NodeList\n   open val previousSibling: Node?\n   open val nextSibling: Node?\n   open val attributeName: String?\n   open val attributeNamespace: String?\n   open val oldValue: String?\n}\n\n/**\n * Exposes the JavaScript [Node](https://developer.mozilla.org/en/docs/Web/API/Node)
 to Kotlin\n */\npublic external abstract class Node : EventTarget {\n   open val nodeType: Short\n   open val nodeName: String\n   open val baseURI: String\n   open val isConnected: Boolean\n   open val ownerDocument: Document?\n   open val parentNode: Node?\n   open val parentElement: Element?\n   open val childNodes: NodeList\n   open val firstChild: Node?\n   open val lastChild: Node?\n   open val previousSibling: Node?\n

open val nextSibling: Node?\n   open var nodeValue: String?\n   open var textContent: String?\n   fun getRootNode(options: GetRootNodeOptions = definedExternally): Node\n   fun hasChildNodes(): Boolean\n   fun normalize()\n   fun cloneNode(deep: Boolean = definedExternally): Node\n   fun isEqualNode(otherNode: Node?): Boolean\n   fun isSameNode(otherNode: Node?): Boolean\n   fun compareDocumentPosition(other: Node): Short\n   fun contains(other: Node?): Boolean\n   fun lookupPrefix(namespace: String?): String?\n   fun lookupNamespaceURI(prefix: String?): String?\n   fun isDefaultNamespace(namespace: String?): Boolean\n   fun insertBefore(node: Node, child: Node?): Node\n   fun appendChild(node: Node): Node\n   fun replaceChild(node: Node, child: Node): Node\n   fun removeChild(child: Node): Node\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\npublic external interface GetRootNodeOptions {\n   var composed: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun GetRootNodeOptions(composed: Boolean? = false): GetRootNodeOptions {\n   val o = js(\"({})\")\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [Document](https://developer.mozilla.org/en/docs/Web/API/Document) to Kotlin\n */\npublic external open class Document : Node, GlobalEventHandlers, DocumentAndElementEventHandlers, NonElementParentNode, DocumentOrShadowRoot, ParentNode, GeometryUtils {\n   open val implementation: DOMImplementation\n   open val URL: String\n   open val documentURI: String\n   open val origin: String\n   open val compatMode: String\n   open val characterSet: String\n   open val charset: String\n   open val inputEncoding: String\n   open val contentType: String\n   open val doctype: DocumentType?\n   open val documentElement: Element?\n   open val location: Location?\n   var domain: String\n   open val referrer: String\n   var cookie: String\n   open val lastModified: String\n   open val readyState: DocumentReadyState\n   var title: String\n   var dir: String\n   var body: HTMLElement?\n   open val head: HTMLHeadElement?\n   open val images: HTMLCollection\n   open val embeds: HTMLCollection\n   open val plugins: HTMLCollection\n   open val links: HTMLCollection\n   open val forms: HTMLCollection\n   open val scripts: HTMLCollection\n   open val currentScript: HTMLOrSVGScriptElement?\n   open val defaultView: Window?\n   open val activeElement: Element?\n   var designMode: String\n   var onreadystatechange: ((Event) -> dynamic)?\n   var fgColor: String\n   var linkColor: String\n   var vlinkColor: String\n   var alinkColor: String\n   var bgColor: String\n   open val anchors: HTMLCollection\n   open val applets: HTMLCollection\n   open val all: HTMLAllCollection\n   open val scrollingElement: Element?\n   open val styleSheets: StyleSheetList\n   open val rootElement: SVGSVGElement?\n   open val fullscreenEnabled: Boolean\n   open val fullscreen: Boolean\n   var onfullscreenchange: ((Event) -> dynamic)?\n   var onfullscreenerror: ((Event) -> dynamic)?\n   override var onabort: ((Event) -> dynamic)?\n   override var onblur: ((FocusEvent) -> dynamic)?\n   override var oncancel: ((Event) -> dynamic)?\n   override var oncanplay: ((Event) -> dynamic)?\n   override var oncanplaythrough: ((Event) -> dynamic)?\n   override var onchange: ((Event) -> dynamic)?\n   override var onclick: ((MouseEvent) -> dynamic)?\n   override var onclose: ((Event) -> dynamic)?\n   override var oncontextmenu: ((MouseEvent) -> dynamic)?\n   override var oncuechange: ((Event) -> dynamic)?\n   override var ondblclick: ((MouseEvent) -> dynamic)?\n   override var ondrag: ((DragEvent) -> dynamic)?\n   override var ondragend: ((DragEvent) -> dynamic)?\n   override var ondragenter: ((DragEvent) -> dynamic)?\n   override var ondragexit: ((DragEvent) -> dynamic)?\n   override var ondragleave: ((DragEvent) -> dynamic)?\n   override var ondragover: ((DragEvent) ->

dynamic)?\n override var ondragstart: ((DragEvent) -> dynamic)?\n override var ondrop: ((DragEvent) -> dynamic)?\n override var ondurationchange: ((Event) -> dynamic)?\n override var onemptied: ((Event) -> dynamic)?\n override var onended: ((Event) -> dynamic)?\n override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n override var onfocus: ((FocusEvent) -> dynamic)?\n override var oninput: ((InputEvent) -> dynamic)?\n override var oninvalid: ((Event) -> dynamic)?\n override var onkeydown: ((KeyboardEvent) -> dynamic)?\n override var onkeypress: ((KeyboardEvent) -> dynamic)?\n override var onkeyup: ((KeyboardEvent) -> dynamic)?\n override var onload: ((Event) -> dynamic)?\n override var onloadeddata: ((Event) -> dynamic)?\n override var onloadedmetadata: ((Event) -> dynamic)?\n override var onloadend: ((Event) -> dynamic)?\n override var onloadstart: ((ProgressEvent) -> dynamic)?\n override var onmousedown: ((MouseEvent) -> dynamic)?\n override var onmouseenter: ((MouseEvent) -> dynamic)?\n override var onmouseleave: ((MouseEvent) -> dynamic)?\n override var onmousemove: ((MouseEvent) -> dynamic)?\n override var onmouseout: ((MouseEvent) -> dynamic)?\n override var onmouseover: ((MouseEvent) -> dynamic)?\n override var onmouseup: ((MouseEvent) -> dynamic)?\n override var onwheel: ((WheelEvent) -> dynamic)?\n override var onpause: ((Event) -> dynamic)?\n override var onplay: ((Event) -> dynamic)?\n override var onplaying: ((Event) -> dynamic)?\n override var onprogress: ((ProgressEvent) -> dynamic)?\n override var onratechange: ((Event) -> dynamic)?\n override var onreset: ((Event) -> dynamic)?\n override var onresize: ((Event) -> dynamic)?\n override var onscroll: ((Event) -> dynamic)?\n override var onseeked: ((Event) -> dynamic)?\n override var onseeking: ((Event) -> dynamic)?\n override var onselect: ((Event) -> dynamic)?\n override var onshow: ((Event) -> dynamic)?\n override var onstalled: ((Event) -> dynamic)?\n override var onsubmit: ((Event) -> dynamic)?\n override var onsuspend: ((Event) -> dynamic)?\n override var ontimeupdate: ((Event) -> dynamic)?\n override var ontoggle: ((Event) -> dynamic)?\n override var onvolumechange: ((Event) -> dynamic)?\n override var onwaiting: ((Event) -> dynamic)?\n override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n override var onpointerdown: ((PointerEvent) -> dynamic)?\n override var onpointermove: ((PointerEvent) -> dynamic)?\n override var onpointerup: ((PointerEvent) -> dynamic)?\n override var onpointercancel: ((PointerEvent) -> dynamic)?\n override var onpointerover: ((PointerEvent) -> dynamic)?\n override var onpointerout: ((PointerEvent) -> dynamic)?\n override var onpointerenter: ((PointerEvent) -> dynamic)?\n override var onpointerleave: ((PointerEvent) -> dynamic)?\n override var oncopy: ((ClipboardEvent) -> dynamic)?\n override var oncut: ((ClipboardEvent) -> dynamic)?\n override var onpaste: ((ClipboardEvent) -> dynamic)?\n override val fullscreenElement: Element?\n override val children: HTMLCollection\n override val firstElementChild: Element?\n override val lastElementChild: Element?\n override val childElementCount: Int\n fun getElementsByTagName(qualifiedName: String): HTMLCollection\n fun getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n fun getElementsByClassName(classNames: String): HTMLCollection\n fun createElement(localName: String, options: ElementCreationOptions = definedExternally): Element\n fun createElementNS(namespace: String?, qualifiedName: String, options: ElementCreationOptions = definedExternally): Element\n fun createDocumentFragment(): DocumentFragment\n fun createTextNode(data: String): Text\n fun createCDATASection(data: String): CDATASection\n fun createComment(data: String): Comment\n fun createProcessingInstruction(target: String, data: String): ProcessingInstruction\n fun importNode(node: Node, deep: Boolean = definedExternally): Node\n fun adoptNode(node: Node): Node\n fun createAttribute(localName: String): Attr\n fun createAttributeNS(namespace: String?, qualifiedName: String): Attr\n fun createEvent(`interface`: String): Event\n fun createRange(): Range\n fun createNodeIterator(root: Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally): NodeIterator\n fun createNodeIterator(root: Node, whatToShow: Int = definedExternally, filter: ((Node) -> Short)? = definedExternally): NodeIterator\n fun createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally): TreeWalker\n fun createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter: ((Node) -> Short)?

= definedExternally): TreeWalker\n   fun getElementsByName(elementName: String): NodeList\n   fun open(type: String = definedExternally, replace: String = definedExternally): Document\n   fun open(url: String, name: String, features: String): Window\n   fun close()\n   fun write(vararg text: String)\n   fun writeln(vararg text: String)\n   fun hasFocus(): Boolean\n   fun execCommand(commandId: String, showUI: Boolean = definedExternally, value: String = definedExternally): Boolean\n   fun queryCommandEnabled(commandId: String): Boolean\n   fun queryCommandIndeterm(commandId: String): Boolean\n   fun queryCommandState(commandId: String): Boolean\n   fun queryCommandSupported(commandId:
String): Boolean\n   fun queryCommandValue(commandId: String): String\n   fun clear()\n   fun captureEvents()\n   fun releaseEvents()\n   fun elementFromPoint(x: Double, y: Double): Element?\n   fun elementsFromPoint(x: Double, y: Double): Array<Element>\n   fun caretPositionFromPoint(x: Double, y: Double): CaretPosition?\n   fun createTouch(view: Window, target: EventTarget, identifier: Int, pageX: Int, pageY: Int, screenX: Int, screenY: Int): Touch\n   fun createTouchList(vararg touches: Touch): TouchList\n   fun exitFullscreen(): Promise<Unit>\n   override fun getElementById(elementId: String): Element?\n   override fun prepend(vararg nodes: dynamic)\n   override fun append(vararg nodes: dynamic)\n   override fun querySelector(selectors: String): Element?\n   override fun querySelectorAll(selectors: String): NodeList\n   override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n   override fun convertQuadFromNode(quad:
dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING:
Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Document.get(name: String): dynamic = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[XMLDocument](https://developer.mozilla.org/en/docs/Web/API/XMLDocument) to Kotlin\n */\npublic external open class XMLDocument : Document {\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\npublic external interface ElementCreationOptions {\n   var `is`: String?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ElementCreationOptions(`is`: String?

= undefined): ElementCreationOptions {\n   val o = js(\"({})\")\n   o[\"is\"] = `is`\n   return o\n}\n\n/**\n * Exposes the JavaScript [DOMImplementation](https://developer.mozilla.org/en/docs/Web/API/DOMImplementation) to Kotlin\n */\npublic external abstract class DOMImplementation {\n   fun createDocumentType(qualifiedName: String, publicId: String, systemId: String): DocumentType\n   fun createDocument(namespace: String?, qualifiedName: String, doctype: DocumentType? = definedExternally): XMLDocument\n   fun createHTMLDocument(title: String = definedExternally): Document\n   fun hasFeature(): Boolean\n}\n\n/**\n * Exposes the JavaScript [DocumentType](https://developer.mozilla.org/en/docs/Web/API/DocumentType) to Kotlin\n */\npublic external abstract class DocumentType : Node, ChildNode {\n   open val name: String\n   open val publicId: String\n   open val systemId: String\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [DocumentFragment](https://developer.mozilla.org/en/docs/Web/API/DocumentFragment) to Kotlin\n */\npublic external open class DocumentFragment : Node, NonElementParentNode, ParentNode {\n   override val children: HTMLCollection\n   override val firstElementChild: Element?\n   override val lastElementChild: Element?\n   override val childElementCount: Int\n   override fun getElementById(elementId: String): Element?\n   override fun prepend(vararg nodes: dynamic)\n   override fun append(vararg nodes: dynamic)\n   override fun querySelector(selectors: String): Element?\n   override fun querySelectorAll(selectors: String): NodeList\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [ShadowRoot](https://developer.mozilla.org/en/docs/Web/API/ShadowRoot) to Kotlin\n */\npublic external open class ShadowRoot : DocumentFragment, DocumentOrShadowRoot {\n   open val mode: ShadowRootMode\n   open val host: Element\n   override val fullscreenElement: Element?\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript

[Element](https://developer.mozilla.org/en/docs/Web/API/Element) to Kotlin\n */\npublic external abstract class Element : Node, ParentNode, NonDocumentTypeChildNode, ChildNode, Slotable, GeometryUtils, UnionElementOrHTMLCollection, UnionElementOrRadioNodeList, UnionElementOrMouseEvent, UnionElementOrProcessingInstruction {\n   open val namespaceURI: String?\n   open val prefix: String?\n   open val localName: String\n   open val tagName: String\n   open var id: String\n   open var className: String\n   open val classList: DOMTokenList\n   open var slot: String\n   open val attributes: NamedNodeMap\n   open val shadowRoot: ShadowRoot?\n   open var scrollTop: Double\n   open var scrollLeft: Double\n   open val scrollWidth: Int\n   open val scrollHeight: Int\n   open val clientTop: Int\n   open val clientLeft: Int\n   open val clientWidth: Int\n   open val clientHeight: Int\n   open var innerHTML: String\n   open var outerHTML: String\n   fun hasAttributes(): Boolean\n   fun getAttributeNames(): Array<String>\n   fun getAttribute(qualifiedName: String): String?\n
    fun getAttributeNS(namespace: String?, localName: String): String?\n   fun setAttribute(qualifiedName: String, value: String)\n   fun setAttributeNS(namespace: String?, qualifiedName: String, value: String)\n   fun removeAttribute(qualifiedName: String)\n   fun removeAttributeNS(namespace: String?, localName: String)\n   fun hasAttribute(qualifiedName: String): Boolean\n   fun hasAttributeNS(namespace: String?, localName: String): Boolean\n   fun getAttributeNode(qualifiedName: String): Attr?\n   fun getAttributeNodeNS(namespace: String?, localName: String): Attr?\n   fun setAttributeNode(attr: Attr): Attr?\n   fun setAttributeNodeNS(attr: Attr): Attr?\n   fun removeAttributeNode(attr: Attr): Attr\n   fun attachShadow(init: ShadowRootInit): ShadowRoot\n   fun closest(selectors: String): Element?\n   fun matches(selectors: String): Boolean\n   fun webkitMatchesSelector(selectors: String): Boolean\n   fun getElementsByTagName(qualifiedName: String): HTMLCollection\n
    fun getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n   fun getElementsByClassName(classNames: String): HTMLCollection\n   fun insertAdjacentElement(where: String, element: Element): Element?\n   fun insertAdjacentText(where: String, data: String)\n   fun getClientRects(): Array<DOMRect>\n   fun getBoundingClientRect(): DOMRect\n   fun scrollIntoView()\n   fun scrollIntoView(arg: dynamic)\n   fun scroll(options: ScrollToOptions = definedExternally)\n   fun scroll(x: Double, y: Double)\n   fun scrollTo(options: ScrollToOptions = definedExternally)\n   fun scrollTo(x: Double, y: Double)\n
    fun scrollBy(options: ScrollToOptions = definedExternally)\n   fun scrollBy(x: Double, y: Double)\n   fun insertAdjacentHTML(position: String, text: String)\n   fun setPointerCapture(pointerId: Int)\n   fun releasePointerCapture(pointerId: Int)\n   fun hasPointerCapture(pointerId: Int): Boolean\n   fun requestFullscreen(): Promise<Unit>\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\npublic external interface ShadowRootInit {\n   var mode: ShadowRootMode?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ShadowRootInit(mode: ShadowRootMode?): ShadowRootInit
 {\n   val o = js(\"({})\")\n   o[\"mode\"] = mode\n   return o\n}\n\n/**\n * Exposes the JavaScript [NamedNodeMap](https://developer.mozilla.org/en/docs/Web/API/NamedNodeMap) to Kotlin\n */\npublic external abstract class NamedNodeMap : ItemArrayLike<Attr> {\n   fun getNamedItemNS(namespace: String?, localName: String): Attr?\n   fun setNamedItem(attr: Attr): Attr?\n   fun setNamedItemNS(attr: Attr): Attr?\n   fun removeNamedItem(qualifiedName: String): Attr\n   fun removeNamedItemNS(namespace: String?, localName:

String): Attr\n override fun item(index: Int): Attr?\n fun getNamedItem(qualifiedName: String): Attr?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun NamedNodeMap.get(index: Int): Attr? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun NamedNodeMap.get(qualifiedName: String): Attr? = asDynamic()[qualifiedName]\n\n/**\n * Exposes the JavaScript [Attr](https://developer.mozilla.org/en/docs/Web/API/Attr) to Kotlin\n */\npublic external abstract class Attr : Node {\n open val namespaceURI: String?\n open val prefix: String?\n open val localName: String\n open val name: String\n open var value: String\n open val ownerElement: Element?\n open val specified: Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [CharacterData](https://developer.mozilla.org/en/docs/Web/API/CharacterData) to Kotlin\n */\npublic external abstract class CharacterData : Node, NonDocumentTypeChildNode, ChildNode {\n open var data: String\n open val length: Int\n fun substringData(offset: Int, count: Int): String\n fun appendData(data: String)\n fun insertData(offset: Int, data: String)\n fun deleteData(offset: Int, count: Int)\n fun replaceData(offset: Int, count: Int, data: String)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [Text](https://developer.mozilla.org/en/docs/Web/API/Text) to Kotlin\n */\npublic external open class Text(data: String = definedExternally) : CharacterData, Slotable, GeometryUtils {\n open val wholeText: String\n override val assignedSlot: HTMLSlotElement?\n override val previousElementSibling: Element?\n override val nextElementSibling: Element?\n fun splitText(offset: Int): Text\n override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n override fun before(vararg nodes: dynamic)\n override fun after(vararg nodes: dynamic)\n override fun replaceWith(vararg nodes: dynamic)\n override fun remove()\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:

Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE:
Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[CDATASection](https://developer.mozilla.org/en/docs/Web/API/CDATASection) to Kotlin\n */\npublic external
open class CDATASection : Text {\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE:
Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n
val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY:
Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes
the JavaScript [ProcessingInstruction](https://developer.mozilla.org/en/docs/Web/API/ProcessingInstruction) to
Kotlin\n */\npublic external abstract class ProcessingInstruction : CharacterData, LinkStyle,
UnionElementOrProcessingInstruction {\n open val target: String\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n
val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val
NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val
DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY:
Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes
the JavaScript [Comment](https://developer.mozilla.org/en/docs/Web/API/Comment) to Kotlin\n */\npublic external
open class Comment(data: String = definedExternally) : CharacterData {\n override val previousElementSibling:
Element?\n override val nextElementSibling: Element?\n override fun before(vararg nodes: dynamic)\n
override fun after(vararg nodes: dynamic)\n override fun replaceWith(vararg nodes: dynamic)\n override fun
remove()\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[Range](https://developer.mozilla.org/en/docs/Web/API/Range) to Kotlin\n */\npublic external open class Range {\n
open val startContainer: Node\n open val startOffset: Int\n open val endContainer: Node\n open val
endOffset: Int\n open val collapsed: Boolean\n
open val commonAncestorContainer: Node\n fun setStart(node: Node, offset: Int)\n fun setEnd(node: Node,
offset: Int)\n fun setStartBefore(node: Node)\n fun setStartAfter(node: Node)\n fun setEndBefore(node:

```
Node)\n    fun setEndAfter(node: Node)\n    fun collapse(toStart: Boolean = definedExternally)\n    fun selectNode(node: Node)\n    fun selectNodeContents(node: Node)\n    fun compareBoundaryPoints(how: Short, sourceRange: Range): Short\n    fun deleteContents()\n    fun extractContents(): DocumentFragment\n    fun cloneContents(): DocumentFragment\n    fun insertNode(node: Node)\n    fun surroundContents(newParent: Node)\n    fun cloneRange(): Range\n    fun detach()\n    fun isPointInRange(node: Node, offset: Int): Boolean\n    fun comparePoint(node: Node, offset: Int): Short\n    fun intersectsNode(node: Node): Boolean\n    fun getClientRects(): Array<DOMRect>\n    fun getBoundingClientRect(): DOMRect\n    fun createContextualFragment(fragment: String): DocumentFragment\n\n
    companion object {\n        val START_TO_START: Short\n        val START_TO_END: Short\n        val END_TO_END: Short\n        val END_TO_START: Short\n    }\n}\n\n/**\n * Exposes the JavaScript [NodeIterator](https://developer.mozilla.org/en/docs/Web/API/NodeIterator) to Kotlin\n */\npublic external abstract class NodeIterator {\n    open val root: Node\n    open val referenceNode: Node\n    open val pointerBeforeReferenceNode: Boolean\n    open val whatToShow: Int\n    open val filter: NodeFilter?\n    fun nextNode(): Node?\n    fun previousNode(): Node?\n    fun detach()\n}\n\n/**\n * Exposes the JavaScript [TreeWalker](https://developer.mozilla.org/en/docs/Web/API/TreeWalker) to Kotlin\n */\npublic external abstract class TreeWalker {\n    open val root: Node\n    open val whatToShow: Int\n    open val filter: NodeFilter?\n    open var currentNode: Node\n    fun parentNode(): Node?\n    fun firstChild(): Node?\n    fun lastChild(): Node?\n    fun previousSibling():
 Node?\n    fun nextSibling(): Node?\n    fun previousNode(): Node?\n    fun nextNode(): Node?\n}\n\n/**\n * Exposes the JavaScript [NodeFilter](https://developer.mozilla.org/en/docs/Web/API/NodeFilter) to Kotlin\n */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface NodeFilter {\n    fun acceptNode(node: Node): Short\n\n    companion object {\n        val FILTER_ACCEPT: Short\n        val FILTER_REJECT: Short\n        val FILTER_SKIP: Short\n        val SHOW_ALL: Int\n        val SHOW_ELEMENT: Int\n        val SHOW_ATTRIBUTE: Int\n        val SHOW_TEXT: Int\n        val SHOW_CDATA_SECTION: Int\n        val SHOW_ENTITY_REFERENCE: Int\n        val SHOW_ENTITY: Int\n        val SHOW_PROCESSING_INSTRUCTION: Int\n        val SHOW_COMMENT: Int\n        val SHOW_DOCUMENT: Int\n        val SHOW_DOCUMENT_TYPE: Int\n        val SHOW_DOCUMENT_FRAGMENT: Int\n        val SHOW_NOTATION: Int\n    }\n}\n\n/**\n * Exposes the JavaScript [DOMTokenList](https://developer.mozilla.org/en/docs/Web/API/DOMTokenList)
 to Kotlin\n */\npublic external abstract class DOMTokenList : ItemArrayLike<String> {\n    open var value: String\n    fun contains(token: String): Boolean\n    fun add(vararg tokens: String)\n    fun remove(vararg tokens: String)\n    fun toggle(token: String, force: Boolean = definedExternally): Boolean\n    fun replace(token: String, newToken: String)\n    fun supports(token: String): Boolean\n    override fun item(index: Int): String?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMTokenList.get(index: Int): String? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [DOMPointReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMPointReadOnly) to Kotlin\n */\npublic external open class DOMPointReadOnly(x: Double, y: Double, z: Double, w: Double) {\n    open val x: Double\n    open val y: Double\n    open val z: Double\n    open val w: Double\n    fun matrixTransform(matrix:
 DOMMatrixReadOnly): DOMPoint\n}\n\n/**\n * Exposes the JavaScript [DOMPoint](https://developer.mozilla.org/en/docs/Web/API/DOMPoint) to Kotlin\n */\npublic external open class DOMPoint : DOMPointReadOnly {\n    constructor(point: DOMPointInit)\n    constructor(x: Double = definedExternally, y: Double = definedExternally, z: Double = definedExternally, w: Double = definedExternally)\n
 override var x: Double\n    override var y: Double\n    override var z: Double\n    override var w: Double\n}\n\n/**\n * Exposes the JavaScript [DOMPointInit](https://developer.mozilla.org/en/docs/Web/API/DOMPointInit) to Kotlin\n */\npublic external interface DOMPointInit {\n    var x: Double? /* = 0.0 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var y: Double? /* = 0.0 */\n        get() = definedExternally\n        set(value) =
```

definedExternally\n   var z: Double? /* = 0.0 */\n   get() = definedExternally\n   set(value) = definedExternally\n
    var w: Double? /* = 1.0 */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun DOMPointInit(x: Double? = 0.0, y: Double? = 0.0, z: Double? = 0.0, w: Double? = 1.0): DOMPointInit {\n   val o = js(\"({})\")\n   o[\"x\"] = x\n   o[\"y\"] = y\n   o[\"z\"] = z\n   o[\"w\"] = w\n   return o\n}\n\n/**\n * Exposes the JavaScript [DOMRect](https://developer.mozilla.org/en/docs/Web/API/DOMRect) to Kotlin\n */\npublic external open class DOMRect(x: Double = definedExternally, y: Double = definedExternally, width: Double = definedExternally, height: Double = definedExternally) : DOMRectReadOnly {\n   override var x: Double\n   override var y: Double\n   override var width: Double\n   override var height: Double\n}\n\n/**\n * Exposes the JavaScript [DOMRectReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMRectReadOnly) to Kotlin\n */\npublic external
 open class DOMRectReadOnly(x: Double, y: Double, width: Double, height: Double) {\n   open val x: Double\n   open val y: Double\n   open val width: Double\n   open val height: Double\n   open val top: Double\n   open val right: Double\n   open val bottom: Double\n   open val left: Double\n}\n\npublic external interface DOMRectInit {\n   var x: Double? /* = 0.0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var y: Double? /* = 0.0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var width: Double? /* = 0.0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var height: Double? /* = 0.0 */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun DOMRectInit(x: Double? = 0.0, y: Double? = 0.0, width: Double? = 0.0, height: Double? = 0.0): DOMRectInit
 {\n   val o = js(\"({})\")\n   o[\"x\"] = x\n   o[\"y\"] = y\n   o[\"width\"] = width\n   o[\"height\"] = height\n   return o\n}\n\npublic external interface DOMRectList : ItemArrayLike<DOMRect> {\n   override fun item(index: Int): DOMRect?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMRectList.get(index: Int): DOMRect? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [DOMQuad](https://developer.mozilla.org/en/docs/Web/API/DOMQuad) to Kotlin\n */\npublic external open class DOMQuad {\n   constructor(p1: DOMPointInit = definedExternally, p2: DOMPointInit = definedExternally, p3: DOMPointInit = definedExternally, p4: DOMPointInit = definedExternally)\n   constructor(rect: DOMRectInit)\n   open val p1: DOMPoint\n   open val p2: DOMPoint\n   open val p3: DOMPoint\n   open val p4: DOMPoint\n   open val bounds: DOMRectReadOnly\n}\n\n/**\n * Exposes the JavaScript [DOMMatrixReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMMatrixReadOnly)
 to Kotlin\n */\npublic external open class DOMMatrixReadOnly(numberSequence: Array<Double>) {\n   open val a: Double\n   open val b: Double\n   open val c: Double\n   open val d: Double\n   open val e: Double\n   open val f: Double\n   open val m11: Double\n   open val m12: Double\n   open val m13: Double\n   open val m14: Double\n   open val m21: Double\n   open val m22: Double\n   open val m23: Double\n   open val m24: Double\n
 open val m31: Double\n   open val m32: Double\n   open val m33: Double\n   open val m34: Double\n   open val m41: Double\n   open val m42: Double\n   open val m43: Double\n   open val m44: Double\n   open val is2D: Boolean\n   open val isIdentity: Boolean\n   fun translate(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\n   fun scale(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n   fun scale3d(scale: Double,
 originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n   fun scaleNonUniform(scaleX: Double, scaleY: Double = definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n   fun rotate(angle: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n   fun rotateFromVector(x: Double, y: Double): DOMMatrix\n   fun rotateAxisAngle(x: Double, y: Double, z: Double, angle: Double): DOMMatrix\n   fun skewX(sx: Double):

DOMMatrix\n   fun skewY(sy: Double): DOMMatrix\n   fun multiply(other: DOMMatrix): DOMMatrix\n   fun flipX(): DOMMatrix\n   fun flipY(): DOMMatrix\n   fun inverse(): DOMMatrix\n   fun transformPoint(point: DOMPointInit = definedExternally): DOMPoint\n   fun toFloat32Array(): Float32Array\n   fun toFloat64Array(): Float64Array\n}\n\n/**\n *
Exposes the JavaScript [DOMMatrix](https://developer.mozilla.org/en/docs/Web/API/DOMMatrix) to Kotlin\n */\npublic external open class DOMMatrix() : DOMMatrixReadOnly {\n   constructor(transformList: String)\n   constructor(other: DOMMatrixReadOnly)\n   constructor(array32: Float32Array)\n   constructor(array64: Float64Array)\n   constructor(numberSequence: Array<Double>)\n   override var a: Double\n   override var b: Double\n   override var c: Double\n   override var d: Double\n   override var e: Double\n   override var f: Double\n   override var m11: Double\n   override var m12: Double\n   override var m13: Double\n   override var m14: Double\n   override var m21: Double\n   override var m22: Double\n   override var m23: Double\n   override var m24: Double\n   override var m31: Double\n   override var m32: Double\n   override var m33: Double\n   override var m34: Double\n   override var m41: Double\n   override var m42: Double\n   override var m43: Double\n
    override var m44: Double\n   fun multiplySelf(other: DOMMatrix): DOMMatrix\n   fun preMultiplySelf(other: DOMMatrix): DOMMatrix\n   fun translateSelf(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\n   fun scaleSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n   fun scale3dSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n   fun scaleNonUniformSelf(scaleX: Double, scaleY: Double = definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n   fun rotateSelf(angle: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n   fun rotateFromVectorSelf(x: Double, y: Double): DOMMatrix\n   fun rotateAxisAngleSelf(x: Double, y: Double, z: Double, angle: Double):
 DOMMatrix\n   fun skewXSelf(sx: Double): DOMMatrix\n   fun skewYSelf(sy: Double): DOMMatrix\n   fun invertSelf(): DOMMatrix\n   fun setMatrixValue(transformList: String): DOMMatrix\n}\n\npublic external interface ScrollOptions {\n   var behavior: ScrollBehavior? /* = ScrollBehavior.AUTO */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ScrollOptions(behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollOptions {\n   val o = js(\"({})\")\n   o[\"behavior\"] = behavior\n   return o\n}\n\n/**\n * Exposes the JavaScript [ScrollToOptions](https://developer.mozilla.org/en/docs/Web/API/ScrollToOptions) to Kotlin\n */\npublic external interface ScrollToOptions : ScrollOptions {\n   var left: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n   var top: Double?\n   get() = definedExternally\n   set(value)
 = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ScrollToOptions(left: Double? = undefined, top: Double? = undefined, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollToOptions {\n   val o = js(\"({})\")\n   o[\"left\"] = left\n   o[\"top\"] = top\n   o[\"behavior\"] = behavior\n   return o\n}\n\n/**\n * Exposes the JavaScript [MediaQueryList](https://developer.mozilla.org/en/docs/Web/API/MediaQueryList) to Kotlin\n */\npublic external abstract class MediaQueryList : EventTarget {\n   open val media: String\n   open val matches: Boolean\n   open var onchange: ((Event) -> dynamic)?\n   fun addListener(listener: EventListener?)\n   fun addListener(listener: ((Event) -> Unit)?)\n   fun removeListener(listener: EventListener?)\n   fun removeListener(listener: ((Event) -> Unit)?)\n}\n\n/**\n * Exposes the JavaScript [MediaQueryListEvent](https://developer.mozilla.org/en/docs/Web/API/MediaQueryListEvent)
 to Kotlin\n */\npublic external open class MediaQueryListEvent(type: String, eventInitDict: MediaQueryListEventInit = definedExternally) : Event {\n   open val media: String\n   open val matches: Boolean\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface

MediaQueryListEventInit : EventInit {\n var media: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var matches: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaQueryListEventInit(media: String? = \"\", matches: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MediaQueryListEventInit {\n val o = js(\"({})\")\n o[\"media\"] = media\n o[\"matches\"] = matches\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [Screen](https://developer.mozilla.org/en/docs/Web/API/Screen) to Kotlin\n */\npublic external abstract class Screen {\n open val availWidth: Int\n open val availHeight: Int\n open val width: Int\n open val height: Int\n open val colorDepth: Int\n open val pixelDepth: Int\n}\n\n/**\n * Exposes the JavaScript [CaretPosition](https://developer.mozilla.org/en/docs/Web/API/CaretPosition) to Kotlin\n */\npublic external abstract class CaretPosition {\n open val offsetNode: Node\n open val offset: Int\n fun getClientRect(): DOMRect?\n}\n\npublic external interface ScrollIntoViewOptions : ScrollOptions {\n var block: ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n get() = definedExternally\n set(value) = definedExternally\n var inline: ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ScrollIntoViewOptions(block: ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, inline: ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollIntoViewOptions {\n val o = js(\"({})\")\n o[\"block\"] = block\n o[\"inline\"] = inline\n o[\"behavior\"] = behavior\n return o\n}\n\npublic external interface BoxQuadOptions {\n var box: CSSBoxType? /* = CSSBoxType.BORDER */\n get() = definedExternally\n set(value) = definedExternally\n var relativeTo: dynamic\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun BoxQuadOptions(box: CSSBoxType? = CSSBoxType.BORDER, relativeTo: dynamic = undefined): BoxQuadOptions {\n val o = js(\"({})\")\n o[\"box\"] = box\n o[\"relativeTo\"] = relativeTo\n return o\n}\n\npublic external interface ConvertCoordinateOptions {\n var fromBox: CSSBoxType? /* = CSSBoxType.BORDER */\n get() = definedExternally\n set(value) = definedExternally\n var toBox: CSSBoxType? /* = CSSBoxType.BORDER */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ConvertCoordinateOptions(fromBox: CSSBoxType? = CSSBoxType.BORDER, toBox: CSSBoxType? = CSSBoxType.BORDER): ConvertCoordinateOptions {\n val o = js(\"({})\")\n o[\"fromBox\"] = fromBox\n o[\"toBox\"] = toBox\n return o\n}\n\n/**\n * Exposes the JavaScript [GeometryUtils](https://developer.mozilla.org/en/docs/Web/API/GeometryUtils) to Kotlin\n */\npublic external interface GeometryUtils {\n fun getBoxQuads(options: BoxQuadOptions = definedExternally): Array<DOMQuad>\n fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMQuad\n fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMQuad\n fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMPoint\n}\n\n/**\n * Exposes the JavaScript [Touch](https://developer.mozilla.org/en/docs/Web/API/Touch) to Kotlin\n */\npublic external abstract class Touch {\n open val identifier: Int\n open val target: EventTarget\n open val screenX: Int\n open val screenY: Int\n open val clientX: Int\n open val clientY: Int\n open val pageX: Int\n open val pageY: Int\n open val region: String?\n}\n\npublic external abstract class TouchList : ItemArrayLike<Touch> {\n override fun item(index:

Int): Touch?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun TouchList.get(index: Int):
Touch? = asDynamic()[index]\n\npublic external open class TouchEvent : UIEvent {\n open val touches:
TouchList\n open val targetTouches: TouchList\n open val changedTouches: TouchList\n open val altKey:
Boolean\n open val metaKey: Boolean\n open val ctrlKey: Boolean\n open val shiftKey: Boolean\n\n
companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET:
Short\n val BUBBLING_PHASE: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[Image](https://developer.mozilla.org/en/docs/Web/API/Image) to Kotlin\n */\npublic external open class
Image(width: Int = definedExternally, height: Int = definedExternally) : HTMLImageElement {\n override var
onabort: ((Event) -> dynamic)?\n override var onblur: ((FocusEvent) -> dynamic)?\n override var oncancel:
((Event)
-> dynamic)?\n override var oncanplay: ((Event) -> dynamic)?\n override var oncanplaythrough: ((Event) ->
dynamic)?\n override var onchange: ((Event) -> dynamic)?\n override var onclick: ((MouseEvent) ->
dynamic)?\n override var onclose: ((Event) -> dynamic)?\n override var oncontextmenu: ((MouseEvent) ->
dynamic)?\n override var oncuechange: ((Event) -> dynamic)?\n override var ondblclick: ((MouseEvent) ->
dynamic)?\n override var ondrag: ((DragEvent) -> dynamic)?\n override var ondragend: ((DragEvent) ->
dynamic)?\n override var ondragenter: ((DragEvent) -> dynamic)?\n override var ondragexit: ((DragEvent) ->
dynamic)?\n override var ondragleave: ((DragEvent) -> dynamic)?\n override var ondragover: ((DragEvent) ->
dynamic)?\n override var ondragstart: ((DragEvent) -> dynamic)?\n override var ondrop: ((DragEvent) ->
dynamic)?\n override var ondurationchange: ((Event) -> dynamic)?\n override var onemptied: ((Event) ->
dynamic)?\n
override var onended: ((Event) -> dynamic)?\n override var onerror: ((dynamic, String, Int, Int, Any?) ->
dynamic)?\n override var onfocus: ((FocusEvent) -> dynamic)?\n override var oninput: ((InputEvent) ->
dynamic)?\n override var oninvalid: ((Event) -> dynamic)?\n override var onkeydown: ((KeyboardEvent) ->
dynamic)?\n override var onkeypress: ((KeyboardEvent) -> dynamic)?\n override var onkeyup:
((KeyboardEvent) -> dynamic)?\n override var onload: ((Event) -> dynamic)?\n override var onloadeddata:
((Event) -> dynamic)?\n override var onloadedmetadata: ((Event) -> dynamic)?\n override var onloadend:
((Event) -> dynamic)?\n override var onloadstart: ((ProgressEvent) -> dynamic)?\n override var onmousedown:
((MouseEvent) -> dynamic)?\n override var onmouseenter: ((MouseEvent) -> dynamic)?\n override var
onmouseleave: ((MouseEvent) -> dynamic)?\n override var onmousemove: ((MouseEvent) -> dynamic)?\n
override var onmouseout: ((MouseEvent)
-> dynamic)?\n override var onmouseover: ((MouseEvent) -> dynamic)?\n override var onmouseup:
((MouseEvent) -> dynamic)?\n override var onwheel: ((WheelEvent) -> dynamic)?\n override var onpause:
((Event) -> dynamic)?\n override var onplay: ((Event) -> dynamic)?\n override var onplaying: ((Event) ->
dynamic)?\n override var onprogress: ((ProgressEvent) -> dynamic)?\n override var onratechange: ((Event) ->
dynamic)?\n override var onreset: ((Event) -> dynamic)?\n override var onresize: ((Event) -> dynamic)?\n
override var onscroll: ((Event) -> dynamic)?\n override var onseeked: ((Event) -> dynamic)?\n override var
onseeking: ((Event) -> dynamic)?\n override var onselect: ((Event) -> dynamic)?\n override var onshow:
((Event) -> dynamic)?\n override var onstalled: ((Event) -> dynamic)?\n override var onsubmit: ((Event) ->
dynamic)?\n override var onsuspend: ((Event) -> dynamic)?\n override var ontimeupdate: ((Event) ->
dynamic)?\n override var ontoggle: ((Event) -> dynamic)?\n override var onvolumechange: ((Event) ->
dynamic)?\n override var onwaiting: ((Event) -> dynamic)?\n override var ongotpointercapture: ((PointerEvent)
-> dynamic)?\n override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n override var onpointerdown:
((PointerEvent) -> dynamic)?\n override var onpointermove: ((PointerEvent) -> dynamic)?\n override var
onpointerup: ((PointerEvent) -> dynamic)?\n override var onpointercancel: ((PointerEvent) -> dynamic)?\n
override var onpointerover: ((PointerEvent) -> dynamic)?\n override var onpointerout: ((PointerEvent) ->
dynamic)?\n override var onpointerenter: ((PointerEvent) -> dynamic)?\n override var onpointerleave:
((PointerEvent) -> dynamic)?\n override var oncopy: ((ClipboardEvent) -> dynamic)?\n override var oncut:

((ClipboardEvent) -> dynamic)?\n   override var onpaste: ((ClipboardEvent) -> dynamic)?\n   override var contentEditable:
String\n   override val isContentEditable: Boolean\n   override val style: CSSStyleDeclaration\n   override val children: HTMLCollection\n   override val firstElementChild: Element?\n   override val lastElementChild: Element?\n   override val childElementCount: Int\n   override val previousElementSibling: Element?\n   override val nextElementSibling: Element?\n   override val assignedSlot: HTMLSlotElement?\n   override fun prepend(vararg nodes: dynamic)\n   override fun append(vararg nodes: dynamic)\n   override fun querySelector(selectors: String): Element?\n   override fun querySelectorAll(selectors: String): NodeList\n override fun before(vararg nodes: dynamic)\n   override fun after(vararg nodes: dynamic)\n   override fun replaceWith(vararg nodes: dynamic)\n   override fun remove()\n   override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n   override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions
/* = definedExternally */): DOMQuad\n   override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\npublic external open class Audio(src: String = definedExternally) : HTMLAudioElement {\n   override var onabort: ((Event) -> dynamic)?\n override var onblur: ((FocusEvent) -> dynamic)?\n   override var oncancel: ((Event) -> dynamic)?\n   override var oncanplay: ((Event) -> dynamic)?\n   override var oncanplaythrough: ((Event) -> dynamic)?\n   override var onchange: ((Event) -> dynamic)?\n   override var onclick: ((MouseEvent) -> dynamic)?\n   override var onclose: ((Event) -> dynamic)?\n   override var oncontextmenu: ((MouseEvent) -> dynamic)?\n   override var oncuechange: ((Event) -> dynamic)?\n   override var ondblclick: ((MouseEvent) -> dynamic)?\n   override var ondrag: ((DragEvent) -> dynamic)?\n   override var ondragend: ((DragEvent) -> dynamic)?\n   override var ondragenter: ((DragEvent) -> dynamic)?\n   override var ondragexit:
((DragEvent) -> dynamic)?\n   override var ondragleave: ((DragEvent) -> dynamic)?\n   override var ondragover: ((DragEvent) -> dynamic)?\n   override var ondragstart: ((DragEvent) -> dynamic)?\n   override var ondrop: ((DragEvent) -> dynamic)?\n   override var ondurationchange: ((Event) -> dynamic)?\n   override var onemptied: ((Event) -> dynamic)?\n   override var onended: ((Event) -> dynamic)?\n   override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n   override var onfocus: ((FocusEvent) -> dynamic)?\n   override var oninput: ((InputEvent) -> dynamic)?\n   override var oninvalid: ((Event) -> dynamic)?\n   override var onkeydown: ((KeyboardEvent) -> dynamic)?\n   override var onkeypress: ((KeyboardEvent) -> dynamic)?\n   override var onkeyup: ((KeyboardEvent) -> dynamic)?\n   override var onload: ((Event) -> dynamic)?\n   override var onloadeddata: ((Event) -> dynamic)?\n   override var onloadedmetadata: ((Event) -> dynamic)?\n   override var onloadend:
((Event) -> dynamic)?\n   override var onloadstart: ((ProgressEvent) -> dynamic)?\n   override var onmousedown: ((MouseEvent) -> dynamic)?\n   override var onmouseenter: ((MouseEvent) -> dynamic)?\n   override var onmouseleave: ((MouseEvent) -> dynamic)?\n   override var onmousemove: ((MouseEvent) -> dynamic)?\n override var onmouseout: ((MouseEvent) -> dynamic)?\n   override var onmouseover: ((MouseEvent) -> dynamic)?\n   override var onmouseup: ((MouseEvent) -> dynamic)?\n   override var onwheel: ((WheelEvent) ->

dynamic)?\n   override var onpause: ((Event) -> dynamic)?\n   override var onplay: ((Event) -> dynamic)?\n override var onplaying: ((Event) -> dynamic)?\n   override var onprogress: ((ProgressEvent) -> dynamic)?\n override var onratechange: ((Event) -> dynamic)?\n   override var onreset: ((Event) -> dynamic)?\n   override var onresize: ((Event) -> dynamic)?\n   override var onscroll: ((Event) -> dynamic)?\n   override var onseeked: ((Event) ->
 dynamic)?\n   override var onseeking: ((Event) -> dynamic)?\n   override var onselect: ((Event) -> dynamic)?\n override var onshow: ((Event) -> dynamic)?\n   override var onstalled: ((Event) -> dynamic)?\n   override var onsubmit: ((Event) -> dynamic)?\n   override var onsuspend: ((Event) -> dynamic)?\n   override var ontimeupdate: ((Event) -> dynamic)?\n   override var ontoggle: ((Event) -> dynamic)?\n   override var onvolumechange: ((Event) -> dynamic)?\n   override var onwaiting: ((Event) -> dynamic)?\n   override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n   override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n   override var onpointerdown: ((PointerEvent) -> dynamic)?\n   override var onpointermove: ((PointerEvent) -> dynamic)?\n override var onpointerup: ((PointerEvent) -> dynamic)?\n   override var onpointercancel: ((PointerEvent) -> dynamic)?\n   override var onpointerover: ((PointerEvent) -> dynamic)?\n   override var onpointerout: ((PointerEvent) -> dynamic)?\n   override var onpointerenter: ((PointerEvent) -> dynamic)?\n   override var onpointerleave: ((PointerEvent) -> dynamic)?\n   override var oncopy: ((ClipboardEvent) -> dynamic)?\n   override var oncut: ((ClipboardEvent) -> dynamic)?\n   override var onpaste: ((ClipboardEvent) -> dynamic)?\n   override var contentEditable: String\n   override val isContentEditable: Boolean\n   override val style: CSSStyleDeclaration\n   override val children: HTMLCollection\n   override val firstElementChild: Element?\n override val lastElementChild: Element?\n   override val childElementCount: Int\n   override val previousElementSibling: Element?\n   override val nextElementSibling: Element?\n   override val assignedSlot: HTMLSlotElement?\n   override fun prepend(vararg nodes: dynamic)\n   override fun append(vararg nodes: dynamic)\n   override fun querySelector(selectors: String): Element?\n   override fun querySelectorAll(selectors: String): NodeList\n
    override fun before(vararg nodes: dynamic)\n   override fun after(vararg nodes: dynamic)\n   override fun replaceWith(vararg nodes: dynamic)\n   override fun remove()\n   override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n   override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n   companion object {\n   val NETWORK_EMPTY: Short\n   val NETWORK_IDLE: Short\n   val NETWORK_LOADING: Short\n   val NETWORK_NO_SOURCE: Short\n   val HAVE_NOTHING: Short\n   val HAVE_METADATA: Short\n   val HAVE_CURRENT_DATA: Short\n   val HAVE_FUTURE_DATA: Short\n   val HAVE_ENOUGH_DATA: Short\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [Option](https://developer.mozilla.org/en/docs/Web/API/Option) to Kotlin\n */\npublic external open class Option(text: String = definedExternally, value: String
 = definedExternally, defaultSelected: Boolean = definedExternally, selected: Boolean = definedExternally) : HTMLOptionElement {\n   override var onabort: ((Event) -> dynamic)?\n   override var onblur: ((FocusEvent) ->

dynamic)?\n   override var oncancel: ((Event) -> dynamic)?\n   override var oncanplay: ((Event) -> dynamic)?\n override var oncanplaythrough: ((Event) -> dynamic)?\n   override var onchange: ((Event) -> dynamic)?\n override var onclick: ((MouseEvent) -> dynamic)?\n   override var onclose: ((Event) -> dynamic)?\n   override var oncontextmenu: ((MouseEvent) -> dynamic)?\n   override var oncuechange: ((Event) -> dynamic)?\n   override var ondblclick: ((MouseEvent) -> dynamic)?\n   override var ondrag: ((DragEvent) -> dynamic)?\n   override var ondragend: ((DragEvent) -> dynamic)?\n   override var ondragenter: ((DragEvent) -> dynamic)?\n   override var ondragexit: ((DragEvent) -> dynamic)?\n   override var ondragleave: ((DragEvent) -> dynamic)?\n override var ondragover: ((DragEvent) -> dynamic)?\n   override var ondragstart: ((DragEvent) -> dynamic)?\n override var ondrop: ((DragEvent) -> dynamic)?\n   override var ondurationchange: ((Event) -> dynamic)?\n override var onemptied: ((Event) -> dynamic)?\n   override var onended: ((Event) -> dynamic)?\n   override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n   override var onfocus: ((FocusEvent) -> dynamic)?\n override var oninput: ((InputEvent) -> dynamic)?\n   override var oninvalid: ((Event) -> dynamic)?\n   override var onkeydown: ((KeyboardEvent) -> dynamic)?\n   override var onkeypress: ((KeyboardEvent) -> dynamic)?\n override var onkeyup: ((KeyboardEvent) -> dynamic)?\n   override var onload: ((Event) -> dynamic)?\n   override var onloadeddata: ((Event) -> dynamic)?\n   override var onloadedmetadata: ((Event) -> dynamic)?\n   override var onloadend: ((Event) -> dynamic)?\n   override var onloadstart: ((ProgressEvent) -> dynamic)?\n
    override var onmousedown: ((MouseEvent) -> dynamic)?\n   override var onmouseenter: ((MouseEvent) -> dynamic)?\n   override var onmouseleave: ((MouseEvent) -> dynamic)?\n   override var onmousemove: ((MouseEvent) -> dynamic)?\n   override var onmouseout: ((MouseEvent) -> dynamic)?\n   override var onmouseover: ((MouseEvent) -> dynamic)?\n   override var onmouseup: ((MouseEvent) -> dynamic)?\n   override var onwheel: ((WheelEvent) -> dynamic)?\n   override var onpause: ((Event) -> dynamic)?\n   override var onplay: ((Event) -> dynamic)?\n   override var onplaying: ((Event) -> dynamic)?\n   override var onprogress: ((ProgressEvent) -> dynamic)?\n   override var onratechange: ((Event) -> dynamic)?\n   override var onreset: ((Event) -> dynamic)?\n   override var onresize: ((Event) -> dynamic)?\n   override var onscroll: ((Event) -> dynamic)?\n   override var onseeked: ((Event) -> dynamic)?\n   override var onseeking: ((Event) -> dynamic)?\n override var onselect: ((Event)
 -> dynamic)?\n   override var onshow: ((Event) -> dynamic)?\n   override var onstalled: ((Event) -> dynamic)?\n override var onsubmit: ((Event) -> dynamic)?\n   override var onsuspend: ((Event) -> dynamic)?\n   override var ontimeupdate: ((Event) -> dynamic)?\n   override var ontoggle: ((Event) -> dynamic)?\n   override var onvolumechange: ((Event) -> dynamic)?\n   override var onwaiting: ((Event) -> dynamic)?\n   override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n   override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n   override var onpointerdown: ((PointerEvent) -> dynamic)?\n   override var onpointermove: ((PointerEvent) -> dynamic)?\n   override var onpointerup: ((PointerEvent) -> dynamic)?\n   override var onpointercancel: ((PointerEvent) -> dynamic)?\n   override var onpointerover: ((PointerEvent) -> dynamic)?\n override var onpointerout: ((PointerEvent) -> dynamic)?\n   override var onpointerenter: ((PointerEvent) -> dynamic)?\n
    override var onpointerleave: ((PointerEvent) -> dynamic)?\n   override var oncopy: ((ClipboardEvent) -> dynamic)?\n   override var oncut: ((ClipboardEvent) -> dynamic)?\n   override var onpaste: ((ClipboardEvent) -> dynamic)?\n   override var contentEditable: String\n   override val isContentEditable: Boolean\n   override val style: CSSStyleDeclaration\n   override val children: HTMLCollection\n   override val firstElementChild: Element?\n   override val lastElementChild: Element?\n   override val childElementCount: Int\n   override val previousElementSibling: Element?\n   override val nextElementSibling: Element?\n   override val assignedSlot: HTMLSlotElement?\n   override fun prepend(vararg nodes: dynamic)\n   override fun append(vararg nodes: dynamic)\n   override fun querySelector(selectors: String): Element?\n   override fun querySelectorAll(selectors: String): NodeList\n   override fun before(vararg nodes: dynamic)\n   override fun after(vararg nodes: dynamic)\n
    override fun replaceWith(vararg nodes: dynamic)\n   override fun remove()\n   override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n   override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally

```
*/): DOMQuad\n    override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options:
ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n    override fun convertPointFromNode(point:
DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n
companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE:
 Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
     val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
UnionElementOrHTMLCollection\n\npublic external interface UnionElementOrRadioNodeList\n\npublic external
interface UnionHTMLOptGroupElementOrHTMLOptionElement\n\npublic external interface
UnionAudioTrackOrTextTrackOrVideoTrack\n\npublic external interface UnionElementOrMouseEvent\n\npublic
external interface UnionMessagePortOrWindowProxy\n\npublic external interface MediaProvider\n\npublic
external interface RenderingContext\n\npublic external interface HTMLOrSVGImageElement :
CanvasImageSource\n\npublic external interface CanvasImageSource : ImageBitmapSource\n\npublic
 external interface ImageBitmapSource\n\npublic external interface HTMLOrSVGScriptElement\n\n/* please, don't
implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface DocumentReadyState {\n    companion object\n}\n\npublic inline val
DocumentReadyState.Companion.LOADING: DocumentReadyState get() =
\"loading\".asDynamic().unsafeCast<DocumentReadyState>()\n\npublic inline val
DocumentReadyState.Companion.INTERACTIVE: DocumentReadyState get() =
\"interactive\".asDynamic().unsafeCast<DocumentReadyState>()\n\npublic inline val
DocumentReadyState.Companion.COMPLETE: DocumentReadyState get() =
\"complete\".asDynamic().unsafeCast<DocumentReadyState>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface CanPlayTypeResult {\n    companion object\n}\n\npublic inline val
CanPlayTypeResult.Companion.EMPTY: CanPlayTypeResult get() =
\"\".asDynamic().unsafeCast<CanPlayTypeResult>()\n\npublic
 inline val CanPlayTypeResult.Companion.MAYBE: CanPlayTypeResult get() =
\"maybe\".asDynamic().unsafeCast<CanPlayTypeResult>()\n\npublic inline val
CanPlayTypeResult.Companion.PROBABLY: CanPlayTypeResult get() =
\"probably\".asDynamic().unsafeCast<CanPlayTypeResult>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface TextTrackMode {\n    companion object\n}\n\npublic inline val TextTrackMode.Companion.DISABLED:
TextTrackMode get() = \"disabled\".asDynamic().unsafeCast<TextTrackMode>()\n\npublic inline val
TextTrackMode.Companion.HIDDEN: TextTrackMode get() =
\"hidden\".asDynamic().unsafeCast<TextTrackMode>()\n\npublic inline val
TextTrackMode.Companion.SHOWING: TextTrackMode get() =
\"showing\".asDynamic().unsafeCast<TextTrackMode>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic
 external interface TextTrackKind {\n    companion object\n}\n\npublic inline val
TextTrackKind.Companion.SUBTITLES: TextTrackKind get() =
\"subtitles\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.CAPTIONS: TextTrackKind get() =
```

\"captions\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.DESCRIPTIONS: TextTrackKind get() =
\"descriptions\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.CHAPTERS: TextTrackKind get() =
\"chapters\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.METADATA: TextTrackKind get() =
\"metadata\".asDynamic().unsafeCast<TextTrackKind>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface SelectionMode {\n   companion object\n}\n\npublic inline val SelectionMode.Companion.SELECT:
SelectionMode get()
 = \"select\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.START:
SelectionMode get() = \"start\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val
SelectionMode.Companion.END: SelectionMode get() =
\"end\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.PRESERVE:
SelectionMode get() = \"preserve\".asDynamic().unsafeCast<SelectionMode>()\n\n/* please, don't implement this
interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic
external interface CanvasFillRule {\n   companion object\n}\n\npublic inline val
CanvasFillRule.Companion.NONZERO: CanvasFillRule get() =
\"nonzero\".asDynamic().unsafeCast<CanvasFillRule>()\n\npublic inline val
CanvasFillRule.Companion.EVENODD: CanvasFillRule get() =
\"evenodd\".asDynamic().unsafeCast<CanvasFillRule>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic
 external interface ImageSmoothingQuality {\n   companion object\n}\n\npublic inline val
ImageSmoothingQuality.Companion.LOW: ImageSmoothingQuality get() =
\"low\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\npublic inline val
ImageSmoothingQuality.Companion.MEDIUM: ImageSmoothingQuality get() =
\"medium\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\npublic inline val
ImageSmoothingQuality.Companion.HIGH: ImageSmoothingQuality get() =
\"high\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface CanvasLineCap {\n   companion object\n}\n\npublic inline val CanvasLineCap.Companion.BUTT:
CanvasLineCap get() = \"butt\".asDynamic().unsafeCast<CanvasLineCap>()\n\npublic inline val
CanvasLineCap.Companion.ROUND: CanvasLineCap get() =
\"round\".asDynamic().unsafeCast<CanvasLineCap>()\n\npublic inline val CanvasLineCap.Companion.SQUARE:
 CanvasLineCap get() = \"square\".asDynamic().unsafeCast<CanvasLineCap>()\n\n/* please, don't implement this
interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic
external interface CanvasLineJoin {\n   companion object\n}\n\npublic inline val
CanvasLineJoin.Companion.ROUND: CanvasLineJoin get() =
\"round\".asDynamic().unsafeCast<CanvasLineJoin>()\n\npublic inline val CanvasLineJoin.Companion.BEVEL:
CanvasLineJoin get() = \"bevel\".asDynamic().unsafeCast<CanvasLineJoin>()\n\npublic inline val
CanvasLineJoin.Companion.MITER: CanvasLineJoin get() =
\"miter\".asDynamic().unsafeCast<CanvasLineJoin>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface CanvasTextAlign {\n   companion object\n}\n\npublic inline val CanvasTextAlign.Companion.START:
CanvasTextAlign get() = \"start\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val
CanvasTextAlign.Companion.END:
 CanvasTextAlign get() = \"end\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val
CanvasTextAlign.Companion.LEFT: CanvasTextAlign get() =

\"left\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val CanvasTextAlign.Companion.RIGHT: CanvasTextAlign get() = \"right\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val CanvasTextAlign.Companion.CENTER: CanvasTextAlign get() = \"center\".asDynamic().unsafeCast<CanvasTextAlign>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface CanvasTextBaseline {\n companion object\n}\n\npublic inline val CanvasTextBaseline.Companion.TOP: CanvasTextBaseline get() = \"top\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val CanvasTextBaseline.Companion.HANGING: CanvasTextBaseline get() = \"hanging\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val CanvasTextBaseline.Companion.MIDDLE: CanvasTextBaseline get() = \"middle\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val CanvasTextBaseline.Companion.ALPHABETIC: CanvasTextBaseline get() = \"alphabetic\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val CanvasTextBaseline.Companion.IDEOGRAPHIC: CanvasTextBaseline get() = \"ideographic\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val CanvasTextBaseline.Companion.BOTTOM: CanvasTextBaseline get() = \"bottom\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface CanvasDirection {\n companion object\n}\n\npublic inline val CanvasDirection.Companion.LTR: CanvasDirection get() = \"ltr\".asDynamic().unsafeCast<CanvasDirection>()\n\npublic inline val CanvasDirection.Companion.RTL: CanvasDirection get() = \"rtl\".asDynamic().unsafeCast<CanvasDirection>()\n\npublic inline val CanvasDirection.Companion.INHERIT: CanvasDirection get() = \"inherit\".asDynamic().unsafeCast<CanvasDirection>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ScrollRestoration {\n companion object\n}\n\npublic inline val ScrollRestoration.Companion.AUTO: ScrollRestoration get() = \"auto\".asDynamic().unsafeCast<ScrollRestoration>()\n\npublic inline val ScrollRestoration.Companion.MANUAL: ScrollRestoration get() = \"manual\".asDynamic().unsafeCast<ScrollRestoration>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ImageOrientation {\n companion object\n}\n\npublic inline val ImageOrientation.Companion.NONE: ImageOrientation get() = \"none\".asDynamic().unsafeCast<ImageOrientation>()\n\npublic inline val ImageOrientation.Companion.FLIPY: ImageOrientation get() = \"flipY\".asDynamic().unsafeCast<ImageOrientation>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface PremultiplyAlpha {\n companion object\n}\n\npublic inline val PremultiplyAlpha.Companion.NONE: PremultiplyAlpha get() = \"none\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\npublic inline val PremultiplyAlpha.Companion.PREMULTIPLY: PremultiplyAlpha get() = \"premultiply\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\npublic inline val PremultiplyAlpha.Companion.DEFAULT: PremultiplyAlpha get() = \"default\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ColorSpaceConversion {\n companion object\n}\n\npublic inline val ColorSpaceConversion.Companion.NONE: ColorSpaceConversion get() = \"none\".asDynamic().unsafeCast<ColorSpaceConversion>()\n\npublic inline val ColorSpaceConversion.Companion.DEFAULT:

ColorSpaceConversion get() = \"default\".asDynamic().unsafeCast<ColorSpaceConversion>()\n\n/* please, don't implement this interface!
/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ResizeQuality {\n companion object\n}\n\npublic inline val ResizeQuality.Companion.PIXELATED: ResizeQuality get() = \"pixelated\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val ResizeQuality.Companion.LOW: ResizeQuality get() = \"low\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val ResizeQuality.Companion.MEDIUM: ResizeQuality get() = \"medium\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val ResizeQuality.Companion.HIGH: ResizeQuality get() = \"high\".asDynamic().unsafeCast<ResizeQuality>()\n\n/ please, don't implement this interface!
/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface BinaryType {\n companion object\n}\n\npublic inline val BinaryType.Companion.BLOB: BinaryType get() = \"blob\".asDynamic().unsafeCast<BinaryType>()\n\npublic inline val BinaryType.Companion.ARRAYBUFFER: BinaryType get() = \"arraybuffer\".asDynamic().unsafeCast<BinaryType>()\n\n/ please, don't implement this interface!
/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface WorkerType {\n companion object\n}\n\npublic inline val WorkerType.Companion.CLASSIC: WorkerType get() = \"classic\".asDynamic().unsafeCast<WorkerType>()\n\npublic inline val WorkerType.Companion.MODULE: WorkerType get() = \"module\".asDynamic().unsafeCast<WorkerType>()\n\n/ please, don't implement this interface!
/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ShadowRootMode {\n companion object\n}\n\npublic inline val ShadowRootMode.Companion.OPEN: ShadowRootMode get() = \"open\".asDynamic().unsafeCast<ShadowRootMode>()\n\npublic inline val ShadowRootMode.Companion.CLOSED: ShadowRootMode get() = \"closed\".asDynamic().unsafeCast<ShadowRootMode>()\n\n/ please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ScrollBehavior {\n companion object\n}\n\npublic inline val ScrollBehavior.Companion.AUTO: ScrollBehavior get() = \"auto\".asDynamic().unsafeCast<ScrollBehavior>()\n\npublic inline val ScrollBehavior.Companion.INSTANT: ScrollBehavior get() = \"instant\".asDynamic().unsafeCast<ScrollBehavior>()\n\npublic inline val ScrollBehavior.Companion.SMOOTH: ScrollBehavior get() = \"smooth\".asDynamic().unsafeCast<ScrollBehavior>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ScrollLogicalPosition {\n companion object\n}\n\npublic inline val ScrollLogicalPosition.Companion.START: ScrollLogicalPosition get() = \"start\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val ScrollLogicalPosition.Companion.CENTER: ScrollLogicalPosition get() = \"center\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val ScrollLogicalPosition.Companion.END: ScrollLogicalPosition get() = \"end\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val ScrollLogicalPosition.Companion.NEAREST: ScrollLogicalPosition get() = \"nearest\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface CSSBoxType {\n companion object\n}\n\npublic inline val CSSBoxType.Companion.MARGIN: CSSBoxType get() = \"margin\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val CSSBoxType.Companion.BORDER: CSSBoxType get() = \"border\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val CSSBoxType.Companion.PADDING: CSSBoxType get() = \"padding\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline

val CSSBoxType.Companion.CONTENT: CSSBoxType get() = \"content\".asDynamic().unsafeCast<CSSBoxType>()","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.fetch\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.files.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [Headers](https://developer.mozilla.org/en/docs/Web/API/Headers) to Kotlin\n */\npublic external open class Headers(init: dynamic = definedExternally) {\n   fun append(name: String, value: String)\n   fun delete(name: String)\n   fun get(name: String): String?\n   fun has(name: String): Boolean\n   fun set(name: String, value: String)\n}\n\n/**\n * Exposes the JavaScript [Body](https://developer.mozilla.org/en/docs/Web/API/Body) to Kotlin\n */\npublic external interface Body {\n   val bodyUsed: Boolean\n   fun arrayBuffer(): Promise<ArrayBuffer>\n   fun blob(): Promise<Blob>\n   fun formData(): Promise<FormData>\n   fun json(): Promise<Any?>\n   fun text(): Promise<String>\n}\n\n/**\n * Exposes the JavaScript [Request](https://developer.mozilla.org/en/docs/Web/API/Request) to Kotlin\n */\npublic external open class Request(input: dynamic, init: RequestInit = definedExternally) : Body {\n   open val method: String\n   open val url: String\n   open val headers: Headers\n   open val type: RequestType\n   open val destination: RequestDestination\n   open val referrer: String\n   open val referrerPolicy: dynamic\n   open val mode: RequestMode\n   open val credentials: RequestCredentials\n   open val cache: RequestCache\n   open val redirect: RequestRedirect\n   open val integrity: String\n   open val keepalive: Boolean\n   override val bodyUsed: Boolean\n   fun clone(): Request\n   override fun arrayBuffer(): Promise<ArrayBuffer>\n   override fun blob(): Promise<Blob>\n   override fun formData(): Promise<FormData>\n   override fun json(): Promise<Any?>\n   override fun text(): Promise<String>\n}\n\npublic external interface RequestInit {\n   var method: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var headers: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n   var body: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n   var referrer: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var referrerPolicy: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n   var mode: RequestMode?\n   get() = definedExternally\n   set(value) = definedExternally\n   var credentials: RequestCredentials?\n   get() = definedExternally\n   set(value) = definedExternally\n   var cache: RequestCache?\n   get() = definedExternally\n   set(value) = definedExternally\n   var redirect: RequestRedirect?\n   get() = definedExternally\n   set(value) = definedExternally\n   var integrity: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var keepalive: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var window: Any?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun RequestInit(method: String? = undefined, headers: dynamic = undefined, body: dynamic = undefined, referrer: String? = undefined, referrerPolicy: dynamic = undefined, mode: RequestMode? = undefined, credentials: RequestCredentials? = undefined, cache: RequestCache? = undefined, redirect: RequestRedirect? = undefined, integrity: String? = undefined, keepalive: Boolean? = undefined,
    window: Any? = undefined): RequestInit {\n   val o = js(\"({})\")\n   o[\"method\"] = method\n   o[\"headers\"] = headers\n   o[\"body\"] = body\n   o[\"referrer\"] = referrer\n   o[\"referrerPolicy\"] = referrerPolicy\n   o[\"mode\"] = mode\n   o[\"credentials\"] = credentials\n   o[\"cache\"] = cache\n   o[\"redirect\"] = redirect\n   o[\"integrity\"] = integrity\n   o[\"keepalive\"] = keepalive\n   o[\"window\"] = window\n   return o\n}\n\n/**\n * Exposes the JavaScript [Response](https://developer.mozilla.org/en/docs/Web/API/Response) to Kotlin\n */\npublic external open class Response(body: dynamic = definedExternally, init: ResponseInit = definedExternally) : Body {\n   open val type: ResponseType\n   open val url: String\n   open val redirected: Boolean\n   open val status: Short\n   open val ok: Boolean\n   open val statusText: String\n   open val headers: Headers\n   open val body: dynamic\n   open val trailer: Promise<Headers>\n   override val bodyUsed:

```
Boolean\n    fun clone(): Response\n    override fun arrayBuffer(): Promise<ArrayBuffer>\n    override fun blob(): Promise<Blob>\n    override fun formData(): Promise<FormData>\n    override fun json(): Promise<Any?>\n    override fun text(): Promise<String>\n\n    companion object {\n        fun error(): Response\n        fun redirect(url: String, status: Short = definedExternally): Response\n    }\n}\n\npublic external interface ResponseInit {\n    var status: Short? /* = 200 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var statusText: String? /* = \"OK\" */\n        get() = definedExternally\n        set(value) = definedExternally\n    var headers: dynamic\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ResponseInit(status: Short? = 200, statusText: String? = \"OK\", headers: dynamic = undefined): ResponseInit {\n    val o = js(\"({})\")\n    o[\"status\"] = status\n    o[\"statusText\"] = statusText\n    o[\"headers\"] = headers\n    return o\n}\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface RequestType {\n    companion object\n}\n\npublic inline val RequestType.Companion.EMPTY: RequestType get() = \"\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.AUDIO: RequestType get() = \"audio\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.FONT: RequestType get() = \"font\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.IMAGE: RequestType get() = \"image\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.SCRIPT: RequestType get() = \"script\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.STYLE: RequestType get() = \"style\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.TRACK: RequestType get() = \"track\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.VIDEO: RequestType get() = \"video\".asDynamic().unsafeCast<RequestType>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface RequestDestination {\n    companion object\n}\n\npublic inline val RequestDestination.Companion.EMPTY: RequestDestination get() = \"\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.DOCUMENT: RequestDestination get() = \"document\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.EMBED: RequestDestination get() = \"embed\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.FONT: RequestDestination get() = \"font\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.IMAGE: RequestDestination get() = \"image\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.MANIFEST: RequestDestination get() = \"manifest\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.MEDIA: RequestDestination get() = \"media\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.OBJECT: RequestDestination get() = \"object\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.REPORT: RequestDestination get() = \"report\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.SCRIPT: RequestDestination get() = \"script\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
```

RequestDestination.Companion.SERVICEWORKER: RequestDestination get() =
\"serviceworker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic
inline val RequestDestination.Companion.SHAREDWORKER: RequestDestination get() =
\"sharedworker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.STYLE: RequestDestination get() =
\"style\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.WORKER: RequestDestination get() =
\"worker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.XSLT: RequestDestination get() =
\"xslt\".asDynamic().unsafeCast<RequestDestination>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface RequestMode {\n   companion object\n}\n\npublic inline val RequestMode.Companion.NAVIGATE:
RequestMode get() = \"navigate\".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val
RequestMode.Companion.SAME_ORIGIN: RequestMode get() = \"same-
origin\".asDynamic().unsafeCast<RequestMode>()\n\npublic
inline val RequestMode.Companion.NO_CORS: RequestMode get() = \"no-
cors\".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val RequestMode.Companion.CORS:
RequestMode get() = \"cors\".asDynamic().unsafeCast<RequestMode>()\n\n/* please, don't implement this
interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic
external interface RequestCredentials {\n   companion object\n}\n\npublic inline val
RequestCredentials.Companion.OMIT: RequestCredentials get() =
\"omit\".asDynamic().unsafeCast<RequestCredentials>()\n\npublic inline val
RequestCredentials.Companion.SAME_ORIGIN: RequestCredentials get() = \"same-
origin\".asDynamic().unsafeCast<RequestCredentials>()\n\npublic inline val
RequestCredentials.Companion.INCLUDE: RequestCredentials get() =
\"include\".asDynamic().unsafeCast<RequestCredentials>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic
external interface RequestCache {\n   companion object\n}\n\npublic inline val
RequestCache.Companion.DEFAULT: RequestCache get() =
\"default\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val RequestCache.Companion.NO_STORE:
RequestCache get() = \"no-store\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.RELOAD: RequestCache get() =
\"reload\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val RequestCache.Companion.NO_CACHE:
RequestCache get() = \"no-cache\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.FORCE_CACHE: RequestCache get() = \"force-
cache\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.ONLY_IF_CACHED: RequestCache get() = \"only-if-
cached\".asDynamic().unsafeCast<RequestCache>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface RequestRedirect
{\n   companion object\n}\n\npublic inline val RequestRedirect.Companion.FOLLOW: RequestRedirect get() =
\"follow\".asDynamic().unsafeCast<RequestRedirect>()\n\npublic inline val RequestRedirect.Companion.ERROR:
RequestRedirect get() = \"error\".asDynamic().unsafeCast<RequestRedirect>()\n\npublic inline val
RequestRedirect.Companion.MANUAL: RequestRedirect get() =
\"manual\".asDynamic().unsafeCast<RequestRedirect>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface ResponseType {\n   companion object\n}\n\npublic inline val ResponseType.Companion.BASIC:
ResponseType get() = \"basic\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val

ResponseType.Companion.CORS: ResponseType get() = \"cors\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.DEFAULT: ResponseType get() = \"default\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.ERROR: ResponseType get() = \"error\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.OPAQUE: ResponseType get() = \"opaque\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.OPAQUEREDIRECT: ResponseType get() = \"opaqueredirect\".asDynamic().unsafeCast<ResponseType>()","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.mediacapture\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\n/**\n * Exposes the JavaScript [MediaStream](https://developer.mozilla.org/en/docs/Web/API/MediaStream) to Kotlin\n */\npublic external open class MediaStream() : EventTarget, MediaProvider {\n constructor(stream: MediaStream)\n constructor(tracks: Array<MediaStreamTrack>)\n open val id: String\n open val active: Boolean\n var onaddtrack: ((MediaStreamTrackEvent) -> dynamic)?\n var onremovetrack: ((MediaStreamTrackEvent) -> dynamic)?\n fun getAudioTracks(): Array<MediaStreamTrack>\n fun getVideoTracks(): Array<MediaStreamTrack>\n fun getTracks(): Array<MediaStreamTrack>\n fun getTrackById(trackId: String): MediaStreamTrack?\n fun addTrack(track: MediaStreamTrack)\n fun removeTrack(track: MediaStreamTrack)\n fun clone(): MediaStream\n}\n\n/**\n * Exposes the JavaScript [MediaStreamTrack](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrack) to Kotlin\n */\npublic external abstract class MediaStreamTrack : EventTarget {\n open val kind: String\n open val id: String\n open val label: String\n open var enabled: Boolean\n open val muted: Boolean\n open var onmute: ((Event) -> dynamic)?\n open var onunmute: ((Event) -> dynamic)?\n open val readyState: MediaStreamTrackState\n open var onended: ((Event) -> dynamic)?\n open var onoverconstrained: ((Event) -> dynamic)?\n fun clone(): MediaStreamTrack\n fun stop()\n fun getCapabilities(): MediaTrackCapabilities\n fun getConstraints(): MediaTrackConstraints\n fun getSettings(): MediaTrackSettings\n fun applyConstraints(constraints: MediaTrackConstraints = definedExternally): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript [MediaTrackSupportedConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSupportedConstraints) to Kotlin\n */\npublic external interface MediaTrackSupportedConstraints {\n var width: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var height: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var aspectRatio: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var frameRate: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var facingMode: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var resizeMode: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var volume: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var sampleRate: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var sampleSize: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var echoCancellation: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var autoGainControl: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var noiseSuppression: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var latency: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var channelCount: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var deviceId: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var groupId: Boolean? /* = true */\n get() = definedExternally\n set(value) =

definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
MediaTrackSupportedConstraints(width: Boolean? = true, height: Boolean? = true, aspectRatio: Boolean? = true,
frameRate: Boolean? = true, facingMode: Boolean? = true, resizeMode: Boolean? = true, volume: Boolean? = true,
sampleRate: Boolean? = true, sampleSize: Boolean? = true, echoCancellation: Boolean? = true,
autoGainControl: Boolean? = true, noiseSuppression: Boolean? = true, latency: Boolean? = true, channelCount:
Boolean? = true, deviceId: Boolean? = true, groupId: Boolean? = true): MediaTrackSupportedConstraints {\n val o
= js(\"({})\")\n o[\"width\"] = width\n o[\"height\"] = height\n o[\"aspectRatio\"] = aspectRatio\n
o[\"frameRate\"] = frameRate\n o[\"facingMode\"] = facingMode\n o[\"resizeMode\"] = resizeMode\n
o[\"volume\"] = volume\n o[\"sampleRate\"] = sampleRate\n o[\"sampleSize\"] = sampleSize\n
o[\"echoCancellation\"] = echoCancellation\n o[\"autoGainControl\"] = autoGainControl\n
o[\"noiseSuppression\"] = noiseSuppression\n o[\"latency\"] = latency\n o[\"channelCount\"] = channelCount\n
o[\"deviceId\"] = deviceId\n o[\"groupId\"] = groupId\n return o\n}\n\npublic external interface
MediaTrackCapabilities {\n var width: ULongRange?\n get() = definedExternally\n set(value) =
definedExternally\n var height:
ULongRange?\n get() = definedExternally\n set(value) = definedExternally\n var aspectRatio:
DoubleRange?\n get() = definedExternally\n set(value) = definedExternally\n var frameRate:
DoubleRange?\n get() = definedExternally\n set(value) = definedExternally\n var facingMode:
Array<String>?\n get() = definedExternally\n set(value) = definedExternally\n var resizeMode:
Array<String>?\n get() = definedExternally\n set(value) = definedExternally\n var volume:
DoubleRange?\n get() = definedExternally\n set(value) = definedExternally\n var sampleRate:
ULongRange?\n get() = definedExternally\n set(value) = definedExternally\n var sampleSize:
ULongRange?\n get() = definedExternally\n set(value) = definedExternally\n var echoCancellation:
Array<Boolean>?\n get() = definedExternally\n set(value) = definedExternally\n var autoGainControl:
Array<Boolean>?\n
get() = definedExternally\n set(value) = definedExternally\n var noiseSuppression: Array<Boolean>?\n
get() = definedExternally\n set(value) = definedExternally\n var latency: DoubleRange?\n get() =
definedExternally\n set(value) = definedExternally\n var channelCount: ULongRange?\n get() =
definedExternally\n set(value) = definedExternally\n var deviceId: String?\n get() = definedExternally\n
set(value) = definedExternally\n var groupId: String?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackCapabilities(width:
ULongRange? = undefined, height: ULongRange? = undefined, aspectRatio: DoubleRange? = undefined,
frameRate: DoubleRange? = undefined, facingMode: Array<String>? = undefined, resizeMode: Array<String>? =
undefined, volume: DoubleRange?
= undefined, sampleRate: ULongRange? = undefined, sampleSize: ULongRange? = undefined, echoCancellation:
Array<Boolean>? = undefined, autoGainControl: Array<Boolean>? = undefined, noiseSuppression:
Array<Boolean>? = undefined, latency: DoubleRange? = undefined, channelCount: ULongRange? = undefined,
deviceId: String? = undefined, groupId: String? = undefined): MediaTrackCapabilities {\n val o = js(\"({})\")\n
o[\"width\"] = width\n o[\"height\"] = height\n o[\"aspectRatio\"] = aspectRatio\n o[\"frameRate\"] =
frameRate\n o[\"facingMode\"] = facingMode\n o[\"resizeMode\"] = resizeMode\n o[\"volume\"] = volume\n
o[\"sampleRate\"] = sampleRate\n o[\"sampleSize\"] = sampleSize\n o[\"echoCancellation\"] =
echoCancellation\n o[\"autoGainControl\"] = autoGainControl\n o[\"noiseSuppression\"] = noiseSuppression\n
o[\"latency\"] = latency\n o[\"channelCount\"] = channelCount\n o[\"deviceId\"] = deviceId\n o[\"groupId\"] =
groupId\n return o\n}\n\n/**\n
* Exposes the JavaScript
[MediaTrackConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackConstraints) to Kotlin\n
*/\npublic external interface MediaTrackConstraints : MediaTrackConstraintSet {\n var advanced:

Array<MediaTrackConstraintSet>?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackConstraints(advanced: Array<MediaTrackConstraintSet>? = undefined, width: dynamic = undefined, height: dynamic = undefined, aspectRatio: dynamic = undefined, frameRate: dynamic = undefined, facingMode: dynamic = undefined, resizeMode: dynamic = undefined, volume: dynamic = undefined, sampleRate: dynamic = undefined, sampleSize: dynamic = undefined, echoCancellation: dynamic = undefined, autoGainControl: dynamic = undefined, noiseSuppression: dynamic = undefined, latency: dynamic = undefined, channelCount: dynamic = undefined, deviceId: dynamic = undefined, groupId: dynamic = undefined): MediaTrackConstraints {\n val o = js(\"({})\")\n o[\"advanced\"] = advanced\n o[\"width\"] = width\n o[\"height\"] = height\n o[\"aspectRatio\"] = aspectRatio\n o[\"frameRate\"] = frameRate\n o[\"facingMode\"] = facingMode\n o[\"resizeMode\"] = resizeMode\n o[\"volume\"] = volume\n o[\"sampleRate\"] = sampleRate\n o[\"sampleSize\"] = sampleSize\n o[\"echoCancellation\"] = echoCancellation\n o[\"autoGainControl\"] = autoGainControl\n o[\"noiseSuppression\"] = noiseSuppression\n o[\"latency\"] = latency\n o[\"channelCount\"] = channelCount\n o[\"deviceId\"] = deviceId\n o[\"groupId\"] = groupId\n return o\n}\n\npublic external interface MediaTrackConstraintSet {\n var width: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var height: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var aspectRatio: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var frameRate: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var facingMode: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var resizeMode: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var volume: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var sampleRate: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var sampleSize: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var echoCancellation: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var autoGainControl: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var noiseSuppression: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var latency: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var channelCount: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var deviceId: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var groupId: dynamic\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackConstraintSet(width: dynamic = undefined, height: dynamic = undefined, aspectRatio: dynamic = undefined, frameRate: dynamic = undefined, facingMode: dynamic = undefined, resizeMode: dynamic = undefined, volume: dynamic = undefined, sampleRate: dynamic = undefined, sampleSize: dynamic = undefined, echoCancellation: dynamic = undefined, autoGainControl: dynamic = undefined, noiseSuppression: dynamic = undefined, latency: dynamic = undefined, channelCount: dynamic = undefined, deviceId: dynamic = undefined, groupId: dynamic = undefined): MediaTrackConstraintSet {\n val o = js(\"({})\")\n o[\"width\"] = width\n o[\"height\"] = height\n o[\"aspectRatio\"] = aspectRatio\n o[\"frameRate\"] = frameRate\n o[\"facingMode\"] = facingMode\n o[\"resizeMode\"] = resizeMode\n o[\"volume\"] = volume\n o[\"sampleRate\"] = sampleRate\n o[\"sampleSize\"] = sampleSize\n o[\"echoCancellation\"] = echoCancellation\n o[\"autoGainControl\"] = autoGainControl\n o[\"noiseSuppression\"] = noiseSuppression\n o[\"latency\"] = latency\n o[\"channelCount\"] = channelCount\n o[\"deviceId\"] = deviceId\n o[\"groupId\"] = groupId\n return o\n}\n\n/**\n * Exposes the JavaScript [MediaTrackSettings](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSettings) to Kotlin\n */\npublic external interface MediaTrackSettings {\n var width: Int?\n get() = definedExternally\n

set(value) = definedExternally\n   var height: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n   var aspectRatio: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n   var frameRate: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n   var facingMode: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var resizeMode: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var volume: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n   var sampleRate: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n   var sampleSize: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n   var echoCancellation: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var autoGainControl: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var noiseSuppression: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var latency: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n   var channelCount: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n   var deviceId: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var groupId: String?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackSettings(width: Int? = undefined, height: Int? = undefined, aspectRatio: Double? = undefined, frameRate: Double? = undefined, facingMode: String? = undefined, resizeMode: String? = undefined, volume: Double? = undefined, sampleRate: Int? = undefined, sampleSize: Int? = undefined, echoCancellation: Boolean? = undefined, autoGainControl: Boolean? = undefined, noiseSuppression: Boolean? = undefined, latency: Double? = undefined, channelCount: Int? = undefined, deviceId: String? = undefined, groupId: String? = undefined): MediaTrackSettings {\n   val o = js(\"({})\")\n   o[\"width\"] = width\n   o[\"height\"] = height\n   o[\"aspectRatio\"] = aspectRatio\n   o[\"frameRate\"] = frameRate\n   o[\"facingMode\"] = facingMode\n   o[\"resizeMode\"] = resizeMode\n   o[\"volume\"] = volume\n   o[\"sampleRate\"] = sampleRate\n   o[\"sampleSize\"] = sampleSize\n   o[\"echoCancellation\"] = echoCancellation\n   o[\"autoGainControl\"] = autoGainControl\n   o[\"noiseSuppression\"] = noiseSuppression\n   o[\"latency\"] = latency\n   o[\"channelCount\"] = channelCount\n   o[\"deviceId\"] = deviceId\n   o[\"groupId\"] = groupId\n   return o\n}\n\n/**\n * Exposes the JavaScript [MediaStreamTrackEvent](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrackEvent) to Kotlin\n */\npublic external open class MediaStreamTrackEvent(type: String, eventInitDict: MediaStreamTrackEventInit) : Event {\n   open val track: MediaStreamTrack\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface MediaStreamTrackEventInit : EventInit {\n   var track: MediaStreamTrack?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaStreamTrackEventInit(track: MediaStreamTrack?, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MediaStreamTrackEventInit {\n   val o = js(\"({})\")\n   o[\"track\"] = track\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\npublic external open class OverconstrainedErrorEvent(type: String, eventInitDict: OverconstrainedErrorEventInit) : Event {\n   open val error: dynamic\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface OverconstrainedErrorEventInit : EventInit {\n   var error: dynamic /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun OverconstrainedErrorEventInit(error: dynamic = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): OverconstrainedErrorEventInit {\n   val o = js(\"({})\")\n   o[\"error\"] = error\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [MediaDevices](https://developer.mozilla.org/en/docs/Web/API/MediaDevices) to Kotlin\n */\npublic external

```
abstract class MediaDevices : EventTarget
 {\n    open var ondevicechange: ((Event) -> dynamic)?\n    fun enumerateDevices():
Promise<Array<MediaDeviceInfo>>\n    fun getSupportedConstraints(): MediaTrackSupportedConstraints\n    fun
getUserMedia(constraints: MediaStreamConstraints = definedExternally): Promise<MediaStream>\n}\n\n/**\n *
Exposes the JavaScript [MediaDeviceInfo](https://developer.mozilla.org/en/docs/Web/API/MediaDeviceInfo) to
Kotlin\n */\npublic external abstract class MediaDeviceInfo {\n    open val deviceId: String\n    open val kind:
MediaDeviceKind\n    open val label: String\n    open val groupId: String\n    fun toJSON(): dynamic\n}\n\npublic
external abstract class InputDeviceInfo : MediaDeviceInfo {\n    fun getCapabilities():
MediaTrackCapabilities\n}\n\n/**\n * Exposes the JavaScript
[MediaStreamConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaStreamConstraints) to Kotlin\n
*/\npublic external interface MediaStreamConstraints {\n    var video: dynamic /* = false */\n        get()
 = definedExternally\n        set(value) = definedExternally\n    var audio: dynamic /* = false */\n        get() =
definedExternally\n        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaStreamConstraints(video:
dynamic = false, audio: dynamic = false): MediaStreamConstraints {\n    val o = js(\"({})\")\n    o[\"video\"] =
video\n    o[\"audio\"] = audio\n    return o\n}\n\npublic external interface ConstrainablePattern {\n    var
onoverconstrained: ((Event) -> dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n
fun getCapabilities(): Capabilities\n    fun getConstraints(): Constraints\n    fun getSettings(): Settings\n    fun
applyConstraints(constraints: Constraints = definedExternally): Promise<Unit>\n}\n\n/**\n * Exposes the
JavaScript [DoubleRange](https://developer.mozilla.org/en/docs/Web/API/DoubleRange) to Kotlin\n */\npublic
external interface
 DoubleRange {\n    var max: Double?\n        get() = definedExternally\n        set(value) = definedExternally\n    var
min: Double?\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleRange(max: Double? =
undefined, min: Double? = undefined): DoubleRange {\n    val o = js(\"({})\")\n    o[\"max\"] = max\n    o[\"min\"] =
min\n    return o\n}\n\npublic external interface ConstrainDoubleRange : DoubleRange {\n    var exact: Double?\n
  get() = definedExternally\n        set(value) = definedExternally\n    var ideal: Double?\n        get() =
definedExternally\n        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainDoubleRange(exact: Double?
= undefined, ideal: Double? = undefined, max: Double? = undefined, min: Double? = undefined):
ConstrainDoubleRange
 {\n    val o = js(\"({})\")\n    o[\"exact\"] = exact\n    o[\"ideal\"] = ideal\n    o[\"max\"] = max\n    o[\"min\"] =
min\n    return o\n}\n\npublic external interface ULongRange {\n    var max: Int?\n        get() = definedExternally\n
    set(value) = definedExternally\n    var min: Int?\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ULongRange(max: Int? = undefined,
min: Int? = undefined): ULongRange {\n    val o = js(\"({})\")\n    o[\"max\"] = max\n    o[\"min\"] = min\n    return
o\n}\n\npublic external interface ConstrainULongRange : ULongRange {\n    var exact: Int?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var ideal: Int?\n        get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic
 inline fun ConstrainULongRange(exact: Int? = undefined, ideal: Int? = undefined, max: Int? = undefined, min: Int?
= undefined): ConstrainULongRange {\n    val o = js(\"({})\")\n    o[\"exact\"] = exact\n    o[\"ideal\"] = ideal\n
o[\"max\"] = max\n    o[\"min\"] = min\n    return o\n}\n\n/**\n * Exposes the JavaScript
[ConstrainBooleanParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainBooleanParameters) to
Kotlin\n */\npublic external interface ConstrainBooleanParameters {\n    var exact: Boolean?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var ideal: Boolean?\n        get() = definedExternally\n
```

```
 set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainBooleanParameters(exact:
Boolean? = undefined, ideal: Boolean? = undefined): ConstrainBooleanParameters {\n    val o = js(\"({})\")\n
o[\"exact\"] = exact\n    o[\"ideal\"]
 = ideal\n    return o\n}\n\n/**\n * Exposes the JavaScript
[ConstrainDOMStringParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainDOMStringParameters)
to Kotlin\n */\npublic external interface ConstrainDOMStringParameters {\n    var exact: dynamic\n        get() =
definedExternally\n        set(value) = definedExternally\n    var ideal: dynamic\n        get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
ConstrainDOMStringParameters(exact: dynamic = undefined, ideal: dynamic = undefined):
ConstrainDOMStringParameters {\n    val o = js(\"({})\")\n    o[\"exact\"] = exact\n    o[\"ideal\"] = ideal\n    return
o\n}\n\npublic external interface Capabilities\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun Capabilities(): Capabilities {\n    val o
= js(\"({})\")\n    return o\n}\n\npublic
 external interface Settings\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun Settings(): Settings {\n    val o =
js(\"({})\")\n    return o\n}\n\npublic external interface ConstraintSet\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ConstraintSet(): ConstraintSet {\n
val o = js(\"({})\")\n    return o\n}\n\npublic external interface Constraints : ConstraintSet {\n    var advanced:
Array<ConstraintSet>?\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun Constraints(advanced:
Array<ConstraintSet>? = undefined): Constraints {\n    val o = js(\"({})\")\n    o[\"advanced\"] = advanced\n
return o\n}\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface
 MediaStreamTrackState {\n    companion object\n}\n\npublic inline val MediaStreamTrackState.Companion.LIVE:
MediaStreamTrackState get() = \"live\".asDynamic().unsafeCast<MediaStreamTrackState>()\n\npublic inline val
MediaStreamTrackState.Companion.ENDED: MediaStreamTrackState get() =
\"ended\".asDynamic().unsafeCast<MediaStreamTrackState>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface VideoFacingModeEnum {\n    companion object\n}\n\npublic inline val
VideoFacingModeEnum.Companion.USER: VideoFacingModeEnum get() =
\"user\".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
VideoFacingModeEnum.Companion.ENVIRONMENT: VideoFacingModeEnum get() =
\"environment\".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
VideoFacingModeEnum.Companion.LEFT: VideoFacingModeEnum get() =
\"left\".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
 VideoFacingModeEnum.Companion.RIGHT: VideoFacingModeEnum get() =
\"right\".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface VideoResizeModeEnum {\n    companion object\n}\n\npublic inline val
VideoResizeModeEnum.Companion.NONE: VideoResizeModeEnum get() =
\"none\".asDynamic().unsafeCast<VideoResizeModeEnum>()\n\npublic inline val
VideoResizeModeEnum.Companion.CROP_AND_SCALE: VideoResizeModeEnum get() = \"crop-and-
scale\".asDynamic().unsafeCast<VideoResizeModeEnum>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
```

interface MediaDeviceKind {\n   companion object\n}\n\npublic inline val MediaDeviceKind.Companion.AUDIOINPUT: MediaDeviceKind get() = \"audioinput\".asDynamic().unsafeCast<MediaDeviceKind>()\n\npublic inline val MediaDeviceKind.Companion.AUDIOOUTPUT: MediaDeviceKind get() = \"audiooutput\".asDynamic().unsafeCast<MediaDeviceKind>()\n\npublic inline val MediaDeviceKind.Companion.VIDEOINPUT: MediaDeviceKind get() = \"videoinput\".asDynamic().unsafeCast<MediaDeviceKind>()","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.mediasource\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\n/**\n * Exposes the JavaScript [MediaSource](https://developer.mozilla.org/en/docs/Web/API/MediaSource) to Kotlin\n */\npublic external open class MediaSource : EventTarget, MediaProvider {\n   open val sourceBuffers: SourceBufferList\n   open val activeSourceBuffers: SourceBufferList\n   open val readyState: ReadyState\n   var duration: Double\n   var onsourceopen: ((Event) -> dynamic)?\n   var onsourceended: ((Event) -> dynamic)?\n   var onsourceclose: ((Event) -> dynamic)?\n   fun addSourceBuffer(type: String): SourceBuffer\n   fun removeSourceBuffer(sourceBuffer: SourceBuffer)\n   fun endOfStream(error: EndOfStreamError = definedExternally)\n   fun setLiveSeekableRange(start: Double, end: Double)\n   fun clearLiveSeekableRange()\n\n   companion object {\n   fun isTypeSupported(type: String): Boolean\n   }\n}\n\n/**\n * Exposes the JavaScript [SourceBuffer](https://developer.mozilla.org/en/docs/Web/API/SourceBuffer) to Kotlin\n */\npublic external abstract class SourceBuffer : EventTarget {\n   open var mode: AppendMode\n   open val updating: Boolean\n   open val buffered: TimeRanges\n   open var timestampOffset: Double\n   open val audioTracks: AudioTrackList\n   open val videoTracks: VideoTrackList\n   open val textTracks: TextTrackList\n   open var appendWindowStart: Double\n   open var appendWindowEnd: Double\n   open var onupdatestart: ((Event) -> dynamic)?\n   open var onupdate: ((Event) -> dynamic)?\n   open var onupdateend: ((Event) -> dynamic)?\n   open var onerror: ((Event) -> dynamic)?\n   open var onabort: ((Event) -> dynamic)?\n   fun appendBuffer(data: dynamic)\n   fun abort()\n   fun remove(start: Double, end: Double)\n}\n\n/**\n * Exposes the JavaScript [SourceBufferList](https://developer.mozilla.org/en/docs/Web/API/SourceBufferList) to Kotlin\n */\npublic external abstract class SourceBufferList : EventTarget {\n   open val length: Int\n   open var onaddsourcebuffer: ((Event) -> dynamic)?\n   open var onremovesourcebuffer: ((Event) -> dynamic)?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SourceBufferList.get(index: Int): SourceBuffer? = asDynamic()[index]\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ReadyState {\n   companion object\n}\n\npublic inline val ReadyState.Companion.CLOSED: ReadyState get() = \"closed\".asDynamic().unsafeCast<ReadyState>()\n\npublic inline val ReadyState.Companion.OPEN: ReadyState get() = \"open\".asDynamic().unsafeCast<ReadyState>()\n\npublic inline val ReadyState.Companion.ENDED: ReadyState get() = \"ended\".asDynamic().unsafeCast<ReadyState>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface EndOfStreamError {\n   companion object\n}\n\npublic inline val EndOfStreamError.Companion.NETWORK: EndOfStreamError get() = \"network\".asDynamic().unsafeCast<EndOfStreamError>()\n\npublic inline val EndOfStreamError.Companion.DECODE: EndOfStreamError get() = \"decode\".asDynamic().unsafeCast<EndOfStreamError>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic

external interface AppendMode {\n companion object\n}\n\npublic inline val AppendMode.Companion.SEGMENTS: AppendMode get() = \"segments\".asDynamic().unsafeCast<AppendMode>()\n\npublic inline val AppendMode.Companion.SEQUENCE: AppendMode get() = \"sequence\".asDynamic().unsafeCast<AppendMode>()","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.pointerevents\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\npublic external interface PointerEventInit : MouseEventInit {\n var pointerId: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var width: Double? /* = 1.0 */\n get() = definedExternally\n set(value) = definedExternally\n var height: Double? /* = 1.0 */\n get() = definedExternally\n set(value) = definedExternally\n var pressure: Float? /* = 0f */\n get() = definedExternally\n set(value) = definedExternally\n var tangentialPressure: Float? /* = 0f */\n get() = definedExternally\n set(value) = definedExternally\n var tiltX: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var tiltY: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var twist: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var pointerType: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var isPrimary: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun PointerEventInit(pointerId: Int? = 0, width: Double? = 1.0, height: Double? = 1.0, pressure: Float? = 0f, tangentialPressure: Float? = 0f, tiltX: Int? = 0, tiltY: Int? = 0, twist: Int? = 0, pointerType: String? = \"\", isPrimary: Boolean? = false, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PointerEventInit {\n val o = js(\"({})\")\n o[\"pointerId\"] = pointerId\n o[\"width\"] = width\n o[\"height\"] = height\n o[\"pressure\"] = pressure\n o[\"tangentialPressure\"] = tangentialPressure\n o[\"tiltX\"] = tiltX\n o[\"tiltY\"] = tiltY\n o[\"twist\"] = twist\n o[\"pointerType\"] = pointerType\n o[\"isPrimary\"] = isPrimary\n o[\"screenX\"] = screenX\n o[\"screenY\"] = screenY\n o[\"clientX\"] = clientX\n o[\"clientY\"] = clientY\n o[\"button\"] = button\n o[\"buttons\"] = buttons\n o[\"relatedTarget\"] = relatedTarget\n o[\"region\"] = region\n o[\"ctrlKey\"] = ctrlKey\n o[\"shiftKey\"] = shiftKey\n o[\"altKey\"] = altKey\n o[\"metaKey\"] = metaKey\n o[\"modifierAltGraph\"] = modifierAltGraph\n o[\"modifierCapsLock\"] = modifierCapsLock\n o[\"modifierFn\"] = modifierFn\n o[\"modifierFnLock\"] = modifierFnLock\n o[\"modifierHyper\"] = modifierHyper\n o[\"modifierNumLock\"] = modifierNumLock\n o[\"modifierScrollLock\"] = modifierScrollLock\n o[\"modifierSuper\"] = modifierSuper\n o[\"modifierSymbol\"] = modifierSymbol\n o[\"modifierSymbolLock\"] = modifierSymbolLock\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [PointerEvent](https://developer.mozilla.org/en/docs/Web/API/PointerEvent) to Kotlin\n */\npublic external open class PointerEvent(type: String, eventInitDict: PointerEventInit = definedExternally) : MouseEvent {\n open val pointerId: Int\n open val width: Double\n open val height: Double\n open val pressure: Float\n open val tangentialPressure: Float\n open val tiltX: Int\n open val tiltY: Int\n open val twist: Int\n open val pointerType: String\n open val isPrimary: Boolean\n\n companion object {\n

val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.svg\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.css.*\n\n/**\n * Exposes the JavaScript [SVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGElement) to Kotlin\n */\npublic external abstract class SVGElement : Element, ElementCSSInlineStyle, GlobalEventHandlers, SVGElementInstance {\n open val dataset: DOMStringMap\n open val ownerSVGElement: SVGSVGElement?\n open val viewportElement: SVGElement?\n open var tabIndex: Int\n fun focus()\n fun blur()\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface SVGBoundingBoxOptions {\n var fill: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var stroke: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var markers: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var clipped: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun SVGBoundingBoxOptions(fill: Boolean? = true, stroke: Boolean? = false, markers: Boolean? = false, clipped: Boolean? = false): SVGBoundingBoxOptions {\n val o = js(\"({})\")\n o[\"fill\"] = fill\n o[\"stroke\"] = stroke\n o[\"markers\"] = markers\n o[\"clipped\"] = clipped\n return o\n}\n\n/**\n * Exposes the JavaScript [SVGGraphicsElement](https://developer.mozilla.org/en/docs/Web/API/SVGGraphicsElement) to Kotlin\n */\npublic external abstract class SVGGraphicsElement : SVGElement, SVGTests {\n open val transform: SVGAnimatedTransformList\n fun getBBox(options: SVGBoundingBoxOptions = definedExternally): DOMRect\n fun getCTM(): DOMMatrix?\n fun getScreenCTM(): DOMMatrix?\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGGeometryElement](https://developer.mozilla.org/en/docs/Web/API/SVGGeometryElement) to Kotlin\n */\npublic external abstract class SVGGeometryElement : SVGGraphicsElement {\n open val pathLength: SVGAnimatedNumber\n fun isPointInFill(point: DOMPoint): Boolean\n fun isPointInStroke(point: DOMPoint): Boolean\n fun getTotalLength(): Float\n fun getPointAtLength(distance: Float): DOMPoint\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:

```
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
  val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
      val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGNumber](https://developer.mozilla.org/en/docs/Web/API/SVGNumber) to Kotlin\n */\npublic external
abstract class SVGNumber {\n    open var value: Float\n}\n\n/**\n * Exposes the JavaScript
[SVGLength](https://developer.mozilla.org/en/docs/Web/API/SVGLength) to Kotlin\n */\npublic external abstract
class SVGLength {\n    open val unitType: Short\n    open var value: Float\n    open var valueInSpecifiedUnits:
Float\n    open var valueAsString: String\n    fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits:
Float)\n    fun convertToSpecifiedUnits(unitType: Short)\n\n    companion object {\n        val
SVG_LENGTHTYPE_UNKNOWN: Short\n        val SVG_LENGTHTYPE_NUMBER: Short\n        val
SVG_LENGTHTYPE_PERCENTAGE: Short\n        val SVG_LENGTHTYPE_EMS: Short\n        val
SVG_LENGTHTYPE_EXS: Short\n        val SVG_LENGTHTYPE_PX:
 Short\n        val SVG_LENGTHTYPE_CM: Short\n        val SVG_LENGTHTYPE_MM: Short\n        val
SVG_LENGTHTYPE_IN: Short\n        val SVG_LENGTHTYPE_PT: Short\n        val SVG_LENGTHTYPE_PC:
Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAngle) to Kotlin\n */\npublic external abstract
class SVGAngle {\n    open val unitType: Short\n    open var value: Float\n    open var valueInSpecifiedUnits:
Float\n    open var valueAsString: String\n    fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits:
Float)\n    fun convertToSpecifiedUnits(unitType: Short)\n\n    companion object {\n        val
SVG_ANGLETYPE_UNKNOWN: Short\n        val SVG_ANGLETYPE_UNSPECIFIED: Short\n        val
SVG_ANGLETYPE_DEG: Short\n        val SVG_ANGLETYPE_RAD: Short\n        val
SVG_ANGLETYPE_GRAD: Short\n    }\n}\n\npublic external abstract class SVGNameList {\n    open val length:
Int\n    open val numberOfItems: Int\n    fun clear()\n
    fun initialize(newItem: dynamic): dynamic\n    fun insertItemBefore(newItem: dynamic, index: Int): dynamic\n
fun replaceItem(newItem: dynamic, index: Int): dynamic\n    fun removeItem(index: Int): dynamic\n    fun
appendItem(newItem: dynamic): dynamic\n    fun getItem(index: Int):
dynamic\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGNameList.get(index: Int):
dynamic = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGNameList.set(index: Int,
newItem: dynamic) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript
[SVGNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGNumberList) to Kotlin\n */\npublic external
abstract class SVGNumberList {\n    open val length: Int\n    open val numberOfItems: Int\n    fun clear()\n    fun
initialize(newItem: SVGNumber): SVGNumber\n    fun insertItemBefore(newItem:
 SVGNumber, index: Int): SVGNumber\n    fun replaceItem(newItem: SVGNumber, index: Int): SVGNumber\n
fun removeItem(index: Int): SVGNumber\n    fun appendItem(newItem: SVGNumber): SVGNumber\n    fun
getItem(index: Int): SVGNumber\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGNumberList.get(index:
Int): SVGNumber? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGNumberList.set(index:
Int, newItem: SVGNumber) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript
[SVGLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGLengthList) to Kotlin\n */\npublic external
abstract class SVGLengthList {\n    open val length: Int\n    open val numberOfItems: Int\n    fun clear()\n    fun
initialize(newItem: SVGLength): SVGLength\n    fun insertItemBefore(newItem: SVGLength, index: Int):
```

SVGLength\n
fun replaceItem(newItem: SVGLength, index: Int): SVGLength\n fun removeItem(index: Int): SVGLength\n fun appendItem(newItem: SVGLength): SVGLength\n fun getItem(index: Int): SVGLength\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGLengthList.get(index: Int): SVGLength? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGLengthList.set(index: Int, newItem: SVGLength) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript [SVGAnimatedBoolean](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedBoolean) to Kotlin\n */\npublic external abstract class SVGAnimatedBoolean {\n open var baseVal: Boolean\n open val animVal: Boolean\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedEnumeration](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedEnumeration) to Kotlin\n */\npublic external abstract
class SVGAnimatedEnumeration {\n open var baseVal: Short\n open val animVal: Short\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedInteger](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedInteger) to Kotlin\n */\npublic external abstract class SVGAnimatedInteger {\n open var baseVal: Int\n open val animVal: Int\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedNumber](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumber) to Kotlin\n */\npublic external abstract class SVGAnimatedNumber {\n open var baseVal: Float\n open val animVal: Float\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedLength](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLength) to Kotlin\n */\npublic external abstract class SVGAnimatedLength {\n open val baseVal: SVGLength\n open val animVal: SVGLength\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedAngle) to Kotlin\n */\npublic external abstract
class SVGAnimatedAngle {\n open val baseVal: SVGAngle\n open val animVal: SVGAngle\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedString](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedString) to Kotlin\n */\npublic external abstract class SVGAnimatedString {\n open var baseVal: String\n open val animVal: String\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedRect](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedRect) to Kotlin\n */\npublic external abstract class SVGAnimatedRect {\n open val baseVal: DOMRect\n open val animVal: DOMRectReadOnly\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumberList) to Kotlin\n */\npublic external abstract class SVGAnimatedNumberList {\n open val baseVal: SVGNumberList\n open val animVal: SVGNumberList\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLengthList) to
Kotlin\n */\npublic external abstract class SVGAnimatedLengthList {\n open val baseVal: SVGLengthList\n open val animVal: SVGLengthList\n}\n\n/**\n * Exposes the JavaScript [SVGStringList](https://developer.mozilla.org/en/docs/Web/API/SVGStringList) to Kotlin\n */\npublic external abstract class SVGStringList {\n open val length: Int\n open val numberOfItems: Int\n fun clear()\n fun initialize(newItem: String): String\n fun insertItemBefore(newItem: String, index: Int): String\n fun replaceItem(newItem: String, index: Int): String\n fun removeItem(index: Int): String\n fun appendItem(newItem: String): String\n fun getItem(index: Int): String\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGStringList.get(index: Int): String? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGStringList.set(index:

Int, newItem: String) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript [SVGUnitTypes](https://developer.mozilla.org/en/docs/Web/API/SVGUnitTypes) to Kotlin\n */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface SVGUnitTypes {\n companion object {\n val SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTests](https://developer.mozilla.org/en/docs/Web/API/SVGTests) to Kotlin\n */\npublic external interface SVGTests {\n val requiredExtensions: SVGStringList\n val systemLanguage: SVGStringList\n}\n\npublic external interface SVGFitToViewBox {\n val viewBox: SVGAnimatedRect\n val preserveAspectRatio: SVGAnimatedPreserveAspectRatio\n}\n\n/**\n * Exposes the JavaScript [SVGZoomAndPan](https://developer.mozilla.org/en/docs/Web/API/SVGZoomAndPan) to Kotlin\n */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface SVGZoomAndPan {\n var zoomAndPan: Short\n\n companion object {\n val SVG_ZOOMANDPAN_UNKNOWN: Short\n val SVG_ZOOMANDPAN_DISABLE: Short\n val SVG_ZOOMANDPAN_MAGNIFY: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGURIReference](https://developer.mozilla.org/en/docs/Web/API/SVGURIReference) to Kotlin\n */\npublic external interface SVGURIReference {\n val href: SVGAnimatedString\n}\n\n/**\n * Exposes the JavaScript [SVGSVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGSVGElement) to Kotlin\n */\npublic external abstract class SVGSVGElement : SVGGraphicsElement, SVGFitToViewBox, SVGZoomAndPan, WindowEventHandlers {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n open var currentScale: Float\n open val currentTranslate: DOMPointReadOnly\n fun getIntersectionList(rect: DOMRectReadOnly, referenceElement: SVGElement?): NodeList\n fun getEnclosureList(rect: DOMRectReadOnly, referenceElement: SVGElement?): NodeList\n fun checkIntersection(element: SVGElement, rect: DOMRectReadOnly): Boolean\n fun checkEnclosure(element: SVGElement, rect: DOMRectReadOnly): Boolean\n fun deselectAll()\n fun createSVGNumber(): SVGNumber\n fun createSVGLength(): SVGLength\n fun createSVGAngle(): SVGAngle\n fun createSVGPoint(): DOMPoint\n fun createSVGMatrix(): DOMMatrix\n fun createSVGRect(): DOMRect\n fun createSVGTransform(): SVGTransform\n fun createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly): SVGTransform\n fun getElementById(elementId: String): Element\n fun suspendRedraw(maxWaitMilliseconds: Int): Int\n fun unsuspendRedraw(suspendHandleID: Int)\n fun unsuspendRedrawAll()\n fun forceRedraw()\n\n companion object {\n val SVG_ZOOMANDPAN_UNKNOWN: Short\n val SVG_ZOOMANDPAN_DISABLE: Short\n val SVG_ZOOMANDPAN_MAGNIFY: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGGElement](https://developer.mozilla.org/en/docs/Web/API/SVGGElement) to Kotlin\n */\npublic external abstract class SVGGElement : SVGGraphicsElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val

DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class SVGUnknownElement : SVGGraphicsElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGDefsElement](https://developer.mozilla.org/en/docs/Web/API/SVGDefsElement) to Kotlin\n */\npublic external abstract class SVGDefsElement : SVGGraphicsElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGDescElement](https://developer.mozilla.org/en/docs/Web/API/SVGDescElement) to Kotlin\n */\npublic external abstract class SVGDescElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGMetadataElement](https://developer.mozilla.org/en/docs/Web/API/SVGMetadataElement) to Kotlin\n */\npublic external abstract class SVGMetadataElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTitleElement](https://developer.mozilla.org/en/docs/Web/API/SVGTitleElement) to Kotlin\n */\npublic external abstract class SVGTitleElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE:
Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGSymbolElement](https://developer.mozilla.org/en/docs/Web/API/SVGSymbolElement) to Kotlin\n */\npublic external abstract class SVGSymbolElement : SVGGraphicsElement, SVGFitToViewBox {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE:
Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGUseElement](https://developer.mozilla.org/en/docs/Web/API/SVGUseElement) to Kotlin\n */\npublic external abstract class SVGUseElement : SVGGraphicsElement, SVGURIReference {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n open val instanceRoot: SVGElement?\n open val animatedInstanceRoot: SVGElement?\n\n companion object {\n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external open class SVGUseElementShadowRoot : ShadowRoot {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface SVGElementInstance {\n val correspondingElement: SVGElement?\n get() = definedExternally\n val

correspondingUseElement: SVGUseElement?\n get() = definedExternally\n}\n\npublic external open class ShadowAnimation(source: dynamic, newTarget: dynamic) {\n open val sourceAnimation: dynamic\n}\n\n/**\n * Exposes the JavaScript [SVGSwitchElement](https://developer.mozilla.org/en/docs/Web/API/SVGSwitchElement) to Kotlin\n */\npublic external abstract class SVGSwitchElement : SVGGraphicsElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface GetSVGDocument {\n fun getSVGDocument(): Document\n}\n\n/**\n * Exposes the JavaScript [SVGStyleElement](https://developer.mozilla.org/en/docs/Web/API/SVGStyleElement) to Kotlin\n */\npublic external abstract class SVGStyleElement : SVGElement, LinkStyle {\n open var type: String\n open var media: String\n open var title: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTransform](https://developer.mozilla.org/en/docs/Web/API/SVGTransform) to Kotlin\n */\npublic external abstract class SVGTransform {\n open val type: Short\n open val matrix: DOMMatrix\n open val angle: Float\n fun setMatrix(matrix: DOMMatrixReadOnly)\n fun setTranslate(tx: Float, ty: Float)\n fun setScale(sx: Float, sy: Float)\n fun setRotate(angle: Float, cx: Float, cy: Float)\n fun setSkewX(angle: Float)\n fun setSkewY(angle: Float)\n\n companion object {\n val SVG_TRANSFORM_UNKNOWN: Short\n val SVG_TRANSFORM_MATRIX: Short\n val SVG_TRANSFORM_TRANSLATE: Short\n val SVG_TRANSFORM_SCALE: Short\n val SVG_TRANSFORM_ROTATE: Short\n val SVG_TRANSFORM_SKEWX: Short\n val SVG_TRANSFORM_SKEWY: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGTransformList) to Kotlin\n */\npublic external abstract class SVGTransformList {\n open val length: Int\n open val numberOfItems: Int\n fun clear()\n fun initialize(newItem: SVGTransform): SVGTransform\n fun insertItemBefore(newItem: SVGTransform, index: Int): SVGTransform\n fun replaceItem(newItem: SVGTransform, index: Int): SVGTransform\n fun removeItem(index: Int): SVGTransform\n fun appendItem(newItem: SVGTransform): SVGTransform\n fun createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly): SVGTransform\n fun consolidate(): SVGTransform?\n fun getItem(index: Int): SVGTransform\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGTransformList.get(index: Int): SVGTransform? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGTransformList.set(index: Int, newItem: SVGTransform)

{ asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript [SVGAnimatedTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedTransformList) to Kotlin\n */\npublic external abstract class SVGAnimatedTransformList {\n open val baseVal: SVGTransformList\n open val animVal: SVGTransformList\n}\n\n/**\n * Exposes the JavaScript [SVGPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGPreserveAspectRatio) to Kotlin\n */\npublic external abstract class SVGPreserveAspectRatio {\n open var align: Short\n open var meetOrSlice: Short\n\n companion object {\n val SVG_PRESERVEASPECTRATIO_UNKNOWN: Short\n val SVG_PRESERVEASPECTRATIO_NONE: Short\n val SVG_PRESERVEASPECTRATIO_XMINYMIN: Short\n val SVG_PRESERVEASPECTRATIO_XMIDYMIN: Short\n val SVG_PRESERVEASPECTRATIO_XMAXYMIN: Short\n val SVG_PRESERVEASPECTRATIO_XMINYMID: Short\n val SVG_PRESERVEASPECTRATIO_XMIDYMID: Short\n val SVG_PRESERVEASPECTRATIO_XMAXYMID: Short\n val SVG_PRESERVEASPECTRATIO_XMINYMAX: Short\n val SVG_PRESERVEASPECTRATIO_XMIDYMAX: Short\n val SVG_PRESERVEASPECTRATIO_XMAXYMAX: Short\n val SVG_MEETORSLICE_UNKNOWN: Short\n val SVG_MEETORSLICE_MEET: Short\n val SVG_MEETORSLICE_SLICE: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPreserveAspectRatio) to Kotlin\n */\npublic external abstract class SVGAnimatedPreserveAspectRatio {\n open val baseVal: SVGPreserveAspectRatio\n open val animVal: SVGPreserveAspectRatio\n}\n\n/**\n * Exposes the JavaScript [SVGPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGPathElement) to Kotlin\n */\npublic external abstract class SVGPathElement : SVGGeometryElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGRectElement](https://developer.mozilla.org/en/docs/Web/API/SVGRectElement) to Kotlin\n */\npublic external abstract class SVGRectElement : SVGGeometryElement {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n open val rx: SVGAnimatedLength\n open val ry: SVGAnimatedLength\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGCircleElement](https://developer.mozilla.org/en/docs/Web/API/SVGCircleElement) to Kotlin\n */\npublic

external abstract class SVGCircleElement
: SVGGeometryElement {\n open val cx: SVGAnimatedLength\n open val cy: SVGAnimatedLength\n open val r: SVGAnimatedLength\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGEllipseElement](https://developer.mozilla.org/en/docs/Web/API/SVGEllipseElement)
to Kotlin\n */\npublic external abstract class SVGEllipseElement : SVGGeometryElement {\n open val cx: SVGAnimatedLength\n open val cy: SVGAnimatedLength\n open val rx: SVGAnimatedLength\n open val ry: SVGAnimatedLength\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n
val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGLineElement](https://developer.mozilla.org/en/docs/Web/API/SVGLineElement) to Kotlin\n */\npublic external abstract class SVGLineElement : SVGGeometryElement {\n open val x1: SVGAnimatedLength\n open val y1: SVGAnimatedLength\n open val x2: SVGAnimatedLength\n open val y2: SVGAnimatedLength\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING:
Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGMeshElement](https://developer.mozilla.org/en/docs/Web/API/SVGMeshElement) to Kotlin\n */\npublic external abstract class SVGMeshElement : SVGGeometryElement, SVGURIReference {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING:

Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedPoints](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPoints) to Kotlin\n */\npublic external interface SVGAnimatedPoints {\n val points: SVGPointList\n val animatedPoints: SVGPointList\n}\n\npublic external abstract class SVGPointList {\n open val length: Int\n open val numberOfItems: Int\n fun clear()\n fun initialize(newItem: DOMPoint): DOMPoint\n fun insertItemBefore(newItem: DOMPoint, index: Int): DOMPoint\n fun replaceItem(newItem: DOMPoint, index: Int): DOMPoint\n fun removeItem(index: Int): DOMPoint\n fun appendItem(newItem: DOMPoint): DOMPoint\n fun getItem(index: Int): DOMPoint\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGPointList.get(index: Int): DOMPoint? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGPointList.set(index: Int, newItem: DOMPoint) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript [SVGPolylineElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolylineElement) to Kotlin\n */\npublic external abstract class SVGPolylineElement : SVGGeometryElement, SVGAnimatedPoints {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGPolygonElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolygonElement) to Kotlin\n */\npublic external abstract class SVGPolygonElement : SVGGeometryElement, SVGAnimatedPoints {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTextContentElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextContentElement) to Kotlin\n */\npublic external abstract class SVGTextContentElement : SVGGraphicsElement {\n open val textLength: SVGAnimatedLength\n open val lengthAdjust: SVGAnimatedEnumeration\n fun getNumberOfChars(): Int\n fun getComputedTextLength(): Float\n fun getSubStringLength(charnum: Int, nchars: Int): Float\n fun getStartPositionOfChar(charnum: Int): DOMPoint\n fun getEndPositionOfChar(charnum: Int): DOMPoint\n fun getExtentOfChar(charnum: Int): DOMRect\n fun getRotationOfChar(charnum: Int): Float\n fun getCharNumAtPosition(point: DOMPoint): Int\n fun selectSubString(charnum: Int, nchars: Int)\n\n companion object {\n val LENGTHADJUST_UNKNOWN: Short\n val LENGTHADJUST_SPACING: Short\n val LENGTHADJUST_SPACINGANDGLYPHS: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val

CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTextPositioningElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPositioningElement) to Kotlin\n */\npublic external abstract class SVGTextPositioningElement : SVGTextContentElement {\n open val x: SVGAnimatedLengthList\n open val y: SVGAnimatedLengthList\n open val dx: SVGAnimatedLengthList\n open val dy: SVGAnimatedLengthList\n open val rotate: SVGAnimatedNumberList\n\n companion object {\n val LENGTHADJUST_UNKNOWN: Short\n val LENGTHADJUST_SPACING: Short\n val LENGTHADJUST_SPACINGANDGLYPHS: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTextElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextElement) to Kotlin\n */\npublic external abstract class SVGTextElement : SVGTextPositioningElement {\n companion object {\n val LENGTHADJUST_UNKNOWN: Short\n val LENGTHADJUST_SPACING: Short\n val LENGTHADJUST_SPACINGANDGLYPHS: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTSpanElement](https://developer.mozilla.org/en/docs/Web/API/SVGTSpanElement) to Kotlin\n */\npublic external abstract class SVGTSpanElement : SVGTextPositioningElement {\n companion object {\n val LENGTHADJUST_UNKNOWN: Short\n val LENGTHADJUST_SPACING: Short\n val LENGTHADJUST_SPACINGANDGLYPHS: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTextPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPathElement) to Kotlin\n */\npublic external abstract class SVGTextPathElement : SVGTextContentElement, SVGURIReference {\n open val startOffset: SVGAnimatedLength\n open val method: SVGAnimatedEnumeration\n open val spacing: SVGAnimatedEnumeration\n\n companion object {\n val TEXTPATH_METHODTYPE_UNKNOWN: Short\n val TEXTPATH_METHODTYPE_ALIGN: Short\n val TEXTPATH_METHODTYPE_STRETCH: Short\n val TEXTPATH_SPACINGTYPE_UNKNOWN: Short\n val TEXTPATH_SPACINGTYPE_AUTO: Short\n val TEXTPATH_SPACINGTYPE_EXACT: Short\n val LENGTHADJUST_UNKNOWN: Short\n val LENGTHADJUST_SPACING: Short\n val LENGTHADJUST_SPACINGANDGLYPHS: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n

val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGImageElement](https://developer.mozilla.org/en/docs/Web/API/SVGImageElement) to Kotlin\n */\npublic external abstract class SVGImageElement : SVGGraphicsElement, SVGURIReference, HTMLOrSVGImageElement {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n open val preserveAspectRatio: SVGAnimatedPreserveAspectRatio\n open var crossOrigin: String?\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGForeignObjectElement](https://developer.mozilla.org/en/docs/Web/API/SVGForeignObjectElement) to Kotlin\n */\npublic external abstract class SVGForeignObjectElement : SVGGraphicsElement {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class SVGMarkerElement : SVGElement, SVGFitToViewBox {\n open val refX: SVGAnimatedLength\n open val

refY: SVGAnimatedLength\n   open val markerUnits: SVGAnimatedEnumeration\n   open val markerWidth: SVGAnimatedLength\n   open val markerHeight: SVGAnimatedLength\n   open val orientType: SVGAnimatedEnumeration\n   open val orientAngle: SVGAnimatedAngle\n   open var orient: String\n   fun setOrientToAuto()\n
    fun setOrientToAngle(angle: SVGAngle)\n\n   companion object {\n   val SVG_MARKERUNITS_UNKNOWN: Short\n   val SVG_MARKERUNITS_USERSPACEONUSE: Short\n   val SVG_MARKERUNITS_STROKEWIDTH: Short\n   val SVG_MARKER_ORIENT_UNKNOWN: Short\n   val SVG_MARKER_ORIENT_AUTO: Short\n   val SVG_MARKER_ORIENT_ANGLE: Short\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY:
 Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [SVGSolidcolorElement](https://developer.mozilla.org/en/docs/Web/API/SVGSolidcolorElement) to Kotlin\n */\npublic external abstract class SVGSolidcolorElement : SVGElement {\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY:
 Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [SVGGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGGradientElement) to Kotlin\n */\npublic external abstract class SVGGradientElement : SVGElement, SVGURIReference, SVGUnitTypes {\n   open val gradientUnits: SVGAnimatedEnumeration\n   open val gradientTransform: SVGAnimatedTransformList\n   open val spreadMethod: SVGAnimatedEnumeration\n\n   companion object {\n   val SVG_SPREADMETHOD_UNKNOWN: Short\n   val SVG_SPREADMETHOD_PAD: Short\n   val SVG_SPREADMETHOD_REFLECT: Short\n   val SVG_SPREADMETHOD_REPEAT: Short\n   val SVG_UNIT_TYPE_UNKNOWN: Short\n   val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n   val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE:
 Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [SVGLinearGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGLinearGradientElement) to Kotlin\n */\npublic external abstract class SVGLinearGradientElement : SVGGradientElement {\n   open val x1: SVGAnimatedLength\n   open val y1: SVGAnimatedLength\n   open val x2: SVGAnimatedLength\n   open val

y2: SVGAnimatedLength\n\n companion object {\n val
SVG_SPREADMETHOD_UNKNOWN: Short\n val SVG_SPREADMETHOD_PAD: Short\n val
SVG_SPREADMETHOD_REFLECT: Short\n val SVG_SPREADMETHOD_REPEAT: Short\n val
SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val
SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n
val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the
JavaScript
[SVGRadialGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGRadialGradientElement) to
Kotlin\n */\npublic external abstract class SVGRadialGradientElement : SVGGradientElement {\n open val cx:
SVGAnimatedLength\n open val cy: SVGAnimatedLength\n open val r: SVGAnimatedLength\n open val fx:
SVGAnimatedLength\n open val fy: SVGAnimatedLength\n open val fr: SVGAnimatedLength\n\n companion
object {\n val SVG_SPREADMETHOD_UNKNOWN: Short\n val SVG_SPREADMETHOD_PAD:
Short\n val SVG_SPREADMETHOD_REFLECT: Short\n val SVG_SPREADMETHOD_REPEAT:
Short\n val SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE:
Short\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class
SVGMeshGradientElement : SVGGradientElement {\n companion object {\n val
SVG_SPREADMETHOD_UNKNOWN: Short\n val SVG_SPREADMETHOD_PAD: Short\n val
SVG_SPREADMETHOD_REFLECT: Short\n val SVG_SPREADMETHOD_REPEAT: Short\n val
SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val
SVG_UNIT_TYPE_OBJECTBOUNDINGBOX:
Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val
ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:
Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class
SVGMeshrowElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE:

Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class SVGMeshpatchElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGStopElement](https://developer.mozilla.org/en/docs/Web/API/SVGStopElement) to Kotlin\n */\npublic external abstract class SVGStopElement : SVGElement {\n open val offset: SVGAnimatedNumber\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGPatternElement](https://developer.mozilla.org/en/docs/Web/API/SVGPatternElement) to Kotlin\n */\npublic external abstract class SVGPatternElement : SVGElement, SVGFitToViewBox, SVGURIReference, SVGUnitTypes {\n open val patternUnits: SVGAnimatedEnumeration\n open val patternContentUnits: SVGAnimatedEnumeration\n open val patternTransform: SVGAnimatedTransformList\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n\n companion object {\n val SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class SVGHatchElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE:

Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class SVGHatchpathElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE:
Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGCursorElement](https://developer.mozilla.org/en/docs/Web/API/SVGCursorElement) to Kotlin\n */\npublic external abstract class SVGCursorElement : SVGElement, SVGURIReference {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n\n companion
object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGScriptElement](https://developer.mozilla.org/en/docs/Web/API/SVGScriptElement) to Kotlin\n */\npublic external abstract class SVGScriptElement : SVGElement, SVGURIReference, HTMLOrSVGScriptElement
{\n open var type: String\n open var crossOrigin: String?\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGAElement](https://developer.mozilla.org/en/docs/Web/API/SVGAElement) to Kotlin\n */\npublic external abstract
class SVGAElement : SVGGraphicsElement, SVGURIReference {\n open val target: SVGAnimatedString\n open val download: SVGAnimatedString\n open val rel: SVGAnimatedString\n open val relList: SVGAnimatedString\n open val hreflang: SVGAnimatedString\n open val type: SVGAnimatedString\n\n

companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGViewElement](https://developer.mozilla.org/en/docs/Web/API/SVGViewElement) to Kotlin\n */\npublic external abstract class SVGViewElement : SVGElement, SVGFitToViewBox, SVGZoomAndPan {\n companion object {\n val SVG_ZOOMANDPAN_UNKNOWN: Short\n val SVG_ZOOMANDPAN_DISABLE: Short\n val SVG_ZOOMANDPAN_MAGNIFY: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.files\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [Blob](https://developer.mozilla.org/en/docs/Web/API/Blob) to Kotlin\n */\npublic external open class Blob(blobParts: Array<dynamic> = definedExternally, options: BlobPropertyBag = definedExternally) : MediaProvider, ImageBitmapSource {\n open val size: Number\n open val type: String\n open val isClosed: Boolean\n fun slice(start: Int = definedExternally, end: Int = definedExternally, contentType: String = definedExternally): Blob\n fun close()\n}\n\npublic external interface BlobPropertyBag {\n var type: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun BlobPropertyBag(type: String? = \"\"): BlobPropertyBag {\n val o = js(\"({})\")\n o[\"type\"] = type\n return o\n}\n\n/**\n * Exposes the JavaScript [File](https://developer.mozilla.org/en/docs/Web/API/File) to Kotlin\n */\npublic external open class File(fileBits: Array<dynamic>, fileName: String, options: FilePropertyBag = definedExternally) : Blob {\n open val name: String\n open val lastModified: Int\n}\n\npublic external interface FilePropertyBag : BlobPropertyBag {\n var lastModified: Int?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun FilePropertyBag(lastModified: Int? = undefined, type: String? = \"\"): FilePropertyBag {\n val o = js(\"({})\")\n o[\"lastModified\"] = lastModified\n o[\"type\"] = type\n return o\n}\n\n/**\n * Exposes the JavaScript [FileList](https://developer.mozilla.org/en/docs/Web/API/FileList) to Kotlin\n */\npublic external abstract class FileList : ItemArrayLike<File> {\n override fun item(index: Int): File?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun FileList.get(index: Int): File?

= asDynamic()[index]\n\n/**\n * Exposes the JavaScript [FileReader](https://developer.mozilla.org/en/docs/Web/API/FileReader) to Kotlin\n */\npublic external open class FileReader : EventTarget {\n open val readyState: Short\n open val result: dynamic\n open val error: dynamic\n var onloadstart: ((ProgressEvent) -> dynamic)?\n var onprogress: ((ProgressEvent) -> dynamic)?\n var onload: ((Event) -> dynamic)?\n var onabort: ((Event) -> dynamic)?\n var onerror: ((Event) -> dynamic)?\n var onloadend: ((Event) -> dynamic)?\n fun readAsArrayBuffer(blob: Blob)\n fun readAsBinaryString(blob: Blob)\n fun readAsText(blob: Blob, label: String = definedExternally)\n fun readAsDataURL(blob: Blob)\n fun abort()\n\n companion object {\n val EMPTY: Short\n val LOADING: Short\n val DONE: Short\n }\n}\n\n/**\n * Exposes the JavaScript [FileReaderSync](https://developer.mozilla.org/en/docs/Web/API/FileReaderSync) to Kotlin\n */\npublic external open class FileReaderSync {\n fun readAsArrayBuffer(blob: Blob): ArrayBuffer\n fun readAsBinaryString(blob: Blob): String\n fun readAsText(blob: Blob, label: String = definedExternally): String\n fun readAsDataURL(blob: Blob): String\n}","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.notifications\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.events.*\nimport org.w3c.workers.*\n\n/**\n * Exposes the JavaScript [Notification](https://developer.mozilla.org/en/docs/Web/API/Notification) to Kotlin\n */\npublic external open class Notification(title: String, options: NotificationOptions = definedExternally) : EventTarget {\n var onclick: ((MouseEvent) -> dynamic)?\n var onerror: ((Event) -> dynamic)?\n open val title: String\n open val dir: NotificationDirection\n open val lang: String\n open val body: String\n open val tag: String\n open val image: String\n open val icon: String\n open val badge: String\n open val sound: String\n open val vibrate: Array<out Int>\n open val timestamp: Number\n open val renotify: Boolean\n open val silent: Boolean\n open val noscreen: Boolean\n open val requireInteraction: Boolean\n open val sticky: Boolean\n open val data: Any?\n open val actions: Array<out NotificationAction>\n fun close()\n\n companion object {\n val permission: NotificationPermission\n val maxActions: Int\n fun requestPermission(deprecatedCallback: (NotificationPermission) -> Unit = definedExternally): Promise<NotificationPermission>\n }\n}\n\npublic external interface NotificationOptions {\n var dir: NotificationDirection? /* = NotificationDirection.AUTO */\n get() = definedExternally\n set(value) = definedExternally\n var lang: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var body: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var tag: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var image: String?\n get() = definedExternally\n set(value) = definedExternally\n var icon: String?\n get() = definedExternally\n set(value) = definedExternally\n var badge: String?\n get() = definedExternally\n set(value) = definedExternally\n var sound: String?\n get() = definedExternally\n set(value) = definedExternally\n var vibrate: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var timestamp: Number?\n get() = definedExternally\n set(value) = definedExternally\n var renotify: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var silent: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var noscreen: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var requireInteraction: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var sticky: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var data: Any? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var actions: Array<NotificationAction>? /* = arrayOf() */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun NotificationOptions(dir:

NotificationDirection? = NotificationDirection.AUTO, lang: String? = \"\", body: String? = \"\", tag: String? = \"\", image: String? = undefined, icon: String? = undefined, badge: String? = undefined, sound: String? = undefined, vibrate: dynamic = undefined, timestamp: Number? = undefined, renotify: Boolean? = false, silent: Boolean? = false, noscreen: Boolean? = false, requireInteraction: Boolean? = false, sticky: Boolean? = false, data: Any? = null, actions: Array<NotificationAction>? = arrayOf()): NotificationOptions {\n val o = js(\"({})\")\n o[\"dir\"] = dir\n o[\"lang\"] = lang\n o[\"body\"] = body\n o[\"tag\"] = tag\n o[\"image\"] = image\n o[\"icon\"] = icon\n o[\"badge\"] = badge\n o[\"sound\"] = sound\n o[\"vibrate\"] = vibrate\n o[\"timestamp\"] = timestamp\n o[\"renotify\"] = renotify\n o[\"silent\"] = silent\n o[\"noscreen\"] = noscreen\n o[\"requireInteraction\"] = requireInteraction\n o[\"sticky\"] = sticky\n o[\"data\"] = data\n o[\"actions\"] = actions\n return o\n}\n\npublic external interface NotificationAction {\n var action: String?\n var title: String?\n var icon: String?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun NotificationAction(action: String?, title: String?, icon: String? = undefined): NotificationAction {\n val o = js(\"({})\")\n o[\"action\"] = action\n o[\"title\"] = title\n o[\"icon\"] = icon\n return o\n}\n\npublic external interface GetNotificationOptions {\n var tag: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun GetNotificationOptions(tag: String? = \"\"): GetNotificationOptions {\n val o = js(\"({})\")\n o[\"tag\"] = tag\n return o\n}\n\n/**\n * Exposes the JavaScript [NotificationEvent](https://developer.mozilla.org/en/docs/Web/API/NotificationEvent) to Kotlin\n */\npublic external open class NotificationEvent(type: String, eventInitDict: NotificationEventInit) : ExtendableEvent {\n open val notification: Notification\n open val action: String\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface NotificationEventInit : ExtendableEventInit {\n var notification: Notification?\n var action: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun NotificationEventInit(notification: Notification?, action: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): NotificationEventInit {\n val o = js(\"({})\")\n o[\"notification\"] = notification\n o[\"action\"] = action\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface NotificationPermission {\n companion object\n}\n\npublic inline val NotificationPermission.Companion.DEFAULT: NotificationPermission get() = \"default\".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val NotificationPermission.Companion.DENIED: NotificationPermission get() = \"denied\".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val NotificationPermission.Companion.GRANTED: NotificationPermission get() = \"granted\".asDynamic().unsafeCast<NotificationPermission>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface NotificationDirection {\n companion object\n}\n\npublic inline val NotificationDirection.Companion.AUTO: NotificationDirection get() = \"auto\".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val NotificationDirection.Companion.LTR: NotificationDirection get() = \"ltr\".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val NotificationDirection.Companion.RTL: NotificationDirection get() = \"rtl\".asDynamic().unsafeCast<NotificationDirection>()","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be

found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.workers\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\nimport org.w3c.fetch.*\nimport org.w3c.notifications.*\n\n/**\n * Exposes the JavaScript [ServiceWorker](https://developer.mozilla.org/en/docs/Web/API/ServiceWorker) to Kotlin\n */\npublic external abstract class ServiceWorker : EventTarget, AbstractWorker, UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n   open val scriptURL: String\n   open val state: ServiceWorkerState\n   open var onstatechange: ((Event) -> dynamic)?\n   fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\n/**\n * Exposes the JavaScript [ServiceWorkerRegistration](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerRegistration) to Kotlin\n */\npublic external abstract class ServiceWorkerRegistration : EventTarget {\n   open val installing: ServiceWorker?\n   open val waiting: ServiceWorker?\n   open val active: ServiceWorker?\n   open val scope: String\n   open var onupdatefound: ((Event) -> dynamic)?\n   open val APISpace: dynamic\n   fun update(): Promise<Unit>\n   fun unregister(): Promise<Boolean>\n   fun showNotification(title: String, options: NotificationOptions = definedExternally): Promise<Unit>\n   fun getNotifications(filter: GetNotificationOptions = definedExternally): Promise<Array<Notification>>\n   fun methodName(): Promise<dynamic>\n}\n\n/**\n * Exposes the JavaScript [ServiceWorkerContainer](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerContainer) to Kotlin\n */\npublic external abstract class ServiceWorkerContainer : EventTarget {\n   open val controller: ServiceWorker?\n   open val ready: Promise<ServiceWorkerRegistration>\n   open var oncontrollerchange: ((Event) -> dynamic)?\n   open var onmessage: ((MessageEvent) -> dynamic)?\n   fun register(scriptURL: String, options: RegistrationOptions = definedExternally): Promise<ServiceWorkerRegistration>\n   fun getRegistration(clientURL: String = definedExternally): Promise<Any?>\n   fun getRegistrations(): Promise<Array<ServiceWorkerRegistration>>\n   fun startMessages()\n}\n\npublic external interface RegistrationOptions {\n   var scope: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var type: WorkerType? /* = WorkerType.CLASSIC */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun RegistrationOptions(scope: String? = undefined, type: WorkerType? = WorkerType.CLASSIC): RegistrationOptions {\n   val o = js(\"({})\")\n   o[\"scope\"] = scope\n   o[\"type\"] = type\n   return o\n}\n\n/**\n * Exposes the JavaScript [ServiceWorkerMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerMessageEvent) to Kotlin\n */\npublic external open class ServiceWorkerMessageEvent(type: String, eventInitDict: ServiceWorkerMessageEventInit = definedExternally) : Event {\n   open val data: Any?\n   open val origin: String\n   open val lastEventId: String\n   open val source: UnionMessagePortOrServiceWorker?\n   open val ports: Array<out MessagePort>?\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface ServiceWorkerMessageEventInit : EventInit {\n   var data: Any?\n   get() = definedExternally\n   set(value) = definedExternally\n   var origin: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var lastEventId: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var source: UnionMessagePortOrServiceWorker?\n   get() = definedExternally\n   set(value) = definedExternally\n   var ports: Array<MessagePort>?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ServiceWorkerMessageEventInit(data: Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined, source: UnionMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ServiceWorkerMessageEventInit {\n   val o = js(\"({})\")\n

```
    o[\"data\"] = data\n    o[\"origin\"] = origin\n    o[\"lastEventId\"] = lastEventId\n    o[\"source\"] = source\n
o[\"ports\"] = ports\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] =
composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerGlobalScope) to
Kotlin\n */\npublic external abstract class ServiceWorkerGlobalScope : WorkerGlobalScope {\n    open val clients:
Clients\n    open val registration: ServiceWorkerRegistration\n    open var oninstall: ((Event) -> dynamic)?\n    open
var onactivate: ((Event) -> dynamic)?\n    open var onfetch: ((FetchEvent) -> dynamic)?\n    open var
onforeignfetch: ((Event) -> dynamic)?\n    open var onmessage: ((MessageEvent) -> dynamic)?\n    open var
onnotificationclick: ((NotificationEvent) -> dynamic)?\n    open var onnotificationclose: ((NotificationEvent) ->
dynamic)?\n    open var onfunctionalevent: ((Event)
 -> dynamic)?\n    fun skipWaiting(): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript
[Client](https://developer.mozilla.org/en/docs/Web/API/Client) to Kotlin\n */\npublic external abstract class Client :
UnionClientOrMessagePortOrServiceWorker {\n    open val url: String\n    open val frameType: FrameType\n
open val id: String\n    fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\n/**\n
* Exposes the JavaScript [WindowClient](https://developer.mozilla.org/en/docs/Web/API/WindowClient) to
Kotlin\n */\npublic external abstract class WindowClient : Client {\n    open val visibilityState: dynamic\n    open
val focused: Boolean\n    fun focus(): Promise<WindowClient>\n    fun navigate(url: String):
Promise<WindowClient>\n}\n\n/**\n * Exposes the JavaScript
[Clients](https://developer.mozilla.org/en/docs/Web/API/Clients) to Kotlin\n */\npublic external abstract class
Clients {\n    fun get(id: String): Promise<Any?>\n    fun matchAll(options: ClientQueryOptions
 = definedExternally): Promise<Array<Client>>\n    fun openWindow(url: String): Promise<WindowClient?>\n
fun claim(): Promise<Unit>\n}\n\npublic external interface ClientQueryOptions {\n    var includeUncontrolled:
Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var type:
ClientType? /* = ClientType.WINDOW */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
ClientQueryOptions(includeUncontrolled: Boolean? = false, type: ClientType? = ClientType.WINDOW):
ClientQueryOptions {\n    val o = js(\"({})\")\n    o[\"includeUncontrolled\"] = includeUncontrolled\n    o[\"type\"] =
type\n    return o\n}\n\n/**\n * Exposes the JavaScript
[ExtendableEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableEvent) to Kotlin\n */\npublic external
open class ExtendableEvent(type: String, eventInitDict:
 ExtendableEventInit = definedExternally) : Event {\n    fun waitUntil(f: Promise<Any?>)\n\n    companion object
{\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val
BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface ExtendableEventInit :
EventInit\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ExtendableEventInit(bubbles:
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableEventInit {\n    val o =
js(\"({})\")\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n
return o\n}\n\n/**\n * Exposes the JavaScript
[InstallEvent](https://developer.mozilla.org/en/docs/Web/API/InstallEvent) to Kotlin\n */\npublic external open
class InstallEvent(type: String, eventInitDict: ExtendableEventInit = definedExternally) : ExtendableEvent {\n    fun
registerForeignFetch(options: ForeignFetchOptions)\n\n
    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET:
Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface ForeignFetchOptions {\n    var
scopes: Array<String>?\n    var origins: Array<String>?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchOptions(scopes:
Array<String>?, origins: Array<String>?): ForeignFetchOptions {\n    val o = js(\"({})\")\n    o[\"scopes\"] =
scopes\n    o[\"origins\"] = origins\n    return o\n}\n\n/**\n * Exposes the JavaScript
```

[FetchEvent](https://developer.mozilla.org/en/docs/Web/API/FetchEvent) to Kotlin\n */\npublic external open class FetchEvent(type: String, eventInitDict: FetchEventInit) : ExtendableEvent {\n open val request: Request\n open val clientId: String?\n open val isReload: Boolean\n fun respondWith(r: Promise<Response>)\n\n companion object {\n val NONE:
Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface FetchEventInit : ExtendableEventInit {\n var request: Request?\n var clientId: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var isReload: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun FetchEventInit(request: Request?, clientId: String? = null, isReload: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): FetchEventInit {\n val o = js(\"({})\")\n o[\"request\"] = request\n o[\"clientId\"] = clientId\n o[\"isReload\"] = isReload\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\npublic external
open class ForeignFetchEvent(type: String, eventInitDict: ForeignFetchEventInit) : ExtendableEvent {\n open val request: Request\n open val origin: String\n fun respondWith(r: Promise<ForeignFetchResponse>)\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface ForeignFetchEventInit : ExtendableEventInit {\n var request: Request?\n var origin: String? /* = \"null\" */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchEventInit(request: Request?, origin: String? = \"null\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ForeignFetchEventInit {\n val o = js(\"({})\")\n o[\"request\"] = request\n o[\"origin\"] = origin\n o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\npublic external interface ForeignFetchResponse {\n var response: Response?\n var origin: String?\n get() = definedExternally\n set(value) = definedExternally\n var headers: Array<String>?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchResponse(response: Response?, origin: String? = undefined, headers: Array<String>? = undefined): ForeignFetchResponse {\n val o = js(\"({})\")\n o[\"response\"] = response\n o[\"origin\"] = origin\n o[\"headers\"] = headers\n return o\n}\n\n/**\n * Exposes the JavaScript [ExtendableMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableMessageEvent) to Kotlin\n */\npublic external open class ExtendableMessageEvent(type: String, eventInitDict: ExtendableMessageEventInit = definedExternally) : ExtendableEvent {\n open val data: Any?\n open val origin: String\n open val lastEventId: String\n open val source: UnionClientOrMessagePortOrServiceWorker?\n open val ports: Array<out MessagePort>?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface ExtendableMessageEventInit : ExtendableEventInit {\n var data: Any?\n get() = definedExternally\n set(value) = definedExternally\n var origin: String?\n get() = definedExternally\n set(value) = definedExternally\n var lastEventId: String?\n get() = definedExternally\n set(value) = definedExternally\n var source: UnionClientOrMessagePortOrServiceWorker?\n get() = definedExternally\n set(value) = definedExternally\n var ports: Array<MessagePort>?\n get() = definedExternally\n set(value)
= definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ExtendableMessageEventInit(data: Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined, source: UnionClientOrMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles:

```
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableMessageEventInit {\n val o = js(\"({})\")\n o[\"data\"] = data\n o[\"origin\"] = origin\n o[\"lastEventId\"] = lastEventId\n o[\"source\"] = source\n o[\"ports\"] = ports\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [Cache](https://developer.mozilla.org/en/docs/Web/API/Cache) to Kotlin\n */\npublic external abstract class Cache {\n fun match(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Any?>\n fun matchAll(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally): Promise<Array<Response>>\n fun add(request: dynamic): Promise<Unit>\n fun addAll(requests: Array<dynamic>): Promise<Unit>\n fun put(request: dynamic, response: Response): Promise<Unit>\n fun delete(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Boolean>\n fun keys(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally): Promise<Array<Request>>\n}\n\npublic external interface CacheQueryOptions {\n var ignoreSearch: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var ignoreMethod: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var ignoreVary: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var cacheName: String?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun CacheQueryOptions(ignoreSearch: Boolean? = false, ignoreMethod: Boolean? = false, ignoreVary: Boolean? = false, cacheName: String? = undefined): CacheQueryOptions {\n val o = js(\"({})\")\n o[\"ignoreSearch\"] = ignoreSearch\n o[\"ignoreMethod\"] = ignoreMethod\n o[\"ignoreVary\"] = ignoreVary\n o[\"cacheName\"] = cacheName\n return o\n}\n\npublic external interface CacheBatchOperation {\n var type: String?\n get() = definedExternally\n set(value) = definedExternally\n var request: Request?\n get() = definedExternally\n set(value) = definedExternally\n var response: Response?\n get() = definedExternally\n set(value) = definedExternally\n var options: CacheQueryOptions?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun CacheBatchOperation(type: String? = undefined, request: Request? = undefined, response: Response? = undefined, options: CacheQueryOptions? = undefined): CacheBatchOperation {\n val o = js(\"({})\")\n o[\"type\"] = type\n o[\"request\"] = request\n o[\"response\"] = response\n o[\"options\"] = options\n return o\n}\n\n/**\n * Exposes the JavaScript [CacheStorage](https://developer.mozilla.org/en/docs/Web/API/CacheStorage) to Kotlin\n */\npublic external abstract class CacheStorage {\n fun match(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Any?>\n fun has(cacheName: String): Promise<Boolean>\n fun open(cacheName: String): Promise<Cache>\n fun delete(cacheName: String): Promise<Boolean>\n fun keys(): Promise<Array<String>>\n}\n\npublic external open class FunctionalEvent : ExtendableEvent {\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface UnionMessagePortOrServiceWorker\n\npublic external interface UnionClientOrMessagePortOrServiceWorker\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ServiceWorkerState {\n companion object\n}\n\npublic inline val ServiceWorkerState.Companion.INSTALLING: ServiceWorkerState get() = \"installing\".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val ServiceWorkerState.Companion.INSTALLED: ServiceWorkerState get() = \"installed\".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val ServiceWorkerState.Companion.ACTIVATING: ServiceWorkerState get() = \"activating\".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val ServiceWorkerState.Companion.ACTIVATED: ServiceWorkerState get() =
```

\"activated\".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic
 inline val ServiceWorkerState.Companion.REDUNDANT: ServiceWorkerState get() =
\"redundant\".asDynamic().unsafeCast<ServiceWorkerState>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface FrameType {\n   companion object\n}\n\npublic inline val FrameType.Companion.AUXILIARY:
FrameType get() = \"auxiliary\".asDynamic().unsafeCast<FrameType>()\n\npublic inline val
FrameType.Companion.TOP_LEVEL: FrameType get() = \"top-
level\".asDynamic().unsafeCast<FrameType>()\n\npublic inline val FrameType.Companion.NESTED: FrameType
get() = \"nested\".asDynamic().unsafeCast<FrameType>()\n\npublic inline val FrameType.Companion.NONE:
FrameType get() = \"none\".asDynamic().unsafeCast<FrameType>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface ClientType {\n   companion object\n}\n\npublic
 inline val ClientType.Companion.WINDOW: ClientType get() =
\"window\".asDynamic().unsafeCast<ClientType>()\n\npublic inline val ClientType.Companion.WORKER:
ClientType get() = \"worker\".asDynamic().unsafeCast<ClientType>()\n\npublic inline val
ClientType.Companion.SHAREDWORKER: ClientType get() =
\"sharedworker\".asDynamic().unsafeCast<ClientType>()\n\npublic inline val ClientType.Companion.ALL:
ClientType get() = \"all\".asDynamic().unsafeCast<ClientType>()","/*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.xhr\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\nimport org.w3c.files.*\n\n/**\n *
Exposes the JavaScript
[XMLHttpRequestEventTarget](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequestEventTarget)
 to Kotlin\n */\npublic external abstract class XMLHttpRequestEventTarget : EventTarget {\n   open var
onloadstart: ((ProgressEvent) -> dynamic)?\n   open var onprogress: ((ProgressEvent) -> dynamic)?\n   open var
onabort: ((Event) -> dynamic)?\n   open var onerror: ((Event) -> dynamic)?\n   open var onload: ((Event) ->
dynamic)?\n   open var ontimeout: ((Event) -> dynamic)?\n   open var onloadend: ((Event) ->
dynamic)?\n}\n\npublic external abstract class XMLHttpRequestUpload : XMLHttpRequestEventTarget\n\n/**\n *
Exposes the JavaScript [XMLHttpRequest](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequest) to
Kotlin\n */\npublic external open class XMLHttpRequest : XMLHttpRequestEventTarget {\n   var
onreadystatechange: ((Event) -> dynamic)?\n   open val readyState: Short\n   var timeout: Int\n   var
withCredentials: Boolean\n   open val upload: XMLHttpRequestUpload\n   open val responseURL: String\n
    open val status: Short\n   open val statusText: String\n   var responseType: XMLHttpRequestResponseType\n
open val response: Any?\n   open val responseText: String\n   open val responseXML: Document?\n   fun
open(method: String, url: String)\n   fun open(method: String, url: String, async: Boolean, username: String? =
definedExternally, password: String? = definedExternally)\n   fun setRequestHeader(name: String, value: String)\n
fun send(body: dynamic = definedExternally)\n   fun abort()\n   fun getResponseHeader(name: String): String?\n
fun getAllResponseHeaders(): String\n   fun overrideMimeType(mime: String)\n\n   companion object {\n   val
UNSENT: Short\n   val OPENED: Short\n   val HEADERS_RECEIVED: Short\n   val LOADING:
Short\n   val DONE: Short\n   }\n}\n\n/**\n * Exposes the JavaScript
[FormData](https://developer.mozilla.org/en/docs/Web/API/FormData) to Kotlin\n */\npublic external open class
FormData(form: HTMLFormElement
 = definedExternally) {\n   fun append(name: String, value: String)\n   fun append(name: String, value: Blob,
filename: String = definedExternally)\n   fun delete(name: String)\n   fun get(name: String): dynamic\n   fun
getAll(name: String): Array<dynamic>\n   fun has(name: String): Boolean\n   fun set(name: String, value: String)\n
  fun set(name: String, value: Blob, filename: String = definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[ProgressEvent](https://developer.mozilla.org/en/docs/Web/API/ProgressEvent) to Kotlin\n */\npublic external open

class ProgressEvent(type: String, eventInitDict: ProgressEventInit = definedExternally) : Event {\n   open val lengthComputable: Boolean\n   open val loaded: Number\n   open val total: Number\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface ProgressEventInit : EventInit {\n   var lengthComputable:
Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var loaded: Number? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var total: Number? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ProgressEventInit(lengthComputable: Boolean? = false, loaded: Number? = 0, total: Number? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ProgressEventInit {\n   val o = js(\"({})\")\n   o[\"lengthComputable\"] = lengthComputable\n   o[\"loaded\"] = loaded\n   o[\"total\"] = total\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface XMLHttpRequestResponseType {\n   companion object\n}\n\npublic inline val XMLHttpRequestResponseType.Companion.EMPTY: XMLHttpRequestResponseType get() = \"\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val XMLHttpRequestResponseType.Companion.ARRAYBUFFER: XMLHttpRequestResponseType get() = \"arraybuffer\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val XMLHttpRequestResponseType.Companion.BLOB: XMLHttpRequestResponseType get() = \"blob\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val XMLHttpRequestResponseType.Companion.DOCUMENT: XMLHttpRequestResponseType get() = \"document\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val XMLHttpRequestResponseType.Companion.JSON: XMLHttpRequestResponseType get() = \"json\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val XMLHttpRequestResponseType.Companion.TEXT: XMLHttpRequestResponseType
get() = \"text\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.annotation.AnnotationRetention.BINARY\nimport kotlin.annotation.AnnotationRetention.SOURCE\nimport kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\nimport kotlin.reflect.KClass\n\n/**\n * Signals that the annotated annotation class is a marker of an experimental API.\n *\n * Any declaration annotated with that marker is considered an experimental declaration\n * and its call sites should accept the experimental aspect of it either by using [UseExperimental],\n * or by being annotated with that marker themselves, effectively causing further propagation of that experimental aspect.\n *\n * This class
is deprecated in favor of a more general approach provided by [RequiresOptIn]/[OptIn].\n */\n@Target(ANNOTATION_CLASS)\n@Retention(BINARY)\n@SinceKotlin(\"1.2\")\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\n@Deprecated(\"Please use RequiresOptIn instead.\")\npublic annotation class Experimental(val level: Level = Level.ERROR) {\n   /**\n   * Severity of the diagnostic that should be reported on usages of experimental API which did not explicitly accept the experimental aspect\n   * of that API either by using [UseExperimental] or by being annotated with the corresponding marker annotation.\n   */\n   public enum class Level {\n   /** Specifies that a warning should be reported on incorrect usages of this experimental API. */\n   WARNING,\n   /** Specifies that an error should be reported on incorrect usages of this experimental API. */\n   ERROR,\n

}\n}\n\n/**\n * Allows to use experimental API denoted by the given markers in the annotated file, declaration, or expression.\n * If a declaration is annotated with [UseExperimental], its usages are **not** required to opt-in to that experimental API.\n *\n * This class is deprecated in favor of a more general approach provided by [RequiresOptIn]/[OptIn].\n */\n@Target(\n CLASS, PROPERTY, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY_GETTER, PROPERTY_SETTER, EXPRESSION, FILE,
TYPEALIAS\n)\n@Retention(SOURCE)\n@SinceKotlin(\"1.2\")\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\n@Deprecated(\"Please use OptIn instead.\", ReplaceWith(\"OptIn(*markerClass)\", \"kotlin.OptIn\"))\npublic annotation class UseExperimental(\n vararg val markerClass: KClass<out Annotation>\n)\n\n\n@Target(CLASS, PROPERTY, CONSTRUCTOR, FUNCTION, TYPEALIAS)\n@Retention(BINARY)\ninternal
annotation class WasExperimental(\n vararg val markerClass: KClass<out Annotation>\n)\n","package kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * This annotation marks the standard library API that is considered experimental and is not subject to the\n * [general compatibility guarantees](https://kotlinlang.org/docs/reference/evolution/components-stability.html) given for the standard library:\n * the behavior of such API may be changed or the API may be removed completely in any further release.\n *\n * > Beware using the annotated API especially if you're developing a library, since your library might become binary incompatible\n * with the future versions of the standard library.\n *\n * Any usage of a declaration annotated with `@ExperimentalStdlibApi` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalStdlibApi::class)`,\n * or by using the compiler argument `-opt-in=kotlin.ExperimentalStdlibApi`.\n
/\n@RequiresOptIn(level = RequiresOptIn.Level.ERROR)\n@Retention(AnnotationRetention.BINARY)\n@Target(\n CLASS,\n ANNOTATION_CLASS,\n PROPERTY,\n FIELD,\n LOCAL_VARIABLE,\n VALUE_PARAMETER,\n CONSTRUCTOR,\n FUNCTION,\n PROPERTY_GETTER,\n PROPERTY_SETTER,\n TYPEALIAS\n)\n@MustBeDocumented\n@SinceKotlin(\"1.3\")\npublic annotation class ExperimentalStdlibApi\n","/\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\nimport kotlin.experimental.ExperimentalTypeInference\n\n/**\n * Allows to infer generic type arguments of a function from the calls in the annotated function parameter of that function.\n *\n * When this annotation is placed on a generic function parameter of a function,\n * it enables to infer the type arguments of
that generic function from the lambda body passed to that parameter.\n *\n * The calls that affect inference are either members of the receiver type of an annotated function parameter or\n * extensions for that type. The extensions must be themselves annotated with `@BuilderInference`.\n *\n * Example: we declare\n * ```\n * fun <T> sequence(@BuilderInference block: suspend SequenceScope<T>.() -> Unit): Sequence<T>\n * ```\n * and use it like\n * ```\n * val result = sequence { yield(\"result\") }\n * ```\n * Here the type argument of the resulting sequence is inferred to `String` from\n * the argument of the [SequenceScope.yield] function, that is called inside the lambda passed to [sequence].\n *\n * Note: this annotation is experimental, see [ExperimentalTypeInference] on how to opt-in for it.\n */\n@Target(VALUE_PARAMETER, FUNCTION, PROPERTY)\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin(\"1.3\")\n@ExperimentalTypeInference\npublic annotation class BuilderInference\n\n\n/**\n
* Enables overload selection based on the type of the value returned from lambda argument.\n *\n * When two or more function overloads have otherwise the same parameter lists that differ only in the return type\n * of a functional parameter, this annotation enables overload selection by the type of the value returned from\n * the lambda function passed to this functional parameter.\n *\n * Example:\n * ```\n * @OverloadResolutionByLambdaReturnType\n * fun create(intProducer: () -> Int): Int\n *\n * fun

create(doubleProducer: () -> Double): Double\n *\n * val newValue = create { 3.14 }\n * ```\n *\n * The annotation being applied to one of overloads allows to resolve this ambiguity by analyzing what value is returned\n * from the lambda function.\n *\n * This annotation is also used to discriminate the annotated overloads in case if overload selection still cannot\n * choose one of them even taking in account the result of lambda parameter analysis. In that case a warning is reported.\n
*\n * Note: this annotation is experimental, see [ExperimentalTypeInference] on how to opt-in for it.\n */\n@Target(FUNCTION)\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin(\"1.4\")\n@ExperimentalTypeInference\npublic annotation class OverloadResolutionByLambdaReturnType","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\n\n/**\n * The experimental multiplatform support API marker.\n *\n * Any usage of a declaration annotated with `@ExperimentalMultiplatform` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalMultiplatform::class)`,\n * or by using the compiler argument `-opt-in=kotlin.ExperimentalMultiplatform`.\n
*/\n@RequiresOptIn\n@MustBeDocumented\n@Target(\n CLASS,\n ANNOTATION_CLASS,\n PROPERTY,\n FIELD,\n LOCAL_VARIABLE,\n VALUE_PARAMETER,\n CONSTRUCTOR,\n FUNCTION,\n PROPERTY_GETTER,\n PROPERTY_SETTER,\n TYPEALIAS\n)\n@Retention(AnnotationRetention.BINARY)\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class ExperimentalMultiplatform\n\n/**\n * Marks an expected annotation class that it isn't required to have actual counterparts in all platforms.\n *\n * This annotation is only applicable to `expect` annotation classes in multi-platform projects and marks that class as \"optional\".\n * Optional expected class is allowed to have no corresponding actual class on the platform. Optional annotations can only be used\n * to annotate something, not as types in signatures. If an optional annotation has no corresponding actual class on a platform,\n * the annotation entries where it's used are simply erased
when compiling code on that platform.\n *\n * Note: this annotation is experimental, see [ExperimentalMultiplatform] on how to opt-in for it.\n */\n@Target(ANNOTATION_CLASS)\n@Retention(AnnotationRetention.BINARY)\n@ExperimentalMultiplatform\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class OptionalExpectation\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.annotation.AnnotationRetention.BINARY\nimport kotlin.annotation.AnnotationRetention.SOURCE\nimport kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\nimport kotlin.reflect.KClass\n\n/**\n * Signals that the annotated annotation class is a marker of an API that requires an explicit opt-in.\n *\n *
Call sites of any declaration annotated with that marker should opt in to the API either by using [OptIn],\n * or by being annotated with that marker themselves, effectively causing further propagation of the opt-in requirement.\n *\n * This class requires opt-in itself and can only be used with the compiler argument `-opt-in=kotlin.RequiresOptIn`.\n *\n * @property message message to be reported on usages of API without an explicit opt-in, or empty string for the default message.\n * The default message is: \"This declaration is experimental and its usage should be marked with 'Marker'\n * or '@OptIn(Marker::class)'\", where `Marker` is the opt-in requirement marker.\n * @property level specifies how usages of API without an explicit opt-in are reported in code.\n */\n@Target(ANNOTATION_CLASS)\n@Retention(BINARY)\n@SinceKotlin(\"1.3\")\n@RequireKotlin(\"1.3.70\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class RequiresOptIn(\n val message: String = \"\",\n val level: Level = Level.ERROR\n) {\n /**\n * Severity of the diagnostic that should be reported on usages which did not explicitly opted into\n * the API either by using [OptIn] or by being

annotated with the corresponding marker annotation.\n */\n public enum class Level {\n /** Specifies that a warning should be reported on incorrect usages of this API. */\n WARNING,\n\n /** Specifies that an error should be reported on incorrect usages of this API. */\n ERROR,\n }\n}\n\n/**\n * Allows to use the API denoted by the given markers in the annotated file, declaration, or expression.\n * If a declaration is annotated with [OptIn], its usages are **not** required to opt in to that API.\n *\n * This class requires opt-in itself and can only be used with the compiler argument `-opt-in=kotlin.RequiresOptIn`.\n */\n@Target(\n CLASS, PROPERTY, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION,
PROPERTY_GETTER, PROPERTY_SETTER, EXPRESSION, FILE,
TYPEALIAS\n)\n@Retention(SOURCE)\n@SinceKotlin(\"1.3\")\n@RequireKotlin(\"1.3.70\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class OptIn(\n vararg val markerClass: KClass<out Annotation>\n)\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\nimport kotlin.js.JsName\n\n/**\n * Provides a skeletal implementation of the read-only [Collection] interface.\n *\n * @param E the type of elements contained in the collection. The collection is covariant in its element type.\n */\n@SinceKotlin(\"1.1\")\npublic abstract class AbstractCollection<out E> protected constructor() : Collection<E> {\n abstract override val size: Int\n abstract override fun iterator(): Iterator<E>\n\n override fun contains(element:
@UnsafeVariance E): Boolean = any { it == element }\n\n override fun containsAll(elements:
Collection<@UnsafeVariance E>): Boolean =\n elements.all { contains(it) } // use when js will support bound refs: elements.all(this::contains)\n\n override fun isEmpty(): Boolean = size == 0\n\n override fun toString(): String = joinToString(\", \", \"[\", \"]\") {\n if (it === this) \"(this Collection)\" else it.toString()\n }\n\n /**\n * Returns new array of type `Array<Any?>` with the elements of this collection.\n */\n@JsName(\"toArray\")\n protected open fun toArray(): Array<Any?> = copyToArrayImpl(this)\n\n /**\n * Fills the provided [array] or creates new array of the same type\n * and fills it with the elements of this collection.\n */\n protected open fun <T> toArray(array: Array<T>): Array<T> = copyToArrayImpl(this, array)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n\nprivate enum class State {\n Ready,\n NotReady,\n Done,\n Failed\n}\n\n/**\n * A base class to simplify implementing iterators so that implementations only have to implement [computeNext]\n * to implement the iterator, calling [done] when the iteration is complete.\n */\npublic abstract class AbstractIterator<T> : Iterator<T> {\n private var state = State.NotReady\n private var nextValue: T? = null\n\n override fun hasNext(): Boolean {\n require(state != State.Failed)\n return when (state) {\n State.Done -> false\n State.Ready -> true\n else -> tryToComputeNext()\n }\n }\n\n override fun next(): T {\n if (!hasNext()) throw NoSuchElementException()\n state = State.NotReady\n @Suppress(\"UNCHECKED_CAST\")\n return nextValue as T\n }\n\n private fun tryToComputeNext(): Boolean {\n state = State.Failed\n computeNext()\n return state == State.Ready\n }\n\n /**\n * Computes the next item in the iterator.\n *\n * This callback method should call one of these two methods:\n *\n * * [setNext] with the next value of the iteration\n * * [done] to indicate there are no more elements\n *\n * Failure to call either method will result in the iteration terminating with a failed state\n */\n abstract protected fun computeNext(): Unit\n\n /**\n * Sets the next value in the iteration, called from the [computeNext] function\n */\n protected fun setNext(value: T): Unit {\n nextValue = value\n state = State.Ready\n }\n\n /**\n * Sets the state to done so that the iteration terminates.\n */\n protected fun done() {\n state = State.Done\n }\n}\n\n\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n/*\n * Based on GWT AbstractList\n * Copyright 2007 Google Inc.\n*/\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the read-only [List] interface.\n *\n * This class is intended to help implementing read-only lists so it doesn't support concurrent

modification tracking.\n *\n * @param E the type of elements contained in the list. The list is covariant in its element type.\n */\n@SinceKotlin(\"1.1\")\npublic abstract class AbstractList<out E> protected constructor() : AbstractCollection<E>(), List<E> {\n abstract override val size: Int\n abstract override fun get(index: Int): E\n\n override fun iterator(): Iterator<E> = IteratorImpl()\n\n override fun indexOf(element: @UnsafeVariance E): Int = indexOfFirst { it == element }\n\n override fun lastIndexOf(element: @UnsafeVariance E): Int = indexOfLast { it == element }\n\n override fun listIterator(): ListIterator<E> = ListIteratorImpl(0)\n\n override fun listIterator(index: Int): ListIterator<E> = ListIteratorImpl(index)\n\n override fun subList(fromIndex: Int, toIndex: Int): List<E> = SubList(this, fromIndex, toIndex)\n\n private class SubList<out E>(private val list: AbstractList<E>, private val fromIndex: Int, toIndex: Int) : AbstractList<E>(), RandomAccess {\n private var _size: Int = 0\n\n init {\n checkRangeIndexes(fromIndex, toIndex, list.size)\n this._size = toIndex - fromIndex\n }\n\n override fun get(index: Int): E {\n checkElementIndex(index, _size)\n\n return list[fromIndex + index]\n }\n\n override val size: Int get() = _size\n }\n\n /**\n * Compares this list with other list instance with the ordered structural equality.\n *\n * @return true, if [other] instance is a [List] of the same size,

which contains the same elements in the same order.\n */\n override fun equals(other: Any?): Boolean {\n if (other === this) return true\n if (other !is List<*>) return false\n\n return orderedEquals(this, other)\n }\n\n /**\n * Returns the hash code value for this list.\n */\n override fun hashCode(): Int = orderedHashCode(this)\n\n private open inner class IteratorImpl : Iterator<E> {\n /** the index of the item that will be returned on the next call to [next]`()` */\n protected var index = 0\n\n override fun hasNext(): Boolean = index < size\n\n override fun next(): E {\n if (!hasNext()) throw NoSuchElementException()\n return get(index++)\n }\n }\n\n /**\n * Implementation of [ListIterator] for abstract lists.\n */\n private open inner class ListIteratorImpl(index: Int) : IteratorImpl(), ListIterator<E> {\n\n init {\n checkPositionIndex(index,

this@AbstractList.size)\n this.index = index\n }\n\n override fun hasPrevious(): Boolean = index > 0\n\n override fun nextIndex(): Int = index\n\n override fun previous(): E {\n if (!hasPrevious()) throw NoSuchElementException()\n return get(--index)\n }\n\n override fun previousIndex(): Int = index - 1\n }\n\n internal companion object {\n internal fun checkElementIndex(index: Int, size: Int) {\n if (index < 0 || index >= size) {\n throw IndexOutOfBoundsException(\"index: $index, size: $size\")\n }\n }\n\n internal fun checkPositionIndex(index: Int, size: Int) {\n if (index < 0 || index > size) {\n throw IndexOutOfBoundsException(\"index: $index, size: $size\")\n }\n }\n\n internal fun checkRangeIndexes(fromIndex: Int, toIndex: Int, size: Int) {\n if (fromIndex < 0 || toIndex > size) {\n throw IndexOutOfBoundsException(\"fromIndex: $fromIndex, toIndex: $toIndex, size: $size\")\n }\n if (fromIndex > toIndex) {\n throw IllegalArgumentException(\"fromIndex: $fromIndex > toIndex: $toIndex\")\n }\n }\n\n internal fun checkBoundsIndexes(startIndex: Int, endIndex: Int, size: Int) {\n if (startIndex < 0 || endIndex > size) {\n throw IndexOutOfBoundsException(\"startIndex: $startIndex, endIndex: $endIndex, size: $size\")\n }\n if (startIndex > endIndex) {\n throw IllegalArgumentException(\"startIndex: $startIndex > endIndex: $endIndex\")\n }\n }\n\n internal fun orderedHashCode(c: Collection<*>): Int {\n var hashCode = 1\n for (e in c) {\n hashCode = 31 * hashCode + (e?.hashCode() ?: 0)\n }\n return hashCode\n }\n\n internal fun orderedEquals(c:

Collection<*>, other: Collection<*>): Boolean {\n if (c.size != other.size) return false\n\n val otherIterator = other.iterator()\n for (elem in c) {\n val elemOther = otherIterator.next()\n if (elem != elemOther) {\n return false\n }\n }\n return true\n }\n}","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n/*\n * Based on GWT AbstractMap\n * Copyright 2007 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the read-only [Map] interface.\n *\n * The implementor is required to implement [entries] property, which should return read-only set of map entries.\n *\n * @param K the type of map keys. The map is

invariant in its key type.\n * @param
V the type of map values. The map is covariant in its value type.\n */\n@SinceKotlin(\"1.1\")\npublic abstract class AbstractMap<K, out V> protected constructor() : Map<K, V> {\n\n override fun containsKey(key: K): Boolean {\n return implFindEntry(key) != null\n }\n\n override fun containsValue(value: @UnsafeVariance V): Boolean = entries.any { it.value == value }\n\n internal fun containsEntry(entry: Map.Entry<*, *>?): Boolean {\n // since entry comes from @UnsafeVariance parameters it can be virtually anything\n if (entry !is Map.Entry<*, *>) return false\n val key = entry.key\n val value = entry.value\n val ourValue = get(key)\n\n if (value != ourValue) {\n return false\n }\n\n // Perhaps it was null and we don't contain the key?\n if (ourValue == null && !containsKey(key)) {\n return false\n }\n\n return true\n }\n\n\n /**\n * Compares this map with other
instance with the ordered structural equality.\n *\n * @return true, if [other] instance is a [Map] of the same size, all entries of which are contained in the [entries] set of this map.\n */\n override fun equals(other: Any?): Boolean {\n if (other === this) return true\n if (other !is Map<*, *>) return false\n if (size != other.size) return false\n\n return other.entries.all { containsEntry(it) }\n }\n\n override operator fun get(key: K): V? = implFindEntry(key)?.value\n\n\n /**\n * Returns the hash code value for this map.\n *\n * It is the same as the hashCode of [entries] set.\n */\n override fun hashCode(): Int = entries.hashCode()\n\n override fun isEmpty(): Boolean = size == 0\n override val size: Int get() = entries.size\n\n /**\n * Returns a read-only [Set] of all keys in this map.\n *\n * Accessing this property first time creates a keys view from [entries].\n * All subsequent accesses
just return the created instance.\n */\n override val keys: Set<K>\n get() {\n if (_keys == null) {\n _keys = object : AbstractSet<K>() {\n override operator fun contains(element: K): Boolean = containsKey(element)\n\n override operator fun iterator(): Iterator<K> {\n val entryIterator = entries.iterator()\n return object : Iterator<K> {\n override fun hasNext(): Boolean = entryIterator.hasNext()\n override fun next(): K = entryIterator.next().key\n }\n }\n\n override val size: Int get() = this@AbstractMap.size\n }\n }\n return _keys!!\n }\n\n @kotlin.jvm.Volatile\n private var _keys: Set<K>? = null\n\n\n override fun toString(): String = entries.joinToString(\", \", \"{\", \"}\") { toString(it)
}\n\n private fun toString(entry: Map.Entry<K, V>): String = toString(entry.key) + \"=\" + toString(entry.value)\n\n private fun toString(o: Any?): String = if (o === this) \"(this Map)\" else o.toString()\n\n /**\n * Returns a read-only [Collection] of all values in this map.\n *\n * Accessing this property first time creates a values view from [entries].\n * All subsequent accesses just return the created instance.\n */\n override val values: Collection<V>\n get() {\n if (_values == null) {\n _values = object : AbstractCollection<V>() {\n override operator fun contains(element: @UnsafeVariance V): Boolean = containsValue(element)\n\n override operator fun iterator(): Iterator<V> {\n val entryIterator = entries.iterator()\n return object : Iterator<V> {\n override fun hasNext(): Boolean = entryIterator.hasNext()\n override fun next(): V = entryIterator.next().value\n }\n }\n\n override val size: Int get() = this@AbstractMap.size\n }\n }\n return _values!!\n }\n\n @kotlin.jvm.Volatile\n private var _values: Collection<V>? = null\n\n private fun implFindEntry(key: K): Map.Entry<K, V>? = entries.firstOrNull { it.key == key }\n\n internal companion object {\n\n internal fun entryHashCode(e: Map.Entry<*, *>): Int = with(e) { (key?.hashCode() ?: 0) xor (value?.hashCode() ?: 0) }\n internal fun entryToString(e: Map.Entry<*, *>): String = with(e) { \"$key=$value\" }\n internal fun entryEquals(e: Map.Entry<*, *>, other: Any?): Boolean {\n if (other !is Map.Entry<*, *>) return false\n return e.key == other.key && e.value == other.value\n }\n }\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the read-only [Set] interface.\n *\n * This class is intended to help implementing read-only sets so

it doesn't support concurrent modification tracking.\n *\n * @param E the type of elements contained in the set. The set is covariant in its element type.\n */\n@SinceKotlin(\"1.1\")\npublic abstract class AbstractSet<out E> protected constructor() : AbstractCollection<E>(), Set<E> {\n\n   /**\n   * Compares this set with other set instance with the unordered structural equality.\n   *\n   * @return true, if [other] instance is a [Set] of the same size, all elements of which are contained in this set.\n   */\n   override fun equals(other: Any?): Boolean {\n   if (other === this) return true\n   if (other !is Set<*>) return false\n
  return setEquals(this, other)\n   }\n\n   /**\n   * Returns the hash code value for this set.\n   */\n   override fun hashCode(): Int = unorderedHashCode(this)\n\n   internal companion object {\n   internal fun unorderedHashCode(c: Collection<*>): Int {\n   var hashCode = 0\n   for (element in c) {\n   hashCode += (element?.hashCode() ?: 0)\n   }\n   return hashCode\n   }\n\n   internal fun setEquals(c: Set<*>, other: Set<*>): Boolean {\n   if (c.size != other.size) return false\n   return c.containsAll(other)\n   }\n   }\n\n}","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Resizable-array implementation of the deque data structure.\n *\n * The name deque is short for \"double ended queue\"
  and is usually pronounced \"deck\".\n *\n * The collection provide methods for convenient access to the both ends.\n * It also implements [MutableList] interface and supports efficient get/set operations by index.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic class ArrayDeque<E> : AbstractMutableList<E> {\n   private var head: Int = 0\n   private var elementData: Array<Any?>\n\n   override var size: Int = 0\n   private set\n\n   /**\n   * Constructs an empty deque with specified [initialCapacity], or throws [IllegalArgumentException] if [initialCapacity] is negative.\n   */\n   public constructor(initialCapacity: Int) {\n   elementData = when {\n   initialCapacity == 0 -> emptyElementData\n   initialCapacity > 0 -> arrayOfNulls(initialCapacity)\n   else -> throw IllegalArgumentException(\"Illegal Capacity: $initialCapacity\")\n   }\n   }\n\n   /**\n   * Constructs an empty deque.\n   */\n
    public constructor() {\n   elementData = emptyElementData\n   }\n\n   /**\n   * Constructs a deque that contains the same elements as the specified [elements] collection in the same order.\n   */\n   public constructor(elements: Collection<E>) {\n   elementData = elements.toTypedArray()\n   size = elementData.size\n   if (elementData.isEmpty()) elementData = emptyElementData\n   }\n\n   /**\n   * Ensures that the capacity of this deque is at least equal to the specified [minCapacity].\n   *\n   * If the current capacity is less than the [minCapacity], a new backing storage is allocated with greater capacity.\n   * Otherwise, this method takes no action and simply returns.\n   */\n   private fun ensureCapacity(minCapacity: Int) {\n   if (minCapacity < 0) throw IllegalStateException(\"Deque is too big.\") // overflow\n   if (minCapacity <= elementData.size) return\n   if (elementData === emptyElementData) {\n   elementData
 = arrayOfNulls(minCapacity.coerceAtLeast(defaultMinCapacity))\n   return\n   }\n\n   val newCapacity = newCapacity(elementData.size, minCapacity)\n   copyElements(newCapacity)\n   }\n\n   /**\n   * Creates a new array with the specified [newCapacity] size and copies elements in the [elementData] array to it.\n   */\n   private fun copyElements(newCapacity: Int) {\n   val newElements = arrayOfNulls<Any?>(newCapacity)\n   elementData.copyInto(newElements, 0, head, elementData.size)\n   elementData.copyInto(newElements, elementData.size - head, 0, head)\n   head = 0\n   elementData = newElements\n   }\n\n   @kotlin.internal.InlineOnly\n   private inline fun internalGet(internalIndex: Int): E {\n   @Suppress(\"UNCHECKED_CAST\")\n   return elementData[internalIndex] as E\n   }\n\n   private fun positiveMod(index: Int): Int = if (index >= elementData.size) index - elementData.size else index\n\n   private fun negativeMod(index:
 Int): Int = if (index < 0) index + elementData.size else index\n\n   @kotlin.internal.InlineOnly\n   private inline fun internalIndex(index: Int): Int = positiveMod(head + index)\n\n   private fun incremented(index: Int): Int = if (index == elementData.lastIndex) 0 else index + 1\n\n   private fun decremented(index: Int): Int = if (index == 0) elementData.lastIndex else index - 1\n\n   override fun isEmpty(): Boolean = size == 0\n\n   /**\n   * Returns the first element, or throws [NoSuchElementException] if this deque is empty.\n   */\n   public fun first(): E = if

(isEmpty()) throw NoSuchElementException(\"ArrayDeque is empty.\") else internalGet(head)\n\n /**\n * Returns the first element, or `null` if this deque is empty.\n */\n public fun firstOrNull(): E? = if (isEmpty()) null else internalGet(head)\n\n /**\n * Returns the last element, or throws [NoSuchElementException] if this deque is empty.\n */\n public fun last(): E = if
(isEmpty()) throw NoSuchElementException(\"ArrayDeque is empty.\") else
internalGet(internalIndex(lastIndex))\n\n /**\n * Returns the last element, or `null` if this deque is empty.\n */\n public fun lastOrNull(): E? = if (isEmpty()) null else internalGet(internalIndex(lastIndex))\n\n /**\n * Prepends the specified [element] to this deque.\n */\n public fun addFirst(element: E) {\n ensureCapacity(size + 1)\n\n head = decremented(head)\n elementData[head] = element\n size += 1\n }\n\n /**\n * Appends the specified [element] to this deque.\n */\n public fun addLast(element: E) {\n ensureCapacity(size + 1)\n\n elementData[internalIndex(size)] = element\n size += 1\n }\n\n /**\n * Removes the first element from this deque and returns that removed element, or throws [NoSuchElementException] if this deque is empty.\n */\n public fun removeFirst(): E {\n if (isEmpty()) throw NoSuchElementException(\"ArrayDeque
is empty.\")\n\n val element = internalGet(head)\n elementData[head] = null\n head = incremented(head)\n size -= 1\n return element\n }\n\n /**\n * Removes the first element from this deque and returns that removed element, or returns `null` if this deque is empty.\n */\n public fun removeFirstOrNull(): E? = if (isEmpty()) null else removeFirst()\n\n /**\n * Removes the last element from this deque and returns that removed element, or throws [NoSuchElementException] if this deque is empty.\n */\n public fun removeLast(): E {\n if (isEmpty()) throw NoSuchElementException(\"ArrayDeque is empty.\")\n\n val internalLastIndex = internalIndex(lastIndex)\n val element = internalGet(internalLastIndex)\n elementData[internalLastIndex] = null\n size -= 1\n return element\n }\n\n /**\n * Removes the last element from this deque and returns that removed
element, or returns `null` if this deque is empty.\n */\n public fun removeLastOrNull(): E? = if (isEmpty()) null else removeLast()\n\n // MutableList, MutableCollection\n public override fun add(element: E): Boolean {\n addLast(element)\n return true\n }\n\n public override fun add(index: Int, element: E) {\n AbstractList.checkPositionIndex(index, size)\n\n if (index == size) {\n addLast(element)\n return\n } else if (index == 0) {\n addFirst(element)\n return\n }\n\n ensureCapacity(size + 1)\n\n // Elements in circular array lay in 2 ways:\n // 1. `head` is less than `tail`: [#, #, e1, e2, e3, #]\n // 2. `head` is greater than `tail`: [e3, #, #, #, e1, e2]\n // where head is the index of the first element in the circular array,\n // and tail is the index following the last element.\n //\n // At this point
the insertion index is not equal to head or tail.\n // Also the circular array can store at least one more element.\n //\n // Depending on where the given element must be inserted the preceding or the succeeding\n // elements will be shifted to make room for the element to be inserted.\n //\n // In case the preceding elements are shifted:\n // * if the insertion index is greater than the head (regardless of circular array form)\n // -> shift the preceding elements\n // * otherwise, the circular array has (2) form and the insertion index is less than tail\n // -> shift all elements in the back of the array\n // -> shift preceding elements in the front of the array\n // In case the succeeding elements are shifted:\n // * if the insertion index is less than the tail (regardless of circular array form)\n // -> shift the succeeding elements\n // * otherwise, the
circular array has (2) form and the insertion index is greater than head\n // -> shift all elements in the front of the array\n // -> shift succeeding elements in the back of the array\n\n val internalIndex = internalIndex(index)\n\n if (index < (size + 1) shr 1) {\n // closer to the first element -> shift preceding elements\n val decrementedInternalIndex = decremented(internalIndex)\n val decrementedHead = decremented(head)\n\n if (decrementedInternalIndex >= head) {\n elementData[decrementedHead] = elementData[head] // head can be zero\n elementData.copyInto(elementData, head, head + 1, decrementedInternalIndex + 1)\n } else { // head > tail\n elementData.copyInto(elementData, head - 1, head, elementData.size) // head can't be zero\n elementData[elementData.size - 1] = elementData[0]\n elementData.copyInto(elementData,

```
0, 1, decrementedInternalIndex + 1)\n            }\n\n            elementData[decrementedInternalIndex] = element\n
 head = decrementedHead\n        } else {\n            // closer to the last element -> shift succeeding elements\n
val tail = internalIndex(size)\n\n            if (internalIndex < tail) {\n                elementData.copyInto(elementData,
internalIndex + 1, internalIndex, tail)\n            } else { // head > tail\n                elementData.copyInto(elementData,
1, 0, tail)\n                elementData[0] = elementData[elementData.size - 1]\n
elementData.copyInto(elementData, internalIndex + 1, internalIndex, elementData.size - 1)\n            }\n\n
elementData[internalIndex] = element\n        }\n        size += 1\n    }\n\n    private fun
copyCollectionElements(internalIndex: Int, elements: Collection<E>) {\n        val iterator = elements.iterator()\n\n
  for (index in internalIndex until elementData.size) {\n
            if (!iterator.hasNext()) break\n            elementData[index] = iterator.next()\n        }\n        for (index in 0 until
head) {\n            if (!iterator.hasNext()) break\n            elementData[index] = iterator.next()\n        }\n\n        size +=
elements.size\n    }\n\n    public override fun addAll(elements: Collection<E>): Boolean {\n        if
(elements.isEmpty()) return false\n        ensureCapacity(this.size + elements.size)\n
copyCollectionElements(internalIndex(size), elements)\n        return true\n    }\n\n    public override fun
addAll(index: Int, elements: Collection<E>): Boolean {\n        AbstractList.checkPositionIndex(index, size)\n\n
if (elements.isEmpty()) {\n            return false\n        } else if (index == size) {\n            return addAll(elements)\n
 }\n\n        ensureCapacity(this.size + elements.size)\n\n        val tail = internalIndex(size)\n        val internalIndex =
internalIndex(index)\n        val elementsSize
 = elements.size\n\n        if (index < (size + 1) shr 1) {\n            // closer to the first element -> shift preceding
elements\n\n            var shiftedHead = head - elementsSize\n\n            if (internalIndex >= head) {\n                if
(shiftedHead >= 0) {\n                    elementData.copyInto(elementData, shiftedHead, head, internalIndex)\n
} else { // head < tail, insertion leads to head >= tail\n                    shiftedHead += elementData.size\n                    val
elementsToShift = internalIndex - head\n                    val shiftToBack = elementData.size - shiftedHead\n\n
   if (shiftToBack >= elementsToShift) {\n                        elementData.copyInto(elementData, shiftedHead, head,
internalIndex)\n                    } else {\n                        elementData.copyInto(elementData, shiftedHead, head, head +
shiftToBack)\n                        elementData.copyInto(elementData, 0, head + shiftToBack, internalIndex)\n
                }\n                }\n            } else { // head > tail, internalIndex < tail\n
elementData.copyInto(elementData, shiftedHead, head, elementData.size)\n                if (elementsSize >=
internalIndex) {\n                    elementData.copyInto(elementData, elementData.size - elementsSize, 0,
internalIndex)\n                } else {\n                    elementData.copyInto(elementData, elementData.size -
elementsSize, 0, elementsSize)\n                    elementData.copyInto(elementData, 0, elementsSize, internalIndex)\n
            }\n            }\n            head = shiftedHead\n            copyCollectionElements(negativeMod(internalIndex -
elementsSize), elements)\n        } else {\n            // closer to the last element -> shift succeeding elements\n\n
val shiftedInternalIndex = internalIndex + elementsSize\n\n            if (internalIndex < tail) {\n                if (tail +
elementsSize <= elementData.size) {\n
            elementData.copyInto(elementData, shiftedInternalIndex, internalIndex, tail)\n                } else { // head <
tail, insertion leads to head >= tail\n                    if (shiftedInternalIndex >= elementData.size) {\n
elementData.copyInto(elementData, shiftedInternalIndex - elementData.size, internalIndex, tail)\n                    } else
{\n                        val shiftToFront = tail + elementsSize - elementData.size\n
elementData.copyInto(elementData, 0, tail - shiftToFront, tail)\n                        elementData.copyInto(elementData,
shiftedInternalIndex, internalIndex, tail - shiftToFront)\n                    }\n                }\n            } else { // head > tail,
internalIndex > head\n                elementData.copyInto(elementData, elementsSize, 0, tail)\n                if
(shiftedInternalIndex >= elementData.size) {\n                    elementData.copyInto(elementData, shiftedInternalIndex
- elementData.size,
 internalIndex, elementData.size)\n                } else {\n                    elementData.copyInto(elementData, 0,
elementData.size - elementsSize, elementData.size)\n                    elementData.copyInto(elementData,
shiftedInternalIndex, internalIndex, elementData.size - elementsSize)\n                }\n            }\n
copyCollectionElements(internalIndex, elements)\n        }\n\n        return true\n    }\n\n    public override fun
```

```
get(index: Int): E {\n        AbstractList.checkElementIndex(index, size)\n\n        return
internalGet(internalIndex(index))\n    }\n\n    public override fun set(index: Int, element: E): E {\n
AbstractList.checkElementIndex(index, size)\n\n        val internalIndex = internalIndex(index)\n        val oldElement
= internalGet(internalIndex)\n        elementData[internalIndex] = element\n\n        return oldElement\n    }\n\n
public override fun contains(element: E): Boolean = indexOf(element) != -1\n\n    public override
 fun indexOf(element: E): Int {\n        val tail = internalIndex(size)\n\n        if (head < tail) {\n            for (index in
head until tail) {\n                if (element == elementData[index]) return index - head\n            }\n        } else if (head
>= tail) {\n            for (index in head until elementData.size) {\n                if (element == elementData[index]) return
index - head\n            }\n            for (index in 0 until tail) {\n                if (element == elementData[index]) return
index + elementData.size - head\n            }\n        }\n\n        return -1\n    }\n\n    public override fun
lastIndexOf(element: E): Int {\n        val tail = internalIndex(size)\n\n        if (head < tail) {\n            for (index in tail
- 1 downTo head) {\n                if (element == elementData[index]) return index - head\n            }\n        } else if
(head > tail) {\n            for (index in tail - 1 downTo 0) {\n                if (element == elementData[index])
 return index + elementData.size - head\n            }\n            for (index in elementData.lastIndex downTo head) {\n
        if (element == elementData[index]) return index - head\n            }\n        }\n\n        return -1\n    }\n\n    public
override fun remove(element: E): Boolean {\n        val index = indexOf(element)\n        if (index == -1) return
false\n        removeAt(index)\n        return true\n    }\n\n    public override fun removeAt(index: Int): E {\n
AbstractList.checkElementIndex(index, size)\n\n        if (index == lastIndex) {\n            return removeLast()\n        }
else if (index == 0) {\n            return removeFirst()\n        }\n\n        val internalIndex = internalIndex(index)\n
val element = internalGet(internalIndex)\n\n        if (index < size shr 1) {\n            // closer to the first element ->
shift preceding elements\n            if (internalIndex >= head) {\n                elementData.copyInto(elementData, head
 + 1, head, internalIndex)\n            } else { // head > tail, internalIndex < head\n
elementData.copyInto(elementData, 1, 0, internalIndex)\n                elementData[0] = elementData[elementData.size
- 1]\n                elementData.copyInto(elementData, head + 1, head, elementData.size - 1)\n            }\n\n
elementData[head] = null\n            head = incremented(head)\n        } else {\n            // closer to the last element ->
shift succeeding elements\n            val internalLastIndex = internalIndex(lastIndex)\n\n            if (internalIndex <=
internalLastIndex) {\n                elementData.copyInto(elementData, internalIndex, internalIndex + 1,
internalLastIndex + 1)\n            } else { // head > tail, internalIndex > head\n
elementData.copyInto(elementData, internalIndex, internalIndex + 1, elementData.size)\n
elementData[elementData.size - 1] = elementData[0]\n                elementData.copyInto(elementData,
 0, 1, internalLastIndex + 1)\n            }\n\n            elementData[internalLastIndex] = null\n        }\n        size -= 1\n\n
    return element\n    }\n\n    public override fun removeAll(elements: Collection<E>): Boolean = filterInPlace {
!elements.contains(it) }\n\n    public override fun retainAll(elements: Collection<E>): Boolean = filterInPlace {
elements.contains(it) }\n\n    private inline fun filterInPlace(predicate: (E) -> Boolean): Boolean {\n        if
(this.isEmpty() || elementData.isEmpty())\n            return false\n\n        val tail = internalIndex(size)\n        var
newTail = head\n        var modified = false\n\n        if (head < tail) {\n            for (index in head until tail) {\n
 val element = elementData[index]\n\n                @Suppress(\"UNCHECKED_CAST\")\n                if
(predicate(element as E))\n                    elementData[newTail++] = element\n                else\n                    modified =
true\n            }\n\n
            elementData.fill(null, newTail, tail)\n\n        } else {\n            for (index in head until elementData.size) {\n
        val element = elementData[index]\n                elementData[index] = null\n\n
@Suppress(\"UNCHECKED_CAST\")\n                if (predicate(element as E))\n
elementData[newTail++] = element\n                else\n                    modified = true\n            }\n\n            newTail =
positiveMod(newTail)\n\n            for (index in 0 until tail) {\n                val element = elementData[index]\n
elementData[index] = null\n\n                @Suppress(\"UNCHECKED_CAST\")\n                if (predicate(element as
E)) {\n                    elementData[newTail] = element\n                    newTail = incremented(newTail)\n                }
else {\n                    modified = true\n                }\n            }\n        }\n        if (modified)\n            size =
negativeMod(newTail
```

```
 - head)\n\n        return modified\n    }\n\n    public override fun clear() {\n        val tail = internalIndex(size)\n        if (head < tail) {\n            elementData.fill(null, head, tail)\n        } else if (isNotEmpty()) {\n            elementData.fill(null, head, elementData.size)\n            elementData.fill(null, 0, tail)\n        }\n        head = 0\n        size = 0\n    }\n\n    @Suppress(\"NOTHING_TO_OVERRIDE\")\n    override fun <T> toArray(array: Array<T>): Array<T> {\n        @Suppress(\"UNCHECKED_CAST\")\n        val dest = (if (array.size >= size) array else arrayOfNulls(array, size)) as Array<Any?>\n\n        val tail = internalIndex(size)\n        if (head < tail) {\n            elementData.copyInto(dest, startIndex = head, endIndex = tail)\n        } else if (isNotEmpty()) {\n            elementData.copyInto(dest, destinationOffset = 0, startIndex = head, endIndex = elementData.size)\n            elementData.copyInto(dest, destinationOffset = elementData.size
 - head, startIndex = 0, endIndex = tail)\n        }\n        if (dest.size > size) {\n            dest[size] = null // null-terminate\n        }\n\n        @Suppress(\"UNCHECKED_CAST\")\n        return dest as Array<T>\n    }\n\n    @Suppress(\"NOTHING_TO_OVERRIDE\")\n    override fun toArray(): Array<Any?> {\n        return toArray(arrayOfNulls<Any?>(size))\n    }\n\n    // for testing\n    internal fun <T> testToArray(array: Array<T>): Array<T> = toArray(array)\n    internal fun testToArray(): Array<Any?> = toArray()\n\n    internal companion object {\n        private val emptyElementData = emptyArray<Any?>()\n        private const val maxArraySize = Int.MAX_VALUE - 8\n        private const val defaultMinCapacity = 10\n\n        internal fun newCapacity(oldCapacity: Int, minCapacity: Int): Int {\n            // overflow-conscious\n            var newCapacity = oldCapacity + (oldCapacity shr 1)\n            if (newCapacity - minCapacity < 0)\n                newCapacity = minCapacity\n
            if (newCapacity - maxArraySize > 0)\n                newCapacity = if (minCapacity > maxArraySize) Int.MAX_VALUE else maxArraySize\n            return newCapacity\n        }\n    }\n\n    // For testing only\n    internal fun internalStructure(structure: (head: Int, elements: Array<Any?>) -> Unit) {\n        val tail = internalIndex(size)\n        val head = if (isEmpty() || head < tail) head else head - elementData.size\n        structure(head, toArray())\n    }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ArraysKt\")\n\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\n\n\n/**\n * Returns a single list of all elements from all arrays in the given array.\n * @sample samples.collections.Arrays.Transformations.flattenArray\n */\npublic
 fun <T> Array<out Array<out T>>.flatten(): List<T> {\n    val result = ArrayList<T>(sumOf { it.size })\n    for (element in this) {\n        result.addAll(element)\n    }\n    return result\n}\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this array,\n * *second* list is built from the second values of each pair from this array.\n * @sample samples.collections.Arrays.Transformations.unzipArray\n
*/\npublic fun <T, R> Array<out Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n    val listT = ArrayList<T>(size)\n    val listR = ArrayList<R>(size)\n    for (pair in this) {\n        listT.add(pair.first)\n        listR.add(pair.second)\n    }\n    return listT to listR\n}\n\n/**\n * Returns `true` if this nullable array is either null or empty.\n * @sample samples.collections.Arrays.Usage.arrayIsNullOrEmpty\n
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun Array<*>?.isNullOrEmpty(): Boolean {\n    contract
 {\n        returns(false) implies (this@isNullOrEmpty != null)\n    }\n\n    return this == null || this.isEmpty()\n}\n\n/**\n * Returns this array if it's not empty\n * or the result of calling [defaultValue] function if the array is empty.\n *\n * @sample samples.collections.Arrays.Usage.arrayIfEmpty\n
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"UPPER_BOUND_CANNOT_BE_ARRAY\")\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : Array<*>, C : R =\n    if (isEmpty()) defaultValue() else
this\n\n\n@OptIn(ExperimentalUnsignedTypes::class)\n@SinceKotlin(\"1.3\")\n@PublishedApi\n@kotlin.jvm.JvmName(\"contentDeepEquals\")\n@kotlin.js.JsName(\"contentDeepEqualsImpl\")\ninternal fun <T> Array<out T>?.contentDeepEqualsImpl(other: Array<out T>?): Boolean {\n    if (this === other) return true\n    if (this == null
```

|| other == null || this.size != other.size) return false\n\n   for (i in indices) {\n   val v1 = this[i]\n   val v2 = other[i]\n\n
        if (v1 === v2) {\n   continue\n   } else if (v1 == null || v2 == null) {\n   return false\n   }\n\n
  when {\n   v1 is Array<*>   && v2 is Array<*>   -> if (!v1.contentDeepEquals(v2)) return false\n
v1 is ByteArray   && v2 is ByteArray   -> if (!v1.contentEquals(v2)) return false\n   v1 is ShortArray   &&
v2 is ShortArray   -> if (!v1.contentEquals(v2)) return false\n   v1 is IntArray   && v2 is IntArray   -> if
(!v1.contentEquals(v2)) return false\n   v1 is LongArray   && v2 is LongArray   -> if (!v1.contentEquals(v2))
return false\n   v1 is FloatArray   && v2 is FloatArray   -> if (!v1.contentEquals(v2)) return false\n   v1 is
DoubleArray && v2 is DoubleArray -> if (!v1.contentEquals(v2)) return false\n   v1 is CharArray   && v2
is CharArray   -> if (!v1.contentEquals(v2)) return false\n   v1 is BooleanArray && v2 is BooleanArray -> if
(!v1.contentEquals(v2))
 return false\n\n   v1 is UByteArray   && v2 is UByteArray   -> if (!v1.contentEquals(v2)) return false\n
v1 is UShortArray && v2 is UShortArray -> if (!v1.contentEquals(v2)) return false\n   v1 is UIntArray   &&
v2 is UIntArray   -> if (!v1.contentEquals(v2)) return false\n   v1 is ULongArray   && v2 is ULongArray   ->
if (!v1.contentEquals(v2)) return false\n\n   else -> if (v1 != v2) return false\n   }\n\n   }\n   return
true\n}\n\n@SinceKotlin(\"1.3\")\n@PublishedApi\n@kotlin.jvm.JvmName(\"contentDeepToString\")\n@kotlin.js.
JsName(\"contentDeepToStringImpl\")\ninternal fun <T> Array<out T>?.contentDeepToStringImpl(): String {\n
if (this == null) return \"null\"\n   val length = size.coerceAtMost((Int.MAX_VALUE - 2) / 5) * 5 + 2 // in order not
to overflow Int.MAX_VALUE\n   return buildString(length) {\n   contentDeepToStringInternal(this,
mutableListOf())\n   }\n}\n\n@OptIn(ExperimentalUnsignedTypes::class)\nprivate
 fun <T> Array<out T>.contentDeepToStringInternal(result: StringBuilder, processed: MutableList<Array<*>>) {\n
  if (this in processed) {\n   result.append(\"[...]\")\n   return\n   }\n   processed.add(this)\n
result.append('[')\n\n   for (i in indices) {\n   if (i != 0) {\n   result.append(\", \")\n   }\n   val element
= this[i]\n   when (element) {\n   null   -> result.append(\"null\")\n   is Array<*>   ->
element.contentDeepToStringInternal(result, processed)\n   is ByteArray   ->
result.append(element.contentToString())\n   is ShortArray   -> result.append(element.contentToString())\n
   is IntArray   -> result.append(element.contentToString())\n   is LongArray   ->
result.append(element.contentToString())\n   is FloatArray   -> result.append(element.contentToString())\n
  is DoubleArray -> result.append(element.contentToString())\n
          is CharArray   -> result.append(element.contentToString())\n   is BooleanArray ->
result.append(element.contentToString())\n\n   is UByteArray   -> result.append(element.contentToString())\n
        is UShortArray -> result.append(element.contentToString())\n   is UIntArray   ->
result.append(element.contentToString())\n   is ULongArray   -> result.append(element.contentToString())\n\n
        else   -> result.append(element.toString())\n   }\n   }\n\n   result.append(']')\n
processed.removeAt(processed.lastIndex)\n}","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n\n/** Returns true if the brittle contains optimization
is enabled. See KT-45438. */\ninternal expect fun brittleContainsOptimizationEnabled(): Boolean\n\n/**\n
 * Returns true if [brittleContainsOptimizationEnabled] is true\n * and it's safe to convert this collection to a set
without changing contains method behavior.\n */\nprivate fun <T> Collection<T>.safeToConvertToSet() =
brittleContainsOptimizationEnabled() && size > 2 && this is ArrayList\n\n/**\n * When
[brittleContainsOptimizationEnabled] is true:\n * - Converts this [Iterable] to a set if it is not a [Collection].\n * -
Converts this [Collection] to a set, when it's worth so and it doesn't change contains method behavior.\n * -
Otherwise returns this.\n * When [brittleContainsOptimizationEnabled] is false:\n * - Converts this [Iterable] to a
list if it is not a [Collection].\n * - Otherwise returns this.\n */\ninternal fun <T>
Iterable<T>.convertToSetForSetOperationWith(source: Iterable<T>): Collection<T> =\n   when (this) {\n   is
Set -> this\n   is Collection ->\n   when {\n   source is Collection && source.size < 2 -> this\n

else -> if (this.safeToConvertToSet()) toHashSet() else this\n }\n else -> if (brittleContainsOptimizationEnabled()) toHashSet() else toList()\n }\n\n/**\n * When [brittleContainsOptimizationEnabled] is true:\n * - Converts this [Iterable] to a set if it is not a [Collection].\n * - Converts this [Collection] to a set, when it's worth so and it doesn't change contains method behavior.\n * - Otherwise returns this.\n * When [brittleContainsOptimizationEnabled] is false:\n * - Converts this [Iterable] to a list if it is not a [Collection].\n * - Otherwise returns this.\n */\ninternal fun <T> Iterable<T>.convertToSetForSetOperation(): Collection<T> =\n when (this) {\n is Set -> this\n is Collection -> if (this.safeToConvertToSet()) toHashSet() else this\n else -> if (brittleContainsOptimizationEnabled()) toHashSet() else toList()\n }\n\n/**\n * Converts this sequence to a set if [brittleContainsOptimizationEnabled] is true,\n * otherwise converts it to a list.\n */\ninternal fun <T> Sequence<T>.convertToSetForSetOperation(): Collection<T> =\n if (brittleContainsOptimizationEnabled()) toHashSet() else toList()\n\n/**\n * Converts this array to a set if [brittleContainsOptimizationEnabled] is true,\n * otherwise converts it to a list.\n */\ninternal fun <T> Array<T>.convertToSetForSetOperation(): Collection<T> =\n if (brittleContainsOptimizationEnabled()) toHashSet() else asList()","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Data class representing a value from a collection or sequence, along with its index in that collection or sequence.\n *\n * @property value the underlying value.\n * @property index the index of the value in the collection or sequence.\n */\npublic data class IndexedValue<out T>(public val index: Int, public val value: T)\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"MapAccessorsKt\")\n\npackage kotlin.collections\n\nimport kotlin.reflect.KProperty\nimport kotlin.internal.Exact\n\n/**\n * Returns the value of the property for the given object from this read-only map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and lookup the value corresponding to this name in the map.\n * @return the property value.\n *\n * @throws NoSuchElementException when the map doesn't contain value for the property name and doesn't provide an implicit default (see [withDefault]).\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V> Map<in String, @Exact V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n @Suppress(\"UNCHECKED_CAST\") (getOrImplicitDefault(property.name) as V1)\n\n/**\n * Returns the value of the property for the given object from this mutable map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and lookup the value corresponding to this name in the map.\n * @return the property value.\n *\n * @throws NoSuchElementException when the map doesn't contain value for the property name and doesn't provide an implicit default (see [withDefault]).\n */\n@kotlin.jvm.JvmName(\"getVar\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V> MutableMap<in String, out @Exact V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n @Suppress(\"UNCHECKED_CAST\") (getOrImplicitDefault(property.name) as V1)\n\n/**\n * Stores the value of the property for the given object in this mutable map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and store the value associated with that name in the map.\n * @param value the value to set.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <V> MutableMap<in String, in V>.setValue(thisRef: Any?, property: KProperty<*>, value: V) {\n this.put(property.name, value)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"MapsKt\")\n\npackage kotlin.collections\n\n/**\n * Returns the value for the given key, or the implicit default value for this map.\n * By

default no implicit value is provided for maps and a [NoSuchElementException] is thrown.\n * To create a map with implicit default value use [withDefault]
method.\n *\n * @throws NoSuchElementException when the map doesn't contain a value for the specified key and no implicit default was provided for that map.\n
*/\n@kotlin.jvm.JvmName(\"getOrImplicitDefaultNullable\")\n@PublishedApi\ninternal fun <K, V> Map<K, V>.getOrImplicitDefault(key: K): V {\n if (this is MapWithDefault)\n return this.getOrImplicitDefault(key)\n\n return getOrElseNullable(key, { throw NoSuchElementException(\"Key $key is missing in the map.\") })\n}\n\n/**\n * Returns a wrapper of this read-only map, having the implicit default value provided with the specified function [defaultValue].\n *\n * This implicit default value is used when the original map doesn't contain a value for the key specified\n * and a value is obtained with [Map.getValue] function, for example when properties are delegated to the map.\n *\n * When this map already has an implicit default value provided with a former call to [withDefault], it is being replaced by this call.\n
*/\npublic fun <K, V> Map<K, V>.withDefault(defaultValue: (key: K) -> V): Map<K, V> =\n when (this) {\n is MapWithDefault -> this.map.withDefault(defaultValue)\n else -> MapWithDefaultImpl(this, defaultValue)\n }\n\n/**\n * Returns a wrapper of this mutable map, having the implicit default value provided with the specified function [defaultValue].\n *\n * This implicit default value is used when the original map doesn't contain a value for the key specified\n * and a value is obtained with [Map.getValue] function, for example when properties are delegated to the map.\n *\n * When this map already has an implicit default value provided with a former call to [withDefault], it is being replaced by this call.\n */\n@kotlin.jvm.JvmName(\"withDefaultMutable\")\npublic fun <K, V> MutableMap<K, V>.withDefault(defaultValue: (key: K) -> V): MutableMap<K, V> =\n when (this) {\n is MutableMapWithDefault -> this.map.withDefault(defaultValue)\n else -> MutableMapWithDefaultImpl(this,
defaultValue)\n }\n\n\nprivate interface MapWithDefault<K, out V> : Map<K, V> {\n public val map: Map<K, V>\n public fun getOrImplicitDefault(key: K): V\n}\n\nprivate interface MutableMapWithDefault<K, V> : MutableMap<K, V>, MapWithDefault<K, V> {\n public override val map: MutableMap<K, V>\n}\n\n\nprivate class MapWithDefaultImpl<K, out V>(public override val map: Map<K, V>, private val default: (key: K) -> V) : MapWithDefault<K, V> {\n override fun equals(other: Any?): Boolean = map.equals(other)\n override fun hashCode(): Int = map.hashCode()\n override fun toString(): String = map.toString()\n override val size: Int get() = map.size\n override fun isEmpty(): Boolean = map.isEmpty()\n override fun containsKey(key: K): Boolean = map.containsKey(key)\n override fun containsValue(value: @UnsafeVariance V): Boolean = map.containsValue(value)\n override fun get(key: K): V? = map.get(key)\n override val keys: Set<K> get() = map.keys\n
override val values: Collection<V> get() = map.values\n override val entries: Set<Map.Entry<K, V>> get() = map.entries\n\n override fun getOrImplicitDefault(key: K): V = map.getOrElseNullable(key, { default(key) })\n}\n\nprivate class MutableMapWithDefaultImpl<K, V>(public override val map: MutableMap<K, V>, private val default: (key: K) -> V) : MutableMapWithDefault<K, V> {\n override fun equals(other: Any?): Boolean = map.equals(other)\n override fun hashCode(): Int = map.hashCode()\n override fun toString(): String = map.toString()\n override val size: Int get() = map.size\n override fun isEmpty(): Boolean = map.isEmpty()\n override fun containsKey(key: K): Boolean = map.containsKey(key)\n override fun containsValue(value: @UnsafeVariance V): Boolean = map.containsValue(value)\n override fun get(key: K): V? = map.get(key)\n override val keys: MutableSet<K> get() = map.keys\n override val values: MutableCollection<V> get() = map.values\n
override val entries: MutableSet<MutableMap.MutableEntry<K, V>> get() = map.entries\n\n override fun put(key: K, value: V): V? = map.put(key, value)\n override fun remove(key: K): V? = map.remove(key)\n override fun putAll(from: Map<out K, V>) = map.putAll(from)\n override fun clear() = map.clear()\n\n override fun getOrImplicitDefault(key: K): V = map.getOrElseNullable(key, { default(key) })\n}\n\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

```
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\nimport kotlin.random.Random\n\n/**\n * Removes a single instance of the specified element from this\n * collection, if it is present.\n *\n * Allows to overcome type-safety restriction of `remove` that requires to pass an element of type `E`.\n *\n
 * @return `true` if the element has been successfully removed; `false` if it was not present in the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.remove(element: T): Boolean =\n    @Suppress(\"UNCHECKED_CAST\") (this as MutableCollection<T>).remove(element)\n\n/**\n * Removes all of this collection's elements that are also contained in the specified collection.\n\n * Allows to overcome type-safety restriction of `removeAll` that requires to pass a collection of type `Collection<E>`.\n *\n * @return `true` if any of the specified elements was removed from the collection, `false` if the collection was not modified.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.removeAll(elements: Collection<T>): Boolean =\n    @Suppress(\"UNCHECKED_CAST\") (this as MutableCollection<T>).removeAll(elements)\n\n/**\n * Retains only the elements in this collection
 that are contained in the specified collection.\n *\n * Allows to overcome type-safety restriction of `retainAll` that requires to pass a collection of type `Collection<E>`.\n *\n * @return `true` if any element was removed from the collection, `false` if the collection was not modified.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.retainAll(elements: Collection<T>): Boolean =\n    @Suppress(\"UNCHECKED_CAST\") (this as MutableCollection<T>).retainAll(elements)\n\n/**\n * Adds the specified [element] to this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(element: T) {\n    this.add(element)\n}\n\n/**\n * Adds all elements of the given [elements] collection to this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Iterable<T>) {\n    this.addAll(elements)\n}\n\n/**\n
 * Adds all elements of the given [elements] array to this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Array<T>) {\n    this.addAll(elements)\n}\n\n/**\n * Adds all elements of the given [elements] sequence to this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Sequence<T>) {\n    this.addAll(elements)\n}\n\n/**\n * Removes a single instance of the specified [element] from this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(element: T) {\n    this.remove(element)\n}\n\n/**\n * Removes all elements contained in the given [elements] collection from this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements: Iterable<T>) {\n    this.removeAll(elements)\n}\n\n/**\n * Removes
 all elements contained in the given [elements] array from this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements: Array<T>) {\n    this.removeAll(elements)\n}\n\n/**\n * Removes all elements contained in the given [elements] sequence from this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements: Sequence<T>) {\n    this.removeAll(elements)\n}\n\n/**\n * Adds all elements of the given [elements] collection to this [MutableCollection].\n */\npublic fun <T> MutableCollection<in T>.addAll(elements: Iterable<T>): Boolean {\n    when (elements) {\n        is Collection -> return addAll(elements)\n        else -> {\n            var result: Boolean = false\n            for (item in elements)\n                if (add(item)) result = true\n            return result\n        }\n    }\n}\n\n/**\n * Adds all elements of the given [elements]
 sequence to this [MutableCollection].\n */\npublic fun <T> MutableCollection<in T>.addAll(elements: Sequence<T>): Boolean {\n    var result: Boolean = false\n    for (item in elements) {\n        if (add(item)) result = true\n    }\n    return result\n}\n\n/**\n * Adds all elements of the given [elements] array to this [MutableCollection].\n */\npublic fun <T> MutableCollection<in T>.addAll(elements: Array<out T>): Boolean {\n    return addAll(elements.asList())\n}\n\n/**\n * Removes all elements from this [MutableCollection] that are also
```

```
contained in the given [elements] collection.\n */\npublic fun <T> MutableCollection<in T>.removeAll(elements: Iterable<T>): Boolean {\n    return removeAll(elements.convertToSetForSetOperationWith(this))\n}\n\n/**\n * Removes all elements from this [MutableCollection] that are also contained in the given [elements] sequence.\n */\npublic fun <T> MutableCollection<in T>.removeAll(elements: Sequence<T>): Boolean {\n    val set = elements.convertToSetForSetOperation()\n    return set.isNotEmpty() && removeAll(set)\n}\n\n/**\n * Removes all elements from this [MutableCollection] that are also contained in the given [elements] array.\n */\npublic fun <T> MutableCollection<in T>.removeAll(elements: Array<out T>): Boolean {\n    return elements.isNotEmpty() && removeAll(elements.convertToSetForSetOperation())\n}\n\n/**\n * Retains only elements of this [MutableCollection] that are contained in the given [elements] collection.\n */\npublic fun <T> MutableCollection<in T>.retainAll(elements: Iterable<T>): Boolean {\n    return retainAll(elements.convertToSetForSetOperationWith(this))\n}\n\n/**\n * Retains only elements of this [MutableCollection] that are contained in the given [elements] array.\n */\npublic fun <T> MutableCollection<in T>.retainAll(elements: Array<out T>): Boolean {\n    if (elements.isNotEmpty())\n        return retainAll(elements.convertToSetForSetOperation())\n    else\n        return retainNothing()\n}\n\n/**\n * Retains only elements of this [MutableCollection] that are contained in the given [elements] sequence.\n */\npublic fun <T> MutableCollection<in T>.retainAll(elements: Sequence<T>): Boolean {\n    val set = elements.convertToSetForSetOperation()\n    if (set.isNotEmpty())\n        return retainAll(set)\n    else\n        return retainNothing()\n}\n\nprivate fun MutableCollection<*>.retainNothing(): Boolean {\n    val result = isNotEmpty()\n    clear()\n    return result\n}\n\n\n/**\n * Removes all elements from this [MutableIterable] that match the given [predicate].\n *\n * @return `true` if any element was removed from this collection, or `false` when no elements were removed and collection was not modified.\n */\npublic fun <T> MutableIterable<T>.removeAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, true)\n\n/**\n * Retains only elements of this [MutableIterable] that match the given [predicate].\n *\n * @return `true` if any element was removed from this collection,
 or `false` when all elements were retained and collection was not modified.\n */\npublic fun <T> MutableIterable<T>.retainAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, false)\n\nprivate fun <T> MutableIterable<T>.filterInPlace(predicate: (T) -> Boolean, predicateResultToRemove: Boolean): Boolean {\n    var result = false\n    with(iterator()) {\n        while (hasNext())\n            if (predicate(next()) == predicateResultToRemove) {\n                remove()\n                result = true\n            }\n    }\n    return result\n}\n\n\n/**\n * Removes the element at the specified [index] from this list.\n * In Kotlin one should use the [MutableList.removeAt] function instead.\n */\n@Deprecated(\"Use removeAt(index) instead.\", ReplaceWith(\"removeAt(index)\"), level = DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic inline fun <T> MutableList<T>.remove(index: Int): T = removeAt(index)\n\n/**\n * Removes the first element from this mutable list
 and returns that removed element, or throws [NoSuchElementException] if this list is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T> MutableList<T>.removeFirst(): T = if (isEmpty()) throw NoSuchElementException(\"List is empty.\") else removeAt(0)\n\n/**\n * Removes the first element from this mutable list and returns that removed element, or returns `null` if this list is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T> MutableList<T>.removeFirstOrNull(): T? = if (isEmpty()) null else removeAt(0)\n\n/**\n * Removes the last element from this mutable list and returns that removed element, or throws [NoSuchElementException] if this list is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T> MutableList<T>.removeLast(): T = if (isEmpty()) throw NoSuchElementException(\"List is empty.\") else removeAt(lastIndex)\n\n/**\n * Removes the last element
 from this mutable list and returns that removed element, or returns `null` if this list is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T> MutableList<T>.removeLastOrNull(): T? = if (isEmpty()) null else removeAt(lastIndex)\n\n/**\n * Removes all
```

elements from this [MutableList] that match the given [predicate].\n *\n * @return `true` if any element was removed from this collection, or `false` when no elements were removed and collection was not modified.\n */\npublic fun <T> MutableList<T>.removeAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, true)\n\n/**\n * Retains only elements of this [MutableList] that match the given [predicate].\n *\n * @return `true` if any element was removed from this collection, or `false` when all elements were retained and collection was not modified.\n */\npublic fun <T> MutableList<T>.retainAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, false)\n\nprivate fun
<T> MutableList<T>.filterInPlace(predicate: (T) -> Boolean, predicateResultToRemove: Boolean): Boolean {\n if (this !is RandomAccess)\n return (this as MutableIterable<T>).filterInPlace(predicate, predicateResultToRemove)\n\n var writeIndex: Int = 0\n for (readIndex in 0..lastIndex) {\n val element = this[readIndex]\n if (predicate(element) == predicateResultToRemove)\n continue\n\n if (writeIndex != readIndex)\n this[writeIndex] = element\n\n writeIndex++\n }\n if (writeIndex < size) {\n for (removeIndex in lastIndex downTo writeIndex)\n removeAt(removeIndex)\n\n return true\n } else {\n return false\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage
kotlin.collections\n\nprivate open class ReversedListReadOnly<out T>(private val delegate: List<T>) :
AbstractList<T>() {\n override val size: Int get() = delegate.size\n override fun get(index: Int): T = delegate[reverseElementIndex(index)]\n}\n\nprivate class ReversedList<T>(private val delegate: MutableList<T>) :
AbstractMutableList<T>() {\n override val size: Int get() = delegate.size\n override fun get(index: Int): T = delegate[reverseElementIndex(index)]\n\n override fun clear() = delegate.clear()\n override fun removeAt(index: Int): T = delegate.removeAt(reverseElementIndex(index))\n\n override fun set(index: Int, element: T): T = delegate.set(reverseElementIndex(index), element)\n override fun add(index: Int, element: T) {\n delegate.add(reversePositionIndex(index), element)\n }\n}\n\nprivate fun List<*>.reverseElementIndex(index: Int) =\n if (index in 0..lastIndex) lastIndex - index else throw IndexOutOfBoundsException(\"Element
index $index must be in range [${0..lastIndex}].\")\n\nprivate fun List<*>.reversePositionIndex(index: Int) =\n if (index in 0..size) size - index else throw IndexOutOfBoundsException(\"Position index $index must be in range [${0..size}].\")\n\n\n/**\n * Returns a reversed read-only view of the original List.\n * All changes made in the original list will be reflected in the reversed one.\n * @sample samples.collections.ReversedViews.asReversedList\n */\npublic fun <T> List<T>.asReversed(): List<T> = ReversedListReadOnly(this)\n\n/**\n * Returns a reversed mutable view of the original mutable List.\n * All changes made in the original list will be reflected in the reversed one and vice versa.\n * @sample samples.collections.ReversedViews.asReversedMutableList\n */\n@kotlin.jvm.JvmName(\"asReversedMutable\")\npublic fun <T> MutableList<T>.asReversed(): MutableList<T> = ReversedList(this)\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SequencesKt\")\n@file:OptIn(ExperimentalTypeInference::class)\n\npackage kotlin.sequences\n\nimport kotlin.coroutines.*\nimport kotlin.coroutines.intrinsics.*\nimport kotlin.experimental.ExperimentalTypeInference\n\n/**\n * Builds a [Sequence] lazily yielding values one by one.\n *\n * @see kotlin.sequences.generateSequence\n *\n * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample samples.collections.Sequences.Building.buildFibonacciSequence\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> sequence(@BuilderInference block: suspend SequenceScope<T>.() -> Unit): Sequence<T> = Sequence { iterator(block) }\n\n@SinceKotlin(\"1.3\")\n@Deprecated(\"Use 'sequence { }' function instead.\", ReplaceWith(\"sequence(builderAction)\"), level = DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic

```
inline fun <T> buildSequence(@BuilderInference noinline builderAction: suspend SequenceScope<T>.() -> Unit): Sequence<T> = Sequence { iterator(builderAction) }\n\n/**\n * Builds an [Iterator] lazily yielding values one by one.\n *\n * @sample samples.collections.Sequences.Building.buildIterator\n * @sample samples.collections.Iterables.Building.iterable\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> iterator(@BuilderInference block: suspend SequenceScope<T>.() -> Unit): Iterator<T> {\n    val iterator = SequenceBuilderIterator<T>()\n    iterator.nextStep = block.createCoroutineUnintercepted(receiver = iterator, completion = iterator)\n    return iterator\n}\n\n@SinceKotlin(\"1.3\")\n@Deprecated(\"Use 'iterator { }' function instead.\", ReplaceWith(\"iterator(builderAction)\"), level = DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic inline fun <T> buildIterator(@BuilderInference noinline builderAction: suspend SequenceScope<T>.() -> Unit): Iterator<T> = iterator(builderAction)\n\n/**\n * The scope for yielding values of a [Sequence] or an [Iterator], provides [yield] and [yieldAll] suspension functions.\n *\n * @see sequence\n * @see iterator\n *\n * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample samples.collections.Sequences.Building.buildFibonacciSequence\n */\n@RestrictsSuspension\n@SinceKotlin(\"1.3\")\npublic abstract class SequenceScope<in T> internal constructor() {\n    /**\n     * Yields a value to the [Iterator] being built and suspends\n     * until the next value is requested.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     * @sample samples.collections.Sequences.Building.buildFibonacciSequence\n     */\n    public abstract suspend fun yield(value: T)\n\n    /**\n     * Yields all values from the `iterator` to the [Iterator] being built\n     * and suspends until all these values are iterated and the next one is requested.\n     *\n     * The sequence of values returned by the given iterator can be potentially infinite.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     */\n    public abstract suspend fun yieldAll(iterator: Iterator<T>)\n\n    /**\n     * Yields a collections of values to the [Iterator] being built\n     * and suspends until all these values are iterated and the next one is requested.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     */\n    public suspend fun yieldAll(elements: Iterable<T>) {\n        if (elements is Collection && elements.isEmpty()) return\n        return yieldAll(elements.iterator())\n    }\n\n    /**\n     * Yields potentially infinite sequence of values  to the [Iterator] being built\n     * and suspends until all these values are iterated and the next one is requested.\n     *\n     * The sequence can be potentially infinite.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     */\n    public suspend fun yieldAll(sequence: Sequence<T>) = yieldAll(sequence.iterator())\n}\n\n@Deprecated(\"Use SequenceScope class instead.\", ReplaceWith(\"SequenceScope<T>\"), level = DeprecationLevel.ERROR)\npublic typealias SequenceBuilder<T> = SequenceScope<T>\n\nprivate typealias State = Int\n\nprivate const val State_NotReady: State = 0\nprivate const val State_ManyNotReady: State = 1\nprivate const val State_ManyReady: State = 2\nprivate const val State_Ready: State = 3\nprivate const val State_Done: State = 4\nprivate const val State_Failed: State = 5\n\nprivate class SequenceBuilderIterator<T> : SequenceScope<T>(), Iterator<T>, Continuation<Unit> {\n    private var state = State_NotReady\n    private var nextValue: T? = null\n    private var nextIterator: Iterator<T>? = null\n    var nextStep: Continuation<Unit>? = null\n\n    override fun hasNext(): Boolean {\n        while (true) {\n            when (state) {\n                State_NotReady -> {}\n                State_ManyNotReady ->\n                    if (nextIterator!!.hasNext()) {\n                        state = State_ManyReady\n                        return true\n                    } else {\n                        nextIterator = null\n                    }\n                State_Done -> return false\n                State_Ready, State_ManyReady -> return true\n                else -> throw exceptionalState()\n            }\n\n            state = State_Failed\n            val step = nextStep!!\n            nextStep = null\n            step.resume(Unit)\n        }\n    }\n\n    override fun next(): T {\n        when (state) {\n            State_NotReady, State_ManyNotReady -> return nextNotReady()\n            State_ManyReady -> {\n                state = State_ManyNotReady\n                return nextIterator!!.next()\n            }\n            State_Ready -> {\n                state = State_NotReady\n                @Suppress(\"UNCHECKED_CAST\")\n                val
```

```
result = nextValue as T\n                nextValue = null\n                return result\n            }\n            else -> throw exceptionalState()\n        }\n    }\n\n    private fun nextNotReady(): T {\n        if (!hasNext()) throw NoSuchElementException() else return next()\n    }\n\n    private fun exceptionalState(): Throwable = when (state) {\n        State_Done -> NoSuchElementException()\n        State_Failed -> IllegalStateException(\"Iterator has failed.\")\n        else -> IllegalStateException(\"Unexpected state of the iterator: $state\")\n    }\n\n\n    override suspend fun yield(value: T) {\n        nextValue = value\n        state = State_Ready\n        return suspendCoroutineUninterceptedOrReturn { c ->\n            nextStep = c\n            COROUTINE_SUSPENDED\n        }\n    }\n\n    override suspend fun yieldAll(iterator: Iterator<T>) {\n        if (!iterator.hasNext()) return\n        nextIterator = iterator\n        state = State_ManyReady\n        return suspendCoroutineUninterceptedOrReturn { c ->\n            nextStep = c\n            COROUTINE_SUSPENDED\n        }\n    }\n\n    // Completion continuation implementation\n    override fun resumeWith(result: Result<Unit>) {\n        result.getOrThrow() // just rethrow exception if it is there\n        state = State_Done\n    }\n\n    override val context: CoroutineContext\n        get() = EmptyCoroutineContext\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\ninternal fun checkWindowSizeStep(size: Int, step: Int) {\n    require(size > 0 && step > 0) {\n        if (size != step)\n            \"Both size $size and step $step must be greater than zero.\"\n        else\n            \"size $size must be greater than zero.\"\n    }\n}\n\ninternal fun <T> Sequence<T>.windowedSequence(size: Int, step:
 Int, partialWindows: Boolean, reuseBuffer: Boolean): Sequence<List<T>> {\n    checkWindowSizeStep(size, step)\n    return Sequence { windowedIterator(iterator(), size, step, partialWindows, reuseBuffer) }\n}\n\ninternal fun <T> windowedIterator(iterator: Iterator<T>, size: Int, step: Int, partialWindows: Boolean, reuseBuffer: Boolean): Iterator<List<T>> {\n    if (!iterator.hasNext()) return EmptyIterator\n    return iterator<List<T>> {\n        val bufferInitialCapacity = size.coerceAtMost(1024)\n        val gap = step - size\n        if (gap >= 0) {\n            var buffer = ArrayList<T>(bufferInitialCapacity)\n            var skip = 0\n            for (e in iterator) {\n                if (skip > 0) { skip -= 1; continue }\n                buffer.add(e)\n                if (buffer.size == size) {\n                    yield(buffer)\n                    if (reuseBuffer) buffer.clear() else buffer = ArrayList(size)\n                    skip = gap\n                }\n            }\n
            if (buffer.isNotEmpty()) {\n                if (partialWindows || buffer.size == size) yield(buffer)\n            }\n        } else {\n            var buffer = RingBuffer<T>(bufferInitialCapacity)\n            for (e in iterator) {\n                buffer.add(e)\n                if (buffer.isFull()) {\n                    if (buffer.size < size) { buffer = buffer.expanded(maxCapacity = size); continue }\n\n                    yield(if (reuseBuffer) buffer else ArrayList(buffer))\n                    buffer.removeFirst(step)\n                }\n            }\n            if (partialWindows) {\n                while (buffer.size > step) {\n                    yield(if (reuseBuffer) buffer else ArrayList(buffer))\n                    buffer.removeFirst(step)\n                }\n                if (buffer.isNotEmpty()) yield(buffer)\n            }\n        }\n    }\n}\n\ninternal class MovingSubList<out E>(private val list: List<E>) : AbstractList<E>(), RandomAccess {\n    private
 var fromIndex: Int = 0\n    private var _size: Int = 0\n\n    fun move(fromIndex: Int, toIndex: Int) {\n        checkRangeIndexes(fromIndex, toIndex, list.size)\n        this.fromIndex = fromIndex\n        this._size = toIndex - fromIndex\n    }\n\n    override fun get(index: Int): E {\n        checkElementIndex(index, _size)\n\n        return list[fromIndex + index]\n    }\n\n    override val size: Int get() = _size\n}\n\n\n/**\n * Provides ring buffer implementation.\n *\n * Buffer overflow is not allowed so [add] doesn't overwrite tail but raises an exception.\n */\nprivate class RingBuffer<T>(private val buffer: Array<Any?>, filledSize: Int) : AbstractList<T>(), RandomAccess {\n    init {\n        require(filledSize >= 0) { \"ring buffer filled size should not be negative but it is $filledSize\" }\n        require(filledSize <= buffer.size) { \"ring buffer filled size: $filledSize cannot be larger than the buffer size: ${buffer.size}\" }\n    }\n\n    constructor(capacity: Int)
 : this(arrayOfNulls<Any?>(capacity), 0)\n\n    private val capacity = buffer.size\n    private var startIndex: Int = 0\n\n    override var size: Int = filledSize\n        private set\n\n    override fun get(index: Int): T {\n        checkElementIndex(index, size)\n        @Suppress(\"UNCHECKED_CAST\")\n        return
```

buffer[startIndex.forward(index)] as T\n }\n\n fun isFull() = size == capacity\n\n override fun iterator(): Iterator<T> = object : AbstractIterator<T>() {\n private var count = size\n private var index = startIndex\n\n override fun computeNext() {\n if (count == 0) {\n done()\n } else {\n @Suppress(\"UNCHECKED_CAST\")\n setNext(buffer[index] as T)\n index = index.forward(1)\n count--\n }\n }\n }\n\n @Suppress(\"UNCHECKED_CAST\")\n override fun <T> toArray(array: Array<T>): Array<T> {\n val result: Array<T?> =\n if (array.size < this.size) array.copyOf(this.size) else array as Array<T?>\n\n val size = this.size\n\n var widx = 0\n var idx = startIndex\n\n while (widx < size && idx < capacity) {\n result[widx] = buffer[idx] as T\n widx++\n idx++\n }\n\n idx = 0\n while (widx < size) {\n result[widx] = buffer[idx] as T\n widx++\n idx++\n }\n if (result.size > this.size) result[this.size] = null\n\n return result as Array<T>\n }\n\n override fun toArray(): Array<Any?> {\n return toArray(arrayOfNulls(size))\n }\n\n /**\n * Creates a new ring buffer with the capacity equal to the minimum of [maxCapacity] and 1.5 * [capacity].\n * The returned ring buffer contains the same elements as this ring buffer.\n */\n fun expanded(maxCapacity: Int): RingBuffer<T> {\n val newCapacity = (capacity + (capacity shr 1) + 1).coerceAtMost(maxCapacity)\n val newBuffer = if (startIndex == 0) buffer.copyOf(newCapacity) else toArray(arrayOfNulls(newCapacity))\n return RingBuffer(newBuffer, size)\n }\n\n /**\n * Add [element] to the buffer or fail with [IllegalStateException] if no free space available in the buffer\n */\n fun add(element: T) {\n if (isFull()) {\n throw IllegalStateException(\"ring buffer is full\")\n }\n\n buffer[startIndex.forward(size)] = element\n size++\n }\n\n /**\n * Removes [n] first elements from the buffer or fails with [IllegalArgumentException] if not enough elements in the buffer to remove\n */\n fun removeFirst(n: Int) {\n require(n >= 0) { \"n shouldn't be negative but it is $n\" }\n require(n <= size) { \"n shouldn't be greater than the buffer size: n = $n, size = $size\" }\n\n if (n > 0) {\n val start = startIndex\n val end = start.forward(n)\n\n if (start > end) {\n buffer.fill(null, start, capacity)\n buffer.fill(null, 0, end)\n } else {\n buffer.fill(null, start, end)\n }\n\n startIndex = end\n size -= n\n }\n }\n\n @Suppress(\"NOTHING_TO_INLINE\")\n private inline fun Int.forward(n: Int): Int = (this + n) % capacity\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n// UByteArray ==\n@ExperimentalUnsignedTypes\nprivate fun partition(\n array: UByteArray, left: Int, right: Int): Int {\n var i = left\n var j = right\n val pivot = array[(left + right) / 2]\n while (i <= j) {\n while (array[i] < pivot)\n i++\n while (array[j] > pivot)\n j--\n if (i <= j) {\n val tmp = array[i]\n array[i] = array[j]\n array[j] = tmp\n i++\n j--\n }\n }\n return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n array: UByteArray, left: Int, right: Int) {\n val index = partition(array, left, right)\n if (left < index - 1)\n quickSort(array, left, index - 1)\n if (index < right)\n quickSort(array, index, right)\n}\n\n// UShortArray ==\n@ExperimentalUnsignedTypes\nprivate fun partition(\n array: UShortArray, left: Int, right: Int): Int {\n var i = left\n var j = right\n val pivot = array[(left + right) / 2]\n while (i <= j) {\n while (array[i] < pivot)\n i++\n while (array[j] > pivot)\n j--\n if (i <= j) {\n val tmp = array[i]\n array[i] = array[j]\n array[j] = tmp\n i++\n j--\n }\n }\n return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n array: UShortArray, left: Int, right: Int) {\n val index = partition(array, left, right)\n if (left < index - 1)\n quickSort(array, left, index - 1)\n if (index < right)\n quickSort(array, index, right)\n}\n\n// UIntArray ==\n@Exp

erimentalUnsignedTypes\nprivate fun partition(\n array: UIntArray, left: Int, right: Int): Int {\n var i = left\n var j = right\n val pivot = array[(left + right) / 2]\n while (i <= j) {\n while (array[i] < pivot)\n i++\n while (array[j] > pivot)\n j--\n if (i <= j) {\n val tmp = array[i]\n array[i] = array[j]\n array[j] = tmp\n i++\n j--\n }\n }\n return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n array: UIntArray, left: Int, right: Int) {\n val index = partition(array, left, right)\n if (left < index - 1)\n quickSort(array, left, index - 1)\n if (index < right)\n quickSort(array, index, right)\n}\n\n// ULongArray
==========\n@ExperimentalUnsignedTypes\nprivate fun partition(\n array: ULongArray, left: Int, right: Int): Int {\n var i = left\n var j = right\n val pivot = array[(left + right) / 2]\n while (i <= j) {\n while (array[i] < pivot)\n i++\n while (array[j] > pivot)\n j--\n if (i <= j) {\n val tmp = array[i]\n array[i] = array[j]\n array[j] = tmp\n i++\n j--\n }\n }\n return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n array: ULongArray, left: Int, right: Int) {\n val index = partition(array, left, right)\n if (left < index - 1)\n quickSort(array, left, index - 1)\n if (index < right)\n quickSort(array, index, right)\n}\n\n\n// Interfaces
==========\n/**\n * Sorts the given array using qsort algorithm.\n */\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UByteArray, fromIndex: Int, toIndex: Int) = quickSort(array, fromIndex, toIndex - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UShortArray, fromIndex: Int, toIndex: Int) = quickSort(array, fromIndex, toIndex - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UIntArray, fromIndex: Int, toIndex: Int) = quickSort(array, fromIndex, toIndex - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: ULongArray, fromIndex: Int, toIndex: Int) = quickSort(array, fromIndex, toIndex - 1)","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.internal.InlineOnly\n\n/**\n * Compares this object with the specified object for order. Returns zero if this object is equal\n * to the specified [other] object, a negative number if it's less than [other], or a positive number\n * if it's greater than [other].\n *\n * This function delegates to [Comparable.compareTo] and allows to call it in infix form.\n */\n@InlineOnly\n@SinceKotlin(\"1.6\")\npublic inline infix fun <T> Comparable<T>.compareTo(other: T): Int =\n this.compareTo(other)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.contracts\n\nimport kotlin.internal.ContractsDsl\nimport kotlin.internal.InlineOnly\n\n/**\n * This marker distinguishes the experimental contract declaration API and is used to opt-in for that feature\n * when declaring contracts of user functions.\n *\n * Any usage of a declaration annotated with `@ExperimentalContracts` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalContracts::class)`,\n * or by using the compiler argument `-opt-in=kotlin.contracts.ExperimentalContracts`.\n */\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin(\"1.3\")\n@RequiresOptIn\n@MustBeDocumented\npublic annotation class ExperimentalContracts\n\n/**\n * Provides a scope, where the functions of the contract DSL, such as [returns], [callsInPlace], etc.,\n * can be used to describe the contract of a function.\n *\n * This type is used as a receiver type of the lambda function passed to the [contract] function.\n *\n * @see contract\n */\n@ContractsDsl\n@ExperimentalContracts\n@SinceKotlin(\"1.3\")\npublic interface ContractBuilder {\n /**\n * Describes a situation when a function returns normally, without any exceptions thrown.\n *\n * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n *\n */\n // @sample samples.contracts.returnsContract\n @ContractsDsl public fun returns(): Returns\n\n /**\n * Describes a situation when a function returns normally with the specified return [value].\n *\n * The possible values of

[value] are limited to `true`, `false` or `null`.\n *\n * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n *\n */\n // @sample samples.contracts.returnsTrueContract\n // @sample samples.contracts.returnsFalseContract\n // @sample samples.contracts.returnsNullContract\n @ContractsDsl public fun returns(value: Any?): Returns\n\n /**\n * Describes a situation when a function returns normally with any value that is not `null`.\n *\n * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n *\n */\n // @sample samples.contracts.returnsNotNullContract\n @ContractsDsl public fun returnsNotNull(): ReturnsNotNull\n\n /**\n * Specifies that the function parameter [lambda] is invoked in place.\n *\n * This contract specifies that:\n * 1. the function [lambda] can only be invoked during the call of the owner function,\n * and it won't be invoked after that owner function call is completed;\n * 2. _(optionally)_ the function [lambda] is invoked the amount of times specified by the [kind] parameter,\n * see the [InvocationKind] enum for possible values.\n *\n * A function declaring the `callsInPlace` effect must be _inline_.\n *\n */\n /* @sample samples.contracts.callsInPlaceAtMostOnceContract\n * @sample samples.contracts.callsInPlaceAtLeastOnceContract\n * @sample samples.contracts.callsInPlaceExactlyOnceContract\n * @sample samples.contracts.callsInPlaceUnknownContract\n */\n @ContractsDsl public fun <R> callsInPlace(lambda: Function<R>, kind: InvocationKind = InvocationKind.UNKNOWN): CallsInPlace\n}\n\n/**\n * Specifies how many times a function invokes its function parameter in place.\n *\n * See [ContractBuilder.callsInPlace] for the details of the call-in-place function contract.\n */\n@ContractsDsl\n@ExperimentalContracts\n@SinceKotlin(\"1.3\")\npublic enum class InvocationKind {\n /**\n * A function parameter will be invoked one time or not invoked at all.\n */\n // @sample samples.contracts.callsInPlaceAtMostOnceContract\n @ContractsDsl AT_MOST_ONCE,\n\n /**\n * A function parameter will be invoked one or more times.\n *\n */\n // @sample samples.contracts.callsInPlaceAtLeastOnceContract\n @ContractsDsl AT_LEAST_ONCE,\n\n /**\n * A function parameter will be invoked exactly one time.\n *\n */\n // @sample samples.contracts.callsInPlaceExactlyOnceContract\n @ContractsDsl EXACTLY_ONCE,\n\n /**\n * A function parameter is called in place, but it's unknown how many times it can be called.\n *\n */\n // @sample samples.contracts.callsInPlaceUnknownContract\n @ContractsDsl UNKNOWN\n}\n\n/**\n * Specifies the contract of a function.\n *\n * The contract description must be at the beginning of a function and have at least one effect.\n *\n * Only the top-level functions can have a contract for now.\n *\n * @param builder the lambda where the contract of a function is described with the help of the [ContractBuilder] members.\n *\n */\n/* @sample samples.contracts.returnsContract\n* @sample samples.contracts.returnsTrueContract\n* @sample samples.contracts.returnsFalseContract\n* @sample samples.contracts.returnsNullContract\n* @sample samples.contracts.returnsNotNullContract\n* @sample samples.contracts.callsInPlaceAtMostOnceContract\n* @sample samples.contracts.callsInPlaceAtLeastOnceContract\n* @sample samples.contracts.callsInPlaceExactlyOnceContract\n* @sample samples.contracts.callsInPlaceUnknownContract\n*/\n@ContractsDsl\n@ExperimentalContracts\n@InlineOnly\n@SinceKotlin(\"1.3\")\n@Suppress(\"UNUSED_PARAMETER\")\npublic inline fun contract(builder: ContractBuilder.() -> Unit) { }\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\n/**\n * Marks coroutine context element that intercepts coroutine continuations.\n * The coroutines framework uses [ContinuationInterceptor.Key] to retrieve the interceptor and\n * intercepts all coroutine continuations with [interceptContinuation] invocations.\n *\n * [ContinuationInterceptor] behaves like a [polymorphic element][AbstractCoroutineContextKey], meaning that\n * its implementation delegates [get][CoroutineContext.Element.get] and [minusKey][CoroutineContext.Element.minusKey]\n

```
 * to [getPolymorphicElement] and [minusPolymorphicKey] respectively.\n * [ContinuationInterceptor] subtypes can be extracted from the coroutine context using either [ContinuationInterceptor.Key]\n * or subtype key if it extends [AbstractCoroutineContextKey].\n */\n@SinceKotlin(\"1.3\")\npublic interface ContinuationInterceptor : CoroutineContext.Element {\n    /**\n     * The key that defines *the* context interceptor.\n     */\n    companion object Key : CoroutineContext.Key<ContinuationInterceptor>\n\n    /**\n     * Returns continuation that wraps the original [continuation], thus intercepting all resumptions.\n     * This function is invoked by coroutines framework when needed and the resulting continuations are\n     * cached internally per each instance of the original [continuation].\n     *\n     * This function may simply return original [continuation] if it does not want to intercept this particular continuation.\n     *\n     * When the original [continuation] completes, coroutine framework invokes [releaseInterceptedContinuation]\n     * with the resulting continuation if it was intercepted, that is if `interceptContinuation` had previously\n     * returned a different continuation instance.\n     */\n    public fun <T> interceptContinuation(continuation: Continuation<T>): Continuation<T>\n\n    /**\n     * Invoked for the continuation instance returned by [interceptContinuation] when the original\n     * continuation completes and will not be used anymore. This function is invoked only if [interceptContinuation]\n     * had returned a different continuation instance from the one it was invoked with.\n     *\n     * Default implementation does nothing.\n     *\n     * @param continuation Continuation instance returned by this interceptor's [interceptContinuation] invocation.\n     */\n    public fun releaseInterceptedContinuation(continuation: Continuation<*>) {\n        /* do nothing by default */\n    }\n\n    public override operator fun <E : CoroutineContext.Element> get(key: CoroutineContext.Key<E>): E? {\n        // getPolymorphicKey specialized for ContinuationInterceptor key\n        @OptIn(ExperimentalStdlibApi::class)\n        if (key is AbstractCoroutineContextKey<*, *>) {\n            @Suppress(\"UNCHECKED_CAST\")\n            return if (key.isSubKey(this.key)) key.tryCast(this) as? E else null\n        }\n        @Suppress(\"UNCHECKED_CAST\")\n        return if (ContinuationInterceptor === key) this as E else null\n    }\n\n\n    public override fun minusKey(key: CoroutineContext.Key<*>): CoroutineContext {\n        // minusPolymorphicKey specialized for ContinuationInterceptor key\n        @OptIn(ExperimentalStdlibApi::class)\n        if (key is AbstractCoroutineContextKey<*, *>) {\n            return if (key.isSubKey(this.key) && key.tryCast(this) != null) EmptyCoroutineContext else this\n        }\n        return if (ContinuationInterceptor === key) EmptyCoroutineContext else this\n    }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\n/**\n * Persistent context for the coroutine. It is an indexed set of [Element] instances.\n * An indexed set is a mix between a set and a map.\n * Every element in this set has a unique [Key].\n */\n@SinceKotlin(\"1.3\")\npublic interface CoroutineContext {\n    /**\n     * Returns the element with the given [key] from this context or `null`.\n     */\n    public operator fun <E : Element> get(key: Key<E>): E?\n\n    /**\n     * Accumulates entries of this context starting with [initial] value and applying [operation]\n     * from left to right to current accumulator value and each element of this context.\n     */\n    public fun <R> fold(initial: R, operation: (R, Element) -> R): R\n\n    /**\n     * Returns a context containing elements from this context and elements from  other [context].\n     * The elements from this context with the same key as in the other one are dropped.\n     */\n    public operator fun plus(context: CoroutineContext): CoroutineContext =\n        if (context === EmptyCoroutineContext) this else // fast path -- avoid lambda creation\n            context.fold(this) { acc, element ->\n                val removed = acc.minusKey(element.key)\n                if (removed === EmptyCoroutineContext) element else {\n                    // make sure interceptor is always last in the context (and thus is fast to get when present)\n                    val interceptor = removed[ContinuationInterceptor]\n                    if (interceptor == null) CombinedContext(removed, element) else {\n                        val left = removed.minusKey(ContinuationInterceptor)\n                        if (left === EmptyCoroutineContext) CombinedContext(element, interceptor) else\n                            CombinedContext(CombinedContext(left, element), interceptor)\n                    }\n                }\n            }\n\n    /**\n     * Returns a context containing elements from this context, but without an element with\n     * the specified [key].\n     */\n    public fun minusKey(key:
```

Key<*>): CoroutineContext\n\n /**\n * Key for the elements of [CoroutineContext]. [E] is a type of element with this key.\n */\n public interface Key<E : Element>\n\n /**\n * An element of the [CoroutineContext]. An element of the coroutine context is a singleton context by itself.\n */\n public interface Element : CoroutineContext {\n /**\n * A key of this coroutine context element.\n */\n public val key: Key<*>\n\n public override operator fun <E : Element> get(key: Key<E>): E? =\n @Suppress(\"UNCHECKED_CAST\")\n if (this.key == key) this as E else null\n\n public override fun <R> fold(initial: R, operation: (R, Element) ->
R): R =\n operation(initial, this)\n\n public override fun minusKey(key: Key<*>): CoroutineContext =\n if (this.key == key) EmptyCoroutineContext else this\n }\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport kotlin.coroutines.CoroutineContext.Element\nimport kotlin.coroutines.CoroutineContext.Key\n\n/**\n * Base class for [CoroutineContext.Element] implementations.\n */\n@SinceKotlin(\"1.3\")\npublic abstract class AbstractCoroutineContextElement(public override val key: Key<*>) : Element\n\n/**\n * Base class for [CoroutineContext.Key] associated with polymorphic [CoroutineContext.Element] implementation.\n * Polymorphic element implementation implies delegating its [get][Element.get] and [minusKey][Element.minusKey]\n * to [getPolymorphicElement]
and [minusPolymorphicKey] respectively.\n *\n * Polymorphic elements can be extracted from the coroutine context using both element key and its supertype key.\n * Example of polymorphic elements:\n * ```\n * open class BaseElement : CoroutineContext.Element {\n * companion object Key : CoroutineContext.Key<BaseElement>\n * override val key: CoroutineContext.Key<*> get() = Key\n * // It is important to use getPolymorphicKey and minusPolymorphicKey\n * override fun <E : CoroutineContext.Element> get(key: CoroutineContext.Key<E>): E? = getPolymorphicElement(key)\n * override fun minusKey(key: CoroutineContext.Key<*>): CoroutineContext = minusPolymorphicKey(key)\n * }\n *\n * class DerivedElement : BaseElement() {\n * companion object Key : AbstractCoroutineContextKey<BaseElement, DerivedElement>(BaseElement, { it as? DerivedElement })\n * }\n * // Now it is possible to query both `BaseElement` and `DerivedElement`\n * someContext[BaseElement] // Returns BaseElement?,
non-null both for BaseElement and DerivedElement instances\n * someContext[DerivedElement] // Returns DerivedElement?, non-null only for DerivedElement instance\n * ```\n * @param B base class of a polymorphic element\n * @param baseKey an instance of base key\n * @param E element type associated with the current key\n * @param safeCast a function that can safely cast abstract [CoroutineContext.Element] to the concrete [E] type\n * and return the element if it is a subtype of [E] or `null` otherwise.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic abstract class AbstractCoroutineContextKey<B : Element, E : B>(\n baseKey: Key<B>,\n private val safeCast: (element: Element) -> E?\n) : Key<E> {\n private val topmostKey: Key<*> = if (baseKey is AbstractCoroutineContextKey<*, *>) baseKey.topmostKey else baseKey\n\n internal fun tryCast(element: Element): E? = safeCast(element)\n internal fun isSubKey(key: Key<*>): Boolean = key === this || topmostKey
=== key\n}\n\n/**\n * Returns the current element if it is associated with the given [key] in a polymorphic manner or `null` otherwise.\n * This method returns non-null value if either [Element.key] is equal to the given [key] or if the [key] is associated\n * with [Element.key] via [AbstractCoroutineContextKey].\n * See [AbstractCoroutineContextKey] for the example of usage.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun <E : Element> Element.getPolymorphicElement(key: Key<E>): E? {\n if (key is AbstractCoroutineContextKey<*, *>) {\n @Suppress(\"UNCHECKED_CAST\")\n return if (key.isSubKey(this.key)) key.tryCast(this) as? E else null\n }\n @Suppress(\"UNCHECKED_CAST\")\n return if (this.key === key) this as E else null\n}\n\n/**\n * Returns empty coroutine context if the element is associated with the given [key] in a polymorphic manner\n * or `null` otherwise.\n * This method returns empty context if either [Element.key] is equal to the

given [key] or if the [key] is associated\n * with [Element.key] via [AbstractCoroutineContextKey].\n * See [AbstractCoroutineContextKey] for the example of usage.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun Element.minusPolymorphicKey(key: Key<*>): CoroutineContext {\n if (key is AbstractCoroutineContextKey<*, *>) {\n return if (key.isSubKey(this.key) && key.tryCast(this) != null) EmptyCoroutineContext else this\n }\n return if (this.key === key) EmptyCoroutineContext else this\n}\n\n/**\n * An empty coroutine context.\n */\n@SinceKotlin(\"1.3\")\npublic object EmptyCoroutineContext : CoroutineContext, Serializable {\n private const val serialVersionUID: Long = 0\n private fun readResolve(): Any = EmptyCoroutineContext\n\n public override fun <E : Element> get(key: Key<E>): E? = null\n public override fun <R> fold(initial: R, operation: (R, Element) -> R): R = initial\n public override fun plus(context: CoroutineContext): CoroutineContext = context\n public override fun minusKey(key: Key<*>): CoroutineContext = this\n public override fun hashCode(): Int = 0\n public override fun toString(): String = \"EmptyCoroutineContext\"\n}\n\n//---------- internal impl ----------\n\n// this class is not exposed, but is hidden inside implementations\n// this is a left-biased list, so that `plus` works naturally\n@SinceKotlin(\"1.3\")\ninternal class CombinedContext(\n private val left: CoroutineContext,\n private val element: Element\n) : CoroutineContext, Serializable {\n\n override fun <E : Element> get(key: Key<E>): E? {\n var cur = this\n while (true) {\n cur.element[key]?.let { return it }\n val next = cur.left\n if (next is CombinedContext) {\n cur = next\n } else {\n return next[key]\n }\n }\n }\n\n public override fun <R> fold(initial: R, operation: (R, Element) -> R): R =\n operation(left.fold(initial, operation), element)\n\n public override fun minusKey(key: Key<*>): CoroutineContext {\n element[key]?.let { return left }\n val newLeft = left.minusKey(key)\n return when {\n newLeft === left -> this\n newLeft === EmptyCoroutineContext -> element\n else -> CombinedContext(newLeft, element)\n }\n }\n\n private fun size(): Int {\n var cur = this\n var size = 2\n while (true) {\n cur = cur.left as? CombinedContext ?: return size\n size++\n }\n }\n\n private fun contains(element: Element): Boolean =\n get(element.key) == element\n\n private fun containsAll(context: CombinedContext): Boolean {\n var cur = context\n while (true) {\n if (!contains(cur.element)) return false\n val next = cur.left\n if (next is CombinedContext) {\n cur = next\n } else {\n return contains(next as Element)\n }\n }\n }\n\n override fun equals(other: Any?): Boolean =\n this === other || other is CombinedContext && other.size() == size() && other.containsAll(this)\n\n override fun hashCode(): Int = left.hashCode() + element.hashCode()\n\n override fun toString(): String =\n \"[\" + fold(\"\") { acc, element ->\n if (acc.isEmpty()) element.toString() else \"$acc, $element\"\n } + \"]\"\n\n private fun writeReplace(): Any {\n val n = size()\n val elements = arrayOfNulls<CoroutineContext>(n)\n var index = 0\n fold(Unit) { _, element -> elements[index++] = element }\n check(index == n)\n @Suppress(\"UNCHECKED_CAST\")\n return Serialized(elements as Array<CoroutineContext>)\n }\n\n private class Serialized(val elements: Array<CoroutineContext>) : Serializable {\n companion object {\n private const val serialVersionUID: Long = 0L\n }\n\n private fun readResolve(): Any = elements.fold(EmptyCoroutineContext, CoroutineContext::plus)\n }\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"IntrinsicsKt\")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin.coroutines.intrinsics\n\nimport kotlin.contracts.*\nimport kotlin.coroutines.*\nimport kotlin.internal.InlineOnly\n\n/**\n * Obtains the current continuation instance inside suspend functions and either suspends\n * currently running coroutine or returns result immediately without suspension.\n *\n * If the [block] returns the special [COROUTINE_SUSPENDED] value, it means that suspend function did suspend the execution and will\n * not return any result immediately. In this case, the [Continuation] provided to the [block] shall

be\n * resumed by invoking [Continuation.resumeWith] at some moment in the\n * future when the result becomes available to resume the computation.\n *\n * Otherwise, the return value of the [block] must have a type assignable to [T] and represents the result of this suspend function.\n * It means that the execution was not suspended and the [Continuation] provided to the [block] shall not be invoked.\n * As the result type of the [block] is declared as `Any?` and cannot be correctly type-checked,\n * its proper return type remains on the conscience of the suspend function's author.\n *\n * Invocation of [Continuation.resumeWith] resumes coroutine directly in the invoker's thread without going through the\n * [ContinuationInterceptor] that might be present in the coroutine's [CoroutineContext].\n * It is the invoker's responsibility to ensure that a proper invocation context is established.\n * [Continuation.intercepted] can be used to acquire the intercepted continuation.\n *\n * Note that it is not recommended to call either [Continuation.resume] nor [Continuation.resumeWithException] functions synchronously\n * in the same stackframe where suspension function is run. Use [suspendCoroutine] as a safer way to obtain current\n * continuation instance.\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\n@Suppress(\"UNUSED_PARAMETER\", \"RedundantSuspendModifier\")\npublic suspend inline fun <T> suspendCoroutineUninterceptedOrReturn(crossinline block: (Continuation<T>) -> Any?): T {\n   contract { callsInPlace(block, InvocationKind.EXACTLY_ONCE) }\n   throw NotImplementedError(\"Implementation of suspendCoroutineUninterceptedOrReturn is intrinsic\")\n}\n\n/**\n * This value is used as a return value of [suspendCoroutineUninterceptedOrReturn] `block` argument to state that\n * the execution was suspended and will not return any result immediately.\n *\n * **Note: this value should not be used in general code.** Using it outside of the context of\n * `suspendCoroutineUninterceptedOrReturn` function return value (including, but not limited to,\n * storing this value in other properties, returning it from other functions, etc)\n * can lead to unspecified behavior of the code.\n */\n// It is implemented as property with getter to avoid ProGuard <clinit> problem with multifile IntrinsicsKt class\n@SinceKotlin(\"1.3\")\npublic val COROUTINE_SUSPENDED: Any get() = CoroutineSingletons.COROUTINE_SUSPENDED\n\n// Using enum here ensures two important properties:\n// 1. It makes SafeContinuation serializable with all kinds of serialization frameworks (since all of them natively support enums)\n// 2. It improves debugging experience, since you clearly see toString() value of those objects and what package they come from\n@SinceKotlin(\"1.3\")\n@PublishedApi // This class is Published API via serialized representation of SafeContinuation, don't rename/move\ninternal enum class CoroutineSingletons { COROUTINE_SUSPENDED, UNDECIDED, RESUMED }\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.experimental\n\n/** Performs a bitwise AND operation between the two values. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.and(other: Byte): Byte = (this.toInt() and other.toInt()).toByte()\n\n/** Performs a bitwise OR operation between the two values. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.or(other: Byte): Byte = (this.toInt() or other.toInt()).toByte()\n\n/** Performs a bitwise XOR operation between the two values. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.xor(other: Byte): Byte = (this.toInt() xor other.toInt()).toByte()\n\n/** Inverts the bits in this value. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.inv(): Byte = (this.toInt().inv()).toByte()\n\n\n/** Performs a bitwise AND operation between the two values. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.and(other: Short): Short = (this.toInt() and other.toInt()).toShort()\n\n/** Performs a bitwise OR operation between the two values. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.or(other: Short): Short = (this.toInt() or other.toInt()).toShort()\n\n/** Performs a bitwise XOR operation between the two values. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.xor(other: Short): Short = (this.toInt() xor other.toInt()).toShort()\n\n/** Inverts the bits in this value.

/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun Short.inv(): Short = (this.toInt().inv()).toShort()\n\n\n","/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.experimental\n\n/**\n * The experimental marker for type inference augmenting annotations.\n *\n * Any usage of a declaration annotated with `@ExperimentalTypeInference` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalTypeInference::class)`,\n * or by using the compiler argument `-opt-in=kotlin.experimental.ExperimentalTypeInference`.\n */\n@RequiresOptIn(level = RequiresOptIn.Level.ERROR)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.ANNOTATION_CLASS)\n@SinceKotlin(\"1.3\")\npublic annotation class ExperimentalTypeInference\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.internal\n\n/**\n * Specifies that the corresponding type should be ignored during type inference.\n */\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class NoInfer\n\n/**\n * Specifies that the constraint built for the type during type inference should be an equality one.\n */\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class Exact\n\n/**\n * Specifies that a corresponding member has the lowest priority in overload resolution.\n */\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.CONSTRUCTOR)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class LowPriorityInOverloadResolution\n\n/**\n * Specifies that the corresponding member has the highest priority in overload resolution. Effectively this means that\n * an extension annotated with this annotation will win in overload resolution over a member with the same signature.\n */\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class HidesMembers\n\n/**\n * The value of this type parameter should be mentioned in input types (argument types, receiver type or expected type).\n */\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class OnlyInputTypes\n\n/**\n * Specifies that this function should not be called directly without inlining\n */\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.PROPERTY_GETTER, AnnotationTarget.PROPERTY_SETTER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class InlineOnly\n\n/**\n * Specifies that this declaration can have dynamic receiver type.\n */\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class DynamicExtension\n\n/**\n * The value of this parameter should be a property reference expression (`this::foo`), referencing a `lateinit` property,\n * the backing field of which is accessible at the point where the corresponding argument is passed.\n */\n@Target(AnnotationTarget.VALUE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin(\"1.2\")\ninternal annotation class AccessibleLateinitPropertyLiteral\n\n/**\n * Specifies that this declaration is only completely supported since the specified version.\n *\n * The Kotlin compiler of an earlier version is going to report a diagnostic on usages of this declaration.\n * The diagnostic message can be specified with [message], or via [errorCode] (takes less space, but might not be immediately clear\n * to the user). The diagnostic severity can be specified with [level]: WARNING/ERROR mean that either a warning or an error\n * is going to be reported, HIDDEN means that the declaration is going to be removed from resolution completely.\n *\n * [versionKind] specifies which version should be compared with the [version] value, when compiling the usage of the annotated declaration.\n *

Note that prior to 1.2, only [RequireKotlinVersionKind.LANGUAGE_VERSION] was supported, so the Kotlin compiler before 1.2 is going to\n * treat any [RequireKotlin] as if it requires the language version. Since 1.2, the

Kotlin compiler supports\n * [RequireKotlinVersionKind.LANGUAGE_VERSION], [RequireKotlinVersionKind.COMPILER_VERSION] and [RequireKotlinVersionKind.API_VERSION].\n * If the actual value of [versionKind] is something different (e.g. a new version kind, added in future versions of Kotlin),\n * Kotlin 1.2 is going to ignore this [RequireKotlin] altogether, where as Kotlin before 1.2 is going to treat this as a requirement\n * on the language version.\n *\n * This annotation is erased at compile time; its arguments are stored in a more compact form in the Kotlin metadata.\n */\n@Target(AnnotationTarget.CLASS, AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.CONSTRUCTOR, AnnotationTarget.TYPEALIAS)\n@Retention(AnnotationRetention.SOURCE)\n@Repeatable\n@SinceKotlin(\"1.2\")\ninternal
annotation class RequireKotlin(\n   val version: String,\n   val message: String = \"\",\n   val level: DeprecationLevel = DeprecationLevel.ERROR,\n   val versionKind: RequireKotlinVersionKind = RequireKotlinVersionKind.LANGUAGE_VERSION,\n   val errorCode: Int = -1)\n\n/**\n * The kind of the version that is required by [RequireKotlin].\n */\n@SinceKotlin(\"1.2\")\ninternal enum class RequireKotlinVersionKind {\n   LANGUAGE_VERSION,\n   COMPILER_VERSION,\n   API_VERSION,\n}\n\n/**\n * Specifies that this declaration is a part of special DSL, used for constructing function's contract.\n */\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin(\"1.2\")\ninternal annotation class ContractsDsl\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n
 * Standard property delegates.\n */\npublic object Delegates {\n   /**\n   * Returns a property delegate for a read/write property with a non-`null` value that is initialized not during\n   * object construction time but at a later time. Trying to read the property before the initial value has been\n   * assigned results in an exception.\n   *\n   * @sample samples.properties.Delegates.notNullDelegate\n   */\n   public fun <T : Any> notNull(): ReadWriteProperty<Any?, T> = NotNullVar()\n\n   /**\n   * Returns a property delegate for a read/write property that calls a specified callback function when changed.\n   * @param initialValue the initial value of the property.\n
 * @param onChange the callback which is called after the change of the property is made. The value of the property\n   * has already been changed when this callback is invoked.\n   *\n   * @sample samples.properties.Delegates.observableDelegate\n   */\n   public
 inline fun <T> observable(initialValue: T, crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Unit):\n   ReadWriteProperty<Any?, T> =\n   object : ObservableProperty<T>(initialValue) {\n override fun afterChange(property: KProperty<*>, oldValue: T, newValue: T) = onChange(property, oldValue, newValue)\n   }\n\n   /**\n   * Returns a property delegate for a read/write property that calls a specified callback function when changed,\n   * allowing the callback to veto the modification.\n   * @param initialValue the initial value of the property.\n   * @param onChange the callback which is called before a change to the property value is attempted.\n   * The value of the property hasn't been changed yet, when this callback is invoked.\n   * If the callback returns `true` the value of the property is being set to the new value,\n   * and if the callback returns `false` the new value is discarded and the property remains
 its old value.\n   *\n   * @sample samples.properties.Delegates.vetoableDelegate\n   * @sample samples.properties.Delegates.throwVetoableDelegate\n   */\n   public inline fun <T> vetoable(initialValue: T, crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Boolean):\n ReadWriteProperty<Any?, T> =\n   object : ObservableProperty<T>(initialValue) {\n   override fun beforeChange(property: KProperty<*>, oldValue: T, newValue: T): Boolean = onChange(property, oldValue, newValue)\n   }\n\n}\n\n\nprivate class NotNullVar<T : Any>() : ReadWriteProperty<Any?, T> {\n   private var value: T? = null\n\n   public override fun getValue(thisRef: Any?, property: KProperty<*>): T {\n   return value ?: throw IllegalStateException(\"Property ${property.name} should be initialized before get.\")\n   }\n\n   public override fun setValue(thisRef: Any?, property: KProperty<*>, value: T) {\n   this.value = value\n   }\n}\n\n","/*\n

* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n * Base interface that can be used for implementing property delegates of read-only properties.\n *\n * This is provided only for convenience; you don't have to extend this interface\n * as long as your property delegate has methods with the same signatures.\n *\n * @param T the type of object which owns the delegated property.\n * @param V the type of the property value.\n */\npublic fun interface ReadOnlyProperty<in T, out V> {\n   /**\n   * Returns the value of the property for the given object.\n   * @param thisRef the object for which the value is requested.\n   * @param property the metadata for the property.\n   * @return the property value.\n   */\n   public operator fun getValue(thisRef: T, property: KProperty<*>): V\n}\n\n/**\n * Base interface that can be used for implementing property delegates of read-write properties.\n *\n * This is provided only for convenience; you don't have to extend this interface\n * as long as your property delegate has methods with the same signatures.\n *\n * @param T the type of object which owns the delegated property.\n * @param V the type of the property value.\n */\npublic interface ReadWriteProperty<in T, V> : ReadOnlyProperty<T, V> {\n   /**\n   * Returns the value of the property for the given object.\n   * @param thisRef the object for which the value is requested.\n   * @param property the metadata for the property.\n   * @return the property value.\n   */\n   public override operator fun getValue(thisRef: T, property: KProperty<*>): V\n\n   /**\n   * Sets the value of the property for the given object.\n   * @param thisRef the object for which the value is requested.\n   * @param property the metadata for the property.\n   * @param value the value to set.\n   */\n   public operator fun setValue(thisRef: T, property: KProperty<*>, value: V)\n}\n\n/**\n * Base interface that can be used for implementing property delegate providers.\n *\n * This is provided only for convenience; you don't have to extend this interface\n * as long as your delegate provider has a method with the same signature.\n *\n * @param T the type of object which owns the delegated property.\n * @param D the type of property delegates this provider provides.\n */\n@SinceKotlin(\"1.4\")\npublic fun interface PropertyDelegateProvider<in T, out D> {\n   /**\n   * Returns the delegate of the property for the given object.\n   *\n   * This function can be used to extend the logic of creating the object (e.g. perform validation checks)\n   * to which the property implementation is delegated.\n   *\n   * @param thisRef the object for which property delegate is requested.\n   * @param property the metadata for the property.\n   * @return the property delegate.\n   */\n   public operator fun provideDelegate(thisRef: T, property: KProperty<*>): D\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n * Implements the core logic of a property delegate for a read/write property that calls callback functions when changed.\n * @param initialValue the initial value of the property.\n */\npublic abstract class ObservableProperty<V>(initialValue: V) : ReadWriteProperty<Any?, V> {\n   private var value = initialValue\n\n   /**\n   * The callback which is called before a change to the property value is attempted.\n   * The value of the property hasn't been changed yet, when this callback is invoked.\n   * If the callback returns `true` the value of the property is being set to the new value,\n   * and if the callback returns `false` the new value is discarded and the property remains its old value.\n   */\n   protected open fun beforeChange(property: KProperty<*>, oldValue: V, newValue: V): Boolean = true\n\n   /**\n   * The callback which is called after the change of the property is made. The value of the property\n   * has already been changed when this callback is invoked.\n   */\n   protected open fun afterChange(property: KProperty<*>, oldValue: V, newValue: V): Unit {}\n\n   public override fun getValue(thisRef: Any?, property: KProperty<*>): V {\n   return value\n   }\n\n   public override fun setValue(thisRef: Any?, property: KProperty<*>, value: V) {\n   val oldValue = this.value\n   if (!beforeChange(property, oldValue, value)) {\n   return\n   }\n   this.value = value\n   afterChange(property, oldValue, value)\n   }\n}","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:Suppress(\"PackageDirectoryMismatch\")\npackage kotlin\n\nimport kotlin.reflect.*\n\n/**\n * An extension operator that allows delegating a read-only property of type

[V]\n * to a property reference to a property of type [V] or its subtype.\n *\n * @receiver A property reference to a read-only or mutable property of type [V] or its subtype.\n * The reference is without a receiver, i.e. it either references a top-level property or\n * has the receiver bound to it.\n *\n * Example:\n *\n * ```\n * class Login(val username: String)\n * val defaultLogin = Login(\"Admin\")\n * val defaultUsername by defaultLogin::username\n * // equivalent to\n * val defaultUserName get() = defaultLogin.username\n * ```\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <V> KProperty0<V>.getValue(thisRef:
Any?, property: KProperty<*>): V {\n return get()\n}\n\n/**\n * An extension operator that allows delegating a mutable property of type [V]\n * to a property reference to a mutable property of the same type [V].\n *\n * @receiver A property reference to a mutable property of type [V].\n * The reference is without a receiver, i.e. it either references a top-level property or\n * has the receiver bound to it.\n *\n * Example:\n *\n * ```\n * class Login(val username: String, var incorrectAttemptCounter: Int = 0)\n * val defaultLogin = Login(\"Admin\")\n * var defaultLoginAttempts by defaultLogin::incorrectAttemptCounter\n * // equivalent to\n * var defaultLoginAttempts: Int\n * get() = defaultLogin.incorrectAttemptCounter\n * set(value) { defaultLogin.incorrectAttemptCounter = value }\n * ```\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <V> KMutableProperty0<V>.setValue(thisRef: Any?, property: KProperty<*>, value: V) {\n set(value)\n}\n\n\n/**\n * An extension operator that allows delegating a read-only member or extension property of type [V]\n * to a property reference to a member or extension property of type [V] or its subtype.\n *\n * @receiver A property reference to a read-only or mutable property of type [V] or its subtype.\n * The reference has an unbound receiver of type [T].\n *\n * Example:\n *\n * ```\n * class Login(val username: String)\n * val Login.user by Login::username\n * // equivalent to\n * val Login.user get() = this.username\n * ```\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <T, V> KProperty1<T, V>.getValue(thisRef: T, property: KProperty<*>): V {\n return get(thisRef)\n}\n\n/**\n * An extension operator that allows delegating a mutable member or extension property of type [V]\n * to a property reference to a member or extension mutable property of the same type [V].\n *\n * @receiver A property reference to a read-only or mutable property
of type [V] or its subtype.\n * The reference has an unbound receiver of type [T].\n *\n * Example:\n *\n * ```\n * class Login(val username: String, var incorrectAttemptCounter: Int)\n * var Login.attempts by Login::incorrectAttemptCounter\n * // equivalent to\n * var Login.attempts: Int\n * get() = this.incorrectAttemptCounter\n * set(value) { this.incorrectAttemptCounter = value }\n * ```\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <T, V> KMutableProperty1<T, V>.setValue(thisRef: T, property: KProperty<*>, value: V) {\n set(thisRef, value)\n}","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\nimport kotlin.math.nextDown\n\n/**\n * An abstract class that is implemented by random number generator algorithms.\n *\n * The companion object [Random.Default]
is the default instance of [Random].\n *\n * To get a seeded instance of random generator use [Random] function.\n *\n * @sample samples.random.Randoms.defaultRandom\n */\n@SinceKotlin(\"1.3\")\npublic abstract class Random {\n\n /**\n * Gets the next random [bitCount] number of bits.\n *\n * Generates an `Int` whose lower [bitCount] bits are filled with random values and the remaining upper bits are zero.\n *\n * @param bitCount number of bits to generate, must be in range 0..32, otherwise the behavior is unspecified.\n *\n * @sample samples.random.Randoms.nextBits\n */\n public abstract fun nextBits(bitCount: Int): Int\n\n /**\n * Gets the next random `Int` from the random number generator.\n *\n * Generates an `Int` random value uniformly distributed between `Int.MIN_VALUE` and `Int.MAX_VALUE` (inclusive).\n *\n * @sample samples.random.Randoms.nextInt\n */\n public open fun nextInt(): Int = nextBits(32)\n\n
/**\n * Gets the next random non-negative `Int` from the random number generator less than the specified [until] bound.\n *\n * Generates an `Int` random value uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n *\n * @param until must be positive.\n *\n * @throws

```
IllegalArgumentException if [until] is negative or zero.\n     *\n     * @sample
samples.random.Randoms.nextIntFromUntil\n     */\n    public open fun nextInt(until: Int): Int = nextInt(0, until)\n\n
 /**\n     * Gets the next random `Int` from the random number generator in the specified range.\n     *\n     *
Generates an `Int` random value uniformly distributed between the specified [from] (inclusive) and [until]
(exclusive) bounds.\n     *\n     * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n
*\n     * @sample samples.random.Randoms.nextIntFromUntil\n     */\n    public open fun nextInt(from: Int, until:
 Int): Int {\n        checkRangeBounds(from, until)\n        val n = until - from\n        if (n > 0 || n == Int.MIN_VALUE)
{\n            val rnd = if (n and -n == n) {\n                val bitCount = fastLog2(n)\n                nextBits(bitCount)\n
 } else {\n                var v: Int\n                do {\n                    val bits = nextInt().ushr(1)\n                    v = bits % n\n
            } while (bits - v + (n - 1) < 0)\n                v\n            }\n            return from + rnd\n        } else {\n            while
(true) {\n                val rnd = nextInt()\n                if (rnd in from until until) return rnd\n            }\n        }\n    }\n\n
/**\n     * Gets the next random `Long` from the random number generator.\n     *\n     * Generates a `Long` random
value uniformly distributed between `Long.MIN_VALUE` and `Long.MAX_VALUE` (inclusive).\n     *\n     *
@sample samples.random.Randoms.nextLong\n     */\n    public open fun nextLong():
 Long = nextInt().toLong().shl(32) + nextInt()\n\n    /**\n     * Gets the next random non-negative `Long` from the
random number generator less than the specified [until] bound.\n     *\n     * Generates a `Long` random value
uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n     *\n     * @param until
must be positive.\n     *\n     * @throws IllegalArgumentException if [until] is negative or zero.\n     *\n     *
@sample samples.random.Randoms.nextLongFromUntil\n     */\n    public open fun nextLong(until: Long): Long =
nextLong(0, until)\n\n    /**\n     * Gets the next random `Long` from the random number generator in the specified
range.\n     *\n     * Generates a `Long` random value uniformly distributed between the specified [from] (inclusive)
and [until] (exclusive) bounds.\n     *\n     * @throws IllegalArgumentException if [from] is greater than or equal to
[until].\n     *\n     * @sample samples.random.Randoms.nextLongFromUntil\n
     */\n    public open fun nextLong(from: Long, until: Long): Long {\n        checkRangeBounds(from, until)\n
val n = until - from\n        if (n > 0) {\n            val rnd: Long\n            if (n and -n == n) {\n                val nLow =
n.toInt()\n                val nHigh = (n ushr 32).toInt()\n                rnd = when {\n                    nLow != 0 -> {\n
        val bitCount = fastLog2(nLow)\n                        // toUInt().toLong()\n
nextBits(bitCount).toLong() and 0xFFFF_FFFF\n                    }\n                    nHigh == 1 ->\n                        //
toUInt().toLong()\n                        nextInt().toLong() and 0xFFFF_FFFF\n                    else -> {\n                        val
bitCount = fastLog2(nHigh)\n                        nextBits(bitCount).toLong().shl(32) + (nextInt().toLong() and
0xFFFF_FFFF)\n                    }\n                }\n            } else {\n                var v: Long\n
        do {\n                    val bits = nextLong().ushr(1)\n                    v = bits % n\n                } while (bits - v + (n - 1)
< 0)\n                rnd = v\n            }\n            return from + rnd\n        } else {\n            while (true) {\n                val
rnd = nextLong()\n                if (rnd in from until until) return rnd\n            }\n        }\n    }\n\n    /**\n     * Gets the
next random [Boolean] value.\n     *\n     * @sample samples.random.Randoms.nextBoolean\n     */\n    public open
fun nextBoolean(): Boolean = nextBits(1) != 0\n\n    /**\n     * Gets the next random [Double] value uniformly
distributed between 0 (inclusive) and 1 (exclusive).\n     *\n     * @sample samples.random.Randoms.nextDouble\n
 */\n    public open fun nextDouble(): Double = doubleFromParts(nextBits(26), nextBits(27))\n\n    /**\n     * Gets
the next random non-negative `Double` from the random number generator less than the specified [until] bound.\n
*\n
 * Generates a `Double` random value uniformly distributed between 0 (inclusive) and [until] (exclusive).\n     *\n
* @throws IllegalArgumentException if [until] is negative or zero.\n     *\n     * @sample
samples.random.Randoms.nextDoubleFromUntil\n     */\n    public open fun nextDouble(until: Double): Double =
nextDouble(0.0, until)\n\n    /**\n     * Gets the next random `Double` from the random number generator in the
specified range.\n     *\n     * Generates a `Double` random value uniformly distributed between the specified [from]
(inclusive) and [until] (exclusive) bounds.\n     *\n     * [from] and [until] must be finite otherwise the behavior is
unspecified.\n     *\n     * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n     *\n
* @sample samples.random.Randoms.nextDoubleFromUntil\n     */\n    public open fun nextDouble(from: Double,
```

```
until: Double): Double {\n        checkRangeBounds(from, until)\n        val size = until - from\n
      val r = if (size.isInfinite() && from.isFinite() && until.isFinite()) {\n            val r1 = nextDouble() * (until / 2 -
from / 2)\n            from + r1 + r1\n        } else {\n            from + nextDouble() * size\n        }\n        return if (r >=
until) until.nextDown() else r\n    }\n\n    /**\n     * Gets the next random [Float] value uniformly distributed
between 0 (inclusive) and 1 (exclusive).\n     *\n     * @sample samples.random.Randoms.nextFloat\n     */\n
public open fun nextFloat(): Float = nextBits(24) / (1 shl 24).toFloat()\n\n    /**\n     * Fills a subrange of the
specified byte [array] starting from [fromIndex] inclusive and ending [toIndex] exclusive\n     * with random
bytes.\n     *\n     * @return [array] with the subrange filled with random bytes.\n     *\n     * @sample
samples.random.Randoms.nextBytes\n     */\n    public open fun nextBytes(array: ByteArray, fromIndex: Int = 0,
toIndex: Int = array.size): ByteArray {\n        require(fromIndex in
 0..array.size && toIndex in 0..array.size) { \"fromIndex ($fromIndex) or toIndex ($toIndex) are out of range:
0..${array.size}.\" }\n        require(fromIndex <= toIndex) { \"fromIndex ($fromIndex) must be not greater than
toIndex ($toIndex).\" }\n\n        val steps = (toIndex - fromIndex) / 4\n\n        var position = fromIndex\n
repeat(steps) {\n            val v = nextInt()\n            array[position] = v.toByte()\n            array[position + 1] =
v.ushr(8).toByte()\n            array[position + 2] = v.ushr(16).toByte()\n            array[position + 3] =
v.ushr(24).toByte()\n            position += 4\n        }\n\n        val remainder = toIndex - position\n        val vr =
nextBits(remainder * 8)\n        for (i in 0 until remainder) {\n            array[position + i] = vr.ushr(i * 8).toByte()\n
 }\n\n        return array\n    }\n\n    /**\n     * Fills the specified byte [array] with random bytes and returns it.\n     *\n
   * @return [array] filled with random bytes.\n
     *\n     * @sample samples.random.Randoms.nextBytes\n     */\n    public open fun nextBytes(array: ByteArray):
ByteArray = nextBytes(array, 0, array.size)\n\n    /**\n     * Creates a byte array of the specified [size], filled with
random bytes.\n     *\n     * @sample samples.random.Randoms.nextBytes\n     */\n    public open fun
nextBytes(size: Int): ByteArray = nextBytes(ByteArray(size))\n\n\n    /**\n     * The default random number
generator.\n     *\n     * On JVM this generator is thread-safe, its methods can be invoked from multiple threads.\n
*\n     * @sample samples.random.Randoms.defaultRandom\n     */\n    companion object Default : Random(),
Serializable {\n        private val defaultRandom: Random = defaultPlatformRandom()\n\n        private object
Serialized : Serializable {\n            private const val serialVersionUID = 0L\n\n            private fun readResolve():
Any = Random\n        }\n\n        private fun writeReplace(): Any = Serialized\n\n
   override fun nextBits(bitCount: Int): Int = defaultRandom.nextBits(bitCount)\n        override fun nextInt(): Int =
defaultRandom.nextInt()\n        override fun nextInt(until: Int): Int = defaultRandom.nextInt(until)\n        override
fun nextInt(from: Int, until: Int): Int = defaultRandom.nextInt(from, until)\n\n        override fun nextLong(): Long =
defaultRandom.nextLong()\n        override fun nextLong(until: Long): Long = defaultRandom.nextLong(until)\n
override fun nextLong(from: Long, until: Long): Long = defaultRandom.nextLong(from, until)\n\n        override fun
nextBoolean(): Boolean = defaultRandom.nextBoolean()\n\n        override fun nextDouble(): Double =
defaultRandom.nextDouble()\n        override fun nextDouble(until: Double): Double =
defaultRandom.nextDouble(until)\n        override fun nextDouble(from: Double, until: Double): Double =
defaultRandom.nextDouble(from, until)\n\n        override fun nextFloat(): Float = defaultRandom.nextFloat()\n\n
override
 fun nextBytes(array: ByteArray): ByteArray = defaultRandom.nextBytes(array)\n        override fun nextBytes(size:
Int): ByteArray = defaultRandom.nextBytes(size)\n        override fun nextBytes(array: ByteArray, fromIndex: Int,
toIndex: Int): ByteArray =\n            defaultRandom.nextBytes(array, fromIndex, toIndex)\n    }\n}\n\n/**\n *
Returns a repeatable random number generator seeded with the given [seed] `Int` value.\n *\n * Two generators with
the same seed produce the same sequence of values within the same version of Kotlin runtime.\n *\n * *Note:*
Future versions of Kotlin may change the algorithm of this seeded number generator so that it will return\n * a
sequence of values different from the current one for a given seed.\n *\n * On JVM the returned generator is NOT
thread-safe. Do not invoke it from multiple threads without proper synchronization.\n *\n * @sample
samples.random.Randoms.seededRandom\n */\n@SinceKotlin(\"1.3\")\npublic fun Random(seed: Int): Random =
```

XorWowRandom(seed, seed.shr(31))\n\n/**\n * Returns a repeatable random number generator seeded with the given [seed] `Long` value.\n *\n * Two generators with the same seed produce the same sequence of values within the same version of Kotlin runtime.\n *\n * *Note:* Future versions of Kotlin may change the algorithm of this seeded number generator so that it will return\n * a sequence of values different from the current one for a given seed.\n *\n * On JVM the returned generator is NOT thread-safe. Do not invoke it from multiple threads without proper synchronization.\n *\n * @sample samples.random.Randoms.seededRandom\n */\n@SinceKotlin(\"1.3\")\npublic fun Random(seed: Long): Random = XorWowRandom(seed.toInt(), seed.shr(32).toInt())\n\n\n/**\n * Gets the next random `Int` from the random number generator in the specified [range].\n *\n * Generates an `Int` random value uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n *\n * @throws IllegalArgumentException if [range] is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun Random.nextInt(range: IntRange): Int = when {\n   range.isEmpty() -> throw IllegalArgumentException(\"Cannot get random in empty range: $range\")\n   range.last < Int.MAX_VALUE -> nextInt(range.first, range.last + 1)\n   range.first > Int.MIN_VALUE -> nextInt(range.first - 1, range.last) + 1\n   else -> nextInt()\n}\n\n/**\n * Gets the next random `Long` from the random number generator in the specified [range].\n *\n * Generates a `Long` random value uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n *\n * @throws IllegalArgumentException if [range] is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun Random.nextLong(range: LongRange): Long = when {\n   range.isEmpty() -> throw IllegalArgumentException(\"Cannot get random in empty range: $range\")\n   range.last < Long.MAX_VALUE -> nextLong(range.first, range.last + 1)\n   range.first > Long.MIN_VALUE -> nextLong(range.first - 1, range.last) + 1\n   else -> nextLong()\n}\n\n\ninternal expect fun defaultPlatformRandom(): Random\ninternal expect fun doubleFromParts(hi26: Int, low27: Int): Double\n\ninternal fun fastLog2(value: Int): Int = 31 - value.countLeadingZeroBits()\n\n/** Takes upper [bitCount] bits (0..32) from this number. */\ninternal fun Int.takeUpperBits(bitCount: Int): Int =\n   this.ushr(32 - bitCount) and (-bitCount).shr(31)\n\ninternal fun checkRangeBounds(from: Int, until: Int) = require(until > from) { boundsErrorMessage(from, until) }\ninternal fun checkRangeBounds(from: Long, until: Long) = require(until > from) { boundsErrorMessage(from, until) }\ninternal fun checkRangeBounds(from: Double, until: Double) = require(until > from) { boundsErrorMessage(from, until) }\n\ninternal fun boundsErrorMessage(from: Any, until: Any) = \"Random range is empty: [$from, $until).\"\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\n\n/**\n * Gets the next random [UInt] from the random number generator.\n *\n * Generates a [UInt] random value uniformly distributed between [UInt.MIN_VALUE] and [UInt.MAX_VALUE] (inclusive).\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Random.nextUInt(): UInt = nextInt().toUInt()\n\n\n/**\n * Gets the next random [UInt] from the random number generator less than the specified [until] bound.\n *\n * Generates a [UInt] random value uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n *\n * @throws IllegalArgumentException if [until] is zero.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Random.nextUInt(until: UInt): UInt = nextUInt(0u, until)\n\n\n/**\n * Gets the next random [UInt] from the random number generator in the specified range.\n *\n * Generates a [UInt] random value uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n *\n * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Random.nextUInt(from: UInt, until: UInt): UInt {\n   checkUIntRangeBounds(from, until)\n\n   val signedFrom = from.toInt() xor Int.MIN_VALUE\n   val signedUntil = until.toInt() xor Int.MIN_VALUE\n\n   val signedResult = nextInt(signedFrom, signedUntil) xor Int.MIN_VALUE\n   return signedResult.toUInt()\n}\n\n/**\n * Gets the next random [UInt] from the random number generator in the specified [range].\n *\n * Generates a [UInt] random value

uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n *\n * @throws IllegalArgumentException if [range] is
empty.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Random.nextUInt(range: UIntRange): UInt = when {\n range.isEmpty() -> throw IllegalArgumentException(\"Cannot get random in empty range: $range\")\n range.last < UInt.MAX_VALUE -> nextUInt(range.first, range.last + 1u)\n range.first > UInt.MIN_VALUE -> nextUInt(range.first - 1u, range.last) + 1u\n else -> nextUInt()\n}\n\n/**\n * Gets the next random [ULong] from the random number generator.\n *\n * Generates a [ULong] random value uniformly distributed between [ULong.MIN_VALUE] and [ULong.MAX_VALUE] (inclusive).\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Random.nextULong(): ULong = nextLong().toULong()\n\n/**\n * Gets the next random [ULong] from the random number generator less than the specified [until] bound.\n *\n * Generates a [ULong] random value uniformly distributed between `0` (inclusive) and the specified [until] bound
(exclusive).\n *\n * @throws IllegalArgumentException if [until] is zero.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Random.nextULong(until: ULong): ULong = nextULong(0uL, until)\n\n/**\n * Gets the next random [ULong] from the random number generator in the specified range.\n *\n * Generates a [ULong] random value uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n *\n * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Random.nextULong(from: ULong, until: ULong): ULong {\n checkULongRangeBounds(from, until)\n\n val signedFrom = from.toLong() xor Long.MIN_VALUE\n val signedUntil = until.toLong() xor Long.MIN_VALUE\n\n val signedResult = nextLong(signedFrom, signedUntil) xor Long.MIN_VALUE\n return signedResult.toULong()\n}\n\n/**\n * Gets the next random
[ULong] from the random number generator in the specified [range].\n *\n * Generates a [ULong] random value uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n *\n * @throws IllegalArgumentException if [range] is empty.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Random.nextULong(range: ULongRange): ULong = when {\n range.isEmpty() -> throw IllegalArgumentException(\"Cannot get random in empty range: $range\")\n range.last < ULong.MAX_VALUE -> nextULong(range.first, range.last + 1u)\n range.first > ULong.MIN_VALUE -> nextULong(range.first - 1u, range.last) + 1u\n else -> nextULong()\n}\n\n/**\n * Fills the specified unsigned byte [array] with random bytes and returns it.\n *\n * @return [array] filled with random bytes.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(array: UByteArray): UByteArray {\n nextBytes(array.asByteArray())\n
return array\n}\n\n/**\n * Creates an unsigned byte array of the specified [size], filled with random bytes.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(size: Int): UByteArray = nextBytes(size).asUByteArray()\n\n/**\n * Fills a subrange of the specified `UByte` [array] starting from [fromIndex] inclusive and ending [toIndex] exclusive with random UBytes.\n *\n * @return [array] with the subrange filled with random bytes.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(array: UByteArray, fromIndex: Int = 0, toIndex: Int = array.size): UByteArray {\n nextBytes(array.asByteArray(), fromIndex, toIndex)\n return array\n}\n\n\ninternal fun checkUIntRangeBounds(from: UInt, until: UInt) = require(until > from) { boundsErrorMessage(from, until) }\ninternal fun checkULongRangeBounds(from: ULong, until: ULong) = require(until > from) { boundsErrorMessage(from, until) }\n","/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\n/**\n * Random number generator, using Marsaglia's \"xorwow\" algorithm\n *\n * Cycles after 2^192 - 2^32 repetitions.\n

*\n * For more details, see Marsaglia, George (July 2003). \"Xorshift RNGs\". Journal of Statistical Software. 8 (14). doi:10.18637/jss.v008.i14\n *\n * Available at https://www.jstatsoft.org/v08/i14/paper\n *\n */\ninternal class XorWowRandom internal constructor(\n   private var x: Int,\n   private var y: Int,\n   private var z: Int,\n   private var w: Int,\n   private var v: Int,\n   private var addend: Int\n) : Random(), Serializable {\n\n   internal constructor(seed1: Int, seed2: Int) :\n   this(seed1, seed2, 0, 0, seed1.inv(), (seed1 shl 10) xor (seed2 ushr 4))\n\n   init {\n   require((x or y or z or w or v) != 0) { \"Initial state must have at least one non-zero element.\" }\n\n   // some trivial seeds can produce several values with zeroes in upper bits, so we discard first 64\n   repeat(64) { nextInt() }\n   }\n\n   override fun nextInt(): Int {\n   // Equivalent to the xorxow algorithm\n   // From Marsaglia, G. 2003. Xorshift RNGs. J. Statis. Soft. 8, 14, p. 5\n   var t = x\n   t = t xor (t ushr 2)\n   x = y\n   y = z\n   z = w\n   val v0 = v\n   w = v0\n   t = (t xor (t shl 1)) xor v0 xor (v0 shl 4)\n   v = t\n   addend += 362437\n   return t + addend\n   }\n\n   override fun nextBits(bitCount: Int): Int =\n   nextInt().takeUpperBits(bitCount)\n\n   private companion object {\n   private const val serialVersionUID: Long = 0L\n   }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"RangesKt\")\n\npackage kotlin.ranges\n\n/**\n * Represents a range of [Comparable] values.\n */\nprivate open class ComparableRange<T : Comparable<T>>(\n   override val start: T,\n   override val endInclusive: T\n) : ClosedRange<T> {\n\n   override fun equals(other: Any?): Boolean {\n   return other is ComparableRange<*> && (isEmpty() && other.isEmpty() ||\n   start == other.start && endInclusive == other.endInclusive)\n   }\n\n   override fun hashCode(): Int {\n   return if (isEmpty()) -1 else 31 * start.hashCode() + endInclusive.hashCode()\n   }\n\n   override fun toString(): String = \"$start..$endInclusive\"\n}\n\n/**\n * Creates a range from this [Comparable] value to the specified [that] value.\n *\n * This value needs to be smaller than or equal to [that] value, otherwise the returned range will be empty.\n * @sample samples.ranges.Ranges.rangeFromComparable\n */\npublic operator fun <T : Comparable<T>> T.rangeTo(that: T): ClosedRange<T> = ComparableRange(this, that)\n\n\n/**\n * Represents a range of floating point numbers.\n * Extends [ClosedRange] interface providing custom operation [lessThanOrEquals] for comparing values of range domain type.\n *\n * This interface is implemented by floating point ranges returned by [Float.rangeTo] and [Double.rangeTo] operators to\n * achieve IEEE-754 comparison order instead of total order of floating point numbers.\n */\n@SinceKotlin(\"1.1\")\npublic interface ClosedFloatingPointRange<T : Comparable<T>> : ClosedRange<T> {\n   override fun contains(value: T): Boolean = lessThanOrEquals(start, value) && lessThanOrEquals(value, endInclusive)\n   override fun isEmpty(): Boolean = !lessThanOrEquals(start, endInclusive)\n\n   /**\n   * Compares two values of range domain type and returns true if first is less than or equal to second.\n   */\n   fun lessThanOrEquals(a: T, b: T): Boolean\n}\n\n\n/**\n * A closed range of values of type `Double`.\n *\n * Numbers are compared with the ends of this range according to IEEE-754.\n */\nprivate class ClosedDoubleRange(\n   start: Double,\n   endInclusive: Double\n) : ClosedFloatingPointRange<Double> {\n   private val _start = start\n   private val _endInclusive = endInclusive\n   override val start: Double get() = _start\n   override val endInclusive: Double get() = _endInclusive\n\n   override fun lessThanOrEquals(a: Double, b: Double): Boolean = a <= b\n\n   override fun contains(value: Double): Boolean = value >= _start && value <= _endInclusive\n   override fun isEmpty(): Boolean = !(_start <= _endInclusive)\n\n   override fun equals(other: Any?): Boolean {\n   return other is ClosedDoubleRange && (isEmpty() && other.isEmpty() ||\n   _start == other._start && _endInclusive == other._endInclusive)\n   }\n\n   override fun hashCode(): Int {\n   return if (isEmpty()) -1 else 31 * _start.hashCode()\n   + _endInclusive.hashCode()\n   }\n\n   override fun toString(): String = \"$_start..$_endInclusive\"\n}\n\n/**\n * Creates a range from this [Double] value to the specified [that] value.\n *\n * Numbers are compared with the ends of this range according to IEEE-754.\n * @sample samples.ranges.Ranges.rangeFromDouble\n */\n@SinceKotlin(\"1.1\")\npublic operator fun Double.rangeTo(that: Double): ClosedFloatingPointRange<Double>

= ClosedDoubleRange(this, that)\n\n\n/**\n * A closed range of values of type `Float`.\n *\n * Numbers are compared with the ends of this range according to IEEE-754.\n */\nprivate class ClosedFloatRange(\n   start: Float,\n   endInclusive: Float\n) : ClosedFloatingPointRange<Float> {\n   private val _start = start\n   private val _endInclusive = endInclusive\n   override val start: Float get() = _start\n   override val endInclusive: Float get() = _endInclusive\n\n   override fun lessThanOrEquals(a: Float, b: Float): Boolean = a <= b\n\n   override fun contains(value: Float): Boolean = value >= _start && value <= _endInclusive\n   override fun isEmpty(): Boolean = !(_start <= _endInclusive)\n\n   override fun equals(other: Any?): Boolean {\n   return other is ClosedFloatRange && (isEmpty() && other.isEmpty() ||\n   _start == other._start && _endInclusive == other._endInclusive)\n   }\n\n   override fun hashCode(): Int {\n   return if (isEmpty()) -1 else 31 * _start.hashCode() + _endInclusive.hashCode()\n   }\n\n   override fun toString(): String = \"$_start..$_endInclusive\"\n}\n\n/**\n * Creates a range from this [Float] value to the specified [that] value.\n *\n * Numbers are compared with the ends of this range according to IEEE-754.\n * @sample samples.ranges.Ranges.rangeFromFloat\n */\n@SinceKotlin(\"1.1\")\npublic operator fun Float.rangeTo(that: Float): ClosedFloatingPointRange<Float> = ClosedFloatRange(this, that)\n\n\n/**\n * Returns `true` if this iterable range contains the specified [element].\n *\n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <T, R> R.contains(element: T?): Boolean where T : Any, R : Iterable<T>, R : ClosedRange<T> =\n   element != null && contains(element)\n\n\ninternal fun checkStepIsPositive(isPositive: Boolean, step: Number) {\n   if (!isPositive) throw IllegalArgumentException(\"Step must be positive, was: $step.\")\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"KClasses\")\n@file:Suppress(\"UNCHECKED_CAST\")\n\npackage kotlin.reflect\n\nimport kotlin.internal.LowPriorityInOverloadResolution\n\n/**\n * Casts the given [value] to the class represented by this [KClass] object.\n * Throws an exception if the value is `null` or if it is not an instance of this
class.\n *\n * This is an experimental function that behaves as a similar function from kotlin.reflect.full on JVM.\n *\n * @see [KClass.isInstance]\n * @see [KClass.safeCast]\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@LowPriorityInOverloadResolution\nfun <T : Any> KClass<T>.cast(value: Any?): T {\n   if (!isInstance(value)) throw ClassCastException(\"Value cannot be cast to $qualifiedOrSimpleName\")\n   return value as T\n}\n\n// TODO: replace with qualifiedName when it is fully supported in K/JS\ninternal expect val KClass<*>.qualifiedOrSimpleName: String?\n\n/**\n * Casts the given [value] to the class represented by this [KClass] object.\n * Returns `null` if the value is `null` or if it is not an instance of this class.\n *\n * This is an experimental function that behaves as a similar function from kotlin.reflect.full on JVM.\n *\n * @see [KClass.isInstance]\n * @see [KClass.cast]\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@LowPriorityInOverloadResolution\nfun
<T : Any> KClass<T>.safeCast(value: Any?): T? {\n   return if (isInstance(value)) value as T else null\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect\n\nimport kotlin.jvm.JvmField\nimport kotlin.jvm.JvmStatic\n\n\n\n/**\n * Represents a type projection. Type projection is usually the argument to another type in a type usage.\n * For example, in the type `Array<out Number>`, `out Number` is the covariant projection of the type represented by the class `Number`.\n *\n * Type projection is either the star projection, or an entity consisting of a specific type plus optional variance.\n *\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#type-projections)\n * for more information.\n */\n@SinceKotlin(\"1.1\")\npublic
data class KTypeProjection constructor(\n   /**\n   * The use-site variance specified in the projection, or `null` if this is a star projection.\n   */\n   public val variance: KVariance?,\n   /**\n   * The type specified in the

projection, or `null` if this is a star projection.\n */\n public val type: KType?\n) {\n\n init {\n require((variance == null) == (type == null)) {\n if (variance == null)\n \"Star projection must have no type specified.\"\n else\n \"The projection variance $variance requires type to be specified.\"\n }\n }\n\n override fun toString(): String = when (variance) {\n null -> \"*\"\n KVariance.INVARIANT -> type.toString()\n KVariance.IN -> \"in $type\"\n KVariance.OUT -> \"out $type\"\n }\n\n public companion object {\n // provided for compiler access\n @JvmField\n @PublishedApi\n internal val
star: KTypeProjection = KTypeProjection(null, null)\n\n /**\n * Star projection, denoted by the `*` character.\n * For example, in the type `KClass<*>`, `*` is the star projection.\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#star-projections)\n * for more information.\n */\n public val STAR: KTypeProjection get() = star\n\n /**\n * Creates an invariant projection of a given type. Invariant projection is just the type itself,\n * without any use-site variance modifiers applied to it.\n * For example, in the type `Set<String>`, `String` is an invariant projection of the type represented by the class `String`.\n */\n @JvmStatic\n public fun invariant(type: KType): KTypeProjection =\n KTypeProjection(KVariance.INVARIANT, type)\n\n /**\n * Creates a contravariant projection of a given type, denoted by the `in`
modifier applied to a type.\n * For example, in the type `MutableList<in Number>`, `in Number` is a contravariant projection of the type of class `Number`.\n */\n @JvmStatic\n public fun contravariant(type: KType): KTypeProjection =\n KTypeProjection(KVariance.IN, type)\n\n /**\n * Creates a covariant projection of a given type, denoted by the `out` modifier applied to a type.\n * For example, in the type `Array<out Number>`, `out Number` is a covariant projection of the type of class `Number`.\n */\n @JvmStatic\n public fun covariant(type: KType): KTypeProjection =\n KTypeProjection(KVariance.OUT, type)\n }\n}","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect\n\n/**\n * Represents variance applied to a type parameter on the declaration site (*declaration-site variance*),\n * or to a type in a projection (*use-site variance*).\n *\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#variance)\n * for more information.\n *\n * @see [KTypeParameter.variance]\n * @see [KTypeProjection]\n */\n@SinceKotlin(\"1.1\")\nenum class KVariance {\n /**\n * The affected type parameter or type is *invariant*, which means it has no variance applied to it.\n */\n INVARIANT,\n\n /**\n * The affected type parameter or type is *contravariant*. Denoted by the `in` modifier in the source code.\n */\n IN,\n\n /**\n * The affected type parameter or type is *covariant*. Denoted by the `out` modifier in the source code.\n */\n OUT,\n}","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt
file.\n */\n\npackage kotlin.reflect\n\n/**\n * Returns a runtime representation of the given reified type [T] as an instance of [KType].\n *\n * Note that on JVM, the created type has no annotations ([KType.annotations] returns an empty list)\n * even if the type in the source code is annotated. Support for type annotations might be added in a future version.\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <reified T> typeOf(): KType =\n throw UnsupportedOperationException(\"This function is implemented as an intrinsic on all supported platforms.\")\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\n/**\n * An object to which char sequences and values can be
appended.\n */\nexpect interface Appendable {\n /**\n * Appends the specified character [value] to this Appendable and returns this instance.\n *\n * @param value the character to append.\n */\n fun append(value: Char): Appendable\n\n /**\n * Appends the specified character sequence [value] to this

```
Appendable and returns this instance.\n     *\n     * @param value the character sequence to append. If [value] is `null`, then the four characters `\"null\"` are appended to this Appendable.\n     */\n     fun append(value: CharSequence?): Appendable\n\n     /**\n     * Appends a subsequence of the specified character sequence [value] to this Appendable and returns this instance.\n     *\n     * @param value the character sequence from which a subsequence is appended. If [value] is `null`,\n     *  then characters are appended as if [value] contained the four characters `\"null\"`.\n     * @param startIndex the beginning (inclusive) of the subsequence to append.\n     * @param endIndex the end (exclusive) of the subsequence to append.\n     *\n     * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n     */\n     fun append(value: CharSequence?, startIndex: Int, endIndex: Int): Appendable\n}\n\n/**\n * Appends a subsequence of the specified character sequence [value] to this Appendable and returns this instance.\n *\n * @param value the character sequence from which a subsequence is appended.\n * @param startIndex the beginning (inclusive) of the subsequence to append.\n * @param endIndex the end (exclusive) of the subsequence to append.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T : Appendable> T.appendRange(value: CharSequence, startIndex: Int, endIndex: Int): T {\n@Suppress(\"UNCHECKED_CAST\")\n    return append(value, startIndex, endIndex) as T\n}\n\n/**\n * Appends all arguments to the given [Appendable].\n */\npublic fun <T : Appendable> T.append(vararg value: CharSequence?): T {\n    for (item in value)\n        append(item)\n    return this\n}\n\n/** Appends a line feed character (`\\n`) to this Appendable. */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun Appendable.appendLine(): Appendable = append('\\n')\n\n/** Appends value to the given Appendable and a line feed character (`\\n`) after it. */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun Appendable.appendLine(value: CharSequence?): Appendable = append(value).appendLine()\n\n/** Appends value to the given Appendable and a line feed character (`\\n`) after it. */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun Appendable.appendLine(value: Char): Appendable = append(value).appendLine()\n\n\ninternal fun <T> Appendable.appendElement(element: T, transform: ((T) -> CharSequence)?) {\n    when {\n        transform != null -> append(transform(element))\n        element is CharSequence? -> append(element)\n        element is Char -> append(element)\n        else -> append(element.toString())\n    }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\n/**\n * Trims leading whitespace characters followed by [marginPrefix] from every line of a source string and removes\n * the first and the last lines if they are blank (notice difference blank vs empty).\n *\n * Doesn't affect a line if it doesn't contain [marginPrefix] except the first and the last blank lines.\n *\n * Doesn't preserve the original line endings.\n *\n * @param marginPrefix non-blank string, which is used as a margin delimiter. Default is `|` (pipe character).\n *\n * @sample samples.text.Strings.trimMargin\n * @see trimIndent\n * @see kotlin.text.isWhitespace\n */\npublic fun String.trimMargin(marginPrefix: String = \"|\"): String =\n    replaceIndentByMargin(\"\", marginPrefix)\n\n/**\n * Detects indent by [marginPrefix] as it does [trimMargin] and replace it with [newIndent].\n *\n * @param marginPrefix non-blank string, which is used as a margin delimiter. Default is `|` (pipe character).\n */\npublic fun String.replaceIndentByMargin(newIndent: String = \"\", marginPrefix: String = \"|\"): String {\n    require(marginPrefix.isNotBlank()) { \"marginPrefix must be non-blank string.\" }\n    val lines = lines()\n\n    return lines.reindent(length + newIndent.length * lines.size, getIndentFunction(newIndent), { line ->\n        val firstNonWhitespaceIndex = line.indexOfFirst { !it.isWhitespace() }\n\n        when {\n            firstNonWhitespaceIndex == -1 -> null\n            line.startsWith(marginPrefix, firstNonWhitespaceIndex) -> line.substring(firstNonWhitespaceIndex +
```

```
marginPrefix.length)\n            else -> null\n        }\n    })\n}\n\n/**\n * Detects a common minimal indent of all the input lines, removes it from every line and also removes the first and the last\n * lines if they are blank (notice difference blank vs empty).\n *\n * Note that blank lines do not affect the detected indent level.\n *\n * In case if there are non-blank lines with no leading whitespace characters (no indent at all) then the\n * common indent is 0, and therefore this function doesn't change the indentation.\n *\n * Doesn't preserve the original line endings.\n *\n * @sample samples.text.Strings.trimIndent\n * @see trimMargin\n * @see kotlin.text.isBlank\n */\npublic fun String.trimIndent(): String = replaceIndent(\"\")\n\n/**\n * Detects a common minimal indent like it does [trimIndent] and replaces it with the specified [newIndent].\n */\npublic fun String.replaceIndent(newIndent: String = \"\"): String {\n    val lines = lines()\n\n    val minCommonIndent = lines\n        .filter(String::isNotBlank)\n        .map(String::indentWidth)\n        .minOrNull() ?: 0\n\n    return lines.reindent(length + newIndent.length * lines.size, getIndentFunction(newIndent), { line -> line.drop(minCommonIndent) })\n}\n\n/**\n * Prepends [indent] to every line of the original string.\n *\n * Doesn't preserve the original line endings.\n */\npublic fun String.prependIndent(indent: String = \"    \"): String =\n    lineSequence()\n        .map {\n            when {\n                it.isBlank() -> {\n                    when {\n                        it.length < indent.length -> indent\n                        else -> it\n                    }\n                }\n                else -> indent + it\n            }\n        }\n        .joinToString(\"\\n\")\n\nprivate fun String.indentWidth(): Int = indexOfFirst { !it.isWhitespace() }.let { if (it == -1) length else it }\n\nprivate fun getIndentFunction(indent: String) = when {\n    indent.isEmpty() -> { line: String -> line }\n    else -> { line: String -> indent + line }\n}\n\nprivate inline fun List<String>.reindent(\n    resultSizeEstimate: Int,\n    indentAddFunction: (String) -> String,\n    indentCutFunction: (String) -> String?\n): String {\n    val lastIndex = lastIndex\n    return mapIndexedNotNull { index, value ->\n        if ((index == 0 || index == lastIndex) && value.isBlank())\n            null\n        else\n            indentCutFunction(value)?.let(indentAddFunction) ?: value\n    }\n    .joinTo(StringBuilder(resultSizeEstimate), \"\\n\")\n    .toString()\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Defines names for Unicode symbols used in proper Typography.\n */\npublic object Typography {\n    /** The character &#x22; \u2013 quotation mark */\n    public const val quote: Char = '\\u0022'\n    /** The character &#x24; \u2013 dollar sign */\n    public const val dollar: Char = '\\u0024'\n    /** The character &#x26; \u2013 ampersand */\n    public const val amp: Char = '\\u0026'\n    /** The character &#x3C; \u2013 less-than sign */\n    public const val less: Char = '\\u003C'\n    /** The character &#x3E; \u2013 greater-than sign */\n    public const val greater: Char = '\\u003E'\n    /** The non-breaking space character */\n    public const val nbsp: Char = '\\u00A0'\n    /** The character &#xD7; */\n    public const val times: Char = '\\u00D7'\n    /** The character &#xA2; */\n    public const val cent: Char = '\\u00A2'\n    /** The character &#xA3; */\n    public const val pound: Char = '\\u00A3'\n    /** The character &#xA7; */\n    public const val section: Char = '\\u00A7'\n    /** The character &#xA9; */\n    public const val copyright: Char = '\\u00A9'\n    /** The character &#xAB; */\n    @SinceKotlin(\"1.6\")\n    public const val leftGuillemet: Char = '\\u00AB'\n    /** The character &#xBB; */\n    @SinceKotlin(\"1.6\")\n    public const val rightGuillemet: Char = '\\u00BB'\n    /** The character &#xAE; */\n    public const val registered: Char = '\\u00AE'\n    /** The character &#xB0; */\n    public const val degree: Char = '\\u00B0'\n    /** The character &#xB1; */\n    public const val plusMinus: Char = '\\u00B1'\n    /** The character &#xB6; */\n    public const val paragraph: Char = '\\u00B6'\n    /** The character &#xB7; */\n    public const val middleDot: Char = '\\u00B7'\n    /** The character &#xBD; */\n    public const val half: Char = '\\u00BD'\n    /** The character &#x2013; */\n    public const val ndash: Char = '\\u2013'\n    /** The character &#x2014; */\n    public const val mdash: Char = '\\u2014'\n    /** The character &#x2018; */\n    public const val leftSingleQuote: Char = '\\u2018'\n    /** The character &#x2019; */\n    public const val rightSingleQuote: Char = '\\u2019'\n    /** The character &#x201A; */\n    public const val lowSingleQuote: Char = '\\u201A'\n    /** The character &#x201C; */\n    public const val leftDoubleQuote: Char = '\\u201C'\n    /** The character &#x201D; */\n    public const val rightDoubleQuote: Char = '\\u201D'\n    /** The character &#x201E; */\n    public const val lowDoubleQuote: Char = '\\u201E'\n    /** The
```

character † */\n   public const val dagger: Char = '\\u2020'\n   /** The character ‡ */\n   public const val doubleDagger: Char = '\\u2021'\n   /** The character • */\n   public const val bullet: Char = '\\u2022'\n   /** The character … */\n   public const val ellipsis: Char = '\\u2026'\n   /** The character ′ */\n   public const val prime: Char = '\\u2032'\n   /** The character ″ */\n   public const val doublePrime: Char = '\\u2033'\n   /** The character € */\n   public const val euro: Char = '\\u20AC'\n   /** The character ™ */\n   public const val tm: Char = '\\u2122'\n   /** The character ≈ */\n   public const val almostEqual: Char = '\\u2248'\n   /** The character ≠ */\n   public const val notEqual: Char = '\\u2260'\n   /** The character ≤ */\n   public const val lessOrEqual: Char = '\\u2264'\n   /** The character ≥ */\n   public const val greaterOrEqual: Char = '\\u2265'\n\n   /** The character « */\n   @Deprecated(\"This constant has a typo in the name. Use leftGuillemet instead.\", ReplaceWith(\"Typography.leftGuillemet\"))\n   @DeprecatedSinceKotlin(\"1.6\")\n   public const val leftGuillemete: Char = '\\u00AB'\n\n   /** The character » */\n   @Deprecated(\"This constant has a typo in the name. Use rightGuillemet instead.\", ReplaceWith(\"Typography.rightGuillemet\"))\n   @DeprecatedSinceKotlin(\"1.6\")\n   public const val rightGuillemete: Char = '\\u00BB'\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Represents a collection of captured groups in a single match of a regular expression.\n *\n * This collection has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n *\n * An element of the collection at the particular index can be `null`,\n * if the corresponding group in the regular expression is optional and\n * there was no match captured by that group.\n */\npublic interface MatchGroupCollection : Collection<MatchGroup?> {\n\n   /** Returns a group with the specified [index].\n   *\n   * @return An instance of [MatchGroup] if the group with the specified [index] was matched or `null` otherwise.\n   *\n   * Groups are indexed from 1 to the count of groups in the regular expression. A group with the index 0\n   * corresponds to the entire match.\n   */\n   public operator fun get(index: Int): MatchGroup?\n}\n\n/**\n * Extends [MatchGroupCollection] by introducing a way to get matched groups by name, when regex supports it.\n */\n@SinceKotlin(\"1.1\")\npublic interface MatchNamedGroupCollection : MatchGroupCollection {\n   /**\n   * Returns a named group with the specified [name].\n   * @return An instance of [MatchGroup] if the group with the specified [name] was matched or `null` otherwise.\n   * @throws IllegalArgumentException if there is no group with the specified [name] defined in the regex pattern.\n   * @throws UnsupportedOperationException if getting named groups isn't supported on the current platform.\n   */\n   public operator fun get(name: String): MatchGroup?\n}\n\n/**\n * Represents the results from a single regular expression match.\n */\npublic interface MatchResult {\n   /** The range of indices in the original string where match was captured. */\n   public val range: IntRange\n   /** The substring from the input string captured by this match. */\n   public val value: String\n   /**\n   * A collection of groups matched by the regular expression.\n   *\n   * This collection has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n   * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n   */\n   public val groups: MatchGroupCollection\n   /**\n   * A list of matched indexed group values.\n   *\n   * This list has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n   * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n   *\n   * If the group in the regular expression is optional and there were no match captured by that group,\n   * corresponding item in [groupValues] is an empty string.\n   *\n   * @sample samples.text.Regexps.matchDestructuringToGroupValues\n   */\n   public val groupValues: List<String>\n\n   /**\n   * An instance of [MatchResult.Destructured] wrapper providing components for destructuring assignment of group values.\n   *\n   * component1 corresponds to the value of the first group, component2 \u2014 of the second, and so on.\n   *\n   * @sample samples.text.Regexps.matchDestructuringToGroupValues\n   */\n   public val destructured: Destructured get() = Destructured(this)\n\n   /** Returns a new [MatchResult] with the results for the next match, starting at the position\n   * at which the last match ended (at the character after the last

matched character).\n */\n public fun next(): MatchResult?\n\n /**\n * Provides components for destructuring assignment of group values.\n *\n * [component1] corresponds to the value of the first group, [component2] \u2014 of the second, and so on.\n *\n * If the group in the regular expression is optional and there were no match captured by that group,\n * corresponding component value is an empty string.\n *\n * @sample samples.text.Regexps.matchDestructuringToGroupValues\n */\n public class Destructured internal constructor(public val match: MatchResult) {\n @kotlin.internal.InlineOnly\n public operator inline fun component1(): String = match.groupValues[1]\n @kotlin.internal.InlineOnly\n public operator inline fun component2(): String = match.groupValues[2]\n @kotlin.internal.InlineOnly\n public operator inline fun component3(): String = match.groupValues[3]\n @kotlin.internal.InlineOnly\n public operator inline fun component4(): String = match.groupValues[4]\n @kotlin.internal.InlineOnly\n public operator inline fun component5(): String = match.groupValues[5]\n @kotlin.internal.InlineOnly\n public operator inline fun component6(): String = match.groupValues[6]\n @kotlin.internal.InlineOnly\n public operator inline fun component7(): String = match.groupValues[7]\n @kotlin.internal.InlineOnly\n public operator inline fun component8(): String = match.groupValues[8]\n @kotlin.internal.InlineOnly\n public operator inline fun component9(): String = match.groupValues[9]\n @kotlin.internal.InlineOnly\n public operator inline fun component10(): String = match.groupValues[10]\n\n /**\n * Returns destructured group values as a list of strings.\n * First value in the returned list corresponds to the value of the first group, and so on.\n *\n * @sample samples.text.Regexps.matchDestructuringToGroupValues\n */\n public fun toList(): List<String> = match.groupValues.subList(1, match.groupValues.size)\n }\n}","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass()\n@file:kotlin.jvm.JvmName(\"DurationUnitKt\")\n\npackage kotlin.time\n\n\n/**\n * The list of possible time measurement units, in which a duration can be expressed.\n *\n * The smallest time unit is [NANOSECONDS] and the largest is [DAYS], which corresponds to exactly 24 [HOURS].\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalTime::class)\npublic expect enum class DurationUnit {\n /**\n * Time unit representing one nanosecond, which is 1/1000 of a microsecond.\n */\n NANOSECONDS,\n /**\n * Time unit representing one microsecond, which is 1/1000 of a millisecond.\n */\n MICROSECONDS,\n /**\n * Time unit representing one millisecond, which is 1/1000 of a second.\n */\n MILLISECONDS,\n /**\n * Time unit representing one second.\n */\n SECONDS,\n /**\n * Time unit representing one minute.\n */\n MINUTES,\n /**\n * Time unit representing one hour.\n */\n HOURS,\n /**\n * Time unit representing one day, which is always equal to 24 hours.\n */\n DAYS;\n}\n\n/** Converts the given time duration [value] expressed in the specified [sourceUnit] into the specified [targetUnit]. */\n@SinceKotlin(\"1.3\")\ninternal expect fun convertDurationUnit(value: Double, sourceUnit: DurationUnit, targetUnit: DurationUnit): Double\n\n// overflown result is unspecified\n@SinceKotlin(\"1.5\")\ninternal expect fun convertDurationUnitOverflow(value: Long, sourceUnit: DurationUnit, targetUnit: DurationUnit): Long\n\n// overflown result is coerced in the Long range boundaries\n@SinceKotlin(\"1.5\")\ninternal expect fun convertDurationUnit(value: Long, sourceUnit: DurationUnit, targetUnit: DurationUnit): Long\n\n\n@SinceKotlin(\"1.3\")\n@Suppress(\"REDUNDANT_ELSE_IN_WHEN\")\ninternal fun DurationUnit.shortName(): String = when (this) {\n DurationUnit.NANOSECONDS -> \"ns\"\n DurationUnit.MICROSECONDS -> \"us\"\n DurationUnit.MILLISECONDS -> \"ms\"\n DurationUnit.SECONDS -> \"s\"\n DurationUnit.MINUTES -> \"m\"\n DurationUnit.HOURS -> \"h\"\n DurationUnit.DAYS -> \"d\"\n else -> error(\"Unknown unit: $this\")\n}\n\n@SinceKotlin(\"1.5\")\ninternal fun durationUnitByShortName(shortName: String): DurationUnit = when (shortName) {\n \"ns\" -> DurationUnit.NANOSECONDS\n \"us\" -> DurationUnit.MICROSECONDS\n \"ms\" -> DurationUnit.MILLISECONDS\n \"s\" -> DurationUnit.SECONDS\n \"m\" -> DurationUnit.MINUTES\n \"h\" -> DurationUnit.HOURS\n \"d\" -> DurationUnit.DAYS\n else -> throw

IllegalArgumentException(\"Unknown duration unit short name: $shortName\")\n}\n\n@SinceKotlin(\"1.5\")\ninternal fun durationUnitByIsoChar(isoChar: Char, isTimeComponent: Boolean): DurationUnit =\n when {\n !isTimeComponent -> {\n when (isoChar) {\n 'D' -> DurationUnit.DAYS\n else -> throw IllegalArgumentException(\"Invalid or unsupported duration ISO non-time unit: $isoChar\")\n }\n }\n else -> {\n when (isoChar) {\n 'H' -> DurationUnit.HOURS\n 'M' -> DurationUnit.MINUTES\n 'S' -> DurationUnit.SECONDS\n else -> throw IllegalArgumentException(\"Invalid duration ISO time unit: $isoChar\")\n }\n }\n }","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * This annotation marks the experimental preview of the standard library API for measuring time and working with durations.\n *\n * > Note that this API is in a preview state and has a very high chance of being changed in the future.\n * Do not use it if you develop a library since your library will become binary incompatible\n * with the future versions of the standard library.\n *\n * Any usage of a declaration annotated with `@ExperimentalTime` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalTime::class)`,\n * or by using the compiler argument `-opt-in=kotlin.time.ExperimentalTime`.\n */\n@RequiresOptIn(level = RequiresOptIn.Level.ERROR)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@Target(\n CLASS,\n ANNOTATION_CLASS,\n PROPERTY,\n FIELD,\n LOCAL_VARIABLE,\n VALUE_PARAMETER,\n CONSTRUCTOR,\n FUNCTION,\n PROPERTY_GETTER,\n PROPERTY_SETTER,\n TYPEALIAS\n)\n@SinceKotlin(\"1.3\")\npublic annotation class ExperimentalTime\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\n/**\n * A source of time for measuring time intervals.\n *\n * The only operation provided by the time source is [markNow]. It returns a [TimeMark], which can be used to query the elapsed time later.\n *\n * @see [measureTime]\n * @see [measureTimedValue]\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic interface TimeSource {\n /**\n * Marks a point in time on this time source.\n *\n * The returned [TimeMark] instance encapsulates the captured time point and allows querying\n * the duration of time interval [elapsed][TimeMark.elapsedNow] from that point.\n */\n public fun markNow(): TimeMark\n\n /**\n * The most precise time source available in the platform.\n *\n * This time source returns its readings from a source of monotonic time when it is available in a target platform,\n * and resorts to a non-monotonic time source otherwise.\n */\n public object Monotonic : TimeSource by MonotonicTimeSource {\n override fun toString(): String = MonotonicTimeSource.toString()\n }\n\n\n public companion object {\n\n }\n}\n\n/**\n * Represents a time point notched on a particular [TimeSource]. Remains bound to the time source it was taken from\n * and allows querying for the duration of time elapsed from that point (see the function [elapsedNow]).\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic abstract class TimeMark {\n /**\n * Returns the amount of time passed from this mark measured with the time source from which this mark was taken.\n *\n * Note that the value returned by this function can change on subsequent invocations.\n */\n public abstract fun elapsedNow(): Duration\n\n /**\n * Returns a time mark on the same time source that is ahead of this time mark by the specified [duration].\n *\n * The returned time mark is more _late_ when the [duration] is positive, and more _early_ when the [duration] is negative.\n */\n public open operator fun plus(duration: Duration): TimeMark = AdjustedTimeMark(this, duration)\n\n /**\n * Returns a time mark on the same time source that is behind this time mark by the specified [duration].\n *\n * The returned time mark is more _early_ when the [duration] is positive, and more _late_ when the [duration] is negative.\n */\n public open operator fun minus(duration: Duration): TimeMark = plus(-duration)\n\n\n /**\n * Returns true if this time mark has passed according to the time source from which this mark was taken.\n *\n * Note that the value returned by this function can change on subsequent invocations.\n * If the time source is monotonic, it can change

only from `false` to `true`, namely, when the time mark becomes behind
the current point of the time source.\n */\n public fun hasPassedNow(): Boolean =
!elapsedNow().isNegative()\n\n /**\n * Returns false if this time mark has not passed according to the time source from which this mark was taken.\n *\n * Note that the value returned by this function can change on subsequent invocations.\n * If the time source is monotonic, it can change only from `true` to `false`, namely, when the time mark becomes behind the current point of the time source.\n */\n public fun hasNotPassedNow(): Boolean =
elapsedNow().isNegative()\n}\n\n\n@ExperimentalTime\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Deprecated(\n \"Subtracting one TimeMark from another is not a well defined operation because these time marks could have been obtained from the different time sources.\",\n level =
DeprecationLevel.ERROR\n)\n@Suppress(\"UNUSED_PARAMETER\")\npublic inline operator fun TimeMark.minus(other: TimeMark): Duration = throw Error(\"Operation
is disallowed.\")\n\n@ExperimentalTime\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Deprecated(\n \"Comparing one TimeMark to another is not a well defined operation because these time marks could have been obtained from the different time sources.\",\n level =
DeprecationLevel.ERROR\n)\n@Suppress(\"UNUSED_PARAMETER\")\npublic inline operator fun TimeMark.compareTo(other: TimeMark): Int = throw Error(\"Operation is
disallowed.\")\n\n\n@ExperimentalTime\nprivate class AdjustedTimeMark(val mark: TimeMark, val adjustment: Duration) : TimeMark() {\n override fun elapsedNow(): Duration = mark.elapsedNow() - adjustment\n\n
override fun plus(duration: Duration): TimeMark = AdjustedTimeMark(mark, adjustment + duration)\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\ninternal
expect object MonotonicTimeSource : TimeSource\n\n/**\n * An abstract class used to implement time sources that return their readings as [Long] values in the specified [unit].\n *\n * @property unit The unit in which this time source's readings are expressed.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic abstract class AbstractLongTimeSource(protected val unit: DurationUnit) : TimeSource {\n /**\n * This protected method should be overridden to return the current reading of the time source expressed as a [Long] number\n * in the unit specified by the [unit] property.\n */\n protected abstract fun read(): Long\n\n private class LongTimeMark(private val startedAt: Long, private val timeSource: AbstractLongTimeSource, private val offset: Duration) : TimeMark() {\n override fun elapsedNow(): Duration = (timeSource.read() - startedAt).toDuration(timeSource.unit) - offset\n override fun plus(duration:
Duration): TimeMark = LongTimeMark(startedAt, timeSource, offset + duration)\n }\n\n override fun markNow(): TimeMark = LongTimeMark(read(), this, Duration.ZERO)\n}\n\n/**\n * An abstract class used to implement time sources that return their readings as [Double] values in the specified [unit].\n *\n * @property unit The unit in which this time source's readings are expressed.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic abstract class AbstractDoubleTimeSource(protected val unit: DurationUnit) : TimeSource {\n /**\n * This protected method should be overridden to return the current reading of the time source expressed as a [Double] number\n * in the unit specified by the [unit] property.\n */\n protected abstract fun read(): Double\n\n private class DoubleTimeMark(private val startedAt: Double, private val timeSource: AbstractDoubleTimeSource, private val offset: Duration) : TimeMark() {\n override fun elapsedNow(): Duration = (timeSource.read()
- startedAt).toDuration(timeSource.unit) - offset\n override fun plus(duration: Duration): TimeMark =
DoubleTimeMark(startedAt, timeSource, offset + duration)\n }\n\n override fun markNow(): TimeMark =
DoubleTimeMark(read(), this, Duration.ZERO)\n}\n\n/**\n * A time source that has programmatically updatable readings. It is useful as a predictable source of time in tests.\n *\n * The current reading value can be advanced by the specified duration amount with the operator [plusAssign]:\n *\n * ```\n * val timeSource = TestTimeSource()\n * timeSource += 10.seconds\n * ```\n *\n * Implementation note: the current reading value is stored as a [Long]

number of nanoseconds,\n * thus it's capable to represent a time range of approximately \u00b1292 years.\n * Should the reading value overflow as the result of [plusAssign] operation, an [IllegalStateException] is thrown.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic class TestTimeSource : AbstractLongTimeSource(unit = DurationUnit.NANOSECONDS) {\n   private var reading: Long = 0L\n\n   override fun read(): Long = reading\n\n   /**\n   * Advances the current reading value of this time source by the specified [duration].\n   *\n   * [duration] value is rounded down towards zero when converting it to a [Long] number of nanoseconds.\n   * For example, if the duration being added is `0.6.nanoseconds`, the reading doesn't advance because\n   * the duration value is rounded to zero nanoseconds.\n   *\n   * @throws IllegalStateException when the reading value overflows as the result of this operation.\n   */\n   public operator fun plusAssign(duration: Duration) {\n   val longDelta = duration.toLong(unit)\n   reading = if (longDelta != Long.MIN_VALUE && longDelta != Long.MAX_VALUE) {\n   // when delta fits in long, add it as long\n   val newReading = reading + longDelta\n   if (reading xor longDelta >= 0 && reading xor newReading < 0) overflow(duration)\n   newReading\n   } else {\n   val delta = duration.toDouble(unit)\n   // when delta is greater than long, add it as double\n   val newReading = reading + delta\n   if (newReading > Long.MAX_VALUE || newReading < Long.MIN_VALUE) overflow(duration)\n   newReading.toLong()\n   }\n   }\n\n   private fun overflow(duration: Duration) {\n   throw IllegalStateException(\"TestTimeSource will overflow if its reading ${reading}ns is advanced by $duration.\")\n   }\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport kotlin.contracts.*\n\n/**\n * Executes the given function [block] and returns the duration of elapsed time interval.\n *\n * The elapsed time is measured with [TimeSource.Monotonic].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic inline fun measureTime(block: () -> Unit): Duration {\n   contract {\n   callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n   }\n   return TimeSource.Monotonic.measureTime(block)\n}\n\n\n/**\n * Executes the given function [block] and returns the duration of elapsed time interval.\n *\n * The elapsed time is measured with the specified `this` [TimeSource] instance.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic inline fun TimeSource.measureTime(block: () -> Unit): Duration {\n   contract {\n   callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n   }\n\n   val mark = markNow()\n   block()\n   return mark.elapsedNow()\n}\n\n\n/**\n * Data class representing a result of executing an action, along with the duration of elapsed time interval.\n *\n * @property value the result of the action.\n * @property duration the time elapsed to execute the action.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic data class TimedValue<T>(val value: T, val duration: Duration)\n\n/**\n * Executes the given function [block] and returns an instance of [TimedValue] class, containing both\n * the result of the function execution and the duration of elapsed time interval.\n *\n * The elapsed time is measured with [TimeSource.Monotonic].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic inline fun <T> measureTimedValue(block: () -> T): TimedValue<T> {\n   contract {\n   callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n   }\n\n   return TimeSource.Monotonic.measureTimedValue(block)\n}\n\n/**\n * Executes the given [block] and returns an instance of [TimedValue] class, containing both\n * the result of function execution and the duration of elapsed time interval.\n *\n * The elapsed time is measured with the specified `this` [TimeSource] instance.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic inline fun <T> TimeSource.measureTimedValue(block: () -> T): TimedValue<T> {\n   contract {\n   callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n   }\n\n   val mark = markNow()\n   val result = block()\n   return TimedValue(result, mark.elapsedNow())\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.coroutines.*\nimport kotlin.coroutines.intrinsics.*\nimport kotlin.native.concurrent.SharedImmutable\n\n/**\n * Defines deep recursive function that keeps its stack on the heap,\n * which allows very deep recursive computations that do not use the actual call stack.\n * To initiate a call to this deep recursive function use its [invoke] function.\n * As a rule of

thumb, it should be used if recursion goes deeper than a thousand calls.\n *\n * The [DeepRecursiveFunction] takes one parameter of type [T] and returns a result of type [R].\n * The [block] of code defines the body of a recursive function.
In this block\n * [callRecursive][DeepRecursiveScope.callRecursive] function can be used to make a recursive call\n * to the declared function. Other instances of [DeepRecursiveFunction] can be called\n * in this scope with `callRecursive` extension, too.\n *\n * For example, take a look at the following recursive tree class and a deeply\n * recursive instance of this tree with 100K nodes:\n *\n * ```\n * class Tree(val left: Tree? = null, val right: Tree? = null)\n * val deepTree = generateSequence(Tree()) { Tree(it) }.take(100_000).last()\n * ```\n *\n * A regular recursive function can be defined to compute a depth of a tree:\n *\n * ```\n * fun depth(t: Tree?): Int =\n * if (t == null) 0 else max(depth(t.left), depth(t.right)) + 1\n * println(depth(deepTree)) // StackOverflowError\n * ```\n *\n * If this `depth` function is called for a `deepTree` it produces [StackOverflowError] because of deep recursion.\n * However, the `depth` function can be rewritten using `DeepRecursiveFunction`
in the following way, and then\n * it successfully computes [`depth(deepTree)`][DeepRecursiveFunction.invoke] expression:\n *\n * ```\n * val depth = DeepRecursiveFunction<Tree?, Int> { t ->\n * if (t == null) 0 else max(callRecursive(t.left), callRecursive(t.right)) + 1\n * }\n * println(depth(deepTree)) // Ok\n * ```\n *\n * Deep recursive functions can also mutually call each other using a heap for the stack via\n * [callRecursive][DeepRecursiveScope.callRecursive] extension. For example, the\n * following pair of mutually recursive functions computes the number of tree nodes at even depth in the tree.\n *\n * ```\n * val mutualRecursion = object {\n * val even: DeepRecursiveFunction<Tree?, Int> = DeepRecursiveFunction { t ->\n * if (t == null) 0 else odd.callRecursive(t.left) + odd.callRecursive(t.right) + 1\n * }\n * val odd: DeepRecursiveFunction<Tree?, Int> = DeepRecursiveFunction { t ->\n * if (t == null) 0 else even.callRecursive(t.left)
+ even.callRecursive(t.right)\n * }\n * }\n * ```\n *\n * @param [T] the function parameter type.\n * @param [R] the function result type.\n * @param block the function body.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalStdlibApi\npublic class DeepRecursiveFunction<T, R>(\n internal val block: suspend DeepRecursiveScope<T, R>.(T) -> R\n)\n\n/**\n * Initiates a call to this deep recursive function, forming a root of the call tree.\n *\n * This operator should not be used from inside of [DeepRecursiveScope] as it uses the call stack slot for\n * initial recursive invocation. From inside of [DeepRecursiveScope] use\n * [callRecursive][DeepRecursiveScope.callRecursive].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalStdlibApi\npublic operator fun <T, R> DeepRecursiveFunction<T, R>.invoke(value: T): R =\n DeepRecursiveScopeImpl<T, R>(block, value).runCallLoop()\n\n/**\n * A scope class for [DeepRecursiveFunction] function declaration that defines [callRecursive] methods to\n * recursively call this function or another [DeepRecursiveFunction] putting the call activation frame on the heap.\n *\n * @param [T] function parameter type.\n * @param [R] function result type.\n */\n@RestrictsSuspension\n@SinceKotlin(\"1.4\")\n@ExperimentalStdlibApi\npublic sealed class DeepRecursiveScope<T, R> {\n /**\n * Makes recursive call to this [DeepRecursiveFunction] function putting the call activation frame on the heap,\n * as opposed to the actual call stack that is used by a regular recursive call.\n */\n public abstract suspend fun callRecursive(value: T): R\n\n /**\n * Makes call to the specified [DeepRecursiveFunction] function putting the call activation frame on the heap,\n * as opposed to the actual call stack that is used by a regular call.\n */\n public abstract suspend fun <U, S> DeepRecursiveFunction<U, S>.callRecursive(value: U): S\n\n @Deprecated(\n level = DeprecationLevel.ERROR,\n message =\n \"'invoke' should not be called from DeepRecursiveScope. \" +\n \"Use 'callRecursive' to do recursion in the heap instead of the call stack.\",\n replaceWith = ReplaceWith(\"this.callRecursive(value)\")\n)\n @Suppress(\"UNUSED_PARAMETER\")\n public operator fun DeepRecursiveFunction<*, *>.invoke(value: Any?): Nothing =\n throw UnsupportedOperationException(\"Should not be called from DeepRecursiveScope\")\n}\n\n// ================== Implementation ==================\n\n@ExperimentalStdlibApi\nprivate typealias DeepRecursiveFunctionBlock = suspend

DeepRecursiveScope<*, *>.(Any?) -> Any?\n\n@SharedImmutable\nprivate val UNDEFINED_RESULT = Result.success(COROUTINE_SUSPENDED)\n\n@Suppress(\"UNCHECKED_CAST\")\n@ExperimentalStdlibApi\nprivate class DeepRecursiveScopeImpl<T, R>(\n   block: suspend DeepRecursiveScope<T, R>.(T) -> R,\n   value: T\n) : DeepRecursiveScope<T, R>(), Continuation<R> {\n   // Active function block\n   private var function: DeepRecursiveFunctionBlock\n   = block as DeepRecursiveFunctionBlock\n\n   // Value to call function with\n   private var value: Any? = value\n\n   // Continuation of the current call\n   private var cont: Continuation<Any?>? = this as Continuation<Any?>\n\n   // Completion result (completion of the whole call stack)\n   private var result: Result<Any?> = UNDEFINED_RESULT\n\n   override val context: CoroutineContext\n   get() = EmptyCoroutineContext\n\n   override fun resumeWith(result: Result<R>) {\n   this.cont = null\n   this.result = result\n   }\n\n   override suspend fun callRecursive(value: T): R = suspendCoroutineUninterceptedOrReturn { cont ->\n   // calling the same function that is currently active\n   this.cont = cont as Continuation<Any?>\n   this.value = value\n   COROUTINE_SUSPENDED\n   }\n\n   override suspend fun <U, S> DeepRecursiveFunction<U, S>.callRecursive(value: U): S = suspendCoroutineUninterceptedOrReturn { cont ->\n   // calling another recursive function\n   val function = block as DeepRecursiveFunctionBlock\n   with(this@DeepRecursiveScopeImpl) {\n   val currentFunction = this.function\n   if (function !== currentFunction) {\n   // calling a different function -- create a trampoline to restore function ref\n   this.function = function\n   this.cont = crossFunctionCompletion(currentFunction, cont as Continuation<Any?>)\n   } else {\n   // calling the same function -- direct\n   this.cont = cont as Continuation<Any?>\n   }\n   this.value = value\n   }\n   COROUTINE_SUSPENDED\n   }\n\n   private fun crossFunctionCompletion(\n   currentFunction: DeepRecursiveFunctionBlock,\n   cont: Continuation<Any?>\n   ): Continuation<Any?> = Continuation(EmptyCoroutineContext) {\n   this.function = currentFunction\n   // When going back from a trampoline we cannot just call cont.resume (stack usage!)\n   // We delegate the cont.resumeWith(it) call to runCallLoop\n   this.cont = cont\n   this.result = it\n   }\n\n   @Suppress(\"UNCHECKED_CAST\")\n   fun runCallLoop(): R {\n   while (true) {\n   // Note: cont is set to null in DeepRecursiveScopeImpl.resumeWith when the whole computation completes\n   val result = this.result\n   val cont = this.cont\n   ?: return (result as Result<R>).getOrThrow() // done -- final result\n   // The order of comparison is important here for that case of rogue class with broken equals\n   if (UNDEFINED_RESULT == result) {\n   // call \"function\" with \"value\" using \"cont\" as completion\n   val r = try {\n   // This is block.startCoroutine(this, value, cont)\n   function.startCoroutineUninterceptedOrReturn(this, value, cont)\n   } catch (e: Throwable) {\n   cont.resumeWithException(e)\n   continue\n   }\n   // If the function returns without suspension -- calls its continuation immediately\n   if (r !== COROUTINE_SUSPENDED)\n   cont.resume(r as R)\n   } else {\n   // we returned from a crossFunctionCompletion trampoline -- call resume here\n   this.result = UNDEFINED_RESULT // reset result back\n   cont.resumeWith(result)\n   }\n   }\n   }\n}\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\n@file:kotlin.jvm.JvmName(\"NumbersKt\")\n@file:kotlin.jvm.JvmMultifileClass\npackage kotlin\n\nimport kotlin.math.sign\n\n/** Divides this value by the other value, flooring the result to an integer that is closer
to negative infinity. */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.floorDiv(other: Byte): Int = \n   this.toInt().floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.mod(other: Byte): Byte = \n   this.toInt().mod(other.toInt()).toByte()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.

*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.floorDiv(other: Short): Int = \n this.toInt().floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_
 and has the absolute value less than the absolute value of the divisor.\n
*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.mod(other: Short): Short = \n this.toInt().mod(other.toInt()).toShort()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.floorDiv(other: Int): Int = \n   this.toInt().floorDiv(other)\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n
*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.mod(other: Int): Int = \n this.toInt().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic
 inline fun Byte.floorDiv(other: Long): Long = \n   this.toLong().floorDiv(other)\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n
*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.mod(other: Long): Long = \n this.toLong().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Short.floorDiv(other: Byte): Int = \n   this.toInt().floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n
 */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Short.mod(other: Byte): Byte = \n this.toInt().mod(other.toInt()).toByte()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Short.floorDiv(other: Short): Int = \n   this.toInt().floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n
*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Short.mod(other: Short): Short = \n this.toInt().mod(other.toInt()).toShort()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline
 fun Short.floorDiv(other: Int): Int = \n   this.toInt().floorDiv(other)\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n
*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Short.mod(other: Int): Int = \n this.toInt().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Short.floorDiv(other: Long): Long = \n   this.toLong().floorDiv(other)\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic
 inline fun Short.mod(other: Long): Long = \n   this.toLong().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.
*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Byte): Int = \n this.floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Int.mod(other: Byte): Byte = \n   this.mod(other.toInt()).toByte()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.

*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Short): Int = \n this.floorDiv(other.toInt())\n\n/**\n * Calculates
the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Int.mod(other: Short): Short = \n this.mod(other.toInt()).toShort()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Int): Int {\n var q = this / other\n if (this xor other < 0 && q * other != this) q-- \n return q\n}\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Int.mod(other:
Int): Int {\n val r = this % other\n return r + (other and (((r xor other) and (r or -r)) shr 31))\n}\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.
*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Long): Long = \n this.toLong().floorDiv(other)\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Int.mod(other: Long): Long = \n this.toLong().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.
*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Long.floorDiv(other: Byte): Long = \n this.floorDiv(other.toLong())\n\n/**\n
* Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Long.mod(other: Byte): Byte = \n this.mod(other.toLong()).toByte()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Long.floorDiv(other: Short): Long = \n this.floorDiv(other.toLong())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Long.mod(other: Short): Short
= \n this.mod(other.toLong()).toShort()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Long.floorDiv(other: Int): Long = \n this.floorDiv(other.toLong())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Long.mod(other: Int): Int = \n this.mod(other.toLong()).toInt()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Long.floorDiv(other: Long): Long {\n var q = this / other\n if (this xor other < 0 && q * other != this) q-- \n return
q\n}\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Long.mod(other: Long): Long {\n val r = this % other\n return r + (other and (((r xor other) and (r or -r)) shr 63))\n}\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n * \n * If the result cannot be represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result can be less than or _equal to_ the absolute value of the divisor.\n

*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Float.mod(other: Float): Float {\n val r = this % other\n return if (r != 0.0.toFloat() && r.sign != other.sign) r + other else r\n}\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n * \n * If the result cannot be represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result can be less than or _equal to_ the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Float.mod(other: Double): Double = \n this.toDouble().mod(other)\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n * \n * If the result cannot be represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result can be less than or _equal to_ the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Double.mod(other: Float): Double = \n this.mod(other.toDouble())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n * \n * If the result cannot be represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result can be less than or _equal to_ the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Double.mod(other: Double): Double {\n val r = this % other\n return if (r != 0.0 && r.sign != other.sign) r + other else r\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.internal.InlineOnly\n\n\n/**\n * Returns a hash code value for the object or zero if the object is `null`.\n *\n * @see Any.hashCode\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic inline fun Any?.hashCode(): Int = this?.hashCode() ?: 0\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n/**\n * Represents a version of the Kotlin standard library.\n *\n * [major], [minor] and [patch] are integer components of a version,\n * they must be non-negative and not greater than 255 ([MAX_COMPONENT_VALUE]).\n *\n * @constructor Creates a version from all three components.\n */\n@SinceKotlin(\"1.1\")\npublic class KotlinVersion(val major: Int, val minor: Int, val patch: Int) : Comparable<KotlinVersion> {\n /**\n * Creates a version from [major] and [minor] components, leaving [patch] component zero.\n */\n public constructor(major: Int, minor: Int) : this(major, minor, 0)\n\n private val version = versionOf(major, minor, patch)\n\n private fun versionOf(major: Int, minor: Int, patch: Int): Int {\n require(major in 0..MAX_COMPONENT_VALUE && minor in 0..MAX_COMPONENT_VALUE && patch in 0..MAX_COMPONENT_VALUE) {\n \"Version components are out of range: $major.$minor.$patch\"\n }\n return major.shl(16) + minor.shl(8) + patch\n }\n\n /**\n * Returns the string representation of this version\n */\n override fun toString(): String = \"$major.$minor.$patch\"\n\n override fun equals(other: Any?): Boolean {\n if (this === other) return true\n val otherVersion = (other as? KotlinVersion) ?: return false\n return this.version == otherVersion.version\n }\n\n override fun hashCode(): Int = version\n\n\n override fun compareTo(other: KotlinVersion): Int = version - other.version\n\n /**\n * Returns `true` if this version is not less than the version specified\n * with the provided [major] and [minor] components.\n */\n public fun isAtLeast(major: Int, minor: Int): Boolean = // this.version >= versionOf(major, minor, 0)\n this.major > major || (this.major == major &&\n this.minor >= minor)\n\n /**\n * Returns `true` if this version is not less than the version specified\n * with the provided [major], [minor] and [patch] components.\n */\n public fun isAtLeast(major: Int, minor: Int, patch: Int): Boolean = // this.version >= versionOf(major, minor, patch)\n this.major > major || (this.major == major &&\n (this.minor > minor || this.minor == minor &&\n

this.patch >= patch))\n\n
companion object {\n /**\n * Maximum value a version component can have, a constant value 255.\n */\n // NOTE: Must be placed before CURRENT because its initialization requires this field being initialized in JS\n public const val MAX_COMPONENT_VALUE = 255\n\n /**\n * Returns the current version of the Kotlin standard library.\n */\n @kotlin.jvm.JvmField\n public val CURRENT: KotlinVersion = KotlinVersionCurrentValue.get()\n }\n}\n\n// this class is ignored during classpath normalization when considering whether to recompile dependencies in Kotlin build\nprivate object KotlinVersionCurrentValue {\n @kotlin.jvm.JvmStatic\n fun get(): KotlinVersion = KotlinVersion(1, 6, 20) // value is written here automatically during build\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found
in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName(\"LateinitKt\")\n@file:Suppress(\"unused\")\n\npackage kotlin\n\nimport kotlin.internal.InlineOnly\nimport kotlin.internal.AccessibleLateinitPropertyLiteral\nimport kotlin.reflect.KProperty0\n\n/**\n * Returns `true` if this lateinit property has been assigned a value, and `false` otherwise.\n *\n * Cannot be used in an inline function, to avoid binary compatibility issues.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\ninline val @receiver:AccessibleLateinitPropertyLiteral KProperty0<*>.isInitialized: Boolean\n get() = throw NotImplementedError(\"Implementation is intrinsic\")\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"LazyKt\")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin\n\nimport kotlin.reflect.KProperty\n\n/**\n
* Represents a value with lazy initialization.\n *\n * To create an instance of [Lazy] use the [lazy] function.\n */\npublic interface Lazy<out T> {\n /**\n * Gets the lazily initialized value of the current Lazy instance.\n * Once the value was initialized it must not change during the rest of lifetime of this Lazy instance.\n */\n public val value: T\n\n /**\n * Returns `true` if a value for this Lazy instance has been already initialized, and `false` otherwise.\n * Once this function has returned `true` it stays `true` for the rest of lifetime of this Lazy instance.\n
*/\n public fun isInitialized(): Boolean\n}\n\n/**\n * Creates a new instance of the [Lazy] that is already initialized with the specified [value].\n */\npublic fun <T> lazyOf(value: T): Lazy<T> = InitializedLazyImpl(value)\n\n/**\n * An extension to delegate a read-only property of type [T] to an instance of [Lazy].\n *\n * This extension allows to use instances of Lazy for property
delegation:\n * `val property: String by lazy { initializer }`\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Lazy<T>.getValue(thisRef: Any?, property: KProperty<*>): T = value\n\n/**\n * Specifies how a [Lazy] instance synchronizes initialization among multiple threads.\n */\npublic enum class LazyThreadSafetyMode {\n\n /**\n * Locks are used to ensure that only a single thread can initialize the [Lazy] instance.\n */\n SYNCHRONIZED,\n\n /**\n * Initializer function can be called several times on concurrent access to uninitialized [Lazy] instance value,\n * but only the first returned value will be used as the value of [Lazy] instance.\n */\n PUBLICATION,\n\n /**\n * No locks are used to synchronize an access to the [Lazy] instance value; if the instance is accessed from multiple threads, its behavior is undefined.\n *\n * This mode should not be used unless the [Lazy] instance is guaranteed never to be initialized
from more than one thread.\n */\n NONE,\n}\n\n\ninternal object UNINITIALIZED_VALUE\n\n// internal to be called from lazy in JS\ninternal class UnsafeLazyImpl<out T>(initializer: () -> T) : Lazy<T>, Serializable {\n private var initializer: (() -> T)? = initializer\n private var _value: Any? = UNINITIALIZED_VALUE\n\n override val value: T\n get() {\n if (_value === UNINITIALIZED_VALUE) {\n _value = initializer!!()\n initializer = null\n }\n @Suppress(\"UNCHECKED_CAST\")\n return _value as T\n }\n\n override fun isInitialized(): Boolean = _value !== UNINITIALIZED_VALUE\n\n override fun toString(): String = if (isInitialized()) value.toString() else \"Lazy value not initialized yet.\"\n\n private fun writeReplace(): Any = InitializedLazyImpl(value)\n}\n\ninternal class InitializedLazyImpl<out T>(override val value: T) : Lazy<T>, Serializable {\n\n override fun isInitialized():

Boolean = true\n\n   override fun toString(): String = value.toString()\n\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"NumbersKt\")\npackage kotlin\n\n/**\n * Counts the number of set bits in the binary representation of this [Int] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Int.countOneBits(): Int\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Int] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Int.countLeadingZeroBits(): Int\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Int] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Int.countTrailingZeroBits(): Int\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Int] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Int.takeHighestOneBit(): Int\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Int] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Int.takeLowestOneBit(): Int\n\n/**\n * Rotates the binary representation of this [Int] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 32)`\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Int.rotateLeft(bitCount: Int): Int\n\n\n/**\n * Rotates the binary representation of this [Int] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 32)`\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Int.rotateRight(bitCount: Int): Int\n\n\n/**\n * Counts the number of set bits in the binary representation of this [Long] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Long.countOneBits(): Int\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Long] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Long.countLeadingZeroBits(): Int\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Long] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Long.countTrailingZeroBits(): Int\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Long] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Long.takeHighestOneBit(): Long\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Long] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Long.takeLowestOneBit(): Long\n\n/**\n * Rotates the binary representation of this [Long] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as

the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
expect fun Long.rotateLeft(bitCount: Int): Long\n\n/**\n * Rotates the binary representation of this [Long] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\n
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Long.rotateRight(bitCount: Int): Long\n\n/**\n * Counts the number of set bits in the binary representation of this [Byte] number.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c
inline fun Byte.countOneBits(): Int = (toInt() and 0xFF).countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Byte] number.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Byte.countLeadingZeroBits(): Int = (toInt() and 0xFF).countLeadingZeroBits() - (Int.SIZE_BITS - Byte.SIZE_BITS)\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Byte] number.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Byte.countTrailingZeroBits(): Int = (toInt() or 0x100).countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Byte] number,\n * or zero, if this number is zero.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c
inline fun Byte.takeHighestOneBit(): Byte = (toInt() and 0xFF).takeHighestOneBit().toByte()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Byte] number,\n * or zero, if this number is zero.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Byte.takeLowestOneBit(): Byte = toInt().takeLowestOneBit().toByte()\n\n/**\n * Rotates the binary representation of this [Byte] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Byte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 8)`\n
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Byte.rotateLeft(bitCount: Int): Byte =\n   (toInt().shl(bitCount and 7) or (toInt() and 0xFF).ushr(8 - (bitCount and 7))).toByte()\n\n/**\n * Rotates the binary representation of this [Byte] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Byte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 8)`\n
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Byte.rotateRight(bitCount: Int): Byte =\n   (toInt().shl(8

- (bitCount and 7)) or (toInt() and 0xFF).ushr(bitCount and 7)).toByte()\n\n/**\n * Counts the number of set bits in the binary representation of this [Short] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Short.countOneBits(): Int = (toInt() and 0xFFFF).countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Short] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Short.countLeadingZeroBits(): Int =\n   (toInt() and 0xFFFF).countLeadingZeroBits() - (Int.SIZE_BITS - Short.SIZE_BITS)\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Short] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Short.countTrailingZeroBits():
Int = (toInt() or 0x10000).countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Short] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Short.takeHighestOneBit(): Short = (toInt() and 0xFFFF).takeHighestOneBit().toShort()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Short] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Short.takeLowestOneBit(): Short = toInt().takeLowestOneBit().toShort()\n\n\n/**\n * Rotates the binary representation of this [Short] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number
as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Short.SIZE_BITS] (16) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 16)`\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Short.rotateLeft(bitCount: Int): Short =\n   (toInt().shl(bitCount and 15) or (toInt() and 0xFFFF).ushr(16 - (bitCount and 15))).toShort()\n\n/**\n * Rotates the binary representation of this [Short] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) ==
number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Short.SIZE_BITS] (16) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 16)`\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Short.rotateRight(bitCount: Int): Short =\n   (toInt().shl(16 - (bitCount and 15)) or (toInt() and 0xFFFF).ushr(bitCount and 15)).toShort()\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\nimport kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\n\n@kotlin.internal.InlineOnly\n@SinceKotlin(\"1.2\")\n@Suppress(\"INVISIBLE_MEMBER\", \"INVISIBLE_REFERENCE\")\n@RequireKotlin(\"1.2.30\", level = DeprecationLevel.HIDDEN, versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic inline fun <R> suspend(noinline
block: suspend () -> R): suspend () -> R = block\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"TuplesKt\")\n\npackage kotlin\n\n\n/**\n * Represents a generic pair of two values.\n *\n * There is no meaning attached to values in this class, it can be used for any purpose.\n * Pair exhibits value semantics, i.e. two pairs are equal if both components are equal.\n *\n * An example of decomposing it into values:\n * @sample samples.misc.Tuples.pairDestructuring\n

*\n * @param A type of the first value.\n * @param B type of the second value.\n * @property first First value.\n * @property second Second value.\n * @constructor Creates a new instance of Pair.\n */\npublic data class Pair<out A, out B>(\n   public val first: A,\n   public val second: B\n) : Serializable {\n\n   /**\n   * Returns string representation of the [Pair] including its [first] and [second] values.\n   */\n   public override fun toString(): String = \"($first, $second)\"\n}\n\n/**\n * Creates a tuple of type [Pair] from this and [that].\n *\n * This can be useful for creating [Map] literals with less noise, for example:\n * @sample samples.collections.Maps.Instantiation.mapFromPairs\n */\npublic infix fun <A, B> A.to(that: B): Pair<A, B> = Pair(this, that)\n\n/**\n * Converts this pair into a list.\n * @sample samples.misc.Tuples.pairToList\n */\npublic fun <T> Pair<T, T>.toList(): List<T> = listOf(first, second)\n\n/**\n * Represents a triad of values\n *\n * There is no meaning attached to values in this class, it can be used for any purpose.\n * Triple exhibits value semantics, i.e. two triples are equal if all three components are equal.\n * An example of decomposing it into values:\n * @sample samples.misc.Tuples.tripleDestructuring\n *\n * @param A type of the first value.\n * @param B type of the second value.\n * @param C type of the third value.\n * @property first First value.\n * @property second Second value.\n * @property third Third value.\n */\npublic data class Triple<out A, out B, out C>(\n   public val first: A,\n   public val second: B,\n   public val third: C\n) : Serializable {\n\n   /**\n   * Returns string representation of the [Triple] including its [first], [second] and [third] values.\n   */\n   public override fun toString(): String = \"($first, $second, $third)\"\n}\n\n/**\n * Converts this triple into a list.\n * @sample samples.misc.Tuples.tripleToList\n */\npublic fun <T> Triple<T, T, T>.toList(): List<T> = listOf(first, second, third)\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n\n\nimport kotlin.internal.*\n\n/**\n * A range of values of type `UInt`.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic class UIntRange(start: UInt, endInclusive: UInt) : UIntProgression(start, endInclusive, 1), ClosedRange<UInt> {\n   override val start: UInt get() = first\n   override val endInclusive: UInt get() = last\n\n   override fun contains(value: UInt): Boolean = first <= value && value <= last\n\n   /** \n   * Checks if the range is empty.\n   \n   * The range is empty if its start value is greater than the end value.\n   */\n   override fun isEmpty(): Boolean = first > last\n\n   override fun equals(other: Any?): Boolean =\n   other is UIntRange && (isEmpty() && other.isEmpty() ||\n   first == other.first && last == other.last)\n\n   override fun hashCode(): Int =\n   if (isEmpty()) -1 else (31 * first.toInt() + last.toInt())\n\n   override fun toString(): String = \"$first..$last\"\n\n   companion object {\n   /** An empty range of values of type UInt. */\n   public val EMPTY: UIntRange = UIntRange(UInt.MAX_VALUE, UInt.MIN_VALUE)\n   }\n}\n\n/**\n * A progression of values of type `UInt`.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic open class UIntProgression\ninternal constructor(\n   start: UInt,\n   endInclusive: UInt,\n   step: Int\n) : Iterable<UInt> {\n   init {\n   if (step == 0.toInt()) throw kotlin.IllegalArgumentException(\"Step must be non-zero.\")\n   if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater than Int.MIN_VALUE to avoid overflow on negation.\")\n   }\n\n   /**\n   * The first element in the progression.\n   */\n   public val first: UInt = start\n\n   /**\n   * The last element in the progression.\n   */\n   public val last: UInt = getProgressionLastElement(start, endInclusive, step)\n\n   /**\n   * The step of the progression.\n   */\n   public val step: Int = step\n\n   final override fun iterator(): Iterator<UInt> = UIntProgressionIterator(first, last, step)\n\n   /** \n   * Checks if the progression is empty.\n   \n   * Progression with a positive step is empty if its first element is greater than the last element.\n   * Progression with a negative step is empty if its first element is less than the last element.\n   */\n   public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n   override fun equals(other: Any?): Boolean =\n   other is UIntProgression && (isEmpty() && other.isEmpty() ||\n   first == other.first && last == other.last && step == other.step)\n\n   override fun hashCode(): Int =\n   if (isEmpty()) -1 else (31 * (31 * first.toInt() + last.toInt()) + step.toInt())\n\n   override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n   companion object {\n   /**\n   *

Creates UIntProgression
within the specified bounds of a closed range.\n\n * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n * In order to go backwards the [step] must be negative.\n *\n * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n */\n public fun fromClosedRange(rangeStart: UInt, rangeEnd: UInt, step: Int): UIntProgression = UIntProgression(rangeStart, rangeEnd, step)\n }\n}\n\n\n/**\n * An iterator over a progression of values of type `UInt`.\n * @property step the number by which the value is incremented on each step.\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"DEPRECATION_ERROR\")\nprivate class UIntProgressionIterator(first: UInt, last: UInt, step: Int) : UIntIterator() {\n private val finalElement = last\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private val step = step.toUInt() // use
2-complement math for negative steps\n private var next = if (hasNext) first else finalElement\n\n override fun hasNext(): Boolean = hasNext\n\n override fun nextUInt(): UInt {\n val value = next\n if (value == finalElement) {\n if (!hasNext) throw kotlin.NoSuchElementException()\n hasNext = false\n } else {\n next += step\n }\n return value\n }\n}\n\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.collections\n\n/** An iterator over a sequence of values of type `UByte`. */\n@Deprecated(\"This class is not going to be stabilized and is to be removed soon.\", level = DeprecationLevel.ERROR)\n@SinceKotlin(\"1.3\")\npublic abstract class UByteIterator : Iterator<UByte> {\n final override
fun next() = nextUByte()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextUByte(): UByte\n}\n\n/** An iterator over a sequence of values of type `UShort`. */\n@Deprecated(\"This class is not going to be stabilized and is to be removed soon.\", level = DeprecationLevel.ERROR)\n@SinceKotlin(\"1.3\")\npublic abstract class UShortIterator : Iterator<UShort> {\n final override fun next() = nextUShort()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextUShort(): UShort\n}\n\n/** An iterator over a sequence of values of type `UInt`. */\n@Deprecated(\"This class is not going to be stabilized and is to be removed soon.\", level = DeprecationLevel.ERROR)\n@SinceKotlin(\"1.3\")\npublic abstract class UIntIterator : Iterator<UInt> {\n final override fun next() = nextUInt()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextUInt(): UInt\n}\n\n/** An
iterator over a sequence of values of type `ULong`. */\n@Deprecated(\"This class is not going to be stabilized and is to be removed soon.\", level = DeprecationLevel.ERROR)\n@SinceKotlin(\"1.3\")\npublic abstract class ULongIterator : Iterator<ULong> {\n final override fun next() = nextULong()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextULong(): ULong\n}\n\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n\n\nimport kotlin.internal.*\n\n/**\n * A range of values of type `ULong`.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic class ULongRange(start: ULong, endInclusive: ULong) : ULongProgression(start, endInclusive, 1), ClosedRange<ULong> {\n override val start:
ULong get() = first\n override val endInclusive: ULong get() = last\n\n override fun contains(value: ULong): Boolean = first <= value && value <= last\n\n /** \n * Checks if the range is empty.\n \n * The range is empty if its start value is greater than the end value.\n */\n override fun isEmpty(): Boolean = first > last\n\n override fun equals(other: Any?): Boolean =\n other is ULongRange && (isEmpty() && other.isEmpty() ||\n first == other.first && last == other.last)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * (first xor (first shr 32)).toInt() + (last xor (last shr 32)).toInt())\n\n override fun toString(): String = \"$first..$last\"\n\n companion object {\n /** An empty range of values of type ULong. */\n public val EMPTY: ULongRange = ULongRange(ULong.MAX_VALUE, ULong.MIN_VALUE)\n }\n}\n\n/**\n * A

progression of values of type `ULong`.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
open class ULongProgression\ninternal constructor(\n start: ULong,\n endInclusive: ULong,\n step: Long\n) :
Iterable<ULong> {\n init {\n if (step == 0.toLong()) throw kotlin.IllegalArgumentException(\"Step must be
non-zero.\")\n if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater
than Long.MIN_VALUE to avoid overflow on negation.\")\n }\n\n /**\n * The first element in the
progression.\n */\n public val first: ULong = start\n\n /**\n * The last element in the progression.\n */\n
public val last: ULong = getProgressionLastElement(start, endInclusive, step)\n\n /**\n * The step of the
progression.\n */\n public val step: Long = step\n\n final override fun iterator(): Iterator<ULong> =
ULongProgressionIterator(first, last, step)\n\n /** \n * Checks if the progression is empty.\n \n *
Progression with a positive
step is empty if its first element is greater than the last element.\n * Progression with a negative step is empty if
its first element is less than the last element.\n */\n public open fun isEmpty(): Boolean = if (step > 0) first > last
else first < last\n\n override fun equals(other: Any?): Boolean =\n other is ULongProgression && (isEmpty()
&& other.isEmpty() ||\n first == other.first && last == other.last && step == other.step)\n\n override fun
hashCode(): Int =\n if (isEmpty()) -1 else (31 * (31 * (first xor (first shr 32)).toInt() + (last xor (last shr
32)).toInt()) + (step xor (step ushr 32)).toInt())\n\n override fun toString(): String = if (step > 0) \"$first..$last step
$step\" else \"$first downTo $last step ${-step}\"\n\n companion object {\n /**\n * Creates
ULongProgression within the specified bounds of a closed range.\n\n * The progression starts with the
[rangeStart] value and goes toward the
[rangeEnd] value not excluding it, with the specified [step].\n * In order to go backwards the [step] must be
negative.\n *\n * [step] must be greater than `Long.MIN_VALUE` and not equal to zero.\n */\n
public fun fromClosedRange(rangeStart: ULong, rangeEnd: ULong, step: Long): ULongProgression =
ULongProgression(rangeStart, rangeEnd, step)\n }\n}\n\n\n/**\n * An iterator over a progression of values of type
`ULong`.\n * @property step the number by which the value is incremented on each step.\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"DEPRECATION_ERROR\")\nprivate class
ULongProgressionIterator(first: ULong, last: ULong, step: Long) : ULongIterator() {\n private val finalElement =
last\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private val step =
step.toULong() // use 2-complement math for negative steps\n private var next = if (hasNext) first else
finalElement\n\n override fun hasNext(): Boolean
= hasNext\n\n override fun nextULong(): ULong {\n val value = next\n if (value == finalElement) {\n
if (!hasNext) throw kotlin.NoSuchElementException()\n hasNext = false\n } else {\n next +=
step\n }\n return value\n }\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.math\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\
npublic inline fun min(a: UInt, b: UInt): UInt {\n return minOf(a, b)\n}\n\n/**\n * Returns the smaller of two
values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\
npublic inline fun min(a: ULong, b: ULong): ULong {\n return minOf(a,
b)\n}\n\n/**\n * Returns the greater of two values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\
npublic inline fun max(a: UInt, b: UInt): UInt {\n return maxOf(a, b)\n}\n\n/**\n * Returns the greater of two
values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\
npublic inline fun max(a: ULong, b: ULong): ULong {\n return maxOf(a, b)\n}","/*\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

*/\n\n@file:kotlin.jvm.JvmName(\"UNumbersKt\")\npackage kotlin\n\n/**\n * Counts the number of set bits in the binary representation of this [UInt] number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.countOneBits(): Int = toInt().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [UInt] number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.countLeadingZeroBits(): Int = toInt().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [UInt] number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.countTrailingZeroBits(): Int = toInt().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [UInt] number,\n * or zero, if this number is zero.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.takeHighestOneBit(): UInt = toInt().takeHighestOneBit().toUInt()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [UInt] number,\n * or zero, if this number is zero.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.takeLowestOneBit(): UInt = toInt().takeLowestOneBit().toUInt()\n\n/**\n * Rotates the binary representation of this [UInt] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [UInt.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 32)`\n
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class, ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.rotateLeft(bitCount: Int): UInt = toInt().rotateLeft(bitCount).toUInt()\n\n\n/**\n * Rotates the binary representation of this [UInt] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [UInt.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 32)`\n
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class, ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.rotateRight(bitCount: Int): UInt = toInt().rotateRight(bitCount).toUInt()\n\n\n/**\n * Counts the number of set bits in the binary representation of this [ULong] number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countOneBits(): Int = toLong().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [ULong] number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countLeadingZeroBits(): Int = toLong().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [ULong] number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class,

ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countTrailingZeroBits(): Int = toLong().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [ULong] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.takeHighestOneBit(): ULong = toLong().takeHighestOneBit().toULong()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [ULong] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.takeLowestOneBit(): ULong = toLong().takeLowestOneBit().toULong()\n\n/**\n * Rotates the binary representation of this [ULong] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [ULong.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class, ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.rotateLeft(bitCount: Int): ULong = toLong().rotateLeft(bitCount).toULong()\n\n/**\n * Rotates the binary representation of this [ULong] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [ULong.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class, ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.rotateRight(bitCount: Int): ULong = toLong().rotateRight(bitCount).toULong()\n\n/**\n * Counts the number of set bits in the binary representation of this [UByte] number.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.countOneBits(): Int = toUInt().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [UByte] number.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.countLeadingZeroBits(): Int = toByte().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [UByte] number.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.countTrailingZeroBits(): Int = toByte().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [UByte] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.takeHighestOneBit(): UByte = toInt().takeHighestOneBit().toUByte()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [UByte] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.takeLowestOneBit(): UByte = toInt().takeLowestOneBit().toUByte()\n\n/**\n * Rotates the binary representation of this [UByte] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the

number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [UByte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 8)`\n
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class, ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.rotateLeft(bitCount: Int): UByte = toByte().rotateLeft(bitCount).toUByte()\n\n/**\n * Rotates the binary representation of this [UByte] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [UByte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 8)`\n
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class, ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.rotateRight(bitCount: Int): UByte = toByte().rotateRight(bitCount).toUByte()\n\n/**\n * Counts the number of set bits in the binary representation of this [UShort] number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countOneBits(): Int = toUInt().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [UShort] number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countLeadingZeroBits(): Int = toShort().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [UShort] number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countTrailingZeroBits(): Int = toShort().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [UShort] number,\n * or zero, if this number is zero.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.takeHighestOneBit(): UShort = toInt().takeHighestOneBit().toUShort()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [UShort] number,\n * or zero, if this number is zero.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.takeLowestOneBit(): UShort = toInt().takeLowestOneBit().toUShort()\n\n\n/**\n * Rotates the binary representation of this [UShort] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [UShort.SIZE_BITS] (16) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 16)`\n
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class, ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.rotateLeft(bitCount: Int): UShort = toShort().rotateLeft(bitCount).toUShort()\n\n/**\n * Rotates the binary representation of this [UShort] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [UShort.SIZE_BITS] (16) returns the same number, or more generally\n * `number.rotateRight(n) ==

number.rotateRight(n % 16)`\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class, ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.rotateRight(bitCount: Int): UShort = toShort().rotateRight(bitCount).toUShort()\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.internal\n\n// (a - b) mod c\nprivate fun differenceModulo(a: UInt, b: UInt, c: UInt): UInt {\n   val ac = a % c\n   val bc = b % c\n   return if (ac >= bc) ac - bc else ac - bc + c\n}\n\nprivate fun differenceModulo(a: ULong, b: ULong, c: ULong): ULong {\n   val ac = a % c\n   val bc
 = b % c\n   return if (ac >= bc) ac - bc else ac - bc + c\n}\n\n/**\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n *\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\n *\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n *\n * @param start first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or difference of successive elements in the progression\n * @return the final element of the progression\n * @suppress\n */\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal fun getProgressionLastElement(start: UInt, end: UInt, step: Int): UInt = when {\n   step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step.toUInt())\n   step <
 0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toUInt())\n   else -> throw kotlin.IllegalArgumentException(\"Step is zero.\")\n}\n\n/**\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n *\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\n *\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n *\n * @param start first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or difference of successive elements in the progression\n * @return the final element of the progression\n * @suppress\n */\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal fun getProgressionLastElement(start: ULong, end: ULong, step: Long): ULong = when {\n
 step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step.toULong())\n   step < 0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toULong())\n   else -> throw kotlin.IllegalArgumentException(\"Step is zero.\")\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"UStringsKt\") // string representation of unsigned numbers\n\npackage kotlin.text\n\n/**\n * Returns a string representation of this [Byte] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n//@kotlin.internal.InlineOnly\npublic /*inline*/ fun UByte.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns
 a string representation of this [Short] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n//@kotlin.internal.InlineOnly\npublic /*inline*/ fun UShort.toString(radix: Int): String = this.toInt().toString(radix)\n\n\n/**\n * Returns a string representation of this [Int] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n//@kotlin.internal.InlineOnly\npublic /*inline*/ fun UInt.toString(radix: Int): String = this.toLong().toString(radix)\n\n/**\n * Returns a string representation of this [Long] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n

*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
fun ULong.toString(radix: Int): String = ulongToString(this.toLong(), checkRadix(radix))\n\n\n/**\n * Parses the string as a signed [UByte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUByte(): UByte = toUByteOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a signed [UByte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUByte(radix: Int): UByte = toUByteOrNull(radix) ?: numberFormatError(this)\n\n\n/**\n * Parses the string as a [UShort] number and
returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUShort(): UShort = toUShortOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [UShort] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUShort(radix: Int): UShort = toUShortOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as an [UInt] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUInt(): UInt
= toUIntOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as an [UInt] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUInt(radix: Int): UInt = toUIntOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a [ULong] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toULong(): ULong = toULongOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [ULong] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException
when [radix] is not a valid radix for string to number conversion.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toULong(radix: Int): ULong = toULongOrNull(radix) ?: numberFormatError(this)\n\n\n\n\n/**\n * Parses the string as an [UByte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUByteOrNull(): UByte? = toUByteOrNull(radix = 10)\n\n/**\n * Parses the string as an [UByte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUByteOrNull(radix: Int): UByte? {\n   val int = this.toUIntOrNull(radix) ?: return null\n
    if (int > UByte.MAX_VALUE) return null\n   return int.toUByte()\n}\n\n/**\n * Parses the string as an [UShort] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUShortOrNull(): UShort? = toUShortOrNull(radix = 10)\n\n/**\n * Parses the string as an [UShort] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws

IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUShortOrNull(radix: Int): UShort? {\n   val int = this.toUIntOrNull(radix) ?: return null\n   if (int > UShort.MAX_VALUE) return null\n   return int.toUShort()\n}\n\n/**\n * Parses the string as an [UInt] number and returns the result\n * or `null` if the string is not
 a valid representation of a number.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUIntOrNull(): UInt? = toUIntOrNull(radix = 10)\n\n/**\n * Parses the string as an [UInt] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUIntOrNull(radix: Int): UInt? {\n   checkRadix(radix)\n\n   val length = this.length\n   if (length == 0) return null\n\n   val limit: UInt = UInt.MAX_VALUE\n   val start: Int\n\n   val firstChar = this[0]\n   if (firstChar < '0') {\n   if (length == 1 || firstChar != '+') return null\n   start = 1\n   } else {\n   start = 0\n   }\n\n   val limitForMaxRadix = 119304647u // limit / 36\n\n   var limitBeforeMul = limitForMaxRadix\n
    val uradix = radix.toUInt()\n   var result = 0u\n   for (i in start until length) {\n   val digit = digitOf(this[i], radix)\n\n   if (digit < 0) return null\n   if (result > limitBeforeMul) {\n   if (limitBeforeMul == limitForMaxRadix) {\n   limitBeforeMul = limit / uradix\n\n   if (result > limitBeforeMul) {\n   return null\n   }\n   } else {\n   return null\n   }\n   }\n\n   result *= uradix\n\n
    val beforeAdding = result\n   result += digit.toUInt()\n   if (result < beforeAdding) return null // overflow has happened\n   }\n\n   return result\n}\n\n/**\n * Parses the string as an [ULong] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toULongOrNull(): ULong? = toULongOrNull(radix = 10)\n\n/**\n
 * Parses the string as an [ULong] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toULongOrNull(radix: Int): ULong? {\n   checkRadix(radix)\n\n   val length = this.length\n   if (length == 0) return null\n\n   val limit: ULong = ULong.MAX_VALUE\n   val start: Int\n\n   val firstChar = this[0]\n   if (firstChar < '0') {\n   if (length == 1 || firstChar != '+') return null\n   start = 1\n   } else {\n   start = 0\n   }\n\n\n   val limitForMaxRadix = 512409557603043100uL // limit / 36\n\n   var limitBeforeMul = limitForMaxRadix\n   val uradix = radix.toULong()\n   var result = 0uL\n   for (i in start until length) {\n   val digit = digitOf(this[i], radix)\n\n   if (digit < 0) return null\n
        if (result > limitBeforeMul) {\n   if (limitBeforeMul == limitForMaxRadix) {\n   limitBeforeMul = limit / uradix\n\n   if (result > limitBeforeMul) {\n   return null\n   }\n   } else {\n   return null\n   }\n   }\n\n   result *= uradix\n\n   val beforeAdding = result\n   result += digit.toUInt()\n   if (result < beforeAdding) return null // overflow has happened\n   }\n\n   return result\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\npackage kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\n\n/**\n * Marks the API that is dependent on the
 experimental unsigned types, including those types themselves.\n *\n * Usages of such API will be reported as warnings unless an explicit opt-in with\n * the [OptIn] annotation, e.g. `@OptIn(ExperimentalUnsignedTypes::class)`,\n * or with the `-opt-in=kotlin.ExperimentalUnsignedTypes` compiler option is given.\n *\n * It's recommended to propagate the experimental status to the API that depends on unsigned types by annotating it with this annotation.\n */\n@RequiresOptIn(level = RequiresOptIn.Level.WARNING)\n@MustBeDocumented\n@Target(CLASS, ANNOTATION_CLASS,

PROPERTY, FIELD, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY_GETTER, PROPERTY_SETTER, TYPEALIAS)\n@Retention(AnnotationRetention.BINARY)\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class ExperimentalUnsignedTypes\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by
the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"MathKt\")\n\n\npackage kotlin.math\n\n\n\n// constants, can't use them from nativeMath as they are not constants there\n\n/** Ratio of the circumference of a circle to its diameter, approximately 3.14159. */\n@SinceKotlin(\"1.2\")\npublic const val PI: Double = 3.141592653589793\n/** Base of the natural logarithms, approximately 2.71828. */\n@SinceKotlin(\"1.2\")\npublic const val E: Double = 2.718281828459045\n\n// region ================ Double Math ======================================\n\n/** Computes the sine of the angle [x] given in radians.\n *\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sin(x: Double): Double\n\n/** Computes the cosine of the angle [x] given in radians.\n *\n * Special cases:\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect
fun cos(x: Double): Double\n\n/** Computes the tangent of the angle [x] given in radians.\n *\n * Special cases:\n * - `tan(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun tan(x: Double): Double\n\n/**\n * Computes the arc sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun asin(x: Double): Double\n\n/**\n * Computes the arc cosine of the value [x];\n * the returned value is an angle in the range from `0.0` to `PI` radians.\n *\n * Special cases:\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun acos(x: Double): Double\n\n/**\n * Computes the arc tangent of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `atan(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic
expect fun atan(x: Double): Double\n\n/**\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\n * the returned value is an angle in the range from `-PI` to `PI` radians.\n *\n * Special cases:\n * - `atan2(0.0, 0.0)` is `0.0`\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n * - `atan2(-0.0, x)` is `-0.0` for 'x > 0` and `-PI` for `x < 0`\n *  - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for '-Inf < y < 0`\n * - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n * - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\n * - `atan2(+Inf, x)` is `PI/2` for finite `x`y\n * - `atan2(-Inf, x)` is `-PI/2` for finite `x`\n * - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atan2(y: Double, x: Double): Double\n\n/**\n * Computes
the hyperbolic sine of the value [x].\n *\n * Special cases:\n * - `sinh(NaN)` is `NaN`\n * - `sinh(+Inf)` is `+Inf`\n * - `sinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sinh(x: Double): Double\n\n/**\n * Computes the hyperbolic cosine of the value [x].\n *\n * Special cases:\n * - `cosh(NaN)` is `NaN`\n * - `cosh(+Inf|-Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun cosh(x: Double): Double\n\n/**\n * Computes the hyperbolic tangent of the value [x].\n *\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(+Inf)` is `1.0`\n * - `tanh(-Inf)` is `-1.0`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun tanh(x: Double): Double\n\n/**\n * Computes the inverse hyperbolic sine of the value [x].\n *\n * The returned value is `y` such that `sinh(y) == x`.\n *\n * Special cases:\n * - `asinh(NaN)` is `NaN`\n * - `asinh(+Inf)` is `+Inf`\n * - `asinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun asinh(x: Double): Double\n\n/**\n
* Computes the inverse hyperbolic cosine of the value [x].\n *\n * The returned value is positive `y` such that `cosh(y) == x`.\n *\n * Special cases:\n * - `acosh(NaN)` is `NaN`\n * - `acosh(x)` is `NaN` when `x < 1`\n * - `acosh(+Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun acosh(x: Double): Double\n\n/**\n * Computes the inverse hyperbolic tangent of the value [x].\n *\n * The returned value is `y` such that `tanh(y) == x`.\n *\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n * -

`tanh(1.0)` is `+Inf`\n * - `tanh(-1.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atanh(x: Double): Double\n\n/**\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n *\n * Special cases:\n * - returns `+Inf` if any of arguments is infinite\n * - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n */\n@SinceKotlin(\"1.2\")\npublic expect fun hypot(x:
Double, y: Double): Double\n\n/**\n * Computes the positive square root of the value [x].\n *\n * Special cases:\n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sqrt(x: Double): Double\n\n/**\n * Computes Euler's number `e` raised to the power of the value [x].\n *\n * Special cases:\n * - `exp(NaN)` is `NaN`\n * - `exp(+Inf)` is `+Inf`\n * - `exp(-Inf)` is `0.0`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun exp(x: Double): Double\n\n/**\n * Computes `exp(x) - 1`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `expm1(NaN)` is `NaN`\n * - `expm1(+Inf)` is `+Inf`\n * - `expm1(-Inf)` is `-1.0`\n *\n * @see [exp] function.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun expm1(x: Double): Double\n\n/**\n * Computes the logarithm of the value [x] to the given [base].\n *\n * Special cases:\n * - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\n * - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\n * - `log(+Inf, +Inf)` is `NaN`\n * - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\n * - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`\n *\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log(x: Double, base: Double): Double\n\n/**\n * Computes the natural logarithm (base `E`) of the value [x].\n *\n * Special cases:\n * - `ln(NaN)` is `NaN`\n * - `ln(x)` is `NaN` when `x < 0.0`\n * - `ln(+Inf)` is `+Inf`\n * - `ln(0.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ln(x: Double): Double\n\n/**\n * Computes the common logarithm (base 10) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log10(x: Double): Double\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\npublic
expect fun log2(x: Double): Double\n\n/**\n * Computes `ln(x + 1)`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `ln1p(NaN)` is `NaN`\n * - `ln1p(x)` is `NaN` where `x < -1.0`\n * - `ln1p(-1.0)` is `-Inf`\n * - `ln1p(+Inf)` is `+Inf`\n *\n * @see [ln] function\n * @see [expm1] function\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ln1p(x: Double): Double\n\n/**\n * Rounds the given value [x] to an integer towards positive infinity.\n\n * @return the smallest double value that is greater than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ceil(x: Double): Double\n\n/**\n * Rounds the given value [x] to an integer towards negative infinity.\n\n * @return the largest double value that is smaller than
or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun floor(x: Double): Double\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n *\n * @return the value [x] having its fractional part truncated.\n *\n * Special cases:\n * - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun truncate(x: Double): Double\n\n/**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n *\n * Special cases:\n * - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun round(x: Double): Double\n\n/**\n * Returns the absolute value of the given value [x].\n *\n * Special cases:\n * - `abs(NaN)`
is `NaN`\n *\n * @see absoluteValue extension property for [Double]\n */\n@SinceKotlin(\"1.2\")\npublic expect fun abs(x: Double): Double\n\n/**\n * Returns the sign of the given value [x]:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `sign(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sign(x: Double): Double\n\n\n/**\n * Returns the smaller of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun min(a: Double, b: Double): Double\n\n/**\n * Returns the greater of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun max(a: Double, b: Double): Double\n\n// extensions\n\n/**\n * Raises this value to the power [x].\n *\n * Special cases:\n * - `b.pow(0.0)` is `1.0`\n * -

`b.pow(1.0) == b`\n * - `b.pow(NaN)` is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.pow(x: Double): Double\n\n/**\n * Raises this value to the integer power [n].\n *\n * See the other overload of [pow] for details.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.pow(n: Int): Double\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `NaN.absoluteValue` is `NaN`\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\npublic expect val Double.absoluteValue: Double\n\n/**\n * Returns the sign of this value:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `NaN.sign` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect val Double.sign: Double\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n *\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.withSign(sign: Double): Double\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.withSign(sign: Int): Double\n\n/**\n * Returns the ulp (unit in the last place) of this value.\n *\n * An ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.\n *\n * Special Cases:\n * - `NaN.ulp` is `NaN`\n * - `x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`\n * - `0.0.ulp` is `Double.MIN_VALUE`\n */\n@SinceKotlin(\"1.2\")\npublic expect val Double.ulp: Double\n\n/**\n * Returns the [Double] value nearest to this value in direction of positive infinity.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.nextUp(): Double\n\n/**\n * Returns the [Double] value nearest to this value in direction of negative infinity.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.nextDown(): Double\n\n/**\n * Returns the [Double] value nearest to this value in direction from this value towards the value [to].\n *\n * Special cases:\n * - `x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`\n * - `x.nextTowards(x) == x`\n *\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.nextTowards(to: Double): Double\n\n/**\n * Rounds this [Double] value to the nearest integer and converts the result to [Int].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.roundToInt(): Int\n\n/**\n * Rounds this [Double] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.roundToLong(): Long\n\n// endregion\n\n\n\n// region ================ Float Math ==\n\n/** Computes the sine of the angle [x] given in radians.\n *\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sin(x: Float): Float\n\n/** Computes the cosine of the angle [x] given in radians.\n *\n * Special cases:\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun cos(x: Float): Float\n\n/** Computes the tangent of the angle [x] given in radians.\n *\n * Special cases:\n * - `tan(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun tan(x: Float): Float\n\n/**\n * Computes the arc sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun asin(x: Float): Float\n\n/**\n * Computes the arc cosine of the value [x];\n * the returned value is an angle in the range from `0.0` to `PI` radians.\n *\n * Special cases:\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun acos(x: Float): Float\n\n/**\n * Computes the arc tangent of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `atan(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atan(x: Float): Float\n\n/**\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\n * the

returned value is an angle in the range from `-PI` to `PI` radians.\n *\n * Special cases:\n
 * - `atan2(0.0, 0.0)` is `0.0`\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n * - `atan2(-0.0, x)` is `-0.0` for 'x > 0` and `-PI` for `x < 0`\n *  - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for '-Inf < y < 0`\n * - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n * - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\n * - `atan2(+Inf, x)` is `PI/2` for finite `x`y\n * - `atan2(-Inf, x)` is `-PI/2` for finite `x`\n * - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atan2(y: Float, x: Float): Float\n\n/**\n * Computes the hyperbolic sine of the value [x].\n *\n * Special cases:\n * - `sinh(NaN)` is `NaN`\n * - `sinh(+Inf)` is `+Inf`\n * - `sinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sinh(x: Float): Float\n\n/**\n * Computes the hyperbolic cosine of the value [x].\n *\n * Special cases:\n * - `cosh(NaN)` is `NaN`\n
 * - `cosh(+Inf|-Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun cosh(x: Float): Float\n\n/**\n * Computes the hyperbolic tangent of the value [x].\n *\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(+Inf)` is `1.0`\n * - `tanh(-Inf)` is `-1.0`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun tanh(x: Float): Float\n\n/**\n * Computes the inverse hyperbolic sine of the value [x].\n *\n * The returned value is `y` such that `sinh(y) == x`.\n *\n * Special cases:\n * - `asinh(NaN)` is `NaN`\n * - `asinh(+Inf)` is `+Inf`\n * - `asinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun asinh(x: Float): Float\n\n/**\n * Computes the inverse hyperbolic cosine of the value [x].\n *\n * The returned value is positive `y` such that `cosh(y) == x`.\n *\n * Special cases:\n * - `acosh(NaN)` is `NaN`\n * - `acosh(x)` is `NaN` when `x < 1`\n * - `acosh(+Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun acosh(x: Float): Float\n\n/**\n
 * Computes the inverse hyperbolic tangent of the value [x].\n *\n * The returned value is `y` such that `tanh(y) == x`.\n *\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n * - `tanh(1.0)` is `+Inf`\n * - `tanh(-1.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atanh(x: Float): Float\n\n/**\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n *\n * Special cases:\n * - returns `+Inf` if any of arguments is infinite\n * - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n */\n@SinceKotlin(\"1.2\")\npublic expect fun hypot(x: Float, y: Float): Float\n\n/**\n * Computes the positive square root of the value [x].\n *\n * Special cases:\n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sqrt(x: Float): Float\n\n/**\n * Computes Euler's number `e` raised to the power of the value [x].\n *\n * Special cases:\n * - `exp(NaN)`
 is `NaN`\n * - `exp(+Inf)` is `+Inf`\n * - `exp(-Inf)` is `0.0`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun exp(x: Float): Float\n\n/**\n * Computes `exp(x) - 1`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `expm1(NaN)` is `NaN`\n * - `expm1(+Inf)` is `+Inf`\n * - `expm1(-Inf)` is `-1.0`\n *\n * @see [exp] function.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun expm1(x: Float): Float\n\n/**\n * Computes the logarithm of the value [x] to the given [base].\n *\n * Special cases:\n * - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\n * - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\n * - `log(+Inf, +Inf)` is `NaN`\n * - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\n * - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`\n *\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n */\n@SinceKotlin(\"1.2\")\npublic
 expect fun log(x: Float, base: Float): Float\n\n/**\n * Computes the natural logarithm (base `E`) of the value [x].\n *\n * Special cases:\n * - `ln(NaN)` is `NaN`\n * - `ln(x)` is `NaN` when `x < 0.0`\n * - `ln(+Inf)` is `+Inf`\n * - `ln(0.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ln(x: Float): Float\n\n/**\n * Computes the common logarithm (base 10) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log10(x: Float): Float\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log2(x: Float): Float\n\n/**\n * Computes `ln(a + 1)`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `ln1p(NaN)` is `NaN`\n * - `ln1p(x)` is `NaN` where `x < -1.0`\n * - `ln1p(-1.0)` is `-Inf`\n * - `ln1p(+Inf)` is `+Inf`\n *\n * @see [ln] function\n
 * @see [expm1] function\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ln1p(x: Float): Float\n\n/**\n * Rounds the given value [x] to an integer towards positive infinity.\n\n * @return the smallest Float value that is greater than

or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ceil(x: Float): Float\n\n/**\n * Rounds the given value [x] to an integer towards negative infinity.\n\n * @return the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun floor(x: Float): Float\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n *\n * @return the value [x] having its fractional
part truncated.\n *\n * Special cases:\n * - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun truncate(x: Float): Float\n\n/**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n *\n * Special cases:\n * - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun round(x: Float): Float\n\n\n/**\n * Returns the absolute value of the given value [x].\n *\n * Special cases:\n * - `abs(NaN)` is `NaN`\n *\n * @see absoluteValue extension property for [Float]\n */\n@SinceKotlin(\"1.2\")\npublic expect fun abs(x: Float): Float\n\n/**\n * Returns the sign of the given value [x]:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `sign(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic
expect fun sign(x: Float): Float\n\n\n\n/**\n * Returns the smaller of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun min(a: Float, b: Float): Float\n\n/**\n * Returns the greater of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun max(a: Float, b: Float): Float\n\n// extensions\n\n\n\n/**\n * Raises this value to the power [x].\n *\n * Special cases:\n * - `b.pow(0.0)` is `1.0`\n * - `b.pow(1.0) == b`\n * - `b.pow(NaN)` is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.pow(x: Float): Float\n\n/**\n * Raises this value to the integer power [n].\n *\n * See the other overload of [pow] for details.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.pow(n:
Int): Float\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `NaN.absoluteValue` is `NaN`\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\npublic expect val Float.absoluteValue: Float\n\n/**\n * Returns the sign of this value:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `NaN.sign` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect val Float.sign: Float\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n *\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.withSign(sign: Float): Float\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.withSign(sign: Int): Float\n\n\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Int].\n * Ties are rounded
towards positive infinity.\n *\n * Special cases:\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.roundToInt(): Int\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.roundToLong(): Long\n\n\n\n// endregion\n\n// region ================ Integer Math ==\n\n\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n * - `abs(Int.MIN_VALUE)` is `Int.MIN_VALUE`
due to an overflow\n *\n * @see absoluteValue extension property for [Int]\n */\n@SinceKotlin(\"1.2\")\npublic expect fun abs(n: Int): Int\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.2\")\npublic expect

fun min(a: Int, b: Int): Int\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun max(a: Int, b: Int): Int\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\npublic expect val Int.absoluteValue: Int\n\n/**\n * Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n */\n@SinceKotlin(\"1.2\")\npublic expect val Int.sign: Int\n\n\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n * - `abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension property for [Long]\n */\n@SinceKotlin(\"1.2\")\npublic expect fun abs(n: Long): Long\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun min(a: Long, b: Long): Long\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun max(a: Long, b: Long): Long\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\npublic expect val Long.absoluteValue: Long\n\n/**\n * Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n */\n@SinceKotlin(\"1.2\")\npublic expect val Long.sign: Int\n\n\n//
endregion\n"],"names":[],"mappings":"AAWC,CAXA,yB;EACG,IAAI,OAAO,MAAO,KAAI,UAAW,IAAG,MAAM,IAA1C,C;IACI,MAAM,CAAC,QAAD,EAAW,CAAC,SAAD,EAAY,CAAC,UAAD,EAAa,OAAAwB,C;SAAEL,IAAI,OAAO,OAAQ,KAAI,QAAAvB,C;IACD,OAAO,CAAC,MAAM,QAAAC,C;;IAGP,IAAI,OAAQ,GAAE,E;IACd,OAAO,CAAC,IAAI,OAAO,CAAC,C;;CAEd,CAAC,IAAI,CAAC,EAAO,CAAC,IAAD,EAAO,EAAO,CAAC,kB;EACJ,IAAI,IAAI,M;ECPZ,MAAM,eAAAC,B,GAAE,a;IACpB,OAAO,CAAC,QAAA,C;IAAA,QAAA,C;IAAA,QAAA,C;IAAA

B;GADvB,CADb,aAIe,QAAS,IAAT,wBAAqC,Y;IAC5C,OAAO,MAAM,OAAO,QAAQ,W;GADrB,CAJf,CADgC,EAShC,UACa,QAAS,IAAT,wBAAqC,Y;IAC1C,OAAO,MAAM,OAAO,QAAQ,kB;GADvB,CADb,aAIe,QAAS,IAAT,wBAAqC,Y;IAC5C,OAAO,MAAM,OAAO,QAAQ,W;GADrB,CAJf,CATgC,C;EAmBpC,uC;IACI,IAAI,KAAK,MAAO,KAAO,MAAO,IAAI,pB,C;MACI,KAAK,MAAO,GAAE,aACE,CAAC,KAAK,qBAAqB,EAA3B,CADF,aAEC,EAAG,cAAH,EAAG,CAAH,EAAG,CAAH,EAAG,C

C;;G;EAcX,MAAM,KAAK,SAAU,GAAE,6B;IACrB,OAAO,IAAI,MAAM,KAAV,CAAgB,OAAhB,EAAyB,QA
AzB,C;G;EAWT,MAAM,KAAK,WAAY,GAAE,0B;IACvB,IAAI,GAAG,OAAQ,IAAG,CAAlB,C;MACE,MAAM
,KAAK,CAAC,mCAAD,C;;IAGb,IAAI,QAAQ,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAAE,CAAE,IAAG,EAAG,
GAAE,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAAuB,GAAE,KA1B,C;;IAGb,IAAI,GAAG,OAAO,CAAC,C
AAD,CAAI,IAAG,GArB,C;MACE,OAAO,MAAM,KAAK,WAAW,CAAC,GAAG,UAAU,CAAC,CAAD,CAAd
,EAAmB,KAAnB,CAAyB,OAAO,E;WACxD,IAAI,GAAG,QAAQ,CAAC,GAAD,CAAM,IAAG,CAAxB,C;MAC
L,MAAM,KAAK,CAAC,+CAAgD,GAAE,GAAnD,C;;IAKb,IAAI,eAAe,MAAM,KAAK,WAAW,CAAC,IAAI,IA
AI,CAAC,KAAD,EAAQ,CAAR,CAAT,C;IAEzC,IAAI,SAAS,MAAM,KAAK,K;IACxB,KAAK,IAAI,IAAI,CAA
b,EAAgB,CAAE,GAAE,GAAG,OAAvB,EAAgC,EAAG,C;CAAE,IAAG,CAArC,C;MACE,IAAI,OAAO,IAAI,IAAI,CAAC
,CAAD,EAAI,GAAG,OAAQ,GAAE,CAAjB,C;MACnB,IAAI,QAAQ,QAAQ,CAAC,GAAG,UAAU,CAAC,CAAD
,EAAI,CAAE,GAAE,IAAR,CAAa,GAAE,CAAC,CAAD,C;MACpB,IAAI,KAAK,WAAW,CAAC,GAAG,UAAU,CAAC,CAAD,CAAI,IAAG,CAAC,C;MACzC,IAAI,KAAK,QAAQ,CAAC,GAAG,UAAU,CAAC,CAAD,CAAI,IAAG,CAAC,C;MACv

E,IAAG,IAAI,KAAM,IAAG,C;G;EAKzC,MAAM,KAAK,UAAU,WAAY,GAAE,Y;IACjC,OAAO,IAAI,MAAO,GAAE,C;G;EAKtB,MAAM,KAAK,UAAU,MAAO,GAAE,Y;IAC5B,OAAuB,CAAf,IAAI,KAAM,GAAE,CAAG,KAAG,C;G;EAQ5B,MAAM,KAAK,UAAU,WAAY,GAAE,iB;IACjC,OAAQ,IAAI,MAAO,IAAG,KAAK,MAAQ,IAAI,IAAI,KAAM,IAAG,KAAK,K;G;EAQ3D,MAAM,KAAK,UAAU,cAAe,GAAE,iB;IACpC,OAAQ,IAAI,MAAO,IAAG,KAAK,MAAQ,IAAI,IAAI,KAAM,IAAG,KAAK,K;G;EAQ3D,MAAM,KAAK,UAAU,SAAU,GAAE,iB;IAC/B,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,gBAAiB,GAAE,iB;IACtC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAQhC,MAAM,KAAK,UAAU,YAAa,GAAE,iB;IAClC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,mBAAoB,GAAE,iB;IACzC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAQhC,MAAM,KAAK,UAAU,QAAS,GAAE,iB;IAC9B,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,eAAgB,GAAE,iB;IACrC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAQhC,MAAM,KAAK,UAAU,WAAY,GAAE,iB;IACjC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,kBAAmB,GAAE,iB;IACxC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAQhC,MAAM,KAAK,UAAU,UAAW,GAAE,iB;IAChC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,iBAAkB,GAAE,iB;IACvC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAQhC,MAAM,KAAK,UAAU,SAAU,GAAE,iB;IAC/B,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,gBAAiB,GAAE,iB;IACtC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAQhC,MAAM,KAAK,UAAU,aAAc,GAAE,iB;IACnC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,oBAAqB,GAAE,iB;IAC1C,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAQhC,MAAM,KAAK,UAAU,YAAa,GAAE,iB;IAClC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,mBAAoB,GAAE,iB;IACz

K,IAAZ,CAAkB,IAClC,KAAK,WAAW,CAAC,MAAM,KAAK,QAAZ,CADpB,C;QAEE,OAAO,MAAM,KAAK,U;aACb,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;QACL,OAAO,MAAM,KAAK,I;;QAGlB,IAAI,WAAW,IAAI,WAAW,CAAC,CAAD,C;QAC9B,IAAI,SAAS,QAAQ,IAAI,CAAC,KAAD,CAAO,CAAO,UAAU,CAAC,CAAD,C;QAC1C,IAAI,MAAM,WAAW,CAAC,MAAM,KAAK,KAAZ,CAAkB,CAAO,CAAC,CAAD,C;QACrD,IAAI,MAAM,KAAK,WAAW,CAAC,MAAM,KAAK,KAAZ,CAAkB,CAAO,CAAC,CAAD,C;QAC1D

AAyC,KAAzC,C;G;EC1zBX,MAAM,aAAc,GAAE,2B;G;EAGtB,MAAM,qBAAsB,GAAE,oB;IAC1B,OAAO,G;G;EAGX,MAAM,aAAc,GAAE,e;IAClB,IAAI,IAAI,Y;MACJ,CAAE,GAAE,GAAG,E;MACP,OAAO,CAAC,MAAM,CAAC,IAAD,EAAO,SAAP,C;K;IAElB,OAAO,Y;MACH,OAAO,CAAC,MAAM,CAAC,IAAD,EAAO,SAAP,C;K;G;EAItB,MAAM,SAAU,GAAE,gB;IACd,OAAO,kB;MACH,OAAO,OAAO,MAAO,IAAI,K;K;G;EAIjC,MAAM,aAAc,GAAE,iB;IAClB,OAAO,kB;MACH,OAAO,MAAM,OAAO,CAAC,MAAD,EAAS,SAAT,C;K;G;EAI5B,MAAM,OAAQ,GAAE,c;IACZ,OAAO,kB;MACH,OAAO,MAAO,IAAG,IAAK,IAAG,EAAE,CAAC,MAAD,EAAS,SAAT,C;K;G;EAInC,MAAM,aAAc,GAAE,gB;IAClB,OAAO,kB;MACH,OAAO,CAAC,MAAM,CAAC,CAAC,MAAD,EAAS,SAAT,C;K;G;EAIpB,MAAM,gBAAiB,GAAE,wC;G;EAG9B,MAAM,YAAa,GAAE,e;IACjB,OAAO,kB;MACH,OAAO,MAAO,IAAG,IAAK,IAAG,EAAE,CAAC,MAAD,EAAS,SAAT,C;K;G;EAInC,MAAM,gBAAiB,GAAE,qB;IACr

O;;MAE5B,QAAS,IAAG,YAAY,O;MACxB,IAAI,YAAY,aAAa,QAAQ,CAAC,YAAD,EAAe,QAAf,C;MACrC,OAAO,SAAU,KAAI,EAAG,IAAG,SAAU,KAAI,Q;KARG,CAA/B,C;;EAazB,IAAI,OAAO,IAAI,KAAM,KAAI,WAAzB,C;IACI,IAAI,KAAM,GAAE,a;MACR,CAAE,GAAE,CAAC,C;MACL,IAAI,CAAE,KAAI,CAAE,IAAG,KAAK,CAAC,CAAD,,CAApB,B,C;QACI,OAAO,MAAM,CAAC,CAAD,,C;;MAEjB,OAAO,CAAE,GAAE,CAAE,GAAE,CAAE,GAAE,CAAF,EAAK,GAAM,E;K;;EAG3B,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,GAAE,a;MACT,IAAI,KAAK,CAAC,CAAD,,CAAT,C;QACI,OAAO,G;;MAEX,OAAO,IAAI,CAAE,GAAE,CAAE,GAAE,CAAR,C;QACI,OAAO,IAAI,MAAM,CAAC,CAAD,,C;;MAErB,OAAO,C;;MAEX,IAAI,OAAO,IAAI,CAAE,KAAI,CAAE,IAAG,KAAK,CAAC,CAAD,,CAAT,C;QACI,OAAO,C;;MAEX,OAAO,IAAI,CAAE,GAAE,CAAE,GAAE,CAAR,C;QACI,OAAO,IAAI,MAAM,CAAC,CAAD,,C;;MAErB,OAAO,C;;IAEX,OAAO,C;;EAGX,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,GAAE,a;MACT,IAAI,KAAK,CAAC,CAAD,,CAAT,C;QACI,OAAO,G

AExC,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,C;O;;GAG/B,G;EACF,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,GAAE,Y;MACT,IAAI,IAAI,C;MACR,IAAI,SAAS,SAAS,O;MAEtB,KAAK,IAAI,IAAI,CAAb,EAAgB,CAAE,GAAE,MAApB,EAA4B,EAA4B,CAAC,EAA7B,C;QACI,IAAI,SAAS,CAAC,CAAD,CAAI,KAAI,QAAS,IAAG,SAAS,CAAC,CAAD,CAAI,KAAI,KAAI,CAAC,QAAAnD,C;UACI,OAAO,Q;;QAEX,CAAE,IAAG,SAAS,SAAS,CAAC,CAAD,CAAI,GAAE,SAAS,CAAC,CAAD,CAAI,C;;MAEjC,C,OAAO,IAAI,KAAK,CAAC,CAAD,CAAI,GAAE,C;K;;EAGxB,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,GAAE,a;MACT,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,SAAS,CAAC,CAAD,CAAI,GAAE,C;K;;EAGjC,IAAI,OAAO,IAAI,MAAO,KAAI,WAAzB,C;IACI,IAAI,MAAO,GAAE,a;MACT,OAAO,IAAI,IAAI,KAAK,CAAC,CAAD,CAAI,GAAE,C;K;;EAGlC,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,GAAE,a;MACT,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,C;K;;EAGj

B,CAAC,KAAD,EAAQ,YAAR,C;IACxD,IAAI,kBAAmB,IAAG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;
MACI,OAAO,kBAAkB,IAAI,KAAK,CAAC,UAAD,C;;IAGtC,kBAAmB,GAAE,MAAM,yBAAyB,CAAC,UAAD
,EAAa,YAAb,C;IACpD,IAAI,kBAAmB,IAAG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACI,OAAO,UAAU,CA
AC,YAAD,C;;IAGrB,OAAO,MAAM,WAAW,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAAD,CAAlC,EAA2
C,YAA3C,C;G;EAG5B,MAAM,WAAY,GAAE,kD;IAChB,IAAI,qBAAqB,MAAM,yBAAyB,CAAC,KAAD,EAA
Q,YAAR,C;IACxD,IAAI,kBAAmB,IAAG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;MACI,kBAAkB,IAAI,K
AAK,CAAC,UAAD,EAAa,KAAb,C;MAC3B,M;;IAGJ,kBAAmB,GAAE,MAAM,yBAAyB,CAAC,UAAD,EAAa,
YAAb,C;IACpD,IAAI,kBAAmB,IAAG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACI,UAAU,CAAC,YAAD,CA
Ae,GAAE,K;MAC3B,M;;IAGJ,MAAM,WAAW,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAAD,CAAlC,EAA2
C,YAA3C,EAAyD,KAAzD,C;G;EAGrB,iD;IACI,IAAI,IAAK,KAAI,KAAb,C;MAAoB,OAAO,I;IAE3B,IAAI,W
AAW,IAAI,W;IACnB,IAAI,QAAS,IAAG,IAAhB,C;MACI,IAAI,aAAa,QAAQ,W;MACzB,KAAK,IAAI,IAAI,CA
Ab,EAAgB,CAAE,GAAE,UAAU,OAA9B,EAAuC,CAAC,EAAxC,C;QACI,IAAI,0BAA0B,CAAC,UAAU,CAAC
,CAAD,CAAX,EAAgB,KAAhB,C;UACI,OAAO,I;;;;IAKnB,IAAI,iBAAiB,IAAI,UAAW,IAAG,IAAK,G
AAE,MAAM,eAAe,CAAC,IAAI,UAAL,CAAvB,C;MACI,IAAI,mBAAmB,cAAe,IAAG,IAAK,GAAE,cA
Ac,YAAhB,GAA+B,I;IAC7E,OAAO,gBAAiB,IAAG,IAAK,IAAG,0BAA0B,CAAC,gBAAD,EAAmB,KAAnB,C;
G;EASjE,MAAM,OAAQ,GAAE,yB;IACZ,IAAI,KAAM,KAAI,MAAd,C;MACI,QAAQ,OAAO,MAAf,C;aACS,Q;
aACA,Q;aACA,S;aACA,U;UACD,OAAO,I;;UAEP,OAAO,MAAO,YAAW,M;;;IAIrC,MAAO,IAAG,IAAK,IAAG,KAAM,IAAG,
IAAK,KAAM,IAAG,IAAK,KAAI,OAAO,MAAO,KAAI,QAAS,IAAG,OAAO,MAAO,KAAI,UApD,CApC,C;
MACI,OAAO,K;;IAGX,IAAI,OAAO,KAAM,KAAI,UAAW,IAAG,MAAO,YAAW,KArD,C;MACI,OAAO,I;;IA
GX,IAAI,QAAQ,MAAM,eAAe,CAAC,KAAD,C;IACjC,IAAI,cAAc,KAAM,IAAG,IAAK,GAAE,KAAM,IAAG,YAAP,
GAAsB,I;IACtD,IAAI,WAAY,IAAG,IAAK,IAAG,YAAa,IAAG,WA3C,C;MACI,IAAI,WAAW,W;MA
C1B,IAAI,QAAQ,KAAM,KAAI,MAAM,KAAK,OAAjC,C;QACI,QAAQ,OAAO,MAAO,KAAI,K;;;IAI1B,IAAI,gBAAgB
B,KAAK,W;IAGzB,IAAI,aAAc,IAAG,IAArB,C;MACI,IAAI,MAAO,YAAW,K;;IAG1B,IAAI,aAAa,KAAM,K
AAI,MAAM,KAAK,UAAW,IAAG,MAAM,YAAa,IAAG,IAA1E,C;MACI,OAAO,0BAA0B,CAAC,MAAM,YAA
P,EAAqB,KAArB,C;;IAGrB,IAAI,OAAO,K;G;EAGX,MAAM,SAAU,GAAE,a;IACd,IAAI,OAAO,MAAO,KAAI,K;G;EAGtD,MAAM,OAAQ,GAAE,iB;IACZ,IAAI,OAAO,MAAO,YAAW,MAAM,U;G;EAGlC,MAAM,aAAc,GAAE,iB;IAClB,IAAI,OAAO,MAAO,KAAI,K;IAElB,OAAO,IAAK,KAAI,QAAS,IAAG,OAAO,MAAO,KAAI,QAAS,IAAG,SAAU,IAAG,QAAS,IAAG,MAAM,OAAO,MAAO,YAAW,MAAM,
U;IACnB,MAAM,SAAU,GAAE,aAAc,IAAG,QAAS,IAAG,MAAM,OAAO,MAAO,KAAI,QAAS,IAAG,WAAW,C;G;EAGlG,MAAM,OAAQ,GAAE,iB;IACZ,IAAI,OAAO,MAAO,KAAI,K;IAGtB,IAAI,OAAO,MAAO

AL,E;UACpB,KAAK,CAAC,CAAD,CAAG,GAAG,K;;QAEP,OAAO,K;O;KARX,C;mFAWA,yB;MAAA,mB;MAAA,gC;MAAA,6B;QAGiB,Q;QADb,YAAY,QAAY,IAAZ,C;QACC,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,YACY,eAAK,CAAL,E;UACpB,KAAK,CAAC,CAAD,CAAG,GAAG,K;;QAEP,OAAO,K;O;KARX,C;IAWA,+B;MAIiB,IAAN,I;MAFP,aAAsB,MAAY,IAAZ,C;MACtB,gBAAkB,W;MAEd,IADS,IACT,mBADS,IACT,EAAM,IAAN,E;QAAc,oBAAa,MAAb,K;WACd,WAFS,IAET,S;QAAS,a;;QA3DA,U;QAAA,SA4DkB,MA5DlB,K;QAAA,gBA4DkB,MA5DlB,K;QAAA,gBA4DkB,MA5DlB,K;QAAA,gB

AQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;IAGX,sC;MAII,OAAO,mBAAQ,OAAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAOI,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAOI,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;oGAkE/B,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAU,CAAtC,GAAsC,SAAtD,aAAsD,KAAtD,aAAsD,C;O;KAPjE,jE,C;sGAUA,UAAyB,M

MAj2CA,uC;QAOW,qB;;UAg2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAl2Cc,SAk2CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAp2CP,wB;O;KAPJ,C;wFAUA,yB;MAo2CA,0D;MAAA,+C;MAp2CA,uC;QAOW,qB;;UAm2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAr2Cc,SAq2CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAv2CP,wB;O;KAPJ,C;wFAUA,yB;MAu2CA,0D;MAAA,+C;MAv2CA,uC;QAOW,qB;;UAs2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAx2Cc,SAw2CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA12CP,wB;O;KAPJ,C;wFAUA,yB;MA02CA,0D;MAAA,+C;MA12CA,uC;QAOW,qB;;UAy2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA32Cc,SA22CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA72CP,wB;O;KAPJ,C;wFAUA,yB;MA62CA,0D;MAAA,+C;MA72CA,uC;QAOW,qB;;UA42CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA92Cc,SA82CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAh3CP,wB;O;KAPJ,C;wFAUA,yB;MAg3CA,0D;MAAA,+C;MAh3CA,uC;QAOW,qB;;UA+2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAj3Cc,SAi3CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAn3CP,wB;O;KAPJ,C;wFAUA,yB;MAm3CA,0D;MAAA,+C;MAn3CA,uC;QAOW,qB;;UAk3CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAp3Cc,SAo3CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAt3CP,wB;O;KAPJ,C;wFAUA,yB;MAs3CA,0D;MAAA,+C;MAt3CA,uC;QAOW,qB;;UAq3CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAv3Cc,SAu3CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAz3CP,wB;O;KAPJ,C;wFAUA,yB;MAy3CA,0D;MAAA,+C;MAz3CA,uC;QAOW,qB;;UAw3CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA13Cc,SA03CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA53CP,wB;O;KAPJ,C;wFAUA,yB;MA43CA,0D;MAAA,+C;MA53CA,uC;QAOW,qB;;UA23CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA73Cc,SA63CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA/3CP,wB;O;KAPJ,C;wFAUA,yB;MA+3CA,0D;MAAA,+C;MA/3CA,uC;QAOW,qB;;UA83CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAh4Cc,SAg4CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAl4CP,wB;O;KAPJ,C;wFAUA,yB;MAk4CA,0D;MAAA,+C;MAl4CA,uC;QAOW,qB;;UAi4CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAn4Cc,SAm4CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAr4CP,wB;O;KAPJ,C;wFAUA,yB;MAq4CA,0D;MAAA,+C;MAr4CA,uC;QAOW,qB;;UAo4CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAt4Cc,SAs4CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAx4CP,wB;O;KAPJ,C;wFAUA,yB;MAw4CA,0D;MAAA,+C;MAx4CA,uC;QAOW,qB;;UAu4CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAz4Cc,SAy4CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA34CP,wB;O;KAPJ,C;wFAUA,yB;MA24CA,0D;MAAA,+C;MA34CA,uC;QAOW,qB;;UA04CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA54Cc,SA44CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA94CP,wB;O;KAPJ,C;wFAUA,yB;MA84CA,0D;MAAA,+C;MA94CA,uC;QAOW,qB;;UA64CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA/4Cc,SA+4CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAj5CP,wB;O;KAPJ,C;wFAUA,yB;MAi5CA,0D;MAAA,+C;MAj5CA,uC;QAOW,qB;;UAg5CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAl5Cc,SAk5CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAp5CP,wB;O;KAPJ,C;wFAUA,yB;MAo5CA,0D;MAAA,+C;MAp5CA,uC;QAOW,qB;;UAm5CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAr5Cc,SAq5CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAv5CP,wB;O;KAPJ,C;wFAUA,yB;MAu5CA,0D;MAAA,+C;MAv5CA,uC;QAOW,qB;;UAs5CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAx5Cc,SAw5CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA15CP,wB;O;KAPJ,C;wFAUA,yB;MA05CA,0D;MAAA,+C;MA15CA,uC;QAOW,qB;;UAy5CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA35Cc,SA25CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA75CP,wB;O;KAPJ,C;wFAUA,yB;MA65CA,0D;MAAA,+C;MA75CA,uC;QAOW,qB;;UA45CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA95Cc,SA85CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAh6CP,wB;O;KAPJ,C;wFAUA,yB;MAg6CA,0D;MAAA,+C;MAh6CA,uC;QAOW,qB;;UA+5CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAj6Cc,SAi6CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAn6CP,wB;O;KAPJ,C;wFAUA,yB;MAm6CA,0D;MAAA,+C;MAn6CA,uC;QAOW,qB;;UAk6CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAp6Cc,SAo6CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAt6CP,wB;O;KAPJ,C;wFAUA,yB;MAs6CA,0D;MAAA,+C;MAt6CA,uC;QAOW,qB;;UAq6CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAv6Cc,SAu6CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAz6CP,wB;O;KAPJ,C;wFAUA,yB;MAy6CA,0D;MAAA,+C;MAz6CA,uC;QAOW,qB;;UAw6CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA16Cc,SA06CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA56CP,wB;O;KAPJ,C;wFAUA,yB;MA46CA,0D;MAAA,+C;MA56CA,uC;QAOW,qB;;UA26CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA76Cc,SA66CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA/6CP,wB;O;KAPJ,C;wFAUA,yB;MA+6CA,0D;MAAA,+C;MA/6CA,uC;QAOW,qB;;UA86CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAh7Cc,SAg7CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAl7CP,wB;O;KAPJ,C;wFAUA,yB;MAk7CA,0D;MAAA,+C;MAl7CA,uC;QAOW,qB;;UAi7CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAn7Cc,SAm7CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAr7CP,wB;O;KAPJ,C;wFAUA,yB;MAq7CA,0D;MAAA,+C;MAr7CA,uC;QAOW,qB;;UAo7CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAt7Cc,SAs7CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAx7CP,wB;O;KAPJ,C;wFAUA,yB;MAw7CA,0D;MAAA,+C;MAx7CA,uC;QAOW,qB;;UAu7CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAz7Cc,SAy7CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA37CP,wB;O;KAPJ,C;wFAUA,yB;MA27CA,0D;MAAA,+C;MA37CA,uC;QAOW,qB;;UA07CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA57Cc,SA47CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA97CP,wB;O;KAPJ,C;wFAUA,yB;MA87CA,0D;MAAA,+C;MA97CA,uC;QAOW,qB;;UA67CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA/7Cc,SA+7CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAj8CP,wB;O;KAPJ,C;wFAUA,yB;MAi8CA,0D;MAAA,+C;MAj8CA,uC;QAOW,qB;;UAg8CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAl8Cc,SAk8CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAp8CP,wB;O;KAPJ,C;wFAUA,yB;MAo8CA,0D;MAAA,+C;MAp8CA,uC;QAOW,qB;;UAm8CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAr8Cc,SAq8CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAv8CP,wB;O;KAPJ,C;wFAUA,yB;MAu8CA,0D;MAAA,+C;MAv8CA,uC;QAOW,qB;;UAs8CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAx8Cc,SAw8CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA18CP,wB;O;KAPJ,C;wFAUA,yB;MA08CA,0D;MAAA,+C;MA18CA,uC;QAOW,qB;;UAy8CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA38Cc,SA28CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA78CP,wB;O;KAPJ,C;wFAUA,yB;MA68CA,0D;MAAA,+C;MA78CA,uC;QAOW,qB;;UA48CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA98Cc,SA88CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAh9CP,wB;O;KAPJ,C;wFAUA,yB;MAg9CA,0D;MAAA,+C;MAh9CA,uC;QAOW,qB;;UA+8CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAj9Cc,SAi9CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAn9CP,wB;O;KAPJ,C;wFAUA,yB;MAm9CA,0D;MAAA,+C;MAn9CA,uC;QAOW,qB;;UAk9CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAp9Cc,SAo9CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAt9CP,wB;O;KAPJ,C;wFAUA,yB;MAs9CA,0D;MAAA,+C;MAt9CA,uC;QAOW,qB;;UAq9CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAv9Cc,SAu9CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAz9CP,wB;O;KAPJ,C;wFAUA,yB;MAy9CA,0D;MAAA,+C;MAz9CA,uC;QAOW,qB;;UAw9CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA19Cc,SA09CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA59CP,wB;O;KAPJ,C;wFAUA,yB;MA49CA,0D;MAAA,+C;MA59CA,uC;QAOW,qB;;UA29CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA79Cc,SA69CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA/9CP,wB;O;KAPJ,C;wFAUA,yB;MA+9CA,0D;MAAA,+C;MA/9CA,uC;QAOW,qB;;UA89CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAh+Cc,SAg+CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAl+CP,wB;O;KAPJ,C;wFAUA,yB;MAk+CA,0D;MAAA,+C;MAl+CA,uC;QAOW,qB;;UAi+CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAn+Cc,SAm+CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAr+CP,wB;O;KAPJ,C;wFAUA,yB;MAq+CA,0D;MAAA,+C;MAr+CA,uC;QAOW,qB;;UAo+CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAt+Cc,SAs+CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAx+CP,wB;O;KAPJ,C;wFAUA,yB;MAw+CA,0D;MAAA,+C;MAx+CA,uC;QAOW,qB;;UAu+CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAz+Cc,SAy+CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA3+CP,wB;O;KAPJ,C;wFAUA,yB;MA2+CA,0D;MAAA,+C;MA3+CA,uC;QAOW,qB;;UA0+CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA5+Cc,SA4+CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA9+CP,wB;O;KAPJ,C;wFAUA,yB;MA8+CA,0D;MAAA,+C;MA9+CA,uC;QAOW,qB;;UA6+CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA/+Cc,SA++CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAj/CP,wB;O;KAPJ,C;wFAUA,yB;MAi/CA,0D;MAAA,+C;MAj/CA,uC;QAOW,qB;;UAg/CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAl/Cc,SAk/CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAp/CP,wB;O;KAPJ,C;wFAUA,yB;MAo/CA,0D;MAAA,+C;MAp/CA,uC;QAOW,qB;;UAm/CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAr/Cc,SAq/CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAv/CP,wB;O;KAPJ,C;wFAUA,yB;MAu/CA,0D;MAAA,+C;MAv/CA,uC;QAOW,qB;;UAs/CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAx/Cc,SAw/CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA1/CP,wB;O;KAPJ,C;wFAUA,yB;MA0/CA,0D;MAAA,+C;MA1/CA,uC;QAOW,qB;;UAy/CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA3/Cc,SA2/CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA7/CP,wB;O;KAPJ,C;wFAUA,yB;MA6/CA,0D;MAAA,+C;MA7/CA,uC;QAOW,qB;;UA4/CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA9/Cc,SA8/CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhgDP,wB;O;KAPJ,C;wFAUA,yB;MAggDA,0D;MAAA,+C;MAhgDA,uC;QAOW,qB;;UA+/CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAjgDc,SAigDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAngDP,wB;O;KAPJ,C;wFAUA,yB;MAmgDA,0D;MAAA,+C;MAngDA,uC;QAOW,qB;;UAkgDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IApgDc,SAogDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAtgDP,wB;O;KAPJ,C;wFAUA,yB;MAsgDA,0D;MAAA,+C;MAtgDA,uC;QAOW,qB;;UAqgDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAvgDc,SAugDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAzgDP,wB;O;KAPJ,C;wFAUA,yB;MAygDA,0D;MAAA,+C;MAzgDA,uC;QAOW,qB;;UAwgDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA1gDc,SA0gDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5gDP,wB;O;KAPJ,C;wFAUA,yB;MA4gDA,0D;MAAA,+C;MA5gDA,uC;QAOW,qB;;UA2gDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA7gDc,SA6gDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA/gDP,wB;O;KAPJ,C;wFAUA,yB;MA+gDA,0D;MAAA,+C;MA/gDA,uC;QAOW,qB;;UA8gDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAhhDc,SAghDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAlhDP,wB;O;KAPJ,C;wFAUA,yB;MAkhDA,0D;MAAA,+C;MAlhDA,uC;QAOW,qB;;UAihDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAnhDc,SAmhDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QArhDP,wB;O;KAPJ,C;wFAUA,yB;MAqhDA,0D;MAAA,+C;MArhDA,uC;QAOW,qB;;UAohDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAthDc,SAshDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxhDP,wB;O;KAPJ,C;wFAUA,yB;MAwhDA,0D;MAAA,+C;MAxhDA,uC;QAOW,qB;;UAuhDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAzhDc,SAyhDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA3hDP,wB;O;KAPJ,C;wFAUA,yB;MA2hDA,0D;MAAA,+C;MA3hDA,uC;QAOW,qB;;UA0hDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA5hDc,SA4hDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA9hDP,wB;O;KAPJ,C;wFAUA,yB;MA8hDA,0D;MAAA,+C;MA9hDA,uC;QAOW,qB;;UA6hDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA/hDc,SA+hDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAEjC,oBAAO,I;;;QAjiDP,wB;O;KAPJ,C;wFAUA,yB;MAiiDA,0D;MAAA,+C;MAjiDA,uC;QAOW,qB;;UAgiDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAliDc,SAkiDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApiDP,wB;O;KAPJ,C;wFAUA,yB;MAoiDA,0D;MAAA,+C;MApiDA,uC;QAOW,qB;;UAmiDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAriDc,SAqiDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAviDP,wB;O;KAPJ,C;wFAUA,yB;MAuiDA,0D;MAAA,+C;MAviDA,uC;QAOW,qB;;UAsiDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAxiDc,SAwiDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA1iDP,wB;O;KAPJ,C;wFAUA,yB;MA0iDA,0D;MAAA,+C;MA1iDA,uC;QAOW,qB;;UAyiDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA3iDc,SA2iDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA7iDP,wB;O;KAPJ,C;wFAUA,yB;MA6iDA,0D;MAAA,+C;MA7iDA,uC;QAOW,qB;;UA4iDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA9iDc,SA8iDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhjDP,wB;O;KAPJ,C;wFAUA,yB;MAgjDA,0D;MAAA,+C;MAhjDA,uC;QAOW,qB;;UA+iDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAjjDc,SAijDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAnjDP,wB;O;KAPJ,C;wFAUA,yB;MAmjDA,0D;MAAA,+C;MAnjDA,uC;QAOW,qB;;UAkjDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IApjDc,SAojDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAA

Af,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAsiNO,qBAAQ,CAtiNR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAuiNO,qBAAQ,CAviNR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAwiNO,qBAAQ,CAxiNR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAyiNO,qBAAQ,CAziNR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OA0iNO,qBAAQ,CA1iNR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OA2iNO,qBAAQ,CA3iNR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OA4iNO,qBAAQ,CA5iNR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;8FAGpC,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAA,gBAAA,CAAA,MAAA,CAAA,CAAA,C

W,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;8FAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK
,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,K
AAL,CAAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KA
AL,CAAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAA
L,CAAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,
CAAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,C
AAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CA
AV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAA
V,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,yB;MAAA,oC;MAAA,uC;QAII,wD;UACI,IAAI,UAAU
,sBAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;4FAYA,yB;MAAA,0D;MAAA,+
C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,U
AAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAA
A,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IA
AI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;
MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UAC
V,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,
0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;U
ACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MA
AA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,u
B;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;
MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UA
Ac,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA
,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;
UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FA
YA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd
,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8
FAYA,yB;MAAA,0D;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QA
Ad,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,sBAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAA
O,E;O;KATX,C;IAYA,yB;MAQI,IAg7LO,qBAAQ,CAh7Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO
,UAAK,wBAAL,C;K;IAGX,2B;MAQI,IA26LO,qBAAQ,CA36Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,
OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IAs6LO,qBAAQ,CAt6Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MA
CV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IAi6LO,qBAAQ,CAj6Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;
MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IA45LO,qBAAQ,CA55Lf,C;QACI,MAAM,2BAAuB,iBAA
vB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IAu5LO,qBAAQ,CAv5Lf,C;QACI,MAAM,2BAAuB,i
BAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IAk5LO,qBAAQ,CAl5Lf,C;QACI,MAAM,2BA
AuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IA64LO,qBAAQ,CA74Lf,C;QACI,MAAM
,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IAw4LO,qBAAQ,CAx4Lf,C;QACI,M
AAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;gFAGX,yB;MAAA,0D;MAAA,+C;MAAA,iE;M
AAA,uC;QAQkB,Q;QAAA,OAAa,aAAb,YAAa,SAAb,CAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UAC
V,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mD
AAvB,C;O;KAZV,C;gFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,aAAb,YAAa
,SAAb,CAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU
,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;iFAeA,yB;MAAA,0D;
MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,aAAb,YAAa,SAAb,CAAQ,CAAR,W;QAAd,OAAc,cAAd,
C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM
,gCAAuB,mDAAvB,C;iFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,aAAb,
YAAa,SAAb,CAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU
,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;iFAeA,yB;MAAA,0D;MAAA,+C;MAAA,
iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,aAAb,YAAa,SAAb,CAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;U
ACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAv
B,C;iFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,aAAb,YAAa,SAAb,CAAQ,
CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;Y
AAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;iFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQ
kB,Q;QAAA,OAAa,aAAb,YAAa,SAAb,CAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK
,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;i

FAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAAuB,mDAAAvB,C;O;KAZV,C;iF

,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;6FAaA,yB;MA
AA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cA
Ad,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,
OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAL,SAA
K,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,C
AAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,
Q;QAAA,OAAa,SAAR,YAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,K
AAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA
,0D;MAAA,+C;MAAA,oC;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,
OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;
QAEnC,OAAO,I;O;KAVX,C;kFAaA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,E;QAAO
ARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,E;QAAO,KARX,C;oFAWA,yB;
MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,E;QAAO,KARX,C;oFAWA,yB;MAAA,mC;MAAA,g
D;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,E;QAAO,KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,
OAAO,kBAAO,cAAP,E;QAAO,KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAA
P,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFA
WA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;
MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAWA,qC;MAOI,IAoxKO,qBAAQ,CApxKf,C
;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,qC;MAOI,
IAgxKO,qBAAQ,CAhxKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,
CAAX,C;K;IAGX,sC;MAOI,IA4wKO,qBAAQ,CA5wKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,U
AAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAwwKO,qBAAQ,CAxwKf,C;QACI,MAAM,2BAAu
B,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAowKO,qBAAQ,CAp
wKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;
MAOI,IAgwKO,qBAAQ,CAhwKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,g
BAAR,CAAX,C;K;IAGX,sC;MAOI,IA4vKO,qBAAQ,CA5vKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OA
AO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAwvKO,qBAAQ,CAxvKf,C;QACI,MAAM,2B
AAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAovKO,qBAAQ,
CApvKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;8FAG
X,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MA
AA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;Q
AOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,c
AAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;g
GAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,m
C;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,
4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wB
AAa,cAAb,C;O;KAPX,C;IAUA,2C;MAMI,IA+kKO,qBAAQ,CA/kKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,M
AAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,2C;MAMI,IA4kKO,qBAAQ,CA5kKf,C;QACI,OAAO,I;MACX,OAAO,
UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAykKO,qBAAQ,CAzkKf,C;QACI,OAAO,I;MACX
,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAskKO,qBAAQ,CAtkKf,C;QACI,OAAO,I;
MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAmkKO,qBAAQ,CAnkKf,C;QACI,
OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAgkKO,qBAAQ,CAhkKf,C;
QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IA6jKO,qBAAQ,
CA7jKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IA0jKO
,qBAAQ,CA1jKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,
IAujKO,qBAAQ,CAvjKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,2B;M
AIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,
CAAL,C;UAAL,K;;UACQ,MAAM,gCAAyB,kCAAzB,C;;MAHlB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,

gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;;UACQ,M
AAM,gCAAyB,kCAAzB,C;;MAHlB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,
MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;;UACQ,MAAM,gCAAyB,kCAAzB,C;;
MAHlB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;
aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;;UACQ,MAAM,gCAAyB,kCAAzB,C;;MAHlB,W;K;IAOJ,6B;MAIiB
,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAK,CAA
L,C;UAAL,K;;UACQ,MAAM,gCAAyB,kCAAzB,C;;MAHlB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBA
AN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;;UACQ,MAAM
,gCAAyB,kCAAzB,C;;MAHlB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAA
M,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;;UACQ,MAAM,gCAAyB,kCAAzB,C;;MAHl
B,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,
C;UAAK,iBAAK,CAAL,C;UAAL,K;;UACQ,MAAM,gCAAyB,kCAAzB,C;;MAHlB,W;K;IAOJ,6B;MAIiB,IAAN
,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UA
AL,K;;UACQ,MAAM,gCAAyB,kCAAzB,C;;MAHlB,W;K;oFAOJ,yB;MAAA,kF;MAAA,iE;MAAA,gB;MAAA,8
B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,S
AAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,
SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,
6E;O;KAfX,C;oFAkBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QA
CpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YAC
I,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,K
AAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,2D;O;KAfX,C;qFAkBA,yB;MAAA,kF;MAAA,iE;
MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,S
AAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,
SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAEl
B,OAAO,2D;O;KAfX,C;qFAkBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aA
AmB,I;QACnB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CA
AJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI
,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,2D;O;KAfX,C;qFAkBA,yB;MAAA,kF;MAAA
,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,S
AAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,
SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,iE;O;KAfX,C;qFAkBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,2D;O;KAfX,C;qFAkBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAsB,I;QACtB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,iE;O;KAfX,C;qFAkBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,iE;O;KAfX,C;qFAkBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAsB,I;QACt

GvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;gGAGvC,gC;MAMoB,Q;MAFhB,aAAiB,I;MACjB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;gGAGX,gC;MAMoB,Q;MAFhB,aAAoB,I;MACpB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAmB,I;MACnB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAoB,I;MACpB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAsB,I;MACtB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAuB,I;MACvB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;gGAGX,gC;MAMoB,Q;MAFhB,aAAoB,I;MACp

AQ,WAAjC,C;;MdsyGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;IAGX,kC;Mc3yGI,IAAI,EdmzGI,KAAK,CcnzGT,CAAJ,C;QACI,cdkzGc,sD;QcjzGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdkzGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;IAGX,kC;McvzGI,IAAI,Ed+zGI,KAAK,Cc/zGT,CAAJ,C;QACI,cd8zGc,sD;Qc7zGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md8zGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;IAGX,kC;Mcn0GI,IAAI,Ed20GI,KAAK,Cc30GT,CAAJ,C;QACI,cd00Gc,sD;Qcz0Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md00GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;IAGX,kC;Mc/0GI,IAAI,Edu1GI,KAAK,Ccv1GT,CAAJ,C;QACI,cds1Gc,sD;Qcr1Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mds1GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;IAGX,kC;Mc31GI,IAAI,Edm2GI,KAAK,Ccn2GT,CAAJ,C;QACI,cdk2Gc,sD;Qcj2Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdk2GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;IAGX,kC;Mcv2GI,IAAI,Ed+2GI,KAAK,Cc/2GT,CAAJ,C;QACI,cd82Gc,sD;Qc72Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md82GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;IAGX,kC;Mcn3GI,IAAI,Ed23GI,KAAK,Cc33GT,CAAJ,C;QACI,cd03Gc,sD;Qcz3Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md03GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;gGAGX,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd,WA+B,B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAK,CAAV,CAAU,CAAV,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAQ,C;;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,2C;MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd,WA+B,B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAK,CAAV,CAAU,CAAV,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAQ,C;;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4

AC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAEnB,OAAO,I;O;KAfX,C;0FAkB
A,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAA
A,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,I
AAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAEnB,OAAO,I;O;KAfX,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,
Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YA
CI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,
I;;;QAEnB,OAAO,I;O;KAfX,C;0FAkBA,yB;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,uC;QAQiB,Q;QAFb,eAA
e,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,IAAI,QAAJ,C;YACI,IAA
K,WAAI,iBAAJ,C;eACJ,IAAI,CAAC,UAAU,iBAAV,CAAL,C;YACD,IAAK,WAAI,iBAAJ,C;YACL,WAAW,I;;;
QAEnB,OAAO,I;O;KAfX,C;kFAkBA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAmgBA,Q;QAAhB,iD;U
AAgB,cAAhB,e;UAAsB,IAngBU,SAmgBN,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAngB1D
,OAogBO,W;O;KA1gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAogBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IApgBa,SAogBT,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QApgBpB1D,OAq
gBO,W;O;KA3gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAqgBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IArgBc,SAqgBV,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QArgBrB1D,OAsgBO,W;O;KA5gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAsgBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAtgBe,SAsgBX,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAtgBtB1D,OAugBO,W;O;KA7gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAugBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAvgBgB,SAugBZ,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAvgBvB1D,OAwgBO,W;O;KA9gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAwgBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAxgBiB,SAwgBb,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxgBxB1D,OAygBO,W;O;KA/gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAygBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzgBkB,SAygBd,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzgBzB1D,OA0gBO,W;O;KAhhBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA0gBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA1gBmB,SA0gBf,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1gB1B1D,OA2gBO,W;O;KAjhBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA2gBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA3gBoB,SA2gBhB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3gB3B1D,OA4gBO,W;O;KAlhBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA4gBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA5gBqB,SA4gBjB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5gB5B1D,OA6gBO,W;O;KAnhBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA6gBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA7gBsB,SA6gBlB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA7gB7B1D,OA8gBO,W;O;KAphBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA8gBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA9gBuB,SA8gBnB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA9gB9B1D,OA+gBO,W;O;KArhBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA+gBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA/gBwB,SA+gBpB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA/gB/B1D,OAghBO,W;O;KAthBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAghBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAhhByB,SAghBrB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAhhBhC1D,OAihBO,W;O;KAvhBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAihBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAjhB0B,SAihBtB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAjhBjC1D,OAkhBO,W;O;KAxhBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAkhBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAlhB2B,SAkhBvB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAlhBlC1D,OAmhBO,W;O;KAzhBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAmhBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAnhB4B,SAmhBxB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAnhBnC1D,OAohBO,W;O;KA1hBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAohBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAphB6B,SAohBzB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAphBpC1D,OAqhBO,W;O;KA3hBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAqhBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IArhB8B,SAqhB1B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QArhBrC1D,OAshBO,W;O;KA5hBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAshBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAthB+B,SAshB3B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAthBtC1D,OAuhBO,W;O;KA7hBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAuhBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAvhBgC,SAuhB5B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAvhBvC1D,OAwhBO,W;O;KA9hBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAwhBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAxhBiC,SAwhB7B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxhBxC1D,OAyhBO,W;O;KA/hBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAyhBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzhBkC,SAyhB9B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzhBzC1D,OA0hBO,W;O;KAhiBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA0hBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA1hBmC,SA0hB/B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1hB1C1D,OA2hBO,W;O;KAjiBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA2hBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA3hBoC,SA2hBhC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3hB3C1D,OA4hBO,W;O;KAliBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA4hBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA5hBqC,SA4hBjC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5hB5C1D,OA6hBO,W;O;KAniBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA6hBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA7hBsC,SA6hBlC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA7hB7C1D,OA8hBO,W;O;KApiBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA8hBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA9hBuC,SA8hBnC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA9hB9C1D,OA+hBO,W;O;KAriBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA+hBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA/hBwC,SA+hBpC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA/hB/C1D,OAgiBO,W;O;KAtiBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAgiBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAhiByC,SAgiBrC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAhiBhD1D,OAiiBO,W;O;KAviBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAiiBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAjiB0C,SAiiBtC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAjiBjD1D,OAkiBO,W;O;KAxiBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAkiBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAliB2C,SAkiBvC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAliBlD1D,OAmiBO,W;O;KAziBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAmiBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAniB4C,SAmiBxC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAniBnD1D,OAoiBO,W;O;KA1iBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAoiBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IApiB6C,SAoiBzC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QApiBpD1D,OAqiBO,W;O;KA3iBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAqiBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAriB8C,SAqiB1C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAriBrD1D,OAsiBO,W;O;KA5iBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAsiBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAtiB+C,SAsiB3C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAtiBtD1D,OAuiBO,W;O;KA7iBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAuiBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAviBgD,SAuiB5C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAviBvD1D,OAwiBO,W;O;KA9iBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAwiBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAxiBiD,SAwiB7C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxiBxD1D,OAyiBO,W;O;KA/iBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAyiBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAziBkD,SAyiB9C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAziBzD1D,OA0iBO,W;O;KAhjBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA0iBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA1iBmD,SA0iB/C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1iB1D1D,OA2iBO,W;O;KAjjBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA2iBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA3iBoD,SA2iBhD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3iB3D1D,OA4iBO,W;O;KAljBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA4iBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA5iBqD,SA4iBjD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5iB5D1D,OA6iBO,W;O;KAnjBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA6iBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA7iBsD,SA6iBlD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA7iB7D1D,OA8iBO,W;O;KApjBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA8iBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA9iBuD,SA8iBnD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA9iB9D1D,OA+iBO,W;O;KArjBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA+iBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA/iBwD,SA+iBpD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA/iB/D1D,OAgjBO,W;O;KAtjBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAgjBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAhjByD,SAgjBrD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAhjBhE1D,OAijBO,W;O;KAvjBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAijBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAjjB0D,SAijBtD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAjjBjE1D,OAkjBO,W;O;KAxjBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAkjBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAljB2D,SAkjBvD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAljBlE1D,OAmjBO,W;O;KAzjBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAmjBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAnjB4D,SAmjBxD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAnjBnE1D,OAojBO,W;O;KA1jBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAojBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IApjB6D,SAojBzD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QApjBpE1D,OAqjBO,W;O;KA3jBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAqjBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IArjB8D,SAqjB1D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QArjBrE1D,OAsjBO,W;O;KA5jBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAsjBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAtjB+D,SAsjB3D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAtjBtE1D,OAujBO,W;O;KA7jBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAujBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAvjBgE,SAujB5D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAvjBvE1D,OAwjBO,W;O;KA9jBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAwjBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAxjBiE,SAwjB7D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxjBxE1D,OAyjBO,W;O;KA/jBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAyjBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzjBkE,SAyjB9D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzjBzE1D,OA0jBO,W;O;KAhkBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA0jBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA1jBmE,SA0jB/D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1jB1E1D,OA2jBO,W;O;KAjkBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA2jBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA3jBoE,SA2jBhE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3jB3E1D,OA4jBO,W;O;KAlkBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA4jBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA5jBqE,SA4jBjE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5jB5E1D,OA6jBO,W;O;KAnkBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA6jBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA7jBsE,SA6jBlE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA7jB7E1D,OA8jBO,W;O;KApkBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA8jBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA9jBuE,SA8jBnE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA9jB9E1D,OA+jBO,W;O;KArkBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA+jBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA/jBwE,SA+jBpE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA/jB/E1D,OAgkBO,W;O;KAtkBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAgkBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAhkByE,SAgkBrE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAhkBhF1D,OAikBO,W;O;KAvkBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAikBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAjkB0E,SAikBtE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAjkBjF1D,OAkkBO,W;O;KAxkBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAkkBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAlkB2E,SAkkBvE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAlkBlF1D,OAmkBO,W;O;KAzkBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAmkBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAnkB4E,SAmkBxE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAnkBnF1D,OAokBO,W;O;KA1kBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAokBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IApkB6E,SAokBzE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QApkBpF1D,OAqkBO,W;O;KA3kBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAqkBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IArkB8E,SAqkB1E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QArkBrF1D,OAskBO,W;O;KA5kBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAskBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAtkB+E,SAskB3E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAtkBtF1D,OAukBO,W;O;KA7kBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAukBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAvkBgF,SAukB5E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAvkBvF1D,OAwkBO,W;O;KA9kBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAwkBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAxkBiF,SAwkB7E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxkBxF1D,OAykBO,W;O;KA/kBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAykBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzkBkF,SAykB9E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzkBzF1D,OA0kBO,W;O;KAhlBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA0kBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA1kBmF,SA0kB/E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1kB1F1D,OA2kBO,W;O;KAjlBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA2kBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA3kBoF,SA2kBhF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3kB3F1D,OA4kBO,W;O;KAllBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA4kBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA5kBqF,SA4kBjF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5kB5F1D,OA6kBO,W;O;KAnlBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA6kBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA7kBsF,SA6kBlF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA7kB7F1D,OA8kBO,W;O;KAplBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA8kBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA9kBuF,SA8kBnF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA9kB9F1D,OA+kBO,W;O;KArlBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA+kBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA/kBwF,SA+kBpF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA/kB/F1D,OAglBO,W;O;KAtlBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAglBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAhlByF,SAglBrF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAhlBhG1D,OAilBO,W;O;KAvlBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAilBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAjlB0F,SAilBtF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAjlBjG1D,OAklBO,W;O;KAxlBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAklBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAllB2F,SAklBvF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAllBlG1D,OAmlBO,W;O;KAzlBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAmlBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAnlB4F,SAmlBxF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAnlBnG1D,OAolBO,W;O;KA1lBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAolBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAplB6F,SAolBzF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAplBpG1D,OAqlBO,W;O;KA3lBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAqlBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IArlB8F,SAqlB1F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QArlBrG1D,OAslBO,W;O;KA5lBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAslBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAtlB+F,SAslB3F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAtlBtG1D,OAulBO,W;O;KA7lBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAulBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAvlBgG,SAulB5F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAvlBvG1D,OAwlBO,W;O;KA9lBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAwlBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAxlBiG,SAwlB7F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxlBxG1D,OAylBO,W;O;KA/lBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAylBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzlBkG,SAylB9F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzlBzG1D,OA0lBO,W;O;KAhmBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA0lBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA1lBmG,SA0lB/F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1lB1G1D,OA2lBO,W;O;KAjmBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA2lBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA3lBoG,SA2lBhG,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3lB3G1D,OA4lBO,W;O;KAlmBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA4lBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA5lBqG,SA4lBjG,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5lB5G1D,OA6lBO,W;O;KAnmBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA6lBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA7lBsG,SA6lBlG,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA7lB7G1D,OA8lBO,W;O;KApmBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA8lBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA9lBuG,SA8lBnG,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA9lB9G1D,OA+lBO,W;O;KArmBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA+lBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,

b,0B;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAl4S/B,IA5HsC,SA4HlC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,sBAAI,OAAJ,C;;QA5H/C,OA8HO,W;O;KAtIX,C;oGAWA,6C;MA26SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAl6SI,IAAI,WAk6SkB,cAl6SlB,EAk6SkB,sBAl6SlB,WAk6S2B,IAl6S3B,CAAJ,C;UAA2C,sBAk6SZ,IAl6SY,C;;MAE/C,OAAO,W;K;qGAGX,6C;MAu6SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA95SI,IAAI,WA85SkB,cA95SlB,EA85SkB,sBA95SlB,WA85S2B,IA95S3B,CAAJ,C;UAA2C,sBA85SZ,IA95SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAm6SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA15SI,IAAI,WA05SkB,cA15SlB,EA05SkB,sBA15SlB,WA05S2B,IA15S3B,CAAJ,C;UAA2C,sBA05SZ,IA15SY,C;;MAE/C,OAAO,W;K;qGAGX,6C;MA+5SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAt5SI,IAAI,WAs5SkB,cAt5SlB,EAs5SkB,sBAt5SlB,WAs5S2B,IAt5S3B,CAAJ,C;UAA2C,sBAs5SZ,IAt5SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA25SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAl5SI,IAAI,WAk5SkB,cAl5SlB,EAk5SkB,sBAl5SlB,WAk5S2B,IAl5S3B,CAAJ,C;UAA2C,sBAk5SZ,IAl5SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAu5SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA94SI,IAAI,WA84SkB,cA94SlB,EA84SkB,sBA94SlB,WA84S2B,IA94S3B,CAAJ,C;UAA2C,sBA84SZ,IA94SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAm5SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA14SI,IAAI,WA04SkB,cA14SlB,EA04SkB,sBA14SlB,WA04S2B,IA14S3B,CAAJ,C;UAA2C,sBA04SZ,IA14SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+4SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAt4SI,IAAI,WAs4SkB,cAt4SlB,EAs4SkB,sBAt4SlB,WAs4S2B,IAt4S3B,CAAJ,C;UAA2C,sBAs4SZ,IAt4SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA24SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAl4SI,IAAI,WAk4SkB,cAl4SlB,EAk4SkB,sBAl4SlB,WAk4S2B,IAl4S3B,CAAJ,C;UAA2C,sBAk4SZ,IAl4SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAu4SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA93SI,IAAI,WA83SkB,cA93SlB,EA83SkB,sBA93SlB,WA83S2B,IA93S3B,CAAJ,C;UAA2C,sBA83SZ,IA93SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAm4SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA13SI,IAAI,WA03SkB,cA13SlB,EA03SkB,sBA13SlB,WA03S2B,IA13S3B,CAAJ,C;UAA2C,sBA03SZ,IA13SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+3SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAt3SI,IAAI,WAs3SkB,cAt3SlB,EAs3SkB,sBAt3SlB,WAs3S2B,IAt3S3B,CAAJ,C;UAA2C,sBAs3SZ,IAt3SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA23SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAl3SI,IAAI,WAk3SkB,cAl3SlB,EAk3SkB,sBAl3SlB,WAk3S2B,IAl3S3B,CAAJ,C;UAA2C,sBAk3SZ,IAl3SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAu3SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA92SI,IAAI,WA82SkB,cA92SlB,EA82SkB,sBA92SlB,WA82S2B,IA92S3B,CAAJ,C;UAA2C,sBA82SZ,IA92SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAm3SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA12SI,IAAI,WA02SkB,cA12SlB,EA02SkB,sBA12SlB,WA02S2B,IA12S3B,CAAJ,C;UAA2C,sBA02SZ,IA12SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+2SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAt2SI,IAAI,WAs2SkB,cAt2SlB,EAs2SkB,sBAt2SlB,WAs2S2B,IAt2S3B,CAAJ,C;UAA2C,sBAs2SZ,IAt2SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA22SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAl2SI,IAAI,WAk2SkB,cAl2SlB,EAk2SkB,sBAl2SlB,WAk2S2B,IAl2S3B,CAAJ,C;UAA2C,sBAk2SZ,IAl2SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAu2SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA91SI,IAAI,WA81SkB,cA91SlB,EA81SkB,sBA91SlB,WA81S2B,IA91S3B,CAAJ,C;UAA2C,sBA81SZ,IA91SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAm2SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA11SI,IAAI,WA01SkB,cA11SlB,EA01SkB,sBA11SlB,WA01S2B,IA11S3B,CAAJ,C;UAA2C,sBA01SZ,IA11SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+1SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAt1SI,IAAI,WAs1SkB,cAt1SlB,EAs1SkB,sBAt1SlB,WAs1S2B,IAt1S3B,CAAJ,C;UAA2C,sBAs1SZ,IAt1SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA21SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAl1SI,IAAI,WAk1SkB,cAl1SlB,EAk1SkB,sBAl1SlB,WAk1S2B,IAl1S3B,CAAJ,C;UAA2C,sBAk1SZ,IAl1SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAu1SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA90SI,IAAI,WA80SkB,cA90SlB,EA80SkB,sBA90SlB,WA80S2B,IA90S3B,CAAJ,C;UAA2C,sBA80SZ,IA90SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAm1SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA10SI,IAAI,WA00SkB,cA10SlB,EA00SkB,sBA10SlB,WA00S2B,IA10S3B,CAAJ,C;UAA2C,sBA00SZ,IA10SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+0SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAt0SI,IAAI,WAs0SkB,cAt0SlB,EAs0SkB,sBAt0SlB,WAs0S2B,IAt0S3B,CAAJ,C;UAA2C,sBAs0SZ,IAt0SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA20SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAl0SI,IAAI,WAk0SkB,cAl0SlB,EAk0SkB,sBAl0SlB,WAk0S2B,IAl0S3B,CAAJ,C;UAA2C,sBAk0SZ,IAl0SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAu0SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9zSI,IAAI,WA8zSkB,cA9zSlB,EA8zSkB,sBA9zSlB,WA8zS2B,IA9zS3B,CAAJ,C;UAA2C,sBA8zSZ,IA9zSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAm0SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1zSI,IAAI,WA0zSkB,cA1zSlB,EA0zSkB,sBA1zSlB,WA0zS2B,IA1zS3B,CAAJ,C;UAA2C,sBA0zSZ,IA1zSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+zSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtzSI,IAAI,WAszSkB,cAtzSlB,EAszSkB,sBAtzSlB,WAszS2B,IAtzS3B,CAAJ,C;UAA2C,sBAszSZ,IAtzSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2zSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlzSI,IAAI,WAkzSkB,cAlzSlB,EAkzSkB,sBAlzSlB,WAkzS2B,IAlzS3B,CAAJ,C;UAA2C,sBAkzSZ,IAlzSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAuzSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9ySI,IAAI,WA8ySkB,cA9ySlB,EA8ySkB,sBA9ySlB,WA8yS2B,IA9yS3B,CAAJ,C;UAA2C,sBA8ySZ,IA9ySY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmzSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1ySI,IAAI,WA0ySkB,cA1ySlB,EA0ySkB,sBA1ySlB,WA0yS2B,IA1yS3B,CAAJ,C;UAA2C,sBA0ySZ,IA1ySY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+ySiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtySI,IAAI,WAsySkB,cAtySlB,EAsySkB,sBAtySlB,WAsyS2B,IAtyS3B,CAAJ,C;UAA2C,sBAsySZ,IAtySY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2ySiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlySI,IAAI,WAkySkB,cAlySlB,EAkySkB,sBAlySlB,WAkyS2B,IAlyS3B,CAAJ,C;UAA2C,sBAkySZ,IAlySY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAuySiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9xSI,IAAI,WA8xSkB,cA9xSlB,EA8xSkB,sBA9xSlB,WA8xS2B,IA9xS3B,CAAJ,C;UAA2C,sBA8xSZ,IA9xSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmySiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1xSI,IAAI,WA0xSkB,cA1xSlB,EA0xSkB,sBA1xSlB,WA0xS2B,IA1xS3B,CAAJ,C;UAA2C,sBA0xSZ,IA1xSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+xSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtxSI,IAAI,WAsxSkB,cAtxSlB,EAsxSkB,sBAtxSlB,WAsxS2B,IAtxS3B,CAAJ,C;UAA2C,sBAsxSZ,IAtxSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2xSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlxSI,IAAI,WAkxSkB,cAlxSlB,EAkxSkB,sBAlxSlB,WAkxS2B,IAlxS3B,CAAJ,C;UAA2C,sBAkxSZ,IAlxSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAuxSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9wSI,IAAI,WA8wSkB,cA9wSlB,EA8wSkB,sBA9wSlB,WA8wS2B,IA9wS3B,CAAJ,C;UAA2C,sBA8wSZ,IA9wSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmxSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1wSI,IAAI,WA0wSkB,cA1wSlB,EA0wSkB,sBA1wSlB,WA0wS2B,IA1wS3B,CAAJ,C;UAA2C,sBA0wSZ,IA1wSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+wSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtwSI,IAAI,WAswSkB,cAtwSlB,EAswSkB,sBAtwSlB,WAswS2B,IAtwS3B,CAAJ,C;UAA2C,sBAswSZ,IAtwSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2wSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlwSI,IAAI,WAkwSkB,cAlwSlB,EAkwSkB,sBAlwSlB,WAkwS2B,IAlwS3B,CAAJ,C;UAA2C,sBAkwSZ,IAlwSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAuwSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9vSI,IAAI,WA8vSkB,cA9vSlB,EA8vSkB,sBA9vSlB,WA8vS2B,IA9vS3B,CAAJ,C;UAA2C,sBA8vSZ,IA9vSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmwSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1vSI,IAAI,WA0vSkB,cA1vSlB,EA0vSkB,sBA1vSlB,WA0vS2B,IA1vS3B,CAAJ,C;UAA2C,sBA0vSZ,IA1vSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+vSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtvSI,IAAI,WAsvSkB,cAtvSlB,EAsvSkB,sBAtvSlB,WAsvS2B,IAtvS3B,CAAJ,C;UAA2C,sBAsvSZ,IAtvSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2vSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlvSI,IAAI,WAkvSkB,cAlvSlB,EAkvSkB,sBAlvSlB,WAkvS2B,IAlvS3B,CAAJ,C;UAA2C,sBAkvSZ,IAlvSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAuvSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9uSI,IAAI,WA8uSkB,cA9uSlB,EA8uSkB,sBA9uSlB,WA8uS2B,IA9uS3B,CAAJ,C;UAA2C,sBA8uSZ,IA9uSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmvSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1uSI,IAAI,WA0uSkB,cA1uSlB,EA0uSkB,sBA1uSlB,WA0uS2B,IA1uS3B,CAAJ,C;UAA2C,sBA0uSZ,IA1uSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+uSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtuSI,IAAI,WAsuSkB,cAtuSlB,EAsuSkB,sBAtuSlB,WAsuS2B,IAtuS3B,CAAJ,C;UAA2C,sBAsuSZ,IAtuSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2uSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAluSI,IAAI,WAkuSkB,cAluSlB,EAkuSkB,sBAluSlB,WAkuS2B,IAluS3B,CAAJ,C;UAA2C,sBAkuSZ,IAluSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAuuSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9tSI,IAAI,WA8tSkB,cA9tSlB,EA8tSkB,sBA9tSlB,WA8tS2B,IA9tS3B,CAAJ,C;UAA2C,sBA8tSZ,IA9tSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmuSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1tSI,IAAI,WA0tSkB,cA1tSlB,EA0tSkB,sBA1tSlB,WA0tS2B,IA1tS3B,CAAJ,C;UAA2C,sBA0tSZ,IA1tSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+tSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtsSI,IAAI,WAssSkB,cAtsSlB,EAssSkB,sBAtsSlB,WAssS2B,IAtsS3B,CAAJ,C;UAA2C,sBAssSZ,IAtsSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2sSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlsSI,IAAI,WAksSkB,cAlsSlB,EAksSkB,sBAlsSlB,WAksS2B,IAlsS3B,CAAJ,C;UAA2C,sBAksSZ,IAlsSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAusSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9rSI,IAAI,WA8rSkB,cA9rSlB,EA8rSkB,sBA9rSlB,WA8rS2B,IA9rS3B,CAAJ,C;UAA2C,sBA8rSZ,IA9rSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmsSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1rSI,IAAI,WA0rSkB,cA1rSlB,EA0rSkB,sBA1rSlB,WA0rS2B,IA1rS3B,CAAJ,C;UAA2C,sBA0rSZ,IA1rSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+rSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtrSI,IAAI,WAsrSkB,cAtrSlB,EAsrSkB,sBAtrSlB,WAsrS2B,IAtrS3B,CAAJ,C;UAA2C,sBAsrSZ,IAtrSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2rSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlrSI,IAAI,WAkrSkB,cAlrSlB,EAkrSkB,sBAlrSlB,WAkrS2B,IAlrS3B,CAAJ,C;UAA2C,sBAkrSZ,IAlrSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAurSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9qSI,IAAI,WA8qSkB,cA9qSlB,EA8qSkB,sBA9qSlB,WA8qS2B,IA9qS3B,CAAJ,C;UAA2C,sBA8qSZ,IA9qSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmrSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1qSI,IAAI,WA0qSkB,cA1qSlB,EA0qSkB,sBA1qSlB,WA0qS2B,IA1qS3B,CAAJ,C;UAA2C,sBA0qSZ,IA1qSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+qSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtqSI,IAAI,WAsqSkB,cAtqSlB,EAsqSkB,sBAtqSlB,WAsqS2B,IAtqS3B,CAAJ,C;UAA2C,sBAsqSZ,IAtqSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2qSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlqSI,IAAI,WAkqSkB,cAlqSlB,EAkqSkB,sBAlqSlB,WAkqS2B,IAlqS3B,CAAJ,C;UAA2C,sBAkqSZ,IAlqSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAuqSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9pSI,IAAI,WA8pSkB,cA9pSlB,EA8pSkB,sBA9pSlB,WA8pS2B,IA9pS3B,CAAJ,C;UAA2C,sBA8pSZ,IA9pSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmqSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1pSI,IAAI,WA0pSkB,cA1pSlB,EA0pSkB,sBA1pSlB,WA0pS2B,IA1pS3B,CAAJ,C;UAA2C,sBA0pSZ,IA1pSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+pSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtpSI,IAAI,WAspSkB,cAtpSlB,EAspSkB,sBAtpSlB,WAspS2B,IAtpS3B,CAAJ,C;UAA2C,sBAspSZ,IAtpSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2pSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlpSI,IAAI,WAkpSkB,cAlpSlB,EAkpSkB,sBAlpSlB,WAkpS2B,IAlpS3B,CAAJ,C;UAA2C,sBAkpSZ,IAlpSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAupSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9oSI,IAAI,WA8oSkB,cA9oSlB,EA8oSkB,sBA9oSlB,WA8oS2B,IA9oS3B,CAAJ,C;UAA2C,sBA8oSZ,IA9oSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmpSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1oSI,IAAI,WA0oSkB,cA1oSlB,EA0oSkB,sBA1oSlB,WA0oS2B,IA1oS3B,CAAJ,C;UAA2C,sBA0oSZ,IA1oSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+oSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtoSI,IAAI,WAsoSkB,cAtoSlB,EAsoSkB,sBAtoSlB,WAsoS2B,IAtoS3B,CAAJ,C;UAA2C,sBAsoSZ,IAtoSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2oSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAloSI,IAAI,WAkoSkB,cAloSlB,EAkoSkB,sBAloSlB,WAkoS2B,IAloS3B,CAAJ,C;UAA2C,sBAkoSZ,IAloSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAuoSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9nSI,IAAI,WA8nSkB,cA9nSlB,EA8nSkB,sBA9nSlB,WA8nS2B,IA9nS3B,CAAJ,C;UAA2C,sBA8nSZ,IA9nSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmoSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1nSI,IAAI,WA0nSkB,cA1nSlB,EA0nSkB,sBA1nSlB,WA0nS2B,IA1nS3B,CAAJ,C;UAA2C,sBA0nSZ,IA1nSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+nSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtnSI,IAAI,WAsnSkB,cAtnSlB,EAsnSkB,sBAtnSlB,WAsnS2B,IAtnS3B,CAAJ,C;UAA2C,sBAsnSZ,IAtnSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2nSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlnSI,IAAI,WAknSkB,cAlnSlB,EAknSkB,sBAlnSlB,WAknS2B,IAlnS3B,CAAJ,C;UAA2C,sBAknSZ,IAlnSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAunSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9mSI,IAAI,WA8mSkB,cA9mSlB,EA8mSkB,sBA9mSlB,WA8mS2B,IA9mS3B,CAAJ,C;UAA2C,sBA8mSZ,IA9mSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmnSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1mSI,IAAI,WA0mSkB,cA1mSlB,EA0mSkB,sBA1mSlB,WA0mS2B,IA1mS3B,CAAJ,C;UAA2C,sBA0mSZ,IA1mSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+mSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtmSI,IAAI,WAsmSkB,cAtmSlB,EAsmSkB,sBAtmSlB,WAsmS2B,IAtmS3B,CAAJ,C;UAA2C,sBAsmSZ,IAtmSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2mSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlmSI,IAAI,WAkmSkB,cAlmSlB,EAkmSkB,sBAlmSlB,WAkmS2B,IAlmS3B,CAAJ,C;UAA2C,sBAkmSZ,IAlmSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAumSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9lSI,IAAI,WA8lSkB,cA9lSlB,EA8lSkB,sBA9lSlB,WA8lS2B,IA9lS3B,CAAJ,C;UAA2C,sBA8lSZ,IA9lSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmmSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1lSI,IAAI,WA0lSkB,cA1lSlB,EA0lSkB,sBA1lSlB,WA0lS2B,IA1lS3B,CAAJ,C;UAA2C,sBA0lSZ,IA1lSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+lSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtlSI,IAAI,WAslSkB,cAtlSlB,EAslSkB,sBAtlSlB,WAslS2B,IAtlS3B,CAAJ,C;UAA2C,sBAslSZ,IAtlSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2lSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAllSI,IAAI,WAklSkB,cAllSlB,EAklSkB,sBAllSlB,WAklS2B,IAllS3B,CAAJ,C;UAA2C,sBAklSZ,IAllSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAulSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9kSI,IAAI,WA8kSkB,cA9kSlB,EA8kSkB,sBA9kSlB,WA8kS2B,IA9kS3B,CAAJ,C;UAA2C,sBA8kSZ,IA9kSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmlSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1kSI,IAAI,WA0kSkB,cA1kSlB,EA0kSkB,sBA1kSlB,WA0kS2B,IA1kS3B,CAAJ,C;UAA2C,sBA0kSZ,IA1kSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+kSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtkSI,IAAI,WAskSkB,cAtkSlB,EAskSkB,sBAtkSlB,WAskS2B,IAtkS3B,CAAJ,C;UAA2C,sBAskSZ,IAtkSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2kSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlkSI,IAAI,WAkkSkB,cAlkSlB,EAkkSkB,sBAlkSlB,WAkkS2B,IAlkS3B,CAAJ,C;UAA2C,sBAkkSZ,IAlkSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAukSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9jSI,IAAI,WA8jSkB,cA9jSlB,EA8jSkB,sBA9jSlB,WA8jS2B,IA9jS3B,CAAJ,C;UAA2C,sBA8jSZ,IA9jSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmkSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1jSI,IAAI,WA0jSkB,cA1jSlB,EA0jSkB,sBA1jSlB,WA0jS2B,IA1jS3B,CAAJ,C;UAA2C,sBA0jSZ,IA1jSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+jSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtjSI,IAAI,WAsjSkB,cAtjSlB,EAsjSkB,sBAtjSlB,WAsjS2B,IAtjS3B,CAAJ,C;UAA2C,sBAsjSZ,IAtjSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2jSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAljSI,IAAI,WAkjSkB,cAljSlB,EAkjSkB,sBAljSlB,WAkjS2B,IAljS3B,CAAJ,C;UAA2C,sBAkjSZ,IAljSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAujSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9iSI,IAAI,WA8iSkB,cA9iSlB,EA8iSkB,sBA9iSlB,WA8iS2B,IA9iS3B,CAAJ,C;UAA2C,sBA8iSZ,IA9iSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmjSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1iSI,IAAI,WA0iSkB,cA1iSlB,EA0iSkB,sBA1iSlB,WA0iS2B,IA1iS3B,CAAJ,C;UAA2C,sBA0iSZ,IA1iSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+iSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtiSI,IAAI,WAsiSkB,cAtiSlB,EAsiSkB,sBAtiSlB,WAsiS2B,IAtiS3B,CAAJ,C;UAA2C,sBAsiSZ,IAtiSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2iSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAliSI,IAAI,WAkiSkB,cAliSlB,EAkiSkB,sBAliSlB,WAkiS2B,IAliS3B,CAAJ,C;UAA2C,sBAkiSZ,IAliSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAuiSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9hSI,IAAI,WA8hSkB,cA9hSlB,EA8hSkB,sBA9hSlB,WA8hS2B,IA9hS3B,CAAJ,C;UAA2C,sBA8hSZ,IA9hSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmiSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1hSI,IAAI,WA0hSkB,cA1hSlB,EA0hSkB,sBA1hSlB,WA0hS2B,IA1hS3B,CAAJ,C;UAA2C,sBA0hSZ,IA1hSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+hSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAthSI,IAAI,WAshSkB,cAthSlB,EAshSkB,sBAthSlB,WAshS2B,IAthS3B,CAAJ,C;UAA2C,sBAshSZ,IAthSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2hSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlhSI,IAAI,WAkhSkB,cAlhSlB,EAkhSkB,sBAlhSlB,WAkhS2B,IAlhS3B,CAAJ,C;UAA2C,sBAkhSZ,IAlhSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAuhSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9gSI,IAAI,WA8gSkB,cA9gSlB,EA8gSkB,sBA9gSlB,WA8gS2B,IA9gS3B,CAAJ,C;UAA2C,sBA8gSZ,IA9gSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmhSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1gSI,IAAI,WA0gSkB,cA1gSlB,EA0gSkB,sBA1gSlB,WA0gS2B,IA1gS3B,CAAJ,C;UAA2C,sBA0gSZ,IA1gSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+gSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtgSI,IAAI,WAsgSkB,cAtgSlB,EAsgSkB,sBAtgSlB,WAsgS2B,IAtgS3B,CAAJ,C;UAA2C,sBAsgSZ,IAtgSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2gSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e

AI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB
,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX
,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,C
AAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAh
B,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;
MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,I
AAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,yB;MAAA,
oC;MAAA,gC;MAAA,oD;QAMoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB
,IAAI,CAAC,UAAU,oBAAV,CAAL,C;YAAyB,WAAY,WAAI,oBAAJ,C;;QAC3D,OAAO,W;O;KAPX,C;sFAUA
,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;
UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;
QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OA
AO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU
,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBA
AgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,
C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,I
sB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q
;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAA
Y,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,
SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAG
X,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C
;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAMoB,
Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YA
AwB,WAAY,WAAI,oBAAJ,C;;QAC1D,OAAO,W;O;KAPX,C;IAUA,mC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMht
Ie,W;;MNitItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,CA
AqD,C;K;IAGhE,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxtIe,W;;MNytItC,Oe7rIsC,Of6rI/B,yBAAY,OAAQ
,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rI+B,C;K;IfgsI1C,qC;MAII,IAAI,OAAQ,UAAZ,C;
QAAuB,OMhuIe,W;;MNiuItC,Oe7rIuC,Of6rIhC,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB
,IAA3B,Ce7rIgC,C;K;IfgsI3C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxuIe,W;;MNyuItC,Oe7rIqC,Of6rI9B,y
BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rI8B,C;K;IfgsIzC,qC;MAII,IAAI,OA
AQ,UAAZ,C;QAAuB,OMhvIe,W;;MNivItC,Oe7rIsC,Of6rI/B,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GA
AuB,CAAvB,IAA3B,Ce7rI+B,C;K;IfgsI1C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxvIe,W;;MNyvItC,Oe7rI
uC,Of6rIhC,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rIgC,C;K;IfgsI3C,qC;M
AII,IAAI,OAAQ,UAAZ,C;QAAuB,OMhwIe,W;;MNiwItC,Oe7rIwC,Of6rIjC,yBAAY,OAAQ,MAApB,EAA2B,O
AAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rIiC,C;K;IfgsI5C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxwIe,W;;
MNywItC,Oe7rIyC,Of6rIlC,0BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rIkC,C;
K;IfgsI7C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMhxIe,W;;MNixItC,OAA4D,SAArD,0BAAY,OAAQ,MA
pB,EA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,CAAqD,C;K;IAGhE,qC;MAOkB,Q;MAHd,WAAmB,wBAAR
,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAa,IAAb,C;M
ACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,
qC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;
MACtB,WAAW,iBAAgB,IAAhB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,
I,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;
MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAd,cA
Ad,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WA
AmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBA
Ae,IAAf,C;MACG,yB;MAAd,OAAc,cAAd,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OA
AO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,

C;QAAe,OAAO,W;MACtB,WAAW,iBAAgB,IAAhB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAkB,IAAlB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,wC;MAMwB,B;MAHpB,UAAU,M;MAHX,aAAa,aAAa,SAAb,EAAmB,OAAQ,KAA3B,C;MACb,kBAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QAChB,OAAO,oBAAP,EAAO,4BAAP,EAAO,YAAwB,UAAK,WAAL,C;;MAE3B,OAAO,M;K;IAGX,0C;MAMwB,B;MAHpB,UAAU,M;MAHX,aAAa,aAAa,SAAb,EAAmB,OAAQ,KAA3B,C;MACb,kBAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QAChB,OAAO,oBAAP,EAAO,4BAAP,EAAO,YAAwB,UAAK,WAAL,C;;MAE3B,OAAO,M;K;IAGX,0C;MAMwB,B;MAHpB,UAAU,M;MAHX,aAAa,aAAa,eAAb,EAAqB,OAAQ,KAA7B,C;MACb,kBAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QAChB,OAAO,oBAAP,EAAO,4BAAP,EAAO,YAAwB,UAAK,WAAL,C;;MAE3B,OAAO,M;K;IAGX,0C;MAMwB,B;MAHpB,UAAU,M;MAHX,aAAa,aAAa,eAAb,EAAqB,OAAQ,KAA7B,C;MACb,kBAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QAChB,OAAO,oBAAP,EAAO,4BAAP,EAAO,YAAwB,UAAK,WAAL,C;;MAE3B,OAAO,M;K;IAGX,0C;MAMwB,B;MAHpB,UAAU,M;MAHX,aAAa,iBAAiB,SAAjB,EAAuB,OAAQ,KAA/

AJ,C;QACI,cd0oJc,sD;QczoJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md0oJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MACiB,Q;McvqJb,IAAI,EdiqJI,KAAK,CcjqJT,CAAJ,C;QACI,cdgqJc,sD;Qc/pJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdgqJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MACiB,Q;Mc7rJb,IAAI,EdurJI,KAAK,CcvrJT,CAAJ,C;QACI,cdurJc,sD;QcrrJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdsrJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;McntJb,IAAI,Ed6sJI,KAAK,Cc7sJT,CAAJ,C;QACI,cd4sJc,sD;Qc3sJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md4sJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MACiB,Q;McuuJb,IAAI,EdivJI,KAAK,CcjvJT,CAAJ,C;QACI,cdivJc,sD;QchvJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdivJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;McvvJb,IAAI,EdkwJI,KAAK,CclwJT,CAAJ,C;QACI,cdkwJc,sD;QcjwJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdkwJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;McxxJb,IAAI,EdmyJI,KAAK,CcnyJT,CAAJ,C;QACI,cdmyJc,sD;QclyJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdmyJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;McxzJb,IAAI,EdmzJI,KAAK,CcnzJT,CAAJ,C;QACI,cdmzJc,sD;QclzJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdmz

AJ,C;MACT,OAAO,I;K;IAGX,kC;Mc52JI,IAAI,Edo3JI,KAAK,Ccp3JT,CAAJ,C;QACI,cdm3Jc,sD;Qcl3Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdm3JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc/3JI,IAAI,Edu4JI,KAAK,Ccv4JT,CAAJ,C;QACI,cds4Jc,sD;Qcr4Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mds4JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcl5JI,IAAI,Ed05JI,KAAK,Ccx5JT,CAAJ,C;QACI,cdy5Jc,sD;Qcx5Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdy5JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcr6JI,IAAI,Ed66JI,KAAK,Cc36JT,CAAJ,C;QACI,cd46Jc,sD;Qc36Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md46JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAkB,CAAlB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcx7JI,IAAI,Edg8JI,KAAK,Cch8JT,CAAJ,C;QACI,cd+7Jc,sD;Qc97Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md+7JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAmB,CAAnB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc38JI,IAAI,Edm9JI,KAAK,Ccj9JT,CAAJ,C;QACI,cdk9Jc,sD;Qcj9Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdk9JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAoB,CAApB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcn+JI,IAAI,Ed2+JI,KAAK,Ccz+JT,CAAJ,C;QACI,cd0+Jc,sD;Qcz+Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md0+JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAqB,CAArB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc1/JI,IAAI,Edk/JI,KAAK,Ccp/JT,CAAJ,C;QACI,cdi/Jc,sD;Qch/Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdi/JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAsB,CAAtB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcz+JI,IAAI,Edi/JI,KAAK,Ccn/JT,CAAJ,C;QACI,cdg/Jc,sD;Qc/+Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdg/JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAuB,CAAvB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcx/JI,IAAI,Edg/JI,KAAK,Cc9+JT,CAAJ,C;QACI,cd++Jc,sD;Qc9+Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md++JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAwB,CAAxB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcv+JI,IAAI,Ed++JI,KAAK,Cc7+JT,CAAJ,C;QACI,cd8+Jc,sD;Qc7+Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md8+JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAyB,CAAzB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mct+JI,IAAI,Ed8+JI,KAAK,Cc5+JT,CAAJ,C;QACI,cd6+Jc,sD;Qc5+Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md6+JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAyB,CAAzB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcr+JI,IAAI,Ed6+JI,KAAK,Cc3+JT,CAAJ,C;QACI,cd4+Jc,sD;Qc3+Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md4+JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAyB,CAAzB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcp+JI,IAAI,Ed4+JI,KAAK,Cc1+JT,CAAJ,C;QACI,cd2+Jc,sD;Qc1+Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md2+JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAyB,CAAzB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mco+JI,IAAI,Ed3+JI,KAAK,Cc0+JT,CAAJ,C;QACI,cd0+Jc,sD;Qcz+Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md0+JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAyB,CAAzB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcn+JI,IAAI,Ed0+JI,KAAK,Cc0+JT,CAAJ,C;QACI,cdy+Jc,sD;Qcx+Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdy+JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAyB,CAAzB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcl+JI,IAAI,Edy+JI,KAAK,Cc0+JT,CAAJ,C;QACI,cdw+Jc,sD;Qcv+Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdw+JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAyB,CAAzB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcj+JI,IAAI,Edw+JI,KAAK,Cc0+JT,CAAJ,C;QACI,cdu+Jc,sD;Qct+Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdu+JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAyB,CAAzB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mch+JI,IAAI,Edu+JI,KAAK,Cc0+JT,CAAJ,C;QACI,cdt+Jc,sD;Qcr+Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdt+JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAyB,CAAzB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcf+JI,IAAI,Edr+JI,KAAK,Cco+JT,CAAJ,C;QACI,cdq+Jc,sD;Qcp+Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdq+JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAyB,CAAzB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcb+JI,IAAI,Edn+JI,KAAK,Ccg+JT,CAAJ,C;QACI,cdm+Jc,sD;Qcl+Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdm+JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAyB,CAAzB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcj+JI,IAAI,Edy+JI,KAAK,Cc0+JT,CAAJ,C;QACI,cdw+Jc,sD;Qcv+Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdw+JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAyB,CAAzB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcn+JI,IAAI,Ed0+JI,KAAK,Cc0+JT,CAAJ,C;QACI,cdy+Jc,sD;Qcx+Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdy+JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAyB,CAAzB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcl+JI,IAAI,Edy+JI,KAAK,Cc0+JT,CAAJ,C;QACI,cdw+Jc,sD;Qcv+Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdw+JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAyB,CAAzB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcj+JI,IAAI,Edw+JI,KAAK,Cc0+JT,CAAJ,C;QACI,cdu+Jc,sD;Qct+Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdu+JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAyB,CAAzB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mch+JI,IAAI,Edu+JI,KAAK,Cct+JT,CAAJ,C;QACI,cdt+Jc,sD;Qcr+Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdt+JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAyB,CAAzB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcf+JI,IAAI,Edr+JI,KAAK,Ccq+JT,CAAJ,C;QACI,cdq+Jc,sD;Qcp+Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdq+JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAyB,CAAzB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcb+JI,IAAI,Edn+JI,KAAK,Ccm

AAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,
C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,S

B,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,mD;MAWI,oCAAa,2BAAkB,SAAlB,EAA6B,EAAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,DAAkB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,B;MAC3B,mBAAmB

b,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAqgEO,qBAAQ,CArgEf,C;QAAe,OAAO,S;MACtB,aAAa,iBAAU,gBAAV,C;MACb,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,4B;MAKI,qBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,qBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,sC;MAOI,aAAU,wBAAV,OAAA2B,CAA3B,M;QACI,QACI,iBAAQ,CAAR,IAAQ,CAAR,IAAQ,CAAR,I

B;MAA7B,OiBhnMO,W;K;IjBmnMX,kC;MAII,IAqlDO,qBAAQ,CArlDf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,iB;MAA7B,OiBxnMO,W;K;IjB2nMX,0C;MAMI,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SetnKiB,Q;MfsnKK,sBAAS,cAAT,C;MAA7B,OiBloMO,W;K;IjBqoMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SepnKiB,Q;MfonKK,6B;MAA7B,OiB1oMO,W;K;IjB6oMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SelnKiB,Q;MfknKK,6B;MAA7B,OiBlpMO,W;K;IjBqpMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SehnKiB,Q;MfgnKK,6B;MAA7B,OiB1pMO,W;K;IjB6pMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,6B;MAA7B,OiBlqMO,W;K;IjBqqMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,Se7mKiB,Q;Mf6mKK,6B;MAA7B,OiB1qMO,W;K;IjB6qMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,Se3mKiB,Q;Mf2mKK,6B;MAA7B,OiBlrMO,W;K;IjBqrMX,4C;MAII,IAmhDO,qBAAQ,CAnhDf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,6B;MAA7B,OiB1rMO,W;K;IjB6rMX,gD;MAMI,IAy8CO,qBAAQ,CAz8Cf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,iC;MAA7B,OiBpsMO,W;K;sFjBusMX,yB;MAAA,wD;MgB5rMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAA,uBAAT,UAAL,SAAK,C;MAAiB,iB;MAA7B,OiBxsMO,W;K;IjB2sMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBltMO,W;K;IjBqtMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1tMO,W;K;IjB6tMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBluMO,W;K;IjBquMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1uMO,W;K;IjB6uMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlvMO,W;K;IjBqvMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1vMO,W;K;IjB6vMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlwMO,W;K;IjBqwMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1wMO,W;K;IjB6wMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlxMO,W;K;IjBqxMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1xMO,W;K;IjB6xMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlyMO,W;K;IjBqyMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1yMO,W;K;IjB6yMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlzMO,W;K;IjBqzMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1zMO,W;K;IjB6zMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl0MO,W;K;IjBq0MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB10MO,W;K;IjB60MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl1MO,W;K;IjBq1MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB11MO,W;K;IjB61MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl2MO,W;K;IjBq2MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB12MO,W;K;IjB62MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl3MO,W;K;IjBq3MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB13MO,W;K;IjB63MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl4MO,W;K;IjBq4MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB14MO,W;K;IjB64MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl5MO,W;K;IjBq5MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB15MO,W;K;IjB65MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl6MO,W;K;IjBq6MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB16MO,W;K;IjB66MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl7MO,W;K;IjBq7MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB17MO,W;K;IjB67MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl8MO,W;K;IjBq8MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB18MO,W;K;IjB68MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl9MO,W;K;IjBq9MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB19MO,W;K;IjB69MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl+MO,W;K;IjBq+MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1+MO,W;K;IjB6+MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl/MO,W;K;IjBq/MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1/MO,W;K;IjB6/MX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlgNO,W;K;IjBqgNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1gNO,W;K;IjB6gNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlhNO,W;K;IjBqhNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1hNO,W;K;IjB6hNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBliNO,W;K;IjBqiNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1iNO,W;K;IjB6iNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBljNO,W;K;IjBqjNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1jNO,W;K;IjB6jNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlkNO,W;K;IjBqkNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1kNO,W;K;IjB6kNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBllNO,W;K;IjBqlNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1lNO,W;K;IjB6lNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlmNO,W;K;IjBqmNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1mNO,W;K;IjB6mNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlnNO,W;K;IjBqnNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1nNO,W;K;IjB6nNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBloNO,W;K;IjBqoNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1oNO,W;K;IjB6oNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlpNO,W;K;IjBqpNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1pNO,W;K;IjB6pNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlqNO,W;K;IjBqqNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1qNO,W;K;IjB6qNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlrNO,W;K;IjBqrNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1rNO,W;K;IjB6rNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlsNO,W;K;IjBqsNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1sNO,W;K;IjB6sNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBltNO,W;K;IjBqtNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1tNO,W;K;IjB6tNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBluNO,W;K;IjBquNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1uNO,W;K;IjB6uNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlvNO,W;K;IjBqvNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1vNO,W;K;IjB6vNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlwNO,W;K;IjBqwNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1wNO,W;K;IjB6wNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlxNO,W;K;IjBqxNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1xNO,W;K;IjB6xNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlyNO,W;K;IjBqyNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1yNO,W;K;IjB6yNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlzNO,W;K;IjBqzNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1zNO,W;K;IjB6zNX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl0NO,W;K;IjBq0NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB10NO,W;K;IjB60NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl1NO,W;K;IjBq1NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB11NO,W;K;IjB61NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl2NO,W;K;IjBq2NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB12NO,W;K;IjB62NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl3NO,W;K;IjBq3NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB13NO,W;K;IjB63NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl4NO,W;K;IjBq4NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB14NO,W;K;IjB64NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl5NO,W;K;IjBq5NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB15NO,W;K;IjB65NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl6NO,W;K;IjBq6NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB16NO,W;K;IjB66NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl7NO,W;K;IjBq7NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB17NO,W;K;IjB67NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl8NO,W;K;IjBq8NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB18NO,W;K;IjB68NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl9NO,W;K;IjBq9NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB19NO,W;K;IjB69NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl+NO,W;K;IjBq+NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1+NO,W;K;IjB6+NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl/NO,W;K;IjBq/NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1/NO,W;K;IjB6/NX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlgOO,W;K;IjBqgOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1gOO,W;K;IjB6gOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlhOO,W;K;IjBqhOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1hOO,W;K;IjB6hOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBliOO,W;K;IjBqiOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1iOO,W;K;IjB6iOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBljOO,W;K;IjBqjOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1jOO,W;K;IjB6jOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlkOO,W;K;IjBqkOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1kOO,W;K;IjB6kOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBllOO,W;K;IjBqlOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1lOO,W;K;IjB6lOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlmOO,W;K;IjBqmOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1mOO,W;K;IjB6mOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlnOO,W;K;IjBqnOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1nOO,W;K;IjB6nOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBloOO,W;K;IjBqoOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1oOO,W;K;IjB6oOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlpOO,W;K;IjBqpOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1pOO,W;K;IjB6pOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlqOO,W;K;IjBqqOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1qOO,W;K;IjB6qOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlrOO,W;K;IjBqrOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1rOO,W;K;IjB6rOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlsOO,W;K;IjBqsOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1sOO,W;K;IjB6sOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBltOO,W;K;IjBqtOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1tOO,W;K;IjB6tOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBluOO,W;K;IjBquOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1uOO,W;K;IjB6uOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlvOO,W;K;IjBqvOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1vOO,W;K;IjB6vOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlwOO,W;K;IjBqwOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1wOO,W;K;IjB6wOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlxOO,W;K;IjBqxOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1xOO,W;K;IjB6xOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlyOO,W;K;IjBqyOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1yOO,W;K;IjB6yOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBlzOO,W;K;IjBqzOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB1zOO,W;K;IjB6zOX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl0OO,W;K;IjBq0OX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB10OO,W;K;IjB60OX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl1OO,W;K;IjBq1OX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB11OO,W;K;IjB61OX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl2OO,W;K;IjBq2OX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB12OO,W;K;IjB62OX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl3OO,W;K;IjBq3OX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB13OO,W;K;IjB63OX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiBl4OO,W;K;IjBq4OX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,6B;MAA7B,OiB14OO,W;K;IjB64OX,4C;MAII,I

A,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB4wMf,sC;QAII,OAAO,sBgBhxMP,eAAW,2BhBgxM2B,QgBhxM3B,CAAX,ChBgxMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB1xMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBmxMf,sC;QAII,OAAO,sBgBvxMP,eAAW,2BhBuxM2B,QgBvxM3B,CAAX,ChBuxMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBjyMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB0xMf,sC;QAII,OAAO,sBgB9xMP,eAAW,2BhB8xM2B,QgB9xM3B,CAAX,ChB8xMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBxyMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBiyMf,sC;QAII,OAAO,sBgBryMP,eAAW,2BhBqyM2B,QgBryM3B,CAAX,ChBqyMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB/yMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBwyMf,sC;QAII,OAAO,sBgB5yMP,eAAW,2BhB4yM2B,QgB5yM3B,CAAX,ChB4yMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBtzMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB+yMf,sC;QAII,OAAO,sBgBnzMP,eAAW,2BhBmzM2B,QgBnzM3B,CAAX,ChBmzMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB7zMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBszMf,sC;QAII,OAAO,sBgB1zMP,eAAW,2BhB0zM2B,QgB1zM3B,CAAX,ChB0zMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBp0MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB6zMf,sC;QAII,OAAO,sBgBj0MP,eAAW,2BhBi0M2B,QgBj0M3B,CAAX,ChBi0MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB30MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB4zMf,sC;QAII,OAAO,sBgBh0MP,eAAW,2BhBg0M2B,QgBh0M3B,CAAX,ChBg0MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB10MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB2zMf,sC;QAII,OAAO,sBgB/zMP,eAAW,2BhB+zM2B,QgB/zM3B,CAAX,ChB+zMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBz1MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB8zMf,sC;QAII,OAAO,sBgBl0MP,eAAW,2BhBk0M2B,QgBl0M3B,CAAX,ChBk0MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB50

;IAGJ,0D;MAYI,mBAAK,SAAL,EAAgB,OAAhB,C;MACA,sBAAQ,SAAR,EAAmB,OAAnB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAgB,OAAhB,C;MACA,sBAAQ,SAAR,EAAmB,OAAnB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAgB,OAAhB,C;MACA,sBAAQ,SAAR,EAAmB,OAAnB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAgB,OAAhB,C;MACA,sBAAQ,SAAR,EAAmB,OAAnB,C;K;IA2B0B,oD;MAAA,wB;QAAW,2BAAK,KAAL,C;O;K;IAJzC,mC;MAII,OAAO,qBAAa,gBAAb,EAAmB,gCAAnB,C;K;IAOgB,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IAJtC,gC;MAII,OAAO,+BAAU,gBAAV,EAAgB,6BAAhB,C;K;IAOgB,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IAJtC,gC;MAII,OAAO,kBAAU,gBAAV,EAAgB,6BAAhB,C;K;IAOkB,kD;MAAA,wB;QAAW,0BAAK,KAAL,C;O;K;IAJxC,kC;MAII,OAAO,kCAAY,gBAAZ,EAAkB,+BAAlB,C;K;IAOiB,gD;MAAA,wB;QAAW,yBAAK,KAAL,C;O;K;IAJvC,iC;MAII,OAAO,kCAAW,gBAAX,EAAiB,8BAAjB,C;K;IAOe,4C;MAAA,wB;QAAW,uBAAK,KAAL,C;O;K;IAJrC,+B;MAII,OAAO,gCAAS,gBAAT,EAAe,4BAAf,C;K;IAOgB,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IAJtC,gC;MAII,OAAO,kBAAU,gBAAV,EAAgB,6BAAhB,C;K;IAOiB,gD;MAAA,wB;QAAW,yBAAK,KAAL,C;O;K;IAJvC,iC;MAII,OAAO,kCAAW,gBAAX,EAAiB,8BAAjB,C;K;wFAAyB,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAAA,wI,eAAA,iC,cAAA,kB,YAAA,gC,gBAAA,kB,EAAA,kB,EAAA,gB,C;QAAA,2C,1B,kB,YAAA,oB,mBAAA,qB,C;QAAA,yB,H,Q;QAAA,kB,iD;UAAA,gB,cAAA,kB,e;UAAA,iB,WAAA,2C,SAAA,qC,B/B,C,CAAA,U,OAAA,V,C;UAAA,2B,wBAAA,I,IAAA,K,MAAA,T,EAAA,gB,IAAA,K,OAAA,rB,C;;QAAA,2B,OAAA,4qB,O,W;O;KAAA,rB,BX,C;0FAAA,eA

AAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAsB,QAAtB,C;QAsQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAvQsC,WAuQlC,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAvQhB,OAyQO,W;O;KArRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAuB,QAAvB,C;QAuQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxQuC,WAwQnC,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAxQhB,OA0QO,W;O;KAtRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAwB,QAAxB,C;QAwQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAzQwC,WAyQpC,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAzQhB,OA2QO,W;O;KAvRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAyB,QAAzB,C;QAyQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1QyC,WA0QrC,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA1QhB,OA4QO,W;O;KAxRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA0B,QAA1B,C;QA0QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA3Q0C,WA2QtC,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA3QhB,OA6QO,W;O;KAzRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA2B,QAA3B,C;QA2QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA5Q2C,WA4QvC,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA5QhB,OA8QO,W;O;KA1RX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA4B,QAA5B,C;QA4QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA7Q4C,WA6QxC,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA7QhB,OA+QO,W;O;KA3RX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA6B,QAA7B,C;QA6QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA9Q6C,WA8QzC,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA9QhB,OAgRO,W;O;KA5RX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA8B,QAA9B,C;QA8QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA/Q8C,WA+Q1C,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA/QhB,OAiRO,W;O;KA7RX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA+B,QAA/B,C;QA+QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhR+C,WAgR3C,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAhRhB,OAkRO,W;O;KA9RX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAgC,QAAhC,C;QAgRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAjRgD,WAiR5C,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAjRhB,OAmRO,W;O;KA/RX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAiC,QAAjC,C;QAiRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAlRiD,WAkR7C,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAlRhB,OAoRO,W;O;KAhSX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAkC,QAAlC,C;QAkRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAnRkD,WAmR9C,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAnRhB,OAqRO,W;O;KAjSX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAmC,QAAnC,C;QAmRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApRmD,WAoR/C,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QApRhB,OAsRO,W;O;KAlSX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoC,QAApC,C;QAoRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aArRoD,WAqRhD,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QArRhB,OAuRO,W;O;KAnSX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAqC,QAArC,C;QAqRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtRqD,WAsRjD,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAtRhB,OAwRO,W;O;KApSX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAsC,QAAtC,C;QAsRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAvRsD,WAuRlD,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAvRhB,OAyRO,W;O;KArSX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAuC,QAAvC,C;QAuRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxRuD,WAwRnD,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAxRhB,OA0RO,W;O;KAtSX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAwC,QAAxC,C;QAwRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAzRwD,WAyRpD,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAzRhB,OA2RO,W;O;KAvSX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAyC,QAAzC,C;QAyRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1RyD,WA0RrD,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA1RhB,OA4RO,W;O;KAxSX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA0C,QAA1C,C;QA0RL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA3R0D,WA2RtD,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA3RhB,OA6RO,W;O;KAzSX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA2C,QAA3C,C;QA2RL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA5R2D,WA4RvD,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA5RhB,OA8RO,W;O;KA1SX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA4C,QAA5C,C;QA4RL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA7R4D,WA6RxD,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA7RhB,OA+RO,W;O;KA3SX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA6C,QAA7C,C;QA6RL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA9R6D,WA8RzD,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA9RhB,OAgSO,W;O;KA5SX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA8C,QAA9C,C;QA8RL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA/R8D,WA+R1D,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA/RhB,OAiSO,W;O;KA7SX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA+C,QAA/C,C;QA+RL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhS+D,WAgS3D,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAhShB,OAkSO,W;O;KA9SX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAgD,QAAhD,C;QAgSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAjSgE,WAiS5D,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAjShB,OAmSO,W;O;KA/SX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAiD,QAAjD,C;QAiSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAlSiE,WAkS7D,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAlShB,OAoSO,W;O;KAhTX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAkD,QAAlD,C;QAkSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAnSkE,WAmS9D,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAnShB,OAqSO,W;O;KAjTX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAmD,QAAnD,C;QAmSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApSmE,WAoS/D,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QApShB,OAsSO,W;O;KAlTX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoD,QAApD,C;QAoSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aArSoE,WAqShE,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QArShB,OAuSO,W;O;KAnTX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAqD,QAArD,C;QAqSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtSqE,WAsSjE,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAtShB,OAwSO,W;O;KApTX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAsD,QAAtD,C;QAsSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAvSsE,WAuSlE,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAvShB,OAySO,W;O;KArTX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAuD,QAAvD,C;QAuSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxSuE,WAwSnE,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAxShB,OA0SO,W;O;KAtTX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAwD,QAAxD,C;QAwSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAzSwE,WAySpE,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAzShB,OA2SO,W;O;KAvTX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAyD,QAAzD,C;QAySL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1SyE,WA0SrE,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA1ShB,OA4SO,W;O;KAxTX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA0D,QAA1D,C;QA0SL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA3S0E,WA2StE,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA3ShB,OA6SO,W;O;KAzTX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA2D,QAA3D,C;QA2SL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA5S2E,WA4SvE,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA5ShB,OA8SO,W;O;KA1TX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA4D,QAA5D,C;QA4SL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA7S4E,WA6SxE,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA7ShB,OA+SO,W;O;KA3TX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA6D,QAA7D,C;QA6SL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA9S6E,WA8SzE,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA9ShB,OAgTO,W;O;KA5TX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA8D,QAA9D,C;QA8SL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA/S8E,WA+S1E,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA/ShB,OAiTO,W;O;KA7TX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA+D,QAA/D,C;QA+SL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhT+E,WAgT3E,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAhThB,OAkTO,W;O;KA9TX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAgE,QAAhE,C;QAgTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAjTgF,WAiT5E,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAjThB,OAmTO,W;O;KA/TX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAiE,QAAjE,C;QAiTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAlTiF,WAkT7E,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAlThB,OAoTO,W;O;KAhUX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAkE,QAAlE,C;QAkTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAnTkF,WAmT9E,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAnThB,OAqTO,W;O;KAjUX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAmE,QAAnE,C;QAmTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApTmF,WAoT/E,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QApThB,OAsTO,W;O;KAlUX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoE,QAApE,C;QAoTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aArToF,WAqThF,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QArThB,OAuTO,W;O;KAnUX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAqE,QAArE,C;QAqTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtTqF,WAsTjF,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAtThB,OAwTO,W;O;KApUX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAsE,QAAtE,C;QAsTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAvTsF,WAuTlF,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAvThB,OAyTO,W;O;KArUX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAuE,QAAvE,C;QAuTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxTuF,WAwTnF,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAxThB,OA0TO,W;O;KAtUX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAwE,QAAxE,C;QAwTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAzTwF,WAyTpF,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAzThB,OA2TO,W;O;KAvUX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAyE,QAAzE,C;QAyTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1TyF,WA0TrF,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA1ThB,OA4TO,W;O;KAxUX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA0E,QAA1E,C;QA0TL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA3T0F,WA2TtF,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA3ThB,OA6TO,W;O;KAzUX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA2E,QAA3E,C;QA2TL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA5T2F,WA4TvF,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA5ThB,OA8TO,W;O;KA1UX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA4E,QAA5E,C;QA4TL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA7T4F,WA6TxF,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA7ThB,OA+TO,W;O;KA3UX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA6E,QAA7E,C;QA6TL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA9T6F,WA8TzF,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA9ThB,OAgUO,W;O;KA5UX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA8E,QAA9E,C;QA8TL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA/T8F,WA+T1F,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA/ThB,OAiUO,W;O;KA7UX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA+E,QAA/E,C;QA+TL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhU+F,WAgU3F,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAhUhB,OAkUO,W;O;KA9UX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAgF,QAAhF,C;QAgUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAjUgG,WAiU5F,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAjUhB,OAmUO,W;O;KA/UX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAiF,QAAjF,C;QAiUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAlUiG,WAkU7F,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAlUhB,OAoUO,W;O;KAhVX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAkF,QAAlF,C;QAkUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAnUkG,WAmU9F,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAnUhB,OAqUO,W;O;KAjVX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAmF,QAAnF,C;QAmUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApUmG,WAoU/F,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QApUhB,OAsUO,W;O;KAlVX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoF,QAApF,C;QAoUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aArUoG,WAqUhG,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QArUhB,OAuUO,W;O;KAnVX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAqF,QAArF,C;QAqUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtUqG,WAsUjG,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAtUhB,OAwUO,W;O;KApVX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAsF,QAAtF,C;QAsUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAvUsG,WAuUlG,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAvUhB,OAyUO,W;O;KArVX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAuF,QAAvF,C;QAuUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxUuG,WAwUnG,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAxUhB,OA0UO,W;O;KAtVX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAwF,QAAxF,C;QAwUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAzUwG,WAyUpG,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAzUhB,OA2UO,W;O;KAvVX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAyF,QAAzF,C;QAyUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1UyG,WA0UrG,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA1UhB,OA4UO,W;O;KAxVX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA0F,QAA1F,C;QA0UL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA3U0G,WA2UtG,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA3UhB,OA6UO,W;O;KAzVX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA2F,QAA3F,C;QA2UL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA5U2G,WA4UvG,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA5UhB,OA8UO,W;O;KA1VX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc

AgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEh
B,OAAO,W;K;kGAGX,+C;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,a
AAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;kGAGX,+C;MAUoB,Q;MAAhB,wBAAgB,S
AAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OA
AO,W;K;kGAGX,+C;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,
YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;kGAGX,+C;MAUoB,Q;MAAhB,wBAAgB,SAAh
B,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,
W;K;iGAGX,yB;MAAA,oC;MAAA,gC;MAAA,sD;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,U
AAgB,SAAhB,O;UACI,WAAY,aAAI,YAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QAEhB,OAAO,W;O;KAbX,C;
kGAgBA,+D;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,O
AAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;kGAGX,+D;MAUoB,Q;MAAhB,wBAAgB,S
AAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;
MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,
YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;
MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,
OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,
SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGA
GX,+D;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,
CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAhB,wBAAgB,SAAhB
,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEh
B,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI
,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGAGX,yB;MAAA,oC;MAAA,gC;
MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAY,aAAI,YAAY,
oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QAEhB,OAAO,W;O;KAbX,C;2FAgBA,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;
QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOx+QnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MP0+QA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOv/QnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MPy/QA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOthRnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MPwhRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOrjRnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MPujRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOpkRnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MPskRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOnlRnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MPqlRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOlmRnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MPomRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOjnRnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MPmnRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOhoRnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MPkoRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QO/oRnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MPipRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QO9pRnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MPgqRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QO7qRnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MP+qRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QO5rRnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MP8rRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QO3sRnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MP6sRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QO1tRnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MP4tRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOzuRnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MP2uRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOxvRnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MP0vRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOvwRnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MPywRA,OAAO,W;K;8FAGX,yB;MAAA,oC;MAAA,gC;MAAA,sD;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAY,aAAI,YAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QAEhB,OAAO,W;O;KAbX,C;gGAgBA,+D;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;kGAGX

AAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,CAAxC,C;QAsJG,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EAtJe,aAsJF,CAAc,OAAd,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;kGAiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAAyC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,CAAzC,C;QAsJG,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EAtJe,aAsJF,CAAc,OAAd,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;kGAiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA0C,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,CAA1C,C;QAsJG,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EAtJe,aAsJF,CAAc,OAAd,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;kGAiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA2C,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,CAA3C,C;QAsJG,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EAtJe,aAsJF,CAAc,OAAd,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;kGAiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA4C,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,CAA5C,C;QAsJG,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EAtJe,aAsJF,CAAc,OAAd,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;kGAiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA5

ACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;;UACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;a

QA4aD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7a6B,SA6alB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9ahB,OAgbO,W;O;KAtbX,C;sFASA,yB;MAAA,+D;MAgbA,gD;MAhbA,uC;QAMW,kBAAU,gB;QA8aD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/a6B,SA+alB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhbhB,OAkbO,W;O;KAxbX,C;sFASA,yB;MAAA,+D;MAkbA,gD;MAlbA,uC;QAMW,kBAAU,gB;QAgbD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAjb6B,SAiblB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlbhB,OAobO,W;O;KA1bX,C;sFASA,yB;MAAA,+D;MAobA,gD;MApbA,uC;QAMW,kBAAU,gB;QAkbD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAnb6B,SAmblB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApbhB,OAsbO,W;O;KA5bX,C;sFASA,yB;MAAA,+D;MAsbA,gD;MAtbA,uC;QAMW,kBAAU,gB;QAobD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WArb6B,SAqblB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtbhB,OAwbO,W;O;KA9bX,C;sFASA,yB;MAAA,+D;MAwbA,gD;MAxbA,uC;QAMW,kBAAU,gB;QAsbD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAvb6B,SAublB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxbhB,OA0bO,W;O;KAhcX,C;sFASA,yB;MAAA,+D;MA0bA,gD;MA1bA,uC;QAMW,kBAAU,gB;QAwbD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAzb6B,SAyblB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1bhB,OA4bO,W;O;KAlcX,C;sFASA,yB;MAAA,+D;MA4bA,gD;MA5bA,uC;QAMW,kBAAU,gB;QA0bD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3b6B,SA2blB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5bhB,OA8bO,W;O;KApcX,C;sFASA,yB;MAAA,+D;MA8bA,gD;MA9bA,uC;QAMW,kBAAU,gB;QA4bD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7b6B,SA6blB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9bhB,OAgcO,W;O;KAtcX,C;sFASA,yB;MAAA,+D;MAgcA,gD;MAhcA,uC;QAMW,kBAAU,gB;QA8bD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/b6B,SA+blB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhchB,OAkcO,W;O;KAxcX,C;sFASA,yB;MAAA,+D;MAkcA,gD;MAlcA,uC;QAMW,kBAAU,gB;QAgcD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAjc6B,SAiclB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlchB,OAocO,W;O;KA1cX,C;sFASA,yB;MAAA,+D;MAocA,gD;MApcA,uC;QAMW,kBAAU,gB;QAkcD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAnc6B,SAmclB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApchB,OAscO,W;O;KA5cX,C;sFASA,yB;MAAA,+D;MAscA,gD;MAtcA,uC;QAMW,kBAAU,gB;QAocD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WArc6B,SAqclB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtchB,OAwcO,W;O;KA9cX,C;sFASA,yB;MAAA,+D;MAwcA,gD;MAxcA,uC;QAMW,kBAAU,gB;QAscD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAvc6B,SAuclB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxchB,OA0cO,W;O;KAhdX,C;sFASA,yB;MAAA,+D;MA0cA,gD;MA1cA,uC;QAMW,kBAAU,gB;QAwcD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAzc6B,SAyclB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1chB,OA4cO,W;O;KAldX,C;sFASA,yB;MAAA,+D;MA4cA,gD;MA5cA,uC;QAMW,kBAAU,gB;QA0cD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3c6B,SA2clB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5chB,OA8cO,W;O;KApdX,C;sFASA,yB;MAAA,+D;MA8cA,gD;MA9cA,uC;QAMW,kBAAU,gB;QA4cD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7c6B,SA6clB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9chB,OAgdO,W;O;KAtdX,C;sFASA,yB;MAAA,+D;MAgdA,gD;MAhdA,uC;QAMW,kBAAU,gB;QA8cD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/c6B,SA+clB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhdhB,OAkdO,W;O;KAxdX,C;sFASA,yB;MAAA,+D;MAkdA,gD;MAldA,uC;QAMW,kBAAU,gB;QAgdD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAjd6B,SAidlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAldhB,OAodO,W;O;KA1dX,C;sFASA,yB;MAAA,+D;MAodA,gD;MApdA,uC;QAMW,kBAAU,gB;QAkdD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAnd6B,SAmdlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApdhB,OAsdO,W;O;KA5dX,C;sFASA,yB;MAAA,+D;MAsdA,gD;MAtdA,uC;QAMW,kBAAU,gB;QAodD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WArd6B,SAqdlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtdhB,OAwdO,W;O;KA9dX,C;sFASA,yB;MAAA,+D;MAwdA,gD;MAxdA,uC;QAMW,kBAAU,gB;QAsdD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAvd6B,SAudlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxdhB,OA0dO,W;O;KAheX,C;sFASA,yB;MAAA,+D;MA0dA,gD;MA1dA,uC;QAMW,kBAAU,gB;QAwdD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAzd6B,SAydlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1dhB,OA4dO,W;O;KAleX,C;sFASA,yB;MAAA,+D;MA4dA,gD;MA5dA,uC;QAMW,kBAAU,gB;QA0dD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3d6B,SA2dlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5dhB,OA8dO,W;O;KApeX,C;sFASA,yB;MAAA,+D;MA8dA,gD;MA9dA,uC;QAMW,kBAAU,gB;QA4dD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7d6B,SA6dlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9dhB,OAgeO,W;O;KAteX,C;sFASA,yB;MAAA,+D;MAgeA,gD;MAheA,uC;QAMW,kBAAU,gB;QA8dD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/d6B,SA+dlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAheA,OAkeO,W;O;KAxeX,C;sFASA,yB;MAAA,+D;MAkeA,gD;MAleA,uC;QAMW,kBAAU,gB;QAgeD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAje6B,SAiedlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAleA,OAoeO,W;O;KA1eX,C;sFASA,yB;MAAA,+D;MAoeA,gD;MApeA,uC;QAMW,kBAAU,gB;QAkeD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAne6B,SAmedlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApeA,OAseO,W;O;KA5eX,C;sFASA,yB;MAAA,+D;MAseA,gD;MAteA,uC;QAMW,kBAAU,gB;QAoeD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAre6B,SAqedlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAteA,OAweO,W;O;KA9eX,C;sFASA,yB;MAAA,+D;MAweA,gD;MAxeA,uC;QAMW,kBAAU,gB;QAseD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAve6B,SAuedlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxeA,OA0eO,W;O;KAhfX,C;sFASA,yB;MAAA,+D;MA0eA,gD;MA1eA,uC;QAMW,kBAAU,gB;QAweD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAze6B,SAyedlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1eA,OA4eO,W;O;KAlfX,C;sFASA,yB;MAAA,+D;MA4eA,gD;MA5eA,uC;QAMW,kBAAU,gB;QA0eD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3e6B,SA2elB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5ehB,OA8eO,W;O;KApfX,C;sFASA,yB;MAAA,+D;MA8eA,gD;MA9eA,uC;QAMW,kBAAU,gB;QA4eD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7e6B,SA6elB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9ehB,OAgfO,W;O;KAtfX,C;sFASA,yB;MAAA,+D;MAgfA,gD;MAhfA,uC;QAMW,kBAAU,gB;QA8eD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/e6B,SA+elB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhfhB,OAkfO,W;O;KAxfX,C;sFASA,yB;MAAA,+D;MAkfA,gD;MAlfA,uC;QAMW,kBAAU,gB;QAgfD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAjf6B,SAiflB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlfhB,OAofO,W;O;KA1fX,C;sFASA,yB;MAAA,+D;MAofA,gD;MApfA,uC;QAMW,kBAAU,gB;QAkfD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAnf6B,SAmflB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApfhB,OAsfO,W;O;KA5fX,C;sFASA,yB;MAAA,+D;MAsfA,gD;MAtfA,uC;QAMW,kBAAU,gB;QAofD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WArf6B,SAqflB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtfhB,OAwfO,W;O;KA9fX,C;sFASA,yB;MAAA,+D;MAwfA,gD;MAxfA,uC;QAMW,kBAAU,gB;QAsfD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAvf6B,SAuflB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxfhB,OA0fO,W;O;KAhgBX,C;sFASA,yB;MAAA,+D;MA0fA,gD;MA1fA,uC;QAMW,kBAAU,gB;QAwfD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAzf6B,SAyflB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1fhB,OA4fO,W;O;KAlgBX,C;sFASA,yB;MAAA,+D;MA4fA,gD;MA5fA,uC;QAMW,kBAAU,gB;QA0fD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3f6B,SA2flB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5fhB,OA8fO,W;O;KApgBX,C;sFASA,yB;MAAA,+D;MA8fA,gD;MA9fA,uC;QAMW,kBAAU,gB;QA4fD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7f6B,SA6flB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9fhB,OAggBO,W;O;KAthBX,C;sFASA,yB;MAAA,+D;MAggBA,gD;MAhgBA,uC;QAMW,kBAAU,gB;QA8fD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/f6B,SA+flB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhgBhB,OAkgBO,W;O;KAxhBX,C;sFASA,yB;MAAA,+D;MAkgBA,gD;MAlgBA,uC;QAMW,kBAAU,gB;QAggBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAjgB6B,SAigBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlgBhB,OAogBO,W;O;KA1hBX,C;sFASA,yB;MAAA,+D;MAogBA,gD;MApgBA,uC;QAMW,kBAAU,gB;QAkgBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAngB6B,SAmgBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApgBhB,OAsgBO,W;O;KA5hBX,C;sFASA,yB;MAAA,+D;MAsgBA,gD;MAtgBA,uC;QAMW,kBAAU,gB;QAogBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WArgB6B,SAqgBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtgBhB,OAwgBO,W;O;KA9hBX,C;sFASA,yB;MAAA,+D;MAwgBA,gD;MAxgBA,uC;QAMW,kBAAU,gB;QAsgBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAvgB6B,SAugBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxgBhB,OA0gBO,W;O;KAhiBX,C;sFASA,yB;MAAA,+D;MA0gBA,gD;MA1gBA,uC;QAMW,kBAAU,gB;QAwgBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAzgB6B,SAygBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1gBhB,OA4gBO,W;O;KAliBX,C;sFASA,yB;MAAA,+D;MA4gBA,gD;MA5gBA,uC;QAMW,kBAAU,gB;QA0gBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3gB6B,SA2gBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5gBhB,OA8gBO,W;O;KApiBX,C;sFASA,yB;MAAA,+D;MA8gBA,gD;MA9gBA,uC;QAMW,kBAAU,gB;QA4gBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7gB6B,SA6gBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9gBhB,OAgiBO,W;O;KAtiBX,C;sFASA,yB;MAAA,+D;MAgiBA,gD;MAhiBA,uC;QAMW,kBAAU,gB;QA8gBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/gB6B,SA+gBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhiBhB,OAkiBO,W;O;KAxiBX,C;sFASA,yB;MAAA,+D;MAkiBA,gD;MAliBA,uC;QAMW,kBAAU,gB;QAgiBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAjiB6B,SAiiBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAliBhB,OAoiBO,W;O;KA1iBX,C;sFASA,yB;MAAA,+D;MAoiBA,gD;MApiBA,uC;QAMW,kBAAU,gB;QAkiBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAniB6B,SAmiBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApiBhB,OAsiBO,W;O;KA5iBX,C;sFASA,yB;MAAA,+D;MAsiBA,gD;MAtiBA,uC;QAMW,kBAAU,gB;QAoiBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAriB6B,SAqiBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtiBhB,OAwiBO,W;O;KA9iBX,C;sFASA,yB;MAAA,+D;MAwiBA,gD;MAxiBA,uC;QAMW,kBAAU,gB;QAsiBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAviB6B,SAuiBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxiBhB,OA0iBO,W;O;KAhjBX,C;sFASA,yB;MAAA,+D;MA0iBA,gD;MA1iBA,uC;QAMW,kBAAU,gB;QAwiBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAziB6B,SAyiBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1iBhB,OA4iBO,W;O;KAljBX,C;sFASA,yB;MAAA,+D;MA4iBA,gD;MA5iBA,uC;QAMW,kBAAU,gB;QA0iBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3iB6B,SA2iBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5iBhB,OA8iBO,W;O;KApjBX,C;sFASA,yB;MAAA,+D;MA8iBA,gD;MA9iBA,uC;QAMW,kBAAU,gB;QA4iBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7iB6B,SA6iBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9iBhB,OAgjBO,W;O;KAtjBX,C;sFASA,yB;MAAA,+D;MAgjBA,gD;MAhjBA,uC;QAMW,kBAAU,gB;QA8iBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/iB6B,SA+iBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhjBhB,OAkjBO,W;O;KAxjBX,C;sFASA,yB;MAAA,+D;MAkjBA,gD;MAljBA,uC;QAMW,kBAAU,gB;QAgjBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAjjB6B,SAijBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAljBhB,OAojBO,W;O;KA1jBX,C;sFASA,yB;MAAA,+D;MAojBA,gD;MApjBA,uC;QAMW,kBAAU,gB;QAkjBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAnjB6B,SAmjBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApjBhB,OAsjBO,W;O;KA5jBX,C;sFASA,yB;MAAA,+D;MAsjBA,gD;MAtjBA,uC;QAMW,kBAAU,gB;QAojBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WArjB6B,SAqjBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtjBhB,OAwjBO,W;O;KA9jBX,C;sFASA,yB;MAAA,+D;MAwjBA,gD;MAxjBA,uC;QAMW,kBAAU,gB;QAsjBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAvjB6B,SAujBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxjBhB,OA0jBO,W;O;KAhkBX,C;sFASA,yB;MAAA,+D;MA0jBA,gD;MA1jBA,uC;QAMW,kBAAU,gB;QAwjBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAzjB6B,SAyjBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1jBhB,OA4jBO,W;O;KAlkBX,C;sFASA,yB;MAAA,+D;MA4jBA,gD;MA5jBA,uC;QAMW,kBAAU,gB;QA0jBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3jB6B,SA2jBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5jBhB,OA8jBO,W;O;KApkBX,C;sFASA,yB;MAAA,+D;MA8jBA,gD;MA9jBA,uC;QAMW,kBAAU,gB;QA4jBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7jB6B,SA6jBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9jBhB,OAgkBO,W;O;KAtkBX,C;sFASA,yB;MAAA,+D;MAgkBA,gD;MAhkBA,uC;QAMW,kBAAU,gB;QA8jBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/jB6B,SA+jBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhkBhB,OAkkBO,W;O;KAxkBX,C;sFASA,yB;MAAA,+D;MAkkBA,gD;MAlkBA,uC;QAMW,kBAAU,gB;QAgkBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAjkB6B,SAikBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlkBhB,OAokBO,W;O;KA1kBX,C;sFASA,yB;MAAA,+D;MAokBA,gD;MApkBA,uC;QAMW,kBAAU,gB;QAkkBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAnkB6B,SAmkBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApkBhB,OAskBO,W;O;KA5kBX,C;sFASA,yB;MAAA,+D;MAskBA,gD;MAtkBA,uC;QAMW,kBAAU,gB;QAokBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WArkB6B,SAqkBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtkBhB,OAwkBO,W;O;KA9kBX,C;sFASA,yB;MAAA,+D;MAwkBA,gD;MAxkBA,uC;QAMW,kBAAU,gB;QAskBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAvkB6B,SAukBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxkBhB,OA0kBO,W;O;KAhlBX,C;sFASA,yB;MAAA,+D;MA0kBA,gD;MA1kBA,uC;QAMW,kBAAU,gB;QAwkBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAzkB6B,SAykBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1kBhB,OA4kBO,W;O;KAllBX,C;sFASA,yB;MAAA,+D;MA4kBA,gD;MA5kBA,uC;QAMW,kBAAU,gB;QA0kBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3kB6B,SA2kBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5kBhB,OA8kBO,W;O;KAplBX,C;sFASA,yB;MAAA,+D;MA8kBA,gD;MA9kBA,uC;QAMW,kBAAU,gB;QA4kBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7kB6B,SA6kBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9kBhB,OAglBO,W;O;KAtlBX,C;sFASA,yB;MAAA,+D;MAglBA,gD;MAhlBA,uC;QAMW,kBAAU,gB;QA8kBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/kB6B,SA+kBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhlBhB,OAklBO,W;O;KAxlBX,C;sFASA,yB;MAAA,+D;MAklBA,gD;MAllBA,uC;QAMW,kBAAU,gB;QAglBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAjlB6B,SAilBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAllBhB,OAolBO,W;O;KA1lBX,C;sFASA,yB;MAAA,+D;MAolBA,gD;MAplBA,uC;QAMW,kBAAU,gB;QAklBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAnlB6B,SAmlBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAplBhB,OAslBO,W;O;KA5lBX,C;sFASA,yB;MAAA,+D;MAslBA,gD;MAtlBA,uC;QAMW,kBAAU,gB;QAolBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WArlB6B,SAqlBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtlBhB,OAwlBO,W;O;KA9lBX,C;sFASA,yB;MAAA,+D;MAwlBA,gD;MAxlBA,uC;QAMW,kBAAU,gB;QAslBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAvlB6B,SAulBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxlBhB,OA0lBO,W;O;KAhmBX,C;sFASA,yB;MAAA,+D;MA0lBA,gD;MA1lBA,uC;QAMW,kBAAU,gB;QAwlBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAzlB6B,SAylBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1lBhB,OA4lBO,W;O;KAlmBX,C;sFASA,yB;MAAA,+D;MA4lBA,gD;MA5lBA,uC;QAMW,kBAAU,gB;QA0lBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3lB6B,SA2lBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5lBhB,OA8lBO,W;O;KApmBX,C;sFASA,yB;MAAA,+D;MA8lBA,gD;MA9lBA,uC;QAMW,kBAAU,gB;QA4lBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7lB6B,SA6lBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9lBhB,OAgmBO,W;O;KAtmBX,C;sFASA,yB;MAAA,+D;MAgmBA,gD;MAhmBA,uC;QAMW,kBAAU,gB;QA8lBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/lB6B,SA+lBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhmBhB,OAkmBO,W;O;KAxmBX,C;sFASA,yB;MAAA,+D;MAkmBA,gD;MAlmBA,uC;QAMW,kBAAU,gB;QAgmBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAjmB6B,SAimBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlmBhB,OAomBO,W;O;KA1mBX,C;sFASA,yB;MAAA,+D;MAomBA,gD;MApmBA,uC;QAMW,kBAAU,gB;QAkmBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAnmB6B,SAmmBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApmBhB,OAsmBO,W;O;KA5mBX,C;sFASA,yB;MAAA,+D;MAsmBA,gD;MAtmBA,uC;QAMW,kBAAU,gB;QAomBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WArmB6B,SAqmBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtmBhB,OAwmBO,W;O;KA9mBX,C;sFASA,yB;MAAA,+D;MAwmBA,gD;MAxmBA,uC;QAMW,kBAAU,gB;QAsmBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAvmB6B,SAumBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxmBhB,OA0mBO,W;O;KAhnBX,C;sFASA,yB;MAAA,+D;MA0mBA,gD;MA1mBA,uC;QAMW,kBAAU,gB;QAwmBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAzmB6B,SAymBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1mBhB,OA4mBO,W;O;KAlnBX,C;sFASA,yB;MAAA,+D;MA4mBA,gD;MA5mBA,uC;QAMW,kBAAU,gB;QA0mBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3mB6B,SA2mBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5mBhB,OA8mBO,W;O;KApnBX,C;sFASA,yB;MAAA,+D;MA8mBA,gD;MA9mBA,uC;QAMW,kBAAU,gB;QA4mBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7mB6B,SA6mBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9mBhB,OAgnBO,W;O;KAtnBX,C;sFASA,yB;MAAA,+D;MAgnBA,gD;MAhnBA,uC;QAMW,kBAAU,gB;QA8mBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/mB6B,SA+mBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhnBhB,OAknBO,W;O;KAxnBX,C;sFASA,yB;MAAA,+D;MAknBA,gD;MAlnBA,uC;QAMW,kBAAU,gB;QAgnBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAjnB6B,SAinBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlnBhB,OAonBO,W;O;KA1nBX,C;sFASA,yB;MAAA,+D;MAonBA,gD;MApnBA,uC;QAMW,kBAAU,gB;QAknBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAnnB6B,SAmnBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApnBhB,OAsnBO,W;O;KA5nBX,C;sFASA,yB;MAAA,+D;MAsnBA,gD;MAtnBA,uC;QAMW,kBAAU,gB;QAonBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WArnB6B,SAqnBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtnBhB,OAwnBO,W;O;KA9nBX,C;sFASA,yB;MAAA,+D;MAwnBA,gD;MAxnBA,uC;QAMW,kBAAU,gB;QAsnBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAvnB6B,SAunBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxnBhB,OA0nBO,W;O;KAhoBX,C;sFASA,yB;MAAA,+D;MA0nBA,gD;MA1nBA,uC;QAMW,kBAAU,gB;QAwnBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAznB6B,SAynBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1nBhB,OA4nBO,W;O;KAloBX,C;sFASA,yB;MAAA,+D;MA4nBA,gD;MA5nBA,uC;QAMW,kBAAU,gB;QA0nBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3nB6B,SA2nBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5nBhB,OA8nBO,W;O;KApoBX,C;sFASA,yB;MAAA,+D;MA8nBA,gD;MA9nBA,uC;QAMW,kBAAU,gB;QA4nBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7nB6B,SA6nBlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9n

MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB
,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA
EhB,OAAO,W;O;KAfX,C;wGAkBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wB
AAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;
UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAfX,C;wGAkBA,yB;MAAA,gD;MAAA,oD;QAW
oB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,c
AAV,EAAU,sBAAV,WAAmB,OAAnB,C;;QAEhB,OAAO,W;O;KAfX,C;
wGAkBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UAAgB,
cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAA
O,IAAP,C;;QAEhB,OAAO,W;O;KAfX,C;wGAkBA,yB;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oD;QAWoB,U
ACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAW,WAA
U,cAAV,EAAU,sBAAV,WAAmB,oBAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAf
X,C;wGAkBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UA
AgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,
EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAfX,C;uFAkBA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,
SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;Q
AEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAg
B,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB

D;MArPA,yC;QASW,kBAAU,oB;QAqPD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAtPoD,WAsP1C,CAAY,OAAZ,C;UOx9UP,U;UADP,YP09Ue,WO19UH,WP09UwB,GO19UxB,C;UACL,IAAI,aAAJ,C;YACH,aPw9UuC,gB;YAA5B,WOv9UX,aPu9UgC,GOv9UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPo9UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxPT,OA0PO,W;O;KAnQX,C;sFAYA,yB;MAAA,wE;MA0PA,+D;MA1PA,yC;QASW,kBAAU,oB;QA0PD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3PqD,WA2P3C,CAAY,OAAZ,C;UOz+UP,U;UADP,YP2+Ue,WO3+UH,WP2+UwB,GO3+UxB,C;UACL,IAAI,aAAJ,C;YACH,aPy+UuC,gB;YAA5B,WOx+UX,aPw+UgC,GOx+UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPq+UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7PT,OA+PO,W;O;KAxQX,C;sFAYA,yB;MAAA,wE;MA+PA,+D;MA/PA,yC;QASW,kBAAU,oB;QA+PD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAhQsD,WAgQ5C,CAAY,OAAZ,C;UO1/UP,U;UADP,YP4/Ue,WO5/UH,WP4/UwB,GO5/UxB,C;UACL,IAAI,aAAJ,C;YACH,aP0/UuC,gB;YAA5B,WOz/UX,aPy/UgC,GOz/UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPs/UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlQT,OAoQO,W;O;KA7RX,C;sFAYA,yB;MAAA,wE;MAoQA,+D;MApQA,yC;QASW,kBAAU,oB;QAoQD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UArQoD,WAqQ1C,CAAY,OAAZ,C;UO3gVP,U;UADP,YP6gVe,WO7gVH,WP6gVwB,GO7gVxB,C;UACL,IAAI,aAAJ,C;YACH,aP2gVuC,gB;YAA5B,WO1gVX,aP0gVgC,GO1gVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPugVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvQT,OAyQO,W;O;KAlSX,C;sFAYA,yB;MAAA,wE;MAyQA,+D;MAzQA,yC;QASW,kBAAU,oB;QAyQD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1QoD,WA0Q1C,CAAY,OAAZ,C;UO5hVP,U;UADP,YP8hVe,WO9hVH,WP8hVwB,GO9hVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4hVuC,gB;YAA5B,WO3hVX,aP2hVgC,GO3hVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwhVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5QT,OA8QO,W;O;KAvSX,C;sFAYA,yB;MAAA,wE;MA8QA,+D;MA9QA,yC;QASW,kBAAU,oB;QA8QD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/QoD,WA+Q1C,CAAY,OAAZ,C;UOjjVP,U;UADP,YPmjVe,WOnjVH,WPmjVwB,GOnjVxB,C;UACL,IAAI,aAAJ,C;YACH,aPijVuC,gB;YAA5B,WOhjVX,aPgjVgC,GOhjVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP6iVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAjRT,OAmRO,W;O;KA5SX,C;sFAYA,yB;MAAA,wE;MAmRA,+D;MAnRA,yC;QASW,kBAAU,oB;QAmRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UApRoD,WAoR1C,CAAY,OAAZ,C;UOtkVP,U;UADP,YPwkVe,WOxkVH,WPwkVwB,GOxkVxB,C;UACL,IAAI,aAAJ,C;YACH,aPskVuC,gB;YAA5B,WOrkVX,aPqkVgC,GOrkVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPkkVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtRT,OAwRO,W;O;KAjTX,C;sFAYA,yB;MAAA,wE;MAwRA,+D;MAxRA,yC;QASW,kBAAU,oB;QAwRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAzRoD,WAyR1C,CAAY,OAAZ,C;UO3lVP,U;UADP,YP6lVe,WO7lVH,WP6lVwB,GO7lVxB,C;UACL,IAAI,aAAJ,C;YACH,aP2lVuC,gB;YAA5B,WO1lVX,aP0lVgC,GO1lVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPulVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA3RT,OA6RO,W;O;KAtTX,C;sFAYA,yB;MAAA,wE;MA6RA,+D;MA7RA,yC;QASW,kBAAU,oB;QA6RD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA9RoD,WA8R1C,CAAY,OAAZ,C;UOhnVP,U;UADP,YPknVe,WOlnVH,WPknVwB,GOlnVxB,C;UACL,IAAI,aAAJ,C;YACH,aPgnVuC,gB;YAA5B,WO/mVX,aP+mVgC,GO/mVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4mVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhST,OAkSO,W;O;KA3TX,C;sFAYA,yB;MAAA,wE;MAkSA,+D;MAlSA,yC;QASW,kBAAU,oB;QAkSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAnSoD,WAmS1C,CAAY,OAAZ,C;UOrnVP,U;UADP,YPunVe,WOvnVH,WPunVwB,GOvnVxB,C;UACL,IAAI,aAAJ,C;YACH,aPqnVuC,gB;YAA5B,WOpnVX,aPonVgC,GOpnVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPinVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QArST,OAuSO,W;O;KAhUX,C;sFAYA,yB;MAAA,wE;MAuSA,+D;MAvSA,yC;QASW,kBAAU,oB;QAuSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAxSoD,WAwS1C,CAAY,OAAZ,C;UO1oVP,U;UADP,YP4oVe,WO5oVH,WP4oVwB,GO5oVxB,C;UACL,IAAI,aAAJ,C;YACH,aP0oVuC,gB;YAA5B,WOzoVX,aPyoVgC,GOzoVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPsoVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1ST,OA4SO,W;O;KArUX,C;sFAYA,yB;MAAA,wE;MA4SA,+D;MA5SA,yC;QASW,kBAAU,oB;QA4SD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7SoD,WA6S1C,CAAY,OAAZ,C;UO/pVP,U;UADP,YPiqVe,WOjqVH,WPiqVwB,GOjqVxB,C;UACL,IAAI,aAAJ,C;YACH,aP+pVuC,gB;YAA5B,WO9pVX,aP8pVgC,GO9pVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP2pVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA/ST,OAiTO,W;O;KA1UX,C;sFAYA,yB;MAAA,wE;MAiTA,+D;MAjTA,yC;QASW,kBAAU,oB;QAiTD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAlToD,WAkT1C,CAAY,OAAZ,C;UOpqVP,U;UADP,YPsqVe,WOtqVH,WPsqVwB,GOtqVxB,C;UACL,IAAI,aAAJ,C;YACH,aPoqVuC,gB;YAA5B,WOnqVX,aPmqVgC,GOnqVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgqVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QApUT,OAsUO,W;O;KA/VX,C;sFAYA,yB;MAAA,wE;MAsUA,+D;MAtUA,yC;QASW,kBAAU,oB;QAsUD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAvUoD,WAuU1C,CAAY,OAAZ,C;UOzrVP,U;UADP,YP2rVe,WO3rVH,WP2rVwB,GO3rVxB,C;UACL,IAAI,aAAJ,C;YACH,aPyrVuC,gB;YAA5B,WOxrVX,aPwrVgC,GOxrVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPqrVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAzUT,OA2UO,W;O;KApWX,C;sFAYA,yB;MAAA,wE;MA2UA,+D;MA3UA,yC;QASW,kBAAU,oB;QA2UD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA5UoD,WA4U1C,CAAY,OAAZ,C;UO9sVP,U;UADP,YPgtVe,WOhtVH,WPgtVwB,GOhtVxB,C;UACL,IAAI,aAAJ,C;YACH,aP8sVuC,gB;YAA5B,WO7sVX,aP6sVgC,GO7sVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0sVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9UT,OAgVO,W;O;KAzWX,C;sFAYA,yB;MAAA,wE;MAgVA,+D;MAhVA,yC;QASW,kBAAU,oB;QAgVD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjVoD,WAiV1C,CAAY,OAAZ,C;UOnuVP,U;UADP,YPquVe,WOruVH,WPquVwB,GOruVxB,C;UACL,IAAI,aAAJ,C;YACH,aPmuVuC,gB;YAA5B,WOluVX,aPkuVgC,GOluVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP+tVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnVT,OAqVO,W;O;KA9WX,C;sFAYA,yB;MAAA,wE;MAqVA,+D;MArVA,yC;QASW,kBAAU,oB;QAqVD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAtVoD,WAsV1C,CAAY,OAAZ,C;UOxvVP,U;UADP,YP0vVe,WO1vVH,WP0vVwB,GO1vVxB,C;UACL,IAAI,aAAJ,C;YACH,aPwvVuC,gB;YAA5B,WOvvVX,aPuvVgC,GOvvVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPovVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxVT,OA0VO,W;O;KAnXX,C;sFAYA,yB;MAAA,wE;MA0VA,+D;MA1VA,yC;QASW,kBAAU,oB;QA0VD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3VoD,WA2V1C,CAAY,OAAZ,C;UO7wVP,U;UADP,YP+wVe,WO/wVH,WP+wVwB,GO/wVxB,C;UACL,IAAI,aAAJ,C;YACH,aP6wVuC,gB;YAA5B,WO5wVX,aP4wVgC,GO5wVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPywVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7VT,OA+VO,W;O;KAxXX,C;sFAYA,yB;MAAA,wE;MA+VA,+D;MA/VA,yC;QASW,kBAAU,oB;QA+VD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAhWoD,WAgW1C,CAAY,OAAZ,C;UOlxVP,U;UADP,YPoxVe,WOpxVH,WPoxVwB,GOpxVxB,C;UACL,IAAI,aAAJ,C;YACH,aPkxVuC,gB;YAA5B,WOjxVX,aPixVgC,GOjxVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8wVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlWT,OAoWO,W;O;KA7XX,C;sFAYA,yB;MAAA,wE;MAoWA,+D;MApWA,yC;QASW,kBAAU,oB;QAoWD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UArWoD,WAqW1C,CAAY,OAAZ,C;UOvyVP,U;UADP,YPyyVe,WOzyVH,WPyyVwB,GOzyVxB,C;UACL,IAAI,aAAJ,C;YACH,aPuyVuC,gB;YAA5B,WOtyVX,aPsyVgC,GOtyVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPmyVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvWT,OAyWO,W;O;KAlYX,C;sFAYA,yB;MAAA,wE;MAyWA,+D;MAzWA,yC;QASW,kBAAU,oB;QAyWD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1WoD,WA0W1C,CAAY,OAAZ,C;UO5zVP,U;UADP,YP8zVe,WO9zVH,WP8zVwB,GO9zVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4zVuC,gB;YAA5B,WO3zVX,aP2zVgC,GO3zVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwzVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5WT,OA8WO,W;O;KAvYX,C;sFAYA,yB;MAAA,wE;MA8WA,+D;MA9WA,yC;QASW,kBAAU,oB;QA8WD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/WoD,WA+W1C,CAAY,OAAZ,C;UOj1VP,U;UADP,YPm1Ve,WOn1VH,WPm1VwB,GOn1VxB,C;UACL,IAAI,aAAJ,C;YACH,aPi1VuC,gB;YAA5B,WOh1VX,aPg1VgC,GOh1VhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP60VA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAjXT,OAmXO,W;O;KA5YX,C;sFAYA,yB;MAAA,wE;MAmXA,+D;MAnXA,yC;QASW,kBAAU,oB;QAmXD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UApXoD,WAoX1C,CAAY,OAAZ,C;UOt2VP,U;UADP,YPw2Ve,WOx2VH,WPw2VwB,GOx2VxB,C;UACL,IAAI,aAAJ,C;YACH,aPs2VuC,gB;YAA5B,WOr2VX,aPq2VgC,GOr2VhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPk2VA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtXT,OAwXO,W;O;KAjZX,C;sFAYA,yB;MAAA,wE;MAwXA,+D;MAxXA,yC;QASW,kBAAU,oB;QAwXD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAzXoD,WAyX1C,CAAY,OAAZ,C;UO33VP,U;UADP,YP63Ve,WO73VH,WP63VwB,GO73VxB,C;UACL,IAAI,aAAJ,C;YACH,aP23VuC,gB;YAA5B,WO13VX,aP03VgC,GO13VhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPu3VA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA3XT,OA6XO,W;O;KAtZX,C;sFAYA,yB;MAAA,wE;MA6XA,+D;MA7XA,yC;QASW,kBAAU,oB;QA6XD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA9XoD,WA8X1C,CAAY,OAAZ,C;UOh5VP,U;UADP,YPk5Ve,WOl5VH,WPk5VwB,GOl5VxB,C;UACL,IAAI,aAAJ,C;YACH,aPg5VuC,gB;YAA5B,WO/4VX,aP+4VgC,GO/4VhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP44VA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhYT,OAkYO,W;O;KA3ZX,C;sFAYA,yB;MAAA,wE;MAkYA,+D;MAlYA,yC;QASW,kBAAU,oB;QAkYD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAnYoD,WAmY1C,CAAY,OAAZ,C;UOr6VP,U;UADP,YPu6Ve,WOv6VH,WPu6VwB,GOv6VxB,C;UACL,IAAI,aAAJ,C;YACH,aPq6VuC,gB;YAA5B,WOp6VX,aPo6VgC,GOp6VhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPi6VA,iB;UACA,IAAK,WAAI,OAAJ,C;;QArYT,OAuYO,W;O;KAhaX,C;sFAYA,yB;MAAA,wE;MAuYA,+D;MAvYA,yC;QASW,kBAAU,oB;QAuYD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAxYoD,WAwY1C,CAAY,OAAZ,C;UO17VP,U;UADP,YP47Ve,WO57VH,WP47VwB,GO57VxB,C;UACL,IAAI,aAAJ,C;YACH,aP07VuC,gB;YAA5B,WOz7VX,aPy7VgC,GOz7VhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPs7VA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1YT,OA4YO,W;O;KArbX,C;sFAYA,yB;MAAA,wE;MA4YA,+D;MA5YA,yC;QASW,kBAAU,oB;QA4YD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7YoD,WA6Y1C,CAAY,OAAZ,C;UO/8VP,U;UADP,YPi9Ve,WOj9VH,WPi9VwB,GOj9VxB,C;UACL,IAAI,aAAJ,C;YACH,aP+8VuC,gB;YAA5B,WO98VX,aP88VgC,GO98VhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP28VA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA/YT,OAiZO,W;O;KA1bX,C;sFAYA,yB;MAAA,wE;MAiZA,+D;MAjZA,yC;QASW,kBAAU,oB;QAiZD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAlZoD,WAkZ1C,CAAY,OAAZ,C;UOp+VP,U;UADP,YPs+Ve,WOt+VH,WPs+VwB,GOt+VxB,C;UACL,IAAI,aAAJ,C;YACH,aPo+VuC,gB;YAA5B,WOn+VX,aPm+VgC,GOn+VhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPg+VA,iB;UACA,IAAK,WAAI,OAAJ,C;;QApZT,OAsZO,W;O;KA/bX,C;sFAYA,yB;MAAA,wE;MAsZA,+D;MAtZA,yC;QASW,kBAAU,oB;QAsZD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAvZoD,WAuZ1C,CAAY,OAAZ,C;UOz/VP,U;UADP,YP2/Ve,WO3/VH,WP2/VwB,GO3/VxB,C;UACL,IAAI,aAAJ,C;YACH,aPy/VuC,gB;YAA5B,WOx/VX,aPw/VgC,GOx/VhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPq/VA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAzZT,OA2ZO,W;O;KApcX,C;sFAYA,yB;MAAA,wE;MA2ZA,+D;MA3ZA,yC;QASW,kBAAU,oB;QA2ZD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA5ZoD,WA4Z1C,CAAY,OAAZ,C;UO9gWP,U;UADP,YPghWe,WOhhWH,WPghWwB,GOhhWxB,C;UACL,IAAI,aAAJ,C;YACH,aP8gWuC,gB;YAA5B,WO7gWX,aP6gWgC,GO7gWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0gWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9ZT,OAgaO,W;O;KAzcX,C;sFAYA,yB;MAAA,wE;MAgaA,+D;MAhaA,yC;QASW,kBAAU,oB;QAgaD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjaoD,WAia1C,CAAY,OAAZ,C;UOnhWP,U;UADP,YPqhWe,WOrhWH,WPqhWwB,GOrhWxB,C;UACL,IAAI,aAAJ,C;YACH,aPmhWuC,gB;YAA5B,WOlhWX,aPkhWgC,GOlhWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP+gWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnaT,OAqaO,W;O;KA9cX,C;sFAYA,yB;MAAA,wE;MAqaA,+D;MAraA,yC;QASW,kBAAU,oB;QAqaD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAtaoD,WAsa1C,CAAY,OAAZ,C;UOxiWP,U;UADP,YP0iWe,WO1iWH,WP0iWwB,GO1iWxB,C;UACL,IAAI,aAAJ,C;YACH,aPwiWuC,gB;YAA5B,WOviWX,aPuiWgC,GOviWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPoiWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxaT,OA0aO,W;O;KAndX,C;sFAYA,yB;MAAA,wE;MA0aA,+D;MA1aA,yC;QASW,kBAAU,oB;QA0aD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3aoD,WA2a1C,CAAY,OAAZ,C;UO7jWP,U;UADP,YP+jWe,WO/jWH,WP+jWwB,GO/jWxB,C;UACL,IAAI,aAAJ,C;YACH,aP6jWuC,gB;YAA5B,WO5jWX,aP4jWgC,GO5jWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPyjWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7aT,OA+aO,W;O;KAxdX,C;sFAYA,yB;MAAA,wE;MA+aA,+D;MA/aA,yC;QASW,kBAAU,oB;QA+aD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAhboD,WAgb1C,CAAY,OAAZ,C;UOlkWP,U;UADP,YPokWe,WOpkWH,WPokWwB,GOpkWxB,C;UACL,IAAI,aAAJ,C;YACH,aPkkWuC,gB;YAA5B,WOjkWX,aPikWgC,GOjkWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8jWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlbT,OAobO,W;O;KA7dX,C;sFAYA,yB;MAAA,wE;MAobA,+D;MApbA,yC;QASW,kBAAU,oB;QAobD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UArboD,WAqb1C,CAAY,OAAZ,C;UOvlWP,U;UADP,YPylWe,WOzlWH,WPylWwB,GOzlWxB,C;UACL,IAAI,aAAJ,C;YACH,aPulWuC,gB;YAA5B,WOtlWX,aPslWgC,GOtlWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPmlWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvbT,OAybO,W;O;KAleX,C;sFAYA,yB;MAAA,wE;MAybA,+D;MAzbA,yC;QASW,kBAAU,oB;QAybD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1boD,WA0b1C,CAAY,OAAZ,C;UO5mWP,U;UADP,YP8mWe,WO9mWH,WP8mWwB,GO9mWxB,C;UACL,IAAI,aAAJ,C;YACH,aP4mWuC,gB;YAA5B,WO3mWX,aP2mWgC,GO3mWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwmWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5bT,OA8bO,W;O;KAvePX,C;sFAYA,yB;MAAA,wE;MA8bA,+D;MA9bA,yC;QASW,kBAAU,oB;QA8bD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/boD,WA+b1C,CAAY,OAAZ,C;UOjoWP,U;UADP,YPmoWe,WOnoWH,WPmoWwB,GOnoWxB,C;UACL,IAAI,aAAJ,C;YACH,aPioWuC,gB;YAA5B,WOhoWX,aPgoWgC,GOhoWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP6nWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAjcT,OAmcO,W;O;KA5eX,C;sFAYA,yB;MAAA,wE;MAmcA,+D;MAncA,yC;QASW,kBAAU,oB;QAmcD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UApcoD,WAoc1C,CAAY,OAAZ,C;UOtpWP,U;UADP,YPwpWe,WOxpWH,WPwpWwB,GOxpWxB,C;UACL,IAAI,aAAJ,C;YACH,aPspWuC,gB;YAA5B,WOrpWX,aPqpWgC,GOrpWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPkpWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtcT,OAwcO,W;O;KAjfX,C;sFAYA,yB;MAAA,wE;MAwcA,+D;MAxcA,yC;QASW,kBAAU,oB;QAwcD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAzcoD,WAyc1C,CAAY,OAAZ,C;UO3qWP,U;UADP,YP6qWe,WO7qWH,WP6qWwB,GO7qWxB,C;UACL,IAAI,aAAJ,C;YACH,aP2qWuC,gB;YAA5B,WO1qWX,aP0qWgC,GO1qWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPuqWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA3cT,OA6cO,W;O;KAtfX,C;sFAYA,yB;MAAA,wE;MA6cA,+D;MA7cA,yC;QASW,kBAAU,oB;QA6cD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA9coD,WA8c1C,CAAY,OAAZ,C;UOhsWP,U;UADP,YPksWe,WOlsWH,WPksWwB,GOlsWxB,C;UACL,IAAI,aAAJ,C;YACH,aPgsWuC,gB;YAA5B,WO/rWX,aP+rWgC,GO/rWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4rWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhdT,OAkdO,W;O;KA3fX,C;sFAYA,yB;MAAA,wE;MAkdA,+D;MAldA,yC;QASW,kBAAU,oB;QAkdD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAndoD,WAmd1C,CAAY,OAAZ,C;UOrtWP,U;UADP,YPutWe,WOvtWH,WPutWwB,GOvtWxB,C;UACL,IAAI,aAAJ,C;YACH,aPqtWuC,gB;YAA5B,WOptWX,aPotWgC,GOptWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPitWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QArdT,OAudO,W;O;KAhgBX,C;sFAYA,yB;MAAA,wE;MAudA,+D;MAvdA,yC;QASW,kBAAU,oB;QAudD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAxdoD,WAwd1C,CAAY,OAAZ,C;UO1uWP,U;UADP,YP4uWe,WO5uWH,WP4uWwB,GO5uWxB,C;UACL,IAAI,aAAJ,C;YACH,aP0uWuC,gB;YAA5B,WOzuWX,aPyuWgC,GOzuWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPsuWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1dT,OA4dO,W;O;KArgBX,C;sFAYA,yB;MAAA,wE;MA4dA,+D;MA5dA,yC;QASW,kBAAU,oB;QA4dD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7doD,WA6d1C,CAAY,OAAZ,C;UO/vWP,U;UADP,YPiwWe,WOjwWH,WPiwWwB,GOjwWxB,C;UACL,IAAI,aAAJ,C;YACH,aP+vWuC,gB;YAA5B,WO9vWX,aP8vWgC,GO9vWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP2vWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA/dT,OAieO,W;O;KAxgBP,C;sFAYA,yB;MAAA,wE;MAieA,+D;MAjeA,yC;QASW,kBAAU,oB;QAieD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAleoD,WAke1C,CAAY,OAAZ,C;UOpxWP,U;UADP,YPsxWe,WOtxWH,WPsxWwB,GOtxWxB,C;UACL,IAAI,aAAJ,C;YACH,aPoxWuC,gB;YAA5B,WOnxWX,aPmxWgC,GOnxWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgxWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QApeT,OAseO,W;O;KA7gBP,C;sFAYA,yB;MAAA,wE;MAseA,+D;MAteA,yC;QASW,kBAAU,oB;QAseD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAveoD,WAue1C,CAAY,OAAZ,C;UOzyWP,U;UADP,YP2yWe,WO3yWH,WP2yWwB,GO3yWxB,C;UACL,IAAI,aAAJ,C;YACH,aPyyWuC,gB;YAA5B,WOxyWX,aPwyWgC,GOxyWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPqyWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAzeT,OA2eO,W;O;KAlhBP,C;sFAYA,yB;MAAA,wE;MA2eA,+D;MA3eA,yC;QASW,kBAAU,oB;QA2eD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA5eoD,WA4e1C,CAAY,OAAZ,C;UO9zWP,U;UADP,YPg0We,WOh0WH,WPg0WwB,GOh0WxB,C;UACL,IAAI,aAAJ,C;YACH,aP8zWuC,gB;YAA5B,WO7zWX,aP6zWgC,GO7zWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0zWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9eT,OAgfO,W;O;KAvhBP,C;sFAYA,yB;MAAA,wE;MAgfA,+D;MAhfA,yC;QASW,kBAAU,oB;QAgfD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjfoD,WAif1C,CAAY,OAAZ,C;UOn1WP,U;UADP,YPq1We,WOr1WH,WPq1WwB,GOr1WxB,C;UACL,IAAI,aAAJ,C;YACH,aPm1WuC,gB;YAA5B,WOl1WX,aPk1WgC,GOl1WhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP+0WA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnfT,OAqfO,W;O;KA5hBP,C;sFAYA,yB;MAAA,wE;MAqfA,+D;MArfA,yC;QASW,kBAAU,oB;QAqfD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAtfoD,WAsf1C,CAAY,OAAZ,C;UOx2WP,U;UADP,YP02We,WO12WH,WP02WwB,GO12WxB,C;UACL,IAAI,aAAJ,C;YACH,aPw2WuC,gB;YAA5B,WOv2WX,aPu2WgC,GOv2WhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPo2WA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxfT,OA0fO,W;O;KAjiBP,C;sFAYA,yB;MAAA,wE;MA0fA,+D;MA1fA,yC;QASW,kBAAU,oB;QA0fD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3foD,WA2f1C,CAAY,OAAZ,C;UO73WP,U;UADP,YP+3We,WO/3WH,WP+3WwB,GO/3WxB,C;UACL,IAAI,aAAJ,C;YACH,aP63WuC,gB;YAA5B,WO53WX,aP43WgC,GO53WhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPy3WA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7fT,OA+fO,W;O;KAtiBP,C;sFAYA,yB;MAAA,wE;MA+fA,+D;MA/fA,yC;QASW,kBAAU,oB;QA+fD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAhgBoD,WAggB1C,CAAY,OAAZ,C;UOl5WP,U;UADP,YPo5We,WOp5WH,WPo5WwB,GOp5WxB,C;UACL,IAAI,aAAJ,C;YACH,aPk5WuC,gB;YAA5B,WOj5WX,aPi5WgC,GOj5WhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP84WA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlgBT,OAogBO,W;O;KA3iBP,C;sFAYA,yB;MAAA,wE;MAogBA,+D;MApgBA,yC;QASW,kBAAU,oB;QAogBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UArgBoD,WAqgB1C,CAAY,OAAZ,C;UOv6WP,U;UADP,YPy6We,WOz6WH,WPy6WwB,GOz6WxB,C;UACL,IAAI,aAAJ,C;YACH,aPu6WuC,gB;YAA5B,WOt6WX,aPs6WgC,GOt6WhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPm6WA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvgBT,OAygBO,W;O;KAhjBP,C;sFAYA,yB;MAAA,wE;MAygBA,+D;MAzgBA,yC;QASW,kBAAU,oB;QAygBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1goD,WA0g1C,CAAY,OAAZ,C;UO57WP,U;UADP,YP87We,WO97WH,WP87WwB,GO97WxB,C;UACL,IAAI,aAAJ,C;YACH,aP47WuC,gB;YAA5B,WO37WX,aP27WgC,GO37WhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPw7WA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5gBT,OA8gBO,W;O;KArjBP,C;sFAYA,yB;MAAA,wE;MA8gBA,+D;MA9gBA,yC;QASW,kBAAU,oB;QA8gBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/goD,WA+g1C,CAAY,OAAZ,C;UOj9WP,U;UADP,YPm9We,WOn9WH,WPm9WwB,GOn9WxB,C;UACL,IAAI,

VhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwqVA,iB;UACA,IAAK,WApTyD,cAoTrD,CAAe,OAAf,CAAJ,C;;QApTT,OAsTO,W;O;KAhUX,C;uFAaA,yB;MAAA,wE;MAsTA,oC;MAAA,+D;MAAA,gC;MAtTA,yD;QAUW,kBAAU,oB;QAsTD,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,UAvTiD,WAuTvC,CAAY,oBAAZ,C;UO9rVP,U;UADP,YPgsVe,WOhsVH,WPgsVwB,GOhsVxB,C;UACL,IAAI,aAAJ,C;YACH,aP8rVuC,gB;YAA5B,WO7rVX,aP6rVgC,GO7rVhC,C;YACA,e;;YAEA,c;;UP0rVA,iB;UACA,IAAK,WAzTyD,cAyTrD,CAAe,oBAAf,CAAJ,C;;QAzTT,OA2TO,W;O;KArUX,C;wFAaA,yB;MAAA,+D;MAAA,sD;QAAoB,Q;QAAhB,wBAAgB,gB;QAAhB,SAAgB,gB;UAAhB,cAAgB,SAAhB,iB;UACI,UAAU,YAAV,CAAY,OAAZ,C;UOp5UP,U;UADP,YPs5Ue,WOt5UH,WPs5UwB,GOt5UxB,C;UACL,IAAI,aAAJ,C;YACH,aPo5UuC,gB;YAA5B,WOn5UX,aPm5UgC,GOn5UhC,C;YACA,e;;YAEA,c;;UPg5UA,iB;UACA,IAAK,WAAL,IAAK,OAAJ,C;;QAET,OAAO,W;O;KAAd,C;0FAAc,yB;MAAA,+D;MAAA,sD;QAAoB,Q;QAAhB,wBAAgB,gB;QAAhB,SAAgB,gB;UAAhB,cAAgB,SAAhB,iB;UACI,UAAU,YAAV,CAAY,OAAZ,C;UOr6UP,U;UADP,YPu6Ue,WOv6UH,WPu6UwB,GOv6UxB,C;UACL,IAAI,aAAJ,C;YACH,aPq6UuC,gB;YAA5B,WOp6UX,aPo6UgC,GOp6UhC,C;YACA,e;;YAEA,c;;UPi6UA,iB;UACA,IAAK,WAAL,IAAK,OAAJ,C;;QAET,OAAO,W;O;KAAd,C;0FAAc,yB;MAAA,+D;MAAA,sD;QAAoB,Q;QAAhB,wBAAgB,gB;QAAhB,SAAgB,gB;UAAhB,cAAgB,SAAhB,iB;UACI,UAAU,YAAV,CAAY,OAAZ,C;UOt7UP,U;UADP,YPw7Ue,WOx7UH,WPw7UwB,GOx7UxB,C;UACL,IAAI,aAAJ,C;YACH,aPs7UuC,gB;YAA5B,WOr7UX,aPq7UgC,GOr7UhC,C;YACA,e;;YAEA,c;;UPk7UA,iB;UACA,IAAK,WAAL,IAAK,OAAJ,C;;QAET,OAAO,W;O;KAAd,C;0FAAc,yB;MAAA,+D;MAAA,sD;QAAoB,Q;QAAhB,wBAAgB,gB;QAAhB,SAAgB,gB;UAAhB,cAAgB,SAAhB,iB;UACI,UAAU,YAAV,CAAY,OAAZ,C;UOv8UP,U;UADP,YPy8Ue,WOz8UH,WPy8UwB,GOz8UxB,C;UACL,IAAI,aAAJ,C;YACH,aPu8UuC,gB;YAA5B,WOt8UX,aPs8UgC,GOt8UhC,C;YACA,e;;YAEA,c;;UPm8UA,iB;UACA,IAAK,WAAL,IAAK,OAAJ,C;;QAET,OAAO,W;O;KAAd,C;0FAAc,yB;MAAA,+D;MAAA,sD;QAAoB,Q;QAAhB,wBAAgB,gB;QAAhB,SAAgB,gB;UAAhB,cAAgB,SAAhB,iB;UACI,UAAU,YAAV,CAAY,OAAZ,C;UOx9UP,U;UADP,YP09Ue,WO19UH,WP09UwB,GO19UxB,C;UACL,IAAI,aAAJ,C;YACH,aPw9UuC,gB;YAA5B,WOv9UX,aPu9UgC,GOv9UhC,C;YACA,e;;YAEA,c;;UPo9UA,iB;UACA,IAAK,WAAL,IAAK,OAAJ,C;;QAET,OAAO,W;O;KAAd,C;0FAAc,yB;MAAA,+D;MAAA,sD;QAAoB,Q;QAAhB,wBAAgB,gB;QAAhB,SAAgB,gB;UAAhB,cAAgB,SAAhB,iB;UACI,UAAU,YAAV,CAAY,OAAZ,C;UOz+UP,U;UADP,YP2+Ue,WO3+UH,WP2+UwB,GO3+UxB,C;UACL,IAAI,aAAJ,C;YACH,aPy+UuC,gB;YAA5B,WOx+UX,aPw+UgC,GOx+UhC,C;YACA,e;;YAEA,c;;UPq+UA,iB;UACA,IAAK,WAAL,IAAK,OAAJ,C;;QAET,OAAO,W;O;KAAd,C;0FAAc,yB;MAAA,+D;MAAA,sD;QAAoB,Q;QAAhB,wBAAgB,gB;QAAhB,SAAgB,gB;UAAhB,cAAgB,SAAhB,iB;UACI,UAAU,YAAV,CAAY,OAAZ,C;UO1/UP,U;UADP,YP4/Ue,WO5/UH,WP4/UwB,GO5/UxB,C;UACL,IAAI,aAAJ,C;YACH,aP0/UuC,gB;YAA5B,WOz/UX,aPy/UgC,GOz/UhC,C;YACA,e;;YAEA,c;;UPs/UA,iB;UACA,IAAK,WAAL,IAAK,OAAJ,C;;QAET,OAAO,W;O;KAAd,C;0FAAc,yB;MAAA,+D;MAAA,sD;QAAoB,Q;QAAhB,wBAAgB,gB;QAAhB,SAAgB,gB;UAAhB,cAAgB,SAAhB,iB;UACI,UAAU,YAAV,CAAY,OAAZ,C;UO3gVP,U;UADP,YP6gVe,WO7gVH,WP6gVwB,GO7gVxB,C;UACL,IAAI,aAAJ,C;YACH,aP2gVuC,gB;YAA5B,WO1gVX,aP0gVgC,GO1gVhC,C;YACA,e;;YAEA,c;;UPugVA,iB;UACA,IAAK,WAAL,IAAK,OAAJ,C;;QAET,OAAO,W;O;KAAd,C;0FAAc,yB;MAAA,+D;MAAA,sD;QAAoB,Q;QAAhB,wBAAgB,gB;QAAhB,SAAgB,gB;UAAhB,cAAgB,SAAhB,iB;UACI,UAAU,YAAV,CAAY,OAAZ,C;UO5hVP,U;UADP,YP8hVe,WO9hVH,WP8hVwB,GO9hVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4hVuC,gB;YAA5B,WO3hVX,aP2hVgC,GO3hVhC,C;YACA,e;;YAEA,c;;UPwhVA,iB;UACA,IAAK,WAAL,IAAK,OAAJ,C;;QAET,OAAO,W;O;KAAd,C;0FAAc,yB;MAAA,+D;MAAA,sD;QAAoB,Q;QAAhB,wBAAgB,gB;QAAhB,SAAgB,gB;UAAhB,cAAgB,SAAhB,iB;UACI,UAAU,YAAV,CAAY,OAAZ,C;UO7iVP,U;UADP,YP+iVe,WO/iVH,WP+iVwB,GO/iVxB,C;UACL,IAAI,aAAJ,C;YACH,aP6iVuC,gB;YAA5B,WO5iVX,aP4iVgC,GO5iVhC,C;YACA,e;;YAEA,c;;UPyiVA,iB;UACA,IAAK,WAAL,IAAK,OAAJ,C;;QAET,OAAO,W;O;KAAd,C;0FAAc,yB;MAAA,+D;MAAA,sD;QAAoB,Q;QAAhB,wBAAgB,gB;QAAhB,SAAgB,gB;UAAhB,cAAgB,SAAhB,iB;UACI,UAAU,YAAV,CAAY,OAAZ,C;UO9jVP,U;UADP,YPgkVe,WOhkVH,WPgkVwB,GOhkVxB,C;UACL,IAAI,aAAJ,C;YACH,a

AAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOpmVP,U;UADP,YPsmVe,WOtm
VH,WPsmVwB,GOtmVxB,C;UACL,IAAI,aAAJ,C;YACH,aPomVuC,gB;YAA5B,WOnmVX,aPmmVgC,GOnmV
hC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgmVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,
W;O;KAfX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAA
hB,M;UACI,UAAU,YAAY,OAAZ,C;UOtnVP,U;UADP,YPwnVe,WOxnVH,WPwnVwB,GOxnVxB,C;UACL,IA
AI,aAAJ,C;YACH,aPsnVuC,gB;YAA5B,WOrnVX,aPqnVgC,GOrnVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPk
nVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAfX,C;2FAkBA,yB;MAAA,+D;MAAA
,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOxoVP,
U;UADP,YP0oVe,WO1oVH,WP0oVwB,GO1oVxB,C;UACL,IAAI,aAAJ,C;YACH,aPwoVuC,gB;YAA5B,WOvo
VX,aPuoVgC,GOvoVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPooVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CA
AJ,C;;QAET,OAAO,W;O;KAfX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;
UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1pVP,U;UADP,YP4pVe,WO5pVH,WP4pVwB,GO5
pVxB,C;UACL,IAAI,aAAJ,C;YACH,aP0pVuC,gB;YAA5B,WOzpVX,aPypVgC,GOzpVhC,EAAS,MAAT,C;YAC
A,e;;YAEA,c;;UPspVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAfX,C;2FAkBA,yB;
MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,
OAAZ,C;UO5qVP,U;UADP,YP8qVe,WO9qVH,WP8qVwB,GO9qVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4qVuC,
gB;YAA5B,WO3qVX,aP2qVgC,GO3qVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwqVA,iB;UACA,IAAK,WA
AI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAfX,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE
;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,UAAU,YAAY,oBAAZ,C;U
O9rVP,U;UADP,YPgsVe,WOhsVH,WPgsVwB,GOhsVxB,C;UACL,IAAI,aAAJ,C;YACH,aP8rVuC,gB;YAA5B,
WO7rVX,aP6rVgC,GO7rVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0rVA,iB;UACA,IAAK,WAAI,eAAe,oBAA
f,CAAJ,C;;QAET,OAAO,W;O;KAfX,C;0FAkBA,yB;MAAA,kC;MAAA,4C;MAAA,wE;QAQW,sC;QAAA,8C;O;
MARX,oDASQ,Y;QAA6C,OAAgB,qBAAhB,oBAAgB,C;O;MATrE,iDAUQ,mB;QAAoC,gCAAY,OAAZ,C;O;M
AV5C,gF;MAAA,yC;QAQI,2D;O;KARJ,C;4EAcA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;Q
A+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OAiVO,W
;O;KAxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,
WAAb,e;UACI,WAAY,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OAiVO,W;O;KAxVX,C;8EAUA,yB;MA
AA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA
hViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OAiVO,W;O;KAxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,
kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhViB,SAgVb,CAAU,IAAV,
CAAJ,C;;QAhVhB,OAiVO,W;O;KAxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;
QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OAiVO,
W;O;KAxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa
,WAAb,e;UACI,WAAY,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OAiVO,W;O;KAxVX,C;8EAUA,yB;
MAA

A1HhB,OA2HO,W;O;KAlIX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA4HP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA7HwB,SA6HpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7HhB,OA8HO,W;O;KArIX,C;2FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA+HP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhIwB,SAgIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhIhB,OAiIO,W;O;KAxIX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAkIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAnIwB,SAmIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnIhB,OAoIO,W;O;KA3IX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAqIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAtIwB,SAsIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtIhB,OAuIO,W;O;KA9IX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAwIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAzIwB,SAyIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzIhB,OA0IO,W;O;KAjJX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA2IP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA5IwB,SA4IpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5IhB,OA6IO,W;O;KApJX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA8IP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA/IwB,SA+IpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/IhB,OAgJO,W;O;KAvJX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAiJP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAlJwB,SAkJpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlJhB,OAmJO,W;O;KA1JX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAoJP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WArJwB,SAqJpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArJhB,OAsJO,W;O;KA7JX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAuJP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAxJwB,SAwJpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxJhB,OAyJO,W;O;KAhKX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA0JP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA3JwB,SA2JpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3JhB,OA4JO,W;O;KAnKX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA6JP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA9JwB,SA8JpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9JhB,OA+JO,W;O;KAtKX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAgKP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAjKwB,SAiKpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjKhB,OAkKO,W;O;KAzKX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAmKP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WApKwB,SAoKpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApKhB,OAqKO,W;O;KA5KX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAsKP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAvKwB,SAuKpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvKhB,OAwKO,W;O;KA/KX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAyKP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA1KwB,SA0KpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1KhB,OA2KO,W;O;KAlLX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA4KP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA7KwB,SA6KpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7KhB,OA8KO,W;O;KArLX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA+KP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhLwB,SAgLpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhLhB,OAiLO,W;O;KAxLX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAkLP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAnLwB,SAmLpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnLhB,OAoLO,W;O;KA3LX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAqLP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAtLwB,SAsLpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtLhB,OAuLO,W;O;KA9LX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAwLP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAzLwB,SAyLpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzLhB,OA0LO,W;O;KAjMX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA2LP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA5LwB,SA4LpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5LhB,OA6LO,W;O;KApMX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA8LP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA/LwB,SA+LpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/LhB,OAgMO,W;O;KAvMX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAiMP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAlMwB,SAkMpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlMhB,OAmMO,W;O;KA1MX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAoMP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WArMwB,SAqMpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArMhB,OAsMO,W;O;KA7MX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAuMP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAxMwB,SAwMpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxMhB,OAyMO,W;O;KAhNX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA0MP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA3MwB,SA2MpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3MhB,OA4MO,W;O;KAnNX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA6MP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA9MwB,SA8MpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9MhB,OA+MO,W;O;KAtNX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAgNP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAjNwB,SAiNpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjNhB,OAkNO,W;O;KAzNX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAmNP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WApNwB,SAoNpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApNhB,OAqNO,W;O;KA5NX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAsNP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAvNwB,SAuNpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvNhB,OAwNO,W;O;KA/NX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAyNP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA1NwB,SA0NpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1NhB,OA2NO,W;O;KAlOX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA4NP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA7NwB,SA6NpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7NhB,OA8NO,W;O;KArOX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA+NP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhOwB,SAgOpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhOhB,OAiOO,W;O;KAxOX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAkOP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAnOwB,SAmOpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnOhB,OAoOO,W;O;KA3OX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAqOP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAtOwB,SAsOpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtOhB,OAuOO,W;O;KA9OX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAwOP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAzOwB,SAyOpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzOhB,OA0OO,W;O;KAjPX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA2OP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA5OwB,SA4OpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5OhB,OA6OO,W;O;KApPX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA8OP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA/OwB,SA+OpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/OhB,OAgPO,W;O;KAvPX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAiPP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAlPwB,SAkPpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlPhB,OAmPO,W;O;KA1PX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAoPP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WArPwB,SAqPpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArPhB,OAsPO,W;O;KA7PX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAuPP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAxPwB,SAwPpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxPhB,OAyPO,W;O;KAhQX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA0PP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA3PwB,SA2PpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3PhB,OA4PO,W;O;KAnQX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA6PP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA9PwB,SA8PpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9PhB,OA+PO,W;O;KAtQX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAgQP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAjQwB,SAiQpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjQhB,OAkQO,W;O;KAzQX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAmQP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WApQwB,SAoQpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApQhB,OAqQO,W;O;KA5QX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAsQP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAvQwB,SAuQpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvQhB,OAwQO,W;O;KA/QX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAyQP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA1QwB,SA0QpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1QhB,OA2QO,W;O;KAlRX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA4QP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA7QwB,SA6QpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7QhB,OA8QO,W;O;KArRX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA+QP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhRwB,SAgRpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhRhB,OAiRO,W;O;KAxRX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAkRP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAnRwB,SAmRpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnRhB,OAoRO,W;O;KA3RX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAqRP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAtRwB,SAsRpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtRhB,OAuRO,W;O;KA9RX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAwRP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAzRwB,SAyRpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzRhB,OA0RO,W;O;KAjSX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA2RP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA5RwB,SA4RpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5RhB,OA6RO,W;O;KApSX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA8RP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA/RwB,SA+RpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/RhB,OAgSO,W;O;KAvSX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAiSP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAlSwB,SAkSpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlShB,OAmSO,W;O;KA1SX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAoSP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WArSwB,SAqSpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArShB,OAsSO,W;O;KA7SX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAuSP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAxSwB,SAwSpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxShB,OAySO,W;O;KAhTX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA0SP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA3SwB,SA2SpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3ShB,OA4SO,W;O;KAnTX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA6SP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA9SwB,SA8SpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9ShB,OA+SO,W;O;KAtTX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAgTP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAjTwB,SAiTpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjThB,OAkTO,W;O;KAzTX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAmTP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WApTwB,SAoTpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApThB,OAqTO,W;O;KA5TX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAsTP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAvTwB,SAuTpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvThB,OAwTO,W;O;KA/TX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAyTP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA1TwB,SA0TpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1ThB,OA2TO,W;O;KAlUX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA4TP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA7TwB,SA6TpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7ThB,OA8TO,W;O;KArUX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA+TP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhUwB,SAgUpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhUhB,OAiUO,W;O;KAxUX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAkUP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAnUwB,SAmUpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnUhB,OAoUO,W;O;KA3UX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAqUP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAtUwB,SAsUpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtUhB,OAuUO,W;O;KA9UX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAwUP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAzUwB,SAyUpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzUhB,OA0UO,W;O;KAjVX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA2UP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA5UwB,SA4UpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5UhB,OA6UO,W;O;KApVX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA8UP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA/UwB,SA+UpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/UhB,OAgVO,W;O;KAvVX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAiVP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAlVwB,SAkVpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlVhB,OAmVO,W;O;KA1VX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAoVP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WArVwB,SAqVpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArVhB,OAsVO,W;O;KA7VX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAuVP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAxVwB,SAwVpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxVhB,OAyVO,W;O;KAhWX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA0VP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA3VwB,SA2VpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3VhB,OA4VO,W;O;KAnWX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA6VP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA9VwB,SA8VpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9VhB,OA+VO,W;O;KAtWX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAgWP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAjWwB,SAiWpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjWhB,OAkWO,W;O;KAzWX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAmWP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WApWwB,SAoWpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApWhB,OAqWO,W;O;KA5WX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAsWP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAvWwB,SAuWpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvWhB,OAwWO,W;O;KA/WX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAyWP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA1WwB,SA0WpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1WhB,OA2WO,W;O;KAlXX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA4WP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA7WwB,SA6WpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7WhB,OA8WO,W;O;KArXX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA+WP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhXwB,SAgXpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhXhB,OAiXO,W;O;KAxXX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAkXP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAnXwB,SAmXpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnXhB,OAoXO,W;O;KA3XX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAqXP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAtXwB,SAsXpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtXhB,OAuXO,W;O;KA9XX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAwXP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAzXwB,SAyXpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzXhB,OA0XO,W;O;KAjYX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA2XP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA5XwB,SA4XpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5XhB,OA6XO,W;O;KApYX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA8XP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA/XwB,SA+XpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/XhB,OAgYO,W;O;KAvYX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAiYP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAlYwB,SAkYpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlYhB,OAmYO,W;O;KA1YX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAoYP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WArYwB,SAqYpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArYhB,OAsYO,W;O;KA7YX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAuYP,gB;QADb,YAAY,C;QACZ,

QAAE,+C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,gD;O;K;IAL9B,g
C;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,8C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB
,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,+C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;
MAAA,mB;QAAE,gD;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,iD;O;
K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,kD;O;K;IAL9B,gC;MAKI,OAA
O,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,+C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;
IAGX,6B;MASI,OAA2B,SAAf,aAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;
K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAA
e,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,C
AAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAA
K,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;0FAG/B,yB;MAAA,2D;MAAA,+D;MA
AA,sC;QAYc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,
UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;
O;KAjBX,C;4FAoBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QAC
X,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,C
AAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,s
C;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAA
U,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;K
AhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,w
BAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAA
R,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;
QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SA
AS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAhBX
,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAA
U,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAR,C;
YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,oC;MA
AA,gC;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;IAmBA,qC;MAQI,UAAA,aAAL,SAAK,CAAA,C;MAAA,WAAA,SAAA,gB;MAAA,WAAA,SAAA,gB;MAAA,WAAA,SAAA,gB

MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAI,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,iC;MAMI,OAAO,wBAAa,qBAAiB,YAAY,gBAAZ,CAAjB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAoB,YAAY,gBAAZ,CAApB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAqB,YAAY,gBAAZ,CAArB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAmB,YAAY,gBAAZ,CAAnB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAoB,YAAY,gBAAZ,CAApB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAqB,YAAY,gBAAZ,CAArB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAsB,YAAY,gBAAZ,CAAtB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAuB,YAAY,gBAAZ,CAAvB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAoB,YAAY,gBAAZ,CAApB,CAAb,C;K;IAGX,iC;MAAI,UAAAe,aAAL,SAAK,C;MACX,OAAJ,GAAI,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,mC;MAAI,UAAAe,e

I,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,gC;MAKoB,Q;MADhB,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;kFAGX,gC;MAKoB,Q;MADhB,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;m

Z,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,cAAc,WAAU,cAAV,E
AAU,sBAAV,WAAmB,WAAnB,EAAgC,oBAAhC,C;;QACpC,OAAO,W;O;KAbX,C;wFAgBA,yB;MAAA,8D;M
AAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU
,UAAI,YAAJ,EAAI,oBAAJ,OAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,8D;
MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UA
AU,UAAI,YAAJ,EAAI,oBAAJ,OAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,8
D;MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,U
AAU,UAAI,YAAJ,EAAI,oBAAJ,OAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,
8D;MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,
UAAU,UAAI,YAAJ,EAAI,oBAAJ,OAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAA
A,8D;MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAA
c,UAAU,UAAI,YAAJ,EAAI,oBAAJ,OAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,C;0FAiBA,yB;MA
AA,8D;MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cA
Ac,UAAU,UAAI,YAAJ,EAAI,oBAAJ,OAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,C;0FAiBA,yB;M
AAA,8D;MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,c
AAc,UAAU,UAAI,YAAJ,EAAI,oBAAJ,OAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,C;0FAiBA,yB;
MAAA,8D;MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI
,cAAc,UAAU,UAAI,YAAJ,EAAI,oBAAJ,OAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,C;0FAiBA,yB
;MAAA,8D;MAAA,oC;MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CA
AhB,C;UACI,cAAc,UAAU,sBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,
C;sGAiBA,yB;MAAA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UA
CI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,
C;wGAmBA,yB;MAAA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;U
ACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhB
X,C;wGAmBA,yB;MAAA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C
;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAh
BX,C;wGAmBA,yB;MAAA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,
C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;K
AhBX,C;wGAmBA,yB;MAAA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAA
hB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O
;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CA
AhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;
O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,C
AAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,
W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAA
S,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAA
O,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,oC;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB
,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,q
B;;QAEJ,OAAO,W;O;KAhBX,C;oFAmBA,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,
M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,M;
QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,M;QA
AsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,M;QAAs
B,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,M;QAAsB,
OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,M;QAAsB,OAA
O,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,M;QAAsB,OAAO
,OAAP,C;;K;sFAG1B,yB;MAAA,oC;MAAA,gC;MAAA,oC;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;
QAAsB,OAAO,oBAAP,C;;O;KAJ1B,C;kGAOA,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,
OAAO,OAAP,C;;O;KAJ1B,C;kGAOA,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,OAAO,
OAAP,C;;O;KAJ1B,C;kGAOA,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,OAAO,OAAP,
C;;O;KAJ1B,C;kGAOA,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,OAAO,OAAP,C;;
O;KAJ1B,C;kGAOA,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,OAAO,OAAP,C;;O;K
AJ1B,C;kGAOA,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,OAAO,OAAP,C;;O;KAJ
1B,C;kGAOA,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,OAAO,OAAP,C;;O;KAJ1B,
C;kGAOA,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,OAAO,OAAP,C;;O;KAJ1B,C;
kGAOA,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,OAAO,OAAP,C;;O;KAJ1B,C;kG
AOA,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,OAAO,OAAP,C;;O;KAJ1B,C;kGAO
A,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,OAAO,OAAP,C;;O;KAJ1B,C;kGAOA,
6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,OAAO,OAAP,C;;O;KAJ1B,C;kGAOA,6
B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,OAAO,OAAP,C;;O;KAJ1B,C;kGAOA,6B;
MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,OAAO,OAAP,C;;O;KAJ1B,C;kGAOA,6B;MA
IoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,OAAO,OAAP,C;;O;KAJ1B,C;kGAOA,6B;MAIo
B,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,OAAO,OAAP,C;;O;KAJ1B,C;kGAOA,yB;MAAA,
oC;MAAA,gC;MAAA,oC;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,OAAO,oBAAP,C;;O;K
AJ1B,C;oFAOA,yB;MAAA,oC;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UA
CI,cAAc,UAAU,sBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,C;0FAiBA,
yB;MAAA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU
,KAAV,EAAiB,UAAI,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;
MAAA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,
KAAV,EAAiB,UAAI,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MA
AA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,
EAAiB,UAAI,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8
D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAA
iB,UAAI,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAA
A,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,
UAAI,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,
gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UA
I,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,gD;
QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI
,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,oC;MA
AA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,sBAAI,KAAJ,
CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;oFAmBA,yB;MAAA,oC;MAAA,gC;MAAA,oC;QAIo
B,Q;QAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,OAAO,oBAAP,C;;O;KAJ1B,C;kGAOA,yB;MAAA,
oC;MAAA,gC;MAAA,oC;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAhB,SAAgB,M;QAAsB,OAAO,oBAAP,C;;O;K
AJ1B,C;kGAOA,yB;MAAA,

MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAY,C;

IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eArLmB,QAqLJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAxLe,QAwLP,CAAS,CAAT,C;YACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA9LP,yB;O;KAHJ,C;kFAMA,yB;MA8LA,8D;MAAA,oC;MA9LA,sC;QAGW,sB;;UAkMP,IAx4LO,qBAAQ,CAAw4Lf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAtMmB,QAsMJ,oBAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAzMe,QAyMP,cAAT,C;YACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA/MP,yB;O;KAHJ,C;kFAMA,yB;MA+MA,8D;MAAA,sC;QAAO,OI,IAhxLO,qBAAQ,CAgxLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAA3B,uB;;QAAA,sC;QAAO,OAAO,O;QAAd,sC;QAAO,OAAO,O;QAAd,sC;QAAO,OAAO,O;QAAd

,WkB/obG,MAAO,KlB+obO,QkB/obP,ElB+obiB,CkB/objB,C;;QlBipbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB5pbA,iB;MlB4pbA,sC;QAeiB,Q;QAFb,IAjgMO,qBAAQ,CAigMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrqbG,MAAO,KlBqqbO,QkBrqbP,ElBqqbiB,CkBrqbjB,C;;QlBuqbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBlrbA,iB;MlBkrbA,sC;QAeiB,Q;QAFb,IA/gMO,qBAAQ,CA+gMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3rbG,MAAO,KlB2rbO,QkB3rbP,ElB2rbiB,CkB3rbjB,C;;QlB6rbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxsbA,iB;MlBwsbA,sC;QAeiB,Q;QAFb,IA7hMO,qBAAQ,CA6hMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjtbG,MAAO,KlBitbO,QkBjtbP,ElBitbiB,CkBjtbjB,C;;QlBmtbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB9tbA,iB;MlB8tbA,sC;QAeiB,Q;QAFb,IA3iMO,qBAAQ,CA2iMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBvubG,MAAO,KlBuubO,QkBvubP,ElBuubiB,CkBvubjB,C;;QlBywbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBpwbA,iB;MlBowbA,sC;QAeiB,Q;QAFb,IAvkMO,qBAAQ,CAukMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBnxbG,MAAO,KlBmxbO,QkBnxbP,ElBmxbiB,CkBnxbjB,C;;QlBqxbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MkBhybA,iB;MlBgybA,sC;QAeiB,Q;QAFb,IAnlMO,qBAAQ,CAmlMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/zbG,MAAO,KlB+zbO,QkB/zbP,ElB+zbiB,CkB/zbjB,C;;QlBi0bd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB50bA,iB;MlB40bA,sC;QAeiB,Q;QAFb,IAzmMO,qBAAQ,CAymMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB32bG,MAAO,KlB22bO,QkB32bP,ElB22biB,CkB32bjB,C;;QlB62bd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx3bA,iB;MlBw3bA,sC;QAeiB,Q;QAFb,IAroMO,qBAAQ,CAqoMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBv5bG,MAAO,KlBu5bO,QkBv5bP,ElBu5biB,CkBv5bjB,C;;QlBy5bd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBp6bA,iB;MlBo6bA,sC;QAeiB,Q;QAFb,IAjqMO,qBAAQ,CAiqMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBn8bG,MAAO,KlBm8bO,QkBn8bP,ElBm8biB,CkBn8bjB,C;;QlBq8bd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBh9bA,iB;MlBg9bA,sC;QAeiB,Q;QAFb,IA7rMO,qBAAQ,CA6rMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/+bG,MAAO,KlB++bO,QkB/+bP,ElB++biB,CkB/+bjB,C;;QlBi/bd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB5/bA,iB;MlB4/bA,sC;QAeiB,Q;QAFb,IAztMO,qBAAQ,CAytMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3hcG,MAAO,KlB2hcO,QkB3hcP,ElB2hciB,CkB3hcjB,C;;QlB6hcd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxicA,iB;MlBwicA,sC;QAeiB,Q;QAFb,IArvMO,qBAAQ,CAqvMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBvkcG,MAAO,KlBukcO,QkBvkcP,ElBukciB,CkBvkcjB,C;;QlBykcd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBpmcA,iB;MlBomcA,sC;QAeiB,Q;QAFb,IAjxMO,qBAAQ,CAixMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBnocG,MAAO,KlBmocO,QkBnocP,ElBmociB,CkBnocjB,C;;QlBqocd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBhpcA,iB;MlBgpcA,sC;QAeiB,Q;QAFb,IA7yMO,qBAAQ,CA6yMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/qcG,MAAO,KlB+qcO,QkB/qcP,ElB+qciB,CkB/qcjB,C;;QlBirdd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB5rdA,iB;MlB4rdA,sC;QAeiB,Q;QAFb,IAz0MO,qBAAQ,CAy0Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3tdG,MAAO,KlB2tdO,QkB3tdP,ElB2tdiB,CkB3tdjB,C;;QlB6tdd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxudA,iB;MlBwudA,sC;QAeiB,Q;QAFb,IAr2MO,qBAAQ,CAq2Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBvwdG,MAAO,KlBuwdO,QkBvwdP,ElBuwdiB,CkBvwdjB,C;;QlBywdd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBpxdA,iB;MlBoxdA,sC;QAeiB,Q;QAFb,IAj4MO,qBAAQ,CAi4Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBnzdG,MAAO,KlBmzdO,QkBnzdP,ElBmzdiB,CkBnzdjB,C;;QlBqzdd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBh0dA,iB;MlBg0dA,sC;QAeiB,Q;QAFb,IA75MO,qBAAQ,CA65Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/1dG,MAAO,KlB+1dO,QkB/1dP,ElB+1diB,CkB/1djB,C;;QlBi2dd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB53dA,iB;MlB43dA,sC;QAeiB,Q;QAFb,IAz7MO,qBAAQ,CAy7Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB34dG,MAAO,KlB24dO,QkB34dP,ElB24diB,CkB34djB,C;;QlB64dd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx5dA,iB;MlBw5dA,sC;QAeiB,Q;QAFb,IAr9MO,qBAAQ,CAq9Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBv7dG,MAAO,KlBu7dO,QkBv7dP,ElBu7diB,CkBv7djB,C;;QlBy7dd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBp8dA,iB;MlBo8dA,sC;QAeiB,Q;QAFb,IAj/MO,qBAAQ,CAi/Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBn+dG,MAAO,KlBm+dO,QkBn+dP,ElBm+diB,CkBn+djB,C;;QlBq+dd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBhgeA,iB;MlBggeA,sC;QAeiB,Q;QAFb,IA7hNO,qBAAQ,CA6hNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/ieG,MAAO,KlB+ieO,QkB/ieP,ElB+ieiB,CkB/ejB,C;;QlBiffd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB5gfA,iB;MlB4gfA,sC;QAeiB,Q;QAFb,IAzjNO,qBAAQ,CAyjNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3kfG,MAAO,KlB2kfO,QkB3kfP,ElB2kfiB,CkB3kfjB,C;;QlB6kfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxlfA,iB;MlBwlfA,sC;QAeiB,Q;QAFb,IArlNO,qBAAQ,CAqlNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBvmfG,MAAO,KlBumfO,QkBvmfP,ElBumfiB,CkBvmfjB,C;;QlBymfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBpnfA,iB;MlBonfA,sC;QAeiB,Q;QAFb,IAjnNO,qBAAQ,CAinNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WknfG,MAAO,KlBmfO,QkBnfP,ElBmfiB,CkBnfjB,C;;QlBqfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBhgfA,iB;MlBggfA,sC;QAeiB,Q;QAFb,IA7oNO,qBAAQ,CA6oNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/ofG,MAAO,KlB+ofO,QkB/ofP,ElB+ofiB,CkB/ejB,C;;QlBiffd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB5gfA,iB;MlB4gfA,sC;QAeiB,Q;QAFb,IAzpNO,qBAAQ,CAypNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3qfG,MAAO,KlB2qfO,QkB3qfP,ElB2qfiB,CkB3qfjB,C;;QlB6qfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxrfA,iB;MlBwrfA,sC;QAeiB,Q;QAFb,IArrNO,qBAAQ,CAqrNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBvsfG,MAAO,KlBusfO,QkBvsfP,ElBusfiB,CkBvsfjB,C;;QlBysfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBptfA,iB;MlBotfA,sC;QAeiB,Q;QAFb,IAjtNO,qBAAQ,CAitNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBntfG,MAAO,KlBmtfO,QkBntfP,ElBmtfiB,CkBntfjB,C;;QlBqtfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBhufA,iB;MlBgufA,sC;QAeiB,Q;QAFb,IA7vNO,qBAAQ,CA6vNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/vfG,MAAO,KlB+vfO,QkB/vfP,ElB+vfiB,CkB/vfjB,C;;QlBiwfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB5wfA,iB;MlB4wfA,sC;QAeiB,Q;QAFb,IAzxNO,qBAAQ,CAyxNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3xfG,MAAO,KlB2xfO,QkB3xfP,ElB2xfiB,CkB3xfjB,C;;QlB6xfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxyfA,iB;MlBwyfA,sC;QAeiB,Q;QAFb,IArzNO,qBAAQ,CAqzNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBvzfG,MAAO,KlBuzfO,QkBvzfP,ElBuzfiB,CkBvzfjB,C;;QlByzfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBp0fA,iB;MlBo0fA,sC;QAeiB,Q;QAFb,IAj1NO,qBAAQ,CAi1Nf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBn1fG,MAAO,KlBm1fO,QkBn1fP,ElBm1fiB,CkBn1fjB,C;;QlBq1fd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBh2fA,iB;MlBg2fA,sC;QAeiB,Q;QAFb,IA72NO,qBAAQ,CA62Nf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/2fG,MAAO,KlB+2fO,QkB/2fP,ElB+2fiB,CkB/2fjB,C;;QlBi3fd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB54fA,iB;MlB44fA,sC;QAeiB,Q;QAFb,IAz4NO,qBAAQ,CAy4Nf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB34fG,MAAO,KlB24fO,QkB34fP,ElB24fiB,CkB34fjB,C;;QlB64fd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx5fA,iB;MlBw5fA,sC;QAeiB,Q;QAFb,IAr6NO,qBAAQ,CAq6Nf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBv6fG,MAAO,KlBu6fO,QkBv6fP,ElBu6fiB,CkBv6fjB,C;;QlBy6fd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBp7fA,iB;MlBo7fA,sC;QAeiB,Q;QAFb,IAj8NO,qBAAQ,CAi8Nf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBn8fG,MAAO,KlBm8fO,QkBn8fP,ElBm8fiB,CkBn8fjB,C;;QlBq8fd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBh9fA,iB;MlBg9fA,sC;QAeiB,Q;QAFb,IA79NO,qBAAQ,CA69Nf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/9fG,MAAO,KlB+9fO,QkB/9fP,ElB+9fiB,CkB/9fjB,C;;QlBi+fd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB5+fA,iB;MlB4+fA,sC;QAeiB,Q;QAFb,IAz+NO,qBAAQ,CAy+Nf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3+fG,MAAO,KlB2+fO,QkB3+fP,ElB2+fiB,CkB3+fjB,C;;QlB6+fd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxggBA,iB;MlBwggBA,sC;QAeiB,Q;QAFb,IArhOO,qBAAQ,CAqhOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBvggBG,MAAO,KlBuggBO,QkBvggBP,ElBuggBiB,CkBvggBjB,C;;QlBygBd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBphgBA,iB;MlBohgBA,sC;QAeiB,Q;QAFb,IAjiOO,qBAAQ,CAiiOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBnhgBG,MAAO,KlBmhgBO,QkBnhgBP,ElBmhgBiB,CkBnhgBjB,C;;QlBqhgBd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBhigBA,iB;MlBgigBA,sC;QAeiB,Q;QAFb,IA7iOO,qBAAQ,CA6iOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/igBG,MAAO,KlB+igBO,QkB/igBP,ElB+igBiB,CkB/ejB,C;;QlBiffd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB5gfA,iB;MlB4gfA,sC;QAeiB,Q;QAFb,IAzjOO,qBAAQ,CAyjOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3kgBG,MAAO,KlB2kgBO,QkB3kgBP,ElB2kgBiB,CkB3kgBjB,C;;QlB6kgBd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxlgBA,iB;MlBwlgBA,sC;QAeiB,Q;QAFb,IArkOO,qBAAQ,CAqkOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBvlgBG,MAAO,KlBulgBO,QkBvlgBP,ElBulgBiB,CkBvlgBjB,C;;QlBylgBd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBpmgBA,iB;MlBomgBA,sC;QAeiB,Q;QAFb,IAjlOO,qBAAQ,CAilOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBnmgBG,MAAO,KlBmmgBO,QkBnmgBP,ElBmmgBiB,CkBnmgBjB,C;;QlBqmgBd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBhngBA,iB;MlBgngBA,sC;QAeiB,Q;QAFb,IA7lOO,qBAAQ,CA6lOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/ngBG,MAAO,KlB+ngBO,QkB/ngBP,ElB+ngBiB,CkB/ejB,C;;QlBiffd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB5gfA,iB;MlB4gfA,sC;QAeiB,Q;QAFb,IAzmOO,qBAAQ,CAymOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3ogBG,MAAO,KlB2ogBO,QkB3ogBP,ElB2ogBiB,CkB3ogBjB,C;;QlB6ogBd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxpgBA,iB;MlBwpgBA,sC;QAeiB,Q;QAFb,IArnOO,qBAAQ,CAqnOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBvpgBG,MAAO,KlBupgBO,QkBvpgBP,ElBupgBiB,CkBvpgBjB,C;;QlBypgBd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBprgBA,iB;MlBorgBA,sC;QAeiB,Q;QAFb,IAjpOO,qBAAQ,CAipOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WknrgBG,MAAO,KlBmrgBO,QkBnrgBP,ElBmrgBiB,CkBnrgBjB,C;;QlBqrgBd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBhsgBA,iB;MlBgsgBA,sC;QAeiB,Q;QAFb,IA7qOO,qBAAQ,CA6qOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/rgBG,MAAO,KlB+rgBO,QkB/rgBP,ElB+rgBiB,CkB/rgBjB,C;;QlBisgBd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB5sgBA,iB;MlB4sgBA,sC;QAeiB,Q;QAFb,IAzsOO,qBAAQ,CAysOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3sgBG,MAAO,KlB2sgBO,QkB3sgBP,ElB2sgBiB,CkB3sgBjB,C;;QlB6sgBd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxtgBA,iB;MlBwtgBA,sC;QAeiB,Q;QAFb,IArtOO,qBAAQ,CAqtOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBvtgBG,MAAO,KlButgBO,QkBvtgBP,ElButgBiB,CkBvtgBjB,C;;QlBytgBd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBpugBA,iB;MlBougBA,sC;QAeiB,Q;QAFb,IAjuOO,qBAAQ,CAiuOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WknugBG,MAAO,KlBmugBO,QkBnugBP,ElBmugBiB,CkBnugBjB,C;;QlBqugBd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBhvgBA,iB;MlBgvgBA,sC;QAeiB,Q;QAFb,IA7uOO,qBAAQ,CA6uOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/vgBG,MAAO,KlB+vgBO,QkB/vgBP,ElB+vgBiB,CkB/vgBjB,C;;QlBiwgBd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB5wgBA,iB;MlB4wgBA,sC;QAeiB,Q;QAFb,IAzvOO,qBAAQ,CAyvOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3wgBG,MAAO,KlB2wgBO,QkB3wgBP,ElB2wgBiB,CkB3wgBjB,C;;QlB6wgBd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxxgBA,iB;MlBwxgBA,sC;QAeiB,Q;QAFb,IArwOO,qBAAQ,CAqwOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBvxgBG,MAAO,KlBuxgBO,QkBvxgBP,ElBuxgBiB,CkBvxgBjB,C;;QlBygBd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBpygBA,iB;MlBoygBA,sC;QAeiB,Q;QAFb,IAjxOO,qBAAQ,CAixOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WknygBG,MAAO,KlBmygBO,QkBnygBP,ElBmygBiB,CkBnygBjB,C;;QlBqygBd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBhzgBA,iB;MlBgzgBA,sC;QAeiB,Q;QAFb,IA7xOO,qBAAQ,CA6xOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/zgBG,MAAO,KlB+zgBO,QkB/zgBP,ElB+zgBiB,CkB/zgBjB,C;;QlBi0gBd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB51gBA,iB;MlB41gBA,sC;QAeiB,Q;QAFb,IAzzOO,qBAAQ,CAyzOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB31gBG,MAAO,KlB21gBO,QkB31gBP,ElB21giB,CkB31giB,C;;QlB61gBd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx2gBA,iB;MlBw2gBA,sC;QAeiB,Q;QAFb,IAr1OO,qBAAQ,CAq1Of,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,W

Bo+biB,CkBp+bjB,C;;QlBs+bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MkBj/bA,iB;MlBi/bA,sC;QAeiB,Q;QAFb,IA3xMO,qBAAQ,CA2xMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkB1/bG,MAAO,KlB0/bO,QkB1/bP,ElB0/biB,CkB1/bjB,C;;QlB4/bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA/2MO,qBAAQ,CA+2MR,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,EAAc,KAAK,CAAL,EAAd,C;YAAJ,C;QAAA,C;MAAA,C;IAAA,C;EAAA,C;AAAA,C;;QAAA,OAAA,KAAA,KAAA,K

OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1zcA,iB;MlB0zcA,sC;QAaiB,Q;QAFb,IA7nNO,qBAAQ,CA6nNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBj0cG,MAAO,KlBi0cO,QkBj0cP,ElBi0ciB,CkBj0cjB,C;;QlBm0cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB90cA,iB;MlB80cA,sC;QAaiB,Q;QAFb,IAzoNO,qBAAQ,CAyoNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBr1cG,MAAO,KlBq1cO,QkBr1cP,ElBq1ciB,CkBr1cjB,C;;QlBu1cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,oC;MAAA,8D;MkBl2cA,iB;MlBk2cA,sC;QAaiB,Q;QAFb,IArpNO,qBAAQ,CAqpNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WkBz2cG,MAAO,KlBy2cO,QkBz2cP,ElBy2ciB,CkBz2cjB,C;;QlB22cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBt3cA,iB;MlBs3cA,sC;QAaiB,Q;QAFb,IAzuNO,qBAAQ,CAyuNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB73cG,MAAO,KlB63cO,QkB73cP,ElB63ciB,CkB73cjB,C;;QlB+3cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB14cA,iB;MlB04cA,sC;QAaiB,Q;QAFb,IAvvNO,qBAAQ,CAuvNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBj5cG,MAAO,KlBi5cO,QkBj5cP,ElBi5ciB,CkBj5cjB,C;;QlBm5cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB96cA,iB;MlB86cA,sC;QAaiB,Q;QAFb,IAvwNO,qBAAQ,CAuwNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBr7cG,MAAO,KlBq7cO,QkBr7cP,ElBq7ciB,CkBr7cjB,C;;QlBu7cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBl8cA,iB;MlBk8cA,sC;QAaiB,Q;QAFb,IAxxNO,qBAAQ,CAwxNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBz8cG,MAAO,KlBy8cO,QkBz8cP,ElBy8ciB,CkBz8cjB,C;;QlB28cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBt9cA,iB;MlBs9cA,sC;QAaiB,Q;QAFb,IAzyNO,qBAAQ,CAyyNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB79cG,MAAO,KlB69cO,QkB79cP,ElB69ciB,CkB79cjB,C;;QlB+9cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1+cA,iB;MlB0+cA,sC;QAaiB,Q;QAFb,IAvzNO,qBAAQ,CAuzNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBj/cG,MAAO,KlBi/cO,QkBj/cP,ElBi/ciB,CkBj/cjB,C;;QlBm/cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9/cA,iB;MlB8/cA,sC;QAaiB,Q;QAFb,IAv0NO,qBAAQ,CAu0Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrgdG,MAAO,KlBqgdO,QkBrgdP,ElBqgdiB,CkBrgdjB,C;;QlBugdd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBlhdA,iB;MlBkhdA,sC;QAaiB,Q;QAFb,IA11NO,qBAAQ,CA01Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzhdG,MAAO,KlByhdO,QkBzhdP,ElByhdiB,CkBzhdjB,C;;QlB2hdd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBtidA,iB;MlBsidA,sC;QAaiB,Q;QAFb,IA72NO,qBAAQ,CA62Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7idG,MAAO,KlB6idO,QkB7idP,ElB6idiB,CkB7idjB,C;;QlB+idd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1jdA,iB;MlB0jdA,sC;QAaiB,Q;QAFb,IAv4NO,qBAAQ,CAu4Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjkdG,MAAO,KlBikdO,QkBjkdP,ElBikdiB,CkBjkdjB,C;;QlBmkdd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9kdA,iB;MlB8kdA,sC;QAaiB,Q;QAFb,IA15NO,qBAAQ,CA05Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrldG,MAAO,KlBqldO,QkBrldP,ElBqldiB,CkBrldjB,C;;QlBuldd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBlmdA,iB;MlBkmdA,sC;QAaiB,Q;QAFb,IA78NO,qBAAQ,CA68Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzmdG,MAAO,KlBymdO,QkBzmdP,ElBymdiB,CkBzmdjB,C;;QlB2mdd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBtndA,iB;MlBsndA,sC;QAaiB,Q;QAFb,IAh+NO,qBAAQ,CAg+Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7ndG,MAAO,KlB6ndO,QkB7ndP,ElB6ndiB,CkB7ndjB,C;;QlB+ndd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1odA,iB;MlB0odA,sC;QAaiB,Q;QAFb,IAv/NO,qBAAQ,CAu/Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjpdG,MAAO,KlBipdO,QkBjpdP,ElBipdiB,CkBjpdjB,C;;QlBmpdd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9pdA,iB;MlB8pdA,sC;QAaiB,Q;QAFb,IAvgOO,qBAAQ,CAugOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrqdG,MAAO,KlBqqdO,QkBrqdP,ElBqqdiB,CkBrqdjB,C;;QlBuqdd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBlrdA,iB;MlBkrdA,sC;QAaiB,Q;QAFb,IAxhOO,qBAAQ,CAwhOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzrdG,MAAO,KlByrdO,QkBzrdP,ElByrdiB,CkBzrdjB,C;;QlB2rdd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBtsdA,iB;MlBssdA,sC;QAaiB,Q;QAFb,IAziOO,qBAAQ,CAyiOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7sdG,MAAO,KlB6sdO,QkB7sdP,ElB6sdiB,CkB7sdjB,C;;QlB+sdd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1tdA,iB;MlB0tdA,sC;QAaiB,Q;QAFb,IAvjOO,qBAAQ,CAujOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjudG,MAAO,KlBiudO,QkBjudP,ElBiudiB,CkBjudjB,C;;QlBmudd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9udA,iB;MlB8udA,sC;QAaiB,Q;QAFb,IAvkOO,qBAAQ,CAukOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrvdG,MAAO,KlBqvdO,QkBrvdP,ElBqvdiB,CkBrvdjB,C;;QlBuvdd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBlwdA,iB;MlBkwdA,sC;QAaiB,Q;QAFb,IAxlOO,qBAAQ,CAwlOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzwdG,MAAO,KlBywdO,QkBzwdP,ElBywdiB,CkBzwdjB,C;;QlB2wdd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBtxdA,iB;MlBsxdA,sC;QAaiB,Q;QAFb,IAzmOO,qBAAQ,CAymOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7xdG,MAAO,KlB6xdO,QkB7xdP,ElB6xdiB,CkB7xdjB,C;;QlB+xdd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1ydA,iB;MlB0ydA,sC;QAaiB,Q;QAFb,IAvnOO,qBAAQ,CAunOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjzdG,MAAO,KlBizdO,QkBjzdP,ElBizdiB,CkBjzdjB,C;;QlBmzdd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB90dA,iB;MlB80dA,sC;QAaiB,Q;QAFb,IAvoOO,qBAAQ,CAuoOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBr1dG,MAAO,KlBq1dO,QkBr1dP,ElBq1diB,CkBr1djB,C;;QlBu1dd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBl2dA,iB;MlBk2dA,sC;QAaiB,Q;QAFb,IAxpOO,qBAAQ,CAwpOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBz2dG,MAAO,KlBy2dO,QkBz2dP,ElBy2diB,CkBz2djB,C;;QlB22dd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBt3dA,iB;MlBs3dA,sC;QAaiB,Q;QAFb,IAzqOO,qBAAQ,CAyqOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB73dG,MAAO,KlB63dO,QkB73dP,ElB63diB,CkB73djB,C;;QlB+3dd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB15dA,iB;MlB05dA,sC;QAaiB,Q;QAFb,IAvrOO,qBAAQ,CAurOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBj5dG,MAAO,KlBi5dO,QkBj5dP,ElBi5diB,CkBj5djB,C;;QlBm5dd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB96dA,iB;MlB86dA,sC;QAaiB,Q;QAFb,IAvsOO,qBAAQ,CAusOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBr7dG,MAAO,KlBq7dO,QkBr7dP,ElBq7diB,CkBr7djB,C;;QlBu7dd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBl8dA,iB;MlBk8dA,sC;QAaiB,Q;QAFb,IAxtOO,qBAAQ,CAwtOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBz8dG,MAAO,KlBy8dO,QkBz8dP,ElBy8diB,CkBz8djB,C;;QlB28dd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBt9dA,iB;MlBs9dA,sC;QAaiB,Q;QAFb,IAzuOO,qBAAQ,CAyuOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB79dG,MAAO,KlB69dO,QkB79dP,ElB69diB,CkB79djB,C;;QlB+9dd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1+dA,iB;MlB0+dA,sC;QAaiB,Q;QAFb,IAvvOO,qBAAQ,CAuvOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBj/dG,MAAO,KlBi/dO,QkBj/dP,ElBi/diB,CkBj/djB,C;;QlBm/dd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9/dA,iB;MlB8/dA,sC;QAaiB,Q;QAFb,IAvwOO,qBAAQ,CAuwOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrgeG,MAAO,KlBqgeO,QkBrgeP,ElBqgeiB,CkBrgejB,C;;QlBuged,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBlheA,iB;MlBkheA,sC;QAaiB,Q;QAFb,IAxxOO,qBAAQ,CAwxOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzheG,MAAO,KlByheO,QkBzheP,ElByheiB,CkBzhejB,C;;QlB2hed,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBtieA,iB;MlBsieA,sC;QAaiB,Q;QAFb,IAzyOO,qBAAQ,CAyyOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7ieG,MAAO,KlB6ieO,QkB7iePP,ElB6ieiB,CkB7iejB,C;;QlB+ied,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1jeA,iB;MlB0jeA,sC;QAaiB,Q;QAFb,IAvzOO,qBAAQ,CAuzOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjkeG,MAAO,KlBikeO,QkBjkePP,ElBikeiB,CkBjkejB,C;;QlBmked,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9keA,iB;MlB8keA,sC;QAaiB,Q;QAFb,IAv0OO,qBAAQ,CAu0OhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrleG,MAAO,KlBqleO,QkBrlePP,ElBqleiB,CkBrlejB,C;;QlBuled,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBlmeA,iB;MlBkmeA,sC;QAaiB,Q;QAFb,IAx1OO,qBAAQ,CAw1OhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzmeG,MAAO,KlBymeO,QkBzmePP,ElBymeiB,CkBzmejB,C;;QlB2med,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBtneA,iB;MlBsneA,sC;QAaiB,Q;QAFb,IAz2OO,qBAAQ,CAy2OhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7neG,MAAO,KlB6neO,QkB7nePP,ElB6neiB,CkB7nejB,C;;QlB+ned,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1oeA,iB;MlB0oeA,sC;QAaiB,Q;QAFb,IAv3OO,qBAAQ,CAu3OhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjpeG,MAAO,KlBipeO,QkBjpePP,ElBipeiB,CkBjpejB,C;;QlBmped,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9peA,iB;MlB8peA,sC;QAaiB,Q;QAFb,IAv4OO,qBAAQ,CAu4OhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrqeG,MAAO,KlBqqeO,QkBrqePP,ElBqqeiB,CkBrqejB,C;;QlBuqed,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBlreA,iB;MlBkreA,sC;QAaiB,Q;QAFb,IAx5OO,qBAAQ,CAw5OhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzreG,MAAO,KlByreO,QkBzrePP,ElByreiB,CkBzrejB,C;;QlB2red,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBtseA,iB;MlBsseA,sC;QAaiB,Q;QAFb,IAz6OO,qBAAQ,CAy6OhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7seG,MAAO,KlB6seO,QkB7sePP,ElB6seiB,CkB7sejB,C;;QlB+sed,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1teA,iB;MlB0teA,sC;QAaiB,Q;QAFb,IAv7OO,qBAAQ,CAu7OhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjueG,MAAO,KlBiueO,QkBjuePP,ElBiueiB,CkBjuejB,C;;QlBmued,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9ueA,iB;MlB8ueA,sC;QAaiB,Q;QAFb,IAv8OO,qBAAQ,CAu8OhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrveG,MAAO,KlBqveO,QkBrvePP,ElBqveiB,CkBrvejB,C;;QlBuved,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBlweA,iB;MlBkweA,sC;QAaiB,Q;QAFb,IAx9OO,qBAAQ,CAw9OhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzweG,MAAO,KlBywdO,QkBzwdP,ElBywdiB,CkBzwdjB,C;;QlB2wdd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBtxeA,iB;MlBsxeA,sC;QAaiB,Q;QAFb,IAz+OO,qBAAQ,CAy+OhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7xeG,MAAO,KlB6xeO,QkB7xePP,ElB6xeiB,CkB7xejB,C;;QlB+xed,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1yeA,iB;MlB0yeA,sC;QAaiB,Q;QAFb,IAv/OO,qBAAQ,CAu/OhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjzeG,MAAO,KlBiyeO,QkBjyeP,ElBiyeiB,CkBjyejB,C;;QlBmyed,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9yeA,iB;MlB8yeA,sC;QAaiB,Q;QAFb,IAvgPO,qBAAQ,CAugPhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrzeG,MAAO,KlBqyeO,QkBryeP,ElBqyeiB,CkBryejB,C;;QlBuyed,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBl0eA,iB;MlBk0eA,sC;QAaiB,Q;QAFb,IAxhPO,qBAAQ,CAwhPhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBz0eG,MAAO,KlBy0eO,QkBz0eP,ElBy0eiB,CkBz0ejB,C;;QlB20ed,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBt1eA,iB;MlBs1eA,sC;QAaiB,Q;QAFb,IAziPO,qBAAQ,CAyiPhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB71eG,MAAO,KlB61eO,QkB71eP,ElB61eiB,CkB71ejB,C;;QlB+1ed,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB13eA,iB;MlB03eA,sC;QAaiB,Q;QAFb,IAvjPO,qBAAQ,CAujPhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBj3eG,MAAO,KlBi3eO,QkBj3eP,ElBi3eiB,CkBj3ejB,C;;QlBm3ed,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB94eA,iB;MlB84eA,sC;QAaiB,Q;QAFb,IAvkPO,qBAAQ,CAukPhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBr5eG,MAAO,KlBq5eO,QkBr5eP,ElBq5eiB,CkBr5ejB,C;;QlBu5ed,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBl6eA,iB;MlBk6eA,sC;QAaiB,Q;QAFb,IAxlPO,qBAAQ,CAwlPhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBz6eG,MAAO,KlBy6eO,QkBz6eP,ElBy6eiB,CkBz6ejB,C;;QlB26ed,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBt7eA,iB;MlBs7eA,sC;QAaiB,Q;QAFb,IAzmPO,qBAAQ,CAymPhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB77eG,MAAO,KlB67eO,QkB77eP,ElB67eiB,CkB77ejB,C;;QlB+7ed,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB18eA,iB;MlB08eA,sC;QAaiB,Q;QAFb,IAvnPO,qBAAQ,CAunPhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBj9eG,MAAO,KlBi9eO,QkBj9eP,ElBi9eiB,CkBj9ejB,C;;QlBm9ed,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9+eA,iB;MlB8+eA,sC;QAaiB,Q;QAFb,IAvoPO,qBAAQ,CAuoPhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBr+eG,MAAO,KlBq+eO,QkBr+eP,ElBq+eiB,CkBr+ejB,C;;QlBu+ed,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBlgfA,iB;MlBkgfA,sC;QAaiB,Q;QAFb,IAxpPO,qBAAQ,CAwpPhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzgfG,MAAO,KlBygfO,QkBzgfP,ElBygfiB,CkBzgfjB,C;;QlB2gfd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBthfA,iB;MlBshfA,sC;QAaiB,Q;QAFb,IAzqPO,qBAAQ,CAyqPhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7hfG,MAAO,KlB6hfO,QkB7hfP,ElB6hfiB,CkB7hfjB,C;;QlB+hfd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1ifA,iB;MlB0ifA,sC;QAaiB,Q;QAFb,IAvrPO,qBAAQ,CAurPhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjjfG,MAAO,KlBijfO,QkBjjfP,ElBijfiB,CkBjjfjB,C;;QlBmjfd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9jfA,iB;MlB8jfA,sC;QAaiB,Q;QAFb,IAvsPO,qBAAQ,CAusPhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrkfG,MAAO,KlBqkfO,QkBrkfP,ElBqkfiB,CkBrkfjB,C;;QlBukfd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBllfA,iB;MlBklfA,sC;QAaiB,Q;QAFb,IAxtPO,qBAAQ,CAwtPhB,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,

MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA38NO,qBAAQ,CA28Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAv9NO,qBAAQ,CAu9Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAn+NO,qBAAQ,CAm+Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA/+NO,qBAAQ,CA++Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3/NO,qBAAQ,CA2/Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvgOO,qBAAQ,CAugOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnhOO,qBAAQ,CAmhOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3hOO,qBAAQ,CA2hOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAviOO,qBAAQ,CAuiOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnjOO,qBAAQ,CAmjOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3jOO,qBAAQ,CA2jOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvkOO,qBAAQ,CAukOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnlOO,qBAAQ,CAmlOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3lOO,qBAAQ,CA2lOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvmOO,qBAAQ,CAumOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnnOO,qBAAQ,CAmnOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3nOO,qBAAQ,CA2nOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvoOO,qBAAQ,CAuoOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnpOO,qBAAQ,CAmpOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3pOO,qBAAQ,CA2pOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvqOO,qBAAQ,CAuqOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnrOO,qBAAQ,CAmrOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3rOO,qBAAQ,CA2rOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvsOO,qBAAQ,CAusOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAntOO,qBAAQ,CAmtOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3tOO,qBAAQ,CA2tOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvuOO,qBAAQ,CAuuOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnvOO,qBAAQ,CAmvOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3vOO,qBAAQ,CA2vOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvwOO,qBAAQ,CAuwOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnxOO,qBAAQ,CAmxOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3xOO,qBAAQ,CA2xOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvyOO,qBAAQ,CAuyOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnzOO,qBAAQ,CAmzOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3zOO,qBAAQ,CA2zOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAv0OO,qBAAQ,CAu0Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAn1OO,qBAAQ,CAm1Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA31OO,qBAAQ,CA21Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAv2OO,qBAAQ,CAu2Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAn3OO,qBAAQ,CAm3Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA33OO,qBAAQ,CA23Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAv4OO,qBAAQ,CAu4Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAn5OO,qBAAQ,CAm5Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA35OO,qBAAQ,CA25Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAv6OO,qBAAQ,CAu6Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAn7OO,qBAAQ,CAm7Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA37OO,qBAAQ,CA27Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAv8OO,qBAAQ,CAu8Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAn9OO,qBAAQ,CAm9Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA39OO,qBAAQ,CA29Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAv+OO,qBAAQ,CAu+Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAn/OO,qBAAQ,CAm/Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3/OO,qBAAQ,CA2/Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvgPO,qBAAQ,CAugPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnhPO,qBAAQ,CAmhPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3hPO,qBAAQ,CA2hPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAviPO,qBAAQ,CAuiPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnjPO,qBAAQ,CAmjPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3jPO,qBAAQ,CA2jPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvkPO,qBAAQ,CAukPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnlPO,qBAAQ,CAmlPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3lPO,qBAAQ,CA2lPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvmPO,qBAAQ,CAumPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnnPO,qBAAQ,CAmnPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3nPO,qBAAQ,CA2nPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvoPO,qBAAQ,CAuoPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnpPO,qBAAQ,CAmpPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3pPO,qBAAQ,CA2pPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvqPO,qBAAQ,CAuqPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnrPO,qBAAQ,CAmrPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO

AAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB
,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD
;QAWiB,Q;QAFb,IA7yOO,qBAAQ,CA6yOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QA
CF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,
EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAA
A,8D;MAAA,kD;QAWiB,Q;QAFb,IAzzOO,qBAAQ,CAyzOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CA
AL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAA
W,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,
8D;MAAA,kD;QAWiB,Q;QAFb,IAr0OO,qBAAQ,CAq0Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAL,
CAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,
QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,
kD;QAWiB,Q;QAFb,IAj1OO,qBAAQ,CAi1Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QA
CF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,
EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,
Q;QAFb,IA71OO,qBAAQ,CA61Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,
aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,
GAAkC,CAAtC,C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAz2OO,
qBAAQ,CAy2Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB
;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,
C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,oC;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAr3OO,qBAAQ,
CAq3Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ
,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;;;QAGnB,
OAAO,Q;O;KAjBX,C;IAoBA,8B;MASiB,Q;MAFb,IAv8OO,qBAAQ,CAu8Of,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,
CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkB3leG,MAAO,KlB2leE,GkB3leF,ElB2leO,CkB3leP,C;;MlB6led,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IAv9OO,qBAAQ,CAu9Of,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkBtneG,MAAO,KlBsneE,GkBtneF,ElBsneO,CkBtneP,C;;MlBwned,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAr+OO,qBAAQ,CAq+Of,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAv/OO,qBAAQ,CAu/Of,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAz/OO,qBAAQ,CAy/Of,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA3/OO,qBAAQ,CA2/Of,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA7/OO,qBAAQ,CA6/Of,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA//OO,qBAAQ,CA+/Of,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAjgPO,qBAAQ,CAigPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAngPO,qBAAQ,CAmgPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IArgPO,qBAAQ,CAqgPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAvgPO,qBAAQ,CAugPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAzgPO,qBAAQ,CAygPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA3gPO,qBAAQ,CA2gPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA7gPO,qBAAQ,CA6gPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA/gPO,qBAAQ,CA+gPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAjhPO,qBAAQ,CAihPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAnhPO,qBAAQ,CAmhPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IArhPO,qBAAQ,CAqhPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAvhPO,qBAAQ,CAuhPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAzhPO,qBAAQ,CAyhPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA3hPO,qBAAQ,CA2hPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA7hPO,qBAAQ,CA6hPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA/hPO,qBAAQ,CA+hPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAjiPO,qBAAQ,CAiiPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAniPO,qBAAQ,CAmiPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAriPO,qBAAQ,CAqiPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAviPO,qBAAQ,CAuiPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAziPO,qBAAQ,CAyiPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA3iPO,qBAAQ,CA2iPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA7iPO,qBAAQ,CA6iPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA/iPO,qBAAQ,CA+iPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAjjPO,qBAAQ,CAijPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAnjPO,qBAAQ,CAmjPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IArjPO,qBAAQ,CAqjPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAvjPO,qBAAQ,CAujPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAzjPO,qBAAQ,CAyjPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA3jPO,qBAAQ,CA2jPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA7jPO,qBAAQ,CA6jPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA/jPO,qBAAQ,CA+jPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAjkPO,qBAAQ,CAikPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAnkPO,qBAAQ,CAmkPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IArkPO,qBAAQ,CAqkPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAvkPO,qBAAQ,CAukPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAzkPO,qBAAQ,CAykPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA3kPO,qBAAQ,CA2kPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA7kPO,qBAAQ,CA6kPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA/kPO,qBAAQ,CA+kPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAjlPO,qBAAQ,CAilPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAnlPO,qBAAQ,CAmlPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IArlPO,qBAAQ,CAqlPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAvlPO,qBAAQ,CAulPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAzlPO,qBAAQ,CAylPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA3lPO,qBAAQ,CA2lPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA7lPO,qBAAQ,CA6lPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA/lPO,qBAAQ,CA+lPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAjmPO,qBAAQ,CAimPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAnmPO,qBAAQ,CAmmPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IArmPO,qBAAQ,CAqmPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAvmPO,qBAAQ,CAumPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAzmPO,qBAAQ,CAymPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA3mPO,qBAAQ,CA2mPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA7mPO,qBAAQ,CA6mPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA/mPO,qBAAQ,CA+mPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAjnPO,qBAAQ,CAinPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAnnPO,qBAAQ,CAmnPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IArnPO,qBAAQ,CAqnPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAvnPO,qBAAQ,CAunPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAznPO,qBAAQ,CAynPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA3nPO,qBAAQ,CA2nPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA7nPO,qBAAQ,CA6nPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA/nPO,qBAAQ,CA+nPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAjoPO,qBAAQ,CAioPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAnoPO,qBAAQ,CAmoPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAroPO,qBAAQ,CAqoPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAvoPO,qBAAQ,CAuoPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAzoPO,qBAAQ,CAyoPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA3oPO,qBAAQ,CA2oPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,

2BAAc,UAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,8C;MAOiB,Q;MAFb,IA/oPO,qBAAQ,CA+oPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IArpPO,qBAAQ,CAqpPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA3pPO,qBAAQ,CA2pPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAjqPO,qBAAQ,CAiqPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAvqPO,qBAAQ,CAuqPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA7qPO,qBAAQ,CA6qPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAnrPO,qBAAQ,CAmrPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAzrPO,qBAAQ,CAyrPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/rPO,qBAAQ,CA+rPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAnsPO,qBAAQ,CAmsPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAzsPO,qBAAQ,CAysPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/sPO,qBAAQ,CA+sPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAntPO,qBAAQ,CAmtPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAztPO,qBAAQ,CAytPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/tPO,qBAAQ,CA+tPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAnuPO,qBAAQ,CAmuPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAzuPO,qBAAQ,CAyuPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/uPO,qBAAQ,CA+uPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAnvPO,qBAAQ,CAmvPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAzvPO,qBAAQ,CAyvPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/vPO,qBAAQ,CA+vPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAnwPO,qBAAQ,CAmwPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAzwPO,qBAAQ,CAywPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/wPO,qBAAQ,CA+wPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAnxPO,qBAAQ,CAmxPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAzxPO,qBAAQ,CAyxPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/xPO,qBAAQ,CA+xPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAnyPO,qBAAQ,CAmyPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAzyPO,qBAAQ,CAyyPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/yPO,qBAAQ,CA+yPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAnzPO,qBAAQ,CAmzPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAzzPO,qBAAQ,CAyzPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/zPO,qBAAQ,CA+zPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAn0PO,qBAAQ,CAm0Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAz0PO,qBAAQ,CAy0Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/0PO,qBAAQ,CA+0Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAn1PO,qBAAQ,CAm1Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAz1PO,qBAAQ,CAy1Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/1PO,qBAAQ,CA+1Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAn2PO,qBAAQ,CAm2PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAz2PO,qBAAQ,CAy2PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/2PO,qBAAQ,CA+2PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAn3PO,qBAAQ,CAm3PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAz3PO,qBAAQ,CAy3PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/3PO,qBAAQ,CA+3PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAn4PO,qBAAQ,CAm4PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAz4PO,qBAAQ,CAy4PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/4PO,qBAAQ,CA+4PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAn5PO,qBAAQ,CAm5PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAz5PO,qBAAQ,CAy5PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/5PO,qBAAQ,CA+5PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAn6PO,qBAAQ,CAm6PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAz6PO,qBAAQ,CAy6PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/6PO,qBAAQ,CA+6PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAn7PO,qBAAQ,CAm7PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAz7PO,qBAAQ,CAy7PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/7PO,qBAAQ,CA+7PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAn8PO,qBAAQ,CAm8PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAz8PO,qBAAQ,CAy8PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/8PO,qBAAQ,CA+8PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAn9PO,qBAAQ,CAm9PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAz9PO,qBAAQ,CAy9PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/9PO,qBAAQ,CA+9PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAn+PO,qBAAQ,CAm+PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAz+PO,qBAAQ,CAy+PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/+PO,qBAAQ,CA++PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAn/PO,qBAAQ,CAm/PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAz/PO,qBAAQ,CAy/PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA//PO,qBAAQ,CA+/PR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAngQO,qBAAQ,CAmgQR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAzgQO,qBAAQ,CAygQR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/gQO,qBAAQ,CA+gQR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAnhQO,qBAAQ,CAmhQR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAzhQO,qBAAQ,CAyhQR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/hQO,qBAAQ,CA+hQR,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAniQO

UAAK,CAAL,C;YACR,QArIe,QAqIP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA3IP,yB;O;KAHJ,C;kFAMA,yB;MA2IA,8D;MA3IA,sC;QAGW,sB;;UA+IP,IA98PO,qBAAQ,CA88Pf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAnJmB,QAmJJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAtJe,QAsJP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA5JP,yB;O;KAHJ,C;kFAMA,yB;MA4JA,8D;MA5JA,sC;QAGW,sB;;UAgKP,IA79PO,qBAAQ,CA69Pf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eApKmB,QAoKJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAvKe,QAuKP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA7KP,yB;O;KAHJ,C;kFAMA,yB;MA6KA,8D;MA7KA,sC;QAGW,sB;;UAiLP,IA98PO,qBAAQ,CA88Pf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eArLmB,QAqLJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAxLe,QAwLP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA9LP,yB;O;KAHJ,C;kFAMA,yB;MA8LA,8D;MA9LA,sC;QAGW,sB;;UAkMP,IA/9PO,qBAAQ,CA+9Pf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAtMmB,QAsMJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAzMe,QAyMP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA/MP,yB;O;KAHJ,C;kFAMA,yB;MA+MA,8D;MA/MA,sC;QAGW,sB;;UAmNP,IAhgQO,qBAAQ,CAggQf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAvNmB,QAuNJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA1Ne,QA0NP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAhOP,yB;O;KAHJ,C;kFAMA,yB;MAgOA,8D;MAhOA,sC;QAGW,sB;;UAoOP,IAjhQO,qBAAQ,CAihQf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAxOmB,QAwOJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA3Oe,QA2OP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAjPP,yB;O;KAHJ,C;kFAMA,yB;MAiPA,8D;MAjPA,sC;QAGW,sB;;UAqPP,IAlkQO,qBAAQ,CAkkQf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAzPmB,QAyPJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA5Pe,QA4PP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlQP,yB;O;KAHJ,C;kFAMA,yB;MAkQA,8D;MAlQA,sC;QAGW,sB;;UAsQP,IAnnQO,qBAAQ,CAmnQf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA1QmB,QA0QJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA7Qe,QA6QP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAnRP,yB;O;KAHJ,C;kFAMA,yB;MAmRA,8D;MAnRA,sC;QAGW,sB;;UAuRP,IApqQO,qBAAQ,CAoqQf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3RmB,QA2RJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA9Re,QA8RP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QApSP,yB;O;KAHJ,C;kFAMA,yB;MAoSA,8D;MApSA,sC;QAGW,sB;;UAwSP,IArtQO,qBAAQ,CAqtQf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA5SmB,QA4SJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA/Se,QA+SP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QArTP,yB;O;KAHJ,C;kFAMA,yB;MAqTA,8D;MArTA,sC;QAGW,sB;;UAyTP,IAtwQO,qBAAQ,CAswQf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA7TmB,QA6TJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAhUe,QAgUP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAtUP,yB;O;KAHJ,C;kFAMA,yB;MAsUA,8D;MAtUA,sC;QAGW,sB;;UA0UP,IAvzQO,qBAAQ,CAuzQf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA9UmB,QA8UJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAjVe,QAiVP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAvVP,yB;O;KAHJ,C;kFAMA,yB;MAuVA,8D;MAvVA,sC;QAGW,sB;;UA2VP,IAx2QO,qBAAQ,CAw2Qf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA/VmB,QA+VJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAlWe,QAkWP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAxWP,yB;O;KAHJ,C;kFAMA,yB;MAwWA,8D;MAxWA,sC;QAGW,sB;;UA4WP,IAz5QO,qBAAQ,CAy5Qf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAhXmB,QAgXJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAnXe,QAmXP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAzXP,yB;O;KAHJ,C;kFAMA,yB;MAyXA,8D;MAzXA,sC;QAGW,sB;;UA6XP,IA18QO,qBAAQ,CA08Qf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAjYmB,QAiYJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QApYe,QAoYP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA1YP,yB;O;KAHJ,C;kFAMA,yB;MA0YA,8D;MA1YA,sC;QAGW,sB;;UA8YP,IA37QO,qBAAQ,CA27Qf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAlZmB,QAkZJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QArZe,QAqZP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA3ZP,yB;O;KAHJ,C;kFAMA,yB;MA2ZA,8D;MA3ZA,sC;QAGW,sB;;UA+ZP,IA58QO,qBAAQ,CA48Qf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAnamB,QAmaJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAtae,QAsaP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA5aP,yB;O;KAHJ,C;kFAMA,yB;MA4aA,8D;MA5aA,sC;QAGW,sB;;UAgbP,IA79QO,qBAAQ,CA69Qf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eApbmB,QAobJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAvbe,QAubP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA7bP,yB;O;KAHJ,C;kFAMA,yB;MA6bA,8D;MA7bA,sC;QAGW,sB;;UAicP,IA9+QO,qBAAQ,CA8+Qf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eArcmB,QAqcJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAxce,QAwcP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA9cP,yB;O;KAHJ,C;kFAMA,yB;MA8cA,8D;MA9cA,sC;QAGW,sB;;UAkdP,IA/gRO,qBAAQ,CA+gRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAtdmB,QAscJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAzde,QAydP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA/dP,yB;O;KAHJ,C;kFAMA,yB;MA+dA,8D;MA/dA,sC;QAGW,sB;;UAmeP,IAhiRO,qBAAQ,CAgiRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAvemB,QAueJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA1ee,QA0eP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAhfP,yB;O;KAHJ,C;kFAMA,yB;MAgfA,8D;MAhfA,sC;QAGW,sB;;UAofP,IAjjRO,qBAAQ,CAijRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAxfmB,QAwfJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA3fe,QA2fP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAjgBP,yB;O;KAHJ,C;kFAMA,yB;MAigBA,8D;MAjgBA,sC;QAGW,sB;;UAqgBP,IAlkRO,qBAAQ,CAkkRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAzgBmB,QAygBJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA5ge,QA4gBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlhBP,yB;O;KAHJ,C;kFAMA,yB;MAkhBA,8D;MAlhBA,sC;QAGW,sB;;UAshBP,IAnlRO,qBAAQ,CAmlRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA1hBmB,QA0hBJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA7he,QA6hBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAniBP,yB;O;KAHJ,C;kFAMA,yB;MAmiBA,8D;MAniBA,sC;QAGW,sB;;UAuiBP,IAplRO,qBAAQ,CAolRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3iBmB,QA2iBJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA9ie,QA8iBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QApjBP,yB;O;KAHJ,C;kFAMA,yB;MAojBA,8D;MApjBA,sC;QAGW,sB;;UAwjBP,IArmRO,qBAAQ,CAqmRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA5jBmB,QA4jBJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA/je,QA+jBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QArkBP,yB;O;KAHJ,C;kFAMA,yB;MAqkBA,8D;MArkBA,sC;QAGW,sB;;UAykBP,IAtnRO,qBAAQ,CAsnRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA7kBmB,QA6kBJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAhle,QAglBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAtlBP,yB;O;KAHJ,C;kFAMA,yB;MAslBA,8D;MAtlBA,sC;QAGW,sB;;UA0lBP,IAvoRO,qBAAQ,CAuoRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA9lBmB,QA8lBJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAjme,QAimBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAvmBP,yB;O;KAHJ,C;kFAMA,yB;MAumBA,8D;MAvmBA,sC;QAGW,sB;;UA2mBP,IAxpRO,qBAAQ,CAwpRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA/mBmB,QA+mBJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAlne,QAknBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAxnBP,yB;O;KAHJ,C;kFAMA,yB;MAwnBA,8D;MAxnBA,sC;QAGW,sB;;UA4nBP,IAzqRO,qBAAQ,CAyqRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAhoBmB,QAgoBJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAnoe,QAmoBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAzoBP,yB;O;KAHJ,C;kFAMA,yB;MAyoBA,8D;MAzoBA,sC;QAGW,sB;;UA6oBP,IA1rRO,qBAAQ,CA0rRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAjpBmB,QAipBJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAppe,QAopBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA1pBP,yB;O;KAHJ,C;kFAMA,yB;MA0pBA,8D;MA1pBA,sC;QAGW,sB;;UA8pBP,IA3sRO,qBAAQ,CA2sRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAlqBmB,QAkqBJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QArqe,QAqqBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA3qBP,yB;O;KAHJ,C;kFAMA,yB;MA2qBA,8D;MA3qBA,sC;QAGW,sB;;UA+qBP,IA5tRO,qBAAQ,CA4tRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAnrBmB,QAmrBJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAtre,QAsrBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA5rBP,yB;O;KAHJ,C;kFAMA,yB;MA4rBA,8D;MA5rBA,sC;QAGW,sB;;UAgsBP,IA7uRO,qBAAQ,CA6uRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAprBmB,QAorBJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAvre,QAurBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA7sBP,yB;O;KAHJ,C;kFAMA,yB;MA6sBA,8D;MA7sBA,sC;QAGW,sB;;UAitBP,IA9vRO,qBAAQ,CA8vRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAstBmB,QAstBJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAzte,QAytBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA/tBP,yB;O;KAHJ,C;kFAMA,yB;MA+tBA,8D;MA/tBA,sC;QAGW,sB;;UAmuBP,IAhxRO,qBAAQ,CAgxRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAvuBmB,QAuuBJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA1ue,QA0uBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAjvBP,yB;O;KAHJ,C;kFAMA,yB;MAivBA,8D;MAjvBA,sC;QAGW,sB;;UAqvBP,IAlyRO,qBAAQ,CAkyRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAzvBmB,QAyvBJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA5ve,QA4vBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAnwBP,yB;O;KAHJ,C;kFAMA,yB;MAmwBA,8D;MAnwBA,sC;QAGW,sB;;UAuwBP,IApzRO,qBAAQ,CAozRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3wBmB,QA2wBJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA9we,QA8wBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QArxBP,yB;O;KAHJ,C;kFAMA,yB;MAqxBA,8D;MArxBA,sC;QAGW,sB;;UAyxBP,IAt0RO,qBAAQ,CAs0Rf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA7xBmB,QA6xBJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAhye,QAgyBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAvyBP,yB;O;KAHJ,C;kFAMA,yB;MAuyBA,8D;MAvyBA,sC;QAGW,sB;;UA2yBP,IAx1RO,qBAAQ,CAw1Rf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA/yBmB,QA+yBJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAlze,QAkzBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAzzBP,yB;O;KAHJ,C;kFAMA,yB;MAyzBA,8D;MAzzBA,sC;QAGW,sB;;UA6zBP,IA12RO,qBAAQ,CA02Rf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAj0BmB,QAi0BJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QApze,QAozBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA3zBP,yB;O;KAHJ,C;kFAMA,yB;MA2zBA,8D;MA3zBA,sC;QAGW,sB;;UA+zBP,IA53RO,qBAAQ,CA43Rf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAn0BmB,QAm0BJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAt0e,QAszBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA70BP,yB;O;KAHJ,C;kFAMA,yB;MA60BA,8D;MA70BA,sC;QAGW,sB;;UAi1BP,IA94RO,qBAAQ,CA84Rf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAr1BmB,QAq1BJ,CAAS,OAAT,C;UACf,aAAU,,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAx1e,QAw0BP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA/1BP,yB;O;KAHJ,C;kFAMA,yB;MA+1BA,8D;MA/1BA,sC;QAGW,sB;;UAm2BP,IAh6RO,qBAAQ,CAg6Rf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAv2B

B,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IA3/PO,qBAAQ,CA2/Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,B,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;gFAuBA,yB;MAAA,sE;MAAA,8D;MkB/gfA,iB;MlB+gfA,+B;QAOI,IAxlQO,qBAAQ,CAwlQf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtmQO,qBAAQ,CAsmQf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtnQO,qBAAQ,CAsnQf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtoQO,qBAAQ,CAsoQf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtpQO,qBAAQ,CAspQf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtqQO,qBAAQ,CAsqQf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtrQO,qBAAQ,CAsrQf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtsQO,qBAAQ,CAssQf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAttQO,qBAAQ,CAstQf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtuQO,qBAAQ,CAsuQf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtvQO,qBAAQ,CAsvQf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtwQO,qBAAQ,CAswQf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtxQO,qBAAQ,CAsxQf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtyQO,qBAAQ,CAsyQf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtzQO,qBAAQ,CAszQf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt0QO,qBAAQ,CAs0Qf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt1QO,qBAAQ,CAs1Qf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt2QO,qBAAQ,CAs2Qf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt3QO,qBAAQ,CAs3Qf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt4QO,qBAAQ,CAs4Qf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt5QO,qBAAQ,CAs5Qf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt6QO,qBAAQ,CAs6Qf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt7QO,qBAAQ,CAs7Qf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt8QO,qBAAQ,CAs8Qf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt9QO,qBAAQ,CAs9Qf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt+QO,qBAAQ,CAs+Qf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt/QO,qBAAQ,CAs/Qf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtgRO,qBAAQ,CAsgRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAthRO,qBAAQ,CAshRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtiRO,qBAAQ,CAsiRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtjRO,qBAAQ,CAsjRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtkRO,qBAAQ,CAskRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtlRO,qBAAQ,CAslRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtmRO,qBAAQ,CAsmRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtnRO,qBAAQ,CAsnRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtoRO,qBAAQ,CAsoRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtpRO,qBAAQ,CAspRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtqRO,qBAAQ,CAsqRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtrRO,qBAAQ,CAsrRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtsRO,qBAAQ,CAssRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAttRO,qBAAQ,CAstRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtuRO,qBAAQ,CAsuRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtvRO,qBAAQ,CAsvRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtwRO,qBAAQ,CAswRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtxRO,qBAAQ,CAsxRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtyRO,qBAAQ,CAsyRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtzRO,qBAAQ,CAszRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt0RO,qBAAQ,CAs0Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt1RO,qBAAQ,CAs1Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt2RO,qBAAQ,CAs2Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt3RO,qBAAQ,CAs3Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt4RO,qBAAQ,CAs4Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt5RO,qBAAQ,CAs5Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt6RO,qBAAQ,CAs6Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt7RO,qBAAQ,CAs7Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt8RO,qBAAQ,CAs8Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt9RO,qBAAQ,CAs9Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt+RO,qBAAQ,CAs+Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAt/RO,qBAAQ,CAs/Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtgSO,qBAAQ,CAsgSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAthSO,qBAAQ,CAshSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtiSO,qBAAQ,CAsiSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,UAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;0FAuBA,yB;MAAA,sE;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAtjSO,qBAAQ,CAsjSf,C;UAAe,OAAO,I;QACtB,eAA

Q,CAs1Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBj0fG,MAAO,KlBi0fO,QkBj0fP,ElBi0fiB,CkBj0fjB,C;;QlBm0fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB90fA,iB;MlB80fA,sC;QAeiB,Q;QAFb,IAp2QO,qBAAQ,CAo2Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBv1fG,MAAO,KlBu1fO,QkBv1fP,ElBu1fiB,CkBv1fjB,C;;QlBy1fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBp2fA,iB;MlBo2fA,sC;QAeiB,Q;QAFb,IAl3QO,qBAAQ,CAk3Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB72fG,MAAO,KlB62fO,QkB72fP,ElB62fiB,CkB72fjB,C;;QlB+2fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB13fA,iB;MlB03fA,sC;QAeiB,Q;QAFb,IAh4QO,qBAAQ,CAg4Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBn4fG,MAAO,KlBm4fO,QkBn4fP,ElBm4fiB,CkBn4fjB,C;;QlBq4fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBh5fA,iB;MlBg5fA,sC;QAeiB,Q;QAFb,IA94QO,qBAAQ,CA84Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBz5fG,MAAO,KlBy5fO,QkBz5fP,ElBy5fiB,CkBz5fjB,C;;QlB25fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA+4QO,qBAAQ,CA/4Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAh/QO,qBAAQ,CAg/Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAk/QO,qBAAQ,CAl/Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAp/QO,qBAAQ,CAo/Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAs/QO,qBAAQ,CAt/Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAw/QO,qBAAQ,CAx/Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA0/QO,qBAAQ,CA1/Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA4/QO,qBAAQ,CA5/Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA8/QO,qBAAQ,CA9/Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAggRO,qBAAQ,CAhgRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAkgRO,qBAAQ,CAlgRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAogRO,qBAAQ,CApgRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAsgRO,qBAAQ,CAtgRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAwgRO,qBAAQ,CAxgRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA0gRO,qBAAQ,CA1gRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA4gRO,qBAAQ,CA5gRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA8gRO,qBAAQ,CA9gRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAghRO,qBAAQ,CAhhRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAkhRO,qBAAQ,CAlhRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAohRO,qBAAQ,CAphRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAshRO,qBAAQ,CAthRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAwhRO,qBAAQ,CAxhRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA0hRO,qBAAQ,CA1hRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA4hRO,qBAAQ,CA5hRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA8hRO,qBAAQ,CA9hRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAgiRO,qBAAQ,CAhiRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAkiRO,qBAAQ,CAliRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAoiRO,qBAAQ,CApiRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAsiRO,qBAAQ,CAtiRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAwiRO,qBAAQ,CAxiRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA0iRO,qBAAQ,CA1iRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA4iRO,qBAAQ,CA5iRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA8iRO,qBAAQ,CA9iRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAgjRO,qBAAQ,CAhjRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAkjRO,qBAAQ,CAljRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAojRO,qBAAQ,CApjRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAsjRO,qBAAQ,CAtjRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAwjRO,qBAAQ,CAxjRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA0jRO,qBAAQ,CA1jRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA4jRO,qBAAQ,CA5jRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA8jRO,qBAAQ,CA9jRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAgkRO,qBAAQ,CAhkRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAkkRO,qBAAQ,CAlkRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAokRO,qBAAQ,CApkRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAskRO,qBAAQ,CAtkRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAwkRO,qBAAQ,CAxkRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA0kRO,qBAAQ,CA1kRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA4kRO,qBAAQ,CA5kRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA8kRO,qBAAQ,CA9kRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAglRO,qBAAQ,CAhlRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAklRO,qBAAQ,CAllRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAolRO,qBAAQ,CAplRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAslRO,qBAAQ,CAtlRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAwlRO,qBAAQ,CAxlRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA0lRO,qBAAQ,CA1lRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA4lRO,qBAAQ,CA5lRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA8lRO,qBAAQ,CA9lRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAgmRO,qBAAQ,CAhmRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAkmRO,qBAAQ,CAlmRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAomRO,qBAAQ,CApmRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAsmRO,qBAAQ,CAtmRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAwmRO,qBAAQ,CAxmRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;

gBA,sC;QAaiB,Q;QAFb,IAhsRO,qBAAQ,CAgsRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBhpgBG,MAAO,KlBgpgBO,QkBhpgBP,ElBgpgBiB,CkBhpgBjB,C;;QlBkpgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB7pgBA,iB;MlB6pgBA,sC;QAaiB,Q;QAFb,IA5sRO,qBAAQ,CA4sRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpqgBG,MAAO,KlBoqgBO,QkBpqgBP,ElBoqgBiB,CkBpqgBjB,C;;QlBsqgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBjrgBA,iB;MlBirgBA,sC;QAaiB,Q;QAFb,IAxtRO,qBAAQ,CAwtRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxrgBG,MAAO,KlBwrgBO,QkBxrgBP,ElBwrgBiB,CkBxrgBjB,C;;QlB0rgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrsgBA,iB;MlBqsgBA,sC;QAaiB,Q;QAFb,IApuRO,qBAAQ,CAouRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5sgBG,MAAO,KlB4sgBO,QkB5sgBP,ElB4sgBiB,CkB5sgBjB,C;;QlB8sgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBztgBA,iB;MlBytgBA,sC;QAaiB,Q;QAFb,IAhvRO,qBAAQ,CAgvRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBhugBG,MAAO,KlBgugBO,QkBhugBP,ElBgugBiB,CkBhugBjB,C;;QlBkugBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB7vgBA,iB;MlB6vgBA,sC;QAaiB,Q;QAFb,IA5wRO,qBAAQ,CA4wRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpwgBG,MAAO,KlBowgBO,QkBpwgBP,ElBowgBiB,CkBpwgBjB,C;;QlBswgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBjxgBA,iB;MlBixgBA,sC;QAaiB,Q;QAFb,IAxxRO,qBAAQ,CAwxRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxxgBG,MAAO,KlBwxgBO,QkBxxgBP,ElBwxgBiB,CkBxxgBjB,C;;QlB0xgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrygBA,iB;MlBqygBA,sC;QAaiB,Q;QAFb,IApzRO,qBAAQ,CAozRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5ygBG,MAAO,KlB4ygBO,QkB5ygBP,ElB4ygBiB,CkB5ygBjB,C;;QlB8ygBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBzzgBA,iB;MlByzgBA,sC;QAaiB,Q;QAFb,IAh0RO,qBAAQ,CAg0Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBp0gBG,MAAO,KlBo0gBO,QkBp0gBP,ElBo0gBiB,CkBp0gBjB,C;;QlBs0gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBj1gBA,iB;MlBi1gBA,sC;QAaiB,Q;QAFb,IAx1RO,qBAAQ,CAw1Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx1gBG,MAAO,KlBw1gBO,QkBx1gBP,ElBw1gBiB,CkBx1gBjB,C;;QlB01gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBr2gBA,iB;MlBq2gBA,sC;QAaiB,Q;QAFb,IAp3RO,qBAAQ,CAo3Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB52gBG,MAAO,KlB42gBO,QkB52gBP,ElB42gBiB,CkB52gBjB,C;;QlB82gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBz3gBA,iB;MlBy3gBA,sC;QAaiB,Q;QAFb,IAh4RO,qBAAQ,CAg4Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBp3gBG,MAAO,KlBo3gBO,QkBp3gBP,ElBo3gBiB,CkBp3gBjB,C;;QlBs3gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBj4gBA,iB;MlBi4gBA,sC;QAaiB,Q;QAFb,IAx4RO,qBAAQ,CAw4Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx4gBG,MAAO,KlBw4gBO,QkBx4gBP,ElBw4gBiB,CkBx4gBjB,C;;QlB04gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBr5gBA,iB;MlBq5gBA,sC;QAaiB,Q;QAFb,IAp6RO,qBAAQ,CAo6Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB55gBG,MAAO,KlB45gBO,QkB55gBP,ElB45gBiB,CkB55gBjB,C;;QlB85gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBz6gBA,iB;MlBy6gBA,sC;QAaiB,Q;QAFb,IAh7RO,qBAAQ,CAg7Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBp6gBG,MAAO,KlBo6gBO,QkBp6gBP,ElBo6gBiB,CkBp6gBjB,C;;QlBs6gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBj7gBA,iB;MlBi7gBA,sC;QAaiB,Q;QAFb,IAx7RO,qBAAQ,CAw7Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx7gBG,MAAO,KlBw7gBO,QkBx7gBP,ElBw7gBiB,CkBx7gBjB,C;;QlB07gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBr8gBA,iB;MlBq8gBA,sC;QAaiB,Q;QAFb,IAp9RO,qBAAQ,CAo9Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB58gBG,MAAO,KlB48gBO,QkB58gBP,ElB48gBiB,CkB58gBjB,C;;QlB88gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBz9gBA,iB;MlBy9gBA,sC;QAaiB,Q;QAFb,IAh+RO,qBAAQ,CAg+Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBp9gBG,MAAO,KlBo9gBO,QkBp9gBP,ElBo9gBiB,CkBp9gBjB,C;;QlBs9gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBj+gBA,iB;MlBi+gBA,sC;QAaiB,Q;QAFb,IAx+RO,qBAAQ,CAw+Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx+gBG,MAAO,KlBw+gBO,QkBx+gBP,ElBw+gBiB,CkBx+gBjB,C;;QlB0+gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrghBA,iB;MlBqghBA,sC;QAaiB,Q;QAFb,IAphSO,qBAAQ,CAohSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5ghBG,MAAO,KlB4ghBO,QkB5ghBP,ElB4ghBiB,CkB5ghBjB,C;;QlB8ghBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBzhhBA,iB;MlByhhBA,sC;QAaiB,Q;QAFb,IAhiSO,qBAAQ,CAgiSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBphhBG,MAAO,KlBohhBO,QkBphhBP,ElBohhBiB,CkBphhBjB,C;;QlBshhBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBjihBA,iB;MlBiihBA,sC;QAaiB,Q;QAFb,IAxiSO,qBAAQ,CAwiSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxihBG,MAAO,KlBwihBO,QkBxihBP,ElBwihBiB,CkBxihBjB,C;;QlB0ihBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrjhBA,iB;MlBqjhBA,sC;QAaiB,Q;QAFb,IApkSO,qBAAQ,CAokSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5jhBG,MAAO,KlB4jhBO,QkB5jhBP,ElB4jhBiB,CkB5jhBjB,C;;QlB8jhBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBzkhBA,iB;MlBykhBA,sC;QAaiB,Q;QAFb,IAhlSO,qBAAQ,CAglSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBplhBG,MAAO,KlBolhBO,QkBplhBP,ElBolhBiB,CkBplhBjB,C;;QlBslhBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBjmhBA,iB;MlBimhBA,sC;QAaiB,Q;QAFb,IAxmSO,qBAAQ,CAwmSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxmhBG,MAAO,KlBwmhBO,QkBxmhBP,ElBwmhBiB,CkBxmhBjB,C;;QlB0mhBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrnhBA,iB;MlBqnhBA,sC;QAaiB,Q;QAFb,IApoSO,qBAAQ,CAooSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5nhBG,MAAO,KlB4nhBO,QkB5nhBP,ElB4nhBiB,CkB5nhBjB,C;;QlB8nhBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBzohBA,iB;MlBynhBA,sC;QAaiB,Q;QAFb,IAhpSO,qBAAQ,CAgpSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpohBG,MAAO,KlBoohBO,QkBpohBP,ElBoohBiB,CkBpohBjB,C;;QlBsohBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBjphBA,iB;MlBiphBA,sC;QAaiB,Q;QAFb,IAxpSO,qBAAQ,CAwpSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxphBG,MAAO,KlBwphBO,QkBxphBP,ElBwphBiB,CkBxphBjB,C;;QlB0phBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrqhBA,iB;MlBqqhBA,sC;QAaiB,Q;QAFb,IApqSO,qBAAQ,CAoqSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5qhBG,MAAO,KlB4qhBO,QkB5qhBP,ElB4qhBiB,CkB5qhBjB,C;;QlB8qhBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBzrhBA,iB;MlByrhBA,sC;QAaiB,Q;QAFb,IAhsSO,qBAAQ,CAgsSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBprhBG,MAAO,KlBorhBO,QkBprhBP,ElBorhBiB,CkBprhBjB,C;;QlBsrhBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBjshBA,iB;MlBishBA,sC;QAaiB,Q;QAFb,IAxsSO,qBAAQ,CAwsSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxshBG,MAAO,KlBwshBO,QkBxshBP,ElBwshBiB,CkBxshBjB,C;;QlB0shBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrthBA,iB;MlBqthBA,sC;QAaiB,Q;QAFb,IApuSO,qBAAQ,CAouSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5thBG,MAAO,KlB4thBO,QkB5thBP,ElB4thBiB,CkB5thBjB,C;;QlB8thBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBzuhBA,iB;MlByuhBA,sC;QAaiB,Q;QAFb,IAhvSO,qBAAQ,CAgvSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpuhBG,MAAO,KlBouhBO,QkBpuhBP,ElBouhBiB,CkBpuhBjB,C;;QlBsuhBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBjvhBA,iB;MlBivhBA,sC;QAaiB,Q;QAFb,IAxvSO,qBAAQ,CAwvSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxvhBG,MAAO,KlBwvhBO,QkBxvhBP,ElBwvhBiB,CkBxvhBjB,C;;QlB0vhBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrwhBA,iB;MlBqwhBA,sC;QAaiB,Q;QAFb,IApwSO,qBAAQ,CAowSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5whBG,MAAO,KlB4whBO,QkB5whBP,ElB4whBiB,CkB5whBjB,C;;QlB8whBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBzxhBA,iB;MlByxhBA,sC;QAaiB,Q;QAFb,IAhxSO,qBAAQ,CAgxSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpxhBG,MAAO,KlBoxhBO,QkBpxhBP,ElBoxhBiB,CkBpxhBjB,C;;QlBsxhBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBjyhBA,iB;MlBiyhBA,sC;QAaiB,Q;QAFb,IAxxSO,qBAAQ,CAwxSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxxhBG,MAAO,KlBwxhBO,QkBxxhBP,ElBwxhBiB,CkBxxhBjB,C;;QlB0xhBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrzhBA,iB;MlBqzhBA,sC;QAaiB,Q;QAFb,IApzSO,qBAAQ,CAozSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5yhBG,MAAO,KlB4yhBO,QkB5yhBP,ElB4yhBiB,CkB5yhBjB,C;;QlB8yhBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBz0hBA,iB;MlBy0hBA,sC;QAaiB,Q;QAFb,IAh0SO,qBAAQ,CAg0Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBp0hBG,MAAO,KlBo0hBO,QkBp0hBP,ElBo0hBiB,CkBp0hBjB,C;;QlBs0hBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBj1hBA,iB;MlBi1hBA,sC;QAaiB,Q;QAFb,IAx1SO,qBAAQ,CAw1Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx1hBG,MAAO,KlBw1hBO,QkBx1hBP,ElBw1hBiB,CkBx1hBjB,C;;QlB01hBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBr2hBA,iB;MlBq2hBA,sC;QAaiB,Q;QAFb,IAp3SO,qBAAQ,CAo3Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB52hBG,MAAO,KlB42hBO,QkB52hBP,ElB42hBiB,CkB52hBjB,C;;QlB82hBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBz3hBA,iB;MlBy3hBA,sC;QAaiB,Q;QAFb,IAh4SO,qBAAQ,CAg4Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBp3hBG,MAAO,KlBo3hBO,QkBp3hBP,ElBo3hBiB,CkBp3hBjB,C;;QlBs3hBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBj4hBA,iB;MlBi4hBA,sC;QAaiB,Q;QAFb,IAx4SO,qBAAQ,CAw4Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx4hBG,MAAO,KlBw4hBO,QkBx4hBP,ElBw4hBiB,CkBx4hBjB,C;;QlB04hBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBr5hBA,iB;MlBq5hBA,sC;QAaiB,Q;QAFb,IAp6SO,qBAAQ,CAo6Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB55hBG,MAAO,KlB45hBO,QkB55hBP,ElB45hBiB,CkB55hBjB,C;;QlB85hBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBz6hBA,iB;MlBy6hBA,sC;QAaiB,Q;QAFb,IAh7SO,qBAAQ,CAg7Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBp6hBG,MAAO,KlBo6hBO,QkBp6hBP,ElBo6hBiB,CkBp6hBjB,C;;QlBs6hBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBj7hBA,iB;MlBi7hBA,sC;QAaiB,Q;QAFb,IAx7SO,qBAAQ,CAw7Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx7hBG,MAAO,KlBw7hBO,QkBx7hBP,ElBw7hBiB,CkBx7hBjB,C;;QlB07hBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBr8hBA,iB;MlBq8hBA,sC;QAaiB,Q;QAFb,IAp9SO,qBAAQ,CAo9Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB58hBG,MAAO,KlB48hBO,QkB58hBP,ElB48hBiB,CkB58hBjB,C;;QlB88hBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBz9hBA,iB;MlBy9hBA,sC;QAaiB,Q;QAFb,IAh+SO,qBAAQ,CAg+Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBp9hBG,MAAO,KlBo9hBO,QkBp9hBP,ElBo9hBiB,CkBp9hBjB,C;;QlBs9hBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBj+hBA,iB;MlBi+hBA,sC;QAaiB,Q;QAFb,IAx+SO,qBAAQ,CAw+Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx+hBG,MAAO,KlBw+hBO,QkBx+hBP,ElBw+hBiB,CkBx+hBjB,C;;QlB0+hBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrgiBA,iB;MlBqgiBA,sC;QAaiB,Q;QAFb,IAphTO,qBAAQ,CAohTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5ghBG,MAAO,KlB4ghBO,QkB5ghBP,ElB4ghBiB,CkB5ghBjB,C;;QlB8ghBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBzhiBA,iB;MlByhiBA,sC;QAaiB,Q;QAFb,IAhiTO,qBAAQ,CAgiTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBphiBG,MAAO,KlBohiBO,QkBphiBP,ElBohiBiB,CkBphiBjB,C;;QlBshiBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBjiiBA,iB;MlBiiiBA,sC;QAaiB,Q;QAFb,IAxiTO,qBAAQ,CAwiTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxiiBG,MAAO,KlBwiiBO,QkBxiiBP,ElBwiiBiB,CkBxiiBjB,C;;QlB0iiBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrjiBA,iB;MlBqjiBA,sC;QAaiB,Q;QAFb,IApjTO,qBAAQ,CAojTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5jiBG,MAAO,KlB4jiBO,QkB5jiBP,ElB4jiBiB,CkB5jiBjB,C;;QlB8jiBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBzkiBA,iB;MlBykiBA,sC;QAaiB,Q;QAFb,IAhkTO,qBAAQ,CAgkTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpkiBG,MAAO,KlBokiBO,QkBpkiBP,ElBokiBiB,CkBpkiBjB,C;;QlBskiBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBjliBA,iB;MlBiliBA,sC;QAaiB,Q;QAFb,IAxlTO,qBAAQ,CAwlTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxliBG,MAAO,KlBwliBO,QkBxliBP,ElBwliBiB,CkBxliBjB,C;;QlB0liBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrmiBA,iB;MlBqmiBA,sC;QAaiB,Q;QAFb,IApmTO,qBAAQ,CAomTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5miBG,MAAO,KlB4miBO,QkB5miBP,ElB4miBiB,CkB5miBjB,C;;QlB8miBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBznBA,iB;MlBymiBA,sC;QAaiB,Q;QAFb,IAhnTO,qBAAQ,CAgnTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpmiBG,MAAO,KlBomiBO,QkBpmiBP,ElBomiBiB,CkBpmiBjB,C;;QlBsmiBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBjniBA,iB;MlBiniBA,sC;QAaiB,Q;QAFb,IAxnTO,qBAAQ,CAwnTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxniBG,MAAO,KlBwniBO,QkBxniBP,ElBwniBiB,CkBxniBjB,C;;QlB0niBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrpiBA,iB;MlBqpiBA,sC;QAaiB,Q;QAFb,IApoTO,qBAAQ,CAooTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5oiBG,MAAO,KlB4oiBO,QkB5oiBP,ElB4oiBiB,CkB5oiBjB,C;;QlB8oiBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBzpiBA,iB;MlBypiBA,sC;QAaiB,Q;QAFb,IAhpTO,qBAAQ,CAgpTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBppiBG,MAAO,KlBopiBO,QkBppiBP,ElBopiBiB,CkBppiBjB,C;;QlBspiBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBjqiBA,iB;MlBiqiBA,sC;QAaiB,Q;QAFb,IAxpTO,qBAAQ,CAwpTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxpiBG,MAAO,KlBwpiBO,QkBxpiBP,ElBwpiBiB,CkBxpiBjB,C;;QlB

AAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SA
AS,sBAAK,CAAL,EAAT,C;UACR,WkBv8gBG,MAAO,KlBu8gBO,QkBv8gBP,ElBu8gBiB,CkBv8gBjB,C;;QlBy
8gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA9gSO,qBAAQ,CA8gSf,C;U
AAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SA
AS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjB
X,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA1hSO,qBAAQ,CA0hSf,C;UAAe,OAAO,I;QACtB,e
AAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAtiSO,qBAAQ,CAsiSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAljSO,qBAAQ,CAkjSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA9jSO,qBAAQ,CA8jSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA1kSO,qBAAQ,CA0kSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAtlSO,qBAAQ,CAslSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAllSO,qBAAQ,CAklSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAtmSO,qBAAQ,CAsmSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAlnSO,qBAAQ,CAknSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAtnSO,qBAAQ,CAsnSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAlkSO,qBAAQ,CAkkSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAtkSO,qBAAQ,CAskSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAlmSO,qBAAQ,CAkmSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAtlSO,qBAAQ,CAslSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAxlSO,qBAAQ,CAwlSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAxmSO,qBAAQ,CAwmSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAtnSO,qBAAQ,CAsnSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAxoSO,qBAAQ,CAwoSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAxpSO,qBAAQ,CAwpSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAxqSO,qBAAQ,CAwqSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAxrSO,qBAAQ,CAwrSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAxsSO,qBAAQ,CAwsSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAxtSO,qBAAQ,CAwtSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAxuSO,qBAAQ,CAwuSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAxvSO,qBAAQ,CAwvSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAxwSO,qBAAQ,CAwwSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAxxSO,qBAAQ,CAwxSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAxySO,qBAAQ,CAwySf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAxzSO,qBAAQ,CAwzSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA10SO,qBAAQ,CA00S

,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAai B,Q;QAFb,IAtySO,qBAAQ,CAsySf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MAAA,kD;QAai B,Q;QAFb,IApzSO,qBAAQ,CAozSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oGAsBA,yB;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAx4SO,qBAAQ,CAw4Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;sGAsBA,yB;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAp5SO,qBAAQ,CAo5Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;sGAsBA,yB;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAh6SO,qBAAQ,CAg6Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;sGAsBA,yB;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA56SO,qBAAQ,CA46

AM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA1mTO,qBAAQ,CA0mTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAhnTO,qBAAQ,CAgnTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,oBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IAxnTO,qBAAQ,CAwnTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkB3miBG,MAAO,KlB2miBE,GkB3miBF,EAlB2miBO,CkB3miBP,C;;MlB6miBd,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IAhoTO,qBAAQ,CAgoTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkBhniBG,MAAO,KlBgniBE,GkBhniBF,EAlBgniBO,CkBhniBP,C;;MlBkniBd,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA9nTO,qBAAQ,CA8nTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,wC;MAGI,OAAO,yBAAc,UAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,8C;MAOiB,Q;MAFb,IAlwTO,qBAAQ,CAkwTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAxwTO,qBAAQ,CAwwTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA9wTO,qBAAQ,CA8wTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IApxTO,qBAAQ,CAoxTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA1xTO,qBAAQ,CA0xTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAhyTO,qBAAQ,CAgyTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAtyTO,qBAAQ,CAsyTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA5yTO,qBAAQ,CA4yTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAlzTO,qBAAQ,CAkzTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAxzTO,qBAAQ,CAwzTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA9zTO,qBAAQ,CA8zTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IApzTO,qBAAQ,CAozTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA1zTO,qBAAQ,CA0zTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAh0TO,qBAAQ,CAg0Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAt0TO,qBAAQ,CAs0Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA50TO,qBAAQ,CA40Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAl1TO,qBAAQ,CAk1Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAx1TO,qBAAQ,CAw1Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA91TO,qBAAQ,CA81Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAp2TO,qBAAQ,CAo2Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA12TO,qBAAQ,CA02Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAh3TO,qBAAQ,CAg3Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAt3TO,qBAAQ,CAs3Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA53TO,qBAAQ,CA43Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAl4TO,qBAAQ,CAk4Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAx4TO,qBAAQ,CAw4Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA95TO,qBAAQ,CA85Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAp5TO,qBAAQ,CAo5Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA15TO,qBAAQ,CA05Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAh6TO,qBAAQ,CAg6Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAt6TO,qBAAQ,CAs6Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA56TO,qBAAQ,CA46Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAl7TO,qBAAQ,CAk7Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAx7TO,qBAAQ,CAw7Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA97TO,qBAAQ,CA87Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAp8TO,qBAAQ,CAo8Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA18TO,qBAAQ,CA08Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAh9TO,qBAAQ,CAg9Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAt9TO,qBAAQ,CAs9Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA59TO,qBAAQ,CA49Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAl+TO,qBAAQ,CAk+Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAx+TO,qBAAQ,CAw+Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA9+TO,qBAAQ,CA8+Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAp/TO,qBAAQ,CAo/Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA1/TO,qBAAQ,CA0/Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAhgUO,qBAAQ,CAggUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAtgUO,qBAAQ,CAsgUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA5gUO,qBAAQ,CA4gUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAlhUO,qBAAQ,CAkhUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAxhUO,qBAAQ,CAwhUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA9hUO,qBAAQ,CA8hUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IApiUO,qBAAQ,CAoiUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA1iUO,qBAAQ,CA0iUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAhjUO,qBAAQ,CAgjUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAtjUO,qBAAQ,CAsjUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA5jUO,qBAAQ,CA4jUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAlkUO,qBAAQ,CAkkUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAxkUO,qBAAQ,CAwkUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA9kUO,qBAAQ,CA8kUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IApmUO,qBAAQ,CAomUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA1mUO,qBAAQ,CA0mUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAhnUO,qBAAQ,CAgnUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAtnUO,qBAAQ,CAsnUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA5nUO,qBAAQ,CA4nUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAloUO,qBAAQ,CAkoUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAxoUO,qBAAQ,CAwoUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA9oUO,qBAAQ,CA8oUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAppUO,qBAAQ,CAopUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA1pUO,qBAAQ,CA0pUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAhqUO,qBAAQ,CAgqUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAtqUO,qBAAQ,CAsqUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA5qUO,qBAAQ,CA4qUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAlrUO,qBAAQ,CAkrUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAxrUO,qBAAQ,CAwrUf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAX,EAAsB,GAAtB,EAA2B,EAA3B,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA9rUO,qBAAQ,CA

oB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MAMo

B,C;;QAElB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAl1UO,qBAAQ,CAk1Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IAh2UO,qBAAQ,CAg2Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,sBAAK,KAAL,CAAvB,E;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAt7UO,qBAAQ,CAs7Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAp8UO,qBAAQ,CAo8Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAl9UO,qBAAQ,CAk9Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAh+UO,qBAAQ,CAg+Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAt+UO,qBAAQ,CAs+Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAx/UO,qBAAQ,CAw/Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA1gVO,qBAAQ,CA0gVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA5hVO,qBAAQ,CA4hVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA9iVO,qBAAQ,CA8iVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhkVO,qBAAQ,CAgkVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxlVO,qBAAQ,CAwlVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtmVO,qBAAQ,CAsmVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxnVO,qBAAQ,CAwnVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtoVO,qBAAQ,CAsoVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxpVO,qBAAQ,CAwpVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtqVO,qBAAQ,CAsqVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxrVO,qBAAQ,CAwrVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtsVO,qBAAQ,CAssVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxtVO,qBAAQ,CAwtVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtuVO,qBAAQ,CAsuVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxvVO,qBAAQ,CAwvVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtwVO,qBAAQ,CAswVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxxVO,qBAAQ,CAwxVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtyVO,qBAAQ,CAsyVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxzVO,qBAAQ,CAwzVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA10VO,qBAAQ,CA00Vf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA51VO,qBAAQ,CA40Vf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA92VO,qBAAQ,CA82Vf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAh4VO,qBAAQ,CAg4Vf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAl5VO,qBAAQ,CAk5Vf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAp6VO,qBAAQ,CAo6Vf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAt6VO,qBAAQ,CAs6Vf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAx7VO,qBAAQ,CAw7Vf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA18VO,qBAAQ,CA08Vf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA59VO,qBAAQ,CA49Vf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAl+VO,qBAAQ,CAk+Vf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAp/VO,qBAAQ,CAo/Vf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAt/VO,qBAAQ,CAs/Vf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAx/VO,qBAAQ,CAw/Vf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtgWO,qBAAQ,CAsgWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxgWO,qBAAQ,CAwgWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAthWO,qBAAQ,CAshWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxhWO,qBAAQ,CAwhWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtiWO,qBAAQ,CAsiWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxiWO,qBAAQ,CAwiWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtjWO,qBAAQ,CAsjWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxjWO,qBAAQ,CAwjWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtkWO,qBAAQ,CAskWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxkWO,qBAAQ,CAwkWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtlWO,qBAAQ,CAslWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxlWO,qBAAQ,CAwlWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtmWO,qBAAQ,CAsmWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxmWO,qBAAQ,CAwmWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtnWO,qBAAQ,CAsnWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxnWO,qBAAQ,CAwnWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtoWO,qBAAQ,CAsoWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxoWO,qBAAQ,CAwoWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtpWO,qBAAQ,CAspWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxpWO,qBAAQ,CAwpWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtqWO,qBAAQ,CAsqWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxqWO,qBAAQ,CAwqWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtrWO,qBAAQ,CAsrWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxrWO,qBAAQ,CAwrWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtsWO,qBAAQ,CAssWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxsWO,qBAAQ,CAwsWf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,eAA9B,EAAuC,UAAK,KAAL,CAAvC,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBq

,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA9tVO,qBAAQ,CA8tVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IA5uVO,qBAAQ,CA4uVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KAAV,EAAiB,wBAAjB,EAA8B,sBAAK,KAAL,EAA9B,E;;QAElB,OAAO,W;O;KAnBX,C;8FAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAn0VO,qBAAQ,CAm0Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAl1VO,qBAAQ,CAk1Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAj2VO,qBAAQ,CAi2Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAh3VO,qBAAQ,CAg3Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA/3VO,qBAAQ,CA+3Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA94VO,qBAAQ,CA84Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA75VO,qBAAQ,CA65Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA56VO,qBAAQ,CA46Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA37VO,qBAAQ,CA27Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAx8VO,qBAAQ,CAw8Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAr9VO,qBAAQ,CAq9Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAl+VO,qBAAQ,CAk+Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA/+VO,qBAAQ,CA++Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA5/VO,qBAAQ,CA4/Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAzgWO,qBAAQ,CAygWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAthWO,qBAAQ,CAshWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAniWO,qBAAQ,CAmiWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAhjWO,qBAAQ,CAgjWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA7jWO,qBAAQ,CA6jWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA1kWO,qBAAQ,CA0kWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAvlWO,qBAAQ,CAulWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAnmWO,qBAAQ,CAmmWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAhnWO,qBAAQ,CAgnWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA7nWO,qBAAQ,CA6nWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA1oWO,qBAAQ,CA0oWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAvpWO,qBAAQ,CAupWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAnqWO,qBAAQ,CAmqWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAhrWO,qBAAQ,CAgrWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA7rWO,qBAAQ,CA6rWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA1sWO,qBAAQ,CA0sWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAvtWO,qBAAQ,CAutWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAnuWO,qBAAQ,CAmuWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAhvWO,qBAAQ,CAgvWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA7vWO,qBAAQ,CA6vWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA1wWO,qBAAQ,CA0wWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAvxWO,qBAAQ,CAuxWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAnyWO,qBAAQ,CAmyWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAhzWO,qBAAQ,CAgzWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA7zWO,qBAAQ,CA6zWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA10WO,qBAAQ,CA00Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAv1WO,qBAAQ,CAu1Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAn2WO,qBAAQ,CAm2Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAh3WO,qBAAQ,CAg3Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA73WO,qBAAQ,CA63Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA14WO,qBAAQ,CA04Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAv5WO,qBAAQ,CAu5Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAn6WO,qBAAQ,CAm6Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAh7WO,qBAAQ,CAg7Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA77WO,qBAAQ,CA67Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA18WO,qBAAQ,CA08Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAv9WO,qBAAQ,CAu9Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAn+WO,qBAAQ,CAm+Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAh/WO,qBAAQ,CAg/Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA7/WO,qBAAQ,CA6/Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA1gXO,qBAAQ,CA0gXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAvhXO,qBAAQ,CAuhXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAniXO,qBAAQ,CAmiXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAhjXO,qBAAQ,CAgjXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA7jXO,qBAAQ,CA6jXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA1kXO,qBAAQ,CA0kXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAvlXO,qBAAQ,CAulXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAnmXO,qBAAQ,CAmmXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAhnXO,qBAAQ,CAgnXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA7nXO,qBAAQ,CA6nXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA1oXO,qBAAQ,CA0oXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAvpXO,qBAAQ,CAupXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAnqXO,qBAAQ,CAmqXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAhrXO,qBAAQ,CAgrXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA7rXO,qBAAQ,CA6rXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA1sXO,qBAAQ,CA0sXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAvtXO,qBAAQ,CAutXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAnuXO,qBAAQ,CAmuXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAhvXO,qBAAQ,CAgvXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA7vXO,qBAAQ,CA6vXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA1wXO,qBAAQ,CA0wXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAvxXO,qBAAQ,CAuxXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;

AS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAnBX,C;8FAsBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAe0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAnBX,C;8FAsBA,yB;MAAA,8D;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAe0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,sBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,wBAAxB,E;;QAElB,OAAO,W;O;KAnBX,C;0GAsBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAe6B,Q;QAJnC,YAAY,wB;QACZ,IAAI,QAAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAnBX,C;8FAsBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAe0B,UAEU,M;QAJh

C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;K
ApBX,C;wHAuBA,yB;MAAA,8D;MAAA,uC;QAe0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,
OAAO,I;QACtB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,K
AAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;wHAuBA,yB;M
AAA,8D;MAAA,uC;QAe0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB
B,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAA
J,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;wHAuBA,yB;MAAA,8D;MAAA,uC;QAe
0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,UAAI,YAAJ,EAAI,oB
AAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA
7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;wHAuBA,yB;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAe0
B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,UAAI,YAAJ,EAAI,oBA
AJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAa,EAAjB,EAAqB,EAA6B,wBAA
7B,E;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;wGAuBA,yB;MAAA,8D;MAAA,uC;QAgB6B,UAEO,M;QAJhC,
YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QACrB
,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAa,EAAb,EAAiB,sBAAI,SAAJ,EAAe,EAAf,EAAmB,EAAnB,EAAuB,
7B,C;;QAElB,OAAO,W;O;KApBX,C;0GAuBA,yB;MAAA,8D;MAAA,uC;QAgB6B,UAEO,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB

AAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp3XO,qBAAQ,CAo3Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzhnBO,W;QjB0hnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp4XO,qBAAQ,CAo4Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjjnBO,W;QjBkjnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp5XO,qBAAQ,CAo5Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzknBO,W;QjB0knBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp6XO,qBAAQ,CAo6Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjlnBO,W;QjBklnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp7XO,qBAAQ,CAo7Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBznnBO,W;QjB0nnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp8XO,qBAAQ,CAo8Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjonBO,W;QjBkonBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp9XO,qBAAQ,CAo9Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzpnBO,W;QjB0pnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp+XO,qBAAQ,CAo+Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjqnBO,W;QjBkqnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzrnBO,W;QjB0rnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjsnBO,W;QjBksnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBztnBO,W;QjB0tnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjunBO,W;QjBkunBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzvnBO,W;QjB0vnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjwnBO,W;QjBkwnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzxnBO,W;QjB0xnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjynBO,W;QjBkynBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzznBO,W;QjB0znBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj0nBO,W;QjBk0nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz1nBO,W;QjB01nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj2nBO,W;QjBk2nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz3nBO,W;QjB03nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj4nBO,W;QjBk4nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz5nBO,W;QjB05nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj6nBO,W;QjBk6nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz7nBO,W;QjB07nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj8nBO,W;QjBk8nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz9nBO,W;QjB09nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj+nBO,W;QjBk+nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz/nBO,W;QjB0/nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjgoBO,W;QjBkgoBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzhoBO,W;QjB0hoBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjioBO,W;QjBkioBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzjoBO,W;QjB0joBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjkoBO,W;QjBkkoBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzloBO,W;QjB0loBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjmoBO,W;QjBkmoBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBznoBO,W;QjB0noBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjooBO,W;QjBkooBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzpoBO,W;QjB0poBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjqoBO,W;QjBkqoBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzroBO,W;QjB0roBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjsoBO,W;QjBksoBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBztoBO,W;QjB0toBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjuoBO,W;QjBkuoBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzvoBO,W;QjB0voBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjwoBO,W;QjBkwoBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzxoBO,W;QjB0xoBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjyoBO,W;QjBkyoBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzzoBO,W;QjB0zoBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj0oBO,W;QjBk0oBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz1oBO,W;QjB01oBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj2oBO,W;QjBk2oBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz3oBO,W;QjB03oBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj4oBO,W;QjBk4oBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz5oBO,W;QjB05oBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA

Cd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,oC;MAA
A,gD;QAeI,IApqYO,qBAAQ,CAoqYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,I
AAb,C;QAA+B,8B;QAA5C,aiBj3nBO,W;QjBk3nBP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB
,WAAjB,EAA8B,sBAAK,KAAL,EAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;gGAy
BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAcI,IA5vYO,qBAAQ,CA4vYf,C;UAAe,OAAO,W;QACtB,sBAAqB,
UAAK,CAAL,CAArB,C;QACgC,kBAAnB,eAAa,gBAAb,C;QAA2B,sBAAI,aAAJ,C;QAAxC,aiB14nBO,W;QjB2
4nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,M
AAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KArBX,C;kGAwBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAzw
YO,qBAAQ,CAywYf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACmC,kBAAtB,eAAgB,
gBAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,aiB/3nBO,W;QjBg4nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,g
BAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlB
X,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAtxYO,qBAAQ,CAsxYf,C;UAAe,OAAO,W;QACtB
,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBp7n
BO,W;QjBq7nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAnyYO,qBAAQ,CAmyYf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACkC,kBAArB,eAAe
,gBAAf,C;QAA6B,sBAAI,aAAJ,C;QAA1C,aiBz8nBO,W;QjB08nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,g
BAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;
KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAhzYO,qBAAQ,CAgzYf,C;UAAe,OAAO,W;QACtB
,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiB99n
BO,W;QjB+9nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IA10YO,qBAAQ,CA00Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACqC,kBAAxB,eAAkB
,gBAAlB,C;QAAgC,sBAAI,aAAJ,C;QAA7C,aiBn/nBO,W;QjBo/nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,g
BAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;
KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAv1YO,qBAAQ,CAu1Yf,C;UAAe,OAAO,W;QACtB
,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBr
hoBO,W;QjBshoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAp2YO,qBAAQ,CAo2Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBlk
oBO,W;QjBmkoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IA32YO,qBAAQ,CA22Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBtn
oBO,W;QjBunoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IA+3YO,qBAAQ,CA/3Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACqC,kBAAxB,eAAkB
,gBAAlB,C;QAAgC,sBAAI,aAAJ,C;QAA7C,aiBvqoBO,W;QjBwqoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,g
BAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;
KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAh5YO,qBAAQ,CAg5Yf,C;UAAe,OAAO,W;QACtB
,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBzs
oBO,W;QjB0soBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAv5YO,qBAAQ,CAu5Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB5u
oBO,W;QjB6uoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IA66YO,qBAAQ,CA76Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACqC,kBAAxB,eAAkB
,gBAAlB,C;QAAgC,sBAAI,aAAJ,C;QAA7C,aiBlxoBO,W;QjBmxoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,g
BAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;
KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAn7YO,qBAAQ,CAm7Yf,C;UAAe,OAAO,W;QACtB
,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBpz
oBO,W;QjBqzoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IA18YO,qBAAQ,CA08Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACqC,kBAAxB,eAAkB
,gBAAlB,C;QAAgC,sBAAI,aAAJ,C;QAA7C,aiB71oBO,W;QjB81oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,g
BAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;
KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAj+YO,qBAAQ,CAi+Yf,C;UAAe,OAAO,W;QACtB
,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBh4
oBO,W;QjBi4oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAr/YO,qBAAQ,CAq/Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBp8
oBO,W;QjBq8oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAy/YO,qBAAQ,CAz/Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACqC,kBAAxB,eAAkB
,gBAAlB,C;QAAgC,sBAAI,aAAJ,C;QAA7C,aiBvgpBO,W;QjBwgpBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,g
BAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;
KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IA5gZO,qBAAQ,CA4gZf,C;UAAe,OAAO,W;QACtB
,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB3k
pBO,W;QjB4kpBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAhhZO,qBAAQ,CAghZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBvo
pBO,W;QjBwopBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAphZO,qBAAQ,CAohZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBhs
pBO,W;QjBispBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAxhZO,qBAAQ,CAwhZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBpw
pBO,W;QjBqwpBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAiiZO,qBAAQ,CAjiZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACqC,kBAAxB,eAAkB
,gBAAlB,C;QAAgC,sBAAI,aAAJ,C;QAA7C,aiB5zpBO,W;QjB6zpBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,g
BAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;
KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAtiZO,qBAAQ,CAsiZf,C;UAAe,OAAO,W;QACtB
,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBz3
pBO,W;QjB03pBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IA5iZO,qBAAQ,CA4iZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBh7
pBO,W;QjBi7pBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAljZO,qBAAQ,CAkjZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBv+
pBO,W;QjBw+pBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAxjZO,qBAAQ,CAwjZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB3i
qBO,W;QjB4iqBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAnkZO,qBAAQ,CAmkZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBnn
qBO,W;QjBonqBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAtkZO,qBAAQ,CAskZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBvs
qBO,W;QjBwsqBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAzkZO,qBAAQ,CAykZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB3x
qBO,W;QjB4xqBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IA5kZO,qBAAQ,CA4kZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBh2
qBO,W;QjBi2qBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAllZO,qBAAQ,CAklZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBv6
qBO,W;QjBw6qBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAxlZO,qBAAQ,CAwlZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB3+
qBO,W;QjB4+qBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAzmZO,qBAAQ,CAymZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBnh
rBO,W;QjBohrBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IA5mZO,qBAAQ,CA4mZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBxj
rBO,W;QjByjrBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAnnZO,qBAAQ,CAmnZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBpl
rBO,W;QjBqlrBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAtnZO,qBAAQ,CAsnZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBvn
rBO,W;QjBwnrBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAzoZO,qBAAQ,CAyoZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB3p
rBO,W;QjB4prBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IA5oZO,qBAAQ,CA4oZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBhs
rBO,W;QjBisrBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAlpZO,qBAAQ,CAkpZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBvt
rBO,W;QjBwtrBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAnqZO,qBAAQ,CAmqZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB3u
rBO,W;QjB4urBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IApqZO,qBAAQ,CAoqZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBhw
rBO,W;QjBiwrBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAlrZO,qBAAQ,CAkrZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBvx
rBO,W;QjBwxrBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAnrZO,qBAAQ,CAmrZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB3y
rBO,W;QjB4yrBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAprZO,qBAAQ,CAorZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBhz
rBO,W;QjBizrBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAlsZO,qBAAQ,CAksZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBv0
rBO,W;QjBw0rBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAnsZO,qBAAQ,CAmsZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB30
rBO,W;QjB40rBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAptZO,qBAAQ,CAotZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBh2
rBO,W;QjBi2rBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAltZO,qBAAQ,CAktZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBv3
rBO,W;QjBw3rBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAntZO,qBAAQ,CAmtZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB34
rBO,W;QjB44rBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAptZO,qBAAQ,CAotZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBh6
rBO,W;QjBi6rBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAltZO,qBAAQ,CAktZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBv7
rBO,W;QjBw7rBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAntZO,qBAAQ,CAmtZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB38
rBO,W;QjB48rBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,q

AO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACkC,kBAArB,eAAe,gBAAf,C;QAA6B,sBAAI,aAAJ,C;QAA1C,aiB5ooBO,W;QjB6ooBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAp/YO,qBAAQ,CAo/Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,aiBlqoBO,W;QjBmqoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAlgZO,qBAAQ,CAkgZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBxroBO,W;QjByroBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhhZO,qBAAQ,CAghZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACqC,kBAAxB,eAAkB,gBAAlB,C;QAAgC,sBAAI,aAAJ,C;QAA7C,aiB9soBO,W;QjB+soBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAtiZO,qBAAQ,CAsiZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBptoBO,W;QjBqtoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IA5jZO,qBAAQ,CA4jZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACuC,kBAA1B,eAAoB,gBAApB,C;QAAkC,sBAAI,aAAJ,C;QAA/C,aiB1uoBO,W;QjB2uoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAlmZO,qBAAQ,CAkmZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACwC,kBAA3B,eAAqB,gBAArB,C;QAAmC,sBAAI,aAAJ,C;QAAhD,aiBhvoBO,W;QjBivoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAxnZO,qBAAQ,CAwnZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACyC,kBAA5B,eAAsB,gBAAtB,C;QAAoC,sBAAI,aAAJ,C;QAAjD,aiBtwoBO,W;QjBuwoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IA9pZO,qBAAQ,CA8pZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC0C,kBAA7B,eAAuB,gBAAvB,C;QAAqC,sBAAI,aAAJ,C;QAAlD,aiB5xoBO,W;QjB6xoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IApsZO,qBAAQ,CAosZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC2C,kBAA9B,eAAwB,gBAAxB,C;QAAsC,sBAAI,aAAJ,C;QAAnD,aiBlzoBO,W;QjBmzoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IA1uZO,qBAAQ,CA0uZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC4C,kBAA/B,eAAyB,gBAAzB,C;QAAuC,sBAAI,aAAJ,C;QAApD,aiBx0oBO,W;QjBy0oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhxZO,qBAAQ,CAgxZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC6C,kBAAhC,eAA0B,gBAA1B,C;QAAwC,sBAAI,aAAJ,C;QAArD,aiB91oBO,W;QjB+1oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAtyZO,qBAAQ,CAsyZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC8C,kBAAjC,eAA2B,gBAA3B,C;QAAyC,sBAAI,aAAJ,C;QAAtD,aiBp3oBO,W;QjBq3oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IA5zZO,qBAAQ,CA4zZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC+C,kBAAlC,eAA4B,gBAA5B,C;QAA0C,sBAAI,aAAJ,C;QAAvD,aiB14oBO,W;QjB24oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAl1ZO,qBAAQ,CAk1Zf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACgD,kBAAnC,eAA6B,gBAA7B,C;QAA2C,sBAAI,aAAJ,C;QAAxD,aiBh6oBO,W;QjBi6oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAx2ZO,qBAAQ,CAw2Zf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACiD,kBAApC,eAA8B,gBAA9B,C;QAA4C,sBAAI,aAAJ,C;QAAzD,aiBt7oBO,W;QjBu7oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IA93ZO,qBAAQ,CA83Zf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACkD,kBAArC,eAA+B,gBAA/B,C;QAA6C,sBAAI,aAAJ,C;QAA1D,aiB58oBO,W;QjB68oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAp5ZO,qBAAQ,CAo5Zf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACmD,kBAAtC,eAAgC,gBAAhC,C;QAA8C,sBAAI,aAAJ,C;QAA3D,aiBl+oBO,W;QjBm+oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IA16ZO,qBAAQ,CA06Zf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoD,kBAAvC,eAAiC,gBAAjC,C;QAA+C,sBAAI,aAAJ,C;QAA5D,aiBx/oBO,W;QjBy/oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAh8ZO,qBAAQ,CAg8Zf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACqD,kBAAxC,eAAkC,gBAAlC,C;QAAgD,sBAAI,aAAJ,C;QAA7D,aiB9goBO,W;QjB+goBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAt9ZO,qBAAQ,CAs9Zf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsD,kBAAzC,eAAmC,gBAAnC,C;QAAiD,sBAAI,aAAJ,C;QAA9D,aiBpioBO,W;QjBqioBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IA5+ZO,qBAAQ,CA4+Zf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACuD,kBAA1C,eAAoC,gBAApC,C;QAAkD,sBAAI,aAAJ,C;QAA/D,aiB1joBO,W;QjB2joBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAlgaO,qBAAQ,CAkgaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACwD,kBAA3C,eAAqC,gBAArC,C;QAAmD,sBAAI,aAAJ,C;QAAhE,aiBhloBO,W;QjBiloBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAxhaO,qBAAQ,CAwhaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACyD,kBAA5C,eAAsC,gBAAtC,C;QAAoD,sBAAI,aAAJ,C;QAAjE,aiBtmoBO,W;QjBumoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IA9iaO,qBAAQ,CA8iaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC0D,kBAA7C,eAAuC,gBAAvC,C;QAAqD,sBAAI,aAAJ,C;QAAlE,aiB5noBO,W;QjB6noBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IApkaO,qBAAQ,CAokaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC2D,kBAA9C,eAAwC,gBAAxC,C;QAAsD,sBAAI,aAAJ,C;QAAnE,aiBlooBO,W;QjBmooBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IA1laO,qBAAQ,CA0laf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC4D,kBAA/C,eAAyC,gBAAzC,C;QAAuD,sBAAI,aAAJ,C;QAApE,aiBxpoBO,W;QjBypoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhnaO,qBAAQ,CAgnaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC6D,kBAAhD,eAA0C,gBAA1C,C;QAAwD,sBAAI,aAAJ,C;QAArE,aiB9qoBO,W;QjB+qoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAtoaO,qBAAQ,CAsoaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC8D,kBAAjD,eAA2C,gBAA3C,C;QAAyD,sBAAI,aAAJ,C;QAAtE,aiBpsoBO,W;QjBqsoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IA5paO,qBAAQ,CA4paf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC+D,kBAAlD,eAA4C,gBAA5C,C;QAA0D,sBAAI,aAAJ,C;QAAvE,aiB1toBO,W;QjB2toBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAlraO,qBAAQ,CAkraf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACgE,kBAAnD,eAA6C,gBAA7C,C;QAA2D,sBAAI,aAAJ,C;QAAxE,aiBhvoBO,W;QjBivoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAxsaO,qBAAQ,CAwsaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACiE,kBAApD,eAA8C,gBAA9C,C;QAA4D,sBAAI,aAAJ,C;QAAzE,aiBtwoBO,W;QjBuwoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IA9taO,qBAAQ,CA8taf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACkE,kBAArD,eAA+C,gBAA/C,C;QAA6D,sBAAI,aAAJ,C;QAA1E,aiB5xoBO,W;QjB6xoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IApvaO,qBAAQ,CAovaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACmE,kBAAtD,eAAgD,gBAAhD,C;QAA8D,sBAAI,aAAJ,C;QAA3E,aiBlzoBO,W;QjBmzoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IA1waO,qBAAQ,CA0waf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoE,kBAAvD,eAAiD,gBAAjD,C;QAA+D,sBAAI,aAAJ,C;QAA5E,aiBx0oBO,W;QjBy0oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhxaO,qBAAQ,CAgxaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACqE,kBAAxD,eAAkD,gBAAlD,C;QAAgE,sBAAI,aAAJ,C;QAA7E,aiB91oBO,W;QjB+1oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAtyaO,qBAAQ,CAsyaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsE,kBAAzD,eAAmD,gBAAnD,C;QAAiE,sBAAI,aAAJ,C;QAA9E,aiBp3oBO,W;QjBq3oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IA5zaO,qBAAQ,CA4zaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACuE,kBAA1D,eAAoD,gBAApD,C;QAAkE,sBAAI,aAAJ,C;QAA/E,aiB14oBO,W;QjB24oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAl1aO,qBAAQ,CAk1af,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACwE,kBAA3D,eAAqD,gBAArD,C;QAAmE,sBAAI,aAAJ,C;QAAhF,aiBh6oBO,W;QjBi6oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAx2aO,qBAAQ,CAw2af,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACyE,kBAA5D,eAAsD,gBAAtD,C;QAAoE,sBAAI,aAAJ,C;QAAjF,aiBt7oBO,W;QjBu7oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IA93aO,qBAAQ,CA83af,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC0E,kBAA7D,eAAuD,gBAAvD,C;QAAqE,sBAAI,aAAJ,C;QAAlF,aiBp8oBO,W;QjBq8oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAp5aO,qBAAQ,CAo5af,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC2E,kBAA9D,eAAwD,gBAAxD,C;QAAsE,sBAAI,aAAJ,C;QAAnF,aiB19oBO,W;QjB29oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAl7aO,qBAAQ,CAk7af,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC4E,kBAA/D,eAAyD,gBAAzD,C;QAAuE,sBAAI,aAAJ,C;QAApF,aiBh/oBO,W;QjBi/oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAx8aO,qBAAQ,CAw8af,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC6E,kBAAhE,eAA0D,gBAA1D,C;QAAwE,sBAAI,aAAJ,C;QAArF,aiBtgpBO,W;QjBugpBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IA99aO,qBAAQ,CA89af,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC8E,kBAAjE,eAA2D,gBAA3D,C;QAAyE,sBAAI,aAAJ,C;QAAtF,aiB5hpBO,W;QjB6hpBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAp/aO,qBAAQ,CAo/af,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC+E,kBAAlE,eAA4D,gBAA5D,C;QAA0E,sBAAI,aAAJ,C;QAAvF,aiBxipBO,W;QjByipBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IA1gbO,qBAAQ,CA0gbf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACgF,kBAAnE,eAA6D,gBAA7D,C;QAA2E,sBAAI,aAAJ,C;QAAxF,aiBhkpBO,W;QjBikpBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAxhbO,qBAAQ,CAwhbf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACiF,kBAApE,eAA8D,gBAA9D,C;QAA4E,sBAAI,aAAJ,C;QAAzF,aiBtlpBO,W;QjBulpBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IA9ibO,qBAAQ,CA8ibf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACkF,kBAArE,eAA+D,gBAA/D,C;QAA6E,sBAAI,aAAJ,C;QAA1F,aiB5mpBO,W;QjB6mpBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IApkbO,qBAAQ,CAokbf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACmF,kBAAtE,eAAgE,gBAAhE,C;QAA8E,sBAAI,aAAJ,C;QAA3F,aiBxnpBO,W;QjBynpBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IA1lbO,qBAAQ,CA0lbf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoF,kBAAvE,eAAiE,gBAAjE,C;QAA+E,sBAAI,aAAJ,C;QAA5F,aiBhppBO,W;QjBippBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhnbO,qBAAQ,CAgnbf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACqF,kBAAxE,eAAkE,gBAAlE,C;QAAgF,sBAAI,aAAJ,C;QAA7F,aiBtqpBO,W;QjBuqpBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAtobO,qBAAQ,CAsobf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsF,kBAAzE,eAAmE,gBAAnE,C;QAAiF,sBAAI,aAAJ,C;QAA9F,aiB

Ab,C;UAA+B,sBA2xBzB,OA3xByB,C;UAA5C,aiBjmnBO,W;UjBkmnBP,kBA0xBmB,O;UAzxBnB,iD;YAAgB,cAAhB,e;YACI,cAwxBwB,SAxxBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAqxBP,yB;O;KAfJ,C;gFAkBA,yB;MArxBA,gD;MAAA,gE;MAqxBA,gD;QAeW,sB;;UAnxBS,Q;UAHhB,IAp7XO,qBAAQ,CAo7Xf,C;YAAe,qBAAO,OAsxBH,OAtxBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAqxBzB,OArxBC,C;UAA5C,aiBznnBO,W;UjB0nnBP,kBAoxBmB,O;UAnxBnB,iD;YAAgB,cAAhB,e;YACI,cAkxBwB,SAlxBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA+wBP,yB;O;KAfJ,C;gFAkBA,yB;MA/wBA,gD;MAAA,gE;MA+wBA,gD;QAeW,sB;;UA7wBS,Q;UAHhB,IAp8XO,qBAAQ,CAo8Xf,C;YAAe,qBAAO,OAgxBH,OAhxBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+wBzB,OA/wBC,C;UAA5C,aiBjpnBO,W;UjBkpnBP,kBA8wBmB,O;UA7wBnB,iD;YAAgB,cAAhB,0B;YACI,cA4wBwB,SA5wBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAywBP,yB;O;KAfJ,C;4FAkBA,yB;MAzwBA,gD;MAAA,gE;MAywBA,gD;QAeW,6B;;UAvwBS,Q;UAHhB,IA5hYO,qBAAQ,CA4hYf,C;YAAe,qBAAO,OA0wBH,OA1wBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAywBzB,OAzwBC,C;UAA5C,aiBzqnBO,W;UjB0qnBP,kBAwwBmB,O;UAvwBnB,iD;YAAgB,cAAhB,0B;YACI,cAswBwB,SAtwBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAmwBP,yB;O;KAfJ,C;4FAkBA,yB;MAnwBA,gD;MAAA,gE;MAmwBA,gD;QAeW,6B;;UAjwBS,Q;UAHhB,IAhjYO,qBAAQ,CAgjYf,C;YAAe,qBAAO,OAowBH,OApwBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAmwBzB,OAnwBC,C;UAA5C,aiBrrnBO,W;UjBsrnBP,kBAkwBmB,O;UAjwBnB,iD;YAAgB,cAAhB,0B;YACI,cAgwBwB,SAhwBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA6vBP,yB;O;KAfJ,C;4FAkBA,yB;MA7vBA,gD;MAAA,gE;MA6vBA,gD;QAeW,6B;;UA3vBS,Q;UAHhB,IApkYO,qBAAQ,CAokYf,C;YAAe,qBAAO,OA8vBH,OA9vBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA6vBzB,OA7vBC,C;UAA5C,aiBzsnBO,W;UjB0snBP,kBA4vBmB,O;UA3vBnB,iD;YAAgB,cAAhB,0B;YACI,cA0vBwB,SA1vBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAuvBP,yB;O;KAfJ,C;4FAkBA,yB;MAvvBA,gD;MAAA,gE;MAuvBA,gD;QAeW,6B;;UArvBS,Q;UAHhB,IAxlYO,qBAAQ,CAwlYf,C;YAAe,qBAAO,OAwvBH,OAxvBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAuvBzB,OAvvBC,C;UAA5C,aiBjtnBO,W;UjBktnBP,kBAsvBmB,O;UArvBnB,iD;YAAgB,cAAhB,0B;YACI,cAovBwB,SApvBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAiuBP,yB;O;KAfJ,C;4FAkBA,yB;MAjuBA,gD;MAAA,gE;MAiuBA,gD;QAeW,6B;;UA/tBS,Q;UAHhB,IA5mYO,qBAAQ,CA4mYf,C;YAAe,qBAAO,OAkuBH,OAluBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAiuBzB,OAjuBC,C;UAA5C,aiBzunBO,W;UjB0unBP,kBAguBmB,O;UA/tBnB,iD;YAAgB,cAAhB,0B;YACI,cA8tBwB,SA9tBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA2tBP,yB;O;KAfJ,C;4FAkBA,yB;MA3tBA,gD;MAAA,gE;MA2tBA,gD;QAeW,6B;;UAztBS,Q;UAHhB,IAxoYO,qBAAQ,CAwoYf,C;YAAe,qBAAO,OA4tBH,OA5tBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA2tBzB,OA3tBC,C;UAA5C,aiBjwnBO,W;UjBkwnBP,kBA0tBmB,O;UAztBnB,iD;YAAgB,cAAhB,0B;YACI,cAwtBwB,SAxtBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAqtBP,yB;O;KAfJ,C;4FAkBA,yB;MArtBA,gD;MAAA,gE;MAqtBA,gD;QAeW,6B;;UAntBS,Q;UAHhB,IApqYO,qBAAQ,CAoqYf,C;YAAe,qBAAO,OAstBH,OAttBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAqtBzB,OArtBC,C;UAA5C,aiBzxnBO,W;UjB0xnBP,kBAotBmB,O;UAntBnB,iD;YAAgB,cAAhB,0B;YACI,cAktBwB,SAltBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA+sBP,yB;O;KAfJ,C;4FAkBA,yB;MA/sBA,gD;MAAA,gE;MA+sBA,gD;QAeW,6B;;UA7sBS,Q;UAHhB,IAhsYO,qBAAQ,CAgsYf,C;YAAe,qBAAO,OAgtBH,OAhtBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+sBzB,OA/sBC,C;UAA5C,aiBjznBO,W;UjBkznBP,kBA8sBmB,O;UA7sBnB,iD;YAAgB,cAAhB,0B;YACI,cA4sBwB,SA5sBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAyrBP,yB;O;KAfJ,C;4FAkBA,yB;MAzrBA,gD;MAAA,gE;MAyrBA,gD;QAeW,6B;;UAvrBS,Q;UAHhB,IA5tYO,qBAAQ,CA4tYf,C;YAAe,qBAAO,OA0sBH,OA1sBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAysBzB,OAzsBC,C;UAA5C,aiBz1nBO,W;UjB01nBP,kBAwsBmB,O;UAvsBnB,iD;YAAgB,cAAhB,0B;YACI,cAssBwB,SAtsBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAmsBP,yB;O;KAfJ,C;4FAkBA,yB;MAnsBA,gD;MAAA,gE;MAmsBA,gD;QAeW,6B;;UAjsBS,Q;UAHhB,IAhvYO,qBAAQ,CAgvYf,C;YAAe,qBAAO,OAotBH,OAptBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAmtBzB,OAntBC,C;UAA5C,aiBj3nBO,W;UjBk3nBP,kBAktBmB,O;UAjtBnB,iD;YAAgB,cAAhB,0B;YACI,cAgtBwB,SAhtBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA6sBP,yB;O;KAfJ,C;4FAkBA,yB;MA7sBA,gD;MAAA,gE;MA6sBA,gD;QAeW,6B;;UA3sBS,Q;UAHhB,IApwYO,qBAAQ,CAowYf,C;YAAe,qBAAO,OAwtBH,OAxtBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAutBzB,OAvtBC,C;UAA5C,aiBr4nBO,W;UjBs4nBP,kBAstBmB,O;UArtBnB,iD;YAAgB,cAAhB,0B;YACI,cAotBwB,SAptBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAisBP,yB;O;KAfJ,C;4FAkBA,yB;MAjsBA,gD;MAAA,gE;MAisBA,gD;QAeW,6B;;UA/rBS,Q;UAHhB,IAxxYO,qBAAQ,CAwxYf,C;YAAe,qBAAO,OA4sBH,OA5sBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA2sBzB,OA3sBC,C;UAA5C,aiBz5nBO,W;UjB05nBP,kBA0sBmB,O;UAzsBnB,iD;YAAgB,cAAhB,0B;YACI,cAwsBwB,SAxsBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAqsBP,yB;O;KAfJ,C;4FAkBA,yB;MArsBA,gD;MAAA,gE;MAqsBA,gD;QAeW,6B;;UAnsBS,Q;UAHhB,IA5yYO,qBAAQ,CA4yYf,C;YAAe,qBAAO,OAgtBH,OAhtBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+sBzB,OA/sBC,C;UAA5C,aiBj7nBO,W;UjBk7nBP,kBA8sBmB,O;UA7sBnB,iD;YAAgB,cAAhB,0B;YACI,cA4sBwB,SA5sBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAyrBP,yB;O;KAfJ,C;4FAkBA,yB;MAzrBA,gD;MAAA,gE;MAyrBA,gD;QAeW,6B;;UAvrBS,Q;UAHhB,IAp0YO,qBAAQ,CAo0Yf,C;YAAe,qBAAO,OAwsBH,OAxsBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAusBzB,OAvsBC,C;UAA5C,aiBz8nBO,W;UjB08nBP,kBAssBmB,O;UArsBnB,iD;YAAgB,cAAhB,0B;YACI,cAosBwB,SApsBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAirBP,yB;O;KAfJ,C;4FAkBA,yB;MAjrBA,gD;MAAA,gE;MAirBA,gD;QAeW,6B;;UA/qBS,Q;UAHhB,IA51YO,qBAAQ,CA41Yf,C;YAAe,qBAAO,OAgsBH,OAhsBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+rBzB,OA/rBC,C;UAA5C,aiBj+nBO,W;UjBk+nBP,kBA8rBmB,O;UA7rBnB,iD;YAAgB,cAAhB,0B;YACI,cA4rBwB,SA5rBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAyqBP,yB;O;KAfJ,C;4FAkBA,yB;MAzqBA,gD;MAAA,gE;MAyqBA,gD;QAeW,6B;;UAvqBS,Q;UAHhB,IAp3YO,qBAAQ,CAo3Yf,C;YAAe,qBAAO,OAwrBH,OAxrBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAurBzB,OAvrBC,C;UAA5C,aiBz/nBO,W;UjB0/nBP,kBAsrBmB,O;UArrBnB,iD;YAAgB,cAAhB,0B;YACI,cAorBwB,SAprBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAiqBP,yB;O;KAfJ,C;4FAkBA,yB;MAjqBA,gD;MAAA,gE;MAiqBA,gD;QAeW,6B;;UA/pBS,Q;UAHhB,IA54YO,qBAAQ,CA44Yf,C;YAAe,qBAAO,OAgqBH,OAhqBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+pBzB,OA/pBC,C;UAA5C,aiBjhoBO,W;UjBkhoBP,kBA8pBmB,O;UA7pBnB,iD;YAAgB,cAAhB,0B;YACI,cA4pBwB,SA5pBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAyoBP,yB;O;KAfJ,C;4FAkBA,yB;MAzoBA,gD;MAAA,gE;MAyoBA,gD;QAeW,6B;;UAvoBS,Q;UAHhB,IAp6YO,qBAAQ,CAo6Yf,C;YAAe,qBAAO,OAwpBH,OAxpBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAupBzB,OAvpBC,C;UAA5C,aiBzioBO,W;UjB0ioBP,kBAspBmB,O;UArpBnB,iD;YAAgB,cAAhB,0B;YACI,cAopBwB,SAppBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAinBP,yB;O;KAfJ,C;4FAkBA,yB;MAjnBA,gD;MAAA,gE;MAinBA,gD;QAeW,6B;;UA/mBS,Q;UAHhB,IA57YO,qBAAQ,CA47Yf,C;YAAe,qBAAO,OAgoBH,OAhoBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+mBzB,OA/mBC,C;UAA5C,aiBjkoBO,W;UjBkkoBP,kBA8mBmB,O;UA7mBnB,iD;YAAgB,cAAhB,0B;YACI,cA4mBwB,SA5mBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAylBP,yB;O;KAfJ,C;4FAkBA,yB;MAzlBA,gD;MAAA,gE;MAylBA,gD;QAeW,6B;;UAvlBS,Q;UAHhB,IAp9YO,qBAAQ,CAo9Yf,C;YAAe,qBAAO,OAwmBH,OAxmBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAumBzB,OAvmBC,C;UAA5C,aiBzloBO,W;UjB0loBP,kBAsmBmB,O;UArmBnB,iD;YAAgB,cAAhB,0B;YACI,cAomBwB,SApmBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAilBP,yB;O;KAfJ,C;4FAkBA,yB;MAjlBA,gD;MAAA,gE;MAilBA,gD;QAeW,6B;;UA/kBS,Q;UAHhB,IA5+YO,qBAAQ,CA4+Yf,C;YAAe,qBAAO,OAgmBH,OAhmBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+kBzB,OA/kBC,C;UAA5C,aiBjnoBO,W;UjBknoBP,kBA8kBmB,O;UA7kBnB,iD;YAAgB,cAAhB,0B;YACI,cA4kBwB,SA5kBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAyjBP,yB;O;KAfJ,C;4FAkBA,yB;MAzjBA,gD;MAAA,gE;MAyjBA,gD;QAeW,6B;;UAvjBS,Q;UAHhB,IAp/YO,qBAAQ,CAo/Yf,C;YAAe,qBAAO,OAwkBH,OAxkBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAukBzB,OAvkBC,C;UAA5C,aiBzpoBO,W;UjB0poBP,kBAskBmB,O;UArkBnB,iD;YAAgB,cAAhB,0B;YACI,cAokBwB,SApkBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAijBP,yB;O;KAfJ,C;4FAkBA,yB;MAjjBA,gD;MAAA,gE;MAijBA,gD;QAeW,6B;;UA/iBS,Q;UAHhB,IA5gZO,qBAAQ,CA4gZf,C;YAAe,qBAAO,OAgkBH,OAhkBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+jBzB,OA/jBC,C;UAA5C,aiBjroBO,W;UjBksoBP,kBA8jBmB,O;UA7jBnB,iD;YAAgB,cAAhB,0B;YACI,cA4jBwB,SA5jBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAyiBP,yB;O;KAfJ,C;4FAkBA,yB;MAziBA,gD;MAAA,gE;MAyiBA,gD;QAeW,6B;;UAviBS,Q;UAHhB,IAphZO,qBAAQ,CAohZf,C;YAAe,qBAAO,OAwjBH,OAxjBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAujBzB,OAvjBC,C;UAA5C,aiBzsoBO,W;UjB0soBP,kBAsjBmB,O;UArjBnB,iD;YAAgB,cAAhB,0B;YACI,cAojBwB,SApjBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAiiBP,yB;O;KAfJ,C;4FAkBA,yB;MAjiBA,gD;MAAA,gE;MAiiBA,gD;QAeW,6B;;UA/hBS,Q;UAHhB,IA5iZO,qBAAQ,CA4iZf,C;YAAe,qBAAO,OAgkBH,OAhkBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+jBzB,OA/jBC,C;UAA5C,aiBjuoBO,W;UjBkuoBP,kBA8jBmB,O;UA7jBnB,iD;YAAgB,cAAhB,0B;YACI,cA4jBwB,SA5jBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAyiBP,yB;O;KAfJ,C;4FAkBA,yB;MAziBA,gD;MAAA,gE;MAyiBA,gD;QAeW,6B;;UAviBS,Q;UAHhB,IAplZO,qBAAQ,CAolZf,C;YAAe,qBAAO,OAwjBH,OAxjBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAujBzB,OAvjBC,C;UAA5C,aiBzvoBO,W;UjB0voBP,kBAsjBmB,O;UArjBnB,iD;YAAgB,cAAhB,0B;YACI,cAojBwB,SApjBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAiiBP,yB;O;KAfJ,C;4FAkBA,yB;MAjiBA,gD;MAAA,gE;MAiiBA,gD;QAeW,6B;;UA/hBS,Q;UAHhB,IA5mZO,qBAAQ,CA4mZf,C;YAAe,qBAAO,OAgkBH,OAhkBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+jBzB,OA/jBC,C;UAA5C,aiBjxoBO,W;UjBkxoBP,kBA8jBmB,O;UA7jBnB,iD;YAAgB,cAAhB,0B;YACI,cA4jBwB,SA5jBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAyiBP,yB;O;KAfJ,C;4FAkBA,yB;MAziBA,gD;MAAA,gE;MAyiBA,gD;QAeW,6B;;UAviBS,Q;UAHhB,IAppZO,qBAAQ,CAopZf,C;YAAe,qBAAO,OAwjBH,OAxjBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAujBzB,OAvjBC,C;UAA5C,aiBzyoBO,W;UjB0yoBP,kBAsjBmB,O;UArjBnB,iD;YAAgB,cAAhB,0B;YACI,cAojBwB,SApjBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAiiBP,yB;O;KAfJ,C;4FAkBA,yB;MAjiBA,gD;MAAA,gE;MAiiBA,gD;QAeW,6B;;UA/hBS,Q;UAHhB,IA5rZO,qBAAQ,CA4rZf,C;YAAe,qBAAO,OAgkBH,OAhkBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+jBzB,OA/jBC,C;UAA5C,aiBj0oBO,W;UjBk0oBP,kBA8jBmB,O;UA7jBnB,iD;YAAgB,cAAhB,0B;YACI,cA4jBwB,SA5jBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAyiBP,yB;O;KAfJ,C;4FAkBA,yB;MAziBA,gD;MAAA,gE;MAyiBA,gD;QAeW,6B;;UAviBS,Q;UAHhB,IAptZO,qBAAQ,CAotZf,C;YAAe,qBAAO,OAwjBH,OAxjBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAujBzB,OAvjBC,C;UAA5C,aiBz1oBO,W;UjB01oBP,kBAsjBmB,O;UArjBnB,iD;YAAgB,cAAhB,0B;YACI,cAojBwB,SApjBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAiiBP,yB;O;KAfJ,C;4FAkBA,yB;MAjiBA,gD;MAAA,gE;MAiiBA,gD;QAeW,6B;;UA/hBS,Q;UAHhB,IA5vZO,qBAAQ,CA4vZf,C;YAAe,qBAAO,OAgkBH,OAhkBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+jBzB,OA/jBC,C;UAA5C,aiBj3oBO,W;UjBk3oBP,kBA8jBmB,O;UA7jBnB,iD;YAAgB,cAAhB,0B;YACI,cA4jBwB,SA5jBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAyiBP,yB;O;KAfJ,C;4FAkBA,yB;MAziBA,gD;MAAA,gE;MAyiBA,gD;QAeW,6B;;UAviBS,Q;UAHhB,IAp0ZO,qBAAQ,CAo0Zf,C;YAAe,qBAAO,OAwjBH,OAxjBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAujBzB,OAvjBC,C;UAA5C,aiBz4oBO,W;UjB04oBP,kBAsjBmB,O;UArjBnB,iD;YAAgB,cAAhB,0B;YACI,cAojBwB,SApjBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAiiBP,yB;O;KAfJ,C;4FAkBA,yB;MAjiBA,gD;MAAA,gE;MAiiBA,gD;QAeW,6B;;UA/hBS,Q;UAHhB,IA51ZO,qBAAQ,CA41Zf,C;YAAe,qBAAO,OAgkBH,OAhkBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+jBzB,OA/jBC,C;UAA5C,aiBj6oBO,W;UjBk6oBP,kBA8jBmB,O;UA7jBnB,iD;YAAgB,cAAhB,0B;YACI,cA4jBwB,SA5jBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAyiBP,yB;O;KAfJ,C;4FAkBA,yB;MAziBA,gD;MAAA,gE;MAyiBA,gD;QAeW,6B;;UAviBS,Q;UAHhB,IAp2ZO,qBAAQ,CAo2Zf,C;YAAe,qBAAO,OAwjBH,OAxjBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAujBzB,OAvjBC,C;UAA5C,aiBz7oBO,W;UjB07oBP,kBAsjBmB,O;UArjBnB,iD;YAAgB,cAAhB,0B;YACI,cAojBwB,SApjBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAiiBP,yB;O;KAfJ,C;4FAkBA,yB;MAjiBA,gD;MAAA,gE;MAiiBA,gD;QAeW,6B;;UA/hBS,Q;UAHhB,IA53ZO,qBAAQ,CA43Zf,C;YAAe,qBAAO,OAgkBH,OAhkBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+jBzB,OA/jBC,C;UAA5C,aiBj9oBO,W;UjBk9oBP,kBA8jBmB,O;UA7jBnB,iD;YAAgB,cAAhB,0B;YACI,cA4jBwB,SA5jBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAyiBP,yB;O;KAfJ,C;4FAkBA,yB;MAziBA,gD;MAAA,gE;MAyiBA,gD;QAeW,6B;;UAviBS,Q;UAHhB,IAp4ZO,qBAAQ,CAo4Zf,C;YAAe,qBAAO,OAwjBH,OAxjBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAujBzB,OAvjBC,C;UAA5C,aiBz+oBO,W;UjB0+oBP,kBAsjBmB,O;UArjBnB,iD;YAAgB,cAAhB,0B;YACI,cAojBwB,SApjBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAiiBP,yB;O;KAfJ,C;4FAkBA,yB;MAjiBA,gD;MAAA,gE;MAiiBA,gD;QAeW,6B;;UA/hBS,Q;UAHhB,IA55ZO,qBAAQ,CA45Zf,C;YAAe,qBAAO,OAgkBH,OAhkBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+jBzB,OA/jBC,C;UAA5C,aiBj/oBO,W;UjBk/oBP,kBA8jBmB,O;UA7jBnB,iD;YAAgB,cAAhB,0B;YACI,cA4jBwB,SA5jBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAyiBP,yB;O;KAfJ,C;4FAkBA,yB;MAziBA,gD;MAAA,gE;MAyiBA,gD;QAeW,6B;;UAviBS,Q;UAHhB,IAp6ZO,qBAAQ,CAo6Zf,C;YAAe,qBAAO,OAwjBH,OAxjBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAujBzB,OAvjBC,C;UAA5C,aiBzgpBO,W;UjB0gpBP,kBAsjBmB,O;UArjBnB,iD;YAAgB,cAAhB,0B;YACI,cAojBwB,SApjBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAiiBP,yB;O;KAfJ,C;4FAkBA,yB;MAjiBA,gD;MAAA,gE;MAiiBA,gD;QAeW,6B;;UA/hBS,Q;UAHhB,IA57ZO,qBAAQ,CA47Zf,C;YAAe,qBAAO,OAgkBH,OAhkBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+jBzB,OA/jBC,C;UAA5C,aiBjhpBO,W;UjBkhpBP,kBA8jBmB,O;UA7jBnB,iD;YAAgB,cAAhB,0B;YACI,cA4jBwB,SA5jBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAyiBP,yB;O;KAfJ,C;4FAkBA,yB;MAziBA,gD;MAAA,gE;MAyiBA,gD;QAeW,6B;;UAviBS,Q;UAHhB,IAp8ZO,qBAAQ,CAo8Zf,C;YAAe,qBAAO,OAwjBH,OAxjBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAujBzB,OAvjBC,C;UAA5C,aiBzipBO,W;UjB0ipBP,kBAsjBmB,O;UArjBnB,iD;YAAgB,cAAhB,0B;YACI,cAojBwB,SApjBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAiiBP,yB;O;KAfJ,C;4FAkBA,yB;MAjiBA,gD;MAAA,gE;MAiiBA,gD;QAeW,6B;;UA/hBS,Q;UAHhB,IA59ZO,qBAAQ,CA49Zf,C;YAAe,qBAAO,OAgkBH,OAhkBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+jBzB,OA/jBC,C;UAA5C,aiBjkpBO,W;UjBkkpBP,kBA8jBmB,O;UA7jBnB,iD;YAAgB,cAAhB,0B;YACI,cA4jBwB,SA5jBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAyiBP,yB;O;KAfJ,C;4FAkBA,yB;MAziBA,gD;MAAA,gE;MAyiBA,gD;QAeW,6B;;UAviBS,Q;UAHhB,IAp+ZO,qBAAQ,CAo+Zf,C;YAAe,qBAAO,OAwjBH,OAxjBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAujBzB,OAvjBC,C;UAA5C,aiBzlpBO,W;UjB0lpBP,kBAsjBmB,O;UArjBnB,iD;YAAgB,cAAhB,0B;YACI,cAojBwB,SApjBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAiiBP,yB;O;KAfJ,C;4FAkBA,yB;MAjiBA,gD;MAAA,gE;MAiiBA,gD;QAeW,6B;;UA/hBS,Q;UAHhB,IA5/ZO,qBAAQ,CA4/Zf,C;YAAe,qBAAO,OAgkBH,OAhkBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+jBzB,OA/jBC,C;UAA5C,aiBjnpBO,W;UjBknpBP,kBA8jBmB,O;UA7jBnB,iD;YAAgB,cAAhB,0B;YACI,cA4jBwB,SA5jBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAyiBP,yB;O;KAfJ,C;4FAkBA,yB;MAziBA,gD;MAAA,gE;MAyiBA,gD;QAeW,6B;;UAviBS,Q;UAHhB,IAphaO,qBAAQ,CAohaf,C;YAAe,qBAAO,OAwjBH,OAxjBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAujBzB,OAvjBC,C;UAA5C,aiBzopBO,W;UjB0opBP,kBAsjBmB,O;UArjBnB,iD;YAAgB,cAAhB,0B;YACI,cAojBwB,SApjBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAiiBP,yB;O;KAfJ,C;4FAkBA,yB;MAjiBA,gD;MAAA,gE;MAiiBA,gD;QAeW,6B;;UA/hBS,Q;UAHhB,IA5haO,qBAAQ,CA4haf,C;YA

X,4BAAO,M;;;QAmtBP,gC;O;KAhBJ,C;gFAmBA,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB
;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAOoB,Q;MA
DhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAE
J,OAAO,G;K;kFAGX,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;Q
ACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAg
B,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;M
AOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,C
AAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAA
,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAOoB,Q;MADhB,UAAe,C;M
ACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kF
AGX,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SA
AS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,yB;MAAA,oC;MAAA,gC;MAAA,sC;QAOoB,Q;QADhB,UAAe,
C;QACf,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,YAAO,SAAS,oBAAT,CAAP,I;;QAEJ,
OAAO,G;O;KAVX,C;4FAaA,+B;MAOoB,Q;MADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,S
AAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MAClB,
wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;
MAOoB,Q;MADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C
AAP,I;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cA
AA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;M
AClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAG
X,+B;MAOoB,Q;MADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SA
AS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QA
AgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAA
kB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;
K;8FAGX,yB;MAAA,oC;MAAA,gC;MAAA,sC;QAOoB,Q;QADhB,UAAkB,G;QAClB,wBAAgB,SAAhB,gB;UA
AgB,cAAhB,UAAgB,SAAhB,O;UACI,OAAO,SAAS,oBAAT,C;;QAEX,OAAO,G;O;KAVX,C;gFAaA,+B;MAUo
B,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;
;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,S
AAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB
,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;
MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,O
AAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,c
AAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;
MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kF
AGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,
SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;
QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,yB;MAAA,oC;MAAA,gC;
MAAA,sC;QAUoB,Q;QADhB,UAAoB,C;QACpB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UA
CI,OAAO,SAAS,oBAAT,C;;QAEX,OAAO,G;O;KAbX,C;kFAgBA,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBA
AgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;
MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT
,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cA
AA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,
C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;
K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAA
O,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,
gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;
MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;

MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,yB;MAAA,oC;MAAA,gC;MAAA,sC;QAUoB,Q;QADhB,UAAe,C;QACf,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,YAAO,SAAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;O;KAbX,C;mFAgBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAA,M;UACI,cAAO,SAAS,OAAT,CAAP,C

enB65qBnD,GmB75qB8D,KAAK,KnB65qB5D,SAAS,OAAT,CmB75qBuE,KAAX,CAAhB,C;;QnB+5qBvD,OA
AO,G;O;KAdX,C;mFAiBA,yB;MmB1mqBA,+B;MnB0mqBA,sC;QAWoB,Q;QADhB,UmBzmqBqC,eAAW,oBn
BymqB/B,CmBzmqB+B,CAAX,C;QnB0mqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmB96q
BmD,enB86qBnD,GmB96qB8D,KAAK,KnB86qB5D,SAAS,OAAT,CmB96qBuE,KAAX,CAAhB,C;;QnBg7qBvD
,OAAO,G;O;KAdX,C;kFAiBA,yB;MmB3nqBA,+B;MnB2nqBA,sC;QAWoB,Q;QADhB,UmB1nqBqC,eAAW,oBn
B0nqB/B,CmB1nqB+B,CAAX,C;QnB2nqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmB/7qB
mD,enB+7qBnD,GmB/7qB8D,KAAK,KnB+7qB5D,SAAS,OAAT,CmB/7qBuE,KAAX,CAAhB,C;;QnBi8qBvD,O
AAO,G;O;KAdX,C;mFAiBA,yB;MmB5oqBA,+B;MnB4oqBA,sC;QAWoB,Q;QADhB,UmB3oqBqC,eAAW,oBnB
2oqB/B,CmB3oqB+B,CAAX,C;QnB4oqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBh9qBm
D,enBg9qBnD,GmBh9qB8D,KAAK,KnBg9qB5D,SAAS,OAAT,CmBh9qBuE,KAAX,CAAhB,C;;QnBk9qBvD,O
AAO,G;O;KAdX,C;mFAiBA,yB;MmB7pqBA,+B;MnB6pqBA,sC;QAWoB,Q;QADhB,UmB5pqBqC,eAAW,oBnB
4pqB/B,CmB5pqB+B,CAAX,C;QnB6pqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBj+qBq
BmD,enBi+qBnD,GmBj+qB8D,KAAK,KnBi+qB5D,SAAS,OAAT,CmBj+qBuE,KAAX,CAAhB,C;;QnBm+qBvD,O
AAO,G;O;KAdX,C;mFAiBA,yB;MmB9qqBA,+B;MnB8qqBA,sC;QAWoB,Q;QADhB,UmB7qqBqC,eAAW,oBnB
6qqB/B,CmB7qqB+B,CAAX,C;QnB8qqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBl/qBm
D,enBk/qBnD,GmBl/qB8D,KAAK,KnBk/qB5D,SAAS,OAAT,CmBl/qBuE,KAAX,CAAhB,C;;QnBo/qBvD,O
AAO,G;O;KAdX,C;kFAiBA,yB;MmB/rqBA,+B;MnB+rqBA,sC;QAWoB,Q;QADhB,UmB9rqBqC,eAAW,oBnB
8rqB/B,CmB9rqB+B,CAAX,C;QnB+rqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBngrBmD,enBmg
rBnD,GmBngrB8D,KAAK,KnBmgrB5D,SAAS,OAAT,CmBngrBuE,KAAX,CAAhB,C;;QnBqgrBvD,OAAO,G;O;
KAdX,C;mFAiBA,yB;MAAA,oC;MAAA,gC;MmBhtqBA,+B;MnBgtqBA,sC;QAWoB,Q;QADhB,UmB/sqBqC,eAAW,oBn
B+sqB/B,CmB/sqB+B,CAAX,C;QnBgtqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O
;UACI,MmBphrBmD,enBohrBnD,GmBphrB8D,KAAK,KnBohrB5D,SAAS,oBAAT,CmBphrBuE,KAAX,CAAhB,
C;;QnBshrBvD,OAAO,G;O;KAdX,C;IAiBA,mC;MAIoB,UAMT,M;MANP,wBAAgB,SAAhB,gB;QAAgB,cAAA,
SAAhB,M;QACI,IAAI,eAAJ,C;UACI,MAAM,gCAAyB,2BAAwB,SAAxB,MAAzB,C;;;MAId,OAAO,0D;K;wFA
GX,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB
,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAA
O,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QA
CZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QAC

ACI,KAAM,WAAI,oBAAJ,C;;YAEN,MAAO,WAAI,oBAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;IAoBA,+B;MAkGI,WkB3orBO,MAAO,KlB2orBG,gBkB3orBH,ElBgjrBH,KA2FkB,OkB3orBf,C;MlB4orBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA9FqB,GA8FP,UAAK,CAAL,CA9FO,EAAnB,KA8FqB,CAAM,CAAN,CA9FF,CA8FrB,C;;MA9FT,OAgGO,I;K;IA7FX,iC;MAwGI,WkB3prBO,MAAO,KlB2prBG,gBkB3prBH,ElB0jrBH,KAiGkB,OkB3prBf,C;MlB4prBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApGqB,GAoGP,UAAK,CAAL,CApGO,EAAnB,KAoGqB,CAAM,CAAN,CApGF,CAoGrB,C;;MApGT,OAsGO,I;K;IAzGX,iC;MAoHI,WkB3rrBO,MAAO,KlB2rrBG,gBkB3rrBH,ElB8krBH,KA6GkB,OkB3rrBf,C;MlB4rrBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhHqB,GAgHP,UAAK,CAAL,CAhHO,EAAnB,KAgHqB,CAAM,CAAN,CAhHF,CAgHrB,C;;MAhHT,OAkHO,I;K;IArHX,iC;MAgII,WkB3trBO,MAAO,KlB2trBG,gBkB3trBH,ElBolrBH,KAyHkB,OkB3trBf,C;MlB4trBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5HqB,GA4HP,UAAK,CAAL,CA5HO,EAAnB,KA4HqB,CAAM,CAAN,CA5HF,CA4HrB,C;;MA5HT,OA8HO,I;K;IAjIX,iC;MA4II,WkB3vrBO,MAAO,KlB2vrBG,gBkB3vrBH,ElBsnrBH,KAqIkB,OkB3vrBf,C;MlB4vrBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxIqB,GAwIP,UAAK,CAAL,CAxIO,EAAnB,KAwIqB,CAAM,CAAN,CAxIF,CAwIrB,C;;MAxIT,OA0IO,I;K;IA7IX,iC;MAwJI,WkB3xrBO,MAAO,KlB2xrBG,gBkB3xrBH,ElBwprBH,KAiJkB,OkB3xrBf,C;MlB4xrBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApJqB,GAoJP,UAAK,CAAL,CApJO,EAAnB,KAoJqB,CAAM,CAAN,CApJF,CAoJrB,C;;MApJT,OAsJO,I;K;IAzJX,iC;MAoKI,WkB3zrBO,MAAO,KlB2zrBG,gBkB3zrBH,ElBsrrBH,KA6JkB,OkB3zrBf,C;MlB4zrBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhKqB,GAgKP,UAAK,CAAL,CAhKO,EAAnB,KAgKqB,CAAM,CAAN,CAhKF,CAgKrB,C;;MAhKT,OAkKO,I;K;IArKX,iC;MAgLI,WkB31rBO,MAAO,KlB21rBG,gBkB31rBH,ElBotrBH,KAyKkB,OkB31rBf,C;MlB41rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5KqB,GA4KP,UAAK,CAAL,CA5KO,EAAnB,KA4KqB,CAAM,CAAN,CA5KF,CA4KrB,C;;MA5KT,OA8KO,I;K;IAjLX,iC;MA4LI,WkB32rBO,MAAO,KlB22rBG,gBkB32rBH,ElBsvrBH,KAqLkB,OkB32rBf,C;MlB42rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxLqB,GAwLP,UAAK,CAAL,CAxLO,EAAnB,KAwLqB,CAAM,CAAN,CAxLF,CAwLrB,C;;MAxLT,OA0LO,I;K;IA7LX,iC;MAwMI,WkB33rBO,MAAO,KlB23rBG,gBkB33rBH,ElBwxrBH,KAiMkB,OkB33rBf,C;MlB43rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApMqB,GAoMP,UAAK,CAAL,CApMO,EAAnB,KAoMqB,CAAM,CAAN,CApMF,CAoMrB,C;;MApMT,OAsMO,I;K;IAzMX,iC;MAoNI,WkB35rBO,MAAO,KlB25rBG,gBkB35rBH,ElBwzrBH,KA6MkB,OkB35rBf,C;MlB45rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhNqB,GAgNP,UAAK,CAAL,CAhNO,EAAnB,KAgNqB,CAAM,CAAN,CAhNF,CAgNrB,C;;MAhNT,OAkNO,I;K;IArNX,iC;MAgOI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAyNkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5NqB,GA4NP,UAAK,CAAL,CA5NO,EAAnB,KA4NqB,CAAM,CAAN,CA5NF,CA4NrB,C;;MA5NT,OA8NO,I;K;IAjOX,iC;MA4OI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAqOkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxOqB,GAwOP,UAAK,CAAL,CAxOO,EAAnB,KAwOqB,CAAM,CAAN,CAxOF,CAwOrB,C;;MAxOT,OA0OO,I;K;IA7OX,iC;MAwPI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAiPkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApPqB,GAoPP,UAAK,CAAL,CApPO,EAAnB,KAoPqB,CAAM,CAAN,CApPF,CAoPrB,C;;MApPT,OAsPO,I;K;IAzPX,iC;MAoQI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KA6PkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhQqB,GAgQP,UAAK,CAAL,CAhQO,EAAnB,KAgQqB,CAAM,CAAN,CAhQF,CAgQrB,C;;MAhQT,OAkQO,I;K;IArQX,iC;MAgRI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAyQkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5QqB,GA4QP,UAAK,CAAL,CA5QO,EAAnB,KA4QqB,CAAM,CAAN,CA5QF,CA4QrB,C;;MA5QT,OA8QO,I;K;IAjRX,iC;MA4RI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAqRkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxRqB,GAwRP,UAAK,CAAL,CAxRO,EAAnB,KAwRqB,CAAM,CAAN,CAxRF,CAwRrB,C;;MAxRT,OA0RO,I;K;IA7RX,iC;MAwSI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAiSkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApSqB,GAoSP,UAAK,CAAL,CApSO,EAAnB,KAoSqB,CAAM,CAAN,CApSF,CAoSrB,C;;MApST,OAsSO,I;K;IAzSX,iC;MAoTI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KA6SkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhTqB,GAgTP,UAAK,CAAL,CAhTO,EAAnB,KAgTqB,CAAM,CAAN,CAhTF,CAgTrB,C;;MAhTT,OAkTO,I;K;IArTX,iC;MAgUI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAyTkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5TqB,GA4TP,UAAK,CAAL,CA5TO,EAAnB,KA4TqB,CAAM,CAAN,CA5TF,CA4TrB,C;;MA5TT,OA8TO,I;K;IAjUX,iC;MA4UI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAqUkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxUqB,GAwUP,UAAK,CAAL,CAxUO,EAAnB,KAwUqB,CAAM,CAAN,CAxUF,CAwUrB,C;;MAxUT,OA0UO,I;K;IA7UX,iC;MAwVI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAiVkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApVqB,GAoVP,UAAK,CAAL,CApVO,EAAnB,KAoVqB,CAAM,CAAN,CApVF,CAoVrB,C;;MApVT,OAsVO,I;K;IAzVX,iC;MAoWI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KA6VkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhWqB,GAgWP,UAAK,CAAL,CAhWO,EAAnB,KAgWqB,CAAM,CAAN,CAhWF,CAgWrB,C;;MAhWT,OAkWO,I;K;IArWX,iC;MAgXI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAyWkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5WqB,GA4WP,UAAK,CAAL,CA5WO,EAAnB,KA4WqB,CAAM,CAAN,CA5WF,CA4WrB,C;;MA5WT,OA8WO,I;K;IAjXX,iC;MA4XI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAqXkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxXqB,GAwXP,UAAK,CAAL,CAxXO,EAAnB,KAwXqB,CAAM,CAAN,CAxXF,CAwXrB,C;;MAxXT,OA0XO,I;K;IA7XX,iC;MAwYI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAiYkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApYqB,GAoYP,UAAK,CAAL,CApYO,EAAnB,KAoYqB,CAAM,CAAN,CApYF,CAoYrB,C;;MApYT,OAsYO,I;K;IAzYX,iC;MAoZI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KA6YkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhZqB,GAgZP,UAAK,CAAL,CAhZO,EAAnB,KAgZqB,CAAM,CAAN,CAhZF,CAgZrB,C;;MAhZT,OAkZO,I;K;IArZX,iC;MAgaI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAyZkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5ZqB,GA4ZP,UAAK,CAAL,CA5ZO,EAAnB,KA4ZqB,CAAM,CAAN,CA5ZF,CA4ZrB,C;;MA5ZT,OA8ZO,I;K;IAjaX,iC;MA4aI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAqakB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxaqB,GAwaP,UAAK,CAAL,CAxaO,EAAnB,KAwaqB,CAAM,CAAN,CAxaF,CAwarB,C;;MAxaT,OA0aO,I;K;IA7aX,iC;MAwbI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAibkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApbqB,GAobP,UAAK,CAAL,CApbO,EAAnB,KAobqB,CAAM,CAAN,CApbF,CAobrB,C;;MApbT,OAsbO,I;K;IAzbX,iC;MAocI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KA6bkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAhcqB,GAgcP,UAAK,CAAL,CAhcO,EAAnB,KAgcqB,CAAM,CAAN,CAhcF,CAgcrB,C;;MAhcT,OAkcO,I;K;IArcX,iC;MAgdI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAycmB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WA5cqB,GA4cP,UAAK,CAAL,CA5cO,EAAnB,KA4cqB,CAAM,CAAN,CA5cF,CA4crB,C;;MA5cT,OA8cO,I;K;IAjdX,iC;MA4dI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAqdmB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAxdqB,GAwdP,UAAK,CAAL,CAxdO,EAAnB,KAwdqB,CAAM,CAAN,CAxdF,CAwdrB,C;;MAxdT,OA0dO,I;K;IA7dX,iC;MAweI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAieoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WApeqB,GAoeP,UAAK,CAAL,CApeO,EAAnB,KAoeqB,CAAM,CAAN,CApeF,CAoerB,C;;MApeT,OAseO,I;K;IAzeX,iC;MAofI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KA6eoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAhfqB,GAgfP,UAAK,CAAL,CAhfO,EAAnB,KAgfqB,CAAM,CAAN,CAhfF,CAgfrB,C;;MAhfT,OAkfO,I;K;IArfX,iC;MAggBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAyfoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WA5fqB,GA4fP,UAAK,CAAL,CA5fO,EAAnB,KA4fqB,CAAM,CAAN,CA5fF,CA4frB,C;;MA5fT,OA8fO,I;K;IAjgBX,iC;MA4gBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAqgBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAxgBqB,GAwgBP,UAAK,CAAL,CAxgBO,EAAnB,KAwgBqB,CAAM,CAAN,CAxgBF,CAwgBrB,C;;MAxgBT,OA0gBO,I;K;IA7gBX,iC;MAwhBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAihBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAphBqB,GAohBP,UAAK,CAAL,CAphBO,EAAnB,KAohBqB,CAAM,CAAN,CAphBF,CAohBrB,C;;MAphBT,OAshBO,I;K;IAzhBX,iC;MAoiBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KA6hBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAhiBqB,GAgiBP,UAAK,CAAL,CAhiBO,EAAnB,KAgiBqB,CAAM,CAAN,CAhiBF,CAgiBrB,C;;MAhiBT,OAkiBO,I;K;IAriBX,iC;MAgjBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAyiBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WA5iBqB,GA4iBP,UAAK,CAAL,CA5iBO,EAAnB,KA4iBqB,CAAM,CAAN,CA5iBF,CA4iBrB,C;;MA5iBT,OA8iBO,I;K;IAjjBX,iC;MA4jBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAqjBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAxjBqB,GAwjBP,UAAK,CAAL,CAxjBO,EAAnB,KAwjBqB,CAAM,CAAN,CAxjBF,CAwjBrB,C;;MAxjBT,OA0jBO,I;K;IA7jBX,iC;MAwkBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAikBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WApkBqB,GAokBP,UAAK,CAAL,CApkBO,EAAnB,KAokBqB,CAAM,CAAN,CApkBF,CAokBrB,C;;MApkBT,OAskBO,I;K;IAzkBX,iC;MAolBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KA6kBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAhlBqB,GAglBP,UAAK,CAAL,CAhlBO,EAAnB,KAglBqB,CAAM,CAAN,CAhlBF,CAglBrB,C;;MAhlBT,OAklBO,I;K;IArlBX,iC;MAgmBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAylBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WA5lBqB,GA4lBP,UAAK,CAAL,CA5lBO,EAAnB,KA4lBqB,CAAM,CAAN,CA5lBF,CA4lBrB,C;;MA5lBT,OA8lBO,I;K;IAjmBX,iC;MA4mBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAqmBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAxmBqB,GAwmBP,UAAK,CAAL,CAxmBO,EAAnB,KAwmBqB,CAAM,CAAN,CAxmBF,CAwmBrB,C;;MAxmBT,OA0mBO,I;K;IA7mBX,iC;MAwnBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAinBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WApnBqB,GAonBP,UAAK,CAAL,CApnBO,EAAnB,KAonBqB,CAAM,CAAN,CApnBF,CAonBrB,C;;MApnBT,OAsnBO,I;K;IAznBX,iC;MAooBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KA6nBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAhoBqB,GAgoBP,UAAK,CAAL,CAhoBO,EAAnB,KAgoBqB,CAAM,CAAN,CAhoBF,CAgoBrB,C;;MAhoBT,OAkoBO,I;K;IAroBX,iC;MAgpBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAyoBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WA5oBqB,GA4oBP,UAAK,CAAL,CA5oBO,EAAnB,KA4oBqB,CAAM,CAAN,CA5oBF,CA4oBrB,C;;MA5oBT,OA8oBO,I;K;IAjpBX,iC;MA4pBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAqpBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAxpBqB,GAwpBP,UAAK,CAAL,CAxpBO,EAAnB,KAwpBqB,CAAM,CAAN,CAxpBF,CAwpBrB,C;;MAxpBT,OA0pBO,I;K;IA7pBX,iC;MAwqBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAiqBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WApqBqB,GAoqBP,UAAK,CAAL,CApqBO,EAAnB,KAoqBqB,CAAM,CAAN,CApqBF,CAoqBrB,C;;MApqBT,OAsqBO,I;K;IAzqBX,iC;MAorBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KA6qBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAhrBqB,GAgrBP,UAAK,CAAL,CAhrBO,EAAnB,KAgrBqB,CAAM,CAAN,CAhrBF,CAgrBrB,C;;MAhrBT,OAkrBO,I;K;IArrBX,iC;MAgsBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAyrBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WA5rBqB,GA4rBP,UAAK,CAAL,CA5rBO,EAAnB,KA4rBqB,CAAM,CAAN,CA5rBF,CA4rBrB,C;;MA5rBT,OA8rBO,I;K;IAjsBX,iC;MA4sBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAqsBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAxsBqB,GAwsBP,UAAK,CAAL,CAxsBO,EAAnB,KAwsBqB,CAAM,CAAN,CAxsBF,CAwsBrB,C;;MAxsBT,OA0sBO,I;K;IA7sBX,iC;MAwtBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAitBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAptBqB,GAotBP,UAAK,CAAL,CAptBO,EAAnB,KAotBqB,CAAM,CAAN,CAptBF,CAotBrB,C;;MAptBT,OAstBO,I;K;IAztBX,iC;MAouBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KA6tBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAhuBqB,GAguBP,UAAK,CAAL,CAhuBO,EAAnB,KAguBqB,CAAM,CAAN,CAhuBF,CAguBrB,C;;MAhuBT,OAkuBO,I;K;IAruBX,iC;MAgvBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAyuBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WA5uBqB,GA4uBP,UAAK,CAAL,CA5uBO,EAAnB,KA4uBqB,CAAM,CAAN,CA5uBF,CA4uBrB,C;;MA5uBT,OA8uBO,I;K;IAjvBX,iC;MA4vBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAqvBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAxvBqB,GAwvBP,UAAK,CAAL,CAxvBO,EAAnB,KAwvBqB,CAAM,CAAN,CAxvBF,CAwvBrB,C;;MAxvBT,OA0vBO,I;K;IA7vBX,iC;MAwwBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAiwBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WApwBqB,GAowBP,UAAK,CAAL,CApwBO,EAAnB,KAowBqB,CAAM,CAAN,CApwBF,CAowBrB,C;;MApwBT,OAswBO,I;K;IAzwBX,iC;MAoxBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KA6wBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAhxBqB,GAgxBP,UAAK,CAAL,CAhxBO,EAAnB,KAgxBqB,CAAM,CAAN,CAhxBF,CAgxBrB,C;;MAhxBT,OAkxBO,I;K;IArxBX,iC;MAgyBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAyxBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WA5xBqB,GA4xBP,UAAK,CAAL,CA5xBO,EAAnB,KA4xBqB,CAAM,CAAN,CA5xBF,CA4xBrB,C;;MA5xBT,OA8xBO,I;K;IAjyBX,iC;MA4yBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAqyBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAxyBqB,GAwyBP,UAAK,CAAL,CAxyBO,EAAnB,KAwyBqB,CAAM,CAAN,CAxyBF,CAwyBrB,C;;MAxyBT,OA0yBO,I;K;IA7yBX,iC;MAwzBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAizBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WApzBqB,GAozBP,UAAK,CAAL,CApzBO,EAAnB,KAozBqB,CAAM,CAAN,CApzBF,CAozBrB,C;;MApzBT,OAszBO,I;K;IAzzBX,iC;MAo0BI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KA60BoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAh0BqB,GAg0BP,UAAK,CAAL,CAh0BO,EAAnB,KAg0BqB,CAAM,CAAN,CAh0BF,CAg0BrB,C;;MAh0BT,OAk0BO,I;K;IAr0BX,iC;MAg1BI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAy1BoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WA50BqB,GA40BP,UAAK,CAAL,CA50BO,EAAnB,KA40BqB,CAAM,CAAN,CA50BF,CA40BrB,C;;MA50BT,OA80BO,I;K;IAj1BX,iC;MA42BI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAq2BoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAx2BqB,GAw2BP,UAAK,CAAL,CAx2BO,EAAnB,KAw2BqB,CAAM,CAAN,CAx2BF,CAw2BrB,C;;MAx2BT,OA02BO,I;K;IA72BX,iC;MAw3BI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAi3BoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAp3BqB,GAo3BP,UAAK,CAAL,CAp3BO,EAAnB,KAo3BqB,CAAM,CAAN,CAp3BF,CAo3BrB,C;;MAp3BT,OAs3BO,I;K;IAz3BX,iC;MAo4BI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KA64BoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAh4BqB,GAg4BP,UAAK,CAAL,CAh4BO,EAAnB,KAg4BqB,CAAM,CAAN,CAh4BF,CAg4BrB,C;;MAh4BT,OAk4BO,I;K;IAr4BX,iC;MAg5BI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAy5BoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WA55BqB,GA45BP,UAAK,CAAL,CA55BO,EAAnB,KA45BqB,CAAM,CAAN,CA55BF,CA45BrB,C;;MA55BT,OA85BO,I;K;IAj6BX,iC;MA46BI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAq6BoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAx6BqB,GAw6BP,UAAK,CAAL,CAx6BO,EAAnB,KAw6BqB,CAAM,CAAN,CAx6BF,CAw6BrB,C;;MAx6BT,OA06BO,I;K;IA76BX,iC;MAw7BI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAi7BoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAp7BqB,GAo7BP,UAAK,CAAL,CAp7BO,EAAnB,KAo7BqB,CAAM,CAAN,CAp7BF,CAo7BrB,C;;MAp7BT,OAs7BO,I;K;IAz7BX,iC;MAo8BI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KA67BoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;QACI,IAAK,WAh8BqB,GAg8BP,UAAK,CAAL,CAh8BO,EAAnB,KAg8BqB,CAAM,CAAN,CAh8BF,CAg8BrB,C;;MAh8BT,OAk8BO,I;K;IAr8BX,iC;MAg9BI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs1rBH,KAy8BoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAkBkB,IAlBlB,M;Q

K,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MkBzwrBA,iB;MlBywrBA,8C;QAQI,WkB3wrBO,MAAO,KlB2wrBG,gBkB3wrBH,ElB2wrBS,KAAM,OkB3wrBf,C;QlB4wrBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBt3rBJ,MAAO,KlBs3rBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBt3rBtB,ElBs3rBmD,SkBt3rBnD,ClBs3rBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBx4rBJ,MAAO,KlBw4rBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBx4rBtB,ElBw4rBmD,SkBx4rBnD,ClBw4rBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB15rBJ,MAAO,KlB05rBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB15rBtB,ElB05rBmD,SkB15rBnD,ClB05rBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB97rBJ,MAAO,KlB87rBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB97rBtB,ElB87rBmD,SkB97rBnD,ClB87rBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBl9rBJ,MAAO,KlBk9rBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBl9rBtB,ElBk9rBmD,SkBl9rBnD,ClBk9rBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBt+rBJ,MAAO,KlBs+rBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBt+rBtB,ElBs+rBmD,SkBt+rBnD,ClBs+rBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB1/rBJ,MAAO,KlB0/rBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB1/rBtB,ElB0/rBmD,SkB1/rBnD,ClB0/rBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB9hsBJ,MAAO,KlB8hsBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB9hsBtB,ElB8hsBmD,SkB9hsBnD,ClB8hsBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBlksBJ,MAAO,KlBkksBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBlksBtB,ElBkksBmD,SkBlksBnD,ClBkksBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBtmsBJ,MAAO,KlBsmsBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBtmsBtB,ElBsmsBmD,SkBtmsBnD,ClBsmsBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB1osBJ,MAAO,KlB0osBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB1osBtB,ElB0osBmD,SkB1osBnD,ClB0osBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB9qsBJ,MAAO,KlB8qsBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB9qsBtB,ElB8qsBmD,SkB9qsBnD,ClB8qsBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBtssBJ,MAAO,KlBssBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBtssBtB,ElBssBmD,SkBtssBnD,ClBssBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB1usBJ,MAAO,KlB0usBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB1usBtB,ElB0usBmD,SkB1usBnD,ClB0usBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB9vsBJ,MAAO,KlB8vsBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB9vsBtB,ElB8vsBmD,SkB9vsBnD,ClB8vsBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBtwsBJ,MAAO,KlBswsBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBtwsBtB,ElBswsBmD,SkBtwsBnD,ClBswsBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB1xsBJ,MAAO,KlB0xsBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB1xsBtB,ElB0xsBmD,SkB1xsBnD,ClB0xsBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB9ysBJ,MAAO,KlB8ysBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB9ysBtB,ElB8ysBmD,SkB9ysBnD,ClB8ysBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBt0sBJ,MAAO,KlBs0sBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBt0sBtB,ElBs0sBmD,SkBt0sBnD,ClBs0sBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB11sBJ,MAAO,KlB01sBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB11sBtB,ElB01sBmD,SkB11sBnD,ClB01sBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB92sBJ,MAAO,KlB82sBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB92sBtB,ElB82sBmD,SkB92sBnD,ClB82sBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBl4sBJ,MAAO,KlBk4sBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBl4sBtB,ElBk4sBmD,SkBl4sBnD,ClBk4sBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBt5sBJ,MAAO,KlBs5sBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBt5sBtB,ElBs5sBmD,SkBt5sBnD,ClBs5sBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB16sBJ,MAAO,KlB06sBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB16sBtB,ElB06sBmD,SkB16sBnD,ClB06sBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB97sBJ,MAAO,KlB87sBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB97sBtB,ElB87sBmD,SkB97sBnD,ClB87sBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBl9sBJ,MAAO,KlBk9sBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBl9sBtB,ElBk9sBmD,SkBl9sBnD,ClBk9sBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBt+sBJ,MAAO,KlBs+sBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBt+sBtB,ElBs+sBmD,SkBt+sBnD,ClBs+sBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB1/sBJ,MAAO,KlB0/sBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB1/sBtB,ElB0/sBmD,SkB1/sBnD,ClB0/sBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB9hsBJ,MAAO,KlB8hsBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB9hsBtB,ElB8hsBmD,SkB9hsBnD,ClB8hsBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBlksBJ,MAAO,KlBkksBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBlksBtB,ElBkksBmD,SkBlksBnD,ClBkksBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBtmsBJ,MAAO,KlBsmsBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBtmsBtB,ElBsmsBmD,SkBtmsBnD,ClBsmsBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB1osBJ,MAAO,KlB0osBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB1osBtB,ElB0osBmD,SkB1osBnD,ClB0osBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB9qsBJ,MAAO,KlB8qsBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB9qsBtB,ElB8qsBmD,SkB9qsBnD,ClB8qsBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBtssBJ,MAAO,KlBssBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBtssBtB,ElBssBmD,SkBtssBnD,ClBssBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB1usBJ,MAAO,KlB0usBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB1usBtB,ElB0usBmD,SkB1usBnD,ClB0usBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB9vsBJ,MAAO,KlB8vsBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB9vsBtB,ElB8vsBmD,SkB9vsBnD,ClB8vsBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBtwsBJ,MAAO,KlBswsBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBtwsBtB,ElBswsBmD,SkBtwsBnD,ClBswsBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB1xsBJ,MAAO,KlB0xsBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB1xsBtB,ElB0xsBmD,SkB1xsBnD,ClB0xsBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB9ysBJ,MAAO,KlB8ysBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB9ysBtB,ElB8ysBmD,SkB9ysBnD,ClB8ysBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBt0sBJ,MAAO,KlBs0sBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBt0sBtB,ElBs0sBmD,SkBt0sBnD,ClBs0sBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB11sBJ,MAAO,KlB01sBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB11sBtB,ElB01sBmD,SkB11sBnD,ClB01sBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB92sBJ,MAAO,KlB82sBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB92sBtB,ElB82sBmD,SkB92sBnD,ClB82sBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBl4sBJ,MAAO,KlBk4sBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBl4sBtB,ElBk4sBmD,SkBl4sBnD,ClBk4sBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBt5sBJ,MAAO,KlBs5sBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBt5sBtB,ElBs5sBmD,SkBt5sBnD,ClBs5sBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB16sBJ,MAAO,KlB06sBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB16sBtB,ElB06sBmD,SkB16sBnD,ClB06sBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB97sBJ,MAAO,KlB87sBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB97sBtB,ElB87sBmD,SkB97sBnD,ClB87sBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBl9sBJ,MAAO,KlBk9sBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBl9sBtB,ElBk9sBmD,SkBl9sBnD,ClBk9sBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBt+sBJ,MAAO,KlBs+sBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBt+sBtB,ElBs+sBmD,SkBt+sBnD,ClBs+sBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB1/sBJ,MAAO,KlB0/sBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB1/sBtB,ElB0/sBmD,SkB1/sBnD,ClB0/sBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB9hsBJ,MAAO,KlB8hsBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkB9hsBtB,ElB8hsBmD,SkB9hsBnD,ClB8hsBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAI,IAAK,KAAK,SAAT,C;UACI,KAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBlksBJ,MAAO,KlBkksBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBlksBtB,ElBkksBmD,SkBlksBnD,ClBkksBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;

BAAN,KAAM,EAAwB,EAAxB,CkB15rBtB,ElB05rBmD,SkB15rBnD,ClB05rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBz6rBA,iB;MlBy6rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB56rBJ,MAAO,KlB46rBA,wBAAN,WAAM,CAAN,EAAM,CAAN,EAAM,CAAN,E

Aa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA9HqB,GA8HP,sBAAK,CAAL,EA9HO,EA8HE,YA9HrB,KA8HqB,CAAM,CAAN,EA9HF,CA8HrB,C;;MA9HT,OAgIO,I;K;+EA7HX,yB;MAAA,gE;MkBrmsBA,iB;MlBqmsBA,8C;QAQI,WkBvmsBO,MAAO,KlBumsBG,gBkBvmsBH,ElBumsBS,KAAM,OkBvmsBf,C;QlBwmsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrnsBA,iB;MlBqnsBA,8C;QAQI,WkBvnsBO,MAAO,KlBunsBG,gBkBvnsBH,ElBunsBS,KAAM,OkBvnsBf,C;QlBwnsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrosBA,iB;MlBqosBA,8C;QAQI,WkBvosBO,MAAO,KlBuosBG,gBkBvosBH,ElBuosBS,KAAM,OkBvosBf,C;QlBwosBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrpsBA,iB;MlBqpsBA,8C;QAQI,WkBvpsBO,MAAO,KlBupsBG,gBkBvpsBH,ElBupsBS,KAAM,OkBvpsBf,C;QlBwpsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrqsBA,iB;MlBqqsBA,8C;QAQI,WkBvqsBO,MAAO,KlBuqsBG,gBkBvqsBH,ElBuqsBS,KAAM,OkBvqsBf,C;QlBwqsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrrsBA,iB;MlBqrsBA,8C;QAQI,WkBvrsBO,MAAO,KlBursBG,gBkBvrsBH,ElBursBS,KAAM,OkBvrsBf,C;QlBwrsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrssBA,iB;MlBqssBA,8C;QAQI,WkBvssBO,MAAO,KlBussBG,gBkBvssBH,ElBussBS,KAAM,OkBvssBf,C;QlBwssBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrtsBA,iB;MlBqtsBA,8C;QAQI,WkBvtsBO,MAAO,KlButsBG,gBkBvtsBH,ElButsBS,KAAM,OkBvtsBf,C;QlBwtsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrusBA,iB;MlBqusBA,8C;QAQI,WkBvusBO,MAAO,KlBuusBG,gBkBvusBH,ElBuusBS,KAAM,OkBvusBf,C;QlBwusBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrvsBA,iB;MlBqvsBA,8C;QAQI,WkBvvsBO,MAAO,KlBuvsBG,gBkBvvsBH,ElBuvsBS,KAAM,OkBvvsBf,C;QlBwvsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrwsBA,iB;MlBqwsBA,8C;QAQI,WkBvwsBO,MAAO,KlBuwsBG,gBkBvwsBH,ElBuwsBS,KAAM,OkBvwsBf,C;QlBwwsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrxsBA,iB;MlBqxsBA,8C;QAQI,WkBvxsBO,MAAO,KlBuxsBG,gBkBvxsBH,ElBuxsBS,KAAM,OkBvxsBf,C;QlBwxsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrysBA,iB;MlBqysBA,8C;QAQI,WkBvysBO,MAAO,KlBuysBG,gBkBvysBH,ElBuysBS,KAAM,OkBvysBf,C;QlBwysBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrzsBA,iB;MlBqzsBA,8C;QAQI,WkBvzsBO,MAAO,KlBuzsBG,gBkBvzsBH,ElBuzsBS,KAAM,OkBvzsBf,C;QlBwzsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr0sBA,iB;MlBq0sBA,8C;QAQI,WkBv0sBO,MAAO,KlBu0sBG,gBkBv0sBH,ElBu0sBS,KAAM,OkBv0sBf,C;QlBw0sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr1sBA,iB;MlBq1sBA,8C;QAQI,WkBv1sBO,MAAO,KlBu1sBG,gBkBv1sBH,ElBu1sBS,KAAM,OkBv1sBf,C;QlBw1sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr2sBA,iB;MlBq2sBA,8C;QAQI,WkBv2sBO,MAAO,KlBu2sBG,gBkBv2sBH,ElBu2sBS,KAAM,OkBv2sBf,C;QlBw2sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr3sBA,iB;MlBq3sBA,8C;QAQI,WkBv3sBO,MAAO,KlBu3sBG,gBkBv3sBH,ElBu3sBS,KAAM,OkBv3sBf,C;QlBw3sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr4sBA,iB;MlBq4sBA,8C;QAQI,WkBv4sBO,MAAO,KlBu4sBG,gBkBv4sBH,ElBu4sBS,KAAM,OkBv4sBf,C;QlBw4sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr5sBA,iB;MlBq5sBA,8C;QAQI,WkBv5sBO,MAAO,KlBu5sBG,gBkBv5sBH,ElBu5sBS,KAAM,OkBv5sBf,C;QlBw5sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr6sBA,iB;MlBq6sBA,8C;QAQI,WkBv6sBO,MAAO,KlBu6sBG,gBkBv6sBH,ElBu6sBS,KAAM,OkBv6sBf,C;QlBw6sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr7sBA,iB;MlBq7sBA,8C;QAQI,WkBv7sBO,MAAO,KlBu7sBG,gBkBv7sBH,ElBu7sBS,KAAM,OkBv7sBf,C;QlBw7sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr8sBA,iB;MlBq8sBA,8C;QAQI,WkBv8sBO,MAAO,KlBu8sBG,gBkBv8sBH,ElBu8sBS,KAAM,OkBv8sBf,C;QlBw8sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr9sBA,iB;MlBq9sBA,8C;QAQI,WkBv9sBO,MAAO,KlBu9sBG,gBkBv9sBH,ElBu9sBS,KAAM,OkBv9sBf,C;QlBw9sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr+sBA,iB;MlBq+sBA,8C;QAQI,WkBv+sBO,MAAO,KlBu+sBG,gBkBv+sBH,ElBu+sBS,KAAM,OkBv+sBf,C;QlBw+sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr/sBA,iB;MlBq/sBA,8C;QAQI,WkBv/sBO,MAAO,KlBu/sBG,gBkBv/sBH,ElBu/sBS,KAAM,OkBv/sBf,C;QlBw/sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrgtBA,iB;MlBqgtBA,8C;QAQI,WkBvgtBO,MAAO,KlBugtBG,gBkBvgtBH,ElBugtBS,KAAM,OkBvgtBf,C;QlBwgtBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrhtBA,iB;MlBqhtBA,8C;QAQI,WkBvhtBO,MAAO,KlBuhtBG,gBkBvhtBH,ElBuhtBS,KAAM,OkBvhtBf,C;QlBwhtBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBritBA,iB;MlBqitBA,8C;QAQI,WkBvitBO,MAAO,KlBuitBG,gBkBvitBH,ElBuitBS,KAAM,OkBvitBf,C;QlBwitBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrjtBA,iB;MlBqjtBA,8C;QAQI,WkBvjtBO,MAAO,KlBujtBG,gBkBvjtBH,ElBujtBS,KAAM,OkBvjtBf,C;QlBwjtBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrktBA,iB;MlBqktBA,8C;QAQI,WkBvktBO,MAAO,KlBuktBG,gBkBvktBH,ElBuktBS,KAAM,OkBvktBf,C;QlBwktBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrltBA,iB;MlBqltBA,8C;QAQI,WkBvltBO,MAAO,KlBultBG,gBkBvltBH,ElBultBS,KAAM,OkBvltBf,C;QlBwltBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrmtBA,iB;MlBqmtBA,8C;QAQI,WkBvmtBO,MAAO,KlBumtBG,gBkBvmtBH,ElBumtBS,KAAM,OkBvmtBf,C;QlBwmtBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrntBA,iB;MlBqntBA,8C;QAQI,WkBvntBO,MAAO,KlBuntBG,gBkBvntBH,ElBuntBS,KAAM,OkBvntBf,C;QlBwntBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrotBA,iB;MlBqotBA,8C;QAQI,WkBvotBO,MAAO,KlBuotBG,gBkBvotBH,ElBuotBS,KAAM,OkBvotBf,C;QlBwotBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrptBA,iB;MlBqptBA,8C;QAQI,WkBvptBO,MAAO,KlBuptBG,gBkBvptBH,ElBuptBS,KAAM,OkBvptBf,C;QlBwptBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrqtBA,iB;MlBqqtBA,8C;QAQI,WkBvqtBO,MAAO,KlBuqtBG,gBkBvqtBH,ElBuqtBS,KAAM,OkBvqtBf,C;QlBwqtBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrrtBA,iB;MlBqrtBA,8C;QAQI,WkBvrtBO,MAAO,KlBurtBG,gBkBvrtBH,ElBurtBS,KAAM,OkBvrtBf,C;QlBwrtBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrstBA,iB;MlBqstBA,8C;QAQI,WkBvstBO,MAAO,KlBustBG,gBkBvstBH,ElBustBS,KAAM,OkBvstBf,C;QlBwstBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrttBA,iB;MlBqttBA,8C;QAQI,WkBvttBO,MAAO,KlButtBG,gBkBvttBH,ElButtBS,KAAM,OkBvttBf,C;QlBwttBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrutBA,iB;MlBqutBA,8C;QAQI,WkBvutBO,MAAO,KlBuutBG,gBkBvutBH,ElBuutBS,KAAM,OkBvutBf,C;QlBwutBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrvtBA,iB;MlBqvtBA,8C;QAQI,WkBvvtBO,MAAO,KlBuvtBG,gBkBvvtBH,ElBuvtBS,KAAM,OkBvvtBf,C;QlBwvtBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrwtBA,iB;MlBqwtBA,8C;QAQI,WkBvwtBO,MAAO,KlBuwtBG,gBkBvwtBH,ElBuwtBS,KAAM,OkBvwtBf,C;QlBwwtBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrxtBA,iB;MlBqxtBA,8C;QAQI,WkBvxtBO,MAAO,KlBuxtBG,gBkBvxtBH,ElBuxtBS,KAAM,OkBvxtBf,C;QlBwxtBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrytBA,iB;MlBqytBA,8C;QAQI,WkBvytBO,MAAO,KlBuytBG,gBkBvytBH,ElBuytBS,KAAM,OkBvytBf,C;QlBwytBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrztBA,iB;MlBqztBA,8C;QAQI,WkBvztBO,MAAO,KlBuztBG,gBkBvztBH,ElBuztBS,KAAM,OkBvztBf,C;QlBwztBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr0tBA,iB;MlBq0tBA,8C;QAQI,WkBv0tBO,MAAO,KlBu0tBG,gBkBv0tBH,ElBu0tBS,KAAM,OkBv0tBf,C;QlBw0tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr1tBA,iB;MlBq1tBA,8C;QAQI,WkBv1tBO,MAAO,KlBu1tBG,gBkBv1tBH,ElBu1tBS,KAAM,OkBv1tBf,C;QlBw1tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr2tBA,iB;MlBq2tBA,8C;QAQI,WkBv2tBO,MAAO,KlBu2tBG,gBkBv2tBH,ElBu2tBS,KAAM,OkBv2tBf,C;QlBw2tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr3tBA,iB;MlBq3tBA,8C;QAQI,WkBv3tBO,MAAO,KlBu3tBG,gBkBv3tBH,ElBu3tBS,KAAM,OkBv3tBf,C;QlBw3tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr4tBA,iB;MlBq4tBA,8C;QAQI,WkBv4tBO,MAAO,KlBu4tBG,gBkBv4tBH,ElBu4tBS,KAAM,OkBv4tBf,C;QlBw4tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr5tBA,iB;MlBq5tBA,8C;QAQI,WkBv5tBO,MAAO,KlBu5tBG,gBkBv5tBH,ElBu5tBS,KAAM,OkBv5tBf,C;QlBw5tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr6tBA,iB;MlBq6tBA,8C;QAQI,WkBv6tBO,MAAO,KlBu6tBG,gBkBv6tBH,ElBu6tBS,KAAM,OkBv6tBf,C;QlBw6tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr7tBA,iB;MlBq7tBA,8C;QAQI,WkBv7tBO,MAAO,KlBu7tBG,gBkBv7tBH,ElBu7tBS,KAAM,OkBv7tBf,C;QlBw7tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr8tBA,iB;MlBq8tBA,8C;QAQI,WkBv8tBO,MAAO,KlBu8tBG,gBkBv8tBH,ElBu8tBS,KAAM,OkBv8tBf,C;QlBw8tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr9tBA,iB;MlBq9tBA,8C;QAQI,WkBv9tBO,MAAO,KlBu9tBG,gBkBv9tBH,ElBu9tBS,KAAM,OkBv9tBf,C;QlBw9tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr+tBA,iB;MlBq+tBA,8C;QAQI,WkBv+tBO,MAAO,KlBu+tBG,gBkBv+tBH,ElBu+tBS,KAAM,OkBv+tBf,C;QlBw+tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr/tBA,iB;MlBq/tBA,8C;QAQI,WkBv/tBO,MAAO,KlBu/tBG,gBkBv/tBH,ElBu/tBS,KAAM,OkBv/tBf,C;QlBw/tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrguBA,iB;MlBqguBA,8C;QAQI,WkBvguBO,MAAO,KlBuguBG,gBkBvguBH,ElBuguBS,KAAM,OkBvguBf,C;QlBwguBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrhuBA,iB;MlBqhuBA,8C;QAQI,WkBvhuBO,MAAO,KlBuhuBG,gBkBvhuBH,ElBuhuBS,KAAM,OkBvhuBf,C;QlBwhuBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBriuBA,iB;MlBqiuBA,8C;QAQI,WkBviuBO,MAAO,KlBuiuBG,gBkBviuBH,ElBuiuBS,KAAM,OkBviuBf,C;QlBwiuBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrjuBA,iB;MlBqjuBA,8C;QAQI,WkBvjuBO,MAAO,KlBujuBG,gBkBvjuBH,ElBujuBS,KAAM,OkBvjuBf,C;QlBwjuBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrkuBA,iB;MlBqkuBA,8C;QAQI,WkBvkuBO,MAAO,KlBukuBG,gBkBvkuBH,ElBukuBS,KAAM,OkBvkuBf,C;QlBwkuBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrluBA,iB;MlBqluBA,8C;QAQI,WkBvluBO,MAAO,KlBuluBG,gBkBvluBH,ElBuluBS,KAAM,OkBvluBf,C;QlBwluBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAuB,CAAvB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkB

OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,hB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,iBAAJ,C;YAAe,MAAO,gBAAO,UAAP,OAAO,OAAP,CAAP,C;;YAAyB,MAAO,gBAAO,OAAP,C;;;

E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAChN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SA3D,EAAsE,SAAtE,CAAiF,W;K;IAG5F,4F;MAQoC,yB;QAAA,YA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YA0B,K;MAAO,yB;QAAA,YAAyC,I;MAClN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SA3D,EAAsE,SAAtE,CAAiF,W;K;IAG5F,4F;MAQqC,yB;QAAA,YA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI ,yB;QAAA,YA0B,K;MAAO,yB;QAAA,YA0C,I;MACpN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC, MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SA3D,EAAsE,SAAtE,CAAiF,W;K;IAG5F,4F;MAQkC,yB; QAAA,YA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,y B;QAAA,YA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SA3D,EAAsE,SAAtE,CAAiF,W;K;IAQxE,4C;MAAA,mB;QAAE,OAAK,qBAAL,eAAK,C;O;K;IAL3B,+B;MAII,IAlleO,qBAAQ,CAklef,C;QAAe,OAAO,W;MACtB,kCAAgB,4BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAklef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,0BAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAklef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAklef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO ,qBAAQ,CAklef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,0BAAL,eAAK,C;O;K;IA QgB,8C;MAAA,mB;QAAE,OAAK,2BAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAklef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,4BAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAklef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAklef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,4C;MAAA,mB;QAAE,OAAK,qBAAL,eAAK,C;O;K;IAL3B,+B;MAII,IA5peO,qBAAQ,CA4pef,C;QAAe,OAAO,W;MACtB,kCAAgB,4BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA9peO,qBAAQ,CA8pef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAhqeO,qBAAQ,CAgqef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlqeO,qBAAQ,CAkqef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IApqeO,qBAAQ,CAoqef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAtqeO,qBAAQ,CAsqef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAxqeO,qBAAQ,CAwqef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA1qeO,qBAAQ,CA0qef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA5qeO,qBAAQ,CA4qef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA9qeO,qBAAQ,CA8qef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAhreO,qBAAQ,CAgref,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlreO,qBAAQ,CAkref,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IApreO,qBAAQ,CAoref,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAtreO,qBAAQ,CAsref,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAxreO,qBAAQ,CAwref,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA1reO,qBAAQ,CA0ref,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA5reO,qBAAQ,CA4ref,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA9reO,qBAAQ,CA8ref,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAhseO,qBAAQ,CAgsef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlseO,qBAAQ,CAksef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IApseO,qBAAQ,CAosef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAtseO,qBAAQ,CAssef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAxseO,qBAAQ,CAwsef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA1seO,qBAAQ,CA0sef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA5seO,qBAAQ,CA4sef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA9seO,qBAAQ,CA8sef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAhteO,qBAAQ,CAgtef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlteO,qBAAQ,CAktef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IApteO,qBAAQ,CAotef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAtteO,qBAAQ,CAstef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAxteO,qBAAQ,CAwtef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA1teO,qBAAQ,CA0tef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA5teO,qBAAQ,CA4tef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA9teO,qBAAQ,CA8tef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAhueO,qBAAQ,CAguef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlueO,qBAAQ,CAkuef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IApueO,qBAAQ,CAouef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAtueO,qBAAQ,CAsuef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAxueO,qBAAQ,CAwuef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA1ueO,qBAAQ,CA0uef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA5ueO,qBAAQ,CA4uef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA9ueO,qBAAQ,CA8uef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAhveO,qBAAQ,CAgvef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlveO,qBAAQ,CAkvef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IApveO,qBAAQ,CAovef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAtveO,qBAAQ,CAsvef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAxveO,qBAAQ,CAwvef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA1veO,qBAAQ,CA0vef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA5veO,qBAAQ,CA4vef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA9veO,qBAAQ,CA8vef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAhweO,qBAAQ,CAgwef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlweO,qBAAQ,CAkwef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IApweO,qBAAQ,CAowef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAtweO,qBAAQ,CAswef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAxweO,qBAAQ,CAwwef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA1weO,qBAAQ,CA0wef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA5weO,qBAAQ,CA4wef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA9weO,qBAAQ,CA8wef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAhxeO,qBAAQ,CAgxef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlxeO,qBAAQ,CAkxef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IApxeO,qBAAQ,CAoxef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAtxeO,qBAAQ,CAsxef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAxxeO,qBAAQ,CAwxef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA1xeO,qBAAQ,CA0xef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA5xeO,qBAAQ,CA4xef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA9xeO,qBAAQ,CA8xef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAhyeO,qBAAQ,CAgyef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlyeO,qBAAQ,CAkyef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IApyeO,qBAAQ,CAoyef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAtyeO,qBAAQ,CAsyef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAxyeO,qBAAQ,CAwyef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA1yeO,qBAAQ,CA0yef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA5yeO,qBAAQ,CA4yef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA9yeO,qBAAQ,CA8yef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAhzeO,qBAAQ,CAgzef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlzeO,qBAAQ,CAkzef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IApzeO,qBAAQ,CAozef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAtzeO,qBAAQ,CAszef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAxzeO,qBAAQ,CAwzef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA1zeO,qBAAQ,CA0zef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA5zeO,qBAAQ,CA4zef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA9zeO,qBAAQ,CA8zef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAh0eO,qBAAQ,CAg0ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAl0eO,qBAAQ,CAk0ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAp0eO,qBAAQ,CAo0ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAt0eO,qBAAQ,CAs0ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAx0eO,qBAAQ,CAw0ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA10eO,qBAAQ,CA00ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA50eO,qBAAQ,CA40ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA90eO,qBAAQ,CA80ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAh1eO,qBAAQ,CAg1ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAl1eO,qBAAQ,CAk1ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAp1eO,qBAAQ,CAo1ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAt1eO,qBAAQ,CAs1ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAx1eO,qBAAQ,CAw1ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA11eO,qBAAQ,CA01ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA51eO,qBAAQ,CA41ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA91eO,qBAAQ,CA81ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAh2eO,qBAAQ,CAg2ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAl2eO,qBAAQ,CAk2ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAp2eO,qBAAQ,CAo2ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAt2eO,qBAAQ,CAs2ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAx2eO,qBAAQ,CAw2ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA12eO,qBAAQ,CA02ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA52eO,qBAAQ,CA42ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA92eO,qBAAQ,CA82ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAh3eO,qBAAQ,CAg3ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAl3eO,qBAAQ,CAk3ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAp3eO,qBAAQ,CAo3ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAt3eO,qBAAQ,CAs3ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAx3eO,qBAAQ,CAw3ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA13eO,qBAAQ,CA03ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA53eO,qBAAQ,CA43ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA93eO,qBAAQ,CA83ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAh4eO,qBAAQ,CAg4ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAl4eO,qBAAQ,CAk4ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAp4eO,qBAAQ,CAo4ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAt4eO,qBAAQ,CAs4ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAx4eO,qBAAQ,CAw4ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA14eO,qBAAQ,CA04ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA54eO,qBAAQ,CA44ef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,hB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA94eO,qBAAQ,CA84ef,C;QA

gB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCA
AO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACjB,wBAAgB
,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAA
O,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACjB,wBAAgB,
SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO
,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACjB,wBAAgB,S
AAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,I
AAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACjB,wBAAgB,SA
AhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IA
AvB,GAAgC,MAAM,K;K;IAGjD,+B;MAMoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACjB,wBAAgB,SAA
hB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAA
vB,GAAgC,MAAM,K;K;IAGjD,wB;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,S
AAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,
gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAe,C;MA
Cf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I;;MAEJ,OAAO,G;K;IAGX,0B;MAMo
B,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,cAAO,OAAP,C;;MAEJ,OAAO,G
;K;IAGX,0B;MAMoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OA
AO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cA
AA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SA
AhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;
MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,
Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I;;MAEJ,OAA
O,G;K;IAGX,0B;MAKoB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,cAAO,O
AAP,C;;MAEJ,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAA
A,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAKoB,Q;MADhB,UAAkB,G;MAClB,wBAAgB,S
AAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;Ia5uuBX,oD;MAQuF,wC;K;IARvF,8C
ASI,Y;MAAuC,8B;K;IAT3C,gF;4FOOA,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,
CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;4FAGX,q
B;MAOI,OAAO,sBAAI,CAAJ,C;K;IAGX,wC;MAII,IAAI,oCAAJ,C;QACI,OAAO,yBAAS,OAAT,C;MACX,OA
AO,qBAAQ,OAAR,KAAoB,C;K;IAWG,yC;MAAA,qB;QAAE,MAAM,8BA0B,iDAA8C,aAA9C,MA1B,C;O;
K;IAR1C,qC;MAMI,IAAI,8BAAJ,C;QACI,OAAO,sBAAI,KAAJ,C;MACX,OAAO,6BAAgB,KAAhB,EAAuB,uB
AAvB,C;K;0FAGX,4B;MAOI,OAAO,sBAAI,KAAJ,C;K;IAGX,2D;MAcqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OA
AsB,KA4Lf,IAAS,CAAT,IA5Le,KA4LD,IAAS,iBA5LvB,SA4LuB,CAA3B,GA5LI,SA4LkC,aA5LnB,KA4LmB,C
AAtC,GA5L0B,YA4L4B,CA5LnC,KA4LmC,C;;MA3L7D,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KAAb,C;M
ACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,Y
AAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,aAAa,KAAb,C;K;sGAGX,yB;MAAA,8D;MAAA,i
D;QAOI,OAAW,SAAS,CAAT,IAAc,wBAA3B,GAAsC,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;K
APjE,C;IAUA,6C;MAcqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OAAY,YAAL,SAAK,EAAU,KAAV,C;MAChB,IAA
I,QAAQ,CAAZ,C;QACI,OAAO,I;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,aAAa,I;K;sGAGX,yB;MAAA,sD;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,hB,C;gFAUA,gC;MAAA,qB;QAAE,MAAM,8BAAN,IAAM,CAAN,IAAM,CAAN,IAAM,C

AAI,mBAAJ,C;QACI,MAAM,2BAAuB,gBAAvB,C;MACV,OAAO,sBAAK,CAAL,C;K;mFAGX,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,wDAAvB,C;O;KANV,C;oGASA,yB;MAAA,iE;MAAA,uC;QASW,Q;QAAA,+B;;UAYS,U;UAAA,6B;UAAhB,OAAgB,gBAAhB,C;YAAgB,2B;YACZ,aAAb,wB,SAAa,X,CAAU,OAAV,C;YACb,IAAI,cAAJ,C;cACI,8BAAO,M;cAAP,gC;;;UAGR,8BAAO,I;;;QAlBX,iBAAkB,kC;QAAlB,iB;UAAkB,mC,MAAA,gCAAuB,mEAAvB,C;;QAAlB,iB;UAAkB,mC;;;QAAlB,iB;UAAkB,mC;;;QAAlB,iB;UAAkB,mC;

aACX,C;UAAK,6BAAK,CAAL,C;UAAL,K;;UACQ,MAAM,gCAAyB,iCAAzB,C;;MAHlB,W;K;qFAOJ,yB;MA
AA,kF;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QACI,
2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MA
AM,8BAAyB,qDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCA
AuB,wDAAvB,C;QAElB,OAAO,6E;O;KAfX,C;IAkBA,oC;MAKQ,kBADE,SACF,Q;QAAW,OAAW,mBAAQ,C
AAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;;QAE1C,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UACI,OAAO
,I;QACX,aAAa,QAAS,O;QACtB,IAAI,QAAS,UAAb,C;UACI,OAAO,I;QACX,OAAO,M;;K;IAKnB,oC;MAII,OA
AW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;iGAGvC,gC;MAMoB,Q;MAFhB,aAAiB,I;MACjB
,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,K
AAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MA
CnB,OAAO,M;K;IAGX,8B;MAoBsC,UAGT,MAHS,EAarB,M;MN7pBb,IAAI,EMooBI,KAAK,CNpoBT,CAAJ,C
;QACI,cMmoBc,sD;QNloBd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MMmoBV,IAAI,MAAK,CAAT,C;QAAY,OA
AO,mB;MACnB,Q;MACA,IAAI,oCAAJ,C;QACI,iBAAiB,iBAAO,CAAP,I;QACjB,IAAI,cAAc,CAAlB,C;UACI,
OAAO,W;QACX,IAAI,eAAc,CAAlB,C;UACI,OAAO,OAAO,kBAAP,C;QACX,OAAO,iBAAa,UAAb,C;QACP,I
AAI,8BAAJ,C;UACI,IAAI,sCAAJ,C;YAC0B,qB;YAAtB,iBAAc,CAAd,wB;cACI,IAAK,WAAI,sBAAK,KAAL,C
AAJ,C;;YAEI,wCAAa,CAAb,C;YAAb,OAAa,gBAAb,C;cAAa,wB;cACT,IAAK,WAAI,IAAJ,C;;;UAEb,OAAO,I;;
;QAIX,OAAO,gB;;MAEX,YAAY,C;MACC,6B;MAAb,OAAa,gBAAb,C;QAAa,0B;QACT,IAAI,SAAS,CAAb,C;UA
AgB,IAAK,WAAI,MAAJ,C;;UAAe,qB;;MAExC,OAAY,qBAAL,IAAK,C;K;IAGhB,kC;MNnqBI,EM2q
BI,KAAK,CN3qBT,CAAJ,C;QACI,cM0qBc,sD;QNzqBd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MM0qBV,OAAO,
kBAAgB,gBAAV,IAAU,OAAP,CAAP,I;MAAW,OAAX,mB;MAAW,uC;QAAX,IAAI,EAAJ,C;UAAW,4C;MAAf,qD;MAAe,u
C;QAMI,IAAI,CAAC,mBAAL,C;UACI,eAAe,+BAAa,cAAb,C;UACf,OAAO,QAAS,cAAhB,C;YAAgB,IAAI,CAAC
,UAAU,QAAS,WAAnB,C;cAAgB,gBAAK,C;;;QAIzC,IAAI,CAAC,UAAU,QAAS,WAAnB,C;UAAgB,gBAAK,C;;;;QAIzB
,OAAO,gBAAK,C;MAEhB,IAAI,CAAC,UAAU,QAAS,WAAnB,C;QAAgB,gBAAK,C;MAEzB,OAAO,gBAAK,C;K;IAGhB,
gC;MAAA,IAAI,CAAC,UAAU,QAAS,WAAnB,C;QAAgB,gBAAK,C;MAAzB,OAAO,gBAAK,C;K;IAGhB,gC;MAAA,IAAI,
CAAC,UAAU,QAAS,WAAnB,C;QAAgB,gBAAK,C;MAAzB,OAAO,gBAAK,C;K;IAGhB,gC;MAAA,IAAI,CAAC,UAAU,
QAAS,WAAnB,C;QAAgB,gBAAK,C;MAAzB,OAAO,gBAAK,C;K;IAGhB,gC;MAAA,IAAI,CAAC,UAAU,QAAS,WAAn
B,C;QAAgB,gBAAK,C;MAAzB,OAAO,gBAAK,C;K;IAGhB,gC;MAAA,IAAI,CAAC,UAAU,QAAS,WAAnB,C;QAAgB,
gBAAK,C;MAAzB,OAAO,gBAAK,C;K;IAGhB,gC;MAAA,IAAI,CAAC,UAAU,QAAS,WAAnB,C;QAAgB,gBAAK,C;MA
AzB,OAAO,gBAAK,C;K;IAGhB,gC;MAAA,IAAI,CAAC,UAAU,QAAS,WAAnB,C;QAAgB,gBAAK,C;MAAzB,OAAO,
gBAAK,C;K;IAGhB,gC;MAAA,IAAI,CAAC,UAAU,QAAS,WAAnB,C;QAAgB,gBAAK,C;MAAzB,OAAO,gBAAK,C;K;
IAGhB,gC;MAAA,IAAI,CAAC,UAAU,QAAS,WAAnB,C;QAAgB,gBAAK,C;MAAzB,OAAO,gBAAK,C;K;IAGhB,gC;MA
AA,IAAI,CAAC,UAAU,QAAS,WAAnB,C;QAAgB,gBAAK,C;MAAzB,OAAO,gBAAK,C;K;IAGhB,gC;MAAA,IAAI,CA
AC,UAAU,QAAS,WAAnB,C;QAAgB,gBAAK,C;MAAzB,OAAO,gBAAK,C;K;IAGhB,gC;MAAA,IAAI,CAAC,UAAU,QA
AS,WAAnB,C;QAAgB,gBAAK,C;MAAzB,OAAO,gBAAK,C;K;IAGhB,gC;MAAA,IAAI,CAAC,UAAU,QAAS,WAAnB,
C;QAAgB,gBAAK,C;MAAzB,OAAO,gBAAK,C;K;IAGhB,gC;MAAA,IAAI,CAAC,UAAU,QAAS,WAAnB,C;QAAgB,gBA
AK,C;MAAzB,OAAO,gBAAK,C;K;IAGhB,gC;MAAA,IAAI,CAAC,UAAU,QAAS,WAAnB,C;QAAgB,gBAAK,C;MAAzB
,OAAO,gBAAK,C;K;IAGhB,gC;MAAA,IAAI,CAAC,UAAU,QAAS,WAAnB,C;QAAgB,gBAAK,C;MAAzB,OAAO,gBAAK
,C;K;IAGhB,gC;MAAA,IAAI,CAAC,UAAU,QAAS,WAAnB,C;QAAgB,gBAAK,C;MAAzB,OAAO,gBAAK,C;K;IAGhB,
gC;MAAA,IAAI,CAAC,UAAU,QAAS,WAAnB,C;QAAgB,gBAAK,C;MAAzB,OAAO,gBAAK,C;K;IAGhB,gC;MAAA,IA
AI,CAAC,UAAU,QAAS,WAAnB,C;QAAgB,gBAAK,C;MAAzB,OAAO,gBAAK,C;K;IAGhB,gC;MAAA,IAAI,CAAC,UA
AU,QAAS,WAAnB,C;QAAgB,gBAAK,C;MAAzB,OAAO,gBAAK,C;K;IAGhB,gC;MAAA,IAAI,CAAC,UAAU,QAAS,W
AAnB,C;QAAgB,gBAAK,C;MAAzB,OAAO,gBAAK,C;K;IAGhB,gC;MAAA,IAAI,CAAC,UAAU,QAAS,WAAnB,C;QAA
gB,gBAAK,C;MAAzB,OAAO,gBAAK,C;K;IAGhB,gC;MAAA,IAAI,CAAC,UAAU,QAAS,WAAnB,C;QAAgB,gBAAK,C
;MAAzB,OAAO,gBAAK,C;K;IAGhB,gC;MAAA,IAAI,CAAC,UAAU,QAAS,WAAnB,C;QAAgB,gBAAK,C;MAAzB,OAAO
,

W;MACnB,IAAI,oCAAJ,C;QACI,IAAI,KAAK,cAAT,C;UAAe,OAAO,mB;QACtB,IAAI,MAAK,CAAT,C;UAAY,OAAO,OAAO,mBAAP,C;;MAEvB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAY,qBAAL,IAAK,C;K;IAGhB,kC;MAEqC,IAAG,I;MNt3BjB,IAAI,EM42BI,KAAK,CN52BT,CAAJ,C;QACI,cM22Bc,sD;QN12Bd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MM22BV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,kBAAP,C;MACnB,WAAW,iBAAa,CAAb,C;MACX,IAAI,sCAAJ,C;QACI,iBAAc,OAAd,CAAP,IAAO,EAAgB,IAAhB,6B,UAAgB,IAAK,WAAI,IAAJ,C;QACzB,IAAK,WAAI,IAAJ,C;QACL,IAAI,sBAAK,CAAL,C;QAAQ,OAAO,CAAP,IAAO,C;QAAP,OAAO,CAAP,IAAO,C;QAAP,OAAO,CAAP,IAAO,C;QAAP

Z,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;0FAGX,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAyEH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA1E8C,SA0E/B,CAAU,OAAV,C;UbpkBnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;Qa0fA,OA4EO,W;O;KAxFX,C;+FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA2BL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA5BoC,WA4BhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QA5BhC,OA8BO,W;O;KA1BX,C;+FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA6BL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA9BoC,WA8BhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QA9BhC,OAgCO,W;O;KA5BX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAgCL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAjCoC,WAiChC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAjChC,OAmCO,W;O;KA/BX,C;+FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAkCL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAnCoC,WAmChC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAnChC,OAqCO,W;O;KAjCX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAqCL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAtCoC,WAsChC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAtChC,OAwCO,W;O;KApCX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAwCL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAzCoC,WAyChC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAzChC,OA2CO,W;O;KAvCX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA2CL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA5CoC,WA4ChC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QA5ChC,OA8CO,W;O;KA1CX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA8CL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA/CoC,WA+ChC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QA/ChC,OAiDO,W;O;KA7CX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAiDL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAlDoC,WAkDhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAlDhC,OAoDO,W;O;KAhDX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAoDL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aArDoC,WAqDhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QArDhC,OAuDO,W;O;KAnDX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAuDL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAxDoC,WAwDhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAxDhC,OA0DO,W;O;KAtDX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA0DL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA3DoC,WA2DhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QA3DhC,OA6DO,W;O;KAzDX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA6DL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA9DoC,WA8DhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QA9DhC,OAgEO,W;O;KA5DX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAgEL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAjEoC,WAiEhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAjEhC,OAmEO,W;O;KA/DX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAmEL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aApEoC,WAoEhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QApEhC,OAsEO,W;O;KAlEX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAsEL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAvEoC,WAuEhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAvEhC,OAyEO,W;O;KArEX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAyEL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA1EoC,WA0EhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QA1EhC,OA4EO,W;O;KAxEX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA4EL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA7EoC,WA6EhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QA7EhC,OA+EO,W;O;KA3EX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA+EL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAhFoC,WAgFhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAhFhC,OAkFO,W;O;KA9EX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAkFL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAnFoC,WAmFhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAnFhC,OAqFO,W;O;KAjFX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAqFL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAtFoC,WAsFhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAtFhC,OAwFO,W;O;KApFX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAwFL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAzFoC,WAyFhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAzFhC,OA2FO,W;O;KAvFX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA2FL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA5FoC,WA4FhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QA5FhC,OA8FO,W;O;KA1FX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA8FL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA/FoC,WA+FhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QA/FhC,OAiGO,W;O;KA7FX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAiGL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAlGoC,WAkGhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAlGhC,OAoGO,W;O;KAhGX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAoGL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aArGoC,WAqGhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QArGhC,OAuGO,W;O;KAnGX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAuGL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAxGoC,WAwGhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAxGhC,OA0GO,W;O;KAtGX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA0GL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA3GoC,WA2GhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QA3GhC,OA6GO,W;O;KAzGX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA6GL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA9GoC,WA8GhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QA9GhC,OAgHO,W;O;KA5GX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAgHL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAjHoC,WAiHhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAjHhC,OAmHO,W;O;KA/GX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAmHL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aApHoC,WAoHhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QApHhC,OAsHO,W;O;KAlHX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAsHL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAvHoC,WAuHhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAvHhC,OAyHO,W;O;KArHX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAyHL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA1HoC,WA0HhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QA1HhC,OA4HO,W;O;KAxHX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA4HL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA7HoC,WA6HhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QA7HhC,OA+HO,W;O;KA3HX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA+HL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAhIoC,WAgIhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAhIhC,OAkIO,W;O;KA9HX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAkIL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAnIoC,WAmIhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAnIhC,OAqIO,W;O;KAjIX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAqIL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAtIoC,WAsIhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAtIhC,OAwIO,W;O;KApIX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAwIL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAzIoC,WAyIhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAzIhC,OA2IO,W;O;KAvIX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA2IL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA5IoC,WA4IhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QA5IhC,OA8IO,W;O;KA1IX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA8IL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA/IoC,WA+IhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QA/IhC,OAiJO,W;O;KA7IX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAiJL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAlJoC,WAkJhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAlJhC,OAoJO,W;O;KAhJX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAoJL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aArJoC,WAqJhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QArJhC,OAuJO,W;O;KAnJX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAuJL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAxJoC,WAwJhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAxJhC,OA0JO,W;O;KAtJX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA0JL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA3JoC,WA2JhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QA3JhC,OA6JO,W;O;KAzJX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA6JL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA9JoC,WA8JhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QA9JhC,OAgKO,W;O;KA5JX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAgKL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAjKoC,WAiKhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAjKhC,OAmKO,W;O;KA/JX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAmKL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aApKoC,WAoKhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QApKhC,OAsKO,W;O;KAlKX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAsKL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAvKoC,WAuKhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAvKhC,OAyKO,W;O;KArKX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAyKL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA1KoC,WA0KhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QA1KhC,OA4KO,W;O;KAxKX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA4KL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA7KoC,WA6KhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QA7KhC,OA+KO,W;O;KA3KX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA+KL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAhLoC,WAgLhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAhLhC,OAkLO,W;O;KA9KX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAkLL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAnLoC,WAmLhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAnLhC,OAqLO,W;O;KAjLX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAqLL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAtLoC,WAsLhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAtLhC,OAwLO,W;O;KApLX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAwLL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAzLoC,WAyLhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAzLhC,OA2LO,W;O;KAvLX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA2LL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA5LoC,WA4LhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QA5LhC,OA8LO,W;O;KA1LX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA8LL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA/LoC,WA+LhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QA/LhC,OAiMO,W;O;KA7LX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAiML,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAlMoC,WAkMhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAlMhC,OAoMO,W;O;KAhMX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAoML,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aArMoC,WAqMhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QArMhC,OAuMO,W;O;KAnMX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAuML,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aAxMoC,WAwMhC,CAAY,OAAZ,CAAqB,EAAK,EAA0B,OAA1B,C;;QAxMhC,OA0MO,W;O;KAtMX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAWI,eAAwD,

C;QASW,kBAAU,oB;QAyBD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA1BiD,WA0BvC,CAAY,OAAZ,C;UbvnCP,U;UADP,YaynCe,WbznCH,WaynCwB,GbznCxB,C;UACL,IAAI,aAAJ,C;YACH,aaunCuC,gB;YAA5B,WbtnCX,aasnCgC,GbtnChC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UamnCA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5BT,OA8BO,W;O;KAvCX,C;uFAYA,yB;MAAA,wE;MA8BA,+D;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA/BiD,WA+BvC,CAAY,OAAZ,C;UbzoCP,U;UADP,Ya2oCe,Wb3oCH,Wa2oCwB,Gb3oCxB,C;UACL,IAAI,aAAJ,C;YACH,aayoCuC,gB;YAA5B,WbxoCX,aawoCgC,GbxoChC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UaqoCA,iB;UACA,IAAK,WAAjCyD,cAiCA,OAAf,CAAJ,C;;QAAjCT,OAAmCO,W;O;KA7C7C,C;0FAAkBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UbvnCP,U;UADP,YaynCe,WbznCH,WaynCwB,GbznCxB,C;UACL,IAAI,aAAJ,C;YACH,aaunCuC,gB;YAA5B,WbtnCX,aasnCgC,GbtnChC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UamnCA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAjCT,OAAmCO,W;O;KAAnC,C;2FAAkBA,yB;MAAA,+D;MAAA,sD;QAAlBP,OAAkBO,W;O;KAAlB

A,uC;QAMoB,Q;QAFhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,C;QAC5C,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,oBAAmB,qBAAnB,EAAmB,KAAnB,E;;QAC9C,OAAO,K;O;KAPX,C;gFAUA,yC;MAUoB,Q;MADhB,kBAAkB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;8FAGX,yB;MAAA,wE;MAAA,gD;QAYoB,UAAiD,M;QAFjE,jE,YAAY,C;QACZ,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,cAAc,UAAU,oBAAmB,cAAnB,EAAmB,sBAAnB,EAAmB,UAAV,EAAuB,EAAvC,C,WAAvC,EAAuD,OAAvD,D,C;;QACpC,OAAO,W;O;KAbX,C;0FAgBA,yC;MASI,kBAAkB,O;MAClB,IAAI,CAAC,mBAAL,C;QAAC,eAAe,+BAAa,cAAb,C;QAAC,eAAe,+BAAa,cAAb,C;QAAC,eAAe,+BAAa,cAAb

C;;MEigEd,OAAO,G;K;IAGX,iC;MAKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,gD;MAKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0B;MAII,OAAO,sB;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;kFAGX,+B;MAGW,sB;;QAUP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACzB,eAAe,QAAS,UAAS,QAAT,EAAc,CAAd,CAAT,GAA4B,CAA3C,C;UAA8C,C;UAAoC,MAAM,C;;MAEpE,OAAO,G;K;IAGX,0B;MAII,OAAO,sB;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;8FAGJ,+B;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0B;MAII,OAAO,sB;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;IAGX,gC;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,gD;MAK

OAAO,K;;QACrD,OAAO,I;O;KARX,C;oFAWA,6B;MAKmC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;kGAGJ,yB;MAAA,6B;MAAA,sC;MArnBA,wE;MAqnBA,2BAQiB,yB;QA7nBjB,wE;eA6nBiB,0B;UAAA,4B;YAAE,aAAe,c;YAtnBjB,gB;YADb,YAAY,C;YACC,2B;YAAb,OAAa,cAAb,C;cAAa,sB;cAAM,OAAO,oBAAmB,cAAnB,EAAmB,sBAAnB,UAAP,EAAoC,IAAApC,C,C;;YAsnBmB,W;W;S;OAAzB,C;MARjB,oC;QA9mBiB,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAmB,cAAnB,EAAmB,sBAAnB,UAAP,EAAoC,IAAApC,C,C;;QAsnBmB,sB;UAAG,O;KARjB,C;oFAWA,yB;MAAA,4F;MAAA,uC;QAAI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,MAAM,mCAA8B,oCAA9B,C;QAC/B,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UAAyB,UAAI,cAAc,UAAU,WAAW,EAAuB,QAAS,OAAhC,C,C;;QAElB,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UAAyB,UAAI,cAAc,UAAU,oBAAmB,YAAnB,EAAmB,oBAAnB,UAAV,QAAU,EAAuB,QAAS,OAAhC,C,C;;QAEvB,OAAO,W;O;KAAP,C;8FAAA,yB;MAAA,wE;MAAA,uC;QAAI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,MAAM,mCAA8B,oCAA9B,C;QAC/B,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UAAyB,UAAI,cAAc,UAAU,WAAW,EAAuB,QAAS,OAAhC,C,C;;QAElB,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UAAyB,UAAI,cAAc,UAAU,oBAAmB,YAAnB,EAAmB,oBAAnB,UAAV,QAAU,EAAuB,QAAS,OAAhC,C,C;;QAEvB,OAAO,W;O;KAAP,C;gGAAA,yB;MAAA,wE

O;KAdJ,C;8FAiBA,yB;MA9FA,kF;MAAA,gD;MAAA,gE;MA8FA,gD;QAeW,6B;;UA1FS,gB;UALhB,oBAAoB,mCAAwB,CAAxB,C;UACpB,IAAI,kBAAiB,CAArB,C;YAAwB,4BAAO,OA8FL,OA9FK,C;YAAP,8B;;UACqB,kBAAhC,eAAa,gBAAgB,CAAhB,IAAb,C;UAAwC,sBA6F3B,OA7F2B,C;UAArD,aH1kFO,W;UG2kFP,YAAY,C;UACZ,kBA2F0B,O;UA1FV,2B;UAAhB,OAAgB,cAAhB,C;YAAgB,yB;YACZ,cAyF+B,SAzFjB,EAAU,cAAV,EAAU,sBAAV,WAAmB,WAAnB,EAAgC,OAAhC,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAsFP,gC;O;KAfJ,C;kFAkBA,+B;MAOoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,C;;MAEX,4BAAO,M;;;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,C;;MAEX,4BAAO,M;;;QAsFP,gC;O;KAfJ,C;mFAkBA,+B;MAOoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K

,Q;;K;IAIf,qC;MAII,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAII,aAAa,iBAAa,SAAK,KAAL,GAAY,EAAZ,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;4FAGX,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;O;KALX,C;8FAQA,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;O;KALX,C;IAQA,yD;MAgB+C,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MAOzE,Q;MANX,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAAwB,8BAA5B,C;QACI,eAAe,SAAK,K;QACpB,qBAAqB,YAAW,IAAX,EAAiB,WAAjB,EAA8B,SAA9B,EAAyC,WAAzC,EAAsD,IAAtD,EAA4D,WAA5D,EAAyE,KAAzE,EAAgF,iBAAhF,EAAmG,cAAnG,EAAmH,cAAnH,EAAmI,cAAnI,EAAmJ,cAAnJ,EAAmK,cAAnK,EAAmL,cAAnL,EAAmM,cAAnM,EAAmN,cAAnN,EAAmO,cAAnO,EAAmP,cAAnP,EAAmQ,cAAnQ,EAAmR,cAAnR,EAAmS,cAAnS,EAAmT,cAAnT,EAAmU,cAAnU,EAAmV,cAAnV,EAAmW,cAAnW,EAAmX,cAAnX,EAAmY,cAAnY,EAAmZ,cAAnZ,EAAma,cAAna,EAAmb,cAAnb,EAAmc,cAAnc,EAAmd,cAAnd,EAAme,cAAne,EAAmf,cAAnf,EAAmgB,cAAngB,EAAmhB,cAAnhB,EAAmiB,cAAniB,EAAmjB,cAAnjB,EAAmkB,cAAnkB,EAAmlB,cAAnlB,EAAmmB,cAAnmB,EAAmnB,cAAnnB,EAAmoB,cAAnoB,EAAmpB,cAAnpB,EAAmqB,cAAnqB,EAAmrB,cAAnrB,EAAmsB,cAAnsB,EAAmtB,cAAntB,EAAmuB,cAAnuB,EAAmvB,cAAnvB,EAAmwB,cAAnwB,EAAmxB,cAAnxB,EAAmyB,cAAnyB,EAAmzB,cAAnzB,EAAm0B,cAAn0B,EAAm1B,cAAn1B,EAAm2B,cAAn2B,EAAm3B,cAAn3B,EAAm4B,cAAn4B,EAAm5B,cAAn5B,EAAm6B,cAAn6B,EAAm7B,cAAn7B,EAAm8B,cAAn8B,EAAm9B,cAAn9B,EAAm+B,cAAn+B,EAAm/B,cAAn/B,EAAmgC,cAAngC,EAAmhC,cAAnhC,EAAmiC,cAAniC,EAAmjC,cAAnjC,EAAmkC,cAAnkC,EAAmlC,cAAnlC,EAAmmC,cAAnmC,EAAmnC,cAAnnC,EAAmoC,cAAnoC,EAAmpC,cAAnpC,EAAmqC,cAAnqC,EAAmrC,cAAnrC,EAAmsC,cAAnsC,EAAmtC,cAAntC,EAAmuC,cAAnuC,EAAmvC,cAAnvC,EAAmwC,cAAnwC,EAAmxC,cAAnxC,EAAmyC,cAAnyC,EAAmzC,cAAnzC,EAAm0C,cAAn0C,EAAm1C,cAAn1C,EAAm2C,cAAn2C,EAAm3C,cAAn3C,EAAm4C,cAAn4C,EAAm5C,cAAn5C,EAAm6C,cAAn6C,EAAm7C,cAAn7C,EAAm8C,cAAn8C,EAAm9C,cAAn9C,EAAm+C,cAAn+C,EAAm/C,cAAn/C,EAAmgD,cAAngD,EAAmhD,cAAnhD,EAAmiD,cAAniD,EAAmjD,cAAnjD,EAAmkD,cAAnkD,EAAmlD,cAAnlD,EAAmmD,cAAnmD,EAAmnD,cAAnnD,EAAmoD,cAAnoD,EAAmpD,cAAnpD,EAAmqD,cAAnqD,EAAmrD,cAAnrD,EAAmsD,cAAnsD,EAAmtD,cAAntD,EAAmuD,cAAnuD,EAAmvD,cAAnvD,EAAmwD,cAAnwD,EAAmxD,cAAnxD,EAAmyD,cAAnyD,EAAmzD,cAAnzD,EAAm0D,cAAn0D,EAAm1D,cAAn1D,EAAm2D,cAAn2D,EAAm3D,cAAn3D,EAAm4D,cAAn4D,EAAm5D,cAAn5D,EAAm6D,cAAn6D,EAAm7D,cAAn7D,EAAm8D,cAAn8D,EAAm9D,cAAn9D,EAAm+D,cAAn+D,EAAm/D,cAAn/D,EAAmgE,cAAngE,EAAmhE,cAAnhE,EAAmiE,cAAniE,EAAmjE,cAAnjE,EAAmkE,cAAnkE,EAAmlE,cAAnlE,EAAmmE,cAAnmE,EAAmnE,cAAnnE,EAAmoE,cAAnoE,EAAmpE,cAAnpE,EAAmqE,cAAnqE,EAAmrE,cAAnrE,EAAmsE,cAAnsE,EAAmtE,cAAntE,EAAmuE,cAAnuE,EAAmvE,cAAnvE,EAAmwE,cAAnwE,EAAmxE,cAAnxE,EAAmyE,cAAnyE,EAAmzE,cAAnzE,EAAm0E,cAAn0E,EAAm1E,cAAn1E,EAAm2E,cAAn2E,EAAm3E,cAAn3E,EAAm4E,cAAn4E,EAAm5E,cAAn5E,EAAm6E,cAAn6E,EAAm7E,cAAn7E,EAAm8E,cAAn8E,EAAm9E,cAAn9E,EAAm+E,cAAn+E,EAAm/E,cAAn/E,EAAmgF,cAAngF,EAAmhF,cAAnhF,EAAmiF,cAAniF,EAAmjF,cAAnjF,EAAmkF,cAAnkF,EAAmlF,cAAnlF,EAAmmF,cAAnmF,EAAmnF,cAAnnF,EAAmoF,cAAnoF,EAAmpF,cAAnpF,EAAmqF,cAAnqF,EAAmrF,cAAnrF,EAAmsF,cAAnsF,EAAmtF,cAAntF,EAAmuF,cAAnuF,EAAmvF,cAAnvF,EAAmwF,cAAnwF,EAAmxF,cAAnxF,EAAmyF,cAAnyF,EAAmzF,cAAnzF,EAAm0F,cAAn0F,EAAm1F,cAAn1F,EAAm2F,cAAn2F,EAAm3F,cAAn3F,EAAm4F,cAAn4F,EAAm5F,cAAn5F,EAAm6F,cAAn6F,EAAm7F,cAAn7F,EAAm8F,cAAn8F,EAAm9F,cAAn9F,EAAm+F,cAAn+F,EAAm/F,cAAn/F,EAAmgG,cAAngG,EAAmhG,cAAnhG,EAAmiG,cAAniG,EAAmjG,cAAnjG,EAAmkG,cAAnkG,EAAmlG,cAAnlG,EAAmmG,cAAnmG,EAAmnG,cAAnnG,EAAmoG,cAAnoG,EAAmpG,cAAnpG,EAAmqG,cAAnqG,EAAmrG,cAAnrG,EAAmsG,cAAnsG,EAAmtG,cAAntG,EAAmuG,cAAnuG,EAAmvG,cAAnvG,EAAmwG,cAAnwG,EAAmxG,cAAnxG,EAAmyG,cAAnyG,EAAmzG,cAAnzG,EAAm0G,cAAn0G,EAAm1G,cAAn1G,EAAm2G,cAAn2G,EAAm3G,cAAn3G,EAAm4G,cAAn4G,EAAm5G,cAAn5G,EAAm6G,cAAn6G,EAAm7G,cAAn7G,EAAm8G,cAAn8G,EAAm9G,cAAn9G,EAAm+G,cAAn+G,EAAm/G,cAAn/G,EAAmgH,cAAngH,EAAmhH,cAAnhH,EAAmiH,cAAniH,EAAmjH,cAAnjH,EAAmkH,cAAnkH,EAAmlH,cAAnlH,EAAmmH,cAAnmH,EAAmnH,cAAnnH,EAAmoH,cAAnoH,EAAmpH,cAAnpH,EAAmqH,cAAnqH,EAAmrH,cAAnrH,EAAmsH,cAAnsH,EAAmtH,cAAntH,EAAmuH,cAAnuH,EAAmvH,cAAnvH,EAAmwH,cAAnwH,EAAmxH,cAAnxH,EAAmyH,cAAnyH,EAAmzH,cAAnzH,EAAm0H,cAAn0H,EAAm1H,cAAn1H,EAAm2H,cAAn2H,EAAm3H,cAAn3H,EAAm4H,cAAn4H,EAAm5H,cAAn5H,EAAm6H,cAAn6H,EAAm7H,cAAn7H,EAAm8H,cAAn8H,EAAm9H,cAAn9H,EAAm+H,cAAn+H,EAAm/H,cAAn/H,EAAmgI,cAAngI,EAAmhI,cAAnhI,EAAmiI,cAAniI,EAAmjI,cAAnjI,EAAmkI,cAAnkI,EAAmlI,cAAnlI,EAAmmI,cAAnmI,EAAmnI,cAAnnI,EAAmoI,cAAnoI,EAAmpI,cAAnpI,EAAmqI,cAAnqI,EAAmrI,cAAnrI,EAAmsI,cAAnsI,EAAmtI,cAAntI,EAAmuI,cAAnuI,EAAmvI,cAAnvI,EAAmwI,cAAnwI,EAAmxI,cAAnxI,EAAmyI,cAAnyI,EAAmzI,cAAnzI,EAAm0I,cAAn0I,EAAm1I,cAAn1I,EAAm2I,cAAn2I,EAAm3I,cAAn3I,EAAm4I,cAAn4I,EAAm5I,cAAn5I,EAAm6I,cAAn6I,EAAm7I,cAAn7I,EAAm8I,cAAn8I,EAAm9I,cAAn9I,EAAm+I,cAAn+I,EAAm/I,cAAn/I,EAAmgJ,cAAngJ,EAAmhJ,cAAnhJ,EAAmiJ,cAAniJ,EAAmjJ,cAAnjJ,EAAmkJ,cAAnkJ,EAAmlJ,cAAnlJ,EAAmmJ,cAAnmJ,EAAmnJ,cAAnnJ,EAAmoJ,cAAnoJ,EAAmpJ,cAAnpJ,EAAmqJ,cAAnqJ,EAAmrJ,cAAnrJ,EAAmsJ,cAAnsJ,EAAmtJ,cAAntJ,EAAmuJ,cAAnuJ,EAAmvJ,cAAnvJ,EAAmwJ,cAAnwJ,EAAmxJ,cAAnxJ,EAAmyJ,cAAnyJ,EAAmzJ,cAAnzJ,EAAm0J,cAAn0J,EAAm1J,cAAn1J,EAAm2J,cAAn2J,EAAm3J,cAAn3J,EAAm4J,cAAn4J,EAAm5J,cAAn5J,EAAm6J,cAAn6J,EAAm7J,cAAn7J,EAAm8J,cAAn8J,EAAm9J,cAAn9J,EAAm+J,cAAn+J,EAAm/J,cAAn/J,EAAmgK,cAAngK,EAAmhK,cAAnhK,EAAmiK,cAAniK,EAAmjK,cAAnjK,EAAmkK,cAAnkK,EAAmlK,cAAnlK,EAAmmK,cAAnmK,EAAmnK,cAAnnK,EAAmoK,cAAnoK,EAAmpK,cAAnpK,EAAmqK,cAAnqK,EAAmrK,cAAnrK,EAAmsK,cAAnsK,EAAmtK,cAAntK,EAAmuK,cAAnuK,EAAmvK,cAAnvK,EAAmwK,cAAnwK,EAAmxK,cAAnxK,EAAmyK,cAAnyK,EAAmzK,cAAnzK,EAAm0K,cAAn0K,EAAm1K,cAAn1K,EAAm2K,cAAn2K,EAAm3K,cAAn3K,EAAm4K,cAAn4K,EAAm5K,cAAn5K,EAAm6K,cAAn6K,EAAm7K,cAAn7K,EAAm8K,cAAn8K,EAAm9K,cAAn9K,EAAm+K,cAAn+K,EAAm/K,cAAn/K,EAAmgL,cAAngL,EAAmhL,cAAnhL,EAAmiL,cAAniL,EAAmjL,cAAnjL,EAAmkL,cAAnkL,EAAmlL,cAAnlL,EAAmmL,cAAnmL,EAAmnL,cAAnnL,EAAmoL,cAAnoL,EAAmpL,cAAnpL,EAAmqL,cAAnqL,EAAmrL,cAAnrL,EAAmsL,cAAnsL,EAAmtL,cAAntL,EAAmuL,cAAnuL,EAAmvL,cAAnvL,EAAmwL,cAAnwL,EAAmxL,cAAnxL,EAAmyL,cAAnyL,EAAmzL,cAAnzL,EAAm0L,cAAn0L,EAAm1L,cAAn1L,EAAm2L,cAAn2L,EAAm3L,cAAn3L,EAAm4L,cAAn4L,EAAm5L,cAAn5L,EAAm6L,cAAn6L,EAAm7L,cAAn7L,EAAm8L,cAAn8L,EAAm9L,cAAn9L,EAAm+L,cAAn+L,EAAm/L,cAAn/L,EAAmgM,cAAngM,EAAmhM,cAAnhM,EAAmiM,cAAniM,EAAmjM,cAAnjM,EAAmkM,cAAnkM,EAAmlM,cAAnlM,EAAmmM,cAAnmM,EAAmnM,cAAnnM,EAAmoM,cAAnoM,EAAmpM,cAAnpM,EAAmqM,cAAnqM,EAAmrM,cAAnrM,EAAmsM,cAAnsM,EAAmtM,cAAntM,EAAmuM,cAAnuM,EAAmvM,cAAnvM,EAAmwM,cAAnwM,EAAmxM,cAAnxM,EAAmyM,cAAnyM,EAAmzM,cAAnzM,EAAm0M,cAAn0M,EAAm1M,cAAn1M,EAAm2M,cAAn2M,EAAm3M,cAAn3M,EAAm4M,cAAn4M,EAAm5M,cAAn5M,EAAm6M,cAAn6M,EAAm7M,cAAn7M,EAAm8M,cAAn8M,EAAm9M,cAAn9M,EAAm+M,cAAn+M,EAAm/M,cAAn/M,EAAmgN,cAAngN,EAAmhN,cAAnhN,EAAmiN,cAAniN,EAAmjN,cAAnjN,EAAmkN,cAAnkN,EAAmlN,cAAnlN,EAAmmN,cAAnmN,EAAmnN,cAAnnN,EAAmoN,cAAnoN,EAAmpN,cAAnpN,EAAmqN,cAAnqN,EAAmrN,cAAnrN,EAAmsN,cAAnsN,EAAmtN,cAAntN,EAAmuN,cAAnuN,EAAmvN,cAAnvN,EAAmwN,cAAnwN,EAAmxN,cAAnxN,EAAmyN,cAAnyN,EAAmzN,cAAnzN,EAAm0N,cAAn0N,EAAm1N,cAAn1N,EAAm2N,cAAn2N,EAAm3N,cAAn3N,EAAm4N,cAAn4N,EAAm5N,cAAn5N,EAAm6N,cAAn6N,EAAm7N,cAAn7N,EAAm8N,cAAn8N,EAAm9N,cAAn9N,EAAm+N,cAAn+N,EAAm/N,cAAn/N,EAAmgO,cAAngO,EAAmhO,cAAnhO,EAAmiO,cAAniO,EAAmjO,cAAnjO,EAAmkO,cAAnkO,EAAmlO,cAAnlO,EAAmmO,cAAnmO,EAAmnO,cAAnnO,EAAmoO,cAAnoO,EAAmpO,cAAnpO,EAAmqO,cAAnqO,EAAmrO,cAAnrO,EAAmsO,cAAnsO,EAAmtO,cAAntO,EAAmuO,cAAnuO,EAAmvO,cAAnvO,EAAmwO,cAAnwO,EAAmxO,cAAnxO,EAAmyO,cAAnyO,EAAmzO,cAAnzO,EAAm0O,cAAn0O,EAAm1O,cAAn1O,EAAm2O,cAAn2O,EAAm3O,cAAn3O,EAAm4O,cAAn4O,EAAm5O,cAAn5O,EAAm6O,cAAn6O,EAAm7O,cAAn7O,EAAm8O,cAAn8O,EAAm9O,cAAn9O,EAAm+O,cAAn+O,EAAm/O,cAAn/O,EAAmgP,cAAngP,EAAmhP,cAAnhP,EAAmiP,cAAniP,EAAmjP,cAAnjP,EAAmkP,cAAnkP,EAAmlP,cAAnlP,EAAmmP,cAAnmP,EAAmnP,cAAnnP,EAAmoP,cAAnoP,EAAmpP,cAAnpP,EAAmqP,cAAnqP,EAAmrP,cAAnrP,EAAmsP,cAAnsP,EAAmtP,cAAntP,EAAmuP,cAAnuP,EAAmvP,cAAnvP,EAAmwP,cAAnwP,EAAmxP,cAAnxP,EAAmyP,cAAnyP,EAAmzP,cAAnzP,EAAm0P,cAAn0P,EAAm1P,cAAn1P,EAAm2P,cAAn2P,EAAm3P,cAAn3P,EAAm4P,cAAn4P,EAAm5P,cAAn5P,EAAm6P,cAAn6P,EAAm7P,cAAn7P,EAAm8P,cAAn8P,EAAm9P,cAAn9P,EAAm+P,cAAn+P,EAAm/P,cAAn/P,EAAmgQ,cAAngQ,EAAmhQ,cAAnhQ,EAAmiQ,cAAniQ,EAAmjQ,cAAnjQ,EAAmkQ,cAAnkQ,EAAmlQ,cAAnlQ,EAAmmQ,cAAnmQ,EAAmnQ,cAAnnQ,EAAmoQ,cAAnoQ,EAAmpQ,cAAnpQ,EAAmqQ,cAAnqQ,EAAmrQ,cAAnrQ,EAAmsQ,cAAnsQ,EAAmtQ,cAAntQ,EAAmuQ,cAAnuQ,EAAmvQ,cAAnvQ,EAAmwQ,cAAnwQ,EAAmxQ,cAAnxQ,EAAmyQ,cAAnyQ,EAAmzQ,cAAnzQ,EAAm0Q,cAAn0Q,EAAm1Q,cAAn1Q,EAAm2Q,cAAn2Q,EAAm3Q,cAAn3Q,EAAm4Q,cAAn4Q,EAAm5Q,cAAn5Q,EAAm6Q,cAAn6Q,EAAm7Q,cAAn7Q,EAAm8Q,cAAn8Q,EAAm9Q,cAAn9Q,EAAm+Q,cAAn+Q,EAAm/Q,cAAn/Q,EAAmgR,cAAngR,EAAmhR,cAAnhR,EAAmiR,cAAniR,EAAmjR,cAAnjR,EAAmkR,cAAnkR,EAAmlR,cAAnlR,EAAmmR,cAAnmR,EAAmnR,cAAnnR,EAAmoR,cAAnoR,EAAmpR,cAAnpR,EAAmqR,cAAnqR,EAAmrR,cAAnrR,EAAmsR,cAAnsR,EAAmtR,cAAntR,EAAmuR,cAAnuR,EAAmvR,cAAnvR,EAAmwR,cAAnwR,EAAmxR,cAAnxR,EAAmyR,cAAnyR,EAAmzR,cAAnzR,EAAm0R,cAAn0R,EAAm1R,cAAn1R,EAAm2R,cAAn2R,EAAm3R,cAAn3R,EAAm4R,cAAn4R,EAAm5R,cAAn5R,EAAm6R,cAAn6R,EAAm7R,cAAn7R,EAAm8R,cAAn8R,EAAm9R,cAAn9R,EAAm+R,cAAn+R,EAAm/R,cAAn/R,EAAmgS,cAAngS,EAAmhS,cAAnhS,EAAmiS,cAAniS,EAAmjS,cAAnjS,EAAmkS,cAAnkS,EAAmlS,cAAnlS,EAAmmS,cAAnmS,EAAmnS,cAAnnS,EAAmoS,cAAnoS,EAAmpS,cAAnpS,EAAmqS,cAAnqS,EAAmrS,cAAnrS,EAAmsS,cAAnsS,EAAmtS,cAAntS,EAAmuS,cAAnuS,EAAmvS,cAAnvS,EAAmwS,cAAnwS,EAAmxS,cAAnxS,EAAmyS,cAAnyS,EAAmzS,cAAnzS,EAAm0S,cAAn0S,EAAm1S,cAAn1S,EAAm2S,cAAn2S,EAAm3S,cAAn3S,EAAm4S,cAAn4S,EAAm5S,cAAn5S,EAAm6S,cAAn6S,EAAm7S,cAAn7S,EAAm8S,cAAn8S,EAAm9S,cAAn9S,EAAm+S,cAAn+S,EAAm/S,cAAn/S,EAAmgT,cAAngT,EAAmhT,cAAnhT,EAAmiT,cAAniT,EAAmjT,cAAnjT,EAAmkT,cAAnkT,EAAmlT,cAAnlT,EAAmmT,cAAnmT,EAAmnT,cAAnnT,EAAmoT,cAAnoT,EAAmpT,cAAnpT,EAAmqT,cAAnqT,EAAmrT,cAAnrT,EAAmsT,cAAntT,EAAmuT,cAAnuT,EAAmvT,cAAnvT,EAAmwT,cAAnwT,EAAmxT,cAAnxT,EAAmyT,cAAnyT,EAAmzT,cAAnzT,EAAm0T,cAAn0T,EAAm1T,cAAn1T,EAAm2T,cAAn2T,EAAm3T,cAAn3T,EAAm4T,cAAn4T,EAAm5T,cAAn5T,EAAm6T,cAAn6T,EAAm7T,cAAn7T,EAAm8T,cAAn8T,EAAm9T,cAAn9T,EAAm+T,cAAn+T,EAAm/T,cAAn/T,EAAmgU,cAAngU,EAAmhU,cAAnhU,EAAmiU,cAAniU,EAAmjU,cAAnjU,EAAmkU,cAAnkU,EAAmlU,cAAnlU,EAAmmU,cAAnmU,EAAmnU,cAAnnU,EAAmoU,cAAnoU,EAAmpU,cAAnpU,EAAmqU,cAAnqU,EAAmrU,cAAnrU,EAAmsU,cAAntU,EAAmuU,cAAnuU,EAAmvU,cAAnvU,EAAmwU,cAAnwU,EAAmxU,cAAnxU,EAAmyU,cAAnyU,EAAmzU,cAAnzU,EAAm0U,cAAn0U,EAAm1U,cAAn1U,EAAm2U,cAAn2U,EAAm3U,cAAn3U,EAAm4U,cAAn4U,EAAm5U,cAAn5U,EAAm6U,cAAn6U,EAAm7U,cAAn7U,EAAm8U,cAAn8U,EAAm9U,cAAn9U,EAAm+U,cAAn+U,EAAm/U,cAAn/U,EAAmgV,cAAngV,EAAmhV,cAAnhV,EAAmiV,cAAniV,EAAmjV,cAAnjV,EAAmkV,cAAnkV,EAAmlV,cAAnlV,EAAmmV,cAAnmV,EAAmnV,cAAnnV,EAAmoV,cAAnoV,EAAmpV,cAAnpV,EAAmqV,cAAnqV,EAAmrV,cAAnrV,EAAmsV,cAAntV,EAAmuV,cAAnuV,EAAmvV,cAAnvV,EAAmwV,cAAnwV,EAAmxV,cAAnxV,EAAmyV,cAAnyV,EAAmzV,cAAnzV,EAAm0V,cAAn0V,EAAm1V,cAAn1V,EAAm2V,cAAn2V,EAAm3V,cAAn3V,EAAm4V,cAAn4V,EAAm5V,cAAn5V,EAAm6V,cAAn6V,EAAm7V,cAAn7V,EAAm8V,cAAn8V,EAAm9V,cAAn9V,EAAm+V,cAAn+V,EAAm/V,cAAn/V,EAAmgW,cAAngW,EAAmhW,cAAnhW,EAAmiW,cAAniW,EAAmjW,cAAnjW,EAAmkW,cAAnkW,EAAmlW,cAAnlW,EAAmmW,cAAnmW,EAAmnW,cAAnnW,EAAmoW,cAAnoW,EAAmpW,cAAnpW,EAAmqW,cAAnqW,EAAmrW,cAAnrW,EAAmsW,cAAntW,EAAmuW,cAAnuW,EAAmvW,cAAnvW,EAAmwW,cAAnwW,EAAmxW,cAAnxW,EAAmyW,cAAnyW,EAAmzW,cAAnzW,EAAm0W,cAAn0W,EAAm1W,cAAn1W,EAAm2W,cAAn2W,EAAm3W,cAAn3W,EAAm4W,cAAn4W,EAAm5W,cAAn5W,EAAm6W,cAAn6W,EAAm7W,cAAn7W,EAAm8W,cAAn8W,EAAm9W,cAAn9W,EAAm+W,cAAn+W,EAAm/W,cAAn/W,EAAmgX,cAAngX,EAAmhX,cAAnhX,EAAmiX,cAAniX,EAAmjX,cAAnjX,EAAmkX,cAAnkX,EAAmlX,cAAnlX,EAAmmX,cAAnmX,EAAmnX,cAAnnX,EAAmoX,cAAnoX,EAAmpX,cAAnpX,EAAmqX,cAAnqX,EAAmrX,cAAnrX,EAAmsX,cAAntX,EAAmuX,cAAnuX,EAAmvX,cAAnvX,EAAmwX,cAAnwX,EAAmxX,cAAnxX,EAAmyX,cAAnyX,EAAmzX,cAAnzX,EAAm0X,cAAn0X,EAAm1X,cAAn1X,EAAm2X,cAAn2X,EAAm3X,cAAn3X,EAAm4X,cAAn4X,EAAm5X,cAAn5X,EAAm6X,cAAn6X,EAAm7X,cAAn7X,EAAm8X,cAAn8X,EAAm9X,cAAn9X,EAAm+X,cAAn+X,EAAm/X,cAAn/X,EAAmgY,cAAngY,EAAmhY,cAAnhY,EAAmiY,cAAniY,EAAmjY,cAAnjY,EAAmkY,cAAnkY,EAAmlY,cAAnlY,EAAmmY,cAAnmY,EAAmnY,cAAnnY,EAAmoY,cAAnoY,EAAmpY,cAAnpY,EAAmqY,cAAnqY,EAAmrY,cAAnrY,EAAmsY,cAAntY,EAAmuY,cAAnuY,EAAmvY,cAAnvY,EAAmwY,cAAnwY,EAAmxY,cAAnxY,EAAmyY,cAAnyY,EAAmzY,cAAnzY,EAAm0Y,cAAn0Y,EAAm1Y,cAAn1Y,EAAm2Y,cAAn2Y,EAAm3Y,cAAn3Y,EAAm4Y,cAAn4Y,EAAm5Y,cAAn5Y,EAAm6Y,cAAn6Y,EAAm7Y,cAAn7Y,EAAm8Y,cAAn8Y,EAAm9Y,cAAn9Y,EAAm+Y,cAAn+Y,EAAm/Y,cAAn/Y,EAAmgZ,cAAngZ,EAAmhZ,cAAnhZ,EAAmiZ,cAAniZ,EAAmjZ,cAAnjZ,EAAmkZ,cAAnkZ,EAAmlZ,cAAnlZ,EAAmmZ,cAAnmZ,EAAmnZ,cAAnnZ,EAAmoZ,cAAnoZ,EAAmpZ,cAAnpZ,EAAmqZ,cAAnqZ,EAAmrZ,cAAnrZ,EAAmsZ,cAAntZ,EAAmuZ,cAAnuZ,EAAmvZ,cAAnvZ,EAAmwZ,cAAnwZ,EAAmxZ,cAAnxZ,EAAmyZ,cAAnyZ,EAAmzZ,cAAnzZ,EAAm0Z,cAAn0Z,EAAm1Z,cAAn1Z,EAAm2Z,cAAn2Z,EAAm3Z,cAAn3Z,EAAm4Z,cAAn4Z,EAAm5Z,cAAn5Z,EAAm6Z,cAAn6Z,EAAm7Z,cAAn7Z,EAAm8Z,cAAn8Z,EAAm9Z,cAAn9Z,EAAm+Z,cAAn+Z,EAAm/Z,cAAn/Z,EAAmgaA,cAAngaA,EAAmhaA,cAAnhaA,EAAmiaA,cAAniaA,EAAmjaA,cAAnjaA,EAAmkaA,cAAnkaA,EAAmlaA,cAAnlaA,EAAmmaA,cAAnmaA,EAAmnaA,cAAnnaA,EAAmoaA,cAAnoaA,EAAmpaA,cAAnpaA,EAAmqaA,cAAnqaA,EAAmraA,cAAnraA,EAAmsaA,cAAntaA,EAAmuaA,cAAnuaA,EAAmvaA,cAAnvaA,EAAmwaA,cAAnwaA,EAAmxaA,cAAnxaA,EAAmyaA,cAAnyaA,EAAmzaA,cAAnzaA,EAAm0aA,cAAn0aA,EAAm1aA,cAAn1aA,EAAm2aA,cAAn2aA,EAAm3aA,cAAn3aA,EAAm4aA,cAAn4aA,EAAm5aA,cAAn5aA,EAAm6aA,cAAn6aA,EAAm7aA,cAAn7aA,EAAm8aA,cAAn8aA,EAAm9aA,cAAn9aA,EAAm+aA,cAAn+aA,EAAm/aA,cAAn/aA,EAAmgbA,cAAngbA,EAAmhbA,cAAnhbA,EAAmibA,cAAnibA,EAAmjbA,cAAnjbA,EAAmkbA,cAAnkbA,EAAmlbA,cAAnlbA,EAAmmbA,cAAnmbA,EAAmnbA,cAAnnbA,EAAmobA,cAAnobA,EAAmpbA,cAAnpbA,EAAmqbA,cAAnqbA,EAAmrbA,cAAnrbA,EAAmsbA,cAAntbA,EAAmubA,cAAnubA,EAAmvbA,cAAnvbA,EAAmwbA,cAAnwbA,EAAmxbA,cAAnxbA,EAAmybA,cAAnybA,EAAmzbA,cAAnzbA,EAAm0bA,cAAn0bA,EAAm1bA,cAAn1bA,EAAm2bA,cAAn2bA,EAAm3bA,cAAn3bA,EAAm4bA,cAAn4bA,EAAm5bA,cAAn5bA,EAAm6bA,cAAn6bA,EAAm7bA,cAAn7bA,EAAm8bA,cAAn8bA,EAAm9bA,cAAn9bA,EAAm+bA,cAAn+bA,EAAm/bA,cAAn/bA,EAAmgcA,cAAngcA,EAAmhcA,cAAnhcA,EAAmicA,cAAnicA,EAAmjcA,cAAnjcA,EAAmkcA,cAAnkcA,EAAmlcA,cAAnlcA,EAAmmcA,cAAnmcA,EAAmncA,cAAnncA,EAAmocA,cAAnocA,EAAmpcA,cAAnpcA,EAAmqcA,cAAnqcA,EAAmrcA,cAAnrcA,EAAmscA,cAAntcA,EAAmucA,cAAnucA,EAAmvcA,cAAnvcA,EAAmwcA,cAAnwcA,EAAmxcA,cAAnxcA,EAAmycA,cAAnycA,EAAmzcA,cAAnzcA,EAAm0cA,cAAn0cA,EAAm1cA,cAAn1cA,EAAm2cA,cAAn2cA,EAAm3cA,cAAn3cA,EAAm4cA,cAAn4cA,EAAm5cA,cAAn5cA,EAAm6cA,cAAn6cA,EAAm7cA,cAAn7cA,EAAm8cA,cAAn8cA,EAAm9cA,cAAn9cA,EAAm+cA,cAAn+cA,EAAm/cA,cAAn/cA,EAAmgdA,cAAngdA,EAAmhdA,cAAnhdA,EAAmidA,cAAnidA,EAAmjdA,cAAnjdA,EAAmkdA,cAAnkdA,EAAmldA,cAAnldA,EAAmmdA,cAAnmdA,EAAmndA,cAAnndA,EAAmodA,cAAnodA,EAAmpdA,cAAnpdA,EAAmqdA,cAAnqdA,EAAmrdA,cAAnrdA,EAAmsdA,cAAntdA,EAAmudA,cAAnudA,EAAmvdA,cAAnvdA,EAAmwdA,cAAnwdA,EAAmxdA,cAAnxdA,EAAmydA,cAAnydA,EAAmzdA,cAAnzdA,EAAm0dA,cAAn0dA,EAAm1dA,cAAn1dA,EAAm2dA,cAAn2dA,EAAm3dA,cAAn3dA,EAAm4dA,cAAn4dA,EAAm5dA,cAAn5dA,EAAm6dA,cAAn6dA,EAAm7dA,cAAn7dA,EAAm8dA,cAAn8dA,EAAm9dA,cAAn9dA,EAAm+dA,cAAn+dA,EAAm/dA,cAAn/dA,EAAmgeA,cAAngeA,EAAmheA,cAAnheA,EAAmieA,cAAnieA,EAAmjeA,cAAnjeA,EAAmkeA,cAAnkeA,EAAmleA,cAAnleA,EAAmmeA,cAAnmeA,EAAmneA,cAAnneA,EAAmoeA,cAAnoeA,EAAmpeA,cAAnpeA,EAAmqeA,cAAnqeA,EAAmreA,cAAnreA,EAAmseA,cAAnteA,EAAmueA,cAAnueA,EAAmveA,cAAnveA,EAAmweA,cAAnweA,EAAmxeA,cAAnxeA,EAAmyeA,cAAnyeA,EAAmzeA,cAAnzeA,EAAm0eA,cAAn0eA,EAAm1eA,cAAn1eA,EAAm2eA,cAAn2eA,EAAm3eA,cAAn3eA,EAAm4eA,cAAn4eA,EAAm5eA,cAAn5eA,EAAm6eA,cAAn6eA,EAAm7eA,cAAn7eA,EAAm8eA,cAAn8eA,EAAm9eA,cAAn9eA,EAAm+eA,cAAn+eA,EAAm/eA,cAAn/eA,EAAmgfA,cAAngfA,EAAmhfA,cAAnhfA,EAAmifA,cAAnifA,EAAmjfA,cAAnjfA,EAAmkfA,cAAnkfA,EAAmlfA,cAAnlfA,EAAmmfA,cAAnmfA,EAAmnfA,cAAnnfA,EAAmofA,cAAnofA,EAAmpfA,cAAnpfA,EAAmqfA,cAAnqfA,EAAmrfA,cAAnrfA,EAAmsfA,cAAntfA,EAAmufA,cAAnufA,EAAmvfA,cAAnvfA,EAAmwfA,cAAnwfA,EAAmxfA,cAAnxfA,EAAmyfA,cAAnyfA,EAAmzfA,cAAnzfA,EAAm0fA,cAAn0fA,EAAm1fA,cAAn1fA,EAAm2fA,cAAn2fA,EAAm3fA,cAAn3fA,EAAm4fA,cAAn4fA,EAAm5fA,cAAn5fA,EAAm6fA,cAAn6fA,EAAm7fA,cAAn7fA,EAAm8fA,cAAn8fA,EAAm9fA,cAAn9fA,EAAm+fA,cAAn+fA,EAAm/fA,cAAn/fA,EAAmggA,cAAnggA,EAAmhgA,cAAnhgA,EAAmigA,cAAnigA,EAAmjgA,cAAnjgA,EAAmkgA,cAAnkgA,EAAmlgA,cAAnlgA,EAAmmgA,cAAnmgA,EAAmngA,cAAnngA,EAAmogA,cAAnogA,EAAmpgA,cAAnpgA,EAAmqgA,cAAnqgA,EAAmrgA,cAAnrgA,EAAmsgA,cAAntgA,EAAmugA,cAAnugA,EAAmvgA,cAAnvgA,EAAmwgA,cAAnwgA,EAAmxgA,cAAnxgA,EAAmygA,cAAnygA,EAAmzgA,cAAnzgA,EAAm0gA,cAAn0gA,EAAm1gA,cAAn1gA,EAAm2gA,cAAn2gA,EAAm3gA,cAAn3gA,EAAm4gA,cAAn4gA,EAAm5gA,cAAn5gA,EAAm6gA,cAAn6gA,EAAm7gA,cAAn7gA,EAAm8gA,cAAn8gA,EAAm9gA,cAAn9gA,EAAm+gA,cAAn+gA,EAAm/gA,cAAn/gA,EAAmghA,cAAnghA,EAAmhhA,cAAnhhA,EAAmihA,cAAnihA,EAAmjhA,cAAnjhA,EAAmkhA,cAAnkhA,EAAmlhA,cAAnlhA,EAAmmhA,cAAnmhA,EAAmnhA,cAAnnhA,EAAmohA,cAAnohA,EAAmphA,cAAnphA,EAAmqhA,cAAnqhA,EAAmrhA,cAAnrhA,EAAmshA,cAAnthA,EAAmuhA,cAAnuhA,EAAmvhA,cAAnvhA,EAAmwhA,cAAnwhA,EAAmxhA,cAAnxhA,EAAmyhA,cAAnyhA,EAAmzhA,cAAnzhA,EAAm0hA,cAAn0hA,EAAm1hA,cAAn1hA,EAAm2hA,cAAn2hA,EAAm3hA,cAAn3hA,EAAm4hA,cAAn4hA,EAAm5hA,cAAn5hA,EAAm6hA,cAAn6hA,EAAm7hA,cAAn7hA,EAAm8hA,cAAn8hA,EAAm9hA,cAAn9hA,EAAm+hA,cAAn+hA,EAAm/hA,cAAn/hA,EAAmgiA,cAAngiA,EAAmhiA,cAA

AI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACjN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAtE,CAAiF,W;K;4FAG5F,qB;MAKI,OAAO,S;K;IASS,8C;MAAA,mB;QAAE,OAAA,eAAK,W;O;K;IAN3B,iC;MAMI,oCAAgB,8BAAhB,C;K;IAGJ,+B;MAOoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAA6B,GAAgC,CAAhC,GAAoC,MAAK,K;K;IAGjF

AWA,yB;MAAA,gD;MAAA,oD;QAQoB,Q;QAAA,OAAA,SjBsQoE,QAAQ,W;QiBtQ5F,OAAgB,cAAhB,C;UA
AgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAZX,C;
8EAeA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,cAAb,C;QA2BA,Q;QAAA,OjB6NuE,iBAAQ,W;QiB7
N5F,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA5BiB,SA4Bb,CAAU,IAAV,CAAJ,C;;QA5BhB,OA6BO,W;O;K
ApCX,C;4FAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAa,gB;QA4EJ,Q;QAAA,OjBkKoE,iBAAQ,W;QiBlK5F,
OAAgB,cAAhB,C;UAAgB,yB;UApEK,U;UAAA,cARe,SAQf,CAoEQ,OApER,W;YAAsC,6B;;;QAR3D,OASO,W
;O;KAhBX,C;gGAUA,yB;MAAA,oD;QAyEoB,Q;QAAA,OjBkKoE,iBAAQ,W;QiBlK5F,OAAgB,cAAhB,C;UAA
gB,yB;UApEK,U;UAAA,wBAoEQ,OApER,W;YAAsC,6B;;;QAC3D,OAAO,W;O;KANX,C;kFASA,6C;MAKiB,
Q;MAAA,OAAA,SjB6NuE,QAAQ,W;MiB7N5F,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,C
AAJ,C;;MAChB,OAAO,W;K;8EAGX,gC;MAOoB,Q;MADhB,IAAI,mBAAJ,C;QAAe,OAAO,I;MACN,OAAA,Sj
BiNoE,QAAQ,W;MiBjN5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB
,OAAO,K;;MACtD,OAAO,I;K;IAGX,2B;MAMI,OAAO,CAAC,mB;K;+EAGZ,gC;MAOoB,Q;MADhB,IAAI,mB
AAJ,C;QAAe,OAAO,K;MACN,OAAA,SjB6LoE,QAAQ,W;MiB7L5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IA
AI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;mFAGX,qB;MAKI,OAAO,c;K;mFAGX,gC;
MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MACtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;MiB3
K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sFA
GX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,
OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJkoDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;
UAAyB,qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;
UAAP,uB;;QACzB,eIjpDmB,QJipDJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIppDe,QJopDP,CAAS,C
AAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAC
lB,qBAAO,O;;;MI1pDP,yB;K;8FAGJ,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJkoDf,eAAe,sB;QACf,IAAI,CAAC,
QAAS,UAAd,C;UAAyB,qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UA
AyB,qBAAO,O;UAAP,uB;;QACzB,eItoD2B,QJsoDZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIzoDuB
,QJyoDf,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,Q
AS,W;QAClB,qBAAO,O;;;MI/oDP,yB;K;mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MACtB,
YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,C
AAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sFAGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,OAAgB,
cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJkoDf,eAAe,
sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;
UAAP,uB;;QACzB,eIxoD2B,QJwoDZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI3oDuB,QJ2oDf,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,qBAAO,O;;;MI/oDP,yB;K;mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MACtB,

AAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QInsDnB,OJssDO,Q;O;KIjtDX,C;sGAcA,2C;MASmB,kBAAR,iB;MAAQ,0B;;QJssDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,yBAAO,I;UAAP,2B;;QACzB,eIxsD2C,QJwsD5B,CAAS,QAAS,OAAlB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QI1sDuC,QJ0sD/B,CAAS,QAAS,OAAlB,C;UACR,II3sD2B,UJ2sDZ,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,yBAAO,Q;;;MI/sDP,6B;K;sFAGJ,yB;MAOA,8D;MAPA,wC;QAII,OASe,cAAR,iBAAQ,EAAT,MAAS,UAAS,N;O;KAbnB,C;kGAOA,yB;MAAA,8D;MAAA,wC;QAMI,OAAe,cAAR,iBAAQ,EAAT,Mc,UAAS,d,C;O;KANnB,C;kFASA,+B;MAcmB,kBAAR,iB;MAAQ,sB;;QJwxDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACzB,eIvyDmB,QJuyDJ,CAAS,QAAS,OAAlB,C;UACjB,QI1yDe,QJ0yDP,CAAS,QAAS,OAAlB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QACT,qBAAO,O;;;MIhzDP,6B;K;8FAGJ,+B;MAcmB,kBAAR,iB;MAAQ,sB;;QJwxDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACzB,eI5xD2B,QJ4xDZ,CAAS,QAAS,OAAlB,C;UACf,QI/xDuB,QJ+xDf,CAAS,QAAS,OAAlB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QACT,qBAAO,O;;;MIryDP,6B;K;mFAGJ,yB;MAOA,6

M,OAAO,oBAAmB,cAAnB,EAAmB,sBAAnB,UAAP,EAAoC,IAApC,C;;YIvyC2B,W;W;S;OAAjC,C;MARjB,oC;QJ+yCiB,gB;QADb,YAAY,C;QACC,OIvyCE,iBJuyCF,W;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAmB,cAAnB,EAAmB,sBAAnB,UAAP,EAAoC,IAApC,C;;QIvyCnB,gB;O;KARJ,C;4FAWA,qB;MAKI,OAAO,iB;K;IAGX,iC;MAII,OAAe,aAAR,iBAAAQ,C;K;IC9hBnB,kC;MAEI,gBCmE2D,8BAAY,c;MDlEvE,IAAI,SAAU,OAAV,GAAmB,CAAnB,WAAwB,Q;QAAxB,OAAwB,IAAxB,cAAAC,QAAwB,GAAxB,CAAwB,GAAxB,CAAwB,GAAxB,C

EAAkC,EAAlC,C;K;IAG1B,iC;MAOI,OAAO,sCAAe,yBAAqB,SAArB,EAA8B,EAA9B,EAAkC,EAAlC,C;K;IAG1B,iC;MAOI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,CAArB,EAA+B,M;K;IAG3B,iC;MAOI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAsB,EAAtB,M;K;IAG3B,kC;MAOI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,CAArB,EAA+B,M;K;IAG3B,kC;MAOI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,CAArB,EAA+B,M;K;IAG3B,kC;MAOI,OAAO,sCAAe,yBAAgB,SAAhB,EAAsB,EAAtB,EAAkC,EAAlC,C;K;IAG1B,kC;MAOI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAsB,oBAAL,EAAK,CAAL,EAAW,M;K;IAG3B,kC;MAOI,OAAO,sCAAe,yBAAqB,SAArB,EAA8B,EAA9B,EAAkC,EAAlC,EAA0C,EAA1C,C;K;IAG1B,kC;MAOI,OAAO,sCAAe,yBAAqB,SAArB,EAA8B,EAA9B,EAAkC,EAAlC,EAA0C,EAA1C,C;K;IAG1B,+B;MAII,OAAO,sCAAe,yBAAgB,cAAhB,EAAuB,eAAvB,EAAsC,EAAtC,EAAkD,CAAlD,EAAwD,cAAxD,EAAgE,IAA7D,EAAmE,C;K;IAG1E,gC;MAII,OAAO,uCAAgB,yBAAgB,cAAhB,EAAuB,eAAvB,EAAsC,eAAtC,EAAkD,EAAlD,EAAwD,cAAxD,EAAgE,aAA7D,EAAmE,C;K;IAG1E,kC;MAII,OAAO,uCAAgB,yBAAgB,cAAhB,EAAuB,eAAvB,EAAsC,eAAtC,EAAkD,EAAlD,EAAwD,CAAxD,EAA8D,IAA3D,EAAiE,C;K;IAG1E,+B;MAII,oBAAoB,OAAO,CAA3B,EAA8B,EAA9B,EAAkC,IAAlC,EAAwC,C;MAGpC,OAAO,sCAAe,yBAAgB,eAAhB,EAAyB,cAAzB,EAAyC,eAAzC,EAAyD,cAAzD,EAAiE,EAAjE,EAAqE,SAArE,EAAgF,KAAhF,EAAuF,KAAvF,EAA8F,GAA9F,EAAmG,CAAnG,EAAyG,cAAzG,EAAiH,IAAjH,EAAuH,IAAvH,EAA6H,C;K;IAGpI,gC;MAII,OAAO,uCAAgB,yBAAgB,eAAhB,EAAyB,cAAzB,EAAyC,eAAzC,EAAyD,cAAzD,EAAiE,EAAjE,EAAqE,SAArE,EAAgF,KAAhF,EAAuF,KAAvF,EAA8F,GAA9F,EAAmG,CAAnG,EAAyG,cAAzG,EAAiH,IAAjH,EAAuH,IAAvH,EAA6H,C;K;IAGpI,kC;MAII,OAAO,uCAAgB,yBAAgB,eAAhB,EAAyB,cAAzB,EAAyC,eAAzC,EAAyD,cAAzD,EAAiE,EAAjE,EAAqE,SAArE,EAAgF,KAAhF,EAAuF,KAAvF,EAA8F,GAA9F,EAAmG,CAAnG,EAAyG,cAAzG,EAAiH,IAAjH,EAAuH,IAAvH,EAA6H,C;K;IAGpI,+B;MAII,oBAAoB,OAAO,CAA3B,EAA8B,EAA9B,EAAkC,IAAlC,EAAwC,C;MAGpC,OAAO,sCAAe,yBAAgB,eAAhB,EAAyB,cAAzB,EAAyC,eAAzC,EAAyD,cAAzD,EAAiE,EAAjE,EAAqE,SAArE,EAAgF,KAAhF,EAAuF,KAAvF,EAA8F,GAA9F,EAAmG,CAAnG,EAAyG,cAAzG,EAAiH,IAAjH,EAAuH,IAAvH,EAA6H,C;K;IAGpI,gC;MAII,OAAO,uCAAgB,yBAAgB,eAAhB,EAAyB,cAAzB,EAAyC,eAAzC,EAAyD,cAAzD,EAAiE,EAAjE,EAAqE,SAArE,EAAgF,KAAhF,EAAuF,KAAvF,EAA8F,GAA9F,EAAmG,CAAnG,EAAyG,cAAzG,EAAiH,IAAjH,EAAuH,IAAvH,EAA6H,C;K;IAGpI,kC;MAII,OAAO,uCAAgB,yBAAgB,eAAhB,EAAyB,cAAzB,EAAyC,eAAzC,EAAyD,cAAzD,EAAiE,EAAjE,EAAqE,SAArE,EAAgF,KAAhF,EAAuF,KAAvF,EAA8F,GAA9F,EAAmG,CAAnG,EAAyG,cAAzG,EAAiH,IAAjH,EAAuH,IAAvH,EAA6H,C;K;IAGpI,+B;MAII

B,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI
,OAAW,0BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,
YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,+C;MAQI,O
AAW,4BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YA
AzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAA
W,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,0BAAO,YAAP,KAAJ,GAAyB,YAAzB
,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,Y
AAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,yD;MAQI,IAAI,iBAAiB,IAAjB,IAAyB,iBAAiB,IAA9C,C;Q
ACI,IAAI,+BAAe,YAAf,KAAJ,C;UAAiC,MAAM,gCAAyB,6DAAiD,YAAjD,wCAAoF,YAApF,OAAzB,C;QAC
vC,IAAI,4BAAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;QAChC,IAAI,4BAAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;;Q
AGhC,IAAI,iBAAiB,IAAjB,IAAyB,4BAAO,YAAP,KAA7B,C;UAAkD,OAAO,Y;QACzD,IAAI,iBAAiB,IAAjB,I
AAyB,4BAAO,YAAP,KAA7B,C;UAAkD,OAAO,Y;;MAE7D,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAnB,
C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAA
yB,OAAO,Y;MAChC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAA
e,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YA
AX,C;QAAyB,OAAO,Y;MAChC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,OAAO,S;K;IAGX,2D;MAQ
I,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,
YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,OAAO,S;K;IAG
X,2D;MAQI,IAAI,6BAAe,YAAf,KAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,yCAAoF,YAApF,iBAAzB
,C;MACvC,IAAI,0BAAO,YAAP,KAAJ,C;QAAyB,OAAO,Y;MAChC,IAAI,0BAAO,YAAP,KAAJ,C;QAAyB,OA
AO,Y;MAChC,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8
BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,IAAI,YAAO,YAAX,C;Q
AAyB,OAAO,Y;MAChC,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAi
D,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,IAAI,YAAO,
YAAX,C;QAAyB,OAAO,Y;MAChC,OAAO,S;K;IAGX,sC;MAUW,Q;MADP,IAAI,KAAM,UAAV,C;QAAqB,M
AAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAGvB,IAAI,KAAM,0BAAiB,SAAjB,EAAuB,KAAM,MA7B,
CAAN,IAA6C,CAAC,KAAM,0BAAiB,KAAM,MAAvB,EAA8B,SA9B,CApD,C;QAAiG,OAAN,KAAM,M;
WAEjG,IAAI,KAAM,0BAAiB,KAAM,aAAvB,EAAqC,SAArC,CAAN,IAAoD,CAAC,KAAM,0BAAiB,SAAjB,B,
EAAuB,KAAM,aAA7B,CAA3D,C;QAA+G,OAAN,KAAM,a;;QAC5G,gB;MALZ,W;K;IASJ,sC;MAYW,Q;MAJP
,IAAI,8CAAJ,C;QAAC,I,OAAY,WAAL,SAAK,EAAY,KAAZ,C;;MAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,
gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAGvB,IAAI,KAAM,0BAAiB,gBAAjB,KAAM,MAAb,M;QAA4B,OAAN,KAAM,M;WAC5B,gB
AAM,aAAb,M;QAAmC,OAAN,KAAM,a;;QAC3B,gB;MALZ,W;K;IAOJ,sC;MAYW,Q;MAJP,IAAI,8CAAJ,C;QAAC,I,
OAAY,WAAL,SAAK,EAAY,KAAZ,C;;MAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAGvB,IAAI,KAAM,0BAAiB,gBAAjB,KAAM,MAAb,M;QAA4B,OAAN,KAAM,M;WAC5B,gBAAM,aAAb,C;QAAmC,OAAN,KAAM,a;;QAC3B,gB;MALZ,W;K;IAOJ,sC;MAYW,Q;MAJP,IAAI,8CAAJ,C;QAAC,I,

6B;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QACI,MAAM,2BAAuB,oBAAvB,C;MACV,OAAO,QAAS,O;K;iFAGpB,yB;MAAA,iE;MAAA,uC;QAOoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,sDAAvB,C;O;KARV,C;kGAWA,yB;MAAA,iE;MAAA,uC;QAWW,Q;QAAA,+B;;UAcS,U;UAAA,6B;UAAhB,OAAgB,gBAAhB,C;YAAgB,2B;YAAZ,OACZ,aAAfwB,SAAeX,CAAU,OAAV,C;YACb,IAAI,cAAJ,C;cACI,8BAAO,M;cAAP,gC;;;UAGR,8BAAO,I;;;QAIpB,kC;QAAA,iB;UAAmC,MAAM,gCAAuB,iEAAvB,C;;QAAhB,OAAgB,I;O;KAAhB,C;8GAAhB,gC;MAAA,2B;QAAA,OAAgB,KAAhB,C;;MAAA,O;KAAA,C;;;

AA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAAY,WAAI,OAAJ,C;;MACvD,OAAO,W;K;4FAGX,6C;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;sFAGX,6C;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;IAGX,8B;MAWW,Q;MhBzgBP,IAAI,EgBwgBI,KAAK,ChBxgBT,CAAJ,C;QACI,cgBugBc,sD;QhBtgBd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MgBwgBN,UAAK,CAAL,C;QAAU,sB;WACV,+C;QAAiC,OAAL,SAAK,CAAL,C;QAAK,CAAL,C;;QAAK,CAAL,C;;QAAK,CAAL,C;

oBgC,GvBhoBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UuB6nBA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhCT,OAkCO,W;O;KA7CX,C;qFAcA,yB;MAAA,wE;MAkCA,+D;MAlCA,yD;QAYW,kBAAU,oB;QAkCD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAnCiD,WAmCvC,CAAY,OAAZ,C;UvBrpBP,U;UADP,YuBupBe,WvBvpBH,WuBupBwB,GvBvpBxB,C;UACL,IAAI,aAAJ,C;YACH,auBqpBuC,gB;YAA5B,WvBppBX,auBopBgBC,GvBppBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UuBipBA,iB;UACA,IAAK,WArCyD,cAqCrD,CAAe,OAAf,CAAAJ,C;;QArCT,OAuCO,W;O;KAnDX,C;yFAeA,yB;MAAA,+D;MAAA,sD;QAWoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UvBjoBP,U;UADP,YuBmoBe,WvBnoBH,WuBmoBwB,GvBnoBxB,C;UACL,IAAI,aAAJ,C;YACH,auBioBuC,gB;YAA5B,WvBhoBX,auBgoBgBC,GvBhoBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UuB6nBA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAhBX,C;yFAmBA,yB;MAAA,+D;MAAA,sE;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UvBrnBP,U;UADP,YuBunBe,WvBvnBH,WuBunBwB,GvBvnBxB,C;UACL,IAAI,aAAJ,C;YACH,auBqnBuC,gB;YAA5B,WvBpnBX,auBonBgBC,GvBpnBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UuBinBA,iB;UACA,IAAK,WAAI,eAAe,OAAf,C;UAAf,OAAe,cAAf,C;YAAe,0B;YAAf,OAAe,cAAf,C;cAAe,0B;cAAf,OAAe,cAAf,C;gBAAe,0B;gBAAf,OAAe,cAAf,C;kBAAe,0B;kBAAf,OAAe,cAAf,C;oBAAe,0B;oBAAf,OAAe,cAAf,C;sBAAe,0B;sBAAf,OAAe,cAAf,C;wBAAe,0B;wBAAf,OAAe,cAAf,C;0BAAe,0B;0BAAf,OAAe,cAAf,C;4BAAe,0B;4BAAf,OAAe,cAAf,C;8BAAe,0B;8BAAf,OAAe,cAAf,C;gCAAe,0B;gCAAf,OAAe,cAAf,C;kCAAe,0B;kCAAf,OAAe,cAAf,C;oCAAe,0B;oCAAf,OAAe,cAAf,C;sCAAe,0B;sCAAf,OAAe,cAAf,C;wCAAe,0B;wCAAf,OAAe,cAAf,C;0CAAe,0B;0CAAf,OAAe,cAAf,C;4CAAe,0B;4CAAf,OAAe,cAAf,C;8CAAe,0B;8CAAf,OAAe,cAAf,C;gDAAe,0B;gDAAf,OAAe,cAAf,C;kDAAe,0B;kDAAf,OAAe,cAAf,C;oDAAe,0B;oDAAf,OAAe,cAAf,C;sDAAe,0B;sDAAf,OAAe,cAAf,C;wDAAe,0B;wDAAf,OAAe,cAAf,C;0DAAe,0B;0DAAf,OAAe,cAAf,C;4DAAe,0B;4DAAf,OAAe,cAAf,C;8DAAe,0B;8DAAf,OAAe,cAAf,C;gEAAe,0B;gEAAf,OAAe,cAAf,C;kEAAe,0B;kEAAf,OAAe,cAAf,C;oEAAe,0B;oEAAf,OAAe,cAAf,C;sEAAe,0B;sEAAf,OAAe,cAAf,C;wEAAe,0B;wEAAf,OAAe,cAAf,C;0EAAe,0B;0EAAf,OAAe,cAAf,C;4EAAe,0B;4EAAf,OAAe,cAAf,C;8EAAe,0B;8EAAf,OAAe,cAAf,C;gFAAe,0B;gFAAf,OAAe,cAAf,C;kFAAe,0B;kFAAf,OAAe,cAAf,C;oFAAe,0B;oFAAf,OAAe,cAAf,C;sFAAe,0B;sFAAf,OAAe,cAAf,C;wFAAe,0B;wFAAf,OAAe,cAAf,C;0FAAe,0B;0FAAf,OAAe,cAAf,C;4FAAe,0B;4FAAf,OAAe,cAAf,C;8FAAe,0B;8FAAf,OAAe,cAAf,C;gGAAe,0B;gGAAf,OAAe,cAAf,C;kGAAe,0B;kGAAf,OAAe,cAAf,C;oGAAe,0B;oGAAf,OAAe,cAAf,C;sGAAe,0B;sGAAf,OAAe,cAAf,C;wGAAe,0B;wGAAf,OAAe,cAAf,C;0GAAe,0B;0GAAf,OAAe,cAAf,C;4GAAe,0B;4GAAf,OAAe,cAAf,C;8GAAe,0B;8GAAf,OAAe,cAAf,C;gHAAe,0B;gHAAf,OAAe,cAAf,C;kHAAe,0B;kHAAf,OAAe,cAAf,C;oHAAe,0B;oHAAf,OAAe,cAAf,C;sHAAe,0B;sHAAf,OAAe,cAAf,C;wHAAe,0B;wHAAf,OAAe,cAAf,C;0HAAe,0B;0HAAf,OAAe,cAAf,C;4HAAe,0B;4HAAf,OAAe,cAAf,C;8HAAe,0B;8HAAf,OAAe,cAAf,C;gIAAe,0B;gIAAf,OAAe,cAAf,C;kIAAe,0B;kIAAf,OAAe,cAAf,C;oIAAe,0B;oIAAf,OAAe,cAAf,C;sIAAe,0B;sIAAf,OAAe,cAAf,C;wIAAe,0B;wIAAf,OAAe,cAAf,C;0IAAe,0B;0IAAf,OAAe,cAAf,C;4IAAe,0B;4IAAf,OAAe,cAAf,C;8IAAe,0B;8IAAf,OAAe,cAAf,C;gJAAe,0B;gJAAf,OAAe,cAAf,C;kJAAe,0B;kJAAf,OAAe,cAAf,C;oJAAe,0B;oJAAf,OAAe,cAAf,C;sJAAe,0B;sJAAf,OAAe,cAAf,C;wJAAe,0B;wJAAf,OAAe,cAAf,C;0JAAe,0B;0JAAf,OAAe,cAAf,C;4JAAe,0B;4JAAf,OAAe,cAAf,C;8JAAe,0B;8JAAf,OAAe,cAAf,C;gKAAe,0B;gKAAf,OAAe,cAAf,C;kKAAe,0B;kKAAf,OAAe,cAAf,C;oKAAe,0B;oKAAf,OAAe,cAAf,C;sKAAe,0B;sKAAf,OAAe,cAAf,C;wKAAe,0B;wKAAf,OAAe,cAAf,C;0KAAe,0B;0KAAf,OAAe,cAAf,C;4KAAe,0B;4KAAf,OAAe,cAAf,C;8KAAe,0B;8KAAf,OAAe,cAAf,C;gLAAe,0B;gLAAf,OAAe,cAAf,C;kLAAe,0B;kLAAf,OAAe,cAAf,C;oLAAe,0B;oLAAf,OAAe,cAAf,C;sLAAe,0B;sLAAf,OAAe,cAAf,C;wLAAe,0B;wLAAf,OAAe,cAAf,C;0LAAe,0B;0LAAf,OAAe,cAAf,C;4LAAe,0B;4LAAf,OAAe,cAAf,C;8LAAe,0B;8LAAf,OAAe,cAAf,C;gMAAe,0B;gMAAf,OAAe,cAAf,C;kMAAe,0B;kMAAf,OAAe,cAAf,C;oMAAe,0B;oMAAf,OAAe,cAAf,C;sMAAe,0B;sMAAf,OAAe,cAAf,C;wMAAe,0B;wMAAf,OAAe,cAAf,C;0MAAe,0B;0MAAf,OAAe,cAAf,C;4MAAe,0B;4MAAf,OAAe,cAAf,C;8MAAe,0B;8MAAf,OAAe,cAAf,C;gNAAe,0B;gNAAf,OAAe,cAAf,C;kNAAe,0B;kNAAf,OAAe,cAAf,C;oNAAe,0B;oNAAf,OAAe,cAAf,C;sNAAe,0B;sNAAf,OAAe,cAAf,C;wNAAe,0B;wNAAf,OAAe,cAAf,C;0NAAe,0B;0NAAf,OAAe,cAAf,C;4NAAe,0B;4NAAf,OAAe,cAAf,C;8NAAe,0B;8NAAf,OAAe,cAAf,C;gOAAe,0B;gOAAf,OAAe,cAAf,C;kOAAe,0B;kOAAf,OAAe,cAAf,C;oOAAe,0B;oOAAf,OAAe,cAAf,C;sOAAe,0B;sOAAf,OAAe,cAAf,C;wOAAe,0B;wOAAf,OAAe,cAAf,C;0OAAe,0B;0OAAf,OAAe,cAAf,C;4OAAe,0B;4OAAf,OAAe,cAAf,C;8OAAe,0B;8OAAf,OAAe,cAAf,C;gPAAe,0B;gPAAf,OAAe,cAAf,C;kPAAe,0B;kPAAf,OAAe,cAAf,C;oPAAe,0B;oPAAf,OAAe,cAAf,C;sPAAe,0B;sPAAf,OAAe,cAAf,C;wPAAe,0B;wPAAf,OAAe,cAAf,C;0PAAe,0B;0PAAf,OAAe,cAAf,C;4PAAe,0B;4PAAf,OAAe,cAAf,C;8PAAe,0B;8PAAf,OAAe,cAAf,C;gQAAe,0B;gQAAf,OAAe,cAAf,C;kQAAe,0B;kQAAf,OAAe,cAAf,C;oQAAe,0B;oQAAf,OAAe,cAAf,C;sQAAe,0B;sQAAf,OAAe,cAAf,C;wQAAe,0B;wQAAf,OAAe,cAAf,C;0QAAe,0B;0QAAf,OAAe,cAAf,C;4QAAe,0B;4QAAf,OAAe,cAAf,C;8QAAe,0B;8QAAf,OAAe,cAAf,C;gRAAe,0B;gRAAf,OAAe,cAAf,C;kRAAe,0B;kRAAf,OAAe,cAAf,C;oRAAe,0B;oRAAf,OAAe,cAAf,C;sRAAe,0B;sRAAf,OAAe,cAAf,C;wRAAe,0B;wRAAf,OAAe,cAAf,C;0RAAe,0B;0RAAf,OAAe,cAAf,C;4RAAe,0B;4RAAf,OAAe,cAAf,C;8RAAe,0B;8RAAf,OAAe,cAAf,C;gSAAe,0B;gSAAf,OAAe,cAAf,C;kSAAe,0B;kSAAf,OAAe,cAAf,C;oSAAe,0B;oSAAf,OAAe,cAAf,C;sSAAe,0B;sSAAf,OAAe,cAAf,C;wSAAe,0B;wSAAf,OAAe,cAAf,C;0SAAe,0B;0SAAf,OAAe,cAAf,C;4SAAe,0B;4SAAf,OAAe,cAAf,C;8SAAe,0B;8SAAf,OAAe,cAAf,C;gTAAe,0B;gTAAf,OAAe,cAAf,C;kTAAe,0B;kTAAf,OAAe,cAAf,C;oTAAe,0B;oTAAf,OAAe,cAAf,C;sTAAe,0B;sTAAf,OAAe,cAAf,C;wTAAe,0B;wTAAf,OAAe,cAAf,C;0TAAe,0B;0TAAf,OAAe,cAAf,C;4TAAe,0B;4TAAf,OAAe,cAAf,C;8TAAe,0B;8TAAf,OAAe,cAAf,C;gUAAe,0B;gUAAf,OAAe,cAAf,C;kUAAe,0B;kUAAf,OAAe,cAAf,C;oUAAe,0B;oUAAf,OAAe,cAAf,C;sUAAe,0B;sUAAf,OAAe,cAAf,C;wUAAe,0B;wUAAf,OAAe,cAAf,C;0UAAe,0B;0UAAf,OAAe,cAAf,C;4UAAe,0B;4UAAf,OAAe,cAAf,C;8UAAe,0B;8UAAf,OAAe,cAAf,C;gVAAe,0B;gVAAf,OAAe,cAAf,C;kVAAe,0B;kVAAf,OAAe,cAAf,C;oVAAe,0B;oVAAf,OAAe,cAAf,C;sVAAe,0B;sVAAf,OAAe,cAAf,C;wVAAe,0B;wVAAf,OAAe,cAAf,C;0VAAe,0B;0VAAf,OAAe,cAAf,C;4VAAe,0B;4VAAf,OAAe,cAAf,C;8VAAe,0B;8VAAf,OAAe,cAAf,C;gWAAe,0B;gWAAf,OAAe,cAAf,C;kWAAe,0B;kWAAf,OAAe,cAAf,C;oWAAe,0B;oWAAf,OAAe,cAAf,C;sWAAe,0B;sWAAf,OAAe,cAAf,C;wWAAe,0B;wWAAf,OAAe,cAAf,C;0WAAe,0B;0WAAf,OAAe,cAAf,C;4WAAe,0B;4WAAf,OAAe,cAAf,C;8WAAe,0B;8WAAf,OAAe,cAAf,C;gXAAe,0B;gXAAf,OAAe,cAAf,C;kXAAe,0B;kXAAf,OAAe,cAAf,C;oXAAe,0B;oXAAf,OAAe,cAAf,C;sXAAe,0B;sXAAf,OAAe,cAAf,C;wXAAe,0B;wXAAf,OAAe,cAAf,C;0XAAe,0B;0XAAf,OAAe,cAAf,C;4XAAe,0B;4XAAf,OAAe,cAAf,C;8XAAe,0B;8XAAf,OAAe,cAAf,C;gYAAe,0B;gYAAf,OAAe,cAAf,C;kYAAe,0B;kYAAf,OAAe,cAAf,C;oYAAe,0B;oYAAf,OAAe,cAAf,C;sYAAe,0B;sYAAf,OAAe,cAAf,C;wYAAe,0B;wYAAf,OAAe,cAAf,C;0YAAe,0B;0YAAf,OAAe,cAAf,C;4YAAe,0B;4YAAf,OAAe,cAAf,C;8YAAe,0B;8YAAf,OAAe,cAAf,C;gZAAe,0B;gZAAf,OAAe,cAAf,C;kZAAe,0B;kZAAf,OAAe,cAAf,C;oZAAe,0B;oZAAf,OAAe,cAAf,C;sZAAe,0B;sZAAf,OAAe,cAAf,C;wZAAe,0B;wZAAf,OAAe,cAAf,C;0ZAAe,0B;0ZAAf,OAAe,cAAf,C;4ZAAe,0B;4ZAAf,OAAe,cAAf,C;8ZAAe,0B;8ZAAf,OAAe,cAAf,C;gaAAe,0B;gaAAf,OAAe,cAAf,C;kaAAe,0B;kaAAf,OAAe,cAAf,C;oaAAe,0B;oaAAf,OAAe,cAAf,C;saAAe,0B;saAAf,OAAe,cAAf,C;waAAe,0B;waAAf,OAAe,cAAf,C;0aAAe,0B;0aAAf,OAAe,cAAf,C;4aAAe,0B;4aAAf,OAAe,cAAf,C;8aAAe,0B;8aAAf,OAAe,cAAf,C;gbAAe,0B;gbAAf,OAAe,cAAf,C;kbAAe,0B;kbAAf,OAAe,cAAf,C;obAAe,0B;obAAf,OAAe,cAAf,C;sbAAe,0B;sbAAf,OAAe,cAAf,C;wbAAe,0B;wbAAf,OAAe,cAAf,C;0bAAe,0B;0bAAf,OAAe,cAAf,C;4bAAe,0B;4bAAf,OAAe,cAAf,C;8bAAe,0B;8bAAf,OAAe,cAAf,C;gcAAe,0B;gcAAf,OAAe,cAAf,C;kcAAe,0B;kcAAf,OAAe,cAAf,C;ocAAe,0B;ocAAf,OAAe,cAAf,C;scAAe,0B;scAAf,OAAe,cAAf,C;wcAAe,0B;wcAAf,OAAe,cAAf,C;0cAAe,0B;0cAAf,OAAe,cAAf,C;4cAAe,0B;4cAAf,OAAe,cAAf,C;8cAAe,0B;8cAAf,OAAe,cAAf,C;gdAAe,0B;gdAAf,OAAe,cAAf,C;kdAAe,0B;kdAAf,OAAe,cAAf,C;odAAe,0B;odAAf,OAAe,cAAf,C;sdAAe,0B;sdAAf,OAAe,cAAf,C;wdAAe,0B;wdAAf,OAAe,cAAf,C;0dAAe,0B;0dAAf,OAAe,cAAf,C;4dAAe,0B;4dAAf,OAAe,cAAf,C;8dAAe,0B;8dAAf,OAAe,cAAf,C;geAAe,0B;geAAf,OAAe,cAAf,C;keAAe,0B;keAAf,OAAe,cAAf,C;oeAAe,0B;oeAAf,OAAe,cAAf,C;seAAe,0B;seAAf,OAAe,cAAf,C;weAAe,0B;weAAf,OAAe,cAAf,C;0eAAe,0B;0eAAf,OAAe,cAAf,C;4eAAe,0B;4eAAf,OAAe,cAAf,C;8eAAe,0B;8eAAf,OAAe,cAAf,C;gfAAe,0B;gfAAf,OAAe,cAAf,C;kfAAe,0B;kfAAf,OAAe,cAAf,C;ofAAe,0B;ofAAf,OAAe,cAAf,C;sfAAe,0B;sfAAf,OAAe,cAAf,C;wfAAe,0B;wfAAf,OAAe,cAAf,C;0fAAe,0B;0fAAf,OAAe,cAAf,C;4fAAe,0B;4fAAf,OAAe,cAAf,C;8fAAe,0B;8fAAf,OAAe,cAAf,C;ggAAe,0B;ggAAf,OAAe,cAAf,C;kgAAe,0B;kgAAf,OAAe,cAAf,C;ogAAe,0B;ogAAf,OAAe,cAAf,C;sgAAe,0B;sgAAf,OAAe,cAAf,C;wgAAe,0B;wgAAf,OAAe,cAAf,C;0gAAe,0B;0gAAf,OAAe,cAAf,C;4gAAe,0B;4gAAf,OAAe,cAAf,C;8gAAe,0B;8gAAf,OAAe,cAAf,C;ghAAe,0B;ghAAf,OAAe,cAAf,C;khAAe,0B;khAAf,OAAe,cAAf,C;ohAAe,0B;ohAAf,OAAe,cAAf,C;shAAe,0B;shAAf,OAAe,cAAf,C;whAAe,0B;whAAf,OAAe,cAAf,C;0hAAe,0B;0hAAf,OAAe,cAAf,C;4hAAe,0B;4hAAf,OAAe,cAAf,C;8hAAe,0B;8hAAf,OAAe,cAAf,C;giAAe,0B;giAAf,OAAe,cAAf,C;kiAAe,0B;kiAAf,OAAe,cAAf,C;oiAAe,0B;oiAAf,OAAe,cAAf,C;siAAe,0B;siAAf,OAAe,cAAf,C;wiAAe,0B;wiAAf,OAAe,cAAf,C;0iAAe,0B;0iAAf,OAAe,cAAf,C;4iAAe,0B;4iAAf,OAAe,cAAf,C;8iAAe,0B;8iAAf,OAAe,cAAf,C;gjAAe,0B;gjAAf,OAAe,cAAf,C;kjAAe,0B;kjAAf,OAAe,cAAf,C;ojAAe,0B;ojAAf,OAAe,cAAf,C;sjAAe,0B;sjAAf,OAAe,cAAf,C;wjAAe,0B;wjAAf,OAAe,cAAf,C;0jAAe,0B;0jAAf,OAAe,cAAf,C;4jAAe,0B;4jAAf,OAAe,cAAf,C;8jAAe,0B;8jAAf,OAAe,cAAf,C;gkAAe,0B;gkAAf,OAAe,cAAf,C;kkAAe,0B;kkAAf,OAAe,cAAf,C;okAAe,0B;okAAf,OAAe,cAAf,C;skAAe,0B;skAAf,OAAe,cAAf,C;wkAAe,0B;wkAAf,OAAe,cAAf,C;0kAAe,0B;0kAAf,OAAe,cAAf,C;4kAAe,0B;4kAAf,OAAe,cAAf,C;8kAAe,0B;8kAAf,OAAe,cAAf,C;glAAe,0B;glAAf,OAAe,cAAf,C;klAAe,0B;klAAf,OAAe,cAAf,C;olAAe,0B;olAAf,OAAe,cAAf,C;slAAe,0B;slAAf,OAAe,cAAf,C;wlAAe,0B;wlAAf,OAAe,cAAf,C;0lAAe,0B;0lAAf,OAAe,cAAf,C;4lAAe,0B;4lAAf,OAAe,cAAf,C;8lAAe,0B;8lAAf,OAAe,cAAf,C;gmAAe,0B;gmAAf,OAAe,cAAf,C;kmAAe,0B;kmAAf,OAAe,cAAf,C;omAAe,0B;omAAf,OAAe,cAAf,C;smAAe,0B;smAAf,OAAe,cAAf,C;wmAAe,0B;wmAAf,OAAe,cAAf,C;0mAAe,0B;0mAAf,OAAe,cAAf,C;4mAAe,0B;4mAAf,OAAe,cAAf,C;8mAAe,0B;8mAAf,OAAe,cAAf,C;gnAAe,0B;gnAAf,OAAe,cAAf,C;knAAe,0B;knAAf,OAAe,cAAf,C;onAAe,0B;onAAf,OAAe,cAAf,C;snAAe,0B;snAAf,OAAe,cAAf,C;wnAAe,0B;wnAAf,OAAe,cAAf,C;0nAAe,0B;0nAAf,OAAe,cAAf,C;4nAAe,0B;4nAAf,OAAe,cAAf,C;8nAAe,0B;8nAAf,OAAe,cAAf,C;goAAe,0B;goAAf,OAAe,cAAf,C;koAAe,0B;koAAf,OAAe,cAAf,C;ooAAe,0B;ooAAf,OAAe,cAAf,C;soAAe,0B;soAAf,OAAe,cAAf,C;woAAe,0B;woAAf,OAAe,cAAf,C;0oAAe,0B;0oAAf,OAAe,cAAf,C;4oAAe,0B;4oAAf,OAAe,cAAf,C;8oAAe,0B;8oAAf,OAAe,cAAf,C;gpAAe,0B;gpAAf,OAAe,cAAf,C;kpAAe,0B;kpAAf,OAAe,cAAf,C;opAAe,0B;opAAf,OAAe,cAAf,C;spAAe,0B;spAAf,OAAe,cAAf,C;wpAAe,0B;wpAAf,OAAe,cAAf,C;0pAAe,0B;0pAAf,OAAe,cAAf,C;4pAAe,0B;4pAAf,OAAe,cAAf,C;8pAAe,0B;8pAAf,OAAe,cAAf,C;gqAAe,0B;gqAAf,OAAe,cAAf,C;kqAAe,0B;kqAAf,OAAe,cAAf,C;oqAAe,0B;oqAAf,OAAe,cAAf,C;sqAAe,0B;sqAAf,OAAe,cAAf,C;wqAAe,0B;wqAAf,OAAe,cAAf,C;0qAAe,0B;0qAAf,OAAe,cAAf,C;4qAAe,0B;4qAAf,OAAe,cAAf,C;8qAAe,0B;8qAAf,OAAe,cAAf,C;grAAe,0B;grAAf,OAAe,cAAf,C;krAAe,0B;krAAf,OAAe,cAAf,C;orAAe,0B;orAAf,OAAe,cAAf,C;srAAe,0B;srAAf,OAAe,cAAf,C;wrAAe,0B;wrAAf,OAAe,cAAf,C;0rAAe,0B;0rAAf,OAAe,cAAf,C;4rAAe,0B;4rAAf,OAAe,cAAf,C;8rAAe,0B;8rAAf,OAAe,cAAf,C;gsAAe,0B;gsAAf,OAAe,cAAf,C;ksAAe,0B;ksAAf,OAAe,cAAf,C;osAAe,0B;osAAf,OAAe,cAAf,C;ssAAe,0B;ssAAf,OAAe,cAAf,C;wsAAe,0B;wsAAf,OAAe,cAAf,C;0sAAe,0B;0sAAf,OAAe,cAAf,C;4sAAe,0B;4sAAf,OAAe,cAAf,C;8sAAe,0B;8sAAf,OAAe,cAAf,C;gtAAe,0B;gtAAf,OAAe,cAAf,C;ktAAe,0B;ktAAf,OAAe,cAAf,C;otAAe,0B;otAAf,OAAe,cAAf,C;stAAe,0B;stAAf,OAAe,cAAf,C;wtAAe,0B;wtAAf,OAAe,cAAf,C;0tAAe,0B;0tAAf,OAAe,cAAf,C;4tAAe,0B;4tAAf,OAAe,cAAf,C;8tAAe,0B;8tAAf,OAAe,cAAf,C;guAAe,0B;guAAf,OAAe,cAAf,C;kuAAe,0B;kuAAf,OAAe,cAAf,C;ouAAe,0B;ouAAf,OAAe,cAAf,C;suAAe,0B;suAAf,OAAe,cAAf,C;wuAAe,0B;wuAAf,OAAe,cAAf,C;0uAAe,0B;0uAAf,OAAe,cAAf,C;4uAAe,0B;4uAAf,OAAe,cAAf,C;8uAAe,0B;8uAAf,OAAe,cAAf,C;gvAAe,0B;gvAAf,OAAe,cAAf,C;kvAAe,0B;kvAAf,OAAe,cAAf,C;ovAAe,0B;ovAAf,OAAe,cAAf,C;svAAe,0B;svAAf,OAAe,cAAf,C;wvAAe,0B;wvAAf,OAAe,cAAf,C;0vAAe,0B;0vAAf,OAAe,cAAf,C;4vAAe,0B;4vAAf,OAAe,cAAf,C;8vAAe,0B;8vAAf,OAAe,cAAf,C;gwAAe,0B;gwAAf,OAAe,cAAf,C;kwAAe,0B;kwAAf,OAAe,cAAf,C;owAAe,0B;owAAf,OAAe,cAAf,C;swAAe,0B;swAAf,OAAe,cAAf,C;wwAAe,0B;wwAAf,OAAe,cAAf,C;0wAAe,0B;0wAAf,OAAe,cAAf,C;4wAAe,0B;4wAAf,OAAe,cAAf,C;8wAAe,0B;8wAAf,OAAe,cAAf,C;gxAAe,0B;gxAAf,OAAe,cAAf,C;kxAAe,0B;kxAAf,OAAe,cAAf,C;oxAAe,0B;oxAAf,OAAe,cAAf,C;sxAAe,0B;sxAAf,OAAe,cAAf,C;wxAAe,0B;wxAAf,OAAe,cAAf,C;0xAAe,0B;0xAAf,OAAe,cAAf,C;4xAAe,0B;4xAAf,OAAe,cAAf,C;8xAAe,0B;8xAAf,OAAe,cAAf,C;gyAAe,0B;gyAAf,OAAe,cAAf,C;kyAAe,0B;kyAAf,OAAe,cAAf,C;oyAAe,0B;oyAAf,OAAe,cAAf,C;syAAe,0B;syAAf,OAAe,cAAf,C;wyAAe,0B;wyAAf,OAAe,cAAf,C;0yAAe,0B;0yAAf,OAAe,cAAf,C;4yAAe,0B;4yAAf,OAAe,cAAf,C;8yAAe,0B;8yAAf,OAAe,cAAf,C;gzAAe,0B;gzAAf,OAAe,cAAf,C;kzAAe,0B;kzAAf,OAAe,cAAf,C;ozAAe,0B;ozAAf,OAAe,cAAf,C;szAAe,0B;szAAf,OAAe,cAAf,C;wzAAe,0B;wzAAf,OAAe,cAAf,C;0zAAe,0B;0zAAf,OAAe,cAAf,C;4zAAe,0B;4zAAf,OAAe,cAAf,C;8zAAe,0B;8zAAf,OAAe,cAAf,C;g0AAe,0B;g0AAf,OAAe,cAAf,C;k0AAe,0B;k0AAf,OAAe,cAAf,C;o0AAe,0B;o0AAf,OAAe,cAAf,C;s0AAe,0B;s0AAf,OAAe,cAAf,C;w0AAe,0B;w0AAf,OAAe,cAAf,C;0

UACI,UAAU,C;UACV,WAAW,C;;;MAED,QAAT,QAAS,W;MAClB,OAAO,O;K;iFAGX,yB;MAAA,sE;MZpwCA,iB;MYowCA,sC;QAeI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAlB,C,C;QACf,OAAO,QAAS,UAAhB,B,C;UACI,QAAQ,SAAS,QAAS,OAAlB,C,C;UACR,WZhxCG,MAAO,KYgxCO,QZhxCP,EYgxCiB,CZhxCjB,C;;QYkxCd,OAAO,Q;O;KAtBX,C;iFAyBA,yB;MAAA,sE;MZxyCA,iB;MYwyCA,sC;QAeI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAlB,C,C;QACf,OAAO,QAAS,UAAhB,B,C;UACI,QAAQ,SAAS,QAAS,OAAlB,C,C;UACR,WZpzCG,MAAO,KYozCO,QZpzCP,EYozCiB,CZpzCjB,C;;QYszCd,OAAO,Q;O;KAtBX,C;iFAyBA,yB;MAAA,sE;MAAA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAlB,C,C;QACf,OAAO,QAAS,UAAhB,B,C;UACI,QAAQ,SAAS,QAAS,OAAlB,C,C;UACR,IAAI,2BAAW,CAAX,EAAc,KAAd,C;YACA,WAAW,C;;;QAGnB

AS,QAAS,OAAlB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAlB,C;UACR,IAAI,2BAA
W,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAtBX,C;6FAyBA,yB;MZ57CA,iB;MY47CA,sC;QA
aI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,OAAO,I;QAChC,eAAe,SAAS,QAAS,OAAlB,C;QACf,
OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAlB,C;UACR,WZt8CG,MAAO,KYs8CO,QZt8CP,EYs8
CiB,CZt8CjB,C;;QYw8Cd,OAAO,Q;O;KApBX,C;6FAuBA,yB;MZ99CA,iB;MY89CA,sC;QAaI,eAAe,oB;QACf,I
AAI,CAAC,QAAS,UAAd,C;UAAyB,OAAO,I;QAChC,eAAe,SAAS,QAAS,OAAlB,C;QACf,OAAO,QAAS,UAA
hB,C;UACI,QAAQ,SAAS,QAAS,OAAlB,C;UACR,WZx+CG,MAAO,KYw+CO,QZx+CP,EYw+CiB,CZx+CjB,C;
;QY0+Cd,OAAO,Q;O;KApBX,C;6FAuBA,+B;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OA
AO,I;MAChC,eAAe,SAAS,QAAS,OAAlB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAl
B,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,WAAW,C;;;MAGnB,OAAO,Q;K;yFAGX,yB;MAAA,sE;MAA
A,kD;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAl
B,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAlB,C;UACR,IAAI,UAAW,SAAQ,QAAR,E
AAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAtBX,C;qGAyBA,2C;MAWI,
eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,eAAe,SAAS,QAAS,OAAlB,C;MACf,O
AAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAlB,C;QACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAl
B,CAAX,GAAkC,CAAtC,C;UACI,WAAW,C;;;MAGnB,OAAO,Q;K;IAGX,iC;MASI,eAAe,oB;MACf,IAAI,CAA
C,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS
,O;QACjB,MZvjDG,MAAO,KYujDE,GZvjDF,EYujDO,CZvjDP,C;;MYyjDd,OAAO,G;K;IAGX,iC;MASI,eA
Ae,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,U
AAhB,C;QACI,QAAQ,QAAS,O;QACjB,MZrlDG,MAAO,KYqlDE,GZrlDF,EYqlDO,CZrlDP,C;;MYulDd,OAAO,
G;K;IAGX,iC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;
MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,
C;;MAEvB,OAAO,G;K;IAGX,2C;MAGI,OAAO,4BAAc,UAAd,C;K;IAGX,iD;MAOI,eAAe,oB;MACf,IAAI,CAA
C,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS
,O;QACjB,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;;MAE9C,OAAO,G;K;IAGX,4B;MAQI,OAAO,CAAC,oBAAW,U;K;+EAGvB,gC;MAQI,OAAO,2B;MAAA,2B;MAAA,uC;QAAA,OAAO,K;;MACrD,OAAO,I;K;IAUI,uC;MAAA,qB;QACP,eAAO,EAAP,C;QAAA,OACA,E;O;K;IATR,sC;MAOI,OAAO,kBAAI,qBAAJ,C;QAAa,OAAO,K;;MAC/B,OAAO,I;K;IAGX,8C;MAAA,iC;QAAA,eAAO,KAAP,C;QAAA,OAAO,O;O;K;IAGX,6C;MAOI,OAAO,wBAAW,4BAAX,C;QAAyB,OAAO,K;;MACvC,OAAO,I;K;IAGX,kC;MAAA,+B;QAAA,eAAO,KAAP,C;QAAA,OAAO,O;O;K;IAGX,wC

gB;;;;cAAgB,oC;cACZ,yBAAc,6BAAU,oBAAmB,uBAAnB,EAAmB,+BAAnB,QAAV,EAAuC,sBAAvC,EAAoD
,OAApD,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAIJ,W;;;;;;;;;;;;;;
K;IARgB,sG;MAAA,yD;uBAAA,6I;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAlBpB,6D;MAkBI,OAAO,SAAS,wD
AAT,C;K;IA2BS,4H;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,oD;MAAA,kD;MAAA,4B;MAAA,+B;MAAA,k
C;K;;;;wDAAA,Y;;;;;oCACG,wC;cACf,IAAI,mBAAS,UAAb,C;yCACyB,mBAAS,O;gBAC9B,gB;gCAAA,iCAA
M,sBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBAFJ,gB;;;;;;;cAGI,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gB
AAA,gB;;;;cACI,yBAAc,6BAAU,sBAAV,EAAuB,mBAAS,OAAhC,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBA
AA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAHJ,gB;;;cAQJ,W;;;;;;;;;;;;;;K;IAVgB,yE;MAAA,yD;uBAAA,gH;YAA
A,S;iBAAA,Q;;iBAAA,uB;O;K;IAhBpB,+C;MAgBI,OAAO,SAAS,0CAAT,C;K;IA6BS,0I;MAAA,wC;MAAA,6B
;MAAA,yB;MAAA,kE;MAAA,kD;MAAA,4B;MAAA,+B;MAAA,yB;MAAA,kC;K;;;;+DAAA,Y;;;;;cAOuC,Q;oC
ANpC,+C;cACf,IAAI,mBAAS,UAAb,C;yCACyB,mBAAS,O;gBAC9B,gB;gCAAA,iCAAM,sBAAN,O;oBAAA,2
C;yBAAA,yB;gBAAA,Q;;gBAFJ,gB;;;;;;;iCAGgB,C;cACZ,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,gB;;;;
cACI,yBAAc,6BAAU,oBAAmB,uBAAnB,EAAmB,+BAAnB,QAAV,EAAuC,sBAAvC,EAAoD,mBAAS,OAA7D
,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAJJ,gB;;;cASJ,W;;;;;;;;;;;;;
;K;IAXgB,uF;MAAA,yD;uBAAA,8H;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAhBpB,sD;MAgBI,OAAO,SAAS,iD
AAT,C;K;IAcX,+C;MAkBI,OAAO,yBAAY,OAAZ,EAAqB,SAArB,C;K;IAGX,sD;MAmBI,OAAO,gCAAmB,C;K;gBAA
nB,EAA4B,SAA5B,C;K;gFAGX,+B;MASoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAA
gB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;4FAGX,+B;MASoB,Q;MADhB,UAAkB,G;MAC
F,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;iFAGX,+B;MA
YoB,Q;MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;M
AEX,OAAO,G;K;iFAGX,+B;MAYoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Q
ACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;iFAGX,yB;MAWoB,gB;MAAA,SAAWoB,gB;MAAXpB,sC;QAYoB,Q;Q
ADhB,Y;QACgB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO
,G;O;KAfX,C;iFAkBA,yB;M3B15DA,6B;M2B05DA,sC;QAaoB,Q;QADhB,U3B55DmC,c2B45DnB,C3B55DmB,
C;Q2B65DnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,M3BhuEiD,c2BguEjD,G3BhuE2D,KAAK,G2Bg
uEzD,SAAS,OAAT,C3BhuEoE,KAAX,IAAf,C;;Q2BkuErD,OAAO,G;O;KAhBX,C;iFAmBA,+B;MAWoB,Q;MADhB,
UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;iF
AGX,+B;MAYoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,O
AAT,C;;MA

C,yB;MAAA,0C;MAAA,qC;QAOI,OAAO,gBAAK,OAAL,C;O;KAPX,C;IAUA,2D;MAgB+C,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACpF,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2D,KAA3D,C;K;IAGX,sE;MAkBkD,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACvF,OAAwE,OAAjE,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2D,IAA3D,CAAiE,EAAjE,SAAiE,C;K;IAYpC,4B;MAAY,cAAM,EAAN,C;K;IATpD,kC;MASI,OAAO,oBAAgB,SAAhB,EAAsB,EAAtB,SAAsB,EAAtB,EAA6B,UAA7B,C;K;IAGX,6C;MAUI,OAAO,oBAAgB,SAAhB,EAAsB,EAAtB,SAAsB,EAAtB,EAA6B,SAA7B,C;K;IAcY,kC;MAAU,aAAK,CAAL,C;K;IAXjC,kC;MAWI,OAAO,yBAAY,kBAAZ,C;K;IAeiB,wH;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,gD;MAAA,kD;MAAA,4B;MAAA,2B;MAAA,wB;MAAA,kC;K;;;;sDAAA,Y;;;;;oCACL,sC;cACf,IAAI,CAAC,mBAAS,UAAd,C;gBAAyB,M;;gBAAzB,MAAyB;;;;;;;mCACA,sC;cACvB,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAyB,gB;;;;gCACA,eAAC,mBAAS,O;cACnC,gB;8BAAA,iCAAA,6BAAA,kBAAA,CAAA,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cACA,qBAAU,e;cAAd,gB;;;cAAK,W;;;;;;;;;;;;;;;K;IATwB,uE;MAAA,yD;uBAAA,4G;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAZ5B,6C;MAYI,OAAO,SAAS,0CAAT,C,C;K,8F;MAAA,yB;QAAA,I;MAAA,sB;QAAA,SAAA,uB,E;MAAA,iB;QAAA,uB;QAAA,UAAA,wB,E;MAAA,iB;QAAA,qB;QAAA,QAAA,a,E;MAAA,iB;QAAA,yB;QAAA,YAAA,0B,K;MAAA,kB;QAAA,yB;QAAA,YAAA,oC,I;MAAA,gB;QAAA,Q;MAAA,k

,cAAhB,C;UAAgB,yB;UAAM,IAAI,CWjxBwB,qBXixBb,OWjxBa,CXixB5B,C;YAAyB,WAAY,WAAI,OAAJ,C;;QWjxBvD,OXkxBG,W;;MWjxBP,aAAa,qBAAiB,SAAjB,C;MACb,MAAO,mBAAU,KAAV,C;MACP,OAAO,M;K;IAGX,uC;MAUI,aAAa,qBAAiB,SAAjB,C;MACN,YAAP,MAAO,EAAU,QAAV,C;MACP,OAAO,M;K;gGAGX,yB;MAAA,8C;MAAA,qC;QAOI,OAAO,iBAAM,OAAN,C;O;KAPX,C;IAUA,qC;MAMI,aAAa,qBAAiB,YAAY,iBAAO,CAAP,EAAU,CAAV,B,iBAAO,OAAP,EAAgB,SAAhB,C,iBAAO,OAAP,EAAgB,SAAhB,C,iBAAO,OAAP,EAAgB,SAAhB,C

CX,OAAO,qBAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,8B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aA
CH,C;UAAK,MAAM,2BAAuB,yBAAvB,C;aACX,C;UAAK,4BAAK,CAAL,C;UAAL,K;;UACQ,MAAM,gCAAy
B,0CAAzB,C;;MAHlB,W;K;8EAOJ,yB;MAAA,6C;MAAA,oC;MAAA,kF;MAAA,gC;MAAA,iE;MAAA,8B;MA
AA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACI,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;U
ACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,wDAAzB,C;YACjB,SAAS,O;
YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,6DAAvB,C;QAElB,OAAO,4E;O;KAf
X,C;IAkBA,oC;MAII,OAAW,qBAAU,CAAd,GAAiB,qBAAK,CAAL,CAAjB,CAAA,GAA8B,I;K;0FAGzC,yB;MAAA,6
C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAFhB,aAAoB,I;QACpB,YAAY,K;QACI,0B;QAAhB,OAAgB,c
AAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,OAAO,I;YAClB,SAAS,
O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,OAAO,I;QACnB,OAAO,M;O;KAdX,C;IAiBA,+B;Ml
BzRI,IAAI,EkBiSI,KAAK,ClBjST,CAAJ,C;QACI,ckBgSc,wD;QlB/Rd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MkB
gSV,OAAO,8BAAc,eAAF,CAAE,EAAa,gBAAb,CAAd,EAAoC,gBAApC,C,C;K;IAGX,+B;MlBrSI,IAAI,EkB6SI,K
AAK,ClB7ST,CAAJ,C;QACI,ckB4Sc,wD;QlB3Sd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MkB4SV,OLhH6E,oBKg
H1D,eAAF,CAAE,EAAa,gBAAb,CLhH0D,C;K;IKmHjF,kC;MlBjTI,IAAI,EkByTI,KAAK,ClBzTT,CAAJ,C;QAC
I,ckBwTc,wD;QlBvTd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MkBwTV,OAAO,mBAAkB,gBAAZ,mBAAS,CAAT
,IAAY,EAAc,CAAd,CAAlB,C;K;IAGX,mC;MlB7TI,IAAI,EkBqUI,KAAK,ClBrUT,CAAJ,C;QACI,ckBoUc,wD;
QlBnUd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MkBoUV,OAAO,mBAAkB,gBAAZ,mBAAS,CAAT,IAAY,EAAc,
CAAd,CAAlB,C;K;2FAGX,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UA
CI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAY,CAAL,C;YACI,OAAO,8BAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C,
C;QACf,OAAO,E;O;KATX,C;4FAYA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CA
A/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAY,CAAL,C;YACI,OL5JoF,oBK4JnE,CL5JmE,EK4JhE,QA
AQ,CAAR,IL5JgE,C,C;;QK6J5F,OAAO,E;O;KATX,C;oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMuB,UA
AL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI
,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAY,CAAL,C;YACI,OAAO,8BAAY,KAAZ,EAAmB,gBAAnB,C;QACf,O
AAO,E;O;KATX,C;oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMuB,UAAL,MAAK,EAAL,MAAK,EAAL
,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAK,KA
AL,EAAY,CAAL,C;YACI,OLvLqE,oBKuLpD,KLvLoD,C;;QKwL7E,OAAO,E;O;KATX,C;8EAYA,yB;MAAA,y
D;MAkFA,oC;MAlFA,uC;QAMW,kBAAS,oB;QAkFM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IApF6B,SAoFzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QApFxC,OAAsF
O,W;O;KA5FX,C;8EASA,yB;MAAA,yD;MAyEA,oC;MAzEA,uC;QAMW,kBAAS,oB;QAyEM,Q;QAAA,uB;QA
AtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,KAAJ,C;UACd,IA3E6B,SA2EzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,
gBAAO,OAAP,C;;QA3ExC,OA6EO,WA7EqC,W;O;KANhD,C;4FAsBA,yB;MAAA,yD;MAsBA,oC;MAtBA,uC;
QAMW,kBAAS,oB;QAsBM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,KAAJ,C;UACd,IAwB6B,
SAxBzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAwBxC,OAAO,WAAP,C,C;;QAAO,mBA
AP,SAAO,C;QAAP,mB;QAAA,kB;QAAA,kB;QAAA,kB;QAAA,kB;QAAA,kB;QAAA,kB;QAAA,kB;QAAA,kB;QAAA,kB;
QAAA,kB;QAAA,k

C;MAAA,oD;QAM0B,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,KAAJ,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAExC,OAAO,W;O;KAVX,C;IAaA,sC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,E;MAC9B,OAAO,yBAAY,OAAZ,C;K;IAGX,sC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,E;MAC9B,OAAO,uBAAU,OAAV,C;K;IAGX,sC;MAOc,Q;MAHV,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,EAAwB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,E;MACtB,aAAa,mBAAc,IAAd,C;MACH,yB;MAAV,OAAU,cAAV,C;QAAU,mB;QACN,MAAO,gBAAO,qBAAI,IAAJ,CAAO,CAAP,C;;MAEX,OAAO,M;K;4EAGX,yB;MAAA,8B;MAAA,uC;MAAA,qC;QAKY,Q;QAAR,OAA8B,MAAtB,2DAAsB,EAAtB,OAAM,CAAe,W;O;KALjD,C;IAQA,+B;MAIlB,7fI,IAAI,EkBqgBI,KAAK,ClBrgBT,CAAJ,C;QACI,ckBogBc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,zgBI,IAAI,EkBihBI,KAAK,ClBjhBT,CAAJ,C;QACI,ckBghBc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkB6hBI,KAAK,ClB7hBT,CAAJ,C;QACI,ckB4hBc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBqiBI,KAAK,ClBriBT,CAAJ,C;QACI,ckBoiBc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBqjBI,KAAK,ClBrjBT,CAAJ,C;QACI,ckBojBc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBykBI,KAAK,ClBzkBT,CAAJ,C;QACI,ckBwkBc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBymBI,KAAK,ClBzmBT,CAAJ,C;QACI,ckBwmBc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkB6nBI,KAAK,ClB7nBT,CAAJ,C;QACI,ckB4nBc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkB6oBI,KAAK,ClB7oBT,CAAJ,C;QACI,ckB4oBc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBiqBI,KAAK,ClBjqBT,CAAJ,C;QACI,ckBgqBc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBirBI,KAAK,ClBjrBT,CAAJ,C;QACI,ckBgrBc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBysBI,KAAK,ClBzsBT,CAAJ,C;QACI,ckBwsBc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBytBI,KAAK,ClBztBT,CAAJ,C;QACI,ckBwtBc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkB6uBI,KAAK,ClB7uBT,CAAJ,C;QACI,ckB4uBc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkB6vBI,KAAK,ClB7vBT,CAAJ,C;QACI,ckB4vBc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBixBI,KAAK,ClBjxBT,CAAJ,C;QACI,ckBgxBc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBizBI,KAAK,ClBjzBT,CAAJ,C;QACI,ckBgzBc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBy0BI,KAAK,ClBz0BT,CAAJ,C;QACI,ckBw0Bc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBy1BI,KAAK,ClBz1BT,CAAJ,C;QACI,ckBw1Bc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkB63BI,KAAK,ClB73BT,CAAJ,C;QACI,ckB43Bc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkB64BI,KAAK,ClB74BT,CAAJ,C;QACI,ckB44Bc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBi6BI,KAAK,ClBj6BT,CAAJ,C;QACI,ckBg6Bc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBi7BI,KAAK,ClBj7BT,CAAJ,C;QACI,ckBg7Bc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBq8BI,KAAK,ClBr8BT,CAAJ,C;QACI,ckBo8Bc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBq9BI,KAAK,ClBr9BT,CAAJ,C;QACI,ckBo9Bc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBy+BI,KAAK,ClBz+BT,CAAJ,C;QACI,ckBw+Bc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBy/BI,KAAK,ClBz/BT,CAAJ,C;QACI,ckBw/Bc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkB6gCI,KAAK,ClB7gCT,CAAJ,C;QACI,ckB4gCc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkB6hCI,KAAK,ClB7hCT,CAAJ,C;QACI,ckB4hCc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBqjCI,KAAK,ClBrjCT,CAAJ,C;QACI,ckBojCc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBqkCI,KAAK,ClBrkCT,CAAJ,C;QACI,ckBokCc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBymCI,KAAK,ClBzmCT,CAAJ,C;QACI,ckBwmCc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBynCI,KAAK,ClBznCT,CAAJ,C;QACI,ckBwnCc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkB6pCI,KAAK,ClB7pCT,CAAJ,C;QACI,ckB4pCc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkB6qCI,KAAK,ClB7qCT,CAAJ,C;QACI,ckB4qCc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBisCI,KAAK,ClBjsCT,CAAJ,C;QACI,ckBgsCc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBitCI,KAAK,ClBjtCT,CAAJ,C;QACI,ckBgtCc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBywCI,KAAK,ClBzwCT,CAAJ,C;QACI,ckBwwCc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBywCI,KAAK,ClBzwCT,CAAJ,C;QACI,ckBwwCc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkB6yCI,KAAK,ClB7yCT,CAAJ,C;QACI,ckB4yCc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkB6zCI,KAAK,ClB7zCT,CAAJ,C;QACI,ckB4zCc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBi1CI,KAAK,ClBj1CT,CAAJ,C;QACI,ckBg1Cc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBi2CI,KAAK,ClBj2CT,CAAJ,C;QACI,ckBg2Cc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBq3CI,KAAK,ClBr3CT,CAAJ,C;QACI,ckBo3Cc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBq4CI,KAAK,ClBr4CT,CAAJ,C;QACI,ckBo4Cc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBy5CI,KAAK,ClBz5CT,CAAJ,C;QACI,ckBw5Cc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBy6CI,KAAK,ClBz6CT,CAAJ,C;QACI,ckBw6Cc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkB67CI,KAAK,ClB77CT,CAAJ,C;QACI,ckB47Cc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkB67CI,KAAK,ClB77CT,CAAJ,C;QACI,ckB47Cc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBi9CI,KAAK,ClBj9CT,CAAJ,C;QACI,ckBg9Cc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBi+CI,KAAK,ClBj+CT,CAAJ,C;QACI,ckBg+Cc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBq/CI,KAAK,ClBr/CT,CAAJ,C;QACI,ckBo/Cc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBqgDI,KAAK,ClBrgDT,CAAJ,C;QACI,ckBogDc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBqhDI,KAAK,ClBrhDT,CAAJ,C;QACI,ckBohDc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBqiDI,KAAK,ClBriDT,CAAJ,C;QACI,ckBoiDc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBykDI,KAAK,ClBzkDT,CAAJ,C;QACI,ckBwkDc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBylDI,KAAK,ClBzlDT,CAAJ,C;QACI,ckBwlDc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkB6mDI,KAAK,ClB7mDT,CAAJ,C;QACI,ckB4mDc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkB6nDI,KAAK,ClB7nDT,CAAJ,C;QACI,ckB4nDc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBiqDI,KAAK,ClBjqDT,CAAJ,C;QACI,ckBgqDc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBirDI,KAAK,ClBjrDT,CAAJ,C;QACI,ckBgrDc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBysDI,KAAK,ClBzsDT,CAAJ,C;QACI,ckBwsDc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBytDI,KAAK,ClBztDT,CAAJ,C;QACI,ckBwtDc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkB6uDI,KAAK,ClB7uDT,CAAJ,C;QACI,ckB4uDc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkB6vDI,KAAK,ClB7vDT,CAAJ,C;QACI,ckB4vDc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBixDI,KAAK,ClBjxDT,CAAJ,C;QACI,ckBgxDc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBizDI,KAAK,ClBjzDT,CAAJ,C;QACI,ckBgzDc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkBy0DI,KAAK,ClBz0DT,CAAJ,C;QACI,ckBw0Dc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkBy1DI,KAAK,ClBz1DT,CAAJ,C;QACI,ckBw1Dc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4hBI,IAAI,EkB63DI,KAAK,ClB73DT,CAAJ,C;QACI,ckB43Dc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO,8BAAY,EAAZ,EAAgB,iB,EAAhB,EAAoC,EAApC,EAAwC,EAAxC,EAA4C,gBAA5C,EAAgE,CAAhE,C;K;IAGX,+B;MAIlB,4BI,IAAI,EkB64DI,KAAK,ClB74DT,CAAJ,C;QACI,ckB44Dc,wD;QAlBngBd,MAAM,gCAAY,OAAZ,C;QAAuB,OAAO,WAAjC,C,C;;MAkBgB,OAAO,8BAAY,OAAO

K;IAGX,iC;MAII,OAAO,2BAAa,eAAc,YAAmB,eAAP,gBAAO,EAAa,GAAb,CAAnB,CAAd,CAAb,C;K;IAGX,8B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,iCAAK,CAAL,,EAAP,C;UAAL,K;;UACa,wBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,qC;MAII,OAAO,2BAAa,iBAAgB,gBAAhB,CAAb,C;K;IAGX,6B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,iCAAK,CAAL,EAAN,C;UAAL,K;;UACQ,kCAAa,qBAAoB,YAAmB,eAAP,gBAAO,EAAa,GAAb,CAAnB,CAAb,CAAb,C;UAHL,K;;MAAP,W;K;gFAOJ,oJ;MAAA,+D;MA0CA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MA1CA,uC;QAMW,kBAAU,gB;QAwCD,Q;QAAA,0B;QAAhB,oBAAgB,cAAhB,B,C;UAAgB,oC;UACZ,WAzC6B,SAAyC,ClB,SAAA,CAAU,oBAAV,C,CkBAvC,oBlBAuC,CkBAvC,CAAU,oBAAV,CAAzC,CAyC7B,C;UAzCY,K;;MAAP,W;K;IA4CJ,+B;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oC;MAAA,gD;MAAA,gC

A1IR,W;YAAsC,6B;;;QAR3D,OASO,W;O;KAhBX,C;yFAUA,yB;MAAA,gC;MA2IA,6C;MAAA,oC;MA3IA,oD;QA+IoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UA1IK,U;UAAA,wBA0IQ,oBA1IR,W;YAAsC,6B;;;QAC3D,OAAO,W;O;KANX,C;4EASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAKiB,Q;QAAA,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAY,WAAI,UAAU,iBAAV,CAAJ,C;;QAChB,OAAO,W;O;KAPX,C;IAe4B,4C;MAAA,mB;QAAE,iC;O;K;IAL9B,iC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;wEAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAAC,UAAU,oBAAV,CAAL,C;YAAyB,OAAO,K;;QACtD,OAAO,I;O;KAPX,C;IAUA,2B;MAMI,OAAO,ECrwByC,qBAAU,CDqwBnD,C;K;wEAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAyB,OAAO,I;;QACtD,OAAO,K;O;KAPX,C;4EAUA,qB;MAKI,OAAO,gB;K;4EAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAKoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAyB,OAAO,K;;QACtD,OAAO,I;O;KAPX,C;IAUA,2B;MAMI,OAAO,qBAAiB,6BAAjB,C;K;wE

MAAA,uD;MAAA,sC;QAWiB,Q;QAFb,IC5gCgD,qBAAU,CD4gC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MAAA,kD;QAaiB,Q;QAFb,ICliCgD,qBAAU,CDkiC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;gGAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICtjCgD,qBAAU,CDsjC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICtkCgD,qBAAU,CDskC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC0lCgD,qBAAU,CD1lC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC8mCgD,qBAAU,CD9mC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICkoCgD,qBAAU,CDloC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICupCgD,qBAAU,CDvpC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC4qCgD,qBAAU,CD5qC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC8rCgD,qBAAU,CD9rC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICgtCgD,qBAAU,CDhtC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICkuCgD,qBAAU,CDluC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICovCgD,qBAAU,CDpvC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICsxCgD,qBAAU,CDtxC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC4yCgD,qBAAU,CD5yC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC80CgD,qBAAU,CD90C1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC42CgD,qBAAU,CD52C1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC04CgD,qBAAU,CD14C1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC46CgD,qBAAU,CD56C1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC88CgD,qBAAU,CD98C1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC+/CgD,qBAAU,CD//C1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICiiDgD,qBAAU,CDjiD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICkkDgD,qBAAU,CDlkD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICmmDgD,qBAAU,CDnmD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICooDgD,qBAAU,CDpoD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICqqDgD,qBAAU,CDrqD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICsrDgD,qBAAU,CDtrD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICusDgD,qBAAU,CDvsD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICwtDgD,qBAAU,CDxtD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICyuDgD,qBAAU,CDzuD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC0vDgD,qBAAU,CD1vD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC2wDgD,qBAAU,CD3wD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC4xDgD,qBAAU,CD5xD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC6yDgD,qBAAU,CD7yD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC8zDgD,qBAAU,CD9zD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC+0DgD,qBAAU,CD/0D1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC22DgD,qBAAU,CD32D1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC43DgD,qBAAU,CD53D1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC65DgD,qBAAU,CD75D1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC85DgD,qBAAU,CD95D1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC+9DgD,qBAAU,CD/9D1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC+/DgD,qBAAU,CD//D1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC+hEgD,qBAAU,CD/hE1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC+jEgD,qBAAU,CD/jE1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC+lEgD,qBAAU,CD/lE1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC+nEgD,qBAAU,CD/nE1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC+pEgD,qBAAU,CD/pE1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC+rEgD,qBAAU,CD/rE1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC+tEgD,qBAAU,CD/tE1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC+vEgD,qBAAU,CD/vE1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC+xEgD,qBAAU,CD/xE1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC+zEgD,qBAAU,CD/zE1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC+1EgD,qBAAU,CD/1E1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC+3EgD,qBAAU,CD/3E1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,IAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,IC+5EgD,qBAAU,CD/5E1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,kB,CAAlB,EAAwB,CAAxB,EAA2B,kC,CAA3B,EAAiC,C;YACtD,I

AAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;IAoBA,iC;MAOiB,Q;MAFb,ICnzCgD
,qBAAU,CDmzC1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QA
CI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;M
AGI,OAAO,4BAAc,UAAd,C;K;IAGX,iD;MAOiB,Q;MAFb,ICv0CgD,qBAAU,CDu0C1D,C;QAAe,OAAO,I;MA
CtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,
UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,4
B;MAMI,OCt1CgD,qBAAU,C;K;0EDy1C9D,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAA
A,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,K;;QACrD,
OAAO,I;O;KAPX,C;8EAUA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAKmC,Q;QAAA,0B;QAAhB,O
AAgB,cAAhB,C;UAAgB,oC;UAAM,OAAO,oBAAP,C;;QAArC,gB;O;KALJ,C;4FAQA,yB;MAAA,6B;MAAA,sC
;MA/fA,6C;MAAA,oC;MAAA,gC;MA+fA,2BAQiB,yB;QAvgBjB,6C;QAAA,oC;QAAA,gC;eAugBiB,0B;UAAA,
4B;YAAE,aAAe,c;YAhgBjB,gB;YADb,YAAY,C;YACC,0B;YAAb,OAAa,cAAb,C;cAAa,iC;cAAM,QAAO,cAAP
,EAAO,sBAAP,WAAgB,iBAAhB,hB,C;;YAggBmB,W;W;S;OAAzB,C;MARjB,oC;QAxfiB,gB;QADb,YAAY,C;QA
CC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,hB,C;;QAggBnB,gB;
O;KARJ,C;8EAWA,yB;MAAA,4F;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,ICn4CgD,q
BAAU,CDm4C1D,C;UACI,MAAM,mCAA8B,uCAA9B,C;QACV,kBAAkB,qBAAK,CAAL,C;QACD,+B;QAAjB
,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,iCAAK,KAAL,EAAvB,E;;QAElB,OAAO,W;O;KAnBX
,C;4FAsBA,yB;MAAA,4F;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,ICz5CgD,qBAAU,
CDy5C1D,C;UACI,MAAM,mCAA8B,uCAA9B,C;QACV,kBAAkB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,c,
CAAd,yB;UACI,cAAc,oBAAU,KAAV,EAAiB,wBAAjB,EAA8B,iCAAK,KAAL,EAA9B,E;;QAElB,OAAO,W;O;
KAnBX,C;wGAsBA,yB;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IC/6CgD,qBAAU,CD+6C
+6C1D,C;UACI,OAAO,I;QACX,kBAAkB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,cAAd,yB;UACI,cAAc,o
BAAU,KAAV,EAAiB,wBAAjB,EAA8B,iCAAK,KAAL,EAA9B,E;;QAElB,OAAO,W;O;KAnBX,C;0FAsBA,yB;
MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAiBsB,Q;QAHlB,ICt8CgD,qBAAU,CDs8C1D,C;UACI,OAAO,I;
QACX,kBAAkB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,cAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,i
CAAK,KAAL,EAAvB,E;;QAElB,OAAO,W;O;KApBX,C;uFAuBA,yB;MAAA,uD;MAAA,4F;MAAA,oC;MAAA,
gC;MAAA,uC;QAe0B,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,OAAO,oBAAP,C;;QAAtC,gB;O;KAhBJ
,C;wGAmBA,yB;MAAA,uD;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAe0B,0B;QAAhB,OAAgB,cAAhB,C;
UAAgB,oC;UAAM,OAAO,oBAAP,C;;QAAtC,gB;O;KAhBJ,C;iHAmBA,yB;MAAA,uD;MAAA,4F;MAAA,oC;
MAAA,gC;MAAA,uC;QAe0B,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,OAAO,oBAAP,C;;QAAtC,gB;O;
KAhBJ,C;mGAmBA,yB;MAAA,uD;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAe0B,0B;QAAhB,OAAgB,cAAhB
,C;

gC,sBAAI,0BAAJ,C;QAA7C,af5zDO,W;Qe6zDe,uB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,oBAAU,0BAAV,EAAuB,iCAAK,KAAL,EAAvB,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KApBX,C;0GAuBA,yB;MAAA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAiB0B,Q;QAHtB,IC9nDgD,qBAAU,CD8nD1D,C;UAAe,OAAO,W;QACtB,sBAAkB,qBAAK,CAAL,,CAAlB,C;QACqC,kBAAxB,eAAgB,gBAAhB,C;QAAgC,sBAAI,0BAAJ,C;QAA7C,afp1DO,W;Qeq1De,uB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,oBAAU,KAAV,EAAiB,0BAAjB,B,EAA8B,iCAAK,KAAL,EAA9B,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KArBX,C;0EAwBA,yB;MA9FA,gD;MAAA,gE;MAAA,6C;MAAA,oC;MAAA,gC;MA8FA,gD;QAcW,sB;;UA5FX,S;UAHhB,ICvjDgD,qBAAU,CDujD1D,C;YAAe,qBAAO,OA+FF,+FA/FE,C;YAAP,uB;;UACuB,kBAAxB,eAAgB,gBAAhB,C;UAAgC,sBAAI,0BAAJ,C;UAA7C,af5wDO,W;Ue6wDP,kBA6FmB,O;UA5FH,0B;UAAhB,OAAgB,cAAhB,B,EAAgC,iCAAK,KAAL,EAAhC,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KAzBX,C;0EA4BA,yB;MAAA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAiB0B,Q;QAHtB,IC/qDgD,qBAAU,CD+q

AAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA6C,uBAA7C,C;K;IAwByB,2F;MAAA,wB;QAC5B,UAAU,QAAQ,YAAR,I;QACV,iBAAqB,MAAM,CAAN,IAAW,MAAM,4BAArB,GAA6B,4BAA7B,GAAyC,G;QAD1D,OAEA,kBAAU,0CAAY,KAAZ,EAAmB,UAAnB,CAAV,C;O;K;IAxBR,gF;MAkBwD,sB;QAAA,SAAY,C;MAAG,8B;QAAA,iBAA0B,K;MAAC,7C;QAAA,iBAAqC,K;MAAC,yBAApB,GAAiC,C;MAAC,yBAAlE,GAAuE,C;MAAC,yBAAxF,GAA6F,C;MAAC,yBAA9G,GAAmH,C;MAAC,yBAApI,GAAyI,C;MAAC,yBAA1J,GAA+J,C;MAAC,yBAAhL,GAAqL,C;MAAC,yBAAtM,GAA2M,C;MAAC,yBAA5N,GAAiO,C;MAAC,yBAAlP,GAAuP,C;MAAC,yBAAxQ,GAA6Q,C;MAAC,yBAA9R,GAAmS,C;MAAC,yBAApT,GAAyT,C;MAAC,yBAA1U,GAA+U,C;MAAC,yBAAhW,GAAqW,C;MAAC,yBAAtX,GAA2X,C;MAAC,yBAA5Y,GAAiZ,C;MAAC,yBAAla,GAAua,C;MAAC,yBAAxb,GAA6b,C;MAAC,yBAA9c,GAAmd,C;MAAC,yBAApe,GAAye,C;MAAC,yBAA1f,GAA+f,C;MAAC,yBAAhhB,GAAqhB,C;MAAC,yBAAtiB,GAA2iB,C;MAAC,yBAA5jB,GAAikB,C;MAAC,yBAAllB,GAAulB,C;MAAC,yBAAxmB,GAA6mB,C;MAAC,yBAA9nB,GAAmoB,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qB,GAA+qB,C;MAAC,yBAAhsB,GAAqsB,C;MAAC,yBAAttB,GAA2tB,C;MAAC,yBAA5uB,GAAivB,C;MAAC,yBAAlwB,GAAuwB,C;MAAC,yBAAxxB,GAA6xB,C;MAAC,yBAA9yB,GAAmzB,C;MAAC,yBAA00B,GAA+0B,C;MAAC,yBAAh2B,GAAq2B,C;MAAC,yBAAt3B,GAA23B,C;MAAC,yBAA54B,GAAi5B,C;MAAC,yBAAl6B,GAAu6B,C;MAAC,yBAAx7B,GAA67B,C;MAAC,yBAA98B,GAAm9B,C;MAAC,yBAAp+B,GAAy+B,C;MAAC,yBAA1/B,GAA+/B,C;MAAC,yBAAhhC,GAAqhC,C;MAAC,yBAAtiC,GAA2iC,C;MAAC,yBAA5jC,GAAikC,C;MAAC,yBAAllC,GAAulC,C;MAAC,yBAAxmC,GAA6mC,C;MAAC,yBAA9nC,GAAmoC,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qC,GAA+qC,C;MAAC,yBAAhsC,GAAqsC,C;MAAC,yBAAttC,GAA2tC,C;MAAC,yBAA5uC,GAAivC,C;MAAC,yBAAlwC,GAAuwC,C;MAAC,yBAAxxC,GAA6xC,C;MAAC,yBAA9yC,GAAmzC,C;MAAC,yBAA00C,GAA+0C,C;MAAC,yBAAh2C,GAAq2C,C;MAAC,yBAAt3C,GAA23C,C;MAAC,yBAA54C,GAAi5C,C;MAAC,yBAAl6C,GAAu6C,C;MAAC,yBAAx7C,GAA67C,C;MAAC,yBAA98C,GAAm9C,C;MAAC,yBAAp+C,GAAy+C,C;MAAC,yBAA1/C,GAA+/C,C;MAAC,yBAAhhD,GAAqhD,C;MAAC,yBAAtiD,GAA2iD,C;MAAC,yBAA5jD,GAAikD,C;MAAC,yBAAllD,GAAulD,C;MAAC,yBAAxmD,GAA6mD,C;MAAC,yBAA9nD,GAAmoD,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qD,GAA+qD,C;MAAC,yBAAhsD,GAAqsD,C;MAAC,yBAAttD,GAA2tD,C;MAAC,yBAA5uD,GAAivD,C;MAAC,yBAAlwD,GAAuwD,C;MAAC,yBAAxxD,GAA6xD,C;MAAC,yBAA9yD,GAAmzD,C;MAAC,yBAA00D,GAA+0D,C;MAAC,yBAAh2D,GAAq2D,C;MAAC,yBAAt3D,GAA23D,C;MAAC,yBAA54D,GAAi5D,C;MAAC,yBAAl6D,GAAu6D,C;MAAC,yBAAx7D,GAA67D,C;MAAC,yBAA98D,GAAm9D,C;MAAC,yBAAp+D,GAAy+D,C;MAAC,yBAA1/D,GAA+/D,C;MAAC,yBAAhhE,GAAqhE,C;MAAC,yBAAtiE,GAA2iE,C;MAAC,yBAA5jE,GAAikE,C;MAAC,yBAAllE,GAAulE,C;MAAC,yBAAxmE,GAA6mE,C;MAAC,yBAA9nE,GAAmoE,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qE,GAA+qE,C;MAAC,yBAAhsE,GAAqsE,C;MAAC,yBAAttE,GAA2tE,C;MAAC,yBAA5uE,GAAivE,C;MAAC,yBAAlwE,GAAuwE,C;MAAC,yBAAxxE,GAA6xE,C;MAAC,yBAA9yE,GAAmzE,C;MAAC,yBAA00E,GAA+0E,C;MAAC,yBAAh2E,GAAq2E,C;MAAC,yBAAt3E,GAA23E,C;MAAC,yBAA54E,GAAi5E,C;MAAC,yBAAl6E,GAAu6E,C;MAAC,yBAAx7E,GAA67E,C;MAAC,yBAA98E,GAAm9E,C;MAAC,yBAAp+E,GAAy+E,C;MAAC,yBAA1/E,GAA+/E,C;MAAC,yBAAhhF,GAAqhF,C;MAAC,yBAAtiF,GAA2iF,C;MAAC,yBAA5jF,GAAikF,C;MAAC,yBAAllF,GAAulF,C;MAAC,yBAAxmF,GAA6mF,C;MAAC,yBAA9nF,GAAmoF,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qF,GAA+qF,C;MAAC,yBAAhsF,GAAqsF,C;MAAC,yBAAttF,GAA2tF,C;MAAC,yBAA5uF,GAAivF,C;MAAC,yBAAlwF,GAAuwF,C;MAAC,yBAAxxF,GAA6xF,C;MAAC,yBAA9yF,GAAmzF,C;MAAC,yBAA00F,GAA+0F,C;MAAC,yBAAh2F,GAAq2F,C;MAAC,yBAAt3F,GAA23F,C;MAAC,yBAA54F,GAAi5F,C;MAAC,yBAAl6F,GAAu6F,C;MAAC,yBAAx7F,GAA67F,C;MAAC,yBAA98F,GAAm9F,C;MAAC,yBAAp+F,GAAy+F,C;MAAC,yBAA1/F,GAA+/F,C;MAAC,yBAAhhG,GAAqhG,C;MAAC,yBAAtiG,GAA2iG,C;MAAC,yBAA5jG,GAAikG,C;MAAC,yBAAllG,GAAulG,C;MAAC,yBAAxmG,GAA6mG,C;MAAC,yBAA9nG,GAAmoG,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qG,GAA+qG,C;MAAC,yBAAhsG,GAAqsG,C;MAAC,yBAAttG,GAA2tG,C;MAAC,yBAA5uG,GAAivG,C;MAAC,yBAAlwG,GAAuwG,C;MAAC,yBAAxxG,GAA6xG,C;MAAC,yBAA9yG,GAAmzG,C;MAAC,yBAA00G,GAA+0G,C;MAAC,yBAAh2G,GAAq2G,C;MAAC,yBAAt3G,GAA23G,C;MAAC,yBAA54G,GAAi5G,C;MAAC,yBAAl6G,GAAu6G,C;MAAC,yBAAx7G,GAA67G,C;MAAC,yBAA98G,GAAm9G,C;MAAC,yBAAp+G,GAAy+G,C;MAAC,yBAA1/G,GAA+/G,C;MAAC,yBAAhhH,GAAqhH,C;MAAC,yBAAtiH,GAA2iH,C;MAAC,yBAA5jH,GAAikH,C;MAAC,yBAAllH,GAAulH,C;MAAC,yBAAxmH,GAA6mH,C;MAAC,yBAA9nH,GAAmoH,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qH,GAA+qH,C;MAAC,yBAAhsH,GAAqsH,C;MAAC,yBAAttH,GAA2tH,C;MAAC,yBAA5uH,GAAivH,C;MAAC,yBAAlwH,GAAuwH,C;MAAC,yBAAxxH,GAA6xH,C;MAAC,yBAA9yH,GAAmzH,C;MAAC,yBAA00H,GAA+0H,C;MAAC,yBAAh2H,GAAq2H,C;MAAC,yBAAt3H,GAA23H,C;MAAC,yBAA54H,GAAi5H,C;MAAC,yBAAl6H,GAAu6H,C;MAAC,yBAAx7H,GAA67H,C;MAAC,yBAA98H,GAAm9H,C;MAAC,yBAAp+H,GAAy+H,C;MAAC,yBAA1/H,GAA+/H,C;MAAC,yBAAhhI,GAAqhI,C;MAAC,yBAAtiI,GAA2iI,C;MAAC,yBAA5jI,GAAikI,C;MAAC,yBAAllI,GAAulI,C;MAAC,yBAAxmI,GAA6mI,C;MAAC,yBAA9nI,GAAmoI,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qI,GAA+qI,C;MAAC,yBAAhsI,GAAqsI,C;MAAC,yBAAttI,GAA2tI,C;MAAC,yBAA5uI,GAAivI,C;MAAC,yBAAlwI,GAAuwI,C;MAAC,yBAAxxI,GAA6xI,C;MAAC,yBAA9yI,GAAmzI,C;MAAC,yBAA00I,GAA+0I,C;MAAC,yBAAh2I,GAAq2I,C;MAAC,yBAAt3I,GAA23I,C;MAAC,yBAA54I,GAAi5I,C;MAAC,yBAAl6I,GAAu6I,C;MAAC,yBAAx7I,GAA67I,C;MAAC,yBAA98I,GAAm9I,C;MAAC,yBAAp+I,GAAy+I,C;MAAC,yBAA1/I,GAA+/I,C;MAAC,yBAAhhJ,GAAqhJ,C;MAAC,yBAAtiJ,GAA2iJ,C;MAAC,yBAA5jJ,GAAikJ,C;MAAC,yBAAllJ,GAAulJ,C;MAAC,yBAAxmJ,GAA6mJ,C;MAAC,yBAA9nJ,GAAmoJ,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qJ,GAA+qJ,C;MAAC,yBAAhsJ,GAAqsJ,C;MAAC,yBAAttJ,GAA2tJ,C;MAAC,yBAA5uJ,GAAivJ,C;MAAC,yBAAlwJ,GAAuwJ,C;MAAC,yBAAxxJ,GAA6xJ,C;MAAC,yBAA9yJ,GAAmzJ,C;MAAC,yBAA00J,GAA+0J,C;MAAC,yBAAh2J,GAAq2J,C;MAAC,yBAAt3J,GAA23J,C;MAAC,yBAA54J,GAAi5J,C;MAAC,yBAAl6J,GAAu6J,C;MAAC,yBAAx7J,GAA67J,C;MAAC,yBAA98J,GAAm9J,C;MAAC,yBAAp+J,GAAy+J,C;MAAC,yBAA1/J,GAA+/J,C;MAAC,yBAAhhK,GAAqhK,C;MAAC,yBAAtiK,GAA2iK,C;MAAC,yBAA5jK,GAAikK,C;MAAC,yBAAllK,GAAulK,C;MAAC,yBAAxmK,GAA6mK,C;MAAC,yBAA9nK,GAAmoK,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qK,GAA+qK,C;MAAC,yBAAhsK,GAAqsK,C;MAAC,yBAAttK,GAA2tK,C;MAAC,yBAA5uK,GAAivK,C;MAAC,yBAAlwK,GAAuwK,C;MAAC,yBAAxxK,GAA6xK,C;MAAC,yBAA9yK,GAAmzK,C;MAAC,yBAA00K,GAA+0K,C;MAAC,yBAAh2K,GAAq2K,C;MAAC,yBAAt3K,GAA23K,C;MAAC,yBAA54K,GAAi5K,C;MAAC,yBAAl6K,GAAu6K,C;MAAC,yBAAx7K,GAA67K,C;MAAC,yBAA98K,GAAm9K,C;MAAC,yBAAp+K,GAAy+K,C;MAAC,yBAA1/K,GAA+/K,C;MAAC,yBAAhhL,GAAqhL,C;MAAC,yBAAtiL,GAA2iL,C;MAAC,yBAA5jL,GAAikL,C;MAAC,yBAAllL,GAAulL,C;MAAC,yBAAxmL,GAA6mL,C;MAAC,yBAA9nL,GAAmoL,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qL,GAA+qL,C;MAAC,yBAAhsL,GAAqsL,C;MAAC,yBAAttL,GAA2tL,C;MAAC,yBAA5uL,GAAivL,C;MAAC,yBAAlwL,GAAuwL,C;MAAC,yBAAxxL,GAA6xL,C;MAAC,yBAA9yL,GAAmzL,C;MAAC,yBAA00L,GAA+0L,C;MAAC,yBAAh2L,GAAq2L,C;MAAC,yBAAt3L,GAA23L,C;MAAC,yBAA54L,GAAi5L,C;MAAC,yBAAl6L,GAAu6L,C;MAAC,yBAAx7L,GAA67L,C;MAAC,yBAA98L,GAAm9L,C;MAAC,yBAAp+L,GAAy+L,C;MAAC,yBAA1/L,GAA+/L,C;MAAC,yBAAhhM,GAAqhM,C;MAAC,yBAAtiM,GAA2iM,C;MAAC,yBAA5jM,GAAikM,C;MAAC,yBAAllM,GAAulM,C;MAAC,yBAAxmM,GAA6mM,C;MAAC,yBAA9nM,GAAmoM,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qM,GAA+qM,C;MAAC,yBAAhsM,GAAqsM,C;MAAC,yBAAttM,GAA2tM,C;MAAC,yBAA5uM,GAAivM,C;MAAC,yBAAlwM,GAAuwM,C;MAAC,yBAAxxM,GAA6xM,C;MAAC,yBAA9yM,GAAmzM,C;MAAC,yBAA00M,GAA+0M,C;MAAC,yBAAh2M,GAAq2M,C;MAAC,yBAAt3M,GAA23M,C;MAAC,yBAA54M,GAAi5M,C;MAAC,yBAAl6M,GAAu6M,C;MAAC,yBAAx7M,GAA67M,C;MAAC,yBAA98M,GAAm9M,C;MAAC,yBAAp+M,GAAy+M,C;MAAC,yBAA1/M,GAA+/M,C;MAAC,yBAAhhN,GAAqhN,C;MAAC,yBAAtiN,GAA2iN,C;MAAC,yBAA5jN,GAAikN,C;MAAC,yBAAllN,GAAulN,C;MAAC,yBAAxmN,GAA6mN,C;MAAC,yBAA9nN,GAAmoN,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qN,GAA+qN,C;MAAC,yBAAhsN,GAAqsN,C;MAAC,yBAAttN,GAA2tN,C;MAAC,yBAA5uN,GAAivN,C;MAAC,yBAAlwN,GAAuwN,C;MAAC,yBAAxxN,GAA6xN,C;MAAC,yBAA9yN,GAAmzN,C;MAAC,yBAA00N,GAA+0N,C;MAAC,yBAAh2N,GAAq2N,C;MAAC,yBAAt3N,GAA23N,C;MAAC,yBAA54O,GAAi5O,C;MAAC,yBAAl6O,GAAu6O,C;MAAC,yBAAx7O,GAA67O,C;MAAC,yBAA98O,GAAm9O,C;MAAC,yBAAp+O,GAAy+O,C;MAAC,yBAA1/O,GAA+/O,C;MAAC,yBAAhhP,GAAqhP,C;MAAC,yBAAtiP,GAA2iP,C;MAAC,yBAA5jP,GAAikP,C;MAAC,yBAAllP,GAAulP,C;MAAC,yBAAxmP,GAA6mP,C;MAAC,yBAA9nP,GAAmoP,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qP,GAA+qP,C;MAAC,yBAAhsP,GAAqsP,C;MAAC,yBAAttP,GAA2tP,C;MAAC,yBAA5uP,GAAivP,C;MAAC,yBAAlwP,GAAuwP,C;MAAC,yBAAxxP,GAA6xP,C;MAAC,yBAA9yP,GAAmzP,C;MAAC,yBAA00P,GAA+0P,C;MAAC,yBAAh2P,GAAq2P,C;MAAC,yBAAt3P,GAA23P,C;MAAC,yBAA54Q,GAAi5Q,C;MAAC,yBAAl6Q,GAAu6Q,C;MAAC,yBAAx7Q,GAA67Q,C;MAAC,yBAA98Q,GAAm9Q,C;MAAC,yBAAp+Q,GAAy+Q,C;MAAC,yBAA1/Q,GAA+/Q,C;MAAC,yBAAhhR,GAAqhR,C;MAAC,yBAAtiR,GAA2iR,C;MAAC,yBAA5jR,GAAikR,C;MAAC,yBAAllR,GAAulR,C;MAAC,yBAAxmR,GAA6mR,C;MAAC,yBAA9nR,GAAmoR,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qR,GAA+qR,C;MAAC,yBAAhsR,GAAqsR,C;MAAC,yBAAttR,GAA2tR,C;MAAC,yBAA5uR,GAAivR,C;MAAC,yBAAlwR,GAAuwR,C;MAAC,yBAAxxR,GAA6xR,C;MAAC,yBAA9yR,GAAmzR,C;MAAC,yBAA00R,GAA+0R,C;MAAC,yBAAh2R,GAAq2R,C;MAAC,yBAAt3R,GAA23R,C;MAAC,yBAA54S,GAAi5S,C;MAAC,yBAAl6S,GAAu6S,C;MAAC,yBAAx7S,GAA67S,C;MAAC,yBAA98S,GAAm9S,C;MAAC,yBAAp+S,GAAy+S,C;MAAC,yBAA1/S,GAA+/S,C;MAAC,yBAAhhT,GAAqhT,C;MAAC,yBAAtiT,GAA2iT,C;MAAC,yBAA5jT,GAAikT,C;MAAC,yBAAllT,GAAulT,C;MAAC,yBAAxmT,GAA6mT,C;MAAC,yBAA9nT,GAAmoT,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qT,GAA+qT,C;MAAC,yBAAhsT,GAAqsT,C;MAAC,yBAAttT,GAA2tT,C;MAAC,yBAA5uT,GAAivT,C;MAAC,yBAAlwT,GAAuwT,C;MAAC,yBAAxxT,GAA6xT,C;MAAC,yBAA9yT,GAAmzT,C;MAAC,yBAA00T,GAA+0T,C;MAAC,yBAAh2T,GAAq2T,C;MAAC,yBAAt3T,GAA23T,C;MAAC,yBAA54U,GAAi5U,C;MAAC,yBAAl6U,GAAu6U,C;MAAC,yBAAx7U,GAA67U,C;MAAC,yBAA98U,GAAm9U,C;MAAC,yBAAp+U,GAAy+U,C;MAAC,yBAA1/U,GAA+/U,C;MAAC,yBAAhhV,GAAqhV,C;MAAC,yBAAtiV,GAA2iV,C;MAAC,yBAA5jV,GAAikV,C;MAAC,yBAAllV,GAAulV,C;MAAC,yBAAxmV,GAA6mV,C;MAAC,yBAA9nV,GAAmoV,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qV,GAA+qV,C;MAAC,yBAAhsV,GAAqsV,C;MAAC,yBAAttV,GAA2tV,C;MAAC,yBAA5uV,GAAivV,C;MAAC,yBAAlwV,GAAuwV,C;MAAC,yBAAxxV,GAA6xV,C;MAAC,yBAA9yV,GAAmzV,C;MAAC,yBAA00V,GAA+0V,C;MAAC,yBAAh2V,GAAq2V,C;MAAC,yBAAt3V,GAA23V,C;MAAC,yBAA54W,GAAi5W,C;MAAC,yBAAl6W,GAAu6W,C;MAAC,yBAAx7W,GAA67W,C;MAAC,yBAA98W,GAAm9W,C;MAAC,yBAAp+W,GAAy+W,C;MAAC,yBAA1/W,GAA+/W,C;MAAC,yBAAhhX,GAAqhX,C;MAAC,yBAAtiX,GAA2iX,C;MAAC,yBAA5jX,GAAikX,C;MAAC,yBAAllX,GAAulX,C;MAAC,yBAAxmX,GAA6mX,C;MAAC,yBAA9nX,GAAmoX,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qX,GAA+qX,C;MAAC,yBAAhsX,GAAqsX,C;MAAC,yBAAttX,GAA2tX,C;MAAC,yBAA5uX,GAAivX,C;MAAC,yBAAlwX,GAAuwX,C;MAAC,yBAAxxX,GAA6xX,C;MAAC,yBAA9yX,GAAmzX,C;MAAC,yBAA00X,GAA+0X,C;MAAC,yBAAh2X,GAAq2X,C;MAAC,yBAAt3X,GAA23X,C;MAAC,yBAA54Y,GAAi5Y,C;MAAC,yBAAl6Y,GAAu6Y,C;MAAC,yBAAx7Y,GAA67Y,C;MAAC,yBAA98Y,GAAm9Y,C;MAAC,yBAAp+Y,GAAy+Y,C;MAAC,yBAA1/Y,GAA+/Y,C;MAAC,yBAAhhZ,GAAqhZ,C;MAAC,yBAAtiZ,GAA2iZ,C;MAAC,yBAA5jZ,GAAikZ,C;MAAC,yBAAllZ,GAAulZ,C;MAAC,yBAAxmZ,GAA6mZ,C;MAAC,yBAA9nZ,GAAmoZ,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qZ,GAA+qZ,C;MAAC,yBAAhsZ,GAAqsZ,C;MAAC,yBAAttZ,GAA2tZ,C;MAAC,yBAA5uZ,GAAivZ,C;MAAC,yBAAlwZ,GAAuwZ,C;MAAC,yBAAxxZ,GAA6xZ,C;MAAC,yBAA9yZ,GAAmzZ,C;MAAC,yBAA00Z,GAA+0Z,C;MAAC,yBAAh2Z,GAAq2Z,C;MAAC,yBAAt3Z,GAA23Z,C;MAAC,yBAA54a,GAAi5a,C;MAAC,yBAAl6a,GAAu6a,C;MAAC,yBAAx7a,GAA67a,C;MAAC,yBAA98a,GAAm9a,C;MAAC,yBAAp+a,GAAy+a,C;MAAC,yBAA1/a,GAA+/a,C;MAAC,yBAAhhb,GAAqhb,C;MAAC,yBAAtib,GAA2ib,C;MAAC,yBAA5jb,GAAikb,C;MAAC,yBAAllb,GAAulb,C;MAAC,yBAAxmb,GAA6mb,C;MAAC,yBAA9nb,GAAmob,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qb,GAA+qb,C;MAAC,yBAAhsb,GAAqsb,C;MAAC,yBAAttb,GAA2tb,C;MAAC,yBAA5ub,GAAivb,C;MAAC,yBAAlwb,GAAuwb,C;MAAC,yBAAxxb,GAA6xb,C;MAAC,yBAA9yb,GAAmzb,C;MAAC,yBAA00b,GAA+0b,C;MAAC,yBAAh2b,GAAq2b,C;MAAC,yBAAt3b,GAA23b,C;MAAC,yBAA54c,GAAi5c,C;MAAC,yBAAl6c,GAAu6c,C;MAAC,yBAAx7c,GAA67c,C;MAAC,yBAA98c,GAAm9c,C;MAAC,yBAAp+c,GAAy+c,C;MAAC,yBAA1/c,GAA+/c,C;MAAC,yBAAhhd,GAAqhd,C;MAAC,yBAAtid,GAA2id,C;MAAC,yBAA5jd,GAAikd,C;MAAC,yBAAlld,GAAuld,C;MAAC,yBAAxmd,GAA6md,C;MAAC,yBAA9nd,GAAmod,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qd,GAA+qd,C;MAAC,yBAAhsd,GAAqsd,C;MAAC,yBAAttd,GAA2td,C;MAAC,yBAA5ud,GAAivd,C;MAAC,yBAAlwd,GAAuwd,C;MAAC,yBAAxxd,GAA6xd,C;MAAC,yBAA9yd,GAAmzd,C;MAAC,yBAA00d,GAA+0d,C;MAAC,yBAAh2d,GAAq2d,C;MAAC,yBAAt3d,GAA23d,C;MAAC,yBAA54e,GAAi5e,C;MAAC,yBAAl6e,GAAu6e,C;MAAC,yBAAx7e,GAA67e,C;MAAC,yBAA98e,GAAm9e,C;MAAC,yBAAp+e,GAAy+e,C;MAAC,yBAA1/e,GAA+/e,C;MAAC,yBAAhhf,GAAqhf,C;MAAC,yBAAtif,GAA2if,C;MAAC,yBAA5jf,GAAikf,C;MAAC,yBAAllf,GAAulf,C;MAAC,yBAAxmf,GAA6mf,C;MAAC,yBAA9nf,GAAmof,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qf,GAA+qf,C;MAAC,yBAAhsf,GAAqsf,C;MAAC,yBAAttf,GAA2tf,C;MAAC,yBAA5uf,GAAivf,C;MAAC,yBAAlwf,GAAuwf,C;MAAC,yBAAxxf,GAA6xf,C;MAAC,yBAA9yf,GAAmzf,C;MAAC,yBAA00f,GAA+0f,C;MAAC,yBAAh2f,GAAq2f,C;MAAC,yBAAt3f,GAA23f,C;MAAC,yBAA54g,GAAi5g,C;MAAC,yBAAl6g,GAAu6g,C;MAAC,yBAAx7g,GAA67g,C;MAAC,yBAA98g,GAAm9g,C;MAAC,yBAAp+g,GAAy+g,C;MAAC,yBAA1/g,GAA+/g,C;MAAC,yBAAhhh,GAAqhh,C;MAAC,yBAAtih,GAA2ih,C;MAAC,yBAA5jh,GAAikh,C;MAAC,yBAAllh,GAAulh,C;MAAC,yBAAxmh,GAA6mh,C;MAAC,yBAA9nh,GAAmoh,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qh,GAA+qh,C;MAAC,yBAAhsh,GAAqsh,C;MAAC,yBAAtth,GAA2th,C;MAAC,yBAA5uh,GAAivh,C;MAAC,yBAAlwh,GAAuwh,C;MAAC,yBAAxxh,GAA6xh,C;MAAC,yBAA9yh,GAAmzh,C;MAAC,yBAA00h,GAA+0h,C;MAAC,yBAAh2h,GAAq2h,C;MAAC,yBAAt3h,GAA23h,C;MAAC,yBAA54i,GAAi5i,C;MAAC,yBAAl6i,GAAu6i,C;MAAC,yBAAx7i,GAA67i,C;MAAC,yBAA98i,GAAm9i,C;MAAC,yBAAp+i,GAAy+i,C;MAAC,yBAA1/i,GAA+/i,C;MAAC,yBAAhhj,GAAqhj,C;MAAC,yBAAtij,GAA2ij,C;MAAC,yBAA5jj,GAAikj,C;MAAC,yBAAllj,GAAulj,C;MAAC,yBAAxmj,GAA6mj,C;MAAC,yBAA9nj,GAAmoj,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qj,GAA+qj,C;MAAC,yBAAhsj,GAAqsj,C;MAAC,yBAAttj,GAA2tj,C;MAAC,yBAA5uj,GAAivj,C;MAAC,yBAAlwj,GAAuwj,C;MAAC,yBAAxxj,GAA6xj,C;MAAC,yBAA9yj,GAAmzj,C;MAAC,yBAA00k,GAA+0k,C;MAAC,yBAAh2k,GAAq2k,C;MAAC,yBAAt3k,GAA23k,C;MAAC,yBAA54l,GAAi5l,C;MAAC,yBAAl6l,GAAu6l,C;MAAC,yBAAx7l,GAA67l,C;MAAC,yBAA98l,GAAm9l,C;MAAC,yBAAp+l,GAAy+l,C;MAAC,yBAA1/l,GAA+/l,C;MAAC,yBAAhhm,GAAqhm,C;MAAC,yBAAtim,GAA2im,C;MAAC,yBAA5jm,GAAikm,C;MAAC,yBAAllm,GAAulm,C;MAAC,yBAAxmm,GAA6mm,C;MAAC,yBAA9nm,GAAmom,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qm,GAA+qm,C;MAAC,yBAAhsm,GAAqsm,C;MAAC,yBAAttm,GAA2tm,C;MAAC,yBAA5um,GAAivm,C;MAAC,yBAAlwm,GAAuwm,C;MAAC,yBAAxxm,GAA6xm,C;MAAC,yBAA9ym,GAAmzm,C;MAAC,yBAA00m,GAA+0m,C;MAAC,yBAAh2m,GAAq2m,C;MAAC,yBAAt3m,GAA23m,C;MAAC,yBAA54n,GAAi5n,C;MAAC,yBAAl6n,GAAu6n,C;MAAC,yBAAx7n,GAA67n,C;MAAC,yBAA98n,GAAm9n,C;MAAC,yBAAp+n,GAAy+n,C;MAAC,yBAA1/n,GAA+/n,C;MAAC,yBAAhho,GAAqho,C;MAAC,yBAAtio,GAA2io,C;MAAC,yBAA5jo,GAAiko,C;MAAC,yBAAllo,GAAulo,C;MAAC,yBAAxmo,GAA6mo,C;MAAC,yBAA9no,GAAmoo,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qo,GAA+qo,C;MAAC,yBAAhso,GAAqso,C;MAAC,yBAAtto,GAA2to,C;MAAC,yBAA5uo,GAAivo,C;MAAC,yBAAlwo,GAAuwo,C;MAAC,yBAAxxo,GAA6xo,C;MAAC,yBAA9yo,GAAmzo,C;MAAC,yBAA00o,GAA+0o,C;MAAC,yBAAh2o,GAAq2o,C;MAAC,yBAAt3o,GAA23o,C;MAAC,yBAA54p,GAAi5p,C;MAAC,yBAAl6p,GAAu6p,C;MAAC,yBAAx7p,GAA67p,C;MAAC,yBAA98p,GAAm9p,C;MAAC,yBAAp+p,GAAy+p,C;MAAC,yBAA1/p,GAA+/p,C;MAAC,yBAAhhq,GAAqhq,C;MAAC,yBAAtiq,GAA2iq,C;MAAC,yBAA5jq,GAAikq,C;MAAC,yBAAllq,GAAulq,C;MAAC,yBAAxmq,GAA6mq,C;MAAC,yBAA9nq,GAAmoq,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qq,GAA+qq,C;MAAC,yBAAhsq,GAAqsq,C;MAAC,yBAAttq,GAA2tq,C;MAAC,yBAA5uq,GAAivq,C;MAAC,yBAAlwq,GAAuwq,C;MAAC,yBAAxxq,GAA6xq,C;MAAC,yBAA9yq,GAAmzq,C;MAAC,yBAA00q,GAA+0q,C;MAAC,yBAAh2q,GAAq2q,C;MAAC,yBAAt3q,GAA23q,C;MAAC,yBAA54r,GAAi5r,C;MAAC,yBAAl6r,GAAu6r,C;MAAC,yBAAx7r,GAA67r,C;MAAC,yBAA98r,GAAm9r,C;MAAC,yBAAp+r,GAAy+r,C;MAAC,yBAA1/r,GAA+/r,C;MAAC,yBAAhhs,GAAqhs,C;MAAC,yBAAtis,GAA2is,C;MAAC,yBAA5js,GAAiks,C;MAAC,yBAAlls,GAAuls,C;MAAC,yBAAxms,GAA6ms,C;MAAC,yBAA9ns,GAAmos,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qs,GAA+qs,C;MAAC,yBAAhss,GAAqss,C;MAAC,yBAAtts,GAA2ts,C;MAAC,yBAA5us,GAAivs,C;MAAC,yBAAlws,GAAuws,C;MAAC,yBAAxxs,GAA6xs,C;MAAC,yBAA9ys,GAAmzs,C;MAAC,yBAA00s,GAA+0s,C;MAAC,yBAAh2s,GAAq2s,C;MAAC,yBAAt3s,GAA23s,C;MAAC,yBAA54t,GAAi5t,C;MAAC,yBAAl6t,GAAu6t,C;MAAC,yBAAx7t,GAA67t,C;MAAC,yBAA98t,GAAm9t,C;MAAC,yBAAp+t,GAAy+t,C;MAAC,yBAA1/t,GAA+/t,C;MAAC,yBAAhhu,GAAqhu,C;MAAC,yBAAtiu,GAA2iu,C;MAAC,yBAA5ju,GAAiku,C;MAAC,yBAAllu,GAAulu,C;MAAC,yBAAxmu,GAA6mu,C;MAAC,yBAA9nu,GAAmou,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qu,GAA+qu,C;MAAC,yBAAhsu,GAAqsu,C;MAAC,yBAAttu,GAA2tu,C;MAAC,yBAA5uu,GAAivu,C;MAAC,yBAAlwu,GAAuwu,C;MAAC,yBAAxxu,GAA6xu,C;MAAC,yBAA9yu,GAAmzu,C;MAAC,yBAA00u,GAA+0u,C;MAAC,yBAAh2u,GAAq2u,C;MAAC,yBAAt3u,GAA23u,C;MAAC,yBAA54v,GAAi5v,C;MAAC,yBAAl6v,GAAu6v,C;MAAC,yBAAx7v,GAA67v,C;MAAC,yBAA98v,GAAm9v,C;MAAC,yBAAp+v,GAAy+v,C;MAAC,yBAA1/v,GAA+/v,C;MAAC,yBAAhhw,GAAqhw,C;MAAC,yBAAtiw,GAA2iw,C;MAAC,yBAA5jw,GAAikw,C;MAAC,yBAAllw,GAAulw,C;MAAC,yBAAxmw,GAA6mw,C;MAAC,yBAA9nw,GAAmow,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qw,GAA+qw,C;MAAC,yBAAhsw,GAAqsw,C;MAAC,yBAAttw,GAA2tw,C;MAAC,yBAA5uw,GAAivw,C;MAAC,yBAAlww,GAAuww,C;MAAC,yBAAxxw,GAA6xw,C;MAAC,yBAA9yw,GAAmzw,C;MAAC,yBAA00w,GAA+0w,C;MAAC,yBAAh2w,GAAq2w,C;MAAC,yBAAt3w,GAA23w,C;MAAC,yBAA54x,GAAi5x,C;MAAC,yBAAl6x,GAAu6x,C;MAAC,yBAAx7x,GAA67x,C;MAAC,yBAA98x,GAAm9x,C;MAAC,yBAAp+x,GAAy+x,C;MAAC,yBAA1/x,GAA+/x,C;MAAC,yBAAhhy,GAAqhy,C;MAAC,yBAAtiy,GAA2iy,C;MAAC,yBAA5jy,GAAiky,C;MAAC,yBAAlly,GAAuly,C;MAAC,yBAAxmy,GAA6my,C;MAAC,yBAA9ny,GAAmoy,C;MAAC,yBAApp,GAAyp,C;MAAC,yBAA1qy,GAA+qy,C;MAAC,yBAAhsy,GAAqsy,C;MAAC,yBAAttz,GAA2tz,C;MAAC,yBAA5uz,GAAivz,C;MAAC,yBAAlwz,GAAuwz,C;MAAC,yBAAxxz,GAA6xz,C;MAAC,yBAA9yz,GAAmzz,C;MAAC,yBAA00z,GAA+0z,C;MAAC,yBAAh20,GAAq20,C;MAAC,yBAAt30,GAA230,C;MAAC,yBAA541,GAAi51,C;MAAC,yBAAl61,GAAu61,C;MAAC,yBAAx71,GAA671,C;MAAC,yBAA981,GAAm91,

AGJ,yB;MA4nBA,+C;MAkuFI,0D;MA91GJ,uC;QASW,qB;;UA4nBO,Q;UAAA,OAAa,SAytFX,YAAR,iBAAQ,CAztFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9nBc,SA8nBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhoBP,wB;O;KATJ,C;yFAYA,yB;MAgoBA,+C;MA0tFI,0D;MA11GJ,uC;QASW,qB;;UAgoBO,Q;UAAA,OAAa,SAitFX,YAAR,iBAAQ,CAjtFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAloBc,SAkoBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApoBP,wB;O;KATJ,C;yFAYA,yB;MAooBA,+C;MAktFI,0D;MAt1GJ,uC;QASW,qB;;UAooBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtoBc,SAsoBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxoBP,wB;O;KATJ,C;yFAYA,yB;MAwoBA,+C;MA0sFI,0D;MAl1GJ,uC;QASW,qB;;UAwoBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1oBc,SA0oBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5oBP,wB;O;KATJ,C;yFAYA,yB;MA4oBA,+C;MAksFI,0D;MA11GJ,uC;QASW,qB;;UA4oBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9oBc,SA8oBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhpBP,wB;O;KATJ,C;yFAYA,yB;MAgpBA,+C;MA0sFI,0D;MAl2GJ,uC;QASW,qB;;UAgpBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAlpBc,SAkpBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAppBP,wB;O;KATJ,C;yFAYA,yB;MAopBA,+C;MAksFI,0D;MA12GJ,uC;QASW,qB;;UAopBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtpBc,SAspBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxpBP,wB;O;KATJ,C;yFAYA,yB;MAwpBA,+C;MA0sFI,0D;MAl3GJ,uC;QASW,qB;;UAwpBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1pBc,SA0pBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5pBP,wB;O;KATJ,C;yFAYA,yB;MA4pBA,+C;MAksFI,0D;MA13GJ,uC;QASW,qB;;UA4pBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9pBc,SA8pBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhqBP,wB;O;KATJ,C;yFAYA,yB;MAgqBA,+C;MA0sFI,0D;MAl4GJ,uC;QASW,qB;;UAgqBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAlqBc,SAkqBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApqBP,wB;O;KATJ,C;yFAYA,yB;MAoqBA,+C;MAksFI,0D;MA14GJ,uC;QASW,qB;;UAoqBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtqBc,SAsqBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxqBP,wB;O;KATJ,C;yFAYA,yB;MAwqBA,+C;MA0sFI,0D;MAl5GJ,uC;QASW,qB;;UAwqBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1qBc,SA0qBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5qBP,wB;O;KATJ,C;yFAYA,yB;MA4qBA,+C;MAksFI,0D;MA15GJ,uC;QASW,qB;;UA4qBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9qBc,SA8qBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhrBP,wB;O;KATJ,C;yFAYA,yB;MAgrBA,+C;MA0sFI,0D;MAl6GJ,uC;QASW,qB;;UAgrBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAlrBc,SAkrBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAprBP,wB;O;KATJ,C;yFAYA,yB;MAorBA,+C;MAksFI,0D;MA16GJ,uC;QASW,qB;;UAorBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtrBc,SAsrBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxrBP,wB;O;KATJ,C;yFAYA,yB;MAwrBA,+C;MA0sFI,0D;MAl7GJ,uC;QASW,qB;;UAwrBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1rBc,SA0rBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5rBP,wB;O;KATJ,C;yFAYA,yB;MA4rBA,+C;MAksFI,0D;MA17GJ,uC;QASW,qB;;UA4rBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9rBc,SA8rBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhsBP,wB;O;KATJ,C;yFAYA,yB;MAgsBA,+C;MA0sFI,0D;MAl8GJ,uC;QASW,qB;;UAgsBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAlsBc,SAksBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApsBP,wB;O;KATJ,C;yFAYA,yB;MAosBA,+C;MAksFI,0D;MA18GJ,uC;QASW,qB;;UAosBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtsBc,SAssBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxsBP,wB;O;KATJ,C;yFAYA,yB;MAwsBA,+C;MA0sFI,0D;MAl9GJ,uC;QASW,qB;;UAwsBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1sBc,SA0sBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5sBP,wB;O;KATJ,C;yFAYA,yB;MA4sBA,+C;MAksFI,0D;MA19GJ,uC;QASW,qB;;UA4sBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9sBc,SA8sBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhtBP,wB;O;KATJ,C;yFAYA,yB;MAgtBA,+C;MA0sFI,0D;MAl+GJ,uC;QASW,qB;;UAgtBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAltBc,SAktBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAptBP,wB;O;KATJ,C;yFAYA,yB;MAotBA,+C;MAksFI,0D;MA1+GJ,uC;QASW,qB;;UAotBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAttBc,SAstBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxtBP,wB;O;KATJ,C;yFAYA,yB;MAwtBA,+C;MA0sFI,0D;MAl/GJ,uC;QASW,qB;;UAwtBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1tBc,SA0tBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5tBP,wB;O;KATJ,C;yFAYA,yB;MA4tBA,+C;MAksFI,0D;MA1/GJ,uC;QASW,qB;;UA4tBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9tBc,SA8tBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhuBP,wB;O;KATJ,C;yFAYA,yB;MAguBA,+C;MA0sFI,0D;MAlgHJ,uC;QASW,qB;;UAguBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAluBc,SAkuBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApuBP,wB;O;KATJ,C;yFAYA,yB;MAouBA,+C;MAksFI,0D;MA1gHJ,uC;QASW,qB;;UAouBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtuBc,SAsuBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxuBP,wB;O;KATJ,C;yFAYA,yB;MAwuBA,+C;MA0sFI,0D;MAlhHJ,uC;QASW,qB;;UAwuBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1uBc,SA0uBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5uBP,wB;O;KATJ,C;yFAYA,yB;MA4uBA,+C;MAksFI,0D;MA1hHJ,uC;QASW,qB;;UA4uBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9uBc,SA8uBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhvBP,wB;O;KATJ,C;yFAYA,yB;MAgvBA,+C;MA0sFI,0D;MAliHJ,uC;QASW,qB;;UAgvBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAlvBc,SAkvBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApvBP,wB;O;KATJ,C;yFAYA,yB;MAovBA,+C;MAksFI,0D;MA1iHJ,uC;QASW,qB;;UAovBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtvBc,SAsvBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxvBP,wB;O;KATJ,C;yFAYA,yB;MAwvBA,+C;MA0sFI,0D;MAljHJ,uC;QASW,qB;;UAwvBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1vBc,SA0vBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5vBP,wB;O;KATJ,C;yFAYA,yB;MA4vBA,+C;MAksFI,0D;MA1jHJ,uC;QASW,qB;;UA4vBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9vBc,SA8vBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhwBP,wB;O;KATJ,C;yFAYA,yB;MAgwBA,+C;MA0sFI,0D;MAlkHJ,uC;QASW,qB;;UAgwBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAlwBc,SAkwBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApwBP,wB;O;KATJ,C;yFAYA,yB;MAowBA,+C;MAksFI,0D;MA1kHJ,uC;QASW,qB;;UAowBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtwBc,SAswBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxwBP,wB;O;KATJ,C;yFAYA,yB;MAwwBA,+C;MA0sFI,0D;MAllHJ,uC;QASW,qB;;UAwwBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1wBc,SA0wBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5wBP,wB;O;KATJ,C;yFAYA,yB;MA4wBA,+C;MAksFI,0D;MA1lHJ,uC;QASW,qB;;UA4wBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9wBc,SA8wBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhxBP,wB;O;KATJ,C;yFAYA,yB;MAgxBA,+C;MA0sFI,0D;MAlmHJ,uC;QASW,qB;;UAgxBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAlxBc,SAkxBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApxBP,wB;O;KATJ,C;yFAYA,yB;MAoxBA,+C;MAksFI,0D;MA1mHJ,uC;QASW,qB;;UAoxBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtxBc,SAsxBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxxBP,wB;O;KATJ,C;yFAYA,yB;MAwxBA,+C;MA0sFI,0D;MAlnHJ,uC;QASW,qB;;UAwxBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1xBc,SA0xBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5xBP,wB;O;KATJ,C;yFAYA,yB;MA4xBA,+C;MAksFI,0D;MA1nHJ,uC;QASW,qB;;UA4xBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9xBc,SA8xBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhyBP,wB;O;KATJ,C;yFAYA,yB;MAgyBA,+C;MA0sFI,0D;MAloHJ,uC;QASW,qB;;UAgyBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAlyBc,SAkyBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApyBP,wB;O;KATJ,C;yFAYA,yB;MAoyBA,+C;MAksFI,0D;MA1oHJ,uC;QASW,qB;;UAoyBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtyBc,SAsyBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxyBP,wB;O;KATJ,C;yFAYA,yB;MAwyBA,+C;MA0sFI,0D;MAlpHJ,uC;QASW,qB;;UAwyBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1yBc,SA0yBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5yBP,wB;O;KATJ,C;yFAYA,yB;MA4yBA,+C;MAksFI,0D;MA1pHJ,uC;QASW,qB;;UA4yBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9yBc,SA8yBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhzBP,wB;O;KATJ,C;yFAYA,yB;MAgzBA,+C;MA0sFI,0D;MAlqHJ,uC;QASW,qB;;UAgzBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAlzBc,SAkzBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApzBP,wB;O;KATJ,C;yFAYA,yB;MAozBA,+C;MAksFI,0D;MA1qHJ,uC;QASW,qB;;UAozBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtzBc,SAszBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxzBP,wB;O;KATJ,C;yFAYA,yB;MAwzBA,+C;MA0sFI,0D;MAlrHJ,uC;QASW,qB;;UAwzBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1zBc,SA0zBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5zBP,wB;O;KATJ,C;yFAYA,yB;MA4zBA,+C;MAksFI,0D;MA1rHJ,uC;QASW,qB;;UA4zBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9zBc,SA8zBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAh0BP,wB;O;KATJ,C;yFAYA,yB;MAg0BA,+C;MA0sFI,0D;MAlsHJ,uC;QASW,qB;;UAg0BO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAl0Bc,SAk0BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAp0BP,wB;O;KATJ,C;yFAYA,yB;MAo0BA,+C;MAksFI,0D;MA1sHJ,uC;QASW,qB;;UAo0BO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAt0Bc,SAs0BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAx0BP,wB;O;KATJ,C;yFAYA,yB;MAw0BA,+C;MA0sFI,0D;MAltHJ,uC;QASW,qB;;UAw0BO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA10Bc,SA00BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA50BP,wB;O;KATJ,C;yFAYA,yB;MA40BA,+C;MAksFI,0D;MA1tHJ,uC;QASW,qB;;UA40BO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA90Bc,SA80BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAh1BP,wB;O;KATJ,C;yFAYA,yB;MAg1BA,+C;MA0sFI,0D;MAluHJ,uC;QASW,qB;;UAg1BO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAl1Bc,SAk1BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAp1BP,wB;O;KATJ,C;yFAYA,yB;MAo1BA,+C;MAksFI,0D;MA1uHJ,uC;QASW,qB;;UAo1BO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAt1Bc,SAs1BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAx1BP,wB;O;KATJ,C;yFAYA,yB;MAw1BA,+C;MA0sFI,0D;MAlvHJ,uC;QASW,qB;;UAw1BO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA11Bc,SA01BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA51BP,wB;O;KATJ,C;yFAYA,yB;MA41BA,+C;MAksFI,0D;MA1vHJ,uC;QASW,qB;;UA41BO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA91Bc,SA81BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAh2BP,wB;O;KATJ,C;yFAYA,yB;MAg2BA,+C;MA0sFI,0D;MAlwHJ,uC;QASW,qB;;UAg2BO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAl2Bc,SAk2BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAp2BP,wB;O;KATJ,C;yFAYA,yB;MAo2BA,+C;MAksFI,0D;MA1wHJ,uC;QASW,qB;;UAo2BO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAt2Bc,SAs2BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAx2BP,wB;O;KATJ,C;yFAYA,yB;MAw2BA,+C;MA0sFI,0D;MAlxHJ,uC;QASW,qB;;UAw2BO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA12Bc,SA02BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA52BP,wB;O;KATJ,C;yFAYA,yB;MA42BA,+C;MAksFI,0D;MA1xHJ,uC;QASW,qB;;UA42BO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA92Bc,SA82BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAh3BP,wB;O;KATJ,C;yFAYA,yB;MAg3BA,+C;MA0sFI,0D;MAlyHJ,uC;QASW,qB;;UAg3BO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAl3Bc,SAk3BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAp3BP,wB;O;KATJ,C;yFAYA,yB;MAo3BA,+C;MAksFI,0D;MA1yHJ,uC;QASW,qB;;UAo3BO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAt3Bc,SAs3BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAx3BP,wB;O;KATJ,C;yFAYA,yB;MAw3BA,+C;MA0sFI,0D;MAlzHJ,uC;QASW,qB;;UAw3BO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA13Bc,SA03BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA53BP,wB;O;KATJ,C;yFAYA,yB;MA43BA,+C;MAksFI,0D;MA1zHJ,uC;QASW,qB;;UA43BO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA93Bc,SA83BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAh4BP,wB;O;KATJ,C;yFAYA,yB;MAg4BA,+C;MA0sFI,0D;MAl0HJ,uC;QASW,qB;;UAg4BO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAl4Bc,SAk4BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAp4BP,wB;O;KATJ,C;yFAYA,yB;MAo4BA,+C;MAksFI,0D;MA10HJ,uC;QASW,qB;;UAo4BO,Q

mCyZL,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC40Bf,0D;YACI,IsC70B0B,UnCzZK,cHsuCjB,YAAK,KAAL,CGtuCiB,CmCyZL,CtC60B1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCj1BP,0B;O;KAPJ,C;iGAUA,yB;MAAA,sC;MnBvZA,+B;MmBuZA,0BAOgC,yB;QnB9ZhC,+B;emB8ZgC,6B;UAAA,qB;YAAE,yBnBpZQ,emBoZE,EnBpZF,CmBoZR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC80Bf,0D;YACI,IsC/0B0B,UnBpZQ,enBmuCpB,YAAK,KAAL,CmBnuCoB,CmBoZR,CtC+0B1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCn1BP,0B;O;KAPJ,C;iGAUA,yB;MAAA,sC;MpC9dA,+B;MoC8dA,0BAOgC,yB;QpCrehC,+B;eoCqegC,6B;UAAA,qB;YAAE,yBpC3dQ,eoC2dE,EpC3dF,CoC2dR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCgyBf,0D;YACI,IsCjyB0B,UpC3dQ,eF4vCpB,YAAK,KAAL,CE5vCoB,CoC2dR,CtCiyB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCry BP,0B;O;KAPJ,C;iGAUA,yB;MAAA,sC;MlC3dA,+B;MkC2dA,0BAOgC,yB;QlCleh C,+B;ekCkegC,6B;UAAA,qB;YAAE,yBlCxdW,gBkCwdD,ElCxdC,CkCwdX,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCkyBf,0D;YACI,IsCnyB0B,UlCxdW,gBJ2vCvB,YAAK,KAAL,CI3vCuB,CkCwdX,CtCmyB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCvyBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC+cA,+B;MsC/cA,0BAOgC,yB;QtCsdhC,+B;esCtdgC,6B;UAAA,qB;YAAE,yBtCsdQ,esCtdE,EtCsdF,CsCtdR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwxBf,0D;YACI,IsCzxB0B,UtCsdQ,esCtdE,EtCsdF,CsCtdR,CtCyxB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7xBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCscA,+B;MsCtcA,0BAOgC,yB;QtC6chC,+B;esC7cgC,6B;UAAA,qB;YAAE,yBtC6cQ,esC7cE,EtC6cF,CsC7cR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC+wBf,0D;YACI,IsChxB0B,UtC6cQ,esC7cE,EtC6cF,CsC7cR,CtCgxB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCpxBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqbA,+B;MsCrbA,0BAOgC,yB;QtC4bhC,+B;esC5bgC,6B;UAAA,qB;YAAE,yBtC4bQ,esC5bE,EtC4bF,CsC5bR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCsvBf,0D;YACI,IsCvvB0B,UtC4bQ,esC5bE,EtC4bF,CsC5bR,CtCuvB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC3vBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCoaA,+B;MsCpaA,0BAOgC,yB;QtC2ahC,+B;esC3agC,6B;UAAA,qB;YAAE,yBtC2aQ,esC3aE,EtC2aF,CsC3aR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCquBf,0D;YACI,IsCtuB0B,UtC2aQ,esC3aE,EtC2aF,CsC3aR,CtCsuB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC1uBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCmZA,+B;MsCnZA,0BAOgC,yB;QtC0ZhC,+B;esC1ZgC,6B;UAAA,qB;YAAE,yBtC0ZQ,esC1ZE,EtC0ZF,CsC1ZR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCouBf,0D;YACI,IsCruB0B,UtC0ZQ,esC1ZE,EtC0ZF,CsC1ZR,CtCquB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCzuBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCkYA,+B;MsClYA,0BAOgC,yB;QtCyYhC,+B;esCzYgC,6B;UAAA,qB;YAAE,yBtCyYQ,esCzYE,EtCyYF,CsCzYR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCmtBf,0D;YACI,IsCptB0B,UtCyYQ,esCzYE,EtCyYF,CsCzYR,CtCotB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCxtBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCiXA,+B;MsCjXA,0BAOgC,yB;QtCwXhC,+B;esCxXgC,6B;UAAA,qB;YAAE,yBtCwXQ,esCxXE,EtCwXF,CsCxXR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCktBf,0D;YACI,IsCntB0B,UtCwXQ,esCxXE,EtCwXF,CsCxXR,CtCmtB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCvtBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCgWA,+B;MsChWA,0BAOgC,yB;QtCuWhC,+B;esCvWgC,6B;UAAA,qB;YAAE,yBtCuWQ,esCvWE,EtCuWF,CsCvWR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCitBf,0D;YACI,IsCltB0B,UtCuWQ,esCvWE,EtCuWF,CsCvWR,CtCktB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCttBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC+VA,+B;MsC/VA,0BAOgC,yB;QtCsWhC,+B;esCtWgC,6B;UAAA,qB;YAAE,yBtCsWQ,esCtWE,EtCsWF,CsCtWR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCgtBf,0D;YACI,IsCjtB0B,UtCsWQ,esCtWE,EtCsWF,CsCtWR,CtCitB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCrtBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC8VA,+B;MsC9VA,0BAOgC,yB;QtCqWhC,+B;esCrWgC,6B;UAAA,qB;YAAE,yBtCqWQ,esCrWE,EtCqWF,CsCrWR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC+sBf,0D;YACI,IsChtB0B,UtCqWQ,esCrWE,EtCqWF,CsCrWR,CtCgtB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCptBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC6VA,+B;MsC7VA,0BAOgC,yB;QtCoWhC,+B;esCpWgC,6B;UAAA,qB;YAAE,yBtCoWQ,esCpWE,EtCoWF,CsCpWR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC8sBf,0D;YACI,IsC/sB0B,UtCoWQ,esCpWE,EtCoWF,CsCpWR,CtC+sB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCntBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC4VA,+B;MsC5VA,0BAOgC,yB;QtCmWhC,+B;esCnWgC,6B;UAAA,qB;YAAE,yBtCmWQ,esCnWE,EtCmWF,CsCnWR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC6sBf,0D;YACI,IsC9sB0B,UtCmWQ,esCnWE,EtCmWF,CsCnWR,CtC8sB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCltBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC2VA,+B;MsC3VA,0BAOgC,yB;QtCkWhC,+B;esClWgC,6B;UAAA,qB;YAAE,yBtCkWQ,esClWE,EtCkWF,CsClWR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC4sBf,0D;YACI,IsC7sB0B,UtCkWQ,esClWE,EtCkWF,CsClWR,CtC6sB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCjtBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC0VA,+B;MsC1VA,0BAOgC,yB;QtCiWhC,+B;esCjWgC,6B;UAAA,qB;YAAE,yBtCiWQ,esCjWE,EtCiWF,CsCjWR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC2sBf,0D;YACI,IsC5sB0B,UtCiWQ,esCjWE,EtCiWF,CsCjWR,CtC4sB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsChtBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCyVA,+B;MsCzVA,0BAOgC,yB;QtCgWhC,+B;esChWgC,6B;UAAA,qB;YAAE,yBtCgWQ,esChWE,EtCgWF,CsChWR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0sBf,0D;YACI,IsC3sB0B,UtCgWQ,esChWE,EtCgWF,CsChWR,CtC2sB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/sBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCwVA,+B;MsCxVA,0BAOgC,yB;QtC+VhC,+B;esC/VgC,6B;UAAA,qB;YAAE,yBtC+VQ,esC/VE,EtC+VF,CsC/VR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCysBf,0D;YACI,IsC1sB0B,UtC+VQ,esC/VE,EtC+VF,CsC/VR,CtC0sB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC9sBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuVA,+B;MsCvVA,0BAOgC,yB;QtC8VhC,+B;esC9VgC,6B;UAAA,qB;YAAE,yBtC8VQ,esC9VE,EtC8VF,CsC9VR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwsBf,0D;YACI,IsCzsB0B,UtC8VQ,esC9VE,EtC8VF,CsC9VR,CtCysB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7sBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCsVA,+B;MsCtVA,0BAOgC,yB;QtC6VhC,+B;esC7VgC,6B;UAAA,qB;YAAE,yBtC6VQ,esC7VE,EtC6VF,CsC7VR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCusBf,0D;YACI,IsCxsB0B,UtC6VQ,esC7VE,EtC6VF,CsC7VR,CtCwsB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC5sBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqVA,+B;MsCrVA,0BAOgC,yB;QtC4VhC,+B;esC5VgC,6B;UAAA,qB;YAAE,yBtC4VQ,esC5VE,EtC4VF,CsC5VR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCssBf,0D;YACI,IsCvsB0B,UtC4VQ,esC5VE,EtC4VF,CsC5VR,CtCusB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC3sBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCoVA,+B;MsCpVA,0BAOgC,yB;QtC2VhC,+B;esC3VgC,6B;UAAA,qB;YAAE,yBtC2VQ,esC3VE,EtC2VF,CsC3VR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCqsBf,0D;YACI,IsCtsB0B,UtC2VQ,esC3VE,EtC2VF,CsC3VR,CtCssB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC1sBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCmVA,+B;MsCnVA,0BAOgC,yB;QtC0VhC,+B;esC1VgC,6B;UAAA,qB;YAAE,yBtC0VQ,esC1VE,EtC0VF,CsC1VR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCosBf,0D;YACI,IsCrsB0B,UtC0VQ,esC1VE,EtC0VF,CsC1VR,CtCqsB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCzsBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCkVA,+B;MsClVA,0BAOgC,yB;QtCyVhC,+B;esCzVgC,6B;UAAA,qB;YAAE,yBtCyVQ,esCzVE,EtCyVF,CsCzVR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCmsBf,0D;YACI,IsCpsB0B,UtCyVQ,esCzVE,EtCyVF,CsCzVR,CtCosB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCxsBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCiVA,+B;MsCjVA,0BAOgC,yB;QtCwVhC,+B;esCxVgC,6B;UAAA,qB;YAAE,yBtCwVQ,esCxVE,EtCwVF,CsCxVR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCksBf,0D;YACI,IsCnsB0B,UtCwVQ,esCxVE,EtCwVF,CsCxVR,CtCmsB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCvsBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCgVA,+B;MsChVA,0BAOgC,yB;QtCuVhC,+B;esCvVgC,6B;UAAA,qB;YAAE,yBtCuVQ,esCvVE,EtCuVF,CsCvVR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCisBf,0D;YACI,IsClsB0B,UtCuVQ,esCvVE,EtCuVF,CsCvVR,CtCksB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCtsBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC+UA,+B;MsC/UA,0BAOgC,yB;QtCsVhC,+B;esCtVgC,6B;UAAA,qB;YAAE,yBtCsVQ,esCtVE,EtCsVF,CsCtVR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCgsBf,0D;YACI,IsCjsB0B,UtCsVQ,esCtVE,EtCsVF,CsCtVR,CtCisB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCrsBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC8UA,+B;MsC9UA,0BAOgC,yB;QtCqVhC,+B;esCrVgC,6B;UAAA,qB;YAAE,yBtCqVQ,esCrVE,EtCqVF,CsCrVR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC+rBf,0D;YACI,IsChsB0B,UtCqVQ,esCrVE,EtCqVF,CsCrVR,CtCgsB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCpsBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC6UA,+B;MsC7UA,0BAOgC,yB;QtCoVhC,+B;esCpVgC,6B;UAAA,qB;YAAE,yBtCoVQ,esCpVE,EtCoVF,CsCpVR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC8rBf,0D;YACI,IsC/rB0B,UtCoVQ,esCpVE,EtCoVF,CsCpVR,CtC+rB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCnsBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC4UA,+B;MsC5UA,0BAOgC,yB;QtCmVhC,+B;esCnVgC,6B;UAAA,qB;YAAE,yBtCmVQ,esCnVE,EtCmVF,CsCnVR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC6rBf,0D;YACI,IsC9rB0B,UtCmVQ,esCnVE,EtCmVF,CsCnVR,CtC8rB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsClsBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC2UA,+B;MsC3UA,0BAOgC,yB;QtCkVhC,+B;esClVgC,6B;UAAA,qB;YAAE,yBtCkVQ,esClVE,EtCkVF,CsClVR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC4rBf,0D;YACI,IsC7rB0B,UtCkVQ,esClVE,EtCkVF,CsClVR,CtC6rB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCjsBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC0UA,+B;MsC1UA,0BAOgC,yB;QtCiVhC,+B;esCjVgC,6B;UAAA,qB;YAAE,yBtCiVQ,esCjVE,EtCiVF,CsCjVR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC2rBf,0D;YACI,IsC5rB0B,UtCiVQ,esCjVE,EtCiVF,CsCjVR,CtC4rB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsChsBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCyUA,+B;MsCzUA,0BAOgC,yB;QtCgVhC,+B;esChVgC,6B;UAAA,qB;YAAE,yBtCgVQ,esChVE,EtCgVF,CsChVR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0rBf,0D;YACI,IsC3rB0B,UtCgVQ,esChVE,EtCgVF,CsChVR,CtC2rB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/rBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCwUA,+B;MsCxUA,0BAOgC,yB;QtC+UhC,+B;esC/UgC,6B;UAAA,qB;YAAE,yBtC+UQ,esC/UE,EtC+UF,CsC/UR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCyrBf,0D;YACI,IsC1rB0B,UtC+UQ,esC/UE,EtC+UF,CsC/UR,CtC0rB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC9rBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuUA,+B;MsCvUA,0BAOgC,yB;QtC8UhC,+B;esC9UgC,6B;UAAA,qB;YAAE,yBtC8UQ,esC9UE,EtC8UF,CsC9UR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwrBf,0D;YACI,IsCzrB0B,UtC8UQ,esC9UE,EtC8UF,CsC9UR,CtCyrB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7rBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCsUA,+B;MsCtUA,0BAOgC,yB;QtC6UhC,+B;esC7UgC,6B;UAAA,qB;YAAE,yBtC6UQ,esC7UE,EtC6UF,CsC7UR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCurBf,0D;YACI,IsCxrB0B,UtC6UQ,esC7UE,EtC6UF,CsC7UR,CtCwrB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC5rBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqUA,+B;MsCrUA,0BAOgC,yB;QtC4UhC,+B;esC5UgC,6B;UAAA,qB;YAAE,yBtC4UQ,esC5UE,EtC4UF,CsC5UR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCsrBf,0D;YACI,IsCvrB0B,UtC4UQ,esC5UE,EtC4UF,CsC5UR,CtCurB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC3rBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCoUA,+B;MsCpUA,0BAOgC,yB;QtC2UhC,+B;esC3UgC,6B;UAAA,qB;YAAE,yBtC2UQ,esC3UE,EtC2UF,CsC3UR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCqrBf,0D;YACI,IsCtrB0B,UtC2UQ,esC3UE,EtC2UF,CsC3UR,CtCsrB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC1rBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCmUA,+B;MsCnUA,0BAOgC,yB;QtC0UhC,+B;esC1UgC,6B;UAAA,qB;YAAE,yBtC0UQ,esC1UE,EtC0UF,CsC1UR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCorBf,0D;YACI,IsCrrB0B,UtC0UQ,esC1UE,EtC0UF,CsC1UR,CtCqrB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCzrBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCkUA,+B;MsClUA,0BAOgC,yB;QtCyUhC,+B;esCzUgC,6B;UAAA,qB;YAAE,yBtCyUQ,esCzUE,EtCyUF,CsCzUR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCmrBf,0D;YACI,IsCprB0B,UtCyUQ,esCzUE,EtCyUF,CsCzUR,CtCorB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCxrBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCiUA,+B;MsCjUA,0BAOgC,yB;QtCwUhC,+B;esCxUgC,6B;UAAA,qB;YAAE,yBtCwUQ,esCxUE,EtCwUF,CsCxUR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCkrBf,0D;YACI,IsCnrB0B,UtCwUQ,esCxUE,EtCwUF,CsCxUR,CtCmrB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCvrBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCgUA,+B;MsChUA,0BAOgC,yB;QtCuUhC,+B;esCvUgC,6B;UAAA,qB;YAAE,yBtCuUQ,esCvUE,EtCuUF,CsCvUR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCirBf,0D;YACI,IsClrB0B,UtCuUQ,esCvUE,EtCuUF,CsCvUR,CtCkrB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCtrBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC+TA,+B;MsC/TA,0BAOgC,yB;QtCsUhC,+B;esCtUgC,6B;UAAA,qB;YAAE,yBtCsUQ,esCtUE,EtCsUF,CsCtUR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCgrBf,0D;YACI,IsCjrB0B,UtCsUQ,esCtUE,EtCsUF,CsCtUR,CtCirB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCrrBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC8TA,+B;MsC9TA,0BAOgC,yB;QtCqUhC,+B;esCrUgC,6B;UAAA,qB;YAAE,yBtCqUQ,esCrUE,EtCqUF,CsCrUR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC+qBf,0D;YACI,IsChrB0B,UtCqUQ,esCrUE,EtCqUF,CsCrUR,CtCgrB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCprBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC6TA,+B;MsC7TA,0BAOgC,yB;QtCoUhC,+B;esCpUgC,6B;UAAA,qB;YAAE,yBtCoUQ,esCpUE,EtCoUF,CsCpUR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC8qBf,0D;YACI,IsC/qB0B,UtCoUQ,esCpUE,EtCoUF,CsCpUR,CtC+qB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCnrBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC4TA,+B;MsC5TA,0BAOgC,yB;QtCmUhC,+B;esCnUgC,6B;UAAA,qB;YAAE,yBtCmUQ,esCnUE,EtCmUF,CsCnUR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC6qBf,0D;YACI,IsC9qB0B,UtCmUQ,esCnUE,EtCmUF,CsCnUR,CtC8qB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsClrBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC2TA,+B;MsC3TA,0BAOgC,yB;QtCkUhC,+B;esClUgC,6B;UAAA,qB;YAAE,yBtCkUQ,esClUE,EtCkUF,CsClUR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC4qBf,0D;YACI,IsC7qB0B,UtCkUQ,esClUE,EtCkUF,CsClUR,CtC6qB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCjrBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC0TA,+B;MsC1TA,0BAOgC,yB;QtCiUhC,+B;esCjUgC,6B;UAAA,qB;YAAE,yBtCiUQ,esCjUE,EtCiUF,CsCjUR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC2qBf,0D;YACI,IsC5qB0B,UtCiUQ,esCjUE,EtCiUF,CsCjUR,CtC4qB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsChrBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCyTA,+B;MsCzTA,0BAOgC,yB;QtCgUhC,+B;esChUgC,6B;UAAA,qB;YAAE,yBtCgUQ,esChUE,EtCgUF,CsChUR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0qBf,0D;YACI,IsC3qB0B,UtCgUQ,esChUE,EtCgUF,CsChUR,CtC2qB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/qBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCwTA,+B;MsCxTA,0BAOgC,yB;QtC+ThC,+B;esC/TgC,6B;UAAA,qB;YAAE,yBtC+TQ,esC/TE,EtC+TF,CsC/TR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCyqBf,0D;YACI,IsC1qB0B,UtC+TQ,esC/TE,EtC+TF,CsC/TR,CtC0qB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC9qBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuTA,+B;MsCvTA,0BAOgC,yB;QtC8ThC,+B;esC9TgC,6B;UAAA,qB;YAAE,yBtC8TQ,esC9TE,EtC8TF,CsC9TR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwqBf,0D;YACI,IsCzqB0B,UtC8TQ,esC9TE,EtC8TF,CsC9TR,CtCyqB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7qBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCsTA,+B;MsCtTA,0BAOgC,yB;QtC6ThC,+B;esC7TgC,6B;UAAA,qB;YAAE,yBtC6TQ,esC7TE,EtC6TF,CsC7TR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCuqBf,0D;YACI,IsCxqB0B,UtC6TQ,esC7TE,EtC6TF,CsC7TR,CtCwqB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC5qBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqTA,+B;MsCrTA,0BAOgC,yB;QtC4ThC,+B;esC5TgC,6B;UAAA,qB;YAAE,yBtC4TQ,esC5TE,EtC4TF,CsC5TR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCsqBf,0D;YACI,IsCvqB0B,UtC4TQ,esC5TE,EtC4TF,CsC5TR,CtCuqB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC3qBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCoTA,+B;MsCpTA,0BAOgC,yB;QtC2ThC,+B;esC3TgC,6B;UAAA,qB;YAAE,yBtC2TQ,esC3TE,EtC2TF,CsC3TR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCqqBf,0D;YACI,IsCtqB0B,UtC2TQ,esC3TE,EtC2TF,CsC3TR,CtCsqB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC1qBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCmTA,+B;MsCnTA,0BAOgC,yB;QtC0ThC,+B;esC1TgC,6B;UAAA,qB;YAAE,yBtC0TQ,esC1TE,EtC0TF,CsC1TR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCoqBf,0D;YACI,IsCrqB0B,UtC0TQ,esC1TE,EtC0TF,CsC1TR,CtCqqB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCzqBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCkTA,+B;MsClTA,0BAOgC,yB;QtCyThC,+B;esCzTgC,6B;UAAA,qB;YAAE,yBtCyTQ,esCzTE,EtCyTF,CsCzTR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCmqBf,0D;YACI,IsCpqB0B,UtCyTQ,esCzTE,EtCyTF,CsCzTR,CtCoqB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCxqBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCiTA,+B;MsCjTA,0BAOgC,yB;QtCwThC,+B;esCxTgC,6B;UAAA,qB;YAAE,yBtCwTQ,esCxTE,EtCwTF,CsCxTR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCkqBf,0D;

B;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAAY,OlCzwBU,KkCywBtB,C;O;KAPnB,C;IAUA,kC;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;6FAGpC,yB;MAAA,+C;MAkuFI,0D;MAluFJ,uC;QASkB,Q;QAAA,OAAa,SAAytFX,YAAztFF,SAAytFN,QAAQ,CAAztFW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAbX,C;6FAgBA,yB;MAAA,+C;MA0tFI,0D;MA1tFJ,uC;QASkB,Q;QAAA,OAAa,SAAitFX,YAAjtFF,SAAitFN,QAAQ,CAAjtFW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAbX,C;6FAgBA,yB;MAAA,+C;MAktFI,0D;MAltFJ,uC;QASkB,Q;QAAA,OAAa,SAAytFX,YAAztFF,SAAytFN,QAAQ,CAAztFW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAbX,C;6FAgBA,yB;MAAA,+C;MA0sFI,0D;MA1sFJ,uC;QASkB,Q;QAAA,OAAa,SAAisFX,YAAjsFF,SAAisFN,QAAQ,CAAjsFW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAbX,C;6FAgBA,yB;MAAA,+C;MAksFI,0D;MAlsFJ,uC;QASkB,Q;QAAA,OAAa,SAAysFX,YAAzsFF,SAAysFN,QAAQ,CAAzsFW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAbX,C;qFAgBA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP,EAAO,eAAP,EAAO,cAAP,IAAO,C;KATlB,C;qFAYA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP,EAAO,eAAP,EAAO,cAAP,IAAO,C;KATlB,C;qFAYA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP,EAAO,eAAP,EAAO,cAAP,IAAO,C;KATlB,C;qFAYA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP,EAAO,eAAP,EAAO,cAAP,IAAO,C;KATlB,C;IAYA,sC;MAAA,IAAI,mBAAJ,C;QAAA,OAAI,CAAJ,C;

AW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GA4B,I;K;iGAGvC,gC;MASoB,Q;MAFhB,aAAoB,I;MACpB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MASoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MASoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;IAGX,+B;MxBrhDI,IAAI,EwB+hDI,KAAK,CxB/hDT,CAAJ,C;QACI,cwB8hDc,sD;QxB7hDd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MwB8hDV,OAAO,uBAAoB,gBAAqB,IAAO,CAAP,GAAW,IAAO,CAAP,GAAW,IAAO,CAAP,GAAW

I,IAAJ,C;YACL,WAAW,I;;;QAEnB,OAAO,I;O;KAlBX,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAgRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhRa,SAgRT,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAhR1D,OAiRO,W;O;KA1RX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAiRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjRc,SAiRV,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAjR3D,OAkRO,W;O;KA3RX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAkRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAlRe,SAkRX,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAlR5D,OAmRO,W;O;KA5RX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAmRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAnRgB,SAmRZ,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAnR7D,OAoRO,W;O;KA7RX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAoRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IApRiB,SAoRb,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QApR9D,OAqRO,W;O;KA9RX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAqRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IArRkB,SAqRd,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QArR/D,OAsRO,W;O;KA/RX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAsRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAtRmB,SAsRf,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAtRhE,OAuRO,W;O;KAhSX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAuRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAvRoB,SAuRhB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAvRjE,OAwRO,W;O;KAjSX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAwRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAxRqB,SAwRjB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxRlE,OAyRO,W;O;KAlSX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAyRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAzRsB,SAyRlB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzRnE,OA0RO,W;O;KAnSX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA0RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA1RuB,SA0RnB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1RpE,OA2RO,W;O;KApSX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA2RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3RwB,SA2RpB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3RrE,OA4RO,W;O;KArSX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA4RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA5RyB,SA4RrB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5RtE,OA6RO,W;O;KAtSX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA6RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA7R0B,SA6RtB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA7RvE,OA8RO,W;O;KAvSX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA8RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA9R2B,SA8RvB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA9RxE,OA+RO,W;O;KAxSX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA+RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA/R4B,SA+RxB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA/RzE,OAgSO,W;O;KAzSX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAgSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhS6B,SAgSzB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAhS1E,OAiSO,W;O;KA1SX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAiSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjS8B,SAiS1B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAjS3E,OAkSO,W;O;KA3SX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAkSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAlS+B,SAkS3B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAlS5E,OAmSO,W;O;KA5SX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAmSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAnSgC,SAmS5B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAnS7E,OAoSO,W;O;KA7SX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAoSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IApSiC,SAoS7B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QApS9E,OAqSO,W;O;KA9SX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAqSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IArSkC,SAqS9B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QArS/E,OAsSO,W;O;KA/SX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAsSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAtSmC,SAsS/B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAtShF,OAuSO,W;O;KAhTX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAuSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAvSoC,SAuShC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAvSjF,OAwSO,W;O;KAjTX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAwSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAxSqC,SAwSjC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxSlF,OAySO,W;O;KAlTX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAySA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAzSsC,SAySlC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzSnF,OA0SO,W;O;KAnTX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA0SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA1SuC,SA0SnC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1SpF,OA2SO,W;O;KApTX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA2SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3SwC,SA2SpC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3SrF,OA4SO,W;O;KArTX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA4SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA5SyC,SA4SrC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5StF,OA6SO,W;O;KAtTX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA6SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA7S0C,SA6StC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA7SvF,OA8SO,W;O;KAvTX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA8SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA9S2C,SA8SvC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA9SxF,OA+SO,W;O;KAxTX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA+SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA/S4C,SA+SxC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA/SzF,OAgTO,W;O;KAzTX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAgTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhT6C,SAgTzC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAhT1F,OAiTO,W;O;KA1TX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAiTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjT8C,SAiT1C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAjT3F,OAkTO,W;O;KA3TX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAkTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAlT+C,SAkT3C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAlT5F,OAmTO,W;O;KA5TX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAmTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAnTgD,SAmT5C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAnT7F,OAoTO,W;O;KA7TX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAoTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IApTiD,SAoT7C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QApT9F,OAqTO,W;O;KA9TX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAqTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IArTkD,SAqT9C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QArT/F,OAsTO,W;O;KA/TX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAsTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAtTmD,SAsT/C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAtThG,OAuTO,W;O;KAhUX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAuTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAvToD,SAuThD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAvTjG,OAwTO,W;O;KAjUX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAwTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAxTqD,SAwTjD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxTlG,OAyTO,W;O;KAlUX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAyTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAzTsD,SAyTlD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzTnG,OA0TO,W;O;KAnUX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA0TA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA1TuD,SA0TnD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1TpG,OA2TO,W;O;KApUX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA2TA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3TwD,SA2TpD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3TrG,OA4TO,W;O;KArUX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA4TA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA5TyD,SA4TrD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5TtG,OA6TO,W;O;KAtUX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA6TA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA7T0D,SA6TtD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA7TvG,OA8TO,W;O;KAvUX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA8TA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA9T2D,SA8TvD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA9TxG,OA+TO,W;O;KAxUX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA+TA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA/T4D,SA+TxD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA/TzG,OAgUO,W;O;KAzUX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAgUA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhU6D,SAgUzD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAhU1G,OAiUO,W;O;KA1UX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAiUA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjU8D,SAiU1D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAjU3G,OAkUO,W;O;KA3UX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAkUA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAlU+D,SAkU3D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAlU5G,OAmUO,W;O;KA5UX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAmUA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAnUgE,SAmU5D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAnU7G,OAoUO,W;O;KA7UX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAoUA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IApUiE,SAoU7D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QApU9G,OAqUO,W;O;KA9UX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAqUA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IArUkE,SAqU9D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QArU/G,OAsUO,W;O;KA/UX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAsUA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAtUmE,SAsU/D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAtUhH,OAuUO,W;O;KAhVX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAuUA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAvUoE,SAuUhE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAvUjH,OAwUO,W;O;KAjVX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAwUA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAxUqE,SAwUjE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxUlH,OAyUO,W;O;KAlVX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAyUA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAzUsE,SAyUlE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzUnH,OA0UO,W;O;KAnVX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA0UA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA1UuE,SA0UnE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1UpH,OA2UO,W;O;KApVX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA2UA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3UwE,SA2UpE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3UrH,OA4UO,W;O;KArVX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA4UA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA5UyE,SA4UrE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5UtH,OA6UO,W;O;KAtVX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA6UA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA7U0E,SA6UtE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA7UvH,OA8UO,W;O;KAvVX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA8UA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA9U2E,SA8UvE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA9UxH,OA+UO,W;O;KAxVX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA+UA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA/U4E,SA+UxE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA/UzH,OAgVO,W;O;KAzVX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAgVA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhV6E,SAgVzE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAhV1H,OAiVO,W;O;KA1VX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAiVA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjV8E,SAiV1E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAjV3H,OAkVO,W;O;KA3VX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAkVA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAlV+E,SAkV3E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAlV5H,OAmVO,W;O;KA5VX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAmVA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAnVgF,SAmV5E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAnV7H,OAoVO,W;O;KA7VX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAoVA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IApViF,SAoV7E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QApV9H,OAqVO,W;O;KA9VX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAqVA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IArVkF,SAqV9E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QArV/H,OAsVO,W;O;KA/VX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAsVA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAtVmF,SAsV/E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAtVhI,OAuVO,W;O;KAhWX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAuVA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAvVoF,SAuVhF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAvVjI,OAwVO,W;O;KAjWX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAwVA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAxVqF,SAwVjF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxVlI,OAyVO,W;O;KAlWX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAyVA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAzVsF,SAyVlF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzVnI,OA0VO,W;O;KAnWX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA0VA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA1VuF,SA0VnF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1VpI,OA2VO,W;O;KApWX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA2VA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3VwF,SA2VpF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3VrI,OA4VO,W;O;KArWX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA4VA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA5VyF,SA4VrF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5VtI,OA6VO,W;O;KAtWX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA6VA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA7V0F,SA6VtF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA7VvI,OA8VO,W;O;KAvWX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA8VA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA9V2F,SA8VvF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA9VxI,OA+VO,W;O;KAxWX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA+VA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA/V4F,SA+VxF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA/VzI,OAgWO,W;O;KAzWX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAgWA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhW6F,SAgWzF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAhW1I,OAiWO,W;O;KA1WX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAiWA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjW8F,SAiW1F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAjW3I,OAkWO,W;O;KA3WX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAkWA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAlW+F,SAkW3F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAlW5I,OAmWO,W;O;KA5WX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAmWA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAnWgG,SAmW5F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAnW7I,OAoWO,W;O;KA7WX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAoWA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IApWiG,SAoW7F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QApW9I,OAqWO,W;O;KA9WX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAqWA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IArWkG,SAqW9F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QArW/I,OAsWO,W;O;KA/WX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAsWA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAtWmG,SAsW/F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAtWhJ,OAuWO,W;O;KAhXX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAuWA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAvWoG,SAuWhG,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAvWjJ,OAwWO,W;O;KAjXX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAwWA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAxWqG,SAwWjG,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxWlJ,OAyWO,W;O;KAlXX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAyWA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAzWsG,SAyWlG,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzWnJ,OA0WO,W;O;KAnXX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA0WA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA1WuG,SA0WnG,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1WpJ,OA2WO,W;O;KApXX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA2WA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3WwG,SA2WpG,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3WrJ,OA4WO,W;O;KArXX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA4WA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA5WyG,SA4WrG,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5WtJ,OA6WO,W;O;KAtXX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA6WA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAA

I,OAAJ,C;;MAC1D,OAAO,W;K;IAGX,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCvjEe,W;;MgCwjEtC,OAA4D,SA0iDrD,cAAkB,cAAR,iBAAQ,EA1iDN,OAAQ,MA0iDF,EA1iDS,OAAQ,aAAR,GAAuB,CAAvB,IA0iDT,CAAlB,CA1iDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCjkEe,W;;MgCkkEtC,OAA4D,SAgjDrD,eAAmB,cAAR,iBAAQ,EAhjDP,OAAQ,MAgjDD,EAhjDS,OAAQ,aAAR,GAAuB,CAAvB,IAgjDR,CAAnB,CAhjDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC3kEe,W;;MgC4kEtC,OAA4D,UAsjDrD,eAAmB,cAAR,iBAAQ,EAtjDP,OAAQ,MAsjDD,EAtjDS,OAAQ,aAAR,GAAuB,CAAvB,IAsjDR,CAAnB,CAtjDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCrlEe,W;;MgCslEtC,OAA4D,UA4jDrD,eAAmB,cAAR,iBAAQ,EA5jDP,OAAQ,MA4jDD,EA5jDS,OAAQ,aAAR,GAAuB,CAAvB,IA4jDR,CAAnB,CA5jDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC/lEe,W;;MgCgmEtC,OAA4D,UAkkDrD,eAAmB,cAAR,iBAAQ,EAlkDP,OAAQ,MAkkDD,EAlkDS,OAAQ,aAAR,GAAuB,CAAvB,IAkkDR,CAAnB,CAlkDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCznEe,W;;MgC0nEtC,OAA4D,UAwkDrD,eAAmB,cAAR,iBAAQ,EAxkDP,OAAQ,MAwkDD,EAxkDS,OAAQ,aAAR,GAAuB,CAAvB,IAwkDR,CAAnB,CAxkDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCnpEe,W;;MgCopEtC,OAA4D,UA8kDrD,eAAmB,cAAR,iBAAQ,EA9kDP,OAAQ,MA8kDD,EA9kDS,OAAQ,aAAR,GAAuB,CAAvB,IA8kDR,CAAnB,CA9kDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCzqEe,W;;MgC0qEtC,OAA4D,UAolDrD,eAAmB,cAAR,iBAAQ,EAplDP,OAAQ,MAolDD,EAplDS,OAAQ,aAAR,GAAuB,CAAvB,IAolDR,CAAnB,CAplDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC7rEe,W;;MgC8rEtC,OAA4D,UA0lDrD,eAAmB,cAAR,iBAAQ,EA1lDP,OAAQ,MA0lDD,EA1lDS,OAAQ,aAAR,GAAuB,CAAvB,IA0lDR,CAAnB,CA1lDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCjtEe,W;;MgCktEtC,OAA4D,UAgmDrD,eAAmB,cAAR,iBAAQ,EAhmDP,OAAQ,MAgmDD,EAhmDS,OAAQ,aAAR,GAAuB,CAAvB,IAgmDR,CAAnB,CAhmDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCruEe,W;;MgCsuEtC,OAA4D,UAsmDrD,eAAmB,cAAR,iBAAQ,EAtmDP,OAAQ,MAsmDD,EAtmDS,OAAQ,aAAR,GAAuB,CAAvB,IAsmDR,CAAnB,CAtmDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCzvEe,W;;MgC0vEtC,OAA4D,UA4mDrD,eAAmB,cAAR,iBAAQ,EA5mDP,OAAQ,MA4mDD,EA5mDS,OAAQ,aAAR,GAAuB,CAAvB,IA4mDR,CAAnB,CA5mDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC7wEe,W;;MgC8wEtC,OAA4D,UAknDrD,eAAmB,cAAR,iBAAQ,EAlnDP,OAAQ,MAknDD,EAlnDS,OAAQ,aAAR,GAAuB,CAAvB,IAknDR,CAAnB,CAlnDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCjyEe,W;;MgCkyEtC,OAA4D,UAwnDrD,eAAmB,cAAR,iBAAQ,EAxnDP,OAAQ,MAwnDD,EAxnDS,OAAQ,aAAR,GAAuB,CAAvB,IAwnDR,CAAnB,CAxnDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCrzEe,W;;MgCszEtC,OAA4D,UA8nDrD,eAAmB,cAAR,iBAAQ,EA9nDP,OAAQ,MA8nDD,EA9nDS,OAAQ,aAAR,GAAuB,CAAvB,IA8nDR,CAAnB,CA9nDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC70EgB,W;;MgC80EvC,OAA4D,UAooDrD,eAAmB,cAAR,iBAAQ,EApoDP,OAAQ,MAooDD,EApoDS,OAAQ,aAAR,GAAuB,CAAvB,IAooDR,CAAnB,CApoDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCj2EgB,W;;MgCk2EvC,OAA4D,UA0oDrD,eAAmB,cAAR,iBAAQ,EA1oDP,OAAQ,MA0oDD,EA1oDS,OAAQ,aAAR,GAAuB,CAAvB,IA0oDR,CAAnB,CA1oDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCr3EgB,W;;MgCs3EvC,OAA4D,UAgpDrD,eAAmB,cAAR,iBAAQ,EAhpDP,OAAQ,MAgpDD,EAhpDS,OAAQ,aAAR,GAAuB,CAAvB,IAgpDR,CAAnB,CAhpDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC14EgB,W;;MgC24EvC,OAA4D,UAspDrD,eAAmB,cAAR,iBAAQ,EAtpDP,OAAQ,MAspDD,EAtpDS,OAAQ,aAAR,GAAuB,CAAvB,IAspDR,CAAnB,CAtpDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCh6EgB,W;;MgCi6EvC,OAA4D,UA4pDrD,eAAmB,cAAR,iBAAQ,EA5pDP,OAAQ,MA4pDD,EA5pDS,OAAQ,aAAR,GAAuB,CAAvB,IA4pDR,CAAnB,CA5pDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCp7EgB,W;;MgCq7EvC,OAA4D,UAkqDrD,eAAmB,cAAR,iBAAQ,EAlqDP,OAAQ,MAkqDD,EAlqDS,OAAQ,aAAR,GAAuB,CAAvB,IAkqDR,CAAnB,CAlqDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCx8EgB,W;;MgCy8EvC,OAA4D,UAwqDrD,eAAmB,cAAR,iBAAQ,EAxqDP,OAAQ,MAwqDD,EAxqDS,OAAQ,aAAR,GAAuB,CAAvB,IAwqDR,CAAnB,CAxqDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC59EgB,W;;MgC69EvC,OAA4D,UA8qDrD,eAAmB,cAAR,iBAAQ,EA9qDP,OAAQ,MA8qDD,EA9qDS,OAAQ,aAAR,GAAuB,CAAvB,IA8qDR,CAAnB,CA9qDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCh/EgB,W;;MgCi/EvC,OAA4D,UAorDrD,eAAmB,cAAR,iBAAQ,EAprDP,OAAQ,MAorDD,EAprDS,OAAQ,aAAR,GAAuB,CAAvB,IAorDR,CAAnB,CAprDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCpgFgB,W;;MgCqgFvC,OAA4D,UA0rDrD,eAAmB,cAAR,iBAAQ,EA1rDP,OAAQ,MA0rDD,EA1rDS,OAAQ,aAAR,GAAuB,CAAvB,IA0rDR,CAAnB,CA1rDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCxhFgB,W;;MgCyhFvC,OAA4D,UAgsDrD,eAAmB,cAAR,iBAAQ,EAhsDP,OAAQ,MAgsDD,EAhsDS,OAAQ,aAAR,GAAuB,CAAvB,IAgsDR,CAAnB,CAhsDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC5iFgB,W;;MgC6iFvC,OAA4D,UAssDrD,eAAmB,cAAR,iBAAQ,EAtsDP,OAAQ,MAssDD,EAtsDS,OAAQ,aAAR,GAAuB,CAAvB,IAssDR,CAAnB,CAtsDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCpjFgB,W;;MgCqjFvC,OAA4D,UA4sDrD,eAAmB,cAAR,iBAAQ,EA5sDP,OAAQ,MA4sDD,EA5sDS,OAAQ,aAAR,GAAuB,CAAvB,IA4sDR,CAAnB,CA5sDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCxkFgB,W;;MgCykFvC,OAA4D,UAktDrD,eAAmB,cAAR,iBAAQ,EAltDP,OAAQ,MAktDD,EAltDS,OAAQ,aAAR,GAAuB,CAAvB,IAktDR,CAAnB,CAltDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC5lFgB,W;;MgC6lFvC,OAA4D,UAwtDrD,eAAmB,cAAR,iBAAQ,EAxtDP,OAAQ,MAwtDD,EAxtDS,OAAQ,aAAR,GAAuB,CAAvB,IAwtDR,CAAnB,CAxtDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCxmFgB,W;;MgCymFvC,OAA4D,UA8tDrD,eAAmB,cAAR,iBAAQ,EA9tDP,OAAQ,MA8tDD,EA9tDS,OAAQ,aAAR,GAAuB,CAAvB,IA8tDR,CAAnB,CA9tDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCpnFgB,W;;MgCqnFvC,OAA4D,UAouDrD,eAAmB,cAAR,iBAAQ,EApuDP,OAAQ,MAouDD,EApuDS,OAAQ,aAAR,GAAuB,CAAvB,IAouDR,CAAnB,CApuDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCxoFgB,W;;MgCyoFvC,OAA4D,UA0uDrD,eAAmB,cAAR,iBAAQ,EA1uDP,OAAQ,MA0uDD,EA1uDS,OAAQ,aAAR,GAAuB,CAAvB,IA0uDR,CAAnB,CA1uDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC5pFgB,W;;MgC6pFvC,OAA4D,UAgvDrD,eAAmB,cAAR,iBAAQ,EAhvDP,OAAQ,MAgvDD,EAhvDS,OAAQ,aAAR,GAAuB,CAAvB,IAgvDR,CAAnB,CAhvDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCxqFgB,W;;MgCyqFvC,OAA4D,UAsvDrD,eAAmB,cAAR,iBAAQ,EAtvDP,OAAQ,MAsvDD,EAtvDS,OAAQ,aAAR,GAAuB,CAAvB,IAsvDR,CAAnB,CAtvDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCprFgB,W;;MgCqrFvC,OAA4D,UA4vDrD,eAAmB,cAAR,iBAAQ,EA5vDP,OAAQ,MA4vDD,EA5vDS,OAAQ,aAAR,GAAuB,CAAvB,IA4vDR,CAAnB,CA5vDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCjsFgB,W;;MgCksFvC,OAA4D,UAkwDrD,eAAmB,cAAR,iBAAQ,EAlwDP,OAAQ,MAkwDD,EAlwDS,OAAQ,aAAR,GAAuB,CAAvB,IAkwDR,CAAnB,CAlwDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCzsFgB,W;;MgC0sFvC,OAA4D,UAwwDrD,eAAmB,cAAR,iBAAQ,EAxwDP,OAAQ,MAwwDD,EAxwDS,OAAQ,aAAR,GAAuB,CAAvB,IAwwDR,CAAnB,CAxwDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCjtFgB,W;;MgCktFvC,OAA4D,UAgxDrD,eAAmB,cAAR,iBAAQ,EAhxDP,OAAQ,MAgxDD,EAhxDS,OAAQ,aAAR,GAAuB,CAAvB,IAgxDR,CAAnB,CAhxDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCruFgB,W;;MgCsuFvC,OAA4D,UAsxDrD,eAAmB,cAAR,iBAAQ,EAtxDP,OAAQ,MAsxDD,EAtxDS,OAAQ,aAAR,GAAuB,CAAvB,IAsxDR,CAAnB,CAtxDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCzvFgB,W;;MgC0vFvC,OAA4D,UA4xDrD,eAAmB,cAAR,iBAAQ,EA5xDP,OAAQ,MA4xDD,EA5xDS,OAAQ,aAAR,GAAuB,CAAvB,IA4xDR,CAAnB,CA5xDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC7wFgB,W;;MgC8wFvC,OAA4D,UAkyDrD,eAAmB,cAAR,iBAAQ,EAlyDP,OAAQ,MAkyDD,EAlyDS,OAAQ,aAAR,GAAuB,CAAvB,IAkyDR,CAAnB,CAlyDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCjyFgB,W;;MgCkyFvC,OAA4D,UAwyDrD,eAAmB,cAAR,iBAAQ,EAxyDP,OAAQ,MAwyDD,EAxyDS,OAAQ,aAAR,GAAuB,CAAvB,IAwyDR,CAAnB,CAxyDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCrzFgB,W;;MgCszFvC,OAA4D,UA8yDrD,eAAmB,cAAR,iBAAQ,EA9yDP,OAAQ,MA8yDD,EA9yDS,OAAQ,aAAR,GAAuB,CAAvB,IA8yDR,CAAnB,CA9yDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC70FgB,W;;MgC80FvC,OAA4D,UAozDrD,eAAmB,cAAR,iBAAQ,EApzDP,OAAQ,MAozDD,EApzDS,OAAQ,aAAR,GAAuB,CAAvB,IAozDR,CAAnB,CApzDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCj2FgB,W;;MgCk2FvC,OAA4D,UA0zDrD,eAAmB,cAAR,iBAAQ,EA1zDP,OAAQ,MA0zDD,EA1zDS,OAAQ,aAAR,GAAuB,CAAvB,IA0zDR,CAAnB,CA1zDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCr3FgB,W;;MgCs3FvC,OAA4D,UAg0DrD,eAAmB,cAAR,iBAAQ,EAh0DP,OAAQ,MAg0DD,EAh0DS,OAAQ,aAAR,GAAuB,CAAvB,IAg0DR,CAAnB,CAh0DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC14FgB,W;;MgC24FvC,OAA4D,UAs0DrD,eAAmB,cAAR,iBAAQ,EAt0DP,OAAQ,MAs0DD,EAt0DS,OAAQ,aAAR,GAAuB,CAAvB,IAs0DR,CAAnB,CAt0DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCh6FgB,W;;MgCi6FvC,OAA4D,UA40DrD,eAAmB,cAAR,iBAAQ,EA50DP,OAAQ,MA40DD,EA50DS,OAAQ,aAAR,GAAuB,CAAvB,IA40DR,CAAnB,CA50DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCp7FgB,W;;MgCq7FvC,OAA4D,UAk1DrD,eAAmB,cAAR,iBAAQ,EAl1DP,OAAQ,MAk1DD,EAl1DS,OAAQ,aAAR,GAAuB,CAAvB,IAk1DR,CAAnB,CAl1DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCx8FgB,W;;MgCy8FvC,OAA4D,UAw1DrD,eAAmB,cAAR,iBAAQ,EAx1DP,OAAQ,MAw1DD,EAx1DS,OAAQ,aAAR,GAAuB,CAAvB,IAw1DR,CAAnB,CAx1DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC59FgB,W;;MgC69FvC,OAA4D,UA81DrD,eAAmB,cAAR,iBAAQ,EA91DP,OAAQ,MA81DD,EA91DS,OAAQ,aAAR,GAAuB,CAAvB,IA81DR,CAAnB,CA91DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCh/FgB,W;;MgCi/FvC,OAA4D,UAo2DrD,eAAmB,cAAR,iBAAQ,EAp2DP,OAAQ,MAo2DD,EAp2DS,OAAQ,aAAR,GAAuB,CAAvB,IAo2DR,CAAnB,CAp2DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCpgGgB,W;;MgCqgGvC,OAA4D,UA02DrD,eAAmB,cAAR,iBAAQ,EA12DP,OAAQ,MA02DD,EA12DS,OAAQ,aAAR,GAAuB,CAAvB,IA02DR,CAAnB,CA12DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCxhGgB,W;;MgCyhGvC,OAA4D,UAg3DrD,eAAmB,cAAR,iBAAQ,EAh3DP,OAAQ,MAg3DD,EAh3DS,OAAQ,aAAR,GAAuB,CAAvB,IAg3DR,CAAnB,CAh3DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC5iGgB,W;;MgC6iGvC,OAA4D,UAs3DrD,eAAmB,cAAR,iBAAQ,EAt3DP,OAAQ,MAs3DD,EAt3DS,OAAQ,aAAR,GAAuB,CAAvB,IAs3DR,CAAnB,CAt3DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCpjGgB,W;;MgCqjGvC,OAA4D,UA43DrD,eAAmB,cAAR,iBAAQ,EA53DP,OAAQ,MA43DD,EA53DS,OAAQ,aAAR,GAAuB,CAAvB,IA43DR,CAAnB,CA53DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCxkGgB,W;;MgCykGvC,OAA4D,UAk4DrD,eAAmB,cAAR,iBAAQ,EAl4DP,OAAQ,MAk4DD,EAl4DS,OAAQ,aAAR,GAAuB,CAAvB,IAk4DR,CAAnB,CAl4DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC5lGgB,W;;MgC6lGvC,OAA4D,UAw4DrD,eAAmB,cAAR,iBAAQ,EAx4DP,OAAQ,MAw4DD,EAx4DS,OAAQ,aAAR,GAAuB,CAAvB,IAw4DR,CAAnB,CAx4DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCxmGgB,W;;MgCymGvC,OAA4D,UA84DrD,eAAmB,cAAR,iBAAQ,EA94DP,OAAQ,MA84DD,EA94DS,OAAQ,aAAR,GAAuB,CAAvB,IA84DR,CAAnB,CA94DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCpnGgB,W;;MgCqnGvC,OAA4D,UAo5DrD,eAAmB,cAAR,iBAAQ,EAp5DP,OAAQ,MAo5DD,EAp5DS,OAAQ,aAAR,GAAuB,CAAvB,IAo5DR,CAAnB,CAp5DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCxoGgB,W;;MgCyoGvC,OAA4D,UA05DrD,eAAmB,cAAR,iBAAQ,EA15DP,OAAQ,MA05DD,EA15DS,OAAQ,aAAR,GAAuB,CAAvB,IA05DR,CAAnB,CA15DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC5pGgB,W;;MgC6pGvC,OAA4D,UAg6DrD,eAAmB,cAAR,iBAAQ,EAh6DP,OAAQ,MAg6DD,EAh6DS,OAAQ,aAAR,GAAuB,CAAvB,IAg6DR,CAAnB,CAh6DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCxqGgB,W;;MgCyqGvC,OAA4D,UAs6DrD,eAAmB,cAAR,iBAAQ,EAt6DP,OAAQ,MAs6DD,EAt6DS,OAAQ,aAAR,GAAuB,CAAvB,IAs6DR,CAAnB,CAt6DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCprGgB,W;;MgCqrGvC,OAA4D,UA46DrD,eAAmB,cAAR,iBAAQ,EA56DP,OAAQ,MA46DD,EA56DS,OAAQ,aAAR,GAAuB,CAAvB,IA46DR,CAAnB,CA56DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCjsGgB,W;;MgCksGvC,OAA4D,UAk7DrD,eAAmB,cAAR,iBAAQ,EAl7DP,OAAQ,MAk7DD,EAl7DS,OAAQ,aAAR,GAAuB,CAAvB,IAk7DR,CAAnB,CAl7DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCzsGgB,W;;MgC0sGvC,OAA4D,UAw7DrD,eAAmB,cAAR,iBAAQ,EAx7DP,OAAQ,MAw7DD,EAx7DS,OAAQ,aAAR,GAAuB,CAAvB,IAw7DR,CAAnB,CAx7DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCjtGgB,W;;MgCktGvC,OAA4D,UAg8DrD,eAAmB,cAAR,iBAAQ,EAh8DP,OAAQ,MAg8DD,EAh8DS,OAAQ,aAAR,GAAuB,CAAvB,IAg8DR,CAAnB,CAh8DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCruGgB,W;;MgCsuGvC,OAA4D,UAs8DrD,eAAmB,cAAR,iBAAQ,EAt8DP,OAAQ,MAs8DD,EAt8DS,OAAQ,aAAR,GAAuB,CAAvB,IAs8DR,CAAnB,CAt8DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCzvGgB,W;;MgC0vGvC,OAA4D,UA48DrD,eAAmB,cAAR,iBAAQ,EA58DP,OAAQ,MA48DD,EA58DS,OAAQ,aAAR,GAAuB,CAAvB,IA48DR,CAAnB,CA58DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC7wGgB,W;;MgC8wGvC,OAA4D,UAk9DrD,eAAmB,cAAR,iBAAQ,EAl9DP,OAAQ,MAk9DD,EAl9DS,OAAQ,aAAR,GAAuB,CAAvB,IAk9DR,CAAnB,CAl9DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCjyGgB,W;;MgCkyGvC,OAA4D,UAw9DrD,eAAmB,cAAR,iBAAQ,EAx9DP,OAAQ,MAw9DD,EAx9DS,OAAQ,aAAR,GAAuB,CAAvB,IAw9DR,CAAnB,CAx9DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCrzGgB,W;;MgCszGvC,OAA4D,UA89DrD,eAAmB,cAAR,iBAAQ,EA99DP,OAAQ,MA89DD,EA99DS,OAAQ,aAAR,GAAuB,CAAvB,IA89DR,CAAnB,CA99DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC70GgB,W;;MgC80GvC,OAA4D,UAo+DrD,eAAmB,cAAR,iBAAQ,EAp+DP,OAAQ,MAo+DD,EAp+DS,OAAQ,aAAR,GAAuB,CAAvB,IAo+DR,CAAnB,CAp+DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCj2GgB,W;;MgCk2GvC,OAA4D,UA0+DrD,eAAmB,cAAR,iBAAQ,EA1+DP,OAAQ,MA0+DD,EA1+DS,OAAQ,aAAR,GAAuB,CAAvB,IA0+DR,CAAnB,CA1+DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCr3GgB,W;;MgCs3GvC,OAA4D,UAg/DrD,eAAmB,cAAR,iBAAQ,EAh/DP,OAAQ,MAg/DD,EAh/DS,OAAQ,aAAR,GAAuB,CAAvB,IAg/DR,CAAnB,CAh/DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC14GgB,W;;MgC24GvC,OAA4D,UAs/DrD,eAAmB,cAAR,iBAAQ,EAt/DP,OAAQ,MAs/DD,EAt/DS,OAAQ,aAAR,GAAuB,CAAvB,IAs/DR,CAAnB,CAt/DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCh6GgB,W;;MgCi6GvC,OAA4D,UA4/DrD,eAAmB,cAAR,iBAAQ,EA5/DP,OAAQ,MA4/DD,EA5/DS,OAAQ,aAAR,GAAuB,CAAvB,IA4/DR,CAAnB,CA5/DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCp7GgB,W;;MgCq7GvC,OAA4D,UAkgErD,eAAmB,cAAR,iBAAQ,EAlgEP,OAAQ,MAkgED,EAlgES,OAAQ,aAAR,GAAuB,CAAvB,IAkgER,CAAnB,CAlgEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCx8GgB,W;;MgCy8GvC,OAA4D,UAwgErD,eAAmB,cAAR,iBAAQ,EAxgEP,OAAQ,MAwgED,EAxgES,OAAQ,aAAR,GAAuB,CAAvB,IAwgER,CAAnB,CAxgEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC59GgB,W;;MgC69GvC,OAA4D,UA8gErD,eAAmB,cAAR,iBAAQ,EA9gEP,OAAQ,MA8gED,EA9gES,OAAQ,aAAR,GAAuB,CAAvB,IA8gER,CAAnB,CA9gEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCh/GgB,W;;MgCi/GvC,OAA4D,UAohErD,eAAmB,cAAR,iBAAQ,EAphEP,OAAQ,MAohED,EAphES,OAAQ,aAAR,GAAuB,CAAvB,IAohER,CAAnB,CAphEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCpgHgB,W;;MgCqgHvC,OAA4D,UA0hErD,eAAmB,cAAR,iBAAQ,EA1hEP,OAAQ,MA0hED,EA1hES,OAAQ,aAAR,GAAuB,CAAvB,IA0hER,CAAnB,CA1hEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCxhHgB,W;;MgCyhHvC,OAA4D,UAgiErD,eAAmB,cAAR,iBAAQ,EAhiEP,OAAQ,MAgiED,EAhiES,OAAQ,aAAR,GAAuB,CAAvB,IAgiER,CAAnB,CAhiEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC5iHgB,W;;MgC6iHvC,OAA4D,UAsiErD,eAAmB,cAAR,iBAAQ,EAtiEP,OAAQ,MAsiED,EAtiES,OAAQ,aAAR,GAAuB,CAAvB,IAsiER,CAAnB,CAtiEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCpjHgB,W;;MgCqjHvC,OAA4D,UA4iErD,eAAmB,cAAR,iBAAQ,EA5iEP,OAAQ,MA4iED,EA5iES,OAAQ,aAAR,GAAuB,CAAvB,IA4iER,CAAnB,CA5iEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCxkHgB,W;;MgCykHvC,OAA4D,UAkjErD,eAAmB,cAAR,iBAAQ,EAljEP,OAAQ,MAkjED,EAljES,OAAQ,aAAR,GAAuB,CAAvB,IAkjER,CAAnB,CAljEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC5lHgB,W;;MgC6lHvC,OAA4D,UAwjErD,eAAmB,cAAR,iBAAQ,EAxjEP,OAAQ,MAwjED,EAxjES,OAAQ,aAAR,GAAuB,CAAvB,IAwjER,CAAnB,CAxjEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCxmHgB,W;;MgCymHvC,OAA4D,UA8jErD,eAAmB,cAAR,iBAAQ,EA9jEP,OAAQ,MA8jED,EA9jES,OAAQ,aAAR,GAAuB,CAAvB,IA8jER,CAAnB,CA9jEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCpnHgB,W;;MgCqnHvC,OAA4D,UAokErD,eAAmB,cAAR,iBAAQ,EApkEP,OAAQ,MAokED,EApkES,OAAQ,aAAR,GAAuB,CAAvB,IAokER,CAAnB,CApkEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCxoHgB,W;;MgCyoHvC,OAA4D,UA0kErD,eAAmB,cAAR,iBAAQ,EA1kEP,OAAQ,MA0kED,EA1kES,OAAQ,aAAR,GAAuB,CAAvB,IA0kER,CAAnB,CA1kEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC5pHgB,W;;MgC6pHvC,OAA4D,UAglErD,eAAmB,cAAR,iBAAQ,EAhlEP,OAAQ,MAglED,EAhlES,OAAQ,aAAR,GAAuB,CAAvB,IAglER,CAAnB,CAhlEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCxqHgB,W;;MgCyqHvC,OAA4D,UAslErD,eAAmB,cAAR,iBAAQ,EAtlEP,OAAQ,MAslED,EAtlES,OAAQ,aAAR,GAAuB,CAAvB,IAslER,CAAnB,CAtlEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCprHgB,W;;MgCqrHvC,OAA4D,UA4lErD,eAAmB,cAAR,iBAAQ,EA5lEP,OAAQ,MA4lED,EA5lES,OAAQ,aAAR,GAAuB,CAAvB,IA4lER,CAAnB,CA5lEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCjsHgB,W;;MgCksHvC,OAA4D,UAkmErD,eAAmB,cAAR,iBAAQ,EAlmEP,OAAQ,MAkmED,EAlmES,OAAQ,aAAR,GAAuB,CAAvB,IAkmER,CAAnB,CAlmEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCzsHgB,W;;MgC0sHvC,OAA4D,UAwmErD,eAAmB,cAAR,iBAAQ,EAxmEP,OAAQ,MAwmED,EAxmES,OAAQ,aAAR,GAAuB,CAAvB,IAwmER,CAAnB,CAxmEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCjtHgB,W;;MgCktHvC,OAA4D,UAgnErD,eAAmB,cAAR,iBAAQ,EAhnEP,OAAQ,MAgnED,EAhnES,OAAQ,aAAR,GAAuB,CAAvB,IAgnER,CAAnB,CAhnEqD,C;K;IAGhE,sC;MAMI,IAAI

CtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAA
iB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;
MACT,OAAO,I;K;IAGX,mC;MxBv5EI,IAAI,EwBi6EI,KAAK,CxBj6ET,CAAJ,C;QACI,cwBg6Ec,sD;QxB/5Ed,
MAAM,gCAAyB,OAAQ,WAAjC,C;;MwBg6EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;M
ACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OA
AO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA
7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MxB56EI,IAAI,EwBs7EI,KAA
K,CxBt7ET,CAAJ,C;QACI,cwBq7Ec,sD;QxBp7Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;;MwBq7EV,IAAI,MAA
K,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,
MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAkB,CAAl
B,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,
OAAO,I;K;mGAGX,yB;MAAA,4C;MAAA,gD;MAs2CI,8D;MAt2CJ,uC;QASI,iBA61CgB,cAAR,iBAAQ,CA71C
hB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ
,CAAR,IAAL,C;;;QAGf,OAAO,iB;O;KAdX,C;mGAiBA,yB;MAAA,4C;MAAA,gD;MA61CI,8D;MA71CJ,uC;QA
SI,iBAo1CgB,cAAR,iBAAQ,CAp1ChB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,C
AAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,iB;O;KAdX,C;mGAiBA,yB;MAAA,4C;M
AAA,gD;MAo1CI,8D;MAp1CJ,uC;QASI,iBA20CgB,cAAR,iBAAQ,CA30ChB,WAA+B,CAA/B,U;UACI,IAAI,C
AAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,iB;O
;KAdX,C;mGAiBA,yB;MAAA,4C;MAAA,gD;MA20CI,8D;MA30CJ,uC;QASI,iBAk0CgB,cAAR,iBAAQ,CAl0C
hB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ
,CAAR,IAAL,C;;;QAGf,OAAO,iB;O;2FAiBA,yB;MAAA,+D;MAAA,uC;QAUI,iBAoBgB,cAAR,iBAAQ,CAAR,
hB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ
,CAAR,IAAL,C;;;QAGf,OAAO,iB;O;KAdX,C;uFAiBA,yB;MAAA,kD;MAAA,4B;QAAA,eAAA,kB;QAAA,eAA
AA,kD;MAAA,4B;QAAA,eAAA,kB;QAAA,eAAA,kD;MAAA,4B;QAAA,eAAA,kB;QAAA,eAAA,kD;MAAA,4B;QAA
A,eAAA,kB;QAAA,eAAA,gD;QAAA,eAAA,kB;QAAA,eAAA,kB;QAAA,eAAA,kB;QAAA,eAAA,kB;QAAA,eAAA,
kB;QAAA,eAAA,kB;QAAA,eAAA,kB;QAAA,eAAA,kB;QAAA,eAAA,kB;QAAA,eAAA,kB;QAAA,eAAA,kB;QAAA
,eAAA,kB;QAAA,eAAA,kB;QAAA,eAAA,kB;QAAA,eAAA,kB;QAAA,eAAA,kB;QAAA,eAAA,kB;QAAA,eAAA,kB
;QAAA,eAAA,kB;QAAA,eAAA,kB;QAAA,eAAA,kB;QAAA,eAAA,kB;QAAA,eAAA,kB;QAAA,eAAA,kB;QAAA,eA
AA,kB;QAAA,eAAA,kB;QAAA,eAAA,kB;QAAA,eAAA,kB;QAAA,eAAA,kB;QAAA,eAAA,kB;QAAA,eAAA,kB;QA
AA,eAAA,kB;QAAA,eAAA,kB

L,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C;;K;IAIR,uC;MAQI,aA89BgB,gBAAR,iBAAQ,CA99BhB,OA
A2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,sBAAK,CAAL,C;QACX,sBA
AK,CAAL,EAAU,sBAAK,CAAL,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C;;K;IAIR,uC;MAQI,aAs9BgB,
gBAAR,iBAAQ,CAt9BhB,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW
,sBAAK,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBAAK,CAAL,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C
;;K;IAIR,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QApSI,UAAR,iBAAQ,C;;K;IAySZ,sC;MAMI,IAAI,iBAAO
,CAAX,C;QACI,iB;QAtSI,UAAR,iBAAQ,C;;K;IA2SZ,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QAxSI,UAAR
,iBAAQ,C;;K;IA6SZ,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QA1SI,UAAR,iBAAQ,C;;K;IA+SZ,6B;MAMoB
,kBA+nBT,cAAU,iBvB58EO,QuB48EjB,C;MA/nBiB,mB;MAAxB,OAAiC,SrBv3F1B,WqBu3F0B,C;K;IAGrC,8B
;MAMoB,kBAkoBT,eAAmB,UAAR,iBAAQ,CAAnB,C;MAloBiB,mB;MAAxB,OAAiC,SrBh4F1B,WqBg4F0B,C;
K;IAGrC,8B;MAMoB,kBAqoBT,eAAW,iBvBx/EM,QuBw/EjB,C;MAroBiB,mB;MAAxB,OAAiC,UrBz4F1B,Wq
By4F0B,C;K;IAGrC,8B;MAMoB,kBAwoBT,gBAAY,iBvB1/EK,QuB0/EjB,C;MAxoBiB,mB;MAAxB,OAAiC,Ur
Bl5F1B,WqBk5F0B,C;K;IAGrC,kC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0lBd,cA1lBA,SA0lBU,
QvB58EO,QuB48EjB,C;MA1lBsB,mB;MAA7B,OrB55FO,W;K;IqB+5FX,kC;MAMI,IAAI,mBAAJ,C;QAAe,OA
AO,S;MACD,kBA4lBd,eAAmB,UA5lBnB,SA4lBW,QAAQ,CAAnB,C;MA5lBsB,mB;MAA7B,OrBt6FO,W;K;Iq
By6FX,kC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA8lBd,eA9lBA,SA8lBW,QvBx/EM,QuBw/EjB,C;
MA9lBsB,mB;MAA7B,OrBh7FO,W;K;IqBm7FX,mC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAgmBd
,gBAhmBA,SAgmBY,QvB1/EK,QuB0/EjB,C;MAhmBsB,mB;MAA7B,OrB17FO,W;K;IqB67FX,4C;MAMI,IAAI,
mBAAJ,C;QAAe,OAAO,S;MACD,kBAkmBd,cAlmBA,SAkmBU,QvB58EO,QuB48EjB,C;MAlmBsB,mB;MAA7B,O
rBp8FO,W;K;IqBu8FX,4C;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAomBd,eAAmB,UApmBrB,SAo
mBa,QAAQ,CAAnB,C;MApmBwB,mB;MAA/B,OrB98FO,W;K;IqBi9FX,4C;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;M
ACD,kBAsmBd,eAtmBA,SAsmBW,QvBx/EM,QuBw/EjB,C;MAtmBwB,mB;MAA/B,OrBx9FO,W;K;IqB29FX,6C;MA
MI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwmBd,gBAxmBA,SAwmBY,QvB1/EK,QuB0/EjB,C;MAxmBwB,
mB;MAA/B,OrBl+FO,W;K;IqBq+FX,uC;MAQoB,kBAAgBT,cAAU,iBvB58EO,QuB48EjB,C;MAzgBiB,mB;MAAxB
,OAAiC,YrB7+F1B,WqB6+F0B,C;K;IAGrC,wC;MAQoB,kBA0gBT,eAAmB,UAAR,iBAAQ,CAAnB,C;MA1gBiB,mB;MAAxB
,OAAiC,YrBx/F1B,WqBw/F0B,C;K;IAGrC,wC;MAQoB,kBA2gBT,gBAAY,iBvBx/EK,QuBw/EjB,C;MA3gBiB,
mB;MAAxB,OAAiC,YrBngG1B,WqBmgG0B,C;K;IAGrC,wC;MAQoB,kBA4gBT,gBAAY,iBvB1/EK,QuB0/EjB,C;MA5gBiB,
mB;MAAxB,OAAiC,YrB9gG1B,WqB8gG0B,C;K;4FAGrC,qB;MAQI,OAAO,iB;K;0F
AGX,qB;MAQI,OAAO,iB;K;4FA+BX,qB;MAQI,OAAO,iB;K;8FAGX,qB;MAQI,OAAO,iB;K;8FAGX,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,SAAX,C;O;KARX,C;4FAWA,yB;MAAA,uC;MAAA,4B;QAQI,OAAO,
mBAAU,SAAV,C;O;KARX,C;8FAWA,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,SAAX,C;O;KARX,C;gG
AWA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,SAAZ,C;O;KARX,C;IAWA,2C;MASI,OAAY,gBAAL,
SAAK,EAAc,KAAd,C;K;IAGhB,2C;MASI,OAAY,gBAAL,SAAK,EAAc,KAAd,C;K;IAGhB,2C;MASI,OAAY,g
BAAL,SAAK,EAAc,KAAd,C;K;IAGhB,2C;MASI,OAAY,gBAAL,SAAK,EAAc,KAAd,C;K;IAGhB,2C;MAOI,O
AAqB,cAAd,4CAAc,EAAoB,cAAd,C;K;IAGzB,2C;MAOI,OAAqB,cAAd,4CAAc,EAAoB,cAAd,C;K;IAGzB,2C;
MAOI,OAAqB,cAAd,4CAAc,EAAoB,cAAd,C;K;IAGzB,2C;MAOI,OAAqB,cAAd,4CAAc,EAAoB,cAAd,C;K;IA
GzB,sC;MAQI,OAAY,kBAAL,SAAK,C;K;IAGhB,sC;MAQI,OAAY,kBAAL,SAAK,C;K;IAGhB,sC;MAQI,OAAY,kBAAL,SAAK,C;K;IAGhB,sC;MAQI,OAAY,kBAAL,SAAK,C;K;IAGhB,sC;MAMI,OAAqB,gBAAd,4CAAc,C;K;IAGzB,sC;MAMI,OAAqB,gBAAd,4CAAc,C;K;IAGzB,sC;MAMI,OAAqB,gBAAd,4CAAc,C;K;IAGzB,sC;
MAMI,OAAqB,gBAAd,4CAAc,C;K;IAG

B,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QvBvhF5H,UuBwhFA,iBvBxhFA,EuBwhFiB,WAAY,QvBxhF7B,EuBwhFsC,iBvBxhFtC,EuBwhFyD,UvBxhFzD,EuBwhFqE,QvBxhFrE,C;QuByhFA,OAAO,W;O;KArBX,C;wFAwBA,yB;MvBxnFA,8C;MuBwnFA,kF;QAmB+D,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QvBvnF5H,UuBwnFA,iBvBxnFA,EuBwnFiB,WAAY,QvBxnF7B,EuBwnFsC,iBvBxnFtC,EuBwnFyD,UvBxnFzD,EuBwnFqE,QvBxnFrE,C;QuBynFA,OAAO,W;O;KArBX,C;wFAwBA,yB;MvBxnFA,8C;MuBwnFA,kF;QAmBiE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QvBvnF9H,UuBwnFA,iBvBxnFA,EuBwnFiB,WAAY,QvBxnF7B,EuBwnFsC,iBvBxnFtC,EuBwnFyD,UvBxnFzD,EuBwnFqE,QvBxnFrE,C;QuBynFA,OAAO,W;O;KArBX,C;kFAwBA,yB;MAAA,uC;MAAA,4B;QASI,OAAO,mBAAU,iBvB58EO,QuB48EjB,EjB,C;O;KATX,C;oFAYA,yB;MAAA,gD;MAAA,yC;MAAA,4B;QASI,OAAO,oBAAmB,OAAR,iBAAQ,CAAnB,B,C;O;KATX,C;oFAYA,yB;MAAA,yC;MAAA,4B;QASI,OAAO,oBAAW,iBvBx/EM,QuBw/EjB,EjB,C;O;KATX,C;oFAYA,yB;MAAA,2C;MAAA,4B;QASI,OAAO,qBAAY,iBvB1/EK,QuB0/EjB,EjB,C;O;KATX,C;oFAYA,yB;MAAA,gD;MAAA,uC;MAAA,qC;QAWI,OAAO,mBAAkB,OAAR,iBAAQ,CAAnB,B,C;O;KAbX,C;oFAgBA,yB;MAAA,gD;MAAA,yC;MAAA,qC;QAWI,OAAO,oBAAmB,OAAR,iBAAQ,CAAnB,B,C;O;KAbX,C;oFAgBA,yB;MAAA,+C;MAAA,yC;MAAA,qC;QAWI,OAAO,oBAAmB,OAAR,iBAAQ,CAAnB,B,C;O;KAbX,C;oFAgBA,yB;MAAA,gD;MAAA,2C;MAAA,qC;QAWI,OAAO,qBAAoB,OAAR,iBAAQ,CAAnB,B,C;O;KAbX,C;oFAgBA,yB;MAAA,gD;MAAA,uC;MAAA,gD;QAAA,uC;QAAA,qC;QAWI,OAAO,mBAAkB,OAAR,iBAAQ,CAAnB,B,C;O;KAbX,C;oFAgBA,yB;MAAA,gD;MAAA,yC;MAAA,gD;QAAA,uC;QAAA,qC;QAWI,OAAO,oBAAmB,OAAR,iBAAQ,CAAnB,B,C;O;KAbX,C;oFAgBA,yB;MAAA,gD;MAAA,yC;MAAA,gD;QAAA,uC;QAAA,qC;QAWI,OAAO,oBAAmB,OAAR,iBAAQ,CAAnB,B,C;O;KAbX,C;oFAgBA,yB;MAAA,gD;MAAA,2C;MAAA,gD;QAAA,uC;Q

AO,gBAAY,MAAZ,C;K;iFAGX,yB;MAAA,uC;MvB/tEA,iD;MuB+tEA,sC;QAOI,OAAO,mBvBjuEA,qBuBiuEU,iBvBjuEV,EuBiuEoB,QAAS,QvBjuE7B,CuBiuEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;MvBjuEA,iD;MuBiuEA,sC;QAOI,OAAO,oBvBnuEA,qBuBmuEW,iBvBnuEX,EuBmuEqB,QAAS,QvBnuE9B,CuBmuEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;MvBnwEA,iD;MuBmwEA,sC;QAOI,OAAO,oBvBrwEA,qBuBqwEW,iBvBrwEX,EuBqwEqB,QAAS,QvBrwE9B,CuBqwEA,C;O;KAPX,C;iFAUA,yB;MAAA,2C;MvBrwEA,iD;MuBqwEA,sC;QAOI,OAAO,qBvBvwEA,qBuBuwEY,iBvBvwEZ,EuBuwEsB,QAAS,QvBvwE/B,CuBuwEA,C;O;KAPX,C;IAUA,2B;MAQI,IAAI,iBAAO,CAAX,C;QAAc,YAAU,SAAV,EAAgB,CAAhB,CAAmB,EAAnB,CAAsB,cAAnB,C;K;IAGlB

X,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;K;uGAGX,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;K;uGAGX,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;K;uFAGX,yB;MAAA,+D;MAAoL,gD;MAAoL,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAnL6B,SAAmlB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAAoL,LAAhB,OAAgB,W;O;KA/LX,C;uFAAA,yB;MAAA,+D;MAAsL,gD;MAAsL,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAArL6B,SAAqlB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAAsL,LAAhB,OAAgB,W;O;KAAtL,C;uFAAA,yB;MAAA,+D;MAAwL,gD;MAAwL,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAvL6B,SAAulB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAAwL,LAAhB,OAAgB,W;O;KAAxL,C;uFAAA,yB;MAAA,+D;MAA0L,gD;MAA0L,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAzL6B,SAAylB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAA0L,LAAhB,OAAgB,W;O;KA1L7C,C;uFAAA,yB;MAAA,+D;MAA4L,gD;MAA4L,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAA3L6B,SAA2lB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAA4L,LAAhB,OAAgB,W;O;KAA5L,C;uFAAA,yB;MAAA,+D;MAA8L,gD;MAA8L,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAA7L6B,SAA6lB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAA8L,LAAhB,OAAgB,W;O;KAA9L,C;uFAAA,yB;MAAA,+D;MAAgM,gD;MAAgM,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAA/L6B,SAA+lB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAAgM,LAAhB,OAAgB,W;O;KAAhM,C;uFAAA,yB;MAAA,+D;MAAkM,gD;MAAkM,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAjM6B,SAAimB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAAkM,LAAhB,OAAgB,W;O;KAAlM,C;uFAAA,yB;MAAA,+D;MAAoM,gD;MAAoM,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAnM6B,SAAmmB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAAoM,LAAhB,OAAgB,W;O;KAApM,C;uFAAA,yB;MAAA,+D;MAAsM,gD;MAAsM,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAArM6B,SAAqmB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAAsM,LAAhB,OAAgB,W;O;KAAtM,C;uFAAA,yB;MAAA,+D;MAAwM,gD;MAAwM,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAvM6B,SAAumB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAAwM,LAAhB,OAAgB,W;O;KAAxM,C;uFAAA,yB;MAAA,+D;MAA0M,gD;MAA0M,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAzM6B,SAAymB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAA0M,LAAhB,OAAgB,W;O;KA1M7C,C;uFAAA,yB;MAAA,+D;MAA4M,gD;MAA4M,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA3M6B,SA2MmlB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5MX,LA4MW,OAAgB,W;O;KA5M3B,C;uFAAA,yB;MAAA,+D;MAA8M,gD;MAA8M,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7M6B,SA6MqlB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9MX,LA8MW,OAAgB,W;O;KA9M3B,C;uFAAA,yB;MAAA,+D;MAAgN,gD;MAAgN,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA/M6B,SA+MulB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhNX,LAgNW,OAAgB,W;O;KAhN3B,C;uFAAA,yB;MAAA,+D;MAAkN,gD;MAAkN,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjN6B,SAiNylB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlNX,LAkNW,OAAgB,W;O;KAlN3B,C;uFAAA,yB;MAAA,+D;MAAoN,gD;MAAoN,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAnN6B,SAmN2lB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApNX,LAoNW,OAAgB,W;O;KApN3B,C;uFAAA,yB;MAAA,+D;MAAsN,gD;MAAsN,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArN6B,SAqN6lB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtNX,LAsNW,OAAgB,W;O;KAtN3B,C;uFAAA,yB;MAAA,+D;MAAwN,gD;MAAwN,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAvN6B,SAuN+lB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxNX,LAwNW,OAAgB,W;O;KAxN3B,C;uFAAA,yB;MAAA,+D;MAA0N,gD;MAA0N,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzN6B,SAyNimB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1NX,LA0NW,OAAgB,W;O;KA1N3B,C;uFAAA,yB;MAAA,+D;MAA4N,gD;MAA4N,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA3N6B,SA2NmmB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5NX,LA4NW,OAAgB,W;O;KA5N3B,C;uFAAA,yB;MAAA,+D;MAA8N,gD;MAA8N,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7N6B,SA6NqmB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9NX,LA8NW,OAAgB,W;O;KA9N3B,C;uFAAA,yB;MAAA,+D;MAAgO,gD;MAAgO,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA/N6B,SA+NumB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhOX,LAgOW,OAAgB,W;O;KAhO3B,C;uFAAA,yB;MAAA,+D;MAAkO,gD;MAAkO,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjO6B,SAiOymB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlOX,LAkOW,OAAgB,W;O;KAlO3B,C;uFAAA,yB;MAAA,+D;MAAoO,gD;MAAoO,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAnO6B,SAmO2mB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApOX,LAoOW,OAAgB,W;O;KApO3B,C;uFAAA,yB;MAAA,+D;MAAsO,gD;MAAsO,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArO6B,SAqO6mB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtOX,LAsOW,OAAgB,W;O;KAtO3B,C;uFAAA,yB;MAAA,+D;MAAwO,gD;MAAwO,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAvO6B,SAuO+mB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxOX,LAwOW,OAAgB,W;O;KAxO3B,C;uFAAA,yB;MAAA,+D;MAA0O,gD;MAA0O,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzO6B,SAyOinB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1OX,LA0OW,OAAgB,W;O;KA1O3B,C;uFAAA,yB;MAAA,+D;MAA4O,gD;MAA4O,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA3O6B,SA2OmnB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5OX,LA4OW,OAAgB,W;O;KA5O3B,C;uFAAA,yB;MAAA,+D;MAA8O,gD;MAA8O,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7O6B,SA6OqnB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9OX,LA8OW,OAAgB,W;O;KA9O3B,C;uFAAA,yB;MAAA,+D;MAAgP,gD;MAAgP,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA/O6B,SA+OunB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhPX,LAgPW,OAAgB,W;O;KAhP3B,C;uFAAA,yB;MAAA,+D;MAAkP,gD;MAAkP,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjP6B,SAiPynB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlPX,LAkPW,OAAgB,W;O;KAlP3B,C;uFAAA,yB;MAAA,+D;MAAoP,gD;MAAoP,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAnP6B,SAmP2nB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApPX,LAoPW,OAAgB,W;O;KApP3B,C;uFAAA,yB;MAAA,+D;MAAsP,gD;MAAsP,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArP6B,SAqP6nB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtPX,LAsPW,OAAgB,W;O;KAtP3B,C;uFAAA,yB;MAAA,+D;MAAwP,gD;MAAwP,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAvP6B,SAuP+nB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxPX,LAwPW,OAAgB,W;O;KAxP3B,C;uFAAA,yB;MAAA,+D;MAA0P,gD;MAA0P,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzP6B,SAyPioB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1PX,LA0PW,OAAgB,W;O;KA1P3B,C;uFAAA,yB;MAAA,+D;MAA4P,gD;MAA4P,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA3P6B,SA2PmoB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5PX,LA4PW,OAAgB,W;O;KA5P3B,C;uFAAA,yB;MAAA,+D;MAA8P,gD;MAA8P,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7P6B,SA6PqoB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9PX,LA8PW,OAAgB,W;O;KA9P3B,C;uFAAA,yB;MAAA,+D;MAAgQ,gD;MAAgQ,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA/P6B,SA+PuoB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhQX,LAgQW,OAAgB,W;O;KAhQ3B,C;uFAAA,yB;MAAA,+D;MAAkQ,gD;MAAkQ,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjQ6B,SAiQyoB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlQX,LAkQW,OAAgB,W;O;KAlQ3B,C;uFAAA,yB;MAAA,+D;MAAoQ,gD;MAAoQ,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAnQ6B,SAmQ2oB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApQX,LAoQW,OAAgB,W;O;KApQ3B,C;uFAAA,yB;MAAA,+D;MAAsQ,gD;MAAsQ,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArQ6B,SAqQ6oB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtQX,LAsQW,OAAgB,W;O;KAtQ3B,C;uFAAA,yB;MAAA,+D;MAAwQ,gD;MAAwQ,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAvQ6B,SAuQ+oB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxQX,LAwQW,OAAgB,W;O;KAxQ3B,C;uFAAA,yB;MAAA,+D;MAA0Q,gD;MAA0Q,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzQ6B,SAyQipB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1QX,LA0QW,OAAgB,W;O;KA1Q3B,C;uFAAA,yB;MAAA,+D;MAA4Q,gD;MAA4Q,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA3Q6B,SA2QmpB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5QX,LA4QW,OAAgB,W;O;KA5Q3B,C;uFAAA,yB;MAAA,+D;MAA8Q,gD;MAA8Q,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7Q6B,SA6QqpB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9QX,LA8QW,OAAgB,W;O;KA9Q3B,C;uFAAA,yB;MAAA,+D;MAAgR,gD;MAAgR,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA/Q6B,SA+QupB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhRX,LAgRW,OAAgB,W;O;KAhR3B,C;uFAAA,yB;MAAA,+D;MAAkR,gD;MAAkR,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjR6B,SAiRypB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlRX,LAkRW,OAAgB,W;O;KAlR3B,C;uFAAA,yB;MAAA,+D;MAAoR,gD;MAAoR,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAnR6B,SAmR2pB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApRX,LAoRW,OAAgB,W;O;KApR3B,C;uFAAA,yB;MAAA,+D;MAAsR,gD;MAAsR,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArR6B,SAqR6pB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtRX,LAsRW,OAAgB,W;O;KAtR3B,C;uFAAA,yB;MAAA,+D;MAAwR,gD;MAAwR,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAvR6B,SAuR+pB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxRX,LAwRW,OAAgB,W;O;KAxR3B,C;uFAAA,yB;MAAA,+D;MAA0R,gD;MAA0R,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzR6B,SAyRiqB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1RX,LA0RW,OAAgB,W;O;KA1R3B,C;uFAAA,yB;MAAA,+D;MAA4R,gD;MAA4R,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA3R6B,SA2RmqB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5RX,LA4RW,OAAgB,W;O;KA5R3B,C;uFAAA,yB;MAAA,+D;MAA8R,gD;MAA8R,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7R6B,SA6RqqB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9RX,LA8RW,OAAgB,W;O;KA9R3B,C;uFAAA,yB;MAAA,+D;MAAgS,gD;MAAgS,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA/R6B,SA+RuqB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhSX,LAgSW,OAAgB,W;O;KAhS3B,C;uFAAA,yB;MAAA,+D;MAAkS,gD;MAAkS,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjS6B,SAiSyqB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlSX,LAkSW,OAAgB,W;O;KAlS3B,C;uFAAA,yB;MAAA,+D;MAAoS,gD;MAAoS,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAnS6B,SAmS2qB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApSX,LAoSW,OAAgB,W;O;KApS3B,C;uFAAA,yB;MAAA,+D;MAAsS,gD;MAAsS,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArS6B,SAqS6qB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtSX,LAsSW,OAAgB,W;O;KAtS3B,C;uFAAA,yB;MAAA,+D;MAAwS,gD;MAAwS,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAvS6B,SAuS+qB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxSX,LAwSW,OAAgB,W;O;KAxS3B,C;uFAAA,yB;MAAA,+D;MAA0S,gD;MAA0S,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzS6B,SAySirB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1SX,LA0SW,OAAgB,W;O;KA1S3B,C;uFAAA,yB;MAAA,+D;MAA4S,gD;MAA4S,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA3S6B,SA2SmrB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5SX,LA4SW,OAAgB,W;O;KA5S3B,C;uFAAA,yB;MAAA,+D;MAA8S,gD;MAA8S,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7S6B,SA6SqrB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9SX,LA8SW,OAAgB,W;O;KA9S3B,C;uFAAA,yB;MAAA,+D;MAAgT,gD;MAAgT,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA/S6B,SA+SurB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhTX,LAgTW,OAAgB,W;O;KAhT3B,C;uFAAA,yB;MAAA,+D;MAAkT,gD;MAAkT,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjT6B,SAiTyrB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlTX,LAkTW,OAAgB,W;O;KAlT3B,C;uFAAA,yB;MAAA,+D;MAAoT,gD;MAAoT,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAnT6B,SAmT2rB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApTX,LAoTW,OAAgB,W;O;KApT3B,C;uFAAA,yB;MAAA,+D;MAAsT,gD;MAAsT,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArT6B,SAqT6rB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtTX,LAsTW,OAAgB,W;O;KAtT3B,C;uFAAA,yB;MAAA,+D;MAAwT,gD;MAAwT,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAvT6B,SAuT+rB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxTX,LAwTW,OAAgB,W;O;KAxT3B,C;uFAAA,yB;MAAA,+D;MAA0T,gD;MAA0T,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzT6B,SAyTisB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1TX,LA0TW,OAAgB,W;O;KA1T3B,C;uFAAA,yB;MAAA,+D;MAA4T,gD;MAA4T,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA3T6B,SA2TmsB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5TX,LA4TW,OAAgB,W;O;KA5T3B,C;uFAAA,yB;MAAA,+D;MAA8T,gD;MAA8T,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7T6B,SA6TqsB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9TX,LA8TW,OAAgB,W;O;KA9T3B,C;uFAAA,yB;MAAA,+D;MAAgU,gD;MAAgU,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA/T6B,SA+TusB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhUX,LAgUW,OAAgB,W;O;KAhU3B,C;uFAAA,yB;MAAA,+D;MAAkU,gD;MAAkU,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjU6B,SAiUysB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlUX,LAkUW,OAAgB,W;O;KAlU3B,C;uFAAA,yB;MAAA,+D;MAAoU,gD;MAAoU,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAnU6B,SAmU2sB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApUX,LAoUW,OAAgB,W;O;KApU3B,C;uFAAA,yB;MAAA,+D;MAAsU,gD;MAAsU,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArU6B,SAqU6sB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtUX,LAsUW,OAAgB,W;O;KAtU3B,C;uFAAA,yB;MAAA,+D;MAAwU,gD;MAAwU,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAvU6B,SAuU+sB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxUX,LAwUW,OAAgB,W;O;KAxU3B,C;uFAAA,yB;MAAA,+D;MAA0U,gD;MAA0U,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzU6B,SAyUitB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1UX,LA0UW,OAAgB,W;O;KA1U3B,C;uFAAA,yB;MAAA,+D;MAA4U,gD;MAA4U,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA3U6B,SA2UmtB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5UX,LA4UW,OAAgB,W;O;KA5U3B,C;uFAAA,yB;MAAA,+D;MAA8U,gD;MAA8U,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7U6B,SA6UqtB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9UX,LA8UW,OAAgB,W;O;KA9U3B,C;uFAAA,yB;MAAA,+D;MAAgV,gD;MAAgV,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA/U6B,SA+UutB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhVX,LAgVW,OAAgB,W;O;KAhV3B,C;uFAAA,yB;MAAA,+D;MAAkV,gD;MAAkV,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjV6B,SAiVytB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlVX,LAkVW,OAAgB,W;O;KAlV3B,C;uFAAA,yB;MAAA,+D;MAAoV,gD;MAAoV,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAnV6B,SAmV2tB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApVX,LAoVW,OAAgB,W;O;KApV3B,C;uFAAA,yB;MAAA,+D;MAAsV,gD;MAAsV,uC;QAAS,WAAkB,gB;QAAkL,QAAQ,QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArV6B,SAqV6tB,CAAAU,OAAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtVX,LAsVW,OAAgB,W;O;KAtV3B,C;uFAAA,yB;MAAA,+D;M

C;QAYW,kBAAU,oB;QAsID,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAvIqD,WAuI3C,CAAY,OAAZ,C;U/BpgJP,U;UADP,Y+BsgJe,W/BtgJH,W+BsgJwB,G/BtgJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BogJuC,gB;YAA5B,W/BngJX,a+BmgJgC,G/BngJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BggJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAzIT,OA2IO,W;O;KAvJX,C;uFAeA,yB;MAAA,wE;MA2IA,+D;MA3IA,yC;QAYW,kBAAU,oB;QA2ID,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA5IsD,WA4I5C,CAAY,OAAZ,C;U/BxhJP,U;UADP,Y+B0hJe,W/B1hJH,W+B0hJwB,G/B1hJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BwhJuC,gB;YAA5B,W/BvhJX,a+BuhJgC,G/BvhJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BohJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9IT,OAgJO,W;O;KA5JX,C;uFAeA,yB;MAAA,wE;MAgJA,+D;MAhJA,yC;QAaW,kBAAU,oB;QAgJD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAjJiD,WAiJvC,CAAY,OAAZ,C;U/B7iJP,U;UADP,Y+B+iJe,W/B/iJH,W+B+iJwB,G/B/iJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B6iJuC,gB;YAA5B,W/B5iJX,a+B4iJgC,G/B5iJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BwiJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnJT,OAqJO,W;O;KAjKX,C;uFAeA,yB;MAAA,wE;MAqJA,+D;MArJA,yC;QAaW,kBAAU,oB;QAqJD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAtJiD,WAsJvC,CAAY,OAAZ,C;U/BlkJP,U;UADP,Y+BokJe,W/BpkJH,W+BokJwB,G/BpkJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BkkJuC,gB;YAA5B,W/BjkJX,a+BikJgC,G/BjkJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B6jJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxJT,OA0JO,W;O;KAtKX,C;uFAeA,yB;MAAA,wE;MA0JA,+D;MA1JA,yC;QAaW,kBAAU,oB;QA0JD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA3JiD,WA2JvC,CAAY,OAAZ,C;U/BvlJP,U;UADP,Y+BylJe,W/BzlJH,W+BylJwB,G/BzlJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BulJuC,gB;YAA5B,W/BtlJX,a+BslJgC,G/BtlJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BklJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7JT,OA+JO,W;O;KA3KX,C;uFAeA,yB;MAAA,wE;MA+JA,+D;MA/JA,yC;QAaW,kBAAU,oB;QA+JD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAhKiD,WAgKvC,CAAY,OAAZ,C;U/B5mJP,U;UADP,Y+B8mJe,W/B9mJH,W+B8mJwB,G/B9mJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B4mJuC,gB;YAA5B,W/B3mJX,a+B2mJgC,G/B3mJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BumJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlKT,OAoKO,W;O;KAhLX,C;uFAeA,yB;MAAA,wE;MAoKA,+D;MApKA,yC;QAaW,kBAAU,oB;QAoKD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UArKiD,WAqKvC,CAAY,OAAZ,C;U/BjoJP,U;UADP,Y+BmoJe,W/BnoJH,W+BmoJwB,G/BnoJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BioJuC,gB;YAA5B,W/BhoJX,a+BgoJgC,G/BhoJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B4nJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvKT,OAyKO,W;O;KArLX,C;uFAeA,yB;MAAA,wE;MAyKA,+D;MAzKA,yC;QAaW,kBAAU,oB;QAyKD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA1KiD,WA0KvC,CAAY,OAAZ,C;U/BtpJP,U;UADP,Y+BwpJe,W/BxpJH,W+BwpJwB,G/BxpJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BspJuC,gB;YAA5B,W/BrpJX,a+BqpJgC,G/BrpJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BipJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5KT,OA8KO,W;O;KA1LX,C;uFAeA,yB;MAAA,wE;MA8KA,+D;MA9KA,yC;QAaW,kBAAU,oB;QA8KD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA/KiD,WA+KvC,CAAY,OAAZ,C;U/B3qJP,U;UADP,Y+B6qJe,W/B7qJH,W+B6qJwB,G/B7qJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B2qJuC,gB;YAA5B,W/B1qJX,a+B0qJgC,G/B1qJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BsqJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAjLT,OAmLO,W;O;KA/LX,C;uFAeA,yB;MAAA,wE;MAmLA,+D;MAnLA,yC;QAaW,kBAAU,oB;QAmLD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UApLiD,WAoLvC,CAAY,OAAZ,C;U/BhsJP,U;UADP,Y+BksJe,W/BlsJH,W+BksJwB,G/BlsJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BgsJuC,gB;YAA5B,W/B/rJX,a+B+rJgC,G/B/rJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B2rJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtLT,OAwLO,W;O;KApMX,C;uFAeA,yB;MAAA,wE;MAwLA,+D;MAxLA,yC;QAaW,kBAAU,oB;QAwLD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAzLiD,WAyLvC,CAAY,OAAZ,C;U/BrtJP,U;UADP,Y+ButJe,W/BvtJH,W+ButJwB,G/BvtJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BqtJuC,gB;YAA5B,W/BptJX,a+BotJgC,G/BptJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BgtJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA3LT,OA6LO,W;O;KAzMX,C;uFAeA,yB;MAAA,wE;MA6LA,+D;MA7LA,yC;QAaW,kBAAU,oB;QA6LD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA9LiD,WA8LvC,CAAY,OAAZ,C;U/B1uJP,U;UADP,Y+B4uJe,W/B5uJH,W+B4uJwB,G/B5uJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B0uJuC,gB;YAA5B,W/BzuJX,a+ByuJgC,G/BzuJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BquJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhMT,OAkMO,W;O;KA9MX,C;uFAeA,yB;MAAA,wE;MAkMA,+D;MAlMA,yC;QAaW,kBAAU,oB;QAkMD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAnMiD,WAmMvC,CAAY,OAAZ,C;U/B/vJP,U;UADP,Y+BiwJe,W/BjwJH,W+BiwJwB,G/BjwJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B+vJuC,gB;YAA5B,W/B9vJX,a+B8vJgC,G/B9vJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B0vJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QArMT,OAuMO,W;O;KAnNX,C;uFAeA,yB;MAAA,wE;MAuMA,+D;MAvMA,yC;QAaW,kBAAU,oB;QAuMD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAxMiD,WAwMvC,CAAY,OAAZ,C;U/BpxJP,U;UADP,Y+BsxJe,W/BtxJH,W+BsxJwB,G/BtxJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BoxJuC,gB;YAA5B,W/BnxJX,a+BmxJgC,G/BnxJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B+wJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1MT,OA4MO,W;O;KAxNX,C;uFAeA,yB;MAAA,wE;MA4MA,+D;MA5MA,yC;QAaW,kBAAU,oB;QA4MD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA7MiD,WA6MvC,CAAY,OAAZ,C;U/BzyJP,U;UADP,Y+B2yJe,W/B3yJH,W+B2yJwB,G/B3yJxB,C;UACL,IAAI,aAAJ,C;YACH,a+ByyJuC,gB;YAA5B,W/BxyJX,a+BwyJgC,G/BxyJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BoyJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA/MT,OAiNO,W;O;KA7NX,C;uFAeA,yB;MAAA,wE;MAiNA,+D;MAjNA,yC;QAaW,kBAAU,oB;QAiND,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAlNiD,WAkNvC,CAAY,OAAZ,C;U/B90JP,U;UADP,Y+Bg1Je,W/Bh1JH,W+Bg1JwB,G/Bh1JxB,C;UACL,IAAI,aAAJ,C;YACH,a+B80JuC,gB;YAA5B,W/B70JX,a+B60JgC,G/B70JhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+By0JA,iB;UACA,IAAK,WAAI,OAAJ,C;;QApNT,OAsNO,W;O;KAlOX,C;uFAeA,yB;MAAA,wE;MAsNA,+D;MAtNA,yC;QAaW,kBAAU,oB;QAsND,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAvNiD,WAuNvC,CAAY,OAAZ,C;U/Bn2JP,U;UADP,Y+Bq2Je,W/Br2JH,W+Bq2JwB,G/Br2JxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bm2JuC,gB;YAA5B,W/Bl2JX,a+Bk2JgC,G/Bl2JhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B82JA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAzNT,OA2NO,W;O;KAvOX,C;uFAeA,yB;MAAA,wE;MA2NA,+D;MA3NA,yC;QAaW,kBAAU,oB;QA2ND,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA5NiD,WA4NvC,CAAY,OAAZ,C;U/Bx3JP,U;UADP,Y+B03Je,W/B13JH,W+B03JwB,G/B13JxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bw3JuC,gB;YAA5B,W/Bv3JX,a+Bu3JgC,G/Bv3JhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bm3JA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9NT,OAgOO,W;O;KA5OX,C;uFAeA,yB;MAAA,wE;MAgOA,+D;MAhOA,yC;QAaW,kBAAU,oB;QAgOD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAjOiD,WAiOvC,CAAY,OAAZ,C;U/B74JP,U;UADP,Y+B+4Je,W/B/4JH,W+B+4JwB,G/B/4JxB,C;UACL,IAAI,aAAJ,C;YACH,a+B64JuC,gB;YAA5B,W/B54JX,a+B44JgC,G/B54JhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bw4JA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnOT,OAqOO,W;O;KAjPX,C;uFAeA,yB;MAAA,wE;MAqOA,+D;MArOA,yC;QAaW,kBAAU,oB;QAqOD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAtOiD,WAsOvC,CAAY,OAAZ,C;U/Bl6JP,U;UADP,Y+Bo6Je,W/Bp6JH,W+Bo6JwB,G/Bp6JxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bk6JuC,gB;YAA5B,W/Bj6JX,a+Bi6JgC,G/Bj6JhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B65JA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxOT,OA0OO,W;O;KAtPX,C;uFAeA,yB;MAAA,wE;MA0OA,+D;MA1OA,yC;QAaW,kBAAU,oB;QA0OD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA3OiD,WA2OvC,CAAY,OAAZ,C;U/Bv7JP,U;UADP,Y+By7Je,W/Bz7JH,W+By7JwB,G/Bz7JxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bu7JuC,gB;YAA5B,W/Bt7JX,a+Bs7JgC,G/Bt7JhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bk7JA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7OT,OA+OO,W;O;KA3PX,C;uFAeA,yB;MAAA,wE;MA+OA,+D;MA/OA,yC;QAaW,kBAAU,oB;QA+OD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAhPiD,WAgPvC,CAAY,OAAZ,C;U/B58JP,U;UADP,Y+B88Je,W/B98JH,W+B88JwB,G/B98JxB,C;UACL,IAAI,aAAJ,C;YACH,a+B48JuC,gB;YAA5B,W/B38JX,a+B28JgC,G/B38JhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bu8JA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlPT,OAoPO,W;O;KAhQX,C;uFAeA,yB;MAAA,wE;MAoPA,+D;MApPA,yC;QAaW,kBAAU,oB;QAoPD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UArPiD,WAqPvC,CAAY,OAAZ,C;U/Bj+JP,U;UADP,Y+Bm+Je,W/Bn+JH,W+Bm+JwB,G/Bn+JxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bi+JuC,gB;YAA5B,W/Bh+JX,a+Bg+JgC,G/Bh+JhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B49JA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvPT,OAyPO,W;O;KArQX,C;uFAeA,yB;MAAA,wE;MAyPA,+D;MAzPA,yC;QAaW,kBAAU,oB;QAyPD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA1PiD,WA0PvC,CAAY,OAAZ,C;U/Bt/JP,U;UADP,Y+Bw/Je,W/Bx/JH,W+Bw/JwB,G/Bx/JxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bs/JuC,gB;YAA5B,W/Br/JX,a+Bq/JgC,G/Br/JhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bi/JA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5PT,OA8PO,W;O;KA1QX,C;uFAeA,yB;MAAA,wE;MA8PA,+D;MA9PA,yC;QAaW,kBAAU,oB;QA8PD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA/PiD,WA+PvC,CAAY,OAAZ,C;U/B3gKP,U;UADP,Y+B6gKe,W/B7gKH,W+B6gKwB,G/B7gKxB,C;UACL,IAAI,aAAJ,C;YACH,a+B2gKuC,gB;YAA5B,W/B1gKX,a+B0gKgC,G/B1gKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BsgKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAjQT,OAmQO,W;O;KA/QX,C;uFAeA,yB;MAAA,wE;MAmQA,+D;MAnQA,yC;QAaW,kBAAU,oB;QAmQD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UApQiD,WAoQvC,CAAY,OAAZ,C;U/BhiKP,U;UADP,Y+BkiKe,W/BliKH,W+BkiKwB,G/BliKxB,C;UACL,IAAI,aAAJ,C;YACH,a+BgiKuC,gB;YAA5B,W/B/hKX,a+B+hKgC,G/B/hKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B2hKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtQT,OAwQO,W;O;KApRX,C;uFAeA,yB;MAAA,wE;MAwQA,+D;MAxQA,yC;QAaW,kBAAU,oB;QAwQD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAzQiD,WAyQvC,CAAY,OAAZ,C;U/BrjKP,U;UADP,Y+BujKe,W/BvjKH,W+BujKwB,G/BvjKxB,C;UACL,IAAI,aAAJ,C;YACH,a+BqjKuC,gB;YAA5B,W/BpjKX,a+BojKgC,G/BpjKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BgjKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA3QT,OA6QO,W;O;KAzRX,C;uFAeA,yB;MAAA,wE;MA6QA,+D;MA7QA,yC;QAaW,kBAAU,oB;QA6QD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA9QiD,WA8QvC,CAAY,OAAZ,C;U/B1kKP,U;UADP,Y+B4kKe,W/B5kKH,W+B4kKwB,G/B5kKxB,C;UACL,IAAI,aAAJ,C;YACH,a+B0kKuC,gB;YAA5B,W/BzkKX,a+BykKgC,G/BzkKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BqkKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhRT,OAkRO,W;O;KA9RX,C;uFAeA,yB;MAAA,wE;MAkRA,+D;MAlRA,yC;QAaW,kBAAU,oB;QAkRD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAnRiD,WAmRvC,CAAY,OAAZ,C;U/B/lKP,U;UADP,Y+BimKe,W/BjmKH,W+BimKwB,G/BjmKxB,C;UACL,IAAI,aAAJ,C;YACH,a+B+lKuC,gB;YAA5B,W/B9lKX,a+B8lKgC,G/B9lKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B0lKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QArRT,OAuRO,W;O;KAnSX,C;uFAeA,yB;MAAA,wE;MAuRA,+D;MAvRA,yC;QAaW,kBAAU,oB;QAuRD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAxRiD,WAwRvC,CAAY,OAAZ,C;U/BpnKP,U;UADP,Y+BsnKe,W/BtnKH,W+BsnKwB,G/BtnKxB,C;UACL,IAAI,aAAJ,C;YACH,a+BonKuC,gB;YAA5B,W/BnnKX,a+BmnKgC,G/BnnKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B+mKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1RT,OA4RO,W;O;KAxSX,C;uFAeA,yB;MAAA,wE;MA4RA,+D;MA5RA,yC;QAaW,kBAAU,oB;QA4RD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA7RiD,WA6RvC,CAAY,OAAZ,C;U/BzoKP,U;UADP,Y+B2oKe,W/B3oKH,W+B2oKwB,G/B3oKxB,C;UACL,IAAI,aAAJ,C;YACH,a+BypKuC,gB;YAA5B,W/BxpKX,a+BwpKgC,G/BxpKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BopKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA/RT,OAiSO,W;O;KA7SX,C;uFAeA,yB;MAAA,wE;MAiSA,+D;MAjSA,yC;QAaW,kBAAU,oB;QAiSD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAlSiD,WAkSvC,CAAY,OAAZ,C;U/B9qKP,U;UADP,Y+BgrKe,W/BhrKH,W+BgrKwB,G/BhrKxB,C;UACL,IAAI,aAAJ,C;YACH,a+B8qKuC,gB;YAA5B,W/B7qKX,a+B6qKgC,G/B7qKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+ByqKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QApST,OAsSO,W;O;KAlTX,C;uFAeA,yB;MAAA,wE;MAsSA,+D;MAtSA,yC;QAaW,kBAAU,oB;QAsSD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAvSiD,WAuSvC,CAAY,OAAZ,C;U/BnsKP,U;UADP,Y+BqsKe,W/BrsKH,W+BqsKwB,G/BrsKxB,C;UACL,IAAI,aAAJ,C;YACH,a+BmsKuC,gB;YAA5B,W/BlsKX,a+BksKgC,G/BlsKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B8rKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAzST,OA2SO,W;O;KAvTX,C;uFAeA,yB;MAAA,wE;MA2SA,+D;MA3SA,yC;QAaW,kBAAU,oB;QA2SD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA5SiD,WA4SvC,CAAY,OAAZ,C;U/BxtKP,U;UADP,Y+B0tKe,W/B1tKH,W+B0tKwB,G/B1tKxB,C;UACL,IAAI,aAAJ,C;YACH,a+BwtKuC,gB;YAA5B,W/BvtKX,a+ButKgC,G/BvtKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BmtKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9ST,OAgTO,W;O;KA5TX,C;uFAeA,yB;MAAA,wE;MAgTA,+D;MAhTA,yC;QAaW,kBAAU,oB;QAgTD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAjTiD,WAiTvC,CAAY,OAAZ,C;U/B7uKP,U;UADP,Y+B+uKe,W/B/uKH,W+B+uKwB,G/B/uKxB,C;UACL,IAAI,aAAJ,C;YACH,a+B6uKuC,gB;YAA5B,W/B5uKX,a+B4uKgC,G/B5uKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BwuKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnTT,OAqTO,W;O;KAjUX,C;uFAeA,yB;MAAA,wE;MAqTA,+D;MArTA,yC;QAaW,kBAAU,oB;QAqTD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAtTiD,WAsTvC,CAAY,OAAZ,C;U/BlwKP,U;UADP,Y+BowKe,W/BpwKH,W+BowKwB,G/BpwKxB,C;UACL,IAAI,aAAJ,C;YACH,a+BkwKuC,gB;YAA5B,W/BjwKX,a+BiwKgC,G/BjwKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B6vKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxTT,OA0TO,W;O;KAtUX,C;uFAeA,yB;MAAA,wE;MA0TA,+D;MA1TA,yC;QAaW,kBAAU,oB;QA0TD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA3TiD,WA2TvC,CAAY,OAAZ,C;U/BvxKP,U;UADP,Y+ByxKe,W/BzxKH,W+ByxKwB,G/BzxKxB,C;UACL,IAAI,aAAJ,C;YACH,a+BuxKuC,gB;YAA5B,W/BtxKX,a+BsxKgC,G/BtxKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BkxKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7TT,OA+TO,W;O;KA3UX,C;uFAeA,yB;MAAA,wE;MA+TA,+D;MA/TA,yC;QAaW,kBAAU,oB;QA+TD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAhUiD,WAgUvC,CAAY,OAAZ,C;U/B5yKP,U;UADP,Y+B8yKe,W/B9yKH,W+B8yKwB,G/B9yKxB,C;UACL,IAAI,aAAJ,C;YACH,a+B4yKuC,gB;YAA5B,W/B3yKX,a+B2yKgC,G/B3yKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BuyKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlUT,OAoUO,W;O;KAhVX,C;uFAeA,yB;MAAA,wE;MAoUA,+D;MApUA,yC;QAaW,kBAAU,oB;QAoUD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UArUiD,WAqUvC,CAAY,OAAZ,C;U/BjzKP,U;UADP,Y+BmzKe,W/BnzKH,W+BmzKwB,G/BnzKxB,C;UACL,IAAI,aAAJ,C;YACH,a+BizKuC,gB;YAA5B,W/BhzKX,a+BgzKgC,G/BhzKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B4yKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvUT,OAyUO,W;O;KArVX,C;uFAeA,yB;MAAA,wE;MAyUA,+D;MAzUA,yC;QAaW,kBAAU,oB;QAyUD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA1UiD,WA0UvC,CAAY,OAAZ,C;U/BtzKP,U;UADP,Y+BwzKe,W/BxzKH,W+BwzKwB,G/BxzKxB,C;UACL,IAAI,aAAJ,C;YACH,a+BszKuC,gB;YAA5B,W/BrzKX,a+BqzKgC,G/BrzKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BizKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5UT,OA8UO,W;O;KA1VX,C;uFAeA,yB;MAAA,wE;MA8UA,+D;MA9UA,yC;QAaW,kBAAU,oB;QA8UD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA/UiD,WA+UvC,CAAY,OAAZ,C;U/B30KP,U;UADP,Y+B60Ke,W/B70KH,W+B60KwB,G/B70KxB,C;UACL,IAAI,aAAJ,C;YACH,a+B20KuC,gB;YAA5B,W/B10KX,a+B00KgC,G/B10KhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bs0KA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAjVT,OAmVO,W;O;KA/VX,C;uFAeA,yB;MAAA,wE;MAmVA,+D;MAnVA,yC;QAaW,kBAAU,oB;QAmVD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UApViD,WAoVvC,CAAY,OAAZ,C;U/Bh1KP,U;UADP,Y+Bk1Ke,W/Bl1KH,W+Bk1KwB,G/Bl1KxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bg1KuC,gB;YAA5B,W/B/0KX,a+B+0KgC,G/B/0KhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B20KA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtVT,OAwVO,W;O;KApWX,C;uFAeA,yB;MAAA,wE;MAwVA,+D;MAxVA,yC;QAaW,kBAAU,oB;QAwVD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAzViD,WAyVvC,CAAY,OAAZ,C;U/Br2KP,U;UADP,Y+Bu2Ke,W/Bv2KH,W+Bu2KwB,G/Bv2KxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bq2KuC,gB;YAA5B,W/Bp2KX,a+Bo2KgC,G/Bp2KhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bg2KA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA3VT,OA6VO,W;O;KAzWX,C;uFAeA,yB;MAAA,wE;MA6VA,+D;MA7VA,yC;QAaW,kBAAU,oB;QA6VD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA9ViD,WA8VvC,CAAY,OAAZ,C;U/B13KP,U;UADP,Y+B43Ke,W/B53KH,W+B43KwB,G/B53KxB,C;UACL,IAAI,aAAJ,C;YACH,a+B03KuC,gB;YAA5B,W/Bz3KX,a+By3KgC,G/Bz3KhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bq3KA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhWT,OAkWO,W;O;KA9WX,C;uFAeA,yB;MAAA,wE;MAkWA,+D;MAlWA,yC;QAaW,kBAAU,oB;QAkWD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAnWiD,WAmWvC,CAAY,OAAZ,C;U/B/4KP,U;UADP,Y+Bi5Ke,W/Bj5KH,W+Bi5KwB,G/Bj5KxB,C;UACL,IAAI,aAAJ,C;YACH,a+B+4KuC,gB;YAA5B,W/B94KX,a+B84KgC,G/B94KhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B04KA,iB;UACA,IAAK,WAAI,OAAJ,C;;QArWT,OAuWO,W;O;KAnXX,C;uFAeA,yB;MAAA,wE;MAuWA,+D;MAvWA,yC;QAaW,kBAAU,oB;QAuWD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAxWiD,WAwWvC,CAAY,OAAZ,C;U/Bp6KP,U;UADP,Y+Bs6Ke,W/Bt6KH,W+Bs6KwB,G/Bt6KxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bo6KuC,gB;YAA5B,W/Bn6KX,a+Bm6KgC,G/Bn6KhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B+5KA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1WT,OA4WO,W;O;KAxXX,C;uFAeA,yB;MAAA,wE;MA4WA,+D;MA5WA,yC;QAaW,kBAAU,oB;QA4WD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA7WiD,WA6WvC,CAAY,OAAZ,C;U/By7KP,U;UADP,Y+B27Ke,W/B37KH,W+B27KwB,G/B37KxB,C;UACL,IAAI,aAAJ,C;YACH,a+By7KuC,gB;YAA5B,W/Bx7KX,a+Bw7KgC,G/Bx7KhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bo7KA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA/WT,OAiXO,W;O;KA7XX,C;uFAeA,yB;MAAA,wE;MAiXA,+D;MAjXA,yC;QAaW,kBAAU,oB;QAiXD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAlXiD,WAkXvC,CAAY,OAAZ,C;U/B98KP,U;UADP,Y+Bg9Ke,W/Bh9KH,W+Bg9KwB,G/Bh9KxB,C;UACL,IAAI,aAAJ,C;YACH,a+B88KuC,gB;YAA5B,W/B78KX,a+B68KgC,G/B78KhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+By8KA,iB;UACA,IAAK,WAAI,OAAJ,C;;QApXT,OAsXO,W;O;KAlYX,C;uFAeA,yB;MAAA,wE;MAsXA,+D;MAtXA,yC;QAaW,kBAAU,oB;QAsXD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAvXiD,WAuXvC,CAAY,OAAZ,C;U/Bn+KP,U;UADP,Y+Bq+Ke,W/Br+KH,W+Bq+KwB,G/Br+KxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bm+KuC,gB;YAA5B,W/Bl+KX,a+Bk+KgC,G/Bl+KhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B89KA,iB;UACA,IAAK,WAAI,OAAJ,C;;Q

A,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/B5mJP,U;UADP,Y+B8mJe,W/B9mJH,W+B8mJwB,G/B9mJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B4mJuC,gB;YAA5B,W/B3mJX,a+B2mJgC,G/B3mJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BwmJA,iB;UACA,IAAK,WAAI,eAAAe,OAAAf,CAAAJ,C;;QAET,OAAO,W;O;KAlBX,C;+EAqBA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAAa,cAAAb,C;QAAsK,Q;QAAA,2B;QAAAb,OAAAa,cAAAb,C;UAAAa,sB;UACT,WAAY,WAAvKiB,SAAuKb,CAAAJ,C;;QAAvK

AGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;mFAGX,gC;MAQoB,Q;MADhB,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C

AAO,sBAAP,WAAgB,IAAhB,C;;K;IAGvB,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;mFAGX,yB;MA9gEI,8D;MA8gEJ,sC;QAMW,sB;;UAuCP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA7jEgB,cAAR,iBAAQ,C;UA8jEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3CmB,QA2CJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ce,QA8CP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QApDP,yB;O;KANJ,C;mFASA,yB;MA/gEI,8D;MA+gEJ,sC;QAMW,sB;;UAuDP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA9kEgB,cAAR,iBAAQ,C;UA+kEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3DmB,QA2DJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA/De,QA+DP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QArEP,yB;O;KANJ,C;mFAUA,yB;MAhhEI,8D;MAghEJ,sC;QAMW,sB;;UAuEP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA/lEgB,cAAR,iBAAQ,C;UAgmEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3EmB,QA2EJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAhFe,QAgFP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAtFP,yB;O;KANJ,C;mFAWA,yB;MAjiEI,8D;MAiiEJ,sC;QAMW,sB;;UAwFP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAhnEgB,cAAR,iBAAQ,C;UAinEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3FmB,QA2FJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAjGe,QAiGP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAvGP,yB;O;KANJ,C;mFAYA,yB;MAljEI,8D;MAkjEJ,sC;QAMW,sB;;UAyGP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAjoEgB,cAAR,iBAAQ,C;UAkoEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3GmB,QA2GJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAlHe,QAkHP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAxHP,yB;O;KANJ,C;mFAaA,yB;MAnkEI,8D;MAmkEJ,sC;QAMW,sB;;UA0HP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAlpEgB,cAAR,iBAAQ,C;UAmpEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3HmB,QA2HJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAnIe,QAmIP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAzIP,yB;O;KANJ,C;mFAcA,yB;MApmEI,8D;MAomEJ,sC;QAMW,sB;;UA2IP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAnqEgB,cAAR,iBAAQ,C;UAoqEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3ImB,QA2IJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QApJe,QAoJP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA1JP,yB;O;KANJ,C;mFAeA,yB;MArnEI,8D;MAqnEJ,sC;QAMW,sB;;UA4JP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBApsEgB,cAAR,iBAAQ,C;UAqsEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3JmB,QA2JJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QArKe,QAqKP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA3KP,yB;O;KANJ,C;mFAgBA,yB;MAtoEI,8D;MAsoEJ,sC;QAMW,sB;;UA6KP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBArtEgB,cAAR,iBAAQ,C;UAstEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3KmB,QA2KJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAtLe,QAsLP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA5LP,yB;O;KANJ,C;mFAiBA,yB;MAvpEI,8D;MAupEJ,sC;QAMW,sB;;UA8LP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAtuEgB,cAAR,iBAAQ,C;UAuuEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3LmB,QA2LJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAvMe,QAuMP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA7MP,yB;O;KANJ,C;mFAkBA,yB;MAxqEI,8D;MAwqEJ,sC;QAMW,sB;;UA+MP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAvvEgB,cAAR,iBAAQ,C;UAwvEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3MmB,QA2MJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAxNe,QAwNP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA9NP,yB;O;KANJ,C;mFAmBA,yB;MAzrEI,8D;MAyrEJ,sC;QAMW,sB;;UAgOP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAxwEgB,cAAR,iBAAQ,C;UAywEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3OmB,QA2OJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAzPe,QAyPP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA/PP,yB;O;KANJ,C;mFAoBA,yB;MA1sEI,8D;MA0sEJ,sC;QAMW,sB;;UAiPP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAzxEgB,cAAR,iBAAQ,C;UA0xEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3PmB,QA2PJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA1Qe,QA0QP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAhRP,yB;O;KANJ,C;mFAqBA,yB;MA3tEI,8D;MA2tEJ,sC;QAMW,sB;;UAkQP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA1yEgB,cAAR,iBAAQ,C;UA2yEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3QmB,QA2QJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA3Re,QA2RP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAjSP,yB;O;KANJ,C;mFAsBA,yB;MA5uEI,8D;MA4uEJ,sC;QAMW,sB;;UAmRP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA3zEgB,cAAR,iBAAQ,C;UA4zEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3RmB,QA2RJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA5Se,QA4SP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlTP,yB;O;KANJ,C;mFAuBA,yB;MA7vEI,8D;MA6vEJ,sC;QAMW,sB;;UAoSP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA51EgB,cAAR,iBAAQ,C;UA61EhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3SmB,QA2SJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA7Te,QA6TP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAnUP,yB;O;KANJ,C;mFAwBA,yB;MA9wEI,8D;MA8wEJ,sC;QAMW,sB;;UAqTP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA72EgB,cAAR,iBAAQ,C;UA82EhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3TmB,QA2TJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ue,QA8UP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QApVP,yB;O;KANJ,C;mFAyBA,yB;MA/xEI,8D;MA+xEJ,sC;QAMW,sB;;UAsUP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA93EgB,cAAR,iBAAQ,C;UA+3EhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3UmB,QA2UJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA/Ve,QA+VP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QArWP,yB;O;KANJ,C;mFA0BA,yB;MAhzEI,8D;MAgzEJ,sC;QAMW,sB;;UAuVP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA/4EgB,cAAR,iBAAQ,C;UAg5EhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3VmB,QA2VJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAhWe,QAgWP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAtXP,yB;O;KANJ,C;mFA2BA,yB;MAj0EI,8D;MAi0EJ,sC;QAMW,sB;;UAwWP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAh6EgB,cAAR,iBAAQ,C;UAi6EhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3WmB,QA2WJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAjXe,QAiXP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAvYP,yB;O;KANJ,C;mFA4BA,yB;MAl1EI,8D;MAk1EJ,sC;QAMW,sB;;UAyXP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAj7EgB,cAAR,iBAAQ,C;UAk7EhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3XmB,QA2XJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAlYe,QAkYP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAxZP,yB;O;KANJ,C;mFA6BA,yB;MAn2EI,8D;MAm2EJ,sC;QAMW,sB;;UA0YP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAl8EgB,cAAR,iBAAQ,C;UAm8EhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3YmB,QA2YJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAnZe,QAmZP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAzaP,yB;O;KANJ,C;mFA8BA,yB;MAp3EI,8D;MAo3EJ,sC;QAMW,sB;;UA2ZP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAn9EgB,cAAR,iBAAQ,C;UAo9EhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3ZmB,QA2ZJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QApae,QAoaP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA1bP,yB;O;KANJ,C;mFA+BA,yB;MAr4EI,8D;MAq4EJ,sC;QAMW,sB;;UA4aP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAp+EgB,cAAR,iBAAQ,C;UAq+EhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3amB,QA2aJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAqbe,QArbP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA3cP,yB;O;KANJ,C;mFAgCA,yB;MAt5EI,8D;MAs5EJ,sC;QAMW,sB;;UA6bP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAr/EgB,cAAR,iBAAQ,C;UAs/EhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3bmB,QA2bJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAsce,QAtcP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA5dP,yB;O;KANJ,C;mFAiCA,yB;MAv6EI,8D;MAu6EJ,sC;QAMW,sB;;UA8cP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAtgFgB,cAAR,iBAAQ,C;UAugFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3cmB,QA2cJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAtde,QAsdP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA7eP,yB;O;KANJ,C;mFAkCA,yB;MAx7EI,8D;MAw7EJ,sC;QAMW,sB;;UA+dP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAvhFgB,cAAR,iBAAQ,C;UAwhFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3dmB,QA2dJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAvee,QAufP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA9fP,yB;O;KANJ,C;mFAmCA,yB;MAz8EI,8D;MAy8EJ,sC;QAMW,sB;;UAgfP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAxiFgB,cAAR,iBAAQ,C;UAyiFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3fmB,QA2fJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAxge,QAwgeP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA/gBP,yB;O;KANJ,C;mFAoCA,yB;MA19EI,8D;MA09EJ,sC;QAMW,sB;;UAihBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAzjFgB,cAAR,iBAAQ,C;UA0jFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3hBmB,QA2hBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAzie,QAyiePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAhjBP,yB;O;KANJ,C;mFAqCA,yB;MA3+EI,8D;MA2+EJ,sC;QAMW,sB;;UAkjBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA1kFgB,cAAR,iBAAQ,C;UA2kFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3jBmB,QA2jBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA1je,QA0jePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAjkBP,yB;O;KANJ,C;mFAsCA,yB;MA5gFI,8D;MA4gFJ,sC;QAMW,sB;;UAmkBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA3lFgB,cAAR,iBAAQ,C;UA4lFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3kBmB,QA2kBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA3le,QA2lePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlmBP,yB;O;KANJ,C;mFAuCA,yB;MA7iFI,8D;MA6iFJ,sC;QAMW,sB;;UAomBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA5mFgB,cAAR,iBAAQ,C;UA6mFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3mBmB,QA2mBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA5me,QA4mePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAnnBP,yB;O;KANJ,C;mFAwCA,yB;MA9kFI,8D;MA8kFJ,sC;QAMW,sB;;UAqnBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA7nFgB,cAAR,iBAAQ,C;UA8nFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3nBmB,QA2nBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA7ne,QA6nePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QApoBP,yB;O;KANJ,C;mFAyCA,yB;MA/mFI,8D;MA+mFJ,sC;QAMW,sB;;UAspBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA9oFgB,cAAR,iBAAQ,C;UA+oFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3pBmB,QA2pBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9pe,QA8pePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QArqBP,yB;O;KANJ,C;mFA0CA,yB;MAhpFI,8D;MAgpFJ,sC;QAMW,sB;;UAurBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA/qFgB,cAAR,iBAAQ,C;UAgrFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3rBmB,QA2rBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA/re,QA+rePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAtsBP,yB;O;KANJ,C;mFA2CA,yB;MAjqFI,8D;MAiqFJ,sC;QAMW,sB;;UAwtBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAhtFgB,cAAR,iBAAQ,C;UAitFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3tBmB,QA2tBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAhue,QAguePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAvuBP,yB;O;KANJ,C;mFA4CA,yB;MAlsFI,8D;MAksFJ,sC;QAMW,sB;;UAyvBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAjvFgB,cAAR,iBAAQ,C;UAkvFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3vBmB,QA2vBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAjwee,QAiwePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAxwBP,yB;O;KANJ,C;mFA6CA,yB;MAntFI,8D;MAmtFJ,sC;QAMW,sB;;UA0xBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAlwFgB,cAAR,iBAAQ,C;UAmwFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3xBmB,QA2xBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAlxee,QAkxePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAzyBP,yB;O;KANJ,C;mFA8CA,yB;MApuFI,8D;MAouFJ,sC;QAMW,sB;;UA2zBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAnxFgB,cAAR,iBAAQ,C;UAoxFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3zBmB,QA2zBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAnyee,QAmyePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA1zBP,yB;O;KANJ,C;mFA+CA,yB;MArvFI,8D;MAqvFJ,sC;QAMW,sB;;UA40BP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBApyFgB,cAAR,iBAAQ,C;UAqyFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA30BmB,QA20BJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QApzee,QAozePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA31BP,yB;O;KANJ,C;mFAgDA,yB;MAtwFI,8D;MAswFJ,sC;QAMW,sB;;UA61BP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBArzFgB,cAAR,iBAAQ,C;UAszFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA31BmB,QA21BJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAr0ee,QAq0ePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA51BP,yB;O;KANJ,C;mFAiDA,yB;MAvxFI,8D;MAuxFJ,sC;QAMW,sB;;UA82BP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAt0FgB,cAAR,iBAAQ,C;UAu0FhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA32BmB,QA22BJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAt1ee,QAs1ePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA73BP,yB;O;KANJ,C;mFAkDA,yB;MAxyFI,8D;MAwyFJ,sC;QAMW,sB;;UA+3BP,IAAI,mBAAJ,C;YAAe,qBAAO,I;

O,QpBx+LP,EoBw+LiB,CpBx+LjB,C;;QoB0+Ld,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAlvEI,8D;MpB9wHJ,iB;MoBggMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAlwEG,cAAR,iBAAAQ,C;QAkwEhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB1gMG,MAAAO,KoB0gMO,QpB1gMP,EoB0gMiB,CpB1gMjB,C;;QoB4gMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAjwEI,8D;MpBtxHJ,iB;MoBuhMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAjxEG,cAAR,iBAAAQ,C;QAixEhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBjiMG,MAAAO,KoBiiMO,QpBjiMP,EoBiiMiB,CpBjiMjB,C;;QoBmiMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAhxEI,8D;MpB9xHJ,iB;MoB8iMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAhyEG,cAAR,iBAAAQ,C;QAgyEhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBxjMG,MAAAO,KoBwjMO,QpBxjMP,EoBwjMiB,CpBxjMjB,C;;QoB0jMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAvyEI,8D;MpBryHJ,iB;MoBqkMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAvzEG,cAAR,iBAAAQ,C;QAuzEhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB/kMG,MAAAO,KoB+kMO,QpB/kMP,EoB+kMiB,CpB/kMjB,C;;QoBilMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA9zEI,8D;MpB5zHJ,iB;MoB4lMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA90EG,cAAR,iBAAAQ,C;QA80EhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBtmMG,MAAAO,KoBsmMO,QpBtmMP,EoBsmMiB,CpBtmMjB,C;;QoBwmMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAr1EI,8D;MpBn0HJ,iB;MoBmnMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAr2EG,cAAR,iBAAAQ,C;QAq2EhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB7nMG,MAAAO,KoB6nMO,QpB7nMP,EoB6nMiB,CpB7nMjB,C;;QoB+nMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA52EI,8D;MpB10HJ,iB;MoB0pMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA53EG,cAAR,iBAAAQ,C;QA43EhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBpqMG,MAAAO,KoBoqMO,QpBpqMP,EoBoqMiB,CpBpqMjB,C;;QoBsqMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAn4EI,8D;MpBj2HJ,iB;MoBiqMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAn5EG,cAAR,iBAAAQ,C;QAm5EhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB3rMG,MAAAO,KoB2rMO,QpB3rMP,EoB2rMiB,CpB3rMjB,C;;QoB6rMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA15EI,8D;MpBx3HJ,iB;MoBwrMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA16EG,cAAR,iBAAAQ,C;QA06EhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBltMG,MAAAO,KoBktMO,QpBltMP,EoBktMiB,CpBltMjB,C;;QoBotMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAj7EI,8D;MpB/4HJ,iB;MoB+sMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAj8EG,cAAR,iBAAAQ,C;QAi8EhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBzuMG,MAAAO,KoByuMO,QpBzuMP,EoByuMiB,CpBzuMjB,C;;QoB2uMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAx8EI,8D;MpBt6HJ,iB;MoBstMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAx9EG,cAAR,iBAAAQ,C;QAw9EhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBhwMG,MAAAO,KoBgwMO,QpBhwMP,EoBgwMiB,CpBhwMjB,C;;QoBkwMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA/9EI,8D;MpB77HJ,iB;MoB6uMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA/+EG,cAAR,iBAAAQ,C;QA++EhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBvxMG,MAAAO,KoBuxMO,QpBvxMP,EoBuxMiB,CpBvxMjB,C;;QoByxMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAtgFI,8D;MpBp9HJ,iB;MoBowMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAthFG,cAAR,iBAAAQ,C;QAshFhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB9yMG,MAAAO,KoB8yMO,QpB9yMP,EoB8yMiB,CpB9yMjB,C;;QoBgzMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA7hFI,8D;MpB3+HJ,iB;MoB2xMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA7iFG,cAAR,iBAAAQ,C;QA6iFhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBr0MG,MAAAO,KoBq0MO,QpBr0MP,EoBq0MiB,CpBr0MjB,C;;QoBu0Md,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MApjFI,8D;MpBlgIJ,iB;MoBkzMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OApkFG,cAAR,iBAAAQ,C;QAokFhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB51MG,MAAAO,KoB41MO,QpB51MP,EoB41MiB,CpB51MjB,C;;QoB81Md,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA3kFI,8D;MpBzhIJ,iB;MoBy0MA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA3lFG,cAAR,iBAAAQ,C;QA2lFhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBn3MG,MAAAO,KoBm3MO,QpBn3MP,EoBm3MiB,CpBn3MjB,C;;QoBq3Md,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAlmFI,8D;MpBhjIJ,iB;MoBg2MA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAlnFG,cAAR,iBAAAQ,C;QAknFhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB15MG,MAAAO,KoB05MO,QpB15MP,EoB05MiB,CpB15MjB,C;;QoB45Md,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAznFI,8D;MpBvkIJ,iB;MoBu4MA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAznFG,cAAR,iBAAAQ,C;QAynFhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBj7MG,MAAAO,KoBi7MO,QpBj7MP,EoBi7MiB,CpBj7MjB,C;;QoBm7Md,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAxoFI,8D;MpBtlIJ,iB;MoBs5MA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAxpFG,cAAR,iBAAAQ,C;QAwpFhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBh8MG,MAAAO,KoBg8MO,QpBh8MP,EoBg8MiB,CpBh8MjB,C;;QoBk8Md,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAvpFI,8D;MpBrmIJ,iB;MoBq6MA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAvqFG,cAAR,iBAAAQ,C;QAuqFhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB/8MG,MAAAO,KoB+8MO,QpB/8MP,EoB+8MiB,CpB/8MjB,C;;QoBi9Md,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAtqFI,8D;MpBpnIJ,iB;MoBo7MA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAtrFG,cAAR,iBAAAQ,C;QAsrFhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB99MG,MAAAO,KoB89MO,QpB99MP,EoB89MiB,CpB99MjB,C;;QoBg+Md,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MArrFI,8D;MpBnoIJ,iB;MoBm8MA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OArsFG,cAAR,iBAAAQ,C;QAqsFhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB7+MG,MAAAO,KoB6+MO,QpB7+MP,EoB6+MiB,CpB7+MjB,C;;QoB++Md,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MApsFI,8D;MpBlpIJ,iB;MoBk9MA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAptFG,cAAR,iBAAAQ,C;QAotFhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB5/MG,MAAAO,KoB4/MO,QpB5/MP,EoB4/MiB,CpB5/MjB,C;;QoB8/Md,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAntFI,8D;MpBjqIJ,iB;MoBi+MA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAnuFG,cAAR,iBAAAQ,C;QAmuFhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB3gNG,MAAAO,KoB2gNO,QpB3gNP,EoB2gNiB,CpB3gNjB,C;;QoB6gNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAluFI,8D;MpBhrIJ,iB;MoBg/MA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAlvFG,cAAR,iBAAAQ,C;QAkvFhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB1hNG,MAAAO,KoB0hNO,QpB1hNP,EoB0hNiB,CpB1hNjB,C;;QoB4hNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAjvFI,8D;MpB/rIJ,iB;MoB+/MA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAjwFG,cAAR,iBAAAQ,C;QAiwFhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBziNG,MAAAO,KoByiNO,QpBziNP,EoByiNiB,CpBziNjB,C;;QoB2iNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAhwFI,8D;MpB9sIJ,iB;MoB8gNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAhxFG,cAAR,iBAAAQ,C;QAgxFhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBxjNG,MAAAO,KoBwjNO,QpBxjNP,EoBwjNiB,CpBxjNjB,C;;QoB0jNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA/wFI,8D;MpB7tIJ,iB;MoB6hNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA/xFG,cAAR,iBAAAQ,C;QA+xFhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBvkNG,MAAAO,KoBukNO,QpBvkNP,EoBukNiB,CpBvkNjB,C;;QoBykNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA9xFI,8D;MpB5uIJ,iB;MoB4iNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA9yFG,cAAR,iBAAAQ,C;QA8yFhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBtlNG,MAAAO,KoBslNO,QpBtlNP,EoBslNiB,CpBtlNjB,C;;QoBwlNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA7yFI,8D;MpB3vIJ,iB;MoB2jNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA7zFG,cAAR,iBAAAQ,C;QA6zFhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBrmNG,MAAAO,KoBqmNO,QpBrmNP,EoBqmNiB,CpBrmNjB,C;;QoBumNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA50FI,8D;MpB1wIJ,iB;MoB0kNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA50FG,cAAR,iBAAAQ,C;QA40FhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBpnNG,MAAAO,KoBonNO,QpBpnNP,EoBonNiB,CpBpnNjB,C;;QoBsnNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA31FI,8D;MpBzxIJ,iB;MoBylNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA31FG,cAAR,iBAAAQ,C;QA21FhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBnoNG,MAAAO,KoBmoNO,QpBnoNP,EoBmoNiB,CpBnoNjB,C;;QoBqoNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA11FI,8D;MpBxyIJ,iB;MoBwmNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA11FG,cAAR,iBAAAQ,C;QA01FhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBlpNG,MAAAO,KoBkpNO,QpBlpNP,EoBkpNiB,CpBlpNjB,C;;QoBopNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAz2FI,8D;MpBvzIJ,iB;MoBunNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAz2FG,cAAR,iBAAAQ,C;QAy2FhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBjqNG,MAAAO,KoBiqNO,QpBjqNP,EoBiqNiB,CpBjqNjB,C;;QoBmqNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAx3FI,8D;MpBt0IJ,iB;MoBsoNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAx3FG,cAAR,iBAAAQ,C;QAw3FhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBhrNG,MAAAO,KoBgrNO,QpBhrNP,EoBgrNiB,CpBhrNjB,C;;QoBkrNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAv4FI,8D;MpBr1IJ,iB;MoBqpNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAv4FG,cAAR,iBAAAQ,C;QAu4FhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB/rNG,MAAAO,KoB+rNO,QpB/rNP,EoB+rNiB,CpB/rNjB,C;;QoBisNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAt5FI,8D;MpBp2IJ,iB;MoBorNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAt5FG,cAAR,iBAAAQ,C;QAs5FhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB9sNG,MAAAO,KoB8sNO,QpB9sNP,EoB8sNiB,CpB9sNjB,C;;QoBgtNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAr6FI,8D;MpBn3IJ,iB;MoBmtNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAr6FG,cAAR,iBAAAQ,C;QAq6FhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB7tNG,MAAAO,KoB6tNO,QpB7tNP,EoB6tNiB,CpB7tNjB,C;;QoB+tNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAp7FI,8D;MpBl4IJ,iB;MoBkvNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAp7FG,cAAR,iBAAAQ,C;QAo7FhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB5vNG,MAAAO,KoB4vNO,QpB5vNP,EoB4vNiB,CpB5vNjB,C;;QoB8vNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAn8FI,8D;MpBj5IJ,iB;MoBiwNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAn8FG,cAAR,iBAAAQ,C;QAm8FhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB3wNG,MAAAO,KoB2wNO,QpB3wNP,EoB2wNiB,CpB3wNjB,C;;QoB6wNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAl9FI,8D;MpBh6IJ,iB;MoBgxNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAl9FG,cAAR,iBAAAQ,C;QAk9FhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB1xNG,MAAAO,KoB0xNO,QpB1xNP,EoB0xNiB,CpB1xNjB,C;;QoB4xNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAj+FI,8D;MpB/6IJ,iB;MoB+xNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAj+FG,cAAR,iBAAAQ,C;QAi+FhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBzyNG,MAAAO,KoByyNO,QpBzyNP,EoByyNiB,CpBzyNjB,C;;QoB2yNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAh/FI,8D;MpB97IJ,iB;MoB8yNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAh/FG,cAAR,iBAAAQ,C;QAg/FhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBxzNG,MAAAO,KoBwzNO,QpBxzNP,EoBwzNiB,CpBxzNjB,C;;QoB0zNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA/gGI,8D;MpB79IJ,iB;MoB6zNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA/gGG,cAAR,iBAAAQ,C;QA+gGhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBv0NG,MAAAO,KoBu0NO,QpBv0NP,EoBu0NiB,CpBv0NjB,C;;QoBy0Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA9hGI,8D;MpB5+IJ,iB;MoB40NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA9hGG,cAAR,iBAAAQ,C;QA8hGhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBt1NG,MAAAO,KoBs1NO,QpBt1NP,EoBs1NiB,CpBt1NjB,C;;QoBw1Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA7iGI,8D;MpB3/IJ,iB;MoB21NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA7iGG,cAAR,iBAAAQ,C;QA6iGhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBr2NG,MAAAO,KoBq2NO,QpBr2NP,EoBq2NiB,CpBr2NjB,C;;QoBu2Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA5jGI,8D;MpB1gJJ,iB;MoB02NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA5jGG,cAAR,iBAAAQ,C;QA4jGhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBp3NG,MAAAO,KoBo3NO,QpBp3NP,EoBo3NiB,CpBp3NjB,C;;QoBs3Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA3kGI,8D;MpBzhJJ,iB;MoBy4NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA3kGG,cAAR,iBAAAQ,C;QA2kGhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBn4NG,MAAAO,KoBm4NO,QpBn4NP,EoBm4NiB,CpBn4NjB,C;;QoBq4Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA1lGI,8D;MpBxiJJ,iB;MoBw5NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA1lGG,cAAR,iBAAAQ,C;QA0lGhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBl5NG,MAAAO,KoBk5NO,QpBl5NP,EoBk5NiB,CpBl5NjB,C;;QoBo5Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAzmGI,8D;MpBvjJJ,iB;MoBu6NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAzmGG,cAAR,iBAAAQ,C;QAymGhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBj6NG,MAAAO,KoBi6NO,QpBj6NP,EoBi6NiB,CpBj6NjB,C;;QoBm6Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAxnGI,8D;MpBtkJJ,iB;MoBs7NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAxnGG,cAAR,iBAAAQ,C;QAwnGhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBh7NG,MAAAO,KoBg7NO,QpBh7NP,EoBg7NiB,CpBh7NjB,C;;QoBk7Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAvoGI,8D;MpBrlJJ,iB;MoBq8NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAvoGG,cAAR,iBAAAQ,C;QAuoGhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB/8NG,MAAAO,KoB+8NO,QpB/8NP,EoB+8NiB,CpB/8NjB,C;;QoBi9Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAtpGI,8D;MpBpmJJ,iB;MoBo9NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAtpGG,cAAR,iBAAAQ,C;QAspGhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB99NG,MAAAO,KoB89NO,QpB99NP,EoB89NiB,CpB99NjB,C;;QoBg+Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MArqGI,8D;MpBnnJJ,iB;MoBm+NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OArqGG,cAAR,iBAAAQ,C;QAqqGhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB7+NG,MAAAO,KoB6+NO,QpB7+NP,EoB6+NiB,CpB7+NjB,C;;QoB++Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MApsGI,8D;MpBloJJ,iB;MoBk/NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAptGG,cAAR,iBAAAQ,C;QAotGhB,aAAU,CAAAV,iB;UACI,QAAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB5/NG,MAAAO,KoB4/NO,QpB5/NP,EoB4/NiB,CpB5/N

ACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB9zMG,MAAO,KoB8zMO,QpB9zMP,EoB8zMiB,CpB9zMjB,C;;QoBg0Md,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAriFI,8D;MpBtyHJ,iB;MoB20MA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAnjFG,cAAR,iBAAQ,C;QAmjFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBn1MG,MAAO,KoBm1MO,QpBn1MP,EoBm1MiB,CpBn1MjB,C;;QoBq1Md,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAllFI,8D;MAklFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9lFG,cAAR,iBAAQ,C;QA8lFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA+mFI,8D;MA/mFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3mFG,cAAR,iBAAQ,C;QA2mFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA4nFI,8D;MA5nFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxnFG,cAAR,iBAAQ,C;QAwnFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAyoFI,8D;MAzoFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAroFG,cAAR,iBAAQ,C;QAqoFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAspFI,8D;MAtpFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlpFG,cAAR,iBAAQ,C;QAkpFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAmqFI,8D;MAnqFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/pFG,cAAR,iBAAQ,C;QA+pFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAgrFI,8D;MAhrFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5qFG,cAAR,iBAAQ,C;QA4qFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAyrFI,8D;MAzrFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArrFG,cAAR,iBAAQ,C;QAqrFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAstFI,8D;MAttFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAltFG,cAAR,iBAAQ,C;QAktFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAmuFI,8D;MAnuFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/tFG,cAAR,iBAAQ,C;QA+tFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAgvFI,8D;MAhvFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5uFG,cAAR,iBAAQ,C;QA4uFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAyvFI,8D;MAzvFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArvFG,cAAR,iBAAQ,C;QAqvFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAswFI,8D;MAtwFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlwFG,cAAR,iBAAQ,C;QAkwFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAmxFI,8D;MAnxFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/wFG,cAAR,iBAAQ,C;QA+wFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAgyFI,8D;MAhyFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5xFG,cAAR,iBAAQ,C;QA4xFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAyyFI,8D;MAzyFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAryFG,cAAR,iBAAQ,C;QAqyFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAszFI,8D;MAtzFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlzFG,cAAR,iBAAQ,C;QAkzFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAm0FI,8D;MAn0FJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/zFG,cAAR,iBAAQ,C;QA+zFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAg1FI,8D;MAh1FJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA50FG,cAAR,iBAAQ,C;QA40FhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAy1FI,8D;MAz1FJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAr1FG,cAAR,iBAAQ,C;QAq1FhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAs2FI,8D;MAt2FJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAl2FG,cAAR,iBAAQ,C;QAk2FhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAm3FI,8D;MAn3FJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/2FG,cAAR,iBAAQ,C;QA+2FhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAg4FI,8D;MAh4FJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA53FG,cAAR,iBAAQ,C;QA43FhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAy4FI,8D;MAz4FJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAr4FG,cAAR,iBAAQ,C;QAq4FhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAs5FI,8D;MAt5FJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAl5FG,cAAR,iBAAQ,C;QAk5FhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAm6FI,8D;MAn6FJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/5FG,cAAR,iBAAQ,C;QA+5FhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAg7FI,8D;MAh7FJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA56FG,cAAR,iBAAQ,C;QA46FhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAy7FI,8D;MAz7FJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAr7FG,cAAR,iBAAQ,C;QAq7FhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAs8FI,8D;MAt8FJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAl8FG,cAAR,iBAAQ,C;QAk8FhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAm9FI,8D;MAn9FJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/8FG,cAAR,iBAAQ,C;QA+8FhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAg+FI,8D;MAh+FJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA59FG,cAAR,iBAAQ,C;QA49FhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAy+FI,8D;MAz+FJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAr+FG,cAAR,iBAAQ,C;QAq+FhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAs/FI,8D;MAt/FJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAl/FG,cAAR,iBAAQ,C;QAk/FhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAmgGI,8D;MAngGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA//FG,cAAR,iBAAQ,C;QA+/FhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAghGI,8D;MAhhGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5gGG,cAAR,iBAAQ,C;QA4gGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAyhGI,8D;MAzhGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArhGG,cAAR,iBAAQ,C;QAqhGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAsiGI,8D;MAtiGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAliGG,cAAR,iBAAQ,C;QAkiGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAmjGI,8D;MAnjGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/iGG,cAAR,iBAAQ,C;QA+iGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAgkGI,8D;MAhkGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5jGG,cAAR,iBAAQ,C;QA4jGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAykGI,8D;MAzkGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArkGG,cAAR,iBAAQ,C;QAqkGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAslGI,8D;MAtlGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAllGG,cAAR,iBAAQ,C;QAklGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAmmGI,8D;MAnmGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/lGG,cAAR,iBAAQ,C;QA+lGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAgnGI,8D;MAhnGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5mGG,cAAR,iBAAQ,C;QA4mGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAynGI,8D;MAznGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArnGG,cAAR,iBAAQ,C;QAqnGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAsoGI,8D;MAtoGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAloGG,cAAR,iBAAQ,C;QAkoGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAmpGI,8D;MAnpGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/oGG,cAAR,iBAAQ,C;QA+oGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAgqGI,8D;MAhqGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5pGG,cAAR,iBAAQ,C;QA4pGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAyqGI,8D;MAzqGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArqGG,cAAR,iBAAQ,C;QAqqGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAsrGI,8D;MAtrGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlrGG,cAAR,iBAAQ,C;QAkrGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAmsGI,8D;MAnsGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/rGG,cAAR,iBAAQ,C;QA+rGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAgtGI,8D;MAhtGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5sGG,cAAR,iBAAQ,C;QA4sGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAytGI,8D;MAztGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArtGG,cAAR,iBAAQ,C;QAqtGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAsuGI,8D;MAtuGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAluGG,cAAR,iBAAQ,C;QAkuGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAmvGI,8D;MAnvGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/uGG,cAAR,iBAAQ,C;QA+uGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAgwGI,8D;MAhwGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5vGG,cAAR,iBAAQ,C;QA4vGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAywGI,8D;MAzwGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArwGG,cAAR,iBAAQ,C;QAqwGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAsxGI,8D;MAtxGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlxGG,cAAR,iBAAQ,C;QAkxGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAmyGI,8D;MAnyGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/xGG,cAAR,iBAAQ,C;QA+xGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAgzGI,8D;MAhzGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5yGG,cAAR,iBAAQ,C;QA4yGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAyzGI,8D;MAzzGJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArzGG,cAAR,iBAAQ,C;QAqzGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAs0GI,8D;MAt0GJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAl0GG,cAAR,iBAAQ,C;QAk0GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAm1GI,8D;MAn1GJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/0GG,cAAR,iBAAQ,C;QA+0GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAg2GI,8D;MAh2GJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA51GG,cAAR,iBAAQ,C;QA41GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAy2GI,8D;MAz2GJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAr2GG,cAAR,iBAAQ,C;QAq2GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAs3GI,8D;MAt3GJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAl3GG,cAAR,iBAAQ,C;QAk3GhB,aAAU,CAAV,iB;UACI,QAAQ,

;QACR,InBnnN+D,amBmnN3D,GnBnnN6E,KAAlB,EmBmnNrD,CnBnnNmF,KAA9B,CmBmnN3D,IAAJ,C;UA
Aa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,s
BAAK,CAAL,C;MACG,OA52FG,gBAAR,iBAAQ,C;MA42FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C
;QACR,IpC1pN4E,0BoC0pNxE,GpC/6M8B,KAAL,GAAiB,GA3O8B,EoC0pNlE,CpC/6MwB,KAAL,GAAiB,GA
3O8B,CoC0pNxE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;Q
AAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAn3FG,gBAAR,iBAAQ,C;MAm3FhB,aAAU,CAAV,iB
;QACI,QAAQ,sBAAK,CAAL,C;QACR,IlCjqN6E,0BkCiqNzE,GlC77M8B,KAAL,GAAiB,KApO+B,EkCiqNnE,C
lC77MwB,KAAL,GAAiB,KApO+B,CkCiqNzE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAKI,
OAAO,4BAAc,UAAd,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAd,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAd,
C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAd,C;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;M
ACtB,UAAU,sBAAK,CAAL,C;MACG,OA17FG,gBAAR,iBAAQ,C;MA07FhB,aAAU,CAAV,iB;QACI,QAAQ,s
BAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;
MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,
C;MACG,OAj8FG,gBAAR,iBAAQ,C;MAi8FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,U
AAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;
MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAx8FG,gBAAR,iB
AAQ,C;MAw8FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,C
AAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBA
AJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA/8FG,gBAAR,iBAAQ,C;MA+8FhB,aAAU,CA
AV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,
C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2
B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;mFAGX,yB;MA9gGI,8D;MA8gGJ,sC;QAMW,sB;;UAuCP,
IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA7jGhB,cAAR,iBAAQ,C;U
A8jGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3CmB,QA2CJ,CAAS,OAAT,C;UACf,a
AAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ce,QA8CP,CAAS,CAAT,C;YACR,IA
AI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QApDP,yB;O;KANJ,C;mFA
SA,yB;MA/gGI,8D;MA+gGJ,sC;QAMW,sB;;UAuDP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sB
AAK,CAAL,C;UACd,gBA9kGhB,cAAR,iBAAQ,C;UA+kGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3DmB,QA2DJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9De,QA8DP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlEP,yB;O;MAhhGI,8D;MAghGJ,sC;QAMW,sB;;UAuEP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA/lGhB,cAAR,iBAAQ,C;UAgmGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3EmB,QA2EJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ee,QA8EP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlFP,yB;O;MAjiGI,8D;MAiiGJ,sC;QAMW,sB;;UAwFP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAhnGhB,cAAR,iBAAQ,C;UAinGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3FmB,QA2FJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Fe,QA8FP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlGP,yB;O;MAljGI,8D;MAkjGJ,sC;QAMW,sB;;UAyGP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAjoGhB,cAAR,iBAAQ,C;UAkoGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3GmB,QA2GJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ge,QA8GP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlHP,yB;O;MAnkGI,8D;MAmkGJ,sC;QAMW,sB;;UA0HP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAlpGhB,cAAR,iBAAQ,C;UAmpGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3HmB,QA2HJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9He,QA8HP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlIP,yB;O;MApmGI,8D;MAomGJ,sC;QAMW,sB;;UA2IP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAnqGhB,cAAR,iBAAQ,C;UAoqGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3ImB,QA2IJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ie,QA8IP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlJP,yB;O;MArnGI,8D;MAqnGJ,sC;QAMW,sB;;UA4JP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBApsGhB,cAAR,iBAAQ,C;UAqsGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3JmB,QA2JJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Je,QA8JP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlKP,yB;O;MAtoGI,8D;MAsoGJ,sC;QAMW,sB;;UA6KP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBArtGhB,cAAR,iBAAQ,C;UAstGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3KmB,QA2KJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ke,QA8KP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlLP,yB;O;MAvpGI,8D;MAupGJ,sC;QAMW,sB;;UA8LP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAtuGhB,cAAR,iBAAQ,C;UAuuGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3LmB,QA2LJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Le,QA8LP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlMP,yB;O;MAxqGI,8D;MAwqGJ,sC;QAMW,sB;;UA+MP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAvvGhB,cAAR,iBAAQ,C;UAwvGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3MmB,QA2MJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Me,QA8MP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlNP,yB;O;MAzrGI,8D;MAyrGJ,sC;QAMW,sB;;UAgOP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAxwGhB,cAAR,iBAAQ,C;UAywGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3OmB,QA2OJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Oe,QA8OP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlPP,yB;O;MA1sGI,8D;MA0sGJ,sC;QAMW,sB;;UAiPP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAzxGhB,cAAR,iBAAQ,C;UA0xGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3PmB,QA2PJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Pe,QA8PP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlQP,yB;O;MA3tGI,8D;MA2tGJ,sC;QAMW,sB;;UAkQP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA1yGhB,cAAR,iBAAQ,C;UA2yGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3QmB,QA2QJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Qe,QA8QP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlRP,yB;O;MA5uGI,8D;MA4uGJ,sC;QAMW,sB;;UAmRP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA3zGhB,cAAR,iBAAQ,C;UA4zGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3RmB,QA2RJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Re,QA8RP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlSP,yB;O;MA7vGI,8D;MA6vGJ,sC;QAMW,sB;;UAoSP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA50GhB,cAAR,iBAAQ,C;UA60GhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3SmB,QA2SJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Se,QA8SP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlTP,yB;O;MA9wGI,8D;MA8wGJ,sC;QAMW,sB;;UAqTP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA71GhB,cAAR,iBAAQ,C;UA81GhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3TmB,QA2TJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Te,QA8TP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlUP,yB;O;MA/xGI,8D;MA+xGJ,sC;QAMW,sB;;UAsUP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA93GhB,cAAR,iBAAQ,C;UA+3GhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3UmB,QA2UJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ue,QA8UP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlVP,yB;O;MAhzGI,8D;MAgzGJ,sC;QAMW,sB;;UAuVP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA/4GhB,cAAR,iBAAQ,C;UAg5GhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3VmB,QA2VJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ve,QA8VP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlWP,yB;O;MAj0GI,8D;MAi0GJ,sC;QAMW,sB;;UAwWP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAh6GhB,cAAR,iBAAQ,C;UAi6GhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3WmB,QA2WJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9We,QA8WP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlXP,yB;O;MAl1GI,8D;MAk1GJ,sC;QAMW,sB;;UAyXP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAj7GhB,cAAR,iBAAQ,C;UAk7GhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3XmB,QA2XJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Xe,QA8XP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlYP,yB;O;MAn2GI,8D;MAm2GJ,sC;QAMW,sB;;UA0YP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAl8GhB,cAAR,iBAAQ,C;UAm8GhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3YmB,QA2YJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ye,QA8YP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlZP,yB;O;MAp3GI,8D;MAo3GJ,sC;QAMW,sB;;UA2ZP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAn9GhB,cAAR,iBAAQ,C;UAo9GhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3ZmB,QA2ZJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ze,QA8ZP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlaP,yB;O;MAr4GI,8D;MAq4GJ,sC;QAMW,sB;;UA4aP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAp+GhB,cAAR,iBAAQ,C;UAq+GhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3amB,QA2aJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9ae,QA8aP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlbP,yB;O;MAt5GI,8D;MAs5GJ,sC;QAMW,sB;;UA6bP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAr/GhB,cAAR,iBAAQ,C;UAs/GhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3bmB,QA2bJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9be,QA8bP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlcP,yB;O;MAv6GI,8D;MAu6GJ,sC;QAMW,sB;;UA8cP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAtgHhB,cAAR,iBAAQ,C;UAugHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3cmB,QA2cJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9ce,QA8cP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAldP,yB;O;MAx7GI,8D;MAw7GJ,sC;QAMW,sB;;UA+dP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAvhHhB,cAAR,iBAAQ,C;UAwhHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3dmB,QA2dJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9de,QA8dP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAleP,yB;O;MAz8GI,8D;MAy8GJ,sC;QAMW,sB;;UAgfP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAxiHhB,cAAR,iBAAQ,C;UAyiHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3fmB,QA2fJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9ee,QA8eP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlfP,yB;O;MA19GI,8D;MA09GJ,sC;QAMW,sB;;UAigBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAzjHhB,cAAR,iBAAQ,C;UA0jHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3gBmB,QA2gBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9gBe,QA8gBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlhBP,yB;O;MA39GI,8D;MA29GJ,sC;QAMW,sB;;UAkhBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA1kHhB,cAAR,iBAAQ,C;UA2kHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3hBmB,QA2hBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9hBe,QA8hBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAliBP,yB;O;MA59GI,8D;MA49GJ,sC;QAMW,sB;;UAmiBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA3lHhB,cAAR,iBAAQ,C;UA4lHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3iBmB,QA2iBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9iBe,QA8iBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAljBP,yB;O;MA7+GI,8D;MA6+GJ,sC;QAMW,sB;;UAojBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA5mHhB,cAAR,iBAAQ,C;UA6mHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3jBmB,QA2jBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9jBe,QA8jBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlkBP,yB;O;MA9/GI,8D;MA8/GJ,sC;QAMW,sB;;UAqkBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA7nHhB,cAAR,iBAAQ,C;UA8nHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3kBmB,QA2kBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9kBe,QA8kBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAllBP,yB;O;MA/gHI,8D;MA+gHJ,sC;QAMW,sB;;UAslBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA9oHhB,cAAR,iBAAQ,C;UA+oHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3lBmB,QA2lBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9lBe,QA8lBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlmBP,yB;O;MAhiHI,8D;MAgiHJ,sC;QAMW,sB;;UAumBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA/pHhB,cAAR,iBAAQ,C;UAgqHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3mBmB,QA2mBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9mBe,QA8mBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlnBP,yB;O;MAjjHI,8D;MAijHJ,sC;QAMW,sB;;UAwnBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAhrHhB,cAAR,iBAAQ,C;UAirHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3nBmB,QA2nBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9nBe,QA8nBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlnBP,yB;O;MAlkHI,8D;MAkkHJ,sC;QAMW,sB;;UAynBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAjsHhB,cAAR,iBAAQ,C;UAksHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3oBmB,QA2oBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9oBe,QA8oBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlpBP,yB;O;MAnlHI,8D;MAmlHJ,sC;QAMW,sB;;UA0pBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAltHhB,cAAR,iBAAQ,C;UAmtHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3pBmB,QA2pBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9pBe,QA8pBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlqBP,yB;O;MAplHI,8D;MAolHJ,sC;QAMW,sB;;UA2qBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAntHhB,cAAR,iBAAQ,C;UAotHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3qBmB,QA2qBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9qBe,QA8qBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlrBP,yB;O;MArmHI,8D;MAqmHJ,sC;QAMW,sB;;UA4rBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAptHhB,cAAR,iBAAQ,C;UAqtHhB,IAAI,cA

,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA/lGgB,cA+lGA,SA/lGR,QAAQ,C;QAgmGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;+FAyBA,yB;MArmGI,8D;MAqmGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAhnGgB,cAgnGA,SAhnGR,GAgnGQ,QAAQ,C;QAinGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;;;QAGR,OAAO,O;O;KAtCX,C;kFAyCA,yB;MAAA,sE;MAAA,8D;MAAA,oBAAI,C;QAAJ,qBAAI,C;UAAJ,qBAAI,C;YAAJ,qBAAI,C;cAAJ,qBAAI,C;gBAAJ,qBAAI,C;kBAAJ,qBAAI,C;oBAAJ,qBAAI,C;sBAAJ,qBAAI,C;wBAAJ,qBAAI,C;0BAAJ,qBAAI,C;4BAAJ,qBAAI,C;8BAAJ,qBAAI,C;gCAAJ,qBAAI,C;kCAAJ,qBAAI,C;oCAAJ,qBAAI,C;sCAAJ,qBAAI,C;wCAAJ,qBAAI,C;0CAAJ,qBAAI,C;4CAAJ,qBAAI,C;8CAAJ,qBAAI,C;gDAAJ,qBAAI,C;kDAAJ,qBAAI,C;oDAAJ,qBAAI,C;sDAAJ,qBAAI,C;wDAAJ,qBAAI,C;0DAAJ,qBAAI,C;4DAAJ,qBAAI,C;8DAAJ,qBAAI,C;gEAAJ,qBAAI,C;kEAAJ,qBAAI,C;oEAAJ,qBAAI,C;sEAAJ,qBAAI,C;wEAAJ,qBAAI,C;0EAAJ,qBAAI,C;4EAAJ,qBAAI,C;8EAAJ,qBAAI,C;gFAAJ,qBAAI,C;kFAAJ,qBAAI,C;oFAAJ,qBAAI,C;sFAAJ,qBAAI,C;wFAAJ,qBAAI,C;0FAAJ,qBAAI,C;4FAAJ,qBAAI,C;8FAAJ,qBAAI,C;gGAAJ,qBAAI,C;kGAAJ,qBAAI,C;oGAAJ,qBAAI,C;sGAAJ,qBAAI,C;wGAAJ,qBAAI,C;0GAAJ,qBAAI,C;4GAAJ,qBAAI,C;8GAAJ,qBAAI,C;gHAAJ,qBAAI,C;kHAAJ,qBAAI,C;oHAAJ,qBAAI,C;sHAAJ,qBAAI,C;wHAAJ,qBAAI,C;0HAAJ,qBAAI,C;4HAAJ,qBAAI,C;8HAAJ,qBAAI,C;gIAAJ,qBAAI,C;kIAAJ,qBAAI,C;oIAAJ,qBAAI,C;sIAAJ,qBAAI,C;wIAAJ,qBAAI,C;0IAAJ,qBAAI,C;4IAAJ,qBAAI,C;8IAAJ,qBAAI,C;gJAAJ,qBAAI,C;kJAAJ,qBAAI,C;oJAAJ,qBAAI,C;sJAAJ,qBAAI,C;wJAAJ,qBAAI,C;0JAAJ,qBAAI,C;4JAAJ,qBAAI,C;8JAAJ,qBAAI,C;gKAAJ,qBAAI,C;kKAAJ,qBAAI,C;oKAAJ,qBAAI,C;sKAAJ,qBAAI,C;wKAAJ,qBAAI,C;0KAAJ,qBAAI,C;4KAAJ,qBAAI,C;8KAAJ,qBAAI,C;gLAAJ,qBAAI,C;kLAAJ,qBAAI,C;oLAAJ,qBAAI,C;sLAAJ,qBAAI,C;wLAAJ,qBAAI,C;0LAAJ,qBAAI,C;4LAAJ,qBAAI,C;8LAAJ,qBAAI,C;gMAAJ,qBAAI,C;kMAAJ,qBAAI,C;oMAAJ,qBAAI,C;sMAAJ,qBAAI,C;wMAAJ,qBAAI,C;0MAAJ,qBAAI,C;4MAAJ,qBAAI,C;8MAAJ,qBAAI,C;gNAAJ,qBAAI,C;kNAAJ,qBAAI,C;oNAAJ,qBAAI,C;sNAAJ,qBAAI,C;wNAAJ,qBAAI,C;0NAAJ,qBAAI,C;4NAAJ,qBAAI,C;8NAAJ,qBAAI,C;gOAAJ,qBAAI,C;kOAAJ,qBAAI,C;oOAAJ,qBAAI,C;sOAAJ,qBAAI,C;wOAAJ,qBAAI,C;0OAAJ,qBAAI,C;4OAAJ,qBAAI,C;8OAAJ,qBAAI,C;gPAAJ,qBAAI,C;kPAAJ,qBAAI,C;oPAAJ,qBAAI,C;sPAAJ,qBAAI,C;wPAAJ,qBAAI,C;0PAAJ,qBAAI,C;4PAAJ,qBAAI,C;8PAAJ,qBAAI,C;gQAAJ,qBAAI,C;kQAAJ,qBAAI,C;oQAAJ,qBAAI,C;sQAAJ,qBAAI,C;wQAAJ,qBAAI,C;0QAAJ,qBAAI,C;4QAAJ,qBAAI,C;8QAAJ,qBAAI,C;gRAAJ,qBAAI,C;kRAAJ,qBAAI,C;oRAAJ,qBAAI,C;sRAAJ,qBAAI,C;wRAAJ,qBAAI,C;0RAAJ,qBAAI,C;4RAAJ,qBAAI,C;8RAAJ,qBAAI,C;gSAAJ,qBAAI,C;kSAAJ,qBAAI,C;oSAAJ,qBAAI,C;sSAAJ,qBAAI,C;wSAAJ,qBAAI,C;0SAAJ,qBAAI,C;4SAAJ,qBAAI,C;8SAAJ,qBAAI,C;gTAAJ,qBAAI,C;kTAAJ,qBAAI,C;oTAAJ,qBAAI,C;sTAAJ,qBAAI,C;wTAAJ,qBAAI,C;0TAAJ,qBAAI,C;4TAAJ,qBAAI,C;8TAAJ,qBAAI,C;gUAAJ,qBAAI,C;kUAAJ,qBAAI,C;oUAAJ,qBAAI,C;sUAAJ,qBAAI,C;wUAAJ,qBAAI,C;0UAAJ,qBAAI,C;4UAAJ,qBAAI,C;8UAAJ,qBAAI,C;gVAAJ,qBAAI,C;kVAAJ,qBAAI,C;oVAAJ,qBAAI,C;sVAAJ,qBAAI,C;wVAAJ,qBAAI,C;0VAAJ,qBAAI,C;4VAAJ,qBAAI,C;8VAAJ,qBAAI,C;gWAAJ,qBAAI,C;kWAAJ,qBAAI,C;oWAAJ,qBAAI,C;sWAAJ,qBAAI,C;wWAAJ,qBAAI,C;0WAAJ,qBAAI,C;4WAAJ,qBAAI,C;8WAAJ,qBAAI,C;gXAAJ,qBAAI,C;kXAAJ,qBAAI,C;oXAAJ,qBAAI,C;sXAAJ,qBAAI,C;wXAAJ,qBAAI,C;0XAAJ,qBAAI,C;4XAAJ,qBAAI,C;8XAAJ,qBAAI,C;gYAAJ,qBAAI,C;kYAAJ,qBAAI,C;oYAAJ,qBAAI,C;sYAAJ,qBAAI,C;wYAAJ,qBAAI,C;0YAAJ,qBAAI,C;4YAAJ,qBAAI,C;8YAAJ,qBAAI,C;gZAAJ,qBAAI,C;kZAAJ,qBAAI,C;oZAAJ,qBAAI,C;sZAAJ,qBAAI,C;wZAAJ,qBAAI,C;0ZAAJ,qBAAI,C;4ZAAJ,qBAAI,C;8ZAAJ,qBAAI,C;gaAAJ,qBAAI,C;kaAAJ,qBAAI,C;oaAAJ,qBAAI,C;saAAJ,qBAAI,C;waAAJ,qBAAI,C;0aAAJ,qBAAI,C;4aAAJ,qBAAI,C;8aAAJ,qBAAI,C;gbAAJ,qBAAI,C;kbAAJ,qBAAI,C;obAAJ,qBAAI,C;sbAAJ,qBAAI,C;wbAAJ,qBAAI,C;0bAAJ,qBAAI,C;4bAAJ,qBAAI,C;8bAAJ,qBAAI,C;gcAAJ,qBAAI,C;kcAAJ,qBAAI,C;ocAAJ,qBAAI,C;scAAJ,qBAAI,C;wcAAJ,qBAAI,C;0cAAJ,qBAAI,C;4cAAJ,qBAAI,C;8cAAJ,qBAAI,C;gdAAJ,qBAAI,C;kdAAJ,qBAAI,C;odAAJ,qBAAI,C;sdAAJ,qBAAI,C;wdAAJ,qBAAI,C;0dAAJ,qBAAI,C;4dAAJ,qBAAI,C;8d

T,C;QACF,OAx7GG,cAAR,iBAAQ,C;QAw7GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBj+NG,MAAO,KoBi+NO,QpBj+NP,EoBi+NiB,CpBj+NjB,C;;QoBm+Nd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAv7GI,8D;MpBvjHJ,iB;MoB8+NA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAr8GG,cAAR,iBAAQ,C;QAq8GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBt/NG,MAAO,KoBs/NO,QpBt/NP,EoBs/NiB,CpBt/NjB,C;;QoBw/Nd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAj9GI,8D;MpBvkHJ,iB;MoBwgOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAl9GG,cAAR,iBAAQ,C;QAk9GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBhhOG,MAAO,KoBghOO,QpBhhOP,EoBghOiB,CpBhhOjB,C;;QoBkhOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/+GI,8D;MpBvlHJ,iB;MoBkiOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAh/GG,cAAR,iBAAQ,C;QAg/GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBtjOG,MAAO,KoBsjOO,QpBtjOP,EoBsjOiB,CpBtjOjB,C;;QoBwjOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA7gHI,8D;MpBvmHJ,iB;MoB0jOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9gHG,cAAR,iBAAQ,C;QA8gHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5lOG,MAAO,KoB4lOO,QpB5lOP,EoB4lOiB,CpB5lOjB,C;;QoB8lOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA3iHI,8D;MpBvnHJ,iB;MoBknOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5iHG,cAAR,iBAAQ,C;QA4iHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpoOG,MAAO,KoBooOO,QpBpoOP,EoBooOiB,CpBpoOjB,C;;QoBsoOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAzkHI,8D;MpBvoHJ,iB;MoB0pOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA1kHG,cAAR,iBAAQ,C;QA0kHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5pOG,MAAO,KoB4pOO,QpB5pOP,EoB4pOiB,CpB5pOjB,C;;QoB8pOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAvmHI,8D;MpBvpHJ,iB;MoBkrOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxmHG,cAAR,iBAAQ,C;QAwmHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBprOG,MAAO,KoBorOO,QpBprOP,EoBorOiB,CpBprOjB,C;;QoBsrOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAnoHI,8D;MpBvqHJ,iB;MoB0sOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OApoHG,cAAR,iBAAQ,C;QAooHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5sOG,MAAO,KoB4sOO,QpB5sOP,EoB4sOiB,CpB5sOjB,C;;QoB8sOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/pHI,8D;MpBvrHJ,iB;MoBkuOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhqHG,cAAR,iBAAQ,C;QAgqHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpuOG,MAAO,KoBouOO,QpBpuOP,EoBouOiB,CpBpuOjB,C;;QoBsuOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA3rHI,8D;MpBvsHJ,iB;MoB0vOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5rHG,cAAR,iBAAQ,C;QA4rHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5vOG,MAAO,KoB4vOO,QpB5vOP,EoB4vOiB,CpB5vOjB,C;;QoB8vOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAvtHI,8D;MpBvtHJ,iB;MoBkxOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxtHG,cAAR,iBAAQ,C;QAwtHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpxOG,MAAO,KoBoxOO,QpBpxOP,EoBoxOiB,CpBpxOjB,C;;QoBsxOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAnvHI,8D;MpBvuHJ,iB;MoB0yOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OApvHG,cAAR,iBAAQ,C;QAovHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5yOG,MAAO,KoB4yOO,QpB5yOP,EoB4yOiB,CpB5yOjB,C;;QoB8yOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/wHI,8D;MpBvvHJ,iB;MoBk0OA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhxHG,cAAR,iBAAQ,C;QAgxHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBp0OG,MAAO,KoBo0OO,QpBp0OP,EoBo0OiB,CpBp0OjB,C;;QoBs0Od,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAnyHI,8D;MpBvwHJ,iB;MoB01OA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OApyHG,cAAR,iBAAQ,C;QAoyHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB51OG,MAAO,KoB41OO,QpB51OP,EoB41OiB,CpB51OjB,C;;QoB81Od,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/zHI,8D;MpBvxHJ,iB;MoBk3OA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAh0HG,cAAR,iBAAQ,C;QAgzHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBp3OG,MAAO,KoBo3OO,QpBp3OP,EoBo3OiB,CpBp3OjB,C;;QoBs3Od,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAn1HI,8D;MpBvyHJ,iB;MoB04OA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAp1HG,cAAR,iBAAQ,C;QAo1HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB55OG,MAAO,KoB45OO,QpB55OP,EoB45OiB,CpB55OjB,C;;QoB85Od,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/2HI,8D;MpBvzHJ,iB;MoBk7OA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAh2HG,cAAR,iBAAQ,C;QAg2HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBp7OG,MAAO,KoBo7OO,QpBp7OP,EoBo7OiB,CpBp7OjB,C;;QoBs7Od,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAn4HI,8D;MpBv0HJ,iB;MoB09OA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAp4HG,cAAR,iBAAQ,C;QAo4HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB59OG,MAAO,KoB49OO,QpB59OP,EoB49OiB,CpB59OjB,C;;QoB89Od,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/5HI,8D;MpBv1HJ,iB;MoBk/OA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAh5HG,cAAR,iBAAQ,C;QAg5HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBp/OG,MAAO,KoBo/OO,QpBp/OP,EoBo/OiB,CpBp/OjB,C;;QoBs/Od,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAn7HI,8D;MpBv2HJ,iB;MoB0gPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAp7HG,cAAR,iBAAQ,C;QAo7HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5gPG,MAAO,KoB4gPO,QpB5gPP,EoB4gPiB,CpB5gPjB,C;;QoB8gPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/8HI,8D;MpBv3HJ,iB;MoBkiPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAh8HG,cAAR,iBAAQ,C;QAg8HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpiPG,MAAO,KoBoiPO,QpBpiPP,EoBoiPiB,CpBpiPjB,C;;QoBsiPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAn+HI,8D;MpBv4HJ,iB;MoB0jPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAp+HG,cAAR,iBAAQ,C;QAo+HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5jPG,MAAO,KoB4jPO,QpB5jPP,EoB4jPiB,CpB5jPjB,C;;QoB8jPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA//HI,8D;MpBv5HJ,iB;MoBklPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhgIG,cAAR,iBAAQ,C;QAggIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBplPG,MAAO,KoBolPO,QpBplPP,EoBolPiB,CpBplPjB,C;;QoBslPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAnhII,8D;MpBv6HJ,iB;MoB0mPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAphIG,cAAR,iBAAQ,C;QAohIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5mPG,MAAO,KoB4mPO,QpB5mPP,EoB4mPiB,CpB5mPjB,C;;QoB8mPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/iII,8D;MpBv7HJ,iB;MoBkoPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhiIG,cAAR,iBAAQ,C;QAgiIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpoPG,MAAO,KoBooPO,QpBpoPP,EoBooPiB,CpBpoPjB,C;;QoBsoPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAnkII,8D;MpBv8HJ,iB;MoB0pPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OApkIG,cAAR,iBAAQ,C;QAokIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5pPG,MAAO,KoB4pPO,QpB5pPP,EoB4pPiB,CpB5pPjB,C;;QoB8pPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/lII,8D;MpBv9HJ,iB;MoBkrPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhlIG,cAAR,iBAAQ,C;QAglIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBprPG,MAAO,KoBorPO,QpBprPP,EoBorPiB,CpBprPjB,C;;QoBsrPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAnnII,8D;MpBv+HJ,iB;MoB0sPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OApnIG,cAAR,iBAAQ,C;QAonIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5sPG,MAAO,KoB4sPO,QpB5sPP,EoB4sPiB,CpB5sPjB,C;;QoB8sPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/oII,8D;MpBv/HJ,iB;MoBkuPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhoIG,cAAR,iBAAQ,C;QAgoIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpuPG,MAAO,KoBouPO,QpBpuPP,EoBouPiB,CpBpuPjB,C;;QoBsuPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAnqII,8D;MpBvgIJ,iB;MoB0vPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OApqIG,cAAR,iBAAQ,C;QAoqIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5vPG,MAAO,KoB4vPO,QpB5vPP,EoB4vPiB,CpB5vPjB,C;;QoB8vPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/rII,8D;MpBvhIJ,iB;MoBkxPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhrIG,cAAR,iBAAQ,C;QAgrIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpxPG,MAAO,KoBoxPO,QpBpxPP,EoBoxPiB,CpBpxPjB,C;;QoBsxPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAnsII,8D;MpBviIJ,iB;MoB0yPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OApsIG,cAAR,iBAAQ,C;QAosIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5yPG,MAAO,KoB4yPO,QpB5yPP,EoB4yPiB,CpB5yPjB,C;;QoB8yPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/tII,8D;MpBvjIJ,iB;MoBkzPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhtIG,cAAR,iBAAQ,C;QAgtIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpzPG,MAAO,KoBozPO,QpBpzPP,EoBozPiB,CpBpzPjB,C;;QoBszPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAnvII,8D;MpBvkIJ,iB;MoB0zPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OApvIG,cAAR,iBAAQ,C;QAovIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5zPG,MAAO,KoB4zPO,QpB5zPP,EoB4zPiB,CpB5zPjB,C;;QoB8zPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/wII,8D;MpBvlIJ,iB;MoBk0PA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhwIG,cAAR,iBAAQ,C;QAgwIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBp0PG,MAAO,KoBo0PO,QpBp0PP,EoBo0PiB,CpBp0PjB,C;;QoBs0Pd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAnyII,8D;MpBvmIJ,iB;MoB00PA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OApyIG,cAAR,iBAAQ,C;QAoyIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB50PG,MAAO,KoB40PO,QpB50PP,EoB40PiB,CpB50PjB,C;;QoB80Pd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/zII,8D;MpBvnIJ,iB;MoBk1PA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhzIG,cAAR,iBAAQ,C;QAgzIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBp1PG,MAAO,KoBo1PO,QpBp1PP,EoBo1PiB,CpBp1PjB,C;;QoBs1Pd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAn1II,8D;MpBvoIJ,iB;MoB02PA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAp1IG,cAAR,iBAAQ,C;QAo1IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB52PG,MAAO,KoB42PO,QpB52PP,EoB42PiB,CpB52PjB,C;;QoB82Pd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/2II,8D;MpBvpIJ,iB;MoBk4PA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAh2IG,cAAR,iBAAQ,C;QAg2IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBp4PG,MAAO,KoBo4PO,QpBp4PP,EoBo4PiB,CpBp4PjB,C;;QoBs4Pd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAn4II,8D;MpBvqIJ,iB;MoB05PA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAp4IG,cAAR,iBAAQ,C;QAo4IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB55PG,MAAO,KoB45PO,QpB55PP,EoB45PiB,CpB55PjB,C;;QoB85Pd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/5II,8D;MpBvrIJ,iB;MoBk7PA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAh5IG,cAAR,iBAAQ,C;QAg5IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBp7PG,MAAO,KoBo7PO,QpBp7PP,EoBo7PiB,CpBp7PjB,C;;QoBs7Pd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAn7II,8D;MpBvsIJ,iB;MoB08PA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAp7IG,cAAR,iBAAQ,C;QAo7IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB58PG,MAAO,KoB48PO,QpB58PP,EoB48PiB,CpB58PjB,C;;QoB88Pd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/8II,8D;MpBvtIJ,iB;MoBk9PA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAh8IG,cAAR,iBAAQ,C;QAg8IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBp9PG,MAAO,KoBo9PO,QpBp9PP,EoBo9PiB,CpBp9PjB,C;;QoBs9Pd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAn9II,8D;MpBvuIJ,iB;MoB0+PA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAp9IG,cAAR,iBAAQ,C;QAo9IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5+PG,MAAO,KoB4+PO,QpB5+PP,EoB4+PiB,CpB5+PjB,C;;QoB8+Pd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/+II,8D;MpBvvIJ,iB;MoBkgQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAh+IG,cAAR,iBAAQ,C;QAg+IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpgQG,MAAO,KoBogQO,QpBpgQP,EoBogQiB,CpBpgQjB,C;;QoBsgQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAn/II,8D;MpBvwIJ,iB;MoB0hQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAp/IG,cAAR,iBAAQ,C;QAo/IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5hQG,MAAO,KoB4hQO,QpB5hQP,EoB4hQiB,CpB5hQjB,C;;QoB8hQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/gJI,8D;MpBvxIJ,iB;MoBkjQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhgJG,cAAR,iBAAQ,C;QAggJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpjQG,MAAO,KoBojQO,QpBpjQP,EoBojQiB,CpBpjQjB,C;;QoBsjQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAnhJI,8D;MpBvyIJ,iB;MoB0kQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAphJG,cAAR,iBAAQ,C;QAohJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5kQG,MAAO,KoB4kQO,QpB5kQP,EoB4kQiB,CpB5kQjB,C;;QoB8kQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/iJI,8D;MpBvzIJ,iB;MoBkmQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhiJG,cAAR,iBAAQ,C;QAgiJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpmQG,MAAO,KoBomQO,QpBpmQP,EoBomQiB,CpBpmQjB,C;;QoBsmQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAnjJI,8D;MpBv0IJ,iB;MoB0nQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OApjJG,cAAR,iBAAQ,C;QAojJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5nQG,MAAO,KoB4nQO,QpB5nQP,EoB4nQiB,CpB5nQjB,C;;QoB8nQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/kJI,8D;MpBv1IJ,iB;MoBkpQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhkJG,cAAR,iBAAQ,C;QAgkJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBppQG,MAAO,KoBopQO,QpBppQP,EoBopQiB,CpBppQjB,C;;QoBspQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAnlJI,8D;MpBv2IJ,iB;MoB0qQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAplJG,cAAR,iBAAQ,C;QAolJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5qQG,MAAO,KoB4qQO,QpB5qQP,EoB4qQiB,CpB5qQjB,C;;QoB8qQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/mJI,8D;MpBv3IJ,iB;MoBksQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhmJG,cAAR,iBAAQ,C;QAgmJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpsQG,MAAO,KoBosQO,QpBpsQP,EoBosQiB,CpBpsQjB,C;;QoBssQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAnnJI,8D;MpBv4IJ,iB;MoB0tQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OApnJG,cAAR,iBAAQ,C;QAonJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5tQG,MAAO,KoB4tQO,QpB5tQP,EoB4tQiB,CpB5tQjB,C;;QoB8tQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/oJI,8D;MpBv5IJ,iB;MoBkvQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhoJG,cAAR,iBAAQ,C;QAgoJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpvQG,MAAO,KoBovQO,QpBpvQP,EoBovQiB,CpBpvQjB,C;;QoBsvQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAnpJI,8D;MpBv6IJ,iB;MoB0wQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OApoJG,cAAR,iBAAQ,C;QAooJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5wQG,MAAO,KoB4wQO,QpB5wQP,EoB4wQiB,CpB5wQjB,C;;QoB8wQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/qJI,8D;MpBv7IJ,iB;MoBkyQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhqJG,cAAR,iBAAQ,C;QAgqJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpyQG,MAAO,KoBoyQO,QpBpyQP,EoBoyQiB,CpBpyQjB,C;;QoBsyQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAnrJI,8D;MpBv8IJ,iB;MoB0zQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAprJG,cAAR,iBAAQ,C;QAorJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5zQG,MAAO,KoB4zQO,QpB5zQP,EoB4zQiB,CpB5zQjB,C;;QoB8zQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/sJI,8D;MpBv9IJ,iB;MoBk1QA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,

QACF,OAjuHG,cAAR,iBAAQ,C;QAiuHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UAC
R,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O
;KApBX,C;uGAuBA,yB;MAlwHI,8D;MAkwHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eA
Ae,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9wHG,cAAR,iBAAQ,C;QA8wHhB,aAAU,CAAV,iB;UACI,QAAQ,
SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;Y
ACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;sGAqBA,yB;MA/wHI,8D;MA+wHJ,kD;QAYiB,Q;QAFb,IAAI,
mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3xHG,cAAR,iBAAQ,C;QA2xHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA5xHI,8D;MA4xHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxyHG,cAAR,iBAAQ,C;QAwyHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAzyHI,8D;MAyyHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArzHG,cAAR,iBAAQ,C;QAqzHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAtzHI,8D;MAszHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAl0HG,cAAR,iBAAQ,C;QAk0HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAn0HI,8D;MAm0HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/0HG,cAAR,iBAAQ,C;QA+0HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAh1HI,8D;MAg1HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA52HG,cAAR,iBAAQ,C;QA42HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA72HI,8D;MA62HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAz3HG,cAAR,iBAAQ,C;QAy3HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA13HI,8D;MA03HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAt4HG,cAAR,iBAAQ,C;QAs4HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAv4HI,8D;MAu4HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAn5HG,cAAR,iBAAQ,C;QAm5HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAp5HI,8D;MAo5HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAh6HG,cAAR,iBAAQ,C;QAg6HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAi6HI,8D;MAi6HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA76HG,cAAR,iBAAQ,C;QA66HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA76HI,8D;MA66HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAz7HG,cAAR,iBAAQ,C;QAy7HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA37HI,8D;MA27HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAv8HG,cAAR,iBAAQ,C;QAu8HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAz8HI,8D;MAy8HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAr9HG,cAAR,iBAAQ,C;QAq9HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAv9HI,8D;MAu9HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAn+HG,cAAR,iBAAQ,C;QAm+HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAr+HI,8D;MAq+HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAj/HG,cAAR,iBAAQ,C;QAi/HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAn/HI,8D;MAm/HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/gIG,cAAR,iBAAQ,C;QA+gIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAjhII,8D;MAihIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA7hIG,cAAR,iBAAQ,C;QA6hIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA/hII,8D;MA+hIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3iIG,cAAR,iBAAQ,C;QA2iIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA7iII,8D;MA6iIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAzjIG,cAAR,iBAAQ,C;QAyjIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA3jII,8D;MA2jIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAvkIG,cAAR,iBAAQ,C;QAukIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAzkII,8D;MAykIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArlIG,cAAR,iBAAQ,C;QAqlIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAvlII,8D;MAulIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAnmIG,cAAR,iBAAQ,C;QAmmIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MArmII,8D;MAqmIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAjnIG,cAAR,iBAAQ,C;QAinIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAnnII,8D;MAmnIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/nIG,cAAR,iBAAQ,C;QA+nIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAjoII,8D;MAioIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA7oIG,cAAR,iBAAQ,C;QA6oIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA/oII,8D;MA+oIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3pIG,cAAR,iBAAQ,C;QA2pIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA7pII,8D;MA6pIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAzqIG,cAAR,iBAAQ,C;QAyqIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA3qII,8D;MA2qIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAvrIG,cAAR,iBAAQ,C;QAurIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAzrII,8D;MAyrIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArsIG,cAAR,iBAAQ,C;QAqsIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAvsII,8D;MAusIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAntIG,cAAR,iBAAQ,C;QAmtIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MArtII,8D;MAqtIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAjuIG,cAAR,iBAAQ,C;QAiuIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAnuII,8D;MAmuIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/uIG,cAAR,iBAAQ,C;QA+uIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAjvII,8D;MAivIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA7vIG,cAAR,iBAAQ,C;QA6vIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA/vII,8D;MA+vIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3wIG,cAAR,iBAAQ,C;QA2wIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA7wII,8D;MA6wIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAzxIG,cAAR,iBAAQ,C;QAyxIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA3xII,8D;MA2xIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAvyIG,cAAR,iBAAQ,C;QAuyIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAzyII,8D;MAyyIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArzIG,cAAR,iBAAQ,C;QAqzIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAvzII,8D;MAuzIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAn0IG,cAAR,iBAAQ,C;QAm0IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAr0II,8D;MAq0IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAj1IG,cAAR,iBAAQ,C;QAi1IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA/1II,8D;MA+1IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA32IG,cAAR,iBAAQ,C;QA22IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA72II,8D;MA62IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAz3IG,cAAR,iBAAQ,C;QAy3IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA13II,8D;MA03IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAt4IG,cAAR,iBAAQ,C;QAs4IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAv4II,8D;MAu4IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAn5IG,cAAR,iBAAQ,C;QAm5IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAp5II,8D;MAo5IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAh6IG,cAAR,iBAAQ,C;QAg6IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAi6II,8D;MAi6IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA76IG,cAAR,iBAAQ,C;QA66IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA76II,8D;MA66IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAz7IG,cAAR,iBAAQ,C;QAy7IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA37II,8D;MA27IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAv8IG,cAAR,iBAAQ,C;QAu8IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAz8II,8D;MAy8IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAr9IG,cAAR,iBAAQ,C;QAq9IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAv9II,8D;MAu9IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAn+IG,cAAR,iBAAQ,C;QAm+IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAr+II,8D;MAq+IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAj/IG,cAAR,iBAAQ,C;QAi/IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAn/II,8D;MAm/IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/gJG,cAAR,iBAAQ,C;QA+gJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAjhJI,8D;MAihJJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA7hJG,cAAR,iBAAQ,C;QA6hJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA/hJI,8D;MA+hJJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3iJG,cAAR,iBAAQ,C;QA2iJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA7iJI,8D;MA6iJJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAzjJG,cAAR,iBAAQ,C;QAyjJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA3jJI,8D;MA2jJJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAvkJG,cAAR,iBAAQ,C;QAukJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAzkJI,8D;MAykJJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArlJG,cAAR,iBAAQ,C;QAqlJhB,aAAU,CAAV,iB;UACI,Q

;qFAGJ,6B;MAOmC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;qFAGJ,6B;MAOmC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;qFAGJ,6B;MAOmC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;mGAGJ,6B;MAtrEiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,EAAM,WAAgB,IAAhB,hB,C;;MAgsEnB

BAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA3gJD,cAAR,iBAAQ,C;QA2gJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;iGAyBA,yB;MAzgJI,8D;MAygJJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA5hJD,cAAR,iBAAQ,C;QA4hJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA1jJI,8D;MA0jJJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA1kJI,kBAAR,iBAAQ,C;QA0kJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA3mJI,8D;MA2mJJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA3nJI,kBAAR,iBAAQ,C;QA2nJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA5oJI,8D;MA4oJJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA5pJI,kBAAR,iBAAQ,C;QA4pJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA7qJI,8D;MA6qJJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA7rJI,kBAAR,iBAAQ,C;QA6rJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA9sJI,8D;MA8sJJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA9tJI,kBAAR,iBAAQ,C;QA8tJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA/uJI,8D;MA+uJJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA/vJI,kBAAR,iBAAQ,C;QA+vJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAhxJI,8D;MAgxJJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAhyJI,kBAAR,iBAAQ,C;QAgyJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAjzJI,8D;MAizJJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAjzJI,kBAAR,iBAAQ,C;QAizJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAl0JI,8D;MAk0JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAl0JI,kBAAR,iBAAQ,C;QAk0JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAn1JI,8D;MAm1JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAn1JI,kBAAR,iBAAQ,C;QAm1JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAp2JI,8D;MAo2JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAp2JI,kBAAR,iBAAQ,C;QAo2JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAr3JI,8D;MAq3JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAr3JI,kBAAR,iBAAQ,C;QAq3JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAt4JI,8D;MAs4JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAt4JI,kBAAR,iBAAQ,C;QAs4JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAv5JI,8D;MAu5JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAv5JI,kBAAR,iBAAQ,C;QAu5JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAx6JI,8D;MAw6JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAx6JI,kBAAR,iBAAQ,C;QAw6JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAz7JI,8D;MAy7JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAz7JI,kBAAR,iBAAQ,C;QAy7JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA18JI,8D;MA08JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA18JI,kBAAR,iBAAQ,C;QA08JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA39JI,8D;MA29JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA39JI,kBAAR,iBAAQ,C;QA29JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA5+JI,8D;MA4+JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA5+JI,kBAAR,iBAAQ,C;QA4+JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA7/JI,8D;MA6/JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA7/JI,kBAAR,iBAAQ,C;QA6/JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA9gKI,8D;MA8gKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA9gKI,kBAAR,iBAAQ,C;QA8gKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA/hKI,8D;MA+hKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA/hKI,kBAAR,iBAAQ,C;QA+hKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAhjKI,8D;MAgjKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAhjKI,kBAAR,iBAAQ,C;QAgjKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAjkKI,8D;MAikKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAjkKI,kBAAR,iBAAQ,C;QAikKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAllKI,8D;MAklKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAllKI,kBAAR,iBAAQ,C;QAklKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAnmKI,8D;MAmmKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAnmKI,kBAAR,iBAAQ,C;QAmmKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MApnKI,8D;MAonKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YApnKI,kBAAR,iBAAQ,C;QAonKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MArnKI,8D;MAqnKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YArnKI,kBAAR,iBAAQ,C;QAqnKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAtnKI,8D;MAsnKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAtnKI,kBAAR,iBAAQ,C;QAsnKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAvnKI,8D;MAunKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAvnKI,kBAAR,iBAAQ,C;QAunKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAxnKI,8D;MAwnKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAxnKI,kBAAR,iBAAQ,C;QAwnKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAznKI,8D;MAynKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAznKI,kBAAR,iBAAQ,C;QAynKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA1nKI,8D;MA0nKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA1nKI,kBAAR,iBAAQ,C;QA0nKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA3nKI,8D;MA2nKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA3nKI,kBAAR,iBAAQ,C;QA2nKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA5nKI,8D;MA4nKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA5nKI,kBAAR,iBAAQ,C;QA4nKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA7nKI,8D;MA6nKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA7nKI,kBAAR,iBAAQ,C;QA6nKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA9nKI,8D;MA8nKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA9nKI,kBAAR,iBAAQ,C;QA8nKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA/nKI,8D;MA+nKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA/nKI,kBAAR,iBAAQ,C;QA+nKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAhoKI,8D;MAgoKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAhoKI,kBAAR,iBAAQ,C;QAgoKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAjoKI,8D;MAioKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAjoKI,kBAAR,iBAAQ,C;QAioKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAloKI,8D;MAkoKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAloKI,kBAAR,iBAAQ,C;QAkoKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAnoKI,8D;MAmoKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAnoKI,kBAAR,iBAAQ,C;QAmoKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MApoKI,8D;MAooKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YApoKI,kBAAR,iBAAQ,C;QAooKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAroKI,8D;MAqoKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAroKI,kBAAR,iBAAQ,C;QAqoKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAtoKI,8D;MAsoKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAtoKI,kBAAR,iBAAQ,C;QAsoKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAvoKI,8D;MAuoKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAvoKI,kBAAR,iBAAQ,C;QAuoKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAxoKI,8D;MAwoKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAxoKI,kBAAR,iBAAQ,C;QAwoKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAzoKI,8D;MAyoKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAzoKI,kBAAR,iBAAQ,C;QAyoKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA1oKI,8D;MA0oKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA1oKI,kBAAR,iBAAQ,C;QA0oKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA3oKI,8D;MA2oKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA3oKI,kBAAR,iBAAQ,C;QA2oKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA5oKI,8D;MA4oKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA5oKI,kBAAR,iBAAQ,C;QA4oKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA7oKI,8D;MA6oKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA7oKI,kBAAR,iBAAQ,C;QA6oKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA9oKI,8D;MA8oKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA9oKI,kBAAR,iBAAQ,C;QA8oKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA/oKI,8D;MA+oKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA/oKI,kBAAR,iBAAQ,C;QA+oKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAhpKI,8D;MAgpKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAhpKI,kBAAR,iBAAQ,C;QAgpKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAjpKI,8D;MAipKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAjpKI,kBAAR,iBAAQ,C;QAipKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAlpKI,8D;MAkpKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAlpKI,kBAAR,iBAAQ,C;QAkpKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAnpKI,8D;MAmpKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAnpKI,kBAAR,iBAAQ,C;QAmpKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MApqKI,8D;MAoqKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YApqKI,kBAAR,iBAAQ,C;QAoqKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MArqKI,8D;MAqqKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YArqKI,kBAAR,iBAAQ,C;QAqqKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAtqKI,8D;MAsqKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAtqKI,kBAAR,iBAAQ,C;QAsqKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAvqKI,8D;MAuqKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAvqKI,kBAAR,iBAAQ,C;QAuqKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAxqKI,8D;MAwqKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAxqKI,kBAAR,iBAAQ,C;QAwqKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAzqKI,8D;MAyqKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAzqKI,kBAAR,iBAAQ,C;QAyqKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA1qKI,8D;MA0qKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA1qKI,kBAAR,iBAAQ,C;QA0qKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA3qKI,8D;MA2qKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA3qKI,kBAAR,iBAAQ,C;QA2qKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA5qKI,8D;MA4qKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA5qKI,kBAAR,iBAAQ,C;QA4qKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA7qKI,8D;MA6qKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA7qKI,kBAAR,iBAAQ,C;QA6qKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA9qKI,8D;MA8qKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA9qKI,kBAAR,iBAAQ,C;QA8qKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA/qKI,8D;MA+qKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA/qKI,kBAAR,iBAAQ,C;QA+qKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAhrKI,8D;MAgrKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAhrKI,kBAAR,iBAAQ,C;QAgrKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAjrKI,8D;MAirKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAjrKI,kBAAR,iBAAQ,C;QAirKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAlrKI,8D;MAkrKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAlrKI,kBAAR,iBAAQ,C;QAkrKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAnrKI,8D;MAmrKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAnrKI,kBAAR,iBAAQ,C;QAmrKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAprKI,8D;MAorKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAprKI,kBAAR,iBAAQ,C;QAorKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MArrKI,8D;MAqrKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YArrKI,kBAAR,iBAAQ,C;QAqrKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAtrKI,8D;MAsrKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAtrKI,kBAAR,iBAAQ,C;QAsrKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAvrKI,8D;MAurKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAvrKI,kBAAR,iBAAQ,C;QAurKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAxrKI,8D;MAwrKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAxrKI,kBAAR,iBAAQ,C;QAwrKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAzrKI,8D;MAyrKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAzrKI,kBAAR,iBAAQ,C;QAyrKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA1rKI,8D;MA0rKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA1rKI,kBAAR,iBAAQ,C;QA0rKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA3rKI,8D;MA2rKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA3rKI,kBAAR,iBAAQ,C;QA2rKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA5rKI,8D;MA4rKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA5rKI,kBAAR,iBAAQ,C;QA4rKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA7rKI,8D;MA6rKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA7rKI,kBAAR,iBAAQ,C;QA6rKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA9rKI,8D;MA8rKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA9rKI,kBAAR,iBAAQ,C;QA8rKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA/rKI,8D;MA+rKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YA/rKI,kBAAR,iBAAQ,C;QA+rKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAhsKI,8D;MAgsKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJhB,C,YAhsKI,kBAAR,iBAAQ,C;QAgsKhB,iBAAc,CAAd

xB,C;;QAElB,OAAO,W;O;KAtBX,C;2GAyBA,yB;MA54JI,8D;MA44JJ,uC;QAkB0B,UAEU,M;QAJhC,YA55JgB
,cAAR,iBAAQ,C;QA65JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ
,Q;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;
QAElB,OAAO,W;O;KAtBX,C;2GAyBA,yB;MA75JI,8D;MA65JJ,uC;QAkB0B,UAEU,M;QAJhC,YA76JgB,cAA
R,iBAAQ,C;QA86JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;Q
AClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QA
ElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAkBoB,Q;QAHhB,IAAI,mBAAJ,C;
UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBrtRO,W;Q
qBstRP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OA
AvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;+FAyBA,yB;MAAA,gD;MAAA,gE;MAA
A,gD;QAkBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,
IAAb,C;QAA+B,8B;QAA5C,arB9uRO,W;QqB+uRP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,y
B;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C
;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAkBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAA
P,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBvwRO,W;QqBwwRP,kBAAkB,O;QA
CF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,W
AAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAkBoB,Q;QAHhh
B,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QA
A5C,arBhyRO,W;QqBiyRP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,
WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;6GAyBA,yB;MAAA,gD;MAAA,gE;MA
AA,gD;MAAA,gE;MAllKI,0D;MAklKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QAC
c,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arB1zRO,W;QqB2zRP,kBAAkB,O;QACJ,OArmK
E,YAAR,iBAAQ,C;QAqmKF,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAAV,EAAuB,WAAjB,B,
EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GAyBA,yB;MAAA,gD;MAAA,gE;MA
pmKI,0D;MAomKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,
C;QAA+B,8B;QAA5C,arBp1RO,W;QqBq1RP,kBAAkB,O;QACJ,OAvnKE,YAAR,iBAAQ,C;QAunKF,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAAV,EAAuB,WAAjB,B,EAAiB
B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GAyBA,yB;MAAA,gD;MAAA,gE;MA
tnKI,0D;MAsnKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,
C;QAA+B,8B;QAA5C,arB92RO,W;QqB+2RP,kBAAkB,O;QACJ,OAzoKE,YAAR,iBAAQ,C;QAyoKF,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAAV,EAAuB,WAAjB,B,EAAiB
B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GAyBA,yB;MAAA,gD;MAAA,gE;MA
xoKI,0D;MAwoKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,
C;QAA+B,8B;QAA5C,arBx4RO,W;QqBy4RP,kBAAkB,O;QACJ,OA3pKE,YAAR,iBAAQ,C;QA2pKF,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAAV,EAAuB,WAAjB,B,EAAiB
B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GAyBA,yB;MAAA,gD;MAAA,gE;MA
1pKI,0D;MA0pKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,
C;QAA+B,8B;QAA5C,arB14RO,W;QqB24RP,kBAAkB,O;QACJ,OA7qKE,YAAR,iBAAQ,C;QA6qKF,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAAV,EAAuB,WAAjB,B,EAAiB
B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GAyBA,yB;MAAA,gD;MAAA,gE;MA
5qKI,0D;MA4qKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,
C;QAA+B,8B;QAA5C,arB54RO,W;QqB65RP,kBAAkB,O;QACJ,OA/rKE,YAAR,iBAAQ,C;QA+rKF,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAAV,EAAuB,WAAjB,B,EAAiB
B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GAyBA,yB;MAAA,gD;MAAA,gE;MA
9rKI,0D;MA8rKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,
C;QAA+B,8B;QAA5C,arB95RO,W;QqB+5RP,kBAAkB,O;QACJ,OAjtKE,YAAR,iBAAQ,C;QAitKF,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAAV,EAAuB,WAAjB,B,EAAiB
B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GAyBA,yB;MAAA,gD;MAAA,gE;MA
htKI,0D;MAgtKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,
C;QAA+B,8B;QAA5C,arBh6RO,W;QqBi6RP,kBAAkB,O;QACJ,OAnuKE,YAAR,iBAAQ,C;QAmuKF,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAAV,EAAuB,WAAjB,B,EAAiB
B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GAyBA,yB;MAAA,gD;MAAA,gE;MA
luKI,0D;MAkuKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,
C;QAA+B,8B;QAA5C,arBl6RO,W;QqBm6RP,kBAAkB,O;QACJ,OArvKE,YAAR,iBAAQ,C;QAqvKF,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAAV,EAAuB,WAAjB,B,EAAiB
B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GAyBA,yB;MAAA,gD;MAAA,gE;MA
pvKI,0D;MAovKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,
C;QAA+B,8B;QAA5C,arBp6RO,W;QqBq6RP,kBAAkB,O;QACJ,OAvwKE,YAAR,iBAAQ,C;QAuwKF,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAAV,EAAuB,WAAjB,B,EAAiB
B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GAyBA,yB;MAAA,gD;MAAA,gE;MA
twKI,0D;MAswKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,
C;QAA+B,8B;QAA5C,arBt6RO,W;QqBu6RP,kBAAkB,O;QACJ,OAzxKE,YAAR,iBAAQ,C;QAyxKF,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAAV,EAAuB,WAAjB,B,EAAiB
B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GAyBA,yB;MAAA,gD;MAAA,gE;MA
xxKI,0D;MAwxKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,
C;QAA+B,8B;QAA5C,arBx6RO,W;QqBy6RP,kBAAkB,O;QACJ,OA3yKE,YAAR,iBAAQ,C;QA2yKF,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAAV,EAAuB,WAAjB,B,EAAiB
B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GAyBA,yB;MAAA,gD;MAAA,gE;MA
1yKI,0D;MA0yKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,
C;QAA+B,8B;QAA5C,arB16RO,W;QqB26RP,kBAAkB,O;QACJ,OA7zKE,YAAR,iBAAQ,C;QA6zKF,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAAV,EAAuB,WAAjB,B,EAAiB
B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GAyBA,yB;MAAA,gD;MAAA,gE;MA
5zKI,0D;MA4z

CqC,kBAAxB,eAAkB,cAAlB,C;QAAgC,sBAAI,aAAJ,C;QAA7C,arB7+RO,W;QqB8+Re,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACmC,kBAAtB,eAAgB,cAAhB,B,C;QAA8B,sBAAI,aAAJ,C;QAA3C,arBvgSO,W;QqBwgSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,cAAjB,B,C;QAA+B,sBAAI,aAAJ,C;QAA5C,arB3jSO,W;QqB4jSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACqC,kBAAxB,eAAkB,cAAlB,B,C;QAAgC,sBAAI,aAAJ,C;QAA7C,arBrlSO,W;QqBslSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,cAAnB,B,C;QAAiC,sBAAI,aAAJ,C;QAA9C,arBxpSO,W;QqBypSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACuC,kBAA1B,eAAoB,cAApB,B,C;QAAkC,sBAAI,aAAJ,C;QAA/C,arB3vSO,W;QqB4vSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACwC,kBAA3B,eAAqB,cAArB,B,C;QAAmC,sBAAI,aAAJ,C;QAAhD,arB9zSO,W;QqB+zSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACyC,kBAA5B,eAAsB,cAAtB,B,C;QAAoC,sBAAI,aAAJ,C;QAAjD,arBj5SO,W;QqBk5Se,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACwC,kBAA3B,eAAqB,cAArB,B,C;QAAmC,sBAAI,aAAJ,C;QAAhD,arBp+SO,W;QqBq+Se,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACuC,kBAA1B,eAAoB,cAApB,B,C;QAAkC,sBAAI,aAAJ,C;QAA/C,arBv5SO,W;QqBw5Se,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,cAAnB,B,C;QAAiC,sBAAI,aAAJ,C;QAA9C,arBl7SO,W;QqBm7Se,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACqC,kBAAxB,eAAkB,cAAlB,B,C;QAAgC,sBAAI,aAAJ,C;QAA7C,arB38SO,W;QqB48Se,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,cAAjB,B,C;QAA+B,sBAAI,aAAJ,C;QAA5C,arBp+SO,W;QqBq+Se,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACmC,kBAAtB,eAAgB,cAAhB,B,C;QAA8B,sBAAI,aAAJ,C;QAA3C,arBvgSO,W;QqBwgSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACkC,kBAArB,eAAe,cAAf,B,C;QAA6B,sBAAI,aAAJ,C;QAA1C,arBhjSO,W;QqBijSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACiC,kBAApB,eAAc,cAAd,B,C;QAA4B,sBAAI,aAAJ,C;QAAzC,arBzlSO,W;QqB0lSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACgC,kBAAnB,eAAa,cAAb,B,C;QAA2B,sBAAI,aAAJ,C;QAAxC,arBnoSO,W;QqBooSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACkC,kBAArB,eAAe,cAAf,B,C;QAA6B,sBAAI,aAAJ,C;QAA1C,arBrqSO,W;QqBsqSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACmC,kBAAtB,eAAgB,cAAhB,B,C;QAA8B,sBAAI,aAAJ,C;QAA3C,arBvtSO,W;QqBwtSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,cAAjB,B,C;QAA+B,sBAAI,aAAJ,C;QAA5C,arBxwSO,W;QqBywSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACqC,kBAAxB,eAAkB,cAAlB,B,C;QAAgC,sBAAI,aAAJ,C;QAA7C,arBzzSO,W;QqB0zSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,cAAnB,B,C;QAAiC,sBAAI,aAAJ,C;QAA9C,arB32SO,W;QqB42Se,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACuC,kBAA1B,eAAoB,cAApB,B,C;QAAkC,sBAAI,aAAJ,C;QAA/C,arB75SO,W;QqB85Se,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACwC,kBAA3B,eAAqB,cAArB,B,C;QAAmC,sBAAI,aAAJ,C;QAAhD,arBn9SO,W;QqBo9Se,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACyC,kBAA5B,eAAsB,cAAtB,B,C;QAAoC,sBAAI,aAAJ,C;QAAjD,arBhgTO,W;QqBigTe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACwC,kBAA3B,eAAqB,cAArB,B,C;QAAmC,sBAAI,aAAJ,C;QAAhD,arBrjTO,W;QqBsjTe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACuC,kBAA1B,eAAoB,cAApB,B,C;QAAkC,sBAAI,aAAJ,C;QAA/C,arBvmTO,W;QqBwmTe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,cAAnB,B,C;QAAiC,sBAAI,aAAJ,C;QAA9C,arBpoTO,W;QqBqoTe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACqC,kBAAxB,eAAkB,cAAlB,B,C;QAAgC,sBAAI,aAAJ,C;QAA7C,arBxqTO,W;QqByqTe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACmC,kBAAtB,eAAgB,cAAhB,B,C;QAA8B,sBAAI,aAAJ,C;QAA3C,arBvsTO,W;QqBwsTe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACkC,kBAArB,eAAe,cAAf,B,C;QAA6B,sBAAI,aAAJ,C;QAA1C,arBhuTO,W;QqBiuTe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACiC,kBAApB,eAAc,cAAd,B,C;QAA4B,sBAAI,aAAJ,C;QAAzC,arBzlSO,W;QqB0lSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACgC,kBAAnB,eAAa,cAAb,B,C;QAA2B,sBAAI,aAAJ,C;QAAxC,arBnoSO,W;QqBooSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACkC,kBAArB,eAAe,cAAf,B,C;QAA6B,sBAAI,aAAJ,C;QAA1C,arBrqSO,W;QqBsqSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACmC,kBAAtB,eAAgB,cAAhB,B,C;QAA8B,sBAAI,aAAJ,C;QAA3C,arBvsTO,W;QqBwsTe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,cAAjB,B,C;QAA+B,sBAAI,aAAJ,C;QAA5C,arBxwSO,W;QqBywSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACqC,kBAAxB,eAAkB,cAAlB,B,C;QAAgC,sBAAI,aAAJ,C;QAA7C,arBzzSO,W;QqB0zSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,cAAnB,B,C;QAAiC,sBAAI,aAAJ,C;QAA9C,arB32SO,W;QqB42Se,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACuC,kBAA1B,eAAoB,cAApB,B,C;QAAkC,sBAAI,aAAJ,C;QAA/C,arB75SO,W;QqB85Se,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACwC,kBAA3B,eAAqB,cAArB,B,C;QAAmC,sBAAI,aAAJ,C;QAAhD,arBn9SO,W;QqBo9Se,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACyC,kBAA5B,eAAsB,cAAtB,B,C;QAAoC,sBAAI,aAAJ,C;QAAjD,arBhgTO,W;QqBigTe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACwC,kBAA3B,eAAqB,cAArB,B,C;QAAmC,sBAAI,aAAJ,C;QAAhD,arBrjTO,W;QqBsjTe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACuC,kBAA1B,eAAoB,cAApB,B,C;QAAkC,sBAAI,aAAJ,C;QAA/C,arBvmTO,W;QqBwmTe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,cAAnB,B,C;QAAiC,sBAAI,aAAJ,C;QAA9C,arBpoTO,W;QqBqoTe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACqC,kBAAxB,eAAkB,cAAlB,B,C;QAAgC,sBAAI,aAAJ,C;QAA7C,arBxqTO,W;QqByqTe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACmC,kBAAtB,eAAgB,cAAhB,B,C;QAA8B,sBAAI,aAAJ,C;QAA3C,arBvsTO,W;QqBwsTe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACkC,kBAArB,eAAe,cAAf,B,C;QAA6B,sBAAI,aAAJ,C;QAA1C,arBhuTO,W;QqBiuTe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACiC,kBAApB,eAAc,cAAd,B,C;QAA4B,sBAAI,aAAJ,C;QAAzC,arBzlSO,W;QqB0lSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACgC,kBAAnB,eAAa,cAAb,B,C;QAA2B,sBAAI,aAAJ,C;QAAxC,arBnoSO,W;QqBooSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACkC,kBAArB,eAAe,cAAf,B,C;QAA6B,sBAAI,aAAJ,C;QAA1C,arBrqSO,W;QqBsqSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACmC,kBAAtB,eAAgB,cAAhB,B,C;QAA8B,sBAAI,aAAJ,C;QAA3C,arBvsTO,W;QqBwsTe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,cAAjB,B,C;QAA+B,sBAAI,aAAJ,C;QAA5C,arBxwSO,W;QqBywSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACqC,kBAAxB,eAAkB,cAAlB,B,C;QAAgC,sBAAI,aAAJ,C;QAA7C,arBzzSO,W;QqB0zSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAAA8B,sBAAK,KAAL,CAAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,iHAyBA,yB;MAAA

WO,gC;UAHd,IAAI,mBAAJ,C;YAAe,4BAAO,OA+WI,OA/WJ,C;YAAP,8B;;UACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA8WlB,OA9WkB,C;UAA5C,arBx4RO,W;UqBy4RP,kBA6W0B,O;UA5WZ,OA3pKE,YAAR,iBAAQ,C;UA2pKF,mB;UAAA,kB;UAAA,kB;UAAd,0D;YACI,cA2W+B,SA3WjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,EAA9B,sBAAsC,KAAtC,EAA6C,CAA7C,EAAgD,C;YACnE,cAAM,MAAN,EAAc,WAAd,EAA2B,WAA3B,EAAwC,C;;UAAxC,4BAAgD,M;;;QAAhD,wP,gC;O;KAAjBJ,C;mFAAoBA,yB;MAAA,wB;MAAA,sC;QAAUoB,Q;QAAVC,8BAAuBC,W;QAAvBC,2B;QAAuCC,8BAAvCC,gC;QAAuDC,8BAAvDC,gC;QAAuEC,8BAAvEC,gC;QAAuFC,8BAAvFC,gC;QAAuGC,8BAAvGC,gC;QAAuHC,8BAAvHC,gC;QAAuIC,8BAAvIC,gC;QAAuJC,8BAAvJC,gC;QAAuKC,8BAAvKC,gC;QAAuLC,8BAAvLC,gC;QAAuMC,8BAAvMC,gC;QAAuNC,8BAAvNC,gC;QAAuOC,8BAAvOC,gC;QAAuPC,8BAAvPC,gC;QAAuQC,8BAAvQC,gC;QAAuRC,8BAAvRC,gC;QAAuSC,8BAAvSC,gC;QAAuTC,8BAAvTC,gC;QAAuUC,8BAAvUC,gC;QAAuVC,8BAAvVC,gC;QAAuWC,8BAAvWC,gC;QAAuXC,8BAAvXC,gC;QAAuYC,8BAAvYC,gC;QAAuZC,8BAAvZC,gC;QAAua,8BAAvaC,gC;QAAub,8BAAvbC,gC;QAAuc,8BAAvcC,gC;QAAud,8BAAvdC,gC;QAAue,8BAAvfC,gC;QAAuf,8BAAvfC,gC;QAAug,8BAAvgC,gC;QAAuhC,8BAAvhC,gC;QAAuiC,8BAAviC,gC;QAAujC,8BAAvjC,gC;QAAukC,8BAAvkC,gC;QAAulC,8BAAvlC,gC;QAAumC,8BAAvmC,gC;QAAunC,8BAAvnC,gC;QAAuoC,8BAAvoC,gC;QAAupC,8BAAvpC,gC;QAAuqC,8BAAvqC,gC;QAAurC,8BAAvrC,gC;QAAusC,8BAAvsC,gC;QAAutC,8BAAvtC,gC;QAAuuC,8BAAvuC,gC;QAAuvC,8BAAvvC,gC;QAAuwC,8BAAvwC,gC;QAAuxC,8BAAvxC,gC;QAAuyC,8BAAvyC,gC;QAAuzC,8BAAvzC,gC;QAAu0C,8BAAv0C,gC;QAAu1C,8BAAv1C,gC;QAAu2C,8BAAv2C,gC;QAAu3C,8BAAv3C,gC;QAAu4C,8BAAv4C,gC;QAAu5C,8BAAv5C,gC;QAAu6C,8BAAv6C,gC;QAAu7C,8BAAv7C,gC;QAAu8C,8BAAv8C,gC;QAAu9C,8BAAv9C,gC;QAAu+C,8BAAv+C,gC;QAAu/C,8BAAv/C,gC;QAAugD,8BAAvgD,gC;QAAuhD,8BAAvhD,gC;QAAuiD,8BAAviD,gC;QAAujD,8BAAvjD,gC;QAAukD,8BAAvkD,gC;QAAulD,8BAAvlD,gC;QAAumD,8BAAvmD,gC;QAAunD,8BAAvnD,gC;QAAuoD,8BAAvoD,gC;QAAupD,8BAAvpD,gC;QAAuqD,8BAAvqD,gC;QAAurD,8BAAvrD,gC;QAAusD,8BAAvsD,gC;QAAutD,8BAAvtD,gC;QAAuuD,8BAAvuD,gC;QAAuvD,8BAAvvD,gC;QAAuwD,8BAAvwD,gC;QAAuxD,8BAAvxD,gC;QAAuyD,8BAAvyD,gC;QAAuzD,8BAAvzD,gC;QAAu0D,8BAAv0D,gC;QAAu1D,8BAAv1D,gC;QAAu2D,8BAAv2D,gC;QAAu3D,8BAAv3D,gC;QAAu4D,8BAAv4D,gC;QAAu5D,8BAAv5D,gC;QAAu6D,8BAAv6D,gC;QAAu7D,8BAAv7D,gC;QAAu8D,8BAAv8D,gC;QAAu9D,8BAAv9D,gC;QAAu+D,8BAAv+D,gC;QAAu/D,8BAAv/D,gC;QAAugE,8BAAvgE,gC;QAAuhE,8BAAvhE,gC;QAAuiE,8BAAviE,gC;QAAujE,8BAAvjE,gC;QAAukE,8BAAvkE,gC;QAAulE,8BAAvlE,gC;QAAumE,8BAAvmE,gC;QAAunE,8BAAvnE,gC;QAAuoE,8BAAvoE,gC;QAAupE,8BAAvpE,gC;QAAuqE,8BAAvqE,gC;QAAurE,8BAAvrE,gC;QAAusE,8BAAvsE,gC;QAAutE,8BAAvtE,gC;QAAuuE,8BAAvuE,gC;QAAuvE,8BAAvvE,gC;QAAuwE,8BAAvwE,gC;QAAuxE,8BAAvxE,gC;QAAuyE,8BAAvyE,gC;QAAuzE,8BAAvzE,gC;QAAu0E,8BAAv0E,gC;QAAu1E,8BAAv1E,gC;QAAu2E,8BAAv2E,gC;QAAu3E,8BAAv3E,gC;QAAu4E,8BAAv4E,gC;QAAu5E,8BAAv5E,gC;QAAu6E,8BAAv6E,gC;QAAu7E,8BAAv7E,gC;QAAu8E,8BAAv8E,gC;QAAu9E,8BAAv9E,gC;QAAu+E,8BAAv+E,gC;QAAu/E,8BAAv/E,gC;QAAugF,8BAAvgF,gC;QAAuhF,8BAAvhF,gC;QAAuiF,8BAAviF,gC;QAAujF,8BAAvjF,gC;QAAukF,8BAAvkF,gC;QAAulF,8BAAvlF,gC;QAAumF,8BAAvmF,gC;QAAunF,8BAAvnF,gC;QAAuoF,8BAAvoF,gC;QAAupF,8BAAvpF,gC;QAAuqF,8BAAvqF,gC;QAAurF,8BAAvrF,gC;QAAusF,8BAAvsF,gC;QAAutF,8BAAvtF,gC;QAAuuF,8BAAvuF,gC;QAAuvF,8BAAvvF,gC;QAAuwF,8BAAvwF,gC;QAAuxF,8BAAvxF,gC;QAAuyF,8BAAvyF,gC;QAAuzF,8BAAvzF,gC;QAAu0F,8BAAv0F,gC;QAAu1F,8BAAv1F,gC;QAAu2F,8BAAv2F,gC;QAAu3F,8BAAv3F,gC;QAAu4F,8BAAv4F,gC;QAAu5F,8BAAv5F,gC;QAAu6F,8BAAv6F,gC;QAAu7F,8BAAv7F,gC;QAAu8F,8BAAv8F,gC;QAAu9F,8BAAv9F,gC;QAAu+F,8BAAv+F,gC;QAAu/F,8BAAv/F,gC;QAAugG,8BAAvgG,gC;QAAuhG,8BAAvhG,gC;QAAuiG,8BAAviG,gC;QAAujG,8BAAvjG,gC;QAAukG,8BAAvkG,gC;QAAulG,8BAAvlG,gC;QAAumG,8BAAvmG,gC;QAAunG,8BAAvnG,gC;QAAuoG,8BAAvoG,gC;QAAupG,8BAAvpG,gC;QAAuqG,8BAAvqG,gC;QAAurG,8BAAvrG,gC;QAAusG,8BAAvsG,gC;QAAutG,8BAAvtG,gC;QAAuuG,8BAAvuG,gC;QAAuvG,8BAAvvG,gC;QAAuwG,8BAAvwG,gC;QAAuxG,8BAAvxG,gC;QAAuyG,8BAAvyG,gC;QAAuzG,8BAAvzG,gC;QAAu0G,8BAAv0G,gC;QAAu1G,8BAAv1G,gC;QAAu2G,8BAAv2G,gC;QAAu3G,8BAAv3G,gC;QAAu4G,8BAAv4G,gC;QAAu5G,8BAAv5G,gC;QAAu6G,8BAAv6G,gC;QAAu7G,8BAAv7G,gC;QAAu8G,8BAAv8G,gC;QAAu9G,8BAAv9G,gC;QAAu+G,8BAAv+G,gC;QAAu/G,8BAAv/G,gC;QAAugH,8BAAvgH,gC;QAAuhH,8BAAvhH,gC;QAAuiH,8BAAviH,gC;QAAujH,8BAAvjH,gC;QAAukH,8BAAvkH,gC;QAAulH,8BAAvlH,gC;QAAumH,8BAAvmH,gC;QAAunH,8BAAvnH,gC;QAAuoH,8BAAvoH,gC;QAAupH,8BAAvpH,gC;QAAuqH,8BAAvqH,gC;QAAurH,8BAAvrH,gC;QAAusH,8BAAvsH,gC;QAAutH,8BAAvtH,gC;QAAuuH,8BAAvuH,gC;QAAuvH,8BAAvvH,gC;QAAuwH,8BAAvwH,gC;QAAuxH,8BAAvxH,gC;QAAuyH,8BAAvyH,gC;QAAuzH,8BAAvzH,gC;QAAu0H,8BAAv0H,gC;QAAu1H,8BAAv1H,gC;QAAu2H,8BAAv2H,gC;QAAu3H,8BAAv3H,gC;QAAu4H,8BAAv4H,gC;QAAu5H,8BAAv5H,gC;QAAu6H,8BAAv6H,gC;QAAu7H,8BAAv7H,gC;QAAu8H,8BAAv8H,gC;QAAu9H,8BAAv9H,gC;QAAu+H,8BAAv+H,gC;QAAu/H,8BAAv/H,gC;QAAugI,8BAAvgI,gC;QAAuhI,8BAAvhI,gC;QAAuiI,8BAAviI,gC;QAAujI,8BAAvjI,gC;QAAukI,8BAAvkI,gC;QAAulI,8BAAvlI,gC;QAAumI,8BAAvmI,gC;QAAunI,8BAAvnI,gC;QAAuoI,8BAAvoI,gC;QAAupI,8BAAvpI,gC;QAAuqI,8BAAvqI,gC;QAAurI,8BAAvrI,gC;QAAusI,8BAAvsI,gC;QAAutI,8BAAvtI,gC;QAAuuI,8BAAvuI,gC;QAAuvI,8BAAvvI,gC;QAAuwI,8BAAvwI,gC;QAAuxI,8BAAvxI,gC;QAAuyI,8BAAvyI,gC;QAAuzI,8BAAvzI,gC;QAAu0I,8BAAv0I,gC;QAAu1I,8BAAv1I,gC;QAAu2I,8BAAv2I,gC;QAAu3I,8BAAv3I,gC;QAAu4I,8BAAv4I,gC;QAAu5I,8BAAv5I,gC;QAAu6I,8BAAv6I,gC;QAAu7I,8BAAv7I,gC;QAAu8I,8BAAv8I,gC;QAAu9I,8BAAv9I,gC;QAAu+I,8BAAv+I,gC;QAAu/I,8BAAv/I,gC;QAAugJ,8BAAvgJ,gC;QAAuhJ,8BAAvhJ,gC;QAAuiJ,8BAAviJ,gC;QAAujJ,8BAAvjJ,gC;QAAukJ,8BAAvkJ,gC;QAAulJ,8BAAvlJ,gC;QAAumJ,8BAAvmJ,gC;QAAunJ,8BAAvnJ,gC;QAAuoJ,8BAAvoJ,gC;QAAupJ,8BAAvpJ,gC;QAAuqJ,8BAAvqJ,gC;QAAurJ,8BAAvrJ,gC;QAAusJ,8BAAvsJ,gC;QAAutJ,8BAAvtJ,gC;QAAuuJ,8BAAvuJ,gC;QAAuvJ,8BAAvvJ,gC;QAAuwJ,8BAAvwJ,gC;QAAuxJ,8BAAvxJ,gC;QAAuyJ,8BAAvyJ,gC;QAAuzJ,8BAAvzJ,gC;QAAu0J,8BAAv0J,gC;QAAu1J,8BAAv1J,gC;QAAu2J,8BAAv2J,gC;QAAu3J,8BAAv3J,gC;QAAu4J,8BAAv4J,gC;QAAu5J,8BAAv5J,gC;QAAu6J,8BAAv6J,gC;QAAu7J,8BAAv7J,gC;QAAu8J,8BAAv8J,gC;QAAu9J,8BAAv9J,gC;QAAu+J,8BAAv+J,gC;QAAu/J,8BAAv/J,gC;QAAugK,8BAAvgK,gC;QAAuhK,8BAAvhK,gC;QAAuiK,8BAAviK,gC;QAAujK,8BAAvjK,gC;QAAukK,8BAAvkK,gC;QAAulK,8BAAvlK,gC;QAAumK,8BAAvmK,gC;QAAunK,8BAAvnK,gC;QAAuoK,8BAAvoK,gC;QAAupK,8BAAvpK,gC;QAAuqK,8BAAvqK,gC;QAAurK,8BAAvrK,gC;QAAusK,8BAAvsK,gC;QAAutK,8BAAvtK,gC;QAAuuK,8BAAvuK,gC;QAAuvK,8BAAvvK,gC;QAAuwK,8BAAvwK,gC;QAAuxK,8BAAvxK,gC;QAAuyK,8BAAvyK,gC;QAAuzK,8BAAvzK,gC;QAAu0K,8BAAv0K,gC;QAAu1K,8BAAv1K,gC;QAAu2K,8BAAv2K,gC;QAAu3K,8BAAv3K,gC;QAAu4K,8BAAv4K,gC;QAAu5K,8BAAv5K,gC;QAAu6K,8BAAv6K,gC;QAAu7K,8BAAv7K,gC;QAAu8K,8BAAv8K,gC;QAAu9K,8BAAv9K,gC;QAAu+K,8BAAv+K,gC;QAAu/K,8BAAv/K,gC;QAAugL,8BAAvgL,gC;QAAuhL,8BAAvhL,gC;QAAuiL,8BAAviL,gC;QAAujL,8BAAvjL,gC;QAAukL,8BAAvkL,gC;QAAulL,8BAAvlL,gC;QAAumL,8BAAvmL,gC;QAAunL,8BAAvnL,gC;QAAuoL,8BAAvoL,gC;QAAupL,8BAAvpL,gC;QAAuqL,8BAAvqL,gC;QAAurL,8BAAvrL,gC;QAAusL,8BAAvsL,gC;QAAutL,8BAAvtL,gC;QAAuuL,8BAAvuL,gC;QAAuvL,8BAAvvL,gC;QAAuwL,8BAAvwL,gC;QAAuxL,8BAAvxL,gC;QAAuyL,8BAAvyL,gC;QAAuzL,8BAAvzL,gC;QAAu0L,8BAAv0L,gC;QAAu1L,8BAAv1L,gC;QAAu2L,8BAAv2L,gC;QAAu3L,8BAAv3L,gC;QAAu4L,8BAAv4L,gC;QAAu5L,8BAAv5L,gC;QAAu6L,8BAAv6L,gC;QAAu7L,8BAAv7L,gC;QAAu8L,8BAAv8L,gC;QAAu9L,8BAAv9L,gC;QAAu+L,8BAAv+L,gC;QAAu/L,8BAAv/L,gC;QAAugM,8BAAvgM,gC;QAAuhM,8BAAvhM,gC;QAAuiM,8BAAviM,gC;QAAujM,8BAAvjM,gC;QAAukM,8BAAvkM,gC;QAAulM,8BAAvlM,gC;QAAumM,8BAAvmM,gC;QAAunM,8BAAvnM,gC;QAAuoM,8BAAvoM,gC;QAAupM,8BAAvpM,gC;QAAuqM,8BAAvqM,gC;QAAurM,8BAAvrM,gC;QAAusM,8BAAvsM,gC;QAAutM,8BAAvtM,gC;QAAuuM,8BAAvuM,gC;QAAuvM,8BAAvvM,gC;QAAuwM,8BAAvwM,gC;QAAuxM,8BAAvxM,gC;QAAuyM,8BAAvyM,gC;QAAuzM,8BAAvzM,gC;QAAu0M,8BAAv0M,gC;QAAu1M,8BAAv1M,gC;QAAu2M,8BAAv2M,gC;QAAu3M,8BAAv3M,gC;QAAu4M,8BAAv4M,gC;QAAu5M,8BAAv5M,gC;QAAu6M,8BAAv6M,gC;QAAu7M,8BAAv7M,gC;QAAu8M,8BAAv8M,gC;QAAu9M,8BAAv9M,gC;QAAu+M,8BAAv+M,gC;QAAu/M,8BAAv/M,gC;QAAugN,8BAAvgN,gC;QAAuhN,8BAAvhN,gC;QAAuiN,8BAAviN,gC;QAAujN,8BAAvjN,gC;QAAukN,8BAAvkN,gC;QAAulN,8BAAvlN,gC;QAAumN,8BAAvmN,gC;QAAunN,8BAAvnN,gC;QAAuoN,8BAAvoN,gC;QAAupN,8BAAvpN,gC;QAAuqN,8BAAvqN,gC;QAAurN,8BAAvrN,gC;QAAusN,8BAAvsN,gC;QAAutN,8BAAvtN,gC;QAAuuN,8BAAvuN,gC;QAAuvN,8BAAvvN,gC;QAAuwN,8BAAvwN,gC;QAAuxN,8BAAvxN,gC;QAAuyN,8BAAvyN,gC;QAAuzN,8BAAvzN,gC;QAAu0N,8BAAv0N,gC;QAAu1N,8BAAv1N,gC;QAAu2N,8BAAv2N,gC;QAAu3N,8BAAv3N,gC;QAAu4N,8BAAv4N,gC;QAAu5N,8BAAv5N,gC;QAAu6N,8BAAv6N,gC;QAAu7N,8BAAv7N,gC;QAAu8N,8BAAv8N,gC;QAAu9N,8BAAv9N,gC;QAAu+N,8BAAv+N,gC;QAAu/N,8BAAv/N,gC;QAAugO,8BAAvgO,gC;QAAuhO,8BAAvhO,gC;QAAuiO,8BAAviO,gC;QAAujO,8BAAvjO,gC;QAAukO,8BAAvkO,gC;QAAulO,8BAAvlO,gC;QAAumO,8BAAvmO,gC;QAAunO,8BAAvnO,gC;QAAuoO,8BAAvoO,gC;QAAupO,8BAAvpO,gC;QAAuqO,8BAAvqO,gC;QAAurO,8BAAvrO,gC;QAAusO,8BAAvsO,gC;QAAutO,8BAAvtO,gC;QAAuuO,8BAAvuO,gC;QAAuvO,8BAAvvO,gC;QAAuwO,8BAAvwO,gC;QAAuxO,8BAAvxO,gC;QAAuyO,8BAAvyO,gC;QAAuzO,8BAAvzO,gC;QAAu0O,8BAAv0O,gC;QAAu1O,8BAAv1O,gC;QAAu2O,8BAAv2O,gC;QAAu3O,8BAAv3O,gC;QAAu4O,8BAAv4O,gC;QAAu5O,8BAAv5O,gC;QAAu6O,8BAAv6O,gC;QAAu7O,8BAAv7O,gC;QAAu8O,8BAAv8O,gC;QAAu9O,8BAAv9O,gC;QAAu+O,8BAAv+O,gC;QAAu/O,8BAAv/O,gC;QAAugP,8BAAvgP,gC;QAAuhP,8BAAvhP,gC;QAAuiP,8BAAviP,gC;QAAujP,8BAAvjP,gC;QAAukP,8BAAvkP,gC;QAAulP,8BAAvlP,gC;QAAumP,8BAAvmP,gC;QAAunP,8BAAvnP,gC;QAAuoP,8BAAvoP,gC;QAAupP,8BAAvpP,gC;QAAuqP,8BAAvqP,gC;QAAurP,8BAAvrP,gC;QAAusP,8BAAvsP,gC;QAAutP,8BAAvtP,gC;QAAuuP,8BAAvuP,gC;QAAuvP,8BAAvvP,gC;QAAuwP,8BAAvwP,gC;QAAuxP,8BAAvxP,gC;QAAuyP,8BAAvyP,gC;QAAuzP,8BAAvzP,gC;QAAu0P,8BAAv0P,gC;QAAu1P,8BAAv1P,gC;QAAu2P,8BAAv2P,gC;QAAu3P,8BAAv3P,gC;QAAu4P,8BAAv4P,gC;QAAu5P,8BAAv5P,gC;QAAu6P,8BAAv6P,gC;QAAu7P,8BAAv7P,gC;QAAu8P,8BAAv8P,gC;QAAu9P,8BAAv9P,gC;QAAu+P,8BAAv+P,gC;QAAu/P,8BAAv/P,gC;QAAugQ,8BAAvgQ,gC;QAAuhQ,8BAAvhQ,gC;QAAuiQ,8BAAviQ,gC;QAAujQ,8BAAvjQ,gC;QAAukQ,8BAAvkQ,gC;QAAulQ,8BAAvlQ,gC;QAAumQ,8BAAvmQ,gC;QAAunQ,8BAAvnQ,gC;QAAuoQ,8BAAvoQ,gC;QAAupQ,8BAAvpQ,gC;QAAuqQ,8BAAvqQ,gC;QAAurQ,8BAAvrQ,gC;QAAusQ,8BAAvsQ,gC;QAAutQ,8BAAvtQ,gC;QAAuuQ,8BAAvuQ,gC;QAAuvQ,8BAAvvQ,gC;QAAuwQ,8BAAvwQ,gC;QAAuxQ,8BAAvxQ,gC;QAAuyQ,8BAAvyQ,gC;QAAuzQ,8BAAvzQ,gC;QAAu0Q,8BAAv0Q,gC;QAAu1Q,8BAAv1Q,gC;QAAu2Q,8BAAv2Q,gC;QAAu3Q,8BAAv3Q,gC;QAAu4Q,8BAAv4Q,gC;QAAu5Q,8BAAv5Q,gC;QAAu6Q,8BAAv6Q,gC;QAAu7Q,8BAAv7Q,gC;QAAu8Q,8BAAv8Q,gC;QAAu9Q,8BAAv9Q,gC;QAAu+Q,8BAAv+Q,gC;QAAu/Q,8BAAv/Q,gC;QAAugR,8BAAvgR,gC;QAAuhR,8BAAvhR,gC;QAAuiR,8BAAviR,gC;QAAujR,8BAAvjR,gC;QAAukR,8BAAvkR,gC;QAAulR,8BAAvlR,gC;QAAumR,8BAAvmR,gC;QAAunR,8BAAvnR,gC;QAAuoR,8BAAvoR,gC;QAAupR,8BAAvpR,gC;QAAuqR,8BAAvqR,gC;QAAurR,8BAAvrR,gC;QAAusR,8BAAvsR,gC;QAAutR,8BAAvtR,gC;QAAuuR,8BAAvuR,gC;QAAuvR,8BAAvvR,gC;QAAuwR,8BAAvwR,gC;QAAuxR,8BAAvxR,gC;QAAuyR,8BAAvyR,gC;QAAuzR,8BAAvzR,gC;QAAu0R,8BAAv0R,gC;QAAu1R,8BAAv1R,gC;QAAu2R,8BAAv2R,gC;QAAu3R,8BAAv3R,gC;QAAu4R,8BAAv4R,gC;QAAu5R,8BAAv5R,gC;QAAu6R,8BAAv6R,gC;QAAu7R,8BAAv7R,gC;QAAu8R,8BAAv8R,gC;QAAu9R,8BAAv9R,gC;QAAu+R,8BAAv+R,gC;QAAu/R,8BAAv/R,gC;QAAugS,8BAAvgS,gC;QAAuhS,8BAAvhS,gC;QAAuiS,8BAAviS,gC;QAAujS,8BAAvjS,gC;QAAukS,8BAAvkS,gC;QAAulS,8BAAvlS,gC;QAAumS,8BAAvmS,gC;QAAunS,8BAAvnS,gC;QAAuoS,8BAAvoS,gC;QAAupS,8BAAvpS,gC;QAAuqS,8BAAvqS,gC;QAAurS,8BAAvrS,gC;QAAusS,8BAAvsS,gC;QAAutS,8BAAvtS,gC;QAAuuS,8BAAvuS,gC;QAAuvS,8BAAvvS,gC;QAAuwS,8BAAvwS,gC;QAAuxS,8BAAvxS,gC;QAAuyS,8BAAvyS,gC;QAAuzS,8BAAvzS,gC;QAAu0S,8BAAv0S,gC;QAAu1S,8BAAv1S,gC;QAAu2S,8BAAv2S,gC;QAAu3S,8BAAv3S,gC;QAAu4S,8BAAv4S,gC;QAAu5S,8BAAv5S,gC;QAAu6S,8BAAv6S,gC;QAAu7S,8BAAv7S,gC;QAAu8S,8BAAv8S,gC;QAAu9S,8BAAv9S,gC;QAAu+S,8BAAv+S,gC;QAAu/S,8BAAv/S,gC;QAAugT,8BAAvgT,gC;QAAuhT,8BAAvhT,gC;QAAuiT,8BAAviT,gC;QAAujT,8BAAvjT,gC;QAAukT,8BAAvkT,gC;QAAulT,8BAAvlT,gC;QAAumT,8BAAvmT,gC;QAAunT,8BAAvnT,gC;QAAuoT,8BAAvoT,gC;QAAupT,8BAAvpT,gC;QAAuqT,8BAAvqT,gC;QAAurT,8BAAvrT,gC;QAAusT,8BAAvsT,gC;QAAutT,8BAAvtT,gC;QAAuuT,8BAAvuT,gC;QAAuvT,8BAAvvT,gC;QAAuwT,8BAAvwT,gC;QAAuxT,8BAAvxT,gC;QAAuyT,8BAAvyT,gC;QAAuzT,8BAAvzT,gC;QAAu0T,8BAAv0T,gC;QAAu1T,8BAAv1T,gC;QAAu2T,8BAAv2T,gC;QAAu3T,8BAAv3T,gC;QAAu4T,8BAAv4T,gC;QAAu5T,8BAAv5T,gC;QAAu6T,8BAAv6T,gC;QAAu7T,8BAAv7T,gC;QAAu8T,8BAAv8T,gC;QAAu9T,8BAAv9T,gC;QAAu+T,8BAAv+T,gC;QAAu/T,8BAAv/T,gC;QAAugU,8BAAvgU,gC;QAAuhU,8BAAvhU,gC;QAAuiU,8BAAviU,gC;QAAujU,8BAAvjU,gC;QAAukU,8BAAvkU,gC;QAAulU,8BAAvlU,gC;QAAumU,8BAAvmU,gC;QAAunU,8BAAvnU,gC;QAAuoU,8BAAvoU,gC;QAAupU,8BAAvpU,gC;QAAuqU,8BAAvqU,gC;QAAurU,8BAAvrU,gC;QAAusU,8BAAvsU,gC;QAAutU,8BAAvtU,gC;QAAuuU,8BAAvuU,gC;QAAuvU,8BAAvvU,gC;QAAuwU,8BAAvwU,gC;QAAuxU,8BAAvxU,gC;QAAuyU,8BAAvyU,gC;QAAuzU,8BAAvzU,gC;QAAu0U,8BAAv0U,gC;QAAu1U,8BAAv1U,gC;QAAu2U,8BAAv2U,gC;QAAu3U,8BAAv3U,gC;QAAu4U,8BAAv4U,gC;QAAu5U,8BAAv5U,gC;QAAu6U,8BAAv6U,gC;QAAu7U,8BAAv7U,gC;QAAu8U,8BAAv8U,gC;QAAu9U,8BAAv9U,gC;QAAu+U,8BAAv+U,gC;QAAu/U,8BAAv/U,gC;QAAugV,8BAAvgV,gC;QAAuhV,8BAAvhV,gC;QAAuiV,8BAAviV,gC;QAAujV,8BAAvjV,gC;QAAukV,8BAAvkV,gC;QAAulV,8BAAvlV,gC;QAAumV,8BAAvmV,gC;QAAunV,8BAAvnV,gC;QAAuoV,8BAAvoV,gC;QAAupV,8BAAvpV,gC;QAAuqV,8BAAvqV,gC;QAAurV,8BAAvrV,gC;QAAusV,8BAAvsV,gC;QAAutV,8BAAvtV,gC;QAAuuV,8BAAvuV,gC;QAAuvV,8BAAvvV,gC;QAAuwV,8BAAvwV,gC;QAAuxV,8BAAvxV,gC;QAAuyV,8BAAvyV,gC;QAAuzV,8BAAvzV,gC;QAAu0V,8BAAv0V,gC;QAAu1V,8BAAv1V,gC;QAAu2V,8BAAv2V,gC;QAAu3V,8BAAv3V,gC;QAAu4V,8BAAv4V,gC;QAAu5V,8BAAv5V,gC;QAAu6V,8BAAv6V,gC;QAAu7V,8BAAv7V,gC;QAAu8V,8BAAv8V,gC;QAAu9V,8BAAv9V,gC;QAAu+V,8BAAv+V,gC;QAAu/V,8BAAv/V,gC;QAAugW,8BAAvgW,gC;QAAuhW,8BAAvhW,gC;QAAuiW,8BAAviW,gC;QAAujW,8BAAvjW,gC;QAAukW,8BAAvkW,gC;QAAulW,8BAAvlW,gC;QAAumW,8BAAvmW,gC;QAAunW,8BAAvnW,gC;QAAuoW,8BAAvoW,gC;QAAupW,8BAAvpW,gC;QAAuqW,8BAAvqW,gC;QAAurW,8BAAvrW,gC;QAAusW,8BAAvsW,gC;QAAutW,8BAAvtW,gC;QAAuuW,8BAAvuW,gC;QAAuvW,8BAAvvW,gC;QAAuwW,8BAAvwW,gC;QAAuxW,8BAAvxW,gC;QAAuyW,8BAAvyW,gC;QAAuzW,8BAAvzW,gC;QAAu0W,8BAAv0W,gC;QAAu1W,8BAAv1W,gC;QAAu2W,8BAAv2W,gC;QAAu3W,8BAAv3W,gC;QAAu4W,8BAAv4W,gC;QAAu5W,8BAAv5W,gC;QAAu6W,8BAAv6W,gC;QAAu7W,8BAAv7W,gC;QAAu8W,8BAAv8W,gC;QAAu9W,8BAAv9W,gC;QAAu+W,8BAAv+W,gC;QAAu/W,8BAAv/W,gC;QAAugX,8BAAvgX,gC;QAAuhX,8BAAvhX,gC;QAAuiX,8BAAviX,gC;QAAujX,8BAAvjX,gC;QAAukX,8BAAvkX,gC;QAAulX,8BAAvlX,gC;QAAumX,8BAAvmX,gC;QAAunX,8BAAvnX,gC;QAAuoX,8BAAvoX,gC;QAAupX,8BAAvpX,gC;QAAuqX,8BAAvqX,gC;QAAurX,8BAAvrX,gC;QAAusX,8BAAvsX,gC;QAAutX,8BAAvtX,gC;QAAuuX,8BAAvuX,gC;QAAuvX,8BAAvvX,gC;QAAuwX,8BAAvwX,gC;QAAuxX,8BAAvxX,gC;QAAuyX,8BAAvyX,gC;QAAuzX,8BAAvzX,gC;QAAu0X,8BAAv0X,gC;QAAu1X,8BAAv1X,gC;QAAu2X,8BAAv2X,gC;QAAu3X,8BAAv3X,gC;QAAu4X,8BAAv4X,gC;QAAu5X,8BAAv5X,gC;QAAu6X,8BAAv6X,gC;QAAu7X,8BAAv7X,gC;QAAu8X,8BAAv8X,gC;QAAu9X,8BAAv9X,gC;QAAu+X,8BAAv+X,gC;QAAu/X,8BAAv/X,gC;QAAugY,8BAAvgY,gC;QAAuhY,8BAAvhY,gC;QAAuiY,8BAAviY,gC;QAAujY,8BAAvjY,gC;QAAukY,8BAAvkY,gC;QAAulY,8BAAvlY,gC;QAAumY,8BAAvmY,gC;QAAunY,8BAAvnY,gC;QAAuoY,8BAAvoY,gC;QAAupY,8BAAvpY,gC;QAAuqY,8BAAvqY,gC;QAAurY,8BAAvrY,gC;QAAusY,8BAAvsY,gC;QAAutY,8BAAvtY,gC;QAAuuY,8BAAvuY,gC;QAAuvY,8BAAvvY,gC;QAAuwY,8BAAvwY,gC;QAAuxY,8BAAvxY,gC;QAAuyY,8BAAvyY,gC;QAAuzY,8BAAvzY,gC;QAAu0Y,8BAAv0Y,gC;QAAu1Y,8BAAv1Y,gC;QAAu2Y,8BAAv2Y,gC;QAAu3Y,8BAAv3Y,gC;QAAu4Y,8BAAv4Y,gC;QAAu5Y,8BAAv5Y,gC;QAAu6Y,8BAAv6Y,gC;QAAu7Y,8BAAv7Y,gC;QAAu8Y,8BAAv8Y,gC;QAAu9Y,8BAAv9Y,gC;QAAu+Y,8BAAv+Y,gC;QAAu/Y,8BAAv/Y,gC;QAAugZ,8BAAvgZ,gC;QAAuhZ,8BAAvhZ,gC;QAAuiZ,8BAAviZ,gC;QAAujZ,8BAAvjZ,gC;QAAukZ,8BAAvkZ,gC;QAAulZ,8BAAvlZ,gC;QAAumZ,8BAAvmZ,gC;QAAunZ,8BAAvnZ,gC;QAAuoZ,8BAAvoZ,gC;QAAupZ,8BAAvpZ,gC;QAAuqZ,8BAAvqZ,gC;QAAurZ,8BAAvrZ,gC;QAAusZ,8BAAvsZ,gC;QAAutZ,8BAAvtZ,gC;QAAuuZ,8BAAvuZ,gC;QAAuvZ,8BAAvvZ,gC;QAAuwZ,8BAAvwZ,gC;QAAuxZ,8BAAvxZ,gC;QAAuyZ,8BAAvyZ,gC;QAAuzZ,8BAAvzZ,gC;QAAu0Z,8BAAv0Z,gC;QAAu1Z,8BAAv1Z,gC;QAAu2Z,8BAAv2Z,gC;QAAu3Z,8BAAv3Z,gC;QAAu4Z,8BAAv4Z,gC;QAAu5Z,8BAAv5Z,gC;QAAu6Z,8BAAv6Z,gC;QAAu7Z,8BAAv7Z,gC;QAAu8Z,8BAAv8Z,gC;QAAu9Z,8BAAv9Z,gC;QAAu+Z,8BAAv+Z,gC;QAAu/Z,8BAAv/Z,gC;QAAugaA,8BAAvgaA,gC;QAAuhaA,8BAAvhaA,gC;QAAuiaA,8BAAviaA,gC;QAAujaA,8BAAvjaA,gC;QAAukaA,8BAAvkaA,gC;QAAulaA,8BAAvlaA,gC;QAAumaA,8BAAvmaA,gC;QAAunaA,8BAAvnaA,gC;QAAuoaA,8BAAvoaA,gC;QAAupaA,8BAAvpaA,gC;QAAuqaA,8BAAvqaA,gC;QAAuraA,8BAAvraA,gC;QAAusaA,8BAAvsaA,gC;QAAutaA,8BAAvtaA,gC;QAAuuaA,8BAAvuaA,gC;QAAuvaA,8BAAvvaA,gC;QAAuwaA,8BAAvwaA,gC;QAAuxaA,8BAAvxaA,gC;QAAuyaA,8BAAvyaA,gC;QAAuzaA,8BAAvzaA,gC;QAAu0aA,8BAAv0aA,gC;QAAu1aA,8BAAv1aA,gC;QAAu2aA,8BAAv2aA,gC;QAAu3aA,8BAAv3aA,gC;QAAu4aA,8BAAv4aA,gC;QAAu5aA,8BAAv5aA,gC;QAAu6aA,8BAAv6aA,gC;QAAu7aA,8BAAv7aA,gC;QAAu8aA,8BAAv8aA,gC;QAAu9aA,8BAAv9aA,gC;QAAu+aA,8BAAv+aA,gC;QAAu/aA,8BAAv/aA,gC;QAAugbA,8BAAvgbA,gC;QAAuhbA,8BAAvhbA,gC;QAAuibA,8BAAvibA,gC;QAAujbA,8BAAvjbA,gC;QAAukbA,8BAAvkbA,gC;QAAulbA,8BAAvlbA,gC;QAAumbA,8BAAvmbA,gC;QAAunbA,8BAAvnbA,gC;QAAuobA,8BAAvobA,gC;QAAupbA,8BAAvpbA,gC;QAAuqbA,8BAAvqbA,gC;QAAurbA,8BAAvrbA,gC;QAAusbA,8BAAvsbA,gC;QAAutbA,8BAAvtbA,gC;QAAuubA,8BAAvubA,gC;QAAuvbA,8BAAvvbA,gC;QAAuwbA,8BAAvwbA,gC;QAAuxbA,8BAAvxbA,gC;QAAuybA,8BAAvybA,gC;QAAuzbA,8BAAvzbA,gC;QAAu0bA,8BAAv0bA,gC;QAAu1bA,8BAAv1bA,gC;QAAu2bA,8BAAv2bA,gC;QAAu3bA,8BAAv3bA,gC;QAAu4bA,8BAAv4bA,gC;QAAu5bA,8BAAv5bA,gC;QAAu6bA,8BAAv6bA,gC;QAAu7bA,8BAAv7bA,gC;QAAu8bA,8BAAv8bA,gC;QAAu9bA,8BAAv9bA,gC;QAAu+bA,8BAAv+bA,gC;QAAu/bA,8BAAv/bA,gC;QAAugcA,8B

3qTmD,emB2qTnD,GnB3qT8D,KAAK,KmB2qT5D,SAAS,OAAT,CnB3qTuE,KAAX,CAAhB,C;;QmB6qTvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBx3SA,+B;MmBw3SA,sC;QAaoB,Q;QADhB,UnBz3SqC,eAAW,oBmBy3S/B,CnBz3S+B,CAAX,C;QmB03SrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB9rTmD,emB8rTnD,GnB9rT8D,KAAK,KmB8rT5D,SAAS,OAAT,CnB9rTuE,KAAX,CAAhB,C;;QmBgsTvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB34SA,+B;MmB24SA,sC;QAaoB,Q;QADhB,UnB54SqC,eAAW,oBmB44S/B,CnB54S+B,CAAX,C;QmB64SrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBjtTmD,emBitTnD,GnBjtT8D,KAAK,KmBitT5D,SAAS,OAAT,CnBjtTuE,KAAX,CAAhB,C;;QmBmtTvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB95SA,+B;MmB85SA,sC;QAaoB,Q;QADhB,UnB/5SqC,eAAW,oBmB+5S/B,CnB/5S+B,CAAX,C;QmBg6SrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBptTmD,emBotTnD,GnBptT8D,KAAK,KmBotT5D,SAAS,OAAT,CnBptTuE,KAAX,CAAhB,C;;QmBstTvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBj7SA,+B;MmBi7SA,sC;QAaoB,Q;QADhB,UnBl7SqC,eAAW,oBmBk7S/B,CnBl7S+B,CAAX,C;QmBm7SrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBvuTmD,emBuuTnD,GnBvuT8D,KAAK,KmBuuT5D,SAAS,OAAT,CnBvuTuE,KAAX,CAAhB,C;;QmByuTvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBp8SA,+B;MmBo8SA,sC;QAaoB,Q;QADhB,UnBr8SqC,eAAW,oBmBq8S/B,CnBr8S+B,CAAX,C;QmBs8SrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB1vTmD,emB0vTnD,GnB1vT8D,KAAK,KmB0vT5D,SAAS,OAAT,CnB1vTuE,KAAX,CAAhB,C;;QmB4vTvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBv9SA,+B;MmBu9SA,sC;QAaoB,Q;QADhB,UnBx9SqC,eAAW,oBmBw9S/B,CnBx9S+B,CAAX,C;QmBy9SrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB7wTmD,emB6wTnD,GnB7wT8D,KAAK,KmB6wT5D,SAAS,OAAT,CnB7wTuE,KAAX,CAAhB,C;;QmB+wTvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB1+SA,+B;MmB0+SA,sC;QAaoB,Q;QADhB,UnB3+SqC,eAAW,oBmB2+S/B,CnB3+S+B,CAAX,C;QmB4+SrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBhyTmD,emBgyTnD,GnBhyT8D,KAAK,KmBgyT5D,SAAS,OAAT,CnBhyTuE,KAAX,CAAhB,C;;QmBkyTvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB7/SA,+B;MmB6/SA,sC;QAaoB,Q;QADhB,UnB9/SqC,eAAW,oBmB8/S/B,CnB9/S+B,CAAX,C;QmB+/SrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBnzTmD,emBmzTnD,GnBnzT8D,KAAK,KmBmzT5D,SAAS,OAAT,CnBnzTuE,KAAX,CAAhB,C;;QmBqzTvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBhhTA,+B;MmBghTA,sC;QAaoB,Q;QADhB,UnBjhTqC,eAAW,oBmBihT/B,CnBjhT+B,CAAX,C;QmBkhTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBt0TmD,emBs0TnD,GnBt0T8D,KAAK,KmBs0T5D,SAAS,OAAT,CnBt0TuE,KAAX,CAAhB,C;;QmBw0TvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBnihTA,+B;MmBmihTA,sC;QAaoB,Q;QADhB,UnBpihTqC,eAAW,oBmBoihT/B,CnBpihT+B,CAAX,C;QmBqihTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBz1TmD,emBy1TnD,GnBz1T8D,KAAK,KmBy1T5D,SAAS,OAAT,CnBz1TuE,KAAX,CAAhB,C;;QmB21TvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBtjhTA,+B;MmBsjhTA,sC;QAaoB,Q;QADhB,UnBvjhTqC,eAAW,oBmBujhT/B,CnBvjhT+B,CAAX,C;QmBwjhTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB53TmD,emB43TnD,GnB53T8D,KAAK,KmB43T5D,SAAS,OAAT,CnB53TuE,KAAX,CAAhB,C;;QmB83TvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBzkhTA,+B;MmBykhTA,sC;QAaoB,Q;QADhB,UnB1khTqC,eAAW,oBmB0khT/B,CnB1khT+B,CAAX,C;QmB2khTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB/4TmD,emB+4TnD,GnB/4T8D,KAAK,KmB+4T5D,SAAS,OAAT,CnB/4TuE,KAAX,CAAhB,C;;QmBi5TvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB5lhTA,+B;MmB4lhTA,sC;QAaoB,Q;QADhB,UnB7lhTqC,eAAW,oBmB6lhT/B,CnB7lhT+B,CAAX,C;QmB8lhTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBl6TmD,emBk6TnD,GnBl6T8D,KAAK,KmBk6T5D,SAAS,OAAT,CnBl6TuE,KAAX,CAAhB,C;;QmBo6TvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB/mhTA,+B;MmB+mhTA,sC;QAaoB,Q;QADhB,UnBhnhTqC,eAAW,oBmBgnhT/B,CnBhnhT+B,CAAX,C;QmBinhTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBr7TmD,emBq7TnD,GnBr7T8D,KAAK,KmBq7T5D,SAAS,OAAT,CnBr7TuE,KAAX,CAAhB,C;;QmBu7TvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBlohTA,+B;MmBkohTA,sC;QAaoB,Q;QADhB,UnBnohTqC,eAAW,oBmBmohT/B,CnBnohT+B,CAAX,C;QmBoohTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBx8TmD,emBw8TnD,GnBx8T8D,KAAK,KmBw8T5D,SAAS,OAAT,CnBx8TuE,KAAX,CAAhB,C;;QmB08TvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBrphTA,+B;MmBqphTA,sC;QAaoB,Q;QADhB,UnBtphTqC,eAAW,oBmBsphT/B,CnBtphT+B,CAAX,C;QmBuphTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB39TmD,emB29TnD,GnB39T8D,KAAK,KmB29T5D,SAAS,OAAT,CnB39TuE,KAAX,CAAhB,C;;QmB69TvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBxqhTA,+B;MmBwqhTA,sC;QAaoB,Q;QADhB,UnBzqhTqC,eAAW,oBmByqhT/B,CnBzqhT+B,CAAX,C;QmB0qhTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB9+TmD,emB8+TnD,GnB9+T8D,KAAK,KmB8+T5D,SAAS,OAAT,CnB9+TuE,KAAX,CAAhB,C;;QmBg/TvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB3rhTA,+B;MmB2rhTA,sC;QAaoB,Q;QADhB,UnB5rhTqC,eAAW,oBmB4rhT/B,CnB5rhT+B,CAAX,C;QmB6rhTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBjgUmD,emBigUnD,GnBjgU8D,KAAK,KmBigU5D,SAAS,OAAT,CnBjgUuE,KAAX,CAAhB,C;;QmBmgUvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB9shTA,+B;MmB8shTA,sC;QAaoB,Q;QADhB,UnB/shTqC,eAAW,oBmB+shT/B,CnB/shT+B,CAAX,C;QmBgthTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBphUmD,emBohUnD,GnBphU8D,KAAK,KmBohU5D,SAAS,OAAT,CnBphUuE,KAAX,CAAhB,C;;QmBshUvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBjuhTA,+B;MmBiuhTA,sC;QAaoB,Q;QADhB,UnBluhTqC,eAAW,oBmBkuhT/B,CnBluhT+B,CAAX,C;QmBmuhTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBvhUmD,emBuhUnD,GnBvhU8D,KAAK,KmBuhU5D,SAAS,OAAT,CnBvhUuE,KAAX,CAAhB,C;;QmByhUvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBpvhTA,+B;MmBovhTA,sC;QAaoB,Q;QADhB,UnBrvhTqC,eAAW,oBmBqvhT/B,CnBrvhT+B,CAAX,C;QmBsvhTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB1iUmD,emB0iUnD,GnB1iU8D,KAAK,KmB0iU5D,SAAS,OAAT,CnB1iUuE,KAAX,CAAhB,C;;QmB4iUvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBvwhTA,+B;MmBuwhTA,sC;QAaoB,Q;QADhB,UnBxwhTqC,eAAW,oBmBwwhT/B,CnBxwhT+B,CAAX,C;QmBywhTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB7jUmD,emB6jUnD,GnB7jU8D,KAAK,KmB6jU5D,SAAS,OAAT,CnB7jUuE,KAAX,CAAhB,C;;QmB+jUvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB1xhTA,+B;MmB0xhTA,sC;QAaoB,Q;QADhB,UnB3xhTqC,eAAW,oBmB2xhT/B,CnB3xhT+B,CAAX,C;QmB4xhTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBhlUmD,emBglUnD,GnBhlU8D,KAAK,KmBglU5D,SAAS,OAAT,CnBhlUuE,KAAX,CAAhB,C;;QmBklUvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB7yhTA,+B;MmB6yhTA,sC;QAaoB,Q;QADhB,UnB9yhTqC,eAAW,oBmB8yhT/B,CnB9yhT+B,CAAX,C;QmB+yhTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBnmUmD,emBmmUnD,GnBnmU8D,KAAK,KmBmmU5D,SAAS,OAAT,CnBnmUuE,KAAX,CAAhB,C;;QmBqmUvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBh0hTA,+B;MmBg0hTA,sC;QAaoB,Q;QADhB,UnBj0hTqC,eAAW,oBmBi0hT/B,CnBj0hT+B,CAAX,C;QmBk0hTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBtnUmD,emBsnUnD,GnBtnU8D,KAAK,KmBsnU5D,SAAS,OAAT,CnBtnUuE,KAAX,CAAhB,C;;QmBwnUvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBn1hTA,+B;MmBm1hTA,sC;QAaoB,Q;QADhB,UnBp1hTqC,eAAW,oBmBo1hT/B,CnBp1hT+B,CAAX,C;QmBq1hTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBzoUmD,emByoUnD,GnBzoU8D,KAAK,KmByoU5D,SAAS,OAAT,CnBzoUuE,KAAX,CAAhB,C;;QmB2oUvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBt2hTA,+B;MmBs2hTA,sC;QAaoB,Q;QADhB,UnBv2hTqC,eAAW,oBmBu2hT/B,CnBv2hT+B,CAAX,C;QmBw2hTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB5pUmD,emB4pUnD,GnB5pU8D,KAAK,KmB4pU5D,SAAS,OAAT,CnB5pUuE,KAAX,CAAhB,C;;QmB8pUvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBz3hTA,+B;MmBy3hTA,sC;QAaoB,Q;QADhB,UnB13hTqC,eAAW,oBmB03hT/B,CnB13hT+B,CAAX,C;QmB23hTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB/qUmD,emB+qUnD,GnB/qU8D,KAAK,KmB+qU5D,SAAS,OAAT,CnB/qUuE,KAAX,CAAhB,C;;QmBirUvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB54hTA,+B;MmB44hTA,sC;QAaoB,Q;QADhB,UnB74hTqC,eAAW,oBmB64hT/B,CnB74hT+B,CAAX,C;QmB84hTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBlsUmD,emBksUnD,GnBlsU8D,KAAK,KmBksU5D,SAAS,OAAT,CnBlsUuE,KAAX,CAAhB,C;;QmBosUvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB/5hTA,+B;MmB+5hTA,sC;QAaoB,Q;QADhB,UnBh6hTqC,eAAW,oBmBg6hT/B,CnBh6hT+B,CAAX,C;QmBi6hTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBrtUmD,emBqtUnD,GnBrtU8D,KAAK,KmBqtU5D,SAAS,OAAT,CnBrtUuE,KAAX,CAAhB,C;;QmButUvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBl8hTA,+B;MmBk8hTA,sC;QAaoB,Q;QADhB,UnBn8hTqC,eAAW,oBmBm8hT/B,CnBn8hT+B,CAAX,C;QmBo8hTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBxvUmD,emBwvUnD,GnBxvU8D,KAAK,KmBwvU5D,SAAS,OAAT,CnBxvUuE,KAAX,CAAhB,C;;QmB0vUvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBr+hTA,+B;MmBq+hTA,sC;QAaoB,Q;QADhB,UnBt+hTqC,eAAW,oBmBs+hT/B,CnBt+hT+B,CAAX,C;QmBu+hTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB3xUmD,emB2xUnD,GnB3xU8D,KAAK,KmB2xU5D,SAAS,OAAT,CnB3xUuE,KAAX,CAAhB,C;;QmB6xUvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBxgiTA,+B;MmBwgiTA,sC;QAaoB,Q;QADhB,UnBzgiTqC,eAAW,oBmBygiT/B,CnBzgiT+B,CAAX,C;QmB0giTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB9zUmD,emB8zUnD,GnB9zU8D,KAAK,KmB8zU5D,SAAS,OAAT,CnB9zUuE,KAAX,CAAhB,C;;QmBg0UvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB3iiTA,+B;MmB2iiTA,sC;QAaoB,Q;QADhB,UnB5iiTqC,eAAW,oBmB4iiT/B,CnB5iiT+B,CAAX,C;QmB6iiTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBj2UmD,emBi2UnD,GnBj2U8D,KAAK,KmBi2U5D,SAAS,OAAT,CnBj2UuE,KAAX,CAAhB,C;;QmBm2UvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB9kiTA,+B;MmB8kiTA,sC;QAaoB,Q;QADhB,UnB/kiTqC,eAAW,oBmB+kiT/B,CnB/kiT+B,CAAX,C;QmBglirB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBp4UmD,emBo4UnD,GnBp4U8D,KAAK,KmBo4U5D,SAAS,OAAT,CnBp4UuE,KAAX,CAAhB,C;;QmBs4UvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBjniTA,+B;MmBiniTA,sC;QAaoB,Q;QADhB,UnBlniTqC,eAAW,oBmBkniT/B,CnBlniT+B,CAAX,C;QmBmniTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBv6UmD,emBu6UnD,GnBv6U8D,KAAK,KmBu6U5D,SAAS,OAAT,CnBv6UuE,KAAX,CAAhB,C;;QmBy6UvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBpqiTA,+B;MmBoqiTA,sC;QAaoB,Q;QADhB,UnBrqiTqC,eAAW,oBmBqqiT/B,CnBrqiT+B,CAAX,C;QmBsqiTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB18UmD,emB08UnD,GnB18U8D,KAAK,KmB08U5D,SAAS,OAAT,CnB18UuE,KAAX,CAAhB,C;;QmB48UvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBvtiTA,+B;MmButiTA,sC;QAaoB,Q;QADhB,UnBxtiTqC,eAAW,oBmBwtiT/B,CnBxtiT+B,CAAX,C;QmBytiTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB79UmD,emB69UnD,GnB79U8D,KAAK,KmB69U5D,SAAS,OAAT,CnB79UuE,KAAX,CAAhB,C;;QmB+9UvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB1wiTA,+B;MmB0wiTA,sC;QAaoB,Q;QADhB,UnB3wiTqC,eAAW,oBmB2wiT/B,CnB3wiT+B,CAAX,C;QmB4wiTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBh+UmD,emBg+UnD,GnBh+U8D,KAAK,KmBg+U5D,SAAS,OAAT,CnBh+UuE,KAAX,CAAhB,C;;QmBk+UvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB7ziTA,+B;MmB6ziTA,sC;QAaoB,Q;QADhB,UnB9ziTqC,eAAW,oBmB8ziT/B,CnB9ziT+B,CAAX,C;QmB+ziTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBnhVmD,emBmhVnD,GnBnhV8D,KAAK,KmBmhV5D,SAAS,OAAT,CnBnhVuE,KAAX,CAAhB,C;;QmBqhVvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBh2iTA,+B;MmBg2iTA,sC;QAaoB,Q;QADhB,UnBj2iTqC,eAAW,oBmBi2iT/B,CnBj2iT+B,CAAX,C;QmBk2iTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBtkVmD,emBskVnD,GnBtkV8D,KAAK,KmBskV5D,SAAS,OAAT,CnBtkVuE,KAAX,CAAhB,C;;QmBwkVvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBn4iTA,+B;MmBm4iTA,sC;QAaoB,Q;QADhB,UnBp4iTqC,eAAW,oBmBo4iT/B,CnBp4iT+B,CAAX,C;QmBq4iTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBzmVmD,emBymVnD,GnBzmV8D,KAAK,KmBymV5D,SAAS,OAAT,CnBzmVuE,KAAX,CAAhB,C;;QmB2mVvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBt6iTA,+B;MmBs6iTA,sC;QAaoB,Q;QADhB,UnBv6iTqC,eAAW,oBmBu6iT/B,CnBv6iT+B,CAAX,C;QmBw6iTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB5oVmD,emB4oVnD,GnB5oV8D,KAAK,KmB4oV5D,SAAS,OAAT,CnB5oVuE,KAAX,CAAhB,C;;QmB8oVvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBz8iTA,+B;MmBy8iTA,sC;QAaoB,Q;QADhB,UnB18iTqC,eAAW,oBmB08iT/B,CnB18iT+B,CAAX,C;QmB28iTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB/pVmD,emB+pVnD,GnB/pV8D,KAAK,KmB+pV5D,SAAS,OAAT,CnB/pVuE,KAAX,CAAhB,C;;QmBiqVvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB5+iTA,+B;MmB4+iTA,sC;QAaoB,Q;QADhB,UnB7+iTqC,eAAW,oBmB6+iT/B,CnB7+iT+B,CAAX,C;QmB8+iTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBlsVmD,emBksVnD,GnBlsV8D,KAAK,KmBksV5D,SAAS,OAAT,CnBlsVuE,KAAX,CAAhB,C;;QmBosVvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB/giTA,+B;MmB+giTA,sC;QAaoB,Q;QADhB,UnBhhiTqC,eAAW,oBmBghiT/B,CnBhhiT+B,CAAX,C;QmBihiTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBrtVmD,emBqtVnD,GnBrtV8D,KAAK,KmBqtV5D,SAAS,OAAT,CnBrtVuE,KAAX,CAAhB,C;;QmButVvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBlkiTA,+B;MmBkkiTA,sC;QAaoB,Q;QADhB,UnBnkiTqC,eAAW,oBmBmkiT/B,CnBnkiT+B,CAAX,C;QmBokiTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBxwVmD,emBwwVnD,GnBxwV8D,KAAK,KmBwwV5D,SAAS,OAAT,CnBxwVuE,KAAX,CAAhB,C;;QmB0wVvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBrniTA,+B;MmBqniTA,sC;QAaoB,Q;QADhB,UnBtniTqC,eAAW,oBmBsniT/B,CnBtniT+B,CAAX,C;QmBuniTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB3zVmD,emB2zVnD,GnB3zV8D,KAAK,KmB2zV5D,SAAS,OAAT,CnB3zVuE,KAAX,CAAhB,C;;QmB6zVvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBxqiTA,+B;MmBwqiTA,sC;QAaoB,Q;QADhB,UnBzqiTqC,eAAW,oBmByqiT/B,CnBzqiT+B,CAAX,C;QmB0qiTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB91VmD,emB81VnD,GnB91V8D,KAAK,KmB81V5D,SAAS,OAAT,CnB91VuE,KAAX,CAAhB,C;;QmBg2VvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB3tiTA,+B;MmB2tiTA,sC;QAaoB,Q;QADhB,UnB5tiTqC,eAAW,oBmB4tiT/B,CnB5tiT+B,CAAX,C;QmB6tiTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBj4VmD,emBi4VnD,GnBj4V8D,KAAK,KmBi4V5D,SAAS,OAAT,CnBj4VuE,KAAX,CAAhB,C;;QmBm4VvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB9wiTA,+B;MmB8wiTA,sC;QAaoB,Q;QADhB,UnB/wiTqC,eAAW,oBmB+wiT/B,CnB/wiT+B,CAAX,C;QmBgxiTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBp6VmD,emBo6VnD,GnBp6V8D,KAAK,KmBo6V5D,SAAS,OAAT,CnBp6VuE,KAAX,CAAhB,C;;QmBs6VvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBjziTA,+B;MmBiziTA,sC;QAaoB,Q;QADhB,UnBlziTqC,eAAW,oBmBkziT/B,CnBlziT+B,CAAX,C;QmBmziTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBv8VmD,emBu8VnD,GnBv8V8D,KAAK,KmBu8V5D,SAAS,OAAT,CnBv8VuE,KAAX,CAAhB,C;;QmBy8VvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBp1iTA,+B;MmBo1iTA,sC;QAaoB,Q;QADhB,UnBr1iTqC,eAAW,oBmBq1iT/B,CnBr1iT+B,CAAX,C;QmBs1iTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB1+VmD,emB0+VnD,GnB1+V8D,KAAK,KmB0+V5D,SAAS,OAAT,CnB1+VuE,KAAX,CAAhB,C;;QmB4+VvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBv3iTA,+B;MmBu3iTA,sC;QAaoB,Q;QADhB,UnBx3iTqC,eAAW,oBmBw3iT/B,CnBx3iT+B,CAAX,C;QmBy3iTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB7gWmD,emB6gWnD,GnB7gW8D,KAAK,KmB6gW5D,SAAS,OAAT,CnB7gWuE,KAAX,CAAhB,C;;QmB+gWvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB15iTA,+B;MmB05iTA,sC;QAaoB,Q;QADhB,UnB35iTqC,eAAW,oBmB25iT/B,CnB35iT+B,CAAX,C;QmB45iTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBhjWmD,emBgjWnD,GnBhjW8D,KAAK,KmBgjW5D,SAAS,OAAT,CnBhjWuE,KAAX,CAAhB,C;;QmBkjWvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB78iTA,+B;MmB68iTA,sC;QAaoB,Q;QADhB,UnB98iTqC,eAAW,oBmB88iT/B,CnB98iT+B,CAAX,C;QmB+8iTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBnmWmD,emBmmWnD,GnBnmW8D,KAAK,KmBmmW5D,SAAS,OAAT,CnBnmWuE,KAAX,CAAhB,C;;QmBqmWvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBh/iTA,+B;MmBg/iTA,sC;QAaoB,Q;QADhB,UnBj/iTqC,eAAW,oBmBi/iT/B,CnBj/iT+B,CAAX,C;QmBk/iTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBtpWmD,emBspWnD,GnBtpW8D,KAAK,KmBspW5D,SAAS,OAAT,CnBtpWuE,KAAX,CAAhB,C;;QmBwpWvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBnhjTA,+B;MmBmhjTA,sC;QAaoB,Q;QADhB,UnBphjTqC,eAAW,oBmBohjT/B,CnBphjT+B,CAAX,C;QmBqhjTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBzsWmD,emBysWnD,GnBzsW8D,KAAK,KmBysW5D,SAAS,OAAT,CnBzsWuE,KAAX,CAAhB,C;;QmB2sWvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBtjjTA,+B;MmBsjjTA,sC;QAaoB,Q;QADhB,UnBvjjTqC,eAAW,oBmBujjT/B,CnBvjjT+B,CAAX,C;QmBwjjTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB5vWmD,emB4vWnD,GnB5vW8D,KAAK,KmB4vW5D,SAAS,OAAT,CnB5vWuE,KAAX,CAAhB,C;;QmB8vWvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBzkjTA,+B;MmBykjTA,sC;QAaoB,Q;QADhB,UnB1kjTqC,eAAW,oBmB0kjT/B,CnB1kjT+B,CAAX,C;QmB2kjTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB/xWmD,emB+xWnD,GnB/xW8D,KAAK,KmB+xW5D,SAAS,OAAT,CnB/xWuE,KAAX,CAAhB,C;;QmBiyWvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB5ljTA,+B;MmB4ljTA,sC;QAaoB,Q;QADhB,UnB7ljTqC,eAAW,oBmB6ljT/B,CnB7ljT+B,CAAX,C;QmB8ljTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBlzWmD,emBkzWnD,GnBlzW8D,KAAK,KmBkzW5D,SAAS,OAAT,CnBlzWuE,KAAX,CAAhB,C;;QmBozWvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB/mjTA,+B;MmB+mjTA,sC;QAaoB,Q;QADhB,UnBhnjTqC,eAAW,oBmBgnjT/B,CnBhnjT+B,CAAX,C;QmBinjTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBr0WmD,emBq0WnD,GnBr0W8D,KAAK,KmBq0W5D,SAAS,OAAT,CnBr0WuE,KAAX,CAAhB,C;;QmBu0WvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBlojTA,+B;MmBkojTA,sC;QAaoB,Q;QADhB,UnBnojTqC,eAAW,oBmBmojT/B,CnBnojT+B,CAAX,C;QmBoojTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBx1WmD,emBw1WnD,GnBx1W8D,KAAK,KmBw1W5D,SAAS,OAAT,CnBx1WuE,KAAX,CAAhB,C;;QmB01WvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBrpjTA,+B;MmBqpjTA,sC;QAaoB,Q;QADhB,UnBtpjTqC,eAAW,oBmBspjT/B,CnBtpjT+B,CAAX,C;QmBupjTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB32WmD,emB22WnD,GnB32W8D,KAAK,KmB22W5D,SAAS,OAAT,CnB32WuE,KAAX,CAAhB,C;;QmB62WvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBxqjTA,+B;MmBwqjTA,sC;QAaoB,Q;QADhB,UnBzqjTqC,eAAW,oBmByqjT/B,CnBzqjT+B,CAAX,C;QmB0qjTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB94WmD,emB84WnD,GnB94W8D,KAAK,KmB84W5D,SAAS,OAAT,CnB94WuE,KAAX,CAAhB,C;;QmBg5WvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB3rjTA,+B;MmB2rjTA,sC;QAaoB,Q;QADhB,UnB5rjTqC,eAAW,oBmB4rjT/B,CnB5rjT+B,CAAX,C;QmB6rjTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBj6WmD,emBi6WnD,GnBj6W8D,KAAK,KmBi6W5D,SAAS,OAAT,CnBj6WuE,KAAX,CAAhB,C;;QmBm6WvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB9sjTA,+B;MmB8sjTA,sC;QAaoB,Q;QADhB,UnB/sjTqC,eAAW,oBmB+sjT/B,CnB/sjT+B,CAAX,C;QmBgtjTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBp7WmD,emBo7WnD,GnBp7W8D,KAAK,KmBo7W5D,SAAS,OAAT,CnBp7WuE,KAAX,CAAhB,C;;QmBs7WvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBjujTA,+B;MmBiujTA,sC;QAaoB,Q;QADhB,UnBlujTqC,eAAW,oBmBkujT/B,CnBlujT+B,CAAX,C;QmBmujTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBv8WmD,emBu8WnD,GnBv8W8D,KAAK,KmBu8W5D,SAAS,OAAT,CnBv8WuE,KAAX,CAAhB,C;;QmBy8WvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBpvjTA,+B;MmBovjTA,sC;QAaoB,

BAAgB,c;QAChB,WAAW,epBhvTJ,MAAO,KoBgvTsB,wBAAN,KAAM,EAAwB,EAAxB,CpBhvTtB,EoBgvTmD,SpBhvTnD,CoBgvTH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB/vTA,iB;MoB+vTA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBrwTJ,MAAO,KoBqwTd,wBAAN,KAAM,EAAwB,EAAxB,CpBrwTtB,EoBqwTmD,SpBrwTnD,CoBqwTH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB1xTA,iB;MoB0xTA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB1xTJ,MAAO,KoB0xTd,wBAAN,KAAM,EAAwB,EAAxB,CpB1xTtB,EoB0xTmD,SpB1xTnD,CoB0xTH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBnzTA,iB;MoBmzTA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBnzTJ,MAAO,KoBmzTd,wBAAN,KAAM,EAAwB,EAAxB,CpBnzTtB,EoBmzTmD,SpBnzTnD,CoBmzTH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB50TA,iB;MoB40TA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB50TJ,MAAO,KoB40Td,wBAAN,KAAM,EAAwB,EAAxB,CpB50TtB,EoB40TmD,SpB50TnD,CoB40TH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBr2TA,iB;MoBq2TA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBr2TJ,MAAO,KoBq2Td,wBAAN,KAAM,EAAwB,EAAxB,CpBr2TtB,EoBq2TmD,SpBr2TnD,CoBq2TH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB94TA,iB;MoB84TA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB94TJ,MAAO,KoB84Td,wBAAN,KAAM,EAAwB,EAAxB,CpB94TtB,EoB84TmD,SpB94TnD,CoB84TH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBv7TA,iB;MoBu7TA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBv7TJ,MAAO,KoBu7Td,wBAAN,KAAM,EAAwB,EAAxB,CpBv7TtB,EoBu7TmD,SpBv7TnD,CoBu7TH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBh+TA,iB;MoBg+TA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBh+TJ,MAAO,KoBg+Td,wBAAN,KAAM,EAAwB,EAAxB,CpBh+TtB,EoBg+TmD,SpBh+TnD,CoBg+TH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBrgUA,iB;MoBqgUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBrgUJ,MAAO,KoBqgUd,wBAAN,KAAM,EAAwB,EAAxB,CpBrgUtB,EoBqgUmD,SpBrgUnD,CoBqgUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBtiUA,iB;MoBsiUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBtiUJ,MAAO,KoBsiUd,wBAAN,KAAM,EAAwB,EAAxB,CpBtiUtB,EoBsiUmD,SpBtiUnD,CoBsiUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBvkUA,iB;MoBukUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBvkUJ,MAAO,KoBukUd,wBAAN,KAAM,EAAwB,EAAxB,CpBvkUtB,EoBukUmD,SpBvkUnD,CoBukUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBxmUA,iB;MoBwmUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBxmUJ,MAAO,KoBwmUd,wBAAN,KAAM,EAAwB,EAAxB,CpBxmUtB,EoBwmUmD,SpBxmUnD,CoBwmUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBzoUA,iB;MoByoUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBzoUJ,MAAO,KoByoUd,wBAAN,KAAM,EAAwB,EAAxB,CpBzoUtB,EoByoUmD,SpBzoUnD,CoByoUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB1qUA,iB;MoB0qUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB1qUJ,MAAO,KoB0qUd,wBAAN,KAAM,EAAwB,EAAxB,CpB1qUtB,EoB0qUmD,SpB1qUnD,CoB0qUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB3sUA,iB;MoB2sUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB3sUJ,MAAO,KoB2sUd,wBAAN,KAAM,EAAwB,EAAxB,CpB3sUtB,EoB2sUmD,SpB3sUnD,CoB2sUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB5uUA,iB;MoB4uUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB5uUJ,MAAO,KoB4uUd,wBAAN,KAAM,EAAwB,EAAxB,CpB5uUtB,EoB4uUmD,SpB5uUnD,CoB4uUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB7wUA,iB;MoB6wUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB7wUJ,MAAO,KoB6wUd,wBAAN,KAAM,EAAwB,EAAxB,CpB7wUtB,EoB6wUmD,SpB7wUnD,CoB6wUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB9yUA,iB;MoB8yUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB9yUJ,MAAO,KoB8yUd,wBAAN,KAAM,EAAwB,EAAxB,CpB9yUtB,EoB8yUmD,SpB9yUnD,CoB8yUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB/0UA,iB;MoB+0UA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB/0UJ,MAAO,KoB+0Ud,wBAAN,KAAM,EAAwB,EAAxB,CpB/0UtB,EoB+0UmD,SpB/0UnD,CoB+0UH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBh3UA,iB;MoBg3UA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBh3UJ,MAAO,KoBg3Ud,wBAAN,KAAM,EAAwB,EAAxB,CpBh3UtB,EoBg3UmD,SpBh3UnD,CoBg3UH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBj5UA,iB;MoBi5UA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBj5UJ,MAAO,KoBi5Ud,wBAAN,KAAM,EAAwB,EAAxB,CpBj5UtB,EoBi5UmD,SpBj5UnD,CoBi5UH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBl7UA,iB;MoBk7UA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBl7UJ,MAAO,KoBk7Ud,wBAAN,KAAM,EAAwB,EAAxB,CpBl7UtB,EoBk7UmD,SpBl7UnD,CoBk7UH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBn9UA,iB;MoBm9UA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBn9UJ,MAAO,KoBm9Ud,wBAAN,KAAM,EAAwB,EAAxB,CpBn9UtB,EoBm9UmD,SpBn9UnD,CoBm9UH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBp/UA,iB;MoBo/UA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBp/UJ,MAAO,KoBo/Ud,wBAAN,KAAM,EAAwB,EAAxB,CpBp/UtB,EoBo/UmD,SpBp/UnD,CoBo/UH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBr hVA,iB;MoBqhVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBrhVJ,MAAO,KoBqhVd,wBAAN,KAAM,EAAwB,EAAxB,CpBrhVtB,EoBqhVmD,SpBrhVnD,CoBqhVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBtjVA,iB;MoBsjVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBtjVJ,MAAO,KoBsjVd,wBAAN,KAAM,EAAwB,EAAxB,CpBtjVtB,EoBsjVmD,SpBtjVnD,CoBsjVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBvlVA,iB;MoBulVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBvlVJ,MAAO,KoBulVd,wBAAN,KAAM,EAAwB,EAAxB,CpBvlVtB,EoBulVmD,SpBvlVnD,CoBulVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBxnVA,iB;MoBwnVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBxnVJ,MAAO,KoBwnVd,wBAAN,KAAM,EAAwB,EAAxB,CpBxnVtB,EoBwnVmD,SpBxnVnD,CoBwnVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBzpVA,iB;MoBypVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBzpVJ,MAAO,KoBypVd,wBAAN,KAAM,EAAwB,EAAxB,CpBzpVtB,EoBypVmD,SpBzpVnD,CoBypVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB1rVA,iB;MoB0rVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB1rVJ,MAAO,KoB0rVd,wBAAN,KAAM,EAAwB,EAAxB,CpB1rVtB,EoB0rVmD,SpB1rVnD,CoB0rVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB3tVA,iB;MoB2tVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB3tVJ,MAAO,KoB2tVd,wBAAN,KAAM,EAAwB,EAAxB,CpB3tVtB,EoB2tVmD,SpB3tVnD,CoB2tVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB5vVA,iB;MoB4vVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB5vVJ,MAAO,KoB4vVd,wBAAN,KAAM,EAAwB,EAAxB,CpB5vVtB,EoB4vVmD,SpB5vVnD,CoB4vVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB7xVA,iB;MoB6xVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB7xVJ,MAAO,KoB6xVd,wBAAN,KAAM,EAAwB,EAAxB,CpB7xVtB,EoB6xVmD,SpB7xVnD,CoB6xVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB9zVA,iB;MoB8zVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB9zVJ,MAAO,KoB8zVd,wBAAN,KAAM,EAAwB,EAAxB,CpB9zVtB,EoB8zVmD,SpB9zVnD,CoB8zVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB/1VA,iB;MoB+1VA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB/1VJ,MAAO,KoB+1Vd,wBAAN,KAAM,EAAwB,EAAxB,CpB/1VtB,EoB+1VmD,SpB/1VnD,CoB+1VH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBh4VA,iB;MoBg4VA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBh4VJ,MAAO,KoBg4Vd,wBAAN,KAAM,EAAwB,EAAxB,CpBh4VtB,EoBg4VmD,SpBh4VnD,CoBg4VH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBj6VA,iB;MoBi6VA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBj6VJ,MAAO,KoBi6Vd,wBAAN,KAAM,EAAwB,EAAxB,CpBj6VtB,EoBi6VmD,SpBj6VnD,CoBi6VH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBl8VA,iB;MoBk8VA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBl8VJ,MAAO,KoBk8Vd,wBAAN,KAAM,EAAwB,EAAxB,CpBl8VtB,EoBk8VmD,SpBl8VnD,CoBk8VH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBn+VA,iB;MoBm+VA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBn+VJ,MAAO,KoBm+Vd,wBAAN,KAAM,EAAwB,EAAxB,CpBn+VtB,EoBm+VmD,SpBn+VnD,CoBm+VH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBp/VA,iB;MoBo/VA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBp/VJ,MAAO,KoBo/Vd,wBAAN,KAAM,EAAwB,EAAxB,CpBp/VtB,EoBo/VmD,SpBp/VnD,CoBo/VH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBr hWA,iB;MoBqhWA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBrhWJ,MAAO,KoBqhWd,wBAAN,KAAM,EAAwB,EAAxB,CpBrhWtB,EoBqhWmD,SpBrhWnD,CoBqhWH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBtjWA,iB;MoBsjWA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBtjWJ,MAAO,KoBsjWd,wBAAN,KAAM,EAAwB,EAAxB,CpBtjWtB,EoBsjWmD,SpBtjWnD,CoBsjWH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBvlWA,iB;MoBulWA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBvlWJ,MAAO,KoBulWd,wBAAN,KAAM,EAAwB,EAAxB,CpBvlWtB,EoBulWmD,SpBvlWnD,CoBulWH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBxnWA,iB;MoBwnWA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBxnWJ,MAAO,KoBwnWd,wBAAN,KAAM,EAAwB,EAAxB,CpBxnWtB,EoBwnWmD,SpBxnWnD,CoBwnWH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBzpWA,iB;MoBypWA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBzpWJ,MAAO,KoBypWd,wBAAN,KAAM,EAAwB,EAAxB,CpBzpWtB,EoBypWmD,SpBzpWnD,CoBypWH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB1rWA,iB;MoB0rWA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB1rWJ,MAAO,KoB0rWd,wBAAN,KAAM,EAAwB,EAAxB,CpB1rWtB,EoB0rWmD,SpB1rWnD,CoB0rWH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB3tWA,iB;MoB2tWA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB3tWJ,MAAO,KoB2tWd,wBAAN,KAAM,EAAwB,EAAxB,CpB3tWtB,EoB2tWmD,SpB3tWnD,CoB2tWH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EA

B;MAAA,0C;MnBn2TA,+B;MmBm2TA,4B;QAOI,OnBh2TsC,emBg2TvB,IAAR,iBAAQ,CnBh2TuB,C;O;KmBy1T1C,C;+EAUA,yB;MAAA,sC;MnC53TA,6B;MmC43TA,iBAOiB,yB;QpCz9Tb,6B;eoCy9Ta,c;UAAE,OpCh9ToB,coCg9TpB,EpCh9T8B,KAAL,GAAiB,GAAtB,C;S;OoCg9TtB,C;MAPjB,4B;QA7iBoB,Q;QADhB,UnCp0SmC,cmCo0SnB,CnCp0SmB,C;QmCq0SnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCxoTiD,cmCwoTjD,GnCxoT2D,KAAK,GAAW,CD2O5C,coC65Sf,OpC75SyB,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;;QmC2rUrD,OAjjBO,G;O;KA0iBX,C;+EAUA,yB;MAAA,sC;MnCt4TA,6B;MmCs4TA,iBAOiB,yB;QlCl+Tb,6B;ekCk+Ta,c;UAAE,OlCz9ToB,ckCy9TpB,ElCz9T8B,KAAL,GAAiB,KAAtB,C;S;OkCy9TtB,C;MAPjB,4B;QApiBoB,Q;QADhB,UnCv1SmC,cmCu1SnB,CnCv1SmB,C;QmCw1SnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnC3pTiD,cmC2pTjD,GnC3pT2D,KAAK,GAAW,CC4O5C,ckC+6Sf,OlC/6SyB,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;;QmCqsUrD,OAxiBO,G;O;KAiiBX,C;IC3vUA,mC;MAQoB,UACL,M;MAHX,aAAa,gBAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,EAAO,WAAkB,OAAlB,lB,C;;MACJ,OAAO,M;K;IAGX,kC;MAQoB,UACL,M;MAHX,aAAa,eAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,EAAO,WAAkB,OAAlB,lB,C;;MACJ,OAAO,M;K;IAGX,mC;MAQoB,UACL,M;MAHX,aAAa,gBAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,EAAO,WAAkB,OAAlB,lB,C;;MACJ,OAAO,M;K;IAGX,oC;MAQoB,UACL,M;MAHX,aAAa,iBAAY,cAAZ,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,EAAO,WAAkB,OAAlB,lB,C;;MACJ,OAAO,M;K;IAGX,2B;MAAA,Q;MADA,UnCl4SmC,cmCk4SnB,CnCl4SmB,C;MmCm4SnB,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MpCAiD,coCAjD,GpCA2D,KAAK,GAAW,CD2O5C,coCq5Sf,OpCr5SyB,KAAL,GAAiB,KAAtB,CC3O4C,MAAX,IAAf,C;;MmCqsUrD,OAxiBO,G;O;KAiiBX,C;IC3vUA,mC;MAQoB,UACL,M;MAHX,aAAa,eAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,EAAO,WAAkB,OAAlB,lB,C;;MACJ,OAAO,M;K;IAGX,oC;MAQoB,UACL,M;MAHX,aAAa,iBAAY,cAAZ,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,EAAO,WAAkB,OAAlB,lB,C;;MACJ,OAAO,M;K;IAGX,2B;MAAA,Q;MADA,UnCl4SmC,cmCk4SnB,CnCl4SmB,C;MmCm4SnB,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MpCAiD,coCAjD,GpCA2D,KAAK,GAAW,CC4O5C,coCo5Sf,OpCp5SyB,KAAL,GAAiB,KAAtB,CD5

OI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MA
AA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;IAUA,4B;MAOc
,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAA
X,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;
QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MA
CA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;
K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,
GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;gFC7OX,yB;MAAA,mC;MAAA,2C;MAAA,4B;QASI,OAAO,kB
AAO,cAAP,C;O;KATX,C;gFAYA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KAT
X,C;IAYA,sC;;QASQ,OAAc,WAAP,MAAO,EAAS,SAAT,C;;QAChB,+C;UACE,MAAM,2BAAuB,CAAE,QAAz
B,C;;UAHV,O;;K;IAOJ,sC;;QASQ,OAAc,YAAP,MAAO,EAAU,SAAV,C;;QAChB,+C;UACE,MAAM,2BAAuB,
CAAE,QAAzB,C;;UAHV,O;;K;4FAOJ,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;
KAPX,C;4FAUA,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;M
AMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAc,WAAP,MAAO,EAAS,SAAT,C;K;IAGlB,4C;MAMI,IAAI,m
BAAJ,C;QACI,OAAO,I;MACX,OAAc,YAAP,MAAO,EAAU,SAAV,C;K;oFAGlB,8B;MASI,OAAO,WAAW,IA
AX,IAAmB,2BAAS,OAAT,C;K;oFAG9B,8B;MASI,OAAO,WAAW,IAAX,IAAmB,2BAAS,OAAT,C;K;IAG9B,u
C;MAMI,OAAO,2BvC4K4B,SuC5KnB,KvC4K6B,KAAL,GAAiB,GAAtB,CuC5K5B,C;K;IAGX,uC;MAMI,OAA
O,2BvC6K8B,UAAW,oBuC7KhC,KvC6K2B,KAAK,CAAL,UAAN,CuC7K9B,C;K;IAGX,uC;MAMI,OAAO,2Bt
CwL8B,UAAW,oBsCxLhC,KtCwL2B,KAAK,CAAL,iBAAN,CsCxL9B,C;K;IAGX,uC;MAMY,Q;MAAD,cAAC,
OtBqF4C,UsBrF5C,KtBqFkD,yBsBrFxC,EtBqFwC,CAAN,CsBrF7C,wBAA8B,2BAA9B,Q;MAAA,W;QAAqC,o
CtCoPR,SsCpPiB,KtB6KlB,KhBuEW,QAAV,CsCpPQ,C;;MAA5C,a;K;IAGJ,uC;MAMI,OAAO,2BrCyI4B,SqCzI
nB,KrCyI6B,KAAL,GAAiB,KAAtB,CqCzI5B,C;K;IAGX,uC;MAMI,OAAO,2BrC0I8B,UAAW,oBqC1I
hC,KrC0I2B,KAAK,CAAL,YAAN,CqC1I9B,C;K;IAGX,kC;MASI,OAAO,uCAAgB,yBvCmHY,SuCnHI,SvCmHM,KAAL,
GAAiB,GAAtB,CuCnHZ,EvCmHY,SuCnHmB,EvCmHT,KAAL,GAAiB,GAAtB,CuCnHZ,EAA4C,EAA5C,C;K;I
AG3B,kC;MASI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAsB,EAAtB,EAA0B,EAA1B,C;K;IAG3B,kC;MASI,OAA
O,wCAAiB,yBAAgB,SAAhB,EAAsB,EAAtB,M;K;IAG5B,kC;MASI,OAAO,uCAAgB,yBrCgFY,SqChFI,SrCgF
M,KAAL,GAAiB,KAAtB,CqChFZ,ErCgFY,SqChFmB,ErCgFT,KAAL,GAAiB,KAAtB,CqChFZ,EAA4C,EAA5C,
C;K;IAG3B,gC;MAMI,OAAO,uCAAgB,yBAAgB,cAAhB,EAAwB,EAAxB,EAA4B,CAA5B,CAAN,EAAuC,IAA
A7B,C;K;IAGX,gC;MAMI,OAAO,wCAAiB,yBAAgB,cAAhB,EAAwB,EAAxB,EAA4B,CAA5B,CAAN,EAAuC,aA
A7B,C;K;IAG5B,iC;MAMI,oBAAoB,OAAO,CAA3B,EAA8B,EAA9B,EAAkC,IAAlC,C;MACA,OAAO,uCAAgB,yBAAgB,eAAhB,EAAwB,EAAxB,EAA4B,cAAvB,EAAuC,SA
AK,KAAL,GAAY,CAAhB,EAAmB,GAAnB,EAAuB,IAAvB,EAA4B,GAA5B,EAAgC,CAAhC,EAAmC,IAAnC,EAAwC,oBAAoB,kB
AAO,CAA3B,EAA8B,EAA9B,EAAkC,IAAlC,C;MACA,OAAO,wCAAiB,yBAAgB,eAAhB,EAAwB,EAAxB,EAA4B,cAAvB,EAAuC,SAAK,KAA
L,cAAY,CAAhB,EAAmB,GAAnB,EAAuB,IAAvB,EAA4B,GAA5B,EAAgC,aAA1D,C;K;IAG5B,iC;MAMI,OAAO,uCAAgB,yBAAgB,cAAhB,EAAwB,EAAxB,EAA4B,CAA5B,CAAN,EAAuC,IAA
A7B,C;K;IAGX,iC;MAMI,OAAO,wCAAiB,yBAAgB,cAAhB,EAAwB,EAAxB,EAA4B,CAA5B,CAAN,EAAuC,aA
A7B

L,GAAiB,GA3O8B,EuC2T9D,YvChFoB,KAAL,GAAiB,GA3O8B,CuC2TrE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAUI,OrChUiF,0BqCgUtE,SrC5F2B,KAAL,GAAiB,KApO+B,EqCgU/D,YrC5FoB,KAAL,GAAiB,KApO+B,CqCgUtE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OtCrUkE,YsCqUvD,StCrUwE,KAAjB,EsCqUhD,YtCrU6E,KAA7B,CsCqUvD,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OtB1UmE,asB0UxD,StB1U0E,KAAlB,EsB0UjD,YtB1U+E,KAA9B,CsB0UxD,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OvC/WgF,0BqC+WrE,SvCpI2B,KAAL,GAAiB,GA3O8B,EuC+W9D,YvCpIoB,KAAL,GAAiB,GA3O8B,CuC+WrE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OrCpXiF,0BqCoXtE,SrChJ2B,KAAL,GAAiB,KApO+B,EqCoX/D,YrChJoB,KAAL,GAAiB,KApO+B,CqCoXtE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,4D;MAUI,ItCzYmE,asCyYxD,StCzY0E,KAAlB,EsCyYjD,YtCzY+E,KAA9B,CsCyYxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,ItC1YmE,asC0YxD,StC1Y0E,KAAlB,EsC0YjD,YtC1Y+E,KAA9B,CsC0YxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,ItC3YmE,asC2YxD,StC3Y0E,KAAlB,EsC2YjD,YtC3Y+E,KAA9B,CsC2YxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,4D;MAUI,IvCzZmE,avCyZ5D,0BuCzZ4F,SvCzZ5F,EuCyZ+G,YvCzZ/G,KAAL,GAAiB,GA3O8B,EuCya7D,YvC9KmB,KAAL,GAAiB,GA3O8B,CuCya5E,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC1ZmE,avC0Z5D,0BuC1Z4F,SvC1Z5F,EuC0Z+G,YvC1Z/G,KAAL,GAAiB,GA3O8B,EuC0arE,YvCC/K,KAAL,GAAiB,GA3O8B,CuC0a5E,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC3ZmE,avC2Z5D,0BuC3Z4F,SvC3Z5F,EuC2Z+G,YvC3Z/G,KAAL,GAAiB,GA3O8B,EuC2a5E,YvCC/K,KAAL,GAAiB,GA3O8B,CuC2a5E,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,IrCjbiF,0BqCibtE,YrC7MkC,KAAL,GAAiB,KApO+B,EqCib/D,YrC7MoB,KAAL,GAAiB,KApO+B,CqCibtE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IrCjbiF,0BqCibtE,YrC7MkC,KAAL,GAAiB,KApO+B,EqCib/D,YrC7MoB,KAAL,GAAiB,KApO+B,CqCibtE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,IrCjciF,0BqCicvE,YrC9MmC,KAAL,GAAiB,KApO+B,EqCic/D,YrC9MoB,KAAL,GAAiB,KApO+B,CqCicvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IrCjciF,0BqCicvE,YrC9MmC,KAAL,GAAiB,KApO+B,EqCic/D,YrC9MoB,KAAL,GAAiB,KApO+B,CqCicvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,IvCpdmE,avCodxD,0BuCpdwF,SvCpdxF,EuCodyG,YvCpdzG,KAAL,GAAiB,GA3O8B,EuCoe7D,YvCzOmB,KAAL,GAAiB,GA3O8B,CuCoe5E,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCrdmE,avCqdxD,0BuCrdwF,SvCrdxF,EuCqd2G,YvCrd3G,KAAL,GAAiB,GA3O8B,EuCqe5E,YvCzOiL,KAAL,GAAiB,GA3O8B,CuCqe5E,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCtdmE,avCsdxD,0BuCtdwF,SvCtdxF,EuCsd2G,YvCtd3G,KAAL,GAAiB,GA3O8B,EuCse5E,YvCzOiL,KAAL,GAAiB,GA3O8B,CuCse5E,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,IrCjfiF,0BqCifvE,YrC/OkC,KAAL,GAAiB,KApO+B,EqCif/D,YrC/OoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IrCjfiF,0BqCifvE,YrC/OkC,KAAL,GAAiB,KApO+B,EqCif/D,YrC/OoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,IrCjgBiF,0BqCifvE,YrCjPkC,KAAL,GAAiB,KApO+B,EqCif/D,YrCjPoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IrCjfiF,0BqCifvE,YrCjPkC,KAAL,GAAiB,KApO+B,EqCif/D,YrCjPoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,IrCjhBiF,0BqCifvE,YrCnPkC,KAAL,GAAiB,KApO+B,EqCif/D,YrCnPoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IrCjfiF,0BqCifvE,YrCnPkC,KAAL,GAAiB,KApO+B,EqCif/D,YrCnPoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,IrCjiBiF,0BqCifvE,YrCrPkC,KAAL,GAAiB,KApO+B,EqCif/D,YrCrPoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IrCjfiF,0BqCifvE,YrCrPkC,KAAL,GAAiB,KApO+B,EqCif/D,YrCrPoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,IrCjjBiF,0BqCifvE,YrCvPkC,KAAL,GAAiB,KApO+B,EqCif/D,YrCvPoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IrCjfiF,0BqCifvE,YrCvPkC,KAAL,GAAiB,KApO+B,EqCif/D,YrCvPoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,IrCjkBiF,0BqCifvE,YrCzPkC,KAAL,GAAiB,KApO+B,EqCif/D,YrCzPoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IrCjfiF,0BqCifvE,YrCzPkC,KAAL,GAAiB,KApO+B,EqCif/D,YrCzPoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,IrCjlBiF,0BqCifvE,YrC3PkC,KAAL,GAAiB,KApO+B,EqCif/D,YrC3PoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IrCjfiF,0BqCifvE,YrC3PkC,KAAL,GAAiB,KApO+B,EqCif/D,YrC3PoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,IrCjmBiF,0BqCifvE,YrC7PkC,KAAL,GAAiB,KApO+B,EqCif/D,YrC7PoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IrCjfiF,0BqCifvE,YrC7PkC,KAAL,GAAiB,KApO+B,EqCif/D,YrC7PoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,IrCjnBiF,0BqCifvE,YrC/PkC,KAAL,GAAiB,KApO+B,EqCif/D,YrC/PoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IrCjfiF,0BqCifvE,YrC/PkC,KAAL,GAAiB,KApO+B,EqCif/D,YrC/PoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,IrCjoBiF,0BqCifvE,YrCjQkC,KAAL,GAAiB,KApO+B,EqCif/D,YrCjQoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IrCjfiF,0BqCifvE,YrCjQkC,KAAL,GAAiB,KApO+B,EqCif/D,YrCjQoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,IrCjpBiF,0BqCifvE,YrCnQkC,KAAL,GAAiB,KApO+B,EqCif/D,YrCnQoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IrCjfiF,0BqCifvE,YrCnQkC,KAAL,GAAiB,KApO+B,EqCif/D,YrCnQoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,IrCjqBiF,0BqCifvE,YrCrQkC,KAAL,GAAiB,KApO+B,EqCif/D,YrCrQoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IrCjfiF,0BqCifvE,YrCrQkC,KAAL,GAAiB,KApO+B,EqCif/D,YrCrQoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,IrCjrBiF,0BqCifvE,YrCvQkC,KAAL,GAAiB,KApO+B,EqCif/D,YrCvQoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IrCjfiF,0BqCifvE,YrCvQkC,KAAL,GAAiB,KApO+B,EqCif/D,YrCvQoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,IrCjsBiF,0BqCifvE,YrCzQkC,KAAL,GAAiB,KApO+B,EqCif/D,YrCzQoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IrCjfiF,0BqCifvE,YrCzQkC,KAAL,GAAiB,KApO+B,EqCif/D,YrCzQoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,IrCjtBiF,0BqCifvE,YrC3QkC,KAAL,GAAiB,KApO+B,EqCif/D,YrC3QoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IrCjfiF,0BqCifvE,YrC3QkC,KAAL,GAAiB,KApO+B,EqCif/D,YrC3QoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,IrCjuBiF,0BqCifvE,YrC7QkC,KAAL,GAAiB,KApO+B,EqCif/D,YrC7QoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IrCjfiF,0BqCifvE,YrC7QkC,KAAL,GAAiB,KApO+B,EqCif/D,YrC7QoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,IrCjvBiF,0BqCifvE,YrC/QkC,KAAL,GAAiB,KApO+B,EqCif/D,YrC/QoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IrCjfiF,0BqCifvE,YrC/QkC,KAAL,GAAiB,KApO+B,EqCif/D,YrC/QoB,KAAL,GAAiB,KApO+B,CqCifvE,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IAAJ,GAyBAA,C,O;K;;;

MmBjC1C,iBAAmC,YAAO,CAAX,GAAc,SAAS,IAAvB,GAAiC,SAAS,I;MACzE,cAA4B,cAA5B,GAAqC,KnBgCK,ImBhC1C,GAAqD,mB;K;gDAErD,Y;MAAkC,qB;K;iDAElC,Y;MACI,YAAY,W;MACZ,IAAI,UAAS,mBAAb,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;QAGV,4BAAQ,SAAR,I;;MAEJ,OAAa,OAAN,KAAM,C;K;;IAQgB,mD;MAAyC,sB;MAAjB,gB;MACzD,sBAAgC,I;MAChC,iBAAmC,YAAO,CAAX,GAAc,SAAS,IAAvB,GAAiC,SAAS,I;MACzE,cAA4B,cAAJ,GAAa,KAAb,GAAwB,mB;K;+CAEhD,Y;MAAkC,qB;K;+CAElC,Y;MACI,YAAY,W;MACZ,IAAI,UAAS,mBAAb,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;QAGV,4BAAQ,SAAR,I;;MAEJ,OAAa,OAAN,K;K;;IAQgB,uB;MAAyC,sBAAjB,K;K;;IAQ5C,uB;MAAyC,sBAAjB,gB;MACzD,sBAAgC,I;MAChC,iBAAmC,YAAO,CAAX,GAAc,SAAS,IAAvB,GAAiC,SAAS,I;MACzE,cAA4B,cAAJ,GAAa,KAAb,GAAwB,mB;K;gDAEhD,Y;MAAkC,qB;K;gD

AKkC,oBAAQ,S;K;gCAE1C,iB;MACI,0CAAsB,kBAAa,KAAM,UAAnB,KACtB,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KADhB,CAAtB,C;K;kCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,MAAK,UAAL,QAAa,SAAb,I;K;kCAE5B,Y;MAAkC,OAAE,UAAF,qBAAU,S;K;IAE5C,8B;MAAA,kC;MACI,aAC6B,aAAS,CAAT,EAAY,CAAZ,C;K;;IAFjC,0C;MAAA,yC;QAAA,wB;;MAAA,kC;K;;IASkB,wC;MAAsB,lB,iC;MAAtB,sD,2BAAgB,KAAhB,hB,EAAuB,YAAvB,vB,K;K;kFAC7B,Y;MAAQ,iB;K;yFACD,Y;MAAQ,gB;K;2CAExC,iB;MAA8C,kCAAS,KAAT,UAAkB,sBAAS,KAAT,UAAkB,KAAlB,UAAwB,sBAAS,KAAT,UAAkB,KAAlB,UAAwB,KAAxB,UAA8B,KAA9B,UAAoC,KAApC,UAA0C,KAA1C,UAAgD,KAAhD,UAAsD,KAAtD,UAA4D,KAA5D,UAAkE,KAAlE,UAAwE,KAAxE,UAA8E,KAA9E,UAAoF,KAApF,UAA0F,KAA1F,UAAgG,KAAhG,UAAsG,KAAtG,UAA4G,KAA5G,UAAkH,KAAlH,UAAwH,KAAxH,UAA8H,KAA9H,UAAoI,KAApI,UAA0I,KAA1I,UAAgJ,KAAhJ,UAAsJ,KAAtJ,UAA4J,KAA5J,UAAkK,KAAlK,UAAwK,KAAxK,UAA8K,KAA9K,UAAoL,KAApL,UAA0L,KAA1L,UAAgM,KAAhM,UAAsM,KAAtM,UAA4M,KAA5M,UAAkN,KAAlN,UAAwN,KAAxN,UAA8N,KAA9N,UAAoO,KAApO,UAA0O,KAA1O,UAAgP,KAAhP,UAAsP,KAAtP,UAA4P,KAA5P,UAAkQ,KAAlQ,UAAwQ,KAAxQ,UAA8Q,KAA9Q,UAAoR,KAApR,UAA0R,KAA1R,UAAgS,KAAhS,UAAsS,KAAtS,UAA4S,KAA5S,UAAkT,KAAlT,UAAwT,KAAxT,UAA8T,KAA9T,UAAoU,KAApU,UAA0U,KAA1U,UAAgV,KAAhV,UAAsV,KAAtV,UAA4V,KAA5V,UAAkW,KAAlW,UAAwW,KAAxW,UAA8W,KAA9W,UAAoX,KAApX,UAA0X,KAA1X,UAAgY,KAAhY,UAAsY,KAAtY,UAA4Y,KAA5Y,UAAkZ,KAAlZ,UAAwZ,KAAxZ,UAA8Z,KAA9Z,UAAoa,KAApa,UAA0a,KAA1a,UAAgb,KAAhb,UAAsb,KAAtb,UAA4b,KAA5b,UAAkc,KAAlc,UAAwc,KAAxc,UAA8c,KAA9c,UAAod,KAApd,UAA0d,KAA1d,UAAge,KAAhe,UAAse,KAAte,UAA4e,KAA5e,UAAkf,KAAlf,UAAwf,KAAxf,UAA8f,KAA9f,UAAogB,KAApgB,UAA0gB,KAA1gB,UAAghB,KAAhhB,UAAshB,KAAthB,UAA4hB,KAA5hB,UAAkiB,KAAliB,UAAwiB,KAAxiB,UAA8iB,KAA9iB,UAAojB,KAApjB,UAA0jB,KAA1jB,UAAgkB,KAAhkB,UAAskB,KAAtkB,UAA4kB,KAA5kB,UAAklB,KAAllB,UAAwlB,KAAxlB,UAA8lB,KAA9lB,UAAomB,KAApmB,UAA0mB,KAA1mB,UAAgnB,KAAhnB,UAAsnB,KAAtnB,UAA4nB,KAA5nB,UAAkoB,KAAloB,UAAwoB,KAAxoB,UAA8oB,KAA9oB,UAAopB,KAAppB,UAA0pB,KAA1pB,UAAgqB,KAAhqB,UAAsqB,KAAtqB,UAA4qB,KAA5qB,UAAkrB,KAAlrB,UAAwrB,KAAxrB,UAA8rB,KAA9rB,UAAosB,KAApsB,UAA0sB,KAA1sB,UAAgtB,KAAhtB,UAAstB,KAAttB,UAA4tB,KAA5tB,UAAkuB,KAAluB,UAAwuB,KAAxuB,UAA8uB,KAA9uB,UAAovB,KAApvB,UAA0vB,KAA1vB,UAAgwB,KAAhwB,UAAswB,KAAtwB,UAA4wB,KAA5wB,UAAkxB,KAAlxB,UAAwxB,KAAxxB,UAA8xB,KAA9xB,UAAoyB,KAApyB,UAA0yB,KAA1yB,UAAgzB,KAAhzB,UAAszB,KAAtzB,UAA4zB,KAA5zB,UAAk0B,KAAl0B,UAAw0B,KAAx0B,UAA80B,KAA90B,UAAo1B,KAAp1B,UAA01B,KAA11B,UAAg2B,KAAh2B,UAAs2B,KAAt2B,UAA42B,KAA52B,UAAk3B,KAAl3B,UAAw3B,KAAx3B,UAA83B,KAA93B,UAAo4B,KAAp4B,UAA04B,KAA14B,UAAg5B,KAAh5B,UAAs5B,KAAt5B,UAA45B,KAA55B,UAAk6B,KAAl6B,UAAw6B,KAAx6B,UAA86B,KAA96B,UAAo7B,KAAp7B,UAA07B,KAA17B,UAAg8B,KAAh8B,UAAs8B,KAAt8B,UAA48B,KAA58B,UAAk9B,KAAl9B,UAAw9B,KAAx9B,UAA89B,KAA99B,UAAo+B,KAAp+B,UAA0+B,KAA1+B,UAAg/B,KAAh/B,UAAs/B,KAAt/B,UAA4/B,KAA5/B,UAAkgC,KAAlgC,UAAwgC,KAAxgC,UAA8gC,KAA9gC,UAAohC,KAAphC,UAA0hC,KAA1hC,UAAgiC,KAAhiC,UAAsiC,KAAtiC,UAA4iC,KAA5iC,UAAkjC,KAAljC,UAAwjC,KAAxjC,UAA8jC,KAA9jC,UAAokC,KAApkC,UAA0kC,KAA1kC,UAAglC,KAAhlC,UAAslC,KAAtlC,UAA4lC,KAA5lC,UAAkmC,KAAlmC,UAAwmC,KAAxmC,UAA8mC,KAA9mC,UAAonC,KAApnC,UAA0nC,KAA1nC,UAAgoC,KAAhoC,UAAsoC,KAAtoC,UAA4oC,KAA5oC,UAAkpC,KAAlpC,UAAwpC,KAAxpC,UAA8pC,KAA9pC,UAAoqC,KAApqC,UAA0qC,KAA1qC,UAAgrC,KAAhrC,UAAsrC,KAAtrC,UAA4rC,KAA5rC,UAAksC,KAAlsC,UAAwsC,KAAxsC,UAA8sC,KAA9sC,UAAotC,KAAptC,UAA0tC,KAA1tC,UAAguC,KAAhuC,UAAsuC,KAAtuC,UAA4uC,KAA5uC,UAAkvC,KAAlvC,UAAwvC,KAAxvC,UAA8vC,KAA9vC,UAAowC,KAApwC,UAA0wC,KAA1wC,UAAgxC,KAAhxC,UAAsxC,KAAtxC,UAA4xC,KAA5xC,UAAkyC,KAAlyC,UAAwyC,KAAxyC,UAA8yC,KAA9yC,UAAozC,KAApzC,UAA0zC,KAA1zC,UAAg0C,KAAh0C,UAAs0C,KAAt0C,UAA40C,KAA50C,UAAk1C,KAAl1C,UAAw1C,KAAx1C,UAA81C,KAA91C,UAAo2C,KAAp2C,UAA02C,KAA12C,UAAg3C,KAAh3C,UAAs3C,KAAt3C,UAA43C,KAA53C,UAAk4C,KAAl4C,UAAw4C,KAAx4C,UAA84C,KAA94C,UAAo5C,KAAp5C,UAA05C,KAA15C,UAAg6C,KAAh6C,UAAs6C,KAAt6C,UAA46C,KAA56C,UAAk7C,KAAl7C,UAAw7C,KAAx7C,UAA87C,KAA97C,UAAo8C,KAAp8C,UAA08C,KAA18C,UAAg9C,KAAh9C,UAAs9C,KAAt9C,UAA49C,KAA59C,UAAk+C,KAAl+C,UAAw+C,KAAx+C,UAA8+C,KAA9+C,UAAo/C,KAAp/C,UAA0/C,KAA1/C,UAAggD,KAAhgD,UAAsgD,KAAtgD,UAA4gD,KAA5gD,UAAkhD,KAAlhD,UAAwhD,KAAxhD,UAA8hD,KAA9hD,UAAoiD,KAApiD,UAA0iD,KAA1iD,UAAgjD,KAAhjD,UAAsjD,KAAtjD,UAA4jD,KAA5jD,UAAkkD,KAAlkD,UAAwkD,KAAxkD,UAA8kD,KAA9kD,UAAolD,KAAplD,UAA0lD,KAA1lD,UAAgmD,KAAhmD,UAAsmD,KAAtmD,UAA4mD,KAA5mD,UAAknD,KAAlnD,UAAwnD,KAAxnD,UAA8nD,KAA9nD,UAAooD,KAApoD,UAA0oD,KAA1oD,UAAgpD,KAAhpD,UAAspD,KAAtpD,UAA4pD,KAA5pD,UAAkqD,KAAlqD,UAAwqD,KAAxqD,UAA8qD,KAA9qD,UAAorD,KAAprD,UAA0rD,KAA1rD,UAAgsD,KAAhsD,UAAssD,KAAtsD,UAA4sD,KAA5sD,UAAktD,KAAltD,UAAwtD,KAAxtD,UAA8tD,KAA9tD,UAAouD,KAApuD,UAA0uD,KAA1uD,UAAgvD,KAAhvD,UAAsvD,KAAtvD,UAA4vD,KAA5vD,UAAkwD,KAAlwD,UAAwwD,KAAxwD,UAA8wD,KAA9wD,UAAoxD,KAApxD,UAA0xD,KAA1xD,UAAgyD,KAAhyD,UAAsyD,KAAtyD,UAA4yD,KAA5yD,UAAkzD,KAAlzD,UAAwzD,KAAxzD,UAA8zD,KAA9zD,UAAo0D,KAAp0D,UAA00D,KAA10D,UAAg1D,KAAh1D,UAAs1D,KAAt1D,UAA41D,KAA51D,UAAk2D,KAAl2D,UAAw2D,KAAx2D,UAA82D,KAA92D,UAAo3D,KAAp3D,UAA03D,KAA13D,UAAg4D,KAAh4D,UAAs4D,KAAt4D,UAA44D,KAA54D,UAAk5D,KAAl5D,UAAw5D,KAAx5D,UAA85D,KAA95D,UAAo6D,KAAp6D,UAA06D,KAA16D,UAAg7D,KAAh7D,UAAs7D,KAAt7D,UAA47D,KAA57D,UAAk8D,KAAl8D,UAAw8D,KAAx8D,UAA88D,KAA98D,UAAo9D,KAAp9D,UAA09D,KAA19D,UAAg+D,KAAh+D,UAAs+D,KAAt+D,UAA4+D,KAA5+D,UAAk/D,KAAl/D,UAAw/D,KAAx/D,UAA8/D,KAA9/D,UAAogE,KAApgE,UAA0gE,KAA1gE,UAAghE,KAAhhE,UAAshE,KAAthE,UAA4hE,KAA5hE,UAAkiE,KAAliE,UAAwiE,KAAxiE,UAA8iE,KAA9iE,UAAojE,KAApjE,UAA0jE,KAA1jE,UAAgkE,KAAhkE,UAAskE,KAAtkE,UAA4kE,KAA5kE,UAAklE,KAAllE,UAAwlE,KAAxlE,UAA8lE,KAA9lE,UAAomE,KAApmE,UAA0mE,KAA1mE,UAAgnE,KAAhnE,UAAsnE,KAAtnE,UAA4nE,KAA5nE,UAAkoE,KAAloE,UAAwoE,KAAxoE,UAA8oE,KAA9oE,UAAopE,KAAppE,UAA0pE,KAA1pE,UAAgqE,KAAhqE,UAAsqE,KAAtqE,UAA4qE,KAA5qE,UAAkrE,KAAlrE,UAAwrE,KAAxrE,UAA8rE,KAA9rE,UAAosE,KAApsE,UAA0sE,KAA1sE,UAAgtE,KAAhtE,UAAstE,KAAttE,UAA4tE,KAA5tE,UAAkuE,KAAluE,UAAwuE,KAAxuE,UAA8uE,KAA9uE,UAAovE,KAApvE,UAA0vE,KAA1vE,UAAgwE,KAAhwE,UAAswE,KAAtwE,UAA4wE,KAA5wE,UAAkxE,KAAlxE,UAAwxE,KAAxxE,UAA8xE,KAA9xE,UAAoyE,KAApyE,UAA0yE,KAA1yE,UAAgzE,KAAhzE,UAAszE,KAAtzE,UAA4zE,KAA5zE,UAAk0E,KAAl0E,UAAw0E,KAAx0E,UAA80E,KAA90E,UAAo1E,KAAp1E,UAA01E,KAA11E,UAAg2E,KAAh2E,UAAs2E,KAAt2E,UAA42E,KAA52E,UAAk3E,KAAl3E,UAAw3E,KAAx3E,UAA83E,KAA93E,UAAo4E,KAAp4E,UAA04E,KAA14E,UAAg5E,KAAh5E,UAAs5E,KAAt5E,UAA45E,KAA55E,UAAk6E,KAAl6E,UAAw6E,KAAx6E,UAA86E,KAA96E,UAAo7E,KAAp7E,UAA07E,KAA17E,UAAg8E,KAAh8E,UAAs8E,KAAt8E,UAA48E,KAA58E,UAAk9E,KAAl9E,UAAw9E,KAAx9E,UAA89E,KAA99E,UAAo+E,KAAp+E,UAA0+E,KAA1+E,UAAg/E,KAAh/E,UAAs/E,KAAt/E,UAA4/E,KAA5/E,UAAkgF,KAAlgF,UAAwgF,KAAxgF,UAA8gF,KAA9gF,UAAohF,KAAphF,UAA0hF,KAA1hF,UAAgiF,KAAhiF,UAAsiF,KAAtiF,UAA4iF,KAA5iF,UAAkjF,KAAljF,UAAwjF,KAAxjF,UAA8jF,KAA9jF,UAAokF,KAApkF,UAA0kF,KAA1kF,UAAglF,KAAhlF,UAAslF,KAAtlF,UAA4lF,KAA5lF,UAAkmF,KAAlmF,UAAwmF,KAAxmF,UAA8mF,KAA9mF,UAAonF,KAApnF,UAA0nF,KAA1nF,UAAgoF,KAAhoF,UAAsoF,KAAtoF,UAA4oF,KAA5oF,UAAkpF,KAAlpF,UAAwpF,KAAxpF,UAA8pF,KAA9pF,UAAoqF,KAApqF,UAA0qF,KAA1qF,UAAgrF,KAAhrF,UAAsrF,KAAtrF,UAA4rF,KAA5rF,UAAksF,KAAlsF,UAAwsF,KAAxsF,UAA8sF,KAA9sF,UAAotF,KAAptF,UAA0tF,KAA1tF,UAAguF,KAAhuF,UAAsuF,KAAtuF,UAA4uF,KAA5uF,UAAkvF,KAAlvF,UAAwvF,KAAxvF,UAA8vF,KAA9vF,UAAowF,KAApwF,UAA0wF,KAA1wF,UAAgxF,KAAhxF,UAAsxF,KAAtxF,UAA4xF,KAA5xF,UAAkyF,KAAlyF,UAAwyF,KAAxyF,UAA8yF,KAA9yF,UAAozF,KAApzF,UAA0zF,KAA1zF,UAAg0F,KAAh0F,UAAs0F,KAAt0F,UAA40F,KAA50F,UAAk1F,KAAl1F,UAAw1F,KAAx1F,UAA81F,KAA91F,UAAo2F,KAAp2F,UAA02F,KAA12F,UAAg3F,KAAh3F,UAAs3F,KAAt3F,UAA43F,KAA53F,UAAk4F,KAAl4F,UAAw4F,KAAx4F,UAA84F,KAA94F,UAAo5F,KAAp5F,UAA05F,KAA15F,UAAg6F,KAAh6F,UAAs6F,KAAt6F,UAA46F,KAA56F,UAAk7F,KAAl7F,UAAw7F,KAAx7F,UAA87F,KAA97F,UAAo8F,KAAp8F,UAA08F,KAA18F,UAAg9F,KAAh9F,UAAs9F,KAAt9F,UAA49F,KAA59F,UAAk+F,KAAl+F,UAAw+F,KAAx+F,UAA8+F,KAA9+F,UAAo/F,KAAp/F,UAA0/F,KAA1/F,UAAggG,KAAhgG,UAAsgG,KAAtgG,UAA4gG,KAA5gG,UAAkhG,KAAlhG,UAAwhG,KAAxhG,UAA8hG,KAA9hG,UAAoiG,KAApiG,UAA0iG,KAA1iG,UAAgjG,KAAhjG,UAAsjG,KAAtjG,UAA4jG,KAA5jG,UAAkkG,KAAlkG,UAAwkG,KAAxkG,UAA8kG,KAA9kG,UAAolG,KAAplG,UAA0lG,KAA1lG,UAAgmG,KAAhmG,UAAsmG,KAAtmG,UAA4mG,KAA5mG,UAAknG,KAAlnG,UAAwnG,KAAxnG,UAA8nG,KAA9nG,UAAooG,KAApoG,UAA0oG,KAA1oG,UAAgpG,KAAhpG,UAAspG,KAAtpG,UAA4pG,KAA5pG,UAAkqG,KAAlqG,UAAwqG,KAAxqG,UAA8qG,KAA9qG,UAAorG,KAAprG,UAA0rG,KAA1rG,UAAgsG,KAAhsG,UAAssG,KAAtsG,UAA4sG,KAA5sG,UAAktG,KAAltG,UAAwtG,KAAxtG,UAA8tG,KAA9tG,UAAouG,KAApuG,UAA0uG,KAA1uG,UAAgvG,KAAhvG,UAAsvG,KAAtvG,UAA4vG,KAA5vG,UAAkwG,KAAlwG,UAAwwG,KAAxwG,UAA8wG,KAA9wG,UAAoxG,KAApxG,UAA0xG,KAA1xG,UAAgyG,KAAhyG,UAAsyG,KAAtyG,UAA4yG,KAA5yG,UAAkzG,KAAlzG,UAAwzG,KAAxzG,UAA8zG,KAA9zG,UAAo0G,KAAp0G,UAA00G,KAA10G,UAAg1G,KAAh1G,UAAs1G,KAAt1G,UAA41G,KAA51G,UAAk2G,KAAl2G,UAAw2G,KAAx2G,UAA82G,KAA92G,UAAo3G,KAAp3G,UAA03G,KAA13G,UAAg4G,KAAh4G,UAAs4G,KAAt4G,UAA44G,KAA54G,UAAk5G,KAAl5G,UAAw5G,KAAx5G,UAA85G,KAA95G,UAAo6G,KAAp6G,UAA06G,KAA16G,UAAg7G,KAAh7G,UAAs7G,KAAt7G,UAA47G,KAA57G,UAAk8G,KAAl8G,UAAw8G,KAAx8G,UAA88G,KAA98G,UAAo9G,KAAp9G,UAA09G,KAA19G,UAAg+G,KAAh+G,UAAs+G,KAAt+G,UAA4+G,KAA5+G,UAAk/G,KAAl/G,UAAw/G,KAAx/G,UAA8/G,KAA9/G,UAAogH,KAApgH,UAA0gH,KAA1gH,UAAghH,KAAhhH,UAAshH,KAAthH,UAA4hH,KAA5hH,UAAkiH,KAAliH,UAAwiH,KAAxiH,UAA8iH,KAA9iH,UAAojH,KAApjH,UAA0jH,KAA1jH,UAAgkH,KAAhkH,UAAskH,KAAtkH,UAA4kH,KAA5kH,UAAklH,KAAllH,UAAwlH,KAAxlH,UAA8lH,KAA9lH,UAAomH,KAApmH,UAA0mH,KAA1mH,UAAgnH,KAAhnH,UAAsnH,KAAtnH,UAA4nH,KAA5nH,UAAkoH,KAAloH,UAAwoH,KAAxoH,UAA8oH,KAA9oH,UAAopH,KAAppH,UAA0pH,KAA1pH,UAAgqH,KAAhqH,UAAsqH,KAAtqH,UAA4qH,KAA5qH,UAAkrH,KAAlrH,UAAwrH,KAAxrH,UAA8rH,KAA9rH,UAAosH,KAApsH,UAA0sH,KAA1sH,UAAgtH,KAAhtH,UAAstH,KAAttH,UAA4tH,KAA5tH,UAAkuH,KAAluH,UAAwuH,KAAxuH,UAA8uH,KAA9uH,UAAovH,KAApvH,UAA0vH,KAA1vH,UAAgwH,KAAhwH,UAAswH,KAAtwH,UAA4wH,KAA5wH,UAAkxH,KAAlxH,UAAwxH,KAAxxH,UAA8xH,KAA9xH,UAAoyH,KAApyH,UAA0yH,KAA1yH,UAAgzH,KAAhzH,UAAszH,KAAtzH,UAA4zH,KAA5zH,UAAk0H,KAAl0H,UAAw0H,KAAx0H,UAA80H,KAA90H,UAAo1H,KAAp1H,UAA01H,KAA11H,UAAg2H,KAAh2H,UAAs2H,KAAt2H,UAA42H,KAA52H,UAAk3H,KAAl3H,UAAw3H,KAAx3H,UAA83H,KAA93H,UAAo4H,KAAp4H,UAA04H,KAA14H,UAAg5H,KAAh5H,UAAs5H,KAAt5H,UAA45H,KAA55H,UAAk6H,KAAl6H,UAAw6H,KAAx6H,UAA86H,KAA96H,UAAo7H,KAAp7H,UAA07H,KAA17H,UAAg8H,KAAh8H,UAAs8H,KAAt8H,UAA48H,KAA58H,UAAk9H,KAAl9H,UAAw9H,KAAx9H,UAA89H,KAA99H,UAAo+H,KAAp+H,UAA0+H,KAA1+H,UAAg/H,KAAh/H,UAAs/H,KAAt/H,UAA4/H,KAA5/H,UAAkgI,KAAlgI,UAAwgI,KAAxgI,UAA8gI,KAA9gI,UAAohI,KAAphI,UAA0hI,KAA1hI,UAAgiI,KAAhiI,UAAsiI,KAAtiI,UAA4iI,KAA5iI,UAAkjI,KAAljI,UAAwjI,KAAxjI,UAA8jI,KAA9jI,UAAokI,KAApkI,UAA0kI,KAA1kI,UAAglI,KAAhlI,UAAslI,KAAtlI,UAA4lI,KAA5lI,UAAkmI,KAAlmI,UAAwmI,KAAxmI,UAA8mI,KAA9mI,UAAonI,KAApnI,UAA0nI,KAA1nI,UAAgoI,KAAhoI,UAAsoI,KAAtoI,UAA4oI,KAA5oI,UAAkpI,KAAlpI,UAAwpI,KAAxpI,UAA8pI,KAA9pI,UAAoqI,KAApqI,UAA0qI,KAA1qI,UAAgrI,KAAhrI,UAAsrI,KAAtrI,UAA4rI,KAA5rI,UAAksI,KAAlsI,UAAwsI,KAAxsI,UAA8sI,KAA9sI,UAAotI,KAAptI,UAA0tI,KAA1tI,UAAguI,KAAhuI,UAAsuI,KAAtuI,UAA4uI,KAA5uI,UAAkvI,KAAlvI,UAAwvI,KAAxvI,UAA8vI,KAA9vI,UAAowI,KAApwI,UAA0wI,KAA1wI,UAAgxI,KAAhxI,UAAsxI,KAAtxI,UAA4xI,KAA5xI,UAAkyI,KAAlyI,UAAwyI,KAAxyI,UAA8yI,KAA9yI,UAAozI,KAApzI,UAA0zI,KAA1zI,UAAg0I,KAAh0I,UAAs0I,KAAt0I,UAA40I,KAA50I,UAAk1I,KAAl1I,UAAw1I,KAAx1I,UAA81I,KAA91I,UAAo2I,KAAp2I,UAA02I,KAA12I,UAAg3I,KAAh3I,UAAs3I,KAAt3I,UAA43I,KAA53I,UAAk4I,KAAl4I,UAAw4I,KAAx4I,UAA84I,KAA94I,UAAo5I,KAAp5I,UAA05I,KAA15I,UAAg6I,KAAh6I,UAAs6I,KAAt6I,UAA46I,KAA56I,UAAk7I,KAAl7I,UAAw7I,KAAx7I,UAA87I,KAA97I,UAAo8I,KAAp8I,UAA08I,KAA18I,UAAg9I,KAAh9I,UAAs9I,KAAt9I,UAA49I,KAA59I,UAAk+I,KAAl+I,UAAw+I,KAAx+I,UAA8+I,KAA9+I,UAAo/I,KAAp/I,UAA0/I,KAA1/I,UAAggJ,KAAhgJ,UAAsgJ,KAAtgJ,UAA4gJ,KAA5gJ,UAAkhJ,KAAlhJ,UAAwhJ,KAAxhJ,UAA8hJ,KAA9hJ,UAAoiJ,KAApiJ,UAA0iJ,KAA1iJ,UAAgjJ,KAAhjJ,UAAsjJ,KAAtjJ,UAA4jJ,KAA5jJ,UAAkkJ,KAAlkJ,UAAwkJ,KAAxkJ,UAA8kJ,KAA9kJ,UAAolJ,KAAplJ,UAA0lJ,KAA1lJ,UAAgmJ,KAAhmJ,UAAsmJ,KAAtmJ,UAA4mJ,KAA5mJ,UAAknJ,KAAlnJ,UAAwnJ,KAAxnJ,UAA8nJ,KAA9nJ,UAAooJ,KAApoJ,UAA0oJ,KAA1oJ,UAAgpJ,KAAhpJ,UAAspJ,KAAtpJ,UAA4pJ,KAA5pJ,UAAkqJ,KAAlqJ,UAAwqJ,KAAxqJ,UAA8qJ,KAA9qJ,UAAorJ,KAAprJ,UAA0rJ,KAA1rJ,UAAgsJ,KAAhsJ,UAAssJ,KAAtsJ,UAA4sJ,KAA5sJ,UAAktJ,KAAltJ,UAAwtJ,KAAxtJ,UAA8tJ,KAA9tJ,UAAouJ,KAApuJ,UAA0uJ,KAA1uJ,UAAgvJ,KAAhvJ,UAAsvJ,KAAtvJ,UAA4vJ,KAA5vJ,UAAkwJ,KAAlwJ,UAAwwJ,KAAxwJ,UAA8wJ,KAA9wJ,UAAoxJ,KAApxJ,UAA0xJ,KAA1xJ,UAAgyJ,KAAhyJ,UAAsyJ,KAAtyJ,UAA4yJ,KAA5yJ,UAAkzJ,KAAlzJ,UAAwzJ,KAAxzJ,UAA8zJ,KAA9zJ,UAAo0J,KAAp0J,UAA00J,KAA10J,UAAg1J,KAAh1J,UAAs1J,KAAt1J,UAA41J,KAA51J,UAAk2J,KAAl2J,UAAw2J,KAAx2J,UAA82J,KAA92J,UAAo3J,KAAp3J,UAA03J,KAA13J,UAAg4J,KAAh4J,UAAs4J,KAAt4J,UAA44J,KAA54J,UAAk5J,KAAl5J,UAAw5J,KAAx5J,UAA85J,KAA95J,UAAo6J,KAAp6J,UAA06J,KAA16J,UAAg7J,KAAh7J,UAAs7J,KAAt7J,UAA47J,KAA57J,UAAk8J,KAAl8J,UAAw8J,KAAx8J,UAA88J,KAA98J,UAAo9J,KAAp9J,UAA09J,KAA19J,UAAg+J,KAAh+J,UAAs+J,KAAt+J,UAA4+J,KAA5+J,UAAk/J,KAAl/J,UAAw/J,KAAx/J,UAA8/J,KAA9/J,UAAogK,KAApgK,UAA0gK,KAA1gK,UAAghK,KAAhhK,UAAshK,KAAthK,UAA4hK,KAA5hK,UAAkiK,KAAliK,UAAwiK,KAAxiK,UAA8iK,KAA9iK,UAAojK,KAApjK,UAA0jK,KAA1jK,UAAgkK,KAAhkK,UAAskK,KAAtkK,UAA4kK,KAA5kK,UAAklK,KAAllK,UAAwlK,KAAxlK,UAA8lK,KAA9lK,UAAomK,KAApmK,UAA0mK,KAA1mK,UAAgnK,KAAhnK,UAAsnK,KAAtnK,UAA4nK,KAA5nK,UAAkoK,KAAloK,UAAwoK,KAAxoK,UAA8oK,KAA9oK,UAAopK,KAAppK,UAA0pK,KAA1pK,UAAgqK,KAAhqK,UAAsqK,KAAtqK,UAA4qK,KAA5qK,UAAkrK,KAAlrK,UAAwrK,KAAxrK,UAA8rK,KAA9rK,UAAosK,KAApsK,UAA0sK,KAA1sK,UAAgtK,KAAhtK,UAAstK,KAAttK,UAA4tK,KAA5tK,UAAkuK,KAAluK,UAAwuK,KAAxuK,UAA8uK,KAA9uK,UAAovK,KAApvK,UAA0vK,KAA1vK,UAAgwK,KAAhwK,UAAswK,KAAtwK,UAA4wK,KAA5wK,UAAkxK,KAAlxK,UAAwxK,KAAxxK,UAA8xK,KAA9xK,UAAoyK,KAApyK,UAA0yK,KAA1yK,UAAgzK,KAAhzK,UAAszK,KAAtzK,UAA4zK,KAA5zK,UAAk0K,KAAl0K,UAAw0K,KAAx0K,UAA80K,KAA90K,UAAo1K,KAAp1K,UAA01K,KAA11K,UAAg2K,KAAh2K,UAAs2K,KAAt2K,UAA42K,KAA52K,UAAk3K,KAAl3K,UAAw3K,KAAx3K,UAA83K,KAA93K,UAAo4K,KAAp4K,UAA04K,KAA14K,UAAg5K,KAAh5K,UAAs5K,KAAt5K,UAA45K,KAA55K,UAAk6K,KAAl6K,UAAw6K,KAAx6K,UAA86K,KAA96K,UAAo7K,KAAp7K,UAA07K,KAA17K,UAAg8K,KAAh8K,UAAs8K,KAAt8K,UAA48K,KAA58K,UAAk9K,KAAl9K,UAAw9K,KAAx9K,UAA89K,KAA99K,UAAo+K,KAAp+K,UAA0+K,KAA1+K,UAAg/K,KAAh/K,UAAs/K,KAAt/K,UAA4/K,KAA5/K,UAAkgL,KAAlgL,UAAwgL,KAAxgL,UAA8gL,KAA9gL,UAAohL,KAAphL,UAA0hL,KAA1hL,UAAgiL,KAAhiL,UAAsiL,KAAtiL,UAA4iL,KAA5iL,UAAkjL,KAAljL,UAAwjL,KAAxjL,UAA8jL,KAA9jL,UAAokL,KAApkL,UAA0kL,KAA1kL,UAAglL,KAAhlL,UAAslL,KAAtlL,UAA4lL,KAA5lL,UAAkmL,KAAlmL,UAAwmL,KAAxmL,UAA8mL,KAA9mL,UAAonL,KAApnL,UAA0nL,KAA1nL,UAAgoL,KAAhoL,UAAsoL,KAAtoL,UAA4oL,KAA5oL,UAAkpL,KAAlpL,UAAwpL,KAAxpL,UAA8pL,KAA9pL,UAAoqL,KAApqL,UAA0qL,KAA1qL,UAAgrL,KAAhrL,UAAsrL,KAAtrL,UAA4rL,KAA5rL,UAAksL,KAAlsL,UAAwsL,KAAxsL,UAA8sL,KAA9sL,UAAotL,KAAptL,UAA0tL,KAA1tL,UAAguL,KAAhuL,UAAsuL,KAAtuL,UAA4uL,KAA5uL,UAAkvL,KAAlvL,UAAwvL,KAAxvL,UAA8vL,KAA9vL,UAAowL,KAApwL,UAA0wL,KAA1wL,UAAgxL,KAAhxL,UAAsxL,KAAtxL,UAA4xL,KAA5xL,UAAkyL,KAAlyL,UAAwyL,KAAxyL,UAA8yL,KAA9yL,UAAozL,KAApzL,UAA0zL,KAA1zL,UAAg0L,KAAh0L,UAAs0L,KAAt0L,UAA40L,KAA50L,UAAk1L,KAAl1L,UAAw1L,KAAx1L,UAA81L,KAA91L,UAAo2L,KAAp2L,UAA02L,KAA12L,UAAg3L,KAAh3L,UAAs3L,KAAt3L,UAA43L,KAA53L,UAAk4L,KAAl4L,UAAw4L,KAAx4L,UAA84L,KAA94L,UAAo5L,KAAp5L,UAA05L,KAA15L,UAAg6L,KAAh6L,UAAs6L,KAAt6L,UAA46L,KAA56L,UAAk7L,KAAl7L,UAAw7L,KAAx7L,UAA87L,KAA97L,UAAo8L,KAAp8L,UAA08L,KAA18L,UAAg9L,KAAh9L,UAAs9L,KAAt9L,UAA49L,KAA59L,UAAk+L,KAAl+L,UAAw+L,KAAx+L,UAA8+L,KAA9+L,UAAo/L,KAAp/L,UAA0/L,KAA1/L,UAAggM,KAAhgM,UAAsgM,KAAtgM,UAA4gM,KAA5gM,UAAkhM,KAAlhM,UAAwhM,KAAxhM,UAA8hM,KAA9hM,UAAoiM,KAApiM,UAA0iM,KAA1iM,UAAgjM,KAAhjM,UAAsjM,KAAtjM,UAA4jM,KAA5jM,UAAkkM,KAAlkM,UAAwkM,KAAxkM,UAA8kM,KAA9kM,UAAolM,KAAplM,UAA0lM,KAA1lM,UAAgmM,KAAhmM,UAAsmM,KAAtmM,UAA4mM,KAA5mM,UAAknM,KAAlnM,UAAwnM,KAAxnM,UAA8nM,KAA9nM,UAAooM,KAApoM,UAA0oM,KAA1oM,UAAgpM,KAAhpM,UAAspM,KAAtpM,UAA4pM,KAA5pM,UAAkqM,KAAlqM,UAAwqM,KAAxqM,UAA8qM,KAA9qM,UAAorM,KAAprM,UAA0rM,KAA1rM,UAAgsM,KAAhsM,UAAssM,KAAtsM,UAA4sM,KAA5sM,UAAktM,KAAltM,UAAwtM,KAAxtM,UAA8tM,KAA9tM,UAAouM,KAApuM,UAA0uM,KAA1uM,UAAgvM,KAAhvM,UAAsvM,KAAtvM,UAA4vM,KAA5vM,UAAkwM,KAAlwM,UAAwwM,KAAxwM,UAA8wM,KAA9wM,UAAoxM,KAApxM,UAA0xM,KAA1xM,UAAgyM,KAAhyM,UAAsyM,KAAtyM,UAA4yM,KAA5yM,UAAkzM,KAAlzM,UAAwzM,KAAxzM,UAA8zM,KAA9zM,UAAo0M,KAAp0M,UAA00M,KAA10M,UAAg1M,KAAh1M,UAAs1M,KAAt1M,UAA41M,KAA51M,UAAk2M,KAAl2M,UAAw2M,KAAx2M,UAA82M,KAA92M,UAAo3M,KAAp3M,UAA03M,KAA13M,UAAg4M,KAAh4M,UAAs4M,KAAt4M,UAA44M,KAA54M,UAAk5M,KAAl5M,UAAw5M,KAAx5M,UAA85M,KAA95M,UAAo6M,KAAp6M,UAA06M,KAA16M,UAAg7M,KAAh7M,UAAs7M,KAAt7M,UAA47M,KAA57M,UAAk8M,KAAl8M,UAAw8M,KAAx8M,UAA88M,KAA98M,UAAo9M,KAAp9M,UAA09M,KAA19M,UAAg+M,KAAh+M,UAAs+M,KAAt+M,UAA4+M,KAA5+M,UAAk/M,KAAl/M,UAAw/M,KAAx/M,UAA8/M,KAA9/M,UAAogN,KAApgN,UAA0gN,KAA1gN,UAAghN,KAAhhN,UAAshN,KAAthN,UAA4hN,KAA5hN,UAAkiN,KAAliN,UAAwiN,KAAxiN,UAA8iN,KAA9iN,UAAojN,KAApjN,UAA0jN,KAA1jN,UAAgkN,KAAhkN,UAAskN,KAAtkN,UAA4kN,KAA5kN,UAAklN,KAAllN,UAAwlN,KAAxlN,UAA8lN,KAA9lN,UAAomN,KAApmN,UAA0mN,KAA1mN,UAAgnN,KAAhnN,UAAsnN,KAAtnN,UAA4nN,KAA5nN,UAAkoN,KAAloN,UAAwoN,KAAxoN,UAA8oN,KAA9oN,UAAopN,KAAppN,UAA0pN,KAA1pN,UAAgqN,KAAhqN,UAAsqN,KAAtqN,UAA4qN,KAA5qN,UAAkrN,KAAlrN,UAAwrN,KAAxrN,UAA8rN,KAA9rN,UAAosN,KAApsN,UAA0sN,KAA1sN,UAAgtN,KAAhtN,UAAstN,KAAttN,UAA4tN,KAA5tN,UAAkuN,KAAluN,UAAwuN,KAAxuN,UAA8uN,KAA9uN,UAAovN,KAApvN,

B;MAC1D,aAAY,C;K;yDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;2DACvC,Y;MAAyD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAlB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJjF,mC;MACqD,kD;K;IAOF,wD;MAAA,kC;MAAS,uB;MACxD,aAAY,C;K;wDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;yDACvC,Y;MAAwD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAlB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJhF,mC;MACmD,iD;K;IAOF,uD;MAAA,kC;MAAS,sB;MACtD,aAAY,C;K;uDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;uDACvC,Y;MAAuD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAlB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJ/E,iC;MACiD,gD;K;IAOI,yD;MAAA,kC;MAAS,wB;MAC1D,aAAY,C;K;yDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;2DACvC,Y;MAAyD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAlB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJjF,mC;MACqD,kD;K;IAOF,wD;MAAA,kC;MAAS,yB;MAC5D,aAAY,C;K;0DACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;6DACvC,Y;MAA0D,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAlB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJlF,oC;MACsD,mD;K;IAOF,yD;MAAA,kC;MAAS,uB;MACzD,aAAY,C;K;wDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;yDACvC,Y;MAAwD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAlB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJhF,mC;MACoD,iD;K;IAOF,uD;MAAA,kC;MAAS,sB;MACr

B;;;UAIZ,cAAc,oB;UACd,IAAI,YAAY,yBAAhB,C;YAAqC,M;UACrC,kBAAgB,O;UAChB,qBAAmB,I;;UAEnB,kBAAgB,I;UAChB,qBAAmB,S;;QAGvB,gC;QAEA,IAAI,wCAAJ,C;UAEI,YAAU,U;;UAGV,U;UAAA,0C;YEThB,8BDgDQ,WAAO,qBAAP,CChDR,C;YFSgB,a;;YAAA,a;UAAA,mB;YAEK,UEpBrB,oBDgDQ,WD5B+B,eC4B/B,CChDR,C;;UFqBgB,M;;;K;mDAMhB,Y;MACI,kBAAkB,mB;MAClB,IAAI,uBAAuB,gBAAgB,IAA3C,C;QACI,uCAAQ,yCAAR,EAAmC,wCAA+B,WAA/B,B,C;;MAEvC,sBAAoB,mC;K;;IAM5B,iC;MAAA,qC;K;gGAEQ,Y;M7C0DyC,MAAM,6B6C1DjC,uC7C0D+D,WAA9B,C;K;yD6CxDnD,kB;M7CwD6C,MAAM,6B6CvDzC,uC7CuDuE,WAA9B,C;K;+C6CpDnD,Y;MAAkC,8C;K;;;IARtC,6C;MAAA,4C;QAAA,2B;;MAAA,qC;K;IGyDA,mG;IAAA,yH;IAAA,6F;MAKW,kC;MAAS,4C;K;IALpB,sEAMQ,Y;MACI,Q;MAAA,sC;QAAiB,U;;MACjB,OAAO,oB;K;IARnB,6G;sJAJIA,iC;MAgBU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,2C;MAiBU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAkBU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAmBU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAoBU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAqBU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAsBU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAuBU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAwBU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAyBU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA0BU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA2BU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA4BU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA6BU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA8BU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA+BU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAgCU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAiCU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAkCU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAmCU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAoCU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAqCU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAsCU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAuCU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAwCU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAyCU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA0CU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA2CU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA4CU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA6CU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA8CU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA+CU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAgDU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAiDU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAkDU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAmDU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAoDU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAqDU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAsDU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAuDU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAwDU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAyDU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA0DU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA2DU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA4DU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA6DU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA8DU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA+DU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAgEU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAiEU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAkEU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAmEU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAoEU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAqEU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAsEU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAuEU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAwEU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAyEU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA0EU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA2EU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA4EU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA6EU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA8EU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA+EU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAgFU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAiFU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAkFU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAmFU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAoFU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAqFU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAsFU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAuFU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAwFU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAyFU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA0FU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA2FU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA4FU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA6FU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA8FU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA+FU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAgGU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAiGU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAkGU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAmGU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAoGU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAqGU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAsGU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAuGU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAwGU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAyGU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA0GU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA2GU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA4GU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA6GU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA8GU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA+GU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAgHU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAiHU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAkHU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAmHU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAoHU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAqHU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAsHU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAuHU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAwHU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAyHU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA0HU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA2HU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA4HU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA6HU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA8HU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA+HU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAgIU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAiIU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAkIU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAmIU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAoIU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAqIU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAsIU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAuIU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAwIU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAyIU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA0IU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA2IU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA4IU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA6IU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA8IU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA+IU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAgJU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAiJU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAkJU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAmJU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAoJU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAqJU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAsJU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAuJU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAwJU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAyJU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA0JU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA2JU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA4JU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA6JU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA8JU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA+JU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAgKU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAiKU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAkKU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAmKU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAoKU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAqKU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAsKU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAuKU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAwKU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAyKU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA0KU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA2KU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA4KU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA6KU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA8KU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA+KU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAgLU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAiLU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAkLU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAmLU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAoLU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAqLU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAsLU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAuLU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAwLU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAyLU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA0LU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA2LU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA4LU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA6LU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA8LU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA+LU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAgMU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAiMU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAkMU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAmMU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAoMU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAqMU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAsMU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAuMU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAwMU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAyMU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA0MU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA2MU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA4MU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA6MU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA8MU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA+MU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAgNU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAiNU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAkNU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAmNU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAoNU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAqNU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAsNU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAuNU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAwNU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAyNU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA0NU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA2NU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA4NU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA6NU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA8NU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA+NU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAgOU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAiOU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAkOU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAmOU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAoOU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAqOU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAsOU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAuOU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAwOU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MAyOU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA0OU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA2OU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA4OU,OAAK,SAAL,CAAiB,UAAjB,B,EAAA6B,EAAA6B,KAAA7B,C,C;K;wJAAjB,E,kD;MA6OU,OAAK,SAAL,CAAiB,QAAjB,B,EAAA6B,EAAA6B,KAAA7B,

0D;MAAA,8E;MAAuB,iDAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,qE;MAAA,8E;MAAuC,iDAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;K;IACA,mE;MAAA,8E;MAAwC,iDAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;K;6FClGJ,yB;MAEI,OAAG,GAAG,CAAC,QAAD,C;K;mFAGV,oB;MAEI,OAAJ,GAAI,GAAE,G;K;6ETVN,a;MAK8C,cAAvC,C;K;6ECHP,Y;MAG+C,S;K;IA6B/C,2B;MAG4D,0BAAe,WAAf,C;K;IAE5D,mC;MAIwF,0BAAe,WAAf,C;K;IAExF,mC;MAKwE,0BAAe,WAAf,C;K;IAGxE,4B;MAI8D,Q;MAH1D,aAAkB,GAAI,O;MACtB,aAAkB,GAAI,O;MACtB,YAAiB,C;MACjB,OAAO,QAAQ,MAAR,IAAkB,QAAQ,MAAjC,C;QAAyC,IAAI,KAAJ,IAAa,IAAI,KAAJ,IAAa,IAAI,KAAJ,IAAa

Y,oBAAL,SAAK,C;K;IAehB,0C;MAYI,OAAY,oBAAL,SAAK,C;K;IAkBhB,2C;MAWI,OAAY,cAAL,SAAK,EAAc,KAAd,C;K;IAGhB,2C;MAWI,OAAY,cAAL,SAAK,EAAc,KAAd,C;K;IAGhB,4

M,gCAAyB,OAAQ,WAAjC,C;;MC2tCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDhu
CI,IAAI,EC0uCI,WAAW,CD1uCf,CAAJ,C;QACI,cCyuCoB,0C;QDxuCpB,MAAM,gCAAyB,OAAQ,WAAjC,C;;
MCyuCH,WAAS,c;MAAT,YAAyB,gBAAgB,SAAhB,EAAsB,OAAtB,EAA+B,KAA/B,C;MwC1jChC,eAAiB,I;M
xC0jCjB,OwCzjCO,K;K;IxC4jCX,uC;MD9uCI,IAAI,ECwvCI,WAAW,CDxvCf,CAAJ,C;QACI,cCuvCoB,0C;QDt
vCpB,MAAM,gCAAyB,OAAQ,WAAjC,C;;MCuvCH,WAAS,W;MAAT,YAAsB,SAAS,SAAT,EAAe,iBAAU,OA
AV,CAAf,C;MwCxkC7B,eAAiB,I;MxCwkCjB,OwCvkCO,K;K;IxC0kCX,uC;MD5vCI,IAAI,ECuwCI,WAAW,C
DvwCf,CAAJ,C;QACI,cCswCoB,0C;QDrwCpB,MAAM,gCAAyB,OAAQ,WAAjC,C;;MCswCV,OAAO,gBAAgB
,SAAhB,EAAsB,OAAtB,EAA+B,KAA/B,C;K;IAGX,sD;MAWI,oCAAa,2BAAkB,SAAlB,EAA6B,EAA7B,EAAiC,OAA7C,EAAsD,EAAtD,EAAA
C,gBAAtC,C;MACb,OAAY,SAAY,OAAM,SAAN,EAAiB,OAAjB,EAAyB,EAAzB,EAAA,iBAAY,OAAZ,EAAqB,C;K;IAG5B

,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OA
AO,oBAAoB,SAApB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QA
AS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL
,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;M
AII,OAAO,oBAAoB,SAApB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBA
AO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;iFAGX,+B;MAKI,OAAY,SAAY,
QAAO,QAAP,C;K;iFAG5B,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KAL
X,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;
MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MA
AA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,O
AAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,
SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,
QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;K
ALX,C;8FAQA,8B;MAKI,OAAY,SAAY,QAAO,CAAQ,CAAR,EAAQ,CAAP,C;K;IAoBL,2B;MAAsB,OAAA,CAAE,iB
AAU,CAAV,C;K;IAP/C,2B;MAOI,IAAI,mBAAO,CAAX,C;QAAwQY,eAAxQO,WAAwQP,C;;K;IAnNhB,2B;MAQI,I
AAI,mBAAO,CAAX,C;QAAc,UAAU,SAAV,C;K;IAGlB,wC;MAQI,IAAI,mBAAO,CAAX,C;QAAc,cAAc,SAAd
,EAAoB,UAApB,C;K;IAGlB,gD;MAewD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACvF,oCAAa,2B
AAkB,SAAlB,EAA6B,OA7B,EAAsC,gBAAtC,C;MACb,gBAAc,SAAd,EAAoB,SAApB,EAA+B,OA/B/B,EAA
wC,cAAxC,C;K;IAGJ,gD;MAaiC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAChE,oCAAa,2BAAkB,S
AAlB,EAA6B,OA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAApB,C;MACvB,KA
AT,QAAS,C;K;IAGb,gD;MAakC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACjE,oCAAa,2BAAkB,S
AAlB,EAA6B,OA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAApB,C;MACvB,KA
AT,QAAS,C;K;IAGb,gD;MAagC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC/D,oCAAa,2BAAkB,S
AAlB,EAA6B,OA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAApB,C;MACvB,KA
AT,QAAS,C;K;IAGb,gD;MAaiC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAChE,oCAAa,2BAAkB,S
AAlB,EAA6B,OA7B,EAAsC,gBAAtC,C;MACb,gBAAc,SAAd,EAAoB,QAApB,C8C,SA9C,EAAyD,OAAzD,EAAkE,cAAlE,C;K;IAGJ,gD;MAakC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACjE,oCAAa,2BAAkB,SAAlB,EAA6B,OA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAApB,C;MACvB,KAAT,QAAS,C;K;IAGb,gD;MAamC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAClE,oCAAa,2BAAkB,SAAlB,EAA6B,OA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAApB,C;MACvB,KAAT,QAAS,C;K;IAGb,gD;MAaiC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAChE,oCAAa,2BAAkB,SA

kC,UAAlC,EAA8C,IAA9C,C;K;;;IAvB/B,gC;MAAA,+B;QAAA,c;;MAAA,wB;K;IA2BA,qC;MAKkB,IAJP,I;MACH,WAAO,EAAP,C;QAAe,W;WACf,WAAO,IAAP,C;QAAgB,OAAI,CAAC,KAAO,CAAR,MAAc,CAAlB,GAAAqB,QAAS,CAA9B,GAAAqC,OAAS,E;;QAE1D,QAAM,KAAK,CAAX,C;eACI,C;YAAK,eAAS,E;YAAd,KAAe,eAAC,A;QAAhB,C;YAAK,OAAC,CAAS,QAAS,CAAT,CAAV,KAAS,CAAT,C;YAAL,OAAK,CAAL,C;QAAA

Ee,CApEf,GAoEkB,C;MAAzB,OAAa,CApEF,iBAAK,GAAL,MAAJ,GAoEM,CApEN,GAAmB,G;K;mFAuE9B,yB;MAAA,iB;MAAA,0B;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KARlB,C;mFAWA,yB;MAAA,iB;MAAA,0B;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KARlB,C;IAWA,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MAAM,SAAM,GAAN,EAAW,CAAX,C;QAAc

mB,EAChB,CADgB,EACb,CADa,EACV,CADU,EACP,EADO,EACH,CADG,EACA,EADA,EACI,CADJ,EACO,CADP,EACU,EADV,EACc,EADd,EACkB,EADlB,EACsB,CADtB,EACyB,CADzB,EAC4B,CAD5B,EAC+B,CAD/B,EACkC,CADlC,E;K;;IAJpC,sC;MAAA,qC;QAAA,oB;;MAAA,8B;K;IASA,qC;MACI,YAAY,kBAAkB,4BAAe,wBAAjC,EAAkD,SAAlD,C;MACZ,OAAO,SAAS,CAAT,EAAY,aAAO,4BAAe,wBAAf,CAA+B,B,EAAK,KAAA/B,IAAAwC,4BAAe,yBAAf,CAAyB,gC,EAAkB,KAAlB,CAAwB,KAAxB,C,EAA+B,IAAP,CAAY,KAAZ,C,EAAmB,KAAnB,CAAyB,KAAzB,C,EAAgC,IAAR,CAAa,KAAb,C,EAAoB,KAAA,CAAM,KAAN,C,EAAa,IAAb,CAAkB,KAAlB,C,EAAyB,KAAzB,CAA+B,KAA/B,C,EAAsC,IAAtC,CAA2C,KAA3C,C,EAAkD,KAAlD,CAAwD,KAAxD,C,EAA+D,IAA/D,CAAoE,KAApE,C,EAA2E,KAA3E,CAAiF,KAAjF,C,EAAwF,IAAxF,CAA6F,KAA7F,C,EAAoG,KAApG,CAA0G,KAA1G,C,EAAiH,IAAjH,CAAsH,KAAtH,C,EAA6H,KAA7H,CAAmI,KAAnI,C,EAA0I,IAA1I,CAA+I,KAA/I,C,EAAsJ,KAAtJ,CAA4J,KAA5J,C,EAAmK,IAAnK,CAAwK,KAAxK,C,EAA+K,KAA/K,CAAqL,KAArL,C,EAA4L,IAA5L,CAAiM,KAAjM,C,EAAwM,KAAxM,CAA8M,KAA9M,C,EAAqN,IAArN,CAA0N,KAA1N,C,EAAiO,KAAjO,CAAuO,KAAvO,C,EAA8O,IAA9O,CAAmP,KAAnP,C,EAA0P,KAA1P,CAAgQ,KAAhQ,C,EAAuQ,IAAvQ,CAA4Q,KAA5Q,C,EAAmR,KAAnR,CAAyR,KAAzR,C,EAAgS,IAAhS,CAAqS,KAArS,C,EAA4S,KAA5S,CAAkT,KAAlT,C,EAAyT,IAAzT,CAA8T,KAA9T,C,EAAqU,KAArU,CAA2U,KAA3U,C,EAAkV,IAAlV,CAAuV,KAAvV,C,EAA8V,KAA9V,CAAoW,KAApW,C,EAA2W,IAA3W,CAAgX,KAAhX,C,EAAuX,KAAvX,CAA6X,KAA7X,C,EAAoY,IAApY,CAAyY,KAAzY,C,EAAgZ,KAAhZ,CAAsZ,KAAtZ,C,EAA6Z,IAA7Z,CAAka,KAAla,C,EAAya,KAAza,CAA+a,KAA/a,C,EAAsb,IAAtb,CAA2b,KAA3b,C,EAAkc,KAAlc,CAAwc,KAAxc,C,EAA+c,IAA/c,CAAod,KAApd,C,EAA2d,KAA3d,CAAie,KAAje,C,EAAwe,IAAxe,CAA6e,KAA7e,C,EAAof,KAApf,CAA0f,KAA1f,C,EAAigB,IAAjgB,CAAsgB,KAAtgB,C,EAA6gB,KAA7gB,CAAmhB,KAAnhB,C,EAA0hB,IAA1hB,CAA+hB,KAA/hB,C,EAAsiB,KAAtiB,CAA4iB,KAA5iB,C,EAAmjB,IAAnjB,CAAwjB,KAAxjB,C,EAA+jB,KAA/jB,CAAqkB,KAArkB,C,EAA4kB,IAA5kB,CAAilB,KAAjlB,C,EAAwlB,KAAxlB,CAA8lB,KAA9lB,C,EAAqmB,IAArmB,CAA0mB,KAA1mB,C,EAAinB,KAAjnB,CAAunB,KAAvnB,C,EAA8nB,IAA9nB,CAAmoB,KAAnoB,C,EAA0oB,KAA1oB,CAAgpB,KAAhpB,C,EAAupB,IAAvpB,CAA4pB,KAA5pB,C,EAAmqB,KAAnqB,CAAyqB,KAAzqB,C,EAAgrB,IAAhrB,CAAqrB,KAArrB,C,EAA4rB,KAA5rB,CAAksB,KAAlsB,C,EAAysB,IAAzsB,CAA8sB,KAA9sB,C,EAAqtB,KAArtB,CAA2tB,KAA3tB,C,EAAkuB,IAAluB,CAAuuB,KAAvuB,C,EAA8uB,KAA9uB,CAAovB,KAApvB,C,EAA2vB,IAA3vB,CAAgwB,KAAhwB,C,EAAuwB,KAAvwB,CAA6wB,KAA7wB,C,EAAoxB,IAApxB,CAAyxB,KAAzxB,C,EAAgyB,KAAhyB,CAAsyB,KAAtyB,C,EAA6yB,IAA7yB,CAAkzB,KAAlzB,C,EAAyzB,KAAzzB,CAA+zB,KAA/zB,C,EAAs0B,IAAt0B,CAA20B,KAA30B,C,EAAk1B,KAAl1B,CAAw1B,KAAx1B,C,EAA+1B,IAA/1B,CAAo2B,KAAp2B,C,EAA22B,KAA32B,CAAi3B,KAAj3B,C,EAAw3B,IAAx3B,CAA63B,KAA73B,C,EAAo4B,KAAp4B,CAA04B,KAA14B,C,EAAi5B,IAAj5B,CAAs5B,KAAt5B,C,EAA65B,KAA75B,CAAm6B,KAAn6B,C,EAA06B,IAA16B,CAA+6B,KAA/6B,C,EAAs7B,KAAt7B,CAA47B,KAA57B,C,EAAm8B,IAAn8B,CAAw8B,KAAx8B,C,EAA+8B,KAA/8B,CAAq9B,KAAr9B,C,EAA49B,IAA59B,CAAi+B,KAAj+B,C,EAAw+B,KAAx+B,CAA8+B,KAA9+B,C,EAAq/B,IAAr/B,CAA0/B,KAA1/B,C,EAAigC,KAAjgC,CAAugC,KAAvgC,C,EAA8gC,IAA9gC,CAAmhC,KAAnhC,C,EAA0hC,KAA1hC,CAAgiC,KAAhiC,C,EAAuiC,IAAviC,CAA4iC,KAA5iC,C,EAAmjC,KAAnjC,CAAyjC,KAAzjC,C,EAAgkC,IAAhkC,CAAqkC,KAArkC,C,EAA4kC,KAA5kC,CAAklC,KAAllC,C,EAAylC,IAAzlC,CAA8lC,KAA9lC,C,EAAqmC,KAArmC,CAA2mC,KAA3mC,C,EAAknC,IAAlnC,CAAunC,KAAvnC,C,EAA8nC,KAA9nC,CAAooC,KAApoC,C,EAA2oC,IAA3oC,CAAgpC,KAAhpC,C,EAAupC,KAAvpC,CAA6pC,KAA7pC,C,EAAoqC,IAApqC,CAAyqC,KAAzqC,C,EAAgrC,KAAhrC,CAAsrC,KAAtrC,C,EAA6rC,IAA7rC,CAAksC,KAAlsC,C,EAAysC,KAAzsC,CAA+sC,KAA/sC,C,EAAstC,IAAttC,CAA2tC,KAA3tC,C,EAAkuC,KAAluC,CAAwuC,KAAxuC,C,EAA+uC,IAA/uC,CAAovC,KAApvC,C,EAA2vC,KAA3vC,CAAiwC,KAAjwC,C,EAAwwC,IAAxwC,CAA6wC,KAA7wC,C,EAAoxC,KAApxC,CAA0xC,KAA1xC,C,EAAiyC,IAAjyC,CAAsyC,KAAtyC,C,EAA6yC,KAA7yC,CAAmzC,KAAnzC,C,EAA0zC,IAA1zC,CAA+zC,KAA/zC,C,EAAs0C,KAAt0C,CAA40C,KAA50C,C,EAAm1C,IAAn1C,CAAw1C,KAAx1C,C,EAA+1C,KAA/1C,CAAq2C,KAAr2C,C,EAA42C,IAA52C,CAAi3C,KAAj3C,C,EAAw3C,KAAx3C,CAA83C,KAA93C,C,EAAq4C,IAAr4C,CAA04C,KAA14C,C,EAAi5C,KAAj5C,CAAu5C,KAAv5C,C,EAA85C,IAA95C,CAAm6C,KAAn6C,C,EAA06C,KAA16C,CAAg7C,KAAh7C,C,EAAu7C,IAAv7C,CAA47C,KAA57C,C,EAAm8C,KAAn8C,CAAy8C,KAAz8C,C,EAAg9C,IAAh9C,CAAq9C,KAAr9C,C,EAA49C,KAA59C,CAAk+C,KAAl+C,C,EAAy+C,IAAz+C,CAA8+C,KAA9+C,C,EAAq/C,KAAr/C,CAA2/C,KAA3/C,C,EAAkgD,IAAlgD,CAAugD,KAAvgD,C,EAA8gD,KAA9gD,CAAohD,KAAphD,C,EAA2hD,IAA3hD,CAAgiD,KAAhiD,C,EAAuiD,KAAviD,CAA6iD,KAA7iD,C,EAAojD,IAApjD,CAAyjD,KAAzjD,C,EAAgkD,KAAhkD,CAAskD,KAAtkD,C,EAA6kD,IAA7kD,CAAklD,KAAllD,C,EAAylD,KAAzlD,CAA+lD,KAA/lD,C,EAAsmD,IAAtmD,CAA2mD,KAA3mD,C,EAAknD,KAAlnD,CAAwnD,KAAxnD,C,EAA+nD,IAA/nD,CAAooD,KAApoD,C,EAA2oD,KAA3oD,CAAipD,KAAjpD,C,EAAwpD,IAAxpD,CAA6pD,KAA7pD,C,EAAoqD,KAApqD,CAA0qD,KAA1qD,C,EAAirD,IAAjrD,CAAsrD,KAAtrD,C,EAA6rD,KAA7rD,CAAmsD,KAAnsD,C,EAA0sD,IAA1sD,CAA+sD,KAA/sD,C,EAAstD,KAAttD,CAA4tD,KAA5tD,C,EAAmuD,IAAnuD,CAAwuD,KAAxuD,C,EAA+uD,KAA/uD,CAAqvD,KAArvD,C,EAA4vD,IAA5vD,CAAiwD,KAAjwD,C,EAAwwD,KAAxwD,CAA8wD,KAA9wD,C,EAAqxD,IAArxD,CAA0xD,KAA1xD,C,EAAiyD,KAAjyD,CAAuyD,KAAvyD,C,EAA8yD,IAA9yD,CAAmzD,KAAnzD,C,EAA0zD,KAA1zD,CAAg0D,KAAh0D,C,EAAu0D,IAAv0D,CAA40D,KAA50D,C,EAAm1D,KAAn1D,CAAy1D,KAAz1D,C,EAAg2D,IAAh2D,CAAq2D,KAAr2D,C,EAA42D,KAA52D,CAAk3D,KAAl3D,C,EAAy3D,IAAz3D,CAA83D,KAA93D,C,EAAq4D,KAAr4D,CAA24D,KAA34D,C,EAAk5D,IAAl5D,CAAu5D,KAAv5D,C,EAA85D,KAA95D,CAAo6D,KAAp6D,C,EAA26D,IAA36D,CAAg7D,KAAh7D,C,EAAu7D,KAAv7D,CAA67D,KAA77D,C,EAAo8D,IAAp8D,CAAy8D,KAAz8D,C,EAAg9D,KAAh9D,CAAs9D,KAAt9D,C,EAA69D,IAA79D,CAAk+D,KAAl+D,C,EAAy+D,KAAz+D,CAA++D,KAA/+D,C,EAAs/D,IAAt/D,CAA2/D,KAA3/D,C,EAAkgE,KAAlgE,CAAwgE,KAAxgE,C,EAA+gE,IAA/gE,CAAohE,KAAphE,C,EAA2hE,KAA3hE,CAAiiE,KAAjiE,C,EAAwiE,IAAxiE,CAA6iE,KAA7iE,C,EAAojE,KAApjE,CAA0jE,KAA1jE,C,EAAikE,IAAjkE,CAAskE,KAAtkE,C,EAA6kE,KAA7kE,CAAmlE,KAAnlE,C,EAA0lE,IAA1lE,CAA+lE,KAA/lE,C,EAAsmE,KAAtmE,CAA4mE,KAA5mE,C,EAAmnE,IAAnnE,CAAwnE,KAAxnE,C,EAA+nE,KAA/nE,CAAqoE,KAAroE,C,EAA4oE,IAA5oE,CAAipE,KAAjpE,C,EAAwpE,KAAxpE,CAA8pE,KAA9pE,C,EAAqqE,IAArqE,CAA0qE,KAA1qE,C,EAAirE,KAAjrE,CAAurE,KAAvrE,C,EAA8rE,IAA9rE,CAAmsE,KAAnsE,C,EAA0sE,KAA1sE,CAAgtE,KAAhtE,C,EAAutE,IAAvtE,CAA4tE,KAA5tE,C,EAAmuE,KAAnuE,CAAyuE,KAAzuE,C,EAAgvE,IAAhvE,CAAqvE,KAArvE,C,EAA4vE,KAA5vE,CAAkwE,KAAlwE,C,EAAywE,IAAzwE,CAA8wE,KAA9wE,C,EAAqxE,KAArxE,CAA2xE,KAA3xE,C,EAAkyE,IAAlyE,CAAuyE,KAAvyE,C,EAA8yE,KAA9yE,CAAozE,KAApzE,C,EAA2zE,IAA3zE,CAAg0E,KAAh0E,C,EAAu0E,KAAv0E,CAA60E,KAA70E,C,EAAo1E,IAAp1E,CAAy1E,KAAz1E,C,EAAg2E,KAAh2E,CAAs2E,KAAt2E,C,EAA62E,IAA72E,CAAk3E,KAAl3E,C,EAAy3E,KAAz3E,CAA+3E,KAA/3E,C,EAAs4E,IAAt4E,CAA24E,KAA34E,C,EAAk5E,KAAl5E,CAAw5E,KAAx5E,C,EAA+5E,IAA/5E,CAAo6E,KAAp6E,C,EAA26E,KAA36E,CAAi7E,KAAj7E,C,EAAw7E,IAAx7E,CAA67E,KAA77E,C,EAAo8E,KAAp8E,CAA08E,KAA18E,C,EAAi9E,IAAj9E,CAAs9E,KAAt9E,C,EAA69E,KAA79E,CAAm+E,KAAn+E,C,EAA0+E,IAA1+E,CAA++E,KAA/+E,C,EAAs/E,KAAt/E,CAA4/E,KAA5/E,C,EAAmgF,IAAngF,CAAwgF,KAAxgF,C,EAA+gF,KAA/gF,CAAqhF,KAArhF,C,EAA4hF,IAA5hF,CAAiiF,KAAjiF,C,EAAwiF,KAAxiF,CAA8iF,KAA9iF,C,EAAqjF,IAArjF,CAA0jF,KAA1jF,C,EAAikF,KAAjkF,CAAukF,KAAvkF,C,EAA8kF,IAA9kF,CAAmlF,KAAnlF,C,EAA0lF,KAA1lF,CAAgmF,KAAhmF,C,EAAumF,IAAvmF,CAA4mF,KAA5mF,C,EAAmnF,KAAnnF,CAAynF,KAAznF,C,EAAgoF,IAAhoF,CAAqoF,KAAroF,C,EAA4oF,KAA5oF,CAAkpF,KAAlpF,C,EAAypF,IAAzpF,CAA8pF,KAA9pF,C,EAAqqF,KAArqF,CAA2qF,KAA3qF,C,EAAkrF,IAAlrF,CAAurF,KAAvrF,C,EAA8rF,KAA9rF,CAAosF,KAApsF,C,EAA2sF,IAA3sF,CAAgtF,KAAhtF,C,EAAutF,KAAvtF,CAA6tF,KAA7tF,C,EAAouF,IAApuF,CAAyuF,KAAzuF,C,EAAgvF,KAAhvF,CAAsvF,KAAtvF,C,EAA6vF,IAA7vF,CAAkwF,KAAlwF,C,EAAywF,KAAzwF,CAA+wF,KAA/wF,C,EAAsxF,IAAtxF,CAA2xF,KAA3xF,C,EAAkyF,KAAlyF,CAAwyF,KAAxyF,C,EAA+yF,IAA/yF,CAAozF,KAApzF,C,EAA2zF,KAA3zF,CAAi0F,KAAj0F,C,EAAw0F,IAAx0F,CAA60F,KAA70F,C,EAAo1F,KAAp1F,CAA01F,KAA11F,C,EAAi2F,IAAj2F,CAAs2F,KAAt2F,C,EAA62F,KAA72F,CAAm3F,KAAn3F,C,EAA03F,IAA13F,CAA+3F,KAA/3F,C,EAAs4F,KAAt4F,CAA44F,KAA54F,C,EAAm5F,IAAn5F,CAAw5F,KAAx5F,C,EAA+5F,KAA/5F,CAAq6F,KAAr6F,C,EAA46F,IAA56F,CAAi7F,KAAj7F,C,EAAw7F,KAAx7F,CAA87F,KAA97F,C,EAAq8F,IAAr8F,CAA08F,KAA18F,C,EAAi9F,KAAj9F,CAAu9F,KAAv9F,C,EAA89F,IAA99F,CAAm+F,KAAn+F,C,EAA0+F,KAA1+F,CAAg/F,KAAh/F,C,EAAu/F,IAAv/F,CAA4/F,KAA5/F,C,EAAmgG,KAAngG,CAAygG,KAAzgG,C,EAAghG,IAAhhG,CAAqhG,KAArhG,C,EAA4hG,KAA5hG,CAAkiG,KAAliG,C,EAAyiG,IAAziG,CAA8iG,KAA9iG,C,EAAqjG,KAArjG,CAA2jG,KAA3jG,C,EAAkkG,IAAlkG,CAAukG,KAAvkG,C,EAA8kG,KAA9kG,CAAolG,KAAplG,C,EAA2lG,IAA3lG,CAAgmG,KAAhmG,C,EAAumG,KAAvmG,CAA6mG,KAA7mG,C,EAAonG,IAApnG,CAAynG,KAAznG,C,EAAgoG,KAAhoG,CAAsoG,KAAtoG,C,EAA6oG,IAA7oG,CAAkpG,KAAlpG,C,EAAypG,KAAzpG,CAA+pG,KAA/pG,C,EAAsqG,IAAtqG,CAA2qG,KAA3qG,C,EAAkrG,KAAlrG,CAAwrG,KAAxrG,C,EAA+rG,IAA/rG,CAAosG,KAApsG,C,EAA2sG,KAA3sG,CAAitG,KAAjtG,C,EAAwtG,IAAxtG,CAA6tG,KAA7tG,C,EAAouG,KAApuG,CAA0uG,KAA1uG,C,EAAivG,IAAjvG,CAAsvG,KAAtvG,C,EAA6vG,KAA7vG,CAAmwG,KAAnwG,C,EAA0wG,IAA1wG,CAA+wG,KAA/wG,C,EAAsxG,KAAtxG,CAA4xG,KAA5xG,C,EAAmyG,IAAnyG,CAAwyG,KAAxyG,C,EAA+yG,KAA/yG,CAAqzG,KAArzG,C,EAA4zG,IAA5zG,CAAi0G,KAAj0G,C,EAAw0G,KAAx0G,CAA80G,KAA90G,C,EAAq1G,IAAr1G,CAA01G,KAA11G,C,EAAi2G,KAAj2G,CAAu2G,KAAv2G,C,EAA82G,IAA92G,CAAm3G,KAAn3G,C,EAA03G,KAA13G,CAAg4G,KAAh4G,C,EAAu4G,IAAv4G,CAA44G,KAA54G,C,EAAm5G,KAAn5G,CAAy5G,KAAz5G,C,EAAg6G,IAAh6G,CAAq6G,KAAr6G,C,EAA46G,KAA56G,CAAk7G,KAAl7G,C,EAAy7G,IAAz7G,CAA87G,KAA97G,C,EAAq8G,KAAr8G,CAA28G,KAA38G,C,EAAk9G,IAAl9G,CAAu9G,KAAv9G,C,EAA89G,KAA99G,CAAo+G,KAAp+G,C,EAA2+G,IAA3+G,CAAg/G,KAAh/G,C,EAAu/G,KAAv/G,CAA6/G,KAA7/G,C,EAAogH,IAApgH,CAAygH,KAAzgH,C,EAAghH,KAAhhH,CAAshH,KAAthH,C,EAA6hH,IAA7hH,CAAkiH,KAAliH,C,EAAyiH,KAAziH,CAA+iH,KAA/iH,C,EAAsjH,IAAtjH,CAA2jH,KAA3jH,C,EAAkkH,KAAlkH,CAAwkH,KAAxkH,C,EAA+kH,IAA/kH,CAAolH,KAAplH,C,EAA2lH,KAA3lH,CAAimH,KAAjmH,C,EAAwmH,IAAxmH,CAA6mH,KAA7mH,C,EAAonH,KAApnH,CAA0nH,KAA1nH,C,EAAioH,IAAjoH,CAAsoH,KAAtoH,C,EAA6oH,KAA7oH,CAAmpH,KAAnpH,C,EAA0pH,IAA1pH,CAA+pH,KAA/pH,C,EAAsqH,KAAtqH,CAA4qH,KAA5qH,C,EAAmrH,IAAnrH,CAAwrH,KAAxrH,C,EAA+rH,KAA/rH,CAAqsH,KAArsH,C,EAA4sH,IAA5sH,CAAitH,KAAjtH,C,EAAwtH,KAAxtH,CAA8tH,KAA9tH,C,EAAquH,IAAruH,CAA0uH,KAA1uH,C,EAAivH,KAAjvH,CAAuvH,KAAvvH,C,EAA8vH,IAA9vH,CAAmwH,KAAnwH,C,EAA0wH,KAA1wH,CAAgxH,KAAhxH,C,EAAuxH,IAAvxH,CAA4xH,KAA5xH,C,EAAmyH,KAAnyH,CAAyyH,KAAzyH,C,EAAgzH,IAAhzH,CAAqzH,KAArzH,C,EAA4zH,KAA5zH,CAAk0H,KAAl0H,C,EAAy0H,IAAz0H,CAA80H,KAA90H,C,EAAq1H,KAAr1H,CAA21H,KAA31H,C,EAAk2H,IAAl2H,CAAu2H,KAAv2H,C,EAA82H,KAA92H,CAAo3H,KAAp3H,C,EAA23H,IAA33H,CAAg4H,KAAh4H,C,EAAu4H,KAAv4H,CAA64H,KAA74H,C,EAAo5H,IAAp5H,CAAy5H,KAAz5H,C,EAAg6H,KAAh6H,CAAs6H,KAAt6H,C,EAA66H,IAA76H,CAAk7H,KAAl7H,C,EAAy7H,KAAz7H,CAA+7H,KAA/7H,C,EAAs8H,IAAt8H,CAA28H,KAA38H,C,EAAk9H,KAAl9H,CAAw9H,KAAx9H,C,EAA+9H,IAA/9H,CAAo+H,KAAp+H,C,EAA2+H,KAA3+H,CAAi/H,KAAj/H,C,EAAw/H,IAAx/H,CAA6/H,KAA7/H,C,EAAogI,KAApgI,CAA0gI,KAA1gI,C,EAAihI,IAAjhI,CAAshI,KAAthI,C,EAA6hI,KAA7hI,CAAmiI,KAAniI,C,EAA0iI,IAA1iI,CAA+iI,KAA/iI,C,EAAsjI,KAAtjI,CAA4jI,KAA5jI,C,EAAmkI,IAAnkI,CAAwkI,KAAxkI,C,EAA+kI,KAA/kI,CAAqlI,KAArlI,C,EAA4lI,IAA5lI,CAAimI,KAAjmI,C,EAAwmI,KAAxmI,CAA8mI,KAA9mI,C,EAAqnI,IAArnI,CAA0nI,KAA1nI,C,EAAioI,KAAjoI,CAAuoI,KAAvoI,C,EAA8oI,IAA9oI,CAAmpI,KAAnpI,C,EAA0pI,KAA1pI,CAAgqI,KAAhqI,C,EAAuqI,IAAvqI,CAA4qI,KAA5qI,C,EAAmrI,KAAnrI,CAAyrI,KAAzrI,C,EAAgsI,IAAhsI,CAAqsI,KAArsI,C,EAA4sI,KAA5sI,CAAktI,KAAltI,C,EAAytI,IAAztI,CAA8tI,KAA9tI,C,EAAquI,KAAruI,CAA2uI,KAA3uI,C,EAAkvI,IAAlvI,CAAuvI,KAAvvI,C,EAA8vI,KAA9vI,CAAowI,KAApwI,C,EAA2wI,IAA3wI,CAAgxI,KAAhxI,C,EAAuxI,KAAvxI,CAA6xI,KAA7xI,C,EAAoyI,IAApyI,CAAyyI,KAAzyI,C,EAAgzI,KAAhzI,CAAszI,KAAtzI,C,EAA6zI,IAA7zI,CAAk0I,KAAl0I,C,EAAy0I,KAAz0I,CAA+0I,KAA/0I,C,EAAs1I,IAAt1I,CAA21I,KAA31I,C,EAAk2I,KAAl2I,CAAw2I,KAAx2I,C,EAA+2I,IAA/2I,CAAo3I,KAAp3I,C,EAA23I,KAA33I,CAAi4I,KAAj4I,C,EAAw4I,IAAx4I,CAA64I,KAA74I,C,EAAo5I,KAAp5I,CAA05I,KAA15I,C,EAAi6I,IAAj6I,CAAs6I,KAAt6I,C,EAA66I,KAA76I,CAAm7I,KAAn7I,C,EAA07I,IAA17I,CAA+7I,KAA/7I,C,EAAs8I,KAAt8I,CAA48I,KAA58I,C,EAAm9I,IAAn9I,CAAw9I,KAAx9I,C,EAA+9I,KAA/9I,CAAq+I,KAAr+I,C,EAA4+I,IAA5+I,CAAi/I,KAAj/I,C,EAAw/I,KAAx/I,CAA8/I,KAA9/I,C,EAAqgJ,IAArgJ,CAA0gJ,KAA1gJ,C,EAAihJ,KAAjhJ,CAAuhJ,KAAvhJ,C,EAA8hJ,IAA9hJ,CAAmiJ,KAAniJ,C,EAA0iJ,KAA1iJ,CAAgjJ,KAAhjJ,C,EAAujJ,IAAvjJ,CAA4jJ,KAA5jJ,C,EAAmkJ,KAAnkJ,CAAykJ,KAAzkJ,C,EAAglJ,IAAhlJ,CAAqlJ,KAArlJ,C,EAA4lJ,KAA5lJ,CAAkmJ,KAAlmJ,C,EAAymJ,IAAzmJ,CAA8mJ,KAA9mJ,C,EAAqnJ,KAArnJ,CAA2nJ,KAA3nJ,C,EAAkoJ,IAAloJ,CAAuoJ,KAAvoJ,C,EAA8oJ,KAA9oJ,CAAopJ,KAAppJ,C,EAA2pJ,IAA3pJ,CAAgqJ,KAAhqJ,C,EAAuqJ,KAAvqJ,CAA6qJ,KAA7qJ,C,EAAorJ,IAAprJ,CAAyrJ,KAAzrJ,C,EAAgsJ,KAAhsJ,CAAssJ,KAAtsJ,C,EAA6sJ,IAA7sJ,CAAktJ,KAAltJ,C,EAAytJ,KAAztJ,CAA+tJ,KAA/tJ,C,EAAsuJ,IAAtuJ,CAA2uJ,KAA3uJ,C,EAAkvJ,KAAlvJ,CAAwvJ,KAAxvJ,C,EAA+vJ,IAA/vJ,CAAowJ,KAApwJ,C,EAA2wJ,KAA3wJ,CAAixJ,KAAjxJ,C,EAAwxJ,IAAxxJ,CAA6xJ,KAA7xJ,C,EAAoyJ,KAApyJ,CAA0yJ,KAA1yJ,C,EAAizJ,IAAjzJ,CAAszJ,KAAtzJ,C,EAA6zJ,KAA7zJ,CAAm0J,KAAn0J,C,EAA00J,IAA10J,CAA+0J,KAA/0J,C,EAAs1J,KAAt1J,CAA41J,KAA51J,C,EAAm2J,IAAn2J,CAAw2J,KAAx2J,C,EAA+2J,KAA/2J,CAAq3J,KAAr3J,C,EAA43J,IAA53J,CAAi4J,KAAj4J,C,EAAw4J,KAAx4J,CAA84J,KAA94J,C,EAAq5J,IAAr5J,CAA05J,KAA15J,C,EAAi6J,KAAj6J,CAAu6J,KAAv6J,C,EAA86J,IAA96J,CAAm7J,KAAn7J,C,EAA07J,KAA17J,CAAg8J,KAAh8J,C,EAAu8J,IAAv8J,CAA48J,KAA58J,C,EAAm9J,KAAn9J,CAAy9J,KAAz9J,C,EAAg+J,IAAh+J,CAAq+J,KAAr+J,C,EAA4+J,KAA5+J,CAAk/J,KAAl/J,C,EAAy/J,IAAz/J,CAA8/J,KAA9/J,C,EAAqgK,KAArgK,CAA2gK,KAA3gK,C,EAAkhK,IAAlhK,CAAuhK,KAAvhK,C,EAA8hK,KAA9hK,CAAoiK,KAApiK,C,EAA2iK,IAA3iK,CAAgjK,KAAhjK,C,EAAujK,KAAvjK,CAA6jK,KAA7jK,C,EAAokK,IAApkK,CAAykK,KAAzkK,C,EAAglK,KAAhlK,CAAslK,KAAtlK,C,EAA6lK,IAA7lK,CAAkmK,KAAlmK,C,EAAymK,KAAzmK,CAA+mK,KAA/mK,C,EAAsnK,IAAtnK,CAA2nK,KAA3nK,C,EAAkoK,KAAloK,CAAwoK,KAAxoK,C,EAA+oK,IAA/oK,CAAopK,KAAppK,C,EAA2pK,KAA3pK,CAAiqK,KAAjqK,C,EAAwqK,IAAxqK,CAA6qK,KAA7qK,C,EAAorK,KAAprK,CAA0rK,KAA1rK,C,EAAisK,IAAjsK,CAAssK,KAAtsK,C,EAA6sK,KAA7sK,CAAmtK,KAAntK,C,EAA0tK,IAA1tK,CAA+tK,KAA/tK,C,EAAsuK,KAAtuK,CAA4uK,KAA5uK,C,EAAmvK,IAAnvK,CAAwvK,KAAxvK,C,EAA+vK,KAA/vK,CAAqwK,KAArwK,C,EAA4wK,IAA5wK,CAAixK,KAAjxK,C,EAAwxK,KAAxxK,CAA8xK,KAA9xK,C,EAAqyK,IAAryK,CAA0yK,KAA1yK,C,EAAizK,KAAjzK,CAAuzK,KAAvzK,C,EAA8zK,IAA9zK,CAAm0K,KAAn0K,C,EAA00K,KAA10K,CAAg1K,KAAh1K,C,EAAu1K,IAAv1K,CAA41K,KAA51K,C,EAAm2K,KAAn2K,CAAy2K,KAAz2K,C,EAAg3K,IAAh3K,CAAq3K,KAAr3K,C,EAA43K,KAA53K,CAAk4K,KAAl4K,C,EAAy4K,IAAz4K,CAA84K,KAA94K,C,EAAq5K,KAAr5K,CAA25K,KAA35K,C,EAAk6K,IAAl6K,CAAu6K,KAAv6K,C,EAA86K,KAA96K,CAAo7K,KAAp7K,C,EAA27K,IAA37K,CAAg8K,KAAh8K,C,EAAu8K,KAAv8K,CAA68K,KAA78K,C,EAAo9K,IAAp9K,CAAy9K,KAAz9K,C,EAAg+K,KAAh+K,CAAs+K,KAAt+K,C,EAA6+K,IAA7+K,CAAk/K,KAAl/K,C,EAAy/K,KAAz/K,CAA+/K,KAA//K,C,EAAsgL,IAAtgL,CAA2gL,KAA3gL,C,EAAkhL,KAAlhL,CAAwhL,KAAxhL,C,EAA+hL,IAA/hL,CAAoiL,KAApiL,C,EAA2iL,KAA3iL,CAAijL,KAAjjL,C,EAAwjL,IAAxjL,CAA6jL,KAA7jL,C,EAAokL,KAApkL,CAA0kL,KAA1kL,C,EAAilL,IAAjlL,CAAslL,KAAtlL,C,EAA6lL,KAA7lL,CAAmmL,KAAnmL,C,EAA0mL,IAA1mL,CAA+mL,KAA/mL,C,EAAsnL,KAAtnL,CAA4nL,KAA5nL,C,EAAmoL,IAAnoL,CAAwoL,KAAxoL,C,EAA+oL,KAA/oL,CAAqpL,KAArpL,C,EAA4pL,IAA5pL,CAAiqL,KAAjqL,C,EAAwqL,KAAxqL,CAA8qL,KAA9qL,C,EAAqrL,IAArrL,CAA0rL,KAA1rL,C,EAAisL,KAAjsL,CAAusL,KAAvsL,C,EAA8sL,IAA9sL,CAAmtL,KAAntL,C,EAA0tL,KAA1tL,CAAguL,KAAhuL,C,EAAuuL,IAAvuL,CAA4uL,KAA5uL,C,EAAmvL,KAAnvL,CAAyvL,KAAzvL,C,EAAgwL,IAAhwL,CAAqwL,KAArwL,C,EAA4wL,KAA5wL,CAAkxL,KAAlxL,C,EAAyxL,IAAzxL,CAA8xL,KAA9xL,C,EAAqyL,KAAryL,CAA2yL,KAA3yL,C,EAAkzL,IAAlzL,CAAuzL,KAAvzL,C,EAA8zL,KAA9zL,CAAo0L,KAAp0L,C,EAA20L,IAA30L,CAAg1L,KAAh1L,C,EAAu1L,KAAv1L,CAA61L,KAA71L,C,EAAo2L,IAAp2L,CAAy2L,KAAz2L,C,EAAg3L,KAAh3L,CAAs3L,KAAt3L,C,EAA63L,IAA73L,CAAk4L,KAAl4L,C,EAAy4L,KAAz4L,CAA+4L,KAA/4L,C,EAAs5L,IAAt5L,CAA25L,KAA35L,C,EAAk6L,KAAl6L,CAAw6L,KAAx6L,C,EAA+6L,IAA/6L,CAAo7L,KAAp7L,C,EAA27L,KAA37L,CAAi8L,KAAj8L,C,EAAw8L,IAAx8L,CAA68L,KAA78L,C,EAAo9L,KAAp9L,CAA09L,KAA19L,C,EAAi+L,IAAj+L,CAAs+L,KAAt+L,C,EAA6+L,KAA7+L,CAAm/L,KAAn/L,C,EAA0/L,IAA1/L,CAA+/L,KAA//L,C,EAAsgM,KAAtgM,CAA4gM,KAA5gM,C,EAAmhM,IAAnhM,CAAwhM,KAAxhM,C,EAA+hM,KAA/hM,CAAqiM,KAAriM,C,EAA4iM,IAA5iM,CAAijM,KAAjjM,C,EAAwjM,KAAxjM,CAA8jM,KAA9jM,C,EAAqkM,IAArkM,CAA0kM,KAA1kM,C,EAAilM,KAAjlM,CAAulM,KAAvlM,C,EAA8lM,IAA9lM,CAAmmM,KAAnmM,C,EAA0mM,KAA1mM,CAAgnM,KAAhnM,C,EAAunM,IAAvnM,CAA4nM,KAA5nM,C,EAAmoM,KAAnoM,CAAyoM,KAAzoM,C,EAAgpM,IAAhpM,CAAqpM,KAArpM,C,EAA4pM,KAA5pM,CAAkqM,KAAlqM,C,EAAyqM,IAAzqM,CAA8qM,KAA9qM,C,EAAqrM,KAArrM,CAA2rM,KAA3rM,C,EAAksM,IAAlsM,CAAusM,KAAvsM,C,EAA8sM,KAA9sM,CAAotM,KAAptM,C,EAA2tM,IAA3tM,CAAguM,KAAhuM,C,EAAuuM,KAAvuM,CAA6uM,KAA7uM,C,EAAovM,IAApvM,CAAyvM,KAAzvM,C,EAAgwM,KAAhwM,CAAswM,KAAtwM,C,EAA6wM,IAA7wM,CAAkxM,KAAlxM,C,EAAyxM,KAAzxM,CAA+xM,KAA/xM,C,EAAsyM,IAAtyM,CAA2yM,KAA3yM,C,EAAkzM,KAAlzM,CAAwzM,KAAxzM,C,EAA+zM,IAA/zM,CAAo0M,KAAp0M,C,EAA20M,KAA30M,CAAi1M,KAAj1M,C,EAAw1M,IAAx1M,CAA61M,KAA71M,C,EAAo2M,KAAp2M,CAA02M,KAA12M,C,EAAi3M,IAAj3M,CAAs3M,KAAt3M,C,EAA63M,KAA73M,CAAm4M,KAAn4M,C,EAA04M,IAA14M,CAA+4M,KAA/4M,C,EAAs5M,KAAt5M,CAA45M,KAA55M,C,EAAm6M,IAAn6M,CAAw6M,KAAx6M,C,EAA+6M,KAA/6M,CAAq7M,KAAr7M,C,EAA47M,IAA57M,CAAi8M,KAAj8M,C,EAAw8M,KAAx8M,CAA88M,KAA98M,C,EAAq9M,IAAr9M,CAA09M,KAA19M,C,EAAi+M,KAAj+M,CAAu+M,KAAv+M,C,EAA8+M,IAA9+M,CAAm/M,KAAn/M,C,EAA0/M,KAA1/M,CAAggN,KAAhgN,C,EAAugN,IAAvgN,CAA4gN,KAA5gN,C,EAAmhN,KAAnhN,CAAyhN,KAAzhN,C,EAAgiN,I

GI,OAAsB,UAAY,QAAvB,KAAmC,SAA9C,GACe,UAAY,UAD3B,GAGI,gBAAgB,UAAhB,C;K;IAGR,qC;MA
EI,YoC1B2C,E;MpC2B3C,eAAe,UAAW,W;MAC1B,OAAO,QAAS,UAAhB,C;QACU,KAAY,MAAK,QAAS,OA
Ad,C;MACtB,OAAO,K;K;IAGX,8C;MAQc,Q;MANV,IAAI,KAAM,OAAN,GAAa,UAAW,KAA5B,C;QACI,OA
AO,gBAAgB,UAAhB,C;;MAEX,eAAe,UAAW,W;MAC1B,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,MA
AM,YAAN,EAAM,oBAAN,UAAiB,QAAS,O;;MAE9B,IAAI,QAAQ,KAAM,OAAlB,C;QACI,MAAM,KAAN,I;;MAEnB,OAAO,K;K;IAIX,yB;MAG6C,sBAAY,OAAZ,E;K;wGAE7C,yB;MAAA,+D;MAAA,gC;QAI0B,gB
AAf,gB;QAAqB,aJW5B,W;QIXA,OJYO,SIZoC,Q;O;KAJ/C,C,C;yGAOA,yB;MAAA,4E;MAAA,gE;MAAA,0C;QA
II,qBAAqB,QAArB,C;QAC8B,gBAAvB,eAAa,QAAb,C;QAA6B,aJGpC,W;QIHA,OJIO,SIJ4C,Q;O;KALvD,C;IA
SA,wB;MAG2C,oBAAU,OAAV,E;K;sGAE3C,yB;MAAA,uE;MAAA,gC;QAI8B,gBAAnB,oB;QAAyB,aJVhC,W;
QIUA,OJTO,SISwC,Q;O;KAJnD,C;wGAOA,yB;MAAA,wE;MAAA,0C;QAIsC,gBAA3B,mBAAiB,QAAjB,C;QA
AiC,aJjBxC,W;QIiBA,OJhBO,SIgBgD,Q;O;KAJ3D,C;IAQA,qB;MAIuD,oBAAU,IAAV,E;K;sGAEvD,yB;MAAA
,wE;MAAA,gC;QAIiC,gBAAtB,oB;QAA4B,aJ/BnC,W;QI+BA,OJ9BO,SI8B2C,Q;O;KAJtD,C;uGAOA,yB;MAA
A,uE;MAAA,0C;QAIyC,gBAA9B,mBAAoB,QAApB,C;QAAoC,aJtC3C,W;QIsCA,OJrCO,SIqCmD,Q;O;KAJ9D,
C;IAQA,mC;MAOqB,Q;MAAA,kC;MAAjB,iBAAc,CAAd,yB;QACI,sBAAK,KAAL,EAAc,KAAd,C;;K;IAIR,+B;
MAMuD,sBAAQ,4BAAR,C;K;IAEvD,6B;MAIwE,kBAAhB,0B;MAAwB,uB;MAAxB,OJjE7C,W;K;IImEX,4B;M
AQI,gBAAgB,SAAhB,EAAsB,cAAtB,C;K;IAGJ,2C;MAQI,gBAAgB,SAAhB,EAAsB,UAAtB,C;K;IAGJ,2C;MA
CI,IAAI,IAAK,KAAL,IAAa,CAAjB,C;QAAoB,M;MAEpB,YAAY,YAAY,IAAZ,C;MACZ,gBAAc,KAAd,EAAq
B,UAArB,C;MAEA,aAAU,CAAV,MAAkB,KAAM,OAAxB,M;QACI,iBAAK,CAAL,EAAU,MAAM,CAAN,C;QAC
AV,C;;K;IAIR,uC;MACI,OAAO,gBAAkB,IAAlB,O;K;IAGX,iF;MAII,oCAAa,2BAAkB,UAAlB,EAA8B,QAA9B
,EAAwC,MAAO,OAA/C,C;MACb,gBAAkB,WAAW,UAAX,I;MAChB,oCAAa,2BAAkB,iBAAlB,EAAqC,oBAA
oB,SAApB,IAArC,EAAoE,WAAY,OAAhF,C;MAEb,eAAI,IAAI,WAAkB,QAAO,WAAP,CAAlB,EAAJ,C;QAAA
AO,MAAP,CAA/D,C;QACI,eAAsB,MAAY,UAAS,UAAT,EAAqB,QAArB,C;QACtB,WAAY,KAAI,QAAJ,EAAZ,
c,iBAAd,C;;QAExB,IAAI,WAAW,WAAX,IAA0B,qBAAqB,UAAnD,C;UACI,iBAAc,CAAd,UAAsB,SAAtB,U;Y
ACI,YAAY,oBAAoB,KAApB,IAAZ,IAAyC,OAAO,aAAa,KAAb,IAAP,C;;;UAG7C,mBAAc,YAAY,CAAZ,IAA
d,aAAmC,CAAnC,Y;YACI,YAAY,oBAAoB,OAApB,IAAZ,IAAyC,OAAO,aAAa,OAAb,IAAP,C;;;;K;8GAMzD,
qB;MAEgF,gB;K;kGAEhF,yB;MAAA,4D;MAAA,4B;QAC8E,OAAK,KAAL,C;O;KADnF,C;sGAIA,gC;MAI
AEI,OAAI,SAAJ,GAAI,SAAJ,FAAI,GAAJ,II,SN83BoB,Q;K;IM13B5B,mC;MAEI,IAAI,QAAQ,CAAZ,C;QACI,oB;;MAEJ,
OAAO,K;K;IAGX,mC;MAEI,IAAI,QAAQ,CAAZ,C;QACI,oB;;MAEJ,OAAO,K;K;IAIX,mC;MAIqD,mB;K;IAEr
D,wC;MPzNI,IAAI,EOgOI,YAAY,CPhOhB,CAAJ,C;QACI,cO+NqB,gC;QP9NrB,MAAM,gCAAY,BAAQ,WA
AjC,C;;K;IOiOd,8C;MAAoE,Y;K;I8D1PV,qC;MAAiC,6B;K;uDAIvF,mB;MACI,qB;MACA,eAAe,e;MACf,OAA
O,QAAS,UAAhB,C;QACI,IAAI,OAAA,QAAS,OAAT,EAAmB,OAAnB,CAAJ,C;UACI,QAAS,S;UACT,OAAO,I
;;;MAGf,OAAO,K;K;yDAGX,oB;MAGoB,Q;MAFhB,qB;MACA,eAAe,K;MACf,CC,0B;MAAhB,OAAgB,cAAhB,C
;QAAgB,yB;QACZ,IAAI,eAAI,IAAI,OAAJ,EAAa,CAAb,C;UAAA,kB,WAAW,I;;MAEnB,jC,OAAO,Q;K;IAKuC,sE;MAAA,qB;MAAA,gC;QAAA,kB,WAAW,I;;MAEzD

,C;MACf,YAAO,UAAU,SAAV,I;MnEuDX,iBAAc,CAAd,UAAsB,KAAtB,U;QmEtDiB,e;QACA,iB;;K;2CAIjB,i
B;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,OAAO,oC
AAa,uBAAc,IAAd,EAAoB,KAApB,C;K;6CAGxB,Y;MAG+B,OAAA,oCAAa,yBAAgB,IAAhB,C;K;IAG5C,kD;
MAAA,oB;MACI,eACsB,C;MACtB,cAIqB,E;K;yDAErB,Y;MAAkC,sBAAQ,gB;K;sDAE1C,Y;MAEW,Q;MADP
,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACtB,eAAO,mBAAP,EAAO,2BAAP,O;MACA,OAAO,wBAAI,WA
AJ,C;K;wDAGX,Y;MtE5CJ,IAAI,EsE6CU,gBAAQ,EtE7ClB,CAAJ,C;QACI,csE4CwB,sE;QtE3CxB,MAAM,6BA
AsB,OAAQ,WAA9B,C;;MsE6CF,6BAAS,WAAT,C;MACA,eAAQ,W;MACR,cAAO,E;K;;IAOqB,6D;MAHpC,o
B;MAGmD,wD;MAG3C,oCAAa,4BAAmB,KAAnB,EAA0B,WAAyB,KAAnD,C;MACb,eAAa,K;K;iEAGjB,Y;M
AAsC,sBAAQ,C;K;+DAE9C,Y;MAAgC,mB;K;8DAEhC,Y;MACI,IAAI,CAAC,kBAAL,C;QAAoB,MAAM,6B;M
AE1B,eAAO,mCAAP,EAAO,YAAP,C;MACA,OAAO,wBAAI,WAAJ,C;K;mEAGX,Y;MAAoC,sBAAQ,CAAR,I;
K;+DAEpC,mB;MACI,wBAAI,YAAJ,EAAW,OAAX,C;MACA,mC;MACA,cAAO,E;K;+DAGX,mB;MtElFJ,IAA
I,EsEmFU,gBAAQ,EtEnFlB,CAAJ,C;QACI,csEkFwB,4E;QtEjFxB,MAAM,6BAAsB,OAAQ,WA9B,C;;MsEkFF
,wBAAI,WAAJ,EAAU,OAAV,C;K;;IAIgB,+D;MAAuF,8B;MAAtF,kB;MAA0C,4B;MAC/D,eAAyB,C;MAGrB,o
CAAa,2BAAkB,gBAAlB,EAA6B,OAA7B,EAAsC,WAAK,KAA3C,C;MACb,eAAa,UAAU,gBAAV,I;K;wDAGjB
,0B;MACI,oCAAa,4BAAmB,KAAnB,EAA0B,YAA1B,C;MAEb,WAAK,aAAI,mBAAY,KAAZ,EAAmB,IAAJ,EAAU,OA
AvB,C;MACL,mC;K;wDAGJ,iB;MACI,oCAAa,2BAAkB,KAAlB,EAAyB,YAAzB,C;MAEb,OAAO,wBAAK,mB
AAY,KAAZ,EAAmB,IAAL,C;K;6DAGX,iB;MACI,oCAAa,2BAAkB,KAAlB,EAAyB,YAAzB,C;MAEb,aAAa,WAAK,kB
AAS,mBAAY,KAAZ,EAAmB,IAAT,C;MAClB,mC;MACA,OAAO,M;K;wDAGX,0B;MACI,oCAAa,2BAAkB,KAAlB,EA
AyB,YAAzB,C;MAEb,OAAO,WAAK,aAAI,mBAAY,KAAZ,EAAmB,IAAJ,EAAU,OAAvB,C;K;mGAGX,Y;MAAQ,mB
;K;2DAE/B,Y;MAA+C,WAAK,iB;K;;ICxMN,8B;MAAiC,sB;MAwCnF,uBAAoC,I;MA+CpC,yBA6C,I;K;IAlF
R,oD;MAAC,wB;MAGlC,gBAAqB,K;K;iFAHa,Y;MAAA,yB;K;uGAKZ,Y;MAAQ,oB;K;8DAE9B,oB;MAKI,eA
Ae,IAAK,S;MACpB,gBAAc,Q;MACd,OAAO,Q;K;wDAGX,Y;MAA+B,iEAAc,IAAd,C;K;wDAC/B,C/B,Y;MAAkC,i
EAAc,IAAd,C;K;sDAClC,iB;MAA4C,+DAAY,IAAZ,EAAkB,KAAlB,B,C;K;;IAlB5C,8E;MAAA,wE;MAAsC,2CA
AK,KAAM,IAAX,EAAgB,KAAM,MAAtB,B,C;MAAuC,Y;K;IAsBJ,+C;MACsE,6B;K;mEAAlC,mB;MAAmD,kCA
Ac,OAAd,C;K;iEAEnD,mB;MAAiD,gCAAY,OAAZ,C;K;;yCAIrD,Y;MAAqC,IAAQ,Q;K;IAOQ,+F;MAAA,sD;M
AAS,6B;K;uFAAb,mB;MAAwC,MAAM,qCAA8B,8BAA9B,C;K;mFAA9C,Y;MAAqC,4BAAwB,Q;K;4FAG5B,mB
;MAAsD,sDAAY,OAAZ,C;K;IAI3C,oH;MAAA,kD;K;4GAAH,Y;MAAkC,OAAA,0BAAc,U;K;yGAAd,hD,Y;MAA
yB,OAAA,0BAAc,OAAO,I;K;2GAAC,9C,Y;MAAwB,0BAAc,S;K;;sFAAL,9C,Y;MAAqC,oBAAoB,oCAAQ,W;MAC5
B,6G;K;0FAOJ,mB;MACI,qB;MACA,IAAI,+CAAY,OAAZ,CAAJ,C;QACI,4BAAwB,cAAO,OAAP,C;QACxB,O
AAO,I;;MAEX,OAAO,K;K;oIAGY,Y;MAAQ,OAAA,4BAAwB,K;K;4FAEvD,Y;MAAsC,4BAAwB,iB;K;;0FA9B
1E,Y;MACI,IAAI,4BAAJ,C;QACI,6F;;MA+BJ,OAAO,mC;K;kDAKf,gB;MAEyB,Q;MADrB,qB;MACqB,OAAA,
I9E8Q2D,QAAQ,W;M8E9QxF,OAAqB,cAArB,C;QAAqB,wB;QAAf,U9EiMsD,U;Q8EjMJ,Y9E8MiD,Y;Q8E7
MxD,iBAAI,GAAJ,EAAS,KAAT,C;;K;IAQc,iG;MAAA,sD;MAAS,oC;K;yFAAf,mB;MAAwC,MAAM,qCAA8B,8
gCA9B,C;K;qFAA9C,Y;MAAqC,4BAAwB,Q;K;8FAG5B,mB;MAAsD,sDAAY,OAAZ,C;K;IAI3C,sH;MAAA,k
D;K;8GACH,Y;MAAkC,OAAA,0BAAc,U;K;2GAAd,hD,Y;MAAyB,OAAA,0BAAc,OAAO,M;K;6GAAC,9C,Y;MAA
wB,0BAAc,S;K;;wFAAL,9C,Y;MAAqC,oBAAoB,oCAAQ,W;MAC5B,+B;K;;sF

MjrD0C,YkEgDrD,QlEhDqD,CNirD1C,C;MwEhoDpB,qC;MACA,OAAO,I;K;yCAGX,2B;MACI,qB;MACA,mC
AAoB,KAApB,C;MAEA,IAAI,UAAS,SAAb,C;QAAmB,OAAO,oBAAO,QAAP,C;MAC1B,IAAI,QAAS,UAAb,C
;QAAwB,OAAO,K;MAE3B,IADE,KACF,e;QAAQ,OAAO,oBAAO,QAAP,C;WACf,IAFE,KAEF,O;QAAK,uBlE
7DqD,YkE6D7C,QlE7D6C,CNirD1C,QwEpnD6B,oBxEonD7B,C;;QwEnnDR,uBAAoC,cAA5B,oBAA4B,EAAV,
CAAU,EAAP,KAAO,CAAY,QlE9DE,YkE8DK,QlE9DL,CkE8DF,EAA4C,cAAN,oBAAM,EAAY,KAAZ,EAAm
B,SAAnB,CAA5C,C;;MAG5D,qC;MACA,OAAO,I;K;2CAGX,iB;MACI,qB;MACA,0BAAW,KAAX,C;MACA,q
C;MACA,OAAW,UAAS,sBAAb,GACG,oBAAY,MADf,GAGG,oBAAY,QAAO,KAAP,EAAc,CAAd,CAAlB,CA
AmC,CAAnC,C;K;uCAGR,mB;MAEkB,Q;MADd,qB;MACc,2B;MAAd,mD;QACI,IAAI,4BAAM,KAAN,GAAg
B,OAAhB,CAAJ,C;UACU,oBAAY,QAAO,KAAP,EAAc,CAAd,C;UAClB,qC;UACA,OAAO,I;;;MAGf,OAAO,K;
K;8CAGX,8B;MACI,qB;MACA,qC;MACM,oBAAY,QAAO,SAAP,EAAkB,UAAU,SAAV,IAAlB,C;K;gCAGtB,
Y;MACI,qB;MACA,uB9BhHuC,E;M8BiHvC,qC;K;wCAIJ,mB;MAA+C,OAAM,QAAN,oBAAM,EAAQ,OAAR,C
;K;4CAErD,mB;MAAmD,OAAM,YAAN,oBAAM,EAAY,OAAZ,C;K;mCAEzD,Y;MAA0B,uBAAc,oBAAd,C;
K;0CAE1B,iB;MAGe,UAGL,MAHK,EAMO,M;MAPlB,IAAI,KAAM,OAAN,GAAa,SAAjB,C;QACI,OAAO,2D;;
MAGc,gBAAxB,eAAK,SAAL,IAAK,gBAAL,yB;MxEuwBL,UAAU,SAAV,EwEvwBsC,KxEuwBtC,EAD+F,CA
C/F,EADoH,CACpH,EADuI,gBACvI,C;MwErwBI,IAAI,KAAM,OAAN,GAAa,SAAjB,C;QACI,MAAM,SAAN,IA
Ac,6E;;MAGlB,OAAO,K;K;kCAGX,Y;MACI,OAAO,EAAS,MAAM,MAAK,oBAAL,C;K;yCAI1B,Y;MACI,IA
AI,yBAAJ,C;QAAgB,MAAM,oC;K;+CAG1B,iB;MACI,oCAAa,kCAAyB,SAAzB,C;MADoB,Y;K;wDAIrC,iB;M
ACI,oCAAa,mCAA0B,SAA1B,C;MAD6B,Y;K;;IAlJ9C,+B;MAAA,mD;MAG8B,sB9BRa,E8BQb,C;MAH9B,Y;K
;IAKA,kD;MAAA,mD;MAIkD,sB9BdP,E8BcO,C;MAJlD,Y;K;IAMA,2C;MAAA,mD;MAGqD,sBlENa,YkEMR,
QlENQ,CkEMb,C;MAHrD,Y;K;ICrBJ,0C;MACI,IAAI,6BAAJ,C;QACU,KAAY,MAAK,UAAL,C;;QAElB,UAAU
,KAAV,EAAwC,CAAxC,EAAiD,cAAN,KAAM,CAAjD,EAA4D,eAAX,UAAW,CAA5D,C;;K;IAMiB,kD;MAAA
,uB;QAAgB,OAAA,kBAAW,SAAX,CAAqB,OAArB,CAA6B,SAA7B,C;MAAwC,4BAAM,KAAN,C;K;IAFpF,pD,4C;MACI,IAAI,6BAAJ,C;QACU,KAAY,MAAK,UAAL,C;;QAElB,UAAU

,kD;QAAA,iC;;MAAA,2C;K;;;MC0BA,iC;MAKA,8B;MA6CA,0BAAmE,I;;IAzEnE,kC;MAAA,oB;MAA+B,8C;K;2CAE3B,mB;MAAyD,MAAM,qCAA8B,iCAA9B,C;K;uCAC/D,Y;MACI,WAAa,Q;K;uDAGjB,mB;MAAgE,OAAA,WAAa,uBAAc,OAAd,C;K;0CAE7E,Y;MAAwE,OAAA,iCAAY,W;K;qDAEpF,mB;MACI,IAAI,iBAAS,OAAT,CAAJ,C;QACI,WAAa,cAAO,OAAQ,IAAf,C;QACb,OAAO,I;;MAEX,OAAO,K;K;wFAGY,Y;MAAQ,OAAA,WAAa,K;K;;8BA6ChD,Y;MACI,0BAAY,Q;K;0CAIhB,e;MAAmD,OAAA,0BAAY,gBAAS,GAAT,C;K;4CAE/D,iB;MAAmE,gBAAZ,Z,0B;MAAY,c;;QvE+mDnD,Q;QADhB,IAAI,wCAAsB,mBAA1B,B,C;UAAqC,aAAO,K;UAAP,e;;QACrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IuE/mDmD,uBAAS,gBvE+mD9C,OuE/mDwD,MAAV,QvE+mD5D,C;YAAwB,aAAO,I;YAAP,e;;;QAC9C,aAAO,K;;;MuEhnDgD,iB;K;kFAInD,Y;MACI,IAAI,+BAAJ,C;QACI,0BAAY,qB;;MAEf,OAAO,sC;K;uCAGf,Y;MAAgF,iC;K;kCAEhF,e;MAA+C,OAAA,0BAAY,WAAI,GAAJ,C;K;oCAE3D,sB;MAAgD,OAAA,0BAAY,aAAI,GAAJ,EAAS,KAAT,C;K;qCAE7D,e;MAAyC,OAAA,0BAAY,cAAO,GAAP,C;K;+CAExD,e;MAAmD,OAAA,0BAAY,K;K;;IA5DlD,0C;MAAA,iD;MAAuD,8B;MAAvC3D,mB;MAAwCQ,8BAAmB,W;MAAnBC,2BAAmB,S;MAAnBC,iCAAmB,Y;K;IAAnB,+B

MAGf,IAAI,yDAAa,SAAK,OAAtB,C;QACI,oBAAe,2CAAW,UAAK,aAAL,CAAX,C;QACf,eAAU,iC;QACV,iBAAY,C;QACZ,OAAO,C;;QAEP,oBAAe,I;QACf,OAAO,C;;K;mEAIf,Y;MACI,IAAI,eAAS,EAAb,C;QACI,aAAQ,oB;MACZ,OAAO,eAAS,C;K;gEAGpB,Y;MAEoB,Q;MADhB,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACN,IAAI,YAAJ,C;QACZ,yBAAqD,cAArD,C;;QAEa,OAAb,iB;;MAHJ,oB;MAKA,iBAAiB,S;MACjB,aAAQ,E;MACR,OAAO,S;K;kEAGX,Y;M/E/CR,I+EgDyB,c/EhDrB,QAAJ,C;QACI,cAhBYB,0B;QAiBzB,MAAM,6BAAsB,C;QAAgB,MAAM,6BAAsB,O;AAAQ,WAA9B,C;;M+E+CrC,E/E/CqC,2D;K;4DAyDJ,oB;MACI,mBAAmB,kBAAW,QAAX,C;MACnB,OAAW,iBAAiB,SAArB,C;QAAgC,MAAM,6BAAsB,C;QAAgB,MAAM,6BAAsB,O;AAAQ,WAA9B,C;;M7E1DlH,E6E0DkH,2D;K;;;;wCCtKrD,Y;MACI,aAAR,MAAQ,OAAR,eAAQ,CAAR,kBAAQ,IAAR,C;QAAQ,MAAM,6BAAsB,C;QAAgB,MAAM,6BAAsB,O;AAAQ,WAA9B,C;;MAAR,E;MAAQ,E;MAAR,E;MAAQ,E;MAAR,E;MAAQ,E

QAAS,C;QACT,OAAO,I;;QAEP,OAAO,GAAI,gBAAS,KAAT,C;;K;2CAInB,e;MACI,qB;MAEA,YAAY,kBAAI,cAAO,GAAP,C;MAChB,IAAI,SAAS,IAAb,C;QACU,sBAAN,KAAM,C;QACN,OAAO,KAAM,M;;MAEjB,OAAO,I;K;qFAGmB,Y;MAAQ,OAAA,kBAAI,K;K;6CAE1C,Y;MACI,IAAI,yBAAJ,C;QAAgB,MAAM,oC;K;;IAnG1B,mC;MAAA,uD;MAGuB,qB;MA9J3B,yB;MA+JQ,sBAAM,gB;MAJV,Y;K;IAOA,iD;MAAA,uD;MAAoD,qB;MAlKxD,yB;MAoKc,Q;MAAN,sBAAM,+D;MAFV,Y;K;IAKA,kE;MAAA,uD;MAQ8D,eAAM,eAAN,EAAuB,UAAvB,C;QAAuB,Q;MA/K/B,KlE,yB;MAgLQ,sBAAM,gB;MAJV,Y;K;IAYA,sD;MAAA,uD;MAA2C,qBAAK,eAAL,EAAsB,GAAtB,C;QAAsB,Q;MAAjE,C;QAAiE,Q;MAAjE,C;QAAiE,Q;MAAjE,C;QAAiE

U;QACI,mBAAK,UAAL,G;;QACJ,I/CzBqC,MAAa,Y+CyBvC,C/CzBuC,C+CyBlD,C;UAC6B,8BAAzB,CAAyB,C;;UAGN,UAAlB,uDAAkB,Y;;MAP3B,a;K;IC9BJ,2B;MAEI,MAAM,yBAAqB,OAArB,C;K;IAGV,sB;MAEI,MAAM,uBAAmB,cAAnB,C;K;IAGV,2B;MAEI,MAAM,6BAAsB,OAAtB,C;K;IAGV,iC;MAEI,MAAM,4CAAqC,uBAAqB,YAArB,8BAArC,C;K;IClBV,8B;MC8CW,kB1GqBiD,oB;M0GM9C,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;QACV,kBAAkB,sBAAY,GAAZ,C;QAkFiD,U;QAjFnE,W1GuKJ,a0GvKgB,G1GuKhB,EyG1OoB,CCmEkC,uBAAuB,CAAC,WAAY,mBAAY,GAAZ,CAiFhD,GDpJrC,CCoJqC,GAA6B,UAjFjC,WAiFiC,6BAAD,UAAC,IAAD,EAAC,gD;MAAA,OAAC,CAAD,EAAC,IAAD,EAAC,IAAD,EAAC,I

QAF0C,OAE3B,CAAC,wCAAO,U;;QACR,WAAc,UAAL,SAAK,CAAL,yBAAuB,YAAO,CAAX,GAAc,EAAd,GAAsB,CAAzC,E;QAHkB,OjD1b2B,MAAa,gBAAe,IAAf,C;;K;IiDictF,oC;MAUI,IAAK,QAAL,SAAK,CAAL,IAAmB,QAAH,EAAG,CAAnB,C;QADuD,OACzB,wCAAO,I;WACrC,WAAM,SAAN,C;QAFuD,OAEzC,E;WACd,SAAK,C;QAHuD,OAGrC,C;;QAHqC,OAI1B,SAAK,SAAK,C;K;IAIjC,+B;MAYI,uB;QAAW,MAAM,gCAAyB,yBAAzB,C;WACjB,gBAAO,UAAP,C;QAFyB,OAEP,C;WAClB,gBAAO,WAAP,C;QAHyB,OAGP,C;WAClB,gBAAO,UAAP,C;QAJyB,OAIP,C;WAClB,gBAAO,UAAP,C;QALyB,OAKP,C;WAClB,gBAAO,UAAP,C;QANyB,OAMP,C;WAClB,gBAAO,UAAP,C;QAPyB,OAOP,C;WAClB,gBAAO,UAAP,C;QARyB,OAQP,C;WAClB,gBAAO,UAAP,C;QATyB,OASP,C;WAClB,gBAAO,UAAP,C;QAVyB,OAUP,C;WAClB,gBAAO,UAAP,C;QAXyB,OAWP,C;WAClB,gBAAO,UAAP,C;QAZyB,OAYP,C;WAClB,gBAAO,UAAP,C;QAbyB,OAaP,C;WAClB,gBAAO,UAAP,C;QAdyB,OAcP,C;WAClB,gBAAO,UAAP,C;QAfyB,OAeP,C;WAClB,gBAAO,UAAP,C;QAhByB,OAgBP,C;WAClB,gBAAO,UAAP,C;QAjByB,OAiBP,C;WAClB,gBAAO,UAAP,C;QAlByB,OAkBP,C;WAClB,gBAAO,UAAP,C;QAnByB,OAmBP,C;WAClB,gBAAO,UAAP,C;QApByB,OAoBP,C;WAClB,gBAAO,UAAP,C;QArByB,OAqBP,C;WAClB,gBAAO,UAAP,C;QAtByB,OAsBP,C;WAClB,gBAAO,UAAP,C;QAvByB,OAuBP,C;WAClB,gBAAO,UAAP,C;QAxByB,OAwBP,C;WAClB,gBAAO,UAAP,C;QAzByB,OAyBP,C;WAClB,gBAAO,UAAP,C;QA1ByB,OA0BP,C;WAClB,gBAAO,UAAP,C;QA3ByB,OA2BP,C;WAClB,gBAAO,UAAP,C;QA5ByB,OA4BP,C;WAClB,gBAAO,UAAP,C;QA7ByB,OA6BP,C;WAClB,gBAAO,UAAP,C;QA9ByB,OA8BP,C;WAClB,gBAAO,UAAP,C;QA/ByB,OA+BP,C;WAClB,gBAAO,UAAP,C;QAhCyB,OAgCP,C;WAClB,gBAAO,UAAP,C;QAjCyB,OAiCP,C;WAClB,gBAAO,UAAP,C;QAlCyB,OAkCP,C;WAClB,gBAAO,UAAP,C;QAnCyB,OAmCP,C;WAClB,gBAAO,UAAP,C;QApCyB,OAoCP,C;WAClB,gBAAO,UAAP,C;QArCyB,OAqCP,C;WAClB,gBAAO,UAAP,C;QAtCyB,OAsCP,C;WAClB,gBAAO,UAAP,C;QAvCyB,OAuCP,C;WAClB,gBAAO,UAAP,C;QAxCyB,OAwCP,C;WAClB,gBAAO,UAAP,C;QAzCyB,OAyCP,C;WAClB,gBAAO,UAAP,C;QA1CyB,OA0CP,C;WAClB,gBAAO,UAAP,C;QA3CyB,OA2CP,C;WAClB,gBAAO,UAAP,C;QA5CyB,OA4CP,C;WAClB,gBAAO,UAAP,C;QA7CyB,OA6CP,C;WAClB,gBAAO,UAAP,C;QA9CyB,OA8CP,C;WAClB,gBAAO,UAAP,C;QA/CyB,OA+CP,C;WAClB,gBAAO,UAAP,C;QAhDyB,OAgDP,C;WAClB,gBAAO,UAAP,C;QAjDyB,OAiDP,C;WAClB,gBAAO,UAAP,C;QAlDyB,OAkDP,C;WAClB,gBAAO,UAAP,C;QAnDyB,OAmDP,C;WAClB,gBAAO,UAAP,C;QApDyB,OAoDP,C;WAClB,gBAAO,UAAP,C;QArDyB,OAqDP,C;WAClB,gBAAO,UAAP,C;QAtDyB,OAsDP,C;WAClB,gBAAO,UAAP,C;QAvDyB,OAuDP,C;WAClB,gBAAO,UAAP,C;QAxDyB,OAwDP,C;WAClB,gBAAO,UAAP,C;QAzDyB,OAyDP,C;WAClB,gBAAO,UAAP,C;QA1DyB,OA0DP,C;WAClB,gBAAO,UAAP,C;QA3DyB,OA2DP,C;WAClB,gBAAO,UAAP,C;QA5DyB,OA4DP,C;WAClB,gBAAO,UAAP,C;QA7DyB,OA6DP,C;WAClB,gBAAO,UAAP,C;QA9DyB,OA8DP,C;WAClB,gBAAO,UAAP,C;QA/DyB,OA+DP,C;WAClB,gBAAO,UAAP,C;QAhEyB,OAgEP,C;WAClB,gBAAO,UAAP,C;QAjEyB,OAiEP,C;WAClB,gBAAO,UAAP,C;QAlEyB,OAkEP,C;WAClB,gBAAO,UAAP,C;QAnEyB,OAmEP,C;WAClB,gBAAO,UAAP,C;QApEyB,OAoEP,C;WAClB,gBAAO,UAAP,C;QArEyB,OAqEP,C;WAClB,gBAAO,UAAP,C;QAtEyB,OAsEP,C;WAClB,gBAAO,UAAP,C;QAvEyB,OAuEP,C;WAClB,gBAAO,UAAP,C;QAxEyB,OAwEP,C;WAClB,gBAAO,UAAP,C;QAzEyB,OAyEP,C;WAClB,gBAAO,UAAP,C;QA1EyB,OA0EP,C;WAClB,gBAAO,UAAP,C;QA3EyB,OA2EP,C;WAClB,gBAAO,UAAP,C;QA5EyB,OA4EP,C;WAClB,gBAAO,UAAP,C;QA7EyB,OA6EP,C;WAClB,gBAAO,UAAP,C;QA9EyB,OA8EP,C;WAClB,gBAAO,UAAP,C;QA/EyB,OA+EP,C;WAClB,gBAAO,UAAP,C;QAhFyB,OAgFP,C;WAClB,gBAAO,UAAP,C;QAjFyB,OAiFP,C;WAClB,gBAAO,UAAP,C;QAlFyB,OAkFP,C;WAClB,gBAAO,UAAP,C;QAnFyB,OAmFP,C;WAClB,gBAAO,UAAP,C;QApFyB,OAoFP,C;WAClB,gBAAO,UAAP,C;QArFyB,OAqFP,C;WAClB,gBAAO,UAAP,C;QAtFyB,OAsFP,C;WAClB,gBAAO,UAAP,C;QAvFyB,OAuFP,C;WAClB,gBAAO,UAAP,C;QAxFyB,OAwFP,C;WAClB,gBAAO,UAAP,C;QAzFyB,OAyFP,C;WAClB,gBAAO,UAAP,C;QA1FyB,OA0FP,C;WAClB,gBAAO,UAAP,C;QA3FyB,OA2FP,C;WAClB,gBAAO,UAAP,C;QA5FyB,OA4FP,C;WAClB,gBAAO,UAAP,C;QA7FyB,OA6FP,C;WAClB,gBAAO,UAAP,C;QA9FyB,OA8FP,C;WAClB,gBAAO,UAAP,C;QA/FyB,OA+FP,C;WAClB,gBAAO,UAAP,C;QAhGyB,OAgGP,C;WAClB,gBAAO,UAAP,C;QAjGyB,OAiGP,C;WAClB,gBAAO,UAAP,C;QAlGyB,OAkGP,C;WAClB,gBAAO,UAAP,C;QAnGyB,OAmGP,C;WAClB,gBAAO,UAAP,C;QApGyB,OAoGP,C;WAClB,gBAAO,UAAP,C;QArGyB,OAqGP,C;WAClB,gBAAO,UAAP,C;QAtGyB,OAsGP,C;WAClB,gBAAO,UAAP,C;QAvGyB,OAuGP,C;WAClB,gBAAO,UAAP,C;QAxGyB,OAwGP,C;WAClB,gBAAO,UAAP,C;QAzGyB,OAyGP,C;WAClB,gBAAO,UAAP,C;QA1GyB,OA0GP,C;WAClB,gBAAO,UAAP,C;QA3GyB,OA2GP,C;WAClB,gBAAO,UAAP,C;QA5GyB,OA4GP,C;WAClB,gBAAO,UAAP,C;QA7GyB,OA6GP,C;WAClB,gBAAO,UAAP,C;QA9GyB,OA8GP,C;WAClB,gBAAO,UAAP,C;QA/GyB,OA+GP,C;WAClB,gBAAO,UAAP,C;QAhHyB,OAgHP,C;WAClB,gBAAO,UAAP,C;QAjHyB,OAiHP,C;WAClB,gBAAO,UAAP,C;QAlHyB,OAkHP,C;WAClB,gBAAO,UAAP,C;QAnHyB,OAmHP,C;WAClB,gBAAO,UAAP,C;QApHyB,OAoHP,C;WAClB,gBAAO,UAAP,C;QArHyB,OAqHP,C;WAClB,gBAAO,UAAP,C;QAtHyB,OAsHP,C;WAClB,gBAAO,UAAP,C;QAvHyB,OAuHP,C;WAClB,gBAAO,UAAP,C;QAxHyB,OAwHP,C;WAClB,gBAAO,UAAP,C;QAzHyB,OAyHP,C;WAClB,gBAAO,UAAP,C;QA1HyB,OA0HP,C;WAClB,gBAAO,UAAP,C;QA3HyB,OA2HP,C;WAClB,gBAAO,UAAP,C;QA5HyB,OA4HP,C;WAClB,gBAAO,UAAP,C;QA7HyB,OA6HP,C;WAClB,gBAAO,UAAP,C;QA9HyB,OA8HP,C;WAClB,gBAAO,UAAP,C;QA/HyB,OA+HP,C;WAClB,gBAAO,UAAP,C;QAhIyB,OAgIP,C;WAClB,gBAAO,UAAP,C;QAjIyB,OAiIP,C;WAClB,gBAAO,UAAP,C;QAlIyB,OAkIP,C;WAClB,gBAAO,UAAP,C;QAnIyB,OAmIP,C;WAClB,gBAAO,UAAP,C;QApIyB,OAoIP,C;WAClB,gBAAO,UAAP,C;QArIyB,OAqIP,C;WAClB,gBAAO,UAAP,C;QAtIyB,OAsIP,C;WAClB,gBAAO,UAAP,C;QAvIyB,OAuIP,C;WAClB,gBAAO,UAAP,C;QAxIyB,OAwIP,C;WAClB,gBAAO,UAAP,C;QAzIyB,OAyIP,C;WAClB,gBAAO,UAAP,C;QA1IyB,OA0IP,C;WAClB,gBAAO,UAAP,C;QA3IyB,OA2IP,C;WAClB,gBAAO,UAAP,C;QA5IyB,OA4IP,C;WAClB,gBAAO,UAAP,C;QA7IyB,OA6IP,C;WAClB,gBAAO,UAAP,C;QA9IyB,OA8IP,C;WAClB,gBAAO,UAAP,C;QA/IyB,OA+IP,C;WAClB,gBAAO,UAAP,C;QAhJyB,OAgJP,C;WAClB,gBAAO,UAAP,C;QAjJyB,OAiJP,C;WAClB,gBAAO,UAAP,C;QAlJyB,OAkJP,C;WAClB,gBAAO,UAAP,C;QAnJyB,OAmJP,C;WAClB,gBAAO,UAAP,C;QApJyB,OAoJP,C;WAClB,gBAAO,UAAP,C;QArJyB,OAqJP,C;WAClB,gBAAO,UAAP,C;QAtJyB,OAsJP,C;WAClB,gBAAO,UAAP,C;QAvJyB,OAuJP,C;WAClB,gBAAO,UAAP,C;QAxJyB,OAwJP,C;WAClB,gBAAO,UAAP,C;QAzJyB,OAyJP,C;WAClB,gBAAO,UAAP,C;QA1JyB,OA0JP,C;WAClB,gBAAO,UAAP,C;QA3JyB,OA2JP,C;WAClB,gBAAO,UAAP,C;QA5JyB,OA4JP,C;WAClB,gBAAO,UAAP,C;QA7JyB,OA6JP,C;WAClB,gBAAO,UAAP,C;QA9JyB,OA8JP,C;WAClB,gBAAO,UAAP,C;QA/JyB,OA+JP,C;WAClB,gBAAO,UAAP,C;QAhKyB,OAgKP,C;WAClB,gBAAO,UAAP,C;QAjKyB,OAiKP,C;WAClB,gBAAO,UAAP,C;QAlKyB,OAkKP,C;WAClB,gBAAO,UAAP,C;QAnKyB,OAmKP,C;WAClB,gBAAO,UAAP,C;QApKyB,OAoKP,C;WAClB,gBAAO,UAAP,C;QArKyB,OAqKP,C;WAClB,gBAAO,UAAP,C;QAtKyB,OAsKP,C;WAClB,gBAAO,UAAP,C;QAvKyB,OAuKP,C;WAClB,gBAAO,UAAP,C;QAxKyB,OAwKP,C;WAClB,gBAAO,UAAP,C;QAzKyB,OAyKP,C;WAClB,gBAAO,UAAP,C;QA1KyB,OA0KP,C;WAClB,gBAAO,UAAP,C;QA3KyB,OA2KP,C;WAClB,gBAAO,UAAP,C;QA5KyB,OA4KP,C;WAClB,gBAAO,UAAP,C;QA7KyB,OA6KP,C;WAClB,gBAAO,UAAP,C;QA9KyB,OA8KP,C;WAClB,gBAAO,UAAP,C;QA/KyB,OA+KP,C;WAClB,gBAAO,UAAP,C;QAhLyB,OAgLP,C;WAClB,gBAAO,UAAP,C;QAjLyB,OAiLP,C;WAClB,gBAAO,UAAP,C;QAlLyB,OAkLP,C;WAClB,gBAAO,UAAP,C;QAnLyB,OAmLP,C;WAClB,gBAAO,UAAP,C;QApLyB,OAoLP,C;WAClB,gBAAO,UAAP,C;QArLyB,OAqLP,C;WAClB,gBAAO,UAAP,C;QAtLyB,OAsLP,C;WAClB,gBAAO,UAAP,C;QAvLyB,OAuLP,C;WAClB,gBAAO,UAAP,C;QAxLyB,OAwLP,C;WAClB,gBAAO,UAAP,C;QAzLyB,OAyLP,C;WAClB,gBAAO,UAAP,C;QA1LyB,OA0LP,C;WAClB,gBAAO,UAAP,C;QA3LyB,OA2LP,C;WAClB,gBAAO,UAAP,C;QA5LyB,OA4LP,C;WAClB,gBAAO,UAAP,C;QA7LyB,OA6LP,C;WAClB,gBAAO,UAAP,C;QA9LyB,OA8LP,C;WAClB,gBAAO,UAAP,C;QA/LyB,OA+LP,C;WAClB,gBAAO,UAAP,C;QAhMyB,OAgMP,C;WAClB,gBAAO,UAAP,C;QAjMyB,OAiMP,C;WAClB,gBAAO,UAAP,C;QAlMyB,OAkMP,C;WAClB,gBAAO,UAAP,C;QAnMyB,OAmMP,C;WAClB,gBAAO,UAAP,C;QApMyB,OAoMP,C;WAClB,gBAAO,UAAP,C;QArMyB,OAqMP,C;WAClB,gBAAO,UAAP,C;QAtMyB,OAsMP,C;WAClB,gBAAO,UAAP,C;QAvMyB,OAuMP,C;WAClB,gBAAO,UAAP,C;QAxMyB,OAwMP,C;WAClB,gBAAO,UAAP,C;QAzMyB,OAyMP,C;WAClB,gBAAO,UAAP,C;QA1MyB,OA0MP,C;WAClB,gBAAO,UAAP,C;QA3MyB,OA2MP,C;WAClB,gBAAO,UAAP,C;QA5MyB,OA4MP,C;WAClB,gBAAO,UAAP,C;QA7MyB,OA6MP,C;WAClB,gBAAO,UAAP,C;QA9MyB,OA8MP,C;WAClB,gBAAO,UAAP,C;QA/MyB,OA+MP,C;WAClB,gBAAO,UAAP,C;QAhNyB,OAgNP,C;WAClB,gBAAO,UAAP,C;QAjNyB,OAiNP,C;WAClB,gBAAO,UAAP,C;QAlNyB,OAkNP,C;WAClB,gBAAO,UAAP,C;QAnNyB,OAmNP,C;WAClB,gBAAO,UAAP,C;QApNyB,OAoNP,C;WAClB,gBAAO,UAAP,C;QArNyB,OAqNP,C;WAClB,gBAAO,UAAP,C;QAtNyB,OAsNP,C;WAClB,gBAAO,UAAP,C;QAvNyB,OAuNP,C;WAClB,gBAAO,UAAP,C;QAxNyB,OAwNP,C;WAClB,gBAAO,UAAP,C;QAzNyB,OAyNP,C;WAClB,gBAAO,UAAP,C;QA1NyB,OA0NP,C;WAClB,gBAAO,UAAP,C;QA3NyB,OA2NP,C;WAClB,gBAAO,UAAP,C;QA5NyB,OA4NP,C;WAClB,gBAAO,UAAP,C;QA7NyB,OA6NP,C;WAClB,gBAAO,UAAP,C;QA9NyB,OA8NP,C;WAClB,gBAAO,UAAP,C;QA/NyB,OA+NP,C;WAClB,gBAAO,UAAP,C;QAhOyB,OAgOP,C;WAClB,gBAAO,UAAP,C;QAjOyB,OAiOP,C;WAClB,gBAAO,UAAP,C;QAlOyB,OAkOP,C;WAClB,gBAAO,UAAP,C;QAnOyB,OAmOP,C;WAClB,gBAAO,UAAP,C;QApOyB,OAoOP,C;WAClB,gBAAO,UAAP,C;QArOyB,OAqOP,C;WAClB,gBAAO,UAAP,C;QAtOyB,OAsOP,C;WAClB,gBAAO,UAAP,C;QAvOyB,OAuOP,C;WAClB,gBAAO,UAAP,C;QAxOyB,OAwOP,C;WAClB,gBAAO,UAAP,C;QAzOyB,OAyOP,C;WAClB,gBAAO,UAAP,C;QA1OyB,OA0OP,C;WAClB,gBAAO,UAAP,C;QA3OyB,OA2OP,C;WAClB,gBAAO,UAAP,C;QA5OyB,OA4OP,C;WAClB,gBAAO,UAAP,C;QA7OyB,OA6OP,C;WAClB,gBAAO,UAAP,C;QA9OyB,OA8OP,C;WAClB,gBAAO,UAAP,C;QA/OyB,OA+OP,C;WAClB,gBAAO,UAAP,C;QAhPyB,OAgPP,C;WAClB,gBAAO,UAAP,C;QAjPyB,OAiPP,C;WAClB,gBAAO,UAAP,C;QAlPyB,OAkPP,C;WAClB,gBAAO,UAAP,C;QAnPyB,OAmPP,C;WAClB,gBAAO,UAAP,C;QApPyB,OAoPP,C;WAClB,gBAAO,UAAP,C;QArPyB,OAqPP,C;WAClB,gBAAO,UAAP,C;QAtPyB,OAsPP,C;WAClB,gBAAO,UAAP,C;QAvPyB,OAuPP,C;WAClB,gBAAO,UAAP,C;QAxPyB,OAwPP,C;WAClB,gBAAO,UAAP,C;QAzPyB,OAyPP,C;WAClB,gBAAO,UAAP,C;QA1PyB,OA0PP,C;WAClB,gBAAO,UAAP,C;QA3PyB,OA2PP,C;WAClB,gBAAO,UAAP,C;QA5PyB,OA4PP,C;WAClB,gBAAO,UAAP,C;QA7PyB,OA6PP,C;WAClB,gBAAO,UAAP,C;QA9PyB,OA8PP,C;WAClB,gBAAO,UAAP,C;QA/PyB,OA+PP,C;WAClB,gBAAO,UAAP,C;QAhQyB,OAgQP,C;WAClB,gBAAO,UAAP,C;QAjQyB,OAiQP,C;WAClB,gBAAO,UAAP,C;QAlQyB,OAkQP,C;WAClB,gBAAO,UAAP,C;QAnQyB,OAmQP,C;WAClB,gBAAO,UAAP,C;QApQyB,OAoQP,C;WAClB,gBAAO,UAAP,C;QArQyB,OAqQP,C;WAClB,gBAAO,UAAP,C;QAtQyB,OAsQP,C;WAClB,gBAAO,UAAP,C;QAvQyB,OAuQP,C;WAClB,gBAAO,UAAP,C;QAxQyB,OAwQP,C;WAClB,gBAAO,UAAP,C;QAzQyB,OAyQP,C;WAClB,gBAAO,UAAP,C;QA1QyB,OA0QP,C;WAClB,gBAAO,UAAP,C;QA3QyB,OA2QP,C;WAClB,gBAAO,UAAP,C;QA5QyB,OA4QP,C;WAClB,gBAAO,UAAP,C;QA7QyB,OA6QP,C;WAClB,gBAAO,UAAP,C;QA9QyB,OA8QP,C;WAClB,gBAAO,UAAP,C;QA/QyB,OA+QP,C;WAClB,gBAAO,UAAP,C;QAhRyB,OAgRP,C;WAClB,gBAAO,UAAP,C;QAjRyB,OAiRP,C;WAClB,gBAAO,UAAP,C;QAlRyB,OAkRP,C;WAClB,gBAAO,UAAP,C;QAnRyB,OAmRP,C;WAClB,gBAAO,UAAP,C;QApRyB,OAoRP,C;WAClB,gBAAO,UAAP,C;QArRyB,OAqRP,C;WAClB,gBAAO,UAAP,C;QAtRyB,OAsRP,C;WAClB,gBAAO,UAAP,C;QAvRyB,OAuRP,C;WAClB,gBAAO,UAAP,C;QAxRyB,OAwRP,C;WAClB,gBAAO,UAAP,C;QAzRyB,OAyRP,C;WAClB,gBAAO,UAAP,C;QA1RyB,OA0RP,C;WAClB,gBAAO,UAAP,C;QA3RyB,OA2RP,C;WAClB,gBAAO,UAAP,C;QA5RyB,OA4RP,C;WAClB,gBAAO,UAAP,C;QA7RyB,OA6RP,C;WAClB,gBAAO,UAAP,C;QA9RyB,OA8RP,C;WAClB,gBAAO,UAAP,C;QA/RyB,OA+RP,C;WAClB,gBAAO,UAAP,C;QAhSyB,OAgSP,C;WAClB,gBAAO,UAAP,C;QAjSyB,OAiSP,C;WAClB,gBAAO,UAAP,C;QAlSyB,OAkSP,C;WAClB,gBAAO,UAAP,C;QAnSyB,OAmSP,C;WAClB,gBAAO,UAAP,C;QApSyB,OAoSP,C;WAClB,gBAAO,UAAP,C;QArSyB,OAqSP,C;WAClB,gBAAO,UAAP,C;QAtSyB,OAsSP,C;WAClB,gBAAO,UAAP,C;QAvSyB,OAuSP,C;WAClB,gBAAO,UAAP,C;QAxSyB,OAwSP,C;WAClB,gBAAO,UAAP,C;QAzSyB,OAySP,C;WAClB,gBAAO,UAAP,C;QA1SyB,OA0SP,C;WAClB,gBAAO,UAAP,C;QA3SyB,OA2SP,C;WAClB,gBAAO,UAAP,C;QA5SyB,OA4SP,C;WAClB,gBAAO,UAAP,C;QA7SyB,OA6SP,C;WAClB,gBAAO,UAAP,C;QA9SyB,OA8SP,C;WAClB,gBAAO,UAAP,C;QA/SyB,OA+SP,C;WAClB,gBAAO,UAAP,C;QAhTyB,OAgTP,C;WAClB,gBAAO,UAAP,C;QAjTyB,OAiTP,C;WAClB,gBAAO,UAAP,C;QAlTyB,OAkTP,C;WAClB,gBAAO,UAAP,C;QAnTyB,OAmTP,C;WAClB,gBAAO,UAAP,C;QApTyB,OAoTP,C;WAClB,gBAAO,UAAP,C;QArTyB,OAqTP,C;WAClB,gBAAO,UAAP,C;QAtTyB,OAsTP,C;WAClB,gBAAO,UAAP,C;QAvTyB,OAuTP,C;WAClB,gBAAO,UAAP,C;QAxTyB,OAwTP,C;WAClB,gBAAO,UAAP,C;QAzTyB,OAyTP,C;WAClB,gBAAO,UAAP,C;QA1TyB,OA0TP,C;WAClB,gBAAO,UAAP,C;QA3TyB,OA2TP,C;WAClB,gBAAO,UAAP,C;QA5TyB,OA4TP,C;WAClB,gBAAO,UAAP,C;QA7TyB,OA6TP,C;WAClB,gBAAO,UAAP,C;QA9TyB,OA8TP,C;WAClB,gBAAO,UAAP,C;QA/TyB,OA+TP,C;WAClB,gBAAO,UAAP,C;QAhUyB,OAgUP,C;WAClB,gBAAO,UAAP,C;QAjUyB,OAiUP,C;WAClB,gBAAO,UAAP,C;QAlUyB,OAkUP,C;WAClB,gBAAO,UAAP,C;QAnUyB,OAmUP,C;WAClB,gBAAO,UAAP,C;QApUyB,OAoUP,C;WAClB,gBAAO,UAAP,C;QArUyB,OAqUP,C;WAClB,gBAAO,UAAP,C;QAtUyB,OAsUP,C;WAClB,gBAAO,UAAP,C;QAvUyB,OAuUP,C;WAClB,gBAAO,UAAP,C;QAxUyB,OAwUP,C;WAClB,gBAAO,UAAP,C;QAzUyB,OAyUP,C;WAClB,gBAAO,UAAP,C;QA1UyB,OA0UP,C;WAClB,gBAAO,UAAP,C;QA3UyB,OA2UP,C;WAClB,gBAAO,UAAP,C;QA5UyB,OA4UP,C;WAClB,gBAAO,UAAP,C;QA7UyB,OA6UP,C;WAClB,gBAAO,UAAP,C;QA9UyB,OA8UP,C;WAClB,gBAAO,UAAP,C;QA/UyB,OA+UP,C;WAClB,gBAAO,UAAP,C;QAhVyB,OAgVP,C;WAClB,gBAAO,UAAP,C;QAjVyB,OAiVP,C;WAClB,gBAAO,UAAP,C;QAlVyB,OAkVP,C;WAClB,gBAAO,UAAP,C;QAnVyB,OAmVP,C;WAClB,gBAAO,UAAP,C;QApVyB,OAoVP,C;WAClB,gBAAO,UAAP,C;QArVyB,OAqVP,C;WAClB,gBAAO,UAAP,C;QAtVyB,OAsVP,C;WAClB,gBAAO,UAAP,C;QAvVyB,OAuVP,C;WAClB,gBAAO,UAAP,C;QAxVyB,OAwVP,C;WAClB,gBAAO,UAAP,C;QAzVyB,OAyVP,C;WAClB,gBAAO,UAAP,C;QA1VyB,OA0VP,C;WAClB,gBAAO,UAAP,C;QA3VyB,OA2VP,C;WAClB,gBAAO,UAAP,C;QA5VyB,OA4VP,C;WAClB,gBAAO,UAAP,C;QA7VyB,OA6VP,C;WAClB,gBAAO,UAAP,C;QA9VyB,OA8VP,C;WAClB,gBAAO,UAAP,C;QA/VyB,OA+VP,C;WAClB,gBAAO,UAAP,C;QAhWyB,OAgWP,C;WAClB,gBAAO,UAAP,C;QAjWyB,OAiWP,C;WAClB,gBAAO,UAAP,C;QAlWyB,OAkWP,C;WAClB,gBAAO,UAAP,C;QAnWyB,OAmWP,C;WAClB,gBAAO,UAAP,C;QApWyB,OAoWP,C;WAClB,gBAAO,UAAP,C;QArWyB,OAqWP,C;WAClB,gBAAO,UAAP,C;QAtWyB,OAsWP,C;WAClB,gBAAO,UAAP,C;QAvWyB,OAuWP,C;WAClB,gBAAO,UAAP,C;QAxWyB,OAwWP,C;WAClB,gBAAO,UAAP,C;QAzWyB,OAyWP,C;WAClB,gBAAO,UAAP,C;QA1WyB,OA0WP,C;WAClB,gBAAO,UAAP,C;QA3WyB,OA2WP,C;WAClB,gBAAO,UAAP,C;QA5WyB,OA4WP,C;WAClB,gBAAO,UAAP,C;QA7WyB,OA6WP,C;WAClB,gBAAO,UAAP,C;QA9WyB,OA8WP,C;WAClB,gBAAO,UAAP,C;QA/WyB,OA+WP,C;WAClB,gBAAO,UAAP,C;QAhXyB,OAgXP,C;WAClB,gBAAO,UAAP,C;QAjXyB,OAiXP,C;WAClB,gBAAO,UAAP,C;QAlXyB,OAkXP,C;WAClB,gBAAO,UAAP,C;QAnXyB,OAmXP,C;WAClB,gBAAO,UAAP,C;QApXyB,OAoXP,C;WAClB,gBAAO,UAAP,C;QArXyB,OAqXP,C;WAClB,gBAAO,UAAP,C;QAtXyB,OAsXP,C;WAClB,gBAAO,UAAP,C;QAvXyB,OAuXP,C;WAClB,gBAAO,UAAP,C;QAxXyB,OAwXP,C;WAClB,gBAAO,UAAP,C;QAzXyB,OAyXP,C;WAClB,gBAAO,UAAP,C;QA1XyB,OA0XP,C;WAClB,gBAAO,UAAP,C;QA3XyB,OA2XP,C;WAClB,gBAAO,UAAP,C;QA5XyB,OA4XP,C;WAClB,gBAAO,UAAP,C;QA7XyB,OA6XP,C;WAClB,gBAAO,UAAP,C;QA9XyB,OA8XP,C;WAClB,gBAAO,UAAP,C;QA/XyB,OA+XP,C;WAClB,gBAAO,UAAP,C;QAhYyB,OAgYP,C;WAClB,gBAAO,UAAP,C;QAjYyB,OAiYP,C;WAClB,gBAAO,UAAP,C;QAlYyB,OAkYP,C;WAClB,gBAAO,UAAP,C;QAnYyB,OAmYP,C;WAClB,gBAAO,UAAP,C;QApYyB,OAoYP,C;WAClB,gBAAO,UAAP,C;QArYyB,OAqYP,C;WAClB,gBAAO,UAAP,C;QAtYyB,OAsYP,C;WAClB,gBAAO,UAAP,C;QAvYyB,OAuYP,C;WAClB,gBAAO,UAAP,C;QAxYyB,OAwYP,C;WAClB,gBAAO,UAAP,C;QAzYyB,OAyYP,C;WAClB,gBAAO,UAAP,C;QA1YyB,OA0YP,C;WAClB,gBAAO,UAAP,C;QA3YyB,OA2YP,C;WAClB,gBAAO,UAAP,C;QA5YyB,OA4YP,C;WAClB,gBAAO,UAAP,C;QA7YyB,OA6YP,C;WAClB,gBAAO,UAAP,C;QA9YyB,OA8YP,C;WAClB,gBAAO,UAAP,C;QA/YyB,OA+YP,C;WAClB,gBAAO,UAAP,C;QAhZyB,OAgZP,C;WAClB,gBAAO,UAAP,C;QAjZyB,OAiZP,C;WAClB,gBAAO,UAAP,C;QAlZyB,OAkZP,C;WAClB,gBAAO,UAAP,C;QAnZyB,OAmZP,C;WAClB,gBAAO,UAAP,C;QApZyB,OAoZP,C;WAClB,gBAAO,UAAP,C;QArZyB,OAqZP,C;WAClB,gBAAO,UAAP,C;QAtZyB,OAsZP,C;WAClB,gBAAO,UAAP,C;QAvZyB,OAuZP,C;WAClB,gBAAO,UAAP,C;QAxZyB,OAwZP,C;WAClB,gBAAO,UAAP,C;QAzZyB,OAyZP,C;WAClB,gBAAO,UAAP,C;QA1ZyB,OA0ZP,C;WAClB,gBAAO,UAAP,C;QA3ZyB,OA2ZP,C;WAClB,gBAAO,UAAP,C;QA5ZyB,OA4ZP,C;WAClB,gBAAO,UAAP,C;QA7ZyB,OA6ZP,C;WAClB,gBAAO,UAAP,C;QA9ZyB,OA8ZP,C;WAClB,gBAAO,UAAP,C;QA/ZyB,OA+ZP,C;WAClB,gBAAO,UAAP,C;QAhayB,OAgaP,C;WAClB,gBAAO,UAAP,C;QAjayB,OAiaP,C;WAClB,gBAAO,UAAP,C;QAlayB,OAkaP,C;WAClB,gBAAO,UAAP,C;QAnayB,OAmaP,C;WAClB,gBAAO,UAAP,C;QApayB,OAoaP,C;WAClB,gBAAO,UAAP,C;QAraP,OAqaP,C;WAClB,gBAAO,UAAP,C;QAtayB,OAsaP,C;WAClB,gBAAO,UAAP,C;QAvayB,OAuaP,C;WAClB,gBAAO,UAAP,C;QAxayB,OAwaP,C;WAClB,gBAAO,UAAP,C;QAzayB,OAyaP,C;WAClB,gBAAO,UAAP,C;QA1ayB,OA0aP,C;WAClB,gBAAO,UAAP,C;QA3ayB,OA2aP,C;WAClB,gBAAO,UAAP,C;QA5ayB,OA4aP,C;WAClB,gBAAO,UAAP,C;QA7ayB,OA6aP,C;WAClB,gBAAO,UAAP,C;QA9ayB,OA8aP,C;WAClB,gBAAO,UAAP,C;QA/ayB,OA+aP,C;WAClB,gBAAO,UAAP,C;QAhbyB,OAgbP,C;WAClB,gBAAO,UAAP,C;QAjbyB,OAibP,C;WAClB,gBAAO,UAAP,C;QAlbyB,OAkbP,C;WAClB,gBAAO,UAAP,C;QAnbyB,OAmbP,C;WAClB,gBAAO,UAAP,C;QApbyB,OAobP,C;WAClB,gBAAO,UAAP,C;QArbyB,OAqbP,C;WAClB,gBAAO,UAAP,C;QAtbyB,OAsbP,C;WAClB,gBAAO,UAAP,C;QAvbyB,OAubP,C;WAClB,gBAAO,UAAP,C;QAxbyB,OAwbP,C;WAClB,gBAAO,UAAP,C;QAzbyB,OAybP,C;WAClB,gBAAO,UAAP,C;QA1byB,OA0bP,C;WAClB,gBAAO,UAAP,C;QA3byB,OA2bP,C;WAClB,gBAAO,UAAP,C;QA5byB,OA4bP,C;WAClB,gBAAO,UAAP,C;QA7byB,OA6bP,C;WAClB,gBAAO,UAAP,C;QA9byB,OA8bP,C;WAClB,gBAAO,UAAP,C;QA/byB,OA+bP,C;WAClB,gBAAO,UAAP,C;QAhcyB,OAgcP,C;WAClB,gBAAO,UAAP,C;QAjcyB,OAicP,C;WAClB,gBAAO,UAAP,C;QAlcyB,OAkcP,C;WAClB,gBAAO,UAAP,C;QAncyB,OAmcP,C;WAClB,gBAAO,UAAP,C;QApcyB,OAocP,C;WAClB,gBAAO,UAAP,C;QArcyB,OAqcP,C;WAClB,gBAAO,UAAP,C;QAtcyB,OAscP,C;WAClB,gBAAO,UAAP,C;QAvcyB,OAucP,C;WAClB,gBAAO,UAAP,C;QAxcyB,OAwcP,C;WAClB,gBAAO,UAAP,C;QAzcyB,OAycP,C;WAClB,gBAAO,UAAP,C;QA1cyB,OA0cP,C;WAClB,gBAAO,UAAP,C;QA3cyB,OA2cP,C;WAClB,gBAAO,UAAP,C;QA5cyB,OA4cP,C;WAClB,gBAAO,UAAP,C;QA7cyB,OA6cP,C;WAClB,gBAAO,UAAP,C;QA9cyB,OA8cP,C;WAClB,gBAAO,UAAP,C;QA/cyB,OA+cP,C;WAClB,gBAAO,UAAP,C;QAhdyB,OAgdP,C;WAClB,gBAAO,UAAP,C;QAjdyB,OAidP,C;WAClB,gBAAO,UAAP,C;QAldyB,OAkdP,C;WAClB,gBAAO,UAAP,C;QAndyB,OAmdP,C;WAClB,gBAAO,UAAP,C;QApdyB,OAodP,C;WAClB,gBAAO,UAAP,C;QArdyB,OAqdP,C;WAClB,gBAAO,UAAP,C;QAtdyB,OAsdP,C;WAClB,gBAAO,UAAP,C;QAvdyB,OAudP,C;WAClB,gBAAO,UAAP,C;QAxdyB,OAwdP,C;WAClB,gBAAO,UAAP,C;QAzdyB,OAydP,C;WAClB,gBAAO,UAAP,C;QA1dyB,OA0dP,C;WAClB,gBAAO,UAAP,C;QA3dyB,OA2dP,C;WAClB,gBAAO,UAAP,C;QA5dyB,OA4dP,C;WAClB,gBAAO,UAAP,C;QA7dyB,OA6dP,C;WAClB,gBAAO,UAAP,C;QA9dyB,OA8dP,C;WAClB,gBAAO,UAAP,C;QA/dyB,OA+dP,C;WAClB,gB

MAGgD,qBAAQ,uCAAM,kBAAd,IAAmC,cAAQ,uCAAM,kB;K;IAEjG,6B;MAG+C,QAAC,qBAAD,IAAiB,CA
AC,kB;K;IAEjE,+B;MAG8C,QAAC,uBAAD,IAAiB,CAAC,kB;K;IAGhE,iC;MAOI,QAAQ,S;MACR,IAAI,CAA
C,IAAM,UAAP,KAAsB,CAAE,KAAK,CAAP,GAAc,UAApC,K;MACJ,IAAI,CAAC,IAAM,SAAP,KAAsB,CAA
E,KAAK,CAAP,GAAc,SApC,K;MACJ,IAAI,CAAC,IAAM,SAAP,KAAsB,CAAE,KAAK,CAAP,GAAc,SApC
,K;MACJ,IAAI,CAAC,IAAM,QAAP,KAAsB,CAAE,KAAK,CAAP,GAAc,QApC,K;MACJ,IAAI,CAAC,IAAM,
KAAP,KAAsB,CAAE,KAAK,EAA7B,K;MACJ,OAAO,C;K;kGAGX,yB;MAAA,iB;MAAA,4B;QAM2D,OAAA,
MAAO,OAAM,SAAN,C;O;KANlE,C;IAQA,0C;MAOI,YATuD,MAAO,OAS9B,EAAf,aAAQ,CAAC,SAAD,IAA
R,CAAe,CAT8B,CAS9D,I;K;IAEJ,sC;MAOI,OAAI,cAAQ,CAAZ,GAAe,CAAf,GAAsB,CAAE,KAAK,CAAP,GAAc,IAAI,EAAJ,GAAlB
+B,MAAO,iB;K;IAoBlE,qC;MAQI,oBAAS,CAAC,SAAD,IAAT,C;K;IAEJ,yC;MAaI,oBAAI,QAAJ,C;K;IAG1C,0C;MAaI,EAAJ,GAAoB,QAApB,GAAiC,CAAjC,GAAwC,cAAK,Q;K;IAG1C,mC;MAMI,OAAK,alDhEmD,uBkDgEnD,CAAL,GAA0B,alDjE6B,sBkDiE7B,CAA1B,I;K;IAEJ,2C;MAMU,WAAW,SlDxEuC,
c;MkDyEpD,e;QADJ,OACS,KA7E8C,MAAO,OlDGP,sBkDHO,CA6ErD,I;;QADT,OA5EuD,MAAO,OA8ElD,IA9
EkD,C;;K;IAiFlE,4C;MAMU,UAAU,SlDpFuC,a;MkDqFnD,c;QADJ,OACS,KAAqB,sBlDpF0B,uBkDoF1B,CAAr
B,I;;QADT,OAEgB,sBAAJ,GAAI,C;K;IAGpB,wC;MAOU,WAAW,SlD/FuC,c;MkDgGpD,e;QAAK,UAAS,kBlDj
GqC,sBkDiGrC,C;QADlB,OlDjG4C,MAAa,KAAK,UAAS,GAAT,EkDkGvB,ClDlGuB,C;;QkDmGlD,aAAa,kBA
AL,IAAK,C;QAFzB,OlDjG4C,MAAa,KAAK,UkDmG7C,ClDnG6C,EAAc,MAAd,C;;K;IkDsGlE,uC;MAOU,UA
AU,SlD5GuC,a;MkD6GnD,c;QAAK,WAAa,iBlD5GkC,uBkD4GlC,C;QADtB,OlD7G4C,MAAa,KAAK,UkD8Gh
D,ClD9GgD,EAAc,IAAd,C;;QkD+GlD,YAAS,iBAAJ,GAAI,C;QAFrB,OlD7G4C,MAAa,KAAK,UAAS,KAAT,E
kD+GrB,ClD/GqB,C;;K;IkDkHlE,2C;MAaI,IAAI,CAAC,WAAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD/Hy
C,a;QkDgInD,WAAW,SlD/HyC,c;QkDgIpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,IAAK,MAAK,CAAC,QAAD,IAAL,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAhC,C;QACI,GlDpIwC,MAAa,KAAK,UkDoIlB,MlDpIkB,EkDoIV,OlDpIU,CkDoI1D,GlDpIwC,
MAAa,KAAK,UkDoIS,OlDpIT,EkDoIkB,MlDpIlB,C;;QkDsInD,Q;QAAK,IAAI,CAAC,WAAa,EAAd,MAAqB,C
AAzB,C;UAAK,OAA4B,S;;uBlDpIiB,uB;UkDoIP,alDrIM,sB;UkDqI5C,OlDtIiC,MAAa,KAAK,kBAAc,MAAd,C;
;QkDsI1D,W;;K;kFAKR,yB;MAAA,4C;MAAA,sC;QAAiE,6BAAW,CAAC,QAAD,IAAX,C;O;KAAjE,C;qECvKA
,kC;MAII,OAAO,SA8B,MAAK,WAAL,C;K;uEAGzC,8C;MAII,OAAO,SA8B,MAAK,WAAL,EAAkB,UAAlB
B,C;K;ICtCzC,iC;MACI,gBAAH,IAAI,OAAO,EAAG,GAAE,IAAI,IAAI,CAAC,CAAD,EAAI,EAAJ,CAAd,GAAA
yB,CAAhC,C;K;;;IAKJ,sC;MACI,cAAO,QAAP,GAAkB,Q;K;ICP9B,yC;K;;IAWA,+B;K;;4GAYA,yB;MAA
AA,gC;MAAAA,yD;MAAAA,sC;QAAQ,OAAK,qBAAL,EAAK,iB;O;KAAb,C;ICPI,2B;MAAS,Q;MAAD,OAAAwB,C
AAvB,iEAAuB,Q;K;IAMhC,+B;MAAQ,iBAAU,SAAV,C;QAAU,UAAV,CtB+B+B,4B;MsB/BzC,kBAAK,C;K;;;;;;;ICtB9
B,4B;MAAA,8CAAK,QAAL,C;K;gEAAA,yB;MAAA,4C;MAAA,sC;QAAQ,OAAK,qBAAL,EAAK,iB;O;KAAb,C;IC
PI,2B;MAAS,Q;MAAD,OAAAwB,CAAvB,iEAAuB,Q;K;IAMhC,+B;MAAQ,iBAAU,SAAV,C;QAAU,UAAV,CtB+B+B,4B;MsB/BzC,kBAAK,C;K;;;;;;;ICtB9
;K;2FAII,Y;MzGO4B,MAAM,yB;K;kCyGLtC,iB;MACI,OAAO,oCAA0B,OAAO,KAAM,OAAhB,C;K;oCAGrC
,Y;MAC+B,gB;MAAA,8FAA0B,C;K;oCAEzD,Y;MAEI,OAAO,oBAAQ,eAAR,C;K;;IAIyB,kC;MAAA,uBAAA,sBAAA,
MAAO,WAAP,C;K;8FAAA,C;IAAA,C;MAAA,gC;K;oDAAA,C;IAAA,C;MAAA,gC;K;;IAAA,C;MAAA,gC;K;;IAAA,C;MAAA,gC;K;

K;kEACA,Y;MAAA,+B;K;yEACA,Y;MAAA,sC;K;iCAEA,iB;MACI,0CACQ,wBAAc,KAAM,WAApB,CADR,IAC0C,uBAAa,KAAM,UAAnB,CAD1C,IAC0E,0BAAoB,KAAM,iB;K;mCAExG,Y;MACI,SAAC,CAAW,SAAX,eAAW,CAAX,GAAwB,EAAAxB,QAAAuC,SAAAV,cAAAU,CAAAvC,IAAAuC,IAAAsD,EAAAtD,QAAA4E,SAAAjB,qBAAAiB,CAAA5E,IAAA4E,IAAA,CAA5E,I;K;mCAEJ,Y;MACkB,UACO,M;MADrB,aAAc,2D;MAEV,cAAAU,IAAAV,C;QAA6B,SAAX,eAAW,CAAX,GAAW,EAAX,C7B,IAAA,MAAO,WAAP,S;QAAoC,SAAAoC,oCAAAC,MAAO,W;;QAAC5B,5B;MAAA,+B;MAAhZ,2B;MAAA,cAAQ,WAAQ,cAAQ,cAAQ,c

AAY,KAAZ,C;K;2EAElE,qB;MAI8D,gB;K;IClDb,2C;MAC7C,qBAAwC,Q;K;iDAExC,Y;MACmB,Q;MAAA,yB
;MAAA,iB;QAAe,MAAM,6BAAsB,0CAAtB,C;;MAApC,eAAe,I;MACf,qBAAc,I;MACd,OAAO,QAAS,W;K;;;;;I
CLa,kD;MADrC,e;MACsC,0B;MAAyB,gB;MAD/D,iB;MAAA,uB;K;IAAA,mC;MAAA,sC;O;MAEI,qEAGW,CA
HX,EAGc,IAHd,C;MAKA,iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,
iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,+EAGgB,CAHhB,EAGmB,IAHnB,C;MAKA,yEAGa,CAHb,EAGgB,I
AHhB,C;MAKA,iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,6EAGe,CAHf,EAGkB,IAHlB,C;MAKA,6FAGuB,CA
HvB,EAG0B,IAH1B,C;MAKA,yFAGqB,CAHrB,EAGwB,IAHxB,C;MAKA,4EAGc,EAHd,EAGkB,IAHlB,C;MA
KA,0EAGa,EAHb,EAGiB,IAHjB,C;MAKA,gFAGgB,EAHhB,EAGoB,IAHpB,C;MAKA,8EAGe,EAHf,EAGmB,I
AHnB,C;MAKA,wFAGoB,EAHpB,EAGwB,IAHxB,C;MAKA,gEAGQ,EAHR,EAGY,IAHZ,C;MAKA,8DAGO,E
AHP,EAGW,IAHX,C;MAKA,wEAGY,EAHZ,EAGgB,IAHhB,C;MAKA,oEAGU,EAHV,EAGc,IAHd,C;MAKA,k
FAGiB,EAHjB,EAGqB,IAHrB,C;MAKA,oFAGkB,EAHlB,EAGsB,IAHtB,C;MAKA,gFAGgB,EAHhB,EAGoB,I
AHpB,C;MAKA,4FAGsB,EAHtB,EAG0B,IAH1B,C;MAKA,oFAGkB,EAHlB,EAGsB,IAHtB,C;MAKA,wEAGY,
EAHZ,EAGgB,IAHhB,C;MAKA,gFAGgB,EAHhB,EAGoB,IAHpB,C;MAKA,gFAGgB,EAHhB,EAGoB,IAHpB,
C;MAKA,0EAGa,EAHb,EAGiB,IAHjB,C;MAKA,oGAG0B,EAH1B,EAG8B,IAH9B,C;MAKA,gGAGwB,EAHxB
,EAG4B,IAH5B,C;MAUA,oC;K;;IA3JA,+C;MAAA,yB;MAAA,uC;K;;IAKA,qD;MAAA,yB;MAAA,6C;K;;IAKA
,qD;MAAA,yB;MAAA,6C;K;;IAKA,qD;MAAA,yB;MAAA,6C;K;;IAKA,oD;MAAA,yB;MAAA,4C;K;;IAKA,iD;
MAAA,yB;MAAA,yC;K;;IAKA,qD;MAAA,yB;MAAA,6C;K;;IAKA,mD;MAAA,yB;MAAA,2C;K;;IAKA,2D;M
AAA,yB;MAAA,mD;K;;IAKA,yD;MAAA,yB;MAAA,iD;K;;IAKA,kD;MAAA,yB;MAAA,0C;K;;IAKA,iD;MAA
A,yB;MAAA,yC;K;;IAKA,oD;MAAA,yB;MAAA,4C;K;;IAKA,mD;MAAA,yB;MAAA,2C;K;;IAKA,wD;MAAA,
yB;MAAA,gD;K;;IAKA,4C;MAAA,yB;MAAA,oC;K;;IAKA,2C;MAAA,yB;MAAA,mC;K;;IAKA,gD;MAAA,yB;
MAAA,wC;K;;IAKA,8C;MAAA,yB;MAAA,sC;K;;IAKA,qD;MAAA,yB;MAAA,6C;K;;IAKA,sD;MAAA,yB;MA
AA,8C;K;;IAKA,oD;MAAA,yB;MAAA,4C;K;;IAKA,0D;MAAA,yB;MAAA,kD;K;;IAKA,sD;MAAA,yB;MAAA,
8C;K;;IAKA,gD;MAAA,yB;MAAA,wC;K;;IAKA,oD;MAAA,yB;MAAA,4C;K;;IAKA,oD;MAAA,yB;MAAA,4C;
K;;IAKA,iD;MAAA,yB;MAAA,yC;K;;IAKA,8D;MAAA,yB;MAAA,sD;K;;IAKA,4D;MAAA,yB;MAAA,oD;K;8
CAKA,gB;MAG2D,OAAK,iBAAL,IAAK,CAAL,KAA2B,IAAK,c;K;IAE3F,kC;MAAA,sC;K;uDACI,oB;MAEQ,I
ADE,QACF,IAAG,CAAH,IADE,QACF,IAAM,EAAN,C;QADJ,OACgB,sBAAS,QAAT,C;WACZ,IAFE,QAEF,IA
AG,EAAH,IAFE,QAEF,IAAO,EAAP,C;QAFJ,OAEiB,sBAAS,WAAW,CAAX,IAAT,C;;QACL,MAAM,gCAAyB
,eAAY,QAAZ,qBAAzB,C;K;;;IAL1B,8C;MAAA,yB;MAAA,6C;QAAA,4B;;MAAA,sC;K;;IA7JJ,+B;MAAA,+yC
;K;;IAAA,oC;MAAA,a;aAAA,Y;UAAA,4C;aAAA,kB;UAAA,kD;aAAA,kB;UAAA,kD;aAAA,kB;UAAA,kD;aAAA,kB;UAAA,kD;aA
AA,iB;UAAA,iD;aAAA,c;UAAA,8C;aAAA,kB;UAAA,kD;aAAA,gB;UAAA,gD;aAAA,wB;UAAA,wD;aAAA,sB
;UAAA,sD;aAAA,e;UAAA,+C;aAAA,c;UAAA,8C;aAAA,iB;UAAA,iD;aAAA,gB;UAAA,gD;aAAA,qB;UAAA,q
D;aAAA,S;UAAA,yC;aAAA,Q;UAAA,wC;aAAA,a;UAAA,6C;aAAA,W;UAAA,2C;aAAA,kB;UAAA,kD;aAAA,
mB;UAAA,mD;aAAA,iB;UAAA,iD;aAAA,uB;UAAA,uD;aAAA,mB;UAAA,mD;aAAA,a;UAAA,6C;aAAA,iB;U
AAA,iD;aAAA,iB;UAAA,iD;aAAA,c;UAAA,8C;aAAA,2B;UAAA,2D;aAAA,yB;UAAA,yD;;UAAA,6D;;K;;ICKi
D,2C;uBAA+B,O;;K;;IAC5E,8C;MAAA,kE;MAAuB,qCAAK,IAAL,C;MAAvB,Y;K;ICD8B,gC;MAe9B,gBAAiC
,YAAY,SAAhB,GAA2B,OAA3B,GAAwC,E;K;uFAGjE,Y;MAAQ,OAAO,aAAY,O;K;yCAE/B,iB;MACW,gBAA
P,a;MrGoGG,Q;MAAA,IqGpGc,KrGoGV,IAAS,CAAT,IqGpGU,KrGoGI,IAAS,2BAA3B,C;QAAA,OAAsC,qBq
GpGxB,KrGoGwB,C;;QqGpGf,MAAM,8BAA0B,mCAAyB,WAAzB,MAA1B,C;;MAAhC,W;K;kDAEJ,gC;MAA
gF,OAAA,a1GiMY,W0GjMK,U1GiML,E0GjMiB,Q1GiMjB,C;K;6C0G/L5F,iB;MACI,qCAAU,KAAV,C;MACA,
OAAO,I;K;6CAGX,iB;MACI,iBAAgB,SAAN,KAAM,C;MAChB,OAAO,I;K;6CAGX,uC;MACI,OAAA,IAAK,qB
AAY,wBAAS,MAArB,EAA6B,UA7B,EAAyC,QAAzC,C;K;sCAET,Y;MAAyB,UAEK,M;MAL1B,eAAe,E;M
ACf,YAAY,aAAO,OAAP,GAAgB,CAAhB,IAAhB,I;MACZ,OAAO,SAAS,CAAhB,IAAC,Q;QAAD,OAAU,IAAV,C;;MAAA,OAAA,IAAK,OAAO,YAAP,EAAO,oBAAP,EAAO,CAAP,EAAO,oBAAP,EAAO,CAAP,EAAO,oBAAP,EAAO,C

B,2B;K;8CAcA,kB;MAO0C,OAAA,IAAY,SAAY,SAAQ,MAAR,C;K;8CAElE,8B;MAQ2D,OAAA,IAAY,SAAY,SAAQ,MAAR,EAAgB,UAAhB,C;K;kDAEnF,kB;MAQ8C,OAAA,IAAY,SAAY,aAAY,MAAZ,C;K;kDAEtE,8B;MASI,IAAI,MpGuGwC,YAAU,CoGvGlD,IAAoB,aAAa,CAArC,C;QAAwC,OAAO,E;MAC/C,OAAO,IAAY,SAAY,aAAY,MAAZ,EAAoB,UAApB,C;K;4CAGnC,wB;MAWI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GmB+E,W0GnB9D,C1GmB8D,E0GnB3D,K1GmB2D,C0GnB/E,YAA6B,KAA7B,IAAqC,a1GgB2B,W0GhBV,K1GgBU,C;M0GfzE,OAAO,I;K;6CAGX,wB;MAQI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GK+E,W0GL9D,C1GK8D,E0GL3D,K1GK2D,C0GL/E,uBAA6B,kBAA7B,IAAqC,a1GE2B,W0GFV,K1GEU,C;M0GDzE,OAAO,I;K;6CAGX,wB;MAUI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GX+E,W0GW9D,C1GX8D,E0GW3D,K1GX2D,C0GW/E,GAAmC,eAAN,KAAM,CAAnC,GAAsD,a1GdU,W0GcT,KAAO,C;M0GbzE,OAAO,I;K;6CAGX,wB;MAaI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G9B+E,W0G8B9D,C1G9B8D,E0G8B3D,K1G9B2D,C0G8B/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GjBU,W0GiBT,KAAO,C;M0GhBzE,OAAO,I;K;6CAGX,wB;MAkBI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G/C+E,W0G+C9D,C1G/C8D,E0G+C3D,K1G/C2D,C0G+C/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GlBU,W0GkBT,KAAO,C;M0GjBzE,OAAO,I;K;6CAGX,wB;MAuBI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GhE+E,W0GgE9D,C1GhE8D,E0GgE3D,K1GhE2D,C0GgE/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GnBU,W0GmBT,KAAO,C;M0GlBzE,OAAO,I;K;6CAGX,wB;MA4BI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GrE+E,W0GqE9D,C1GrE8D,E0GqE3D,K1GrE2D,C0GqE/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GxBU,W0GwBT,KAAO,C;M0GvBzE,OAAO,I;K;6CAGX,wB;MAiCI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G1E+E,W0G0E9D,C1G1E8D,E0G0E3D,K1G1E2D,C0G0E/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G7BU,W0G6BT,KAAO,C;M0G5BzE,OAAO,I;K;6CAGX,wB;MAsCI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G/E+E,W0G+E9D,C1G/E8D,E0G+E3D,K1G/E2D,C0G+E/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GlCU,W0GkCT,KAAO,C;M0GjCzE,OAAO,I;K;6CAGX,wB;MA2CI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GpF+E,W0GoF9D,C1GpF8D,E0GoF3D,K1GpF2D,C0GoF/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GvCU,W0GuCT,KAAO,C;M0GtCzE,OAAO,I;K;6CAGX,wB;MAgDI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GzF+E,W0GyF9D,C1GzF8D,E0GyF3D,K1GzF2D,C0GyF/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G5CU,W0G4CT,KAAO,C;M0G3CzE,OAAO,I;K;6CAGX,wB;MAqDI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G9F+E,W0G8F9D,C1G9F8D,E0G8F3D,K1G9F2D,C0G8F/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GjDU,W0GiDT,KAAO,C;M0GhDzE,OAAO,I;K;6CAGX,wB;MA0DI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GnG+E,W0GmG9D,C1GnG8D,E0GmG3D,K1GnG2D,C0GmG/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GtDU,W0GsDT,KAAO,C;M0GrDzE,OAAO,I;K;6CAGX,wB;MA+DI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GxG+E,W0GwG9D,C1GxG8D,E0GwG3D,K1GxG2D,C0GwG/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G3DU,W0G2DT,KAAO,C;M0G1DzE,OAAO,I;K;6CAGX,wB;MAoEI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G7G+E,W0G6G9D,C1G7G8D,E0G6G3D,K1G7G2D,C0G6G/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GhEU,W0GgET,KAAO,C;M0G/DzE,OAAO,I;K;6CAGX,wB;MAyEI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GlH+E,W0GkH9D,C1GlH8D,E0GkH3D,K1GlH2D,C0GkH/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GrEU,W0GqET,KAAO,C;M0GpEzE,OAAO,I;K;6CAGX,wB;MA8EI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GvH+E,W0GuH9D,C1GvH8D,E0GuH3D,K1GvH2D,C0GuH/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G1EU,W0G0ET,KAAO,C;M0GzEzE,OAAO,I;K;6CAGX,wB;MAmFI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G5H+E,W0G4H9D,C1G5H8D,E0G4H3D,K1G5H2D,C0G4H/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G/EU,W0G+ET,KAAO,C;M0G9EzE,OAAO,I;K;6CAGX,wB;MAwFI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GjI+E,W0GiI9D,C1GjI8D,E0GiI3D,K1GjI2D,C0GiI/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GpFU,W0GoFT,KAAO,C;M0GnFzE,OAAO,I;K;6CAGX,wB;MA6FI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GtI+E,W0GsI9D,C1GtI8D,E0GsI3D,K1GtI2D,C0GsI/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GzFU,W0GyFT,KAAO,C;M0GxFzE,OAAO,I;K;6CAGX,wB;MAkGI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G3I+E,W0G2I9D,C1G3I8D,E0G2I3D,K1G3I2D,C0G2I/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G9FU,W0G8FT,KAAO,C;M0G7FzE,OAAO,I;K;6CAGX,wB;MAuGI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GhJ+E,W0GgJ9D,C1GhJ8D,E0GgJ3D,K1GhJ2D,C0GgJ/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GnGU,W0GmGT,KAAO,C;M0GlGzE,OAAO,I;K;6CAGX,wB;MA4GI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GrJ+E,W0GqJ9D,C1GrJ8D,E0GqJ3D,K1GrJ2D,C0GqJ/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GxGU,W0GwGT,KAAO,C;M0GvGzE,OAAO,I;K;6CAGX,wB;MAiHI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G1J+E,W0G0J9D,C1G1J8D,E0G0J3D,K1G1J2D,C0G0J/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G7GU,W0G6GT,KAAO,C;M0G5GzE,OAAO,I;K;6CAGX,wB;MAsHI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G/J+E,W0G+J9D,C1G/J8D,E0G+J3D,K1G/J2D,C0G+J/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GlHU,W0GkHT,KAAO,C;M0GjHzE,OAAO,I;K;6CAGX,wB;MA2HI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GpK+E,W0GoK9D,C1GpK8D,E0GoK3D,K1GpK2D,C0GoK/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GvHU,W0GuHT,KAAO,C;M0GtHzE,OAAO,I;K;6CAGX,wB;MAgII,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GzK+E,W0GyK9D,C1GzK8D,E0GyK3D,K1GzK2D,C0GyK/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G5HU,W0G4HT,KAAO,C;M0G3HzE,OAAO,I;K;6CAGX,wB;MAqII,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G9K+E,W0G8K9D,C1G9K8D,E0G8K3D,K1G9K2D,C0G8K/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GjIU,W0GiIT,KAAO,C;M0GhIzE,OAAO,I;K;6CAGX,wB;MA0II,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GnL+E,W0GmL9D,C1GnL8D,E0GmL3D,K1GnL2D,C0GmL/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GtIU,W0GsIT,KAAO,C;M0GrIzE,OAAO,I;K;6CAGX,wB;MA+II,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GxL+E,W0GwL9D,C1GxL8D,E0GwL3D,K1GxL2D,C0GwL/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G3IU,W0G2IT,KAAO,C;M0G1IzE,OAAO,I;K;6CAGX,wB;MAoJI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G7L+E,W0G6L9D,C1G7L8D,E0G6L3D,K1G7L2D,C0G6L/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GhJU,W0GgJT,KAAO,C;M0G/IzE,OAAO,I;K;6CAGX,wB;MAyJI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GlM+E,W0GkM9D,C1GlM8D,E0GkM3D,K1GlM2D,C0GkM/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GrJU,W0GqJT,KAAO,C;M0GpJzE,OAAO,I;K;6CAGX,wB;MA8JI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GvM+E,W0GuM9D,C1GvM8D,E0GuM3D,K1GvM2D,C0GuM/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G1JU,W0G0JT,KAAO,C;M0GzJzE,OAAO,I;K;6CAGX,wB;MAmKI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G5M+E,W0G4M9D,C1G5M8D,E0G4M3D,K1G5M2D,C0G4M/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G/JU,W0G+JT,KAAO,C;M0G9JzE,OAAO,I;K;6CAGX,wB;MAwKI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GjN+E,W0GiN9D,C1GjN8D,E0GiN3D,K1GjN2D,C0GiN/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GpKU,W0GoKT,KAAO,C;M0GnKzE,OAAO,I;K;6CAGX,wB;MA6KI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GtN+E,W0GsN9D,C1GtN8D,E0GsN3D,K1GtN2D,C0GsN/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GzKU,W0GyKT,KAAO,C;M0GxKzE,OAAO,I;K;6CAGX,wB;MAkLI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G3N+E,W0G2N9D,C1G3N8D,E0G2N3D,K1G3N2D,C0G2N/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G9KU,W0G8KT,KAAO,C;M0G7KzE,OAAO,I;K;6CAGX,wB;MAuLI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GhO+E,W0GgO9D,C1GhO8D,E0GgO3D,K1GhO2D,C0GgO/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GnLU,W0GmLT,KAAO,C;M0GlLzE,OAAO,I;K;6CAGX,wB;MA4LI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GrO+E,W0GqO9D,C1GrO8D,E0GqO3D,K1GrO2D,C0GqO/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GxLU,W0GwLT,KAAO,C;M0GvLzE,OAAO,I;K;6CAGX,wB;MAiMI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G1O+E,W0G0O9D,C1G1O8D,E0G0O3D,K1G1O2D,C0G0O/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G7LU,W0G6LT,KAAO,C;M0G5LzE,OAAO,I;K;6CAGX,wB;MAsMI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G/O+E,W0G+O9D,C1G/O8D,E0G+O3D,K1G/O2D,C0G+O/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GlMU,W0GkMT,KAAO,C;M0GjMzE,OAAO,I;K;6CAGX,wB;MA2MI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GpP+E,W0GoP9D,C1GpP8D,E0GoP3D,K1GpP2D,C0GoP/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GvMU,W0GuMT,KAAO,C;M0GtMzE,OAAO,I;K;6CAGX,wB;MAgNI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GzP+E,W0GyP9D,C1GzP8D,E0GyP3D,K1GzP2D,C0GyP/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G5MU,W0G4MT,KAAO,C;M0G3MzE,OAAO,I;K;6CAGX,wB;MAqNI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G9P+E,W0G8P9D,C1G9P8D,E0G8P3D,K1G9P2D,C0G8P/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GjNU,W0GiNT,KAAO,C;M0GhNzE,OAAO,I;K;6CAGX,wB;MA0NI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GnQ+E,W0GmQ9D,C1GnQ8D,E0GmQ3D,K1GnQ2D,C0GmQ/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GtNU,W0GsNT,KAAO,C;M0GrNzE,OAAO,I;K;6CAGX,wB;MA+NI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GxQ+E,W0GwQ9D,C1GxQ8D,E0GwQ3D,K1GxQ2D,C0GwQ/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G3NU,W0G2NT,KAAO,C;M0G1NzE,OAAO,I;K;6CAGX,wB;MAoOI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G7Q+E,W0G6Q9D,C1G7Q8D,E0G6Q3D,K1G7Q2D,C0G6Q/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GhOU,W0GgOT,KAAO,C;M0G/NzE,OAAO,I;K;6CAGX,wB;MAyOI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GlR+E,W0GkR9D,C1GlR8D,E0GkR3D,K1GlR2D,C0GkR/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GrOU,W0GqOT,KAAO,C;M0GpOzE,OAAO,I;K;6CAGX,wB;MA8OI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GvR+E,W0GuR9D,C1GvR8D,E0GuR3D,K1GvR2D,C0GuR/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G1OU,W0G0OT,KAAO,C;M0GzOzE,OAAO,I;K;6CAGX,wB;MAmPI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G5R+E,W0G4R9D,C1G5R8D,E0G4R3D,K1G5R2D,C0G4R/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G/OU,W0G+OT,KAAO,C;M0G9OzE,OAAO,I;K;6CAGX,wB;MAwPI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GjS+E,W0GiS9D,C1GjS8D,E0GiS3D,K1GjS2D,C0GiS/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GpPU,W0GoPT,KAAO,C;M0GnPzE,OAAO,I;K;6CAGX,wB;MA6PI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GtS+E,W0GsS9D,C1GtS8D,E0GsS3D,K1GtS2D,C0GsS/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GzPU,W0GyPT,KAAO,C;M0GxPzE,OAAO,I;K;6CAGX,wB;MAkQI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G3S+E,W0G2S9D,C1G3S8D,E0G2S3D,K1G3S2D,C0G2S/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G9PU,W0G8PT,KAAO,C;M0G7PzE,OAAO,I;K;6CAGX,wB;MAuQI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GhT+E,W0GgT9D,C1GhT8D,E0GgT3D,K1GhT2D,C0GgT/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GnQU,W0GmQT,KAAO,C;M0GlQzE,OAAO,I;K;6CAGX,wB;MA4QI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GrT+E,W0GqT9D,C1GrT8D,E0GqT3D,K1GrT2D,C0GqT/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GxQU,W0GwQT,KAAO,C;M0GvQzE,OAAO,I;K;6CAGX,wB;MAiRI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G1T+E,W0G0T9D,C1G1T8D,E0G0T3D,K1G1T2D,C0G0T/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G7QU,W0G6QT,KAAO,C;M0G5QzE,OAAO,I;K;6CAGX,wB;MAsRI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G/T+E,W0G+T9D,C1G/T8D,E0G+T3D,K1G/T2D,C0G+T/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GlRU,W0GkRT,KAAO,C;M0GjRzE,OAAO,I;K;6CAGX,wB;MA2RI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GpU+E,W0GoU9D,C1GpU8D,E0GoU3D,K1GpU2D,C0GoU/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GvRU,W0GuRT,KAAO,C;M0GtRzE,OAAO,I;K;6CAGX,wB;MAgSI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GzU+E,W0GyU9D,C1GzU8D,E0GyU3D,K1GzU2D,C0GyU/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G5RU,W0G4RT,KAAO,C;M0G3RzE,OAAO,I;K;6CAGX,wB;MAqSI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G9U+E,W0G8U9D,C1G9U8D,E0G8U3D,K1G9U2D,C0G8U/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GjSU,W0GiST,KAAO,C;M0GhSzE,OAAO,I;K;6CAGX,wB;MA0SI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GnV+E,W0GmV9D,C1GnV8D,E0GmV3D,K1GnV2D,C0GmV/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GtSU,W0GsST,KAAO,C;M0GrSzE,OAAO,I;K;6CAGX,wB;MA+SI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GxV+E,W0GwV9D,C1GxV8D,E0GwV3D,K1GxV2D,C0GwV/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G3SU,W0G2ST,KAAO,C;M0G1SzE,OAAO,I;K;6CAGX,wB;MAoTI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G7V+E,W0G6V9D,C1G7V8D,E0G6V3D,K1G7V2D,C0G6V/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GhTU,W0GgTT,KAAO,C;M0G/SzE,OAAO,I;K;6CAGX,wB;MAyTI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GlW+E,W0GkW9D,C1GlW8D,E0GkW3D,K1GlW2D,C0GkW/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GrTU,W0GqTT,KAAO,C;M0GpTzE,OAAO,I;K;6CAGX,wB;MA8TI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GvW+E,W0GuW9D,C1GvW8D,E0GuW3D,K1GvW2D,C0GuW/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G1TU,W0G0TT,KAAO,C;M0GzTzE,OAAO,I;K;6CAGX,wB;MAmUI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G5W+E,W0G4W9D,C1G5W8D,E0G4W3D,K1G5W2D,C0G4W/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G/TU,W0G+TT,KAAO,C;M0G9TzE,OAAO,I;K;6CAGX,wB;MAwUI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GjX+E,W0GiX9D,C1GjX8D,E0GiX3D,K1GjX2D,C0GiX/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GpUU,W0GoUT,KAAO,C;M0GnUzE,OAAO,I;K;6CAGX,wB;MA6UI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GtX+E,W0GsX9D,C1GtX8D,E0GsX3D,K1GtX2D,C0GsX/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GzUU,W0GyUT,KAAO,C;M0GxUzE,OAAO,I;K;6CAGX,wB;MAkVI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G3X+E,W0G2X9D,C1G3X8D,E0G2X3D,K1G3X2D,C0G2X/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G9UU,W0G8UT,KAAO,C;M0G7UzE,OAAO,I;K;6CAGX,wB;MAuVI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GhY+E,W0GgY9D,C1GhY8D,E0GgY3D,K1GhY2D,C0GgY/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GnVU,W0GmVT,KAAO,C;M0GlVzE,OAAO,I;K;6CAGX,wB;MA4VI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GrY+E,W0GqY9D,C1GrY8D,E0GqY3D,K1GrY2D,C0GqY/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GxVU,W0GwVT,KAAO,C;M0GvVzE,OAAO,I;K;6CAGX,wB;MAiWI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G1Y+E,W0G0Y9D,C1G1Y8D,E0G0Y3D,K1G1Y2D,C0G0Y/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G7VU,W0G6VT,KAAO,C;M0G5VzE,OAAO,I;K;6CAGX,wB;MAsWI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G/Y+E,W0G+Y9D,C1G/Y8D,E0G+Y3D,K1G/Y2D,C0G+Y/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GlWU,W0GkWT,KAAO,C;M0GjWzE,OAAO,I;K;6CAGX,wB;MA2WI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GpZ+E,W0GoZ9D,C1GpZ8D,E0GoZ3D,K1GpZ2D,C0GoZ/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GvWU,W0GuWT,KAAO,C;M0GtWzE,OAAO,I;K;6CAGX,wB;MAgXI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GzZ+E,W0GyZ9D,C1GzZ8D,E0GyZ3D,K1GzZ2D,C0GyZ/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G5WU,W0G4WT,KAAO,C;M0G3WzE,OAAO,I;K;6CAGX,wB;MAqXI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G9Z+E,W0G8Z9D,C1G9Z8D,E0G8Z3D,K1G9Z2D,C0G8Z/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GjXU,W0GiXT,KAAO,C;M0GhXzE,OAAO,I;K;6CAGX,wB;MA0XI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GnZ+E,W0GmZ9D,C1GnZ8D,E0GmZ3D,K1GnZ2D,C0GmZ/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GtXU,W0GsXT,KAAO,C;M0GrXzE,OAAO,I;K;6CAGX,wB;MA+XI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GxZ+E,W0GwZ9D,C1GxZ8D,E0GwZ3D,K1GxZ2D,C0GwZ/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G3XU,W0G2XT,KAAO,C;M0G1XzE,OAAO,I;K;6CAGX,wB;MAoYI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G7Z+E,W0G6Z9D,C1G7Z8D,E0G6Z3D,K1G7Z2D,C0G6Z/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GhYU,W0GgYT,KAAO,C;M0G/XzE,OAAO,I;K;6CAGX,wB;MAyYI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GlZ+E,W0GkZ9D,C1GlZ8D,E0GkZ3D,K1GlZ2D,C0GkZ/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GrYU,W0GqYT,KAAO,C;M0GpYzE,OAAO,I;K;6CAGX,wB;MA8YI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GvZ+E,W0GuZ9D,C1GvZ8D,E0GuZ3D,K1GvZ2D,C0GuZ/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G1YU,W0G0YT,KAAO,C;M0GzYzE,OAAO,I;K;6CAGX,wB;MAmZI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G5Z+E,W0G4Z9D,C1G5Z8D,E0G4Z3D,K1G5Z2D,C0G4Z/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G/YU,W0G+YT,KAAO,C;M0G9YzE,OAAO,I;K;6CAGX,wB;MAwZI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GjZ+E,W0GiZ9D,C1GjZ8D,E0GiZ3D,K1GjZ2D,C0GiZ/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GpZU,W0GoZT,KAAO,C;M0GnZzE,OAAO,I;K;6CAGX,wB;MA6ZI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GtZ+E,W0GsZ9D,C1GtZ8D,E0GsZ3D,K1GtZ2D,C0GsZ/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GzZU,W0GyZT,KAAO,C;M0GxZzE,OAAO,I;K;6CAGX,wB;MAkaI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G3Z+E,W0G2Z9D,C1G3Z8D,E0G2Z3D,K1G3Z2D,C0G2Z/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G9ZU,W0G8ZT,KAAO,C;M0G7ZzE,OAAO,I;K;6CAGX,wB;MAuaI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GhZ+E,W0GgZ9D,C1GhZ8D,E0GgZ3D,K1GhZ2D,C0GgZ/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GnZU,W0GmZT,KAAO,C;M0GlZzE,OAAO,I;K;6CAGX,wB;MA4aI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GrZ+E,W0GqZ9D,C1GrZ8D,E0GqZ3D,K1GrZ2D,C0GqZ/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GxZU,W0GwZT,KAAO,C;M0GvZzE,OAAO,I;K;6CAGX,wB;MAibI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G1Z+E,W0G0Z9D,C1G1Z8D,E0G0Z3D,K1G1Z2D,C0G0Z/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1G7ZU,W0G6ZT,KAAO,C;M0G5ZzE,OAAO,I;K;6CAGX,wB;MAscI,oCAAa,4BAAmB,KAAnB,B,EAA0B,W

AAqB,QAArB,EAA+B,KAA/B,C;K;+EAET,4B;MAY6E,OAAA,SAAK,kBAAS,KAAT,C;K;qFAElF,2C;MAWo
G,OAAA,SAAK,qBAAY,UAAZ,EAAwB,QAAxB,C;K;uFAEzG,2E;MAe2E,iC;QAAA,oBAAyB,C;MAAG,0B;Q
AAA,aAAkB,C;MAAG,wB;QAAA,WAAgB,SAAK,O;MAC7I,SAAK,qBAAY,WAAZ,EAAyB,iBAAzB,EAA4C,
UAA5C,EAAwD,QAAxD,C;K;qFAET,kD;MAeI,OAAA,SAAK,qBAAY,KAAZ,EAAmB,UAAnB,EAA+B,QAA/
B,C;K;uFAET,kD;MAaI,OAAA,SAAK,qBAAY,KAAZ,EAAmB,UAAnB,EAA+B,QAA/B,C;K;qFAET,yD;MAiBI
,OAAA,SAAK,qBAAY,KAAZ,EAAmB,KAAnB,EAA0B,UA1B,EAAsC,QAAtC,C;K;uFAET,yD;MAiBI,OAA
A,SAAK,qBAAY,KAAZ,EAAmB,KAAnB,EAA0B,UA1B,EAAsC,QAAtC,C;K;qF3GhsBT,qB;MAMoD,OA6B
W,8BAAY,cAfrB,YAAY,CAAZ,C;K;yFAZtD,qB;MAYsD,OAeS,8BAAY,cAfrB,YAAY,CAAZ,C;K;iFAEtD,qB;
MAaoD,OAAW,8BAAY,c;K;qFAE3E,yB;MAAA,uD;MAAA,4B;QAMoD,+B;O;KANpD,C;IAQA,kC;MAYI,gB
AiB2D,8BAAY,c;MAhBvE,OAAW,SAAU,OAAV,GAAmB,CAAvB,GAA0B,SA1B,GAAoC,qBAAU,CAAV,C;
K;iFAG/C,qB;MAaoD,OAAW,8BAAY,c;K;IAE3E,kC;MAU+C,mC;K;IAE/C,oC;MAGoD,QAAQ,cAAA,sCAAK,
mBAAL,EAAyB,sCAAK,mBA9B,CAAR,6B;K;IAEpD,mC;MAGmD,QAAQ,cAAA,sCAAK,kBAAL,EAAwB,s
CAAK,kBAA7B,CAAR,6B;K;IAO/C,iC;MAAQ,OAAA,oCAAa,2BAAb,EAAyB,2BAAzB,EAAqC,YA
AO,GAAX,C;QACI,OAAO,I;;MAEX,OAAO,gCA8C,mD;K;IAGzD,6B;MAUI,IAAI,CAAQ,kBAAK,GAAL,CAAR,
iCAAoB,CAAQ,kBAAK,GAAL,CAAR,6BAAxB,EAAL,CAAR,6BAAxB,C;QACI,OAAO,I;;MAEX,OAAO,I;
K;IAGX,oC;MAUI,IAAI,CAAQ,kBAAK,GAAL,CAAR,iCAAoB,CAAQ,kBAAK,GAAL,CAAR,6BAAxB,EAAL,CAAR,6BAAxB,
EAAL,CAAR,6BAApB,IAAwC,CAAQ,kBAAK,GAAL,CAAR,6BAAxB,EAAL,CAAR,6BA5C,C;QACI,OAAO,I;;MAEX,OAAO,
K;;MAGX,OAAO,0BAAiB,uB;K;IAG5B,4B;MASI,IAAI,CAAQ,kBAAK,GAAL,CAAR,iCAAoB,CAAQ,kBAAK,GAAL,CAAR,6BAAxB,EAAL,CAAR,6BAAxB,
J,C;QACI,OAAO,I;;MAEX,OAAO,GAAX,C;QACI,OAAO,K;;MAEX,OAAO,sB;K;IAGX,gC;MAUI,IAAI,
CAAQ,kBAAK,GAAL,CAAR,6BAAxB,EAAL,CAAR,6BAAxB,C;QACI,OAAO,I;;MAEX,OAAO,K;;MAEX,
OAAO,0B;K;IAGX,gC;MAUI,IAAI,CAAQ,kBAAK,GAAL,CAAR,6BAAxB,EAAL,CAAR,6BAAxB,C;QACI,OAAO,I;;MAEX,
OAAO,K;;MAEX,OAAO,0B;K;IAGX,gC;MASI,IAAI,YAAO,GAAX,C;QACI,OAAO,K;;MAEX,OAAO,
gCAAoD,yD;K;IAG/D,iC;MAUI,OAAO,aAAQ,EAAR,IAAoB,CAApB,mBAAuB,GAAvB,CAAR,6BAAxB,C;K;iF
4GtPjD,yB;MAAA,+C;MAAA,4B;QAMuD,OAAK,UAAL,EAAK,SAAK,C;O;KAN5D,5D,C;IAQA,
gC;MAMiD,4B;MAAA,S;QAAgB,cAAA,S3G4LC,c2G5LD,EAAoB,MAApB,C;;MAAhB,W;K;IAEjD,6B;MAI0C
,Q;MAAA,yDAAkB,kBAAkB,SAAlB,C;K;IAE5D,oC;MAKoD,Q;MAAA,yCAAa,KAAb,oBAAuB,kBAAkB,SAA
lB,C;K;IAG3E,8B;MAI4C,Q;MAAA,0DAAmB,kBAAkB,SAAlB,C;K;IAE/D,qC;MAKsD,Q;MAAA,0CAAc,KAA
d,oBAAwB,kBAAkB,SAAlB,C;K;IAE9E,0B;MAIwC,Q;MAAA,wDAAiB,kBAAkB,SAAlB,C;K;IAEzD,mC;MA
KkD,Q;MAAA,wCAAY,KAAZ,oBAAsB,kBAAkB,SAAlB,C;K;IAExE,2B;MAI0C,Q;MAAA,yDAAkB,kBAAkB,
SAAlB,C;K;IAE5D,oC;MAKoD,Q;MAAA,yCAAa,KAAb,oBAAuB,kBAAkB,SAAlB,C;K;IAE3E,6B;MAIyF,kB
AA1C,CAAO,S;MAClD,IAAO,QrHeD,WqHfC,CAAH,IAAc,CAAM,kBAApB,KrHeE,WqHf6B,KAAM,GAAN,I
AAkB,kBAAjD,CAAJ,C;QACI,4B;MAFsC,OrHiBnC,W;K;6EqHZX,yB;MAAA,6C;MAAA,4B;QAKmD,O;KALnD,
ALnD,C;IAOA,mC;MAIgG,kBA1C,S;MAAR,OACjD,EAAK,QrH2BgB,WqH3BhB,CAAH,IAAc,CAAM,kBAApB,K
M,kBAApB,KrH2BmB,WqH3BY,KAAM,GAAN,IAAkB,kBAAjD,CAAF,CrH2BO,GAAqB,WAArB,GAA+B,I;K
;yFqHxB1C,yB;MAAA,yD;MAAA,4B;QAK0D,gC;O;KAL1D,iFAOA,yB;MAAA,6C;MAAA,mC;QAOmD,6D,OA
Aa,SAAR,SAAQ,EAAS,KAAT,C;O;KAP3E,iFASA,yB;MAAA,6C;MAAA,mC;QAOmD,8D,OAAa,SAAR,SAAQ,E
AAS,KAAT,C;O;KAP3E,iFASA,sC;MAMqD,OAAA,SAAY,UAAS,WAAW,KAAX,CAAT,C;K;IAEjE,4B;MAA
sC,QAAM,S3G4EsB,c2G5E5B,C;aAClC,K;aAAA,M;aAAA,M;UADkC,OACT,I;;UADS,OAE1B,K;;K;IAGZ,2B;
MAKI,IAAI,EAAU,CAAV,sBAAa,EAAb,CAAJ,C;QACI,MAAM,gCAAyB,WAAQ,KAAR,CAAzB,qCAAoD,CAAQ,kBAAK,GAAL,CAAR,6BAAxB,EAAL,CAAR,6BAAxB,
OAAO,K;K;IAGX,8B;MAA2D,Q;MACvD,YAAQ,EAAR,IAAoB,QAApB,EAAiC,kBAAjC,EAAqD,C;QAA8B,cAAO,E;WAC1F,CrC,YA
AQ,EAAR,IAAoB,QAApB,EAAiC,kBAAjC,EAAqD,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC9F,C
AC9D,YAAQ,EAAR,IAAoB,QAApB,EAAiC,kBAAjC,EAAqD,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC9F,C
AAmB,S;WACnB,YAAQ,EAAR,IAAoB,QAApB,EAAiC,kBAAjC,EAAqD,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC9F,C
AAoB,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAqB,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAsB,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAuB,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAwB,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAyB,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA0B,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA2B,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA4B,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA6B,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA8B,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA+B,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAgC,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAiC,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAkC,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAmC,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAoC,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAqC,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAsC,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAuC,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAwC,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAyC,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA0C,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA2C,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA4C,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA6C,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA8C,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA+C,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAgD,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAiD,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAkD,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAmD,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAoD,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAqD,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAsD,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAuD,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAwD,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAyD,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA0D,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA2D,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA4D,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA6D,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA8D,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA+D,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAgE,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAiE,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAkE,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAmE,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAoE,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAqE,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAsE,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAuE,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAwE,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAyE,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA0E,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA2E,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA4E,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA6E,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA8E,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA+E,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAgF,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAiF,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAkF,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAmF,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAoF,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAqF,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAsF,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAuF,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAwF,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAyF,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA0F,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA2F,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA4F,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA6F,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA8F,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA+F,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAgG,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAiG,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAkG,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAmG,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAoG,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAqG,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAsG,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAuG,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAwG,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAyG,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA0G,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA2G,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA4G,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA6G,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA8G,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA+G,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAgH,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAiH,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAkH,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAmH,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAoH,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAqH,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAsH,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAuH,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAwH,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAyH,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA0H,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA2H,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA4H,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA6H,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA8H,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA+H,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAgI,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAiI,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAkI,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAmI,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAoI,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAqI,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAsI,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAuI,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAwI,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAyI,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA0I,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA2I,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA4I,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA6I,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA8I,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA+I,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAgJ,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAiJ,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAkJ,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAmJ,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAoJ,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAqJ,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAsJ,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAuJ,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAwJ,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAyJ,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA0J,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA2J,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA4J,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA6J,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA8J,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AA+J,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAgK,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAiK,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAkK,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAmK,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAoK,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAqK,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,EAA0C,C;QAA8B,cAAO,EAAP,EAAW,GAAX,EAAe,I;WAC1G,C
AAsK,S;WAAE,IAAS,QAAT,EAAsB,kBAAtB,

QlC,2B;MAAC,kB;K;;sCALpC,Y;MAKoC,iB;K;wCALpC,iB;MAAA,sBAKoC,qCALpC,C;K;oCAAA,Y;MAAA,OAKoC,iDALpC,M;K;oCAAA,Y;MAAA,c;MAKoC,sD;MALpC,a;K;kCAAA,iB;MAAA,2IAKoC,sCALpC,G;K;IAqB0B,iC;MA8PtB,6B;MArPA,eACoC,O;MACpC,eACsD,QAAR,OAAQ,C;MACtD,uBAAoC,WAAO,OAAP,E AAwB,QAAR,OAAQ,EAAQ,IAAR,CAAxB,C;MACpC,6BAA2C,I;MAI3C,oCAAkD,I;K;0CAHlD,Y;MACI,Q;MAAA,U;MAAA,gD;QAAA,a;;QAA8D,gBAAvC,WAAO,YAAP,EAAwB,QAAR,YAAQ,EAAQ,IAAR,CAAxB,C;QAA8C,6BtHmCnE,S;QsHnCF,StHoCG,S;;MsHpCH,a;K;iDAGJ,Y;MACI,Q;MAAA,U;MAAA,uD;QAAA,a;;QtHVG,gB;QsHWC,IAAY,aAAR,YAAQ,EAAW,EAAX,CAAR,IAAmC,WAAR,YAAQ,EAAS,EAAT,CAAvC,C;UAAA,eACI,oB;;UAEA,OAAO,WAAO,MAA2B,UAAf,YAAR,YAAQ,qBAAU,EAAV,EAAe,qBAAQ,EAAR,EAAR,EAA3B,MAAP,EAA2D,QAAR,YAAQ,EAAQ,IAAR,CAAnD,C;QACb,4B;QAAO,OCtH0BP,S;QsH/BF,StHgCG,S;;MsHhCH,a;K;sCAGJ,iB;MAEkB,MAAd,oBAAc,C;MACd,YAAY,oBAAc,MAAK,KAAM,WAAX,C;MAC1B,OAAO,iBAAiB,KAAM,MAAN,EAAc,KAAd,EAAqB,IAAR,CAAb,EAAgC,KAAM,MAAN,EAAc,KAAd,EAAqB,IAAR,CAAhC,C;K;8CAGjC,iB;MAEkB,MAAd,oBAAc,C;MACd,OAAO,oBAAc,MAAK,KAAM,WAAX,C;K;wCAGzB,wB;MAGI,IAAI,QAAQ,CAAR,IAAa,IAAb,CAAJ,C;QAAA,QAAQ,KAAM,MAAN,EAAc,KAAd,EAAqB,IAAR,CAAb,EAAgC,KAAM,MAAN,EAAc,KAAd,EAAqB,IAAR,CAAhC,C;;MAEJ,OAAO,KAAP,C;K;0CAGX

AAA,gB;;;;cAAA,gB;;;cAOA,gB;8BAAA,iCtGkIgF,mBsGlI1E,wBtGkI0E,EsGlI1D,oBtGkI0D,EsGlI/C,wBAAM,OtGkIyC,CAAkC,WsGlIlH,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAhBA,OAgBA,a;;;;;;;;;;;;;;;K;IAjBY,sF;MAAA,yD;uBAAA,6H;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;8CAbpB,wB;MAUuD,qB;QAAA,QAAa,C;MAChE,wBAAwB,KAAxB,C;MAEA,OAAO,SAAS,gDAAT,C;K;+BAsBX,Y;MAMyC,OAAA,oBAAc,W;K;IAEvD,2B;MAAA,+B;MAmBI,uBAA4B,WAAO,uBAAP,EAAiC,GAAjC,C,C;MAC5B,2BAAgC,WAAO,SAAP,EAAkB,GAAlB,C;MAGhC,iCAAsC,WAAO,KAAP,EAAc,oDAAtB,C,mB;MAIwD,oBAAM,oBAAO,OAAP,EAAgB,CAAhB,C;K;+CAAxE,EAAwD,mB;MAIoB,OAAA,O5GnEyC,S4GmEnB,oB5GnEmB,E4GmEJ,M5GnEI,C;K;0D4GqE7F,mB;MAI+D,OAAA,O5GzE8B,S4GyEP,wB5GzEQ,E4GyEW,M5GzEX,C;K;gE4G8E7F,mB;MAAgE,OAAA,O5G9E6B,S4G8EP,8B5G9EO,E4G8EI,M5G9EJ,C;K;;qI4GwDjG,uC;MAAA,sC;QAAA,qB;;MAAA,+B;K;;IA5PA,4C;MAAA,+C;MACkE,kBAAK,OAAL,EAAA,c,MAAA,M,MAAA,C,MADlE,Y;K;IAGA,sC;MAAA,+C;MAC6C,kBAAK,OAAL,EAAA,c,UAAA,C;MAD7C,Y;K;IA4RO,kG;MAAA,kC;MAAA,8C;MAAA,kC;MAAA,kC;MACH,uBAA+B,a;MAI/B,sF;MAOA,sBAA0C,I;K;+FAX1C,Y;MAAA,2B;K;+FAEI,Y;MAAQ,qBAAA,kBAAN,R8C,CM+RxC,CN/RwC,CM+R9C,C;K;gGAEZ,Y;MAAA,4B;K;IAY2B,oG;MAAA,kC;MAAS,uB;K;mJACG,Y;MAAQ,OAAA,kBAAM,O;K;wGAC1C,iB;MAAuC,Q;MAAA,eAAA,kBAAN,R8C,CM+SG,KN/SH,CM+SH,mBAAgB,E;K;;qGAAnE,Y;MACI,IAAI,2BAAJ,C;QACI,yH;;MAKJ,OAAO,kC;K;4CAGf,Y;MACI,OAAY,SAAZ,wBAAY,EAAZ,kBAAY,EAAZ,oB,kBAAA,mBAAA,UAAA,GAAA,qB,8BAAA,8D,uBAAA,k

AAW,SAAX,EAAiB,CAAjB,EAAoB,gBAApB,EAA0B,KAA1B,C;K;IAGX,mF;MAeI,0B;QAAA,aAAkB,C;MAClB,wB;QAAA,WAAgB,SAAK,O;MACrB,sC;QAAA,yBAAkC,K;MAElC,oCAAa,4BAAmB,UAAnB,EAA+B,QAA/B,EAAyC,SAAK,OAA9C,C;MACb,OAAO,WAAW,SAAX,EAAiB,UAAjB,EAA6B,EAA6B,QAA7B,EAAuC,sBAAvC,C;K;IAGX,sC;MAQI,OAAO,WAAW,SAAX,EAAiB,CAAjB,EAAoB,EAApB,EAAwB,gBAAxB,EAA0C,KAA1C,EAAiD,C;K;IAGX,sF;MAeI,0B;QAAA,aAAkB,C;MAClB,wB;QAAA,WAAgB,SAAK,O;MACrB,sC;QAAA,yBAAkC,K;MAElC,oCAAa,4BAAmB,UAAnB,EAA+B,QAA/B,EAAyC,SAAK,OAA9C,C;MACb,gBAAgB,C;MAChB,OAAO,WAAW,SAAX,EAAiB,UAAjB,EAA6B,EAA6B,QAA7B,EAAuC,sBAAvC,C;K;uFAGX,qB;MAMI,wD,OAAA,A,SAAA,Y,c;K;mFAEJ,qB;MAMI,wD,OAAA,A,SAAA,Y,c;K;uFAEJ,qB;MAMI,wD,OAAA,A,SAAA,Y,c;K;yFAEJ,qC;MAGI,oF,OAAA,A,SAAA,Y,SAAA,Q,GAAA,R,EAAA,a,SAAA,b,C;K;iGAEJ,qC;MAGI,wF,OAAA,A,SAAA,Y,aAAA,Y,GAAA,Z,EAAA,a,SAAA,b,C;K;+FAEJ,kC;MAGI,iF,OAAA,A,SAAA,Y,YAAA,W,CAAA,X,EAAA,c,QAAA,d,C;K;2FAEJ,wB;MAGI,gE,OAAA,A,SAAA,Y,UAAA,S,CAAA,C,C;K;iFAEJ,iC;MAGI,qE,OAAA,A,SAAA,Y,WAAA,U,UAAA,V,C;K;mFAEJ,2C;MAGI,oF,OAAA,A,SAAA,Y,WAAA,U,UAAA,V,C;K;wEAEJ,4B;MAGI,gE,OAAA,A,SAAA,Y,QAAA,O,GAAA,P,C;K;wEAEJ,4B;MAGI,gE,OAAA,A,SAAA,Y,QAAA,O,GAAA,P,C;K;yFAEJ,2C;MAGI,oF,OAAA,A,SAAA,Y,SAAA,Q,OAAA,P,GAAA,R

K,C;;;;UAGb,OAAO,M;;MAnBf,W;K;IAwBJ,4D;MAOqE,0B;QAAA,aAAsB,K;MACvF,O9GkFiG,kB8GlFnF,W
AAO,6BAAM,gBAAO,QAAP,CAAb,EAAmC,UAAJ,GAAgB,KAAhB,GAA2B,IAA1D,C9GkFmF,E8GlFlB,6BA
AM,iCAAwB,QAAxB,C9GkFY,C;K;I8GhFrG,4D;MAM+D,0B;QAAA,aAAsB,K;MACjF,O9GyEiG,kB8GzEnF,
WAAO,6BAAM,gBAAe,oBAAR,OAAQ,CAAf,CAAb,EAA6C,UAAJ,GAAgB,KAAhB,GAA2B,IAApE,C9GyEmF,
F8GzEA,oBAAR,OAAQ,C9GyEA,C;K;I8GvErG,iE;MAC0E,0B;QAAA,aAAsB,K;MAC5F,O9GqEiG,kB8GrEnF,
WAAO,6BAAM,gBAAO,QAAP,CAAb,EAAmC,UAAJ,GAAgB,IAAhB,GAA0B,GAA1B,GAAqC,C9GqEmF,E8GrEpB,
6BAAM,iCAAwB,QAAxB,C9GqEc,C;K;I8GnErG,iE;MACoE,0B;QAAA,aAAsB,K;MACtF,O9GiEiG,kB8GjEnF,
WAAO,6BAAM,gBAAe,oBAAR,OAAQ,CAAf,CAAb,EAA6C,UAAJ,GAAgB,IAAhB,GAA0B,GAAtD,GAAiE,C9GiEmF,
F8GjEjB,oBAAR,OAAQ,C9GiEiE,C;K;I+G7OrG,kD;MAEI,IAAI,gBAAJ,C;QAAsB,MAAM,6BAAyB,yqCAAzB,CAAN,C;QAC5B,QAAQ,CAAR,IAAalC,OAAO,CAAC5B,IAAD,CAAP,CAAc,CAAd,CAAb,C;MAC5B,O5B5B5B,I;MAAA,IAAI,CAAJ,C;QAAO,MAAM,IAAIC,KAAJ,CAAU,kBAAV,CAAN,C;MAAP,O;IAAA,C;IAAA,IAAI,CAAJ,C;MAAO,MAAM,IAAIA,KAAJ,CAAU,kBAAV,CAAN,C;MAAP,O;EAAA,C;EAAA,IAAI,CAAJ,C;IAAO,MAAM,IAAIA,KAAJ,CAAU,kBAAV,CAAN,C;IAAP,O;AAAA,C;AAAA,IAAI,CAAJ,C;EAAO,MAAM,IAAIA,KAAJ,CAAU,kBAAV,CAAN,C;E

SAArC,EAAgD,QAAhD,EAA0D,gBAA1D,C;UAChB,IAAI,aAAa,CAAjB,C;YACI,MAAM,kBAAN,EAAM,0BAAN,YAAAqB,0BAAA0B,CAA1B,C;YACrB,MAAM,kBAAN,EAAM,0BAAN,YAAAqB,0BAA0B,CAA1B,C;YACrB,MAAM,kBAAN,EAAM,0BAAN,YAAAqB,0BAA0B,CAA1B,C;;YAErB,MAAM,kBAAN,EAAM,0BAAN,YAAAkD,OAA3B,aAAAc,EAAAf,GAAAsB,GAAAM,C;YAClD,MAAM,mBAAN,EAAM,2BAAN,EAA6D,OAArC,aAAAc,EAAAf,GAAAuB,EAAAxB,GAAAiC,GAAAM,C;YAC7D,MAAM,mBAAN,EAAM,2BAAN,EAA4D,OAApC,aAAAqB,EAAAtB,GAAAsB,EAAAvB,GAAAsB,GAAAM,C;YAC5D,MAAM,mBAAN,EAAM,2BAAN,EAA4D,OAApC,aAAAoB,EAAArB,GAAAqB,EAAAtB,GAAAqB,GAAAM,C;YAAA,MAAA,mBAAA,EAAA,2BAAA,EAAA,OAAA,aAAA,EAAA,GAAA,EAAA,GAAA,EAAA,G

AN,GAAkB,GAAlB,IAAN,C;QACR,IAAI,MAAK,2BAAkB,iBAAT,eAAS,CAAT,GAAqB,GAArB,IAAT,CAAT,C;UAA6C,K;QAC7C,IAAI,MAAK,EAAT,C;UACI,8BAAgB,CAAhB,I;UACA,eAAe,S;UACf,YAAY,G;;;MAGpB,IAAI,gBAAgB,CAApB,C;QAAuB,OAAO,K;MAC9B,OAAO,eAAe,CAAf,IAAoB,iBAAY,iBAAN,KAAM,CAAN,IAAmB,IAAmB,YAAnB,NAAmB,C;QAAnB,GAAkC,kCAAlC,KAAkC,MAAlC,MAAkC,MAAlC,MAAkC,MAAlC,M

HzyB4C,4B5HyyB9B,S4HzyB8B,C5HyyB5C,C;YAAwB,WAAY,WAAI,SAAJ,C;;Q4HzyBtD,sBAAmF,e5H0yBhF,W4H1yBgF,EAAa,GAAb,C;QACnF,OAAO,I;;MAGX,OAAO,K;K;IEnCP,iC;MAAQ,8BAAY,IAAK,UAAjB,IAA8B,uBAAY,IAAK,mB;K;IAOvD,oC;MAAQ,8BAAY,IAAK,a;K;ICZ7B,4B;MAGI,OAAO,yBAAP,C;QACI,sBAAY,mCAAZ,C,C;;K;IAIR,uC;MAOI,sBAAY,sCAAgB,gBAAe,IAAf,CAA5B,C;MACA,OAAO,S;K;ICbP,4B;MAAQ,mB;K;IACR,mC;MACI,eAAO,K;K;IAKX,4B;MAAQ,mB;K;IACR,mC;MACI,eAAO,K;K;iHCoBf,sJ;MAEyC,qB;QAAA,QAAkB,I;MAAM,qB;QAAA,QAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,yB;QAAA,YAAsB,I;MAAM,kC;QAAA,qBAA+B,I;MAAM,qC;QAAA,wBAAkC,K;MAAO,+C;QAAA,kCAA4C,K;MAAO,4C;QAAA,+BAAyC,K;MAAO,4C;QAAA,+BAAyC,K;MAAO,mC;QAAA,sBAAgC,K;MAAO,mC;QAAA,sBAAgC,K;MAAO,mC;QAAA,sBAAg

AAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;kGA8DX,8U;MAEiC,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC3wB,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;wGAgDX,kQ;MAEoC,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7wB,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;kGAsCX,iX;MAEiC,uB;QAAA,UAAkB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC3

E,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;wGAmDX,4S;MAEoC,mB;QAAA,MAAe,E;MAAI,oB;QAAA,OAAgB,E;MAAI,wB;QAAA,WAAiB,C;MAAG,sB;QAAA,SAAmB,K;MAAO,2B;QAAA,cAAwB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjtB,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,O;8GAuBX,6D;MAEuC,oB;QAAA,OAAgB,E;MAAI,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7K,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,O;wECnbX,4B;MAEyE,iBAAY,KAAZ,C;K;wEAEzF,2B;MAEgG,iBAAY,IAAZ,C;K;wEAAwBhG,oC;MAE++F,UAAY,KAAZ,IAAqB,QAAQ,M;K;wEAAmFpH,2B;MAEqE,iBAAY,IAAZ,C;K;wEAAErE,kC;MAE2E,UAAY,IAAZ,IAAqB,QAAQ,K;K;wEAAsC/F,4B;MAEyE,iBAAY,KAAZ,C;K;wEAA0BzE,4B;MAEyE,iBAAY,KAAZ,C;K;wEAAsBzE,4B;MAEuE,iBAAY,KAAZ,C;K;wEAAyBvE,4B;MAE6E,iBAAY,KAAZ,C;K;2FA4C7E,gD;MAEiC,qB;QAAA,QAAiB,D;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAClK,QAAQ,E;MACR,EAAE,OAAF,IAAa,Ia,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,O;uEA+BX,4B;MAEuE,iBAAY,KAAZ,C;K;wEAAqBzE,4B;MAEuE,iBAAY,KAAZ,C;K;wEAAqBvE,4B;MAE6E,iBAAY,KAAZ,C;K;wEAAsBvE,4B;MAEuE,iBAAY,KAAZ,C;K;wEAAqBz

AAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;wEAwEX,2B;MAE+D,iBAAY,IAAZ,C;K;iGA2D/D,gD;MAEoC,qB;QAAA,QAAA,c,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAlI,IAAQ,E;MAAR,EAAE,OAAF,IAAa,K;MAAb,EAAE,SAAF,IAAe,O;MAAf,EAAE,YAAF,IAAkB,U;MAAlB,EAAE,UAAF,IAAgB,Q;MAAhB,OAAO,C;K;qGA2BX,yD;MAEsC,sB;QAAA,SAAkB,E;MAAI,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAlI,IAAQ,E;MAAR,EAAE,QAAF,IAAc,M;MAAd,EAAE,QAAF,IAAc,M;MAAd,EAAE,SAAF,IAAe,O;MAAf,EAAE,YAAF,IAAkB,U;MAAlB,EAAE,UAAF,IAAgB,Q;MAAhB,OAAO,C;K;6GA2BX,yD;MAEsC,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAlI,IAAQ,E;MAAR,EAAE,QAAF,IAAc,M;MAAd,EAAE,QAAF,IAAc,M;MAAd,EAAE,SAAF,IAAe,O;MAAf,EAAE,YAAF,IAAkB,U;MAAlB,EAAE,UAAF,IAAgB,Q;MAAhB,OAAO,C;K;2FAAX,yB;MAEsC,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAlI,IAAQ,E;MAAR,EAAE,QAAF,IAAc,M;MAAd,EAAE,QAAF,IAAc,M;MAAd,EAAE,SAAF,IAAe,O;MAAf,EAAE,YAAF,IAAkB,U;MAAlB,EAAE,UAAF,IAAgB,Q;MAAhB,OAAO,C;K;2FAAX,yB;MAEsC,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAlI,IAAQ,E;MAAR,EAAE,QAAF,IAAc,M;MAAd,EAAE,QAAF,IAAc,M;MAAd,EAAE,SAAF,IAAe,O;MAAf,EAAE,YAAF,IAAkB,U;MAAlB,EAAE,UAAF,IAAgB,Q;MAAhB,OAAO,C;K;6GA2BX,yD;MAEsC,sB;QAAA,SAAkB,E;MAAI,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAlI,IAAQ,E;MAAR,EAAE,QAAF,IAAc,M;MAAd,EAAE,QAAF,IAAc,M;MAAd,EAAE,SAAF,IAAe,O;MAAf,EAAE,YAAF,IAAkB,U;MAAlB,EAAE,UAAF,IAAgB,Q;MAAhB,OAAO,C;K;6GA2BX,yD;MAEsC,sB;QAAA,SAAkB,E;MAAI,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAlI,IAAQ,E;MAAR,EAAE,QAAF,IAAc,M;MAAd,EAAE,QAAF,IAAc,M;MAAd,EAAE,SAAF,IAAe,O;MAAf,EAAE,YAAF,IAAkB,U;MAAlB,EAAE,UAAF,IAAgB,Q;MAAhB,OAAO,C;K;wEAAX,yB;MAEsC

MAChB,OAAO,C;K;6FAwBX,iD;MAEkC,sB;QAAA,SAAe,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjI,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;uGASX,mB;MAEuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;6GAYX,kC;MAE0C,uB;QAAA,UAAoB,K;MAAO,oB;QAAA,OAAiB,K;MAAO,uB;QAAA,UAAoB,K;MAC7G,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;wEAkEX,4B;MAE6D,iBAAY,KAAA,Z,C;K;wEAUzE,7B;MAEsE,iBAAY,KAAA,Z,C;K;wEAatF,2B;MAEwE,iBAAY,IAAA,Z,C;K;uGAcpG,xE,oH;MAEuC,yB;QAAA,YAAsB,K;MAAO,0B;QAAA,aAAuB,S;MAAW,6B;QAAA,gBAA0B,S;MAAW,uB;QAAA,UAAoB,K;MAAO,iC;QAAA,oBAA8B,S;MAAW,qC;QAAA,wBAAkC,S;MAAW,+B;QAAA,kBAA4B,S;MAC1R,QAAQ,E;MACR,EAAE,WAAF,IAAiB,I;MAAM,iB;QAAA,oB;MAAsB,S;MAAW,6B;QAAA,gBAA0B,S;MAAW,uB;QAAA,UAAoB,K;MAAO,e;MACvH,OAAO,C;K;mGAgFX,gX,oB;MAEuC,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,uB;QAAA,UAAoB,K;MAAO

K;uFAEZ,qB;MAAQ,OAAU,S;K;yFAS9B,qB;MAAQ,OAAY,W;K;+EAE1B,qB;MAAQ,OAAM,K;K;qFAEX,qB;MAAQ,OAAS,Q;K;iFAEnB,qB;MAAQ,OAAO,M;K;+EASrB,qB;MAAQ,OAAO,M;K;6FAER,qB;MAAQ,OAAc,a;K;qFAS1B,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAAS,Q;K;+EASX,qB;MAAQ,OAAO,M;K;mFAEb,qB;MAAQ,OAAS,Q;K;iFASnB,qB;MAAQ,OAAO,M;K;qFAEZ,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAAS,Q;K;kFASJ,qB;MAAQ,OAAQ,O;K;oFAEf,qB;MAAQ,OAAS,Q;K;8EAEpB,qB;MAAQ,OAAM,K;K;oFAEV,qB;MAAQ,OAAU,S;K;mFASzC,qB;MAAQ,OAAS,Q;K;mFAEjB,qB;MAAQ,OAAS,Q;K;qFAEhB,qB;MAAQ,OAAU,S;K;qFAElB,qB;MAAQ,OAAU,S;K;wIEx+M7E,wM;MAEiD,qB;QAAA,QAAkB,I;MAAM,sB;QAAA,SAAmB,I;MAAM,2B;QAAA,cAAwB,I;MAAM,yB;QAAA,YAAsB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,sB;QAAA,SAAmB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,gC;QAAA,mBAA6B,I;MAAM,+B;QAAA,kBAA4B,I;MAAM,gC;QAAA,mBAA6B,I;MAAM,uB;QAAA,UAAoB,I;MAAM,4B;QAAA,eAAyB,I;MAAM,wB;QAAA,WAAqB,I;MAAM,uB;QAAA,UAAoB,I;MACrf,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;wHAsDX,wM;MAEyC,qB;QAAA,QAAkB,S;MAAW,2B;QAAA,cAAwB,S;MAAW,yB;QAAA,YAAsB,S;MAAW,0B;QAAA,aAAuB,S;MAAW,0B;QAAA,aAAuB,S;MAAW,sB;QAAA,SAAmB,S;MAAW,0B;QAAA,aAAuB,S;MAAW,0B;QAAA,aAAuB,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,+B;QAAA,kBAA4B,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,uB;QAAA,UAAoB,S;MAAW,4B;QAAA,eAAyB,S;MAAW,wB;QAAA,WAAqB,S;MAAW,uB;QAAA,UAAoB,S;MAAW,4B;QAAA,iBAA8B,S;MACtnB,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;sHAsDX,kN;MAEwC,wB;QAAA,WAA4C,S;MAAW,qB;QAAA,QAAkB,S;MAAW,sB;QAAA,SAAmB,S;MAAW,2B;QAAA,cAAwB,S;MAAW,yB;QAAA,YAAsB,S;MAAW,0B;QAAA,aAAuB,S;MAAW,sB;QAAA,SAAmB,S;MAAW,0B;QAAA,aAAuB,S;MAAW,0B;QAAA,aAAuB,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,+B;QAAA,kBAA4B,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,uB;QAAA,UAAoB,S;MAAW,4B;QAAA,eAAyB,S;MAAW,wB;QAAA,WAAqB,S;MAAW,uB;QAAA,UAAoB,S;MAAW,4B;QAAA,iBAA8B,S;MAAW,yB;QAAA,YAAs

AmB,S;MAAW,4B;QAAA,eAAqB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MACxhB,Q
AAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EA
AE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,QAAF,IA
Ac,M;MACd,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,kBAAF,IAAwB,gB;MACx
B,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAA
F,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;8HAqBX,gD;M
AEsE,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAChJ,QAAQ,E;MAC
R,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;sIAoBX,gD;MAEgD,qB;QAAA,QAAiB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;Q
AAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SA
AF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;wHAwCX,wB;
MAEyC,qB;QAAA,QAAiB,K;MAAO,qB;QAAA,QAAiB,K;MAC9E,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MA
Cb,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;kGAyBX,oB;MAE8B,mB;QAAA,MAAe,S;MAAW,mB;QAAA,MA
Ae,S;MACnE,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;oHA
YX,kC;MAEuC,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,mB;QAAA,MAAe,S;MAAW,mB;Q
AAA,MAAe,S;MACpI,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,KAA
F,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;gGAYX,oB;MAE6B,mB;QAAA,MAAY,S;MAA
W,mB;QAAA,MAAY,S;MAC5D,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;kHAYX,kC;MAEsC,qB;QAAA,QAAc,S;MAAW,qB;QAAA,QAAc,S;MAAW,mB;QAAA,MAAY,S;MAAW,mB;QAAA,MAAY,S;
MACvH,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;
MACb,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;gIAeX,wB;MAE6C,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MACxF,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF
,IAAa,K;MACb,OAAO,C;K;oIAeX,wB;MAE+C,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MACxF,QA
AQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;4FAKX,Y;MAGI,QAAQ,E
;MACR,OAAO,C;K;oFAKX,Y;MAGI,QAAQ,E;MACR,OAAO,C;K;8FAKX,Y;MAGI,QAAQ,E;MACR,OAAO,C
;K;kGASX,oB;MAE8B,wB;QAAA,WAAkC,S;MAC5D,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MAChB,OAA
O,C;K;4FAUmE,qB;MAAQ,OAAO,M;K;8FAAed,qB;MAAQ,OAAQ,O;K;4FASrB,qB;MAAQ,OAAO,M;K;0GAE
R,qB;MAAQ,OAAc,a;K;8FAAE7B,qB;MAAQ,OAAO,M;K;gGAAed,qB;MAAQ,OAAQ,O;K;8FASjB,qB;MAAQ,O
AAO,M;K;gHAAEL,qB;MAAQ,OAAiB,gB;K;wGASrC,qB;MAAQ,OAAa,Y;K;0GAEpB,qB;MAAQ,OAAc,a;K;w
GAEvB,qB;MAAQ,OAAa,Y;K;oFCroB7F,4B;MAE6E,iBAAY,KAAAZ,C;K;iGASnB,qB;MAAQ,OAAS,Q;K;6FAE
nB,qB;MAAQ,OAAO,M;K;+FAAed,qB;MAAQ,OAAQ,O;K;iGASF,qB;MAAQ,OAAU,S;K;+FAEnB,qB;MAAQ,O
AAS,Q;K;mGAS3B,qB;MAAQ,OAAW,U;K;mGAEnB,qB;MAAQ,OAAW,U;K;6GC1D/E,mb;MAEmC,wB;QAE
A,YAAkB,C;MAAG,qB;QAAA,QAAiB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,wB;QAAA,WAAmB,G;MAAI,k
C;QAAA,qBAA6B,G;MAAI,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,C;MAA
G,2B;QAAA,cAAuB,E;MAAI,yB;QAAA,YAAsB,K;MAAO,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;
MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UA
AkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QA
AA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MA
AO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBA
A0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;
QAAA,iBA2B,K;MAAO,kC;QAAA,qBA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MA
AG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACl/B,QAAQ,E;MACR
,EAAE,WAAF,IAAiB,S;MACjB,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EA
AE,OAAF,IAAa,K;MACb,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;
MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IA
Ac,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE
,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MA

Cf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;6GC1BX,0C;MAEwC,oB;QAAA,OAAA,iB,I;MAAM,sB;QAAA,OAAA,SAAA,mB,K;MAAK,O;MAAO,u

E,MAAF,IAAY,I;MACZ,OAAO,C;K;qHASX,e;MAEyC,mB;QAAA,MAAe,E;MACpD,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;mHAyBX,+D;MAEqE,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACrK,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;iGAUwE,qB;MAAQ,OAAU,S;K;6FAEnB,qB;MAAQ,OAAS,Q;K;+FAEhB,qB;MAAQ,OAAU,S;K;2FASvB,qB;MAAQ,OAAO,M;K;yFAEhB,qB;MAAQ,OAAM,K;K;yFAEd,qB;MAAQ,OAAM,K;K;yGCrJ3F,uB;MAEsC,qB;QAAA,QAAiB,S;MAAW,oB;QAAA,ORy9MW,S;;MQx9MzE,QAAQ,E;MACR,EAAE,OAAF,IAAa,IAAK,a,K;MAClB,EAAE,MAAF,IAAY,IAAK,Y,I;MACjB,MAAM,C;K;6HAuCX,mF;MAEgD,oB;QAAA,OAAa,S;MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/R,C/S,QAAQ,E;MACR,EAAE,MAAF,IAAY,IAAK,Y,I;MACjB,MAAM,C;K;yGAmBX,qC;MAEqC,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAO

MAKI,0E;MAEA,sE;K;;IAFA,kD;MAAA,+B;MAAA,0C;K;;IAEA,gD;MAAA,+B;MAAA,wC;K;;IAPJ,qC;MAA
A,yF;K;;IAAA,0C;MAAA,a;aAAA,S;UAAA,+C;aAAA,O;UAAA,6C;;UAAA,8D;;K;;;IA0BmC,sC;MACnC,8B;K;
;IAMqC,sC;MACrC,8B;K;;IC5DJ,iC;K;;ICMA,4B;K;;IA6BA,gD;K;;IC5BA,qC;K;;IA0BA,+B;K;;ICNqC,uC;MA
CjC,uB;QAAA,UAAsB,E;MACtB,qB;QAAA,+C;MADA,sB;MACA,kB;K;IAEA,4C;MAAA,e;MAAA,iB;MAAA,
uB;K;IAAA,0C;MAAA,6C;O;MAKI,4E;MAGA,wE;K;;IAHA,mD;MAAA,gC;MAAA,2C;K;;IAGA,iD;MAAA,gC
;MAAA,yC;K;;IARJ,sC;MAAA,2F;K;;IAAA,2C;MAAA,a;aAAA,S;UAAA,gD;aAAA,O;UAAA,8C;;UAAA,+D;;
K;;;IAyByB,4B;MACzB,8B;K;;IC/C4C,8B;K;kDAI5C,mB;MAA6D,c;;QrJ2rD7C,Q;QADhB,IAAI,mCAAsB,cAA
1B,C;UAAqC,aAAO,K;UAAP,e;;QACrB,sB;QAAhB,OAAgB,cAAhB,C;UAAgB,2B;UAAM,IqJ3rD6C,OrJ2rD/B,
SqJ3rD+B,UrJ2rD7C,C;YAAwB,aAAO,I;YAAP,e;;;QAC9C,aAAO,K;;;MqJ5rDsD,iB;K;uDAE7D,oB;MACa,c;;Qr
JmqDG,Q;QADhB,IAAI,cqJlqDA,QrJkqDA,iBqJlqDA,QrJkqDsB,UAA1B,C;UAAqC,aAAO,I;UAAP,e;;QACrB,O
qJnqDZ,QrJmqDY,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CqJnqDP,oBrJmqDkB,OqJnqDlB,CrJ
mqDG,C;YAAyB,aAAO,K;YAAP,e;;;QAC/C,aAAO,I;;;MqJpqDH,iB;K;2CAEJ,Y;MAAkC,qBAAQ,C;K;IAEqB,q
E;MAAA,qB;QAC3D,OAAI,OAAO,uBAAX,GAAiB,mBAAjB,GA6C,SAAH,EAAG,C;O;K;4CADjD,Y;MAAk
C,4BAAa,IAAb,EAAmB,GAAnB,EAAwB,GAAxB,kBAA6B,wCAA7B,C;K;2CAIlC,Y;MAI4C,uBAAgB,IAAhB,
C;K;mDAE5C,iB;MAI4D,yBAAgB,IAAhB,EAAsB,KAAtB,C;K;;IC/BhE,8B;MAAA,e;MAAA,iB;MAAA,uB;K;I
AAA,4B;MAAA,+B;O;MACI,4C;MACA,kD;MACA,0C;MACA,8C;K;;IAHA,mC;MAAA,kB;MAAA,2B;K;;IAC
A,sC;MAAA,kB;MAAA,8B;K;;IACA,kC;MAAA,kB;MAAA,0B;K;;IACA,oC;MAAA,kB;MAAA,4B;K;;IAJJ,wB;
MAAA,sH;K;;IAAA,6B;MAAA,a;aAAA,O;UAAA,gC;aAAA,U;UAAA,mC;aAAA,M;UAAA,+B;aAAA,Q;UAAA
,iC;;UAAA,6D;;K;;IAOA,4B;MAKI,mD;MACA,2BAA4B,I;K;yCAE5B,Y;MAEiB,IAAN,I;M5JUX,IAAI,E4JXQ,
mD5JWR,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAyB,OAAQ,WAAjC,C;;M4JZC,QAAM,oBAAN,M;aACH,
M;UAAc,Y;UAAd,K;aACA,O;UAAe,W;UAAf,K;;UACQ,wC;UAHL,K;;MAAP,W;K;sCAOJ,Y;MAIW,Q;MAHP,
IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACtB,mD;MAEA,OAAO,2F;K;4DAGX,Y;MACI,iD;MACA,kB;MA
CA,OAAO,kD;K;+CAEX,iB;MAII,2BAAY,K;MACZ,gD;K;sCAGJ,Y;MAII,+C;K;;ICjDkC,wB;MAoFtC,oC;MAp
FgE,6B;K;sCAIhE,Y;MAAuC,0C;K;2CAEvC,mB;MAAwD,uB;;QvJkU3C,Q;QADb,YAAY,C;QACC,sB;QAAb,O
AAa,cAAb,C;UAAa,sB;UACT,IuJnUmE,OvJmUrD,IuJnUqD,UvJmUnE,C;YACI,sBAAO,K;YAAP,wB;;UACJ,qB
;;QAEJ,sBAAO,E;;;MuJvUiD,0B;K;+CAExD,mB;MA4D,sB;;QvJ2V5D,eAAoB,0BAAa,SAAb,C;QACpB,OAA
O,QAAS,cAAhB,C;UACI,IuJ7VsE,OvJ6VxD,QAAS,WuJ7V+C,UvJ6VtE,C;YACI,qBAAO,QAAS,Y;YAAhB,uB;
;;QAGR,qBAAO,E;;;MuJjWqD,yB;K;0CAE5D,Y;MAA+C,+C,+CAAiB,mBAAjB,C;K;kDAE/C,iB;MAAyD,+C,
KAAjB,mBAAiB,C;K;6CAEzD,zD,8B;MAA8D,gCAAQ,IAAR,ER,cAAc,C;K;IAElC,wD;MAAgF,uB;MA
A/E,kB;MAAmC,4B;MAC5D,eAAyB,C;MAGrB,+DAAkB,gBAAlB,IAAkB,EAA6B,OAA7B,EAAsC,WAAK,KAA3C,C;
MACA,eAAa,UAAU,gBAAV,I;K;iDAGjB,iB;MACI,+DAAkB,KAAlB,IAAkB,EAAyB,YAAzB,C;MAEA,OAAO,wBAA
K,mBAAY,KAAZ,EAAmB,IAAnB,C;K;4FAGvB,Y;MAAQ,mB;K;;oCAGnC,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAA
O,I;MAC3B,IAAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,IAAI,eAAJ,C;QAAmB,OAAO,2DAAc,IAAd,EAAoB,KAApB,C;K;sCAGlC,Y;MAG+B,+B,oBAAE,KAAF,C;K;kDAEjC,Y;MAAwC,gCAAQ,IAAR,EAAc,KAAd,C;K;IAEA,wD;MAAgF,uB;MAA
hF,kB;MAAmC,4B;MAC5D,eAAyB,C;MAGrB,+DAAkB,gBAAlB,IAAkB,EAA6B,OAA7B,EAAsC,WAAK,KAA3C,C;
MACA,eAAa,UAAU,gBAAV,I;K;iDAGjB,iB;MACI,+DAAkB,KAAlB,IAAkB,EAAyB,YAAzB,C;MAEA,OAAO,wBAA
K,mBAAY,KAAZ,EAAmB,IAAnB,C;K;4FAGvB,Y;MAAQ,mB;K;;oCAGnC,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAA
O,I;MAC3B,IAAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,IAAI,eAAJ,C;QAAmB,OAAO,2DAAc,IAAd,EAAoB,KAApB,C;K;sCAGlC,Y;MAG+B,+B,oBAAE,KAAF,C;K;kDAEjC,Y;MAAwC,gCAAQ,IAAR,EAAc,KAAd,C;K;IAEA,wD;MAAgF,uB;M

I,OAAO,K;;;MAGf,OAAO,I;K;;;IAjDf,8C;MAAA,6C;QAAA,4B;;MAAA,sC;K;;ICnFwC,uB;MAyHxC,mC;MAzCA,uBAC6B,I;MAmC7B,yBACsC,I;K;8CAnHtC,e;MACI,OAAO,6BAAc,GAAd,S;K;gDAGX,iB;MAAwE,gBAAAR,Y;MAAQ,c;;QxJkrDxD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAP,e;;QACrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IwJlrDwD,OxJkrD1C,OwJlrD6C,MAAH,QxJkrDxD,C;YAAwB,aAAO,I;YAAP,e;;;QAC9C,aAAO,K;;;MwJnrDyD,iB;K;kDAEhE,iB;MAEI,IAAI,gCAAJ,C;QAA+B,OAAO,K;MACtC,UAAU,KAAM,I;MAChB,YAAY,KAAM,M;MrKiNO,Q;MqKhNzB,erKgN4C,CAAnB,mDAAmB,YqKhNzB,GrKgNyB,C;MqK9M5C,IAAI,eAAS,QAAT,CAAJ,C;QACI,OAAO,K;;MAIP,6B;MAAA,W;QrK0NqB,U;QqK1NrB,UrK0NqD,UAAH,UAAG,BqK1NrD,UrK0NqE,UAAH,UAAG,BAAH,CAAnB,mDAAmB,YqK1NrE,UrK0NqG,UAAH,UAAG,BAAH,CAAnB,mDAAmB,YqK1NrG,C;MAAA,C;MAAA,C;QACI,OAAO,K;;MAIX,mCAAI,IAAI,eAAS,QAAT,CAAJ

A,IAAI,cAAJ,C;QAAA,OAAe,I;;QAxBnC,U;QAwBoB,OAxBpB,6BAwByD,WAxBzD,gE;;MAwBoB,W;K;gCAE/B,Y;MAGuB,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;;QA7BjC,Q;QA6BY,OA7BZ,2BAQyC,mBAAY,cAqB0D,sBArB1D,IAAZ,CARzC,4D;;K;sCA+BX,Y;MAG8B,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAlClC,U;QAkCmB,OAlCnB,6BAQyC,mBAAY,cA0BiB,sBA1BjB,IAAZ,CARzC,gE;;MAkCmB,W;K;0CAE9B,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,cAAO,mBAAY,WAAZ,C;MACP,mBAAY,WAAZ,IAAoB,O;MACpB,wBAAQ,CAAR,I;K;yCAGJ,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7CgD,mBAAY,cA6ClC,SA7CkC,IAAZ,CARzC,CA6ChD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7Dd,Q;MA+DP,cA/DO,2BAAA,mBAgEX,WAhEW,mBAgEX,4D;MAgEP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7EgD,mBAAY,cA6ElC,SA7EkC,IAAZ,CARzC,CA6EhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7Fd,Q;MA+FP,cA/FO,2BAAA,mBAgGX,WAhGW,mBAgGX,4D;MAgGP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7GgD,mBAAY,cA6GlC,SA7GkC,IAAZ,CARzC,CA6GhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7Hd,Q;MA+HP,cA/HO,2BAAA,mBAgIX,WAhIW,mBAgIX,4D;MAgIP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7IgD,mBAAY,cA6IlC,SA7IkC,IAAZ,CARzC,CA6IhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7Jd,Q;MA+JP,cA/JO,2BAAA,mBAgKX,WAhKW,mBAgKX,4D;MAgKP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7KgD,mBAAY,cA6KlC,SA7KkC,IAAZ,CARzC,CA6KhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7Ld,Q;MA+LP,cA/LO,2BAAA,mBAgMX,WAhMW,mBAgMX,4D;MAgMP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7MgD,mBAAY,cA6MlC,SA7MkC,IAAZ,CARzC,CA6MhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7Nd,Q;MA+NP,cA/NO,2BAAA,mBAgOX,WAhOW,mBAgOX,4D;MAgOP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7OgD,mBAAY,cA6OlC,SA7OkC,IAAZ,CARzC,CA6OhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7Pd,Q;MA+PP,cA/PO,2BAAA,mBAgQX,WAhQW,mBAgQX,4D;MAgQP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7QgD,mBAAY,cA6QlC,SA7QkC,IAAZ,CARzC,CA6QhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7Rd,Q;MA+RP,cA/RO,2BAAA,mBAgSX,WAhSW,mBAgSX,4D;MAgSP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7SgD,mBAAY,cA6SlC,SA7SkC,IAAZ,CARzC,CA6ShD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7Td,Q;MA+TP,cA/TO,2BAAA,mBAgUX,WAhUW,mBAgUX,4D;MAgUP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7UgD,mBAAY,cA6UlC,SA7UkC,IAAZ,CARzC,CA6UhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7Vd,Q;MA+VP,cA/VO,2BAAA,mBAgWX,WAhWW,mBAgWX,4D;MAgWP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7WgD,mBAAY,cA6WlC,SA7WkC,IAAZ,CARzC,CA6WhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7Xd,Q;MA+XP,cA/XO,2BAAA,mBAgYX,WAhYW,mBAgYX,4D;MAgYP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7YgD,mBAAY,cA6YlC,SA7YkC,IAAZ,CARzC,CA6YhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7Zd,Q;MA+ZP,cA/ZO,2BAAA,mBAgaX,WAhaW,mBAgaX,4D;MAgaP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7agD,mBAAY,cA6alC,SA7akC,IAAZ,CARzC,CA6ahD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7bd,Q;MA+bP,cA/bO,2BAAA,mBAgcX,WAhcW,mBAgcX,4D;MAgcP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7cgD,mBAAY,cA6clC,SA7ckC,IAAZ,CARzC,CA6chD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7dd,Q;MA+dP,cA/dO,2BAAA,mBAgeX,WAheW,mBAgeX,4D;MAgeP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7egD,mBAAY,cA6elC,SA7ekC,IAAZ,CARzC,CA6ehD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7fd,Q;MA+fP,cA/fO,2BAAA,mBAgfX,WAhfW,mBAgfX,4D;MAgfP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7ggD,mBAAY,cA6glC,SA7gkC,IAAZ,CARzC,CA6ghD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7hd,Q;MA+hP,cA/hO,2BAAA,mBAgiX,WAhiW,mBAgiX,4D;MAgiP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7igD,mBAAY,cA6ilC,SA7ikC,IAAZ,CARzC,CA6ihD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7jd,Q;MA+jP,cA/jO,2BAAA,mBAgkX,WAhkW,mBAgkX,4D;MAgkP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7kgD,mBAAY,cA6klC,SA7kkC,IAAZ,CARzC,CA6khD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7ld,Q;MA+lP,cA/lO,2BAAA,mBAgmX,WAhmW,mBAgmX,4D;MAgmP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7mgD,mBAAY,cA6mlC,SA7mkC,IAAZ,CARzC,CA6mhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7nd,Q;MA+nP,cA/nO,2BAAA,mBAgoX,WAhoW,mBAgoX,4D;MAgoP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7ogD,mBAAY,cA6olC,SA7okC,IAAZ,CARzC,CA6ohD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7pd,Q;MA+pP,cA/pO,2BAAA,mBAgqX,WAhqW,mBAgqX,4D;MAgqP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7qgD,mBAAY,cA6qlC,SA7qkC,IAAZ,CARzC,CA6qhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7rd,Q;MA+rP,cA/rO,2BAAA,mBAgsX,WAhsW,mBAgsX,4D;MAgsP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7sgD,mBAAY,cA6slC,SA7skC,IAAZ,CARzC,CA6shD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7td,Q;MA+tP,cA/tO,2BAAA,mBAguX,WAhuW,mBAguX,4D;MAguP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7ugD,mBAAY,cA6ulC,SA7ukC,IAAZ,CARzC,CA6uhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7vd,Q;MA+vP,cA/vO,2BAAA,mBAgwX,WAhwW,mBAgwX,4D;MAgwP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7wgD,mBAAY,cA6wlC,SA7wkC,IAAZ,CARzC,CA6whD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7xd,Q;MA+xP,cA/xO,2BAAA,mBAgyX,WAhyW,mBAgyX,4D;MAgyP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7ygD,mBAAY,cA6ylC,SA7ykC,IAAZ,CARzC,CA6yhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7zd,Q;MA+zP,cA/zO,2BAAA,mBAgzX,WAhzW,mBAgzX,4D;MAgzP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7zgD,mBAAY,cA6zlC,SA7zkC,IAAZ,CARzC,CA6zhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7ad,Q;MA+aP,cA/aO,2BAAA,mBAgbX,WAhbW,mBAgbX,4D;MAgbP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7bgD,mBAAY,cA6blC,SA7bkC,IAAZ,CARzC,CA6bhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7cd,Q;MA+cP,cA/cO,2BAAA,mBAgdX,WAhdW,mBAgdX,4D;MAgdP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7dgD,mBAAY,cA6dlC,SA7dkC,IAAZ,CARzC,CA6dhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7ed,Q;MA+eP,cA/eO,2BAAA,mBAgfX,WAhfW,mBAgfX,4D;MAgfP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7fgD,mBAAY,cA6flC,SA7fkC,IAAZ,CARzC,CA6fhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7gd,Q;MA+gP,cA/gO,2BAAA,mBAghX,WAhhW,mBAghX,4D;MAghP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7hgD,mBAAY,cA6hlC,SA7hkC,IAAZ,CARzC,CA6hhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7id,Q;MA+iP,cA/iO,2BAAA,mBAgjX,WAhjW,mBAgjX,4D;MAgjP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7jgD,mBAAY,cA6jlC,SA7jkC,IAAZ,CARzC,CA6jhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7kd,Q;MA+kP,cA/kO,2BAAA,mBAglX,WAhlW,mBAglX,4D;MAglP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7lgD,mBAAY,cA6llC,SA7lkC,IAAZ,CARzC,CA6lhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7md,Q;MA+mP,cA/mO,2BAAA,mBAgnX,WAhnW,mBAgnX,4D;MAgnP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7ngD,mBAAY,cA6nlC,SA7nkC,IAAZ,CARzC,CA6nhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7od,Q;MA+oP,cA/oO,2BAAA,mBAgpX,WAhpW,mBAgpX,4D;MAgpP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7pgD,mBAAY,cA6plC,SA7pkC,IAAZ,CARzC,CA6phD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7qd,Q;MA+qP,cA/qO,2BAAA,mBAgrX,WAhrW,mBAgrX,4D;MAgrP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7rgD,mBAAY,cA6rlC,SA7rkC,IAAZ,CARzC,CA6rhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7sd,Q;MA+sP,cA/sO,2BAAA,mBAgtX,WAhtW,mBAgtX,4D;MAgtP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7tgD,mBAAY,cA6tlC,SA7tkC,IAAZ,CARzC,CA6thD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7ud,Q;MA+uP,cA/uO,2BAAA,mBAgvX,WAhvW,mBAgvX,4D;MAgvP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7vgD,mBAAY,cA6vlC,SA7vkC,IAAZ,CARzC,CA6vhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7wd,Q;MA+wP,cA/wO,2BAAA,mBAgxX,WAhxW,mBAgxX,4D;MAgxP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7xgD,mBAAY,cA6xlC,SA7xkC,IAAZ,CARzC,CA6xhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7yd,Q;MA+yP,cA/yO,2BAAA,mBAgzX,WAhzW,mBAgzX,4D;MAgzP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7zgD,mBAAY,cA6zlC,SA7zkC,IAAZ,CARzC,CA6zhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7ad,Q;MA+aP,cA/aO,2BAAA,mBAgbX,WAhbW,mBAgbX,4D;MAgbP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7bgD,mBAAY,cA6blC,SA7bkC,IAAZ,CARzC,CA6bhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7cd,Q;MA+cP,cA/cO,2BAAA,mBAgdX,WAhdW,mBAgdX,4D;MAgdP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAAf,U;QAAe,OAAf,IAAe,4D;;MAAf,W;K;gCAEpC,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7dgD,mBAAY,cA6dlC,SA7dkC,IAAZ,CARzC,CA6dhD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7ed,Q

BsF,Y/JulBtF,C;YAAA,U+JtlBgB,kB/JslBhB,E+JtlBqC,kB/JslBrC,E+JtlBkD,C/JslBlD,E+JtlBqD,Y/JslBrD,E+JtlBmE,a/JslBnE,C;;;Q+JnlBQ,cAAO,W;QACP,8BAAuB,mBAAY,gBAAgB,YAAhB,IAAZ,CAAvB,EAAkE,QAAlE,C;;QAIA,2BAA2B,gBAAgB,YAAhB,I;QAE3B,IAAI,gBAAgB,IAApB,C;UACI,IAAI,QAAO,YAAP,SAAuB,kBAAYAY,OAAvC,C;Y/J2kBZ,U+J1kBgB,kB/J0kBhB,E+J1kBqC,kB/J0kBrC,E+J1kBkD,oB/J0kBlD,E+J1kBwE,a/J0kBxE,E+J1kBuF,I/J0kBvF,C;;Y+JxkBgB,IAAI,wBAAwB,kBAAY,OAAxC,C;c/JwkBhB,U+JvkBoB,kB/JukBpB,E+JvkBkC,kB/JukBrC,E+JvkBsD,uBAAuB,kBAAY,OAAnC,I/JukBtD,E+JvkB+F,a/JukB/F,E+JvkB8G,I/JukB9G,C;;c+JrkBoB,mBAAmB,OAAO,YAAP,GAAsB,kBAAY,OAAlC,I;c/JqkBvC,U+JpkBoB,kB/JokBpB,E+JpkByC,kB/JokBzC,E+JpkBsD,C/JokBtD,E+JpkByD,OAAO,YAAP,I/JokBzD,E+JpkB8E,I/JokB9E,C;cAAA,U+JnkBoB,kB/JmkBpB,E+JnkByC,kB/JmkBzC,E+JnkBsD,oB/JmkBtD,E+JnkB4E,a/JmkB5E,E+JnkB2F,OAAO,YAAP,I/JmkB3F,C;;;;UAAA,U+J/jBY,kB/J+jBZ,E+J/jBiC,kB/J+jBjC,E+J/jB8C,Y/J+jB9C,E+J/jB4D,C/J+jB5D,E+J/jB+D,I/J+jB/D,C;U+J9jBY,IAAI,wBAAwB,kBAAY,OAAxC,C;Y/J8jBZ,U+J7jBgB,kB/J6jBhB,E+J7jBqC,kB/J6jBrC,E+J7jBkD,uBAAuB,kBAAY,OAAnC,I/J6jBlD,E+J7jB2F,a/J6jB3F,E+J7jB0G,kBAAY,O/J6jBtH,C;;YAAA,U+J3jBgB,kB/J2jBhB,E+J3jBqC,kB/J2jBrC,E+J3jBkD,C/J2jBlD,E+J3jBqD,kBAAY,OAAZ,GAAmB,YAAnB,I/J2jBrD,E+J3jBsF,kBAAY,O/J2jBlG,C;YAAA,U+J1jBgB,kB/J0jBhB,E+J1jBqC,kB/J0jBrC,E+J1jBkD,oB/J0jBlD,E+J1jBwE,a/J0jBxE,E+J1jBuF,kBAAY,OAAZ,GAAmB,YAAnB,I/J0jBvF,C;;;Q+JvjBQ,8BAAuB,aAAvB,EAAsC,QAAtC,C;;MAGJ,OAAO,I;K;uCAGX,iB;MACI,oCAAa,2BAAkB,KAAlB,EAAyB,SAAzB,C;MAjRN,Q;MAmRP,OAnRO,2BAQyC,mBAAY,cA2Q3B,KA3Q2B,IAAZ,CARzC,4D;K;uCAsRX,0B;MACI,oCAAa,2BAAkB,KAAlB,EAAyB,SAAzB,C;MAEb,oBAjRgD,mBAAY,cAiR1B,KAjR0B,IAiR1B,CAjRzB,4D;MA2RP,mBAAY,aAAZ,IAA6B,6B;MAE7B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAEzE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,IAAhB,EAAsB,SAAtB,EAAiC,M;MAAvD,wBAAuD,WAA3B,cAAO,cAAP,C;MAAvB,wBAAuB,WAAP,cAAO,C;MAAvB,wBAAuB,WAAP,cAAO,C;MAAvB,wBAAuB,WAAP,cAAO

BhF,C;cACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,O;;cAEzB,WAAW,I;;UAGP,OAAZ,kBAAY,EAAK,IAAA
L,EAAW,OAAX,EAAoB,IAApB,C;;UAGE,oB;UAAuB,SAAZ,kBAAY,O;UAArC,uD;YACI,gBAAc,mBAAY,O
AAZ,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA/BsE,CAAU,wBA+BlE,kFA/BkE,CA+BhF,C;cACI,mBAAY,g
BAAZ,EAAY,wBAAZ,YAAyB,S;;cAEzB,WAAW,I;;UAGnB,UAAU,mBAAY,OAAZ,C;UAEV,mBAAc,CAAd,Y
AAsB,IAAtB,Y;YACI,gBAAc,mBAAY,OAAZ,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA5CsE,CAAU,wBA4
ClE,kFA5CkE,CA4ChF,C;cACI,mBAAY,OAAZ,IAAuB,S;cACvB,UAAU,mBAAY,OAAZ,C;;cAEV,WAAW,I;;;;
QAIvB,IAAI,QAAJ,C;UACI,YAAO,mBAAY,UAAU,WAAV,IAAZ,C;QAEX,yBAAO,Q;;;MAvDuD,6B;K;6CAEl
E,oB;MAAkE,0B;;QAW5C,wD;QART,aAAL,IAAK,U;QAAL,Y;UAA8B,SAAZ,kB9K6wOnB,YAAQ,C;;Q8K7w
OX,W;UACI,yBAAO,K;UAAP,2B;;QAEJ,WA1XgD,mBAAY,cA0XnC,SA1XmC,IAAZ,C;QA2XhD,cAAc,W;QA
Cd,eAAe,K;QAEf,IAAI,cAAO,IAAX,C;UACI,iBAAc,WAAd,UAAyB,IAAzB,U;YACI,cAAc,mBAAY,KAAZ,C;
YAGd,IAf+E,wBAejE,0EAfiE,CAe/E,C;cACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,O;;cAEzB,WAAW,I;;U
AGP,OAAZ,kBAAY,EAAK,IAAL,EAAW,OAAX,EAAoB,IAApB,C;;UAGE,oB;UAAuB,SAAZ,kBAAY,O;UAAr
C,uD;YACI,gBAAc,mBAAY,OAAZ,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA7B+E,wBA6B6E,kFA7B7E,CA
6B/E,C;cACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,S;;cAEzB,WAAW,I;;UAGnB,UAAU,mBAAY,OAAZ,C;
UAEV,mBAAc,CAAd,YAAsB,IAAtB,Y;YACI,gBAAc,mBAAY,OAAZ,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGr
B,IA1C+E,wBA0C6E,kFA1C7E,CA0C/E,C;cACI,mBAAY,OAAZ,IAAuB,S;cACvB,UAAU,mBAAY,OAAZ,C;;cA
EV,WAAW,I;;;;QAIvB,IAAI,QAAJ,C;UACI,YAAO,mBAAY,UAAU,WAAV,IAAZ,C;QAEX,yBAAO,Q;;;MArD
uD,6B;K;2CAElE,qB;MASsB,IAII,IAJJ,EAKM,MALN,EAaA,MAbA,EAauB,MAbvB,EAkBI,MAlBJ,EAmBM,M
AnBN,EA+BI,M;MAvCb,aAAL,IAAK,U;MAAL,Y;QAA8B,SAAZ,kB9K6wOnB,YAAQ,C;;M8K7wOX,W;QACI
,OAAO,K;MAEX,WA1XgD,mBAAY,cA0XnC,SA1XmC,IAAZ,C;MA2XhD,cAAc,W;MACd,eAAe,K;MAEf,IAA
I,cAAO,IAAX,C;QACI,iBAAc,WAAd,UAAyB,IAAzB,U;UACI,cAAc,mBAAY,KAAZ,C;UAGd,IAAI,UAAU,0E
AAV,CAAJ,C;YACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,O;;YAEzB,WAAW,I;;QAGP,OAAZ,kBAAY,EA
AK,IAAL,EAAW,OAAX,EAAoB,IAApB,C;;QAGE,oB;QAAuB,SAAZ,kBAAY,O;QAArC,uD;UACI,gBAAc,mB
AAY,OAAZ,C;UACd,mBAAY,OAAZ,IAAqB,I;UAGrB,IAAI,UAAU,kFAAV,CAAJ,C;YACI,mBAAY,gBAAZ,E
AAY,wBAAZ,YAAyB,S;;YAEzB,WAAW,I;;QAGnB,UAAU,mBAAY,OAAZ,C;QAEV,mBAAc,CAAd,YAAsB,I
AAtB,Y;UACI,gBAAc,mBAAY,OAAZ,C;UACd,mBAAY,OAAZ,IAAqB,I;UAGrB,IAAI,UAAU,kFAAV,CAAJ,
C;YACI,mBAAY,OAAZ,IAAuB,S;YACvB,UAAU,mBAAY,OAAZ,C;;YAEV,WAAW,I;;;;MAIvB,IAAI,QAAJ,C
;QACI,YAAO,mBAAY,UAAU,WAAV,IAAZ,C;MAEX,yBAAO,Q;K;iCAGX,Y;MACI,WA7agD,mBAAY,cA6an
C,SA7amC,IAAZ,C;MA8ahD,IAAI,cAAO,IAAX,C;QACgB,gBAAZ,kBAAY,EAAK,IAAL,EAAW,WAAX,EAAiB
,IAAjB,C;;QACT,IxKtS6C,CAAC,cwKsS9C,C;UACS,OAAZ,kBAAY,EAAK,IAAL,EAAW,WAAX,EAAiB,kBA
AY,OAA7B,C;UACA,OAAZ,kBAAY,EAAK,IAAL,EAAW,CAAX,EAAc,IAAd,C;;;MAEhB,cAAO,C;MACP,YA
AO,C;K;2CAGX,iB;MAGe,IAAC,IAAD,EAAcJ,M;MAfP,WACW,eAAC,OAAI,KAAM,OAAN,IAAc,OAAN,IAAc
wB,KAAxB,GAAmC,aAAa,KAAb,EAAoB,SAApB,CAA8C,uB;MAEX,WA7bgD,mBAAY,cA6bnC,SA7bmC,IA
AZ,C;MA8bhD,IAAI,cAAO,IAAX,C;Q/J2XJ,U+J1XQ,kB/J0XR,E+J1X6B,I/J0X7B,EAD+F,CAC/F,E+J1XgD,W/
J0XhD,E+J1XiE,I/J0XjE,C;;Q+JzXW,IxKtT6C,CAAC,cwKsT9C,C;U/JyXX,U+JxXQ,kB/JwXR,E+JxX6B,I/JwX7
B,E+JxXuD,C/JwXvD,E+JxXuE,W/JwXvE,E+JxXwF,kBAAY,O/JwXpG,C;UAAA,U+JvXQ,kB/JuXR,E+JvX6B,I
/JuX7B,E+JvXuD,kBAAY,OAAZ,GAAmB,WAAnB,I/JuXvD,E+JvX6F,C/JuX7F,E+JvX2G,I/JuX3G,C;;;M+JrXI,I
AAI,IAAK,OAAL,GAAY,SAAhB,B,C;QACI,KAAK,SAAL,IAAa,I;;MAIjB,OAAO,qD;K;mCAGX,Y;MAEI,OAAO
,qBAAQ,gBAAmB,SAAnB,OAAR,C;K;+CAGX,iB;MAC0D,4BAAQ,KAAR,C;K;+CAC1D,Y;MAA0C,qB;K;IAE
1C,gC;MAAA,oC;MACI,0BrHriBuC,E;MqHsiBvC,sBAAiC,U;MACjC,4BAAuC,E;K;yDAEvC,oC;MAEI,kBAAk
B,eAAe,eAAgB,CAA/B,B,K;MAClB,IAAI,eAAc,WAAd,QAA4B,CAAhC,C;QACI,cAAc,W;MAClB,IAAI,eAAc,U
AAd,QAA6B,CAAjC,C;QACI,cAAkB,UAAlB,GAAgC,UAAhC,GAAmD,U;MACvD,IAAI,cAAkB,UAAlB,GAAgC
1C,gC;MAAA,oC;MACI,0BrHriBuC,E;MqHsiBvC,sBAAiC,U;MACjC,4BAAuC,E;K;yDAEvC,oC;MAEI,kBAAk
B,eAAe,eAAgB,CAA/B,B,K;MAClB,IAAI,eAAc,WAAd,QAA4B,CAAhC,C;QACI,cAAc,W;MAClB,IAAI,eAAc,U
AAd,QAA6B,CAAjC,C;QACI,cAAkB,UAAlB,GAAgC,UAAhC,GAAmD,U;MACvD,IAAI,cAAkB,UAAlB,GAAgC

B,IAAI,mB9K+qPD,YAAQ,C8K/qPX,C;QAA2B,sBAAc,qD;MAN7C,Y;K;IC5BJ,4B;MAMoB,Q;M/KghqBA,U;MADhB,UAAe,C;MACf,uD;QAAgB,cAAhB,iB;QACI,YAAgB,O+KlhqBiB,O/KkhqBjC,I;;M+KlhqBJ,aAAa,iB/KohqBN,G+KphqBM,C;MACb,wBAAgB,SAAhB,gB;QAAgB,gBAAA,SAAhB,M;QACW,SAAP,MAAO,EAAO,SAAP,C;;MAEX,OAAO,M;K;IAGX,0B;MASiB,Q;MAFb,YAAY,iBAAa,gBAAb,C;MACZ,YAAY,iBAAa,gBAAb,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,KAAM,WAAI,IAAK,MAAT,C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;K;gGAGX,qB;MAWW,4B;MAAA,U;QAAA,K+KpBP,C+KoBO,K/KpBP,C+KoBO,K/KpBP,C+KoBO,K/

,U;K;sCAE5E,iB;MAAwC,MAAM,8BAA0B,iDAA8C,KAA9C,MAA1B,C;K;wCAC9C,mB;MAA8C,S;K;4CAC9C,mB;MAAkD,S;K;mCAElD,Y;MAA6C,kC;K;uCAC7C,Y;MAAqD,kC;K;+CACrD,iB;MACI,IAAI,UAAS,CAAb,C;QAAgB,MAAM,8BAA0B,YAAS,KAAnC,C;MACtB,OAAO,2B;K;0CAGX,8B;MACI,IAAI,cAAa,CAAb,IAAkB,YAAW,CAAjC,C;QAAoC,C;QAAoC,OAAO,I;MAC3C,C,MAAM,8BAA0B,gBAAa,SAAb,mBAAkC,OAA5D,C;K;wCAGV,Y;MAAiC,8B;K;;IA5BrC,iC;MAAA,gC;QAAA,e;;MAAA,yB;K;IA+BA,BA,iC;MAAA,8D,6BAAkB,SAAlB,EAAoC,OAAO,C;K;0CAA3C,C,Y;MAAkD,C;K;IAAlD,5B,8C;MAAA,oB;MAAA,0B,0B;K;yFAAC,C,Y;MAAA,Q,OAAA,W,WAAA,O;K;0CAAD,C,Y;MAAA,W,OAAA,W,WAAA,O;K;iDAAA,mB,mB;MAAA,6C,OAAA,S,WAAA,E,OAAA,W,OAAA,C,WAAA,O;K;sDAAA

A3C,OAA1B,C;K;IAchC,8B;MAEoC,MAAM,wBAAoB,8BAApB,C;K;IAE1C,8B;MAEoC,MAAM,wBAAoB,8BAApB,C;K;;;;wF2Gjb1C,yB;M1GgCA,wE;M0GhCA,uC;QAmBW,kB1GqBiD,oB;Q0GM9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAClB,W1GuKJ,a0GvKgB,G1GuKhB,E0GrMyC,SA8BlB,CAAU,GAAV,EAAAe,WAAf,EAA4B,CAA5B,EAA+B,EAA/B+B,uBAAuB,CAAC,WAAY,mBAAY,GAAZ,CAAnE,C1GuKvB,C;;Q0GrMA,OAgCO,W;O;KAnDX,C;4FAsBA,6C;MAwBc,Q;MAAA,OAAA,SAAK,iB;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;QACV,kBAAkB,sBAAY,GAAZ,C;QAClB,W1GuKJ,a0GvKgB,G1GuKhB,E0GvKuB,UAAU,GAAV,EAAAe,WAAf,EAA4B,CAA5B,EAA+B,EAA/B+B,uBAAuB,CAAC,WAAY,mBAAY,GAAZ,CAAnE,C1GuKvB,C;;M0GrKA,OAAO,W;K;iFAGX,yB;MAAA,gB;MAAA,8B;MAAA,gBAAK,iB;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;QACV,kBAAkB,sBAAY,GAAZ,C;QAClB,W1GuKJ,a0GvKgB,G1GuKhB,E0G1IkC,UA7BD,GA6BC,CA6BoB,EA7BpB,oB,uBAAuB,CAAC,WAAY,mBAAY,GAAZ,CAAnE,C1GuKvB,C;;Q0GrKA,OAAO,W;O;KAAP,C;kFAGA,yB;MAAA,gB;MAAA,8B;MAAA,gBAAK,iB;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;QACV,kBAAkB,sBAAY,GAAZ,C;QAClB,W1GuKJ,a0GvKgB,G1GuKhB,E0GvKuB,UAAU,GAAV,EAAAe,WAAf,EAA4B,CAA5B,EAA+B,EAA/B+B,uBAAuB,CAAC,WAAY,mBAAY,GAAZ,CAAnE,C1GuKvB,C;;M0GrKA,OAAO,W;K;iFAGX

K;IAMY,oC;MAAC,0B;MACnC,eAAoB,C;K;yCACpB,Y;MAAwC,OAAA,eAAS,U;K;sCACjD,Y;MAA6E,Q;MA
AhC,wBAAa,oBAAmB,mBAAnB,EAAmB,2BAAnB,QAAb,EAA0C,eAAS,OAAnD,C;K;;sF4J5BjD,yB;MAAA,4
E;MAAA,gB;MAAA,8B;MAAA,+C;QAUiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;O;KAVjC,C;wFAY
A,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAWiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;O;
KAXjC,C;sFAaA,+C;MAQI,SAAK,aAAI,QAAS,aAAb,EAAmB,KAAnB,C;K;ICnCT,8C;MAUI,IAAI,wCAAJ,C;
QACI,OAAO,SAAK,4BAAqB,GAArB,C;MAET,4B;M5KoTI,Q;MALX,YAAY,oB4K/Sa,G5K+Sb,C;MACZ,IAAI
,iBAAiB,CAAC,4B4KhTG,G5KgTH,CAAtB,C;Q4KhTgC,MAAM,2BAAuB,wCAAvB,C;;Q5KoTlC,2BAAO,sE;;
M4KpTX,+B;K;IAGJ,8C;MAUQ,kBADE,SACF,kB;QADJ,OACkC,YAAT,SAAK,IAAI,EAAY,YAAZ,C;;QADlC
,OAEY,uBAAmB,SAAnB,EAAyB,YAAzB,C;K;IAGhB,gD;MAWQ,kBADE,SACF,yB;QADJ,OACyC,cAAT,SA
AK,IAAI,EAAY,YAAZ,C;;QADzC,OAEY,8BAA0B,SAA1B,EAAgC,YAAhC,C;K;;;;;;;IAc0B,4C;MAAC,wB;M
AAoC,0B;K;qEAApC,Y;MAAA,yB;K;0CACvC,iB;MAA4C,OAAI,OAAJ,QAAI,EAAO,KAAP,C;K;4CAChD,Y;
MA+B,OAAI,SAAJ,QAAI,C;K;4CACnC,Y;MAAkC,OAAA,QAAI,W;K;0FACf,Y;MAAQ,OAAA,QAAI,K;K;2
CACnC,Y;MAAkC,OAAA,QAAI,U;K;qDACtC,e;MA4C,OAAA,QAAI,mBAAY,GAAZ,C;K;uDAChD,iB;MAA
gE,OAAA,QAAI,qBAAc,KAAd,C;K;6CACpE,e;MA+B,OAAA,QAAI,WAAI,GAAJ,C;K;0FACT,Y;MAAQ,OA
AA,QAAI,K;K;4FACH,Y;MAAQ,OAAA,QAAI,O;K;6FACJ,Y;MAAQ,OAAA,QAAI,Q;K;8DAEvD,e;MAAmD,g
BAAJ,Q;MAAI,4B;M5K4PxC,Q;MALX,YAAY,oB4KvPyD,G5KuPzD,C;MACZ,IAAI,iBAAiB,CAAC,4B4KxP+
C,G5KwP/C,CAAtB,C;QACI,2B4KzPwE,mB;;Q5K4PxE,2BAAO,sE;;M4K5PoC,+B;K;;IAGN,mD;MAAC,wB;M
AA2C,0B;K;4EAA3C,Y;MAAA,yB;K;iDAC1C,iB;MA4C,OAAI,OAAJ,QAAI,EAAO,KAAP,C;K;mDAChD,Y;
MA+B,OAAI,SAAJ,QAAI,C;K;mDACnC,Y;MAAkC,OAAA,QAAI,W;K;iGACf,Y;MAAQ,OAAA,QAAI,K;K;kD
ACnC,Y;MAAkC,OAAA,QAAI,U;K;4DACtC,e;MA4C,OAAA,QAAI,mBAAY,GAAZ,C;K;8DAChD,iB;MA
gE,OAAA,QAAI,qBAAc,KAAd,C;K;oDACpE,e;MA+B,OAAA,QAAI,WAAI,GAAJ,C;K;iGACF,Y;MAAQ,O
AAA,QAAI,K;K;mGACH,Y;MAAQ,OAAA,QAAI,O;K;oGACU,Y;MAAQ,OAAA,QAAI,Q;K;sDAE5E,sB;MAA
yC,OAAA,QAAI,aAAI,GAAJ,EAAS,KAAT,C;K;uDAC7C,e;MAAkC,OAAA,QAAI,cAAO,GAAP,C;K;yDACtC,
gB;MA2C,QAAI,gBAAO,IAAP,C;K;gDAC/C,Y;MAAuB,QAAI,Q;K;qEAE3B,e;MAAmD,gBAAJ,Q;MAAI,4B;
M5KuOxC,Q;MALX,YAAY,oB4KlOyD,G5KkOzD,C;MACZ,IAAI,iBAAiB,CAAC,4B4KnO+C,G5KmO/C,CAAt
B,C;QACI,2B4KpOwE,mB;;Q5KuOxE,2BAAO,sE;;M4KvOoC,+B;K;;I5KvFnD,oB;MAAA,wB;MACI,8C;K;gCA
EA,iB;MA4C,oCAAsB,KAAM,U;K;kCACxE,Y;MA+B,Q;K;kCAC/B,Y;MAAkC,W;K;gFAEX,Y;MAAQ,Q;K
;iCAC/B,Y;MAAkC,W;K;2CAElC,e;MA+B,Y;K;6CAC/C,iB;MAAsD,Y;K;mCACtD,e;MAAwC,W;K;mFACY,
Y;MAAQ,6B;K;gFAC/B,Y;MAAQ,6B;K;kFACI,Y;MAAQ,8B;K;uCAEjD,Y;MAAiC,6B;K;;IAjBrC,gC;MAAA,+
B;QAAA,c;;MAAA,wB;K;IAoBA,oB;MAMuE,Q;MA7B,OA6B,uE;K;IAEvE,wB;MAAI,OAAI,KAAM,OAAN
,GAAa,CAAjB,GA0B,QAAN,KAAM,EAAM,qBAAc,YAAY,KAAM,OAAlB,GAAwB,CAAd,CAAN,CAA1B,GA6B,U;
K;kFAEjF,yB;MAAA,oD;MAAA,mB;QAO8C,iB;O;KAP9C,C;8FASA,yB;MAAA,wE;MAAA,mB;QAQ4D,2B;O;
KAR5D,C;IAUA,+B;MAYiD,gBA7C,qBAAoB,YAAY,KAAM,OAAlB,GAAwB,CAApB,CAAN,CAAxB,GAAiE,C;MAAqqD,wB;MAArD,OUJO,
S;K;wFVMX,yB;MAAA,4D;MAAA,mB;QAOsD,qB;O;KAPtD,C;IASA,4B;MAM8G,gBAAvC,eAAc,YAAY,KAAM,OAAlB,GAAwB,CAAd,CAAN,CAAvC,GAAgE,C;MAAwwC,wB;MAAxD,OUrB5D,S;K;4FVuBX,yB;MAAA,wE;MAAA,mB;QAOkD,2B;O;KAPlD,C;IASA,4B;MAUiE,QAAI,KAAM,OAAN,GAAa,CAAjB,GAAqB,CAAN,CAAN,CAAN

AY,oBAAI,GAAJ,C;QACZ,IAAI,iBAAiB,CAAC,4BAAY,GAAAZ,CAAtB,C;UACI,OAAO,c;;UAGP,OAAO,sE;;O;KANf,C;IAUA,oC;MAUkD,uCAAqB,GAArB,C;K;sFAElD,wC;MAUW,Q;MADP,YAAY,oBAAI,GAAJ,C;MACL,IAAI,aAAJ,C;QACH,aAAa,c;QACb,sBAAI,GAAJ,EAAS,MAAT,C;QACA,a;;QAEA,Y;;MALJ,W;K;wFASJ,qB;MAMwF,OAAA,iBAAQ,W;K;wFAEhG,qB;MAMgH,OAAA,iBAAQ,W;K;4FAExH,6C;Maq1BoB,Q;MAAA,Obh1BT,iBag1BS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Qbh1Ba,Wai1Bb,aAAgB,Obj1Be,Iai1B/B,Ebj1BsC,Sai1BZ,CAAe,OAAf,CAA1B,C;;Mbj1BhB,OAA6B,W;K;wFAGjC,6C;Ma60BoB,Q;MAAA,Obr0BT,iBaq0BS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Qbr0Ba,Was0Bb,abt0B0B,Sas0BtB,CAAY,OAAZ,CAAJ,EAAyC,Obt0BC,Mas0B1C,C;;Mbt0BhB,OAA6B,W;K;IAGjC,kC;MAIyB,Q;MAArB,wBAAqB,KAArB,gB;QAAqB,aAAA,KAArB,C;QAAqB,wB;QAAhB,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,EAAT,EAAa,KAAb,C;;K;IAIR,oC;MAIyB,Q;MAArB,uB;MAArB,wBAAqB,OAArB,C;QAAqB,wB;QAAhB,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,EAAT,EAAa,KAAb,C;;K;IAIR,oC;MAIyB,Q;MAArB,uB;MAArB,wBAAqB,OAArB,C;QAAqB,wB;QAAhB,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,EAAT,EAAa,KAAb,C;;K;wFAIR,yB;MAAA,0D;MAAA,uE;MAAA,uC;QAAA,SAAW,kBAAX,mBAAA,oB,YAAA,cAAA,C;QAAA,+BAAA,C;QAAA,wBAAA,C;QAAA,wBAAA,C;QAAA,wB

O;KALJ,C;4FAQA,0B;MAKI,yBAAO,GAAP,C;K;IAGJ,kC;MAOwB,kBAAf,aAAL,SAAK,C;MAsCL,6B;MAtCA,OAA+C,oBUtnBxC,WVsnBwC,C;K;IAEnD,mC;MAQwB,kBAAf,aAAL,SAAK,C;MAqCK,YAAL,gBAAK,O;MArCV,OAAgD,oBUhoBzC,WVgoByC,C;K;IAEpD,mC;MAQwB,kBAAf,aAAL,SAAK,C;MAoCK,YAAL,gBAAK,O;MApCV,OAAgD,oBU1oBzC,WV0oByC,C;K;IAEpD,mC;MAQwB,kBAAf,aAAL,SAAK,C;MAmCK,YAAL,gBAAK,O;MAnCV,OAAgD,oBUppBzC,WVopByC,C;K;4FAEpD,0B;MAMI,uBAAO,GAAP,C;K;8FAGJ,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAK,EAAU,IAAV,C;O;KANd,C;8FASA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAK,EAAU,IAAV,C;O;KANd,C;8FASA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAK,EAAU,IAAV,C;O;KANd,C;IAUA,wC;MAOsD,QAAA,MAAA,cAAA,N,C;aAAtD,C;UAOkD,kBAAA,OAAA,C;UAAlD,C;IAOA,wC;MAOsD,QAAA,MAAA,cAAA,N,C;aAAtD,C;UAOkD,kBAAA,OAAA,C;UAAlD,C;;UAAA,oG1F6B

,I;;QAAkB,MAAM,8BAA0B,oBAAiB,KAAjB,2BAA2C,gBAAG,cAAH,CAA3C,OAA1B,C;K;IAGlD,+B;MAK+
C,gCAAqB,SAArB,C;K;IAE/C,iC;MAM6D,wBAAa,SAAb,C;K;;;;IxKpC7D,oD;MAQuF,wC;K;IARvF,8CASI,Y;
MAAuC,8B;K;IAT3C,gF;IyKY8G,wC;MAAA,mB;QAAE,kBAAS,aAAT,C;O;K;IAThH,yB;MASqG,oCAAS,sBA
AT,C;K;8FAErG,yB;MAAA,kD;MzKdA,kC;MAAA,0C;MAAA,kD;QAQuF,wC;O;MARvF,4CASI,Y;QAAuC,8B;
O;MAT3C,8E;MyKiB2I,qD;QAAA,mB;UAAE,gBAAS,qBAAT,C;S;O;MAH7I,gC;QAGkI,kCAAS,mCAAT,C;O;
KAHlI,C;IAKA,2B;MAQI,eAAe,6B;MACf,oBAA0B,+BAAN,KAAM,EAAwC,QAAxC,EAA+D,QAA/D,C;MAC
1B,OAAO,Q;K;8FAGX,yB;MAAA,kD;MAAA,gC;QAGkI,gBAAS,aAAT,C;O;KAHlI,C;IAgB0C,yB;K;+CAoBtC,
kC;MAOI,IAAI,uCAA0B,QAAS,UAAvC,C;QAAkD,M;MAClD,OAAO,sBAAS,QAAS,WAAlB,e;K;+CAGX,kC;
MAQqD,6BAAS,QAAS,WAAlB,e;K;;;;;;;;IAezD,mC;MAA2C,wB;MACvC,eAAoB,C;MACpB,mBAA4B,I;MAC
5B,sBAAyC,I;MACzC,gBAAoC,I;K;gDAEpC,Y;MACI,OAAO,IAAP,C;QACI,QAAM,YAAN,C;eACI,C;YAAA,
K;eACA,C;YACI,IAAI,kCAAe,UAAnB,C;cACI,eAAQ,C;cACR,OAAO,I;;cAEP,sBAAe,I;;;YALvB,K;eAOA,C;Y
AAc,OAAO,K;eACrB,C;eAAA,C;YAAgC,OAAO,I;;YAC/B,MAAM,yB;;QAGlB,eAAQ,C;QACR,WAAW,4B;Q
ACX,gBAAW,I;QACX,IzH/FR,oBDgDQ,W0H+CY,kB1H/CZ,CChDR,C;;K;6CyHmGA,Y;MACU,IASe,I;MATrB
,QAAM,YAAN,C;aACI,C;aAAA,C;UAAsC,OAAO,qB;aAC7C,C;UACI,eAAQ,C;UACR,OAAO,kCAAe,O;aAE1
B,C;UACI,eAAQ,C;UACR,aACa,mF;UACb,mBAAY,I;UACZ,OAAO,M;;UAEH,MAAM,yB;;K;uDAItB,Y;MACI
,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;;QA8B,OAAO,W;K;2DAG/D,Y;MAA4C,QAAM,YAAN,C;aAC
C,C;UADwC,OAC1B,6B;aACd,C;UAFwC,OAExB,6BAAsB,sBAAtB,C;;UAFwB,OAGhC,6BAAsB,uCAAoC,YAA
1D,C;;K;IAOqC,4E;MAAA,oB;QACzC,wCAAW,C;QAAX,OACA,yB;O;K;oDALR,+B;MACI,mBAAY,K;MACZ
,eAAQ,C;MACR,OAA6C,0CAAtC,c;K;IAUsC,+E;MAAA,oB;QACzC,wCAAW,C;QAAX,OACA,yB;O;K;yDANR,kC;MACI,IAAI,CAAC,QAAS,UAAd,C;QAAyB,M;MACzB,sBAAe,Q;MACf,eAAQ,C;MACR,OAA6C,6CAAtC,c;K;2DAMX,kB;M1HjBO,Q;MADP,e0HoBI,M1HpBJ,C;MACO,Q0HmBH,M1HnBG,+D;M0HoBH,eAAQ,C;K
;kGAIR,Y;MAAQ,0C;K;;IzK1LhB,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;sFAAA,yB;MA
AA,kC;MAAA,0C;MAAA,kD;QAQuF,wC;O;MARvF,4CASI,Y;QAAuC,8B;O;MAT3C,8E;MAAA,2B;QAQuF,2
C;O;KARvF,C;IAiBgE,+C;MAAA,mB;QAAE,sB;O;K;IALlE,kC;MAKuD,OAAkB,2CAAT,+BAAS,E;K;IAEzE,8
B;MAK6D,OAAI,Qb2rPtD,YAAQ,Ca3rP0C,GAAwB,eAAxB,GAAsD,WAAT,QAAS,C;K;IAEnH,yB;MAG8C,kC
;K;IAE9C,yB;MAAA,6B;K;uCACI,Y;MAA6C,kC;K;2CAC7C,a;MAA4B,kC;K;2CAC5B,a;MAA4B,kC;K;;;IAHh
C,qC;MAAA,oC;QAAA,mB;;MAAA,6B;K;oFAMA,yB;MAAA,2D;MAAA,4B;QAM4D,uCAAQ,e;O;KANpE,C;I
AgB4F,mH;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,wC;MAAA,wD;MAAA,kC;K;;;;kDAAA,Y;;;;;cACxF,eA
Ae,uBAAa,W;cAC5B,IAAI,QAAS,UAAb,C;gBACI,gB;gCAAA,sCAAS,QAAT,O;oBAAA,2C;yBAAA,yB;gBAA
A,Q;;gBAEA,gB;gCAAA,sCAAS,iCAAT,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;;;;;cAJJ,W;;cAAA,W;;;;;;;;;;;;;;;;
K;IADwF,gE;MAAA,yD;uBAAA,uG;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAP5F,4C;MAOmF,gBAAS,uCAAT,
C;K;IAgBb,4B;MAAE,OAAA,EAAG,W;K;IAP3E,8B;MAO8D,4BAAQ,cAAR,C;K;IAUQ,8B;MAAE,OAAA,EA
AG,W;K;IAR3E,8B;MAQ8D,4BAAQ,gBAAR,C;K;IAM1B,8B;MAAE,S;K;IAJtC,wC;MAEgB,Q;MADZ,IAAI,8
CAAJ,C;QACI,OAA4C,CAApC,2EAAoC,kBAAQ,QAAR,C;;MAEhD,OAAO,uBAAmB,SAAnB,EAAyB,gBAAzB,C;MAAyB,
B,EAAiC,QAAjC,C;K;IAGX,4B;MAAY,OAAZ,iB,Q;MAAF,Yb,gB;MAAE,YAAF,gB;MAAE,CAAF,2B;MAAE,OAAA,
C;QAAa,OAAb,a,sB;QAAa,QAAT,kBAAS,kBAAT,C;QAAS,IAAT,kBAAS,kBAAT,C;QAAS,4B;QAAT,OAAS,C;
MAAA,4C;MAAA,0B;MAAA,kC;K;;;;mDAAA,Y;;;;;kCAC9D,0C;cAAA,gB;;;;;cAAA,IAAO,iBPyFkD,UOzFzD,
C;gBAAA,gB;;;;cACI,QAAQ,yBAAO,iBAAQ,iBAAO,KAAf,C;cAAf,WAAkB,iBAAO,C;cACf,WAAV,kB,WAAU,
B,EAAiC,YAAgB,
IAAI,iBAAO,KAAf,GAAqB,iBAAO,aAAI,CAAJ,EAAO,IAAP,EAAa,IAAb,EAAmB,KAAnB,EAAyB,GAAzB,EAA8B,I;cAC1D,8BAAS,KAAT,EAAe,KAAf,EAAqB,KAAM,KAAN,EAAa,KAAb,EAAmB,KAAnB,EAAyB,KAAzB,EAA+B

A,0D;MACnC,gBAAe,oCAAS,W;K;iEACxB,Y;MACI,OAAO,6CAAY,aAAS,OAArB,C;K;oEAGX,Y;MACI,OAAO,aAAS,U;K;;8CAPxB,Y;MAAuC,4D;K;qDAWvC,oB;MACI,OAAO,uBAA4B,eAA5B,EAAsC,kBAAtC,EAAmD,QAAnD,C;K;;IAUf,4D;MAAY,0B;MAAmC,gC;K;IACJ,8F;MAAA,wE;MACnC,gBAAe,2CAAS,W;MACxB,aAAY,C;K;wEACZ,Y;MAC0C,Q;MAAtC,OAAO,oDAAY,oBAAmB,iBAAnB,EAAmB,yBAAnB,QAAZ,EAAyC,aAAS,OAAlD,C;K;2EAGX,Y;MACI,OAAO,aAAS,U;K;;qDARxB,Y;MAAuC,mE;K;;IAkB3C,oC;MAAY,0B;K;IAC6C,wE;MACjD,gBAAe,gCAAS,W;MACxB,aAAY,C;K;6DACZ,Y;MAC2C,Q;MAAvC,OAAO,iBAAa,oBAAmB,iBAAnB,EAAmB,yBAAnB,QAAb,EAA0C,aAAS,OAAnD,C;K;gEAGX,Y;MACI,OAAO,aAAS,U;K;;0CARxB,Y;MAAqD,wD;K;;IAmBzD,z0D;MACI,4B;MACA,4B;MACA,4B;K;IAEuC,sE;MAAA,gD;MACnC,iBAAgB,gCAAU,W;MAC1B,iBAAgB,gCAAU,W;K;4DAC1B,Y;MACI,OAAO,sCAAU,cAAU,OAApB,EAA4B,EAA4B,cAAU,OAAtC,C,C;K;+DAGX,Y;MACI,OAAO,cAAU,UAAV,IAAuB,cAAU,U;K;;yCARhD,Y;MAAuC,uD;K;;IAc3C,6D;MACI,0B;MACA,gC;MACA,0B;K;IAEuC,4E;MAAA,sD;MACnC,gBAAe,kCAAS,W;MACxB,oBAAiC,I;K;+DAEjC,Y;MACI,IAAI,CAAC,2BAAL,C;QACI,MAAM,6B;MACV,OAAO,gCAAe,O;K;kEAG1B,Y;MACI,OAAO,2B;K;+EAGX,Y;MACQ,Q;MAAJ,IAAI,iEAA2B,KAAA/B,C;QACI,oBAAe,I;MAEnB,OAAO,yBAAP,C;QACI,OAAO,K;;UAEP,cAAc,aAAS,O;UACvB,uBAAuB,wCAAS,2CAAY,OAAZ,EAAqB,CAAS,UAAT,C,C;UAC9C,IAAI,gBAAiB,uBAAjB,EAAqC,C;YAAC,YAAI,oBAAe,I;MAEzD,IAAI,gBAAiB,uBAAjB,EAAqC,C;QAAC,YAAI,oBAAe,I;MAEzD,IAAI,YAAJ,S;iBAAI,QAAJ,Q;;iBAAI,QAAJ,Q;;iBAAI,QAAJ,Q;

ACnC,gBAAe,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;K;gEAEnB,Y;MACI,OAAO,aAAS,UAAhB,C;QACI,WAAW,aAAS,O;QACpB,IAAI,CAAC,wCAAU,IAAV,CAAL,C;UACI,gBAAW,I;UACX,iBAAY,C;UACZ,M;;;MAGR,iBAAY,C;K;8DAGhB,Y;MAMqB,Q;MALjB,IAAI,mBAAa,EAAjB,C;QACI,a;MAEJ,IAAI,mBAAa,CAAjB,C;QACI,aACa,gF;QACb,gBAAW,I;QACX,iBAAY,C;QACZ,OAAO,M;;MAEX,OAAO,aAAS,O;K;iEAGpB,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,a;MACJ,OAAO,mBAAa,CAAb,IAAkB,aAAS,U;K;;2CAlC1C,Y;MAAuC,yD;K;;IAuCN,+C;MAAC,sB;MAAiC,gC;K;0CAAnE,Y;MAAuC,4BAAiB,aAAO,WAAxB,EAAoC,kBAApC,C;K;;IAGP,+C;MAAuE,2B;MAAtE,sB;MAAiC,gC;MAAlE,kBAAuB,c;K;6CAAvB,Y;MAAuC,OAAO,aAAO,UAAd,C;QACI,WAAW,aAAO,O;QAAlB,UAAU,mBAAY,IAAZ,C;QAAV,QAAQ,IAAI,eAAS,WAAI,GAAJ,CAAb,C;QAAR,QAAQ,IAAI,mBAAa,IAAb,C;QAAR,QAAQ,IAAI,mBAAa

AR,I;gBAAW,iB;;;gBAA3B,iB;;;;;cACA,iBAAO,WAAI,YAAJ,C;cACP,IAAI,iBAAO,KAAP,KAAe,uBAAnB,C;gBACI,iB;gCAAA,iCAAM,iBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBADJ,iB;;;;;cAEI,IAAI,8BAAJ,C;gBAAiB,iBAAO,Q;;gBAAa,oBAAS,iBAAU,uBAAV,C;cAC9C,kBAAO,c;cAHX,iB;;;cAHJ,iB;;;cASA,IjL+LgD,CiL/L5C,iBjL+L6C,UiL/LjD,C;gBACI,IAAI,qCAAkB,iBAAO,KAAP,KAAe,uBAAa,C,C;kBAA2C,iB;kCAAA,iCAAM,iBAAN,O;sBAAA,2C;2BAAA,yB;kBAAA,Q;;kBAA3C,iB;;;;gBADJ,iB;;;;;cAEI,Wj;;cAAc,iB;;;cAZlB,iB;;;cAkCJ,W;;;;;;;;;;;;;;;K;IArCyB,sI;MAAA,yD;uBAAA,6K;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAF7B,6E;MACI,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,2B;MAChC,OAAO,WAAkB,0EAAlB,C;K;IAwCwB,6B;MAA8B,uB;MAA7B,kB;MAChC,mBAA6B,C;MAC7B,eAAyB,C;K;2CAEzB,8B;MACI,+DAAkB,SAAlB,EAA6B,OAA7B,EAAsC,WAAK,KAA3C,C;MACA,mBAAiB,S;MACjB,eAAa,UAAU,SAAV,I;K;0CAGjB,iB;MACI,+DAAkB,KAAlB,EAAyB,YAAzB,C;MAEA,OAAO,wBAAK,mBAAY,KAAZ,EAAmB,IAAnB,C;K;;IASR,wC;MAAqD,uB;MAAtB,sD;MAAsB,sB;MAAzE,yDkKsD2B,wE;QzKrD3B,MAAM,gCAAyB,yB,OAAQ,WAAjC,C;;MAAV,gFAAU,IAAI,EyKwDQ,cAAc,aAAO,OzKxD7B,7B,CAAA,C;QAAA,gBAAA,2BAAA,C;QAAA,gBAAA,2BAAA,C;QAAA,gBAAA,2B

ACV,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;;MAGR,OAAO,C;K;IAGX,yC;MAGI,YAAY,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;QACJ,IAAI,QAAQ,KAAZ,C;QACI,YAAU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAGR,0C;MAII,QAAQ,K;MACR,YAAY,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAN,CAAZ,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OAAO,KAAK,CAAZ,C;QACJ,IAAI,QAAQ,K

A,yB;MAAA,sC;MAAA,oC;MAAA,8BAQe,yB;QAxIf,8D;eAwIe,mD;UAAA,uB;YACP,sBAAsB,qBAAsB,SAAAQ,CAAR,EAAW,CAAX,C;YAC5C,Q;YAAA,IAAI,oBAAmB,CAAvB,C;cAAA,OAA0B,e;;cAAqB,eAAsB,gB;cAArE,OAAjIG,cAAc,SAAiI8C,CAAjI9C,CAAAd,EAA2B,SAAiIoC,CAAjIpC,CAA3B,C;;YAAgIH,W;W;S;OADO,C;MARf,sC;QAAQI,sBAAW,4CAAX,C;O;KARJ,C;wGAAaA,yB;MAAA,oC;MAAQe,8F;QAAA,uB;UACP,sBAAsB,qBAAsB,SAAAQ,CAAR,EAAW,CAAX,C;UAC5C,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAAtB,eAAkC,gB;YAAjF,OAAlIG,UAAW,SAAAQ,kBAAX,EAAW,CAAX,C;UAAiIH,W;S;O;MAATC,kD;QAAQC,sBAAW,wDAAX,C;O;KARJ,C;kGAAaA,yB;MAAA,oC;MAAQe,wE;QAAA,uB;UACP,sBAAsB,mBAAsB,SAAAQ,CAAR,EAAW,CAAX,C;UAC5C,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAAtB,eAAkC,gB;YAAjF,OAAl

hB,C;QADA,OACuC,O;;QAEnC,kBAAkB,oBAAQ,yCAAR,C;QAClB,IAAI,mBAAJ,C;UAJJ,OAI6B,oBAAgB,OAAhB,EAAyB,OAAzB,C;;UACrB,WAAW,OAAQ,kBAAS,yCAAT,C;UAL3B,OAMY,SAAS,mCAAb,GAAoC,oBAAgB,OAAhB,EAAyB,WAAzB,C;CAApC,GACI,oBAAgB,oBAAgB,IAAhB,EAAsB,OAAtB,CAAhB,EAAgD,WAAhD,C;;K;8CAdxB,mB;MAKI,OAAI,YAAY,mCAAhB,GAAuC,IAAvC,C,GACI,OAAQ,cAAK,IAAL,EAAW,WAAX,,4BAAX,C;K;;;;;;qDAiCZ,e;MAEyB,Q;MADrB,OACI,OAAA,IAAK,IAAL,EAAW,YAAX,,GAAZ,CAAJ,GAAqB,0EAArB,G,GAAoC,I;K;sDAExC,C,8B;MACI,iBAAU,OAAV,EAAmB,IAAnB,C;K;0DAEJ,e;MACI,OAAI,OAAA,IAAK,IAAL,EAAW,YAAX,,GAAZ,CAAJ,GAAqB,mCAArB,G,GAAoC,I;K;;IC1DP,8C;MAAC,wB;K;kFAAA,Y;MAAA,yB;K;;IAiCe,e,wD;MAEjE,kC;MAEA,4BAAQ,C,mDAAJ,GAAA,O;K;4DAEJ,3G,mB;MAA6C,+BAAS,OAAT,C;K;6DAAC,C,e;MAA8C,eAAQ,IAAR,EAAc,8BAAd,e,G;K;;IAGjF,+C;MAAW,wC;MAAI,IAAA,IAAK,EAAL,EAAS,GAAT,C;K;;IAAf,C;MAAW,+B;MAAI,+BAAS,O

A,8B;MACA,2B;QAAA,qE;MACA,yB;QAAA,YAAqB,E;MAJrB,sB;MACA,sB;MACA,kB;MACA,8B;MACA,0B;K;;IAGJ,iD;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,+C;MAAA,kD;O;MAKI,wG;MACA,wG;MACA,8F;K;;IAFA,iE;MAAA,qC;MAAA,yD;K;;IACA,iE;MAAA,qC;MAAA,yD;K;;IACA,4D;MAAA,qC;MAAA,oD;K;;IAPJ,2C;MAAA,6K;K;;IAAA,gD;MAAA,a;aAAA,kB;UAAA,8D;aAAA,kB;UAAA,8D;aAAA,a;UAAA,yD;;UAAA,6E;;K;;IAUA,wB;K;;ICjGA,qB;MAAA,yB;K;0CAII,Y;MAO6D,uB;K;2HAE7D,yB;MAAA,+D;MAAA,kC;MAAA,0F;MAAA,6F;MAAA,4E;QAUI,wC;QAAS,2C;O;MAVb,mEAWQ,wC;QAA6E,sBAAS,QAAT,EAAmB,QAAnB,EAA6B,QAA7B,C;O;MAXrF,oG;MAAA,yC;QAUI,wDAA+B,YAA/B,C;O;KAVJ,C;uHAcA,yB;MAAA,+D;MAAA,kC;MAAA,wF;MAAA,yF;MAAA,0E;QAcI,wC;QAAS,2C;O;MAdb,kEAeQ,wC;QAAuF,6BAAS,QAAT,EAAmB,QAAnB,EAA6B,QAA7B,C;O;MAfrG,oG;MAAA,yC;QAcI,sDAAa,YAAb,C;O;KAdJ,C;;;IA3BJ,iC;MAAA,gC;QAAA,e;;MAAA,yB;K;IAgDiC,sB;MAC7B,eAAwB,I;K;4CAExB,6B;MACW,Q;MAAA,mB;MAAA,iB;QAAS,MAAT,EAAiB,6BAAjB,EAAwC,cAAxC,EAAwD,QAAxD,EAAkE,6BAAlE,EAAyF,sBAAzF,EAAiH,QAAjH,C;;;;;;kDAAX,6B,6B;;;;;;;;iEAA+C,+C;;;;;;;;

AAiB,CAAjB,EAAoB,KAAM,OAA1B,C;K;yCAEzD,gB;MAKkD,8BAAU,cAAU,IAAV,CAAV,C;K;IAGlD,0B;MAAA,8B;MAO2B,iB;MACvB,uBAAoC,uB;K;IAEpC,qC;MAAA,yC;MACI,4B;K;wDAEA,Y;MAAiC,mC;K;;;IAHrC,iD;MAAA,gD;QAAA,+B;;MAAA,yC;K;8CAMA,Y;MAAkC,8C;K;gDAElC,oB;MAA4C,OAAA,oBAAc,kBAAS,QAAT,C;K;uCAC1D,Y;MAA8B,OAAA,oBAAc,U;K;+CAC5C,iB;MAAwC,OAAA,oBAAc,iBAAQ,KAAR,C;K;+CACtD,uB;MAAmD,OAAA,oBAAc,iBAAQ,IAAR,EAAc,KAAd,C;K;wCAEjE,Y;MAAgC,OAAA,oBAAc,W;K;gDAC9C,iB;MAA2C,OAAA,oBAAc,kBAAS,KAAT,C;K;gDACzD,uB;MAAuD,OAAA,oBAAc,kBAAS,IAAT,EAAe,KAAf,C;K;2CAErE,Y;MAAsC,OAAA,oBAAc,c;K;0CAEpD,Y;MAAoC,OAAA,oBAAc,a;K;kDAClD,iB;MAAiD,OAAA,oBAAc,oBAAW,KAAX,C;K;kDAC/D,uB;MAA+D,OAAA,oBAAc,oBAAW,IAAX,EAAiB,KAAjB,C;K;yCAEhF,Y;MAAkC,OAAA,oBAAc,Y;K;iDAEhD,iB;MAAsD,OAAA,oBAAc,mBAAU,KAAV,C;K;iDACpE,gB;MAA+C,OAAA,oBAAc,mBAAU,IAAV,EAAgB,KAAhB,C;K;yDAC7D,qC;MAAoD,OAAA,oBAAc,mBAAU,KAAV,EAAgB,EAAhB,iB,SAAoB,kBAAS,KAAT,C;K;wCAE1G

A,OAAO,K;K;IAIX,2C;MzLrHI,IAAI,EX2B8D,YoM0FD,KpM1FkB,KAAjB,EoM0FO,IpM1FsB,KAA7B,CoM0FD,IzLrH7D,CAAJ,C;QACI,cyLoH6E,+B;QzLnH7E,MAAM,gCAAyB,OAAQ,WAAjC,C;;K;IyLoHd,4C;MzLtHI,IAAI,EKmC+D,aoLmFC,KpLnFiB,KAAlB,EoLmFS,IpLnFqB,KAA9B,CoLmFC,IzLtHhE,CAAJ,C;QACI,cyLqHgF,+B;QzLpHhF,MAAM,gCAAyB,OAAQ,WAAjC,C;;K;I0LpBc,6C;MAsCxB,oC;MA/BA,iB;MANA,Y;MACA,Y;MACA,Y;MACA,Y;MACA,Y;MACA,sB;M1LYA,IAAI,E0LLQ,CAAC,WAAK,QAAL,GAAU,QAAV,GAAe,QAAf,GAAoB,QAArB,GAAoC,MAA2B,2B,C1LKnC,CAAJ,C;QACI,c0LNwC,wD;Q1LOxC,MAAM,gCAAyB,OAAQ,WAAjC,C;;MGoHV,iBAAc,CAAd,UuLxHW,EvLwHX,U;QuLxHiB,c;;K;qCAGjB,Y;MAGI,QAAQ,Q;MACR,IAAI,IAAO,MAAO,C;MAClB,WAAI,Q;MACJ,WAAI,Q;MACJ,WAAI,Q;MACJ,SAAS,Q;MACT,WAAI,E;MACJ,IAAK,IAAO,MAAO,KAAM,CAAd,UAAiB,GAAjB,sB,EAAsB,GAAtB,sB,GAAwC,MAAO,C;MACzD,WAAI,C;MACJ,gBAAU,MAAV,I;MACA,OAAO,IAAI,aAAJ,I;K;8CAGP,oB;MACI,IAAI,OAAU,cAAV,EAAuB,QAAvB,EAAgC,C;K;IAEhC,Ied,kC;MAAA,sC;MACI,I,4B;K;;IADJ,8C;MAAA,6C;QAAA,4B;;MAAA,sC;K;;IA7BA,gBAAD,C;MAAA,sD;MACI,WAAI,Q;MACJ,WAAI,Q;MACJ,WAAI,Q;MACJ

U,OAAV,CAAP,C;WACrB,sD;QAA4B,yBAAO,OAAP,C;WAC5B,2B;QAAmB,yBAAO,kBAAP,C;;QACX,yBA
Ae,SAAR,OAAQ,CAAf,C;K;IlL7EhB,+B;MAY6B,kBAAlB,QAAQ,SAAR,EAAc,EAAd,C;MACH,IX0EE,WW1E
E,GAAK,CAAT,C;QAAY,MAAM,gCAAyB,oEAAzB,C;MADtB,OX4EO,W;K;IWvEX,wC;MAgBW,Q;MAAA,q
CAAiB,KAAjB,C;MAAA,iB;QAA2B,MAAM,gCAAyB,8BAAO,SAAP,4CAA+C,KAAxE,C;;MAAxC,OAAO,I;K
;IAGX,qC;MAY6B,kBAAlB,QAAQ,SAAR,EAAc,EAAd,C;MAAP,OXmEqB,WWnEa,IAAM,CXmEjC,GAAqB,
WAArB,GAA+B,I;K;IWhE1C,8C;MAgBI,WAAW,KAAX,C;MAC4B,kBAArB,QAAQ,SAAR,EAAc,KAAd,C;M
AAP,OX+CqB,WW/CgB,IAAM,CX+CpC,GAAqB,WAArB,GAA+B,I;K;IW5C1C,gC;MAWI,IAAY,CAAR,8BA
AW,CAAf,C;QACI,OAAO,YAAM,SAAN,C;;MAEX,MAAM,gCAAyB,SAAM,SAAN,4BAAuC,C;K;IAGV,yC;M
AkBW,Q;MANP,IAAI,EAAU,CAAV,sBAAa,EAAb,CAAJ,C;QACI,MAAM,gCAAyB,oBAAiB,KAAjB,4CAAuD,C
C;;MAEV,IAAI,YAAO,CAAP,IAAY,aAAQ,KAAxB,C;QACI,MAAM,gCAAyB,WAAQ,SAAR,mDAAoE,KAAjj
F,C;;MAEH,IAAI,YAAO,EAAX,C;QACH,mBAAM,SAAN,C;;QAEA,0BAAM,SAAN,IAAa,EAAb,C;;MAHJ,W;
K;IAuFJ,8B;MAWsC,+B;K;0EAEtC,4B;MAM8D,OAAK,oBAAL,SAAK,CAAL,GAAkB,K;K;IAEhF,gD;MAQoC
,0B;QAAa,aAAsB,K;MACtD,IAAI,cAAQ,KAAZ,C;QAAmB,OAAO,I;MAC1B,IAAI,CAAC,UAAL,C;QAAiB,O
AAO,K;MAExB,gBAAqB,cAAL,SAAK,C;MACrB,iBAAuB,cAAN,KAAM,C;MAEhB,yBAAa,U;MAAb,U;QAA
2B,OFrMyB,oBEqMzB,SFrMyB,CAAY,cAfrB,YAAY,CAAZ,CEoNhB,KFrMyB,oBEqMI,UFrMJ,CAAY,cAfrB,
YAAY,CAAZ,C;;MEoNlD,W;K;IAGJ,gC;MAGyC,QAAQ,cAAa,sCAAK,cAAL,EAAoB,sCAAK,cAAzB,CAAR,
6B;K;ImL3OzC,6C;MAc6B,4B;QAAa,eAAuB,G;MAChD,wCAAsB,EAAtB,EAA0B,YAA1B,C;K;IAEJ,mE;MA
KwC,yB;QAAa,YAAoB,E;MAAI,4B;QAAa,eAAuB,G;MjMGnF,IAAI,CmBwR+C,CAAC,Q8K1R5C,Y9K0R4C,
CnBxRpD,C;QACI,ciMHiC,wC;QjMIjC,MAAM,gCAAyB,OAAQ,WAAjC,C;;MiMHV,cAAY,gB;MAEC,yBAAS,
mBAAS,YAAA,SAAU,OAAV,EAAmB,OAAM,KAAzB,C;MAAT,IAAS,wBAAiD,kBAAjD,kBAAS,SAAT,CAAS,
gBAAgB,iBA1ET,OA0ES,C;M3Lg7CT,kBAAoB,gB;MAoSd,gB;MADb,YAAY,C;MACC,O2L9xDN,O3L8xDM,
W;kBAAb,OAAa,cAAb,C;QAAa,sB;QA1RsB,U;QAAA,cA0RT,oBAAmB,cAAnB,EAAmB,sBAAnB,U;Q2L/sDl
B,kB;;YAHA,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,Q3LktDG,I2LltDH,C;UAC5C,a;;UAEA,4B;UA9E+B,u
B;;Y/KgHzB,kC;YAAA,wBZ6qDyC,IY7qDzC,C;YAAA,qB;YAAA,oB;YAAA,oB;YAAd,gE;cACI,I+KjHkD,CA
AI,aAAH,U/KiHrC,YZ4qDqC,IY5qDrC,YAAK,OAAL,E+KjHqC,CAAG,C/KiHtD,C;gBACI,sBAAO,O;gBAAP,
wB;;;YAGR,sBAAO,E;;;U+KrHH,iD;UAGI,gCAA2B,EAA3B,C;YAHJ,2BAGqC,I;iBACjC,IAAK,a3LyxD0C,I2L
zxD1C,gBAAyB,uBAAzB,CAAL,C;YAJJ,2B3L6xDmD,IOjmDsB,WoLxLI,0BAAuC,mBAAvC,IpLwLJ,C;;YoL5
LzE,2BAKY,I;;UAyER,iE9LJD,yB8LIC,4B3L+sD+C,I;;QA1RpB,8B;UAA6C,6B;;;M2LpgDhF,OAiFK,S3Lo7CE,
W2Lp7CF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;K;IAvET,+B;MAeyC,gCAAc,EAAd,C;K;IA
EzC,6C;MAGgC,yB;QAAa,YAAoB,E;MAAI,3C,Q;MALL,cAAY,gB;M3LurBL,kBAAS,gB;MA2FA,U;MAAA,S2
LhxBM,O3LgxBN,W;MAAhB,OAAgB,gBAAhB,C;QAAgB,2B;QAAM,Ia3hB6B,CAAC,Qb2hBhB,Oa3hBgB,Cb
2hB9B,C;UAAwB,WAAY,WAAI,OAAJ,C;;M2L9wBrD,kB3L+wBE,W;MAmrBA,oBAAM,iBAAa,qCAAwB,EA
AxB,CAAb,C;MAuEA,U;MAAA,+B;MAAb,OAAa,gBAAb,C;QAAa,wB;QACT,aAAY,uBAAc,IAAd,E;;M2L5gD
hB,sBAAsB,CAGjB,oB3L0gDE,a2L1gDF,CAHiB,mBAGF,C;MAEP,yBAAS,mBAAS,YAAA,SAAU,OAAV,EAAmB,OAAM,KAAzB,C;MAAT,IAAS,wBAAiD,kBAAjD,kBAAS,SAAT,CAAS,
AmB,OAAM,KAAzB,C;MAAT,IAAS,wBAAiD,kBAAjD,kBAAS,SAAT,CAAS,gBAAgB,iBAnCT,OAmCS,C;M3
Lg7CT,oBAAoB,gB;MAoSd,gB;MADb,YAAY,C;MACC,S2LvvDN,O3LuvDM,W;MAAb,OAAa,gBAAb,C;QAAa,sB;QA
a,0B;QA1RsB,U;QAAA,cA0RT,oBAAmB,cAAnB,EAAmB,sBAAnB,U;Q2L/sDlB,kB;Q3Lq7C2B,c2Lx7C3B,CA
AC,YAAS,CAAT,IAAc,qBAAf,KAA4C,Q3LktDG,M2LltDH,C3Lw7CjB,G2Lv7C3B,I3Lu7C2B,G2Lr7C3B,oBA
xCmG,Q3LuvDpD,M2LvvDoD,kBAwCnG,Y9LJD,yB8LIC,4B3L+sD+C,MA1RpB,U;UAA6C,+B;;;M2L79ChF,O
A0CK,S3Lo7CE,a2Lp7CF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;K;IAjCI,8C;MAAA,qB;QAE
G,IAAG,QAAH,EAAG,CAAH,C;UAEQ,IAAA,EAAG,OAAH,GAAY,cAAO,OAAP,EAAgB,OAAM,KAAtB,C;MAAZ,
C,OAIoB,E;;UAJpB,OAOY,iBAAS,E;O;K;IAfjC,0C;MAKgC,sB;QAAa,YAAoB,E;MAAI,4B;QAAa,eAAuB,G;MAC
L,uBACK,EAAI,4BAAJ,CAAW,EAAA,a,IAAb,C;K;IAET,gC;MAGyC,QAAQ,cAAa,sCAAK,cAAL,EAAoB,sCAAK,cAAzB,CAAR,
kB;QAAa,YAAoB,E;MAAI,4B;QAAa,eAAuB,G;MAAI,4B;QAAa,eAAuB,G;MAAI,4B;QAAa,eAAuB,G

OAAa,cAAb,C;UAAa,sB;UA1RsB,U;UAAA,cA0RT,oBAAmB,cAAnB,EAAmB,sBAAnB,U;U2L/sDlB,kB;U3Lq7C2B,c2Lx7C3B,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,Q3LktDG,I2LltDH,C3Lw7CjB,G2Lv7C3B,I3Lu7C2B,G2Lr7C3B,sC3L+sD+C,I2L/sD/C,a9LJD,yB8LIC,4B3L+sD+C,IA1RpB,U;YAA6C,6B;;;Q2Lz7ChF,OAMK,S3Lo7CE,W2Lp7CF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;O;KAbT,C;6EvEkSA,0B;MAGmE,OAAA,SAAK,gBAAO,GAAP,C;K;qFAExE,yB;MAAA,yD;MAAA,gC;QAO2B,gBAAhB,oB;QAAsB,avHrU7B,W;QuHqUA,OvHpUO,SuHoUqC,W;O;KAPhD,C;uFAUA,yB;MAAA,iE;MAAA,0C;QAQmC,gBAAxB,mBAAc,cAAd,C;QAA8B,avHhVrC,W;QuHgVA,OvH/UO,SuH+U6C,W;O;KARxD,C;IAWA,oC;MAIiB,Q;MAAb,wBAAa,KAAb,gB;QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;IAGX,oC;MAIiB,Q;MAAb,wBAAa,KAAb,gB;QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;qFAGX,qB;MAG8D,gCAAO,EAAP,C;K;qFAE9D,4B;MAGkF,OAAA,yBAAO,EAAP,C;K;qFAElF,4B;MAGkF,OAAA,yBAAO,EAAP,C;K;qFAElF,4B;MAGkF,OAAA,yBAAO,EAAP,C;K;qFAElF,4B;MAGkF,OAAA,yBAAO,EAAP,C;K;qFAElF,4B;MAGkF,OAAA,yBAAO,EAAP,C;K;qFAElF,4B;MAGkF,OAAA,yBAAO,EAAP,C;K;I/H/a9D,iC;MAAK0C,iCAAAqB,EAAArB,C;K;IAAEsB,0C;MAAAC,Q;MAAAC,qBAAAC,KAAA,C;K;IAAEC,0C;MAAAH,Q;MAAAC,qBAAAG,KAAA,C;K;IAAEC,0C;MAAAL,Q;MAAAC,qBAAAK,KAAA,C;K;IAAEC,0C;MAAAP,Q;MAAAC,qBAAAO,KAAA,C;K;IAAEC,0C;MAAAT,Q;MAAAC,qBAAAS,KAAA,C;K;IAAEC,0C;MAAAX,Q;MAAAC,qBAAAW,KAAA,C;K;IAAEC,0C;MAAAb,Q;MAAAC,qBAAAa,KAAA,C;K;IAAEC,0C;MAAAf,Q;MAAAC,qBAAAe,KAAA,C;K;IAAEC,0C;MAAAjB,Q;MAAAC,qBAAAiB,KAAA,C;K;IAAEC,0C;MAAAnB,Q;MAAAC,qBAAAmB,KAAA,C;K;IAAEC,0C;MAAArB,Q;MAAAC,qBAAAqB,KAAA,C;K;IAAEC,0C;MAAAvB,Q;MAAAC,qBAAAuB,KAAA,C;K;IAAEC,0C;MAAAzB,Q;MAAAC,qBAAAyB,KAAA,C;K;IAAEC,0C;MAAA3B,Q;MAAAC,qBAAA2B,KAAA,C;K;IAAEC,0C;MAAA7B,Q;MAAAC,qBAAA6B,KAAA,C;K;IAAEC,0C;MAAA/B,Q;MAAAC,qBAAA+B,KAAA,C;K;IAAEC,0C;MAAAjC,Q;MAAAC,qBAAAiC,KAAA,C;K;IAAEC,0C;MAAAnC,Q;MAAAC,qBAAAmC,KAAA,C;K;IAAEC,0C;MAAArC,Q;MAAAC,qBAAAqC,KAAA,C;K;IAAEC,0C;MAAAvC,Q;MAAAC,qBAAAuC,KAAA,C;K;IAAEC,0C;MAAAzC,Q;MAAAC,qBAAAyC,KAAA,C;K;IAAEC,0C;MAAA3C,Q;MAAAC,qBAAA2C,KAAA,C;K;IAAEC,0C;MAAA7C,Q;MAAAC,qBAAA6C,KAAA,C;K;IAAEC,0C;MAAA/C,Q;MAAAC,qBAAA+C,KAAA,C;K;IAAEC,0C;MAAAjD,Q;MAAAC,qBAAAiD,KAAA,C;K;IAAEC,0C;MAAAnD,Q;MAAAC,qBAAAmD,KAAA,C;K;IAAEC,0C;MAAArD,Q;MAAAC,qBAAAqD,KAAA,C;K;IAAEC,0C;MAAAvD,Q;MAAAC,qBAAAuD,KAAA,C;K;IAAEC,0C;MAAAzD,Q;MAAAC,qBAAAyD,KAAA,C;K;IAAEC,0C;MAAA3D,Q;MAAAC,qBAAA2D,KAAA,C;K;IAAEC,0C;MAAA7D,Q;MAAAC,qBAAA6D,KAAA,C;K;IAAEC,0C;MAAA/D,Q;MAAAC,qBAAA+D,KAAA,C;K;IAAEC,0C;MAAAjE,Q;MAAAC,qBAAAiE,KAAA,C;K;IAAEC,0C;MAAAnE,Q;MAAAC,qBAAAmE,KAAA,C;K;IAAEC,0C;MAAArE,Q;MAAAC,qBAAAqE,KAAA,C;K;IAAEC,0C;MAAAvE,Q;MAAAC,qBAAAuE,KAAA,C;K;IAAEC,0C;MAAAzE,Q;MAAAC,qBAAAyE,KAAA,C;K;IAAEC,0C;MAAA3E,Q;MAAAC,qBAAA2E,KAAA,C;K;IAAEC,0C;MAAA7E,Q;MAAAC,qBAAA6E,KAAA,C;K;IAAEC,0C;MAAA/E,Q;MAAAC,qBAAA+E,KAAA,C;K;IAAEC,0C;MAAAjF,Q;MAAAC,qBAAAiF,KAAA,C;K;IAAEC,0C;MAAAnF,Q;MAAAC,qBAAAmF,KAAA,C;K;IAAEC,0C;MAAArF,Q;MAAAC,qBAAAqF,KAAA,C;K;IAAEC,0C;MAAAvF,Q;MAAAC,qBAAAuF,KAAA,C;K;IAAEC,0C;MAAAzF,Q;MAAAC,qBAAAyF,KAAA,C;K;IAAEC,0C;MAAA3F,Q;MAAAC,qBAAA2F,KAAA,C;K;IAAEC,0C;MAAA7F,Q;MAAAC,qBAAA6F,KAAA,C;K;IAAEC,0C;MAAA/F,Q;MAAAC,qBAAA+F,KAAA,C;K;IAAEC,0C;MAAAjG,Q;MAAAC,qBAAAiG,KAAA,C;K;IAAEC,0C;MAAAnG,Q;MAAAC,qBAAAmG,KAAA,C;K;IAAEC,0C;MAAArG,Q;MAAAC,qBAAAqG,KAAA,C;K;IAAEC,0C;MAAAvG,Q;MAAAC,qBAAAuG,KAAA,C;K;IAAEC,0C;MAAAzG,Q;MAAAC,qBAAAyG,KAAA,C;K;IAAEC,0C;MAAA3G,Q;MAAAC,qBAAA2G,KAAA,C;K;IAAEC,0C;MAAA7G,Q;MAAAC,qBAAA6G,KAAA,C;K;IAAEC,0C;MAAA/G,Q;MAAAC,qBAAA+G,KAAA,C;K;IAAEC,0C;MAAAjH,Q;MAAAC,qBAAAiH,KAAA,C;K;IAAEC,0C;MAAAnH,Q;MAAAC,qBAAAmH,KAAA,C;K;IAAEC,0C;MAAArH,Q;MAAAC,qBAAAqH,KAAA,C;K;IAAEC,0C;MAAAvH,Q;MAAAC,qBAAAuH,KAAA,C;K;IAAEC,0C;MAAAzH,Q;MAAAC,qBAAAyH,KAAA,C;K;IAAEC,0C;MAAA3H,Q;MAAAC,qBAAA2H,KAAA,C;K;IAAEC,0C;MAAA7H,Q;MAAAC,qBAAA6H,KAAA,C;K;IAAEC,0C;MAAA/H,Q;MAAAC,qBAAA+H,KAAA,C;K;IAAEC,0C;MAAAjI,Q;MAAAC,qBAAAiI,KAAA,C;K;IAAEC,0C;MAAAnI,Q;MAAAC,qBAAAmI,KAAA,C;K;IAAEC,0C;MAAArI,Q;MAAAC,qBAAAqI,KAAA,C;K;IAAEC,0C;MAAAvI,Q;MAAAC,qBAAAuI,KAAA,C;K;IAAEC,0C;MAAAzI,Q;MAAAC,qBAAAyI,KAAA,C;K;IAAEC,0C;MAAA3I,Q;MAAAC,qBAAA2I,KAAA,C;K;IAAEC,0C;MAAA7I,Q;MAAAC,qBAAA6I,KAAA,C;K;IAAEC,0C;MAAA/I,Q;MAAAC,qBAAA+I,KAAA,C;K;IAAEC,0C;MAAAjJ,Q;MAAAC,qBAAAiJ,KAAA,C;K;IAAEC,0C;MAAAnJ,Q;MAAAC,qBAAAmJ,KAAA,C;K;IAAEC,0C;MAAArJ,Q;MAAAC,qBAAAqJ,KAAA,C;K;IAAEC,0C;MAAAvJ,Q;MAAAC,qBAAAuJ,KAAA,C;K;IAAEC,0C;MAAAzJ,Q;MAAAC,qBAAAyJ,KAAA,C;K;IAAEC,0C;MAAA3J,Q;MAAAC,qBAAA2J,KAAA,C;K;IAAEC,0C;MAAA7J,Q;MAAAC,qBAAA6J,KAAA,C;K;IAAEC,0C;MAAA/J,Q;MAAAC,qBAAA+J,KAAA,C;K;IAAEC,0C;MAAAjK,Q;MAAAC,qBAAAiK,KAAA,C;K;IAAEC,0C;MAAAnK,Q;MAAAC,qBAAAmK,KAAA,C;K;IAAEC,0C;MAAArK,Q;MAAAC,qBAAAqK,KAAA,C;K;IAAEC,0C;MAAAvK,Q;MAAAC,qBAAAuK,KAAA,C;K;IAAEC,0C;MAAAzK,Q;MAAAC,qBAAAyK,KAAA,C;K;IAAEC,0C;MAAA3K,Q;MAAAC,qBAAA2K,KAAA,C;K;IAAEC,0C;MAAA7K,Q;MAAAC,qBAAA6K,KAAA,C;K;IAAEC,0C;MAAA/K,Q;MAAAC,qBAAA+K,KAAA,C;K;IAAEC,0C;MAAAjL,Q;MAAAC,qBAAAiL,KAAA,C;K;IAAEC,0C;MAAAnL,Q;MAAAC,qBAAAmL,KAAA,C;K;IAAEC,0C;MAAArL,Q;MAAAC,qBAAAqL,KAAA,C;K;IAAEC,0C;MAAAvL,Q;MAAAC,qBAAAuL,KAAA,C;K;IAAEC,0C;MAAAzL,Q;MAAAC,qBAAAyL,KAAA,C;K;IAAEC,0C;MAAA3L,Q;MAAAC,qBAAA2L,KAAA,C;K;IAAEC,0C;MAAA7L,Q;MAAAC,qBAAA6L,KAAA,C;K;IAAEC,0C;MAAA/L,Q;MAAAC,qBAAA+L,KAAA,C;K;IAAEC,0C;MAAAjM,Q;MAAAC,qBAAAiM,KAAA,C;K;IAAEC,0C;MAAAnM,Q;MAAAC,qBAAAmM,KAAA,C;K;IAAEC,0C;MAAArM,Q;MAAAC,qBAAAqM,KAAA,C;K;IAAEC,0C;MAAAvM,Q;MAAAC,qBAAAuM,KAAA,C;K;IAAEC,0C;MAAAzM,Q;MAAAC,qBAAAyM,KAAA,C;K;IAAEC,0C;MAAA3M,Q;MAAAC,qBAAA2M,KAAA,C;K;IAAEC,0C;MAAA7M,Q;MAAAC,qBAAA6M,KAAA,C;K;IAAEC,0C;MAAA/M,Q;MAAAC,qBAAA+M,KAAA,C;K;IAAEC,0C;MAAAjN,Q;MAAAC,qBAAAiN,KAAA,C;K;IAAEC,0C;MAAAnN,Q;MAAAC,qBAAAmN,KAAA,C;K;IAAEC,0C;MAAArN,Q;MAAAC,qBAAAqN,KAAA,C;K;IAAEC,0C;MAAAvN,Q;MAAAC,qBAAAuN,KAAA,C;K;IAAEC,0C;MAAAzN,Q;MAAAC,qBAAAyN,KAAA,C;K;IAAEC,0C;MAAA3N,Q;MAAAC,qBAAA2N,KAAA,C;K;IAAEC,0C;MAAA7N,Q;MAAAC,qBAAA6N,KAAA,C;K;IAAEC,0C;MAAA/N,Q;MAAAC,qBAAA+N,KAAA,C;K;IAAEC,0C;MAAAjO,Q;MAAAC,qBAAAiO,KAAA,C;K;IAAEC,0C;MAAAnO,Q;MAAAC,qBAAAmO,KAAA,C;K;IAAEC,0C;MAAArO,Q;MAAAC,qBAAAqO,KAAA,C;K;IAAEC,0C;MAAAvO,Q;MAAAC,qBAAAuO,KAAA,C;K;IAAEC,0C;MAAAzO,Q;MAAAC,qBAAAyO,KAAA,C;K;IAAEC,0C;MAAA3O,Q;MAAAC,qBAAA2O,KAAA,C;K;IAAEC,0C;MAAA7O,Q;MAAAC,qBAAA6O,KAAA,C;K;IAAEC,0C;MAAA/O,Q;MAAAC,qBAAA+O,KAAA,C;K;IAAEC,0C;MAAAjP,Q;MAAAC,qBAAAiP,KAAA,C;K;IAAEC,0C;MAAAnP,Q;MAAAC,qBAAAmP,KAAA,C;K;IAAEC,0C;MAAArP,Q;MAAAC,qBAAAqP,KAAA,C;K;IAAEC,0C;MAAAvP,Q;MAAAC,qBAAAuP,KAAA,C;K;IAAEC,0C;MAAAzP,Q;MAAAC,qBAAAyP,KAAA,C;K;IAAEC,0C;MAAA3P,Q;MAAAC,qBAAA2P,KAAA,C;K;IAAEC,0C;MAAA7P,Q;MAAAC,qBAAA6P,KAAA,C;K;IAAEC,0C;MAAA/P,Q;MAAAC,qBAAA+P,KAAA,C;K;IAAEC,0C;MAAAjQ,Q;MAAAC,qBAAAiQ,KAAA,C;K;IAAEC,0C;MAAAnQ,Q;MAAAC,qBAAAmQ,KAAA,C;K;IAAEC,0C;MAAArQ,Q;MAAAC,qBAAAqQ,KAAA,C;K;IAAEC,0C;MAAAvQ,Q;MAAAC,qBAAAuQ,KAAA,C;K;IAAEC,0C;MAAAzQ,Q;MAAAC,qBAAAyQ,KAAA,C;K;IAAEC,0C;MAAA3Q,Q;MAAAC,qBAAA2Q,KAAA,C;K;IAAEC,0C;MAAA7Q,Q;MAAAC,qBAAA6Q,KAAA,C;K;IAAEC,0C;MAAA/Q,Q;MAAAC,qBAAA+Q,KAAA,C;K;IAAEC,0C;MAAAjR,Q;MAAAC,qBAAAiR,KAAA,C;K;IAAEC,0C;MAAAnR,Q;MAAAC,qBAAAmR,KAAA,C;K;IAAEC,0C;MAAArR,Q;MAAAC,qBAAAqR,KAAA,C;K;IAAEC,0C;MAAAvR,Q;MAAAC,qBAAAuR,KAAA,C;K;IAAEC,0C;MAAAzR,Q;MAAAC,qBAAAyR,KAAA,C;K;IAAEC,0C;MAAA3R,Q;MAAAC,qBAAA2R,KAAA,C;K;IAAEC,0C;MAAA7R,Q;MAAAC,qBAAA6R,KAAA,C;K;IAAEC,0C;MAAA/R,Q;MAAAC,qBAAA+R,KAAA,C;K;IAAEC,0C;MAAAjS,Q;MAAAC,qBAAAiS,KAAA,C;K;IAAEC,0C;MAAAnS,Q;MAAAC,qBAAAmS,KAAA,C;K;IAAEC,0C;MAAArS,Q;MAAAC,qBAAAqS,KAAA,C;K;IAAEC,0C;MAAAvS,Q;MAAAC,qBAAAuS,KAAA,C;K;IAAEC,0C;MAAAzS,Q;MAAAC,qBAAAyS,KAAA,C;K;IAAEC,0C;MAAA3S,Q;MAAAC,qBAAA2S,KAAA,C;K;IAAEC,0C;MAAA7S,Q;MAAAC,qBAAA6S,KAAA,C;K;IAAEC,0C;MAAA/S,Q;MAAAC,qBAAA+S,KAAA,C;K;IAAEC,0C;MAAAjT,Q;MAAAC,qBAAAiT,KAAA,C;K;IAAEC,0C;MAAAnT,Q;MAAAC,qBAAAmT,KAAA,C;K;IAAEC,0C;MAAArT,Q;MAAAC,qBAAAqT,KAAA,C;K;IAAEC,0C;MAAAvT,Q;MAAAC,qBAAAuT,KAAA,C;K;IAAEC,0C;MAAAzT,Q;MAAAC,qBAAAyT,KAAA,C;K;IAAEC,0C;MAAA3T,Q;MAAAC,qBAAA2T,KAAA,C;K;IAAEC,0C;MAAA7T,Q;MAAAC,qBAAA6T,KAAA,C;K;IAAEC,0C;MAAA/T,Q;MAAAC,qBAAA+T,KAAA,C;K;IAAEC,0C;MAAAjU,Q;MAAAC,qBAAAiU,KAAA,C;K;IAAEC,0C;MAAAnU,Q;MAAAC,qBAAAmU,KAAA,C;K;IAAEC,0C;MAAArU,Q;MAAAC,qBAAAqU,KAAA,C;K;IAAEC,0C;MAAAvU,Q;MAAAC,qBAAAuU,KAAA,C;K;IAAEC,0C;MAAAzU,Q;MAAAC,qBAAAyU,KAAA,C;K;IAAEC,0C;MAAA3U,Q;MAAAC,qBAAA2U,KAAA,C;K;IAAEC,0C;MAAA7U,Q;MAAAC,qBAAA6U,KAAA,C;K;IAAEC,0C;MAAA/U,Q;MAAAC,qBAAA+U,KAAA,C;K;IAAEC,0C;MAAAjV,Q;MAAAC,qBAAAiV,KAAA,C;K;IAAEC,0C;MAAAnV,Q;MAAAC,qBAAAmV,KAAA,C;K;IAAEC,0C;MAAArV,Q;MAAAC,qBAAAqV,KAAA,C;K;IAAEC,0C;MAAAvV,Q;MAAAC,qBAAAuV,KAAA,C;K;IAAEC,0C;MAAAzV,Q;MAAAC,qBAAAyV,KAAA,C;K;IAAEC,0C;MAAA3V,Q;MAAAC,qBAAA2V,KAAA,C;K;IAAEC,0C;MAAA7V,Q;MAAAC,qBAAA6V,KAAA,C;K;IAAEC,0C;MAAA/V,Q;MAAAC,qBAAA+V,KAAA,C;K;IAAEC,0C;MAAAjW,Q;MAAAC,qBAAAiW,KAAA,C;K;IAAEC,0C;MAAAnW,Q;MAAAC,qBAAAmW,KAAA,C;K;IAAEC,0C;MAAArW,Q;MAAAC,qBAAAqW,KAAA,C;K;IAAEC,0C;MAAAvW,Q;MAAAC,qBAAAuW,KAAA,C;K;IAAEC,0C;MAAAzW,Q;MAAAC,qBAAAyW,KAAA,C;K;IAAEC,0C;MAAA3W,Q;MAAAC,qBAAA2W,KAAA,C;K;IAAEC,0C;MAAA7W,Q;MAAAC,qBAAA6W,KAAA,C;K;IAAEC,0C;MAAA/W,Q;MAAAC,qBAAA+W,KAAA,C;K;IAAEC,0C;MAAAjX,Q;MAAAC,qBAAAiX,KAAA,C;K;IAAEC,0C;MAAAnX,Q;MAAAC,qBAAAmX,KAAA,C;K;IAAEC,0C;MAAArX,Q;MAAAC,qBAAAqX,KAAA,C;K;IAAEC,0C;MAAAvX,Q;MAAAC,qBAAAuX,KAAA,C;K;IAAEC,0C;MAAAzX,Q;MAAAC,qBAAAyX,KAAA,C;K;IAAEC,0C;MAAA3X,Q;MAAAC,qBAAA2X,KAAA,C;K;IAAEC,0C;MAAA7X,Q;MAAAC,qBAAA6X,KAAA,C;K;IAAEC,0C;MAAA/X,Q;MAAAC,qBAAA+X,KAAA,C;K;IAAEC,0C;MAAAjY,Q;MAAAC,qBAAAiY,KAAA,C;K;IAAEC,0C;MAAAnY,Q;MAAAC,qBAAAmY,KAAA,C;K;IAAEC,0C;MAAArY,Q;MAAAC,qBAAAqY,KAAA,C;K;IAAEC,0C;MAAAvY,Q;MAAAC,qBAAAuY,KAAA,C;K;IAAEC,0C;MAAAzY,Q;MAAAC,qBAAAyY,KAAA,C;K;IAAEC,0C;MAAA3Y,Q;MAAAC,qBAAA2Y,KAAA,C;K;IAAEC,0C;MAAA7Y,Q;MAAAC,qBAAA6Y,KAAA,C;K;IAAEC,0C;MAAA/Y,Q;MAAAC,qBAAA+Y,KAAA,C;K;IAAEC,0C;MAAAjZ,Q;MAAAC,qBAAAiZ,KAAA,C;K;IAAEC,0C;MAAAnZ,Q;MAAAC,qBAAAmZ,KAAA,C;K;IAAEC,0C;MAAArZ,Q;MAAAC,qBAAAqZ,KAAA,C;K;IAAEC,0C;MAAAvZ,Q;MAAAC,qBAAAuZ,KAAA,C;K;IAAEC,0C;MAAAzZ,Q;MAAAC,qBAAAyZ,KAAA,C;K;IAAEC,0C;MAAA3Z,Q;MAAAC,qBAAA2Z,KAAA,C;K;IAAEC,0C;MAAA7Z,Q;MAAAC,qBAAA6Z,KAAA,C;K;IAAEC,0C;MAAA/Z,Q;MAAAC,qBAAA+Z,KAAA,C;K;IAAEC,0C;MAAAja,Q;MAAAC,qBAAAia,KAAA,C;K;IAAEC,0C;MAAAna,Q;MAAAC,qBAAAma,KAAA,C;K;IAAEC,0C;MAAAra,Q;MAAAC,qBAAAqa,KAAA,C;K;IAAEC,0C;MAAAva,Q;MAAAC,qBAAAua,KAAA,C;K;IAAEC,0C;MAAAza,Q;MAAAC,qBAAAya,KAAA,C;K;IAAEC,0C;MAAA3a,Q;MAAAC,qBAAA2a,KAAA,C;K;IAAEC,0C;MAAA7a,Q;MAAAC,qBAAA6a,KAAA,C;K;IAAEC,0C;MAAA/a,Q;MAAAC,qBAAA+a,KAAA,C;K;IAAEC,0C;MAAAjb,Q;MAAAC,qBAAAib,KAAA,C;K;IAAEC,0C;MAAAnb,Q;MAAAC,qBAAAmb,KAAA,C;K;IAAEC,0C;MAAArb,Q;MAAAC,qBAAAqb,KAAA,C;K;IAAEC,0C;MAAAvb,Q;MAAAC,qBAAAub,KAAA,C;K;IAAEC,0C;MAAAzb,Q;MAAAC,qBAAAyb,KAAA,C;K;IAAEC,0C;MAAA3b,Q;MAAAC,qBAAA2b,KAAA,C;K;IAAEC,0C;MAAA7b,Q;MAAAC,qBAAA6b,KAAA,C;K;IAAEC,0C;MAAA/b,Q;MAAAC,qBAAA+b,KAAA,C;K;IAAEC,0C;MAAAjc,Q;MAAAC,qBAAAic,KAAA,C;K;IAAEC,0C;MAAAnc,Q;MAAAC,qBAAAmc,KAAA,C;K;IAAEC,0C;MAAArc,Q;MAAAC,qBAAAqc,KAAA,C;K;IAAEC,0C;MAAAvc,Q;MAAAC,qBAAAuc,KAAA,C;K;IAAEC,0C;MAAAzc,Q;MAAAC,qBAAAyc,KAAA,C;K;IAAEC,0C;MAAA3c,Q;MAAAC,qBAAA2c,KAAA,C;K;IAAEC,0C;MAAA7c,Q;MAAAC,qBAAA6c,KAAA,C;K;IAAEC,0C;MAAA/c,Q;MAAAC,qBAAA+c,KAAA,C;K;IAAEC,0C;MAAAjd,Q;MAAAC,qBAAAid,KAAA,C;K;IAAEC,0C;MAAAnd,Q;MAAAC,qBAAAmd,KAAA,C;K;IAAEC,0C;MAAArd,Q;MAAAC,qBAAAqd,KAAA,C;K;IAAEC,0C;MAAAvd,Q;MAAAC,qBAAAud,KAAA,C;K;IAAEC,0C;MAAAzd,Q;MAAAC,qBAAAyd,KAAA,C;K;IAAEC,0C;MAAA3d,Q;MAAAC,qBAAA2d,KAAA,C;K;IAAEC,0C;MAAA7d,Q;MAAAC,qBAAA6d,KAAA,C;K;IAAEC,0C;MAAA/d,Q;MAAAC,qBAAA+d,KAAA,C;K;IAAEC,0C;MAAAje,Q;MAAAC,qBAAAie,KAAA,C;K;IAAEC,0C;MAAAne,Q;MAAAC,qBAAAme,KAAA,C;K;IAAEC,0C;MAAAre,Q;MAAAC,qBAAAqe,KAAA,C;K;IAAEC,0C;MAAAve,Q;MAAAC,qBAAAue,KAAA,C;K;IAAEC,0C;MAAAze,Q;MAAAC,qBAAAye,KAAA,C;K;IAAEC,0C;MAAA3e,Q;MAAAC,qBAAA2e,KAAA,C;K;IAAEC,0C;MAAA7e,Q;MAAAC,qBAAA6e,KAAA,C;K;IAAEC,0C;MAAA/e,Q;MAAAC,qBAAA+e,KAAA,C;K;IAAEC,0C;MAAAjf,Q;MAAAC,qBAAAif,KAAA,C;K;IAAEC,0C;MAAAnf,Q;MAAAC,qBAAAmf,KAAA,C;K;IAAEC,0C;MAAArf,Q;MAAAC,qBAAAqf,KAAA,C;K;IAAEC,0C;MAAAvf,Q;MAAAC,qBAAAuf,KAAA,C;K;IAAEC,0C;MAAAzf,Q;MAAAC,qBAAAyf,KAAA,C;K;IAAEC,0C;MAAA3f,Q;MAAAC,qBAAA2f,KAAA,C;K;IAAEC,0C;MAAA7f,Q;MAAAC,qBAAA6f,KAAA,C;K;IAAEC,0C;MAAA/f,Q;MAAAC,qBAAA+f,KAAA,C;K;IAAEC,0C;MAAAjgB,Q;MAAAC,qBAAAigB,KAAA,C;K;IAAEC,0C;MAAAngB,Q;MAAAC,qBAAAmgB,KAAA,C;K;IAAEC,0C;MAAArgB,Q;MAAAC,qBAAAqgB,KAAA,C;K;IAAEC,0C;MAAAvgB,Q;MAAAC,qBAAAugB,KAAA,C;K;IAAEC,0C;MAAAzgB,Q;MAAAC,qBAAAygB,KAAA,C;K;IAAEC,0C;MAAA3gB,Q;MAAAC,qBAAA2gB,KAAA,C;K;IAAEC,0C;MAAA7gB,Q;MAAAC,qBAAA6gB,KAAA,C;K;IAAEC,0C;MAAA/gB,Q;MAAAC,qBAAA+gB,KAAA,C;K;IAAEC,0C;MAAAjhB,Q;MAAAC,qBAAAihB,KAAA,C;K;IAAEC,0C;MAAAnhB,Q;MAAAC,qBAAAmhB,KAAA,C;K;IAAEC,0C;MAAArhB,Q;MAAAC,qBAAAqhB,KAAA,C;K;IAAEC,0C;MAAAvhB,Q;MAAAC,qBAAAuhB,KAAA,C;K;IAAEC,0C;MAAAzhB,Q;MAAAC,qBAAAyhB,KAAA,C;K;IAAEC,0C;MAAA3hB,Q;MAAAC,qBAAA2hB,KAAA,C;K;IAAEC,0C;MAAA7hB,Q;MAAAC,qBAAA6hB,KAAA,C;K;IAAEC,0C;MAAA/hB,Q;MAAAC,qBAAA+hB,KAAA,C;K;IAAEC,0C;MAAAjiB,Q;MAAAC,qBAAAiiB,KAAA,C;K;IAAEC,0C;MAAAniB,Q;MAAAC,qBAAAmiB,KAAA,C;K;IAAEC,0C;MAAAriB,Q;MAAAC,qBAAAqiB,KAAA,C;K;IAAEC,0C;MAAAviB,Q;MAAAC,qBAAAuiB,KAAA,C;K;IAAEC,0C;MAAAziB,Q;MAAAC,qBAAAyiB,KAAA,C;K;IAAEC,0C;MAAA3iB,Q;MAAAC,qBAAA2iB,KAAA,C;K;IAAEC,0C;MAAA7iB,Q;MAAAC,qBAAA6iB,KAAA,C;K;IAAEC,0C;MAAA/iB,Q;MAAAC,qBAAA+iB,KAAA,C;K;IAAEC,0C;MAAAjjB,Q;MAAAC,qBAAAijB,KAAA,C;K;IAAEC,0C;MAAAnjB,Q;MAAAC,qBAAAmjB,KAAA,C;K;IAAEC,0C;MAAArjB,Q;MAAAC,qBAAAqjB,KAAA,C;K;IAAEC,0C;MAAAvjB,Q;MAAAC,qBAAAujB,KAAA,C;K;IAAEC,0C;MAAAzjB,Q;MAAAC,qBAAAyjB,KAAA,C;K;IAAEC,0C;MAAA3jB,Q;MAAAC,qBAAA2jB,KAAA,C;K;IAAEC,0C;MAAA7jB,Q;MAAAC,qBAAA6jB,KAAA,C;K;IAAEC,0C;MAAA/jB,Q;MAAAC,qBAAA+jB,KAAA,C;K;IAAEC,0C;MAAAjkB,Q;MAAAC,qBAAAikB,KAAA,C;K;IAAEC,0C;MAAAnkB,Q;MAAAC,qBAAAmkB,KAAA,C;K;IAAEC,0C;MAAArkB,Q;MAAAC,qBAAAqkB,KAAA,C;K;IAAEC,0C;MAAAvkB,Q;MAAAC,qBAAAukB,KAAA,C;K;IAAEC,0C;MAAAzkB,Q;MAAAC,qBAAAykB,KAAA,C;K;IAAEC,0C;MAAA3kB,Q;MAAAC,qBAAA2kB,KAAA,C;K;IAAEC,0C;MAAA7kB,Q;MAAAC,qBAAA6kB,KAAA,C;K;IAAEC,0C;MAAA/kB,Q;MAAAC,qBAAA+kB,KAAA,C;K;IAAEC,0C;MAAAjlB,Q;MAAAC,qBAAAilB,KAAA,C;K;IAAEC,0C;MAAAnlB,Q;MAAAC,qBAAAmlB,KAAA,C;K;IAAEC,0C;MAAArlB,Q;MAAAC,qBAAAqlB,KAAA,C;K;IAAEC,0C;MAAAvlB,Q;MAAAC,qBAAAulB,KAAA,C;K;IAAEC,0C;MAAAzlB,Q;MAAAC,qBAAAylB,KAAA,C;K;IAAEC,0C;MAAA3lB,Q;MAAAC,qBAAA2lB,KAAA,C;K;IAAEC,0C;MAAA7lB,Q;MAAAC,qBAAA6lB,KAAA,C;K;IAAEC,0C;MAAA/lB,Q;MAAAC,qBAAA+lB,KAAA,C;K;IAAEC,0C;MAAAjmB,Q;MAAAC,qBAAAimB,KAAA,C;K;IAAEC,0C;MAAAnmB,Q;MAAAC,qBAAAmmB,KAAA,C;K;IAAEC,0C;MAAArmB,Q;MAAAC,qBAAAqmB,KAAA,C;K;IAAEC,0C;MAAAvmB,Q;MAAAC,qBAAAumB,KAAA,C;K;IAAEC,0C;MAAAzmB,Q;MAAAC,qBAAAymB,KAAA,C;K;IAAEC,0C;MAAA3mB,Q;MAAAC,qBAAA2mB,KAAA,C;K;IAAEC,0C;MAAA7mB,Q;MAAAC,qBAAA6mB,KAAA,C;K;IAAEC,0C;MAAA/mB,Q;MAAAC,qBAAA+mB,KAAA,C;K;IAAEC,0C;MAAAjnB,Q;MAAAC,qBAAAinB,KAAA,C;K;IAAEC,0C;MAAAnnB,Q;MAAAC,qBAAAmnB,KAAA,C;K;IAAEC,0C;MAAArnB,Q;MAAAC,qBAAAqnB,KAAA,C;K;IAAEC,0C;MAAAvnB,Q;MAAAC,qBAAAunB,KAAA,C;K;IAAEC,0C;MAAAznB,Q;MAAAC,qBAAAynB,KAAA,C;K;IAAEC,0C;MAAA3nB,Q;MAAAC,qBAAA2nB,KAAA,C;K;IAAEC,0C;MAAA7nB,Q;MAAAC,qBAAA6nB,KAAA,C;K;IAAEC,0C;MAAA/nB,Q;MAAAC,qBAAA+nB,KAAA,C;K;IAAEC,0C;MAAAjoB,Q;MAAAC,qBAAAioB,KAAA,C;K;IAAEC,0C;MAAAnoB,Q;MAAAC,qBAAAmoB,KAAA,C;K;IAAEC,0C;MAAAroB,Q;MAAAC,qBAAAqoB,KAAA,C;K;IAAEC,0C;MAAAvoB,Q;MAAAC,qBAAAuoB,KAAA,C;K;IAAEC,0C;MAAAzoB,Q;MAAAC,qBAAAyoB,KAAA,C;K;IAAEC,0C;MAAA3oB,Q;MAAAC,qBAAA2oB,KAAA,C;K;IAAEC,0C;MAAA7oB,Q;MAAAC,qBAAA6oB,KAAA,C;K;IAAEC,0C;MAAA/oB,Q;MAAAC,qBAAA+oB,KAAA,C;K;IAAEC,0C;MAAAjpB,Q;MAAAC,qBAAAipB,KAAA,C;K;IAAEC,0C;MAAAnpB,Q;MAAAC,qBAAAmpB,KAAA,C;K;IAAEC,0C;MAAArpB,Q;MAAAC,qBAAAqpB,KAAA,C;K;IAAEC,0C;MAAAvpB,Q;MAAAC,qBAAAupB,KAAA,C;K;IAAEC,0C;MAAAzpB,Q;MAAAC,qBAAAypB,KAAA,C;K;IAAEC,0C;MAAA3pB,Q;MAAAC,qBAAA2pB,KAAA,C;K;IAAEC,0C;MAAA7pB,Q;MAAAC,qBAAA6pB,KAAA,C;K;IAAEC,0C;MAAA/pB,Q;MAAAC,qBAAA+pB,KAAA,C;K;IAAEC,0C;MAAAjqB,Q;MAAAC,qBAAAiqB,KAAA,C;K;IAAEC,0C;MAAAnqB,Q;MAAAC,qBAAAmqB,KAAA,C;K;IAAEC,0C;MAAArqB,Q;MAAAC,qBAAAqqB,KAAA,C;K;IAAEC,0C;MAAAvqB,Q;MAAAC,qBAAAuqB,KAAA,C;K;IAAEC,0C;MAAAzqB,Q;MAAAC,qBAAAyqB,KAAA,C;K;IAAEC,0C;MAAA3qB,Q;MAAAC,qBAAA2qB,KAAA,C;K;IAAEC,0C;MAAA7qB,Q;MAAAC,qBAAA6qB,KAAA,C;K;IAAEC,0C;MAAA/qB,Q;MAAAC,qBAAA+qB,KAAA,C;K;IAAEC,0C;MAAAjrB,Q;MAAAC,qBAAAirB,KAAA,C;K;IAAEC,0C;MAAAnrB,Q;MAAAC,qBAAAmrB,KAAA,C;K;IAAEC,0C;MAAArrB,Q;MAAAC,qBAAAqrB,KAAA,C;K;IAAEC,0C;MAAAvrB,Q;MAAAC,qBAAAurB,KAAA,C;K;IAAEC,0C;MAAAzrB,Q;MAAAC,qBAAAyrB,KAAA,C;K;IAAEC,0C;MAAA3rB,Q;MAAAC,qBAAA2rB,KAAA,C;K;IAAEC,0C;MAAA7rB,Q;MAAAC,qBAAA6rB,KAAA,C;K;IAAEC,0C;MAAA/rB,Q;MAAAC,qBAAA+rB,KAAA,C;K;IAAEC,0C;MAAAjsB,Q;MAAAC,qBAAAisB,KAAA,C;K;IAAEC,0C;MAAAnsB,Q;

,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAY,KAAZ,EAAmB,gBAAnB,C;QAEf,OAAO,E;O;KARX,C;mFAWA,yB;MAAA,8B;MAXA,mD;MAAA,oC;MAWA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QAAsB,oB;;UAXJ,kC;UAAA,qBAAL,WAAK,C;UAAL,qB;UAAA,oB;UAAA,oB;UAAd,0D;YACI,IAAI,CAUyB,SAVxB,CAAU,mCAAK,KAAL,EAAV,CAAL,C;cACI,mBAAO,gCAAY,KAAZ,EAAmB,kBAAnB,C;cAAP,qB;;UAER,mBAAO,E;;;QAOP,OAA4C,2B;O;KAJhD,C;6EAMA,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,CAAQ,C;UAAc,uB;UACV,IAAI,CAAA,CAAU,UAAV,CAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAY,CAAZ,EAAe,QAAf,Q,CAAwB,IAAxB,EAAf,CAAP,E;YAAA,OAAmD,QAAnD,CAAmD,+BAAK,KAAL,EAAnD,CAAP,E;cAAA,OAAqE,QAArE,CAAqE,+BAAK,KAAL,EAArE,CAAP,E;gBAAA,OAAuF,QAAvF,CAAuF,+BAAK,KAAL,EAAvF,CAAP,E;kBAAA,OAAyG,QAAzG,CAAyG,+BAAK,KAAL,EAAzG,CAAP,E;oBAAA,OAA2H,QAA3H,CAA2H,+BAAK,KAAL,EAA3H,CAAP,E;sBAAA,OAA6I,QAA7I,CAA6I,+BAAK,KAAL,EAA7I,CAAP,E;wBAAA,OAA+J,QAA/J,CAA+J,+BAAK,KAAL,EAA/J,CAAP,E;0BAAA,OAAiL,QAAjL,CAAiL,+BAAK,KAAL,EAAjL,CAAP,E;4BAAA,OAAmM,QAAnM,CAAmM,+BAAK,KAAL,EAAnM,CAAP,E;8BAAA,OAAqN,QAArN,CAAqN,+BAAK,KAAL,EAArN,CAAP,E;gCAAA,OAAuO,QAAvO,CAAuO,+BAAK,KAAL,EAAvO,CAAP,E;kCAAA,OAAyP,QAAzP,CAAyP,+BAAK,KAAL,EAAzP,CAAP,E;oCAAA,OAA2Q,QAA3Q,CAA2Q,+BAAK,KAAL,EAA3Q,CAAP,E;sCAAA,OAA6R,QAA7R,CAA6R,+BAAK,KAAL,EAA7R,CAAP,E;wCAAA,OAA+S,QAA/S,CAA+S,+BAAK,KAAL,EAA/S,CAAP,E;0CAAA,OAAiU,QAAjU,CAAiU,+BAAK,KAAL,EAAjU,CAAP,E;4CAAA,OAAmV,QAAnV,CAAmV,+BAAK,KAAL,EAAnV,CAAP,E;8CAAA,OAAqW,QAArW,CAAqW,+BAAK,KAAL,EAArW,CAAP,E;gDAAA,OAAuX,QAAvX,CAAuX,+BAAK,KAAL,EAAvX,CAAP,E;kDAAA,OAAyY,QAAzY,CAAyY,+BAAK,KAAL,EAAzY,CAAP,E;oDAAA,OAA2Z,QAA3Z,CAA2Z,+BAAK,KAAL,EAA3Z,CAAP,E;sDAAA,OAA6a,QAA7a,CAA6a,+BAAK,KAAL,EAA7a,CAAP,E;wDAAA,OAA+b,QAA/b,CAA+b,+BAAK,KAAL,EAA/b,CAAP,E;0DAAA,OAAid,QAAjd,CAAid,+BAAK,KAAL,EAAjd,CAAP,E;4DAAA,OAAme,QAAne,CAAme,+BAAK,KAAL,EAAne,CAAP,E;8DAAA,OAAqf,QAArf,CAAqf,+BAAK,KAAL,EAArf,CAAP,E;gEAAA,OAAug,QAAvg,CAAug,+BAAK,KAAL,EAAvg,CAAP,E;kEAAA,OAAyhB,QAAzhB,CAAyhB,+BAAK,KAAL,EAAzhB,CAAP,E;oEAAA,OAA2iB,QAA3iB,CAA2iB,+BAAK,KAAL,EAA3iB,CAAP,E;sEAAA,OAA6jB,QAA7jB,CAA6jB,+BAAK,KAAL,EAA7jB,CAAP,E;wEAAA,OAA+kB,QAA/kB,CAA+kB,+BAAK,KAAL,EAA/kB,CAAP,E;0EAAA,OAAimB,QAAjmB,CAAimB,+BAAK,KAAL,EAAjmB,CAAP,E;4EAAA,OAAmnB,QAAnnB,CAAmnB,+BAAK,KAAL,EAAnnB,CAAP,E;8EAAA,OAAqoB,QAAroB,CAAqoB,+BAAK,KAAL,EAAroB,CAAP,E;gFAAA,OAAupB,QAAvpB,CAAupB,+BAAK,KAAL,EAAvpB,CAAP,E;kFAAA,OAAyqB,QAAzqB,CAAyqB,+BAAK,KAAL,EAAzqB,CAAP,E;oFAAA,OAA2rB,QAA3rB,CAA2rB,+BAAK,KAAL,EAA3rB,CAAP,E;sFAAA,OAA6sB,QAA7sB,CAA6sB,+BAAK,KAAL,EAA7sB,CAAP,E;wFAAA,OAA+tB,QAA/tB,CAA+tB,+BAAK,KAAL,EAA/tB,CAAP,E;0FAAA,OAAivB,QAAjvB,CAAivB,+BAAK,KAAL,EAAjvB,CAAP,E;4FAAA,OAAmwB,QAAnwB,CAAmwB,+BAAK,KAAL,EAAnwB,CAAP,E;8FAAA,OAAqxB,QAArxB,CAAqxB,+BAAK,KAAL,EAArxB,CAAP,E;gGAAA,OAAuyB,QAAvyB,CAAuyB,+BAAK,KAAL,EAAvyB,CAAP,E;kGAAA,OAAyzB,QAAzzB,CAAyzB,+BAAK,KAAL,EAAzzB,CAAP,E;oGAAA,OAA20B,QAA30B,CAA20B,+BAAK,KAAL,EAA30B,CAAP,E;sGAAA,OAA61B,QAA71B,CAA61B,+BAAK,KAAL,EAA71B,CAAP,E;wGAAA,OAA+2B,QAA/2B,CAA+2B,+BAAK,KAAL,EAA/2B,CAAP,E;0GAAA,OAAi4B,QAAj4B,CAAi4B,+BAAK,KAAL,EAAj4B,CAAP,E;4GAAA,OAAm5B,QAAn5B,CAAm5B,+BAAK,KAAL,EAAn5B,CAAP,E;8GAAA,OAAq6B,QAAr6B,CAAq6B,+BAAK,KAAL,EAAr6B,CAAP,E;gHAAA,OAAu7B,QAAv7B,CAAu7B,+BAAK,KAAL,EAAv7B,CAAP,E;kHAAA,OAAy8B,QAAz8B,CAAy8B,+BAAK,KAAL,EAAz8B,CAAP,E;oHAAA,OAA29B,QAA39B,CAA29B,+BAAK,KAAL,EAA39B,CAAP,E;sHAAA,OAA6+B,QAA7+B,CAA6+B,+BAAK,KAAL,EAA7+B,CAAP,E;wHAAA,OAA+/B,QAA//B,CAA+/B,+BAAK,KAAL,EAA//B,CAAP,E;0HAAA,OAAihC,QAAjhC,CAAihC,+BAAK,KAAL,EAAjhC,CAAP,E;4HAAA,OAAmiC,QAAniC,CAAmiC,+BAAK,KAAL,EAAniC,CAAP,E;8HAAA,OAAqjC,QAArjC,CAAqjC,+BAAK,KAAL,EAArjC,CAAP,E;gIAAA,OAAukC,QAAvkC,CAAukC,+BAAK,KAAL,EAAvkC,CAAP,E;kIAAA,OAAymC,QAAzmC,CAAymC,+BAAK,KAAL,EAAzmC,CAAP,E;oIAAA,OAA2nC,QAA3nC,CAA2nC,+BAAK,KAAL,EAA3nC,CAAP,E;sIAAA,OAA6oC,QAA7oC,CAA6oC,+BAAK,KAAL,EAA7oC,CAAP,E;wIAAA,OAA+pC,QAA/pC,CAA+pC,+BAAK,KAAL,EAA/pC,CAAP,E;0IAAA,OAAirC,QAAjrC,CAAirC,+BAAK,KAAL,EAAjrC,CAAP,E;4IAAA,OAAmsC,QAAnsC,CAAmsC,+BAAK,KAAL,EAAnsC,CAAP,E;8IAAA,OAAqtC,QAArtC,CAAqtC,+BAAK,KAAL,EAArtC,CAAP,E;gJAAA,OAAuuC,QAAvuC,CAAuuC,+BAAK,KAAL,EAAvuC,CAAP,E;kJAAA,OAAyvC,QAAzvC,CAAyvC,+BAAK,KAAL,EAAzvC,CAAP,E;oJAAA,OAA2wC,QAA3wC,CAA2wC,+BAAK,KAAL,EAA3wC,CAAP,E;sJAAA,OAA6xC,QAA7xC,CAA6xC,+BAAK,KAAL,EAA7xC,CAAP,E;wJAAA,OAA+yC,QAA/yC,CAA+yC,+BAAK,KAAL,EAA/yC,CAAP,E;0JAAA,OAAi0C,QAAj0C,CAAi0C,+BAAK,KAAL,EAAj0C,CAAP,E;4JAAA,OAAm1C,QAAn1C,CAAm1C,+BAAK,KAAL,EAAn1C,CAAP,E;8JAAA,OAAq2C,QAAr2C,CAAq2C,+BAAK,KAAL,EAAr2C,CAAP,E;gKAAA,OAAu3C,QAAv3C,CAAu3C,+BAAK,KAAL,EAAv3C,CAAP,E;kKAAA,OAAy4C,QAAz4C,CAAy4C,+BAAK,KAAL,EAAz4C,CAAP,E;oKAAA,OAA25C,QAA35C,CAA25C,+BAAK,KAAL,EAA35C,CAAP,E;sKAAA,OAA66C,QAA76C,CAA66C,+BAAK,KAAL,EAA76C,CAAP,E;wKAAA,OAA+7C,QAA/7C,CAA+7C,+BAAK,KAAL,EAA/7C,CAAP,E;0KAAA,OAAi9C,QAAj9C,CAAi9C,+BAAK,KAAL,EAAj9C,CAAP,E;4KAAA,OAAm+C,QAAn+C,CAAm+C,+BAAK,KAAL,EAAn+C,CAAP,E;8KAAA,OAAq/C,QAAr/C,CAAq/C,+BAAK,KAAL,EAAr/C,CAAP,E;gLAAA,OAAuhD,QAAvhD,CAAuhD,+BAAK,KAAL,EAAvhD,CAAP,E;kLAAA,OAAyiD,QAAziD,CAAyiD,+BAAK,KAAL,EAAziD,CAAP,E;oLAAA,OAA2jD,QAA3jD,CAA2jD,+BAAK,KAAL,EAA3jD,CAAP,E;sLAAA,OAA6kD,QAA7kD,CAA6kD,+BAAK,KAAL,EAA7kD,CAAP,E;wLAAA,OAA+lD,QAA/lD,CAA+lD,+BAAK,KAAL,EAA/lD,CAAP,E;0LAAA,OAAinD,QAAjnD,CAAinD,+BAAK,KAAL,EAAjnD,CAAP,E;4LAAA,OAAmoD,QAAnoD,CAAmoD,+BAAK,KAAL,EAAnoD,CAAP,E;8LAAA,OAAqpD,QAArpD,CAAqpD,+BAAK,KAAL,EAArpD,CAAP,E;gMAAA,OAAuqD,QAAvqD,CAAuqD,+BAAK,KAAL,EAAvqD,CAAP,E;kMAAA,OAAyrD,QAAzrD,CAAyrD,+BAAK,KAAL,EAAzrD,CAAP,E;oMAAA,OAA2sD,QAA3sD,CAA2sD,+BAAK,KAAL,EAA3sD,CAAP,E;sMAAA,OAA6tD,QAA7tD,CAA6tD,+BAAK,KAAL,EAA7tD,CAAP,E;wMAAA,OAA+uD,QAA/uD,CAA+uD,+BAAK,KAAL,EAA/uD,CAAP,E;0MAAA,OAAiwD,QAAjwD,CAAiwD,+BAAK,KAAL,EAAjwD,CAAP,E;4MAAA,OAAmxD,QAAnxD,CAAmxD,+BAAK,KAAL,EAAnxD,CAAP,E;8MAAA,OAAqyD,QAAryD,CAAqyD,+BAAK,KAAL,EAAryD,CAAP,E;gNAAA,OAAuzD,QAAvzD,CAAuzD,+BAAK,KAAL,EAAvzD,CAAP,E;kNAAA,OAAy0D,QAAz0D,CAAy0D,+BAAK,KAAL,EAAz0D,CAAP,E;oNAAA,OAA21D,QAA31D,CAA21D,+BAAK,KAAL,EAA31D,CAAP,E;sNAAA,OAA62D,QAA72D,CAA62D,+BAAK,KAAL,EAA72D,CAAP,E;wNAAA,OAA+3D,QAA/3D,CAA+3D,+BAAK,KAAL,EAA/3D,CAAP,E;0NAAA,OAAi5D,QAAj5D,CAAi5D,+BAAK,KAAL,EAAj5D,CAAP,E;4NAAA,OAAm6D,QAAn6D,CAAm6D,+BAAK,KAAL,EAAn6D,CAAP,E;8NAAA,OAAq7D,QAAr7D,CAAq7D,+BAAK,KAAL,EAAr7D,CAAP,E;gOAAA,OAAu8D,QAAv8D,CAAu8D,+BAAK,KAAL,EAAv8D,CAAP,E;kOAAA,OAAy9D,QAAz9D,CAAy9D,+BAAK,KAAL,EAAz9D,CAAP,E;oOAAA,OAA2+D,QAA3+D,CAA2+D,+BAAK,KAAL,EAA3+D,CAAP,E;sOAAA,OAA6/D,QAA7/D,CAA6/D,+BAAK,KAAL,EAA7/D,CAAP,E;wOAAA,OAA+gE,QAA/gE,CAA+gE,+BAAK,KAAL,EAA/gE,CAAP,E;0OAAA,OAAiiE,QAAjiE,CAAiiE,+BAAK,KAAL,EAAjiE,CAAP,E;4OAAA,OAAmjE,QAAnjE,CAAmjE,+BAAK,KAAL,EAAnjE,CAAP,E;8OAAA,OAAqkE,QAArkE,CAAqkE,+BAAK,KAAL,EAArkE,CAAP,E;gPAAA,OAAulE,QAAvlE,CAAulE,+BAAK,KAAL,EAAvlE,CAAP,E;kPAAA,OAAymE,QAAzmE,CAAymE,+BAAK,KAAL,EAAzmE,CAAP,E;oPAAA,OAA2nE,QAA3nE,CAA2nE,+BAAK,KAAL,EAA3nE,CAAP,E;sPAAA,OAA6oE,QAA7oE,CAA6oE,+BAAK,KAAL,EAA7oE,CAAP,E;wPAAA,OAA+pE,QAA/pE,CAA+pE,+BAAK,KAAL,EAA/pE,CAAP,E;0PAAA,OAAirE,QAAjrE,CAAirE,+BAAK,KAAL,EAAjrE,CAAP,E;4PAAA,OAAmsE,QAAnsE,CAAmsE,+BAAK,KAAL,EAAnsE,CAAP,E;8PAAA,OAAqtE,QAArtE,CAAqtE,+BAAK,KAAL,EAArtE,CAAP,E;gQAAA,OAAuuE,QAAvuE,CAAuuE,+BAAK,KAAL,EAAvuE,CAAP,E;kQAAA,OAAyvE,QAAzvE,CAAyvE,+BAAK,KAAL,EAAzvE,CAAP,E;oQAAA,OAA2wE,QAA3wE,CAA2wE,+BAAK,KAAL,EAA3wE,CAAP,E;sQAAA,OAA6xE,QAA7xE,CAA6xE,+BAAK,KAAL,EAA7xE,CAAP,E;wQAAA,OAA+yE,QAA/yE,CAA+yE,+BAAK,KAAL,EAA/yE,CAAP,E;0QAAA,OAAi0E,QAAj0E,CAAi0E,+BAAK,KAAL,EAAj0E,CAAP,E;4QAAA,OAAm1E,QAAn1E,CAAm1E,+BAAK,KAAL,EAAn1E,CAAP,E;8QAAA,OAAq2E,QAAr2E,CAAq2E,+BAAK,KAAL,EAAr2E,CAAP,E;gRAAA,OAAu3E,QAAv3E,CAAu3E,+BAAK,KAAL,EAAv3E,CAAP,E;kRAAA,OAAy4E,QAAz4E,CAAy4E,+BAAK,KAAL,EAAz4E,CAAP,E;oRAAA,OAA25E,QAA35E,CAA25E,+BAAK,KAAL,EAA35E,CAAP,E;sRAAA,OAA66E,QAA76E,CAA66E,+BAAK,KAAL,EAA76E,CAAP,E;wRAAA,OAA+7E,QAA/7E,CAA+7E,+BAAK,KAAL,EAA/7E,CAAP,E;0RAAA,OAAi9E,QAAj9E,CAAi9E,+BAAK,KAAL,EAAj9E,CAAP,E;4RAAA,OAAm+E,QAAn+E,CAAm+E,+BAAK,KAAL,EAAn+E,CAAP,E;8RAAA,OAAq/E,QAAr/E,CAAq/E,+BAAK,KAAL,EAAr/E,CAAP,E;gSAAA,OAAuhF,QAAvhF,CAAuhF,+BAAK,KAAL,EAAvhF,CAAP,E;kSAAA,OAAyiF,QAAziF,CAAyiF,+BAAK,KAAL,EAAziF,CAAP,E;oSAAA,OAA2jF,QAA3jF,CAA2jF,+BAAK,KAAL,EAA3jF,CAAP,E;sSAAA,OAA6kF,QAA7kF,CAA6kF,+BAAK,KAAL,EAA7kF,CAAP,E;wSAAA,OAA+lF,QAA/lF,CAA+lF,+BAAK,KAAL,EAA/lF,CAAP,E;0SAAA,OAAinF,QAAjnF,CAAinF,+BAAK,KAAL,EAAjnF,CAAP,E;4SAAA,OAAmoF,QAAnoF,CAAmoF,+BAAK,KAAL,EAAnoF,CAAP,E;8SAAA,OAAqpF,QAArpF,CAAqpF,+BAAK,KAAL,EAArpF,CAAP,E;gTAAA,OAAuqF,QAAvqF,CAAuqF,+BAAK,KAAL,EAAvqF,CAAP,E;kTAAA,OAAyrF,QAAzrF,CAAyrF,+BAAK,KAAL,EAAzrF,CAAP,E;oTAAA,OAA2sF,QAA3sF,CAA2sF,+BAAK,KAAL,EAA3sF,CAAP,E;sTAAA,OAA6tF,QAA7tF,CAA6tF,+BAAK,KAAL,EAA7tF,CAAP,E;wTAAA,OAA+uF,QAA/uF,CAA+uF,+BAAK,KAAL,EAA/uF,CAAP,E;0TAAA,OAAiwF,QAAjwF,CAAiwF,+BAAK,KAAL,EAAjwF,CAAP,E;4TAAA,OAAmxF,QAAnxF,CAAmxF,+BAAK,KAAL,EAAnxF,CAAP,E;8TAAA,OAAqyF,QAAryF,CAAqyF,+BAAK,KAAL,EAAryF,CAAP,E;gUAAA,OAAuzF,QAAvzF,CAAuzF,+BAAK,KAAL,EAAvzF,CAAP,E;kUAAA,OAAy0F,QAAz0F,CAAy0F,+BAAK,KAAL,EAAz0F,CAAP,E;oUAAA,OAA21F,QAA31F,CAA21F,+BAAK,KAAL,EAA31F,CAAP,E;sUAAA,OAA62F,QAA72F,CAA62F,+BAAK,KAAL,EAA72F,CAAP,E;wUAAA,OAA+3F,QAA/3F,CAA+3F,+BAAK,KAAL,EAA/3F,CAAP,E;0UAAA,OAAi5F,QAAj5F,CAAi5F,+BAAK,KAAL,EAAj5F,CAAP,E;4UAAA,OAAm6F,QAAn6F,CAAm6F,+BAAK,KAAL,EAAn6F,CAAP,E;8UAAA,OAAq7F,QAAr7F,CAAq7F,+BAAK,KAAL,EAAr7F,CAAP,E;gVAAA,OAAu8F,QAAv8F,CAAu8F,+BAAK,KAAL,EAAv8F,CAAP,E;kVAAA,OAAy9F,QAAz9F,CAAy9F,+BAAK,KAAL,EAAz9F,CAAP,E;oVAAA,OAA2+F,QAA3+F,CAA2+F,+BAAK,KAAL,EAA3+F,CAAP,E;sVAAA,OAA6/F,QAA7/F,CAA6/F,+BAAK,KAAL,EAA7/F,CAAP,E;wVAAA,OAA+gG,QAA/gG,CAA+gG,+BAAK,KAAL,EAA/gG,CAAP,E;0VAAA,OAAiiG,QAAjiG,CAAiiG,+BAAK,KAAL,EAAjiG,CAAP,E;4VAAA,OAAmjG,QAAnjG,CAAmjG,+BAAK,KAAL,EAAnjG,CAAP,E;8VAAA,OAAqkG,QAArkG,CAAqkG,+BAAK,KAAL,EAArkG,CAAP,E;gWAAA,OAAulG,QAAvlG,CAAulG,+BAAK,KAAL,EAAvlG,CAAP,E;kWAAA,OAAymG,QAAzmG,CAAymG,+BAAK,KAAL,EAAzmG,CAAP,E;oWAAA,OAA2nG,QAA3nG,CAA2nG,+BAAK,KAAL,EAA3nG,CAAP,E;sWAAA,OAA6oG,QAA7oG,CAA6oG,+BAAK,KAAL,EAA7oG,CAAP,E;wWAAA,OAA+pG,QAA/pG,CAA+pG,+BAAK,KAAL,EAA/pG,CAAP,E;0WAAA,OAAirG,QAAjrG,CAAirG,+BAAK,KAAL,EAAjrG,CAAP,E;4WAAA,OAAmsG,QAAnsG,CAAmsG,+BAAK,KAAL,EAAnsG,CAAP,E;8WAAA,OAAqtG,QAArtG,CAAqtG,+BAAK,KAAL,EAArtG,CAAP,E;gXAAA,OAAuuG,QAAvuG,CAAuuG,+BAAK,KAAL,EAAvuG,CAAP,E;kXAAA,OAAyvG,QAAzvG,CAAyvG,+BAAK,KAAL,EAAzvG,CAAP,E;oXAAA,OAA2wG,QAA3wG,CAA2wG,+BAAK,KAAL,EAA3wG,CAAP,E;sXAAA,OAA6xG,QAA7xG,CAA6xG,+BAAK,KAAL,EAA7xG,CAAP,E;wXAAA,OAA+yG,QAA/yG,CAA+yG,+BAAK,KAAL,EAA/yG,CAAP,E;0XAAA,OAAi0G,QAAj0G,CAAi0G,+BAAK,KAAL,EAAj0G,CAAP,E;4XAAA,OAAm1G,QAAn1G,CAAm1G,+BAAK,KAAL,EAAn1G,CAAP,E;8XAAA,OAAq2G,QAAr2G,CAAq2G,+BAAK,KAAL,EAAr2G,CAAP,E;gYAAA,OAAu3G,QAAv3G,CAAu3G,+BAAK,KAAL,EAAv3G,CAAP,E;kYAAA,OAAy4G,QAAz4G,CAAy4G,+BAAK,KAAL,EAAz4G,CAAP,E;oYAAA,OAA25G,QAA35G,CAA25G,+BAAK,KAAL,EAA35G,CAAP,E;sYAAA,OAA66G,QAA76G,CAA66G,+BAAK,KAAL,EAA76G,CAAP,E;wYAAA,OAA+7G,QAA/7G,CAA+7G,+BAAK,KAAL,EAA/7G,CAAP,E;0YAAA,OAAi9G,QAAj9G,CAAi9G,+BAAK,KAAL,EAAj9G,CAAP,E;4YAAA,OAAm+G,QAAn+G,CAAm+G,+BAAK,KAAL,EAAn+G,CAAP,E;8YAAA,OAAq/G,QAAr/G,CAAq/G,+BAAK,KAAL,EAAr/G,CAAP,E;gZAAA,OAAuhH,QAAvhH,CAAuhH,+BAAK,KAAL,EAAvhH,CAAP,E;kZAAA,OAAyiH,QAAziH,CAAyiH,+BAAK,KAAL,EAAziH,CAAP,E;oZAAA,OAA2jH,QAA3jH,CAA2jH,+BAAK,KAAL,EAA3jH,CAAP,E;sZAAA,OAA6kH,QAA7kH,CAA6kH,+BAAK,KAAL,EAA7kH,CAAP,E;wZAAA,OAA+lH,QAA/lH,CAA+lH,+BAAK,KAAL,EAA/lH,CAAP,E;0ZAAA,OAAinH,QAAjnH,CAAinH,+BAAK,KAAL,EAAjnH,CAAP,E;4ZAAA,OAAmoH,QAAnoH,CAAmoH,+BAAK,KAAL,EAAnoH,CAAP,E;8ZAAA,OAAqpH,QAArpH,CAAqpH,+BAAK,KAAL,EAArpH,CAAP,E;gaAAA,OAAuqH,QAAvqH,CAAuqH,+BAAK,KAAL,EAAvqH,CAAP,E;kaAAA,OAAyrH,QAAzrH,CAAyrH,+BAAK,KAAL,EAAzrH,CAAP,E;oaAAA,OAA2sH,QAA3sH,CAA2sH,+BAAK,KAAL,EAA3sH,CAAP,E;saAAA,OAA6tH,QAA7tH,CAA6tH,+BAAK,KAAL,EAA7tH,CAAP,E;waAAA,OAA+uH,QAA/uH,CAA+uH,+BAAK,KAAL,EAA/uH,CAAP,E;0aAAA,OAAiwH,QAAjwH,CAAiwH,+BAAK,KAAL,EAAjwH,CAAP,E;4aAAA,OAAmxH,QAAnxH,CAAmxH,+BAAK,KAAL,EAAnxH,CAAP,E;8aAAA,OAAqyH,QAAryH,CAAqyH,+BAAK,KAAL,EAAryH,CAAP,E;gbAAA,OAAuzH,QAAvzH,CAAuzH,+BAAK,KAAL,EAAvzH,CAAP,E;kbAAA,OAAy0H,QAAz0H,CAAy0H,+BAAK,KAAL,EAAz0H,CAAP,E;obAAA,OAA21H,QAA31H,CAA21H,+BAAK,KAAL,EAA31H,CAAP,E;sbAAA,OAA62H,QAA72H,CAA62H,+BAAK,KAAL,EAA72H,CAAP,E;wbAAA,OAA+3H,QAA/3H,CAA+3H,+BAAK,KAAL,EAA/3H,CAAP,E;0bAAA,OAAi5H,QAAj5H,CAAi5H,+BAAK,KAAL,EAAj5H,CAAP,E;4bAAA,OAAm6H,QAAn6H,CAAm6H,+BAAK,KAAL,EAAn6H,CAAP,E;8bAAA,OAAq7H,QAAr7H,CAAq7H,+BAAK,KAAL,EAAr7H,CAAP,E;gcAAA,OAAu8H,QAAv8H,CAAu8H,+BAAK,KAAL,EAAv8H,CAAP,E;kcAAA,OAAy9H,QAAz9H,CAAy9H,+BAAK,KAAL,EAAz9H,CAAP,E;ocAAA,OAA2+H,QAA3+H,CAA2+H,+BAAK,KAAL,EAA3+H,CAAP,E;scAAA,OAA6/H,QAA7/H,CAA6/H,+BAAK,KAAL,EAA7/H,CAAP,E;wcAAA,OAA+gI,QAA/gI,CAA+gI,+BAAK,KAAL,EAA/gI,CAAP,E;0cAAA,OAAiiI,QAAjiI,CAAiiI,+BAAK,KAAL,EAAjiI,CAAP,E;4cAAA,OAAmjI,QAAnjI,CAAmjI,+BAAK,KAAL,EAAnjI,CAAP,E;8cAAA,OAAqkI,QAArkI,CAAqkI,+BAAK,KAAL,EAArkI,CAAP,E;gdAAA,OAAulI,QAAvlI,CAAulI,+BAAK,KAAL,EAAvlI,CAAP,E;kdAAA,OAAymI,QAAzmI,CAAymI,+BAAK,KAAL,EAAzmI,CAAP,E;odAAA,OAA2nI,QAA3nI,CAA2nI,+BAAK,KAAL,EAA3nI,CAAP,E;sdAAA,OAA6oI,QAA7oI,CAA6oI,+BAAK,KAAL,EAA7oI,CAAP,E;wdAAA,OAA+pI,QAA/pI,CAA+pI,+BAAK,KAAL,EAA/pI,CAAP,E;0dAAA,OAAirI,QAAjrI,CAAirI,+BAAK,KAAL,EAAjrI,CAAP,E;4dAAA,OAAmsI,QAAnsI,CAAmsI,+BAAK,KAAL,EAAnsI,CAAP,E;8dAAA,OAAqtI,QAArtI,CAAqtI,+BAAK,KAAL,EAArtI,CAAP,E;gfAAA,OAAuuI,QAAvuI,CAAuuI,+BAAK,KAAL,EAAvuI,CAAP,E;kfAAA,OAAyvI,QAAzvI,CAAyvI,+BAAK,KAAL,EAAzvI,CAAP,E;ofAAA,OAA2wI,QAA3wI,CAA2wI,+BAAK,KAAL,EAA3wI,CAAP,E;sfAAA,OAA6xI,QAA7xI,CAA6xI,+BAAK,KAAL,EAA7xI,CAAP,E;wfAAA,OAA+yI,QAA/yI,CAA+yI,+BAAK,KAAL,EAA/yI,CAAP,E;0fAAA,OAAi0I,QAAj0I,CAAi0I,+BAAK,KAAL,EAAj0I,CAAP,E;4fAAA,OAAm1I,QAAn1I,CAAm1I,+BAAK,KAAL,EAAn1I,CAAP,E;8fAAA,OAAq2I,QAAr2I,CAAq2I,+BAAK,KAAL,EAAr2I,CAAP,E;ghBAAA,OAAu3I,QAAv3I,CAAu3I,+BAAK,KAAL,EAAv3I,CAAP,E;khBAAA,OAAy4I,QAAz4I,CAAy4I,+BAAK,KAAL,EAAz4I,CAAP,E;ohBAAA,OAA25I,QAA35I,CAA25I,+BAAK,KAAL,EAA35I,CAAP,E;shBAAA,OAA66I,QAA76I,CAA66I,+BAAK,KAAL,EAA76I,CAAP,E;whBAAA,OAA+7I,QAA/7I,CAA+7I,+BAAK,KAAL,EAA/7I,CAAP,E;0hBAAA,OAAi9I,QAAj9I,CAAi9I,+BAAK,KAAL,EAAj9I,CAAP,E;4hBAAA,OAAm+I,QAAn+I,CAAm+I,+BAAK,KAAL,EAAn+I,CAAP,E;8hBAAA,OAAq/I,QAAr/I,CAAq/I,+BAAK,KAAL,EAAr/I,CAAP,E;giBAAA,OAAuhJ,QAAvhJ,CAAuhJ,+BAAK,KAAL,EAAvhJ,CAAP,E;kiBAAA,OAAyiJ,QAAziJ,CAAyiJ,+BAAK,KAAL,EAAziJ,CAAP,E;oiBAAA,OAA2jJ,QAA3jJ,CAA2jJ,+BAAK,KAAL,EAA3jJ,CAAP,E;siBAAA,OAA6kJ,QAA7kJ,CAA6kJ,+BAAK,KAAL,EAA7kJ,CAAP,E;wiBAAA,OAA+lJ,QAA/lJ,CAA+lJ,+BAAK,KAAL,EAA/lJ,CAAP,E;0iBAAA,OAAinJ,QAAjnJ,CAAinJ,+BAAK,KAAL,EAAjnJ,CAAP,E;4iBAAA,OAAmoJ,QAAnoJ,CAAmoJ,+BAAK,KAAL,EAAnoJ,CAAP,E;8iBAAA,OAAqpJ,QAArpJ,CAAqpJ,+BAAK,KAAL,EAArpJ,CAAP,E;gjBAAA,OAAuqJ,QAAvqJ,CAAuqJ,+BAAK,KAAL,EAAvqJ,CAAP,E;kjBAAA,OAAyrJ,QAAzrJ,CAAyrJ,+BAAK,KAAL,EAAzrJ,CAAP,E;ojBAAA,OAA2sJ,QAA3sJ,CAA2sJ,+BAAK,KAAL,EAA3sJ,CAAP,E;sjBAAA,OAA6tJ,QAA7tJ,CAA6tJ,+BAAK,KAAL,EAA7tJ,CAAP,E;wjBAAA,OAA+uJ,QAA/uJ,CAA+uJ,+BAAK,KAAL,EAA/uJ,CAAP,E;0jBAAA,OAAiwJ,QAAjwJ,CAAiwJ,+BAAK,KAAL,EAAjwJ,CAAP,E;4jBAAA,OAAmxJ,QAAnxJ,CAAmxJ,+BAAK,KAAL,EAAnxJ,CAAP,E;8jBAAA,OAAqyJ,QAAryJ,CAAqyJ,+BAAK,KAAL,EAAryJ,CAAP,E;gkBAAA,OAAuzJ,QAAvzJ,CAAuzJ,+BAAK,KAAL,EAAvzJ,CAAP,E;kkBAAA,OAAy0J,QAAz0J,CAAy0J,+BAAK,KAAL,EAAz0J,CAAP,E;okBAAA,OAA21J,QAA31J,CAA21J,+BAAK,KAAL,EAA31J,CAAP,E;skBAAA,OAA62J,QAA72J,CAA62J,+BAAK,KAAL,EAA72J,CAAP,E;wkBAAA,OAA+3J,QAA/3J,CAA+3J,+BAAK,KAAL,EAA/3J,CAAP,E;0kBAAA,OAAi5J,QAAj5J,CAAi5J,+BAAK,KAAL,EAAj5J,CAAP,E;4kBAAA,OAAm6J,QAAn6J,CAAm6J,+BAAK,KAAL,EAAn6J,CAAP,E;8kBAAA,OAAq7J,QAAr7J,CAAq7J,+BAAK,KAAL,EAAr7J,CAAP,E;gmBAAA,OAAu8J,QAAv8J,CAAu8J,+BAAK,KAAL,EAAv8J,CAAP,E;kmBAAA,OAAy9J,QAAz9J,CAAy9J,+BAAK,KAAL,EAAz9J,CAAP,E;omBAAA,OAA2+J,QAA3+J,CAA2+J,+BAAK,KAAL,EAA3+J,CAAP,E;smBAAA,OAA6/J,QAA7/J,CAA6/J,+BAAK,KAAL,EAA7/J,CAAP,E;wmBAAA,OAA+gK,QAA/gK,CAA+gK,+BAAK,KAAL,EAA/gK,CAAP,E;0mBAAA,OAAiiK,QAAjiK,CAAiiK,+BAAK,KAAL,EAAjiK,CAAP,E;4mBAAA,OAAmjK,QAAnjK,CAAmjK,+BAAK,KAAL,EAAnjK,CAAP,E;8mBAAA,OAAqkK,QAArkK,CAAqkK,+BAAK,KAAL,EAArkK,CAAP,E;gnBAAA,OAAullK,QAAvllK,CAAullK,+BAAK,KAAL,EAAvllK,CAAP,E;knBAAA,OAAymmK,QAAzmmK,CAAymmK,+BAAK,KAAL,EAAzmmK,CAAP,E;onBAAA,OAA2nmK,QAA3nmK,CAA2nmK,+BAAK,KAAL,EAA3nmK,CAAP,E;snBAAA,OAA6omK,QAA7omK,CAA6omK,+BAAK,KAAL,EAA7omK,CAAP,E;wnBAAA,OAA+pmK,QAA/pmK,CAA+pmK,+BAAK,KAAL,EAA/pmK,CAAP,E;0nBAAA,OAAirmK,QAAjrmK,CAAirmK,+BAAK,KAAL,EAAjrmK,CAAP,E;4nBAAA,OAAmsmK,QAAnsmK,CAAmsmK,+BAAK,KAAL,EAAnsmK,CAAP,E;8nBAAA,OAAqtmK,QAArtmK,CAAqtmK,+BAAK,KAAL,EAArtmK,CAAP,E;gpBAAA,OAAuumK,QAAvumK,CAAuumK,+BAAK,KAAL,EAAvumK,CAAP,E;kpBAAA,OAAyvmK,QAAzvmK,CAAyvmK,+BAAK,KAAL,EAAzvmK,CAAP,E;opBAAA,OAA2wmK,QAA3wmK,CAA2wmK,+BAAK,KAAL,EAA3wmK,CAAP,E;spBAAA,OAA6xmK,QAA7xmK,CAA6xmK,+BAAK,KAAL,EAA7xmK,CAAP,E;wpBAAA,OAA+ymK,QAA/ymK,CAA+ymK,+BAAK,KAAL,EAA/ymK,CAAP,E;0pBAAA,OAAi0mK,QAAj0mK,CAAi0mK,+BAAK,KAAL,EAAj0mK,CAAP,E;4pBAAA,OAAm1mK,QAAn1mK,CAAm1mK,+BAAK,KAAL,EAAn1mK,CAAP,E;8pBAAA,OAAq2mK,QAAr2mK,CAAq2mK,+BAAK,KAAL,EAAr2mK,CAAP,E;grBAAA,OAAu3mK,QAAv3mK,CAAu3mK,+BAAK,KAAL,EAAv3mK,CAAP,E;krBAAA,OAAy4mK,Q

,C;MACV,IAAI,UAAU,SAAK,OAAnB,C;QACI,OAAY,mBAAL,SAAK,EAAY,CAAZ,EAAe,SAAK,OAApB,C;
MAEhB,SAAS,mBAAc,MAAd,C;MACT,EAAG,gBAAO,SAAP,C;MACW,gBAAS,SAAK,OAAd,I;MAAd,aAAU
,CAAV,iB;QACI,EAAG,gBAAO,OAAP,C;MACP,OAAO,E;K;IAGX,8C;MASsC,uB;QAAA,UAAgB,E;MACjD,
Q;MAAD,OAAuB,OAAtB,6DAAsB,EAAO,MAAP,EAAe,OAAf,CAAwB,W;K;2FAEnD,qB;MAWI,OAAO,qBA
AgB,SAAK,OAAL,KAAe,C;K;+EAG1C,qB;MAMoD,4BAAU,C;K;sFAE9D,qB;MAMuD,0BAAS,C;K;mFAMhE,
yB;MAAA,2C;MAAA,4B;QAMuD,QAAC,kB;O;KANxD,C;yFAQA,yB;MAAA,2C;MAAA,4B;QAWI,OAAO,qB
AAqB,QAAL,SAAK,C;O;KAXhC,C;IAiB4D,+C;MAAA,kC;MAAS,uB;MACjE,eAAoB,C;K;gDAEpB,Y;MAA2C
,gB;MAAA,iE;MAAJ,4C;K;+CAEvC,Y;MAAyC,sBAAQ,yB;K;;IARrD,+B;MAG4D,4C;K;+EAQ5D,qB;MAE8C,
uCAAQ,E;K;+EAEtD,mC;MASI,OA5DgD,qBAAU,CA4D1D,GAAe,cAAf,GAAmC,S;K;6EAEvC,yB;MAAA,2C;
MAAA,0C;QASI,OAAI,kBAAJ,GAAe,cAAf,GAAmC,S;O;KATvC,C;IAeI,mC;MAAQ,uBAAG,mBAAS,CAAT,I
AAH,C;K;IAMR,qC;MAAQ,OAAA,SAAK,OAAL,GAAc,cAAd,I;K;IAEZ,8C;MAIuB,Q;MAAA,0BAAS,CAAT,
I;MAAnB,OAAgB,CAAT,8BACgB,gBAAZ,qBAAK,KAAL,CAAY,CADhB,IAEoB,eAAhB,qBAAK,KAAL,CAAY,QAAQ,CA
AR,IAAL,CAAgB,C;K;IAG/B,uC;MAGuD,ONpKyC,oBMoK/B,KAAM,MNpKyB,EMoKlB,KAAM,aAAN,GAAA
qB,CAArB,INpKkB,C;K;IMsKhG,yC;MAGqE,qCAAY,KAAM,MAAlB,EAAyB,KAAM,aAAN,GAAA,qB,CAArB,I
AAzB,C;K;uFAErE,iC;MAS2E,2BAAY,KAAZ,EAAmB,GAAnB,C;K;mFAE3E,2C;MAO0D,wB;QAAA,WAAgB
,gB;MAAkB,OAAA,8BAAY,UAAZ,EAAwB,QAAxB,CAAkC,W;K;IAE9H,uC;MAG6D,OAAA,8BAAY,KAAM,
MAAlB,EAAyB,KAAM,aAAN,GAAA,qB,CAArB,IAAzB,CAAiD,W;K;IAE9G,sE;MAImD,qC;QAAA,wBAAgC,S;
MAC/E,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GN1M4F,oBM0M/B,CN1M+
B,EM0M5B,KN1M4B,C;K;IM6MhG,wE;MAIqD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GNnN4F,oBMmN/B,CNnN+B,EMmN5B,KNnN4B,C;K;IMsNhG,qE
;MAIkD,qC;QAAA,wBAAgC,S;MAC9E9E,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBA
AxB,GN5N4F,oBM4N/B,CAAQ,EAAR,CAAY,IN5NoB,C;K;IM+NhG,uE;MAIoD,qC;QAAA,wBAAgC,S;MACpF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GNrO4F,oBMqO/B,CNrO+B,EMqO5B,KNrO4B,C;K;IMwOhG,0E;MAIuD,0BAAS,CAAT,EAAY,qC;QAAA,wBAAgC,S;MACxG,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GN9O4F,oBM8O/B,CN9O+B,EM8O5B,KN9O4B,C;K;IMiPhG,4E;MAIyD,qC;QAAA,wBAAgC,S;MACrF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GNvP4F,oBMuP/B,CNvP+B,EMuP5B,KNvP4B,C;K;IM0PhG,yE;MAIsD,qC;QAAA,wBAAgC,S;MAClF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBA
AxB,GNhQ4F,oBMgQ/B,CAAQ,EAAR,CAAY,IAAZ,CAAiB,IAAjB,CAAsB,IAAtB,CAAwB,IAAxB,CAA0B,IAAK,CAAL,CAAO,IAAP

C;MAKI,IAAI,sBAAS,MAAT,CAAJ,C;QACI,ON9YwF,oBM8YvE,CN9YuE,EM8YpE,mBAAS,MAAO,OAAhB,IN9YoE,C;;MMgZ5F,OAAO,S;K;IAGX,sD;MAMI,IAAK,qBAAU,MAAO,OAAP,GAAgB,MAAO,OAAvB,IAAAV,CAAD,IAA6C,wBAAW,MAAX,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C;QACI,OAAO,8BAAY,MAAO,OAAnB,EAA2B,mBAAS,MAAO,OAAhB,IAA3B,C;;MAEX,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;K;IAGX,wD;MAMI,qBAAU,MAAO,OAAP,GAAgB,MAAO,OAAvB,IAAAV,CAAD,IAA6C,wBAAW,MAAX,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C;QACI,ONtawF,oBMsavE,MAAO,ONtagE,EMsaxD,mBAAS,MAAO,OAAhB,INtawD,C;;MMwa5F,OAAO,S;K;IAGX,mD;MAKmF,oCAAkB,SAAlB,EAA6B,EAA6B,SAA7B,C;K;IAEnF,mD;MAKuE,sCAAkB,SAAlB,EAA6B,EAA6B,SAA7B,C;K;IAEvE,iF;MAIsE,qC;QAAA,wBAAgC,S;MAClG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA5JvB,U;QA4JM,OA5JgB,aAAtB,+DAAsB,EA4JyC,CA5JzC,EA4J4C,KA5J5C,EA4JmD,WA5JnD,CAAgD,W;;MA4JvE,W;K;IAGJ,mF;MAIwE,qC;QAAA,wBAAgC,S;MACpG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAsB,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,kF;MAIuE,qC;QAAA,wBAAgC,S;MACn

AAO,OAA5D,EAAoE,UAApE,C;K;IAMf,wD;MAQ8D,0B;QAAA,aAAsB,K;MAChF,qBfjnBO,MAAO,KeinBa,SAAK,OfjnBlB,EeinB0B,KAAM,OfjnBhC,C;MemnBd,QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA8B,SAAR,qBAAAK,CAAL,CAAQ,EAAO,iBAAM,CAAN,CAAP,EAAA8B,UAA9B,CAAAr,C;QACI,a;;MAEJ,IAAS,mBAAL,CAAK,SAAK,EAAAmB,IAAI,CAAJ,IAAAnB,IAAnB,CAAAoB,C;QAAwC,mBAAN,KAAM,EAAAmB,IAAI,CAAJ,IAAAnB,IAAxC,CAAAoB,C;QAA6D,CAA5B,C;QACI,a;;MAEJ,OAAO,8BAAY,CAAZ,EAAe,CAAf,EAAkB,CAAlB,kBAAW,C;K;IAG7B,wD;MAQ8D,0B;QAAA,aAAsB,K;MAChF,iBAAiB,SAAK,O;MACtB,kBAAkB,KAAM,O;MACxB,qBfxoBO,MAAO,KewoBa,UfxoBb,bb,EewoByB,WfxoBzB,bB,C;Me0oBd,QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA+

MAAG,0B;QAAA,aAAsB,K;MACvF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,gBAA5B,EAAoC,UAApC,CADJ,GNx3B4F,kBM23B1E,MN33B0E,EM23BlE,UN33BkE,C;K;IM83BhG,iE;MAQgD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MAC/F,OAAW,cAAc,gCAAzB,GACI,0BAAe,mBAAY,IAAZ,CAAf,EAAkC,UAAlC,CAAA,EAA8C,UAA9C,CADJ,GNp4BgG,sB8G3MM,oBxGklChF,IwGllCgF,C9G2MN,EMu4BpE,UNv4BoE,C;K;IM04BpG,mE;MAQoD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACnG,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNn5BgG,sBMs5B1E,MNt5B0E,EMs5BlE,UNt5BkE,C;K;IMy5BpG,mD;MAM+D,0B;QAAA,aAAsB,K;MACjF,OAAW,yBAAX,GAAuB,UAAvB,CAAkC,KAAlC,C,GAAyC,IAAzC,CAAA,EAAgD,UAAhD,CAA2D,KAA3D,C,GAAkE,IAAlE,CADJ,GNt5BiF,sBMy5B3E,MNz5B2E,EMy5BnE,UNz5BmE,C;K;IM45BrG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNl6BkG,sBMq6B5E,MNr6B4E,EMq6BpE,UNr6BoE,C;K;IMw6BtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNj7BkG,sBMo7B5E,MNp7B4E,EMo7BpE,UNp7BoE,C;K;IMu7BtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNh8BkG,sBMm8B5E,MNn8B4E,EMm8BpE,UNn8BoE,C;K;IMs8BtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GN/8BkG,sBMk9B5E,MNl9B4E,EMk9BpE,UNl9BoE,C;K;IMq9BtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GN99BkG,sBMi+B5E,MNj+B4E,EMi+BpE,UNj+BoE,C;K;IMo+BtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GN7+BkG,sBMg/B5E,MNh/B4E,EMg/BpE,UNh/BoE,C;K;IMm/BtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GN5/BkG,sBM+/B5E,MN//B4E,EM+/BpE,UN//BoE,C;K;IMkgCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GN3gCkG,sBM8gC5E,MN9gC4E,EM8gCpE,UN9gCoE,C;K;IMihCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GN1hCkG,sBM6hC5E,MN7hC4E,EM6hCpE,UN7hCoE,C;K;IMgiCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNziCkG,sBM4iC5E,MN5iC4E,EM4iCpE,UN5iCoE,C;K;IM+iCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNxjCkG,sBM2jC5E,MN3jC4E,EM2jCpE,UN3jCoE,C;K;IM8jCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNvkCkG,sBM0kC5E,MN1kC4E,EM0kCpE,UN1kCoE,C;K;IM6kCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNtlCkG,sBMylC5E,MNzlC4E,EMylCpE,UNzlCoE,C;K;IM4lCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNrmCkG,sBMwmC5E,MNxmC4E,EMwmCpE,UNxmCoE,C;K;IM2mCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNpnCkG,sBMunC5E,MNvnC4E,EMunCpE,UNvnCoE,C;K;IM0nCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNnoCkG,sBMsoC5E,MNtoC4E,EMsoCpE,UNtoCoE,C;K;IMyoCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNloCkG,sBMqoC5E,MNroC4E,EMqoCpE,UNroCoE,C;K;IMwoCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNjpCkG,sBMopC5E,MNppC4E,EMopCpE,UNppCoE,C;K;IMupCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNhqCkG,sBMmqC5E,MNnqC4E,EMmqCpE,UNnqCoE,C;K;IMsqCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNrrCkG,sBMwrC5E,MNxrC4E,EMwrCpE,UNxrCoE,C;K;IM2rCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNprCkG,sBMurC5E,MNvrC4E,EMurCpE,UNvrCoE,C;K;IM0rCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNnsCkG,sBMssC5E,MNtsC4E,EMssCpE,UNtsCoE,C;K;IMysCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNlsCkG,sBMqsC5E,MNrsC4E,EMqsCpE,UNrsCoE,C;K;IMwsCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNjtCkG,sBMotC5E,MNptC4E,EMotCpE,UNptCoE,C;K;IMutCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNhuCkG,sBMmuC5E,MNnuC4E,EMmuCpE,UNnuCoE,C;K;IMsuCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNruCkG,sBMwuC5E,MNxuC4E,EMwuCpE,UNxuCoE,C;K;IM2uCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNpvCkG,sBMuvC5E,MNvvC4E,EMuvCpE,UNvvCoE,C;K;IM0vCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNnwCkG,sBMswC5E,MNtwC4E,EMswCpE,UNtwCoE,C;K;IMywCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNlxCkG,sBMqxC5E,MNrxC4E,EMqxCpE,UNrxCoE,C;K;IMwxCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNjyCkG,sBMoyC5E,MNpyC4E,EMoyCpE,UNpyCoE,C;K;IMuyCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNhzCkG,sBMmzC5E,MNnzC4E,EMmzCpE,UNnzCoE,C;K;IMszCtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNr0CkG,sBMw0C5E,MNx0C4E,EMw0CpE,UNx0CoE,C;K;IM20CtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNp1CkG,sBMu1C5E,MNv1C4E,EMu1CpE,UNv1CoE,C;K;IM01CtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNn2CkG,sBMs2C5E,MNt2C4E,EMs2CpE,UNt2CoE,C;K;IMy2CtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNl3CkG,sBMq3C5E,MNr3C4E,EMq3CpE,UNr3CoE,C;K;IMw3CtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNj4CkG,sBMo4C5E,MNp4C4E,EMo4CpE,UNp4CoE,C;K;IMu4CtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNh5CkG,sBMm5C5E,MNn5C4E,EMm5CpE,UNn5CoE,C;K;IMs5CtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNr6CkG,sBMw6C5E,MNx6C4E,EMw6CpE,UNx6CoE,C;K;IM26CtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNp7CkG,sBMu7C5E,MNv7C4E,EMu7CpE,UNv7CoE,C;K;IM07CtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNn8CkG,sBMs8C5E,MNt8C4E,EMs8CpE,UNt8CoE,C;K;IMy8CtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNl9CkG,sBMq9C5E,MNr9C4E,EMq9CpE,UNr9CoE,C;K;IMw9CtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNj+CkG,sBMo+C5E,MNp+C4E,EMo+CpE,UNp+CoE,C;K;IMu+CtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNh/CkG,sBMm/C5E,MNn/C4E,EMm/CpE,UNn/CoE,C;K;IMs/CtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNr/CkG,sBMw/C5E,MNx/C4E,EMw/CpE,UNx/CoE,C;K;IM2/CtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNp/CkG,sBMu/C5E,MNv/C4E,EMu/CpE,UNv/CoE,C;K;IM0/CtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNn/CkG,sBMs/C5E,MNt/C4E,EMs/CpE,UNt/CoE,C;K;IMy/CtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNl/CkG,sBMq/C5E,MNr/C4E,EMq/CpE,UNr/CoE,C;K;IMw/CtG,mE;MAQqD,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAAA/B,EAAkD,IAAlD,CADJ,GNj/CkG,sBMo/C5E,MNp/C4E,EMo/CpE,UNp/CoE,C;K;IMu/

,WAl7BiF,8BAk7BnE,aAl7BmE,EAk7BpD,gBAl7BoD,CAAkC,WAk7BnH,C;MACP,OAAO,M;K;2EAGX,mC;MAOmD,qB;QAAA,QAAa,C;MAAmB,OAAA,KAAM,eAAM,SAAN,EAAY,KAAZ,C;K;+FAEzF,mC;MAU6D,qB;QAAA,QAAa,C;MAAuB,OAAA,KAAM,yBAAgB,SAAhB,EAAsB,KAAtB,C;K;IAEvG,iC;MAK2D,mCAAgB,MAAhB,EAAwB,EAAwB,IAAxB,EAA8B,IAA9B,E;K;IAE3D,0B;MAKgD,OAAe,UAAf,uBAAe,C;K;IAqB/D,D,uD;MAQsB,QAAQ,MAAP,lB,IAAO,iCAAkB,yBAAtB,C;QAAsC,IAAI,iCAAkB,yBAAtB,C;;;MAGhB,IAAI,cAAS,KAAT,EAAe,KAAf,EAAqB,MAArB,EAA4B,KAA5B,EAAkC,MAAlC,EAAyC,KAAzC,EAA+C,MAA/C,C

B;QAAQ,kD;O;KAAR,C;qIAKL,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,gD;O;KAAR,C;qIAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,gD;O;KAAR,C;qIAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,gD;O;KAAR,C;mIAKJ,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,+C;O;KAAR,C;mIAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,+C;O;KAAR,C;mIAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,+C;O;KAAR,C;uDAK9B,iB;MAK+C,WAAN,KAAM,yC;K;uDAErD,iB;MAKgD,OAAM,aAAN,KAAM,yC;K;uDAEtD,iB;MASkD,OAAM,aAAN,KAAM,yC;K;wDAGxD,iB;MAKgD,OAAM,WAAN,KAAM,0C;K;wDAEtD,iB;MAKiD,OAAM,aAAN,KAAM,0C;K;wDAEvD,iB;MASmD,OAAM,aAAN,KAAM,0C;K;wDAGzD,iB;MAKgD,OAAM,WAAN,KAAM,0C;K;wDAEtD,iB;MAKiD,OAAM,aAAN,KAAM,0C;K;wDAEvD,iB;MASmD,OAAM,aAAN,KAAM,0C;K;mDAGzD,iB;MAK2C,OAAM,WAAN,KAAM,qC;K;mDAEjD,iB;MAK4C,OAAM,aAAN,KAAM,qC;K;mDAElD,iB;MAS8C,OAAM,aAAN,KAAM,qC;K;mDAGpD,iB;MAK2C,OAAM,WAAN,KAAM,qC;K;mDAEjD,iB;MAK4C,OAAM,aAAN,KAAM,qC;K;mDAElD,iB;MAS8C,OAAM,aAAN,KAAM,qC;K;iDAGpD,iB;MAKyC,OAAM,WAAN,KAAM,mC;K;iDAE/C,iB;MAK0C,OAAM,aAAN,KAAM,mC;K;iDAEhD,iB;MAS4C,OAAM,aAAN,KAAM,mC;K;gDAGlD,iB;MAKwC,OAAM,WAAN,KAAM,kC;K;gDAE9C,iB;MAKyC,OAAM,aAAN,KAAM,kC;K;gDAE/C,iB;MAS2C,OAAM,aAAN,KAAM,kC;K;iDAEjD,iB;;QAY4C,OACxC,cAAc,KAAd,EAAiC,KAAjC,C,C;;QACF,+C;UACE,MAAM,6BAAyB,sCAAmC,KAAnC,OAAyB,EAAsE,CAAtE,C;;UAHkC,O;;K;0DAM5C,iB;;QAMqD,OACjD,cAAc,KAAd,EAAiC,IAAjC,C,C;;QACF,+C;UACE,MAAM,6BAAyB,0CAAuC,KAAvC,OAAyB,EAA0E,CAA1E,C;;UAHiC,O;;K;uDAMrD,iB;;QAWmD,OAC/C,cAAc,KAAd,EAAiC,KAAjC,C,C;;QACF,+C;UAFiD,OAG/C,I;;UAH+C,O;;K;gEAMnD,iB;;QAK4D,OACxD,cAAc,KAAd,EAAiC,IAAjC,C,C;;QACF,+C;UAF0D,OAGxD,I;;UAHwD,O;;K;;;IA/XhE,0C;MAAA,yC;QAAA,wB;;MAAA,kC;K;oCAwYA,Y;MAC6C,kBAAY,YAAD,aAAX,EAAzC,ZK,eAAS,QAAT,GAAS,qB,CAAT,yB,1B,C;K;qCAE7C,iB;MAiBW,Q;MATH,IAAA,IAAK,aAAL,C;QACI,IAAI,KAAM,WAAN,IAAM,qB,IAAN,IAAM,WAAN,IAAM,qB,IAAN,IAAM,WAAN,IAAM,qB,IAAN,I

MAEI,kBAAkB,SAAM,IAAK,cAAX,EAAwB,KAAM,cAA9B,C;MAClB,OAAO,IAAK,kBAAS,WAAT,CAAL,GAA6B,KAAM,kBAAS,WAAT,C;K;oCAG9C,Y;MACmC,oCAAW,C;K;oCAE9C,Y;MACmC,oCAAW,C;K;oCAE9C,Y;MACmC,+BAAY,yCAAS,WArB,KAAiC,wBAAY,qDAAa,WAAzB,C;K;kCAEpE,Y;MACiC,QAAC,iB;K;yFAGC,Y;MAAQ,OAAI,iBAAJ,GAAmB,IAAD,aAAlB,lB,GAA6C,KAA7C,6B,IAAK;yCAExE,iB;MACI,kBAAK,kBAAS,IAAT,CAAL,GAAsB,IAAK,kBAAS,WAAT,CAAL,GAA6B,KAAM,WAAN,xB,C;MAClB,IAAI,yBAAc,CAAd,EAAI,IAAD,aAAmB,CAAnB,EAAsB,QAAtB,EAAgC,GAAhC,wB,C;MAAkC,QAAC,I,GAAS,QAAT,EAAmB,CAAnB,sB,GAAyB,EAAzB,EAA6B,QAA7B,EAAuC,GAAvC,wB,C;MAAy

AgE,UAAL,IAAK,C;K;qCAI3E,Y;M8HvmBuB,gBAAhB,sB;M9HqnBH,IAAI,iBAAJ,C;QAAkB,yBAAO,EAAP,C;MAClB,yBAAO,IAAP,C;MAC4B,YAAd,kB;MAxWP,YAAO,kB;MAAP,cAAqB,sB;MAArB,cAAuC,sB;MAAvC,kBAAyD,0B;MAyW5D,cACY,K;MACZ,IAAI,iBAAJ,C;QAEI,wB;;MAEJ,eAAe,oB;MACf,iBAAiB,YAAW,CAAX,IAAgB,gBAAe,C;MAChD,iBAAiB,YAAW,CAAX,KAAiB,cAAc,QAA/B,C;MACjB,IAAI,QAAJ,C;QACI,yBAAO,OAAP,CAAc,gBAAO,EAAP,C;;MAElB,IAAI,UAAJ,C;QACI,yBAAO,OAAP,CAAgB,gBAAO,EAAP,C;;MAEpB,eAAe,CAAC,QAAD,IAAa,eAAc,CAAd,IAAmB,eAAc,CAAd,IAAmB,eAAc,CAAd,IAAmB,eAAc,C;;MAEpG,IAAI

1jCgC,YAAU,CvB0jC9C,C;cAAyB,MAAM,+B;YAC/B,gBAAS,WAAU,OAAnB,I;YACqB,mBAAe,K;YAuChD,UAHgC,Y;YAIhC,Y;cAAO,mBAxCoB,KAwChB,O;cAAJ,W;gBAAc,WAAU,YAxCJ,KAwCI,YAAK,GAAL,E;gBAAV,SAxCoC,CAAM,kBAAK,GAAL,CAAN,mC;;;;cAwChB,iB;;YAxC7B,eAAe,KiB/nCiE,WjBmqClF,YiBnqCkF,EjBwqCrF,GiBxqCqF,C;YjBgoChF,gBAAS,QAAS,OAAlB,I;YACA,aAAW,wBAAwB,QAAAxB,C;YACX,IAAI,cAAY,IAAZ,IAAoB,2BAAY,MAAZ,MAAxB,C;cAA0C,MAAM,gCAAyB,yCAAzB,C;YAChD,aAAW,M;YACX,iBAAyB,WAAV,WAAU,EAAQ,EAAR,C;YACzB,IAAI,aAAW,CAAf,C;cACI,cAAY,WiBtoCtG,CjBsoCsG,WjBsoCtG,CjBtoCsG,EiBsoCtG,WjBtoCsG,CjBsoCtG,CAAW,EAAW,MAAX,MAAxB,C;cACA,4BAAmD,aAAX,SAAW,9B,WiB3oCzI,oC,CjB2oCyI,UiB3oCzI,oCjB2oCyI,CAAW,EAAW,MAAX,MAAxB,C;cACA,IAAI,QAAQ,MAAZ,C;gBAAoB,MAAM,gCAAyB,mCAAzB,C;;cAE1B,4BAAuB,aAAT,OAAS,I;;QAAV,yTyD,iB;;MAAhE,SAAS,QAAT,EAAmB,CAAnB,C;QAAsB,MAAM,gCAAyB,yCAAzB,C;;cAE5B,IAAI,QAAQ,MAAZ,C;gBAAoB,MAAM,gCAAyB,mCAAzB,C;;cAE1

CAAnC,C;QAEN,iBAAiB,mBAAU,SAAV,C;QACjB,IAAI,mBAAY,SAAZ,gBAAyB,CAAzB,IAA8B,mBAAY,UAAZ,eAAyB,CAA3D,C;UAA8D,gBAAS,QAAT,C;QAC9D,iB;;QAEA,YAAY,QAAS,kBAAS,SAAT,C;QAErB,mBAAiB,4BAAU,K;QAC3B,IAAI,sDAA+B,kDAAnC,C;UAAgE,gBAAS,QAAT,C;QACrD,8BAAX,YAAW,C;;MAVf,qB;K;0CAcJ,oB;MACI,MAAM,6BAAsB,iDAA+C,cAAA/C,qCAA1E,MAAtB,C;K;;qFC7Fd,yB;MAAA,yC;MAAA,wB;QA2BI,WAAW,8B;QAhB6B,KAiBxC,E;QAjBA,OAkBO,IAAK,a;O;KA7BhB,C;uFAeA,4B;MAYI,WAAW,mB;MACX,O;MACA,OAAO,IAAK,a;K;IAYe,qC;MAAC,kB;MAAc,wB;K;;sCAR9C,Y;MAQgB,gC;MAAC,iB;K;sCARjB,Y;MAQ8B,8C;MAAC,oB;K;wCAR/C,2B;MAAA,sBAQgB,gC,qCARhB,C;MAQ8B,8C,EAAC,8CAR/C,C;K;oCAAA,Y;MAAA,OAQgB,gC,iDARhB,C;MAQ8B,8C,EAAC,8CAR/C,O;K;oCAAA,Y;MAAA,c;MAQgB,gC,sD;MAAC,a;K;kCARjB,iB;MAAA,4BAQgB,gC,qCARhB,C;MAQ8B,8C,EAAC,8CAR/C,C;K;;;IAAA,4B,8C;MAGtC,C,6B;MAEmD,UAMX,M;MAPxC,kBAAmD,mE;MAEnD,eAAC0B,K;MAE1B,cAACwC,kE;MAAwC,gBAAmC,gB;K;iGAG/E,B,Y;MAAQ,0C;K;0DAAR,kB;MACI,cAAY,I;MACZ,gBAAc,M;K;IAGsE,iG;MAAA,uB;QAAA,xE,Q;QAAA,qCAAA,Y,8D;QAAA,sCAAA,a,a;QAAA,wBAAA,oB,O;K;2DAAA,+B;MAAA,kD,OAAA,sC,wDAAA,uC,c;K;IAAA,yE,uH;MAAA,uB;QAAA,wG,Q;QAAA,wBAAA,iB,8F;QAAA,wCAAA,e,2B;QAAA,qCAAA,W;QAAA,qCAAA,iB,C;QAAA,uCAAA,mB,C;QAAA,sCAAA,kB,C;QAAA,sCAAA,kB,C;;QAAA,uCAAA,mB,kE;QAAA,sCAAA,kB,kE

a;;MAjF7C,OAkFO,C;K;kEAhFX,yB;MAAA,4B;MAAA,mC;QA2FI,QAnFK,SAmFG,GAnFe,K;QAAvB,OAAgC,QAoFzB,KApFgB,KAoFX,GAAW,CAAC,CAAC,IApFF,KAoFC,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,C;O;KARpC,C;4EAUA,4B;MAoEI,QAhEK,SAgEG,GAhEc,KAgEd,I;MACR,IAAI,CAjEC,SAiED,GAjEkB,KAiElB,IAAiB,CAAjB,IAAsB,eAjEJ,KAiEI,MAjErB,SAiEL,C;QAA6C,a;;MAjE7C,OAkEO,C;K;kEAhEX,4B;MA2EI,QAnEK,SAmEG,GAnES,K;MAAjB,OAoEO,KApEU,KAoEL,GAAW,CAAC,CAAC,IApER,KAoEO,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;K;4EAlEX,yB;MAqIA,0B;MArIA,mC;QAqIkB,W;;QAtI7C,OAuIO,C;O;KA3IX,C;kEAMA,4B;MAgJI,QAxIK,IAwIG,QAxIK,KAwIL,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAxIpE,mC;QAwIkB,a;;MAAjB,OAAgC,QAAhC,C;K;2EAvIX,4B;MAoJI,QA5IK,SA4IG,GA5IS,KA4IT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,C;MA5IpE,mC;QA4IkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA2JI,QAnJK,SAmJG,GAnJS,KAmJT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAnJpE,mC;QAmJkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAkKI,QA1JK,SA0JG,GA1JS,KA0JT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA1JpE,mC;QA0JkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAyKI,QAjKK,SAiKG,GAjKS,KAiKT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAjKpE,mC;QAiKkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAgLI,QAxKK,SAwKG,GAxKS,KAwKT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAxKpE,mC;QAwKkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAuLI,QA/KK,SA+KG,GA/KS,KA+KT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA/KpE,mC;QA+KkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA8LI,QAtLK,SAsLG,GAtLS,KAsLT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAtLpE,mC;QAsLkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAqMI,QA7LK,SA6LG,GA7LS,KA6LT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA7LpE,mC;QA6LkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA4MI,QApMK,SAoMG,GApMS,KAoMT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MApMpE,mC;QAoMkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAmNI,QA3MK,SA2MG,GA3MS,KA2MT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA3MpE,mC;QA2MkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA0NI,QAlNK,SAkNG,GAlNS,KAkNT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAlNpE,mC;QAkNkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAyOI,QAjOK,SAiOG,GAjOS,KAiOT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAjOpE,mC;QAiOkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAwPI,QAhPK,SAgPG,GAhPS,KAgPT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAhPpE,mC;QAgPkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAuQI,QA/PK,SA+PG,GA/PS,KA+PT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA/PpE,mC;QA+PkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAsRI,QA9PK,SA8PG,GA9PS,KA8PT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA9PpE,mC;QA8PkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAqSI,QA7PK,SA6PG,GA7PS,KA6PT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA7PpE,mC;QA6PkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAoTI,QA5PK,SA4PG,GA5PS,KA4PT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA5PpE,mC;QA4PkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAmUI,QA3PK,SA2PG,GA3PS,KA2PT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA3PpE,mC;QA2PkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAkVI,QA1PK,SA0PG,GA1PS,KA0PT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA1PpE,mC;QA0PkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAiWI,QAzPK,SAyPG,GAzPS,KAyPT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAzPpE,mC;QAyPkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAgXI,QAxPK,SAwPG,GAxPS,KAwPT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAxPpE,mC;QAwPkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA+XI,QAvPK,SAuPG,GAvPS,KAuPT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAvPpE,mC;QAuPkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA8YI,QAtPK,SAsPG,GAtPS,KAsPT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAtPpE,mC;QAsPkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA6ZI,QArPK,SAqPG,GArPS,KAqPT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MArPpE,mC;QAqPkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA4aI,QApPK,SAoPG,GApPS,KAoPT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MApPpE,mC;QAoPkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA2bI,QAnPK,SAmPG,GAnPS,KAmPT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAnPpE,mC;QAmPkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA0cI,QAlPK,SAkPG,GAlPS,KAkPT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAlPpE,mC;QAkPkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAydI,QAjPK,SAiPG,GAjPS,KAiPT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAjPpE,mC;QAiPkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAweI,QAhPK,SAgPG,GAhPS,KAgPT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAhPpE,mC;QAgPkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAufI,QAvOK,SAuOG,GAvOS,KAuOT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAvOpE,mC;QAuOkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAsgBI,QA9NK,SA8NG,GA9NS,KA8NT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA9NpE,mC;QA8NkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA6hBI,QArNK,SAqNG,GArNS,KAqNT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MArNpE,mC;QAqNkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAoiBI,QA5MK,SA4MG,GA5MS,KA4MT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA5MpE,mC;QA4MkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA2jBI,QAnMK,SAmMG,GAnMS,KAmMT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAnMpE,mC;QAmMkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAklBI,QA1LK,SA0LG,GA1LS,KA0LT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA1LpE,mC;QA0LkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAymBI,QAjLK,SAiLG,GAjLS,KAiLT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAjLpE,mC;QAiLkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAwnBI,QAhKK,SAgKG,GAhKS,KAgKT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAhKpE,mC;QAgKkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAuoBI,QA/JK,SA+JG,GA/JS,KA+JT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA/JpE,mC;QA+JkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAspBI,QA9JK,SA8JG,GA9JS,KA8JT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA9JpE,mC;QA8JkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAqqBI,QA7JK,SA6JG,GA7JS,KA6JT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA7JpE,mC;QA6JkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAorBI,QA5JK,SA4JG,GA5JS,KA4JT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA5JpE,mC;QA4JkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAmsBI,QA3JK,SA2JG,GA3JS,KA2JT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA3JpE,mC;QA2JkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAktBI,QA1JK,SA0JG,GA1JS,KA0JT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA1JpE,mC;QA0JkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAiuBI,QAzJK,SAyJG,GAzJS,KAyJT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAzJpE,mC;QAyJkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAguBI,QAxJK,SAwJG,GAxJS,KAwJT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAxJpE,mC;QAwJkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA+uBI,QAvJK,SAuJG,GAvJS,KAuJT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAvJpE,mC;QAuJkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA8vBI,QAtJK,SAsJG,GAtJS,KAsJT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAtJpE,mC;QAsJkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA6wBI,QArJK,SAqJG,GArJS,KAqJT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MArJpE,mC;QAqJkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA4xBI,QApJK,SAoJG,GApJS,KAoJT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MApJpE,mC;QAoJkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA2yBI,QAnJK,SAmJG,GAnJS,KAmJT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAnJpE,mC;QAmJkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA0zBI,QAlJK,SAkJG,GAlJS,KAkJT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAlJpE,mC;QAkJkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAy0BI,QAjJK,SAiJG,GAjJS,KAiJT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAjJpE,mC;QAiJkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAw1BI,QAhJK,SAgJG,GAhJS,KAgJT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAhJpE,mC;QAgJkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAu2BI,QA/IK,SA+IG,GA/IS,KA+IT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA/IpE,mC;QA+IkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAs3BI,QA9IK,SA8IG,GA9IS,KA8IT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA9IpE,mC;QA8IkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAq4BI,QA7IK,SA6IG,GA7IS,KA6IT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA7IpE,mC;QA6IkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAo5BI,QA5IK,SA4IG,GA5IS,KA4IT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA5IpE,mC;QA4IkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAm6BI,QA3IK,SA2IG,GA3IS,KA2IT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA3IpE,mC;QA2IkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAk7BI,QA1IK,SA0IG,GA1IS,KA0IT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA1IpE,mC;QA0IkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAi8BI,QAzIK,SAyIG,GAzIS,KAyIT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAzIpE,mC;QAyIkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAg9BI,QAxIK,SAwIG,GAxIS,KAwIT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAxIpE,mC;QAwIkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA+9BI,QAvIK,SAuIG,GAvIS,KAuIT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAvIpE,mC;QAuIkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA8+BI,QAtIK,SAsIG,GAtIS,KAsIT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAtIpE,mC;QAsIkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA6/BI,QArIK,SAqIG,GArIS,KAqIT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MArIpE,mC;QAqIkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA4gCI,QApIK,SAoIG,GApIS,KAoIT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MApIpE,mC;QAoIkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA2hCI,QAnIK,SAmIG,GAnIS,KAmIT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAnIpE,mC;QAmIkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA0iCI,QAlIK,SAkIG,GAlIS,KAkIT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAlIpE,mC;QAkIkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAyjCI,QAjIK,SAiIG,GAjIS,KAiIT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAjIpE,mC;QAiIkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAwkCI,QAhIK,SAgIG,GAhIS,KAgIT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAhIpE,mC;QAgIkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAulCI,QA/HK,SA+HG,GA/HS,KA+HT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA/HpE,mC;QA+HkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAsmCI,QA9HK,SA8HG,GA9HS,KA8HT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA9HpE,mC;QA8HkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAqnCI,QA7HK,SA6HG,GA7HS,KA6HT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA7HpE,mC;QA6HkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAooCI,QA5HK,SA4HG,GA5HS,KA4HT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA5HpE,mC;QA4HkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAmpCI,QA3HK,SA2HG,GA3HS,KA2HT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA3HpE,mC;QA2HkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAkqCI,QA1HK,SA0HG,GA1HS,KA0HT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MA1HpE,mC;QA0HkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAirCI,QAzHK,SAyHG,GAzHS,KAyHT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAzHpE,mC;QAyHkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QAgsCI,QAxHK,SAwHG,GAxHS,KAwHT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAxHpE,mC;QAwHkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;QA+sCI,QAvHK,SAuHG,GAvHS,KAuHT,GAAW,CAAC,CAAC,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAoE,K;MAvHpE,mC;QAuHkB,a;;MAAjB,OAAgC,QAAhC,C;K;iEAvIX,yB;MAAA,0B;MAAA,mC;QAAA,a;;MAAA,OAAA,C;K;iEAAA,yB;MAAA,0B;MAAA,mC;Q

AaJ,iBAAK,G;QAAL,S;UAAY,OpGuG0B,MAAW,MoGvGrC,CpGuGqC,CoGvGrC,KpGuG0B,MAAW,MoGpH7C,KpGoH6C,C;;QoGpH5D,OAaO,OAAsC,IAb9B,KAaR,GAAqD,C;O;KAvBhE,C;mEAYA,yB;MpGkH6C,iB;MoGlH7C,mC;QAUI,QAAQ,YAAO,K;QACJ,iBAAK,G;QAAL,S;UAAY,OpGuG0B,MAAW,MoGvGrC,CpGuGqC,CoGvGrC,KpGuG0B,MAAW,MoGvG3B,KpGuG2B,C;;QoGvG5D,OAAO,OAAsC,IAAI,KAA1C,GAAqD,C;O;KAXhE,C;4ECnTA,yB;MAAA,8B;MAAA,4B;QAOyC,Q;QAAA,gFAAoB,C;O;KAP7D,C;ICM0B,4C;MA+CtB,qC;MA/CuB,kB;MAAgB,kB;MAAgB,kB;MAMvD,iBAAsB,iBAAU,UAAV,EAAiB,UAAjB,EAAwB,UAAxB,C;K;0CAEtB,+B;M5MWA,IAAI,E4MViB,CAAT,sBAAY,GAAZ,KA4C,CAAT,sBAAY,GAAZ,C,MA+C+E,CAAT,sBAAY,GAAZ,GAAlE,C5MXA,2E;Q5MWJ,MAAM,gCAAY,OAAZ,QAAqB,WAArB,jC,C;;M4MTN,OAAO,CAAP,KAAO,KAAP,IAAO,EAAP,KAAO,IAAP,IAAO,EAAP,KAAO,IAAP,IAAO,EAAP,KAAO,I

wB;QAuBI,IAAI,CAbE,KAaN,C;UACI,cAdW,e;UAeX,MAAM,2BAAsB,OAAQ,WAA9B,C;;O;KAzBd,C;sEAaA,yB;MAAA,4E;MAAA,qC;QAUI,IAAI,CAAC,KAAL,C;UACI,cAAc,a;UACd,MAAM,2BAAsB,OAAQ,WAA9B,C;;O;KAZd,C;kFAgBA,yB;MAcA,4E;MAdA,wB;QAWW,uB;QAeP,IAfoB,KAehB,QAAJ,C;UACI,cAhBByB,0B;UAiBzB,MAAM,2BAAsB,OAAQ,WAA9B,C;;UAEN,sBAnBgB,K;;QAApB,0B;O;KAXJ,C;oFAcA,yB;MAAA,4E;MAAA,qC;QAYI,IAAI,aAAJ,C;UACI,cAAc,a;UACd,MAAM,2BAAsB,OAAQ,WAA9B,C;;UAEN,OAAO,K;;O;KAhBf,C;oEAqBA,yB;MAAA,4E;MAAA,0B;QAMiD,MAAM,2BAAsB,OAAQ,WAA9B,C;;O;KANvD,C;I8CnHiC,uB;MA2D7B,8B;MA1DA,kB;K;mFAS8B,Y;MAAQ,iD;K;mFAMR,Y;MAAQ,gD;K;wFAItC,yB;MAAA,gB;MAAA,8B;MAAA,mB;QAWgB,Q;QADR,mB;UADJ,OACiB,I;;UADjB,OAEY,2E;O;KAXhB,C;uCAcA,Y;MAQQ,kBADE,UACF,kB;QADJ,OACkB,UAAM,U;;QADxB,OAEY,I;K;gCAGhB,Y;MAOQ,kBADE,UACF,kB;QADJ,OACkB,UAAM,W;;QADxB,OAEY,sBAAU,UAAV,O;K;IAKhB,4B;MAAA,gC;K;wHAKI,yB;MAAA,iC;MAAA,wB;QAAA,uB;QAAA,OAAO,KAAP,C;UAAA,OAAO,KAAP,C;YAAA,OAAO,KAAP,C;cAAA,OAAO,KAAP,C;gBAAA,OAAO,KAAP,C;kBAAA,OAAO,KAAP,C;oBAAA,OAAO,KAAP,C;sBAAA,OAAO,KAAP,C;wBAAA,OAAO,KAAP,C;0BAAA,OAAO,KAAP,C;4BAAA,OAAO,KAAP,C;8BAAA,OAAO,KAAP,C;gCAAA,OAAO,KAAP,C;kCAAA,OAAO,KAAP,C;oCAAA,OAAO,KAAP,C;sCAAA,OAAO,KAAP,C;wCAAA,OAAO,KAAP,C;0CAAA,OAAO,KAAP,C;4CAAA,OAAO,KAAP,C;8CAAA,OAAO,KAAP,C;gDAAA,OAAO,KAAP,C;kDAAA,OAAO,KAAP,C;oDAAA,OAAO,KAAP,C;sDAAA,OAAO,KAAP,C;wDAAA,OAAO,KAAP,C;0DAAA,OAAO,KAAP,C;4DAAA,OAAO,KAAP,C;8DAAA,OAAO,KAAP,C;gEAAA,OAAO,KAAP,C;kEAAA,OAAO,KAAP,C;oEAAA,OAAO,KAAP,C;sEAAA,OAAO,KAAP,C;wEAAA,OAAO,KAAP,C;0EAAA,OAAO,KAAP,C;4EAAA,OAAO,KAAP,C;8EAAA,OAAO,KAAP,C;gFAAA,OAAO,KAAP,C;kFAAA,OAAO,KAAP,C;oFAAA,OAAO,KAAP,C;sFAAA,OAAO,KAAP,C;wFAAA,OAAO,KAAP,C;0FAAA,OAAO,KAAP,C;4FAAA,OAAO,KAAP,C;8FAAA,OAAO,KAAP,C;gGAAA,OAAO,KAAP,C;kGAAA,OAAO,KAAP,C;oGAAA,OAAO,KAAP,C;sGAAA,OAAO,KAAP,C;wGAAA,OAAO,KAAP,C;0GAAA,OAAO,KAAP,C;4GAAA,OAAO,KAAP,C;8GAAA,OAAO,KAAP,C;gHAAA,OAAO,KAAP,C;kHAAA,OAAO,KAAP,C;oHAAA,OAAO,KAAP,C;sHAAA,OAAO,KAAP,C;wHAAA,OAAO,KAAP,C;0HAAA,OAAO,KAAP,C;4HAAA,OAAO,KAAP,C;8HAAA,OAAO,KAAP,C;gIAAA,OAAO,KAAP,C;kIAAA,OAAO,KAAP,C;oIAAA,OAAO,KAAP,C;sIAAA,OAAO,KAAP,C;wIAAA,OAAO,KAAP,C;0IAAA,OAAO,KAAP,C;4IAAA,OAAO,KAAP,C;8IAAA,OAAO,KAAP,C;gJAAA,OAAO,KAAP,C;kJAAA,OAAO,KAAP,C;oJAAA,OAAO,KAAP,C;sJAAA,OAAO,KAAP,C;wJAAA,OAAO,KAAP,C;0JAAA,OAAO,KAAP,C;4JAAA,OAAO,KAAP,C;8JAAA,OAAO,KAAP,C;gKAAA,OAAO,KAAP,C;kKAAA,OAAO,KAAP,C;oKAAA,OAAO,KAAP,C;sKAAA,OAAO,KAAP,C;wKAAA,OAAO,KAAP,C;0KAAA,OAAO,KAAP,C;4KAAA,OAAO,KAAP,C;8KAAA,OAAO,KAAP,C;gLAAA,OAAO,KAAP,C;kLAAA,OAAO,KAAP,C;oLAAA,OAAO,KAAP,C;sLAAA,OAAO,KAAP,C;wLAAA,OAAO,KAAP,C;0LAAA,OAAO,KAAP,C;4LAAA,OAAO,KAAP,C;8LAAA,OAAO,KAAP,C;gMAAA,OAAO,KAAP,C;kMAAA,OAAO,KAAP,C;oMAAA,OAAO,KAAP,C;sMAAA,OAAO,KAAP,C;wMAAA,OAAO,KAAP,C;0MAAA,OAAO,KAAP,C;4MAAA,OAAO,KAAP,C;8MAAA,OAAO,KAAP,C;gNAAA,OAAO,KAAP,C;kNAAA,OAAO,KAAP,C;oNAAA,OAAO,KAAP,C;sNAAA,OAAO,KAAP,C;wNAAA,OAAO,KAAP,C;0NAAA,OAAO,KAAP,C;4NAAA,OAAO,KAAP,C;8NAAA,OAAO,KAAP,C;gOAAA,OAAO,KAAP,C;kOAAA,OAAO,KAAP,C;oOAAA,OAAO,KAAP,C;sOAAA,OAAO,KAAP,C;wOAAA,OAAO,KAAP,C;0OAAA,OAAO,KAAP,C;4OAAA,OAAO,KAAP,C;8OAAA,OAAO,KAAP,C;gPAAA,OAAO,KAAP,C;kPAAA,OAAO,KAAP,C;oPAAA,OAAO,KAAP,C;sPAAA,OAAO,KAAP,C;wPAAA,OAAO,KAAP,C;0PAAA,OAAO,KAAP,C;4PAAA,OAAO,KAAP,C;8PAAA,OAAO,KAAP,C;gQAAA,OAAO,KAAP,C;kQAAA,OAAO,KAAP,C;oQAAA,OAAO,KAAP,C;sQAAA,OAAO,KAAP,C;wQAAA,OAAO,KAAP,C;0QAAA,OAAO,KAAP,C;4QAAA,OAAO,KAAP,C;8QAAA,OAAO,KAAP,C;gRAAA,OAAO,KAAP,C;kRAAA,OAAO,KAAP,C;oRAAA,OAAO,KAAP,C;sRAAA,OAAO,KAAP,C;wRAAA,OAAO,KAAP,C;0RAAA,OAAO,KAAP,C;4RAAA,OAAO,KAAP,C;8RAAA,OAAO,KAAP,C;gSAAA,OAAO,KAAP,C;kSAAA,OAAO,KAAP,C;oSAAA,OAAO,KAAP,C;sSAAA,OAAO,KAAP,C;wSAAA,OAAO,KAAP,C;0SAAA,OAAO,KAAP,C;4SAAA,OAAO,KAAP,C;8SAAA,OAAO,KAAP,C;gTAAA,OAAO,KAAP,C;kTAAA,OAAO,KAAP,C;oTAAA,OAAO,KAAP,C;sTAAA,OAAO,KAAP,C;wTAAA,OAAO,KAAP,C;0TAAA,OAAO,KAAP,C;4TAAA,OAAO,KAAP,C;8TAAA,OAAO,KAAP,C;gUAAA,OAAO,KAAP,C;kUAAA,OAAO,KAAP,C;oUAAA,OAAO,KAAP,C;sUAAA,OAAO,KAAP,C;wUAAA,OAAO,KAAP,C;0UAAA,OAAO,KAAP,C;4UAAA,OAAO,KAAP,C;8UAAA,OAAO,KAAP,C;gVAAA,OAAO,KAAP,C;kVAAA,OAAO,KAAP,C;oVAAA,OAAO,KAAP,C;sVAAA,OAAO,KAAP,C;wVAAA,OAAO,KAAP,C;0VAAA,OAAO,KAAP,C;4VAAA,OAAO,KAAP,C;8VAAA,OAAO,KAAP,C;gWAAA,OAAO,KAAP,C;kWAAA,OAAO,KAAP,C;oWAAA,OAAO,KAAP,C;sWAAA,OAAO,KAAP,C;wWAAA,OAAO,KAAP,C;0WAAA,OAAO,KAAP,C;4WAAA,OAAO,KAAP,C;8WAAA,OAAO,KAAP,C;gXAAA,OAAO,KAAP,C;kXAAA,OAAO,KAAP,C;oXAAA,OAAO,KAAP,C;sXAAA,OAAO,KAAP,C;wXAAA,OAAO,KAAP,C;0XAAA,OAAO,KAAP,C;4XAAA,OAAO,KAAP,C;8XAAA,OAAO,KAAP,C;gYAAA,OAAO,KAAP,C;kYAAA,OAAO,KAAP,C;oYAAA,OAAO,KAAP,C;sYAAA,OAAO,KAAP,C;wYAAA,OAAO,KAAP,C;0YAAA,OAAO,KAAP,C;4YAAA,OAAO,KAAP,C;8YAAA,OAAO,KAAP,C;gZAAA,OAAO,KAAP,C;kZAAA,OAAO,KAAP,C;oZAAA,OAAO,KAAP,C;sZAAA,OAAO,KAAP,C;wZAAA,OAAO,KAAP,C;0ZAAA,OAAO,KAAP,C;4ZAAA,OAAO,KAAP,C;8ZAAA,OAAO,KAAP,C;gaAAA,OAAO,KAAP,C;kaAAA,OAAO,KAAP,C;oaAAA,OAAO,KAAP,C;saAAA,OAAO,KAAP,C;waAAA,OAAO,KAAP,C;0aAAA,OAAO,KAAP,C;4aAAA,OAAO,KAAP,C;8aAAA,OAAO,KAAP,C;gbAAA,OAAO,KAAP,C;kbAAA,OAAO,KAAP,C;obAAA,OAAO,KAAP,C;sbAAA,OAAO,KAAP,C;wbAAA,OAAO,KAAP,C;0bAAA,OAAO,KAAP,C;4bAAA,OAAO,KAAP,C;8bAAA,OAAO,KAAP,C;gcAAA,OAAO,KAAP,C;kcAAA,OAAO,KAAP,C;ocAAA,OAAO,KAAP,C;scAAA,OAAO,KAAP,C;wcAAA,OAAO,KAAP,C;0cAAA,OAAO,KAAP,C;4cAAA,OAAO,KAAP,C;8cAAA,OAAO,KAAP,C;gdAAA,OAAO,KAAP,C;kdAAA,OAAO,KAAP,C;odAAA,OAAO,KAAP,C;sdAAA,OAAO,KAAP,C;wdAAA,OAAO,KAAP,C;0dAAA,OAAO,KAAP,C;4dAAA,OAAO,KAAP,C;8dAAA,OAAO,KAAP,C;gfAAA,OAAO,KAAP,C;kfAAA,OAAO,KAAP,C;ofAAA,OAAO,KAAP,C;sfAAA,OAAO,KAAP,C;wfAAA,OAAO,KAAP,C;0fAAA,OAAO,KAAP,C;4fAAA,OAAO,KAAP,C;8fAAA,OAAO,KAAP,C;ggBAAA,OAAO,KAAP,C;kgBAAA,OAAO,KAAP,C;ogBAAA,OAAO,KAAP,C;sgBAAA,OAAO,KAAP,C;wgBAAA,OAAO,KAAP,C;0gBAAA,OAAO,KAAP,C;4gBAAA,OAAO,KAAP,C;8gBAAA,OAAO,KAAP,C;ghBAAA,OAAO,KAAP,C;khBAAA,OAAO,KAAP,C;ohBAAA,OAAO,KAAP,C;shBAAA,OAAO,KAAP,C;whBAAA,OAAO,KAAP,C;0hBAAA,OAAO,KAAP,C;4hBAAA,OAAO,KAAP,C;8hBAAA,OAAO,KAAP,C;giBAAA,OAAO,KAAP,C;kiBAAA,OAAO,KAAP,C;oiBAAA,OAAO,KAAP,C;siBAAA,OAAO,KAAP,C;wiBAAA,OAAO,KAAP,C;0iBAAA,OAAO,KAAP,C;4iBAAA,OAAO,KAAP,C;8iBAAA,OAAO,KAAP,C;gjBAAA,OAAO,KAAP,C;kjBAAA,OAAO,KAAP,C;ojBAAA,OAAO,KAAP,C;sjBAAA,OAAO,KAAP,C;wjBAAA,OAAO,KAAP,C;0jBAAA,OAAO,KAAP,C;4jBAAA,OAAO,KAAP,C;8jBAAA,OAAO,KAAP,C;gkBAAA,OAAO,KAAP,C;kkBAAA,OAAO,KAAP,C;okBAAA,OAAO,KAAP,C;skBAAA,OAAO,KAAP,C;wkBAAA,OAAO,KAAP,C;0kBAAA,OAAO,KAAP,C;4kBAAA,OAAO,KAAP,C;8kBAAA,OAAO,KAAP,C;glBAAA,OAAO,KAAP,C;klBAAA,OAAO,KAAP,C;olBAAA,OAAO,KAAP,C;slBAAA,OAAO,KAAP,C;wlBAAA,OAAO,KAAP,C;0lBAAA,OAAO,KAAP,C;4lBAAA,OAAO,KAAP,C;8lBAAA,OAAO,KAAP,C;gmBAAA,OAAO,KAAP,C;kmBAAA,OAAO,KAAP,C;omBAAA,OAAO,KAAP,C;smBAAA,OAAO,KAAP,C;wmBAAA,OAAO,KAAP,C;0mBAAA,OAAO,KAAP,C;4mBAAA,OAAO,KAAP,C;8mBAAA,OAAO,KAAP,C;gnBAAA,OAAO,KAAP,C;knBAAA,OAAO,KAAP,C;onBAAA,OAAO,KAAP,C;snBAAA,OAAO,KAAP,C;wnBAAA,OAAO,KAAP,C;0nBAAA,OAAO,KAAP,C;4nBAAA,OAAO,KAAP,C;8nBAAA,OAAO,KAAP,C;goBAAA,OAAO,KAAP,C;koBAAA,OAAO,KAAP,C;ooBAAA,OAAO,KAAP,C;soBAAA,OAAO,KAAP,C;woBAAA,OAAO,KAAP,C;0oBAAA,OAAO,KAAP,C;4oBAAA,OAAO,KAAP,C;8oBAAA,OAAO,KAAP,C;gpBAAA,OAAO,KAAP,C;kpBAAA,OAAO,KAAP,C;opBAAA,OAAO,KAAP,C;spBAAA,OAAO,KAAP,C;wpBAAA,OAAO,KAAP,C;0pBAAA,OAAO,KAAP,C;4pBAAA,OAAO,KAAP,C;8pBAAA,OAAO,KAAP,C;gqBAAA,OAAO,KAAP,C;kqBAAA,OAAO,KAAP,C;oqBAAA,OAAO,KAAP,C;sqBAAA,OAAO,KAAP,C;wqBAAA,OAAO,KAAP,C;0qBAAA,OAAO,KAAP,C;4qBAAA,OAAO,KAAP,C;8qBAAA,OAAO,KAAP,C;grBAAA,OAAO,KAAP,C;krBAAA,OAAO,KAAP,C;orBAAA,OAAO,KAAP,C;srBAAA,OAAO,KAAP,C;wrBAAA,OAAO,KAAP,C;0rBAAA,OAAO,KAAP,C;4rBAAA,OAAO,KAAP,C;8rBAAA,OAAO,KAAP,C;gsBAAA,OAAO,KAAP,C;ksBAAA,OAAO,KAAP,C;osBAAA,OAAO,KAAP,C;ssBAAA,OAAO,KAAP,C;wsBAAA,OAAO,KAAP,C;0sBAAA,OAAO,KAAP,C;4sBAAA,OAAO,KAAP,C;8sBAAA,OAAO,KAAP,C;gtBAAA,OAAO,KAAP,C;ktBAAA,OAAO,KAAP,C;otBAAA,OAAO,KAAP,C;stBAAA,OAAO,KAAP,C;wtBAAA,OAAO,KAAP,C;0tBAAA,OAAO,KAAP,C;4tBAAA,OAAO,KAAP,C;8tBAAA,OAAO,KAAP,C;guBAAA,OAAO,KAAP,C;kuBAAA,OAAO,KAAP,C;ouBAAA,OAAO,KAAP,C;suBAAA,OAAO,KAAP,C;wuBAAA,OAAO,KAAP,C;0uBAAA,OAAO,KAAP,C;4uBAAA,OAAO,KAAP,C;8uBAAA,OAAO,KAAP,C;gvBAAA,OAAO,KAAP,C;kvBAAA,OAAO,KAAP,C;ovBAAA,OAAO,KAAP,C;svBAAA,OAAO,KAAP,C;wvBAAA,OAAO,KAAP,C;0vBAAA,OAAO,KAAP,C;4vBAAA,OAAO,KAAP,C;8vBAAA,OAAO,KAAP,C;gwBAAA,OAAO,KAAP,C;kwBAAA,OAAO,KAAP,C;owBAAA,OAAO,KAAP,C;swBAAA,OAAO,KAAP,C;wwBAAA,OAAO,KAAP,C;0wBAAA,OAAO,KAAP,C;4wBAAA,OAAO,KAAP,C;8wBAAA,OAAO,KAAP,C;gxBAAA,OAAO,KAAP,C;kxBAAA,OAAO,KAAP,C;oxBAAA,OAAO,KAAP,C;sxBAAA,OAAO,KAAP,C;wxBAAA,OAAO,KAAP,C;0xBAAA,OAAO,KAAP,C;4xBAAA,OAAO,KAAP,C;8xBAAA,OAAO,KAAP,C;gyBAAA,OAAO,KAAP,C;kyBAAA,OAAO,KAAP,C;oyBAAA,OAAO,KAAP,C;syBAAA,OAAO,KAAP,C;wyBAAA,OAAO,KAAP,C;0yBAAA,OAAO,KAAP,C;4yBAAA,OAAO,KAAP,C;8yBAAA,OAAO,KAAP,C;gzBAAA,OAAO,KAAP,C;kzBAAA,OAAO,KAAP,C;ozBAAA,OAAO,KAAP,C;szBAAA,OAAO,KAAP,C;wzBAAA,OAAO,KAAP,C;0zBAAA,OAAO,KAAP,C;4zBAAA,OAAO,KAAP,C;8zBAAA,OAAO,KAAP,C;g0BAAA,OAAO,KAAP,C;k0BAAA,OAAO,KAAP,C;o0BAAA,OAAO,KAAP,C;s0BAAA,OAAO,KAAP,C;w0BAAA,OAAO,KAAP,C;00BAAA,OAAO,KAAP,C;40BAAA,OAAO,KAAP,C;80BAAA,OAAO,KAAP,C;g1BAAA,OAAO,KAAP,C;k1BAAA,OAAO,KAAP,C;o1BAAA,OAAO,KAAP,C;s1BAAA,OAAO,KAAP,C;w1BAAA,OAAO,KAAP,C;01BAAA,OAAO,KAAP,C;41BAAA,OAAO,KAAP,C;81BAAA,OAAO,KAAP,C;g2BAAA,OAAO,KAAP,C;k2BAAA,OAAO,KAAP,C;o2BAAA,OAAO,KAAP,C;s2BAAA,OAAO,KAAP,C;w2BAAA,OAAO,KAAP,C;02BAAA,OAAO,KAAP,C;42BAAA,OAAO,KAAP,C;82BAAA,OAAO,KAAP,C;g3BAAA,OAAO,KAAP,C;k3BAAA,OAAO,KAAP,C;o3BAAA,OAAO,KAAP,C;s3BAAA,OAAO,KAAP,C;w3BAAA,OAAO,KAAP,C;03BAAA,OAAO,KAAP,C;43BAAA,OAAO,KAAP,C;83BAAA,OAAO,KAAP,C;g4BAAA,OAAO,KAAP,C;k4BAAA,OAAO,KAAP,C;o4BAAA,OAAO,KAAP,C;s4BAAA,OAAO,KAAP,C;w4BAAA,OAAO,KAAP,C;04BAAA,OAAO,KAAP,C;44BAAA,OAAO,KAAP,C;84BAAA,OAAO,KAAP,C;g5BAAA,OAAO,KAAP,C;k5BAAA,OAAO,KAAP,C;o5BAAA,OAAO,KAAP,C;s5BAAA,OAAO,KAAP,C;w5BAAA,OAAO,KAAP,C;05BAAA,OAAO,KAAP,C;45BAAA,OAAO,KAAP,C;85BAAA,OAAO,KAAP,C;g6BAAA,OAAO,KAAP,C;k6BAAA,OAAO,KAAP,C;o6BAAA,OAAO,KAAP,C;s6BAAA,OAAO,KAAP,C;w6BAAA,OAAO,KAAP,C;06BAAA,OAAO,KAAP,C;46BAAA,OAAO,KAAP,C;86BAAA,OAAO,KAAP,C;g7BAAA,OAAO,KAAP,C;k7BAAA,OAAO,KAAP,C;o7BAAA,OAAO,KAAP,C;s7BAAA,OAAO,KAAP,C;w7BAAA,OAAO,KAAP,C;07BAAA,OAAO,KAAP,C;47BAAA,OAAO,KAAP,C;87BAAA,OAAO,KAAP,C;g8BAAA,OAAO,KAAP,C;k8BAAA,OAAO,KAAP,C;o8BAAA,OAAO,KAAP,C;s8BAAA,OAAO,KAAP,C;w8BAAA,OAAO,KAAP,C;08BAAA,OAAO,KAAP,C;48BAAA,OAAO,KAAP,C;88BAAA,OAAO,KAAP,C;g9BAAA,OAAO,KAAP,C;k9BAAA,OAAO,KAAP,C;o9BAAA,OAAO,KAAP,C;s9BAAA,OAAO,KAAP,C;w9BAAA,OAAO,KAAP,C;09BAAA,OAAO,KAAP,C;49BAAA,OAAO,KAAP,C;89BAAA,OAAO,KAAP,C;g+BAAA,OAAO,KAAP,C;k+BAAA,OAAO,KAAP,C;o+BAAA,OAAO,KAAP,C;s+BAAA,OAAO,KAAP,C;w+BAAA,OAAO,KAAP,C;0+BAAA,OAAO,KAAP,C;4+BAAA,OAAO,KAAP,C;8+BAAA,OAAO,KAAP,C;gAAA,OAAO,KAAP,C;kAAA,OAAO,KAAP,C;oAAA,OAAO,KAAP,C;sAAA,OAAO,KAAP,C;wAAA,OAAO,KAAP,C;0AAA,OAAO,KAAP,C;4AAA,OAAO,KAAP,C;8AAA,OAAO,KAAP,C;gBAAA,OAAO,KAAP,C;kBAAA,OAAO,KAAP,C;oBAAA,OAAO,KAAP,C;sBAAA,OAAO,KAAP,C;wBAAA,OAAO,KAAP,C;0BAAA,OAAO,KAAP,C;4BAAA,OAAO,KAAP,C;8BAAA,OAAO,KAAP,C;gCAAA,OAAO,KAAP,C;kCAAA,OAAO,KAAP,C;oCAAA,OAAO,KAAP,C;sCAAA,OAAO,KAAP,C;wCAAA,OAAO,KAAP,C;0CAAA,OAAO,KAAP,C;4CAAA,OAAO,KAAP,C;8CAAA,OAAO,KAAP,C;gDAAA,OAAO,KAAP,C;kDAAA,OAAO,KAAP,C;oDAAA,OAAO,KAAP,C;sDAAA,OAAO,KAAP,C;wDAAA,OAAO,KAAP,C;0DAAA,OAAO,KAAP,C;4DAAA,OAAO,KAAP,C;8DAAA,OAAO,KAAP,C;gEAAA,OAAO,KAAP,C;kEAAA,OAAO,KAAP,C;oEAAA,OAAO,KAAP,C;sEAAA,OAAO,KAAP,C;wEAAA,OAAO,KAAP,C;0EAAA,OAAO,KAAP,C;4EAAA,OAAO,KAAP,C;8EAAA,OAAO,KAAP,C;gFAAA,OAAO,KAAP,C;kFAAA,OAAO,KAAP,C;oFAAA,OAAO,KAAP,C;sFAAA,OAAO,KAAP,C;wFAAA,OAAO,KAAP,C;0FAAA,OAAO,KAAP,C;4FAAA,OAAO,KAAP,C;8FAAA,OAAO,KAAP,C;gGAAA,OAAO,KAAP,C;kGAAA,OAAO,KAAP,C;oGAAA,OAAO,KAAP,C;sGAAA,OAAO,KAAP,C;wGAAA,OAAO,KAAP,C;0GAAA,OAAO,KAAP,C;4GAAA,OAAO,KAAP,C;8GAAA,OAAO,KAAP,C;gHAAA,OAAO,KAAP,C;kHAAA,OAAO,KAAP,C;oHAAA,OAAO,KAAP,C;sHAAA,OAAO,KAAP,C;wHAAA,OAAO,KAAP,C;0HAAA,OAAO,KAAP,C;4HAAA,OAAO,KAAP,C;8HAAA,OAAO,KAAP,C;gIAAA,OAAO,KAAP,C;kIAAA,OAAO,KAAP,C;oIAAA,OAAO,KAAP,C;sIAAA,OAAO,KAAP,C;wIAAA,OAAO,KAAP,C;0IAAA,OAAO,KAAP,C;4IAAA,OAAO,KAAP,C;8IAAA,OAAO,KAAP,C;gJAAA,OAAO,KAAP,C;kJAAA,OAAO,KAAP,C;oJAAA,OAAO,KAAP,C;sJAAA,OAAO,KAAP,C;wJAAA,OAAO,KAAP,C;0JAAA,OAAO,KAAP,C;4JAAA,OAAO,KAAP,C;8JAAA,OAAO,KAAP,C;gKAAA,OAAO,KAAP,C;kKAAA,OAAO,KAAP,C;oKAAA,OAAO,KAAP,C;sKAAA,OAAO,KAAP,C;wKAAA,OAAO,KAAP,C;0KAAA,OAAO,KAAP,C;4KAAA,OAAO,KAAP,C;8KAAA,OAAO,KAAP,C;gLAAA,OAAO,KAAP,C;kLAAA,OAAO,KAAP,C;oLAAA,OAAO,KAAP,C;sLAAA,OAAO,KAAP,C;wLAAA,OAAO,KAAP,C;0LAAA,OAAO,KAAP,C;4LAAA,OAAO,KAAP,C;8LAAA,OAAO,KAAP,C;gMAAA,OAAO,KAAP,C;kMAAA,OAAO,KAAP,C;oMAAA,OAAO,KAAP,C;sMAAA,OAAO,KAAP,C;wMAAA,OAAO,KAAP,C;0MAAA,OAAO,KAAP,C;4MAAA,OAAO,KAAP,C;8MAAA,OAAO,KAAP,C;gNAAA,OAAO,KAAP,C;kNAAA,OAAO,KAAP,C;oNAAA,OAAO,KAAP,C;sNAAA,OAAO,KAAP,C;wNAAA,OAAO,KAAP,C;0NAAA,OAAO,KAAP,C;4NAAA,OAAO,KAAP,C;8NAAA,OAAO,KAAP,C;gOAAA,OAAO,KAAP,C;kOAAA,OAAO,KAAP,C;oOAAA,OAAO,KAAP,C;sOAAA,OAAO,KAAP,C;wOAAA,OAAO,KAAP,C;0OAAA,OAAO,KAAP,C;4OAAA,OAAO,KAAP,C;8OAAA,OAAO,KAAP,C;gPAAA,OAAO,KAAP,C;kPAAA,OAAO,KAAP,C;oPAAA,OAAO,KAAP,C;sPAAA,OAAO,KAAP,C;wPAAA,OAAO,KAAP,C;0PAAA,OAAO,KAAP,C;4PAAA,OAAO,KAAP,C;8PAAA,OAAO,KAAP,C;gQAAA,OAAO,KAAP,C;kQAAA,OAAO,KAAP,C;oQAAA,OAAO,KAAP,C;sQAAA,OAAO,KAAP,C;wQAAA,OAAO,KAAP,C;0QAAA,OAAO,KAAP,C;4QAAA,OAAO,KAAP,C;8QAAA,OAAO,KAAP,C;gRAAA,OAAO,KAAP,C;kRAAA,OAAO,KAAP,C;oRAAA,OAAO,KAAP,C;sRAAA,OAAO,KAAP,C;wRAAA,OAAO,KAAP,C;0RAAA,OAAO,KAAP,C;4RAAA,OAAO,KAAP,C;8RAAA,OAAO,KAAP,C;gSAAA,OAAO,KAAP,C;kSAAA,OAAO,KAAP,C;oSAAA,OAAO,KAAP,C;sSAAA,OAAO,KAAP,C;wSAAA,OAAO,KAAP,C;0SAAA,OAAO,KAAP,C;4SAAA,OAAO,KAAP,C;8SAAA,OAAO,KAAP,C;gTAAA,OAAO,KAAP,C;kTAAA,OAAO,KAAP,C;oTAAA,OAAO,KAAP,C;sTAAA,OAAO,KAAP,C;wTAAA,OAAO,KAAP,C;0TAAA,OAAO,KAAP,C;4TAAA,OAAO,KAAP,C;8TAAA,OAAO,KAAP,C;gUAAA,OAAO,KAAP,C;kUAAA,OAAO,KAAP,C;oUAAA,OAAO,KAAP,C;sUAAA,OAAO,KAAP,C;wUAAA,OAAO,KAAP,C;0UAAA,OAAO,KAAP,C;4UAAA,OAAO,KAAP,C;8UAAA,OAAO,KAAP,C;gVAAA,OAAO,KAAP,C;kVAAA,OAAO,KAAP,C;oVAAA,OAAO,KAAP,C;sVAAA,OAAO,KAAP,C;wVAAA,OAAO,KAAP,C;0VAAA,OAAO,KAAP,C;4VAAA,OAAO,KAAP,C;8VAAA,OAAO,KAAP,C;gWAAA,OAAO,KAAP,C;kWAAA,OAAO,KAAP,C;oWAAA,OAAO,KAAP,C;sWAAA,OAAO,KAAP,C;wWAAA,OAAO,KAAP,C;0WAAA,OAAO,KAAP,C;4WAAA,OAAO,KAAP,C;8WAAA,OAAO,KAAP,C;gXAAA,OAAO,KAAP,C;kXAAA,OAAO,KAAP,C;oXAAA,OAAO,KAAP,C;sXAAA,OAAO,KAAP,C;wXAAA,OAAO,KAAP,C;0XAAA,OAAO,KAAP,C;4XAAA,OAAO,KAAP,C;8XAAA,OAAO,KAAP,C;gYAAA,OAAO,KAAP,C;kYAAA,OAAO,KAAP,C;oYAAA,OAAO,KAAP,C;sYAAA,OAAO,KAAP,C;wYAAA,OAAO,KAAP,C;0YAAA,OAAO,KAAP,C;4YAAA,OAAO,KAAP,C;8YAAA,OAAO,KAAP,C;gZAAA,OAAO,KAAP,C;kZAAA,OAAO,KAAP,C;oZAAA,OAAO,KAAP,C;sZAAA,OAAO,KAAP,C;wZAAA,OAAO,KAAP,C;0ZAAA,OAAO,KAAP,C;4ZAAA,OAAO,KAAP,C;8ZAAA,OAAO,KAAP,C;gaAAA,OAAO,KAAP,C;kaAAA,OAAO,KAAP,C;oaAAA,OAAO,KAAP,C;saAAA,OAAO,KAAP,C;waAAA,OAAO,KAAP,C;0aAAA,OAAO,KAAP,C;4aAAA,OAAO,KAAP,C;8aAAA,OAAO,KAAP,C;gbAAA,OAAO,KAAP,C;kbAAA,OAAO,KAAP,C;obAAA,OAAO,KAAP,C;sbAAA,OAAO,KAAP,C;wbAAA,OAAO,KAAP,C;0bAAA,OAAO,KAAP,C;4bAAA,OAAO,KAAP,C;8bAAA,OAAO,KAAP,C;gcAAA,OAAO,KAAP,C;kcAAA,OAAO,KAAP,C;ocAAA,OAAO,KAAP,C;scAAA,OAAO,KAAP,C;wcAAA,OAAO,KAAP,C;0cAAA,OAAO,KAAP,C;4cAAA,OAAO,KAAP,C;8cAAA,OAAO,KAAP,C;gdAAA,OAAO,KAAP,C;kdAAA,OAAO,KAAP,C;odAAA,OAAO,KAAP,C;sdAAA,OAAO,KAAP,C;wdAAA,OAAO,KAAP,C;0dAAA,OAAO,KAAP,C;4dAAA,OAAO,KAAP,C;8dAAA,OAAO,KAAP,C;gfAAA,OAAO,KAAP,C;kfAAA,OAAO,KAAP,C;ofAAA,OAAO,KAAP,C;sfAAA,OAAO,KAAP,C;wfAAA,OAAO,KAAP,C;0fAAA,OAAO,KAAP,C;4fAAA,OAAO,KAAP,C;8fAAA,OAAO,KAAP,C;ggBAAA,OAAO,KAAP,C;kgBAAA,OAAO,KAAP,C;ogBAAA,OAAO,KAAP,C;sgBAAA,OAAO,KAAP,C;wgBAAA,OAAO,KAAP,C;0gBAAA,OAAO,KAAP,C;4gBAAA,OAAO,KAAP,C;8gBAAA,OAAO,KAAP,C;ghBAAA,OAAO,KAAP,C;khBAAA,OAAO,KAAP,C;ohBAAA,OAAO,KAAP,C;shBAAA,OAAO,KAAP,C;whBAAA,OAAO,KAAP,C;0hBAAA,OAAO,KAAP,C;4hBAAA,OAAO,KAAP,C;8hBAAA,OAAO,KAAP,C;giBAAA,OAAO,KAAP,C;kiBAAA,OAAO,KAAP,C;oiBAAA,OAAO,KAAP,C;siBAAA,OAAO,KAAP,C;wiBAAA,OAAO,KAAP,C;0iBAAA,OAAO,KAAP,C;4iBAAA,OAAO,KAAP,C;8iBAAA,OAAO,KAAP,C;gjBAAA,OAAO,KAAP,C;kjBAAA,OAAO,KAAP,C;ojBAAA,OAAO,KAAP,C;sjBAAA,OAAO,KAAP,C;wjBAAA,OAAO,KAAP,C;0jBAAA,OAAO,KAAP,C;4jBAAA,OAAO,KAAP,C;8jBAAA,OAAO,KAAP,C;gkBAAA,OAAO,KAAP,C;kkBAAA,OAAO,KAAP,C;okBAAA,OAAO,KAAP,C;skBAAA,OAAO,KAAP,C;wkBAAA,OAAO,KAAP,C;0kBAAA,OAAO,KAAP,C;4kBAAA,OAAO,KAAP,C;8kBAAA,OAAO,KAAP,C;glBAAA,OAAO,KAAP,C;klBAAA,OAAO,KAAP,C;olBAAA,OAAO,KAAP,C;slBAAA,OAAO,KAAP,C;wlBAAA,OAAO,KAAP,C;0lBAAA,OAAO,KAAP,C;4lBAAA,OAAO,KAAP,C;8lBAAA,OAAO,KAAP,C;gmBAAA,OAAO,KAAP,C;kmBAAA,OAAO,KAAP,C;omBAAA,OAAO,KAAP,C;smBAAA,OAAO,KAAP,C;wmBAAA,OAAO,KAAP,C;0mBAAA,OAAO,KAAP,C;4mBAAA,OAAO,KAAP,C;8mBAAA,OAAO,KAAP,C;gnBAAA,OAAO,KAAP,C;knBAAA,OAAO,KAAP,C;onBAAA,OAAO,KAAP,C;snBAAA,OAAO,KAAP,C;wnBAAA,OAAO,KAAP,C;0nBAAA,OAAO,KAAP,C;4nBAAA,OAAO,KAAP,C;8nBAAA,OAAO,KAAP,C;goBAAA,OAAO,KAAP,C;koBAAA,OAAO,KAAP,C;ooBAAA,OAAO,KAAP,C;soBAAA,OAAO,KAAP,C;woBAAA,OAAO,KAAP,C;0oBAAA,OAAO,KAAP,C;4oBAAA,OAAO,KAAP,C;8oBAAA,OAAO,KAAP,C;gpBAAA,OAAO,KAAP,C;kpBAAA,OAAO,KAAP,C;opBAAA,OAAO,KAAP,C;spBAAA,OAAO,KAAP,C;wpBAAA,OAAO,KAAP,C;0pBAAA,OAAO,KAAP,C;4pBAAA,OAAO,KAAP,C;8pBAAA,OAAO,KAAP,C;gqBAAA,OAAO,KAAP,C;kqBAAA,OAAO,KAAP,C;oqBAAA,OAAO,KAAP,C;sqBAAA,OAAO,KAAP,C;wqBAAA,OAAO,KAAP,C;0qBAAA,OAAO,KAAP,C;4qBAAA,OAAO,KAAP,C;8qBAAA,OAAO,KAAP,C;grBAAA,OAAO,KAAP,C;kr

lBJ,I;K;IA2BA,8B;MAImD,iBAAO,eAAP,EAAc,gBAAd,EAAsB,eAAtB,E;K;I7NlE1B,qB;MAErB,6B;MAFwD,gB;K;IAExD,2B;MAAA,+B;MACI,iBAGoC,UAAM,CAAN,C;MAEpC,iBAGoC,UAAM,MAAN,C;MAEpC,kBAGmC,C;MAEnC,iBAGkC,C;K;;;IAnBtC,uC;MAAA,sC;QAAA,qB;;MAAA,+B;K;kGAsBA,iB;MAOmE,OAAa,0BA2O1C,SAAL,GAAiB,GA3O8B,EAAU,KA2OpD,KAAL,GAAiB,GA3O8B,C;K;sGAEhF,iB;MAM2D,OAAa,0BAmOlC,SAAL,GAAiB,GAAnOsB,EAAU,KEoO5C,KAAL,GAAiB,KFpOsB,C;K;sGAExE,yB;MA0PA,6B;MC3PA,8C;MDCA,wB;QAMyD,OCAS,YAAiB,CD6PhD,cAAU,SAAL,GAAiB,GAAtB,CC7PgD,MAAjB,EDAe,KCAc,KAA7B,C;O;KDNlE,C;sGAQA,yB;MA4PA,WAAS6D,wB;MAT7D,+B;MiB7PA,gD;MjBCA,wB;QAM0D,OiBAS,aAAkB,CjB+P7B,+BAAU,eAAL,GAAiB,oBAAtB,CiB/P6B,KAAjB,EjBAe,KiBAc,KAA9B,C;O;KkB

oB,KiB1DpB,C;O;KjBoDtD,C;0FAQA,yB;MA4HA,6B;MCxKA,kD;MDuOJ,0B;MAAA,+B;MA3LI,wB;QAQ6C,OA8LR,eAAW,OC5OI,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,ED2KjB,cA7H4B,KA6HlB,KAAL,GAAiB,GAAtB,CC3KiB,CAkLf,KD0DW,CAAX,C;O;KAtMrC,C;0FASA,yB;MAmHA,6B;MCxKA,kD;MCwOJ,4B;MAAA,iC;MFnLI,wB;QAQ+C,OEsLR,gBAAY,QD7OC,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,EC4KjB,cFrH8B,KEqHpB,KAAL,GAAiB,KAAtB,CD5KiB,CA4Lb,KCiDY,CAAZ,C;O;KF9LvC,C;0FASA,yB;MA0GA,6B;MCxKA,kD;MD8DA,wB;QAQ2C,OChES,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,EDgES,KChET,C;O;KDwDpD,C;0FASA,yB;MA2GA,WAS6D,wB;MAT7D,+B;MiB3KA,oD;MjBgEA,wB;QAQ6C,OiBlES,ejB8KjB,eAAW,oBAAL,SAAK,CAAL,UAAN,CiB9KiB,EjBkEU,KiBlEV,C;O;KjB0DtD,C;0EAUA,yB;MAAA,0B;MAAA,+B;MAAA,mB;QAQM0C,sBAAW,OAAL,SAAK,KAAX,C;O;KAN1C,C;0EAQA,yB;MAAA,0B;MAAA,+B;MAAA,mB;QAQM0C,sBAAW,OAAL,SAAK,KAAX,C;O;KAN1C,C;kGAQA,yB;MAAA,8C;MAuEA,6B;MAvEA,wB;QAQE8D,0BA8E3B,cAAU,SAAL,GAAiB,GAAtB,CA9E2B,EA8E3B,cA9EoD,KA8E1C,KAAL,GAAiB,GAAtB,CA9E2B,C;O;KAF9D,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAQmD,OAEmD,sB6LvOlvOgC,O7LuO1B,IAAK,K6LvOX,OX,G7LuOoB,OAAM,K6LvOhC,OM,C7LuOuC,C;O;KAFnD,C;wFAIA,yB;MAAA,+B;M6LtOJ,0B;M7LsOI,wB;QAQkD,OAEkD,sB6LrOlvOgC,O7LqO1B,IAAK,K6LrOX,OX,G7LqOoB,OAAM,K6LrOhC,OM,C7LqOuC,O/B,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LpOJ,0B;M7LoOI,wB;QAQmD,OAEmD,sB6LnOlvOgC,O7LmO1B,IAAK,K6LnOX,OX,G7LmOoB,OAAM,K6LnOhC,OM,C7LmOuC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LlOJ,0B;M7LkOI,wB;QAQkD,OAEkD,sB6LjOlvOgC,O7LiO1B,IAAK,K6LjOX,OX,G7LiOoB,OAAM,K6LjOhC,OM,C7LiOuC,C;O;KAFlD,C;kGAI

AS6D,sB;MAT7D,+B;MgBjRA,gD;MhBCA,wB;QAM0D,OgBAS,aAAkB,ChBmRhD,eAAW,oBAAL,SAAK,CA
AL,iBAAN,CgBnRgD,MAAlB,EhBAgB,KgBAc,KAA9B,C;O;KhBNnE,C;0FAQA,yB;MD0OA,6B;MC1OA,wB;
QAEsD,OAMD,cAAK,IAAK,KAAK,GAAW,CD2O5C,cCjP6B,KDiPnB,KAAL,GAAiB,GAAtB,CC3O4C,MAAX
,IAAf,C;O;KARrD,C;0FAGA,yB;MCwOA,6B;MDxOA,wB;QAEuD,OAGF,cAAK,IAAK,KAAK,GAAW,CC4O5
C,cD/O8B,KC+OpB,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;O;KALrD,C;0FAGA,yB;MAAA,6B;MAA
A,wB;QAEqD,qBAAK,IAAK,KAAK,GAAK,KAAM,KAAX,IAAf,C;O;KAFrD,C;0FAGA,yB;MA+PA,kBAS6D,s
B;MAT7D,+B;MA/PA,wB;QAEuD,OgBAA,eAAW,ChBsQ7B,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgBtQ6B,M
AAK,KhBAI,KgBAO,KAAX,CAAhB,C;O;KhBFvD,C;4FAIA,yB;MD6NA,6B;MC7NA,wB;QAEuD,OAMD,cAA
K,IAAK,KAAK,GAAY,CD8N9C,cCpO+B,KDoOrB,KAAL,GAAiB,GAAtB,CC9N8C,MAAZ,IAAf,C;O;KARtD,
C;4FAGA,yB;MC2NA,6B;MD3NA,wB;QAEwD,OAGF,cAAK,IAAK,KAAK,GAAY,CC+N9C,cDlOgC,KCkOtB,
KAAL,GAAiB,KAAtB,CD/N8C,MAAZ,IAAf,C;O;KALtD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBAAK
,IAAK,KAAK,GAAM,KAAM,KAAZ,IAAf,C;O;KAFtD,C;4FAGA,yB;MAkPA,kBAS6D,sB;MAT7D,+B;MAlPA,
wB;QAEwD,OgBAA,eAAW,ChByP9B,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgBzP8B,MAAK,UhBAK,KgBAO
,KAAZ,CAAhB,C;O;KhBFxD,C;4FAIA,yB;MDgNA,6B;MChNA,wB;QAEuD,OAMD,cAAe,YAAV,IAAK,KAA
K,EAAY,CDiN9C,cCvN+B,KDuNrB,KAAL,GAAiB,GAAtB,CCjN8C,MAAZ,CAAf,C;O;KARtD,C;4FAGA,yB;
MC8MA,6B;MD9MA,wB;QAEwD,OAGF,cAAe,YAAV,IAAK,KAAK,EAAY,CCkN9C,cDrNgC,KCqNtB,KAAL
,GAAiB,KAAtB,CDlN8C,MAAZ,CAAf,C;O;KALtD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBAAe,YAAV
,IAAK,KAAK,EAAM,KAAM,KAAZ,CAAf,C;O;KAFtD,C;4FAGA,yB;MAqOA,kBAS6D,sB;MAT7D,+B;MAr
OA,wB;QAEwD,OgBAA,eAAW,ChB4O9B,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg B5O8B,MAAK,UhBAK,Kg
BAO,KAAZ,CAAhB,C;O;KhBFxD,C;wFAIA,yB;MDmMA,6B;MC7LA,4C;MANA,wB;QAEqD,OAMD,cAAW,WAAV,
IAAX,EDoMjB,cC1M2B,KD0MjB,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KARpD,C;wFAGA,yB;MCiMA,6B;MD
9LA,4C;MAHA,wB;QAEsD,OAGF,cAAW,WAAV,IAAX,ECqMjB,cDxM4B,KCwMlB,KAAL,GAAiB,KAAtB,CDrMiB
,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFA
GA,yB;MAwNA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhB+NjB,eAAW,oBAAL,
SAAK,CAAL,iBAAN,Cg B/N/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDsLA,6B;MCxKA,wC;MAd
A,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,EDuLjB,cC7L2B,KD6LjB,KAAL,GAAiB,GAAtB,CCvLiB,C;O;KARpD,C;
wFAGA,yB;MCoLA,6B;MDjLA,4C;MAHA,wB;QAEsD,OAGF,cAAW,WAAV,IAAX,ECwLjB,cD3L4B,KC2
LlB,KAAL,GAAiB,KAAtB,CDxLiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,wB;QAEoD,kBAAW,IAAX,EAA
iB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA2MA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,
YhBkNjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg BlN/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;
MDyKA,6B;MC3JA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,ED0KjB,cCjL2B,KDiKjB,KAAL,GAiB
GAtB,CC1JiB,C;O;KARpD,C;wFAGA,yB;MCuKA,6B;MDpKA,4C;MAHA,wB;QAEsD,OAGF,cAAW,WAAV,IAAX,
EC2KjB,cD9K4B,KC8KlB,KAAL,GAAiB,KAAtB,CD3KiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,wB;QAEoD,
kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA8LA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,
wB;QAEsD,OgBAA,YhBqMjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg BrM/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;
wFAIA,yB;MD4JA,6B;MC9IA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,ED6JjB,cCpK2B,KDoJjB,
KAAL,GAiBGAtB,CC7IiB,C;O;KARpD,C;wFAGA,yB;MC0JA,6B;MDvJA,4C;MAHA,wB;QAEsD,OAGF,cAAW,
WAAV,IAAX,EC8JjB,cDjK4B,KCiKlB,KAAL,GAAiB,KAAtB,CD9JiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAiMA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhBwMjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg BxM/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MD+JA,6B;MCjJA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,EDgKjB
,cCvK2B,KDuJjB,KAAL,GAiBGAtB,CChJiB,C;O;KARpD,C;wFAGA,yB;MC6JA,6B;MD1JA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,ECiKjB,cDpK4B,KCoKlB,KAAL,GAAiB,KAAtB,CDjKiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAoMA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhB2MjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg B3M/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MDkKA,6B;MCpJA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,EDmKjB
,cC1K2B,KD0JjB,KAAL,GAiBGAtB,CCnJiB,C;O;KARpD,C;wFAGA,yB;MCgKA,6B;MD7JA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,ECoKjB,cDvK4B,KCuKlB,KAAL,GAAiB,KAAtB,CDpKiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAuMA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhB8MjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg B9M/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MDqKA,6B;MCvJA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,EDsKjB
,cC7K2B,KD6JjB,KAAL,GAiBGAtB,CCtJiB,C;O;KARpD,C;wFAGA,yB;MCmKA,6B;MDhKA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,ECuKjB,cD1K4B,KC0KlB,KAAL,GAAiB,KAAtB,CDvKiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA0MA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhBiNjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg BjN/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MDwKA,6B;MC1JA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,EDyKjB
,cChL2B,KDgKjB,KAAL,GAiBGAtB,CCzJiB,C;O;KARpD,C;wFAGA,yB;MCsKA,6B;MDnKA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,EC0KjB,cD7K4B,KC6KlB,KAAL,GAAiB,KAAtB,CD1KiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA6MA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhBoNjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg BpN/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MD2KA,6B;MC7JA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,ED4KjB
,cCnL2B,KDmKjB,KAAL,GAiBGAtB,CC5JiB,C;O;KARpD,C;wFAGA,yB;MCyKA,6B;MDtKA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,EC6KjB,cDhL4B,KCgLlB,KAAL,GAAiB,KAAtB,CD7KiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAgNA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhBuNjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg BvN/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MD8KA,6B;MChKA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,ED+KjB
,cCtL2B,KDsKjB,KAAL,GAiBGAtB,CC/JiB,C;O;KARpD,C;wFAGA,yB;MC4KA,6B;MDzKA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,ECgLjB,cDnL4B,KCmLlB,KAAL,GAAiB,KAAtB,CDhLiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAmNA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhB0NjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg B1N/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MDiLA,6B;MCnKA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,EDkLjB
,cCzL2B,KDyKjB,KAAL,GAiBGAtB,CClKiB,C;O;KARpD,C;wFAGA,yB;MC+KA,6B;MD5KA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,ECmLjB,cDtL4B,KCsLlB,KAAL,GAAiB,KAAtB,CDnLiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAsNA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhB6NjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg B7N/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MDoLA,6B;MCtKA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,EDqLjB
,cC5L2B,KD4KjB,KAAL,GAiBGAtB,CCrKiB,C;O;KARpD,C;wFAGA,yB;MCkLA,6B;MD/KA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,ECsLjB,cDzL4B,KCyLlB,KAAL,GAAiB,KAAtB,CDtLiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAyNA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhBgOjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg BhO/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MDuLA,6B;MCzKA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,EDwLjB
,cC/L2B,KD+KjB,KAAL,GAiBGAtB,CCxKiB,C;O;KARpD,C;wFAGA,yB;MCqLA,6B;MDlLA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,ECyLjB,cD5L4B,KC4LlB,KAAL,GAAiB,KAAtB,CDzLiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA4NA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhBmOjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg BnO/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MD0LA,6B;MC5KA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,ED2LjB
,cCnM2B,KDmLjB,KAAL,GAiBGAtB,CC3KiB,C;O;KARpD,C;wFAGA,yB;MCwLA,6B;MDrLA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,EC4LjB,cD/L4B,KC+LlB,KAAL,GAAiB,KAAtB,CD5LiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA+NA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhBsOjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg BtO/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MD6LA,6B;MC/KA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,ED8LjB
,cCtM2B,KDsLjB,KAAL,GAiBGAtB,CC9KiB,C;O;KARpD,C;wFAGA,yB;MC2LA,6B;MDxLA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,EC+LjB,cDlM4B,KCkMlB,KAAL,GAAiB,KAAtB,CD/LiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAkOA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhByOjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg BzO/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MDgMA,6B;MClLA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,EDiMjB
,cCzM2B,KDyLjB,KAAL,GAiBGAtB,CCjLiB,C;O;KARpD,C;wFAGA,yB;MC8LA,6B;MD3LA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,ECkMjB,cDrM4B,KCqMlB,KAAL,GAAiB,KAAtB,CDlMiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAqOA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhB4OjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg B5O/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MDmMA,6B;MCrLA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,EDoMjB
,cC5M2B,KD4LjB,KAAL,GAiBGAtB,CCpLiB,C;O;KARpD,C;wFAGA,yB;MCiMA,6B;MD9LA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,ECqMjB,cDxM4B,KCwMlB,KAAL,GAiBGAtB,CCrMiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAwOA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhB+OjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg B/O/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MDsMA,6B;MCxLA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,EDuMjB
,cC/M2B,KD+LjB,KAAL,GAiBGAtB,CCvLiB,C;O;KARpD,C;wFAGA,yB;MCoMA,6B;MDjMA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,ECwMjB,cD3M4B,KC2MlB,KAAL,GAiBGAtB,CCxMiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA2OA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhBkPjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg BlP/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MDyMA,6B;MC3LA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,EDwMjB
,cChN2B,KDgMjB,KAAL,GAiBGAtB,CCzLiB,C;O;KARpD,C;wFAGA,yB;MCsMA,6B;MDnMA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,EC0MjB,cD7M4B,KC6MlB,KAAL,GAiBGAtB,CC1MiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA4OA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhBmPjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg BnP/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MD0MA,6B;MC5LA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,EDyMjB
,cCjN2B,KDiMjB,KAAL,GAiBGAtB,CC1LiB,C;O;KARpD,C;wFAGA,yB;MCuMA,6B;MDpMA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,EC2MjB,cD9M4B,KC8MlB,KAAL,GAiBGAtB,CC3MiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA6OA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhBoPjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg BpP/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MD2MA,6B;MC7LA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,ED0MjB
,cCjN2B,KDiMjB,KAAL,GAiBGAtB,CC3LiB,C;O;KARpD,C;wFAGA,yB;MCwMA,6B;MDrMA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,EC4MjB,cD/M4B,KC+MlB,KAAL,GAiBGAtB,CC5MiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA8OA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhBqPjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg BrP/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MD4MA,6B;MC9LA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,ED2MjB
,cCjN2B,KDiMjB,KAAL,GAiBGAtB,CC5LiB,C;O;KARpD,C;wFAGA,yB;MCyMA,6B;MDtMA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,EC6MjB,cDhN4B,KCgNlB,KAAL,GAiBGAtB,CC7MiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA+OA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhBsPjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg BtP/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MD6MA,6B;MC/LA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,ED4MjB
,cCjN2B,KDiMjB,KAAL,GAiBGAtB,CC7LiB,C;O;KARpD,C;wFAGA,yB;MC0MA,6B;MDvMA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,EC8MjB,cDjN4B,KCiNlB,KAAL,GAiBGAtB,CC9MiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAgPA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhBuPjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg BvP/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MD8MA,6B;MChMA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,ED6MjB
,cCjN2B,KDiMjB,KAAL,GAiBGAtB,CC9LiB,C;O;KARpD,C;wFAGA,yB;MC2MA,6B;MDxMA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,EC+MjB,cDlN4B,KCkNlB,KAAL,GAiBGAtB,CC/MiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAiPA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhBwPjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg BxP/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MD+MA,6B;MCjMA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,ED8MjB
,cCjN2B,KDiMjB,KAAL,GAiBGAtB,CC/LiB,C;O;KARpD,C;wFAGA,yB;MC4MA,6B;MDzMA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,ECgNjB,cDnN4B,KCmNlB,KAAL,GAiBGAtB,CChNiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAkPA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhByPjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg BzP/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MDgNA,6B;MClMA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,ED+MjB
,cCjN2B,KDiMjB,KAAL,GAiBGAtB,CChMiB,C;O;KARpD,C;wFAGA,yB;MC6MA,6B;MD1MA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,ECiNjB,cDpN4B,KCoNlB,KAAL,GAiBGAtB,CCjNiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAmPA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhB0PjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg B1P/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MDiNA,6B;MCnMA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,EDgNjB
,cCjN2B,KDiMjB,KAAL,GAiBGAtB,CCjMiB,C;O;KARpD,C;wFAGA,yB;MC8MA,6B;MD3MA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,ECkNjB,cDrN4B,KCqNlB,KAAL,GAiBGAtB,CClNiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAoPA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhB2PjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg B3P/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MDkNA,6B;MCpMA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,EDiNjB
,cCjN2B,KDiMjB,KAAL,GAiBGAtB,CCnMiB,C;O;KARpD,C;wFAGA,yB;MC+MA,6B;MD5MA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,ECmNjB,cDtN4B,KCsNlB,KAAL,GAiBGAtB,CCnNiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAqPA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhB4PjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg B5P/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MDmNA,6B;MCrMA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,EDkNjB
,cCjN2B,KDiMjB,KAAL,GAiBGAtB,CCpMiB,C;O;KARpD,C;wFAGA,yB;MCgNA,6B;MD7MA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,ECoNjB,cDvN4B,KCuNlB,KAAL,GAiBGAtB,CCpNiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAsPA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhB6PjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg B7P/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MDoNA,6B;MCtMA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,EDmNjB
,cCjN2B,KDiMjB,KAAL,GAiBGAtB,CCrMiB,C;O;KARpD,C;wFAGA,yB;MCiNA,6B;MD9MA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,ECqNjB,cDxN4B,KCwNlB,KAAL,GAiBGAtB,CCrNiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAuPA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhB8PjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg B9P/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MDqNA,6B;MCvMA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,EDoNjB
,cCjN2B,KDiMjB,KAAL,GAiBGAtB,CCtMiB,C;O;KARpD,C;wFAGA,yB;MCkNA,6B;MD/MA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,ECsNjB,cDzN4B,KCyNlB,KAAL,GAiBGAtB,CCtNiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAwPA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhB+PjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg B/P/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MDsNA,6B;MCxMA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,EDqNjB
,cCjN2B,KDiMjB,KAAL,GAiBGAtB,CCvMiB,C;O;KARpD,C;wFAGA,yB;MCmNA,6B;MDhNA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,ECuNjB,cD1N4B,KC0NlB,KAAL,GAiBGAtB,CCvNiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAyPA,kBAS6D,sB;MAT7D,+B;MgBxN
A,8C;MhBAA,wB;QAEsD,OgBAA,YhBgQjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg BhQ/B,NiB,EhBAmB,KgB
AnB,C;O;KhBFtD,C;wFAIA,yB;MDuNA,6B;MCzMA,wC;MAdA,wB;QAEqD,OAMD,cAAW,WAAV,IAAX,EDsNjB
,cCjN2B,KDiMjB,KAAL,GAiBGAtB,CCxMiB,C;O;KARpD,C;wFAGA,yB;MCoNA,6B;MDjNA,4C;MAHA,wB;QAEsD,
OAGF,cAAW,WAAV,IAAX,ECwNjB,cD3N4B,KC2NlB,KAAL,GAiBGAtB,CCxNiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,
wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;

AM,KAAzB,C;O;KAFjD,C;wEAGA,yB;MAAA,6B;MAAA,mB;QAEgC,qBAAU,CAAL,SAAL,C;O;KAFhC,C;8EAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAL,SAAK,C;O;KAVxC,C;gFAWA,yB;MAAA,4B;MAAA,mB;QAUqC,OAAK,QAAL,SAAK,C;O;KAV1C,C;4EAWA,Y;MASiC,gB;K;8EACjC,yB;MAAA,kBASqD,sB;MATrD,mB;QASmC,OAAK,oBAAL,SAAK,CAAL,iB;O;KATnC,C;gFAWA,yB;MDwDJ,0B;MAAA,+B;MCxDI,mB;QASqC,OD0DA,eAAW,OC1DX,SD0DW,CAAX,C;O;KCnErC,C;kFAUA,yB;MC+CJ,4B;MAAA,iC;MD/CI,mB;QASuC,OCiDA,gBAAY,QDjDZ,SCiDY,CAAZ,C;O;KD1DvC,C;8EAUA,Y;MAEmC,W;K;gFACnC,yB;MAAA,kBAS6D,sB;MAT7D,+B;MAAA,mB;QASqC,OAAK,oBAAL,SAAK,CAAL,iB;O;KATrC,C;gFAWA,yB;MASA,gD;MATA,mB;QAQqC,OAAK,QAAL,SAAK,C;O;KAfvC,C;kFASA,yB;MAAA,gD;MAAA,mB;QAMuC,OAAK,QAAL,SAAK,C;O;KANvC,C;8EAQA,Y;MAAyC,OAArD,DD,oBAAqD,SAAK,CAAL,iB;O;KAAzC,C;8EAAA,Y;MAAA,c;MAAA,qD;MAAA,a;K;4EAAA,yB;MAAA,kBAAA,iB;MAAA,2IAAA,qD;MAAA,oCAAA,a;K;sEAAA,Y;MAAA,6B;MAAA,mB;QAAA,OAAA,oBAAA,SAAA,CAAA,iB;O;KAAA,C;wEAAA,yB

DF,K7NxDmB,KAAjB,E6NwDO,I7NxDsB,KAA7B,C6NwDF,K;MAChE,c7N2RmC,S6N3RhB,I7N2RgB,C;M6N1RnC,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;K;gDAE3C,Y;MAAkC,qB;K;iDAElC,Y;MACI,YAAY,W;MACZ,IAAI,6BAAS,mBAAT,QAAJ,C;QACI,IAAI,CAAC,cAAL,C;UACc,MAAa,6B;QAC3B,iBAAU,K;;QAEV,c7NlD6C,S6NkD7C,W7NlDuD,KAAK,G6NkDpD,W7NlD+D,KAAX,IAAf,C;;M6NoDjD,OAAO,K;K;;IC3Hf,yB;K;mCAII,Y;MAA4B,uB;K;;IAMhC,0B;K;oCAII,Y;MAA4B,wB;K;;IAMhC,wB;K;kCAII,Y;MAA4B,sB;K;;IAMhC,yB;K;mCAII,Y;MAA4B,uB;K;;I9M5BP,qB;MAErB,6B;MAFwD,gB;K;IAExD,2B;MAAA,+B;MACI,iBAGoC,a;MAEpC,iBAGoC,c;MAEpC,kBAGmC,C;MAEnC,iBAGkC,E;K;;;IAnBtC,uC;MAAA,sC;QAAA,qB;;MAAA,+B;K;sGAsBA,yB;MjBqRA,WAS6D,wB;MAT7D,+B;MiB7PA,gD;MAxBA,wB;QAM0D,OAyBS,aAAa,IAAK,KAAlB,EAA8B,CjB+P5F,P5D,eAAW,oBiBxRyB,KjBwRwB,R9B,KAAK,CAAL,UAAN,CiB/P/D,P4D,MAA9B,C;O;KA/BnE,BnE,C;sGAkCA,aAAS,6D;MAAT,0B;MAAS,+B;MAAT,gC;MAAS,+B;MAAT,gC;MAAS,+B;MAAT,gC

AsCtD,C;oGAOA,yB;MhByKA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MA+CA,wB;QAMiD,OAnDK,YAAY,IAAZ,EhB+NjB,eAAW,oBgB5Ke,KhB4KpB,KAAK,CAAL,iBAAN,CgB/NiB,C;O;KA6CtD,C;oGAOA,yB;MAtDA,8C;MAsDA,wB;QAMkD,OA1DI,YAAY,IAAZ,EA0DA,KA1DA,C;O;KAoDtD,C;0FAQA,yB;MjBsIA,WAS6D,wB;MAT7D,+B;MiB3KA,oD;MjB4OJ,0B;MAAA,+B;MiBvMI,wB;QAQ6C,OjB0MP,eAAW,OiBjPK,eAAe,IAAf,EjB8KjB,eAAW,oBiBvIM,KjBuIX,KAAK,CAAL,UAAN,CiB9KiB,CA4KjB,KjBqEY,SAAX,C;O;KiBlNtC,C;0FASA,yB;Mf8HA,aAS6D,0B;MAT7D,+B;Me5KA,oD;Mf6OJ,4B;MAAA,iC;Me/LI,wB;QAQ+C,OfkMP,gBAAY,QePE,eAAe,IAAf,Ef+KjB,eAAW,oBe/NE,KfkHb,KAAK,CAAL,YAAN,Ce/NiB,CAsLf,Kf4Da,SAAZ,C;O;Ke1MxC,C;0FASA,yB;MhBwIA,kBAS6D,sB;MAT7D,+B;MgB/LA,oD;MhBkQJ,6B;MgB3MI,wB;QAQ2C,OhB8MP,cgBvQkB,eAAe,IAAf,EhBkMjB,eAAW,oBgBzPI,KhBwIT,KAAK,CAAL,aAAN,CgBhQiB,CA4MjB,KhBuDY,SAAX,C;O;KgBtPtC,C;0FAUA,yB;MAhEA,oD;MAgEA,wB;QAQ6C,OAlES,eAAe,IAAf,EAkEL,KAlEK,C;O;KA0DtD,C;0EAUA,yB;MAAA,+B;MAAA,mB;QAM0C,sBAAM,SAAK,MAAX,C;O;KAN1C,C;0EAQA,yB;MAAA,+B;MAAA,mB;QAM0C,sBAAM,SAAK,MAAX,C;O;KAN1C,C;kGAQA,yB;MAAA,gD;MAAA,wB;QAE+D,2BAAW,IAAX,EAAiB,KAAjB,EAAwB,C;O;KAF/D,C;0FAIA,yB;MAAA,+B;MAAA,2B;QAOoD,sBAAM,oBAAS,QAAT,EAAmB,MAAnB,EAA2B,KAA3B,EAAkC,C;O;KAPtF,C;0FASA,yB;MAAA,+B;MAAA,2B;QAOoD,sBAAM,6BAAU,QAAV,EAAoB,KAApB,EAA2B,C;O;KAPrF,C;0FASA,yB;MAAA,+B;MAAA,wB;QAEmD,sBAAM,IAAK,KAAL,EAAW,KAAX,EAAkB,KAAlB,EAAyB,KAAzB,EAAgC,KAAhC,EAAuC,KAAvC,EAA8C,C;O;KAFjG,C;wFAIA,yB;MAAA,+B;MAAA,wB;QAEmD,sBAAM,IAAK,KAAL,EAAW,KAAX,EAAkB,KAAlB,EAAyB,KAAzB,EAAgC,KAAhC,EAAuC,KAAvC,EAA8C,C;O;KAFjG,C;0FAIA,yB;MAAA,+B;MAAA,wB;QAEmD,sBAAM,IAAK,KAAL,EAAW,KAAX,EAAkB,KAAlB,EAAyB,KAAzB,EAAgC,KAAhC,EAAuC,KAAvC,EAA8C,C;O;KAFjG,C;0FAIA,yB;MAAA,+B;MAAA,mB;QAEmD,sBAAM,SAAK,MAAX,C;O;KAFnD

BAAa,KAAM,UAAnB,KAChB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,CADgB,CAAxB
,C;K;sCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,M/M0QK,CArCkB,U+MrOjB,U/MqO4B,KAAL,KAAo
B,CAVzB,U+M3NP,U/M2Na,yB+M3NH,E/M2NG,CAAN,CAUyB,MAApB,CAAN,CAqClB,MAAK,Q+M1QV,Q
/M0QK,CArCkB,U+MrOoB,S/MqOT,KAAL,KAAoB,CAVzB,U+M3N6B,S/M2NvB,yB+M3NgC,E/M2NhC,CAA
N,CAUyB,MAApB,CAAN,CAqClB,MAAK,Q+M1QV,I;K;sCAE5B,Y;MAAkC,OAAE,UAAF,qBAAU,S;K;IAE5
C,gC;MAAA,oC;MACI,aAC+B,iBAAW,6BAAM,UAAjB,EAA4B,6BAAM,UAAlC,C;K;;;IAFnC,4C;MAAA,2C;
QAAA,0B;;MAAA,oC;K;;IAYJ,qD;MA4CI,wC;MAtCI,IAAI,gBAAJ,C;QAAwB,MAAa,gCAAyB,wBAAzB,C;M
ACrC,IAAI,sCAAJ,C;QAA4B,MAAa,gCAAyB,yEAAzB,C;MAG7C,aAG0B,K;MAE1B,YAGyB,4BAA0B,KA1
B,EAAiC,YAAjC,EAA+C,IAA/C,C;MAEzB,YAGwB,I;K;0CAExB,Y;MAAiD,oCAAyB,UAAzB,EAAgC,SAAhC
,EAAsC,SAAtC,C;K;yCAEjD,Y;MAMqC,OAAI,uBAAO,CAAX,G/Mf8B,a+MehB,U/MfkC,KAAlB,E+MeR,S/Mf
sC,KAA9B,C+MehB,IAAd,G/Mf8B,a+MeE,U/MfgB,KAAlB,E+MeU,S/MfoB,KAA9B,C+MeE,I;K;wCAErE,iB;
MAEY,UAAwB,M;MADhC,kDAA8B,kBAAa,KAAM,UAAnB,KACtB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,
KAAM,KAAd,QAAxB,KA8C,kBAAQ,KAAM,KAAd,CADxB,CAA9B,C;K;0CAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,M/MkND,CArCkB,U+M7KX,U/M6KsB,KAAL,KAAoB,CAVzB,U+MnKD,U/MmKO,y
B+MnKG,E/MmKH,CAAN,CAUyB,MAApB,CAAN,CAqClB,MAAK,Q+MlNJ,Q/MkND,CArCkB,U+M7K0B,S/
M6Kf,KAAL,KAAoB,CAVzB,U+MnKmC,S/MmK7B,yB+MnKsC,E/MmKtC,CAAN,CAUyB,MAApB,CAAN,C
AqClB,MAAK,Q+MlNJ,IAAN,SAAqF,cAAU,6BAAU,EAAV,CAAV,CAAyB,QAAzB,G,I;K;0CAE5F,Y;MAAkC,C
OAI,uBAAO,CAAX,GAAgB,UAAhB,qBAAU,SAAV,cAAqB,SAArB,cAAgC,WAAhC,GAAgD,UAAhD,2BAAgE,SAAhE,C;K;;IAAN,
cA6B,kBAAQ,KAAM,KAAd,CADxB,CAA9B,C;K;0CAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,MAAN,CAAa,KAAb,CAAxB,CAAyC,KAAzC,CAAgD,KAAhD,CAAuD,KAAvD,CAA8D,KAA9D,CAAqE,KAArE,CAA4E,KAA5E,CAAmF,KAAnF,CAA0F,KAA1F,CAAiG,KAAjG,CAAwG,KAAxG,CAA+G,KAA/G,CAAsH,KAAtH,CAA6H,KAA7H,CAAoI,KAApI,CAA2I,KAA3I,CAAkJ,KAAlJ,CAAyJ,KAAzJ,CAAgK,KAAhK,CAAuK,KAAvK,CAA8K,KAA9K,CAAqL,KAArL,CAA4L,KAA5L,CAAmM,KAAnM,CAA0M,KAA1M,CAAiN,KAAjN,CAAwN,KAAxN,CAA+N,KAA/N,CAAsO,KAAtO,CAA6O,KAA7O,CAAoP,KAApP,CAA2P,KAA3P,CAAkQ,KAAlQ,CAAyQ,KAAzQ,CAAgR,KAAhR,CAAuR,KAAvR,CAA8R,KAA9R,CAAqS,KAArS,CAA4S,KAA5S,CAAmT,KAAnT,CAA0T,KAA1T,CAAiU,KAAjU,CAAwU,KAAxU,CAA+U,KAA/U,CAAsV,KAAtV,CAA6V,KAA7V,CAAoW,KAApW,CAA2W,KAA3W,CAAkX,KAAlX,CAAyX,KAAzX,CAAgY,KAAhY,CAAuY,KAAvY,CAA8Y,KAA9Y,CAAqZ,KAArZ,CAA4Z,KAA5Z,CAAma,KAAna,CAA0a,KAA1a,CAAib,KAAjb,CAAwb,KAAxb,CAA+b,KAA/b,CAAsc,KAAtc,CAA6c,KAA7c,CAAod,KAApd,CAA2d,KAA3d,CAAke,KAAle,CAAye,KAAze,CAAgf,KAAhf,CAAuf,KAAvf,CAA8f,KAA9f,CAAqgB,KAArgB,CAA4gB,KAA5gB,CAAmhB,KAAnhB,CAA0hB,KAA1hB,CAAiiB,KAAjiB,CAAwiB,KAAxiB,CAA+iB,KAA/iB,CAAsjB,KAAtjB,CAA6jB,KAA7jB,CAAokB,KAApkB,CAA2kB,KAA3kB,CAAklB,KAAllB,CAAymB,KAAzmB,CAAgnB,KAAhnB,CAAunB,KAAvnB,CAA8nB,KAA9nB,CAAqoB,KAAroB,CAA4oB,KAA5oB,CAAmpB,KAAnpB,CAA0pB,KAA1pB,CAAiqB,KAAjqB,CAAwqB,KAAxqB,CAA+qB,KAA/qB,CAAsrB,KAAtrB,CAA6rB,KAA7rB,CAAosB,KAApsB,CAA2sB,KAA3sB,CAAktB,KAAltB,CAAytB,KAAztB,CAAguB,KAAhuB,CAAuuB,KAAvuB,CAA8uB,KAA9uB,CAAqvB,KAArvB,CAA4vB,KAA5vB,CAAmwB,KAAnwB,CAA0wB,KAA1wB,CAAixB,KAAjxB,CAAwxB,KAAxxB,CAA+xB,KAA/xB,CAAsyB,KAAtyB,CAA6yB,KAA7yB,CAAozB,KAApzB,CAA2zB,KAA3zB,CAAk0B,KAAl0B,CAAy0B,KAAz0B,CAAg1B,KAAh1B,CAAu1B,KAAv1B,CAA81B,KAA91B,CAAq2B,KAAr2B,CAA42B,KAA52B,CAAm3B,KAAn3B,CAA03B,KAA13B,CAAi4B,KAAj4B,CAAw4B,KAAx4B,CAA+4B,KAA/4B,CAAs5B,KAAt5B,CAA65B,KAA75B,CAAo6B,KAAp6B,CAA26B,KAA36B,CAAk7B,KAAl7B,CAAy7B,KAAz7B,CAAg8B,KAAh8B,CAAu8B,KAAv8B,CAA88B,KAA98B,CAAq9B,KAAr9B,CAA49B,KAA59B,CAAm+B,KAAn+B,CAA0+B,KAA1+B,CAAi/B,KAAj/B,CAAw/B,KAAx/B,CAA+/B,KAA//B,CAAshC,KAAthC,CAA6hC,KAA7hC,CAAoiC,KAApiC,CAA2iC,KAA3iC,CAAkjC,KAAljC,CAAyjC,KAAzjC,CAAgkC,KAAhkC,CAAukC,KAAvkC,CAA8kC,KAA9kC,CAAqlC,KAArlC,CAA4lC,KAA5lC,CAAmmC,KAAnmC,CAA0mC,KAA1mC,CAAinC,KAAjnC,CAAwnC,KAAxnC,CAA+nC,KAA/nC,CAAsoC,KAAtoC,CAA6oC,KAA7oC,CAAopC,KAAppC,CAA2pC,KAA3pC,CAAkqC,KAAlqC,CAAyqC,KAAzqC,CAAgrC,KAAhrC,CAAurC,KAAvrC,CAA8rC,KAA9rC,CAAqsC,KAArsC,CAA4sC,KAA5sC,CAAmtC,KAAntC,CAA0tC,KAA1tC,CAAiuC,KAAjuC,CAAwuC,KAAxuC,CAA+uC,KAA/uC,CAAsvC,KAAtvC,CAA6vC,KAA7vC,CAAowC,KAApwC,CAA2wC,KAA3wC,CAAkxC,KAAlxC,CAAyxC,KAAzxC,CAAgyC,KAAhyC,CAAuyC,KAAvyC,CAA8yC,KAA9yC,CAAqzC,KAArzC,CAA4zC,KAA5zC,CAAm0C,KAAn0C,CAA00C,KAA10C,CAAi1C,KAAj1C,CAAw1C,KAAx1C,CAA+1C,KAA/1C,CAAs2C,KAAt2C,CAA62C,KAA72C,CAAo3C,KAAp3C,CAA23C,KAA33C,CAAk4C,KAAl4C,CAAy4C,KAAz4C,CAAg5C,KAAh5C,CAAu5C,KAAv5C,CAA85C,KAA95C,CAAq6C,KAAr6C,CAA46C,KAA56C,CAAm7C,KAAn7C,CAA07C,KAA17C,CAAi8C,KAAj8C,CAAw8C,KAAx8C,CAA+8C,KAA/8C,CAAs9C,KAAt9C,CAA69C,KAA79C,CAAo+C,KAAp+C,CAA2+C,KAA3+C,CAAk/C,KAAl/C,CAAy/C,KAAz/C,CAAggD,KAAhgD,CAAugD,KAAvgD,CAA8gD,KAA9gD,CAAqhD,KAArhD,CAA4hD,KAA5hD,CAAmiD,KAAniD,CAA0iD,KAA1iD,CAAijD,KAAjjD,CAAwjD,KAAxjD,CAA+jD,KAA/jD,CAAskD,KAAtkD,CAA6kD,KAA7kD,CAAolD,KAAplD,CAA2lD,KAA3lD,CAAkmD,KAAlmD,CAAymD,KAAzmD,CAAgnD,KAAhnD,CAAunD,KAAvnD,CAA8nD,KAA9nD,CAAqoD,KAAroD,CAA4oD,KAA5oD,CAAmpD,KAAnpD,CAA0pD,KAA1pD,CAAiqD,KAAjqD,CAAwqD,KAAxqD,CAA+qD,KAA/qD,CAAsrD,KAAtrD,CAA6rD,KAA7rD,CAAosD,KAApsD,CAA2sD,KAA3sD,CAAktD,KAAltD,CAAytD,KAAztD,CAAguD,KAAhuD,CAAuuD,KAAvuD,CAA8uD,KAA9uD,CAAqvD,KAArvD,CAA4vD,KAA5vD,CAAmwD,KAAnwD,CAA0wD,KAA1wD,CAAixD,KAAjxD,CAAwxD,KAAxxD,CAA+xD,KAA/xD,CAAsyD,KAAtyD,CAA6yD,KAA7yD,CAAozD,KAApzD,CAA2zD,KAA3zD,CAAk0D,KAAl0D,CAAy0D,KAAz0D,CAAg1D,KAAh1D,CAAu1D,KAAv1D,CAA81D,KAA91D,CAAq2D,KAAr2D,CAA42D,KAA52D,CAAm3D,KAAn3D,CAA03D,KAA13D,CAAi4D,KAAj4D,CAAw4D,KAAx4D,CAA+4D,KAA/4D,CAAs5D,KAAt5D,CAA65D,KAA75D,CAAo6D,KAAp6D,CAA26D,KAA36D,CAAk7D,KAAl7D,CAAy7D,KAAz7D,CAAg8D,KAAh8D,CAAu8D,KAAv8D,CAA88D,KAA98D,CAAq9D,KAAr9D,CAA49D,KAA59D,CAAm+D,KAAn+D,CAA0+D,KAA1+D,CAAi/D,KAAj/D,CAAw/D,KAAx/D,CAA+/D,KAA//D,CAAshE,KAAthE,CAA6hE,KAA7hE,CAAoiE,KAApiE,CAA2iE,KAA3iE,CAAkjE,KAAljE,CAAyjE,KAAzjE,CAAgkE,KAAhkE,CAAukE,KAAvkE,CAA8kE,KAA9kE,CAAqlE,KAArlE,CAA4lE,KAA5lE,CAAmmE,KAAnmE,CAA0mE,KAA1mE,CAAinE,KAAjnE,CAAwnE,KAAxnE,CAA+nE,KAA/nE,CAAsoE,KAAtoE,CAA6oE,KAA7oE,CAAopE,KAAppE,CAA2pE,KAA3pE,CAAkqE,KAAlqE,CAAyqE,KAAzqE,CAAgrE,KAAhrE,CAAurE,KAAvrE,CAA8rE,KAA9rE,CAAqsE,KAArsE,CAA4sE,KAA5sE,CAAmtE,KAAntE,CAA0tE,KAA1tE,CAAiuE,KAAjuE,CAAwuE,KAAxuE,CAA+uE,KAA/uE,CAAsvE,KAAtvE,CAA6vE,KAA7vE,CAAowE,KAApwE,CAA2wE,KAA3wE,CAAkxE,KAAlxE,CAAyxE,KAAzxE,CAAgyE,KAAhyE,CAAuyE,KAAvyE,CAA8yE,KAA9yE,CAAqzE,KAArzE,CAA4zE,KAA5zE,CAAm0E,KAAn0E,CAA00E,KAA10E,CAAi1E,KAAj1E,CAAw1E,KAAx1E,CAA+1E,KAA/1E,CAAs2E,KAAt2E,CAA62E,KAA72E,CAAo3E,KAAp3E,CAA23E,KAA33E,CAAk4E,KAAl4E,CAAy4E,KAAz4E,CAAg5E,KAAh5E,CAAu5E,KAAv5E,CAA85E,KAA95E,CAAq6E,KAAr6E,CAA46E,KAA56E,CAAm7E,KAAn7E,CAA07E,KAA17E,CAAi8E,KAAj8E,CAAw8E,KAAx8E,CAA+8E,KAA/8E,CAAs9E,KAAt9E,CAA69E,KAA79E,CAAo+E,KAAp+E,CAA2+E,KAA3+E,CAAk/E,KAAl/E,CAAy/E,KAAz/E,CAAggF,KAAhgF,CAAugF,KAAvgF,CAA8gF,KAA9gF,CAAqhF,KAArhF,CAA4hF,KAA5hF,CAAmiF,KAAniF,CAA0iF,KAA1iF,CAAijF,KAAjjF,CAAwjF,KAAxjF,CAA+jF,KAA/jF,CAAskF,KAAtkF,CAA6kF,KAA7kF,CAAolF,KAAplF,CAA2lF,KAA3lF,CAAkmF,KAAlmF,CAAymF,KAAzmF,CAAgnF,KAAhnF,CAAunF,KAAvnF,CAA8nF,KAA9nF,CAAqoF,KAAroF,CAA4oF,KAA5oF,CAAmpF,KAAnpF,CAA0pF,KAA1pF,CAAiqF,KAAjqF,CAAwqF,KAAxqF,CAA+qF,KAA/qF,CAAsrF,KAAtrF,CAA6rF,KAA7rF,CAAosF,KAApsF,CAA2sF,KAA3sF,CAAktF,KAAltF,CAAytF,KAAztF,CAAguF,KAAhuF,CAAuuF,KAAvuF,CAA8uF,KAA9uF,CAAqvF,KAArvF,CAA4vF,KAA5vF,CAAmwF,KAAnwF,CAA0wF,KAA1wF,CAAixF,KAAjxF,CAAwxF,KAAxxF,CAA+xF,KAA/xF,CAAsyF,KAAtyF,CAA6yF,KAA7yF,CAAozF,KAApzF,CAA2zF,KAA3zF,CAAk0F,KAAl0F,CAAy0F,KAAz0F,CAAg1F,KAAh1F,CAAu1F,KAAv1F,CAA81F,KAA91F,CAAq2F,KAAr2F,CAA42F,KAA52F,CAAm3F,KAAn3F,CAA03F,KAA13F,CAAi4F,KAAj4F,CAAw4F,KAAx4F,CAA+4F,KAA/4F,CAAs5F,KAAt5F,CAA65F,KAA75F,CAAo6F,KAAp6F,CAA26F,KAA36F,CAAk7F,KAAl7F,CAAy7F,KAAz7F,CAAg8F,KAAh8F,CAAu8F,KAAv8F,CAA88F,KAA98F,CAAq9F,KAAr9F,CAA49F,KAA59F,CAAm+F,KAAn+F,CAA0+F,KAA1+F,CAAi/F,KAAj/F,CAAw/F,KAAx/F,CAA+/F,KAA//F,CAAshG,KAAthG,CAA6hG,KAA7hG,CAAoiG,KAApiG,CAA2iG,KAA3iG,CAAkjG,KAAljG,CAAyjG,KAAzjG,CAAgkG,KAAhkG,CAAukG,KAAvkG,CAA8kG,KAA9kG,CAAqlG,KAArlG,CAA4lG,KAA5lG,CAAmmG,KAAnmG,CAA0mG,KAA1mG,CAAinG,KAAjnG,CAAwnG,KAAxnG,CAA+nG,KAA/nG,CAAsoG,KAAtoG,CAA6oG,KAA7oG,CAAopG,KAAppG,CAA2pG,KAA3pG,CAAkqG,KAAlqG,CAAyqG,KAAzqG,CAAgrG,KAAhrG,CAAurG,KAAvrG,CAA8rG,KAA9rG,CAAqsG,KAArsG,CAA4sG,KAA5sG,CAAmtG,KAAntG,CAA0tG,KAA1tG,CAAiuG,KAAjuG,CAAwuG,KAAxuG,CAA+uG,KAA/uG,CAAsvG,KAAtvG,CAA6vG,KAA7vG,CAAowG,KAApwG,CAA2wG,KAA3wG,CAAkxG,KAAlxG,CAAyxG,KAAzxG,CAAgyG,KAAhyG,CAAuyG,KAAvyG,CAA8yG,KAA9yG,CAAqzG,KAArzG,CAA4zG,KAA5zG,CAAm0G,KAAn0G,CAA00G,KAA10G,CAAi1G,KAAj1G,CAAw1G,KAAx1G,CAA+1G,KAA/1G,CAAs2G,KAAt2G,CAA62G,KAA72G,CAAo3G,KAAp3G,CAA23G,KAA33G,CAAk4G,KAAl4G,CAAy4G,KAAz4G,CAAg5G,KAAh5G,CAAu5G,KAAv5G,CAA85G,KAA95G,CAAq6G,KAAr6G,CAA46G,KAA56G,CAAm7G,KAAn7G,CAA07G,KAA17G,CAAi8G,KAAj8G,CAAw8G,KAAx8G,CAA+8G,KAA/8G,CAAs9G,KAAt9G,CAA69G,KAA79G,CAAo+G,KAAp+G,CAA2+G,KAA3+G,CAAk/G,KAAl/G,CAAy/G,KAAz/G,CAAggH,KAAhgH,CAAugH,KAAvgH,CAA8gH,KAA9gH,CAAqhH,KAArhH,CAA4hH,KAA5hH,CAAmiH,KAAniH,CAA0iH,KAA1iH,CAAijH,KAAjjH,CAAwjH,KAAxjH,CAA+jH,KAA/jH,CAAskH,KAAtkH,CAA6kH,KAA7kH,CAAolH,KAAplH,CAA2lH,KAA3lH,CAAkmH,KAAlmH,CAAymH,KAAzmH,CAAgnH,KAAhnH,CAAunH,KAAvnH,CAA8nH,KAA9nH,CAAqoH,KAAroH,CAA4oH,KAA5oH,CAAmpH,KAAnpH,CAA0pH,KAA1pH,CAAiqH,KAAjqH,CAAwqH,KAAxqH,CAA+qH,KAA/qH,CAAsrH,KAAtrH,CAA6rH,KAA7rH,CAAosH,KAApsH,CAA2sH,KAA3sH,CAAktH,KAAltH,CAAytH,KAAztH,CAAguH,KAAhuH,CAAuuH,KAAvuH,CAA8uH,KAA9uH,CAAqvH,KAArvH,CAA4vH,KAA5vH,CAAmwH,KAAnwH,CAA0wH,KAA1wH,CAAixH,KAAjxH,CAAwxH,KAAxxH,CAA+xH,KAA/xH,CAAsyH,KAAtyH,CAA6yH,KAA7yH,CAAozH,KAApzH,CAA2zH,KAA3zH,CAAk0H,KAAl0H,CAAy0H,KAAz0H,CAAg1H,KAAh1H,CAAu1H,KAAv1H,CAA81H,KAA91H,CAAq2H,KAAr2H,CAA42H,KAA52H,CAAm3H,KAAn3H,CAA03H,KAA13H,CAAi4H,KAAj4H,CAAw4H,KAAx4H,CAA+4H,KAA/4H,CAAs5H,KAAt5H,CAA65H,KAA75H,CAAo6H,KAAp6H,CAA26H,KAA36H,CAAk7H,KAAl7H,CAAy7H,KAAz7H,CAAg8H,KAAh8H,CAAu8H,KAAv8H,CAA88H,KAA98H,CAAq9H,KAAr9H,CAA49H,KAA59H,CAAm+H,KAAn+H,CAA0+H,KAA1+H,CAAi/H,KAAj/H,CAAw/H,KAAx/H,CAA+/H,KAA//H,CAAshI,KAAthI,CAA6hI,KAA7hI,CAAoiI,KAApiI,CAA2iI,KAA3iI,CAAkjI,KAAljI,CAAyjI,KAAzjI,CAAgkI,KAAhkI,CAAukI,KAAvkI,CAA8kI,KAA9kI,CAAqlI,KAArlI,CAA4lI,KAA5lI,CAAmmI,KAAnmI,CAA0mI,KAA1mI,CAAinI,KAAjnI,CAAwnI,KAAxnI,CAA+nI,KAA/nI,CAAsoI,KAAtoI,CAA6oI,KAA7oI,CAAopI,KAAppI,CAA2pI,KAA3pI,CAAkqI,KAAlqI,CAAyqI,KAAzqI,CAAgrI,KAAhrI,CAAurI,KAAvrI,CAA8rI,KAA9rI,CAAqsI,KAArsI,CAA4sI,KAA5sI,CAAmtI,KAAntI,CAA0tI,KAA1tI,CAAiuI,KAAjuI,CAAwuI,KAAxuI,CAA+uI,KAA/uI,CAAsvI,KAAtvI,CAA6vI,KAA7vI,CAAowI,KAApwI,CAA2wI,KAA3wI,CAAkxI,KAAlxI,CAAyxI,KAAzxI,CAAgyI,KAAhyI,CAAuyI,KAAvyI,CAA8yI,KAA9yI,CAAqzI,KAArzI,CAA4zI,KAA5zI,CAAm0I,KAAn0I,CAA00I,KAA10I,CAAi1I,KAAj1I,CAAw1I,KAAx1I,CAA+1I,KAA/1I,CAAs2I,KAAt2I,CAA62I,KAA72I,CAAo3I,KAAp3I,CAA23I,KAA33I,CAAk4I,KAAl4I,CAAy4I,KAAz4I,CAAg5I,KAAh5I,CAAu5I,KAAv5I,CAA85I,KAA95I,CAAq6I,KAAr6I,CAA46I,KAA56I,CAAm7I,KAAn7I,CAA07I,KAA17I,CAAi8I,KAAj8I,CAAw8I,KAAx8I,CAA+8I,KAA/8I,CAAs9I,KAAt9I,CAA69I,KAA79I,CAAo+I,KAAp+I,CAA2+I,KAA3+I,CAAk/I,KAAl/I,CAAy/I,KAAz/I,CAAggJ,KAAhgJ,CAAugJ,KAAvgJ,CAA8gJ,KAA9gJ,CAAqhJ,KAArhJ,CAA4hJ,KAA5hJ,CAAmiJ,KAAniJ,CAA0iJ,KAA1iJ,CAAijJ,KAAjjJ,CAAwjJ,KAAxjJ,CAA+jJ,KAA/jJ,CAAskJ,KAAtkJ,CAA6kJ,KAA7kJ,CAAolJ,KAAplJ,CAA2lJ,KAA3lJ,CAAkmJ,KAAlmJ,CAAymJ,KAAzmJ,CAAgnJ,KAAhnJ,CAAunJ,KAAvnJ,CAA8nJ,KAA9nJ,CAAqoJ,KAAroJ,CAA4oJ,KAA5oJ,CAAmpJ,KAAnpJ,CAA0pJ,KAA1pJ,CAAiqJ,KAAjqJ,CAAwqJ,KAAxqJ,CAA+qJ,KAA/qJ,CAAsrJ,KAAtrJ,CAA6rJ,KAA7rJ,CAAosJ,KAApsJ,CAA2sJ,KAA3sJ,CAAktJ,KAAltJ,CAAytJ,KAAztJ,CAAguJ,KAAhuJ,CAAuuJ,KAAvuJ,CAA8uJ,KAA9uJ,CAAqvJ,KAArvJ,CAA4vJ,KAA5vJ,CAAmwJ,KAAnwJ,CAA0wJ,KAA1wJ,CAAixJ,KAAjxJ,CAAwxJ,KAAxxJ,CAA+xJ,KAA/xJ,CAAsyJ,KAAtyJ,CAA6yJ,KAA7yJ,CAAozJ,KAApzJ,CAA2zJ,KAA3zJ,CAAk0J,KAAl0J,CAAy0J,KAAz0J,CAAg1J,KAAh1J,CAAu1J,KAAv1J,CAA81J,KAA91J,CAAq2J,KAAr2J,CAA42J,KAA52J,CAAm3J,KAAn3J,CAA03J,KAA13J,CAAi4J,KAAj4J,CAAw4J,KAAx4J,CAA+4J,KAA/4J,CAAs5J,KAAt5J,CAA65J,KAA75J,CAAo6J,KAAp6J,CAA26J,KAA36J,CAAk7J,KAAl7J,CAAy7J,KAAz7J,CAAg8J,KAAh8J,CAAu8J,KAAv8J,CAA88J,KAA98J,CAAq9J,KAAr9J,CAA49J,KAA59J,CAAm+J,KAAn+J,CAA0+J,KAA1+J,CAAi/J,KAAj/J,CAAw/J,KAAx/J,CAA+/J,KAA//J,CAAshK,KAAthK,CAA6hK,KAA7hK,CAAoiK,KAApiK,CAA2iK,KAA3iK,CAAkjK,KAAljK,CAAyjK,KAAzjK,CAAgkK,KAAhkK,CAAukK,KAAvkK,CAA8kK,KAA9kK,CAAqlK,KAArlK,CAA4lK,KAA5lK,CAAmmK,KAAnmK,CAA0mK,KAA1mK,CAAinK,KAAjnK,CAAwnK,KAAxnK,CAA+nK,KAA/nK,CAAsoK,KAAtoK,CAA6oK,KAA7oK,CAAopK,KAAppK,CAA2pK,KAA3pK,CAAkqK,KAAlqK,CAAyqK,KAAzqK,CAAgrK,KAAhrK,CAAurK,KAAvrK,CAA8rK,KAA9rK,CAAqsK,KAArsK,CAA4sK,KAA5sK,CAAmtK,KAAntK,CAA0tK,KAA1tK,CAAiuK,KAAjuK,CAAwuK,KAAxuK,CAA+uK,KAA/uK,CAAsvK,KAAtvK,CAA6vK,KAA7vK,CAAowK,KAApwK,CAA2wK,KAA3wK,CAAkxK,KAAlxK,CAAyxK,KAAzxK,CAAgyK,KAAhyK,CAAuyK,KAAvyK,CAA8yK,KAA9yK,CAAqzK,KAArzK,CAA4zK,KAA5zK,CAAm0K,KAAn0K,CAA00K,KAA10K,CAAi1K,KAAj1K,CAAw1K,KAAx1K,CAA+1K,KAA/1K,CAAs2K,KAAt2K,CAA62K,KAA72K,CAAo3K,KAAp3K,CAA23K,KAA33K,CAAk4K,KAAl4K,CAAy4K,KAAz4K,CAAg5K,KAAh5K,CAAu5K,KAAv5K,CAA85K,KAA95K,CAAq6K,KAAr6K,CAA46K,KAA56K,CAAm7K,KAAn7K,CAA07K,KAA17K,CAAi8K,KAAj8K,CAAw8K,KAAx8K,CAA+8K,KAA/8K,CAAs9K,KAAt9K,CAA69K,KAA79K,CAAo+K,KAAp+K,CAA2+K,KAA3+K,CAAk/K,KAAl/K,CAAy/K,KAAz/K,CAAggL,KAAhgL,CAAugL,KAAvgL,CAA8gL,KAA9gL,CAAqhL,KAArhL,CAA4hL,KAA5hL,CAAmiL,KAAniL,CAA0iL,KAA1iL,CAAijL,KAAjjL,CAAwjL,KAAxjL,CAA+jL,KAA/jL,CAAskL,KAAtkL,CAA6kL,KAA7kL,CAAolL,KAAplL,CAA2lL,KAA3lL,CAAkmL,KAAlmL,CAAymL,KAAzmL,CAAgnL,KAAhnL,CAAunL,KAAvnL,CAA8nL,KAA9nL,CAAqoL,KAAroL,CAA4oL,KAA5oL,CAAmpL,KAAnpL,CAA0pL,KAA1pL,CAAiqL,KAAjqL,CAAwqL,KAAxqL,CAA+qL,KAA/qL,CAAsrL,KAAtrL,CAA6rL,KAA7rL,CAAosL,KAApsL,CAA2sL,KAA3sL,CAAktL,KAAltL,CAAytL,KAAztL,CAAguL,KAAhuL,CAAuuL,KAAvuL,CAA8uL,KAA9uL,CAAqvL,KAArvL,CAA4vL,KAA5vL,CAAmwL,KAAnwL,CAA0wL,KAA1wL,CAAixL,KAAjxL,CAAwxL,KAAxxL,CAA+xL,KAA/xL,CAAsyL,KAAtyL,CAA6yL,KAA7yL,CAAozL,KAApzL,CAA2zL,KAA3zL,CAAk0L,KAAl0L,CAAy0L,KAAz0L,CAAg1L,KAAh1L,CAAu1L,KAAv1L,CAA81L,KAA91L,CAAq2L,KAAr2L,CAA42L,KAA52L,CAAm3L,KAAn3L,CAA03L,KAA13L,CAAi4L,KAAj4L,CAAw4L,KAAx4L,CAA+4L,KAA/4L,CAAs5L,KAAt5L,CAA65L,KAA75L,CAAo6L,KAAp6L,CAA26L,KAA36L,CAAk7L,KAAl7L,CAAy7L,KAAz7L,CAAg8L,KAAh8L,CAAu8L,KAAv8L,CAA88L,KAA98L,CAAq9L,KAAr9L,CAA49L,KAA59L,CAAm+L,KAAn+L,CAA0+L,KAA1+L,CAAi/L,KAAj/L,CAAw/L,KAAx/L,CAA+/L,KAA//L,CAAshM,KAAthM,CAA6hM,KAA7hM,CAAoiM,KAApiM,CAA2iM,KAA3iM,CAAkjM,KAAljM,CAAyjM,KAAzjM,CAAgkM,KAAhkM,CAAukM,KAAvkM,CAA8kM,KAA9kM,CAAqlM,KAArlM,CAA4lM,KAA5lM,CAAmmM,KAAnmM,CAA0mM,KAA1mM,CAAinM,KAAjnM,CAAwnM,KAAxnM,CAA+nM,KAA/nM,CAAsoM,KAAtoM,CAA6oM,KAA7oM,CAAopM,KAAppM,CAA2pM,KAA3pM,CAAkqM,KAAlqM,CAAyqM,KAAzqM,CAAgrM,KAAhrM,CAAurM,KAAvrM,CAA8rM,KAA9rM,CAAqsM,KAArsM,CAA4sM,KAA5sM,CAAmtM,KAAntM,CAA0tM,KAA1tM,CAAiuM,KAAjuM,CAAwuM,KAAxuM,CAA+uM,KAA/uM,CAAsvM,KAAtvM,CAA6vM,KAA7vM,CAAowM,KAApwM,CAA2wM,KAA3wM,CAAkxM,KAAlxM,CAAyxM,KAAzxM,CAAgyM,KAAhyM,CAAuyM,KAAvyM,CAA8yM,KAA9yM,CAAqzM,KAArzM,CAA4zM,KAA5zM,CAAm0M,KAAn0M,CAA00M,KAA10M,CAAi1M,KAAj1M,CAAw1M,KAAx1M,CAA+1M,KAA/1M,CAAs2M,KAAt2M,CAA62M,KAA72M,CAAo3M,KAAp3M,CAA23M,KAA33M,CAAk4M,KAAl4M,CAAy4M,KAAz4M,CAAg5M,KAAh5M,CAAu5M,KAAv5M,CAA85M,KAA95M,CAAq6M,KAAr6M,CAA46M,KAA56M,CAAm7M,KAAn7M,CAA07M,KAA17M,CAAi8M,KAAj8M,CAAw8M,KAAx8M,CAA+8M,KAA/8M,CAAs9M,KAAt9M,CAA69M,KAA79M,CAAo+M,KAAp+M,CAA2+M,KAA3+M,CAAk/M,KAAl/M,CAAy/M,KAAz/M,CAAggN,KAAhgN,CAAugN,KAAvgN,CAA8gN,KAA9gN,CAAqhN,KAArhN,CAA4hN,KAA5hN,CAAmiN,KAAniN,CAA0iN,KAA1iN,CAAijN,KAAjjN,CAAwjN,KAAxjN,CAA+jN,KAA/jN,CAAskN,KAAtkN,CAA6kN,KAA7kN,CAAolN,KAAplN,CAA2lN,KAA3lN,CAAkmN,KAAlmN,CAAymN,KAAzmN,CAAgnN,KAAhnN,CAAunN,KAAvnN,CAA8nN,KAA9nN,CAAqoN,KAAroN,CAA4oN,KAA5oN,CAAmpN,KAAnpN,CAA0pN,KAA1pN,CAAiqN,KAAjqN,CAAwqN,KAAxqN,CAA+qN,KAA/qN,CAAsrN,KAAtrN,CAA6rN,KAA7rN,CAAosN,KAApsN,CAA2sN,KAA3sN,CAAktN,KAAltN,CAAytN,KAAztN,CAAguN,KAAhuN,CAAuuN,KAAvuN,CAA8uN,KAA9uN,CAAqvN,KAArvN,CAA4vN,KAA5vN,CAAmwN,KAAnwN,CAA0wN,KAA1wN,CAAixN,KAAjxN,CAAwxN,KAAxxN,CAA+xN,KAA/xN,CAAsyN,KAAtyN,CAA6yN,KAA7yN,CAAozN,KAApzN,CAA2zN,KAA3zN,CAAk0N,KAAl0N,CAAy0N,KAAz0N,CAAg1N,KAAh1N,CAAu1N,KAAv1N,CAA81N,KAA91N,CAAq2N,KAAr2N,CAA42N,KAA52N,CAAm3N,KAAn3N,CAA03N,KAA13N,CAAi4N,KAAj4N,CAAw4N,KAAx4N,CAA+4N,KAA/4N,CAAs5N,KAAt5N,CAA65N,KAA75N,CAAo6N,KAAp6N,CAA26N,KAA36N,CAAk7N,KAAl7N,CAAy7N,KAAz7N,CAAg8N,KAAh8N,CAAu8N,KAAv8N,CAA88N,KAA98N,CAAq9N,KAAr9N,CAA49N,KAA59N,CAAm+N,KAAn+N,CAA0+N,KAA1+N,CAAi/N,KAAj/N,CAAw/N,KAAx/N,CAA+/N,KAA//N,CAAshO,KAAthO,CAA6hO,KAA7hO,CAAoiO,KAApiO,CAA2iO,KAA3iO,CAAkjO,KAAljO,CAAyjO,KAAzjO,CAAgkO,KAAhkO,CAAukO,KAAvkO,CAA8kO,KAA9kO,CAAqlO,KAArlO,CAA4lO,KAA5lO,CAAmmO,KAAnmO,CAA0mO,KAA1mO,CAAinO,KAAjnO,CAAwnO,KAAxnO,CAA+nO,KAA/nO,CAAsoO,KAAtoO,CAA6oO,KAA7oO,CAAopO,KAAppO,CAA2pO,KAA3pO,CAAkqO,KAAlqO,CAAyqO,KAAzqO,CAAgrO,KAAhrO,CAAurO,KAAvrO,CAA8rO,KAA9rO,CAAqsO,KAArsO,CAA4sO,KAA5sO,CAAmtO,KAAntO,CAA0tO,KAA1tO,CAAiuO,KAAjuO,CAAwuO,KAAxuO,CAA+uO,KAA/uO,CAAsvO,KAAtvO,CAA6vO,KAA7vO,CAAowO,KAApwO,CAA2wO,KAA3wO,CAAkxO,KAAlxO,CAAyxO,KAAzxO,CAAgyO,KAAhyO,CAAuyO,KAAvyO,CAA8yO,KAA9yO,CAAqzO,KAArzO,CAA4zO,KAA5zO,CAAm0O,KAAn0O,CAA00O,KAA10O,CAAi1O,KAAj1O,CAAw1O,KAAx1O,CAA+1O,KAA/1O,CAAs2O,KAAt2O,CAA62O,KAA72O,CAAo3O,KAAp3O,CAA23O,KAA33O,CAAk4O,KAAl4O,CAAy4O,KAAz4O,CAAg5O,KAAh5O,CAAu5O,KAAv5O,CAA85O,KAA95O,CAAq6O,KAAr6O,CAA46O,KAA56O,CAAm7O,KAAn7O,CAA07O,KAA

MzC,C;4FASA,yB;MAAA,wD;MlOsLA,0B;MAAA,+B;MkOtLA,4B;QAOoD,OlO0LX,eAAW,OkO1LQ,iBlOuFl
B,cAAL,GAAiB,GkOvFM,ClO0LR,CAAX,C;O;KkOjMzC,C;gFAUA,yB;MAAA,4C;MlOqJA,+B;MkOrJA,sC;Q
Aa2D,OlOkJjB,ekOlJ0B,WlOmD7B,ckOnD6B,EAAW,QAAX,ClOkJ1B,C;O;KkO/J1C,C;kFAeA,yB;MAAA,8C;
MlOsIA,+B;MkOtIA,sC;QAa4D,OlOmIlB,ekOnI2B,YlOoC9B,ckOpC8B,EAAY,QAAZ,ClOmI3B,C;O;KkOhJ1C,
C;oFAeA,yB;MhOgFI,6B;MgO3SJ,gD;MA2NA,4B;QAM+C,OA3NM,ajO+RhB,CCeE,cAAU,cAAL,GAAiB,KA
AtB,CDfF,MiO/RgB,C;O;KAqNrD,C;oGAQA,yB;M/GnLA,iB;M+GmLA,4B;QAMuD,O/GnLI,MAAO,OjHkNzB,
cyN3CpC,GAAY,KxGvKiD,CwGuK9D,GAA+C,EAA/C,I;O;KOMJ,C;sGAQA,yB;MPZA,kE;MOYA,4B;QAMw
D,OPZoB,sBzNmCnC,cyNnCe,GAAW,KAAS,C;O;KOM5E,C;8FAQA,yB;MAAA,0D;MhOuHA,4B;MAAA,iC;M
gOvHA,4B;QAOuD,OhO2HZ,gBAAY,QgO3HQ,kBhOwBrB,cAAL,GAAiB,KgOxBS,ChO2HR,CAAZ,C;O;KgOl
I3C,C;4FASA,yB;MAAA,wD;MhO8GA,4B;MAAA,iC;MgO9GA,4B;QAOsD,OhOkHX,gBAAY,QgOlHO,iBhOep
B,cAAL,GAAiB,KgOfQ,ChOkHP,CAAZ,C;O;KgOzH3C,C;gFAUA,yB;MAAA,4C;MhOyFA,iC;MgOzFA,sC;QA
a6D,OhOsFhB,gBgOtF0B,WhOX9B,cgOW8B,EAAW,QAAX,ChOsF1B,C;O;KgOnG7C,C;kFAeA,yB;MAAA,8C;
MhO0EA,iC;MgO1EA,sC;QAa8D,OhOuEjB,gBgOvE2B,YhO1B/B,cgO0B+B,EAAY,QAAZ,ChOuE3B,C;O;KgO
pF7C,C;ICtRA,qC;MAEI,SlOuIoD,ckOvI3C,ClOuI2C,EkOvIvC,ClOuIuC,C;MkOtIpD,SlOsIoD,ckOtI3C,ClOsI2C,
EkOtIvC,ClOsIuC,C;MkOrIpD,OlOmDkE,YkOnDvD,ElOmDwE,KAAjB,EkOnDjD,ElOmD8E,KAA7B,CkOnDv
D,KAAX,GlOkFsD,SkOlFjC,ElOkF2C,KAAK,GkOlF3C,ElOkFuD,KAAZ,IAAf,CkOlFtD,GlOqEqD,SAAU,CAaT
,SkOlFpB,ElOkF8B,KAAK,GkOlF9B,ElOkF0C,KAAZ,IAAf,CAbS,MAAK,GkOrExB,ClOqEmC,KAAX,IAAf,C;
K;IkOlEzD,qC;MACI,SlNwIsD,ekNxI7C,ClNwI6C,EkNxIzC,ClNwIyC,C;MkNvItD,SlNuIsD,ekNvI7C,ClNuI6C,E
kNvIzC,ClNuIyC,C;MkNtItD,OlNqDmE,akNrDxD,ElNqD0E,KAAlB,EkNrDlD,ElNqDgF,KAA9B,CkNrDxD,KA
AX,GlN+EwD,UkN/EnC,ElN+E8C,KAAK,UkN/E9C,ElN+E0D,KAAZ,CAAhB,CkN/ExD,GlNkEuD,UAAW,CAa
V,UkN/EtB,ElN+EiC,KAAK,UkN/EjC,ElN+E6C,KAAZ,CAAhB,CAbU,MAAK,KkNlE3B,ClNkEsC,KAAX,CAA
hB,C;K;IkN/D3D,uD;MAmBI,WAAO,CAAP,C;QAD8E,OlOwBZ,YkOvBlD,KlOuBmE,KAAjB,EkOvBzC,GlOuB
sE,KAA7B,CkOvBlD,KAD8D,GAChD,GADgD,GlOuDxB,SkOtDf,GlOsDyB,KAAK,GkOtDxB,mBAAiB,GAAjB
,EAAsB,KAAtB,ElO2WV,SkO3WuC,IlO2WvC,CkO3WU,ClOsDoC,KAAZ,IAAf,C;akOrDtD,WAAO,CAAP,C;Q
AF8E,OlOwBZ,YkOtBlD,KlOsBmE,KAAjB,EkOtBzC,GlOsBsE,KAA7B,CkOtBlD,KAF8D,GAEhD,GAFgD,GlO
0CzB,SkOxCd,GlOwCwB,KAAK,GkOxCvB,mBAAiB,KAAjB,EAAwB,GAAxB,ElO0WV,SkO1WwC,CAAC,IA
AD,IlO0WxC,CkO1WU,ClOwCkC,KAAX,IAAf,C;;QkOvC7C,MAAa,gCAAyB,eAAzB,C;K;IAGzB,uD;MAmBI,
sBAAO,CAAP,C;QADkF,OlNQf,akNPnD,KlNOqE,KAAlB,EkNP1C,GlNOwE,KAA9B,CkNPnD,KADkE,GACp
D,GADoD,GlNkC1B,UkNjCjB,GlNiC4B,KAAK,UkNjC3B,mBAAiB,GAAjB,EAAsB,KAAtB,ElNkWP,UkNlWo
C,IlNkWpC,CkNlWO,ClNiCuC,KAAZ,CAAhB,C;akNhCxD,sBAAO,CAAP,C;QAFkF,OlNQf,akNNnD,KlNMqE,
KAAlB,EkNN1C,GlNMwE,KAA9B,CkNNnD,KAFkE,GAEpD,GAFoD,GlNqB3B,UkNnBhB,GlNmB2B,KAAK,
KkNnB1B,mBAAiB,KAAjB,EAAwB,GAAxB,ElNiWP,UkNjWsC,IAAD,alNiWrC,CkNjWO,ClNmBqC,KAAX,C
AAhB,C;;QkNlB/C,MAAa,gCAAyB,eAAzB,C;K;IjOlDC,sB;MAEtB,8B;MAFyD,gB;K;IAEzD,4B;MAAA,gC;M
ACI,iBAGqC,WAAO,CAAP,C;MAErC,iBAGqC,WAAO,MAAP,C;MAErC,kBAGmC,C;MAEnC,iBAGkC,E;K;;;I
AnBtC,wC;MAAA,uC;QAAA,sB;;MAAA,gC;K;wGAsBA,iB;MAM0D,OAAa,0BA6OjC,SAAL,GAAiB,KA7OqB
,EAAU,KF4O3C,KAAL,GAAiB,GE5OqB,C;K;oGAEvE,iB;MAOoE,OAAa,0BAoO3C,SAAL,GAAiB,KApOqB,E
AAU,KAoOrD,KAAL,GAAiB,KApO+B,C;K;wGAEjF,yB;MA2PA,6B;MD5PA,8C;MCCA,wB;QAMyD,ODAS,Y
AAiB,CC8PhD,cAAU,SAAL,GAAiB,KAAtB,CD9PgD,MAAjB,ECAe,KDAc,KAA7B,C;O;KCNlE,C;wGAQA,yB
;MA6PA,aAS6D,0B;MAT7D,+B;Me9PA,gD;MfCA,wB;QAM0D,OeAS,aAAkB,CfgQhD,eAAW,oBAAL,SAAK,
CAAL,YAAN,CehQgD,MAAlB,EfAgB,KeAc,KAA9B,C;O;KfNnE,C;8FAQA,yB;MA2PA,6B;MA3OA,wB;QAAE
sD,ODMD,cAAU,CC4O5B,cAAU,SAAL,GAAiB,KAAtB,CD5OsD,MAAjB,CAAiB,KAAL,GAAiB,KAAtB,CAAiB,KAAL,
AAL,GAAiB,GAAtB,CAAiB,KAAL,GAAiB,KAAtB,CC3O4C,MAAX,IAAf,C;O;KCRrD,C;8FAQA,yB;MAwPA,6B;MA
xOA,wB;QAAEuD,ODGF,cAAU,CC4O5B,cAAU,SAAL,GAAiB,KAAtB,CD5OuD,MAAjB,CAAiB,KAAL,GAAiB,KAAtB,CAAiB,KAAL,
AAL,GAAiB,GAAtB,CAAiB,KAAL,GAAiB,KAAtB,CC3O6C,cA/OuC,KA+OvC,OAAO+B,KAAK,G
AAiB,GAAtB,CAAiB,KAAL,GAAiB,KAAtB,CAAiB,KAAL,GAAiB,KAAtB,CC3O4C,MAAX,IAAf,C;O;KCLrD,C;8FAQA,yB
;MAwPA,6B;MAxOA,wB;QAAEuD,ODAA,cAAU,CC4O5B,cAAU,SAAL,GAAiB,KAAtB,CD5OuD,MAAjB,CAAiB,KAAL,GAAiB,KAAtB,CAAiB,KAAL,
AAL,GAAiB,GAAtB,CAAiB,KAAL,GAAiB,KAAtB,CC3O6C,cAAX,IAAf,C;O;KCFrD,C;8FAQA,yB;MAwPA,6B;MA
x

L,GAAiB,GAAtB,CC9N8C,MAAZ,IAAf,C;O;KCRtD,C;gGAGA,yB;MA2NA,6B;MA3NA,wB;QAEwD,ODGF,cAAU,CC+N7B,cAAU,SAAL,GAAiB,KAAtB,CD/N6B,MAAK,GAAY,CC+N9C,cAlOyC,KAkO/B,KAAL,GAAiB,KAAtB,CD/N8C,MAAZ,IAAf,C;O;KCLtD,C;gGAGA,yB;MAwNA,6B;MAxNA,wB;QAEsD,ODAA,cAAU,CC+N7B,cAAU,SAAL,GAAiB,KAAtB,CD/N6B,MAAK,GCAK,KDAO,KAAZ,IAAf,C;O;KCFtD,C;gGAGA,yB;MA+NA,+B;MA/NA,wB;QAEwD,OeAA,eAAW,CfsO9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CetO8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,B,C;O;KfFxD,C;gGAIA,yB;MAiNA,6B;MAjNA,wB;QAEuD,OAAe,YAAL,CCkN7B,cAAU,SAAL,GAAiB,KAAtB,CDlN6B,MAAK,EAAY,CDiN9C,cEvNwC,KFuN9B,KAAL,GAAiB,KAAtB,CDjN8C,MAAZ,CAAf,C;O;KCRtD,C;gGAGA,yB;MA8MA,6B;MA9MA,wB;QAEwD,OAAe,YAAL,CCkN7B,cAAU,SAAL,GAAiB,KAAtB,CDlN6B,MAAK,EAAY,CCkN9C,cArNyC,KAqN/B,KAAL,GAAiB,KAAtB,CDlN8C,MAAZ,CAAf,C;O;KCLtD,C;gGAGA,yB;MA2MA,6B;MA3MA,wB;QAEsD,OAAe,YAAL,CCkN7B,cAAU,SAAL,GAAiB,KAAtB,CDlN6B,MAAK,EAAY,CDlN9C,cAAU,SAAL,GAAiB,KAAtB,CDkN8C,MAAZ,CAAf,C;O;KCFtD,C;gGAGA,yB;MAwMA,+B;MAxMA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,B,C;O;KfFxD,C;4FAIA,yB;MAqLA,6B;MArLA,wB;QAEuD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CDqD9C,cAAU,SAAL,GAAiB,KAAtB,CDrD8C,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MAkLA,6B;MAlLA,wB;QAEwD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CCqD9C,cA5DyC,KA4D/B,KAAL,GAAiB,KAAtB,CDrD8C,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MAuKA,6B;MAvKA,wB;QAEsD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CDlN9C,cAAU,SAAL,GAAiB,KAAtB,CDqD8C,MAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MAoKA,+B;MApKA,wB;QAEwD,OeAA,eAAW,CfgO9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CehO8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,B,C;O;KfFxD,C;4FAIA,yB;MAiJA,6B;MAjJA,wB;QAEuD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CDqD9C,cAAU,SAAL,GAAiB,KAAtB,CDrD8C,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MA8IA,6B;MA9IA,wB;QAEwD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CCqD9C,cA5DyC,KA4D/B,KAAL,GAAiB,KAAtB,CDrD8C,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MAmIA,6B;MAnIA,wB;QAEsD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CDlN9C,cAAU,SAAL,GAAiB,KAAtB,CDqD8C,MAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MAgIA,+B;MAhIA,wB;QAEwD,OeAA,eAAW,CfuO9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CevO8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,B,C;O;KfFxD,C;4FAIA,yB;MA6GA,6B;MA7GA,wB;QAEuD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CDqD9C,cAAU,SAAL,GAAiB,KAAtB,CDrD8C,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MA0GA,6B;MA1GA,wB;QAEwD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CCqD9C,cA5DyC,KA4D/B,KAAL,GAAiB,KAAtB,CDrD8C,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MA+FA,6B;MA/FA,wB;QAEsD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CDlN9C,cAAU,SAAL,GAAiB,KAAtB,CDqD8C,MAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MA4FA,+B;MA5FA,wB;QAEwD,OeAA,eAAW,CfwO9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CexO8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,B,C;O;KfFxD,C;4FAIA,yB;MAyEA,6B;MAzEA,wB;QAEuD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CDqD9C,cAAU,SAAL,GAAiB,KAAtB,CDrD8C,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MAsEA,6B;MAtEA,wB;QAEwD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CCqD9C,cA5DyC,KA4D/B,KAAL,GAAiB,KAAtB,CDrD8C,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MA2DA,6B;MA3DA,wB;QAEsD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CDlN9C,cAAU,SAAL,GAAiB,KAAtB,CDqD8C,MAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MAwDA,+B;MAxDA,wB;QAEwD,OeAA,eAAW,CfyO9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezO8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,B,C;O;KfFxD,C;4FAIA,yB;MAqCA,6B;MArCA,wB;QAEuD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CDqD9C,cAAU,SAAL,GAAiB,KAAtB,CDrD8C,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MAkCA,6B;MAlCA,wB;QAEwD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CCqD9C,cA5DyC,KA4D/B,KAAL,GAAiB,KAAtB,CDrD8C,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MAuBA,6B;MAvBA,wB;QAEsD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CDlN9C,cAAU,SAAL,GAAiB,KAAtB,CDqD8C,MAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MAoBA,+B;MApBA,wB;QAEwD,OeAA,eAAW,CfyO9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezO8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,B,C;O;KfFxD,C;4FAIA,yB;MAiBA,6B;MAjBA,wB;QAEuD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CDqD9C,cAAU,SAAL,GAAiB,KAAtB,CDrD8C,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MAcA,6B;MAdA,wB;QAEwD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CCqD9C,cA5DyC,KA4D/B,KAAL,GAAiB,KAAtB,CDrD8C,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MAWA,6B;MAXA,wB;QAEsD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CDlN9C,cAAU,SAAL,GAAiB,KAAtB,CDqD8C,MAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MAQA,+B;MARA,wB;QAEwD,OeAA,eAAW,CfyO9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezO8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,B,C;O;KfFxD,C;4FAIA,yB;MAKA,6B;MALA,wB;QAEuD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CDqD9C,cAAU,SAAL,GAAiB,KAAtB,CDrD8C,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MAEA,6B;MAFA,wB;QAEwD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CCqD9C,cA5DyC,KA4D/B,KAAL,GAAiB,KAAtB,CDrD8C,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MAOA,6B;MAPA,wB;QAEsD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CDlN9C,cAAU,SAAL,GAAiB,KAAtB,CDqD8C,MAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MAIA,+B;MAJA,wB;QAEwD,OeAA,eAAW,CfyO9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezO8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,B,C;O;KfFxD,C;4FAIA,yB;MACA,6B;MADA,wB;QAEuD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CDqD9C,cAAU,SAAL,GAAiB,KAAtB,CDrD8C,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MACA,6B;MADA,wB;QAEwD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CCqD9C,cA5DyC,KA4D/B,KAAL,GAAiB,KAAtB,CDrD8C,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MACA,6B;MADA,wB;QAEsD,OAAe,YAAL,CCqD7B,cAAU,SAAL,GAAiB,KAAtB,CDrD6B,MAAK,EAAY,CDlN9C,cAAU,SAAL,GAAiB,KAAtB,CDqD8C,MAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MACA,+B;MAD

Y;MASqC,gB;K;gFACrC,Y;MASiC,OAAK,SAAL,GAAiB,K;K;kFAClD,yB;MAAA,aASqD,0B;MATrD,mB;QAS
mC,OAAK,oBAAL,SAAK,CAAL,Y;O;KATnC,C;oFAWA,yB;MF+DJ,0B;MAAA,+B;ME/DI,mB;QASqC,OFiEE,
eAAW,OEjEb,SFiEa,CAAX,C;O;KE1EvC,C;sFAUA,Y;MAEuC,W;K;kFACvC,yB;MAAA,6B;MAAA,mB;QASm
C,qBAAU,SAAL,GAAiB,KAAtB,C;O;KATnC,C;oFAUA,yB;MAAA,aAS6D,0B;MAT7D,+B;MAAA,mB;QASqC
,sBAAW,oBAAL,SAAK,CAAL,YAAN,C;O;KATrC,C;oFAWA,Y;MAMqC,OApDC,SAAL,GAAiB,K;K;sFAqDl
D,Y;MAMuC,OA3DD,SAAL,GAAiB,K;K;gCA6DlD,Y;MAAyC,OAAQ,CA7DX,SAAL,GAAiB,KA6DD,Y;K;;;;;
gCA3UrD,Y;MAAA,c;MAG6D,qD;MAH7D,a;K;8BAAA,iB;MAAA,2IAG6D,oCAH7D,G;K;0EA+UA,yB;MAA
A,iC;MAAA,4B;QAW4C,uBAAY,SAAZ,C;O;KAX5C,C;4EAYA,yB;MAAA,iC;MAAA,4B;QAU6C,uBAAO,SA
AP,C;O;KAV7C,C;4EAWA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW2C,uBAAY,QAAL,SAAK,CAAZ,C;O;K
AX3C,C;4EAYA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW4C,uBAAY,QAAL,SAAK,SAAZ,C;O;KAX5C,C;Ii
C/WA,8B;MACqB,sB;K;wCAKjB,iB;MAM8C,OjCsVL,WiCtVK,aAAQ,KAAR,CjCsVL,C;K;wCiCpVzC,wB;MA
OI,aAAQ,KAAR,IAAiB,KjC4OgB,K;K;mFiCxOP,Y;MAAQ,OAAA,YAAQ,O;K;qCAE9C,Y;MAC+E,gCAAS,Y
AAT,C;K;IAGzD,qC;MAAkC,yB;MAAjC,oB;MACnB,eAAoB,C;K;6CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;gD
ACvC,Y;MA0D,Q;MA9B,IAAI,eAAQ,YAAM,OAAlB,C;QAAA,OjCgUS,WiChUe,aAAM,mBAAN,EAAM,2
BAAN,OjCgUf,C;;QiChU8C,MAAM,2BAAuB,YAAM,WA7B,C;K;;2CAG7F,mB;MAIS,Q;MAAL,IAAI,eAAC,
0EAAD,SAAJ,C;QAAkC,OAAO,K;MAEzC,OAAe,WAAR,YAAQ,EAAS,OjCsNS,KiCtNlB,C;K;gDAGnB,oB;M
ACY,Q;MA2B,gBAA3B,gE;MA2B,c;;QjB0nDvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;U
AAP,e;;QACrB,6B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;UiB1nD6B,2BjB0nDR,OiB1nDQ,S;UAAA,W;YAA
wB,oBAAR,YAAQ,EjB0nDhC,OhBx6CA,KiClNgC,C;;UjB0nD/C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;;QA
C/C,aAAO,I;;;MiB3nDH,iB;K;oCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA/CvD,uC;MAAA,
qD;MACgC,wBAAK,eAAW,IAAX,CAAL,C;MADhC,Y;K;;;;qCAPJ,Y;MAAA,OAAqB,sDALrB,M;K;qCAAA,Y;
MAAA,c;MAAqB,wD;MALrB,a;K;mCAAA,iB;MAAA,2IAAqB,0CALrB,G;K;kFAyDA,yB;MAAA,2C;MAWwC
,0C;QAAA,wB;UAAW,OAAA,aAAK,KAAL,CjCiMV,K;S;O;MiC5MzC,6B;QAWI,OAAO,qBAAY,gCAAW,IAAX
X,GAAiB,wBAAjB,CAAZ,C;O;KAXX,C;oFAcA,oB;MAAqB,OAAA,WAAE,e;K;IAiM5ExE,sC;MAQ2D,OAAA,a,WAAb,Ab,SpOwQj
B,KAAL,GAAiB,GoOxQkB,EAAS,KAAT,C;K;IAExE,sC;MAQ4D,OAAA,a,WAAb,Ab,SlO+PlB,KAAL,GAAiB,KkO/
PmB,EAAS,KAAT,C;K;IAGzE,sC;MAQ0D,OAAc,WnOiR5B,oBmOjRc,SnOiRnB,KAAK,CAAL,iBmOjRiC,EA
AS,KAAT,C;K;IAExE,sC;MAOgD,uBAAc,SnNyQvB,KmNzQS,EAA6B,WAAW,KAAX,CAA7B,C;K;IAGhD,8B
;MAMqC,Q;MAAA,0DAAmB,kBAAkB,SAAlB,C;QAAkC,OAAO,qBAAY,gCAAW,IAAX,CAAZ,C;O;KAAlE,C;IA
AkB,SAAlB,C;K;IAGvE,+B;MAMuC,Q;MAAA,2DAAoB,kBAAkB,SAAlB,C;K;IAE3D,sC;MAOiD,Q;MAAA,
2CAAe,KAAf,oBAAyB,kBAAkB,SAAlB,C;K;IAE1E,6B;MAMmC,Q;MAAA,yDAAkB,kBAAkB,SAAlB,C;K;IA
ErD,oC;MAO6C,Q;MAAA,yCAAa,KAAb,oBAAuB,kBAAkB,SAAlB,C;K;IAEpE,8B;MAMqC,Q;MAAA,0DAA
mB,kBAAkB,SAAlB,C;QAAkC,OAAO,qBAAY,gCAAW,IAAX,CAAZ,C;O;KAAlE,C;IAAkB,SAAlB,C;K;IAExD,qC;MAO+C,Q;MAAA,0CAAc,KAAd,oBAAwB,kBAAkB,SAAlB,C;K;IAMvE,kC;MAM4C,kCAAsB,EAAtB,CAAtB,C;K;IAE5E,2C;MASmB,Q;MAAA,sBAAL,SAAK,EAAa,KAAb,C;MAAL,iB;QAAA,OAAA,4BAAK,IAAL,CAAA,C;O;KAAA,C;IAAA,iB;QAAA,OAA
4B,QAAA,OAAA,IAAA,CAAA,C;O;KAAA,C;IAAA,iB;

,EmOmHvD,MnOnHmE,KAAZ,CAAf,C;QmOqHlD,mBAAmB,M;QACnB,SnOhJiD,SmOgJjD,MnOhJ2D,KAAK,GAAW,CAkU5C,SmOlLrB,KnOkLqB,CAlU4C,MAAX,IAAf,C;QmOiJjD,InOnK8D,YmOmK1D,MnOnK2E,KAAjB,EmOmKjD,YnOnK8E,KAA7B,CmOmK1D,IAAJ,C;UAA2B,OAAO,I;;MAGtC,OAAO,M;K;IAGX,kC;MAM4C,kCAAsB,EAAtB,C;K;IAE5C,2C;MASI,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MAClB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,YAAmB,6BAAM,U;MACzB,S;MAEA,gBAAgB,qBAAK,CAAL,C;MAChB,IAAI,YAAY,EAAhB,B,C;QACI,IAAI,WAAU,CAAV,IAAe,cAAa,EAAhC,C,C;UAAqC,OAAO,I;QAC5C,5C,QAAQ,C;;QAER,QAAQ,C;;MAIZ,uBAAuB,gD;MAEvB,qBAAqB,gB;MACrB,anN0IqC,UAAW,oBmN1InC,KnN0ImC,CAAX,C;MmNzIrC,aAAa,2B;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAY,QAAQ,KAAK,CAAL,EAAQ,KAAR,B,C;QAAiB,OAAO,I;MAEhD,QAAQ,IAAI,QAAQ,CAAZ,EAAe,UAAO,I;;QAAP,OAAO,KAAP,C;UAAO,OAAO,I;QAAd,C;MAAf,C;MAER,OAAO,K;IAGX,2C;MAAA,IAAI,QAAQ,CAAZ,EAAe,UAAO,I;;QAAP,OAAO,KAAP,C;UAAO,OAAO,I;QAAd,C;MAAf,C;MAAA,OAAO,K;IAAP,C;IAE

;;;